

United States

2012 Land Line And Cell Phone Codebook Report

ADULT Asthma Call-Back Survey

March 11, 2014



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**STATE FIPS CODE**

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: \_STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
6	California	504	5.09	22.48
15	Hawaii	363	3.67	0.83
17	Illinois	288	2.91	6.66
18	Indiana	440	4.45	3.46
19	Iowa	319	3.22	1.49
26	Michigan	718	7.26	6.37
28	Mississippi	409	4.13	1.41
29	Missouri	374	3.78	3.60
30	Montana	390	3.94	0.58
31	Nebraska	895	9.05	0.82
32	Nevada	227	2.29	1.30
33	New Hampshire	396	4.00	0.79
35	New Mexico	467	4.72	1.14
36	New York	266	2.69	11.37
39	Ohio	525	5.31	6.72
40	Oklahoma	326	3.30	2.19
41	Oregon	325	3.29	2.77
42	Pennsylvania	947	9.57	7.34
48	Texas	365	3.69	11.31
50	Vermont	348	3.52	0.41
53	Washington	732	7.40	4.32
55	Wisconsin	269	2.72	2.64

**MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	960	9.70	15.28
2	February	983	9.94	9.04
3	March	888	8.98	8.60
4	April	1,047	10.58	12.84
5	May	653	6.60	4.64
6	June	724	7.32	5.52
7	July	1,027	10.38	12.75
8	August	776	7.84	6.81
9	September	646	6.53	4.59
10	October	941	9.51	9.28
11	November	659	6.66	6.20
12	December	589	5.95	4.45

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**MONTH OF ASTHMA CALL-BACK INTERVIEW**

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM  
SAS Variable Name: IMONTH\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	384	3.88	2.58
2	February	756	7.64	10.39
3	March	1,149	11.61	14.81
4	April	1,019	10.30	9.55
5	May	867	8.76	4.98
6	June	812	8.21	9.43
7	July	761	7.69	7.12
8	August	818	8.27	7.34
9	September	752	7.60	5.57
10	October	873	8.82	10.42
11	November	922	9.32	9.32
12	December	780	7.88	8.48

**DAY OF ASTHMA CALL-BACK INTERVIEW**

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM  
SAS Variable Name: IDAY\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		9,893	100.00	100.00

**YEAR OF ASTHMA CALL-BACK INTERVIEW**

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM  
SAS Variable Name: IYEAR\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2012	Interview year	9,427	95.29	97.01
2013	Interview year	466	4.71	2.99

**INTERVIEWER ID OF ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: INTVID\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer Identification	9,893	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**DISPOSITION OF ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: DISPCODE\_F

Value	Value Label
1100	Complete
1200	Partial complete

Frequency	Percentage	Weighted Percentage
9,877	99.84	99.97
16	0.16	0.03

**ANNUAL SEQUENCE NUMBER**

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM

SAS Variable Name: SEQNO

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: NATTMPTS\_F

Value	Value Label
HIDDEN	Number of attempts of asthma call-back

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PERMIT TO CALL BACK FROM BRFS**

Survey: ADULT Asthma Call-Back

Column: 39

Prologue:

Description: PERMIT TO CALL BACK FROM BRFS

Type: NUM

SAS Variable Name: CALLBACK

Value	Value Label
1	Yes

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**ARE YOU SAMPLE PERSON**

Survey: ADULT Asthma Call-Back

Column: 40

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Type: NUM

SAS Variable Name: SAMP\_NAME

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9,526	96.29	95.88
367	3.71	4.12

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**MAY I SPEAK WITH SAMPLE PERSON**

Survey: ADULT Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: SAMP\_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	367	100.00	100.00
BLANK	Not asked or missing	9,526		

**CHECK CORRECT PERSON ON PHONE**

Survey: ADULT Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,048	100.00	100.00
BLANK	Not asked or missing	8,845		

**EVER HAVE ASTHMA INCONSISTENT WITH BRFSS**

Survey: ADULT Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER\_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,048	100.00	100.00
BLANK	Not asked or missing	8,845		

**STILL HAVE ASTHMA INCONSISTENT WITH BRFSS**

Survey: ADULT Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR\_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	709	67.65	69.61
2	No	304	29.01	28.92
7	Don't know/Not sure	34	3.24	1.44
9	Refused	1	0.10	0.02
BLANK	Not asked or missing	8,845		

**PERMISSION TO COMBINE THE ANSWER WITH BRFSS**

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,114	51.69	73.57
7	Don't know/Not sure	4,779	48.31	26.43

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**AGE AT ASTHMA DIAGNOSIS**

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	8,944	90.41	91.54
777	Don't know	644	6.51	4.59
888	Less than 1 year old	302	3.05	3.85
999	Refused	3	0.03	0.02

**TIME SINCE DIAGNOSIS**

Survey: ADULT Asthma Call-Back

Column: 49

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	202	2.04	1.71
2	One to five years ago	936	9.46	9.95
3	More than 5 years ago	8,730	88.24	88.15
7	Don't know	24	0.24	0.16
9	Refused	1	0.01	0.04

**LAST TALKED TO A DOCTOR**

Survey: ADULT Asthma Call-Back

Column: 50-51

Type: NUM

SAS Variable Name: LAST\_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	5,906	59.70	54.93
5	One year to less than 3 years ago	1,357	13.72	15.41
6	Three years to five years ago	586	5.92	6.29
7	More than five years ago	1,900	19.21	22.27
77	Don't know	54	0.55	0.36
88	Never	88	0.89	0.74
99	Refused	2	0.02	0.01

**LAST TOOK ASTHMA MEDICATION**

Survey: ADULT Asthma Call-Back

Column: 52-53

Type: NUM

SAS Variable Name: LAST\_MED

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	3,795	38.36	29.68
2	1-6 days ago	854	8.63	9.20
3	1 week to less than 3 months ago	1,134	11.46	14.22
4	3 months to less than 1 year ago	797	8.06	9.23
5	1 year to less than 3 years ago	708	7.16	7.82
6	3 years to 5 years ago	426	4.31	5.64
7	More than 5 years ago	1,830	18.50	21.38
77	Don't know	65	0.66	0.38
88	Never	282	2.85	2.44
99	Refused	2	0.02	0.01

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**LAST HAD ANY SYMPTOMS OF ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 54-55

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Type: NUM  
SAS Variable Name: LASTSYMP

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	2,769	27.99	22.67
2	1-6 days ago	1,319	13.33	13.17
3	1 week to less than 3 months ago	1,890	19.10	19.97
4	3 months to less than 1 year ago	1,042	10.53	11.58
5	1 year to less than 3 years ago	742	7.50	8.81
6	3 years to 5 years ago	368	3.72	4.88
7	More than 5 years ago	1,547	15.64	17.49
77	Don't know	141	1.43	0.84
88	Never	70	0.71	0.54
99	Refused	5	0.05	0.04

**SYMPTOM DAYS**

Survey: ADULT Asthma Call-Back

Column: 56-58

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Type: NUM  
SAS Variable Name: SYMP\_30D

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	3,662	37.02	37.47
30	Every day	1,765	17.84	13.13
66	No symptoms past one year, skip filled	2,727	27.56	31.73
77	Don't know	178	1.80	0.92
88	No symptoms in the past 30 days	515	5.21	5.16
99	Refused	4	0.04	0.02
100	Symptoms 3 months to 1 year ago, skip filled	1,042	10.53	11.58

**CONSTANT SYMPTOMS**

Survey: ADULT Asthma Call-Back

Column: 59-60

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Type: NUM  
SAS Variable Name: DUR\_30D

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	970	9.80	7.70
2	No	752	7.60	5.19
6	Last symptoms one+ years ago, skip filled	2,727	27.56	31.73
7	Don't know	38	0.38	0.22
9	Refused	5	0.05	0.02
10	Last symptoms 3 months - 1 year ago, skip filled	1,042	10.53	11.58
11	No symptoms 'SYMP_30D' skip filled	515	5.21	5.16
12	1-29 'SYMP_30D' skip filled	3,662	37.02	37.47
77	Don't know 'SYMP_30D' skip filled	178	1.80	0.92
99	Refused 'SYMP_30D' skip filled	4	0.04	0.02

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NIGHT SYMPTOMS**

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	2,496	25.23	23.89
66	No symptoms past one year, skip filled	2,727	27.56	31.73
77	Don't know	225	2.27	1.01
88	None	2,880	29.11	26.59
99	Refused	8	0.08	0.03
100	Symptoms 3 months to 1 year ago, skip filled	1,042	10.53	11.58
111	No symptoms in the past 30 days, skip filled	515	5.21	5.16

**SYMPTOM-FREE DAYS**

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	7,575	76.57	82.85
77	Don't know	146	1.48	1.37
88	None	2,169	21.92	15.78
99	Refused	3	0.03	0.00

**ASTHMA EPISODE OR ATTACK**

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS\_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,010	40.53	39.11
2	No	3,054	30.87	28.80
6	No symptoms past 1 year, skip filled	2,727	27.56	31.73
7	Don't know	99	1.00	0.33
9	Refused	3	0.03	0.04

**NUMBER OF EPISODES / ATTACKS**

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS\_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	3,031	30.64	30.47
666	No symptoms past 1 year, skip filled	2,727	27.56	31.73
777	Don't know	234	2.37	1.72
888	None	743	7.51	6.90
999	Refused	2	0.02	0.01
1111	No episode/asthma attack past year, skip filled	3,156	31.90	29.17



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**DURATION OF ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 71-74

**Prologue:**

**Description:** Q4.7 How long did your most recent asthma episode or attack last?

**Type:** NUM

**SAS Variable Name:** DUR\_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	1,647	16.65	17.31
201 - 299	Hours	1,055	10.66	11.57
301 - 399	Days	777	7.85	7.12
401 - 499	Weeks	336	3.40	2.19
555	Never	6	0.06	0.04
666	No symptoms past 1 year, skip filled	2,727	27.56	31.73
777	Don't know	182	1.84	0.85
999	Refused	7	0.07	0.03
1111	No episode/asthma attack past year, skip filled	3,156	31.90	29.17

**TYPICAL ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 75-76

**Prologue:**

**Description:** Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

**Type:** NUM

**SAS Variable Name:** COMPASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	889	8.99	8.87
2	Longer	590	5.96	5.45
3	About the same	2,483	25.10	24.53
4	The most recent attack was actually the first attack	15	0.15	0.15
6	No symptoms past year, skip filled	2,727	27.56	31.73
7	Don't know	32	0.32	0.10
9	Refused	1	0.01	0.01
11	No episode/asthma attack past year, skip filled	3,156	31.90	29.17

**INSURANCE**

**Survey:** ADULT Asthma Call-Back

**Column:** 77

**Prologue:**

**Description:** QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

**Type:** NUM

**SAS Variable Name:** INS1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,831	89.27	81.62
2	No	1,052	10.63	18.19
7	Don't know/Not sure	4	0.04	0.01
9	Refused	6	0.06	0.18

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**INSURANCE OR COVERAGE GAP**

**Survey:** ADULT Asthma Call-Back

**Column:** 78

**Type:** NUM

**SAS Variable Name:** INS2

**Prologue:**

**Description:** QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	427	4.32	6.87
2	No	8,393	84.84	74.58
5	No insurance at time of interview, skip filled	1,052	10.63	18.19
7	Don't know	14	0.14	0.18
9	Refused	7	0.07	0.18

**NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS**

**Survey:** ADULT Asthma Call-Back

**Column:** 79-81

**Type:** NUM

**SAS Variable Name:** NER\_TIME

**Prologue:**

**Description:** Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	4,618	46.68	42.63
555	No current asthma, nothing happened past year, skip filled	1,666	16.84	19.92
666	No MD visit past year, skip filled	2,280	23.05	24.92
777	Don't know	109	1.10	1.01
888	None	1,206	12.19	11.33
999	Refused	14	0.14	0.20

**EMERGENCY ROOM VISIT**

**Survey:** ADULT Asthma Call-Back

**Column:** 82

**Type:** NUM

**SAS Variable Name:** ER\_VISIT

**Prologue:** An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

**Description:** Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	946	9.56	10.42
2	No	4,980	50.34	44.63
5	No current asthma, nothing happened past year, skip filled	1,666	16.84	19.92
6	No MD visit past year, skip filled	2,280	23.05	24.92
7	Don't know	17	0.17	0.06
9	Refused	4	0.04	0.06

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NUMBER OF EMERGENCY ROOM VISITS**

Survey: ADULT Asthma Call-Back

Column: 83-85

Type: NUM

SAS Variable Name: ER\_TIMES

Prologue:

Description: Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	935	9.45	10.14
555	No current asthma, nothing happened past year, skip filled	1,666	16.84	19.92
666	No MD visit past year, skip filled	2,280	23.05	24.92
677	MD visit, no ER visit past year, skip filled	4,980	50.34	44.63
777	Don't know	24	0.24	0.27
888	None	3	0.03	0.04
999	Refused	5	0.05	0.09

**NUMBER OF URGENT VISITS**

Survey: ADULT Asthma Call-Back

Column: 86-88

Type: NUM

SAS Variable Name: URG\_TIME

Prologue:

Description: Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,870	18.90	17.82
555	No current asthma, nothing happened past year, skip filled	1,666	16.84	19.92
666	No MD visit past year, skip filled	2,280	23.05	24.92
777	Don't know	74	0.75	0.50
888	None	4,001	40.44	36.80
999	Refused	2	0.02	0.05

**HOSPITAL VISIT**

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP\_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	294	2.97	2.37
2	No	5,008	50.62	46.27
4	MD visit, no symptoms past year, skip filled	629	6.36	6.40
5	No current asthma, nothing happened past year, skip filled	1,666	16.84	19.92
6	No MD visit past year, skip filled	2,280	23.05	24.92
7	Don't know	12	0.12	0.07
9	Refused	4	0.04	0.05

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NUMBER OF HOSPITAL VISITS**

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	286	2.89	2.35
444	MD visit, no symptoms past year, skip filled	629	6.36	6.40
455	MD visit, symptoms, no hospital visit past year, skip filled	5,008	50.62	46.27
555	No current asthma, nothing happened past year, skip filled	1,666	16.84	19.92
666	No MD visit past year, skip filled	2,280	23.05	24.92
777	Don't know	19	0.19	0.08
999	Refused	5	0.05	0.05

**HOSPITAL FOLLOW-UP**

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	218	2.20	2.07
2	No	73	0.74	0.30
4	MD visit, no symptoms past year, skip filled	629	6.36	6.40
5	No current asthma, nothing happened past year, skip filled	1,666	16.84	19.92
6	No MD visit past year, skip filled	2,280	23.05	24.92
7	Don't know	15	0.15	0.07
9	Refused	4	0.04	0.05
45	MD visit, symptoms, no hospital visit past year, skip filled	5,008	50.62	46.27

**NUMBER OF MISSED DAYS**

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS\_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	2,533	25.60	25.45
555	No current asthma, nothing happened past year, skip filled	1,666	16.84	19.92
777	Don't know	371	3.75	2.46
888	Zero	5,292	53.49	51.74
999	Refused	31	0.31	0.43

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ACTIVITY LIMITATION**

**Survey:** ADULT Asthma Call-Back

**Column:** 98

**Type:** NUM

**SAS Variable Name:** ACT\_DAYS30

**Prologue:**

**Description:** Q5.9 During just the past 30 days, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	3,980	40.23	42.40
2	A little	2,342	23.67	22.29
3	A moderate amount	1,167	11.80	9.56
4	A lot	696	7.04	5.42
5	No current asthma, nothing happened past year, skip filled	1,666	16.84	19.92
7	Don't know	34	0.34	0.10
9	Refused	8	0.08	0.30

**EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS**

**Survey:** ADULT Asthma Call-Back

**Column:** 99

**Type:** NUM

**SAS Variable Name:** TCH\_SIGN

**Prologue:** Has a doctor or other health professional ever taught you . . .

**Description:** Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,952	60.16	62.27
2	No	3,720	37.60	36.42
7	Don't know/Not sure	212	2.14	1.25
9	Refused	9	0.09	0.06

**EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 100

**Type:** NUM

**SAS Variable Name:** TCH\_RESP

**Prologue:** Has a doctor or other health professional ever taught you . . .

**Description:** Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,116	71.93	73.91
2	No	2,584	26.12	24.71
7	Don't know/Not sure	183	1.85	1.28
9	Refused	10	0.10	0.10

**EVER TAUGHT HOW TO USE A PEAK FLOW**

**Survey:** ADULT Asthma Call-Back

**Column:** 101

**Type:** NUM

**SAS Variable Name:** TCH\_MON

**Prologue:** A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

**Description:** Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,027	40.71	41.35
2	No	5,767	58.29	57.78
7	Don't know/Not sure	94	0.95	0.85
9	Refused	5	0.05	0.03

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**EVER GIVEN AN ASTHMA ACTION PLAN**

**Survey:** ADULT Asthma Call-Back

**Column:** 102

**Type:** NUM

**SAS Variable Name:** MGT\_PLAN

**Prologue:** An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

**Description:** Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,485	25.12	26.33
2	No	7,204	72.82	71.80
7	Don't know/Not sure	201	2.03	1.87
9	Refused	3	0.03	0.01

**EVER TAKEN A COURSE TO MANAGE ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 103

**Type:** NUM

**SAS Variable Name:** MGT\_CLAS

**Prologue:**

**Description:** Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	829	8.38	7.32
2	No	9,032	91.30	92.58
7	Don't know/Not sure	26	0.26	0.09
9	Refused	6	0.06	0.02

**AIR CLEANER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 104

**Type:** NUM

**SAS Variable Name:** AIRCLEANER

**Prologue:** An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

**Description:** Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,734	27.64	27.24
2	No	7,094	71.71	72.21
7	Don't know/Not sure	63	0.64	0.54
9	Refused	2	0.02	0.01

**DEHUMIDIFIER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 105

**Type:** NUM

**SAS Variable Name:** DEHUMID

**Prologue:**

**Description:** Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,350	23.75	20.54
2	No	7,503	75.84	79.01
7	Don't know/Not sure	38	0.38	0.45
9	Refused	2	0.02	0.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**EXHAUST FAN USED**

Survey: ADULT Asthma Call-Back

Column: 106

Prologue:

Type: NUM

SAS Variable Name: KITC\_FAN

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,653	57.14	59.87
2	No	4,185	42.30	39.69
7	Don't know/Not sure	46	0.46	0.35
9	Refused	9	0.09	0.09

**GAS USED**

Survey: ADULT Asthma Call-Back

Column: 107

Prologue:

Type: NUM

SAS Variable Name: COOK\_GAS

Description: Q7.4 Is gas used for cooking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,018	40.61	51.78
2	No	5,860	59.23	48.03
7	Don't know/Not sure	11	0.11	0.17
9	Refused	4	0.04	0.02

**SAW OR SMELLED MOLD PAST 30 DAYS**

Survey: ADULT Asthma Call-Back

Column: 108

Prologue:

Type: NUM

SAS Variable Name: ENV\_MOLD

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	994	10.05	10.24
2	No	8,846	89.42	89.46
7	Don't know/Not sure	52	0.53	0.28
9	Refused	1	0.01	0.02

**INDOOR PETS**

Survey: ADULT Asthma Call-Back

Column: 109

Prologue:

Type: NUM

SAS Variable Name: ENV\_PETS

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,639	57.00	59.35
2	No	4,249	42.95	40.63
7	Don't know/Not sure	2	0.02	0.00
9	Refused	3	0.03	0.02

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PETS ALLOWED IN BEDROOM**

Survey: ADULT Asthma Call-Back

Column: 110

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Type: NUM

SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,342	43.89	44.85
2	No	1,265	12.79	14.15
3	Some are/some aren't	28	0.28	0.24
6	No pets, skip coded	4,254	43.00	40.65
7	Don't know	2	0.02	0.04
9	Refused	2	0.02	0.07

**SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS**

Survey: ADULT Asthma Call-Back

Column: 111

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Type: NUM

SAS Variable Name: C\_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	758	7.66	8.89
2	No	9,115	92.14	90.66
7	Don't know/Not sure	20	0.20	0.45

**SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS**

Survey: ADULT Asthma Call-Back

Column: 112

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Type: NUM

SAS Variable Name: C\_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	745	7.53	7.57
2	No	9,134	92.33	92.30
7	Don't know/Not sure	13	0.13	0.12
9	Refused	1	0.01	0.01

**FIREPLACE OR WOOD STOVE USED**

Survey: ADULT Asthma Call-Back

Column: 113

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Type: NUM

SAS Variable Name: WOOD\_STOVE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,690	17.08	17.40
2	No	8,193	82.82	82.55
7	Don't know/Not sure	10	0.10	0.05



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**GAS APPLIANCE USED**

Survey: ADULT Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: GAS\_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	595	6.01	6.81
2	No	9,258	93.58	92.70
7	Don't know/Not sure	38	0.38	0.49
9	Refused	2	0.02	0.00

**ANYONE SMOKED INSIDE YOUR HOME**

Survey: ADULT Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: S\_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,505	15.21	16.71
2	No	8,385	84.76	83.28
7	Don't know/Not sure	2	0.02	0.01
9	Refused	1	0.01	0.01

**EVER ADVISED CHANGE THINGS IN YOUR HOME**

Survey: ADULT Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: MOD\_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,378	34.15	35.25
2	No	6,451	65.21	64.22
7	Don't know/Not sure	60	0.61	0.48
9	Refused	4	0.04	0.05

**USE A MATTRESS COVER**

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,154	31.88	30.14
2	No	6,481	65.51	68.30
7	Don't know/Not sure	257	2.60	1.55
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**USE A PILLOW COVER**

Survey: ADULT Asthma Call-Back

Column: 118

Prologue:

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Type: NUM  
SAS Variable Name: E\_PILLOW

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,778	28.08	26.71
2	No	6,981	70.57	72.28
7	Don't know/Not sure	134	1.35	1.00

**CARPETING OR RUGS IN YOUR BEDROOM**

Survey: ADULT Asthma Call-Back

Column: 119

Prologue:

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Type: NUM  
SAS Variable Name: CARPET

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,949	70.24	67.58
2	No	2,937	29.69	32.41
7	Don't know/Not sure	7	0.07	0.01

**WASH WATER TEMPERATURE**

Survey: ADULT Asthma Call-Back

Column: 120

Prologue:

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Type: NUM  
SAS Variable Name: HOTWATER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	2,407	24.33	24.95
2	Warm	3,078	31.11	30.38
3	Hot	3,838	38.80	38.42
4	Varies	312	3.15	2.60
7	Don't know/Not sure	255	2.58	3.63
9	Refused	3	0.03	0.01

**USE AN EXHAUST FAN IN YOUR BATHROOM**

Survey: ADULT Asthma Call-Back

Column: 121

Prologue:

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Type: NUM  
SAS Variable Name: BATH\_FAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,906	59.70	58.58
2	No or "No Fan"	3,933	39.76	40.91
7	Don't know/Not sure	51	0.52	0.46
9	Refused	3	0.03	0.05

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**EVER USED OVER-THE-COUNTER MEDICATION**

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,704	27.33	27.32
2	No	6,811	68.85	69.34
5	Never took asthma medication, skip filled	282	2.85	2.44
7	Don't know	95	0.96	0.88
9	Refused	1	0.01	0.02

**EVER USED PRESCRIPTION INHALER**

Survey: ADULT Asthma Call-Back

Column: 123

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,083	91.81	91.61
2	No	505	5.10	5.81
5	Never took asthma medication, skip filled	282	2.85	2.44
7	Don't know	22	0.22	0.14
9	Refused	1	0.01	0.00

**PROFESSIONAL INHALER INSTRUCTION**

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,624	87.17	87.32
2	No	407	4.11	3.78
5	Never took asthma medication, skip filled	282	2.85	2.44
6	Never used prescription inhaler, skip filled	528	5.34	5.95
7	Don't know	51	0.52	0.49
9	Refused	1	0.01	0.02

**INHALER USE WATCHED**

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERW

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,787	68.60	69.23
2	No	1,998	20.20	19.90
5	Never took asthma medication, skip filled	282	2.85	2.44
6	Never used prescription inhaler, skip filled	528	5.34	5.95
7	Don't know	298	3.01	2.48

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**MEDICATION IN HAND**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 126

**SAS Variable Name:** SCR\_MED1

**Prologue:** Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

**Description:** Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,606	36.45	31.21
2	No	282	2.85	2.49
3	Respondent knows the meds	1,862	18.82	19.19
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
7	Don't know	17	0.17	0.09
9	Refused	16	0.16	0.13

**HAVE ALL THE MEDICATIONS**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 127-128

**SAS Variable Name:** SCR\_MED3

**Prologue:**

**Description:** Q8.7 Do you have all the medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	3,426	34.63	29.40
2	Yes, I have some of the medications but not all	130	1.31	1.28
3	No	46	0.46	0.48
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
7	Don't know	2	0.02	0.00
9	Refused	2	0.02	0.06
10	Know or no handy asthma medicines, skip filled	2,177	22.01	21.90

**TAKEN PRESCRIPTION INHALER PAST 3 MONTHS**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 129

**SAS Variable Name:** INH\_SCR

**Prologue:**

**Description:** Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	5,305	53.62	48.39
2	No inhaler in past 3 months	396	4.00	4.00
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
6	Asthma med. past 3 months, never used inhaler, skip filled	70	0.71	0.65
7	Don't know	9	0.09	0.06
9	Refused	3	0.03	0.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**TAKEN MEDICATION IN PILL PAST 3 MONTHS**

Survey: ADULT Asthma Call-Back

Column: 130

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,340	13.54	11.16
2	No	4,138	41.83	39.25
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
7	Don't know	302	3.05	2.69
9	Refused	3	0.03	0.00

**TAKEN MEDICATION IN SYRUP PAST 3 MONTHS**

Survey: ADULT Asthma Call-Back

Column: 131

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	0.21	0.19
2	No	5,677	57.38	51.63
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
7	Don't know	83	0.84	1.28
9	Refused	2	0.02	0.00

**TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS**

Survey: ADULT Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: NEB\_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,231	12.44	9.89
2	No	4,326	43.73	40.57
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
7	Don't know	224	2.26	2.64
9	Refused	2	0.02	0.00

**NEBULIZER AT HOME**

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: NEB\_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise, answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,169	11.82	9.42
2	No	62	0.63	0.47
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
8	No neb. in past 3 months, skip filled	4,552	46.01	43.22

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NEBULIZER AT DOCTOR'S OFFICE**

Survey: ADULT Asthma Call-Back

Column: 134

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Type: NUM  
SAS Variable Name: NEB\_PLCB

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	324	3.28	2.95
2	No	907	9.17	6.94
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
8	No neb. in past 3 months, skip filled	4,552	46.01	43.22

**NEBULIZER IN EMERGENCY ROOM**

Survey: ADULT Asthma Call-Back

Column: 135

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Type: NUM  
SAS Variable Name: NEB\_PLCC

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	315	3.18	2.65
2	No	916	9.26	7.24
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
8	No neb. in past 3 months, skip filled	4,552	46.01	43.22

**NEBULIZER AT WORK OR SCHOOL**

Survey: ADULT Asthma Call-Back

Column: 136

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Type: NUM  
SAS Variable Name: NEB\_PLCD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	98	0.99	1.00
2	No	1,132	11.44	8.89
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
8	No neb. in past 3 months, skip filled	4,552	46.01	43.22
9	Refused	1	0.01	0.00

**NEBULIZER AT ANY OTHER PLACE**

Survey: ADULT Asthma Call-Back

Column: 137

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Type: NUM  
SAS Variable Name: NEB\_PLCE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	197	1.99	1.35
2	No	1,032	10.43	8.51
4	No asthma med. past 3 months, skip filled	3,828	38.69	44.45
5	Never took asthma medication, skip filled	282	2.85	2.44
7	Don't know	2	0.02	0.04
8	No neb. in past 3 months, skip filled	4,552	46.01	43.22

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**COST BARRIER: PRIMARY CARE DOCTOR**

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	836	8.45	10.93
2	No	7,378	74.59	69.11
5	No current asthma, skip filled	1,665	16.83	19.92
7	Don't know	12	0.12	0.04
9	Refused	1	0.01	0.00
BLANK	Partial complete	1		

**COST BARRIER: SPECIALIST**

Survey: ADULT Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	425	4.30	5.79
2	No	7,790	78.75	74.20
5	No current asthma, skip filled	1,665	16.83	19.92
7	Don't know	10	0.10	0.04
9	Refused	2	0.02	0.06
BLANK	Partial complete	1		

**COST BARRIER: MEDICATION**

Survey: ADULT Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,295	13.09	13.99
2	No	6,919	69.95	66.01
5	No current asthma, skip filled	1,665	16.83	19.92
7	Don't know	12	0.12	0.07
9	Refused	1	0.01	0.00
BLANK	Partial complete	1		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**CURRENT EMPLOYMENT STATUS**

Survey: ADULT Asthma Call-Back

Column: 141

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say ...

Type: NUM

SAS Variable Name: EMP\_STAT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	3,099	31.34	35.21
2	Employed part-time	1,149	11.62	16.52
3	Not employed	5,618	56.82	47.97
7	Don't know	11	0.11	0.18
9	Refused	11	0.11	0.12
BLANK	Partial complete	5		

**REASON NOT NOW EMPLOYED**

Survey: ADULT Asthma Call-Back

Column: 142-143

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Type: NUM

SAS Variable Name: UNEMP\_R

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	297	3.00	3.71
2	Going to school	141	1.43	5.36
3	Retired	2,795	28.27	14.48
4	Disabled	1,307	13.22	10.09
5	Unable to work for other health reasons	448	4.53	4.02
6	Looking for work	197	1.99	3.97
7	Laid off	151	1.53	2.20
8	Other	257	2.60	3.78
66	Now Employed, skip filled	4,248	42.96	51.73
77	Don't know	9	0.09	0.06
88	Unknown Employment, skip filled	22	0.22	0.30
99	Refused	16	0.16	0.30
BLANK	Partial complete	5		

**EVER EMPLOYED OUTSIDE HOME**

Survey: ADULT Asthma Call-Back

Column: 144

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Type: NUM

SAS Variable Name: EMP\_EVER1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,448	55.10	43.33
2	No	182	1.84	4.88
6	Now Employed, skip filled	4,248	42.96	51.73
7	Don't know	4	0.04	0.01
9	Refused	6	0.06	0.05
BLANK	Partial complete	5		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ASTHMA AGGRAVATED BY CURRENT JOB**

Survey: ADULT Asthma Call-Back

Column: 145

Type: NUM

SAS Variable Name: WORKENV5

Prologue:

Description: Q10.4 Are your asthma symptoms MADE WORSE by things like chemicals, smoke, dust or mold in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,234	12.48	13.82
2	No	2,036	20.59	23.90
5	Now employed former/inactive/unknown asthma, skip filled	906	9.16	12.66
6	Never employed, skip filled	182	1.84	4.88
7	Don't know	57	0.58	0.54
8	Past employment unknown, skip filled	10	0.10	0.06
9	Refused	15	0.15	0.81
10	Previously but not currently employed, skip filled	5,448	55.10	43.33
BLANK	Partial complete	5		

**ASTHMA CAUSED BY CURRENT JOB**

Survey: ADULT Asthma Call-Back

Column: 146

Type: NUM

SAS Variable Name: WORKENV6

Prologue:

Description: Q10.5 Was your asthma first CAUSED by things like chemicals, smoke, dust or mold in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	341	3.45	4.11
2	No	3,641	36.82	45.96
6	Never employed, skip filled	182	1.84	4.88
7	Don't know	265	2.68	1.65
8	Past employment unknown, skip filled	10	0.10	0.06
9	Refused	1	0.01	0.01
10	Previously but not currently employed, skip filled	5,448	55.10	43.33
BLANK	Partial complete	5		

**ASTHMA AGGRAVATED BY PREVIOUS JOB**

Survey: ADULT Asthma Call-Back

Column: 147

Type: NUM

SAS Variable Name: WORKENV7

Prologue:

Description: Q10.6 Were your asthma symptoms MADE WORSE by things like chemicals, smoke, dust or mold in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,870	39.14	32.21
2	No	5,032	50.89	55.89
5	Caused by current job, skip filled	341	3.45	4.11
6	Never employed, skip filled	182	1.84	4.88
7	Don't know	448	4.53	2.82
8	Past employment unknown, skip filled	10	0.10	0.06
9	Refused	5	0.05	0.04
BLANK	Partial complete	5		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ASTHMA CAUSED BY PREVIOUS JOB**

Survey: ADULT Asthma Call-Back

Column: 148

Type: NUM

SAS Variable Name: WORKENV8

Prologue:

Description: Q10.7 Was your asthma first CAUSED by things like chemicals, smoke, dust or mold in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,636	16.55	13.20
2	No	6,755	68.32	72.53
5	Caused by current job, skip filled	341	3.45	4.11
6	Never employed, skip filled	182	1.84	4.88
7	Don't know	954	9.65	5.15
8	Past employment unknown, skip filled	10	0.10	0.06
9	Refused	10	0.10	0.07
BLANK	Partial complete	5		

**EVER CHANGE OR QUIT A JOB**

Survey: ADULT Asthma Call-Back

Column: 149

Type: NUM

SAS Variable Name: WORKQUIT1

Prologue:

Description: Q10.8 Did you ever lose or quit a job because things in the workplace, like chemicals, smoke, dust or mold, caused your asthma or made your asthma symptoms worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	878	8.88	7.05
2	No	3,160	31.96	26.62
5	Caused by current job, skip filled	341	3.45	4.11
6	Never employed, skip filled	182	1.84	4.88
7	Don't know	14	0.14	0.06
8	Past employment unknown, skip filled	10	0.10	0.06
9	Refused	1	0.01	0.03
55	Not made worse or caused in any previous job, skip filled	5,302	53.62	57.20
BLANK	Partial complete	5		

**DOCTOR DISCUSSED WORK ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 150

Type: NUM

SAS Variable Name: WORKTALK

Prologue:

Description: Q10.9 Did you and a doctor or other health professional ever DISCUSS whether your asthma could have been caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,867	18.88	17.27
2	No	7,533	76.18	76.39
6	Never employed, skip filled	182	1.84	4.88
7	Don't know	292	2.95	1.38
8	Past employment unknown, skip filled	10	0.10	0.06
9	Refused	4	0.04	0.03
BLANK	Partial complete	5		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**DOCTOR DIAGNOSED WORK ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 151

Type: NUM

SAS Variable Name: WORKSEN3

Prologue:

Description: Q10.10 Have you ever been TOLD BY a doctor or other health professional that your asthma was caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,362	13.77	12.65
2	No	8,056	81.47	81.16
6	Never employed, skip filled	182	1.84	4.88
7	Don't know	270	2.73	1.22
8	Past employment unknown, skip filled	10	0.10	0.06
9	Refused	8	0.08	0.04
BLANK	Partial complete	5		

**SELF-IDENTIFIED WORK ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKSEN4

Prologue:

Description: Q10.11 Have YOU ever TOLD a doctor or other health professional that your asthma was caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,681	17.00	15.20
2	No	7,741	78.29	78.57
6	Never employed, skip filled	182	1.84	4.88
7	Don't know	270	2.73	1.21
8	Past employment unknown, skip filled	10	0.10	0.06
9	Refused	4	0.04	0.07
BLANK	Partial complete	5		

**EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE**

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,028	20.52	13.29
2	No	7,722	78.15	85.80
7	Don't know/Not sure	126	1.28	0.88
9	Refused	5	0.05	0.03
BLANK	Partial complete	12		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**EVER TOLD HAVE EMPHYSEMA**

Survey: ADULT Asthma Call-Back

Column: 154

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,069	10.82	7.19
2	No	8,749	88.54	92.57
7	Don't know/Not sure	59	0.60	0.22
9	Refused	4	0.04	0.03
BLANK	Partial complete	12		

**EVER TOLD HAVE CHRONIC BRONCHITIS**

Survey: ADULT Asthma Call-Back

Column: 155

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,884	29.19	24.94
2	No	6,867	69.50	74.27
7	Don't know/Not sure	123	1.24	0.76
9	Refused	7	0.07	0.03
BLANK	Partial complete	12		

**EVER TOLD DEPRESSED**

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,704	37.49	34.78
2	No	6,131	62.05	64.95
7	Don't know/Not sure	32	0.32	0.15
9	Refused	14	0.14	0.11
BLANK	Partial complete	12		

**USED HERBS TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: CAM\_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	473	4.79	5.20
2	No	7,721	78.17	74.76
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	16	0.16	0.10
9	Refused	4	0.04	0.01
BLANK	Partial complete	16		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**USED VITAMINS TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 158

Prologue:

Description: Q12.2 ... vitamins ...

Type: NUM

SAS Variable Name: CAM\_VITA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	704	7.13	6.90
2	No	7,478	75.71	72.60
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	27	0.27	0.44
9	Refused	5	0.05	0.13
BLANK	Partial complete	16		

**USED ACUPUNCTURE TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 159

Prologue:

Description: Q12.3 ... acupuncture ...

Type: NUM

SAS Variable Name: CAM\_PUNC

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	121	1.23	1.09
2	No	8,084	81.85	78.82
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	7	0.07	0.16
9	Refused	2	0.02	0.00
BLANK	Partial complete	16		

**USED ACUPRESSURE TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 160

Prologue:

Description: Q12.4 ... acupressure ...

Type: NUM

SAS Variable Name: CAM\_PRES

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	115	1.16	1.27
2	No	8,084	81.85	78.63
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	12	0.12	0.13
9	Refused	3	0.03	0.04
BLANK	Partial complete	16		

**USED AROMATHERAPY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 161

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM

SAS Variable Name: CAM\_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	364	3.69	4.82
2	No	7,835	79.33	75.18
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	12	0.12	0.07
9	Refused	3	0.03	0.00
BLANK	Partial complete	16		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**USED HOMEOPATHY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 162

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM

SAS Variable Name: CAM\_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	189	1.91	1.45
2	No	7,960	80.59	78.13
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	60	0.61	0.41
9	Refused	5	0.05	0.08
BLANK	Partial complete	16		

**USED REFLEXOLOGY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 163

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM

SAS Variable Name: CAM\_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	132	1.34	1.36
2	No	8,047	81.47	78.36
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	30	0.30	0.34
9	Refused	5	0.05	0.02
BLANK	Partial complete	16		

**USED YOGA TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 164

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM

SAS Variable Name: CAM\_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	343	3.47	5.02
2	No	7,857	79.55	74.91
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	9	0.09	0.13
9	Refused	5	0.05	0.01
BLANK	Partial complete	16		

**USED BREATHING TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 165

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM\_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,617	26.50	27.99
2	No	5,572	56.41	51.96
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	20	0.20	0.12
9	Refused	5	0.05	0.01
BLANK	Partial complete	16		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**USED NATUROPATHY TO CONTROL ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 166

**Prologue:**

**Description:** Q12.10 ... naturopathy ...

**Type:** NUM

**SAS Variable Name:** CAM\_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	160	1.62	1.41
2	No	8,011	81.11	78.46
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	37	0.37	0.18
9	Refused	6	0.06	0.01
BLANK	Partial complete	16		

**OTHER ALTERNATIVE CARE TO CONTROL ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 167

**Prologue:**

**Description:** Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

**Type:** NUM

**SAS Variable Name:** CAM\_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	856	8.67	8.17
2	No	7,328	74.19	71.71
5	No current asthma, skip filled	1,663	16.84	19.93
7	Don't know	22	0.22	0.09
9	Refused	8	0.08	0.11
BLANK	Partial complete	16		

**TEXT FOR OTHER TYPE CARE**

**Survey:** ADULT Asthma Call-Back

**Column:** 168-267

**Prologue:**

**Description:** Q12.12 What else have you used?

**Type:** CHAR

**SAS Variable Name:** CAM\_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		9,037		
HIDDEN	Text field - up to 100 characters	856	100.00	100.00

**LANGUAGE IDENTIFIER**

**Survey:** ADULT Asthma Call-Back

**Column:** 348-349

**Prologue:**

**Description:** Language identifier: Language in which the interview was conducted.

**Type:** NUM

**SAS Variable Name:** QSTLANG\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	9,823	99.43	97.15
2	Spanish	55	0.56	2.85
3	Other	1	0.01	0.00
BLANK	Not asked or missing	14		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PERSON SELECTED TO CALL BACK FROM BRFS**

Survey: ADULT Asthma Call-Back

Column: 350

Prologue:

Description: Which person in the household was selected as the focus of the call-back?

Type: NUM

SAS Variable Name: ADLTCHLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Adult	9,893	100.00	100.00

**ASTHMA CALL-BACK SCRIPT TEST**

Survey: ADULT Asthma Call-Back

Column: 351

Prologue:

Description: ASTHMA CALL-BACK SCRIPT TEST

Type: NUM

SAS Variable Name: CALLBACK\_VER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Callback using Protocol (2 weeks)	6,940	100.00	100.00
BLANK	Not asked or missing	2,953		

**END OF THE RAW CALL BACK DATA**

Survey: ADULT Asthma Call-Back

Column: 352

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM

SAS Variable Name: END\_OF\_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,893	100.00	100.00

**EVER HAVE ASTHMA COMBINED BRFS AND CALL BACK**

Survey: ADULT Asthma Call-Back

Column: 353

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFS ( ASTHMA3 ) AND CALL BACK (EVER\_ASTH)

Type: NUM

SAS Variable Name: \_EVER\_ASTH\_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,893	100.00	100.00

**STILL HAVE ASTHMA COMBINED BRFS AND CALL BACK**

Survey: ADULT Asthma Call-Back

Column: 354

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFS (ASTHNOW) AND CALL BACK (CUR\_ASTH)

Type: NUM

SAS Variable Name: \_CUR\_ASTH\_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,430	75.10	70.32
2	No	2,245	22.69	26.99
7	Don't know/Not sure	215	2.17	2.67
9	Refused	3	0.03	0.02



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY**

Survey: ADULT Asthma Call-Back

Column: 355

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM  
SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	9,750	98.55	98.99
1	AGEDX is greater than AGE	2	0.02	0.00
2	AGE, AGEDX and INCIDNT are inconsistent	141	1.43	1.01

**ADVAIR (+ A. DISKUS)**

Survey: ADULT Asthma Call-Back

Column: 356

Prologue:

Description: ADVAIR (+ A. DISKUS)

Type: NUM  
SAS Variable Name: INHALER\_ID\_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,570	15.87	11.38
2	No	8,323	84.13	88.62

**AEROBID**

Survey: ADULT Asthma Call-Back

Column: 357

Prologue:

Description: AEROBID

Type: NUM  
SAS Variable Name: INHALER\_ID\_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.11	0.04
2	No	9,882	99.89	99.96

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)**

Survey: ADULT Asthma Call-Back

Column: 358

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM  
SAS Variable Name: INHALER\_ID\_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,736	17.55	18.68
2	No	8,157	82.45	81.32

**ALUPENT**

Survey: ADULT Asthma Call-Back

Column: 359

Prologue:

Description: ALUPENT

Type: NUM  
SAS Variable Name: INHALER\_ID\_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.09	0.03
2	No	9,884	99.91	99.97

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ATROVENT**

Survey: ADULT Asthma Call-Back

Column: 360

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
63	0.64	0.42
9,830	99.36	99.58

**AZMACORT**

Survey: ADULT Asthma Call-Back

Column: 361

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
23	0.23	0.40
9,870	99.77	99.60

**BECLOMETHASONE DIPROPIONATE**

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.10	0.09
9,883	99.90	99.91

**BECLOVENT**

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.08
9,891	99.98	99.92

**BITOLTEROL**

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: BITOLTEROL

Type: NUM

SAS Variable Name: INHALER\_ID\_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.09
9,892	99.99	99.91

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**BRETHAIRE**

Survey: ADULT Asthma Call-Back

Column: 365

Prologue:

Description: BRETHAIRE

Type: NUM

SAS Variable Name: INHALER\_ID\_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.07	0.05
9,886	99.93	99.95

**BUDESONIDE**

Survey: ADULT Asthma Call-Back

Column: 366

Prologue:

Description: BUDESONIDE

Type: NUM

SAS Variable Name: INHALER\_ID\_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.11	0.14
9,882	99.89	99.86

**COMBIVENT**

Survey: ADULT Asthma Call-Back

Column: 367

Prologue:

Description: COMBIVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
336	3.40	2.53
9,557	96.60	97.47

**CROMOLYN**

Survey: ADULT Asthma Call-Back

Column: 368

Prologue:

Description: CROMOLYN

Type: NUM

SAS Variable Name: INHALER\_ID\_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.02
9,892	99.99	99.98

**FLOVENT**

Survey: ADULT Asthma Call-Back

Column: 369

Prologue:

Description: FLOVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
426	4.31	3.22
9,467	95.69	96.78

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FLOVENT ROTADISK**

**Survey:** ADULT Asthma Call-Back  
**Column:** 370  
**Prologue:**  
**Description:** FLOVENT ROTADISK

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
17	0.17	0.12
9,876	99.83	99.88

**FLUNISOLIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 371  
**Prologue:**  
**Description:** FLUNISOLIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.04	0.05
9,889	99.96	99.95

**FLUTICASONE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 372  
**Prologue:**  
**Description:** FLUTICASONE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
36	0.36	0.20
9,857	99.64	99.80

**INTAL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 373  
**Prologue:**  
**Description:** INTAL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
9,892	99.99	99.99

**IPRATROPIUM BROMIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 374  
**Prologue:**  
**Description:** IPRATROPIUM BROMIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
24	0.24	0.06
9,869	99.76	99.94

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**MAXAIR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 375  
**Prologue:**  
**Description:** MAXAIR

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
48	0.49	0.36
9,845	99.51	99.64

**METAPROTERONOL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 376  
**Prologue:**  
**Description:** METAPROTERONOL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
9,892	99.99	99.99

**NEDOCROMIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 377  
**Prologue:**  
**Description:** NEDOCROMIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PIRBUTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 378  
**Prologue:**  
**Description:** PIRBUTEROL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.00
9,891	99.98	100.00

**PROVENTIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 379  
**Prologue:**  
**Description:** PROVENTIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
463	4.68	4.42
9,430	95.32	95.58

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PULMICORT FLEXHALER**

Survey: ADULT Asthma Call-Back

Column: 380

Prologue:

Description: PULMICORT FLEXHALER

Type: NUM

SAS Variable Name: INHALER\_ID\_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
108	1.09	0.96
9,785	98.91	99.04

**SALMETEROL**

Survey: ADULT Asthma Call-Back

Column: 381

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER\_ID\_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.00
9,891	99.98	100.00

**SEREVENT**

Survey: ADULT Asthma Call-Back

Column: 382

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
58	0.59	0.44
9,835	99.41	99.56

**TERBUTALINE (+ T. SULFATE)**

Survey: ADULT Asthma Call-Back

Column: 383

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER\_ID\_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**TILADE**

Survey: ADULT Asthma Call-Back

Column: 384

Prologue:

Description: TILADE

Type: NUM

SAS Variable Name: INHALER\_ID\_29

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
9,892	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**TORNALATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 385  
**Prologue:**  
**Description:** TORNALATE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**TRIAMCINOLONE ACETONIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 386  
**Prologue:**  
**Description:** TRIAMCINOLONE ACETONIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_31

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.03
9,891	99.98	99.97

**VANCERIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 387  
**Prologue:**  
**Description:** VANCERIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.05	0.03
9,888	99.95	99.97

**VENTOLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 388  
**Prologue:**  
**Description:** VENTOLIN

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
797	8.06	6.46
9,096	91.94	93.54

**FORADIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 389  
**Prologue:**  
**Description:** FORADIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
33	0.33	0.14
9,860	99.67	99.86

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FORMOTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 390  
**Prologue:**  
**Description:** FORMOTEROL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.00
9,891	99.98	100.00

**QVAR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 391  
**Prologue:**  
**Description:** QVAR

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
252	2.55	3.50
9,641	97.45	96.50

**LEVALBUTEROL TARTRATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 392  
**Prologue:**  
**Description:** LEVALBUTEROL TARTRATE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.06
9,890	99.97	99.94

**XOPENEX HFA**

**Survey:** ADULT Asthma Call-Back  
**Column:** 393  
**Prologue:**  
**Description:** XOPENEX HFA

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
189	1.91	2.16
9,704	98.09	97.84

**MOMETASONE FUROATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 394  
**Prologue:**  
**Description:** MOMETASONE FUROATE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_39

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.11	0.15
9,882	99.89	99.85



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ASMANEX (TWISTHALER)**

Survey: ADULT Asthma Call-Back

Column: 395

Prologue:

Description: ASMANEX (TWISTHALER)

Type: NUM

SAS Variable Name: INHALER\_ID\_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
158	1.60	1.20
9,735	98.40	98.80

**PRO-AIR HFA**

Survey: ADULT Asthma Call-Back

Column: 396

Prologue:

Description: PRO-AIR HFA

Type: NUM

SAS Variable Name: INHALER\_ID\_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
958	9.68	8.67
8,935	90.32	91.33

**SYMBICORT**

Survey: ADULT Asthma Call-Back

Column: 397

Prologue:

Description: SYMBICORT

Type: NUM

SAS Variable Name: INHALER\_ID\_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
527	5.33	3.49
9,366	94.67	96.51

**DON'T KNOW/REFUSED**

Survey: ADULT Asthma Call-Back

Column: 398

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: INHALER\_ID\_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
90	0.91	0.92
9,803	99.09	99.08

**OTHER INHALER**

Survey: ADULT Asthma Call-Back

Column: 399

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER\_INHALER

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
129	1.30	1.26
9,764	98.70	98.74

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL ACCOLATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 400  
**Prologue:**  
**Description:** PILL ACCOLATE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
25	0.25	0.17
9,868	99.75	99.83

**PILL AEROLATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 401  
**Prologue:**  
**Description:** PILL AEROLATE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
9,892	99.99	100.00

**PILL ALBUTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 402  
**Prologue:**  
**Description:** PILL ALBUTEROL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
22	0.22	0.18
9,871	99.78	99.82

**PILL ALUPENT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 403  
**Prologue:**  
**Description:** PILL ALUPENT

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PILL CHOLEDYL (OXTRIPHYLLINE)**

**Survey:** ADULT Asthma Call-Back  
**Column:** 404  
**Prologue:**  
**Description:** PILL CHOLEDYL (OXTRIPHYLLINE)

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.01
9,890	99.97	99.99

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL DELTASONE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 405  
**Prologue:**  
**Description:** PILL DELTASONE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
9,892	99.99	100.00

**PILL ELIXOPHYLLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 406  
**Prologue:**  
**Description:** PILL ELIXOPHYLLIN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PILL MEDROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 407  
**Prologue:**  
**Description:** PILL MEDROL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
9,892	99.99	100.00

**PILL METAPREL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 408  
**Prologue:**  
**Description:** PILL METAPREL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PILL METAPROTERONOL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 409  
**Prologue:**  
**Description:** PILL METAPROTERONOL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL METHYLPREDNISOLONE**

Survey: ADULT Asthma Call-Back

Column: 410

Prologue:

Description: PILL METHYLPREDNISOLONE

Type: NUM

SAS Variable Name: PILLS\_ID\_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.06	0.01
9,887	99.94	99.99

**PILL MONTELUKAST**

Survey: ADULT Asthma Call-Back

Column: 411

Prologue:

Description: PILL MONTELUKAST

Type: NUM

SAS Variable Name: PILLS\_ID\_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
26	0.26	0.18
9,867	99.74	99.82

**PILL PEDIAPRED**

Survey: ADULT Asthma Call-Back

Column: 412

Prologue:

Description: PILL PEDIAPRED

Type: NUM

SAS Variable Name: PILLS\_ID\_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PILL PREDNISOLONE**

Survey: ADULT Asthma Call-Back

Column: 413

Prologue:

Description: PILL PREDNISOLONE

Type: NUM

SAS Variable Name: PILLS\_ID\_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.06	0.13
9,887	99.94	99.87

**PILL PREDNISONONE**

Survey: ADULT Asthma Call-Back

Column: 414

Prologue:

Description: PILL PREDNISONONE

Type: NUM

SAS Variable Name: PILLS\_ID\_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
241	2.44	2.57
9,652	97.56	97.43

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL PROVENTIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 415  
**Prologue:**  
**Description:** PILL PROVENTIL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.01
9,891	99.98	99.99

**PILL RESPID**

**Survey:** ADULT Asthma Call-Back  
**Column:** 416  
**Prologue:**  
**Description:** PILL RESPID

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_23

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PILL SINGULAIR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 417  
**Prologue:**  
**Description:** PILL SINGULAIR

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
963	9.73	7.79
8,930	90.27	92.21

**PILL SLO-PHYLLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 418  
**Prologue:**  
**Description:** PILL SLO-PHYLLIN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.02
9,890	99.97	99.98

**PILL SLO-BID**

**Survey:** ADULT Asthma Call-Back  
**Column:** 419  
**Prologue:**  
**Description:** PILL SLO-BID

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
9,892	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL THEO-24**

**Survey:** ADULT Asthma Call-Back  
**Column:** 420  
**Prologue:**  
**Description:** PILL THEO-24

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.08	0.05
9,885	99.92	99.95

**PILL THEOCHRON**

**Survey:** ADULT Asthma Call-Back  
**Column:** 421  
**Prologue:**  
**Description:** PILL THEOCHRON

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PILL THEOCLEAR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 422  
**Prologue:**  
**Description:** PILL THEOCLEAR

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_31

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
9,892	99.99	100.00

**PILL THEODUR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 423  
**Prologue:**  
**Description:** PILL THEODUR

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.06	0.07
9,887	99.94	99.93

**PILL THEO-DUR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 424  
**Prologue:**  
**Description:** PILL THEO-DUR

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.02
9,891	99.98	99.98

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL THEOPHYLLINE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 425  
**Prologue:**  
**Description:** PILL THEOPHYLLINE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
82	0.83	0.34
9,811	99.17	99.66

**PILL THEOSPAN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 426  
**Prologue:**  
**Description:** PILL THEOSPAN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PILL T-PHYL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 427  
**Prologue:**  
**Description:** PILL T-PHYL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
9,892	99.99	100.00

**PILL UNIPHYL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 428  
**Prologue:**  
**Description:** PILL UNIPHYL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.01
9,891	99.98	99.99

**PILL VENTOLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 429  
**Prologue:**  
**Description:** PILL VENTOLIN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_43

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL VOLMAX**

**Survey:** ADULT Asthma Call-Back  
**Column:** 430  
**Prologue:**  
**Description:** PILL VOLMAX

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_44

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PILL ZAFIRLUKAST**

**Survey:** ADULT Asthma Call-Back  
**Column:** 431  
**Prologue:**  
**Description:** PILL ZAFIRLUKAST

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.11	0.05
9,882	99.89	99.95

**PILL ZILEUTON**

**Survey:** ADULT Asthma Call-Back  
**Column:** 432  
**Prologue:**  
**Description:** PILL ZILEUTON

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**PILL ZYFLO FILMTAB**

**Survey:** ADULT Asthma Call-Back  
**Column:** 433  
**Prologue:**  
**Description:** PILL ZYFLO FILMTAB

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_47

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.06	0.06
9,887	99.94	99.94

**PILL TERBUTALINE (+ T. SULFATE)**

**Survey:** ADULT Asthma Call-Back  
**Column:** 434  
**Prologue:**  
**Description:** PILL TERBUTALINE (+ T. SULFATE)

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_48

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.06	0.02
9,887	99.94	99.98



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL BRETHINE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 435  
**Prologue:**  
**Description:** PILL BRETHINE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_49

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	9,892	99.99	100.00

**DON'T KNOW/REFUSED**

**Survey:** ADULT Asthma Call-Back  
**Column:** 436  
**Prologue:**  
**Description:** DON'T KNOW/REFUSED

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_7799

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	9,893	100.00	100.00

**OTHER PILLS**

**Survey:** ADULT Asthma Call-Back  
**Column:** 437  
**Prologue:**  
**Description:** NEW OTHER PRESCRIPTION PILLS

**Type:** NUM  
**SAS Variable Name:** OTHER\_PILLS

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	9,893	100.00	100.00

**SYRUP AEROLATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 438  
**Prologue:**  
**Description:** SYRUP AEROLATE

**Type:** NUM  
**SAS Variable Name:** SYRUP\_ID\_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	9,892	99.99	100.00

**SYRUP ALBUTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 439  
**Prologue:**  
**Description:** SYRUP ALBUTEROL

**Type:** NUM  
**SAS Variable Name:** SYRUP\_ID\_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.11	0.07
2	No	9,882	99.89	99.93

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**SYRUP ALUPENT**

Survey: ADULT Asthma Call-Back

Column: 440

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP\_ID\_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
9,892	99.99	100.00

**SYRUP METAPROTERONOL**

Survey: ADULT Asthma Call-Back

Column: 441

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP\_ID\_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**SYRUP PREDNISOLONE**

Survey: ADULT Asthma Call-Back

Column: 442

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.04	0.00
9,889	99.96	100.00

**SYRUP PRELONE**

Survey: ADULT Asthma Call-Back

Column: 443

Prologue:

Description: SYRUP PRELONE

Type: NUM

SAS Variable Name: SYRUP\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.10
9,891	99.98	99.90

**SYRUP PROVENTIL**

Survey: ADULT Asthma Call-Back

Column: 444

Prologue:

Description: SYRUP PROVENTIL

Type: NUM

SAS Variable Name: SYRUP\_ID\_7

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**SYRUP SLO-PHYLLIN**

Survey: ADULT Asthma Call-Back

Column: 445

Prologue:

Description: SYRUP SLO-PHYLLIN

Type: NUM

SAS Variable Name: SYRUP\_ID\_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
9,892	99.99	99.99

**SYRUP THEOPHYLLINE**

Survey: ADULT Asthma Call-Back

Column: 446

Prologue:

Description: SYRUP THEOPHYLLINE

Type: NUM

SAS Variable Name: SYRUP\_ID\_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
9,892	99.99	99.99

**SYRUP VENTOLIN**

Survey: ADULT Asthma Call-Back

Column: 447

Prologue:

Description: SYRUP VENTOLIN

Type: NUM

SAS Variable Name: SYRUP\_ID\_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
9,892	99.99	100.00

**DON'T KNOW/REFUSED**

Survey: ADULT Asthma Call-Back

Column: 448

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: SYRUP\_ID\_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**OTHER SYRUP**

Survey: ADULT Asthma Call-Back

Column: 449

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER\_SYRUP

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NEB ALBUTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 450  
**Prologue:**  
**Description:** NEB ALBUTEROL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,055	10.66	8.66
8,838	89.34	91.34

**NEB ALUPENT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 451  
**Prologue:**  
**Description:** NEB ALUPENT

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.03
9,891	99.98	99.97

**NEB ATROVENT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 452  
**Prologue:**  
**Description:** NEB ATROVENT

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
15	0.15	0.05
9,878	99.85	99.95

**NEB BITOLTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 453  
**Prologue:**  
**Description:** NEB BITOLTEROL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.09
9,891	99.98	99.91

**NEB BUDESONIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 454  
**Prologue:**  
**Description:** NEB BUDESONIDE

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
44	0.44	0.26
9,849	99.56	99.74

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NEB CROMOLYN**

Survey: ADULT Asthma Call-Back

Column: 455

Prologue:

Description: NEB CROMOLYN

Type: NUM

SAS Variable Name: NEB\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.05	0.05
9,888	99.95	99.95

**NEB DUONEB**

Survey: ADULT Asthma Call-Back

Column: 456

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
45	0.45	0.27
9,848	99.55	99.73

**NEB INTAL**

Survey: ADULT Asthma Call-Back

Column: 457

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB\_ID\_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**NEB IPRATROPIUM BROMIDE**

Survey: ADULT Asthma Call-Back

Column: 458

Prologue:

Description: NEB IPRATROPIUM BROMIDE

Type: NUM

SAS Variable Name: NEB\_ID\_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
200	2.02	1.02
9,693	97.98	98.98

**NEB LEVALBUTEROL**

Survey: ADULT Asthma Call-Back

Column: 459

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM

SAS Variable Name: NEB\_ID\_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.02
9,892	99.99	99.98

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NEB METAPROTERONOL**

Survey: ADULT Asthma Call-Back

Column: 460

Prologue:

Description: NEB METAPROTERONOL

Type: NUM

SAS Variable Name: NEB\_ID\_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.03
9,891	99.98	99.97

**NEB PROVENTIL**

Survey: ADULT Asthma Call-Back

Column: 461

Prologue:

Description: NEB PROVENTIL

Type: NUM

SAS Variable Name: NEB\_ID\_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	0.14	0.05
9,879	99.86	99.95

**NEB PULMICORT**

Survey: ADULT Asthma Call-Back

Column: 462

Prologue:

Description: NEB PULMICORT

Type: NUM

SAS Variable Name: NEB\_ID\_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
25	0.25	0.49
9,868	99.75	99.51

**NEB TORNALATE**

Survey: ADULT Asthma Call-Back

Column: 463

Prologue:

Description: NEB TORNALATE

Type: NUM

SAS Variable Name: NEB\_ID\_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**NEB VENTOLIN**

Survey: ADULT Asthma Call-Back

Column: 464

Prologue:

Description: NEB VENTOLIN

Type: NUM

SAS Variable Name: NEB\_ID\_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.11	0.05
9,882	99.89	99.95

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NEB XOPENEX**

**Survey:** ADULT Asthma Call-Back  
**Column:** 465  
**Prologue:**  
**Description:** NEB XOPENEX

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
63	0.64	0.63
9,830	99.36	99.37

**DON'T KNOW/REFUSED**

**Survey:** ADULT Asthma Call-Back  
**Column:** 466  
**Prologue:**  
**Description:** DON'T KNOW/REFUSED

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**OTHER NEBULIZER**

**Survey:** ADULT Asthma Call-Back  
**Column:** 467  
**Prologue:**  
**Description:** New other prescription nebulizer

**Type:** NUM  
**SAS Variable Name:** OTHER\_NEB

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.08	0.03
9,885	99.92	99.97

**OTHER INHALER TEXT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 468-567  
**Prologue:**  
**Description:** New other prescription inhaler name

**Type:** CHAR  
**SAS Variable Name:** OTH\_I1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
9,764		
129	100.00	100.00

**OTHER PILLS TEXT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 568-667  
**Prologue:**  
**Description:** New other prescription pills name

**Type:** CHAR  
**SAS Variable Name:** OTH\_P1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**OTHER SYRUP TEXT**

**Survey:** ADULT Asthma Call-Back

**Column:** 668-767

**Prologue:**

**Description:** New other prescription syrup name

**Type:** CHAR  
**SAS Variable Name:** OTH\_S1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
9,893		

**OTHER NEBULIZER TEXT**

**Survey:** ADULT Asthma Call-Back

**Column:** 768-867

**Prologue:**

**Description:** New other prescription nebulizer name

**Type:** CHAR  
**SAS Variable Name:** OTH\_N1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
9,885		
8	100.00	100.00

**INHALER\_TEXT: COUGH/COLD MED.**

**Survey:** ADULT Asthma Call-Back

**Column:** 868

**Prologue:**

**Description:** Flag variables for the verbatim other responses to prescription inhaler

**Type:** NUM  
**SAS Variable Name:** INHALER\_TEXT1

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
567	5.73	4.44
9,325	94.26	95.55

**INHALER\_TEXT: ALLERGY MED.**

**Survey:** ADULT Asthma Call-Back

**Column:** 869

**Prologue:**

**Description:** Flag variables for the verbatim other responses to prescription inhaler

**Type:** NUM  
**SAS Variable Name:** INHALER\_TEXT2

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
24	0.24	0.17
544	5.50	4.27
9,325	94.26	95.55

**INHALER\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

**Survey:** ADULT Asthma Call-Back

**Column:** 870

**Prologue:**

**Description:** Flag variables for the verbatim other responses to prescription inhaler

**Type:** NUM  
**SAS Variable Name:** INHALER\_TEXT3

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
321	3.24	2.02
247	2.50	2.43
9,325	94.26	95.55



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**INHALER\_TEXT: ASTHMA MED., BUT NOT INHALER**

Survey: ADULT Asthma Call-Back

Column: 871

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	0.17	0.10
2	No	551	5.57	4.35
3	No other medication text filled	9,325	94.26	95.55

**INHALER\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 872

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	0.29	0.50
2	No	539	5.45	3.95
3	No other medication text filled	9,325	94.26	95.55

**INHALER\_TEXT: WAS BACK CODED TO EXISTING INHALER**

Survey: ADULT Asthma Call-Back

Column: 873

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	56	0.57	0.46
2	No	512	5.18	3.99
3	No other medication text filled	9,325	94.26	95.55

**INHALER\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 874

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	568	5.74	4.45
3	No other medication text filled	9,325	94.26	95.55

**INHALER\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 875

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	129	1.30	1.26
2	No	439	4.44	3.19
3	No other medication text filled	9,325	94.26	95.55

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**INHALER\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 876

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.03
2	No	565	5.71	4.41
3	No other medication text filled	9,325	94.26	95.55

**PILLS\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 877

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.04	0.01
2	No	81	0.82	0.94
3	No other medication text filled	9,808	99.14	99.05

**PILLS\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 878

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50	0.51	0.53
2	No	35	0.35	0.42
3	No other medication text filled	9,808	99.14	99.05

**PILLS\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 879

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	0.23	0.28
2	No	62	0.63	0.67
3	No other medication text filled	9,808	99.14	99.05

**PILLS\_TEXT: ASTHMA MED., BUT NOT PILLS**

Survey: ADULT Asthma Call-Back

Column: 880

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	84	0.85	0.95
3	No other medication text filled	9,808	99.14	99.05

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILLS\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 881

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.05
2	No	82	0.83	0.91
3	No other medication text filled	9,808	99.14	99.05

**PILLS\_TEXT: WAS BACK CODED TO EXISTING PILLS**

Survey: ADULT Asthma Call-Back

Column: 882

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.02
2	No	84	0.85	0.93
3	No other medication text filled	9,808	99.14	99.05

**PILLS\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 883

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	85	0.86	0.95
3	No other medication text filled	9,808	99.14	99.05

**PILLS\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 884

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	85	0.86	0.95
3	No other medication text filled	9,808	99.14	99.05

**PILLS\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 885

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.05
2	No	82	0.83	0.90
3	No other medication text filled	9,808	99.14	99.05

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**SYRUP\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 886

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Value	Value Label
3	No other medication text filled

Type: NUM  
SAS Variable Name: SYRUP\_TEXT1

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**SYRUP\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 887

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Value	Value Label
3	No other medication text filled

Type: NUM  
SAS Variable Name: SYRUP\_TEXT2

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**SYRUP\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 888

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Value	Value Label
3	No other medication text filled

Type: NUM  
SAS Variable Name: SYRUP\_TEXT3

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**SYRUP\_TEXT: ASTHMA MED., BUT NOT SYRUP**

Survey: ADULT Asthma Call-Back

Column: 889

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Value	Value Label
3	No other medication text filled

Type: NUM  
SAS Variable Name: SYRUP\_TEXT4

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**SYRUP\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 890

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Value	Value Label
3	No other medication text filled

Type: NUM  
SAS Variable Name: SYRUP\_TEXT5

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**SYRUP\_TEXT: WAS BACK CODED TO EXISTING SYRUP**

Survey: ADULT Asthma Call-Back

Column: 891

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Value	Value Label
3	No other medication text filled

Type: NUM  
SAS Variable Name: SYRUP\_TEXT6

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**SYRUP\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 892

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	9,893	100.00	100.00

**SYRUP\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 893

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	9,893	100.00	100.00

**SYRUP\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 894

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	9,893	100.00	100.00

**NEB\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 895

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	50	0.51	0.23
3	No other medication text filled	9,843	99.49	99.77

**NEB\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 896

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	50	0.51	0.23
3	No other medication text filled	9,843	99.49	99.77

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NEB\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 897

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.15	0.05
2	No	35	0.35	0.18
3	No other medication text filled	9,843	99.49	99.77

**NEB\_TEXT: ASTHMA MED., BUT NOT NEB**

Survey: ADULT Asthma Call-Back

Column: 898

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.05	0.01
2	No	45	0.45	0.23
3	No other medication text filled	9,843	99.49	99.77

**NEB\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 899

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.10	0.05
2	No	40	0.40	0.18
3	No other medication text filled	9,843	99.49	99.77

**NEB\_TEXT: WAS BACK CODED TO EXISTING NEB**

Survey: ADULT Asthma Call-Back

Column: 900

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.13	0.09
2	No	37	0.37	0.14
3	No other medication text filled	9,843	99.49	99.77

**NEB\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 901

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	50	0.51	0.23
3	No other medication text filled	9,843	99.49	99.77

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NEB\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 902

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.08	0.03
2	No	42	0.42	0.20
3	No other medication text filled	9,843	99.49	99.77

**NEB\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 903

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	50	0.51	0.23
3	No other medication text filled	9,843	99.49	99.77

**INHALED CORTICOSTEROIDS**

Survey: ADULT Asthma Call-Back

Column: 904-905

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH\_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	9,814	99.20	99.55
99	Missing	79	0.80	0.45

**INHALED ANTI-INFLAMMATORY**

Survey: ADULT Asthma Call-Back

Column: 906-907

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH\_AI

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 4	Count	9,814	99.20	99.55
99	Missing	79	0.80	0.45

**INHALED ANTI-CHOLINERGIC**

Survey: ADULT Asthma Call-Back

Column: 908-909

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM

SAS Variable Name: INH\_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	9,814	99.20	99.55
99	Missing	79	0.80	0.45

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**INHALED BETA 2 AGONIST SHORT ACTING**

Survey: ADULT Asthma Call-Back

Column: 910-911

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM  
SAS Variable Name: INH\_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
9,814	99.20	99.55
79	0.80	0.45

**INHALED BETA 2 AGONIST LONG ACTING**

Survey: ADULT Asthma Call-Back

Column: 912-913

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM  
SAS Variable Name: INH\_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
9,814	99.20	99.55
79	0.80	0.45

**PILL CORTICOSTEROIDS**

Survey: ADULT Asthma Call-Back

Column: 914-915

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM  
SAS Variable Name: PILL\_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
9,521	96.24	96.92
372	3.76	3.08

**PILL LEUKOTRIENE MODIFIERS**

Survey: ADULT Asthma Call-Back

Column: 916-917

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM  
SAS Variable Name: PILL\_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
9,521	96.24	96.92
372	3.76	3.08

**PILL BETA 2 AGONIST**

Survey: ADULT Asthma Call-Back

Column: 918-919

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM  
SAS Variable Name: PILL\_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
9,521	96.24	96.92
372	3.76	3.08



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL METHYLXANTHINES**

Survey: ADULT Asthma Call-Back

Column: 920-921

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM  
SAS Variable Name: PILL\_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
9,521	96.24	96.92
372	3.76	3.08

**SYRUP METHYLXANTHINES**

Survey: ADULT Asthma Call-Back

Column: 922-923

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM  
SAS Variable Name: SYRP\_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
9,741	98.46	98.33
152	1.54	1.67

**SYRUP SHORT ACTING BETA 2 AGONIST**

Survey: ADULT Asthma Call-Back

Column: 924-925

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM  
SAS Variable Name: SYRP\_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
9,741	98.46	98.33
152	1.54	1.67

**SYRUP CORTICOSTEROIDS**

Survey: ADULT Asthma Call-Back

Column: 926-927

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM  
SAS Variable Name: SYRP\_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
9,741	98.46	98.33
152	1.54	1.67

**NEBULIZER ANTI-INFLAMMATORY**

Survey: ADULT Asthma Call-Back

Column: 928-929

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM  
SAS Variable Name: NEB\_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
9,600	97.04	96.97
293	2.96	3.03

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NEBULIZER CORTICOSTEROID**

Survey: ADULT Asthma Call-Back

Column: 930-931

Prologue:

Description: NEBULIZER CORTICOSTEROIDS

Type: NUM  
SAS Variable Name: NEB\_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	9,600	97.04	96.97
99	Missing	293	2.96	3.03

**NEBULIZER ANTICHOLINERGIC**

Survey: ADULT Asthma Call-Back

Column: 932-933

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM  
SAS Variable Name: NEB\_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	9,600	97.04	96.97
99	Missing	293	2.96	3.03

**NEBULIZER BETA 2 AGONIST**

Survey: ADULT Asthma Call-Back

Column: 934-935

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM  
SAS Variable Name: NEB\_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8	Count	9,600	97.04	96.97
99	Missing	293	2.96	3.03

**ADVAIR (+ A. DISKUS): WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 936

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Type: NUM  
SAS Variable Name: ILP03\_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ADVAIR (+ A. DISKUS): WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 937

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM  
SAS Variable Name: ILP04\_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	520	33.29	32.82
2	No	887	56.79	61.08
3	No attack in past 3 months	142	9.09	5.56
7	Don't know	9	0.58	0.26
9	Refused	4	0.26	0.28
BLANK	Skip filled	8,331		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ADVAIR (+ A. DISKUS): BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 938

Type: NUM

SAS Variable Name: ILP05\_1

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	467	29.90	35.97
2	No	954	61.08	57.69
3	Didn't exercise in past 3 months	134	8.58	6.06
7	Don't know	4	0.26	0.23
9	Refused	3	0.19	0.04
BLANK	Skip filled	8,331		

**ADVAIR (+ A. DISKUS): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP06\_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,356	86.81	86.60
2	No	204	13.06	13.37
7	Don't know	1	0.06	0.02
9	Refused	1	0.06	0.01
BLANK	Skip filled	8,331		

**ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 940-942

Type: NUM

SAS Variable Name: ILP08\_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1,338	85.66	84.87
401 - 499	Weeks	140	8.96	8.87
555	Never	15	0.96	2.61
666	Less often than once a week	52	3.33	3.07
777	Don't know/Not sure	15	0.96	0.55
999	Refused	2	0.13	0.02
BLANK	Skip filled	8,331		

**ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 943-944

Type: NUM

SAS Variable Name: ILP10\_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**AEROBID: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 945

Type: NUM

SAS Variable Name: ILP03\_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	45.45	38.80
2	No	6	54.55	61.20
BLANK	Skip filled	9,882		

**AEROBID: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 946

Type: NUM

SAS Variable Name: ILP04\_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	63.64	53.46
2	No	2	18.18	19.74
3	No attack in past 3 months	2	18.18	26.80
BLANK	Skip filled	9,882		

**AEROBID: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 947

Type: NUM

SAS Variable Name: ILP05\_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	18.18	20.52
2	No	7	63.64	53.21
3	Didn't exercise in past 3 months	2	18.18	26.28
BLANK	Skip filled	9,882		

**AEROBID: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 948

Type: NUM

SAS Variable Name: ILP06\_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	45.45	41.08
2	No	6	54.55	58.92
BLANK	Skip filled	9,882		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**AEROBID: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 949-951

**Type:** NUM

**SAS Variable Name:** ILP08\_2

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	54.55	42.40
401 - 499	Weeks	2	18.18	15.24
666	Less often than once a week	3	27.27	42.35
BLANK	Skip filled	9,882		

**AEROBID: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 952-953

**Type:** NUM

**SAS Variable Name:** ILP10\_2

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,882		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 954

**Type:** NUM

**SAS Variable Name:** ILP03\_3

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	579	33.37	33.84
2	No	1,093	63.00	63.82
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	4	0.23	0.09
4	Medication has a built-in spacer/does not need a spacer	8	0.46	0.23
7	Don't know	21	1.21	1.07
9	Refused	30	1.73	0.95
BLANK	Skip filled	8,158		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 955

**Type:** NUM

**SAS Variable Name:** ILP04\_3

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,511	87.09	88.10
2	No	138	7.95	7.37
3	No attack in past 3 months	82	4.73	4.49
7	Don't know	3	0.17	0.03
9	Refused	1	0.06	0.01
BLANK	Skip filled	8,158		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP05\_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	644	37.12	41.68
2	No	948	54.64	53.11
3	Didn't exercise in past 3 months	135	7.78	5.13
7	Don't know	6	0.35	0.06
9	Refused	2	0.12	0.01
BLANK	Skip filled	8,158		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 957

Type: NUM

SAS Variable Name: ILP06\_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	475	27.38	20.08
2	No	1,256	72.39	79.80
7	Don't know	2	0.12	0.02
9	Refused	2	0.12	0.09
BLANK	Skip filled	8,158		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 958-960

Type: NUM

SAS Variable Name: ILP08\_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	589	33.95	28.97
401 - 499	Weeks	609	35.10	40.11
555	Never	40	2.31	5.92
666	Less often than once a week	441	25.42	22.65
777	Don't know/Not sure	52	3.00	2.22
999	Refused	4	0.23	0.14
BLANK	Skip filled	8,158		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 961-962

Type: NUM

SAS Variable Name: ILP10\_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1,301	74.99	78.20
77	Don't know	111	6.40	4.19
88	None	319	18.39	17.56
99	Refused	4	0.23	0.05
BLANK	Skip filled	8,158		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ALUPENT: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 963

**Type:** NUM

**SAS Variable Name:** ILP03\_4

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	11.11	6.57
2	No	7	77.78	87.87
7	Don't know	1	11.11	5.56
BLANK	Skip filled	9,884		

**ALUPENT: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 964

**Type:** NUM

**SAS Variable Name:** ILP04\_4

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	77.78	79.89
2	No	1	11.11	3.80
7	Don't know	1	11.11	16.32
BLANK	Skip filled	9,884		

**ALUPENT: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 965

**Type:** NUM

**SAS Variable Name:** ILP05\_4

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	33.33	42.20
2	No	6	66.67	57.80
BLANK	Skip filled	9,884		

**ALUPENT: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 966

**Type:** NUM

**SAS Variable Name:** ILP06\_4

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	11.11	5.56
2	No	8	88.89	94.44
BLANK	Skip filled	9,884		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ALUPENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 967-969

Type: NUM

SAS Variable Name: ILP08\_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	22.22	11.88
401 - 499	Weeks	2	22.22	36.64
555	Never	1	11.11	16.32
666	Less often than once a week	4	44.44	35.17
BLANK	Skip filled	9,884		

**ALUPENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 970-971

Type: NUM

SAS Variable Name: ILP10\_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	6	66.67	61.74
77	Don't know	1	11.11	5.56
88	None	2	22.22	32.70
BLANK	Skip filled	9,884		

**ATROVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 972

Type: NUM

SAS Variable Name: ILP03\_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	37.70	37.94
2	No	34	55.74	52.96
7	Don't know	2	3.28	8.35
9	Refused	2	3.28	0.74
BLANK	Skip filled	9,832		

**ATROVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 973

Type: NUM

SAS Variable Name: ILP04\_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	67.21	61.10
2	No	14	22.95	32.53
3	No attack in past 3 months	5	8.20	5.67
7	Don't know	1	1.64	0.70
BLANK	Skip filled	9,832		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ATROVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 974

Type: NUM

SAS Variable Name: ILP05\_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	31.15	52.21
2	No	35	57.38	40.10
3	Didn't exercise in past 3 months	6	9.84	6.99
7	Don't know	1	1.64	0.70
BLANK	Skip filled	9,832		

**ATROVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 975

Type: NUM

SAS Variable Name: ILP06\_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	59.02	67.21
2	No	24	39.34	32.09
7	Don't know	1	1.64	0.70
BLANK	Skip filled	9,832		

**ATROVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 976-978

Type: NUM

SAS Variable Name: ILP08\_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	37	60.66	61.83
401 - 499	Weeks	16	26.23	27.87
555	Never	1	1.64	1.96
666	Less often than once a week	5	8.20	7.47
777	Don't know/Not sure	2	3.28	0.87
BLANK	Skip filled	9,832		

**ATROVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 979-980

Type: NUM

SAS Variable Name: ILP10\_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**AZMACORT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP03\_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	54.55	31.24
2	No	9	40.91	67.61
7	Don't know	1	4.55	1.15
BLANK	Skip filled	9,871		

**AZMACORT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP04\_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	59.09	77.88
2	No	7	31.82	19.67
3	No attack in past 3 months	1	4.55	1.30
7	Don't know	1	4.55	1.15
BLANK	Skip filled	9,871		

**AZMACORT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 983

Type: NUM

SAS Variable Name: ILP05\_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	27.27	19.41
2	No	13	59.09	75.17
3	Didn't exercise in past 3 months	2	9.09	4.28
7	Don't know	1	4.55	1.15
BLANK	Skip filled	9,871		

**AZMACORT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 984

Type: NUM

SAS Variable Name: ILP06\_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	50.00	32.75
2	No	10	45.45	66.10
7	Don't know	1	4.55	1.15
BLANK	Skip filled	9,871		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**AZMACORT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 985-987

Type: NUM

SAS Variable Name: ILP08\_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	12	54.55	42.67
401 - 499	Weeks	4	18.18	4.71
555	Never	1	4.55	45.54
666	Less often than once a week	4	18.18	5.94
777	Don't know/Not sure	1	4.55	1.15
BLANK	Skip filled	9,871		

**AZMACORT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 988-989

Type: NUM

SAS Variable Name: ILP10\_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 990

Type: NUM

SAS Variable Name: ILP03\_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	33.33	46.97
2	No	4	44.44	49.43
7	Don't know	1	11.11	0.10
9	Refused	1	11.11	3.50
BLANK	Skip filled	9,884		

**BECLOMETHASONE DIPROPIONATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP04\_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	44.42
2	No	6	66.67	52.08
3	No attack in past 3 months	1	11.11	3.50
BLANK	Skip filled	9,884		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP05\_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	3.03
2	No	7	77.78	96.97
BLANK	Skip filled	9,884		

**BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP06\_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	88.89	64.41
2	No	1	11.11	35.59
BLANK	Skip filled	9,884		

**BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 994-996

Type: NUM

SAS Variable Name: ILP08\_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	88.89	64.41
666	Less often than once a week	1	11.11	35.59
BLANK	Skip filled	9,884		

**BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 997-998

Type: NUM

SAS Variable Name: ILP10\_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**BECLOVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 999

Type: NUM

SAS Variable Name: ILP03\_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	10.27
2	No	1	50.00	89.73
BLANK	Skip filled	9,891		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**BECLOVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1000

Type: NUM

SAS Variable Name: ILP04\_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	9,891		

**BECLOVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1001

Type: NUM

SAS Variable Name: ILP05\_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	10.27
2	No	1	50.00	89.73
BLANK	Skip filled	9,891		

**BECLOVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1002

Type: NUM

SAS Variable Name: ILP06\_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	10.27
2	No	1	50.00	89.73
BLANK	Skip filled	9,891		

**BECLOVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1003-1005

Type: NUM

SAS Variable Name: ILP08\_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	10.27
666	Less often than once a week	1	50.00	89.73
BLANK	Skip filled	9,891		

**BECLOVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1006-1007

Type: NUM

SAS Variable Name: ILP10\_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**BITOLTEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP03\_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**BITOLTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1009

Type: NUM

SAS Variable Name: ILP04\_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**BITOLTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1010

Type: NUM

SAS Variable Name: ILP05\_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**BITOLTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1011

Type: NUM

SAS Variable Name: ILP06\_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**BITOLTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1012-1014

Type: NUM

SAS Variable Name: ILP08\_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
555	Never	1	100.00	100.00
BLANK	Skip filled	9,892		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**BITOLTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1015-1016

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Type: NUM  
SAS Variable Name: ILP10\_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	9,892		

**BRETHAIRE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1017

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Type: NUM  
SAS Variable Name: ILP03\_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	47.18
2	No	4	57.14	50.42
9	Refused	1	14.29	2.40
BLANK	Skip filled	9,886		

**BRETHAIRE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1018

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM  
SAS Variable Name: ILP04\_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	47.18
2	No	5	71.43	52.82
BLANK	Skip filled	9,886		

**BRETHAIRE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1019

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Type: NUM  
SAS Variable Name: ILP05\_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	0.22
2	No	5	71.43	52.82
3	Didn't exercise in past 3 months	1	14.29	46.96
BLANK	Skip filled	9,886		

**BRETHAIRE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1020

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Type: NUM  
SAS Variable Name: ILP06\_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	7	100.00	100.00
BLANK	Skip filled	9,886		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**BRETHAIRE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1021-1023

Type: NUM

SAS Variable Name: ILP08\_10

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	3	42.86	49.58
555	Never	3	42.86	40.43
666	Less often than once a week	1	14.29	9.99
BLANK	Skip filled	9,886		

**BRETHAIRE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1024-1025

Type: NUM

SAS Variable Name: ILP10\_10

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	28.57	47.18
88	None	5	71.43	52.82
BLANK	Skip filled	9,886		

**BUDESONIDE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1026

Type: NUM

SAS Variable Name: ILP03\_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	27.27	83.89
2	No	8	72.73	16.11
BLANK	Skip filled	9,882		

**BUDESONIDE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1027

Type: NUM

SAS Variable Name: ILP04\_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	36.36	85.26
2	No	7	63.64	14.74
BLANK	Skip filled	9,882		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**BUDESONIDE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1028

Type: NUM

SAS Variable Name: ILP05\_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	9.09	79.45
2	No	8	72.73	14.89
3	Didn't exercise in past 3 months	2	18.18	5.66
BLANK	Skip filled	9,882		

**BUDESONIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP06\_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	90.91	96.81
2	No	1	9.09	3.19
BLANK	Skip filled	9,882		

**BUDESONIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1030-1032

Type: NUM

SAS Variable Name: ILP08\_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	11	100.00	100.00
BLANK	Skip filled	9,882		

**BUDESONIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1033-1034

Type: NUM

SAS Variable Name: ILP10\_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**COMBIVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1035

Type: NUM

SAS Variable Name: ILP03\_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	129	38.39	33.29
2	No	203	60.42	66.43
7	Don't know	2	0.60	0.18
9	Refused	2	0.60	0.10
BLANK	Skip filled	9,557		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**COMBIVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1036

Type: NUM

SAS Variable Name: ILP04\_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	273	81.25	84.65
2	No	43	12.80	10.61
3	No attack in past 3 months	19	5.65	4.72
7	Don't know	1	0.30	0.02
BLANK	Skip filled	9,557		

**COMBIVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1037

Type: NUM

SAS Variable Name: ILP05\_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	114	33.93	47.76
2	No	174	51.79	44.40
3	Didn't exercise in past 3 months	47	13.99	7.76
7	Don't know	1	0.30	0.07
BLANK	Skip filled	9,557		

**COMBIVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1038

Type: NUM

SAS Variable Name: ILP06\_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	180	53.57	62.22
2	No	156	46.43	37.78
BLANK	Skip filled	9,557		

**COMBIVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1039-1041

Type: NUM

SAS Variable Name: ILP08\_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	214	63.69	71.25
401 - 499	Weeks	65	19.35	18.18
555	Never	3	0.89	0.59
666	Less often than once a week	45	13.39	8.59
777	Don't know/Not sure	9	2.68	1.40
BLANK	Skip filled	9,557		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**COMBIVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1042-1043

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Type: NUM  
SAS Variable Name: ILP10\_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**CROMOLYN: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1044

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Type: NUM  
SAS Variable Name: ILP03\_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**CROMOLYN: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1045

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM  
SAS Variable Name: ILP04\_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**CROMOLYN: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1046

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Type: NUM  
SAS Variable Name: ILP05\_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**CROMOLYN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1047

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Type: NUM  
SAS Variable Name: ILP06\_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**CROMOLYN: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1048-1050

Type: NUM

SAS Variable Name: ILP08\_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	9,892		

**CROMOLYN: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1051-1052

Type: NUM

SAS Variable Name: ILP10\_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**FLOVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1053

Type: NUM

SAS Variable Name: ILP03\_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	175	41.18	35.10
2	No	224	52.71	61.72
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	0.24	0.33
4	Medication has a built-in spacer/does not need a spacer	2	0.47	0.29
7	Don't know	2	0.47	0.78
9	Refused	21	4.94	1.77
BLANK	Skip filled	9,468		

**FLOVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1054

Type: NUM

SAS Variable Name: ILP04\_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	198	46.59	50.14
2	No	181	42.59	35.76
3	No attack in past 3 months	42	9.88	13.84
7	Don't know	4	0.94	0.27
BLANK	Skip filled	9,468		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FLOVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP05\_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	123	28.94	31.79
2	No	279	65.65	64.46
3	Didn't exercise in past 3 months	20	4.71	3.15
7	Don't know	2	0.47	0.13
9	Refused	1	0.24	0.48
BLANK	Skip filled	9,468		

**FLOVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP06\_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	325	76.47	74.26
2	No	100	23.53	25.74
BLANK	Skip filled	9,468		

**FLOVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1057-1059

Type: NUM

SAS Variable Name: ILP08\_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	318	74.82	74.90
401 - 499	Weeks	55	12.94	15.55
555	Never	4	0.94	0.47
666	Less often than once a week	43	10.12	8.58
777	Don't know/Not sure	5	1.18	0.49
BLANK	Skip filled	9,468		

**FLOVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1060-1061

Type: NUM

SAS Variable Name: ILP10\_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**FLOVENT ROTADISK: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1062

Type: NUM

SAS Variable Name: ILP03\_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FLOVENT ROTADISK: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1063

Type: NUM

SAS Variable Name: ILP04\_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	29.41	34.47
2	No	11	64.71	65.16
3	No attack in past 3 months	1	5.88	0.37
BLANK	Skip filled	9,876		

**FLOVENT ROTADISK: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1064

Type: NUM

SAS Variable Name: ILP05\_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	5.88	0.37
2	No	14	82.35	93.24
3	Didn't exercise in past 3 months	2	11.76	6.39
BLANK	Skip filled	9,876		

**FLOVENT ROTADISK: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1065

Type: NUM

SAS Variable Name: ILP06\_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	76.47	90.38
2	No	4	23.53	9.62
BLANK	Skip filled	9,876		

**FLOVENT ROTADISK: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1066-1068

Type: NUM

SAS Variable Name: ILP08\_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	11	64.71	87.53
401 - 499	Weeks	6	35.29	12.47
BLANK	Skip filled	9,876		

**FLOVENT ROTADISK: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1069-1070

Type: NUM

SAS Variable Name: ILP10\_15

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FLUNISOLIDE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP03\_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	100.00	100.00
BLANK	Skip filled	9,889		

**FLUNISOLIDE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP04\_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	4.10
2	No	2	50.00	95.90
BLANK	Skip filled	9,889		

**FLUNISOLIDE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP05\_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	16.05
2	No	2	50.00	83.95
BLANK	Skip filled	9,889		

**FLUNISOLIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1074

Type: NUM

SAS Variable Name: ILP06\_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	98.06
2	No	1	25.00	1.94
BLANK	Skip filled	9,889		

**FLUNISOLIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1075-1077

Type: NUM

SAS Variable Name: ILP08\_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	98.06
401 - 499	Weeks	1	25.00	1.94
BLANK	Skip filled	9,889		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FLUNISOLIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1078-1079

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Type: NUM  
SAS Variable Name: ILP10\_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**FLUTICASONE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1080

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Type: NUM  
SAS Variable Name: ILP03\_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	19.44	15.62
2	No	26	72.22	80.36
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	2.78	0.32
7	Don't know	2	5.56	3.71
BLANK	Skip filled	9,857		

**FLUTICASONE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1081

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM  
SAS Variable Name: ILP04\_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	41.67	29.76
2	No	19	52.78	68.43
3	No attack in past 3 months	2	5.56	1.82
BLANK	Skip filled	9,857		

**FLUTICASONE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1082

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Type: NUM  
SAS Variable Name: ILP05\_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	16.67	6.36
2	No	24	66.67	76.93
3	Didn't exercise in past 3 months	6	16.67	16.71
BLANK	Skip filled	9,857		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FLUTICASONE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP06\_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	66.67	69.62
2	No	12	33.33	30.38
BLANK	Skip filled	9,857		

**FLUTICASONE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1084-1086

Type: NUM

SAS Variable Name: ILP08\_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	27	75.00	76.69
401 - 499	Weeks	6	16.67	11.37
555	Never	1	2.78	1.31
666	Less often than once a week	1	2.78	3.90
777	Don't know/Not sure	1	2.78	6.73
BLANK	Skip filled	9,857		

**FLUTICASONE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1087-1088

Type: NUM

SAS Variable Name: ILP10\_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**INTAL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1089

Type: NUM

SAS Variable Name: ILP03\_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**INTAL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1090

Type: NUM

SAS Variable Name: ILP04\_18

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**INTAL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1091

Type: NUM

SAS Variable Name: ILP05\_18

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**INTAL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1092

Type: NUM

SAS Variable Name: ILP06\_18

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**INTAL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1093-1095

Type: NUM

SAS Variable Name: ILP08\_18

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	9,892		

**INTAL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1096-1097

Type: NUM

SAS Variable Name: ILP10\_18

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**IPRATROPIUM BROMIDE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1098

Type: NUM

SAS Variable Name: ILP03\_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	41.67	35.40
2	No	13	54.17	61.06
7	Don't know	1	4.17	3.54
BLANK	Skip filled	9,869		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**IPRATROPIUM BROMIDE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1099

**Type:** NUM

**SAS Variable Name:** ILP04\_19

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	66.67	75.58
2	No	5	20.83	22.27
3	No attack in past 3 months	3	12.50	2.16
BLANK	Skip filled	9,869		

**IPRATROPIUM BROMIDE: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1100

**Type:** NUM

**SAS Variable Name:** ILP05\_19

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	16.67	22.46
2	No	15	62.50	63.64
3	Didn't exercise in past 3 months	5	20.83	13.89
BLANK	Skip filled	9,869		

**IPRATROPIUM BROMIDE: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1101

**Type:** NUM

**SAS Variable Name:** ILP06\_19

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	66.67	66.49
2	No	8	33.33	33.51
BLANK	Skip filled	9,869		

**IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1102-1104

**Type:** NUM

**SAS Variable Name:** ILP08\_19

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	20	83.33	81.81
666	Less often than once a week	3	12.50	15.34
777	Don't know/Not sure	1	4.17	2.85
BLANK	Skip filled	9,869		

**IPRATROPIUM BROMIDE: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1105-1106

**Type:** NUM

**SAS Variable Name:** ILP10\_19

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,869		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**MAXAIR: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1107

Type: NUM

SAS Variable Name: ILP03\_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**MAXAIR: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP04\_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	89.58	97.09
2	No	2	4.17	0.87
3	No attack in past 3 months	3	6.25	2.04
BLANK	Skip filled	9,845		

**MAXAIR: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP05\_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	47.92	43.80
2	No	24	50.00	55.94
3	Didn't exercise in past 3 months	1	2.08	0.26
BLANK	Skip filled	9,845		

**MAXAIR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP06\_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	20.83	9.10
2	No	38	79.17	90.90
BLANK	Skip filled	9,845		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**MAXAIR: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1111-1113

Type: NUM

SAS Variable Name: ILP08\_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	17	35.42	20.01
401 - 499	Weeks	18	37.50	42.28
555	Never	2	4.17	15.94
666	Less often than once a week	9	18.75	20.70
777	Don't know/Not sure	2	4.17	1.06
BLANK	Skip filled	9,845		

**MAXAIR: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1114-1115

Type: NUM

SAS Variable Name: ILP10\_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	32	66.67	71.13
77	Don't know	1	2.08	4.50
88	None	15	31.25	24.37
BLANK	Skip filled	9,845		

**METAPROTERONOL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1116

Type: NUM

SAS Variable Name: ILP03\_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**METAPROTERONOL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1117

Type: NUM

SAS Variable Name: ILP04\_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**METAPROTERONOL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1118

Type: NUM

SAS Variable Name: ILP05\_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**METAPROTERONOL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1119

Type: NUM

SAS Variable Name: ILP06\_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**METAPROTERONOL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1120-1122

Type: NUM

SAS Variable Name: ILP08\_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	9,892		

**METAPROTERONOL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1123-1124

Type: NUM

SAS Variable Name: ILP10\_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	9,892		

**NEDOCROMIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP03\_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**NEDOCROMIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1126

Type: NUM

SAS Variable Name: ILP04\_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**NEDOCROMIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1127

Type: NUM

SAS Variable Name: ILP05\_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**NEDOCROMIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1128

Type: NUM

SAS Variable Name: ILP06\_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**NEDOCROMIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1129-1131

Type: NUM

SAS Variable Name: ILP08\_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**NEDOCROMIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1132-1133

Type: NUM

SAS Variable Name: ILP10\_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PIRBUTEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1134

Type: NUM

SAS Variable Name: ILP03\_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	34.29
2	No	1	50.00	65.71
BLANK	Skip filled	9,891		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PIRBUTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP04\_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	34.29
3	No attack in past 3 months	1	50.00	65.71
BLANK	Skip filled	9,891		

**PIRBUTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP05\_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	9,891		

**PIRBUTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP06\_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	9,891		

**PIRBUTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1138-1140

Type: NUM

SAS Variable Name: ILP08\_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	65.71
666	Less often than once a week	1	50.00	34.29
BLANK	Skip filled	9,891		

**PIRBUTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1141-1142

Type: NUM

SAS Variable Name: ILP10\_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	100.00	100.00
BLANK	Skip filled	9,891		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PROVENTIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1143

Type: NUM

SAS Variable Name: ILP03\_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	132	28.76	28.48
2	No	313	68.19	70.41
7	Don't know	6	1.31	0.57
9	Refused	8	1.74	0.54
BLANK	Skip filled	9,434		

**PROVENTIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1144

Type: NUM

SAS Variable Name: ILP04\_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	408	88.89	92.24
2	No	32	6.97	5.38
3	No attack in past 3 months	17	3.70	2.14
7	Don't know	2	0.44	0.24
BLANK	Skip filled	9,434		

**PROVENTIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1145

Type: NUM

SAS Variable Name: ILP05\_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	160	34.86	34.66
2	No	251	54.68	57.65
3	Didn't exercise in past 3 months	47	10.24	7.63
7	Don't know	1	0.22	0.06
BLANK	Skip filled	9,434		

**PROVENTIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP06\_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	107	23.31	16.02
2	No	351	76.47	83.92
7	Don't know	1	0.22	0.06
BLANK	Skip filled	9,434		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PROVENTIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1147-1149

Type: NUM

SAS Variable Name: ILP08\_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	155	33.77	36.46
401 - 499	Weeks	164	35.73	29.90
555	Never	12	2.61	6.31
666	Less often than once a week	113	24.62	25.23
777	Don't know/Not sure	14	3.05	2.09
999	Refused	1	0.22	0.01
BLANK	Skip filled	9,434		

**PROVENTIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1150-1151

Type: NUM

SAS Variable Name: ILP10\_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	376	81.92	80.87
77	Don't know	11	2.40	1.10
88	None	72	15.69	18.03
BLANK	Skip filled	9,434		

**PULMICORT FLEXHALER: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1152

Type: NUM

SAS Variable Name: ILP03\_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PULMICORT FLEXHALER: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1153

Type: NUM

SAS Variable Name: ILP04\_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	28.97	20.15
2	No	66	61.68	65.30
3	No attack in past 3 months	10	9.35	14.55
BLANK	Skip filled	9,786		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PULMICORT FLEXHALER: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1154

Type: NUM

SAS Variable Name: ILP05\_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	21.50	50.91
2	No	78	72.90	46.70
3	Didn't exercise in past 3 months	4	3.74	1.48
7	Don't know	1	0.93	0.08
9	Refused	1	0.93	0.83
BLANK	Skip filled	9,786		

**PULMICORT FLEXHALER: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1155

Type: NUM

SAS Variable Name: ILP06\_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	94	87.85	93.20
2	No	12	11.21	6.60
7	Don't know	1	0.93	0.20
BLANK	Skip filled	9,786		

**PULMICORT FLEXHALER: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1156-1158

Type: NUM

SAS Variable Name: ILP08\_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	92	85.98	94.17
401 - 499	Weeks	8	7.48	2.05
555	Never	1	0.93	1.23
666	Less often than once a week	4	3.74	0.94
777	Don't know/Not sure	2	1.87	1.61
BLANK	Skip filled	9,786		

**PULMICORT FLEXHALER: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1159-1160

Type: NUM

SAS Variable Name: ILP10\_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**SALMETEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1161

Type: NUM

SAS Variable Name: ILP03\_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	51.28
2	No	1	50.00	48.72
BLANK	Skip filled	9,891		

**SALMETEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP04\_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	9,891		

**SALMETEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP05\_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	9,891		

**SALMETEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP06\_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	48.72
2	No	1	50.00	51.28
BLANK	Skip filled	9,891		

**SALMETEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1165-1167

Type: NUM

SAS Variable Name: ILP08\_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	48.72
666	Less often than once a week	1	50.00	51.28
BLANK	Skip filled	9,891		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**SALMETEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1168-1169

Type: NUM

SAS Variable Name: ILP10\_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**SEREVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1170

Type: NUM

SAS Variable Name: ILP03\_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**SEREVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1171

Type: NUM

SAS Variable Name: ILP04\_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	30.91	25.39
2	No	32	58.18	70.04
3	No attack in past 3 months	6	10.91	4.57
BLANK	Skip filled	9,838		

**SEREVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1172

Type: NUM

SAS Variable Name: ILP05\_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	32.73	59.28
2	No	34	61.82	39.42
3	Didn't exercise in past 3 months	3	5.45	1.31
BLANK	Skip filled	9,838		

**SEREVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP06\_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	92.73	94.63
2	No	4	7.27	5.37
BLANK	Skip filled	9,838		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**SEREVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1174-1176

Type: NUM

SAS Variable Name: ILP08\_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	49	89.09	93.77
401 - 499	Weeks	4	7.27	5.16
555	Never	1	1.82	0.13
666	Less often than once a week	1	1.82	0.93
BLANK	Skip filled	9,838		

**SEREVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1177-1178

Type: NUM

SAS Variable Name: ILP10\_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1179

Type: NUM

SAS Variable Name: ILP03\_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TERBUTALINE (+ T. SULFATE): WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1180

Type: NUM

SAS Variable Name: ILP04\_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1181

Type: NUM

SAS Variable Name: ILP05\_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1182

Type: NUM

SAS Variable Name: ILP06\_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1183-1185

Type: NUM

SAS Variable Name: ILP08\_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1186-1187

Type: NUM

SAS Variable Name: ILP10\_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TILADE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP03\_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**TILADE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP04\_29

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**TILADE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP05\_29

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**TILADE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1191

Type: NUM

SAS Variable Name: ILP06\_29

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**TILADE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1192-1194

Type: NUM

SAS Variable Name: ILP08\_29

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	9,892		

**TILADE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1195-1196

Type: NUM

SAS Variable Name: ILP10\_29

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TORNALATE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1197

Type: NUM

SAS Variable Name: ILP03\_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**TORNALATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP04\_30

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TORNALATE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP05\_30

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TORNALATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP06\_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TORNALATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1201-1203

Type: NUM

SAS Variable Name: ILP08\_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TORNALATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1204-1205

Type: NUM

SAS Variable Name: ILP10\_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1206

Type: NUM

SAS Variable Name: ILP03\_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	9,891		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**TRIAMCINOLONE ACETONIDE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1207

Type: NUM

SAS Variable Name: ILP04\_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	9,891		

**TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1208

Type: NUM

SAS Variable Name: ILP05\_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	9,891		

**TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1209

Type: NUM

SAS Variable Name: ILP06\_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	9,891		

**TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1210-1212

Type: NUM

SAS Variable Name: ILP08\_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	9,891		

**TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1213-1214

Type: NUM

SAS Variable Name: ILP10\_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**VANCERIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP03\_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	70.90
2	No	4	80.00	29.10
BLANK	Skip filled	9,888		

**VANCERIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP04\_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	86.95
2	No	1	20.00	5.53
3	No attack in past 3 months	1	20.00	7.52
BLANK	Skip filled	9,888		

**VANCERIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1217

Type: NUM

SAS Variable Name: ILP05\_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	40.00	77.56
3	Didn't exercise in past 3 months	3	60.00	22.44
BLANK	Skip filled	9,888		

**VANCERIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1218

Type: NUM

SAS Variable Name: ILP06\_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	13.05
2	No	3	60.00	86.95
BLANK	Skip filled	9,888		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**VANCERIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1219-1221

Type: NUM

SAS Variable Name: ILP08\_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	40.00	13.05
401 - 499	Weeks	2	40.00	77.56
666	Less often than once a week	1	20.00	9.39
BLANK	Skip filled	9,888		

**VANCERIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1222-1223

Type: NUM

SAS Variable Name: ILP10\_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**VENTOLIN: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1224

Type: NUM

SAS Variable Name: ILP03\_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	241	30.43	25.96
2	No	525	66.29	72.49
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	0.13	0.02
4	Medication has a built-in spacer/does not need a spacer	1	0.13	0.05
7	Don't know	9	1.14	0.71
9	Refused	15	1.89	0.78
BLANK	Skip filled	9,101		

**VENTOLIN: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP04\_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	700	88.38	88.74
2	No	65	8.21	8.00
3	No attack in past 3 months	25	3.16	3.16
7	Don't know	2	0.25	0.10
BLANK	Skip filled	9,101		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**VENTOLIN: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP05\_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	293	36.99	41.59
2	No	436	55.05	51.89
3	Didn't exercise in past 3 months	62	7.83	6.33
7	Don't know	1	0.13	0.19
BLANK	Skip filled	9,101		

**VENTOLIN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP06\_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	192	24.24	22.34
2	No	600	75.76	77.66
BLANK	Skip filled	9,101		

**VENTOLIN: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1228-1230

Type: NUM

SAS Variable Name: ILP08\_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	280	35.35	33.04
401 - 499	Weeks	282	35.61	41.16
555	Never	14	1.77	1.14
666	Less often than once a week	186	23.48	21.27
777	Don't know/Not sure	29	3.66	2.17
999	Refused	1	0.13	1.21
BLANK	Skip filled	9,101		

**VENTOLIN: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1231-1232

Type: NUM

SAS Variable Name: ILP10\_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	599	75.63	77.15
77	Don't know	20	2.53	4.53
88	None	173	21.84	18.32
BLANK	Skip filled	9,101		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FORADIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1233

Type: NUM

SAS Variable Name: ILP03\_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**FORADIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1234

Type: NUM

SAS Variable Name: ILP04\_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	25.81	16.05
2	No	21	67.74	70.10
3	No attack in past 3 months	1	3.23	3.26
7	Don't know	1	3.23	10.59
BLANK	Skip filled	9,862		

**FORADIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1235

Type: NUM

SAS Variable Name: ILP05\_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	25.81	19.41
2	No	21	67.74	77.14
3	Didn't exercise in past 3 months	2	6.45	3.46
BLANK	Skip filled	9,862		

**FORADIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1236

Type: NUM

SAS Variable Name: ILP06\_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	83.87	77.47
2	No	5	16.13	22.53
BLANK	Skip filled	9,862		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FORADIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1237-1239

Type: NUM

SAS Variable Name: ILP08\_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	27	87.10	84.60
401 - 499	Weeks	1	3.23	0.18
555	Never	1	3.23	4.46
777	Don't know/Not sure	2	6.45	10.75
BLANK	Skip filled	9,862		

**FORADIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1240-1241

Type: NUM

SAS Variable Name: ILP10\_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**FORMOTEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP03\_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	9,892		

**FORMOTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1243

Type: NUM

SAS Variable Name: ILP04\_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**FORMOTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1244

Type: NUM

SAS Variable Name: ILP05\_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**FORMOTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1245

Type: NUM

SAS Variable Name: ILP06\_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**FORMOTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1246-1248

Type: NUM

SAS Variable Name: ILP08\_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	9,892		

**FORMOTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1249-1250

Type: NUM

SAS Variable Name: ILP10\_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,892		

**QVAR: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1251

Type: NUM

SAS Variable Name: ILP03\_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	108	44.08	45.57
2	No	127	51.84	52.66
7	Don't know	5	2.04	0.71
9	Refused	5	2.04	1.07
BLANK	Skip filled	9,648		

**QVAR: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP04\_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109	44.49	49.92
2	No	114	46.53	46.94
3	No attack in past 3 months	21	8.57	3.12
9	Refused	1	0.41	0.03
BLANK	Skip filled	9,648		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**QVAR: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP05\_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	58	23.67	24.48
2	No	174	71.02	73.64
3	Didn't exercise in past 3 months	11	4.49	1.59
7	Don't know	2	0.82	0.29
BLANK	Skip filled	9,648		

**QVAR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP06\_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	197	80.41	88.08
2	No	48	19.59	11.92
BLANK	Skip filled	9,648		

**QVAR: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1255-1257

Type: NUM

SAS Variable Name: ILP08\_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	202	82.45	89.48
401 - 499	Weeks	28	11.43	7.78
555	Never	2	0.82	1.68
666	Less often than once a week	11	4.49	0.88
777	Don't know/Not sure	2	0.82	0.18
BLANK	Skip filled	9,648		

**QVAR: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1258-1259

Type: NUM

SAS Variable Name: ILP10\_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**LEVALBUTEROL TARTRATE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1260

Type: NUM

SAS Variable Name: ILP03\_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	9,890		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**LEVALBUTEROL TARTRATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1261

Type: NUM

SAS Variable Name: ILP04\_37

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	9,890		

**LEVALBUTEROL TARTRATE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1262

Type: NUM

SAS Variable Name: ILP05\_37

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	9,890		

**LEVALBUTEROL TARTRATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP06\_37

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	9,890		

**LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1264-1266

Type: NUM

SAS Variable Name: ILP08\_37

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	100.00	100.00
BLANK	Skip filled	9,890		

**LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1267-1268

Type: NUM

SAS Variable Name: ILP10\_37

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	100.00	100.00
BLANK	Skip filled	9,890		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**XOPENEX HFA: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1269

**Type:** NUM

**SAS Variable Name:** ILP03\_38

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	57	30.32	16.90
2	No	121	64.36	81.79
7	Don't know	2	1.06	0.34
9	Refused	8	4.26	0.97
BLANK	Skip filled	9,705		

**XOPENEX HFA: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1270

**Type:** NUM

**SAS Variable Name:** ILP04\_38

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	151	80.32	94.41
2	No	23	12.23	3.70
3	No attack in past 3 months	13	6.91	1.81
7	Don't know	1	0.53	0.08
BLANK	Skip filled	9,705		

**XOPENEX HFA: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1271

**Type:** NUM

**SAS Variable Name:** ILP05\_38

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	66	35.11	44.08
2	No	104	55.32	48.89
3	Didn't exercise in past 3 months	18	9.57	7.03
BLANK	Skip filled	9,705		

**XOPENEX HFA: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1272

**Type:** NUM

**SAS Variable Name:** ILP06\_38

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	23.40	39.90
2	No	144	76.60	60.10
BLANK	Skip filled	9,705		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**XOPENEX HFA: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1273-1275

Type: NUM

SAS Variable Name: ILP08\_38

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	65	34.57	47.28
401 - 499	Weeks	60	31.91	28.66
555	Never	6	3.19	7.98
666	Less often than once a week	49	26.06	14.78
777	Don't know/Not sure	8	4.26	1.30
BLANK	Skip filled	9,705		

**XOPENEX HFA: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1276-1277

Type: NUM

SAS Variable Name: ILP10\_38

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	136	72.34	86.50
77	Don't know	8	4.26	0.58
88	None	44	23.40	12.92
BLANK	Skip filled	9,705		

**MOMETASONE FUROATE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1278

Type: NUM

SAS Variable Name: ILP03\_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**MOMETASONE FUROATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP04\_39

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	30.00	14.42
2	No	6	60.00	81.23
3	No attack in past 3 months	1	10.00	4.34
BLANK	Skip filled	9,883		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**MOMETASONE FUROATE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP05\_39

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	30.00	47.07
2	No	6	60.00	48.96
3	Didn't exercise in past 3 months	1	10.00	3.98
BLANK	Skip filled	9,883		

**MOMETASONE FUROATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP06\_39

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	70.00	64.05
2	No	3	30.00	35.95
BLANK	Skip filled	9,883		

**MOMETASONE FUROATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1282-1284

Type: NUM

SAS Variable Name: ILP08\_39

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	60.00	41.38
401 - 499	Weeks	4	40.00	58.62
BLANK	Skip filled	9,883		

**MOMETASONE FUROATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1285-1286

Type: NUM

SAS Variable Name: ILP10\_39

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASMANEX (TWISTHALER): WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1287

Type: NUM

SAS Variable Name: ILP03\_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ASMANEX (TWISTHALER): WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1288

Type: NUM

SAS Variable Name: ILP04\_40

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	26.80	16.61
2	No	100	65.36	79.37
3	No attack in past 3 months	10	6.54	3.42
7	Don't know	1	0.65	0.24
9	Refused	1	0.65	0.35
BLANK	Skip filled	9,740		

**ASMANEX (TWISTHALER): BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP05\_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	14.38	22.83
2	No	119	77.78	74.55
3	Didn't exercise in past 3 months	8	5.23	1.92
7	Don't know	3	1.96	0.35
9	Refused	1	0.65	0.35
BLANK	Skip filled	9,740		

**ASMANEX (TWISTHALER): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP06\_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	133	86.93	91.43
2	No	18	11.76	7.98
7	Don't know	1	0.65	0.24
9	Refused	1	0.65	0.35
BLANK	Skip filled	9,740		

**ASMANEX (TWISTHALER): TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1291-1293

Type: NUM

SAS Variable Name: ILP08\_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	129	84.31	89.36
401 - 499	Weeks	9	5.88	3.59
555	Never	2	1.31	1.12
666	Less often than once a week	10	6.54	5.07
777	Don't know/Not sure	2	1.31	0.50
999	Refused	1	0.65	0.35
BLANK	Skip filled	9,740		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ASMANEX (TWISTHALER): NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1294-1295

**Type:** NUM

**SAS Variable Name:** ILP10\_40

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PRO-AIR HFA: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1296

**Type:** NUM

**SAS Variable Name:** ILP03\_41

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	264	27.67	36.34
2	No	642	67.30	61.37
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	0.10	0.07
4	Medication has a built-in spacer/does not need a spacer	6	0.63	0.42
7	Don't know	13	1.36	0.59
9	Refused	28	2.94	1.22
BLANK	Skip filled	8,939		

**PRO-AIR HFA: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1297

**Type:** NUM

**SAS Variable Name:** ILP04\_41

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	812	85.12	91.36
2	No	81	8.49	5.71
3	No attack in past 3 months	58	6.08	2.79
7	Don't know	2	0.21	0.08
9	Refused	1	0.10	0.06
BLANK	Skip filled	8,939		

**PRO-AIR HFA: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1298

**Type:** NUM

**SAS Variable Name:** ILP05\_41

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	348	36.48	36.49
2	No	507	53.14	56.86
3	Didn't exercise in past 3 months	95	9.96	6.42
7	Don't know	3	0.31	0.16
9	Refused	1	0.10	0.06
BLANK	Skip filled	8,939		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PRO-AIR HFA: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1299

Type: NUM

SAS Variable Name: ILP06\_41

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	253	26.52	21.12
2	No	698	73.17	78.77
7	Don't know	2	0.21	0.05
9	Refused	1	0.10	0.06
BLANK	Skip filled	8,939		

**PRO-AIR HFA: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1300-1302

Type: NUM

SAS Variable Name: ILP08\_41

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	357	37.42	35.41
401 - 499	Weeks	345	36.16	37.48
555	Never	19	1.99	4.60
666	Less often than once a week	195	20.44	20.85
777	Don't know/Not sure	34	3.56	1.49
999	Refused	4	0.42	0.18
BLANK	Skip filled	8,939		

**PRO-AIR HFA: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1303-1304

Type: NUM

SAS Variable Name: ILP10\_41

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	749	78.51	77.12
77	Don't know	38	3.98	1.86
88	None	166	17.40	20.96
99	Refused	1	0.10	0.06
BLANK	Skip filled	8,939		

**SYMBICORT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP03\_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**SYMBICORT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP04\_42

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	181	34.74	34.27
2	No	295	56.62	51.32
3	No attack in past 3 months	42	8.06	13.39
7	Don't know	3	0.58	1.03
BLANK	Skip filled	9,372		

**SYMBICORT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP05\_42

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	156	29.94	23.43
2	No	311	59.69	68.65
3	Didn't exercise in past 3 months	53	10.17	7.92
7	Don't know	1	0.19	0.01
BLANK	Skip filled	9,372		

**SYMBICORT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1308

Type: NUM

SAS Variable Name: ILP06\_42

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	446	85.60	80.50
2	No	75	14.40	19.50
BLANK	Skip filled	9,372		

**SYMBICORT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1309-1311

Type: NUM

SAS Variable Name: ILP08\_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	459	88.10	83.83
401 - 499	Weeks	42	8.06	13.42
555	Never	4	0.77	0.26
666	Less often than once a week	15	2.88	2.12
777	Don't know/Not sure	1	0.19	0.36
BLANK	Skip filled	9,372		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**SYMBICORT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1312-1313

Type: NUM

SAS Variable Name: ILP10\_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PILL ACCOLATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1314

Type: NUM

SAS Variable Name: PILL01\_1

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	96.00	84.89
2	No	1	4.00	15.11
BLANK	Skip filled	9,868		

**PILL AEROLATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: PILL01\_2

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**PILL ALBUTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: PILL01\_3

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	68.18	52.53
2	No	7	31.82	47.47
BLANK	Skip filled	9,871		

**PILL ALUPENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: PILL01\_4

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL CHOLEDYL (OXTRIPHYLLINE): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: PILL01\_5

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	75.91
7	Don't know	1	33.33	24.09
BLANK	Skip filled	9,890		

**PILL DELTASONE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: PILL01\_7

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**PILL ELIXOPHYLLIN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: PILL01\_8

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PILL MEDROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1321

Type: NUM

SAS Variable Name: PILL01\_11

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**PILL METAPREL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1322

Type: NUM

SAS Variable Name: PILL01\_12

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL METAPROTERONOL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1323

Type: NUM

SAS Variable Name: PILL01\_13

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PILL METHYLPREDNISOLONE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1324

Type: NUM

SAS Variable Name: PILL01\_14

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	9,887		

**PILL MONTELUKAST: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1325

Type: NUM

SAS Variable Name: PILL01\_15

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	96.15	97.15
2	No	1	3.85	2.85
BLANK	Skip filled	9,867		

**PILL PEDIAPRED: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1326

Type: NUM

SAS Variable Name: PILL01\_17

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PILL PREDNISOLONE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1327

Type: NUM

SAS Variable Name: PILL01\_18

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	24.63
2	No	3	50.00	75.37
BLANK	Skip filled	9,887		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL PREDNISONE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: PILL01\_19

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	115	47.92	46.12
2	No	123	51.25	53.50
7	Don't know	2	0.83	0.38
BLANK	Skip filled	9,653		

**PILL PROVENTIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: PILL01\_21

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	9,891		

**PILL RESPID: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: PILL01\_23

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PILL SINGLAIR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: PILL01\_24

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	901	93.76	90.40
2	No	60	6.24	9.60
BLANK	Skip filled	8,932		

**PILL SLO-PHYLLIN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: PILL01\_25

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	90.59
2	No	1	33.33	9.41
BLANK	Skip filled	9,890		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL SLO-BID: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: PILL01\_26

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**PILL THEO-24: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: PILL01\_28

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	100.00	100.00
BLANK	Skip filled	9,885		

**PILL THEOCHRON: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: PILL01\_30

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,892		

**PILL THEOCLEAR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1336

Type: NUM

SAS Variable Name: PILL01\_31

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**PILL THEODUR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1337

Type: NUM

SAS Variable Name: PILL01\_32

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	66.67	72.51
2	No	1	16.67	22.15
7	Don't know	1	16.67	5.33
BLANK	Skip filled	9,887		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL THEO-DUR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1338

Type: NUM

SAS Variable Name: PILL01\_33

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	2.01
2	No	1	50.00	97.99
BLANK	Skip filled	9,891		

**PILL THEOPHYLLINE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1339

Type: NUM

SAS Variable Name: PILL01\_35

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	78	96.30	91.57
2	No	3	3.70	8.43
BLANK	Skip filled	9,812		

**PILL THEOSPAN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1340

Type: NUM

SAS Variable Name: PILL01\_37

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PILL T-PHYL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: PILL01\_40

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**PILL UNIPHYL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: PILL01\_42

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	38.36
2	No	1	50.00	61.64
BLANK	Skip filled	9,891		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL VENTOLIN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: PILL01\_43

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PILL VOLMAX: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: PILL01\_44

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PILL ZAFIRLUKAST: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: PILL01\_45

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	90.91	83.61
2	No	1	9.09	16.39
BLANK	Skip filled	9,882		

**PILL ZILEUTON: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: PILL01\_46

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**PILL ZYFLO FILMTAB: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: PILL01\_47

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	9,887		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PILL TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: PILL01\_48

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	34.01
2	No	3	50.00	61.47
7	Don't know	1	16.67	4.51
BLANK	Skip filled	9,887		

**PILL BRETHINE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1349

Type: NUM

SAS Variable Name: PILL01\_49

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS\_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**ALBUTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1350

Type: NUM

SAS Variable Name: NEB01\_1

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	877	83.13	87.18
2	No	134	12.70	10.90
3	No attack in past 3 months	42	3.98	1.87
7	Don't know	2	0.19	0.05
BLANK	Skip filled	8,838		

**ALBUTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1351

Type: NUM

SAS Variable Name: NEB02\_1

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	490	46.45	39.45
2	No	563	53.36	60.54
7	Don't know	2	0.19	0.01
BLANK	Skip filled	8,838		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ALBUTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1352

Type: NUM

SAS Variable Name: NEB03\_1

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	532	50.43	39.56
401 - 499	Weeks	220	20.85	26.36
555	Never	24	2.27	4.60
666	Less often than once a week	232	21.99	27.94
777	Don't know/Not sure	47	4.45	1.54
BLANK	Skip filled	8,838		

**ALUPENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1353

Type: NUM

SAS Variable Name: NEB01\_2

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	9,891		

**ALUPENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: NEB02\_2

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	21.57
2	No	1	50.00	78.43
BLANK	Skip filled	9,891		

**ALUPENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: NEB03\_2

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	21.57
401 - 499	Weeks	1	50.00	78.43
BLANK	Skip filled	9,891		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**ATROVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: NEB01\_3

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	73.33	77.87
2	No	4	26.67	22.13
BLANK	Skip filled	9,878		

**ATROVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: NEB02\_3

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	53.33	48.88
2	No	7	46.67	51.12
BLANK	Skip filled	9,878		

**ATROVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: NEB03\_3

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	53.33	48.88
401 - 499	Weeks	2	13.33	17.23
555	Never	3	20.00	16.46
666	Less often than once a week	2	13.33	17.43
BLANK	Skip filled	9,878		

**BITOLTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: NEB01\_4

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	93.88
2	No	1	50.00	6.12
BLANK	Skip filled	9,891		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**BITOLTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: NEB02\_4

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	9,891		

**BITOLTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: NEB03\_4

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	50.00	6.12
666	Less often than once a week	1	50.00	93.88
BLANK	Skip filled	9,891		

**BUDESONIDE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1362

Type: NUM

SAS Variable Name: NEB01\_5

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	60.00	71.87
2	No	16	40.00	28.13
BLANK	Skip filled	9,853		

**BUDESONIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: NEB02\_5

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	85.00	72.42
2	No	6	15.00	27.58
BLANK	Skip filled	9,853		

**BUDESONIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: NEB03\_5

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	34	85.00	72.42
401 - 499	Weeks	3	7.50	13.51
666	Less often than once a week	3	7.50	14.07
BLANK	Skip filled	9,853		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**CROMOLYN: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: NEB01\_6

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	68.37
2	No	2	40.00	31.63
BLANK	Skip filled	9,888		

**CROMOLYN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: NEB02\_6

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	56.93
2	No	3	60.00	43.07
BLANK	Skip filled	9,888		

**CROMOLYN: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: NEB03\_6

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	40.00	56.93
401 - 499	Weeks	1	20.00	13.09
555	Never	1	20.00	18.53
666	Less often than once a week	1	20.00	11.44
BLANK	Skip filled	9,888		

**DUONEB: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: NEB01\_7

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	79.07	87.41
2	No	7	16.28	9.48
3	No attack in past 3 months	2	4.65	3.11
BLANK	Skip filled	9,850		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**DUONEB: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: NEB02\_7

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	53.49	28.06
2	No	20	46.51	71.94
BLANK	Skip filled	9,850		

**DUONEB: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: NEB03\_7

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	23	53.49	26.88
401 - 499	Weeks	13	30.23	58.78
666	Less often than once a week	6	13.95	13.99
777	Don't know/Not sure	1	2.33	0.35
BLANK	Skip filled	9,850		

**INTAL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: NEB01\_8

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**INTAL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: NEB02\_8

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**INTAL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1373

Type: NUM

SAS Variable Name: NEB03\_8

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**IPRATROPRIMUM BROMIDE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1374

**Type:** NUM

**SAS Variable Name:** NEB01\_9

**Prologue:**

**Description:** Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	152	78.76	83.69
2	No	35	18.13	15.88
3	No attack in past 3 months	6	3.11	0.44
BLANK	Skip filled	9,700		

**IPRATROPRIMUM BROMIDE: REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1375

**Type:** NUM

**SAS Variable Name:** NEB02\_9

**Prologue:**

**Description:** Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	128	66.32	56.26
2	No	64	33.16	43.71
7	Don't know	1	0.52	0.03
BLANK	Skip filled	9,700		

**IPRATROPRIMUM BROMIDE: TIMES PER DAY/WEEK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1376

**Type:** NUM

**SAS Variable Name:** NEB03\_9

**Prologue:**

**Description:** Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	139	72.02	59.66
401 - 499	Weeks	26	13.47	20.27
555	Never	3	1.55	1.40
666	Less often than once a week	21	10.88	18.02
777	Don't know/Not sure	4	2.07	0.66
BLANK	Skip filled	9,700		

**LEVALBUTEROL: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1377

**Type:** NUM

**SAS Variable Name:** NEB01\_10

**Prologue:**

**Description:** Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	9,892		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**LEVALBUTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1378

Type: NUM

SAS Variable Name: NEB02\_10

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	9,892		

**LEVALBUTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1379

Type: NUM

SAS Variable Name: NEB03\_10

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	9,892		

**METAPROTERONOL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: NEB01\_11

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	9,891		

**METAPROTERONOL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: NEB02\_11

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	9,891		

**METAPROTERONOL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: NEB03\_11

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	2	100.00	100.00
BLANK	Skip filled	9,891		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PROVENTIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: NEB01\_12

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	92.86	81.25
7	Don't know	1	7.14	18.75
BLANK	Skip filled	9,879		

**PROVENTIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: NEB02\_12

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	35.71	34.48
2	No	8	57.14	46.77
7	Don't know	1	7.14	18.75
BLANK	Skip filled	9,879		

**PROVENTIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: NEB03\_12

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	35.71	34.48
401 - 499	Weeks	5	35.71	26.43
666	Less often than once a week	3	21.43	20.34
777	Don't know/Not sure	1	7.14	18.75
BLANK	Skip filled	9,879		

**PULMICORT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1386

Type: NUM

SAS Variable Name: NEB01\_13

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	64.00	83.96
2	No	7	28.00	9.73
3	No attack in past 3 months	2	8.00	6.31
BLANK	Skip filled	9,868		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**PULMICORT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1387

Type: NUM

SAS Variable Name: NEB02\_13

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	68.00	87.52
2	No	8	32.00	12.48
BLANK	Skip filled	9,868		

**PULMICORT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1388

Type: NUM

SAS Variable Name: NEB03\_13

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	18	72.00	88.50
401 - 499	Weeks	2	8.00	2.06
666	Less often than once a week	4	16.00	6.00
777	Don't know/Not sure	1	4.00	3.44
BLANK	Skip filled	9,868		

**TORNALATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1389

Type: NUM

SAS Variable Name: NEB01\_14

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TORNALATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1390

Type: NUM

SAS Variable Name: NEB02\_14

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**TORNALATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1391

Type: NUM

SAS Variable Name: NEB03\_14

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	9,893		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**VENTOLIN: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1392

Type: NUM

SAS Variable Name: NEB01\_15

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	100.00	100.00
BLANK	Skip filled	9,882		

**VENTOLIN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: NEB02\_15

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	27.27	53.83
2	No	8	72.73	46.17
BLANK	Skip filled	9,882		

**VENTOLIN: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: NEB03\_15

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	27.27	63.01
401 - 499	Weeks	5	45.45	23.45
666	Less often than once a week	3	27.27	13.54
BLANK	Skip filled	9,882		

**XOPENEX: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: NEB01\_16

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	84.13	88.06
2	No	9	14.29	11.00
3	No attack in past 3 months	1	1.59	0.94
BLANK	Skip filled	9,830		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**XOPENEX: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: NEB02\_16

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB\_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	31.75	33.37
2	No	43	68.25	66.63
BLANK	Skip filled	9,830		

**XOPENEX: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: NEB03\_16

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	24	38.10	35.90
401 - 499	Weeks	17	26.98	47.26
555	Never	1	1.59	0.03
666	Less often than once a week	18	28.57	15.85
777	Don't know/Not sure	3	4.76	0.96
BLANK	Skip filled	9,830		

**INTERIM ADULT ASTHMA CALL-BACK WEIGHT**

Survey: ADULT Asthma Call-Back

Column: 1398-1407

Type: NUM

SAS Variable Name: WEIGHT\_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	9,893	100.00	100.00

**ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR**

Survey: ADULT Asthma Call-Back

Column: 1408-1417

Type: NUM

SAS Variable Name: POST

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	9,893	100.00	100.00

**FINAL LAND LINE AND CELL PHONE COMBINED ADULT ASTHMA CALL-BACK WEIGHT**

Survey: ADULT Asthma Call-Back

Column: 1418-1427

Type: NUM

SAS Variable Name: LLCPWT\_F

Prologue:

Description: FINAL LAND LINE AND CELL PHONE COMBINED ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final land line and cell phone combined adult asthma call-back weight	9,893	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.**

Survey: ADULT Asthma Call-Back

Column: 1428

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: REGION\_F

Value	Value Label
BLANK	No region collapsed

Frequency	Percentage	Weighted Percentage
9,893		

**RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1429

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: RACEG\_F

Value	Value Label
1	Races are collapsed to 1 group

Frequency	Percentage	Weighted Percentage
9,893	100.00	100.00

**AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1430

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F7

Value	Value Label
1	Age 18 - 24
2	Age 25 - 34
3	Age 35 - 44
4	Age 45 - 54
5	Age 55 - 64
6	Age 65 - 74
7	Age 75+

Frequency	Percentage	Weighted Percentage
467	4.72	16.43
797	8.06	19.27
1,078	10.90	15.80
1,812	18.32	17.04
2,585	26.13	15.77
1,987	20.08	9.84
1,167	11.80	5.85

**AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1431

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F5

Value	Value Label
1	Age 18 - 34
2	Age 35 - 44
3	Age 45 - 54
4	Age 55 - 64
5	Age 65+
BLANK	Missing

Frequency	Percentage	Weighted Percentage
586	12.15	35.72
502	10.40	15.52
905	18.76	16.76
1,305	27.05	15.70
1,527	31.65	16.29
5,068		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012**

**AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1432

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	288	12.91	34.42
2	Age 35 - 44	215	9.64	16.09
3	Age 45 - 54	398	17.85	16.61
4	Age 55+	1,329	59.60	32.88
BLANK	Missing	7,663		

**AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1433

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F4\_M

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	503	22.56	50.52
2	Age 45 - 54	398	17.85	16.61
3	Age 55 - 64	592	26.55	16.96
4	Age 65+	737	33.05	15.92
BLANK	Missing	7,663		

**AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1434

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	9,893		

**AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1435

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	9,893		

**ADULT ASTHMA CALL-BACK ADJUST FACTOR**

Survey: ADULT Asthma Call-Back

Column: 1436-1443

Prologue:

Description: ADULT ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM  
SAS Variable Name: ADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification adjust factor	9,893	100.00	100.00

ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2012

**ACTIVE ASTHMA STATUS**

Survey: ADULT Asthma Call-Back

Column: 1444

Prologue:

Description: Active Asthma Status

Type: NUM  
SAS Variable Name: ACTASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Asthma	7,865	79.50	75.87
2	Inactive Asthma	2,027	20.49	24.13
9	Don't know/Not sure	1	0.01	0.00