

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, all ages				
...	All causes	2,712,630	100.0	844.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	633,842	23.4	197.2
2	Malignant neoplasms (C00-C97)	595,930	22.0	185.4
3	Chronic lower respiratory diseases (J40-J47)	155,041	5.7	48.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	146,571	5.4	45.6
5	Cerebrovascular diseases (I60-I69)	140,323	5.2	43.7
6	Alzheimer's disease (G30)	110,561	4.1	34.4
7	Diabetes mellitus (E10-E14)	79,535	2.9	24.7
8	Influenza and pneumonia (J09-J18)	57,062	2.1	17.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	49,959	1.8	15.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	44,193	1.6	13.7
11	Septicemia (A40-A41)	40,773	1.5	12.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	40,326	1.5	12.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	32,200	1.2	10.0
14	Parkinson's disease (G20-G21)	27,972	1.0	8.7
15	Pneumonitis due to solids and liquids (J69)	19,803	0.7	6.2
...	All other causes (residual)	538,539	19.9	167.6
All races, both sexes, 1-4 years				
...	All causes	3,965	100.0	24.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,235	31.1	7.8
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	435	11.0	2.7
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	369	9.3	2.3
4	Malignant neoplasms (C00-C97)	354	8.9	2.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	147	3.7	0.9
6	Influenza and pneumonia (J09-J18)	88	2.2	0.6
7	Septicemia (A40-A41)	54	1.4	0.3
8	Certain conditions originating in the perinatal period (P00-P96)	50	1.3	0.3
9	Cerebrovascular diseases (I60-I69)	42	1.1	0.3
10	Chronic lower respiratory diseases (J40-J47)	40	1.0	0.3
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	34	0.9	0.2
12	Anemias (D50-D64)	25	0.6	0.2
13	Complications of medical and surgical care (Y40-Y84,Y88)	18	0.5	*
14	Acute bronchitis and bronchiolitis (J20-J21)	17	0.4	*
15	Meningitis (G00,G03)	16	0.4	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	16	0.4	*
...	All other causes (residual)	1,025	25.9	6.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 5-14 years				
...	All causes	5,411	100.0	13.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,518	28.1	3.7
2	Malignant neoplasms (C00-C97)	865	16.0	2.1
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	413	7.6	1.0
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	337	6.2	0.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	298	5.5	0.7
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	210	3.9	0.5
7	Chronic lower respiratory diseases (J40-J47)	173	3.2	0.4
8	Cerebrovascular diseases (I60-I69)	84	1.6	0.2
9	Influenza and pneumonia (J09-J18)	83	1.5	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	72	1.3	0.2
11	Septicemia (A40-A41)	64	1.2	0.2
12	Anemias (D50-D64)	33	0.6	0.1
13	Diabetes mellitus (E10-E14)	23	0.4	0.1
14	Certain conditions originating in the perinatal period (P00-P96)	21	0.4	0.1
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	17	0.3	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	17	0.3	*
...	All other causes (residual)	1,183	21.9	2.9
All races, both sexes, 15-24 years				
...	All causes	30,494	100.0	69.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,514	41.0	28.5
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,491	18.0	12.5
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4,733	15.5	10.8
4	Malignant neoplasms (C00-C97)	1,469	4.8	3.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	997	3.3	2.3
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	386	1.3	0.9
7	Chronic lower respiratory diseases (J40-J47)	202	0.7	0.5
8	Diabetes mellitus (E10-E14)	196	0.6	0.4
9	Influenza and pneumonia (J09-J18)	184	0.6	0.4
10	Cerebrovascular diseases (I60-I69)	166	0.5	0.4
11	Pregnancy, childbirth and the puerperium (O00-O99)	161	0.5	0.4
12	Septicemia (A40-A41)	130	0.4	0.3
13	Human immunodeficiency virus (HIV) disease (B20-B24)	100	0.3	0.2
14	Legal intervention (Y35,Y89.0)	88	0.3	0.2
15	Anemias (D50-D64)	84	0.3	0.2
...	All other causes (residual)	3,593	11.8	8.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 25-44 years				
...	All causes	124,605	100.0	147.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	37,613	30.2	44.4
2	Malignant neoplasms (C00-C97)	14,613	11.7	17.2
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,909	11.2	16.4
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	13,883	11.1	16.4
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7,758	6.2	9.2
6	Chronic liver disease and cirrhosis (K70,K73-K74)	3,705	3.0	4.4
7	Diabetes mellitus (E10-E14)	2,784	2.2	3.3
8	Cerebrovascular diseases (I60-I69)	2,355	1.9	2.8
9	Human immunodeficiency virus (HIV) disease (B20-B24)	1,584	1.3	1.9
10	Septicemia (A40-A41)	1,208	1.0	1.4
11	Influenza and pneumonia (J09-J18)	1,105	0.9	1.3
12	Chronic lower respiratory diseases (J40-J47)	990	0.8	1.2
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	948	0.8	1.1
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	926	0.7	1.1
15	Pregnancy, childbirth and the puerperium (O00-O99)	734	0.6	0.9
...	All other causes (residual)	20,490	16.4	24.2
All races, both sexes, 45-64 years				
...	All causes	532,279	100.0	633.2
1	Malignant neoplasms (C00-C97)	159,176	29.9	189.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	111,120	20.9	132.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	40,987	7.7	48.8
4	Chronic liver disease and cirrhosis (K70,K73-K74)	22,152	4.2	26.4
5	Chronic lower respiratory diseases (J40-J47)	21,802	4.1	25.9
6	Diabetes mellitus (E10-E14)	20,378	3.8	24.2
7	Cerebrovascular diseases (I60-I69)	17,423	3.3	20.7
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	16,490	3.1	19.6
9	Septicemia (A40-A41)	8,316	1.6	9.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7,576	1.4	9.0
11	Influenza and pneumonia (J09-J18)	6,651	1.2	7.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,072	1.0	6.0
13	Viral hepatitis (B15-B19)	5,055	0.9	6.0
14	Human immunodeficiency virus (HIV) disease (B20-B24)	3,851	0.7	4.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,415	0.6	4.1
...	All other causes (residual)	82,815	15.6	98.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 65 years and over				
...	All causes	1,992,283	100.0	4,171.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	507,138	25.5	1,061.8
2	Malignant neoplasms (C00-C97)	419,389	21.1	878.1
3	Chronic lower respiratory diseases (J40-J47)	131,804	6.6	276.0
4	Cerebrovascular diseases (I60-I69)	120,156	6.0	251.6
5	Alzheimer's disease (G30)	109,495	5.5	229.3
6	Diabetes mellitus (E10-E14)	56,142	2.8	117.5
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	51,395	2.6	107.6
8	Influenza and pneumonia (J09-J18)	48,774	2.4	102.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	41,258	2.1	86.4
10	Septicemia (A40-A41)	30,817	1.5	64.5
11	Parkinson's disease (G20-G21)	27,269	1.4	57.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	26,515	1.3	55.5
13	Pneumonitis due to solids and liquids (J69)	17,474	0.9	36.6
14	Chronic liver disease and cirrhosis (K70,K73-K74)	14,432	0.7	30.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	13,339	0.7	27.9
...	All other causes (residual)	376,886	18.9	789.1
All races, male, all ages				
...	All causes	1,373,404	100.0	868.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	335,002	24.4	211.7
2	Malignant neoplasms (C00-C97)	313,818	22.8	198.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	92,919	6.8	58.7
4	Chronic lower respiratory diseases (J40-J47)	72,498	5.3	45.8
5	Cerebrovascular diseases (I60-I69)	58,288	4.2	36.8
6	Diabetes mellitus (E10-E14)	43,123	3.1	27.3
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	33,994	2.5	21.5
8	Alzheimer's disease (G30)	33,690	2.5	21.3
9	Influenza and pneumonia (J09-J18)	26,903	2.0	17.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	25,666	1.9	16.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	25,441	1.9	16.1
12	Septicemia (A40-A41)	19,385	1.4	12.3
13	Parkinson's disease (G20-G21)	16,867	1.2	10.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	14,274	1.0	9.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	13,934	1.0	8.8
...	All other causes (residual)	247,602	18.0	156.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 1-4 years				
...	All causes	2,281	100.0	28.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	768	33.7	9.4
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	230	10.1	2.8
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	227	10.0	2.8
4	Malignant neoplasms (C00-C97)	196	8.6	2.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	78	3.4	1.0
6	Influenza and pneumonia (J09-J18)	49	2.1	0.6
7	Certain conditions originating in the perinatal period (P00-P96)	34	1.5	0.4
8	Chronic lower respiratory diseases (J40-J47)	27	1.2	0.3
9	Cerebrovascular diseases (I60-I69)	26	1.1	0.3
10	Septicemia (A40-A41)	24	1.1	0.3
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	17	0.7	*
12	Anemias (D50-D64)	12	0.5	*
12	Complications of medical and surgical care (Y40-Y84,Y88)	12	0.5	*
14	Acute bronchitis and bronchiolitis (J20-J21)	11	0.5	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	9	0.4	*
...	All other causes (residual)	561	24.6	6.9
All races, male, 5-14 years				
...	All causes	3,153	100.0	15.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	939	29.8	4.5
2	Malignant neoplasms (C00-C97)	469	14.9	2.2
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	255	8.1	1.2
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	194	6.2	0.9
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	194	6.2	0.9
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	108	3.4	0.5
7	Chronic lower respiratory diseases (J40-J47)	104	3.3	0.5
8	Cerebrovascular diseases (I60-I69)	45	1.4	0.2
9	Influenza and pneumonia (J09-J18)	41	1.3	0.2
10	Septicemia (A40-A41)	33	1.0	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	33	1.0	0.2
12	Anemias (D50-D64)	14	0.4	*
13	Diabetes mellitus (E10-E14)	11	0.3	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	11	0.3	*
13	Certain conditions originating in the perinatal period (P00-P96)	11	0.3	*
...	All other causes (residual)	691	21.9	3.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 15-24 years				
...	All causes	22,346	100.0	99.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,149	40.9	40.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,359	19.5	19.4
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4,134	18.5	18.4
4	Malignant neoplasms (C00-C97)	880	3.9	3.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	667	3.0	3.0
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	220	1.0	1.0
7	Chronic lower respiratory diseases (J40-J47)	130	0.6	0.6
8	Diabetes mellitus (E10-E14)	118	0.5	0.5
9	Influenza and pneumonia (J09-J18)	107	0.5	0.5
10	Cerebrovascular diseases (I60-I69)	89	0.4	0.4
11	Legal intervention (Y35,Y89.0)	84	0.4	0.4
12	Septicemia (A40-A41)	71	0.3	0.3
13	Human immunodeficiency virus (HIV) disease (B20-B24)	64	0.3	0.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	46	0.2	0.2
15	Anemias (D50-D64)	42	0.2	0.2
...	All other causes (residual)	2,186	9.8	9.7
All races, male, 25-44 years				
...	All causes	81,451	100.0	191.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	27,225	33.4	64.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	10,726	13.2	25.2
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,391	11.5	22.1
4	Malignant neoplasms (C00-C97)	6,474	7.9	15.2
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	6,430	7.9	15.1
6	Chronic liver disease and cirrhosis (K70,K73-K74)	2,331	2.9	5.5
7	Diabetes mellitus (E10-E14)	1,706	2.1	4.0
8	Cerebrovascular diseases (I60-I69)	1,310	1.6	3.1
9	Human immunodeficiency virus (HIV) disease (B20-B24)	1,071	1.3	2.5
10	Influenza and pneumonia (J09-J18)	636	0.8	1.5
11	Septicemia (A40-A41)	591	0.7	1.4
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	527	0.6	1.2
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	510	0.6	1.2
14	Chronic lower respiratory diseases (J40-J47)	496	0.6	1.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	384	0.5	0.9
...	All other causes (residual)	11,643	14.3	27.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 45-64 years				
...	All causes	323,173	100.0	788.0
1	Malignant neoplasms (C00-C97)	85,351	26.4	208.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	76,979	23.8	187.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	27,797	8.6	67.8
4	Chronic liver disease and cirrhosis (K70,K73-K74)	14,841	4.6	36.2
5	Diabetes mellitus (E10-E14)	12,570	3.9	30.6
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12,107	3.7	29.5
7	Chronic lower respiratory diseases (J40-J47)	11,009	3.4	26.8
8	Cerebrovascular diseases (I60-I69)	9,870	3.1	24.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,448	1.4	10.8
10	Septicemia (A40-A41)	4,428	1.4	10.8
11	Influenza and pneumonia (J09-J18)	3,752	1.2	9.1
12	Viral hepatitis (B15-B19)	3,538	1.1	8.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,224	1.0	7.9
14	Human immunodeficiency virus (HIV) disease (B20-B24)	2,935	0.9	7.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,578	0.8	6.3
...	All other causes (residual)	47,746	14.8	116.4
All races, male, 65 years and over				
...	All causes	927,897	100.0	4,399.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	247,607	26.7	1,174.0
2	Malignant neoplasms (C00-C97)	220,411	23.8	1,045.1
3	Chronic lower respiratory diseases (J40-J47)	60,714	6.5	287.9
4	Cerebrovascular diseases (I60-I69)	46,890	5.1	222.3
5	Alzheimer's disease (G30)	33,225	3.6	157.5
6	Diabetes mellitus (E10-E14)	28,711	3.1	136.1
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	26,272	2.8	124.6
8	Influenza and pneumonia (J09-J18)	22,204	2.4	105.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	20,396	2.2	96.7
10	Parkinson's disease (G20-G21)	16,388	1.8	77.7
11	Septicemia (A40-A41)	14,139	1.5	67.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	10,315	1.1	48.9
13	Pneumonitis due to solids and liquids (J69)	9,474	1.0	44.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	8,470	0.9	40.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7,002	0.8	33.2
...	All other causes (residual)	155,679	16.8	738.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, all ages				
...	All causes	1,339,226	100.0	820.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	298,840	22.3	183.1
2	Malignant neoplasms (C00-C97)	282,112	21.1	172.9
3	Chronic lower respiratory diseases (J40-J47)	82,543	6.2	50.6
4	Cerebrovascular diseases (I60-I69)	82,035	6.1	50.3
5	Alzheimer's disease (G30)	76,871	5.7	47.1
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	53,652	4.0	32.9
7	Diabetes mellitus (E10-E14)	36,412	2.7	22.3
8	Influenza and pneumonia (J09-J18)	30,159	2.3	18.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	24,518	1.8	15.0
10	Septicemia (A40-A41)	21,388	1.6	13.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	18,266	1.4	11.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	14,660	1.1	9.0
13	Parkinson's disease (G20-G21)	11,105	0.8	6.8
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	10,199	0.8	6.2
15	Pneumonitis due to solids and liquids (J69)	8,892	0.7	5.4
...	All other causes (residual)	287,574	21.5	176.2
All races, female, 1-4 years				
...	All causes	1,684	100.0	21.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	467	27.7	6.0
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	208	12.4	2.7
3	Malignant neoplasms (C00-C97)	158	9.4	2.0
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	139	8.3	1.8
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	69	4.1	0.9
6	Influenza and pneumonia (J09-J18)	39	2.3	0.5
7	Septicemia (A40-A41)	30	1.8	0.4
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	17	1.0	*
9	Cerebrovascular diseases (I60-I69)	16	1.0	*
9	Certain conditions originating in the perinatal period (P00-P96)	16	1.0	*
11	Anemias (D50-D64)	13	0.8	*
11	Chronic lower respiratory diseases (J40-J47)	13	0.8	*
13	Meningitis (G00,G03)	11	0.7	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7	0.4	*
15	Acute bronchitis and bronchiolitis (J20-J21)	6	0.4	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	6	0.4	*
...	All other causes (residual)	469	27.9	6.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 5-14 years				
...	All causes	2,258	100.0	11.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	579	25.6	2.9
2	Malignant neoplasms (C00-C97)	396	17.5	2.0
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	158	7.0	0.8
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	143	6.3	0.7
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	104	4.6	0.5
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	102	4.5	0.5
7	Chronic lower respiratory diseases (J40-J47)	69	3.1	0.3
8	Influenza and pneumonia (J09-J18)	42	1.9	0.2
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	39	1.7	0.2
9	Cerebrovascular diseases (I60-I69)	39	1.7	0.2
11	Septicemia (A40-A41)	31	1.4	0.2
12	Anemias (D50-D64)	19	0.8	*
13	Diabetes mellitus (E10-E14)	12	0.5	*
14	Certain conditions originating in the perinatal period (P00-P96)	10	0.4	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	9	0.4	*
...	All other causes (residual)	506	22.4	2.5
All races, female, 15-24 years				
...	All causes	8,148	100.0	38.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,365	41.3	15.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,132	13.9	5.3
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	599	7.4	2.8
4	Malignant neoplasms (C00-C97)	589	7.2	2.8
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	330	4.1	1.5
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	166	2.0	0.8
7	Pregnancy, childbirth and the puerperium (O00-O99)	161	2.0	0.8
8	Diabetes mellitus (E10-E14)	78	1.0	0.4
9	Cerebrovascular diseases (I60-I69)	77	0.9	0.4
9	Influenza and pneumonia (J09-J18)	77	0.9	0.4
11	Chronic lower respiratory diseases (J40-J47)	72	0.9	0.3
12	Septicemia (A40-A41)	59	0.7	0.3
13	Anemias (D50-D64)	42	0.5	0.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	37	0.5	0.2
15	Human immunodeficiency virus (HIV) disease (B20-B24)	36	0.4	0.2
...	All other causes (residual)	1,328	16.3	6.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 25-44 years				
...	All causes	43,154	100.0	102.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,388	24.1	24.6
2	Malignant neoplasms (C00-C97)	8,139	18.9	19.3
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,518	10.5	10.7
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,157	7.3	7.5
5	Chronic liver disease and cirrhosis (K70,K73-K74)	1,374	3.2	3.3
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,328	3.1	3.1
7	Diabetes mellitus (E10-E14)	1,078	2.5	2.6
8	Cerebrovascular diseases (I60-I69)	1,045	2.4	2.5
9	Pregnancy, childbirth and the puerperium (O00-O99)	734	1.7	1.7
10	Septicemia (A40-A41)	617	1.4	1.5
11	Human immunodeficiency virus (HIV) disease (B20-B24)	513	1.2	1.2
12	Chronic lower respiratory diseases (J40-J47)	494	1.1	1.2
13	Influenza and pneumonia (J09-J18)	469	1.1	1.1
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	438	1.0	1.0
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	399	0.9	0.9
...	All other causes (residual)	8,463	19.6	20.0
All races, female, 45-64 years				
...	All causes	209,106	100.0	485.7
1	Malignant neoplasms (C00-C97)	73,825	35.3	171.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	34,141	16.3	79.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13,190	6.3	30.6
4	Chronic lower respiratory diseases (J40-J47)	10,793	5.2	25.1
5	Diabetes mellitus (E10-E14)	7,808	3.7	18.1
6	Cerebrovascular diseases (I60-I69)	7,553	3.6	17.5
7	Chronic liver disease and cirrhosis (K70,K73-K74)	7,311	3.5	17.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,383	2.1	10.2
9	Septicemia (A40-A41)	3,888	1.9	9.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,128	1.5	7.3
11	Influenza and pneumonia (J09-J18)	2,899	1.4	6.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,848	0.9	4.3
13	Viral hepatitis (B15-B19)	1,517	0.7	3.5
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	991	0.5	2.3
15	Human immunodeficiency virus (HIV) disease (B20-B24)	916	0.4	2.1
...	All other causes (residual)	34,915	16.7	81.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 65 years and over				
...	All causes	1,064,386	100.0	3,990.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	259,531	24.4	973.1
2	Malignant neoplasms (C00-C97)	198,978	18.7	746.1
3	Alzheimer's disease (G30)	76,270	7.2	286.0
4	Cerebrovascular diseases (I60-I69)	73,266	6.9	274.7
5	Chronic lower respiratory diseases (J40-J47)	71,090	6.7	266.5
6	Diabetes mellitus (E10-E14)	27,431	2.6	102.9
7	Influenza and pneumonia (J09-J18)	26,570	2.5	99.6
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	25,123	2.4	94.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	20,862	2.0	78.2
10	Septicemia (A40-A41)	16,678	1.6	62.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	16,200	1.5	60.7
12	Parkinson's disease (G20-G21)	10,881	1.0	40.8
13	Pneumonitis due to solids and liquids (J69)	8,000	0.8	30.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6,337	0.6	23.8
15	Chronic liver disease and cirrhosis (K70,K73-K74)	5,962	0.6	22.4
...	All other causes (residual)	221,207	20.8	829.4
White, both sexes, all ages				
...	All causes	2,306,861	100.0	915.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	540,857	23.4	214.7
2	Malignant neoplasms (C00-C97)	505,613	21.9	200.7
3	Chronic lower respiratory diseases (J40-J47)	141,766	6.1	56.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	125,773	5.5	49.9
5	Cerebrovascular diseases (I60-I69)	116,788	5.1	46.4
6	Alzheimer's disease (G30)	99,866	4.3	39.6
7	Diabetes mellitus (E10-E14)	61,938	2.7	24.6
8	Influenza and pneumonia (J09-J18)	48,877	2.1	19.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	39,796	1.7	15.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	39,078	1.7	15.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	35,386	1.5	14.0
12	Septicemia (A40-A41)	32,998	1.4	13.1
13	Parkinson's disease (G20-G21)	25,928	1.1	10.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	25,022	1.1	9.9
15	Pneumonitis due to solids and liquids (J69)	17,488	0.8	6.9
...	All other causes (residual)	449,687	19.5	178.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 1-4 years				
...	All causes	2,658	100.0	22.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	871	32.8	7.3
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	304	11.4	2.6
3	Malignant neoplasms (C00-C97)	279	10.5	2.3
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	206	7.8	1.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	82	3.1	0.7
6	Influenza and pneumonia (J09-J18)	54	2.0	0.5
7	Septicemia (A40-A41)	36	1.4	0.3
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	24	0.9	0.2
9	Cerebrovascular diseases (I60-I69)	23	0.9	0.2
10	Certain conditions originating in the perinatal period (P00-P96)	21	0.8	0.2
11	Acute bronchitis and bronchiolitis (J20-J21)	15	0.6	*
11	Chronic lower respiratory diseases (J40-J47)	15	0.6	*
13	Meningitis (G00,G03)	12	0.5	*
14	Anemias (D50-D64)	11	0.4	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	10	0.4	*
...	All other causes (residual)	695	26.1	5.8
White, both sexes, 5-14 years				
...	All causes	3,846	100.0	12.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,097	28.5	3.5
2	Malignant neoplasms (C00-C97)	678	17.6	2.2
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	336	8.7	1.1
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	252	6.6	0.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	161	4.2	0.5
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	133	3.5	0.4
7	Chronic lower respiratory diseases (J40-J47)	64	1.7	0.2
8	Influenza and pneumonia (J09-J18)	61	1.6	0.2
9	Cerebrovascular diseases (I60-I69)	56	1.5	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	53	1.4	0.2
11	Septicemia (A40-A41)	42	1.1	0.1
12	Anemias (D50-D64)	15	0.4	*
13	Diabetes mellitus (E10-E14)	14	0.4	*
14	Certain conditions originating in the perinatal period (P00-P96)	13	0.3	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	10	0.3	*
...	All other causes (residual)	861	22.4	2.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 15-24 years				
...	All causes	21,706	100.0	65.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,275	47.3	31.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,438	20.4	13.5
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,552	7.2	4.7
4	Malignant neoplasms (C00-C97)	1,109	5.1	3.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	634	2.9	1.9
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	291	1.3	0.9
7	Influenza and pneumonia (J09-J18)	143	0.7	0.4
8	Diabetes mellitus (E10-E14)	123	0.6	0.4
9	Cerebrovascular diseases (I60-I69)	114	0.5	0.3
10	Chronic lower respiratory diseases (J40-J47)	100	0.5	0.3
11	Septicemia (A40-A41)	93	0.4	0.3
11	Pregnancy, childbirth and the puerperium (O00-O99)	93	0.4	0.3
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	62	0.3	0.2
14	Legal intervention (Y35,Y89.0)	49	0.2	0.1
15	Pneumonitis due to solids and liquids (J69)	35	0.2	0.1
...	All other causes (residual)	2,595	12.0	7.9
White, both sexes, 25-44 years				
...	All causes	93,602	100.0	145.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	31,847	34.0	49.4
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12,136	13.0	18.8
3	Malignant neoplasms (C00-C97)	11,066	11.8	17.2
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,409	10.1	14.6
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,155	3.4	4.9
6	Chronic liver disease and cirrhosis (K70,K73-K74)	3,117	3.3	4.8
7	Diabetes mellitus (E10-E14)	1,849	2.0	2.9
8	Cerebrovascular diseases (I60-I69)	1,487	1.6	2.3
9	Influenza and pneumonia (J09-J18)	809	0.9	1.3
10	Septicemia (A40-A41)	806	0.9	1.2
11	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	724	0.8	1.1
12	Chronic lower respiratory diseases (J40-J47)	658	0.7	1.0
13	Human immunodeficiency virus (HIV) disease (B20-B24)	603	0.6	0.9
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	512	0.5	0.8
15	Pregnancy, childbirth and the puerperium (O00-O99)	440	0.5	0.7
...	All other causes (residual)	14,984	16.0	23.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 45-64 years				
...	All causes	420,344	100.0	620.8
1	Malignant neoplasms (C00-C97)	127,568	30.3	188.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	84,758	20.2	125.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	34,168	8.1	50.5
4	Chronic liver disease and cirrhosis (K70,K73-K74)	19,208	4.6	28.4
5	Chronic lower respiratory diseases (J40-J47)	18,877	4.5	27.9
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	15,355	3.7	22.7
7	Diabetes mellitus (E10-E14)	14,875	3.5	22.0
8	Cerebrovascular diseases (I60-I69)	12,003	2.9	17.7
9	Septicemia (A40-A41)	6,123	1.5	9.0
10	Influenza and pneumonia (J09-J18)	5,121	1.2	7.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,902	1.2	7.2
12	Viral hepatitis (B15-B19)	4,130	1.0	6.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,287	0.8	4.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,052	0.5	3.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,873	0.4	2.8
...	All other causes (residual)	66,044	15.7	97.5
White, both sexes, 65 years and over				
...	All causes	1,749,763	100.0	4,286.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	445,636	25.5	1,091.8
2	Malignant neoplasms (C00-C97)	364,868	20.9	893.9
3	Chronic lower respiratory diseases (J40-J47)	122,035	7.0	299.0
4	Cerebrovascular diseases (I60-I69)	103,044	5.9	252.5
5	Alzheimer's disease (G30)	98,941	5.7	242.4
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	46,699	2.7	114.4
7	Diabetes mellitus (E10-E14)	45,071	2.6	110.4
8	Influenza and pneumonia (J09-J18)	42,586	2.4	104.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	33,554	1.9	82.2
10	Septicemia (A40-A41)	25,786	1.5	63.2
11	Parkinson's disease (G20-G21)	25,302	1.4	62.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	21,414	1.2	52.5
13	Pneumonitis due to solids and liquids (J69)	15,597	0.9	38.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	13,033	0.7	31.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11,935	0.7	29.2
...	All other causes (residual)	334,262	19.1	818.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, all ages				
...	All causes	1,164,176	100.0	932.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	285,884	24.6	229.1
2	Malignant neoplasms (C00-C97)	267,885	23.0	214.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	78,887	6.8	63.2
4	Chronic lower respiratory diseases (J40-J47)	65,680	5.6	52.6
5	Cerebrovascular diseases (I60-I69)	47,713	4.1	38.2
6	Diabetes mellitus (E10-E14)	34,299	2.9	27.5
7	Alzheimer's disease (G30)	30,710	2.6	24.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	30,658	2.6	24.6
9	Influenza and pneumonia (J09-J18)	22,794	2.0	18.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	22,681	1.9	18.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	20,202	1.7	16.2
12	Septicemia (A40-A41)	15,716	1.3	12.6
13	Parkinson's disease (G20-G21)	15,669	1.3	12.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	10,676	0.9	8.6
15	Pneumonitis due to solids and liquids (J69)	9,667	0.8	7.7
...	All other causes (residual)	205,055	17.6	164.3
White, male, 1-4 years				
...	All causes	1,516	100.0	24.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	546	36.0	9.0
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	160	10.6	2.6
3	Malignant neoplasms (C00-C97)	157	10.4	2.6
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	128	8.4	2.1
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	42	2.8	0.7
6	Influenza and pneumonia (J09-J18)	28	1.8	0.5
7	Septicemia (A40-A41)	16	1.1	*
8	Certain conditions originating in the perinatal period (P00-P96)	14	0.9	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	13	0.9	*
9	Cerebrovascular diseases (I60-I69)	13	0.9	*
11	Acute bronchitis and bronchiolitis (J20-J21)	10	0.7	*
11	Chronic lower respiratory diseases (J40-J47)	10	0.7	*
13	Anemias (D50-D64)	5	0.3	*
14	Meningitis (G00,G03)	4	0.3	*
14	Pneumonitis due to solids and liquids (J69)	4	0.3	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4	0.3	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	4	0.3	*
...	All other causes (residual)	358	23.6	5.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 5-14 years				
...	All causes	2,236	100.0	14.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	696	31.1	4.4
2	Malignant neoplasms (C00-C97)	362	16.2	2.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	208	9.3	1.3
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	146	6.5	0.9
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	101	4.5	0.6
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	68	3.0	0.4
7	Chronic lower respiratory diseases (J40-J47)	36	1.6	0.2
8	Influenza and pneumonia (J09-J18)	30	1.3	0.2
9	Cerebrovascular diseases (I60-I69)	28	1.3	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	25	1.1	0.2
11	Septicemia (A40-A41)	22	1.0	0.1
12	Certain conditions originating in the perinatal period (P00-P96)	8	0.4	*
13	Anemias (D50-D64)	7	0.3	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7	0.3	*
15	Diabetes mellitus (E10-E14)	5	0.2	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	5	0.2	*
...	All other causes (residual)	482	21.6	3.0
White, male, 15-24 years				
...	All causes	15,647	100.0	92.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,504	48.0	44.3
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,545	22.7	20.9
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,243	7.9	7.3
4	Malignant neoplasms (C00-C97)	672	4.3	4.0
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	429	2.7	2.5
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	159	1.0	0.9
7	Influenza and pneumonia (J09-J18)	83	0.5	0.5
8	Diabetes mellitus (E10-E14)	72	0.5	0.4
9	Chronic lower respiratory diseases (J40-J47)	64	0.4	0.4
10	Cerebrovascular diseases (I60-I69)	61	0.4	0.4
11	Septicemia (A40-A41)	53	0.3	0.3
12	Legal intervention (Y35,Y89.0)	48	0.3	0.3
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	32	0.2	0.2
14	Pneumonitis due to solids and liquids (J69)	25	0.2	0.1
15	Aortic aneurysm and dissection (I71)	23	0.1	0.1
...	All other causes (residual)	1,634	10.4	9.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 25-44 years				
...	All causes	61,552	100.0	187.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	23,024	37.4	70.3
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	9,363	15.2	28.6
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,479	10.5	19.8
4	Malignant neoplasms (C00-C97)	5,065	8.2	15.5
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,358	3.8	7.2
6	Chronic liver disease and cirrhosis (K70,K73-K74)	2,016	3.3	6.2
7	Diabetes mellitus (E10-E14)	1,162	1.9	3.5
8	Cerebrovascular diseases (I60-I69)	834	1.4	2.5
9	Human immunodeficiency virus (HIV) disease (B20-B24)	472	0.8	1.4
10	Influenza and pneumonia (J09-J18)	447	0.7	1.4
11	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	408	0.7	1.2
12	Septicemia (A40-A41)	400	0.6	1.2
13	Chronic lower respiratory diseases (J40-J47)	308	0.5	0.9
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	286	0.5	0.9
15	Aortic aneurysm and dissection (I71)	236	0.4	0.7
...	All other causes (residual)	8,694	14.1	26.5
White, male, 45-64 years				
...	All causes	258,011	100.0	772.3
1	Malignant neoplasms (C00-C97)	69,162	26.8	207.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	60,076	23.3	179.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	22,939	8.9	68.7
4	Chronic liver disease and cirrhosis (K70,K73-K74)	12,987	5.0	38.9
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	11,287	4.4	33.8
6	Chronic lower respiratory diseases (J40-J47)	9,562	3.7	28.6
7	Diabetes mellitus (E10-E14)	9,404	3.6	28.1
8	Cerebrovascular diseases (I60-I69)	6,768	2.6	20.3
9	Septicemia (A40-A41)	3,312	1.3	9.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,919	1.1	8.7
11	Viral hepatitis (B15-B19)	2,901	1.1	8.7
12	Influenza and pneumonia (J09-J18)	2,834	1.1	8.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,174	0.8	6.5
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,534	0.6	4.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,465	0.6	4.4
...	All other causes (residual)	38,687	15.0	115.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 65 years and over				
...	All causes	816,909	100.0	4,485.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	218,678	26.8	1,200.8
2	Malignant neoplasms (C00-C97)	192,440	23.6	1,056.7
3	Chronic lower respiratory diseases (J40-J47)	55,688	6.8	305.8
4	Cerebrovascular diseases (I60-I69)	39,972	4.9	219.5
5	Alzheimer's disease (G30)	30,307	3.7	166.4
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	23,680	2.9	130.0
7	Diabetes mellitus (E10-E14)	23,652	2.9	129.9
8	Influenza and pneumonia (J09-J18)	19,308	2.4	106.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	16,942	2.1	93.0
10	Parkinson's disease (G20-G21)	15,243	1.9	83.7
11	Septicemia (A40-A41)	11,855	1.5	65.1
12	Pneumonitis due to solids and liquids (J69)	8,500	1.0	46.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	8,291	1.0	45.5
14	Chronic liver disease and cirrhosis (K70,K73-K74)	7,661	0.9	42.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6,352	0.8	34.9
...	All other causes (residual)	138,340	16.9	759.6
White, female, all ages				
...	All causes	1,142,685	100.0	899.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	254,973	22.3	200.6
2	Malignant neoplasms (C00-C97)	237,728	20.8	187.1
3	Chronic lower respiratory diseases (J40-J47)	76,086	6.7	59.9
4	Alzheimer's disease (G30)	69,156	6.1	54.4
5	Cerebrovascular diseases (I60-I69)	69,075	6.0	54.4
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	46,886	4.1	36.9
7	Diabetes mellitus (E10-E14)	27,639	2.4	21.7
8	Influenza and pneumonia (J09-J18)	26,083	2.3	20.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18,876	1.7	14.9
10	Septicemia (A40-A41)	17,282	1.5	13.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	14,346	1.3	11.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	12,705	1.1	10.0
13	Parkinson's disease (G20-G21)	10,259	0.9	8.1
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	9,138	0.8	7.2
15	Pneumonitis due to solids and liquids (J69)	7,821	0.7	6.2
...	All other causes (residual)	244,632	21.4	192.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 1-4 years				
...	All causes	1,142	100.0	19.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	325	28.5	5.6
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	144	12.6	2.5
3	Malignant neoplasms (C00-C97)	122	10.7	2.1
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	78	6.8	1.3
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	40	3.5	0.7
6	Influenza and pneumonia (J09-J18)	26	2.3	0.4
7	Septicemia (A40-A41)	20	1.8	0.3
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11	1.0	*
9	Cerebrovascular diseases (I60-I69)	10	0.9	*
10	Meningitis (G00,G03)	8	0.7	*
11	Certain conditions originating in the perinatal period (P00-P96)	7	0.6	*
12	Anemias (D50-D64)	6	0.5	*
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6	0.5	*
14	Acute bronchitis and bronchiolitis (J20-J21)	5	0.4	*
14	Chronic lower respiratory diseases (J40-J47)	5	0.4	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	5	0.4	*
...	All other causes (residual)	324	28.4	5.6
White, female, 5-14 years				
...	All causes	1,610	100.0	10.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	401	24.9	2.6
2	Malignant neoplasms (C00-C97)	316	19.6	2.1
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	128	8.0	0.8
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	106	6.6	0.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	65	4.0	0.4
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	60	3.7	0.4
7	Influenza and pneumonia (J09-J18)	31	1.9	0.2
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	28	1.7	0.2
8	Cerebrovascular diseases (I60-I69)	28	1.7	0.2
8	Chronic lower respiratory diseases (J40-J47)	28	1.7	0.2
11	Septicemia (A40-A41)	20	1.2	0.1
12	Diabetes mellitus (E10-E14)	9	0.6	*
13	Anemias (D50-D64)	8	0.5	*
14	Certain conditions originating in the perinatal period (P00-P96)	5	0.3	*
15	Pneumonitis due to solids and liquids (J69)	3	0.2	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.2	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.2	*
...	All other causes (residual)	368	22.9	2.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 15-24 years				
...	All causes	6,059	100.0	37.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,771	45.7	17.3
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	893	14.7	5.6
3	Malignant neoplasms (C00-C97)	437	7.2	2.7
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	309	5.1	1.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	205	3.4	1.3
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	132	2.2	0.8
7	Pregnancy, childbirth and the puerperium (O00-O99)	93	1.5	0.6
8	Influenza and pneumonia (J09-J18)	60	1.0	0.4
9	Cerebrovascular diseases (I60-I69)	53	0.9	0.3
10	Diabetes mellitus (E10-E14)	51	0.8	0.3
11	Septicemia (A40-A41)	40	0.7	0.2
12	Chronic lower respiratory diseases (J40-J47)	36	0.6	0.2
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	30	0.5	0.2
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18	0.3	*
15	Pneumonitis due to solids and liquids (J69)	10	0.2	*
...	All other causes (residual)	921	15.2	5.7
White, female, 25-44 years				
...	All causes	32,050	100.0	101.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,823	27.5	27.8
2	Malignant neoplasms (C00-C97)	6,001	18.7	18.9
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,930	9.1	9.2
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,773	8.7	8.7
5	Chronic liver disease and cirrhosis (K70,K73-K74)	1,101	3.4	3.5
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	797	2.5	2.5
7	Diabetes mellitus (E10-E14)	687	2.1	2.2
8	Cerebrovascular diseases (I60-I69)	653	2.0	2.1
9	Pregnancy, childbirth and the puerperium (O00-O99)	440	1.4	1.4
10	Septicemia (A40-A41)	406	1.3	1.3
11	Influenza and pneumonia (J09-J18)	362	1.1	1.1
12	Chronic lower respiratory diseases (J40-J47)	350	1.1	1.1
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	316	1.0	1.0
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	226	0.7	0.7
15	Human immunodeficiency virus (HIV) disease (B20-B24)	131	0.4	0.4
...	All other causes (residual)	6,054	18.9	19.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 45-64 years				
...	All causes	162,333	100.0	473.3
1	Malignant neoplasms (C00-C97)	58,406	36.0	170.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,682	15.2	72.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	11,229	6.9	32.7
4	Chronic lower respiratory diseases (J40-J47)	9,315	5.7	27.2
5	Chronic liver disease and cirrhosis (K70,K73-K74)	6,221	3.8	18.1
6	Diabetes mellitus (E10-E14)	5,471	3.4	16.0
7	Cerebrovascular diseases (I60-I69)	5,235	3.2	15.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,068	2.5	11.9
9	Septicemia (A40-A41)	2,811	1.7	8.2
10	Influenza and pneumonia (J09-J18)	2,287	1.4	6.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,983	1.2	5.8
12	Viral hepatitis (B15-B19)	1,229	0.8	3.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,113	0.7	3.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	790	0.5	2.3
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	775	0.5	2.3
...	All other causes (residual)	26,718	16.5	77.9
White, female, 65 years and over				
...	All causes	932,854	100.0	4,126.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	226,958	24.3	1,004.0
2	Malignant neoplasms (C00-C97)	172,428	18.5	762.8
3	Alzheimer's disease (G30)	68,634	7.4	303.6
4	Chronic lower respiratory diseases (J40-J47)	66,347	7.1	293.5
5	Cerebrovascular diseases (I60-I69)	63,072	6.8	279.0
6	Influenza and pneumonia (J09-J18)	23,278	2.5	103.0
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	23,019	2.5	101.8
8	Diabetes mellitus (E10-E14)	21,419	2.3	94.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	16,612	1.8	73.5
10	Septicemia (A40-A41)	13,931	1.5	61.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	13,123	1.4	58.1
12	Parkinson's disease (G20-G21)	10,059	1.1	44.5
13	Pneumonitis due to solids and liquids (J69)	7,097	0.8	31.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5,583	0.6	24.7
15	Chronic liver disease and cirrhosis (K70,K73-K74)	5,372	0.6	23.8
...	All other causes (residual)	195,922	21.0	866.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, all ages				
...	All causes	320,072	100.0	713.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	75,249	23.5	167.7
2	Malignant neoplasms (C00-C97)	69,389	21.7	154.7
3	Cerebrovascular diseases (I60-I69)	17,988	5.6	40.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	15,745	4.9	35.1
5	Diabetes mellitus (E10-E14)	13,869	4.3	30.9
6	Chronic lower respiratory diseases (J40-J47)	10,475	3.3	23.3
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	9,173	2.9	20.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	9,170	2.9	20.4
9	Alzheimer's disease (G30)	8,156	2.5	18.2
10	Septicemia (A40-A41)	6,647	2.1	14.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,813	1.8	13.0
12	Influenza and pneumonia (J09-J18)	5,641	1.8	12.6
13	Certain conditions originating in the perinatal period (P00-P96)	4,058	1.3	9.0
14	Human immunodeficiency virus (HIV) disease (B20-B24)	3,442	1.1	7.7
15	Chronic liver disease and cirrhosis (K70,K73-K74)	3,254	1.0	7.3
...	All other causes (residual)	62,003	19.4	138.2
Black, both sexes, 1-4 years				
...	All causes	1,060	100.0	39.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	298	28.1	11.0
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	146	13.8	5.4
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	101	9.5	3.7
4	Malignant neoplasms (C00-C97)	57	5.4	2.1
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	53	5.0	1.9
6	Influenza and pneumonia (J09-J18)	28	2.6	1.0
7	Certain conditions originating in the perinatal period (P00-P96)	27	2.5	1.0
8	Chronic lower respiratory diseases (J40-J47)	23	2.2	0.8
9	Cerebrovascular diseases (I60-I69)	17	1.6	*
10	Septicemia (A40-A41)	14	1.3	*
11	Anemias (D50-D64)	13	1.2	*
12	Complications of medical and surgical care (Y40-Y84,Y88)	9	0.8	*
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7	0.7	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5	0.5	*
15	Meningitis (G00,G03)	3	0.3	*
...	All other causes (residual)	259	24.4	9.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 5-14 years				
...	All causes	1,229	100.0	18.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	335	27.3	4.9
2	Malignant neoplasms (C00-C97)	131	10.7	1.9
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	122	9.9	1.8
4	Chronic lower respiratory diseases (J40-J47)	104	8.5	1.5
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	69	5.6	1.0
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	60	4.9	0.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	47	3.8	0.7
8	Cerebrovascular diseases (I60-I69)	22	1.8	0.3
9	Influenza and pneumonia (J09-J18)	19	1.5	*
10	Septicemia (A40-A41)	18	1.5	*
11	Anemias (D50-D64)	16	1.3	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	15	1.2	*
13	Diabetes mellitus (E10-E14)	9	0.7	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	7	0.6	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6	0.5	*
...	All other causes (residual)	249	20.3	3.7
Black, both sexes, 15-24 years				
...	All causes	7,276	100.0	99.2
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,062	42.1	41.8
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,712	23.5	23.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	610	8.4	8.3
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	308	4.2	4.2
5	Malignant neoplasms (C00-C97)	255	3.5	3.5
6	Chronic lower respiratory diseases (J40-J47)	91	1.3	1.2
7	Human immunodeficiency virus (HIV) disease (B20-B24)	74	1.0	1.0
8	Anemias (D50-D64)	71	1.0	1.0
9	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	69	0.9	0.9
10	Diabetes mellitus (E10-E14)	66	0.9	0.9
11	Pregnancy, childbirth and the puerperium (O00-O99)	63	0.9	0.9
12	Cerebrovascular diseases (I60-I69)	40	0.5	0.5
13	Influenza and pneumonia (J09-J18)	35	0.5	0.5
13	Legal intervention (Y35,Y89.0)	35	0.5	0.5
15	Septicemia (A40-A41)	34	0.5	0.5
...	All other causes (residual)	751	10.3	10.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 25-44 years				
...	All causes	25,072	100.0	203.6
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4,345	17.3	35.3
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,344	17.3	35.3
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,867	15.4	31.4
4	Malignant neoplasms (C00-C97)	2,590	10.3	21.0
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,048	4.2	8.5
6	Human immunodeficiency virus (HIV) disease (B20-B24)	933	3.7	7.6
7	Diabetes mellitus (E10-E14)	808	3.2	6.6
8	Cerebrovascular diseases (I60-I69)	687	2.7	5.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	392	1.6	3.2
10	Septicemia (A40-A41)	338	1.3	2.7
11	Chronic lower respiratory diseases (J40-J47)	295	1.2	2.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	261	1.0	2.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	247	1.0	2.0
14	Influenza and pneumonia (J09-J18)	243	1.0	2.0
15	Pregnancy, childbirth and the puerperium (O00-O99)	239	1.0	1.9
...	All other causes (residual)	4,435	17.7	36.0
Black, both sexes, 45-64 years				
...	All causes	93,354	100.0	882.3
1	Malignant neoplasms (C00-C97)	25,301	27.1	239.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	22,834	24.5	215.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,539	5.9	52.3
4	Diabetes mellitus (E10-E14)	4,602	4.9	43.5
5	Cerebrovascular diseases (I60-I69)	4,485	4.8	42.4
6	Chronic lower respiratory diseases (J40-J47)	2,561	2.7	24.2
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,382	2.6	22.5
8	Chronic liver disease and cirrhosis (K70,K73-K74)	2,050	2.2	19.4
9	Human immunodeficiency virus (HIV) disease (B20-B24)	1,966	2.1	18.6
10	Septicemia (A40-A41)	1,942	2.1	18.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,590	1.7	15.0
12	Influenza and pneumonia (J09-J18)	1,296	1.4	12.2
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,215	1.3	11.5
14	Viral hepatitis (B15-B19)	749	0.8	7.1
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	623	0.7	5.9
...	All other causes (residual)	14,219	15.2	134.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 65 years and over				
...	All causes	184,766	100.0	4,176.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	48,028	26.0	1,085.5
2	Malignant neoplasms (C00-C97)	41,045	22.2	927.7
3	Cerebrovascular diseases (I60-I69)	12,708	6.9	287.2
4	Diabetes mellitus (E10-E14)	8,379	4.5	189.4
5	Alzheimer's disease (G30)	8,039	4.4	181.7
6	Chronic lower respiratory diseases (J40-J47)	7,388	4.0	167.0
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6,338	3.4	143.2
8	Septicemia (A40-A41)	4,240	2.3	95.8
9	Influenza and pneumonia (J09-J18)	3,957	2.1	89.4
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,956	2.1	89.4
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,090	1.7	69.8
12	Pneumonitis due to solids and liquids (J69)	1,345	0.7	30.4
13	Parkinson's disease (G20-G21)	1,138	0.6	25.7
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,029	0.6	23.3
15	Chronic liver disease and cirrhosis (K70,K73-K74)	955	0.5	21.6
...	All other causes (residual)	33,131	17.9	748.8
Black, male, all ages				
...	All causes	164,670	100.0	765.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	39,325	23.9	182.8
2	Malignant neoplasms (C00-C97)	35,250	21.4	163.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,779	6.5	50.1
4	Cerebrovascular diseases (I60-I69)	8,073	4.9	37.5
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	8,021	4.9	37.3
6	Diabetes mellitus (E10-E14)	6,909	4.2	32.1
7	Chronic lower respiratory diseases (J40-J47)	5,328	3.2	24.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,401	2.7	20.5
9	Septicemia (A40-A41)	3,098	1.9	14.4
10	Influenza and pneumonia (J09-J18)	2,787	1.7	13.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,638	1.6	12.3
12	Human immunodeficiency virus (HIV) disease (B20-B24)	2,279	1.4	10.6
13	Certain conditions originating in the perinatal period (P00-P96)	2,267	1.4	10.5
14	Alzheimer's disease (G30)	2,183	1.3	10.1
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,023	1.2	9.4
...	All other causes (residual)	29,309	17.8	136.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 1-4 years				
...	All causes	632	100.0	45.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	186	29.4	13.4
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	94	14.9	6.8
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	53	8.4	3.8
4	Malignant neoplasms (C00-C97)	29	4.6	2.1
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	29	4.6	2.1
6	Certain conditions originating in the perinatal period (P00-P96)	19	3.0	*
7	Influenza and pneumonia (J09-J18)	18	2.8	*
8	Chronic lower respiratory diseases (J40-J47)	15	2.4	*
9	Cerebrovascular diseases (I60-I69)	12	1.9	*
10	Complications of medical and surgical care (Y40-Y84,Y88)	8	1.3	*
11	Septicemia (A40-A41)	7	1.1	*
11	Anemias (D50-D64)	7	1.1	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4	0.6	*
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.2	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.2	*
14	Diabetes mellitus (E10-E14)	1	0.2	*
14	Nutritional deficiencies (E40-E64)	1	0.2	*
14	Meningitis (G00,G03)	1	0.2	*
14	Pneumonitis due to solids and liquids (J69)	1	0.2	*
14	Diseases of appendix (K35-K38)	1	0.2	*
...	All other causes (residual)	144	22.8	10.4
Black, male, 5-14 years				
...	All causes	725	100.0	21.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	190	26.2	5.5
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	84	11.6	2.4
3	Malignant neoplasms (C00-C97)	71	9.8	2.1
4	Chronic lower respiratory diseases (J40-J47)	65	9.0	1.9
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	41	5.7	1.2
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	35	4.8	1.0
7	Diseases of heart (I00-I09,I11,I13,I20-I51)	32	4.4	0.9
8	Cerebrovascular diseases (I60-I69)	13	1.8	*
9	Septicemia (A40-A41)	9	1.2	*
9	Influenza and pneumonia (J09-J18)	9	1.2	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7	1.0	*
11	Anemias (D50-D64)	7	1.0	*
13	Diabetes mellitus (E10-E14)	6	0.8	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.4	*
14	Certain conditions originating in the perinatal period (P00-P96)	3	0.4	*
...	All other causes (residual)	150	20.7	4.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 15-24 years				
...	All causes	5,623	100.0	150.9
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,790	49.6	74.9
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,268	22.6	34.0
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	481	8.6	12.9
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	199	3.5	5.3
5	Malignant neoplasms (C00-C97)	140	2.5	3.8
6	Chronic lower respiratory diseases (J40-J47)	60	1.1	1.6
7	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	46	0.8	1.2
8	Human immunodeficiency virus (HIV) disease (B20-B24)	45	0.8	1.2
9	Diabetes mellitus (E10-E14)	40	0.7	1.1
10	Anemias (D50-D64)	36	0.6	1.0
11	Legal intervention (Y35,Y89.0)	33	0.6	0.9
12	Influenza and pneumonia (J09-J18)	21	0.4	0.6
13	Cerebrovascular diseases (I60-I69)	20	0.4	0.5
14	Septicemia (A40-A41)	15	0.3	*
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11	0.2	*
...	All other causes (residual)	418	7.4	11.2
Black, male, 25-44 years				
...	All causes	16,151	100.0	273.0
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,873	24.0	65.5
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,178	19.7	53.7
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,448	15.2	41.4
4	Malignant neoplasms (C00-C97)	987	6.1	16.7
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	876	5.4	14.8
6	Human immunodeficiency virus (HIV) disease (B20-B24)	561	3.5	9.5
7	Diabetes mellitus (E10-E14)	459	2.8	7.8
8	Cerebrovascular diseases (I60-I69)	382	2.4	6.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	203	1.3	3.4
10	Chronic lower respiratory diseases (J40-J47)	172	1.1	2.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	163	1.0	2.8
12	Septicemia (A40-A41)	158	1.0	2.7
13	Influenza and pneumonia (J09-J18)	150	0.9	2.5
14	Anemias (D50-D64)	117	0.7	2.0
15	Chronic liver disease and cirrhosis (K70,K73-K74)	109	0.7	1.8
...	All other causes (residual)	2,315	14.3	39.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 45-64 years				
...	All causes	54,112	100.0	1,103.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,353	26.5	292.6
2	Malignant neoplasms (C00-C97)	13,066	24.1	266.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,981	7.4	81.2
4	Diabetes mellitus (E10-E14)	2,624	4.8	53.5
5	Cerebrovascular diseases (I60-I69)	2,563	4.7	52.3
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,358	2.5	27.7
7	Human immunodeficiency virus (HIV) disease (B20-B24)	1,345	2.5	27.4
8	Chronic liver disease and cirrhosis (K70,K73-K74)	1,275	2.4	26.0
9	Chronic lower respiratory diseases (J40-J47)	1,264	2.3	25.8
10	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,003	1.9	20.4
11	Septicemia (A40-A41)	986	1.8	20.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	914	1.7	18.6
13	Influenza and pneumonia (J09-J18)	773	1.4	15.8
14	Viral hepatitis (B15-B19)	516	1.0	10.5
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	478	0.9	9.7
...	All other causes (residual)	7,613	14.1	155.2
Black, male, 65 years and over				
...	All causes	83,373	100.0	4,684.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	22,214	26.6	1,248.1
2	Malignant neoplasms (C00-C97)	20,951	25.1	1,177.2
3	Cerebrovascular diseases (I60-I69)	5,067	6.1	284.7
4	Diabetes mellitus (E10-E14)	3,777	4.5	212.2
5	Chronic lower respiratory diseases (J40-J47)	3,746	4.5	210.5
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,815	3.4	158.2
7	Alzheimer's disease (G30)	2,133	2.6	119.8
8	Septicemia (A40-A41)	1,889	2.3	106.1
9	Influenza and pneumonia (J09-J18)	1,774	2.1	99.7
10	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,744	2.1	98.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,559	1.9	87.6
12	Pneumonitis due to solids and liquids (J69)	672	0.8	37.8
13	Parkinson's disease (G20-G21)	649	0.8	36.5
14	Chronic liver disease and cirrhosis (K70,K73-K74)	597	0.7	33.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	475	0.6	26.7
...	All other causes (residual)	13,311	16.0	747.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, all ages				
...	All causes	155,402	100.0	665.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	35,924	23.1	153.9
2	Malignant neoplasms (C00-C97)	34,139	22.0	146.2
3	Cerebrovascular diseases (I60-I69)	9,915	6.4	42.5
4	Diabetes mellitus (E10-E14)	6,960	4.5	29.8
5	Alzheimer's disease (G30)	5,973	3.8	25.6
6	Chronic lower respiratory diseases (J40-J47)	5,147	3.3	22.0
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,966	3.2	21.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,769	3.1	20.4
9	Septicemia (A40-A41)	3,549	2.3	15.2
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,175	2.0	13.6
11	Influenza and pneumonia (J09-J18)	2,854	1.8	12.2
12	Certain conditions originating in the perinatal period (P00-P96)	1,791	1.2	7.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,272	0.8	5.4
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,163	0.7	5.0
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,152	0.7	4.9
...	All other causes (residual)	32,653	21.0	139.9
Black, female, 1-4 years				
...	All causes	428	100.0	32.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	112	26.2	8.4
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	52	12.1	3.9
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	48	11.2	3.6
4	Malignant neoplasms (C00-C97)	28	6.5	2.1
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	24	5.6	1.8
6	Influenza and pneumonia (J09-J18)	10	2.3	*
7	Chronic lower respiratory diseases (J40-J47)	8	1.9	*
7	Certain conditions originating in the perinatal period (P00-P96)	8	1.9	*
9	Septicemia (A40-A41)	7	1.6	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	1.4	*
10	Anemias (D50-D64)	6	1.4	*
12	Cerebrovascular diseases (I60-I69)	5	1.2	*
13	Meningitis (G00,G03)	2	0.5	*
14	Meningococcal infection (A39)	1	0.2	*
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.2	*
14	Nutritional deficiencies (E40-E64)	1	0.2	*
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	0.2	*
14	Acute bronchitis and bronchiolitis (J20-J21)	1	0.2	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.2	*
14	Infections of kidney (N10-N12,N13.6,N15.1)	1	0.2	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	1	0.2	*
14	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	0.2	*
...	All other causes (residual)	103	24.1	7.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 5-14 years				
...	All causes	504	100.0	15.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	145	28.8	4.3
2	Malignant neoplasms (C00-C97)	60	11.9	1.8
3	Chronic lower respiratory diseases (J40-J47)	39	7.7	1.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	38	7.5	1.1
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	28	5.6	0.8
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	28	5.6	0.8
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12	2.4	*
8	Influenza and pneumonia (J09-J18)	10	2.0	*
9	Septicemia (A40-A41)	9	1.8	*
9	Anemias (D50-D64)	9	1.8	*
9	Cerebrovascular diseases (I60-I69)	9	1.8	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	8	1.6	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	5	1.0	*
14	Diabetes mellitus (E10-E14)	3	0.6	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.6	*
...	All other causes (residual)	98	19.4	2.9
Black, female, 15-24 years				
...	All causes	1,653	100.0	45.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	444	26.9	12.3
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	272	16.5	7.5
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	129	7.8	3.6
4	Malignant neoplasms (C00-C97)	115	7.0	3.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	109	6.6	3.0
6	Pregnancy, childbirth and the puerperium (O00-O99)	63	3.8	1.7
7	Anemias (D50-D64)	35	2.1	1.0
8	Chronic lower respiratory diseases (J40-J47)	31	1.9	0.9
9	Human immunodeficiency virus (HIV) disease (B20-B24)	29	1.8	0.8
10	Diabetes mellitus (E10-E14)	26	1.6	0.7
11	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	23	1.4	0.6
12	Cerebrovascular diseases (I60-I69)	20	1.2	0.6
13	Septicemia (A40-A41)	19	1.1	*
14	Influenza and pneumonia (J09-J18)	14	0.8	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	13	0.8	*
...	All other causes (residual)	311	18.8	8.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 25-44 years				
...	All causes	8,921	100.0	139.5
1	Malignant neoplasms (C00-C97)	1,603	18.0	25.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,419	15.9	22.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,166	13.1	18.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	472	5.3	7.4
5	Human immunodeficiency virus (HIV) disease (B20-B24)	372	4.2	5.8
6	Diabetes mellitus (E10-E14)	349	3.9	5.5
7	Cerebrovascular diseases (I60-I69)	305	3.4	4.8
8	Pregnancy, childbirth and the puerperium (O00-O99)	239	2.7	3.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	189	2.1	3.0
10	Septicemia (A40-A41)	180	2.0	2.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	172	1.9	2.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	138	1.5	2.2
13	Chronic lower respiratory diseases (J40-J47)	123	1.4	1.9
14	Anemias (D50-D64)	117	1.3	1.8
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	98	1.1	1.5
...	All other causes (residual)	1,979	22.2	30.9
Black, female, 45-64 years				
...	All causes	39,242	100.0	691.4
1	Malignant neoplasms (C00-C97)	12,235	31.2	215.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,481	21.6	149.4
3	Diabetes mellitus (E10-E14)	1,978	5.0	34.8
4	Cerebrovascular diseases (I60-I69)	1,922	4.9	33.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,558	4.0	27.4
6	Chronic lower respiratory diseases (J40-J47)	1,297	3.3	22.9
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,024	2.6	18.0
8	Septicemia (A40-A41)	956	2.4	16.8
9	Chronic liver disease and cirrhosis (K70,K73-K74)	775	2.0	13.7
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	676	1.7	11.9
11	Human immunodeficiency virus (HIV) disease (B20-B24)	621	1.6	10.9
12	Influenza and pneumonia (J09-J18)	523	1.3	9.2
13	Viral hepatitis (B15-B19)	233	0.6	4.1
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	212	0.5	3.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	159	0.4	2.8
...	All other causes (residual)	6,592	16.8	116.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 65 years and over				
...	All causes	101,393	100.0	3,833.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,814	25.5	976.1
2	Malignant neoplasms (C00-C97)	20,094	19.8	759.8
3	Cerebrovascular diseases (I60-I69)	7,641	7.5	288.9
4	Alzheimer's disease (G30)	5,906	5.8	223.3
5	Diabetes mellitus (E10-E14)	4,602	4.5	174.0
6	Chronic lower respiratory diseases (J40-J47)	3,642	3.6	137.7
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,523	3.5	133.2
8	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,397	2.4	90.6
9	Septicemia (A40-A41)	2,351	2.3	88.9
10	Influenza and pneumonia (J09-J18)	2,183	2.2	82.5
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,346	1.3	50.9
12	Pneumonitis due to solids and liquids (J69)	673	0.7	25.4
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	554	0.5	20.9
14	Parkinson's disease (G20-G21)	489	0.5	18.5
15	Chronic liver disease and cirrhosis (K70,K73-K74)	358	0.4	13.5
...	All other causes (residual)	19,820	19.5	749.4
American Indian or Alaska Native, both sexes, all ages				
...	All causes	19,016	100.0	415.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,463	18.2	75.6
2	Malignant neoplasms (C00-C97)	3,358	17.7	73.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,078	10.9	45.4
4	Diabetes mellitus (E10-E14)	1,087	5.7	23.7
5	Chronic liver disease and cirrhosis (K70,K73-K74)	1,061	5.6	23.2
6	Chronic lower respiratory diseases (J40-J47)	883	4.6	19.3
7	Cerebrovascular diseases (I60-I69)	676	3.6	14.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	577	3.0	12.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	352	1.9	7.7
10	Influenza and pneumonia (J09-J18)	342	1.8	7.5
11	Alzheimer's disease (G30)	327	1.7	7.1
12	Septicemia (A40-A41)	308	1.6	6.7
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	286	1.5	6.2
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	207	1.1	4.5
15	Certain conditions originating in the perinatal period (P00-P96)	128	0.7	2.8
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	128	0.7	2.8
...	All other causes (residual)	3,755	19.7	82.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, both sexes, 1-4 years				
...	All causes	95	100.0	30.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	35	36.8	11.4
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	10	10.5	*
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	10	10.5	*
4	Malignant neoplasms (C00-C97)	4	4.2	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	2.1	*
6	Septicemia (A40-A41)	1	1.1	*
6	Meningitis (G00,G03)	1	1.1	*
6	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	1.1	*
6	Cerebrovascular diseases (I60-I69)	1	1.1	*
6	Chronic lower respiratory diseases (J40-J47)	1	1.1	*
6	Pneumonitis due to solids and liquids (J69)	1	1.1	*
...	All other causes (residual)	28	29.5	9.1
American Indian or Alaska Native, both sexes, 5-14 years				
...	All causes	111	100.0	14.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	35	31.5	4.5
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	14	12.6	*
3	Malignant neoplasms (C00-C97)	13	11.7	*
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	7	6.3	*
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7	6.3	*
6	Chronic lower respiratory diseases (J40-J47)	5	4.5	*
7	Certain conditions originating in the perinatal period (P00-P96)	3	2.7	*
8	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	1.8	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.9	*
9	Influenza and pneumonia (J09-J18)	1	0.9	*
...	All other causes (residual)	23	20.7	3.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, both sexes, 15-24 years				
...	All causes	575	100.0	74.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	224	39.0	29.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	160	27.8	20.8
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	65	11.3	8.5
4	Malignant neoplasms (C00-C97)	16	2.8	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	14	2.4	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9	1.6	*
7	Chronic lower respiratory diseases (J40-J47)	6	1.0	*
7	Chronic liver disease and cirrhosis (K70,K73-K74)	6	1.0	*
9	Cerebrovascular diseases (I60-I69)	5	0.9	*
10	Diabetes mellitus (E10-E14)	4	0.7	*
10	Pregnancy, childbirth and the puerperium (O00-O99)	4	0.7	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	0.5	*
13	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.2	*
13	Meningitis (G00,G03)	1	0.2	*
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	0.2	*
13	Influenza and pneumonia (J09-J18)	1	0.2	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.2	*
13	Legal intervention (Y35,Y89.0)	1	0.2	*
...	All other causes (residual)	53	9.2	6.9
American Indian or Alaska Native, both sexes, 25-44 years				
...	All causes	2,424	100.0	185.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	796	32.8	60.8
2	Chronic liver disease and cirrhosis (K70,K73-K74)	271	11.2	20.7
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	240	9.9	18.3
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	204	8.4	15.6
5	Malignant neoplasms (C00-C97)	140	5.8	10.7
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	128	5.3	9.8
7	Diabetes mellitus (E10-E14)	62	2.6	4.7
8	Septicemia (A40-A41)	33	1.4	2.5
8	Cerebrovascular diseases (I60-I69)	33	1.4	2.5
10	Human immunodeficiency virus (HIV) disease (B20-B24)	18	0.7	*
10	Influenza and pneumonia (J09-J18)	18	0.7	*
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	16	0.7	*
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	15	0.6	*
14	Chronic lower respiratory diseases (J40-J47)	13	0.5	*
14	Pregnancy, childbirth and the puerperium (O00-O99)	13	0.5	*
...	All other causes (residual)	424	17.5	32.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, both sexes, 45-64 years				
...	All causes	5,979	100.0	604.0
1	Malignant neoplasms (C00-C97)	1,158	19.4	117.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,103	18.4	111.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	661	11.1	66.8
4	Chronic liver disease and cirrhosis (K70,K73-K74)	614	10.3	62.0
5	Diabetes mellitus (E10-E14)	403	6.7	40.7
6	Chronic lower respiratory diseases (J40-J47)	219	3.7	22.1
7	Cerebrovascular diseases (I60-I69)	156	2.6	15.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	136	2.3	13.7
9	Septicemia (A40-A41)	107	1.8	10.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	96	1.6	9.7
11	Viral hepatitis (B15-B19)	82	1.4	8.3
12	Influenza and pneumonia (J09-J18)	76	1.3	7.7
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	62	1.0	6.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	59	1.0	6.0
15	Human immunodeficiency virus (HIV) disease (B20-B24)	31	0.5	3.1
...	All other causes (residual)	1,016	17.0	102.6
American Indian or Alaska Native, both sexes, 65 years and over				
...	All causes	9,469	100.0	2,671.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,135	22.5	602.3
2	Malignant neoplasms (C00-C97)	2,025	21.4	571.3
3	Chronic lower respiratory diseases (J40-J47)	639	6.7	180.3
4	Diabetes mellitus (E10-E14)	617	6.5	174.1
5	Cerebrovascular diseases (I60-I69)	480	5.1	135.4
6	Alzheimer's disease (G30)	324	3.4	91.4
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	288	3.0	81.2
8	Influenza and pneumonia (J09-J18)	241	2.5	68.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	238	2.5	67.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	170	1.8	48.0
11	Septicemia (A40-A41)	163	1.7	46.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	138	1.5	38.9
13	Parkinson's disease (G20-G21)	91	1.0	25.7
14	Pneumonitis due to solids and liquids (J69)	66	0.7	18.6
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	52	0.5	14.7
...	All other causes (residual)	1,802	19.0	508.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, male, all ages				
...	All causes	10,451	100.0	454.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,009	19.2	87.4
2	Malignant neoplasms (C00-C97)	1,781	17.0	77.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,364	13.1	59.3
4	Chronic liver disease and cirrhosis (K70,K73-K74)	598	5.7	26.0
5	Diabetes mellitus (E10-E14)	573	5.5	24.9
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	426	4.1	18.5
7	Chronic lower respiratory diseases (J40-J47)	408	3.9	17.8
8	Cerebrovascular diseases (I60-I69)	308	2.9	13.4
9	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	228	2.2	9.9
10	Influenza and pneumonia (J09-J18)	189	1.8	8.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	166	1.6	7.2
12	Septicemia (A40-A41)	141	1.3	6.1
13	Alzheimer's disease (G30)	109	1.0	4.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	97	0.9	4.2
15	Viral hepatitis (B15-B19)	84	0.8	3.7
...	All other causes (residual)	1,970	18.8	85.7
American Indian or Alaska Native, male, 1-4 years				
...	All causes	55	100.0	35.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	18	32.7	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	9.1	*
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4	7.3	*
4	Malignant neoplasms (C00-C97)	3	5.5	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	3.6	*
6	Septicemia (A40-A41)	1	1.8	*
6	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	1.8	*
6	Cerebrovascular diseases (I60-I69)	1	1.8	*
6	Chronic lower respiratory diseases (J40-J47)	1	1.8	*
...	All other causes (residual)	19	34.5	*

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, male, 5-14 years				
...	All causes	59	100.0	15.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	21	35.6	5.4
2	Malignant neoplasms (C00-C97)	9	15.3	*
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4	6.8	*
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4	6.8	*
5	Chronic lower respiratory diseases (J40-J47)	3	5.1	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2	3.4	*
7	Influenza and pneumonia (J09-J18)	1	1.7	*
...	All other causes (residual)	15	25.4	*
American Indian or Alaska Native, male, 15-24 years				
...	All causes	398	100.0	101.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	150	37.7	38.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	116	29.1	29.5
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	60	15.1	15.2
4	Malignant neoplasms (C00-C97)	10	2.5	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	7	1.8	*
6	Chronic liver disease and cirrhosis (K70,K73-K74)	5	1.3	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	1.3	*
8	Diabetes mellitus (E10-E14)	4	1.0	*
9	Cerebrovascular diseases (I60-I69)	3	0.8	*
9	Chronic lower respiratory diseases (J40-J47)	3	0.8	*
11	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.3	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.3	*
11	Influenza and pneumonia (J09-J18)	1	0.3	*
11	Legal intervention (Y35,Y89.0)	1	0.3	*
...	All other causes (residual)	31	7.8	7.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, male, 25-44 years				
...	All causes	1,566	100.0	232.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	553	35.3	82.0
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	184	11.7	27.3
3	Chronic liver disease and cirrhosis (K70,K73-K74)	157	10.0	23.3
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	126	8.0	18.7
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	102	6.5	15.1
6	Malignant neoplasms (C00-C97)	65	4.2	9.6
7	Diabetes mellitus (E10-E14)	38	2.4	5.6
8	Septicemia (A40-A41)	19	1.2	*
8	Cerebrovascular diseases (I60-I69)	19	1.2	*
10	Influenza and pneumonia (J09-J18)	12	0.8	*
11	Human immunodeficiency virus (HIV) disease (B20-B24)	11	0.7	*
12	Viral hepatitis (B15-B19)	8	0.5	*
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	8	0.5	*
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	7	0.4	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7	0.4	*
14	Legal intervention (Y35,Y89.0)	7	0.4	*
...	All other causes (residual)	243	15.5	36.1
American Indian or Alaska Native, male, 45-64 years				
...	All causes	3,584	100.0	738.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	768	21.4	158.2
2	Malignant neoplasms (C00-C97)	618	17.2	127.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	440	12.3	90.6
4	Chronic liver disease and cirrhosis (K70,K73-K74)	353	9.8	72.7
5	Diabetes mellitus (E10-E14)	232	6.5	47.8
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	101	2.8	20.8
7	Chronic lower respiratory diseases (J40-J47)	91	2.5	18.7
8	Cerebrovascular diseases (I60-I69)	80	2.2	16.5
9	Viral hepatitis (B15-B19)	59	1.6	12.2
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	52	1.5	10.7
11	Septicemia (A40-A41)	50	1.4	10.3
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	49	1.4	10.1
13	Influenza and pneumonia (J09-J18)	42	1.2	8.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	39	1.1	8.0
15	Human immunodeficiency virus (HIV) disease (B20-B24)	20	0.6	4.1
15	Pneumonitis due to solids and liquids (J69)	20	0.6	4.1
...	All other causes (residual)	570	15.9	117.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, male, 65 years and over				
...	All causes	4,593	100.0	2,878.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,105	24.1	692.5
2	Malignant neoplasms (C00-C97)	1,074	23.4	673.0
3	Chronic lower respiratory diseases (J40-J47)	305	6.6	191.1
4	Diabetes mellitus (E10-E14)	299	6.5	187.4
5	Cerebrovascular diseases (I60-I69)	204	4.4	127.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	161	3.5	100.9
7	Influenza and pneumonia (J09-J18)	130	2.8	81.5
8	Alzheimer's disease (G30)	108	2.4	67.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	106	2.3	66.4
10	Chronic liver disease and cirrhosis (K70,K73-K74)	83	1.8	52.0
11	Septicemia (A40-A41)	68	1.5	42.6
12	Parkinson's disease (G20-G21)	54	1.2	33.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	50	1.1	31.3
14	Pneumonitis due to solids and liquids (J69)	39	0.8	24.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	26	0.6	16.3
...	All other causes (residual)	781	17.0	489.4
American Indian or Alaska Native, female, all ages				
...	All causes	8,565	100.0	375.8
1	Malignant neoplasms (C00-C97)	1,577	18.4	69.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,454	17.0	63.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	714	8.3	31.3
4	Diabetes mellitus (E10-E14)	514	6.0	22.6
5	Chronic lower respiratory diseases (J40-J47)	475	5.5	20.8
6	Chronic liver disease and cirrhosis (K70,K73-K74)	463	5.4	20.3
7	Cerebrovascular diseases (I60-I69)	368	4.3	16.1
8	Alzheimer's disease (G30)	218	2.5	9.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	186	2.2	8.2
10	Septicemia (A40-A41)	167	1.9	7.3
11	Influenza and pneumonia (J09-J18)	153	1.8	6.7
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	151	1.8	6.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	110	1.3	4.8
14	Certain conditions originating in the perinatal period (P00-P96)	60	0.7	2.6
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	60	0.7	2.6
...	All other causes (residual)	1,895	22.1	83.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, female, 1-4 years				
...	All causes	40	100.0	26.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	17	42.5	*
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	6	15.0	*
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	12.5	*
4	Malignant neoplasms (C00-C97)	1	2.5	*
4	Meningitis (G00,G03)	1	2.5	*
4	Pneumonitis due to solids and liquids (J69)	1	2.5	*
...	All other causes (residual)	9	22.5	*
American Indian or Alaska Native, female, 5-14 years				
...	All causes	52	100.0	13.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	14	26.9	*
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	10	19.2	*
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	9.6	*
4	Malignant neoplasms (C00-C97)	4	7.7	*
5	Certain conditions originating in the perinatal period (P00-P96)	3	5.8	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	5.8	*
7	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	3.8	*
7	Chronic lower respiratory diseases (J40-J47)	2	3.8	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1.9	*
...	All other causes (residual)	8	15.4	*
American Indian or Alaska Native, female, 15-24 years				
...	All causes	177	100.0	47.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	74	41.8	19.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	44	24.9	11.7
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	7	4.0	*
4	Malignant neoplasms (C00-C97)	6	3.4	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5	2.8	*
6	Pregnancy, childbirth and the puerperium (O00-O99)	4	2.3	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	2.3	*
8	Chronic lower respiratory diseases (J40-J47)	3	1.7	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	1.1	*
9	Cerebrovascular diseases (I60-I69)	2	1.1	*
11	Meningitis (G00,G03)	1	0.6	*
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	0.6	*
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1	0.6	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.6	*
...	All other causes (residual)	22	12.4	5.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, female, 25-44 years				
...	All causes	858	100.0	135.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	243	28.3	38.3
2	Chronic liver disease and cirrhosis (K70,K73-K74)	114	13.3	18.0
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	78	9.1	12.3
4	Malignant neoplasms (C00-C97)	75	8.7	11.8
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	56	6.5	8.8
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	26	3.0	4.1
7	Diabetes mellitus (E10-E14)	24	2.8	3.8
8	Septicemia (A40-A41)	14	1.6	*
8	Cerebrovascular diseases (I60-I69)	14	1.6	*
10	Pregnancy, childbirth and the puerperium (O00-O99)	13	1.5	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	9	1.0	*
12	Chronic lower respiratory diseases (J40-J47)	8	0.9	*
13	Human immunodeficiency virus (HIV) disease (B20-B24)	7	0.8	*
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	7	0.8	*
15	Influenza and pneumonia (J09-J18)	6	0.7	*
...	All other causes (residual)	164	19.1	25.8
American Indian or Alaska Native, female, 45-64 years				
...	All causes	2,395	100.0	474.8
1	Malignant neoplasms (C00-C97)	540	22.5	107.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	335	14.0	66.4
3	Chronic liver disease and cirrhosis (K70,K73-K74)	261	10.9	51.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	221	9.2	43.8
5	Diabetes mellitus (E10-E14)	171	7.1	33.9
6	Chronic lower respiratory diseases (J40-J47)	128	5.3	25.4
7	Cerebrovascular diseases (I60-I69)	76	3.2	15.1
8	Septicemia (A40-A41)	57	2.4	11.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	44	1.8	8.7
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	35	1.5	6.9
11	Influenza and pneumonia (J09-J18)	34	1.4	6.7
12	Viral hepatitis (B15-B19)	23	1.0	4.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	20	0.8	4.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	13	0.5	*
15	Human immunodeficiency virus (HIV) disease (B20-B24)	11	0.5	*
...	All other causes (residual)	426	17.8	84.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian or Alaska Native, female, 65 years and over				
...	All causes	4,876	100.0	2,501.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,030	21.1	528.5
2	Malignant neoplasms (C00-C97)	951	19.5	487.9
3	Chronic lower respiratory diseases (J40-J47)	334	6.8	171.4
4	Diabetes mellitus (E10-E14)	318	6.5	163.2
5	Cerebrovascular diseases (I60-I69)	276	5.7	141.6
6	Alzheimer's disease (G30)	216	4.4	110.8
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	132	2.7	67.7
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	127	2.6	65.2
9	Influenza and pneumonia (J09-J18)	111	2.3	57.0
10	Septicemia (A40-A41)	95	1.9	48.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	88	1.8	45.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	87	1.8	44.6
13	Parkinson's disease (G20-G21)	37	0.8	19.0
14	Pneumonitis due to solids and liquids (J69)	27	0.6	13.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	26	0.5	13.3
...	All other causes (residual)	1,021	20.9	523.9
Asian or Pacific Islander, both sexes, all ages				
...	All causes	66,681	100.0	331.7
1	Malignant neoplasms (C00-C97)	17,570	26.3	87.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,273	21.4	71.0
3	Cerebrovascular diseases (I60-I69)	4,871	7.3	24.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,975	4.5	14.8
5	Diabetes mellitus (E10-E14)	2,641	4.0	13.1
6	Alzheimer's disease (G30)	2,212	3.3	11.0
7	Influenza and pneumonia (J09-J18)	2,202	3.3	11.0
8	Chronic lower respiratory diseases (J40-J47)	1,917	2.9	9.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,359	2.0	6.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,316	2.0	6.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,158	1.7	5.8
12	Septicemia (A40-A41)	820	1.2	4.1
13	Parkinson's disease (G20-G21)	753	1.1	3.7
14	Chronic liver disease and cirrhosis (K70,K73-K74)	625	0.9	3.1
15	Certain conditions originating in the perinatal period (P00-P96)	527	0.8	2.6
...	All other causes (residual)	11,462	17.2	57.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 1-4 years				
...	All causes	152	100.0	15.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	31	20.4	3.1
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	20	13.2	2.0
3	Malignant neoplasms (C00-C97)	14	9.2	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	10	6.6	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7	4.6	*
6	Influenza and pneumonia (J09-J18)	6	3.9	*
7	Septicemia (A40-A41)	3	2.0	*
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	2.0	*
9	Certain conditions originating in the perinatal period (P00-P96)	2	1.3	*
10	Tuberculosis (A16-A19)	1	0.7	*
10	Anemias (D50-D64)	1	0.7	*
10	Cerebrovascular diseases (I60-I69)	1	0.7	*
10	Acute bronchitis and bronchiolitis (J20-J21)	1	0.7	*
10	Chronic lower respiratory diseases (J40-J47)	1	0.7	*
10	Pneumonitis due to solids and liquids (J69)	1	0.7	*
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.7	*
...	All other causes (residual)	49	32.2	4.9
Asian or Pacific Islander, both sexes, 5-14 years				
...	All causes	225	100.0	8.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	51	22.7	2.0
2	Malignant neoplasms (C00-C97)	43	19.1	1.7
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	16	7.1	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	15	6.7	*
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9	4.0	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	8	3.6	*
7	Cerebrovascular diseases (I60-I69)	6	2.7	*
8	Septicemia (A40-A41)	4	1.8	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	1.3	*
10	Anemias (D50-D64)	2	0.9	*
10	Influenza and pneumonia (J09-J18)	2	0.9	*
10	Complications of medical and surgical care (Y40-Y84,Y88)	2	0.9	*
13	Meningitis (G00,G03)	1	0.4	*
13	Acute bronchitis and bronchiolitis (J20-J21)	1	0.4	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.4	*
...	All other causes (residual)	61	27.1	2.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 15-24 years				
...	All causes	937	100.0	34.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	303	32.3	11.0
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	283	30.2	10.3
3	Malignant neoplasms (C00-C97)	89	9.5	3.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	54	5.8	2.0
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	41	4.4	1.5
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	17	1.8	*
7	Cerebrovascular diseases (I60-I69)	7	0.7	*
8	Influenza and pneumonia (J09-J18)	5	0.5	*
8	Chronic lower respiratory diseases (J40-J47)	5	0.5	*
10	Complications of medical and surgical care (Y40-Y84,Y88)	4	0.4	*
11	Septicemia (A40-A41)	3	0.3	*
11	Diabetes mellitus (E10-E14)	3	0.3	*
11	Aortic aneurysm and dissection (I71)	3	0.3	*
11	Pneumonitis due to solids and liquids (J69)	3	0.3	*
11	Legal intervention (Y35,Y89.0)	3	0.3	*
...	All other causes (residual)	114	12.2	4.1
Asian or Pacific Islander, both sexes, 25-44 years				
...	All causes	3,507	100.0	53.1
1	Malignant neoplasms (C00-C97)	817	23.3	12.4
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	626	17.9	9.5
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	459	13.1	7.0
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	429	12.2	6.5
5	Cerebrovascular diseases (I60-I69)	148	4.2	2.2
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	130	3.7	2.0
7	Chronic liver disease and cirrhosis (K70,K73-K74)	70	2.0	1.1
8	Diabetes mellitus (E10-E14)	65	1.9	1.0
9	Pregnancy, childbirth and the puerperium (O00-O99)	42	1.2	0.6
10	Influenza and pneumonia (J09-J18)	35	1.0	0.5
11	Septicemia (A40-A41)	31	0.9	0.5
12	Human immunodeficiency virus (HIV) disease (B20-B24)	30	0.9	0.5
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	28	0.8	0.4
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	27	0.8	0.4
15	Chronic lower respiratory diseases (J40-J47)	24	0.7	0.4
...	All other causes (residual)	546	15.6	8.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 45-64 years				
...	All causes	12,602	100.0	263.3
1	Malignant neoplasms (C00-C97)	5,149	40.9	107.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,425	19.2	50.7
3	Cerebrovascular diseases (I60-I69)	779	6.2	16.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	619	4.9	12.9
5	Diabetes mellitus (E10-E14)	498	4.0	10.4
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	376	3.0	7.9
7	Chronic liver disease and cirrhosis (K70,K73-K74)	280	2.2	5.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	196	1.6	4.1
9	Influenza and pneumonia (J09-J18)	158	1.3	3.3
10	Chronic lower respiratory diseases (J40-J47)	145	1.2	3.0
11	Septicemia (A40-A41)	144	1.1	3.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	136	1.1	2.8
13	Viral hepatitis (B15-B19)	94	0.7	2.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	86	0.7	1.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	77	0.6	1.6
...	All other causes (residual)	1,440	11.4	30.1
Asian or Pacific Islander, both sexes, 65 years and over				
...	All causes	48,285	100.0	2,229.7
1	Malignant neoplasms (C00-C97)	11,451	23.7	528.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,339	23.5	523.6
3	Cerebrovascular diseases (I60-I69)	3,924	8.1	181.2
4	Alzheimer's disease (G30)	2,191	4.5	101.2
5	Diabetes mellitus (E10-E14)	2,075	4.3	95.8
6	Influenza and pneumonia (J09-J18)	1,990	4.1	91.9
7	Chronic lower respiratory diseases (J40-J47)	1,742	3.6	80.4
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,318	2.7	60.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,128	2.3	52.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,007	2.1	46.5
11	Parkinson's disease (G20-G21)	738	1.5	34.1
12	Septicemia (A40-A41)	628	1.3	29.0
13	Pneumonitis due to solids and liquids (J69)	466	1.0	21.5
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	323	0.7	14.9
15	Chronic liver disease and cirrhosis (K70,K73-K74)	274	0.6	12.7
...	All other causes (residual)	7,691	15.9	355.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, all ages				
...	All causes	34,107	100.0	354.5
1	Malignant neoplasms (C00-C97)	8,902	26.1	92.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,784	22.8	80.9
3	Cerebrovascular diseases (I60-I69)	2,194	6.4	22.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,889	5.5	19.6
5	Diabetes mellitus (E10-E14)	1,342	3.9	13.9
6	Influenza and pneumonia (J09-J18)	1,133	3.3	11.8
7	Chronic lower respiratory diseases (J40-J47)	1,082	3.2	11.2
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	887	2.6	9.2
9	Alzheimer's disease (G30)	688	2.0	7.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	672	2.0	7.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	523	1.5	5.4
12	Parkinson's disease (G20-G21)	451	1.3	4.7
13	Septicemia (A40-A41)	430	1.3	4.5
14	Chronic liver disease and cirrhosis (K70,K73-K74)	405	1.2	4.2
15	Certain conditions originating in the perinatal period (P00-P96)	295	0.9	3.1
...	All other causes (residual)	5,430	15.9	56.4
Asian or Pacific Islander, male, 1-4 years				
...	All causes	78	100.0	15.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	18	23.1	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9	11.5	*
3	Malignant neoplasms (C00-C97)	7	9.0	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	5	6.4	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4	5.1	*
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	3.8	*
6	Influenza and pneumonia (J09-J18)	3	3.8	*
8	Acute bronchitis and bronchiolitis (J20-J21)	1	1.3	*
8	Chronic lower respiratory diseases (J40-J47)	1	1.3	*
8	Pneumonitis due to solids and liquids (J69)	1	1.3	*
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	1.3	*
8	Certain conditions originating in the perinatal period (P00-P96)	1	1.3	*
...	All other causes (residual)	24	30.8	4.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 5-14 years				
...	All causes	133	100.0	10.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	32	24.1	2.5
2	Malignant neoplasms (C00-C97)	27	20.3	2.1
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	8	6.0	*
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8	6.0	*
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	3.8	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5	3.8	*
7	Cerebrovascular diseases (I60-I69)	4	3.0	*
8	Septicemia (A40-A41)	2	1.5	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.8	*
9	Meningitis (G00,G03)	1	0.8	*
9	Influenza and pneumonia (J09-J18)	1	0.8	*
9	Acute bronchitis and bronchiolitis (J20-J21)	1	0.8	*
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.8	*
9	Complications of medical and surgical care (Y40-Y84,Y88)	1	0.8	*
...	All other causes (residual)	36	27.1	2.8
Asian or Pacific Islander, male, 15-24 years				
...	All causes	678	100.0	48.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	227	33.5	16.3
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	217	32.0	15.6
3	Malignant neoplasms (C00-C97)	58	8.6	4.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	41	6.0	2.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	32	4.7	2.3
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	10	1.5	*
7	Cerebrovascular diseases (I60-I69)	5	0.7	*
8	Septicemia (A40-A41)	3	0.4	*
8	Aortic aneurysm and dissection (I71)	3	0.4	*
8	Chronic lower respiratory diseases (J40-J47)	3	0.4	*
8	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.4	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	0.3	*
12	Diabetes mellitus (E10-E14)	2	0.3	*
12	Influenza and pneumonia (J09-J18)	2	0.3	*
12	Legal intervention (Y35,Y89.0)	2	0.3	*
...	All other causes (residual)	68	10.0	4.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 25-44 years				
...	All causes	2,182	100.0	69.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	470	21.5	14.9
2	Malignant neoplasms (C00-C97)	357	16.4	11.3
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	338	15.5	10.7
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	303	13.9	9.6
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	97	4.4	3.1
6	Cerebrovascular diseases (I60-I69)	75	3.4	2.4
7	Chronic liver disease and cirrhosis (K70,K73-K74)	49	2.2	1.6
8	Diabetes mellitus (E10-E14)	47	2.2	1.5
9	Human immunodeficiency virus (HIV) disease (B20-B24)	27	1.2	0.9
9	Influenza and pneumonia (J09-J18)	27	1.2	0.9
11	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	19	0.9	*
12	Aortic aneurysm and dissection (I71)	15	0.7	*
13	Septicemia (A40-A41)	14	0.6	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	14	0.6	*
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	11	0.5	*
15	Chronic lower respiratory diseases (J40-J47)	11	0.5	*
...	All other causes (residual)	308	14.1	9.8
Asian or Pacific Islander, male, 45-64 years				
...	All causes	7,466	100.0	337.3
1	Malignant neoplasms (C00-C97)	2,505	33.6	113.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,782	23.9	80.5
3	Cerebrovascular diseases (I60-I69)	459	6.1	20.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	437	5.9	19.7
5	Diabetes mellitus (E10-E14)	310	4.2	14.0
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	241	3.2	10.9
7	Chronic liver disease and cirrhosis (K70,K73-K74)	226	3.0	10.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	119	1.6	5.4
9	Influenza and pneumonia (J09-J18)	103	1.4	4.7
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	97	1.3	4.4
11	Chronic lower respiratory diseases (J40-J47)	92	1.2	4.2
12	Septicemia (A40-A41)	80	1.1	3.6
13	Viral hepatitis (B15-B19)	62	0.8	2.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	61	0.8	2.8
15	Aortic aneurysm and dissection (I71)	45	0.6	2.0
...	All other causes (residual)	847	11.3	38.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 65 years and over				
...	All causes	23,022	100.0	2,450.3
1	Malignant neoplasms (C00-C97)	5,946	25.8	632.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,610	24.4	597.1
3	Cerebrovascular diseases (I60-I69)	1,647	7.2	175.3
4	Influenza and pneumonia (J09-J18)	992	4.3	105.6
5	Diabetes mellitus (E10-E14)	983	4.3	104.6
6	Chronic lower respiratory diseases (J40-J47)	975	4.2	103.8
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	687	3.0	73.1
8	Alzheimer's disease (G30)	677	2.9	72.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	533	2.3	56.7
10	Parkinson's disease (G20-G21)	442	1.9	47.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	415	1.8	44.2
12	Septicemia (A40-A41)	327	1.4	34.8
13	Pneumonitis due to solids and liquids (J69)	263	1.1	28.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	149	0.6	15.9
15	Chronic liver disease and cirrhosis (K70,K73-K74)	129	0.6	13.7
...	All other causes (residual)	3,247	14.1	345.6
Asian or Pacific Islander, female, all ages				
...	All causes	32,574	100.0	310.8
1	Malignant neoplasms (C00-C97)	8,668	26.6	82.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,489	19.9	61.9
3	Cerebrovascular diseases (I60-I69)	2,677	8.2	25.5
4	Alzheimer's disease (G30)	1,524	4.7	14.5
5	Diabetes mellitus (E10-E14)	1,299	4.0	12.4
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,086	3.3	10.4
7	Influenza and pneumonia (J09-J18)	1,069	3.3	10.2
8	Chronic lower respiratory diseases (J40-J47)	835	2.6	8.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	687	2.1	6.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	635	1.9	6.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	429	1.3	4.1
12	Septicemia (A40-A41)	390	1.2	3.7
13	Parkinson's disease (G20-G21)	302	0.9	2.9
14	Certain conditions originating in the perinatal period (P00-P96)	232	0.7	2.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	222	0.7	2.1
...	All other causes (residual)	6,030	18.5	57.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 1-4 years				
...	All causes	74	100.0	15.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13	17.6	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	11	14.9	*
3	Malignant neoplasms (C00-C97)	7	9.5	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	5	6.8	*
5	Septicemia (A40-A41)	3	4.1	*
5	Influenza and pneumonia (J09-J18)	3	4.1	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	4.1	*
8	Tuberculosis (A16-A19)	1	1.4	*
8	Anemias (D50-D64)	1	1.4	*
8	Cerebrovascular diseases (I60-I69)	1	1.4	*
8	Certain conditions originating in the perinatal period (P00-P96)	1	1.4	*
...	All other causes (residual)	25	33.8	5.1
Asian or Pacific Islander, female, 5-14 years				
...	All causes	92	100.0	7.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	19	20.7	*
2	Malignant neoplasms (C00-C97)	16	17.4	*
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8	8.7	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	7	7.6	*
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	4.3	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	3.3	*
7	Septicemia (A40-A41)	2	2.2	*
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	2.2	*
7	Anemias (D50-D64)	2	2.2	*
7	Cerebrovascular diseases (I60-I69)	2	2.2	*
11	Influenza and pneumonia (J09-J18)	1	1.1	*
11	Complications of medical and surgical care (Y40-Y84,Y88)	1	1.1	*
...	All other causes (residual)	25	27.2	2.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 15-24 years				
...	All causes	259	100.0	19.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	76	29.3	5.6
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	66	25.5	4.9
3	Malignant neoplasms (C00-C97)	31	12.0	2.3
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	13	5.0	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	9	3.5	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	7	2.7	*
7	Influenza and pneumonia (J09-J18)	3	1.2	*
8	Cerebrovascular diseases (I60-I69)	2	0.8	*
8	Chronic lower respiratory diseases (J40-J47)	2	0.8	*
8	Pneumonitis due to solids and liquids (J69)	2	0.8	*
11	Tuberculosis (A16-A19)	1	0.4	*
11	Anemias (D50-D64)	1	0.4	*
11	Diabetes mellitus (E10-E14)	1	0.4	*
11	Meningitis (G00,G03)	1	0.4	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.4	*
11	Pregnancy, childbirth and the puerperium (O00-O99)	1	0.4	*
11	Certain conditions originating in the perinatal period (P00-P96)	1	0.4	*
11	Legal intervention (Y35,Y89.0)	1	0.4	*
11	Complications of medical and surgical care (Y40-Y84,Y88)	1	0.4	*
11	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	0.4	*
...	All other causes (residual)	38	14.7	2.8
Asian or Pacific Islander, female, 25-44 years				
...	All causes	1,325	100.0	38.3
1	Malignant neoplasms (C00-C97)	460	34.7	13.3
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	156	11.8	4.5
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	156	11.8	4.5
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	91	6.9	2.6
5	Cerebrovascular diseases (I60-I69)	73	5.5	2.1
6	Pregnancy, childbirth and the puerperium (O00-O99)	42	3.2	1.2
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	33	2.5	1.0
8	Chronic liver disease and cirrhosis (K70,K73-K74)	21	1.6	0.6
9	Diabetes mellitus (E10-E14)	18	1.4	*
10	Septicemia (A40-A41)	17	1.3	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	14	1.1	*
12	Chronic lower respiratory diseases (J40-J47)	13	1.0	*
13	Influenza and pneumonia (J09-J18)	8	0.6	*
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	8	0.6	*
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7	0.5	*
...	All other causes (residual)	208	15.7	6.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 45-64 years				
...	All causes	5,136	100.0	199.7
1	Malignant neoplasms (C00-C97)	2,644	51.5	102.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	643	12.5	25.0
3	Cerebrovascular diseases (I60-I69)	320	6.2	12.4
4	Diabetes mellitus (E10-E14)	188	3.7	7.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	182	3.5	7.1
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	135	2.6	5.2
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	77	1.5	3.0
8	Septicemia (A40-A41)	64	1.2	2.5
9	Influenza and pneumonia (J09-J18)	55	1.1	2.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	54	1.1	2.1
11	Chronic lower respiratory diseases (J40-J47)	53	1.0	2.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	39	0.8	1.5
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	36	0.7	1.4
14	Viral hepatitis (B15-B19)	32	0.6	1.2
15	Aortic aneurysm and dissection (I71)	25	0.5	1.0
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	25	0.5	1.0
...	All other causes (residual)	564	11.0	21.9
Asian or Pacific Islander, female, 65 years and over				
...	All causes	25,263	100.0	2,060.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,729	22.7	467.3
2	Malignant neoplasms (C00-C97)	5,505	21.8	449.0
3	Cerebrovascular diseases (I60-I69)	2,277	9.0	185.7
4	Alzheimer's disease (G30)	1,514	6.0	123.5
5	Diabetes mellitus (E10-E14)	1,092	4.3	89.1
6	Influenza and pneumonia (J09-J18)	998	4.0	81.4
7	Chronic lower respiratory diseases (J40-J47)	767	3.0	62.6
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	631	2.5	51.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	595	2.4	48.5
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	592	2.3	48.3
11	Septicemia (A40-A41)	301	1.2	24.6
12	Parkinson's disease (G20-G21)	296	1.2	24.1
13	Pneumonitis due to solids and liquids (J69)	203	0.8	16.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	174	0.7	14.2
15	Chronic liver disease and cirrhosis (K70,K73-K74)	145	0.6	11.8
...	All other causes (residual)	4,444	17.6	362.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015