

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)															
2006.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	*	*	*	*	*
2005.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
2004.....	0.0	0.0	*	*	*	*	0.0	*	*	*	*	*	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	0.0	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
1999.....	0.0	0.0	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
Shigellosis (A03)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other bacterial food-borne intoxications (A05)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Amebiasis (A06)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Intestinal infections due to other specified organisms (A04,A07-A08)															
2006.....	2.1	2.1	2.1	1.4	1.4	1.4	2.1	2.1	2.1	2.2	2.2	2.2	1.4	1.4	1.3
2005.....	1.8	1.8	1.8	1.0	0.9	1.1	1.8	1.9	1.8	1.9	2.0	1.9	1.2	1.3	1.2
2004.....	1.4	1.4	1.4	0.8	0.8	0.9	1.4	1.4	1.5	1.5	1.5	1.6	0.9	0.9	0.9
2003.....	1.0	1.0	1.0	0.6	0.7	0.5	1.0	1.0	1.1	1.1	1.0	1.1	0.7	0.7	0.7
2002.....	0.8	0.8	0.8	0.5	0.5	0.5	0.8	0.8	0.8	0.9	0.9	0.9	0.6	0.7	0.6
2001.....	0.5	0.5	0.5	0.4	*	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4
2000.....	0.5	0.5	0.4	0.3	0.4	0.3	0.5	0.5	0.4	0.5	0.5	0.5	0.3	0.4	0.3
1999.....	0.4	0.4	0.4	0.2	*	*	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3
Diarrhea and gastroenteritis of infectious origin (A09)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Tetanus (A33-A35)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Diphtheria (A36)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Whooping cough (A37)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Scarlet fever and erysipelas (A38,A46)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Meningococcal infection (A39)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	0.0	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
2003.....	0.0	0.0	0.0	0.1	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
2002.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.1	0.0	0.1	*	*
2001.....	0.1	0.1	0.1	0.0	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.0	0.1	0.1	0.1	*	*	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.2	*
1999.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
Septicemia (A40-A41)															
2006.....	11.0	12.1	10.2	8.3	9.7	7.3	11.2	12.3	10.4	10.2	11.2	9.4	22.0	24.7	20.3
2005.....	11.2	12.3	10.4	8.3	9.3	7.5	11.3	12.5	10.6	10.2	11.2	9.5	23.0	26.3	20.9
2004.....	11.2	12.3	10.3	8.5	9.3	7.9	11.3	12.5	10.5	10.3	11.4	9.5	22.8	26.2	20.7
2003.....	11.6	12.7	10.9	8.4	9.1	7.7	11.8	12.8	11.0	10.6	11.6	10.0	24.2	27.8	21.9
2002.....	11.7	12.9	10.9	8.9	9.8	8.1	11.9	13.0	11.1	10.7	11.7	10.0	24.6	28.1	22.4
2001.....	11.4	12.7	10.5	8.8	9.9	7.9	11.5	12.9	10.7	10.4	11.5	9.6	24.0	28.1	21.5
2000.....	11.3	12.4	10.5	8.1	9.4	7.1	11.4	12.5	10.7	10.2	11.1	9.5	24.9	28.4	22.8
1999.....	11.3	12.5	10.4	8.8	10.1	7.8	11.3	12.6	10.5	10.1	11.1	9.3	24.9	29.2	22.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Herpes-viral (herpes simplex) infections (B00)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
2005.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	*	*
2004.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.0	0.1	0.1	0.1	*	*	*
2003.....	0.1	0.0	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2002.....	0.0	0.1	0.1	*	*	*	0.1	0.1	0.1	0.0	0.0	0.1	0.1	*	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.0	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
Zoster (herpes zoster)(B02)															
2006.....	0.0	0.0	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.1	*	*	*
2005.....	0.0	0.0	0.1	*	*	*	0.0	0.0	0.1	0.1	0.0	0.1	*	*	*
2004.....	0.0	0.1	0.0	*	*	*	0.1	0.0	0.0	0.1	0.0	0.1	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.1	0.0	0.1	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.1	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.1	0.0	0.0	0.0	*	*	*
1999.....	0.1	0.0	0.1	*	*	*	0.1	0.0	0.1	0.1	0.0	0.1	*	*	*
Smallpox (B03)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Measles (B05)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Rubella (German measles) (B06)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Viral hepatitis (B15-B19)															
2006.....	2.3	3.1	1.5	4.0	5.1	2.8	2.1	2.9	1.4	1.9	2.7	1.2	3.2	4.6	2.2
2005.....	1.8	2.4	1.2	2.9	3.8	2.1	1.7	2.3	1.1	1.5	2.1	1.0	2.6	3.5	1.9
2004.....	1.8	2.4	1.2	2.8	3.5	2.0	1.7	2.3	1.1	1.5	2.1	1.0	2.7	3.8	1.7
2003.....	1.8	2.5	1.2	2.9	3.8	2.1	1.7	2.4	1.1	1.6	2.2	1.0	2.7	3.8	1.8
2002.....	2.0	2.7	1.3	3.3	4.2	2.4	1.9	2.6	1.2	1.7	2.4	1.1	2.8	3.9	1.9
2001.....	2.0	2.6	1.3	3.7	4.5	2.8	1.8	2.5	1.2	1.7	2.3	1.0	2.8	3.5	2.1
2000.....	1.9	2.6	1.3	3.6	4.6	2.6	1.8	2.4	1.2	1.6	2.2	1.1	2.7	3.8	1.8
1999.....	1.8	2.4	1.2	3.5	4.3	2.7	1.6	2.2	1.1	1.5	2.0	1.0	2.6	3.5	1.9

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Human immunodeficiency virus (HIV) disease (B20-B24)															
2006.....	4.0	5.8	2.2	4.5	7.0	1.9	3.9	5.7	2.3	1.7	2.8	0.6	19.1	27.1	12.5
2005.....	4.2	6.2	2.3	4.7	7.5	1.9	4.2	6.1	2.3	1.8	3.0	0.6	19.8	28.8	12.3
2004.....	4.5	6.6	2.4	5.3	8.2	2.4	4.4	6.4	2.5	1.9	3.1	0.6	20.9	29.8	13.3
2003.....	4.7	7.1	2.4	5.9	9.2	2.7	4.5	6.8	2.4	2.0	3.4	0.6	21.7	32.0	13.1
2002.....	4.9	7.4	2.5	5.8	9.1	2.6	4.8	7.2	2.5	2.1	3.5	0.6	23.0	33.9	13.8
2001.....	5.0	7.5	2.5	6.2	9.7	2.7	4.8	7.3	2.5	2.1	3.6	0.6	23.2	34.4	13.8
2000.....	5.2	7.9	2.5	6.7	10.6	2.9	5.0	7.5	2.5	2.2	3.8	0.7	23.6	35.5	13.5
1999.....	5.3	8.2	2.5	6.9	10.9	3.0	5.1	7.8	2.5	2.3	4.0	0.7	24.0	36.5	13.4
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)															
2006.....	1.5	2.2	0.9	2.0	3.0	0.9	1.5	2.1	0.9	0.6	1.0	0.3	6.9	9.6	4.6
2005.....	1.6	2.4	0.9	2.1	3.4	0.8	1.5	2.2	0.9	0.7	1.1	0.3	7.4	10.6	4.7
2004.....	1.8	2.5	1.0	2.3	3.6	1.1	1.7	2.4	1.0	0.7	1.2	0.3	7.9	11.1	5.3
2003.....	1.8	2.7	0.9	2.6	4.0	1.2	1.7	2.6	0.9	0.8	1.3	0.3	7.8	11.7	4.6
2002.....	1.9	2.9	1.0	2.6	4.0	1.2	1.9	2.7	1.0	0.8	1.4	0.3	8.8	13.1	5.2
2001.....	1.9	2.9	1.0	2.8	4.3	1.3	1.8	2.7	1.0	0.8	1.4	0.3	8.7	12.8	5.3
2000.....	2.0	3.1	1.0	3.0	4.6	1.4	1.9	2.9	1.0	0.9	1.4	0.3	9.1	13.5	5.3
1999.....	2.1	3.3	1.1	3.0	4.6	1.5	2.0	3.1	1.0	0.9	1.5	0.3	9.5	14.3	5.3
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)															
2006.....	0.3	0.5	0.1	0.3	0.5	*	0.3	0.4	0.1	0.2	0.3	0.0	1.0	1.6	0.5
2005.....	0.3	0.5	0.1	0.4	0.6	*	0.3	0.5	0.1	0.2	0.3	0.0	1.2	1.9	0.6
2004.....	0.3	0.5	0.1	0.3	0.6	0.1	0.3	0.5	0.1	0.2	0.3	0.0	1.1	1.9	0.5
2003.....	0.3	0.5	0.1	0.4	0.7	0.1	0.3	0.5	0.1	0.2	0.3	0.0	1.1	1.6	0.6
2002.....	0.3	0.5	0.1	0.4	0.6	*	0.3	0.5	0.1	0.2	0.4	0.0	1.2	1.9	0.6
2001.....	0.3	0.6	0.1	0.4	0.7	0.1	0.3	0.5	0.1	0.2	0.4	0.1	1.2	2.0	0.6
2000.....	0.4	0.6	0.1	0.5	0.8	0.1	0.3	0.6	0.1	0.2	0.4	0.0	1.3	2.1	0.5
1999.....	0.4	0.7	0.1	0.6	1.0	0.2	0.4	0.6	0.1	0.2	0.4	0.0	1.3	2.2	0.5
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)															
2006.....	0.4	0.6	0.2	0.5	0.8	0.2	0.4	0.6	0.2	0.2	0.3	0.0	1.9	2.7	1.1
2005.....	0.4	0.6	0.2	0.5	0.8	0.2	0.4	0.6	0.2	0.2	0.3	0.1	1.8	2.6	1.2
2004.....	0.4	0.7	0.2	0.6	0.9	0.2	0.4	0.6	0.2	0.2	0.4	0.1	1.8	2.7	1.1
2003.....	0.4	0.7	0.2	0.6	1.0	0.2	0.4	0.7	0.2	0.2	0.4	0.1	1.9	3.0	1.0
2002.....	0.5	0.7	0.2	0.6	1.0	0.1	0.4	0.7	0.2	0.2	0.4	0.0	1.9	2.9	1.0
2001.....	0.5	0.8	0.2	0.7	1.2	0.2	0.5	0.8	0.2	0.2	0.4	0.1	2.1	3.2	1.2
2000.....	0.6	0.9	0.2	0.7	1.2	0.2	0.5	0.9	0.2	0.3	0.5	0.1	2.4	3.7	1.3
1999.....	0.6	0.9	0.2	0.7	1.2	0.2	0.5	0.9	0.2	0.3	0.5	0.1	2.3	3.7	1.2
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)															
2006.....	0.7	1.0	0.4	0.6	0.9	0.3	0.7	1.0	0.4	0.2	0.4	0.1	3.9	5.5	2.5
2005.....	0.7	1.0	0.4	0.7	1.1	0.3	0.7	1.0	0.4	0.2	0.4	0.1	3.8	5.5	2.3
2004.....	0.7	1.1	0.4	0.7	1.1	0.3	0.7	1.1	0.4	0.3	0.4	0.1	3.9	5.8	2.4
2003.....	1.1	1.6	0.6	1.3	2.0	0.7	1.1	1.6	0.7	0.4	0.6	0.1	5.9	8.4	3.8
2002.....	1.2	1.7	0.7	1.4	2.1	0.7	1.1	1.7	0.7	0.4	0.7	0.1	6.4	9.3	3.9
2001.....	1.2	1.8	0.7	1.5	2.2	0.8	1.2	1.7	0.7	0.4	0.7	0.1	6.3	9.2	3.9
2000.....	1.2	1.8	0.7	1.5	2.4	0.7	1.2	1.7	0.7	0.4	0.7	0.2	6.1	9.0	3.7
1999.....	1.2	1.8	0.7	1.5	2.2	0.8	1.2	1.8	0.7	0.4	0.7	0.2	6.5	9.6	3.8
Unspecified human immunodeficiency virus (HIV) disease (B24)															
2006.....	1.1	1.6	0.6	1.1	1.8	0.5	1.1	1.6	0.7	0.4	0.7	0.2	5.5	7.6	3.7
2005.....	1.2	1.7	0.6	1.2	1.7	0.6	1.2	1.7	0.7	0.5	0.8	0.2	5.6	8.0	3.5
2004.....	1.2	1.7	0.7	1.3	2.0	0.6	1.2	1.7	0.7	0.5	0.8	0.2	6.0	8.3	4.0
2003.....	1.0	1.5	0.6	1.0	1.4	0.5	1.0	1.5	0.5	0.4	0.7	0.1	5.0	7.3	3.0
2002.....	1.0	1.4	0.5	0.8	1.3	0.4	1.0	1.5	0.5	0.4	0.7	0.1	4.8	6.9	2.9
2001.....	1.0	1.5	0.5	0.8	1.3	0.3	1.0	1.5	0.5	0.4	0.8	0.1	4.8	7.1	2.8
2000.....	1.0	1.5	0.5	1.0	1.6	0.5	1.0	1.5	0.5	0.4	0.7	0.1	4.8	7.2	2.7
1999.....	1.0	1.5	0.5	1.2	1.9	0.4	0.9	1.4	0.5	0.4	0.7	0.1	4.5	6.7	2.6

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Sequelae of tuberculosis (B90)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	*	*	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	*	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2000.....	0.0	0.1	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1999.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.0	0.1	0.0	0.1	*	*
Sequelae of poliomyelitis (B91)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2004.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2003.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.2	0.1	0.1	0.1	0.1	*	*	*
2000.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)															
2006.....	0.4	0.4	0.3	0.3	0.5	0.3	0.4	0.4	0.3	0.4	0.4	0.3	0.6	0.7	0.4
2005.....	0.9	1.2	0.7	1.6	1.8	1.4	0.9	1.1	0.7	0.8	1.1	0.6	1.1	1.4	0.9
2004.....	0.9	1.2	0.7	1.6	2.0	1.2	0.9	1.1	0.7	0.9	1.1	0.7	1.0	1.4	0.8
2003.....	0.9	1.1	0.7	1.5	1.9	1.1	0.8	1.0	0.6	0.8	1.0	0.6	1.1	1.4	0.8
2002.....	0.6	0.8	0.4	1.1	1.5	0.8	0.6	0.7	0.4	0.5	0.7	0.4	0.7	1.0	0.6
2001.....	0.4	0.5	0.4	0.6	0.7	0.5	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.6	0.5
2000.....	0.3	0.4	0.3	0.5	0.6	0.4	0.3	0.4	0.3	0.3	0.4	0.2	0.5	0.7	0.4
1999.....	0.5	0.6	0.5	0.5	0.5	0.4	0.5	0.6	0.5	0.4	0.5	0.3	1.2	1.4	1.1
II. Neoplasms (C00-D48)															
2006.....	185.3	225.6	157.5	121.2	147.2	103.2	190.0	231.3	161.5	189.3	229.2	161.5	226.2	296.3	183.5
2005.....	188.3	230.6	159.4	125.4	156.0	104.1	192.8	235.8	163.3	191.7	233.2	163.1	231.0	303.7	186.9
2004.....	190.4	233.3	161.2	125.0	154.8	104.2	194.8	238.4	165.1	193.4	235.1	164.8	235.6	311.6	189.6
2003.....	194.7	239.1	164.8	129.8	160.3	108.8	198.8	243.9	168.4	197.2	240.6	167.8	241.6	319.3	194.6
2002.....	198.1	244.6	167.0	131.5	165.1	108.8	202.1	249.2	170.6	200.4	245.5	170.0	247.0	329.7	197.5
2001.....	200.9	249.8	168.8	135.6	172.1	111.4	204.6	254.0	172.2	202.4	249.4	171.4	251.3	341.0	198.5
2000.....	204.5	255.0	171.8	138.4	175.5	114.1	208.1	259.2	175.0	205.6	253.9	174.3	256.7	350.3	201.0
1999.....	205.6	258.0	171.7	138.1	174.1	114.0	209.1	262.2	174.7	206.2	256.7	173.5	260.8	355.7	204.2
Malignant neoplasms (C00-C97)															
2006.....	180.7	220.1	153.6	118.0	143.4	100.4	185.3	225.6	157.6	184.6	223.4	157.6	221.7	290.8	179.5
2005.....	183.8	225.1	155.6	122.8	152.7	102.0	188.2	230.2	159.4	187.0	227.3	159.1	226.8	299.0	183.0
2004.....	185.8	227.7	157.4	121.9	151.2	101.4	190.1	232.7	161.2	188.6	229.2	160.9	231.1	306.4	185.7
2003.....	190.1	233.3	160.9	126.6	156.5	105.9	194.1	238.1	164.4	192.4	234.6	163.8	237.3	314.2	190.8
2002.....	193.5	238.9	163.1	128.4	161.4	106.1	197.4	243.4	166.6	195.6	239.6	165.9	242.5	324.4	193.4
2001.....	196.0	243.7	164.7	132.3	168.2	108.6	199.7	247.9	168.0	197.4	243.1	167.2	246.7	335.3	194.4
2000.....	199.6	248.9	167.6	134.9	171.7	110.8	203.1	253.0	170.7	200.6	247.7	170.0	252.0	344.8	196.9
1999.....	200.8	251.9	167.6	134.8	170.6	110.9	204.2	256.0	170.6	201.2	250.4	169.4	255.9	350.3	199.8
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)															
2006.....	2.5	3.8	1.4	1.5	2.4	0.7	2.5	3.9	1.4	2.5	3.7	1.4	3.3	5.8	1.5
2005.....	2.5	3.9	1.4	1.4	2.3	0.7	2.6	4.0	1.5	2.5	3.7	1.5	3.6	6.6	1.4
2004.....	2.6	4.0	1.5	1.6	2.6	0.8	2.7	4.1	1.5	2.5	3.8	1.5	3.9	7.0	1.7
2003.....	2.6	4.0	1.5	1.7	2.7	0.9	2.7	4.2	1.5	2.6	3.9	1.5	3.9	7.0	1.7
2002.....	2.7	4.1	1.5	1.5	2.6	0.7	2.8	4.1	1.6	2.6	3.9	1.5	3.7	6.4	1.7
2001.....	2.7	4.1	1.6	1.8	2.9	1.0	2.8	4.2	1.6	2.6	3.9	1.6	3.9	6.8	1.8
2000.....	2.7	4.1	1.6	1.8	3.1	0.8	2.8	4.1	1.6	2.6	3.8	1.6	4.2	7.4	1.8
1999.....	2.7	4.1	1.6	1.9	3.0	1.0	2.8	4.2	1.6	2.6	3.9	1.6	4.4	7.6	2.1

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Of lip (C00)															
2006.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2001.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2000.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
1999.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
Of tongue (C01-C02)															
2006.....	0.6	0.9	0.4	0.4	0.6	0.3	0.6	0.9	0.4	0.6	0.9	0.4	0.6	1.0	0.3
2005.....	0.6	0.9	0.4	0.3	0.4	0.2	0.7	1.0	0.4	0.7	0.9	0.4	0.7	1.4	0.2
2004.....	0.6	0.9	0.4	0.4	0.6	0.2	0.6	0.9	0.4	0.6	0.9	0.4	0.7	1.2	0.3
2003.....	0.6	0.9	0.4	0.5	0.7	0.3	0.7	1.0	0.4	0.7	1.0	0.4	0.8	1.3	0.4
2002.....	0.7	0.9	0.4	0.4	0.7	0.2	0.7	1.0	0.4	0.7	0.9	0.4	0.8	1.3	0.3
2001.....	0.6	0.9	0.4	0.4	0.6	0.4	0.7	1.0	0.4	0.6	0.9	0.4	0.7	1.2	0.3
2000.....	0.6	0.9	0.4	0.5	0.8	*	0.6	0.9	0.4	0.6	0.9	0.4	0.8	1.4	0.3
1999.....	0.6	0.9	0.4	0.5	0.8	0.2	0.7	1.0	0.4	0.6	0.9	0.4	0.9	1.4	0.4
Of pharynx (C10-C13,C14.0)															
2006.....	1.0	1.7	0.5	0.6	1.1	0.3	1.0	1.7	0.5	0.9	1.5	0.5	1.8	3.4	0.6
2005.....	1.0	1.7	0.5	0.6	1.1	0.2	1.1	1.7	0.5	0.9	1.5	0.5	1.9	3.7	0.6
2004.....	1.1	1.8	0.5	0.7	1.2	0.3	1.1	1.8	0.5	1.0	1.6	0.5	2.2	3.9	0.9
2003.....	1.1	1.8	0.5	0.7	1.4	0.3	1.1	1.8	0.5	1.0	1.6	0.5	2.1	3.9	0.7
2002.....	1.1	1.7	0.6	0.6	1.2	0.2	1.1	1.8	0.6	1.0	1.6	0.5	1.9	3.3	0.9
2001.....	1.1	1.8	0.6	0.8	1.2	0.4	1.2	1.9	0.6	1.0	1.6	0.5	2.0	3.6	0.9
2000.....	1.1	1.8	0.6	0.7	1.2	0.3	1.1	1.9	0.6	1.0	1.5	0.5	2.3	4.1	0.9
1999.....	1.1	1.8	0.6	0.8	1.3	0.3	1.1	1.9	0.6	1.0	1.6	0.5	2.3	4.1	1.0
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)															
2006.....	0.8	1.2	0.5	0.5	0.8	0.2	0.8	1.2	0.5	0.8	1.2	0.5	0.9	1.4	0.6
2005.....	0.8	1.2	0.5	0.5	0.7	0.3	0.9	1.3	0.5	0.9	1.2	0.5	1.0	1.5	0.6
2004.....	0.9	1.2	0.5	0.5	0.7	0.3	0.9	1.3	0.6	0.9	1.3	0.6	1.0	1.8	0.4
2003.....	0.9	1.3	0.5	0.4	0.6	0.3	0.9	1.3	0.5	0.9	1.3	0.6	1.1	1.8	0.6
2002.....	0.9	1.3	0.6	0.5	0.8	0.3	0.9	1.4	0.6	0.9	1.4	0.6	1.1	1.8	0.5
2001.....	0.9	1.3	0.6	0.6	1.0	0.3	0.9	1.3	0.6	0.9	1.3	0.6	1.2	1.9	0.6
2000.....	0.9	1.3	0.6	0.6	1.0	0.2	0.9	1.3	0.6	0.9	1.3	0.6	1.1	1.9	0.6
1999.....	0.9	1.3	0.6	0.6	0.9	0.4	1.0	1.3	0.7	0.9	1.3	0.7	1.3	2.1	0.7
Malignant neoplasms of digestive organs (C15-C26)															
2006.....	43.2	55.3	33.6	38.5	48.0	30.8	43.5	55.7	33.8	41.8	53.6	32.2	59.8	78.6	46.8
2005.....	43.5	56.0	33.7	39.3	50.1	30.9	43.8	56.4	33.8	42.0	54.1	32.2	60.9	80.0	47.5
2004.....	43.9	56.4	34.2	39.1	50.1	30.5	44.2	56.7	34.4	42.4	54.5	32.8	61.3	79.7	48.4
2003.....	45.1	57.7	35.3	40.2	51.0	31.7	45.3	58.0	35.4	43.3	55.7	33.7	63.4	82.3	50.3
2002.....	45.7	58.8	35.6	40.2	51.0	31.7	46.0	59.1	35.8	44.0	56.8	34.1	64.4	84.1	50.9
2001.....	46.4	59.4	36.5	41.7	52.9	33.4	46.6	59.6	36.6	44.6	57.3	34.8	65.7	84.4	52.8
2000.....	47.2	60.5	37.2	42.1	54.6	32.9	47.4	60.7	37.3	45.3	58.2	35.6	67.2	87.5	53.4
1999.....	47.3	60.7	37.3	41.9	53.0	33.5	47.5	61.0	37.4	45.4	58.4	35.7	67.5	88.2	53.4
Of esophagus (C15)															
2006.....	4.4	7.8	1.7	2.3	4.0	0.9	4.6	8.1	1.7	4.6	8.3	1.7	4.9	8.5	2.4
2005.....	4.4	7.9	1.7	2.3	4.2	0.8	4.6	8.2	1.7	4.6	8.3	1.6	5.1	9.0	2.4
2004.....	4.3	7.7	1.7	2.2	4.0	0.9	4.5	8.0	1.8	4.5	8.0	1.7	5.5	9.1	2.9
2003.....	4.4	7.7	1.7	2.2	3.8	1.0	4.5	8.0	1.8	4.5	8.0	1.7	5.8	9.9	2.9
2002.....	4.4	7.8	1.7	2.3	4.2	0.9	4.5	8.0	1.8	4.5	8.0	1.7	6.0	10.3	3.0
2001.....	4.4	7.8	1.8	2.4	4.4	1.0	4.5	8.0	1.8	4.4	7.9	1.7	6.5	11.5	3.0
2000.....	4.4	7.7	1.8	2.5	4.6	1.1	4.5	7.9	1.9	4.4	7.8	1.7	6.6	11.2	3.3
1999.....	4.4	7.7	1.8	2.5	4.7	1.0	4.5	7.9	1.8	4.3	7.6	1.7	6.6	11.6	3.1

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Of liver and intrahepatic bile ducts (C22)															
2006.....	5.3	7.7	3.3	7.9	11.2	5.1	5.1	7.4	3.1	4.6	6.6	2.9	7.1	11.3	3.9
2005.....	5.2	7.7	3.2	8.3	11.7	5.4	5.0	7.4	3.0	4.5	6.6	2.8	7.1	11.4	3.8
2004.....	5.1	7.4	3.2	7.6	10.9	4.9	4.9	7.1	3.1	4.4	6.3	2.8	7.0	10.9	4.2
2003.....	5.0	7.4	3.1	7.8	10.8	5.2	4.8	7.1	3.0	4.3	6.3	2.7	6.7	10.3	4.0
2002.....	4.9	7.1	3.0	7.5	10.7	4.9	4.7	6.9	2.9	4.2	6.2	2.7	6.4	10.0	3.7
2001.....	4.7	6.9	3.0	7.3	10.4	4.9	4.6	6.7	2.9	4.1	6.0	2.6	6.3	9.2	4.1
2000.....	4.7	6.8	3.0	7.5	10.7	4.9	4.5	6.6	2.9	4.0	5.8	2.6	6.2	9.7	3.6
1999.....	4.5	6.5	3.0	7.2	10.0	5.0	4.4	6.3	2.8	3.9	5.6	2.6	6.0	8.8	3.9
Liver (C22.0,C22.2-C22.9)															
2006.....	4.1	6.4	2.2	6.5	9.7	3.8	3.9	6.1	2.1	3.4	5.3	1.8	6.1	10.2	3.0
2005.....	4.1	6.4	2.2	6.9	10.3	4.0	3.9	6.1	2.0	3.4	5.3	1.8	6.0	10.0	2.9
2004.....	3.9	6.1	2.2	6.3	9.5	3.6	3.8	5.8	2.1	3.2	5.0	1.8	6.0	9.8	3.2
2003.....	3.9	6.0	2.1	6.4	9.5	3.8	3.7	5.7	2.0	3.2	5.0	1.7	5.6	9.1	3.1
2002.....	3.8	5.9	2.1	6.4	9.6	3.9	3.7	5.7	2.0	3.2	5.0	1.8	5.4	8.8	2.9
2001.....	3.7	5.7	2.1	6.2	9.3	3.8	3.5	5.5	2.0	3.1	4.9	1.7	5.4	8.2	3.3
2000.....	3.7	5.7	2.1	6.3	9.6	3.8	3.5	5.4	2.0	3.0	4.7	1.7	5.3	8.7	2.9
1999.....	3.6	5.4	2.1	6.1	9.0	3.8	3.4	5.2	2.0	3.0	4.6	1.8	5.2	8.0	3.2
Intrahepatic bile duct carcinoma (C22.1)															
2006.....	1.2	1.3	1.1	1.4	1.5	1.3	1.2	1.3	1.0	1.2	1.3	1.1	1.0	1.1	0.9
2005.....	1.1	1.4	1.0	1.4	1.4	1.4	1.2	1.4	1.0	1.1	1.3	1.0	1.1	1.4	0.9
2004.....	1.2	1.3	1.1	1.3	1.5	1.2	1.2	1.3	1.0	1.1	1.3	1.0	1.0	1.1	1.0
2003.....	1.1	1.3	1.0	1.3	1.4	1.3	1.1	1.3	0.9	1.1	1.3	0.9	1.1	1.3	0.9
2002.....	1.0	1.2	0.9	1.1	1.2	1.0	1.1	1.2	0.9	1.0	1.2	0.9	0.9	1.2	0.8
2001.....	1.0	1.2	0.9	1.2	1.1	1.2	1.0	1.2	0.9	1.0	1.2	0.8	0.9	1.1	0.8
2000.....	1.0	1.1	0.9	1.1	1.2	1.1	1.0	1.1	0.8	1.0	1.2	0.8	0.8	0.9	0.8
1999.....	0.9	1.0	0.9	1.1	1.0	1.2	0.9	1.0	0.8	0.9	1.0	0.8	0.8	0.9	0.7
Of gallbladder and extrahepatic bile ducts (C23-C24)															
2006.....	1.1	1.0	1.2	1.5	1.1	1.8	1.1	1.0	1.2	1.1	1.0	1.1	1.2	1.0	1.4
2005.....	1.1	1.0	1.2	1.4	1.1	1.7	1.1	1.0	1.2	1.1	1.0	1.2	1.3	1.2	1.4
2004.....	1.1	1.0	1.2	1.4	1.2	1.5	1.1	1.0	1.2	1.1	1.0	1.2	1.2	1.0	1.4
2003.....	1.2	1.1	1.2	1.4	1.1	1.6	1.1	1.1	1.2	1.1	1.1	1.2	1.1	0.9	1.3
2002.....	1.2	1.1	1.3	1.6	1.4	1.9	1.1	1.1	1.2	1.1	1.1	1.2	1.3	1.1	1.5
2001.....	1.3	1.2	1.4	1.9	1.5	2.1	1.2	1.1	1.3	1.2	1.1	1.3	1.3	1.1	1.5
2000.....	1.3	1.2	1.4	1.9	1.5	2.2	1.3	1.2	1.4	1.3	1.2	1.3	1.2	0.9	1.4
1999.....	1.3	1.2	1.4	2.0	1.3	2.6	1.3	1.2	1.3	1.2	1.2	1.3	1.3	1.0	1.4
Of pancreas (C25)															
2006.....	10.8	12.3	9.5	8.0	8.9	7.3	11.0	12.6	9.6	10.8	12.6	9.4	13.8	15.1	12.7
2005.....	10.8	12.3	9.5	8.6	9.4	7.8	10.9	12.5	9.6	10.7	12.4	9.4	13.9	15.6	12.5
2004.....	10.6	12.3	9.3	8.2	9.1	7.4	10.8	12.5	9.4	10.6	12.3	9.2	13.8	15.7	12.2
2003.....	10.5	12.0	9.3	8.2	9.2	7.4	10.6	12.2	9.4	10.4	12.0	9.1	13.9	15.6	12.6
2002.....	10.5	12.1	9.2	7.9	8.4	7.4	10.7	12.3	9.3	10.5	12.2	9.0	13.8	15.5	12.5
2001.....	10.5	12.1	9.3	8.4	9.0	7.8	10.7	12.3	9.4	10.5	12.2	9.2	13.8	15.1	12.6
2000.....	10.6	12.2	9.3	8.4	9.4	7.5	10.7	12.3	9.4	10.5	12.2	9.1	14.3	16.0	12.9
1999.....	10.6	12.3	9.3	7.9	8.8	7.2	10.8	12.4	9.4	10.5	12.2	9.2	14.3	16.7	12.5
Of other and ill-defined digestive organs (C26)															
2006.....	0.4	0.5	0.3	0.3	0.5	0.2	0.4	0.5	0.3	0.4	0.4	0.3	0.5	0.7	0.4
2005.....	0.4	0.4	0.3	0.2	0.3	*	0.4	0.4	0.3	0.3	0.4	0.3	0.4	0.6	0.4
2004.....	0.4	0.4	0.3	0.3	0.4	0.2	0.4	0.4	0.3	0.4	0.4	0.3	0.4	0.5	0.4
2003.....	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.6	0.4	0.4	0.5	0.4	0.6	0.8	0.5
2002.....	0.5	0.5	0.4	0.4	0.4	0.3	0.5	0.6	0.4	0.5	0.5	0.4	0.6	0.9	0.5
2001.....	0.5	0.6	0.4	0.3	0.5	0.3	0.5	0.6	0.4	0.5	0.6	0.4	0.7	0.9	0.6
2000.....	0.5	0.6	0.4	0.4	0.6	0.3	0.5	0.6	0.4	0.5	0.6	0.4	0.7	0.7	0.6
1999.....	0.6	0.7	0.5	0.5	0.7	0.4	0.6	0.7	0.5	0.6	0.7	0.5	0.7	0.9	0.5

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)															
2006.....	53.0	69.6	40.8	21.7	32.4	13.9	55.4	72.4	42.8	56.2	72.1	44.2	60.4	90.1	40.8
2005.....	54.2	71.6	41.2	23.6	35.5	14.7	56.4	74.2	43.2	57.0	73.9	44.5	62.4	93.2	41.9
2004.....	54.8	72.7	41.6	23.6	35.9	14.6	56.9	75.2	43.5	57.4	74.5	44.8	63.5	96.8	41.6
2003.....	55.7	74.5	42.0	24.3	36.7	15.2	57.8	76.9	43.8	58.3	76.2	45.1	64.9	100.0	41.9
2002.....	56.5	76.0	42.3	24.9	38.2	15.2	58.6	78.4	44.1	59.0	77.6	45.4	65.8	102.0	41.9
2001.....	57.0	78.1	41.8	25.1	39.2	15.1	59.0	80.4	43.5	59.3	79.3	44.7	66.4	106.1	40.6
2000.....	57.8	79.7	42.1	25.9	41.2	15.1	59.7	81.9	43.7	59.8	80.7	44.8	68.2	108.7	41.7
1999.....	57.2	79.8	41.1	26.5	42.4	15.1	58.9	81.8	42.6	58.9	80.4	43.4	68.7	109.9	41.7
Of nasal cavity, middle ear and accessory sinuses (C30-C31)															
2006.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1
2005.....	0.2	0.2	0.1	0.1	0.2	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	*
2004.....	0.2	0.2	0.1	*	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	*
2003.....	0.1	0.2	0.1	0.1	0.2	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	*
2002.....	0.2	0.2	0.1	0.2	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	*
2001.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	*
2000.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1
1999.....	0.2	0.2	0.1	*	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	*
Of larynx (C32)															
2006.....	1.2	2.2	0.5	0.8	1.8	*	1.3	2.2	0.5	1.2	2.1	0.5	2.2	4.3	0.7
2005.....	1.2	2.2	0.5	0.9	1.9	*	1.3	2.3	0.5	1.2	2.1	0.5	2.3	4.6	0.8
2004.....	1.2	2.2	0.4	1.0	2.1	*	1.2	2.2	0.5	1.2	2.1	0.4	2.3	4.6	0.7
2003.....	1.3	2.4	0.5	0.9	1.9	*	1.3	2.4	0.5	1.2	2.2	0.5	2.5	5.2	0.7
2002.....	1.3	2.3	0.5	0.9	1.7	0.3	1.3	2.4	0.5	1.2	2.2	0.5	2.5	4.9	0.9
2001.....	1.3	2.5	0.5	1.0	1.9	0.2	1.4	2.5	0.5	1.2	2.3	0.5	2.6	5.0	0.9
2000.....	1.4	2.5	0.5	0.9	1.9	*	1.4	2.6	0.5	1.3	2.3	0.5	2.8	5.5	1.0
1999.....	1.4	2.5	0.5	1.2	2.5	0.3	1.4	2.5	0.5	1.3	2.3	0.5	2.6	5.2	0.8
Of trachea, bronchus and lung (C33-C34)															
2006.....	51.5	67.0	40.0	20.7	30.3	13.6	53.9	69.8	42.1	54.7	69.7	43.5	57.9	85.4	39.8
2005.....	52.6	69.0	40.5	22.4	33.3	14.4	54.8	71.6	42.5	55.5	71.4	43.7	59.6	88.1	40.9
2004.....	53.2	70.1	40.9	22.4	33.4	14.3	55.4	72.6	42.8	56.0	72.1	44.1	60.9	91.7	40.6
2003.....	54.1	71.7	41.3	23.2	34.5	14.8	56.2	74.1	43.1	56.7	73.6	44.3	62.0	94.2	40.9
2002.....	54.9	73.2	41.6	23.7	36.2	14.6	56.9	75.6	43.3	57.5	75.0	44.6	62.9	96.6	40.8
2001.....	55.3	75.2	41.0	23.8	36.8	14.5	57.2	77.4	42.7	57.7	76.6	44.0	63.4	100.5	39.4
2000.....	56.1	76.7	41.3	24.8	39.0	14.7	57.9	78.9	42.9	58.2	77.9	44.1	64.9	102.6	40.4
1999.....	55.5	76.9	40.2	25.0	39.6	14.6	57.2	78.8	41.7	57.2	77.6	42.7	65.7	104.3	40.6
Of thymus, heart, mediastinum and pleura (C37-C38)															
2006.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
2005.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2
2004.....	0.2	0.2	0.1	0.2	0.2	*	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2
2003.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1
2002.....	0.2	0.2	0.1	0.2	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1
2001.....	0.2	0.2	0.1	0.2	0.3	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2
2000.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2
1999.....	0.1	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2
Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2001.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2000.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
1999.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Malignant neoplasms of bone and articular cartilage (C40-C41)															
2006.....	0.4	0.5	0.4	0.4	0.4	0.3	0.4	0.5	0.4	0.4	0.6	0.4	0.5	0.6	0.4
2005.....	0.5	0.6	0.4	0.4	0.5	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.5	0.5	0.4
2004.....	0.4	0.5	0.4	0.4	0.3	0.4	0.4	0.5	0.4	0.5	0.5	0.3	0.5	0.6	0.5
2003.....	0.4	0.5	0.3	0.4	0.5	0.2	0.4	0.5	0.3	0.4	0.6	0.4	0.4	0.5	0.4
2002.....	0.4	0.5	0.3	0.4	0.5	0.2	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3
2001.....	0.5	0.6	0.4	0.4	0.5	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.5	0.6	0.4
2000.....	0.4	0.6	0.3	0.4	0.4	0.4	0.4	0.6	0.3	0.4	0.6	0.3	0.4	0.6	0.3
1999.....	0.4	0.5	0.4	0.4	0.7	0.3	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.3
Melanoma and other malignant neoplasms of skin (C43-C44)															
2006.....	3.5	5.5	2.1	1.1	1.5	0.8	3.7	5.9	2.2	4.3	6.5	2.5	0.9	1.4	0.5
2005.....	3.5	5.4	2.2	1.1	1.6	0.7	3.7	5.6	2.3	4.2	6.4	2.6	0.9	1.3	0.7
2004.....	3.5	5.3	2.1	0.9	1.2	0.7	3.6	5.6	2.2	4.1	6.2	2.5	0.9	1.4	0.6
2003.....	3.5	5.2	2.2	1.2	1.7	0.8	3.6	5.5	2.3	4.1	6.2	2.6	0.9	1.2	0.7
2002.....	3.4	5.1	2.1	1.2	1.5	0.9	3.6	5.4	2.2	4.0	6.0	2.6	1.0	1.5	0.6
2001.....	3.5	5.3	2.2	1.2	1.6	0.9	3.7	5.6	2.3	4.2	6.2	2.6	1.0	1.4	0.7
2000.....	3.5	5.2	2.2	1.2	1.9	0.8	3.6	5.4	2.3	4.1	6.0	2.6	1.1	1.5	0.9
1999.....	3.5	5.2	2.2	1.2	1.6	0.9	3.6	5.5	2.3	4.0	6.0	2.6	1.0	1.6	0.5
Malignant melanoma of skin (C43)															
2006.....	2.7	4.0	1.7	0.8	1.0	0.7	2.9	4.3	1.8	3.3	4.9	2.1	0.4	0.6	0.3
2005.....	2.7	4.0	1.8	0.7	1.0	0.5	2.9	4.2	1.9	3.3	4.8	2.2	0.5	0.5	0.4
2004.....	2.7	3.9	1.7	0.6	0.7	0.5	2.8	4.2	1.8	3.3	4.8	2.1	0.4	0.5	0.4
2003.....	2.7	3.9	1.8	0.8	1.0	0.6	2.8	4.1	1.8	3.2	4.7	2.1	0.5	0.4	0.4
2002.....	2.6	3.8	1.7	0.8	0.8	0.7	2.7	4.0	1.8	3.1	4.5	2.1	0.4	0.5	0.3
2001.....	2.7	3.9	1.8	0.8	0.9	0.7	2.8	4.1	1.8	3.2	4.7	2.1	0.4	0.3	0.5
2000.....	2.7	3.8	1.8	0.8	1.1	0.5	2.8	4.0	1.9	3.2	4.5	2.2	0.6	0.6	0.5
1999.....	2.6	3.8	1.7	0.8	1.0	0.6	2.8	4.0	1.8	3.1	4.5	2.1	0.4	0.5	0.3
Other malignant neoplasms of skin (C44)															
2006.....	0.8	1.5	0.4	0.3	0.5	*	0.9	1.5	0.4	0.9	1.6	0.4	0.4	0.8	0.1
2005.....	0.8	1.4	0.4	0.4	0.6	0.2	0.8	1.4	0.4	0.9	1.5	0.4	0.5	0.8	0.3
2004.....	0.8	1.3	0.4	0.3	0.4	0.2	0.8	1.4	0.4	0.9	1.5	0.4	0.5	0.8	0.2
2003.....	0.8	1.4	0.4	0.4	0.7	0.2	0.8	1.4	0.4	0.9	1.5	0.5	0.5	0.7	0.3
2002.....	0.8	1.4	0.4	0.4	0.7	*	0.8	1.4	0.4	0.9	1.5	0.5	0.6	1.0	0.3
2001.....	0.9	1.4	0.5	0.4	0.7	*	0.9	1.5	0.5	0.9	1.5	0.5	0.6	1.0	0.2
2000.....	0.8	1.4	0.4	0.4	0.7	0.2	0.8	1.4	0.4	0.9	1.5	0.4	0.6	0.9	0.4
1999.....	0.8	1.4	0.4	0.4	0.6	0.2	0.9	1.5	0.4	0.9	1.6	0.5	0.6	1.1	0.2
Malignant neoplasms of mesothelial and soft tissue (C45-C49)															
2006.....	2.4	3.1	1.8	1.6	1.8	1.4	2.4	3.2	1.8	2.5	3.4	1.9	2.0	2.3	1.8
2005.....	2.4	3.2	1.9	1.7	2.2	1.4	2.4	3.2	1.9	2.5	3.4	1.9	2.0	2.3	1.8
2004.....	2.4	3.2	1.8	1.4	1.9	1.1	2.5	3.3	1.9	2.6	3.5	1.9	2.0	2.3	1.8
2003.....	2.4	3.2	1.8	1.7	2.1	1.4	2.4	3.2	1.8	2.5	3.4	1.9	2.0	2.5	1.7
2002.....	2.4	3.2	1.8	1.7	2.3	1.3	2.4	3.3	1.8	2.5	3.4	1.8	2.0	2.4	1.8
2001.....	2.4	3.2	1.8	1.6	2.1	1.3	2.4	3.3	1.8	2.5	3.5	1.9	1.9	2.2	1.7
2000.....	2.5	3.3	1.8	1.5	2.0	1.2	2.5	3.4	1.9	2.6	3.6	1.9	2.1	2.6	1.9
1999.....	2.4	3.3	1.8	1.7	1.9	1.5	2.5	3.4	1.8	2.5	3.5	1.8	2.2	2.6	1.9
Mesothelioma (C45)															
2006.....	0.8	1.5	0.3	0.4	0.7	0.2	0.8	1.6	0.3	0.9	1.7	0.3	0.4	0.9	0.2
2005.....	0.9	1.6	0.3	0.6	1.1	0.2	0.9	1.6	0.3	0.9	1.8	0.3	0.4	0.8	0.1
2004.....	0.8	1.6	0.3	0.4	0.7	*	0.9	1.7	0.3	0.9	1.8	0.3	0.3	0.8	*
2003.....	0.8	1.6	0.3	0.6	1.1	0.2	0.9	1.7	0.3	0.9	1.8	0.3	0.4	0.9	*
2002.....	0.9	1.7	0.2	0.5	1.0	*	0.9	1.7	0.2	0.9	1.9	0.3	0.4	0.8	*
2001.....	0.8	1.6	0.3	0.4	0.8	*	0.9	1.7	0.3	1.0	1.8	0.3	0.2	0.5	*
2000.....	0.9	1.7	0.3	0.4	0.7	*	0.9	1.7	0.3	0.9	1.9	0.3	0.4	0.8	0.1
1999.....	0.9	1.6	0.3	0.4	0.7	0.2	0.9	1.7	0.3	0.9	1.8	0.3	0.4	0.8	0.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Kaposi's sarcoma (C46)															
2006.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2005.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2004.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	*	*	*	*	*
2001.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	*	*	*	*	*
2000.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	*	*	*	*	*
1999.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
Of other mesothelial and soft tissue (C47-C49)															
2006.....	1.5	1.6	1.6	1.1	1.1	1.2	1.6	1.6	1.6	1.6	1.7	1.6	1.5	1.3	1.6
2005.....	1.5	1.5	1.5	1.1	1.1	1.1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.5	1.7
2004.....	1.5	1.6	1.5	1.0	1.0	1.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.7
2003.....	1.5	1.5	1.5	1.1	1.0	1.1	1.5	1.5	1.5	1.5	1.6	1.5	1.6	1.6	1.7
2002.....	1.5	1.5	1.5	1.1	1.2	1.1	1.5	1.5	1.5	1.5	1.6	1.5	1.7	1.6	1.6
2001.....	1.5	1.5	1.5	1.1	1.2	1.1	1.5	1.6	1.5	1.6	1.6	1.5	1.6	1.7	1.6
2000.....	1.6	1.6	1.5	1.1	1.2	1.0	1.6	1.7	1.6	1.6	1.7	1.6	1.6	1.6	1.7
1999.....	1.6	1.6	1.5	1.2	1.3	1.2	1.6	1.7	1.5	1.6	1.7	1.5	1.8	1.8	1.7
Malignant neoplasm of breast (C50)															
2006.....	13.2	0.3	23.5	8.2	*	15.0	13.5	0.3	24.1	13.1	0.3	23.5	19.0	0.5	32.2
2005.....	13.5	0.3	24.1	8.2	*	15.0	13.9	0.3	24.8	13.5	0.3	24.0	19.7	0.5	33.5
2004.....	13.8	0.3	24.4	8.7	*	15.6	14.1	0.3	25.1	13.7	0.3	24.5	19.4	0.5	32.9
2003.....	14.2	0.3	25.3	8.9	*	16.1	14.6	0.3	25.9	14.2	0.3	25.2	20.5	0.5	34.6
2002.....	14.5	0.3	25.6	8.6	*	15.5	14.8	0.3	26.2	14.4	0.3	25.6	20.5	0.6	34.6
2001.....	14.8	0.3	26.0	9.1	*	16.3	15.1	0.4	26.6	14.7	0.3	26.0	20.8	0.6	35.1
2000.....	15.3	0.4	26.8	9.5	*	16.9	15.6	0.4	27.3	15.2	0.4	26.8	20.9	0.6	35.1
1999.....	15.2	0.3	26.6	9.2	*	16.4	15.5	0.3	27.2	15.1	0.3	26.6	21.2	0.7	35.7
Malignant neoplasms of female genital organs (C51-C58)															
2006.....	9.0	...	16.1	7.2	...	13.1	9.1	...	16.3	9.0	...	16.2	11.6	...	19.6
2005.....	8.9	...	16.0	7.1	...	13.0	9.0	...	16.2	8.9	...	16.0	11.7	...	19.8
2004.....	9.0	...	16.2	7.0	...	12.6	9.2	...	16.4	9.0	...	16.2	12.0	...	20.3
2003.....	9.2	...	16.4	7.0	...	12.6	9.3	...	16.6	9.2	...	16.4	12.1	...	20.3
2002.....	9.4	...	16.7	7.3	...	13.1	9.5	...	16.9	9.3	...	16.7	12.4	...	20.8
2001.....	9.5	...	16.8	7.6	...	13.5	9.6	...	17.0	9.4	...	16.7	12.3	...	20.6
2000.....	9.5	...	16.8	8.1	...	14.3	9.6	...	16.9	9.4	...	16.7	12.7	...	21.2
1999.....	9.4	...	16.7	7.3	...	13.0	9.5	...	16.8	9.4	...	16.7	12.4	...	20.8
Of vulva and vagina (C51-C52)															
2006.....	0.4	...	0.7	0.4	...	0.7	0.4	...	0.7	0.4	...	0.7	0.4	...	0.6
2005.....	0.4	...	0.7	0.3	...	0.5	0.4	...	0.7	0.4	...	0.7	0.3	...	0.6
2004.....	0.4	...	0.7	0.3	...	0.5	0.4	...	0.7	0.4	...	0.7	0.4	...	0.7
2003.....	0.4	...	0.7	0.3	...	0.5	0.4	...	0.7	0.4	...	0.7	0.4	...	0.6
2002.....	0.4	...	0.7	0.3	...	0.5	0.4	...	0.7	0.4	...	0.7	0.4	...	0.6
2001.....	0.4	...	0.7	0.3	...	0.5	0.4	...	0.7	0.4	...	0.7	0.5	...	0.8
2000.....	0.4	...	0.7	0.4	...	0.6	0.4	...	0.7	0.4	...	0.7	0.4	...	0.7
1999.....	0.4	...	0.7	0.4	...	0.6	0.4	...	0.7	0.4	...	0.7	0.4	...	0.7
Of cervix uteri (C53)															
2006.....	1.3	...	2.4	1.6	...	3.1	1.3	...	2.4	1.1	...	2.1	2.5	...	4.4
2005.....	1.3	...	2.4	1.6	...	3.1	1.3	...	2.4	1.1	...	2.1	2.6	...	4.5
2004.....	1.3	...	2.4	1.7	...	3.1	1.3	...	2.4	1.1	...	2.1	2.7	...	4.6
2003.....	1.3	...	2.5	1.6	...	3.0	1.3	...	2.4	1.1	...	2.2	2.7	...	4.8
2002.....	1.3	...	2.6	1.7	...	3.1	1.3	...	2.5	1.1	...	2.2	2.9	...	5.0
2001.....	1.4	...	2.7	1.8	...	3.4	1.4	...	2.6	1.2	...	2.3	2.8	...	4.9
2000.....	1.5	...	2.8	2.2	...	4.0	1.5	...	2.7	1.2	...	2.3	3.2	...	5.5
1999.....	1.5	...	2.8	1.9	...	3.6	1.5	...	2.8	1.3	...	2.5	3.2	...	5.4

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Of corpus uteri and uterus, part unspecified (C54-C55)															
2006.....	2.4	...	4.2	1.7	...	3.1	2.4	...	4.3	2.2	...	4.0	4.4	...	7.4
2005.....	2.3	...	4.1	1.8	...	3.2	2.3	...	4.1	2.2	...	3.9	4.3	...	7.2
2004.....	2.3	...	4.1	1.6	...	2.9	2.4	...	4.2	2.2	...	3.9	4.2	...	7.0
2003.....	2.3	...	4.1	1.7	...	3.0	2.4	...	4.2	2.2	...	3.9	4.3	...	7.1
2002.....	2.4	...	4.2	1.9	...	3.3	2.4	...	4.2	2.2	...	3.9	4.5	...	7.4
2001.....	2.4	...	4.2	1.9	...	3.3	2.4	...	4.2	2.3	...	4.0	4.3	...	7.0
2000.....	2.4	...	4.1	1.8	...	3.1	2.4	...	4.2	2.2	...	3.9	4.5	...	7.4
1999.....	2.4	...	4.1	1.8	...	3.1	2.4	...	4.1	2.3	...	3.9	4.2	...	6.9
Of ovary (C56)															
2006.....	4.8	...	8.5	3.4	...	6.0	4.9	...	8.7	5.1	...	9.2	4.1	...	6.9
2005.....	4.8	...	8.6	3.3	...	6.0	4.9	...	8.8	5.1	...	9.2	4.4	...	7.4
2004.....	4.9	...	8.8	3.3	...	5.9	5.1	...	9.0	5.2	...	9.3	4.6	...	7.8
2003.....	5.0	...	8.8	3.3	...	5.9	5.1	...	9.1	5.3	...	9.4	4.5	...	7.5
2002.....	5.1	...	9.0	3.3	...	6.0	5.2	...	9.2	5.4	...	9.6	4.5	...	7.5
2001.....	5.1	...	9.0	3.5	...	6.1	5.2	...	9.2	5.4	...	9.5	4.6	...	7.6
2000.....	5.1	...	8.9	3.7	...	6.4	5.2	...	9.1	5.3	...	9.5	4.4	...	7.3
1999.....	5.0	...	8.8	3.1	...	5.5	5.1	...	9.0	5.2	...	9.3	4.4	...	7.4
Of other and unspecified female genital organs (C57)															
2006.....	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3
2005.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.1	...	0.1	0.1	...	0.1
2004.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.1	...	0.1	0.1	...	0.1
2003.....	0.1	...	0.2	*	...	*	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3
2002.....	0.1	...	0.3	*	...	*	0.1	...	0.3	0.1	...	0.3	0.2	...	0.3
2001.....	0.1	...	0.2	*	...	*	0.1	...	0.2	0.1	...	0.3	0.1	...	0.2
2000.....	0.1	...	0.2	*	...	*	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3
1999.....	0.1	...	0.3	*	...	*	0.1	...	0.3	0.1	...	0.3	0.2	...	0.3
Of placenta (C58)															
2006.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2005.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2004.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*	*	...	*
2003.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2002.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2001.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2000.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
1999.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
Malignant neoplasms of male genital organs (C60-C63)															
2006.....	9.4	23.9	...	7.6	18.7	...	9.5	24.2	...	8.7	22.3	...	18.7	51.7	...
2005.....	9.7	25.0	...	7.7	19.2	...	9.8	25.3	...	9.1	23.3	...	19.6	54.6	...
2004.....	10.0	25.9	...	7.9	19.7	...	10.1	26.2	...	9.3	24.1	...	20.2	56.8	...
2003.....	10.3	26.9	...	8.2	20.7	...	10.4	27.2	...	9.6	25.1	...	20.9	58.8	...
2002.....	10.8	28.4	...	8.7	22.2	...	10.9	28.7	...	10.0	26.3	...	22.4	63.2	...
2001.....	11.1	29.6	...	9.4	24.1	...	11.2	29.8	...	10.2	27.1	...	23.5	67.2	...
2000.....	11.5	30.8	...	8.6	22.2	...	11.6	31.2	...	10.6	28.5	...	24.3	69.2	...
1999.....	11.9	31.8	...	9.1	23.6	...	12.0	32.1	...	11.0	29.4	...	24.7	70.1	...
Of prostate (C61)															
2006.....	9.2	23.5	...	7.3	18.1	...	9.3	23.8	...	8.5	21.9	...	18.5	51.3	...
2005.....	9.5	24.5	...	7.4	18.5	...	9.6	24.9	...	8.9	22.8	...	19.4	54.1	...
2004.....	9.8	25.4	...	7.6	19.1	...	9.9	25.7	...	9.1	23.6	...	20.0	56.4	...
2003.....	10.1	26.5	...	7.9	20.2	...	10.2	26.8	...	9.4	24.6	...	20.7	58.2	...
2002.....	10.6	27.9	...	8.4	21.6	...	10.7	28.2	...	9.8	25.8	...	22.2	62.8	...
2001.....	10.9	29.1	...	9.1	23.5	...	11.0	29.3	...	10.0	26.7	...	23.3	66.8	...
2000.....	11.3	30.4	...	8.3	21.6	...	11.4	30.7	...	10.3	28.0	...	24.1	68.8	...
1999.....	11.6	31.3	...	8.8	23.0	...	11.7	31.7	...	10.7	28.9	...	24.5	69.7	...

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Of testis (C62)															
2006.....	0.1	0.2	...	0.1	0.3	...	0.1	0.2	...	0.1	0.3	...	0.0	0.1	...
2005.....	0.1	0.3	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...	0.1	0.2	...
2004.....	0.1	0.3	...	0.1	0.2	...	0.1	0.3	...	0.1	0.3	...	0.1	0.2	...
2003.....	0.1	0.2	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...	0.1	0.2	...
2002.....	0.1	0.3	...	0.1	0.3	...	0.1	0.3	...	0.2	0.3	...	0.1	0.2	...
2001.....	0.1	0.2	...	0.1	0.3	...	0.1	0.2	...	0.1	0.3	...	0.1	0.2	...
2000.....	0.1	0.3	...	0.1	0.2	...	0.1	0.3	...	0.1	0.3	...	0.1	0.2	...
1999.....	0.1	0.3	...	0.1	0.2	...	0.1	0.3	...	0.2	0.3	...	0.1	0.1	...
Of penis and other and unspecified male genital organs (C60,C63)															
2006.....	0.1	0.2	...	0.2	0.3	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...
2005.....	0.1	0.2	...	0.2	0.4	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...
2004.....	0.1	0.2	...	0.2	0.4	...	0.1	0.2	...	0.1	0.2	...	0.1	0.2	...
2003.....	0.1	0.2	...	0.1	0.3	...	0.1	0.2	...	0.1	0.2	...	0.1	0.4	...
2002.....	0.1	0.2	...	0.1	0.4	...	0.1	0.2	...	0.1	0.2	...	0.1	0.2	...
2001.....	0.1	0.2	...	0.1	0.3	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...
2000.....	0.1	0.2	...	0.2	0.3	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...
1999.....	0.1	0.2	...	0.2	0.4	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...
Malignant neoplasms of urinary tract (C64-C68)															
2006.....	8.6	13.6	5.0	5.6	8.3	3.5	8.8	14.0	5.1	9.1	14.5	5.2	8.0	11.8	5.6
2005.....	8.7	13.7	5.1	6.1	9.4	3.8	8.8	14.0	5.2	9.1	14.5	5.3	8.0	12.0	5.4
2004.....	8.7	13.7	5.1	6.0	9.0	3.8	8.8	14.0	5.2	9.2	14.6	5.3	7.9	11.1	5.7
2003.....	8.7	13.7	5.1	6.2	9.1	4.0	8.8	13.9	5.2	9.1	14.5	5.3	8.1	11.8	5.8
2002.....	8.9	13.9	5.3	6.2	9.6	3.8	9.0	14.1	5.4	9.2	14.6	5.4	8.3	11.7	6.2
2001.....	8.8	14.1	5.2	6.2	9.8	3.7	9.0	14.3	5.3	9.2	14.8	5.3	8.3	11.9	6.1
2000.....	8.8	14.1	5.3	5.9	9.4	3.5	8.9	14.3	5.3	9.2	14.7	5.4	8.1	12.2	5.7
1999.....	8.7	13.8	5.2	6.0	9.4	3.5	8.8	14.0	5.2	8.9	14.4	5.2	8.4	12.1	6.1
Of kidney and renal pelvis (C64-C65)															
2006.....	4.0	5.7	2.6	3.2	4.7	2.1	4.1	5.8	2.7	4.1	5.9	2.7	3.9	6.0	2.5
2005.....	4.1	5.9	2.7	3.7	5.1	2.6	4.1	5.9	2.7	4.2	6.0	2.8	4.1	6.1	2.6
2004.....	4.1	5.9	2.7	3.7	5.5	2.2	4.1	5.9	2.8	4.2	6.1	2.8	4.1	5.9	2.8
2003.....	4.2	6.0	2.7	3.7	5.0	2.6	4.2	6.1	2.7	4.3	6.2	2.8	4.1	6.1	2.8
2002.....	4.2	6.1	2.8	3.6	5.3	2.3	4.2	6.2	2.8	4.4	6.3	2.9	4.1	5.9	2.9
2001.....	4.3	6.2	2.8	3.7	5.6	2.3	4.3	6.2	2.8	4.4	6.3	2.9	4.3	6.5	2.9
2000.....	4.2	6.2	2.8	3.5	5.3	2.2	4.3	6.2	2.8	4.3	6.3	2.9	4.2	6.3	2.8
1999.....	4.1	5.9	2.7	3.6	5.1	2.4	4.1	5.9	2.7	4.1	6.0	2.7	4.2	6.2	2.8
Of bladder (C67)															
2006.....	4.3	7.5	2.2	2.2	3.5	1.3	4.5	7.8	2.2	4.7	8.2	2.3	3.8	5.6	2.8
2005.....	4.3	7.5	2.2	2.4	4.2	1.1	4.5	7.7	2.3	4.7	8.2	2.3	3.7	5.7	2.6
2004.....	4.4	7.6	2.2	2.2	3.5	1.4	4.5	7.8	2.3	4.7	8.2	2.3	3.6	5.0	2.8
2003.....	4.3	7.3	2.2	2.4	4.0	1.4	4.4	7.5	2.3	4.5	7.9	2.3	3.8	5.5	2.7
2002.....	4.4	7.5	2.4	2.5	4.2	1.5	4.5	7.7	2.4	4.6	8.0	2.4	4.0	5.5	3.1
2001.....	4.3	7.5	2.3	2.4	4.0	1.4	4.4	7.7	2.3	4.6	8.1	2.3	3.8	5.1	2.9
2000.....	4.3	7.6	2.3	2.3	4.1	1.2	4.4	7.8	2.3	4.6	8.1	2.3	3.8	5.6	2.7
1999.....	4.4	7.6	2.3	2.3	4.1	1.1	4.4	7.8	2.3	4.6	8.1	2.3	4.0	5.8	3.0
Of other and unspecified sites within the urinary tract (C66,C68)															
2006.....	0.3	0.4	0.2	0.1	*	*	0.3	0.4	0.2	0.3	0.4	0.2	0.2	*	0.3
2005.....	0.2	0.3	0.2	0.1	*	*	0.2	0.3	0.2	0.2	0.3	0.2	0.2	*	0.2
2004.....	0.2	0.3	0.2	*	*	*	0.2	0.3	0.2	0.2	0.3	0.1	0.2	*	0.2
2003.....	0.2	0.3	0.2	*	*	*	0.2	0.3	0.2	0.2	0.3	0.2	0.2	*	0.2
2002.....	0.2	0.3	0.2	*	*	*	0.2	0.3	0.2	0.2	0.3	0.2	0.2	*	0.2
2001.....	0.2	0.3	0.2	*	*	*	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2
2000.....	0.2	0.3	0.2	*	*	*	0.2	0.3	0.2	0.2	0.3	0.2	0.2	*	0.2
1999.....	0.2	0.3	0.2	*	*	*	0.2	0.3	0.2	0.2	0.3	0.2	0.2	*	0.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Malignant neoplasm of eye and adnexa (C69)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2004.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2003.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2001.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2000.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)															
2006.....	4.2	5.1	3.4	2.6	2.9	2.2	4.3	5.3	3.5	4.7	5.8	3.8	2.4	3.0	2.0
2005.....	4.3	5.3	3.5	2.9	3.5	2.4	4.5	5.5	3.6	4.9	5.9	4.0	2.6	3.3	2.0
2004.....	4.3	5.2	3.5	2.7	3.1	2.3	4.4	5.4	3.6	4.8	5.8	3.9	2.5	3.1	2.0
2003.....	4.4	5.3	3.6	2.8	3.3	2.4	4.5	5.5	3.7	4.9	5.9	4.1	2.7	3.4	2.2
2002.....	4.4	5.5	3.6	2.9	3.4	2.4	4.6	5.6	3.7	4.9	6.1	4.0	2.6	3.2	2.2
2001.....	4.5	5.5	3.6	2.9	3.4	2.4	4.6	5.7	3.7	4.9	6.1	4.0	2.6	3.2	2.2
2000.....	4.5	5.6	3.7	3.0	3.7	2.6	4.6	5.7	3.8	5.0	6.2	4.0	2.7	3.3	2.3
1999.....	4.6	5.6	3.8	2.9	3.2	2.6	4.8	5.8	3.9	5.1	6.3	4.2	2.8	3.3	2.3
Of brain (C71)															
2006.....	4.1	5.0	3.3	2.5	2.9	2.1	4.2	5.2	3.4	4.6	5.7	3.7	2.3	2.9	1.9
2005.....	4.2	5.2	3.5	2.8	3.4	2.4	4.4	5.4	3.5	4.8	5.8	3.9	2.5	3.2	2.0
2004.....	4.2	5.1	3.4	2.6	3.0	2.3	4.4	5.3	3.6	4.7	5.7	3.9	2.4	3.0	2.0
2003.....	4.3	5.3	3.5	2.7	3.2	2.3	4.5	5.5	3.6	4.8	5.9	4.0	2.6	3.4	2.1
2002.....	4.3	5.3	3.5	2.8	3.4	2.3	4.5	5.5	3.6	4.9	5.9	4.0	2.5	3.0	2.2
2001.....	4.4	5.4	3.5	2.8	3.3	2.4	4.5	5.5	3.6	4.9	6.0	3.9	2.6	3.1	2.2
2000.....	4.5	5.5	3.6	3.0	3.6	2.5	4.6	5.7	3.7	4.9	6.1	4.0	2.7	3.2	2.2
1999.....	4.5	5.5	3.7	2.8	3.1	2.6	4.7	5.7	3.8	5.0	6.1	4.1	2.6	3.2	2.2
Of other parts of central nervous system (C70,C72)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2005.....	0.1	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.1	0.0	0.1	*	*
2004.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2003.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2000.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)															
2006.....	0.7	0.7	0.7	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.5	0.8
2005.....	0.7	0.7	0.7	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.8	0.7	0.8	0.6	0.9
2004.....	0.7	0.7	0.7	0.7	0.6	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.7
2003.....	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.5	0.6
2002.....	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.8
2001.....	0.8	0.8	0.7	0.7	0.6	0.8	0.8	0.8	0.7	0.8	0.8	0.7	0.7	0.7	0.8
2000.....	0.8	0.8	0.7	0.8	0.7	0.8	0.8	0.8	0.7	0.7	0.8	0.7	0.8	0.6	0.9
1999.....	0.7	0.8	0.7	0.9	0.8	0.9	0.7	0.8	0.7	0.7	0.8	0.7	0.8	0.7	0.7
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)															
2006.....	12.8	15.5	10.8	8.4	10.4	6.9	13.1	15.9	11.1	13.0	15.8	11.0	16.0	20.4	13.0
2005.....	13.1	15.9	11.1	8.7	10.7	7.1	13.4	16.3	11.4	13.4	16.1	11.4	16.3	21.2	13.1
2004.....	13.3	16.1	11.2	8.7	10.4	7.5	13.6	16.5	11.4	13.5	16.2	11.4	17.1	22.5	13.4
2003.....	13.7	16.6	11.6	9.6	11.6	8.0	14.0	16.9	11.8	13.8	16.7	11.8	17.5	22.3	14.2
2002.....	14.1	17.2	11.9	9.6	11.7	8.1	14.4	17.6	12.1	14.1	17.2	11.9	18.5	23.4	15.3
2001.....	14.2	17.2	12.0	9.7	11.7	8.2	14.4	17.5	12.2	14.1	17.0	12.1	18.6	24.6	14.7
2000.....	14.7	17.8	12.5	10.5	12.8	8.9	14.9	18.1	12.7	14.7	17.6	12.6	19.0	25.1	14.9
1999.....	16.0	19.5	13.6	10.5	13.3	8.6	16.3	19.8	13.8	16.0	19.4	13.6	20.9	26.8	17.0

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)															
2006.....	17.9	23.0	14.1	12.9	15.6	10.9	18.2	23.5	14.3	18.5	23.9	14.5	18.4	24.1	14.5
2005.....	18.2	23.5	14.3	13.7	16.9	11.3	18.4	23.9	14.4	18.7	24.4	14.6	17.9	23.0	14.5
2004.....	18.4	23.6	14.6	13.2	16.2	10.7	18.7	24.0	14.8	18.9	24.4	14.9	19.2	23.9	16.0
2003.....	19.1	24.5	15.1	13.8	16.3	11.9	19.3	24.9	15.2	19.6	25.5	15.3	19.2	23.4	16.4
2002.....	19.5	25.1	15.5	14.5	17.4	12.4	19.8	25.5	15.7	20.1	26.0	15.8	19.6	24.8	16.2
2001.....	20.0	25.5	16.0	14.9	19.3	11.6	20.2	25.8	16.2	20.4	26.1	16.3	20.3	25.7	16.8
2000.....	20.4	26.0	16.5	15.5	19.3	12.7	20.6	26.3	16.6	20.9	26.7	16.8	20.2	25.4	16.9
1999.....	20.6	26.1	16.7	15.4	17.6	13.5	20.8	26.5	16.8	21.0	26.8	16.9	20.6	26.0	17.0
Hodgkin's disease (C81)															
2006.....	0.4	0.6	0.3	0.4	0.4	0.3	0.5	0.6	0.3	0.5	0.6	0.4	0.4	0.6	0.3
2005.....	0.4	0.5	0.4	0.5	0.7	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.3
2004.....	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.6	0.4	0.4	0.6	0.4	0.4	0.5	0.4
2003.....	0.5	0.5	0.4	0.4	0.5	0.3	0.5	0.6	0.4	0.5	0.6	0.4	0.4	0.5	0.3
2002.....	0.5	0.6	0.4	0.4	0.5	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.4	0.6	0.3
2001.....	0.5	0.6	0.4	0.5	0.7	0.3	0.5	0.6	0.4	0.5	0.6	0.4	0.4	0.5	0.4
2000.....	0.5	0.6	0.4	0.5	0.7	0.3	0.5	0.5	0.4	0.5	0.6	0.4	0.3	0.4	0.3
1999.....	0.5	0.6	0.4	0.6	0.8	0.5	0.5	0.6	0.4	0.5	0.7	0.4	0.4	0.6	0.3
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)															
2006.....	6.7	8.4	5.4	5.1	6.1	4.2	6.8	8.6	5.5	7.1	8.8	5.7	5.0	6.4	4.0
2005.....	6.9	8.8	5.5	5.3	6.3	4.6	7.0	8.9	5.6	7.3	9.3	5.8	4.8	6.2	3.9
2004.....	7.1	8.9	5.7	5.2	6.4	4.2	7.2	9.0	5.8	7.5	9.4	6.1	5.1	6.3	4.2
2003.....	7.3	9.3	5.9	5.4	6.4	4.7	7.4	9.5	6.0	7.8	9.9	6.2	5.0	5.9	4.3
2002.....	7.6	9.6	6.2	5.8	6.6	5.2	7.7	9.7	6.2	8.1	10.1	6.5	5.5	6.9	4.4
2001.....	7.9	10.0	6.4	5.9	7.6	4.6	8.0	10.1	6.5	8.3	10.4	6.8	5.7	7.4	4.5
2000.....	8.3	10.3	6.8	6.4	7.8	5.3	8.3	10.4	6.8	8.7	10.8	7.2	5.3	6.8	4.3
1999.....	8.4	10.4	6.9	6.2	7.1	5.5	8.5	10.5	7.0	8.8	10.9	7.3	5.7	7.6	4.5
Non-Hodgkin's Lymphoma (C82-C85)															
2006.....	6.7	8.4	5.4	5.0	6.1	4.2	6.8	8.5	5.5	7.1	8.8	5.7	5.0	6.4	4.0
2005.....	6.9	8.7	5.5	5.3	6.3	4.6	7.0	8.9	5.6	7.3	9.3	5.8	4.8	6.1	3.8
2004.....	7.0	8.8	5.7	5.2	6.4	4.2	7.1	9.0	5.8	7.5	9.3	6.1	5.0	6.2	4.1
2003.....	7.3	9.3	5.9	5.4	6.4	4.7	7.4	9.4	6.0	7.8	9.9	6.2	5.0	5.9	4.3
2002.....	7.6	9.6	6.2	5.8	6.6	5.2	7.7	9.7	6.2	8.0	10.1	6.5	5.4	6.9	4.4
2001.....	7.9	9.9	6.4	5.9	7.5	4.6	8.0	10.0	6.5	8.3	10.4	6.8	5.7	7.4	4.5
2000.....	8.2	10.2	6.7	6.3	7.7	5.3	8.3	10.3	6.8	8.7	10.8	7.1	5.3	6.7	4.3
1999.....	8.3	10.3	6.9	6.2	7.1	5.5	8.4	10.5	6.9	8.8	10.8	7.3	5.7	7.6	4.4
Of other and unspecified lymphoid, hematopoietic and related tissue (C96)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.1	0.0	0.0	0.0	0.0	*	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
Malignant immunoproliferative diseases (C88)															
2006.....	0.1	0.2	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*
2005.....	0.1	0.2	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*
2004.....	0.1	0.1	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*
2003.....	0.1	0.2	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*
2002.....	0.1	0.2	0.1	*	*	*	0.1	0.2	0.1	0.2	0.2	0.1	*	*	*
2001.....	0.1	0.2	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*
2000.....	0.1	0.2	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*
1999.....	0.2	0.2	0.1	*	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.1	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Multiple myeloma and malignant plasma cell neoplasms (C90)															
2006.....	3.5	4.4	2.9	2.8	3.3	2.5	3.5	4.4	2.9	3.3	4.2	2.6	6.6	8.3	5.5
2005.....	3.6	4.5	2.9	2.8	3.3	2.5	3.6	4.6	2.9	3.4	4.3	2.7	6.6	8.2	5.5
2004.....	3.6	4.4	3.0	2.9	3.3	2.5	3.6	4.5	3.0	3.4	4.2	2.7	7.0	8.4	6.1
2003.....	3.7	4.6	3.1	2.9	3.2	2.7	3.8	4.7	3.1	3.5	4.4	2.8	7.2	8.5	6.4
2002.....	3.8	4.8	3.2	3.3	4.2	2.7	3.8	4.8	3.2	3.6	4.5	2.9	6.9	8.4	6.1
2001.....	3.8	4.7	3.2	3.2	4.3	2.5	3.8	4.7	3.2	3.6	4.4	2.9	7.3	8.8	6.4
2000.....	3.9	4.7	3.3	3.2	3.7	2.8	3.9	4.7	3.3	3.6	4.4	3.0	7.7	8.9	6.9
1999.....	3.9	4.7	3.3	3.2	3.4	3.0	3.9	4.8	3.3	3.5	4.5	2.9	7.5	8.9	6.7
Leukemia (C91-C95)															
2006.....	7.1	9.5	5.4	4.7	5.7	3.9	7.3	9.8	5.5	7.5	10.1	5.7	6.3	8.8	4.7
2005.....	7.1	9.6	5.4	4.9	6.5	3.8	7.2	9.8	5.5	7.5	10.1	5.6	6.0	8.0	4.8
2004.....	7.2	9.6	5.5	4.7	5.9	3.7	7.3	9.8	5.6	7.5	10.1	5.7	6.7	8.7	5.4
2003.....	7.4	9.9	5.6	5.0	6.2	4.2	7.5	10.0	5.7	7.7	10.4	5.8	6.6	8.4	5.3
2002.....	7.5	10.0	5.7	4.9	6.0	4.1	7.6	10.2	5.7	7.8	10.5	5.9	6.7	8.8	5.4
2001.....	7.6	10.1	5.9	5.2	6.7	4.2	7.7	10.2	5.9	7.9	10.5	6.1	6.7	8.8	5.4
2000.....	7.7	10.3	5.9	5.4	6.9	4.2	7.8	10.4	6.0	8.0	10.7	6.1	6.8	9.1	5.3
1999.....	7.6	10.2	6.0	5.2	6.3	4.5	7.7	10.3	6.0	7.9	10.6	6.1	6.8	8.8	5.4
Lymphoid leukemia (C91)															
2006.....	2.1	2.9	1.5	1.3	1.5	1.0	2.1	3.0	1.5	2.2	3.1	1.6	2.0	3.0	1.3
2005.....	2.1	2.9	1.5	1.4	1.8	1.2	2.1	3.0	1.4	2.2	3.1	1.5	1.8	2.6	1.3
2004.....	2.1	2.9	1.5	1.2	1.5	1.1	2.1	2.9	1.5	2.1	3.0	1.5	1.9	2.9	1.3
2003.....	2.1	3.1	1.5	1.4	1.8	1.0	2.2	3.1	1.5	2.3	3.2	1.5	1.9	2.6	1.4
2002.....	2.2	3.1	1.6	1.2	1.4	1.0	2.2	3.1	1.6	2.3	3.2	1.6	1.9	2.8	1.5
2001.....	2.2	3.1	1.6	1.3	1.6	1.0	2.2	3.1	1.6	2.3	3.2	1.6	2.1	2.8	1.6
2000.....	2.2	3.1	1.6	1.3	1.7	1.0	2.2	3.2	1.6	2.3	3.3	1.7	1.9	2.9	1.3
1999.....	2.3	3.2	1.6	1.4	1.7	1.2	2.3	3.3	1.6	2.4	3.4	1.7	2.0	3.0	1.5
Myeloid leukemia (C92)															
2006.....	3.3	4.3	2.6	2.1	2.5	1.7	3.4	4.5	2.7	3.5	4.6	2.7	2.8	3.7	2.3
2005.....	3.3	4.3	2.6	2.3	3.1	1.7	3.4	4.4	2.6	3.5	4.6	2.7	2.6	3.2	2.3
2004.....	3.4	4.3	2.7	2.2	2.7	1.8	3.4	4.4	2.7	3.5	4.6	2.8	2.9	3.5	2.6
2003.....	3.4	4.4	2.7	2.3	2.9	1.8	3.4	4.5	2.7	3.6	4.7	2.8	2.9	3.7	2.4
2002.....	3.4	4.5	2.7	2.2	2.8	1.8	3.5	4.6	2.7	3.6	4.8	2.8	2.9	3.8	2.4
2001.....	3.5	4.5	2.8	2.5	3.1	2.0	3.6	4.6	2.9	3.7	4.7	2.9	2.9	3.6	2.4
2000.....	3.5	4.6	2.8	2.6	3.4	2.1	3.6	4.6	2.8	3.6	4.8	2.9	3.1	3.7	2.7
1999.....	3.4	4.3	2.7	2.5	2.9	2.2	3.4	4.4	2.7	3.5	4.5	2.8	2.9	3.7	2.4
Monocytic leukemia (C93)															
2006.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.1	0.0	*	*	*
2005.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.1	0.0	*	*	*
2004.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.1	0.0	*	*	*
2003.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.1	0.1	0.0	*	*	*
2002.....	0.0	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
2001.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
2000.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
1999.....	0.0	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
Other and unspecified leukemia (C94-C95)															
2006.....	1.7	2.2	1.3	1.3	1.7	1.1	1.7	2.3	1.3	1.8	2.3	1.3	1.5	2.0	1.1
2005.....	1.7	2.3	1.3	1.3	1.6	1.0	1.8	2.3	1.4	1.8	2.4	1.4	1.6	2.2	1.3
2004.....	1.7	2.4	1.3	1.2	1.7	0.9	1.8	2.4	1.3	1.8	2.4	1.4	1.8	2.3	1.5
2003.....	1.8	2.3	1.4	1.4	1.4	1.3	1.8	2.4	1.4	1.8	2.4	1.4	1.7	2.0	1.5
2002.....	1.8	2.4	1.4	1.4	1.8	1.2	1.8	2.4	1.4	1.8	2.4	1.4	1.8	2.2	1.5
2001.....	1.8	2.4	1.4	1.5	2.0	1.1	1.8	2.5	1.4	1.8	2.5	1.4	1.7	2.2	1.4
2000.....	1.9	2.5	1.5	1.4	1.8	1.2	1.9	2.5	1.5	2.0	2.5	1.6	1.7	2.5	1.3
1999.....	1.9	2.5	1.5	1.3	1.6	1.0	2.0	2.6	1.5	2.0	2.6	1.6	1.8	2.2	1.6

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
In situ neoplasms (D00-D09)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Carcinoma in situ of breast and genitourinary system (D05-D07)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Carcinoma in situ of other and unspecified sites (D00-D04,D09)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Benign neoplasms (D10-D36)															
2006.....	0.5	0.4	0.5	0.5	0.4	0.5	0.5	0.4	0.5	0.4	0.4	0.4	0.7	0.7	0.8
2005.....	0.5	0.4	0.5	0.4	0.4	0.4	0.5	0.4	0.5	0.4	0.4	0.5	0.8	0.6	0.9
2004.....	0.5	0.5	0.6	0.4	0.5	0.4	0.5	0.4	0.6	0.5	0.4	0.5	0.9	0.9	0.9
2003.....	0.5	0.5	0.5	0.5	0.3	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.8	0.9	0.7
2002.....	0.5	0.5	0.6	0.5	0.5	0.4	0.6	0.5	0.6	0.5	0.5	0.6	0.9	0.9	0.9
2001.....	0.6	0.6	0.6	0.4	0.3	0.5	0.5	0.6	0.6	0.5	0.5	0.5	1.0	1.1	0.9
2000.....	0.6	0.5	0.6	0.5	0.4	0.6	0.6	0.5	0.6	0.5	0.5	0.6	0.9	0.8	1.0
1999.....	0.6	0.6	0.6	0.4	0.3	0.4	0.6	0.6	0.6	0.5	0.5	0.5	1.0	1.0	1.0
Of female genital organs (D25-D28)															
2006.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	0.1	...	0.1
2005.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	0.1	...	0.1
2004.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2003.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2002.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1
2001.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	*	...	*
2000.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	0.1	...	0.2
1999.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
Of eye, brain and other parts of central nervous system (D31-D33)															
2006.....	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4
2005.....	0.3	0.2	0.3	0.2	*	0.2	0.3	0.2	0.3	0.3	0.2	0.3	0.5	0.3	0.5
2004.....	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.5	0.6
2003.....	0.3	0.3	0.3	0.3	*	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.4	0.5
2002.....	0.3	0.3	0.4	0.2	0.2	0.2	0.3	0.3	0.4	0.3	0.3	0.4	0.5	0.4	0.5
2001.....	0.3	0.3	0.3	0.2	*	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.6	0.6	0.6
2000.....	0.3	0.3	0.4	0.3	*	0.3	0.4	0.3	0.4	0.3	0.3	0.4	0.5	0.4	0.5
1999.....	0.3	0.3	0.3	0.2	*	0.2	0.4	0.3	0.4	0.3	0.3	0.3	0.6	0.5	0.6

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)															
2006.....	0.2	0.2	0.2	0.1	*	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.4	0.3
2005.....	0.2	0.2	0.2	0.1	*	*	0.2	0.1	0.2	0.1	0.2	0.1	0.3	0.3	0.3
2004.....	0.2	0.2	0.2	0.2	0.2	*	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
2003.....	0.2	0.2	0.2	0.2	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.2
2002.....	0.2	0.2	0.2	0.2	0.3	*	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.3
2001.....	0.2	0.3	0.2	0.2	*	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.5	0.2
2000.....	0.2	0.2	0.2	0.2	*	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.3
1999.....	0.2	0.2	0.2	0.2	0.2	*	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.5	0.3
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)															
2006.....	3.8	4.9	3.0	2.5	3.2	2.0	3.9	5.0	3.1	4.0	5.1	3.2	3.3	4.3	2.8
2005.....	3.8	4.9	3.0	2.1	2.7	1.6	3.9	5.0	3.1	4.0	5.2	3.2	3.1	3.8	2.7
2004.....	3.8	4.9	3.0	2.5	2.9	2.2	3.9	5.0	3.1	4.0	5.2	3.1	3.3	4.1	2.8
2003.....	3.9	5.0	3.2	2.7	3.3	2.2	4.0	5.1	3.2	4.1	5.3	3.3	3.3	4.1	2.9
2002.....	3.8	5.0	3.1	2.6	3.1	2.2	3.9	5.1	3.1	4.0	5.2	3.2	3.4	4.2	2.9
2001.....	4.1	5.3	3.3	2.7	3.4	2.2	4.1	5.4	3.4	4.3	5.5	3.4	3.5	4.4	3.0
2000.....	4.1	5.3	3.3	2.8	3.3	2.5	4.2	5.4	3.4	4.3	5.5	3.5	3.5	4.4	2.9
1999.....	4.1	5.3	3.3	2.7	3.0	2.6	4.1	5.4	3.3	4.2	5.6	3.4	3.6	4.2	3.2
Neoplasms of uncertain or unknown behavior of unspecified sites (D48)															
2006.....	0.3	0.3	0.3	0.2	*	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4
2005.....	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2
2004.....	0.3	0.2	0.2	0.2	0.2	*	0.3	0.3	0.2	0.3	0.2	0.2	0.3	0.3	0.3
2003.....	0.2	0.2	0.2	0.1	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2002.....	0.2	0.2	0.3	0.1	*	*	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2
2001.....	0.2	0.2	0.2	0.2	0.2	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2000.....	0.2	0.2	0.2	0.2	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
1999.....	0.2	0.2	0.2	0.1	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)															
2006.....	2.8	2.9	2.8	2.0	1.9	1.9	2.9	3.0	2.9	2.4	2.5	2.3	6.7	6.4	6.9
2005.....	3.1	3.2	3.1	2.1	2.2	2.1	3.2	3.3	3.2	2.7	2.8	2.6	7.3	7.4	7.2
2004.....	3.1	3.2	3.1	2.1	2.1	2.0	3.2	3.3	3.1	2.7	2.9	2.6	7.1	7.3	7.0
2003.....	3.3	3.3	3.2	2.3	2.4	2.2	3.3	3.4	3.3	2.8	2.9	2.7	7.6	7.9	7.4
2002.....	3.4	3.4	3.3	2.7	3.2	2.3	3.4	3.4	3.4	2.8	2.9	2.8	7.7	7.9	7.6
2001.....	3.4	3.4	3.3	2.6	2.8	2.5	3.4	3.4	3.4	2.9	2.9	2.8	7.6	7.4	7.6
2000.....	3.4	3.4	3.3	2.3	2.3	2.3	3.4	3.5	3.4	2.9	3.0	2.8	7.5	7.3	7.7
1999.....	3.3	3.4	3.2	2.6	2.9	2.3	3.4	3.5	3.3	2.8	3.0	2.7	7.4	7.5	7.3
Anemias (D50-D64)															
2006.....	1.3	1.3	1.3	0.9	0.8	1.0	1.3	1.3	1.3	1.1	1.1	1.1	2.9	2.8	2.9
2005.....	1.5	1.5	1.5	0.9	0.9	0.9	1.6	1.5	1.6	1.3	1.2	1.3	3.4	3.5	3.3
2004.....	1.5	1.5	1.5	1.0	0.9	1.0	1.6	1.6	1.5	1.3	1.3	1.3	3.4	3.6	3.2
2003.....	1.6	1.6	1.5	1.1	1.2	1.1	1.6	1.6	1.5	1.3	1.3	1.3	3.6	4.0	3.2
2002.....	1.6	1.6	1.6	1.3	1.6	1.1	1.6	1.6	1.6	1.3	1.3	1.4	3.7	4.0	3.5
2001.....	1.6	1.6	1.6	1.2	1.1	1.2	1.7	1.6	1.7	1.4	1.4	1.4	3.6	3.7	3.4
2000.....	1.6	1.6	1.6	0.9	0.9	1.0	1.7	1.6	1.7	1.4	1.4	1.4	3.5	3.5	3.5
1999.....	1.6	1.7	1.6	1.2	1.4	1.1	1.7	1.7	1.6	1.4	1.4	1.4	3.7	3.8	3.5
Nutritional anemias (D50-D53)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2004.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2003.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*	0.2
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*	0.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Hemolytic anemias (D55-D59)															
2006.....	0.3	0.3	0.3	0.1	*	*	0.3	0.3	0.3	0.1	0.1	0.1	1.3	1.3	1.3
2005.....	0.3	0.3	0.3	0.1	*	*	0.3	0.3	0.3	0.1	0.1	0.1	1.5	1.5	1.4
2004.....	0.3	0.3	0.3	0.1	*	*	0.3	0.4	0.3	0.1	0.1	0.1	1.5	1.7	1.4
2003.....	0.3	0.3	0.3	0.1	*	*	0.3	0.3	0.3	0.1	0.1	0.1	1.4	1.5	1.3
2002.....	0.3	0.3	0.3	0.1	*	0.1	0.3	0.3	0.3	0.1	0.1	0.1	1.5	1.5	1.5
2001.....	0.3	0.3	0.3	0.1	*	*	0.3	0.3	0.3	0.1	0.1	0.1	1.5	1.6	1.4
2000.....	0.3	0.3	0.3	0.1	*	0.2	0.3	0.3	0.3	0.1	0.1	0.1	1.5	1.3	1.5
1999.....	0.3	0.3	0.3	0.1	*	*	0.3	0.4	0.3	0.1	0.1	0.1	1.6	1.8	1.4
Aplastic anemias (D60-D61)															
2006.....	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.3
2005.....	0.3	0.3	0.3	0.2	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.2
2004.....	0.3	0.4	0.3	0.3	0.2	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.3
2003.....	0.3	0.4	0.3	0.2	0.3	0.2	0.3	0.4	0.3	0.3	0.4	0.3	0.4	0.5	0.4
2002.....	0.3	0.4	0.3	0.3	0.5	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.4	0.5	0.4
2001.....	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3
2000.....	0.4	0.4	0.4	0.3	0.2	0.2	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.6	0.4
1999.....	0.4	0.5	0.4	0.3	0.3	0.3	0.4	0.5	0.4	0.4	0.4	0.4	0.5	0.5	0.4
Acute posthemorrhagic and other anemias (D62,D64)															
2006.....	0.6	0.6	0.6	0.4	0.4	0.5	0.6	0.6	0.6	0.6	0.6	0.6	1.1	1.1	1.1
2005.....	0.8	0.8	0.8	0.5	0.5	0.5	0.8	0.8	0.9	0.8	0.7	0.8	1.5	1.5	1.5
2004.....	0.8	0.8	0.8	0.6	0.6	0.6	0.8	0.8	0.8	0.8	0.7	0.8	1.4	1.5	1.3
2003.....	0.8	0.8	0.8	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.7	0.8	1.6	1.8	1.4
2002.....	0.8	0.8	0.9	0.7	0.9	0.6	0.9	0.8	0.9	0.8	0.7	0.8	1.7	1.9	1.5
2001.....	0.9	0.8	0.9	0.6	0.6	0.6	0.9	0.8	0.9	0.8	0.7	0.8	1.6	1.5	1.6
2000.....	0.8	0.8	0.8	0.5	0.5	0.5	0.8	0.8	0.8	0.8	0.8	0.8	1.4	1.4	1.4
1999.....	0.8	0.8	0.9	0.8	0.9	0.7	0.8	0.8	0.9	0.8	0.7	0.8	1.5	1.3	1.5
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)															
2006.....	0.8	0.9	0.8	0.6	0.7	0.6	0.8	0.9	0.8	0.8	0.8	0.7	1.4	1.4	1.4
2005.....	0.9	1.0	0.8	0.8	0.9	0.7	0.9	1.0	0.8	0.8	0.9	0.7	1.4	1.6	1.4
2004.....	0.9	0.9	0.8	0.7	0.7	0.6	0.9	1.0	0.9	0.8	0.9	0.8	1.4	1.5	1.4
2003.....	0.9	1.0	0.9	0.7	0.7	0.7	0.9	1.0	0.9	0.9	0.9	0.8	1.5	1.5	1.4
2002.....	0.9	1.0	0.9	0.9	1.0	0.8	0.9	1.0	0.9	0.9	0.9	0.8	1.4	1.4	1.4
2001.....	0.9	1.0	0.9	0.9	1.0	0.9	0.9	1.0	0.9	0.9	0.9	0.8	1.5	1.5	1.5
2000.....	1.0	1.0	0.9	0.8	0.8	0.9	0.9	1.0	0.9	0.9	1.0	0.9	1.5	1.5	1.5
1999.....	1.0	1.0	0.9	0.9	0.9	0.9	1.0	1.0	0.9	0.9	0.9	0.8	1.6	1.7	1.6
Other diseases of blood and blood-forming organs (D70-D76)															
2006.....	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.2
2005.....	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.3
2004.....	0.3	0.3	0.3	0.1	0.1	0.1	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2
2003.....	0.3	0.3	0.3	0.2	0.2	*	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2002.....	0.3	0.4	0.3	0.2	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.3
2001.....	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2000.....	0.3	0.4	0.3	0.2	0.3	0.2	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.4	0.3
1999.....	0.3	0.3	0.3	0.2	0.3	*	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.3
Certain disorders involving the immune mechanism (D80-D89)															
2006.....	0.5	0.4	0.5	0.2	0.2	0.2	0.5	0.5	0.5	0.3	0.3	0.3	2.1	1.9	2.3
2005.....	0.5	0.5	0.5	0.3	0.3	0.2	0.5	0.5	0.5	0.3	0.3	0.3	2.2	2.0	2.3
2004.....	0.5	0.5	0.5	0.3	0.4	0.2	0.5	0.4	0.5	0.3	0.3	0.2	2.1	1.9	2.2
2003.....	0.5	0.5	0.5	0.3	0.4	0.2	0.5	0.5	0.6	0.3	0.3	0.3	2.3	2.1	2.5
2002.....	0.5	0.5	0.5	0.2	0.3	0.2	0.5	0.5	0.5	0.3	0.3	0.3	2.2	2.0	2.4
2001.....	0.5	0.5	0.5	0.3	0.3	0.2	0.5	0.5	0.5	0.3	0.3	0.3	2.2	2.0	2.4
2000.....	0.5	0.5	0.5	0.3	0.4	0.3	0.5	0.5	0.5	0.3	0.3	0.3	2.1	1.9	2.3
1999.....	0.4	0.4	0.4	0.3	0.3	0.2	0.4	0.4	0.4	0.3	0.3	0.2	1.8	1.6	1.9

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Diseases of thymus (E32)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other endocrine diseases (E15-E21,E28-E31,E34)															
2006.....	0.2	0.1	0.1	0.1	*	*	0.2	0.2	0.2	0.1	0.1	0.1	0.4	0.5	0.4
2005.....	0.1	0.1	0.1	*	*	*	0.2	0.2	0.2	0.1	0.1	0.1	0.4	0.5	0.4
2004.....	0.1	0.2	0.1	*	*	*	0.2	0.2	0.1	0.1	0.1	0.1	0.4	0.5	0.3
2003.....	0.2	0.1	0.1	0.1	*	*	0.2	0.2	0.2	0.1	0.1	0.1	0.4	0.5	0.3
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.2	0.1	0.1	0.1	0.3	0.3	0.4
2001.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.2	0.1	0.1	0.1	0.3	0.4	0.3
2000.....	0.1	0.1	0.2	*	*	*	0.1	0.1	0.2	0.1	0.1	0.1	0.4	0.3	0.4
1999.....	0.2	0.2	0.1	0.2	*	*	0.2	0.2	0.1	0.1	0.1	0.1	0.4	0.5	0.3
Nutritional diseases (E40-E68)															
2006.....	2.3	2.2	2.3	1.7	1.5	1.9	2.4	2.3	2.4	2.3	2.2	2.3	3.9	3.8	4.0
2005.....	2.5	2.5	2.6	1.6	1.6	1.6	2.6	2.5	2.7	2.5	2.5	2.4	4.4	3.8	4.8
2004.....	2.4	2.3	2.4	1.4	1.3	1.5	2.5	2.4	2.5	2.3	2.3	2.3	4.3	3.9	4.6
2003.....	2.5	2.4	2.5	1.7	1.5	1.7	2.6	2.4	2.6	2.5	2.4	2.4	4.1	3.8	4.3
2002.....	2.6	2.5	2.6	1.7	1.6	1.7	2.6	2.5	2.7	2.5	2.4	2.4	4.5	4.0	4.8
2001.....	2.4	2.2	2.5	1.8	1.8	1.8	2.4	2.2	2.6	2.3	2.1	2.4	4.2	4.0	4.4
2000.....	2.6	2.5	2.6	1.9	1.7	1.9	2.7	2.5	2.7	2.5	2.4	2.5	4.4	4.3	4.5
1999.....	2.5	2.5	2.5	1.8	1.9	1.7	2.6	2.5	2.6	2.4	2.3	2.4	4.4	4.5	4.4
Malnutrition (E40-E46)															
2006.....	0.7	0.7	0.8	0.6	0.5	0.7	0.7	0.7	0.8	0.7	0.6	0.7	1.2	1.5	1.1
2005.....	1.0	0.9	1.0	0.8	0.8	0.7	1.0	0.9	1.0	0.9	0.8	1.0	1.6	1.5	1.7
2004.....	0.9	0.9	1.0	0.6	0.5	0.7	1.0	0.9	1.0	0.9	0.8	0.9	1.6	1.8	1.5
2003.....	1.1	1.0	1.1	0.8	0.7	0.8	1.1	1.0	1.1	1.0	0.9	1.1	1.9	2.1	1.7
2002.....	1.2	1.1	1.2	1.0	1.0	0.9	1.2	1.2	1.2	1.1	1.1	1.2	2.0	2.0	2.0
2001.....	1.2	1.1	1.3	1.1	1.1	1.1	1.2	1.1	1.3	1.2	1.0	1.2	1.9	2.2	1.7
2000.....	1.4	1.3	1.5	1.1	1.1	1.2	1.4	1.3	1.5	1.4	1.2	1.4	2.3	2.5	2.1
1999.....	1.5	1.4	1.5	1.2	1.2	1.2	1.5	1.4	1.5	1.4	1.3	1.4	2.5	3.0	2.2
Nutritional marasmus (E41)															
2006.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.1	*	*	*	0.0	0.0	0.1	0.0	0.0	0.1	*	*	*
2002.....	0.1	0.0	0.1	*	*	*	0.1	0.0	0.1	0.1	0.0	0.1	0.1	*	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
Other and unspecified malnutrition (E40,E42-E46)															
2006.....	0.7	0.7	0.7	0.6	0.5	0.6	0.7	0.7	0.8	0.7	0.6	0.7	1.2	1.5	1.1
2005.....	0.9	0.9	1.0	0.7	0.8	0.7	0.9	0.9	1.0	0.9	0.8	0.9	1.6	1.5	1.6
2004.....	0.9	0.9	0.9	0.6	0.5	0.6	0.9	0.9	0.9	0.9	0.8	0.9	1.6	1.8	1.5
2003.....	1.0	0.9	1.0	0.7	0.7	0.7	1.0	1.0	1.1	1.0	0.9	1.0	1.8	2.0	1.6
2002.....	1.1	1.1	1.1	0.9	0.9	0.9	1.1	1.1	1.1	1.1	1.0	1.1	1.9	1.9	1.9
2001.....	1.1	1.0	1.2	1.0	1.0	1.0	1.2	1.0	1.2	1.1	1.0	1.2	1.8	2.2	1.6
2000.....	1.3	1.2	1.4	1.1	1.0	1.2	1.3	1.2	1.4	1.3	1.2	1.3	2.2	2.4	2.0
1999.....	1.4	1.3	1.4	1.2	1.1	1.2	1.4	1.3	1.4	1.3	1.2	1.4	2.4	2.8	2.1

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Other nutritional deficiencies (E50-E64)															
2006.....	0.1	0.0	0.0	*	*	*	0.1	0.0	0.0	0.1	0.0	0.0	*	*	*
2005.....	0.1	0.0	0.1	*	*	*	0.1	0.0	0.1	0.1	0.0	0.1	*	*	*
2004.....	0.1	0.0	0.0	*	*	*	0.1	0.1	0.0	0.1	0.0	0.1	*	*	*
2003.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*	0.2
Obesity and other hyperalimentation (E65-E68)															
2006.....	1.5	1.5	1.5	1.0	0.9	1.2	1.6	1.6	1.6	1.5	1.5	1.4	2.6	2.2	2.9
2005.....	1.5	1.5	1.5	0.8	0.8	0.8	1.6	1.6	1.6	1.5	1.6	1.4	2.7	2.2	3.1
2004.....	1.4	1.4	1.4	0.8	0.7	0.8	1.4	1.4	1.5	1.4	1.4	1.3	2.7	2.0	3.1
2003.....	1.3	1.3	1.4	0.8	0.7	0.9	1.4	1.4	1.4	1.4	1.4	1.3	2.2	1.7	2.6
2002.....	1.3	1.2	1.3	0.7	0.5	0.8	1.3	1.3	1.3	1.2	1.3	1.2	2.4	1.8	2.7
2001.....	1.1	1.0	1.2	0.7	0.6	0.7	1.1	1.0	1.2	1.1	1.0	1.1	2.2	1.6	2.6
2000.....	1.1	1.1	1.1	0.6	0.5	0.7	1.1	1.1	1.1	1.0	1.1	1.0	2.0	1.6	2.3
1999.....	0.9	0.9	1.0	0.5	0.6	0.5	1.0	0.9	1.0	0.9	0.9	0.9	1.7	1.4	2.0
Metabolic disorders (E70-E88)															
2006.....	5.3	6.0	4.7	3.2	3.4	3.0	5.5	6.2	4.9	5.5	6.2	4.8	6.4	6.9	5.9
2005.....	5.6	6.2	5.0	3.2	3.6	2.9	5.8	6.5	5.2	5.8	6.5	5.2	6.7	7.6	6.1
2004.....	5.3	6.0	4.7	3.2	3.4	2.9	5.4	6.1	4.8	5.5	6.2	4.9	6.3	7.2	5.6
2003.....	5.4	6.0	4.8	3.2	3.4	2.9	5.6	6.2	4.9	5.6	6.2	4.9	6.8	7.5	6.2
2002.....	5.4	5.9	5.0	3.4	3.8	3.1	5.6	6.1	5.1	5.5	6.0	5.0	7.2	8.1	6.6
2001.....	5.5	6.0	5.0	3.3	3.9	2.9	5.7	6.2	5.2	5.7	6.1	5.2	7.1	8.0	6.4
2000.....	5.5	5.9	5.0	3.3	3.4	3.1	5.6	6.1	5.1	5.6	6.1	5.0	6.9	7.4	6.3
1999.....	5.5	5.7	5.1	3.4	3.5	3.2	5.6	5.8	5.2	5.6	5.7	5.2	6.7	7.8	6.1
Cystic fibrosis (E84)															
2006.....	0.1	0.1	0.1	0.1	0.1	*	0.2	0.1	0.2	0.2	0.2	0.2	*	*	*
2005.....	0.1	0.1	0.1	0.1	*	*	0.2	0.2	0.1	0.2	0.2	0.2	*	*	*
2004.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2	*	*	*
2003.....	0.2	0.2	0.1	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.0	*	*
2002.....	0.2	0.2	0.2	0.0	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.1	*	*
2001.....	0.2	0.2	0.2	0.1	*	*	0.2	0.2	0.2	0.2	0.2	0.2	*	*	*
2000.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.3	*	*	*
1999.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.3	*	*	*
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)															
2006.....	1.9	1.7	2.0	1.0	0.9	1.1	2.0	1.8	2.0	1.9	1.7	2.0	3.0	3.1	2.9
2005.....	2.2	2.0	2.2	1.3	1.3	1.2	2.3	2.1	2.3	2.2	2.0	2.3	3.3	3.5	3.2
2004.....	2.2	2.0	2.2	1.3	1.3	1.2	2.2	2.1	2.3	2.1	2.0	2.2	3.2	3.6	2.9
2003.....	2.4	2.2	2.4	1.2	1.4	1.1	2.4	2.2	2.5	2.3	2.1	2.4	3.8	4.0	3.6
2002.....	2.5	2.3	2.6	1.3	1.3	1.3	2.6	2.3	2.7	2.5	2.2	2.6	4.1	4.3	3.9
2001.....	2.7	2.5	2.8	1.4	1.4	1.3	2.8	2.5	2.9	2.7	2.4	2.8	4.4	4.6	4.2
2000.....	2.8	2.7	2.8	1.5	1.4	1.5	2.9	2.8	2.9	2.8	2.6	2.8	4.3	4.5	4.0
1999.....	3.0	2.8	3.1	1.7	1.6	1.7	3.1	2.8	3.1	3.0	2.6	3.1	4.3	5.2	3.8
Other metabolic disorders (E70-E83,E85,E88)															
2006.....	3.2	4.1	2.6	2.1	2.4	1.9	3.3	4.2	2.6	3.4	4.4	2.6	3.3	3.7	3.0
2005.....	3.3	4.1	2.6	2.0	2.2	1.7	3.4	4.2	2.7	3.4	4.3	2.7	3.3	4.0	2.9
2004.....	3.0	3.8	2.3	1.8	2.1	1.6	3.1	3.9	2.4	3.1	4.0	2.5	3.1	3.6	2.6
2003.....	2.9	3.7	2.3	1.9	2.1	1.8	3.0	3.8	2.3	3.0	3.9	2.3	2.9	3.5	2.5
2002.....	2.8	3.5	2.2	2.1	2.5	1.8	2.8	3.6	2.2	2.8	3.6	2.2	3.1	3.8	2.6
2001.....	2.6	3.4	2.0	1.9	2.4	1.5	2.7	3.4	2.0	2.7	3.5	2.1	2.7	3.4	2.1
2000.....	2.5	3.1	2.0	1.8	2.0	1.6	2.5	3.1	2.0	2.6	3.2	2.0	2.5	2.8	2.3
1999.....	2.3	2.8	1.9	1.6	1.8	1.5	2.3	2.8	1.9	2.4	2.9	1.9	2.4	2.6	2.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
V. Mental and behavioral disorders (F01-F99)															
2006.....	28.6	27.4	28.2	18.1	18.9	16.6	29.2	27.8	28.9	29.4	27.7	29.4	31.6	34.2	28.9
2005.....	22.8	22.0	22.3	13.8	15.4	11.8	23.3	22.3	22.9	23.5	22.2	23.3	25.1	26.9	22.9
2004.....	20.3	19.9	19.5	12.0	13.1	10.5	20.7	20.2	20.0	20.9	20.0	20.4	22.0	25.6	18.9
2003.....	20.2	19.6	19.6	12.0	13.3	10.3	20.6	19.8	20.0	20.8	19.7	20.4	21.5	24.3	18.8
2002.....	19.2	18.8	18.4	11.4	14.2	8.9	19.4	18.9	18.8	19.6	18.6	19.2	20.4	23.8	17.2
2001.....	18.0	17.8	17.1	11.7	13.4	9.9	18.2	18.0	17.3	18.2	17.7	17.7	19.1	23.0	15.7
2000.....	16.7	16.8	15.7	10.5	12.7	8.3	16.9	16.8	16.0	16.9	16.4	16.3	18.1	22.3	14.6
1999.....	15.5	16.0	14.3	11.2	13.7	8.7	15.6	16.0	14.5	15.6	15.7	14.7	16.1	20.6	12.5
Organic dementia (F01,F03)															
2006.....	23.6	20.4	25.1	14.1	12.7	14.8	24.1	20.8	25.6	24.4	20.8	26.0	25.4	24.5	25.3
2005.....	17.8	15.0	19.2	9.7	8.8	10.2	18.2	15.4	19.6	18.5	15.5	20.0	18.9	17.4	19.3
2004.....	15.3	12.9	16.4	8.4	7.3	8.9	15.6	13.2	16.8	15.9	13.3	17.2	15.7	15.4	15.6
2003.....	15.3	12.8	16.4	7.9	7.0	8.3	15.6	13.1	16.8	15.9	13.2	17.2	15.1	14.4	15.2
2002.....	14.3	12.2	15.3	7.2	7.3	7.1	14.6	12.4	15.6	14.9	12.5	16.0	13.7	13.4	13.6
2001.....	13.2	11.4	14.0	7.7	7.1	8.0	13.4	11.5	14.2	13.7	11.7	14.6	12.2	11.8	12.1
2000.....	12.0	10.3	12.6	6.4	6.4	6.3	12.2	10.4	12.8	12.4	10.5	13.2	11.2	11.5	10.9
1999.....	10.6	9.3	11.1	6.5	6.4	6.6	10.8	9.4	11.2	11.1	9.6	11.6	8.7	8.9	8.5
Other and unspecified organic mental disorders (F04-F09)															
2006.....	0.5	0.5	0.5	0.4	0.5	0.3	0.5	0.5	0.5	0.5	0.5	0.6	0.4	0.5	0.4
2005.....	0.5	0.5	0.6	0.3	0.2	0.4	0.6	0.5	0.6	0.6	0.5	0.6	0.6	0.5	0.6
2004.....	0.6	0.6	0.6	0.4	0.3	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5
2003.....	0.6	0.6	0.6	0.5	0.4	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.5
2002.....	0.7	0.6	0.7	0.7	0.7	0.7	0.7	0.6	0.7	0.7	0.6	0.7	0.6	0.6	0.7
2001.....	0.7	0.7	0.8	0.6	0.6	0.6	0.7	0.7	0.8	0.8	0.7	0.8	0.8	0.8	0.7
2000.....	0.8	0.7	0.9	0.7	0.5	0.7	0.8	0.7	0.9	0.8	0.7	0.9	0.8	0.8	0.7
1999.....	0.9	0.8	0.9	0.8	0.9	0.8	0.9	0.8	0.9	0.9	0.8	1.0	0.9	1.1	0.8
Mental and behavioral disorders due to psychoactive substance use (F10-F19)															
2006.....	3.8	5.8	1.9	3.2	5.3	1.2	3.9	5.8	2.0	3.7	5.6	2.0	5.1	8.4	2.5
2005.....	3.7	5.7	1.8	3.3	5.9	0.9	3.7	5.6	1.9	3.6	5.5	1.9	4.9	8.1	2.4
2004.....	3.6	5.6	1.7	2.9	5.0	0.9	3.6	5.6	1.8	3.5	5.4	1.7	5.0	8.7	2.2
2003.....	3.4	5.4	1.6	3.2	5.6	1.0	3.4	5.3	1.7	3.3	5.0	1.6	5.0	8.4	2.3
2002.....	3.3	5.2	1.5	3.2	5.6	0.9	3.3	5.1	1.6	3.1	4.7	1.5	5.3	9.0	2.3
2001.....	3.2	5.0	1.5	3.0	5.2	0.9	3.2	4.9	1.5	2.9	4.5	1.4	5.5	9.5	2.3
2000.....	3.1	5.0	1.4	3.1	5.5	0.9	3.1	4.9	1.5	2.8	4.4	1.3	5.5	9.4	2.4
1999.....	3.1	5.1	1.4	3.3	6.0	0.8	3.1	4.9	1.4	2.7	4.3	1.3	5.8	9.8	2.7
Mental and behavioral disorders due to use of alcohol (F10)															
2006.....	2.4	3.9	1.0	2.2	3.8	0.7	2.4	3.9	1.1	2.4	3.9	1.1	2.8	4.9	1.1
2005.....	2.4	3.9	1.0	2.2	4.1	0.5	2.4	3.8	1.1	2.4	3.8	1.1	2.8	5.0	1.1
2004.....	2.4	3.9	1.0	1.8	3.3	0.4	2.4	4.0	1.0	2.4	3.8	1.1	3.0	5.6	1.0
2003.....	2.4	3.8	1.0	2.1	3.8	0.5	2.4	3.8	1.1	2.3	3.7	1.1	3.0	5.5	1.1
2002.....	2.3	3.9	1.0	2.2	4.1	0.5	2.3	3.8	1.0	2.3	3.6	1.0	3.4	6.2	1.2
2001.....	2.3	3.8	1.0	2.1	3.9	0.5	2.3	3.8	1.0	2.2	3.4	1.0	3.7	6.8	1.3
2000.....	2.2	3.7	0.9	2.3	4.2	0.5	2.2	3.7	0.9	2.1	3.4	0.9	3.6	6.7	1.3
1999.....	2.2	3.7	0.9	2.3	4.2	0.5	2.2	3.6	0.9	2.0	3.3	0.9	3.8	6.8	1.5
Mental and behavioral disorders due to other psychoactive substance use (F11-F19)															
2006.....	1.4	1.9	0.9	1.0	1.5	0.5	1.4	1.9	0.9	1.3	1.8	0.9	2.4	3.5	1.4
2005.....	1.3	1.8	0.8	1.1	1.8	0.4	1.3	1.8	0.8	1.3	1.7	0.8	2.1	3.1	1.3
2004.....	1.2	1.6	0.7	1.1	1.7	0.5	1.2	1.7	0.7	1.1	1.5	0.7	2.0	3.1	1.2
2003.....	1.1	1.5	0.6	1.1	1.8	0.5	1.0	1.5	0.7	0.9	1.3	0.6	1.9	2.8	1.2
2002.....	0.9	1.3	0.6	0.9	1.5	0.4	0.9	1.2	0.6	0.8	1.1	0.5	1.9	2.8	1.2
2001.....	0.9	1.2	0.5	0.8	1.3	0.4	0.9	1.2	0.5	0.7	1.0	0.5	1.8	2.7	1.1
2000.....	0.9	1.2	0.6	0.9	1.3	0.4	0.9	1.2	0.5	0.7	1.0	0.5	1.8	2.7	1.1
1999.....	0.9	1.3	0.5	1.1	1.8	0.3	0.8	1.2	0.5	0.7	1.0	0.4	1.9	2.9	1.1

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Schizophrenia, schizotypal and delusional disorders (F20-F29)															
2006.....	0.2	0.2	0.1	*	*	*	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.3	0.2
2005.....	0.1	0.2	0.2	0.1	*	*	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.3	0.2
2004.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.2
2003.....	0.2	0.1	0.2	*	*	*	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2002.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2
2001.....	0.2	0.1	0.2	*	*	*	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2
2000.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1999.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
Mood (affective) disorders (F30-F39)															
2006.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.3	0.2	0.2	0.3	0.1	*	0.1
2005.....	0.2	0.2	0.3	*	*	*	0.3	0.2	0.3	0.3	0.2	0.3	0.1	*	*
2004.....	0.3	0.2	0.3	0.1	*	*	0.3	0.2	0.3	0.3	0.2	0.3	0.1	*	0.1
2003.....	0.3	0.3	0.3	*	*	*	0.3	0.3	0.3	0.3	0.3	0.4	0.2	*	0.2
2002.....	0.3	0.2	0.3	*	*	*	0.3	0.2	0.4	0.3	0.2	0.4	0.1	*	0.1
2001.....	0.3	0.3	0.3	*	*	*	0.3	0.3	0.3	0.3	0.3	0.3	0.1	*	0.1
2000.....	0.3	0.3	0.3	*	*	*	0.3	0.3	0.3	0.3	0.3	0.3	0.1	*	0.1
1999.....	0.3	0.3	0.3	*	*	*	0.3	0.3	0.3	0.4	0.3	0.3	0.1	*	*
Neurotic, stress-related and somatoform disorders (F40-F48)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
Mental retardation (F70-F79)															
2006.....	0.1	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2
2005.....	0.2	0.2	0.1	0.1	0.2	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1
2004.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2
2003.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1
2002.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1
2000.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.1
1999.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2
Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)															
2006.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.2	0.2	*	0.1
2005.....	0.1	0.1	0.2	0.1	*	*	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2
2004.....	0.2	0.1	0.2	*	*	*	0.2	0.1	0.2	0.2	0.1	0.2	0.1	*	*
2003.....	0.2	0.1	0.2	0.1	*	*	0.2	0.1	0.2	0.2	0.1	0.2	0.2	*	0.2
2002.....	0.2	0.1	0.2	*	*	*	0.2	0.1	0.2	0.2	0.1	0.2	0.1	*	0.2
2001.....	0.1	0.1	0.2	*	*	*	0.1	0.1	0.2	0.2	0.1	0.2	0.1	*	*
2000.....	0.1	0.1	0.2	*	*	*	0.1	0.1	0.2	0.2	0.1	0.2	0.1	*	*
1999.....	0.1	0.1	0.2	*	*	*	0.2	0.1	0.2	0.2	0.1	0.2	0.1	*	*
VI. Diseases of the nervous system (G00-G98)															
2006.....	38.9	39.6	37.9	24.6	25.8	23.4	39.8	40.5	38.8	41.2	42.0	40.0	33.7	32.9	33.5
2005.....	39.0	39.3	38.2	24.3	25.6	23.0	39.9	40.2	39.1	41.2	41.4	40.3	35.0	35.3	34.2
2004.....	37.1	37.5	36.3	22.7	22.9	22.1	38.0	38.4	37.1	39.1	39.6	38.1	33.3	32.8	33.0
2003.....	37.2	37.8	36.1	23.4	25.0	22.0	37.9	38.5	36.9	39.1	39.7	38.1	31.7	32.8	30.5
2002.....	35.6	36.5	34.4	21.1	21.4	20.5	36.3	37.2	35.1	37.5	38.5	36.3	29.6	30.7	28.4
2001.....	34.2	35.8	32.7	19.9	21.3	18.8	34.9	36.5	33.4	35.9	37.6	34.4	29.1	30.7	27.8
2000.....	33.0	34.8	31.5	19.9	21.9	18.2	33.6	35.4	32.1	34.6	36.4	33.0	27.4	29.2	26.1
1999.....	30.9	33.2	29.1	18.7	19.8	17.7	31.5	33.9	29.6	32.4	34.9	30.4	25.3	27.0	24.0

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Meningitis (G00,G03)															
2006.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.4	0.3
2005.....	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.4	0.5	0.3
2004.....	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.5	0.5	0.4
2003.....	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.6	0.6	0.6
2002.....	0.2	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.6	0.8	0.4
2001.....	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.6	0.8	0.4
2000.....	0.3	0.3	0.2	0.2	0.3	0.1	0.3	0.3	0.2	0.2	0.3	0.2	0.6	0.8	0.6
1999.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.7	0.9	0.6
Other inflammatory diseases of central nervous system (G04-G09)															
2006.....	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.4	0.4	0.4
2005.....	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.4	0.5	0.3
2004.....	0.2	0.3	0.2	0.2	0.3	*	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.4	0.3
2003.....	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.4	0.3
2002.....	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.4	0.5	0.3
2001.....	0.2	0.2	0.2	0.1	0.2	*	0.2	0.3	0.2	0.2	0.2	0.2	0.4	0.4	0.4
2000.....	0.2	0.3	0.2	0.2	0.4	*	0.2	0.3	0.2	0.2	0.2	0.2	0.4	0.4	0.3
1999.....	0.2	0.3	0.2	0.2	0.2	*	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.3
Parkinson's disease (G20-G21)															
2006.....	6.3	9.6	4.3	4.0	6.1	2.6	6.5	9.8	4.4	6.9	10.5	4.7	2.8	4.4	1.9
2005.....	6.4	9.8	4.4	4.3	6.3	3.1	6.5	10.0	4.4	7.0	10.6	4.7	3.0	5.0	1.9
2004.....	6.1	9.3	4.1	3.8	5.7	2.6	6.2	9.5	4.2	6.6	10.1	4.4	2.7	4.3	1.9
2003.....	6.2	9.3	4.2	3.6	5.5	2.4	6.3	9.5	4.3	6.7	10.1	4.6	2.8	4.5	1.9
2002.....	5.9	9.0	4.1	3.5	5.1	2.6	6.0	9.2	4.1	6.4	9.7	4.4	2.5	4.0	1.7
2001.....	5.9	9.1	4.0	3.8	5.6	2.7	5.9	9.3	4.1	6.3	9.9	4.3	2.5	4.0	1.8
2000.....	5.7	8.8	3.9	3.6	5.4	2.6	5.8	9.0	4.0	6.1	9.5	4.3	2.5	4.2	1.6
1999.....	5.4	8.4	3.7	3.5	5.1	2.5	5.4	8.5	3.7	5.8	9.0	3.9	2.4	3.8	1.7
Alzheimer's disease (G30)															
2006.....	22.6	18.4	24.7	14.0	12.2	14.9	23.0	18.8	25.2	24.0	19.5	26.3	18.6	14.9	20.2
2005.....	22.9	18.5	25.1	13.8	12.5	14.5	23.3	18.8	25.7	24.2	19.4	26.7	19.7	16.7	20.9
2004.....	21.8	17.7	23.8	13.0	10.8	14.1	22.2	18.1	24.3	23.0	18.7	25.2	18.7	15.5	20.1
2003.....	21.4	17.5	23.3	13.4	12.2	14.1	21.7	17.8	23.7	22.6	18.4	24.7	16.9	14.9	17.6
2002.....	20.2	16.6	22.0	11.6	9.7	12.6	20.6	17.0	22.4	21.5	17.7	23.4	15.3	13.2	16.1
2001.....	19.1	16.1	20.5	10.7	9.2	11.5	19.4	16.4	20.8	20.2	17.0	21.7	14.8	13.3	15.3
2000.....	18.1	15.2	19.3	10.4	9.1	10.9	18.3	15.5	19.6	19.1	16.1	20.4	13.2	11.6	13.9
1999.....	16.5	14.4	17.4	9.6	8.1	10.3	16.7	14.6	17.6	17.4	15.2	18.4	11.4	10.3	11.8
Multiple sclerosis (G35)															
2006.....	1.1	0.8	1.3	0.2	0.2	0.3	1.2	0.9	1.4	1.2	0.9	1.5	1.1	0.8	1.4
2005.....	1.1	0.8	1.4	0.4	0.3	0.5	1.2	0.8	1.5	1.3	0.9	1.6	1.1	0.8	1.4
2004.....	1.1	0.8	1.4	0.2	0.2	0.3	1.2	0.8	1.5	1.2	0.9	1.5	1.1	0.8	1.3
2003.....	1.1	0.8	1.3	0.3	0.2	0.4	1.2	0.9	1.4	1.2	0.9	1.4	1.1	0.8	1.4
2002.....	1.1	0.8	1.3	0.3	0.2	0.3	1.1	0.8	1.4	1.2	0.9	1.4	1.1	0.7	1.5
2001.....	1.1	0.8	1.3	0.3	0.2	0.4	1.1	0.8	1.4	1.2	0.9	1.4	1.0	0.6	1.3
2000.....	1.0	0.8	1.2	0.3	0.3	0.4	1.1	0.8	1.3	1.1	0.8	1.4	1.0	0.7	1.3
1999.....	1.0	0.7	1.2	0.3	*	0.4	1.0	0.7	1.3	1.1	0.8	1.3	0.9	0.6	1.1
Epilepsy (G40-G41)															
2006.....	0.5	0.5	0.4	0.4	0.6	0.3	0.5	0.5	0.4	0.4	0.5	0.4	0.9	1.0	0.8
2005.....	0.5	0.5	0.5	0.4	0.4	0.3	0.5	0.6	0.5	0.5	0.5	0.4	1.0	1.1	1.0
2004.....	0.5	0.5	0.4	0.4	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.3	0.9	1.1	0.7
2003.....	0.5	0.5	0.4	0.4	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.4	1.0	1.4	0.8
2002.....	0.5	0.6	0.4	0.4	0.6	0.3	0.5	0.6	0.4	0.4	0.5	0.4	1.0	1.3	0.8
2001.....	0.4	0.5	0.4	0.4	0.5	0.3	0.4	0.5	0.4	0.4	0.5	0.4	1.0	1.2	0.8
2000.....	0.5	0.5	0.4	0.4	0.5	0.3	0.5	0.5	0.4	0.4	0.5	0.4	1.0	1.3	0.9
1999.....	0.5	0.6	0.4	0.4	0.4	0.3	0.5	0.6	0.4	0.4	0.5	0.4	1.1	1.4	0.9

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Transient cerebral ischemic attacks and related syndromes (G45)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.1	0.0	0.1	*	*	*	0.1	0.1	0.1	0.1	0.0	0.1	*	*	*
2004.....	0.1	0.0	0.1	*	*	*	0.1	0.0	0.1	0.1	0.0	0.1	*	*	*
2003.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
Infantile cerebral palsy (G80)															
2006.....	0.5	0.5	0.4	0.3	0.3	0.3	0.5	0.6	0.4	0.5	0.6	0.4	0.7	0.8	0.6
2005.....	0.5	0.5	0.4	0.3	0.3	0.3	0.5	0.6	0.4	0.5	0.5	0.4	0.7	0.8	0.7
2004.....	0.5	0.5	0.4	0.3	0.3	0.2	0.5	0.6	0.4	0.5	0.6	0.4	0.7	0.8	0.6
2003.....	0.5	0.5	0.4	0.3	0.3	0.3	0.5	0.6	0.4	0.4	0.5	0.4	0.7	0.8	0.6
2002.....	0.4	0.5	0.4	0.3	0.3	0.3	0.4	0.5	0.4	0.4	0.5	0.3	0.6	0.7	0.6
2001.....	0.4	0.5	0.3	0.2	0.3	0.2	0.4	0.5	0.4	0.4	0.5	0.3	0.5	0.6	0.5
2000.....	0.4	0.4	0.3	0.2	0.3	0.2	0.4	0.4	0.4	0.4	0.4	0.3	0.6	0.6	0.5
1999.....	0.4	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.4	0.4	0.3	0.5	0.6	0.4
All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)															
2006.....	7.5	9.1	6.2	5.2	6.0	4.5	7.7	9.4	6.4	7.8	9.5	6.4	8.8	10.3	7.7
2005.....	7.1	8.6	6.0	4.6	5.3	4.0	7.4	8.9	6.1	7.4	9.0	6.1	8.6	9.8	7.7
2004.....	6.8	8.1	5.7	4.5	5.0	4.0	7.0	8.3	5.9	7.0	8.4	5.8	8.2	9.3	7.5
2003.....	7.0	8.4	5.9	4.8	5.7	4.0	7.2	8.6	6.1	7.2	8.7	6.0	8.2	9.3	7.4
2002.....	6.9	8.3	5.8	4.5	5.0	3.9	7.1	8.5	5.9	7.1	8.6	5.9	8.1	9.5	7.0
2001.....	6.7	8.1	5.7	4.1	5.0	3.3	6.9	8.4	5.8	6.9	8.3	5.8	8.2	9.7	7.3
2000.....	6.8	8.3	5.7	4.5	5.7	3.6	7.0	8.4	5.8	7.0	8.5	5.8	8.0	9.6	6.9
1999.....	6.6	8.1	5.6	4.2	5.2	3.5	6.8	8.3	5.7	6.8	8.4	5.6	7.8	8.9	7.2
VII. Diseases of the eye and adnexa (H00-H57)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	*	0.0	*	*	*
2005.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2004.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2003.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2002.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2001.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	*	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	*	0.0	*	*	*
1999.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
VIII. Diseases of the ear and mastoid process (H60-H93)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	*	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	*	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
IX. Diseases of the circulatory system (I00-I99)															
2006.....	262.5	313.3	221.6	191.2	225.5	162.8	267.0	319.3	225.2	260.1	311.9	218.3	357.2	430.7	303.4
2005.....	278.8	331.1	237.1	208.5	247.8	176.6	283.1	336.5	240.5	276.0	329.3	233.1	376.6	445.7	324.9
2004.....	288.0	341.7	245.3	211.2	251.9	178.3	292.3	347.0	248.9	284.8	339.6	240.9	390.6	461.2	338.8
2003.....	307.7	365.0	262.3	229.3	267.5	197.8	311.7	370.2	265.4	303.7	362.4	256.9	414.8	489.2	360.1
2002.....	319.0	378.8	272.1	237.5	281.1	202.9	322.8	383.6	275.1	315.0	376.3	266.5	424.3	496.8	371.1
2001.....	328.2	389.8	280.4	253.4	299.5	217.6	331.4	393.9	283.0	323.2	386.0	274.0	435.3	514.1	379.5
2000.....	341.3	409.0	290.0	259.6	308.5	221.7	344.6	413.1	292.5	336.5	405.7	283.5	446.8	526.5	390.9
1999.....	350.8	420.5	297.9	269.0	321.9	228.8	353.7	424.3	300.3	345.6	416.3	291.4	454.5	539.6	395.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)															
2006.....	0.3	0.2	0.4	0.2	*	0.2	0.3	0.2	0.4	0.3	0.2	0.4	0.2	0.2	0.3
2005.....	0.3	0.2	0.4	0.2	*	0.3	0.3	0.2	0.4	0.3	0.2	0.4	0.3	0.2	0.3
2004.....	0.3	0.2	0.4	0.2	*	0.3	0.3	0.2	0.4	0.3	0.2	0.4	0.2	*	0.3
2003.....	0.3	0.2	0.4	0.2	*	0.4	0.3	0.2	0.4	0.3	0.2	0.4	0.3	0.2	0.4
2002.....	0.4	0.2	0.4	0.4	*	0.5	0.4	0.3	0.4	0.4	0.3	0.4	0.3	0.2	0.3
2001.....	0.4	0.3	0.5	0.3	*	0.3	0.4	0.3	0.5	0.4	0.2	0.5	0.3	0.2	0.4
2000.....	0.4	0.3	0.5	0.3	*	0.4	0.4	0.3	0.5	0.4	0.3	0.5	0.4	0.2	0.5
1999.....	0.4	0.3	0.5	0.3	*	0.5	0.5	0.3	0.5	0.4	0.3	0.5	0.3	0.2	0.3
Hypertensive diseases (I10-I15)															
2006.....	17.8	18.6	16.5	14.4	15.3	13.3	18.1	18.9	16.7	15.2	15.6	14.3	44.5	52.1	38.4
2005.....	18.5	18.9	17.4	15.4	16.0	14.6	18.7	19.2	17.6	15.7	15.8	15.0	46.5	53.1	41.0
2004.....	18.1	18.7	17.0	15.5	17.0	13.9	18.3	18.8	17.2	15.3	15.5	14.4	46.5	51.8	41.7
2003.....	18.1	18.3	17.2	16.5	17.7	15.0	18.1	18.3	17.3	15.1	15.0	14.5	46.8	51.9	42.3
2002.....	17.1	17.4	16.3	15.8	17.0	14.5	17.1	17.4	16.3	14.2	14.1	13.6	45.4	50.2	41.2
2001.....	16.5	16.6	15.8	15.3	16.2	14.2	16.5	16.6	15.9	13.7	13.5	13.3	43.5	48.3	39.5
2000.....	16.2	16.3	15.5	14.2	15.4	13.0	16.2	16.3	15.5	13.3	13.2	12.8	43.9	47.7	40.5
1999.....	15.8	15.9	15.2	14.1	14.7	13.3	15.8	15.9	15.2	12.9	12.7	12.5	43.6	48.0	39.9
Essential (primary) hypertension (I10)															
2006.....	4.4	4.0	4.5	2.8	2.5	3.0	4.5	4.1	4.6	4.1	3.6	4.2	8.7	8.8	8.3
2005.....	4.8	4.1	5.0	3.6	3.3	3.7	4.8	4.2	5.1	4.5	3.7	4.7	8.8	9.1	8.3
2004.....	4.4	4.0	4.6	3.2	2.8	3.3	4.5	4.0	4.7	4.1	3.6	4.3	8.4	8.1	8.2
2003.....	4.4	3.7	4.6	3.2	2.5	3.5	4.4	3.8	4.7	4.0	3.3	4.3	8.6	8.7	8.2
2002.....	4.0	3.5	4.2	2.8	2.3	3.2	4.1	3.5	4.2	3.7	3.2	3.9	7.8	7.7	7.6
2001.....	3.9	3.5	4.0	3.2	2.7	3.3	4.0	3.5	4.1	3.6	3.1	3.7	7.7	8.3	7.2
2000.....	3.7	3.4	3.8	3.0	3.2	2.8	3.8	3.4	3.8	3.4	2.9	3.5	7.4	7.7	7.1
1999.....	3.6	3.3	3.7	2.8	2.6	2.8	3.7	3.3	3.8	3.3	2.9	3.4	7.3	7.5	7.1
Hypertensive heart disease (I11)															
2006.....	9.4	10.1	8.3	7.4	8.1	6.6	9.5	10.3	8.4	8.0	8.4	7.2	23.5	29.1	19.2
2005.....	9.4	10.1	8.5	7.2	7.9	6.4	9.6	10.2	8.6	8.0	8.4	7.2	24.4	28.9	20.8
2004.....	9.5	10.1	8.5	7.8	9.1	6.7	9.6	10.2	8.6	7.9	8.3	7.2	24.6	28.8	21.0
2003.....	9.6	10.1	8.8	8.9	10.3	7.5	9.6	10.0	8.8	7.9	8.1	7.3	25.4	29.1	22.2
2002.....	9.1	9.5	8.3	8.4	9.7	7.1	9.2	9.5	8.4	7.5	7.6	7.0	24.7	28.2	21.5
2001.....	8.7	8.9	8.1	7.7	8.8	6.7	8.7	8.9	8.2	7.2	7.1	6.8	23.4	26.5	20.7
2000.....	8.6	8.7	8.1	7.0	7.5	6.3	8.7	8.7	8.1	7.1	7.0	6.7	24.0	26.6	21.5
1999.....	8.3	8.3	7.9	6.9	7.1	6.6	8.4	8.4	7.9	6.8	6.7	6.5	23.2	26.0	20.7
Hypertensive renal disease and secondary hypertension (I12,I15)															
2006.....	3.1	3.5	2.9	3.4	3.8	3.1	3.1	3.4	2.9	2.4	2.7	2.2	9.3	10.6	8.4
2005.....	3.3	3.6	3.0	3.5	3.6	3.5	3.2	3.6	3.0	2.5	2.8	2.3	10.0	11.3	9.1
2004.....	3.2	3.5	3.0	3.4	3.9	3.0	3.2	3.5	3.0	2.4	2.8	2.2	10.2	11.2	9.4
2003.....	3.1	3.4	2.8	3.5	3.7	3.3	3.0	3.3	2.8	2.4	2.7	2.2	9.3	10.2	8.7
2002.....	3.0	3.3	2.8	3.4	3.7	3.2	2.9	3.3	2.7	2.3	2.6	2.1	9.4	10.4	8.8
2001.....	2.9	3.2	2.7	3.3	3.5	3.2	2.9	3.1	2.7	2.2	2.5	2.1	9.1	9.8	8.5
2000.....	2.8	3.1	2.6	3.2	3.5	3.0	2.8	3.1	2.6	2.1	2.4	1.9	9.2	9.6	8.8
1999.....	2.6	2.9	2.4	3.2	3.8	2.9	2.5	2.8	2.4	1.9	2.2	1.7	8.9	9.9	8.2
Hypertensive heart and renal disease (I13)															
2006.....	0.9	1.0	0.8	0.7	0.8	0.6	0.9	1.0	0.8	0.7	0.8	0.6	3.0	3.6	2.5
2005.....	1.0	1.1	0.9	1.0	1.1	1.0	1.0	1.1	1.0	0.8	0.8	0.7	3.3	3.9	2.8
2004.....	1.0	1.1	0.9	1.0	1.2	0.9	1.0	1.1	0.9	0.7	0.8	0.7	3.3	3.7	3.0
2003.....	1.1	1.1	1.0	1.0	1.2	0.9	1.1	1.2	1.0	0.8	0.9	0.7	3.5	3.8	3.2
2002.....	1.0	1.0	0.9	1.1	1.2	1.0	1.0	1.0	0.9	0.7	0.7	0.7	3.6	3.9	3.2
2001.....	1.0	1.1	1.0	1.1	1.3	1.0	1.0	1.0	0.9	0.7	0.8	0.7	3.4	3.6	3.1
2000.....	1.0	1.1	0.9	1.0	1.2	0.9	1.0	1.1	0.9	0.8	0.8	0.7	3.4	3.7	3.1
1999.....	1.2	1.4	1.1	1.1	1.2	1.0	1.2	1.4	1.1	0.9	1.0	0.8	4.2	4.5	3.9

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Ischemic heart disease (I20-I25)															
2006.....	134.9	176.5	103.1	106.4	132.8	85.4	136.8	179.5	104.2	136.0	179.3	102.4	164.1	209.8	132.0
2005.....	144.4	187.4	111.7	118.0	148.4	94.1	146.0	189.9	112.7	145.2	190.2	110.7	173.7	216.9	142.8
2004.....	150.2	194.1	116.7	119.2	149.6	95.3	151.9	196.8	117.8	150.9	196.8	115.6	182.0	226.7	150.5
2003.....	162.9	209.9	127.2	130.0	158.0	107.4	164.6	212.7	128.1	163.3	212.3	125.7	197.2	246.1	162.7
2002.....	170.8	220.4	133.6	138.3	172.2	112.2	172.3	222.7	134.4	171.0	222.7	131.7	205.1	253.2	171.4
2001.....	177.8	228.5	139.9	149.9	185.8	122.6	179.0	230.5	140.5	177.5	230.2	137.7	213.5	264.4	178.4
2000.....	186.8	241.4	146.5	153.2	190.1	125.1	188.0	243.5	147.2	186.6	243.5	144.3	220.4	271.9	185.0
1999.....	194.6	251.2	152.9	162.2	200.1	133.1	195.7	253.1	153.5	194.3	253.0	150.8	226.6	280.3	189.7
Acute myocardial infarction (I21-I22)															
2006.....	45.0	58.8	34.2	35.0	43.4	28.4	45.8	60.0	34.6	45.7	60.4	34.0	54.2	67.6	44.7
2005.....	49.1	63.6	37.8	40.4	51.1	32.1	49.7	64.5	38.1	49.7	65.1	37.4	58.5	70.9	49.5
2004.....	52.2	67.8	40.2	40.9	51.2	32.7	53.0	68.9	40.7	52.9	69.4	39.9	62.9	76.0	53.5
2003.....	57.9	75.0	44.8	45.4	54.8	37.9	58.7	76.3	45.2	58.5	76.6	44.3	69.6	85.5	58.4
2002.....	62.1	80.6	48.1	49.5	61.6	40.2	62.8	81.7	48.5	62.5	82.1	47.4	75.0	90.9	64.1
2001.....	65.4	84.9	50.9	52.8	66.2	43.0	66.1	86.0	51.2	65.8	86.5	50.1	77.8	94.3	66.8
2000.....	69.9	91.3	54.1	54.1	67.6	43.9	70.6	92.5	54.5	70.4	93.0	53.4	82.0	100.1	70.0
1999.....	73.2	96.1	56.3	57.2	71.1	46.6	73.9	97.3	56.7	73.8	98.0	55.7	84.1	103.3	71.3
Other acute ischemic heart diseases (I24)															
2006.....	1.2	1.5	1.0	0.5	0.5	0.5	1.3	1.6	1.1	1.2	1.5	1.0	1.9	2.5	1.5
2005.....	1.2	1.4	0.9	0.5	0.5	0.4	1.2	1.5	1.0	1.1	1.4	0.9	2.0	2.6	1.6
2004.....	0.8	1.0	0.6	0.2	0.2	*	0.9	1.1	0.7	0.8	1.0	0.6	1.4	2.1	1.0
2003.....	1.1	1.3	0.9	0.3	0.2	0.3	1.1	1.4	0.9	1.1	1.3	0.9	1.7	2.4	1.2
2002.....	1.2	1.5	0.9	0.4	0.5	0.3	1.2	1.5	1.0	1.2	1.5	0.9	1.7	2.3	1.3
2001.....	1.2	1.5	0.9	0.4	0.7	0.2	1.2	1.5	1.0	1.2	1.5	0.9	1.8	2.4	1.4
2000.....	1.2	1.5	0.9	0.5	0.7	0.4	1.2	1.6	1.0	1.2	1.5	0.9	1.8	2.5	1.4
1999.....	1.2	1.5	0.9	0.4	0.4	0.4	1.2	1.6	1.0	1.2	1.5	0.9	1.8	2.5	1.3
Other forms of chronic ischemic heart disease (I20,I25)															
2006.....	88.7	116.1	67.9	70.8	88.9	56.4	89.8	117.9	68.5	89.0	117.4	67.4	108.1	139.7	85.9
2005.....	94.2	122.4	73.0	77.2	96.7	61.6	95.1	123.9	73.6	94.4	123.7	72.4	113.2	143.4	91.7
2004.....	97.1	125.3	75.8	78.1	98.2	62.4	98.0	126.8	76.4	97.2	126.4	75.1	117.6	148.6	96.0
2003.....	103.8	133.5	81.5	84.3	102.9	69.3	104.7	135.0	82.0	103.7	134.4	80.5	125.9	158.1	103.1
2002.....	107.6	138.3	84.5	88.4	110.0	71.8	108.3	139.5	84.9	107.3	139.1	83.4	128.5	160.0	106.1
2001.....	111.2	142.1	88.1	96.6	118.9	79.4	111.7	143.0	88.3	110.5	142.3	86.7	134.0	167.8	110.2
2000.....	115.7	148.6	91.5	98.7	121.9	80.8	116.1	149.4	91.7	115.1	149.0	90.0	136.5	169.3	113.7
1999.....	120.2	153.6	95.6	104.6	128.5	86.2	120.5	154.2	95.8	119.4	153.5	94.1	140.7	174.5	117.0
Atherosclerotic cardiovascular disease, so described (I25.0)															
2006.....	19.3	25.6	14.0	16.0	21.9	11.0	19.5	25.8	14.1	18.2	24.1	13.2	33.2	46.6	23.7
2005.....	20.3	26.6	15.0	17.3	24.4	11.6	20.4	26.6	15.1	19.1	24.9	14.1	34.9	47.5	25.7
2004.....	21.1	27.5	15.7	17.5	24.6	11.8	21.2	27.6	15.9	19.9	25.9	14.8	36.5	49.5	27.3
2003.....	22.7	29.6	17.1	19.1	26.7	13.0	22.9	29.6	17.3	21.5	27.6	16.2	38.6	53.1	28.4
2002.....	23.5	30.4	17.8	19.3	26.2	13.9	23.6	30.4	17.9	22.1	28.4	16.8	40.6	55.2	30.3
2001.....	24.1	30.8	18.5	21.0	28.5	15.1	24.1	30.8	18.6	22.5	28.6	17.3	42.1	56.4	32.0
2000.....	25.2	32.3	19.4	21.3	29.0	15.4	25.2	32.2	19.5	23.5	30.0	18.2	43.9	59.2	33.3
1999.....	26.4	33.5	20.6	23.2	31.1	17.0	26.4	33.4	20.7	24.6	30.9	19.3	46.0	61.5	35.1
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)															
2006.....	69.4	90.6	53.9	54.8	67.0	45.5	70.3	92.1	54.4	70.8	93.3	54.1	74.8	93.1	62.2
2005.....	73.9	95.8	58.0	59.9	72.4	50.1	74.7	97.3	58.4	75.3	98.7	58.2	78.3	95.9	66.0
2004.....	76.0	97.8	60.1	60.6	73.6	50.6	76.8	99.2	60.6	77.3	100.5	60.2	81.2	99.1	68.7
2003.....	81.1	104.0	64.4	65.2	76.3	56.3	81.9	105.4	64.7	82.2	106.8	64.2	87.3	105.0	74.7
2002.....	84.1	108.0	66.7	69.1	83.9	57.9	84.7	109.1	66.9	85.2	110.7	66.6	87.9	104.8	75.8
2001.....	87.1	111.3	69.6	75.6	90.5	64.3	87.6	112.2	69.7	88.0	113.7	69.4	91.8	111.4	78.2
2000.....	90.5	116.3	72.0	77.3	92.9	65.4	90.9	117.2	72.2	91.5	119.0	71.8	92.6	110.1	80.4
1999.....	93.8	120.1	75.0	81.4	97.4	69.2	94.1	120.9	75.1	94.8	122.6	74.8	94.7	113.0	81.9

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Other heart diseases (I26-I51)															
2006.....	53.9	60.0	48.7	28.8	32.8	25.4	55.5	62.0	50.2	54.6	60.6	49.5	70.8	83.4	61.5
2005.....	55.2	61.5	49.9	30.2	34.5	26.6	56.8	63.3	51.3	55.6	61.9	50.3	73.4	84.8	64.7
2004.....	55.2	61.7	49.9	29.5	33.3	26.3	56.8	63.5	51.3	55.6	61.9	50.3	74.0	87.4	64.5
2003.....	57.6	64.5	52.0	32.4	36.6	29.0	59.0	66.2	53.2	57.7	64.6	52.0	77.0	89.3	67.9
2002.....	58.5	65.5	52.8	31.5	36.1	27.9	60.0	67.2	54.1	58.6	65.7	52.9	77.8	89.3	69.2
2001.....	59.1	66.1	53.4	32.6	36.2	29.6	60.4	67.6	54.6	58.9	65.8	53.3	79.1	93.3	69.3
2000.....	60.0	67.9	53.8	33.9	38.7	30.2	61.2	69.3	54.9	59.7	67.6	53.5	79.7	93.7	70.1
1999.....	60.9	69.2	54.5	34.5	40.4	30.0	62.1	70.5	55.5	60.4	68.4	54.1	82.3	98.8	71.1
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)															
2006.....	4.0	3.6	4.3	2.0	1.7	2.3	4.2	3.8	4.4	3.9	3.6	4.2	6.9	6.3	7.3
2005.....	4.4	4.1	4.7	2.0	1.9	2.2	4.6	4.3	4.9	4.4	4.1	4.5	7.7	7.3	8.0
2004.....	4.4	4.0	4.7	2.3	1.9	2.5	4.6	4.2	4.8	4.3	4.0	4.5	7.7	7.5	8.0
2003.....	4.8	4.6	5.0	2.3	1.9	2.7	4.9	4.7	5.1	4.6	4.5	4.8	8.4	8.3	8.5
2002.....	4.8	4.4	5.0	2.5	2.1	2.8	4.9	4.6	5.2	4.6	4.4	4.8	8.2	7.3	8.9
2001.....	4.7	4.5	4.9	2.4	2.6	2.4	4.8	4.6	5.1	4.6	4.3	4.7	8.1	8.0	8.4
2000.....	4.7	4.5	4.9	2.4	2.0	2.6	4.8	4.6	5.0	4.6	4.4	4.7	8.1	7.8	8.5
1999.....	4.8	4.7	5.0	2.7	2.5	2.8	5.0	4.8	5.1	4.6	4.5	4.6	8.8	8.5	9.1
Pulmonary embolism (I26)															
2006.....	2.2	2.2	2.2	1.0	0.9	1.0	2.4	2.3	2.3	2.2	2.2	2.2	4.0	4.2	3.9
2005.....	2.7	2.7	2.7	1.1	1.1	1.1	2.8	2.9	2.8	2.7	2.7	2.7	4.9	5.2	4.7
2004.....	2.7	2.7	2.7	1.3	1.1	1.4	2.8	2.8	2.9	2.7	2.6	2.7	5.0	5.3	4.8
2003.....	3.0	3.0	2.9	1.2	1.2	1.2	3.1	3.1	3.1	2.9	2.9	2.9	5.5	6.0	5.3
2002.....	3.0	2.9	3.1	1.4	1.3	1.5	3.1	3.0	3.2	3.0	2.9	3.0	5.3	5.1	5.5
2001.....	3.1	3.0	3.1	1.4	1.6	1.3	3.2	3.1	3.2	3.0	2.9	3.0	5.4	5.7	5.3
2000.....	3.0	3.0	3.0	1.2	1.2	1.2	3.2	3.2	3.1	3.0	3.0	2.9	5.5	5.8	5.5
1999.....	3.3	3.3	3.3	1.7	1.6	1.7	3.4	3.4	3.4	3.1	3.2	3.1	6.2	6.6	6.0
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)															
2006.....	1.8	1.4	2.0	1.1	0.8	1.3	1.8	1.4	2.1	1.7	1.4	1.9	2.8	2.1	3.3
2005.....	1.7	1.4	1.9	1.0	0.8	1.1	1.7	1.5	2.0	1.7	1.4	1.9	2.8	2.1	3.2
2004.....	1.7	1.4	1.9	1.0	0.8	1.2	1.7	1.4	2.0	1.6	1.4	1.8	2.8	2.2	3.2
2003.....	1.8	1.6	2.0	1.1	0.7	1.5	1.9	1.6	2.1	1.7	1.6	1.9	2.8	2.3	3.2
2002.....	1.8	1.5	1.9	1.1	0.8	1.3	1.8	1.6	2.0	1.7	1.5	1.9	2.9	2.3	3.4
2001.....	1.7	1.5	1.8	1.0	0.9	1.1	1.7	1.5	1.9	1.6	1.4	1.7	2.7	2.3	3.1
2000.....	1.7	1.5	1.8	1.1	0.8	1.4	1.7	1.5	1.9	1.6	1.4	1.7	2.6	2.0	3.0
1999.....	1.5	1.4	1.6	1.0	0.9	1.1	1.6	1.5	1.7	1.5	1.4	1.5	2.6	2.0	3.1
Other non-pulmonary forms of heart disease (I30-I51)															
2006.....	49.9	56.4	44.4	26.8	31.1	23.1	51.4	58.2	45.7	50.6	57.0	45.3	63.9	77.1	54.2
2005.....	50.7	57.3	45.2	28.2	32.6	24.4	52.2	59.0	46.5	51.2	57.8	45.8	65.8	77.5	56.7
2004.....	50.8	57.7	45.3	27.3	31.4	23.7	52.2	59.3	46.5	51.3	57.9	45.8	66.3	79.9	56.5
2003.....	52.8	60.0	47.0	30.1	34.7	26.3	54.1	61.4	48.1	53.0	60.1	47.2	68.6	81.0	59.4
2002.....	53.8	61.1	47.8	29.0	34.0	25.1	55.1	62.7	48.9	54.0	61.3	48.0	69.6	82.0	60.3
2001.....	54.4	61.6	48.5	30.2	33.6	27.1	55.5	63.0	49.5	54.4	61.5	48.6	70.9	85.3	60.9
2000.....	55.2	63.4	48.9	31.5	36.8	27.6	56.3	64.7	49.8	55.1	63.2	48.9	71.6	85.9	61.6
1999.....	56.1	64.5	49.6	31.8	37.9	27.2	57.2	65.7	50.5	55.8	63.8	49.4	73.5	90.2	62.1
Acute and subacute endocarditis (I33)															
2006.....	0.4	0.5	0.3	0.3	0.4	0.3	0.4	0.5	0.3	0.4	0.4	0.3	0.7	0.9	0.6
2005.....	0.4	0.5	0.3	0.3	0.5	0.2	0.4	0.5	0.3	0.4	0.5	0.3	0.7	0.9	0.6
2004.....	0.4	0.5	0.3	0.4	0.6	0.2	0.4	0.5	0.3	0.4	0.5	0.3	0.7	0.8	0.6
2003.....	0.4	0.5	0.3	0.4	0.4	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.8	0.9	0.6
2002.....	0.4	0.5	0.3	0.3	0.5	0.2	0.4	0.5	0.3	0.4	0.5	0.3	0.7	0.8	0.6
2001.....	0.4	0.5	0.3	0.3	0.3	0.2	0.4	0.6	0.3	0.4	0.5	0.3	0.8	1.1	0.6
2000.....	0.4	0.5	0.3	0.4	0.4	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.8	0.9	0.7
1999.....	0.4	0.5	0.3	0.3	0.6	0.2	0.4	0.5	0.3	0.4	0.5	0.3	0.8	0.9	0.6

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Diseases of pericardium and acute myocarditis (I30-I31,I40)															
2006.....	0.3	0.3	0.2	0.2	0.2	0.1	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.3
2005.....	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.5	0.5	0.5
2004.....	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.5	0.6	0.4
2003.....	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.4	0.3	0.3	0.3	0.2	0.5	0.5	0.5
2002.....	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.5	0.5	0.5
2001.....	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.5	0.5
2000.....	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.4	0.5	0.4
1999.....	0.3	0.4	0.3	0.3	0.2	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.5	0.6	0.5
Other diseases of endocardium (I34-I38)															
2006.....	6.7	7.0	6.5	3.5	3.6	3.3	6.9	7.2	6.6	7.2	7.5	7.0	4.4	4.7	4.2
2005.....	6.7	6.8	6.6	3.8	3.8	3.7	6.9	7.0	6.7	7.2	7.3	7.0	4.6	4.6	4.5
2004.....	6.7	6.9	6.5	3.6	3.9	3.4	6.9	7.1	6.7	7.1	7.3	6.9	4.9	5.2	4.7
2003.....	6.8	7.0	6.6	3.7	3.8	3.7	6.9	7.2	6.7	7.2	7.4	6.9	5.0	5.1	4.8
2002.....	6.9	7.1	6.7	3.7	4.1	3.4	7.0	7.2	6.9	7.3	7.5	7.1	4.9	4.6	4.9
2001.....	6.9	7.2	6.6	3.9	4.1	3.7	7.1	7.4	6.8	7.3	7.6	7.0	5.0	5.3	4.7
2000.....	7.2	7.5	6.9	4.4	4.7	4.1	7.3	7.6	7.0	7.5	7.8	7.3	5.3	5.5	5.1
1999.....	7.2	7.6	6.9	4.2	4.8	3.8	7.3	7.7	7.0	7.6	7.9	7.2	5.4	5.4	5.2
Nonrheumatic mitral valve disorders (I34)															
2006.....	0.8	0.7	0.9	0.4	0.3	0.5	0.9	0.8	0.9	0.9	0.8	0.9	0.5	0.4	0.5
2005.....	0.8	0.7	0.9	0.4	0.2	0.5	0.9	0.8	0.9	0.9	0.8	1.0	0.7	0.5	0.8
2004.....	0.8	0.8	0.9	0.4	0.4	0.5	0.9	0.8	0.9	0.9	0.8	1.0	0.7	0.6	0.8
2003.....	0.9	0.8	0.9	0.5	0.4	0.5	0.9	0.8	0.9	0.9	0.8	1.0	0.7	0.6	0.7
2002.....	1.0	0.8	1.0	0.5	0.4	0.6	1.0	0.9	1.1	1.0	0.9	1.1	0.7	0.6	0.7
2001.....	1.0	0.9	1.1	0.6	0.5	0.7	1.0	0.9	1.1	1.0	0.9	1.1	0.7	0.5	0.8
2000.....	1.0	1.0	1.1	0.5	0.7	0.5	1.1	1.0	1.1	1.1	1.0	1.2	0.8	0.6	0.9
1999.....	1.1	1.0	1.1	0.5	*	0.5	1.1	1.0	1.1	1.1	1.0	1.2	0.8	0.6	0.9
Nonrheumatic aortic valve disorders (I35)															
2006.....	4.3	4.6	4.0	2.1	2.4	2.0	4.4	4.7	4.1	4.7	5.0	4.4	2.3	2.5	2.1
2005.....	4.2	4.4	4.0	2.4	2.6	2.2	4.3	4.5	4.1	4.6	4.8	4.3	2.2	2.4	2.0
2004.....	4.2	4.4	4.0	2.1	2.4	2.0	4.3	4.5	4.1	4.5	4.8	4.3	2.4	2.6	2.2
2003.....	4.2	4.6	4.0	2.3	2.4	2.2	4.3	4.7	4.0	4.6	4.9	4.3	2.4	2.5	2.3
2002.....	4.3	4.6	4.0	2.3	2.8	2.0	4.4	4.7	4.1	4.6	5.0	4.3	2.5	2.5	2.4
2001.....	4.3	4.7	4.0	2.4	2.6	2.2	4.4	4.8	4.1	4.6	5.0	4.3	2.5	3.0	2.2
2000.....	4.5	4.9	4.2	2.8	3.3	2.5	4.5	5.0	4.2	4.8	5.2	4.5	2.7	2.9	2.5
1999.....	4.5	5.0	4.2	2.8	3.3	2.3	4.6	5.0	4.2	4.8	5.3	4.4	2.8	3.1	2.5
All other diseases of endocardium (I36-I38)															
2006.....	1.6	1.6	1.6	0.9	1.0	0.9	1.6	1.6	1.6	1.6	1.6	1.6	1.7	1.7	1.6
2005.....	1.7	1.6	1.6	1.0	0.9	1.0	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.8	1.6
2004.....	1.7	1.7	1.6	1.0	1.1	0.9	1.7	1.7	1.7	1.7	1.7	1.7	1.8	1.9	1.7
2003.....	1.7	1.6	1.7	1.0	1.0	1.0	1.7	1.7	1.7	1.7	1.7	1.7	1.9	2.0	1.8
2002.....	1.6	1.6	1.7	0.8	0.9	0.8	1.7	1.6	1.7	1.7	1.6	1.7	1.7	1.6	1.7
2001.....	1.6	1.7	1.6	0.9	1.0	0.8	1.6	1.7	1.6	1.6	1.7	1.6	1.7	1.8	1.7
2000.....	1.6	1.6	1.6	1.0	0.7	1.1	1.7	1.6	1.6	1.6	1.6	1.6	1.8	2.0	1.7
1999.....	1.6	1.6	1.6	1.0	1.1	0.9	1.7	1.7	1.7	1.7	1.6	1.7	1.8	1.8	1.8
Cardiomyopathy (I42)															
2006.....	7.9	11.0	5.6	5.7	7.6	4.1	8.1	11.2	5.7	7.5	10.4	5.2	14.2	19.8	10.0
2005.....	8.3	11.7	5.8	6.4	9.4	4.1	8.5	11.9	6.0	7.8	11.0	5.4	15.0	21.0	10.5
2004.....	8.5	11.9	6.1	6.1	8.4	4.3	8.7	12.2	6.2	8.0	11.3	5.6	15.2	21.0	11.0
2003.....	9.1	12.6	6.5	7.2	9.9	5.1	9.3	12.8	6.7	8.5	11.9	6.1	16.2	22.5	11.8
2002.....	9.6	13.4	6.8	7.0	9.8	4.9	9.8	13.6	6.9	9.0	12.7	6.3	16.9	23.4	12.3
2001.....	9.5	13.1	6.8	7.5	9.6	5.7	9.6	13.3	6.9	8.8	12.3	6.2	17.3	23.8	12.7
2000.....	9.8	13.8	7.0	7.7	10.3	5.8	10.0	14.0	7.0	9.0	12.8	6.3	18.1	25.3	13.1
1999.....	10.0	13.9	7.1	7.4	10.2	5.2	10.1	14.0	7.2	9.2	12.8	6.5	18.6	26.3	13.1

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Conduction disorders and cardiac dysrhythmias (I44-I49)															
2006.....	12.0	13.1	10.9	4.5	5.3	3.9	12.5	13.7	11.3	12.1	13.2	11.0	17.5	20.8	15.2
2005.....	12.5	13.7	11.3	4.8	5.4	4.3	13.0	14.3	11.7	12.6	13.8	11.4	17.5	20.4	15.4
2004.....	12.5	13.8	11.3	4.5	4.9	4.2	13.0	14.4	11.7	12.6	13.9	11.4	18.0	21.6	15.6
2003.....	13.2	14.6	12.0	5.3	5.9	4.7	13.7	15.2	12.3	13.3	14.7	12.0	18.7	21.7	16.5
2002.....	13.6	15.1	12.2	5.0	5.7	4.4	14.1	15.7	12.6	13.7	15.2	12.3	19.1	22.0	17.0
2001.....	13.6	15.1	12.3	5.4	5.8	5.1	14.1	15.6	12.7	13.6	15.0	12.3	19.4	23.2	16.8
2000.....	13.9	15.6	12.4	5.7	6.6	5.1	14.3	16.1	12.8	13.9	15.7	12.4	19.1	22.1	16.9
1999.....	14.7	16.7	13.0	6.2	7.5	5.3	15.1	17.2	13.4	14.7	16.7	13.1	20.3	24.8	17.3
Heart failure (I50)															
2006.....	18.9	20.0	17.9	10.0	10.6	9.4	19.4	20.6	18.4	19.5	20.7	18.6	21.3	23.6	19.6
2005.....	18.9	19.9	18.0	10.1	10.7	9.6	19.4	20.4	18.5	19.4	20.5	18.5	22.1	23.5	20.7
2004.....	18.9	19.9	18.0	9.7	10.2	9.2	19.4	20.5	18.4	19.5	20.5	18.6	21.3	23.7	19.7
2003.....	19.4	20.6	18.4	10.8	11.7	10.1	19.8	21.0	18.8	19.8	21.1	18.8	22.2	23.9	20.9
2002.....	19.5	20.4	18.6	10.2	10.7	9.8	19.9	20.9	18.9	19.9	21.0	19.0	22.1	23.7	20.7
2001.....	20.2	21.2	19.2	10.7	10.9	10.4	20.5	21.6	19.6	20.6	21.7	19.7	22.4	24.7	20.9
2000.....	20.3	21.5	19.2	10.9	11.6	10.4	20.6	22.0	19.6	20.7	22.0	19.6	22.4	24.6	21.0
1999.....	20.3	21.4	19.3	11.1	11.7	10.6	20.6	21.8	19.6	20.6	21.7	19.6	22.8	25.5	21.1
Congestive heart failure (I50.0)															
2006.....	17.5	18.4	16.7	9.2	9.8	8.8	18.0	19.0	17.1	18.2	19.2	17.3	19.0	20.5	17.8
2005.....	17.6	18.5	16.8	9.5	10.0	9.0	18.0	18.9	17.3	18.2	19.1	17.4	19.6	20.6	18.5
2004.....	17.6	18.5	16.8	9.0	9.3	8.6	18.0	18.9	17.2	18.2	19.1	17.4	19.1	21.1	17.7
2003.....	18.1	19.1	17.3	10.1	10.8	9.5	18.5	19.5	17.6	18.6	19.7	17.7	19.9	21.2	18.8
2002.....	18.0	18.8	17.3	9.4	9.6	9.1	18.4	19.3	17.7	18.5	19.4	17.8	19.9	21.1	18.8
2001.....	18.7	19.5	18.0	9.9	9.8	9.8	19.1	19.9	18.3	19.2	20.1	18.4	20.2	22.0	19.1
2000.....	18.8	19.8	17.9	10.0	10.4	9.7	19.1	20.2	18.2	19.2	20.4	18.3	20.0	21.7	19.0
1999.....	18.8	19.8	17.9	10.4	10.9	10.0	19.1	20.1	18.2	19.1	20.1	18.3	20.5	23.0	19.1
Other and unspecified heart failure (I50.1-I50.9)															
2006.....	1.4	1.6	1.2	0.7	0.8	0.6	1.4	1.7	1.2	1.4	1.6	1.2	2.3	3.0	1.8
2005.....	1.3	1.5	1.2	0.7	0.7	0.6	1.3	1.5	1.2	1.3	1.4	1.1	2.5	2.9	2.3
2004.....	1.3	1.5	1.1	0.7	0.8	0.6	1.3	1.5	1.2	1.3	1.4	1.1	2.2	2.7	1.9
2003.....	1.3	1.5	1.1	0.7	0.9	0.6	1.3	1.6	1.2	1.2	1.5	1.1	2.3	2.7	2.0
2002.....	1.4	1.6	1.3	0.8	1.0	0.7	1.4	1.6	1.3	1.3	1.6	1.2	2.2	2.6	2.0
2001.....	1.5	1.7	1.3	0.8	1.1	0.7	1.5	1.7	1.3	1.4	1.6	1.2	2.2	2.8	1.8
2000.....	1.5	1.7	1.4	0.8	1.2	0.6	1.5	1.7	1.4	1.5	1.6	1.3	2.3	2.9	2.0
1999.....	1.5	1.7	1.3	0.7	0.8	0.6	1.5	1.7	1.4	1.5	1.7	1.3	2.2	2.6	2.0
Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)															
2006.....	0.2	0.2	0.2	0.2	0.2	*	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
2005.....	0.2	0.3	0.2	0.1	0.1	*	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.5	0.4
2004.....	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.5	0.4
2003.....	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.4	0.3
2002.....	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.6	0.4
2001.....	0.3	0.3	0.2	0.1	0.2	*	0.3	0.3	0.3	0.2	0.2	0.2	0.5	0.6	0.4
2000.....	0.3	0.3	0.2	0.2	0.2	*	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.4	0.4
1999.....	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.4	0.6	0.3
All other and ill-defined forms of heart disease (I50.0-I51.3,I51.6-I51.9)															
2006.....	3.5	4.3	2.8	2.5	3.1	1.9	3.6	4.4	2.9	3.5	4.2	2.8	5.1	6.7	3.9
2005.....	3.4	4.2	2.7	2.4	2.6	2.1	3.5	4.3	2.8	3.4	4.2	2.7	4.9	6.1	4.0
2004.....	3.3	4.0	2.7	2.5	3.1	2.0	3.4	4.1	2.7	3.2	4.0	2.6	5.2	6.6	4.2
2003.....	3.3	4.0	2.7	2.4	2.6	2.1	3.4	4.1	2.8	3.3	4.0	2.7	5.0	6.1	4.1
2002.....	3.2	4.0	2.6	2.3	2.9	1.8	3.3	4.0	2.7	3.2	3.9	2.6	5.0	6.2	4.0
2001.....	3.2	3.8	2.6	2.0	2.4	1.7	3.2	3.9	2.6	3.1	3.8	2.5	5.0	6.0	4.3
2000.....	3.2	3.9	2.6	2.1	2.7	1.7	3.2	3.9	2.6	3.1	3.8	2.5	5.2	6.6	4.1
1999.....	3.0	3.7	2.4	2.0	2.7	1.5	3.0	3.7	2.4	2.8	3.5	2.3	4.8	6.1	3.8

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Cerebrovascular diseases (I60-I69)															
2006.....	43.6	43.9	42.6	34.2	35.9	32.3	44.0	44.3	43.2	41.9	41.7	41.5	62.8	68.4	58.0
2005.....	46.6	46.9	45.6	35.7	38.0	33.5	47.1	47.3	46.2	45.0	44.8	44.4	66.3	71.8	61.7
2004.....	50.0	50.4	48.9	38.2	41.5	35.4	50.5	50.7	49.5	48.3	48.2	47.7	71.1	76.3	66.6
2003.....	53.5	54.1	52.3	40.5	43.0	38.1	54.1	54.5	52.9	51.7	51.9	50.8	75.5	81.0	70.9
2002.....	56.2	56.5	55.2	41.3	44.3	38.6	56.8	57.0	55.9	54.6	54.4	53.9	77.5	83.0	72.8
2001.....	57.9	59.0	56.4	44.9	48.9	41.6	58.4	59.2	56.9	56.0	56.5	54.8	79.9	86.5	74.8
2000.....	60.9	62.4	59.1	46.4	50.5	43.0	61.3	62.7	59.6	59.0	59.9	57.6	82.9	90.8	77.2
1999.....	61.6	63.2	59.8	46.6	52.6	42.2	62.1	63.5	60.4	59.8	60.8	58.4	82.8	90.6	77.1
Subarachnoid hemorrhage (I60)															
2006.....	1.9	1.5	2.2	2.2	1.6	2.6	1.8	1.5	2.2	1.7	1.4	2.0	2.6	2.0	3.1
2005.....	2.0	1.5	2.3	2.3	1.7	2.7	2.0	1.5	2.3	1.8	1.4	2.2	2.8	2.1	3.3
2004.....	2.0	1.6	2.4	2.4	2.1	2.7	2.0	1.5	2.4	1.8	1.4	2.2	2.8	2.1	3.3
2003.....	2.0	1.6	2.4	2.3	1.8	2.6	2.0	1.6	2.4	1.9	1.4	2.2	2.9	2.3	3.4
2002.....	2.1	1.6	2.6	2.3	1.8	2.6	2.1	1.6	2.6	2.0	1.5	2.3	3.0	2.2	3.6
2001.....	2.2	1.7	2.5	2.5	1.9	2.9	2.1	1.6	2.5	1.9	1.5	2.3	3.2	2.4	3.8
2000.....	2.4	1.8	2.8	2.6	2.0	3.1	2.3	1.8	2.8	2.2	1.7	2.5	3.4	2.3	4.3
1999.....	2.4	1.8	2.8	2.8	2.1	3.4	2.3	1.7	2.8	2.1	1.7	2.5	3.3	2.4	4.0
Intracerebral and other intracranial hemorrhage (I61-I62)															
2006.....	8.7	9.8	7.9	7.9	9.3	6.7	8.8	9.7	8.0	8.0	8.9	7.4	13.0	15.2	11.2
2005.....	9.1	10.3	8.2	8.2	9.6	7.0	9.1	10.2	8.3	8.4	9.4	7.7	13.5	15.9	11.5
2004.....	9.2	10.3	8.4	8.4	9.9	7.2	9.2	10.3	8.4	8.6	9.5	7.8	13.8	16.1	12.0
2003.....	9.3	10.4	8.4	7.9	9.0	6.9	9.3	10.4	8.5	8.5	9.5	7.8	14.4	17.0	12.4
2002.....	9.4	10.4	8.5	8.3	9.4	7.3	9.4	10.4	8.6	8.7	9.6	8.0	13.4	15.5	11.7
2001.....	9.4	10.5	8.6	8.6	10.0	7.5	9.4	10.5	8.6	8.7	9.6	7.9	14.0	16.1	12.3
2000.....	9.9	11.1	9.0	8.9	10.4	7.6	9.9	11.0	9.1	9.2	10.1	8.5	14.5	17.2	12.4
1999.....	9.3	10.3	8.5	9.0	10.8	7.4	9.3	10.2	8.6	8.6	9.4	8.0	13.5	15.6	11.8
Cerebral infarction (I63)															
2006.....	2.2	2.4	2.1	1.5	1.7	1.3	2.3	2.4	2.2	2.2	2.3	2.1	3.0	3.5	2.6
2005.....	2.4	2.5	2.4	1.6	1.6	1.5	2.5	2.6	2.4	2.4	2.5	2.3	3.4	3.7	3.1
2004.....	3.6	3.8	3.5	2.4	2.4	2.3	3.7	3.8	3.5	3.6	3.7	3.5	5.2	5.9	4.6
2003.....	4.1	4.2	3.9	2.5	2.4	2.4	4.2	4.3	4.0	4.1	4.2	3.9	5.5	6.0	5.1
2002.....	4.3	4.4	4.1	2.7	2.9	2.6	4.3	4.5	4.2	4.2	4.3	4.1	5.6	6.2	5.1
2001.....	4.5	4.6	4.3	3.3	3.4	3.1	4.5	4.7	4.3	4.4	4.5	4.2	5.9	6.9	5.3
2000.....	5.0	5.3	4.7	3.4	4.1	3.0	5.0	5.3	4.8	4.9	5.1	4.7	6.7	7.6	6.0
1999.....	5.4	5.7	5.2	3.7	4.0	3.5	5.5	5.8	5.2	5.4	5.6	5.1	7.2	8.4	6.4
Stroke, not specified as hemorrhage or infarction (I64)															
2006.....	22.9	22.4	22.8	16.4	17.0	15.8	23.3	22.7	23.2	22.4	21.6	22.5	33.0	35.6	30.7
2005.....	24.1	23.7	23.8	16.9	18.3	15.7	24.4	24.0	24.2	23.6	22.9	23.6	34.0	36.8	31.7
2004.....	25.4	24.9	25.3	18.0	19.6	16.6	25.8	25.2	25.7	24.9	24.1	24.9	36.4	37.7	34.8
2003.....	28.0	27.7	27.6	20.3	21.8	19.0	28.3	27.9	28.0	27.4	26.8	27.2	39.3	41.3	37.3
2002.....	30.0	29.6	29.8	20.5	21.9	19.3	30.4	29.9	30.2	29.4	28.6	29.4	41.9	44.9	39.3
2001.....	31.4	31.4	30.9	22.5	25.0	20.8	31.7	31.6	31.3	30.7	30.3	30.4	43.2	47.0	40.3
2000.....	32.8	33.0	32.2	23.6	25.6	21.9	33.2	33.3	32.5	32.2	32.0	31.7	44.7	49.2	41.6
1999.....	33.6	34.0	32.8	23.3	26.4	21.1	33.9	34.2	33.1	32.9	33.0	32.3	45.1	49.0	42.3
Other cerebrovascular diseases and their sequelae (I67,I69)															
2006.....	7.7	7.9	7.6	6.2	6.3	5.9	7.8	7.9	7.7	7.5	7.6	7.4	11.1	12.1	10.3
2005.....	8.9	8.9	8.9	6.8	6.9	6.7	9.0	9.0	9.0	8.7	8.6	8.7	12.6	13.3	12.1
2004.....	9.6	9.7	9.4	7.0	7.4	6.6	9.7	9.9	9.5	9.5	9.5	9.3	13.0	14.5	11.9
2003.....	10.1	10.2	9.9	7.5	7.9	7.2	10.2	10.3	10.0	9.9	9.9	9.8	13.5	14.4	12.7
2002.....	10.4	10.6	10.2	7.5	8.3	6.9	10.6	10.7	10.3	10.3	10.4	10.1	13.7	14.2	13.1
2001.....	10.4	10.7	10.1	7.9	8.6	7.3	10.5	10.8	10.2	10.2	10.5	9.9	13.7	14.2	13.1
2000.....	10.8	11.3	10.3	7.9	8.4	7.4	10.8	11.4	10.4	10.6	11.1	10.1	13.6	14.5	12.9
1999.....	10.9	11.4	10.5	7.7	9.3	6.8	11.0	11.5	10.6	10.8	11.1	10.4	13.7	15.2	12.6

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Diseases of arteries, arterioles and capillaries (I72-I78)															
2006.....	9.9	12.2	8.2	5.8	7.2	4.7	10.2	12.5	8.4	10.2	12.5	8.4	11.9	13.9	10.3
2005.....	11.5	13.9	9.7	7.1	9.3	5.5	11.8	14.2	9.9	11.8	14.3	9.9	13.2	15.3	11.5
2004.....	11.9	14.3	10.1	6.9	8.8	5.5	12.1	14.6	10.3	12.2	14.7	10.2	13.4	15.3	11.9
2003.....	12.8	15.7	10.7	7.9	10.4	6.1	13.1	16.0	10.9	13.1	16.1	10.9	14.2	16.8	12.3
2002.....	13.4	16.4	11.2	8.3	9.9	7.1	13.6	16.8	11.4	13.7	17.0	11.3	14.6	17.2	12.7
2001.....	14.0	17.1	11.7	8.5	10.2	7.2	14.2	17.4	11.9	14.3	17.5	11.9	15.3	17.6	13.6
2000.....	14.7	18.4	12.0	9.4	11.5	7.9	14.9	18.7	12.2	14.9	18.9	12.1	15.9	18.6	14.1
1999.....	15.0	18.5	12.5	9.4	12.3	7.5	15.2	18.8	12.7	15.3	19.0	12.6	15.6	18.4	13.8
Atherosclerosis (I70)															
2006.....	2.7	2.8	2.6	1.5	1.6	1.5	2.8	2.9	2.6	2.8	2.9	2.7	2.8	3.4	2.4
2005.....	3.8	3.9	3.7	2.4	2.7	2.2	3.9	4.0	3.7	4.0	4.1	3.8	3.4	3.4	3.3
2004.....	3.9	4.1	3.7	2.4	2.9	2.1	4.0	4.1	3.8	4.1	4.3	3.9	3.5	3.5	3.4
2003.....	4.4	4.5	4.3	2.6	3.2	2.3	4.5	4.5	4.3	4.6	4.6	4.4	4.3	4.8	3.9
2002.....	4.7	4.9	4.6	3.1	3.3	3.0	4.8	5.0	4.6	4.9	5.1	4.7	4.5	5.0	4.1
2001.....	5.0	5.1	4.8	3.5	3.7	3.3	5.0	5.1	4.9	5.2	5.3	5.0	4.3	4.7	4.1
2000.....	5.2	5.5	5.0	3.7	3.8	3.5	5.3	5.6	5.0	5.4	5.7	5.1	4.9	5.5	4.5
1999.....	5.5	5.7	5.3	3.8	4.4	3.4	5.6	5.8	5.4	5.7	5.8	5.5	5.0	5.9	4.5
Aortic aneurysm and dissection (I71)															
2006.....	4.3	6.0	3.0	2.2	3.3	1.3	4.4	6.3	3.1	4.4	6.3	3.0	4.4	5.6	3.5
2005.....	4.6	6.5	3.1	2.3	3.6	1.4	4.7	6.7	3.2	4.7	6.8	3.2	4.7	6.1	3.6
2004.....	4.6	6.7	3.1	2.4	3.5	1.5	4.8	6.9	3.3	4.8	7.0	3.3	4.5	6.2	3.4
2003.....	5.1	7.5	3.3	3.0	4.6	1.9	5.2	7.7	3.4	5.3	7.9	3.4	4.7	6.2	3.5
2002.....	5.2	7.7	3.3	2.5	3.8	1.6	5.3	7.9	3.4	5.4	8.1	3.5	4.7	6.1	3.6
2001.....	5.4	8.0	3.6	2.5	4.1	1.5	5.5	8.2	3.7	5.6	8.4	3.7	5.0	6.5	4.0
2000.....	5.7	8.7	3.7	3.2	4.8	2.1	5.8	8.9	3.7	5.9	9.2	3.7	5.3	6.9	4.2
1999.....	5.8	8.8	3.7	2.8	4.5	1.7	5.9	9.0	3.8	6.1	9.3	3.8	5.0	6.5	3.9
Other diseases of arteries, arterioles and capillaries (I72-I78)															
2006.....	2.9	3.3	2.7	2.0	2.3	1.8	3.0	3.4	2.7	2.9	3.3	2.6	4.6	4.9	4.4
2005.....	3.2	3.5	2.9	2.4	3.0	1.9	3.2	3.5	3.0	3.1	3.4	2.9	5.1	5.7	4.6
2004.....	3.3	3.5	3.1	2.2	2.4	2.0	3.4	3.6	3.2	3.2	3.5	3.0	5.3	5.7	5.1
2003.....	3.3	3.7	3.1	2.2	2.6	2.0	3.4	3.7	3.2	3.3	3.6	3.0	5.3	5.8	4.9
2002.....	3.5	3.8	3.3	2.7	2.9	2.6	3.5	3.9	3.3	3.4	3.7	3.2	5.5	6.1	5.1
2001.....	3.6	3.9	3.3	2.4	2.4	2.4	3.6	4.0	3.3	3.4	3.8	3.2	5.9	6.5	5.6
2000.....	3.7	4.2	3.4	2.6	2.9	2.4	3.7	4.2	3.4	3.6	4.1	3.2	5.8	6.3	5.4
1999.....	3.7	4.0	3.4	2.8	3.4	2.4	3.7	4.0	3.4	3.6	3.9	3.3	5.7	6.0	5.4
Other disorders of circulatory system (I80-I99)															
2006.....	1.3	1.3	1.2	0.8	0.9	0.8	1.3	1.3	1.2	1.2	1.3	1.2	2.4	2.5	2.2
2005.....	1.6	1.6	1.5	1.2	1.2	1.3	1.6	1.7	1.5	1.5	1.6	1.4	2.7	3.1	2.4
2004.....	1.5	1.6	1.5	1.0	0.9	1.0	1.6	1.7	1.5	1.5	1.6	1.4	2.8	2.9	2.6
2003.....	1.6	1.6	1.6	1.1	1.2	1.1	1.6	1.6	1.6	1.5	1.5	1.5	3.0	3.2	2.8
2002.....	1.6	1.6	1.6	1.1	1.0	1.2	1.7	1.6	1.6	1.6	1.5	1.6	2.9	3.2	2.7
2001.....	1.6	1.7	1.6	1.4	1.5	1.3	1.7	1.7	1.6	1.6	1.6	1.5	2.8	3.1	2.5
2000.....	1.7	1.7	1.6	1.4	1.6	1.3	1.7	1.7	1.6	1.6	1.6	1.5	2.9	3.1	2.8
1999.....	1.5	1.5	1.4	1.2	1.3	1.2	1.5	1.5	1.4	1.4	1.4	1.3	2.5	2.7	2.2
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)															
2006.....	0.9	0.9	0.9	0.6	0.6	0.6	0.9	0.9	0.9	0.9	0.8	0.9	1.8	1.9	1.7
2005.....	1.1	1.1	1.1	0.9	0.8	1.0	1.1	1.1	1.1	1.1	1.0	1.1	2.1	2.2	2.0
2004.....	1.2	1.2	1.2	0.7	0.5	0.8	1.2	1.2	1.2	1.1	1.1	1.1	2.2	2.3	2.2
2003.....	1.2	1.1	1.3	0.8	0.8	0.9	1.3	1.2	1.3	1.2	1.1	1.2	2.4	2.5	2.3
2002.....	1.2	1.1	1.3	0.8	0.5	1.0	1.3	1.2	1.3	1.2	1.1	1.3	2.3	2.4	2.3
2001.....	1.2	1.2	1.3	1.1	1.0	1.1	1.3	1.2	1.3	1.2	1.1	1.2	2.2	2.3	2.1
2000.....	1.2	1.2	1.2	1.0	1.1	1.0	1.2	1.2	1.3	1.2	1.1	1.2	2.2	2.2	2.3
1999.....	1.0	0.9	1.0	0.8	0.9	0.8	1.0	0.9	1.0	0.9	0.8	0.9	1.7	1.7	1.7

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
All other and unspecified disorders of circulatory system (I83-I99)															
2006.....	0.4	0.4	0.3	0.2	0.3	0.2	0.4	0.4	0.3	0.4	0.4	0.3	0.5	0.6	0.5
2005.....	0.4	0.5	0.4	0.4	0.4	0.3	0.4	0.5	0.4	0.4	0.5	0.4	0.6	0.9	0.4
2004.....	0.4	0.5	0.3	0.3	0.4	0.2	0.4	0.5	0.3	0.4	0.4	0.3	0.5	0.7	0.5
2003.....	0.4	0.4	0.3	0.3	0.4	0.2	0.4	0.4	0.3	0.4	0.4	0.3	0.6	0.8	0.4
2002.....	0.4	0.4	0.3	0.3	0.5	0.2	0.4	0.4	0.3	0.4	0.4	0.3	0.6	0.9	0.4
2001.....	0.4	0.5	0.3	0.3	0.5	*	0.4	0.5	0.3	0.4	0.5	0.3	0.5	0.8	0.4
2000.....	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.7	0.9	0.5
1999.....	0.5	0.6	0.4	0.4	0.4	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.7	1.0	0.5
X. Diseases of the respiratory system (J00-J99)															
2006.....	72.9	88.0	63.1	42.8	51.5	36.8	74.9	90.4	64.9	77.3	92.2	67.7	62.8	84.0	50.3
2005.....	78.5	94.3	68.2	47.5	58.6	39.9	80.4	96.5	70.1	82.8	98.0	73.0	68.8	92.8	54.6
2004.....	76.1	93.0	65.5	47.2	57.2	40.4	77.8	95.0	67.0	80.0	96.5	69.7	66.4	91.1	51.9
2003.....	80.5	98.0	69.5	49.9	62.0	41.8	82.2	99.9	71.1	84.4	101.1	73.9	69.5	96.4	53.9
2002.....	81.4	100.4	69.7	51.5	64.7	42.7	83.0	102.2	71.2	85.0	103.6	73.8	71.4	98.3	56.0
2001.....	81.6	101.2	69.8	54.1	68.5	45.0	83.0	102.8	71.1	84.7	103.9	73.3	72.6	100.5	56.9
2000.....	83.7	105.7	70.9	54.5	70.1	44.4	85.1	107.3	72.1	86.8	108.3	74.3	74.4	104.0	57.6
1999.....	84.3	107.7	70.6	54.3	70.7	44.2	85.6	109.3	71.8	87.2	110.2	73.8	76.3	107.9	58.5
Acute upper respiratory infections (J00-J06)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.1	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.1	0.0	0.1	*	*	*	0.1	0.0	0.1	0.1	0.0	0.1	0.1	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	*	*
2002.....	0.0	0.0	0.1	*	*	*	0.0	0.0	0.1	0.0	0.0	0.1	*	*	*
2001.....	0.0	0.0	0.1	*	*	*	0.0	0.0	0.0	0.0	0.0	0.1	0.1	*	*
2000.....	0.0	0.0	0.1	*	*	*	0.1	0.0	0.1	0.1	0.1	0.1	*	*	*
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.0	0.1	0.1	*	*
Acute pharyngitis and tonsillitis (J02-J03)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
2004.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Acute laryngitis and tracheitis (J04)															
2006.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
2005.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
2004.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
2003.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.1	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.1	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.1	*	*	*
1999.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.1	0.0	0.0	0.0	*	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Other diseases of the respiratory system (J10-J98)															
2006.....	72.8	88.0	63.1	42.8	51.4	36.8	74.8	90.4	64.8	77.2	92.1	67.7	62.8	83.9	50.2
2005.....	78.4	94.2	68.2	47.5	58.6	39.9	80.3	96.4	70.0	82.7	98.0	72.9	68.7	92.7	54.5
2004.....	76.1	92.9	65.5	47.2	57.2	40.3	77.8	95.0	67.0	80.0	96.5	69.7	66.3	91.0	51.9
2003.....	80.4	97.9	69.5	49.9	62.0	41.8	82.1	99.8	71.0	84.3	101.1	73.9	69.4	96.2	53.8
2002.....	81.3	100.4	69.7	51.4	64.7	42.6	82.9	102.1	71.2	85.0	103.5	73.7	71.4	98.3	55.9
2001.....	81.5	101.2	69.7	54.1	68.5	45.0	82.9	102.8	71.0	84.7	103.8	73.2	72.5	100.5	56.8
2000.....	83.7	105.7	70.8	54.5	70.0	44.4	85.0	107.2	72.0	86.7	108.2	74.2	74.3	103.9	57.5
1999.....	84.3	107.6	70.5	54.3	70.6	44.2	85.6	109.2	71.7	87.1	110.1	73.7	76.2	107.7	58.4
Influenza (J10-J11)															
2006.....	0.3	0.3	0.2	0.1	0.1	*	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.2	*
2005.....	0.6	0.6	0.6	0.2	0.3	0.2	0.6	0.6	0.6	0.6	0.6	0.6	0.2	0.3	0.2
2004.....	0.4	0.4	0.3	0.1	*	*	0.4	0.4	0.3	0.4	0.4	0.4	0.2	0.2	0.1
2003.....	0.6	0.6	0.6	0.3	0.4	0.2	0.6	0.6	0.6	0.7	0.7	0.6	0.3	0.3	0.3
2002.....	0.2	0.3	0.2	*	*	*	0.2	0.3	0.2	0.3	0.3	0.2	0.1	*	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.6	0.7	0.6	0.3	0.4	0.3	0.6	0.7	0.6	0.7	0.7	0.7	0.3	0.4	0.3
1999.....	0.6	0.6	0.6	0.3	0.3	0.3	0.6	0.6	0.6	0.6	0.7	0.6	0.3	0.3	0.3
Pneumonia (J12-J18)															
2006.....	17.5	20.9	15.3	14.9	17.3	13.2	17.7	21.1	15.4	17.5	20.8	15.3	19.7	24.6	16.8
2005.....	19.7	23.3	17.3	16.6	19.3	14.5	19.9	23.5	17.5	19.7	23.1	17.5	21.8	27.0	18.5
2004.....	19.4	23.3	16.9	17.0	19.7	15.1	19.5	23.5	17.0	19.2	23.0	16.8	22.3	29.2	18.2
2003.....	21.4	25.5	18.8	18.1	21.3	15.9	21.6	25.6	18.9	21.4	25.1	19.0	23.2	30.9	18.6
2002.....	22.4	26.7	19.6	19.2	23.2	16.4	22.5	26.9	19.8	22.4	26.5	19.8	24.2	31.1	20.2
2001.....	21.9	26.5	19.1	20.4	24.5	17.8	21.9	26.5	19.1	21.6	25.9	19.0	24.3	32.4	19.5
2000.....	23.1	28.2	20.1	20.3	25.3	17.1	23.1	28.2	20.1	22.8	27.6	20.0	25.6	33.9	20.6
1999.....	22.9	27.9	20.0	18.5	22.5	15.9	23.0	28.0	20.1	22.8	27.5	20.0	25.3	33.4	20.6
Viral pneumonia, not elsewhere classified (J12)															
2006.....	0.1	0.1	0.1	0.0	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2005.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
2004.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2003.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2002.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
2001.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.1	0.1	0.2	*	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
1999.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1
Bacterial pneumonia (J13-J15)															
2006.....	1.5	1.9	1.2	1.6	1.9	1.4	1.4	1.9	1.1	1.4	1.9	1.1	1.7	2.3	1.4
2005.....	1.6	2.0	1.3	1.7	2.1	1.3	1.6	2.0	1.3	1.5	1.9	1.3	1.8	2.2	1.5
2004.....	1.5	1.9	1.2	1.7	2.2	1.4	1.4	1.8	1.2	1.4	1.7	1.2	2.0	2.6	1.5
2003.....	1.6	2.1	1.3	1.9	2.3	1.6	1.6	2.1	1.3	1.6	2.0	1.3	1.9	2.6	1.5
2002.....	1.6	2.0	1.3	1.6	1.9	1.4	1.6	2.0	1.3	1.6	2.0	1.3	1.8	2.3	1.4
2001.....	1.6	2.0	1.2	1.9	2.3	1.5	1.5	2.0	1.2	1.5	1.9	1.2	1.9	2.8	1.3
2000.....	1.6	2.2	1.3	1.9	2.6	1.4	1.6	2.2	1.3	1.5	2.1	1.2	2.0	2.9	1.5
1999.....	1.4	1.8	1.2	1.5	1.8	1.2	1.4	1.8	1.2	1.4	1.7	1.2	1.7	2.4	1.3
Pneumonia due to other or unspecified organisms (J16,J18)															
2006.....	16.0	18.9	14.0	13.2	15.3	11.8	16.1	19.2	14.2	16.0	18.8	14.1	17.9	22.2	15.4
2005.....	18.1	21.2	16.0	14.8	17.2	13.1	18.3	21.5	16.2	18.1	21.1	16.1	19.9	24.7	16.9
2004.....	17.9	21.4	15.6	15.3	17.5	13.7	18.0	21.5	15.7	17.8	21.1	15.6	20.3	26.5	16.6
2003.....	19.7	23.3	17.4	16.1	18.9	14.3	19.9	23.5	17.5	19.7	23.0	17.6	21.2	28.2	17.1
2002.....	20.7	24.6	18.2	17.4	21.2	15.0	20.8	24.7	18.4	20.7	24.4	18.4	22.3	28.7	18.7
2001.....	20.2	24.3	17.7	18.5	22.1	16.2	20.3	24.3	17.8	20.0	23.8	17.7	22.3	29.4	18.2
2000.....	21.3	25.9	18.7	18.3	22.5	15.6	21.4	25.9	18.7	21.1	25.4	18.7	23.4	30.8	19.1
1999.....	21.3	26.0	18.6	16.9	20.7	14.5	21.4	26.1	18.7	21.3	25.7	18.7	23.4	30.8	19.1

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Other acute lower respiratory infections (J20-J22)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
2004.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2003.....	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
2002.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2001.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1
1999.....	0.2	0.2	0.2	0.1	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Acute bronchitis and bronchiolitis (J20-J21)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2004.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2003.....	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
1999.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
Unspecified acute lower respiratory infection (J22)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.1	0.0	0.0	*	*	*
1999.....	0.1	0.0	0.1	*	*	*	0.1	0.0	0.1	0.1	0.0	0.1	*	*	*
Other diseases of upper respiratory tract (J30-J39)															
2006.....	0.1	0.2	0.1	0.1	0.1	*	0.1	0.2	0.1	0.1	0.2	0.1	0.3	0.3	0.2
2005.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.2
2004.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2
2003.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.1
2001.....	0.2	0.2	0.1	0.2	*	*	0.2	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.2
2000.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2
1999.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.1	0.2	0.1	0.3	0.3	0.2
Chronic lower respiratory diseases (J40-J47)															
2006.....	40.5	47.6	35.9	17.3	21.9	14.3	42.0	49.3	37.4	44.4	51.2	40.2	28.6	40.3	21.7
2005.....	43.2	51.2	38.1	19.3	25.1	15.4	44.8	52.9	39.6	47.2	54.7	42.5	31.1	44.8	23.2
2004.....	41.1	49.5	36.0	18.4	23.8	14.9	42.6	51.0	37.3	44.9	52.8	40.0	28.7	41.6	21.2
2003.....	43.3	52.3	37.8	20.2	27.1	15.8	44.7	53.7	39.1	47.0	55.4	41.8	30.5	45.1	22.3
2002.....	43.5	53.5	37.4	20.6	27.2	16.2	44.8	54.9	38.6	46.9	56.5	41.2	31.5	46.8	22.9
2001.....	43.7	54.0	37.6	20.7	27.6	16.5	44.9	55.4	38.7	47.0	56.9	41.1	31.3	47.0	22.6
2000.....	44.2	55.8	37.4	21.1	28.8	16.3	45.3	57.1	38.5	47.2	58.5	40.7	32.0	47.9	23.1
1999.....	45.4	58.7	37.7	23.4	33.0	17.7	46.5	59.9	38.6	48.3	61.3	40.8	33.9	52.0	23.7
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)															
2006.....	40.1	47.4	35.5	17.1	21.8	14.0	41.7	49.1	37.0	44.1	50.9	39.8	28.5	40.1	21.7
2005.....	42.9	51.0	37.7	19.1	25.0	15.1	44.5	52.7	39.2	46.9	54.5	42.1	31.0	44.6	23.1
2004.....	40.8	49.2	35.6	18.2	23.6	14.7	42.2	50.8	36.9	44.5	52.5	39.6	28.6	41.5	21.1
2003.....	43.0	52.1	37.4	20.1	27.0	15.6	44.4	53.5	38.7	46.6	55.1	41.4	30.5	45.0	22.2
2002.....	43.1	53.2	37.0	20.3	27.0	16.0	44.4	54.6	38.2	46.5	56.2	40.7	31.4	46.7	22.7
2001.....	43.3	53.8	37.2	20.5	27.4	16.2	44.6	55.1	38.3	46.6	56.7	40.7	31.1	46.8	22.5
2000.....	43.8	55.5	37.0	20.8	28.5	15.9	45.0	56.8	38.1	46.8	58.3	40.3	31.8	47.8	22.9
1999.....	45.1	58.4	37.3	23.1	32.8	17.3	46.1	59.6	38.3	47.9	61.0	40.4	33.7	51.8	23.5

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Bronchitis, not specified as acute or chronic (J40)															
2006.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
2005.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.2	0.2	0.2	0.1	*	*
2004.....	0.1	0.2	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.2	0.1	0.1	*	*
2003.....	0.1	0.1	0.1	0.2	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.2
2002.....	0.2	0.2	0.2	0.2	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	*	0.1
2001.....	0.2	0.2	0.2	0.1	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.3	*
2000.....	0.2	0.2	0.2	*	*	*	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2
1999.....	0.2	0.2	0.2	0.2	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
Chronic bronchitis (J41-J42)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2004.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
2003.....	0.1	0.2	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.1	*	0.1
2002.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	*
2001.....	0.1	0.2	0.1	*	*	*	0.1	0.2	0.1	0.2	0.2	0.1	0.1	*	*
2000.....	0.2	0.2	0.2	0.3	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.1	*	*
1999.....	0.2	0.2	0.2	0.2	*	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	*	*
Emphysema (J43)															
2006.....	4.1	5.0	3.5	1.5	2.1	1.0	4.3	5.2	3.7	4.6	5.4	4.0	2.6	4.1	1.7
2005.....	4.6	5.8	3.8	1.7	2.4	1.1	4.8	6.1	4.0	5.1	6.3	4.4	3.1	5.0	1.9
2004.....	4.6	5.8	3.8	1.6	2.2	1.2	4.8	6.1	4.0	5.1	6.3	4.3	2.8	4.7	1.7
2003.....	5.1	6.3	4.3	2.0	2.9	1.4	5.3	6.6	4.5	5.6	6.8	4.9	3.3	5.4	2.1
2002.....	5.4	7.0	4.4	2.0	2.8	1.5	5.6	7.2	4.6	6.0	7.5	5.0	3.5	5.9	2.1
2001.....	5.8	7.4	4.7	2.1	3.3	1.4	6.0	7.7	4.9	6.4	8.0	5.3	3.4	5.4	2.2
2000.....	6.0	7.8	4.9	2.1	3.2	1.3	6.2	8.1	5.1	6.6	8.3	5.5	3.8	6.2	2.4
1999.....	6.5	8.6	5.2	2.4	3.8	1.5	6.7	8.8	5.3	7.1	9.2	5.8	4.0	6.8	2.3
Other chronic obstructive pulmonary disease (J44)															
2006.....	34.6	41.2	30.5	14.5	18.8	11.6	36.0	42.7	31.7	38.3	44.6	34.4	22.8	33.1	16.9
2005.....	36.7	43.9	32.2	16.2	21.5	12.7	38.0	45.3	33.4	40.4	47.2	36.2	24.6	36.6	17.6
2004.....	34.7	42.0	30.1	15.2	20.3	11.9	35.8	43.3	31.3	38.1	45.1	33.8	22.4	33.4	16.1
2003.....	36.2	44.2	31.3	16.5	22.6	12.7	37.3	45.5	32.4	39.6	47.2	35.0	23.6	36.4	16.5
2002.....	35.9	44.7	30.7	16.7	22.9	12.6	37.0	45.8	31.7	39.0	47.4	34.0	24.2	37.2	17.0
2001.....	35.7	44.8	30.3	16.7	22.9	12.9	36.7	45.9	31.3	38.7	47.4	33.6	23.9	37.8	16.2
2000.....	35.8	45.9	29.9	16.8	23.4	12.6	36.7	46.9	30.7	38.6	48.4	32.9	23.8	37.7	16.0
1999.....	36.5	47.9	29.8	18.5	27.4	13.2	37.3	48.8	30.5	39.0	50.3	32.6	25.3	40.9	16.7
Asthma (J45-J46)															
2006.....	1.2	0.9	1.3	1.0	0.7	1.2	1.2	1.0	1.4	0.9	0.7	1.1	2.8	2.6	2.9
2005.....	1.3	1.0	1.5	1.0	0.9	1.1	1.3	1.0	1.6	1.0	0.7	1.3	3.1	2.7	3.4
2004.....	1.3	1.0	1.4	1.1	0.9	1.4	1.3	1.1	1.5	1.0	0.8	1.2	3.1	3.1	3.1
2003.....	1.4	1.1	1.6	1.3	1.1	1.4	1.4	1.2	1.6	1.1	0.9	1.3	3.2	3.0	3.4
2002.....	1.5	1.2	1.7	1.3	1.0	1.5	1.5	1.2	1.7	1.2	0.9	1.4	3.5	3.4	3.5
2001.....	1.5	1.2	1.7	1.4	1.0	1.7	1.5	1.2	1.8	1.2	0.9	1.4	3.6	3.3	3.9
2000.....	1.6	1.3	1.8	1.6	1.5	1.7	1.6	1.3	1.8	1.3	1.0	1.5	3.9	3.5	4.2
1999.....	1.7	1.3	2.0	1.8	1.3	2.2	1.7	1.3	1.9	1.4	1.0	1.6	4.0	3.6	4.2
Bronchiectasis (J47)															
2006.....	0.3	0.2	0.4	0.2	*	0.3	0.3	0.2	0.4	0.3	0.2	0.4	0.1	0.2	*
2005.....	0.3	0.2	0.4	0.2	*	0.2	0.3	0.2	0.4	0.3	0.2	0.4	0.1	*	*
2004.....	0.3	0.2	0.4	0.2	*	0.2	0.3	0.2	0.4	0.3	0.2	0.4	0.1	*	0.1
2003.....	0.3	0.2	0.4	0.2	*	*	0.3	0.2	0.4	0.3	0.2	0.4	0.1	*	*
2002.....	0.3	0.2	0.4	0.2	*	0.3	0.3	0.2	0.4	0.3	0.2	0.4	0.1	*	*
2001.....	0.3	0.2	0.4	0.2	*	0.2	0.3	0.2	0.4	0.4	0.2	0.4	0.1	*	*
2000.....	0.3	0.2	0.4	0.3	*	0.4	0.3	0.2	0.4	0.4	0.2	0.4	0.1	*	*
1999.....	0.3	0.3	0.4	0.3	*	0.3	0.3	0.3	0.4	0.4	0.3	0.4	0.2	*	0.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Lung diseases due to external agents (J60-J70)															
2006.....	5.7	8.3	4.0	3.1	3.8	2.5	5.8	8.5	4.1	5.9	8.7	4.2	5.8	8.7	4.1
2005.....	5.9	8.4	4.4	3.5	4.9	2.7	6.1	8.6	4.5	6.1	8.7	4.5	6.7	9.7	5.0
2004.....	6.0	8.6	4.3	3.5	4.5	2.9	6.1	8.9	4.4	6.1	8.9	4.4	6.4	9.5	4.7
2003.....	6.3	9.0	4.7	3.6	4.6	3.0	6.4	9.2	4.7	6.4	9.3	4.7	7.0	9.9	5.5
2002.....	6.5	9.4	4.8	4.2	5.8	3.2	6.6	9.6	4.9	6.6	9.7	4.9	6.9	10.0	5.3
2001.....	6.6	9.5	4.9	4.6	6.4	3.5	6.6	9.7	4.9	6.7	9.8	4.8	7.3	10.1	5.8
2000.....	6.5	9.7	4.7	4.3	5.9	3.3	6.6	9.9	4.7	6.6	9.9	4.8	7.1	10.3	5.3
1999.....	6.1	9.2	4.4	3.8	4.9	3.2	6.1	9.3	4.4	6.1	9.3	4.4	7.2	10.7	5.2
Pneumoconioses and chemical effects (J60-J66,J68)															
2006.....	0.3	0.7	0.0	*	*	*	0.3	0.8	0.0	0.3	0.8	0.0	0.2	0.5	*
2005.....	0.3	0.8	0.0	0.1	*	*	0.3	0.9	0.0	0.4	0.9	0.0	0.2	0.5	*
2004.....	0.3	0.9	0.0	0.1	0.4	*	0.4	0.9	0.0	0.4	1.0	0.0	0.2	0.7	*
2003.....	0.4	1.0	0.0	0.1	*	*	0.4	1.0	0.0	0.4	1.0	0.0	0.2	0.5	*
2002.....	0.4	1.0	0.0	0.2	0.5	*	0.4	1.0	0.0	0.4	1.0	0.0	0.2	0.6	*
2001.....	0.4	1.0	0.0	0.2	0.4	*	0.4	1.0	0.0	0.4	1.1	0.0	0.2	0.7	*
2000.....	0.4	1.1	0.0	0.2	0.5	*	0.4	1.1	0.0	0.4	1.2	0.0	0.3	0.7	*
1999.....	0.4	1.0	0.0	*	*	*	0.4	1.1	0.0	0.4	1.1	0.0	0.3	0.8	*
Pneumonitis due to solids and liquids (J69)															
2006.....	5.3	7.5	4.0	3.0	3.6	2.5	5.5	7.7	4.1	5.5	7.8	4.1	5.6	8.2	4.1
2005.....	5.6	7.6	4.4	3.4	4.6	2.6	5.7	7.8	4.5	5.7	7.7	4.5	6.5	9.2	4.9
2004.....	5.6	7.7	4.3	3.3	4.1	2.8	5.7	7.9	4.4	5.7	7.9	4.4	6.2	8.8	4.7
2003.....	5.9	8.0	4.6	3.5	4.3	2.9	6.0	8.2	4.7	6.0	8.2	4.7	6.8	9.3	5.4
2002.....	6.1	8.4	4.7	3.9	5.3	3.1	6.2	8.6	4.8	6.2	8.7	4.8	6.7	9.4	5.2
2001.....	6.1	8.5	4.8	4.4	6.0	3.5	6.2	8.6	4.9	6.2	8.7	4.8	7.1	9.5	5.8
2000.....	6.1	8.6	4.6	4.1	5.5	3.3	6.1	8.7	4.7	6.1	8.7	4.7	6.8	9.5	5.3
1999.....	5.6	8.1	4.3	3.7	4.7	3.1	5.7	8.2	4.3	5.7	8.1	4.3	6.8	10.0	5.2
Pneumonitis due to food and vomit (J69.0)															
2006.....	5.3	7.5	4.0	3.0	3.6	2.5	5.5	7.7	4.1	5.5	7.8	4.1	5.6	8.1	4.1
2005.....	5.6	7.6	4.4	3.4	4.6	2.6	5.7	7.8	4.5	5.7	7.7	4.5	6.5	9.2	4.9
2004.....	5.6	7.7	4.3	3.3	4.1	2.8	5.7	7.9	4.4	5.7	7.9	4.4	6.2	8.8	4.7
2003.....	5.9	8.0	4.6	3.5	4.3	2.9	6.0	8.2	4.7	6.0	8.2	4.7	6.8	9.3	5.4
2002.....	6.1	8.4	4.7	3.9	5.3	3.1	6.2	8.6	4.8	6.2	8.7	4.8	6.7	9.4	5.2
2001.....	6.1	8.5	4.8	4.4	6.0	3.5	6.2	8.6	4.9	6.2	8.6	4.8	7.1	9.5	5.8
2000.....	6.1	8.6	4.6	4.1	5.5	3.3	6.1	8.7	4.7	6.1	8.7	4.7	6.8	9.5	5.3
1999.....	5.6	8.1	4.3	3.7	4.7	3.1	5.7	8.2	4.3	5.7	8.1	4.3	6.8	10.0	5.1
Other pneumonitis due to solids and liquids (J69.1-J69.8)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other lung diseases due to external agents (J67,J70)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.1	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)															
2006.....	0.2	0.3	0.2	0.2	0.3	0.1	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3
2005.....	0.2	0.3	0.1	0.1	*	*	0.2	0.3	0.1	0.2	0.3	0.2	0.3	0.5	0.1
2004.....	0.2	0.3	0.2	0.1	*	*	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.4	0.2
2003.....	0.2	0.3	0.2	0.2	0.2	*	0.2	0.3	0.2	0.2	0.3	0.2	0.4	0.6	0.2
2002.....	0.2	0.4	0.2	0.2	0.4	*	0.2	0.4	0.2	0.2	0.3	0.2	0.4	0.7	0.3
2001.....	0.3	0.4	0.2	0.2	0.3	*	0.3	0.4	0.2	0.3	0.3	0.2	0.4	0.6	0.2
2000.....	0.2	0.4	0.2	0.2	*	*	0.3	0.4	0.2	0.2	0.4	0.2	0.5	0.7	0.3
1999.....	0.3	0.4	0.2	0.2	0.3	*	0.3	0.4	0.2	0.3	0.4	0.2	0.5	0.8	0.3
Pleural effusion and plaque (J90,J92)															
2006.....	0.3	0.4	0.3	0.2	*	*	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3
2005.....	0.3	0.4	0.3	0.2	*	0.2	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3
2004.....	0.3	0.4	0.3	0.2	*	0.2	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3
2003.....	0.3	0.4	0.3	0.2	*	*	0.3	0.4	0.3	0.3	0.4	0.3	0.4	0.4	0.3
2002.....	0.3	0.4	0.3	0.2	*	*	0.3	0.4	0.3	0.4	0.4	0.3	0.4	0.4	0.3
2001.....	0.3	0.4	0.3	0.2	*	*	0.4	0.4	0.3	0.4	0.4	0.3	0.5	0.5	0.4
2000.....	0.3	0.4	0.3	0.3	0.4	*	0.3	0.4	0.3	0.3	0.4	0.3	0.4	0.5	0.3
1999.....	0.3	0.4	0.3	0.2	*	*	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3
All other diseases of respiratory system (J80-J84,J93-J98)															
2006.....	8.1	9.9	6.9	6.8	7.5	6.2	8.2	10.1	7.0	8.4	10.2	7.0	7.4	9.0	6.5
2005.....	8.1	9.7	7.0	7.3	8.3	6.6	8.2	9.7	7.0	8.2	9.8	7.1	7.9	9.6	7.0
2004.....	8.4	10.1	7.2	7.6	8.5	6.9	8.5	10.2	7.3	8.6	10.4	7.3	7.8	9.4	6.8
2003.....	7.9	9.5	6.9	7.1	8.1	6.3	8.0	9.5	6.9	8.0	9.7	7.0	7.2	8.8	6.2
2002.....	7.9	9.4	6.9	6.9	7.7	6.2	8.0	9.5	6.9	8.0	9.6	6.9	7.5	8.7	6.7
2001.....	8.4	10.0	7.3	7.6	9.0	6.7	8.5	10.0	7.4	8.5	10.1	7.3	8.3	9.3	7.8
2000.....	8.4	10.2	7.2	7.7	8.7	6.9	8.4	10.2	7.3	8.5	10.3	7.3	8.2	9.8	7.3
1999.....	8.3	10.0	7.2	7.6	9.0	6.7	8.3	10.1	7.2	8.3	10.1	7.1	8.3	9.6	7.6
XI. Diseases of the digestive system (K00-K92)															
2006.....	27.9	32.5	23.7	28.6	35.5	21.9	27.8	32.1	23.8	27.9	32.0	24.0	29.4	36.2	24.2
2005.....	28.4	33.3	24.0	28.8	37.0	21.3	28.2	32.7	24.1	28.2	32.4	24.2	31.3	38.8	25.5
2004.....	28.8	33.4	24.5	29.3	36.2	22.7	28.6	32.9	24.5	28.4	32.5	24.5	32.2	40.4	26.0
2003.....	29.8	34.8	25.1	31.7	39.7	24.2	29.5	34.2	25.2	29.3	33.8	25.1	33.3	41.9	26.7
2002.....	29.9	35.0	25.3	31.4	40.9	22.8	29.7	34.3	25.4	29.5	33.9	25.4	32.8	40.6	26.9
2001.....	30.3	35.5	25.7	33.0	42.6	24.5	29.9	34.7	25.7	29.6	34.0	25.6	35.1	44.7	27.8
2000.....	30.4	35.8	25.5	33.7	44.2	24.5	30.0	34.9	25.5	29.4	34.1	25.1	35.8	44.4	29.2
1999.....	30.3	36.0	25.3	34.5	44.7	25.4	29.9	35.2	25.3	29.4	34.3	24.9	35.7	44.6	29.1
Diseases of oral cavity, salivary glands and jaws (K00-K14)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2004.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.1	0.0	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
Diseases of other parts of digestive system (K20-K92)															
2006.....	27.9	32.5	23.6	28.5	35.5	21.9	27.7	32.0	23.8	27.8	31.9	24.0	29.4	36.1	24.2
2005.....	28.4	33.2	23.9	28.8	36.9	21.3	28.2	32.7	24.1	28.1	32.3	24.1	31.3	38.7	25.4
2004.....	28.7	33.3	24.4	29.2	36.2	22.6	28.5	32.8	24.5	28.3	32.4	24.4	32.2	40.3	25.9
2003.....	29.8	34.8	25.1	31.6	39.6	24.1	29.4	34.2	25.1	29.3	33.7	25.1	33.3	41.9	26.7
2002.....	29.9	35.0	25.3	31.4	40.8	22.8	29.6	34.2	25.4	29.5	33.9	25.3	32.8	40.6	26.9
2001.....	30.2	35.4	25.6	33.0	42.5	24.5	29.9	34.7	25.6	29.5	33.9	25.5	35.0	44.6	27.8
2000.....	30.3	35.7	25.5	33.7	44.2	24.5	29.9	34.9	25.5	29.4	34.1	25.1	35.7	44.4	29.2
1999.....	30.3	35.9	25.3	34.4	44.7	25.4	29.9	35.1	25.2	29.3	34.3	24.8	35.7	44.5	29.0

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Diseases of esophagus (K20-K22)															
2006.....	0.6	0.7	0.5	0.3	0.4	0.3	0.6	0.7	0.5	0.6	0.8	0.5	0.4	0.6	0.3
2005.....	0.6	0.8	0.5	0.4	0.6	0.3	0.6	0.8	0.5	0.7	0.8	0.6	0.5	0.6	0.5
2004.....	0.6	0.7	0.6	0.3	0.5	0.2	0.6	0.7	0.6	0.7	0.7	0.6	0.6	0.8	0.4
2003.....	0.7	0.8	0.6	0.5	0.7	0.3	0.7	0.8	0.6	0.7	0.9	0.6	0.6	0.7	0.5
2002.....	0.7	0.9	0.6	0.5	0.7	0.3	0.7	0.9	0.6	0.8	0.9	0.7	0.7	0.9	0.5
2001.....	0.7	0.9	0.7	0.4	0.5	0.4	0.8	0.9	0.7	0.8	0.9	0.7	0.6	0.9	0.5
2000.....	0.8	1.0	0.7	0.5	0.8	0.3	0.8	1.0	0.7	0.8	1.0	0.7	0.7	1.0	0.5
1999.....	0.8	1.0	0.7	0.7	0.9	0.6	0.8	1.0	0.7	0.8	1.0	0.7	0.7	0.9	0.5
Peptic ulcer (K25-K28)															
2006.....	1.1	1.2	0.9	0.9	1.1	0.7	1.1	1.2	0.9	1.0	1.2	1.0	1.3	1.7	0.9
2005.....	1.1	1.4	0.9	0.9	1.0	0.8	1.2	1.4	1.0	1.1	1.3	1.0	1.3	1.8	0.9
2004.....	1.2	1.4	1.1	0.9	1.1	0.7	1.2	1.4	1.1	1.2	1.4	1.1	1.3	1.7	1.1
2003.....	1.3	1.6	1.1	1.1	1.4	0.9	1.3	1.6	1.1	1.3	1.5	1.2	1.5	2.1	1.0
2002.....	1.4	1.7	1.2	1.2	1.6	0.8	1.4	1.7	1.2	1.4	1.7	1.2	1.4	2.0	1.1
2001.....	1.6	1.8	1.4	1.2	1.6	0.8	1.6	1.8	1.4	1.6	1.8	1.4	1.6	2.3	1.1
2000.....	1.6	2.0	1.4	1.4	1.6	1.2	1.7	2.1	1.4	1.6	2.0	1.4	1.7	2.4	1.3
1999.....	1.7	2.0	1.4	1.3	1.8	0.9	1.7	2.1	1.4	1.7	2.0	1.4	1.9	2.5	1.4
Gastric ulcer (K25)															
2006.....	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.5	0.3
2005.....	0.3	0.4	0.3	0.3	0.3	0.2	0.3	0.4	0.3	0.3	0.4	0.3	0.5	0.6	0.4
2004.....	0.4	0.4	0.3	0.3	0.3	0.2	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.6	0.4
2003.....	0.4	0.4	0.4	0.3	0.3	0.2	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.7	0.4
2002.....	0.4	0.5	0.4	0.4	0.6	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.6	0.4
2001.....	0.5	0.4	0.4	0.4	0.5	0.2	0.5	0.5	0.4	0.4	0.4	0.4	0.6	0.8	0.4
2000.....	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.4	0.5	0.5	0.4	0.7	1.0	0.4
1999.....	0.5	0.5	0.4	0.4	0.6	0.3	0.5	0.5	0.4	0.5	0.5	0.5	0.7	1.0	0.5
Duodenal ulcer (K26)															
2006.....	0.4	0.5	0.3	0.3	0.3	0.2	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.6	0.3
2005.....	0.4	0.5	0.3	0.3	0.4	0.2	0.4	0.6	0.3	0.4	0.5	0.3	0.4	0.7	0.3
2004.....	0.4	0.5	0.3	0.3	0.5	*	0.4	0.5	0.3	0.4	0.5	0.4	0.4	0.5	0.2
2003.....	0.4	0.6	0.4	0.3	0.3	0.3	0.5	0.6	0.3	0.5	0.6	0.4	0.5	0.7	0.3
2002.....	0.5	0.6	0.4	0.3	0.4	0.2	0.5	0.6	0.4	0.5	0.6	0.4	0.4	0.6	0.3
2001.....	0.5	0.7	0.4	0.3	0.5	*	0.6	0.7	0.5	0.6	0.7	0.5	0.5	0.6	0.3
2000.....	0.5	0.7	0.4	0.3	0.5	*	0.6	0.7	0.4	0.6	0.7	0.4	0.5	0.6	0.4
1999.....	0.5	0.7	0.4	0.3	0.4	*	0.6	0.7	0.4	0.5	0.7	0.4	0.5	0.6	0.4
Peptic ulcer, site unspecified (K27)															
2006.....	0.3	0.4	0.3	0.4	0.5	0.2	0.3	0.4	0.3	0.3	0.4	0.3	0.4	0.5	0.3
2005.....	0.4	0.4	0.3	0.3	0.2	0.4	0.4	0.4	0.3	0.4	0.4	0.3	0.4	0.5	0.3
2004.....	0.4	0.5	0.4	0.3	0.3	0.3	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.5	0.4
2003.....	0.5	0.6	0.4	0.5	0.6	0.3	0.5	0.6	0.4	0.5	0.5	0.4	0.4	0.7	0.3
2002.....	0.5	0.6	0.4	0.4	0.6	0.3	0.5	0.6	0.4	0.5	0.6	0.4	0.5	0.7	0.4
2001.....	0.6	0.7	0.5	0.5	0.6	0.4	0.6	0.7	0.5	0.6	0.6	0.5	0.6	0.8	0.4
2000.....	0.6	0.8	0.5	0.5	0.5	0.5	0.6	0.8	0.5	0.6	0.8	0.5	0.6	0.7	0.5
1999.....	0.6	0.8	0.6	0.5	0.8	0.4	0.6	0.8	0.6	0.6	0.8	0.6	0.6	0.8	0.5
Gastrojejunal ulcer (K28)															
2006.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
2005.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	*	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2001.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1999.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Gastritis and duodenitis (K29)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2004.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1
2003.....	0.1	0.2	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.1	*	0.1
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.2	0.1	0.2	*	*	0.1	0.2	0.1	0.1	0.1	0.1	0.2	*	0.1
1999.....	0.1	0.2	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2
Dyspepsia and other diseases of stomach and duodenum (K30-K31)															
2006.....	0.2	0.2	0.2	0.1	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	*	0.2
2005.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
2004.....	0.2	0.2	0.2	0.1	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.5	0.2
2003.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3
2002.....	0.2	0.2	0.2	0.1	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
2001.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2000.....	0.2	0.2	0.2	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
1999.....	0.2	0.2	0.2	0.2	*	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	*	0.2
Diseases of appendix (K35-K38)															
2006.....	0.1	0.2	0.1	0.1	0.2	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1
2005.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1
2004.....	0.1	0.2	0.1	0.1	0.1	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1
2003.....	0.1	0.2	0.1	0.1	0.2	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2
2002.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.4	0.1
2001.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.4	0.2
2000.....	0.1	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.2
1999.....	0.1	0.2	0.1	0.1	0.2	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.4	0.1
Hernia (K40-K46)															
2006.....	0.5	0.6	0.5	0.4	0.5	0.4	0.6	0.6	0.5	0.6	0.6	0.5	0.6	0.7	0.6
2005.....	0.5	0.5	0.5	0.4	0.3	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.5
2004.....	0.5	0.5	0.5	0.4	0.3	0.5	0.5	0.5	0.5	0.5	0.6	0.5	0.6	0.6	0.5
2003.....	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.6	0.7	0.6
2002.....	0.5	0.5	0.6	0.5	0.4	0.5	0.5	0.5	0.6	0.6	0.5	0.6	0.5	0.6	0.5
2001.....	0.5	0.5	0.5	0.6	0.4	0.7	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.8	0.5
2000.....	0.5	0.5	0.5	0.6	0.4	0.6	0.5	0.5	0.5	0.5	0.6	0.5	0.6	0.6	0.6
1999.....	0.5	0.6	0.5	0.5	0.4	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.6	0.6	0.6
Crohn's disease and ulcerative colitis (K50-K51)															
2006.....	0.3	0.3	0.3	0.1	*	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
2005.....	0.3	0.3	0.3	0.1	*	*	0.3	0.3	0.3	0.3	0.3	0.3	0.2	*	0.2
2004.....	0.3	0.3	0.3	0.1	*	*	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2
2003.....	0.3	0.3	0.3	0.1	*	*	0.3	0.3	0.3	0.3	0.4	0.3	0.2	0.2	0.2
2002.....	0.3	0.3	0.3	*	*	*	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.1
2001.....	0.3	0.3	0.3	*	*	*	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
2000.....	0.3	0.3	0.3	*	*	*	0.3	0.3	0.3	0.3	0.3	0.3	0.2	*	0.2
1999.....	0.3	0.3	0.3	0.1	*	*	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
Vascular disorders and obstruction of intestine without hernia (K55-K56)															
2006.....	4.6	4.2	4.9	3.0	2.9	3.0	4.7	4.3	5.0	4.8	4.2	5.1	5.5	6.0	5.1
2005.....	4.7	4.3	5.0	3.2	3.3	3.1	4.8	4.3	5.1	4.8	4.2	5.1	5.8	6.3	5.4
2004.....	4.8	4.3	5.1	3.3	2.9	3.6	4.9	4.4	5.2	4.8	4.2	5.2	6.1	6.7	5.7
2003.....	5.1	4.6	5.3	3.6	3.3	3.8	5.1	4.6	5.4	5.0	4.4	5.4	6.2	7.0	5.6
2002.....	5.0	4.5	5.3	3.7	3.6	3.8	5.1	4.6	5.4	5.0	4.4	5.4	6.1	6.4	5.8
2001.....	5.1	4.6	5.3	3.9	3.9	4.0	5.1	4.7	5.4	5.1	4.5	5.4	6.3	7.0	5.9
2000.....	5.2	4.7	5.4	3.8	3.8	3.8	5.2	4.7	5.5	5.1	4.5	5.5	6.7	7.4	6.1
1999.....	5.1	4.6	5.4	3.9	3.5	4.1	5.2	4.6	5.5	5.1	4.5	5.4	6.5	6.7	6.4

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Diverticular disease of intestine (K57)															
2006.....	1.0	0.8	1.1	0.8	0.7	0.9	1.0	0.8	1.1	1.1	0.9	1.2	0.9	0.8	1.0
2005.....	1.0	0.8	1.1	0.6	0.5	0.7	1.0	0.9	1.2	1.1	0.9	1.2	1.0	0.8	1.0
2004.....	1.1	0.9	1.3	0.8	0.7	0.8	1.1	0.9	1.2	1.2	0.9	1.3	1.0	0.9	1.0
2003.....	1.2	1.0	1.3	1.0	0.7	1.1	1.2	1.0	1.3	1.2	1.0	1.4	1.0	0.8	1.1
2002.....	1.2	0.9	1.3	0.9	0.7	1.0	1.2	1.0	1.3	1.2	1.0	1.3	1.1	1.0	1.1
2001.....	1.2	1.0	1.3	1.0	0.8	1.0	1.2	1.0	1.4	1.3	1.0	1.4	1.1	0.9	1.2
2000.....	1.2	1.0	1.3	0.9	0.7	1.1	1.2	1.0	1.3	1.2	1.0	1.4	1.1	0.8	1.2
1999.....	1.3	1.0	1.4	1.2	1.1	1.2	1.3	1.0	1.4	1.3	1.0	1.4	1.1	0.9	1.2
Other diseases of intestines and peritoneum (K52,K58-K63)															
2006.....	1.9	1.7	1.9	1.3	1.1	1.3	1.9	1.8	1.9	1.9	1.7	2.0	2.0	2.1	1.9
2005.....	1.8	1.7	1.9	1.1	1.0	1.2	1.9	1.8	1.9	1.9	1.7	2.0	2.1	2.5	1.8
2004.....	1.7	1.5	1.7	1.1	1.1	1.0	1.7	1.5	1.8	1.7	1.5	1.9	1.7	1.9	1.5
2003.....	1.7	1.6	1.7	1.1	1.2	1.1	1.7	1.6	1.7	1.7	1.6	1.7	1.9	2.0	1.8
2002.....	1.7	1.6	1.7	1.0	1.0	0.9	1.7	1.6	1.8	1.7	1.6	1.8	1.7	1.9	1.5
2001.....	1.7	1.6	1.7	1.3	1.4	1.2	1.7	1.6	1.8	1.7	1.6	1.8	2.0	2.1	1.9
2000.....	1.6	1.5	1.7	1.1	1.2	1.1	1.7	1.5	1.7	1.6	1.5	1.7	1.8	1.9	1.7
1999.....	1.6	1.6	1.7	1.2	1.1	1.3	1.6	1.6	1.7	1.6	1.5	1.7	1.7	2.0	1.5
Diseases of peritoneum (K65-K66)															
2006.....	0.6	0.6	0.6	0.4	0.6	0.2	0.6	0.6	0.6	0.6	0.5	0.6	0.7	0.7	0.7
2005.....	0.6	0.6	0.6	0.4	0.3	0.4	0.6	0.6	0.6	0.6	0.6	0.6	0.9	0.8	0.9
2004.....	0.6	0.6	0.6	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.5	0.9	0.9	0.8
2003.....	0.6	0.7	0.6	0.6	0.6	0.7	0.6	0.7	0.6	0.6	0.6	0.6	1.0	1.0	1.0
2002.....	0.7	0.6	0.7	0.4	0.4	0.3	0.7	0.6	0.7	0.6	0.6	0.7	1.0	1.0	1.0
2001.....	0.7	0.7	0.6	0.5	0.5	0.5	0.7	0.7	0.6	0.6	0.6	0.6	1.1	1.2	1.0
2000.....	0.7	0.7	0.7	0.5	0.7	0.4	0.7	0.7	0.7	0.7	0.7	0.6	1.2	1.3	1.1
1999.....	0.7	0.8	0.6	0.6	0.7	0.6	0.7	0.8	0.6	0.7	0.7	0.6	1.1	1.2	1.0
Diseases of liver (K70-K76)															
2006.....	11.8	15.8	8.2	17.3	23.6	11.4	11.3	15.0	8.0	11.5	15.3	8.1	10.7	14.9	7.4
2005.....	12.0	16.2	8.2	17.5	24.9	10.7	11.5	15.4	8.0	11.5	15.4	8.0	11.7	16.4	8.0
2004.....	12.0	16.2	8.2	17.3	23.8	11.3	11.5	15.4	8.0	11.5	15.4	8.0	12.0	17.0	8.1
2003.....	12.4	16.8	8.4	18.7	25.9	12.1	11.8	16.0	8.2	11.9	16.0	8.2	12.4	17.8	8.3
2002.....	12.3	16.7	8.4	18.7	26.8	11.3	11.8	15.8	8.2	11.8	15.8	8.2	12.4	17.2	8.7
2001.....	12.3	16.7	8.3	19.2	28.0	11.3	11.7	15.8	8.1	11.6	15.5	8.1	13.2	19.1	8.6
2000.....	12.2	16.7	8.2	19.7	28.8	11.6	11.6	15.7	8.0	11.4	15.5	7.7	13.4	18.7	9.3
1999.....	12.3	17.0	8.1	19.6	28.6	11.6	11.7	16.1	7.9	11.4	15.7	7.6	14.1	19.7	9.6
Alcoholic liver disease (K70)															
2006.....	4.1	6.3	2.2	6.5	11.2	2.2	3.9	5.7	2.2	4.0	5.9	2.3	3.0	4.7	1.8
2005.....	4.2	6.4	2.2	6.4	11.3	2.0	3.9	5.9	2.2	4.0	5.9	2.3	3.5	5.5	2.0
2004.....	4.2	6.3	2.2	6.3	10.9	2.0	3.9	5.9	2.2	4.0	6.0	2.2	3.6	5.7	2.0
2003.....	4.2	6.4	2.1	6.7	11.6	2.2	3.9	5.9	2.1	4.0	6.0	2.1	3.9	6.1	2.1
2002.....	4.2	6.3	2.2	6.9	12.1	2.1	3.9	5.8	2.2	3.9	5.8	2.2	3.9	5.9	2.3
2001.....	4.3	6.6	2.2	7.6	13.6	2.3	4.0	6.0	2.2	3.9	5.9	2.2	4.5	7.1	2.4
2000.....	4.3	6.8	2.2	7.8	14.4	2.1	4.1	6.2	2.1	4.0	6.1	2.0	4.7	7.1	2.9
1999.....	4.3	6.9	2.1	7.6	13.5	2.4	4.1	6.3	2.1	4.0	6.2	2.0	5.2	8.2	2.8
Chronic hepatitis, not elsewhere classified (K73)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.1	0.0	*	*	*
2002.....	0.2	0.1	0.2	0.4	*	0.6	0.2	0.1	0.2	0.2	0.1	0.2	0.2	*	0.2
2001.....	0.2	0.1	0.2	0.3	*	0.4	0.2	0.1	0.2	0.2	0.1	0.2	0.2	*	0.2
2000.....	0.2	0.1	0.2	0.3	*	0.5	0.1	0.1	0.2	0.1	0.1	0.2	0.2	*	0.2
1999.....	0.2	0.1	0.2	0.2	*	0.3	0.2	0.1	0.2	0.1	0.1	0.2	0.2	*	0.3

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Fibrosis and cirrhosis of liver (K74)															
2006.....	4.6	5.8	3.5	6.8	7.7	5.9	4.4	5.6	3.4	4.5	5.7	3.5	4.0	5.6	2.7
2005.....	4.7	6.0	3.6	7.4	9.1	5.8	4.5	5.7	3.4	4.6	5.8	3.5	4.3	6.2	2.8
2004.....	4.8	6.1	3.6	7.6	8.7	6.5	4.6	5.8	3.4	4.6	5.9	3.5	4.4	6.2	3.0
2003.....	5.1	6.5	3.8	8.0	9.2	6.7	4.9	6.3	3.7	5.0	6.4	3.8	4.6	6.4	3.2
2002.....	5.0	6.4	3.8	8.1	10.1	6.3	4.8	6.1	3.7	4.9	6.2	3.7	4.5	6.1	3.2
2001.....	5.1	6.5	3.8	7.9	10.0	6.0	4.9	6.2	3.7	4.9	6.2	3.8	4.8	6.9	3.0
2000.....	5.1	6.5	3.8	8.4	10.2	6.7	4.8	6.2	3.6	4.8	6.3	3.6	4.7	6.5	3.3
1999.....	5.0	6.6	3.7	8.2	10.2	6.4	4.8	6.3	3.6	4.9	6.3	3.6	4.8	6.7	3.3
Other diseases of liver (K71-K72,K75-K76)															
2006.....	3.0	3.7	2.5	4.0	4.7	3.3	3.0	3.6	2.4	2.9	3.5	2.3	3.6	4.5	2.9
2005.....	3.0	3.8	2.4	3.6	4.5	2.8	3.0	3.7	2.3	2.9	3.6	2.2	3.8	4.7	3.1
2004.....	3.0	3.7	2.4	3.4	4.1	2.7	3.0	3.6	2.4	2.8	3.5	2.2	4.0	5.0	3.1
2003.....	3.0	3.8	2.4	4.0	5.0	3.1	3.0	3.7	2.3	2.9	3.6	2.3	4.0	5.3	3.0
2002.....	2.9	3.8	2.1	3.3	4.4	2.3	2.9	3.7	2.1	2.8	3.6	2.0	3.8	5.0	3.0
2001.....	2.7	3.5	2.1	3.4	4.3	2.6	2.7	3.5	2.0	2.6	3.3	2.0	3.8	5.0	2.9
2000.....	2.6	3.3	2.0	3.2	4.1	2.4	2.6	3.2	2.0	2.4	3.0	1.9	3.9	5.0	2.9
1999.....	2.7	3.4	2.1	3.6	4.8	2.5	2.6	3.3	2.0	2.4	3.2	1.8	3.9	4.7	3.3
Cholelithiasis and other disorders of gallbladder (K80-K82)															
2006.....	1.0	1.1	0.9	1.0	0.9	1.0	1.0	1.1	0.9	1.0	1.1	0.9	1.2	1.1	1.2
2005.....	1.0	1.1	0.9	1.2	1.3	1.1	1.0	1.1	0.9	0.9	1.1	0.8	1.3	1.4	1.2
2004.....	1.0	1.2	0.9	1.2	1.3	1.2	1.0	1.1	0.9	1.0	1.2	0.9	1.3	1.2	1.2
2003.....	1.0	1.2	0.9	1.1	1.3	0.9	1.0	1.1	0.9	1.0	1.1	0.9	1.1	1.3	1.0
2002.....	1.0	1.2	0.9	1.2	1.3	1.1	1.0	1.2	0.9	1.0	1.2	0.9	1.1	1.1	1.1
2001.....	1.0	1.2	0.9	1.3	1.5	1.2	1.0	1.2	0.9	1.0	1.2	0.9	1.3	1.4	1.2
2000.....	1.0	1.2	0.9	1.3	1.7	1.1	1.0	1.2	0.9	1.0	1.1	0.9	1.2	1.0	1.2
1999.....	1.0	1.2	0.9	1.5	1.6	1.3	1.0	1.2	0.9	1.0	1.2	0.9	1.1	1.1	1.1
Disorders of biliary tract and pancreas (K83-K86)															
2006.....	1.6	1.9	1.3	1.4	1.5	1.3	1.6	2.0	1.3	1.6	1.9	1.3	2.0	2.5	1.5
2005.....	1.6	2.0	1.3	1.4	1.5	1.2	1.6	2.0	1.3	1.6	1.9	1.2	2.2	2.8	1.7
2004.....	1.6	2.0	1.3	1.4	1.7	1.1	1.6	2.0	1.3	1.6	1.9	1.3	2.4	3.1	1.9
2003.....	1.7	2.0	1.4	1.4	1.9	1.1	1.7	2.0	1.4	1.6	1.9	1.3	2.5	3.3	1.9
2002.....	1.7	2.1	1.3	1.5	1.9	1.2	1.7	2.1	1.3	1.7	2.0	1.3	2.3	3.1	1.7
2001.....	1.8	2.1	1.5	1.5	1.5	1.5	1.8	2.1	1.5	1.7	2.0	1.4	2.6	3.2	2.0
2000.....	1.7	2.1	1.4	1.7	2.2	1.3	1.7	2.1	1.4	1.6	1.9	1.3	2.5	3.4	1.9
1999.....	1.6	2.0	1.3	1.7	2.1	1.4	1.6	2.0	1.3	1.5	1.8	1.3	2.4	3.3	1.8
Pancreatitis (K85,K86.0-K86.1)															
2006.....	1.1	1.4	0.9	0.9	1.1	0.8	1.1	1.5	0.9	1.1	1.4	0.9	1.4	2.0	1.0
2005.....	1.1	1.4	0.8	0.8	0.9	0.6	1.1	1.4	0.9	1.1	1.4	0.8	1.6	2.1	1.1
2004.....	1.2	1.4	0.9	1.0	1.2	0.7	1.2	1.5	0.9	1.1	1.4	0.9	1.9	2.5	1.4
2003.....	1.2	1.5	0.9	1.0	1.4	0.7	1.2	1.5	1.0	1.1	1.3	0.9	1.9	2.7	1.3
2002.....	1.2	1.5	0.9	1.0	1.4	0.7	1.2	1.6	1.0	1.2	1.5	0.9	1.7	2.4	1.1
2001.....	1.3	1.5	1.1	1.0	1.0	1.0	1.3	1.6	1.1	1.2	1.5	1.0	2.0	2.5	1.5
2000.....	1.2	1.5	1.0	1.1	1.6	0.8	1.2	1.5	1.0	1.2	1.4	0.9	1.9	2.6	1.4
1999.....	1.2	1.5	1.0	1.1	1.5	0.8	1.2	1.5	1.0	1.1	1.4	0.9	1.9	2.7	1.4
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)															
2006.....	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.4	0.5	0.5	0.4	0.5	0.6	0.5
2005.....	0.5	0.6	0.4	0.6	0.6	0.5	0.5	0.5	0.4	0.5	0.5	0.4	0.6	0.7	0.5
2004.....	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.5	0.5	0.4	0.5	0.6	0.5
2003.....	0.5	0.6	0.4	0.4	0.5	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.6	0.7	0.6
2002.....	0.5	0.6	0.4	0.4	0.4	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.6	0.7	0.6
2001.....	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.5	0.4	0.6	0.6	0.5
2000.....	0.5	0.5	0.4	0.6	0.6	0.6	0.4	0.6	0.4	0.4	0.5	0.4	0.6	0.7	0.6
1999.....	0.4	0.5	0.4	0.6	0.6	0.6	0.4	0.5	0.4	0.4	0.5	0.3	0.5	0.6	0.4

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
All other diseases of digestive system (K90,K92)															
2006.....	2.5	3.0	2.1	1.3	1.7	1.0	2.5	3.0	2.2	2.5	3.0	2.1	3.3	4.1	2.8
2005.....	2.6	3.0	2.3	1.3	1.6	1.0	2.7	3.1	2.3	2.6	3.0	2.3	3.4	4.1	2.9
2004.....	2.6	3.1	2.3	1.4	1.7	1.2	2.7	3.1	2.3	2.7	3.1	2.3	3.4	4.2	2.9
2003.....	2.8	3.2	2.4	1.5	1.7	1.4	2.9	3.3	2.5	2.8	3.2	2.5	3.6	4.3	3.1
2002.....	2.9	3.3	2.5	1.5	1.8	1.2	2.9	3.4	2.6	2.9	3.3	2.5	3.7	4.5	3.1
2001.....	2.9	3.4	2.5	1.6	2.0	1.3	3.0	3.5	2.6	2.9	3.4	2.6	3.8	4.7	3.2
2000.....	2.9	3.4	2.6	1.6	1.8	1.4	3.0	3.5	2.6	2.9	3.4	2.5	4.0	4.8	3.5
1999.....	2.9	3.3	2.5	1.5	1.9	1.3	2.9	3.4	2.5	2.8	3.3	2.5	3.6	4.4	3.1
XII. Diseases of the skin and subcutaneous tissue (L00-L98)															
2006.....	1.2	1.2	1.3	0.9	0.8	1.0	1.3	1.2	1.3	1.1	1.1	1.1	2.9	2.7	3.0
2005.....	1.4	1.3	1.4	1.0	1.1	1.0	1.4	1.3	1.4	1.2	1.2	1.2	3.4	3.1	3.6
2004.....	1.4	1.3	1.5	1.1	1.1	1.1	1.4	1.3	1.5	1.2	1.1	1.2	3.6	3.2	3.8
2003.....	1.4	1.3	1.5	1.2	1.2	1.2	1.4	1.3	1.5	1.2	1.1	1.2	3.7	3.6	3.8
2002.....	1.4	1.3	1.4	1.0	1.1	1.0	1.4	1.3	1.4	1.1	1.1	1.1	4.0	3.3	4.3
2001.....	1.3	1.2	1.4	1.1	1.1	1.1	1.3	1.2	1.4	1.1	1.0	1.2	3.7	3.5	3.7
2000.....	1.4	1.2	1.4	1.1	1.0	1.2	1.3	1.2	1.4	1.1	1.0	1.2	4.0	3.8	4.0
1999.....	1.3	1.3	1.4	1.0	0.9	1.1	1.4	1.3	1.4	1.1	1.0	1.1	4.3	4.0	4.4
Infections of skin and subcutaneous tissue (L00-L08)															
2006.....	0.6	0.6	0.5	0.4	0.4	0.4	0.6	0.6	0.5	0.6	0.6	0.5	0.8	0.8	0.8
2005.....	0.5	0.6	0.5	0.4	0.4	0.4	0.6	0.6	0.5	0.5	0.6	0.5	0.7	0.7	0.7
2004.....	0.5	0.6	0.5	0.4	0.5	0.4	0.6	0.6	0.6	0.5	0.6	0.5	0.8	0.8	0.7
2003.....	0.5	0.6	0.5	0.4	0.6	0.3	0.5	0.5	0.5	0.5	0.5	0.5	0.7	0.8	0.6
2002.....	0.5	0.5	0.4	0.3	0.3	0.2	0.5	0.5	0.4	0.4	0.5	0.4	0.6	0.6	0.6
2001.....	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.5	0.4	0.4	0.4	0.4	0.6	0.5	0.6
2000.....	0.4	0.4	0.4	0.3	*	0.3	0.4	0.5	0.4	0.4	0.4	0.4	0.5	0.6	0.5
1999.....	0.4	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.4	0.4	0.3	0.5	0.6	0.5
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)															
2006.....	0.7	0.6	0.7	0.5	0.4	0.6	0.7	0.6	0.7	0.5	0.5	0.5	2.1	1.9	2.2
2005.....	0.8	0.7	0.9	0.6	0.6	0.7	0.8	0.7	0.9	0.6	0.6	0.7	2.7	2.4	2.8
2004.....	0.8	0.7	0.9	0.7	0.6	0.7	0.8	0.7	0.9	0.6	0.6	0.7	2.8	2.4	3.1
2003.....	0.8	0.7	1.0	0.7	0.6	0.8	0.9	0.7	1.0	0.6	0.5	0.7	3.0	2.9	3.1
2002.....	0.9	0.8	1.0	0.7	0.7	0.8	0.9	0.8	1.0	0.7	0.6	0.7	3.4	2.7	3.7
2001.....	0.9	0.7	1.0	0.8	0.7	0.8	0.9	0.7	1.0	0.7	0.6	0.8	3.1	3.0	3.2
2000.....	0.9	0.8	1.1	0.8	0.8	0.8	1.0	0.8	1.1	0.7	0.6	0.8	3.4	3.2	3.5
1999.....	1.0	0.9	1.1	0.7	0.6	0.8	1.0	0.9	1.1	0.7	0.7	0.8	3.8	3.4	4.0
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)															
2006.....	4.5	3.3	5.3	3.4	2.5	4.2	4.5	3.3	5.4	4.3	3.2	5.1	5.9	4.6	6.9
2005.....	4.7	3.5	5.6	3.8	2.6	4.9	4.7	3.5	5.6	4.6	3.5	5.3	6.2	4.5	7.5
2004.....	4.8	3.5	5.7	3.8	2.5	4.9	4.8	3.5	5.7	4.6	3.3	5.4	6.6	5.3	7.6
2003.....	4.9	3.6	5.8	3.7	2.7	4.7	5.0	3.6	5.9	4.7	3.4	5.6	6.6	5.6	7.6
2002.....	5.0	3.6	5.9	3.8	2.3	5.0	5.0	3.7	6.0	4.8	3.5	5.7	6.5	5.2	7.6
2001.....	5.0	3.6	5.9	4.0	2.9	4.9	5.0	3.6	5.9	4.8	3.5	5.6	6.6	5.2	7.6
2000.....	5.0	3.7	5.9	4.1	2.6	5.3	5.0	3.7	5.9	4.8	3.5	5.6	6.7	5.8	7.6
1999.....	4.9	3.5	5.9	4.4	2.9	5.6	4.9	3.6	5.8	4.7	3.4	5.5	6.4	5.0	7.6
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)															
2006.....	0.8	0.5	1.1	0.7	0.3	0.9	0.8	0.5	1.1	0.9	0.5	1.1	0.6	0.3	0.8
2005.....	0.8	0.5	1.1	0.8	0.4	1.1	0.8	0.5	1.1	0.9	0.5	1.1	0.6	0.3	0.8
2004.....	0.9	0.5	1.1	0.7	0.4	0.9	0.9	0.5	1.1	0.9	0.5	1.2	0.7	0.4	0.9
2003.....	0.9	0.5	1.2	0.8	0.3	1.1	0.9	0.6	1.2	0.9	0.6	1.2	0.7	0.5	0.8
2002.....	1.0	0.6	1.2	0.8	0.3	1.1	1.0	0.6	1.2	1.0	0.6	1.3	0.7	0.4	0.9
2001.....	0.9	0.5	1.2	0.8	0.3	1.1	0.9	0.5	1.2	1.0	0.6	1.3	0.7	0.5	0.8
2000.....	1.0	0.6	1.2	0.8	0.4	1.1	1.0	0.6	1.2	1.0	0.6	1.3	0.6	0.4	0.8
1999.....	1.0	0.6	1.3	1.0	0.4	1.4	1.0	0.6	1.3	1.1	0.6	1.3	0.6	0.4	0.7

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Systemic lupus erythematosus (M32)															
2006.....	0.4	0.1	0.7	0.5	0.2	0.8	0.4	0.1	0.7	0.3	0.1	0.4	1.2	0.4	1.9
2005.....	0.4	0.1	0.8	0.6	*	1.0	0.4	0.1	0.7	0.3	0.1	0.5	1.4	0.4	2.2
2004.....	0.4	0.2	0.7	0.5	0.2	0.9	0.4	0.2	0.7	0.3	0.1	0.4	1.4	0.5	2.1
2003.....	0.5	0.1	0.7	0.5	0.2	0.8	0.4	0.1	0.7	0.3	0.1	0.5	1.2	0.3	2.1
2002.....	0.4	0.1	0.7	0.6	*	0.9	0.4	0.1	0.7	0.3	0.1	0.4	1.4	0.2	2.4
2001.....	0.5	0.2	0.8	0.5	*	0.8	0.5	0.1	0.8	0.3	0.1	0.5	1.3	0.4	2.1
2000.....	0.5	0.2	0.8	0.5	*	1.0	0.5	0.2	0.8	0.3	0.1	0.5	1.4	0.4	2.2
1999.....	0.5	0.2	0.8	0.6	0.2	1.1	0.4	0.2	0.7	0.3	0.1	0.5	1.4	0.3	2.3
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)															
2006.....	1.4	1.0	1.8	1.1	0.7	1.4	1.5	1.0	1.8	1.4	1.0	1.7	1.9	1.4	2.3
2005.....	1.6	1.1	1.9	1.3	1.0	1.7	1.6	1.2	1.9	1.5	1.1	1.8	2.1	1.4	2.6
2004.....	1.6	1.1	1.9	1.3	0.8	1.7	1.6	1.1	1.9	1.5	1.1	1.8	2.2	1.6	2.6
2003.....	1.6	1.2	1.9	1.4	0.9	1.8	1.6	1.2	1.9	1.5	1.2	1.8	2.4	1.9	2.7
2002.....	1.7	1.2	2.0	1.3	0.7	1.7	1.7	1.2	2.0	1.6	1.1	1.9	2.3	1.8	2.6
2001.....	1.7	1.3	2.0	1.5	1.1	1.9	1.7	1.3	2.0	1.6	1.2	1.9	2.3	1.8	2.7
2000.....	1.7	1.3	2.0	1.5	1.2	1.8	1.7	1.3	2.1	1.6	1.2	1.9	2.4	2.1	2.7
1999.....	1.7	1.3	2.0	1.5	1.1	1.9	1.7	1.3	2.0	1.6	1.2	1.9	2.5	1.9	2.9
Dorsopathies (M40-M54)															
2006.....	0.4	0.3	0.4	0.2	*	0.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3
2005.....	0.3	0.4	0.3	0.2	*	0.2	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.5	0.3
2004.....	0.4	0.3	0.4	0.2	*	0.2	0.4	0.4	0.3	0.4	0.4	0.4	0.3	0.5	0.2
2003.....	0.3	0.4	0.3	0.2	*	0.2	0.4	0.4	0.3	0.4	0.4	0.3	0.4	0.5	0.3
2002.....	0.3	0.3	0.3	0.2	*	*	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.2
2001.....	0.3	0.3	0.3	0.2	0.3	*	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3
2000.....	0.3	0.3	0.3	0.2	*	*	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.2
1999.....	0.3	0.3	0.2	0.2	*	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.2
Soft tissue disorders (M60-M79)															
2006.....	0.4	0.5	0.3	0.3	0.5	0.2	0.4	0.5	0.3	0.4	0.5	0.3	0.7	0.9	0.6
2005.....	0.4	0.5	0.3	0.3	0.3	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.8	0.5
2004.....	0.4	0.5	0.4	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.8	1.0	0.6
2003.....	0.4	0.5	0.4	0.3	0.5	0.2	0.4	0.5	0.4	0.4	0.5	0.4	0.7	0.8	0.7
2002.....	0.4	0.5	0.3	0.3	0.4	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.7	0.9	0.5
2001.....	0.4	0.5	0.3	0.4	0.4	0.3	0.4	0.5	0.3	0.3	0.4	0.3	0.7	0.9	0.6
2000.....	0.4	0.5	0.3	0.3	0.4	0.3	0.4	0.5	0.3	0.3	0.4	0.2	0.8	1.0	0.7
1999.....	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.3	0.4	0.2	0.7	1.0	0.6
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)															
2006.....	1.0	0.8	1.1	0.6	0.6	0.6	1.0	0.8	1.1	1.0	0.8	1.1	1.0	1.2	1.0
2005.....	1.0	0.8	1.2	0.7	0.7	0.7	1.1	0.8	1.2	1.1	0.8	1.2	1.1	1.1	1.1
2004.....	1.1	0.8	1.2	0.7	0.5	0.8	1.1	0.8	1.3	1.1	0.8	1.3	1.2	1.3	1.0
2003.....	1.1	0.8	1.3	0.6	0.7	0.5	1.2	0.8	1.3	1.2	0.8	1.4	1.2	1.5	0.9
2002.....	1.2	0.8	1.3	0.7	0.6	0.7	1.2	0.8	1.3	1.2	0.8	1.4	1.1	1.3	1.0
2001.....	1.1	0.8	1.3	0.6	0.6	0.6	1.2	0.8	1.3	1.2	0.8	1.3	1.2	1.2	1.0
2000.....	1.1	0.8	1.2	0.7	*	0.9	1.1	0.8	1.2	1.1	0.8	1.3	1.1	1.4	0.9
1999.....	1.1	0.7	1.2	0.6	0.4	0.7	1.1	0.7	1.2	1.1	0.7	1.3	0.9	1.0	0.8
Osteoporosis (M80-M81)															
2006.....	0.5	0.2	0.6	0.2	*	0.3	0.5	0.2	0.6	0.5	0.2	0.7	0.1	*	*
2005.....	0.5	0.2	0.7	0.2	*	0.3	0.5	0.2	0.7	0.6	0.2	0.8	0.1	*	0.1
2004.....	0.6	0.2	0.7	0.2	*	0.3	0.6	0.2	0.8	0.6	0.2	0.8	0.1	*	0.1
2003.....	0.6	0.2	0.8	0.2	*	0.3	0.6	0.2	0.8	0.7	0.2	0.9	*	*	*
2002.....	0.6	0.2	0.8	0.2	*	0.3	0.7	0.2	0.9	0.7	0.2	0.9	0.1	*	0.2
2001.....	0.6	0.2	0.8	0.2	*	0.3	0.6	0.2	0.8	0.7	0.2	0.9	0.1	*	0.2
2000.....	0.6	0.2	0.8	0.3	*	0.5	0.6	0.2	0.8	0.7	0.2	0.9	0.1	*	*
1999.....	0.6	0.2	0.8	0.3	*	0.4	0.6	0.2	0.8	0.7	0.2	0.9	0.1	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)															
2006.....	0.5	0.6	0.5	0.4	0.5	0.3	0.5	0.6	0.5	0.5	0.6	0.4	0.9	1.2	0.8
2005.....	0.5	0.6	0.4	0.4	0.6	0.4	0.5	0.6	0.4	0.5	0.6	0.4	1.0	1.0	1.0
2004.....	0.5	0.6	0.5	0.5	0.4	0.5	0.5	0.6	0.5	0.5	0.6	0.5	1.1	1.3	0.9
2003.....	0.6	0.6	0.5	0.4	0.6	0.2	0.6	0.6	0.5	0.5	0.6	0.5	1.1	1.4	0.8
2002.....	0.5	0.6	0.4	0.5	0.5	0.4	0.5	0.6	0.4	0.5	0.6	0.4	1.0	1.2	0.8
2001.....	0.5	0.6	0.5	0.4	0.6	0.3	0.6	0.6	0.5	0.5	0.6	0.5	1.0	1.2	0.9
2000.....	0.5	0.6	0.4	0.4	*	0.4	0.5	0.6	0.4	0.4	0.6	0.4	1.0	1.3	0.8
1999.....	0.4	0.5	0.4	0.3	*	0.3	0.4	0.5	0.4	0.4	0.5	0.4	0.8	0.9	0.7
XIV. Diseases of the genitourinary system (N00-N98)															
2006.....	20.3	23.2	18.3	17.0	19.0	15.5	20.4	23.4	18.5	18.7	21.7	16.7	38.5	43.7	35.2
2005.....	20.4	23.3	18.6	16.3	18.3	14.9	20.6	23.6	18.8	18.9	21.9	17.0	38.7	43.2	35.7
2004.....	20.1	23.0	18.3	16.5	18.6	15.1	20.3	23.2	18.4	18.5	21.5	16.7	38.5	43.8	35.3
2003.....	20.4	23.4	18.5	16.9	18.9	15.5	20.5	23.6	18.6	18.7	21.8	16.9	39.5	45.1	35.9
2002.....	20.2	23.2	18.3	16.0	17.5	14.9	20.3	23.5	18.5	18.6	21.6	16.7	38.7	44.9	35.1
2001.....	20.2	23.2	18.5	17.3	18.7	16.5	20.3	23.3	18.5	18.4	21.6	16.6	39.2	43.8	36.5
2000.....	19.8	23.0	18.0	16.9	18.5	15.9	19.9	23.1	18.0	18.1	21.4	16.2	38.2	43.1	35.3
1999.....	19.5	22.7	17.7	17.2	20.0	15.5	19.6	22.7	17.8	17.7	20.8	16.0	38.4	45.2	34.6
Diseases of urinary system (N00-N39)															
2006.....	19.9	22.6	18.1	16.7	18.4	15.4	20.0	22.8	18.2	18.3	21.1	16.5	38.1	43.0	34.9
2005.....	20.0	22.7	18.3	16.0	18.0	14.7	20.3	22.9	18.5	18.6	21.2	16.8	38.2	42.4	35.3
2004.....	19.8	22.4	18.1	16.2	18.2	14.9	19.9	22.6	18.2	18.2	20.8	16.5	38.0	42.9	35.0
2003.....	20.1	22.9	18.3	16.6	18.3	15.4	20.2	23.1	18.4	18.4	21.3	16.6	39.1	44.5	35.5
2002.....	19.9	22.6	18.1	15.7	17.1	14.7	20.0	22.9	18.3	18.3	21.1	16.5	38.2	44.1	34.7
2001.....	19.9	22.6	18.2	17.1	18.4	16.2	19.9	22.7	18.3	18.1	21.0	16.4	38.7	43.0	36.1
2000.....	19.5	22.4	17.7	16.6	18.0	15.7	19.5	22.5	17.8	17.8	20.8	16.0	37.8	42.4	35.0
1999.....	19.2	22.0	17.5	17.0	19.7	15.3	19.2	22.1	17.5	17.4	20.1	15.8	37.8	44.2	34.1
Glomerular and renal tubulo-interstitial diseases (N00-N15)															
2006.....	1.0	1.1	0.9	0.8	0.9	0.8	1.0	1.1	0.9	0.9	1.1	0.8	1.7	2.1	1.4
2005.....	0.7	0.8	0.7	0.7	0.8	0.6	0.7	0.8	0.7	0.6	0.8	0.6	1.1	1.4	1.1
2004.....	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.7	0.6	0.9	1.1	0.8
2003.....	0.7	0.7	0.6	0.6	0.7	0.6	0.7	0.7	0.6	0.6	0.7	0.6	0.9	1.1	0.9
2002.....	0.7	0.8	0.6	0.6	0.8	0.6	0.7	0.8	0.6	0.6	0.7	0.6	0.8	1.0	0.7
2001.....	0.7	0.8	0.6	0.6	0.7	0.6	0.7	0.7	0.6	0.6	0.7	0.6	0.9	1.0	0.8
2000.....	0.7	0.8	0.7	0.6	0.7	0.6	0.7	0.8	0.7	0.6	0.7	0.6	1.1	1.2	1.0
1999.....	0.7	0.9	0.7	0.8	0.8	0.8	0.7	0.9	0.7	0.7	0.8	0.6	1.1	1.5	0.9
Glomerular diseases (N00-N07)															
2006.....	0.6	0.8	0.5	0.5	0.6	0.5	0.6	0.8	0.5	0.5	0.7	0.4	1.3	1.7	1.1
2005.....	0.3	0.4	0.2	0.3	0.3	0.3	0.3	0.4	0.2	0.3	0.4	0.2	0.6	0.8	0.5
2004.....	0.2	0.3	0.2	0.2	0.3	*	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.4	0.4
2003.....	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.5	0.2
2002.....	0.2	0.3	0.2	0.2	*	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.4	0.4	0.4
2001.....	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.4	0.3
2000.....	0.2	0.3	0.2	0.2	0.4	*	0.3	0.3	0.2	0.2	0.3	0.2	0.4	0.5	0.4
1999.....	0.3	0.3	0.2	0.2	*	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.5	0.6	0.4
Acute and rapidly progressive nephritic syndrome (N00-N01)															
2006.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	0.0	*	*	*	*	*	*	*	*
1999.....	0.0	*	*	*	*	*	0.0	*	*	0.0	*	*	*	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Nephrotic syndrome (N04)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2000.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.1	0.0	0.1	*	*
1999.....	0.1	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.0	0.0	0.1	*	*
Other and unspecified glomerular diseases (N02-N03,N05-N07)															
2006.....	0.6	0.7	0.5	0.5	0.6	0.4	0.6	0.7	0.5	0.5	0.6	0.4	1.3	1.6	1.1
2005.....	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.2	0.6	0.8	0.5
2004.....	0.2	0.2	0.2	0.1	*	*	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.3	0.3
2003.....	0.2	0.2	0.1	0.1	*	*	0.1	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.2
2002.....	0.2	0.2	0.1	0.2	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.3	0.3	0.2
2001.....	0.2	0.2	0.1	0.2	*	*	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2
2000.....	0.2	0.2	0.2	0.2	*	*	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.4	0.3
1999.....	0.2	0.2	0.1	0.1	*	*	0.2	0.2	0.1	0.2	0.2	0.1	0.3	0.4	0.3
Renal tubulo-interstitial diseases (N10-N15)															
2006.....	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3
2005.....	0.4	0.4	0.4	0.3	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.6	0.5
2004.....	0.4	0.5	0.4	0.4	0.3	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.5	0.6	0.4
2003.....	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.6	0.6	0.6
2002.....	0.4	0.5	0.4	0.4	0.6	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4
2001.....	0.4	0.5	0.4	0.3	0.4	0.3	0.4	0.5	0.4	0.4	0.4	0.4	0.5	0.6	0.5
2000.....	0.5	0.5	0.5	0.4	0.4	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.7	0.7	0.6
1999.....	0.5	0.6	0.5	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.9	0.5
Renal failure (N17-N19)															
2006.....	13.9	17.0	11.8	12.0	13.9	10.6	13.9	17.2	11.9	12.4	15.6	10.3	29.5	34.1	26.6
2005.....	14.0	17.1	12.0	11.6	14.0	10.0	14.1	17.3	12.1	12.6	15.8	10.5	29.6	33.9	26.8
2004.....	13.9	17.0	12.0	11.7	13.7	10.3	14.0	17.2	12.1	12.5	15.6	10.5	29.6	34.4	26.7
2003.....	14.2	17.5	12.1	12.4	14.6	10.9	14.3	17.7	12.2	12.6	16.1	10.6	30.6	36.2	27.0
2002.....	13.9	17.3	11.9	11.4	13.4	9.9	14.0	17.4	11.9	12.5	15.9	10.4	29.7	35.3	26.3
2001.....	13.7	17.1	11.8	12.1	14.2	10.8	13.8	17.2	11.8	12.2	15.7	10.1	29.6	33.9	27.1
2000.....	13.2	16.6	11.3	11.6	13.6	10.2	13.3	16.7	11.3	11.8	15.2	9.7	28.6	33.0	25.9
1999.....	12.8	16.1	10.8	11.7	14.9	9.6	12.8	16.1	10.9	11.2	14.5	9.3	28.2	33.5	25.3
Urolithiasis (N20-N23)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2004.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2003.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
1999.....	0.1	0.1	0.1	0.2	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
Other and unspecified disorders of kidney (N25-N27)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2001.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Urinary tract infection, site not specified (N39.0)															
2006.....	4.5	3.8	4.9	3.5	3.1	3.7	4.6	3.9	5.0	4.5	3.8	5.0	6.1	5.8	6.2
2005.....	4.8	4.1	5.2	3.4	2.9	3.8	4.9	4.1	5.3	4.8	4.0	5.2	6.6	6.2	6.7
2004.....	4.6	4.0	5.0	3.5	3.2	3.8	4.7	4.0	5.0	4.6	3.8	4.9	6.6	6.5	6.6
2003.....	4.7	3.9	5.1	3.3	2.8	3.5	4.7	4.0	5.1	4.6	3.9	5.0	6.8	6.2	7.1
2002.....	4.7	4.0	5.2	3.3	2.3	3.9	4.8	4.0	5.2	4.6	3.9	5.1	6.9	6.8	7.0
2001.....	5.0	4.1	5.4	3.8	2.9	4.4	5.0	4.2	5.4	4.8	4.0	5.2	7.4	7.1	7.5
2000.....	5.0	4.4	5.3	4.0	3.1	4.5	5.0	4.4	5.4	4.9	4.2	5.2	7.2	7.1	7.2
1999.....	5.2	4.4	5.5	4.0	3.4	4.4	5.2	4.5	5.6	5.0	4.2	5.5	7.6	8.1	7.2
Other diseases of urinary system (N28-N36,N39.1-N39.9)															
2006.....	0.4	0.5	0.3	0.3	0.4	0.2	0.4	0.5	0.3	0.4	0.5	0.3	0.7	0.9	0.6
2005.....	0.4	0.5	0.3	0.2	0.2	0.2	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.9	0.5
2004.....	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.4	0.4	0.5	0.3	0.8	0.9	0.7
2003.....	0.4	0.5	0.3	0.2	0.2	*	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.8	0.5
2002.....	0.4	0.5	0.3	0.3	0.4	0.2	0.4	0.5	0.3	0.4	0.4	0.3	0.7	0.9	0.6
2001.....	0.4	0.4	0.3	0.4	0.5	0.4	0.4	0.5	0.3	0.4	0.4	0.3	0.7	0.8	0.6
2000.....	0.4	0.5	0.3	0.3	0.4	0.2	0.4	0.5	0.3	0.4	0.5	0.3	0.7	0.9	0.6
1999.....	0.4	0.5	0.3	0.3	0.3	0.2	0.4	0.5	0.3	0.3	0.4	0.3	0.7	1.0	0.5
Diseases of male genital organs (N40-N50)															
2006.....	0.2	0.6	...	0.2	0.6	...	0.2	0.6	...	0.2	0.6	...	0.3	0.7	...
2005.....	0.2	0.6	...	0.1	0.3	...	0.2	0.7	...	0.2	0.7	...	0.2	0.7	...
2004.....	0.2	0.6	...	0.2	0.5	...	0.2	0.6	...	0.2	0.6	...	0.3	0.8	...
2003.....	0.2	0.6	...	0.2	0.6	...	0.2	0.6	...	0.2	0.6	...	0.2	0.6	...
2002.....	0.2	0.6	...	0.2	0.4	...	0.2	0.5	...	0.2	0.5	...	0.3	0.8	...
2001.....	0.2	0.6	...	*	*	...	0.2	0.6	...	0.2	0.6	...	0.3	0.8	...
2000.....	0.2	0.6	...	0.2	0.6	...	0.2	0.6	...	0.2	0.6	...	0.3	0.8	...
1999.....	0.2	0.6	...	*	*	...	0.2	0.6	...	0.2	0.6	...	0.3	0.9	...
Hyperplasia of prostate (N40)															
2006.....	0.2	0.5	...	0.1	0.4	...	0.2	0.5	...	0.2	0.5	...	0.2	0.4	...
2005.....	0.2	0.5	...	*	*	...	0.2	0.5	...	0.2	0.5	...	0.1	0.4	...
2004.....	0.2	0.5	...	*	*	...	0.2	0.5	...	0.2	0.5	...	0.1	0.4	...
2003.....	0.2	0.5	...	0.2	0.4	...	0.2	0.5	...	0.2	0.5	...	0.1	0.4	...
2002.....	0.1	0.4	...	*	*	...	0.1	0.4	...	0.1	0.4	...	0.2	0.5	...
2001.....	0.1	0.5	...	*	*	...	0.2	0.5	...	0.2	0.5	...	0.1	0.4	...
2000.....	0.2	0.5	...	*	*	...	0.2	0.5	...	0.2	0.5	...	0.2	0.5	...
1999.....	0.2	0.5	...	*	*	...	0.2	0.5	...	0.2	0.5	...	0.2	0.6	...
Other diseases of male genital organs (N41-N50)															
2006.....	0.1	0.2	...	*	*	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...
2005.....	0.1	0.2	...	*	*	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...
2004.....	0.1	0.2	...	*	*	...	0.1	0.2	...	0.1	0.1	...	0.1	0.3	...
2003.....	0.0	0.1	...	*	*	...	0.0	0.1	...	0.0	0.1	...	0.1	0.2	...
2002.....	0.1	0.1	...	*	*	...	0.1	0.1	...	0.0	0.1	...	0.1	0.3	...
2001.....	0.1	0.1	...	*	*	...	0.1	0.1	...	0.1	0.1	...	0.1	0.3	...
2000.....	0.0	0.1	...	*	*	...	0.0	0.1	...	0.0	0.1	...	0.1	0.3	...
1999.....	0.1	0.2	...	*	*	...	0.1	0.2	...	0.0	0.1	...	0.1	0.4	...
Disorders of breast (N60-N64)															
2006.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2005.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2004.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2003.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2002.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2001.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
2000.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*
1999.....	0.0	*	0.0	*	*	*	0.0	*	0.0	0.0	*	0.0	*	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Disorders of female genital organs (N70-N98)															
2006.....	0.1	...	0.2	*	...	*	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3
2005.....	0.1	...	0.2	*	...	*	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3
2004.....	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3
2003.....	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3
2002.....	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3
2001.....	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.2	...	0.4
2000.....	0.1	...	0.2	*	...	*	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3
1999.....	0.1	...	0.2	*	...	*	0.1	...	0.2	0.1	...	0.2	0.3	...	0.4
Inflammatory diseases of female pelvic organs (N70-N76)															
2006.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.1	*	...	*
2005.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.1	*	...	*
2004.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.0	*	...	*
2003.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.1	*	...	*
2002.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.0	0.1	...	0.1
2001.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.1	0.1	...	0.1
2000.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.1	0.1	...	0.1
1999.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2
Noninflammatory disorders of female genital tract (N80-N98)															
2006.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.1	...	0.1	0.1	...	0.2
2005.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.1	...	0.1	0.1	...	0.2
2004.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.1	...	0.1	0.1	...	0.2
2003.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.1	...	0.1	0.1	...	0.2
2002.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.0	...	0.1	0.1	...	0.2
2001.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.0	...	0.1	0.1	...	0.2
2000.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.1	...	0.1	0.1	...	0.2
1999.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.1	...	0.1	0.2	...	0.3
XV. Pregnancy, childbirth and the puerperium (000-099)															
2006.....	0.2	...	0.5	0.3	...	0.6	0.2	...	0.5	0.2	...	0.3	0.7	...	1.3
2005.....	0.3	...	0.5	0.3	...	0.6	0.3	...	0.5	0.2	...	0.3	0.7	...	1.3
2004.....	0.2	...	0.5	0.2	...	0.5	0.2	...	0.5	0.1	...	0.3	0.6	...	1.2
2003.....	0.2	...	0.4	0.2	...	0.5	0.2	...	0.3	0.1	...	0.2	0.5	...	1.0
2002.....	0.1	...	0.3	0.2	...	0.3	0.1	...	0.2	0.1	...	0.2	0.4	...	0.8
2001.....	0.1	...	0.3	0.2	...	0.4	0.1	...	0.3	0.1	...	0.2	0.4	...	0.8
2000.....	0.1	...	0.3	0.2	...	0.4	0.1	...	0.3	0.1	...	0.2	0.4	...	0.7
1999.....	0.2	...	0.3	0.2	...	0.4	0.1	...	0.3	0.1	...	0.2	0.4	...	0.8
Pregnancy with abortive outcome (000-007)															
2006.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2005.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2004.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2003.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2002.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2001.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2000.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
1999.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
Ectopic pregnancy (000)															
2006.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2005.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2004.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2003.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*	*	...	*
2002.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2001.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2000.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
1999.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Spontaneous abortion (003)															
2006.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2005.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2004.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2003.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2002.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2001.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2000.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
1999.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
Medical abortion (004)															
2006.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2005.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2004.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2003.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2002.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2001.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2000.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
1999.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
Other abortion (005)															
2006.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2005.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2004.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2003.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2002.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2001.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2000.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
1999.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
Other and unspecified pregnancy with abortive outcome (001-002,006-007)															
2006.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2005.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2004.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2003.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2002.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2001.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2000.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
1999.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
Other direct obstetric deaths (010-092)															
2006.....	0.1	...	0.3	0.1	...	0.3	0.1	...	0.3	0.1	...	0.2	0.4	...	0.8
2005.....	0.1	...	0.3	0.1	...	0.3	0.1	...	0.3	0.1	...	0.2	0.4	...	0.8
2004.....	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.1	...	0.1	0.3	...	0.7
2003.....	0.1	...	0.2	0.2	...	0.4	0.1	...	0.2	0.1	...	0.1	0.3	...	0.7
2002.....	0.1	...	0.2	0.1	...	0.3	0.1	...	0.2	0.0	...	0.1	0.3	...	0.6
2001.....	0.1	...	0.2	0.2	...	0.4	0.1	...	0.2	0.1	...	0.1	0.3	...	0.6
2000.....	0.1	...	0.2	0.2	...	0.3	0.1	...	0.2	0.1	...	0.1	0.3	...	0.5
1999.....	0.1	...	0.2	0.1	...	0.3	0.1	...	0.2	0.1	...	0.1	0.3	...	0.6
Eclampsia and pre-eclampsia (011,013-016)															
2006.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	0.1	...	0.1
2005.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	0.1	...	0.1
2004.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	0.1	...	0.1
2003.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	0.1	...	0.1
2002.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	0.1	...	0.1
2001.....	0.0	...	0.1	0.1	...	0.1	0.0	...	0.0	*	...	*	0.1	...	0.1
2000.....	0.0	...	0.1	0.1	...	0.1	0.0	...	0.1	0.0	...	0.0	0.1	...	0.1
1999.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Hemorrhage of pregnancy and childbirth and placenta previa (020,044-046,067,072)															
2006.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2005.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2004.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2003.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2002.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2001.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2000.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
1999.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
Complications predominately related to the puerperium (085-092)															
2006.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2
2005.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2
2004.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2
2003.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2
2002.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2
2001.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.1	0.1	...	0.2
2000.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.1	0.1	...	0.2
1999.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.1	0.1	...	0.2
Obstetric embolism (088)															
2006.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2005.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	*	...	*
2004.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	*	...	*
2003.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2002.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	*	...	*
2001.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1
2000.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	*	...	*
1999.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	*	...	*
Other complications predominately related to the puerperium (085-087,089-092)															
2006.....	0.0	...	0.0	*	...	*	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2
2005.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1
2004.....	0.0	...	0.0	*	...	*	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1
2003.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2002.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	0.1	...	0.1
2001.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2000.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
1999.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)															
2006.....	0.1	...	0.1	0.1	...	0.2	0.1	...	0.1	0.0	...	0.1	0.2	...	0.4
2005.....	0.1	...	0.1	0.0	...	0.1	0.1	...	0.1	0.0	...	0.1	0.2	...	0.4
2004.....	0.1	...	0.1	*	...	*	0.1	...	0.1	0.0	...	0.1	0.2	...	0.3
2003.....	0.0	...	0.1	0.1	...	0.2	0.0	...	0.1	0.0	...	0.0	0.1	...	0.3
2002.....	0.0	...	0.1	0.1	...	0.1	0.1	...	0.1	0.0	...	0.0	0.1	...	0.2
2001.....	0.0	...	0.1	0.0	...	0.1	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2
2000.....	0.0	...	0.1	0.1	...	0.1	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2
1999.....	0.0	...	0.1	*	...	*	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2
Obstetric death of unspecified cause (095)															
2006.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2005.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2004.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2003.....	0.0	...	0.0	*	...	*	0.0	...	0.0	*	...	*	*	...	*
2002.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2001.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
2000.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*
1999.....	*	...	*	*	...	*	*	...	*	*	...	*	*	...	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Intrauterine hypoxia and birth asphyxia (P20-P21)															
2006.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1
2005.....	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
2004.....	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.3	0.3
2003.....	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
2002.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
2001.....	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
2000.....	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.4	0.4	0.3
1999.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.4	0.4	0.3
Respiratory distress of newborn (P22)															
2006.....	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.2	0.6	0.6	0.6
2005.....	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.2	0.6	0.7	0.5
2004.....	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.2	0.6	0.7	0.5
2003.....	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.5	0.6	0.5
2002.....	0.3	0.4	0.3	0.3	0.3	0.2	0.3	0.4	0.3	0.3	0.3	0.2	0.7	0.7	0.7
2001.....	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.2	0.8	0.9	0.6
2000.....	0.4	0.5	0.3	0.3	0.3	0.3	0.4	0.5	0.3	0.3	0.4	0.2	0.8	1.0	0.7
1999.....	0.4	0.5	0.3	0.3	0.4	0.3	0.4	0.5	0.3	0.3	0.3	0.3	0.9	1.1	0.7
Other respiratory conditions originating in the perinatal period (P23-P28)															
2006.....	0.4	0.5	0.4	0.4	0.4	0.3	0.4	0.5	0.4	0.3	0.4	0.3	0.8	0.9	0.7
2005.....	0.4	0.5	0.3	0.3	0.4	0.3	0.4	0.5	0.4	0.3	0.4	0.3	0.9	0.9	0.8
2004.....	0.4	0.5	0.4	0.4	0.4	0.3	0.4	0.5	0.4	0.3	0.4	0.3	0.9	0.9	0.8
2003.....	0.4	0.5	0.3	0.4	0.4	0.3	0.4	0.5	0.4	0.4	0.4	0.3	0.8	1.0	0.7
2002.....	0.4	0.5	0.4	0.3	0.4	0.3	0.5	0.5	0.4	0.4	0.4	0.3	0.9	1.0	0.8
2001.....	0.5	0.6	0.5	0.4	0.4	0.3	0.6	0.6	0.5	0.4	0.5	0.4	1.1	1.3	1.0
2000.....	0.6	0.6	0.5	0.5	0.5	0.4	0.6	0.7	0.5	0.4	0.5	0.4	1.2	1.4	1.0
1999.....	0.6	0.7	0.5	0.5	0.6	0.4	0.7	0.7	0.6	0.5	0.6	0.4	1.3	1.4	1.2
Infections specific to the perinatal period (P35-P39)															
2006.....	0.3	0.4	0.3	0.3	0.3	0.2	0.3	0.4	0.3	0.3	0.3	0.3	0.7	0.8	0.6
2005.....	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.2	0.7	0.8	0.7
2004.....	0.4	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.3	0.2	0.7	0.8	0.6
2003.....	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.2	0.7	0.8	0.6
2002.....	0.3	0.4	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.6	0.6	0.6
2001.....	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.2	0.6	0.7	0.6
2000.....	0.3	0.4	0.3	0.3	0.4	0.2	0.3	0.4	0.3	0.3	0.3	0.2	0.7	0.8	0.6
1999.....	0.3	0.4	0.3	0.2	0.3	0.2	0.3	0.4	0.3	0.2	0.3	0.2	0.7	0.9	0.6
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)															
2006.....	1.0	1.1	0.9	0.9	0.9	0.8	1.0	1.1	0.9	0.8	0.9	0.7	1.9	2.2	1.7
2005.....	1.0	1.1	0.8	0.9	1.1	0.7	1.0	1.1	0.9	0.8	0.8	0.7	1.8	2.1	1.6
2004.....	0.9	1.0	0.8	0.9	1.0	0.8	0.9	1.0	0.8	0.7	0.8	0.6	1.7	1.9	1.5
2003.....	0.9	1.0	0.8	0.8	0.9	0.8	0.9	1.0	0.8	0.7	0.8	0.6	1.7	2.0	1.4
2002.....	0.8	0.9	0.7	0.8	0.8	0.7	0.8	0.9	0.7	0.6	0.7	0.5	1.5	1.6	1.3
2001.....	0.8	1.0	0.7	0.8	0.9	0.7	0.8	1.0	0.7	0.6	0.7	0.5	1.6	1.8	1.3
2000.....	1.0	1.1	0.8	0.8	0.9	0.7	1.0	1.1	0.8	0.7	0.8	0.7	2.0	2.3	1.6
1999.....	1.0	1.1	0.8	0.8	0.9	0.8	1.0	1.1	0.8	0.7	0.8	0.6	2.0	2.2	1.9
XVII. Congenital malformations, deformations and chromosomal abnormalities (000-099)															
2006.....	3.5	3.7	3.2	3.2	3.5	3.0	3.5	3.7	3.2	3.4	3.6	3.1	4.2	4.5	3.9
2005.....	3.5	3.7	3.3	3.3	3.4	3.2	3.5	3.7	3.3	3.4	3.6	3.2	3.9	4.2	3.8
2004.....	3.6	3.7	3.4	3.2	3.3	3.1	3.6	3.8	3.4	3.5	3.7	3.4	4.1	4.5	3.7
2003.....	3.6	3.8	3.4	3.4	3.5	3.2	3.6	3.8	3.4	3.5	3.6	3.4	4.0	4.5	3.7
2002.....	3.7	3.8	3.5	3.4	3.6	3.2	3.7	3.8	3.5	3.6	3.8	3.4	4.2	4.5	4.0
2001.....	3.6	3.8	3.4	3.4	3.8	3.0	3.6	3.8	3.4	3.5	3.8	3.3	4.2	4.4	4.1
2000.....	3.8	4.1	3.6	3.6	3.9	3.3	3.8	4.1	3.6	3.7	3.9	3.5	4.5	4.9	4.2
1999.....	3.8	3.9	3.6	3.4	3.4	3.4	3.8	4.0	3.6	3.7	3.9	3.5	4.5	4.8	4.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Anencephaly and similar malformations (Q00)															
2006.....	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
2005.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2004.....	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2003.....	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
2002.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
2001.....	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
2000.....	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
1999.....	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
Spina bifida (Q05)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2004.....	0.0	0.0	0.0	0.1	*	*	0.0	0.0	0.0	0.0	0.0	0.1	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.0	0.1	0.1	0.1	*	*	*
2001.....	0.0	0.0	0.1	*	*	*	0.0	0.1	0.1	0.1	0.1	0.0	*	*	*
2000.....	0.0	0.0	0.0	0.0	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)															
2006.....	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4
2005.....	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3
2004.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.3
2003.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3
2002.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2001.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.4
2000.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.4	0.4	0.4
1999.....	0.3	0.3	0.3	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.4	0.3	0.4
Congenital malformations of heart (Q20-Q24)															
2006.....	0.9	1.0	0.8	0.8	0.9	0.7	1.0	1.1	0.9	0.9	1.0	0.8	1.2	1.3	1.1
2005.....	1.0	1.0	0.9	0.9	1.0	0.8	1.0	1.1	1.0	1.0	1.1	0.9	1.1	1.1	1.1
2004.....	1.0	1.1	0.9	0.9	1.0	0.8	1.0	1.1	0.9	1.0	1.1	0.9	1.2	1.3	1.1
2003.....	1.1	1.2	1.0	0.9	1.0	0.8	1.1	1.2	1.0	1.1	1.1	1.0	1.3	1.4	1.2
2002.....	1.1	1.2	1.0	1.1	1.2	0.9	1.1	1.2	1.0	1.1	1.2	1.0	1.3	1.4	1.2
2001.....	1.1	1.2	1.0	0.9	1.1	0.8	1.2	1.3	1.1	1.1	1.2	1.0	1.5	1.5	1.4
2000.....	1.2	1.3	1.2	1.1	1.2	1.0	1.2	1.3	1.1	1.2	1.3	1.1	1.5	1.6	1.3
1999.....	1.3	1.4	1.2	1.1	1.2	1.1	1.3	1.4	1.2	1.3	1.4	1.1	1.5	1.7	1.4
Other congenital malformations of circulatory system (Q25-Q28)															
2006.....	0.2	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.2
2005.....	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
2004.....	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.5	0.3
2003.....	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3
2002.....	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.6	0.4
2001.....	0.3	0.3	0.3	0.4	0.6	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.3
2000.....	0.3	0.4	0.3	0.4	0.4	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.5	0.4
1999.....	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.5	0.5	0.4
Congenital malformations of respiratory system (Q30-Q34)															
2006.....	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	0.2
2005.....	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.4	0.2
2004.....	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.3
2003.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.2
2002.....	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
2001.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.2
2000.....	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.4	0.4	0.3
1999.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)															
2006.....	1.0	1.1	0.9	0.9	1.0	0.9	1.0	1.1	0.9	1.0	1.1	0.9	1.2	1.3	1.1
2005.....	0.9	1.1	0.8	0.9	0.9	0.9	0.9	1.1	0.8	0.9	1.0	0.8	1.1	1.3	0.9
2004.....	0.9	1.0	0.8	0.8	0.8	0.7	0.9	1.0	0.8	0.9	1.0	0.8	1.0	1.2	0.8
2003.....	0.9	1.0	0.8	0.9	1.0	0.8	0.9	1.0	0.8	0.9	1.0	0.8	1.1	1.3	0.9
2002.....	0.9	1.0	0.8	0.8	0.8	0.8	0.9	1.0	0.8	0.9	1.0	0.8	1.0	1.2	0.9
2001.....	0.9	1.0	0.8	0.8	1.0	0.7	0.9	1.0	0.8	0.9	1.0	0.8	1.1	1.2	0.9
2000.....	0.9	1.1	0.8	0.9	1.1	0.7	0.9	1.0	0.8	0.9	1.0	0.8	1.1	1.3	0.9
1999.....	0.9	1.1	0.9	0.9	0.9	0.8	1.0	1.0	0.8	0.9	1.0	0.8	1.1	1.2	0.9
Down's syndrome (Q90)															
2006.....	0.3	0.3	0.2	0.1	0.2	0.1	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
2005.....	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.4	0.3	0.3	0.2	0.2	0.3
2004.....	0.3	0.3	0.2	0.1	0.2	0.1	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2
2003.....	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2
2002.....	0.3	0.3	0.3	0.2	0.2	0.1	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2
2001.....	0.3	0.3	0.3	0.1	0.2	0.1	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
2000.....	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.3
1999.....	0.2	0.2	0.2	0.1	*	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)															
2006.....	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.3	0.3	0.4	0.5	0.4	0.6
2005.....	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.5
2004.....	0.4	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.4	0.3	0.3	0.4	0.4	0.4	0.5
2003.....	0.4	0.3	0.4	0.4	0.3	0.4	0.4	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.5
2002.....	0.4	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.4	0.4	0.3	0.4	0.4	0.3	0.5
2001.....	0.3	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.4
2000.....	0.4	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.4	0.3	0.3	0.4	0.4	0.4	0.5
1999.....	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.5
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)															
2006.....	10.1	10.5	9.3	5.5	6.1	4.7	10.4	10.9	9.7	10.2	10.5	9.5	13.7	15.7	11.8
2005.....	10.4	11.1	9.4	5.7	6.9	4.6	10.7	11.4	9.7	10.4	10.9	9.4	14.6	16.9	12.5
2004.....	10.0	10.7	9.0	5.3	6.1	4.5	10.3	11.0	9.4	9.9	10.5	9.0	14.2	16.1	12.3
2003.....	10.6	11.4	9.5	5.6	6.6	4.5	11.0	11.8	9.9	10.6	11.3	9.6	15.0	17.6	12.8
2002.....	10.3	11.4	9.0	5.5	6.6	4.5	10.7	11.8	9.3	10.2	11.1	9.0	14.8	18.2	12.0
2001.....	11.3	12.7	9.8	7.9	9.9	5.8	11.5	12.8	10.0	11.0	12.2	9.7	15.4	18.0	13.1
2000.....	11.4	13.1	9.7	7.8	10.3	5.5	11.6	13.2	10.0	11.0	12.5	9.4	16.7	20.0	13.9
1999.....	9.7	11.0	8.4	5.2	6.2	4.3	10.0	11.3	8.7	9.3	10.4	8.1	15.6	19.3	12.7
Senility (R54)															
2006.....	1.5	1.3	1.6	0.7	0.5	0.8	1.5	1.3	1.7	1.6	1.4	1.7	1.3	1.0	1.5
2005.....	1.5	1.2	1.6	0.7	0.6	0.7	1.5	1.2	1.6	1.6	1.3	1.7	1.4	1.2	1.5
2004.....	1.6	1.3	1.7	0.7	0.5	0.8	1.6	1.3	1.7	1.7	1.4	1.8	1.3	1.1	1.4
2003.....	1.6	1.2	1.7	0.8	0.4	0.9	1.6	1.3	1.7	1.7	1.3	1.8	1.2	0.9	1.2
2002.....	1.5	1.2	1.6	0.5	0.5	0.5	1.5	1.2	1.6	1.5	1.3	1.7	1.2	1.1	1.2
2001.....	1.5	1.2	1.6	0.7	0.6	0.7	1.5	1.3	1.6	1.6	1.3	1.6	1.3	1.3	1.3
2000.....	1.4	1.1	1.5	0.6	*	0.6	1.4	1.2	1.5	1.4	1.2	1.5	1.4	1.0	1.5
1999.....	1.2	1.0	1.2	0.5	*	0.7	1.2	1.0	1.2	1.2	1.1	1.3	1.0	1.1	1.0
Ill-defined and unknown causes of mortality (R95-R99)															
2006.....	4.6	5.5	3.7	3.1	4.2	2.1	4.8	5.7	3.9	4.6	5.5	3.8	6.2	7.8	4.9
2005.....	5.6	6.7	4.4	3.6	4.7	2.4	5.8	6.9	4.7	5.5	6.6	4.4	8.4	10.3	6.7
2004.....	5.2	6.3	4.1	3.3	4.2	2.3	5.4	6.5	4.3	5.1	6.1	4.0	7.8	9.5	6.3
2003.....	5.9	7.2	4.7	3.4	4.5	2.3	6.2	7.4	4.9	5.9	7.1	4.7	8.9	11.3	7.0
2002.....	5.9	7.2	4.6	3.6	4.7	2.6	6.1	7.5	4.8	5.8	7.0	4.6	9.1	11.8	6.8
2001.....	7.1	8.7	5.6	5.9	8.1	3.8	7.2	8.6	5.7	6.8	8.2	5.4	9.7	11.8	7.9
2000.....	7.4	9.1	5.8	6.0	8.3	3.8	7.4	9.1	5.9	7.0	8.5	5.5	11.0	14.0	8.6
1999.....	6.0	7.3	4.8	3.5	4.6	2.5	6.2	7.5	5.0	5.6	6.7	4.5	10.3	13.4	7.8

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Sudden infant death syndrome (R95)															
2006.....	0.8	0.9	0.7	0.4	0.5	0.3	0.9	1.0	0.8	0.8	0.9	0.6	1.5	1.6	1.4
2005.....	0.8	0.9	0.6	0.4	0.5	0.4	0.8	1.0	0.7	0.7	0.9	0.5	1.4	1.6	1.3
2004.....	0.8	0.9	0.6	0.4	0.5	0.4	0.9	1.0	0.7	0.7	0.8	0.6	1.6	1.8	1.3
2003.....	0.7	0.9	0.6	0.5	0.6	0.4	0.8	0.9	0.7	0.7	0.8	0.5	1.5	1.5	1.4
2002.....	0.8	0.9	0.7	0.5	0.6	0.4	0.9	1.0	0.7	0.7	0.8	0.6	1.5	1.6	1.3
2001.....	0.8	0.9	0.6	0.4	0.5	0.4	0.8	1.0	0.7	0.7	0.8	0.6	1.7	1.8	1.5
2000.....	0.9	1.1	0.8	0.5	0.6	0.4	1.0	1.2	0.8	0.8	0.9	0.7	1.9	2.2	1.6
1999.....	1.0	1.1	0.8	0.6	0.6	0.5	1.1	1.2	0.9	0.8	1.0	0.7	2.0	2.2	1.8
Other ill-defined and unknown causes of mortality (R96-R99)															
2006.....	3.8	4.7	3.0	2.7	3.7	1.7	3.9	4.7	3.2	3.9	4.6	3.2	4.7	6.2	3.5
2005.....	4.9	5.8	3.9	3.1	4.2	2.0	4.9	5.9	4.0	4.8	5.7	3.9	6.9	8.8	5.4
2004.....	4.4	5.4	3.5	2.8	3.7	1.9	4.5	5.5	3.6	4.4	5.3	3.4	6.2	7.7	5.0
2003.....	5.2	6.3	4.0	2.9	3.9	1.9	5.3	6.5	4.2	5.2	6.3	4.1	7.4	9.7	5.6
2002.....	5.1	6.3	4.0	3.1	4.1	2.3	5.3	6.5	4.1	5.0	6.1	4.0	7.6	10.1	5.5
2001.....	6.3	7.8	4.9	5.5	7.6	3.4	6.3	7.6	5.0	6.1	7.4	4.8	8.1	10.0	6.5
2000.....	6.5	8.1	5.0	5.5	7.7	3.4	6.4	7.9	5.0	6.2	7.6	4.8	9.1	11.8	7.0
1999.....	5.1	6.2	4.0	2.9	3.9	2.0	5.2	6.3	4.1	4.8	5.8	3.8	8.3	11.1	6.1
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)															
2006.....	3.9	3.7	3.9	1.8	1.5	1.9	4.1	3.9	4.1	3.9	3.7	4.0	6.1	6.9	5.5
2005.....	3.3	3.1	3.3	1.6	1.5	1.5	3.4	3.3	3.4	3.3	3.1	3.4	4.8	5.4	4.3
2004.....	3.2	3.1	3.2	1.4	1.4	1.3	3.3	3.2	3.3	3.2	3.0	3.3	5.1	5.6	4.6
2003.....	3.2	3.0	3.1	1.5	1.6	1.4	3.3	3.1	3.2	3.1	2.9	3.1	5.0	5.4	4.6
2002.....	2.9	3.0	2.8	1.3	1.3	1.3	3.0	3.1	2.9	2.9	2.9	2.8	4.6	5.3	3.9
2001.....	2.8	2.8	2.7	1.3	1.2	1.3	2.9	2.9	2.7	2.7	2.7	2.6	4.4	4.9	3.8
2000.....	2.7	2.8	2.5	1.2	1.5	1.0	2.8	2.9	2.6	2.6	2.7	2.4	4.3	4.9	3.8
1999.....	2.6	2.7	2.4	1.2	1.3	1.1	2.6	2.7	2.5	2.5	2.6	2.3	4.3	4.8	3.8
XX. External causes of mortality (*U01-*U03,V01-Y89)															
2006.....	59.6	86.2	34.6	45.6	68.2	22.0	61.2	88.3	36.1	60.8	86.0	37.3	70.5	112.9	33.3
2005.....	58.7	85.0	34.0	46.1	68.8	22.5	59.9	86.6	35.3	59.3	84.2	36.1	70.3	112.0	34.2
2004.....	57.3	82.7	33.7	44.6	66.6	22.0	58.6	84.4	35.0	58.3	82.5	35.8	67.1	106.3	33.3
2003.....	57.0	82.9	33.0	45.6	69.2	21.8	57.9	84.0	34.1	57.1	81.5	34.7	67.7	107.5	33.2
2002.....	56.7	82.7	32.6	45.4	69.2	21.6	57.6	83.8	33.7	56.5	80.9	34.0	68.7	110.0	33.4
2001 3/.....	56.1	82.6	31.8	46.4	70.2	22.7	56.8	83.4	32.7	55.4	80.3	32.7	69.6	110.7	34.4
2000.....	53.9	79.5	30.5	45.1	68.8	21.7	54.5	80.2	31.4	52.6	76.3	31.2	69.4	111.4	33.7
1999.....	54.3	80.1	31.0	45.6	70.5	21.3	54.8	80.5	31.8	52.7	76.3	31.4	71.3	114.2	35.2
Accidents (unintentional injuries) (V01-X59,Y85-Y86)															
2006.....	39.8	55.2	25.5	31.5	45.8	16.8	40.7	56.2	26.4	42.1	57.5	27.7	39.2	59.0	22.7
2005.....	39.1	54.2	25.0	31.3	45.3	17.0	39.8	55.1	25.9	41.0	56.2	26.8	39.5	59.2	23.3
2004.....	37.7	52.1	24.5	29.8	43.0	16.4	38.5	53.0	25.4	39.7	54.2	26.3	37.1	55.5	22.2
2003.....	37.3	51.8	24.1	30.6	44.9	16.3	37.8	52.2	24.8	38.8	53.1	25.5	36.8	55.0	22.1
2002.....	36.9	51.5	23.5	30.7	45.6	16.1	37.3	51.8	24.2	38.0	52.3	24.8	37.6	57.2	21.8
2001.....	35.7	50.2	22.5	30.7	44.7	16.8	35.9	50.4	23.0	36.2	50.4	23.3	38.3	57.9	22.4
2000.....	34.9	49.3	22.0	30.1	44.5	16.1	35.2	49.5	22.5	35.3	49.2	22.7	38.4	59.2	21.8
1999.....	35.3	49.8	22.3	30.6	45.8	16.0	35.5	49.9	22.8	35.3	49.1	22.9	40.8	62.4	23.5
Transport accidents (V01-V99,Y85)															
2006.....	16.0	23.0	9.2	15.3	22.3	7.9	16.0	23.0	9.4	16.4	23.4	9.8	15.9	24.8	8.3
2005.....	16.2	23.4	9.3	15.4	22.4	8.1	16.2	23.3	9.5	16.6	23.8	9.8	15.8	24.7	8.2
2004.....	16.2	23.1	9.7	15.1	22.1	7.9	16.3	23.2	9.9	16.8	23.6	10.3	16.0	24.9	8.6
2003.....	16.4	23.4	9.8	15.9	23.2	8.4	16.4	23.3	10.0	16.8	23.6	10.3	16.2	25.1	8.8
2002.....	16.7	23.9	9.9	16.0	23.4	8.4	16.7	23.8	10.1	17.1	24.1	10.5	16.2	25.4	8.6
2001.....	16.6	23.7	9.8	16.7	24.6	8.9	16.5	23.6	10.0	16.7	23.7	10.1	16.9	26.1	9.1
2000.....	16.6	23.7	10.0	15.7	23.1	8.3	16.7	23.7	10.2	16.9	23.8	10.5	17.1	26.7	9.0
1999.....	16.6	23.6	10.2	15.4	22.5	8.4	16.7	23.7	10.5	16.9	23.6	10.6	17.5	27.1	9.7

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Motorcyclist involved in collision with railway train (V25,V35)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)															
2006.....	0.1	0.1	0.0	0.1	0.1	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	*	*
2005.....	0.1	0.1	0.0	0.1	0.1	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
2004.....	0.1	0.1	0.0	0.0	*	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	*
2003.....	0.1	0.1	0.0	0.1	0.1	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	*	*
2002.....	0.1	0.1	0.0	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2001.....	0.1	0.1	0.1	0.1	0.2	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.1	0.0	0.1	*	*	0.1	0.1	0.1	0.1	0.2	0.0	0.1	*	*
1999.....	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67)															
2006.....	1.4	2.1	0.8	1.2	1.8	0.5	1.4	2.1	0.8	1.5	2.2	0.9	1.6	2.5	0.8
2005.....	1.4	2.2	0.7	1.3	2.0	0.6	1.4	2.2	0.7	1.5	2.2	0.8	1.5	2.5	0.7
2004.....	1.6	2.3	0.8	1.4	2.2	0.6	1.6	2.3	0.9	1.6	2.4	0.9	1.7	2.7	0.9
2003.....	1.7	2.5	0.9	1.5	2.3	0.6	1.7	2.5	0.9	1.8	2.6	1.0	1.7	2.7	0.7
2002.....	1.7	2.6	0.9	1.6	2.4	0.7	1.7	2.6	1.0	1.8	2.6	1.0	1.9	3.2	0.9
2001.....	1.5	2.2	0.8	1.5	2.3	0.7	1.5	2.2	0.8	1.4	2.2	0.8	1.8	2.9	0.8
2000.....	1.4	2.0	0.7	1.2	1.7	0.6	1.4	2.1	0.8	1.4	2.0	0.8	1.7	2.7	0.8
1999.....	1.3	2.0	0.7	1.2	1.8	0.5	1.4	2.0	0.8	1.4	2.0	0.7	1.7	2.7	0.9
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)															
2006.....	3.1	3.8	2.4	3.2	4.4	2.0	3.0	3.7	2.4	3.1	3.7	2.5	3.0	4.1	2.1
2005.....	3.4	4.3	2.6	3.7	4.9	2.5	3.3	4.1	2.6	3.4	4.2	2.7	3.2	4.3	2.2
2004.....	3.6	4.5	2.8	3.6	4.6	2.5	3.5	4.4	2.8	3.6	4.5	2.9	3.3	4.5	2.4
2003.....	3.7	4.6	2.8	3.7	5.0	2.3	3.6	4.5	2.9	3.7	4.5	3.0	3.5	4.7	2.6
2002.....	3.9	5.0	2.9	4.1	5.7	2.4	3.8	4.8	3.0	3.9	4.8	3.1	3.6	4.9	2.5
2001.....	3.7	4.7	2.8	3.8	5.3	2.4	3.6	4.6	2.8	3.7	4.6	3.0	3.6	5.1	2.5
2000.....	3.7	4.6	2.9	3.4	4.7	2.2	3.7	4.6	2.9	3.8	4.7	3.0	3.6	5.0	2.4
1999.....	3.7	4.6	2.9	3.2	4.2	2.2	3.7	4.6	2.9	3.8	4.6	3.1	3.7	5.2	2.5
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)															
2006.....	0.1	0.1	*	0.1	0.1	*	0.1	0.1	*	0.1	0.1	*	0.1	0.2	*
2005.....	0.1	0.1	0.0	0.1	0.1	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	*
2004.....	0.1	0.1	0.0	0.1	0.1	*	0.1	0.1	0.0	0.1	0.1	*	0.1	0.2	*
2003.....	0.1	0.1	0.0	0.1	0.1	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	*
2002.....	0.1	0.1	0.0	0.1	0.2	*	0.1	0.1	0.0	0.1	0.1	*	0.1	0.2	*
2001.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
2000.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	*	0.1	0.2	*
1999.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	*	*
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)															
2006.....	1.3	1.8	0.8	1.5	2.1	0.8	1.3	1.8	0.8	1.3	1.8	0.8	1.1	1.6	0.7
2005.....	1.3	1.8	0.8	1.4	2.0	0.8	1.3	1.8	0.8	1.4	1.9	0.8	1.1	1.6	0.7
2004.....	1.4	1.9	0.8	1.5	2.2	0.7	1.3	1.9	0.8	1.4	1.9	0.8	1.2	1.8	0.7
2003.....	1.5	2.0	0.9	1.6	2.2	1.0	1.5	2.0	0.9	1.5	2.1	0.9	1.2	1.8	0.7
2002.....	1.5	2.1	0.9	1.6	2.3	0.9	1.5	2.1	0.9	1.5	2.2	0.9	1.2	1.9	0.6
2001.....	1.4	1.9	0.8	1.6	2.2	0.8	1.3	1.9	0.8	1.4	1.9	0.8	1.1	1.8	0.6
2000.....	1.3	1.9	0.7	1.4	2.0	0.7	1.3	1.9	0.8	1.4	1.9	0.8	1.2	1.8	0.6
1999.....	1.3	1.9	0.8	1.2	1.8	0.6	1.3	1.9	0.8	1.3	1.9	0.8	1.2	1.8	0.7

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Occupant of special-use motor vehicle involved in any accident (V83-V86)															
2006.....	0.4	0.7	0.1	0.2	0.2	*	0.5	0.8	0.1	0.5	0.9	0.2	0.2	0.3	*
2005.....	0.4	0.8	0.1	0.1	0.2	*	0.5	0.8	0.1	0.6	0.9	0.2	0.2	0.3	*
2004.....	0.4	0.7	0.1	0.1	0.2	*	0.4	0.7	0.1	0.5	0.8	0.1	0.2	0.3	*
2003.....	0.4	0.7	0.1	0.1	0.3	*	0.4	0.8	0.1	0.5	0.9	0.1	0.1	0.2	*
2002.....	0.3	0.6	0.1	0.2	0.3	*	0.4	0.7	0.1	0.4	0.8	0.1	0.1	0.1	*
2001.....	0.4	0.7	0.1	0.1	0.2	*	0.4	0.7	0.1	0.5	0.8	0.1	0.1	0.2	*
2000.....	0.4	0.7	0.1	0.2	0.3	*	0.4	0.7	0.1	0.5	0.8	0.1	0.1	0.3	*
1999.....	0.4	0.7	0.1	0.1	0.2	*	0.4	0.7	0.1	0.5	0.9	0.1	0.1	0.3	*
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)															
2006.....	5.7	7.7	3.7	5.3	7.4	3.1	5.7	7.7	3.8	5.8	7.7	3.9	6.0	9.1	3.3
2005.....	5.6	7.7	3.6	4.8	6.8	2.7	5.6	7.7	3.7	5.7	7.8	3.8	5.8	8.8	3.3
2004.....	5.4	7.3	3.7	4.8	6.8	2.6	5.5	7.4	3.8	5.6	7.4	3.9	5.7	8.5	3.4
2003.....	5.2	7.1	3.5	5.0	7.0	2.8	5.3	7.1	3.6	5.3	7.1	3.6	5.6	8.2	3.4
2002.....	5.4	7.4	3.6	4.6	6.3	2.8	5.6	7.5	3.8	5.7	7.6	3.9	5.5	8.2	3.3
2001.....	5.7	7.9	3.8	4.8	6.9	2.7	5.8	8.0	3.9	5.9	8.0	4.0	6.0	8.9	3.5
2000.....	6.0	8.2	4.1	5.5	7.8	3.2	6.0	8.2	4.1	6.1	8.2	4.2	6.4	9.5	3.8
1999.....	6.0	8.1	4.1	5.7	8.0	3.5	6.0	8.1	4.2	6.1	8.1	4.3	6.3	9.3	4.0
Streetcar accidents (V82.2-V82.9)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)															
2006.....	0.2	0.4	0.1	0.2	0.3	*	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.3	*
2005.....	0.3	0.4	0.1	0.3	0.4	*	0.3	0.4	0.2	0.3	0.4	0.2	0.3	0.6	0.1
2004.....	0.3	0.3	0.1	0.2	0.4	*	0.3	0.4	0.1	0.3	0.4	0.2	0.3	0.5	0.1
2003.....	0.3	0.5	0.2	0.3	0.4	0.2	0.3	0.5	0.2	0.3	0.5	0.2	0.3	0.6	0.1
2002.....	0.2	0.4	0.1	0.3	0.4	*	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.4	*
2001.....	0.3	0.5	0.2	0.4	0.7	0.2	0.3	0.5	0.2	0.3	0.4	0.1	0.4	0.6	0.2
2000.....	0.4	0.5	0.2	0.5	0.7	0.2	0.3	0.5	0.2	0.3	0.5	0.2	0.3	0.5	0.2
1999.....	0.6	0.9	0.3	0.7	1.1	0.3	0.6	0.8	0.3	0.6	0.8	0.4	0.5	0.9	0.3
Water transport accidents (V90-V94)															
2006.....	0.2	0.3	0.0	0.1	0.1	*	0.2	0.3	0.1	0.2	0.3	0.1	0.1	0.3	*
2005.....	0.2	0.3	0.0	0.1	0.1	*	0.2	0.3	0.1	0.2	0.3	0.1	0.1	0.2	*
2004.....	0.2	0.3	0.1	0.1	0.1	*	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.3	*
2003.....	0.2	0.3	0.1	0.1	0.2	*	0.2	0.4	0.1	0.2	0.4	0.1	0.1	0.4	*
2002.....	0.2	0.4	0.0	0.1	0.2	*	0.2	0.4	0.0	0.2	0.4	0.0	0.2	0.4	*
2001.....	0.2	0.4	0.1	0.1	0.1	*	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.4	*
2000.....	0.2	0.4	0.0	0.1	0.2	*	0.2	0.4	0.0	0.3	0.4	0.0	0.2	0.4	*
1999.....	0.2	0.4	0.1	0.1	0.2	*	0.2	0.4	0.1	0.3	0.5	0.1	0.3	0.5	*
Air and space transport accidents (V95-V97)															
2006.....	0.2	0.4	0.1	*	*	*	0.2	0.4	0.1	0.3	0.5	0.1	*	*	*
2005.....	0.2	0.3	0.1	*	*	*	0.2	0.4	0.1	0.3	0.5	0.1	*	*	*
2004.....	0.2	0.4	0.1	0.1	*	*	0.2	0.4	0.1	0.3	0.5	0.1	*	*	*
2003.....	0.3	0.4	0.1	0.1	*	*	0.3	0.5	0.1	0.3	0.6	0.1	*	*	*
2002.....	0.2	0.4	0.0	*	*	*	0.2	0.4	0.1	0.3	0.5	0.1	*	*	*
2001.....	0.3	0.5	0.2	0.8	0.8	0.8	0.3	0.5	0.1	0.3	0.5	0.1	*	*	*
2000.....	0.3	0.5	0.1	0.1	0.1	*	0.3	0.5	0.1	0.4	0.6	0.1	*	*	*
1999.....	0.2	0.4	0.1	*	*	*	0.3	0.5	0.1	0.3	0.6	0.1	*	*	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)															
2006.....	0.2	0.4	0.1	0.2	0.3	*	0.3	0.4	0.1	0.2	0.4	0.1	0.3	0.6	0.1
2005.....	0.2	0.4	0.1	0.2	0.3	*	0.2	0.4	0.1	0.3	0.4	0.1	0.3	0.4	0.1
2004.....	0.2	0.4	0.1	0.2	0.2	*	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.5	*
2003.....	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.4	*
2002.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.5	*
2001.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.5	*
2000.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.4	*
1999.....	0.2	0.3	0.1	0.1	0.2	*	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.4	0.1
Falls (W00-W19)															
2006.....	6.6	8.6	5.1	5.1	6.9	3.4	6.7	8.6	5.3	7.0	9.0	5.6	3.7	5.5	2.5
2005.....	6.4	8.3	4.9	5.0	6.6	3.5	6.4	8.3	5.1	6.8	8.7	5.3	3.7	5.2	2.6
2004.....	6.3	8.2	4.8	4.7	6.5	3.2	6.3	8.2	4.9	6.7	8.6	5.2	3.6	5.6	2.3
2003.....	5.9	7.6	4.5	4.2	5.8	2.9	5.9	7.7	4.6	6.2	8.0	4.9	3.4	4.7	2.4
2002.....	5.6	7.4	4.3	4.3	6.1	2.9	5.6	7.4	4.4	5.9	7.6	4.6	3.1	4.9	2.0
2001.....	5.3	7.2	3.9	4.1	5.4	2.8	5.3	7.3	3.9	5.6	7.5	4.2	3.3	5.2	2.0
2000.....	4.8	6.6	3.6	4.2	5.9	2.8	4.8	6.5	3.6	5.0	6.7	3.8	3.0	4.6	1.9
1999.....	4.8	6.6	3.5	4.1	6.0	2.6	4.8	6.6	3.6	5.0	6.7	3.7	3.5	5.3	2.2
Fall on same level (W00-W09,W18)															
2006.....	2.4	2.9	2.0	1.9	2.3	1.5	2.4	2.9	2.0	2.5	3.1	2.2	1.1	1.7	0.7
2005.....	2.3	2.9	1.9	1.9	2.4	1.6	2.3	3.0	1.9	2.4	3.0	2.1	1.2	1.7	0.9
2004.....	2.1	2.6	1.7	1.5	2.1	1.1	2.1	2.6	1.7	2.2	2.7	1.8	1.1	1.5	0.8
2003.....	1.9	2.4	1.6	1.5	1.8	1.2	1.9	2.4	1.6	2.0	2.5	1.7	0.7	1.0	0.5
2002.....	1.8	2.3	1.5	1.5	2.1	1.1	1.8	2.3	1.5	1.9	2.3	1.6	0.8	1.3	0.5
2001.....	1.4	1.8	1.1	1.2	1.5	1.0	1.4	1.8	1.1	1.5	1.9	1.2	0.7	1.0	0.5
2000.....	1.2	1.5	1.0	1.1	1.3	0.9	1.2	1.5	1.0	1.2	1.5	1.1	0.5	0.7	0.4
1999.....	0.8	1.1	0.7	0.9	1.2	0.6	0.8	1.0	0.7	0.8	1.0	0.7	0.6	0.8	0.5
Fall from one level to another (W10-W17)															
2006.....	1.2	1.9	0.5	1.0	1.7	0.3	1.2	1.9	0.6	1.2	2.0	0.6	0.8	1.4	0.3
2005.....	1.1	1.8	0.5	1.0	1.7	0.3	1.1	1.8	0.6	1.2	1.9	0.6	0.7	1.2	0.3
2004.....	1.1	1.8	0.5	0.9	1.6	0.3	1.1	1.8	0.6	1.2	1.9	0.6	0.7	1.3	0.3
2003.....	1.1	1.8	0.5	1.0	1.7	0.4	1.1	1.8	0.5	1.2	1.9	0.6	0.8	1.3	0.4
2002.....	1.1	1.9	0.5	0.9	1.6	0.3	1.1	1.9	0.6	1.2	2.0	0.6	0.7	1.2	0.4
2001.....	1.2	2.0	0.5	1.0	1.8	0.3	1.2	1.9	0.5	1.2	2.0	0.6	0.9	1.6	0.3
2000.....	1.0	1.8	0.4	1.0	1.9	0.3	1.0	1.8	0.5	1.1	1.8	0.5	0.7	1.3	0.3
1999.....	1.1	1.9	0.5	0.9	1.4	0.3	1.1	1.9	0.5	1.2	1.9	0.6	0.8	1.4	0.3
Unspecified fall (W19)															
2006.....	3.1	3.7	2.6	2.1	2.8	1.6	3.1	3.7	2.7	3.3	3.9	2.8	1.9	2.5	1.4
2005.....	2.9	3.5	2.5	2.0	2.5	1.6	3.0	3.5	2.6	3.1	3.7	2.7	1.8	2.4	1.5
2004.....	3.1	3.8	2.5	2.2	2.7	1.8	3.1	3.9	2.6	3.3	4.0	2.8	1.8	2.8	1.2
2003.....	2.8	3.4	2.4	1.8	2.3	1.3	2.9	3.5	2.4	3.0	3.6	2.5	1.8	2.3	1.5
2002.....	2.6	3.2	2.2	1.9	2.4	1.5	2.7	3.2	2.3	2.8	3.3	2.4	1.6	2.4	1.1
2001.....	2.7	3.5	2.2	1.8	2.1	1.5	2.7	3.5	2.2	2.8	3.6	2.4	1.7	2.6	1.2
2000.....	2.6	3.3	2.1	2.1	2.7	1.6	2.6	3.3	2.1	2.7	3.4	2.2	1.7	2.5	1.2
1999.....	2.9	3.7	2.3	2.4	3.4	1.6	2.9	3.7	2.3	3.0	3.7	2.4	2.1	3.1	1.4
Accidental discharge of firearms (W32-W34)															
2006.....	0.2	0.4	0.0	0.1	0.2	*	0.2	0.4	0.1	0.2	0.4	0.0	0.3	0.6	*
2005.....	0.3	0.5	0.1	0.2	0.4	*	0.3	0.5	0.1	0.3	0.4	0.1	0.4	0.7	*
2004.....	0.2	0.4	0.0	0.1	0.2	*	0.2	0.4	0.1	0.2	0.4	0.1	0.3	0.6	*
2003.....	0.2	0.5	0.1	0.2	0.3	*	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.6	*
2002.....	0.3	0.4	0.1	0.2	0.2	*	0.3	0.5	0.1	0.3	0.5	0.1	0.4	0.8	*
2001.....	0.3	0.5	0.1	0.2	0.4	*	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.6	*
2000.....	0.3	0.5	0.1	0.2	0.2	*	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.7	0.1
1999.....	0.3	0.5	0.1	0.2	0.3	*	0.3	0.5	0.1	0.3	0.5	0.1	0.4	0.8	0.1

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Accidental exposure to smoke, fire and flames (X00-X09)															
2006.....	1.0	1.3	0.8	0.6	0.8	0.4	1.1	1.3	0.9	0.9	1.2	0.8	2.1	2.7	1.7
2005.....	1.1	1.4	0.8	0.7	0.8	0.6	1.1	1.4	0.8	1.0	1.3	0.7	2.3	3.1	1.6
2004.....	1.1	1.4	0.8	0.6	0.8	0.5	1.2	1.5	0.9	1.0	1.3	0.8	2.5	3.4	1.8
2003.....	1.2	1.4	0.9	0.6	0.9	0.4	1.2	1.5	1.0	1.1	1.4	0.9	2.5	3.3	1.9
2002.....	1.1	1.4	0.8	0.8	1.0	0.5	1.2	1.5	0.8	1.0	1.3	0.7	2.5	3.3	1.8
2001.....	1.2	1.5	0.9	0.6	0.8	0.5	1.2	1.6	0.9	1.0	1.4	0.8	2.7	3.8	1.9
2000.....	1.2	1.6	0.9	0.7	0.9	0.5	1.3	1.7	0.9	1.0	1.4	0.8	3.1	4.2	2.3
1999.....	1.2	1.6	0.9	0.7	1.1	0.4	1.3	1.6	0.9	1.1	1.4	0.8	3.1	4.1	2.3
Accidental contact with heat and hot substances (X10-X19)															
2006.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.0	0.0	0.1	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
Victim of lightning (X33)															
2006.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2005.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2004.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2003.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2002.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2001.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2000.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
1999.....	0.0	0.1	*	*	*	*	0.0	0.0	*	0.0	0.1	*	*	*	*
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)															
2006.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2005.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2004.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2003.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2002.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2001.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2000.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
1999.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
Cataclysmic storm and flood (X37-X38)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.3	0.3	0.2	0.1	*	*	0.3	0.4	0.2	0.2	0.2	0.2	1.4	2.0	0.9
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
Accidental poisoning and exposure to noxious substances (X40-X49)															
2006.....	9.1	12.4	5.9	5.7	8.5	2.7	9.7	13.2	6.3	10.5	14.1	6.9	9.7	14.5	5.6
2005.....	7.9	10.7	5.1	5.2	7.9	2.3	8.4	11.3	5.5	9.0	12.0	6.0	8.3	12.1	5.1
2004.....	7.1	9.5	4.7	4.6	6.9	2.3	7.5	10.0	5.0	8.1	10.8	5.5	7.1	10.1	4.6
2003.....	6.7	9.1	4.3	5.0	7.6	2.2	6.9	9.4	4.5	7.4	9.9	4.8	6.9	10.1	4.2
2002.....	6.1	8.4	3.7	4.7	7.3	2.0	6.3	8.6	4.0	6.6	9.0	4.2	6.9	10.3	4.0
2001.....	4.9	7.0	2.9	3.9	6.1	1.6	5.0	7.1	3.0	5.1	7.2	3.1	6.4	9.6	3.8
2000.....	4.5	6.6	2.5	4.1	6.6	1.5	4.5	6.5	2.6	4.6	6.5	2.6	6.1	9.4	3.4
1999.....	4.4	6.4	2.3	4.9	8.1	1.6	4.2	6.2	2.4	4.2	6.0	2.3	6.3	9.8	3.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)															
2006.....	8.8	11.8	5.7	5.3	7.8	2.6	9.3	12.6	6.1	10.1	13.5	6.7	9.3	13.9	5.4
2005.....	7.6	10.1	5.0	4.8	7.3	2.2	8.0	10.7	5.4	8.6	11.4	5.8	7.9	11.3	4.9
2004.....	6.8	9.0	4.5	4.2	6.3	2.1	7.2	9.5	4.9	7.8	10.2	5.3	6.8	9.5	4.4
2003.....	6.3	8.5	4.1	4.6	7.1	2.0	6.5	8.8	4.4	7.0	9.3	4.6	6.5	9.4	4.1
2002.....	5.7	7.8	3.5	4.3	6.7	1.9	5.9	8.0	3.8	6.2	8.4	4.0	6.4	9.5	3.7
2001.....	4.6	6.5	2.7	3.6	5.7	1.5	4.7	6.6	2.8	4.8	6.7	2.9	5.9	8.8	3.4
2000.....	4.1	6.0	2.3	3.8	6.2	1.4	4.2	5.9	2.4	4.2	5.9	2.4	5.7	8.7	3.1
1999.....	4.0	5.9	2.1	4.5	7.5	1.5	3.9	5.6	2.2	3.8	5.4	2.1	5.8	9.1	3.0
Accidental poisoning by and exposure to other and unspecified solid or liquids substances (X45-X46,X48-X49)															
2006.....	0.2	0.2	0.1	0.2	0.3	*	0.2	0.2	0.1	0.2	0.3	0.1	0.1	0.3	*
2005.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.2	0.1	0.2	0.3	0.1	0.1	0.2	*
2004.....	0.2	0.3	0.1	0.2	0.4	*	0.2	0.3	0.1	0.2	0.3	0.1	0.1	0.2	*
2003.....	0.2	0.3	0.1	0.2	0.2	*	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	*
2002.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.2	0.1	0.2	0.4	0.1
2001.....	0.1	0.2	0.1	0.2	0.3	*	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1
2000.....	0.2	0.2	0.1	0.1	0.2	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	*
1999.....	0.2	0.2	0.1	0.2	0.4	*	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	*
Accidental poisoning by and exposure to other gases and vapors (X47)															
2006.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.4	0.2
2005.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.5	0.2
2004.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.4	0.2
2003.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.4	0.1
2002.....	0.2	0.4	0.1	0.2	0.3	*	0.2	0.4	0.1	0.3	0.4	0.1	0.3	0.4	0.1
2001.....	0.2	0.3	0.1	0.2	0.2	*	0.2	0.3	0.1	0.2	0.3	0.1	0.4	0.5	0.2
2000.....	0.2	0.3	0.1	0.2	0.2	*	0.2	0.4	0.1	0.2	0.3	0.1	0.2	0.4	0.1
1999.....	0.2	0.3	0.1	0.1	0.2	*	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.4	0.1
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)															
2006.....	3.4	4.7	2.3	2.4	3.5	1.2	3.5	4.7	2.4	3.6	4.8	2.5	3.3	5.0	2.0
2005.....	3.6	4.9	2.4	2.2	3.3	1.2	3.6	5.0	2.5	3.7	5.1	2.5	3.4	5.1	2.1
2004.....	3.4	4.6	2.4	2.2	2.9	1.3	3.5	4.8	2.4	3.6	4.8	2.5	3.3	5.0	2.1
2003.....	3.6	4.9	2.5	2.3	3.4	1.2	3.7	5.0	2.6	3.7	4.9	2.7	3.7	5.5	2.3
2002.....	3.7	5.0	2.6	2.3	3.6	1.2	3.8	5.0	2.7	3.8	5.0	2.8	3.8	5.5	2.5
2001.....	4.0	5.3	2.9	2.7	3.8	1.6	4.1	5.4	3.0	4.1	5.4	3.0	3.9	5.5	2.7
2000.....	4.0	5.3	2.8	2.7	3.8	1.6	4.0	5.4	2.8	4.0	5.3	2.9	4.1	6.6	2.3
1999.....	4.4	5.9	3.1	2.5	3.5	1.5	4.4	6.0	3.2	4.4	5.9	3.2	5.0	7.8	3.1
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)															
2006.....	10.9	18.0	4.5	5.3	8.8	1.8	11.7	19.3	4.9	13.2	21.4	5.6	5.2	9.6	1.4
2005.....	10.9	18.0	4.4	5.6	9.4	1.8	11.6	19.1	4.7	12.9	21.2	5.3	5.4	9.4	1.9
2004.....	10.9	18.0	4.5	5.9	9.8	2.0	11.6	19.1	4.9	12.9	21.0	5.4	5.5	9.8	1.8
2003.....	10.8	18.0	4.2	5.6	9.7	1.7	11.4	19.1	4.5	12.7	21.0	5.0	5.4	9.4	1.9
2002.....	10.9	18.4	4.2	5.7	9.9	1.8	11.6	19.5	4.5	12.9	21.4	5.1	5.4	10.0	1.6
2001 3/.....	10.7	18.2	4.0	5.7	10.1	1.6	11.3	19.2	4.3	12.5	21.0	4.9	5.5	9.9	1.8
2000.....	10.4	17.7	4.0	5.9	10.3	1.7	10.9	18.6	4.2	12.0	20.2	4.7	5.6	10.2	1.8
1999.....	10.5	17.8	4.0	5.9	10.3	1.9	11.0	18.7	4.2	12.0	20.2	4.7	5.7	10.5	1.7
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)															
2006.....	1.5	1.4	1.6	0.6	0.5	0.6	1.6	1.6	1.7	1.9	1.8	2.0	0.5	0.5	0.4
2005.....	1.4	1.3	1.5	0.6	0.6	0.6	1.5	1.4	1.6	1.8	1.7	1.9	0.5	0.5	0.5
2004.....	1.4	1.3	1.5	0.6	0.5	0.6	1.5	1.5	1.6	1.8	1.7	1.9	0.4	0.4	0.5
2003.....	1.3	1.3	1.4	0.5	0.5	0.6	1.4	1.4	1.5	1.6	1.6	1.7	0.5	0.4	0.6
2002.....	1.3	1.3	1.4	0.5	0.5	0.5	1.4	1.4	1.5	1.7	1.6	1.7	0.5	0.5	0.4
2001.....	1.3	1.2	1.3	0.4	0.4	0.4	1.3	1.3	1.4	1.5	1.5	1.6	0.4	0.4	0.4
2000.....	1.2	1.1	1.2	0.4	0.5	0.4	1.2	1.2	1.3	1.4	1.4	1.5	0.5	0.5	0.4
1999.....	1.1	1.1	1.2	0.5	0.6	0.5	1.2	1.2	1.2	1.4	1.3	1.4	0.4	0.5	0.4

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)															
2006.....	0.1	0.1	0.1	*	*	*	0.1	0.2	0.1	0.1	0.2	0.0	*	*	*
2005.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.1	*	*	*
2004.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
2003.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
2002.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
2001.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
2000.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
1999.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)															
2006.....	0.4	0.7	0.2	0.1	0.1	*	0.5	0.7	0.2	0.6	0.9	0.3	0.1	0.2	*
2005.....	0.4	0.7	0.2	0.1	0.2	*	0.5	0.7	0.2	0.6	0.9	0.3	0.1	0.2	*
2004.....	0.5	0.7	0.2	0.1	0.2	*	0.5	0.8	0.2	0.6	1.0	0.2	0.1	0.2	*
2003.....	0.5	0.8	0.2	0.1	0.2	*	0.5	0.9	0.2	0.6	1.0	0.3	0.1	0.2	*
2002.....	0.5	0.8	0.2	0.1	0.2	*	0.5	0.9	0.2	0.6	1.1	0.3	0.1	0.2	*
2001.....	0.5	0.8	0.2	0.1	0.2	*	0.6	0.9	0.2	0.6	1.0	0.3	0.1	0.2	*
2000.....	0.5	0.8	0.2	0.1	0.2	*	0.6	0.9	0.2	0.6	1.0	0.3	0.1	0.2	*
1999.....	0.5	0.9	0.3	0.1	0.2	*	0.6	1.0	0.3	0.7	1.1	0.3	0.1	0.2	*
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)															
2006.....	2.5	4.2	0.9	1.9	3.1	0.6	2.6	4.4	0.9	2.8	4.7	0.9	1.2	2.3	0.3
2005.....	2.4	4.0	0.9	2.1	3.5	0.7	2.5	4.1	0.9	2.7	4.5	1.0	1.2	2.1	0.5
2004.....	2.5	4.1	0.9	2.1	3.6	0.7	2.5	4.2	0.9	2.7	4.5	1.0	1.4	2.4	0.4
2003.....	2.3	3.9	0.8	1.9	3.3	0.5	2.3	4.0	0.8	2.5	4.2	0.8	1.3	2.3	0.4
2002.....	2.2	3.7	0.8	1.9	3.2	0.5	2.3	3.9	0.8	2.5	4.2	0.8	1.1	2.0	0.3
2001.....	2.2	3.7	0.7	2.0	3.6	0.5	2.2	3.8	0.7	2.4	4.1	0.7	1.1	2.0	0.3
2000.....	2.0	3.4	0.7	1.9	3.4	0.5	2.0	3.5	0.7	2.1	3.7	0.7	1.2	2.2	0.3
1999.....	1.9	3.3	0.6	1.8	3.3	0.4	2.0	3.3	0.7	2.0	3.5	0.7	1.0	2.0	0.2
Intentional self-harm (suicide) by discharge of firearms (X72-X74)															
2006.....	5.5	10.2	1.4	2.0	3.8	0.3	6.0	11.0	1.5	6.8	12.3	1.8	2.7	5.4	0.5
2005.....	5.7	10.5	1.4	2.2	4.0	0.3	6.1	11.3	1.5	6.9	12.6	1.7	2.8	5.4	0.5
2004.....	5.6	10.3	1.5	2.4	4.4	0.5	6.0	11.1	1.6	6.8	12.3	1.9	2.8	5.6	0.5
2003.....	5.8	10.7	1.4	2.4	4.5	0.3	6.2	11.5	1.5	6.9	12.8	1.8	2.8	5.5	0.6
2002.....	5.9	11.1	1.4	2.5	4.8	0.4	6.3	11.8	1.5	7.0	13.0	1.8	3.0	6.0	0.5
2001.....	5.9	11.0	1.4	2.5	4.8	0.4	6.3	11.7	1.6	7.0	12.9	1.8	3.1	6.1	0.7
2000.....	5.9	11.0	1.5	2.7	5.1	0.5	6.3	11.6	1.6	6.9	12.8	1.8	3.2	6.1	0.7
1999.....	6.0	11.1	1.5	2.8	5.3	0.6	6.3	11.8	1.6	6.9	12.8	1.8	3.3	6.7	0.6
Intentional self-harm (suicide) by jumping from a high place (X80)															
2006.....	0.2	0.4	0.1	0.2	0.3	0.1	0.2	0.4	0.1	0.2	0.3	0.1	0.2	0.3	*
2005.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.4	0.1	0.2	0.3	0.1
2004.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	*
2003.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.3	*
2002.....	0.2	0.4	0.1	0.2	0.3	*	0.3	0.4	0.1	0.3	0.4	0.2	0.2	0.3	*
2001.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	*
2000.....	0.2	0.3	0.1	0.2	0.3	*	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	*
1999.....	0.3	0.4	0.1	0.2	0.3	*	0.3	0.4	0.1	0.3	0.4	0.1	0.2	0.4	*
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)															
2006.....	0.7	1.1	0.3	0.5	0.8	0.2	0.7	1.1	0.4	0.8	1.1	0.4	0.5	0.8	0.2
2005.....	0.7	1.0	0.3	0.4	0.8	0.1	0.7	1.1	0.3	0.7	1.1	0.3	0.5	0.9	0.3
2004.....	0.6	1.0	0.3	0.5	0.8	0.1	0.7	1.0	0.3	0.7	1.0	0.3	0.5	0.8	0.2
2003.....	0.6	0.9	0.3	0.4	0.7	*	0.6	1.0	0.3	0.6	1.0	0.3	0.5	0.8	0.2
2002.....	0.6	1.0	0.3	0.5	0.8	0.2	0.6	1.0	0.3	0.7	1.0	0.3	0.5	0.9	0.2
2001 3/.....	0.6	0.9	0.3	0.4	0.8	0.2	0.6	1.0	0.3	0.6	1.0	0.3	0.5	0.7	0.3
2000.....	0.6	0.9	0.3	0.5	0.8	*	0.6	0.9	0.3	0.6	0.9	0.3	0.5	0.8	0.2
1999.....	0.6	0.9	0.3	0.4	0.6	0.2	0.6	0.9	0.3	0.6	0.9	0.3	0.5	0.8	0.3

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)															
2006.....	6.2	9.7	2.5	7.3	11.7	2.3	6.0	9.3	2.6	2.7	3.6	1.8	22.4	39.2	6.7
2005.....	6.1	9.6	2.5	7.5	12.1	2.4	5.8	9.1	2.5	2.7	3.5	1.8	21.8	38.5	6.2
2004.....	5.9	9.2	2.5	7.2	11.5	2.3	5.6	8.6	2.6	2.7	3.6	1.8	20.7	36.2	6.5
2003.....	6.0	9.4	2.6	7.7	12.1	2.7	5.7	8.9	2.6	2.7	3.6	1.8	21.7	37.9	6.6
2002.....	6.1	9.4	2.8	7.3	11.6	2.5	5.8	8.9	2.8	2.8	3.7	1.9	21.6	37.4	7.0
2001 3/.....	7.1	10.8	3.3	8.3	12.9	3.1	6.8	10.3	3.3	4.0	5.6	2.5	21.7	37.2	7.5
2000.....	5.9	9.0	2.8	7.5	11.8	2.8	5.6	8.5	2.7	2.8	3.6	1.9	21.1	36.4	7.2
1999.....	6.0	9.1	2.9	7.6	12.2	2.6	5.7	8.5	2.9	2.9	3.8	2.0	20.7	35.2	7.5
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (*U01.6-*U01.7,X85-X90)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	0.1	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	0.1	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	*	0.0	*	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
Assault (homicide) by hanging, strangulation and suffocation (X91)															
2006.....	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.3	0.2	0.1	0.2	0.5	0.4	0.6
2005.....	0.2	0.1	0.3	0.2	0.2	0.2	0.2	0.1	0.3	0.2	0.1	0.2	0.5	0.4	0.6
2004.....	0.2	0.1	0.3	0.2	0.2	0.3	0.2	0.1	0.3	0.2	0.1	0.2	0.6	0.4	0.7
2003.....	0.2	0.1	0.3	0.3	0.3	0.3	0.2	0.1	0.3	0.2	0.1	0.2	0.5	0.4	0.7
2002.....	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.2	0.6	0.4	0.7
2001.....	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.1	0.2	0.6	0.4	0.8
2000.....	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.6	0.3	0.8
1999.....	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.1	0.3	0.6	0.4	0.8
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)															
2006.....	4.3	7.2	1.3	4.9	8.3	1.1	4.1	6.9	1.3	1.4	2.1	0.8	17.4	32.0	3.6
2005.....	4.2	7.0	1.2	5.1	8.5	1.2	4.0	6.7	1.2	1.4	2.1	0.9	16.6	30.9	3.1
2004.....	4.0	6.6	1.1	4.8	8.1	1.0	3.7	6.3	1.2	1.5	2.1	0.8	15.6	29.0	3.0
2003.....	4.1	6.8	1.2	5.1	8.5	1.2	3.9	6.5	1.2	1.5	2.1	0.8	16.3	30.1	3.3
2002.....	4.1	6.8	1.3	4.8	8.1	1.2	3.9	6.5	1.3	1.6	2.2	0.9	16.1	29.5	3.6
2001.....	3.9	6.6	1.3	4.9	8.2	1.2	3.7	6.2	1.3	1.6	2.2	0.9	15.2	28.2	3.1
2000.....	3.8	6.3	1.2	4.8	8.0	1.3	3.6	6.0	1.3	1.5	2.0	0.9	15.0	27.8	3.2
1999.....	3.8	6.3	1.3	5.0	8.2	1.4	3.6	6.0	1.3	1.5	2.2	0.9	14.8	26.9	3.6
Assault (homicide) by sharp object (X99)															
2006.....	0.7	1.0	0.4	1.0	1.5	0.5	0.6	0.9	0.4	0.4	0.5	0.2	2.1	3.2	1.1
2005.....	0.7	1.0	0.4	1.0	1.6	0.4	0.6	0.9	0.4	0.3	0.5	0.2	2.2	3.5	1.1
2004.....	0.7	1.0	0.4	1.0	1.5	0.5	0.6	0.9	0.4	0.4	0.5	0.3	2.2	3.4	1.2
2003.....	0.7	1.0	0.4	1.1	1.5	0.5	0.7	0.9	0.4	0.3	0.4	0.2	2.3	3.6	1.2
2002.....	0.7	1.0	0.4	1.1	1.6	0.5	0.7	0.9	0.4	0.4	0.5	0.2	2.3	3.4	1.2
2001.....	0.7	1.0	0.4	1.1	1.6	0.5	0.6	0.8	0.4	0.4	0.5	0.3	2.1	3.2	1.2
2000.....	0.6	0.9	0.4	1.1	1.7	0.5	0.6	0.8	0.3	0.3	0.4	0.2	2.0	3.0	1.1
1999.....	0.7	1.0	0.4	1.0	1.5	0.4	0.6	0.9	0.4	0.4	0.5	0.2	2.1	3.3	1.0
Assault (homicide) by blunt object (Y00)															
2006.....	0.0	0.1	0.0	0.1	*	*	0.0	0.0	0.0	0.0	0.0	*	0.1	0.2	*
2005.....	0.0	0.1	0.0	0.1	*	*	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.2	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.1	0.0	0.0	0.0	*	0.1	*	*
2003.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.2	*
2002.....	0.1	0.1	0.0	0.1	0.1	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	*
2001.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.0	0.1	0.0	0.2	0.3	*
2000.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.0	0.2	0.3	0.1
1999.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.1	0.1	0.0	0.2	0.3	0.1

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Assault (homicide) by bodily force (Y04)															
2006.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	0.1	0.1	*
2005.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2004.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	0.1	*	*
2003.....	0.0	0.1	*	0.1	0.1	*	0.0	0.1	*	0.0	0.0	*	0.1	0.2	*
2002.....	0.0	0.1	*	*	*	*	0.0	0.1	*	0.0	0.0	*	0.1	0.2	*
2001.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.0	0.1	0.0	0.1	0.2	*
2000.....	0.1	0.1	*	*	*	*	0.1	0.1	*	0.0	0.1	*	0.1	0.2	*
1999.....	0.1	0.1	0.0	*	*	*	0.1	0.1	0.0	0.0	0.1	*	0.2	0.3	*
Sexual assault (homicide) by bodily force (Y05)															
2006.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)															
2006.....	0.0	0.0	0.0	0.1	0.1	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	*
2005.....	0.1	0.1	0.1	0.0	*	*	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.1
2004.....	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1
2003.....	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	0.0	0.1	0.0	0.2	0.2	0.1
2002.....	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	0.0	0.0	0.1	0.2	0.2	0.2
2001.....	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	0.1	0.1	0.0	0.2	0.2	0.2
2000.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.0	0.2	0.2	0.2
1999.....	0.1	0.1	0.1	0.0	*	*	0.1	0.1	0.1	0.0	0.1	0.0	0.2	0.2	0.2
Assault (homicide) by all other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5,*U01.8-*U01.9,*U02,X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)															
2006.....	0.9	1.2	0.5	0.9	1.5	0.4	0.9	1.1	0.5	0.6	0.8	0.4	2.0	3.0	1.2
2005.....	0.9	1.2	0.5	1.0	1.6	0.4	0.8	1.1	0.5	0.6	0.8	0.4	2.1	3.3	1.2
2004.....	0.9	1.1	0.6	1.0	1.5	0.5	0.8	1.1	0.6	0.6	0.8	0.4	2.0	3.0	1.3
2003.....	0.9	1.2	0.6	1.1	1.6	0.6	0.8	1.2	0.6	0.6	0.8	0.4	2.2	3.3	1.2
2002.....	0.8	1.1	0.5	0.9	1.4	0.5	0.8	1.1	0.5	0.6	0.8	0.4	2.2	3.4	1.2
2001 3/.....	2.0	2.8	1.1	1.8	2.7	0.9	2.0	2.8	1.1	1.7	2.5	0.9	3.3	4.6	2.1
2000.....	1.0	1.4	0.7	1.1	1.6	0.6	1.0	1.3	0.7	0.6	0.8	0.5	3.0	4.5	1.7
1999.....	1.0	1.3	0.7	1.2	1.9	0.6	1.0	1.2	0.7	0.7	0.8	0.5	2.5	3.7	1.6
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)															
2006.....	1.7	2.2	1.2	0.8	1.1	0.5	1.9	2.4	1.4	1.9	2.4	1.5	2.0	3.0	1.1
2005.....	1.6	1.9	1.2	0.8	1.1	0.6	1.7	2.1	1.3	1.8	2.1	1.4	1.9	2.6	1.2
2004.....	1.7	2.2	1.2	0.9	1.2	0.5	1.8	2.3	1.3	1.9	2.4	1.4	1.9	2.8	1.2
2003.....	1.7	2.3	1.2	0.9	1.4	0.4	1.8	2.4	1.3	2.0	2.5	1.4	1.9	2.9	1.0
2002.....	1.7	2.2	1.2	0.8	1.3	0.4	1.8	2.3	1.3	1.8	2.3	1.3	2.1	3.1	1.3
2001.....	1.5	2.0	0.9	0.9	1.3	0.4	1.5	2.1	1.0	1.6	2.1	1.1	1.8	2.9	0.9
2000.....	1.3	1.9	0.8	0.6	0.9	0.3	1.4	2.0	0.9	1.4	1.9	0.9	1.9	3.1	1.0
1999.....	1.4	2.0	0.9	0.7	1.2	0.3	1.5	2.0	0.9	1.4	1.9	0.9	2.0	3.3	1.0
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)															
2006.....	1.1	1.3	0.9	0.3	0.4	0.3	1.2	1.5	1.0	1.4	1.6	1.1	1.1	1.5	0.7
2005.....	1.0	1.2	0.9	0.3	0.3	0.3	1.1	1.3	1.0	1.2	1.4	1.1	1.0	1.3	0.8
2004.....	1.1	1.4	0.9	0.4	0.5	0.3	1.2	1.5	1.0	1.3	1.6	1.1	1.1	1.6	0.7
2003.....	1.2	1.5	0.9	0.4	0.6	0.2	1.3	1.7	1.0	1.5	1.8	1.1	1.2	1.8	0.7
2002.....	1.1	1.3	0.8	0.4	0.5	0.3	1.2	1.5	0.9	1.3	1.6	1.0	1.3	1.8	0.9
2001.....	1.0	1.3	0.7	0.4	0.5	0.2	1.0	1.4	0.7	1.1	1.4	0.8	1.1	1.9	0.5
2000.....	0.8	1.2	0.6	0.3	0.4	0.2	0.9	1.3	0.6	1.0	1.3	0.6	1.1	1.7	0.7
1999.....	0.9	1.2	0.6	0.3	0.5	0.2	0.9	1.2	0.6	0.9	1.2	0.7	1.2	2.0	0.6

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2004.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2002.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2001.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2000.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
1999.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.1	0.0	*	*	*
2004.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2003.....	0.0	0.1	0.0	*	*	*	0.0	0.1	0.0	0.0	0.1	0.0	*	*	*
2002.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2001.....	0.0	0.1	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2000.....	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
1999.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
Discharge of firearms, undetermined intent (Y22-Y24)															
2006.....	0.1	0.1	0.0	0.1	0.1	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	*
2005.....	0.1	0.1	0.0	0.0	0.1	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	*
2004.....	0.1	0.1	0.0	0.0	*	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	*
2003.....	0.1	0.1	0.0	0.1	0.1	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	*
2002.....	0.1	0.1	0.0	0.1	0.1	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	*
2001.....	0.1	0.1	0.0	0.1	*	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	*
2000.....	0.1	0.1	0.0	0.0	*	*	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.3	*
1999.....	0.1	0.2	0.0	0.1	0.2	*	0.1	0.2	0.0	0.1	0.2	0.0	0.2	0.3	*
Falling, jumping or pushed from a high place, undetermined intent (Y30)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2005.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2004.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2003.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2002.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2001.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*
2000.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
1999.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)															
2006.....	0.4	0.6	0.3	0.3	0.6	0.2	0.4	0.6	0.3	0.4	0.5	0.2	0.7	1.1	0.3
2005.....	0.4	0.6	0.3	0.4	0.5	0.2	0.4	0.5	0.3	0.3	0.5	0.3	0.7	1.1	0.3
2004.....	0.4	0.6	0.3	0.4	0.6	0.2	0.4	0.6	0.3	0.4	0.5	0.2	0.7	1.0	0.4
2003.....	0.4	0.5	0.2	0.3	0.5	0.1	0.3	0.5	0.2	0.3	0.4	0.2	0.5	0.8	0.3
2002.....	0.4	0.5	0.2	0.4	0.6	0.2	0.4	0.5	0.3	0.4	0.5	0.2	0.7	1.1	0.3
2001.....	0.3	0.5	0.2	0.3	0.6	0.1	0.3	0.5	0.2	0.3	0.4	0.2	0.5	0.8	0.3
2000.....	0.3	0.5	0.2	0.2	0.4	*	0.4	0.5	0.2	0.3	0.4	0.2	0.6	1.0	0.3
1999.....	0.3	0.5	0.2	0.3	0.5	*	0.3	0.5	0.2	0.3	0.4	0.2	0.5	0.9	0.2
Legal intervention (Y35,Y89.0)															
2006.....	0.2	0.3	*	0.2	0.4	*	0.1	0.3	*	0.1	0.2	*	0.3	0.6	*
2005.....	0.1	0.3	*	0.2	0.3	*	0.1	0.3	*	0.1	0.2	*	0.3	0.6	*
2004.....	0.1	0.3	*	0.2	0.3	*	0.1	0.3	*	0.1	0.2	*	0.2	0.5	*
2003.....	0.1	0.3	*	0.2	0.3	*	0.1	0.2	*	0.1	0.2	*	0.3	0.6	*
2002.....	0.1	0.3	*	0.2	0.3	*	0.1	0.3	*	0.1	0.2	*	0.3	0.6	*
2001.....	0.1	0.3	*	0.1	0.3	*	0.1	0.3	*	0.1	0.2	*	0.2	0.4	*
2000.....	0.1	0.2	*	0.1	0.2	*	0.1	0.2	*	0.1	0.2	*	0.3	0.6	*
1999.....	0.1	0.3	*	0.2	0.3	*	0.1	0.3	*	0.1	0.2	*	0.4	0.7	*

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
Legal execution (Y35.5)															
2006.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2005.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2004.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2003.....	0.0	0.1	*	*	*	*	0.0	0.1	*	0.0	0.1	*	*	*	*
2002.....	0.0	0.1	*	*	*	*	0.0	0.1	*	0.0	0.0	*	*	*	*
2001.....	0.0	0.1	*	*	*	*	0.0	0.1	*	0.0	0.1	*	*	*	*
2000.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	0.1	0.2	*
1999.....	0.0	0.1	*	*	*	*	0.0	0.1	*	0.0	0.1	*	0.1	0.2	*
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)															
2006.....	0.1	0.3	*	0.2	0.3	*	0.1	0.2	*	0.1	0.2	*	0.2	0.5	*
2005.....	0.1	0.2	*	0.2	0.3	*	0.1	0.2	*	0.1	0.2	*	0.2	0.5	*
2004.....	0.1	0.2	*	0.2	0.3	*	0.1	0.2	*	0.1	0.2	*	0.2	0.4	*
2003.....	0.1	0.2	*	0.2	0.3	*	0.1	0.2	*	0.1	0.2	*	0.2	0.5	*
2002.....	0.1	0.2	*	0.1	0.3	*	0.1	0.2	*	0.1	0.1	*	0.2	0.5	*
2001.....	0.1	0.2	*	0.1	0.3	*	0.1	0.2	*	0.1	0.2	*	0.2	0.3	*
2000.....	0.1	0.2	*	0.1	0.2	*	0.1	0.2	*	0.1	0.2	*	0.2	0.4	*
1999.....	0.1	0.2	*	0.1	0.3	*	0.1	0.2	*	0.1	0.2	*	0.3	0.5	*
Operations of war and their sequelae (Y36,Y89.1)															
2006.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2005.....	0.0	0.0	*	*	*	*	0.0	0.0	*	*	*	*	*	*	*
2004.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	0.0	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.0	0.0	*	*	*	*	0.0	0.0	*	0.0	*	*	*	*	*
Complications of medical and surgical care (Y40-Y84,Y88)															
2006.....	0.8	0.8	0.8	0.5	0.5	0.5	0.9	0.9	0.8	0.8	0.8	0.8	1.5	1.5	1.5
2005.....	0.9	0.9	0.8	0.7	0.5	0.8	0.9	1.0	0.8	0.8	1.0	0.8	1.5	1.5	1.5
2004.....	1.0	1.1	0.9	0.7	0.7	0.7	1.0	1.1	0.9	0.9	1.1	0.8	1.6	1.6	1.6
2003.....	1.0	1.1	0.9	0.7	0.7	0.7	1.0	1.1	0.9	0.9	1.0	0.8	1.6	1.5	1.6
2002.....	1.0	1.0	1.0	0.7	0.6	0.7	1.0	1.0	1.0	0.9	1.0	0.9	1.6	1.7	1.6
2001.....	1.1	1.1	1.0	0.8	0.9	0.7	1.1	1.2	1.0	1.0	1.1	0.9	2.0	2.3	1.7
2000.....	1.1	1.2	1.0	0.8	1.0	0.7	1.1	1.3	1.0	1.1	1.2	1.0	1.9	1.9	2.0
1999.....	1.0	1.1	0.9	0.6	0.7	0.5	1.1	1.2	1.0	1.0	1.1	0.9	1.8	2.0	1.7
Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae (Y40-Y59,Y88.0)															
2006.....	0.1	0.1	0.1	0.0	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2
2005.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
2004.....	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
2003.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*
2002.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1
2000.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.2
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)															
2006.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.2	*	0.2
2005.....	0.0	0.0	0.0	*	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	0.1
2004.....	0.1	0.0	0.1	*	*	*	0.1	0.0	0.1	0.1	0.0	0.1	0.1	*	*
2003.....	0.1	0.0	0.1	*	*	*	0.1	0.0	0.1	0.0	0.0	0.1	0.1	*	0.1
2002.....	0.0	0.0	0.1	*	*	*	0.0	0.0	0.1	0.0	0.0	0.0	0.1	*	0.1
2001.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.0	0.1	0.0	0.1	*	0.2
1999.....	0.1	0.1	0.1	*	*	*	0.1	0.1	0.1	0.0	0.1	0.1	0.1	*	0.2

Worktable Orig13. Age-adjusted death rates for 358 selected causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Age-adjusted death rates per 100,000 U.S. standard population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and year	All origins 1/			Hispanic			Non-Hispanic 2/			Non-Hispanic white 3/			Non-Hispanic black 3/		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
	Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)														
2006.....	0.7	0.7	0.6	0.4	0.4	0.4	0.7	0.7	0.6	0.6	0.7	0.6	1.1	1.2	1.0
2005.....	0.7	0.8	0.7	0.5	0.4	0.6	0.7	0.8	0.7	0.6	0.8	0.6	1.2	1.3	1.2
2004.....	0.8	0.9	0.7	0.6	0.7	0.5	0.8	0.9	0.7	0.8	0.9	0.6	1.3	1.3	1.3
2003.....	0.8	0.9	0.8	0.6	0.7	0.6	0.8	0.9	0.8	0.8	0.9	0.7	1.3	1.2	1.3
2002.....	0.8	0.9	0.8	0.5	0.4	0.6	0.9	0.9	0.8	0.8	0.9	0.8	1.4	1.5	1.4
2001.....	0.9	1.0	0.9	0.7	0.8	0.6	0.9	1.0	0.9	0.8	0.9	0.8	1.7	2.0	1.5
2000.....	0.9	1.1	0.9	0.6	0.8	0.6	1.0	1.1	0.9	0.9	1.0	0.8	1.6	1.7	1.6
1999.....	0.9	1.0	0.8	0.5	0.5	0.4	0.9	1.0	0.8	0.8	1.0	0.8	1.5	1.7	1.4

* Figure does not meet standards of reliability or precision.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

1/ Figures for origin not stated are included in "All origins" but not distributed among specified origins.

2/ Includes races other than white and black.

3/ Multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming in 2006, by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming in 2005, by California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming in 2004, and by California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin in 2003. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality."

4/ Figures include September 11, 2001 related deaths for which death certificates were filed as of 10/24/02; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2001."

Source: CDC/NCHS, National Vital Statistics System, Mortality.