

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL CAUSES BOTH SEXES													
1978	1,927,788	45,945	8,429	12,030	48,500	45,822	58,169	141,395	292,851	452,259	497,326	324,297	765
1977	1,899,597	46,975	8,307	12,579	47,986	44,933	58,109	145,123	292,672	445,595	490,598	306,151	569
1976	1,909,440	48,265	8,606	12,901	46,081	43,429	58,469	150,036	296,060	443,927	496,719	304,472	475
1975	1,892,879	50,525	9,060	13,479	47,545	44,040	60,692	154,342	295,724	442,496	489,458	285,077	441
1974	1,934,388	52,776	9,831	14,636	47,803	43,468	63,399	160,733	302,197	450,461	500,239	288,332	513
1973	1,973,003	55,581	10,843	15,982	49,457	43,717	67,287	166,016	310,577	454,661	514,236	284,100	546
1972	1,963,944	60,182	11,094	16,204	48,338	41,908	68,792	168,222	311,522	455,010	511,620	270,514	538
1971	1,927,542	67,981	11,231	16,580	47,196	40,132	70,323	166,899	306,669	441,773	496,778	261,222	758
1970	1,921,031	74,667	11,548	16,847	45,261	39,193	72,617	169,517	308,373	445,531	489,803	246,955	719
1969	1,921,990	75,073	12,290	17,431	44,422	38,724	74,710	168,624	305,504	446,864	491,681	246,001	666
1968	1,930,082	76,263	13,038	17,542	41,140	37,249	75,430	170,762	308,276	453,546	493,130	243,021	685
MALE													
1978	1,055,290	26,088	4,866	7,494	36,017	32,208	37,212	89,611	186,508	271,633	244,394	118,741	518
1977	1,046,243	26,875	4,720	7,900	35,620	31,578	36,952	92,132	186,820	268,030	241,939	113,309	368
1976	1,051,983	27,320	4,915	8,068	34,253	30,162	37,160	95,324	189,695	267,466	244,193	113,119	308
1975	1,050,819	28,812	5,086	8,451	35,508	30,796	38,436	98,317	190,102	266,196	241,126	107,720	269
1974	1,071,627	30,305	5,587	9,164	35,729	29,983	39,758	102,393	194,525	269,772	245,162	108,913	336
1973	1,096,795	31,986	6,178	9,942	36,679	30,116	42,160	105,271	200,776	272,059	253,310	107,961	357
1972	1,096,198	34,710	6,294	9,900	35,626	28,426	42,910	107,344	202,556	270,884	253,708	103,466	374
1971	1,077,332	39,098	6,297	10,168	34,585	26,991	43,714	105,558	198,776	263,495	246,687	101,497	466
1970	1,078,478	42,847	6,494	10,491	33,076	26,299	45,218	107,341	200,711	264,995	243,873	96,660	473
1969	1,080,926	43,280	6,792	10,730	32,504	25,935	46,394	107,548	199,565	266,286	245,666	95,819	407
1968	1,087,220	44,026	7,277	10,852	29,953	24,801	46,550	108,706	201,289	270,936	246,799	95,621	410

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL CAUSES													
FEMALE													
1978	872,498	19,857	3,563	4,536	12,483	13,614	20,957	51,784	106,343	180,626	252,932	205,556	247
1977	853,354	20,100	3,587	4,679	12,366	13,355	21,157	52,991	105,852	177,565	248,659	192,842	201
1976	857,457	20,945	3,691	4,833	11,828	13,267	21,309	54,712	106,365	176,461	252,526	191,353	167
1975	842,060	21,713	3,974	5,028	12,037	13,244	22,256	56,025	105,622	176,300	248,332	177,357	172
1974	862,761	22,471	4,244	5,472	12,074	13,485	23,641	58,340	107,672	180,689	255,077	179,419	177
1973	876,208	23,595	4,665	6,040	12,778	13,601	25,127	60,745	109,801	182,602	260,926	176,139	189
1972	867,746	25,472	4,800	6,304	12,712	13,482	25,882	60,878	108,966	184,126	257,912	167,048	164
1971	850,210	28,883	4,934	6,412	12,611	13,141	26,609	61,341	107,893	178,278	250,091	159,725	292
1970	842,553	31,820	5,054	6,356	12,185	12,894	27,399	62,176	107,662	180,536	245,930	150,295	246
1969	841,064	31,793	5,498	6,701	11,918	12,789	28,316	61,076	105,939	180,578	246,015	150,182	259
1968	842,862	32,237	5,761	6,690	11,187	12,448	28,880	62,056	106,987	182,610	246,331	147,400	275
WHITE, BOTH SEXES													
1978	1,689,722	32,212	6,267	9,495	39,886	34,634	43,816	114,675	250,537	398,924	455,000	303,717	559
1977	1,664,100	33,199	6,198	10,028	39,329	33,771	43,697	117,694	250,662	393,079	449,468	286,576	399
1976	1,674,989	34,163	6,494	10,329	37,257	32,252	43,921	121,993	254,481	391,895	456,328	285,537	339
1975	1,660,366	36,173	6,812	10,719	38,082	32,548	45,608	126,363	254,199	390,519	451,530	267,498	315
1974	1,697,295	38,249	7,425	11,767	38,009	31,874	47,364	131,220	259,671	396,570	463,773	271,014	359
1973	1,728,405	40,239	8,139	12,749	39,255	31,992	50,264	134,834	266,806	399,894	476,767	267,107	359
1972	1,721,468	43,460	8,446	13,148	37,864	30,224	51,060	137,028	268,022	401,578	475,514	254,748	376
1971	1,689,771	49,842	8,498	13,243	36,642	28,839	52,587	136,803	264,148	390,165	462,383	246,114	507
1970	1,682,096	54,876	8,624	13,537	35,510	28,286	54,282	138,877	265,133	393,721	456,247	232,540	463
1969	1,683,622	55,108	9,111	13,920	35,154	28,016	55,935	138,166	261,994	395,176	458,612	231,952	478
1968	1,689,559	55,902	9,597	13,995	32,975	26,736	56,467	140,161	263,726	400,927	459,877	228,751	445

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL CAUSES													
WHITE, MALE													
1978	920,123	18,423	3,673	5,903	29,824	24,468	28,074	73,283	160,982	241,521	223,172	110,412	388
1977	912,670	19,229	3,541	6,285	29,464	23,809	27,897	75,418	161,561	238,626	221,385	105,183	272
1976	918,589	19,548	3,732	6,467	27,887	22,465	28,062	78,171	164,637	238,155	223,947	105,286	232
1975	917,804	20,919	3,864	6,720	28,618	22,682	28,970	81,191	165,348	237,216	221,851	100,236	189
1974	936,640	22,209	4,269	7,376	28,626	22,053	29,942	84,547	169,162	239,912	226,682	101,627	235
1973	957,918	23,414	4,658	7,899	29,380	22,063	31,850	86,571	174,839	242,047	234,213	100,750	234
1972	957,518	25,422	4,858	8,074	27,954	20,502	32,046	88,428	176,772	241,512	235,024	96,670	256
1971	942,337	28,954	4,793	8,113	26,937	19,440	33,156	87,794	173,707	235,155	229,020	94,955	313
1970	942,437	31,725	4,910	8,481	26,012	19,027	34,278	89,084	175,283	236,443	226,535	90,339	320
1969	945,380	32,158	5,033	8,572	25,849	18,907	35,155	89,413	174,128	237,738	228,514	89,614	299
1968	951,154	32,735	5,376	8,670	24,127	18,004	35,423	90,600	175,169	241,830	229,697	89,261	262
WHITE, FEMALE													
1978	769,599	13,789	2,594	3,592	10,062	10,166	15,742	41,392	89,555	157,403	231,828	193,305	171
1977	751,430	13,970	2,657	3,743	9,865	9,962	15,800	42,276	89,101	154,453	228,083	181,393	127
1976	756,400	14,615	2,762	3,862	9,370	9,787	15,859	43,822	89,844	153,740	232,381	180,251	107
1975	742,562	15,254	2,948	3,999	9,464	9,866	16,638	45,172	88,851	153,303	229,679	167,262	126
1974	760,655	16,040	3,156	4,391	9,383	9,821	17,422	46,673	90,509	156,658	237,091	169,387	124
1973	770,487	16,825	3,481	4,850	9,875	9,929	18,414	48,263	91,967	157,847	242,554	166,357	125
1972	763,950	18,038	3,588	5,074	9,910	9,722	19,014	48,600	91,250	160,066	240,490	158,078	120
1971	747,434	20,888	3,705	5,130	9,705	9,399	19,431	49,009	90,441	155,010	233,363	151,159	194
1970	739,659	23,151	3,714	5,056	9,498	9,259	20,004	49,793	89,850	157,278	229,712	142,201	143
1969	738,242	22,950	4,078	5,348	9,305	9,109	20,780	48,753	87,866	157,438	230,098	142,338	179
1968	738,405	23,167	4,221	5,325	8,848	8,732	21,044	49,561	88,557	159,097	230,180	139,490	183

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL CAUSES													
ALL OTHER, BOTH SEXES													
1978	238,066	13,733	2,162	2,535	8,614	11,188	14,353	26,720	42,314	53,335	42,326	20,580	206
1977	235,497	13,776	2,109	2,551	8,657	11,162	14,412	27,429	42,010	52,516	41,130	19,575	170
1976	234,451	14,102	2,112	2,572	8,824	11,177	14,548	28,043	41,579	52,032	40,391	18,935	136
1975	232,513	14,352	2,248	2,760	9,463	11,492	15,084	27,979	41,525	51,977	37,928	17,579	126
1974	237,093	14,527	2,406	2,869	9,794	11,594	16,035	29,513	42,526	53,891	36,466	17,318	154
1973	244,598	15,342	2,704	3,233	10,202	11,725	17,023	31,182	43,771	54,767	37,469	16,993	187
1972	242,476	16,722	2,648	3,056	10,474	11,684	17,732	31,194	43,500	53,432	36,106	15,766	162
1971	237,771	18,139	2,733	3,337	10,554	11,293	17,736	30,096	42,521	51,608	34,395	15,108	251
1970	238,935	19,791	2,924	3,310	9,751	10,907	18,335	30,640	43,240	51,810	33,556	14,415	256
1969	238,368	19,965	3,179	3,511	9,268	10,708	18,775	30,458	43,510	51,688	33,069	14,049	188
1968	240,523	20,361	3,441	3,547	8,165	10,513	18,963	30,601	44,550	52,619	33,253	14,270	240
ALL OTHER, MALE													
1978	135,167	7,665	1,193	1,591	6,193	7,740	9,138	16,328	25,526	30,112	21,222	8,329	130
1977	133,573	7,646	1,179	1,615	6,156	7,769	9,055	16,714	25,259	29,404	20,554	8,126	96
1976	133,394	7,772	1,183	1,601	6,366	7,697	9,098	17,153	25,058	29,311	20,246	7,833	76
1975	133,015	7,893	1,222	1,731	6,890	8,114	9,466	17,126	24,754	28,980	19,275	7,484	80
1974	134,987	8,096	1,318	1,788	7,103	7,930	9,816	17,846	25,363	29,860	18,480	7,286	101
1973	138,877	8,572	1,520	2,043	7,299	8,053	10,310	18,700	25,937	30,012	19,097	7,211	123
1972	138,680	9,288	1,436	1,826	7,672	7,924	10,864	18,916	25,784	29,372	18,684	6,796	118
1971	134,995	10,144	1,504	2,055	7,648	7,551	10,558	17,764	25,069	28,340	17,667	6,542	153
1970	136,041	11,122	1,584	2,010	7,064	7,272	10,940	18,257	25,428	28,552	17,338	6,321	153
1969	135,546	11,122	1,759	2,158	6,655	7,028	11,239	18,135	25,437	28,548	17,152	6,205	108
1968	136,066	11,291	1,901	2,182	5,826	6,797	11,127	18,106	26,120	29,106	17,102	6,360	148
ALL OTHER, FEMALE													
1978	102,899	6,068	969	944	2,421	3,448	5,215	10,392	16,788	23,223	21,104	12,251	76
1977	101,924	6,130	930	936	2,501	3,393	5,357	10,715	16,751	23,112	20,576	11,449	74
1976	101,057	6,330	929	971	2,458	3,480	5,450	10,890	16,521	22,721	20,145	11,102	60
1975	99,498	6,459	1,026	1,029	2,573	3,378	5,618	10,853	16,771	22,997	18,653	10,095	46
1974	102,106	6,431	1,088	1,081	2,691	3,664	6,219	11,667	17,163	24,031	17,986	10,032	53
1973	105,721	6,770	1,184	1,190	2,903	3,672	6,713	12,482	17,834	24,755	18,372	9,782	64
1972	103,796	7,434	1,212	1,230	2,802	3,760	6,868	12,278	17,716	24,060	17,422	8,970	44
1971	102,776	7,995	1,229	1,282	2,906	3,742	7,178	12,332	17,452	23,268	16,728	8,566	98
1970	102,894	8,669	1,340	1,300	2,687	3,635	7,395	12,383	17,812	23,258	16,218	8,094	103
1969	102,822	8,843	1,420	1,353	2,613	3,680	7,536	12,323	18,073	23,140	15,917	7,844	80
1968	104,457	9,070	1,540	1,365	2,339	3,716	7,836	12,495	18,430	23,513	16,151	7,910	92

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL CAUSES													
BLACK, BOTH SEXES													
1978	221,340	12,747	1,938	2,297	7,624	10,149	13,244	25,024	39,979	50,117	39,218	18,826	177
1977	220,076	12,863	1,898	2,316	7,668	10,177	13,401	25,823	39,848	49,626	38,335	17,970	151
1976	219,442	13,142	1,928	2,334	7,907	10,203	13,471	26,498	39,492	49,206	37,792	17,344	125
1975	217,932	13,409	2,051	2,490	8,588	10,552	14,042	26,485	39,513	49,117	35,508	16,062	115
1974	222,948	13,584	2,211	2,648	8,986	10,742	15,003	27,993	40,484	51,101	34,118	15,934	144
1973	230,110	14,411	2,510	3,021	9,295	10,799	15,982	29,647	41,748	51,959	34,969	15,596	173
1972	228,450	15,738	2,428	2,818	9,614	10,802	16,784	29,742	41,472	50,674	33,758	14,470	150
1971	224,138	17,131	2,531	3,096	9,770	10,534	16,749	28,691	40,576	48,916	32,131	13,801	212
1970	225,647	18,687	2,723	3,082	9,001	10,220	17,350	29,229	41,317	49,215	31,329	13,265	229
1969	225,537	18,882	2,955	3,256	8,603	9,941	17,804	29,108	41,670	49,186	31,018	12,936	178
1968	227,682	19,219	3,170	3,315	7,567	9,829	18,023	29,288	42,569	50,225	31,103	13,146	228
BLACK, MALE													
1978	124,663	7,099	1,065	1,440	5,454	7,042	8,433	15,325	24,034	27,973	19,292	7,395	111
1977	123,894	7,141	1,064	1,471	5,442	7,123	8,441	15,747	23,877	27,427	18,858	7,218	85
1976	123,977	7,255	1,071	1,455	5,702	7,060	8,487	16,197	23,725	27,352	18,671	6,930	72
1975	123,770	7,353	1,121	1,560	6,262	7,521	8,821	16,194	23,432	26,998	17,837	6,599	72
1974	126,036	7,572	1,217	1,650	6,510	7,386	9,212	16,883	24,018	27,912	17,104	6,475	97
1973	129,647	8,043	1,413	1,933	6,667	7,434	9,708	17,721	24,605	28,035	17,564	6,412	112
1972	129,740	8,710	1,326	1,670	7,076	7,332	10,310	18,012	24,454	27,478	17,218	6,046	108
1971	126,362	9,535	1,398	1,905	7,083	7,103	10,019	16,889	23,728	26,500	16,296	5,773	133
1970	127,540	10,511	1,467	1,868	6,544	6,858	10,372	17,395	24,073	26,749	15,944	5,622	137
1969	127,145	10,522	1,627	2,004	6,174	6,519	10,649	17,279	24,156	26,793	15,785	5,535	102
1968	127,793	10,640	1,752	2,042	5,397	6,387	10,591	17,281	24,704	27,469	15,709	5,679	142
BLACK, FEMALE													
1978	96,677	5,648	873	857	2,170	3,107	4,811	9,699	15,945	22,144	19,926	11,431	66
1977	96,182	5,722	834	845	2,226	3,054	4,960	10,076	15,971	22,199	19,477	10,752	66
1976	95,465	5,887	857	879	2,205	3,143	4,984	10,301	15,767	21,854	19,121	10,414	53
1975	94,162	6,056	930	930	2,326	3,031	5,221	10,291	16,081	22,119	17,671	9,463	43
1974	96,912	6,012	994	998	2,476	3,356	5,791	11,110	16,466	23,189	17,014	9,459	47
1973	100,463	6,368	1,097	1,088	2,628	3,365	6,274	11,926	17,143	23,924	17,405	9,184	61
1972	98,710	7,028	1,102	1,148	2,538	3,470	6,474	11,730	17,018	23,196	16,540	8,424	42
1971	97,776	7,596	1,133	1,191	2,687	3,431	6,730	11,802	16,848	22,416	15,835	8,028	79
1970	98,107	8,176	1,256	1,214	2,457	3,362	6,978	11,834	17,244	22,466	15,385	7,643	92
1969	98,392	8,360	1,328	1,252	2,429	3,422	7,155	11,829	17,514	22,393	15,233	7,401	76
1968	99,889	8,579	1,418	1,273	2,170	3,442	7,432	12,007	17,865	22,756	15,394	7,467	86

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BACILLARY DYSENTERY AND AMEBIASIS (004,006) BOTH SEXES													
1978	34	3	6	2	1	3	1	2	3	7	3	3	-
1977	53	9	5	6	4	3	5	6	5	5	4	1	-
1976	55	6	6	1	-	5	6	5	9	11	5	1	-
1975	62	6	5	7	3	-	3	11	9	6	10	2	-
1974	57	5	4	8	2	3	2	5	6	12	7	3	-
1973	64	8	6	11	2	2	5	7	3	9	9	2	-
1972	90	14	10	2	4	6	8	10	10	14	8	4	-
1971	84	9	3	7	5	6	7	6	12	11	16	2	-
1970	89	9	12	5	5	4	10	5	11	16	9	3	-
1969	94	20	11	9	6	8	7	7	10	11	3	2	-
1968	111	15	18	15	4	4	7	8	21	11	7	1	-
MALE													
1978	21	2	4	1	1	2	1	1	3	5	1	-	-
1977	29	5	1	6	1	2	3	4	2	3	1	1	-
1976	35	4	3	-	-	4	5	3	7	6	2	1	-
1975	41	5	2	4	3	-	3	7	6	3	7	1	-
1974	39	5	2	4	1	1	2	5	5	9	4	1	-
1973	34	1	2	3	1	1	4	6	2	7	6	1	-
1972	54	10	6	-	-	4	6	8	6	8	4	2	-
1971	54	3	1	5	2	5	5	5	9	8	10	1	-
1970	46	4	5	3	2	3	7	4	6	8	3	1	-
1969	55	11	2	8	4	7	5	3	7	6	1	1	-
1968	69	9	11	8	4	3	4	8	10	6	5	1	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BACILLARY DYSENTERY AND AMEBIASIS (004,006)													
FEMALE													
1978	13	1	2	1	-	1	-	1	-	2	2	3	-
1977	24	4	4	-	3	1	2	2	3	2	3	-	-
1976	20	2	3	1	-	1	1	2	2	5	3	-	-
1975	21	1	3	3	-	-	-	4	3	3	3	1	-
1974	18	-	2	4	1	2	-	-	1	3	3	2	-
1973	30	7	4	8	1	1	1	1	1	2	3	1	-
1972	36	4	4	2	4	2	2	2	4	6	4	2	-
1971	30	6	2	2	3	1	2	1	3	3	6	1	-
1970	43	5	7	2	3	1	3	1	5	8	6	2	-
1969	39	9	9	1	2	1	2	4	3	5	2	1	-
1968	42	6	7	7	-	1	3	-	11	5	2	-	-
WHITE, BOTH SEXES													
1978	22	-	4	2	-	3	-	-	2	7	3	1	-
1977	42	6	4	5	3	2	3	5	5	4	4	1	-
1976	41	1	3	1	-	4	4	4	9	10	4	1	-
1975	47	4	3	6	2	-	2	9	6	6	7	2	-
1974	44	4	1	6	1	2	2	3	5	12	5	3	-
1973	46	4	4	7	1	2	3	6	3	7	7	2	-
1972	64	4	6	2	4	4	4	6	10	12	8	4	-
1971	67	6	3	4	5	4	2	5	12	10	14	2	-
1970	69	4	9	4	5	4	8	3	9	14	7	2	-
1969	61	9	5	6	4	6	6	5	9	8	1	2	-
1968	74	3	10	7	4	3	7	7	16	9	7	1	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BACILLARY DYSENTERY AND AMEBIASIS (004,006)													
WHITE, MALE													
1978	13	-	2	1	-	2	-	-	2	5	1	-	-
1977	22	4	1	5	-	1	1	4	2	2	1	1	-
1976	27	1	2	-	-	3	3	2	7	6	2	1	-
1975	29	4	1	3	2	-	2	5	4	3	4	1	-
1974	33	4	1	4	1	1	2	3	4	9	3	1	-
1973	28	1	1	3	1	1	3	5	2	5	5	1	-
1972	38	2	4	-	-	2	4	6	6	8	4	2	-
1971	41	1	1	3	2	3	2	4	9	7	8	1	-
1970	33	-	3	3	2	3	5	2	4	8	3	-	-
1969	39	6	2	6	3	5	4	1	7	4	-	1	-
1968	47	1	7	3	4	2	4	7	8	5	5	1	-
WHITE, FEMALE													
1978	9	-	2	1	-	1	-	-	-	2	2	1	-
1977	20	2	3	-	3	1	2	1	3	2	3	-	-
1976	14	-	1	1	-	1	1	2	2	4	2	-	-
1975	18	-	2	3	-	-	-	4	2	3	3	1	-
1974	11	-	-	2	-	1	-	-	1	3	2	2	-
1973	18	3	3	4	-	1	-	1	1	2	2	1	-
1972	26	2	2	2	4	2	-	-	4	4	4	2	-
1971	26	5	2	1	3	1	-	1	3	3	6	1	-
1970	36	4	6	1	3	1	3	1	5	6	4	2	-
1969	22	3	3	-	1	1	2	4	2	4	1	1	-
1968	27	2	3	4	-	1	3	-	8	4	2	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BACILLARY DYSENTERY AND AMEBIASIS (004,006)													
ALL OTHER, BOTH SEXES													
1978	12	3	2	-	1	-	1	2	1	-	-	2	-
1977	11	3	1	1	1	1	2	1	-	1	-	-	-
1976	14	5	3	-	-	1	2	1	-	1	1	-	-
1975	15	2	2	1	1	-	1	2	3	-	3	-	-
1974	13	1	3	2	1	1	-	2	1	-	2	-	-
1973	18	4	2	4	1	-	2	1	-	2	2	-	-
1972	26	10	4	-	-	2	4	4	-	2	-	-	-
1971	17	3	-	3	-	2	5	1	-	1	2	-	-
1970	20	5	3	1	-	-	2	2	2	2	2	1	-
1969	33	11	6	3	2	2	1	2	1	3	2	-	-
1968	37	12	8	8	-	1	-	1	5	2	-	-	-
ALL OTHER, MALE													
1978	8	2	2	-	1	-	1	1	1	-	-	-	-
1977	7	1	-	1	1	1	2	-	-	1	-	-	-
1976	8	3	1	-	-	1	2	1	-	-	-	-	-
1975	12	1	1	1	1	-	1	2	2	-	3	-	-
1974	6	1	1	-	-	-	-	2	1	-	1	-	-
1973	6	-	1	-	-	-	1	1	-	2	1	-	-
1972	16	8	2	-	-	2	2	2	-	-	-	-	-
1971	13	2	-	2	-	2	3	1	-	1	2	-	-
1970	13	4	2	-	-	-	2	2	2	-	-	1	-
1969	16	5	-	2	1	2	1	2	-	2	1	-	-
1968	22	8	4	5	-	1	-	1	2	1	-	-	-
ALL OTHER, FEMALE													
1978	4	1	-	-	-	-	-	1	-	-	-	2	-
1977	4	2	1	-	-	-	-	1	-	-	-	-	-
1976	6	2	2	-	-	-	-	-	-	1	1	-	-
1975	3	1	1	-	-	-	-	-	1	-	-	-	-
1974	7	-	2	2	1	1	-	-	-	-	1	-	-
1973	12	4	1	4	1	-	1	-	-	-	1	-	-
1972	10	2	2	-	-	-	2	2	-	2	-	-	-
1971	4	1	-	1	-	-	2	-	-	-	-	-	-
1970	7	1	1	1	-	-	-	-	-	2	2	-	-
1969	17	6	6	1	1	-	-	-	1	1	1	-	-
1968	15	4	4	3	-	-	-	-	3	1	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BACILLARY DYSENTERY AND AMEBIASIS (004,006)													
BLACK, BOTH SEXES													
1978	9	3	2	-	1	-	-	1	1	-	-	1	-
1977	8	1	1	1	1	1	1	1	-	1	-	-	-
1976	8	2	1	-	-	-	2	1	-	1	1	-	-
1975	10	-	2	-	1	-	1	1	2	-	3	-	-
1974	7	1	-	1	1	1	-	2	-	-	1	-	-
1973	12	2	1	4	1	-	1	1	-	1	1	-	-
1972	18	6	2	-	-	2	2	4	-	2	-	-	-
1971	14	2	-	3	-	2	4	1	-	1	1	-	-
1970	15	3	3	1	-	-	2	2	2	1	1	-	-
1969	27	8	5	3	2	1	1	2	1	2	2	-	-
1968	32	9	7	8	-	1	-	1	4	2	-	-	-
BLACK, MALE													
1978	7	2	2	-	1	-	-	1	1	-	-	-	-
1977	5	-	-	1	1	1	1	-	-	1	-	-	-
1976	5	2	-	-	-	-	2	1	-	-	-	-	-
1975	9	-	1	-	1	-	1	1	2	-	3	-	-
1974	3	1	-	-	-	-	-	2	-	-	-	-	-
1973	5	-	1	-	-	-	1	1	-	1	1	-	-
1972	10	4	-	-	-	2	2	2	-	-	-	-	-
1971	11	2	-	2	-	2	2	1	-	1	1	-	-
1970	11	3	2	-	-	-	2	2	2	-	-	-	-
1969	14	4	-	2	1	1	1	2	-	2	1	-	-
1968	18	5	3	5	-	1	-	1	2	1	-	-	-
BLACK, FEMALE													
1978	2	1	-	-	-	-	-	-	-	-	-	1	-
1977	3	1	1	-	-	-	-	1	-	-	-	-	-
1976	3	-	1	-	-	-	-	-	-	1	1	-	-
1975	1	-	1	-	-	-	-	-	-	-	-	-	-
1974	4	-	-	1	1	1	-	-	-	-	1	-	-
1973	7	2	-	4	1	-	-	-	-	-	-	-	-
1972	8	2	2	-	-	-	-	2	-	2	-	-	-
1971	3	-	-	1	-	-	2	-	-	-	-	-	-
1970	4	-	1	1	-	-	-	-	-	1	1	-	-
1969	13	4	5	1	1	-	-	-	1	-	1	-	-
1968	14	4	4	3	-	-	-	-	2	1	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ENTERITIS AND OTHER DIARRHEAL DISEASES (008,009)													
BOTH SEXES													
1978	1,874	733	55	17	17	29	33	48	116	227	314	284	1
1977	1,855	645	74	20	26	26	32	70	132	212	304	314	-
1976	1,939	718	82	30	18	27	28	62	115	211	360	288	-
1975	2,010	713	91	23	22	43	31	85	113	248	363	277	1
1974	2,255	682	110	34	27	30	57	91	165	288	452	317	2
1973	2,322	690	135	41	42	29	44	98	171	278	475	317	2
1972	2,286	704	114	28	36	32	58	124	178	286	430	296	-
1971	2,466	772	156	46	25	37	49	106	212	324	438	297	4
1970	2,567	850	186	68	35	38	49	106	178	308	431	317	1
1969	2,612	916	202	63	22	26	69	117	187	302	431	277	-
1968	2,940	1,032	245	76	45	41	55	118	214	333	482	299	-
MALE													
1978	904	413	34	10	10	14	19	20	55	113	127	88	1
1977	836	366	37	15	13	11	9	36	54	83	117	95	-
1976	873	391	41	16	10	12	10	33	52	95	131	82	-
1975	954	398	51	12	11	22	17	44	63	107	148	81	-
1974	1,037	390	56	21	15	16	21	40	73	134	169	101	1
1973	1,068	393	81	18	21	13	20	47	72	120	180	102	1
1972	1,062	394	74	12	20	18	28	52	84	128	152	100	-
1971	1,180	425	82	24	17	22	16	53	104	162	161	111	3
1970	1,255	501	91	42	18	18	23	53	96	141	174	97	1
1969	1,257	524	98	35	14	14	28	50	102	131	169	92	-
1968	1,442	566	137	40	24	22	25	59	121	156	188	104	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ENTERITIS AND OTHER DIARRHEAL DISEASES (008,009)													
FEMALE													
1978	970	320	21	7	7	15	14	28	61	114	187	196	-
1977	1,019	279	37	5	13	15	23	34	78	129	187	219	-
1976	1,066	327	41	14	8	15	18	29	63	116	229	206	-
1975	1,056	315	40	11	11	21	14	41	50	141	215	196	1
1974	1,218	292	54	13	12	14	36	51	92	154	283	216	1
1973	1,254	297	54	23	21	16	24	51	99	158	295	215	1
1972	1,224	310	40	16	16	14	30	72	94	158	278	196	-
1971	1,286	347	74	22	8	15	33	53	108	162	277	186	1
1970	1,312	349	95	26	17	20	26	53	82	167	257	220	-
1969	1,355	392	104	28	8	12	41	67	85	171	262	185	-
1968	1,498	466	108	36	21	19	30	59	93	177	294	195	-
WHITE, BOTH SEXES													
1978	1,360	378	33	13	14	25	28	34	90	201	278	265	1
1977	1,418	347	57	14	22	22	28	57	116	189	276	290	-
1976	1,449	386	57	24	16	19	18	50	102	181	325	271	-
1975	1,528	396	63	20	18	36	23	75	90	214	341	252	-
1974	1,777	396	79	27	21	23	42	73	137	252	418	307	2
1973	1,803	387	97	35	34	25	30	75	151	240	436	292	1
1972	1,714	338	72	22	26	22	44	108	166	252	388	276	-
1971	1,847	384	118	36	18	29	39	85	176	291	403	265	3
1970	1,919	436	133	50	24	35	40	90	147	272	398	294	-
1969	1,826	429	138	46	14	18	51	91	149	245	395	250	-
1968	2,109	489	157	56	40	28	42	99	183	288	449	278	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ENTERITIS AND OTHER DIARRHEAL DISEASES (008,009)													
WHITE, MALE													
1978	631	214	23	7	9	11	16	15	41	98	112	84	1
1977	614	201	28	10	12	9	8	29	48	78	104	87	-
1976	630	215	27	13	10	7	5	28	49	81	116	79	-
1975	686	213	39	10	8	18	13	39	48	90	139	69	-
1974	801	232	44	16	12	13	16	36	62	117	155	97	1
1973	799	226	57	15	18	11	12	34	65	107	158	96	-
1972	768	200	48	10	14	14	20	42	78	110	138	94	-
1971	849	216	61	20	11	18	13	41	82	145	145	95	2
1970	887	254	64	28	11	18	18	43	80	123	158	90	-
1969	841	236	69	28	9	10	20	44	83	109	157	76	-
1968	996	264	87	29	23	14	19	48	102	140	174	96	-
WHITE, FEMALE													
1978	729	164	10	6	5	14	12	19	49	103	166	181	-
1977	804	146	29	4	10	13	20	28	68	111	172	203	-
1976	819	171	30	11	6	12	13	22	53	100	209	192	-
1975	842	183	24	10	10	18	10	36	42	124	202	183	-
1974	976	164	35	11	9	10	26	37	75	135	263	210	1
1973	1,004	161	40	20	16	14	18	41	86	133	278	196	1
1972	946	138	24	12	12	8	24	66	88	142	250	182	-
1971	998	168	57	16	7	11	26	44	94	146	258	170	1
1970	1,032	182	69	22	13	17	22	47	67	149	240	204	-
1969	985	193	69	18	5	8	31	47	66	136	238	174	-
1968	1,113	225	70	27	17	14	23	51	81	148	275	182	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ENTERITIS AND OTHER DIARRHEAL DISEASES (008,009)													
ALL OTHER, BOTH SEXES													
1978	514	355	22	4	3	4	5	14	26	26	36	19	-
1977	437	298	17	6	4	4	4	13	16	23	28	24	-
1976	490	332	25	6	2	8	10	12	13	30	35	17	-
1975	482	317	28	3	4	7	8	10	23	34	22	25	1
1974	478	286	31	7	6	7	15	18	28	36	34	10	-
1973	519	303	38	6	8	4	14	23	20	38	39	25	1
1972	572	366	42	6	10	10	14	16	12	34	42	20	-
1971	619	388	38	10	7	8	10	21	36	33	35	32	1
1970	648	414	53	18	11	3	9	16	31	36	33	23	1
1969	786	487	64	17	8	8	18	26	38	57	36	27	-
1968	831	543	88	20	5	13	13	19	31	45	33	21	-
ALL OTHER, MALE													
1978	273	199	11	3	1	3	3	5	14	15	15	4	-
1977	222	165	9	5	1	2	1	7	6	5	13	8	-
1976	243	176	14	3	-	5	5	5	3	14	15	3	-
1975	268	185	12	2	3	4	4	5	15	17	9	12	-
1974	236	158	12	5	3	3	5	4	11	17	14	4	-
1973	269	167	24	3	3	2	8	13	7	13	22	6	1
1972	294	194	26	2	6	4	8	10	6	18	14	6	-
1971	331	209	21	4	6	4	3	12	22	17	16	16	1
1970	368	247	27	14	7	-	5	10	16	18	16	7	1
1969	416	288	29	7	5	4	8	6	19	22	12	16	-
1968	446	302	50	11	1	8	6	11	19	16	14	8	-
ALL OTHER, FEMALE													
1978	241	156	11	1	2	1	2	9	12	11	21	15	-
1977	215	133	8	1	3	2	3	6	10	18	15	16	-
1976	247	156	11	3	2	3	5	7	10	16	20	14	-
1975	214	132	16	1	1	3	4	5	8	17	13	13	1
1974	242	128	19	2	3	4	10	14	17	19	20	6	-
1973	250	136	14	3	5	2	6	10	13	25	17	19	-
1972	278	172	16	4	4	6	6	6	6	16	28	14	-
1971	288	179	17	6	1	4	7	9	14	16	19	16	-
1970	280	167	26	4	4	3	4	6	15	18	17	16	-
1969	370	199	35	10	3	4	10	20	19	35	24	11	-
1968	385	241	38	9	4	5	7	8	12	29	19	13	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ENTERITIS AND OTHER DIARRHEAL DISEASES (008,009)													
BLACK, BOTH SEXES													
1978	468	330	17	2	2	3	4	13	23	25	32	17	-
1977	396	278	13	6	3	4	4	13	14	20	22	19	-
1976	440	305	22	4	2	6	8	12	11	27	30	13	-
1975	435	286	20	3	3	7	8	7	23	33	19	25	1
1974	428	255	28	7	5	5	13	17	26	34	29	9	-
1973	482	285	37	6	8	2	14	21	20	31	35	22	1
1972	514	328	40	6	6	10	12	14	10	30	38	20	-
1971	572	358	33	10	7	8	10	21	33	32	31	28	1
1970	575	370	46	18	10	3	8	15	25	34	26	19	1
1969	714	441	58	17	7	8	18	23	37	50	31	24	-
1968	725	466	78	18	3	12	12	17	30	42	31	16	-
BLACK, MALE													
1978	246	181	10	1	-	3	3	4	13	14	13	4	-
1977	205	156	9	5	1	2	1	7	5	4	8	7	-
1976	220	160	13	2	-	3	5	5	3	11	15	3	-
1975	238	163	8	2	2	4	4	4	15	17	7	12	-
1974	212	141	11	5	3	3	5	3	10	16	12	3	-
1973	247	154	24	3	3	-	8	12	7	10	19	6	1
1972	256	168	24	2	4	4	8	8	6	14	12	6	-
1971	303	188	19	4	6	4	3	12	22	17	15	12	1
1970	330	225	22	14	6	-	5	10	12	17	12	6	1
1969	383	266	26	7	4	4	8	6	19	19	10	14	-
1968	389	258	45	10	1	8	6	9	19	14	13	6	-
BLACK, FEMALE													
1978	222	149	7	1	2	-	1	9	10	11	19	13	-
1977	191	122	4	1	2	2	3	6	9	16	14	12	-
1976	220	145	9	2	2	3	3	7	8	16	15	10	-
1975	197	123	12	1	1	3	4	3	8	16	12	13	1
1974	216	114	17	2	2	2	8	14	16	18	17	6	-
1973	235	131	13	3	5	2	6	9	13	21	16	16	-
1972	258	160	16	4	2	6	4	6	4	16	26	14	-
1971	269	170	14	6	1	4	7	9	11	15	16	16	-
1970	245	145	24	4	4	3	3	5	13	17	14	13	-
1969	331	175	32	10	3	4	10	17	18	31	21	10	-
1968	336	208	33	8	2	4	6	8	11	28	18	10	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS, ALL FORMS (010-019)													
BOTH SEXES													
1978	2,914	9	10	7	28	69	126	344	580	747	654	339	1
1977	2,968	5	11	6	30	81	183	350	602	761	640	295	4
1976	3,130	4	8	6	25	77	203	380	628	813	712	272	2
1975	3,333	6	15	7	28	99	211	438	721	830	701	276	1
1974	3,513	11	12	6	35	121	225	489	764	898	680	270	2
1973	3,875	12	16	10	30	96	281	604	862	965	749	248	2
1972	4,376	8	20	6	38	126	306	672	952	1,132	806	306	4
1971	4,501	9	19	13	46	130	367	729	968	1,087	832	301	-
1970	5,217	16	39	14	48	164	410	804	1,147	1,255	1,002	316	2
1969	5,567	17	32	18	55	175	437	920	1,220	1,354	960	376	3
1968	6,292	13	43	20	61	196	509	994	1,452	1,557	1,091	351	5
MALE													
1978	1,928	6	3	3	16	46	78	238	428	516	416	177	1
1977	2,027	4	6	2	16	58	131	248	431	557	415	155	4
1976	2,137	2	2	5	8	48	134	293	454	565	468	156	2
1975	2,265	2	11	4	17	58	145	316	496	580	475	161	-
1974	2,432	6	6	3	13	72	154	366	573	637	444	156	2
1973	2,707	9	9	3	15	56	184	434	651	701	499	145	1
1972	3,140	8	8	4	20	56	200	502	728	840	582	188	4
1971	3,210	6	12	4	21	70	255	523	736	818	584	181	-
1970	3,714	13	20	9	31	94	261	575	880	913	717	200	1
1969	3,989	8	18	8	29	91	266	671	947	1,034	697	218	2
1968	4,502	8	27	14	31	103	325	690	1,124	1,203	769	203	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS, ALL FORMS (010-019)													
FEMALE													
1978	986	3	7	4	12	23	48	106	152	231	238	162	-
1977	941	1	5	4	14	23	52	102	171	204	225	140	-
1976	993	2	6	1	17	29	69	87	174	248	244	116	-
1975	1,068	4	4	3	11	41	66	122	225	250	226	115	1
1974	1,081	5	6	3	22	49	71	123	191	261	236	114	-
1973	1,168	3	7	7	15	40	97	170	211	264	250	103	1
1972	1,236	-	12	2	18	70	106	170	224	292	224	118	-
1971	1,291	3	7	9	25	60	112	206	232	269	248	120	-
1970	1,503	3	19	5	17	70	149	229	267	342	285	116	1
1969	1,578	9	14	10	26	84	171	249	273	320	263	158	1
1968	1,790	5	16	6	30	93	184	304	328	354	322	148	-
WHITE, BOTH SEXES													
1978	2,036	3	7	3	13	23	49	185	374	566	531	281	1
1977	2,019	5	9	4	16	20	67	177	417	546	510	245	3
1976	2,135	2	5	2	8	26	78	199	433	607	545	228	2
1975	2,322	3	11	4	13	40	88	242	496	613	581	230	1
1974	2,395	8	4	2	15	34	86	287	506	682	547	223	1
1973	2,663	6	10	7	16	28	105	323	612	723	624	208	1
1972	3,014	4	12	6	24	40	126	380	684	816	676	244	2
1971	3,090	3	11	8	18	43	149	418	697	812	685	246	-
1970	3,695	6	18	10	23	66	181	477	839	959	846	269	1
1969	3,902	9	15	12	21	55	182	565	865	1,049	806	320	3
1968	4,373	7	24	11	26	60	200	626	1,043	1,169	924	282	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS, ALL FORMS (010-019)													
WHITE, MALE													
1978	1,318	2	2	-	9	14	26	132	268	386	333	145	1
1977	1,343	4	5	1	9	12	49	119	297	397	323	124	3
1976	1,430	2	1	2	2	16	51	152	305	413	354	130	2
1975	1,579	1	8	2	10	18	63	175	348	419	402	133	-
1974	1,645	4	1	1	5	15	60	214	386	474	360	124	1
1973	1,849	5	7	3	9	16	65	221	464	522	413	123	1
1972	2,162	4	6	4	10	18	70	278	526	602	490	152	2
1971	2,189	2	6	4	11	22	111	296	513	602	477	145	-
1970	2,666	6	12	8	19	39	111	342	656	700	602	170	1
1969	2,852	6	9	6	12	27	119	422	675	798	589	187	2
1968	3,168	5	14	7	15	32	125	437	807	919	643	163	1
WHITE, FEMALE													
1978	718	1	5	3	4	9	23	53	106	180	198	136	-
1977	676	1	4	3	7	8	18	58	120	149	187	121	-
1976	705	-	4	-	6	10	27	47	128	194	191	98	-
1975	743	2	3	2	3	22	25	67	148	194	179	97	1
1974	750	4	3	1	10	19	26	73	120	208	187	99	-
1973	814	1	3	4	7	12	40	102	148	201	211	85	-
1972	852	-	6	2	14	22	56	102	158	214	186	92	-
1971	901	1	5	4	7	21	38	122	184	210	208	101	-
1970	1,029	-	6	2	4	27	70	135	183	259	244	99	-
1969	1,050	3	6	6	9	28	63	143	190	251	217	133	1
1968	1,205	2	10	4	11	28	75	189	236	250	281	119	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS, ALL FORMS (010-019)													
ALL OTHER, BOTH SEXES													
1978	878	6	3	4	15	46	77	159	206	181	123	58	-
1977	949	-	2	2	14	61	116	173	185	215	130	50	1
1976	995	2	3	4	17	51	125	181	195	206	167	44	-
1975	1,011	3	4	3	15	59	123	196	225	217	120	46	-
1974	1,118	3	8	4	20	87	139	202	258	216	133	47	1
1973	1,212	6	6	3	14	68	176	281	250	242	125	40	1
1972	1,362	4	8	-	14	86	180	292	268	316	130	62	2
1971	1,411	6	8	5	28	87	218	311	271	275	147	55	-
1970	1,522	10	21	4	25	98	229	327	308	296	156	47	1
1969	1,665	8	17	6	34	120	255	355	355	305	154	56	-
1968	1,919	6	19	9	35	136	309	368	409	388	167	69	4
ALL OTHER, MALE													
1978	610	4	1	3	7	32	52	106	160	130	83	32	-
1977	684	-	1	1	7	46	82	129	134	160	92	31	1
1976	707	-	1	3	6	32	83	141	149	152	114	26	-
1975	686	1	3	2	7	40	82	141	148	161	73	28	-
1974	787	2	5	2	8	57	94	152	187	163	84	32	1
1973	858	4	2	-	6	40	119	213	187	179	86	22	-
1972	978	4	2	-	10	38	130	224	202	238	92	36	2
1971	1,021	4	6	-	10	48	144	227	223	216	107	36	-
1970	1,048	7	8	1	12	55	150	233	224	213	115	30	-
1969	1,137	2	9	2	17	64	147	249	272	236	108	31	-
1968	1,334	3	13	7	16	71	200	253	317	284	126	40	4
ALL OTHER, FEMALE													
1978	268	2	2	1	8	14	25	53	46	51	40	26	-
1977	265	-	1	1	7	15	34	44	51	55	38	19	-
1976	288	2	2	1	11	19	42	40	46	54	53	18	-
1975	325	2	1	1	8	19	41	55	77	56	47	18	-
1974	331	1	3	2	12	30	45	50	71	53	49	15	-
1973	354	2	4	3	8	28	57	68	63	63	39	18	1
1972	384	-	6	-	4	48	50	68	66	78	38	26	-
1971	390	2	2	5	18	39	74	84	48	59	40	19	-
1970	474	3	13	3	13	43	79	94	84	83	41	17	1
1969	528	6	8	4	17	56	108	106	83	69	46	25	-
1968	585	3	6	2	19	65	109	115	92	104	41	29	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS, ALL FORMS (010-019)													
BLACK, BOTH SEXES													
1978	792	6	3	4	14	43	74	145	190	161	103	49	-
1977	869	-	2	2	11	58	111	163	174	192	113	42	1
1976	905	2	2	3	12	49	117	170	181	183	148	38	-
1975	904	2	2	3	13	52	118	185	206	194	97	32	-
1974	1,023	3	8	3	19	82	127	187	241	197	117	38	1
1973	1,112	5	6	3	12	66	167	268	237	207	107	33	1
1972	1,236	2	8	-	10	78	166	272	246	290	108	54	2
1971	1,305	6	8	5	24	81	206	296	254	255	123	47	-
1970	1,404	9	18	3	21	92	221	307	290	272	133	37	1
1969	1,523	6	13	5	31	113	240	331	323	281	133	47	-
1968	1,767	6	17	9	33	125	294	345	382	358	145	49	4
BLACK, MALE													
1978	556	4	1	3	6	30	50	98	151	117	70	26	-
1977	637	-	1	1	5	45	79	124	131	146	80	24	1
1976	641	-	1	2	4	30	78	132	141	132	99	22	-
1975	615	1	2	2	7	36	80	131	136	143	58	19	-
1974	727	2	5	2	8	53	86	142	179	150	74	25	1
1973	787	3	2	-	6	38	116	206	176	150	72	18	-
1972	904	2	2	-	6	36	122	214	188	224	76	32	2
1971	946	4	6	-	8	44	138	216	213	198	91	28	-
1970	963	6	6	-	10	53	147	217	207	196	96	25	-
1969	1,052	1	7	2	16	60	141	236	252	218	92	27	-
1968	1,237	3	12	7	15	68	195	236	297	266	108	26	4
BLACK, FEMALE													
1978	236	2	2	1	8	13	24	47	39	44	33	23	-
1977	232	-	1	1	6	13	32	39	43	46	33	18	-
1976	264	2	1	1	8	19	39	38	40	51	49	16	-
1975	289	1	-	1	6	16	38	54	70	51	39	13	-
1974	296	1	3	1	11	29	41	45	62	47	43	13	-
1973	325	2	4	3	6	28	51	62	61	57	35	15	1
1972	332	-	6	-	4	42	44	58	58	66	32	22	-
1971	359	2	2	5	16	37	68	80	41	57	32	19	-
1970	441	3	12	3	11	39	74	90	83	76	37	12	1
1969	471	5	6	3	15	53	99	95	71	63	41	20	-
1968	530	3	5	2	18	57	99	109	85	92	37	23	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
BOTH SEXES													
1978	2,256	5	4	3	20	44	103	268	463	565	495	286	-
1977	2,324	4	2	3	15	62	141	279	473	600	486	256	3
1976	2,419	3	-	2	16	49	164	292	488	605	561	237	2
1975	2,576	2	5	3	13	66	166	356	561	650	536	218	-
1974	2,775	6	2	1	24	97	182	386	601	704	542	228	2
1973	3,009	6	5	2	19	63	232	479	677	742	582	200	2
1972	3,474	6	8	-	20	100	256	568	748	882	632	250	4
1971	3,590	3	5	6	28	93	309	588	773	852	678	255	-
1970	4,162	8	16	9	28	126	340	636	922	984	820	271	2
1969	4,492	9	13	8	39	139	350	743	969	1,111	789	320	2
1968	5,009	5	13	9	36	153	426	787	1,160	1,222	905	289	4
MALE													
1978	1,548	4	1	1	13	29	66	194	361	397	330	152	-
1977	1,656	3	2	1	9	48	107	203	358	455	329	138	3
1976	1,709	1	-	2	5	29	112	235	368	445	374	136	2
1975	1,803	1	4	1	8	46	118	265	401	460	367	132	-
1974	1,980	3	1	-	10	57	127	296	467	517	366	134	2
1973	2,182	5	3	-	11	41	158	360	536	561	386	120	1
1972	2,552	6	4	-	12	42	178	430	606	664	452	154	4
1971	2,630	1	3	3	14	52	214	441	613	656	480	153	-
1970	3,063	8	7	6	17	75	224	470	730	748	602	175	1
1969	3,314	6	10	2	23	65	222	562	787	876	577	183	1
1968	3,692	4	10	6	19	89	273	571	937	963	645	171	4

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
FEMALE													
1978	708	1	3	2	7	15	37	74	102	168	165	134	-
1977	668	1	-	2	6	14	34	76	115	145	157	118	-
1976	710	2	-	-	11	20	52	57	120	160	187	101	-
1975	773	1	1	2	5	20	48	91	160	190	169	86	-
1974	795	3	1	1	14	40	55	90	134	187	176	94	-
1973	827	1	2	2	8	22	74	119	141	181	196	80	1
1972	922	-	4	-	8	58	78	138	142	218	180	96	-
1971	960	2	2	3	14	41	95	147	160	196	198	102	-
1970	1,099	-	9	3	11	51	116	166	192	236	218	96	1
1969	1,178	3	3	6	16	74	128	181	182	235	212	137	1
1968	1,317	1	3	3	17	64	153	216	223	259	260	118	-
WHITE, BOTH SEXES													
1978	1,566	-	3	1	10	12	37	144	290	418	409	242	-
1977	1,583	4	1	1	8	16	53	140	323	431	390	214	2
1976	1,648	1	-	1	8	12	64	152	331	453	425	199	2
1975	1,795	-	4	3	9	24	65	198	378	480	447	187	-
1974	1,890	5	-	-	9	29	76	221	389	537	434	189	1
1973	2,036	3	3	1	9	20	84	244	466	555	486	164	1
1972	2,366	2	2	-	12	32	98	320	534	634	526	204	2
1971	2,439	1	3	5	10	29	129	333	544	624	558	203	-
1970	2,921	3	7	6	10	48	151	368	673	737	687	230	1
1969	3,146	4	6	6	15	44	157	454	675	850	660	273	2
1968	3,461	3	6	4	14	41	167	489	827	911	766	232	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
WHITE, MALE													
1978	1,046	-	1	-	7	8	21	106	222	289	266	126	-
1977	1,105	3	1	-	5	12	41	98	248	326	259	110	2
1976	1,145	1	-	1	2	8	43	123	245	325	282	113	2
1975	1,250	-	3	1	7	13	46	151	276	331	312	110	-
1974	1,343	2	-	-	4	14	55	170	308	386	297	106	1
1973	1,467	3	2	-	6	12	52	178	375	419	320	99	1
1972	1,742	2	2	-	6	12	56	244	440	474	378	126	2
1971	1,780	-	2	3	6	16	97	251	418	477	390	120	-
1970	2,186	3	4	5	9	30	99	275	546	564	501	149	1
1969	2,368	4	4	2	9	18	106	360	551	672	485	156	1
1968	2,581	3	4	2	8	24	104	357	673	731	536	138	1
WHITE, FEMALE													
1978	520	-	2	1	3	4	16	38	68	129	143	116	-
1977	478	1	-	1	3	4	12	42	75	105	131	104	-
1976	503	-	-	-	6	4	21	29	86	128	143	86	-
1975	545	-	1	2	2	11	19	47	102	149	135	77	-
1974	547	3	-	-	5	15	21	51	81	151	137	83	-
1973	569	-	1	1	3	8	32	66	91	136	166	65	-
1972	624	-	-	-	6	20	42	76	94	160	148	78	-
1971	659	1	1	2	4	13	32	82	126	147	168	83	-
1970	735	-	3	1	1	18	52	93	127	173	186	81	-
1969	778	-	2	4	6	26	51	94	124	178	175	117	1
1968	880	-	2	2	6	17	63	132	154	180	230	94	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
ALL OTHER, BOTH SEXES													
1978	690	5	1	2	10	32	66	124	173	147	86	44	-
1977	741	-	1	2	7	46	88	139	150	169	96	42	1
1976	771	2	-	1	8	37	100	140	157	152	136	38	-
1975	781	2	1	-	4	42	101	158	183	170	89	31	-
1974	885	1	2	1	15	68	106	165	212	167	108	39	1
1973	973	3	2	1	10	43	148	235	211	187	96	36	1
1972	1,108	4	6	-	8	68	158	248	214	248	106	46	2
1971	1,151	2	2	1	18	64	180	255	229	228	120	52	-
1970	1,241	5	9	3	18	78	189	268	249	247	133	41	1
1969	1,346	5	7	2	24	95	193	289	294	261	129	47	-
1968	1,548	2	7	5	22	112	259	298	333	311	139	57	3
ALL OTHER, MALE													
1978	502	4	-	1	6	21	45	88	139	108	64	26	-
1977	551	-	1	1	4	36	66	105	110	129	70	28	1
1976	564	-	-	1	3	21	69	112	123	120	92	23	-
1975	553	1	1	-	1	33	72	114	125	129	55	22	-
1974	637	1	1	-	6	43	72	126	159	131	69	28	1
1973	715	2	1	-	5	29	106	182	161	142	66	21	-
1972	810	4	2	-	6	30	122	186	166	190	74	28	2
1971	850	1	1	-	8	36	117	190	195	179	90	33	-
1970	877	5	3	1	8	45	125	195	184	184	101	26	-
1969	946	2	6	-	14	47	116	202	236	204	92	27	-
1968	1,111	1	6	4	11	65	169	214	264	232	109	33	3
ALL OTHER, FEMALE													
1978	188	1	1	1	4	11	21	36	34	39	22	18	-
1977	190	-	-	1	3	10	22	34	40	40	26	14	-
1976	207	2	-	-	5	16	31	28	34	32	44	15	-
1975	228	1	-	-	3	9	29	44	58	41	34	9	-
1974	248	-	1	1	9	25	34	39	53	36	39	11	-
1973	258	1	1	1	5	14	42	53	50	45	30	15	1
1972	298	-	4	-	2	38	36	62	48	58	32	18	-
1971	301	1	1	1	10	28	63	65	34	49	30	19	-
1970	364	-	6	2	10	33	64	73	65	63	32	15	1
1969	400	3	1	2	10	48	77	87	58	57	37	20	-
1968	437	1	1	1	11	47	90	84	69	79	30	24	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
BLACK, BOTH SEXES													
1978	628	5	1	2	10	30	64	115	160	131	70	40	-
1977	686	-	1	2	5	44	84	132	144	152	86	35	1
1976	714	2	-	1	6	36	96	133	147	138	122	33	-
1975	712	2	1	-	3	38	96	148	167	156	77	24	-
1974	824	1	2	-	14	65	99	155	201	157	97	32	1
1973	901	2	2	1	10	42	141	227	202	161	83	29	1
1972	1,020	2	6	-	6	62	146	232	202	234	88	40	2
1971	1,077	2	2	1	16	62	174	246	216	212	102	44	-
1970	1,155	4	7	2	16	74	185	251	238	228	116	33	1
1969	1,246	3	6	2	21	89	185	272	273	241	111	43	-
1968	1,443	2	7	5	22	105	250	281	316	288	119	45	3
BLACK, MALE													
1978	459	4	-	1	6	20	44	82	131	97	52	22	-
1977	518	-	1	1	2	35	64	102	108	119	63	22	1
1976	519	-	-	1	2	20	67	106	117	107	80	19	-
1975	505	1	1	-	1	30	70	105	113	119	48	17	-
1974	598	1	1	-	6	41	68	119	153	124	61	23	1
1973	664	1	1	-	5	28	103	179	153	120	57	17	-
1972	758	2	2	-	4	28	114	180	158	184	60	24	2
1971	796	1	1	-	7	34	114	184	188	164	78	25	-
1970	812	4	1	-	7	44	124	181	173	170	86	22	-
1969	879	1	5	-	13	44	113	193	220	188	78	24	-
1968	1,041	1	6	4	11	63	167	200	252	217	92	25	3
BLACK, FEMALE													
1978	169	1	1	1	4	10	20	33	29	34	18	18	-
1977	168	-	-	1	3	9	20	30	36	33	23	13	-
1976	195	2	-	-	4	16	29	27	30	31	42	14	-
1975	207	1	-	-	2	8	26	43	54	37	29	7	-
1974	226	-	1	-	8	24	31	36	48	33	36	9	-
1973	237	1	1	1	5	14	38	48	49	41	26	12	1
1972	262	-	4	-	2	34	32	52	44	50	28	16	-
1971	281	1	1	1	9	28	60	62	28	48	24	19	-
1970	343	-	6	2	9	30	61	70	65	58	30	11	1
1969	367	2	1	2	8	45	72	79	53	53	33	19	-
1968	402	1	1	1	11	42	83	81	64	71	27	20	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS, OTHER FORMS (013-019)													
BOTH SEXES													
1978	658	4	6	4	8	25	23	76	117	182	159	53	1
1977	644	1	9	3	15	19	42	71	129	161	154	39	1
1976	711	1	8	4	9	28	39	88	140	208	151	35	-
1975	757	4	10	4	15	33	45	82	160	180	165	58	1
1974	738	5	10	5	11	24	43	103	163	194	138	42	-
1973	866	6	11	8	11	33	49	125	185	223	167	48	-
1972	902	2	12	6	18	26	50	104	204	250	174	56	-
1971	911	6	14	7	18	37	58	141	195	235	154	46	-
1970	1,055	8	23	5	20	38	70	168	225	271	182	45	-
1969	1,075	8	19	10	16	36	87	177	251	243	171	56	1
1968	1,283	8	30	11	25	43	83	207	292	335	186	62	1
MALE													
1978	380	2	2	2	3	17	12	44	67	119	86	25	1
1977	371	1	4	1	7	10	24	45	73	102	86	17	1
1976	428	1	2	3	3	19	22	58	86	120	94	20	-
1975	462	1	7	3	9	12	27	51	95	120	108	29	-
1974	452	3	5	3	3	15	27	70	106	120	78	22	-
1973	525	4	6	3	4	15	26	74	115	140	113	25	-
1972	588	2	4	4	8	14	22	72	122	176	130	34	-
1971	580	5	9	1	7	18	41	82	123	162	104	28	-
1970	651	5	13	3	14	19	37	105	150	165	115	25	-
1969	675	2	8	6	6	26	44	109	160	158	120	35	1
1968	810	4	17	8	12	14	52	119	187	240	124	32	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS, OTHER FORMS (013-019)													
FEMALE													
1978	278	2	4	2	5	8	11	32	50	63	73	28	-
1977	273	-	5	2	8	9	18	26	56	59	68	22	-
1976	283	-	6	1	6	9	17	30	54	88	57	15	-
1975	295	3	3	1	6	21	18	31	65	60	57	29	1
1974	286	2	5	2	8	9	16	33	57	74	60	20	-
1973	341	2	5	5	7	18	23	51	70	83	54	23	-
1972	314	-	8	2	10	12	28	32	82	74	44	22	-
1971	331	1	5	6	11	19	17	59	72	73	50	18	-
1970	404	3	10	2	6	19	33	63	75	106	67	20	-
1969	400	6	11	4	10	10	43	68	91	85	51	21	-
1968	473	4	13	3	13	29	31	88	105	95	62	30	-
WHITE, BOTH SEXES													
1978	470	3	4	2	3	11	12	41	84	148	122	39	1
1977	436	1	8	3	8	4	14	37	94	115	120	31	1
1976	487	1	5	1	-	14	14	47	102	154	120	29	-
1975	527	3	7	1	4	16	23	44	118	133	134	43	1
1974	505	3	4	2	6	5	10	66	117	145	113	34	-
1973	627	3	7	6	7	8	21	79	146	168	138	44	-
1972	648	2	10	6	12	8	28	60	150	182	150	40	-
1971	651	2	8	3	8	14	20	85	153	188	127	43	-
1970	774	3	11	4	13	18	30	109	166	222	159	39	-
1969	756	5	9	6	6	11	25	111	190	199	146	47	1
1968	912	4	18	7	12	19	33	137	216	258	158	50	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS, OTHER FORMS (013-019)													
WHITE, MALE													
1978	272	2	1	-	2	6	5	26	46	97	67	19	1
1977	238	1	4	1	4	-	8	21	49	71	64	14	1
1976	285	1	1	1	-	8	8	29	60	88	72	17	-
1975	329	1	5	1	3	5	17	24	72	88	90	23	-
1974	302	2	1	1	1	1	5	44	78	88	63	18	-
1973	382	2	5	3	3	4	13	43	89	103	93	24	-
1972	420	2	4	4	4	6	14	34	86	128	112	26	-
1971	409	2	4	1	5	6	14	45	95	125	87	25	-
1970	480	3	8	3	10	9	12	67	110	136	101	21	-
1969	484	2	5	4	3	9	13	62	124	126	104	31	1
1968	587	2	10	5	7	8	21	80	134	188	107	25	-
WHITE, FEMALE													
1978	198	1	3	2	1	5	7	15	38	51	55	20	-
1977	198	-	4	2	4	4	6	16	45	44	56	17	-
1976	202	-	4	-	-	6	6	18	42	66	48	12	-
1975	198	2	2	-	1	11	6	20	46	45	44	20	1
1974	203	1	3	1	5	4	5	22	39	57	50	16	-
1973	245	1	2	3	4	4	8	36	57	65	45	20	-
1972	228	-	6	2	8	2	14	26	64	54	38	14	-
1971	242	-	4	2	3	8	6	40	58	63	40	18	-
1970	294	-	3	1	3	9	18	42	56	86	58	18	-
1969	272	3	4	2	3	2	12	49	66	73	42	16	-
1968	325	2	8	2	5	11	12	57	82	70	51	25	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS, OTHER FORMS (013-019)													
ALL OTHER, BOTH SEXES													
1978	188	1	2	2	5	14	11	35	33	34	37	14	-
1977	208	-	1	-	7	15	28	34	35	46	34	8	-
1976	224	-	3	3	9	14	25	41	38	54	31	6	-
1975	230	1	3	3	11	17	22	38	42	47	31	15	-
1974	233	2	6	3	5	19	33	37	46	49	25	8	-
1973	239	3	4	2	4	25	28	46	39	55	29	4	-
1972	254	-	2	-	6	18	22	44	54	68	24	16	-
1971	260	4	6	4	10	23	38	56	42	47	27	3	-
1970	281	5	12	1	7	20	40	59	59	49	23	6	-
1969	319	3	10	4	10	25	62	66	61	44	25	9	-
1968	371	4	12	4	13	24	50	70	76	77	28	12	1
ALL OTHER, MALE													
1978	108	-	1	2	1	11	7	18	21	22	19	6	-
1977	133	-	-	-	3	10	16	24	24	31	22	3	-
1976	143	-	1	2	3	11	14	29	26	32	22	3	-
1975	133	-	2	2	6	7	10	27	23	32	18	6	-
1974	150	1	4	2	2	14	22	26	28	32	15	4	-
1973	143	2	1	-	1	11	13	31	26	37	20	1	-
1972	168	-	-	-	4	8	8	38	36	48	18	8	-
1971	171	3	5	-	2	12	27	37	28	37	17	3	-
1970	171	2	5	-	4	10	25	38	40	29	14	4	-
1969	191	-	3	2	3	17	31	47	36	32	16	4	-
1968	223	2	7	3	5	6	31	39	53	52	17	7	1
ALL OTHER, FEMALE													
1978	80	1	1	-	4	3	4	17	12	12	18	8	-
1977	75	-	1	-	4	5	12	10	11	15	12	5	-
1976	81	-	2	1	6	3	11	12	12	22	9	3	-
1975	97	1	1	1	5	10	12	11	19	15	13	9	-
1974	83	1	2	1	3	5	11	11	18	17	10	4	-
1973	96	1	3	2	3	14	15	15	13	18	9	3	-
1972	86	-	2	-	2	10	14	6	18	20	6	8	-
1971	89	1	1	4	8	11	11	19	14	10	10	-	-
1970	110	3	7	1	3	10	15	21	19	20	9	2	-
1969	128	3	7	2	7	8	31	19	25	12	9	5	-
1968	148	2	5	1	8	18	19	31	23	25	11	5	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS, OTHER FORMS (013-019)													
BLACK, BOTH SEXES													
1978	164	1	2	2	4	13	10	30	30	30	33	9	-
1977	183	-	1	-	6	14	27	31	30	40	27	7	-
1976	191	-	2	2	6	13	21	37	34	45	26	5	-
1975	192	-	1	3	10	14	22	37	39	38	20	8	-
1974	199	2	6	3	5	17	28	32	40	40	20	6	-
1973	211	3	4	2	2	24	26	41	35	46	24	4	-
1972	216	-	2	-	4	16	20	40	44	56	20	14	-
1971	228	4	6	4	8	19	32	50	38	43	21	3	-
1970	249	5	11	1	5	18	36	56	52	44	17	4	-
1969	277	3	7	3	10	24	55	59	50	40	22	4	-
1968	324	4	10	4	11	20	44	64	66	70	26	4	1
BLACK, MALE													
1978	97	-	1	2	-	10	6	16	20	20	18	4	-
1977	119	-	-	-	3	10	15	22	23	27	17	2	-
1976	122	-	1	1	2	10	11	26	24	25	19	3	-
1975	110	-	1	2	6	6	10	26	23	24	10	2	-
1974	129	1	4	2	2	12	18	23	26	26	13	2	-
1973	123	2	1	-	1	10	13	27	23	30	15	1	-
1972	146	-	-	-	2	8	8	34	30	40	16	8	-
1971	150	3	5	-	1	10	24	32	25	34	13	3	-
1970	151	2	5	-	3	9	23	36	34	26	10	3	-
1969	173	-	2	2	3	16	28	43	32	30	14	3	-
1968	196	2	6	3	4	5	28	36	45	49	16	1	1
BLACK, FEMALE													
1978	67	1	1	-	4	3	4	14	10	10	15	5	-
1977	64	-	1	-	3	4	12	9	7	13	10	5	-
1976	69	-	1	1	4	3	10	11	10	20	7	2	-
1975	82	-	-	1	4	8	12	11	16	14	10	6	-
1974	70	1	2	1	3	5	10	9	14	14	7	4	-
1973	88	1	3	2	1	14	13	14	12	16	9	3	-
1972	70	-	2	-	2	8	12	6	14	16	4	6	-
1971	78	1	1	4	7	9	8	18	13	9	8	-	-
1970	98	3	6	1	2	9	13	20	18	18	7	1	-
1969	104	3	5	1	7	8	27	16	18	10	8	1	-
1968	128	2	4	1	7	15	16	28	21	21	10	3	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHOOPING COUGH (033)													
BOTH SEXES													
1978	6	5	-	-	1	-	-	-	-	-	-	-	-
1977	10	7	1	-	-	1	-	-	-	1	-	-	-
1976	7	6	-	1	-	-	-	-	-	-	-	-	-
1975	8	8	-	-	-	-	-	-	-	-	-	-	-
1974	14	13	1	-	-	-	-	-	-	-	-	-	-
1973	5	5	-	-	-	-	-	-	-	-	-	-	-
1972	6	4	-	-	-	-	-	-	-	2	-	-	-
1971	18	14	4	-	-	-	-	-	-	-	-	-	-
1970	12	8	3	-	-	-	1	-	-	-	-	-	-
1969	13	10	2	1	-	-	-	-	-	-	-	-	-
1968	36	27	6	2	-	-	-	-	1	-	-	-	-
MALE													
1978	3	2	-	-	1	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	6	5	-	1	-	-	-	-	-	-	-	-	-
1975	2	2	-	-	-	-	-	-	-	-	-	-	-
1974	4	4	-	-	-	-	-	-	-	-	-	-	-
1973	2	2	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	5	4	1	-	-	-	-	-	-	-	-	-	-
1970	4	2	1	-	-	-	1	-	-	-	-	-	-
1969	6	4	2	-	-	-	-	-	-	-	-	-	-
1968	19	11	5	2	-	-	-	-	1	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHOOPING COUGH (033)													
FEMALE													
1978	3	3	-	-	-	-	-	-	-	-	-	-	-
1977	10	7	1	-	-	1	-	-	-	1	-	-	-
1976	1	1	-	-	-	-	-	-	-	-	-	-	-
1975	6	6	-	-	-	-	-	-	-	-	-	-	-
1974	10	9	1	-	-	-	-	-	-	-	-	-	-
1973	3	3	-	-	-	-	-	-	-	-	-	-	-
1972	6	4	-	-	-	-	-	-	-	2	-	-	-
1971	13	10	3	-	-	-	-	-	-	-	-	-	-
1970	8	6	2	-	-	-	-	-	-	-	-	-	-
1969	7	6	-	1	-	-	-	-	-	-	-	-	-
1968	17	16	1	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES													
1978	3	2	-	-	1	-	-	-	-	-	-	-	-
1977	7	5	-	-	-	1	-	-	-	1	-	-	-
1976	5	4	-	1	-	-	-	-	-	-	-	-	-
1975	5	5	-	-	-	-	-	-	-	-	-	-	-
1974	11	11	-	-	-	-	-	-	-	-	-	-	-
1973	5	5	-	-	-	-	-	-	-	-	-	-	-
1972	2	-	-	-	-	-	-	-	-	2	-	-	-
1971	9	6	3	-	-	-	-	-	-	-	-	-	-
1970	8	6	1	-	-	-	1	-	-	-	-	-	-
1969	6	6	-	-	-	-	-	-	-	-	-	-	-
1968	17	13	2	2	-	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHOOPING COUGH (033)													
WHITE, MALE													
1978	1	-	-	-	1	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	4	3	-	1	-	-	-	-	-	-	-	-	-
1975	1	1	-	-	-	-	-	-	-	-	-	-	-
1974	4	4	-	-	-	-	-	-	-	-	-	-	-
1973	2	2	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	4	3	1	-	-	-	-	-	-	-	-	-	-
1970	3	1	1	-	-	-	1	-	-	-	-	-	-
1969	2	2	-	-	-	-	-	-	-	-	-	-	-
1968	7	3	2	2	-	-	-	-	-	-	-	-	-
WHITE, FEMALE													
1978	2	2	-	-	-	-	-	-	-	-	-	-	-
1977	7	5	-	-	-	1	-	-	-	1	-	-	-
1976	1	1	-	-	-	-	-	-	-	-	-	-	-
1975	4	4	-	-	-	-	-	-	-	-	-	-	-
1974	7	7	-	-	-	-	-	-	-	-	-	-	-
1973	3	3	-	-	-	-	-	-	-	-	-	-	-
1972	2	-	-	-	-	-	-	-	-	2	-	-	-
1971	5	3	2	-	-	-	-	-	-	-	-	-	-
1970	5	5	-	-	-	-	-	-	-	-	-	-	-
1969	4	4	-	-	-	-	-	-	-	-	-	-	-
1968	10	10	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P41

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHOOPING COUGH (033)													
ALL OTHER, BOTH SEXES													
1978	3	3	-	-	-	-	-	-	-	-	-	-	-
1977	3	2	1	-	-	-	-	-	-	-	-	-	-
1976	2	2	-	-	-	-	-	-	-	-	-	-	-
1975	3	3	-	-	-	-	-	-	-	-	-	-	-
1974	3	2	1	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	4	4	-	-	-	-	-	-	-	-	-	-	-
1971	9	8	1	-	-	-	-	-	-	-	-	-	-
1970	4	2	2	-	-	-	-	-	-	-	-	-	-
1969	7	4	2	1	-	-	-	-	-	-	-	-	-
1968	19	14	4	-	-	-	-	-	1	-	-	-	-
ALL OTHER, MALE													
1978	2	2	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	2	2	-	-	-	-	-	-	-	-	-	-	-
1975	1	1	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	1	1	-	-	-	-	-	-	-	-	-	-	-
1970	1	1	-	-	-	-	-	-	-	-	-	-	-
1969	4	2	2	-	-	-	-	-	-	-	-	-	-
1968	12	8	3	-	-	-	-	-	1	-	-	-	-
ALL OTHER, FEMALE													
1978	1	1	-	-	-	-	-	-	-	-	-	-	-
1977	3	2	1	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	2	2	-	-	-	-	-	-	-	-	-	-	-
1974	3	2	1	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	4	4	-	-	-	-	-	-	-	-	-	-	-
1971	8	7	1	-	-	-	-	-	-	-	-	-	-
1970	3	1	2	-	-	-	-	-	-	-	-	-	-
1969	3	2	-	1	-	-	-	-	-	-	-	-	-
1968	7	6	1	-	-	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHOOPING COUGH (033)													
BLACK, BOTH SEXES													
1978	3	3	-	-	-	-	-	-	-	-	-	-	-
1977	3	2	1	-	-	-	-	-	-	-	-	-	-
1976	2	2	-	-	-	-	-	-	-	-	-	-	-
1975	3	3	-	-	-	-	-	-	-	-	-	-	-
1974	3	2	1	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	4	4	-	-	-	-	-	-	-	-	-	-	-
1971	7	6	1	-	-	-	-	-	-	-	-	-	-
1970	4	2	2	-	-	-	-	-	-	-	-	-	-
1969	7	4	2	1	-	-	-	-	-	-	-	-	-
1968	19	14	4	-	-	-	-	-	1	-	-	-	-
BLACK, MALE													
1978	2	2	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	2	2	-	-	-	-	-	-	-	-	-	-	-
1975	1	1	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	1	1	-	-	-	-	-	-	-	-	-	-	-
1970	1	1	-	-	-	-	-	-	-	-	-	-	-
1969	4	2	2	-	-	-	-	-	-	-	-	-	-
1968	12	8	3	-	-	-	-	-	1	-	-	-	-
BLACK, FEMALE													
1978	1	1	-	-	-	-	-	-	-	-	-	-	-
1977	3	2	1	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	2	2	-	-	-	-	-	-	-	-	-	-	-
1974	3	2	1	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	4	4	-	-	-	-	-	-	-	-	-	-	-
1971	6	5	1	-	-	-	-	-	-	-	-	-	-
1970	3	1	2	-	-	-	-	-	-	-	-	-	-
1969	3	2	-	1	-	-	-	-	-	-	-	-	-
1968	7	6	1	-	-	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER (034)													
BOTH SEXES													
1978	5	-	1	1	1	-	-	-	1	-	-	1	-
1977	14	-	2	1	2	1	2	2	3	1	-	-	-
1976	14	-	2	1	-	-	3	2	2	2	2	-	-
1975	15	-	1	2	2	1	-	4	1	2	2	-	-
1974	22	1	2	2	3	1	2	3	3	2	2	1	-
1973	20	2	-	3	2	1	2	1	1	4	2	2	-
1972	16	2	2	2	-	-	-	2	4	2	2	-	-
1971	23	2	-	3	3	2	2	2	4	1	2	2	-
1970	29	4	2	4	4	1	1	2	-	2	6	3	-
1969	41	1	6	4	2	6	6	-	3	4	7	2	-
1968	28	2	1	7	3	4	1	-	2	2	3	3	-
MALE													
1978	4	-	1	1	1	-	-	-	-	-	-	1	-
1977	9	-	1	1	1	1	1	1	2	1	-	-	-
1976	7	-	2	-	-	-	1	2	1	-	1	-	-
1975	7	-	1	2	1	-	-	-	-	2	1	-	-
1974	16	1	1	2	3	-	1	3	1	2	1	1	-
1973	8	1	-	-	2	1	1	-	-	2	1	-	-
1972	10	2	-	2	-	-	-	-	2	2	2	-	-
1971	9	-	-	1	2	1	-	1	2	1	-	1	-
1970	13	3	-	2	3	1	1	1	-	1	-	1	-
1969	22	1	5	2	1	4	3	-	2	2	1	1	-
1968	16	1	1	6	3	1	1	-	1	-	1	1	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER (034)													
FEMALE													
1978	1	-	-	-	-	-	-	-	1	-	-	-	-
1977	5	-	1	-	1	-	1	1	1	-	-	-	-
1976	7	-	-	1	-	-	2	-	1	2	1	-	-
1975	8	-	-	-	1	1	-	4	1	-	1	-	-
1974	6	-	1	-	-	1	1	-	2	-	1	-	-
1973	12	1	-	3	-	-	1	1	1	2	1	2	-
1972	6	-	2	-	-	-	-	2	2	-	-	-	-
1971	14	2	-	2	1	1	2	1	2	-	2	1	-
1970	16	1	2	2	1	-	-	1	-	1	6	2	-
1969	19	-	1	2	1	2	3	-	1	2	6	1	-
1968	12	1	-	1	-	3	-	-	1	2	2	2	-
WHITE, BOTH SEXES													
1978	5	-	1	1	1	-	-	-	1	-	-	1	-
1977	12	-	2	1	1	1	2	1	3	1	-	-	-
1976	11	-	2	1	-	-	1	2	1	2	2	-	-
1975	15	-	1	2	2	1	-	4	1	2	2	-	-
1974	18	1	1	2	2	1	1	3	3	2	1	1	-
1973	18	2	-	3	1	1	1	1	1	4	2	2	-
1972	16	2	2	2	-	-	-	2	4	2	2	-	-
1971	21	2	-	3	2	2	1	2	4	1	2	2	-
1970	24	3	2	4	2	-	1	1	-	2	6	3	-
1969	34	-	4	4	2	5	4	-	3	3	7	2	-
1968	24	1	1	6	3	3	1	-	2	2	3	2	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER (034)													
WHITE, MALE													
1978	4	-	1	1	1	-	-	-	-	-	-	1	-
1977	7	-	1	1	-	1	1	-	2	1	-	-	-
1976	7	-	2	-	-	-	1	2	1	-	1	-	-
1975	7	-	1	2	1	-	-	-	-	2	1	-	-
1974	14	1	-	2	2	-	1	3	1	2	1	1	-
1973	7	1	-	-	1	1	1	-	-	2	1	-	-
1972	10	2	-	2	-	-	-	-	2	2	2	-	-
1971	8	-	-	1	1	1	-	1	2	1	-	1	-
1970	10	2	-	2	2	-	1	1	-	1	-	1	-
1969	17	-	3	2	1	3	2	-	2	2	1	1	-
1968	14	1	1	6	3	-	1	-	1	-	1	-	-
WHITE, FEMALE													
1978	1	-	-	-	-	-	-	-	1	-	-	-	-
1977	5	-	1	-	1	-	1	1	1	-	-	-	-
1976	4	-	-	1	-	-	-	-	-	2	1	-	-
1975	8	-	-	-	1	1	-	4	1	-	1	-	-
1974	4	-	1	-	-	1	-	-	2	-	-	-	-
1973	11	1	-	3	-	-	-	1	1	2	1	2	-
1972	6	-	2	-	-	-	-	2	2	-	-	-	-
1971	13	2	-	2	1	1	1	1	2	-	2	1	-
1970	14	1	2	2	-	-	-	-	-	1	6	2	-
1969	17	-	1	2	1	2	2	-	1	1	6	1	-
1968	10	-	-	-	-	3	-	-	1	2	2	2	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER (034)													
ALL OTHER, BOTH SEXES													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	2	-	-	-	1	-	-	1	-	-	-	-	-
1976	3	-	-	-	-	-	2	-	1	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	4	-	1	-	1	-	1	-	-	-	1	-	-
1973	2	-	-	-	1	-	1	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	2	-	-	-	1	-	1	-	-	-	-	-	-
1970	5	1	-	-	2	1	-	1	-	-	-	-	-
1969	7	1	2	-	-	1	2	-	-	1	-	-	-
1968	4	1	-	1	-	1	-	-	-	-	-	1	-
ALL OTHER, MALE													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	2	-	-	-	1	-	-	1	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	2	-	1	-	1	-	-	-	-	-	-	-	-
1973	1	-	-	-	1	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	1	-	-	-	1	-	-	-	-	-	-	-	-
1970	3	1	-	-	1	1	-	-	-	-	-	-	-
1969	5	1	2	-	-	1	1	-	-	-	-	-	-
1968	2	-	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER, FEMALE													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	3	-	-	-	-	-	2	-	1	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	2	-	-	-	-	-	1	-	-	-	1	-	-
1973	1	-	-	-	-	-	1	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	1	-	-	-	-	-	1	-	-	-	-	-	-
1970	2	-	-	-	1	-	-	1	-	-	-	-	-
1969	2	-	-	-	-	-	1	-	-	1	-	-	-
1968	2	1	-	1	-	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER (034)													
BLACK, BOTH SEXES													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	2	-	-	-	1	-	-	1	-	-	-	-	-
1976	3	-	-	-	-	-	2	-	1	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	3	-	1	-	1	-	-	-	-	-	1	-	-
1973	2	-	-	-	1	-	1	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	2	-	-	-	1	-	1	-	-	-	-	-	-
1970	5	1	-	-	2	1	-	1	-	-	-	-	-
1969	6	1	2	-	-	1	1	-	-	1	-	-	-
1968	3	-	-	1	-	1	-	-	-	-	-	1	-
BLACK, MALE													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	2	-	-	-	1	-	-	1	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	2	-	1	-	1	-	-	-	-	-	-	-	-
1973	1	-	-	-	1	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	1	-	-	-	1	-	-	-	-	-	-	-	-
1970	3	1	-	-	1	1	-	-	-	-	-	-	-
1969	5	1	2	-	-	1	1	-	-	-	-	-	-
1968	2	-	-	-	-	1	-	-	-	-	-	1	-
BLACK, FEMALE													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	3	-	-	-	-	-	2	-	1	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	1	-	-	-	-	-	-	-	-	-	1	-	-
1973	1	-	-	-	-	-	1	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	1	-	-	-	-	-	1	-	-	-	-	-	-
1970	2	-	-	-	1	-	-	1	-	-	-	-	-
1969	1	-	-	-	-	-	-	-	-	1	-	-	-
1968	1	-	-	1	-	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTIONS (036)													
BOTH SEXES													
1978	403	97	112	46	47	14	16	19	17	18	12	5	-
1977	338	94	89	23	32	16	9	13	23	26	10	3	-
1976	330	85	90	32	40	9	10	13	14	22	12	3	-
1975	308	74	82	39	30	14	16	10	21	11	9	2	-
1974	305	47	84	52	42	12	9	19	13	15	11	1	-
1973	330	90	67	58	41	6	12	16	17	13	8	2	-
1972	350	96	94	30	36	14	6	14	28	16	16	-	-
1971	509	127	101	79	94	14	13	29	25	20	6	1	-
1970	550	124	138	73	94	10	22	25	29	16	17	2	-
1969	744	142	197	113	139	23	26	28	28	30	15	3	-
1968	741	157	216	122	94	21	25	40	34	15	15	2	-
MALE													
1978	212	57	64	26	25	8	9	7	6	7	2	1	-
1977	177	61	42	14	23	5	5	3	9	11	3	1	-
1976	178	55	52	16	20	6	5	8	3	8	3	2	-
1975	176	39	52	26	16	9	6	4	13	6	3	2	-
1974	173	28	46	32	27	8	4	10	8	6	4	-	-
1973	185	55	36	30	27	5	6	8	10	2	5	1	-
1972	194	50	54	12	28	4	4	6	12	12	12	-	-
1971	274	67	57	37	61	8	7	17	7	10	3	-	-
1970	315	73	81	34	60	8	13	15	13	7	9	2	-
1969	409	93	100	54	93	13	12	13	11	14	4	2	-
1968	424	95	125	73	62	11	15	17	17	2	5	2	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTIONS (036)													
FEMALE													
1978	191	40	48	20	22	6	7	12	11	11	10	4	-
1977	161	33	47	9	9	11	4	10	14	15	7	2	-
1976	152	30	38	16	20	3	5	5	11	14	9	1	-
1975	132	35	30	13	14	5	10	6	8	5	6	-	-
1974	132	19	38	20	15	4	5	9	5	9	7	1	-
1973	145	35	31	28	14	1	6	8	7	11	3	1	-
1972	156	46	40	18	8	10	2	8	16	4	4	-	-
1971	235	60	44	42	33	6	6	12	18	10	3	1	-
1970	235	51	57	39	34	2	9	10	16	9	8	-	-
1969	335	49	97	59	46	10	14	15	17	16	11	1	-
1968	317	62	91	49	32	10	10	23	17	13	10	-	-
WHITE, BOTH SEXES													
1978	323	80	95	35	32	9	11	16	16	14	11	4	-
1977	267	75	68	15	27	13	7	11	17	22	9	3	-
1976	264	73	74	19	29	7	8	11	12	19	9	3	-
1975	243	62	71	26	24	10	10	7	14	10	8	1	-
1974	228	34	65	33	30	8	7	15	10	14	11	1	-
1973	271	72	64	40	30	5	11	14	17	10	7	1	-
1972	284	84	72	18	32	12	6	8	24	16	12	-	-
1971	410	105	85	64	75	10	9	21	17	17	6	1	-
1970	429	101	115	50	74	7	17	21	18	13	13	-	-
1969	555	120	138	84	105	11	11	20	25	26	12	3	-
1968	547	128	151	81	70	14	16	30	29	14	12	2	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTIONS (036)													
WHITE, MALE													
1978	174	52	55	20	14	5	8	7	6	5	2	-	-
1977	138	49	33	10	18	3	4	2	7	8	3	1	-
1976	139	48	44	7	12	5	5	6	2	6	2	2	-
1975	143	35	46	20	13	5	4	3	8	6	2	1	-
1974	123	19	35	21	18	4	2	9	5	6	4	-	-
1973	151	43	34	25	17	4	5	7	10	1	4	1	-
1972	154	46	34	8	24	4	4	4	10	12	8	-	-
1971	210	55	44	31	48	5	3	10	4	7	3	-	-
1970	241	58	68	26	43	6	9	11	8	6	6	-	-
1969	302	81	67	41	68	5	4	10	10	12	2	2	-
1968	320	74	96	51	47	7	10	12	16	1	4	2	-
WHITE, FEMALE													
1978	149	28	40	15	18	4	3	9	10	9	9	4	-
1977	129	26	35	5	9	10	3	9	10	14	6	2	-
1976	125	25	30	12	17	2	3	5	10	13	7	1	-
1975	100	27	25	6	11	5	6	4	6	4	6	-	-
1974	105	15	30	12	12	4	5	6	5	8	7	1	-
1973	120	29	30	15	13	1	6	7	7	9	3	-	-
1972	130	38	38	10	8	8	2	4	14	4	4	-	-
1971	200	50	41	33	27	5	6	11	13	10	3	1	-
1970	188	43	47	24	31	1	8	10	10	7	7	-	-
1969	253	39	71	43	37	6	7	10	15	14	10	1	-
1968	227	54	55	30	23	7	6	18	13	13	8	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTIONS (036)													
ALL OTHER, BOTH SEXES													
1978	80	17	17	11	15	5	5	3	1	4	1	1	-
1977	71	19	21	8	5	3	2	2	6	4	1	-	-
1976	66	12	16	13	11	2	2	2	2	3	3	-	-
1975	65	12	11	13	6	4	6	3	7	1	1	1	-
1974	77	13	19	19	12	4	2	4	3	1	-	-	-
1973	59	18	3	18	11	1	1	2	-	3	1	1	-
1972	66	12	22	12	4	2	-	6	4	-	4	-	-
1971	99	22	16	15	19	4	4	8	8	3	-	-	-
1970	121	23	23	23	20	3	5	4	11	3	4	2	-
1969	189	22	59	29	34	12	15	8	3	4	3	-	-
1968	194	29	65	41	24	7	9	10	5	1	3	-	-
ALL OTHER, MALE													
1978	38	5	9	6	11	3	1	-	-	2	-	1	-
1977	39	12	9	4	5	2	1	1	2	3	-	-	-
1976	39	7	8	9	8	1	-	2	1	2	1	-	-
1975	33	4	6	6	3	4	2	1	5	-	1	1	-
1974	50	9	11	11	9	4	2	1	3	-	-	-	-
1973	34	12	2	5	10	1	1	1	-	1	1	-	-
1972	40	4	20	4	4	-	-	2	2	-	4	-	-
1971	64	12	13	6	13	3	4	7	3	3	-	-	-
1970	74	15	13	8	17	2	4	4	5	1	3	2	-
1969	107	12	33	13	25	8	8	3	1	2	2	-	-
1968	104	21	29	22	15	4	5	5	1	1	1	-	-
ALL OTHER, FEMALE													
1978	42	12	8	5	4	2	4	3	1	2	1	-	-
1977	32	7	12	4	-	1	1	1	4	1	1	-	-
1976	27	5	8	4	3	1	2	-	1	1	2	-	-
1975	32	8	5	7	3	-	4	2	2	1	-	-	-
1974	27	4	8	8	3	-	-	3	-	1	-	-	-
1973	25	6	1	13	1	-	-	1	-	2	-	1	-
1972	26	8	2	8	-	2	-	4	2	-	-	-	-
1971	35	10	3	9	6	1	-	1	5	-	-	-	-
1970	47	8	10	15	3	1	1	-	6	2	1	-	-
1969	82	10	26	16	9	4	7	5	2	2	1	-	-
1968	90	8	36	19	9	3	4	5	4	-	2	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTIONS (036)													
BLACK, BOTH SEXES													
1978	73	16	16	11	13	4	5	1	1	4	1	1	-
1977	64	17	18	7	5	2	2	2	6	4	1	-	-
1976	62	12	16	12	11	2	1	2	1	2	3	-	-
1975	63	12	10	13	6	4	6	3	6	1	1	1	-
1974	72	10	18	19	12	4	2	4	2	1	-	-	-
1973	55	17	3	15	11	1	1	2	-	3	1	1	-
1972	58	8	20	12	4	2	-	4	4	-	4	-	-
1971	89	19	15	12	18	4	4	6	8	3	-	-	-
1970	112	21	22	23	18	3	3	4	11	3	3	1	-
1969	181	20	57	26	34	12	15	8	3	3	3	-	-
1968	178	27	59	39	23	6	8	9	5	-	2	-	-
BLACK, MALE													
1978	34	4	8	6	10	2	1	-	-	2	-	1	-
1977	37	11	8	4	5	2	1	1	2	3	-	-	-
1976	37	7	8	9	8	1	-	2	-	1	1	-	-
1975	33	4	6	6	3	4	2	1	5	-	1	1	-
1974	46	7	10	11	9	4	2	1	2	-	-	-	-
1973	33	11	2	5	10	1	1	1	-	1	1	-	-
1972	36	2	18	4	4	-	-	2	2	-	4	-	-
1971	57	10	12	4	13	3	4	5	3	3	-	-	-
1970	67	13	13	8	16	2	2	4	5	1	2	1	-
1969	104	11	32	12	25	8	8	3	1	2	2	-	-
1968	97	19	27	22	15	4	4	4	1	-	1	-	-
BLACK, FEMALE													
1978	39	12	8	5	3	2	4	1	1	2	1	-	-
1977	27	6	10	3	-	-	1	1	4	1	1	-	-
1976	25	5	8	3	3	1	1	-	1	1	2	-	-
1975	30	8	4	7	3	-	4	2	1	1	-	-	-
1974	26	3	8	8	3	-	-	3	-	1	-	-	-
1973	22	6	1	10	1	-	-	1	-	2	-	1	-
1972	22	6	2	8	-	2	-	2	2	-	-	-	-
1971	32	9	3	8	5	1	-	1	5	-	-	-	-
1970	45	8	9	15	2	1	1	-	6	2	1	-	-
1969	77	9	25	14	9	4	7	5	2	1	1	-	-
1968	81	8	32	17	8	2	4	5	4	-	1	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA 038													
BOTH SEXES													
1978	7,800	1,093	65	42	93	134	210	459	1,011	1,543	1,942	1,202	6
1977	7,112	1,087	72	41	91	115	199	449	909	1,385	1,731	1,028	5
1976	6,401	1,077	70	52	93	127	189	417	796	1,217	1,546	817	-
1975	5,584	972	44	45	77	106	154	394	708	1,098	1,316	668	2
1974	5,243	910	65	61	80	130	149	377	653	1,068	1,175	573	2
1973	4,560	805	76	48	77	85	142	359	586	918	1,012	452	-
1972	4,214	820	62	50	80	106	134	320	534	778	924	402	4
1971	3,907	827	76	65	67	77	140	270	548	729	757	348	3
1970	3,535	865	72	53	68	83	136	272	477	609	641	257	2
1969	3,009	758	72	50	61	51	121	251	389	504	535	215	2
1968	2,991	800	96	59	64	65	113	206	365	508	502	211	2
MALE													
1978	4,050	645	37	20	46	61	115	274	564	838	962	485	3
1977	3,771	654	47	21	48	54	115	250	527	746	874	431	4
1976	3,339	603	32	30	51	67	102	219	460	675	756	344	-
1975	2,991	568	23	27	42	58	82	229	409	589	687	276	1
1974	2,854	526	38	33	36	65	84	206	382	606	629	248	1
1973	2,433	469	42	25	36	43	78	202	328	517	514	179	-
1972	2,324	448	38	20	34	54	76	180	316	452	494	208	4
1971	2,161	483	32	33	37	37	76	164	310	424	403	159	3
1970	1,944	468	38	35	38	40	64	163	287	344	351	115	1
1969	1,651	438	35	29	31	26	70	142	236	265	285	93	1
1968	1,637	459	46	38	34	32	57	109	213	293	250	105	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA 038 FEMALE													
1978	3,750	448	28	22	47	73	95	185	447	705	980	717	3
1977	3,341	433	25	20	43	61	84	199	382	639	857	597	1
1976	3,062	474	38	22	42	60	87	198	336	542	790	473	-
1975	2,593	404	21	18	35	48	72	165	299	509	629	392	1
1974	2,389	384	27	28	44	65	65	171	271	462	546	325	1
1973	2,127	336	34	23	41	42	64	157	258	401	498	273	-
1972	1,890	372	24	30	46	52	58	140	218	326	430	194	-
1971	1,746	344	44	32	30	40	64	106	238	305	354	189	-
1970	1,591	397	34	18	30	43	72	109	190	265	290	142	1
1969	1,358	320	37	21	30	25	51	109	153	239	250	122	1
1968	1,354	341	50	21	30	33	56	97	152	215	252	106	1
WHITE, BOTH SEXES													
1978	6,071	761	48	28	71	89	131	298	768	1,206	1,616	1,051	4
1977	5,499	734	53	33	74	81	129	306	680	1,098	1,413	895	3
1976	4,905	741	49	42	69	82	121	278	580	959	1,290	694	-
1975	4,343	662	29	33	61	69	91	276	543	851	1,147	579	2
1974	4,096	620	43	42	55	94	94	265	491	856	1,039	497	-
1973	3,547	557	54	37	54	51	86	249	456	737	873	393	-
1972	3,218	542	44	44	54	62	88	228	388	602	796	370	-
1971	2,980	518	51	48	47	51	88	193	411	588	673	310	2
1970	2,732	597	53	41	46	58	79	199	366	487	573	232	1
1969	2,276	479	58	39	41	31	78	180	300	408	463	197	2
1968	2,285	518	70	40	43	49	77	143	296	409	450	188	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA 038													
WHITE, MALE													
1978	3,150	466	28	12	43	39	73	181	429	657	796	424	2
1977	2,910	456	33	16	42	38	74	169	401	600	711	367	3
1976	2,589	430	22	24	39	42	65	151	355	536	633	292	-
1975	2,315	401	14	22	34	36	46	162	312	450	590	247	1
1974	2,214	364	25	18	24	45	54	143	290	488	548	215	-
1973	1,882	325	29	21	27	24	44	146	262	416	436	152	-
1972	1,794	306	34	18	28	30	52	126	228	358	424	190	-
1971	1,641	299	23	27	27	20	47	118	241	336	358	143	2
1970	1,510	339	27	29	28	29	38	120	223	275	304	98	-
1969	1,233	275	25	23	20	16	48	98	185	212	247	83	1
1968	1,249	300	36	26	24	24	38	79	172	236	220	93	1
WHITE, FEMALE													
1978	2,921	295	20	16	28	50	58	117	339	549	820	627	2
1977	2,589	278	20	17	32	43	55	137	279	498	702	528	-
1976	2,316	311	27	18	30	40	56	127	225	423	657	402	-
1975	2,028	261	15	11	27	33	45	114	231	401	557	332	1
1974	1,882	256	18	24	31	49	40	122	201	368	491	282	-
1973	1,665	232	25	16	27	27	42	103	194	321	437	241	-
1972	1,424	236	10	26	26	32	36	102	160	244	372	180	-
1971	1,339	219	28	21	20	31	41	75	170	252	315	167	-
1970	1,222	258	26	12	18	29	41	79	143	212	269	134	1
1969	1,043	204	33	16	21	15	30	82	115	196	216	114	1
1968	1,036	218	34	14	19	25	39	64	124	173	230	95	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA 038													
ALL OTHER, BOTH SEXES													
1978	1,729	332	17	14	22	45	79	161	243	337	326	151	2
1977	1,613	353	19	8	17	34	70	143	229	287	318	133	2
1976	1,496	336	21	10	24	45	68	139	216	258	256	123	-
1975	1,241	310	15	12	16	37	63	118	165	247	169	89	-
1974	1,147	290	22	19	25	36	55	112	162	212	136	76	2
1973	1,013	248	22	11	23	34	56	110	130	181	139	59	-
1972	996	278	18	6	26	44	46	92	146	176	128	32	4
1971	927	309	25	17	20	26	52	77	137	141	84	38	1
1970	803	268	19	12	22	25	57	73	111	122	68	25	1
1969	733	279	14	11	20	20	43	71	89	96	72	18	-
1968	706	282	26	19	21	16	36	63	69	99	52	23	-
ALL OTHER, MALE													
1978	900	179	9	8	3	22	42	93	135	181	166	61	1
1977	861	198	14	5	6	16	41	81	126	146	163	64	1
1976	750	173	10	6	12	25	37	68	105	139	123	52	-
1975	676	167	9	5	8	22	36	67	97	139	97	29	-
1974	640	162	13	15	12	20	30	63	92	118	81	33	1
1973	551	144	13	4	9	19	34	56	66	101	78	27	-
1972	530	142	4	2	6	24	24	54	88	94	70	18	4
1971	520	184	9	6	10	17	29	46	69	88	45	16	1
1970	434	129	11	6	10	11	26	43	64	69	47	17	1
1969	418	163	10	6	11	10	22	44	51	53	38	10	-
1968	388	159	10	12	10	8	19	30	41	57	30	12	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA 038													
ALL OTHER, FEMALE													
1978	829	153	8	6	19	23	37	68	108	156	160	90	1
1977	752	155	5	3	11	18	29	62	103	141	155	69	1
1976	746	163	11	4	12	20	31	71	111	119	133	71	-
1975	565	143	6	7	8	15	27	51	68	108	72	60	-
1974	507	128	9	4	13	16	25	49	70	94	55	43	1
1973	462	104	9	7	14	15	22	54	64	80	61	32	-
1972	466	136	14	4	20	20	22	38	58	82	58	14	-
1971	407	125	16	11	10	9	23	31	68	53	39	22	-
1970	369	139	8	6	12	14	31	30	47	53	21	8	-
1969	315	116	4	5	9	10	21	27	38	43	34	8	-
1968	318	123	16	7	11	8	17	33	28	42	22	11	-
BLACK, BOTH SEXES													
1978	1,626	311	14	12	21	39	75	150	232	320	309	141	2
1977	1,502	333	19	7	16	27	63	134	220	266	293	122	2
1976	1,410	314	20	8	23	40	62	134	204	249	241	115	-
1975	1,156	288	13	12	15	34	59	110	153	234	153	85	-
1974	1,075	263	20	18	24	34	53	105	154	203	127	72	2
1973	958	228	22	11	21	31	53	107	127	177	127	54	-
1972	924	248	18	6	26	40	42	84	134	170	122	30	4
1971	864	284	22	16	19	26	51	70	127	135	80	33	1
1970	759	249	18	11	22	24	55	71	107	114	62	25	1
1969	684	256	14	11	19	20	40	70	83	85	68	18	-
1968	666	265	23	18	20	15	35	63	67	93	46	21	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA 038													
BLACK, MALE													
1978	845	169	8	8	3	18	40	88	127	169	160	54	1
1977	798	187	14	5	6	12	36	79	119	137	143	59	1
1976	705	162	10	5	11	24	33	65	100	132	117	46	-
1975	633	158	7	5	8	21	33	64	90	128	90	29	-
1974	599	149	11	14	11	20	29	58	90	113	73	30	1
1973	514	130	13	4	8	16	32	54	64	98	70	25	-
1972	496	130	4	2	6	22	22	50	82	92	66	16	4
1971	479	168	8	6	9	17	29	41	61	84	42	13	1
1970	407	119	10	5	10	10	26	42	60	65	42	17	1
1969	387	152	10	6	11	10	19	44	46	43	36	10	-
1968	365	150	9	11	9	8	19	30	40	53	25	11	-
BLACK, FEMALE													
1978	781	142	6	4	18	21	35	62	105	151	149	87	1
1977	704	146	5	2	10	15	27	55	101	129	150	63	1
1976	705	152	10	3	12	16	29	69	104	117	124	69	-
1975	523	130	6	7	7	13	26	46	63	106	63	56	-
1974	476	114	9	4	13	14	24	47	64	90	54	42	1
1973	444	98	9	7	13	15	21	53	63	79	57	29	-
1972	428	118	14	4	20	18	20	34	52	78	56	14	-
1971	385	116	14	10	10	9	22	29	66	51	38	20	-
1970	352	130	8	6	12	14	29	29	47	49	20	8	-
1969	297	104	4	5	8	10	21	26	37	42	32	8	-
1968	301	115	14	7	11	7	16	33	27	40	21	10	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE POLIOMYELITIS (040-043)													
BOTH SEXES													
1978	13	1	-	-	1	1	3	1	5	1	-	-	-
1977	16	-	-	-	-	3	4	2	5	2	-	-	-
1976	16	-	-	-	-	4	2	4	5	1	-	-	-
1975	9	-	-	-	-	-	6	-	3	-	-	-	-
1974	3	-	-	-	-	1	-	1	1	-	-	-	-
1973	10	-	-	-	-	2	1	5	1	1	-	-	-
1972	2	-	-	-	-	2	-	-	-	-	-	-	-
1971	18	1	-	1	-	1	4	6	3	-	2	-	-
1970	7	2	2	1	1	-	1	-	-	-	-	-	-
1969	13	2	-	1	3	1	3	1	2	-	-	-	-
1968	24	2	2	4	1	2	3	5	3	1	1	-	-
MALE													
1978	9	1	-	-	-	-	3	1	3	1	-	-	-
1977	6	-	-	-	-	3	1	-	2	-	-	-	-
1976	9	-	-	-	-	2	1	2	3	1	-	-	-
1975	7	-	-	-	-	-	5	-	2	-	-	-	-
1974	2	-	-	-	-	1	-	1	-	-	-	-	-
1973	8	-	-	-	-	2	1	3	1	1	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	9	-	-	-	-	1	3	3	-	-	2	-	-
1970	3	1	1	-	-	-	1	-	-	-	-	-	-
1969	7	-	-	-	-	1	3	1	2	-	-	-	-
1968	12	2	-	3	-	1	-	3	2	1	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE POLIOMYELITIS (040-043)													
FEMALE													
1978	4	-	-	-	1	1	-	-	2	-	-	-	-
1977	10	-	-	-	-	-	3	2	3	2	-	-	-
1976	7	-	-	-	-	2	1	2	2	-	-	-	-
1975	2	-	-	-	-	-	1	-	1	-	-	-	-
1974	1	-	-	-	-	-	-	-	1	-	-	-	-
1973	2	-	-	-	-	-	-	2	-	-	-	-	-
1972	2	-	-	-	-	2	-	-	-	-	-	-	-
1971	9	1	-	1	-	-	1	3	3	-	-	-	-
1970	4	1	1	1	1	-	-	-	-	-	-	-	-
1969	6	2	-	1	3	-	-	-	-	-	-	-	-
1968	12	-	2	1	1	1	3	2	1	-	1	-	-
WHITE, BOTH SEXES													
1978	13	1	-	-	1	1	3	1	5	1	-	-	-
1977	15	-	-	-	-	3	3	2	5	2	-	-	-
1976	15	-	-	-	-	3	2	4	5	1	-	-	-
1975	9	-	-	-	-	-	6	-	3	-	-	-	-
1974	2	-	-	-	-	-	-	1	1	-	-	-	-
1973	10	-	-	-	-	2	1	5	1	1	-	-	-
1972	2	-	-	-	-	2	-	-	-	-	-	-	-
1971	14	-	-	-	-	-	3	6	3	-	2	-	-
1970	7	2	2	1	1	-	1	-	-	-	-	-	-
1969	10	2	-	-	2	-	3	1	2	-	-	-	-
1968	23	2	2	4	1	2	3	5	3	-	1	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE POLIOMYELITIS (040-043)													
WHITE, MALE													
1978	9	1	-	-	-	-	3	1	3	1	-	-	-
1977	6	-	-	-	-	3	1	-	2	-	-	-	-
1976	8	-	-	-	-	1	1	2	3	1	-	-	-
1975	7	-	-	-	-	-	5	-	2	-	-	-	-
1974	1	-	-	-	-	-	-	1	-	-	-	-	-
1973	8	-	-	-	-	2	1	3	1	1	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	7	-	-	-	-	-	2	3	-	-	2	-	-
1970	3	1	1	-	-	-	1	-	-	-	-	-	-
1969	6	-	-	-	-	-	3	1	2	-	-	-	-
1968	11	2	-	3	-	1	-	3	2	-	-	-	-
WHITE, FEMALE													
1978	4	-	-	-	1	1	-	-	2	-	-	-	-
1977	9	-	-	-	-	-	2	2	3	2	-	-	-
1976	7	-	-	-	-	2	1	2	2	-	-	-	-
1975	2	-	-	-	-	-	1	-	1	-	-	-	-
1974	1	-	-	-	-	-	-	-	1	-	-	-	-
1973	2	-	-	-	-	-	-	2	-	-	-	-	-
1972	2	-	-	-	-	2	-	-	-	-	-	-	-
1971	7	-	-	-	-	-	1	3	3	-	-	-	-
1970	4	1	1	1	1	-	-	-	-	-	-	-	-
1969	4	2	-	-	2	-	-	-	-	-	-	-	-
1968	12	-	2	1	1	1	3	2	1	-	1	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE POLIOMYELITIS (040-043)													
ALL OTHER, BOTH SEXES													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	1	-	-	-	-	-	1	-	-	-	-	-	-
1976	1	-	-	-	-	1	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	1	-	-	-	-	1	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	4	1	-	1	-	1	1	-	-	-	-	-	-
1970	-	-	-	-	-	-	-	-	-	-	-	-	-
1969	3	-	-	1	1	1	-	-	-	-	-	-	-
1968	1	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER, MALE													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	1	-	-	-	-	1	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	1	-	-	-	-	1	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	2	-	-	-	-	1	1	-	-	-	-	-	-
1970	-	-	-	-	-	-	-	-	-	-	-	-	-
1969	1	-	-	-	-	1	-	-	-	-	-	-	-
1968	1	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER, FEMALE													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	1	-	-	-	-	-	1	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	2	1	-	1	-	-	-	-	-	-	-	-	-
1970	-	-	-	-	-	-	-	-	-	-	-	-	-
1969	2	-	-	1	1	-	-	-	-	-	-	-	-
1968	-	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE POLIOMYELITIS (040-043)													
BLACK, BOTH SEXES													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	1	-	-	-	-	1	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	1	-	-	-	-	1	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	4	1	-	1	-	1	1	-	-	-	-	-	-
1970	-	-	-	-	-	-	-	-	-	-	-	-	-
1969	3	-	-	1	1	1	-	-	-	-	-	-	-
1968	1	-	-	-	-	-	-	-	-	1	-	-	-
BLACK, MALE													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	1	-	-	-	-	1	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	1	-	-	-	-	1	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	2	-	-	-	-	1	1	-	-	-	-	-	-
1970	-	-	-	-	-	-	-	-	-	-	-	-	-
1969	1	-	-	-	-	1	-	-	-	-	-	-	-
1968	1	-	-	-	-	-	-	-	-	1	-	-	-
BLACK, FEMALE													
1978	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	2	1	-	1	-	-	-	-	-	-	-	-	-
1970	-	-	-	-	-	-	-	-	-	-	-	-	-
1969	2	-	-	1	1	-	-	-	-	-	-	-	-
1968	-	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
BOTH SEXES													
1978	11	1	1	5	1	1	1	-	1	-	-	-	-
1977	15	2	2	6	2	1	-	2	-	-	-	-	-
1976	12	-	3	5	1	1	-	-	-	-	2	-	-
1975	20	6	4	9	1	-	-	-	-	-	-	-	-
1974	20	3	10	5	1	1	-	-	-	-	-	-	-
1973	23	4	7	7	5	-	-	-	-	-	-	-	-
1972	24	8	12	2	2	-	-	-	-	-	-	-	-
1971	90	15	42	22	3	1	-	1	1	1	3	1	-
1970	89	20	43	19	4	2	-	-	1	-	-	-	-
1969	41	9	13	13	3	1	-	-	1	-	-	1	-
1968	24	8	6	5	2	1	-	1	-	-	-	1	-
MALE													
1978	4	-	-	4	-	-	-	-	-	-	-	-	-
1977	8	2	1	4	-	-	-	1	-	-	-	-	-
1976	8	-	3	1	1	1	-	-	-	-	2	-	-
1975	7	5	-	2	-	-	-	-	-	-	-	-	-
1974	11	-	8	1	1	1	-	-	-	-	-	-	-
1973	16	4	5	5	2	-	-	-	-	-	-	-	-
1972	16	6	6	2	2	-	-	-	-	-	-	-	-
1971	34	6	17	6	-	1	-	1	1	1	-	1	-
1970	44	8	22	10	3	1	-	-	-	-	-	-	-
1969	20	3	6	7	2	-	-	-	1	-	-	1	-
1968	12	7	3	1	1	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
FEMALE													
1978	7	1	1	1	1	1	1	-	1	-	-	-	-
1977	7	-	1	2	2	1	-	1	-	-	-	-	-
1976	4	-	-	4	-	-	-	-	-	-	-	-	-
1975	13	1	4	7	1	-	-	-	-	-	-	-	-
1974	9	3	2	4	-	-	-	-	-	-	-	-	-
1973	7	-	2	2	3	-	-	-	-	-	-	-	-
1972	8	2	6	-	-	-	-	-	-	-	-	-	-
1971	56	9	25	16	3	-	-	-	-	-	3	-	-
1970	45	12	21	9	1	1	-	-	1	-	-	-	-
1969	21	6	7	6	1	1	-	-	-	-	-	-	-
1968	12	1	3	4	1	1	-	1	-	-	-	1	-
WHITE, BOTH SEXES													
1978	9	1	1	4	1	-	1	-	1	-	-	-	-
1977	15	2	2	6	2	1	-	2	-	-	-	-	-
1976	10	-	3	3	1	1	-	-	-	-	2	-	-
1975	17	5	3	8	1	-	-	-	-	-	-	-	-
1974	11	-	5	4	1	1	-	-	-	-	-	-	-
1973	19	3	4	7	5	-	-	-	-	-	-	-	-
1972	18	6	8	2	2	-	-	-	-	-	-	-	-
1971	69	10	31	19	2	1	-	1	1	1	2	1	-
1970	64	14	28	16	3	2	-	-	1	-	-	-	-
1969	31	3	10	13	2	1	-	-	1	-	-	1	-
1968	18	4	5	4	2	1	-	1	-	-	-	1	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
WHITE, MALE													
1978	3	-	-	3	-	-	-	-	-	-	-	-	-
1977	8	2	1	4	-	-	-	1	-	-	-	-	-
1976	8	-	3	1	1	1	-	-	-	-	2	-	-
1975	6	4	-	2	-	-	-	-	-	-	-	-	-
1974	7	-	4	1	1	1	-	-	-	-	-	-	-
1973	13	3	3	5	2	-	-	-	-	-	-	-	-
1972	12	4	4	2	2	-	-	-	-	-	-	-	-
1971	31	6	14	6	-	1	-	1	1	1	-	1	-
1970	32	7	14	8	2	1	-	-	-	-	-	-	-
1969	16	1	5	7	1	-	-	-	1	-	-	1	-
1968	8	4	2	1	1	-	-	-	-	-	-	-	-
WHITE, FEMALE													
1978	6	1	1	1	1	-	1	-	1	-	-	-	-
1977	7	-	1	2	2	1	-	1	-	-	-	-	-
1976	2	-	-	2	-	-	-	-	-	-	-	-	-
1975	11	1	3	6	1	-	-	-	-	-	-	-	-
1974	4	-	1	3	-	-	-	-	-	-	-	-	-
1973	6	-	1	2	3	-	-	-	-	-	-	-	-
1972	6	2	4	-	-	-	-	-	-	-	-	-	-
1971	38	4	17	13	2	-	-	-	-	-	2	-	-
1970	32	7	14	8	1	1	-	-	1	-	-	-	-
1969	15	2	5	6	1	1	-	-	-	-	-	-	-
1968	10	-	3	3	1	1	-	1	-	-	-	1	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P41

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
ALL OTHER, BOTH SEXES													
1978	2	-	-	1	-	1	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	2	-	-	2	-	-	-	-	-	-	-	-	-
1975	3	1	1	1	-	-	-	-	-	-	-	-	-
1974	9	3	5	1	-	-	-	-	-	-	-	-	-
1973	4	1	3	-	-	-	-	-	-	-	-	-	-
1972	6	2	4	-	-	-	-	-	-	-	-	-	-
1971	21	5	11	3	1	-	-	-	-	-	1	-	-
1970	25	6	15	3	1	-	-	-	-	-	-	-	-
1969	10	6	3	-	1	-	-	-	-	-	-	-	-
1968	6	4	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER, MALE													
1978	1	-	-	1	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	1	1	-	-	-	-	-	-	-	-	-	-	-
1974	4	-	4	-	-	-	-	-	-	-	-	-	-
1973	3	1	2	-	-	-	-	-	-	-	-	-	-
1972	4	2	2	-	-	-	-	-	-	-	-	-	-
1971	3	-	3	-	-	-	-	-	-	-	-	-	-
1970	12	1	8	2	1	-	-	-	-	-	-	-	-
1969	4	2	1	-	1	-	-	-	-	-	-	-	-
1968	4	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER, FEMALE													
1978	1	-	-	-	-	1	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	2	-	-	2	-	-	-	-	-	-	-	-	-
1975	2	-	1	1	-	-	-	-	-	-	-	-	-
1974	5	3	1	1	-	-	-	-	-	-	-	-	-
1973	1	-	1	-	-	-	-	-	-	-	-	-	-
1972	2	-	2	-	-	-	-	-	-	-	-	-	-
1971	18	5	8	3	1	-	-	-	-	-	1	-	-
1970	13	5	7	1	-	-	-	-	-	-	-	-	-
1969	6	4	2	-	-	-	-	-	-	-	-	-	-
1968	2	1	-	1	-	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P41

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
BLACK, BOTH SEXES													
1978	2	-	-	1	-	1	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	1	-	-	1	-	-	-	-	-	-	-	-	-
1975	2	1	1	-	-	-	-	-	-	-	-	-	-
1974	6	1	4	1	-	-	-	-	-	-	-	-	-
1973	4	1	3	-	-	-	-	-	-	-	-	-	-
1972	6	2	4	-	-	-	-	-	-	-	-	-	-
1971	16	4	7	3	1	-	-	-	-	-	1	-	-
1970	23	6	13	3	1	-	-	-	-	-	-	-	-
1969	10	6	3	-	1	-	-	-	-	-	-	-	-
1968	4	3	-	1	-	-	-	-	-	-	-	-	-
BLACK, MALE													
1978	1	-	-	1	-	-	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	-	-	-	-	-	-	-	-	-	-	-
1975	1	1	-	-	-	-	-	-	-	-	-	-	-
1974	3	-	3	-	-	-	-	-	-	-	-	-	-
1973	3	1	2	-	-	-	-	-	-	-	-	-	-
1972	4	2	2	-	-	-	-	-	-	-	-	-	-
1971	2	-	2	-	-	-	-	-	-	-	-	-	-
1970	11	1	7	2	1	-	-	-	-	-	-	-	-
1969	4	2	1	-	1	-	-	-	-	-	-	-	-
1968	2	2	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE													
1978	1	-	-	-	-	1	-	-	-	-	-	-	-
1977	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	1	-	-	1	-	-	-	-	-	-	-	-	-
1975	1	-	1	-	-	-	-	-	-	-	-	-	-
1974	3	1	1	1	-	-	-	-	-	-	-	-	-
1973	1	-	1	-	-	-	-	-	-	-	-	-	-
1972	2	-	2	-	-	-	-	-	-	-	-	-	-
1971	14	4	5	3	1	-	-	-	-	-	1	-	-
1970	12	5	6	1	-	-	-	-	-	-	-	-	-
1969	6	4	2	-	-	-	-	-	-	-	-	-	-
1968	2	1	-	1	-	-	-	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SYPHILIS AND ITS SEQUELAE (090-097)													
BOTH SEXES													
1978	169	6	-	-	-	-	5	9	23	70	44	12	-
1977	196	4	-	1	1	2	3	10	36	70	57	12	-
1976	225	4	-	2	2	1	4	18	42	83	55	14	-
1975	272	4	1	1	2	1	7	16	59	98	65	18	-
1974	300	7	-	-	2	1	4	22	65	111	77	11	-
1973	393	9	-	2	1	1	6	22	94	146	89	23	-
1972	344	2	-	-	-	4	2	18	86	132	74	26	-
1971	375	8	-	-	-	1	10	25	93	151	67	20	-
1970	461	12	-	1	4	2	16	32	114	160	105	15	-
1969	543	22	2	1	1	4	6	47	128	203	105	22	2
1968	586	15	1	-	1	5	14	62	173	188	110	16	1
MALE													
1978	88	1	-	-	-	-	1	6	14	37	23	6	-
1977	121	4	-	1	-	1	2	7	16	40	41	9	-
1976	134	1	-	2	1	1	2	13	21	47	38	8	-
1975	192	2	1	1	2	1	4	11	43	72	46	9	-
1974	175	3	-	-	2	1	2	11	40	66	47	3	-
1973	265	4	-	2	-	-	2	15	66	108	57	11	-
1972	242	2	-	-	-	4	2	10	60	96	52	16	-
1971	250	4	-	-	-	1	9	14	55	109	45	13	-
1970	289	8	-	1	3	-	5	15	76	113	61	7	-
1969	384	10	-	1	1	2	3	32	90	143	85	16	1
1968	430	9	-	-	1	5	7	42	133	142	82	8	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SYPHILIS AND ITS SEQUELAE (090-097)													
FEMALE													
1978	81	5	-	-	-	-	4	3	9	33	21	6	-
1977	75	-	-	-	1	1	1	3	20	30	16	3	-
1976	91	3	-	-	1	-	2	5	21	36	17	6	-
1975	80	2	-	-	-	-	3	5	16	26	19	9	-
1974	125	4	-	-	-	-	2	11	25	45	30	8	-
1973	128	5	-	-	1	1	4	7	28	38	32	12	-
1972	102	-	-	-	-	-	-	8	26	36	22	10	-
1971	125	4	-	-	-	-	1	11	38	42	22	7	-
1970	172	4	-	-	1	2	11	17	38	47	44	8	-
1969	159	12	2	-	-	2	3	15	38	60	20	6	1
1968	156	6	1	-	-	-	7	20	40	46	28	8	-
WHITE, BOTH SEXES													
1978	98	4	-	-	-	-	2	4	10	41	30	7	-
1977	101	1	-	1	1	2	1	3	15	36	32	9	-
1976	120	3	-	2	1	1	1	9	21	40	32	10	-
1975	161	1	1	1	2	1	6	8	27	57	46	11	-
1974	170	3	-	-	2	-	2	6	30	67	52	8	-
1973	213	4	-	2	1	-	1	7	48	82	56	12	-
1972	192	-	-	-	-	2	2	4	40	72	56	16	-
1971	218	4	-	-	-	-	5	11	50	91	46	11	-
1970	271	4	-	1	2	1	5	12	64	104	69	9	-
1969	300	11	1	1	1	3	2	11	73	109	76	11	1
1968	332	7	1	-	1	4	5	24	91	108	76	14	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SYPHILIS AND ITS SEQUELAE (090-097)													
WHITE, MALE													
1978	53	1	-	-	-	-	1	3	7	21	16	4	-
1977	62	1	-	1	-	1	1	1	8	22	20	7	-
1976	66	1	-	2	1	1	-	5	8	19	23	6	-
1975	112	1	1	1	2	1	3	5	21	40	33	4	-
1974	99	1	-	-	2	-	1	1	18	43	31	2	-
1973	146	3	-	2	-	-	1	3	31	61	38	7	-
1972	140	-	-	-	-	2	2	2	32	54	38	10	-
1971	145	3	-	-	-	-	4	7	30	63	31	7	-
1970	167	2	-	1	2	-	2	5	41	73	37	4	-
1969	213	4	-	1	1	1	1	8	52	78	60	6	1
1968	249	5	-	-	1	4	3	18	75	80	55	7	1
WHITE, FEMALE													
1978	45	3	-	-	-	-	1	1	3	20	14	3	-
1977	39	-	-	-	1	1	-	2	7	14	12	2	-
1976	54	2	-	-	-	-	1	4	13	21	9	4	-
1975	49	-	-	-	-	-	3	3	6	17	13	7	-
1974	71	2	-	-	-	-	1	5	12	24	21	6	-
1973	67	1	-	-	1	-	-	4	17	21	18	5	-
1972	52	-	-	-	-	-	-	2	8	18	18	6	-
1971	73	1	-	-	-	-	1	4	20	28	15	4	-
1970	104	2	-	-	-	1	3	7	23	31	32	5	-
1969	87	7	1	-	-	2	1	3	21	31	16	5	-
1968	83	2	1	-	-	-	2	6	16	28	21	7	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SYPHILIS AND ITS SEQUELAE (090-097)													
ALL OTHER, BOTH SEXES													
1978	71	2	-	-	-	-	3	5	13	29	14	5	-
1977	95	3	-	-	-	-	2	7	21	34	25	3	-
1976	105	1	-	-	1	-	3	9	21	43	23	4	-
1975	111	3	-	-	-	-	1	8	32	41	19	7	-
1974	130	4	-	-	-	1	2	16	35	44	25	3	-
1973	180	5	-	-	-	1	5	15	46	64	33	11	-
1972	152	2	-	-	-	2	-	14	46	60	18	10	-
1971	157	4	-	-	-	1	5	14	43	60	21	9	-
1970	190	8	-	-	2	1	11	20	50	56	36	6	-
1969	243	11	1	-	-	1	4	36	55	94	29	11	1
1968	254	8	-	-	-	1	9	38	82	80	34	2	-
ALL OTHER, MALE													
1978	35	-	-	-	-	-	-	3	7	16	7	2	-
1977	59	3	-	-	-	-	1	6	8	18	21	2	-
1976	68	-	-	-	-	-	2	8	13	28	15	2	-
1975	80	1	-	-	-	-	1	6	22	32	13	5	-
1974	76	2	-	-	-	1	1	10	22	23	16	1	-
1973	119	1	-	-	-	-	1	12	35	47	19	4	-
1972	102	2	-	-	-	2	-	8	28	42	14	6	-
1971	105	1	-	-	-	1	5	7	25	46	14	6	-
1970	122	6	-	-	1	-	3	10	35	40	24	3	-
1969	171	6	-	-	-	1	2	24	38	65	25	10	-
1968	181	4	-	-	-	1	4	24	58	62	27	1	-
ALL OTHER, FEMALE													
1978	36	2	-	-	-	-	3	2	6	13	7	3	-
1977	36	-	-	-	-	-	1	1	13	16	4	1	-
1976	37	1	-	-	1	-	1	1	8	15	8	2	-
1975	31	2	-	-	-	-	-	2	10	9	6	2	-
1974	54	2	-	-	-	-	1	6	13	21	9	2	-
1973	61	4	-	-	-	1	4	3	11	17	14	7	-
1972	50	-	-	-	-	-	-	6	18	18	4	4	-
1971	52	3	-	-	-	-	-	7	18	14	7	3	-
1970	68	2	-	-	1	1	8	10	15	16	12	3	-
1969	72	5	1	-	-	-	2	12	17	29	4	1	1
1968	73	4	-	-	-	-	5	14	24	18	7	1	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SYPHILIS AND ITS SEQUELAE (090-097)													
BLACK, BOTH SEXES													
1978	68	2	-	-	-	-	3	5	13	28	12	5	-
1977	92	2	-	-	-	-	2	7	21	34	24	2	-
1976	104	1	-	-	1	-	3	9	21	42	23	4	-
1975	107	3	-	-	-	-	1	8	30	40	19	6	-
1974	127	4	-	-	-	1	2	16	35	43	23	3	-
1973	174	5	-	-	-	1	4	15	43	64	31	11	-
1972	150	2	-	-	-	2	-	14	46	60	16	10	-
1971	149	4	-	-	-	1	5	14	41	56	20	8	-
1970	183	8	-	-	1	1	10	20	48	55	35	5	-
1969	234	10	1	-	-	1	4	35	54	89	29	10	1
1968	254	8	-	-	-	1	9	38	82	80	34	2	-
BLACK, MALE													
1978	33	-	-	-	-	-	-	3	7	15	6	2	-
1977	57	2	-	-	-	-	1	6	8	18	20	2	-
1976	67	-	-	-	-	-	2	8	13	27	15	2	-
1975	76	1	-	-	-	-	1	6	20	31	13	4	-
1974	74	2	-	-	-	1	1	10	22	23	14	1	-
1973	116	1	-	-	-	-	1	12	33	47	18	4	-
1972	100	2	-	-	-	2	-	8	28	42	12	6	-
1971	100	1	-	-	-	1	5	7	24	43	13	6	-
1970	116	6	-	-	-	-	3	10	33	39	23	2	-
1969	162	5	-	-	-	1	2	23	37	60	25	9	-
1968	181	4	-	-	-	1	4	24	58	62	27	1	-
BLACK, FEMALE													
1978	35	2	-	-	-	-	3	2	6	13	6	3	-
1977	35	-	-	-	-	-	1	1	13	16	4	-	-
1976	37	1	-	-	1	-	1	1	8	15	8	2	-
1975	31	2	-	-	-	-	-	2	10	9	6	2	-
1974	53	2	-	-	-	-	1	6	13	20	9	2	-
1973	58	4	-	-	-	1	3	3	10	17	13	7	-
1972	50	-	-	-	-	-	-	6	18	18	4	4	-
1971	49	3	-	-	-	-	-	7	17	13	7	2	-
1970	67	2	-	-	1	1	7	10	15	16	12	3	-
1969	72	5	1	-	-	-	2	12	17	29	4	1	1
1968	73	4	-	-	-	-	5	14	24	18	7	1	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER INFECTIVE AND PARASITIC DISEASES (REMAINDER OF 000-136)													
BOTH SEXES													
1978	4,813	320	113	133	262	292	307	501	724	950	774	434	3
1977	4,353	298	130	166	240	268	274	446	671	829	646	384	1
1976	4,424	316	136	196	236	252	296	470	704	746	701	371	-
1975	4,309	280	134	171	241	265	301	464	712	758	665	317	1
1974	3,990	287	171	215	261	265	301	480	564	677	518	250	1
1973	4,067	311	185	288	268	264	276	462	590	606	544	272	1
1972	3,910	310	168	276	292	262	284	424	582	580	486	242	4
1971	4,036	369	195	317	354	293	317	441	564	522	461	203	-
1970	4,093	372	231	283	390	248	313	460	558	585	443	210	-
1969	4,114	390	272	329	341	238	313	492	578	522	463	176	-
1968	4,003	405	261	290	283	237	359	464	535	554	413	202	-
MALE													
1978	2,426	171	53	69	138	130	165	273	374	512	381	160	-
1977	2,260	166	67	88	132	145	137	226	376	448	320	154	1
1976	2,254	180	77	105	136	124	137	251	380	407	327	130	-
1975	2,146	154	66	95	118	135	138	237	392	386	316	109	-
1974	2,025	154	92	114	114	126	145	249	301	387	252	90	1
1973	2,090	181	109	159	134	136	133	216	331	317	279	94	1
1972	2,006	178	98	126	130	114	140	204	322	330	258	104	2
1971	2,047	197	104	161	166	155	164	210	297	284	234	75	-
1970	2,137	213	112	152	203	119	142	242	304	335	223	92	-
1969	2,101	242	142	160	175	112	143	267	305	265	224	66	-
1968	1,993	227	130	169	137	115	182	194	282	301	188	68	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER INFECTIVE AND PARASITIC DISEASES (REMAINDER OF 000-136)													
FEMALE													
1978	2,387	149	60	64	124	162	142	228	350	438	393	274	3
1977	2,093	132	63	78	108	123	137	220	295	381	326	230	-
1976	2,170	136	59	91	100	128	159	219	324	339	374	241	-
1975	2,163	126	68	76	123	130	163	227	320	372	349	208	1
1974	1,965	133	79	101	147	139	156	231	263	290	266	160	-
1973	1,977	130	76	129	134	128	143	246	259	289	265	178	-
1972	1,904	132	70	150	162	148	144	220	260	250	228	138	2
1971	1,989	172	91	156	188	138	153	231	267	238	227	128	-
1970	1,956	159	119	131	187	129	171	218	254	250	220	118	-
1969	2,013	148	130	169	166	126	170	225	273	257	239	110	-
1968	2,010	178	131	121	146	122	177	270	253	253	225	134	-
WHITE, BOTH SEXES													
1978	3,861	231	83	111	192	190	199	371	582	820	686	393	3
1977	3,452	202	97	146	190	171	177	336	530	685	572	346	-
1976	3,544	233	113	161	179	152	180	336	580	645	619	346	-
1975	3,400	190	104	133	181	184	195	327	562	635	599	289	1
1974	3,197	224	131	189	201	188	181	370	450	575	457	231	-
1973	3,249	226	148	247	201	160	194	345	459	518	496	255	-
1972	3,104	214	132	234	210	162	198	330	478	478	438	226	4
1971	3,222	273	158	266	250	194	227	326	466	441	428	193	-
1970	3,213	262	163	245	272	158	212	365	453	490	396	197	-
1969	3,285	269	197	276	253	161	217	378	473	459	433	169	-
1968	3,188	302	205	245	213	163	234	345	438	482	371	190	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER INFECTIVE AND PARASITIC DISEASES (REMAINDER OF 000-136)													
WHITE, MALE													
1978	1,945	126	39	56	103	76	108	214	303	446	338	136	-
1977	1,808	110	45	80	108	101	90	179	304	369	285	137	-
1976	1,822	133	67	83	104	76	96	177	318	364	286	118	-
1975	1,729	105	55	74	95	101	102	169	327	322	279	100	-
1974	1,652	117	72	96	97	99	90	203	238	332	225	83	-
1973	1,689	137	90	133	107	88	94	168	267	263	253	89	-
1972	1,606	122	76	106	100	74	102	162	268	266	232	96	2
1971	1,644	155	84	131	120	101	122	159	247	241	216	68	-
1970	1,700	157	80	133	141	77	99	203	241	285	201	83	-
1969	1,698	172	102	131	130	79	109	211	257	236	210	61	-
1968	1,615	173	108	148	104	82	118	156	235	261	165	65	-
WHITE, FEMALE													
1978	1,916	105	44	55	89	114	91	157	279	374	348	257	3
1977	1,644	92	52	66	82	70	87	157	226	316	287	209	-
1976	1,722	100	46	78	75	76	84	159	262	281	333	228	-
1975	1,671	85	49	59	86	83	93	158	235	313	320	189	1
1974	1,545	107	59	93	104	89	91	167	212	243	232	148	-
1973	1,560	89	58	114	94	72	100	177	192	255	243	166	-
1972	1,498	92	56	128	110	88	96	168	210	212	206	130	2
1971	1,578	118	74	135	130	93	105	167	219	200	212	125	-
1970	1,513	105	83	112	131	81	113	162	212	205	195	114	-
1969	1,587	97	95	145	123	82	108	167	216	223	223	108	-
1968	1,573	129	97	97	109	81	116	189	203	221	206	125	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER INFECTIVE AND PARASITIC DISEASES (REMAINDER OF 000-136)													
ALL OTHER, BOTH SEXES													
1978	952	89	30	22	70	102	108	130	142	130	88	41	-
1977	901	96	33	20	50	97	97	110	141	144	74	38	1
1976	880	83	23	35	57	100	116	134	124	101	82	25	-
1975	909	90	30	38	60	81	106	137	150	123	66	28	-
1974	793	63	40	26	60	77	120	110	114	102	61	19	1
1973	818	85	37	41	67	104	82	117	131	88	48	17	1
1972	806	96	36	42	82	100	86	94	104	102	48	16	-
1971	814	96	37	51	104	99	90	115	98	81	33	10	-
1970	880	110	68	38	118	90	101	95	105	95	47	13	-
1969	829	121	75	53	88	77	96	114	105	63	30	7	-
1968	815	103	56	45	70	74	125	119	97	72	42	12	-
ALL OTHER, MALE													
1978	481	45	14	13	35	54	57	59	71	66	43	24	-
1977	452	56	22	8	24	44	47	47	72	79	35	17	1
1976	432	47	10	22	32	48	41	74	62	43	41	12	-
1975	417	49	11	21	23	34	36	68	65	64	37	9	-
1974	373	37	20	18	17	27	55	46	63	55	27	7	1
1973	401	44	19	26	27	48	39	48	64	54	26	5	1
1972	400	56	22	20	30	40	38	42	54	64	26	8	-
1971	403	42	20	30	46	54	42	51	50	43	18	7	-
1970	437	56	32	19	62	42	43	39	63	50	22	9	-
1969	403	70	40	29	45	33	34	56	48	29	14	5	-
1968	378	54	22	21	33	33	64	38	47	40	23	3	-
ALL OTHER, FEMALE													
1978	471	44	16	9	35	48	51	71	71	64	45	17	-
1977	449	40	11	12	26	53	50	63	69	65	39	21	-
1976	448	36	13	13	25	52	75	60	62	58	41	13	-
1975	492	41	19	17	37	47	70	69	85	59	29	19	-
1974	420	26	20	8	43	50	65	64	51	47	34	12	-
1973	417	41	18	15	40	56	43	69	67	34	22	12	-
1972	406	40	14	22	52	60	48	52	50	38	22	8	-
1971	411	54	17	21	58	45	48	64	48	38	15	3	-
1970	443	54	36	19	56	48	58	56	42	45	25	4	-
1969	426	51	35	24	43	44	62	58	57	34	16	2	-
1968	437	49	34	24	37	41	61	81	50	32	19	9	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER INFECTIVE AND PARASITIC DISEASES (REMAINDER OF 000-136)													
BLACK, BOTH SEXES													
1978	864	81	25	20	64	98	97	119	130	117	77	36	-
1977	817	82	28	18	48	89	92	106	129	127	69	29	-
1976	819	79	20	32	53	94	110	123	111	98	77	22	-
1975	833	72	28	35	58	79	98	131	135	114	59	24	-
1974	731	59	34	21	59	72	113	98	107	96	57	14	1
1973	757	72	36	37	65	97	75	112	122	78	46	17	-
1972	736	90	34	36	80	94	80	84	96	90	38	14	-
1971	751	88	32	44	102	96	83	108	90	73	28	7	-
1970	809	99	60	37	109	84	94	87	100	86	44	9	-
1969	775	114	64	51	83	74	91	104	101	58	28	7	-
1968	754	94	50	42	64	71	121	108	91	66	38	9	-
BLACK, MALE													
1978	435	42	10	12	33	52	50	55	64	61	34	22	-
1977	408	49	18	7	24	40	45	45	65	70	31	14	-
1976	400	44	7	20	31	45	41	66	54	42	38	12	-
1975	375	37	10	19	23	32	32	67	58	57	33	7	-
1974	339	34	16	15	17	26	50	43	58	50	24	5	1
1973	368	36	18	25	26	45	36	45	60	48	24	5	-
1972	366	50	22	18	30	36	38	40	48	54	22	8	-
1971	366	40	17	25	45	51	38	47	47	37	14	5	-
1970	405	52	30	19	57	38	40	36	60	46	21	6	-
1969	373	67	33	28	43	33	32	51	45	24	12	5	-
1968	350	49	21	20	32	32	61	33	43	37	21	1	-
BLACK, FEMALE													
1978	429	39	15	8	31	46	47	64	66	56	43	14	-
1977	409	33	10	11	24	49	47	61	64	57	38	15	-
1976	419	35	13	12	22	49	69	57	57	56	39	10	-
1975	458	35	18	16	35	47	66	64	77	57	26	17	-
1974	392	25	18	6	42	46	63	55	49	46	33	9	-
1973	389	36	18	12	39	52	39	67	62	30	22	12	-
1972	370	40	12	18	50	58	42	44	48	36	16	6	-
1971	385	48	15	19	57	45	45	61	43	36	14	2	-
1970	404	47	30	18	52	46	54	51	40	40	23	3	-
1969	402	47	31	23	40	41	59	53	56	34	16	2	-
1968	404	45	29	22	32	39	60	75	48	29	17	8	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-209) BOTH SEXES													
1978	396,992	132	599	1,500	2,588	4,795	12,071	42,767	91,348	119,623	89,520	31,999	50
1977	386,686	121	631	1,733	2,672	4,797	11,956	42,662	89,852	115,587	86,585	30,054	36
1976	377,312	98	656	1,849	2,659	4,629	11,856	43,025	87,968	111,611	84,592	28,340	29
1975	365,693	129	711	1,807	2,701	4,583	12,062	43,196	85,175	107,604	81,267	26,443	15
1974	360,472	115	785	2,001	2,707	4,450	12,529	43,762	85,255	104,846	79,313	24,673	36
1973	351,055	134	869	2,092	2,896	4,437	12,747	43,070	82,844	101,525	77,011	23,396	34
1972	345,618	150	820	2,168	2,920	4,298	13,130	42,634	81,580	99,862	75,788	22,228	40
1971	337,398	153	974	2,335	2,918	4,362	13,307	42,243	79,609	96,121	73,743	21,596	37
1970	330,730	164	1,027	2,429	2,931	4,107	13,734	42,370	78,630	93,782	71,543	19,955	58
1969	323,092	163	1,062	2,524	2,730	4,129	14,223	41,402	76,440	91,971	69,247	19,161	40
1968	318,547	164	1,171	2,589	2,731	4,096	14,396	41,593	74,792	91,240	67,415	18,308	52
MALE													
1978	215,997	63	343	866	1,590	2,347	5,343	21,599	51,075	69,880	48,159	14,704	28
1977	210,459	72	365	1,042	1,665	2,350	5,320	21,326	50,243	67,641	46,647	13,770	18
1976	205,406	52	352	1,105	1,628	2,203	5,217	21,480	49,367	65,375	45,764	12,844	19
1975	199,443	69	398	1,020	1,626	2,286	5,267	21,515	47,866	63,424	43,781	12,183	8
1974	196,746	63	434	1,161	1,653	2,121	5,429	21,901	48,049	61,499	42,963	11,452	21
1973	191,320	68	512	1,195	1,760	2,175	5,634	21,072	46,706	59,437	41,743	10,998	20
1972	188,474	74	452	1,224	1,822	2,064	5,720	20,696	46,612	58,268	41,392	10,124	26
1971	183,877	81	550	1,364	1,781	2,183	5,777	20,424	45,131	56,369	40,158	10,040	19
1970	180,157	78	578	1,389	1,817	1,987	5,952	20,552	45,004	54,741	38,695	9,333	31
1969	176,142	86	575	1,448	1,692	2,034	6,149	20,106	43,655	53,812	37,603	8,964	18
1968	173,694	80	653	1,442	1,637	2,009	6,161	20,121	42,755	53,562	36,726	8,519	29

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-209)													
FEMALE													
1978	180,995	69	256	634	998	2,448	6,728	21,168	40,273	49,743	41,361	17,295	22
1977	176,227	49	266	691	1,007	2,447	6,636	21,336	39,609	47,946	39,938	16,284	18
1976	171,906	46	304	744	1,031	2,426	6,639	21,545	38,601	46,236	38,828	15,496	10
1975	166,250	60	313	787	1,075	2,297	6,795	21,681	37,309	44,180	37,486	14,260	7
1974	163,726	52	351	840	1,054	2,329	7,100	21,861	37,206	43,347	36,350	13,221	15
1973	159,735	66	357	897	1,136	2,262	7,113	21,998	36,138	42,088	35,268	12,398	14
1972	157,144	76	368	944	1,098	2,234	7,410	21,938	34,968	41,594	34,396	12,104	14
1971	153,521	72	424	971	1,137	2,179	7,530	21,819	34,478	39,752	33,585	11,556	18
1970	150,573	86	449	1,040	1,114	2,120	7,782	21,818	33,626	39,041	32,848	10,622	27
1969	146,950	77	487	1,076	1,038	2,095	8,074	21,296	32,785	38,159	31,644	10,197	22
1968	144,853	84	518	1,147	1,094	2,087	8,235	21,472	32,037	37,678	30,689	9,789	23
WHITE, BOTH SEXES													
1978	352,039	110	515	1,251	2,194	4,086	9,887	36,041	79,785	106,581	81,877	29,683	29
1977	343,006	103	533	1,474	2,297	4,122	9,808	35,877	78,540	103,061	79,283	27,880	28
1976	335,499	84	567	1,588	2,287	4,000	9,869	36,411	77,023	99,712	77,591	26,347	20
1975	325,519	112	603	1,542	2,354	3,964	9,993	36,707	74,529	96,186	74,829	24,690	10
1974	321,169	90	695	1,727	2,321	3,842	10,387	37,265	74,787	93,585	73,413	23,029	28
1973	312,779	116	748	1,781	2,514	3,827	10,635	36,466	72,762	90,709	71,322	21,873	26
1972	309,236	122	714	1,910	2,596	3,660	10,886	36,362	72,070	89,584	70,482	20,812	38
1971	301,952	130	851	2,028	2,540	3,736	11,112	36,206	70,157	86,296	68,654	20,220	22
1970	296,502	142	890	2,154	2,571	3,530	11,462	36,429	69,610	84,318	66,712	18,655	29
1969	289,595	148	938	2,228	2,417	3,508	11,921	35,506	67,309	82,789	64,773	18,029	29
1968	285,717	139	1,030	2,298	2,404	3,485	12,103	35,852	65,918	82,192	63,067	17,195	34

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-209)													
WHITE, MALE													
1978	189,956	50	292	722	1,340	2,061	4,373	17,899	44,131	61,903	43,666	13,503	16
1977	185,152	61	315	894	1,472	2,070	4,354	17,657	43,466	59,931	42,309	12,611	12
1976	181,095	40	306	962	1,402	1,946	4,331	17,909	42,684	58,011	41,648	11,842	14
1975	176,108	59	345	886	1,422	2,023	4,333	17,986	41,433	56,369	40,011	11,236	5
1974	174,149	49	379	1,008	1,444	1,894	4,523	18,393	41,833	54,635	39,396	10,577	18
1973	169,544	59	443	1,038	1,548	1,930	4,764	17,592	40,728	52,925	38,335	10,168	14
1972	167,678	56	392	1,084	1,640	1,788	4,716	17,406	40,888	52,112	38,190	9,380	26
1971	163,916	70	500	1,190	1,574	1,936	4,859	17,326	39,547	50,489	37,107	9,308	10
1970	160,525	65	501	1,234	1,609	1,741	5,000	17,356	39,638	49,008	35,728	8,630	15
1969	157,110	77	512	1,292	1,522	1,786	5,180	17,042	38,250	48,234	34,874	8,327	14
1968	155,167	69	569	1,280	1,466	1,771	5,190	17,117	37,561	48,093	34,113	7,921	17
WHITE, FEMALE													
1978	162,083	60	223	529	854	2,025	5,514	18,142	35,654	44,678	38,211	16,180	13
1977	157,854	42	218	580	825	2,052	5,454	18,220	35,074	43,130	36,974	15,269	16
1976	154,404	44	261	626	885	2,054	5,538	18,502	34,339	41,701	35,943	14,505	6
1975	149,411	53	258	656	932	1,941	5,660	18,721	33,096	39,817	34,818	13,454	5
1974	147,020	41	316	719	877	1,948	5,864	18,872	32,954	38,950	34,017	12,452	10
1973	143,235	57	305	743	966	1,897	5,871	18,874	32,034	37,784	32,987	11,705	12
1972	141,558	66	322	826	956	1,872	6,170	18,956	31,182	37,472	32,292	11,432	12
1971	138,036	60	351	838	966	1,800	6,253	18,880	30,610	35,807	31,547	10,912	12
1970	135,977	77	389	920	962	1,789	6,462	19,073	29,972	35,310	30,984	10,025	14
1969	132,485	71	426	936	895	1,722	6,741	18,464	29,059	34,555	29,899	9,702	15
1968	130,550	70	461	1,018	938	1,714	6,913	18,735	28,357	34,099	28,954	9,274	17

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-209)													
ALL OTHER, BOTH SEXES													
1978	44,953	22	84	249	394	709	2,184	6,726	11,563	13,042	7,643	2,316	21
1977	43,680	18	98	259	375	675	2,148	6,785	11,312	12,526	7,302	2,174	8
1976	41,813	14	89	261	372	629	1,987	6,614	10,945	11,899	7,001	1,993	9
1975	40,174	17	108	265	347	619	2,069	6,489	10,646	11,418	6,438	1,753	5
1974	39,303	25	90	274	386	608	2,142	6,497	10,468	11,261	5,900	1,644	8
1973	38,276	18	121	311	382	610	2,112	6,604	10,082	10,816	5,689	1,523	8
1972	36,382	28	106	258	324	638	2,244	6,272	9,510	10,278	5,306	1,416	2
1971	35,446	23	123	307	378	626	2,195	6,037	9,452	9,825	5,089	1,376	15
1970	34,228	22	137	275	360	577	2,272	5,941	9,020	9,464	4,831	1,300	29
1969	33,497	15	124	296	313	621	2,302	5,896	9,131	9,182	4,474	1,132	11
1968	32,830	25	141	291	327	611	2,293	5,741	8,874	9,048	4,348	1,113	18
ALL OTHER, MALE													
1978	26,041	13	51	144	250	286	970	3,700	6,944	7,977	4,493	1,201	12
1977	25,307	11	50	148	193	280	966	3,669	6,777	7,710	4,338	1,159	6
1976	24,311	12	46	143	226	257	886	3,571	6,683	7,364	4,116	1,002	5
1975	23,335	10	53	134	204	263	934	3,529	6,433	7,055	3,770	947	3
1974	22,597	14	55	153	209	227	906	3,508	6,216	6,864	3,567	875	3
1973	21,776	9	69	157	212	245	870	3,480	5,978	6,512	3,408	830	6
1972	20,796	18	60	140	182	276	1,004	3,290	5,724	6,156	3,202	744	-
1971	19,961	11	50	174	207	247	918	3,098	5,584	5,880	3,051	732	9
1970	19,632	13	77	155	208	246	952	3,196	5,366	5,733	2,967	703	16
1969	19,032	9	63	156	170	248	969	3,064	5,405	5,578	2,729	637	4
1968	18,527	11	84	162	171	238	971	3,004	5,194	5,469	2,613	598	12

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-209)													
ALL OTHER, FEMALE													
1978	18,912	9	33	105	144	423	1,214	3,026	4,619	5,065	3,150	1,115	9
1977	18,373	7	48	111	182	395	1,182	3,116	4,535	4,816	2,964	1,015	2
1976	17,502	2	43	118	146	372	1,101	3,043	4,262	4,535	2,885	991	4
1975	16,839	7	55	131	143	356	1,135	2,960	4,213	4,363	2,668	806	2
1974	16,706	11	35	121	177	381	1,236	2,989	4,252	4,397	2,333	769	5
1973	16,500	9	52	154	170	365	1,242	3,124	4,104	4,304	2,281	693	2
1972	15,586	10	46	118	142	362	1,240	2,982	3,786	4,122	2,104	672	2
1971	15,485	12	73	133	171	379	1,277	2,939	3,868	3,945	2,038	644	6
1970	14,596	9	60	120	152	331	1,320	2,745	3,654	3,731	1,864	597	13
1969	14,465	6	61	140	143	373	1,333	2,832	3,726	3,604	1,745	495	7
1968	14,303	14	57	129	156	373	1,322	2,737	3,680	3,579	1,735	515	6
BLACK, BOTH SEXES													
1978	41,935	16	75	223	360	624	2,001	6,249	10,955	12,269	7,032	2,113	18
1977	40,921	12	87	226	341	613	1,982	6,386	10,728	11,780	6,803	1,955	8
1976	39,259	11	80	233	335	563	1,831	6,214	10,408	11,231	6,521	1,824	8
1975	37,715	13	101	236	325	549	1,912	6,152	10,120	10,745	5,998	1,560	4
1974	36,938	24	74	247	350	552	1,992	6,163	9,933	10,628	5,483	1,486	6
1973	36,136	15	108	292	352	557	1,978	6,294	9,625	10,212	5,303	1,392	8
1972	34,242	24	100	242	300	584	2,128	5,940	9,080	9,664	4,900	1,278	2
1971	33,433	20	113	276	343	569	2,048	5,775	9,015	9,276	4,742	1,245	11
1970	32,319	21	129	245	331	535	2,120	5,637	8,608	8,971	4,495	1,203	24
1969	31,606	12	114	263	295	580	2,173	5,608	8,710	8,678	4,140	1,023	10
1968	30,971	22	129	269	304	561	2,161	5,485	8,439	8,582	4,009	993	17

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-209)													
BLACK, MALE													
1978	24,314	9	46	128	225	251	883	3,478	6,595	7,494	4,112	1,083	10
1977	23,676	7	42	131	174	249	898	3,476	6,448	7,200	4,024	1,021	6
1976	22,810	10	42	127	206	227	827	3,376	6,367	6,917	3,802	904	5
1975	21,929	7	50	122	190	237	872	3,367	6,126	6,609	3,513	834	2
1974	21,185	14	48	135	193	206	846	3,334	5,899	6,420	3,317	770	3
1973	20,490	8	62	149	197	221	823	3,312	5,704	6,092	3,172	744	6
1972	19,484	14	56	132	168	246	948	3,116	5,462	5,748	2,946	648	-
1971	18,760	10	44	159	186	220	866	2,968	5,303	5,516	2,839	642	7
1970	18,441	13	74	133	191	231	881	3,045	5,094	5,388	2,740	638	13
1969	17,840	6	59	139	155	229	914	2,918	5,130	5,229	2,494	563	4
1968	17,349	9	76	146	161	218	923	2,871	4,897	5,146	2,376	515	11
BLACK, FEMALE													
1978	17,621	7	29	95	135	373	1,118	2,771	4,360	4,775	2,920	1,030	8
1977	17,245	5	45	95	167	364	1,084	2,910	4,280	4,580	2,779	934	2
1976	16,449	1	38	106	129	336	1,004	2,838	4,041	4,314	2,719	920	3
1975	15,786	6	51	114	135	312	1,040	2,785	3,994	4,136	2,485	726	2
1974	15,753	10	26	112	157	346	1,146	2,829	4,034	4,208	2,166	716	3
1973	15,646	7	46	143	155	336	1,155	2,982	3,921	4,120	2,131	648	2
1972	14,758	10	44	110	132	338	1,180	2,824	3,618	3,916	1,954	630	2
1971	14,673	10	69	117	157	349	1,182	2,807	3,712	3,760	1,903	603	4
1970	13,878	8	55	112	140	304	1,239	2,592	3,514	3,583	1,755	565	11
1969	13,766	6	55	124	140	351	1,259	2,690	3,580	3,449	1,646	460	6
1968	13,622	13	53	123	143	343	1,238	2,614	3,542	3,436	1,633	478	6

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX (140-149)													
BOTH SEXES													
1978	8,341	1	3	7	34	61	233	1,267	2,438	2,447	1,361	488	1
1977	8,454	1	3	12	31	50	228	1,265	2,585	2,424	1,351	500	4
1976	8,114	-	-	8	39	62	240	1,225	2,512	2,302	1,259	467	-
1975	8,135	-	3	10	31	50	220	1,310	2,467	2,337	1,243	464	-
1974	7,968	-	1	10	29	38	261	1,229	2,454	2,149	1,365	432	-
1973	7,822	-	4	15	36	44	244	1,276	2,363	2,187	1,211	442	-
1972	7,482	-	-	16	38	36	228	1,208	2,378	1,968	1,200	410	-
1971	7,725	-	3	15	28	48	252	1,277	2,398	2,015	1,248	441	-
1970	7,612	-	1	14	31	43	277	1,212	2,372	1,929	1,290	441	2
1969	7,553	1	5	11	37	48	291	1,254	2,349	1,866	1,273	416	2
1968	7,294	3	4	20	35	35	269	1,303	2,163	1,816	1,224	421	1
MALE													
1978	5,821	-	1	4	24	31	168	939	1,776	1,733	889	255	1
1977	5,929	1	2	9	18	34	167	926	1,847	1,751	885	286	3
1976	5,731	-	-	3	24	37	175	907	1,815	1,664	862	244	-
1975	5,689	-	1	8	20	26	154	941	1,762	1,724	801	252	-
1974	5,686	-	-	8	22	23	187	900	1,801	1,581	922	242	-
1973	5,553	-	2	7	26	25	171	923	1,705	1,622	827	245	-
1972	5,348	-	-	6	22	30	152	864	1,720	1,482	828	244	-
1971	5,500	-	2	9	20	34	180	893	1,756	1,528	843	235	-
1970	5,496	-	1	5	18	26	194	880	1,767	1,458	891	255	1
1969	5,566	1	3	7	26	34	201	902	1,803	1,450	897	241	1
1968	5,383	-	4	14	30	24	184	952	1,650	1,424	853	247	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX (140-149)													
FEMALE													
1978	2,520	1	2	3	10	30	65	328	662	714	472	233	-
1977	2,525	-	1	3	13	16	61	339	738	673	466	214	1
1976	2,383	-	-	5	15	25	65	318	697	638	397	223	-
1975	2,446	-	2	2	11	24	66	369	705	613	442	212	-
1974	2,282	-	1	2	7	15	74	329	653	568	443	190	-
1973	2,269	-	2	8	10	19	73	353	658	565	384	197	-
1972	2,134	-	-	10	16	6	76	344	658	486	372	166	-
1971	2,225	-	1	6	8	14	72	384	642	487	405	206	-
1970	2,116	-	-	9	13	17	83	332	605	471	399	186	1
1969	1,987	-	2	4	11	14	90	352	546	416	376	175	1
1968	1,911	3	-	6	5	11	85	351	513	392	371	174	-
WHITE, BOTH SEXES													
1978	7,161	1	3	7	25	46	137	963	2,060	2,189	1,262	467	1
1977	7,287	-	2	9	20	40	136	947	2,212	2,197	1,245	476	3
1976	6,998	-	-	6	29	46	159	893	2,177	2,065	1,178	445	-
1975	7,060	-	3	8	23	39	136	985	2,138	2,127	1,160	441	-
1974	6,998	-	1	9	21	30	167	961	2,162	1,951	1,283	413	-
1973	6,828	-	4	11	26	26	166	988	2,071	1,967	1,139	430	-
1972	6,552	-	-	14	30	20	154	940	2,078	1,804	1,116	396	-
1971	6,860	-	2	11	14	36	178	1,025	2,138	1,853	1,179	424	-
1970	6,744	-	-	12	25	30	198	990	2,107	1,763	1,201	417	1
1969	6,684	1	5	10	25	33	191	984	2,102	1,717	1,216	398	2
1968	6,487	2	4	18	28	26	192	1,053	1,936	1,661	1,164	402	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX (140-149)													
WHITE, MALE													
1978	4,935	-	1	4	16	23	90	713	1,490	1,535	824	238	1
1977	5,043	-	2	7	14	25	98	686	1,561	1,572	806	270	2
1976	4,883	-	-	2	15	24	113	657	1,560	1,478	803	231	-
1975	4,875	-	1	6	15	23	89	705	1,498	1,553	745	240	-
1974	4,968	-	-	8	17	20	119	711	1,569	1,434	858	232	-
1973	4,810	-	2	5	20	14	115	706	1,481	1,450	778	239	-
1972	4,680	-	-	6	20	20	102	672	1,486	1,360	776	238	-
1971	4,857	-	2	6	11	25	124	709	1,559	1,398	799	224	-
1970	4,853	-	-	5	14	15	139	712	1,568	1,331	824	245	-
1969	4,906	1	3	6	16	21	133	707	1,602	1,338	851	227	1
1968	4,769	-	4	14	25	18	133	762	1,463	1,303	812	234	1
WHITE, FEMALE													
1978	2,226	1	2	3	9	23	47	250	570	654	438	229	-
1977	2,244	-	-	2	6	15	38	261	651	625	439	206	1
1976	2,115	-	-	4	14	22	46	236	617	587	375	214	-
1975	2,185	-	2	2	8	16	47	280	640	574	415	201	-
1974	2,030	-	1	1	4	10	48	250	593	517	425	181	-
1973	2,018	-	2	6	6	12	51	282	590	517	361	191	-
1972	1,872	-	-	8	10	-	52	268	592	444	340	158	-
1971	2,003	-	-	5	3	11	54	316	579	455	380	200	-
1970	1,891	-	-	7	11	15	59	278	539	432	377	172	1
1969	1,778	-	2	4	9	12	58	277	500	379	365	171	1
1968	1,718	2	-	4	3	8	59	291	473	358	352	168	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX (140-149)													
ALL OTHER, BOTH SEXES													
1978	1,180	-	-	-	9	15	96	304	378	258	99	21	-
1977	1,167	1	1	3	11	10	92	318	373	227	106	24	1
1976	1,116	-	-	2	10	16	81	332	335	237	81	22	-
1975	1,075	-	-	2	8	11	84	325	329	210	83	23	-
1974	970	-	-	1	8	8	94	268	292	198	82	19	-
1973	994	-	-	4	10	18	78	288	292	220	72	12	-
1972	930	-	-	2	8	16	74	268	300	164	84	14	-
1971	865	-	1	4	14	12	74	252	260	162	69	17	-
1970	868	-	1	2	6	13	79	222	265	166	89	24	1
1969	869	-	-	1	12	15	100	270	247	149	57	18	-
1968	807	1	-	2	7	9	77	250	227	155	60	19	-
ALL OTHER, MALE													
1978	886	-	-	-	8	8	78	226	286	198	65	17	-
1977	886	1	-	2	4	9	69	240	286	179	79	16	1
1976	848	-	-	1	9	13	62	250	255	186	59	13	-
1975	814	-	-	2	5	3	65	236	264	171	56	12	-
1974	718	-	-	-	5	3	68	189	232	147	64	10	-
1973	743	-	-	2	6	11	56	217	224	172	49	6	-
1972	668	-	-	-	2	10	50	192	234	122	52	6	-
1971	643	-	-	3	9	9	56	184	197	130	44	11	-
1970	643	-	1	-	4	11	55	168	199	127	67	10	1
1969	660	-	-	1	10	13	68	195	201	112	46	14	-
1968	614	-	-	-	5	6	51	190	187	121	41	13	-
ALL OTHER, FEMALE													
1978	294	-	-	-	1	7	18	78	92	60	34	4	-
1977	281	-	1	1	7	1	23	78	87	48	27	8	-
1976	268	-	-	1	1	3	19	82	80	51	22	9	-
1975	261	-	-	-	3	8	19	89	65	39	27	11	-
1974	252	-	-	1	3	5	26	79	60	51	18	9	-
1973	251	-	-	2	4	7	22	71	68	48	23	6	-
1972	262	-	-	2	6	6	24	76	66	42	32	8	-
1971	222	-	1	1	5	3	18	68	63	32	25	6	-
1970	225	-	-	2	2	2	24	54	66	39	22	14	-
1969	209	-	-	-	2	2	32	75	46	37	11	4	-
1968	193	1	-	2	2	3	26	60	40	34	19	6	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX (140-149)													
BLACK, BOTH SEXES													
1978	1,100	-	-	-	9	10	90	287	361	241	83	19	-
1977	1,084	-	1	3	9	6	87	301	350	215	92	19	1
1976	1,046	-	-	2	10	13	70	314	319	222	75	21	-
1975	988	-	-	2	8	8	75	304	311	193	71	16	-
1974	891	-	-	1	7	5	82	254	273	180	73	16	-
1973	941	-	-	4	9	13	73	278	286	198	69	11	-
1972	862	-	-	2	8	8	64	254	284	152	78	12	-
1971	801	-	1	3	12	10	67	243	240	146	64	15	-
1970	813	-	1	1	5	11	76	215	252	147	82	22	1
1969	810	-	-	1	11	14	92	253	231	140	52	16	-
1968	752	1	-	2	7	9	76	232	213	141	54	17	-
BLACK, MALE													
1978	834	-	-	-	8	8	72	214	276	185	56	15	-
1977	826	-	-	2	4	5	64	230	269	170	69	12	1
1976	797	-	-	1	9	10	53	236	243	176	56	13	-
1975	755	-	-	2	5	3	59	221	251	155	51	8	-
1974	658	-	-	-	4	2	59	178	217	131	58	9	-
1973	700	-	-	2	5	7	53	207	220	152	48	6	-
1972	614	-	-	-	2	4	42	180	222	112	46	6	-
1971	595	-	-	2	7	8	50	177	186	115	40	10	-
1970	598	-	1	-	3	9	53	163	189	110	61	8	1
1969	614	-	-	1	9	12	61	182	190	106	41	12	-
1968	565	-	-	-	5	6	50	174	174	110	35	11	-
BLACK, FEMALE													
1978	266	-	-	-	1	2	18	73	85	56	27	4	-
1977	258	-	1	1	5	1	23	71	81	45	23	7	-
1976	249	-	-	1	1	3	17	78	76	46	19	8	-
1975	233	-	-	-	3	5	16	83	60	38	20	8	-
1974	233	-	-	1	3	3	23	76	56	49	15	7	-
1973	241	-	-	2	4	6	20	71	66	46	21	5	-
1972	248	-	-	2	6	4	22	74	62	40	32	6	-
1971	206	-	1	1	5	2	17	66	54	31	24	5	-
1970	215	-	-	1	2	2	23	52	63	37	21	14	-
1969	196	-	-	-	2	2	31	71	41	34	11	4	-
1968	187	1	-	2	2	3	26	58	39	31	19	6	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159) BOTH SEXES													
1978	105,427	6	21	25	139	551	2,018	8,523	21,440	32,826	28,539	11,323	16
1977	102,951	13	26	27	158	605	2,091	8,432	21,531	31,797	27,698	10,569	4
1976	101,729	9	23	24	136	544	2,019	8,710	21,069	31,366	27,615	10,202	12
1975	99,629	11	17	25	150	552	2,033	8,791	20,811	30,703	27,065	9,467	4
1974	98,913	9	25	38	131	554	2,143	9,007	21,128	30,345	26,467	9,054	12
1973	96,549	15	20	26	153	520	2,064	8,852	20,738	29,501	26,160	8,489	11
1972	95,808	8	10	34	146	504	2,240	8,666	20,560	29,536	25,918	8,172	14
1971	94,914	15	27	26	177	544	2,292	8,800	20,302	28,924	25,689	8,107	11
1970	94,703	15	27	23	158	487	2,295	9,048	20,640	28,949	25,376	7,670	15
1969	93,986	10	26	31	120	538	2,386	8,938	20,242	28,879	25,328	7,474	14
1968	93,563	18	19	30	135	499	2,438	9,167	20,261	29,082	24,785	7,117	12
MALE													
1978	55,215	3	14	14	67	315	1,148	5,058	12,616	18,200	13,420	4,352	8
1977	54,387	7	18	12	98	345	1,214	4,963	12,727	17,742	13,041	4,218	2
1976	53,729	7	11	12	77	308	1,111	5,119	12,337	17,423	13,372	3,944	8
1975	52,749	8	11	18	89	318	1,137	5,145	12,102	17,186	12,953	3,779	3
1974	52,290	5	11	21	75	303	1,156	5,196	12,429	16,690	12,719	3,678	7
1973	51,070	10	16	15	93	273	1,140	5,074	12,072	16,228	12,590	3,549	10
1972	51,084	6	6	20	104	278	1,206	5,002	12,348	16,172	12,752	3,180	10
1971	50,631	11	13	12	106	317	1,224	5,056	12,028	15,922	12,591	3,344	7
1970	50,555	8	19	10	106	286	1,276	5,144	12,219	15,947	12,365	3,166	9
1969	50,470	6	13	17	70	294	1,279	5,143	11,902	16,074	12,548	3,119	5
1968	50,324	9	13	19	75	273	1,350	5,153	11,922	16,177	12,433	2,896	4

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
FEMALE													
1978	50,212	3	7	11	72	236	870	3,465	8,824	14,626	15,119	6,971	8
1977	48,564	6	8	15	60	260	877	3,469	8,804	14,055	14,657	6,351	2
1976	48,000	2	12	12	59	236	908	3,591	8,732	13,943	14,243	6,258	4
1975	46,880	3	6	7	61	234	896	3,646	8,709	13,517	14,112	5,688	1
1974	46,623	4	14	17	56	251	987	3,811	8,699	13,655	13,748	5,376	5
1973	45,479	5	4	11	60	247	924	3,778	8,666	13,273	13,570	4,940	1
1972	44,724	2	4	14	42	226	1,034	3,664	8,212	13,364	13,166	4,992	4
1971	44,283	4	14	14	71	227	1,068	3,744	8,274	13,002	13,098	4,763	4
1970	44,148	7	8	13	52	201	1,019	3,904	8,421	13,002	13,011	4,504	6
1969	43,516	4	13	14	50	244	1,107	3,795	8,340	12,805	12,780	4,355	9
1968	43,239	9	6	11	60	226	1,088	4,014	8,339	12,905	12,352	4,221	8
WHITE, BOTH SEXES													
1978	92,955	5	17	19	105	432	1,572	6,870	18,294	29,009	26,113	10,510	9
1977	90,644	9	23	21	114	474	1,627	6,811	18,361	28,003	25,375	9,824	2
1976	89,748	6	21	19	94	416	1,617	7,069	18,002	27,682	25,310	9,504	8
1975	88,045	10	15	18	117	433	1,603	7,184	17,772	27,162	24,846	8,883	2
1974	87,622	7	22	29	89	428	1,720	7,414	18,098	26,816	24,497	8,492	10
1973	85,623	13	18	19	115	420	1,646	7,246	17,813	26,092	24,236	7,996	9
1972	85,390	4	6	30	120	398	1,806	7,040	17,816	26,288	24,178	7,690	14
1971	84,561	14	21	20	136	427	1,832	7,362	17,519	25,688	23,946	7,590	6
1970	84,568	14	26	17	129	387	1,832	7,521	17,899	25,863	23,674	7,199	7
1969	83,998	8	23	31	95	427	1,932	7,427	17,479	25,760	23,732	7,073	11
1968	83,654	15	18	29	106	403	1,960	7,696	17,479	25,975	23,243	6,721	9

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
WHITE, MALE													
1978	48,195	3	12	13	44	250	898	4,030	10,708	16,060	12,168	4,004	5
1977	47,265	5	15	8	69	274	934	3,976	10,782	15,508	11,822	3,871	1
1976	46,845	4	11	9	49	231	880	4,174	10,434	15,270	12,127	3,650	6
1975	46,008	7	10	14	70	246	889	4,152	10,220	15,093	11,799	3,506	2
1974	45,796	4	10	18	51	239	928	4,231	10,598	14,659	11,641	3,410	7
1973	44,875	9	14	10	70	224	910	4,139	10,334	14,243	11,609	3,305	8
1972	45,094	4	4	20	84	198	948	4,034	10,686	14,312	11,844	2,950	10
1971	44,680	10	10	9	81	254	974	4,195	10,284	14,087	11,663	3,110	3
1970	44,618	7	18	5	86	228	1,030	4,198	10,547	14,160	11,407	2,929	3
1969	44,532	5	10	17	54	230	1,032	4,223	10,178	14,208	11,652	2,918	5
1968	44,451	8	13	18	56	219	1,075	4,266	10,191	14,332	11,569	2,701	3
WHITE, FEMALE													
1978	44,760	2	5	6	61	182	674	2,840	7,586	12,949	13,945	6,506	4
1977	43,379	4	8	13	45	200	693	2,835	7,579	12,495	13,553	5,953	1
1976	42,903	2	10	10	45	185	737	2,895	7,568	12,412	13,183	5,854	2
1975	42,037	3	5	4	47	187	714	3,032	7,552	12,069	13,047	5,377	-
1974	41,826	3	12	11	38	189	792	3,183	7,500	12,157	12,856	5,082	3
1973	40,748	4	4	9	45	196	736	3,107	7,479	11,849	12,627	4,691	1
1972	40,296	-	2	10	36	200	858	3,006	7,130	11,976	12,334	4,740	4
1971	39,881	4	11	11	55	173	858	3,167	7,235	11,601	12,283	4,480	3
1970	39,950	7	8	12	43	159	802	3,323	7,352	11,703	12,267	4,270	4
1969	39,466	3	13	14	41	197	900	3,204	7,301	11,552	12,080	4,155	6
1968	39,203	7	5	11	50	184	885	3,430	7,288	11,643	11,674	4,020	6

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
ALL OTHER, BOTH SEXES													
1978	12,472	1	4	6	34	119	446	1,653	3,146	3,817	2,426	813	7
1977	12,307	4	3	6	44	131	464	1,621	3,170	3,794	2,323	745	2
1976	11,981	3	2	5	42	128	402	1,641	3,067	3,684	2,305	698	4
1975	11,584	1	2	7	33	119	430	1,607	3,039	3,541	2,219	584	2
1974	11,291	2	3	9	42	126	423	1,593	3,030	3,529	1,970	562	2
1973	10,926	2	2	7	38	100	418	1,606	2,925	3,409	1,924	493	2
1972	10,418	4	4	4	26	106	434	1,626	2,744	3,248	1,740	482	-
1971	10,353	1	6	6	41	117	460	1,438	2,783	3,236	1,743	517	5
1970	10,135	1	1	6	29	100	463	1,527	2,741	3,086	1,702	471	8
1969	9,988	2	3	-	25	111	454	1,511	2,763	3,119	1,596	401	3
1968	9,909	3	1	1	29	96	478	1,471	2,782	3,107	1,542	396	3
ALL OTHER, MALE													
1978	7,020	-	2	1	23	65	250	1,028	1,908	2,140	1,252	348	3
1977	7,122	2	3	4	29	71	280	987	1,945	2,234	1,219	347	1
1976	6,884	3	-	3	28	77	231	945	1,903	2,153	1,245	294	2
1975	6,741	1	1	4	19	72	248	993	1,882	2,093	1,154	273	1
1974	6,494	1	1	3	24	64	228	965	1,831	2,031	1,078	268	-
1973	6,195	1	2	5	23	49	230	935	1,738	1,985	981	244	2
1972	5,990	2	2	-	20	80	258	968	1,662	1,860	908	230	-
1971	5,951	1	3	3	25	63	250	861	1,744	1,835	928	234	4
1970	5,937	1	1	5	20	58	246	946	1,672	1,787	958	237	6
1969	5,938	1	3	-	16	64	247	920	1,724	1,866	896	201	-
1968	5,873	1	-	1	19	54	275	887	1,731	1,845	864	195	1
ALL OTHER, FEMALE													
1978	5,452	1	2	5	11	54	196	625	1,238	1,677	1,174	465	4
1977	5,185	2	-	2	15	60	184	634	1,225	1,560	1,104	398	1
1976	5,097	-	2	2	14	51	171	696	1,164	1,531	1,060	404	2
1975	4,843	-	1	3	14	47	182	614	1,157	1,448	1,065	311	1
1974	4,797	1	2	6	18	62	195	628	1,199	1,498	892	294	2
1973	4,731	1	-	2	15	51	188	671	1,187	1,424	943	249	-
1972	4,428	2	2	4	6	26	176	658	1,082	1,388	832	252	-
1971	4,402	-	3	3	16	54	210	577	1,039	1,401	815	283	1
1970	4,198	-	-	1	9	42	217	581	1,069	1,299	744	234	2
1969	4,050	1	-	-	9	47	207	591	1,039	1,253	700	200	3
1968	4,036	2	1	-	10	42	203	584	1,051	1,262	678	201	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
BLACK, BOTH SEXES													
1978	11,389	-	3	6	32	100	385	1,504	2,910	3,533	2,181	729	6
1977	11,304	2	2	6	40	117	416	1,484	2,954	3,512	2,115	654	2
1976	11,064	2	2	4	38	115	360	1,513	2,876	3,413	2,096	642	3
1975	10,676	1	2	5	32	99	386	1,496	2,837	3,275	2,043	499	1
1974	10,422	2	2	9	37	115	380	1,484	2,822	3,280	1,792	497	2
1973	10,151	2	2	7	32	91	386	1,503	2,761	3,179	1,746	440	2
1972	9,634	4	2	4	24	96	404	1,500	2,596	3,022	1,570	412	-
1971	9,637	-	6	6	39	104	416	1,362	2,622	3,012	1,608	459	3
1970	9,454	1	1	5	28	91	411	1,435	2,590	2,880	1,572	433	7
1969	9,234	1	3	-	24	105	414	1,404	2,614	2,879	1,439	349	2
1968	9,207	3	1	1	28	88	442	1,381	2,624	2,908	1,388	340	3
BLACK, MALE													
1978	6,358	-	2	1	21	55	214	940	1,757	1,958	1,103	304	3
1977	6,481	-	2	4	25	63	254	905	1,808	2,040	1,092	287	1
1976	6,310	2	-	2	25	71	211	881	1,778	1,965	1,112	261	2
1975	6,174	1	1	2	18	65	220	928	1,754	1,908	1,054	223	-
1974	5,935	1	1	3	23	59	202	896	1,696	1,853	974	227	-
1973	5,697	1	2	5	21	43	215	872	1,631	1,816	881	208	2
1972	5,476	2	2	-	18	76	242	876	1,566	1,694	818	182	-
1971	5,499	-	3	3	23	57	230	817	1,627	1,691	852	194	2
1970	5,491	1	1	5	20	54	216	888	1,570	1,640	872	219	5
1969	5,435	-	3	-	16	61	223	854	1,619	1,700	793	166	-
1968	5,420	1	-	1	18	53	259	835	1,618	1,715	763	156	1
BLACK, FEMALE													
1978	5,031	-	1	5	11	45	171	564	1,153	1,575	1,078	425	3
1977	4,823	2	-	2	15	54	162	579	1,146	1,472	1,023	367	1
1976	4,754	-	2	2	13	44	149	632	1,098	1,448	984	381	1
1975	4,502	-	1	3	14	34	166	568	1,083	1,367	989	276	1
1974	4,487	1	1	6	14	56	178	588	1,126	1,427	818	270	2
1973	4,454	1	-	2	11	48	171	631	1,130	1,363	865	232	-
1972	4,158	2	-	4	6	20	162	624	1,030	1,328	752	230	-
1971	4,138	-	3	3	16	47	186	545	995	1,321	756	265	1
1970	3,963	-	-	-	8	37	195	547	1,020	1,240	700	214	2
1969	3,799	1	-	-	8	44	191	550	995	1,179	646	183	2
1968	3,787	2	1	-	10	35	183	546	1,006	1,193	625	184	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-163)													
BOTH SEXES													
1978	99,898	4	3	9	46	302	2,455	13,116	29,429	33,965	17,060	3,498	11
1977	95,182	2	3	9	54	320	2,488	12,877	27,994	31,966	16,212	3,250	7
1976	91,131	1	9	9	59	275	2,457	12,631	27,201	30,158	15,326	2,998	7
1975	86,675	5	8	8	49	284	2,507	12,426	26,084	28,488	14,129	2,681	6
1974	83,475	2	6	16	42	272	2,514	12,299	25,464	26,872	13,519	2,460	9
1973	79,335	4	6	22	53	280	2,545	11,804	24,198	25,507	12,685	2,227	4
1972	76,998	8	6	18	42	238	2,652	11,648	23,460	24,578	12,342	1,994	12
1971	72,898	7	6	21	62	286	2,570	11,039	21,971	23,268	11,663	1,993	12
1970	69,517	5	8	17	54	261	2,673	10,738	21,606	21,712	10,712	1,715	16
1969	66,038	1	7	21	68	259	2,666	10,174	20,534	20,981	9,790	1,533	4
1968	63,485	6	7	24	57	255	2,587	9,851	19,497	20,258	9,482	1,449	12
MALE													
1978	74,772	2	2	6	29	186	1,567	9,135	21,869	26,488	13,123	2,357	8
1977	72,179	1	1	7	34	207	1,579	9,086	21,000	25,380	12,714	2,165	5
1976	69,617	1	5	3	43	163	1,639	9,002	20,623	24,115	12,017	2,001	5
1975	67,067	4	5	5	35	196	1,660	8,980	20,007	23,182	11,213	1,777	3
1974	65,304	1	4	8	28	172	1,730	9,049	19,843	22,035	10,772	1,656	6
1973	62,717	1	5	13	31	170	1,759	8,703	19,177	21,199	10,134	1,522	3
1972	61,160	6	4	8	30	152	1,814	8,506	18,804	20,500	9,984	1,340	12
1971	58,366	2	4	16	40	190	1,800	8,128	17,830	19,591	9,418	1,341	6
1970	56,344	4	4	8	41	186	1,907	8,070	17,791	18,522	8,630	1,168	13
1969	53,879	-	1	15	39	162	1,934	7,792	17,063	17,883	7,932	1,054	4
1968	52,178	3	1	11	39	182	1,845	7,650	16,499	17,405	7,578	955	10

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-163)													
FEMALE													
1978	25,126	2	1	3	17	116	888	3,981	7,560	7,477	3,937	1,141	3
1977	23,003	1	2	2	20	113	909	3,791	6,994	6,586	3,498	1,085	2
1976	21,514	-	4	6	16	112	818	3,629	6,578	6,043	3,309	997	2
1975	19,608	1	3	3	14	88	847	3,446	6,077	5,306	2,916	904	3
1974	18,171	1	2	8	14	100	784	3,250	5,621	4,837	2,747	804	3
1973	16,618	3	1	9	22	110	786	3,101	5,021	4,308	2,551	705	1
1972	15,838	2	2	10	12	86	838	3,142	4,656	4,078	2,358	654	-
1971	14,532	5	2	5	22	96	770	2,911	4,141	3,677	2,245	652	6
1970	13,173	1	4	9	13	75	766	2,668	3,815	3,190	2,082	547	3
1969	12,159	1	6	6	29	97	732	2,382	3,471	3,098	1,858	479	-
1968	11,307	3	6	13	18	73	742	2,201	2,998	2,853	1,904	494	2
WHITE, BOTH SEXES													
1978	88,752	4	2	8	37	251	1,987	10,928	25,823	30,702	15,744	3,257	9
1977	84,460	1	2	6	39	258	1,983	10,739	24,541	28,849	15,036	3,001	5
1976	81,234	-	9	8	55	230	2,012	10,568	24,001	27,340	14,228	2,778	5
1975	77,297	3	7	8	45	241	2,025	10,515	22,990	25,827	13,151	2,480	5
1974	74,403	2	6	13	39	232	2,040	10,328	22,482	24,356	12,606	2,292	7
1973	70,790	4	5	17	42	238	2,092	9,850	21,414	23,241	11,818	2,066	3
1972	69,034	4	6	14	40	190	2,170	9,948	20,858	22,408	11,530	1,854	12
1971	65,482	5	6	15	58	245	2,084	9,397	19,583	21,287	10,922	1,874	6
1970	62,461	4	6	15	45	218	2,165	9,189	19,341	19,839	10,039	1,591	9
1969	59,311	1	6	19	59	205	2,214	8,655	18,345	19,177	9,204	1,423	3
1968	57,229	5	6	22	51	214	2,127	8,439	17,481	18,636	8,903	1,337	8

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-163)													
WHITE, MALE													
1978	65,973	2	2	5	23	155	1,230	7,489	18,970	23,800	12,098	2,192	7
1977	63,679	-	-	4	23	166	1,247	7,467	18,221	22,815	11,750	1,983	3
1976	61,715	-	5	3	39	135	1,326	7,424	17,991	21,794	11,146	1,849	3
1975	59,518	2	5	5	32	168	1,309	7,496	17,449	20,977	10,436	1,637	2
1974	57,956	1	4	6	26	145	1,389	7,518	17,397	19,899	10,036	1,530	5
1973	55,783	1	5	11	24	139	1,440	7,169	16,850	19,309	9,427	1,406	2
1972	54,632	4	4	8	28	114	1,464	7,178	16,590	18,660	9,328	1,242	12
1971	52,363	-	4	11	37	162	1,460	6,849	15,818	17,954	8,810	1,254	4
1970	50,543	3	3	6	35	151	1,540	6,816	15,859	16,951	8,092	1,080	7
1969	48,318	-	1	14	35	130	1,589	6,541	15,212	16,357	7,469	967	3
1968	46,977	2	1	11	37	152	1,500	6,476	14,778	16,024	7,113	877	6
WHITE, FEMALE													
1978	22,779	2	-	3	14	96	757	3,439	6,853	6,902	3,646	1,065	2
1977	20,781	1	2	2	16	92	736	3,272	6,320	6,034	3,286	1,018	2
1976	19,519	-	4	5	16	95	686	3,144	6,010	5,546	3,082	929	2
1975	17,779	1	2	3	13	73	716	3,019	5,541	4,850	2,715	843	3
1974	16,447	1	2	7	13	87	651	2,810	5,085	4,457	2,570	762	2
1973	15,007	3	-	6	18	99	652	2,681	4,564	3,932	2,391	660	1
1972	14,402	-	2	6	12	76	706	2,770	4,268	3,748	2,202	612	-
1971	13,119	5	2	4	21	83	624	2,548	3,765	3,333	2,112	620	2
1970	11,918	1	3	9	10	67	625	2,373	3,482	2,888	1,947	511	2
1969	10,993	1	5	5	24	75	625	2,114	3,133	2,820	1,735	456	-
1968	10,252	3	5	11	14	62	627	1,963	2,703	2,612	1,790	460	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-163)													
ALL OTHER, BOTH SEXES													
1978	11,146	-	1	1	9	51	468	2,188	3,606	3,263	1,316	241	2
1977	10,722	1	1	3	15	62	505	2,138	3,453	3,117	1,176	249	2
1976	9,897	1	-	1	4	45	445	2,063	3,200	2,818	1,098	220	2
1975	9,378	2	1	-	4	43	482	1,911	3,094	2,661	978	201	1
1974	9,072	-	-	3	3	40	474	1,971	2,982	2,516	913	168	2
1973	8,545	-	1	5	11	42	453	1,954	2,784	2,266	867	161	1
1972	7,964	4	-	4	2	48	482	1,700	2,602	2,170	812	140	-
1971	7,416	2	-	6	4	41	486	1,642	2,388	1,981	741	119	6
1970	7,056	1	2	2	9	43	508	1,549	2,265	1,873	673	124	7
1969	6,727	-	1	2	9	54	452	1,519	2,189	1,804	586	110	1
1968	6,256	1	1	2	6	41	460	1,412	2,016	1,622	579	112	4
ALL OTHER, MALE													
1978	8,799	-	-	1	6	31	337	1,646	2,899	2,688	1,025	165	1
1977	8,500	1	1	3	11	41	332	1,619	2,779	2,565	964	182	2
1976	7,902	1	-	-	4	28	313	1,578	2,632	2,321	871	152	2
1975	7,549	2	-	-	3	28	351	1,484	2,558	2,205	777	140	1
1974	7,348	-	-	2	2	27	341	1,531	2,446	2,136	736	126	1
1973	6,934	-	-	2	7	31	319	1,534	2,327	1,890	707	116	1
1972	6,528	2	-	-	2	38	350	1,328	2,214	1,840	656	98	-
1971	6,003	2	-	5	3	28	340	1,279	2,012	1,637	608	87	2
1970	5,801	1	1	2	6	35	367	1,254	1,932	1,571	538	88	6
1969	5,561	-	-	1	4	32	345	1,251	1,851	1,526	463	87	1
1968	5,201	1	-	-	2	30	345	1,174	1,721	1,381	465	78	4
ALL OTHER, FEMALE													
1978	2,347	-	1	-	3	20	131	542	707	575	291	76	1
1977	2,222	-	-	-	4	21	173	519	674	552	212	67	-
1976	1,995	-	-	1	-	17	132	485	568	497	227	68	-
1975	1,829	-	1	-	1	15	131	427	536	456	201	61	-
1974	1,724	-	-	1	1	13	133	440	536	380	177	42	1
1973	1,611	-	1	3	4	11	134	420	457	376	160	45	-
1972	1,436	2	-	4	-	10	132	372	388	330	156	42	-
1971	1,413	-	-	1	1	13	146	363	376	344	133	32	4
1970	1,255	-	1	-	3	8	141	295	333	302	135	36	1
1969	1,166	-	1	1	5	22	107	268	338	278	123	23	-
1968	1,055	-	1	2	4	11	115	238	295	241	114	34	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-163)													
BLACK, BOTH SEXES													
1978	10,500	-	1	1	9	47	441	2,095	3,463	3,055	1,181	206	1
1977	10,178	1	-	3	11	58	485	2,071	3,314	2,946	1,080	207	2
1976	9,356	1	-	1	4	38	425	1,981	3,074	2,649	1,000	181	2
1975	8,911	1	1	-	4	36	469	1,849	2,978	2,514	888	170	1
1974	8,618	-	-	2	2	37	455	1,904	2,865	2,368	844	140	1
1973	8,116	-	1	5	9	37	438	1,892	2,673	2,135	790	135	1
1972	7,546	4	-	4	2	44	470	1,648	2,506	2,034	712	122	-
1971	7,037	2	-	6	4	38	467	1,593	2,303	1,843	679	98	4
1970	6,703	1	2	2	9	43	490	1,496	2,166	1,772	611	105	6
1969	6,395	-	-	2	8	50	436	1,473	2,104	1,705	525	91	1
1968	5,892	1	-	2	5	37	445	1,364	1,922	1,517	504	91	4
BLACK, MALE													
1978	8,323	-	-	1	6	28	317	1,584	2,796	2,523	928	140	-
1977	8,101	1	-	3	8	37	319	1,571	2,682	2,428	897	153	2
1976	7,479	1	-	-	4	23	301	1,513	2,530	2,187	791	127	2
1975	7,190	1	-	-	3	24	341	1,442	2,465	2,088	708	117	1
1974	7,009	-	-	2	1	26	330	1,483	2,363	2,014	683	106	1
1973	6,611	-	-	2	5	29	309	1,488	2,241	1,786	651	99	1
1972	6,208	2	-	-	2	34	340	1,288	2,134	1,748	578	82	-
1971	5,700	2	-	5	3	25	331	1,244	1,939	1,526	556	67	2
1970	5,508	1	1	2	6	35	353	1,209	1,850	1,485	490	71	5
1969	5,302	-	-	1	3	31	338	1,218	1,777	1,445	418	70	1
1968	4,905	1	-	-	2	28	332	1,140	1,638	1,291	405	64	4
BLACK, FEMALE													
1978	2,177	-	1	-	3	19	124	511	667	532	253	66	1
1977	2,077	-	-	-	3	21	166	500	632	518	183	54	-
1976	1,877	-	-	1	-	15	124	468	544	462	209	54	-
1975	1,721	-	1	-	1	12	128	407	513	426	180	53	-
1974	1,609	-	-	-	1	11	125	421	502	354	161	34	-
1973	1,505	-	1	3	4	8	129	404	432	349	139	36	-
1972	1,338	2	-	4	-	10	130	360	372	286	134	40	-
1971	1,337	-	-	1	1	13	136	349	364	317	123	31	2
1970	1,195	-	1	-	3	8	137	287	316	287	121	34	1
1969	1,093	-	-	1	5	19	98	255	327	260	107	21	-
1968	987	-	-	2	3	9	113	224	284	226	99	27	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF BREAST (174)													
BOTH SEXES													
1978	34,609	4	-	-	26	561	2,120	6,125	9,105	8,445	5,803	2,416	4
1977	34,762	-	-	1	16	608	2,081	6,313	8,988	8,503	5,816	2,433	3
1976	33,403	-	1	-	16	523	2,047	6,259	8,748	8,039	5,555	2,214	1
1975	32,435	2	-	1	24	518	2,172	6,210	8,330	7,691	5,439	2,048	-
1974	32,424	-	-	2	26	542	2,171	6,408	8,424	7,536	5,316	1,998	1
1973	32,143	-	-	3	31	495	2,244	6,438	8,291	7,630	5,156	1,855	-
1972	31,460	-	-	-	16	524	2,250	6,508	8,178	7,240	4,974	1,766	4
1971	30,277	2	-	-	31	465	2,302	6,267	7,935	6,713	4,866	1,693	3
1970	29,917	1	-	-	18	501	2,429	6,371	7,655	6,642	4,757	1,538	5
1969	29,083	-	-	1	23	424	2,440	6,216	7,601	6,498	4,419	1,459	2
1968	29,081	2	1	1	14	467	2,545	6,285	7,371	6,498	4,438	1,453	6
MALE													
1978	280	1	-	-	1	1	9	31	63	84	60	30	-
1977	281	-	-	1	1	-	11	35	74	76	62	21	-
1976	284	-	1	-	-	4	9	28	56	95	67	24	-
1975	277	-	-	-	-	2	12	26	73	81	57	26	-
1974	292	-	-	2	2	2	11	29	75	78	64	29	-
1973	293	-	-	-	-	5	11	38	75	82	65	17	-
1972	298	-	-	-	-	2	10	34	80	96	62	14	-
1971	308	-	-	-	-	1	10	50	75	86	71	15	-
1970	265	1	-	-	-	2	7	43	54	76	66	16	-
1969	253	-	-	-	2	2	12	31	55	78	57	16	-
1968	265	-	-	-	-	3	17	37	60	74	56	18	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF BREAST (174)													
FEMALE													
1978	34,329	3	-	-	25	560	2,111	6,094	9,042	8,361	5,743	2,386	4
1977	34,481	-	-	-	15	608	2,070	6,278	8,914	8,427	5,754	2,412	3
1976	33,119	-	-	-	16	519	2,038	6,231	8,692	7,944	5,488	2,190	1
1975	32,158	2	-	1	24	516	2,160	6,184	8,257	7,610	5,382	2,022	-
1974	32,132	-	-	-	24	540	2,160	6,379	8,349	7,458	5,252	1,969	1
1973	31,850	-	-	3	31	490	2,233	6,400	8,216	7,548	5,091	1,838	-
1972	31,162	-	-	-	16	522	2,240	6,474	8,098	7,144	4,912	1,752	4
1971	29,969	2	-	-	31	464	2,292	6,217	7,860	6,627	4,795	1,678	3
1970	29,652	-	-	-	18	499	2,422	6,328	7,601	6,566	4,691	1,522	5
1969	28,830	-	-	1	21	422	2,428	6,185	7,546	6,420	4,362	1,443	2
1968	28,816	2	1	1	14	464	2,528	6,248	7,311	6,424	4,382	1,435	6
WHITE, BOTH SEXES													
1978	31,285	4	-	-	20	461	1,746	5,384	8,256	7,757	5,398	2,257	2
1977	31,457	-	-	1	13	501	1,770	5,521	8,131	7,792	5,438	2,287	3
1976	30,439	-	-	-	12	445	1,724	5,581	7,985	7,428	5,193	2,070	1
1975	29,561	2	-	1	17	448	1,840	5,527	7,549	7,092	5,137	1,948	-
1974	29,408	-	-	2	11	452	1,815	5,634	7,666	6,908	5,039	1,880	1
1973	29,264	-	-	2	26	409	1,886	5,709	7,582	6,995	4,904	1,751	-
1972	28,686	-	-	-	12	438	1,880	5,804	7,508	6,652	4,704	1,684	4
1971	27,643	2	-	-	27	376	1,989	5,567	7,249	6,199	4,623	1,609	2
1970	27,449	-	-	-	12	405	2,093	5,742	7,064	6,171	4,505	1,456	1
1969	26,557	-	-	1	16	343	2,068	5,561	6,966	5,999	4,202	1,400	1
1968	26,547	2	1	1	11	381	2,197	5,617	6,754	6,002	4,209	1,366	6

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF BREAST (174)													
WHITE, MALE													
1978	239	1	-	-	1	1	8	28	53	68	54	25	-
1977	247	-	-	1	1	-	8	30	65	72	50	20	-
1976	239	-	-	-	-	2	9	21	45	83	57	22	-
1975	248	-	-	-	-	2	11	20	63	74	53	25	-
1974	252	-	-	2	1	2	8	24	66	69	56	24	-
1973	255	-	-	-	-	4	10	31	62	74	61	13	-
1972	244	-	-	-	-	2	6	24	60	80	58	14	-
1971	279	-	-	-	-	1	10	44	70	74	66	14	-
1970	232	-	-	-	-	2	5	36	47	67	60	15	-
1969	223	-	-	-	2	2	9	26	50	68	52	14	-
1968	226	-	-	-	-	3	13	34	50	64	49	13	-
WHITE, FEMALE													
1978	31,046	3	-	-	19	460	1,738	5,356	8,203	7,689	5,344	2,232	2
1977	31,210	-	-	-	12	501	1,762	5,491	8,066	7,720	5,388	2,267	3
1976	30,200	-	-	-	12	443	1,715	5,560	7,940	7,345	5,136	2,048	1
1975	29,313	2	-	1	17	446	1,829	5,507	7,486	7,018	5,084	1,923	-
1974	29,156	-	-	-	10	450	1,807	5,610	7,600	6,839	4,983	1,856	1
1973	29,009	-	-	2	26	405	1,876	5,678	7,520	6,921	4,843	1,738	-
1972	28,442	-	-	-	12	436	1,874	5,780	7,448	6,572	4,646	1,670	4
1971	27,364	2	-	-	27	375	1,979	5,523	7,179	6,125	4,557	1,595	2
1970	27,217	-	-	-	12	403	2,088	5,706	7,017	6,104	4,445	1,441	1
1969	26,334	-	-	1	14	341	2,059	5,535	6,916	5,931	4,150	1,386	1
1968	26,321	2	1	1	11	378	2,184	5,583	6,704	5,938	4,160	1,353	6

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF BREAST (174)													
ALL OTHER, BOTH SEXES													
1978	3,324	-	-	-	6	100	374	741	849	688	405	159	2
1977	3,305	-	-	-	3	107	311	792	857	711	378	146	-
1976	2,964	-	1	-	4	78	323	678	763	611	362	144	-
1975	2,874	-	-	-	7	70	332	683	781	599	302	100	-
1974	3,016	-	-	-	15	90	356	774	758	628	277	118	-
1973	2,879	-	-	1	5	86	358	729	709	635	252	104	-
1972	2,774	-	-	-	4	86	370	704	670	588	270	82	-
1971	2,634	-	-	-	4	89	313	700	686	514	243	84	1
1970	2,468	1	-	-	6	96	336	629	591	471	252	82	4
1969	2,526	-	-	-	7	81	372	655	635	499	217	59	1
1968	2,534	-	-	-	3	86	348	668	617	496	229	87	-
ALL OTHER, MALE													
1978	41	-	-	-	-	-	1	3	10	16	6	5	-
1977	34	-	-	-	-	-	3	5	9	4	12	1	-
1976	45	-	1	-	-	2	-	7	11	12	10	2	-
1975	29	-	-	-	-	-	1	6	10	7	4	1	-
1974	40	-	-	-	1	-	3	5	9	9	8	5	-
1973	38	-	-	-	-	1	1	7	13	8	4	4	-
1972	54	-	-	-	-	-	4	10	20	16	4	-	-
1971	29	-	-	-	-	-	-	6	5	12	5	1	-
1970	33	1	-	-	-	-	2	7	7	9	6	1	-
1969	30	-	-	-	-	-	3	5	5	10	5	2	-
1968	39	-	-	-	-	-	4	3	10	10	7	5	-
ALL OTHER, FEMALE													
1978	3,283	-	-	-	6	100	373	738	839	672	399	154	2
1977	3,271	-	-	-	3	107	308	787	848	707	366	145	-
1976	2,919	-	-	-	4	76	323	671	752	599	352	142	-
1975	2,845	-	-	-	7	70	331	677	771	592	298	99	-
1974	2,976	-	-	-	14	90	353	769	749	619	269	113	-
1973	2,841	-	-	1	5	85	357	722	696	627	248	100	-
1972	2,720	-	-	-	4	86	366	694	650	572	266	82	-
1971	2,605	-	-	-	4	89	313	694	681	502	238	83	1
1970	2,435	-	-	-	6	96	334	622	584	462	246	81	4
1969	2,496	-	-	-	7	81	369	650	630	489	212	57	1
1968	2,495	-	-	-	3	86	344	665	607	486	222	82	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF BREAST (174)													
BLACK, BOTH SEXES													
1978	3,136	-	-	-	6	94	350	680	804	656	395	149	2
1977	3,145	-	-	-	3	100	292	735	816	682	373	144	-
1976	2,836	-	1	-	3	73	303	639	726	595	355	141	-
1975	2,721	-	-	-	7	67	312	640	745	563	294	93	-
1974	2,885	-	-	-	15	80	341	733	724	610	266	116	-
1973	2,775	-	-	1	5	82	338	700	684	615	248	102	-
1972	2,670	-	-	-	4	84	354	662	646	574	266	80	-
1971	2,541	-	-	-	4	84	299	677	664	496	239	77	1
1970	2,361	1	-	-	6	86	320	597	569	459	238	81	4
1969	2,445	-	-	-	7	78	359	622	619	489	211	59	1
1968	2,448	-	-	-	3	79	326	642	595	490	226	87	-
BLACK, MALE													
1978	39	-	-	-	-	-	1	2	10	15	6	5	-
1977	31	-	-	-	-	-	3	4	7	4	12	1	-
1976	43	-	1	-	-	2	-	7	11	12	9	1	-
1975	29	-	-	-	-	-	1	6	10	7	4	1	-
1974	39	-	-	-	1	-	3	4	9	9	8	5	-
1973	36	-	-	-	-	1	1	7	13	7	4	3	-
1972	50	-	-	-	-	-	4	8	18	16	4	-	-
1971	26	-	-	-	-	-	-	5	5	11	5	-	-
1970	30	1	-	-	-	-	1	7	7	9	4	1	-
1969	29	-	-	-	-	-	3	4	5	10	5	2	-
1968	38	-	-	-	-	-	4	3	9	10	7	5	-
BLACK, FEMALE													
1978	3,097	-	-	-	6	94	349	678	794	641	389	144	2
1977	3,114	-	-	-	3	100	289	731	809	678	361	143	-
1976	2,793	-	-	-	3	71	303	632	715	583	346	140	-
1975	2,692	-	-	-	7	67	311	634	735	556	290	92	-
1974	2,846	-	-	-	14	80	338	729	715	601	258	111	-
1973	2,739	-	-	1	5	81	337	693	671	608	244	99	-
1972	2,620	-	-	-	4	84	350	654	628	558	262	80	-
1971	2,515	-	-	-	4	84	299	672	659	485	234	77	1
1970	2,331	-	-	-	6	86	319	590	562	450	234	80	4
1969	2,416	-	-	-	7	78	356	618	614	479	206	57	1
1968	2,410	-	-	-	3	79	322	639	586	480	219	82	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (180-187) BOTH SEXES													
1978	45,131	-	2	11	252	587	1,227	3,524	7,928	13,258	12,984	5,348	10
1977	44,273	1	5	20	281	627	1,179	3,506	8,145	12,893	12,673	4,939	4
1976	44,461	-	4	31	283	649	1,320	3,885	8,013	12,788	12,824	4,660	4
1975	42,994	-	7	20	283	621	1,332	4,047	7,704	12,432	12,137	4,408	3
1974	43,111	1	12	29	312	653	1,570	4,200	8,050	12,242	11,897	4,138	7
1973	42,591	-	12	27	312	642	1,519	4,363	7,879	11,994	11,857	3,979	7
1972	42,366	-	12	34	324	672	1,580	4,442	7,842	12,044	11,652	3,760	4
1971	42,017	2	13	24	312	681	1,740	4,530	7,929	11,662	11,429	3,688	7
1970	41,190	1	10	48	317	630	1,767	4,524	7,708	11,625	11,159	3,394	7
1969	41,008	2	11	38	303	649	1,951	4,696	7,794	11,392	10,878	3,291	3
1968	40,936	2	8	49	268	666	2,001	4,675	7,816	11,532	10,693	3,217	9
MALE													
1978	22,480	-	2	4	156	185	112	372	2,284	6,948	8,635	3,775	7
1977	21,723	-	5	7	199	232	113	337	2,395	6,679	8,303	3,452	1
1976	21,332	-	4	17	182	238	134	410	2,291	6,564	8,253	3,237	2
1975	20,417	-	6	3	177	235	135	376	2,179	6,357	7,914	3,034	1
1974	20,192	1	7	8	203	240	142	415	2,252	6,292	7,778	2,850	4
1973	19,864	-	9	9	207	227	151	419	2,220	6,066	7,751	2,803	2
1972	19,190	-	12	12	212	218	112	370	2,160	5,968	7,542	2,582	2
1971	18,861	1	11	3	196	250	182	407	2,145	5,715	7,408	2,538	5
1970	18,286	1	8	15	214	215	153	383	2,009	5,636	7,294	2,355	3
1969	17,861	2	6	12	178	220	175	391	2,015	5,556	7,040	2,264	2
1968	17,810	1	6	13	144	218	162	424	2,021	5,673	6,889	2,254	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (180-187)													
FEMALE													
1978	22,651	-	-	7	96	402	1,115	3,152	5,644	6,310	4,349	1,573	3
1977	22,550	1	-	13	82	395	1,066	3,169	5,750	6,214	4,370	1,487	3
1976	23,129	-	-	14	101	411	1,186	3,475	5,722	6,224	4,571	1,423	2
1975	22,577	-	1	17	106	386	1,197	3,671	5,525	6,075	4,223	1,374	2
1974	22,919	-	5	21	109	413	1,428	3,785	5,798	5,950	4,119	1,288	3
1973	22,727	-	3	18	105	415	1,368	3,944	5,659	5,928	4,106	1,176	5
1972	23,176	-	-	22	112	454	1,468	4,072	5,682	6,076	4,110	1,178	2
1971	23,156	1	2	21	116	431	1,558	4,123	5,784	5,947	4,021	1,150	2
1970	22,904	-	2	33	103	415	1,614	4,141	5,699	5,989	3,865	1,039	4
1969	23,147	-	5	26	125	429	1,776	4,305	5,779	5,836	3,838	1,027	1
1968	23,126	1	2	36	124	448	1,839	4,251	5,795	5,859	3,804	963	4
WHITE, BOTH SEXES													
1978	38,616	-	1	9	219	487	974	2,969	6,692	11,161	11,309	4,792	3
1977	37,964	1	4	15	256	541	922	2,935	6,872	10,878	11,104	4,433	3
1976	38,203	-	4	26	255	547	1,073	3,279	6,716	10,832	11,276	4,192	3
1975	36,923	-	7	15	261	516	1,068	3,382	6,488	10,495	10,733	3,957	1
1974	37,051	1	10	25	277	548	1,251	3,570	6,776	10,295	10,565	3,730	3
1973	36,449	-	10	22	277	529	1,204	3,602	6,585	10,109	10,516	3,590	5
1972	36,450	-	10	32	294	548	1,246	3,732	6,590	10,164	10,434	3,396	4
1971	36,075	-	11	21	277	563	1,358	3,781	6,633	9,852	10,224	3,350	5
1970	35,473	1	9	39	271	521	1,402	3,775	6,476	9,850	10,040	3,087	2
1969	35,336	1	9	29	276	531	1,571	3,935	6,432	9,743	9,807	3,000	2
1968	35,179	2	6	42	238	533	1,614	3,903	6,446	9,789	9,662	2,941	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (180-187)													
WHITE, MALE													
1978	18,925	-	1	4	144	174	102	300	1,777	5,675	7,389	3,358	1
1977	18,350	-	4	6	192	227	102	260	1,890	5,422	7,174	3,072	1
1976	18,041	-	4	14	177	229	121	336	1,782	5,344	7,145	2,887	2
1975	17,249	-	6	1	173	228	122	291	1,718	5,147	6,877	2,686	-
1974	17,141	1	6	8	197	237	133	336	1,771	5,100	6,795	2,555	2
1973	16,911	-	8	8	198	220	141	330	1,739	4,969	6,791	2,506	1
1972	16,268	-	10	12	206	210	100	276	1,672	4,848	6,626	2,306	2
1971	16,090	-	11	2	188	244	168	320	1,670	4,657	6,543	2,284	3
1970	15,613	1	8	11	198	206	146	283	1,595	4,570	6,462	2,132	1
1969	15,297	1	5	9	172	214	162	304	1,540	4,594	6,240	2,055	1
1968	15,250	1	4	13	140	206	150	317	1,547	4,656	6,160	2,054	2
WHITE, FEMALE													
1978	19,691	-	-	5	75	313	872	2,669	4,915	5,486	3,920	1,434	2
1977	19,614	1	-	9	64	314	820	2,675	4,982	5,456	3,930	1,361	2
1976	20,162	-	-	12	78	318	952	2,943	4,934	5,488	4,131	1,305	1
1975	19,674	-	1	14	88	288	946	3,091	4,770	5,348	3,856	1,271	1
1974	19,910	-	4	17	80	311	1,118	3,234	5,005	5,195	3,770	1,175	1
1973	19,538	-	2	14	79	309	1,063	3,272	4,846	5,140	3,725	1,084	4
1972	20,182	-	-	20	88	338	1,146	3,456	4,918	5,316	3,808	1,090	2
1971	19,985	-	-	19	89	319	1,190	3,461	4,963	5,195	3,681	1,066	2
1970	19,860	-	1	28	73	315	1,256	3,492	4,881	5,280	3,578	955	1
1969	20,039	-	4	20	104	317	1,409	3,631	4,892	5,149	3,567	945	1
1968	19,929	1	2	29	98	327	1,464	3,586	4,899	5,133	3,502	887	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (180-187)													
ALL OTHER, BOTH SEXES													
1978	6,515	-	1	2	33	100	253	555	1,236	2,097	1,675	556	7
1977	6,309	-	1	5	25	86	257	571	1,273	2,015	1,569	506	1
1976	6,258	-	-	5	28	102	247	606	1,297	1,956	1,548	468	1
1975	6,071	-	-	5	22	105	264	665	1,216	1,937	1,404	451	2
1974	6,060	-	2	4	35	105	319	630	1,274	1,947	1,332	408	4
1973	6,142	-	2	5	35	113	315	761	1,294	1,885	1,341	389	2
1972	5,916	-	2	2	30	124	334	710	1,252	1,880	1,218	364	-
1971	5,942	2	2	3	35	118	382	749	1,296	1,810	1,205	338	2
1970	5,717	-	1	9	46	109	365	749	1,232	1,775	1,119	307	5
1969	5,672	1	2	9	27	118	380	761	1,362	1,649	1,071	291	1
1968	5,757	-	2	7	30	133	387	772	1,370	1,743	1,031	276	6
ALL OTHER, MALE													
1978	3,555	-	1	-	12	11	10	72	507	1,273	1,246	417	6
1977	3,373	-	1	1	7	5	11	77	505	1,257	1,129	380	-
1976	3,291	-	-	3	5	9	13	74	509	1,220	1,108	350	-
1975	3,168	-	-	2	4	7	13	85	461	1,210	1,037	348	1
1974	3,051	-	1	-	6	3	9	79	481	1,192	983	295	2
1973	2,953	-	1	1	9	7	10	89	481	1,097	960	297	1
1972	2,922	-	2	-	6	8	12	94	488	1,120	916	276	-
1971	2,771	1	-	1	8	6	14	87	475	1,058	865	254	2
1970	2,673	-	-	4	16	9	7	100	414	1,066	832	223	2
1969	2,564	1	1	3	6	6	13	87	475	962	800	209	1
1968	2,560	-	2	-	4	12	12	107	474	1,017	729	200	3
ALL OTHER, FEMALE													
1978	2,960	-	-	2	21	89	243	483	729	824	429	139	1
1977	2,936	-	-	4	18	81	246	494	768	758	440	126	1
1976	2,967	-	-	2	23	93	234	532	788	736	440	118	1
1975	2,903	-	-	3	18	98	251	580	755	727	367	103	1
1974	3,009	-	1	4	29	102	310	551	793	755	349	113	2
1973	3,189	-	1	4	26	106	305	672	813	788	381	92	1
1972	2,994	-	-	2	24	116	322	616	764	760	302	88	-
1971	3,171	1	2	2	27	112	368	662	821	752	340	84	-
1970	3,044	-	1	5	30	100	358	649	818	709	287	84	3
1969	3,108	-	1	6	21	112	367	674	887	687	271	82	-
1968	3,197	-	-	7	26	121	375	665	896	726	302	76	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (180-187)													
BLACK, BOTH SEXES													
1978	6,219	-	1	2	28	85	231	507	1,185	2,032	1,614	528	6
1977	6,054	-	1	5	21	81	235	536	1,219	1,950	1,523	482	1
1976	6,020	-	-	4	24	96	227	569	1,256	1,891	1,502	450	1
1975	5,845	-	-	3	19	94	243	630	1,175	1,892	1,354	433	2
1974	5,815	-	2	3	33	98	291	593	1,232	1,890	1,291	379	3
1973	5,938	-	2	5	30	99	291	733	1,254	1,837	1,310	375	2
1972	5,710	-	2	2	26	118	322	674	1,224	1,826	1,178	338	-
1971	5,716	1	2	3	29	107	355	714	1,260	1,764	1,157	322	2
1970	5,511	-	1	8	43	102	341	702	1,200	1,735	1,083	291	5
1969	5,482	-	2	9	25	110	362	730	1,321	1,610	1,029	283	1
1968	5,575	-	2	7	27	124	365	744	1,338	1,700	1,004	258	6
BLACK, MALE													
1978	3,436	-	1	-	9	8	8	69	495	1,243	1,201	397	5
1977	3,259	-	1	1	5	3	11	73	495	1,211	1,096	363	-
1976	3,198	-	-	3	4	8	13	68	503	1,185	1,075	339	-
1975	3,093	-	-	1	3	6	12	84	454	1,189	1,011	332	1
1974	2,961	-	1	-	6	2	9	78	475	1,157	957	274	2
1973	2,877	-	1	1	6	4	9	88	471	1,072	937	287	1
1972	2,830	-	2	-	4	6	12	92	480	1,088	888	258	-
1971	2,693	1	-	1	5	4	14	84	466	1,037	837	242	2
1970	2,601	-	-	4	15	9	7	95	405	1,051	803	210	2
1969	2,492	-	1	3	5	4	13	87	467	943	765	203	1
1968	2,494	-	2	-	3	8	11	105	466	997	710	189	3
BLACK, FEMALE													
1978	2,783	-	-	2	19	77	223	438	690	789	413	131	1
1977	2,795	-	-	4	16	78	224	463	724	739	427	119	1
1976	2,822	-	-	1	20	88	214	501	753	706	427	111	1
1975	2,752	-	-	2	16	88	231	546	721	703	343	101	1
1974	2,854	-	1	3	27	96	282	515	757	733	334	105	1
1973	3,061	-	1	4	24	95	282	645	783	765	373	88	1
1972	2,880	-	-	2	22	112	310	582	744	738	290	80	-
1971	3,023	-	2	2	24	103	341	630	794	727	320	80	-
1970	2,910	-	1	4	28	93	334	607	795	684	280	81	3
1969	2,990	-	1	6	20	106	349	643	854	667	264	80	-
1968	3,081	-	-	7	24	116	354	639	872	703	294	69	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188, 189) BOTH SEXES													
1978	17,574	9	28	48	33	79	275	1,276	3,359	5,432	4,953	2,082	-
1977	17,382	4	32	33	28	71	308	1,381	3,304	5,410	4,902	1,907	2
1976	16,980	7	37	55	34	77	273	1,363	3,329	5,187	4,779	1,838	1
1975	16,533	12	38	43	41	66	296	1,335	3,258	5,144	4,589	1,711	-
1974	16,457	3	44	48	35	78	294	1,357	3,301	5,164	4,607	1,525	1
1973	15,877	7	54	79	28	66	273	1,284	3,260	4,872	4,435	1,518	1
1972	15,738	16	60	74	42	38	316	1,274	3,146	4,934	4,350	1,488	-
1971	15,288	8	54	70	39	65	278	1,350	3,120	4,726	4,220	1,357	1
1970	15,514	8	61	72	39	57	329	1,322	3,247	4,681	4,353	1,342	3
1969	14,897	16	64	84	20	64	310	1,313	3,137	4,596	4,100	1,191	2
1968	14,792	9	77	112	35	62	341	1,321	3,054	4,659	3,969	1,149	4
MALE													
1978	11,580	5	15	21	16	44	187	928	2,356	3,739	3,155	1,114	-
1977	11,442	4	14	15	13	39	202	969	2,303	3,692	3,155	1,035	1
1976	11,283	5	17	24	18	42	176	948	2,404	3,592	3,046	1,010	1
1975	11,014	6	17	21	19	35	194	928	2,321	3,590	2,910	973	-
1974	10,986	2	25	23	21	46	203	988	2,319	3,556	2,947	855	1
1973	10,601	5	31	38	15	41	191	893	2,303	3,415	2,833	835	1
1972	10,628	8	32	36	22	18	208	888	2,256	3,456	2,886	818	-
1971	10,220	5	29	30	20	36	185	926	2,193	3,336	2,727	733	-
1970	10,335	4	30	41	20	32	215	896	2,323	3,277	2,734	762	1
1969	9,971	8	30	40	8	34	198	930	2,266	3,207	2,614	634	2
1968	9,965	4	39	55	20	34	225	940	2,181	3,257	2,554	652	4

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188, 189)													
FEMALE													
1978	5,994	4	13	27	17	35	88	348	1,003	1,693	1,798	968	-
1977	5,940	-	18	18	15	32	106	412	1,001	1,718	1,747	872	1
1976	5,697	2	20	31	16	35	97	415	925	1,595	1,733	828	-
1975	5,519	6	21	22	22	31	102	407	937	1,554	1,679	738	-
1974	5,471	1	19	25	14	32	91	369	982	1,608	1,660	670	-
1973	5,276	2	23	41	13	25	82	391	957	1,457	1,602	683	-
1972	5,110	8	28	38	20	20	108	386	890	1,478	1,464	670	-
1971	5,068	3	25	40	19	29	93	424	927	1,390	1,493	624	1
1970	5,179	4	31	31	19	25	114	426	924	1,404	1,619	580	2
1969	4,926	8	34	44	12	30	112	383	871	1,389	1,486	557	-
1968	4,827	5	38	57	15	28	116	381	873	1,402	1,415	497	-
WHITE, BOTH SEXES													
1978	16,098	8	22	36	23	63	228	1,124	3,039	4,913	4,650	1,992	-
1977	15,964	4	22	25	21	56	262	1,222	3,010	4,949	4,583	1,809	1
1976	15,543	6	30	40	25	64	237	1,197	2,987	4,739	4,478	1,740	-
1975	15,208	10	32	37	30	42	258	1,206	2,932	4,723	4,315	1,623	-
1974	15,148	3	40	36	20	60	247	1,207	2,984	4,733	4,357	1,460	1
1973	14,606	4	42	63	23	60	247	1,120	2,943	4,448	4,204	1,451	1
1972	14,394	12	50	60	36	28	258	1,102	2,818	4,514	4,102	1,414	-
1971	14,038	7	44	59	26	48	240	1,175	2,794	4,342	4,003	1,299	1
1970	14,296	7	46	63	29	50	283	1,143	2,952	4,296	4,143	1,281	3
1969	13,697	16	56	67	14	50	269	1,161	2,790	4,242	3,898	1,132	2
1968	13,602	8	59	99	29	49	282	1,146	2,752	4,287	3,789	1,100	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188, 189)													
WHITE, MALE													
1978	10,665	4	10	15	10	38	157	829	2,153	3,414	2,965	1,070	-
1977	10,583	4	10	13	9	31	182	870	2,117	3,408	2,948	991	-
1976	10,395	4	16	17	13	36	157	843	2,158	3,314	2,885	952	-
1975	10,219	5	16	18	14	21	173	849	2,112	3,328	2,754	929	-
1974	10,188	2	22	18	11	36	171	889	2,122	3,289	2,808	819	1
1973	9,829	3	25	34	11	38	174	794	2,098	3,156	2,689	806	1
1972	9,806	6	30	30	18	12	170	786	2,034	3,224	2,718	778	-
1971	9,455	5	26	29	14	28	166	824	1,997	3,084	2,586	696	-
1970	9,562	3	26	38	15	28	187	785	2,124	3,029	2,603	723	1
1969	9,220	8	26	33	7	27	176	842	2,038	2,972	2,492	597	2
1968	9,208	4	29	51	19	26	189	821	1,977	3,021	2,440	629	2
WHITE, FEMALE													
1978	5,433	4	12	21	13	25	71	295	886	1,499	1,685	922	-
1977	5,381	-	12	12	12	25	80	352	893	1,541	1,635	818	1
1976	5,148	2	14	23	12	28	80	354	829	1,425	1,593	788	-
1975	4,989	5	16	19	16	21	85	357	820	1,395	1,561	694	-
1974	4,960	1	18	18	9	24	76	318	862	1,444	1,549	641	-
1973	4,777	1	17	29	12	22	73	326	845	1,292	1,515	645	-
1972	4,588	6	20	30	18	16	88	316	784	1,290	1,384	636	-
1971	4,583	2	18	30	12	20	74	351	797	1,258	1,417	603	1
1970	4,734	4	20	25	14	22	96	358	828	1,267	1,540	558	2
1969	4,477	8	30	34	7	23	93	319	752	1,270	1,406	535	-
1968	4,394	4	30	48	10	23	93	325	775	1,266	1,349	471	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188, 189)													
ALL OTHER, BOTH SEXES													
1978	1,476	1	6	12	10	16	47	152	320	519	303	90	-
1977	1,418	-	10	8	7	15	46	159	294	461	319	98	1
1976	1,437	1	7	15	9	13	36	166	342	448	301	98	1
1975	1,325	2	6	6	11	24	38	129	326	421	274	88	-
1974	1,309	-	4	12	15	18	47	150	317	431	250	65	-
1973	1,271	3	12	16	5	6	26	164	317	424	231	67	-
1972	1,344	4	10	14	6	10	58	172	328	420	248	74	-
1971	1,250	1	10	11	13	17	38	175	326	384	217	58	-
1970	1,218	1	15	9	10	7	46	179	295	385	210	61	-
1969	1,200	-	8	17	6	14	41	152	347	354	202	59	-
1968	1,190	1	18	13	6	13	59	175	302	372	180	49	2
ALL OTHER, MALE													
1978	915	1	5	6	6	6	30	99	203	325	190	44	-
1977	859	-	4	2	4	8	20	99	186	284	207	44	1
1976	888	1	1	7	5	6	19	105	246	278	161	58	1
1975	795	1	1	3	5	14	21	79	209	262	156	44	-
1974	798	-	3	5	10	10	32	99	197	267	139	36	-
1973	772	2	6	4	4	3	17	99	205	259	144	29	-
1972	822	2	2	6	4	6	38	102	222	232	168	40	-
1971	765	-	3	1	6	8	19	102	196	252	141	37	-
1970	773	1	4	3	5	4	28	111	199	248	131	39	-
1969	751	-	4	7	1	7	22	88	228	235	122	37	-
1968	757	-	10	4	1	8	36	119	204	236	114	23	2
ALL OTHER, FEMALE													
1978	561	-	1	6	4	10	17	53	117	194	113	46	-
1977	559	-	6	6	3	7	26	60	108	177	112	54	-
1976	549	-	6	8	4	7	17	61	96	170	140	40	-
1975	530	1	5	3	6	10	17	50	117	159	118	44	-
1974	511	-	1	7	5	8	15	51	120	164	111	29	-
1973	499	1	6	12	1	3	9	65	112	165	87	38	-
1972	522	2	8	8	2	4	20	70	106	188	80	34	-
1971	485	1	7	10	7	9	19	73	130	132	76	21	-
1970	445	-	11	6	5	3	18	68	96	137	79	22	-
1969	449	-	4	10	5	7	19	64	119	119	80	22	-
1968	433	1	8	9	5	5	23	56	98	136	66	26	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188, 189)													
BLACK, BOTH SEXES													
1978	1,389	-	6	12	8	15	46	142	303	496	279	82	-
1977	1,334	-	10	7	7	14	45	145	279	437	301	88	1
1976	1,340	1	7	14	9	13	30	153	322	421	280	89	1
1975	1,239	2	6	5	11	24	36	119	314	388	256	78	-
1974	1,225	-	4	12	15	17	44	145	290	404	234	60	-
1973	1,180	3	12	16	5	6	24	151	303	393	209	58	-
1972	1,248	4	10	14	6	10	56	168	308	378	224	70	-
1971	1,174	1	9	11	13	17	37	169	305	362	196	54	-
1970	1,164	1	14	9	10	7	44	173	282	370	202	52	-
1969	1,137	-	8	16	6	14	39	151	329	332	189	53	-
1968	1,119	1	16	13	6	12	56	172	284	352	161	44	2
BLACK, MALE													
1978	857	-	5	6	5	6	30	91	189	311	174	40	-
1977	801	-	4	2	4	7	20	89	176	267	193	38	1
1976	829	1	1	7	5	6	16	100	230	259	150	53	1
1975	740	1	1	3	5	14	20	71	202	239	144	40	-
1974	733	-	3	5	10	9	29	95	174	246	130	32	-
1973	708	2	6	4	4	3	15	89	196	236	129	24	-
1972	766	2	2	6	4	6	36	98	212	208	154	38	-
1971	711	-	2	1	6	8	18	99	182	235	126	34	-
1970	733	1	4	3	5	4	27	108	187	238	124	32	-
1969	702	-	4	6	1	7	22	87	216	215	112	32	-
1968	701	-	8	4	1	7	34	116	191	217	101	20	2
BLACK, FEMALE													
1978	532	-	1	6	3	9	16	51	114	185	105	42	-
1977	533	-	6	5	3	7	25	56	103	170	108	50	-
1976	511	-	6	7	4	7	14	53	92	162	130	36	-
1975	499	1	5	2	6	10	16	48	112	149	112	38	-
1974	492	-	1	7	5	8	15	50	116	158	104	28	-
1973	472	1	6	12	1	3	9	62	107	157	80	34	-
1972	482	2	8	8	2	4	20	70	96	170	70	32	-
1971	463	1	7	10	7	9	19	70	123	127	70	20	-
1970	431	-	10	6	5	3	17	65	95	132	78	20	-
1969	435	-	4	10	5	7	17	64	113	117	77	21	-
1968	418	1	8	9	5	5	22	56	93	135	60	24	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173, 190-199) BOTH SEXES													
1978	48,943	61	290	550	919	1,330	2,222	5,730	10,918	13,152	9,977	3,790	4
1977	47,276	60	317	646	940	1,227	2,161	5,622	10,458	12,779	9,428	3,636	2
1976	45,975	41	307	704	935	1,292	2,111	5,586	10,426	12,148	9,024	3,398	3
1975	44,585	52	303	698	926	1,211	2,053	5,681	9,915	11,795	8,734	3,215	2
1974	43,620	58	367	715	981	1,098	2,066	5,772	9,925	11,348	8,351	2,938	1
1973	42,693	61	380	736	1,004	1,122	2,237	5,628	9,737	10,882	8,103	2,796	7
1972	41,724	56	356	808	990	1,044	2,154	5,446	9,558	10,588	8,010	2,712	2
1971	40,685	52	364	820	998	1,043	2,223	5,409	9,375	10,344	7,575	2,480	2
1970	39,068	59	385	867	987	922	2,234	5,397	9,046	9,820	7,151	2,191	9
1969	37,825	65	399	877	901	991	2,318	5,253	8,595	9,454	6,789	2,172	11
1968	37,247	61	442	894	868	919	2,290	5,292	8,540	9,258	6,660	2,018	5
MALE													
1978	25,706	32	158	305	551	779	1,245	3,284	6,241	7,096	4,535	1,479	1
1977	24,829	35	183	362	582	740	1,192	3,160	5,951	6,913	4,330	1,379	2
1976	24,038	22	157	406	578	699	1,174	3,091	5,968	6,557	4,153	1,231	2
1975	23,087	30	167	363	538	699	1,128	3,179	5,536	6,301	3,956	1,189	1
1974	22,925	31	193	388	593	622	1,133	3,259	5,525	6,186	3,842	1,153	-
1973	22,342	29	204	376	599	668	1,237	3,062	5,443	5,893	3,733	1,095	3
1972	21,922	24	200	428	620	644	1,168	3,024	5,404	5,724	3,668	1,018	-
1971	21,226	28	204	474	617	585	1,235	2,893	5,240	5,478	3,499	973	-
1970	20,384	24	213	487	608	528	1,188	2,965	5,103	5,173	3,248	844	3
1969	19,700	39	208	474	559	561	1,216	2,820	4,909	4,974	3,054	883	3
1968	19,683	28	243	468	519	523	1,259	2,859	4,831	4,973	3,202	774	4

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173, 190-199)													
FEMALE													
1978	23,237	29	132	245	368	551	977	2,446	4,677	6,056	5,442	2,311	3
1977	22,447	25	134	284	358	487	969	2,462	4,507	5,866	5,098	2,257	-
1976	21,937	19	150	298	357	593	937	2,495	4,458	5,591	4,871	2,167	1
1975	21,498	22	136	335	388	512	925	2,502	4,379	5,494	4,778	2,026	1
1974	20,695	27	174	327	388	476	933	2,513	4,400	5,162	4,509	1,785	1
1973	20,351	32	176	360	405	454	1,000	2,566	4,294	4,989	4,370	1,701	4
1972	19,802	32	156	380	370	400	986	2,422	4,154	4,864	4,342	1,694	2
1971	19,459	24	160	346	381	458	988	2,516	4,135	4,866	4,076	1,507	2
1970	18,684	35	172	380	379	394	1,046	2,432	3,943	4,647	3,903	1,347	6
1969	18,125	26	191	403	342	430	1,102	2,433	3,686	4,480	3,735	1,289	8
1968	17,564	33	199	426	349	396	1,031	2,433	3,709	4,285	3,458	1,244	1
WHITE, BOTH SEXES													
1978	43,487	53	250	455	781	1,183	1,934	4,952	9,588	11,644	9,117	3,526	4
1977	42,181	52	268	536	827	1,110	1,889	4,833	9,278	11,426	8,584	3,376	2
1976	41,026	39	265	583	800	1,182	1,849	4,856	9,204	10,841	8,223	3,182	2
1975	39,805	45	253	579	791	1,093	1,795	4,926	8,732	10,523	8,040	3,026	2
1974	39,016	43	323	600	857	1,000	1,821	5,038	8,760	10,114	7,707	2,752	1
1973	38,166	56	326	602	883	1,005	1,952	4,926	8,625	9,691	7,495	2,601	4
1972	37,446	46	308	700	882	930	1,872	4,758	8,514	9,460	7,442	2,532	2
1971	36,502	41	317	701	875	939	1,970	4,708	8,301	9,282	7,031	2,335	2
1970	35,051	50	325	751	879	831	1,949	4,732	8,036	8,775	6,680	2,038	5
1969	33,987	61	338	769	805	892	2,024	4,618	7,614	8,473	6,344	2,042	7
1968	33,475	51	377	778	763	814	2,004	4,678	7,577	8,307	6,218	1,905	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173, 190-199)													
WHITE, MALE													
1978	22,786	25	136	251	462	703	1,103	2,851	5,473	6,284	4,136	1,361	1
1977	22,128	31	162	301	523	670	1,052	2,718	5,280	6,200	3,921	1,268	2
1976	21,368	20	137	342	494	649	1,026	2,703	5,250	5,833	3,758	1,154	2
1975	20,570	25	141	309	457	635	1,002	2,749	4,875	5,639	3,618	1,119	1
1974	20,491	22	167	326	524	571	1,007	2,850	4,886	5,532	3,536	1,070	-
1973	19,929	28	173	321	545	605	1,095	2,674	4,828	5,235	3,413	1,011	1
1972	19,668	16	170	372	546	582	1,014	2,668	4,848	5,118	3,372	962	-
1971	19,027	25	186	406	549	530	1,104	2,521	4,656	4,912	3,221	917	-
1970	18,254	21	174	427	544	477	1,053	2,588	4,532	4,637	3,010	789	2
1969	17,744	36	174	435	505	510	1,063	2,511	4,356	4,488	2,836	828	2
1968	17,688	23	203	407	466	470	1,115	2,547	4,304	4,457	2,968	725	3
WHITE, FEMALE													
1978	20,701	28	114	204	319	480	831	2,101	4,115	5,360	4,981	2,165	3
1977	20,053	21	106	235	304	440	837	2,115	3,998	5,226	4,663	2,108	-
1976	19,658	19	128	241	306	533	823	2,153	3,954	5,008	4,465	2,028	-
1975	19,235	20	112	270	334	458	793	2,177	3,857	4,884	4,422	1,907	1
1974	18,525	21	156	274	333	429	814	2,188	3,874	4,582	4,171	1,682	1
1973	18,237	28	153	281	338	400	857	2,252	3,797	4,456	4,082	1,590	3
1972	17,778	30	138	328	336	348	858	2,090	3,666	4,342	4,070	1,570	2
1971	17,475	16	131	295	326	409	866	2,187	3,645	4,370	3,810	1,418	2
1970	16,797	29	151	324	335	354	896	2,144	3,504	4,138	3,670	1,249	3
1969	16,243	25	164	334	300	382	961	2,107	3,258	3,985	3,508	1,214	5
1968	15,787	28	174	371	297	344	889	2,131	3,273	3,850	3,250	1,180	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173, 190-199)													
ALL OTHER, BOTH SEXES													
1978	5,456	8	40	95	138	147	288	778	1,330	1,508	860	264	-
1977	5,095	8	49	110	113	117	272	789	1,180	1,353	844	260	-
1976	4,949	2	42	121	135	110	262	730	1,222	1,307	801	216	1
1975	4,780	7	50	119	135	118	258	755	1,183	1,272	694	189	-
1974	4,604	15	44	115	124	98	245	734	1,165	1,234	644	186	-
1973	4,527	5	54	134	121	117	285	702	1,112	1,191	608	195	3
1972	4,278	10	48	108	108	114	282	688	1,044	1,128	568	180	-
1971	4,183	11	47	119	123	104	253	701	1,074	1,062	544	145	-
1970	4,017	9	60	116	108	91	285	665	1,010	1,045	471	153	4
1969	3,838	4	61	108	96	99	294	635	981	981	445	130	4
1968	3,772	10	65	116	105	105	286	614	963	951	442	113	2
ALL OTHER, MALE													
1978	2,920	7	22	54	89	76	142	433	768	812	399	118	-
1977	2,701	4	21	61	59	70	140	442	671	713	409	111	-
1976	2,670	2	20	64	84	50	148	388	718	724	395	77	-
1975	2,517	5	26	54	81	64	126	430	661	662	338	70	-
1974	2,434	9	26	62	69	51	126	409	639	654	306	83	-
1973	2,413	1	31	55	54	63	142	388	615	658	320	84	2
1972	2,254	8	30	56	74	62	154	356	556	606	296	56	-
1971	2,199	3	18	68	68	55	131	372	584	566	278	56	-
1970	2,130	3	39	60	64	51	135	377	571	536	238	55	1
1969	1,956	3	34	39	54	51	153	309	553	486	218	55	1
1968	1,995	5	40	61	53	53	144	312	527	516	234	49	1
ALL OTHER, FEMALE													
1978	2,536	1	18	41	49	71	146	345	562	696	461	146	-
1977	2,394	4	28	49	54	47	132	347	509	640	435	149	-
1976	2,279	-	22	57	51	60	114	342	504	583	406	139	1
1975	2,263	2	24	65	54	54	132	325	522	610	356	119	-
1974	2,170	6	18	53	55	47	119	325	526	580	338	103	-
1973	2,114	4	23	79	67	54	143	314	497	533	288	111	1
1972	2,024	2	18	52	34	52	128	332	488	522	272	124	-
1971	1,984	8	29	51	55	49	122	329	490	496	266	89	-
1970	1,887	6	21	56	44	40	150	288	439	509	233	98	3
1969	1,882	1	27	69	42	48	141	326	428	495	227	75	3
1968	1,777	5	25	55	52	52	142	302	436	435	208	64	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173, 190-199)													
BLACK, BOTH SEXES													
1978	5,070	7	38	84	126	133	269	713	1,265	1,413	785	237	-
1977	4,757	6	44	98	107	104	244	746	1,125	1,268	781	234	-
1976	4,620	2	36	110	126	90	250	681	1,153	1,243	740	188	1
1975	4,472	5	45	107	127	108	224	722	1,117	1,201	647	169	-
1974	4,312	14	34	107	114	88	231	701	1,111	1,161	577	174	-
1973	4,259	4	51	123	115	114	270	661	1,057	1,121	565	175	3
1972	4,002	6	46	102	96	102	264	656	986	1,056	520	168	-
1971	3,917	10	42	109	115	91	229	667	1,020	1,012	491	131	-
1970	3,759	9	57	110	94	83	264	628	959	985	423	146	1
1969	3,631	4	58	100	91	90	282	610	924	936	417	115	4
1968	3,567	10	63	109	97	95	274	593	911	906	409	99	1
BLACK, MALE													
1978	2,710	6	21	47	78	68	130	403	731	763	362	101	-
1977	2,519	4	18	55	57	64	131	421	636	656	378	99	-
1976	2,495	2	18	58	78	41	143	366	678	691	357	63	-
1975	2,357	3	24	51	76	61	116	412	622	619	314	59	-
1974	2,268	9	21	56	65	45	122	390	606	609	270	75	-
1973	2,257	1	30	51	54	62	135	360	584	610	298	70	2
1972	2,090	4	28	54	68	52	142	344	528	558	264	48	-
1971	2,052	3	16	61	64	46	120	354	552	535	251	50	-
1970	1,973	3	38	56	56	46	124	358	534	494	213	51	-
1969	1,832	3	32	37	50	45	146	292	518	458	199	51	1
1968	1,863	5	38	57	49	48	138	300	491	488	211	38	-
BLACK, FEMALE													
1978	2,360	1	17	37	48	65	139	310	534	650	423	136	-
1977	2,238	2	26	43	50	40	113	325	489	612	403	135	-
1976	2,125	-	18	52	48	49	107	315	475	552	383	125	1
1975	2,115	2	21	56	51	47	108	310	495	582	333	110	-
1974	2,044	5	13	51	49	43	109	311	505	552	307	99	-
1973	2,002	3	21	72	61	52	135	301	473	511	267	105	1
1972	1,912	2	18	48	28	50	122	312	458	498	256	120	-
1971	1,865	7	26	48	51	45	109	313	468	477	240	81	-
1970	1,786	6	19	54	38	37	140	270	425	491	210	95	1
1969	1,799	1	26	63	41	45	136	318	406	478	218	64	3
1968	1,704	5	25	52	48	47	136	293	420	418	198	61	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-207)													
BOTH SEXES													
1978	15,391	37	224	700	696	624	685	1,212	2,262	3,695	3,722	1,533	1
1977	15,329	33	220	802	717	591	643	1,206	2,352	3,671	3,642	1,449	3
1976	15,056	30	244	863	721	562	616	1,217	2,340	3,576	3,535	1,352	-
1975	14,754	41	301	811	688	580	627	1,219	2,290	3,363	3,522	1,312	-
1974	14,575	39	284	920	659	552	625	1,219	2,251	3,395	3,491	1,139	1
1973	14,478	40	328	958	741	572	669	1,223	2,227	3,320	3,265	1,134	1
1972	14,402	56	330	970	712	494	670	1,146	2,214	3,434	3,352	1,020	4
1971	14,469	59	458	1,113	676	521	640	1,216	2,158	3,326	3,258	1,043	1
1970	14,492	68	486	1,118	726	473	713	1,331	2,239	3,273	3,120	945	-
1969	14,450	59	501	1,185	634	467	748	1,219	2,155	3,330	3,196	955	1
1968	14,375	53	550	1,186	700	469	777	1,281	2,209	3,332	2,927	888	3
MALE													
1978	8,683	14	126	410	451	376	373	692	1,350	2,212	1,952	726	1
1977	8,611	20	127	486	427	328	351	695	1,430	2,151	1,936	658	2
1976	8,556	13	133	525	430	308	323	736	1,468	2,135	1,835	650	-
1975	8,382	18	167	463	414	332	349	674	1,391	2,007	1,908	659	-
1974	8,231	20	163	534	400	313	323	690	1,361	1,994	1,874	558	1
1973	8,262	20	201	571	460	319	384	693	1,326	1,942	1,805	541	-
1972	8,184	26	174	582	424	266	394	658	1,330	2,068	1,772	488	2
1971	8,206	29	255	639	412	310	350	679	1,312	1,933	1,771	515	1
1970	8,128	29	272	632	418	274	378	736	1,355	1,919	1,663	452	-
1969	8,256	27	279	680	413	278	420	710	1,311	1,950	1,723	465	-
1968	8,174	28	302	672	420	278	404	711	1,342	1,989	1,586	441	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-207)													
FEMALE													
1978	6,708	23	98	290	245	248	312	520	912	1,483	1,770	807	-
1977	6,718	13	93	316	290	263	292	511	922	1,520	1,706	791	1
1976	6,500	17	111	338	291	254	293	481	872	1,441	1,700	702	-
1975	6,372	23	134	348	274	248	278	545	899	1,356	1,614	653	-
1974	6,344	19	121	386	259	239	302	529	890	1,401	1,617	581	-
1973	6,216	20	127	387	281	253	285	530	901	1,378	1,460	593	1
1972	6,218	30	156	388	288	228	276	488	884	1,366	1,580	532	2
1971	6,263	30	203	474	264	211	290	537	846	1,393	1,487	528	-
1970	6,364	39	214	486	308	199	335	595	884	1,354	1,457	493	-
1969	6,194	32	222	505	221	189	328	509	844	1,380	1,473	490	1
1968	6,201	25	248	514	280	191	373	570	867	1,343	1,341	447	2
WHITE, BOTH SEXES													
1978	14,059	27	196	599	609	534	583	1,074	2,032	3,424	3,514	1,466	1
1977	13,996	30	190	707	613	522	552	1,067	2,132	3,378	3,419	1,383	3
1976	13,765	24	210	767	638	494	534	1,070	2,105	3,288	3,346	1,289	-
1975	13,527	37	262	716	614	505	547	1,087	2,073	3,098	3,333	1,255	-
1974	13,390	32	254	815	580	484	548	1,102	2,016	3,141	3,322	1,095	1
1973	13,236	32	284	851	651	497	598	1,102	2,004	3,037	3,094	1,085	1
1972	13,288	52	294	872	630	428	592	1,022	2,044	3,162	3,204	986	2
1971	13,343	55	406	987	593	454	574	1,084	1,980	3,095	3,124	991	-
1970	13,332	61	442	1,019	636	414	628	1,190	2,031	3,007	2,997	907	-
1969	13,364	52	457	1,064	561	410	669	1,091	1,956	3,103	3,075	925	1
1968	13,247	45	501	1,070	620	405	686	1,159	1,983	3,115	2,797	864	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-207)													
WHITE, MALE													
1978	7,909	10	109	351	388	333	319	617	1,226	2,042	1,823	690	1
1977	7,892	18	110	431	379	297	308	622	1,303	1,991	1,810	621	2
1976	7,843	9	112	468	377	279	291	655	1,324	1,976	1,732	620	-
1975	7,691	17	148	413	369	287	302	604	1,264	1,851	1,808	628	-
1974	7,558	17	145	472	348	278	284	623	1,227	1,855	1,767	541	1
1973	7,539	15	175	504	396	275	352	627	1,198	1,784	1,699	514	-
1972	7,548	24	152	518	378	230	348	578	1,240	1,920	1,686	472	2
1971	7,564	26	232	567	358	270	312	610	1,204	1,802	1,695	488	-
1970	7,463	25	247	573	366	237	335	666	1,230	1,770	1,587	427	-
1969	7,640	23	261	603	370	248	381	646	1,194	1,814	1,651	449	-
1968	7,530	25	272	597	375	242	362	642	1,212	1,863	1,510	430	-
WHITE, FEMALE													
1978	6,150	17	87	248	221	201	264	457	806	1,382	1,691	776	-
1977	6,104	12	80	276	234	225	244	445	829	1,387	1,609	762	1
1976	5,922	15	98	299	261	215	243	415	781	1,312	1,614	669	-
1975	5,836	20	114	303	245	218	245	483	809	1,247	1,525	627	-
1974	5,832	15	109	343	232	206	264	479	789	1,286	1,555	554	-
1973	5,697	17	109	347	255	222	246	475	806	1,253	1,395	571	1
1972	5,740	28	142	354	252	198	244	444	804	1,242	1,518	514	-
1971	5,779	29	174	420	235	184	262	474	776	1,293	1,429	503	-
1970	5,869	36	195	446	270	177	293	524	801	1,237	1,410	480	-
1969	5,724	29	196	461	191	162	288	445	762	1,289	1,424	476	1
1968	5,717	20	229	473	245	163	324	517	771	1,252	1,287	434	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-207)													
ALL OTHER, BOTH SEXES													
1978	1,332	10	28	101	87	90	102	138	230	271	208	67	-
1977	1,333	3	30	95	104	69	91	139	220	293	223	66	-
1976	1,291	6	34	96	83	68	82	147	235	288	189	63	-
1975	1,227	4	39	95	74	75	80	132	217	265	189	57	-
1974	1,185	7	30	105	79	68	77	117	235	254	169	44	-
1973	1,242	8	44	107	90	75	71	121	223	283	171	49	-
1972	1,114	4	36	98	82	66	78	124	170	272	148	34	2
1971	1,126	4	52	126	83	67	66	132	178	231	134	52	1
1970	1,160	7	44	99	90	59	85	141	208	266	123	38	-
1969	1,086	7	44	121	73	57	79	128	199	227	121	30	-
1968	1,128	8	49	116	80	64	91	122	226	217	130	24	1
ALL OTHER, MALE													
1978	774	4	17	59	63	43	54	75	124	170	129	36	-
1977	719	2	17	55	48	31	43	73	127	160	126	37	-
1976	713	4	21	57	53	29	32	81	144	159	103	30	-
1975	691	1	19	50	45	45	47	70	127	156	100	31	-
1974	673	3	18	62	52	35	39	67	134	139	107	17	-
1973	723	5	26	67	64	44	32	66	128	158	106	27	-
1972	636	2	22	64	46	36	46	80	90	148	86	16	-
1971	642	3	23	72	54	40	38	69	108	131	76	27	1
1970	665	4	25	59	52	37	43	70	125	149	76	25	-
1969	616	4	18	77	43	30	39	64	117	136	72	16	-
1968	644	3	30	75	45	36	42	69	130	126	76	11	1
ALL OTHER, FEMALE													
1978	558	6	11	42	24	47	48	63	106	101	79	31	-
1977	614	1	13	40	56	38	48	66	93	133	97	29	-
1976	578	2	13	39	30	39	50	66	91	129	86	33	-
1975	536	3	20	45	29	30	33	62	90	109	89	26	-
1974	512	4	12	43	27	33	38	50	101	115	62	27	-
1973	519	3	18	40	26	31	39	55	95	125	65	22	-
1972	478	2	14	34	36	30	32	44	80	124	62	18	2
1971	484	1	29	54	29	27	28	63	70	100	58	25	-
1970	495	3	19	40	38	22	42	71	83	117	47	13	-
1969	470	3	26	44	30	27	40	64	82	91	49	14	-
1968	484	5	19	41	35	28	49	53	96	91	54	13	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-207)													
BLACK, BOTH SEXES													
1978	1,213	8	23	86	78	78	84	122	216	262	192	64	-
1977	1,201	2	27	78	92	61	79	126	204	270	203	59	-
1976	1,177	4	31	85	67	62	68	132	217	274	181	56	-
1975	1,127	4	37	85	66	66	73	124	202	246	176	48	-
1974	1,087	7	26	91	68	61	68	107	222	236	161	40	-
1973	1,140	6	34	103	80	65	58	114	209	264	159	48	-
1972	1,024	4	36	90	80	56	70	112	160	244	140	30	2
1971	1,034	4	48	109	73	59	59	117	170	220	126	48	1
1970	1,075	6	41	80	81	55	79	134	199	254	110	36	-
1969	989	6	39	99	69	52	67	116	185	215	113	28	-
1968	1,039	6	42	103	74	56	76	114	215	208	123	21	1
BLACK, MALE													
1978	704	3	14	50	57	38	45	66	116	162	118	35	-
1977	640	1	15	46	41	30	35	64	118	144	112	34	-
1976	651	3	19	50	45	26	28	75	135	148	97	25	-
1975	631	1	18	45	40	39	44	63	119	143	92	27	-
1974	614	3	17	52	47	31	35	59	127	128	101	14	-
1973	665	4	20	65	57	37	26	64	120	145	100	27	-
1972	582	2	22	58	44	32	42	74	84	132	80	12	-
1971	588	3	20	66	47	36	35	59	102	124	71	24	1
1970	609	4	23	43	46	35	41	70	119	140	65	23	-
1969	554	3	16	64	39	28	33	58	107	126	65	15	-
1968	586	2	26	64	42	30	36	63	124	120	69	9	1
BLACK, FEMALE													
1978	509	5	9	36	21	40	39	56	100	100	74	29	-
1977	561	1	12	32	51	31	44	62	86	126	91	25	-
1976	526	1	12	35	22	36	40	57	82	126	84	31	-
1975	496	3	19	40	26	27	29	61	83	103	84	21	-
1974	473	4	9	39	21	30	33	48	95	108	60	26	-
1973	475	2	14	38	23	28	32	50	89	119	59	21	-
1972	442	2	14	32	36	24	28	38	76	112	60	18	2
1971	446	1	28	43	26	23	24	58	68	96	55	24	-
1970	466	2	18	37	35	20	38	64	80	114	45	13	-
1969	435	3	23	35	30	24	34	58	78	89	48	13	-
1968	453	4	16	39	32	26	40	51	91	88	54	12	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203, 208, 209)													
BOTH SEXES													
1978	21,678	10	28	150	443	700	836	1,994	4,469	6,403	5,121	1,521	3
1977	21,077	7	25	183	447	698	777	2,060	4,495	6,144	4,863	1,371	7
1976	20,463	10	31	155	436	645	773	2,149	4,330	6,047	4,675	1,211	1
1975	19,953	6	34	191	509	701	822	2,177	4,316	5,651	4,409	1,137	-
1974	19,929	3	46	223	492	663	885	2,271	4,258	5,795	4,300	989	4
1973	19,567	7	65	226	538	696	952	2,202	4,151	5,632	4,139	956	3
1972	19,640	6	46	214	610	748	1,040	2,296	4,244	5,540	3,990	906	-
1971	19,125	8	49	246	595	709	1,010	2,355	4,421	5,143	3,795	794	-
1970	18,717	7	49	270	601	733	1,017	2,427	4,117	5,151	3,625	719	1
1969	18,252	9	49	276	624	689	1,113	2,339	4,033	4,975	3,474	670	1
1968	17,774	10	63	273	619	724	1,148	2,418	3,881	4,805	3,237	596	-
MALE													
1978	11,460	6	25	102	295	430	534	1,160	2,520	3,380	2,390	616	2
1977	11,078	4	15	143	293	425	491	1,155	2,516	3,257	2,221	556	2
1976	10,836	4	24	115	276	404	476	1,239	2,405	3,230	2,159	503	1
1975	10,761	3	24	139	334	443	498	1,266	2,495	2,996	2,069	494	-
1974	10,840	3	31	169	309	400	544	1,375	2,444	3,087	2,045	431	2
1973	10,618	3	44	166	329	447	590	1,267	2,385	2,990	2,005	391	1
1972	10,660	4	24	132	388	456	656	1,350	2,510	2,802	1,898	440	-
1971	10,559	5	32	181	370	460	611	1,392	2,552	2,780	1,830	346	-
1970	10,364	7	31	191	392	438	634	1,435	2,383	2,733	1,804	315	1
1969	10,186	3	35	203	397	449	714	1,387	2,331	2,640	1,738	288	1
1968	9,912	7	45	190	390	474	715	1,395	2,249	2,590	1,575	282	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203, 208, 209)													
FEMALE													
1978	10,218	4	3	48	148	270	302	834	1,949	3,023	2,731	905	1
1977	9,999	3	10	40	154	273	286	905	1,979	2,887	2,642	815	5
1976	9,627	6	7	40	160	241	297	910	1,925	2,817	2,516	708	-
1975	9,192	3	10	52	175	258	324	911	1,821	2,655	2,340	643	-
1974	9,089	-	15	54	183	263	341	896	1,814	2,708	2,255	558	2
1973	8,949	4	21	60	209	249	362	935	1,766	2,642	2,134	565	2
1972	8,980	2	22	82	222	292	384	946	1,734	2,738	2,092	466	-
1971	8,566	3	17	65	225	249	399	963	1,869	2,363	1,965	448	-
1970	8,353	-	18	79	209	295	383	992	1,734	2,418	1,821	404	-
1969	8,066	6	14	73	227	240	399	952	1,702	2,335	1,736	382	-
1968	7,862	3	18	83	229	250	433	1,023	1,632	2,215	1,662	314	-
WHITE, BOTH SEXES													
1978	19,626	8	24	118	375	629	726	1,777	4,001	5,782	4,770	1,416	-
1977	19,053	6	22	154	394	620	667	1,802	4,003	5,589	4,499	1,291	6
1976	18,543	9	28	139	379	576	664	1,898	3,846	5,497	4,359	1,147	1
1975	18,093	5	24	160	456	647	721	1,895	3,855	5,139	4,114	1,077	-
1974	18,133	2	39	198	427	608	778	2,011	3,843	5,271	4,037	915	4
1973	17,817	7	59	194	471	643	844	1,923	3,725	5,129	3,916	903	3
1972	17,996	4	40	188	552	680	908	2,016	3,844	5,132	3,772	860	-
1971	17,448	6	44	214	534	648	887	2,107	3,960	4,698	3,602	748	-
1970	17,128	5	36	238	545	674	912	2,147	3,704	4,754	3,433	679	1
1969	16,661	8	44	238	566	617	983	2,074	3,625	4,575	3,295	636	-
1968	16,297	9	58	239	558	660	1,041	2,161	3,510	4,420	3,082	559	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203, 208, 209)													
WHITE, MALE													
1978	10,329	5	21	79	252	384	466	1,042	2,281	3,025	2,209	565	-
1977	9,965	3	12	123	262	380	423	1,028	2,247	2,943	2,028	515	1
1976	9,766	3	21	107	238	361	408	1,096	2,140	2,919	1,995	477	1
1975	9,730	3	18	120	292	413	436	1,120	2,234	2,707	1,921	466	-
1974	9,799	2	25	150	269	366	484	1,211	2,197	2,798	1,899	396	2
1973	9,613	3	41	145	284	411	527	1,122	2,138	2,705	1,868	368	1
1972	9,738	2	22	118	360	420	564	1,190	2,272	2,590	1,782	418	-
1971	9,601	4	29	160	336	422	541	1,254	2,289	2,521	1,724	321	-
1970	9,387	5	25	169	351	397	565	1,272	2,136	2,493	1,683	290	1
1969	9,230	3	32	175	361	404	635	1,242	2,080	2,395	1,631	272	-
1968	9,068	6	43	169	348	435	653	1,252	2,039	2,373	1,492	258	-
WHITE, FEMALE													
1978	9,297	3	3	39	123	245	260	735	1,720	2,757	2,561	851	-
1977	9,088	3	10	31	132	240	244	774	1,756	2,646	2,471	776	5
1976	8,777	6	7	32	141	215	256	802	1,706	2,578	2,364	670	-
1975	8,363	2	6	40	164	234	285	775	1,621	2,432	2,193	611	-
1974	8,334	-	14	48	158	242	294	800	1,646	2,473	2,138	519	2
1973	8,204	4	18	49	187	232	317	801	1,587	2,424	2,048	535	2
1972	8,258	2	18	70	192	260	344	826	1,572	2,542	1,990	442	-
1971	7,847	2	15	54	198	226	346	853	1,671	2,177	1,878	427	-
1970	7,741	-	11	69	194	277	347	875	1,568	2,261	1,750	389	-
1969	7,431	5	12	63	205	213	348	832	1,545	2,180	1,664	364	-
1968	7,229	3	15	70	210	225	388	909	1,471	2,047	1,590	301	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203, 208, 209)													
ALL OTHER, BOTH SEXES													
1978	2,052	2	4	32	68	71	110	217	468	621	351	105	3
1977	2,024	1	3	29	53	78	110	258	492	555	364	80	1
1976	1,920	1	3	16	57	69	109	251	484	550	316	64	-
1975	1,860	1	10	31	53	54	101	282	461	512	295	60	-
1974	1,796	1	7	25	65	55	107	260	415	524	263	74	-
1973	1,750	-	6	32	67	53	108	279	426	503	223	53	-
1972	1,644	2	6	26	58	68	132	280	400	408	218	46	-
1971	1,677	2	5	32	61	61	123	248	461	445	193	46	-
1970	1,589	2	13	32	56	59	105	280	413	397	192	40	-
1969	1,591	1	5	38	58	72	130	265	408	400	179	34	1
1968	1,477	1	5	34	61	64	107	257	371	385	155	37	-
ALL OTHER, MALE													
1978	1,131	1	4	23	43	46	68	118	239	355	181	51	2
1977	1,113	1	3	20	31	45	68	127	269	314	193	41	1
1976	1,070	1	3	8	38	43	68	143	265	311	164	26	-
1975	1,031	-	6	19	42	30	62	146	261	289	148	28	-
1974	1,041	1	6	19	40	34	60	164	247	289	146	35	-
1973	1,005	-	3	21	45	36	63	145	247	285	137	23	-
1972	922	2	2	14	28	36	92	160	238	212	116	22	-
1971	958	1	3	21	34	38	70	138	263	259	106	25	-
1970	977	2	6	22	41	41	69	163	247	240	121	25	-
1969	956	-	3	28	36	45	79	145	251	245	107	16	1
1968	844	1	2	21	42	39	62	143	210	217	83	24	-
ALL OTHER, FEMALE													
1978	921	1	-	9	25	25	42	99	229	266	170	54	1
1977	911	-	-	9	22	33	42	131	223	241	171	39	-
1976	850	-	-	8	19	26	41	108	219	239	152	38	-
1975	829	1	4	12	11	24	39	136	200	223	147	32	-
1974	755	-	1	6	25	21	47	96	168	235	117	39	-
1973	745	-	3	11	22	17	45	134	179	218	86	30	-
1972	722	-	4	12	30	32	40	120	162	196	102	24	-
1971	719	1	2	11	27	23	53	110	198	186	87	21	-
1970	612	-	7	10	15	18	36	117	166	157	71	15	-
1969	635	1	2	10	22	27	51	120	157	155	72	18	-
1968	633	-	3	13	19	25	45	114	161	168	72	13	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203, 208, 209)													
BLACK, BOTH SEXES													
1978	1,919	1	3	32	64	62	105	199	448	581	322	99	3
1977	1,864	1	2	26	51	72	99	242	467	500	335	68	1
1976	1,800	1	3	13	54	63	98	232	465	523	292	56	-
1975	1,736	-	10	29	51	47	94	268	441	473	269	54	-
1974	1,683	1	6	22	59	51	100	242	394	499	245	64	-
1973	1,636	-	6	28	67	50	100	262	398	470	207	48	-
1972	1,546	2	4	24	54	66	124	266	370	378	212	46	-
1971	1,576	2	5	29	54	59	119	233	431	421	182	41	-
1970	1,479	2	12	30	55	57	95	257	391	369	174	37	-
1969	1,483	1	4	36	54	67	122	249	383	372	165	29	1
1968	1,372	-	5	32	57	61	101	243	337	360	140	36	-
BLACK, MALE													
1978	1,053	-	3	23	41	40	66	109	225	334	164	46	2
1977	1,018	1	2	18	30	40	61	119	257	280	175	34	1
1976	1,008	1	3	6	36	40	62	130	259	294	155	22	-
1975	960	-	6	18	40	25	59	140	249	261	135	27	-
1974	968	1	5	17	36	32	57	151	232	273	136	28	-
1973	939	-	3	19	45	35	60	137	228	268	124	20	-
1972	868	2	-	14	26	36	88	156	218	192	114	22	-
1971	896	1	3	20	31	36	68	129	244	242	101	21	-
1970	898	2	6	20	40	39	59	147	233	221	108	23	-
1969	880	-	3	27	32	41	75	136	231	226	96	12	1
1968	777	-	2	20	41	38	59	135	186	198	75	23	-
BLACK, FEMALE													
1978	866	1	-	9	23	22	39	90	223	247	158	53	1
1977	846	-	-	8	21	32	38	123	210	220	160	34	-
1976	792	-	-	7	18	23	36	102	206	229	137	34	-
1975	776	-	4	11	11	22	35	128	192	212	134	27	-
1974	715	-	1	5	23	19	43	91	162	226	109	36	-
1973	697	-	3	9	22	15	40	125	170	202	83	28	-
1972	678	-	4	10	28	30	36	110	152	186	98	24	-
1971	680	1	2	9	23	23	51	104	187	179	81	20	-
1970	581	-	6	10	15	18	36	110	158	148	66	14	-
1969	603	1	1	9	22	26	47	113	152	146	69	17	-
1968	595	-	3	12	16	23	42	108	151	162	65	13	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE (210-239)													
BOTH SEXES													
1978	4,963	57	37	83	136	151	218	476	911	1,318	1,098	478	-
1977	4,925	78	25	99	127	166	252	500	908	1,262	1,061	444	3
1976	4,719	44	43	112	117	137	252	537	920	1,215	948	394	-
1975	4,947	55	41	130	135	173	278	608	1,021	1,180	923	403	-
1974	5,060	61	55	138	146	183	288	647	1,005	1,232	968	334	3
1973	5,013	48	62	148	131	179	332	675	1,028	1,174	914	319	3
1972	4,956	54	52	158	186	176	318	638	1,054	1,164	886	270	-
1971	4,958	75	61	183	185	188	327	748	1,003	1,090	791	306	1
1970	4,828	74	56	165	178	151	378	760	1,002	1,041	726	296	1
1969	4,677	69	65	161	185	183	383	683	948	985	751	264	-
1968	4,948	90	81	193	140	213	406	774	992	1,091	712	256	-
MALE													
1978	2,340	23	27	52	62	73	108	228	449	684	467	167	-
1977	2,343	41	11	46	65	91	122	231	454	638	478	165	1
1976	2,313	20	27	72	65	59	112	269	480	625	445	139	-
1975	2,444	33	28	73	76	90	123	285	566	588	429	153	-
1974	2,448	34	33	60	81	80	131	316	516	605	474	117	1
1973	2,450	18	33	81	76	76	144	321	546	628	407	119	1
1972	2,428	32	24	96	102	84	134	296	514	620	436	90	-
1971	2,455	38	33	97	95	92	144	350	545	579	363	118	1
1970	2,307	43	24	88	96	66	153	331	518	542	334	111	1
1969	2,164	36	34	92	88	77	137	287	481	475	367	90	-
1968	2,345	50	50	104	74	84	170	343	503	553	319	95	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE (210-239)													
FEMALE													
1978	2,623	34	10	31	74	78	110	248	462	634	631	311	-
1977	2,582	37	14	53	62	75	130	269	454	624	583	279	2
1976	2,406	24	16	40	52	78	140	268	440	590	503	255	-
1975	2,503	22	13	57	59	83	155	323	455	592	494	250	-
1974	2,612	27	22	78	65	103	157	331	489	627	494	217	2
1973	2,563	30	29	67	55	103	188	354	482	546	507	200	2
1972	2,528	22	28	62	84	92	184	342	540	544	450	180	-
1971	2,503	37	28	86	90	96	183	398	458	511	428	188	-
1970	2,521	31	32	77	82	85	225	429	484	499	392	185	-
1969	2,513	33	31	69	97	106	246	396	467	510	384	174	-
1968	2,603	40	31	89	66	129	236	431	489	538	393	161	-
WHITE, BOTH SEXES													
1978	4,364	48	31	67	114	125	175	405	778	1,173	1,003	445	-
1977	4,316	64	20	82	106	128	198	422	783	1,124	977	409	3
1976	4,102	36	37	88	93	114	204	437	783	1,068	873	369	-
1975	4,347	48	34	98	110	144	234	514	891	1,051	851	372	-
1974	4,404	50	46	108	114	143	230	532	874	1,096	892	316	3
1973	4,356	41	51	131	113	150	263	561	893	1,014	841	296	2
1972	4,290	44	48	130	144	140	248	524	946	1,008	824	234	-
1971	4,369	64	54	141	165	150	255	635	890	994	730	290	1
1970	4,180	62	42	138	142	122	297	625	877	920	676	278	1
1969	4,010	53	52	129	155	149	300	560	812	871	681	248	-
1968	4,299	71	68	153	116	164	328	663	872	983	642	239	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE (210-239)													
WHITE, MALE													
1978	2,067	22	23	41	52	62	88	198	387	616	424	154	-
1977	2,060	34	8	37	56	76	96	199	388	564	446	155	1
1976	2,009	14	25	57	55	48	91	217	408	561	400	133	-
1975	2,173	31	23	56	65	78	109	245	497	533	393	143	-
1974	2,152	25	26	48	66	65	110	259	449	557	433	113	1
1973	2,155	17	28	70	66	67	120	283	477	541	373	112	1
1972	2,114	24	22	76	76	74	116	250	460	532	404	80	-
1971	2,182	31	29	77	88	72	113	306	485	533	334	113	1
1970	2,030	38	17	77	80	54	129	289	448	481	310	106	1
1969	1,899	27	29	72	70	65	124	240	421	426	341	84	-
1968	2,088	42	41	87	59	71	153	299	447	502	294	93	-
WHITE, FEMALE													
1978	2,297	26	8	26	62	63	87	207	391	557	579	291	-
1977	2,256	30	12	45	50	52	102	223	395	560	531	254	2
1976	2,093	22	12	31	38	66	113	220	375	507	473	236	-
1975	2,174	17	11	42	45	66	125	269	394	518	458	229	-
1974	2,252	25	20	60	48	78	120	273	425	539	459	203	2
1973	2,201	24	23	61	47	83	143	278	416	473	468	184	1
1972	2,176	20	26	54	68	66	132	274	486	476	420	154	-
1971	2,187	33	25	64	77	78	142	329	405	461	396	177	-
1970	2,150	24	25	61	62	68	168	336	429	439	366	172	-
1969	2,111	26	23	57	85	84	176	320	391	445	340	164	-
1968	2,211	29	27	66	57	93	175	364	425	481	348	146	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE (210-239)													
ALL OTHER, BOTH SEXES													
1978	599	9	6	16	22	26	43	71	133	145	95	33	-
1977	609	14	5	17	21	38	54	78	125	138	84	35	-
1976	617	8	6	24	24	23	48	100	137	147	75	25	-
1975	600	7	7	32	25	29	44	94	130	129	72	31	-
1974	656	11	9	30	32	40	58	115	131	136	76	18	-
1973	657	7	11	17	18	29	69	114	135	160	73	23	1
1972	666	10	4	28	42	36	70	114	108	156	62	36	-
1971	589	11	7	42	20	38	72	113	113	96	61	16	-
1970	648	12	14	27	36	29	81	135	125	121	50	18	-
1969	667	16	13	32	30	34	83	123	136	114	70	16	-
1968	649	19	13	40	24	49	78	111	120	108	70	17	-
ALL OTHER, MALE													
1978	273	1	4	11	10	11	20	30	62	68	43	13	-
1977	283	7	3	9	9	15	26	32	66	74	32	10	-
1976	304	6	2	15	10	11	21	52	72	64	45	6	-
1975	271	2	5	17	11	12	14	40	69	55	36	10	-
1974	296	9	7	12	15	15	21	57	67	48	41	4	-
1973	295	1	5	11	10	9	24	38	69	87	34	7	-
1972	314	8	2	20	26	10	18	46	54	88	32	10	-
1971	273	7	4	20	7	20	31	44	60	46	29	5	-
1970	277	5	7	11	16	12	24	42	70	61	24	5	-
1969	265	9	5	20	18	12	13	47	60	49	26	6	-
1968	257	8	9	17	15	13	17	44	56	51	25	2	-
ALL OTHER, FEMALE													
1978	326	8	2	5	12	15	23	41	71	77	52	20	-
1977	326	7	2	8	12	23	28	46	59	64	52	25	-
1976	313	2	4	9	14	12	27	48	65	83	30	19	-
1975	329	5	2	15	14	17	30	54	61	74	36	21	-
1974	360	2	2	18	17	25	37	58	64	88	35	14	-
1973	362	6	6	6	8	20	45	76	66	73	39	16	1
1972	352	2	2	8	16	26	52	68	54	68	30	26	-
1971	316	4	3	22	13	18	41	69	53	50	32	11	-
1970	371	7	7	16	20	17	57	93	55	60	26	13	-
1969	402	7	8	12	12	22	70	76	76	65	44	10	-
1968	392	11	4	23	9	36	61	67	64	57	45	15	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE (210-239)													
BLACK, BOTH SEXES													
1978	558	7	6	14	20	21	42	69	126	135	86	32	-
1977	564	11	4	17	17	35	50	71	116	132	77	34	-
1976	578	6	5	22	20	22	44	97	130	144	65	23	-
1975	553	7	6	30	24	29	40	85	122	116	65	29	-
1974	617	10	8	29	31	36	53	110	125	128	71	16	-
1973	616	6	10	16	16	28	64	108	132	149	64	22	1
1972	638	10	4	28	38	34	70	106	102	150	62	34	-
1971	560	9	6	40	19	36	71	108	108	91	56	16	-
1970	617	10	14	25	34	28	81	129	117	117	47	15	-
1969	625	15	11	30	26	31	80	117	130	108	64	13	-
1968	617	19	13	36	24	48	75	107	115	103	62	15	-
BLACK, MALE													
1978	254	1	4	10	10	9	19	29	59	63	38	12	-
1977	257	5	2	9	7	14	24	29	60	68	29	10	-
1976	278	4	1	13	8	10	20	50	67	61	40	4	-
1975	252	2	4	16	11	12	12	39	64	49	33	10	-
1974	278	9	6	11	14	13	20	54	64	45	39	3	-
1973	272	1	5	10	8	8	23	36	68	78	28	7	-
1972	302	8	2	20	26	10	18	42	50	86	32	8	-
1971	255	6	3	20	6	18	30	43	57	42	25	5	-
1970	258	5	7	10	15	12	24	39	64	57	21	4	-
1969	244	9	5	19	15	11	12	46	57	45	21	4	-
1968	239	8	9	16	15	13	14	42	53	49	19	1	-
BLACK, FEMALE													
1978	304	6	2	4	10	12	23	40	67	72	48	20	-
1977	307	6	2	8	10	21	26	42	56	64	48	24	-
1976	300	2	4	9	12	12	24	47	63	83	25	19	-
1975	301	5	2	14	13	17	28	46	58	67	32	19	-
1974	339	1	2	18	17	23	33	56	61	83	32	13	-
1973	344	5	5	6	8	20	41	72	64	71	36	15	1
1972	336	2	2	8	12	24	52	64	52	64	30	26	-
1971	305	3	3	20	13	18	41	65	51	49	31	11	-
1970	359	5	7	15	19	16	57	90	53	60	26	11	-
1969	381	6	6	11	11	20	68	71	73	63	43	9	-
1968	378	11	4	20	9	35	61	65	62	54	43	14	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250) BOTH SEXES													
1978	33,841	8	9	33	140	564	920	2,227	5,563	9,629	10,069	4,674	5
1977	32,989	8	9	51	156	494	869	2,253	5,545	9,611	9,752	4,236	5
1976	34,508	10	8	45	159	572	905	2,314	5,692	9,935	10,553	4,309	6
1975	35,230	7	9	46	178	510	945	2,448	5,790	10,432	10,646	4,215	4
1974	37,329	14	10	61	206	555	969	2,704	6,193	11,040	11,242	4,332	3
1973	38,208	16	14	74	192	563	1,043	2,798	6,562	11,285	11,650	4,008	3
1972	38,674	16	24	80	224	646	1,112	2,906	6,454	11,568	11,656	3,980	8
1971	38,256	22	18	87	223	596	1,167	2,924	6,644	11,336	11,516	3,717	6
1970	38,324	12	22	103	240	559	1,231	2,968	6,815	11,458	11,432	3,478	6
1969	38,541	11	20	92	236	616	1,262	3,023	6,754	11,564	11,575	3,377	11
1968	38,352	18	22	101	234	620	1,245	2,978	7,004	11,730	11,189	3,200	11
MALE													
1978	13,910	4	4	12	63	318	521	1,191	2,664	4,178	3,582	1,372	1
1977	13,632	3	6	17	72	275	477	1,210	2,655	4,185	3,435	1,296	1
1976	14,025	3	4	19	74	312	514	1,140	2,684	4,249	3,753	1,271	2
1975	14,414	5	4	16	90	283	512	1,287	2,785	4,358	3,748	1,323	3
1974	15,136	7	5	20	95	285	525	1,339	2,961	4,535	3,972	1,392	-
1973	15,669	11	9	27	97	314	577	1,425	3,065	4,678	4,185	1,280	1
1972	15,824	8	14	42	92	330	620	1,514	2,880	4,748	4,202	1,372	2
1971	15,622	11	11	31	110	335	635	1,453	3,063	4,600	4,115	1,255	3
1970	15,715	5	10	48	110	292	734	1,484	3,089	4,609	4,140	1,193	1
1969	15,689	6	10	38	99	328	693	1,503	3,037	4,612	4,249	1,107	7
1968	15,781	8	10	37	112	332	678	1,523	3,224	4,736	4,007	1,111	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
FEMALE													
1978	19,931	4	5	21	77	246	399	1,036	2,899	5,451	6,487	3,302	4
1977	19,357	5	3	34	84	219	392	1,043	2,890	5,426	6,317	2,940	4
1976	20,483	7	4	26	85	260	391	1,174	3,008	5,686	6,800	3,038	4
1975	20,816	2	5	30	88	227	433	1,161	3,005	6,074	6,898	2,892	1
1974	22,193	7	5	41	111	270	444	1,365	3,232	6,505	7,270	2,940	3
1973	22,539	5	5	47	95	249	466	1,373	3,497	6,607	7,465	2,728	2
1972	22,850	8	10	38	132	316	492	1,392	3,574	6,820	7,454	2,608	6
1971	22,634	11	7	56	113	261	532	1,471	3,581	6,736	7,401	2,462	3
1970	22,609	7	12	55	130	267	497	1,484	3,726	6,849	7,292	2,285	5
1969	22,852	5	10	54	137	288	569	1,520	3,717	6,952	7,326	2,270	4
1968	22,571	10	12	64	122	288	567	1,455	3,780	6,994	7,182	2,089	8
WHITE, BOTH SEXES													
1978	28,299	3	7	28	112	434	675	1,642	4,347	7,906	8,845	4,296	4
1977	27,482	7	6	41	119	389	631	1,626	4,263	7,923	8,607	3,869	1
1976	28,758	7	6	37	119	443	639	1,653	4,347	8,179	9,362	3,965	1
1975	29,476	7	5	40	138	410	673	1,764	4,483	8,579	9,475	3,899	3
1974	31,349	11	9	53	165	428	672	1,929	4,827	9,087	10,148	4,019	1
1973	31,932	11	13	65	151	418	737	1,990	5,021	9,260	10,564	3,700	2
1972	32,378	14	18	70	196	496	772	1,996	4,946	9,562	10,628	3,672	8
1971	32,177	18	15	78	170	472	824	2,051	5,095	9,467	10,545	3,437	5
1970	32,486	11	19	92	195	434	883	2,161	5,273	9,642	10,519	3,256	1
1969	32,668	9	17	77	184	501	883	2,221	5,155	9,782	10,664	3,170	5
1968	32,537	15	22	82	185	478	931	2,168	5,409	9,947	10,324	2,970	6

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
WHITE, MALE													
1978	11,846	1	3	11	51	245	386	945	2,177	3,559	3,195	1,272	1
1977	11,621	2	4	12	60	216	358	939	2,195	3,579	3,069	1,187	-
1976	11,920	3	4	16	55	242	377	858	2,184	3,632	3,384	1,164	1
1975	12,321	5	1	16	68	231	370	980	2,293	3,752	3,386	1,217	2
1974	13,013	5	5	17	79	216	391	1,025	2,456	3,904	3,619	1,296	-
1973	13,343	7	9	24	78	223	431	1,094	2,492	3,980	3,807	1,197	1
1972	13,544	6	12	38	80	268	446	1,106	2,362	4,084	3,864	1,276	2
1971	13,464	9	11	30	85	268	485	1,112	2,542	3,959	3,790	1,170	3
1970	13,577	4	10	42	95	227	552	1,166	2,559	4,011	3,797	1,114	-
1969	13,618	5	8	31	77	262	501	1,203	2,513	4,038	3,937	1,039	4
1968	13,744	7	10	28	88	265	552	1,215	2,684	4,143	3,717	1,034	1
WHITE, FEMALE													
1978	16,453	2	4	17	61	189	289	697	2,170	4,347	5,650	3,024	3
1977	15,861	5	2	29	59	173	273	687	2,068	4,344	5,538	2,682	1
1976	16,838	4	2	21	64	201	262	795	2,163	4,547	5,978	2,801	-
1975	17,155	2	4	24	70	179	303	784	2,190	4,827	6,089	2,682	1
1974	18,336	6	4	36	86	212	281	904	2,371	5,183	6,529	2,723	1
1973	18,589	4	4	41	73	195	306	896	2,529	5,280	6,757	2,503	1
1972	18,834	8	6	32	116	228	326	890	2,584	5,478	6,764	2,396	6
1971	18,713	9	4	48	85	204	339	939	2,553	5,508	6,755	2,267	2
1970	18,909	7	9	50	100	207	331	995	2,714	5,631	6,722	2,142	1
1969	19,050	4	9	46	107	239	382	1,018	2,642	5,744	6,727	2,131	1
1968	18,793	8	12	54	97	213	379	953	2,725	5,804	6,607	1,936	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
ALL OTHER, BOTH SEXES													
1978	5,542	5	2	5	28	130	245	585	1,216	1,723	1,224	378	1
1977	5,507	1	3	10	37	105	238	627	1,282	1,688	1,145	367	4
1976	5,750	3	2	8	40	129	266	661	1,345	1,756	1,191	344	5
1975	5,754	-	4	6	40	100	272	684	1,307	1,853	1,171	316	1
1974	5,980	3	1	8	41	127	297	775	1,366	1,953	1,094	313	2
1973	6,276	5	1	9	41	145	306	808	1,541	2,025	1,086	308	1
1972	6,296	2	6	10	28	150	340	910	1,508	2,006	1,028	308	-
1971	6,079	4	3	9	53	124	343	873	1,549	1,869	971	280	1
1970	5,838	1	3	11	45	125	348	807	1,542	1,816	913	222	5
1969	5,873	2	3	15	52	115	379	802	1,599	1,782	911	207	6
1968	5,815	3	-	19	49	142	314	810	1,595	1,783	865	230	5
ALL OTHER, MALE													
1978	2,064	3	1	1	12	73	135	246	487	619	387	100	-
1977	2,011	1	2	5	12	59	119	271	460	606	366	109	1
1976	2,105	-	-	3	19	70	137	282	500	617	369	107	1
1975	2,093	-	3	-	22	52	142	307	492	606	362	106	1
1974	2,123	2	-	3	16	69	134	314	505	631	353	96	-
1973	2,326	4	-	3	19	91	146	331	573	698	378	83	-
1972	2,280	2	2	4	12	62	174	408	518	664	338	96	-
1971	2,158	2	-	1	25	67	150	341	521	641	325	85	-
1970	2,138	1	-	6	15	65	182	318	530	598	343	79	1
1969	2,071	1	2	7	22	66	192	300	524	574	312	68	3
1968	2,037	1	-	9	24	67	126	308	540	593	290	77	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
ALL OTHER, FEMALE													
1978	3,478	2	1	4	16	57	110	339	729	1,104	837	278	1
1977	3,496	-	1	5	25	46	119	356	822	1,082	779	258	3
1976	3,645	3	2	5	21	59	129	379	845	1,139	822	237	4
1975	3,661	-	1	6	18	48	130	377	815	1,247	809	210	-
1974	3,857	1	1	5	25	58	163	461	861	1,322	741	217	2
1973	3,950	1	1	6	22	54	160	477	968	1,327	708	225	1
1972	4,016	-	4	6	16	88	166	502	990	1,342	690	212	-
1971	3,921	2	3	8	28	57	193	532	1,028	1,228	646	195	1
1970	3,700	-	3	5	30	60	166	489	1,012	1,218	570	143	4
1969	3,802	1	1	8	30	49	187	502	1,075	1,208	599	139	3
1968	3,778	2	-	10	25	75	188	502	1,055	1,190	575	153	3
BLACK, BOTH SEXES													
1978	5,149	5	2	5	27	124	229	552	1,131	1,599	1,130	344	1
1977	5,163	1	3	10	36	101	228	576	1,215	1,578	1,073	340	2
1976	5,371	3	2	8	39	119	250	633	1,261	1,645	1,087	319	5
1975	5,385	-	4	6	37	94	257	641	1,237	1,732	1,094	283	-
1974	5,646	3	1	8	40	122	280	732	1,295	1,846	1,023	294	2
1973	5,919	5	1	9	40	138	289	769	1,452	1,920	1,011	284	1
1972	5,942	2	6	8	28	138	322	852	1,436	1,902	978	270	-
1971	5,694	2	3	8	52	117	329	824	1,484	1,731	887	257	-
1970	5,496	1	3	10	45	121	330	772	1,456	1,717	833	204	4
1969	5,556	2	3	15	51	110	366	763	1,520	1,687	837	197	5
1968	5,498	3	-	19	47	136	301	778	1,513	1,666	816	214	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
BLACK, MALE													
1978	1,883	3	1	1	12	70	126	229	445	564	344	88	-
1977	1,846	1	2	5	11	57	116	246	428	548	334	97	1
1976	1,932	-	-	3	18	63	127	271	469	565	319	96	1
1975	1,897	-	3	-	20	51	133	287	459	532	325	87	-
1974	1,948	2	-	3	16	65	124	291	463	573	327	84	-
1973	2,135	4	-	3	18	87	135	305	533	636	337	77	-
1972	2,114	2	2	2	12	62	168	370	492	616	312	76	-
1971	1,974	-	-	1	25	63	142	320	486	574	288	75	-
1970	1,947	1	-	6	15	63	172	301	480	544	296	68	1
1969	1,905	1	2	7	21	63	186	282	488	519	270	63	3
1968	1,869	1	-	9	23	62	120	291	500	531	263	67	2
BLACK, FEMALE													
1978	3,266	2	1	4	15	54	103	323	686	1,035	786	256	1
1977	3,317	-	1	5	25	44	112	330	787	1,030	739	243	1
1976	3,439	3	2	5	21	56	123	362	792	1,080	768	223	4
1975	3,488	-	1	6	17	43	124	354	778	1,200	769	196	-
1974	3,698	1	1	5	24	57	156	441	832	1,273	696	210	2
1973	3,784	1	1	6	22	51	154	464	919	1,284	674	207	1
1972	3,828	-	4	6	16	76	154	482	944	1,286	666	194	-
1971	3,720	2	3	7	27	54	187	504	998	1,157	599	182	-
1970	3,549	-	3	4	30	58	158	471	976	1,173	537	136	3
1969	3,651	1	1	8	30	47	180	481	1,032	1,168	567	134	2
1968	3,629	2	-	10	24	74	181	487	1,013	1,135	553	147	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES (260-269)													
BOTH SEXES													
1978	2,855	69	16	11	21	33	34	94	210	410	916	1,040	1
1977	2,606	53	19	14	12	26	26	80	202	431	837	905	1
1976	2,619	78	15	4	24	24	31	97	195	460	846	844	1
1975	2,615	106	15	14	23	42	42	104	187	415	764	901	2
1974	2,527	99	15	15	19	32	44	102	227	442	766	765	1
1973	2,576	104	17	12	17	26	56	101	219	448	795	780	1
1972	2,538	108	18	22	24	12	52	128	220	428	796	730	-
1971	2,537	182	25	29	26	26	45	104	238	433	729	695	5
1970	2,470	164	27	24	24	27	60	119	255	424	726	620	-
1969	2,534	197	48	23	21	20	48	127	235	434	671	709	1
1968	2,543	241	46	24	24	17	57	122	230	407	730	644	1
MALE													
1978	1,161	34	11	6	9	12	17	52	110	210	367	333	-
1977	1,110	33	14	11	5	14	9	42	115	218	352	296	1
1976	1,138	44	8	2	14	12	15	46	95	256	360	285	1
1975	1,147	59	7	9	12	27	25	46	105	227	313	315	2
1974	1,143	63	10	11	8	19	20	54	129	227	341	261	-
1973	1,083	58	8	5	8	15	23	54	108	222	340	241	1
1972	1,148	58	12	16	16	6	14	70	120	212	376	248	-
1971	1,151	108	15	18	14	12	23	51	147	234	308	218	3
1970	1,160	100	17	12	19	14	32	53	133	216	341	223	-
1969	1,158	121	32	14	9	14	21	73	137	222	286	228	1
1968	1,232	142	21	14	11	9	31	63	146	226	344	225	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES (260-269)													
FEMALE													
1978	1,694	35	5	5	12	21	17	42	100	200	549	707	1
1977	1,496	20	5	3	7	12	17	38	87	213	485	609	-
1976	1,481	34	7	2	10	12	16	51	100	204	486	559	-
1975	1,468	47	8	5	11	15	17	58	82	188	451	586	-
1974	1,384	36	5	4	11	13	24	48	98	215	425	504	1
1973	1,493	46	9	7	9	11	33	47	111	226	455	539	-
1972	1,390	50	6	6	8	6	38	58	100	216	420	482	-
1971	1,386	74	10	11	12	14	22	53	91	199	421	477	2
1970	1,310	64	10	12	5	13	28	66	122	208	385	397	-
1969	1,376	76	16	9	12	6	27	54	98	212	385	481	-
1968	1,311	99	25	10	13	8	26	59	84	181	386	419	1
WHITE, BOTH SEXES													
1978	2,418	35	12	7	12	27	26	66	167	325	813	927	1
1977	2,235	32	9	10	9	22	15	65	171	353	731	818	-
1976	2,173	38	7	3	21	17	20	76	159	371	708	753	-
1975	2,174	50	9	5	19	32	29	89	148	328	657	806	2
1974	2,127	54	8	13	13	24	31	76	176	364	666	701	1
1973	2,166	61	8	6	16	20	37	80	167	365	698	708	-
1972	2,124	52	14	14	22	10	30	100	176	342	690	674	-
1971	2,100	90	14	22	20	14	31	72	195	355	640	643	4
1970	2,061	83	18	18	19	22	36	91	209	346	644	575	-
1969	2,065	91	22	16	18	16	32	93	188	336	595	658	-
1968	2,057	108	25	17	18	13	42	95	177	318	659	585	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES (260-269)													
WHITE, MALE													
1978	952	18	7	3	4	9	11	32	88	164	328	288	-
1977	911	17	6	8	4	11	3	30	91	178	301	262	-
1976	906	18	4	1	13	7	9	33	73	203	295	250	-
1975	932	29	4	4	10	21	17	38	82	175	270	280	2
1974	923	32	6	10	4	15	16	41	98	182	285	234	-
1973	884	37	3	3	7	10	15	36	85	176	297	215	-
1972	920	26	10	10	14	6	4	52	92	172	306	228	-
1971	913	49	8	13	11	7	15	34	116	194	268	195	3
1970	936	48	12	9	14	11	20	39	104	171	303	205	-
1969	913	62	13	10	8	11	14	53	108	174	248	212	-
1968	955	64	9	9	8	8	22	47	116	176	304	192	-
WHITE, FEMALE													
1978	1,466	17	5	4	8	18	15	34	79	161	485	639	1
1977	1,324	15	3	2	5	11	12	35	80	175	430	556	-
1976	1,267	20	3	2	8	10	11	43	86	168	413	503	-
1975	1,242	21	5	1	9	11	12	51	66	153	387	526	-
1974	1,204	22	2	3	9	9	15	35	78	182	381	467	1
1973	1,282	24	5	3	9	10	22	44	82	189	401	493	-
1972	1,204	26	4	4	8	4	26	48	84	170	384	446	-
1971	1,187	41	6	9	9	7	16	38	79	161	372	448	1
1970	1,125	35	6	9	5	11	16	52	105	175	341	370	-
1969	1,152	29	9	6	10	5	18	40	80	162	347	446	-
1968	1,102	44	16	8	10	5	20	48	61	142	355	393	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES (260-269)													
ALL OTHER, BOTH SEXES													
1978	437	34	4	4	9	6	8	28	43	85	103	113	-
1977	371	21	10	4	3	4	11	15	31	78	106	87	1
1976	446	40	8	1	3	7	11	21	36	89	138	91	1
1975	441	56	6	9	4	10	13	15	39	87	107	95	-
1974	400	45	7	2	6	8	13	26	51	78	100	64	-
1973	410	43	9	6	1	6	19	21	52	83	97	72	1
1972	414	56	4	8	2	2	22	28	44	86	106	56	-
1971	437	92	11	7	6	12	14	32	43	78	89	52	1
1970	409	81	9	6	5	5	24	28	46	78	82	45	-
1969	469	106	26	7	3	4	16	34	47	98	76	51	1
1968	486	133	21	7	6	4	15	27	53	89	71	59	1
ALL OTHER, MALE													
1978	209	16	4	3	5	3	6	20	22	46	39	45	-
1977	199	16	8	3	1	3	6	12	24	40	51	34	1
1976	232	26	4	1	1	5	6	13	22	53	65	35	1
1975	215	30	3	5	2	6	8	8	23	52	43	35	-
1974	220	31	4	1	4	4	4	13	31	45	56	27	-
1973	199	21	5	2	1	5	8	18	23	46	43	26	1
1972	228	32	2	6	2	-	10	18	28	40	70	20	-
1971	238	59	7	5	3	5	8	17	31	40	40	23	-
1970	224	52	5	3	5	3	12	14	29	45	38	18	-
1969	245	59	19	4	1	3	7	20	29	48	38	16	1
1968	277	78	12	5	3	1	9	16	30	50	40	33	-
ALL OTHER, FEMALE													
1978	228	18	-	1	4	3	2	8	21	39	64	68	-
1977	172	5	2	1	2	1	5	3	7	38	55	53	-
1976	214	14	4	-	2	2	5	8	14	36	73	56	-
1975	226	26	3	4	2	4	5	7	16	35	64	60	-
1974	180	14	3	1	2	4	9	13	20	33	44	37	-
1973	211	22	4	4	-	1	11	3	29	37	54	46	-
1972	186	24	2	2	-	2	12	10	16	46	36	36	-
1971	199	33	4	2	3	7	6	15	12	38	49	29	1
1970	185	29	4	3	-	2	12	14	17	33	44	27	-
1969	224	47	7	3	2	1	9	14	18	50	38	35	-
1968	209	55	9	2	3	3	6	11	23	39	31	26	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES (260-269)													
BLACK, BOTH SEXES													
1978	398	34	4	3	6	5	8	27	39	83	90	99	-
1977	334	19	9	4	3	4	11	15	31	72	90	76	-
1976	416	38	8	1	3	7	11	21	34	87	124	81	1
1975	408	52	5	9	3	10	13	15	38	81	97	85	-
1974	371	41	6	2	5	8	12	26	50	73	91	57	-
1973	365	40	9	6	1	5	16	21	50	74	87	55	1
1972	378	54	4	6	2	2	22	26	40	78	98	46	-
1971	409	86	11	3	6	12	13	30	41	75	84	47	1
1970	370	72	8	6	3	4	23	26	43	75	72	38	-
1969	445	105	23	7	3	3	16	34	46	94	69	44	1
1968	443	128	19	6	6	4	14	27	47	78	68	45	1
BLACK, MALE													
1978	194	16	4	2	3	2	6	20	22	44	34	41	-
1977	179	15	7	3	1	3	6	12	24	37	44	27	-
1976	213	25	4	1	1	5	6	13	20	51	55	31	1
1975	196	27	2	5	1	6	8	8	22	47	39	31	-
1974	202	28	3	1	3	4	3	13	30	42	52	23	-
1973	176	20	5	2	1	4	7	18	21	41	39	17	1
1972	204	30	2	4	2	-	10	16	26	36	64	14	-
1971	217	54	7	2	3	5	7	16	29	37	37	20	-
1970	203	46	5	3	3	3	11	13	27	44	33	15	-
1969	230	58	17	4	1	2	7	20	29	45	34	12	1
1968	248	74	11	4	3	1	8	16	26	44	38	23	-
BLACK, FEMALE													
1978	204	18	-	1	3	3	2	7	17	39	56	58	-
1977	155	4	2	1	2	1	5	3	7	35	46	49	-
1976	203	13	4	-	2	2	5	8	14	36	69	50	-
1975	212	25	3	4	2	4	5	7	16	34	58	54	-
1974	169	13	3	1	2	4	9	13	20	31	39	34	-
1973	189	20	4	4	-	1	9	3	29	33	48	38	-
1972	174	24	2	2	-	2	12	10	14	42	34	32	-
1971	192	32	4	1	3	7	6	14	12	38	47	27	1
1970	167	26	3	3	-	1	12	13	16	31	39	23	-
1969	215	47	6	3	2	1	9	14	17	49	35	32	-
1968	195	54	8	2	3	3	6	11	21	34	30	22	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
BOTH SEXES													
1978	3,300	23	78	87	122	136	90	178	326	583	955	721	1
1977	3,121	32	53	96	157	114	87	152	325	602	879	624	-
1976	3,182	45	56	98	138	122	113	170	314	603	923	600	-
1975	3,195	46	67	110	146	144	103	164	329	637	840	608	1
1974	3,312	31	90	119	137	137	115	193	376	648	920	546	-
1973	3,318	56	83	124	171	143	122	197	349	615	909	548	1
1972	3,426	70	94	134	196	150	130	220	378	624	918	512	-
1971	3,449	67	99	126	207	138	175	238	386	652	854	505	2
1970	3,427	59	107	120	181	130	144	221	367	677	924	496	1
1969	3,318	62	110	172	185	143	111	205	367	637	868	458	-
1968	3,494	59	134	159	182	139	141	215	411	681	928	443	2
MALE													
1978	1,487	18	41	42	63	71	48	86	149	296	402	271	-
1977	1,483	19	28	57	81	66	42	76	171	309	398	236	-
1976	1,473	23	30	50	86	60	36	85	149	305	428	221	-
1975	1,488	23	35	66	80	66	45	75	171	351	355	221	-
1974	1,577	19	51	60	82	71	57	89	203	315	415	215	-
1973	1,569	35	46	72	92	73	63	88	189	292	399	220	-
1972	1,596	40	48	76	92	78	54	90	200	318	400	200	-
1971	1,571	34	41	69	102	69	69	112	168	328	383	195	1
1970	1,631	29	52	69	97	58	54	112	180	339	428	212	1
1969	1,555	29	58	87	97	76	55	87	187	311	405	163	-
1968	1,645	30	79	76	91	68	60	99	197	351	424	168	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
FEMALE													
1978	1,813	5	37	45	59	65	42	92	177	287	553	450	1
1977	1,638	13	25	39	76	48	45	76	154	293	481	388	-
1976	1,709	22	26	48	52	62	77	85	165	298	495	379	-
1975	1,707	23	32	44	66	78	58	89	158	286	485	387	1
1974	1,735	12	39	59	55	66	58	104	173	333	505	331	-
1973	1,749	21	37	52	79	70	59	109	160	323	510	328	1
1972	1,830	30	46	58	104	72	76	130	178	306	518	312	-
1971	1,878	33	58	57	105	69	106	126	218	324	471	310	1
1970	1,796	30	55	51	84	72	90	109	187	338	496	284	-
1969	1,763	33	52	85	88	67	56	118	180	326	463	295	-
1968	1,849	29	55	83	91	71	81	116	214	330	504	275	-
WHITE, BOTH SEXES													
1978	2,632	8	19	53	62	54	35	111	257	494	863	676	-
1977	2,485	14	13	62	67	42	40	97	255	502	811	582	-
1976	2,501	17	15	60	62	44	40	108	250	510	840	555	-
1975	2,536	27	19	55	69	70	44	110	263	538	767	574	-
1974	2,602	15	33	65	64	51	59	126	305	543	839	502	-
1973	2,610	22	30	68	86	51	47	127	281	526	851	520	1
1972	2,624	24	30	74	82	42	66	140	294	530	866	476	-
1971	2,659	33	36	64	94	45	81	159	303	567	803	472	2
1970	2,653	27	38	53	87	43	65	140	297	584	856	462	1
1969	2,617	30	49	83	83	55	45	148	298	566	821	439	-
1968	2,724	27	42	91	98	47	73	142	327	587	874	415	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
WHITE, MALE													
1978	1,171	7	9	24	34	33	20	50	122	249	364	259	-
1977	1,171	9	7	36	33	24	21	50	136	261	369	225	-
1976	1,152	10	6	31	38	22	17	53	119	258	393	205	-
1975	1,159	12	9	28	40	26	15	53	135	302	330	209	-
1974	1,217	10	19	33	39	24	28	60	166	263	379	196	-
1973	1,209	13	16	40	47	26	24	59	148	256	374	206	-
1972	1,214	12	14	50	48	22	22	58	166	272	378	172	-
1971	1,197	17	13	30	48	23	26	74	135	287	361	182	1
1970	1,264	11	17	31	50	20	23	76	145	295	394	201	1
1969	1,211	12	29	39	45	28	23	67	152	278	381	157	-
1968	1,268	14	27	41	49	21	30	65	162	304	398	156	1
WHITE, FEMALE													
1978	1,461	1	10	29	28	21	15	61	135	245	499	417	-
1977	1,314	5	6	26	34	18	19	47	119	241	442	357	-
1976	1,349	7	9	29	24	22	23	55	131	252	447	350	-
1975	1,377	15	10	27	29	44	29	57	128	236	437	365	-
1974	1,385	5	14	32	25	27	31	66	139	280	460	306	-
1973	1,401	9	14	28	39	25	23	68	133	270	477	314	1
1972	1,410	12	16	24	34	20	44	82	128	258	488	304	-
1971	1,462	16	23	34	46	22	55	85	168	280	442	290	1
1970	1,389	16	21	22	37	23	42	64	152	289	462	261	-
1969	1,406	18	20	44	38	27	22	81	146	288	440	282	-
1968	1,456	13	15	50	49	26	43	77	165	283	476	259	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
ALL OTHER, BOTH SEXES													
1978	668	15	59	34	60	82	55	67	69	89	92	45	1
1977	636	18	40	34	90	72	47	55	70	100	68	42	-
1976	681	28	41	38	76	78	73	62	64	93	83	45	-
1975	659	19	48	55	77	74	59	54	66	99	73	34	1
1974	710	16	57	54	73	86	56	67	71	105	81	44	-
1973	708	34	53	56	85	92	75	70	68	89	58	28	-
1972	802	46	64	60	114	108	64	80	84	94	52	36	-
1971	790	34	63	62	113	93	94	79	83	85	51	33	-
1970	774	32	69	67	94	87	79	81	70	93	68	34	-
1969	701	32	61	89	102	88	66	57	69	71	47	19	-
1968	770	32	92	68	84	92	68	73	84	94	54	28	1
ALL OTHER, MALE													
1978	316	11	32	18	29	38	28	36	27	47	38	12	-
1977	312	10	21	21	48	42	21	26	35	48	29	11	-
1976	321	13	24	19	48	38	19	32	30	47	35	16	-
1975	329	11	26	38	40	40	30	22	36	49	25	12	-
1974	360	9	32	27	43	47	29	29	37	52	36	19	-
1973	360	22	30	32	45	47	39	29	41	36	25	14	-
1972	382	28	34	26	44	56	32	32	34	46	22	28	-
1971	374	17	28	39	54	46	43	38	33	41	22	13	-
1970	367	18	35	38	47	38	31	36	35	44	34	11	-
1969	344	17	29	48	52	48	32	20	35	33	24	6	-
1968	377	16	52	35	42	47	30	34	35	47	26	12	1
ALL OTHER, FEMALE													
1978	352	4	27	16	31	44	27	31	42	42	54	33	1
1977	324	8	19	13	42	30	26	29	35	52	39	31	-
1976	360	15	17	19	28	40	54	30	34	46	48	29	-
1975	330	8	22	17	37	34	29	32	30	50	48	22	1
1974	350	7	25	27	30	39	27	38	34	53	45	25	-
1973	348	12	23	24	40	45	36	41	27	53	33	14	-
1972	420	18	30	34	70	52	32	48	50	48	30	8	-
1971	416	17	35	23	59	47	51	41	50	44	29	20	-
1970	407	14	34	29	47	49	48	45	35	49	34	23	-
1969	357	15	32	41	50	40	34	37	34	38	23	13	-
1968	393	16	40	33	42	45	38	39	49	47	28	16	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
BLACK, BOTH SEXES													
1978	640	14	58	33	57	81	53	66	64	83	87	43	1
1977	611	18	39	33	90	70	46	55	63	93	67	37	-
1976	663	28	41	37	76	78	72	60	62	89	78	42	-
1975	633	18	47	51	77	71	59	52	65	91	67	34	1
1974	689	15	55	53	72	86	56	65	68	100	79	40	-
1973	698	33	53	54	84	92	75	69	68	88	56	26	-
1972	766	44	62	60	108	108	64	80	80	82	48	30	-
1971	768	32	61	59	112	93	93	78	79	80	50	31	-
1970	751	30	67	66	93	86	78	77	69	89	65	31	-
1969	680	32	59	83	101	87	63	57	69	69	44	16	-
1968	751	30	89	67	83	90	67	72	83	93	49	27	1
BLACK, MALE													
1978	298	10	31	17	28	37	26	35	25	43	34	12	-
1977	298	10	20	20	48	42	21	26	31	43	28	9	-
1976	311	13	24	19	48	38	18	30	30	43	33	15	-
1975	316	10	26	36	40	40	30	21	36	42	23	12	-
1974	352	9	31	26	43	47	29	27	35	52	36	17	-
1973	354	21	30	32	44	47	39	29	41	35	23	13	-
1972	370	28	34	26	42	56	32	32	32	44	20	24	-
1971	366	15	28	37	53	46	43	38	32	40	22	12	-
1970	356	18	34	38	47	38	31	33	34	43	32	8	-
1969	333	17	28	44	52	48	29	20	35	31	23	6	-
1968	366	14	50	34	42	45	30	34	34	46	25	11	1
BLACK, FEMALE													
1978	342	4	27	16	29	44	27	31	39	40	53	31	1
1977	313	8	19	13	42	28	25	29	32	50	39	28	-
1976	352	15	17	18	28	40	54	30	32	46	45	27	-
1975	317	8	21	15	37	31	29	31	29	49	44	22	1
1974	337	6	24	27	29	39	27	38	33	48	43	23	-
1973	344	12	23	22	40	45	36	40	27	53	33	13	-
1972	396	16	28	34	66	52	32	48	48	38	28	6	-
1971	402	17	33	22	59	47	50	40	47	40	28	19	-
1970	395	12	33	28	46	48	47	44	35	46	33	23	-
1969	347	15	31	39	49	39	34	37	34	38	21	10	-
1968	385	16	39	33	41	45	37	38	49	47	24	16	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320)													
BOTH SEXES													
1978	1,560	532	220	78	58	61	53	88	141	156	120	53	-
1977	1,526	504	211	83	52	36	49	88	154	177	119	52	1
1976	1,589	550	220	90	59	42	65	96	162	142	115	48	-
1975	1,630	584	216	78	56	51	69	110	151	143	128	44	-
1974	1,539	567	224	68	49	31	57	112	134	165	91	41	-
1973	1,523	492	220	97	51	39	64	137	136	162	96	28	1
1972	1,482	514	246	58	46	34	76	140	142	118	86	22	-
1971	1,553	529	208	96	71	41	53	118	157	155	93	31	1
1970	1,701	587	254	116	67	46	68	138	175	145	80	25	-
1969	1,719	551	263	95	47	45	88	148	177	169	115	21	-
1968	1,707	524	276	104	79	49	107	150	164	140	92	21	1
MALE													
1978	864	312	143	42	38	31	32	47	74	76	53	16	-
1977	843	273	133	48	32	15	32	50	86	107	48	19	-
1976	899	302	152	47	38	27	40	67	90	73	50	13	-
1975	906	332	124	36	40	33	44	67	83	79	49	19	-
1974	843	316	129	36	37	20	34	69	71	79	43	9	-
1973	842	277	123	57	26	23	31	91	79	84	39	12	-
1972	836	292	134	38	28	20	44	88	88	56	32	16	-
1971	910	318	125	46	42	32	37	65	90	88	55	12	-
1970	975	345	141	69	34	30	46	85	102	76	38	9	-
1969	1,001	309	158	54	32	28	60	92	113	92	52	11	-
1968	1,023	329	169	58	44	36	66	99	97	68	50	6	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320)													
FEMALE													
1978	696	220	77	36	20	30	21	41	67	80	67	37	-
1977	683	231	78	35	20	21	17	38	68	70	71	33	1
1976	690	248	68	43	21	15	25	29	72	69	65	35	-
1975	724	252	92	42	16	18	25	43	68	64	79	25	-
1974	696	251	95	32	12	11	23	43	63	86	48	32	-
1973	681	215	97	40	25	16	33	46	57	78	57	16	1
1972	646	222	112	20	18	14	32	52	54	62	54	6	-
1971	643	211	83	50	29	9	16	53	67	67	38	19	1
1970	726	242	113	47	33	16	22	53	73	69	42	16	-
1969	718	242	105	41	15	17	28	56	64	77	63	10	-
1968	684	195	107	46	35	13	41	51	67	72	42	15	-
WHITE, BOTH SEXES													
1978	1,128	360	166	53	42	41	39	59	101	126	93	48	-
1977	1,083	335	163	63	31	26	24	56	111	139	89	45	1
1976	1,133	374	170	68	40	25	36	62	114	107	98	39	-
1975	1,153	367	177	59	37	34	44	76	105	107	109	38	-
1974	1,058	366	157	47	33	20	33	78	101	128	66	29	-
1973	1,043	318	154	81	30	26	39	87	94	116	74	23	1
1972	1,000	308	170	38	34	26	50	96	94	96	68	20	-
1971	1,084	351	162	69	51	26	29	69	116	110	75	25	1
1970	1,201	377	193	96	50	34	41	88	124	111	67	20	-
1969	1,198	362	187	75	34	30	56	93	123	126	93	19	-
1968	1,141	325	197	77	52	31	56	109	111	98	67	17	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320)													
WHITE, MALE													
1978	629	216	108	28	28	20	23	31	56	64	42	13	-
1977	601	187	102	39	16	10	15	32	64	84	37	15	-
1976	657	217	119	37	23	15	25	46	66	55	43	11	-
1975	635	216	101	27	24	23	28	44	57	59	41	15	-
1974	597	213	97	27	22	12	19	51	52	63	33	8	-
1973	581	183	85	49	15	13	19	61	54	62	28	12	-
1972	588	186	100	22	24	18	26	66	62	46	24	14	-
1971	632	222	97	34	29	20	18	37	62	63	41	9	-
1970	703	223	106	61	29	22	28	55	77	60	35	7	-
1969	714	214	115	45	24	18	38	57	80	68	45	10	-
1968	671	204	117	39	27	24	33	70	68	48	35	5	1
WHITE, FEMALE													
1978	499	144	58	25	14	21	16	28	45	62	51	35	-
1977	482	148	61	24	15	16	9	24	47	55	52	30	1
1976	476	157	51	31	17	10	11	16	48	52	55	28	-
1975	518	151	76	32	13	11	16	32	48	48	68	23	-
1974	461	153	60	20	11	8	14	27	49	65	33	21	-
1973	462	135	69	32	15	13	20	26	40	54	46	11	1
1972	412	122	70	16	10	8	24	30	32	50	44	6	-
1971	452	129	65	35	22	6	11	32	54	47	34	16	1
1970	498	154	87	35	21	12	13	33	47	51	32	13	-
1969	484	148	72	30	10	12	18	36	43	58	48	9	-
1968	470	121	80	38	25	7	23	39	43	50	32	12	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320)													
ALL OTHER, BOTH SEXES													
1978	432	172	54	25	16	20	14	29	40	30	27	5	-
1977	443	169	48	20	21	10	25	32	43	38	30	7	-
1976	456	176	50	22	19	17	29	34	48	35	17	9	-
1975	477	217	39	19	19	17	25	34	46	36	19	6	-
1974	481	201	67	21	16	11	24	34	33	37	25	12	-
1973	480	174	66	16	21	13	25	50	42	46	22	5	-
1972	482	206	76	20	12	8	26	44	48	22	18	2	-
1971	469	178	46	27	20	15	24	49	41	45	18	6	-
1970	500	210	61	20	17	12	27	50	51	34	13	5	-
1969	521	189	76	20	13	15	32	55	54	43	22	2	-
1968	566	199	79	27	27	18	51	41	53	42	25	4	-
ALL OTHER, MALE													
1978	235	96	35	14	10	11	9	16	18	12	11	3	-
1977	242	86	31	9	16	5	17	18	22	23	11	4	-
1976	242	85	33	10	15	12	15	21	24	18	7	2	-
1975	271	116	23	9	16	10	16	23	26	20	8	4	-
1974	246	103	32	9	15	8	15	18	19	16	10	1	-
1973	261	94	38	8	11	10	12	30	25	22	11	-	-
1972	248	106	34	16	4	2	18	22	26	10	8	2	-
1971	278	96	28	12	13	12	19	28	28	25	14	3	-
1970	272	122	35	8	5	8	18	30	25	16	3	2	-
1969	287	95	43	9	8	10	22	35	33	24	7	1	-
1968	352	125	52	19	17	12	33	29	29	20	15	1	-
ALL OTHER, FEMALE													
1978	197	76	19	11	6	9	5	13	22	18	16	2	-
1977	201	83	17	11	5	5	8	14	21	15	19	3	-
1976	214	91	17	12	4	5	14	13	24	17	10	7	-
1975	206	101	16	10	3	7	9	11	20	16	11	2	-
1974	235	98	35	12	1	3	9	16	14	21	15	11	-
1973	219	80	28	8	10	3	13	20	17	24	11	5	-
1972	234	100	42	4	8	6	8	22	22	12	10	-	-
1971	191	82	18	15	7	3	5	21	13	20	4	3	-
1970	228	88	26	12	12	4	9	20	26	18	10	3	-
1969	234	94	33	11	5	5	10	20	21	19	15	1	-
1968	214	74	27	8	10	6	18	12	24	22	10	3	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320)													
BLACK, BOTH SEXES													
1978	404	160	50	25	15	20	12	27	35	30	27	3	-
1977	401	146	43	20	20	9	24	28	40	36	28	7	-
1976	422	161	48	19	17	16	27	34	43	31	17	9	-
1975	442	194	36	17	18	17	24	32	45	35	19	5	-
1974	447	183	63	18	15	11	22	32	32	36	24	11	-
1973	464	165	64	16	21	13	24	49	41	44	22	5	-
1972	452	192	76	18	10	8	24	40	46	22	14	2	-
1971	441	164	44	24	20	14	23	46	41	42	17	6	-
1970	463	187	59	18	16	10	25	49	50	32	12	5	-
1969	488	172	72	18	13	13	32	53	51	40	22	2	-
1968	521	177	71	25	26	17	47	40	52	40	23	3	-
BLACK, MALE													
1978	222	91	33	14	10	11	9	14	16	12	11	1	-
1977	219	74	28	9	15	4	16	16	20	22	11	4	-
1976	227	78	31	9	13	11	15	21	23	17	7	2	-
1975	254	104	22	8	16	10	15	23	25	20	8	3	-
1974	229	97	29	7	14	8	13	17	18	15	10	1	-
1973	249	87	37	8	11	10	11	30	24	20	11	-	-
1972	232	102	34	14	4	2	16	18	26	10	4	2	-
1971	258	86	27	10	13	11	18	26	28	23	13	3	-
1970	251	110	33	6	4	7	16	30	25	15	3	2	-
1969	268	86	41	9	8	9	22	33	31	21	7	1	-
1968	328	111	46	18	16	12	32	29	29	20	14	1	-
BLACK, FEMALE													
1978	182	69	17	11	5	9	3	13	19	18	16	2	-
1977	182	72	15	11	5	5	8	12	20	14	17	3	-
1976	195	83	17	10	4	5	12	13	20	14	10	7	-
1975	188	90	14	9	2	7	9	9	20	15	11	2	-
1974	218	86	34	11	1	3	9	15	14	21	14	10	-
1973	215	78	27	8	10	3	13	19	17	24	11	5	-
1972	220	90	42	4	6	6	8	22	20	12	10	-	-
1971	183	78	17	14	7	3	5	20	13	19	4	3	-
1970	212	77	26	12	12	3	9	19	25	17	9	3	-
1969	220	86	31	9	5	4	10	20	20	19	15	1	-
1968	193	66	25	7	10	5	15	11	23	20	9	2	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
BOTH SEXES													
1978	966,120	1,058	392	584	1,704	3,970	14,350	51,739	128,500	232,793	303,803	226,962	265
1977	961,539	934	347	515	1,661	4,095	14,623	53,975	129,855	232,795	304,940	217,617	182
1976	974,429	862	329	574	1,713	4,085	14,922	56,587	133,665	235,098	310,522	215,913	159
1975	971,047	814	338	576	1,741	4,027	15,549	58,417	135,341	238,149	310,607	205,338	150
1974	1,010,926	855	379	643	1,772	4,141	16,379	61,857	140,633	248,309	323,830	211,970	158
1973	1,037,492	873	441	665	1,791	4,357	17,727	64,896	147,279	253,689	336,781	208,837	156
1972	1,035,146	852	410	664	1,734	4,280	18,484	66,380	149,484	256,330	336,586	199,788	154
1971	1,017,145	733	424	687	1,926	4,283	19,304	66,699	148,382	251,530	329,555	193,384	238
1970	1,007,984	668	380	663	1,743	4,330	20,045	67,536	149,045	255,461	324,919	182,947	247
1969	1,013,015	586	341	725	1,742	4,365	20,842	68,281	149,179	258,083	327,018	181,587	266
1968	1,023,399	625	376	732	1,679	4,377	21,705	69,978	152,662	262,970	329,245	178,752	298
MALE													
1978	501,743	588	208	316	994	2,533	10,245	37,776	89,350	141,018	141,255	77,299	161
1977	503,868	543	178	282	977	2,640	10,349	39,452	90,227	141,323	142,617	75,188	92
1976	512,008	488	191	314	1,054	2,604	10,599	41,343	92,997	142,686	144,527	75,128	77
1975	514,095	446	191	313	1,031	2,505	10,926	42,661	94,156	143,539	145,273	72,978	76
1974	534,436	476	194	344	1,040	2,541	11,399	45,172	97,787	149,127	150,632	75,644	80
1973	551,395	492	243	349	1,029	2,583	12,276	47,056	102,426	151,948	157,971	74,939	83
1972	553,604	460	234	392	1,064	2,558	12,784	48,402	104,038	152,370	158,820	72,400	82
1971	546,728	400	229	348	1,133	2,561	13,403	48,188	102,878	149,649	156,417	71,390	132
1970	545,037	395	221	370	1,020	2,593	13,913	48,721	103,321	151,163	155,053	68,117	150
1969	550,117	305	195	366	946	2,600	14,477	49,662	103,824	153,181	156,852	67,565	144
1968	557,233	346	191	389	913	2,585	14,975	50,494	105,667	156,001	158,221	67,286	165

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
FEMALE													
1978	464,377	470	184	268	710	1,437	4,105	13,963	39,150	91,775	162,548	149,663	104
1977	457,671	391	169	233	684	1,455	4,274	14,523	39,628	91,472	162,323	142,429	90
1976	462,421	374	138	260	659	1,481	4,323	15,244	40,668	92,412	165,995	140,785	82
1975	456,952	368	147	263	710	1,522	4,623	15,756	41,185	94,610	165,334	132,360	74
1974	476,490	379	185	299	732	1,600	4,980	16,685	42,846	99,182	173,198	136,326	78
1973	486,097	381	198	316	762	1,774	5,451	17,840	44,853	101,741	178,810	133,898	73
1972	481,542	392	176	272	670	1,722	5,700	17,978	45,446	103,960	177,766	127,388	72
1971	470,417	333	195	339	793	1,722	5,901	18,511	45,504	101,881	173,138	121,994	106
1970	462,947	273	159	293	723	1,737	6,132	18,815	45,724	104,298	169,866	114,830	97
1969	462,898	281	146	359	796	1,765	6,365	18,619	45,355	104,902	170,166	114,022	122
1968	466,166	279	185	343	766	1,792	6,730	19,484	46,995	106,969	171,024	111,466	133
WHITE, BOTH SEXES													
1978	866,914	719	279	444	1,243	2,777	10,813	42,092	109,967	205,618	279,145	213,635	182
1977	863,063	671	253	396	1,191	2,931	10,994	44,103	111,389	205,580	280,688	204,750	117
1976	876,127	603	240	446	1,217	2,873	11,356	46,377	115,192	207,756	286,637	203,323	107
1975	873,874	587	247	438	1,261	2,835	11,752	48,275	116,659	210,274	287,827	193,609	110
1974	909,804	553	271	504	1,320	2,856	12,428	50,808	120,900	218,697	301,364	199,991	112
1973	932,385	547	311	501	1,289	3,019	13,362	53,090	126,544	223,083	313,447	197,096	96
1972	931,240	514	296	498	1,220	2,896	13,810	54,304	128,328	226,622	313,776	188,876	100
1971	915,995	467	310	512	1,394	2,913	14,540	54,929	127,906	222,091	307,834	182,954	145
1970	905,664	429	264	514	1,251	2,878	14,867	55,371	127,744	225,661	303,610	172,925	150
1969	910,591	428	257	549	1,264	2,840	15,499	55,923	127,803	228,149	305,929	171,756	194
1968	918,264	429	262	563	1,205	2,874	16,086	57,402	130,113	232,282	307,925	168,940	183

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
WHITE, MALE													
1978	450,248	413	154	246	749	1,809	8,000	31,808	78,331	126,463	129,828	72,332	115
1977	453,000	410	133	224	722	1,925	8,142	33,432	79,275	126,903	131,461	70,310	63
1976	460,908	357	139	245	761	1,874	8,420	35,088	82,121	128,124	133,474	70,255	50
1975	463,405	326	138	244	758	1,771	8,619	36,484	83,379	128,861	134,445	68,329	51
1974	481,888	319	136	276	794	1,812	9,105	38,541	86,302	133,516	140,075	70,955	57
1973	496,918	304	170	258	759	1,848	9,801	40,001	90,481	136,033	146,923	70,290	50
1972	499,336	276	164	304	764	1,804	10,128	41,136	91,996	136,958	147,802	67,954	50
1971	493,971	271	162	261	838	1,849	10,694	41,319	91,054	134,295	146,002	67,137	89
1970	491,542	267	163	297	762	1,797	10,952	41,660	91,218	135,517	144,821	63,998	90
1969	496,375	229	146	281	705	1,769	11,440	42,336	91,817	137,497	146,577	63,472	106
1968	502,203	247	130	297	676	1,788	11,832	43,207	92,839	139,953	148,019	63,117	98
WHITE, FEMALE													
1978	416,666	306	125	198	494	968	2,813	10,284	31,636	79,155	149,317	141,303	67
1977	410,063	261	120	172	469	1,006	2,852	10,671	32,114	78,677	149,227	134,440	54
1976	415,219	246	101	201	456	999	2,936	11,289	33,071	79,632	153,163	133,068	57
1975	410,469	261	109	194	503	1,064	3,133	11,791	33,280	81,413	153,382	125,280	59
1974	427,916	234	135	228	526	1,044	3,323	12,267	34,598	85,181	161,289	129,036	55
1973	435,467	243	141	243	530	1,171	3,561	13,089	36,063	87,050	166,524	126,806	46
1972	431,904	238	132	194	456	1,092	3,682	13,168	36,332	89,664	165,974	120,922	50
1971	422,024	196	148	251	556	1,064	3,846	13,610	36,852	87,796	161,832	115,817	56
1970	414,122	162	101	217	489	1,081	3,915	13,711	36,526	90,144	158,789	108,927	60
1969	414,216	199	111	268	559	1,071	4,059	13,587	35,986	90,652	159,352	108,284	88
1968	416,061	182	132	266	529	1,086	4,254	14,195	37,274	92,329	159,906	105,823	85

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
ALL OTHER, BOTH SEXES													
1978	99,206	339	113	140	461	1,193	3,537	9,647	18,533	27,175	24,658	13,327	83
1977	98,476	263	94	119	470	1,164	3,629	9,872	18,466	27,215	24,252	12,867	65
1976	98,302	259	89	128	496	1,212	3,566	10,210	18,473	27,342	23,885	12,590	52
1975	97,173	227	91	138	480	1,192	3,797	10,142	18,682	27,875	22,780	11,729	40
1974	101,122	302	108	139	452	1,285	3,951	11,049	19,733	29,612	22,466	11,979	46
1973	105,107	326	130	164	502	1,338	4,365	11,806	20,735	30,606	23,334	11,741	60
1972	103,906	338	114	166	514	1,384	4,674	12,076	21,156	29,708	22,810	10,912	54
1971	101,150	266	114	175	532	1,370	4,764	11,770	20,476	29,439	21,721	10,430	93
1970	102,320	239	116	149	492	1,452	5,178	12,165	21,301	29,800	21,309	10,022	97
1969	102,424	158	84	176	478	1,525	5,343	12,358	21,376	29,934	21,089	9,831	72
1968	105,135	196	114	169	474	1,503	5,619	12,576	22,549	30,688	21,320	9,812	115
ALL OTHER, MALE													
1978	51,495	175	54	70	245	724	2,245	5,968	11,019	14,555	11,427	4,967	46
1977	50,868	133	45	58	255	715	2,207	6,020	10,952	14,420	11,156	4,878	29
1976	51,100	131	52	69	293	730	2,179	6,255	10,876	14,562	11,053	4,873	27
1975	50,690	120	53	69	273	734	2,307	6,177	10,777	14,678	10,828	4,649	25
1974	52,548	157	58	68	246	729	2,294	6,631	11,485	15,611	10,557	4,689	23
1973	54,477	188	73	91	270	735	2,475	7,055	11,945	15,915	11,048	4,649	33
1972	54,268	184	70	88	300	754	2,656	7,266	12,042	15,412	11,018	4,446	32
1971	52,757	129	67	87	295	712	2,709	6,869	11,824	15,354	10,415	4,253	43
1970	53,495	128	58	73	258	796	2,961	7,061	12,103	15,646	10,232	4,119	60
1969	53,742	76	49	85	241	831	3,037	7,326	12,007	15,684	10,275	4,093	38
1968	55,030	99	61	92	237	797	3,143	7,287	12,828	16,048	10,202	4,169	67
ALL OTHER, FEMALE													
1978	47,711	164	59	70	216	469	1,292	3,679	7,514	12,620	13,231	8,360	37
1977	47,608	130	49	61	215	449	1,422	3,852	7,514	12,795	13,096	7,989	36
1976	47,202	128	37	59	203	482	1,387	3,955	7,597	12,780	12,832	7,717	25
1975	46,483	107	38	69	207	458	1,490	3,965	7,905	13,197	11,952	7,080	15
1974	48,574	145	50	71	206	556	1,657	4,418	8,248	14,001	11,909	7,290	23
1973	50,630	138	57	73	232	603	1,890	4,751	8,790	14,691	12,286	7,092	27
1972	49,638	154	44	78	214	630	2,018	4,810	9,114	14,296	11,792	6,466	22
1971	48,393	137	47	88	237	658	2,055	4,901	8,652	14,085	11,306	6,177	50
1970	48,825	111	58	76	234	656	2,217	5,104	9,198	14,154	11,077	5,903	37
1969	48,682	82	35	91	237	694	2,306	5,032	9,369	14,250	10,814	5,738	34
1968	50,105	97	53	77	237	706	2,476	5,289	9,721	14,640	11,118	5,643	48

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
BLACK, BOTH SEXES													
1978	93,262	310	101	125	429	1,123	3,348	9,163	17,577	25,679	23,043	12,298	66
1977	93,097	248	84	112	434	1,096	3,454	9,419	17,597	25,873	22,757	11,959	64
1976	93,018	236	86	114	466	1,151	3,388	9,762	17,664	25,958	22,535	11,609	49
1975	92,131	210	82	125	454	1,131	3,595	9,694	17,896	26,520	21,530	10,856	38
1974	95,978	267	100	129	428	1,229	3,779	10,590	18,874	28,210	21,182	11,146	44
1973	99,916	314	121	153	473	1,260	4,187	11,330	19,930	29,250	21,956	10,883	59
1972	98,876	322	104	154	484	1,306	4,482	11,648	20,286	28,392	21,510	10,138	50
1971	96,154	241	105	161	501	1,316	4,577	11,319	19,674	28,131	20,445	9,606	78
1970	97,454	215	109	143	457	1,394	5,011	11,737	20,477	28,476	20,049	9,299	87
1969	97,968	146	78	157	453	1,463	5,140	11,963	20,671	28,700	19,983	9,146	68
1968	100,552	187	111	159	433	1,447	5,433	12,156	21,727	29,518	20,101	9,170	110
BLACK, MALE													
1978	47,702	159	51	62	225	685	2,110	5,632	10,362	13,508	10,446	4,427	35
1977	47,474	127	40	55	235	676	2,092	5,711	10,353	13,484	10,284	4,388	29
1976	47,738	119	51	61	274	695	2,072	5,933	10,322	13,572	10,277	4,336	26
1975	47,399	110	47	62	260	694	2,165	5,855	10,213	13,721	10,089	4,159	24
1974	49,249	139	53	63	232	696	2,186	6,300	10,882	14,629	9,819	4,227	23
1973	51,156	181	68	86	251	698	2,363	6,731	11,386	14,954	10,240	4,166	32
1972	51,054	174	64	76	282	720	2,532	6,990	11,458	14,474	10,238	4,016	30
1971	49,588	112	64	80	279	686	2,603	6,559	11,248	14,459	9,670	3,789	39
1970	50,304	115	52	68	242	769	2,849	6,777	11,496	14,725	9,465	3,691	55
1969	50,758	70	45	76	225	785	2,900	7,043	11,494	14,829	9,568	3,689	34
1968	52,002	97	60	89	209	771	3,025	6,991	12,211	15,245	9,443	3,796	65
BLACK, FEMALE													
1978	45,560	151	50	63	204	438	1,238	3,531	7,215	12,171	12,597	7,871	31
1977	45,623	121	44	57	199	420	1,362	3,708	7,244	12,389	12,473	7,571	35
1976	45,280	117	35	53	192	456	1,316	3,829	7,342	12,386	12,258	7,273	23
1975	44,732	100	35	63	194	437	1,430	3,839	7,683	12,799	11,441	6,697	14
1974	46,729	128	47	66	196	533	1,593	4,290	7,992	13,581	11,363	6,919	21
1973	48,760	133	53	67	222	562	1,824	4,599	8,544	14,296	11,716	6,717	27
1972	47,822	148	40	78	202	586	1,950	4,658	8,828	13,918	11,272	6,122	20
1971	46,566	129	41	81	222	630	1,974	4,760	8,426	13,672	10,775	5,817	39
1970	47,150	100	57	75	215	625	2,162	4,960	8,981	13,751	10,584	5,608	32
1969	47,210	76	33	81	228	678	2,240	4,920	9,177	13,871	10,415	5,457	34
1968	48,550	90	51	70	224	676	2,408	5,165	9,516	14,273	10,658	5,374	45

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
390-398, 404, 410-429 Diseases of heart BOTH SEXES													
1978	729,510	843	279	357	1,098	2,798	11,369	43,679	107,885	183,880	220,824	156,279	219
1977	718,850	731	234	311	1,035	2,816	11,576	45,386	108,266	182,354	218,477	147,521	143
1976	723,878	700	227	332	1,072	2,706	11,687	47,230	110,839	182,667	221,113	145,176	129
1975	716,215	626	228	339	1,045	2,659	12,263	48,724	111,660	183,667	218,204	136,683	117
1974	738,171	661	262	352	1,092	2,793	12,672	51,317	115,241	189,586	224,857	139,225	113
1973	757,075	708	286	394	1,103	2,858	13,756	53,434	120,623	193,179	233,985	136,629	120
1972	755,864	666	284	388	1,070	2,768	14,300	54,352	121,780	195,102	234,292	130,752	110
1971	743,368	549	248	385	1,129	2,748	14,889	54,547	121,037	191,449	229,265	126,949	173
1970	735,542	455	237	344	1,054	2,836	15,402	55,365	121,253	193,772	225,415	119,230	179
1969	739,265	384	203	408	1,032	2,798	16,109	56,099	121,588	195,383	226,968	118,098	195
1968	744,658	415	239	412	946	2,821	16,700	57,200	124,246	198,856	227,457	115,144	222
MALE													
1978	398,267	466	135	183	672	1,937	8,691	33,494	77,420	114,329	105,828	54,975	137
1977	396,482	431	121	161	646	1,968	8,795	34,807	77,734	113,751	105,243	52,749	76
1976	400,601	404	133	174	690	1,884	8,981	36,311	79,751	113,941	106,215	52,049	68
1975	399,501	346	128	190	631	1,841	9,292	37,509	80,364	113,774	105,273	50,088	65
1974	411,492	364	128	182	674	1,878	9,549	39,517	82,934	117,026	107,846	51,336	58
1973	424,455	406	163	214	669	1,889	10,314	40,965	86,857	118,922	113,259	50,732	65
1972	424,634	352	160	220	680	1,832	10,694	41,918	87,530	119,020	113,568	48,596	64
1971	419,716	295	129	194	700	1,832	11,197	41,564	86,705	116,959	111,684	48,353	104
1970	417,918	269	129	182	642	1,858	11,587	42,152	86,803	117,999	110,480	45,702	115
1969	421,845	195	109	201	595	1,857	12,128	43,035	87,491	119,153	111,849	45,116	116
1968	425,796	231	124	217	545	1,820	12,442	43,545	88,848	121,139	112,408	44,343	134

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
390-398, 404, 410-429 Diseases of heart FEMALE													
1978	331,243	377	144	174	426	861	2,678	10,185	30,465	69,551	114,996	101,304	82
1977	322,368	300	113	150	389	848	2,781	10,579	30,532	68,603	113,234	94,772	67
1976	323,277	296	94	158	382	822	2,706	10,919	31,088	68,726	114,898	93,127	61
1975	316,714	280	100	149	414	818	2,971	11,215	31,296	69,893	112,931	86,595	52
1974	326,679	297	134	170	418	915	3,123	11,800	32,307	72,560	117,011	87,889	55
1973	332,620	302	123	180	434	969	3,442	12,469	33,766	74,257	120,726	85,897	55
1972	331,230	314	124	168	390	936	3,606	12,434	34,250	76,082	120,724	82,156	46
1971	323,652	254	119	191	429	916	3,692	12,983	34,332	74,490	117,581	78,596	69
1970	317,624	186	108	162	412	978	3,815	13,213	34,450	75,773	114,935	73,528	64
1969	317,420	189	94	207	437	941	3,981	13,064	34,097	76,230	115,119	72,982	79
1968	318,862	184	115	195	401	1,001	4,258	13,655	35,398	77,717	115,049	70,801	88
WHITE, BOTH SEXES													
1978	657,702	586	185	261	763	1,970	8,772	36,238	93,668	164,152	203,723	147,231	153
1977	648,308	530	163	230	712	2,031	8,940	37,844	94,192	162,826	201,924	138,819	97
1976	654,291	479	165	247	737	1,915	9,190	39,573	96,921	163,258	204,860	136,860	86
1975	648,037	453	161	251	731	1,879	9,536	41,174	97,777	164,057	202,997	128,936	85
1974	667,787	423	183	257	779	1,932	9,956	43,178	100,739	168,958	209,949	131,353	80
1973	684,359	430	193	289	765	1,998	10,796	44,859	105,530	171,956	218,507	128,960	76
1972	684,382	404	210	282	714	1,918	11,118	45,646	106,454	174,646	219,206	123,708	76
1971	673,993	332	172	276	781	1,903	11,675	46,231	106,375	171,170	214,787	120,182	109
1970	665,731	280	154	249	732	1,927	11,917	46,733	106,064	173,481	211,380	112,704	110
1969	669,687	279	147	284	714	1,871	12,530	47,361	106,324	175,094	213,139	111,794	150
1968	673,600	275	160	292	666	1,897	12,974	48,351	108,250	178,229	213,534	108,830	142

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
390-398, 404, 410-429 Diseases of heart													
WHITE, MALE													
1978	359,700	338	93	135	482	1,402	6,965	28,730	68,757	103,525	97,660	51,513	100
1977	358,734	323	87	124	450	1,455	7,101	29,999	69,172	103,154	97,421	49,393	55
1976	363,098	289	95	127	489	1,385	7,340	31,403	71,300	103,340	98,517	48,767	46
1975	362,616	253	89	143	451	1,316	7,535	32,668	72,160	103,180	97,836	46,941	44
1974	373,592	245	88	138	503	1,353	7,879	34,409	74,259	105,829	100,647	48,200	42
1973	385,289	243	110	151	483	1,378	8,517	35,575	77,890	107,566	105,694	47,644	38
1972	385,802	208	114	164	456	1,322	8,766	36,452	78,584	107,960	106,064	45,676	36
1971	382,216	187	87	136	501	1,355	9,259	36,471	77,983	106,093	104,567	45,507	70
1970	380,096	180	88	137	463	1,326	9,445	36,904	77,937	107,021	103,582	42,940	73
1969	384,024	145	77	147	436	1,301	9,960	37,604	78,634	108,255	104,909	42,468	88
1968	387,382	163	82	152	401	1,297	10,228	38,179	79,492	110,088	105,622	41,594	84
WHITE, FEMALE													
1978	298,002	248	92	126	281	568	1,807	7,508	24,911	60,627	106,063	95,718	53
1977	289,574	207	76	106	262	576	1,839	7,845	25,020	59,672	104,503	89,426	42
1976	291,193	190	70	120	248	530	1,850	8,170	25,621	59,918	106,343	88,093	40
1975	285,421	200	72	108	280	563	2,001	8,506	25,617	60,877	105,161	81,995	41
1974	294,195	178	95	119	276	579	2,077	8,769	26,480	63,129	109,302	83,153	38
1973	299,070	187	83	138	282	620	2,279	9,284	27,640	64,390	112,813	81,316	38
1972	298,580	196	96	118	258	596	2,352	9,194	27,870	66,686	113,142	78,032	40
1971	291,777	145	85	140	280	548	2,416	9,760	28,392	65,077	110,220	74,675	39
1970	285,635	100	66	112	269	601	2,472	9,829	28,127	66,460	107,798	69,764	37
1969	285,663	134	70	137	278	570	2,570	9,757	27,690	66,839	108,230	69,326	62
1968	286,218	112	78	140	265	600	2,746	10,172	28,758	68,141	107,912	67,236	58

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
390-398, 404, 410-429 Diseases of heart ALL OTHER, BOTH SEXES													
1978	71,808	257	94	96	335	828	2,597	7,441	14,217	19,728	17,101	9,048	66
1977	70,542	201	71	81	323	785	2,636	7,542	14,074	19,528	16,553	8,702	46
1976	69,587	221	62	85	335	791	2,497	7,657	13,918	19,409	16,253	8,316	43
1975	68,178	173	67	88	314	780	2,727	7,550	13,883	19,610	15,207	7,747	32
1974	70,384	238	79	95	313	861	2,716	8,139	14,502	20,628	14,908	7,872	33
1973	72,716	278	93	105	338	860	2,960	8,575	15,093	21,223	15,478	7,669	44
1972	71,482	262	74	106	356	850	3,182	8,706	15,326	20,456	15,086	7,044	34
1971	69,375	217	76	109	348	845	3,214	8,316	14,662	20,279	14,478	6,767	64
1970	69,811	175	83	95	322	909	3,485	8,632	15,189	20,291	14,035	6,526	69
1969	69,578	105	56	124	318	927	3,579	8,738	15,264	20,289	13,829	6,304	45
1968	71,058	140	79	120	280	924	3,726	8,849	15,996	20,627	13,923	6,314	80
ALL OTHER, MALE													
1978	38,567	128	42	48	190	535	1,726	4,764	8,663	10,804	8,168	3,462	37
1977	37,748	108	34	37	196	513	1,694	4,808	8,562	10,597	7,822	3,356	21
1976	37,503	115	38	47	201	499	1,641	4,908	8,451	10,601	7,698	3,282	22
1975	36,885	93	39	47	180	525	1,757	4,841	8,204	10,594	7,437	3,147	21
1974	37,900	119	40	44	171	525	1,670	5,108	8,675	11,197	7,199	3,136	16
1973	39,166	163	53	63	186	511	1,797	5,390	8,967	11,356	7,565	3,088	27
1972	38,832	144	46	56	224	510	1,928	5,466	8,946	11,060	7,504	2,920	28
1971	37,500	108	42	58	199	477	1,938	5,093	8,722	10,866	7,117	2,846	34
1970	37,822	89	41	45	179	532	2,142	5,248	8,866	10,978	6,898	2,762	42
1969	37,821	50	32	54	159	556	2,168	5,431	8,857	10,898	6,940	2,648	28
1968	38,414	68	42	65	144	523	2,214	5,366	9,356	11,051	6,786	2,749	50

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
390-398, 404, 410-429 Diseases of heart ALL OTHER, FEMALE													
1978	33,241	129	52	48	145	293	871	2,677	5,554	8,924	8,933	5,586	29
1977	32,794	93	37	44	127	272	942	2,734	5,512	8,931	8,731	5,346	25
1976	32,084	106	24	38	134	292	856	2,749	5,467	8,808	8,555	5,034	21
1975	31,293	80	28	41	134	255	970	2,709	5,679	9,016	7,770	4,600	11
1974	32,484	119	39	51	142	336	1,046	3,031	5,827	9,431	7,709	4,736	17
1973	33,550	115	40	42	152	349	1,163	3,185	6,126	9,867	7,913	4,581	17
1972	32,650	118	28	50	132	340	1,254	3,240	6,380	9,396	7,582	4,124	6
1971	31,875	109	34	51	149	368	1,276	3,223	5,940	9,413	7,361	3,921	30
1970	31,989	86	42	50	143	377	1,343	3,384	6,323	9,313	7,137	3,764	27
1969	31,757	55	24	70	159	371	1,411	3,307	6,407	9,391	6,889	3,656	17
1968	32,644	72	37	55	136	401	1,512	3,483	6,640	9,576	7,137	3,565	30
BLACK, BOTH SEXES													
1978	67,450	237	83	87	314	773	2,455	7,051	13,496	18,618	15,953	8,330	53
1977	66,670	189	64	78	297	741	2,501	7,198	13,408	18,580	15,495	8,073	46
1976	65,802	199	59	73	313	756	2,368	7,323	13,308	18,396	15,329	7,637	41
1975	64,620	161	61	80	301	745	2,580	7,219	13,280	18,657	14,345	7,161	30
1974	66,737	208	73	91	296	817	2,586	7,780	13,864	19,627	14,032	7,332	31
1973	69,105	266	87	101	317	804	2,843	8,227	14,503	20,273	14,543	7,098	43
1972	67,936	248	68	98	342	794	3,036	8,392	14,686	19,486	14,228	6,526	32
1971	65,829	196	69	100	327	811	3,081	7,975	14,058	19,328	13,596	6,235	53
1970	66,382	158	79	90	300	869	3,358	8,316	14,560	19,353	13,195	6,041	63
1969	66,413	95	53	111	300	896	3,424	8,437	14,734	19,392	13,082	5,846	43
1968	67,818	135	78	112	253	892	3,586	8,530	15,372	19,793	13,105	5,886	76

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
390-398, 404, 410-429 Diseases of heart BLACK, MALE													
1978	35,676	116	39	43	175	501	1,621	4,478	8,146	10,015	7,442	3,072	28
1977	35,210	103	30	37	179	480	1,600	4,546	8,086	9,922	7,187	3,019	21
1976	34,998	103	37	40	188	476	1,554	4,646	8,017	9,868	7,146	2,902	21
1975	34,444	84	35	41	172	498	1,646	4,584	7,749	9,898	6,910	2,807	20
1974	35,453	105	37	42	161	495	1,581	4,831	8,201	10,477	6,690	2,817	16
1973	36,775	156	48	60	173	485	1,708	5,125	8,544	10,673	7,011	2,766	26
1972	36,476	134	40	48	212	482	1,824	5,254	8,504	10,352	6,976	2,624	26
1971	35,176	94	41	52	186	462	1,855	4,848	8,270	10,203	6,600	2,534	31
1970	35,503	82	38	40	169	510	2,051	5,018	8,392	10,315	6,380	2,469	39
1969	35,608	44	30	47	149	529	2,060	5,201	8,448	10,254	6,444	2,376	26
1968	36,195	67	42	63	127	507	2,114	5,124	8,881	10,462	6,266	2,494	48
BLACK, FEMALE													
1978	31,774	121	44	44	139	272	834	2,573	5,350	8,603	8,511	5,258	25
1977	31,460	86	34	41	118	261	901	2,652	5,322	8,658	8,308	5,054	25
1976	30,804	96	22	33	125	280	814	2,677	5,291	8,528	8,183	4,735	20
1975	30,176	77	26	39	129	247	934	2,635	5,531	8,759	7,435	4,354	10
1974	31,284	103	36	49	135	322	1,005	2,949	5,663	9,150	7,342	4,515	15
1973	32,330	110	39	41	144	319	1,135	3,102	5,959	9,600	7,532	4,332	17
1972	31,460	114	28	50	130	312	1,212	3,138	6,182	9,134	7,252	3,902	6
1971	30,653	102	28	48	141	349	1,226	3,127	5,788	9,125	6,996	3,701	22
1970	30,879	76	41	50	131	359	1,307	3,298	6,168	9,038	6,815	3,572	24
1969	30,805	51	23	64	151	367	1,364	3,236	6,286	9,138	6,638	3,470	17
1968	31,623	68	36	49	126	385	1,472	3,406	6,491	9,331	6,839	3,392	28

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE (390-398)													
BOTH SEXES													
1978	13,402	3	17	30	126	240	526	1,308	2,748	4,038	3,152	1,212	2
1977	12,770	1	7	38	151	282	580	1,385	2,782	3,839	2,761	944	-
1976	13,110	5	11	43	148	273	586	1,539	3,142	3,861	2,656	846	-
1975	12,930	2	5	51	154	301	716	1,583	3,110	3,807	2,448	753	-
1974	13,302	3	11	63	189	338	714	1,861	3,278	3,825	2,291	727	2
1973	13,739	3	17	73	207	377	830	1,986	3,531	3,726	2,307	682	-
1972	14,118	2	12	52	166	384	972	2,104	3,852	3,650	2,316	608	-
1971	14,644	3	21	76	225	378	1,016	2,355	3,892	3,817	2,242	618	1
1970	14,889	2	17	86	238	441	1,099	2,547	3,930	3,852	2,109	568	-
1969	15,432	5	18	115	250	469	1,151	2,683	4,287	3,792	2,089	572	1
1968	16,358	9	13	116	241	555	1,353	3,022	4,501	3,849	2,134	562	3
MALE													
1978	5,814	3	7	15	78	128	266	661	1,323	1,757	1,191	384	1
1977	5,624	1	4	18	90	159	280	678	1,363	1,684	1,046	301	-
1976	5,863	5	10	25	86	157	288	786	1,503	1,732	1,027	244	-
1975	5,763	2	3	32	81	147	349	834	1,515	1,628	949	223	-
1974	5,969	1	5	29	102	179	328	969	1,614	1,676	842	223	1
1973	6,172	1	13	38	123	207	427	990	1,702	1,589	880	202	-
1972	6,550	2	6	30	100	186	496	1,110	1,868	1,606	936	210	-
1971	6,733	1	13	39	127	190	513	1,150	1,901	1,686	911	202	-
1970	6,887	1	8	51	127	222	548	1,272	1,888	1,735	847	188	-
1969	7,072	5	10	55	130	223	576	1,338	2,062	1,645	834	193	1
1968	7,523	7	6	63	132	275	670	1,477	2,173	1,697	816	205	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE (390-398)													
FEMALE													
1978	7,588	-	10	15	48	112	260	647	1,425	2,281	1,961	828	1
1977	7,146	-	3	20	61	123	300	707	1,419	2,155	1,715	643	-
1976	7,247	-	1	18	62	116	298	753	1,639	2,129	1,629	602	-
1975	7,167	-	2	19	73	154	367	749	1,595	2,179	1,499	530	-
1974	7,333	2	6	34	87	159	386	892	1,664	2,149	1,449	504	1
1973	7,567	2	4	35	84	170	403	996	1,829	2,137	1,427	480	-
1972	7,568	-	6	22	66	198	476	994	1,984	2,044	1,380	398	-
1971	7,911	2	8	37	98	188	503	1,205	1,991	2,131	1,331	416	1
1970	8,002	1	9	35	111	219	551	1,275	2,042	2,117	1,262	380	-
1969	8,360	-	8	60	120	246	575	1,345	2,225	2,147	1,255	379	-
1968	8,835	2	7	53	109	280	683	1,545	2,328	2,152	1,318	357	1
WHITE, BOTH SEXES													
1978	12,222	3	10	15	76	163	411	1,117	2,503	3,801	2,962	1,160	1
1977	11,645	1	5	25	95	193	458	1,182	2,565	3,596	2,622	903	-
1976	11,952	4	9	28	87	193	455	1,351	2,886	3,629	2,517	793	-
1975	11,743	2	4	32	85	216	548	1,395	2,864	3,563	2,314	720	-
1974	12,103	1	8	33	116	250	568	1,627	3,024	3,603	2,176	696	1
1973	12,522	3	12	46	129	265	674	1,780	3,250	3,512	2,208	643	-
1972	12,832	-	10	22	106	268	776	1,888	3,570	3,432	2,190	570	-
1971	13,336	2	11	45	143	283	823	2,099	3,611	3,592	2,146	581	-
1970	13,522	1	5	52	153	302	917	2,282	3,629	3,622	2,016	543	-
1969	14,052	3	9	55	157	354	949	2,434	3,987	3,559	2,001	543	1
1968	14,902	6	10	58	166	387	1,129	2,731	4,196	3,641	2,039	537	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE (390-398)													
WHITE, MALE													
1978	5,284	3	6	10	47	91	205	578	1,220	1,641	1,115	367	1
1977	5,101	1	4	13	57	113	230	579	1,255	1,575	991	283	-
1976	5,288	4	8	16	52	108	227	692	1,373	1,621	955	232	-
1975	5,168	2	3	20	46	100	271	733	1,392	1,507	882	212	-
1974	5,354	1	3	17	68	132	262	849	1,461	1,563	786	212	-
1973	5,544	1	11	26	84	154	345	887	1,550	1,469	832	185	-
1972	5,896	-	4	12	70	118	392	1,008	1,736	1,490	872	194	-
1971	6,116	1	6	23	85	155	433	1,032	1,753	1,574	864	190	-
1970	6,217	1	3	34	81	156	460	1,141	1,737	1,625	806	173	-
1969	6,434	3	5	33	97	179	488	1,216	1,912	1,530	787	183	1
1968	6,787	5	5	33	95	198	554	1,344	2,004	1,592	765	191	1
WHITE, FEMALE													
1978	6,938	-	4	5	29	72	206	539	1,283	2,160	1,847	793	-
1977	6,544	-	1	12	38	80	228	603	1,310	2,021	1,631	620	-
1976	6,664	-	1	12	35	85	228	659	1,513	2,008	1,562	561	-
1975	6,575	-	1	12	39	116	277	662	1,472	2,056	1,432	508	-
1974	6,749	-	5	16	48	118	306	778	1,563	2,040	1,390	484	1
1973	6,978	2	1	20	45	111	329	893	1,700	2,043	1,376	458	-
1972	6,936	-	6	10	36	150	384	880	1,834	1,942	1,318	376	-
1971	7,220	1	5	22	58	128	390	1,067	1,858	2,018	1,282	391	-
1970	7,305	-	2	18	72	146	457	1,141	1,892	1,997	1,210	370	-
1969	7,618	-	4	22	60	175	461	1,218	2,075	2,029	1,214	360	-
1968	8,115	1	5	25	71	189	575	1,387	2,192	2,049	1,274	346	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE (390-398)													
ALL OTHER, BOTH SEXES													
1978	1,180	-	7	15	50	77	115	191	245	237	190	52	1
1977	1,125	-	2	13	56	89	122	203	217	243	139	41	-
1976	1,158	1	2	15	61	80	131	188	256	232	139	53	-
1975	1,187	-	1	19	69	85	168	188	246	244	134	33	-
1974	1,199	2	3	30	73	88	146	234	254	222	115	31	1
1973	1,217	-	5	27	78	112	156	206	281	214	99	39	-
1972	1,286	2	2	30	60	116	196	216	282	218	126	38	-
1971	1,308	1	10	31	82	95	193	256	281	225	96	37	1
1970	1,367	1	12	34	85	139	182	265	301	230	93	25	-
1969	1,380	2	9	60	93	115	202	249	300	233	88	29	-
1968	1,456	3	3	58	75	168	224	291	305	208	95	25	1
ALL OTHER, MALE													
1978	530	-	1	5	31	37	61	83	103	116	76	17	-
1977	523	-	-	5	33	46	50	99	108	109	55	18	-
1976	575	1	2	9	34	49	61	94	130	111	72	12	-
1975	595	-	-	12	35	47	78	101	123	121	67	11	-
1974	615	-	2	12	34	47	66	120	153	113	56	11	1
1973	628	-	2	12	39	53	82	103	152	120	48	17	-
1972	654	2	2	18	30	68	104	102	132	116	64	16	-
1971	617	-	7	16	42	35	80	118	148	112	47	12	-
1970	670	-	5	17	46	66	88	131	151	110	41	15	-
1969	638	2	5	22	33	44	88	122	150	115	47	10	-
1968	736	2	1	30	37	77	116	133	169	105	51	14	1
ALL OTHER, FEMALE													
1978	650	-	6	10	19	40	54	108	142	121	114	35	1
1977	602	-	2	8	23	43	72	104	109	134	84	23	-
1976	583	-	-	6	27	31	70	94	126	121	67	41	-
1975	592	-	1	7	34	38	90	87	123	123	67	22	-
1974	584	2	1	18	39	41	80	114	101	109	59	20	-
1973	589	-	3	15	39	59	74	103	129	94	51	22	-
1972	632	-	-	12	30	48	92	114	150	102	62	22	-
1971	691	1	3	15	40	60	113	138	133	113	49	25	1
1970	697	1	7	17	39	73	94	134	150	120	52	10	-
1969	742	-	4	38	60	71	114	127	150	118	41	19	-
1968	720	1	2	28	38	91	108	158	136	103	44	11	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE (390-398)													
BLACK, BOTH SEXES													
1978	1,055	-	7	11	49	68	104	168	226	212	166	43	1
1977	1,012	-	2	12	47	78	108	185	195	224	125	36	-
1976	1,054	1	2	13	50	73	116	173	237	213	128	48	-
1975	1,068	-	1	17	66	79	149	175	220	213	118	30	-
1974	1,083	2	3	29	64	77	136	213	234	200	100	24	1
1973	1,109	-	4	26	71	102	145	187	257	193	91	33	-
1972	1,152	2	2	30	58	98	178	190	242	198	116	38	-
1971	1,187	-	10	28	74	86	175	238	250	206	87	33	-
1970	1,248	1	11	33	77	125	162	247	272	214	83	23	-
1969	1,272	2	9	57	86	108	189	230	276	208	83	24	-
1968	1,329	2	3	53	62	157	201	275	277	189	85	24	1
BLACK, MALE													
1978	479	-	1	4	30	33	56	76	100	99	66	14	-
1977	474	-	-	5	29	40	45	91	99	99	53	13	-
1976	517	1	2	7	29	45	52	85	122	99	65	10	-
1975	530	-	-	10	33	43	71	96	107	105	56	9	-
1974	547	-	2	11	28	42	62	106	141	97	49	8	1
1973	570	-	1	11	37	51	75	93	137	105	46	14	-
1972	592	2	2	18	28	60	100	94	110	104	58	16	-
1971	568	-	7	14	38	34	75	112	134	105	40	9	-
1970	607	-	5	16	42	61	79	123	135	100	33	13	-
1969	577	2	5	20	29	39	85	112	134	101	44	6	-
1968	669	2	1	29	30	72	104	125	148	99	45	13	1
BLACK, FEMALE													
1978	576	-	6	7	19	35	48	92	126	113	100	29	1
1977	538	-	2	7	18	38	63	94	96	125	72	23	-
1976	537	-	-	6	21	28	64	88	115	114	63	38	-
1975	538	-	1	7	33	36	78	79	113	108	62	21	-
1974	536	2	1	18	36	35	74	107	93	103	51	16	-
1973	539	-	3	15	34	51	70	94	120	88	45	19	-
1972	560	-	-	12	30	38	78	96	132	94	58	22	-
1971	619	-	3	14	36	52	100	126	116	101	47	24	-
1970	641	1	6	17	35	64	83	124	137	114	50	10	-
1969	695	-	4	37	57	69	104	118	142	107	39	18	-
1968	660	-	2	24	32	85	97	150	129	90	40	11	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART DISEASE (402)													
BOTH SEXES													
1978	7,087	1	2	-	9	52	167	493	1,113	1,806	2,102	1,342	-
1977	6,905	-	-	3	13	58	171	482	1,024	1,785	2,089	1,279	1
1976	6,670	-	1	7	7	38	135	498	1,022	1,683	1,989	1,287	3
1975	6,693	3	-	2	6	52	146	480	1,032	1,739	2,003	1,228	2
1974	7,167	2	1	-	10	40	148	513	1,073	1,888	2,215	1,277	-
1973	7,268	2	2	2	9	47	161	571	1,133	1,826	2,254	1,259	2
1972	7,760	-	-	2	10	62	198	624	1,226	1,918	2,330	1,388	2
1971	7,860	-	-	2	8	61	223	606	1,247	1,896	2,464	1,350	3
1970	8,413	1	-	3	9	52	271	728	1,329	2,068	2,587	1,360	5
1969	8,976	-	-	4	18	67	289	681	1,425	2,217	2,820	1,450	5
1968	9,811	2	1	2	23	67	296	781	1,560	2,530	3,013	1,531	5
MALE													
1978	2,920	1	2	-	6	39	105	299	607	848	701	312	-
1977	2,797	-	-	2	6	39	103	269	566	819	680	312	1
1976	2,738	-	-	4	4	25	74	289	570	794	664	313	1
1975	2,692	1	-	1	4	37	83	264	565	805	644	287	1
1974	2,933	-	-	-	7	19	81	283	580	932	718	313	-
1973	2,920	2	-	-	7	23	85	324	598	822	772	286	1
1972	3,058	-	-	2	10	42	114	358	648	778	760	344	2
1971	3,177	-	-	-	6	40	120	324	641	844	812	388	2
1970	3,419	1	-	1	5	31	141	363	700	957	882	334	4
1969	3,731	-	-	2	13	42	159	388	774	1,039	924	388	2
1968	3,965	2	1	-	13	37	152	399	797	1,118	1,036	407	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART DISEASE (402)													
FEMALE													
1978	4,167	-	-	-	3	13	62	194	506	958	1,401	1,030	-
1977	4,108	-	-	1	7	19	68	213	458	966	1,409	967	-
1976	3,932	-	1	3	3	13	61	209	452	889	1,325	974	2
1975	4,001	2	-	1	2	15	63	216	467	934	1,359	941	1
1974	4,234	2	1	-	3	21	67	230	493	956	1,497	964	-
1973	4,348	-	2	2	2	24	76	247	535	1,004	1,482	973	1
1972	4,702	-	-	-	-	20	84	266	578	1,140	1,570	1,044	-
1971	4,683	-	-	2	2	21	103	282	606	1,052	1,652	962	1
1970	4,994	-	-	2	4	21	130	365	629	1,111	1,705	1,026	1
1969	5,245	-	-	2	5	25	130	293	651	1,178	1,896	1,062	3
1968	5,846	-	-	2	10	30	144	382	763	1,412	1,977	1,124	2
WHITE, BOTH SEXES													
1978	5,507	1	2	-	4	25	82	302	763	1,347	1,770	1,211	-
1977	5,307	-	-	2	5	40	74	274	696	1,317	1,757	1,141	1
1976	5,194	-	1	5	5	15	57	299	675	1,281	1,702	1,152	2
1975	5,185	3	-	1	3	20	64	285	701	1,300	1,719	1,089	-
1974	5,542	1	1	-	7	20	72	299	710	1,379	1,908	1,145	-
1973	5,660	1	2	-	2	13	79	347	763	1,335	1,973	1,143	2
1972	5,870	-	-	2	6	16	78	348	788	1,408	1,980	1,244	-
1971	6,113	-	-	1	5	27	83	331	841	1,432	2,175	1,216	2
1970	6,390	1	-	3	6	17	93	378	870	1,542	2,250	1,229	1
1969	6,866	-	-	4	10	22	109	372	935	1,643	2,476	1,292	3
1968	7,495	2	1	-	14	17	100	413	1,036	1,908	2,632	1,371	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART DISEASE (402)													
WHITE, MALE													
1978	2,192	1	2	-	3	22	57	192	433	639	564	279	-
1977	2,079	-	-	1	3	27	51	160	400	616	550	270	1
1976	2,074	-	-	3	3	11	32	178	397	612	566	272	-
1975	2,002	1	-	-	2	16	35	178	396	598	530	246	-
1974	2,228	-	-	-	5	10	41	186	408	699	604	275	-
1973	2,188	1	-	-	1	8	45	209	422	597	658	246	1
1972	2,224	-	-	2	6	8	50	212	464	580	612	290	-
1971	2,397	-	-	-	4	18	46	184	461	645	696	342	1
1970	2,500	1	-	1	3	11	53	204	472	721	742	291	1
1969	2,779	-	-	2	8	16	65	223	539	790	798	336	2
1968	2,952	2	1	-	10	11	61	228	550	862	875	351	1
WHITE, FEMALE													
1978	3,315	-	-	-	1	3	25	110	330	708	1,206	932	-
1977	3,228	-	-	1	2	13	23	114	296	701	1,207	871	-
1976	3,120	-	1	2	2	4	25	121	278	669	1,136	880	2
1975	3,183	2	-	1	1	4	29	107	305	702	1,189	843	-
1974	3,314	1	1	-	2	10	31	113	302	680	1,304	870	-
1973	3,472	-	2	-	1	5	34	138	341	738	1,315	897	1
1972	3,646	-	-	-	-	8	28	136	324	828	1,368	954	-
1971	3,716	-	-	1	1	9	37	147	380	787	1,479	874	1
1970	3,890	-	-	2	3	6	40	174	398	821	1,508	938	-
1969	4,087	-	-	2	2	6	44	149	396	853	1,678	956	1
1968	4,543	-	-	-	4	6	39	185	486	1,046	1,757	1,020	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART DISEASE (402)													
ALL OTHER, BOTH SEXES													
1978	1,580	-	-	-	5	27	85	191	350	459	332	131	-
1977	1,598	-	-	1	8	18	97	208	328	468	332	138	-
1976	1,476	-	-	2	2	23	78	199	347	402	287	135	1
1975	1,508	-	-	1	3	32	82	195	331	439	284	139	2
1974	1,625	1	-	-	3	20	76	214	363	509	307	132	-
1973	1,608	1	-	2	7	34	82	224	370	491	281	116	-
1972	1,890	-	-	-	4	46	120	276	438	510	350	144	2
1971	1,747	-	-	1	3	34	140	275	406	464	289	134	1
1970	2,023	-	-	-	3	35	178	350	459	526	337	131	4
1969	2,110	-	-	-	8	45	180	309	490	574	344	158	2
1968	2,316	-	-	2	9	50	196	368	524	622	381	160	4
ALL OTHER, MALE													
1978	728	-	-	-	3	17	48	107	174	209	137	33	-
1977	718	-	-	1	3	12	52	109	166	203	130	42	-
1976	664	-	-	1	1	14	42	111	173	182	98	41	1
1975	690	-	-	1	2	21	48	86	169	207	114	41	1
1974	705	-	-	-	2	9	40	97	172	233	114	38	-
1973	732	1	-	-	6	15	40	115	176	225	114	40	-
1972	834	-	-	-	4	34	64	146	184	198	148	54	2
1971	780	-	-	-	2	22	74	140	180	199	116	46	1
1970	919	-	-	-	2	20	88	159	228	236	140	43	3
1969	952	-	-	-	5	26	94	165	235	249	126	52	-
1968	1,013	-	-	-	3	26	91	171	247	256	161	56	2
ALL OTHER, FEMALE													
1978	852	-	-	-	2	10	37	84	176	250	195	98	-
1977	880	-	-	-	5	6	45	99	162	265	202	96	-
1976	812	-	-	1	1	9	36	88	174	220	189	94	-
1975	818	-	-	-	1	11	34	109	162	232	170	98	1
1974	920	1	-	-	1	11	36	117	191	276	193	94	-
1973	876	-	-	2	1	19	42	109	194	266	167	76	-
1972	1,056	-	-	-	-	12	56	130	254	312	202	90	-
1971	967	-	-	1	1	12	66	135	226	265	173	88	-
1970	1,104	-	-	-	1	15	90	191	231	290	197	88	1
1969	1,158	-	-	-	3	19	86	144	255	325	218	106	2
1968	1,303	-	-	2	6	24	105	197	277	366	220	104	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART DISEASE (402)													
BLACK, BOTH SEXES													
1978	1,523	-	-	-	5	25	83	187	340	445	315	123	-
1977	1,546	-	-	1	8	17	95	205	323	453	316	128	-
1976	1,435	-	-	2	2	21	73	197	342	388	279	130	1
1975	1,467	-	-	1	3	31	78	193	326	427	275	131	2
1974	1,578	1	-	-	3	20	70	208	356	496	296	128	-
1973	1,567	1	-	2	7	32	82	219	368	473	274	109	-
1972	1,848	-	-	-	4	46	118	270	432	500	334	142	2
1971	1,700	-	-	1	3	34	138	271	396	451	281	124	1
1970	1,973	-	-	-	3	35	177	346	444	512	328	124	4
1969	2,066	-	-	-	8	45	177	307	482	557	338	150	2
1968	2,261	-	-	2	8	50	194	367	513	607	364	153	3
BLACK, MALE													
1978	697	-	-	-	3	16	47	105	169	202	126	29	-
1977	684	-	-	1	3	11	50	107	163	193	120	36	-
1976	642	-	-	1	1	14	40	110	169	174	94	38	1
1975	669	-	-	1	2	20	44	85	168	202	109	37	1
1974	677	-	-	-	2	9	37	94	166	222	111	36	-
1973	713	1	-	-	6	13	40	113	175	217	111	37	-
1972	806	-	-	-	4	34	62	140	180	192	138	54	2
1971	751	-	-	-	2	22	73	138	175	191	112	37	1
1970	891	-	-	-	2	20	87	156	216	231	136	40	3
1969	920	-	-	-	5	26	92	164	228	236	122	47	-
1968	980	-	-	-	3	26	89	171	239	247	152	51	2
BLACK, FEMALE													
1978	826	-	-	-	2	9	36	82	171	243	189	94	-
1977	862	-	-	-	5	6	45	98	160	260	196	92	-
1976	793	-	-	1	1	7	33	87	173	214	185	92	-
1975	798	-	-	-	1	11	34	108	158	225	166	94	1
1974	901	1	-	-	1	11	33	114	190	274	185	92	-
1973	854	-	-	2	1	19	42	106	193	256	163	72	-
1972	1,042	-	-	-	-	12	56	130	252	308	196	88	-
1971	949	-	-	1	1	12	65	133	221	260	169	87	-
1970	1,082	-	-	-	1	15	90	190	228	281	192	84	1
1969	1,146	-	-	-	3	19	85	143	254	321	216	103	2
1968	1,281	-	-	2	5	24	105	196	274	360	212	102	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
BOTH SEXES													
1978	3,249	3	-	1	4	20	20	75	240	643	1,143	1,098	2
1977	3,530	-	2	-	-	4	24	98	262	654	1,259	1,222	5
1976	4,020	-	1	1	4	12	28	123	338	788	1,428	1,297	-
1975	4,334	-	-	4	2	6	46	119	359	826	1,581	1,390	1
1974	4,916	-	-	1	5	9	38	157	375	952	1,779	1,599	1
1973	5,515	-	-	2	6	14	40	195	487	1,081	2,010	1,680	-
1972	5,778	-	2	2	4	16	50	198	506	1,116	2,100	1,782	2
1971	6,190	-	-	2	3	15	75	245	587	1,229	2,163	1,870	1
1970	6,578	1	-	1	4	27	85	271	594	1,330	2,472	1,792	1
1969	7,310	-	-	1	4	20	105	314	694	1,486	2,721	1,965	-
1968	7,887	-	-	2	9	33	96	302	710	1,627	2,927	2,179	2
MALE													
1978	1,458	2	-	-	4	11	11	37	121	351	503	418	-
1977	1,602	-	1	-	-	1	13	54	155	346	601	429	2
1976	1,763	-	1	-	3	8	17	71	193	434	596	440	-
1975	1,888	-	-	2	1	5	27	71	194	427	682	478	1
1974	2,176	-	-	1	4	5	22	79	202	507	754	601	1
1973	2,558	-	-	1	6	8	16	112	287	570	935	623	-
1972	2,700	-	-	2	2	12	16	108	336	584	978	662	-
1971	2,846	-	-	1	3	7	44	134	325	657	977	698	-
1970	2,995	-	-	1	3	13	48	158	328	705	1,086	653	-
1969	3,431	-	-	-	3	9	56	182	396	777	1,260	748	-
1968	3,701	-	-	2	4	19	55	165	410	864	1,351	829	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
FEMALE													
1978	1,791	1	-	1	-	9	9	38	119	292	640	680	2
1977	1,928	-	1	-	-	3	11	44	107	308	658	793	3
1976	2,257	-	-	1	1	4	11	52	145	354	832	857	-
1975	2,446	-	-	2	1	1	19	48	165	399	899	912	-
1974	2,740	-	-	-	1	4	16	78	173	445	1,025	998	-
1973	2,957	-	-	1	-	6	24	83	200	511	1,075	1,057	-
1972	3,078	-	2	-	2	4	34	90	170	532	1,122	1,120	2
1971	3,344	-	-	1	-	8	31	111	262	572	1,186	1,172	1
1970	3,583	1	-	-	1	14	37	113	266	625	1,386	1,139	1
1969	3,879	-	-	1	1	11	49	132	298	709	1,461	1,217	-
1968	4,186	-	-	-	5	14	41	137	300	763	1,576	1,350	-
WHITE, BOTH SEXES													
1978	2,744	2	-	1	3	11	11	29	160	505	997	1,023	2
1977	2,990	-	2	-	-	3	11	53	171	481	1,116	1,153	-
1976	3,408	-	1	1	1	4	14	61	205	611	1,288	1,222	-
1975	3,660	-	-	4	-	3	19	61	216	640	1,408	1,308	1
1974	4,194	-	-	1	2	5	15	93	245	740	1,603	1,489	1
1973	4,660	-	-	1	2	8	17	91	308	833	1,810	1,590	-
1972	4,948	-	2	2	2	4	18	106	350	864	1,912	1,686	2
1971	5,214	-	-	2	3	8	31	123	371	932	1,977	1,767	-
1970	5,545	1	-	1	1	13	31	140	406	1,038	2,236	1,678	-
1969	6,117	-	-	1	2	5	38	159	451	1,137	2,478	1,846	-
1968	6,590	-	-	2	7	13	30	162	458	1,247	2,618	2,053	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
WHITE, MALE													
1978	1,213	1	-	-	3	4	7	17	78	284	434	385	-
1977	1,339	-	1	-	-	1	5	33	110	259	525	405	-
1976	1,469	-	1	-	1	2	5	40	123	345	541	411	-
1975	1,576	-	-	2	-	2	10	40	133	338	604	446	1
1974	1,829	-	-	1	1	2	10	48	138	398	683	547	1
1973	2,126	-	-	1	2	5	9	53	181	444	847	584	-
1972	2,262	-	-	2	-	4	8	62	240	454	870	622	-
1971	2,346	-	-	1	3	5	21	70	219	496	879	652	-
1970	2,475	-	-	1	1	6	17	89	235	553	969	604	-
1969	2,827	-	-	-	2	2	18	96	264	611	1,131	703	-
1968	3,068	-	-	2	4	9	16	101	280	679	1,196	781	-
WHITE, FEMALE													
1978	1,531	1	-	1	-	7	4	12	82	221	563	638	2
1977	1,651	-	1	-	-	2	6	20	61	222	591	748	-
1976	1,939	-	-	1	-	2	9	21	82	266	747	811	-
1975	2,084	-	-	2	-	1	9	21	83	302	804	862	-
1974	2,365	-	-	-	1	3	5	45	107	342	920	942	-
1973	2,534	-	-	-	-	3	8	38	127	389	963	1,006	-
1972	2,686	-	2	-	2	-	10	44	110	410	1,042	1,064	2
1971	2,868	-	-	1	-	3	10	53	152	436	1,098	1,115	-
1970	3,070	1	-	-	-	7	14	51	171	485	1,267	1,074	-
1969	3,290	-	-	1	-	3	20	63	187	526	1,347	1,143	-
1968	3,522	-	-	-	3	4	14	61	178	568	1,422	1,272	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
ALL OTHER, BOTH SEXES													
1978	505	1	-	-	1	9	9	46	80	138	146	75	-
1977	540	-	-	-	-	1	13	45	91	173	143	69	5
1976	612	-	-	-	3	8	14	62	133	177	140	75	-
1975	674	-	-	-	2	3	27	58	143	186	173	82	-
1974	722	-	-	-	3	4	23	64	130	212	176	110	-
1973	855	-	-	1	4	6	23	104	179	248	200	90	-
1972	830	-	-	-	2	12	32	92	156	252	188	96	-
1971	976	-	-	-	-	7	44	122	216	297	186	103	1
1970	1,033	-	-	-	3	14	54	131	188	292	236	114	1
1969	1,193	-	-	-	2	15	67	155	243	349	243	119	-
1968	1,297	-	-	-	2	20	66	140	252	380	309	126	2
ALL OTHER, MALE													
1978	245	1	-	-	1	7	4	20	43	67	69	33	-
1977	263	-	-	-	-	-	8	21	45	87	76	24	2
1976	294	-	-	-	2	6	12	31	70	89	55	29	-
1975	312	-	-	-	1	3	17	31	61	89	78	32	-
1974	347	-	-	-	3	3	12	31	64	109	71	54	-
1973	432	-	-	-	4	3	7	59	106	126	88	39	-
1972	438	-	-	-	2	8	8	46	96	130	108	40	-
1971	500	-	-	-	-	2	23	64	106	161	98	46	-
1970	520	-	-	-	2	7	31	69	93	152	117	49	-
1969	604	-	-	-	1	7	38	86	132	166	129	45	-
1968	633	-	-	-	-	10	39	64	130	185	155	48	2
ALL OTHER, FEMALE													
1978	260	-	-	-	-	2	5	26	37	71	77	42	-
1977	277	-	-	-	-	1	5	24	46	86	67	45	3
1976	318	-	-	-	1	2	2	31	63	88	85	46	-
1975	362	-	-	-	1	-	10	27	82	97	95	50	-
1974	375	-	-	-	-	1	11	33	66	103	105	56	-
1973	423	-	-	1	-	3	16	45	73	122	112	51	-
1972	392	-	-	-	-	4	24	46	60	122	80	56	-
1971	476	-	-	-	-	5	21	58	110	136	88	57	1
1970	513	-	-	-	1	7	23	62	95	140	119	65	1
1969	589	-	-	-	1	8	29	69	111	183	114	74	-
1968	664	-	-	-	2	10	27	76	122	195	154	78	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
BLACK, BOTH SEXES													
1978	496	1	-	-	1	9	9	46	79	138	143	70	-
1977	521	-	-	-	-	1	13	43	89	169	137	64	5
1976	590	-	-	-	3	8	14	60	129	172	134	70	-
1975	654	-	-	-	2	2	25	57	140	183	167	78	-
1974	702	-	-	-	3	4	23	62	127	206	171	106	-
1973	833	-	-	1	4	6	23	102	177	244	190	86	-
1972	802	-	-	-	2	12	30	92	152	242	186	86	-
1971	942	-	-	-	-	7	44	120	210	288	177	95	1
1970	1,001	-	-	-	3	14	53	129	186	280	225	110	1
1969	1,165	-	-	-	1	15	66	155	241	341	232	114	-
1968	1,272	-	-	-	2	20	66	139	248	371	302	122	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
BLACK, MALE													
1978	241	1	-	-	1	7	4	20	43	67	68	30	-
1977	255	-	-	-	-	-	8	20	45	85	72	23	2
1976	281	-	-	-	2	6	12	29	67	87	52	26	-
1975	301	-	-	-	1	2	17	30	59	87	75	30	-
1974	339	-	-	-	3	3	12	30	63	107	70	51	-
1973	418	-	-	-	4	3	7	58	105	122	82	37	-
1972	420	-	-	-	2	8	8	46	94	124	106	32	-
1971	482	-	-	-	-	2	23	64	102	155	92	44	-
1970	499	-	-	-	2	7	31	67	92	145	109	46	-
1969	589	-	-	-	-	7	37	86	132	161	122	44	-
1968	619	-	-	-	-	10	39	63	128	179	151	47	2
BLACK, FEMALE													
1978	255	-	-	-	-	2	5	26	36	71	75	40	-
1977	266	-	-	-	-	1	5	23	44	84	65	41	3
1976	309	-	-	-	1	2	2	31	62	85	82	44	-
1975	353	-	-	-	1	-	8	27	81	96	92	48	-
1974	363	-	-	-	-	1	11	32	64	99	101	55	-
1973	415	-	-	1	-	3	16	44	72	122	108	49	-
1972	382	-	-	-	-	4	22	46	58	118	80	54	-
1971	460	-	-	-	-	5	21	56	108	133	85	51	1
1970	502	-	-	-	1	7	22	62	94	135	116	64	1
1969	576	-	-	-	1	8	29	69	109	180	110	70	-
1968	653	-	-	-	2	10	27	76	120	192	151	75	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ISCHEMIC HEART DISEASE (410-413)													
BOTH SEXES													
1978	642,270	12	4	20	138	1,395	8,735	37,027	94,014	162,537	197,939	140,252	197
1977	638,427	18	3	15	151	1,399	9,026	38,884	95,145	162,804	197,385	133,473	124
1976	646,073	8	7	11	129	1,417	9,277	40,554	97,744	163,994	200,804	132,017	111
1975	642,719	11	8	14	170	1,373	9,720	42,259	99,172	165,879	199,376	124,632	105
1974	664,854	16	6	22	167	1,440	10,053	44,439	102,670	172,018	206,335	127,583	105
1973	684,066	29	8	38	203	1,458	10,975	46,400	107,802	176,233	215,424	125,389	107
1972	684,424	16	6	24	238	1,398	11,422	47,246	108,782	178,434	216,532	120,230	96
1971	674,292	30	15	52	246	1,570	11,924	47,540	108,540	175,611	211,984	116,628	152
1970	666,665	14	7	27	210	1,562	12,212	47,949	108,840	177,725	208,437	109,532	150
1969	669,829	23	4	31	214	1,522	12,851	48,692	108,987	179,345	209,703	108,278	179
1968	674,747	31	18	31	176	1,513	13,377	49,552	111,575	182,927	210,082	105,274	191
MALE													
1978	353,669	6	2	11	98	1,107	7,067	29,269	68,921	102,361	95,400	49,301	126
1977	355,007	10	1	9	103	1,109	7,265	30,815	69,645	102,771	95,517	47,696	66
1976	360,535	5	2	9	93	1,113	7,552	32,153	71,734	103,436	96,918	47,464	56
1975	361,755	7	7	12	123	1,081	7,809	33,555	72,789	103,965	96,581	45,769	57
1974	373,765	7	1	10	112	1,089	8,038	35,309	75,268	107,312	99,471	47,096	52
1973	386,978	18	1	22	139	1,098	8,713	36,674	79,187	109,614	104,775	46,677	60
1972	388,030	8	6	14	152	1,074	9,032	37,614	79,790	110,044	105,458	44,784	54
1971	384,550	21	10	26	165	1,190	9,498	37,477	79,380	108,351	103,852	44,486	94
1970	382,947	9	6	15	144	1,154	9,766	37,853	79,539	109,284	102,875	42,205	97
1969	386,771	11	3	19	139	1,160	10,244	38,684	80,194	110,667	104,037	41,503	110
1968	390,912	20	11	17	120	1,117	10,627	39,208	81,589	112,724	104,620	40,742	117

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ISCHEMIC HEART DISEASE (410-413)													
FEMALE													
1978	288,601	6	2	9	40	288	1,668	7,758	25,093	60,176	102,539	90,951	71
1977	283,420	8	2	6	48	290	1,761	8,069	25,500	60,033	101,868	85,777	58
1976	285,538	3	5	2	36	304	1,725	8,401	26,010	60,558	103,886	84,553	55
1975	280,964	4	1	2	47	292	1,911	8,704	26,383	61,914	102,795	78,863	48
1974	291,089	9	5	12	55	351	2,015	9,130	27,402	64,706	106,864	80,487	53
1973	297,088	11	7	16	64	360	2,262	9,726	28,615	66,619	110,649	78,712	47
1972	296,394	8	-	10	86	324	2,390	9,632	28,992	68,390	111,074	75,446	42
1971	289,742	9	5	26	81	380	2,426	10,063	29,160	67,260	108,132	72,142	58
1970	283,718	5	1	12	66	408	2,446	10,096	29,301	68,441	105,562	67,327	53
1969	283,058	12	1	12	75	362	2,607	10,008	28,793	68,678	105,666	66,775	69
1968	283,835	11	7	14	56	396	2,750	10,344	29,986	70,203	105,462	64,532	74
WHITE, BOTH SEXES													
1978	583,974	9	3	13	98	1,040	6,982	31,205	82,415	146,066	183,486	132,515	142
1977	580,428	17	2	13	103	1,058	7,194	32,925	83,477	146,336	183,259	125,956	88
1976	588,820	7	6	8	94	1,072	7,562	34,477	86,282	147,585	186,816	124,832	79
1975	586,207	9	6	8	125	1,032	7,851	36,180	87,637	149,208	186,189	117,886	76
1974	606,137	13	6	16	124	1,062	8,147	37,883	90,573	154,236	193,298	120,705	74
1973	623,217	21	7	27	144	1,105	8,882	39,482	95,127	157,855	201,884	118,614	69
1972	624,802	10	6	22	170	1,046	9,182	40,298	95,944	160,800	203,240	114,010	74
1971	616,041	21	8	43	170	1,148	9,635	40,830	96,212	158,026	199,205	110,641	102
1970	608,243	10	4	22	144	1,125	9,767	41,082	96,050	160,126	196,058	103,757	98
1969	611,578	21	4	22	145	1,044	10,317	41,680	96,097	161,822	197,527	102,759	140
1968	615,266	24	11	21	115	1,074	10,698	42,423	98,034	165,080	197,935	99,722	129

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ISCHEMIC HEART DISEASE (410-413)													
WHITE, MALE													
1978	322,161	5	2	7	73	841	5,858	25,457	61,702	93,262	88,512	46,346	96
1977	323,830	9	1	8	76	862	6,034	26,917	62,482	93,756	88,841	44,794	50
1976	329,574	5	2	7	72	876	6,366	28,166	64,655	94,449	90,310	44,624	42
1975	331,155	7	5	7	91	848	6,554	29,568	65,898	94,930	90,157	43,052	38
1974	341,980	6	1	8	91	841	6,817	31,103	67,957	97,630	93,146	44,342	38
1973	354,222	12	1	15	105	861	7,404	32,261	71,565	99,801	98,182	43,979	36
1972	355,572	4	6	12	96	846	7,632	33,136	72,214	100,500	98,868	42,222	36
1971	352,886	16	5	21	117	914	8,051	33,266	71,943	98,955	97,548	41,982	68
1970	351,115	7	3	13	103	879	8,209	33,553	72,008	99,723	96,794	39,756	67
1969	354,886	10	3	12	98	840	8,633	34,225	72,641	101,216	97,935	39,189	84
1968	358,457	17	7	10	78	843	8,958	34,754	73,604	103,104	98,706	38,299	77
WHITE, FEMALE													
1978	261,813	4	1	6	25	199	1,124	5,748	20,713	52,804	94,974	86,169	46
1977	256,598	8	1	5	27	196	1,160	6,008	20,995	52,580	94,418	81,162	38
1976	259,246	2	4	1	22	196	1,196	6,311	21,627	53,136	96,506	80,208	37
1975	255,052	2	1	1	34	184	1,297	6,612	21,739	54,278	96,032	74,834	38
1974	264,157	7	5	8	33	221	1,330	6,780	22,616	56,606	100,152	76,363	36
1973	268,995	9	6	12	39	244	1,478	7,221	23,562	58,054	103,702	74,635	33
1972	269,230	6	-	10	74	200	1,550	7,162	23,730	60,300	104,372	71,788	38
1971	263,155	5	3	22	53	234	1,584	7,564	24,269	59,071	101,657	68,659	34
1970	257,128	3	1	9	41	246	1,558	7,529	24,042	60,403	99,264	64,001	31
1969	256,692	11	1	10	47	204	1,684	7,455	23,456	60,606	99,592	63,570	56
1968	256,809	7	4	11	37	231	1,740	7,669	24,430	61,976	99,229	61,423	52

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ISCHEMIC HEART DISEASE (410-413)													
ALL OTHER, BOTH SEXES													
1978	58,296	3	1	7	40	355	1,753	5,822	11,599	16,471	14,453	7,737	55
1977	57,999	1	1	2	48	341	1,832	5,959	11,668	16,468	14,126	7,517	36
1976	57,253	1	1	3	35	345	1,715	6,077	11,462	16,409	13,988	7,185	32
1975	56,512	2	2	6	45	341	1,869	6,079	11,535	16,671	13,187	6,746	29
1974	58,717	3	-	6	43	378	1,906	6,556	12,097	17,782	13,037	6,878	31
1973	60,849	8	1	11	59	353	2,093	6,918	12,675	18,378	13,540	6,775	38
1972	59,622	6	-	2	68	352	2,240	6,948	12,838	17,634	13,292	6,220	22
1971	58,251	9	7	9	76	422	2,289	6,710	12,328	17,585	12,779	5,987	50
1970	58,422	4	3	5	66	437	2,445	6,867	12,790	17,599	12,379	5,775	52
1969	58,251	2	-	9	69	478	2,534	7,012	12,890	17,523	12,176	5,519	39
1968	59,481	7	7	10	61	439	2,679	7,129	13,541	17,847	12,147	5,552	62
ALL OTHER, MALE													
1978	31,508	1	-	4	25	266	1,209	3,812	7,219	9,099	6,888	2,955	30
1977	31,177	1	-	1	27	247	1,231	3,898	7,163	9,015	6,676	2,902	16
1976	30,961	-	-	2	21	237	1,186	3,987	7,079	8,987	6,608	2,840	14
1975	30,600	-	2	5	32	233	1,255	3,987	6,891	9,035	6,424	2,717	19
1974	31,785	1	-	2	21	248	1,221	4,206	7,311	9,682	6,325	2,754	14
1973	32,756	6	-	7	34	237	1,309	4,413	7,622	9,813	6,593	2,698	24
1972	32,458	4	-	2	56	228	1,400	4,478	7,576	9,544	6,590	2,562	18
1971	31,664	5	5	5	48	276	1,447	4,211	7,437	9,396	6,304	2,504	26
1970	31,832	2	3	2	41	275	1,557	4,300	7,531	9,561	6,081	2,449	30
1969	31,885	1	-	7	41	320	1,611	4,459	7,553	9,451	6,102	2,314	26
1968	32,455	3	4	7	42	274	1,669	4,454	7,985	9,620	5,914	2,443	40
ALL OTHER, FEMALE													
1978	26,788	2	1	3	15	89	544	2,010	4,380	7,372	7,565	4,782	25
1977	26,822	-	1	1	21	94	601	2,061	4,505	7,453	7,450	4,615	20
1976	26,292	1	1	1	14	108	529	2,090	4,383	7,422	7,380	4,345	18
1975	25,912	2	-	1	13	108	614	2,092	4,644	7,636	6,763	4,029	10
1974	26,932	2	-	4	22	130	685	2,350	4,786	8,100	6,712	4,124	17
1973	28,093	2	1	4	25	116	784	2,505	5,053	8,565	6,947	4,077	14
1972	27,164	2	-	-	12	124	840	2,470	5,262	8,090	6,702	3,658	4
1971	26,587	4	2	4	28	146	842	2,499	4,891	8,189	6,475	3,483	24
1970	26,590	2	-	3	25	162	888	2,567	5,259	8,038	6,298	3,326	22
1969	26,366	1	-	2	28	158	923	2,553	5,337	8,072	6,074	3,205	13
1968	27,026	4	3	3	19	165	1,010	2,675	5,556	8,227	6,233	3,109	22

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ISCHEMIC HEART DISEASE (410-413)													
BLACK, BOTH SEXES													
1978	54,650	3	-	7	38	335	1,655	5,515	10,994	15,496	13,447	7,118	42
1977	54,713	1	1	2	46	328	1,737	5,688	11,095	15,624	13,186	6,969	36
1976	54,031	1	1	3	35	330	1,629	5,795	10,936	15,517	13,168	6,585	31
1975	53,474	2	2	5	45	326	1,773	5,807	11,017	15,833	12,415	6,221	28
1974	55,606	3	-	6	40	360	1,822	6,272	11,543	16,892	12,249	6,390	29
1973	57,741	8	1	11	52	340	2,012	6,625	12,150	17,536	12,697	6,272	37
1972	56,584	6	-	2	66	338	2,140	6,704	12,302	16,750	12,508	5,748	20
1971	55,195	5	7	9	74	409	2,198	6,425	11,821	16,728	11,964	5,515	40
1970	55,469	3	2	5	62	421	2,358	6,600	12,262	16,755	11,619	5,336	46
1969	55,507	2	-	6	66	461	2,428	6,767	12,412	16,715	11,498	5,115	37
1968	56,636	7	7	8	55	428	2,579	6,856	12,992	17,093	11,394	5,157	60
BLACK, MALE													
1978	29,027	1	-	4	23	250	1,127	3,572	6,764	8,395	6,254	2,616	21
1977	28,968	1	-	1	26	234	1,156	3,673	6,739	8,409	6,104	2,609	16
1976	28,787	-	-	2	21	223	1,121	3,762	6,700	8,326	6,118	2,500	14
1975	28,485	-	2	4	32	222	1,173	3,767	6,487	8,410	5,953	2,416	19
1974	29,658	1	-	2	19	235	1,156	3,979	6,893	9,035	5,861	2,463	14
1973	30,653	6	-	7	29	227	1,241	4,181	7,241	9,197	6,094	2,407	23
1972	30,412	4	-	2	54	218	1,320	4,306	7,194	8,898	6,102	2,298	16
1971	29,617	1	5	5	47	269	1,381	3,996	7,039	8,794	5,827	2,230	23
1970	29,796	2	2	2	38	263	1,490	4,098	7,123	8,959	5,610	2,182	27
1969	29,945	1	-	4	39	305	1,531	4,263	7,182	8,867	5,656	2,073	24
1968	30,472	3	4	6	36	267	1,592	4,240	7,566	9,078	5,436	2,206	38
BLACK, FEMALE													
1978	25,623	2	-	3	15	85	528	1,943	4,230	7,101	7,193	4,502	21
1977	25,745	-	1	1	20	94	581	2,015	4,356	7,215	7,082	4,360	20
1976	25,244	1	1	1	14	107	508	2,033	4,236	7,191	7,050	4,085	17
1975	24,989	2	-	1	13	104	600	2,040	4,530	7,423	6,462	3,805	9
1974	25,948	2	-	4	21	125	666	2,293	4,650	7,857	6,388	3,927	15
1973	27,088	2	1	4	23	113	771	2,444	4,909	8,339	6,603	3,865	14
1972	26,172	2	-	-	12	120	820	2,398	5,108	7,852	6,406	3,450	4
1971	25,578	4	2	4	27	140	817	2,429	4,782	7,934	6,137	3,285	17
1970	25,673	1	-	3	24	158	868	2,502	5,139	7,796	6,009	3,154	19
1969	25,562	1	-	2	27	156	897	2,504	5,230	7,848	5,842	3,042	13
1968	26,164	4	3	2	19	161	987	2,616	5,426	8,015	5,958	2,951	22

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE MYOCARDIAL INFARCTION (410) BOTH SEXES													
1978	302,664	11	4	12	92	844	5,396	22,773	56,267	89,595	86,243	41,367	60
1977	306,398	14	2	6	103	860	5,740	24,326	58,207	90,931	86,373	39,792	44
1976	319,477	6	4	5	79	890	6,223	26,405	62,091	93,695	89,969	40,068	42
1975	324,652	9	5	7	112	890	6,563	28,441	64,185	95,941	89,891	38,571	37
1974	334,196	13	5	12	95	943	6,807	30,323	66,298	98,805	91,710	39,142	43
1973	351,662	19	1	17	134	1,003	7,686	32,016	71,075	102,422	97,815	39,420	54
1972	357,844	10	6	18	138	968	8,014	33,002	72,330	105,250	99,646	38,404	58
1971	357,714	24	8	22	151	1,084	8,429	33,524	72,852	104,344	99,131	38,063	82
1970	357,241	11	3	15	148	1,079	8,725	33,939	73,230	105,906	97,648	36,457	80
1969	361,583	12	1	23	140	1,055	9,384	35,134	73,581	107,061	98,903	36,184	105
1968	369,610	13	7	18	128	1,099	9,980	36,032	76,108	109,672	100,312	36,135	106
MALE													
1978	184,121	5	2	6	66	668	4,459	18,397	42,038	58,030	44,297	16,114	39
1977	188,480	9	1	4	75	679	4,730	19,781	43,598	59,309	44,432	15,836	26
1976	197,429	4	1	3	55	718	5,182	21,361	46,516	61,038	46,395	16,132	24
1975	202,158	6	5	6	82	707	5,401	23,064	48,277	62,319	46,510	15,760	21
1974	208,871	7	1	7	63	724	5,628	24,783	50,004	64,216	47,305	16,109	24
1973	220,543	12	-	9	94	773	6,293	25,984	53,736	66,369	50,864	16,374	35
1972	224,718	4	6	14	92	750	6,520	26,938	54,664	67,940	51,748	16,008	34
1971	225,513	18	3	10	102	856	6,932	27,189	54,763	67,242	52,083	16,259	56
1970	226,080	8	2	10	109	817	7,192	27,599	55,042	67,932	51,722	15,593	54
1969	230,544	6	1	13	93	829	7,687	28,672	55,813	69,057	52,732	15,571	70
1968	236,017	11	6	11	82	838	8,132	29,368	57,387	70,564	53,838	15,711	69

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE MYOCARDIAL INFARCTION (410)													
FEMALE													
1978	118,543	6	2	6	26	176	937	4,376	14,229	31,565	41,946	25,253	21
1977	117,918	5	1	2	28	181	1,010	4,545	14,609	31,622	41,941	23,956	18
1976	122,048	2	3	2	24	172	1,041	5,044	15,575	32,657	43,574	23,936	18
1975	122,494	3	-	1	30	183	1,162	5,377	15,908	33,622	43,381	22,811	16
1974	125,325	6	4	5	32	219	1,179	5,540	16,294	34,589	44,405	23,033	19
1973	131,119	7	1	8	40	230	1,393	6,032	17,339	36,053	46,951	23,046	19
1972	133,126	6	-	4	46	218	1,494	6,064	17,666	37,310	47,898	22,396	24
1971	132,201	6	5	12	49	228	1,497	6,335	18,089	37,102	47,048	21,804	26
1970	131,161	3	1	5	39	262	1,533	6,340	18,188	37,974	45,926	20,864	26
1969	131,039	6	-	10	47	226	1,697	6,462	17,768	38,004	46,171	20,613	35
1968	133,593	2	1	7	46	261	1,848	6,664	18,721	39,108	46,474	20,424	37
WHITE, BOTH SEXES													
1978	279,770	8	3	6	65	663	4,568	20,152	51,228	82,696	81,137	39,202	42
1977	283,651	14	2	5	75	680	4,872	21,648	53,046	84,224	81,378	37,673	34
1976	295,613	5	3	2	54	720	5,338	23,479	56,623	86,566	84,852	37,939	32
1975	300,920	7	3	4	84	715	5,581	25,479	58,662	88,788	85,082	36,486	29
1974	309,760	10	5	7	71	748	5,855	27,066	60,662	91,220	87,023	37,064	29
1973	325,517	14	1	12	94	800	6,618	28,446	64,847	94,552	92,802	37,298	33
1972	331,952	4	6	16	104	762	6,832	29,456	66,108	97,668	94,586	36,364	46
1971	332,214	19	5	19	103	835	7,214	30,074	66,850	96,640	94,208	36,189	58
1970	331,724	8	1	11	106	825	7,428	30,394	67,003	98,275	92,990	34,627	56
1969	335,825	10	1	19	97	772	7,959	31,393	67,317	99,454	94,322	34,401	80
1968	342,999	12	5	10	87	846	8,412	32,261	69,504	101,863	95,613	34,317	69

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE MYOCARDIAL INFARCTION (410)													
WHITE, MALE													
1978	171,122	4	2	3	47	525	3,870	16,675	38,873	54,159	41,732	15,202	30
1977	175,554	9	1	4	56	546	4,133	17,969	40,399	55,522	41,962	14,933	20
1976	183,820	4	1	1	42	598	4,558	19,407	43,072	57,004	43,912	15,201	20
1975	188,591	6	3	4	62	581	4,722	21,077	44,904	58,249	44,104	14,864	15
1974	194,808	6	1	5	52	591	4,980	22,610	46,466	59,972	44,896	15,212	17
1973	205,614	9	-	7	70	632	5,599	23,631	49,875	61,972	48,327	15,474	18
1972	209,784	-	6	12	64	614	5,740	24,548	50,862	63,662	49,132	15,120	24
1971	210,795	14	2	8	72	693	6,120	24,940	50,999	62,938	49,568	15,397	44
1970	211,259	6	-	8	78	654	6,325	25,258	51,239	63,582	49,317	14,753	39
1969	215,588	5	1	10	70	630	6,744	26,204	52,006	64,782	50,310	14,773	53
1968	220,517	10	5	5	56	664	7,122	26,860	53,287	66,205	51,436	14,824	43
WHITE, FEMALE													
1978	108,648	4	1	3	18	138	698	3,477	12,355	28,537	39,405	24,000	12
1977	108,097	5	1	1	19	134	739	3,679	12,647	28,702	39,416	22,740	14
1976	111,793	1	2	1	12	122	780	4,072	13,551	29,562	40,940	22,738	12
1975	112,329	1	-	-	22	134	859	4,402	13,758	30,539	40,978	21,622	14
1974	114,952	4	4	2	19	157	875	4,456	14,196	31,248	42,127	21,852	12
1973	119,903	5	1	5	24	168	1,019	4,815	14,972	32,580	44,475	21,824	15
1972	122,168	4	-	4	40	148	1,092	4,908	15,246	34,006	45,454	21,244	22
1971	121,419	5	3	11	31	142	1,094	5,134	15,851	33,702	44,640	20,792	14
1970	120,465	2	1	3	28	171	1,103	5,136	15,764	34,693	43,673	19,874	17
1969	120,237	5	-	9	27	142	1,215	5,189	15,311	34,672	44,012	19,628	27
1968	122,482	2	-	5	31	182	1,290	5,401	16,217	35,658	44,177	19,493	26

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE MYOCARDIAL INFARCTION (410)													
ALL OTHER, BOTH SEXES													
1978	22,894	3	1	6	27	181	828	2,621	5,039	6,899	5,106	2,165	18
1977	22,747	-	-	1	28	180	868	2,678	5,161	6,707	4,995	2,119	10
1976	23,864	1	1	3	25	170	885	2,926	5,468	7,129	5,117	2,129	10
1975	23,732	2	2	3	28	175	982	2,962	5,523	7,153	4,809	2,085	8
1974	24,436	3	-	5	24	195	952	3,257	5,636	7,585	4,687	2,078	14
1973	26,145	5	-	5	40	203	1,068	3,570	6,228	7,870	5,013	2,122	21
1972	25,892	6	-	2	34	206	1,182	3,546	6,222	7,582	5,060	2,040	12
1971	25,500	5	3	3	48	249	1,215	3,450	6,002	7,704	4,923	1,874	24
1970	25,517	3	2	4	42	254	1,297	3,545	6,227	7,631	4,658	1,830	24
1969	25,758	2	-	4	43	283	1,425	3,741	6,264	7,607	4,581	1,783	25
1968	26,611	1	2	8	41	253	1,568	3,771	6,604	7,809	4,699	1,818	37
ALL OTHER, MALE													
1978	12,999	1	-	3	19	143	589	1,722	3,165	3,871	2,565	912	9
1977	12,926	-	-	-	19	133	597	1,812	3,199	3,787	2,470	903	6
1976	13,609	-	-	2	13	120	624	1,954	3,444	4,034	2,483	931	4
1975	13,567	-	2	2	20	126	679	1,987	3,373	4,070	2,406	896	6
1974	14,063	1	-	2	11	133	648	2,173	3,538	4,244	2,409	897	7
1973	14,929	3	-	2	24	141	694	2,353	3,861	4,397	2,537	900	17
1972	14,934	4	-	2	28	136	780	2,390	3,802	4,278	2,616	888	10
1971	14,718	4	1	2	30	163	812	2,249	3,764	4,304	2,515	862	12
1970	14,821	2	2	2	31	163	867	2,341	3,803	4,350	2,405	840	15
1969	14,956	1	-	3	23	199	943	2,468	3,807	4,275	2,422	798	17
1968	15,500	1	1	6	26	174	1,010	2,508	4,100	4,359	2,402	887	26
ALL OTHER, FEMALE													
1978	9,895	2	1	3	8	38	239	899	1,874	3,028	2,541	1,253	9
1977	9,821	-	-	1	9	47	271	866	1,962	2,920	2,525	1,216	4
1976	10,255	1	1	1	12	50	261	972	2,024	3,095	2,634	1,198	6
1975	10,165	2	-	1	8	49	303	975	2,150	3,083	2,403	1,189	2
1974	10,373	2	-	3	13	62	304	1,084	2,098	3,341	2,278	1,181	7
1973	11,216	2	-	3	16	62	374	1,217	2,367	3,473	2,476	1,222	4
1972	10,958	2	-	-	6	70	402	1,156	2,420	3,304	2,444	1,152	2
1971	10,782	1	2	1	18	86	403	1,201	2,238	3,400	2,408	1,012	12
1970	10,696	1	-	2	11	91	430	1,204	2,424	3,281	2,253	990	9
1969	10,802	1	-	1	20	84	482	1,273	2,457	3,332	2,159	985	8
1968	11,111	-	1	2	15	79	558	1,263	2,504	3,450	2,297	931	11

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE MYOCARDIAL INFARCTION (410)													
BLACK, BOTH SEXES													
1978	21,255	3	-	6	25	172	769	2,455	4,722	6,411	4,705	1,974	13
1977	21,238	-	-	1	27	174	822	2,519	4,828	6,295	4,627	1,935	10
1976	22,379	1	1	3	25	163	837	2,769	5,158	6,687	4,777	1,948	10
1975	22,253	2	2	2	28	167	924	2,790	5,220	6,734	4,468	1,909	7
1974	22,954	3	-	5	21	188	898	3,082	5,332	7,139	4,361	1,913	12
1973	24,634	5	-	5	35	197	1,019	3,396	5,925	7,447	4,645	1,940	20
1972	24,302	6	-	2	32	196	1,114	3,380	5,882	7,112	4,710	1,858	10
1971	23,982	2	3	3	46	242	1,160	3,258	5,690	7,263	4,573	1,725	17
1970	24,055	3	2	4	40	244	1,243	3,378	5,936	7,181	4,316	1,688	20
1969	24,426	2	-	3	41	273	1,362	3,592	6,004	7,192	4,288	1,646	23
1968	25,185	1	2	6	39	245	1,510	3,603	6,285	7,418	4,354	1,686	36
BLACK, MALE													
1978	11,839	1	-	3	17	135	537	1,592	2,925	3,515	2,301	807	6
1977	11,856	-	-	-	18	127	560	1,678	2,953	3,484	2,233	797	6
1976	12,582	-	-	2	13	113	587	1,820	3,218	3,709	2,288	828	4
1975	12,490	-	2	1	20	119	628	1,850	3,130	3,756	2,192	786	6
1974	13,007	1	-	2	9	129	606	2,025	3,307	3,917	2,211	793	7
1973	13,876	3	-	2	20	137	651	2,214	3,634	4,087	2,316	796	16
1972	13,826	4	-	2	26	128	724	2,278	3,550	3,926	2,402	778	8
1971	13,636	1	1	2	29	159	768	2,101	3,513	3,974	2,304	774	10
1970	13,783	2	2	2	29	156	824	2,212	3,578	4,034	2,184	747	13
1969	13,977	1	-	2	21	191	895	2,343	3,600	3,971	2,223	715	15
1968	14,475	1	1	5	24	169	963	2,377	3,847	4,083	2,181	799	25
BLACK, FEMALE													
1978	9,416	2	-	3	8	37	232	863	1,797	2,896	2,404	1,167	7
1977	9,382	-	-	1	9	47	262	841	1,875	2,811	2,394	1,138	4
1976	9,797	1	1	1	12	50	250	949	1,940	2,978	2,489	1,120	6
1975	9,763	2	-	1	8	48	296	940	2,090	2,978	2,276	1,123	1
1974	9,947	2	-	3	12	59	292	1,057	2,025	3,222	2,150	1,120	5
1973	10,758	2	-	3	15	60	368	1,182	2,291	3,360	2,329	1,144	4
1972	10,476	2	-	-	6	68	390	1,102	2,332	3,186	2,308	1,080	2
1971	10,346	1	2	1	17	83	392	1,157	2,177	3,289	2,269	951	7
1970	10,272	1	-	2	11	88	419	1,166	2,358	3,147	2,132	941	7
1969	10,449	1	-	1	20	82	467	1,249	2,404	3,221	2,065	931	8
1968	10,710	-	1	1	15	76	547	1,226	2,438	3,335	2,173	887	11

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
BOTH SEXES													
1978	4,090	-	-	3	1	18	120	433	841	1,127	945	595	7
1977	3,993	2	-	2	5	21	118	427	850	1,100	919	548	1
1976	4,028	-	1	-	2	25	110	479	869	1,074	915	551	2
1975	4,069	-	1	1	6	25	118	480	928	1,081	939	484	6
1974	4,418	-	-	3	9	27	156	540	985	1,163	996	534	5
1973	4,503	1	-	1	9	29	159	564	970	1,160	1,033	575	2
1972	4,528	2	-	2	8	34	160	614	1,008	1,156	1,022	522	-
1971	4,027	2	1	-	12	33	145	475	816	1,002	1,010	530	1
1970	4,246	-	-	2	6	33	182	536	909	1,034	1,022	520	2
1969	4,677	1	-	2	5	31	202	514	982	1,222	1,157	560	1
1968	4,691	4	3	1	6	24	176	552	950	1,279	1,130	564	2
MALE													
1978	2,623	-	-	1	1	15	93	345	646	803	491	223	5
1977	2,594	-	-	-	3	19	94	338	653	757	516	213	1
1976	2,634	-	-	-	2	14	94	388	682	754	485	213	2
1975	2,679	-	-	1	6	23	98	386	720	723	518	199	5
1974	2,844	-	-	-	5	26	117	409	743	786	538	215	5
1973	2,882	1	-	-	6	19	119	449	711	786	569	220	2
1972	2,942	2	-	-	2	28	122	494	768	784	538	204	-
1971	2,468	1	1	-	7	19	117	355	612	642	518	195	1
1970	2,693	-	-	-	3	25	141	437	682	648	533	224	-
1969	2,907	-	-	2	2	22	150	393	733	770	613	222	-
1968	2,945	2	2	-	5	17	140	416	691	845	606	219	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
FEMALE													
1978	1,467	-	-	2	-	3	27	88	195	324	454	372	2
1977	1,399	2	-	2	2	2	24	89	197	343	403	335	-
1976	1,394	-	1	-	-	11	16	91	187	320	430	338	-
1975	1,390	-	1	-	-	2	20	94	208	358	421	285	1
1974	1,574	-	-	3	4	1	39	131	242	377	458	319	-
1973	1,621	-	-	1	3	10	40	115	259	374	464	355	-
1972	1,586	-	-	2	6	6	38	120	240	372	484	318	-
1971	1,559	1	-	-	5	14	28	120	204	360	492	335	-
1970	1,553	-	-	2	3	8	41	99	227	386	489	296	2
1969	1,770	1	-	-	3	9	52	121	249	452	544	338	1
1968	1,746	2	1	1	1	7	36	136	259	434	524	345	-
WHITE, BOTH SEXES													
1978	3,534	-	-	3	1	13	93	360	704	975	832	547	6
1977	3,461	2	-	2	3	16	95	368	715	949	811	499	1
1976	3,465	-	1	-	2	20	80	387	715	934	818	506	2
1975	3,469	-	1	-	4	21	88	378	744	941	845	444	3
1974	3,812	-	-	2	8	17	114	444	821	1,001	910	491	4
1973	3,900	-	-	1	9	23	115	458	816	992	949	535	2
1972	3,922	2	-	2	8	24	124	482	858	1,018	918	486	-
1971	3,533	1	-	-	10	20	118	385	686	866	947	500	-
1970	3,665	-	-	2	3	24	131	422	761	899	932	490	1
1969	3,911	1	-	1	3	22	141	378	785	1,009	1,047	523	1
1968	3,944	3	1	1	5	17	120	424	752	1,077	1,033	510	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
WHITE, MALE													
1978	2,265	-	-	1	1	11	77	291	545	707	429	199	4
1977	2,249	-	-	-	2	15	80	300	555	657	449	190	1
1976	2,291	-	-	-	2	12	71	320	577	671	439	197	2
1975	2,295	-	-	-	4	19	75	319	584	641	468	183	2
1974	2,460	-	-	-	5	17	88	342	633	692	491	188	4
1973	2,494	-	-	-	6	17	91	379	607	678	517	197	2
1972	2,564	2	-	-	2	22	100	402	672	700	474	190	-
1971	2,153	1	-	-	6	11	95	289	522	564	483	182	-
1970	2,356	-	-	-	2	20	106	359	592	579	490	208	-
1969	2,456	-	-	1	1	17	113	310	611	646	547	210	-
1968	2,489	2	-	-	4	13	99	339	558	725	552	196	1
WHITE, FEMALE													
1978	1,269	-	-	2	-	2	16	69	159	268	403	348	2
1977	1,212	2	-	2	1	1	15	68	160	292	362	309	-
1976	1,174	-	1	-	-	8	9	67	138	263	379	309	-
1975	1,174	-	1	-	-	2	13	59	160	300	377	261	1
1974	1,352	-	-	2	3	-	26	102	188	309	419	303	-
1973	1,406	-	-	1	3	6	24	79	209	314	432	338	-
1972	1,358	-	-	2	6	2	24	80	186	318	444	296	-
1971	1,380	-	-	-	4	9	23	96	164	302	464	318	-
1970	1,309	-	-	2	1	4	25	63	169	320	442	282	1
1969	1,455	1	-	-	2	5	28	68	174	363	500	313	1
1968	1,455	1	1	1	1	4	21	85	194	352	481	314	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
ALL OTHER, BOTH SEXES													
1978	556	-	-	-	-	5	27	73	137	152	113	48	1
1977	532	-	-	-	2	5	23	59	135	151	108	49	-
1976	563	-	-	-	-	5	30	92	154	140	97	45	-
1975	600	-	-	1	2	4	30	102	184	140	94	40	3
1974	606	-	-	1	1	10	42	96	164	162	86	43	1
1973	603	1	-	-	-	6	44	106	154	168	84	40	-
1972	606	-	-	-	-	10	36	132	150	138	104	36	-
1971	494	1	1	-	2	13	27	90	130	136	63	30	1
1970	581	-	-	-	3	9	51	114	148	135	90	30	1
1969	766	-	-	1	2	9	61	136	197	213	110	37	-
1968	747	1	2	-	1	7	56	128	198	202	97	54	1
ALL OTHER, MALE													
1978	358	-	-	-	-	4	16	54	101	96	62	24	1
1977	345	-	-	-	1	4	14	38	98	100	67	23	-
1976	343	-	-	-	-	2	23	68	105	83	46	16	-
1975	384	-	-	1	2	4	23	67	136	82	50	16	3
1974	384	-	-	-	-	9	29	67	110	94	47	27	1
1973	388	1	-	-	-	2	28	70	104	108	52	23	-
1972	378	-	-	-	-	6	22	92	96	84	64	14	-
1971	315	-	1	-	1	8	22	66	90	78	35	13	1
1970	337	-	-	-	1	5	35	78	90	69	43	16	-
1969	451	-	-	1	1	5	37	83	122	124	66	12	-
1968	456	-	2	-	1	4	41	77	133	120	54	23	1
ALL OTHER, FEMALE													
1978	198	-	-	-	-	1	11	19	36	56	51	24	-
1977	187	-	-	-	1	1	9	21	37	51	41	26	-
1976	220	-	-	-	-	3	7	24	49	57	51	29	-
1975	216	-	-	-	-	-	7	35	48	58	44	24	-
1974	222	-	-	1	1	1	13	29	54	68	39	16	-
1973	215	-	-	-	-	4	16	36	50	60	32	17	-
1972	228	-	-	-	-	4	14	40	54	54	40	22	-
1971	179	1	-	-	1	5	5	24	40	58	28	17	-
1970	244	-	-	-	2	4	16	36	58	66	47	14	1
1969	315	-	-	-	1	4	24	53	75	89	44	25	-
1968	291	1	-	-	-	3	15	51	65	82	43	31	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411) BLACK, BOTH SEXES													
1978	522	-	-	-	-	4	26	70	128	145	105	43	1
1977	507	-	-	-	2	5	22	57	128	145	102	46	-
1976	537	-	-	-	-	5	29	89	149	132	93	40	-
1975	581	-	-	1	2	4	29	100	174	136	93	39	3
1974	574	-	-	1	1	9	40	94	158	153	82	35	1
1973	576	1	-	-	-	6	41	103	149	160	80	36	-
1972	578	-	-	-	-	8	34	128	148	124	102	34	-
1971	478	1	1	-	2	13	26	89	127	130	61	27	1
1970	561	-	-	-	3	9	50	111	147	129	83	28	1
1969	750	-	-	1	2	8	60	135	193	206	110	35	-
1968	713	1	2	-	1	7	54	124	189	197	91	46	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
BLACK, MALE													
1978	334	-	-	-	-	3	16	51	93	90	58	22	1
1977	327	-	-	-	1	4	14	38	91	96	62	21	-
1976	326	-	-	-	-	2	22	66	101	77	45	13	-
1975	370	-	-	1	2	4	22	65	128	81	49	15	3
1974	359	-	-	-	-	8	27	65	106	86	45	21	1
1973	366	1	-	-	-	2	25	68	101	101	48	20	-
1972	358	-	-	-	-	4	20	88	96	74	62	14	-
1971	304	-	1	-	1	8	21	65	88	74	34	11	1
1970	327	-	-	-	1	5	35	75	89	67	40	15	-
1969	438	-	-	1	1	4	36	82	119	118	66	11	-
1968	433	-	2	-	1	4	39	73	128	116	50	19	1
BLACK, FEMALE													
1978	188	-	-	-	-	1	10	19	35	55	47	21	-
1977	180	-	-	-	1	1	8	19	37	49	40	25	-
1976	211	-	-	-	-	3	7	23	48	55	48	27	-
1975	211	-	-	-	-	-	7	35	46	55	44	24	-
1974	215	-	-	1	1	1	13	29	52	67	37	14	-
1973	210	-	-	-	-	4	16	35	48	59	32	16	-
1972	220	-	-	-	-	4	14	40	52	50	40	20	-
1971	174	1	-	-	1	5	5	24	39	56	27	16	-
1970	234	-	-	-	2	4	15	36	58	62	43	13	1
1969	312	-	-	-	1	4	24	53	74	88	44	24	-
1968	280	1	-	-	-	3	15	51	61	81	41	27	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC ISCHEMIC HEART DISEASE (412)													
BOTH SEXES													
1978	335,263	1	-	5	44	532	3,214	13,802	36,859	71,751	110,674	98,251	130
1977	327,830	2	1	7	41	518	3,166	14,111	36,055	70,715	110,038	93,097	79
1976	322,382	2	2	6	48	502	2,937	13,649	34,765	69,176	109,860	91,368	67
1975	313,847	2	2	6	52	458	3,034	13,327	34,036	68,815	108,508	85,545	62
1974	326,065	3	1	7	63	470	3,083	13,567	35,360	72,000	113,577	87,877	57
1973	327,722	9	7	20	60	424	3,126	13,803	35,729	72,604	116,526	85,363	51
1972	321,884	4	-	4	90	396	3,242	13,616	35,428	71,984	115,808	81,274	38
1971	312,351	4	6	30	83	451	3,342	13,529	34,843	70,212	111,783	77,999	69
1970	304,962	3	4	10	55	448	3,301	13,463	34,660	70,718	109,703	72,529	68
1969	303,362	10	3	6	69	436	3,259	13,026	34,386	71,002	109,590	71,502	73
1968	300,216	14	8	12	40	390	3,212	12,953	34,475	71,905	108,576	68,548	83
MALE													
1978	166,788	1	-	4	30	424	2,511	10,516	26,203	43,491	50,576	32,950	82
1977	163,813	1	-	5	24	411	2,439	10,683	25,370	42,669	50,539	31,633	39
1976	160,375	1	1	6	36	381	2,273	10,391	24,525	41,612	50,010	31,109	30
1975	156,844	1	2	5	35	351	2,308	10,097	23,775	40,898	49,542	29,799	31
1974	161,947	-	-	3	44	339	2,288	10,110	24,502	42,277	51,604	30,757	23
1973	163,444	5	1	13	39	304	2,300	10,229	24,724	42,427	53,311	30,068	23
1972	160,270	2	-	-	58	296	2,386	10,168	24,348	41,290	53,142	28,560	20
1971	156,459	2	6	16	56	314	2,443	9,930	23,984	40,431	51,221	28,019	37
1970	154,052	1	4	5	31	310	2,429	9,808	23,787	40,665	50,590	26,379	43
1969	153,195	5	2	4	44	309	2,402	9,605	23,619	40,801	50,664	25,700	40
1968	151,815	7	3	6	32	262	2,350	9,412	23,481	41,270	50,145	24,801	46

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC ISCHEMIC HEART DISEASE (412)													
FEMALE													
1978	168,475	-	-	1	14	108	703	3,286	10,656	28,260	60,098	65,301	48
1977	164,017	1	1	2	17	107	727	3,428	10,685	28,046	59,499	61,464	40
1976	162,007	1	1	-	12	121	664	3,258	10,240	27,564	59,850	60,259	37
1975	157,003	1	-	1	17	107	726	3,230	10,261	27,917	58,966	55,746	31
1974	164,118	3	1	4	19	131	795	3,457	10,858	29,723	61,973	57,120	34
1973	164,278	4	6	7	21	120	826	3,574	11,005	30,177	63,215	55,295	28
1972	161,614	2	-	4	32	100	856	3,448	11,080	30,694	62,666	52,714	18
1971	155,892	2	-	14	27	137	899	3,599	10,859	29,781	60,562	49,980	32
1970	150,910	2	-	5	24	138	872	3,655	10,873	30,053	59,113	46,150	25
1969	150,167	5	1	2	25	127	857	3,421	10,767	30,201	58,926	45,802	33
1968	148,401	7	5	6	8	128	862	3,541	10,994	30,635	58,431	43,747	37
WHITE, BOTH SEXES													
1978	300,447	1	-	4	31	363	2,317	10,677	30,441	62,341	101,447	92,731	94
1977	293,129	1	-	6	24	362	2,225	10,892	29,688	61,111	101,019	87,748	53
1976	289,572	2	2	6	38	332	2,137	10,593	28,929	60,042	101,088	86,358	45
1975	281,675	2	2	4	37	296	2,179	10,312	28,211	59,439	100,224	80,925	44
1974	292,406	3	1	7	45	297	2,173	10,366	29,064	61,972	105,315	83,122	41
1973	293,634	7	6	14	41	280	2,145	10,563	29,440	62,268	108,083	80,753	34
1972	288,766	4	-	4	56	260	2,222	10,346	28,964	62,072	107,680	77,130	28
1971	280,110	1	3	24	57	292	2,297	10,363	28,650	60,471	103,992	73,916	44
1970	272,660	2	3	9	34	275	2,206	10,258	28,246	60,891	102,080	68,615	41
1969	271,653	10	3	2	45	250	2,213	9,892	27,960	61,306	102,108	67,805	59
1968	268,124	9	5	10	23	211	2,162	9,727	27,743	62,076	101,229	64,870	59

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC ISCHEMIC HEART DISEASE (412)													
WHITE, MALE													
1978	148,655	1	-	3	24	305	1,908	8,482	22,254	38,367	46,318	30,931	62
1977	145,920	-	-	4	17	301	1,819	8,637	21,508	37,545	46,403	29,657	29
1976	143,372	1	1	6	28	266	1,734	8,426	20,996	36,745	45,932	29,217	20
1975	140,200	1	2	3	25	248	1,756	8,164	20,395	36,017	45,574	27,994	21
1974	144,618	-	-	3	34	233	1,745	8,146	20,840	36,935	47,736	28,929	17
1973	146,009	3	1	8	29	210	1,713	8,240	21,069	37,119	49,307	28,294	16
1972	143,124	2	-	-	30	210	1,788	8,172	20,670	36,108	49,232	26,900	12
1971	139,836	1	3	13	39	209	1,831	8,036	20,402	35,420	47,468	26,390	24
1970	137,393	1	3	5	22	204	1,776	7,929	20,150	35,525	46,963	24,787	28
1969	136,727	5	2	1	27	193	1,773	7,697	19,996	35,754	47,052	24,196	31
1968	135,333	5	2	5	18	166	1,734	7,545	19,732	36,135	46,689	23,269	33
WHITE, FEMALE													
1978	151,792	-	-	1	7	58	409	2,195	8,187	23,974	55,129	61,800	32
1977	147,209	1	-	2	7	61	406	2,255	8,180	23,566	54,616	58,091	24
1976	146,200	1	1	-	10	66	403	2,167	7,933	23,297	55,156	57,141	25
1975	141,475	1	-	1	12	48	423	2,148	7,816	23,422	54,650	52,931	23
1974	147,788	3	1	4	11	64	428	2,220	8,224	25,037	57,579	54,193	24
1973	147,625	4	5	6	12	70	432	2,323	8,371	25,149	58,776	52,459	18
1972	145,642	2	-	4	26	50	434	2,174	8,294	25,964	58,448	50,230	16
1971	140,274	-	-	11	18	83	466	2,327	8,248	25,051	56,524	47,526	20
1970	135,267	1	-	4	12	71	430	2,329	8,096	25,366	55,117	43,828	13
1969	134,926	5	1	1	18	57	440	2,195	7,964	25,552	55,056	43,609	28
1968	132,791	4	3	5	5	45	428	2,182	8,011	25,941	54,540	41,601	26

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC ISCHEMIC HEART DISEASE (412)													
ALL OTHER, BOTH SEXES													
1978	34,816	-	-	1	13	169	897	3,125	6,418	9,410	9,227	5,520	36
1977	34,701	1	1	1	17	156	941	3,219	6,367	9,604	9,019	5,349	26
1976	32,810	-	-	-	10	170	800	3,056	5,836	9,134	8,772	5,010	22
1975	32,172	-	-	2	15	162	855	3,015	5,825	9,376	8,284	4,620	18
1974	33,659	-	-	-	18	173	910	3,201	6,296	10,028	8,262	4,755	16
1973	34,088	2	1	6	19	144	981	3,240	6,289	10,336	8,443	4,610	17
1972	33,118	-	-	-	34	136	1,020	3,270	6,464	9,912	8,128	4,144	10
1971	32,241	3	3	6	26	159	1,045	3,166	6,193	9,741	7,791	4,083	25
1970	32,302	1	1	1	21	173	1,095	3,205	6,414	9,827	7,623	3,914	27
1969	31,709	-	-	4	24	186	1,046	3,134	6,426	9,696	7,482	3,697	14
1968	32,092	5	3	2	17	179	1,050	3,226	6,732	9,829	7,347	3,678	24
ALL OTHER, MALE													
1978	18,133	-	-	1	6	119	603	2,034	3,949	5,124	4,258	2,019	20
1977	17,893	1	-	1	7	110	620	2,046	3,862	5,124	4,136	1,976	10
1976	17,003	-	-	-	8	115	539	1,965	3,529	4,867	4,078	1,892	10
1975	16,644	-	-	2	10	103	552	1,933	3,380	4,881	3,968	1,805	10
1974	17,329	-	-	-	10	106	543	1,964	3,662	5,342	3,868	1,828	6
1973	17,435	2	-	5	10	94	587	1,989	3,655	5,308	4,004	1,774	7
1972	17,146	-	-	-	28	86	598	1,996	3,678	5,182	3,910	1,660	8
1971	16,623	1	3	3	17	105	612	1,894	3,582	5,011	3,753	1,629	13
1970	16,659	-	1	-	9	106	653	1,879	3,637	5,140	3,627	1,592	15
1969	16,468	-	-	3	17	116	629	1,908	3,623	5,047	3,612	1,504	9
1968	16,482	2	1	1	14	96	616	1,867	3,749	5,135	3,456	1,532	13
ALL OTHER, FEMALE													
1978	16,683	-	-	-	7	50	294	1,091	2,469	4,286	4,969	3,501	16
1977	16,808	-	1	-	10	46	321	1,173	2,505	4,480	4,883	3,373	16
1976	15,807	-	-	-	2	55	261	1,091	2,307	4,267	4,694	3,118	12
1975	15,528	-	-	-	5	59	303	1,082	2,445	4,495	4,316	2,815	8
1974	16,330	-	-	-	8	67	367	1,237	2,634	4,686	4,394	2,927	10
1973	16,653	-	1	1	9	50	394	1,251	2,634	5,028	4,439	2,836	10
1972	15,972	-	-	-	6	50	422	1,274	2,786	4,730	4,218	2,484	2
1971	15,618	2	-	3	9	54	433	1,272	2,611	4,730	4,038	2,454	12
1970	15,643	1	-	1	12	67	442	1,326	2,777	4,687	3,996	2,322	12
1969	15,241	-	-	1	7	70	417	1,226	2,803	4,649	3,870	2,193	5
1968	15,610	3	2	1	3	83	434	1,359	2,983	4,694	3,891	2,146	11

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC ISCHEMIC HEART DISEASE (412)													
BLACK, BOTH SEXES													
1978	32,846	-	-	1	13	159	859	2,988	6,139	8,932	8,630	5,097	28
1977	32,950	1	1	1	16	149	893	3,109	6,134	9,179	8,453	4,988	26
1976	31,100	-	-	-	10	162	763	2,934	5,625	8,692	8,296	4,597	21
1975	30,633	-	-	2	15	155	818	2,917	5,620	8,962	7,854	4,272	18
1974	32,063	-	-	-	18	163	882	3,094	6,052	9,593	7,804	4,441	16
1973	32,521	2	1	6	17	137	952	3,125	6,072	9,925	7,972	4,295	17
1972	31,698	-	-	-	34	134	990	3,196	6,270	9,512	7,696	3,856	10
1971	30,719	2	3	6	26	153	1,010	3,074	6,001	9,331	7,328	3,763	22
1970	30,833	-	-	1	19	167	1,063	3,109	6,178	9,440	7,212	3,619	25
1969	30,314	-	-	2	23	180	1,005	3,039	6,212	9,310	7,097	3,432	14
1968	30,709	5	3	2	14	176	1,010	3,125	6,511	9,471	6,946	3,423	23
BLACK, MALE													
1978	16,838	-	-	1	6	112	573	1,928	3,742	4,783	3,892	1,787	14
1977	16,773	1	-	1	7	103	582	1,955	3,691	4,826	3,806	1,791	10
1976	15,874	-	-	-	8	108	512	1,876	3,380	4,537	3,784	1,659	10
1975	15,621	-	-	2	10	99	522	1,852	3,227	4,572	3,712	1,615	10
1974	16,284	-	-	-	10	98	522	1,887	3,479	5,030	3,604	1,648	6
1973	16,409	2	-	5	9	88	565	1,899	3,504	5,009	3,730	1,591	7
1972	16,228	-	-	-	28	86	576	1,940	3,548	4,898	3,638	1,506	8
1971	15,669	-	3	3	17	102	591	1,828	3,437	4,743	3,488	1,445	12
1970	15,672	-	-	-	8	101	629	1,810	3,455	4,856	3,380	1,419	14
1969	15,521	-	-	1	17	110	599	1,838	3,462	4,773	3,365	1,347	9
1968	15,548	2	1	1	11	94	588	1,788	3,588	4,873	3,203	1,387	12
BLACK, FEMALE													
1978	16,008	-	-	-	7	47	286	1,060	2,397	4,149	4,738	3,310	14
1977	16,177	-	1	-	9	46	311	1,154	2,443	4,353	4,647	3,197	16
1976	15,226	-	-	-	2	54	251	1,058	2,245	4,155	4,512	2,938	11
1975	15,012	-	-	-	5	56	296	1,065	2,393	4,390	4,142	2,657	8
1974	15,779	-	-	-	8	65	360	1,207	2,573	4,563	4,200	2,793	10
1973	16,112	-	1	1	8	49	387	1,226	2,568	4,916	4,242	2,704	10
1972	15,470	-	-	-	6	48	414	1,256	2,722	4,614	4,058	2,350	2
1971	15,050	2	-	3	9	51	419	1,246	2,564	4,588	3,840	2,318	10
1970	15,161	-	-	1	11	66	434	1,299	2,723	4,584	3,832	2,200	11
1969	14,793	-	-	1	6	70	406	1,201	2,750	4,537	3,732	2,085	5
1968	15,161	3	2	1	3	82	422	1,337	2,923	4,598	3,743	2,036	11

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANGINA PECTORIS (413)													
BOTH SEXES													
1978	253	-	-	-	1	1	5	19	47	64	77	39	-
1977	206	-	-	-	2	-	2	20	33	58	55	36	-
1976	186	-	-	-	-	-	7	21	19	49	60	30	-
1975	151	-	-	-	-	-	5	11	23	42	38	32	-
1974	175	-	-	-	-	-	7	9	27	50	52	30	-
1973	179	-	-	-	-	2	4	17	28	47	50	31	-
1972	168	-	-	-	2	-	6	14	16	44	56	30	-
1971	200	-	-	-	-	2	8	12	29	53	60	36	-
1970	216	-	-	-	1	2	4	11	41	67	64	26	-
1969	207	-	-	-	-	-	6	18	38	60	53	32	-
1968	230	-	-	-	2	-	9	15	42	71	64	27	-
MALE													
1978	137	-	-	-	1	-	4	11	34	37	36	14	-
1977	120	-	-	-	1	-	2	13	24	36	30	14	-
1976	97	-	-	-	-	-	3	13	11	32	28	10	-
1975	74	-	-	-	-	-	2	8	17	25	11	11	-
1974	103	-	-	-	-	-	5	7	19	33	24	15	-
1973	109	-	-	-	-	2	1	12	16	32	31	15	-
1972	100	-	-	-	-	-	4	14	10	30	30	12	-
1971	110	-	-	-	-	1	6	3	21	36	30	13	-
1970	122	-	-	-	1	2	4	9	28	39	30	9	-
1969	125	-	-	-	-	-	5	14	29	39	28	10	-
1968	135	-	-	-	1	-	5	12	30	45	31	11	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANGINA PECTORIS (413)													
FEMALE													
1978	116	-	-	-	-	1	1	8	13	27	41	25	-
1977	86	-	-	-	1	-	-	7	9	22	25	22	-
1976	89	-	-	-	-	-	4	8	8	17	32	20	-
1975	77	-	-	-	-	-	3	3	6	17	27	21	-
1974	72	-	-	-	-	-	2	2	8	17	28	15	-
1973	70	-	-	-	-	-	3	5	12	15	19	16	-
1972	68	-	-	-	2	-	2	-	6	14	26	18	-
1971	90	-	-	-	-	1	2	9	8	17	30	23	-
1970	94	-	-	-	-	-	-	2	13	28	34	17	-
1969	82	-	-	-	-	-	1	4	9	21	25	22	-
1968	95	-	-	-	1	-	4	3	12	26	33	16	-
WHITE, BOTH SEXES													
1978	223	-	-	-	1	1	4	16	42	54	70	35	-
1977	187	-	-	-	1	-	2	17	28	52	51	36	-
1976	170	-	-	-	-	-	7	18	15	43	58	29	-
1975	143	-	-	-	-	-	3	11	20	40	38	31	-
1974	159	-	-	-	-	-	5	7	26	43	50	28	-
1973	166	-	-	-	-	2	4	15	24	43	50	28	-
1972	162	-	-	-	2	-	4	14	14	42	56	30	-
1971	184	-	-	-	-	1	6	8	26	49	58	36	-
1970	194	-	-	-	1	1	2	8	40	61	56	25	-
1969	189	-	-	-	-	-	4	17	35	53	50	30	-
1968	199	-	-	-	-	-	4	11	35	64	60	25	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANGINA PECTORIS (413)													
WHITE, MALE													
1978	119	-	-	-	1	-	3	9	30	29	33	14	-
1977	107	-	-	-	1	-	2	11	20	32	27	14	-
1976	91	-	-	-	-	-	3	13	10	29	27	9	-
1975	69	-	-	-	-	-	1	8	15	23	11	11	-
1974	94	-	-	-	-	-	4	5	18	31	23	13	-
1973	105	-	-	-	-	2	1	11	14	32	31	14	-
1972	100	-	-	-	-	-	4	14	10	30	30	12	-
1971	102	-	-	-	-	1	5	1	20	33	29	13	-
1970	107	-	-	-	1	1	2	7	27	37	24	8	-
1969	115	-	-	-	-	-	3	14	28	34	26	10	-
1968	118	-	-	-	-	-	3	10	27	39	29	10	-
WHITE, FEMALE													
1978	104	-	-	-	-	1	1	7	12	25	37	21	-
1977	80	-	-	-	-	-	-	6	8	20	24	22	-
1976	79	-	-	-	-	-	4	5	5	14	31	20	-
1975	74	-	-	-	-	-	2	3	5	17	27	20	-
1974	65	-	-	-	-	-	1	2	8	12	27	15	-
1973	61	-	-	-	-	-	3	4	10	11	19	14	-
1972	62	-	-	-	2	-	-	-	4	12	26	18	-
1971	82	-	-	-	-	-	1	7	6	16	29	23	-
1970	87	-	-	-	-	-	-	1	13	24	32	17	-
1969	74	-	-	-	-	-	1	3	7	19	24	20	-
1968	81	-	-	-	-	-	1	1	8	25	31	15	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANGINA PECTORIS (413)													
ALL OTHER, BOTH SEXES													
1978	30	-	-	-	-	-	1	3	5	10	7	4	-
1977	19	-	-	-	1	-	-	3	5	6	4	-	-
1976	16	-	-	-	-	-	-	3	4	6	2	1	-
1975	8	-	-	-	-	-	2	-	3	2	-	1	-
1974	16	-	-	-	-	-	2	2	1	7	2	2	-
1973	13	-	-	-	-	-	-	2	4	4	-	3	-
1972	6	-	-	-	-	-	2	-	2	2	-	-	-
1971	16	-	-	-	-	1	2	4	3	4	2	-	-
1970	22	-	-	-	-	1	2	3	1	6	8	1	-
1969	18	-	-	-	-	-	2	1	3	7	3	2	-
1968	31	-	-	-	2	-	5	4	7	7	4	2	-
ALL OTHER, MALE													
1978	18	-	-	-	-	-	1	2	4	8	3	-	-
1977	13	-	-	-	-	-	-	2	4	4	3	-	-
1976	6	-	-	-	-	-	-	-	1	3	1	1	-
1975	5	-	-	-	-	-	1	-	2	2	-	-	-
1974	9	-	-	-	-	-	1	2	1	2	1	2	-
1973	4	-	-	-	-	-	-	1	2	-	-	1	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	8	-	-	-	-	-	1	2	1	3	1	-	-
1970	15	-	-	-	-	1	2	2	1	2	6	1	-
1969	10	-	-	-	-	-	2	-	1	5	2	-	-
1968	17	-	-	-	1	-	2	2	3	6	2	1	-
ALL OTHER, FEMALE													
1978	12	-	-	-	-	-	-	1	1	2	4	4	-
1977	6	-	-	-	1	-	-	1	1	2	1	-	-
1976	10	-	-	-	-	-	-	3	3	3	1	-	-
1975	3	-	-	-	-	-	1	-	1	-	-	1	-
1974	7	-	-	-	-	-	1	-	-	5	1	-	-
1973	9	-	-	-	-	-	-	1	2	4	-	2	-
1972	6	-	-	-	-	-	2	-	2	2	-	-	-
1971	8	-	-	-	-	1	1	2	2	1	1	-	-
1970	7	-	-	-	-	-	-	1	-	4	2	-	-
1969	8	-	-	-	-	-	-	1	2	2	1	2	-
1968	14	-	-	-	1	-	3	2	4	1	2	1	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANGINA PECTORIS (413) BLACK, BOTH SEXES													
1978	27	-	-	-	-	-	1	2	5	8	7	4	-
1977	18	-	-	-	1	-	-	3	5	5	4	-	-
1976	15	-	-	-	-	-	-	3	4	6	2	-	-
1975	7	-	-	-	-	-	2	-	3	1	-	1	-
1974	15	-	-	-	-	-	2	2	1	7	2	1	-
1973	10	-	-	-	-	-	-	1	4	4	-	1	-
1972	6	-	-	-	-	-	2	-	2	2	-	-	-
1971	16	-	-	-	-	1	2	4	3	4	2	-	-
1970	20	-	-	-	-	1	2	2	1	5	8	1	-
1969	17	-	-	-	-	-	1	1	3	7	3	2	-
1968	29	-	-	-	1	-	5	4	7	7	3	2	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANGINA PECTORIS (413)													
BLACK, MALE													
1978	16	-	-	-	-	-	1	1	4	7	3	-	-
1977	12	-	-	-	-	-	-	2	4	3	3	-	-
1976	5	-	-	-	-	-	-	-	1	3	1	-	-
1975	4	-	-	-	-	-	1	-	2	1	-	-	-
1974	8	-	-	-	-	-	1	2	1	2	1	1	-
1973	2	-	-	-	-	-	-	-	2	-	-	-	-
1972	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	8	-	-	-	-	-	1	2	1	3	1	-	-
1970	14	-	-	-	-	1	2	1	1	2	6	1	-
1969	9	-	-	-	-	-	1	-	1	5	2	-	-
1968	16	-	-	-	-	-	2	2	3	6	2	1	-
BLACK, FEMALE													
1978	11	-	-	-	-	-	-	1	1	1	4	4	-
1977	6	-	-	-	1	-	-	1	1	2	1	-	-
1976	10	-	-	-	-	-	-	3	3	3	1	-	-
1975	3	-	-	-	-	-	1	-	1	-	-	1	-
1974	7	-	-	-	-	-	1	-	-	5	1	-	-
1973	8	-	-	-	-	-	-	1	2	4	-	1	-
1972	6	-	-	-	-	-	2	-	2	2	-	-	-
1971	8	-	-	-	-	1	1	2	2	1	1	-	-
1970	6	-	-	-	-	-	-	1	-	3	2	-	-
1969	8	-	-	-	-	-	-	1	2	2	1	2	-
1968	13	-	-	-	1	-	3	2	4	1	1	1	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY (424,428)													
BOTH SEXES													
1978	4,072	24	20	35	76	106	141	302	546	841	1,046	934	1
1977	4,024	33	19	15	63	114	130	260	536	807	1,077	969	1
1976	4,195	27	16	25	73	99	129	321	543	811	1,167	982	2
1975	4,411	19	13	21	87	94	139	302	538	862	1,243	1,090	3
1974	4,895	28	26	28	78	97	155	344	592	990	1,348	1,207	2
1973	5,137	35	35	39	93	104	169	390	663	930	1,451	1,227	1
1972	5,612	36	32	46	100	144	188	432	760	1,084	1,518	1,272	-
1971	6,132	39	28	38	93	105	212	472	756	1,198	1,765	1,425	1
1970	6,705	33	24	35	96	127	247	514	876	1,318	1,906	1,528	1
1969	7,475	35	19	29	68	105	289	539	1,005	1,480	2,168	1,736	2
1968	7,836	39	31	33	78	110	226	547	989	1,558	2,359	1,865	1
MALE													
1978	2,003	14	9	22	46	64	83	189	347	468	449	312	-
1977	2,032	18	7	10	37	57	76	155	320	484	512	355	1
1976	2,048	16	7	14	53	58	80	194	328	445	518	333	2
1975	2,151	8	8	12	53	60	87	169	341	476	571	364	2
1974	2,397	12	14	15	55	62	95	203	370	559	589	422	1
1973	2,462	19	23	26	51	55	95	218	416	517	634	408	-
1972	2,746	20	12	26	64	78	110	264	454	592	704	422	-
1971	2,980	16	13	14	65	62	106	283	477	668	776	500	-
1970	3,327	15	13	16	60	75	157	316	540	721	852	562	-
1969	3,687	19	12	18	41	58	177	347	646	788	969	611	1
1968	3,860	21	13	20	47	64	131	314	651	881	1,073	644	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY (424,428)													
FEMALE													
1978	2,069	10	11	13	30	42	58	113	199	373	597	622	1
1977	1,992	15	12	5	26	57	54	105	216	323	565	614	-
1976	2,147	11	9	11	20	41	49	127	215	366	649	649	-
1975	2,260	11	5	9	34	34	52	133	197	386	672	726	1
1974	2,498	16	12	13	23	35	60	141	222	431	759	785	1
1973	2,675	16	12	13	42	49	74	172	247	413	817	819	1
1972	2,866	16	20	20	36	66	78	168	306	492	814	850	-
1971	3,152	23	15	24	28	43	106	189	279	530	989	925	1
1970	3,378	18	11	19	36	52	90	198	336	597	1,054	966	1
1969	3,788	16	7	11	27	47	112	192	359	692	1,199	1,125	1
1968	3,976	18	18	13	31	46	95	233	338	677	1,286	1,221	-
WHITE, BOTH SEXES													
1978	3,538	18	14	24	57	75	93	237	451	738	970	861	-
1977	3,502	23	12	9	44	81	95	197	452	711	979	899	-
1976	3,670	17	14	21	51	66	89	245	474	717	1,061	914	1
1975	3,935	12	9	17	66	60	98	251	460	767	1,162	1,031	2
1974	4,307	19	18	17	61	66	120	287	491	858	1,233	1,135	2
1973	4,455	17	20	29	69	67	127	303	568	796	1,309	1,150	-
1972	4,910	22	28	34	74	104	138	334	620	934	1,426	1,196	-
1971	5,374	26	19	24	63	70	161	379	634	1,025	1,627	1,346	-
1970	5,804	19	14	20	71	72	181	407	733	1,119	1,745	1,422	1
1969	6,490	23	13	18	54	65	203	428	827	1,257	1,979	1,621	2
1968	6,660	22	18	28	57	72	150	434	780	1,267	2,126	1,705	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY (424,428)													
WHITE, MALE													
1978	1,712	12	5	14	41	43	53	149	292	409	411	283	-
1977	1,790	12	5	6	25	41	53	121	281	436	474	336	-
1976	1,746	10	6	13	40	42	51	149	283	388	460	303	1
1975	1,884	5	4	9	40	38	56	138	295	426	534	338	1
1974	2,099	9	9	10	42	44	75	173	306	492	542	396	1
1973	2,108	9	16	18	38	38	72	172	365	437	570	373	-
1972	2,378	14	10	18	52	58	86	194	388	510	654	394	-
1971	2,594	11	10	7	43	40	80	235	410	580	722	456	-
1970	2,860	11	7	8	48	41	119	249	460	614	777	526	-
1969	3,162	14	8	11	31	38	128	282	538	677	873	561	1
1968	3,238	13	6	16	33	43	92	241	524	715	968	586	1
WHITE, FEMALE													
1978	1,826	6	9	10	16	32	40	88	159	329	559	578	-
1977	1,712	11	7	3	19	40	42	76	171	275	505	563	-
1976	1,924	7	8	8	11	24	38	96	191	329	601	611	-
1975	2,051	7	5	8	26	22	42	113	165	341	628	693	1
1974	2,208	10	9	7	19	22	45	114	185	366	691	739	1
1973	2,347	8	4	11	31	29	55	131	203	359	739	777	-
1972	2,532	8	18	16	22	46	52	140	232	424	772	802	-
1971	2,780	15	9	17	20	30	81	144	224	445	905	890	-
1970	2,944	8	7	12	23	31	62	158	273	505	968	896	1
1969	3,328	9	5	7	23	27	75	146	289	580	1,106	1,060	1
1968	3,422	9	12	12	24	29	58	193	256	552	1,158	1,119	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY (424,428)													
ALL OTHER, BOTH SEXES													
1978	534	6	6	11	19	31	48	65	95	103	76	73	1
1977	522	10	7	6	19	33	35	63	84	96	98	70	1
1976	525	10	2	4	22	33	40	76	69	94	106	68	1
1975	476	7	4	4	21	34	41	51	78	95	81	59	1
1974	588	9	8	11	17	31	35	57	101	132	115	72	-
1973	682	18	15	10	24	37	42	87	95	134	142	77	1
1972	702	14	4	12	26	40	50	98	140	150	92	76	-
1971	758	13	9	14	30	35	51	93	122	173	138	79	1
1970	901	14	10	15	25	55	66	107	143	199	161	106	-
1969	985	12	6	11	14	40	86	111	178	223	189	115	-
1968	1,176	17	13	5	21	38	76	113	209	291	233	160	-
ALL OTHER, MALE													
1978	291	2	4	8	5	21	30	40	55	59	38	29	-
1977	242	6	2	4	12	16	23	34	39	48	38	19	1
1976	302	6	1	1	13	16	29	45	45	57	58	30	1
1975	267	3	4	3	13	22	31	31	46	50	37	26	1
1974	298	3	5	5	13	18	20	30	64	67	47	26	-
1973	354	10	7	8	13	17	23	46	51	80	64	35	-
1972	368	6	2	8	12	20	24	70	66	82	50	28	-
1971	386	5	3	7	22	22	26	48	67	88	54	44	-
1970	467	4	6	8	12	34	38	67	80	107	75	36	-
1969	525	5	4	7	10	20	49	65	108	111	96	50	-
1968	622	8	7	4	14	21	39	73	127	166	105	58	-
ALL OTHER, FEMALE													
1978	243	4	2	3	14	10	18	25	40	44	38	44	1
1977	280	4	5	2	7	17	12	29	45	48	60	51	-
1976	223	4	1	3	9	17	11	31	24	37	48	38	-
1975	209	4	-	1	8	12	10	20	32	45	44	33	-
1974	290	6	3	6	4	13	15	27	37	65	68	46	-
1973	328	8	8	2	11	20	19	41	44	54	78	42	1
1972	334	8	2	4	14	20	26	28	74	68	42	48	-
1971	372	8	6	7	8	13	25	45	55	85	84	35	1
1970	434	10	4	7	13	21	28	40	63	92	86	70	-
1969	460	7	2	4	4	20	37	46	70	112	93	65	-
1968	554	9	6	1	7	17	37	40	82	125	128	102	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY (424,428)													
BLACK, BOTH SEXES													
1978	498	6	6	11	15	27	44	59	92	98	72	67	1
1977	499	10	6	6	19	31	30	58	82	92	94	70	1
1976	503	9	1	4	22	31	38	70	68	92	103	64	1
1975	456	7	4	4	19	32	38	49	77	91	79	56	-
1974	560	8	7	10	17	31	32	56	94	125	111	69	-
1973	647	18	14	10	24	32	42	84	89	129	133	71	1
1972	674	12	4	12	26	34	48	96	136	142	88	76	-
1971	726	12	6	13	28	33	48	89	118	169	136	73	1
1970	874	13	10	14	24	52	64	106	134	196	157	104	-
1969	958	8	6	9	12	39	85	109	176	222	182	110	-
1968	1,143	16	13	5	19	36	73	110	206	286	225	154	-
BLACK, MALE													
1978	272	2	4	8	3	20	28	36	53	54	36	28	-
1977	228	6	1	4	12	14	20	33	39	45	34	19	1
1976	289	6	-	1	13	15	28	40	44	57	57	27	1
1975	253	3	4	3	12	21	28	29	45	47	37	24	-
1974	278	3	4	5	13	18	18	30	58	62	44	23	-
1973	331	10	6	8	13	15	23	44	46	77	59	30	-
1972	358	4	2	8	12	18	24	68	66	78	50	28	-
1971	364	4	2	6	20	20	24	46	64	84	54	40	-
1970	450	4	6	7	12	33	36	66	74	104	72	36	-
1969	507	3	4	6	9	19	48	64	107	110	91	46	-
1968	602	8	7	4	12	19	38	71	125	163	99	56	-
BLACK, FEMALE													
1978	226	4	2	3	12	7	16	23	39	44	36	39	1
1977	271	4	5	2	7	17	10	25	43	47	60	51	-
1976	214	3	1	3	9	16	10	30	24	35	46	37	-
1975	203	4	-	1	7	11	10	20	32	44	42	32	-
1974	282	5	3	5	4	13	14	26	36	63	67	46	-
1973	316	8	8	2	11	17	19	40	43	52	74	41	1
1972	316	8	2	4	14	16	24	28	70	64	38	48	-
1971	362	8	4	7	8	13	24	43	54	85	82	33	1
1970	424	9	4	7	12	19	28	40	60	92	85	68	-
1969	451	5	2	3	3	20	37	45	69	112	91	64	-
1968	541	8	6	1	7	17	35	39	81	123	126	98	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (420-423,425-427,429) BOTH SEXES													
1978	59,430	800	236	271	745	985	1,780	4,474	9,224	14,015	15,442	11,441	17
1977	53,194	679	203	240	657	959	1,645	4,277	8,517	12,465	13,906	9,634	12
1976	49,810	660	191	245	711	867	1,532	4,195	8,050	11,530	13,069	8,747	13
1975	45,128	591	202	247	626	833	1,496	3,981	7,449	10,554	11,553	7,590	6
1974	43,037	612	218	238	643	869	1,564	4,003	7,253	9,913	10,889	6,832	3
1973	41,350	639	224	240	585	858	1,581	3,892	7,007	9,383	10,539	6,392	10
1972	38,172	612	232	262	552	764	1,470	3,748	6,654	8,900	9,496	5,472	10
1971	34,250	477	184	215	554	619	1,439	3,329	6,015	7,698	8,647	5,058	15
1970	32,292	404	189	192	497	627	1,488	3,356	5,684	7,479	7,904	4,450	22
1969	30,243	321	162	228	478	615	1,424	3,190	5,190	7,063	7,467	4,097	8
1968	28,019	334	176	228	419	543	1,352	2,996	4,911	6,365	6,942	3,733	20
MALE													
1978	32,403	440	115	135	440	588	1,159	3,039	6,101	8,544	7,584	4,248	10
1977	29,420	402	108	122	410	603	1,058	2,836	5,685	7,647	6,887	3,656	6
1976	27,654	378	113	122	451	523	970	2,818	5,423	7,100	6,492	3,255	9
1975	25,252	328	110	131	369	511	937	2,616	4,960	6,473	5,846	2,967	4
1974	24,252	344	108	127	394	524	985	2,674	4,900	6,040	5,472	2,681	3
1973	23,365	366	126	127	343	498	978	2,647	4,667	5,810	5,263	2,536	4
1972	21,550	322	136	146	352	440	926	2,464	4,434	5,416	4,732	2,174	8
1971	19,430	257	93	114	334	343	916	2,196	3,981	4,753	4,356	2,079	8
1970	18,343	243	102	98	303	363	927	2,190	3,808	4,597	3,938	1,760	14
1969	17,153	160	84	107	269	365	916	2,096	3,419	4,237	3,825	1,673	2
1968	15,835	181	93	115	229	308	807	1,982	3,228	3,855	3,512	1,516	9

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (420-423,425-427,429)													
FEMALE													
1978	27,027	360	121	136	305	397	621	1,435	3,123	5,471	7,858	7,193	7
1977	23,774	277	95	118	247	356	587	1,441	2,832	4,818	7,019	5,978	6
1976	22,156	282	78	123	260	344	562	1,377	2,627	4,430	6,577	5,492	4
1975	19,876	263	92	116	257	322	559	1,365	2,489	4,081	5,707	4,623	2
1974	18,785	268	110	111	249	345	579	1,329	2,353	3,873	5,417	4,151	-
1973	17,985	273	98	113	242	360	603	1,245	2,340	3,573	5,276	3,856	6
1972	16,622	290	96	116	200	324	544	1,284	2,220	3,484	4,764	3,298	2
1971	14,820	220	91	101	220	276	523	1,133	2,034	2,945	4,291	2,979	7
1970	13,949	161	87	94	194	264	561	1,166	1,876	2,882	3,966	2,690	8
1969	13,090	161	78	121	209	250	508	1,094	1,771	2,826	3,642	2,424	6
1968	12,184	153	83	113	190	235	545	1,014	1,683	2,510	3,430	2,217	11
WHITE, BOTH SEXES													
1978	49,717	553	156	208	525	656	1,193	3,348	7,376	11,695	13,538	10,461	8
1977	44,436	489	142	181	465	656	1,108	3,213	6,831	10,385	12,191	8,767	8
1976	41,247	451	134	184	499	565	1,013	3,140	6,399	9,435	11,476	7,947	4
1975	37,307	427	142	189	452	548	956	3,002	5,899	8,579	10,205	6,902	6
1974	35,504	389	150	190	469	529	1,034	2,989	5,696	8,142	9,731	6,183	2
1973	33,845	388	152	186	419	540	1,017	2,856	5,514	7,625	9,323	5,820	5
1972	31,020	372	164	200	356	480	926	2,672	5,182	7,208	8,458	5,002	-
1971	27,915	283	134	161	397	367	942	2,469	4,706	6,163	7,657	4,631	5
1970	26,227	248	131	151	357	398	928	2,444	4,376	6,034	7,075	4,075	10
1969	24,584	232	121	184	346	381	914	2,288	4,027	5,676	6,678	3,733	4
1968	22,687	221	120	183	307	334	867	2,188	3,746	5,086	6,184	3,442	9

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (420-423,425-427,429)													
WHITE, MALE													
1978	27,138	316	78	104	315	401	785	2,337	5,032	7,290	6,624	3,853	3
1977	24,595	301	76	96	289	411	728	2,189	4,644	6,512	6,040	3,305	4
1976	22,947	270	78	88	321	346	659	2,178	4,469	5,925	5,685	2,925	3
1975	20,831	238	77	105	272	312	609	2,011	4,046	5,381	5,129	2,647	4
1974	20,102	229	75	102	296	324	674	2,050	3,989	5,047	4,886	2,428	2
1973	19,101	220	82	91	253	312	642	1,993	3,807	4,818	4,605	2,277	1
1972	17,470	190	94	118	232	288	598	1,840	3,542	4,426	4,188	1,954	-
1971	15,877	159	66	84	249	223	628	1,684	3,197	3,843	3,858	1,885	1
1970	14,929	160	75	80	227	233	587	1,668	3,025	3,785	3,494	1,590	5
1969	13,936	118	61	89	200	226	628	1,562	2,740	3,431	3,385	1,496	-
1968	12,880	126	63	91	181	193	547	1,511	2,530	3,136	3,112	1,386	4
WHITE, FEMALE													
1978	22,579	237	78	104	210	255	408	1,011	2,344	4,405	6,914	6,608	5
1977	19,841	188	66	85	176	245	380	1,024	2,187	3,873	6,151	5,462	4
1976	18,300	181	56	96	178	219	354	962	1,930	3,510	5,791	5,022	1
1975	16,476	189	65	84	180	236	347	991	1,853	3,198	5,076	4,255	2
1974	15,402	160	75	88	173	205	360	939	1,707	3,095	4,845	3,755	-
1973	14,744	168	70	95	166	228	375	863	1,707	2,807	4,718	3,543	4
1972	13,550	182	70	82	124	192	328	832	1,640	2,782	4,270	3,048	-
1971	12,038	124	68	77	148	144	314	785	1,509	2,320	3,799	2,746	4
1970	11,298	88	56	71	130	165	341	776	1,351	2,249	3,581	2,485	5
1969	10,648	114	60	95	146	155	286	726	1,287	2,245	3,293	2,237	4
1968	9,807	95	57	92	126	141	320	677	1,216	1,950	3,072	2,056	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (420-423,425-427,429)													
ALL OTHER, BOTH SEXES													
1978	9,713	247	80	63	220	329	587	1,126	1,848	2,320	1,904	980	9
1977	8,758	190	61	59	192	303	537	1,064	1,686	2,080	1,715	867	4
1976	8,563	209	57	61	212	302	519	1,055	1,651	2,095	1,593	800	9
1975	7,821	164	60	58	174	285	540	979	1,550	1,975	1,348	688	-
1974	7,533	223	68	48	174	340	530	1,014	1,557	1,771	1,158	649	1
1973	7,505	251	72	54	166	318	564	1,036	1,493	1,758	1,216	572	5
1972	7,152	240	68	62	196	284	544	1,076	1,472	1,692	1,038	470	10
1971	6,335	194	50	54	157	252	497	860	1,309	1,535	990	427	10
1970	6,065	156	58	41	140	229	560	912	1,308	1,445	829	375	12
1969	5,659	89	41	44	132	234	510	902	1,163	1,387	789	364	4
1968	5,332	113	56	45	112	209	485	808	1,165	1,279	758	291	11
ALL OTHER, MALE													
1978	5,265	124	37	31	125	187	374	702	1,069	1,254	960	395	7
1977	4,825	101	32	26	121	192	330	647	1,041	1,135	847	351	2
1976	4,707	108	35	34	130	177	311	640	954	1,175	807	330	6
1975	4,421	90	33	26	97	199	328	605	914	1,092	717	320	-
1974	4,150	115	33	25	98	200	311	624	911	993	586	253	1
1973	4,264	146	44	36	90	186	336	654	860	992	658	259	3
1972	4,080	132	42	28	120	152	328	624	892	990	544	220	8
1971	3,553	98	27	30	85	120	288	512	784	910	498	194	7
1970	3,414	83	27	18	76	130	340	522	783	812	444	170	9
1969	3,217	42	23	18	69	139	288	534	679	806	440	177	2
1968	2,955	55	30	24	48	115	260	471	698	719	400	130	5
ALL OTHER, FEMALE													
1978	4,448	123	43	32	95	142	213	424	779	1,066	944	585	2
1977	3,933	89	29	33	71	111	207	417	645	945	868	516	2
1976	3,856	101	22	27	82	125	208	415	697	920	786	470	3
1975	3,400	74	27	32	77	86	212	374	636	883	631	368	-
1974	3,383	108	35	23	76	140	219	390	646	778	572	396	-
1973	3,241	105	28	18	76	132	228	382	633	766	558	313	2
1972	3,072	108	26	34	76	132	216	452	580	702	494	250	2
1971	2,782	96	23	24	72	132	209	348	525	625	492	233	3
1970	2,651	73	31	23	64	99	220	390	525	633	385	205	3
1969	2,442	47	18	26	63	95	222	368	484	581	349	187	2
1968	2,377	58	26	21	64	94	225	337	467	560	358	161	6

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (420-423,425-427,429)													
BLACK, BOTH SEXES													
1978	9,228	227	70	58	206	309	560	1,076	1,765	2,229	1,810	909	9
1977	8,379	178	55	57	177	286	518	1,019	1,624	2,018	1,637	806	4
1976	8,189	188	55	51	201	293	498	1,028	1,596	2,014	1,517	740	8
1975	7,501	152	54	53	166	275	517	938	1,500	1,910	1,291	645	-
1974	7,208	194	63	46	169	325	503	969	1,510	1,708	1,105	615	1
1973	7,208	239	68	51	159	292	539	1,010	1,462	1,698	1,158	527	5
1972	6,876	228	62	54	186	266	522	1,040	1,422	1,654	996	436	10
1971	6,079	179	46	49	148	242	478	832	1,263	1,486	951	395	10
1970	5,817	141	56	38	131	222	544	888	1,262	1,396	783	344	12
1969	5,445	83	38	39	127	228	479	869	1,147	1,349	749	333	4
1968	5,177	110	55	44	107	201	473	783	1,136	1,247	735	276	10
BLACK, MALE													
1978	4,960	112	34	27	115	175	359	669	1,017	1,198	892	355	7
1977	4,601	96	29	26	109	181	321	622	1,001	1,091	804	319	2
1976	4,482	96	35	29	122	173	301	620	915	1,125	760	301	5
1975	4,206	81	29	23	92	190	313	577	883	1,047	680	291	-
1974	3,954	101	31	24	96	188	296	592	880	954	555	236	1
1973	4,090	139	41	34	84	176	322	636	840	955	619	241	3
1972	3,888	124	36	20	112	144	310	600	860	956	522	196	8
1971	3,394	89	27	27	79	115	279	492	756	874	475	174	7
1970	3,260	76	25	15	73	126	328	508	752	776	420	152	9
1969	3,070	38	21	17	67	133	267	512	665	779	409	160	2
1968	2,853	54	30	24	46	113	252	454	675	696	383	121	5
BLACK, FEMALE													
1978	4,268	115	36	31	91	134	201	407	748	1,031	918	554	2
1977	3,778	82	26	31	68	105	197	397	623	927	833	487	2
1976	3,707	92	20	22	79	120	197	408	681	889	757	439	3
1975	3,295	71	25	30	74	85	204	361	617	863	611	354	-
1974	3,254	93	32	22	73	137	207	377	630	754	550	379	-
1973	3,118	100	27	17	75	116	217	374	622	743	539	286	2
1972	2,988	104	26	34	74	122	212	440	562	698	474	240	2
1971	2,685	90	19	22	69	127	199	340	507	612	476	221	3
1970	2,557	65	31	23	58	96	216	380	510	620	363	192	3
1969	2,375	45	17	22	60	95	212	357	482	570	340	173	2
1968	2,324	56	25	20	61	88	221	329	461	551	352	155	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSION (400,401,403)													
BOTH SEXES													
1978	5,490	1	1	1	17	49	140	292	615	1,169	1,791	1,413	1
1977	5,695	-	-	1	14	59	151	327	631	1,222	1,837	1,452	1
1976	6,130	2	1	6	10	67	152	372	709	1,323	2,014	1,471	3
1975	6,300	-	-	3	19	63	166	428	723	1,367	2,048	1,483	-
1974	6,894	-	1	3	17	83	206	468	836	1,498	2,181	1,599	2
1973	7,428	1	2	2	20	96	258	511	927	1,603	2,419	1,588	1
1972	7,754	2	-	2	32	144	318	590	1,006	1,604	2,470	1,584	2
1971	7,837	1	3	7	24	145	397	691	995	1,636	2,485	1,450	3
1970	8,273	-	-	8	26	148	465	757	1,029	1,719	2,611	1,510	-
1969	8,426	3	-	7	37	177	466	791	1,052	1,806	2,581	1,505	1
1968	9,063	2	2	10	30	191	541	885	1,130	1,868	2,753	1,649	2
MALE													
1978	2,585	1	-	-	10	30	78	164	344	608	812	538	-
1977	2,749	-	-	-	8	35	80	174	355	626	892	579	-
1976	2,960	2	-	3	7	37	91	225	386	698	922	588	1
1975	3,057	-	-	3	7	43	99	238	411	690	960	606	-
1974	3,490	-	-	2	9	44	110	265	471	847	1,058	682	2
1973	3,726	-	-	1	12	45	139	280	507	875	1,210	657	-
1972	3,926	-	-	2	18	64	166	334	572	860	1,186	722	2
1971	3,981	-	2	3	13	74	218	384	552	886	1,202	647	-
1970	4,297	-	-	3	12	89	244	442	587	955	1,313	652	-
1969	4,337	2	-	4	17	83	234	443	584	1,018	1,292	660	-
1968	4,752	1	1	4	13	88	303	509	680	1,001	1,411	741	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSION (400,401,403)													
FEMALE													
1978	2,905	-	1	1	7	19	62	128	271	561	979	875	1
1977	2,946	-	-	1	6	24	71	153	276	596	945	873	1
1976	3,170	-	1	3	3	30	61	147	323	625	1,092	883	2
1975	3,243	-	-	-	12	20	67	190	312	677	1,088	877	-
1974	3,404	-	1	1	8	39	96	203	365	651	1,123	917	-
1973	3,702	1	2	1	8	51	119	231	420	728	1,209	931	1
1972	3,828	2	-	-	14	80	152	256	434	744	1,284	862	-
1971	3,856	1	1	4	11	71	179	307	443	750	1,283	803	3
1970	3,976	-	-	5	14	59	221	315	442	764	1,298	858	-
1969	4,089	1	-	3	20	94	232	348	468	788	1,289	845	1
1968	4,311	1	1	6	17	103	238	376	450	867	1,342	908	2
WHITE, BOTH SEXES													
1978	4,410	1	1	1	11	22	53	149	395	902	1,563	1,311	1
1977	4,540	-	-	-	10	22	58	178	415	922	1,595	1,340	-
1976	4,832	2	-	6	5	27	51	191	452	988	1,755	1,353	2
1975	4,962	-	-	3	9	20	73	211	461	1,035	1,801	1,349	-
1974	5,461	-	1	3	13	35	73	234	552	1,129	1,934	1,485	2
1973	5,838	1	1	2	12	30	108	265	582	1,225	2,138	1,474	-
1972	5,966	-	-	2	12	58	100	298	644	1,222	2,172	1,456	2
1971	5,980	1	2	4	12	40	135	332	634	1,273	2,212	1,333	2
1970	6,330	-	-	6	18	50	159	338	689	1,323	2,356	1,391	-
1969	6,420	1	-	3	19	52	154	388	658	1,413	2,345	1,386	1
1968	6,881	2	1	7	14	58	177	436	739	1,445	2,467	1,534	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSION (400,401,403)													
WHITE, MALE													
1978	2,055	1	-	-	7	11	31	88	228	484	711	494	-
1977	2,171	-	-	-	6	15	32	97	231	482	780	528	-
1976	2,309	2	-	3	3	11	29	123	246	542	820	530	-
1975	2,381	-	-	3	2	13	40	122	273	538	837	553	-
1974	2,757	-	-	2	8	19	39	132	321	678	926	630	2
1973	2,941	-	-	1	8	13	58	166	322	707	1,065	601	-
1972	3,020	-	-	2	8	22	48	180	390	682	1,036	650	2
1971	3,027	-	2	2	7	24	77	187	359	713	1,062	594	-
1970	3,267	-	-	2	6	29	90	203	402	765	1,174	596	-
1969	3,288	1	-	3	8	24	79	220	373	807	1,170	603	-
1968	3,598	1	1	3	4	26	99	253	479	796	1,255	681	-
WHITE, FEMALE													
1978	2,355	-	1	1	4	11	22	61	167	418	852	817	1
1977	2,369	-	-	-	4	7	26	81	184	440	815	812	-
1976	2,523	-	-	3	2	16	22	68	206	446	935	823	2
1975	2,581	-	-	-	7	7	33	89	188	497	964	796	-
1974	2,704	-	1	1	5	16	34	102	231	451	1,008	855	-
1973	2,897	1	1	1	4	17	50	99	260	518	1,073	873	-
1972	2,946	-	-	-	4	36	52	118	254	540	1,136	806	-
1971	2,953	1	-	2	5	16	58	145	275	560	1,150	739	2
1970	3,063	-	-	4	12	21	69	135	287	558	1,182	795	-
1969	3,132	-	-	-	11	28	75	168	285	606	1,175	783	1
1968	3,283	1	-	4	10	32	78	183	260	649	1,212	853	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSION (400,401,403)													
ALL OTHER, BOTH SEXES													
1978	1,080	-	-	-	6	27	87	143	220	267	228	102	-
1977	1,155	-	-	1	4	37	93	149	216	300	242	112	1
1976	1,298	-	1	-	5	40	101	181	257	335	259	118	1
1975	1,338	-	-	-	10	43	93	217	262	332	247	134	-
1974	1,433	-	-	-	4	48	133	234	284	369	247	114	-
1973	1,590	-	1	-	8	66	150	246	345	378	281	114	1
1972	1,788	2	-	-	20	86	218	292	362	382	298	128	-
1971	1,857	-	1	3	12	105	262	359	361	363	273	117	1
1970	1,943	-	-	2	8	98	306	419	340	396	255	119	-
1969	2,006	2	-	4	18	125	312	403	394	393	236	119	-
1968	2,182	-	1	3	16	133	364	449	391	423	286	115	1
ALL OTHER, MALE													
1978	530	-	-	-	3	19	47	76	116	124	101	44	-
1977	578	-	-	-	2	20	48	77	124	144	112	51	-
1976	651	-	-	-	4	26	62	102	140	156	102	58	1
1975	676	-	-	-	5	30	59	116	138	152	123	53	-
1974	733	-	-	-	1	25	71	133	150	169	132	52	-
1973	785	-	-	-	4	32	81	114	185	168	145	56	-
1972	906	-	-	-	10	42	118	154	182	178	150	72	-
1971	954	-	-	1	6	50	141	197	193	173	140	53	-
1970	1,030	-	-	1	6	60	154	239	185	190	139	56	-
1969	1,049	1	-	1	9	59	155	223	211	211	122	57	-
1968	1,154	-	-	1	9	62	204	256	201	205	156	60	-
ALL OTHER, FEMALE													
1978	550	-	-	-	3	8	40	67	104	143	127	58	-
1977	577	-	-	1	2	17	45	72	92	156	130	61	1
1976	647	-	1	-	1	14	39	79	117	179	157	60	-
1975	662	-	-	-	5	13	34	101	124	180	124	81	-
1974	700	-	-	-	3	23	62	101	134	200	115	62	-
1973	805	-	1	-	4	34	69	132	160	210	136	58	1
1972	882	2	-	-	10	44	100	138	180	204	148	56	-
1971	903	-	1	2	6	55	121	162	168	190	133	64	1
1970	913	-	-	1	2	38	152	180	155	206	116	63	-
1969	957	1	-	3	9	66	157	180	183	182	114	62	-
1968	1,028	-	1	2	7	71	160	193	190	218	130	55	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERTENSION (400,401,403)													
BLACK, BOTH SEXES													
1978	1,044	-	-	-	5	26	87	137	213	256	224	96	-
1977	1,122	-	-	1	4	36	91	144	214	292	236	103	1
1976	1,257	-	1	-	5	39	99	176	248	330	247	111	1
1975	1,303	-	-	-	10	42	91	213	259	323	239	126	-
1974	1,383	-	-	-	4	48	132	230	272	357	233	107	-
1973	1,545	-	-	-	8	64	148	242	340	368	263	111	1
1972	1,748	-	-	-	18	86	218	290	356	376	282	122	-
1971	1,818	-	1	3	12	102	259	357	354	354	263	112	1
1970	1,908	-	-	2	8	98	305	416	335	391	241	112	-
1969	1,960	2	-	3	18	122	308	402	390	377	225	113	-
1968	2,138	-	1	3	15	133	363	442	387	413	269	111	1
BLACK, MALE													
1978	504	-	-	-	3	19	47	70	111	117	98	39	-
1977	564	-	-	-	2	20	47	76	122	140	110	47	-
1976	627	-	-	-	4	26	62	98	134	153	94	55	1
1975	656	-	-	-	5	29	57	114	136	148	119	48	-
1974	706	-	-	-	1	25	70	130	148	160	122	50	-
1973	760	-	-	-	4	31	80	113	183	162	133	54	-
1972	886	-	-	-	8	42	118	154	180	174	140	70	-
1971	932	-	-	1	6	49	139	196	191	169	133	48	-
1970	1,007	-	-	1	6	60	153	236	181	187	129	54	-
1969	1,018	1	-	1	9	58	154	222	208	198	112	55	-
1968	1,129	-	-	1	8	62	204	253	198	200	146	57	-
BLACK, FEMALE													
1978	540	-	-	-	2	7	40	67	102	139	126	57	-
1977	558	-	-	1	2	16	44	68	92	152	126	56	1
1976	630	-	1	-	1	13	37	78	114	177	153	56	-
1975	647	-	-	-	5	13	34	99	123	175	120	78	-
1974	677	-	-	-	3	23	62	100	124	197	111	57	-
1973	785	-	-	-	4	33	68	129	157	206	130	57	1
1972	862	-	-	-	10	44	100	136	176	202	142	52	-
1971	886	-	1	2	6	53	120	161	163	185	130	64	1
1970	901	-	-	1	2	38	152	180	154	204	112	58	-
1969	942	1	-	2	9	64	154	180	182	179	113	58	-
1968	1,009	-	1	2	7	71	159	189	189	213	123	54	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Cerebrovascular disease 430-438 BOTH SEXES													
1978	175,629	175	100	199	473	902	2,384	6,348	15,322	36,390	62,974	50,331	31
1977	181,934	167	99	175	479	1,016	2,423	6,706	16,220	37,896	66,308	50,419	26
1976	188,623	132	90	206	506	1,095	2,642	7,421	17,209	39,752	68,696	50,856	18
1975	194,038	157	106	203	548	1,079	2,665	7,661	18,128	42,056	71,583	49,830	22
1974	207,424	153	107	249	535	1,055	3,029	8,413	19,427	45,273	76,888	52,265	30
1973	214,313	133	143	232	539	1,198	3,177	9,225	20,607	46,938	79,967	52,126	28
1972	213,344	142	120	234	532	1,156	3,320	9,570	21,356	47,416	79,512	49,956	30
1971	209,092	142	153	258	641	1,180	3,423	9,655	21,209	46,668	77,872	47,840	51
1970	207,166	173	131	272	553	1,131	3,612	9,664	21,529	47,763	76,745	45,543	50
1969	207,179	168	127	272	550	1,208	3,691	9,631	21,305	48,591	76,736	44,844	56
1968	211,390	177	125	278	578	1,155	3,895	10,131	22,014	49,876	78,344	44,749	68
MALE													
1978	73,648	95	65	117	245	443	1,205	3,217	8,345	18,824	25,636	15,440	16
1977	77,351	85	49	104	250	524	1,201	3,478	8,920	19,665	27,328	15,736	11
1976	80,597	69	50	118	281	555	1,271	3,804	9,392	20,639	28,220	16,193	5
1975	84,286	84	61	103	310	510	1,286	3,887	10,087	21,896	29,805	16,250	7
1974	90,394	91	60	138	287	503	1,472	4,352	10,791	23,560	31,995	17,134	11
1973	93,838	69	73	116	271	546	1,533	4,695	11,458	24,440	33,543	17,079	15
1972	95,380	88	68	144	306	560	1,604	4,908	12,164	24,704	33,986	16,836	12
1971	94,239	80	86	129	346	552	1,627	5,066	11,958	24,295	33,796	16,281	23
1970	93,456	104	85	157	308	532	1,765	4,973	12,192	24,438	33,172	15,703	27
1969	94,227	91	78	139	262	567	1,783	5,040	12,003	25,130	33,522	15,588	24
1968	96,701	97	61	149	290	558	1,880	5,266	12,382	25,923	34,263	15,803	29

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Cerebrovascular disease 430-438													
FEMALE													
1978	101,981	80	35	82	228	459	1,179	3,131	6,977	17,566	37,338	34,891	15
1977	104,583	82	50	71	229	492	1,222	3,228	7,300	18,231	38,980	34,683	15
1976	108,026	63	40	88	225	540	1,371	3,617	7,817	19,113	40,476	34,663	13
1975	109,752	73	45	100	238	569	1,379	3,774	8,041	20,160	41,778	33,580	15
1974	117,030	62	47	111	248	552	1,557	4,061	8,636	21,713	44,893	35,131	19
1973	120,475	64	70	116	268	652	1,644	4,530	9,149	22,498	46,424	35,047	13
1972	117,964	54	52	90	226	596	1,716	4,662	9,192	22,712	45,526	33,120	18
1971	114,853	62	67	129	295	628	1,796	4,589	9,251	22,373	44,076	31,559	28
1970	113,710	69	46	115	245	599	1,847	4,691	9,337	23,325	43,573	29,840	23
1969	112,952	77	49	133	288	641	1,908	4,591	9,302	23,461	43,214	29,256	32
1968	114,689	80	64	129	288	597	2,015	4,865	9,632	23,953	44,081	28,946	39
WHITE, BOTH SEXES													
1978	153,800	106	82	158	376	613	1,632	4,519	11,837	30,307	56,995	47,158	17
1977	159,538	112	80	144	364	720	1,624	4,798	12,651	31,633	60,107	47,293	12
1976	165,631	98	66	173	375	772	1,779	5,331	13,503	33,254	62,573	47,694	13
1975	170,689	112	84	161	424	759	1,793	5,562	14,163	35,255	65,506	46,854	16
1974	182,626	97	81	210	421	730	2,055	6,036	15,087	37,876	70,846	49,167	20
1973	188,024	93	109	182	404	819	2,034	6,557	15,923	39,182	73,646	49,061	14
1972	187,350	86	80	180	416	774	2,192	6,820	16,592	39,806	73,372	47,016	16
1971	183,555	101	119	202	490	809	2,275	6,904	16,428	39,050	72,055	45,097	25
1970	181,038	114	100	228	415	727	2,363	6,878	16,458	39,944	70,898	42,884	29
1969	180,824	122	100	230	436	781	2,380	6,755	16,254	40,614	70,862	42,257	33
1968	184,070	129	95	233	426	755	2,501	7,180	16,613	41,526	72,449	42,127	36

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Cerebrovascular disease 430-438													
WHITE, MALE													
1978	63,439	57	53	98	204	298	791	2,238	6,482	15,762	23,098	14,349	9
1977	66,962	64	40	86	202	363	782	2,489	7,016	16,597	24,701	14,618	4
1976	69,840	56	37	101	207	382	854	2,723	7,477	17,430	25,543	15,027	3
1975	73,318	62	48	84	243	354	854	2,834	7,989	18,538	27,148	15,160	4
1974	78,749	58	45	117	225	349	1,001	3,131	8,511	19,956	29,368	15,982	6
1973	81,530	48	54	92	201	370	995	3,342	9,011	20,697	30,793	15,917	10
1972	83,210	54	44	112	244	382	1,068	3,472	9,674	21,186	31,274	15,690	10
1971	82,148	62	64	104	265	391	1,087	3,690	9,448	20,582	31,188	15,253	14
1970	81,068	68	68	134	241	348	1,177	3,595	9,540	20,644	30,544	14,697	12
1969	81,635	68	62	112	201	371	1,143	3,575	9,440	21,251	30,856	14,542	14
1968	83,602	72	44	124	219	373	1,231	3,785	9,563	21,833	31,593	14,753	12
WHITE, FEMALE													
1978	90,361	49	29	60	172	315	841	2,281	5,355	14,545	33,897	32,809	8
1977	92,576	48	40	58	162	357	842	2,309	5,635	15,036	35,406	32,675	8
1976	95,791	42	29	72	168	390	925	2,608	6,026	15,824	37,030	32,667	10
1975	97,371	50	36	77	181	405	939	2,728	6,174	16,717	38,358	31,694	12
1974	103,877	39	36	93	196	381	1,054	2,905	6,576	17,920	41,478	33,185	14
1973	106,494	45	55	90	203	449	1,039	3,215	6,912	18,485	42,853	33,144	4
1972	104,140	32	36	68	172	392	1,124	3,348	6,918	18,620	42,098	31,326	6
1971	101,407	39	55	98	225	418	1,188	3,214	6,980	18,468	40,867	29,844	11
1970	99,970	46	32	94	174	379	1,186	3,283	6,918	19,300	40,354	28,187	17
1969	99,189	54	38	118	235	410	1,237	3,180	6,814	19,363	40,006	27,715	19
1968	100,468	57	51	109	207	382	1,270	3,395	7,050	19,693	40,856	27,374	24

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Cerebrovascular disease 430-438													
ALL OTHER, BOTH SEXES													
1978	21,829	69	18	41	97	289	752	1,829	3,485	6,083	5,979	3,173	14
1977	22,396	55	19	31	115	296	799	1,908	3,569	6,263	6,201	3,126	14
1976	22,992	34	24	33	131	323	863	2,090	3,706	6,498	6,123	3,162	5
1975	23,349	45	22	42	124	320	872	2,099	3,965	6,801	6,077	2,976	6
1974	24,798	56	26	39	114	325	974	2,377	4,340	7,397	6,042	3,098	10
1973	26,289	40	34	50	135	379	1,143	2,668	4,684	7,756	6,321	3,065	14
1972	25,994	56	40	54	116	382	1,128	2,750	4,764	7,610	6,140	2,940	14
1971	25,537	41	34	56	151	371	1,148	2,751	4,781	7,618	5,817	2,743	26
1970	26,128	59	31	44	138	404	1,249	2,786	5,071	7,819	5,847	2,659	21
1969	26,355	46	27	42	114	427	1,311	2,876	5,051	7,977	5,874	2,587	23
1968	27,320	48	30	45	152	400	1,394	2,951	5,401	8,350	5,895	2,622	32
ALL OTHER, MALE													
1978	10,209	38	12	19	41	145	414	979	1,863	3,062	2,538	1,091	7
1977	10,389	21	9	18	48	161	419	989	1,904	3,068	2,627	1,118	7
1976	10,757	13	13	17	74	173	417	1,081	1,915	3,209	2,677	1,166	2
1975	10,968	22	13	19	67	156	432	1,053	2,098	3,358	2,657	1,090	3
1974	11,645	33	15	21	62	154	471	1,221	2,280	3,604	2,627	1,152	5
1973	12,308	21	19	24	70	176	538	1,353	2,447	3,743	2,750	1,162	5
1972	12,170	34	24	32	62	178	536	1,436	2,490	3,518	2,712	1,146	2
1971	12,091	18	22	25	81	161	540	1,376	2,510	3,713	2,608	1,028	9
1970	12,388	36	17	23	67	184	588	1,378	2,652	3,794	2,628	1,006	15
1969	12,592	23	16	27	61	196	640	1,465	2,563	3,879	2,666	1,046	10
1968	13,099	25	17	25	71	185	649	1,481	2,819	4,090	2,670	1,050	17

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Cerebrovascular disease 430-438													
ALL OTHER, FEMALE													
1978	11,620	31	6	22	56	144	338	850	1,622	3,021	3,441	2,082	7
1977	12,007	34	10	13	67	135	380	919	1,665	3,195	3,574	2,008	7
1976	12,235	21	11	16	57	150	446	1,009	1,791	3,289	3,446	1,996	3
1975	12,381	23	9	23	57	164	440	1,046	1,867	3,443	3,420	1,886	3
1974	13,153	23	11	18	52	171	503	1,156	2,060	3,793	3,415	1,946	5
1973	13,981	19	15	26	65	203	605	1,315	2,237	4,013	3,571	1,903	9
1972	13,824	22	16	22	54	204	592	1,314	2,274	4,092	3,428	1,794	12
1971	13,446	23	12	31	70	210	608	1,375	2,271	3,905	3,209	1,715	17
1970	13,740	23	14	21	71	220	661	1,408	2,419	4,025	3,219	1,653	6
1969	13,763	23	11	15	53	231	671	1,411	2,488	4,098	3,208	1,541	13
1968	14,221	23	13	20	81	215	745	1,470	2,582	4,260	3,225	1,572	15
BLACK, BOTH SEXES													
1978	20,548	62	18	35	88	275	709	1,750	3,296	5,772	5,605	2,927	11
1977	21,202	52	17	27	105	275	767	1,824	3,410	5,950	5,853	2,909	13
1976	21,790	33	24	32	123	302	821	1,992	3,545	6,188	5,796	2,930	4
1975	22,160	41	19	38	115	299	827	2,001	3,814	6,474	5,767	2,759	6
1974	23,624	52	24	33	108	316	937	2,292	4,164	7,078	5,737	2,873	10
1973	25,018	40	32	45	130	362	1,090	2,562	4,506	7,421	5,975	2,841	14
1972	24,810	56	36	50	108	364	1,088	2,654	4,582	7,328	5,798	2,734	12
1971	24,373	38	33	51	141	356	1,104	2,658	4,618	7,321	5,493	2,538	22
1970	24,970	52	28	44	126	387	1,214	2,686	4,903	7,515	5,515	2,481	19
1969	25,286	44	24	38	108	401	1,271	2,790	4,896	7,697	5,585	2,411	21
1968	26,251	44	28	43	140	377	1,357	2,867	5,242	8,078	5,582	2,462	31

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Cerebrovascular disease 430-438 BLACK, MALE													
1978	9,504	35	12	16	37	140	387	942	1,757	2,854	2,337	981	6
1977	9,730	20	8	15	45	155	402	952	1,809	2,868	2,446	1,003	7
1976	10,095	13	13	16	68	164	399	1,031	1,820	3,000	2,517	1,052	2
1975	10,301	21	11	18	64	146	409	1,002	2,014	3,147	2,493	973	3
1974	10,979	30	13	18	58	152	454	1,176	2,176	3,402	2,459	1,036	5
1973	11,566	21	19	23	65	168	518	1,307	2,337	3,516	2,553	1,034	5
1972	11,502	34	24	28	58	172	518	1,386	2,386	3,332	2,530	1,032	2
1971	11,425	16	21	24	78	152	524	1,322	2,405	3,521	2,430	924	8
1970	11,698	30	14	23	61	179	571	1,332	2,538	3,596	2,438	903	13
1969	11,962	23	14	25	56	180	614	1,418	2,475	3,711	2,495	943	8
1968	12,464	24	16	24	62	176	636	1,436	2,706	3,918	2,487	962	17
BLACK, FEMALE													
1978	11,044	27	6	19	51	135	322	808	1,539	2,918	3,268	1,946	5
1977	11,472	32	9	12	60	120	365	872	1,601	3,082	3,407	1,906	6
1976	11,695	20	11	16	55	138	422	961	1,725	3,188	3,279	1,878	2
1975	11,859	20	8	20	51	153	418	999	1,800	3,327	3,274	1,786	3
1974	12,645	22	11	15	50	164	483	1,116	1,988	3,676	3,278	1,837	5
1973	13,452	19	13	22	65	194	572	1,255	2,169	3,905	3,422	1,807	9
1972	13,308	22	12	22	50	192	570	1,268	2,196	3,996	3,268	1,702	10
1971	12,948	22	12	27	63	204	580	1,336	2,213	3,800	3,063	1,614	14
1970	13,272	22	14	21	65	208	643	1,354	2,365	3,919	3,077	1,578	6
1969	13,324	21	10	13	52	221	657	1,372	2,421	3,986	3,090	1,468	13
1968	13,787	20	12	19	78	201	721	1,431	2,536	4,160	3,095	1,500	14

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL HEMORRHAGE (431) BOTH SEXES													
1978	22,633	116	20	60	165	295	820	2,141	3,790	5,580	6,274	3,367	5
1977	23,832	94	19	63	142	302	793	2,119	3,918	5,948	6,855	3,578	1
1976	24,845	62	10	51	151	342	818	2,305	3,976	6,272	7,098	3,758	2
1975	26,862	66	25	49	159	288	827	2,361	4,417	6,799	7,793	4,077	1
1974	30,515	73	33	76	143	262	969	2,710	4,873	7,679	9,100	4,590	7
1973	33,909	58	38	76	149	316	1,044	2,981	5,431	8,470	10,173	5,166	7
1972	36,748	46	36	74	154	298	1,062	3,228	6,056	9,274	11,066	5,452	2
1971	38,563	59	31	87	195	335	1,149	3,389	6,291	9,781	11,586	5,643	17
1970	41,379	74	41	98	188	315	1,261	3,462	6,622	10,622	12,650	6,037	9
1969	43,303	74	33	89	173	347	1,251	3,522	6,690	11,352	13,536	6,223	13
1968	47,002	75	36	83	165	328	1,365	3,772	7,228	12,125	14,989	6,817	19
MALE													
1978	10,218	61	10	37	83	168	458	1,098	2,031	2,802	2,424	1,042	4
1977	10,899	48	10	35	63	182	435	1,135	2,085	3,000	2,817	1,088	1
1976	11,312	39	4	31	81	179	421	1,211	2,174	3,201	2,819	1,151	1
1975	12,123	37	15	20	101	148	441	1,203	2,423	3,373	3,058	1,304	-
1974	14,001	48	19	39	77	137	520	1,487	2,654	3,868	3,679	1,467	6
1973	15,561	28	24	38	74	169	538	1,558	3,003	4,287	4,215	1,623	4
1972	17,302	24	20	38	90	186	584	1,704	3,488	4,704	4,630	1,832	2
1971	18,257	38	16	39	101	162	615	1,859	3,617	5,053	4,826	1,919	12
1970	19,532	50	29	58	108	165	690	1,852	3,787	5,402	5,349	2,037	5
1969	20,424	36	21	51	89	185	649	1,870	3,761	5,761	5,850	2,146	5
1968	22,538	35	18	45	90	179	730	2,077	4,122	6,258	6,564	2,413	7

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL HEMORRHAGE (431)													
FEMALE													
1978	12,415	55	10	23	82	127	362	1,043	1,759	2,778	3,850	2,325	1
1977	12,933	46	9	28	79	120	358	984	1,833	2,948	4,038	2,490	-
1976	13,533	23	6	20	70	163	397	1,094	1,802	3,071	4,279	2,607	1
1975	14,739	29	10	29	58	140	386	1,158	1,994	3,426	4,735	2,773	1
1974	16,514	25	14	37	66	125	449	1,223	2,219	3,811	5,421	3,123	1
1973	18,348	30	14	38	75	147	506	1,423	2,428	4,183	5,958	3,543	3
1972	19,446	22	16	36	64	112	478	1,524	2,568	4,570	6,436	3,620	-
1971	20,306	21	15	48	94	173	534	1,530	2,674	4,728	6,760	3,724	5
1970	21,847	24	12	40	80	150	571	1,610	2,835	5,220	7,301	4,000	4
1969	22,879	38	12	38	84	162	602	1,652	2,929	5,591	7,686	4,077	8
1968	24,464	40	18	38	75	149	635	1,695	3,106	5,867	8,425	4,404	12
WHITE, BOTH SEXES													
1978	18,980	65	19	46	132	177	498	1,481	2,982	4,727	5,698	3,152	3
1977	20,017	56	13	49	105	190	484	1,429	3,066	5,063	6,212	3,349	1
1976	20,928	50	8	42	107	219	476	1,569	3,130	5,319	6,495	3,512	1
1975	22,779	44	19	39	126	181	501	1,643	3,508	5,737	7,171	3,810	-
1974	25,982	44	24	61	102	157	588	1,886	3,849	6,538	8,418	4,310	5
1973	28,839	38	28	58	104	184	570	2,057	4,297	7,205	9,440	4,855	3
1972	31,352	28	20	44	112	164	648	2,274	4,768	7,916	10,238	5,138	2
1971	32,833	40	24	62	148	208	689	2,351	4,976	8,268	10,746	5,314	7
1970	35,094	50	29	79	139	180	739	2,365	5,157	8,994	11,683	5,672	7
1969	36,794	50	27	72	137	212	683	2,408	5,220	9,634	12,511	5,834	6
1968	39,861	55	28	71	117	184	755	2,613	5,544	10,216	13,884	6,383	11

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL HEMORRHAGE (431)													
WHITE, MALE													
1978	8,341	35	10	30	68	102	253	727	1,593	2,372	2,181	967	3
1977	9,004	32	6	29	52	110	253	769	1,636	2,563	2,542	1,011	1
1976	9,365	33	3	27	54	110	245	827	1,731	2,724	2,539	1,071	1
1975	10,111	25	11	16	81	89	256	825	1,959	2,829	2,812	1,208	-
1974	11,747	31	13	32	54	82	326	1,049	2,106	3,302	3,391	1,357	4
1973	13,104	16	17	30	48	93	305	1,100	2,400	3,683	3,899	1,511	2
1972	14,670	16	12	24	72	102	360	1,224	2,786	4,074	4,270	1,728	2
1971	15,400	28	12	28	77	103	372	1,321	2,900	4,297	4,466	1,790	6
1970	16,416	33	23	49	80	97	415	1,297	3,001	4,571	4,934	1,913	3
1969	17,171	27	18	40	66	102	348	1,304	3,004	4,888	5,389	1,983	2
1968	18,947	25	14	37	63	105	402	1,467	3,217	5,308	6,067	2,240	2
WHITE, FEMALE													
1978	10,639	30	9	16	64	75	245	754	1,389	2,355	3,517	2,185	-
1977	11,013	24	7	20	53	80	231	660	1,430	2,500	3,670	2,338	-
1976	11,563	17	5	15	53	109	231	742	1,399	2,595	3,956	2,441	-
1975	12,668	19	8	23	45	92	245	818	1,549	2,908	4,359	2,602	-
1974	14,235	13	11	29	48	75	262	837	1,743	3,236	5,027	2,953	1
1973	15,735	22	11	28	56	91	265	957	1,897	3,522	5,541	3,344	1
1972	16,682	12	8	20	40	62	288	1,050	1,982	3,842	5,968	3,410	-
1971	17,433	12	12	34	71	105	317	1,030	2,076	3,971	6,280	3,524	1
1970	18,678	17	6	30	59	83	324	1,068	2,156	4,423	6,749	3,759	4
1969	19,623	23	9	32	71	110	335	1,104	2,216	4,746	7,122	3,851	4
1968	20,914	30	14	34	54	79	353	1,146	2,327	4,908	7,817	4,143	9

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL HEMORRHAGE (431)													
ALL OTHER, BOTH SEXES													
1978	3,653	51	1	14	33	118	322	660	808	853	576	215	2
1977	3,815	38	6	14	37	112	309	690	852	885	643	229	-
1976	3,917	12	2	9	44	123	342	736	846	953	603	246	1
1975	4,083	22	6	10	33	107	326	718	909	1,062	622	267	1
1974	4,533	29	9	15	41	105	381	824	1,024	1,141	682	280	2
1973	5,070	20	10	18	45	132	474	924	1,134	1,265	733	311	4
1972	5,396	18	16	30	42	134	414	954	1,288	1,358	828	314	-
1971	5,730	19	7	25	47	127	460	1,038	1,315	1,513	840	329	10
1970	6,285	24	12	19	49	135	522	1,097	1,465	1,628	967	365	2
1969	6,509	24	6	17	36	135	568	1,114	1,470	1,718	1,025	389	7
1968	7,141	20	8	12	48	144	610	1,159	1,684	1,909	1,105	434	8
ALL OTHER, MALE													
1978	1,877	26	-	7	15	66	205	371	438	430	243	75	1
1977	1,895	16	4	6	11	72	182	366	449	437	275	77	-
1976	1,947	6	1	4	27	69	176	384	443	477	280	80	-
1975	2,012	12	4	4	20	59	185	378	464	544	246	96	-
1974	2,254	17	6	7	23	55	194	438	548	566	288	110	2
1973	2,457	12	7	8	26	76	233	458	603	604	316	112	2
1972	2,632	8	8	14	18	84	224	480	702	630	360	104	-
1971	2,857	10	4	11	24	59	243	538	717	756	360	129	6
1970	3,116	17	6	9	28	68	275	555	786	831	415	124	2
1969	3,253	9	3	11	23	83	301	566	757	873	461	163	3
1968	3,591	10	4	8	27	74	328	610	905	950	497	173	5
ALL OTHER, FEMALE													
1978	1,776	25	1	7	18	52	117	289	370	423	333	140	1
1977	1,920	22	2	8	26	40	127	324	403	448	368	152	-
1976	1,970	6	1	5	17	54	166	352	403	476	323	166	1
1975	2,071	10	2	6	13	48	141	340	445	518	376	171	1
1974	2,279	12	3	8	18	50	187	386	476	575	394	170	-
1973	2,613	8	3	10	19	56	241	466	531	661	417	199	2
1972	2,764	10	8	16	24	50	190	474	586	728	468	210	-
1971	2,873	9	3	14	23	68	217	500	598	757	480	200	4
1970	3,169	7	6	10	21	67	247	542	679	797	552	241	-
1969	3,256	15	3	6	13	52	267	548	713	845	564	226	4
1968	3,550	10	4	4	21	70	282	549	779	959	608	261	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL HEMORRHAGE (431)													
BLACK, BOTH SEXES													
1978	3,376	45	1	11	28	114	305	630	747	775	528	190	2
1977	3,543	36	6	11	35	105	293	654	798	810	587	208	-
1976	3,679	12	2	9	43	120	331	701	800	877	552	231	1
1975	3,850	21	5	10	29	102	312	684	869	989	580	248	1
1974	4,281	27	8	14	39	102	368	790	970	1,059	639	263	2
1973	4,796	20	10	14	44	127	451	888	1,068	1,198	681	291	4
1972	5,132	18	16	30	38	130	398	916	1,230	1,296	764	296	-
1971	5,453	18	7	23	46	124	449	997	1,253	1,438	785	305	8
1970	6,009	23	10	19	44	131	512	1,054	1,405	1,565	899	345	2
1969	6,250	22	4	17	34	131	558	1,073	1,413	1,652	974	365	7
1968	6,854	19	7	11	44	133	594	1,134	1,621	1,834	1,044	405	8
BLACK, MALE													
1978	1,729	24	-	5	15	63	192	359	406	383	214	67	1
1977	1,748	16	4	4	11	71	171	351	419	386	249	66	-
1976	1,805	6	1	4	26	68	170	365	417	421	254	73	-
1975	1,876	12	3	4	19	56	175	363	440	494	223	87	-
1974	2,108	16	5	7	21	55	188	417	515	516	262	104	2
1973	2,322	12	7	8	25	74	225	446	563	563	294	103	2
1972	2,474	8	8	14	16	84	214	460	658	596	324	92	-
1971	2,680	10	4	10	24	57	237	509	672	702	333	117	5
1970	2,957	16	4	9	25	67	268	537	749	787	379	114	2
1969	3,098	9	2	11	21	80	294	545	724	830	431	148	3
1968	3,411	9	3	7	24	70	319	596	859	901	461	157	5
BLACK, FEMALE													
1978	1,647	21	1	6	13	51	113	271	341	392	314	123	1
1977	1,795	20	2	7	24	34	122	303	379	424	338	142	-
1976	1,874	6	1	5	17	52	161	336	383	456	298	158	1
1975	1,974	9	2	6	10	46	137	321	429	495	357	161	1
1974	2,173	11	3	7	18	47	180	373	455	543	377	159	-
1973	2,474	8	3	6	19	53	226	442	505	635	387	188	2
1972	2,658	10	8	16	22	46	184	456	572	700	440	204	-
1971	2,773	8	3	13	22	67	212	488	581	736	452	188	3
1970	3,052	7	6	10	19	64	244	517	656	778	520	231	-
1969	3,152	13	2	6	13	51	264	528	689	822	543	217	4
1968	3,443	10	4	4	20	63	275	538	762	933	583	248	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL THROMBOSIS (433) BOTH SEXES													
1978	38,710	7	7	7	26	38	153	659	2,506	7,682	15,057	12,564	4
1977	42,016	7	8	4	19	55	153	761	2,838	8,461	16,561	13,143	6
1976	44,803	5	6	4	23	37	170	823	3,018	9,178	17,772	13,762	5
1975	48,457	9	4	10	33	53	153	847	3,340	10,091	19,741	14,170	6
1974	53,542	6	5	11	22	61	182	929	3,649	11,376	21,895	15,398	8
1973	56,648	6	8	13	31	51	179	1,051	3,992	12,229	23,364	15,720	4
1972	57,482	2	6	10	22	42	212	948	4,212	12,626	23,954	15,434	14
1971	57,229	7	4	10	31	53	205	1,101	4,172	12,617	23,979	15,041	9
1970	57,845	5	8	10	26	49	233	1,059	4,345	13,439	23,918	14,743	10
1969	58,748	4	7	12	26	52	209	1,043	4,281	13,855	24,271	14,977	11
1968	60,331	10	2	9	24	39	217	1,095	4,461	14,203	25,400	14,853	18
MALE													
1978	15,942	6	5	5	11	17	74	409	1,493	4,100	6,075	3,745	2
1977	17,680	4	3	3	9	25	92	461	1,699	4,481	6,860	4,042	1
1976	18,982	3	3	2	11	18	94	489	1,779	4,867	7,393	4,322	1
1975	20,815	5	1	7	11	20	68	509	1,989	5,409	8,286	4,507	3
1974	23,075	2	3	6	6	32	96	551	2,173	6,072	9,111	5,022	1
1973	24,374	3	5	6	11	22	96	604	2,354	6,423	9,726	5,123	1
1972	25,256	2	-	8	8	14	118	570	2,522	6,730	10,228	5,052	4
1971	25,421	3	3	6	21	23	107	664	2,479	6,680	10,357	5,075	3
1970	25,689	5	4	5	15	27	131	621	2,587	6,950	10,254	5,084	6
1969	26,364	2	4	8	16	26	112	628	2,566	7,271	10,568	5,158	5
1968	27,186	8	-	4	11	18	115	646	2,647	7,486	11,131	5,110	10

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL THROMBOSIS (433)													
FEMALE													
1978	22,768	1	2	2	15	21	79	250	1,013	3,582	8,982	8,819	2
1977	24,336	3	5	1	10	30	61	300	1,139	3,980	9,701	9,101	5
1976	25,821	2	3	2	12	19	76	334	1,239	4,311	10,379	9,440	4
1975	27,642	4	3	3	22	33	85	338	1,351	4,682	11,455	9,663	3
1974	30,467	4	2	5	16	29	86	378	1,476	5,304	12,784	10,376	7
1973	32,274	3	3	7	20	29	83	447	1,638	5,806	13,638	10,597	3
1972	32,226	-	6	2	14	28	94	378	1,690	5,896	13,726	10,382	10
1971	31,808	4	1	4	10	30	98	437	1,693	5,937	13,622	9,966	6
1970	32,156	-	4	5	11	22	102	438	1,758	6,489	13,664	9,659	4
1969	32,384	2	3	4	10	26	97	415	1,715	6,584	13,703	9,819	6
1968	33,145	2	2	5	13	21	102	449	1,814	6,717	14,269	9,743	8
WHITE, BOTH SEXES													
1978	34,730	4	5	7	21	31	107	468	1,919	6,541	13,777	11,848	2
1977	37,714	5	7	2	11	42	100	543	2,225	7,217	15,132	12,427	3
1976	40,354	4	5	4	17	29	97	570	2,426	7,837	16,370	12,990	5
1975	43,733	7	4	8	22	44	104	597	2,615	8,615	18,262	13,451	4
1974	48,309	4	3	8	17	42	125	662	2,825	9,702	20,371	14,544	6
1973	50,815	4	7	13	25	37	115	722	3,080	10,286	21,655	14,869	2
1972	51,892	2	6	8	18	28	134	662	3,334	10,874	22,246	14,574	6
1971	51,530	5	3	10	21	33	128	785	3,212	10,727	22,341	14,260	5
1970	51,966	4	7	10	21	26	159	741	3,320	11,433	22,308	13,931	6
1969	52,746	4	6	10	19	34	132	735	3,274	11,741	22,565	14,218	8
1968	54,068	8	2	8	17	26	149	764	3,400	12,011	23,602	14,071	10

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL THROMBOSIS (433)													
WHITE, MALE													
1978	14,081	3	3	5	10	16	53	289	1,151	3,489	5,550	3,511	1
1977	15,677	3	3	1	5	19	54	321	1,345	3,883	6,234	3,809	-
1976	16,903	2	2	2	9	14	53	337	1,459	4,206	6,778	4,040	1
1975	18,597	4	1	6	8	14	47	374	1,590	4,662	7,640	4,250	1
1974	20,666	1	2	5	4	22	62	399	1,729	5,285	8,447	4,710	-
1973	21,624	3	5	6	7	14	58	412	1,846	5,461	9,014	4,797	1
1972	22,716	2	-	6	8	8	76	398	2,080	5,932	9,500	4,702	4
1971	22,756	3	2	6	16	16	61	486	1,974	5,770	9,625	4,794	3
1970	22,905	4	3	5	13	13	88	450	2,046	6,005	9,510	4,765	3
1969	23,478	2	3	6	11	15	69	455	2,032	6,236	9,790	4,856	3
1968	24,209	6	-	4	6	10	77	468	2,091	6,438	10,294	4,810	5
WHITE, FEMALE													
1978	20,649	1	2	2	11	15	54	179	768	3,052	8,227	8,337	1
1977	22,037	2	4	1	6	23	46	222	880	3,334	8,898	8,618	3
1976	23,451	2	3	2	8	15	44	233	967	3,631	9,592	8,950	4
1975	25,136	3	3	2	14	30	57	223	1,025	3,953	10,622	9,201	3
1974	27,643	3	1	3	13	20	63	263	1,096	4,417	11,924	9,834	6
1973	29,191	1	2	7	18	23	57	310	1,234	4,825	12,641	10,072	1
1972	29,176	-	6	2	10	20	58	264	1,254	4,942	12,746	9,872	2
1971	28,774	2	1	4	5	17	67	299	1,238	4,957	12,716	9,466	2
1970	29,061	-	4	5	8	13	71	291	1,274	5,428	12,798	9,166	3
1969	29,268	2	3	4	8	19	63	280	1,242	5,505	12,775	9,362	5
1968	29,859	2	2	4	11	16	72	296	1,309	5,573	13,308	9,261	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL THROMBOSIS (433)													
ALL OTHER, BOTH SEXES													
1978	3,980	3	2	-	5	7	46	191	587	1,141	1,280	716	2
1977	4,302	2	1	2	8	13	53	218	613	1,244	1,429	716	3
1976	4,449	1	1	-	6	8	73	253	592	1,341	1,402	772	-
1975	4,724	2	-	2	11	9	49	250	725	1,476	1,479	719	2
1974	5,233	2	2	3	5	19	57	267	824	1,674	1,524	854	2
1973	5,833	2	1	-	6	14	64	329	912	1,943	1,709	851	2
1972	5,590	-	-	2	4	14	78	286	878	1,752	1,708	860	8
1971	5,699	2	1	-	10	20	77	316	960	1,890	1,638	781	4
1970	5,879	1	1	-	5	23	74	318	1,025	2,006	1,610	812	4
1969	6,002	-	1	2	7	18	77	308	1,007	2,114	1,706	759	3
1968	6,263	2	-	1	7	13	68	331	1,061	2,192	1,798	782	8
ALL OTHER, MALE													
1978	1,861	3	2	-	1	1	21	120	342	611	525	234	1
1977	2,003	1	-	2	4	6	38	140	354	598	626	233	1
1976	2,079	1	1	-	2	4	41	152	320	661	615	282	-
1975	2,218	1	-	1	3	6	21	135	399	747	646	257	2
1974	2,409	1	1	1	2	10	34	152	444	787	664	312	1
1973	2,750	-	-	-	4	8	38	192	508	962	712	326	-
1972	2,540	-	-	2	-	6	42	172	442	798	728	350	-
1971	2,665	-	1	-	5	7	46	178	505	910	732	281	-
1970	2,784	1	1	-	2	14	43	171	541	945	744	319	3
1969	2,886	-	1	2	5	11	43	173	534	1,035	778	302	2
1968	2,977	2	-	-	5	8	38	178	556	1,048	837	300	5
ALL OTHER, FEMALE													
1978	2,119	-	-	-	4	6	25	71	245	530	755	482	1
1977	2,299	1	1	-	4	7	15	78	259	646	803	483	2
1976	2,370	-	-	-	4	4	32	101	272	680	787	490	-
1975	2,506	1	-	1	8	3	28	115	326	729	833	462	-
1974	2,824	1	1	2	3	9	23	115	380	887	860	542	1
1973	3,083	2	1	-	2	6	26	137	404	981	997	525	2
1972	3,050	-	-	-	4	8	36	114	436	954	980	510	8
1971	3,034	2	-	-	5	13	31	138	455	980	906	500	4
1970	3,095	-	-	-	3	9	31	147	484	1,061	866	493	1
1969	3,116	-	-	-	2	7	34	135	473	1,079	928	457	1
1968	3,286	-	-	1	2	5	30	153	505	1,144	961	482	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL THROMBOSIS (433)													
BLACK, BOTH SEXES													
1978	3,754	2	2	-	5	7	41	182	564	1,101	1,198	651	1
1977	4,086	2	1	2	7	13	52	213	587	1,185	1,361	660	3
1976	4,223	1	1	-	6	8	66	240	568	1,278	1,329	726	-
1975	4,479	2	-	2	11	8	48	244	706	1,396	1,398	662	2
1974	5,000	2	1	3	5	18	55	262	798	1,617	1,453	784	2
1973	5,580	2	1	-	6	13	63	325	889	1,872	1,618	789	2
1972	5,386	-	-	2	4	12	76	282	864	1,692	1,634	814	6
1971	5,455	2	1	-	10	19	74	310	940	1,821	1,554	722	2
1970	5,649	1	1	-	5	22	72	313	999	1,938	1,531	764	3
1969	5,758	-	-	1	7	17	74	302	988	2,038	1,622	707	2
1968	6,029	2	-	1	6	13	67	320	1,038	2,131	1,704	740	7
BLACK, MALE													
1978	1,732	2	2	-	1	1	18	113	329	585	480	200	1
1977	1,879	1	-	2	4	6	38	136	338	564	585	204	1
1976	1,953	1	1	-	2	4	38	145	305	619	573	265	-
1975	2,082	1	-	1	3	6	21	131	388	691	609	229	2
1974	2,278	1	-	1	2	10	32	151	425	756	626	273	1
1973	2,580	-	-	-	4	8	37	190	489	911	657	284	-
1972	2,414	-	-	2	-	6	40	170	436	752	684	324	-
1971	2,537	-	1	-	5	6	44	177	494	869	691	250	-
1970	2,637	1	1	-	2	14	42	168	521	903	698	285	2
1969	2,742	-	-	1	5	10	42	170	523	989	734	267	1
1968	2,833	2	-	-	4	8	38	171	540	1,013	779	273	5
BLACK, FEMALE													
1978	2,022	-	-	-	4	6	23	69	235	516	718	451	-
1977	2,207	1	1	-	3	7	14	77	249	621	776	456	2
1976	2,270	-	-	-	4	4	28	95	263	659	756	461	-
1975	2,397	1	-	1	8	2	27	113	318	705	789	433	-
1974	2,722	1	1	2	3	8	23	111	373	861	827	511	1
1973	3,000	2	1	-	2	5	26	135	400	961	961	505	2
1972	2,972	-	-	-	4	6	36	112	428	940	950	490	6
1971	2,918	2	-	-	5	13	30	133	446	952	863	472	2
1970	3,012	-	-	-	3	8	30	145	478	1,035	833	479	1
1969	3,016	-	-	-	2	7	32	132	465	1,049	888	440	1
1968	3,196	-	-	1	2	5	29	149	498	1,118	925	467	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL EMBOLISM (434)													
BOTH SEXES													
1978	760	-	1	-	5	6	10	27	89	178	267	177	-
1977	731	-	-	2	1	5	10	32	95	173	255	158	-
1976	826	1	-	-	2	6	11	29	92	218	319	148	-
1975	811	-	-	1	-	1	16	33	128	180	290	162	-
1974	910	-	2	-	4	7	16	48	125	234	291	183	-
1973	967	1	-	1	3	7	16	48	128	228	353	181	1
1972	976	-	2	2	6	6	16	52	126	276	330	160	-
1971	954	-	1	1	4	6	14	54	117	244	333	179	1
1970	884	-	1	1	3	5	11	49	112	234	306	161	1
1969	1,005	-	-	-	1	8	11	52	126	266	369	172	-
1968	1,136	2	-	1	2	6	17	52	151	291	406	208	-
MALE													
1978	333	-	1	-	3	4	4	15	52	99	107	48	-
1977	292	-	-	1	-	4	4	14	52	79	86	52	-
1976	348	-	-	-	1	3	5	14	55	97	129	44	-
1975	362	-	-	-	-	-	9	19	68	88	117	61	-
1974	399	-	1	-	3	4	7	21	67	122	106	68	-
1973	429	-	-	-	1	4	9	24	60	117	156	57	1
1972	450	-	2	-	6	4	10	26	72	138	138	54	-
1971	464	-	1	1	-	1	8	26	65	135	164	62	1
1970	409	-	-	1	1	2	4	28	61	107	149	55	1
1969	417	-	-	-	-	2	4	22	78	130	123	58	-
1968	517	-	-	-	1	1	7	28	86	150	169	75	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL EMBOLISM (434)													
FEMALE													
1978	427	-	-	-	2	2	6	12	37	79	160	129	-
1977	439	-	-	1	1	1	6	18	43	94	169	106	-
1976	478	1	-	-	1	3	6	15	37	121	190	104	-
1975	449	-	-	1	-	1	7	14	60	92	173	101	-
1974	511	-	1	-	1	3	9	27	58	112	185	115	-
1973	538	1	-	1	2	3	7	24	68	111	197	124	-
1972	526	-	-	2	-	2	6	26	54	138	192	106	-
1971	490	-	-	-	4	5	6	28	52	109	169	117	-
1970	475	-	1	-	2	3	7	21	51	127	157	106	-
1969	588	-	-	-	1	6	7	30	48	136	246	114	-
1968	619	2	-	1	1	5	10	24	65	141	237	133	-
WHITE, BOTH SEXES													
1978	703	-	1	-	4	4	8	22	71	166	258	169	-
1977	670	-	-	1	1	5	9	27	81	157	241	148	-
1976	762	1	-	-	2	5	7	23	83	194	303	144	-
1975	759	-	-	1	-	1	11	30	109	174	277	156	-
1974	827	-	2	-	3	6	12	42	106	209	275	172	-
1973	885	1	-	1	-	6	12	39	115	201	333	176	1
1972	892	-	2	-	4	6	12	46	108	248	316	150	-
1971	869	-	1	1	3	4	11	46	96	222	314	170	1
1970	825	-	1	1	3	4	9	41	100	221	290	154	1
1969	923	-	-	-	1	7	9	42	111	244	346	163	-
1968	1,032	2	-	-	1	5	14	44	132	253	384	197	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL EMBOLISM (434)													
WHITE, MALE													
1978	302	-	1	-	2	2	3	12	42	91	105	44	-
1977	265	-	-	-	-	4	4	11	44	70	84	48	-
1976	313	-	-	-	1	2	3	11	49	82	123	42	-
1975	334	-	-	-	-	-	4	18	59	88	108	57	-
1974	355	-	1	-	2	3	5	18	56	107	98	65	-
1973	385	-	-	-	-	4	6	18	55	104	143	54	1
1972	424	-	2	-	4	4	8	24	66	130	136	50	-
1971	423	-	1	1	-	-	6	24	56	124	153	57	1
1970	381	-	-	1	1	2	3	24	53	101	143	52	1
1969	378	-	-	-	-	2	3	17	69	124	110	53	-
1968	474	-	-	-	-	-	6	25	78	134	162	69	-
WHITE, FEMALE													
1978	401	-	-	-	2	2	5	10	29	75	153	125	-
1977	405	-	-	1	1	1	5	16	37	87	157	100	-
1976	449	1	-	-	1	3	4	12	34	112	180	102	-
1975	425	-	-	1	-	1	7	12	50	86	169	99	-
1974	472	-	1	-	1	3	7	24	50	102	177	107	-
1973	500	1	-	1	-	2	6	21	60	97	190	122	-
1972	468	-	-	-	-	2	4	22	42	118	180	100	-
1971	446	-	-	-	3	4	5	22	40	98	161	113	-
1970	444	-	1	-	2	2	6	17	47	120	147	102	-
1969	545	-	-	-	1	5	6	25	42	120	236	110	-
1968	558	2	-	-	1	5	8	19	54	119	222	128	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL EMBOLISM (434)													
ALL OTHER, BOTH SEXES													
1978	57	-	-	-	1	2	2	5	18	12	9	8	-
1977	61	-	-	1	-	-	1	5	14	16	14	10	-
1976	64	-	-	-	-	1	4	6	9	24	16	4	-
1975	52	-	-	-	-	-	5	3	19	6	13	6	-
1974	83	-	-	-	1	1	4	6	19	25	16	11	-
1973	82	-	-	-	3	1	4	9	13	27	20	5	-
1972	84	-	-	2	2	-	4	6	18	28	14	10	-
1971	85	-	-	-	1	2	3	8	21	22	19	9	-
1970	59	-	-	-	-	1	2	8	12	13	16	7	-
1969	82	-	-	-	-	1	2	10	15	22	23	9	-
1968	104	-	-	1	1	1	3	8	19	38	22	11	-
ALL OTHER, MALE													
1978	31	-	-	-	1	2	1	3	10	8	2	4	-
1977	27	-	-	1	-	-	-	3	8	9	2	4	-
1976	35	-	-	-	-	1	2	3	6	15	6	2	-
1975	28	-	-	-	-	-	5	1	9	-	9	4	-
1974	44	-	-	-	1	1	2	3	11	15	8	3	-
1973	44	-	-	-	1	-	3	6	5	13	13	3	-
1972	26	-	-	-	2	-	2	2	6	8	2	4	-
1971	41	-	-	-	-	1	2	2	9	11	11	5	-
1970	28	-	-	-	-	-	1	4	8	6	6	3	-
1969	39	-	-	-	-	-	1	5	9	6	13	5	-
1968	43	-	-	-	1	1	1	3	8	16	7	6	-
ALL OTHER, FEMALE													
1978	26	-	-	-	-	-	1	2	8	4	7	4	-
1977	34	-	-	-	-	-	1	2	6	7	12	6	-
1976	29	-	-	-	-	-	2	3	3	9	10	2	-
1975	24	-	-	-	-	-	-	2	10	6	4	2	-
1974	39	-	-	-	-	-	2	3	8	10	8	8	-
1973	38	-	-	-	2	1	1	3	8	14	7	2	-
1972	58	-	-	2	-	-	2	4	12	20	12	6	-
1971	44	-	-	-	1	1	1	6	12	11	8	4	-
1970	31	-	-	-	-	1	1	4	4	7	10	4	-
1969	43	-	-	-	-	1	1	5	6	16	10	4	-
1968	61	-	-	1	-	-	2	5	11	22	15	5	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBRAL EMBOLISM (434)													
BLACK, BOTH SEXES													
1978	55	-	-	-	1	2	2	4	18	11	9	8	-
1977	56	-	-	1	-	-	1	5	13	15	12	9	-
1976	60	-	-	-	-	1	4	6	9	22	16	2	-
1975	48	-	-	-	-	-	4	3	17	6	13	5	-
1974	79	-	-	-	1	1	4	5	18	25	15	10	-
1973	78	-	-	-	3	1	4	9	13	26	17	5	-
1972	80	-	-	2	2	-	4	6	18	26	14	8	-
1971	83	-	-	-	1	2	3	7	21	21	19	9	-
1970	56	-	-	-	-	1	2	7	11	12	16	7	-
1969	78	-	-	-	-	1	2	10	14	22	21	8	-
1968	101	-	-	1	1	1	3	8	17	37	22	11	-
BLACK, MALE													
1978	29	-	-	-	1	2	1	2	10	7	2	4	-
1977	25	-	-	1	-	-	-	3	7	8	2	4	-
1976	33	-	-	-	-	1	2	3	6	14	6	1	-
1975	25	-	-	-	-	-	4	1	8	-	9	3	-
1974	43	-	-	-	1	1	2	3	11	15	7	3	-
1973	42	-	-	-	1	-	3	6	5	13	11	3	-
1972	24	-	-	-	2	-	2	2	6	8	2	2	-
1971	40	-	-	-	-	1	2	2	9	10	11	5	-
1970	26	-	-	-	-	-	1	4	7	5	6	3	-
1969	37	-	-	-	-	-	1	5	8	6	13	4	-
1968	41	-	-	-	1	1	1	3	7	15	7	6	-
BLACK, FEMALE													
1978	26	-	-	-	-	-	1	2	8	4	7	4	-
1977	31	-	-	-	-	-	1	2	6	7	10	5	-
1976	27	-	-	-	-	-	2	3	3	8	10	1	-
1975	23	-	-	-	-	-	-	2	9	6	4	2	-
1974	36	-	-	-	-	-	2	2	7	10	8	7	-
1973	36	-	-	-	2	1	1	3	8	13	6	2	-
1972	56	-	-	2	-	-	2	4	12	18	12	6	-
1971	43	-	-	-	1	1	1	5	12	11	8	4	-
1970	30	-	-	-	-	1	1	3	4	7	10	4	-
1969	41	-	-	-	-	1	1	5	6	16	8	4	-
1968	60	-	-	1	-	-	2	5	10	22	15	5	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER CEREBROVASCULAR DISEASES (430,432,435-438)													
BOTH SEXES													
1978	113,526	52	72	132	277	563	1,401	3,521	8,937	22,950	41,376	34,223	22
1977	115,355	66	72	106	317	654	1,467	3,794	9,369	23,314	42,637	33,540	19
1976	118,149	64	74	151	330	710	1,643	4,264	10,123	24,084	43,507	33,188	11
1975	117,908	82	77	143	356	737	1,669	4,420	10,243	24,986	43,759	31,421	15
1974	122,457	74	67	162	366	725	1,862	4,726	10,780	25,984	45,602	32,094	15
1973	122,789	68	97	142	356	824	1,938	5,145	11,056	26,011	46,077	31,059	16
1972	118,138	94	76	148	350	810	2,030	5,342	10,962	25,240	44,162	28,910	14
1971	112,346	76	117	160	411	786	2,055	5,111	10,629	24,026	41,974	26,977	24
1970	107,058	94	81	163	336	762	2,107	5,094	10,450	23,468	39,871	24,602	30
1969	104,123	90	87	171	350	801	2,220	5,014	10,208	23,118	38,560	23,472	32
1968	102,921	90	87	185	387	782	2,296	5,212	10,174	23,257	37,549	22,871	31
MALE													
1978	47,155	28	49	75	148	254	669	1,695	4,769	11,823	17,030	10,605	10
1977	48,480	33	36	65	178	313	670	1,868	5,084	12,105	17,565	10,554	9
1976	49,955	27	43	85	188	355	751	2,090	5,384	12,474	17,879	10,676	3
1975	50,986	42	45	76	198	342	768	2,156	5,607	13,026	18,344	10,378	4
1974	52,919	41	37	93	201	330	849	2,293	5,897	13,498	19,099	10,577	4
1973	53,474	38	44	72	185	351	890	2,509	6,041	13,613	19,446	10,276	9
1972	52,372	62	46	98	202	356	892	2,608	6,082	13,132	18,990	9,898	6
1971	50,097	39	66	83	224	366	897	2,517	5,797	12,427	18,449	9,225	7
1970	47,826	49	52	93	184	338	940	2,472	5,757	11,979	17,420	8,527	15
1969	47,022	53	53	80	157	354	1,018	2,520	5,598	11,968	16,981	8,226	14
1968	46,460	54	43	100	188	360	1,028	2,515	5,527	12,029	16,399	8,205	12

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER CEREBROVASCULAR DISEASES (430,432,435-438)													
FEMALE													
1978	66,371	24	23	57	129	309	732	1,826	4,168	11,127	24,346	23,618	12
1977	66,875	33	36	41	139	341	797	1,926	4,285	11,209	25,072	22,986	10
1976	68,194	37	31	66	142	355	892	2,174	4,739	11,610	25,628	22,512	8
1975	66,922	40	32	67	158	395	901	2,264	4,636	11,960	25,415	21,043	11
1974	69,538	33	30	69	165	395	1,013	2,433	4,883	12,486	26,503	21,517	11
1973	69,315	30	53	70	171	473	1,048	2,636	5,015	12,398	26,631	20,783	7
1972	65,766	32	30	50	148	454	1,138	2,734	4,880	12,108	25,172	19,012	8
1971	62,249	37	51	77	187	420	1,158	2,594	4,832	11,599	23,525	17,752	17
1970	59,232	45	29	70	152	424	1,167	2,622	4,693	11,489	22,451	16,075	15
1969	57,101	37	34	91	193	447	1,202	2,494	4,610	11,150	21,579	15,246	18
1968	56,461	36	44	85	199	422	1,268	2,697	4,647	11,228	21,150	14,666	19
WHITE, BOTH SEXES													
1978	99,387	37	57	105	219	401	1,019	2,548	6,865	18,873	37,262	31,989	12
1977	101,137	51	60	92	247	483	1,031	2,799	7,279	19,196	38,522	31,369	8
1976	103,587	43	53	127	249	519	1,199	3,169	7,864	19,904	39,405	31,048	7
1975	103,418	61	61	113	276	533	1,177	3,292	7,931	20,729	39,796	29,437	12
1974	107,508	49	52	141	299	525	1,330	3,446	8,307	21,427	41,782	30,141	9
1973	107,485	50	74	110	275	592	1,337	3,739	8,431	21,490	42,218	29,161	8
1972	103,214	56	52	128	282	576	1,398	3,838	8,382	20,768	40,572	27,154	8
1971	98,323	56	91	129	318	564	1,447	3,722	8,144	19,833	38,654	25,353	12
1970	93,153	60	63	138	252	517	1,456	3,731	7,881	19,296	36,617	23,127	15
1969	90,361	68	67	148	279	528	1,556	3,570	7,649	18,995	35,440	22,042	19
1968	89,109	64	65	154	291	540	1,583	3,759	7,537	19,046	34,579	21,476	15

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER CEREBROVASCULAR DISEASES (430,432,435-438)													
WHITE, MALE													
1978	40,715	19	39	63	124	178	482	1,210	3,696	9,810	15,262	9,827	5
1977	42,016	29	31	56	145	230	471	1,388	3,991	10,081	15,841	9,750	3
1976	43,259	21	32	72	143	256	553	1,548	4,238	10,418	16,103	9,874	1
1975	44,276	33	36	62	154	251	547	1,617	4,381	10,959	16,588	9,645	3
1974	45,981	26	29	80	165	242	608	1,665	4,620	11,262	17,432	9,850	2
1973	46,417	29	32	56	146	259	626	1,812	4,710	11,449	17,737	9,555	6
1972	45,400	36	30	82	160	268	624	1,826	4,742	11,050	17,368	9,210	4
1971	43,569	31	49	69	172	272	648	1,859	4,518	10,391	16,944	8,612	4
1970	41,366	31	42	79	147	236	671	1,824	4,440	9,967	15,957	7,967	5
1969	40,608	39	41	66	124	252	723	1,799	4,335	10,003	15,567	7,650	9
1968	39,972	41	30	83	150	258	746	1,825	4,177	9,953	15,070	7,634	5
WHITE, FEMALE													
1978	58,672	18	18	42	95	223	537	1,338	3,169	9,063	22,000	22,162	7
1977	59,121	22	29	36	102	253	560	1,411	3,288	9,115	22,681	21,619	5
1976	60,328	22	21	55	106	263	646	1,621	3,626	9,486	23,302	21,174	6
1975	59,142	28	25	51	122	282	630	1,675	3,550	9,770	23,208	19,792	9
1974	61,527	23	23	61	134	283	722	1,781	3,687	10,165	24,350	20,291	7
1973	61,068	21	42	54	129	333	711	1,927	3,721	10,041	24,481	19,606	2
1972	57,814	20	22	46	122	308	774	2,012	3,640	9,718	23,204	17,944	4
1971	54,754	25	42	60	146	292	799	1,863	3,626	9,442	21,710	16,741	8
1970	51,787	29	21	59	105	281	785	1,907	3,441	9,329	20,660	15,160	10
1969	49,753	29	26	82	155	276	833	1,771	3,314	8,992	19,873	14,392	10
1968	49,137	23	35	71	141	282	837	1,934	3,360	9,093	19,509	13,842	10

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER CEREBROVASCULAR DISEASES (430,432,435-438)													
ALL OTHER, BOTH SEXES													
1978	14,139	15	15	27	58	162	382	973	2,072	4,077	4,114	2,234	10
1977	14,218	15	12	14	70	171	436	995	2,090	4,118	4,115	2,171	11
1976	14,562	21	21	24	81	191	444	1,095	2,259	4,180	4,102	2,140	4
1975	14,490	21	16	30	80	204	492	1,128	2,312	4,257	3,963	1,984	3
1974	14,949	25	15	21	67	200	532	1,280	2,473	4,557	3,820	1,953	6
1973	15,304	18	23	32	81	232	601	1,406	2,625	4,521	3,859	1,898	8
1972	14,924	38	24	20	68	234	632	1,504	2,580	4,472	3,590	1,756	6
1971	14,023	20	26	31	93	222	608	1,389	2,485	4,193	3,320	1,624	12
1970	13,905	34	18	25	84	245	651	1,363	2,569	4,172	3,254	1,475	15
1969	13,762	22	20	23	71	273	664	1,444	2,559	4,123	3,120	1,430	13
1968	13,812	26	22	31	96	242	713	1,453	2,637	4,211	2,970	1,395	16
ALL OTHER, MALE													
1978	6,440	9	10	12	24	76	187	485	1,073	2,013	1,768	778	5
1977	6,464	4	5	9	33	83	199	480	1,093	2,024	1,724	804	6
1976	6,696	6	11	13	45	99	198	542	1,146	2,056	1,776	802	2
1975	6,710	9	9	14	44	91	221	539	1,226	2,067	1,756	733	1
1974	6,938	15	8	13	36	88	241	628	1,277	2,236	1,667	727	2
1973	7,057	9	12	16	39	92	264	697	1,331	2,164	1,709	721	3
1972	6,972	26	16	16	42	88	268	782	1,340	2,082	1,622	688	2
1971	6,528	8	17	14	52	94	249	658	1,279	2,036	1,505	613	3
1970	6,460	18	10	14	37	102	269	648	1,317	2,012	1,463	560	10
1969	6,414	14	12	14	33	102	295	721	1,263	1,965	1,414	576	5
1968	6,488	13	13	17	38	102	282	690	1,350	2,076	1,329	571	7
ALL OTHER, FEMALE													
1978	7,699	6	5	15	34	86	195	488	999	2,064	2,346	1,456	5
1977	7,754	11	7	5	37	88	237	515	997	2,094	2,391	1,367	5
1976	7,866	15	10	11	36	92	246	553	1,113	2,124	2,326	1,338	2
1975	7,780	12	7	16	36	113	271	589	1,086	2,190	2,207	1,251	2
1974	8,011	10	7	8	31	112	291	652	1,196	2,321	2,153	1,226	4
1973	8,247	9	11	16	42	140	337	709	1,294	2,357	2,150	1,177	5
1972	7,952	12	8	4	26	146	364	722	1,240	2,390	1,968	1,068	4
1971	7,495	12	9	17	41	128	359	731	1,206	2,157	1,815	1,011	9
1970	7,445	16	8	11	47	143	382	715	1,252	2,160	1,791	915	5
1969	7,348	8	8	9	38	171	369	723	1,296	2,158	1,706	854	8
1968	7,324	13	9	14	58	140	431	763	1,287	2,135	1,641	824	9

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER CEREBROVASCULAR DISEASES (430,432,435-438)													
BLACK, BOTH SEXES													
1978	13,363	15	15	24	54	152	361	934	1,967	3,885	3,870	2,078	8
1977	13,517	14	10	13	63	157	421	952	2,012	3,940	3,893	2,032	10
1976	13,828	20	21	23	74	173	420	1,045	2,168	4,011	3,899	1,971	3
1975	13,783	18	14	26	75	189	463	1,070	2,222	4,083	3,776	1,844	3
1974	14,264	23	15	16	63	195	510	1,235	2,378	4,377	3,630	1,816	6
1973	14,564	18	21	31	77	221	572	1,340	2,536	4,325	3,659	1,756	8
1972	14,212	38	20	16	64	222	610	1,450	2,470	4,314	3,386	1,616	6
1971	13,382	18	25	28	84	211	578	1,344	2,404	4,041	3,135	1,502	12
1970	13,256	28	17	25	77	233	628	1,312	2,488	4,000	3,069	1,365	14
1969	13,200	22	20	20	67	252	637	1,405	2,481	3,985	2,968	1,331	12
1968	13,267	23	21	30	89	230	693	1,405	2,566	4,076	2,812	1,306	16
BLACK, MALE													
1978	6,014	9	10	11	20	74	176	468	1,012	1,879	1,641	710	4
1977	6,078	3	4	8	30	78	193	462	1,045	1,910	1,610	729	6
1976	6,304	6	11	12	40	91	189	518	1,092	1,946	1,684	713	2
1975	6,318	8	8	13	42	84	209	507	1,178	1,962	1,652	654	1
1974	6,550	13	8	10	34	86	232	605	1,225	2,115	1,564	656	2
1973	6,622	9	12	15	35	86	253	665	1,280	2,029	1,591	644	3
1972	6,590	26	16	12	40	82	262	754	1,286	1,976	1,520	614	2
1971	6,168	6	16	14	49	88	241	634	1,230	1,940	1,395	552	3
1970	6,078	13	9	14	34	98	260	623	1,261	1,901	1,355	501	9
1969	6,085	14	12	13	30	90	277	698	1,220	1,886	1,317	524	4
1968	6,179	13	13	17	33	97	278	666	1,300	1,989	1,240	526	7
BLACK, FEMALE													
1978	7,349	6	5	13	34	78	185	466	955	2,006	2,229	1,368	4
1977	7,439	11	6	5	33	79	228	490	967	2,030	2,283	1,303	4
1976	7,524	14	10	11	34	82	231	527	1,076	2,065	2,215	1,258	1
1975	7,465	10	6	13	33	105	254	563	1,044	2,121	2,124	1,190	2
1974	7,714	10	7	6	29	109	278	630	1,153	2,262	2,066	1,160	4
1973	7,942	9	9	16	42	135	319	675	1,256	2,296	2,068	1,112	5
1972	7,622	12	4	4	24	140	348	696	1,184	2,338	1,866	1,002	4
1971	7,214	12	9	14	35	123	337	710	1,174	2,101	1,740	950	9
1970	7,178	15	8	11	43	135	368	689	1,227	2,099	1,714	864	5
1969	7,115	8	8	7	37	162	360	707	1,261	2,099	1,651	807	8
1968	7,088	10	8	13	56	133	415	739	1,266	2,087	1,572	780	9

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ATHEROSCLEROSIS 440													
BOTH SEXES													
1978	28,940	1	-	-	3	6	40	220	992	3,632	9,955	14,083	8
1977	28,754	-	-	2	2	9	37	252	1,072	3,697	9,970	13,704	9
1976	29,366	1	1	-	5	10	44	223	1,043	3,655	10,333	14,044	7
1975	28,887	-	-	-	2	8	42	254	1,020	3,689	10,601	13,266	5
1974	32,239	1	-	1	1	7	46	250	1,147	4,277	11,667	14,835	7
1973	32,617	-	-	-	2	4	39	265	1,158	4,279	12,357	14,511	2
1972	32,486	-	-	-	2	8	38	306	1,276	4,504	12,458	13,888	6
1971	31,521	-	-	2	2	8	57	277	1,222	4,367	12,020	13,560	6
1970	31,682	2	1	2	2	7	58	294	1,266	4,638	12,103	13,299	10
1969	33,063	-	-	2	2	8	43	251	1,212	4,795	12,875	13,865	10
1968	33,568	1	1	2	1	9	42	268	1,238	4,961	13,121	13,920	4
MALE													
1978	11,541	1	-	-	3	5	30	147	633	2,007	4,215	4,495	5
1977	11,648	-	-	-	1	6	26	176	674	2,037	4,350	4,375	3
1976	11,813	-	-	-	2	9	24	138	675	2,002	4,385	4,576	2
1975	11,822	-	-	-	2	4	29	163	634	2,005	4,554	4,430	1
1974	13,229	1	-	1	1	4	27	161	723	2,340	5,061	4,906	4
1973	13,402	-	-	-	-	2	19	170	731	2,304	5,324	4,851	1
1972	13,738	-	-	-	2	2	26	214	802	2,380	5,452	4,858	2
1971	13,334	-	-	1	1	5	38	179	779	2,337	5,303	4,689	2
1970	13,767	-	-	2	2	3	32	200	821	2,476	5,512	4,716	3
1969	14,346	-	-	1	1	4	29	156	765	2,638	5,852	4,898	2
1968	14,645	1	-	2	-	5	25	161	765	2,724	5,902	5,060	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ATHEROSCLEROSIS 440													
FEMALE													
1978	17,399	-	-	-	-	1	10	73	359	1,625	5,740	9,588	3
1977	17,106	-	-	2	1	3	11	76	398	1,660	5,620	9,329	6
1976	17,553	1	1	-	3	1	20	85	368	1,653	5,948	9,468	5
1975	17,065	-	-	-	-	4	13	91	386	1,684	6,047	8,836	4
1974	19,010	-	-	-	-	3	19	89	424	1,937	6,606	9,929	3
1973	19,215	-	-	-	2	2	20	95	427	1,975	7,033	9,660	1
1972	18,748	-	-	-	-	6	12	92	474	2,124	7,006	9,030	4
1971	18,187	-	-	1	1	3	19	98	443	2,030	6,717	8,871	4
1970	17,915	2	1	-	-	4	26	94	445	2,162	6,591	8,583	7
1969	18,717	-	-	1	1	4	14	95	447	2,157	7,023	8,967	8
1968	18,923	-	1	-	1	4	17	107	473	2,237	7,219	8,860	4
WHITE, BOTH SEXES													
1978	26,813	1	-	-	2	6	35	195	819	3,167	9,200	13,381	7
1977	26,675	-	-	1	1	6	29	207	898	3,230	9,242	13,054	7
1976	27,284	1	1	-	5	9	35	188	889	3,195	9,634	13,322	5
1975	26,810	-	-	-	1	7	33	204	854	3,218	9,861	12,627	5
1974	29,913	1	-	1	1	4	32	196	957	3,683	10,881	14,150	7
1973	30,242	-	-	-	1	2	32	216	960	3,655	11,538	13,836	2
1972	30,030	-	-	-	2	6	32	250	1,040	3,840	11,584	13,270	6
1971	29,302	-	-	2	1	7	45	218	1,006	3,779	11,287	12,952	5
1970	29,424	2	1	2	2	7	41	232	1,036	3,973	11,346	12,775	7
1969	30,668	-	-	1	2	6	28	189	995	4,122	12,095	13,223	7
1968	31,099	1	1	2	1	7	33	204	965	4,236	12,298	13,349	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ATHEROSCLEROSIS 440													
WHITE, MALE													
1978	10,583	1	-	-	2	5	27	129	530	1,778	3,876	4,231	4
1977	10,694	-	-	-	-	5	22	152	576	1,796	4,015	4,125	3
1976	10,892	-	-	-	2	8	20	118	594	1,765	4,083	4,302	-
1975	10,841	-	-	-	1	3	22	133	540	1,774	4,205	4,162	1
1974	12,150	1	-	1	1	3	18	135	613	2,052	4,692	4,630	4
1973	12,315	-	-	-	-	1	18	135	630	1,992	4,950	4,588	1
1972	12,558	-	-	-	2	-	22	172	672	2,036	5,032	4,620	2
1971	12,328	-	-	1	1	5	30	148	660	2,057	4,974	4,450	2
1970	12,686	-	-	2	2	3	25	161	697	2,150	5,145	4,499	2
1969	13,184	-	-	-	1	4	20	117	647	2,281	5,482	4,630	2
1968	13,448	1	-	2	-	4	20	126	623	2,334	5,520	4,818	-
WHITE, FEMALE													
1978	16,230	-	-	-	-	1	8	66	289	1,389	5,324	9,150	3
1977	15,981	-	-	1	1	1	7	55	322	1,434	5,227	8,929	4
1976	16,392	1	1	-	3	1	15	70	295	1,430	5,551	9,020	5
1975	15,969	-	-	-	-	4	11	71	314	1,444	5,656	8,465	4
1974	17,763	-	-	-	-	1	14	61	344	1,631	6,189	9,520	3
1973	17,927	-	-	-	1	1	14	81	330	1,663	6,588	9,248	1
1972	17,472	-	-	-	-	6	10	78	368	1,804	6,552	8,650	4
1971	16,974	-	-	1	-	2	15	70	346	1,722	6,313	8,502	3
1970	16,738	2	1	-	-	4	16	71	339	1,823	6,201	8,276	5
1969	17,484	-	-	1	1	2	8	72	348	1,841	6,613	8,593	5
1968	17,651	-	1	-	1	3	13	78	342	1,902	6,778	8,531	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ATHEROSCLEROSIS 440													
ALL OTHER, BOTH SEXES													
1978	2,127	-	-	-	1	-	5	25	173	465	755	702	1
1977	2,079	-	-	1	1	3	8	45	174	467	728	650	2
1976	2,082	-	-	-	-	1	9	35	154	460	699	722	2
1975	2,077	-	-	-	1	1	9	50	166	471	740	639	-
1974	2,326	-	-	-	-	3	14	54	190	594	786	685	-
1973	2,375	-	-	-	1	2	7	49	198	624	819	675	-
1972	2,456	-	-	-	-	2	6	56	236	664	874	618	-
1971	2,219	-	-	-	1	1	12	59	216	588	733	608	1
1970	2,258	-	-	-	-	-	17	62	230	665	757	524	3
1969	2,395	-	-	1	-	2	15	62	217	673	780	642	3
1968	2,469	-	-	-	-	2	9	64	273	725	823	571	2
ALL OTHER, MALE													
1978	958	-	-	-	1	-	3	18	103	229	339	264	1
1977	954	-	-	-	1	1	4	24	98	241	335	250	-
1976	921	-	-	-	-	1	4	20	81	237	302	274	2
1975	981	-	-	-	1	1	7	30	94	231	349	268	-
1974	1,079	-	-	-	-	1	9	26	110	288	369	276	-
1973	1,087	-	-	-	-	1	1	35	101	312	374	263	-
1972	1,180	-	-	-	-	2	4	42	130	344	420	238	-
1971	1,006	-	-	-	-	-	8	31	119	280	329	239	-
1970	1,081	-	-	-	-	-	7	39	124	326	367	217	1
1969	1,162	-	-	1	-	-	9	39	118	357	370	268	-
1968	1,197	-	-	-	-	1	5	35	142	390	382	242	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ATHEROSCLEROSIS 440													
ALL OTHER, FEMALE													
1978	1,169	-	-	-	-	-	2	7	70	236	416	438	-
1977	1,125	-	-	1	-	2	4	21	76	226	393	400	2
1976	1,161	-	-	-	-	-	5	15	73	223	397	448	-
1975	1,096	-	-	-	-	-	2	20	72	240	391	371	-
1974	1,247	-	-	-	-	2	5	28	80	306	417	409	-
1973	1,288	-	-	-	1	1	6	14	97	312	445	412	-
1972	1,276	-	-	-	-	-	2	14	106	320	454	380	-
1971	1,213	-	-	-	1	1	4	28	97	308	404	369	1
1970	1,177	-	-	-	-	-	10	23	106	339	390	307	2
1969	1,233	-	-	-	-	2	6	23	99	316	410	374	3
1968	1,272	-	-	-	-	1	4	29	131	335	441	329	2
BLACK, BOTH SEXES													
1978	2,014	-	-	-	1	-	4	25	165	441	717	661	-
1977	1,986	-	-	1	1	3	7	42	163	453	696	618	2
1976	1,980	-	-	-	-	1	9	34	151	447	663	673	2
1975	1,983	-	-	-	1	1	9	49	163	451	709	600	-
1974	2,187	-	-	-	-	3	13	54	179	569	734	635	-
1973	2,270	-	-	-	1	2	7	48	191	608	782	631	-
1972	2,340	-	-	-	-	2	6	52	224	644	822	590	-
1971	2,110	-	-	-	1	1	12	57	210	575	703	550	1
1970	2,152	-	-	-	-	-	17	61	224	641	718	488	3
1969	2,317	-	-	1	-	2	14	60	216	661	750	610	3
1968	2,367	-	-	-	-	2	9	64	266	700	787	537	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ATHEROSCLEROSIS 440													
BLACK, MALE													
1978	887	-	-	-	1	-	3	18	95	213	320	237	-
1977	892	-	-	-	1	1	3	22	92	228	315	230	-
1976	856	-	-	-	-	1	4	19	80	226	280	244	2
1975	931	-	-	-	1	1	7	29	91	221	329	252	-
1974	1,002	-	-	-	-	1	9	26	104	269	338	255	-
1973	1,025	-	-	-	-	1	1	34	98	300	352	239	-
1972	1,106	-	-	-	-	2	4	40	122	330	386	222	-
1971	942	-	-	-	-	-	8	30	115	270	307	212	-
1970	1,020	-	-	-	-	-	7	38	122	312	342	198	1
1969	1,113	-	-	1	-	-	8	37	117	347	355	248	-
1968	1,134	-	-	-	-	1	5	35	138	375	358	222	-
BLACK, FEMALE													
1978	1,127	-	-	-	-	-	1	7	70	228	397	424	-
1977	1,094	-	-	1	-	2	4	20	71	225	381	388	2
1976	1,124	-	-	-	-	-	5	15	71	221	383	429	-
1975	1,052	-	-	-	-	-	2	20	72	230	380	348	-
1974	1,185	-	-	-	-	2	4	28	75	300	396	380	-
1973	1,245	-	-	-	1	1	6	14	93	308	430	392	-
1972	1,234	-	-	-	-	-	2	12	102	314	436	368	-
1971	1,168	-	-	-	1	1	4	27	95	305	396	338	1
1970	1,132	-	-	-	-	-	10	23	102	329	376	290	2
1969	1,204	-	-	-	-	2	6	23	99	314	395	362	3
1968	1,233	-	-	-	-	1	4	29	128	325	429	315	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
BOTH SEXES													
1978	26,551	38	12	27	113	215	417	1,200	3,686	7,722	8,259	4,856	6
1977	26,306	36	14	26	131	195	436	1,304	3,666	7,626	8,348	4,521	3
1976	26,432	27	10	30	120	207	397	1,341	3,865	7,701	8,366	4,366	2
1975	25,607	31	4	31	127	218	413	1,350	3,810	7,370	8,171	4,076	6
1974	26,198	40	9	38	127	203	426	1,409	3,982	7,675	8,237	4,046	6
1973	26,059	31	10	37	127	201	497	1,461	3,964	7,690	8,053	3,983	5
1972	25,698	42	6	40	98	204	508	1,562	4,066	7,704	7,854	3,608	6
1971	25,327	41	20	35	130	202	538	1,529	3,919	7,410	7,913	3,585	5
1970	25,321	38	11	37	108	208	508	1,456	3,968	7,569	8,045	3,365	8
1969	25,082	31	11	36	121	174	533	1,509	4,022	7,508	7,858	3,275	4
1968	24,720	30	9	30	124	201	527	1,494	4,034	7,409	7,570	3,290	2
MALE													
1978	15,702	25	8	16	64	118	241	754	2,608	5,250	4,764	1,851	3
1977	15,638	27	8	17	72	107	247	817	2,544	5,244	4,804	1,749	2
1976	16,037	13	8	19	74	119	232	865	2,793	5,406	4,785	1,722	1
1975	15,429	16	2	17	81	107	220	864	2,660	5,174	4,681	1,604	3
1974	15,831	20	6	21	69	112	241	877	2,868	5,354	4,672	1,586	5
1973	15,974	17	7	18	77	101	271	946	2,873	5,407	4,635	1,620	2
1972	15,926	20	6	26	58	100	294	1,028	2,970	5,406	4,628	1,388	2
1971	15,458	25	12	21	73	98	323	995	2,884	5,172	4,432	1,420	3
1970	15,599	22	7	26	56	111	285	954	2,918	5,295	4,576	1,344	5
1969	15,362	17	8	21	71	89	303	988	2,981	5,242	4,337	1,303	2
1968	15,339	16	5	17	65	114	325	1,013	2,992	5,214	4,237	1,339	2

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
FEMALE													
1978	10,849	13	4	11	49	97	176	446	1,078	2,472	3,495	3,005	3
1977	10,668	9	6	9	59	88	189	487	1,122	2,382	3,544	2,772	1
1976	10,395	14	2	11	46	88	165	476	1,072	2,295	3,581	2,644	1
1975	10,178	15	2	14	46	111	193	486	1,150	2,196	3,490	2,472	3
1974	10,367	20	3	17	58	91	185	532	1,114	2,321	3,565	2,460	1
1973	10,085	14	3	19	50	100	226	515	1,091	2,283	3,418	2,363	3
1972	9,772	22	-	14	40	104	214	534	1,096	2,298	3,226	2,220	4
1971	9,869	16	8	14	57	104	215	534	1,035	2,238	3,481	2,165	2
1970	9,722	16	4	11	52	97	223	502	1,050	2,274	3,469	2,021	3
1969	9,720	14	3	15	50	85	230	521	1,041	2,266	3,521	1,972	2
1968	9,381	14	4	13	59	87	202	481	1,042	2,195	3,333	1,951	-
WHITE, BOTH SEXES													
1978	24,189	25	11	24	91	166	321	991	3,248	7,090	7,664	4,554	4
1977	24,002	29	10	21	104	152	343	1,076	3,233	6,969	7,820	4,244	1
1976	24,089	23	8	20	95	150	301	1,094	3,427	7,061	7,815	4,094	1
1975	23,376	22	2	23	96	170	317	1,124	3,404	6,709	7,662	3,843	4
1974	24,017	32	6	33	106	155	312	1,164	3,565	7,051	7,754	3,836	3
1973	23,922	23	8	28	107	170	392	1,193	3,549	7,065	7,618	3,765	4
1972	23,512	24	6	34	76	140	368	1,290	3,598	7,108	7,442	3,426	-
1971	23,165	33	17	28	110	154	410	1,244	3,463	6,819	7,493	3,390	4
1970	23,141	33	9	29	84	167	387	1,190	3,497	6,940	7,630	3,171	4
1969	22,992	26	10	31	93	130	407	1,230	3,572	6,906	7,488	3,096	3
1968	22,614	22	5	29	98	157	401	1,231	3,546	6,846	7,177	3,100	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
WHITE, MALE													
1978	14,471	16	8	13	54	93	186	623	2,334	4,914	4,483	1,745	2
1977	14,439	23	6	14	64	87	205	695	2,280	4,874	4,544	1,646	1
1976	14,769	10	7	14	60	88	177	721	2,504	5,047	4,511	1,629	1
1975	14,249	11	1	14	61	85	168	727	2,417	4,831	4,419	1,513	2
1974	14,640	15	3	18	57	88	168	734	2,598	5,001	4,442	1,513	3
1973	14,843	13	6	14	67	86	213	783	2,628	5,071	4,421	1,540	1
1972	14,746	14	6	26	54	78	224	860	2,676	5,094	4,396	1,318	-
1971	14,252	22	9	18	64	74	241	823	2,604	4,850	4,211	1,333	3
1970	14,425	19	7	22	50	91	215	797	2,642	4,937	4,376	1,266	3
1969	14,244	15	7	19	59	69	238	820	2,723	4,903	4,160	1,229	2
1968	14,173	10	3	16	52	88	254	864	2,682	4,902	4,029	1,271	2
WHITE, FEMALE													
1978	9,718	9	3	11	37	73	135	368	914	2,176	3,181	2,809	2
1977	9,563	6	4	7	40	65	138	381	953	2,095	3,276	2,598	-
1976	9,320	13	1	6	35	62	124	373	923	2,014	3,304	2,465	-
1975	9,127	11	1	9	35	85	149	397	987	1,878	3,243	2,330	2
1974	9,377	17	3	15	49	67	144	430	967	2,050	3,312	2,323	-
1973	9,079	10	2	14	40	84	179	410	921	1,994	3,197	2,225	3
1972	8,766	10	-	8	22	62	144	430	922	2,014	3,046	2,108	-
1971	8,913	11	8	10	46	80	169	421	859	1,969	3,282	2,057	1
1970	8,716	14	2	7	34	76	172	393	855	2,003	3,254	1,905	1
1969	8,748	11	3	12	34	61	169	410	849	2,003	3,328	1,867	1
1968	8,441	12	2	13	46	69	147	367	864	1,944	3,148	1,829	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
ALL OTHER, BOTH SEXES													
1978	2,362	13	1	3	22	49	96	209	438	632	595	302	2
1977	2,304	7	4	5	27	43	93	228	433	657	528	277	2
1976	2,343	4	2	10	25	57	96	247	438	640	551	272	1
1975	2,231	9	2	8	31	48	96	226	406	661	509	233	2
1974	2,181	8	3	5	21	48	114	245	417	624	483	210	3
1973	2,137	8	2	9	20	31	105	268	415	625	435	218	1
1972	2,186	18	-	6	22	64	140	272	468	596	412	182	6
1971	2,162	8	3	7	20	48	128	285	456	591	420	195	1
1970	2,180	5	2	8	24	41	121	266	471	629	415	194	4
1969	2,090	5	1	5	28	44	126	279	450	602	370	179	1
1968	2,106	8	4	1	26	44	126	263	488	563	393	190	-
ALL OTHER, MALE													
1978	1,231	9	-	3	10	25	55	131	274	336	281	106	1
1977	1,199	4	2	3	8	20	42	122	264	370	260	103	1
1976	1,268	3	1	5	14	31	55	144	289	359	274	93	-
1975	1,180	5	1	3	20	22	52	137	243	343	262	91	1
1974	1,191	5	3	3	12	24	73	143	270	353	230	73	2
1973	1,131	4	1	4	10	15	58	163	245	336	214	80	1
1972	1,180	6	-	-	4	22	70	168	294	312	232	70	2
1971	1,206	3	3	3	9	24	82	172	280	322	221	87	-
1970	1,174	3	-	4	6	20	70	157	276	358	200	78	2
1969	1,118	2	1	2	12	20	65	168	258	339	177	74	-
1968	1,166	6	2	1	13	26	71	149	310	312	208	68	-
ALL OTHER, FEMALE													
1978	1,131	4	1	-	12	24	41	78	164	296	314	196	1
1977	1,105	3	2	2	19	23	51	106	169	287	268	174	1
1976	1,075	1	1	5	11	26	41	103	149	281	277	179	1
1975	1,051	4	1	5	11	26	44	89	163	318	247	142	1
1974	990	3	-	2	9	24	41	102	147	271	253	137	1
1973	1,006	4	1	5	10	16	47	105	170	289	221	138	-
1972	1,006	12	-	6	18	42	70	104	174	284	180	112	4
1971	956	5	-	4	11	24	46	113	176	269	199	108	1
1970	1,006	2	2	4	18	21	51	109	195	271	215	116	2
1969	972	3	-	3	16	24	61	111	192	263	193	105	1
1968	940	2	2	-	13	18	55	114	178	251	185	122	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
BLACK, BOTH SEXES													
1978	2,206	11	-	3	21	49	93	200	407	592	544	284	2
1977	2,117	7	3	5	27	41	88	211	402	598	477	256	2
1976	2,189	4	2	9	25	53	91	237	412	597	500	258	1
1975	2,065	8	2	7	27	44	88	212	380	615	470	210	2
1974	2,047	7	3	5	20	45	111	234	395	579	446	199	3
1973	1,978	8	2	7	17	28	99	251	390	580	393	202	1
1972	2,042	18	-	6	16	60	134	260	438	558	380	166	6
1971	2,024	7	2	7	20	46	121	272	434	553	390	171	1
1970	2,042	5	2	7	23	40	117	258	455	576	380	177	2
1969	1,992	5	1	4	27	42	123	274	435	573	341	166	1
1968	1,978	8	4	1	25	43	118	253	460	534	358	174	-
BLACK, MALE													
1978	1,131	8	-	3	9	25	52	124	253	309	249	98	1
1977	1,078	4	2	3	8	20	40	115	244	326	226	89	1
1976	1,162	3	1	5	14	28	53	139	271	325	240	83	-
1975	1,067	5	1	3	18	20	46	126	223	307	238	79	1
1974	1,109	4	3	3	12	23	72	137	253	321	210	69	2
1973	1,030	4	1	3	9	13	56	152	224	303	191	73	1
1972	1,084	6	-	-	4	22	68	156	266	286	206	68	2
1971	1,113	2	2	3	9	23	77	163	267	296	200	71	-
1970	1,076	3	-	4	6	20	67	153	263	315	176	67	2
1969	1,057	2	1	2	11	18	64	165	246	319	162	67	-
1968	1,080	6	2	1	12	25	66	143	288	290	186	61	-
BLACK, FEMALE													
1978	1,075	3	-	-	12	24	41	76	154	283	295	186	1
1977	1,039	3	1	2	19	21	48	96	158	272	251	167	1
1976	1,027	1	1	4	11	25	38	98	141	272	260	175	1
1975	998	3	1	4	9	24	42	86	157	308	232	131	1
1974	938	3	-	2	8	22	39	97	142	258	236	130	1
1973	948	4	1	4	8	15	43	99	166	277	202	129	-
1972	958	12	-	6	12	38	66	104	172	272	174	98	4
1971	911	5	-	4	11	23	44	109	167	257	190	100	1
1970	966	2	2	3	17	20	50	105	192	261	204	110	-
1969	935	3	-	2	16	24	59	109	189	254	179	99	1
1968	898	2	2	-	13	18	52	110	172	244	172	113	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466) BOTH SEXES													
1978	756	94	33	9	16	20	26	39	65	143	160	151	-
1977	697	82	51	19	14	16	19	45	76	115	143	117	-
1976	854	95	49	17	11	27	27	44	93	160	179	152	-
1975	737	104	53	17	20	18	26	52	81	128	150	88	-
1974	750	116	56	20	14	15	18	47	83	144	143	94	-
1973	905	170	74	19	16	22	29	63	103	147	166	96	-
1972	1,146	278	120	24	20	30	30	70	100	192	168	114	-
1971	1,154	425	101	28	20	24	35	65	100	116	155	85	-
1970	1,310	471	141	37	22	26	51	70	118	154	134	85	1
1969	1,286	450	134	43	14	16	40	79	124	152	140	93	1
1968	1,432	386	139	43	43	22	53	92	159	180	186	129	-
MALE													
1978	417	58	18	3	8	11	17	25	39	88	91	59	-
1977	392	49	28	12	7	7	10	22	49	76	91	41	-
1976	479	64	30	10	8	11	13	23	53	102	92	73	-
1975	411	59	33	8	11	10	13	33	51	75	85	33	-
1974	408	71	37	9	9	6	4	22	48	80	85	37	-
1973	493	97	40	12	8	13	14	34	56	91	95	33	-
1972	678	162	66	14	8	18	18	44	64	118	104	62	-
1971	644	232	63	19	14	11	14	29	66	80	83	33	-
1970	740	265	85	21	9	14	28	36	80	100	63	38	1
1969	712	246	77	29	9	9	18	39	76	101	68	39	1
1968	835	230	84	24	24	13	32	50	103	125	104	46	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
FEMALE													
1978	339	36	15	6	8	9	9	14	26	55	69	92	-
1977	305	33	23	7	7	9	9	23	27	39	52	76	-
1976	375	31	19	7	3	16	14	21	40	58	87	79	-
1975	326	45	20	9	9	8	13	19	30	53	65	55	-
1974	342	45	19	11	5	9	14	25	35	64	58	57	-
1973	412	73	34	7	8	9	15	29	47	56	71	63	-
1972	468	116	54	10	12	12	12	26	36	74	64	52	-
1971	510	193	38	9	6	13	21	36	34	36	72	52	-
1970	570	206	56	16	13	12	23	34	38	54	71	47	-
1969	574	204	57	14	5	7	22	40	48	51	72	54	-
1968	597	156	55	19	19	9	21	42	56	55	82	83	-
WHITE, BOTH SEXES													
1978	661	61	28	5	13	18	17	34	55	133	152	145	-
1977	615	58	34	16	10	12	12	41	71	107	140	114	-
1976	744	65	35	15	8	18	21	36	79	150	174	143	-
1975	639	76	37	14	16	12	19	42	72	122	143	86	-
1974	647	81	34	15	13	11	13	40	75	134	139	92	-
1973	777	123	55	17	11	18	23	54	91	134	160	91	-
1972	908	152	88	18	12	22	20	62	84	176	164	110	-
1971	822	207	63	22	13	18	25	58	90	98	148	80	-
1970	935	224	93	26	16	20	38	62	102	141	129	83	1
1969	987	266	95	32	10	14	31	68	113	136	134	87	1
1968	1,144	246	100	30	35	16	38	70	138	172	177	122	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
WHITE, MALE													
1978	352	32	15	1	7	10	10	20	34	81	85	57	-
1977	352	34	23	10	6	6	6	20	45	73	89	40	-
1976	411	43	21	8	6	7	11	19	48	94	87	67	-
1975	356	45	26	6	10	7	8	24	47	71	80	32	-
1974	351	50	23	8	8	4	2	19	46	74	81	36	-
1973	422	70	30	11	6	10	12	28	46	84	93	32	-
1972	544	94	48	10	-	14	10	38	56	112	104	58	-
1971	459	114	40	13	11	9	7	24	62	68	79	32	-
1970	532	137	61	12	5	9	20	31	67	91	61	37	1
1969	558	162	57	23	6	9	11	31	67	90	65	36	1
1968	684	155	64	17	23	12	24	42	88	118	99	42	-
WHITE, FEMALE													
1978	309	29	13	4	6	8	7	14	21	52	67	88	-
1977	263	24	11	6	4	6	6	21	26	34	51	74	-
1976	333	22	14	7	2	11	10	17	31	56	87	76	-
1975	283	31	11	8	6	5	11	18	25	51	63	54	-
1974	296	31	11	7	5	7	11	21	29	60	58	56	-
1973	355	53	25	6	5	8	11	26	45	50	67	59	-
1972	364	58	40	8	12	8	10	24	28	64	60	52	-
1971	363	93	23	9	2	9	18	34	28	30	69	48	-
1970	403	87	32	14	11	11	18	31	35	50	68	46	-
1969	429	104	38	9	4	5	20	37	46	46	69	51	-
1968	460	91	36	13	12	4	14	28	50	54	78	80	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
ALL OTHER, BOTH SEXES													
1978	95	33	5	4	3	2	9	5	10	10	8	6	-
1977	82	24	17	3	4	4	7	4	5	8	3	3	-
1976	110	30	14	2	3	9	6	8	14	10	5	9	-
1975	98	28	16	3	4	6	7	10	9	6	7	2	-
1974	103	35	22	5	1	4	5	7	8	10	4	2	-
1973	128	47	19	2	5	4	6	9	12	13	6	5	-
1972	238	126	32	6	8	8	10	8	16	16	4	4	-
1971	332	218	38	6	7	6	10	7	10	18	7	5	-
1970	375	247	48	11	6	6	13	8	16	13	5	2	-
1969	299	184	39	11	4	2	9	11	11	16	6	6	-
1968	288	140	39	13	8	6	15	22	21	8	9	7	-
ALL OTHER, MALE													
1978	65	26	3	2	1	1	7	5	5	7	6	2	-
1977	40	15	5	2	1	1	4	2	4	3	2	1	-
1976	68	21	9	2	2	4	2	4	5	8	5	6	-
1975	55	14	7	2	1	3	5	9	4	4	5	1	-
1974	57	21	14	1	1	2	2	3	2	6	4	1	-
1973	71	27	10	1	2	3	2	6	10	7	2	1	-
1972	134	68	18	4	8	4	8	6	8	6	-	4	-
1971	185	118	23	6	3	2	7	5	4	12	4	1	-
1970	208	128	24	9	4	5	8	5	13	9	2	1	-
1969	154	84	20	6	3	-	7	8	9	11	3	3	-
1968	151	75	20	7	1	1	8	8	15	7	5	4	-
ALL OTHER, FEMALE													
1978	30	7	2	2	2	1	2	-	5	3	2	4	-
1977	42	9	12	1	3	3	3	2	1	5	1	2	-
1976	42	9	5	-	1	5	4	4	9	2	-	3	-
1975	43	14	9	1	3	3	2	1	5	2	2	1	-
1974	46	14	8	4	-	2	3	4	6	4	-	1	-
1973	57	20	9	1	3	1	4	3	2	6	4	4	-
1972	104	58	14	2	-	4	2	2	8	10	4	-	-
1971	147	100	15	-	4	4	3	2	6	6	3	4	-
1970	167	119	24	2	2	1	5	3	3	4	3	1	-
1969	145	100	19	5	1	2	2	3	2	5	3	3	-
1968	137	65	19	6	7	5	7	14	6	1	4	3	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
BLACK, BOTH SEXES													
1978	87	28	5	4	3	2	9	5	8	9	8	6	-
1977	77	21	16	3	4	4	7	4	4	8	3	3	-
1976	95	26	14	2	2	8	5	8	13	7	4	6	-
1975	93	27	15	3	4	5	6	10	9	6	6	2	-
1974	89	33	18	4	1	3	3	7	8	6	4	2	-
1973	118	43	17	2	5	4	6	9	11	11	5	5	-
1972	214	120	28	6	6	8	10	8	14	8	4	2	-
1971	322	215	37	6	7	4	9	7	10	17	6	4	-
1970	357	239	46	11	5	5	11	7	16	11	4	2	-
1969	287	177	37	11	4	2	8	11	11	14	6	6	-
1968	268	126	36	13	8	6	15	22	20	7	8	7	-
BLACK, MALE													
1978	61	22	3	2	1	1	7	5	5	7	6	2	-
1977	37	13	5	2	1	1	4	2	3	3	2	1	-
1976	59	19	9	2	2	3	2	4	4	6	4	4	-
1975	54	14	6	2	1	3	5	9	4	4	5	1	-
1974	48	19	13	1	1	1	1	3	2	2	4	1	-
1973	63	24	9	1	2	3	2	6	9	5	1	1	-
1972	124	64	18	4	6	4	8	6	8	4	-	2	-
1971	179	116	23	6	3	2	6	5	4	11	3	-	-
1970	196	123	22	9	3	4	6	5	13	8	2	1	-
1969	150	82	19	6	3	-	6	8	9	11	3	3	-
1968	134	63	18	7	1	1	8	8	14	6	4	4	-
BLACK, FEMALE													
1978	26	6	2	2	2	1	2	-	3	2	2	4	-
1977	40	8	11	1	3	3	3	2	1	5	1	2	-
1976	36	7	5	-	-	5	3	4	9	1	-	2	-
1975	39	13	9	1	3	2	1	1	5	2	1	1	-
1974	41	14	5	3	-	2	2	4	6	4	-	1	-
1973	55	19	8	1	3	1	4	3	2	6	4	4	-
1972	90	56	10	2	-	4	2	2	6	4	4	-	-
1971	143	99	14	-	4	2	3	2	6	6	3	4	-
1970	161	116	24	2	2	1	5	2	3	3	2	1	-
1969	137	95	18	5	1	2	2	3	2	3	3	3	-
1968	134	63	18	6	7	5	7	14	6	1	4	3	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA 470-474, 480-486 BOTH SEXES													
1978	58,319	1,533	354	304	553	741	1,063	2,309	4,960	9,827	18,133	18,527	15
1977	51,193	1,682	374	344	522	667	1,028	2,233	4,458	8,533	16,137	15,201	14
1976	61,866	1,961	480	362	611	780	1,247	2,740	5,270	9,947	19,600	18,858	10
1975	55,664	2,201	527	362	689	767	1,214	2,644	5,343	9,737	17,586	14,587	7
1974	54,777	2,613	619	489	667	751	1,304	2,798	5,197	9,306	16,943	14,073	17
1973	62,559	3,562	798	547	769	888	1,578	3,461	6,092	10,849	19,163	14,839	13
1972	62,580	4,332	902	566	804	902	1,780	3,788	6,306	11,186	18,574	13,422	18
1971	57,194	5,401	971	549	826	844	1,584	3,148	5,507	9,480	16,273	12,591	20
1970	62,739	6,303	1,043	651	866	958	1,951	4,014	6,723	11,211	16,694	12,307	18
1969	68,365	7,141	1,183	752	863	989	2,087	4,169	7,167	12,183	18,392	13,413	26
1968	73,492	7,907	1,444	748	944	1,045	2,198	4,527	7,580	12,905	19,662	14,493	39
MALE													
1978	30,796	851	179	162	328	453	650	1,468	3,235	6,237	9,664	7,559	10
1977	27,618	968	212	170	314	408	632	1,451	2,972	5,453	8,693	6,335	10
1976	32,513	1,086	250	177	336	439	752	1,694	3,465	6,243	10,368	7,696	7
1975	30,437	1,230	271	174	417	422	721	1,741	3,507	6,155	9,641	6,154	4
1974	29,787	1,462	329	260	382	435	791	1,706	3,459	5,877	9,185	5,891	10
1973	34,224	2,019	429	282	460	519	914	2,171	3,999	6,878	10,417	6,126	10
1972	34,724	2,532	476	282	450	498	1,040	2,426	4,192	7,080	10,126	5,612	10
1971	31,590	3,125	522	265	478	480	923	1,987	3,670	5,950	8,843	5,335	12
1970	35,148	3,616	601	327	496	547	1,173	2,533	4,412	7,061	9,167	5,206	9
1969	37,863	4,099	658	378	490	520	1,208	2,630	4,706	7,680	9,907	5,574	13
1968	40,562	4,483	765	379	535	574	1,315	2,846	5,003	8,166	10,425	6,052	19

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA 470-474, 480-486 FEMALE													
1978	27,523	682	175	142	225	288	413	841	1,725	3,590	8,469	10,968	5
1977	23,575	714	162	174	208	259	396	782	1,486	3,080	7,444	8,866	4
1976	29,353	875	230	185	275	341	495	1,046	1,805	3,704	9,232	11,162	3
1975	25,227	971	256	188	272	345	493	903	1,836	3,582	7,945	8,433	3
1974	24,990	1,151	290	229	285	316	513	1,092	1,738	3,429	7,758	8,182	7
1973	28,335	1,543	369	265	309	369	664	1,290	2,093	3,971	8,746	8,713	3
1972	27,856	1,800	426	284	354	404	740	1,362	2,114	4,106	8,448	7,810	8
1971	25,604	2,276	449	284	348	364	661	1,161	1,837	3,530	7,430	7,256	8
1970	27,591	2,687	442	324	370	411	778	1,481	2,311	4,150	7,527	7,101	9
1969	30,502	3,042	525	374	373	469	879	1,539	2,461	4,503	8,485	7,839	13
1968	32,930	3,424	679	369	409	471	883	1,681	2,577	4,739	9,237	8,441	20
WHITE, BOTH SEXES													
1978	51,432	963	242	230	407	475	685	1,644	4,006	8,511	16,697	17,560	12
1977	44,790	1,042	257	272	399	426	649	1,582	3,600	7,360	14,842	14,350	11
1976	54,629	1,229	316	286	457	518	814	2,000	4,285	8,671	18,101	17,946	6
1975	48,797	1,410	372	277	544	515	791	1,942	4,387	8,493	16,299	13,763	4
1974	47,760	1,645	415	393	540	506	831	2,066	4,261	7,992	15,759	13,344	8
1973	54,105	2,249	558	445	582	591	1,027	2,510	4,968	9,291	17,788	14,085	11
1972	53,926	2,712	636	464	618	588	1,156	2,820	5,180	9,688	17,292	12,758	14
1971	48,706	3,460	675	443	607	550	1,017	2,314	4,424	8,184	15,095	11,928	9
1970	52,787	3,971	688	499	641	642	1,268	2,927	5,429	9,569	15,478	11,662	13
1969	57,641	4,440	771	596	670	629	1,338	3,124	5,829	10,458	17,064	12,704	18
1968	61,489	4,804	906	554	739	660	1,365	3,376	6,083	11,116	18,220	13,642	24

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA 470-474, 480-486													
WHITE, MALE													
1978	26,578	534	121	120	250	292	399	1,013	2,580	5,359	8,807	7,096	7
1977	23,665	613	146	135	239	255	377	1,002	2,383	4,690	7,934	5,883	8
1976	28,150	678	166	140	257	288	483	1,198	2,776	5,410	9,488	7,261	5
1975	26,201	786	183	138	332	273	447	1,250	2,846	5,350	8,855	5,738	3
1974	25,504	912	228	209	316	279	479	1,215	2,795	5,051	8,478	5,537	5
1973	29,141	1,306	289	229	367	340	585	1,548	3,233	5,898	9,581	5,757	8
1972	29,458	1,640	348	236	356	302	658	1,760	3,422	6,082	9,332	5,312	10
1971	26,479	2,032	360	219	340	286	566	1,439	2,939	5,129	8,140	5,025	4
1970	29,191	2,324	388	255	374	354	746	1,804	3,556	6,053	8,446	4,884	7
1969	31,494	2,640	410	303	382	321	733	1,929	3,838	6,598	9,107	5,223	10
1968	33,560	2,810	481	290	414	349	805	2,093	4,034	7,055	9,570	5,649	10
WHITE, FEMALE													
1978	24,854	429	121	110	157	183	286	631	1,426	3,152	7,890	10,464	5
1977	21,125	429	111	137	160	171	272	580	1,217	2,670	6,908	8,467	3
1976	26,479	551	150	146	200	230	331	802	1,509	3,261	8,613	10,685	1
1975	22,596	624	189	139	212	242	344	692	1,541	3,143	7,444	8,025	1
1974	22,256	733	187	184	224	227	352	851	1,466	2,941	7,281	7,807	3
1973	24,964	943	269	216	215	251	442	962	1,735	3,393	8,207	8,328	3
1972	24,468	1,072	288	228	262	286	498	1,060	1,758	3,606	7,960	7,446	4
1971	22,227	1,428	315	224	267	264	451	875	1,485	3,055	6,955	6,903	5
1970	23,596	1,647	300	244	267	288	522	1,123	1,873	3,516	7,032	6,778	6
1969	26,147	1,800	361	293	288	308	605	1,195	1,991	3,860	7,957	7,481	8
1968	27,929	1,994	425	264	325	311	560	1,283	2,049	4,061	8,650	7,993	14

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA 470-474, 480-486													
ALL OTHER, BOTH SEXES													
1978	6,887	570	112	74	146	266	378	665	954	1,316	1,436	967	3
1977	6,403	640	117	72	123	241	379	651	858	1,173	1,295	851	3
1976	7,237	732	164	76	154	262	433	740	985	1,276	1,499	912	4
1975	6,867	791	155	85	145	252	423	702	956	1,244	1,287	824	3
1974	7,017	968	204	96	127	245	473	732	936	1,314	1,184	729	9
1973	8,454	1,313	240	102	187	297	551	951	1,124	1,558	1,375	754	2
1972	8,654	1,620	266	102	186	314	624	968	1,126	1,498	1,282	664	4
1971	8,488	1,941	296	106	219	294	567	834	1,083	1,296	1,178	663	11
1970	9,952	2,332	355	152	225	316	683	1,087	1,294	1,642	1,216	645	5
1969	10,724	2,701	412	156	193	360	749	1,045	1,338	1,725	1,328	709	8
1968	12,003	3,103	538	194	205	385	833	1,151	1,497	1,789	1,442	851	15
ALL OTHER, MALE													
1978	4,218	317	58	42	78	161	251	455	655	878	857	463	3
1977	3,953	355	66	35	75	153	255	449	589	763	759	452	2
1976	4,363	408	84	37	79	151	269	496	689	833	880	435	2
1975	4,236	444	88	36	85	149	274	491	661	805	786	416	1
1974	4,283	550	101	51	66	156	312	491	664	826	707	354	5
1973	5,083	713	140	53	93	179	329	623	766	980	836	369	2
1972	5,266	892	128	46	94	196	382	666	770	998	794	300	-
1971	5,111	1,093	162	46	138	194	357	548	731	821	703	310	8
1970	5,957	1,292	213	72	122	193	427	729	856	1,008	721	322	2
1969	6,369	1,459	248	75	108	199	475	701	868	1,082	800	351	3
1968	7,002	1,673	284	89	121	225	510	753	969	1,111	855	403	9
ALL OTHER, FEMALE													
1978	2,669	253	54	32	68	105	127	210	299	438	579	504	-
1977	2,450	285	51	37	48	88	124	202	269	410	536	399	1
1976	2,874	324	80	39	75	111	164	244	296	443	619	477	2
1975	2,631	347	67	49	60	103	149	211	295	439	501	408	2
1974	2,734	418	103	45	61	89	161	241	272	488	477	375	4
1973	3,371	600	100	49	94	118	222	328	358	578	539	385	-
1972	3,388	728	138	56	92	118	242	302	356	500	488	364	4
1971	3,377	848	134	60	81	100	210	286	352	475	475	353	3
1970	3,995	1,040	142	80	103	123	256	358	438	634	495	323	3
1969	4,355	1,242	164	81	85	161	274	344	470	643	528	358	5
1968	5,001	1,430	254	105	84	160	323	398	528	678	587	448	6

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA 470-474, 480-486													
BLACK, BOTH SEXES													
1978	6,295	531	100	67	132	247	361	630	899	1,225	1,278	822	3
1977	5,861	597	108	67	117	224	355	612	818	1,081	1,144	735	3
1976	6,637	677	146	72	140	238	404	700	931	1,195	1,355	775	4
1975	6,290	723	136	76	137	230	392	653	915	1,161	1,169	695	3
1974	6,523	911	191	89	122	234	447	705	890	1,234	1,082	610	8
1973	7,794	1,232	225	95	176	285	522	902	1,048	1,441	1,219	647	2
1972	8,068	1,512	246	96	176	288	610	938	1,080	1,404	1,164	550	4
1971	7,883	1,836	282	100	210	277	543	797	1,025	1,198	1,044	563	8
1970	9,354	2,215	343	142	217	301	660	1,045	1,232	1,540	1,097	558	4
1969	10,104	2,557	391	149	184	345	715	1,004	1,278	1,635	1,210	628	8
1968	11,316	2,939	507	183	191	366	801	1,112	1,444	1,701	1,315	743	14
BLACK, MALE													
1978	3,849	295	53	39	70	149	239	438	614	814	750	385	3
1977	3,591	327	62	33	71	143	239	425	560	692	662	375	2
1976	3,987	375	75	37	71	136	253	475	653	772	789	349	2
1975	3,889	414	80	34	81	135	255	460	635	743	710	341	1
1974	3,958	514	95	49	62	146	297	475	630	762	640	283	5
1973	4,654	669	133	49	87	171	312	595	716	893	729	298	2
1972	4,908	828	120	44	88	182	380	648	746	932	712	228	-
1971	4,723	1,028	156	45	135	183	344	521	691	752	613	249	6
1970	5,600	1,230	208	69	116	185	416	706	808	941	656	263	2
1969	5,982	1,387	234	73	105	190	454	673	825	1,021	715	302	3
1968	6,550	1,573	266	82	115	214	490	730	932	1,044	765	331	8
BLACK, FEMALE													
1978	2,446	236	47	28	62	98	122	192	285	411	528	437	-
1977	2,270	270	46	34	46	81	116	187	258	389	482	360	1
1976	2,650	302	71	35	69	102	151	225	278	423	566	426	2
1975	2,401	309	56	42	56	95	137	193	280	418	459	354	2
1974	2,565	397	96	40	60	88	150	230	260	472	442	327	3
1973	3,140	563	92	46	89	114	210	307	332	548	490	349	-
1972	3,160	684	126	52	88	106	230	290	334	472	452	322	4
1971	3,160	808	126	55	75	94	199	276	334	446	431	314	2
1970	3,754	985	135	73	101	116	244	339	424	599	441	295	2
1969	4,122	1,170	157	76	79	155	261	331	453	614	495	326	5
1968	4,766	1,366	241	101	76	152	311	382	512	657	550	412	6

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (470-474) BOTH SEXES													
1978	4,052	34	18	19	36	29	41	116	259	602	1,333	1,564	1
1977	1,304	17	15	16	15	16	19	36	107	198	380	485	-
1976	7,877	33	23	26	45	64	90	166	439	1,102	2,577	3,312	-
1975	4,277	30	18	34	46	37	70	175	382	822	1,527	1,136	-
1974	2,201	36	27	39	34	26	37	102	172	347	709	672	-
1973	5,131	52	25	43	52	60	123	239	481	974	1,714	1,368	-
1972	4,986	60	44	24	36	64	124	356	574	1,114	1,520	1,068	2
1971	1,504	43	20	17	21	25	30	63	125	252	444	464	-
1970	3,707	83	42	29	50	65	111	284	533	844	941	725	-
1969	5,971	126	49	51	85	82	175	503	846	1,369	1,518	1,166	1
1968	7,062	133	80	50	93	100	191	482	834	1,372	1,978	1,746	3
MALE													
1978	1,666	19	8	9	19	17	20	66	132	330	578	468	-
1977	509	9	7	10	8	9	8	20	52	102	140	144	-
1976	3,324	20	14	16	18	26	44	87	224	610	1,120	1,145	-
1975	1,923	22	11	15	24	16	31	84	193	444	686	397	-
1974	989	19	12	17	16	17	23	44	96	200	313	232	-
1973	2,408	29	15	25	30	26	55	115	268	559	788	498	-
1972	2,390	32	28	10	22	18	58	186	330	668	684	354	-
1971	677	24	11	8	7	14	14	37	74	137	197	154	-
1970	1,887	47	27	12	26	28	53	147	313	497	471	266	-
1969	3,011	74	31	19	45	31	77	254	535	804	736	404	1
1968	3,277	70	39	24	43	36	89	241	480	745	889	620	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (470-474)													
FEMALE													
1978	2,386	15	10	10	17	12	21	50	127	272	755	1,096	1
1977	795	8	8	6	7	7	11	16	55	96	240	341	-
1976	4,553	13	9	10	27	38	46	79	215	492	1,457	2,167	-
1975	2,354	8	7	19	22	21	39	91	189	378	841	739	-
1974	1,212	17	15	22	18	9	14	58	76	147	396	440	-
1973	2,723	23	10	18	22	34	68	124	213	415	926	870	-
1972	2,596	28	16	14	14	46	66	170	244	446	836	714	2
1971	827	19	9	9	14	11	16	26	51	115	247	310	-
1970	1,820	36	15	17	24	37	58	137	220	347	470	459	-
1969	2,960	52	18	32	40	51	98	249	311	565	782	762	-
1968	3,785	63	41	26	50	64	102	241	354	627	1,089	1,126	2
WHITE, BOTH SEXES													
1978	3,800	16	15	15	31	21	31	100	226	552	1,281	1,511	1
1977	1,179	11	9	15	11	10	15	31	82	182	353	460	-
1976	7,513	26	17	24	38	56	75	140	398	1,024	2,481	3,234	-
1975	4,000	14	15	31	39	34	57	150	337	753	1,465	1,105	-
1974	2,049	28	22	35	30	23	27	90	152	309	680	653	-
1973	4,713	30	21	35	45	49	95	200	423	870	1,638	1,307	-
1972	4,570	34	34	24	26	60	100	308	496	1,030	1,446	1,012	-
1971	1,396	24	18	16	17	20	27	58	107	235	424	450	-
1970	3,214	48	27	24	42	55	83	222	456	718	868	671	-
1969	5,255	67	37	40	74	63	136	413	705	1,188	1,416	1,115	1
1968	6,264	60	63	38	78	77	132	399	700	1,219	1,850	1,647	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (470-474)													
WHITE, MALE													
1978	1,546	8	6	5	17	11	15	59	121	303	547	454	-
1977	457	6	4	10	5	6	7	17	43	99	124	136	-
1976	3,145	17	10	14	14	22	39	69	199	566	1,070	1,125	-
1975	1,783	8	10	15	19	15	24	75	171	411	653	382	-
1974	905	16	10	15	15	16	15	39	82	175	301	221	-
1973	2,205	20	12	20	27	22	41	96	242	499	752	474	-
1972	2,178	16	20	10	14	16	48	160	296	622	642	334	-
1971	622	12	9	8	5	12	13	35	62	129	188	149	-
1970	1,628	29	15	10	23	25	39	115	271	430	426	245	-
1969	2,633	40	23	14	40	22	60	210	452	703	682	386	1
1968	2,885	30	26	20	37	28	67	193	406	670	825	583	-
WHITE, FEMALE													
1978	2,254	8	9	10	14	10	16	41	105	249	734	1,057	1
1977	722	5	5	5	6	4	8	14	39	83	229	324	-
1976	4,368	9	7	10	24	34	36	71	199	458	1,411	2,109	-
1975	2,217	6	5	16	20	19	33	75	166	342	812	723	-
1974	1,144	12	12	20	15	7	12	51	70	134	379	432	-
1973	2,508	10	9	15	18	27	54	104	181	371	886	833	-
1972	2,392	18	14	14	12	44	52	148	200	408	804	678	-
1971	774	12	9	8	12	8	14	23	45	106	236	301	-
1970	1,586	19	12	14	19	30	44	107	185	288	442	426	-
1969	2,622	27	14	26	34	41	76	203	253	485	734	729	-
1968	3,379	30	37	18	41	49	65	206	294	549	1,025	1,064	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (470-474)													
ALL OTHER, BOTH SEXES													
1978	252	18	3	4	5	8	10	16	33	50	52	53	-
1977	125	6	6	1	4	6	4	5	25	16	27	25	-
1976	364	7	6	2	7	8	15	26	41	78	96	78	-
1975	277	16	3	3	7	3	13	25	45	69	62	31	-
1974	152	8	5	4	4	3	10	12	20	38	29	19	-
1973	418	22	4	8	7	11	28	39	58	104	76	61	-
1972	416	26	10	-	10	4	24	48	78	84	74	56	2
1971	108	19	2	1	4	5	3	5	18	17	20	14	-
1970	493	35	15	5	8	10	28	62	77	126	73	54	-
1969	716	59	12	11	11	19	39	90	141	181	102	51	-
1968	798	73	17	12	15	23	59	83	134	153	128	99	2
ALL OTHER, MALE													
1978	120	11	2	4	2	6	5	7	11	27	31	14	-
1977	52	3	3	-	3	3	1	3	9	3	16	8	-
1976	179	3	4	2	4	4	5	18	25	44	50	20	-
1975	140	14	1	-	5	1	7	9	22	33	33	15	-
1974	84	3	2	2	1	1	8	5	14	25	12	11	-
1973	203	9	3	5	3	4	14	19	26	60	36	24	-
1972	212	16	8	-	8	2	10	26	34	46	42	20	-
1971	55	12	2	-	2	2	1	2	12	8	9	5	-
1970	259	18	12	2	3	3	14	32	42	67	45	21	-
1969	378	34	8	5	5	9	17	44	83	101	54	18	-
1968	392	40	13	4	6	8	22	48	74	75	64	37	1
ALL OTHER, FEMALE													
1978	132	7	1	-	3	2	5	9	22	23	21	39	-
1977	73	3	3	1	1	3	3	2	16	13	11	17	-
1976	185	4	2	-	3	4	10	8	16	34	46	58	-
1975	137	2	2	3	2	2	6	16	23	36	29	16	-
1974	68	5	3	2	3	2	2	7	6	13	17	8	-
1973	215	13	1	3	4	7	14	20	32	44	40	37	-
1972	204	10	2	-	2	2	14	22	44	38	32	36	2
1971	53	7	-	1	2	3	2	3	6	9	11	9	-
1970	234	17	3	3	5	7	14	30	35	59	28	33	-
1969	338	25	4	6	6	10	22	46	58	80	48	33	-
1968	406	33	4	8	9	15	37	35	60	78	64	62	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (470-474)													
BLACK, BOTH SEXES													
1978	227	18	2	4	4	7	10	12	32	46	50	42	-
1977	114	6	5	1	4	6	4	4	24	15	23	22	-
1976	313	6	4	2	7	6	13	24	37	70	81	63	-
1975	254	16	1	3	6	2	12	22	44	67	57	24	-
1974	139	7	5	4	4	3	9	10	18	33	29	17	-
1973	361	19	4	8	6	11	26	34	47	96	64	46	-
1972	374	24	8	-	8	2	20	44	78	78	66	44	2
1971	94	19	2	1	2	4	3	5	17	13	17	11	-
1970	470	35	15	5	8	10	27	61	75	120	64	50	-
1969	677	58	12	10	10	18	34	85	131	178	90	51	-
1968	748	66	17	12	15	19	55	80	127	141	122	92	2
BLACK, MALE													
1978	108	11	1	4	1	5	5	6	10	24	29	12	-
1977	47	3	3	-	3	3	1	2	9	3	12	8	-
1976	148	2	2	2	4	3	5	17	23	38	39	13	-
1975	131	14	1	-	5	1	6	8	22	33	30	11	-
1974	74	3	2	2	1	1	7	4	13	20	12	9	-
1973	170	7	3	5	3	4	13	17	20	53	30	15	-
1972	194	16	8	-	6	2	10	24	34	42	38	14	-
1971	48	12	2	-	2	2	1	2	11	5	6	5	-
1970	247	18	12	2	3	3	13	32	40	65	41	18	-
1969	353	33	8	5	5	9	14	41	73	100	47	18	-
1968	359	37	13	4	6	6	19	46	70	66	59	32	1
BLACK, FEMALE													
1978	119	7	1	-	3	2	5	6	22	22	21	30	-
1977	67	3	2	1	1	3	3	2	15	12	11	14	-
1976	165	4	2	-	3	3	8	7	14	32	42	50	-
1975	123	2	-	3	1	1	6	14	22	34	27	13	-
1974	65	4	3	2	3	2	2	6	5	13	17	8	-
1973	191	12	1	3	3	7	13	17	27	43	34	31	-
1972	180	8	-	-	2	-	10	20	44	36	28	30	2
1971	46	7	-	1	-	2	2	3	6	8	11	6	-
1970	223	17	3	3	5	7	14	29	35	55	23	32	-
1969	324	25	4	5	5	9	20	44	58	78	43	33	-
1968	389	29	4	8	9	13	36	34	57	75	63	60	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486) BOTH SEXES													
1978	54,267	1,499	336	285	517	712	1,022	2,193	4,701	9,225	16,800	16,963	14
1977	49,889	1,665	359	328	507	651	1,009	2,197	4,351	8,335	15,757	14,716	14
1976	53,989	1,928	457	336	566	716	1,157	2,574	4,831	8,845	17,023	15,546	10
1975	51,387	2,171	509	328	643	730	1,144	2,469	4,961	8,915	16,059	13,451	7
1974	52,576	2,577	592	450	633	725	1,267	2,696	5,025	8,959	16,234	13,401	17
1973	57,428	3,510	773	504	717	828	1,455	3,222	5,611	9,875	17,449	13,471	13
1972	57,594	4,272	858	542	768	838	1,656	3,432	5,732	10,072	17,054	12,354	16
1971	55,690	5,358	951	532	805	819	1,554	3,085	5,382	9,228	15,829	12,127	20
1970	59,032	6,220	1,001	622	816	893	1,840	3,730	6,190	10,367	15,753	11,582	18
1969	62,394	7,015	1,134	701	778	907	1,912	3,666	6,321	10,814	16,874	12,247	25
1968	66,430	7,774	1,364	698	851	945	2,007	4,045	6,746	11,533	17,684	12,747	36
MALE													
1978	29,130	832	171	153	309	436	630	1,402	3,103	5,907	9,086	7,091	10
1977	27,109	959	205	160	306	399	624	1,431	2,920	5,351	8,553	6,191	10
1976	29,189	1,066	236	161	318	413	708	1,607	3,241	5,633	9,248	6,551	7
1975	28,514	1,208	260	159	393	406	690	1,657	3,314	5,711	8,955	5,757	4
1974	28,798	1,443	317	243	366	418	768	1,662	3,363	5,677	8,872	5,659	10
1973	31,816	1,990	414	257	430	493	859	2,056	3,731	6,319	9,629	5,628	10
1972	32,334	2,500	448	272	428	480	982	2,240	3,862	6,412	9,442	5,258	10
1971	30,913	3,101	511	257	471	466	909	1,950	3,596	5,813	8,646	5,181	12
1970	33,261	3,569	574	315	470	519	1,120	2,386	4,099	6,564	8,696	4,940	9
1969	34,852	4,025	627	359	445	489	1,131	2,376	4,171	6,876	9,171	5,170	12
1968	37,285	4,413	726	355	492	538	1,226	2,605	4,523	7,421	9,536	5,432	18

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486)													
FEMALE													
1978	25,137	667	165	132	208	276	392	791	1,598	3,318	7,714	9,872	4
1977	22,780	706	154	168	201	252	385	766	1,431	2,984	7,204	8,525	4
1976	24,800	862	221	175	248	303	449	967	1,590	3,212	7,775	8,995	3
1975	22,873	963	249	169	250	324	454	812	1,647	3,204	7,104	7,694	3
1974	23,778	1,134	275	207	267	307	499	1,034	1,662	3,282	7,362	7,742	7
1973	25,612	1,520	359	247	287	335	596	1,166	1,880	3,556	7,820	7,843	3
1972	25,260	1,772	410	270	340	358	674	1,192	1,870	3,660	7,612	7,096	6
1971	24,777	2,257	440	275	334	353	645	1,135	1,786	3,415	7,183	6,946	8
1970	25,771	2,651	427	307	346	374	720	1,344	2,091	3,803	7,057	6,642	9
1969	27,542	2,990	507	342	333	418	781	1,290	2,150	3,938	7,703	7,077	13
1968	29,145	3,361	638	343	359	407	781	1,440	2,223	4,112	8,148	7,315	18
WHITE, BOTH SEXES													
1978	47,632	947	227	215	376	454	654	1,544	3,780	7,959	15,416	16,049	11
1977	43,611	1,031	248	257	388	416	634	1,551	3,518	7,178	14,489	13,890	11
1976	47,116	1,203	299	262	419	462	739	1,860	3,887	7,647	15,620	14,712	6
1975	44,797	1,396	357	246	505	481	734	1,792	4,050	7,740	14,834	12,658	4
1974	45,711	1,617	393	358	510	483	804	1,976	4,109	7,683	15,079	12,691	8
1973	49,392	2,219	537	410	537	542	932	2,310	4,545	8,421	16,150	12,778	11
1972	49,356	2,678	602	440	592	528	1,056	2,512	4,684	8,658	15,846	11,746	14
1971	47,310	3,436	657	427	590	530	990	2,256	4,317	7,949	14,671	11,478	9
1970	49,573	3,923	661	475	599	587	1,185	2,705	4,973	8,851	14,610	10,991	13
1969	52,386	4,373	734	556	596	566	1,202	2,711	5,124	9,270	15,648	11,589	17
1968	55,225	4,744	843	516	661	583	1,233	2,977	5,383	9,897	16,370	11,995	23

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486)													
WHITE, MALE													
1978	25,032	526	115	115	233	281	384	954	2,459	5,056	8,260	6,642	7
1977	23,208	607	142	125	234	249	370	985	2,340	4,591	7,810	5,747	8
1976	25,005	661	156	126	243	266	444	1,129	2,577	4,844	8,418	6,136	5
1975	24,418	778	173	123	313	258	423	1,175	2,675	4,939	8,202	5,356	3
1974	24,599	896	218	194	301	263	464	1,176	2,713	4,876	8,177	5,316	5
1973	26,936	1,286	277	209	340	318	544	1,452	2,991	5,399	8,829	5,283	8
1972	27,280	1,624	328	226	342	286	610	1,600	3,126	5,460	8,690	4,978	10
1971	25,857	2,020	351	211	335	274	553	1,404	2,877	5,000	7,952	4,876	4
1970	27,563	2,295	373	245	351	329	707	1,689	3,285	5,623	8,020	4,639	7
1969	28,861	2,600	387	289	342	299	673	1,719	3,386	5,895	8,425	4,837	9
1968	30,675	2,780	455	270	377	321	738	1,900	3,628	6,385	8,745	5,066	10
WHITE, FEMALE													
1978	22,600	421	112	100	143	173	270	590	1,321	2,903	7,156	9,407	4
1977	20,403	424	106	132	154	167	264	566	1,178	2,587	6,679	8,143	3
1976	22,111	542	143	136	176	196	295	731	1,310	2,803	7,202	8,576	1
1975	20,379	618	184	123	192	223	311	617	1,375	2,801	6,632	7,302	1
1974	21,112	721	175	164	209	220	340	800	1,396	2,807	6,902	7,375	3
1973	22,456	933	260	201	197	224	388	858	1,554	3,022	7,321	7,495	3
1972	22,076	1,054	274	214	250	242	446	912	1,558	3,198	7,156	6,768	4
1971	21,453	1,416	306	216	255	256	437	852	1,440	2,949	6,719	6,602	5
1970	22,010	1,628	288	230	248	258	478	1,016	1,688	3,228	6,590	6,352	6
1969	23,525	1,773	347	267	254	267	529	992	1,738	3,375	7,223	6,752	8
1968	24,550	1,964	388	246	284	262	495	1,077	1,755	3,512	7,625	6,929	13

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486)													
ALL OTHER, BOTH SEXES													
1978	6,635	552	109	70	141	258	368	649	921	1,266	1,384	914	3
1977	6,278	634	111	71	119	235	375	646	833	1,157	1,268	826	3
1976	6,873	725	158	74	147	254	418	714	944	1,198	1,403	834	4
1975	6,590	775	152	82	138	249	410	677	911	1,175	1,225	793	3
1974	6,865	960	199	92	123	242	463	720	916	1,276	1,155	710	9
1973	8,036	1,291	236	94	180	286	523	912	1,066	1,454	1,299	693	2
1972	8,238	1,594	256	102	176	310	600	920	1,048	1,414	1,208	608	2
1971	8,380	1,922	294	105	215	289	564	829	1,065	1,279	1,158	649	11
1970	9,459	2,297	340	147	217	306	655	1,025	1,217	1,516	1,143	591	5
1969	10,008	2,642	400	145	182	341	710	955	1,197	1,544	1,226	658	8
1968	11,205	3,030	521	182	190	362	774	1,068	1,363	1,636	1,314	752	13
ALL OTHER, MALE													
1978	4,098	306	56	38	76	155	246	448	644	851	826	449	3
1977	3,901	352	63	35	72	150	254	446	580	760	743	444	2
1976	4,184	405	80	35	75	147	264	478	664	789	830	415	2
1975	4,096	430	87	36	80	148	267	482	639	772	753	401	1
1974	4,199	547	99	49	65	155	304	486	650	801	695	343	5
1973	4,880	704	137	48	90	175	315	604	740	920	800	345	2
1972	5,054	876	120	46	86	194	372	640	736	952	752	280	-
1971	5,056	1,081	160	46	136	192	356	546	719	813	694	305	8
1970	5,698	1,274	201	70	119	190	413	697	814	941	676	301	2
1969	5,991	1,425	240	70	103	190	458	657	785	981	746	333	3
1968	6,610	1,633	271	85	115	217	488	705	895	1,036	791	366	8
ALL OTHER, FEMALE													
1978	2,537	246	53	32	65	103	122	201	277	415	558	465	-
1977	2,377	282	48	36	47	85	121	200	253	397	525	382	1
1976	2,689	320	78	39	72	107	154	236	280	409	573	419	2
1975	2,494	345	65	46	58	101	143	195	272	403	472	392	2
1974	2,666	413	100	43	58	87	159	234	266	475	460	367	4
1973	3,156	587	99	46	90	111	208	308	326	534	499	348	-
1972	3,184	718	136	56	90	116	228	280	312	462	456	328	2
1971	3,324	841	134	59	79	97	208	283	346	466	464	344	3
1970	3,761	1,023	139	77	98	116	242	328	403	575	467	290	3
1969	4,017	1,217	160	75	79	151	252	298	412	563	480	325	5
1968	4,595	1,397	250	97	75	145	286	363	468	600	523	386	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486)													
BLACK, BOTH SEXES													
1978	6,068	513	98	63	128	240	351	618	867	1,179	1,228	780	3
1977	5,747	591	103	66	113	218	351	608	794	1,066	1,121	713	3
1976	6,324	671	142	70	133	232	391	676	894	1,125	1,274	712	4
1975	6,036	707	135	73	131	228	380	631	871	1,094	1,112	671	3
1974	6,384	904	186	85	118	231	438	695	872	1,201	1,053	593	8
1973	7,433	1,213	221	87	170	274	496	868	1,001	1,345	1,155	601	2
1972	7,694	1,488	238	96	168	286	590	894	1,002	1,326	1,098	506	2
1971	7,789	1,817	280	99	208	273	540	792	1,008	1,185	1,027	552	8
1970	8,884	2,180	328	137	209	291	633	984	1,157	1,420	1,033	508	4
1969	9,427	2,499	379	139	174	327	681	919	1,147	1,457	1,120	577	8
1968	10,568	2,873	490	171	176	347	746	1,032	1,317	1,560	1,193	651	12
BLACK, MALE													
1978	3,741	284	52	35	69	144	234	432	604	790	721	373	3
1977	3,544	324	59	33	68	140	238	423	551	689	650	367	2
1976	3,839	373	73	35	67	133	248	458	630	734	750	336	2
1975	3,758	400	79	34	76	134	249	452	613	710	680	330	1
1974	3,884	511	93	47	61	145	290	471	617	742	628	274	5
1973	4,484	662	130	44	84	167	299	578	696	840	699	283	2
1972	4,714	812	112	44	82	180	370	624	712	890	674	214	-
1971	4,675	1,016	154	45	133	181	343	519	680	747	607	244	6
1970	5,353	1,212	196	67	113	182	403	674	768	876	615	245	2
1969	5,629	1,354	226	68	100	181	440	632	752	921	668	284	3
1968	6,191	1,536	253	78	109	208	471	684	862	978	706	299	7
BLACK, FEMALE													
1978	2,327	229	46	28	59	96	117	186	263	389	507	407	-
1977	2,203	267	44	33	45	78	113	185	243	377	471	346	1
1976	2,485	298	69	35	66	99	143	218	264	391	524	376	2
1975	2,278	307	56	39	55	94	131	179	258	384	432	341	2
1974	2,500	393	93	38	57	86	148	224	255	459	425	319	3
1973	2,949	551	91	43	86	107	197	290	305	505	456	318	-
1972	2,980	676	126	52	86	106	220	270	290	436	424	292	2
1971	3,114	801	126	54	75	92	197	273	328	438	420	308	2
1970	3,531	968	132	70	96	109	230	310	389	544	418	263	2
1969	3,798	1,145	153	71	74	146	241	287	395	536	452	293	5
1968	4,377	1,337	237	93	67	139	275	348	455	582	487	352	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

80/03/19 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic obstructive pulmonary diseases and allied conditions 490-493, *519.3 BOTH SEXES													
1978	50,488	71	52	68	141	159	405	2,311	8,973	18,264	15,159	4,877	8
1977	46,325	72	49	72	119	135	425	2,234	8,359	16,754	13,954	4,145	7
1976	45,882	76	63	67	103	168	438	2,446	8,657	16,352	13,476	4,032	4
1975	43,061	103	76	74	133	197	476	2,400	8,487	15,435	12,392	3,284	4
1974	41,179	90	62	74	160	138	467	2,457	8,240	14,859	11,700	2,926	6
1973	41,042	101	72	90	145	161	544	2,515	8,475	14,567	11,417	2,951	4
1972	38,978	128	88	104	152	210	596	2,552	8,168	13,838	10,616	2,520	6
1971	36,605	132	101	108	148	190	607	2,634	7,813	12,791	9,731	2,347	3
1970	35,333	150	118	130	190	210	668	2,575	7,806	12,420	8,996	2,063	7
1969	33,848	160	117	111	176	217	672	2,546	7,486	11,776	8,569	2,012	6
1968	---	---	---	---	---	---	---	---	---	---	---	---	---
MALE													
1978	36,022	47	31	46	73	84	202	1,386	6,016	13,482	11,388	3,260	7
1977	34,011	47	34	37	74	74	234	1,420	5,871	12,645	10,707	2,862	6
1976	34,047	46	36	34	56	83	223	1,533	6,153	12,605	10,396	2,880	2
1975	32,363	68	44	41	79	104	243	1,495	6,089	12,086	9,773	2,338	3
1974	31,242	62	38	36	85	74	249	1,585	6,028	11,734	9,244	2,103	4
1973	31,545	72	46	51	75	79	266	1,639	6,390	11,696	9,161	2,067	3
1972	30,156	78	38	64	90	102	286	1,684	6,220	11,186	8,604	1,798	6
1971	28,523	83	58	53	76	82	331	1,721	6,055	10,507	7,885	1,671	1
1970	27,778	90	73	74	86	81	367	1,675	6,098	10,337	7,417	1,476	4
1969	26,862	88	64	66	94	94	387	1,730	5,968	9,966	7,042	1,358	5
1968	---	---	---	---	---	---	---	---	---	---	---	---	---

*519.3 Code introduced by NCHS in 1969

--- Data not available

Note: Panel tabulated separately from remainder of table

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

80/03/19 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic obstructive pulmonary diseases and allied conditions 490-493, *519.3													
FEMALE													
1978	14,466	24	21	22	68	75	203	925	2,957	4,782	3,771	1,617	1
1977	12,314	25	15	35	45	61	191	814	2,488	4,109	3,247	1,283	1
1976	11,835	30	27	33	47	85	215	913	2,504	3,747	3,080	1,152	2
1975	10,698	35	32	33	54	93	233	905	2,398	3,349	2,619	946	1
1974	9,937	28	24	38	75	64	218	872	2,212	3,125	2,456	823	2
1973	9,497	29	26	39	70	82	278	876	2,085	2,871	2,256	884	1
1972	8,822	50	50	40	62	108	310	868	1,948	2,652	2,012	722	-
1971	8,082	49	43	55	72	108	276	913	1,758	2,284	1,846	676	2
1970	7,555	60	45	56	104	129	301	900	1,708	2,083	1,579	587	3
1969	6,986	72	53	45	82	123	285	816	1,518	1,810	1,527	654	1
1968	---	---	---	---	---	---	---	---	---	---	---	---	---
WHITE, BOTH SEXES													
1978	47,218	51	32	52	99	100	297	1,973	8,208	17,269	14,487	4,644	6
1977	43,377	48	34	54	74	99	319	1,911	7,691	15,870	13,332	3,939	6
1976	42,973	56	43	51	69	117	334	2,100	7,967	15,496	12,889	3,848	3
1975	40,360	70	56	44	101	120	347	2,060	7,861	14,689	11,861	3,147	4
1974	38,601	59	47	47	104	98	331	2,169	7,628	14,040	11,275	2,799	4
1973	38,375	69	49	62	95	102	409	2,152	7,824	13,839	10,950	2,820	4
1972	36,328	82	60	62	102	160	444	2,188	7,524	13,156	10,142	2,402	6
1971	34,093	93	69	79	104	118	436	2,252	7,208	12,127	9,359	2,246	2
1970	32,807	100	79	89	113	134	491	2,245	7,158	11,804	8,624	1,966	4
1969	31,439	105	74	69	103	140	516	2,176	6,908	11,178	8,243	1,921	6
1968	---	---	---	---	---	---	---	---	---	---	---	---	---

*519.3 Code introduced by NCHS in 1969

--- Data not available

- Quantity zero

Note: Panel tabulated separately from remainder of table

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

80/03/19 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic obstructive pulmonary diseases and allied conditions 490-493, *519.3													
WHITE, MALE													
1978	33,593	35	17	35	51	56	141	1,156	5,466	12,656	10,874	3,100	6
1977	31,802	34	24	25	45	53	182	1,199	5,365	11,931	10,226	2,712	6
1976	31,851	34	26	27	35	60	163	1,302	5,641	11,906	9,916	2,740	1
1975	30,374	45	33	26	59	62	174	1,288	5,615	11,490	9,346	2,233	3
1974	29,281	42	27	24	57	55	171	1,391	5,550	11,059	8,899	2,003	3
1973	29,542	47	31	36	45	51	208	1,396	5,888	11,087	8,785	1,965	3
1972	28,172	50	28	46	64	82	212	1,426	5,722	10,610	8,208	1,718	6
1971	26,695	63	38	36	56	45	243	1,476	5,592	9,970	7,584	1,591	1
1970	25,921	58	50	51	48	53	269	1,469	5,584	9,827	7,108	1,402	2
1969	25,096	60	42	41	56	68	303	1,475	5,513	9,462	6,778	1,293	5
1968	---	---	---	---	---	---	---	---	---	---	---	---	---
WHITE, FEMALE													
1978	13,625	16	15	17	48	44	156	817	2,742	4,613	3,613	1,544	-
1977	11,575	14	10	29	29	46	137	712	2,326	3,939	3,106	1,227	-
1976	11,122	22	17	24	34	57	171	798	2,326	3,590	2,973	1,108	2
1975	9,986	25	23	18	42	58	173	772	2,246	3,199	2,515	914	1
1974	9,320	17	20	23	47	43	160	778	2,078	2,981	2,376	796	1
1973	8,833	22	18	26	50	51	201	756	1,936	2,752	2,165	855	1
1972	8,156	32	32	16	38	78	232	762	1,802	2,546	1,934	684	-
1971	7,398	30	31	43	48	73	193	776	1,616	2,157	1,775	655	1
1970	6,886	42	29	38	65	81	222	776	1,574	1,977	1,516	564	2
1969	6,343	45	32	28	47	72	213	701	1,395	1,716	1,465	628	1
1968	---	---	---	---	---	---	---	---	---	---	---	---	---

*519.3 Code introduced by NCHS in 1969

--- Data not available

- Quantity zero

Note: Panel tabulated separately from remainder of table

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

80/03/19 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic obstructive pulmonary diseases and allied conditions 490-493, *519.3													
ALL OTHER, BOTH SEXES													
1978	3,270	20	20	16	42	59	108	338	765	995	672	233	2
1977	2,948	24	15	18	45	36	106	323	668	884	622	206	1
1976	2,909	20	20	16	34	51	104	346	690	856	587	184	1
1975	2,701	33	20	30	32	77	129	340	626	746	531	137	-
1974	2,578	31	15	27	56	40	136	288	612	819	425	127	2
1973	2,667	32	23	28	50	59	135	363	651	728	467	131	-
1972	2,650	46	28	42	50	50	152	364	644	682	474	118	-
1971	2,512	39	32	29	44	72	171	382	605	664	372	101	1
1970	2,526	50	39	41	77	76	177	330	648	616	372	97	3
1969	2,409	55	43	42	73	77	156	370	578	598	326	91	-
1968	---	---	---	---	---	---	---	---	---	---	---	---	---
ALL OTHER, MALE													
1978	2,429	12	14	11	22	28	61	230	550	826	514	160	1
1977	2,209	13	10	12	29	21	52	221	506	714	481	150	-
1976	2,196	12	10	7	21	23	60	231	512	699	480	140	1
1975	1,989	23	11	15	20	42	69	207	474	596	427	105	-
1974	1,961	20	11	12	28	19	78	194	478	675	345	100	1
1973	2,003	25	15	15	30	28	58	243	502	609	376	102	-
1972	1,984	28	10	18	26	20	74	258	498	576	396	80	-
1971	1,828	20	20	17	20	37	88	245	463	537	301	80	-
1970	1,857	32	23	23	38	28	98	206	514	510	309	74	2
1969	1,766	28	22	25	38	26	84	255	455	504	264	65	-
1968	---	---	---	---	---	---	---	---	---	---	---	---	---

*519.3 Code introduced by NCHS in 1969

--- Data not available

- Quantity zero

Note: Panel tabulated separately from remainder of table

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

80/03/19 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic obstructive pulmonary diseases and allied conditions 490-493, *519.3													
ALL OTHER, FEMALE													
1978	841	8	6	5	20	31	47	108	215	169	158	73	1
1977	739	11	5	6	16	15	54	102	162	170	141	56	1
1976	713	8	10	9	13	28	44	115	178	157	107	44	-
1975	712	10	9	15	12	35	60	133	152	150	104	32	-
1974	617	11	4	15	28	21	58	94	134	144	80	27	1
1973	664	7	8	13	20	31	77	120	149	119	91	29	-
1972	666	18	18	24	24	30	78	106	146	106	78	38	-
1971	684	19	12	12	24	35	83	137	142	127	71	21	1
1970	669	18	16	18	39	48	79	124	134	106	63	23	1
1969	643	27	21	17	35	51	72	115	123	94	62	26	-
1968	---	---	---	---	---	---	---	---	---	---	---	---	---
BLACK, BOTH SEXES													
1978	---	---	---	---	---	---	---	---	---	---	---	---	---
1977	---	---	---	---	---	---	---	---	---	---	---	---	---
1976	---	---	---	---	---	---	---	---	---	---	---	---	---
1975	---	---	---	---	---	---	---	---	---	---	---	---	---
1974	---	---	---	---	---	---	---	---	---	---	---	---	---
1973	---	---	---	---	---	---	---	---	---	---	---	---	---
1972	---	---	---	---	---	---	---	---	---	---	---	---	---
1971	---	---	---	---	---	---	---	---	---	---	---	---	---
1970	---	---	---	---	---	---	---	---	---	---	---	---	---
1969	---	---	---	---	---	---	---	---	---	---	---	---	---
1968	---	---	---	---	---	---	---	---	---	---	---	---	---

*519.3 Code introduced by NCHS in 1969

--- Data not available

Note: Panel tabulated separately from remainder of table

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

80/03/19 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic obstructive pulmonary diseases and allied conditions 490-493, *519.3													
BLACK, MALE													
1978	---	---	---	---	---	---	---	---	---	---	---	---	---
1977	---	---	---	---	---	---	---	---	---	---	---	---	---
1976	---	---	---	---	---	---	---	---	---	---	---	---	---
1975	---	---	---	---	---	---	---	---	---	---	---	---	---
1974	---	---	---	---	---	---	---	---	---	---	---	---	---
1973	---	---	---	---	---	---	---	---	---	---	---	---	---
1972	---	---	---	---	---	---	---	---	---	---	---	---	---
1971	---	---	---	---	---	---	---	---	---	---	---	---	---
1970	---	---	---	---	---	---	---	---	---	---	---	---	---
1969	---	---	---	---	---	---	---	---	---	---	---	---	---
1968	---	---	---	---	---	---	---	---	---	---	---	---	---
BLACK, FEMALE													
1978	---	---	---	---	---	---	---	---	---	---	---	---	---
1977	---	---	---	---	---	---	---	---	---	---	---	---	---
1976	---	---	---	---	---	---	---	---	---	---	---	---	---
1975	---	---	---	---	---	---	---	---	---	---	---	---	---
1974	---	---	---	---	---	---	---	---	---	---	---	---	---
1973	---	---	---	---	---	---	---	---	---	---	---	---	---
1972	---	---	---	---	---	---	---	---	---	---	---	---	---
1971	---	---	---	---	---	---	---	---	---	---	---	---	---
1970	---	---	---	---	---	---	---	---	---	---	---	---	---
1969	---	---	---	---	---	---	---	---	---	---	---	---	---
1968	---	---	---	---	---	---	---	---	---	---	---	---	---

--- Data not available

Note: Panel tabulated separately from remainder of table

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BRONCHITIS, EMPHYSEMA, AND ASTHMAS (490-493)													
BOTH SEXES													
1978	21,875	68	49	63	130	141	265	1,163	4,080	7,652	6,286	1,974	4
1977	22,363	70	46	66	108	119	304	1,204	4,153	7,939	6,443	1,906	5
1976	24,410	71	61	58	96	149	310	1,423	4,617	8,618	6,872	2,133	2
1975	25,468	97	70	68	120	177	356	1,528	5,018	9,067	7,062	1,901	4
1974	26,880	84	57	70	148	128	389	1,664	5,331	9,608	7,507	1,890	4
1973	29,708	96	70	86	140	152	452	1,824	6,042	10,492	8,180	2,171	3
1972	30,768	126	86	96	148	198	520	2,068	6,400	10,874	8,236	2,012	4
1971	30,284	124	96	105	144	185	526	2,182	6,393	10,537	8,035	1,954	3
1970	30,889	146	118	129	188	201	613	2,260	6,725	10,769	7,902	1,831	7
1969	31,144	158	116	110	175	213	631	2,328	6,835	10,791	7,893	1,889	5
1968	33,078	175	129	133	176	242	675	2,468	7,388	11,502	8,271	1,917	2
MALE													
1978	15,255	47	30	44	67	73	125	663	2,671	5,619	4,665	1,248	3
1977	16,107	45	31	35	69	64	157	745	2,858	5,965	4,883	1,251	4
1976	17,784	44	34	30	52	72	147	855	3,234	6,646	5,228	1,441	1
1975	18,952	64	40	36	70	92	177	925	3,553	7,128	5,530	1,334	3
1974	20,170	57	34	34	76	70	200	1,051	3,846	7,569	5,910	1,320	3
1973	22,740	68	45	49	72	76	214	1,184	4,520	8,444	6,552	1,514	2
1972	23,646	76	36	58	86	92	248	1,356	4,850	8,768	6,672	1,400	4
1971	23,471	79	55	50	73	80	279	1,409	4,920	8,643	6,515	1,367	1
1970	24,177	86	73	73	84	79	327	1,463	5,232	8,959	6,501	1,296	4
1969	24,670	86	63	66	93	92	358	1,574	5,439	9,154	6,478	1,263	4
1968	26,262	98	71	67	78	102	368	1,709	5,884	9,776	6,795	1,313	1

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BRONCHITIS, EMPHYSEMA, AND ASTHMAS (490-493)													
FEMALE													
1978	6,620	21	19	19	63	68	140	500	1,409	2,033	1,621	726	1
1977	6,256	25	15	31	39	55	147	459	1,295	1,974	1,560	655	1
1976	6,626	27	27	28	44	77	163	568	1,383	1,972	1,644	692	1
1975	6,516	33	30	32	50	85	179	603	1,465	1,939	1,532	567	1
1974	6,710	27	23	36	72	58	189	613	1,485	2,039	1,597	570	1
1973	6,968	28	25	37	68	76	238	640	1,522	2,048	1,628	657	1
1972	7,122	50	50	38	62	106	272	712	1,550	2,106	1,564	612	-
1971	6,813	45	41	55	71	105	247	773	1,473	1,894	1,520	587	2
1970	6,712	60	45	56	104	122	286	797	1,493	1,810	1,401	535	3
1969	6,474	72	53	44	82	121	273	754	1,396	1,637	1,415	626	1
1968	6,816	77	58	66	98	140	307	759	1,504	1,726	1,476	604	1
WHITE, BOTH SEXES													
1978	20,401	49	29	48	91	85	190	979	3,734	7,271	6,036	1,887	2
1977	20,923	46	33	49	64	88	225	1,025	3,830	7,552	6,177	1,830	4
1976	22,852	52	41	43	64	101	239	1,217	4,248	8,184	6,613	2,048	2
1975	23,831	69	53	40	89	105	254	1,298	4,654	8,654	6,781	1,830	4
1974	25,237	54	43	45	93	89	269	1,472	4,966	9,133	7,253	1,818	2
1973	27,829	65	48	58	90	95	338	1,562	5,589	10,024	7,873	2,084	3
1972	28,792	80	58	54	98	148	390	1,792	5,948	10,394	7,908	1,918	4
1971	28,282	89	64	77	100	115	375	1,866	5,932	10,034	7,755	1,873	2
1970	28,751	97	79	88	111	127	446	1,975	6,203	10,276	7,595	1,750	4
1969	28,966	103	73	68	102	137	482	1,996	6,314	10,263	7,611	1,812	5
1968	30,689	127	90	89	111	150	471	2,067	6,826	10,965	7,950	1,841	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BRONCHITIS, EMPHYSEMA, AND ASTHMAS (490-493)													
WHITE, MALE													
1978	14,228	35	16	34	47	48	83	545	2,433	5,306	4,480	1,199	2
1977	15,084	32	23	23	41	48	122	622	2,620	5,664	4,687	1,198	4
1976	16,667	32	24	23	32	51	109	723	2,973	6,298	5,022	1,379	1
1975	17,801	44	31	22	51	52	127	794	3,281	6,807	5,308	1,281	3
1974	18,966	38	24	24	48	51	137	922	3,565	7,182	5,708	1,265	2
1973	21,365	43	30	34	42	50	170	1,010	4,174	8,060	6,303	1,447	2
1972	22,228	48	26	40	60	72	186	1,172	4,510	8,374	6,398	1,338	4
1971	22,048	61	35	34	53	44	207	1,210	4,567	8,240	6,292	1,304	1
1970	22,650	55	50	50	46	51	236	1,291	4,827	8,558	6,248	1,236	2
1969	23,096	58	41	41	55	67	279	1,347	5,036	8,711	6,249	1,208	4
1968	24,536	72	51	45	49	64	261	1,425	5,451	9,327	6,527	1,263	1
WHITE, FEMALE													
1978	6,173	14	13	14	44	37	107	434	1,301	1,965	1,556	688	-
1977	5,839	14	10	26	23	40	103	403	1,210	1,888	1,490	632	-
1976	6,185	20	17	20	32	50	130	494	1,275	1,886	1,591	669	1
1975	6,030	25	22	18	38	53	127	504	1,373	1,847	1,473	549	1
1974	6,271	16	19	21	45	38	132	550	1,401	1,951	1,545	553	-
1973	6,464	22	18	24	48	45	168	552	1,415	1,964	1,570	637	1
1972	6,564	32	32	14	38	76	204	620	1,438	2,020	1,510	580	-
1971	6,234	28	29	43	47	71	168	656	1,365	1,794	1,463	569	1
1970	6,101	42	29	38	65	76	210	684	1,376	1,718	1,347	514	2
1969	5,870	45	32	27	47	70	203	649	1,278	1,552	1,362	604	1
1968	6,153	55	39	44	62	86	210	642	1,375	1,638	1,423	578	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BRONCHITIS, EMPHYSEMA, AND ASTHMAS (490-493)													
ALL OTHER, BOTH SEXES													
1978	1,474	19	20	15	39	56	75	184	346	381	250	87	2
1977	1,440	24	13	17	44	31	79	179	323	387	266	76	1
1976	1,558	19	20	15	32	48	71	206	369	434	259	85	-
1975	1,637	28	17	28	31	72	102	230	364	413	281	71	-
1974	1,643	30	14	25	55	39	120	192	365	475	254	72	2
1973	1,879	31	22	28	50	57	114	262	453	468	307	87	-
1972	1,976	46	28	42	50	50	130	276	452	480	328	94	-
1971	2,002	35	32	28	44	70	151	316	461	503	280	81	1
1970	2,138	49	39	41	77	74	167	285	522	493	307	81	3
1969	2,178	55	43	42	73	76	149	332	521	528	282	77	-
1968	2,389	48	39	44	65	92	204	401	562	537	321	76	-
ALL OTHER, MALE													
1978	1,027	12	14	10	20	25	42	118	238	313	185	49	1
1977	1,023	13	8	12	28	16	35	123	238	301	196	53	-
1976	1,117	12	10	7	20	21	38	132	261	348	206	62	-
1975	1,151	20	9	14	19	40	50	131	272	321	222	53	-
1974	1,204	19	10	10	28	19	63	129	281	387	202	55	1
1973	1,375	25	15	15	30	26	44	174	346	384	249	67	-
1972	1,418	28	10	18	26	20	62	184	340	394	274	62	-
1971	1,423	18	20	16	20	36	72	199	353	403	223	63	-
1970	1,527	31	23	23	38	28	91	172	405	401	253	60	2
1969	1,574	28	22	25	38	25	79	227	403	443	229	55	-
1968	1,726	26	20	22	29	38	107	284	433	449	268	50	-
ALL OTHER, FEMALE													
1978	447	7	6	5	19	31	33	66	108	68	65	38	1
1977	417	11	5	5	16	15	44	56	85	86	70	23	1
1976	441	7	10	8	12	27	33	74	108	86	53	23	-
1975	486	8	8	14	12	32	52	99	92	92	59	18	-
1974	439	11	4	15	27	20	57	63	84	88	52	17	1
1973	504	6	7	13	20	31	70	88	107	84	58	20	-
1972	558	18	18	24	24	30	68	92	112	86	54	32	-
1971	579	17	12	12	24	34	79	117	108	100	57	18	1
1970	611	18	16	18	39	46	76	113	117	92	54	21	1
1969	604	27	21	17	35	51	70	105	118	85	53	22	-
1968	663	22	19	22	36	54	97	117	129	88	53	26	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BRONCHITIS, EMPHYSEMA, AND ASTHMAS (490-493)													
BLACK, BOTH SEXES													
1978	1,341	19	20	13	35	53	72	175	330	338	208	76	2
1977	1,327	21	11	15	40	30	78	172	306	359	236	59	-
1976	1,446	16	19	15	30	46	67	199	349	402	228	75	-
1975	1,509	23	16	24	30	67	99	217	349	382	249	53	-
1974	1,507	25	14	25	53	39	117	184	348	432	215	53	2
1973	1,724	27	22	28	46	55	108	254	426	431	265	62	-
1972	1,846	42	26	40	50	48	126	270	426	450	296	72	-
1971	1,856	32	30	26	41	66	145	295	437	467	248	68	1
1970	1,983	44	37	38	70	71	158	276	503	457	263	63	3
1969	2,019	53	37	39	68	73	138	318	500	484	247	62	-
1968	2,211	43	39	37	62	85	189	378	537	496	282	63	-
BLACK, MALE													
1978	931	12	14	8	19	23	42	112	226	276	156	42	1
1977	945	12	7	10	26	16	34	118	229	278	178	37	-
1976	1,031	10	9	7	19	20	35	127	247	324	181	52	-
1975	1,064	17	9	12	18	37	49	123	262	298	202	37	-
1974	1,102	15	10	10	26	19	62	126	268	354	172	39	1
1973	1,252	21	15	15	29	25	42	169	322	354	211	49	-
1972	1,318	26	10	16	26	20	58	180	322	370	246	44	-
1971	1,321	16	18	15	19	34	70	189	334	375	199	52	-
1970	1,415	29	22	23	34	26	88	166	392	371	218	44	2
1969	1,455	27	20	24	34	25	71	220	386	403	202	43	-
1968	1,598	24	20	20	28	35	99	271	412	418	231	40	-
BLACK, FEMALE													
1978	410	7	6	5	16	30	30	63	104	62	52	34	1
1977	382	9	4	5	14	14	44	54	77	81	58	22	-
1976	415	6	10	8	11	26	32	72	102	78	47	23	-
1975	445	6	7	12	12	30	50	94	87	84	47	16	-
1974	405	10	4	15	27	20	55	58	80	78	43	14	1
1973	472	6	7	13	17	30	66	85	104	77	54	13	-
1972	528	16	16	24	24	28	68	90	104	80	50	28	-
1971	535	16	12	11	22	32	75	106	103	92	49	16	1
1970	568	15	15	15	36	45	70	110	111	86	45	19	1
1969	564	26	17	15	34	48	67	98	114	81	45	19	-
1968	613	19	19	17	34	50	90	107	125	78	51	23	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491) BOTH SEXES													
1978	4,376	55	32	21	24	37	43	193	738	1,395	1,267	570	1
1977	4,313	52	32	24	31	25	48	220	726	1,403	1,213	538	1
1976	4,639	56	39	18	15	24	46	267	810	1,453	1,316	595	-
1975	4,712	75	49	27	20	28	57	248	883	1,497	1,325	501	2
1974	5,097	73	30	23	37	25	72	302	918	1,630	1,482	505	-
1973	5,547	67	47	32	22	30	84	303	1,011	1,735	1,603	613	-
1972	5,862	100	48	34	28	44	112	396	1,078	1,950	1,544	526	2
1971	5,591	93	60	33	30	32	94	342	1,099	1,768	1,533	506	1
1970	5,846	115	73	36	42	31	103	425	1,175	1,793	1,573	480	-
1969	5,843	121	72	32	36	32	104	431	1,118	1,830	1,541	525	1
1968	6,205	145	78	33	27	30	99	414	1,267	1,945	1,631	536	-
MALE													
1978	2,763	38	20	16	15	25	19	92	459	943	837	299	-
1977	2,785	30	20	9	26	9	21	131	464	985	821	269	-
1976	3,114	33	21	9	11	14	24	158	544	1,055	910	335	-
1975	3,260	47	29	16	11	16	28	142	599	1,101	946	324	1
1974	3,561	50	18	15	17	16	32	190	611	1,238	1,063	311	-
1973	3,911	49	28	22	13	21	46	175	714	1,293	1,182	368	-
1972	4,214	58	16	22	18	26	64	258	804	1,464	1,166	316	2
1971	4,065	55	33	15	24	17	56	213	815	1,373	1,154	310	-
1970	4,282	66	47	26	22	17	60	252	877	1,409	1,216	290	-
1969	4,350	66	41	19	21	17	71	291	864	1,480	1,174	305	1
1968	4,594	81	41	15	19	15	56	282	964	1,544	1,249	328	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)													
FEMALE													
1978	1,613	17	12	5	9	12	24	101	279	452	430	271	1
1977	1,528	22	12	15	5	16	27	89	262	418	392	269	1
1976	1,525	23	18	9	4	10	22	109	266	398	406	260	-
1975	1,452	28	20	11	9	12	29	106	284	396	379	177	1
1974	1,536	23	12	8	20	9	40	112	307	392	419	194	-
1973	1,636	18	19	10	9	9	38	128	297	442	421	245	-
1972	1,648	42	32	12	10	18	48	138	274	486	378	210	-
1971	1,526	38	27	18	6	15	38	129	284	395	379	196	1
1970	1,564	49	26	10	20	14	43	173	298	384	357	190	-
1969	1,493	55	31	13	15	15	33	140	254	350	367	220	-
1968	1,611	64	37	18	8	15	43	132	303	401	382	208	-
WHITE, BOTH SEXES													
1978	4,121	41	21	16	20	26	35	164	686	1,336	1,225	551	-
1977	4,057	32	26	21	21	22	37	199	679	1,337	1,165	518	-
1976	4,364	43	27	17	13	21	37	228	745	1,380	1,271	582	-
1975	4,449	54	41	20	18	16	46	229	828	1,428	1,284	483	2
1974	4,772	46	25	19	25	23	53	277	848	1,532	1,435	489	-
1973	5,203	46	33	26	18	22	63	260	934	1,674	1,539	588	-
1972	5,450	64	36	22	22	40	90	342	996	1,846	1,496	494	2
1971	5,224	66	45	27	23	21	66	302	1,024	1,689	1,477	483	1
1970	5,455	75	54	33	30	27	84	379	1,074	1,719	1,520	460	-
1969	5,446	78	49	30	30	22	94	375	1,032	1,745	1,482	508	1
1968	5,756	106	55	27	19	20	69	356	1,166	1,852	1,572	514	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)													
WHITE, MALE													
1978	2,602	30	13	13	14	17	15	77	425	899	807	292	-
1977	2,612	20	16	7	18	9	14	118	429	941	785	255	-
1976	2,914	24	15	8	10	12	17	127	500	999	876	326	-
1975	3,070	32	25	11	10	10	22	129	555	1,047	915	313	1
1974	3,327	33	13	11	13	15	21	170	559	1,164	1,031	297	-
1973	3,658	32	19	17	11	14	33	149	657	1,245	1,131	350	-
1972	3,934	40	14	16	18	26	50	218	738	1,388	1,126	298	2
1971	3,816	42	25	12	19	9	39	187	758	1,317	1,111	297	-
1970	3,997	41	33	23	16	13	52	218	803	1,348	1,175	275	-
1969	4,060	44	29	17	18	13	62	251	794	1,413	1,125	293	1
1968	4,267	59	28	11	13	10	40	239	884	1,467	1,204	312	-
WHITE, FEMALE													
1978	1,519	11	8	3	6	9	20	87	261	437	418	259	-
1977	1,445	12	10	14	3	13	23	81	250	396	380	263	-
1976	1,450	19	12	9	3	9	20	101	245	381	395	256	-
1975	1,379	22	16	9	8	6	24	100	273	381	369	170	1
1974	1,445	13	12	8	12	8	32	107	289	368	404	192	-
1973	1,545	14	14	9	7	8	30	111	277	429	408	238	-
1972	1,516	24	22	6	4	14	40	124	258	458	370	196	-
1971	1,408	24	20	15	4	12	27	115	266	372	366	186	1
1970	1,458	34	21	10	14	14	32	161	271	371	345	185	-
1969	1,386	34	20	13	12	9	32	124	238	332	357	215	-
1968	1,489	47	27	16	6	10	29	117	282	385	368	202	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)													
ALL OTHER, BOTH SEXES													
1978	255	14	11	5	4	11	8	29	52	59	42	19	1
1977	256	20	6	3	10	3	11	21	47	66	48	20	1
1976	275	13	12	1	2	3	9	39	65	73	45	13	-
1975	263	21	8	7	2	12	11	19	55	69	41	18	-
1974	325	27	5	4	12	2	19	25	70	98	47	16	-
1973	344	21	14	6	4	8	21	43	77	61	64	25	-
1972	412	36	12	12	6	4	22	54	82	104	48	32	-
1971	367	27	15	6	7	11	28	40	75	79	56	23	-
1970	391	40	19	3	12	4	19	46	101	74	53	20	-
1969	397	43	23	2	6	10	10	56	86	85	59	17	-
1968	449	39	23	6	8	10	30	58	101	93	59	22	-
ALL OTHER, MALE													
1978	161	8	7	3	1	8	4	15	34	44	30	7	-
1977	173	10	4	2	8	-	7	13	35	44	36	14	-
1976	200	9	6	1	1	2	7	31	44	56	34	9	-
1975	190	15	4	5	1	6	6	13	44	54	31	11	-
1974	234	17	5	4	4	1	11	20	52	74	32	14	-
1973	253	17	9	5	2	7	13	26	57	48	51	18	-
1972	280	18	2	6	-	-	14	40	66	76	40	18	-
1971	249	13	8	3	5	8	17	26	57	56	43	13	-
1970	285	25	14	3	6	4	8	34	74	61	41	15	-
1969	290	22	12	2	3	4	9	40	70	67	49	12	-
1968	327	22	13	4	6	5	16	43	80	77	45	16	-
ALL OTHER, FEMALE													
1978	94	6	4	2	3	3	4	14	18	15	12	12	1
1977	83	10	2	1	2	3	4	8	12	22	12	6	1
1976	75	4	6	-	1	1	2	8	21	17	11	4	-
1975	73	6	4	2	1	6	5	6	11	15	10	7	-
1974	91	10	-	-	8	1	8	5	18	24	15	2	-
1973	91	4	5	1	2	1	8	17	20	13	13	7	-
1972	132	18	10	6	6	4	8	14	16	28	8	14	-
1971	118	14	7	3	2	3	11	14	18	23	13	10	-
1970	106	15	5	-	6	-	11	12	27	13	12	5	-
1969	107	21	11	-	3	6	1	16	16	18	10	5	-
1968	122	17	10	2	2	5	14	15	21	16	14	6	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)													
BLACK, BOTH SEXES													
1978	223	14	11	4	4	11	8	26	51	50	30	13	1
1977	231	17	5	2	8	3	11	19	42	65	46	13	-
1976	246	10	12	1	2	3	8	36	62	66	37	9	-
1975	236	17	7	6	2	10	11	17	55	63	35	13	-
1974	284	23	5	4	12	2	18	25	67	82	36	10	-
1973	299	17	14	6	3	8	20	43	72	54	49	13	-
1972	378	32	10	12	6	4	22	52	70	100	48	22	-
1971	342	25	14	6	7	11	27	39	69	74	53	17	-
1970	350	35	18	3	11	4	17	44	96	69	41	12	-
1969	362	41	19	2	4	10	9	51	84	77	50	15	-
1968	413	34	23	5	8	9	27	56	100	82	52	17	-
BLACK, MALE													
1978	138	8	7	2	1	8	4	14	33	36	22	3	-
1977	154	9	3	1	6	-	7	12	32	43	34	7	-
1976	177	7	6	1	1	2	6	28	41	52	28	5	-
1975	171	13	4	4	1	4	6	13	44	48	28	6	-
1974	205	14	5	4	4	1	11	20	49	64	25	8	-
1973	216	13	9	5	1	7	12	26	54	43	36	10	-
1972	258	16	2	6	-	-	14	38	56	76	40	10	-
1971	230	12	7	3	5	8	16	25	52	52	41	9	-
1970	256	23	13	3	5	4	8	32	72	56	31	9	-
1969	266	21	10	2	2	4	8	38	68	60	43	10	-
1968	301	20	13	4	6	4	14	42	79	68	39	12	-
BLACK, FEMALE													
1978	85	6	4	2	3	3	4	12	18	14	8	10	1
1977	77	8	2	1	2	3	4	7	10	22	12	6	-
1976	69	3	6	-	1	1	2	8	21	14	9	4	-
1975	65	4	3	2	1	6	5	4	11	15	7	7	-
1974	79	9	-	-	8	1	7	5	18	18	11	2	-
1973	83	4	5	1	2	1	8	17	18	11	13	3	-
1972	120	16	8	6	6	4	8	14	14	24	8	12	-
1971	112	13	7	3	2	3	11	14	17	22	12	8	-
1970	94	12	5	-	6	-	9	12	24	13	10	3	-
1969	96	20	9	-	2	6	1	13	16	17	7	5	-
1968	112	14	10	1	2	5	13	14	21	14	13	5	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
BOTH SEXES													
1978	15,627	8	2	2	5	13	110	757	2,974	5,807	4,672	1,274	3
1977	16,376	14	1	5	5	20	134	792	3,123	6,092	4,908	1,278	4
1976	17,796	11	2	1	11	29	131	898	3,366	6,685	5,227	1,433	2
1975	18,795	15	2	5	19	29	159	1,006	3,711	7,127	5,409	1,311	2
1974	19,907	9	6	8	15	27	177	1,096	4,000	7,545	5,714	1,306	4
1973	22,249	17	3	2	14	28	193	1,229	4,636	8,348	6,301	1,475	3
1972	22,580	16	8	6	18	36	196	1,326	4,802	8,428	6,344	1,398	2
1971	22,539	18	10	9	17	35	234	1,476	4,845	8,306	6,228	1,360	1
1970	22,721	18	3	9	16	42	276	1,445	5,055	8,543	6,033	1,275	6
1969	22,939	19	7	7	26	46	298	1,524	5,186	8,496	6,039	1,287	4
1968	24,185	19	4	15	14	45	326	1,618	5,551	9,017	6,290	1,284	2
MALE													
1978	11,755	4	1	1	4	9	72	490	2,087	4,483	3,692	909	3
1977	12,594	11	1	2	4	15	98	532	2,258	4,782	3,941	946	4
1976	13,850	9	1	-	6	18	80	612	2,510	5,361	4,183	1,069	1
1975	14,849	11	2	3	15	13	98	688	2,769	5,809	4,456	983	2
1974	15,794	6	2	2	12	17	124	760	3,052	6,132	4,706	978	3
1973	18,010	11	3	1	8	18	121	883	3,638	6,954	5,252	1,119	2
1972	18,428	8	4	4	10	28	112	962	3,822	7,068	5,352	1,056	2
1971	18,502	13	6	5	10	25	161	1,049	3,920	7,052	5,242	1,018	1
1970	18,901	12	1	5	9	23	182	1,065	4,132	7,350	5,149	970	3
1969	19,244	9	4	4	17	28	203	1,146	4,326	7,435	5,139	930	3
1968	20,434	12	3	8	8	32	218	1,234	4,642	7,947	5,382	947	1

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
FEMALE													
1978	3,872	4	1	1	1	4	38	267	887	1,324	980	365	-
1977	3,782	3	-	3	1	5	36	260	865	1,310	967	332	-
1976	3,946	2	1	1	5	11	51	286	856	1,324	1,044	364	1
1975	3,946	4	-	2	4	16	61	318	942	1,318	953	328	-
1974	4,113	3	4	6	3	10	53	336	948	1,413	1,008	328	1
1973	4,239	6	-	1	6	10	72	346	998	1,394	1,049	356	1
1972	4,152	8	4	2	8	8	84	364	980	1,360	992	342	-
1971	4,037	5	4	4	7	10	73	427	925	1,254	986	342	-
1970	3,820	6	2	4	7	19	94	380	923	1,193	884	305	3
1969	3,695	10	3	3	9	18	95	378	860	1,061	900	357	1
1968	3,751	7	1	7	6	13	108	384	909	1,070	908	337	1
WHITE, BOTH SEXES													
1978	14,792	5	2	2	3	11	86	667	2,751	5,540	4,507	1,216	2
1977	15,557	12	1	5	4	14	113	696	2,913	5,836	4,731	1,228	4
1976	16,936	7	2	1	9	21	113	807	3,160	6,393	5,047	1,374	2
1975	17,867	11	2	4	15	23	121	884	3,499	6,844	5,196	1,266	2
1974	18,990	7	6	4	12	21	137	1,005	3,788	7,226	5,527	1,255	2
1973	21,169	12	2	2	10	19	166	1,105	4,341	8,007	6,082	1,420	3
1972	21,510	10	6	4	14	24	160	1,202	4,538	8,116	6,096	1,338	2
1971	21,411	13	6	8	12	25	191	1,310	4,556	7,948	6,034	1,307	1
1970	21,559	13	1	5	8	31	220	1,318	4,746	8,190	5,806	1,217	4
1969	21,765	12	5	5	19	38	241	1,361	4,875	8,129	5,844	1,232	4
1968	22,929	15	3	10	9	36	264	1,417	5,220	8,649	6,067	1,237	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
WHITE, MALE													
1978	11,070	2	1	1	2	8	52	416	1,912	4,248	3,556	870	2
1977	11,911	10	1	2	3	10	82	453	2,084	4,557	3,795	910	4
1976	13,128	7	1	-	5	13	65	538	2,341	5,110	4,025	1,022	1
1975	14,092	8	2	3	11	11	74	596	2,584	5,578	4,277	946	2
1974	15,011	4	2	2	10	14	91	682	2,866	5,853	4,545	940	2
1973	17,100	7	2	1	4	13	102	782	3,392	6,658	5,065	1,072	2
1972	17,528	2	4	2	10	16	92	858	3,594	6,796	5,138	1,014	2
1971	17,553	10	3	4	7	15	131	926	3,666	6,742	5,076	972	1
1970	17,919	9	1	3	3	16	139	965	3,860	7,043	4,952	926	2
1969	18,243	7	2	3	11	26	164	1,011	4,056	7,100	4,972	888	3
1968	19,361	9	3	5	6	23	174	1,063	4,361	7,616	5,184	916	1
WHITE, FEMALE													
1978	3,722	3	1	1	1	3	34	251	839	1,292	951	346	-
1977	3,646	2	-	3	1	4	31	243	829	1,279	936	318	-
1976	3,808	-	1	1	4	8	48	269	819	1,283	1,022	352	1
1975	3,775	3	-	1	4	12	47	288	915	1,266	919	320	-
1974	3,979	3	4	2	2	7	46	323	922	1,373	982	315	-
1973	4,069	5	-	1	6	6	64	323	949	1,349	1,017	348	1
1972	3,982	8	2	2	4	8	68	344	944	1,320	958	324	-
1971	3,858	3	3	4	5	10	60	384	890	1,206	958	335	-
1970	3,640	4	-	2	5	15	81	353	886	1,147	854	291	2
1969	3,522	5	3	2	8	12	77	350	819	1,029	872	344	1
1968	3,568	6	-	5	3	13	90	354	859	1,033	883	321	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
ALL OTHER, BOTH SEXES													
1978	835	3	-	-	2	2	24	90	223	267	165	58	1
1977	819	2	-	-	1	6	21	96	210	256	177	50	-
1976	860	4	-	-	2	8	18	91	206	292	180	59	-
1975	928	4	-	1	4	6	38	122	212	283	213	45	-
1974	917	2	-	4	3	6	40	91	212	319	187	51	2
1973	1,080	5	1	-	4	9	27	124	295	341	219	55	-
1972	1,070	6	2	2	4	12	36	124	264	312	248	60	-
1971	1,128	5	4	1	5	10	43	166	289	358	194	53	-
1970	1,162	5	2	4	8	11	56	127	309	353	227	58	2
1969	1,174	7	2	2	7	8	57	163	311	367	195	55	-
1968	1,256	4	1	5	5	9	62	201	331	368	223	47	-
ALL OTHER, MALE													
1978	685	2	-	-	2	1	20	74	175	235	136	39	1
1977	683	1	-	-	1	5	16	79	174	225	146	36	-
1976	722	2	-	-	1	5	15	74	169	251	158	47	-
1975	757	3	-	-	4	2	24	92	185	231	179	37	-
1974	783	2	-	-	2	3	33	78	186	279	161	38	1
1973	910	4	1	-	4	5	19	101	246	296	187	47	-
1972	900	6	-	2	-	12	20	104	228	272	214	42	-
1971	949	3	3	1	3	10	30	123	254	310	166	46	-
1970	982	3	-	2	6	7	43	100	272	307	197	44	1
1969	1,001	2	2	1	6	2	39	135	270	335	167	42	-
1968	1,073	3	-	3	2	9	44	171	281	331	198	31	-
ALL OTHER, FEMALE													
1978	150	1	-	-	-	1	4	16	48	32	29	19	-
1977	136	1	-	-	-	1	5	17	36	31	31	14	-
1976	138	2	-	-	1	3	3	17	37	41	22	12	-
1975	171	1	-	1	-	4	14	30	27	52	34	8	-
1974	134	-	-	4	1	3	7	13	26	40	26	13	1
1973	170	1	-	-	-	4	8	23	49	45	32	8	-
1972	170	-	2	-	4	-	16	20	36	40	34	18	-
1971	179	2	1	-	2	-	13	43	35	48	28	7	-
1970	180	2	2	2	2	4	13	27	37	46	30	14	1
1969	173	5	-	1	1	6	18	28	41	32	28	13	-
1968	183	1	1	2	3	-	18	30	50	37	25	16	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
BLACK, BOTH SEXES													
1978	765	3	-	-	2	2	24	86	212	240	140	55	1
1977	755	2	-	-	1	6	20	92	201	237	156	40	-
1976	801	4	-	-	2	8	16	88	195	272	161	55	-
1975	858	3	-	1	4	6	37	115	203	262	192	35	-
1974	844	1	-	4	3	6	39	87	205	299	159	39	2
1973	992	5	1	-	4	9	25	119	276	316	194	43	-
1972	996	6	2	-	4	12	36	122	254	294	218	48	-
1971	1,046	5	4	1	4	9	41	156	277	336	167	46	-
1970	1,077	5	2	3	8	11	52	122	300	327	197	48	2
1969	1,083	7	2	2	7	8	53	156	297	336	171	44	-
1968	1,158	4	1	2	5	9	58	190	309	345	194	41	-
BLACK, MALE													
1978	626	2	-	-	2	1	20	71	165	210	117	37	1
1977	635	1	-	-	1	5	15	76	170	209	131	27	-
1976	673	2	-	-	1	5	14	72	161	234	141	43	-
1975	701	2	-	-	4	2	23	86	177	215	164	28	-
1974	722	1	-	-	2	3	32	75	180	261	138	29	1
1973	834	4	1	-	4	5	18	97	228	274	166	37	-
1972	836	6	-	-	-	12	20	102	222	254	188	32	-
1971	885	3	3	1	2	9	30	119	243	292	144	39	-
1970	913	3	-	2	6	7	40	97	264	285	174	34	1
1969	923	2	2	1	6	2	36	130	257	307	147	33	-
1968	993	3	-	2	2	9	41	165	263	313	169	26	-
BLACK, FEMALE													
1978	139	1	-	-	-	1	4	15	47	30	23	18	-
1977	120	1	-	-	-	1	5	16	31	28	25	13	-
1976	128	2	-	-	1	3	2	16	34	38	20	12	-
1975	157	1	-	1	-	4	14	29	26	47	28	7	-
1974	122	-	-	4	1	3	7	12	25	38	21	10	1
1973	158	1	-	-	-	4	7	22	48	42	28	6	-
1972	160	-	2	-	4	-	16	20	32	40	30	16	-
1971	161	2	1	-	2	-	11	37	34	44	23	7	-
1970	164	2	2	1	2	4	12	25	36	42	23	14	1
1969	160	5	-	1	1	6	17	26	40	29	24	11	-
1968	165	1	1	-	3	-	17	25	46	32	25	15	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ASTHMA (493)													
BOTH SEXES													
1978	1,872	5	15	40	101	91	112	213	368	450	347	130	-
1977	1,674	4	13	37	72	74	122	192	304	444	322	90	-
1976	1,975	4	20	39	70	96	133	258	441	480	329	105	-
1975	1,961	7	19	36	81	120	140	274	424	443	328	89	-
1974	1,876	2	21	39	96	76	140	266	413	433	311	79	-
1973	1,912	12	20	52	104	94	175	292	395	409	276	83	-
1972	2,326	10	30	56	102	118	212	346	520	496	348	88	-
1971	2,154	13	26	63	97	118	198	364	449	463	274	88	1
1970	2,322	13	42	84	130	128	234	390	495	433	296	76	1
1969	2,362	18	37	71	113	135	229	373	531	465	313	77	-
1968	2,688	11	47	85	135	167	250	436	570	540	350	97	-
MALE													
1978	737	5	9	27	48	39	34	81	125	193	136	40	-
1977	728	4	10	24	39	40	38	82	136	198	121	36	-
1976	820	2	12	21	35	40	43	85	180	230	135	37	-
1975	843	6	9	17	44	63	51	95	185	218	128	27	-
1974	815	1	14	17	47	37	44	101	183	199	141	31	-
1973	819	8	14	26	51	37	47	126	168	197	118	27	-
1972	1,004	10	16	32	58	38	72	136	224	236	154	28	-
1971	904	11	16	30	39	38	62	147	185	218	119	39	-
1970	994	8	25	42	53	39	85	146	223	200	136	36	1
1969	1,076	11	18	43	55	47	84	137	249	239	165	28	-
1968	1,234	5	27	44	51	55	94	193	278	285	164	38	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ASTHMA (493)													
FEMALE													
1978	1,135	-	6	13	53	52	78	132	243	257	211	90	-
1977	946	-	3	13	33	34	84	110	168	246	201	54	-
1976	1,155	2	8	18	35	56	90	173	261	250	194	68	-
1975	1,118	1	10	19	37	57	89	179	239	225	200	62	-
1974	1,061	1	7	22	49	39	96	165	230	234	170	48	-
1973	1,093	4	6	26	53	57	128	166	227	212	158	56	-
1972	1,322	-	14	24	44	80	140	210	296	260	194	60	-
1971	1,250	2	10	33	58	80	136	217	264	245	155	49	1
1970	1,328	5	17	42	77	89	149	244	272	233	160	40	-
1969	1,286	7	19	28	58	88	145	236	282	226	148	49	-
1968	1,454	6	20	41	84	112	156	243	292	255	186	59	-
WHITE, BOTH SEXES													
1978	1,488	3	6	30	68	48	69	148	297	395	304	120	-
1977	1,309	2	6	23	39	52	75	130	238	379	281	84	-
1976	1,552	2	12	25	42	59	89	182	343	411	295	92	-
1975	1,515	4	10	16	56	66	87	185	327	382	301	81	-
1974	1,475	1	12	22	56	45	79	190	330	375	291	74	-
1973	1,457	7	13	30	62	54	109	197	314	343	252	76	-
1972	1,832	6	16	28	62	84	140	248	414	432	316	86	-
1971	1,647	10	13	42	65	69	118	254	352	397	244	83	-
1970	1,737	9	24	50	73	69	142	278	383	367	269	73	-
1969	1,755	13	19	33	53	77	147	260	407	389	285	72	-
1968	2,004	6	32	52	83	94	138	294	440	464	311	90	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ASTHMA (493)													
WHITE, MALE													
1978	556	3	2	20	31	23	16	52	96	159	117	37	-
1977	561	2	6	14	20	29	26	51	107	166	107	33	-
1976	625	1	8	15	17	26	27	58	132	189	121	31	-
1975	639	4	4	8	30	31	31	69	142	182	116	22	-
1974	628	1	9	11	25	22	25	70	140	165	132	28	-
1973	607	4	9	16	27	23	35	79	125	157	107	25	-
1972	766	6	8	22	32	30	44	96	178	190	134	26	-
1971	679	9	7	18	27	20	37	97	143	181	105	35	-
1970	734	5	16	24	27	22	45	108	164	167	121	35	-
1969	793	7	10	21	26	28	53	85	186	198	152	27	-
1968	908	4	20	29	30	31	47	123	206	244	139	35	-
WHITE, FEMALE													
1978	932	-	4	10	37	25	53	96	201	236	187	83	-
1977	748	-	-	9	19	23	49	79	131	213	174	51	-
1976	927	1	4	10	25	33	62	124	211	222	174	61	-
1975	876	-	6	8	26	35	56	116	185	200	185	59	-
1974	847	-	3	11	31	23	54	120	190	210	159	46	-
1973	850	3	4	14	35	31	74	118	189	186	145	51	-
1972	1,066	-	8	6	30	54	96	152	236	242	182	60	-
1971	968	1	6	24	38	49	81	157	209	216	139	48	-
1970	1,003	4	8	26	46	47	97	170	219	200	148	38	-
1969	962	6	9	12	27	49	94	175	221	191	133	45	-
1968	1,096	2	12	23	53	63	91	171	234	220	172	55	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ASTHMA (493)													
ALL OTHER, BOTH SEXES													
1978	384	2	9	10	33	43	43	65	71	55	43	10	-
1977	365	2	7	14	33	22	47	62	66	65	41	6	-
1976	423	2	8	14	28	37	44	76	98	69	34	13	-
1975	446	3	9	20	25	54	53	89	97	61	27	8	-
1974	401	1	9	17	40	31	61	76	83	58	20	5	-
1973	455	5	7	22	42	40	66	95	81	66	24	7	-
1972	494	4	14	28	40	34	72	98	106	64	32	2	-
1971	507	3	13	21	32	49	80	110	97	66	30	5	1
1970	585	4	18	34	57	59	92	112	112	66	27	3	1
1969	607	5	18	38	60	58	82	113	124	76	28	5	-
1968	684	5	15	33	52	73	112	142	130	76	39	7	-
ALL OTHER, MALE													
1978	181	2	7	7	17	16	18	29	29	34	19	3	-
1977	167	2	4	10	19	11	12	31	29	32	14	3	-
1976	195	1	4	6	18	14	16	27	48	41	14	6	-
1975	204	2	5	9	14	32	20	26	43	36	12	5	-
1974	187	-	5	6	22	15	19	31	43	34	9	3	-
1973	212	4	5	10	24	14	12	47	43	40	11	2	-
1972	238	4	8	10	26	8	28	40	46	46	20	2	-
1971	225	2	9	12	12	18	25	50	42	37	14	4	-
1970	260	3	9	18	26	17	40	38	59	33	15	1	1
1969	283	4	8	22	29	19	31	52	63	41	13	1	-
1968	326	1	7	15	21	24	47	70	72	41	25	3	-
ALL OTHER, FEMALE													
1978	203	-	2	3	16	27	25	36	42	21	24	7	-
1977	198	-	3	4	14	11	35	31	37	33	27	3	-
1976	228	1	4	8	10	23	28	49	50	28	20	7	-
1975	242	1	4	11	11	22	33	63	54	25	15	3	-
1974	214	1	4	11	18	16	42	45	40	24	11	2	-
1973	243	1	2	12	18	26	54	48	38	26	13	5	-
1972	256	-	6	18	14	26	44	58	60	18	12	-	-
1971	282	1	4	9	20	31	55	60	55	29	16	1	1
1970	325	1	9	16	31	42	52	74	53	33	12	2	-
1969	324	1	10	16	31	39	51	61	61	35	15	4	-
1968	358	4	8	18	31	49	65	72	58	35	14	4	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ASTHMA (493)													
BLACK, BOTH SEXES													
1978	353	2	9	9	29	40	40	63	67	48	38	8	-
1977	341	2	6	13	31	21	47	61	63	57	34	6	-
1976	399	2	7	14	26	35	43	75	92	64	30	11	-
1975	415	3	9	17	24	51	51	85	91	57	22	5	-
1974	379	1	9	17	38	31	60	72	76	51	20	4	-
1973	433	5	7	22	39	38	63	92	78	61	22	6	-
1972	472	4	14	28	40	32	68	96	102	56	30	2	-
1971	468	2	12	19	30	46	77	100	91	57	28	5	1
1970	556	4	17	32	51	56	89	110	107	61	25	3	1
1969	574	5	16	35	57	55	76	111	119	71	26	3	-
1968	640	5	15	30	49	67	104	132	128	69	36	5	-
BLACK, MALE													
1978	167	2	7	6	16	14	18	27	28	30	17	2	-
1977	156	2	4	9	19	11	12	30	27	26	13	3	-
1976	181	1	3	6	17	13	15	27	45	38	12	4	-
1975	192	2	5	8	13	31	20	24	41	35	10	3	-
1974	175	-	5	6	20	15	19	31	39	29	9	2	-
1973	202	4	5	10	24	13	12	46	40	37	9	2	-
1972	224	4	8	10	26	8	24	40	44	40	18	2	-
1971	206	1	8	11	12	17	24	45	39	31	14	4	-
1970	246	3	9	18	23	15	40	37	56	30	13	1	1
1969	266	4	8	21	26	19	27	52	61	36	12	-	-
1968	304	1	7	14	20	22	44	64	70	37	23	2	-
BLACK, FEMALE													
1978	186	-	2	3	13	26	22	36	39	18	21	6	-
1977	185	-	2	4	12	10	35	31	36	31	21	3	-
1976	218	1	4	8	9	22	28	48	47	26	18	7	-
1975	223	1	4	9	11	20	31	61	50	22	12	2	-
1974	204	1	4	11	18	16	41	41	37	22	11	2	-
1973	231	1	2	12	15	25	51	46	38	24	13	4	-
1972	248	-	6	18	14	24	44	56	58	16	12	-	-
1971	262	1	4	8	18	29	53	55	52	26	14	1	1
1970	310	1	8	14	28	41	49	73	51	31	12	2	-
1969	308	1	8	14	31	36	49	59	58	35	14	3	-
1968	336	4	8	16	29	45	60	68	58	32	13	3	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PEPTIC ULCER (531-533) BOTH SEXES													
1978	5,545	24	5	8	30	64	147	405	898	1,437	1,603	920	4
1977	5,900	14	9	4	23	81	171	439	1,009	1,529	1,658	963	-
1976	6,428	25	5	9	19	89	199	590	1,127	1,721	1,729	915	-
1975	6,743	29	8	16	38	81	205	604	1,225	1,779	1,829	927	2
1974	7,069	29	9	10	37	94	242	644	1,378	1,847	1,903	874	2
1973	7,688	36	6	9	40	103	283	775	1,473	2,084	1,994	884	1
1972	7,916	58	16	16	44	108	298	860	1,536	2,114	2,004	860	2
1971	8,120	54	13	13	45	113	323	906	1,585	2,113	2,091	862	2
1970	8,607	60	10	8	49	119	327	929	1,792	2,239	2,172	901	1
1969	9,312	39	11	11	45	127	416	969	1,873	2,470	2,502	847	2
1968	9,460	56	12	13	42	127	406	1,033	1,949	2,617	2,349	856	-
MALE													
1978	3,233	16	3	4	18	48	101	279	625	900	855	382	2
1977	3,527	5	5	4	16	60	107	320	708	1,018	896	388	-
1976	3,997	17	3	6	13	61	140	409	778	1,158	1,001	411	-
1975	4,219	16	7	6	24	54	147	411	831	1,247	1,043	432	1
1974	4,469	22	4	6	25	68	170	467	952	1,236	1,105	413	1
1973	4,974	25	4	5	25	58	189	539	1,069	1,464	1,190	405	1
1972	5,214	38	12	10	38	70	226	626	1,084	1,462	1,208	438	2
1971	5,332	35	5	6	34	77	230	643	1,159	1,463	1,247	431	2
1970	5,689	28	6	4	28	84	224	669	1,304	1,560	1,338	443	1
1969	6,229	30	6	6	32	88	281	731	1,393	1,720	1,538	403	1
1968	6,438	33	7	9	27	94	280	750	1,453	1,879	1,482	424	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PEPTIC ULCER (531-533)													
FEMALE													
1978	2,312	8	2	4	12	16	46	126	273	537	748	538	2
1977	2,373	9	4	-	7	21	64	119	301	511	762	575	-
1976	2,431	8	2	3	6	28	59	181	349	563	728	504	-
1975	2,524	13	1	10	14	27	58	193	394	532	786	495	1
1974	2,600	7	5	4	12	26	72	177	426	611	798	461	1
1973	2,714	11	2	4	15	45	94	236	404	620	804	479	-
1972	2,702	20	4	6	6	38	72	234	452	652	796	422	-
1971	2,788	19	8	7	11	36	93	263	426	650	844	431	-
1970	2,918	32	4	4	21	35	103	260	488	679	834	458	-
1969	3,083	9	5	5	13	39	135	238	480	750	964	444	1
1968	3,022	23	5	4	15	33	126	283	496	738	867	432	-
WHITE, BOTH SEXES													
1978	5,004	16	3	4	22	50	118	341	774	1,297	1,499	877	3
1977	5,326	8	6	4	18	58	129	373	875	1,387	1,552	916	-
1976	5,762	8	4	8	18	52	147	480	1,013	1,551	1,615	866	-
1975	6,068	22	6	13	29	62	149	501	1,081	1,610	1,714	880	1
1974	6,395	13	8	9	29	72	184	536	1,233	1,661	1,818	830	2
1973	6,945	18	6	9	28	72	212	659	1,324	1,900	1,875	841	1
1972	7,100	38	14	16	34	78	210	702	1,356	1,924	1,892	836	-
1971	7,339	26	10	12	35	73	243	751	1,419	1,946	1,983	839	2
1970	7,811	35	10	6	41	84	246	787	1,609	2,054	2,069	869	1
1969	8,450	17	9	9	39	98	326	839	1,679	2,262	2,354	817	1
1968	8,545	32	10	11	33	87	292	884	1,735	2,399	2,249	813	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PEPTIC ULCER (531-533)													
WHITE, MALE													
1978	2,882	12	2	2	14	35	80	231	541	808	790	366	1
1977	3,166	2	2	4	13	44	78	272	616	927	839	369	-
1976	3,545	4	3	5	13	32	103	332	698	1,044	929	382	-
1975	3,774	14	5	4	17	39	106	342	730	1,136	972	409	-
1974	3,998	10	3	6	17	52	130	387	844	1,111	1,048	389	1
1973	4,442	12	4	5	15	36	134	457	957	1,327	1,108	386	1
1972	4,622	24	12	10	28	52	166	514	942	1,316	1,134	424	-
1971	4,795	16	5	5	26	47	171	531	1,046	1,351	1,179	416	2
1970	5,132	15	6	3	22	59	165	565	1,186	1,420	1,260	430	1
1969	5,643	13	5	4	27	70	226	635	1,250	1,583	1,437	393	-
1968	5,795	19	5	7	18	62	204	636	1,299	1,717	1,420	408	-
WHITE, FEMALE													
1978	2,122	4	1	2	8	15	38	110	233	489	709	511	2
1977	2,160	6	4	-	5	14	51	101	259	460	713	547	-
1976	2,217	4	1	3	5	20	44	148	315	507	686	484	-
1975	2,294	8	1	9	12	23	43	159	351	474	742	471	1
1974	2,397	3	5	3	12	20	54	149	389	550	770	441	1
1973	2,503	6	2	4	13	36	78	202	367	573	767	455	-
1972	2,478	14	2	6	6	26	44	188	414	608	758	412	-
1971	2,544	10	5	7	9	26	72	220	373	595	804	423	-
1970	2,679	20	4	3	19	25	81	222	423	634	809	439	-
1969	2,807	4	4	5	12	28	100	204	429	679	917	424	1
1968	2,750	13	5	4	15	25	88	248	436	682	829	405	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PEPTIC ULCER (531-533)													
ALL OTHER, BOTH SEXES													
1978	541	8	2	4	8	14	29	64	124	140	104	43	1
1977	574	6	3	-	5	23	42	66	134	142	106	47	-
1976	666	17	1	1	1	37	52	110	114	170	114	49	-
1975	675	7	2	3	9	19	56	103	144	169	115	47	1
1974	674	16	1	1	8	22	58	108	145	186	85	44	-
1973	743	18	-	-	12	31	71	116	149	184	119	43	-
1972	816	20	2	-	10	30	88	158	180	190	112	24	2
1971	781	28	3	1	10	40	80	155	166	167	108	23	-
1970	796	25	-	2	8	35	81	142	183	185	103	32	-
1969	862	22	2	2	6	29	90	130	194	208	148	30	1
1968	915	24	2	2	9	40	114	149	214	218	100	43	-
ALL OTHER, MALE													
1978	351	4	1	2	4	13	21	48	84	92	65	16	1
1977	361	3	3	-	3	16	29	48	92	91	57	19	-
1976	452	13	-	1	-	29	37	77	80	114	72	29	-
1975	445	2	2	2	7	15	41	69	101	111	71	23	1
1974	471	12	1	-	8	16	40	80	108	125	57	24	-
1973	532	13	-	-	10	22	55	82	112	137	82	19	-
1972	592	14	-	-	10	18	60	112	142	146	74	14	2
1971	537	19	-	1	8	30	59	112	113	112	68	15	-
1970	557	13	-	1	6	25	59	104	118	140	78	13	-
1969	586	17	1	2	5	18	55	96	143	137	101	10	1
1968	643	14	2	2	9	32	76	114	154	162	62	16	-
ALL OTHER, FEMALE													
1978	190	4	1	2	4	1	8	16	40	48	39	27	-
1977	213	3	-	-	2	7	13	18	42	51	49	28	-
1976	214	4	1	-	1	8	15	33	34	56	42	20	-
1975	230	5	-	1	2	4	15	34	43	58	44	24	-
1974	203	4	-	1	-	6	18	28	37	61	28	20	-
1973	211	5	-	-	2	9	16	34	37	47	37	24	-
1972	224	6	2	-	-	12	28	46	38	44	38	10	-
1971	244	9	3	-	2	10	21	43	53	55	40	8	-
1970	239	12	-	1	2	10	22	38	65	45	25	19	-
1969	276	5	1	-	1	11	35	34	51	71	47	20	-
1968	272	10	-	-	-	8	38	35	60	56	38	27	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PEPTIC ULCER (531-533)													
BLACK, BOTH SEXES													
1978	484	8	2	3	7	14	26	57	110	125	92	40	-
1977	523	6	3	-	5	22	41	64	126	129	86	41	-
1976	594	17	1	-	1	33	47	100	105	150	97	43	-
1975	613	6	2	3	8	17	53	99	136	151	95	42	1
1974	614	16	-	1	8	20	54	102	136	170	72	35	-
1973	673	17	-	-	12	29	68	107	138	167	97	38	-
1972	740	18	2	-	10	26	88	150	164	170	90	20	2
1971	712	27	3	-	9	38	76	144	162	144	91	18	-
1970	734	25	-	2	8	33	78	130	176	164	91	27	-
1969	781	20	2	2	5	29	86	124	182	184	127	19	1
1968	836	21	2	2	9	39	108	140	200	200	84	31	-
BLACK, MALE													
1978	312	4	1	1	4	13	19	42	75	82	57	14	-
1977	326	3	3	-	3	16	29	46	86	83	43	14	-
1976	400	13	-	-	-	26	34	70	74	98	62	23	-
1975	406	2	2	2	7	15	39	66	96	98	57	21	1
1974	428	12	-	-	8	16	36	75	100	115	50	16	-
1973	474	12	-	-	10	20	53	76	102	123	63	15	-
1972	530	12	-	-	10	14	60	108	128	128	58	10	2
1971	486	18	-	-	7	28	56	106	110	93	57	11	-
1970	509	13	-	1	6	24	57	98	113	120	69	8	-
1969	521	15	1	2	4	18	53	91	132	117	82	5	1
1968	591	13	2	2	9	31	73	109	145	147	49	11	-
BLACK, FEMALE													
1978	172	4	1	2	3	1	7	15	35	43	35	26	-
1977	197	3	-	-	2	6	12	18	40	46	43	27	-
1976	194	4	1	-	1	7	13	30	31	52	35	20	-
1975	207	4	-	1	1	2	14	33	40	53	38	21	-
1974	186	4	-	1	-	4	18	27	36	55	22	19	-
1973	199	5	-	-	2	9	15	31	36	44	34	23	-
1972	210	6	2	-	-	12	28	42	36	42	32	10	-
1971	226	9	3	-	2	10	20	38	52	51	34	7	-
1970	225	12	-	1	2	9	21	32	63	44	22	19	-
1969	260	5	1	-	1	11	33	33	50	67	45	14	-
1968	245	8	-	-	-	8	35	31	55	53	35	20	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
APPENDICITIS (540-543)													
BOTH SEXES													
1978	735	5	16	32	33	21	20	63	105	180	171	89	-
1977	747	7	11	30	17	18	32	67	126	167	181	91	-
1976	752	10	12	35	34	27	42	69	119	175	156	73	-
1975	822	11	9	39	33	21	36	71	148	177	182	95	-
1974	864	6	15	41	39	24	35	89	145	190	194	86	-
1973	1,066	12	11	48	47	26	53	98	189	259	225	98	-
1972	1,206	8	20	80	60	44	52	128	212	240	240	122	-
1971	1,295	10	22	77	60	41	82	126	214	285	267	111	-
1970	1,397	16	21	75	54	43	62	127	244	328	305	121	1
1969	1,407	17	20	90	59	43	99	138	244	288	307	102	-
1968	1,485	13	27	84	63	48	67	147	249	341	332	113	1
MALE													
1978	412	4	7	16	20	14	10	43	62	108	93	35	-
1977	422	5	7	23	11	12	21	32	83	99	99	30	-
1976	442	7	6	22	22	10	29	43	82	109	77	35	-
1975	480	9	7	20	18	12	20	48	89	114	103	40	-
1974	513	2	9	23	25	15	23	54	94	118	103	47	-
1973	663	6	9	27	31	19	33	68	126	173	131	40	-
1972	712	6	12	48	40	14	30	92	138	156	118	58	-
1971	751	7	9	37	36	24	53	82	141	178	142	42	-
1970	866	11	10	42	35	24	43	92	166	217	165	60	1
1969	884	14	8	60	36	25	66	97	163	189	175	51	-
1968	888	9	12	44	42	25	46	87	176	207	192	48	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
APPENDICITIS (540-543)													
FEMALE													
1978	323	1	9	16	13	7	10	20	43	72	78	54	-
1977	325	2	4	7	6	6	11	35	43	68	82	61	-
1976	310	3	6	13	12	17	13	26	37	66	79	38	-
1975	342	2	2	19	15	9	16	23	59	63	79	55	-
1974	351	4	6	18	14	9	12	35	51	72	91	39	-
1973	403	6	2	21	16	7	20	30	63	86	94	58	-
1972	494	2	8	32	20	30	22	36	74	84	122	64	-
1971	544	3	13	40	24	17	29	44	73	107	125	69	-
1970	531	5	11	33	19	19	19	35	78	111	140	61	-
1969	523	3	12	30	23	18	33	41	81	99	132	51	-
1968	597	4	15	40	21	23	21	60	73	134	140	65	1
WHITE, BOTH SEXES													
1978	599	3	11	24	24	16	11	42	80	157	149	82	-
1977	583	5	7	17	12	13	24	53	96	127	150	79	-
1976	588	6	10	18	20	20	34	46	92	139	137	66	-
1975	662	9	7	26	22	17	26	47	114	150	156	88	-
1974	715	5	13	32	29	17	28	67	115	146	183	80	-
1973	847	8	8	32	34	19	33	69	143	210	200	91	-
1972	998	8	14	68	44	34	32	92	180	206	206	114	-
1971	1,071	4	15	55	43	30	61	101	171	243	242	106	-
1970	1,167	12	17	56	38	30	47	99	204	282	274	108	-
1969	1,137	10	15	63	40	31	69	99	194	239	283	94	-
1968	1,245	12	21	60	55	32	41	103	197	304	315	104	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
APPENDICITIS (540-543)													
WHITE, MALE													
1978	339	2	4	11	17	11	6	30	50	95	82	31	-
1977	333	4	5	16	8	9	16	24	67	81	76	27	-
1976	343	4	4	12	16	8	25	30	62	82	71	29	-
1975	388	7	6	13	10	11	15	35	72	97	85	37	-
1974	416	1	8	16	18	10	19	41	73	91	97	42	-
1973	524	4	7	18	25	14	17	52	95	141	114	37	-
1972	596	6	8	42	34	8	24	70	114	134	102	54	-
1971	634	4	8	30	25	18	39	69	117	155	129	40	-
1970	734	8	10	31	26	20	34	71	142	194	147	51	-
1969	709	8	8	43	22	20	46	71	128	155	163	45	-
1968	755	9	11	31	38	20	29	67	143	182	182	43	-
WHITE, FEMALE													
1978	260	1	7	13	7	5	5	12	30	62	67	51	-
1977	250	1	2	1	4	4	8	29	29	46	74	52	-
1976	245	2	6	6	4	12	9	16	30	57	66	37	-
1975	274	2	1	13	12	6	11	12	42	53	71	51	-
1974	299	4	5	16	11	7	9	26	42	55	86	38	-
1973	323	4	1	14	9	5	16	17	48	69	86	54	-
1972	402	2	6	26	10	26	8	22	66	72	104	60	-
1971	437	-	7	25	18	12	22	32	54	88	113	66	-
1970	433	4	7	25	12	10	13	28	62	88	127	57	-
1969	428	2	7	20	18	11	23	28	66	84	120	49	-
1968	490	3	10	29	17	12	12	36	54	122	133	61	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
APPENDICITIS (540-543)													
ALL OTHER, BOTH SEXES													
1978	136	2	5	8	9	5	9	21	25	23	22	7	-
1977	164	2	4	13	5	5	8	14	30	40	31	12	-
1976	164	4	2	17	14	7	8	23	27	36	19	7	-
1975	160	2	2	13	11	4	10	24	34	27	26	7	-
1974	149	1	2	9	10	7	7	22	30	44	11	6	-
1973	219	4	3	16	13	7	20	29	46	49	25	7	-
1972	208	-	6	12	16	10	20	36	32	34	34	8	-
1971	224	6	7	22	17	11	21	25	43	42	25	5	-
1970	230	4	4	19	16	13	15	28	40	46	31	13	1
1969	270	7	5	27	19	12	30	39	50	49	24	8	-
1968	240	1	6	24	8	16	26	44	52	37	17	9	-
ALL OTHER, MALE													
1978	73	2	3	5	3	3	4	13	12	13	11	4	-
1977	89	1	2	7	3	3	5	8	16	18	23	3	-
1976	99	3	2	10	6	2	4	13	20	27	6	6	-
1975	92	2	1	7	8	1	5	13	17	17	18	3	-
1974	97	1	1	7	7	5	4	13	21	27	6	5	-
1973	139	2	2	9	6	5	16	16	31	32	17	3	-
1972	116	-	4	6	6	6	6	22	24	22	16	4	-
1971	117	3	1	7	11	6	14	13	24	23	13	2	-
1970	132	3	-	11	9	4	9	21	24	23	18	9	1
1969	175	6	-	17	14	5	20	26	35	34	12	6	-
1968	133	-	1	13	4	5	17	20	33	25	10	5	-
ALL OTHER, FEMALE													
1978	63	-	2	3	6	2	5	8	13	10	11	3	-
1977	75	1	2	6	2	2	3	6	14	22	8	9	-
1976	65	1	-	7	8	5	4	10	7	9	13	1	-
1975	68	-	1	6	3	3	5	11	17	10	8	4	-
1974	52	-	1	2	3	2	3	9	9	17	5	1	-
1973	80	2	1	7	7	2	4	13	15	17	8	4	-
1972	92	-	2	6	10	4	14	14	8	12	18	4	-
1971	107	3	6	15	6	5	7	12	19	19	12	3	-
1970	98	1	4	8	7	9	6	7	16	23	13	4	-
1969	95	1	5	10	5	7	10	13	15	15	12	2	-
1968	107	1	5	11	4	11	9	24	19	12	7	4	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
APPENDICITIS (540-543)													
BLACK, BOTH SEXES													
1978	127	2	4	8	8	3	9	21	24	23	20	5	-
1977	155	1	4	13	4	4	8	13	30	38	29	11	-
1976	158	4	2	17	14	6	8	22	25	35	19	6	-
1975	151	1	2	12	11	4	9	23	32	27	23	7	-
1974	133	1	2	9	7	5	7	20	28	42	7	5	-
1973	207	4	3	15	12	7	18	28	46	45	23	6	-
1972	194	-	6	10	12	8	20	36	32	32	30	8	-
1971	208	6	5	18	17	8	21	24	41	40	23	5	-
1970	212	4	4	18	13	11	14	27	35	43	30	12	1
1969	257	6	5	26	17	11	28	38	47	48	23	8	-
1968	229	-	6	21	7	15	24	43	51	37	16	9	-
BLACK, MALE													
1978	66	2	2	5	2	2	4	13	11	13	9	3	-
1977	84	1	2	7	3	2	5	8	16	16	21	3	-
1976	96	3	2	10	6	2	4	13	18	27	6	5	-
1975	86	1	1	6	8	1	5	12	16	17	16	3	-
1974	87	1	1	7	5	3	4	12	19	26	5	4	-
1973	130	2	2	9	6	5	14	15	31	29	15	2	-
1972	106	-	4	4	4	4	6	22	24	20	14	4	-
1971	110	3	1	6	11	5	14	12	23	21	12	2	-
1970	124	3	-	11	8	3	9	20	22	22	17	8	1
1969	165	5	-	16	12	5	19	25	33	33	11	6	-
1968	129	-	1	13	4	5	16	19	32	25	9	5	-
BLACK, FEMALE													
1978	61	-	2	3	6	1	5	8	13	10	11	2	-
1977	71	-	2	6	1	2	3	5	14	22	8	8	-
1976	62	1	-	7	8	4	4	9	7	8	13	1	-
1975	65	-	1	6	3	3	4	11	16	10	7	4	-
1974	46	-	1	2	2	2	3	8	9	16	2	1	-
1973	77	2	1	6	6	2	4	13	15	16	8	4	-
1972	88	-	2	6	8	4	14	14	8	12	16	4	-
1971	98	3	4	12	6	3	7	12	18	19	11	3	-
1970	88	1	4	7	5	8	5	7	13	21	13	4	-
1969	92	1	5	10	5	6	9	13	14	15	12	2	-
1968	100	-	5	8	3	10	8	24	19	12	7	4	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560) BOTH SEXES													
1978	5,568	495	29	18	48	50	103	240	560	1,048	1,696	1,276	5
1977	5,699	473	20	30	46	52	96	255	535	1,118	1,731	1,337	6
1976	5,919	478	35	19	39	58	108	267	574	1,281	1,773	1,286	1
1975	6,178	446	25	41	69	72	97	340	656	1,280	1,901	1,250	1
1974	6,506	497	40	29	55	67	130	361	709	1,364	2,027	1,227	-
1973	6,746	477	38	39	59	95	165	402	821	1,418	2,001	1,229	2
1972	6,790	488	46	38	52	90	132	416	866	1,420	2,064	1,176	2
1971	6,989	520	42	38	64	88	158	414	916	1,468	2,065	1,209	7
1970	7,235	627	44	39	72	103	178	425	968	1,579	2,098	1,100	2
1969	7,500	639	44	44	85	77	197	436	926	1,724	2,203	1,124	1
1968	7,758	639	57	56	65	89	215	513	988	1,737	2,318	1,079	2
MALE													
1978	2,354	296	17	13	29	25	46	126	280	510	627	381	4
1977	2,386	270	12	18	23	34	49	116	268	507	666	417	6
1976	2,514	285	23	13	22	33	64	114	287	619	670	383	1
1975	2,618	254	15	23	30	38	47	150	341	609	728	382	1
1974	2,746	264	26	18	36	36	59	163	326	641	776	401	-
1973	3,006	286	26	24	36	52	68	198	411	661	799	445	-
1972	2,960	302	28	22	26	40	64	160	426	650	842	398	2
1971	3,094	284	27	18	33	43	78	190	458	692	876	391	4
1970	3,330	355	28	22	31	60	89	199	507	766	861	410	2
1969	3,466	374	33	28	42	40	83	191	492	857	937	388	1
1968	3,561	384	44	30	42	42	92	233	494	848	993	357	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)													
FEMALE													
1978	3,214	199	12	5	19	25	57	114	280	538	1,069	895	1
1977	3,313	203	8	12	23	18	47	139	267	611	1,065	920	-
1976	3,405	193	12	6	17	25	44	153	287	662	1,103	903	-
1975	3,560	192	10	18	39	34	50	190	315	671	1,173	868	-
1974	3,760	233	14	11	19	31	71	198	383	723	1,251	826	-
1973	3,740	191	12	15	23	43	97	204	410	757	1,202	784	2
1972	3,830	186	18	16	26	50	68	256	440	770	1,222	778	-
1971	3,895	236	15	20	31	45	80	224	458	776	1,189	818	3
1970	3,905	272	16	17	41	43	89	226	461	813	1,237	690	-
1969	4,034	265	11	16	43	37	114	245	434	867	1,266	736	-
1968	4,197	255	13	26	23	47	123	280	494	889	1,325	722	-
WHITE, BOTH SEXES													
1978	4,847	398	21	13	37	37	70	172	460	894	1,533	1,209	3
1977	4,980	393	18	21	38	34	65	197	436	943	1,573	1,259	3
1976	5,152	384	27	15	30	45	68	197	466	1,077	1,639	1,203	1
1975	5,388	354	18	32	51	49	71	258	551	1,075	1,756	1,173	-
1974	5,736	420	32	22	42	45	91	278	594	1,171	1,879	1,162	-
1973	5,861	381	25	31	43	70	121	309	649	1,213	1,864	1,154	1
1972	5,980	394	38	32	36	60	88	320	742	1,214	1,948	1,106	2
1971	6,059	407	30	32	44	62	111	319	747	1,235	1,927	1,139	6
1970	6,342	514	38	30	52	71	127	329	808	1,379	1,946	1,046	2
1969	6,578	519	31	35	59	52	135	345	787	1,516	2,040	1,058	1
1968	6,806	511	45	44	49	59	152	412	813	1,528	2,169	1,024	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)													
WHITE, MALE													
1978	1,977	228	13	10	23	18	30	86	230	429	555	352	3
1977	2,010	220	12	13	17	24	35	85	216	418	582	385	3
1976	2,124	226	18	10	19	27	39	88	230	520	598	348	1
1975	2,226	204	12	19	24	24	35	114	287	499	657	351	-
1974	2,344	219	20	14	28	22	38	121	264	550	699	369	-
1973	2,552	226	17	22	28	39	46	147	325	562	727	413	-
1972	2,540	240	24	18	20	22	40	130	350	542	780	372	2
1971	2,603	219	19	14	23	31	54	144	367	573	792	364	3
1970	2,861	295	25	19	25	42	58	150	426	656	785	378	2
1969	2,951	295	23	23	28	27	57	149	410	742	843	353	1
1968	3,041	306	36	22	30	27	65	184	396	740	911	324	-
WHITE, FEMALE													
1978	2,870	170	8	3	14	19	40	86	230	465	978	857	-
1977	2,970	173	6	8	21	10	30	112	220	525	991	874	-
1976	3,028	158	9	5	11	18	29	109	236	557	1,041	855	-
1975	3,162	150	6	13	27	25	36	144	264	576	1,099	822	-
1974	3,392	201	12	8	14	23	53	157	330	621	1,180	793	-
1973	3,309	155	8	9	15	31	75	162	324	651	1,137	741	1
1972	3,440	154	14	14	16	38	48	190	392	672	1,168	734	-
1971	3,456	188	11	18	21	31	57	175	380	662	1,135	775	3
1970	3,481	219	13	11	27	29	69	179	382	723	1,161	668	-
1969	3,627	224	8	12	31	25	78	196	377	774	1,197	705	-
1968	3,765	205	9	22	19	32	87	228	417	788	1,258	700	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)													
ALL OTHER, BOTH SEXES													
1978	721	97	8	5	11	13	33	68	100	154	163	67	2
1977	719	80	2	9	8	18	31	58	99	175	158	78	3
1976	767	94	8	4	9	13	40	70	108	204	134	83	-
1975	790	92	7	9	18	23	26	82	105	205	145	77	1
1974	770	77	8	7	13	22	39	83	115	193	148	65	-
1973	885	96	13	8	16	25	44	93	172	205	137	75	1
1972	810	94	8	6	16	30	44	96	124	206	116	70	-
1971	930	113	12	6	20	26	47	95	169	233	138	70	1
1970	893	113	6	9	20	32	51	96	160	200	152	54	-
1969	922	120	13	9	26	25	62	91	139	208	163	66	-
1968	952	128	12	12	16	30	63	101	175	209	149	55	2
ALL OTHER, MALE													
1978	377	68	4	3	6	7	16	40	50	81	72	29	1
1977	376	50	-	5	6	10	14	31	52	89	84	32	3
1976	390	59	5	3	3	6	25	26	57	99	72	35	-
1975	392	50	3	4	6	14	12	36	54	110	71	31	1
1974	402	45	6	4	8	14	21	42	62	91	77	32	-
1973	454	60	9	2	8	13	22	51	86	99	72	32	-
1972	420	62	4	4	6	18	24	30	76	108	62	26	-
1971	491	65	8	4	10	12	24	46	91	119	84	27	1
1970	469	60	3	3	6	18	31	49	81	110	76	32	-
1969	515	79	10	5	14	13	26	42	82	115	94	35	-
1968	520	78	8	8	12	15	27	49	98	108	82	33	2
ALL OTHER, FEMALE													
1978	344	29	4	2	5	6	17	28	50	73	91	38	1
1977	343	30	2	4	2	8	17	27	47	86	74	46	-
1976	377	35	3	1	6	7	15	44	51	105	62	48	-
1975	398	42	4	5	12	9	14	46	51	95	74	46	-
1974	368	32	2	3	5	8	18	41	53	102	71	33	-
1973	431	36	4	6	8	12	22	42	86	106	65	43	1
1972	390	32	4	2	10	12	20	66	48	98	54	44	-
1971	439	48	4	2	10	14	23	49	78	114	54	43	-
1970	424	53	3	6	14	14	20	47	79	90	76	22	-
1969	407	41	3	4	12	12	36	49	57	93	69	31	-
1968	432	50	4	4	4	15	36	52	77	101	67	22	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)													
BLACK, BOTH SEXES													
1978	677	88	7	5	9	11	31	64	97	146	157	60	2
1977	677	73	2	8	7	17	29	55	94	170	145	75	2
1976	720	81	8	3	9	13	37	69	100	197	127	76	-
1975	746	85	6	7	16	22	24	79	104	195	136	71	1
1974	733	67	8	7	12	21	37	83	110	184	144	60	-
1973	847	94	13	8	15	24	44	88	168	194	132	66	1
1972	774	82	6	6	14	28	44	90	124	196	114	70	-
1971	889	106	12	6	18	25	47	92	164	220	129	69	1
1970	837	107	6	8	19	30	49	94	150	187	140	47	-
1969	875	116	13	9	26	25	60	85	134	198	153	56	-
1968	904	120	10	9	15	29	61	98	168	200	141	51	2
BLACK, MALE													
1978	351	61	3	3	6	6	16	38	50	75	67	25	1
1977	350	45	-	4	6	10	12	31	48	87	75	30	2
1976	363	51	5	2	3	6	22	26	53	95	69	31	-
1975	368	45	2	3	6	13	11	34	54	104	67	28	1
1974	383	39	6	4	8	13	21	42	61	87	73	29	-
1973	431	58	9	2	8	12	22	48	85	91	69	27	-
1972	406	54	4	4	6	18	24	30	76	102	62	26	-
1971	464	61	8	4	9	11	24	44	89	109	78	26	1
1970	441	58	3	3	6	17	29	47	76	102	72	28	-
1969	491	76	10	5	14	13	26	42	79	108	88	30	-
1968	495	72	7	6	11	15	27	47	95	104	79	30	2
BLACK, FEMALE													
1978	326	27	4	2	3	5	15	26	47	71	90	35	1
1977	327	28	2	4	1	7	17	24	46	83	70	45	-
1976	357	30	3	1	6	7	15	43	47	102	58	45	-
1975	378	40	4	4	10	9	13	45	50	91	69	43	-
1974	350	28	2	3	4	8	16	41	49	97	71	31	-
1973	416	36	4	6	7	12	22	40	83	103	63	39	1
1972	368	28	2	2	8	10	20	60	48	94	52	44	-
1971	425	45	4	2	9	14	23	48	75	111	51	43	-
1970	396	49	3	5	13	13	20	47	74	85	68	19	-
1969	384	40	3	4	12	12	34	43	55	90	65	26	-
1968	409	48	3	3	4	14	34	51	73	96	62	21	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic liver disease and cirrhosis 571													
BOTH SEXES													
1978	30,066	27	16	13	122	1,180	3,506	7,453	8,996	6,209	2,132	397	15
1977	30,848	32	12	13	138	1,259	3,594	7,905	9,261	6,208	2,062	352	12
1976	31,453	33	8	18	124	1,172	3,886	8,263	9,558	6,040	1,985	353	13
1975	31,623	36	13	18	148	1,169	3,808	8,547	9,688	5,942	1,930	318	6
1974	33,319	34	15	23	155	1,257	4,237	9,205	9,926	6,208	1,929	322	8
1973	33,350	38	18	25	141	1,201	4,412	9,305	10,114	5,898	1,865	325	8
1972	32,576	26	32	24	120	1,174	4,614	9,206	9,606	5,556	1,896	316	6
1971	31,808	28	26	42	170	1,088	4,412	9,040	9,414	5,352	1,901	324	11
1970	31,399	25	22	62	150	1,100	4,522	8,898	9,168	5,246	1,893	306	7
1969	29,866	43	35	44	177	1,045	4,411	8,451	8,687	4,891	1,792	281	9
1968	29,183	50	34	41	138	989	4,261	8,373	8,341	4,907	1,761	282	6
MALE													
1978	19,693	13	7	11	69	795	2,340	4,851	6,018	4,134	1,240	204	11
1977	20,167	17	8	9	74	853	2,367	5,240	6,236	3,969	1,212	175	7
1976	20,668	21	6	8	71	790	2,566	5,474	6,426	3,976	1,141	180	9
1975	20,830	15	8	12	74	793	2,527	5,630	6,436	4,000	1,164	168	3
1974	21,806	21	6	12	89	804	2,711	6,027	6,581	4,214	1,170	164	7
1973	21,782	17	8	10	83	785	2,827	5,986	6,791	3,973	1,115	181	6
1972	21,422	16	14	6	58	716	2,980	6,050	6,532	3,736	1,126	186	2
1971	20,680	15	11	16	82	685	2,763	5,823	6,380	3,578	1,140	176	11
1970	20,382	15	9	23	69	688	2,790	5,691	6,217	3,583	1,126	166	5
1969	19,380	21	17	12	92	623	2,739	5,359	5,983	3,302	1,062	162	8
1968	18,821	25	12	21	55	586	2,595	5,339	5,700	3,278	1,071	136	3

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic liver disease and cirrhosis 571													
FEMALE													
1978	10,373	14	9	2	53	385	1,166	2,602	2,978	2,075	892	193	4
1977	10,681	15	4	4	64	406	1,227	2,665	3,025	2,239	850	177	5
1976	10,785	12	2	10	53	382	1,320	2,789	3,132	2,064	844	173	4
1975	10,793	21	5	6	74	376	1,281	2,917	3,252	1,942	766	150	3
1974	11,513	13	9	11	66	453	1,526	3,178	3,345	1,994	759	158	1
1973	11,568	21	10	15	58	416	1,585	3,319	3,323	1,925	750	144	2
1972	11,154	10	18	18	62	458	1,634	3,156	3,074	1,820	770	130	4
1971	11,128	13	15	26	88	403	1,649	3,217	3,034	1,774	761	148	-
1970	11,017	10	13	39	81	412	1,732	3,207	2,951	1,663	767	140	2
1969	10,486	22	18	32	85	422	1,672	3,092	2,704	1,589	730	119	1
1968	10,362	25	22	20	83	403	1,666	3,034	2,641	1,629	690	146	3
WHITE, BOTH SEXES													
1978	24,877	19	12	10	74	649	2,322	5,945	7,807	5,646	2,007	375	11
1977	25,448	21	10	9	75	680	2,405	6,225	8,042	5,716	1,921	335	9
1976	26,054	24	6	10	65	627	2,591	6,620	8,354	5,526	1,883	341	7
1975	26,329	31	10	15	88	605	2,590	6,941	8,494	5,437	1,820	294	4
1974	27,743	26	10	18	100	672	2,876	7,424	8,743	5,744	1,819	307	4
1973	27,816	27	14	23	72	644	2,986	7,575	8,980	5,431	1,757	305	2
1972	27,138	24	24	20	56	586	3,146	7,510	8,596	5,070	1,806	296	4
1971	26,890	24	18	34	103	581	3,071	7,506	8,477	4,952	1,809	305	10
1970	26,464	16	15	50	105	533	3,090	7,433	8,246	4,867	1,806	298	5
1969	25,151	38	30	40	106	540	3,045	7,075	7,791	4,506	1,713	262	5
1968	24,749	39	26	32	84	499	3,031	6,980	7,533	4,562	1,689	269	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic liver disease and cirrhosis 571													
WHITE, MALE													
1978	16,413	10	5	8	44	461	1,579	3,923	5,249	3,775	1,163	187	9
1977	16,727	10	6	7	46	495	1,623	4,160	5,426	3,653	1,130	167	4
1976	17,221	15	5	5	40	441	1,762	4,418	5,618	3,650	1,086	174	7
1975	17,458	12	7	11	42	435	1,789	4,591	5,650	3,672	1,090	157	2
1974	18,322	16	4	9	63	449	1,880	4,913	5,820	3,905	1,102	157	4
1973	18,372	10	6	9	42	449	1,963	4,943	6,061	3,676	1,049	162	2
1972	17,964	14	12	6	24	392	2,102	4,932	5,846	3,400	1,062	172	2
1971	17,672	14	9	10	45	389	1,982	4,887	5,773	3,306	1,081	166	10
1970	17,389	10	7	21	46	361	1,969	4,775	5,622	3,335	1,078	161	4
1969	16,517	19	14	11	50	348	1,936	4,545	5,383	3,038	1,017	151	5
1968	16,142	20	8	20	31	308	1,922	4,478	5,157	3,043	1,023	130	2
WHITE, FEMALE													
1978	8,464	9	7	2	30	188	743	2,022	2,558	1,871	844	188	2
1977	8,721	11	4	2	29	185	782	2,065	2,616	2,063	791	168	5
1976	8,833	9	1	5	25	186	829	2,202	2,736	1,876	797	167	-
1975	8,871	19	3	4	46	170	801	2,350	2,844	1,765	730	137	2
1974	9,421	10	6	9	37	223	996	2,511	2,923	1,839	717	150	-
1973	9,444	17	8	14	30	195	1,023	2,632	2,919	1,755	708	143	-
1972	9,174	10	12	14	32	194	1,044	2,578	2,750	1,670	744	124	2
1971	9,218	10	9	24	58	192	1,089	2,619	2,704	1,646	728	139	-
1970	9,075	6	8	29	59	172	1,121	2,658	2,624	1,532	728	137	1
1969	8,634	19	16	29	56	192	1,109	2,530	2,408	1,468	696	111	-
1968	8,607	19	18	12	53	191	1,109	2,502	2,376	1,519	666	139	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic liver disease and cirrhosis 571													
ALL OTHER, BOTH SEXES													
1978	5,189	8	4	3	48	531	1,184	1,508	1,189	563	125	22	4
1977	5,400	11	2	4	63	579	1,189	1,680	1,219	492	141	17	3
1976	5,399	9	2	8	59	545	1,295	1,643	1,204	514	102	12	6
1975	5,294	5	3	3	60	564	1,218	1,606	1,194	505	110	24	2
1974	5,576	8	5	5	55	585	1,361	1,781	1,183	464	110	15	4
1973	5,534	11	4	2	69	557	1,426	1,730	1,134	467	108	20	6
1972	5,438	2	8	4	64	588	1,468	1,696	1,010	486	90	20	2
1971	4,918	4	8	8	67	507	1,341	1,534	937	400	92	19	1
1970	4,935	9	7	12	45	567	1,432	1,465	922	379	87	8	2
1969	4,715	5	5	4	71	505	1,366	1,376	896	385	79	19	4
1968	4,434	11	8	9	54	490	1,230	1,393	808	345	72	13	1
ALL OTHER, MALE													
1978	3,280	3	2	3	25	334	761	928	769	359	77	17	2
1977	3,440	7	2	2	28	358	744	1,080	810	316	82	8	3
1976	3,447	6	1	3	31	349	804	1,056	808	326	55	6	2
1975	3,372	3	1	1	32	358	738	1,039	786	328	74	11	1
1974	3,484	5	2	3	26	355	831	1,114	761	309	68	7	3
1973	3,410	7	2	1	41	336	864	1,043	730	297	66	19	4
1972	3,458	2	2	-	34	324	878	1,118	686	336	64	14	-
1971	3,008	1	2	6	37	296	781	936	607	272	59	10	1
1970	2,993	5	2	2	23	327	821	916	595	248	48	5	1
1969	2,863	2	3	1	42	275	803	814	600	264	45	11	3
1968	2,679	5	4	1	24	278	673	861	543	235	48	6	1
ALL OTHER, FEMALE													
1978	1,909	5	2	-	23	197	423	580	420	204	48	5	2
1977	1,960	4	-	2	35	221	445	600	409	176	59	9	-
1976	1,952	3	1	5	28	196	491	587	396	188	47	6	4
1975	1,922	2	2	2	28	206	480	567	408	177	36	13	1
1974	2,092	3	3	2	29	230	530	667	422	155	42	8	1
1973	2,124	4	2	1	28	221	562	687	404	170	42	1	2
1972	1,980	-	6	4	30	264	590	578	324	150	26	6	2
1971	1,910	3	6	2	30	211	560	598	330	128	33	9	-
1970	1,942	4	5	10	22	240	611	549	327	131	39	3	1
1969	1,852	3	2	3	29	230	563	562	296	121	34	8	1
1968	1,755	6	4	8	30	212	557	532	265	110	24	7	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Chronic liver disease and cirrhosis 571													
BLACK, BOTH SEXES													
1978	4,645	6	3	1	40	475	1,046	1,365	1,080	507	99	20	3
1977	4,902	10	1	3	53	496	1,071	1,545	1,124	459	123	14	3
1976	4,876	9	1	8	48	477	1,148	1,509	1,113	460	86	12	5
1975	4,809	5	3	3	53	500	1,096	1,481	1,090	463	93	21	1
1974	5,090	8	4	5	48	521	1,234	1,647	1,092	432	84	11	4
1973	5,057	10	3	2	67	492	1,298	1,594	1,050	424	93	18	6
1972	5,010	2	8	4	62	542	1,350	1,594	918	430	82	16	2
1971	4,470	4	6	7	61	456	1,233	1,411	838	355	83	15	1
1970	4,537	8	7	11	44	520	1,306	1,359	860	337	76	7	2
1969	4,312	5	5	3	61	452	1,257	1,284	813	352	64	12	4
1968	4,071	9	6	8	49	454	1,130	1,303	733	308	60	10	1
BLACK, MALE													
1978	2,944	3	2	1	20	301	674	843	702	321	59	16	2
1977	3,140	6	1	1	22	315	675	1,000	747	293	71	6	3
1976	3,142	6	-	3	27	310	720	977	755	290	46	6	2
1975	3,084	3	1	1	29	331	673	957	718	299	63	9	-
1974	3,205	5	2	3	20	318	762	1,044	702	286	54	6	3
1973	3,120	7	2	1	41	297	794	965	671	266	55	17	4
1972	3,180	2	2	-	32	302	820	1,056	610	286	58	12	-
1971	2,757	1	2	5	35	275	729	866	542	238	55	8	1
1970	2,771	5	2	2	22	304	756	855	557	219	43	5	1
1969	2,635	2	3	1	37	254	748	764	542	240	34	7	3
1968	2,482	4	2	1	22	263	633	813	491	208	39	5	1
BLACK, FEMALE													
1978	1,701	3	1	-	20	174	372	522	378	186	40	4	1
1977	1,762	4	-	2	31	181	396	545	377	166	52	8	-
1976	1,734	3	1	5	21	167	428	532	358	170	40	6	3
1975	1,725	2	2	2	24	169	423	524	372	164	30	12	1
1974	1,885	3	2	2	28	203	472	603	390	146	30	5	1
1973	1,937	3	1	1	26	195	504	629	379	158	38	1	2
1972	1,830	-	6	4	30	240	530	538	308	144	24	4	2
1971	1,713	3	4	2	26	181	504	545	296	117	28	7	-
1970	1,766	3	5	9	22	216	550	504	303	118	33	2	1
1969	1,677	3	2	2	24	198	509	520	271	112	30	5	1
1968	1,589	5	4	7	27	191	497	490	242	100	21	5	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS (574,575)													
BOTH SEXES													
1978	2,941	4	-	2	7	19	42	140	264	719	999	745	-
1977	2,957	6	-	2	13	22	51	133	284	715	948	783	-
1976	2,956	-	1	1	7	24	52	133	314	677	1,051	696	-
1975	3,004	2	-	1	6	27	51	130	341	720	1,056	669	1
1974	3,194	1	-	-	16	33	62	170	358	777	1,106	671	-
1973	3,422	1	1	1	16	27	57	174	386	827	1,213	719	-
1972	3,666	4	-	-	6	34	62	176	416	916	1,322	730	-
1971	3,735	-	1	1	17	30	69	179	455	1,005	1,291	686	1
1970	3,973	1	-	2	19	39	77	200	457	1,024	1,455	699	-
1969	4,262	2	-	3	12	40	75	232	533	1,118	1,528	717	2
1968	4,385	2	-	1	20	34	97	231	567	1,178	1,548	706	1
MALE													
1978	1,314	3	-	-	1	9	28	77	145	398	407	246	-
1977	1,299	1	-	1	4	11	19	71	148	373	426	245	-
1976	1,322	-	-	1	2	6	23	69	152	383	456	230	-
1975	1,305	1	-	-	-	11	17	55	173	373	457	217	1
1974	1,394	1	-	-	6	12	24	81	184	389	488	209	-
1973	1,531	-	1	-	4	10	24	83	205	409	546	249	-
1972	1,622	4	-	-	-	14	20	94	218	470	578	224	-
1971	1,642	-	-	-	5	13	30	86	216	495	557	240	-
1970	1,714	-	-	1	3	7	28	98	230	484	622	241	-
1969	1,838	-	-	-	3	12	31	98	244	523	688	237	2
1968	1,897	-	-	-	3	7	39	129	282	524	669	243	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS (574,575)													
FEMALE													
1978	1,627	1	-	2	6	10	14	63	119	321	592	499	-
1977	1,658	5	-	1	9	11	32	62	136	342	522	538	-
1976	1,634	-	1	-	5	18	29	64	162	294	595	466	-
1975	1,699	1	-	1	6	16	34	75	168	347	599	452	-
1974	1,800	-	-	-	10	21	38	89	174	388	618	462	-
1973	1,891	1	-	1	12	17	33	91	181	418	667	470	-
1972	2,044	-	-	-	6	20	42	82	198	446	744	506	-
1971	2,093	-	1	1	12	17	39	93	239	510	734	446	1
1970	2,259	1	-	1	16	32	49	102	227	540	833	458	-
1969	2,424	2	-	3	9	28	44	134	289	595	840	480	-
1968	2,488	2	-	1	17	27	58	102	285	654	879	463	-
WHITE, BOTH SEXES													
1978	2,698	4	-	2	7	13	35	113	228	639	948	709	-
1977	2,706	4	-	2	11	16	43	103	254	650	880	743	-
1976	2,724	-	-	1	5	17	46	111	273	618	994	659	-
1975	2,775	2	-	1	6	17	42	108	308	659	993	638	1
1974	2,937	1	-	-	12	27	43	143	321	707	1,043	640	-
1973	3,147	1	1	1	13	21	39	150	340	754	1,137	690	-
1972	3,418	4	-	-	6	24	46	160	368	846	1,256	708	-
1971	3,465	-	1	1	11	25	60	153	400	921	1,237	655	1
1970	3,734	1	-	2	15	26	67	179	411	967	1,390	676	-
1969	3,999	2	-	2	11	32	59	192	490	1,045	1,475	689	2
1968	4,085	1	-	1	17	25	82	195	518	1,085	1,481	679	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS (574,575)													
WHITE, MALE													
1978	1,214	3	-	-	1	8	25	65	132	362	384	234	-
1977	1,199	-	-	1	3	7	18	56	136	349	403	226	-
1976	1,237	-	-	1	1	3	20	64	142	358	431	217	-
1975	1,219	1	-	-	-	8	15	50	157	354	431	202	1
1974	1,283	1	-	-	4	10	17	69	162	362	461	197	-
1973	1,422	-	1	-	3	7	18	76	193	374	515	235	-
1972	1,522	4	-	-	-	12	14	82	192	448	554	216	-
1971	1,544	-	-	-	2	12	26	79	198	459	537	231	-
1970	1,625	-	-	1	2	6	26	91	211	462	591	235	-
1969	1,749	-	-	-	3	7	27	88	235	494	667	226	2
1968	1,786	-	-	-	3	7	31	113	265	488	645	233	1
WHITE, FEMALE													
1978	1,484	1	-	2	6	5	10	48	96	277	564	475	-
1977	1,507	4	-	1	8	9	25	47	118	301	477	517	-
1976	1,487	-	-	-	4	14	26	47	131	260	563	442	-
1975	1,556	1	-	1	6	9	27	58	151	305	562	436	-
1974	1,654	-	-	-	8	17	26	74	159	345	582	443	-
1973	1,725	1	-	1	10	14	21	74	147	380	622	455	-
1972	1,896	-	-	-	6	12	32	78	176	398	702	492	-
1971	1,921	-	1	1	9	13	34	74	202	462	700	424	1
1970	2,109	1	-	1	13	20	41	88	200	505	799	441	-
1969	2,250	2	-	2	8	25	32	104	255	551	808	463	-
1968	2,299	1	-	1	14	18	51	82	253	597	836	446	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS (574,575)													
ALL OTHER, BOTH SEXES													
1978	243	-	-	-	-	6	7	27	36	80	51	36	-
1977	251	2	-	-	2	6	8	30	30	65	68	40	-
1976	232	-	1	-	2	7	6	22	41	59	57	37	-
1975	229	-	-	-	-	10	9	22	33	61	63	31	-
1974	257	-	-	-	4	6	19	27	37	70	63	31	-
1973	275	-	-	-	3	6	18	24	46	73	76	29	-
1972	248	-	-	-	-	10	16	16	48	70	66	22	-
1971	270	-	-	-	6	5	9	26	55	84	54	31	-
1970	239	-	-	-	4	13	10	21	46	57	65	23	-
1969	263	-	-	1	1	8	16	40	43	73	53	28	-
1968	300	1	-	-	3	9	15	36	49	93	67	27	-
ALL OTHER, MALE													
1978	100	-	-	-	-	1	3	12	13	36	23	12	-
1977	100	1	-	-	1	4	1	15	12	24	23	19	-
1976	85	-	-	-	1	3	3	5	10	25	25	13	-
1975	86	-	-	-	-	3	2	5	16	19	26	15	-
1974	111	-	-	-	2	2	7	12	22	27	27	12	-
1973	109	-	-	-	1	3	6	7	12	35	31	14	-
1972	100	-	-	-	-	2	6	12	26	22	24	8	-
1971	98	-	-	-	3	1	4	7	18	36	20	9	-
1970	89	-	-	-	1	1	2	7	19	22	31	6	-
1969	89	-	-	-	-	5	4	10	9	29	21	11	-
1968	111	-	-	-	-	-	8	16	17	36	24	10	-
ALL OTHER, FEMALE													
1978	143	-	-	-	-	5	4	15	23	44	28	24	-
1977	151	1	-	-	1	2	7	15	18	41	45	21	-
1976	147	-	1	-	1	4	3	17	31	34	32	24	-
1975	143	-	-	-	-	7	7	17	17	42	37	16	-
1974	146	-	-	-	2	4	12	15	15	43	36	19	-
1973	166	-	-	-	2	3	12	17	34	38	45	15	-
1972	148	-	-	-	-	8	10	4	22	48	42	14	-
1971	172	-	-	-	3	4	5	19	37	48	34	22	-
1970	150	-	-	-	3	12	8	14	27	35	34	17	-
1969	174	-	-	1	1	3	12	30	34	44	32	17	-
1968	189	1	-	-	3	9	7	20	32	57	43	17	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS (574,575)													
BLACK, BOTH SEXES													
1978	204	-	-	-	-	5	7	22	31	73	38	28	-
1977	212	1	-	-	2	6	8	24	26	58	55	32	-
1976	188	-	1	-	2	6	5	17	39	43	44	31	-
1975	184	-	-	-	-	9	8	21	28	54	41	23	-
1974	206	-	-	-	4	5	15	23	32	60	46	21	-
1973	221	-	-	-	3	5	11	23	41	57	58	23	-
1972	206	-	-	-	-	10	14	14	38	58	54	18	-
1971	209	-	-	-	5	4	7	26	47	67	31	22	-
1970	178	-	-	-	4	10	7	18	38	44	44	13	-
1969	209	-	-	1	-	5	14	35	31	60	41	22	-
1968	249	1	-	-	3	8	14	33	43	76	52	19	-
BLACK, MALE													
1978	80	-	-	-	-	1	3	9	11	32	15	9	-
1977	82	1	-	-	1	4	1	13	10	20	18	14	-
1976	66	-	-	-	1	2	2	4	10	19	18	10	-
1975	61	-	-	-	-	2	1	5	14	16	14	9	-
1974	86	-	-	-	2	2	6	10	19	22	19	6	-
1973	79	-	-	-	1	2	4	7	10	25	20	10	-
1972	78	-	-	-	-	2	4	12	20	16	18	6	-
1971	66	-	-	-	3	-	3	7	14	26	7	6	-
1970	59	-	-	-	1	1	1	6	15	14	17	4	-
1969	61	-	-	-	-	3	2	7	6	23	13	7	-
1968	83	-	-	-	-	-	8	14	15	25	16	5	-
BLACK, FEMALE													
1978	124	-	-	-	-	4	4	13	20	41	23	19	-
1977	130	-	-	-	1	2	7	11	16	38	37	18	-
1976	122	-	1	-	1	4	3	13	29	24	26	21	-
1975	123	-	-	-	-	7	7	16	14	38	27	14	-
1974	120	-	-	-	2	3	9	13	13	38	27	15	-
1973	142	-	-	-	2	3	7	16	31	32	38	13	-
1972	128	-	-	-	-	8	10	2	18	42	36	12	-
1971	143	-	-	-	2	4	4	19	33	41	24	16	-
1970	119	-	-	-	3	9	6	12	23	30	27	9	-
1969	148	-	-	1	-	2	12	28	25	37	28	15	-
1968	166	1	-	-	3	8	6	19	28	51	36	14	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Nephritis, nephrotic syndrome, & nephrosis 580-584 BOTH SEXES													
1978	8,868	62	24	31	104	205	262	654	1,366	2,259	2,517	1,382	2
1977	8,519	63	23	35	111	190	290	645	1,328	2,172	2,379	1,283	-
1976	8,541	35	23	44	129	214	313	733	1,316	2,151	2,310	1,271	2
1975	8,072	20	14	59	123	197	355	718	1,387	2,085	2,046	1,068	-
1974	8,068	21	18	57	162	204	377	809	1,425	1,966	2,055	973	1
1973	8,336	20	21	66	178	268	422	862	1,459	2,019	2,007	1,012	2
1972	8,548	24	20	76	192	250	450	1,032	1,538	2,018	1,962	986	-
1971	8,443	38	34	115	242	298	519	984	1,570	1,876	1,819	947	1
1970	8,877	34	38	122	286	361	632	1,072	1,581	1,974	1,892	882	3
1969	9,417	39	48	156	339	392	702	1,110	1,741	1,970	2,021	898	1
1968	9,311	28	36	150	318	364	792	1,192	1,665	1,928	1,908	924	6
MALE													
1978	4,765	38	14	14	53	114	155	359	718	1,264	1,383	652	1
1977	4,580	38	11	18	70	124	156	341	712	1,192	1,272	646	-
1976	4,555	23	12	24	76	134	160	420	736	1,153	1,217	599	1
1975	4,328	11	8	28	74	127	199	370	804	1,165	1,053	489	-
1974	4,328	11	12	27	99	125	207	429	750	1,090	1,109	469	-
1973	4,460	11	12	34	114	155	227	470	761	1,131	1,061	483	1
1972	4,656	14	10	42	110	140	254	556	858	1,132	1,062	478	-
1971	4,486	22	17	58	127	161	280	518	914	1,001	935	452	1
1970	4,857	22	22	67	162	203	371	601	895	1,091	1,000	422	1
1969	5,080	22	21	72	188	238	393	648	1,001	1,038	1,063	396	-
1968	5,119	15	14	81	191	202	435	709	932	1,108	1,010	419	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Nephritis, nephrotic syndrome, & nephrosis 580-584													
FEMALE													
1978	4,103	24	10	17	51	91	107	295	648	995	1,134	730	1
1977	3,939	25	12	17	41	66	134	304	616	980	1,107	637	-
1976	3,986	12	11	20	53	80	153	313	580	998	1,093	672	1
1975	3,744	9	6	31	49	70	156	348	583	920	993	579	-
1974	3,740	10	6	30	63	79	170	380	675	876	946	504	1
1973	3,876	9	9	32	64	113	195	392	698	888	946	529	1
1972	3,892	10	10	34	82	110	196	476	680	886	900	508	-
1971	3,957	16	17	57	115	137	239	466	656	875	884	495	-
1970	4,020	12	16	55	124	158	261	471	686	883	892	460	2
1969	4,337	17	27	84	151	154	309	462	740	932	958	502	1
1968	4,192	13	22	69	127	162	357	483	733	820	898	505	3
WHITE, BOTH SEXES													
1978	6,559	44	18	28	69	116	138	382	877	1,668	2,028	1,189	2
1977	6,249	37	18	27	69	113	158	365	818	1,584	1,930	1,130	-
1976	6,259	25	18	35	90	123	175	425	874	1,526	1,864	1,103	1
1975	5,996	14	11	43	85	120	197	420	904	1,532	1,721	949	-
1974	5,907	15	11	37	89	118	210	468	944	1,437	1,729	848	1
1973	6,058	16	17	42	126	168	231	505	970	1,436	1,683	863	1
1972	6,282	20	14	56	138	142	228	666	1,044	1,438	1,676	860	-
1971	6,250	31	26	79	164	156	293	644	1,063	1,424	1,555	814	1
1970	6,553	27	32	87	181	209	348	683	1,108	1,496	1,616	764	2
1969	7,086	28	35	118	237	263	411	707	1,221	1,517	1,756	793	-
1968	6,963	21	27	111	216	232	469	774	1,215	1,480	1,620	797	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Nephritis, nephrotic syndrome, & nephrosis 580-584													
WHITE, MALE													
1978	3,608	31	9	12	37	63	80	228	482	963	1,137	565	1
1977	3,441	25	8	12	47	76	91	207	466	901	1,048	560	-
1976	3,440	16	9	19	53	78	95	260	523	857	1,007	523	-
1975	3,241	9	6	19	54	78	110	223	547	880	893	422	-
1974	3,219	6	7	18	55	74	122	267	519	822	927	402	-
1973	3,331	9	9	21	80	100	129	296	537	840	908	402	-
1972	3,442	12	8	32	76	70	122	388	636	814	884	400	-
1971	3,367	18	13	37	85	88	167	354	646	771	812	375	1
1970	3,628	15	18	47	100	119	219	389	667	844	854	356	-
1969	3,853	18	16	56	127	164	237	423	747	806	914	345	-
1968	3,909	13	11	62	128	141	278	484	711	869	848	363	1
WHITE, FEMALE													
1978	2,951	13	9	16	32	53	58	154	395	705	891	624	1
1977	2,808	12	10	15	22	37	67	158	352	683	882	570	-
1976	2,819	9	9	16	37	45	80	165	351	669	857	580	1
1975	2,755	5	5	24	31	42	87	197	357	652	828	527	-
1974	2,688	9	4	19	34	44	88	201	425	615	802	446	1
1973	2,727	7	8	21	46	68	102	209	433	596	775	461	1
1972	2,840	8	6	24	62	72	106	278	408	624	792	460	-
1971	2,883	13	13	42	79	68	126	290	417	653	743	439	-
1970	2,925	12	14	40	81	90	129	294	441	652	762	408	2
1969	3,233	10	19	62	110	99	174	284	474	711	842	448	-
1968	3,054	8	16	49	88	91	191	290	504	611	772	434	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Nephritis, nephrotic syndrome, & nephrosis 580-584													
ALL OTHER, BOTH SEXES													
1978	2,309	18	6	3	35	89	124	272	489	591	489	193	-
1977	2,270	26	5	8	42	77	132	280	510	588	449	153	-
1976	2,282	10	5	9	39	91	138	308	442	625	446	168	1
1975	2,076	6	3	16	38	77	158	298	483	553	325	119	-
1974	2,161	6	7	20	73	86	167	341	481	529	326	125	-
1973	2,278	4	4	24	52	100	191	357	489	583	324	149	1
1972	2,266	4	6	20	54	108	222	366	494	580	286	126	-
1971	2,193	7	8	36	78	142	226	340	507	452	264	133	-
1970	2,324	7	6	35	105	152	284	389	473	478	276	118	1
1969	2,331	11	13	38	102	129	291	403	520	453	265	105	1
1968	2,348	7	9	39	102	132	323	418	450	448	288	127	5
ALL OTHER, MALE													
1978	1,157	7	5	2	16	51	75	131	236	301	246	87	-
1977	1,139	13	3	6	23	48	65	134	246	291	224	86	-
1976	1,115	7	3	5	23	56	65	160	213	296	210	76	1
1975	1,087	2	2	9	20	49	89	147	257	285	160	67	-
1974	1,109	5	5	9	44	51	85	162	231	268	182	67	-
1973	1,129	2	3	13	34	55	98	174	224	291	153	81	1
1972	1,214	2	2	10	34	70	132	168	222	318	178	78	-
1971	1,119	4	4	21	42	73	113	164	268	230	123	77	-
1970	1,229	7	4	20	62	84	152	212	228	247	146	66	1
1969	1,227	4	5	16	61	74	156	225	254	232	149	51	-
1968	1,210	2	3	19	63	61	157	225	221	239	162	56	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Nephritis, nephrotic syndrome, & nephrosis ALL OTHER, FEMALE													
1978	1,152	11	1	1	19	38	49	141	253	290	243	106	-
1977	1,131	13	2	2	19	29	67	146	264	297	225	67	-
1976	1,167	3	2	4	16	35	73	148	229	329	236	92	-
1975	989	4	1	7	18	28	69	151	226	268	165	52	-
1974	1,052	1	2	11	29	35	82	179	250	261	144	58	-
1973	1,149	2	1	11	18	45	93	183	265	292	171	68	-
1972	1,052	2	4	10	20	38	90	198	272	262	108	48	-
1971	1,074	3	4	15	36	69	113	176	239	222	141	56	-
1970	1,095	-	2	15	43	68	132	177	245	231	130	52	-
1969	1,104	7	8	22	41	55	135	178	266	221	116	54	1
1968	1,138	5	6	20	39	71	166	193	229	209	126	71	3
BLACK, BOTH SEXES													
1978	2,179	16	6	3	34	84	118	258	469	563	454	174	-
1977	2,165	25	5	7	40	75	128	272	487	557	425	144	-
1976	2,177	8	4	7	39	86	129	296	430	596	425	156	1
1975	1,972	5	3	15	37	71	150	292	470	528	300	101	-
1974	2,080	6	7	20	71	78	164	335	468	511	303	117	-
1973	2,180	3	3	23	50	98	183	347	473	555	307	138	-
1972	2,182	4	6	20	54	104	220	358	478	550	268	120	-
1971	2,095	7	8	33	73	135	212	321	487	437	252	130	-
1970	2,225	7	5	33	102	140	275	379	454	458	261	110	1
1969	2,230	8	13	37	95	122	279	389	501	432	252	101	1
1968	2,242	7	9	37	95	123	314	404	425	432	274	118	4

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Nephritis, nephrotic syndrome, & nephrosis	580-584												
BLACK, MALE													
1978	1,087	6	5	2	16	46	73	127	226	286	224	76	-
1977	1,088	12	3	5	23	48	63	130	235	274	214	81	-
1976	1,058	7	2	4	23	52	64	154	203	283	195	70	1
1975	1,016	2	2	8	20	47	83	144	248	266	142	54	-
1974	1,060	5	5	9	43	47	83	159	226	257	164	62	-
1973	1,071	1	2	13	33	54	92	170	216	272	145	73	-
1972	1,166	2	2	10	34	66	130	166	216	292	170	78	-
1971	1,063	4	4	18	39	70	107	155	257	219	115	75	-
1970	1,169	7	3	19	61	75	147	204	220	235	136	61	1
1969	1,167	3	5	16	56	67	151	217	243	219	141	49	-
1968	1,137	2	3	18	57	57	150	215	207	228	148	50	2
BLACK, FEMALE													
1978	1,092	10	1	1	18	38	45	131	243	277	230	98	-
1977	1,077	13	2	2	17	27	65	142	252	283	211	63	-
1976	1,119	1	2	3	16	34	65	142	227	313	230	86	-
1975	956	3	1	7	17	24	67	148	222	262	158	47	-
1974	1,020	1	2	11	28	31	81	176	242	254	139	55	-
1973	1,109	2	1	10	17	44	91	177	257	283	162	65	-
1972	1,016	2	4	10	20	38	90	192	262	258	98	42	-
1971	1,032	3	4	15	34	65	105	166	230	218	137	55	-
1970	1,056	-	2	14	41	65	128	175	234	223	125	49	-
1969	1,063	5	8	21	39	55	128	172	258	213	111	52	1
1968	1,105	5	6	19	38	66	164	189	218	204	126	68	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME (580,581) BOTH SEXES													
1978	2,073	56	11	4	18	30	44	94	278	530	654	353	1
1977	1,833	51	11	12	12	21	39	92	238	490	551	316	-
1976	1,759	32	12	12	16	26	45	98	242	448	532	296	-
1975	1,585	17	4	10	22	41	49	115	240	452	414	221	-
1974	1,541	17	10	15	25	32	61	116	258	410	430	167	-
1973	1,536	20	11	25	26	37	68	122	269	388	406	163	1
1972	1,466	20	14	14	38	50	68	164	270	336	342	150	-
1971	1,373	31	21	20	40	45	61	140	264	319	302	130	-
1970	1,354	17	25	40	55	45	77	147	262	305	285	96	-
1969	1,392	31	27	56	61	45	91	149	254	284	297	97	-
1968	1,294	20	25	46	47	46	98	164	227	273	257	91	-
MALE													
1978	1,131	34	8	-	11	16	23	53	157	310	360	158	1
1977	999	30	5	5	9	18	23	46	137	273	297	156	-
1976	942	21	7	7	11	11	27	67	146	232	284	129	-
1975	857	9	2	7	15	27	27	57	136	266	220	91	-
1974	838	10	6	4	17	20	36	59	125	246	240	75	-
1973	866	11	8	14	15	20	36	69	141	232	233	86	1
1972	840	10	6	8	20	28	44	100	154	208	196	66	-
1971	738	18	12	11	18	19	35	79	156	174	149	67	-
1970	768	8	13	16	26	30	50	79	160	180	151	55	-
1969	726	18	12	27	29	23	50	86	141	150	148	42	-
1968	720	11	11	28	26	20	55	97	118	156	157	41	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME (580,581)													
FEMALE													
1978	942	22	3	4	7	14	21	41	121	220	294	195	-
1977	834	21	6	7	3	3	16	46	101	217	254	160	-
1976	817	11	5	5	5	15	18	31	96	216	248	167	-
1975	728	8	2	3	7	14	22	58	104	186	194	130	-
1974	703	7	4	11	8	12	25	57	133	164	190	92	-
1973	670	9	3	11	11	17	32	53	128	156	173	77	-
1972	626	10	8	6	18	22	24	64	116	128	146	84	-
1971	635	13	9	9	22	26	26	61	108	145	153	63	-
1970	586	9	12	24	29	15	27	68	102	125	134	41	-
1969	666	13	15	29	32	22	41	63	113	134	149	55	-
1968	574	9	14	18	21	26	43	67	109	117	100	50	-
WHITE, BOTH SEXES													
1978	1,702	39	7	4	12	14	33	66	209	441	562	314	1
1977	1,497	26	8	9	7	12	25	63	185	383	485	294	-
1976	1,445	23	9	9	11	16	32	70	189	362	450	274	-
1975	1,261	12	3	4	11	23	29	75	178	359	363	204	-
1974	1,252	12	6	11	14	17	35	83	204	340	385	145	-
1973	1,214	16	9	16	19	24	37	83	208	302	355	145	-
1972	1,174	16	8	12	28	30	34	120	196	284	306	140	-
1971	1,075	25	15	14	23	17	32	100	204	263	269	113	-
1970	1,071	16	21	30	34	26	51	99	211	249	252	82	-
1969	1,080	20	19	39	43	28	54	103	198	225	264	87	-
1968	1,004	17	16	29	31	23	62	116	180	231	225	74	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME (580,581)													
WHITE, MALE													
1978	921	27	4	-	7	6	15	36	122	258	309	136	1
1977	814	18	2	4	5	11	15	32	110	210	261	146	-
1976	781	15	5	6	7	8	18	48	120	193	243	118	-
1975	697	7	1	3	9	18	18	44	106	218	191	82	-
1974	684	5	4	4	8	12	24	43	101	204	214	65	-
1973	694	9	6	8	11	12	19	50	109	188	208	74	-
1972	670	8	4	6	16	12	24	74	124	172	170	60	-
1971	584	14	9	7	10	9	19	59	125	141	135	56	-
1970	617	7	11	12	15	16	35	55	133	153	135	45	-
1969	570	14	10	19	21	16	27	59	111	126	130	37	-
1968	569	11	8	19	17	11	31	71	99	134	137	31	-
WHITE, FEMALE													
1978	781	12	3	4	5	8	18	30	87	183	253	178	-
1977	683	8	6	5	2	1	10	31	75	173	224	148	-
1976	664	8	4	3	4	8	14	22	69	169	207	156	-
1975	564	5	2	1	2	5	11	31	72	141	172	122	-
1974	568	7	2	7	6	5	11	40	103	136	171	80	-
1973	520	7	3	8	8	12	18	33	99	114	147	71	-
1972	504	8	4	6	12	18	10	46	72	112	136	80	-
1971	491	11	6	7	13	8	13	41	79	122	134	57	-
1970	454	9	10	18	19	10	16	44	78	96	117	37	-
1969	510	6	9	20	22	12	27	44	87	99	134	50	-
1968	435	6	8	10	14	12	31	45	81	97	88	43	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME (580,581)													
ALL OTHER, BOTH SEXES													
1978	371	17	4	-	6	16	11	28	69	89	92	39	-
1977	336	25	3	3	5	9	14	29	53	107	66	22	-
1976	314	9	3	3	5	10	13	28	53	86	82	22	-
1975	324	5	1	6	11	18	20	40	62	93	51	17	-
1974	289	5	4	4	11	15	26	33	54	70	45	22	-
1973	322	4	2	9	7	13	31	39	61	86	51	18	1
1972	292	4	6	2	10	20	34	44	74	52	36	10	-
1971	298	6	6	6	17	28	29	40	60	56	33	17	-
1970	283	1	4	10	21	19	26	48	51	56	33	14	-
1969	312	11	8	17	18	17	37	46	56	59	33	10	-
1968	290	3	9	17	16	23	36	48	47	42	32	17	-
ALL OTHER, MALE													
1978	210	7	4	-	4	10	8	17	35	52	51	22	-
1977	185	12	3	1	4	7	8	14	27	63	36	10	-
1976	161	6	2	1	4	3	9	19	26	39	41	11	-
1975	160	2	1	4	6	9	9	13	30	48	29	9	-
1974	154	5	2	-	9	8	12	16	24	42	26	10	-
1973	172	2	2	6	4	8	17	19	32	44	25	12	1
1972	170	2	2	2	4	16	20	26	30	36	26	6	-
1971	154	4	3	4	8	10	16	20	31	33	14	11	-
1970	151	1	2	4	11	14	15	24	27	27	16	10	-
1969	156	4	2	8	8	7	23	27	30	24	18	5	-
1968	151	-	3	9	9	9	24	26	19	22	20	10	-
ALL OTHER, FEMALE													
1978	161	10	-	-	2	6	3	11	34	37	41	17	-
1977	151	13	-	2	1	2	6	15	26	44	30	12	-
1976	153	3	1	2	1	7	4	9	27	47	41	11	-
1975	164	3	-	2	5	9	11	27	32	45	22	8	-
1974	135	-	2	4	2	7	14	17	30	28	19	12	-
1973	150	2	-	3	3	5	14	20	29	42	26	6	-
1972	122	2	4	-	6	4	14	18	44	16	10	4	-
1971	144	2	3	2	9	18	13	20	29	23	19	6	-
1970	132	-	2	6	10	5	11	24	24	29	17	4	-
1969	156	7	6	9	10	10	14	19	26	35	15	5	-
1968	139	3	6	8	7	14	12	22	28	20	12	7	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME (580,581)													
BLACK, BOTH SEXES													
1978	343	15	4	-	5	16	11	28	67	87	80	30	-
1977	321	24	3	3	5	9	14	29	51	104	61	18	-
1976	301	7	2	2	5	10	13	27	53	82	78	22	-
1975	302	5	1	6	10	17	19	40	60	86	45	13	-
1974	275	5	4	4	11	12	25	32	54	65	42	21	-
1973	305	3	1	9	7	12	31	39	58	80	49	16	-
1972	278	4	6	2	10	20	32	40	68	52	34	10	-
1971	281	6	6	5	15	26	25	37	59	55	30	17	-
1970	271	1	3	10	21	17	26	48	49	54	29	13	-
1969	298	8	8	17	17	17	36	44	53	58	30	10	-
1968	279	3	9	16	15	23	35	46	46	39	30	17	-
BLACK, MALE													
1978	195	6	4	-	4	10	8	17	34	52	45	15	-
1977	179	11	3	1	4	7	8	14	26	61	36	8	-
1976	154	6	1	1	4	3	9	19	26	37	37	11	-
1975	143	2	1	4	6	8	8	13	29	41	25	6	-
1974	145	5	2	-	9	7	12	16	24	38	23	9	-
1973	161	1	1	6	4	7	17	19	31	40	25	10	-
1972	164	2	2	2	4	16	18	26	26	36	26	6	-
1971	144	4	3	3	8	9	14	18	30	32	12	11	-
1970	144	1	1	4	11	13	15	24	26	26	14	9	-
1969	149	3	2	8	7	7	22	25	29	24	17	5	-
1968	141	-	3	8	8	9	23	24	19	19	18	10	-
BLACK, FEMALE													
1978	148	9	-	-	1	6	3	11	33	35	35	15	-
1977	142	13	-	2	1	2	6	15	25	43	25	10	-
1976	147	1	1	1	1	7	4	8	27	45	41	11	-
1975	159	3	-	2	4	9	11	27	31	45	20	7	-
1974	130	-	2	4	2	5	13	16	30	27	19	12	-
1973	144	2	-	3	3	5	14	20	27	40	24	6	-
1972	114	2	4	-	6	4	14	14	42	16	8	4	-
1971	137	2	3	2	7	17	11	19	29	23	18	6	-
1970	127	-	2	6	10	4	11	24	23	28	15	4	-
1969	149	5	6	9	10	10	14	19	24	34	13	5	-
1968	138	3	6	8	7	14	12	22	27	20	12	7	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS (582-584) BOTH SEXES													
1978	6,795	6	13	27	86	175	218	560	1,088	1,729	1,863	1,029	1
1977	6,686	12	12	23	99	169	251	553	1,090	1,682	1,828	967	-
1976	6,782	3	11	32	113	188	268	635	1,074	1,703	1,778	975	2
1975	6,487	3	10	49	101	156	306	603	1,147	1,633	1,632	847	-
1974	6,527	4	8	42	137	172	316	693	1,167	1,556	1,625	806	1
1973	6,800	-	10	41	152	231	354	740	1,190	1,631	1,601	849	1
1972	7,082	4	6	62	154	200	382	868	1,268	1,682	1,620	836	-
1971	7,070	7	13	95	202	253	458	844	1,306	1,557	1,517	817	1
1970	7,523	17	13	82	231	316	555	925	1,319	1,669	1,607	786	3
1969	8,025	8	21	100	278	347	611	961	1,487	1,686	1,724	801	1
1968	8,017	8	11	104	271	318	694	1,028	1,438	1,655	1,651	833	6
MALE													
1978	3,634	4	6	14	42	98	132	306	561	954	1,023	494	-
1977	3,581	8	6	13	61	106	133	295	575	919	975	490	-
1976	3,613	2	5	17	65	123	133	353	590	921	933	470	1
1975	3,471	2	6	21	59	100	172	313	668	899	833	398	-
1974	3,490	1	6	23	82	105	171	370	625	844	869	394	-
1973	3,594	-	4	20	99	135	191	401	620	899	828	397	-
1972	3,816	4	4	34	90	112	210	456	704	924	866	412	-
1971	3,748	4	5	47	109	142	245	439	758	827	786	385	1
1970	4,089	14	9	51	136	173	321	522	735	911	849	367	1
1969	4,354	4	9	45	159	215	343	562	860	888	915	354	-
1968	4,399	4	3	53	165	182	380	612	814	952	853	378	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS (582-584)													
FEMALE													
1978	3,161	2	7	13	44	77	86	254	527	775	840	535	1
1977	3,105	4	6	10	38	63	118	258	515	763	853	477	-
1976	3,169	1	6	15	48	65	135	282	484	782	845	505	1
1975	3,016	1	4	28	42	56	134	290	479	734	799	449	-
1974	3,037	3	2	19	55	67	145	323	542	712	756	412	1
1973	3,206	-	6	21	53	96	163	339	570	732	773	452	1
1972	3,266	-	2	28	64	88	172	412	564	758	754	424	-
1971	3,322	3	8	48	93	111	213	405	548	730	731	432	-
1970	3,434	3	4	31	95	143	234	403	584	758	758	419	2
1969	3,671	4	12	55	119	132	268	399	627	798	809	447	1
1968	3,618	4	8	51	106	136	314	416	624	703	798	455	3
WHITE, BOTH SEXES													
1978	4,857	5	11	24	57	102	105	316	668	1,227	1,466	875	1
1977	4,752	11	10	18	62	101	133	302	633	1,201	1,445	836	-
1976	4,814	2	9	26	79	107	143	355	685	1,164	1,414	829	1
1975	4,735	2	8	39	74	97	168	345	726	1,173	1,358	745	-
1974	4,655	3	5	26	75	101	175	385	740	1,097	1,344	703	1
1973	4,844	-	8	26	107	144	194	422	762	1,134	1,328	718	1
1972	5,108	4	6	44	110	112	194	546	848	1,154	1,370	720	-
1971	5,175	6	11	65	141	139	261	544	859	1,161	1,286	701	1
1970	5,482	11	11	57	147	183	297	584	897	1,247	1,364	682	2
1969	6,006	8	16	79	194	235	357	604	1,023	1,292	1,492	706	-
1968	5,959	4	11	82	185	209	407	658	1,035	1,249	1,395	723	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS (582-584)													
WHITE, MALE													
1978	2,687	4	5	12	30	57	65	192	360	705	828	429	-
1977	2,627	7	6	8	42	65	76	175	356	691	787	414	-
1976	2,659	1	4	13	46	70	77	212	403	664	764	405	-
1975	2,544	2	5	16	45	60	92	179	441	662	702	340	-
1974	2,535	1	3	14	47	62	98	224	418	618	713	337	-
1973	2,637	-	3	13	69	88	110	246	428	652	700	328	-
1972	2,772	4	4	26	60	58	98	314	512	642	714	340	-
1971	2,783	4	4	30	75	79	148	295	521	630	677	319	1
1970	3,011	8	7	35	85	103	184	334	534	691	719	311	-
1969	3,283	4	6	37	106	148	210	364	636	680	784	308	-
1968	3,340	2	3	43	111	130	247	413	612	735	711	332	1
WHITE, FEMALE													
1978	2,170	1	6	12	27	45	40	124	308	522	638	446	1
1977	2,125	4	4	10	20	36	57	127	277	510	658	422	-
1976	2,155	1	5	13	33	37	66	143	282	500	650	424	1
1975	2,191	-	3	23	29	37	76	166	285	511	656	405	-
1974	2,120	2	2	12	28	39	77	161	322	479	631	366	1
1973	2,207	-	5	13	38	56	84	176	334	482	628	390	1
1972	2,336	-	2	18	50	54	96	232	336	512	656	380	-
1971	2,392	2	7	35	66	60	113	249	338	531	609	382	-
1970	2,471	3	4	22	62	80	113	250	363	556	645	371	2
1969	2,723	4	10	42	88	87	147	240	387	612	708	398	-
1968	2,619	2	8	39	74	79	160	245	423	514	684	391	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS (582-584)													
ALL OTHER, BOTH SEXES													
1978	1,938	1	2	3	29	73	113	244	420	502	397	154	-
1977	1,934	1	2	5	37	68	118	251	457	481	383	131	-
1976	1,968	1	2	6	34	81	125	280	389	539	364	146	1
1975	1,752	1	2	10	27	59	138	258	421	460	274	102	-
1974	1,872	1	3	16	62	71	141	308	427	459	281	103	-
1973	1,956	-	2	15	45	87	160	318	428	497	273	131	-
1972	1,974	-	-	18	44	88	188	322	420	528	250	116	-
1971	1,895	1	2	30	61	114	197	300	447	396	231	116	-
1970	2,041	6	2	25	84	133	258	341	422	422	243	104	1
1969	2,019	-	5	21	84	112	254	357	464	394	232	95	1
1968	2,058	4	-	22	86	109	287	370	403	406	256	110	5
ALL OTHER, MALE													
1978	947	-	1	2	12	41	67	114	201	249	195	65	-
1977	954	1	-	5	19	41	57	120	219	228	188	76	-
1976	954	1	1	4	19	53	56	141	187	257	169	65	1
1975	927	-	1	5	14	40	80	134	227	237	131	58	-
1974	955	-	3	9	35	43	73	146	207	226	156	57	-
1973	957	-	1	7	30	47	81	155	192	247	128	69	-
1972	1,044	-	-	8	30	54	112	142	192	282	152	72	-
1971	965	-	1	17	34	63	97	144	237	197	109	66	-
1970	1,078	6	2	16	51	70	137	188	201	220	130	56	1
1969	1,071	-	3	8	53	67	133	198	224	208	131	46	-
1968	1,059	2	-	10	54	52	133	199	202	217	142	46	2
ALL OTHER, FEMALE													
1978	991	1	1	1	17	32	46	130	219	253	202	89	-
1977	980	-	2	-	18	27	61	131	238	253	195	55	-
1976	1,014	-	1	2	15	28	69	139	202	282	195	81	-
1975	825	1	1	5	13	19	58	124	194	223	143	44	-
1974	917	1	-	7	27	28	68	162	220	233	125	46	-
1973	999	-	1	8	15	40	79	163	236	250	145	62	-
1972	930	-	-	10	14	34	76	180	228	246	98	44	-
1971	930	1	1	13	27	51	100	156	210	199	122	50	-
1970	963	-	-	9	33	63	121	153	221	202	113	48	-
1969	948	-	2	13	31	45	121	159	240	186	101	49	1
1968	999	2	-	12	32	57	154	171	201	189	114	64	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS (582-584)													
BLACK, BOTH SEXES													
1978	1,836	1	2	3	29	68	107	230	402	476	374	144	-
1977	1,844	1	2	4	35	66	114	243	436	453	364	126	-
1976	1,876	1	2	5	34	76	116	269	377	514	347	134	1
1975	1,670	-	2	9	27	54	131	252	410	442	255	88	-
1974	1,805	1	3	16	60	66	139	303	414	446	261	96	-
1973	1,875	-	2	14	43	86	152	308	415	475	258	122	-
1972	1,904	-	-	18	44	84	188	318	410	498	234	110	-
1971	1,814	1	2	28	58	109	187	284	428	382	222	113	-
1970	1,954	6	2	23	81	123	249	331	405	404	232	97	1
1969	1,932	-	5	20	78	105	243	345	448	374	222	91	1
1968	1,963	4	-	21	80	100	279	358	379	393	244	101	4
BLACK, MALE													
1978	892	-	1	2	12	36	65	110	192	234	179	61	-
1977	909	1	-	4	19	41	55	116	209	213	178	73	-
1976	904	1	1	3	19	49	55	135	177	246	158	59	1
1975	873	-	1	4	14	39	75	131	219	225	117	48	-
1974	915	-	3	9	34	40	71	143	202	219	141	53	-
1973	910	-	1	7	29	47	75	151	185	232	120	63	-
1972	1,002	-	-	8	30	50	112	140	190	256	144	72	-
1971	919	-	1	15	31	61	93	137	227	187	103	64	-
1970	1,025	6	2	15	50	62	132	180	194	209	122	52	1
1969	1,018	-	3	8	49	60	129	192	214	195	124	44	-
1968	996	2	-	10	49	48	127	191	188	209	130	40	2
BLACK, FEMALE													
1978	944	1	1	1	17	32	42	120	210	242	195	83	-
1977	935	-	2	-	16	25	59	127	227	240	186	53	-
1976	972	-	1	2	15	27	61	134	200	268	189	75	-
1975	797	-	1	5	13	15	56	121	191	217	138	40	-
1974	890	1	-	7	26	26	68	160	212	227	120	43	-
1973	965	-	1	7	14	39	77	157	230	243	138	59	-
1972	902	-	-	10	14	34	76	178	220	242	90	38	-
1971	895	1	1	13	27	48	94	147	201	195	119	49	-
1970	929	-	-	8	31	61	117	151	211	195	110	45	-
1969	914	-	2	12	29	45	114	153	234	179	98	47	1
1968	967	2	-	11	31	52	152	167	191	184	114	61	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
BOTH SEXES													
1978	3,096	6	3	6	8	27	45	118	266	626	1,098	893	-
1977	3,712	5	3	5	14	25	45	145	330	767	1,307	1,065	1
1976	4,017	7	-	3	20	36	58	146	425	873	1,418	1,029	2
1975	4,502	5	4	3	18	25	79	179	455	1,010	1,612	1,111	1
1974	5,451	10	4	9	36	49	97	229	548	1,318	1,947	1,204	-
1973	6,134	6	2	19	42	47	138	273	716	1,473	2,087	1,330	1
1972	6,946	6	-	10	36	52	142	424	766	1,654	2,494	1,362	-
1971	7,558	11	5	15	65	87	162	464	970	1,754	2,584	1,437	4
1970	8,190	21	7	29	63	88	220	550	1,123	1,937	2,645	1,504	3
1969	8,750	17	5	22	60	105	256	579	1,137	2,131	2,839	1,599	-
1968	9,395	31	9	29	65	111	303	752	1,373	2,268	2,877	1,575	2
MALE													
1978	1,250	2	-	1	3	12	17	45	102	282	448	338	-
1977	1,481	-	1	2	5	11	14	58	145	328	549	367	1
1976	1,690	4	-	-	8	14	16	51	175	400	631	390	1
1975	1,832	3	2	2	8	10	30	69	198	417	667	425	1
1974	2,311	5	4	2	14	18	31	90	254	612	808	473	-
1973	2,589	2	1	9	19	21	46	103	299	663	919	507	-
1972	3,074	4	-	2	16	30	68	160	306	812	1,122	554	-
1971	3,380	5	-	9	29	40	46	178	407	857	1,184	623	2
1970	3,626	11	2	8	26	36	66	214	494	895	1,213	659	2
1969	3,982	11	1	7	30	28	93	214	529	1,009	1,364	696	-
1968	4,347	20	5	8	33	35	110	291	600	1,133	1,411	701	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
FEMALE													
1978	1,846	4	3	5	5	15	28	73	164	344	650	555	-
1977	2,231	5	2	3	9	14	31	87	185	439	758	698	-
1976	2,327	3	-	3	12	22	42	95	250	473	787	639	1
1975	2,670	2	2	1	10	15	49	110	257	593	945	686	-
1974	3,140	5	-	7	22	31	66	139	294	706	1,139	731	-
1973	3,545	4	1	10	23	26	92	170	417	810	1,168	823	1
1972	3,872	2	-	8	20	22	74	264	460	842	1,372	808	-
1971	4,178	6	5	6	36	47	116	286	563	897	1,400	814	2
1970	4,564	10	5	21	37	52	154	336	629	1,042	1,432	845	1
1969	4,768	6	4	15	30	77	163	365	608	1,122	1,475	903	-
1968	5,048	11	4	21	32	76	193	461	773	1,135	1,466	874	2
WHITE, BOTH SEXES													
1978	2,661	3	3	5	5	18	34	90	211	504	969	819	-
1977	3,136	2	3	3	12	13	29	99	255	600	1,153	966	1
1976	3,411	5	-	3	15	33	38	112	331	683	1,252	938	1
1975	3,833	3	3	2	15	18	51	122	342	787	1,462	1,027	1
1974	4,645	6	2	9	30	27	64	161	403	1,056	1,769	1,118	-
1973	5,191	5	1	15	32	35	93	178	528	1,198	1,881	1,224	1
1972	5,784	6	-	6	34	38	80	256	578	1,284	2,240	1,262	-
1971	6,276	8	3	14	48	58	95	295	706	1,389	2,318	1,340	2
1970	6,741	18	7	28	50	56	124	375	797	1,510	2,385	1,391	-
1969	7,252	11	3	20	43	67	149	376	820	1,714	2,562	1,487	-
1968	7,671	24	6	23	48	77	180	499	982	1,780	2,584	1,467	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
WHITE, MALE													
1978	1,048	-	-	1	2	9	15	32	81	222	383	303	-
1977	1,226	-	1	1	4	6	10	35	115	249	474	330	1
1976	1,421	2	-	-	5	14	9	38	140	306	559	347	1
1975	1,532	2	2	1	7	8	20	46	145	319	594	387	1
1974	1,958	2	2	2	13	12	22	66	193	492	722	432	-
1973	2,159	1	1	7	14	15	30	70	224	532	802	463	-
1972	2,562	4	-	-	14	20	46	92	230	640	1,012	504	-
1971	2,817	3	-	8	20	29	34	120	295	683	1,050	574	1
1970	2,949	8	2	7	21	27	39	141	350	691	1,070	593	-
1969	3,301	8	1	6	22	17	62	149	384	803	1,213	636	-
1968	3,548	17	2	4	27	26	72	199	428	886	1,242	645	-
WHITE, FEMALE													
1978	1,613	3	3	4	3	9	19	58	130	282	586	516	-
1977	1,910	2	2	2	8	7	19	64	140	351	679	636	-
1976	1,990	3	-	3	10	19	29	74	191	377	693	591	-
1975	2,301	1	1	1	8	10	31	76	197	468	868	640	-
1974	2,687	4	-	7	17	15	42	95	210	564	1,047	686	-
1973	3,032	4	-	8	18	20	63	108	304	666	1,079	761	1
1972	3,222	2	-	6	20	18	34	164	348	644	1,228	758	-
1971	3,459	5	3	6	28	29	61	175	411	706	1,268	766	1
1970	3,792	10	5	21	29	29	85	234	447	819	1,315	798	-
1969	3,951	3	2	14	21	50	87	227	436	911	1,349	851	-
1968	4,123	7	4	19	21	51	108	300	554	894	1,342	822	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
ALL OTHER, BOTH SEXES													
1978	435	3	-	1	3	9	11	28	55	122	129	74	-
1977	576	3	-	2	2	12	16	46	75	167	154	99	-
1976	606	2	-	-	5	3	20	34	94	190	166	91	1
1975	669	2	1	1	3	7	28	57	113	223	150	84	-
1974	806	4	2	-	6	22	33	68	145	262	178	86	-
1973	943	1	1	4	10	12	45	95	188	275	206	106	-
1972	1,162	-	-	4	2	14	62	168	188	370	254	100	-
1971	1,282	3	2	1	17	29	67	169	264	365	266	97	2
1970	1,449	3	-	1	13	32	96	175	326	427	260	113	3
1969	1,498	6	2	2	17	38	107	203	317	417	277	112	-
1968	1,724	7	3	6	17	34	123	253	391	488	293	108	1
ALL OTHER, MALE													
1978	202	2	-	-	1	3	2	13	21	60	65	35	-
1977	255	-	-	1	1	5	4	23	30	79	75	37	-
1976	269	2	-	-	3	-	7	13	35	94	72	43	-
1975	300	1	-	1	1	2	10	23	53	98	73	38	-
1974	353	3	2	-	1	6	9	24	61	120	86	41	-
1973	430	1	-	2	5	6	16	33	75	131	117	44	-
1972	512	-	-	2	2	10	22	68	76	172	110	50	-
1971	563	2	-	1	9	11	12	58	112	174	134	49	1
1970	677	3	-	1	5	9	27	73	144	204	143	66	2
1969	681	3	-	1	8	11	31	65	145	206	151	60	-
1968	799	3	3	4	6	9	38	92	172	247	169	56	-
ALL OTHER, FEMALE													
1978	233	1	-	1	2	6	9	15	34	62	64	39	-
1977	321	3	-	1	1	7	12	23	45	88	79	62	-
1976	337	-	-	-	2	3	13	21	59	96	94	48	1
1975	369	1	1	-	2	5	18	34	60	125	77	46	-
1974	453	1	-	-	5	16	24	44	84	142	92	45	-
1973	513	-	1	2	5	6	29	62	113	144	89	62	-
1972	650	-	-	2	-	4	40	100	112	198	144	50	-
1971	719	1	2	-	8	18	55	111	152	191	132	48	1
1970	772	-	-	-	8	23	69	102	182	223	117	47	1
1969	817	3	2	1	9	27	76	138	172	211	126	52	-
1968	925	4	-	2	11	25	85	161	219	241	124	52	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
BLACK, BOTH SEXES													
1978	406	3	-	1	3	9	11	28	53	117	115	66	-
1977	544	3	-	2	2	12	15	44	74	157	143	92	-
1976	569	2	-	-	4	3	18	33	87	183	158	80	1
1975	628	1	1	1	3	7	25	53	109	208	141	79	-
1974	764	4	1	-	6	22	29	64	142	251	168	77	-
1973	897	1	1	3	8	12	43	92	182	263	195	97	-
1972	1,100	-	-	4	2	14	58	162	184	344	238	94	-
1971	1,219	2	1	1	15	26	64	164	260	346	252	87	1
1970	1,383	2	-	1	12	30	93	168	312	414	245	103	3
1969	1,430	6	1	1	17	36	103	193	307	404	261	101	-
1968	1,643	6	3	6	16	31	119	241	382	470	272	96	1
BLACK, MALE													
1978	189	2	-	-	1	3	2	13	21	58	57	32	-
1977	240	-	-	1	1	5	4	22	30	74	67	36	-
1976	259	2	-	-	3	-	6	13	34	91	69	41	-
1975	285	-	-	1	1	2	9	23	52	93	67	37	-
1974	333	3	1	-	1	6	9	23	61	111	83	35	-
1973	412	1	-	2	4	6	15	33	75	123	110	43	-
1972	486	-	-	2	2	10	22	64	76	162	100	48	-
1971	530	1	-	1	9	10	11	56	111	164	125	42	-
1970	644	2	-	1	5	9	26	70	137	197	138	57	2
1969	648	3	-	-	8	10	30	62	144	198	142	51	-
1968	764	3	3	4	6	9	37	90	169	235	156	52	-
BLACK, FEMALE													
1978	217	1	-	1	2	6	9	15	32	59	58	34	-
1977	304	3	-	1	1	7	11	22	44	83	76	56	-
1976	310	-	-	-	1	3	12	20	53	92	89	39	1
1975	343	1	1	-	2	5	16	30	57	115	74	42	-
1974	431	1	-	-	5	16	20	41	81	140	85	42	-
1973	485	-	1	1	4	6	28	59	107	140	85	54	-
1972	614	-	-	2	-	4	36	98	108	182	138	46	-
1971	689	1	1	-	6	16	53	108	149	182	127	45	1
1970	739	-	-	-	7	21	67	98	175	217	107	46	1
1969	782	3	1	1	9	26	73	131	163	206	119	50	-
1968	879	3	-	2	10	22	82	151	213	235	116	44	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
BOTH SEXES													
1978	854	-	-	-	-	1	-	-	28	163	373	289	-
1977	998	-	-	-	-	-	-	6	45	194	421	332	-
1976	1,077	-	-	-	-	-	-	4	35	231	437	370	-
1975	1,221	-	-	-	-	1	-	7	59	261	517	376	-
1974	1,377	-	-	-	-	-	-	7	68	304	568	430	-
1973	1,589	-	-	-	-	-	-	8	70	334	691	486	-
1972	1,862	-	-	2	-	-	-	16	80	386	862	516	-
1971	1,918	-	-	-	-	1	2	15	88	412	825	575	-
1970	2,168	-	-	-	-	-	1	9	109	498	946	605	-
1969	2,499	-	-	-	-	-	-	23	131	601	1,049	694	1
1968	2,647	-	-	-	-	-	-	18	156	664	1,136	672	1
MALE													
1978	854	-	-	-	-	1	-	-	28	163	373	289	-
1977	998	-	-	-	-	-	-	6	45	194	421	332	-
1976	1,077	-	-	-	-	-	-	4	35	231	437	370	-
1975	1,221	-	-	-	-	1	-	7	59	261	517	376	-
1974	1,377	-	-	-	-	-	-	7	68	304	568	430	-
1973	1,589	-	-	-	-	-	-	8	70	334	691	486	-
1972	1,862	-	-	2	-	-	-	16	80	386	862	516	-
1971	1,918	-	-	-	-	1	2	15	88	412	825	575	-
1970	2,168	-	-	-	-	-	1	9	109	498	946	605	-
1969	2,499	-	-	-	-	-	-	23	131	601	1,049	694	1
1968	2,647	-	-	-	-	-	-	18	156	664	1,136	672	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
FEMALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968
WHITE, BOTH SEXES													
1978	731	-	-	-	-	1	-	-	19	124	324	263	-
1977	854	-	-	-	-	-	-	4	41	148	362	299	-
1976	946	-	-	-	-	-	-	2	31	185	385	343	-
1975	1,072	-	-	-	-	-	-	5	44	207	468	348	-
1974	1,209	-	-	-	-	-	-	4	54	245	502	404	-
1973	1,407	-	-	-	-	-	-	6	54	274	622	451	-
1972	1,622	-	-	-	-	-	-	6	58	318	768	472	-
1971	1,686	-	-	-	-	1	2	12	73	324	740	534	-
1970	1,897	-	-	-	-	-	1	4	80	401	837	574	-
1969	2,154	-	-	-	-	-	-	12	98	461	937	645	1
1968	2,290	-	-	-	-	-	-	13	107	535	1,011	624	-

... Category not applicable

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
WHITE, MALE													
1978	731	-	-	-	-	1	-	-	19	124	324	263	-
1977	854	-	-	-	-	-	-	4	41	148	362	299	-
1976	946	-	-	-	-	-	-	2	31	185	385	343	-
1975	1,072	-	-	-	-	-	-	5	44	207	468	348	-
1974	1,209	-	-	-	-	-	-	4	54	245	502	404	-
1973	1,407	-	-	-	-	-	-	6	54	274	622	451	-
1972	1,622	-	-	-	-	-	-	6	58	318	768	472	-
1971	1,686	-	-	-	-	1	2	12	73	324	740	534	-
1970	1,897	-	-	-	-	-	1	4	80	401	837	574	-
1969	2,154	-	-	-	-	-	-	12	98	461	937	645	1
1968	2,290	-	-	-	-	-	-	13	107	535	1,011	624	-
WHITE, FEMALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968

- Quantity zero

... Category not applicable

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
ALL OTHER, BOTH SEXES													
1978	123	-	-	-	-	-	-	-	9	39	49	26	-
1977	144	-	-	-	-	-	-	2	4	46	59	33	-
1976	131	-	-	-	-	-	-	2	4	46	52	27	-
1975	149	-	-	-	-	1	-	2	15	54	49	28	-
1974	168	-	-	-	-	-	-	3	14	59	66	26	-
1973	182	-	-	-	-	-	-	2	16	60	69	35	-
1972	240	-	-	2	-	-	-	10	22	68	94	44	-
1971	232	-	-	-	-	-	-	3	15	88	85	41	-
1970	271	-	-	-	-	-	-	5	29	97	109	31	-
1969	345	-	-	-	-	-	-	11	33	140	112	49	-
1968	357	-	-	-	-	-	-	5	49	129	125	48	1
ALL OTHER, MALE													
1978	123	-	-	-	-	-	-	-	9	39	49	26	-
1977	144	-	-	-	-	-	-	2	4	46	59	33	-
1976	131	-	-	-	-	-	-	2	4	46	52	27	-
1975	149	-	-	-	-	1	-	2	15	54	49	28	-
1974	168	-	-	-	-	-	-	3	14	59	66	26	-
1973	182	-	-	-	-	-	-	2	16	60	69	35	-
1972	240	-	-	2	-	-	-	10	22	68	94	44	-
1971	232	-	-	-	-	-	-	3	15	88	85	41	-
1970	271	-	-	-	-	-	-	5	29	97	109	31	-
1969	345	-	-	-	-	-	-	11	33	140	112	49	-
1968	357	-	-	-	-	-	-	5	49	129	125	48	1
ALL OTHER, FEMALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968

- Quantity zero

... Category not applicable

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
BLACK, BOTH SEXES													
1978	117	-	-	-	-	-	-	-	9	38	49	21	-
1977	131	-	-	-	-	-	-	2	4	42	55	28	-
1976	125	-	-	-	-	-	-	2	4	46	49	24	-
1975	140	-	-	-	-	1	-	2	14	51	47	25	-
1974	163	-	-	-	-	-	-	3	14	58	63	25	-
1973	173	-	-	-	-	-	-	2	16	58	64	33	-
1972	234	-	-	2	-	-	-	10	22	66	90	44	-
1971	223	-	-	-	-	-	-	3	15	85	82	38	-
1970	258	-	-	-	-	-	-	5	29	96	99	29	-
1969	331	-	-	-	-	-	-	11	32	134	107	47	-
1968	343	-	-	-	-	-	-	5	48	123	122	44	1
BLACK, MALE													
1978	117	-	-	-	-	-	-	-	9	38	49	21	-
1977	131	-	-	-	-	-	-	2	4	42	55	28	-
1976	125	-	-	-	-	-	-	2	4	46	49	24	-
1975	140	-	-	-	-	1	-	2	14	51	47	25	-
1974	163	-	-	-	-	-	-	3	14	58	63	25	-
1973	173	-	-	-	-	-	-	2	16	58	64	33	-
1972	234	-	-	2	-	-	-	10	22	66	90	44	-
1971	223	-	-	-	-	-	-	3	15	85	82	38	-
1970	258	-	-	-	-	-	-	5	29	96	99	29	-
1969	331	-	-	-	-	-	-	11	32	134	107	47	-
1968	343	-	-	-	-	-	-	5	48	123	122	44	1
BLACK, FEMALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968

- Quantity zero

... Category not applicable

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-678)													
BOTH SEXES													
1978	321	-	-	3	117	146	53	2	-	-	-	-	-
1977	373	-	-	1	129	178	63	2	-	-	-	-	-
1976	390	-	-	-	137	177	69	5	-	-	-	-	2
1975	403	-	-	3	151	174	73	2	-	-	-	-	-
1974	462	-	-	2	178	206	72	3	-	-	-	1	-
1973	477	-	-	6	174	213	81	2	-	-	1	-	-
1972	612	-	-	4	254	246	104	4	-	-	-	-	-
1971	668	1	-	2	255	257	152	-	1	-	-	-	-
1970	803	-	-	5	303	304	190	1	-	-	-	-	-
1969	801	-	-	6	281	311	197	6	-	-	-	-	-
1968	859	-	-	5	277	344	224	7	-	1	-	-	1
MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968

- Quantity zero

... Category not applicable

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-678)													
FEMALE													
1978	321	-	-	3	117	146	53	2	-	-	-	-	-
1977	373	-	-	1	129	178	63	2	-	-	-	-	-
1976	390	-	-	-	137	177	69	5	-	-	-	-	2
1975	403	-	-	3	151	174	73	2	-	-	-	-	-
1974	462	-	-	2	178	206	72	3	-	-	-	1	-
1973	477	-	-	6	174	213	81	2	-	-	1	-	-
1972	612	-	-	4	254	246	104	4	-	-	-	-	-
1971	668	1	-	2	255	257	152	-	1	-	-	-	-
1970	803	-	-	5	303	304	190	1	-	-	-	-	-
1969	801	-	-	6	281	311	197	6	-	-	-	-	-
1968	859	-	-	5	277	344	224	7	-	1	-	-	1
WHITE, BOTH SEXES													
1978	171	-	-	2	56	82	30	1	-	-	-	-	-
1977	208	-	-	-	68	105	35	-	-	-	-	-	-
1976	231	-	-	-	82	105	40	3	-	-	-	-	1
1975	231	-	-	1	84	99	46	1	-	-	-	-	-
1974	257	-	-	-	86	121	47	2	-	-	-	1	-
1973	274	-	-	1	93	137	42	1	-	-	-	-	-
1972	380	-	-	2	160	158	56	4	-	-	-	-	-
1971	380	-	-	-	126	174	79	-	1	-	-	-	-
1970	445	-	-	2	164	165	113	1	-	-	-	-	-
1969	463	-	-	-	158	193	110	2	-	-	-	-	-
1968	484	-	-	2	147	189	140	6	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-678)													
WHITE, MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968
WHITE, FEMALE													
1978	171	-	-	2	56	82	30	1	-	-	-	-	-
1977	208	-	-	-	68	105	35	-	-	-	-	-	-
1976	231	-	-	-	82	105	40	3	-	-	-	-	1
1975	231	-	-	1	84	99	46	1	-	-	-	-	-
1974	257	-	-	-	86	121	47	2	-	-	-	1	-
1973	274	-	-	1	93	137	42	1	-	-	-	-	-
1972	380	-	-	2	160	158	56	4	-	-	-	-	-
1971	380	-	-	-	126	174	79	-	1	-	-	-	-
1970	445	-	-	2	164	165	113	1	-	-	-	-	-
1969	463	-	-	-	158	193	110	2	-	-	-	-	-
1968	484	-	-	2	147	189	140	6	-	-	-	-	-

. . . Category not applicable

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-678)													
ALL OTHER, BOTH SEXES													
1978	150	-	-	1	61	64	23	1	-	-	-	-	-
1977	165	-	-	1	61	73	28	2	-	-	-	-	-
1976	159	-	-	-	55	72	29	2	-	-	-	-	1
1975	172	-	-	2	67	75	27	1	-	-	-	-	-
1974	205	-	-	2	92	85	25	1	-	-	-	-	-
1973	203	-	-	5	81	76	39	1	-	-	1	-	-
1972	232	-	-	2	94	88	48	-	-	-	-	-	-
1971	288	1	-	2	129	83	73	-	-	-	-	-	-
1970	358	-	-	3	139	139	77	-	-	-	-	-	-
1969	338	-	-	6	123	118	87	4	-	-	-	-	-
1968	375	-	-	3	130	155	84	1	-	1	-	-	1
ALL OTHER, MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968
ALL OTHER, FEMALE													
1978	150	-	-	1	61	64	23	1	-	-	-	-	-
1977	165	-	-	1	61	73	28	2	-	-	-	-	-
1976	159	-	-	-	55	72	29	2	-	-	-	-	1
1975	172	-	-	2	67	75	27	1	-	-	-	-	-
1974	205	-	-	2	92	85	25	1	-	-	-	-	-
1973	203	-	-	5	81	76	39	1	-	-	1	-	-
1972	232	-	-	2	94	88	48	-	-	-	-	-	-
1971	288	1	-	2	129	83	73	-	-	-	-	-	-
1970	358	-	-	3	139	139	77	-	-	-	-	-	-
1969	338	-	-	6	123	118	87	4	-	-	-	-	-
1968	375	-	-	3	130	155	84	1	-	1	-	-	1

- Quantity zero

... Category not applicable

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-678)													
BLACK, BOTH SEXES													
1978	138	-	-	1	57	57	22	1	-	-	-	-	-
1977	159	-	-	1	59	69	28	2	-	-	-	-	-
1976	152	-	-	-	52	69	28	2	-	-	-	-	1
1975	160	-	-	2	66	64	27	1	-	-	-	-	-
1974	194	-	-	2	90	78	23	1	-	-	-	-	-
1973	197	-	-	5	78	73	39	1	-	-	1	-	-
1972	216	-	-	2	88	82	44	-	-	-	-	-	-
1971	273	-	-	2	124	75	72	-	-	-	-	-	-
1970	342	-	-	3	135	130	74	-	-	-	-	-	-
1969	323	-	-	6	122	110	81	4	-	-	-	-	-
1968	350	-	-	3	125	142	77	1	-	1	-	-	1
BLACK, MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968
BLACK, FEMALE													
1978	138	-	-	1	57	57	22	1	-	-	-	-	-
1977	159	-	-	1	59	69	28	2	-	-	-	-	-
1976	152	-	-	-	52	69	28	2	-	-	-	-	1
1975	160	-	-	2	66	64	27	1	-	-	-	-	-
1974	194	-	-	2	90	78	23	1	-	-	-	-	-
1973	197	-	-	5	78	73	39	1	-	-	1	-	-
1972	216	-	-	2	88	82	44	-	-	-	-	-	-
1971	273	-	-	2	124	75	72	-	-	-	-	-	-
1970	342	-	-	3	135	130	74	-	-	-	-	-	-
1969	323	-	-	6	122	110	81	4	-	-	-	-	-
1968	350	-	-	3	125	142	77	1	-	1	-	-	1

... Category not applicable

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ABORTIONS (640-645)													
BOTH SEXES													
1978	16	-	-	-	6	7	3	-	-	-	-	-	-
1977	20	-	-	-	8	8	4	-	-	-	-	-	-
1976	16	-	-	-	7	5	4	-	-	-	-	-	-
1975	27	-	-	-	13	8	6	-	-	-	-	-	-
1974	27	-	-	-	11	13	3	-	-	-	-	-	-
1973	36	-	-	-	16	13	7	-	-	-	-	-	-
1972	70	-	-	-	40	22	8	-	-	-	-	-	-
1971	99	-	-	1	48	30	20	-	-	-	-	-	-
1970	128	-	-	2	57	47	22	-	-	-	-	-	-
1969	132	-	-	3	50	55	24	-	-	-	-	-	-
1968	133	-	-	1	43	63	26	-	-	-	-	-	-
MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968

- Quantity zero

... Category not applicable

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ABORTIONS (640-645)													
FEMALE													
1978	16	-	-	-	6	7	3	-	-	-	-	-	-
1977	20	-	-	-	8	8	4	-	-	-	-	-	-
1976	16	-	-	-	7	5	4	-	-	-	-	-	-
1975	27	-	-	-	13	8	6	-	-	-	-	-	-
1974	27	-	-	-	11	13	3	-	-	-	-	-	-
1973	36	-	-	-	16	13	7	-	-	-	-	-	-
1972	70	-	-	-	40	22	8	-	-	-	-	-	-
1971	99	-	-	1	48	30	20	-	-	-	-	-	-
1970	128	-	-	2	57	47	22	-	-	-	-	-	-
1969	132	-	-	3	50	55	24	-	-	-	-	-	-
1968	133	-	-	1	43	63	26	-	-	-	-	-	-
WHITE, BOTH SEXES													
1978	4	-	-	-	-	4	-	-	-	-	-	-	-
1977	8	-	-	-	3	4	1	-	-	-	-	-	-
1976	5	-	-	-	1	3	1	-	-	-	-	-	-
1975	11	-	-	-	5	3	3	-	-	-	-	-	-
1974	13	-	-	-	5	6	2	-	-	-	-	-	-
1973	15	-	-	-	6	6	3	-	-	-	-	-	-
1972	38	-	-	-	22	12	4	-	-	-	-	-	-
1971	43	-	-	-	21	16	6	-	-	-	-	-	-
1970	57	-	-	1	25	18	13	-	-	-	-	-	-
1969	65	-	-	-	22	33	10	-	-	-	-	-	-
1968	58	-	-	-	13	32	13	-	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ABORTIONS (640-645)													
WHITE, MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968
WHITE, FEMALE													
1978	4	-	-	-	-	4	-	-	-	-	-	-	-
1977	8	-	-	-	3	4	1	-	-	-	-	-	-
1976	5	-	-	-	1	3	1	-	-	-	-	-	-
1975	11	-	-	-	5	3	3	-	-	-	-	-	-
1974	13	-	-	-	5	6	2	-	-	-	-	-	-
1973	15	-	-	-	6	6	3	-	-	-	-	-	-
1972	38	-	-	-	22	12	4	-	-	-	-	-	-
1971	43	-	-	-	21	16	6	-	-	-	-	-	-
1970	57	-	-	1	25	18	13	-	-	-	-	-	-
1969	65	-	-	-	22	33	10	-	-	-	-	-	-
1968	58	-	-	-	13	32	13	-	-	-	-	-	-

... Category not applicable

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ABORTIONS (640-645)													
ALL OTHER, BOTH SEXES													
1978	12	-	-	-	6	3	3	-	-	-	-	-	-
1977	12	-	-	-	5	4	3	-	-	-	-	-	-
1976	11	-	-	-	6	2	3	-	-	-	-	-	-
1975	16	-	-	-	8	5	3	-	-	-	-	-	-
1974	14	-	-	-	6	7	1	-	-	-	-	-	-
1973	21	-	-	-	10	7	4	-	-	-	-	-	-
1972	32	-	-	-	18	10	4	-	-	-	-	-	-
1971	56	-	-	1	27	14	14	-	-	-	-	-	-
1970	71	-	-	1	32	29	9	-	-	-	-	-	-
1969	67	-	-	3	28	22	14	-	-	-	-	-	-
1968	75	-	-	1	30	31	13	-	-	-	-	-	-
ALL OTHER, MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968
ALL OTHER, FEMALE													
1978	12	-	-	-	6	3	3	-	-	-	-	-	-
1977	12	-	-	-	5	4	3	-	-	-	-	-	-
1976	11	-	-	-	6	2	3	-	-	-	-	-	-
1975	16	-	-	-	8	5	3	-	-	-	-	-	-
1974	14	-	-	-	6	7	1	-	-	-	-	-	-
1973	21	-	-	-	10	7	4	-	-	-	-	-	-
1972	32	-	-	-	18	10	4	-	-	-	-	-	-
1971	56	-	-	1	27	14	14	-	-	-	-	-	-
1970	71	-	-	1	32	29	9	-	-	-	-	-	-
1969	67	-	-	3	28	22	14	-	-	-	-	-	-
1968	75	-	-	1	30	31	13	-	-	-	-	-	-

- Quantity zero

... Category not applicable

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ABORTIONS (640-645)													
BLACK, BOTH SEXES													
1978	11	-	-	-	6	3	2	-	-	-	-	-	-
1977	11	-	-	-	4	4	3	-	-	-	-	-	-
1976	11	-	-	-	6	2	3	-	-	-	-	-	-
1975	15	-	-	-	8	4	3	-	-	-	-	-	-
1974	14	-	-	-	6	7	1	-	-	-	-	-	-
1973	20	-	-	-	10	6	4	-	-	-	-	-	-
1972	28	-	-	-	16	8	4	-	-	-	-	-	-
1971	55	-	-	1	26	14	14	-	-	-	-	-	-
1970	69	-	-	1	32	27	9	-	-	-	-	-	-
1969	65	-	-	3	28	20	14	-	-	-	-	-	-
1968	73	-	-	1	30	30	12	-	-	-	-	-	-
BLACK, MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968
BLACK, FEMALE													
1978	11	-	-	-	6	3	2	-	-	-	-	-	-
1977	11	-	-	-	4	4	3	-	-	-	-	-	-
1976	11	-	-	-	6	2	3	-	-	-	-	-	-
1975	15	-	-	-	8	4	3	-	-	-	-	-	-
1974	14	-	-	-	6	7	1	-	-	-	-	-	-
1973	20	-	-	-	10	6	4	-	-	-	-	-	-
1972	28	-	-	-	16	8	4	-	-	-	-	-	-
1971	55	-	-	1	26	14	14	-	-	-	-	-	-
1970	69	-	-	1	32	27	9	-	-	-	-	-	-
1969	65	-	-	3	28	20	14	-	-	-	-	-	-
1968	73	-	-	1	30	30	12	-	-	-	-	-	-

... Category not applicable

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-639, 650-678)													
BOTH SEXES													
1978	305	-	-	3	111	139	50	2	-	-	-	-	-
1977	353	-	-	1	121	170	59	2	-	-	-	-	-
1976	374	-	-	-	130	172	65	5	-	-	-	-	2
1975	376	-	-	3	138	166	67	2	-	-	-	-	-
1974	435	-	-	2	167	193	69	3	-	-	-	1	-
1973	441	-	-	6	158	200	74	2	-	-	1	-	-
1972	542	-	-	4	214	224	96	4	-	-	-	-	-
1971	569	1	-	1	207	227	132	-	1	-	-	-	-
1970	675	-	-	3	246	257	168	1	-	-	-	-	-
1969	669	-	-	3	231	256	173	6	-	-	-	-	-
1968	726	-	-	4	234	281	198	7	-	1	-	-	1
MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968

- Quantity zero

... Category not applicable

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-639, 650-678)													
FEMALE													
1978	305	-	-	3	111	139	50	2	-	-	-	-	-
1977	353	-	-	1	121	170	59	2	-	-	-	-	-
1976	374	-	-	-	130	172	65	5	-	-	-	-	2
1975	376	-	-	3	138	166	67	2	-	-	-	-	-
1974	435	-	-	2	167	193	69	3	-	-	-	1	-
1973	441	-	-	6	158	200	74	2	-	-	1	-	-
1972	542	-	-	4	214	224	96	4	-	-	-	-	-
1971	569	1	-	1	207	227	132	-	1	-	-	-	-
1970	675	-	-	3	246	257	168	1	-	-	-	-	-
1969	669	-	-	3	231	256	173	6	-	-	-	-	-
1968	726	-	-	4	234	281	198	7	-	1	-	-	1
WHITE, BOTH SEXES													
1978	167	-	-	2	56	78	30	1	-	-	-	-	-
1977	200	-	-	-	65	101	34	-	-	-	-	-	-
1976	226	-	-	-	81	102	39	3	-	-	-	-	1
1975	220	-	-	1	79	96	43	1	-	-	-	-	-
1974	244	-	-	-	81	115	45	2	-	-	-	1	-
1973	259	-	-	1	87	131	39	1	-	-	-	-	-
1972	342	-	-	2	138	146	52	4	-	-	-	-	-
1971	337	-	-	-	105	158	73	-	1	-	-	-	-
1970	388	-	-	1	139	147	100	1	-	-	-	-	-
1969	398	-	-	-	136	160	100	2	-	-	-	-	-
1968	426	-	-	2	134	157	127	6	-	-	-	-	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-639, 650-678)													
WHITE, MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968
WHITE, FEMALE													
1978	167	-	-	2	56	78	30	1	-	-	-	-	-
1977	200	-	-	-	65	101	34	-	-	-	-	-	-
1976	226	-	-	-	81	102	39	3	-	-	-	-	1
1975	220	-	-	1	79	96	43	1	-	-	-	-	-
1974	244	-	-	-	81	115	45	2	-	-	-	1	-
1973	259	-	-	1	87	131	39	1	-	-	-	-	-
1972	342	-	-	2	138	146	52	4	-	-	-	-	-
1971	337	-	-	-	105	158	73	-	1	-	-	-	-
1970	388	-	-	1	139	147	100	1	-	-	-	-	-
1969	398	-	-	-	136	160	100	2	-	-	-	-	-
1968	426	-	-	2	134	157	127	6	-	-	-	-	-

. . . Category not applicable

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-639, 650-678)													
ALL OTHER, BOTH SEXES													
1978	138	-	-	1	55	61	20	1	-	-	-	-	-
1977	153	-	-	1	56	69	25	2	-	-	-	-	-
1976	148	-	-	-	49	70	26	2	-	-	-	-	1
1975	156	-	-	2	59	70	24	1	-	-	-	-	-
1974	191	-	-	2	86	78	24	1	-	-	-	-	-
1973	182	-	-	5	71	69	35	1	-	-	1	-	-
1972	200	-	-	2	76	78	44	-	-	-	-	-	-
1971	232	1	-	1	102	69	59	-	-	-	-	-	-
1970	287	-	-	2	107	110	68	-	-	-	-	-	-
1969	271	-	-	3	95	96	73	4	-	-	-	-	-
1968	300	-	-	2	100	124	71	1	-	1	-	-	1
ALL OTHER, MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968
ALL OTHER, FEMALE													
1978	138	-	-	1	55	61	20	1	-	-	-	-	-
1977	153	-	-	1	56	69	25	2	-	-	-	-	-
1976	148	-	-	-	49	70	26	2	-	-	-	-	1
1975	156	-	-	2	59	70	24	1	-	-	-	-	-
1974	191	-	-	2	86	78	24	1	-	-	-	-	-
1973	182	-	-	5	71	69	35	1	-	-	1	-	-
1972	200	-	-	2	76	78	44	-	-	-	-	-	-
1971	232	1	-	1	102	69	59	-	-	-	-	-	-
1970	287	-	-	2	107	110	68	-	-	-	-	-	-
1969	271	-	-	3	95	96	73	4	-	-	-	-	-
1968	300	-	-	2	100	124	71	1	-	1	-	-	1

- Quantity zero

. . . Category not applicable

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-639, 650-678)													
BLACK, BOTH SEXES													
1978	127	-	-	1	51	54	20	1	-	-	-	-	-
1977	148	-	-	1	55	65	25	2	-	-	-	-	-
1976	141	-	-	-	46	67	25	2	-	-	-	-	1
1975	145	-	-	2	58	60	24	1	-	-	-	-	-
1974	180	-	-	2	84	71	22	1	-	-	-	-	-
1973	177	-	-	5	68	67	35	1	-	-	1	-	-
1972	188	-	-	2	72	74	40	-	-	-	-	-	-
1971	218	-	-	1	98	61	58	-	-	-	-	-	-
1970	273	-	-	2	103	103	65	-	-	-	-	-	-
1969	258	-	-	3	94	90	67	4	-	-	-	-	-
1968	277	-	-	2	95	112	65	1	-	1	-	-	1
BLACK, MALE													
1978
1977
1976
1975
1974
1973
1972
1971
1970
1969
1968
BLACK, FEMALE													
1978	127	-	-	1	51	54	20	1	-	-	-	-	-
1977	148	-	-	1	55	65	25	2	-	-	-	-	-
1976	141	-	-	-	46	67	25	2	-	-	-	-	1
1975	145	-	-	2	58	60	24	1	-	-	-	-	-
1974	180	-	-	2	84	71	22	1	-	-	-	-	-
1973	177	-	-	5	68	67	35	1	-	-	1	-	-
1972	188	-	-	2	72	74	40	-	-	-	-	-	-
1971	218	-	-	1	98	61	58	-	-	-	-	-	-
1970	273	-	-	2	103	103	65	-	-	-	-	-	-
1969	258	-	-	3	94	90	67	4	-	-	-	-	-
1968	277	-	-	2	95	112	65	1	-	1	-	-	1

... Category not applicable

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Congenital anomalies 740-759													
BOTH SEXES													
1978	12,968	8,404	1,027	650	648	413	296	381	445	365	231	77	31
1977	12,983	8,420	1,066	676	651	427	314	370	422	356	178	76	27
1976	13,002	8,345	1,114	745	568	433	307	422	459	342	195	68	4
1975	13,245	8,582	1,141	742	646	437	326	402	404	306	192	52	15
1974	13,526	8,607	1,191	818	656	429	326	423	458	364	191	54	9
1973	14,062	8,953	1,306	842	648	417	362	463	454	355	189	59	14
1972	14,698	9,458	1,422	934	606	420	298	478	494	330	182	68	8
1971	15,957	10,662	1,301	927	706	383	379	527	461	335	199	51	26
1970	16,824	11,259	1,331	901	739	414	417	591	523	355	202	72	20
1969	17,008	11,309	1,428	1,021	681	428	420	571	489	352	230	71	8
1968	16,793	11,052	1,426	1,016	688	424	418	593	549	342	210	66	9
MALE													
1978	6,902	4,500	559	342	366	231	161	197	225	165	104	35	17
1977	6,986	4,568	545	357	388	250	168	192	219	167	79	35	18
1976	6,854	4,477	550	367	329	244	156	217	244	160	80	28	2
1975	7,111	4,700	558	390	381	245	167	216	195	148	80	26	5
1974	7,326	4,748	618	420	364	234	183	226	223	175	104	24	7
1973	7,559	4,870	678	434	368	233	209	230	234	180	88	23	12
1972	7,860	5,148	714	464	338	270	138	280	240	150	76	36	6
1971	8,534	5,721	677	505	419	221	218	273	223	167	80	22	8
1970	8,907	6,019	694	481	408	222	212	311	255	161	96	34	14
1969	9,147	6,176	688	566	386	224	225	314	231	175	118	38	6
1968	9,075	6,007	751	550	395	246	225	312	283	156	106	39	5

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Congenital anomalies 740-759													
FEMALE													
1978	6,066	3,904	468	308	282	182	135	184	220	200	127	42	14
1977	5,997	3,852	521	319	263	177	146	178	203	189	99	41	9
1976	6,148	3,868	564	378	239	189	151	205	215	182	115	40	2
1975	6,134	3,882	583	352	265	192	159	186	209	158	112	26	10
1974	6,200	3,859	573	398	292	195	143	197	235	189	87	30	2
1973	6,503	4,083	628	408	280	184	153	233	220	175	101	36	2
1972	6,838	4,310	708	470	268	150	160	198	254	180	106	32	2
1971	7,423	4,941	624	422	287	162	161	254	238	168	119	29	18
1970	7,917	5,240	637	420	331	192	205	280	268	194	106	38	6
1969	7,861	5,133	740	455	295	204	195	257	258	177	112	33	2
1968	7,718	5,045	675	466	293	178	193	281	266	186	104	27	4
WHITE, BOTH SEXES													
1978	10,710	6,830	842	520	546	343	256	338	400	327	211	73	24
1977	10,736	6,872	849	552	556	359	268	320	386	320	166	66	22
1976	10,774	6,799	895	620	477	368	267	372	416	311	184	62	3
1975	11,073	7,086	929	629	533	378	272	353	372	278	183	50	10
1974	11,323	7,119	967	698	553	360	275	373	411	330	178	50	9
1973	11,850	7,458	1,083	700	557	360	318	403	412	314	177	56	12
1972	12,394	7,892	1,176	792	512	354	250	440	438	300	170	64	6
1971	13,590	9,047	1,072	781	597	342	317	457	415	297	193	48	24
1970	14,324	9,552	1,071	773	638	351	358	516	471	318	193	67	16
1969	14,390	9,522	1,150	861	585	358	357	506	438	323	215	67	8
1968	14,330	9,405	1,174	854	597	371	361	518	489	305	191	60	5

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Congenital anomalies 740-759													
WHITE, MALE													
1978	5,714	3,674	479	272	311	193	141	173	196	140	91	32	12
1977	5,810	3,760	439	298	333	211	143	162	200	145	74	30	15
1976	5,707	3,672	444	316	274	211	131	185	221	149	74	28	2
1975	5,935	3,891	455	334	302	217	137	184	180	134	74	24	3
1974	6,101	3,912	502	359	302	191	154	196	201	156	98	23	7
1973	6,404	4,090	567	362	321	196	187	199	210	154	85	22	11
1972	6,656	4,346	578	394	282	222	124	250	210	142	72	32	4
1971	7,248	4,835	563	434	356	198	179	240	198	140	77	21	7
1970	7,577	5,123	555	412	345	184	183	271	232	140	89	31	12
1969	7,763	5,213	557	479	338	178	195	274	213	164	109	37	6
1968	7,740	5,122	618	462	339	207	195	277	248	137	97	35	3
WHITE, FEMALE													
1978	4,996	3,156	363	248	235	150	115	165	204	187	120	41	12
1977	4,926	3,112	410	254	223	148	125	158	186	175	92	36	7
1976	5,067	3,127	451	304	203	157	136	187	195	162	110	34	1
1975	5,138	3,195	474	295	231	161	135	169	192	144	109	26	7
1974	5,222	3,207	465	339	251	169	121	177	210	174	80	27	2
1973	5,446	3,368	516	338	236	164	131	204	202	160	92	34	1
1972	5,738	3,546	598	398	230	132	126	190	228	158	98	32	2
1971	6,342	4,212	509	347	241	144	138	217	217	157	116	27	17
1970	6,747	4,429	516	361	293	167	175	245	239	178	104	36	4
1969	6,627	4,309	593	382	247	180	162	232	225	159	106	30	2
1968	6,590	4,283	556	392	258	164	166	241	241	168	94	25	2

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Congenital anomalies 740-759													
ALL OTHER, BOTH SEXES													
1978	2,258	1,574	185	130	102	70	40	43	45	38	20	4	7
1977	2,247	1,548	217	124	95	68	46	50	36	36	12	10	5
1976	2,228	1,546	219	125	91	65	40	50	43	31	11	6	1
1975	2,172	1,496	212	113	113	59	54	49	32	28	9	2	5
1974	2,203	1,488	224	120	103	69	51	50	47	34	13	4	-
1973	2,212	1,495	223	142	91	57	44	60	42	41	12	3	2
1972	2,304	1,566	246	142	94	66	48	38	56	30	12	4	2
1971	2,367	1,615	229	146	109	41	62	70	46	38	6	3	2
1970	2,500	1,707	260	128	101	63	59	75	52	37	9	5	4
1969	2,618	1,787	278	160	96	70	63	65	51	29	15	4	-
1968	2,463	1,647	252	162	91	53	57	75	60	37	19	6	4
ALL OTHER, MALE													
1978	1,188	826	80	70	55	38	20	24	29	25	13	3	5
1977	1,176	808	106	59	55	39	25	30	19	22	5	5	3
1976	1,147	805	106	51	55	33	25	32	23	11	6	-	-
1975	1,176	809	103	56	79	28	30	32	15	14	6	2	2
1974	1,225	836	116	61	62	43	29	30	22	19	6	1	-
1973	1,155	780	111	72	47	37	22	31	24	26	3	1	1
1972	1,204	802	136	70	56	48	14	30	30	8	4	4	2
1971	1,286	886	114	71	63	23	39	33	25	27	3	1	1
1970	1,330	896	139	69	63	38	29	40	23	21	7	3	2
1969	1,384	963	131	87	48	46	30	40	18	11	9	1	-
1968	1,335	885	133	88	56	39	30	35	35	19	9	4	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Congenital anomalies 740-759													
ALL OTHER, FEMALE													
1978	1,070	748	105	60	47	32	20	19	16	13	7	1	2
1977	1,071	740	111	65	40	29	21	20	17	14	7	5	2
1976	1,081	741	113	74	36	32	15	18	20	20	5	6	1
1975	996	687	109	57	34	31	24	17	17	14	3	-	3
1974	978	652	108	59	41	26	22	20	25	15	7	3	-
1973	1,057	715	112	70	44	20	22	29	18	15	9	2	1
1972	1,100	764	110	72	38	18	34	8	26	22	8	-	-
1971	1,081	729	115	75	46	18	23	37	21	11	3	2	1
1970	1,170	811	121	59	38	25	30	35	29	16	2	2	2
1969	1,234	824	147	73	48	24	33	25	33	18	6	3	-
1968	1,128	762	119	74	35	14	27	40	25	18	10	2	2
BLACK, BOTH SEXES													
1978	1,995	1,376	166	120	96	62	34	38	40	33	19	4	7
1977	2,029	1,388	201	114	86	60	41	47	36	33	12	7	4
1976	2,005	1,375	199	118	82	60	36	47	42	30	9	6	1
1975	1,968	1,355	192	103	105	51	48	44	31	25	7	2	5
1974	2,021	1,352	210	114	97	65	48	45	44	30	12	4	-
1973	2,000	1,339	211	129	82	53	40	55	38	40	11	1	1
1972	2,100	1,418	228	128	90	62	44	38	48	28	10	4	2
1971	2,144	1,442	214	140	103	39	59	65	37	34	6	3	2
1970	2,296	1,568	238	119	92	59	51	70	51	31	9	5	3
1969	2,425	1,642	262	145	94	65	59	64	48	29	14	3	-
1968	2,275	1,512	234	153	82	51	55	71	53	36	19	5	4

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Congenital anomalies 740-759													
BLACK, MALE													
1978	1,059	736	68	62	51	34	18	22	26	22	12	3	5
1977	1,069	729	98	54	50	35	23	29	19	22	5	3	2
1976	1,028	718	93	45	49	31	21	31	23	11	6	-	-
1975	1,064	730	93	48	76	25	27	30	14	12	5	2	2
1974	1,120	761	109	57	57	40	28	27	19	16	5	1	-
1973	1,055	704	102	69	44	36	20	28	23	25	3	-	1
1972	1,084	714	128	58	54	44	12	30	28	6	4	4	2
1971	1,157	780	107	68	61	23	38	32	19	24	3	1	1
1970	1,217	819	124	63	59	36	26	38	23	17	7	3	2
1969	1,272	885	120	76	47	43	26	39	16	11	8	1	-
1968	1,229	810	123	81	51	38	30	31	32	19	9	3	2
BLACK, FEMALE													
1978	936	640	98	58	45	28	16	16	14	11	7	1	2
1977	960	659	103	60	36	25	18	18	17	11	7	4	2
1976	977	657	106	73	33	29	15	16	19	19	3	6	1
1975	904	625	99	55	29	26	21	14	17	13	2	-	3
1974	901	591	101	57	40	25	20	18	25	14	7	3	-
1973	945	635	109	60	38	17	20	27	15	15	8	1	-
1972	1,016	704	100	70	36	18	32	8	20	22	6	-	-
1971	987	662	107	72	42	16	21	33	18	10	3	2	1
1970	1,079	749	114	56	33	23	25	32	28	14	2	2	1
1969	1,153	757	142	69	47	22	33	25	32	18	6	2	-
1968	1,046	702	111	72	31	13	25	40	21	17	10	2	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Certain causes of mortality in early infancy 760-769.2, 769.4-772, 774-778													
BOTH SEXES													
1978	22,033	21,987	24	3	2	3	1	1	-	1	-	-	11
1977	23,401	23,356	32	3	-	-	-	-	2	-	-	-	8
1976	24,809	24,767	17	1	7	-	-	1	-	1	1	2	12
1975	26,616	26,585	10	8	1	1	1	1	-	-	-	-	9
1974	28,786	28,712	13	4	6	1	4	1	4	8	2	-	31
1973	30,503	30,391	13	7	4	2	5	1	-	8	2	5	65
1972	33,798	33,734	18	4	8	-	2	6	-	-	2	-	24
1971	38,494	38,397	24	5	10	2	3	3	2	1	-	1	46
1970	43,205	43,177	10	3	1	-	-	-	-	-	-	-	14
1969	43,171	43,060	22	12	14	5	3	1	4	3	1	4	42
1968	43,840	43,707	37	23	10	7	8	4	3	8	1	2	30
MALE													
1978	12,693	12,664	18	3	1	1	1	-	-	-	-	-	5
1977	13,448	13,423	18	2	-	-	-	-	1	-	-	-	4
1976	14,198	14,178	9	1	1	-	-	-	-	-	-	1	8
1975	15,337	15,313	6	6	1	1	1	-	-	-	-	-	9
1974	16,717	16,671	10	3	4	-	4	1	3	4	1	-	16
1973	17,806	17,736	11	5	1	2	4	1	-	3	-	2	41
1972	19,752	19,716	14	2	4	-	2	2	-	-	-	-	12
1971	22,576	22,524	8	4	6	1	2	1	1	1	-	-	28
1970	25,237	25,218	7	3	-	-	-	-	-	-	-	-	9
1969	25,369	25,311	13	4	11	2	2	1	2	2	-	1	20
1968	25,879	25,808	20	11	6	2	4	3	3	6	1	-	15

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Certain causes of mortality in early infancy 760-769.2, 769.4-772, 774-778													
FEMALE													
1978	9,340	9,323	6	-	1	2	-	1	-	1	-	-	6
1977	9,953	9,933	14	1	-	-	-	-	1	-	-	-	4
1976	10,611	10,589	8	-	6	-	-	1	-	1	1	1	4
1975	11,279	11,272	4	2	-	-	-	1	-	-	-	-	-
1974	12,069	12,041	3	1	2	1	-	-	1	4	1	-	15
1973	12,697	12,655	2	2	3	-	1	-	-	5	2	3	24
1972	14,046	14,018	4	2	4	-	-	4	-	-	2	-	12
1971	15,918	15,873	16	1	4	1	1	2	1	-	-	1	18
1970	17,968	17,959	3	-	1	-	-	-	-	-	-	-	5
1969	17,802	17,749	9	8	3	3	1	-	2	1	1	3	22
1968	17,961	17,899	17	12	4	5	4	1	-	2	-	2	15
WHITE, BOTH SEXES													
1978	15,030	14,997	16	2	1	3	1	1	-	1	-	-	8
1977	16,147	16,113	25	2	-	-	-	-	2	-	-	-	5
1976	17,235	17,206	11	1	5	-	-	-	-	1	1	2	8
1975	18,854	18,835	5	6	1	1	1	1	-	-	-	-	4
1974	20,871	20,821	11	4	4	1	3	1	4	4	1	-	17
1973	22,186	22,104	11	3	2	2	4	1	-	8	2	5	44
1972	24,538	24,502	10	4	4	-	-	4	-	-	2	-	12
1971	28,556	28,491	18	2	8	1	2	3	1	1	-	1	28
1970	32,210	32,193	6	1	1	-	-	-	-	-	-	-	9
1969	32,333	32,239	16	11	13	5	3	1	4	3	1	3	34
1968	33,020	32,921	31	15	6	6	5	4	3	6	1	2	20

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Certain causes of mortality in early infancy 760-769.2, 769.4-772, 774-778													
WHITE, MALE													
1978	8,733	8,712	14	2	-	1	1	-	-	-	-	-	3
1977	9,405	9,384	16	1	-	-	-	-	1	-	-	-	3
1976	9,975	9,959	7	1	1	-	-	-	-	-	-	1	6
1975	11,067	11,051	4	5	1	1	1	-	-	-	-	-	4
1974	12,305	12,275	10	3	2	-	3	1	3	-	1	-	7
1973	13,089	13,041	9	3	-	2	3	1	-	3	-	2	25
1972	14,538	14,518	8	2	2	-	-	2	-	-	-	-	6
1971	16,957	16,926	7	2	4	1	1	1	-	1	-	-	14
1970	18,969	18,957	5	1	-	-	-	-	-	-	-	-	6
1969	19,201	19,148	11	4	10	2	2	1	2	2	-	1	18
1968	19,814	19,761	17	7	4	2	1	3	3	5	1	-	10
WHITE, FEMALE													
1978	6,297	6,285	2	-	1	2	-	1	-	1	-	-	5
1977	6,742	6,729	9	1	-	-	-	-	1	-	-	-	2
1976	7,260	7,247	4	-	4	-	-	-	-	1	1	1	2
1975	7,787	7,784	1	1	-	-	-	1	-	-	-	-	-
1974	8,566	8,546	1	1	2	1	-	-	1	4	-	-	10
1973	9,097	9,063	2	-	2	-	1	-	-	5	2	3	19
1972	10,000	9,984	2	2	2	-	-	2	-	-	2	-	6
1971	11,599	11,565	11	-	4	-	1	2	1	-	-	1	14
1970	13,241	13,236	1	-	1	-	-	-	-	-	-	-	3
1969	13,132	13,091	5	7	3	3	1	-	2	1	1	2	16
1968	13,206	13,160	14	8	2	4	4	1	-	1	-	2	10

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Certain causes of mortality in early infancy 760-769.2, 769.4-772, 774-778													
ALL OTHER, BOTH SEXES													
1978	7,003	6,990	8	1	1	-	-	-	-	-	-	-	3
1977	7,254	7,243	7	1	-	-	-	-	-	-	-	-	3
1976	7,574	7,561	6	-	2	-	-	1	-	-	-	-	4
1975	7,762	7,750	5	2	-	-	-	-	-	-	-	-	5
1974	7,915	7,891	2	-	2	-	1	-	-	4	1	-	14
1973	8,317	8,287	2	4	2	-	1	-	-	-	-	-	21
1972	9,260	9,232	8	-	4	-	2	2	-	-	-	-	12
1971	9,938	9,906	6	3	2	1	1	-	1	-	-	-	18
1970	10,995	10,984	4	2	-	-	-	-	-	-	-	-	5
1969	10,838	10,821	6	1	1	-	-	-	-	-	-	1	8
1968	10,820	10,786	6	8	4	1	3	-	-	2	-	-	10
ALL OTHER, MALE													
1978	3,960	3,952	4	1	1	-	-	-	-	-	-	-	2
1977	4,043	4,039	2	1	-	-	-	-	-	-	-	-	1
1976	4,223	4,219	2	-	-	-	-	-	-	-	-	-	2
1975	4,270	4,262	2	1	-	-	-	-	-	-	-	-	5
1974	4,412	4,396	-	-	2	-	1	-	-	4	-	-	9
1973	4,717	4,695	2	2	1	-	1	-	-	-	-	-	16
1972	5,214	5,198	6	-	2	-	2	-	-	-	-	-	6
1971	5,619	5,598	1	2	2	-	1	-	1	-	-	-	14
1970	6,268	6,261	2	2	-	-	-	-	-	-	-	-	3
1969	6,168	6,163	2	-	1	-	-	-	-	-	-	-	2
1968	6,065	6,047	3	4	2	-	3	-	-	1	-	-	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Certain causes of mortality in early infancy 760-769.2, 769.4-772, 774-778													
ALL OTHER, FEMALE													
1978	3,043	3,038	4	-	-	-	-	-	-	-	-	-	1
1977	3,211	3,204	5	-	-	-	-	-	-	-	-	-	2
1976	3,351	3,342	4	-	2	-	-	1	-	-	-	-	2
1975	3,492	3,488	3	1	-	-	-	-	-	-	-	-	-
1974	3,503	3,495	2	-	-	-	-	-	-	-	1	-	5
1973	3,600	3,592	-	2	1	-	-	-	-	-	-	-	5
1972	4,046	4,034	2	-	2	-	-	2	-	-	-	-	6
1971	4,319	4,308	5	1	-	1	-	-	-	-	-	-	4
1970	4,727	4,723	2	-	-	-	-	-	-	-	-	-	2
1969	4,670	4,658	4	1	-	-	-	-	-	-	-	1	6
1968	4,755	4,739	3	4	2	1	-	-	-	1	-	-	5
BLACK, BOTH SEXES													
1978	6,594	6,582	8	-	1	-	-	-	-	-	-	-	3
1977	6,859	6,849	6	1	-	-	-	-	-	-	-	-	3
1976	7,176	7,164	5	-	2	-	-	1	-	-	-	-	4
1975	7,360	7,348	5	2	-	-	-	-	-	-	-	-	5
1974	7,498	7,475	2	-	2	-	1	-	-	4	1	-	13
1973	7,907	7,881	2	2	1	-	1	-	-	-	-	-	20
1972	8,826	8,798	8	-	4	-	2	2	-	-	-	-	12
1971	9,514	9,486	6	3	2	-	1	-	1	-	-	-	15
1970	10,471	10,461	4	2	-	-	-	-	-	-	-	-	4
1969	10,341	10,326	5	1	1	-	-	-	-	-	-	1	7
1968	10,324	10,292	6	7	4	1	3	-	-	1	-	-	10

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Certain causes of mortality in early infancy 760-769.2, 769.4-772, 774-778													
BLACK, MALE													
1978	3,715	3,708	4	-	1	-	-	-	-	-	-	-	2
1977	3,817	3,814	1	1	-	-	-	-	-	-	-	-	1
1976	4,006	4,002	2	-	-	-	-	-	-	-	-	-	2
1975	4,030	4,022	2	1	-	-	-	-	-	-	-	-	5
1974	4,168	4,152	-	-	2	-	1	-	-	4	-	-	9
1973	4,476	4,455	2	1	1	-	1	-	-	-	-	-	16
1972	4,950	4,934	6	-	2	-	2	-	-	-	-	-	6
1971	5,353	5,334	1	2	2	-	1	-	1	-	-	-	12
1970	5,964	5,958	2	2	-	-	-	-	-	-	-	-	2
1969	5,874	5,870	2	-	1	-	-	-	-	-	-	-	1
1968	5,785	5,769	3	3	2	-	3	-	-	-	-	-	5
BLACK, FEMALE													
1978	2,879	2,874	4	-	-	-	-	-	-	-	-	-	1
1977	3,042	3,035	5	-	-	-	-	-	-	-	-	-	2
1976	3,170	3,162	3	-	2	-	-	1	-	-	-	-	2
1975	3,330	3,326	3	1	-	-	-	-	-	-	-	-	-
1974	3,330	3,323	2	-	-	-	-	-	-	-	1	-	4
1973	3,431	3,426	-	1	-	-	-	-	-	-	-	-	4
1972	3,876	3,864	2	-	2	-	-	2	-	-	-	-	6
1971	4,161	4,152	5	1	-	-	-	-	-	-	-	-	3
1970	4,507	4,503	2	-	-	-	-	-	-	-	-	-	2
1969	4,467	4,456	3	1	-	-	-	-	-	-	-	1	6
1968	4,539	4,523	3	4	2	1	-	-	-	1	-	-	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS (764-768, 772, 776)													
BOTH SEXES													
1978	11,710	11,675	22	1	1	2	1	1	-	1	-	-	6
1977	12,633	12,600	30	1	-	-	-	-	-	-	-	-	2
1976	13,432	13,406	12	-	3	-	-	1	-	1	-	2	7
1975	14,593	14,572	6	4	-	-	1	1	-	-	-	-	9
1974	15,974	15,929	10	2	2	-	4	1	3	5	2	-	16
1973	16,933	16,882	8	2	3	1	3	1	-	2	2	2	27
1972	18,704	18,674	6	4	2	-	2	6	-	-	2	-	8
1971	20,992	20,946	15	1	5	2	3	3	1	1	-	-	15
1970	22,801	22,786	5	2	-	-	-	-	-	-	-	-	8
1969	21,939	21,872	13	9	12	5	3	1	3	2	1	1	17
1968	22,132	22,051	24	14	8	5	7	2	2	1	1	1	16
MALE													
1978	6,982	6,958	17	1	1	1	1	-	-	-	-	-	3
1977	7,392	7,373	18	-	-	-	-	-	-	-	-	-	1
1976	7,816	7,804	5	-	1	-	-	-	-	-	-	1	5
1975	8,630	8,613	4	3	-	-	1	-	-	-	-	-	9
1974	9,498	9,466	8	1	2	-	4	1	3	3	1	-	9
1973	10,251	10,223	6	1	-	1	2	1	-	1	-	1	15
1972	11,282	11,264	4	2	2	-	2	2	-	-	-	-	6
1971	12,670	12,649	3	1	3	1	2	1	-	1	-	-	9
1970	13,623	13,612	5	2	-	-	-	-	-	-	-	-	4
1969	13,282	13,246	7	2	10	2	2	1	2	1	-	-	9
1968	13,564	13,521	13	7	5	2	3	1	2	1	1	-	8

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS (764-768, 772, 776)													
FEMALE													
1978	4,728	4,717	5	-	-	1	-	1	-	1	-	-	3
1977	5,241	5,227	12	1	-	-	-	-	-	-	-	-	1
1976	5,616	5,602	7	-	2	-	-	1	-	1	-	1	2
1975	5,963	5,959	2	1	-	-	-	1	-	-	-	-	-
1974	6,476	6,463	2	1	-	-	-	-	-	2	1	-	7
1973	6,682	6,659	2	1	3	-	1	-	-	1	2	1	12
1972	7,422	7,410	2	2	-	-	-	4	-	-	2	-	2
1971	8,322	8,297	12	-	2	1	1	2	1	-	-	-	6
1970	9,178	9,174	-	-	-	-	-	-	-	-	-	-	4
1969	8,657	8,626	6	7	2	3	1	-	1	1	1	1	8
1968	8,568	8,530	11	7	3	3	4	1	-	-	-	1	8
WHITE, BOTH SEXES													
1978	8,291	8,264	16	1	-	2	1	1	-	1	-	-	5
1977	8,952	8,927	23	1	-	-	-	-	-	-	-	-	1
1976	9,583	9,566	8	-	2	-	-	-	-	1	-	2	4
1975	10,663	10,651	3	3	-	-	1	1	-	-	-	-	4
1974	11,865	11,836	9	2	1	-	3	1	3	2	1	-	7
1973	12,565	12,528	7	1	2	1	2	1	-	2	2	2	17
1972	13,782	13,766	-	4	-	-	-	4	-	-	2	-	6
1971	15,891	15,861	11	-	4	1	2	3	1	1	-	-	7
1970	17,374	17,367	4	-	-	-	-	-	-	-	-	-	3
1969	16,775	16,720	7	8	11	5	3	1	3	2	1	-	14
1968	17,060	17,000	20	8	5	4	5	2	2	1	1	1	11

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS (764-768, 772, 776)													
WHITE, MALE													
1978	4,957	4,938	14	1	-	1	1	-	-	-	-	-	2
1977	5,306	5,290	16	-	-	-	-	-	-	-	-	-	-
1976	5,647	5,637	5	-	1	-	-	-	-	-	-	1	3
1975	6,423	6,413	3	2	-	-	1	-	-	-	-	-	4
1974	7,173	7,153	8	1	1	-	3	1	3	-	1	-	2
1973	7,691	7,672	5	1	-	1	1	1	-	1	-	1	8
1972	8,468	8,460	-	2	-	-	-	2	-	-	-	-	4
1971	9,728	9,718	2	-	2	1	1	1	-	1	-	-	2
1970	10,498	10,493	4	-	-	-	-	-	-	-	-	-	1
1969	10,283	10,251	5	2	9	2	2	1	2	1	-	-	8
1968	10,641	10,608	11	5	3	2	1	1	2	1	1	-	6
WHITE, FEMALE													
1978	3,334	3,326	2	-	-	1	-	1	-	1	-	-	3
1977	3,646	3,637	7	1	-	-	-	-	-	-	-	-	1
1976	3,936	3,929	3	-	1	-	-	-	-	1	-	1	1
1975	4,240	4,238	-	1	-	-	-	1	-	-	-	-	-
1974	4,692	4,683	1	1	-	-	-	-	-	2	-	-	5
1973	4,874	4,856	2	-	2	-	1	-	-	1	2	1	9
1972	5,314	5,306	-	2	-	-	-	2	-	-	2	-	2
1971	6,163	6,143	9	-	2	-	1	2	1	-	-	-	5
1970	6,876	6,874	-	-	-	-	-	-	-	-	-	-	2
1969	6,492	6,469	2	6	2	3	1	-	1	1	1	-	6
1968	6,419	6,392	9	3	2	2	4	1	-	-	-	1	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS (764-768, 772, 776)													
ALL OTHER, BOTH SEXES													
1978	3,419	3,411	6	-	1	-	-	-	-	-	-	-	1
1977	3,681	3,673	7	-	-	-	-	-	-	-	-	-	1
1976	3,849	3,840	4	-	1	-	-	1	-	-	-	-	3
1975	3,930	3,921	3	1	-	-	-	-	-	-	-	-	5
1974	4,109	4,093	1	-	1	-	1	-	-	3	1	-	9
1973	4,368	4,354	1	1	1	-	1	-	-	-	-	-	10
1972	4,922	4,908	6	-	2	-	2	2	-	-	-	-	2
1971	5,101	5,085	4	1	1	1	1	-	-	-	-	-	8
1970	5,427	5,419	1	2	-	-	-	-	-	-	-	-	5
1969	5,164	5,152	6	1	1	-	-	-	-	-	-	1	3
1968	5,072	5,051	4	6	3	1	2	-	-	-	-	-	5
ALL OTHER, MALE													
1978	2,025	2,020	3	-	1	-	-	-	-	-	-	-	1
1977	2,086	2,083	2	-	-	-	-	-	-	-	-	-	1
1976	2,169	2,167	-	-	-	-	-	-	-	-	-	-	2
1975	2,207	2,200	1	1	-	-	-	-	-	-	-	-	5
1974	2,325	2,313	-	-	1	-	1	-	-	3	-	-	7
1973	2,560	2,551	1	-	-	-	1	-	-	-	-	-	7
1972	2,814	2,804	4	-	2	-	2	-	-	-	-	-	2
1971	2,942	2,931	1	1	1	-	1	-	-	-	-	-	7
1970	3,125	3,119	1	2	-	-	-	-	-	-	-	-	3
1969	2,999	2,995	2	-	1	-	-	-	-	-	-	-	1
1968	2,923	2,913	2	2	2	-	2	-	-	-	-	-	2
ALL OTHER, FEMALE													
1978	1,394	1,391	3	-	-	-	-	-	-	-	-	-	-
1977	1,595	1,590	5	-	-	-	-	-	-	-	-	-	-
1976	1,680	1,673	4	-	1	-	-	1	-	-	-	-	1
1975	1,723	1,721	2	-	-	-	-	-	-	-	-	-	-
1974	1,784	1,780	1	-	-	-	-	-	-	-	1	-	2
1973	1,808	1,803	-	1	1	-	-	-	-	-	-	-	3
1972	2,108	2,104	2	-	-	-	-	2	-	-	-	-	-
1971	2,159	2,154	3	-	-	1	-	-	-	-	-	-	1
1970	2,302	2,300	-	-	-	-	-	-	-	-	-	-	2
1969	2,165	2,157	4	1	-	-	-	-	-	-	-	1	2
1968	2,149	2,138	2	4	1	1	-	-	-	-	-	-	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS (764-768, 772, 776)													
BLACK, BOTH SEXES													
1978	3,188	3,180	6	-	1	-	-	-	-	-	-	-	1
1977	3,474	3,467	6	-	-	-	-	-	-	-	-	-	1
1976	3,638	3,630	3	-	1	-	-	1	-	-	-	-	3
1975	3,721	3,712	3	1	-	-	-	-	-	-	-	-	5
1974	3,879	3,864	1	-	1	-	1	-	-	3	1	-	8
1973	4,153	4,140	1	1	-	-	1	-	-	-	-	-	10
1972	4,670	4,656	6	-	2	-	2	2	-	-	-	-	2
1971	4,868	4,854	4	1	1	-	1	-	-	-	-	-	7
1970	5,154	5,147	1	2	-	-	-	-	-	-	-	-	4
1969	4,917	4,907	5	1	1	-	-	-	-	-	-	1	2
1968	4,796	4,776	4	5	3	1	2	-	-	-	-	-	5
BLACK, MALE													
1978	1,879	1,874	3	-	1	-	-	-	-	-	-	-	1
1977	1,964	1,962	1	-	-	-	-	-	-	-	-	-	1
1976	2,061	2,059	-	-	-	-	-	-	-	-	-	-	2
1975	2,081	2,074	1	1	-	-	-	-	-	-	-	-	5
1974	2,188	2,176	-	-	1	-	1	-	-	3	-	-	7
1973	2,430	2,421	1	-	-	-	1	-	-	-	-	-	7
1972	2,656	2,646	4	-	2	-	2	-	-	-	-	-	2
1971	2,790	2,780	1	1	1	-	1	-	-	-	-	-	6
1970	2,961	2,956	1	2	-	-	-	-	-	-	-	-	2
1969	2,849	2,846	2	-	1	-	-	-	-	-	-	-	-
1968	2,767	2,758	2	1	2	-	2	-	-	-	-	-	2
BLACK, FEMALE													
1978	1,309	1,306	3	-	-	-	-	-	-	-	-	-	-
1977	1,510	1,505	5	-	-	-	-	-	-	-	-	-	-
1976	1,577	1,571	3	-	1	-	-	1	-	-	-	-	1
1975	1,640	1,638	2	-	-	-	-	-	-	-	-	-	-
1974	1,691	1,688	1	-	-	-	-	-	-	-	1	-	1
1973	1,723	1,719	-	1	-	-	-	-	-	-	-	-	3
1972	2,014	2,010	2	-	-	-	-	2	-	-	-	-	-
1971	2,078	2,074	3	-	-	-	-	-	-	-	-	-	1
1970	2,193	2,191	-	-	-	-	-	-	-	-	-	-	2
1969	2,068	2,061	3	1	-	-	-	-	-	-	-	1	2
1968	2,029	2,018	2	4	1	1	-	-	-	-	-	-	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CAUSES OF MORTALITY IN EARLY INFANCY (REMAINDER OF 760-778)													
BOTH SEXES													
1978	10,323	10,312	2	2	1	1	-	-	-	-	-	-	5
1977	10,768	10,756	2	2	-	-	-	-	2	-	-	-	6
1976	11,377	11,361	5	1	4	-	-	-	-	-	1	-	5
1975	12,023	12,013	4	4	1	1	-	-	-	-	-	-	-
1974	12,812	12,783	3	2	4	1	-	-	1	3	-	-	15
1973	13,570	13,509	5	5	1	1	2	-	-	6	-	3	38
1972	15,094	15,060	12	-	6	-	-	-	-	-	-	-	16
1971	17,502	17,451	9	4	5	-	-	-	1	-	-	1	31
1970	20,404	20,391	5	1	1	-	-	-	-	-	-	-	6
1969	21,232	21,188	9	3	2	-	-	-	1	1	-	3	25
1968	21,708	21,656	13	9	2	2	1	2	1	7	-	1	14
MALE													
1978	5,711	5,706	1	2	-	-	-	-	-	-	-	-	2
1977	6,056	6,050	-	2	-	-	-	-	1	-	-	-	3
1976	6,382	6,374	4	1	-	-	-	-	-	-	-	-	3
1975	6,707	6,700	2	3	1	1	-	-	-	-	-	-	-
1974	7,219	7,205	2	2	2	-	-	-	-	1	-	-	7
1973	7,555	7,513	5	4	1	1	2	-	-	2	-	1	26
1972	8,470	8,452	10	-	2	-	-	-	-	-	-	-	6
1971	9,906	9,875	5	3	3	-	-	-	1	-	-	-	19
1970	11,614	11,606	2	1	-	-	-	-	-	-	-	-	5
1969	12,087	12,065	6	2	1	-	-	-	-	1	-	1	11
1968	12,315	12,287	7	4	1	-	1	2	1	5	-	-	7

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CAUSES OF MORTALITY IN EARLY INFANCY (REMAINDER OF 760-778)													
FEMALE													
1978	4,612	4,606	1	-	1	1	-	-	-	-	-	-	3
1977	4,712	4,706	2	-	-	-	-	-	1	-	-	-	3
1976	4,995	4,987	1	-	4	-	-	-	-	-	1	-	2
1975	5,316	5,313	2	1	-	-	-	-	-	-	-	-	-
1974	5,593	5,578	1	-	2	1	-	-	1	2	-	-	8
1973	6,015	5,996	-	1	-	-	-	-	-	4	-	2	12
1972	6,624	6,608	2	-	4	-	-	-	-	-	-	-	10
1971	7,596	7,576	4	1	2	-	-	-	-	-	-	1	12
1970	8,790	8,785	3	-	1	-	-	-	-	-	-	-	1
1969	9,145	9,123	3	1	1	-	-	-	1	-	-	2	14
1968	9,393	9,369	6	5	1	2	-	-	-	2	-	1	7
WHITE, BOTH SEXES													
1978	6,739	6,733	-	1	1	1	-	-	-	-	-	-	3
1977	7,195	7,186	2	1	-	-	-	-	2	-	-	-	4
1976	7,652	7,640	3	1	3	-	-	-	-	-	1	-	4
1975	8,191	8,184	2	3	1	1	-	-	-	-	-	-	-
1974	9,006	8,985	2	2	3	1	-	-	1	2	-	-	10
1973	9,621	9,576	4	2	-	1	2	-	-	6	-	3	27
1972	10,756	10,736	10	-	4	-	-	-	-	-	-	-	6
1971	12,665	12,630	7	2	4	-	-	-	-	-	-	1	21
1970	14,836	14,826	2	1	1	-	-	-	-	-	-	-	6
1969	15,558	15,519	9	3	2	-	-	-	1	1	-	3	20
1968	15,960	15,921	11	7	1	2	-	2	1	5	-	1	9

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CAUSES OF MORTALITY IN EARLY INFANCY (REMAINDER OF 760-778)													
WHITE, MALE													
1978	3,776	3,774	-	1	-	-	-	-	-	-	-	-	1
1977	4,099	4,094	-	1	-	-	-	-	1	-	-	-	3
1976	4,328	4,322	2	1	-	-	-	-	-	-	-	-	3
1975	4,644	4,638	1	3	1	1	-	-	-	-	-	-	-
1974	5,132	5,122	2	2	1	-	-	-	-	-	-	-	5
1973	5,398	5,369	4	2	-	1	2	-	-	2	-	1	17
1972	6,070	6,058	8	-	2	-	-	-	-	-	-	-	2
1971	7,229	7,208	5	2	2	-	-	-	-	-	-	-	12
1970	8,471	8,464	1	1	-	-	-	-	-	-	-	-	5
1969	8,918	8,897	6	2	1	-	-	-	-	1	-	1	10
1968	9,173	9,153	6	2	1	-	-	2	1	4	-	-	4
WHITE, FEMALE													
1978	2,963	2,959	-	-	1	1	-	-	-	-	-	-	2
1977	3,096	3,092	2	-	-	-	-	-	1	-	-	-	1
1976	3,324	3,318	1	-	3	-	-	-	-	-	1	-	1
1975	3,547	3,546	1	-	-	-	-	-	-	-	-	-	-
1974	3,874	3,863	-	-	2	1	-	-	1	2	-	-	5
1973	4,223	4,207	-	-	-	-	-	-	-	4	-	2	10
1972	4,686	4,678	2	-	2	-	-	-	-	-	-	-	4
1971	5,436	5,422	2	-	2	-	-	-	-	-	-	1	9
1970	6,365	6,362	1	-	1	-	-	-	-	-	-	-	1
1969	6,640	6,622	3	1	1	-	-	-	1	-	-	2	10
1968	6,787	6,768	5	5	-	2	-	-	-	1	-	1	5

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CAUSES OF MORTALITY IN EARLY INFANCY (REMAINDER OF 760-778)													
ALL OTHER, BOTH SEXES													
1978	3,584	3,579	2	1	-	-	-	-	-	-	-	-	2
1977	3,573	3,570	-	1	-	-	-	-	-	-	-	-	2
1976	3,725	3,721	2	-	1	-	-	-	-	-	-	-	1
1975	3,832	3,829	2	1	-	-	-	-	-	-	-	-	-
1974	3,806	3,798	1	-	1	-	-	-	-	1	-	-	5
1973	3,949	3,933	1	3	1	-	-	-	-	-	-	-	11
1972	4,338	4,324	2	-	2	-	-	-	-	-	-	-	10
1971	4,837	4,821	2	2	1	-	-	-	1	-	-	-	10
1970	5,568	5,565	3	-	-	-	-	-	-	-	-	-	-
1969	5,674	5,669	-	-	-	-	-	-	-	-	-	-	5
1968	5,748	5,735	2	2	1	-	1	-	-	2	-	-	5
ALL OTHER, MALE													
1978	1,935	1,932	1	1	-	-	-	-	-	-	-	-	1
1977	1,957	1,956	-	1	-	-	-	-	-	-	-	-	-
1976	2,054	2,052	2	-	-	-	-	-	-	-	-	-	-
1975	2,063	2,062	1	-	-	-	-	-	-	-	-	-	-
1974	2,087	2,083	-	-	1	-	-	-	-	1	-	-	2
1973	2,157	2,144	1	2	1	-	-	-	-	-	-	-	9
1972	2,400	2,394	2	-	-	-	-	-	-	-	-	-	4
1971	2,677	2,667	-	1	1	-	-	-	1	-	-	-	7
1970	3,143	3,142	1	-	-	-	-	-	-	-	-	-	-
1969	3,169	3,168	-	-	-	-	-	-	-	-	-	-	1
1968	3,142	3,134	1	2	-	-	1	-	-	1	-	-	3
ALL OTHER, FEMALE													
1978	1,649	1,647	1	-	-	-	-	-	-	-	-	-	1
1977	1,616	1,614	-	-	-	-	-	-	-	-	-	-	2
1976	1,671	1,669	-	-	1	-	-	-	-	-	-	-	1
1975	1,769	1,767	1	1	-	-	-	-	-	-	-	-	-
1974	1,719	1,715	1	-	-	-	-	-	-	-	-	-	3
1973	1,792	1,789	-	1	-	-	-	-	-	-	-	-	2
1972	1,938	1,930	-	-	2	-	-	-	-	-	-	-	6
1971	2,160	2,154	2	1	-	-	-	-	-	-	-	-	3
1970	2,425	2,423	2	-	-	-	-	-	-	-	-	-	-
1969	2,505	2,501	-	-	-	-	-	-	-	-	-	-	4
1968	2,606	2,601	1	-	1	-	-	-	-	1	-	-	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CAUSES OF MORTALITY IN EARLY INFANCY (REMAINDER OF 760-778)													
BLACK, BOTH SEXES													
1978	3,406	3,402	2	-	-	-	-	-	-	-	-	-	2
1977	3,385	3,382	-	1	-	-	-	-	-	-	-	-	2
1976	3,538	3,534	2	-	1	-	-	-	-	-	-	-	1
1975	3,639	3,636	2	1	-	-	-	-	-	-	-	-	-
1974	3,619	3,611	1	-	1	-	-	-	-	1	-	-	5
1973	3,754	3,741	1	1	1	-	-	-	-	-	-	-	10
1972	4,156	4,142	2	-	2	-	-	-	-	-	-	-	10
1971	4,646	4,632	2	2	1	-	-	-	1	-	-	-	8
1970	5,317	5,314	3	-	-	-	-	-	-	-	-	-	-
1969	5,424	5,419	-	-	-	-	-	-	-	-	-	-	5
1968	5,528	5,516	2	2	1	-	1	-	-	1	-	-	5
BLACK, MALE													
1978	1,836	1,834	1	-	-	-	-	-	-	-	-	-	1
1977	1,853	1,852	-	1	-	-	-	-	-	-	-	-	-
1976	1,945	1,943	2	-	-	-	-	-	-	-	-	-	-
1975	1,949	1,948	1	-	-	-	-	-	-	-	-	-	-
1974	1,980	1,976	-	-	1	-	-	-	-	1	-	-	2
1973	2,046	2,034	1	1	1	-	-	-	-	-	-	-	9
1972	2,294	2,288	2	-	-	-	-	-	-	-	-	-	4
1971	2,563	2,554	-	1	1	-	-	-	1	-	-	-	6
1970	3,003	3,002	1	-	-	-	-	-	-	-	-	-	-
1969	3,025	3,024	-	-	-	-	-	-	-	-	-	-	1
1968	3,018	3,011	1	2	-	-	1	-	-	-	-	-	3
BLACK, FEMALE													
1978	1,570	1,568	1	-	-	-	-	-	-	-	-	-	1
1977	1,532	1,530	-	-	-	-	-	-	-	-	-	-	2
1976	1,593	1,591	-	-	1	-	-	-	-	-	-	-	1
1975	1,690	1,688	1	1	-	-	-	-	-	-	-	-	-
1974	1,639	1,635	1	-	-	-	-	-	-	-	-	-	3
1973	1,708	1,707	-	-	-	-	-	-	-	-	-	-	1
1972	1,862	1,854	-	-	2	-	-	-	-	-	-	-	6
1971	2,083	2,078	2	1	-	-	-	-	-	-	-	-	2
1970	2,314	2,312	2	-	-	-	-	-	-	-	-	-	-
1969	2,399	2,395	-	-	-	-	-	-	-	-	-	-	4
1968	2,510	2,505	1	-	1	-	-	-	-	1	-	-	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS AND ILL-DEFINED CONDITIONS (780-796)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BOTH SEXES													
1978	31,324	5,713	293	152	818	1,203	1,335	2,420	4,119	5,569	5,291	4,343	68
1977	32,149	5,580	309	155	1,018	1,258	1,466	2,744	4,332	5,823	5,422	3,973	69
1976	30,802	5,209	304	162	1,046	1,261	1,367	2,724	4,171	5,517	5,116	3,868	57
1975	31,768	5,121	348	251	1,512	1,496	1,608	2,993	4,464	5,417	4,877	3,624	57
1974	31,145	4,700	382	286	1,742	1,558	1,815	3,026	4,392	5,194	4,574	3,396	80
1973	30,399	4,208	370	250	1,509	1,405	1,881	3,170	4,519	5,113	4,659	3,258	57
1972	27,500	3,792	368	198	926	952	1,386	2,894	4,360	5,052	4,520	2,956	96
1971	26,534	3,584	307	170	947	911	1,513	2,772	4,253	4,811	4,320	2,849	97
1970	25,781	3,516	293	185	747	869	1,508	2,773	4,286	4,702	4,108	2,670	124
1969	26,160	3,207	318	174	788	911	1,689	2,961	4,371	4,880	4,269	2,534	58
1968	23,656	2,958	302	160	527	680	1,424	2,518	3,898	4,419	4,064	2,636	70
MALE													
1978	17,998	3,386	170	84	533	776	841	1,598	2,809	3,467	2,717	1,567	50
1977	18,621	3,333	170	93	670	830	868	1,791	2,939	3,603	2,803	1,475	46
1976	17,944	3,053	194	90	735	807	876	1,811	2,800	3,440	2,636	1,467	35
1975	18,748	3,038	193	157	1,053	992	1,013	1,940	3,035	3,378	2,528	1,385	36
1974	18,443	2,795	217	172	1,252	1,040	1,081	1,971	2,931	3,247	2,363	1,317	57
1973	18,203	2,500	207	143	1,037	901	1,169	2,068	3,124	3,229	2,450	1,333	42
1972	16,460	2,242	220	116	628	592	830	1,972	2,988	3,180	2,442	1,176	74
1971	15,822	2,114	163	101	643	547	914	1,838	2,921	3,061	2,321	1,137	62
1970	15,291	2,090	142	92	447	494	897	1,816	2,929	3,012	2,220	1,071	81
1969	15,755	1,860	183	91	503	558	1,052	1,981	3,039	3,135	2,301	1,014	38
1968	14,183	1,700	180	94	331	386	859	1,676	2,707	2,860	2,215	1,124	51

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS AND ILL-DEFINED CONDITIONS (780-796)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
FEMALE													
1978	13,326	2,327	123	68	285	427	494	822	1,310	2,102	2,574	2,776	18
1977	13,528	2,247	139	62	348	428	598	953	1,393	2,220	2,619	2,498	23
1976	12,858	2,156	110	72	311	454	491	913	1,371	2,077	2,480	2,401	22
1975	13,020	2,083	155	94	459	504	595	1,053	1,429	2,039	2,349	2,239	21
1974	12,702	1,905	165	114	490	518	734	1,055	1,461	1,947	2,211	2,079	23
1973	12,196	1,708	163	107	472	504	712	1,102	1,395	1,884	2,209	1,925	15
1972	11,040	1,550	148	82	298	360	556	922	1,372	1,872	2,078	1,780	22
1971	10,712	1,470	144	69	304	364	599	934	1,332	1,750	1,999	1,712	35
1970	10,490	1,426	151	93	300	375	611	957	1,357	1,690	1,888	1,599	43
1969	10,405	1,347	135	83	285	353	637	980	1,332	1,745	1,968	1,520	20
1968	9,473	1,258	122	66	196	294	565	842	1,191	1,559	1,849	1,512	19
WHITE, BOTH SEXES													
1978	22,876	3,725	194	97	607	825	863	1,669	3,063	4,162	4,108	3,517	46
1977	23,435	3,662	196	106	785	860	928	1,876	3,148	4,337	4,254	3,233	50
1976	22,337	3,426	211	110	754	844	852	1,881	3,063	4,100	3,955	3,098	43
1975	22,661	3,299	219	180	1,081	964	1,007	2,077	3,259	3,991	3,719	2,824	41
1974	22,042	3,024	233	202	1,216	970	1,101	2,103	3,204	3,703	3,553	2,674	59
1973	21,174	2,644	209	164	996	873	1,121	2,153	3,261	3,619	3,552	2,547	35
1972	19,170	2,404	240	150	604	604	828	1,962	3,084	3,418	3,500	2,318	58
1971	18,338	2,164	187	119	623	541	906	1,856	2,997	3,392	3,252	2,230	71
1970	17,528	2,090	171	132	483	526	901	1,833	2,920	3,288	3,086	2,019	79
1969	17,419	1,842	168	112	490	520	959	1,935	2,992	3,257	3,179	1,926	39
1968	15,386	1,586	173	93	339	354	801	1,622	2,601	2,887	2,948	1,929	53

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS AND ILL-DEFINED CONDITIONS (780-796)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE, MALE													
1978	13,184	2,258	112	50	398	525	538	1,114	2,153	2,681	2,076	1,243	36
1977	13,660	2,252	107	64	519	580	536	1,231	2,187	2,788	2,182	1,177	37
1976	13,106	2,070	128	56	536	541	535	1,270	2,099	2,639	2,037	1,166	29
1975	13,457	2,019	120	106	764	641	621	1,343	2,273	2,551	1,919	1,074	26
1974	13,108	1,878	126	121	874	652	647	1,383	2,202	2,349	1,821	1,015	40
1973	12,761	1,610	125	94	688	556	689	1,421	2,318	2,363	1,854	1,015	28
1972	11,656	1,482	150	84	410	372	490	1,398	2,200	2,236	1,882	912	40
1971	11,082	1,337	101	69	429	331	546	1,235	2,137	2,254	1,736	862	45
1970	10,665	1,287	81	69	306	297	550	1,240	2,089	2,221	1,682	787	56
1969	10,749	1,131	97	56	319	322	608	1,331	2,161	2,186	1,752	759	27
1968	9,442	938	102	52	210	205	504	1,148	1,878	1,954	1,613	801	37
WHITE, FEMALE													
1978	9,692	1,467	82	47	209	300	325	555	910	1,481	2,032	2,274	10
1977	9,775	1,410	89	42	266	280	392	645	961	1,549	2,072	2,056	13
1976	9,231	1,356	83	54	218	303	317	611	964	1,461	1,918	1,932	14
1975	9,204	1,280	99	74	317	323	386	734	986	1,440	1,800	1,750	15
1974	8,934	1,146	107	81	342	318	454	720	1,002	1,354	1,732	1,659	19
1973	8,413	1,034	84	70	308	317	432	732	943	1,256	1,698	1,532	7
1972	7,514	922	90	66	194	232	338	564	884	1,182	1,618	1,406	18
1971	7,256	827	86	50	194	210	360	621	860	1,138	1,516	1,368	26
1970	6,863	803	90	63	177	229	351	593	831	1,067	1,404	1,232	23
1969	6,670	711	71	56	171	198	351	604	831	1,071	1,427	1,167	12
1968	5,944	648	71	41	129	149	297	474	723	933	1,335	1,128	16

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS AND ILL-DEFINED CONDITIONS (780-796)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER, BOTH SEXES													
1978	8,448	1,988	99	55	211	378	472	751	1,056	1,407	1,183	826	22
1977	8,714	1,918	113	49	233	398	538	868	1,184	1,486	1,168	740	19
1976	8,465	1,783	93	52	292	417	515	843	1,108	1,417	1,161	770	14
1975	9,107	1,822	129	71	431	532	601	916	1,205	1,426	1,158	800	16
1974	9,103	1,676	149	84	526	588	714	923	1,188	1,491	1,021	722	21
1973	9,225	1,564	161	86	513	532	760	1,017	1,258	1,494	1,107	711	22
1972	8,330	1,388	128	48	322	348	558	932	1,276	1,634	1,020	638	38
1971	8,196	1,420	120	51	324	370	607	916	1,256	1,419	1,068	619	26
1970	8,253	1,426	122	53	264	343	607	940	1,366	1,414	1,022	651	45
1969	8,741	1,365	150	62	298	391	730	1,026	1,379	1,623	1,090	608	19
1968	8,270	1,372	129	67	188	326	623	896	1,297	1,532	1,116	707	17
ALL OTHER, MALE													
1978	4,814	1,128	58	34	135	251	303	484	656	786	641	324	14
1977	4,961	1,081	63	29	151	250	332	560	752	815	621	298	9
1976	4,838	983	66	34	199	266	341	541	701	801	599	301	6
1975	5,291	1,019	73	51	289	351	392	597	762	827	609	311	10
1974	5,335	917	91	51	378	388	434	588	729	898	542	302	17
1973	5,442	890	82	49	349	345	480	647	806	866	596	318	14
1972	4,804	760	70	32	218	220	340	574	788	944	560	264	34
1971	4,740	777	62	32	214	216	368	603	784	807	585	275	17
1970	4,626	803	61	23	141	197	347	576	840	791	538	284	25
1969	5,006	729	86	35	184	236	444	650	878	949	549	255	11
1968	4,741	762	78	42	121	181	355	528	829	906	602	323	14
ALL OTHER, FEMALE													
1978	3,634	860	41	21	76	127	169	267	400	621	542	502	8
1977	3,753	837	50	20	82	148	206	308	432	671	547	442	10
1976	3,627	800	27	18	93	151	174	302	407	616	562	469	8
1975	3,816	803	56	20	142	181	209	319	443	599	549	489	6
1974	3,768	759	58	33	148	200	280	335	459	593	479	420	4
1973	3,783	674	79	37	164	187	280	370	452	628	511	393	8
1972	3,526	628	58	16	104	128	218	358	488	690	460	374	4
1971	3,456	643	58	19	110	154	239	313	472	612	483	344	9
1970	3,627	623	61	30	123	146	260	364	526	623	484	367	20
1969	3,735	636	64	27	114	155	286	376	501	674	541	353	8
1968	3,529	610	51	25	67	145	268	368	468	626	514	384	3

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS AND ILL-DEFINED CONDITIONS (780-796)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK, BOTH SEXES													
1978	8,005	1,856	91	50	185	355	437	718	1,033	1,348	1,122	790	20
1977	8,320	1,795	105	42	216	371	513	840	1,146	1,438	1,132	704	18
1976	8,062	1,653	84	46	273	392	492	814	1,064	1,385	1,124	722	13
1975	8,666	1,698	124	62	407	498	572	873	1,164	1,381	1,110	761	16
1974	8,707	1,561	142	81	502	559	679	894	1,154	1,449	979	687	20
1973	8,852	1,479	152	79	495	517	736	977	1,218	1,450	1,058	671	20
1972	8,028	1,310	116	48	314	322	544	916	1,250	1,582	984	608	34
1971	7,869	1,339	110	46	310	352	582	892	1,219	1,379	1,034	583	23
1970	7,948	1,361	117	52	257	324	573	908	1,331	1,372	992	619	42
1969	8,394	1,296	142	54	289	364	702	1,003	1,345	1,571	1,040	569	19
1968	7,910	1,299	114	55	179	316	589	869	1,258	1,482	1,066	667	16
BLACK, MALE													
1978	4,527	1,042	53	30	116	234	279	464	641	747	601	306	14
1977	4,709	1,005	60	25	140	236	316	537	722	784	597	279	8
1976	4,591	918	58	31	186	250	328	524	669	782	569	270	6
1975	5,019	947	72	44	275	327	379	573	732	792	579	289	10
1974	5,102	861	85	49	363	372	411	565	708	871	516	285	16
1973	5,208	839	76	48	336	336	468	620	779	832	565	296	13
1972	4,618	718	64	32	216	200	334	564	770	902	534	254	30
1971	4,538	735	58	29	203	208	352	589	756	779	560	255	14
1970	4,449	765	58	23	138	189	331	550	820	763	518	271	23
1969	4,792	692	81	29	179	225	429	633	854	908	519	232	11
1968	4,506	725	68	31	113	176	335	507	799	871	566	302	13
BLACK, FEMALE													
1978	3,478	814	38	20	69	121	158	254	392	601	521	484	6
1977	3,611	790	45	17	76	135	197	303	424	654	535	425	10
1976	3,471	735	26	15	87	142	164	290	395	603	555	452	7
1975	3,647	751	52	18	132	171	193	300	432	589	531	472	6
1974	3,605	700	57	32	139	187	268	329	446	578	463	402	4
1973	3,644	640	76	31	159	181	268	357	439	618	493	375	7
1972	3,410	592	52	16	98	122	210	352	480	680	450	354	4
1971	3,331	604	52	17	107	144	230	303	463	600	474	328	9
1970	3,499	596	59	29	119	135	242	358	511	609	474	348	19
1969	3,602	604	61	25	110	139	273	370	491	663	521	337	8
1968	3,404	574	46	24	66	140	254	362	459	611	500	365	3

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
BOTH SEXES													
1978	137,396	1,869	910	1,279	2,626	3,473	5,247	11,059	22,055	35,072	35,413	18,352	41
1977	130,428	1,849	911	1,270	2,673	3,618	5,225	11,121	21,365	33,212	32,876	16,275	33
1976	125,340	1,800	882	1,313	2,914	3,772	5,344	11,238	21,168	31,337	30,920	14,632	20
1975	120,263	1,867	991	1,282	3,217	3,832	5,402	11,411	20,401	29,852	28,908	13,075	25
1974	118,396	1,911	1,048	1,582	3,263	3,816	5,713	11,845	20,182	29,068	27,723	12,223	22
1973	114,751	2,010	1,081	1,487	3,160	3,719	6,065	12,016	19,899	27,538	26,419	11,327	30
1972	110,710	2,066	1,120	1,574	3,568	3,766	6,290	11,874	19,326	26,036	24,882	10,178	30
1971	104,680	2,263	1,165	1,587	3,617	3,606	6,216	11,726	18,270	23,914	22,753	9,516	47
1970	101,128	2,431	1,136	1,607	2,977	3,320	6,232	11,538	18,059	23,294	21,906	8,589	39
1969	97,982	2,323	1,243	1,779	2,838	3,199	6,340	11,212	17,037	22,472	21,080	8,431	28
1968	97,305	2,279	1,274	1,625	2,718	3,057	6,330	11,119	17,055	23,005	20,702	8,117	24
MALE													
1978	77,426	1,052	532	684	1,583	1,974	2,981	6,458	13,454	21,437	19,439	7,803	29
1977	73,761	1,069	512	695	1,616	2,039	3,039	6,541	12,933	20,228	18,029	7,040	20
1976	71,566	1,037	508	718	1,794	2,184	3,076	6,673	12,945	19,115	17,089	6,412	15
1975	68,400	1,089	530	658	1,958	2,278	3,149	6,679	12,404	18,155	15,730	5,758	12
1974	66,614	1,121	567	875	2,044	2,168	3,185	6,792	12,257	17,396	14,928	5,265	16
1973	64,172	1,162	565	773	1,944	2,106	3,419	6,916	12,074	16,297	14,033	4,864	19
1972	61,990	1,192	578	802	2,240	2,118	3,428	6,844	11,964	15,244	13,198	4,356	26
1971	58,522	1,271	648	858	2,247	1,936	3,362	6,785	11,122	14,048	12,084	4,137	24
1970	56,123	1,425	603	865	1,755	1,791	3,484	6,532	11,046	13,631	11,282	3,683	26
1969	53,959	1,297	666	982	1,618	1,666	3,495	6,440	10,321	13,071	10,834	3,545	24
1968	53,868	1,316	703	882	1,523	1,584	3,436	6,443	10,440	13,312	10,713	3,506	10

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
FEMALE													
1978	59,970	817	378	595	1,043	1,499	2,266	4,601	8,601	13,635	15,974	10,549	12
1977	56,667	780	399	575	1,057	1,579	2,186	4,580	8,432	12,984	14,847	9,235	13
1976	53,774	763	374	595	1,120	1,588	2,268	4,565	8,223	12,222	13,831	8,220	5
1975	51,863	778	461	624	1,259	1,554	2,253	4,732	7,997	11,697	13,178	7,317	13
1974	51,782	790	481	707	1,219	1,648	2,528	5,053	7,925	11,672	12,795	6,958	6
1973	50,579	848	516	714	1,216	1,613	2,646	5,100	7,825	11,241	12,386	6,463	11
1972	48,720	874	542	772	1,328	1,648	2,862	5,030	7,362	10,792	11,684	5,822	4
1971	46,158	992	517	729	1,370	1,670	2,854	4,941	7,148	9,866	10,669	5,379	23
1970	45,005	1,006	533	742	1,222	1,529	2,748	5,006	7,013	9,663	10,624	4,906	13
1969	44,023	1,026	577	797	1,220	1,533	2,845	4,772	6,716	9,401	10,246	4,886	4
1968	43,437	963	571	743	1,195	1,473	2,894	4,676	6,615	9,693	9,989	4,611	14
WHITE, BOTH SEXES													
1978	118,815	1,334	715	1,046	2,006	2,284	3,483	8,560	18,636	31,222	32,480	17,021	28
1977	112,499	1,328	700	1,077	2,041	2,418	3,460	8,561	18,139	29,549	30,125	15,078	23
1976	107,807	1,277	702	1,077	2,171	2,504	3,513	8,626	18,014	27,882	28,403	13,627	11
1975	103,413	1,350	797	1,073	2,399	2,519	3,641	8,923	17,395	26,541	26,642	12,120	13
1974	101,685	1,383	840	1,331	2,434	2,541	3,871	9,213	17,207	25,785	25,631	11,435	14
1973	98,171	1,449	860	1,233	2,314	2,433	4,172	9,319	16,976	24,379	24,444	10,572	20
1972	94,340	1,518	912	1,354	2,574	2,394	4,342	9,244	16,402	22,954	23,094	9,534	18
1971	88,816	1,660	937	1,334	2,574	2,267	4,175	9,177	15,530	21,150	21,087	8,893	32
1970	86,333	1,818	901	1,359	2,221	2,186	4,275	9,061	15,411	20,626	20,416	8,032	27
1969	83,899	1,728	978	1,500	2,144	2,109	4,446	8,882	14,443	20,069	19,676	7,910	14
1968	83,236	1,672	1,017	1,352	2,067	1,985	4,374	8,819	14,528	20,425	19,348	7,634	15

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
WHITE, MALE													
1978	66,836	741	412	557	1,265	1,313	1,951	5,013	11,336	19,169	17,864	7,194	21
1977	63,506	768	399	592	1,278	1,361	1,988	5,007	10,987	18,123	16,520	6,469	14
1976	61,345	739	393	598	1,398	1,450	1,998	5,090	11,058	17,043	15,638	5,933	7
1975	58,647	798	432	557	1,498	1,464	2,095	5,203	10,640	16,217	14,447	5,289	7
1974	57,060	817	454	735	1,564	1,419	2,137	5,264	10,466	15,547	13,782	4,867	8
1973	54,727	852	441	632	1,468	1,345	2,322	5,344	10,344	14,526	12,934	4,505	14
1972	52,524	864	492	702	1,642	1,336	2,352	5,314	10,164	13,422	12,194	4,026	16
1971	49,486	927	507	723	1,620	1,196	2,258	5,302	9,517	12,450	11,122	3,848	16
1970	47,723	1,073	487	737	1,343	1,156	2,376	5,156	9,450	12,069	10,447	3,410	19
1969	45,875	956	505	830	1,229	1,093	2,418	5,115	8,725	11,671	10,037	3,284	12
1968	45,795	967	561	747	1,200	1,024	2,324	5,106	8,915	11,770	9,919	3,257	5
WHITE, FEMALE													
1978	51,979	593	303	489	741	971	1,532	3,547	7,300	12,053	14,616	9,827	7
1977	48,993	560	301	485	763	1,057	1,472	3,554	7,152	11,426	13,605	8,609	9
1976	46,462	538	309	479	773	1,054	1,515	3,536	6,956	10,839	12,765	7,694	4
1975	44,766	552	365	516	901	1,055	1,546	3,720	6,755	10,324	12,195	6,831	6
1974	44,625	566	386	596	870	1,122	1,734	3,949	6,741	10,238	11,849	6,568	6
1973	43,444	597	419	601	846	1,088	1,850	3,975	6,632	9,853	11,510	6,067	6
1972	41,816	654	420	652	932	1,058	1,990	3,930	6,238	9,532	10,900	5,508	2
1971	39,330	733	430	611	954	1,071	1,917	3,875	6,013	8,700	9,965	5,045	16
1970	38,610	745	414	622	878	1,030	1,899	3,905	5,961	8,557	9,969	4,622	8
1969	38,024	772	473	670	915	1,016	2,028	3,767	5,718	8,398	9,639	4,626	2
1968	37,441	705	456	605	867	961	2,050	3,713	5,613	8,655	9,429	4,377	10

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
ALL OTHER, BOTH SEXES													
1978	18,581	535	195	233	620	1,189	1,764	2,499	3,419	3,850	2,933	1,331	13
1977	17,929	521	211	193	632	1,200	1,765	2,560	3,226	3,663	2,751	1,197	10
1976	17,533	523	180	236	743	1,268	1,831	2,612	3,154	3,455	2,517	1,005	9
1975	16,850	517	194	209	818	1,313	1,761	2,488	3,006	3,311	2,266	955	12
1974	16,711	528	208	251	829	1,275	1,842	2,632	2,975	3,283	2,092	788	8
1973	16,580	561	221	254	846	1,286	1,893	2,697	2,923	3,159	1,975	755	10
1972	16,370	548	208	220	994	1,372	1,948	2,630	2,924	3,082	1,788	644	12
1971	15,864	603	228	253	1,043	1,339	2,041	2,549	2,740	2,764	1,666	623	15
1970	14,795	613	235	248	756	1,134	1,957	2,477	2,648	2,668	1,490	557	12
1969	14,083	595	265	279	694	1,090	1,894	2,330	2,594	2,403	1,404	521	14
1968	14,069	607	257	273	651	1,072	1,956	2,300	2,527	2,580	1,354	483	9
ALL OTHER, MALE													
1978	10,590	311	120	127	318	661	1,030	1,445	2,118	2,268	1,575	609	8
1977	10,255	301	113	103	338	678	1,051	1,534	1,946	2,105	1,509	571	6
1976	10,221	298	115	120	396	734	1,078	1,583	1,887	2,072	1,451	479	8
1975	9,753	291	98	101	460	814	1,054	1,476	1,764	1,938	1,283	469	5
1974	9,554	304	113	140	480	749	1,048	1,528	1,791	1,849	1,146	398	8
1973	9,445	310	124	141	476	761	1,097	1,572	1,730	1,771	1,099	359	5
1972	9,466	328	86	100	598	782	1,076	1,530	1,800	1,822	1,004	330	10
1971	9,036	344	141	135	627	740	1,104	1,483	1,605	1,598	962	289	8
1970	8,400	352	116	128	412	635	1,108	1,376	1,596	1,562	835	273	7
1969	8,084	341	161	152	389	573	1,077	1,325	1,596	1,400	797	261	12
1968	8,073	349	142	135	323	560	1,112	1,337	1,525	1,542	794	249	5
ALL OTHER, FEMALE													
1978	7,991	224	75	106	302	528	734	1,054	1,301	1,582	1,358	722	5
1977	7,674	220	98	90	294	522	714	1,026	1,280	1,558	1,242	626	4
1976	7,312	225	65	116	347	534	753	1,029	1,267	1,383	1,066	526	1
1975	7,097	226	96	108	358	499	707	1,012	1,242	1,373	983	486	7
1974	7,157	224	95	111	349	526	794	1,104	1,184	1,434	946	390	-
1973	7,135	251	97	113	370	525	796	1,125	1,193	1,388	876	396	5
1972	6,904	220	122	120	396	590	872	1,100	1,124	1,260	784	314	2
1971	6,828	259	87	118	416	599	937	1,066	1,135	1,166	704	334	7
1970	6,395	261	119	120	344	499	849	1,101	1,052	1,106	655	284	5
1969	5,999	254	104	127	305	517	817	1,005	998	1,003	607	260	2
1968	5,996	258	115	138	328	512	844	963	1,002	1,038	560	234	4

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
BLACK, BOTH SEXES													
1978	17,308	485	176	221	583	1,109	1,627	2,361	3,245	3,583	2,710	1,197	11
1977	16,668	478	186	176	567	1,102	1,643	2,404	3,059	3,458	2,527	1,058	10
1976	16,410	482	164	222	703	1,171	1,714	2,474	2,985	3,257	2,325	905	8
1975	15,750	482	178	192	765	1,221	1,632	2,352	2,861	3,104	2,092	861	10
1974	15,698	492	195	228	773	1,200	1,713	2,493	2,846	3,109	1,933	710	6
1973	15,508	505	200	232	805	1,204	1,783	2,530	2,759	2,987	1,825	669	9
1972	15,328	512	184	188	948	1,294	1,836	2,476	2,764	2,918	1,638	562	8
1971	14,917	564	208	237	1,006	1,253	1,914	2,431	2,605	2,591	1,536	559	13
1970	13,928	571	219	228	711	1,083	1,861	2,350	2,511	2,517	1,370	496	11
1969	13,279	549	243	258	658	1,026	1,807	2,209	2,474	2,271	1,303	468	13
1968	13,235	559	238	253	615	1,007	1,856	2,176	2,392	2,444	1,249	437	9
BLACK, MALE													
1978	9,820	280	110	121	293	615	951	1,373	2,007	2,103	1,429	532	6
1977	9,494	283	100	95	305	618	979	1,441	1,843	1,977	1,352	495	6
1976	9,526	274	103	110	370	683	1,017	1,502	1,781	1,931	1,328	419	8
1975	9,060	271	93	94	428	763	969	1,382	1,678	1,799	1,175	403	5
1974	8,930	281	107	130	446	704	973	1,440	1,716	1,725	1,053	349	6
1973	8,825	281	111	132	457	714	1,040	1,468	1,635	1,661	1,009	313	4
1972	8,842	310	82	82	574	742	1,024	1,428	1,700	1,722	890	282	6
1971	8,467	331	130	124	609	699	1,048	1,418	1,510	1,473	867	252	6
1970	7,879	331	107	114	392	610	1,059	1,310	1,506	1,451	762	231	6
1969	7,595	317	149	141	373	537	1,032	1,255	1,509	1,312	729	229	12
1968	7,592	325	135	126	300	532	1,061	1,275	1,429	1,453	734	217	5
BLACK, FEMALE													
1978	7,488	205	66	100	290	494	676	988	1,238	1,480	1,281	665	5
1977	7,174	195	86	81	262	484	664	963	1,216	1,481	1,175	563	4
1976	6,884	208	61	112	333	488	697	972	1,204	1,326	997	486	-
1975	6,690	211	85	98	337	458	663	970	1,183	1,305	917	458	5
1974	6,768	211	88	98	327	496	740	1,053	1,130	1,384	880	361	-
1973	6,683	224	89	100	348	490	743	1,062	1,124	1,326	816	356	5
1972	6,486	202	102	106	374	552	812	1,048	1,064	1,196	748	280	2
1971	6,450	233	78	113	397	554	866	1,013	1,095	1,118	669	307	7
1970	6,049	240	112	114	319	473	802	1,040	1,005	1,066	608	265	5
1969	5,684	232	94	117	285	489	775	954	965	959	574	239	1
1968	5,643	234	103	127	315	475	795	901	963	991	515	220	4

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
E800-E949- ACCIDENTS BOTH SEXES													
1978	105,561	1,262	3,504	6,118	26,622	15,533	9,491	9,174	9,600	9,072	8,956	6,107	122
1977	103,202	1,173	3,297	6,305	25,619	14,593	8,867	9,427	9,740	9,006	9,178	5,908	89
1976	100,761	1,253	3,439	6,308	24,316	13,868	8,531	9,434	9,566	8,823	9,109	6,029	85
1975	103,030	1,337	3,611	6,818	24,121	13,823	9,054	9,993	9,650	9,220	9,381	5,948	74
1974	104,622	1,453	3,882	7,037	24,200	13,436	9,111	10,353	9,981	9,323	9,483	6,284	79
1973	115,821	1,691	4,346	8,102	26,550	14,420	10,330	11,618	11,441	10,243	10,409	6,589	82
1972	115,448	1,784	4,358	8,242	25,762	13,576	10,276	12,036	11,622	10,446	10,846	6,414	86
1971	113,439	2,250	4,246	8,143	24,733	12,866	10,669	11,733	11,507	10,494	10,501	6,194	103
1970	114,638	2,294	4,300	8,203	24,336	12,842	11,137	12,415	11,749	10,644	10,692	5,932	94
1969	116,385	2,425	4,548	8,186	24,668	12,964	11,446	12,304	11,888	10,643	10,922	6,303	88
1968	114,864	2,520	4,743	8,369	23,012	12,444	11,240	12,193	11,703	10,961	11,228	6,375	76
MALE													
1978	73,881	690	2,090	4,194	20,879	12,434	7,310	6,785	6,718	5,641	4,586	2,450	104
1977	71,935	672	1,963	4,312	20,101	11,780	6,768	6,892	6,815	5,609	4,621	2,323	79
1976	70,277	710	2,087	4,343	19,214	11,180	6,550	6,896	6,699	5,509	4,605	2,413	71
1975	72,376	719	2,140	4,799	19,416	11,141	6,963	7,392	6,846	5,796	4,789	2,311	64
1974	73,209	823	2,357	4,895	19,526	10,863	7,032	7,665	7,048	5,836	4,669	2,426	69
1973	80,469	974	2,610	5,595	21,160	11,591	7,891	8,501	8,032	6,276	5,186	2,587	66
1972	79,762	1,050	2,690	5,562	20,374	10,878	7,738	8,720	8,166	6,414	5,534	2,556	80
1971	78,195	1,316	2,522	5,553	19,623	10,182	8,084	8,554	8,102	6,512	5,219	2,448	80
1970	79,756	1,252	2,564	5,695	19,396	10,317	8,548	9,094	8,434	6,695	5,374	2,314	73
1969	80,706	1,356	2,665	5,657	19,721	10,500	8,721	9,057	8,466	6,614	5,458	2,424	67
1968	79,424	1,378	2,761	5,813	18,480	10,083	8,562	9,086	8,377	6,864	5,606	2,348	66

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
E800-E949- ACCIDENTS													
FEMALE													
1978	31,680	572	1,414	1,924	5,743	3,099	2,181	2,389	2,882	3,431	4,370	3,657	18
1977	31,267	501	1,334	1,993	5,518	2,813	2,099	2,535	2,925	3,397	4,557	3,585	10
1976	30,484	543	1,352	1,965	5,102	2,688	1,981	2,538	2,867	3,314	4,504	3,616	14
1975	30,654	618	1,471	2,019	4,705	2,682	2,091	2,601	2,804	3,424	4,592	3,637	10
1974	31,413	630	1,525	2,142	4,674	2,573	2,079	2,688	2,933	3,487	4,814	3,858	10
1973	35,352	717	1,736	2,507	5,390	2,829	2,439	3,117	3,409	3,967	5,223	4,002	16
1972	35,686	734	1,668	2,680	5,388	2,698	2,538	3,316	3,456	4,032	5,312	3,858	6
1971	35,244	934	1,724	2,590	5,110	2,684	2,585	3,179	3,405	3,982	5,282	3,746	23
1970	34,882	1,042	1,736	2,508	4,940	2,525	2,589	3,321	3,315	3,949	5,318	3,618	21
1969	35,679	1,069	1,883	2,529	4,947	2,464	2,725	3,247	3,422	4,029	5,464	3,879	21
1968	35,440	1,142	1,982	2,556	4,532	2,361	2,678	3,107	3,326	4,097	5,622	4,027	10
WHITE, BOTH SEXES													
1978	90,392	880	2,615	4,882	23,705	13,144	7,682	7,528	8,088	7,850	8,171	5,749	98
1977	88,243	839	2,501	4,989	22,677	12,155	7,210	7,757	8,219	7,857	8,416	5,556	67
1976	86,180	899	2,632	5,043	21,503	11,470	6,871	7,747	8,164	7,699	8,373	5,708	71
1975	87,760	927	2,725	5,393	21,154	11,454	7,274	8,246	8,181	8,060	8,650	5,635	61
1974	89,332	1,034	2,995	5,614	21,208	11,161	7,336	8,542	8,486	8,102	8,853	5,942	59
1973	98,503	1,151	3,266	6,460	23,041	11,919	8,290	9,590	9,837	8,962	9,676	6,257	54
1972	98,226	1,286	3,342	6,648	22,276	11,178	8,180	10,004	9,980	9,136	10,096	6,034	66
1971	96,145	1,574	3,226	6,450	21,216	10,500	8,649	9,766	9,914	9,142	9,774	5,865	69
1970	97,130	1,586	3,272	6,515	20,902	10,435	8,958	10,323	10,091	9,362	9,977	5,644	65
1969	98,938	1,707	3,401	6,422	21,228	10,668	9,330	10,320	10,206	9,390	10,203	5,997	66
1968	97,465	1,740	3,480	6,615	19,952	10,129	9,059	10,193	10,012	9,629	10,518	6,078	60

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
E800-E949- ACCIDENTS													
WHITE, MALE													
1978	62,868	488	1,594	3,336	18,583	10,532	5,897	5,535	5,620	4,818	4,101	2,278	86
1977	61,004	488	1,495	3,369	17,801	9,811	5,458	5,619	5,711	4,822	4,196	2,171	63
1976	59,604	516	1,611	3,453	16,986	9,282	5,254	5,609	5,655	4,739	4,172	2,267	60
1975	61,186	501	1,635	3,770	17,057	9,228	5,587	6,062	5,752	5,001	4,376	2,165	52
1974	62,100	588	1,858	3,902	17,119	9,084	5,673	6,289	5,947	5,000	4,312	2,276	52
1973	67,853	687	1,992	4,432	18,400	9,615	6,318	6,962	6,789	5,424	4,761	2,430	43
1972	67,190	772	2,092	4,516	17,570	8,956	6,116	7,170	6,912	5,538	5,096	2,392	60
1971	65,711	941	1,930	4,387	16,826	8,317	6,560	7,062	6,921	5,624	4,799	2,292	52
1970	66,956	858	1,983	4,563	16,591	8,392	6,863	7,465	7,165	5,856	4,980	2,186	54
1969	68,056	991	2,027	4,437	16,979	8,646	7,067	7,537	7,183	5,788	5,057	2,293	51
1968	66,711	954	2,044	4,600	15,950	8,209	6,890	7,506	7,117	5,954	5,214	2,220	53
WHITE, FEMALE													
1978	27,524	392	1,021	1,546	5,122	2,612	1,785	1,993	2,468	3,032	4,070	3,471	12
1977	27,239	351	1,006	1,620	4,876	2,344	1,752	2,138	2,508	3,035	4,220	3,385	4
1976	26,576	383	1,021	1,590	4,517	2,188	1,617	2,138	2,509	2,960	4,201	3,441	11
1975	26,574	426	1,090	1,623	4,097	2,226	1,687	2,184	2,429	3,059	4,274	3,470	9
1974	27,232	446	1,137	1,712	4,089	2,077	1,663	2,253	2,539	3,102	4,541	3,666	7
1973	30,650	464	1,274	2,028	4,641	2,304	1,972	2,628	3,048	3,538	4,915	3,827	11
1972	31,036	514	1,250	2,132	4,706	2,222	2,064	2,834	3,068	3,598	5,000	3,642	6
1971	30,434	633	1,296	2,063	4,390	2,183	2,089	2,704	2,993	3,518	4,975	3,573	17
1970	30,174	728	1,289	1,952	4,311	2,043	2,095	2,858	2,926	3,506	4,997	3,458	11
1969	30,882	716	1,374	1,985	4,249	2,022	2,263	2,783	3,023	3,602	5,146	3,704	15
1968	30,754	786	1,436	2,015	4,002	1,920	2,169	2,687	2,895	3,675	5,304	3,858	7

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
E800-E949- ACCIDENTS													
ALL OTHER, BOTH SEXES													
1978	15,169	382	889	1,236	2,917	2,389	1,809	1,646	1,512	1,222	785	358	24
1977	14,959	334	796	1,316	2,942	2,438	1,657	1,670	1,521	1,149	762	352	22
1976	14,581	354	807	1,265	2,813	2,398	1,660	1,687	1,402	1,124	736	321	14
1975	15,270	410	886	1,425	2,967	2,369	1,780	1,747	1,469	1,160	731	313	13
1974	15,290	419	887	1,423	2,992	2,275	1,775	1,811	1,495	1,221	630	342	20
1973	17,318	540	1,080	1,642	3,509	2,501	2,040	2,028	1,604	1,281	733	332	28
1972	17,222	498	1,016	1,594	3,486	2,398	2,096	2,032	1,642	1,310	750	380	20
1971	17,294	676	1,020	1,693	3,517	2,366	2,020	1,967	1,593	1,352	727	329	34
1970	17,508	708	1,028	1,688	3,434	2,407	2,179	2,092	1,658	1,282	715	288	29
1969	17,447	718	1,147	1,764	3,440	2,296	2,116	1,984	1,682	1,253	719	306	22
1968	17,399	780	1,263	1,754	3,060	2,315	2,181	2,000	1,691	1,332	710	297	16
ALL OTHER, MALE													
1978	11,013	202	496	858	2,296	1,902	1,413	1,250	1,098	823	485	172	18
1977	10,931	184	468	943	2,300	1,969	1,310	1,273	1,104	787	425	152	16
1976	10,673	194	476	890	2,228	1,898	1,296	1,287	1,044	770	433	146	11
1975	11,190	218	505	1,029	2,359	1,913	1,376	1,330	1,094	795	413	146	12
1974	11,109	235	499	993	2,407	1,779	1,359	1,376	1,101	836	357	150	17
1973	12,616	287	618	1,163	2,760	1,976	1,573	1,539	1,243	852	425	157	23
1972	12,572	278	598	1,046	2,804	1,922	1,622	1,550	1,254	876	438	164	20
1971	12,484	375	592	1,166	2,797	1,865	1,524	1,492	1,181	888	420	156	28
1970	12,800	394	581	1,132	2,805	1,925	1,685	1,629	1,269	839	394	128	19
1969	12,650	365	638	1,220	2,742	1,854	1,654	1,520	1,283	826	401	131	16
1968	12,713	424	717	1,213	2,530	1,874	1,672	1,580	1,260	910	392	128	13

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
E800-E949- ACCIDENTS ALL OTHER, FEMALE													
1978	4,156	180	393	378	621	487	396	396	414	399	300	186	6
1977	4,028	150	328	373	642	469	347	397	417	362	337	200	6
1976	3,908	160	331	375	585	500	364	400	358	354	303	175	3
1975	4,080	192	381	396	608	456	404	417	375	365	318	167	1
1974	4,181	184	388	430	585	496	416	435	394	385	273	192	3
1973	4,702	253	462	479	749	525	467	489	361	429	308	175	5
1972	4,650	220	418	548	682	476	474	482	388	434	312	216	-
1971	4,810	301	428	527	720	501	496	475	412	464	307	173	6
1970	4,708	314	447	556	629	482	494	463	389	443	321	160	10
1969	4,797	353	509	544	698	442	462	464	399	427	318	175	6
1968	4,686	356	546	541	530	441	509	420	431	422	318	169	3
BLACK, BOTH SEXES													
1978	13,088	349	775	1,111	2,369	1,981	1,574	1,462	1,364	1,088	687	306	22
1977	13,109	312	704	1,181	2,420	2,087	1,450	1,496	1,391	1,061	679	312	16
1976	12,745	318	729	1,139	2,296	2,042	1,442	1,511	1,275	1,030	661	290	12
1975	13,478	380	805	1,275	2,479	2,050	1,593	1,587	1,331	1,048	650	269	11
1974	13,641	388	804	1,307	2,569	1,993	1,574	1,613	1,374	1,120	573	307	19
1973	15,332	500	987	1,529	2,979	2,109	1,793	1,847	1,465	1,154	649	297	23
1972	15,384	472	912	1,458	3,000	2,056	1,900	1,856	1,498	1,198	674	340	20
1971	15,609	630	942	1,574	3,081	2,100	1,835	1,786	1,459	1,230	658	284	30
1970	15,804	656	935	1,567	3,004	2,147	1,963	1,917	1,525	1,157	649	258	26
1969	15,710	676	1,056	1,639	3,037	1,996	1,906	1,803	1,532	1,124	650	271	20
1968	15,838	741	1,143	1,645	2,740	2,039	2,002	1,842	1,537	1,222	649	263	15

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
E800-E949- ACCIDENTS													
BLACK, MALE													
1978	9,495	181	426	775	1,876	1,597	1,245	1,117	989	719	410	144	16
1977	9,601	170	417	852	1,912	1,707	1,163	1,146	1,010	712	373	127	12
1976	9,341	175	430	808	1,842	1,631	1,146	1,158	945	693	379	125	9
1975	9,878	204	457	922	1,985	1,675	1,235	1,217	986	712	360	115	10
1974	9,932	222	458	914	2,075	1,580	1,222	1,235	1,005	759	318	128	16
1973	11,162	270	567	1,089	2,357	1,677	1,395	1,404	1,126	758	363	138	18
1972	11,232	268	534	958	2,440	1,646	1,486	1,424	1,132	794	390	140	20
1971	11,249	349	540	1,081	2,465	1,679	1,387	1,344	1,077	797	374	130	26
1970	11,561	368	524	1,055	2,478	1,738	1,533	1,496	1,154	742	344	113	16
1969	11,337	341	579	1,135	2,438	1,619	1,487	1,381	1,162	723	347	110	15
1968	11,565	399	650	1,141	2,275	1,660	1,535	1,461	1,138	829	354	110	13
BLACK, FEMALE													
1978	3,593	168	349	336	493	384	329	345	375	369	277	162	6
1977	3,508	142	287	329	508	380	287	350	381	349	306	185	4
1976	3,404	143	299	331	454	411	296	353	330	337	282	165	3
1975	3,600	176	348	353	494	375	358	370	345	336	290	154	1
1974	3,709	166	346	393	494	413	352	378	369	361	255	179	3
1973	4,170	230	420	440	622	432	398	443	339	396	286	159	5
1972	4,152	204	378	500	560	410	414	432	366	404	284	200	-
1971	4,360	281	402	493	616	421	448	442	382	433	284	154	4
1970	4,243	288	411	512	526	409	430	421	371	415	305	145	10
1969	4,373	335	477	504	599	377	419	422	370	401	303	161	5
1968	4,273	342	493	504	465	379	467	381	399	393	295	153	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E823)													
BOTH SEXES													
1978	52,411	264	1,287	3,130	19,164	9,648	4,926	4,166	3,882	3,217	2,158	530	39
1977	49,510	253	1,219	3,142	18,092	8,600	4,431	4,148	3,852	3,060	2,160	530	23
1976	47,038	241	1,291	3,175	16,650	7,888	4,224	4,118	3,652	3,082	2,187	511	19
1975	45,853	255	1,321	3,286	15,672	7,680	4,289	4,089	3,574	3,047	2,161	454	25
1974	46,402	224	1,322	3,332	15,905	7,504	4,330	4,357	3,802	3,071	2,064	468	23
1973	55,511	326	1,672	4,124	18,032	8,620	5,393	5,444	4,772	3,892	2,641	566	29
1972	56,278	300	1,596	4,258	17,942	8,248	5,510	5,838	4,998	4,138	2,878	550	22
1971	54,381	358	1,527	4,256	17,103	7,848	5,459	5,548	4,923	4,108	2,677	544	30
1970	54,633	343	1,572	4,159	16,720	7,686	5,760	5,913	5,186	4,084	2,663	516	31
1969	55,791	370	1,707	4,045	17,443	7,894	5,974	5,850	5,162	4,210	2,672	445	19
1968	54,862	319	1,668	4,105	16,543	7,727	5,875	5,875	5,156	4,261	2,816	493	24
MALE													
1978	38,139	123	725	2,036	14,637	7,583	3,707	3,006	2,642	1,997	1,300	348	35
1977	35,804	135	680	1,997	13,794	6,763	3,277	2,993	2,649	1,894	1,285	316	21
1976	34,049	111	751	2,026	12,803	6,194	3,150	2,970	2,502	1,892	1,309	325	16
1975	33,597	130	775	2,161	12,244	6,052	3,257	2,955	2,457	1,936	1,317	295	18
1974	34,133	102	733	2,151	12,502	5,959	3,288	3,208	2,643	1,966	1,242	319	20
1973	39,941	171	987	2,664	13,908	6,715	3,982	3,871	3,238	2,399	1,612	373	21
1972	40,194	158	916	2,662	13,778	6,486	4,000	4,074	3,386	2,482	1,858	374	20
1971	38,847	199	835	2,737	13,137	6,084	3,991	3,923	3,367	2,534	1,651	363	26
1970	39,274	166	900	2,716	12,855	6,039	4,234	4,167	3,600	2,571	1,661	342	23
1969	40,213	188	967	2,604	13,540	6,234	4,369	4,161	3,516	2,642	1,682	294	16
1968	39,788	165	938	2,703	12,911	6,105	4,317	4,239	3,563	2,681	1,820	326	20

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E823)													
FEMALE													
1978	14,272	141	562	1,094	4,527	2,065	1,219	1,160	1,240	1,220	858	182	4
1977	13,706	118	539	1,145	4,298	1,837	1,154	1,155	1,203	1,166	875	214	2
1976	12,989	130	540	1,149	3,847	1,694	1,074	1,148	1,150	1,190	878	186	3
1975	12,256	125	546	1,125	3,428	1,628	1,032	1,134	1,117	1,111	844	159	7
1974	12,269	122	589	1,181	3,403	1,545	1,042	1,149	1,159	1,105	822	149	3
1973	15,570	155	685	1,460	4,124	1,905	1,411	1,573	1,534	1,493	1,029	193	8
1972	16,084	142	680	1,596	4,164	1,762	1,510	1,764	1,612	1,656	1,020	176	2
1971	15,534	159	692	1,519	3,966	1,764	1,468	1,625	1,556	1,574	1,026	181	4
1970	15,359	177	672	1,443	3,865	1,647	1,526	1,746	1,586	1,513	1,002	174	8
1969	15,578	182	740	1,441	3,903	1,660	1,605	1,689	1,646	1,568	990	151	3
1968	15,074	154	730	1,402	3,632	1,622	1,558	1,636	1,593	1,580	996	167	4
WHITE, BOTH SEXES													
1978	45,974	212	985	2,622	17,468	8,329	4,150	3,529	3,340	2,855	1,962	492	30
1977	43,359	216	953	2,581	16,428	7,368	3,747	3,528	3,305	2,737	1,987	491	18
1976	41,083	191	1,006	2,636	15,144	6,719	3,506	3,474	3,158	2,733	2,023	478	15
1975	39,883	210	1,014	2,693	14,259	6,540	3,580	3,426	3,049	2,672	2,002	418	20
1974	40,391	189	1,040	2,722	14,404	6,420	3,601	3,704	3,272	2,683	1,914	426	16
1973	47,981	269	1,273	3,434	16,134	7,284	4,417	4,549	4,144	3,441	2,480	536	20
1972	48,764	234	1,250	3,540	16,076	6,952	4,528	4,904	4,340	3,734	2,692	498	16
1971	47,043	289	1,193	3,514	15,251	6,589	4,559	4,713	4,253	3,649	2,507	509	17
1970	47,388	282	1,252	3,392	14,953	6,467	4,788	5,031	4,528	3,675	2,517	480	23
1969	48,303	316	1,352	3,295	15,526	6,667	4,965	4,969	4,464	3,808	2,496	429	16
1968	47,661	270	1,314	3,407	14,822	6,474	4,899	5,018	4,507	3,835	2,636	462	17

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E823)													
WHITE, MALE													
1978	33,341	102	564	1,703	13,338	6,537	3,112	2,525	2,247	1,718	1,148	321	26
1977	31,141	116	522	1,607	12,513	5,772	2,749	2,515	2,235	1,642	1,163	290	17
1976	29,584	88	589	1,664	11,626	5,271	2,598	2,477	2,129	1,642	1,186	301	13
1975	29,092	105	593	1,755	11,143	5,127	2,708	2,461	2,062	1,649	1,207	268	14
1974	29,634	87	579	1,749	11,310	5,121	2,727	2,701	2,252	1,669	1,136	289	14
1973	34,370	150	738	2,215	12,462	5,688	3,236	3,208	2,749	2,066	1,492	352	14
1972	34,566	130	696	2,234	12,310	5,428	3,262	3,376	2,866	2,192	1,720	338	14
1971	33,441	158	649	2,237	11,707	5,113	3,335	3,313	2,848	2,202	1,521	344	14
1970	33,871	136	714	2,230	11,456	5,067	3,512	3,495	3,100	2,271	1,552	319	19
1969	34,588	158	762	2,114	12,067	5,251	3,585	3,485	2,973	2,349	1,549	282	13
1968	34,345	146	722	2,243	11,524	5,107	3,597	3,571	3,060	2,366	1,689	307	13
WHITE, FEMALE													
1978	12,633	110	421	919	4,130	1,792	1,038	1,004	1,093	1,137	814	171	4
1977	12,218	100	431	974	3,915	1,596	998	1,013	1,070	1,095	824	201	1
1976	11,499	103	417	972	3,518	1,448	908	997	1,029	1,091	837	177	2
1975	10,791	105	421	938	3,116	1,413	872	965	987	1,023	795	150	6
1974	10,757	102	461	973	3,094	1,299	874	1,003	1,020	1,014	778	137	2
1973	13,611	119	535	1,219	3,672	1,596	1,181	1,341	1,395	1,375	988	184	6
1972	14,198	104	554	1,306	3,766	1,524	1,266	1,528	1,474	1,542	972	160	2
1971	13,602	131	544	1,277	3,544	1,476	1,224	1,400	1,405	1,447	986	165	3
1970	13,517	146	538	1,162	3,497	1,400	1,276	1,536	1,428	1,404	965	161	4
1969	13,715	158	590	1,181	3,459	1,416	1,380	1,484	1,491	1,459	947	147	3
1968	13,316	124	592	1,164	3,298	1,367	1,302	1,447	1,447	1,469	947	155	4

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E823)													
ALL OTHER, BOTH SEXES													
1978	6,437	52	302	508	1,696	1,319	776	637	542	362	196	38	9
1977	6,151	37	266	561	1,664	1,232	684	620	547	323	173	39	5
1976	5,955	50	285	539	1,506	1,169	718	644	494	349	164	33	4
1975	5,970	45	307	593	1,413	1,140	709	663	525	375	159	36	5
1974	6,011	35	282	610	1,501	1,084	729	653	530	388	150	42	7
1973	7,530	57	399	690	1,898	1,336	976	895	628	451	161	30	9
1972	7,514	66	346	718	1,866	1,296	982	934	658	404	186	52	6
1971	7,338	69	334	742	1,852	1,259	900	835	670	459	170	35	13
1970	7,245	61	320	767	1,767	1,219	972	882	658	409	146	36	8
1969	7,488	54	355	750	1,917	1,227	1,009	881	698	402	176	16	3
1968	7,201	49	354	698	1,721	1,253	976	857	649	426	180	31	7
ALL OTHER, MALE													
1978	4,798	21	161	333	1,299	1,046	595	481	395	279	152	27	9
1977	4,663	19	158	390	1,281	991	528	478	414	252	122	26	4
1976	4,465	23	162	362	1,177	923	552	493	373	250	123	24	3
1975	4,505	25	182	406	1,101	925	549	494	395	287	110	27	4
1974	4,499	15	154	402	1,192	838	561	507	391	297	106	30	6
1973	5,571	21	249	449	1,446	1,027	746	663	489	333	120	21	7
1972	5,628	28	220	428	1,468	1,058	738	698	520	290	138	36	6
1971	5,406	41	186	500	1,430	971	656	610	519	332	130	19	12
1970	5,403	30	186	486	1,399	972	722	672	500	300	109	23	4
1969	5,625	30	205	490	1,473	983	784	676	543	293	133	12	3
1968	5,443	19	216	460	1,387	998	720	668	503	315	131	19	7
ALL OTHER, FEMALE													
1978	1,639	31	141	175	397	273	181	156	147	83	44	11	-
1977	1,488	18	108	171	383	241	156	142	133	71	51	13	1
1976	1,490	27	123	177	329	246	166	151	121	99	41	9	1
1975	1,465	20	125	187	312	215	160	169	130	88	49	9	1
1974	1,512	20	128	208	309	246	168	146	139	91	44	12	1
1973	1,959	36	150	241	452	309	230	232	139	118	41	9	2
1972	1,886	38	126	290	398	238	244	236	138	114	48	16	-
1971	1,932	28	148	242	422	288	244	225	151	127	40	16	1
1970	1,842	31	134	281	368	247	250	210	158	109	37	13	4
1969	1,863	24	150	260	444	244	225	205	155	109	43	4	-
1968	1,758	30	138	238	334	255	256	189	146	111	49	12	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E823)													
BLACK, BOTH SEXES													
1978	5,254	42	252	442	1,329	1,034	639	548	472	298	161	29	8
1977	5,094	34	224	485	1,299	998	570	531	486	285	146	33	3
1976	4,941	36	252	489	1,143	943	588	555	446	318	139	28	4
1975	4,988	38	267	512	1,081	928	607	588	466	329	139	28	5
1974	5,143	27	254	555	1,224	901	623	563	479	342	132	36	7
1973	6,435	45	359	633	1,532	1,098	848	802	558	398	127	27	8
1972	6,472	56	302	640	1,530	1,084	864	840	586	364	154	46	6
1971	6,453	62	311	687	1,557	1,075	798	752	609	406	154	31	11
1970	6,344	55	287	708	1,480	1,056	856	787	607	348	120	32	8
1969	6,606	44	323	694	1,652	1,039	903	802	624	354	155	13	3
1968	6,450	45	309	663	1,523	1,080	888	778	582	383	167	25	7
BLACK, MALE													
1978	3,961	16	131	292	1,024	845	504	416	346	232	125	22	8
1977	3,936	18	134	342	1,021	826	454	419	372	220	106	21	3
1976	3,739	16	142	328	911	760	469	424	334	226	106	20	3
1975	3,803	20	160	353	850	773	479	441	355	253	95	20	4
1974	3,883	12	140	368	976	714	491	446	355	259	92	24	6
1973	4,808	16	226	418	1,176	857	663	604	429	298	96	19	6
1972	4,880	24	190	388	1,224	884	656	636	462	260	118	32	6
1971	4,785	38	170	465	1,213	847	586	549	474	295	120	17	11
1970	4,759	26	165	449	1,186	863	645	601	459	253	87	21	4
1969	4,969	24	187	454	1,274	842	704	616	483	257	115	10	3
1968	4,914	17	194	442	1,236	873	662	611	450	284	123	15	7
BLACK, FEMALE													
1978	1,293	26	121	150	305	189	135	132	126	66	36	7	-
1977	1,158	16	90	143	278	172	116	112	114	65	40	12	-
1976	1,202	20	110	161	232	183	119	131	112	92	33	8	1
1975	1,185	18	107	159	231	155	128	147	111	76	44	8	1
1974	1,260	15	114	187	248	187	132	117	124	83	40	12	1
1973	1,627	29	133	215	356	241	185	198	129	100	31	8	2
1972	1,592	32	112	252	306	200	208	204	124	104	36	14	-
1971	1,668	24	141	222	344	228	212	203	135	111	34	14	-
1970	1,585	29	122	259	294	193	211	186	148	95	33	11	4
1969	1,637	20	136	240	378	197	199	186	141	97	40	3	-
1968	1,536	28	115	221	287	207	226	167	132	99	44	10	-

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE 1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS (E800-E807, E825-E949) BOTH SEXES													
1978	53,150	998	2,217	2,988	7,458	5,885	4,565	5,008	5,718	5,855	6,798	5,577	83
1977	53,692	920	2,078	3,163	7,527	5,993	4,436	5,279	5,888	5,946	7,018	5,378	66
1976	53,723	1,012	2,148	3,133	7,666	5,980	4,307	5,316	5,914	5,741	6,922	5,518	66
1975	57,177	1,082	2,290	3,532	8,449	6,143	4,765	5,904	6,076	6,173	7,220	5,494	49
1974	58,220	1,229	2,560	3,705	8,295	5,932	4,781	5,996	6,179	6,252	7,419	5,816	56
1973	60,310	1,365	2,674	3,978	8,518	5,800	4,937	6,174	6,669	6,351	7,768	6,023	53
1972	59,170	1,484	2,762	3,984	7,820	5,328	4,766	6,198	6,624	6,308	7,968	5,864	64
1971	59,058	1,892	2,719	3,887	7,630	5,018	5,210	6,185	6,584	6,386	7,824	5,650	73
1970	60,005	1,951	2,728	4,044	7,616	5,156	5,377	6,502	6,563	6,560	8,029	5,416	63
1969	60,594	2,055	2,841	4,141	7,225	5,070	5,472	6,454	6,726	6,433	8,250	5,858	69
1968	60,002	2,201	3,075	4,264	6,469	4,717	5,365	6,318	6,547	6,700	8,412	5,882	52
MALE													
1978	35,742	567	1,365	2,158	6,242	4,851	3,603	3,779	4,076	3,644	3,286	2,102	69
1977	36,131	537	1,283	2,315	6,307	5,017	3,491	3,899	4,166	3,715	3,336	2,007	58
1976	36,228	599	1,336	2,317	6,411	4,986	3,400	3,926	4,197	3,617	3,296	2,088	55
1975	38,779	589	1,365	2,638	7,172	5,089	3,706	4,437	4,389	3,860	3,472	2,016	46
1974	39,076	721	1,624	2,744	7,024	4,904	3,744	4,457	4,405	3,870	3,427	2,107	49
1973	40,528	803	1,623	2,931	7,252	4,876	3,909	4,630	4,794	3,877	3,574	2,214	45
1972	39,568	892	1,774	2,900	6,596	4,392	3,738	4,646	4,780	3,932	3,676	2,182	60
1971	39,348	1,117	1,687	2,816	6,486	4,098	4,093	4,631	4,735	3,978	3,568	2,085	54
1970	40,482	1,086	1,664	2,979	6,541	4,278	4,314	4,927	4,834	4,124	3,713	1,972	50
1969	40,493	1,168	1,698	3,053	6,181	4,266	4,352	4,896	4,950	3,972	3,776	2,130	51
1968	39,636	1,213	1,823	3,110	5,569	3,978	4,245	4,847	4,814	4,183	3,786	2,022	46

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS (E800-E807, E825-E949)													
FEMALE													
1978	17,408	431	852	830	1,216	1,034	962	1,229	1,642	2,211	3,512	3,475	14
1977	17,561	383	795	848	1,220	976	945	1,380	1,722	2,231	3,682	3,371	8
1976	17,495	413	812	816	1,255	994	907	1,390	1,717	2,124	3,626	3,430	11
1975	18,398	493	925	894	1,277	1,054	1,059	1,467	1,687	2,313	3,748	3,478	3
1974	19,144	508	936	961	1,271	1,028	1,037	1,539	1,774	2,382	3,992	3,709	7
1973	19,782	562	1,051	1,047	1,266	924	1,028	1,544	1,875	2,474	4,194	3,809	8
1972	19,602	592	988	1,084	1,224	936	1,028	1,552	1,844	2,376	4,292	3,682	4
1971	19,710	775	1,032	1,071	1,144	920	1,117	1,554	1,849	2,408	4,256	3,565	19
1970	19,523	865	1,064	1,065	1,075	878	1,063	1,575	1,729	2,436	4,316	3,444	13
1969	20,101	887	1,143	1,088	1,044	804	1,120	1,558	1,776	2,461	4,474	3,728	18
1968	20,366	988	1,252	1,154	900	739	1,120	1,471	1,733	2,517	4,626	3,860	6
WHITE, BOTH SEXES													
1978	44,418	668	1,630	2,260	6,237	4,815	3,532	3,999	4,748	4,995	6,209	5,257	68
1977	44,884	623	1,548	2,408	6,249	4,787	3,463	4,229	4,914	5,120	6,429	5,065	49
1976	45,097	708	1,626	2,407	6,359	4,751	3,365	4,273	5,006	4,966	6,350	5,230	56
1975	47,877	717	1,711	2,700	6,895	4,914	3,694	4,820	5,132	5,388	6,648	5,217	41
1974	48,941	845	1,955	2,892	6,804	4,741	3,735	4,838	5,214	5,419	6,939	5,516	43
1973	50,522	882	1,993	3,026	6,907	4,635	3,873	5,041	5,693	5,521	7,196	5,721	34
1972	49,462	1,052	2,092	3,108	6,200	4,226	3,652	5,100	5,640	5,402	7,404	5,536	50
1971	49,102	1,285	2,033	2,936	5,965	3,911	4,090	5,053	5,661	5,493	7,267	5,356	52
1970	49,742	1,304	2,020	3,123	5,949	3,968	4,170	5,292	5,563	5,687	7,460	5,164	42
1969	50,635	1,391	2,049	3,127	5,702	4,001	4,365	5,351	5,742	5,582	7,707	5,568	50
1968	49,804	1,470	2,166	3,208	5,130	3,655	4,160	5,175	5,505	5,794	7,882	5,616	43

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS (E800-E807, E825-E949)													
WHITE, MALE													
1978	29,527	386	1,030	1,633	5,245	3,995	2,785	3,010	3,373	3,100	2,953	1,957	60
1977	29,863	372	973	1,762	5,288	4,039	2,709	3,104	3,476	3,180	3,033	1,881	46
1976	30,020	428	1,022	1,789	5,360	4,011	2,656	3,132	3,526	3,097	2,986	1,966	47
1975	32,094	396	1,042	2,015	5,914	4,101	2,879	3,601	3,690	3,352	3,169	1,897	38
1974	32,466	501	1,279	2,153	5,809	3,963	2,946	3,588	3,695	3,331	3,176	1,987	38
1973	33,483	537	1,254	2,217	5,938	3,927	3,082	3,754	4,040	3,358	3,269	2,078	29
1972	32,624	642	1,396	2,282	5,260	3,528	2,854	3,794	4,046	3,346	3,376	2,054	46
1971	32,270	783	1,281	2,150	5,119	3,204	3,225	3,749	4,073	3,422	3,278	1,948	38
1970	33,085	722	1,269	2,333	5,135	3,325	3,351	3,970	4,065	3,585	3,428	1,867	35
1969	33,468	833	1,265	2,323	4,912	3,395	3,482	4,052	4,210	3,439	3,508	2,011	38
1968	32,366	808	1,322	2,357	4,426	3,102	3,293	3,935	4,057	3,588	3,525	1,913	40
WHITE, FEMALE													
1978	14,891	282	600	627	992	820	747	989	1,375	1,895	3,256	3,300	8
1977	15,021	251	575	646	961	748	754	1,125	1,438	1,940	3,396	3,184	3
1976	15,077	280	604	618	999	740	709	1,141	1,480	1,869	3,364	3,264	9
1975	15,783	321	669	685	981	813	815	1,219	1,442	2,036	3,479	3,320	3
1974	16,475	344	676	739	995	778	789	1,250	1,519	2,088	3,763	3,529	5
1973	17,039	345	739	809	969	708	791	1,287	1,653	2,163	3,927	3,643	5
1972	16,838	410	696	826	940	698	798	1,306	1,594	2,056	4,028	3,482	4
1971	16,832	502	752	786	846	707	865	1,304	1,588	2,071	3,989	3,408	14
1970	16,657	582	751	790	814	643	819	1,322	1,498	2,102	4,032	3,297	7
1969	17,167	558	784	804	790	606	883	1,299	1,532	2,143	4,199	3,557	12
1968	17,438	662	844	851	704	553	867	1,240	1,448	2,206	4,357	3,703	3

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS (E800-E807, E825-E949)													
ALL OTHER, BOTH SEXES													
1978	8,732	330	587	728	1,221	1,070	1,033	1,009	970	860	589	320	15
1977	8,808	297	530	755	1,278	1,206	973	1,050	974	826	589	313	17
1976	8,626	304	522	726	1,307	1,229	942	1,043	908	775	572	288	10
1975	9,300	365	579	832	1,554	1,229	1,071	1,084	944	785	572	277	8
1974	9,279	384	605	813	1,491	1,191	1,046	1,158	965	833	480	300	13
1973	9,788	483	681	952	1,611	1,165	1,064	1,133	976	830	572	302	19
1972	9,708	432	670	876	1,620	1,102	1,114	1,098	984	906	564	328	14
1971	9,956	607	686	951	1,665	1,107	1,120	1,132	923	893	557	294	21
1970	10,263	647	708	921	1,667	1,188	1,207	1,210	1,000	873	569	252	21
1969	9,959	664	792	1,014	1,523	1,069	1,107	1,103	984	851	543	290	19
1968	10,198	731	909	1,056	1,339	1,062	1,205	1,143	1,042	906	530	266	9
ALL OTHER, MALE													
1978	6,215	181	335	525	997	856	818	769	703	544	333	145	9
1977	6,268	165	310	553	1,019	978	782	795	690	535	303	126	12
1976	6,208	171	314	528	1,051	975	744	794	671	520	310	122	8
1975	6,685	193	323	623	1,258	988	827	836	699	508	303	119	8
1974	6,610	220	345	591	1,215	941	798	869	710	539	251	120	11
1973	7,045	266	369	714	1,314	949	827	876	754	519	305	136	16
1972	6,944	250	378	618	1,336	864	884	852	734	586	300	128	14
1971	7,078	334	406	666	1,367	894	868	882	662	556	290	137	16
1970	7,397	364	395	646	1,406	953	963	957	769	539	285	105	15
1969	7,025	335	433	730	1,269	871	870	844	740	533	268	119	13
1968	7,270	405	501	753	1,143	876	952	912	757	595	261	109	6
ALL OTHER, FEMALE													
1978	2,517	149	252	203	224	214	215	240	267	316	256	175	6
1977	2,540	132	220	202	259	228	191	255	284	291	286	187	5
1976	2,418	133	208	198	256	254	198	249	237	255	262	166	2
1975	2,615	172	256	209	296	241	244	248	245	277	269	158	-
1974	2,669	164	260	222	276	250	248	289	255	294	229	180	2
1973	2,743	217	312	238	297	216	237	257	222	311	267	166	3
1972	2,764	182	292	258	284	238	230	246	250	320	264	200	-
1971	2,878	273	280	285	298	213	252	250	261	337	267	157	5
1970	2,866	283	313	275	261	235	244	253	231	334	284	147	6
1969	2,934	329	359	284	254	198	237	259	244	318	275	171	6
1968	2,928	326	408	303	196	186	253	231	285	311	269	157	3

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS (E800-E807, E825-E949)													
BLACK, BOTH SEXES													
1978	7,834	307	523	669	1,040	947	935	914	892	790	526	277	14
1977	8,015	278	480	696	1,121	1,089	880	965	905	776	533	279	13
1976	7,804	282	477	650	1,153	1,099	854	956	829	712	522	262	8
1975	8,490	342	538	763	1,398	1,122	986	999	865	719	511	241	6
1974	8,498	361	550	752	1,345	1,092	951	1,050	895	778	441	271	12
1973	8,897	455	628	896	1,447	1,011	945	1,045	907	756	522	270	15
1972	8,912	416	610	818	1,470	972	1,036	1,016	912	834	520	294	14
1971	9,156	568	631	887	1,524	1,025	1,037	1,034	850	824	504	253	19
1970	9,460	601	648	859	1,524	1,091	1,107	1,130	918	809	529	226	18
1969	9,104	632	733	945	1,385	957	1,003	1,001	908	770	495	258	17
1968	9,388	696	834	982	1,217	959	1,114	1,064	955	839	482	238	8
BLACK, MALE													
1978	5,534	165	295	483	852	752	741	701	643	487	285	122	8
1977	5,665	152	283	510	891	881	709	727	638	492	267	106	9
1976	5,602	159	288	480	931	871	677	734	611	467	273	105	6
1975	6,075	184	297	569	1,135	902	756	776	631	459	265	95	6
1974	6,049	210	318	546	1,099	866	731	789	650	500	226	104	10
1973	6,354	254	341	671	1,181	820	732	800	697	460	267	119	12
1972	6,352	244	344	570	1,216	762	830	788	670	534	272	108	14
1971	6,464	311	370	616	1,252	832	801	795	603	502	254	113	15
1970	6,802	342	359	606	1,292	875	888	895	695	489	257	92	12
1969	6,368	317	392	681	1,164	777	783	765	679	466	232	100	12
1968	6,651	382	456	699	1,039	787	873	850	688	545	231	95	6
BLACK, FEMALE													
1978	2,300	142	228	186	188	195	194	213	249	303	241	155	6
1977	2,350	126	197	186	230	208	171	238	267	284	266	173	4
1976	2,202	123	189	170	222	228	177	222	218	245	249	157	2
1975	2,415	158	241	194	263	220	230	223	234	260	246	146	-
1974	2,449	151	232	206	246	226	220	261	245	278	215	167	2
1973	2,543	201	287	225	266	191	213	245	210	296	255	151	3
1972	2,560	172	266	248	254	210	206	228	242	300	248	186	-
1971	2,692	257	261	271	272	193	236	239	247	322	250	140	4
1970	2,658	259	289	253	232	216	219	235	223	320	272	134	6
1969	2,736	315	341	264	221	180	220	236	229	304	263	158	5
1968	2,737	314	378	283	178	172	241	214	267	294	251	143	2

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Suicide E950-E959 BOTH SEXES													
1978	27,294	153	5,115	5,650	3,853	3,976	3,748	2,812	1,561	410	16
1977	28,681	190	5,565	5,827	3,955	4,417	3,951	2,931	1,472	360	13
1976	26,832	163	4,747	5,064	3,759	4,541	4,005	2,772	1,406	371	4
1975	27,063	170	4,736	5,041	3,950	4,766	3,963	2,729	1,368	339	1
1974	25,683	188	4,285	4,658	3,823	4,657	3,845	2,548	1,368	305	6
1973	25,118	157	4,098	4,237	3,739	4,634	3,921	2,617	1,385	324	6
1972	25,004	120	3,858	4,016	3,816	4,716	4,090	2,638	1,424	320	6
1971	24,092	141	3,479	3,535	3,904	4,664	4,064	2,653	1,361	284	7
1970	23,480	132	3,128	3,516	3,897	4,638	3,984	2,585	1,299	287	14
1969	22,364	136	2,731	3,155	3,847	4,490	3,875	2,478	1,378	267	7
1968	21,372	118	2,357	2,855	3,809	4,477	3,897	2,311	1,267	274	7
MALE													
1978	20,188	119	4,143	4,273	2,595	2,634	2,692	2,147	1,240	332	13
1977	21,109	160	4,492	4,334	2,711	2,901	2,820	2,214	1,167	300	10
1976	19,493	126	3,786	3,716	2,557	2,990	2,826	2,094	1,096	299	3
1975	19,622	128	3,787	3,707	2,601	3,202	2,819	2,030	1,064	283	1
1974	18,595	145	3,378	3,404	2,533	3,055	2,785	1,938	1,090	261	6
1973	18,108	120	3,277	3,071	2,420	3,086	2,779	1,986	1,090	274	5
1972	17,768	80	2,968	2,804	2,460	3,198	2,842	2,018	1,128	264	6
1971	16,860	105	2,609	2,418	2,480	3,032	2,902	1,972	1,090	249	3
1970	16,629	102	2,378	2,425	2,482	3,129	2,871	1,955	1,043	230	14
1969	15,857	95	2,072	2,185	2,450	3,020	2,824	1,862	1,114	232	3
1968	15,379	97	1,789	1,991	2,524	3,007	2,886	1,803	1,039	238	5

... Category not applicable.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Suicide E950-E959													
FEMALE													
1978	7,106	34	972	1,377	1,258	1,342	1,056	665	321	78	3
1977	7,572	30	1,073	1,493	1,244	1,516	1,131	717	305	60	3
1976	7,339	37	961	1,348	1,202	1,551	1,179	678	310	72	1
1975	7,441	42	949	1,334	1,349	1,564	1,144	699	304	56	-
1974	7,088	43	907	1,254	1,290	1,602	1,060	610	278	44	-
1973	7,010	37	821	1,166	1,319	1,548	1,142	631	295	50	1
1972	7,236	40	890	1,212	1,356	1,518	1,248	620	296	56	-
1971	7,232	36	870	1,117	1,424	1,632	1,162	681	271	35	4
1970	6,851	30	750	1,091	1,415	1,509	1,113	630	256	57	-
1969	6,507	41	659	970	1,397	1,470	1,051	616	264	35	4
1968	5,993	21	568	864	1,285	1,470	1,011	508	228	36	2
WHITE, BOTH SEXES													
1978	25,250	135	4,558	5,027	3,537	3,744	3,608	2,714	1,516	396	15
1977	26,579	171	4,975	5,166	3,656	4,199	3,783	2,842	1,430	348	9
1976	24,854	141	4,193	4,493	3,463	4,315	3,866	2,661	1,368	351	3
1975	25,173	162	4,210	4,466	3,667	4,548	3,820	2,639	1,330	330	1
1974	23,923	169	3,821	4,144	3,554	4,460	3,703	2,449	1,324	295	4
1973	23,412	145	3,611	3,771	3,475	4,434	3,775	2,537	1,346	313	5
1972	23,264	114	3,278	3,592	3,540	4,514	3,954	2,566	1,384	316	6
1971	22,577	121	3,061	3,163	3,630	4,495	3,936	2,559	1,333	274	5
1970	22,059	121	2,765	3,133	3,674	4,425	3,875	2,510	1,268	275	13
1969	21,038	123	2,419	2,819	3,588	4,314	3,772	2,402	1,338	256	7
1968	20,212	109	2,115	2,576	3,593	4,302	3,777	2,234	1,233	269	4

- Quantity zero

... Category not applicable.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAG1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Suicide E950-E959													
WHITE, MALE													
1978	18,619	108	3,689	3,786	2,359	2,469	2,594	2,071	1,207	324	12
1977	19,531	148	4,027	3,831	2,495	2,757	2,699	2,140	1,136	291	7
1976	17,996	116	3,354	3,289	2,336	2,825	2,716	2,013	1,065	280	2
1975	18,206	125	3,378	3,268	2,395	3,047	2,718	1,964	1,034	276	1
1974	17,263	133	3,025	3,016	2,334	2,913	2,677	1,856	1,053	252	4
1973	16,823	111	2,905	2,706	2,239	2,929	2,676	1,922	1,062	269	4
1972	16,476	80	2,540	2,482	2,262	3,046	2,742	1,956	1,102	260	6
1971	15,802	91	2,326	2,161	2,295	2,916	2,803	1,893	1,074	241	2
1970	15,591	97	2,116	2,140	2,324	2,973	2,783	1,902	1,020	223	13
1969	14,886	89	1,855	1,943	2,260	2,890	2,741	1,800	1,081	224	3
1968	14,520	92	1,616	1,781	2,372	2,876	2,790	1,741	1,015	235	2
WHITE, FEMALE													
1978	6,631	27	869	1,241	1,178	1,275	1,014	643	309	72	3
1977	7,048	23	948	1,335	1,161	1,442	1,084	702	294	57	2
1976	6,858	25	839	1,204	1,127	1,490	1,150	648	303	71	1
1975	6,967	37	832	1,198	1,272	1,501	1,102	675	296	54	-
1974	6,660	36	796	1,128	1,220	1,547	1,026	593	271	43	-
1973	6,589	34	706	1,065	1,236	1,505	1,099	615	284	44	1
1972	6,788	34	738	1,110	1,278	1,468	1,212	610	282	56	-
1971	6,775	30	735	1,002	1,335	1,579	1,133	666	259	33	3
1970	6,468	24	649	993	1,350	1,452	1,092	608	248	52	-
1969	6,152	34	564	876	1,328	1,424	1,031	602	257	32	4
1968	5,692	17	499	795	1,221	1,426	987	493	218	34	2

... Category not applicable.

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Suicide E950-E959													
ALL OTHER, BOTH SEXES													
1978	2,044	18	557	623	316	232	140	98	45	14	1
1977	2,102	19	590	661	299	218	168	89	42	12	4
1976	1,978	22	554	571	296	226	139	111	38	20	1
1975	1,890	8	526	575	283	218	143	90	38	9	-
1974	1,760	19	464	514	269	197	142	99	44	10	2
1973	1,706	12	487	466	264	200	146	80	39	11	1
1972	1,740	6	580	424	276	202	136	72	40	4	-
1971	1,515	20	418	372	274	169	128	94	28	10	2
1970	1,421	11	363	383	223	213	109	75	31	12	1
1969	1,326	13	312	336	259	176	103	76	40	11	-
1968	1,160	9	242	279	216	175	120	77	34	5	3
ALL OTHER, MALE													
1978	1,569	11	454	487	236	165	98	76	33	8	1
1977	1,578	12	465	503	216	144	121	74	31	9	3
1976	1,497	10	432	427	221	165	110	81	31	19	1
1975	1,416	3	409	439	206	155	101	66	30	7	-
1974	1,332	12	353	388	199	142	108	82	37	9	2
1973	1,285	9	372	365	181	157	103	64	28	5	1
1972	1,292	-	428	322	198	152	100	62	26	4	-
1971	1,058	14	283	257	185	116	99	79	16	8	1
1970	1,038	5	262	285	158	156	88	53	23	7	1
1969	971	6	217	242	190	130	83	62	33	8	-
1968	859	5	173	210	152	131	96	62	24	3	3

... Category not applicable.

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Suicide E950-E959													
ALL OTHER, FEMALE													
1978	475	7	103	136	80	67	42	22	12	6	-
1977	524	7	125	158	83	74	47	15	11	3	1
1976	481	12	122	144	75	61	29	30	7	1	-
1975	474	5	117	136	77	63	42	24	8	2	-
1974	428	7	111	126	70	55	34	17	7	1	-
1973	421	3	115	101	83	43	43	16	11	6	-
1972	448	6	152	102	78	50	36	10	14	-	-
1971	457	6	135	115	89	53	29	15	12	2	1
1970	383	6	101	98	65	57	21	22	8	5	-
1969	355	7	95	94	69	46	20	14	7	3	-
1968	301	4	69	69	64	44	24	15	10	2	-
BLACK, BOTH SEXES													
1978	1,677	13	432	526	266	200	115	81	37	6	1
1977	1,673	15	454	548	238	172	136	69	31	8	2
1976	1,614	17	442	472	241	192	115	94	25	15	1
1975	1,512	7	409	462	230	176	118	78	30	2	-
1974	1,442	17	362	431	228	171	120	78	29	4	2
1973	1,383	10	385	389	210	176	116	64	27	5	1
1972	1,412	4	452	358	226	178	114	58	20	2	-
1971	1,220	15	327	301	226	142	106	81	17	4	1
1970	1,167	10	298	318	186	177	95	57	19	6	1
1969	1,090	11	266	268	227	146	83	61	25	3	-
1968	954	7	192	234	177	151	102	64	23	1	3

... Category not applicable.

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
Suicide E950-E959													
BLACK, MALE													
1978	1,309	8	356	415	200	148	84	64	28	5	1
1977	1,275	9	349	429	171	123	102	58	25	7	2
1976	1,234	8	341	361	185	143	89	70	22	14	1
1975	1,165	3	323	364	177	127	85	58	26	2	-
1974	1,120	12	274	338	178	130	91	65	27	3	2
1973	1,075	8	302	307	150	137	87	54	25	4	1
1972	1,058	-	338	272	164	130	84	52	16	2	-
1971	861	12	214	211	159	100	81	67	13	3	1
1970	863	4	214	235	137	135	78	40	15	4	1
1969	804	4	179	199	172	107	69	51	21	2	-
1968	722	5	134	179	129	116	82	53	20	1	3
BLACK, FEMALE													
1978	368	5	76	111	66	52	31	17	9	1	-
1977	398	6	105	119	67	49	34	11	6	1	-
1976	380	9	101	111	56	49	26	24	3	1	-
1975	347	4	86	98	53	49	33	20	4	-	-
1974	322	5	88	93	50	41	29	13	2	1	-
1973	308	2	83	82	60	39	29	10	2	1	-
1972	354	4	114	86	62	48	30	6	4	-	-
1971	359	3	113	90	67	42	25	14	4	1	-
1970	304	6	84	83	49	42	17	17	4	2	-
1969	286	7	87	69	55	39	14	10	4	1	-
1968	232	2	58	55	48	35	20	11	3	-	-

... Category not applicable.

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE E960-E978 BOTH SEXES													
1978	20,432	161	313	454	5,443	5,721	3,406	2,307	1,389	745	324	98	71
1977	19,968	177	330	436	5,196	5,431	3,393	2,281	1,502	756	333	97	36
1976	19,554	170	306	392	5,038	5,266	3,288	2,371	1,466	759	362	97	39
1975	21,310	178	317	385	5,493	5,666	3,594	2,764	1,585	829	379	87	33
1974	21,465	166	296	399	5,577	5,707	3,743	2,786	1,553	793	345	74	26
1973	20,465	161	342	425	5,182	5,404	3,618	2,632	1,519	763	329	55	35
1972	19,638	172	246	362	5,094	5,028	3,682	2,612	1,498	590	256	74	24
1971	18,787	187	295	388	4,693	4,765	3,569	2,455	1,408	645	268	68	46
1970	16,848	150	258	360	4,157	4,140	3,163	2,345	1,321	619	245	64	26
1969	15,477	151	238	298	3,779	3,887	3,113	2,024	1,181	564	178	38	26
1968	14,686	163	213	301	3,357	3,624	3,037	2,057	1,133	532	204	46	19
MALE													
1978	15,838	82	172	251	4,227	4,635	2,734	1,859	1,100	516	164	45	53
1977	15,355	96	185	236	3,992	4,366	2,706	1,826	1,157	530	185	52	24
1976	15,142	88	154	240	3,907	4,264	2,666	1,882	1,140	549	180	41	31
1975	16,553	102	187	210	4,258	4,594	2,850	2,215	1,259	605	209	43	21
1974	16,747	78	163	248	4,354	4,586	2,990	2,272	1,238	557	206	36	19
1973	15,840	81	186	261	4,005	4,383	2,812	2,098	1,223	551	185	30	25
1972	15,642	92	138	210	4,072	4,134	3,032	2,130	1,206	430	140	44	14
1971	14,812	92	162	219	3,822	3,895	2,846	1,964	1,093	482	172	31	34
1970	13,278	80	130	215	3,333	3,377	2,489	1,906	1,073	468	147	40	20
1969	12,166	87	131	173	3,051	3,114	2,497	1,610	935	424	113	19	12
1968	11,523	81	108	179	2,688	2,936	2,386	1,665	904	410	131	26	9

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAFI

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE E960-E978													
FEMALE													
1978	4,594	79	141	203	1,216	1,086	672	448	289	229	160	53	18
1977	4,613	81	145	200	1,204	1,065	687	455	345	226	148	45	12
1976	4,412	82	152	152	1,131	1,002	622	489	326	210	182	56	8
1975	4,757	76	130	175	1,235	1,072	744	549	326	224	170	44	12
1974	4,718	88	133	151	1,223	1,121	753	514	315	236	139	38	7
1973	4,625	80	156	164	1,177	1,021	806	534	296	212	144	25	10
1972	3,996	80	108	152	1,022	894	650	482	292	160	116	30	10
1971	3,975	95	133	169	871	870	723	491	315	163	96	37	12
1970	3,570	70	128	145	824	763	674	439	248	151	98	24	6
1969	3,311	64	107	125	728	773	616	414	246	140	65	19	14
1968	3,163	82	105	122	669	688	651	392	229	122	73	20	10
WHITE, BOTH SEXES													
1978	11,200	94	157	277	2,905	2,831	1,848	1,352	867	483	247	80	59
1977	10,738	108	174	275	2,702	2,633	1,804	1,274	921	497	250	76	24
1976	10,115	99	167	255	2,463	2,470	1,676	1,273	840	482	276	81	33
1975	10,973	110	166	250	2,605	2,635	1,822	1,480	973	546	297	67	22
1974	10,648	92	169	252	2,564	2,612	1,785	1,426	894	508	268	59	19
1973	9,986	99	192	252	2,371	2,391	1,661	1,319	895	484	255	46	21
1972	8,976	102	154	188	2,086	2,048	1,610	1,270	854	376	202	66	20
1971	8,561	121	161	214	1,792	1,964	1,560	1,196	825	434	209	54	31
1970	7,803	85	145	180	1,620	1,766	1,435	1,140	787	381	199	48	17
1969	7,016	101	159	182	1,484	1,582	1,294	954	703	363	150	31	13
1968	6,806	115	133	175	1,386	1,436	1,313	1,026	653	360	161	38	10

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE E960-E978													
WHITE, MALE													
1978	8,429	48	87	154	2,202	2,250	1,460	1,040	672	324	111	39	42
1977	7,951	56	96	146	2,027	2,071	1,393	981	679	323	127	35	17
1976	7,568	50	90	148	1,850	1,971	1,346	975	628	324	128	31	27
1975	8,222	66	105	131	1,929	2,088	1,415	1,157	750	384	153	31	13
1974	7,992	47	96	161	1,933	2,047	1,388	1,120	675	329	153	28	15
1973	7,411	53	104	141	1,749	1,905	1,245	1,013	701	329	131	25	15
1972	6,820	58	88	96	1,564	1,654	1,282	988	668	264	104	42	12
1971	6,455	58	90	111	1,385	1,560	1,234	927	617	309	120	21	23
1970	5,865	43	80	93	1,199	1,396	1,102	905	613	275	114	31	14
1969	5,215	51	85	88	1,121	1,229	1,020	712	543	253	94	14	5
1968	5,106	57	64	92	1,071	1,138	1,001	795	497	267	99	20	5
WHITE, FEMALE													
1978	2,771	46	70	123	703	581	388	312	195	159	136	41	17
1977	2,787	52	78	129	675	562	411	293	242	174	123	41	7
1976	2,547	49	77	107	613	499	330	298	212	158	148	50	6
1975	2,751	44	61	119	676	547	407	323	223	162	144	36	9
1974	2,656	45	73	91	631	565	397	306	219	179	115	31	4
1973	2,575	46	88	111	622	486	416	306	194	155	124	21	6
1972	2,156	44	66	92	522	394	328	282	186	112	98	24	8
1971	2,106	63	71	103	407	404	326	269	208	125	89	33	8
1970	1,938	42	65	87	421	370	333	235	174	106	85	17	3
1969	1,801	50	74	94	363	353	274	242	160	110	56	17	8
1968	1,700	58	69	83	315	298	312	231	156	93	62	18	5

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE E960-E978													
ALL OTHER, BOTH SEXES													
1978	9,232	67	156	177	2,538	2,890	1,558	955	522	262	77	18	12
1977	9,230	69	156	161	2,494	2,798	1,589	1,007	581	259	83	21	12
1976	9,439	71	139	137	2,575	2,796	1,612	1,098	626	277	86	16	6
1975	10,337	68	151	135	2,888	3,031	1,772	1,284	612	283	82	20	11
1974	10,817	74	127	147	3,013	3,095	1,958	1,360	659	285	77	15	7
1973	10,479	62	150	173	2,811	3,013	1,957	1,313	624	279	74	9	14
1972	10,662	70	92	174	3,008	2,980	2,072	1,342	644	214	54	8	4
1971	10,226	66	134	174	2,901	2,801	2,009	1,259	583	211	59	14	15
1970	9,045	65	113	180	2,537	2,374	1,728	1,205	534	238	46	16	9
1969	8,461	50	79	116	2,295	2,305	1,819	1,070	478	201	28	7	13
1968	7,880	48	80	126	1,971	2,188	1,724	1,031	480	172	43	8	9
ALL OTHER, MALE													
1978	7,409	34	85	97	2,025	2,385	1,274	819	428	192	53	6	11
1977	7,404	40	89	90	1,965	2,295	1,313	845	478	207	58	17	7
1976	7,574	38	64	92	2,057	2,293	1,320	907	512	225	52	10	4
1975	8,331	36	82	79	2,329	2,506	1,435	1,058	509	221	56	12	8
1974	8,755	31	67	87	2,421	2,539	1,602	1,152	563	228	53	8	4
1973	8,429	28	82	120	2,256	2,478	1,567	1,085	522	222	54	5	10
1972	8,822	34	50	114	2,508	2,480	1,750	1,142	538	166	36	2	2
1971	8,357	34	72	108	2,437	2,335	1,612	1,037	476	173	52	10	11
1970	7,413	37	50	122	2,134	1,981	1,387	1,001	460	193	33	9	6
1969	6,951	36	46	85	1,930	1,885	1,477	898	392	171	19	5	7
1968	6,417	24	44	87	1,617	1,798	1,385	870	407	143	32	6	4

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE E960-E978													
ALL OTHER, FEMALE													
1978	1,823	33	71	80	513	505	284	136	94	70	24	12	1
1977	1,826	29	67	71	529	503	276	162	103	52	25	4	5
1976	1,865	33	75	45	518	503	292	191	114	52	34	6	2
1975	2,006	32	69	56	559	525	337	226	103	62	26	8	3
1974	2,062	43	60	60	592	556	356	208	96	57	24	7	3
1973	2,050	34	68	53	555	535	390	228	102	57	20	4	4
1972	1,840	36	42	60	500	500	322	200	106	48	18	6	2
1971	1,869	32	62	66	464	466	397	222	107	38	7	4	4
1970	1,632	28	63	58	403	393	341	204	74	45	13	7	3
1969	1,510	14	33	31	365	420	342	172	86	30	9	2	6
1968	1,463	24	36	39	354	390	339	161	73	29	11	2	5
BLACK, BOTH SEXES													
1978	8,857	64	151	163	2,428	2,772	1,505	920	503	250	73	16	12
1977	8,869	66	143	155	2,401	2,694	1,534	957	562	249	77	20	11
1976	9,094	66	130	125	2,494	2,692	1,549	1,060	606	269	82	16	5
1975	10,021	65	140	128	2,804	2,938	1,721	1,259	595	267	74	19	11
1974	10,458	69	123	137	2,930	2,976	1,898	1,322	639	271	73	13	7
1973	10,181	58	141	171	2,727	2,923	1,915	1,278	604	270	71	9	14
1972	10,362	62	88	170	2,934	2,894	2,014	1,310	628	206	44	8	4
1971	9,964	63	126	171	2,832	2,736	1,959	1,237	559	198	56	14	13
1970	8,834	61	111	172	2,481	2,316	1,697	1,182	512	232	45	16	9
1969	8,233	47	74	116	2,236	2,232	1,786	1,047	460	190	25	7	13
1968	7,701	45	80	123	1,930	2,140	1,689	1,011	467	162	39	8	7

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE E960-E978													
BLACK, MALE													
1978	7,118	32	81	91	1,934	2,293	1,235	789	412	185	50	5	11
1977	7,135	40	82	86	1,889	2,213	1,277	809	465	199	52	16	7
1976	7,327	35	59	85	1,992	2,217	1,281	878	499	218	49	10	4
1975	8,092	34	77	73	2,262	2,439	1,392	1,042	495	207	51	12	8
1974	8,480	30	65	80	2,354	2,449	1,554	1,121	549	217	49	8	4
1973	8,216	25	77	119	2,196	2,416	1,540	1,056	506	215	51	5	10
1972	8,594	30	46	110	2,454	2,416	1,702	1,116	522	160	34	2	2
1971	8,157	31	68	106	2,376	2,291	1,578	1,020	457	161	50	10	9
1970	7,265	35	50	117	2,092	1,943	1,368	984	442	187	32	9	6
1969	6,770	34	44	85	1,883	1,828	1,453	878	376	161	16	5	7
1968	6,283	22	44	85	1,590	1,767	1,355	853	395	134	29	6	3
BLACK, FEMALE													
1978	1,739	32	70	72	494	479	270	131	91	65	23	11	1
1977	1,734	26	61	69	512	481	257	148	97	50	25	4	4
1976	1,767	31	71	40	502	475	268	182	107	51	33	6	1
1975	1,929	31	63	55	542	499	329	217	100	60	23	7	3
1974	1,978	39	58	57	576	527	344	201	90	54	24	5	3
1973	1,965	33	64	52	531	507	375	222	98	55	20	4	4
1972	1,768	32	42	60	480	478	312	194	106	46	10	6	2
1971	1,807	32	58	65	456	445	381	217	102	37	6	4	4
1970	1,569	26	61	55	389	373	329	198	70	45	13	7	3
1969	1,463	13	30	31	353	404	333	169	84	29	9	2	6
1968	1,418	23	36	38	340	373	334	158	72	28	10	2	4

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER EXTERNAL CAUSES (E980-E999)													
BOTH SEXES													
1978	4,163	84	115	103	837	958	570	539	427	285	158	60	27
1977	4,457	105	132	134	864	907	623	624	526	297	164	63	18
1976	4,766	103	146	153	934	898	677	691	546	332	206	55	25
1975	4,860	94	145	131	1,018	956	680	721	515	346	176	50	28
1974	5,161	108	169	144	1,078	941	771	752	557	378	179	64	20
1973	5,050	90	148	167	967	841	757	787	617	386	207	60	23
1972	5,074	94	174	154	962	874	758	788	620	326	224	82	18
1971	5,070	112	177	138	950	812	759	807	642	359	205	69	40
1970	5,427	126	175	156	1,087	848	820	844	639	434	211	60	27
1969	5,147	127	179	150	1,034	783	796	809	615	380	193	45	36
1968	4,315	100	155	125	693	656	730	740	568	312	171	49	16
MALE													
1978	2,870	46	77	79	632	683	395	345	269	186	101	36	21
1977	3,069	70	75	98	637	664	405	424	342	195	101	41	17
1976	3,226	53	73	107	691	655	439	445	375	206	134	26	22
1975	3,314	47	87	88	763	695	452	450	346	229	107	33	17
1974	3,570	58	89	113	838	671	522	483	379	255	104	40	18
1973	3,443	54	88	128	709	605	503	489	423	252	137	37	18
1972	3,436	54	84	116	720	604	508	500	420	218	156	40	16
1971	3,476	71	98	101	722	591	487	517	450	239	133	38	29
1970	3,814	65	104	117	862	607	564	542	448	311	142	29	23
1969	3,637	64	92	101	814	584	557	532	453	264	119	25	32
1968	3,003	60	82	89	532	477	485	489	413	216	121	27	12

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 P.1

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER EXTERNAL CAUSES (E980-E999)													
FEMALE													
1978	1,293	38	38	24	205	275	175	194	158	99	57	24	6
1977	1,388	35	57	36	227	243	218	200	184	102	63	22	1
1976	1,540	50	73	46	243	243	238	246	171	126	72	29	3
1975	1,546	47	58	43	255	261	228	271	169	117	69	17	11
1974	1,591	50	80	31	240	270	249	269	178	123	75	24	2
1973	1,607	36	60	39	258	236	254	298	194	134	70	23	5
1972	1,638	40	90	38	242	270	250	288	200	108	68	42	2
1971	1,594	41	79	37	228	221	272	290	192	120	72	31	11
1970	1,613	61	71	39	225	241	256	302	191	123	69	31	4
1969	1,510	63	87	49	220	199	239	277	162	116	74	20	4
1968	1,312	40	73	36	161	179	245	251	155	96	50	22	4
WHITE, BOTH SEXES													
1978	3,213	48	60	65	648	733	422	415	373	242	131	53	23
1977	3,388	58	78	83	661	645	470	494	446	237	145	56	15
1976	3,543	57	71	102	695	633	489	513	461	282	174	48	18
1975	3,669	50	74	92	778	682	498	567	428	287	150	44	19
1974	3,821	70	94	95	788	665	528	604	450	303	154	57	13
1973	3,751	59	89	100	697	588	526	611	504	331	177	51	18
1972	3,712	46	88	98	648	600	528	612	528	274	200	76	14
1971	3,679	65	90	91	626	528	521	645	528	308	184	64	29
1970	3,904	71	91	95	699	532	570	652	550	371	191	57	25
1969	3,695	77	89	88	716	509	513	624	512	326	172	40	29
1968	3,215	58	84	88	498	434	496	587	488	267	161	40	14

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGES

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER EXTERNAL CAUSES (E980-E999)													
WHITE, MALE													
1978	2,200	26	44	50	496	526	284	250	229	157	87	34	17
1977	2,312	34	41	67	503	473	290	331	280	155	87	37	14
1976	2,406	30	38	74	530	466	309	316	316	174	114	22	17
1975	2,469	26	49	62	590	488	318	333	283	190	89	29	12
1974	2,609	38	54	78	627	465	342	374	296	199	90	34	12
1973	2,505	34	51	79	525	414	343	356	335	207	119	28	14
1972	2,480	24	44	72	508	392	340	382	344	186	140	36	12
1971	2,448	40	52	68	468	376	314	394	361	202	118	34	21
1970	2,674	34	56	74	556	369	378	394	375	261	127	29	21
1969	2,551	38	42	64	580	359	341	381	369	227	103	22	25
1968	2,200	36	45	63	381	308	315	375	347	181	114	24	11
WHITE, FEMALE													
1978	1,013	22	16	15	152	207	138	165	144	85	44	19	6
1977	1,076	24	37	16	158	172	180	163	166	82	58	19	1
1976	1,137	27	33	28	165	167	180	197	145	108	60	26	1
1975	1,200	24	25	30	188	194	180	234	145	97	61	15	7
1974	1,212	32	40	17	161	200	186	230	154	104	64	23	1
1973	1,246	25	38	21	172	174	183	255	169	124	58	23	4
1972	1,232	22	44	26	140	208	188	230	184	88	60	40	2
1971	1,231	25	38	23	158	152	207	251	167	106	66	30	8
1970	1,230	37	35	21	143	163	192	258	175	110	64	28	4
1969	1,144	39	47	24	136	150	172	243	143	99	69	18	4
1968	1,015	22	39	25	117	126	181	212	141	86	47	16	3

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER EXTERNAL CAUSES (E980-E999)													
ALL OTHER, BOTH SEXES													
1978	950	36	55	38	189	225	148	124	54	43	27	7	4
1977	1,069	47	54	51	203	262	153	130	80	60	19	7	3
1976	1,223	46	75	51	239	265	188	178	85	50	32	7	7
1975	1,191	44	71	39	240	274	182	154	87	59	26	6	9
1974	1,340	38	75	49	290	276	243	148	107	75	25	7	7
1973	1,299	31	59	67	270	253	231	176	113	55	30	9	5
1972	1,362	48	86	56	314	274	230	176	92	52	24	6	4
1971	1,391	47	87	47	324	284	238	162	114	51	21	5	11
1970	1,523	55	84	61	388	316	250	192	89	63	20	3	2
1969	1,452	50	90	62	318	274	283	185	103	54	21	5	7
1968	1,100	42	71	37	195	222	234	153	80	45	10	9	2
ALL OTHER, MALE													
1978	670	20	33	29	136	157	111	95	40	29	14	2	4
1977	757	36	34	31	134	191	115	93	62	40	14	4	3
1976	820	23	35	33	161	189	130	129	59	32	20	4	5
1975	845	21	38	26	173	207	134	117	63	39	18	4	5
1974	961	20	35	35	211	206	180	109	83	56	14	6	6
1973	938	20	37	49	184	191	160	133	88	45	18	9	4
1972	956	30	40	44	212	212	168	118	76	32	16	4	4
1971	1,028	31	46	33	254	215	173	123	89	37	15	4	8
1970	1,140	31	48	43	306	238	186	148	73	50	15	-	2
1969	1,086	26	50	37	234	225	216	151	84	37	16	3	7
1968	803	24	37	26	151	169	170	114	66	35	7	3	1
ALL OTHER, FEMALE													
1978	280	16	22	9	53	68	37	29	14	14	13	5	-
1977	312	11	20	20	69	71	38	37	18	20	5	3	-
1976	403	23	40	18	78	76	58	49	26	18	12	3	2
1975	346	23	33	13	67	67	48	37	24	20	8	2	4
1974	379	18	40	14	79	70	63	39	24	19	11	1	1
1973	361	11	22	18	86	62	71	43	25	10	12	-	1
1972	406	18	46	12	102	62	62	58	16	20	8	2	-
1971	363	16	41	14	70	69	65	39	25	14	6	1	3
1970	383	24	36	18	82	78	64	44	16	13	5	3	-
1969	366	24	40	25	84	49	67	34	19	17	5	2	-
1968	297	18	34	11	44	53	64	39	14	10	3	6	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.

82/09/16 TABLE 290A. DEATHS FOR 69 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1968-78 PAGE

[Deaths based on a 50-percent sample in 1972]

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER EXTERNAL CAUSES (E980-E999)													
BLACK, BOTH SEXES													
1978	865	36	51	35	173	198	138	112	52	37	23	7	3
1977	972	47	52	50	165	247	144	121	71	52	16	5	2
1976	1,117	44	70	49	216	241	173	170	77	40	24	7	6
1975	1,102	44	66	35	220	258	166	147	79	52	24	4	7
1974	1,225	35	69	46	267	248	228	134	97	65	22	7	7
1973	1,189	25	56	66	243	229	215	171	102	50	22	6	4
1972	1,286	48	82	56	302	250	220	168	84	44	22	6	4
1971	1,310	46	80	46	304	263	225	158	109	46	18	4	11
1970	1,440	54	80	56	366	306	233	183	84	56	18	3	1
1969	1,375	48	90	60	303	262	268	172	93	50	17	5	7
1968	1,027	41	67	36	179	208	223	142	71	41	8	9	2
BLACK, MALE													
1978	607	20	31	27	122	139	103	86	38	25	11	2	3
1977	682	36	32	31	106	178	109	86	54	32	12	4	2
1976	751	21	32	32	145	177	121	123	55	25	12	4	4
1975	785	21	36	23	160	194	124	114	58	33	16	3	3
1974	882	18	33	32	199	185	170	98	76	47	12	6	6
1973	865	16	37	48	169	178	148	130	79	40	11	6	3
1972	894	30	40	44	204	192	158	110	70	24	14	4	4
1971	972	30	45	33	236	202	163	123	84	32	13	3	8
1970	1,082	30	47	40	291	232	174	141	69	44	13	-	1
1969	1,028	25	50	36	223	217	208	139	75	33	12	3	7
1968	750	24	35	26	138	160	161	106	58	32	6	3	1
BLACK, FEMALE													
1978	258	16	20	8	51	59	35	26	14	12	12	5	-
1977	290	11	20	19	59	69	35	35	17	20	4	1	-
1976	366	23	38	17	71	64	52	47	22	15	12	3	2
1975	317	23	30	12	60	64	42	33	21	19	8	1	4
1974	343	17	36	14	68	63	58	36	21	18	10	1	1
1973	324	9	19	18	74	51	67	41	23	10	11	-	1
1972	392	18	42	12	98	58	62	58	14	20	8	2	-
1971	338	16	35	13	68	61	62	35	25	14	5	1	3
1970	358	24	33	16	75	74	59	42	15	12	5	3	-
1969	347	23	40	24	80	45	60	33	18	17	5	2	-
1968	277	17	32	10	41	48	62	36	13	9	2	6	1

- Quantity zero

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1968-78.