











































































































































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Arthrosis of first carpometacarpal joint (M18)															
All ages.....	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Arthrosis of first carpometacarpal joint, unspecified (M18.9)															
All ages.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-















































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other spondylopathies (M48)																		
All ages.....	212	111	101	181	92	89	26	16	10	1	-	1	4	3	1			
Under 1 year.....	3	3	-	-	-	-	3	3	-	-	-	-	-	-	-			
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-			
30-34 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-			
35-39 years.....	4	1	3	3	-	3	1	1	-	-	-	-	-	-	-			
40-44 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-			
45-49 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-			
50-54 years.....	6	5	1	5	5	-	1	-	1	-	-	-	-	-	-			
55-59 years.....	7	3	4	4	2	2	3	1	2	-	-	-	-	-	-			
60-64 years.....	9	8	1	7	6	1	2	2	-	-	-	-	-	-	-			
65-69 years.....	14	6	8	12	4	8	2	2	-	-	-	-	-	-	-			
70-74 years.....	18	12	6	16	11	5	-	-	-	-	-	-	2	1	1			
75-79 years.....	33	16	17	27	14	13	6	2	4	-	-	-	-	-	-			
80-84 years.....	39	21	18	35	19	16	3	1	2	-	-	-	1	1	-			
85-89 years.....	46	24	22	43	21	22	2	2	-	-	-	-	1	1	-			
90-94 years.....	23	6	17	20	5	15	2	1	1	1	-	1	-	-	-			
95-99 years.....	5	3	2	5	3	2	-	-	-	-	-	-	-	-	-			
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			





































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Postmenopausal osteoporosis with pathological fracture (M80.0)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-











Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Postmenopausal osteoporosis (M81.0)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

















































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Obstructive and reflux uropathy, unspecified (N13.9)															
All ages.....	255	193	62	232	171	61	23	22	1	-	-	-	-	-	-
Under 1 year.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
40-44 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
45-49 years.....	4	3	1	3	2	1	1	1	-	-	-	-	-	-	-
50-54 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
55-59 years.....	5	4	1	3	3	-	2	1	1	-	-	-	-	-	-
60-64 years.....	8	6	2	6	4	2	2	2	-	-	-	-	-	-	-
65-69 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
70-74 years.....	23	13	10	21	11	10	2	2	-	-	-	-	-	-	-
75-79 years.....	38	28	10	32	22	10	6	6	-	-	-	-	-	-	-
80-84 years.....	58	42	16	54	38	16	4	4	-	-	-	-	-	-	-
85-89 years.....	56	45	11	55	44	11	1	1	-	-	-	-	-	-	-
90-94 years.....	45	36	9	41	32	9	4	4	-	-	-	-	-	-	-
95-99 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
100 years & over..	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Chronic renal failure (N18)																		
All ages.....	16,402	8,036	8,366	11,881	6,002	5,879	4,025	1,818	2,207	110	43	67	386	173	213			
Under 1 year.....	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-			
1-4 years.....	3	1	2	2	1	1	1	-	1	-	-	-	-	-	-			
5-9 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-			
10-14 years.....	6	4	2	3	3	-	3	1	2	-	-	-	-	-	-			
15-19 years.....	14	8	6	5	3	2	8	4	4	-	-	-	1	1	-			
20-24 years.....	45	22	23	24	12	12	17	7	10	2	2	-	2	1	1			
25-29 years.....	46	19	27	22	8	14	23	11	12	1	-	1	-	-	-			
30-34 years.....	78	39	39	46	22	24	31	17	14	1	-	1	-	-	-			
35-39 years.....	152	83	69	72	40	32	75	41	34	1	1	-	4	1	3			
40-44 years.....	268	140	128	132	72	60	127	62	65	4	3	1	5	3	2			
45-49 years.....	381	217	164	186	98	88	176	111	65	8	3	5	11	5	6			
50-54 years.....	586	321	265	286	160	126	281	154	127	9	4	5	10	3	7			
55-59 years.....	804	405	399	446	229	217	322	162	160	10	2	8	26	12	14			
60-64 years.....	1,024	517	507	620	313	307	363	180	183	13	6	7	28	18	10			
65-69 years.....	1,390	702	688	899	473	426	452	210	242	12	4	8	27	15	12			
70-74 years.....	1,993	1,010	983	1,374	738	636	554	249	305	18	4	14	47	19	28			
75-79 years.....	2,599	1,311	1,288	1,979	1,058	921	544	223	321	11	3	8	65	27	38			
80-84 years.....	2,836	1,419	1,417	2,321	1,208	1,113	438	176	262	9	7	2	68	28	40			
85-89 years.....	2,319	1,089	1,230	1,947	958	989	323	106	217	6	3	3	43	22	21			
90-94 years.....	1,332	535	797	1,100	451	649	197	73	124	2	-	2	33	11	22			
95-99 years.....	441	163	278	349	133	216	75	23	52	1	-	1	16	7	9			
100 years & over.	78	26	52	62	18	44	14	7	7	2	1	1	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
End-stage renal disease (N18.0)																		
All ages.....	8,855	4,345	4,510	5,796	2,969	2,827	2,745	1,233	1,512	71	27	44	243	116	127			
Under 1 year.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-			
1-4 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-			
5-9 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-			
10-14 years.....	3	2	1	1	1	-	2	1	1	-	-	-	-	-	-			
15-19 years.....	6	4	2	2	2	-	3	1	2	-	-	-	1	1	-			
20-24 years.....	26	9	17	14	4	10	9	3	6	1	1	-	2	1	1			
25-29 years.....	35	14	21	16	6	10	18	8	10	1	-	1	-	-	-			
30-34 years.....	57	28	29	36	16	20	21	12	9	-	-	-	-	-	-			
35-39 years.....	108	57	51	46	27	19	60	29	31	1	1	-	1	-	1			
40-44 years.....	190	91	99	89	45	44	96	42	54	3	2	1	2	2	-			
45-49 years.....	264	146	118	120	58	62	128	81	47	7	2	5	9	5	4			
50-54 years.....	423	235	188	199	117	82	212	113	99	4	2	2	8	3	5			
55-59 years.....	571	286	285	291	146	145	254	131	123	9	2	7	17	7	10			
60-64 years.....	683	354	329	396	212	184	258	122	136	8	5	3	21	15	6			
65-69 years.....	923	453	470	556	284	272	334	152	182	10	3	7	23	14	9			
70-74 years.....	1,237	632	605	796	428	368	398	187	211	12	3	9	31	14	17			
75-79 years.....	1,485	706	779	1,057	540	517	379	149	230	7	1	6	42	16	26			
80-84 years.....	1,403	707	696	1,084	581	503	267	101	166	5	4	1	47	21	26			
85-89 years.....	933	412	521	729	349	380	183	54	129	2	1	1	19	8	11			
90-94 years.....	391	162	229	289	125	164	90	34	56	1	-	1	11	3	8			
95-99 years.....	103	41	62	66	25	41	28	10	18	-	-	-	9	6	3			
100 years & over.	11	5	6	8	3	5	3	2	1	-	-	-	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			



























































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Hyperplasia of prostate (N40)															
All ages.....	437	437	...	389	389	...	39	39	...	1	1	...	8	8	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	9	9	...	6	6	...	3	3	...	-	-	...	-	-	...
65-69 years.....	9	9	...	8	8	...	1	1	...	-	-	...	-	-	...
70-74 years.....	32	32	...	26	26	...	6	6	...	-	-	...	-	-	...
75-79 years.....	48	48	...	38	38	...	7	7	...	-	-	...	3	3	...
80-84 years.....	116	116	...	107	107	...	7	7	...	1	1	...	1	1	...
85-89 years.....	93	93	...	83	83	...	9	9	...	-	-	...	1	1	...
90-94 years.....	85	85	...	82	82	...	2	2	...	-	-	...	1	1	...
95-99 years.....	31	31	...	28	28	...	1	1	...	-	-	...	2	2	...
100 years & over.	11	11	...	10	10	...	1	1	...	-	-	...	-	-	...
Age not stated...	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Inflammatory diseases of prostate (N41)															
All ages.....	29	29	...	23	23	...	5	5	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
65-69 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	4	4	...	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
85-89 years.....	8	8	...	7	7	...	-	-	...	-	-	...	1	1	...
90-94 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Acute prostatitis (N41.0)															
All ages.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Chronic prostatitis (N41.1)															
All ages.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Abscess of prostate (N41.2)															
All ages.....	5	5	...	2	2	...	2	2	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	2	2	...	1	1	...	-	-	...	-	-	...	1	1	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Prostatocystitis (N41.3)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other inflammatory diseases of prostate (N41.8)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Inflammatory disease of prostate, unspecified (N41.9)															
All ages.....	13	13	...	11	11	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
85-89 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
90-94 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other disorders of prostate (N42)															
All ages.....	44	44	...	33	33	...	11	11	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years.....	4	4	...	2	2	...	2	2	...	-	-	...	-	-	...
70-74 years.....	6	6	...	4	4	...	2	2	...	-	-	...	-	-	...
75-79 years.....	6	6	...	4	4	...	2	2	...	-	-	...	-	-	...
80-84 years.....	9	9	...	6	6	...	3	3	...	-	-	...	-	-	...
85-89 years.....	9	9	...	8	8	...	1	1	...	-	-	...	-	-	...
90-94 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
95-99 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Congestion and hemorrhage of prostate (N42.1)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Other specified disorders of prostate (N42.8)																
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Disorder of prostate, unspecified (N42.9)															
All ages.....	41	41	...	30	30	...	11	11	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years.....	4	4	...	2	2	...	2	2	...	-	-	...	-	-	...
70-74 years.....	5	5	...	3	3	...	2	2	...	-	-	...	-	-	...
75-79 years.....	6	6	...	4	4	...	2	2	...	-	-	...	-	-	...
80-84 years.....	8	8	...	5	5	...	3	3	...	-	-	...	-	-	...
85-89 years.....	9	9	...	8	8	...	1	1	...	-	-	...	-	-	...
90-94 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Orchitis and epididymitis (N45)															
All ages.....	4	4	...	2	2	...	1	1	...	1	1	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	-	-	...	-	-	...	1	1	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Orchitis, epididymitis, and epididymo-orchitis with abscess (N45.0)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Orchitis, epididymitis, and epididymo-orchitis without abscess (N45.9)															
All ages.....	3	3	...	1	1	...	1	1	...	1	1	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	-	-	...	-	-	...	1	1	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over..	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other disorders of penis (N48)															
All ages.....	15	15	...	11	11	...	4	4	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
70-74 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
75-79 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other inflammatory disorders of penis (N48.2)															
All ages.....	10	10	...	8	8	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other specified disorders of penis (N48.8)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over..	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Disorder of penis, unspecified (N48.9)															
All ages.....	4	4	...	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Inflammatory disorders of male genital organs, not elsewhere classified (N49)															
All ages.....	42	42	...	34	34	...	7	7	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
60-64 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
65-69 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
70-74 years.....	6	6	...	4	4	...	2	2	...	-	-	...	-	-	...
75-79 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
80-84 years.....	7	7	...	6	6	...	-	-	...	-	-	...	1	1	...
85-89 years.....	8	8	...	7	7	...	1	1	...	-	-	...	-	-	...
90-94 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Inflammatory disorders of seminal vesicle (N49.0)															
All ages.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over..	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Inflammatory disorders of scrotum (N49.2)															
All ages.....	28	28	...	22	22	...	5	5	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
65-69 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
70-74 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
75-79 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years.....	6	6	...	5	5	...	-	-	...	-	-	...	1	1	...
85-89 years.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
90-94 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Inflammatory disorders of other specified male genital organs (N49.8)															
All ages.....	12	12	...	11	11	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
75-79 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Other disorders of male genital organs (N50)																
All ages.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other specified disorders of male genital organs (N50.8)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Disorder of male genital organs, unspecified (N50.9)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...









Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Salpingitis and oophoritis (N70)															
All ages.....	11	...	11	7	...	7	4	...	4	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
40-44 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Acute salpingitis and oophoritis (N70.0)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Salpingitis and oophoritis, unspecified (N70.9)															
All ages.....	10	...	10	7	...	7	3	...	3	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Acute inflammatory disease of uterus (N71.0)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Inflammatory disease of uterus, unspecified (N71.9)															
All ages.....	15	...	15	11	...	11	4	...	4	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
75-79 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Inflammatory disease of cervix uteri (N72)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other female pelvic inflammatory diseases (N73)															
All ages.....	75	...	75	62	...	62	11	...	11	1	...	1	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	...	...	-	-	...	-
35-39 years.....	6	...	6	2	...	2	4	...	4	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	-	...	-	1	...	1	-	...	-
50-54 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
65-69 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
75-79 years.....	10	...	10	10	...	10	-	...	-	-	...	-	-	...	-
80-84 years.....	11	...	11	11	...	11	-	...	-	-	...	-	-	...	-
85-89 years.....	17	...	17	14	...	14	2	...	2	-	...	-	1	...	1
90-94 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
95-99 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Chronic parametritis and pelvic cellulitis (N73.1)															
All ages.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Unspecified parametritis and pelvic cellulitis (N73.2)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Female pelvic peritonitis, unspecified (N73.5)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Female pelvic peritoneal adhesions (N73.6)															
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Female pelvic inflammatory disease, unspecified (N73.9)															
All ages.....	69	...	69	58	...	58	10	...	10	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
65-69 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	10	...	10	10	...	10	-	...	-	-	...	-	-	...	-
80-84 years.....	10	...	10	10	...	10	-	...	-	-	...	-	-	...	-
85-89 years.....	16	...	16	13	...	13	2	...	2	-	...	-	1	...	1
90-94 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other inflammation of vagina and vulva (N76)															
All ages.....	10	...	10	10	...	10	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Acute vaginitis (N76.0)															
All ages.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over..	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Acute vulvitis (N76.2)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Abscess of vulva (N76.4)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Endometriosis (N80)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Endometriosis, unspecified (N80.9)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Female genital prolapse (N81)																
All ages.....	11	...	11	10	...	10	1	...	1	-	...	-	-	...	-	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	
95-99 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Cystocele (N81.1)															
All ages.....	7	...	7	7	...	7	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		
Complete uterovaginal prolapse (N81.3)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Uterovaginal prolapse, unspecified (N81.4)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other female genital prolapse (N81.8)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Fistulae involving female genital tract (N82)															
All ages.....	46	...	46	37	...	37	8	...	8	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	-	...	-	1	...	1	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
75-79 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
80-84 years.....	13	...	13	12	...	12	1	...	1	-	...	-	-	...	-
85-89 years.....	8	...	8	5	...	5	3	...	3	-	...	-	-	...	-
90-94 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
95-99 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Vesicovaginal fistula (N82.0)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other female urinary-genital tract fistulae (N82.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Fistula of vagina to small intestine (N82.2)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Fistula of vagina to large intestine (N82.3)															
All ages.....	34	...	34	26	...	26	8	...	8	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
75-79 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
80-84 years.....	8	...	8	7	...	7	1	...	1	-	...	-	-	...	-
85-89 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
90-94 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
95-99 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other female intestinal-genital tract fistulae (N82.4)															
All ages.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Female genital tract fistula, unspecified (N82.9)															
All ages.....	2	...	2	1	...	1	-	...	-	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83)															
All ages.....	52	...	52	44	...	44	7	...	7	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	5	...	5	3	...	3	1	...	1	-	...	-	1	...	1
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years.....	7	...	7	4	...	4	3	...	3	-	...	-	-	...	-
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
80-84 years.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-
85-89 years.....	6	...	6	5	...	5	1	...	1	-	...	-	-	...	-
90-94 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Corpus luteum cyst (N83.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other and unspecified ovarian cysts (N83.2)															
All ages.....	17	...	17	15	...	15	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Torsion of ovary, ovarian pedicle, and fallopian tube (N83.5)															
All ages.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83.8)															
All ages.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Noninflammatory disorder of ovary, fallopian tube, and broad ligament, unspecified (N83.9)															
All ages.....	26	...	26	22	...	22	4	...	4	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
80-84 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
85-89 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
90-94 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other noninflammatory disorders of uterus, except cervix (N85)															
All ages.....	21	...	21	16	...	16	4	...	4	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
60-64 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Endometrial glandular hyperplasia (N85.0)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other specified noninflammatory disorders of uterus (N85.8)															
All ages.....	3	...	3	1	...	1	1	...	1	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Noninflammatory disorder of uterus, unspecified (N85.9)															
All ages.....	16	...	16	13	...	13	3	...	3	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
60-64 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other noninflammatory disorders of cervix uteri (N88)															
All ages.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
Under 1 year.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Incompetence of cervix uteri (N88.3)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified noninflammatory disorders of cervix uteri (N88.8)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Noninflammatory disorder of cervix uteri, unspecified (N88.9)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other noninflammatory disorders of vagina (N89)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified noninflammatory disorders of vagina (N89.8)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other noninflammatory disorders of vulva and perineum (N90)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Noninflammatory disorder of vulva and perineum, unspecified (N90.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Excessive, frequent, and irregular menstruation (N92)															
All ages.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Excessive and frequent menstruation with regular cycle (N92.0)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White			Black			American Indian 1/			Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Excessive and frequent menstruation with irregular cycle (N92.1)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Irregular menstruation, unspecified (N92.6)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other abnormal uterine and vaginal bleeding (N93)															
All ages.....	32	...	32	25	...	25	7	...	7	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
70-74 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
85-89 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
90-94 years.....	9	...	9	7	...	7	2	...	2	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Abnormal uterine and vaginal bleeding, unspecified (N93.9)															
All ages.....	32	...	32	25	...	25	7	...	7	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
70-74 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
85-89 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
90-94 years.....	9	...	9	7	...	7	2	...	2	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Pain and other conditions associated with female genital organs and menstrual cycle (N94)															
All ages.....	17	...	17	12	...	12	5	...	5	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other specified conditions associated with female genital organs and menstrual cycle (N94.8)															
All ages.....	15	...	15	10	...	10	5	...	5	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Unspecified condition associated with female genital organs and menstrual cycle (N94.9)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Menopausal and other perimenopausal disorders (N95)																
All ages.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Postmenopausal bleeding (N95.0)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Menopausal and female climacteric states (N95.1)															
All ages.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Female infertility (N97)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Female infertility of tubal origin (N97.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Ectopic pregnancy (000)															
All ages.....	12	...	12	3	...	3	8	...	8	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
25-29 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
30-34 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
35-39 years.....	4	...	4	-	...	-	4	...	4	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Tubal pregnancy (000.1)																
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Other ectopic pregnancy (000.8)																
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Ectopic pregnancy, unspecified (000.9)															
All ages.....	9	...	9	2	...	2	6	...	6	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
35-39 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other abnormal products of conception (002)															
All ages.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Missed abortion (002.1)															
All ages.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Spontaneous abortion (003)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Complete or unspecified, complicated by genital tract and pelvic infection (003.5)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Complete or unspecified, without complication (003.9)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Medical abortion (004)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Complete or unspecified, complicated by genital tract and pelvic infection (004.5)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Unspecified abortion (006)															
All ages.....	4	...	4	3	...	3	-	...	-	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Complete or unspecified, complicated by delayed or excessive hemorrhage (006.6)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Complete or unspecified, with other and unspecified complications (006.8)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Complete or unspecified, without complication (006.9)															
All ages.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Failed attempted abortion (007)															
All ages.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White			Black			American Indian 1/			Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Failed medical abortion, with other and unspecified complications (007.3)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other and unspecified failed attempted abortion, complicated by genital tract and pelvic infection (007.5)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Preexisting hypertension complicating pregnancy, childbirth, and the puerperium (O10)															
All ages.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Preexisting essential hypertension complicating pregnancy, childbirth, and the puerperium (O10.0)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Preexisting hypertensive heart disease complicating pregnancy, childbirth, and the puerperium (O10.1)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Unspecified preexisting hypertension complicating pregnancy, childbirth, and the puerperium (O10.9)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Preexisting hypertensive disorder with superimposed proteinuria (011)															
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Gestational [pregnancy-induced] hypertension without significant proteinuria (O13)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Gestational [pregnancy-induced] hypertension with significant proteinuria (O14)															
All ages.....	27	...	27	13	...	13	14	...	14	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
30-34 years.....	8	...	8	3	...	3	5	...	5	-	...	-	-	...	-
35-39 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
40-44 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Severe preeclampsia (O14.1)															
All ages.....	11	...	11	6	...	6	5	...	5	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
30-34 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-





Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Eclampsia (O15)																
All ages.....	15	...	15	11	...	11	4	...	4	-	...	-	-	...	-	
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
20-24 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-	
25-29 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-	
30-34 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-	
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Eclampsia in pregnancy (O15.0)															
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Eclampsia in the puerperium (O15.2)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Unspecified maternal hypertension (O16)															
All ages.....	10	...	10	6	...	6	3	...	3	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
30-34 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Excessive vomiting in pregnancy (O21)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Hyperemesis gravidarum with metabolic disturbance (O21.1)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Venous complications in pregnancy (O22)															
All ages.....	11	...	11	6	...	6	5	...	5	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Deep phlebothrombosis in pregnancy (O22.3)															
All ages.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Venous complication in pregnancy, unspecified (O22.9)															
All ages.....	6	...	6	2	...	2	4	...	4	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Diabetes mellitus in pregnancy (O24)															
All ages.....	3	...	3	1	...	1	1	...	1	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Preexisting diabetes mellitus, unspecified (O24.3)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Diabetes mellitus in pregnancy, unspecified (024.9)															
All ages.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Maternal care for other conditions predominantly related to pregnancy (O26)															
All ages.....	44	...	44	30	...	30	12	...	12	-	...	-	2	...	2
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
20-24 years.....	7	...	7	4	...	4	3	...	3	-	...	-	-	...	-
25-29 years.....	7	...	7	6	...	6	1	...	1	-	...	-	-	...	-
30-34 years.....	10	...	10	7	...	7	1	...	1	-	...	-	2	...	2
35-39 years.....	15	...	15	10	...	10	5	...	5	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/				
		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Liver disorders in pregnancy, childbirth, and the puerperium (O26.6)															
All ages.....	5	...	5	4	...	4	-	...	-	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-





Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female		
Complications of anesthesia during pregnancy (O29)																	
All ages.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-	-	
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-	
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-	
40-44 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Cardiac complications of anesthesia during pregnancy (O29.1)															
All ages.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Central nervous system complications of anesthesia during pregnancy (O29.2)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Maternal care for known or suspected malpresentation of fetus (O32)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Maternal care for breech presentation (O32.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Maternal care for other known or suspected fetal problems (036)															
All ages.....	6	...	6	4	...	4	1	...	1	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	3	...	3	1	...	1	1	...	1	-	...	-	1	...	1
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Maternal care for signs of fetal hypoxia (O36.3)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Maternal care for intrauterine death (O36.4)															
All ages.....	5	...	5	3	...	3	1	...	1	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	3	...	3	1	...	1	1	...	1	-	...	-	1	...	1
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Placenta previa (O44)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Placenta previa with hemorrhage (O44.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Premature separation of placenta [abruptio placentae] (045)															
All ages.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	1
25-29 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Antepartum hemorrhage, not elsewhere classified (O46)															
All ages.....	7	...	7	6	...	6	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Antepartum hemorrhage with coagulation defect (O46.0)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Antepartum hemorrhage, unspecified (O46.9)																
All ages.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Abnormality of forces of labor (062)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Other uterine inertia (062.2)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Labor and delivery complicated by intrapartum hemorrhage, not elsewhere classified (O67)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Intrapartum hemorrhage, unspecified (O67.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Labor and delivery complicated by umbilical cord complications (O69)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		
Labor and delivery complicated by vascular lesion of cord (069.5)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Perineal laceration during delivery (O70)															
All ages.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Perineal laceration during delivery, unspecified (070.9)															
All ages.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other obstetric trauma (O71)															
All ages.....	6	...	6	2	...	2	3	...	3	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	2	...	2	-	...	-	1	...	1	-	...	-	1	...	1
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Rupture of uterus before onset of labor (O71.0)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Rupture of uterus during labor (O71.1)															
All ages.....	4	...	4	1	...	1	2	...	2	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	-	...	-	1	...	1	-	...	-	1	...	1
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Postpartum hemorrhage (072)															
All ages.....	11	...	11	5	...	5	5	...	5	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	1
25-29 years.....	2	...	2	2	...	2	-	...	2	-	...	-	-	...	-
30-34 years.....	4	...	4	1	...	1	2	...	2	-	...	-	1	...	1
35-39 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	2
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Third-stage hemorrhage (O72.0)															
All ages.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other immediate postpartum hemorrhage (072.1)															
All ages.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Delayed and secondary postpartum hemorrhage (072.2)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Postpartum coagulation defects (O72.3)															
All ages.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Complications of anesthesia during labor and delivery (074)															
All ages.....	5	...	5	1	...	1	4	...	4	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Cardiac complications of anesthesia during labor and delivery (074.2)															
All ages.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Central nervous system complications of anesthesia during labor and delivery (O74.3)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Spinal and epidural anesthesia-induced headache during labor and delivery (074.5)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Complication of anesthesia during labor and delivery, unspecified (074.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other complications of obstetric surgery and procedures (075.4)															
All ages.....	21	...	21	9	...	9	12	...	12	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	4	...	4	-	...	-	4	...	4	-	...	-	-	...	-
25-29 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
30-34 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
35-39 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified complications of labor and delivery (075.8)															
All ages.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Complication of labor and delivery, unspecified (075.9)															
All ages.....	8	...	8	5	...	5	3	...	3	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Puerperal sepsis (O85)															
All ages.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female		
Other puerperal infections (O86)																	
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-	
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Infection of obstetric surgical wound (O86.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Obstetric embolism (088)															
All ages.....	47	...	47	26	...	26	16	...	16	-	...	-	5	...	5
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
20-24 years.....	7	...	7	2	...	2	5	...	5	-	...	-	-	...	-
25-29 years.....	10	...	10	6	...	6	3	...	3	-	...	-	1	...	1
30-34 years.....	11	...	11	7	...	7	1	...	1	-	...	-	3	...	3
35-39 years.....	11	...	11	4	...	4	6	...	6	-	...	-	1	...	1
40-44 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Amniotic fluid embolism (O88.1)															
All ages.....	28	...	28	18	...	18	6	...	6	-	...	-	4	...	4
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
25-29 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
30-34 years.....	9	...	9	6	...	6	-	...	-	-	...	-	3	...	3
35-39 years.....	7	...	7	2	...	2	4	...	4	-	...	-	1	...	1
40-44 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Obstetric blood-clot embolism (O88.2)															
All ages.....	19	...	19	8	...	8	10	...	10	-	...	-	1	...	1
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
20-24 years.....	4	...	4	-	...	-	4	...	4	-	...	-	-	...	-
25-29 years.....	6	...	6	3	...	3	2	...	2	-	...	-	1	...	1
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Complications of the puerperium, not elsewhere classified (090)															
All ages.....	28	...	28	9	...	9	19	...	19	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
25-29 years.....	6	...	6	-	...	-	6	...	6	-	...	-	-	...	-
30-34 years.....	9	...	9	5	...	5	4	...	4	-	...	-	-	...	-
35-39 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-





Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other complications of the puerperium, not elsewhere classified (O90.8)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Obstetric death of unspecified cause (O95)															
All ages.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery (096)															
All ages.....	9	...	9	3	...	3	6	...	6	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	1
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	1
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	1
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Death from sequelae of direct obstetric causes (O97)															
All ages.....	13	...	13	10	...	10	3	...	3	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
35-39 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
45-49 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (O98)															
All ages.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other viral diseases complicating pregnancy, childbirth, and the puerperium (O98.5)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other maternal infectious and parasitic diseases complicating pregnancy, childbirth, and the puerperium (098.8)															
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (O99)															
All ages.....	42	...	42	25	...	25	15	...	15	-	...	-	2	...	2
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
20-24 years.....	10	...	10	7	...	7	3	...	3	-	...	-	-	...	-
25-29 years.....	13	...	13	5	...	5	8	...	8	-	...	-	-	...	-
30-34 years.....	7	...	7	5	...	5	-	...	-	-	...	-	2	...	2
35-39 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
40-44 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Mental disorders and diseases of the nervous system complicating pregnancy, childbirth, and the puerperium (O99.3)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Diseases of the circulatory system complicating pregnancy, childbirth, and the puerperium (099.4)															
All ages.....	22	...	22	13	...	13	7	...	7	-	...	-	2	...	2
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
25-29 years.....	7	...	7	2	...	2	5	...	5	-	...	-	-	...	-
30-34 years.....	5	...	5	3	...	3	-	...	-	-	...	-	2	...	2
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Diseases of the respiratory system complicating pregnancy, childbirth, and the puerperium (099.5)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Diseases of the digestive system complicating pregnancy, childbirth, and the puerperium (099.6)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over..	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified diseases and conditions complicating pregnancy, childbirth, and the puerperium (099.8)															
All ages.....	16	...	16	9	...	9	7	...	7	-	...	-	-	...	-
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
25-29 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over..	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-





























Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Newborn affected by incompetent cervix (P01.0)															
All ages.....	475	271	204	276	150	126	170	103	67	5	4	1	24	14	10
Under 1 year.....	475	271	204	276	150	126	170	103	67	5	4	1	24	14	10
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Newborn affected by oligohydramnios (P01.2)															
All ages.....	150	104	46	109	77	32	33	21	12	7	5	2	1	1	-
Under 1 year.....	150	104	46	109	77	32	33	21	12	7	5	2	1	1	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-











Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Newborn affected by complications of placenta, cord, and membranes (P02)															
All ages.....	1,032	575	457	669	390	279	332	169	163	8	3	5	23	13	10
Under 1 year.....	1,028	571	457	668	389	279	329	166	163	8	3	5	23	13	10
1-4 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

















Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Newborn affected by chorioamnionitis (P02.7)															
All ages.....	461	245	216	271	149	122	174	89	85	6	2	4	10	5	5
Under 1 year.....	460	244	216	271	149	122	173	88	85	6	2	4	10	5	5
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-









































































































































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Neonatal vaginal hemorrhage (P54.6)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	





















































































































































































































































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other congenital malformations of larynx (Q31.8)																		
All ages.....	15	13	2	9	9	-	3	1	2	-	-	-	3	3	-			
Under 1 year.....	15	13	2	9	9	-	3	1	2	-	-	-	3	3	-			
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			











































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Congenital malformations of uterus and cervix (Q51)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Other doubling of uterus (Q51.2)																
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
Under 1 year.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other congenital malformations of female genitalia (Q52)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified congenital malformations of female genitalia (Q52.8)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Undescended testicle (Q53)																
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Undescended testicle, bilateral (Q53.2)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Hypospadias (Q54)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Hypospadias, unspecified (Q54.9)												
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		
Other congenital malformations of male genital organs (Q55)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Congenital malformation of male genital organ, unspecified (Q55.9)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...





































































































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Down's syndrome, unspecified (Q90.9)																		
All ages.....	833	435	398	729	375	354	87	50	37	4	2	2	13	8	5			
Under 1 year.....	118	64	54	98	53	45	16	9	7	1	1	-	3	1	2			
1-4 years.....	21	16	5	13	9	4	8	7	1	-	-	-	-	-	-			
5-9 years.....	8	5	3	7	5	2	-	-	-	-	-	-	1	-	1			
10-14 years.....	10	8	2	7	5	2	2	2	-	-	-	-	1	1	-			
15-19 years.....	13	8	5	11	7	4	2	1	1	-	-	-	-	-	-			
20-24 years.....	17	9	8	13	7	6	4	2	2	-	-	-	-	-	-			
25-29 years.....	18	11	7	13	9	4	3	1	2	2	1	1	-	-	-			
30-34 years.....	25	13	12	19	10	9	4	2	2	1	-	1	1	1	-			
35-39 years.....	36	12	24	30	10	20	4	-	4	-	-	-	2	2	-			
40-44 years.....	52	27	25	46	24	22	6	3	3	-	-	-	-	-	-			
45-49 years.....	68	40	28	60	34	26	6	4	2	-	-	-	2	2	-			
50-54 years.....	123	64	59	111	57	54	10	6	4	-	-	-	2	1	1			
55-59 years.....	136	66	70	122	57	65	14	9	5	-	-	-	-	-	-			
60-64 years.....	115	60	55	109	57	52	6	3	3	-	-	-	-	-	-			
65-69 years.....	55	26	29	52	25	27	2	1	1	-	-	-	1	-	1			
70-74 years.....	11	2	9	11	2	9	-	-	-	-	-	-	-	-	-			
75-79 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-			
80-84 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-			
85-89 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-			
90-94 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-			
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			













































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Turner's syndrome, unspecified (Q96.9)															
All ages.....	11	...	11	9	...	9	2	...	2	-	...	-	-	...	-
Under 1 year.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
1-4 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
5-9 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98)															
All ages.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Klinefelter's syndrome, unspecified (Q98.4)															
All ages.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Male with sex chromosome mosaicism (Q98.7)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified sex chromosome abnormalities, male phenotype (Q98.8)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...













