

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
All origins, both sexes.....	2,443,387	28,034	4,858	3,018	4,132	13,812	19,234	17,959	23,396	35,347	55,793	76,065
Male.....	1,199,264	15,717	2,806	1,702	2,496	9,844	14,572	12,954	15,782	22,626	34,967	47,701
Female.....	1,244,123	12,317	2,052	1,316	1,636	3,968	4,662	5,005	7,614	12,721	20,826	28,364
Hispanic, both sexes.....	117,135	4,943	933	538	586	2,086	3,169	2,803	3,013	3,644	4,823	5,527
Male.....	65,703	2,746	546	303	344	1,614	2,568	2,239	2,235	2,514	3,314	3,695
Female.....	51,432	2,197	387	235	242	472	601	564	778	1,130	1,509	1,832
Mexican, both sexes.....	65,968	3,540	705	399	402	1,538	2,216	1,927	1,957	2,167	2,716	3,139
Male.....	38,180	1,978	407	232	238	1,207	1,826	1,563	1,463	1,540	1,892	2,092
Female.....	27,788	1,562	298	167	164	331	390	364	494	627	824	1,047
Puerto Rican, both sexes.....	15,068	462	72	38	58	146	246	255	344	507	786	891
Male.....	8,367	257	50	19	29	104	189	187	234	326	527	598
Female.....	6,701	205	22	19	29	42	57	68	110	181	259	293
Cuban, both sexes.....	11,743	67	6	5	5	29	42	49	68	113	197	272
Male.....	6,002	35	5	3	3	24	35	38	57	84	136	195
Female.....	5,741	32	1	2	2	5	7	11	11	29	61	77
Central and South American, both sexes.....	11,490	402	74	64	63	219	429	382	421	483	556	627
Male.....	6,070	217	40	34	38	170	346	302	326	316	372	397
Female.....	5,420	185	34	30	25	49	83	80	95	167	184	230
Other and Unknown Hispanic, both sexes.....	12,866	472	76	32	58	154	236	190	223	374	568	598
Male.....	7,084	259	44	15	36	109	172	149	155	248	387	413
Female.....	5,782	213	32	17	22	45	64	41	68	126	181	185
Non-Hispanic 1/, both sexes.....	2,318,269	22,816	3,904	2,472	3,530	11,671	15,987	15,073	20,256	31,512	50,713	70,178
Male.....	1,129,090	12,815	2,250	1,394	2,140	8,192	11,937	10,657	13,457	19,976	31,475	43,743
Female.....	1,189,179	10,001	1,654	1,078	1,390	3,479	4,050	4,416	6,799	11,536	19,238	26,435
Non-Hispanic white, both sexes.....	1,981,973	13,463	2,502	1,643	2,388	8,552	10,906	9,900	13,858	22,230	37,299	52,044
Male.....	957,645	7,706	1,431	923	1,442	5,884	8,073	6,988	9,351	14,299	23,750	33,102
Female.....	1,024,328	5,757	1,071	720	946	2,668	2,833	2,912	4,507	7,931	13,549	18,942
Non-Hispanic black, both sexes.....	286,573	8,284	1,163	686	948	2,542	4,362	4,487	5,522	8,102	11,853	16,002
Male.....	144,802	4,520	681	392	585	1,914	3,334	3,179	3,544	4,906	6,755	9,372
Female.....	141,771	3,764	482	294	363	628	1,028	1,308	1,978	3,196	5,098	6,630
Origin not stated 2/, both sexes.....	7,983	275	21	8	16	55	78	83	127	191	257	360
Male.....	4,471	156	10	5	12	38	67	58	90	136	178	263
Female.....	3,512	119	11	3	4	17	11	25	37	55	79	97

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Tuberculosis (A16-A19)												
All origins, both sexes.....	784	1	-	-	-	-	9	7	11	18	34	35
Male.....	462	-	-	-	-	-	5	4	7	11	27	20
Female.....	322	1	-	-	-	-	4	3	4	7	7	15
Hispanic, both sexes.....	95	-	-	-	-	-	2	2	2	5	6	3
Male.....	52	-	-	-	-	-	1	2	1	4	5	1
Female.....	43	-	-	-	-	-	1	-	1	1	1	2
Mexican, both sexes.....	67	-	-	-	-	-	-	1	2	2	3	3
Male.....	39	-	-	-	-	-	-	1	1	1	3	1
Female.....	28	-	-	-	-	-	-	-	1	1	-	2
Puerto Rican, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	14	-	-	-	-	-	2	1	-	1	2	-
Male.....	7	-	-	-	-	-	1	1	-	1	1	-
Female.....	7	-	-	-	-	-	1	-	-	-	1	-
Other and Unknown Hispanic, both sexes.....	8	-	-	-	-	-	-	-	-	2	-	-
Male.....	4	-	-	-	-	-	-	-	-	2	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	682	1	-	-	-	-	6	5	9	11	28	32
Male.....	404	-	-	-	-	-	4	2	6	5	22	19
Female.....	278	1	-	-	-	-	2	3	3	6	6	13
Non-Hispanic white, both sexes.....	366	-	-	-	-	-	1	1	1	2	8	10
Male.....	218	-	-	-	-	-	1	-	-	-	7	6
Female.....	148	-	-	-	-	-	-	1	1	2	1	4
Non-Hispanic black, both sexes.....	198	-	-	-	-	-	3	4	4	8	15	17
Male.....	123	-	-	-	-	-	2	2	3	4	12	11
Female.....	75	-	-	-	-	-	1	2	1	4	3	6
Origin not stated 2/, both sexes.....	7	-	-	-	-	-	1	-	-	2	-	-
Male.....	6	-	-	-	-	-	-	-	-	2	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other tuberculosis (A17-A19)												
All origins, both sexes.....	158	1	-	-	-	-	3	1	3	5	7	7
Male.....	90	-	-	-	-	-	1	-	2	2	5	4
Female.....	68	1	-	-	-	-	2	1	1	3	2	3
Hispanic, both sexes.....	17	-	-	-	-	-	1	-	-	-	1	-
Male.....	8	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	1	-	-	-	-	-
Mexican, both sexes.....	15	-	-	-	-	-	-	-	-	-	1	-
Male.....	8	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	139	1	-	-	-	-	1	1	3	5	6	7
Male.....	81	-	-	-	-	-	1	-	2	2	4	4
Female.....	58	1	-	-	-	-	-	1	1	3	2	3
Non-Hispanic white, both sexes.....	70	-	-	-	-	-	-	1	-	-	1	1
Male.....	41	-	-	-	-	-	-	-	-	-	-	1
Female.....	29	-	-	-	-	-	-	1	-	-	1	-
Non-Hispanic black, both sexes.....	38	-	-	-	-	-	1	-	-	5	4	4
Male.....	22	-	-	-	-	-	1	-	-	2	4	3
Female.....	16	-	-	-	-	-	-	-	-	3	-	1
Origin not stated 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Septicemia (A40-A41)												
All origins, both sexes.....	33,865	296	79	42	53	49	69	119	195	318	538	904
Male.....	14,947	158	41	26	26	22	37	63	103	159	282	495
Female.....	18,918	138	38	16	27	27	32	56	92	159	256	409
Hispanic, both sexes.....	1,521	65	16	7	7	7	8	11	27	27	40	56
Male.....	744	34	9	6	2	5	3	8	17	17	30	40
Female.....	777	31	7	1	5	2	5	3	10	10	10	16
Mexican, both sexes.....	805	53	13	5	5	5	5	7	17	18	22	31
Male.....	403	28	7	5	2	3	2	6	10	11	16	23
Female.....	402	25	6	-	3	2	3	1	7	7	6	8
Puerto Rican, both sexes.....	298	3	2	1	1	-	-	2	6	7	10	11
Male.....	141	1	2	-	-	-	-	1	4	5	6	6
Female.....	157	2	-	1	1	-	-	1	2	2	4	5
Cuban, both sexes.....	165	-	-	-	-	-	-	1	1	1	1	2
Male.....	68	-	-	-	-	-	-	-	1	-	1	1
Female.....	97	-	-	-	-	-	-	1	-	1	-	1
Central and South American, both sexes.....	128	4	-	1	-	2	2	1	1	1	2	3
Male.....	65	3	-	1	-	2	1	1	1	1	2	2
Female.....	63	1	-	-	-	-	1	-	-	-	-	1
Other and Unknown Hispanic, both sexes.....	125	5	1	-	1	-	1	-	2	-	5	9
Male.....	67	2	-	-	-	-	-	-	1	-	5	8
Female.....	58	3	1	-	1	-	1	-	1	-	-	1
Non-Hispanic 1/, both sexes.....	32,225	227	63	35	46	42	60	107	168	291	496	843
Male.....	14,136	120	32	20	24	17	33	55	86	142	250	451
Female.....	18,089	107	31	15	22	25	27	52	82	149	246	392
Non-Hispanic white, both sexes.....	25,545	129	42	24	31	31	41	63	102	184	326	572
Male.....	11,148	67	25	15	19	11	26	37	49	87	162	312
Female.....	14,397	62	17	9	12	20	15	26	53	97	164	260
Non-Hispanic black, both sexes.....	6,074	85	17	7	13	9	15	41	61	96	158	238
Male.....	2,668	46	5	3	4	5	5	15	32	50	80	120
Female.....	3,406	39	12	4	9	4	10	26	29	46	78	118
Origin not stated 2/, both sexes.....	119	4	-	-	-	-	1	1	-	-	2	5
Male.....	67	4	-	-	-	-	1	-	-	-	2	4
Female.....	52	-	-	-	-	-	-	1	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Acute poliomyelitis (A80)

Table with 13 columns representing age groups and rows for various categories: All origins, both sexes; Hispanic, both sexes; Mexican, both sexes; Puerto Rican, both sexes; Cuban, both sexes; Central and South American, both sexes; Other and Unknown Hispanic, both sexes; Non-Hispanic 1/, both sexes; Non-Hispanic white, both sexes; Non-Hispanic black, both sexes; Origin not stated 2/, both sexes. All cells contain dashes.

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease (B20-B24)												
All origins, both sexes.....	14,095	7	5	4	21	38	140	500	1,339	2,618	3,089	2,680
Male.....	10,468	4	1	4	10	17	76	288	899	1,943	2,255	2,039
Female.....	3,627	3	4	-	11	21	64	212	440	675	834	641
Hispanic, both sexes.....	1,855	4	-	-	3	6	23	80	182	353	426	320
Male.....	1,440	3	-	-	3	1	18	59	142	281	326	251
Female.....	415	1	-	-	-	5	5	21	40	72	100	69
Mexican, both sexes.....	644	4	-	-	-	2	11	36	97	141	135	95
Male.....	559	3	-	-	-	1	9	31	87	133	115	80
Female.....	85	1	-	-	-	1	2	5	10	8	20	15
Puerto Rican, both sexes.....	756	-	-	-	1	4	5	18	45	128	185	152
Male.....	510	-	-	-	1	-	4	9	23	79	125	107
Female.....	246	-	-	-	-	4	1	9	22	49	60	45
Cuban, both sexes.....	80	-	-	-	-	-	-	1	2	8	16	16
Male.....	68	-	-	-	-	-	-	1	1	7	14	15
Female.....	12	-	-	-	-	-	-	-	1	1	2	1
Central and South American, both sexes.....	218	-	-	-	1	-	5	19	25	41	42	34
Male.....	181	-	-	-	1	-	4	15	23	33	34	31
Female.....	37	-	-	-	-	-	1	4	2	8	8	3
Other and Unknown Hispanic, both sexes.....	157	-	-	-	1	-	2	6	13	35	48	23
Male.....	122	-	-	-	1	-	1	3	8	29	38	18
Female.....	35	-	-	-	-	-	1	3	5	6	10	5
Non-Hispanic 1/, both sexes.....	12,094	3	5	4	18	32	117	417	1,147	2,237	2,634	2,324
Male.....	8,911	1	1	4	7	16	58	226	751	1,640	1,909	1,756
Female.....	3,183	2	4	-	11	16	59	191	396	597	725	568
Non-Hispanic white, both sexes.....	4,224	-	-	-	3	6	17	105	324	842	948	864
Male.....	3,582	-	-	-	1	4	8	77	258	710	807	739
Female.....	642	-	-	-	2	2	9	28	66	132	141	125
Non-Hispanic black, both sexes.....	7,714	3	5	4	15	25	99	306	804	1,368	1,643	1,441
Male.....	5,203	1	1	4	6	11	49	145	479	911	1,067	999
Female.....	2,511	2	4	-	9	14	50	161	325	457	576	442
Origin not stated 2/, both sexes.....	146	-	-	-	-	-	-	3	10	28	29	36
Male.....	117	-	-	-	-	-	-	3	6	22	20	32
Female.....	29	-	-	-	-	-	-	-	4	6	9	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
All origins, both sexes.....	6,707	224	61	41	43	42	55	67	102	163	290	403
Male.....	3,622	125	39	16	24	20	32	38	58	97	194	278
Female.....	3,085	99	22	25	19	22	23	29	44	66	96	125
Hispanic, both sexes.....	593	41	11	8	9	7	12	18	33	22	45	49
Male.....	363	27	7	5	6	3	4	9	22	13	35	36
Female.....	230	14	4	3	3	4	8	9	11	9	10	13
Mexican, both sexes.....	401	31	9	8	8	5	10	12	25	9	26	35
Male.....	247	21	5	5	5	2	3	6	16	4	22	25
Female.....	154	10	4	3	3	3	7	6	9	5	4	10
Puerto Rican, both sexes.....	66	1	1	-	1	-	1	1	3	5	8	1
Male.....	36	-	1	-	1	-	-	1	3	3	6	1
Female.....	30	1	-	-	-	-	1	-	-	2	2	-
Cuban, both sexes.....	25	1	-	-	-	-	-	1	-	-	-	2
Male.....	16	1	-	-	-	-	-	-	-	-	-	2
Female.....	9	-	-	-	-	-	-	1	-	-	-	-
Central and South American, both sexes.....	43	1	1	-	-	1	1	3	1	6	4	5
Male.....	27	1	1	-	-	1	1	2	1	5	2	3
Female.....	16	-	-	-	-	-	-	1	-	1	2	2
Other and Unknown Hispanic, both sexes.....	58	7	-	-	-	1	-	1	4	2	7	6
Male.....	37	4	-	-	-	-	-	-	2	1	5	5
Female.....	21	3	-	-	-	1	-	1	2	1	2	1
Non-Hispanic 1/, both sexes.....	6,097	181	49	33	34	35	42	48	69	141	243	354
Male.....	3,250	97	31	11	18	17	27	29	36	84	158	242
Female.....	2,847	84	18	22	16	18	15	19	33	57	85	112
Non-Hispanic white, both sexes.....	4,939	113	34	24	25	24	23	28	38	82	161	267
Male.....	2,608	57	21	9	15	13	14	15	18	52	109	185
Female.....	2,331	56	13	15	10	11	9	13	20	30	52	82
Non-Hispanic black, both sexes.....	927	58	13	5	5	9	16	18	28	52	69	79
Male.....	516	33	9	1	2	3	10	13	15	27	41	52
Female.....	411	25	4	4	3	6	6	5	13	25	28	27
Origin not stated 2/, both sexes.....	17	2	1	-	-	-	1	1	-	-	2	-
Male.....	9	1	1	-	-	-	1	-	-	-	1	-
Female.....	8	1	-	-	-	-	-	1	-	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
All origins, both sexes.....	557,271	74	402	537	535	723	1,007	1,258	2,614	5,150	10,935	19,295
Male.....	288,768	42	216	297	303	424	592	678	1,190	2,166	4,890	9,418
Female.....	268,503	32	186	240	232	299	415	580	1,424	2,984	6,045	9,877
Hispanic, both sexes.....	23,141	18	72	103	107	121	183	177	325	500	846	1,190
Male.....	12,235	10	35	51	57	81	110	103	149	198	359	566
Female.....	10,906	8	37	52	50	40	73	74	176	302	487	624
Mexican, both sexes.....	12,325	8	59	66	78	87	127	121	216	291	490	678
Male.....	6,578	6	29	33	41	62	76	72	100	116	201	320
Female.....	5,747	2	30	33	37	25	51	49	116	175	289	358
Puerto Rican, both sexes.....	2,877	3	3	10	9	4	15	12	29	53	85	151
Male.....	1,581	1	2	5	5	2	7	6	13	18	47	79
Female.....	1,296	2	1	5	4	2	8	6	16	35	38	72
Cuban, both sexes.....	2,597	-	1	2	-	-	1	2	7	18	42	70
Male.....	1,474	-	1	1	-	-	1	1	4	10	23	41
Female.....	1,123	-	-	1	-	-	-	1	3	8	19	29
Central and South American, both sexes.....	2,748	2	3	16	15	23	28	29	47	88	149	184
Male.....	1,230	1	1	8	8	15	21	15	21	34	55	72
Female.....	1,518	1	2	8	7	8	7	14	26	54	94	112
Other and Unknown Hispanic, both sexes.....	2,594	5	6	9	5	7	12	13	26	50	80	107
Male.....	1,372	2	2	4	3	2	5	9	11	20	33	54
Female.....	1,222	3	4	5	2	5	7	4	15	30	47	53
Non-Hispanic 1/, both sexes.....	532,712	55	329	433	428	598	820	1,077	2,273	4,636	10,057	18,043
Male.....	275,770	31	181	246	246	342	479	573	1,037	1,962	4,513	8,817
Female.....	256,942	24	148	187	182	256	341	504	1,236	2,674	5,544	9,226
Non-Hispanic white, both sexes.....	458,754	37	236	331	311	454	643	795	1,688	3,509	7,725	13,970
Male.....	237,323	24	134	182	173	264	375	427	791	1,511	3,530	6,912
Female.....	221,431	13	102	149	138	190	268	368	897	1,998	4,195	7,058
Non-Hispanic black, both sexes.....	61,996	12	71	81	87	110	132	211	452	907	1,963	3,420
Male.....	32,287	4	33	52	51	64	73	102	185	345	813	1,612
Female.....	29,709	8	38	29	36	46	59	109	267	562	1,150	1,808
Origin not stated 2/, both sexes.....	1,418	1	1	1	-	4	4	4	16	14	32	62
Male.....	763	1	-	-	-	1	3	2	4	6	18	35
Female.....	655	-	1	1	-	3	1	2	12	8	14	27

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of stomach (C16)												
All origins, both sexes.....	12,198	-	1	-	-	7	22	48	90	160	276	443
Male.....	7,133	-	1	-	-	-	8	31	49	82	157	285
Female.....	5,065	-	-	-	-	7	14	17	41	78	119	158
Hispanic, both sexes.....	1,185	-	-	-	-	1	5	11	27	45	52	71
Male.....	671	-	-	-	-	-	2	8	18	15	29	42
Female.....	514	-	-	-	-	1	3	3	9	30	23	29
Mexican, both sexes.....	680	-	-	-	-	1	2	6	17	26	33	45
Male.....	376	-	-	-	-	-	1	4	10	8	17	27
Female.....	304	-	-	-	-	1	1	2	7	18	16	18
Puerto Rican, both sexes.....	134	-	-	-	-	-	-	-	2	1	5	3
Male.....	81	-	-	-	-	-	-	-	2	-	4	1
Female.....	53	-	-	-	-	-	-	-	-	1	1	2
Cuban, both sexes.....	64	-	-	-	-	-	-	-	-	3	2	1
Male.....	42	-	-	-	-	-	-	-	-	2	2	-
Female.....	22	-	-	-	-	-	-	-	-	1	-	1
Central and South American, both sexes.....	210	-	-	-	-	-	2	2	6	13	11	18
Male.....	113	-	-	-	-	-	1	2	5	5	6	12
Female.....	97	-	-	-	-	-	1	-	1	8	5	6
Other and Unknown Hispanic, both sexes.....	97	-	-	-	-	-	1	3	2	2	1	4
Male.....	59	-	-	-	-	-	-	2	1	-	-	2
Female.....	38	-	-	-	-	-	1	1	1	2	1	2
Non-Hispanic 1/, both sexes.....	10,974	-	1	-	-	6	17	36	63	114	223	372
Male.....	6,438	-	1	-	-	-	6	23	31	66	128	243
Female.....	4,536	-	-	-	-	6	11	13	32	48	95	129
Non-Hispanic white, both sexes.....	8,124	-	1	-	-	4	11	21	34	75	130	246
Male.....	4,864	-	1	-	-	-	3	13	18	44	79	167
Female.....	3,260	-	-	-	-	4	8	8	16	31	51	79
Non-Hispanic black, both sexes.....	2,112	-	-	-	-	2	6	13	20	26	64	92
Male.....	1,184	-	-	-	-	-	3	10	10	16	33	60
Female.....	928	-	-	-	-	2	3	3	10	10	31	32
Origin not stated 2/, both sexes.....	39	-	-	-	-	-	-	1	-	1	1	-
Male.....	24	-	-	-	-	-	-	-	-	1	-	-
Female.....	15	-	-	-	-	-	-	1	-	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of colon, rectum and anus (C18-C21)												
All origins, both sexes.....	56,741	1	-	-	1	9	41	88	202	439	986	1,755
Male.....	28,501	1	-	-	1	6	28	48	113	233	564	958
Female.....	28,240	-	-	-	-	3	13	40	89	206	422	797
Hispanic, both sexes.....	2,364	-	-	-	1	1	1	12	15	44	77	104
Male.....	1,287	-	-	-	1	-	-	7	6	23	39	66
Female.....	1,077	-	-	-	-	1	1	5	9	21	38	38
Mexican, both sexes.....	1,127	-	-	-	1	1	1	9	8	26	45	51
Male.....	654	-	-	-	1	-	-	5	3	14	19	33
Female.....	473	-	-	-	-	1	1	4	5	12	26	18
Puerto Rican, both sexes.....	332	-	-	-	-	-	-	1	1	6	9	13
Male.....	176	-	-	-	-	-	-	1	-	4	5	8
Female.....	156	-	-	-	-	-	-	-	1	2	4	5
Cuban, both sexes.....	361	-	-	-	-	-	-	-	1	2	3	13
Male.....	177	-	-	-	-	-	-	-	-	1	2	8
Female.....	184	-	-	-	-	-	-	-	1	1	1	5
Central and South American, both sexes.....	262	-	-	-	-	-	-	2	4	7	13	15
Male.....	128	-	-	-	-	-	-	1	3	2	9	8
Female.....	134	-	-	-	-	-	-	1	1	5	4	7
Other and Unknown Hispanic, both sexes.....	282	-	-	-	-	-	-	-	1	3	7	12
Male.....	152	-	-	-	-	-	-	-	-	2	4	9
Female.....	130	-	-	-	-	-	-	-	1	1	3	3
Non-Hispanic 1/, both sexes.....	54,244	1	-	-	-	8	40	75	184	394	905	1,647
Male.....	27,140	1	-	-	-	6	28	41	105	209	521	888
Female.....	27,104	-	-	-	-	2	12	34	79	185	384	759
Non-Hispanic white, both sexes.....	46,147	1	-	-	-	6	30	57	149	292	655	1,211
Male.....	23,119	1	-	-	-	4	20	32	82	151	383	670
Female.....	23,028	-	-	-	-	2	10	25	67	141	272	541
Non-Hispanic black, both sexes.....	6,817	-	-	-	-	2	8	11	27	75	208	367
Male.....	3,322	-	-	-	-	2	6	5	18	43	113	184
Female.....	3,495	-	-	-	-	-	2	6	9	32	95	183
Origin not stated 2/, both sexes.....	133	-	-	-	-	-	-	1	3	1	4	4
Male.....	74	-	-	-	-	-	-	-	2	1	4	4
Female.....	59	-	-	-	-	-	-	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
All origins, both sexes.....	157,713	-	1	2	2	4	17	35	130	583	2,115	4,341
Male.....	90,171	-	1	1	2	2	14	19	71	290	1,096	2,471
Female.....	67,542	-	-	1	-	2	3	16	59	293	1,019	1,870
Hispanic, both sexes.....	4,038	-	-	2	-	-	4	13	14	23	67	124
Male.....	2,617	-	-	1	-	-	2	5	9	8	37	71
Female.....	1,421	-	-	1	-	-	2	8	5	15	30	53
Mexican, both sexes.....	1,973	-	-	1	-	-	1	8	10	11	35	63
Male.....	1,291	-	-	1	-	-	1	3	7	4	20	39
Female.....	682	-	-	-	-	-	-	5	3	7	15	24
Puerto Rican, both sexes.....	549	-	-	-	-	-	1	2	-	3	12	22
Male.....	359	-	-	-	-	-	-	1	-	-	8	14
Female.....	190	-	-	-	-	-	1	1	-	3	4	8
Cuban, both sexes.....	615	-	-	-	-	-	-	1	-	4	3	14
Male.....	447	-	-	-	-	-	-	1	-	3	1	8
Female.....	168	-	-	-	-	-	-	-	-	1	2	6
Central and South American, both sexes.....	383	-	-	1	-	-	1	2	1	3	9	15
Male.....	210	-	-	-	-	-	1	-	-	1	4	6
Female.....	173	-	-	1	-	-	-	2	1	2	5	9
Other and Unknown Hispanic, both sexes.....	518	-	-	-	-	-	1	-	3	2	8	10
Male.....	310	-	-	-	-	-	-	-	2	-	4	4
Female.....	208	-	-	-	-	-	1	-	1	2	4	6
Non-Hispanic 1/, both sexes.....	153,292	-	1	-	2	4	13	22	113	559	2,042	4,204
Male.....	87,335	-	1	-	2	2	12	14	62	281	1,056	2,392
Female.....	65,957	-	-	-	-	2	1	8	51	278	986	1,812
Non-Hispanic white, both sexes.....	134,435	-	1	-	1	3	10	12	85	441	1,585	3,294
Male.....	75,754	-	1	-	1	2	9	9	49	213	803	1,835
Female.....	58,681	-	-	-	-	1	1	3	36	228	782	1,459
Non-Hispanic black, both sexes.....	16,170	-	-	-	1	1	3	4	19	96	407	822
Male.....	9,983	-	-	-	1	-	3	2	12	57	230	504
Female.....	6,187	-	-	-	-	1	-	2	7	39	177	318
Origin not stated 2/, both sexes.....	383	-	-	-	-	-	-	-	3	1	6	13
Male.....	219	-	-	-	-	-	-	-	-	1	3	8
Female.....	164	-	-	-	-	-	-	-	3	-	3	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant melanoma of skin (C43)												
All origins, both sexes.....	7,514	-	3	-	1	7	34	70	124	219	385	495
Male.....	4,725	-	2	-	1	3	17	38	81	120	243	343
Female.....	2,789	-	1	-	-	4	17	32	43	99	142	152
Hispanic, both sexes.....	147	-	-	-	-	-	2	2	5	7	14	13
Male.....	77	-	-	-	-	-	1	1	5	4	9	8
Female.....	70	-	-	-	-	-	1	1	-	3	5	5
Mexican, both sexes.....	75	-	-	-	-	-	2	1	4	3	9	5
Male.....	41	-	-	-	-	-	1	-	4	2	5	3
Female.....	34	-	-	-	-	-	1	1	-	1	4	2
Puerto Rican, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	16	-	-	-	-	-	-	-	-	-	2	1
Male.....	8	-	-	-	-	-	-	-	-	-	2	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.....	23	-	-	-	-	-	-	1	1	3	1	4
Male.....	12	-	-	-	-	-	-	1	1	2	1	2
Female.....	11	-	-	-	-	-	-	-	-	1	-	2
Other and Unknown Hispanic, both sexes.....	22	-	-	-	-	-	-	-	-	1	2	3
Male.....	11	-	-	-	-	-	-	-	-	-	1	3
Female.....	11	-	-	-	-	-	-	-	-	1	-	-
Non-Hispanic 1/, both sexes.....	7,349	-	3	-	1	7	31	68	118	211	370	480
Male.....	4,640	-	2	-	1	3	16	37	76	116	234	334
Female.....	2,709	-	1	-	-	4	15	31	42	95	136	146
Non-Hispanic white, both sexes.....	7,190	-	3	-	1	6	31	66	118	202	366	471
Male.....	4,555	-	2	-	1	2	16	35	76	114	230	329
Female.....	2,635	-	1	-	-	4	15	31	42	88	136	142
Non-Hispanic black, both sexes.....	102	-	-	-	-	1	-	1	-	7	2	3
Male.....	52	-	-	-	-	1	-	1	-	2	2	2
Female.....	50	-	-	-	-	-	-	-	-	5	-	1
Origin not stated 2/, both sexes.....	18	-	-	-	-	-	1	-	1	1	1	2
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	10	-	-	-	-	-	1	-	1	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
All origins, both sexes.....	41,883	-	-	-	-	1	9	63	362	904	1,818	2,747
Male.....	369	-	-	-	-	-	-	2	1	4	8	16
Female.....	41,514	-	-	-	-	1	9	61	361	900	1,810	2,731
Hispanic, both sexes.....	1,736	-	-	-	-	-	2	9	45	76	142	185
Male.....	12	-	-	-	-	-	-	1	-	-	-	1
Female.....	1,724	-	-	-	-	-	2	8	45	76	142	184
Mexican, both sexes.....	910	-	-	-	-	-	1	7	32	48	72	109
Male.....	9	-	-	-	-	-	-	1	-	-	-	1
Female.....	901	-	-	-	-	-	1	6	32	48	72	108
Puerto Rican, both sexes.....	214	-	-	-	-	-	-	-	4	10	13	22
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	213	-	-	-	-	-	-	-	4	10	13	22
Cuban, both sexes.....	190	-	-	-	-	-	-	-	-	3	5	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	190	-	-	-	-	-	-	-	-	3	5	4
Central and South American, both sexes.....	233	-	-	-	-	-	-	2	5	9	36	29
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	233	-	-	-	-	-	-	2	5	9	36	29
Other and Unknown Hispanic, both sexes.....	189	-	-	-	-	-	1	-	4	6	16	21
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	187	-	-	-	-	-	1	-	4	6	16	21
Non-Hispanic 1/, both sexes.....	40,037	-	-	-	-	1	7	54	314	825	1,670	2,554
Male.....	355	-	-	-	-	-	-	1	1	4	8	14
Female.....	39,682	-	-	-	-	1	7	53	313	821	1,662	2,540
Non-Hispanic white, both sexes.....	33,611	-	-	-	-	-	4	31	199	558	1,175	1,876
Male.....	288	-	-	-	-	-	-	1	-	2	7	10
Female.....	33,323	-	-	-	-	-	4	30	199	556	1,168	1,866
Non-Hispanic black, both sexes.....	5,579	-	-	-	-	1	2	22	101	232	438	578
Male.....	62	-	-	-	-	-	-	-	1	2	1	4
Female.....	5,517	-	-	-	-	1	2	22	100	230	437	574
Origin not stated 2/, both sexes.....	110	-	-	-	-	-	-	-	3	3	6	8
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	108	-	-	-	-	-	-	-	3	3	6	7

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of cervix uteri (C53)												
All origins, both sexes.....	3,952	-	-	-	-	1	16	47	161	275	391	439
Male.....
Female.....	3,952	-	-	-	-	1	16	47	161	275	391	439
Hispanic, both sexes.....	388	-	-	-	-	-	2	8	22	42	44	42
Male.....
Female.....	388	-	-	-	-	-	2	8	22	42	44	42
Mexican, both sexes.....	246	-	-	-	-	-	1	5	13	25	26	33
Male.....
Female.....	246	-	-	-	-	-	1	5	13	25	26	33
Puerto Rican, both sexes.....	41	-	-	-	-	-	1	2	3	7	1	2
Male.....
Female.....	41	-	-	-	-	-	1	2	3	7	1	2
Cuban, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	70	-	-	-	-	-	-	1	4	8	11	6
Male.....
Female.....	70	-	-	-	-	-	-	1	4	8	11	6
Other and Unknown Hispanic, both sexes.....	20	-	-	-	-	-	-	-	2	2	6	1
Male.....
Female.....	20	-	-	-	-	-	-	-	2	2	6	1
Non-Hispanic 1/, both sexes.....	3,551	-	-	-	-	1	14	39	138	231	346	396
Male.....
Female.....	3,551	-	-	-	-	1	14	39	138	231	346	396
Non-Hispanic white, both sexes.....	2,580	-	-	-	-	-	10	26	103	168	249	281
Male.....
Female.....	2,580	-	-	-	-	-	10	26	103	168	249	281
Non-Hispanic black, both sexes.....	820	-	-	-	-	1	2	13	30	59	85	95
Male.....
Female.....	820	-	-	-	-	1	2	13	30	59	85	95
Origin not stated 2/, both sexes.....	13	-	-	-	-	-	-	-	1	2	1	1
Male.....
Female.....	13	-	-	-	-	-	-	-	1	2	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)												
All origins, both sexes.....	6,853	-	-	-	-	-	-	2	21	46	100	189
Male.....
Female.....	6,853	-	-	-	-	-	-	2	21	46	100	189
Hispanic, both sexes.....	337	-	-	-	-	-	-	-	5	7	13	18
Male.....
Female.....	337	-	-	-	-	-	-	-	5	7	13	18
Mexican, both sexes.....	156	-	-	-	-	-	-	-	5	5	5	10
Male.....
Female.....	156	-	-	-	-	-	-	-	5	5	5	10
Puerto Rican, both sexes.....	41	-	-	-	-	-	-	-	-	-	3	1
Male.....
Female.....	41	-	-	-	-	-	-	-	-	-	3	1
Cuban, both sexes.....	49	-	-	-	-	-	-	-	-	-	-	2
Male.....
Female.....	49	-	-	-	-	-	-	-	-	-	-	2
Central and South American, both sexes.....	48	-	-	-	-	-	-	-	-	-	3	5
Male.....
Female.....	48	-	-	-	-	-	-	-	-	-	3	5
Other and Unknown Hispanic, both sexes.....	43	-	-	-	-	-	-	-	-	2	2	-
Male.....
Female.....	43	-	-	-	-	-	-	-	-	2	2	-
Non-Hispanic 1/, both sexes.....	6,487	-	-	-	-	-	-	2	15	39	87	171
Male.....
Female.....	6,487	-	-	-	-	-	-	2	15	39	87	171
Non-Hispanic white, both sexes.....	5,213	-	-	-	-	-	-	1	10	27	70	130
Male.....
Female.....	5,213	-	-	-	-	-	-	1	10	27	70	130
Non-Hispanic black, both sexes.....	1,107	-	-	-	-	-	-	1	4	8	13	27
Male.....
Female.....	1,107	-	-	-	-	-	-	1	4	8	13	27
Origin not stated 2/, both sexes.....	29	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	29	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
All origins, both sexes.....	12,830	12	114	202	135	108	102	129	259	375	634	900
Male.....	7,125	8	63	112	79	65	71	67	156	222	396	560
Female.....	5,705	4	51	90	56	43	31	62	103	153	238	340
Hispanic, both sexes.....	649	2	21	29	23	15	9	14	19	21	34	50
Male.....	359	2	12	14	13	11	5	6	10	9	21	30
Female.....	290	-	9	15	10	4	4	8	9	12	13	20
Mexican, both sexes.....	376	2	16	23	17	11	8	9	15	12	19	30
Male.....	217	2	10	11	10	8	4	4	8	6	11	21
Female.....	159	-	6	12	7	3	4	5	7	6	8	9
Puerto Rican, both sexes.....	56	-	2	2	3	1	-	2	1	-	1	3
Male.....	30	-	1	1	2	1	-	-	1	-	1	2
Female.....	26	-	1	1	1	-	-	2	-	-	-	1
Cuban, both sexes.....	51	-	-	-	-	-	-	-	-	1	3	3
Male.....	29	-	-	-	-	-	-	-	-	-	3	1
Female.....	22	-	-	-	-	-	-	-	-	1	-	2
Central and South American, both sexes.....	101	-	1	3	3	2	1	2	2	4	4	11
Male.....	43	-	1	1	1	1	1	1	1	2	1	4
Female.....	58	-	-	2	2	1	-	1	1	2	3	7
Other and Unknown Hispanic, both sexes.....	65	-	2	1	-	1	-	1	1	4	7	3
Male.....	40	-	-	1	-	1	-	1	-	1	5	2
Female.....	25	-	2	-	-	-	-	-	1	3	2	1
Non-Hispanic 1/, both sexes.....	12,152	10	93	172	112	91	93	115	240	352	599	848
Male.....	6,752	6	51	98	66	54	66	61	146	212	374	530
Female.....	5,400	4	42	74	46	37	27	54	94	140	225	318
Non-Hispanic white, both sexes.....	11,139	5	59	131	83	73	77	95	210	318	547	774
Male.....	6,195	3	34	70	46	44	57	50	125	193	347	484
Female.....	4,944	2	25	61	37	29	20	45	85	125	200	290
Non-Hispanic black, both sexes.....	766	3	27	34	20	14	12	11	22	30	38	49
Male.....	400	2	12	23	12	9	5	5	17	16	19	25
Female.....	366	1	15	11	8	5	7	6	5	14	19	24
Origin not stated 2/, both sexes.....	29	-	-	1	-	2	-	-	-	2	1	2
Male.....	14	-	-	-	-	-	-	-	-	1	1	-
Female.....	15	-	-	1	-	2	-	-	-	1	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
All origins, both sexes.....	56,225	28	119	166	213	310	393	368	548	695	1,056	1,599
Male.....	30,302	15	63	87	130	188	229	225	320	409	629	953
Female.....	25,923	13	56	79	83	122	164	143	228	286	427	646
Hispanic, both sexes.....	2,829	3	28	46	47	62	83	62	77	105	120	135
Male.....	1,518	1	12	21	26	44	53	43	49	62	70	76
Female.....	1,311	2	16	25	21	18	30	19	28	43	50	59
Mexican, both sexes.....	1,546	-	24	24	34	44	58	43	45	52	64	65
Male.....	840	-	11	9	18	32	36	31	32	28	35	35
Female.....	706	-	13	15	16	12	22	12	13	24	29	30
Puerto Rican, both sexes.....	329	1	-	4	4	2	10	2	8	13	20	23
Male.....	154	-	-	3	2	1	7	1	5	8	12	11
Female.....	175	1	-	1	2	1	3	1	3	5	8	12
Cuban, both sexes.....	284	-	-	2	-	-	-	1	3	3	9	9
Male.....	152	-	-	1	-	-	-	-	2	3	6	6
Female.....	132	-	-	1	-	-	-	1	1	-	3	3
Central and South American, both sexes.....	386	-	2	11	4	13	13	11	14	24	19	27
Male.....	212	-	-	7	3	10	9	8	6	16	12	16
Female.....	174	-	2	4	1	3	4	3	8	8	7	11
Other and Unknown Hispanic, both sexes.....	284	2	2	5	5	3	2	5	7	13	8	11
Male.....	160	1	1	1	3	1	1	3	4	7	5	8
Female.....	124	1	1	4	2	2	1	2	3	6	3	3
Non-Hispanic 1/, both sexes.....	53,249	24	91	120	166	247	307	306	469	587	931	1,459
Male.....	28,698	13	51	66	104	144	173	182	270	345	555	873
Female.....	24,551	11	40	54	62	103	134	124	199	242	376	586
Non-Hispanic white, both sexes.....	47,058	15	72	94	119	183	247	225	345	441	742	1,138
Male.....	25,523	9	42	50	75	112	142	137	196	256	445	695
Female.....	21,535	6	30	44	44	71	105	88	149	185	297	443
Non-Hispanic black, both sexes.....	5,080	5	14	17	34	43	44	62	94	104	162	267
Male.....	2,593	2	6	12	20	24	20	35	58	66	96	155
Female.....	2,487	3	8	5	14	19	24	27	36	38	66	112
Origin not stated 2/, both sexes.....	147	1	-	-	-	1	3	-	2	3	5	5
Male.....	86	1	-	-	-	-	3	-	1	2	4	4
Female.....	61	-	-	-	-	1	-	-	1	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Non-Hodgkin's lymphoma (C82-C85)												
All origins, both sexes.....	21,910	2	15	15	42	44	98	111	170	253	434	638
Male.....	11,538	1	6	10	30	31	62	71	107	161	278	404
Female.....	10,372	1	9	5	12	13	36	40	63	92	156	234
Hispanic, both sexes.....	1,068	-	2	3	4	5	20	19	22	32	46	52
Male.....	549	-	-	1	2	5	14	14	11	19	26	34
Female.....	519	-	2	2	2	-	6	5	11	13	20	18
Mexican, both sexes.....	584	-	1	2	2	4	15	12	14	11	25	24
Male.....	304	-	-	1	-	4	10	9	10	6	13	16
Female.....	280	-	1	1	2	-	5	3	4	5	12	8
Puerto Rican, both sexes.....	134	-	-	-	-	-	3	1	2	6	9	8
Male.....	59	-	-	-	-	-	2	-	1	4	5	4
Female.....	75	-	-	-	-	-	1	1	1	2	4	4
Cuban, both sexes.....	112	-	-	-	-	-	-	-	1	2	5	2
Male.....	60	-	-	-	-	-	-	-	-	2	4	2
Female.....	52	-	-	-	-	-	-	-	1	-	1	-
Central and South American, both sexes.....	125	-	-	-	-	1	2	5	2	10	5	12
Male.....	65	-	-	-	-	1	2	4	-	6	3	7
Female.....	60	-	-	-	-	-	-	1	2	4	2	5
Other and Unknown Hispanic, both sexes.....	113	-	1	1	2	-	-	1	3	3	2	6
Male.....	61	-	-	-	2	-	-	1	-	1	1	5
Female.....	52	-	1	1	-	-	-	-	3	2	1	1
Non-Hispanic 1/, both sexes.....	20,780	2	13	12	38	38	77	92	148	219	384	583
Male.....	10,953	1	6	9	28	26	47	57	96	141	248	368
Female.....	9,827	1	7	3	10	12	30	35	52	78	136	215
Non-Hispanic white, both sexes.....	18,901	1	12	12	26	23	57	65	97	164	299	479
Male.....	9,961	-	6	9	20	18	37	44	62	104	193	314
Female.....	8,940	1	6	3	6	5	20	21	35	60	106	165
Non-Hispanic black, both sexes.....	1,446	1	1	-	10	10	14	22	41	36	76	89
Male.....	767	1	-	-	7	4	6	11	29	26	50	48
Female.....	679	-	1	-	3	6	8	11	12	10	26	41
Origin not stated 2/, both sexes.....	62	-	-	-	-	1	1	-	-	2	4	3
Male.....	36	-	-	-	-	-	1	-	-	1	4	2
Female.....	26	-	-	-	-	1	-	-	-	1	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Leukemia (C91-C95)												
All origins, both sexes.....	21,498	21	104	148	168	237	235	190	281	325	442	606
Male.....	12,016	11	57	75	97	142	140	117	163	178	251	335
Female.....	9,482	10	47	73	71	95	95	73	118	147	191	271
Hispanic, both sexes.....	1,088	2	26	40	42	54	55	38	42	63	58	51
Male.....	601	1	12	18	23	37	36	25	32	35	34	22
Female.....	487	1	14	22	19	17	19	13	10	28	24	29
Mexican, both sexes.....	594	-	23	21	31	39	37	28	23	35	30	24
Male.....	333	-	11	7	17	27	23	20	18	18	17	9
Female.....	261	-	12	14	14	12	14	8	5	17	13	15
Puerto Rican, both sexes.....	97	-	-	3	4	1	6	1	3	5	8	8
Male.....	47	-	-	2	2	1	5	1	2	2	6	4
Female.....	50	-	-	1	2	-	1	-	1	3	2	4
Cuban, both sexes.....	113	-	-	2	-	-	-	1	2	1	4	6
Male.....	64	-	-	1	-	-	-	-	2	1	2	3
Female.....	49	-	-	1	-	-	-	1	-	-	2	3
Central and South American, both sexes.....	168	-	2	10	4	11	10	4	10	13	10	10
Male.....	91	-	-	7	3	8	7	2	6	9	5	4
Female.....	77	-	2	3	1	3	3	2	4	4	5	6
Other and Unknown Hispanic, both sexes.....	116	2	1	4	3	3	2	4	4	9	6	3
Male.....	66	1	1	1	1	1	1	2	4	5	4	2
Female.....	50	1	-	3	2	2	1	2	-	4	2	1
Non-Hispanic 1/, both sexes.....	20,363	18	78	108	126	183	179	152	238	262	383	554
Male.....	11,386	9	45	57	74	105	103	92	131	143	217	312
Female.....	8,977	9	33	51	52	78	76	60	107	119	166	242
Non-Hispanic white, both sexes.....	18,162	13	60	82	92	140	146	111	178	200	324	429
Male.....	10,218	8	36	41	54	83	84	69	99	108	186	240
Female.....	7,944	5	24	41	38	57	62	42	79	92	138	189
Non-Hispanic black, both sexes.....	1,752	4	13	17	23	29	24	28	40	42	47	93
Male.....	914	1	6	12	12	18	12	16	21	25	23	57
Female.....	838	3	7	5	11	11	12	12	19	17	24	36
Origin not stated 2/, both sexes.....	47	1	-	-	-	-	1	-	1	-	1	1
Male.....	29	1	-	-	-	-	1	-	-	-	-	1
Female.....	18	-	-	-	-	-	-	-	1	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)												
All origins, both sexes.....	62,969	24	124	133	155	233	294	289	445	716	1,327	2,213
Male.....	32,122	15	65	77	75	140	200	194	265	407	703	1,225
Female.....	30,847	9	59	56	80	93	94	95	180	309	624	988
Hispanic, both sexes.....	3,005	11	17	23	32	38	69	41	66	71	105	143
Male.....	1,566	7	9	14	16	25	44	31	38	39	55	76
Female.....	1,439	4	8	9	16	13	25	10	28	32	50	67
Mexican, both sexes.....	1,699	6	13	17	23	27	50	29	47	50	75	90
Male.....	911	4	6	12	12	21	32	23	28	30	38	53
Female.....	788	2	7	5	11	6	18	6	19	20	37	37
Puerto Rican, both sexes.....	333	2	1	3	1	1	3	3	9	8	6	14
Male.....	183	1	1	1	-	-	-	3	5	1	4	9
Female.....	150	1	-	2	1	1	3	-	4	7	2	5
Cuban, both sexes.....	264	-	1	-	-	-	1	-	2	-	3	8
Male.....	146	-	1	-	-	-	1	-	1	-	2	6
Female.....	118	-	-	-	-	-	-	-	1	-	1	2
Central and South American, both sexes.....	356	1	-	1	8	8	10	5	6	7	14	22
Male.....	141	1	-	-	4	4	8	2	3	3	6	7
Female.....	215	-	-	1	4	4	2	3	3	4	8	15
Other and Unknown Hispanic, both sexes.....	353	2	2	2	-	2	5	4	2	6	7	9
Male.....	185	1	1	1	-	-	3	3	1	5	5	1
Female.....	168	1	1	1	-	2	2	1	1	1	2	8
Non-Hispanic 1/, both sexes.....	59,797	13	106	110	123	194	225	248	377	645	1,222	2,058
Male.....	30,463	8	56	63	59	114	156	163	226	368	648	1,140
Female.....	29,334	5	50	47	64	80	69	85	151	277	574	918
Non-Hispanic white, both sexes.....	51,731	11	73	79	92	153	166	185	280	494	939	1,590
Male.....	26,457	8	40	45	43	88	113	123	172	284	485	892
Female.....	25,274	3	33	34	49	65	53	62	108	210	454	698
Non-Hispanic black, both sexes.....	6,756	2	26	26	26	33	46	51	74	131	231	398
Male.....	3,340	-	12	15	13	22	32	31	36	70	130	214
Female.....	3,416	2	14	11	13	11	14	20	38	61	101	184
Origin not stated 2/, both sexes.....	167	-	1	-	-	1	-	-	2	-	-	12
Male.....	93	-	-	-	-	1	-	-	1	-	-	9
Female.....	74	-	1	-	-	-	-	-	1	-	-	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Anemias (D50-D64)												
All origins, both sexes.....	4,614	18	21	29	24	42	69	83	97	99	97	131
Male.....	1,781	12	9	13	13	23	44	53	48	53	43	57
Female.....	2,833	6	12	16	11	19	25	30	49	46	54	74
Hispanic, both sexes.....	208	2	3	3	1	3	5	5	6	6	5	8
Male.....	106	1	1	2	1	1	4	2	3	5	4	5
Female.....	102	1	2	1	-	2	1	3	3	1	1	3
Mexican, both sexes.....	113	-	2	2	1	1	3	1	2	3	3	3
Male.....	59	-	1	1	1	1	2	-	2	2	2	2
Female.....	54	-	1	1	-	-	1	1	-	1	1	1
Puerto Rican, both sexes.....	26	-	1	-	-	-	-	2	3	1	1	1
Male.....	14	-	-	-	-	-	-	1	-	1	1	1
Female.....	12	-	1	-	-	-	-	1	3	-	-	-
Cuban, both sexes.....	24	-	-	-	-	-	-	-	-	1	-	1
Male.....	9	-	-	-	-	-	-	-	-	1	-	-
Female.....	15	-	-	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.....	27	1	-	1	-	1	1	2	1	1	1	3
Male.....	16	-	-	1	-	-	1	1	1	1	1	2
Female.....	11	1	-	-	-	1	-	1	-	-	-	1
Other and Unknown Hispanic, both sexes.....	18	1	-	-	-	1	1	-	-	-	-	-
Male.....	8	1	-	-	-	-	1	-	-	-	-	-
Female.....	10	-	-	-	-	1	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	4,391	14	17	26	23	39	64	78	89	91	91	122
Male.....	1,671	9	8	11	12	22	40	51	45	47	39	52
Female.....	2,720	5	9	15	11	17	24	27	44	44	52	70
Non-Hispanic white, both sexes.....	3,253	5	10	12	7	10	13	11	22	16	18	42
Male.....	1,164	2	4	4	4	6	7	9	11	10	8	20
Female.....	2,089	3	6	8	3	4	6	2	11	6	10	22
Non-Hispanic black, both sexes.....	1,048	5	7	12	14	27	51	64	63	72	70	78
Male.....	472	4	4	7	7	16	33	39	33	35	31	31
Female.....	576	1	3	5	7	11	18	25	30	37	39	47
Origin not stated 2/, both sexes.....	15	2	1	-	-	-	-	-	2	2	1	1
Male.....	4	2	-	-	-	-	-	-	-	1	-	-
Female.....	11	-	1	-	-	-	-	-	2	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diabetes mellitus (E10-E14)												
All origins, both sexes.....	73,249	1	3	5	29	55	116	229	413	776	1,388	2,106
Male.....	34,301	-	1	4	18	30	68	128	257	452	878	1,248
Female.....	38,948	1	2	1	11	25	48	101	156	324	510	858
Hispanic, both sexes.....	5,912	-	-	-	1	5	10	32	24	73	132	191
Male.....	2,779	-	-	-	1	3	7	19	15	41	83	107
Female.....	3,133	-	-	-	-	2	3	13	9	32	49	84
Mexican, both sexes.....	3,856	-	-	-	1	4	8	22	13	47	98	112
Male.....	1,850	-	-	-	1	2	6	14	9	24	66	59
Female.....	2,006	-	-	-	-	2	2	8	4	23	32	53
Puerto Rican, both sexes.....	737	-	-	-	-	-	-	6	4	9	15	36
Male.....	330	-	-	-	-	-	-	3	2	7	5	23
Female.....	407	-	-	-	-	-	-	3	2	2	10	13
Cuban, both sexes.....	397	-	-	-	-	-	-	1	-	3	1	11
Male.....	191	-	-	-	-	-	-	-	-	2	1	6
Female.....	206	-	-	-	-	-	-	1	-	1	-	5
Central and South American, both sexes.....	353	-	-	-	-	-	1	1	4	6	5	17
Male.....	140	-	-	-	-	-	-	-	2	4	4	10
Female.....	213	-	-	-	-	-	1	1	2	2	1	7
Other and Unknown Hispanic, both sexes.....	569	-	-	-	-	1	1	2	3	8	13	15
Male.....	268	-	-	-	-	1	1	2	2	4	7	9
Female.....	301	-	-	-	-	-	-	-	1	4	6	6
Non-Hispanic 1/, both sexes.....	67,112	1	3	5	28	50	105	196	388	697	1,249	1,902
Male.....	31,399	-	1	4	17	27	60	108	241	407	789	1,132
Female.....	35,713	1	2	1	11	23	45	88	147	290	460	770
Non-Hispanic white, both sexes.....	52,463	1	3	4	15	32	63	120	262	474	871	1,289
Male.....	25,273	-	1	4	12	16	35	69	162	284	565	792
Female.....	27,190	1	2	-	3	16	28	51	100	190	306	497
Non-Hispanic black, both sexes.....	12,583	-	-	1	13	16	41	73	121	208	346	543
Male.....	5,158	-	-	-	5	9	25	37	75	114	202	299
Female.....	7,425	-	-	1	8	7	16	36	46	94	144	244
Origin not stated 2/, both sexes.....	225	-	-	-	-	-	1	1	1	6	7	13
Male.....	123	-	-	-	-	-	1	1	1	4	6	9
Female.....	102	-	-	-	-	-	-	-	-	2	1	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Nutritional deficiencies (E40-E64)												
All origins, both sexes.....	3,779	4	1	-	1	1	6	5	11	27	33	39
Male.....	1,321	3	1	-	-	-	4	3	4	12	19	20
Female.....	2,458	1	-	-	1	1	2	2	7	15	14	19
Hispanic, both sexes.....	141	2	-	-	-	-	3	1	-	1	2	2
Male.....	61	1	-	-	-	-	1	1	-	1	2	2
Female.....	80	1	-	-	-	-	2	-	-	-	-	-
Mexican, both sexes.....	98	2	-	-	-	-	2	-	-	-	1	2
Male.....	39	1	-	-	-	-	1	-	-	-	1	2
Female.....	59	1	-	-	-	-	1	-	-	-	-	-
Puerto Rican, both sexes.....	12	-	-	-	-	-	-	1	-	-	-	-
Male.....	8	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	8	-	-	-	-	-	1	-	-	1	1	-
Male.....	3	-	-	-	-	-	-	-	-	1	1	-
Female.....	5	-	-	-	-	-	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,621	2	1	-	1	1	3	4	11	25	31	37
Male.....	1,255	2	1	-	-	-	3	2	4	11	17	18
Female.....	2,366	-	-	-	1	1	-	2	7	14	14	19
Non-Hispanic white, both sexes.....	3,064	1	1	-	-	1	2	4	8	13	24	30
Male.....	1,039	1	1	-	-	-	2	2	3	6	13	12
Female.....	2,025	-	-	-	-	1	-	2	5	7	11	18
Non-Hispanic black, both sexes.....	495	-	-	-	1	-	1	-	3	9	7	7
Male.....	185	-	-	-	-	-	1	-	1	3	4	6
Female.....	310	-	-	-	1	-	-	-	2	6	3	1
Origin not stated 2/, both sexes.....	17	-	-	-	-	-	-	-	-	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malnutrition (E40-E46)												
All origins, both sexes.....	3,510	2	1	-	1	1	5	4	9	25	30	36
Male.....	1,233	1	1	-	-	-	4	2	3	11	17	18
Female.....	2,277	1	-	-	1	1	1	2	6	14	13	18
Hispanic, both sexes.....	136	1	-	-	-	-	2	1	-	1	2	1
Male.....	58	-	-	-	-	-	1	1	-	1	2	1
Female.....	78	1	-	-	-	-	1	-	-	-	-	-
Mexican, both sexes.....	94	1	-	-	-	-	1	-	-	-	1	1
Male.....	36	-	-	-	-	-	1	-	-	-	1	1
Female.....	58	1	-	-	-	-	-	-	-	-	-	-
Puerto Rican, both sexes.....	12	-	-	-	-	-	-	1	-	-	-	-
Male.....	8	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	7	-	-	-	-	-	1	-	-	1	1	-
Male.....	3	-	-	-	-	-	-	-	-	1	1	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,358	1	1	-	1	1	3	3	9	23	28	35
Male.....	1,171	1	1	-	-	-	3	1	3	10	15	17
Female.....	2,187	-	-	-	1	1	-	2	6	13	13	18
Non-Hispanic white, both sexes.....	2,836	1	1	-	-	1	2	3	6	13	21	28
Male.....	970	1	1	-	-	-	2	1	2	6	11	11
Female.....	1,866	-	-	-	-	1	-	2	4	7	10	17
Non-Hispanic black, both sexes.....	465	-	-	-	1	-	1	-	3	7	7	7
Male.....	172	-	-	-	-	-	1	-	1	2	4	6
Female.....	293	-	-	-	1	-	-	-	2	5	3	1
Origin not stated 2/, both sexes.....	16	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Major cardiovascular diseases (I00-I78)												
All origins, both sexes.....	918,628	640	223	127	231	493	790	1,348	2,638	5,541	11,421	18,716
Male.....	429,682	343	122	57	137	328	517	869	1,699	3,602	7,754	12,998
Female.....	488,946	297	101	70	94	165	273	479	939	1,939	3,667	5,718
Hispanic, both sexes.....	36,543	109	36	17	34	57	119	176	269	435	749	1,169
Male.....	18,824	52	16	7	14	36	86	134	188	289	540	825
Female.....	17,719	57	20	10	20	21	33	42	81	146	209	344
Mexican, both sexes.....	19,459	81	28	12	17	38	85	117	182	274	426	678
Male.....	10,361	37	11	5	9	25	63	92	128	182	311	465
Female.....	9,098	44	17	7	8	13	22	25	54	92	115	213
Puerto Rican, both sexes.....	4,816	8	2	2	5	10	13	19	31	53	124	166
Male.....	2,482	4	2	-	1	4	7	13	21	33	81	118
Female.....	2,334	4	-	2	4	6	6	6	10	20	43	48
Cuban, both sexes.....	5,001	1	1	-	1	-	2	7	5	19	43	67
Male.....	2,397	1	1	-	-	-	1	6	4	16	32	50
Female.....	2,604	-	-	-	1	-	1	1	1	3	11	17
Central and South American, both sexes.....	3,420	9	3	2	5	7	13	23	35	50	96	159
Male.....	1,617	4	1	1	1	5	11	16	25	32	73	117
Female.....	1,803	5	2	1	4	2	2	7	10	18	23	42
Other and Unknown Hispanic, both sexes.....	3,847	10	2	1	6	2	6	10	16	39	60	99
Male.....	1,967	6	1	1	3	2	4	7	10	26	43	75
Female.....	1,880	4	1	-	3	-	2	3	6	13	17	24
Non-Hispanic 1/, both sexes.....	879,170	528	187	110	197	436	669	1,166	2,356	5,081	10,626	17,480
Male.....	409,343	289	106	50	123	292	429	733	1,501	3,295	7,182	12,126
Female.....	469,827	239	81	60	74	144	240	433	855	1,786	3,444	5,354
Non-Hispanic white, both sexes.....	758,738	314	125	75	120	289	406	681	1,440	3,374	7,464	12,325
Male.....	352,520	177	77	35	76	192	270	443	944	2,256	5,303	8,993
Female.....	406,218	137	48	40	44	97	136	238	496	1,118	2,161	3,332
Non-Hispanic black, both sexes.....	103,054	183	50	26	67	122	234	434	818	1,517	2,846	4,650
Male.....	47,656	96	24	10	40	79	138	258	481	897	1,654	2,778
Female.....	55,398	87	26	16	27	43	96	176	337	620	1,192	1,872
Origin not stated 2/, both sexes.....	2,915	3	-	-	-	-	2	6	13	25	46	67
Male.....	1,515	2	-	-	-	-	2	2	10	18	32	47
Female.....	1,400	1	-	-	-	-	-	4	3	7	14	20

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of heart (I00-I09,I11,I13,I20-I51)												
All origins, both sexes.....	696,947	500	165	92	163	405	617	1,076	2,089	4,448	9,240	15,179
Male.....	340,933	267	87	40	101	275	411	716	1,415	3,048	6,590	10,983
Female.....	356,014	233	78	52	62	130	206	360	674	1,400	2,650	4,196
Hispanic, both sexes.....	27,887	85	24	12	18	39	89	126	195	313	539	851
Male.....	14,798	41	11	6	8	26	68	98	144	215	410	621
Female.....	13,089	44	13	6	10	13	21	28	51	98	129	230
Mexican, both sexes.....	14,513	62	18	9	10	27	61	87	128	198	308	483
Male.....	8,000	29	7	4	5	19	49	71	92	131	242	339
Female.....	6,513	33	11	5	5	8	12	16	36	67	66	144
Puerto Rican, both sexes.....	3,812	7	2	-	2	6	12	14	23	38	95	128
Male.....	1,982	4	2	-	1	3	6	10	17	27	59	95
Female.....	1,830	3	-	-	1	3	6	4	6	11	36	33
Cuban, both sexes.....	4,119	1	-	-	-	-	2	4	4	16	32	55
Male.....	2,013	1	-	-	-	-	1	4	4	14	27	41
Female.....	2,106	-	-	-	-	-	1	-	-	2	5	14
Central and South American, both sexes.....	2,558	8	2	2	3	6	10	15	27	34	61	108
Male.....	1,259	3	1	1	-	4	9	9	21	24	52	84
Female.....	1,299	5	1	1	3	2	1	6	6	10	9	24
Other and Unknown Hispanic, both sexes.....	2,885	7	2	1	3	-	4	6	13	27	43	77
Male.....	1,544	4	1	1	2	-	3	4	10	19	30	62
Female.....	1,341	3	1	-	1	-	1	2	3	8	13	15
Non-Hispanic 1/, both sexes.....	666,690	413	141	80	145	366	526	945	1,882	4,116	8,664	14,272
Male.....	324,848	225	76	34	93	249	341	616	1,262	2,818	6,154	10,321
Female.....	341,842	188	65	46	52	117	185	329	620	1,298	2,510	3,951
Non-Hispanic white, both sexes.....	577,761	249	91	53	93	240	307	554	1,164	2,818	6,296	10,407
Male.....	281,442	139	54	24	61	163	207	369	808	1,984	4,673	7,866
Female.....	296,319	110	37	29	32	77	100	185	356	834	1,623	2,541
Non-Hispanic black, both sexes.....	76,694	142	40	19	46	105	194	352	641	1,167	2,145	3,506
Male.....	36,596	76	18	6	27	68	117	220	392	730	1,301	2,184
Female.....	40,098	66	22	13	19	37	77	132	249	437	844	1,322
Origin not stated 2/, both sexes.....	2,370	2	-	-	-	-	2	5	12	19	37	56
Male.....	1,287	1	-	-	-	-	2	2	9	15	26	41
Female.....	1,083	1	-	-	-	-	-	3	3	4	11	15

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Hypertensive heart disease (I11)												
All origins, both sexes.....	26,551	-	-	-	2	4	26	81	216	402	811	1,266
Male.....	11,660	-	-	-	1	4	22	64	151	289	560	844
Female.....	14,891	-	-	-	1	-	4	17	65	113	251	422
Hispanic, both sexes.....	1,424	-	-	-	-	-	4	8	23	38	59	83
Male.....	781	-	-	-	-	-	4	7	18	28	50	65
Female.....	643	-	-	-	-	-	-	1	5	10	9	18
Mexican, both sexes.....	736	-	-	-	-	-	4	6	13	27	35	47
Male.....	410	-	-	-	-	-	4	6	10	20	31	35
Female.....	326	-	-	-	-	-	-	-	3	7	4	12
Puerto Rican, both sexes.....	223	-	-	-	-	-	-	-	3	4	9	17
Male.....	126	-	-	-	-	-	-	-	3	3	6	12
Female.....	97	-	-	-	-	-	-	-	-	1	3	5
Cuban, both sexes.....	154	-	-	-	-	-	-	-	1	-	3	3
Male.....	75	-	-	-	-	-	-	-	1	-	2	3
Female.....	79	-	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.....	177	-	-	-	-	-	-	1	3	3	7	12
Male.....	95	-	-	-	-	-	-	1	1	2	6	11
Female.....	82	-	-	-	-	-	-	-	2	1	1	1
Other and Unknown Hispanic, both sexes.....	134	-	-	-	-	-	-	1	3	4	5	4
Male.....	75	-	-	-	-	-	-	-	3	3	5	4
Female.....	59	-	-	-	-	-	-	1	-	1	-	-
Non-Hispanic 1/, both sexes.....	24,976	-	-	-	2	4	22	72	193	362	747	1,174
Male.....	10,790	-	-	-	1	4	18	57	133	259	506	770
Female.....	14,186	-	-	-	1	-	4	15	60	103	241	404
Non-Hispanic white, both sexes.....	18,060	-	-	-	1	1	9	31	79	186	401	666
Male.....	7,427	-	-	-	1	1	8	25	58	137	299	470
Female.....	10,633	-	-	-	-	-	1	6	21	49	102	196
Non-Hispanic black, both sexes.....	6,385	-	-	-	1	3	12	39	110	166	325	489
Male.....	3,089	-	-	-	-	3	9	30	71	114	193	285
Female.....	3,296	-	-	-	1	-	3	9	39	52	132	204
Origin not stated 2/, both sexes.....	151	-	-	-	-	-	-	1	-	2	5	9
Male.....	89	-	-	-	-	-	-	-	-	2	4	9
Female.....	62	-	-	-	-	-	-	1	-	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Ischemic heart diseases (I20-I25)												
All origins, both sexes.....	494,382	23	7	4	16	30	103	251	745	2,211	5,472	9,892
Male.....	252,760	15	4	1	12	18	74	191	550	1,670	4,170	7,582
Female.....	241,622	8	3	3	4	12	29	60	195	541	1,302	2,310
Hispanic, both sexes.....	20,941	4	1	1	2	4	14	29	59	144	298	557
Male.....	11,295	2	-	1	1	1	11	26	50	107	239	433
Female.....	9,646	2	1	-	1	3	3	3	9	37	59	124
Mexican, both sexes.....	10,827	1	1	1	1	2	10	19	37	90	180	307
Male.....	6,094	1	-	1	1	1	9	17	32	65	146	235
Female.....	4,733	-	1	-	-	1	1	2	5	25	34	72
Puerto Rican, both sexes.....	2,868	1	-	-	-	2	1	3	8	17	48	84
Male.....	1,495	-	-	-	-	-	-	3	6	14	30	65
Female.....	1,373	1	-	-	-	2	1	-	2	3	18	19
Cuban, both sexes.....	3,295	-	-	-	-	-	1	1	-	10	19	40
Male.....	1,606	-	-	-	-	-	1	1	-	10	18	31
Female.....	1,689	-	-	-	-	-	-	-	-	-	1	9
Central and South American, both sexes.....	1,882	2	-	-	1	-	2	5	9	14	30	73
Male.....	940	1	-	-	-	-	1	4	8	10	27	56
Female.....	942	1	-	-	1	-	1	1	1	4	3	17
Other and Unknown Hispanic, both sexes.....	2,069	-	-	-	-	-	-	1	5	13	21	53
Male.....	1,160	-	-	-	-	-	-	1	4	8	18	46
Female.....	909	-	-	-	-	-	-	-	1	5	3	7
Non-Hispanic 1/, both sexes.....	471,655	19	6	3	14	26	88	220	680	2,059	5,155	9,300
Male.....	240,462	13	4	-	11	17	62	163	495	1,557	3,918	7,125
Female.....	231,193	6	2	3	3	9	26	57	185	502	1,237	2,175
Non-Hispanic white, both sexes.....	413,230	11	4	2	10	20	56	154	496	1,557	4,008	7,219
Male.....	211,391	8	2	-	8	13	41	121	372	1,201	3,145	5,736
Female.....	201,839	3	2	2	2	7	15	33	124	356	863	1,483
Non-Hispanic black, both sexes.....	49,522	7	2	1	4	4	27	55	155	430	1,011	1,835
Male.....	23,976	4	2	-	3	2	16	34	97	293	654	1,189
Female.....	25,546	3	-	1	1	2	11	21	58	137	357	646
Origin not stated 2/, both sexes.....	1,786	-	-	-	-	-	1	2	6	8	19	35
Male.....	1,003	-	-	-	-	-	1	2	5	6	13	24
Female.....	783	-	-	-	-	-	-	-	1	2	6	11

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Acute myocardial infarction (I21-I22)												
All origins, both sexes.....	179,514	11	5	2	5	15	47	91	309	882	2,279	4,055
Male.....	93,830	7	2	-	2	10	31	67	225	656	1,691	3,066
Female.....	85,684	4	3	2	3	5	16	24	84	226	588	989
Hispanic, both sexes.....	7,631	3	1	-	1	3	4	9	25	59	118	198
Male.....	4,125	2	-	-	-	1	4	7	22	39	87	151
Female.....	3,506	1	1	-	1	2	-	2	3	20	31	47
Mexican, both sexes.....	4,266	1	1	-	-	2	4	6	16	35	71	120
Male.....	2,415	1	-	-	-	1	4	5	14	21	55	90
Female.....	1,851	-	1	-	-	1	-	1	2	14	16	30
Puerto Rican, both sexes.....	913	1	-	-	-	1	-	1	5	11	22	27
Male.....	479	-	-	-	-	-	-	1	4	10	11	21
Female.....	434	1	-	-	-	1	-	-	1	1	11	6
Cuban, both sexes.....	1,158	-	-	-	-	-	-	-	-	3	4	12
Male.....	553	-	-	-	-	-	-	-	-	3	4	9
Female.....	605	-	-	-	-	-	-	-	-	-	-	3
Central and South American, both sexes.....	591	1	-	-	1	-	-	2	2	3	12	22
Male.....	298	1	-	-	-	-	-	1	2	1	10	17
Female.....	293	-	-	-	1	-	-	1	-	2	2	5
Other and Unknown Hispanic, both sexes.....	703	-	-	-	-	-	-	-	2	7	9	17
Male.....	380	-	-	-	-	-	-	-	2	4	7	14
Female.....	323	-	-	-	-	-	-	-	-	3	2	3
Non-Hispanic 1/, both sexes.....	171,441	8	4	2	4	12	43	82	283	822	2,153	3,848
Male.....	89,480	5	2	-	2	9	27	60	202	617	1,598	2,910
Female.....	81,961	3	2	2	2	3	16	22	81	205	555	938
Non-Hispanic white, both sexes.....	150,051	6	4	1	3	10	26	54	213	639	1,706	3,048
Male.....	79,037	4	2	-	2	7	18	43	157	493	1,300	2,395
Female.....	71,014	2	2	1	1	3	8	11	56	146	406	653
Non-Hispanic black, both sexes.....	18,162	2	-	1	1	-	15	25	63	157	399	702
Male.....	8,607	1	-	-	-	-	7	15	39	102	257	435
Female.....	9,555	1	-	1	1	-	8	10	24	55	142	267
Origin not stated 2/, both sexes.....	442	-	-	-	-	-	-	-	1	1	8	9
Male.....	225	-	-	-	-	-	-	-	1	-	6	5
Female.....	217	-	-	-	-	-	-	-	-	1	2	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other forms of chronic ischemic heart disease (I20,I25)												
All origins, both sexes.....	311,461	10	2	1	11	13	54	156	422	1,312	3,133	5,718
Male.....	157,163	7	2	-	10	8	42	122	315	1,005	2,438	4,428
Female.....	154,298	3	-	1	1	5	12	34	107	307	695	1,290
Hispanic, both sexes.....	13,246	1	-	-	1	-	10	19	34	85	179	354
Male.....	7,130	-	-	-	1	-	7	18	28	68	151	278
Female.....	6,116	1	-	-	-	-	3	1	6	17	28	76
Mexican, both sexes.....	6,525	-	-	-	1	-	6	12	21	55	108	186
Male.....	3,657	-	-	-	1	-	5	11	18	44	90	145
Female.....	2,868	-	-	-	-	-	1	1	3	11	18	41
Puerto Rican, both sexes.....	1,947	-	-	-	-	-	1	2	3	6	26	55
Male.....	1,011	-	-	-	-	-	-	2	2	4	19	42
Female.....	936	-	-	-	-	-	1	-	1	2	7	13
Cuban, both sexes.....	2,134	-	-	-	-	-	1	1	-	7	15	28
Male.....	1,051	-	-	-	-	-	1	1	-	7	14	22
Female.....	1,083	-	-	-	-	-	-	-	-	-	1	6
Central and South American, both sexes.....	1,283	1	-	-	-	-	2	3	7	11	18	50
Male.....	637	-	-	-	-	-	1	3	6	9	17	38
Female.....	646	1	-	-	-	-	1	-	1	2	1	12
Other and Unknown Hispanic, both sexes.....	1,357	-	-	-	-	-	-	1	3	6	12	35
Male.....	774	-	-	-	-	-	-	1	2	4	11	31
Female.....	583	-	-	-	-	-	-	-	1	2	1	4
Non-Hispanic 1/, both sexes.....	296,875	9	2	1	10	13	44	135	383	1,220	2,944	5,338
Male.....	149,257	7	2	-	9	8	35	102	283	931	2,280	4,131
Female.....	147,618	2	-	1	1	5	9	33	100	289	664	1,207
Non-Hispanic white, both sexes.....	260,336	4	-	1	7	9	30	98	274	903	2,263	4,086
Male.....	130,900	3	-	-	6	6	23	77	209	700	1,812	3,281
Female.....	129,436	1	-	1	1	3	7	21	65	203	451	805
Non-Hispanic black, both sexes.....	30,917	4	2	-	3	4	11	29	87	271	595	1,106
Male.....	15,127	3	2	-	3	2	9	19	54	190	392	731
Female.....	15,790	1	-	-	-	2	2	10	33	81	203	375
Origin not stated 2/, both sexes.....	1,340	-	-	-	-	-	-	2	5	7	10	26
Male.....	776	-	-	-	-	-	-	2	4	6	7	19
Female.....	564	-	-	-	-	-	-	-	1	1	3	7

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Atherosclerotic cardiovascular disease, so described (I25.0)												
All origins, both sexes.....	68,129	2	-	-	1	4	13	39	142	410	1,105	2,081
Male.....	36,047	1	-	-	-	3	10	31	113	325	891	1,634
Female.....	32,082	1	-	-	1	1	3	8	29	85	214	447
Hispanic, both sexes.....	3,166	1	-	-	-	-	4	9	17	30	78	141
Male.....	1,946	-	-	-	-	-	3	8	16	22	67	112
Female.....	1,220	1	-	-	-	-	1	1	1	8	11	29
Mexican, both sexes.....	1,663	-	-	-	-	-	3	6	9	17	47	66
Male.....	1,039	-	-	-	-	-	2	5	9	13	38	54
Female.....	624	-	-	-	-	-	1	1	-	4	9	12
Puerto Rican, both sexes.....	407	-	-	-	-	-	-	1	-	3	7	21
Male.....	272	-	-	-	-	-	-	1	-	2	7	18
Female.....	135	-	-	-	-	-	-	-	-	1	-	3
Cuban, both sexes.....	315	-	-	-	-	-	-	1	-	2	6	11
Male.....	167	-	-	-	-	-	-	1	-	2	5	6
Female.....	148	-	-	-	-	-	-	-	-	-	1	5
Central and South American, both sexes.....	355	1	-	-	-	-	1	1	6	4	12	28
Male.....	206	-	-	-	-	-	1	1	6	2	11	21
Female.....	149	1	-	-	-	-	-	-	-	2	1	7
Other and Unknown Hispanic, both sexes.....	426	-	-	-	-	-	-	-	2	4	6	15
Male.....	262	-	-	-	-	-	-	-	1	3	6	13
Female.....	164	-	-	-	-	-	-	-	1	1	-	2
Non-Hispanic 1/, both sexes.....	64,528	1	-	-	1	4	9	28	124	378	1,025	1,928
Male.....	33,809	1	-	-	-	3	7	21	97	302	822	1,514
Female.....	30,719	-	-	-	1	1	2	7	27	76	203	414
Non-Hispanic white, both sexes.....	53,161	1	-	-	1	4	7	21	84	265	755	1,458
Male.....	27,493	1	-	-	-	3	5	16	68	216	628	1,178
Female.....	25,668	-	-	-	1	1	2	5	16	49	127	280
Non-Hispanic black, both sexes.....	10,024	-	-	-	-	-	2	5	34	99	234	426
Male.....	5,483	-	-	-	-	-	2	3	24	73	160	298
Female.....	4,541	-	-	-	-	-	-	2	10	26	74	128
Origin not stated 2/, both sexes.....	435	-	-	-	-	-	-	2	1	2	2	12
Male.....	292	-	-	-	-	-	-	2	-	1	2	8
Female.....	143	-	-	-	-	-	-	-	1	1	-	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other heart diseases (I26-I51)												
All origins, both sexes.....	169,540	473	157	84	143	362	474	723	1,085	1,769	2,851	3,849
Male.....	74,230	249	82	38	87	250	307	446	692	1,051	1,809	2,468
Female.....	95,310	224	75	46	56	112	167	277	393	718	1,042	1,381
Hispanic, both sexes.....	5,152	81	23	11	16	34	68	85	103	124	174	191
Male.....	2,587	39	11	5	7	25	51	64	71	77	118	117
Female.....	2,565	42	12	6	9	9	17	21	32	47	56	74
Mexican, both sexes.....	2,740	61	17	8	9	24	46	60	72	79	91	118
Male.....	1,422	28	7	3	4	18	36	48	47	46	64	66
Female.....	1,318	33	10	5	5	6	10	12	25	33	27	52
Puerto Rican, both sexes.....	675	6	2	-	2	4	11	10	10	15	35	24
Male.....	343	4	2	-	1	3	6	6	7	8	22	17
Female.....	332	2	-	-	1	1	5	4	3	7	13	7
Cuban, both sexes.....	630	1	-	-	-	-	1	3	3	5	10	9
Male.....	313	1	-	-	-	-	-	3	3	3	7	6
Female.....	317	-	-	-	-	-	1	-	-	2	3	3
Central and South American, both sexes.....	465	6	2	2	2	6	7	8	13	15	23	21
Male.....	212	2	1	1	-	4	7	4	11	12	19	16
Female.....	253	4	1	1	2	2	-	4	2	3	4	5
Other and Unknown Hispanic, both sexes.....	642	7	2	1	3	-	3	4	5	10	15	19
Male.....	297	4	1	1	2	-	2	3	3	8	6	12
Female.....	345	3	1	-	1	-	1	1	2	2	9	7
Non-Hispanic 1/, both sexes.....	163,970	390	134	73	127	328	405	636	976	1,636	2,664	3,646
Male.....	71,455	209	71	33	80	225	255	382	617	967	1,682	2,343
Female.....	92,515	181	63	40	47	103	150	254	359	669	982	1,303
Non-Hispanic white, both sexes.....	141,712	234	86	50	80	216	237	361	575	1,045	1,843	2,453
Male.....	61,048	128	51	23	51	149	155	217	372	629	1,207	1,623
Female.....	80,664	106	35	27	29	67	82	144	203	416	636	830
Non-Hispanic black, both sexes.....	19,641	135	38	16	41	95	151	250	358	545	761	1,105
Male.....	9,038	72	16	6	24	61	90	149	214	308	430	667
Female.....	10,603	63	22	10	17	34	61	101	144	237	331	438
Origin not stated 2/, both sexes.....	418	2	-	-	-	-	1	2	6	9	13	12
Male.....	188	1	-	-	-	-	1	-	4	7	9	8
Female.....	230	1	-	-	-	-	-	2	2	2	4	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Heart failure (I50)												
All origins, both sexes.....	56,494	23	11	3	7	10	17	33	68	102	180	355
Male.....	21,698	14	6	1	4	6	9	22	38	56	117	210
Female.....	34,796	9	5	2	3	4	8	11	30	46	63	145
Hispanic, both sexes.....	1,412	4	-	-	2	-	-	2	1	4	9	14
Male.....	593	2	-	-	2	-	-	2	-	-	6	4
Female.....	819	2	-	-	-	-	-	-	1	4	3	10
Mexican, both sexes.....	801	3	-	-	1	-	-	2	1	3	6	10
Male.....	380	1	-	-	1	-	-	2	-	-	3	3
Female.....	421	2	-	-	-	-	-	-	1	3	3	7
Puerto Rican, both sexes.....	194	-	-	-	1	-	-	-	-	1	-	-
Male.....	68	-	-	-	1	-	-	-	-	-	-	-
Female.....	126	-	-	-	-	-	-	-	-	1	-	-
Cuban, both sexes.....	120	-	-	-	-	-	-	-	-	-	3	-
Male.....	50	-	-	-	-	-	-	-	-	-	3	-
Female.....	70	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	101	-	-	-	-	-	-	-	-	-	-	2
Male.....	27	-	-	-	-	-	-	-	-	-	-	1
Female.....	74	-	-	-	-	-	-	-	-	-	-	1
Other and Unknown Hispanic, both sexes.....	196	1	-	-	-	-	-	-	-	-	-	2
Male.....	68	1	-	-	-	-	-	-	-	-	-	-
Female.....	128	-	-	-	-	-	-	-	-	-	-	2
Non-Hispanic 1/, both sexes.....	54,932	19	11	3	5	10	17	31	66	97	171	339
Male.....	21,050	12	6	1	2	6	9	20	38	55	111	204
Female.....	33,882	7	5	2	3	4	8	11	28	42	60	135
Non-Hispanic white, both sexes.....	49,162	11	8	3	2	5	11	14	35	56	104	196
Male.....	18,705	8	5	1	1	2	5	9	19	33	72	125
Female.....	30,457	3	3	2	1	3	6	5	16	23	32	71
Non-Hispanic black, both sexes.....	5,143	8	3	-	3	3	6	16	29	40	64	139
Male.....	2,055	4	1	-	1	2	4	10	17	22	37	77
Female.....	3,088	4	2	-	2	1	2	6	12	18	27	62
Origin not stated 2/, both sexes.....	150	-	-	-	-	-	-	-	1	1	-	2
Male.....	55	-	-	-	-	-	-	-	-	1	-	2
Female.....	95	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
All origins, both sexes.....	111,044	422	122	68	125	333	433	658	959	1,606	2,567	3,354
Male.....	51,455	225	64	33	79	230	282	406	609	959	1,619	2,163
Female.....	59,589	197	58	35	46	103	151	252	350	647	948	1,191
Hispanic, both sexes.....	3,607	72	20	9	13	33	64	81	94	114	160	162
Male.....	1,914	34	11	5	5	24	49	60	64	73	108	102
Female.....	1,693	38	9	4	8	9	15	21	30	41	52	60
Mexican, both sexes.....	1,871	54	15	7	7	23	44	57	65	73	81	102
Male.....	995	24	7	3	3	17	35	45	42	43	58	58
Female.....	876	30	8	4	4	6	9	12	23	30	23	44
Puerto Rican, both sexes.....	454	6	2	-	1	4	10	9	9	14	34	20
Male.....	259	4	2	-	-	3	6	5	6	8	21	14
Female.....	195	2	-	-	1	1	4	4	3	6	13	6
Cuban, both sexes.....	497	1	-	-	-	-	1	3	3	5	7	7
Male.....	256	1	-	-	-	-	-	3	3	3	4	5
Female.....	241	-	-	-	-	-	1	-	-	2	3	2
Central and South American, both sexes.....	348	6	2	1	2	6	6	8	12	13	23	17
Male.....	179	2	1	1	-	4	6	4	10	12	19	14
Female.....	169	4	1	-	2	2	-	4	2	1	4	3
Other and Unknown Hispanic, both sexes.....	437	5	1	1	3	-	3	4	5	9	15	16
Male.....	225	3	1	1	2	-	2	3	3	7	6	11
Female.....	212	2	-	-	1	-	1	1	2	2	9	5
Non-Hispanic 1/, both sexes.....	107,173	348	102	59	112	300	368	575	860	1,484	2,394	3,183
Male.....	49,411	190	53	28	74	206	232	346	541	880	1,502	2,055
Female.....	57,762	158	49	31	38	94	136	229	319	604	892	1,128
Non-Hispanic white, both sexes.....	91,087	214	66	41	75	200	210	324	506	952	1,665	2,181
Male.....	41,554	117	38	20	49	139	139	195	325	576	1,081	1,446
Female.....	49,533	97	28	21	26	61	71	129	181	376	584	735
Non-Hispanic black, both sexes.....	14,147	115	28	13	32	87	141	228	315	490	673	925
Male.....	6,804	65	12	5	21	56	83	137	188	277	378	562
Female.....	7,343	50	16	8	11	31	58	91	127	213	295	363
Origin not stated 2/, both sexes.....	264	2	-	-	-	-	1	2	5	8	13	9
Male.....	130	1	-	-	-	-	1	-	4	6	9	6
Female.....	134	1	-	-	-	-	-	2	1	2	4	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Essential (primary) hypertension and hypertensive renal disease (I10,I12)												
All origins, both sexes.....	20,261	5	1	1	-	4	17	36	49	126	228	382
Male.....	7,647	2	1	1	-	-	11	21	26	75	144	238
Female.....	12,614	3	-	-	-	4	6	15	23	51	84	144
Hispanic, both sexes.....	942	2	-	-	-	2	3	4	5	12	18	17
Male.....	385	1	-	-	-	-	1	3	2	8	10	13
Female.....	557	1	-	-	-	2	2	1	3	4	8	4
Mexican, both sexes.....	551	1	-	-	-	1	2	2	4	5	13	9
Male.....	227	-	-	-	-	-	1	1	1	4	8	8
Female.....	324	1	-	-	-	1	1	1	3	1	5	1
Puerto Rican, both sexes.....	120	-	-	-	-	1	-	-	1	2	-	5
Male.....	55	-	-	-	-	-	-	-	1	1	-	3
Female.....	65	-	-	-	-	1	-	-	-	1	-	2
Cuban, both sexes.....	92	-	-	-	-	-	-	1	-	1	-	1
Male.....	40	-	-	-	-	-	-	1	-	-	-	1
Female.....	52	-	-	-	-	-	-	-	-	1	-	-
Central and South American, both sexes.....	93	1	-	-	-	-	1	1	-	2	2	1
Male.....	30	1	-	-	-	-	-	1	-	1	-	-
Female.....	63	-	-	-	-	-	1	-	-	1	2	1
Other and Unknown Hispanic, both sexes.....	86	-	-	-	-	-	-	-	-	2	3	1
Male.....	33	-	-	-	-	-	-	-	-	2	2	1
Female.....	53	-	-	-	-	-	-	-	-	-	1	-
Non-Hispanic 1/, both sexes.....	19,254	3	1	1	-	2	14	31	44	114	208	364
Male.....	7,232	1	1	1	-	-	10	18	24	67	133	225
Female.....	12,022	2	-	-	-	2	4	13	20	47	75	139
Non-Hispanic white, both sexes.....	14,617	2	1	1	-	1	8	11	15	33	93	168
Male.....	5,325	1	1	1	-	-	7	7	9	17	65	110
Female.....	9,292	1	-	-	-	1	1	4	6	16	28	58
Non-Hispanic black, both sexes.....	4,165	1	-	-	-	1	6	17	27	79	110	188
Male.....	1,701	-	-	-	-	-	3	10	14	48	64	109
Female.....	2,464	1	-	-	-	1	3	7	13	31	46	79
Origin not stated 2/, both sexes.....	65	-	-	-	-	-	-	1	-	-	2	1
Male.....	30	-	-	-	-	-	-	-	-	-	1	-
Female.....	35	-	-	-	-	-	-	1	-	-	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cerebrovascular diseases (I60-I69)												
All origins, both sexes.....	162,672	117	53	33	58	53	118	183	384	797	1,628	2,615
Male.....	62,622	67	30	16	31	34	69	100	184	389	789	1,402
Female.....	100,050	50	23	17	27	19	49	83	200	408	839	1,213
Hispanic, both sexes.....	6,451	20	12	5	15	10	19	40	53	94	162	269
Male.....	3,003	9	5	1	6	6	11	29	32	57	97	169
Female.....	3,448	11	7	4	9	4	8	11	21	37	65	100
Mexican, both sexes.....	3,758	17	10	3	7	8	17	25	42	63	90	166
Male.....	1,808	7	4	1	4	5	9	18	29	40	50	106
Female.....	1,950	10	6	2	3	3	8	7	13	23	40	60
Puerto Rican, both sexes.....	726	1	-	2	3	2	-	5	5	10	21	27
Male.....	371	-	-	-	-	1	-	3	2	4	15	16
Female.....	355	1	-	2	3	1	-	2	3	6	6	11
Cuban, both sexes.....	645	-	1	-	1	-	-	-	-	2	11	10
Male.....	271	-	1	-	-	-	-	-	-	2	5	7
Female.....	374	-	-	-	1	-	-	-	-	-	6	3
Central and South American, both sexes.....	626	-	1	-	2	-	1	7	5	12	28	48
Male.....	247	-	-	-	1	-	1	6	1	6	18	31
Female.....	379	-	1	-	1	-	-	1	4	6	10	17
Other and Unknown Hispanic, both sexes.....	696	2	-	-	2	-	1	3	1	7	12	18
Male.....	306	2	-	-	1	-	1	2	-	5	9	9
Female.....	390	-	-	-	1	-	-	1	1	2	3	9
Non-Hispanic 1/, both sexes.....	155,852	96	41	28	43	43	99	143	331	699	1,462	2,337
Male.....	59,470	57	25	15	25	28	58	71	152	330	689	1,227
Female.....	96,382	39	16	13	18	15	41	72	179	369	773	1,110
Non-Hispanic white, both sexes.....	133,118	51	29	20	24	28	73	85	200	412	876	1,407
Male.....	49,908	32	18	10	13	17	45	47	89	195	422	765
Female.....	83,210	19	11	10	11	11	28	38	111	217	454	642
Non-Hispanic black, both sexes.....	18,691	36	10	7	16	13	25	50	116	237	504	807
Male.....	7,754	19	6	4	11	10	12	20	52	102	229	398
Female.....	10,937	17	4	3	5	3	13	30	64	135	275	409
Origin not stated 2/, both sexes.....	369	1	-	-	-	-	-	-	-	4	4	9
Male.....	149	1	-	-	-	-	-	-	-	2	3	6
Female.....	220	-	-	-	-	-	-	-	-	2	1	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of circulatory system (I71-I78)												
All origins, both sexes.....	24,927	14	4	1	10	31	35	51	109	154	291	479
Male.....	13,309	6	4	-	5	19	24	30	71	81	210	331
Female.....	11,618	8	-	1	5	12	11	21	38	73	81	148
Hispanic, both sexes.....	847	1	-	-	1	6	6	6	16	15	29	29
Male.....	463	-	-	-	-	4	4	4	10	9	22	19
Female.....	384	1	-	-	1	2	2	2	6	6	7	10
Mexican, both sexes.....	416	-	-	-	-	2	3	3	8	8	14	19
Male.....	227	-	-	-	-	1	2	2	6	7	10	11
Female.....	189	-	-	-	-	1	1	1	2	1	4	8
Puerto Rican, both sexes.....	110	-	-	-	-	1	1	-	2	3	8	6
Male.....	57	-	-	-	-	-	1	-	1	1	7	4
Female.....	53	-	-	-	-	1	-	-	1	2	1	2
Cuban, both sexes.....	101	-	-	-	-	-	-	2	1	-	-	1
Male.....	59	-	-	-	-	-	-	1	-	-	-	1
Female.....	42	-	-	-	-	-	-	1	1	-	-	-
Central and South American, both sexes.....	118	-	-	-	-	1	1	-	3	2	5	2
Male.....	70	-	-	-	-	1	1	-	3	1	3	2
Female.....	48	-	-	-	-	-	-	-	-	1	2	-
Other and Unknown Hispanic, both sexes.....	102	1	-	-	1	2	1	1	2	2	2	1
Male.....	50	-	-	-	-	2	-	1	-	-	2	1
Female.....	52	1	-	-	1	-	1	-	2	2	-	-
Non-Hispanic 1/, both sexes.....	24,005	13	4	1	9	25	29	45	92	137	259	449
Male.....	12,809	6	4	-	5	15	20	26	60	71	186	312
Female.....	11,196	7	-	1	4	10	9	19	32	66	73	137
Non-Hispanic white, both sexes.....	21,051	10	4	1	3	20	17	29	57	98	174	301
Male.....	11,337	5	4	-	2	12	11	18	36	53	127	220
Female.....	9,714	5	-	1	1	8	6	11	21	45	47	81
Non-Hispanic black, both sexes.....	2,495	3	-	-	5	3	9	15	31	32	80	134
Male.....	1,196	1	-	-	2	1	6	8	22	15	56	79
Female.....	1,299	2	-	-	3	2	3	7	9	17	24	55
Origin not stated 2/, both sexes.....	75	-	-	-	-	-	-	-	1	2	3	1
Male.....	37	-	-	-	-	-	-	-	1	1	2	-
Female.....	38	-	-	-	-	-	-	-	-	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Aortic aneurysm and dissection (I71)												
All origins, both sexes.....	14,818	2	-	1	4	20	19	30	80	104	201	327
Male.....	9,013	-	-	-	3	17	15	25	57	67	162	249
Female.....	5,805	2	-	1	1	3	4	5	23	37	39	78
Hispanic, both sexes.....	431	-	-	-	-	4	4	3	13	9	15	17
Male.....	284	-	-	-	-	3	2	3	9	8	12	15
Female.....	147	-	-	-	-	1	2	-	4	1	3	2
Mexican, both sexes.....	181	-	-	-	-	2	1	1	8	6	7	9
Male.....	125	-	-	-	-	1	-	1	6	6	6	8
Female.....	56	-	-	-	-	1	1	-	2	-	1	1
Puerto Rican, both sexes.....	62	-	-	-	-	-	1	-	2	2	4	4
Male.....	39	-	-	-	-	-	1	-	1	1	4	3
Female.....	23	-	-	-	-	-	-	-	1	1	-	1
Cuban, both sexes.....	53	-	-	-	-	-	-	1	-	-	-	1
Male.....	36	-	-	-	-	-	-	1	-	-	-	1
Female.....	17	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	80	-	-	-	-	1	1	-	2	1	4	2
Male.....	56	-	-	-	-	1	1	-	2	1	2	2
Female.....	24	-	-	-	-	-	-	-	-	-	2	-
Other and Unknown Hispanic, both sexes.....	55	-	-	-	-	1	1	1	1	-	-	1
Male.....	28	-	-	-	-	1	-	1	-	-	-	1
Female.....	27	-	-	-	-	-	1	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	14,341	2	-	1	4	16	15	27	66	93	184	309
Male.....	8,701	-	-	-	3	14	13	22	47	58	149	234
Female.....	5,640	2	-	1	1	2	2	5	19	35	35	75
Non-Hispanic white, both sexes.....	12,831	2	-	1	1	14	9	18	39	71	121	203
Male.....	7,834	-	-	-	1	12	7	15	28	43	99	158
Female.....	4,997	2	-	1	-	2	2	3	11	28	22	45
Non-Hispanic black, both sexes.....	1,200	-	-	-	3	1	4	9	24	19	60	95
Male.....	664	-	-	-	2	1	4	7	17	13	48	66
Female.....	536	-	-	-	1	-	-	2	7	6	12	29
Origin not stated 2/, both sexes.....	46	-	-	-	-	-	-	-	1	2	2	1
Male.....	28	-	-	-	-	-	-	-	1	1	1	-
Female.....	18	-	-	-	-	-	-	-	-	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Influenza and pneumonia (J10-J18)												
All origins, both sexes.....	65,681	263	110	38	53	75	92	135	210	367	604	887
Male.....	28,918	162	63	15	23	41	56	68	122	197	349	519
Female.....	36,763	101	47	23	30	34	36	67	88	170	255	368
Hispanic, both sexes.....	2,824	48	17	6	8	9	10	18	25	37	40	61
Male.....	1,398	33	11	2	4	6	5	12	14	23	29	41
Female.....	1,426	15	6	4	4	3	5	6	11	14	11	20
Mexican, both sexes.....	1,469	36	14	4	4	7	6	8	13	14	21	32
Male.....	763	24	10	2	2	5	3	6	8	12	18	21
Female.....	706	12	4	2	2	2	3	2	5	2	3	11
Puerto Rican, both sexes.....	412	3	1	-	2	1	2	4	4	12	8	11
Male.....	192	2	1	-	1	1	1	1	-	7	3	10
Female.....	220	1	-	-	1	-	1	3	4	5	5	1
Cuban, both sexes.....	329	-	-	-	-	-	-	-	2	-	3	2
Male.....	147	-	-	-	-	-	-	-	2	-	2	2
Female.....	182	-	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.....	279	4	1	1	1	-	1	2	2	3	2	9
Male.....	120	4	-	-	-	-	-	1	1	1	1	3
Female.....	159	-	1	1	1	-	1	1	1	2	1	6
Other and Unknown Hispanic, both sexes.....	335	5	1	1	1	1	1	4	4	8	6	7
Male.....	176	3	-	-	1	-	1	4	3	3	5	5
Female.....	159	2	1	1	-	1	-	-	1	5	1	2
Non-Hispanic 1/, both sexes.....	62,657	213	92	32	44	65	82	116	184	328	561	820
Male.....	27,417	128	52	13	19	34	51	55	107	174	317	473
Female.....	35,240	85	40	19	25	31	31	61	77	154	244	347
Non-Hispanic white, both sexes.....	55,419	114	46	23	32	42	61	83	124	219	398	611
Male.....	23,934	73	24	8	12	24	38	38	73	113	227	344
Female.....	31,485	41	22	15	20	18	23	45	51	106	171	267
Non-Hispanic black, both sexes.....	5,803	86	40	7	11	18	20	27	53	101	149	189
Male.....	2,734	47	22	4	6	8	12	13	30	54	82	116
Female.....	3,069	39	18	3	5	10	8	14	23	47	67	73
Origin not stated 2/, both sexes.....	200	2	1	-	1	1	-	1	1	2	3	6
Male.....	103	1	-	-	-	1	-	1	1	-	3	5
Female.....	97	1	1	-	1	-	-	-	-	2	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia (J12-J18)												
All origins, both sexes.....	64,954	256	105	33	46	70	90	132	209	364	599	879
Male.....	28,629	157	60	14	22	39	54	66	122	195	347	512
Female.....	36,325	99	45	19	24	31	36	66	87	169	252	367
Hispanic, both sexes.....	2,805	46	17	3	7	9	10	17	25	36	40	60
Male.....	1,388	31	11	1	3	6	5	11	14	22	29	40
Female.....	1,417	15	6	2	4	3	5	6	11	14	11	20
Mexican, both sexes.....	1,462	36	14	2	4	7	6	7	13	13	21	32
Male.....	760	24	10	1	2	5	3	5	8	11	18	21
Female.....	702	12	4	1	2	2	3	2	5	2	3	11
Puerto Rican, both sexes.....	410	2	1	-	1	1	2	4	4	12	8	11
Male.....	190	1	1	-	-	1	1	1	-	7	3	10
Female.....	220	1	-	-	1	-	1	3	4	5	5	1
Cuban, both sexes.....	328	-	-	-	-	-	-	-	2	-	3	2
Male.....	147	-	-	-	-	-	-	-	2	-	2	2
Female.....	181	-	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.....	275	3	1	-	1	-	1	2	2	3	2	8
Male.....	117	3	-	-	-	-	-	1	1	1	1	2
Female.....	158	-	1	-	1	-	1	1	1	2	1	6
Other and Unknown Hispanic, both sexes.....	330	5	1	1	1	1	1	4	4	8	6	7
Male.....	174	3	-	-	1	-	1	4	3	3	5	5
Female.....	156	2	1	1	-	1	-	-	1	5	1	2
Non-Hispanic 1/, both sexes.....	61,953	208	87	30	38	60	80	114	183	326	556	813
Male.....	27,140	125	49	13	19	32	49	54	107	173	315	467
Female.....	34,813	83	38	17	19	28	31	60	76	153	241	346
Non-Hispanic white, both sexes.....	54,756	111	44	22	27	39	59	81	123	217	393	604
Male.....	23,676	72	23	8	12	24	36	37	73	112	225	338
Female.....	31,080	39	21	14	15	15	23	44	50	105	168	266
Non-Hispanic black, both sexes.....	5,773	85	37	6	10	16	20	27	53	101	149	189
Male.....	2,719	46	20	4	6	6	12	13	30	54	82	116
Female.....	3,054	39	17	2	4	10	8	14	23	47	67	73
Origin not stated 2/, both sexes.....	196	2	1	-	1	1	-	1	1	2	3	6
Male.....	101	1	-	-	-	1	-	1	1	-	3	5
Female.....	95	1	1	-	1	-	-	-	-	2	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)												
All origins, both sexes.....	25,039	278	85	41	43	51	75	70	115	191	337	522
Male.....	12,057	164	56	21	18	29	39	31	57	101	180	263
Female.....	12,982	114	29	20	25	22	36	39	58	90	157	259
Hispanic, both sexes.....	1,273	43	18	8	6	6	5	11	16	13	26	45
Male.....	635	21	14	4	4	4	5	5	13	9	14	23
Female.....	638	22	4	4	2	2	-	6	3	4	12	22
Mexican, both sexes.....	701	33	14	7	4	4	2	8	10	11	10	25
Male.....	346	15	12	4	2	3	2	3	7	8	6	13
Female.....	355	18	2	3	2	1	-	5	3	3	4	12
Puerto Rican, both sexes.....	154	1	-	-	1	-	1	2	3	1	5	5
Male.....	75	-	-	-	1	-	1	2	3	1	1	2
Female.....	79	1	-	-	-	-	-	-	-	-	4	3
Cuban, both sexes.....	124	-	1	-	-	1	-	-	-	-	2	3
Male.....	60	-	-	-	-	-	-	-	-	-	-	2
Female.....	64	-	1	-	-	1	-	-	-	-	2	1
Central and South American, both sexes.....	128	5	2	1	-	1	1	1	-	-	5	4
Male.....	64	3	1	-	-	1	1	-	-	-	4	3
Female.....	64	2	1	1	-	-	-	1	-	-	1	1
Other and Unknown Hispanic, both sexes.....	166	4	1	-	1	-	1	-	3	1	4	8
Male.....	90	3	1	-	1	-	1	-	3	-	3	3
Female.....	76	1	-	-	-	-	-	-	-	1	1	5
Non-Hispanic 1/, both sexes.....	23,706	235	67	33	37	45	70	59	99	177	310	472
Male.....	11,397	143	42	17	14	25	34	26	44	92	166	238
Female.....	12,309	92	25	16	23	20	36	33	55	85	144	234
Non-Hispanic white, both sexes.....	20,879	109	39	21	22	30	40	39	66	118	221	318
Male.....	10,043	67	26	13	6	15	24	17	28	61	117	162
Female.....	10,836	42	13	8	16	15	16	22	38	57	104	156
Non-Hispanic black, both sexes.....	2,257	112	28	12	13	15	26	18	29	51	82	138
Male.....	1,076	67	16	4	6	10	9	7	16	26	47	66
Female.....	1,181	45	12	8	7	5	17	11	13	25	35	72
Origin not stated 2/, both sexes.....	60	-	-	-	-	-	-	-	-	1	1	5
Male.....	25	-	-	-	-	-	-	-	-	-	-	2
Female.....	35	-	-	-	-	-	-	-	-	1	1	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Chronic liver disease and cirrhosis (K70,K73-K74)												
All origins, both sexes.....	27,257	6	3	1	5	7	24	77	297	929	2,225	3,404
Male.....	17,401	6	1	1	2	3	11	46	190	605	1,474	2,442
Female.....	9,856	-	2	-	3	4	13	31	107	324	751	962
Hispanic, both sexes.....	3,409	1	1	1	1	2	7	18	63	162	345	478
Male.....	2,437	1	-	1	-	-	5	13	49	127	283	397
Female.....	972	-	1	-	1	2	2	5	14	35	62	81
Mexican, both sexes.....	2,251	1	1	1	-	1	4	13	47	111	244	315
Male.....	1,624	1	-	1	-	-	3	10	38	88	200	260
Female.....	627	-	1	-	-	1	1	3	9	23	44	55
Puerto Rican, both sexes.....	405	-	-	-	-	1	1	1	2	10	34	61
Male.....	295	-	-	-	-	-	1	-	1	7	27	50
Female.....	110	-	-	-	-	1	-	1	1	3	7	11
Cuban, both sexes.....	134	-	-	-	-	-	-	-	1	-	4	12
Male.....	78	-	-	-	-	-	-	-	1	-	3	10
Female.....	56	-	-	-	-	-	-	-	-	-	1	2
Central and South American, both sexes.....	259	-	-	-	-	-	2	4	10	22	27	31
Male.....	175	-	-	-	-	-	1	3	7	18	24	26
Female.....	84	-	-	-	-	-	1	1	3	4	3	5
Other and Unknown Hispanic, both sexes.....	360	-	-	-	1	-	-	-	3	19	36	59
Male.....	265	-	-	-	-	-	-	-	2	14	29	51
Female.....	95	-	-	-	1	-	-	-	1	5	7	8
Non-Hispanic 1/, both sexes.....	23,733	5	2	-	4	5	17	58	233	760	1,872	2,907
Male.....	14,876	5	1	-	2	3	6	32	140	474	1,184	2,029
Female.....	8,857	-	1	-	2	2	11	26	93	286	688	878
Non-Hispanic white, both sexes.....	20,353	4	2	-	3	5	12	37	167	603	1,545	2,353
Male.....	12,800	4	1	-	2	3	5	21	109	376	995	1,682
Female.....	7,553	-	1	-	1	2	7	16	58	227	550	671
Non-Hispanic black, both sexes.....	2,545	1	-	-	1	-	5	12	37	84	229	440
Male.....	1,592	1	-	-	-	-	1	7	19	49	131	274
Female.....	953	-	-	-	1	-	4	5	18	35	98	166
Origin not stated 2/, both sexes.....	115	-	-	-	-	-	-	1	1	7	8	19
Male.....	88	-	-	-	-	-	-	1	1	4	7	16
Female.....	27	-	-	-	-	-	-	-	-	3	1	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alcoholic liver disease (K70)												
All origins, both sexes.....	12,121	-	1	-	-	-	8	43	199	607	1,364	1,998
Male.....	8,814	-	1	-	-	-	6	32	130	392	913	1,450
Female.....	3,307	-	-	-	-	-	2	11	69	215	451	548
Hispanic, both sexes.....	1,679	-	-	-	-	-	4	12	41	112	209	282
Male.....	1,418	-	-	-	-	-	4	12	35	94	177	236
Female.....	261	-	-	-	-	-	-	-	6	18	32	46
Mexican, both sexes.....	1,142	-	-	-	-	-	3	9	29	79	149	192
Male.....	966	-	-	-	-	-	3	9	26	67	124	160
Female.....	176	-	-	-	-	-	-	-	3	12	25	32
Puerto Rican, both sexes.....	162	-	-	-	-	-	-	-	1	4	15	25
Male.....	132	-	-	-	-	-	-	-	1	3	14	19
Female.....	30	-	-	-	-	-	-	-	-	1	1	6
Cuban, both sexes.....	35	-	-	-	-	-	-	-	1	-	2	4
Male.....	33	-	-	-	-	-	-	-	1	-	2	4
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	143	-	-	-	-	-	1	3	7	15	20	21
Male.....	120	-	-	-	-	-	1	3	5	14	18	18
Female.....	23	-	-	-	-	-	-	-	2	1	2	3
Other and Unknown Hispanic, both sexes.....	197	-	-	-	-	-	-	-	3	14	23	40
Male.....	167	-	-	-	-	-	-	-	2	10	19	35
Female.....	30	-	-	-	-	-	-	-	1	4	4	5
Non-Hispanic 1/, both sexes.....	10,377	-	1	-	-	-	4	31	157	490	1,149	1,703
Male.....	7,342	-	1	-	-	-	2	20	94	296	731	1,203
Female.....	3,035	-	-	-	-	-	2	11	63	194	418	500
Non-Hispanic white, both sexes.....	8,713	-	1	-	-	-	1	19	114	386	949	1,408
Male.....	6,242	-	1	-	-	-	1	13	74	231	607	1,012
Female.....	2,471	-	-	-	-	-	-	6	40	155	342	396
Non-Hispanic black, both sexes.....	1,173	-	-	-	-	-	3	6	20	46	123	209
Male.....	783	-	-	-	-	-	1	4	10	27	76	136
Female.....	390	-	-	-	-	-	2	2	10	19	47	73
Origin not stated 2/, both sexes.....	65	-	-	-	-	-	-	-	1	5	6	13
Male.....	54	-	-	-	-	-	-	-	1	2	5	11
Female.....	11	-	-	-	-	-	-	-	-	3	1	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
All origins, both sexes.....	40,974	173	14	9	12	21	63	107	162	274	475	790
Male.....	19,695	109	7	5	7	10	31	44	85	148	259	454
Female.....	21,279	64	7	4	5	11	32	63	77	126	216	336
Hispanic, both sexes.....	1,898	35	5	2	3	-	9	12	21	23	42	57
Male.....	937	21	1	1	2	-	5	3	9	12	26	29
Female.....	961	14	4	1	1	-	4	9	12	11	16	28
Mexican, both sexes.....	1,100	25	4	1	2	-	4	8	13	17	20	41
Male.....	514	16	-	1	1	-	2	1	4	9	14	24
Female.....	586	9	4	-	1	-	2	7	9	8	6	17
Puerto Rican, both sexes.....	240	6	-	-	-	-	2	1	3	-	11	4
Male.....	134	2	-	-	-	-	1	1	1	-	9	1
Female.....	106	4	-	-	-	-	1	-	2	-	2	3
Cuban, both sexes.....	170	2	-	-	-	-	-	-	1	-	1	2
Male.....	92	1	-	-	-	-	-	-	1	-	-	2
Female.....	78	1	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.....	159	2	1	1	1	-	2	3	3	3	4	2
Male.....	83	2	1	-	1	-	1	1	3	1	-	1
Female.....	76	-	-	1	-	-	1	2	-	2	4	1
Other and Unknown Hispanic, both sexes.....	229	-	-	-	-	-	1	-	1	3	6	8
Male.....	114	-	-	-	-	-	1	-	-	2	3	1
Female.....	115	-	-	-	-	-	-	-	1	1	3	7
Non-Hispanic 1/, both sexes.....	38,933	138	9	7	9	21	54	94	141	250	431	728
Male.....	18,682	88	6	4	5	10	26	41	76	135	232	422
Female.....	20,251	50	3	3	4	11	28	53	65	115	199	306
Non-Hispanic white, both sexes.....	30,669	77	5	5	5	10	23	44	75	127	226	403
Male.....	14,883	49	3	3	3	5	12	20	44	70	121	234
Female.....	15,786	28	2	2	2	5	11	24	31	57	105	169
Non-Hispanic black, both sexes.....	7,410	55	4	2	3	10	26	48	60	114	192	296
Male.....	3,389	35	3	1	1	4	11	20	29	59	102	172
Female.....	4,021	20	1	1	2	6	15	28	31	55	90	124
Origin not stated 2/, both sexes.....	143	-	-	-	-	-	-	1	-	1	2	5
Male.....	76	-	-	-	-	-	-	-	-	1	1	3
Female.....	67	-	-	-	-	-	-	1	-	-	1	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)												
All origins, both sexes.....	553	2	-	1	2	2	2	10	13	13	13	28
Male.....	278	1	-	-	1	1	2	4	9	7	7	10
Female.....	275	1	-	1	1	1	-	6	4	6	6	18
Hispanic, both sexes.....	32	-	-	1	1	-	-	1	2	1	1	2
Male.....	15	-	-	-	-	-	-	1	2	-	-	-
Female.....	17	-	-	1	1	-	-	-	-	1	1	2
Mexican, both sexes.....	18	-	-	-	1	-	-	1	-	1	-	2
Male.....	6	-	-	-	-	-	-	1	-	-	-	-
Female.....	12	-	-	-	1	-	-	-	-	1	-	2
Puerto Rican, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Cuban, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	9	-	-	1	-	-	-	-	2	-	-	-
Male.....	7	-	-	-	-	-	-	-	2	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	520	2	-	-	1	2	2	8	11	12	12	26
Male.....	263	1	-	-	1	1	2	3	7	7	7	10
Female.....	257	1	-	-	-	1	-	5	4	5	5	16
Non-Hispanic white, both sexes.....	419	-	-	-	-	2	1	5	7	10	10	17
Male.....	218	-	-	-	-	1	1	2	5	6	5	8
Female.....	201	-	-	-	-	1	-	3	2	4	5	9
Non-Hispanic black, both sexes.....	80	2	-	-	-	-	1	3	3	1	2	9
Male.....	37	1	-	-	-	-	1	1	2	-	2	2
Female.....	43	1	-	-	-	-	-	2	1	1	-	7
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pregnancy, childbirth and the puerperium (000-099)												
All origins, both sexes.....	379	1	28	61	82	93	79	26	8
Male.....
Female.....	379	1	28	61	82	93	79	26	8
Hispanic, both sexes.....	70	-	6	13	10	18	16	5	2
Male.....
Female.....	70	-	6	13	10	18	16	5	2
Mexican, both sexes.....	54	-	5	8	9	15	12	3	2
Male.....
Female.....	54	-	5	8	9	15	12	3	2
Puerto Rican, both sexes.....	3	-	1	1	-	-	1	-	-
Male.....
Female.....	3	-	1	1	-	-	1	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	8	-	-	1	1	2	2	2	-
Male.....
Female.....	8	-	-	1	1	2	2	2	-
Other and Unknown Hispanic, both sexes.....	5	-	-	3	-	1	1	-	-
Male.....
Female.....	5	-	-	3	-	1	1	-	-
Non-Hispanic 1/, both sexes.....	305	1	22	47	71	74	62	21	6
Male.....
Female.....	305	1	22	47	71	74	62	21	6
Non-Hispanic white, both sexes.....	133	-	6	15	31	38	25	14	3
Male.....
Female.....	133	-	6	15	31	38	25	14	3
Non-Hispanic black, both sexes.....	153	1	16	29	37	27	34	7	2
Male.....
Female.....	153	1	16	29	37	27	34	7	2
Origin not stated 2/, both sexes.....	4	-	-	1	1	1	1	-	-
Male.....
Female.....	4	-	-	1	1	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pregnancy with abortive outcome (000-007)												
All origins, both sexes.....	22	1	-	4	4	5	6	1	1
Male.....
Female.....	22	1	-	4	4	5	6	1	1
Hispanic, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-
Mexican, both sexes.....	1	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	20	1	-	4	3	5	5	1	1
Male.....
Female.....	20	1	-	4	3	5	5	1	1
Non-Hispanic white, both sexes.....	6	-	-	1	1	3	-	1	-
Male.....
Female.....	6	-	-	1	1	3	-	1	-
Non-Hispanic black, both sexes.....	11	1	-	2	2	2	4	-	-
Male.....
Female.....	11	1	-	2	2	2	4	-	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other complications of pregnancy, childbirth and the puerperium (010-099)												
All origins, both sexes.....	357	-	28	57	78	88	73	25	7
Male.....
Female.....	357	-	28	57	78	88	73	25	7
Hispanic, both sexes.....	69	-	6	13	9	18	16	5	2
Male.....
Female.....	69	-	6	13	9	18	16	5	2
Mexican, both sexes.....	53	-	5	8	8	15	12	3	2
Male.....
Female.....	53	-	5	8	8	15	12	3	2
Puerto Rican, both sexes.....	3	-	1	1	-	-	1	-	-
Male.....
Female.....	3	-	1	1	-	-	1	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	8	-	-	1	1	2	2	2	-
Male.....
Female.....	8	-	-	1	1	2	2	2	-
Other and Unknown Hispanic, both sexes.....	5	-	-	3	-	1	1	-	-
Male.....
Female.....	5	-	-	3	-	1	1	-	-
Non-Hispanic 1/, both sexes.....	285	-	22	43	68	69	57	20	5
Male.....
Female.....	285	-	22	43	68	69	57	20	5
Non-Hispanic white, both sexes.....	127	-	6	14	30	35	25	13	3
Male.....
Female.....	127	-	6	14	30	35	25	13	3
Non-Hispanic black, both sexes.....	142	-	16	27	35	25	30	7	2
Male.....
Female.....	142	-	16	27	35	25	30	7	2
Origin not stated 2/, both sexes.....	3	-	-	1	1	1	-	-	-
Male.....
Female.....	3	-	-	1	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
All origins, both sexes.....	10,687	5,623	530	199	218	248	244	213	262	264	308	346
Male.....	5,515	2,942	282	99	116	146	136	132	152	132	164	195
Female.....	5,172	2,681	248	100	102	102	108	81	110	132	144	151
Hispanic, both sexes.....	1,715	1,257	111	40	30	37	30	23	30	23	17	21
Male.....	903	653	60	18	17	22	17	14	22	11	8	12
Female.....	812	604	51	22	13	15	13	9	8	12	9	9
Mexican, both sexes.....	1,240	932	85	27	28	25	22	18	12	10	13	16
Male.....	653	489	45	13	16	16	12	12	9	2	6	9
Female.....	587	443	40	14	12	9	10	6	3	8	7	7
Puerto Rican, both sexes.....	130	87	9	4	-	2	2	1	8	3	2	1
Male.....	69	43	5	3	-	1	2	-	6	3	1	1
Female.....	61	44	4	1	-	1	-	1	2	-	1	-
Cuban, both sexes.....	29	14	-	1	-	-	-	-	-	2	-	-
Male.....	15	6	-	1	-	-	-	-	-	1	-	-
Female.....	14	8	-	-	-	-	-	-	-	1	-	-
Central and South American, both sexes.....	173	121	5	5	2	6	3	4	6	5	-	4
Male.....	82	55	2	-	1	4	2	2	4	2	-	2
Female.....	91	66	3	5	1	2	1	2	2	3	-	2
Other and Unknown Hispanic, both sexes.....	143	103	12	3	-	4	3	-	4	3	2	-
Male.....	84	60	8	1	-	1	1	-	3	3	1	-
Female.....	59	43	4	2	-	3	2	-	1	-	1	-
Non-Hispanic 1/, both sexes.....	8,904	4,316	415	159	188	210	212	190	232	241	289	324
Male.....	4,577	2,262	221	81	99	124	117	118	130	121	155	182
Female.....	4,327	2,054	194	78	89	86	95	72	102	120	134	142
Non-Hispanic white, both sexes.....	6,830	3,068	281	117	136	153	162	146	185	191	232	270
Male.....	3,510	1,643	151	58	67	90	88	90	105	96	127	150
Female.....	3,320	1,425	130	59	69	63	74	56	80	95	105	120
Non-Hispanic black, both sexes.....	1,716	1,015	113	38	43	52	46	35	40	40	52	46
Male.....	887	506	58	22	25	33	26	22	21	18	27	26
Female.....	829	509	55	16	18	19	20	13	19	22	25	20
Origin not stated 2/, both sexes.....	68	50	4	-	-	1	2	-	-	-	2	1
Male.....	35	27	1	-	-	-	2	-	-	-	1	1
Female.....	33	23	3	-	-	1	-	-	-	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
All origins, both sexes.....	29,975	3,456	248	61	78	256	484	562	757	1,013	1,389	1,368
Male.....	14,269	2,032	145	37	45	172	329	391	514	670	870	895
Female.....	15,706	1,424	103	24	33	84	155	171	243	343	519	473
Hispanic, both sexes.....	1,548	472	40	4	7	34	57	68	81	81	96	65
Male.....	926	283	26	3	4	20	42	51	65	60	60	40
Female.....	622	189	14	1	3	14	15	17	16	21	36	25
Mexican, both sexes.....	866	336	22	1	2	25	31	31	40	36	47	30
Male.....	516	204	11	1	2	17	25	21	31	29	25	19
Female.....	350	132	11	-	-	8	6	10	9	7	22	11
Puerto Rican, both sexes.....	236	55	8	2	3	2	12	15	17	16	17	17
Male.....	164	41	7	1	-	1	10	12	14	9	13	11
Female.....	72	14	1	1	3	1	2	3	3	7	4	6
Cuban, both sexes.....	70	4	-	-	-	-	1	-	5	3	6	2
Male.....	39	1	-	-	-	-	-	-	5	2	5	2
Female.....	31	3	-	-	-	-	1	-	-	1	1	-
Central and South American, both sexes.....	181	29	4	1	-	5	10	19	13	20	14	6
Male.....	112	15	3	1	-	2	6	16	11	16	11	3
Female.....	69	14	1	-	-	3	4	3	2	4	3	3
Other and Unknown Hispanic, both sexes.....	195	48	6	-	2	2	3	3	6	6	12	10
Male.....	95	22	5	-	2	-	1	2	4	4	6	5
Female.....	100	26	1	-	-	2	2	1	2	2	6	5
Non-Hispanic 1/, both sexes.....	28,211	2,968	207	56	70	220	423	492	670	925	1,281	1,292
Male.....	13,206	1,739	119	34	40	150	284	338	445	605	803	849
Female.....	15,005	1,229	88	22	30	70	139	154	225	320	478	443
Non-Hispanic white, both sexes.....	23,099	1,777	124	30	41	157	311	354	495	689	975	955
Male.....	10,432	1,056	66	19	25	108	218	252	329	454	617	629
Female.....	12,667	721	58	11	16	49	93	102	166	235	358	326
Non-Hispanic black, both sexes.....	4,556	1,070	66	24	26	57	95	119	156	216	274	302
Male.....	2,482	615	44	14	14	39	53	71	103	138	167	198
Female.....	2,074	455	22	10	12	18	42	48	53	78	107	104
Origin not stated 2/, both sexes.....	216	16	1	1	1	2	4	2	6	7	12	11
Male.....	137	10	-	-	1	2	3	2	4	5	7	6
Female.....	79	6	1	1	-	-	1	-	2	2	5	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)												
All origins, both sexes.....	194,591	1,144	661	386	482	717	1,136	1,256	1,880	3,099	5,407	7,159
Male.....	79,007	690	363	220	266	423	649	714	1,123	1,800	3,219	4,305
Female.....	115,584	454	298	166	216	294	487	542	757	1,299	2,188	2,854
Hispanic, both sexes.....	8,377	209	120	74	77	100	150	173	236	307	450	530
Male.....	4,221	116	66	47	42	54	94	109	152	201	316	355
Female.....	4,156	93	54	27	35	46	56	64	84	106	134	175
Mexican, both sexes.....	4,681	158	94	60	53	75	101	114	154	183	253	320
Male.....	2,435	90	48	37	28	40	67	71	100	127	173	218
Female.....	2,246	68	46	23	25	35	34	43	54	56	80	102
Puerto Rican, both sexes.....	1,102	15	9	3	8	10	16	15	29	48	78	76
Male.....	556	8	7	3	4	6	8	8	15	32	54	45
Female.....	546	7	2	-	4	4	8	7	14	16	24	31
Cuban, both sexes.....	745	3	-	1	1	2	3	4	4	10	9	12
Male.....	327	2	-	1	1	2	2	4	2	8	6	11
Female.....	418	1	-	-	-	-	1	-	2	2	3	1
Central and South American, both sexes.....	717	15	10	6	8	8	19	23	27	32	41	44
Male.....	357	8	7	5	6	5	11	14	20	15	32	32
Female.....	360	7	3	1	2	3	8	9	7	17	9	12
Other and Unknown Hispanic, both sexes.....	1,132	18	7	4	7	5	11	17	22	34	69	78
Male.....	546	8	4	1	3	1	6	12	15	19	51	49
Female.....	586	10	3	3	4	4	5	5	7	15	18	29
Non-Hispanic 1/, both sexes.....	185,608	927	538	311	404	615	985	1,076	1,638	2,774	4,937	6,591
Male.....	74,500	572	294	172	224	368	555	601	967	1,589	2,886	3,923
Female.....	111,108	355	244	139	180	247	430	475	671	1,185	2,051	2,668
Non-Hispanic white, both sexes.....	159,945	578	352	221	284	451	651	720	1,111	1,938	3,607	4,895
Male.....	63,109	376	191	124	155	284	393	420	693	1,179	2,207	2,985
Female.....	96,836	202	161	97	129	167	258	300	418	759	1,400	1,910
Non-Hispanic black, both sexes.....	22,297	298	146	72	100	133	283	317	458	735	1,200	1,528
Male.....	9,722	167	80	37	58	66	139	155	233	354	594	834
Female.....	12,575	131	66	35	42	67	144	162	225	381	606	694
Origin not stated 2/, both sexes.....	606	8	3	1	1	2	1	7	6	18	20	38
Male.....	286	2	3	1	-	1	-	4	4	10	17	27
Female.....	320	6	-	-	1	1	1	3	2	8	3	11

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
All origins, both sexes.....	106,742	946	1,641	1,176	1,542	7,137	8,275	6,122	6,447	7,642	9,068	8,241
Male.....	69,257	553	1,024	720	993	4,981	6,457	4,768	4,867	5,535	6,477	5,940
Female.....	37,485	393	617	456	549	2,156	1,818	1,354	1,580	2,107	2,591	2,301
Hispanic, both sexes.....	10,106	127	341	199	190	984	1,429	1,082	945	898	943	685
Male.....	7,698	83	215	120	124	763	1,195	917	792	712	756	522
Female.....	2,408	44	126	79	66	221	234	165	153	186	187	163
Mexican, both sexes.....	6,599	90	263	154	130	724	1,006	767	626	589	559	410
Male.....	5,112	60	167	94	86	560	847	648	520	480	466	311
Female.....	1,487	30	96	60	44	164	159	119	106	109	93	99
Puerto Rican, both sexes.....	876	16	20	7	14	59	83	77	80	81	118	97
Male.....	631	6	13	3	7	46	67	63	68	60	88	72
Female.....	245	10	7	4	7	13	16	14	12	21	30	25
Cuban, both sexes.....	411	-	2	1	2	19	24	20	19	22	34	34
Male.....	290	-	2	-	1	17	22	15	17	17	25	24
Female.....	121	-	-	1	1	2	2	5	2	5	9	10
Central and South American, both sexes.....	1,178	8	31	25	24	100	199	149	149	117	91	62
Male.....	915	6	18	16	16	83	171	135	130	88	76	49
Female.....	263	2	13	9	8	17	28	14	19	29	15	13
Other and Unknown Hispanic, both sexes.....	1,042	13	25	12	20	82	117	69	71	89	141	82
Male.....	750	11	15	7	14	57	88	56	57	67	101	66
Female.....	292	2	10	5	6	25	29	13	14	22	40	16
Non-Hispanic 1/, both sexes.....	96,175	816	1,296	972	1,346	6,136	6,820	5,019	5,470	6,705	8,087	7,509
Male.....	61,201	468	806	596	865	4,208	5,240	3,835	4,047	4,790	5,692	5,380
Female.....	34,974	348	490	376	481	1,928	1,580	1,184	1,423	1,915	2,395	2,129
Non-Hispanic white, both sexes.....	80,605	462	865	616	965	5,099	5,565	3,921	4,423	5,358	6,677	6,080
Male.....	50,652	279	527	378	619	3,466	4,280	2,992	3,281	3,822	4,728	4,412
Female.....	29,953	183	338	238	346	1,633	1,285	929	1,142	1,536	1,949	1,668
Non-Hispanic black, both sexes.....	12,285	324	350	298	309	740	940	853	823	1,084	1,143	1,211
Male.....	8,428	172	231	180	211	541	719	665	614	786	776	836
Female.....	3,857	152	119	118	98	199	221	188	209	298	367	375
Origin not stated 2/, both sexes.....	461	3	4	5	6	17	26	21	32	39	38	47
Male.....	358	2	3	4	4	10	22	16	28	33	29	38
Female.....	103	1	1	1	2	7	4	5	4	6	9	9

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
All origins, both sexes.....	48,366	127	640	705	1,033	5,782	6,034	3,891	3,593	3,750	3,938	3,593
Male.....	33,533	72	381	405	634	3,875	4,596	2,990	2,686	2,703	2,796	2,638
Female.....	14,833	55	259	300	399	1,907	1,438	901	907	1,047	1,142	955
Hispanic, both sexes.....	5,921	26	182	138	139	785	1,090	760	580	480	450	317
Male.....	4,481	16	113	80	93	589	890	624	470	372	350	231
Female.....	1,440	10	69	58	46	196	200	136	110	108	100	86
Mexican, both sexes.....	4,116	19	152	109	97	589	784	551	412	335	290	209
Male.....	3,147	12	96	64	68	443	646	448	331	266	237	146
Female.....	969	7	56	45	29	146	138	103	81	69	53	63
Puerto Rican, both sexes.....	344	1	4	4	10	40	60	43	27	22	31	24
Male.....	240	-	1	2	4	29	49	33	22	17	21	18
Female.....	104	1	3	2	6	11	11	10	5	5	10	6
Cuban, both sexes.....	209	-	1	1	2	15	14	15	13	16	21	16
Male.....	157	-	1	-	1	14	12	10	13	12	15	14
Female.....	52	-	-	1	1	1	2	5	-	4	6	2
Central and South American, both sexes.....	761	3	14	14	16	75	142	115	95	76	53	39
Male.....	576	2	8	8	10	59	116	104	81	53	40	27
Female.....	185	1	6	6	6	16	26	11	14	23	13	12
Other and Unknown Hispanic, both sexes.....	491	3	11	10	14	66	90	36	33	31	55	29
Male.....	361	2	7	6	10	44	67	29	23	24	37	26
Female.....	130	1	4	4	4	22	23	7	10	7	18	3
Non-Hispanic 1/, both sexes.....	42,268	101	457	565	891	4,986	4,926	3,121	2,999	3,254	3,476	3,254
Male.....	28,906	56	267	323	539	3,280	3,690	2,359	2,203	2,318	2,437	2,388
Female.....	13,362	45	190	242	352	1,706	1,236	762	796	936	1,039	866
Non-Hispanic white, both sexes.....	34,689	59	300	392	684	4,195	3,951	2,345	2,358	2,547	2,842	2,659
Male.....	23,628	35	168	227	416	2,741	2,966	1,769	1,732	1,814	2,002	1,984
Female.....	11,061	24	132	165	268	1,454	985	576	626	733	840	675
Non-Hispanic black, both sexes.....	5,665	36	121	145	157	554	721	598	491	547	486	469
Male.....	4,051	18	79	79	98	381	536	465	372	397	336	334
Female.....	1,614	18	42	66	59	173	185	133	119	150	150	135
Origin not stated 2/, both sexes.....	177	-	1	2	3	11	18	10	14	16	12	22
Male.....	146	-	1	2	2	6	16	7	13	13	9	19
Female.....	31	-	-	-	1	5	2	3	1	3	3	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
All origins, both sexes.....	45,380	123	610	664	950	5,634	5,825	3,731	3,361	3,462	3,615	3,240
Male.....	31,064	68	361	385	578	3,765	4,413	2,855	2,494	2,459	2,525	2,328
Female.....	14,316	55	249	279	372	1,869	1,412	876	867	1,003	1,090	912
Hispanic, both sexes.....	5,659	26	176	129	130	763	1,047	737	557	458	427	294
Male.....	4,262	16	108	74	89	571	850	604	448	353	330	213
Female.....	1,397	10	68	55	41	192	197	133	109	105	97	81
Mexican, both sexes.....	3,955	19	147	102	95	577	757	538	398	316	276	195
Male.....	3,012	12	92	58	67	433	620	438	318	250	225	135
Female.....	943	7	55	44	28	144	137	100	80	66	51	60
Puerto Rican, both sexes.....	326	1	4	4	8	39	57	41	26	22	28	21
Male.....	229	-	1	2	4	28	47	31	21	17	19	17
Female.....	97	1	3	2	4	11	10	10	5	5	9	4
Cuban, both sexes.....	195	-	1	1	1	14	13	15	10	15	20	13
Male.....	144	-	1	-	1	13	11	10	10	11	14	11
Female.....	51	-	-	1	-	1	2	5	-	4	6	2
Central and South American, both sexes.....	721	3	14	13	15	70	133	107	91	74	51	38
Male.....	542	2	8	8	9	56	108	96	77	51	38	26
Female.....	179	1	6	5	6	14	25	11	14	23	13	12
Other and Unknown Hispanic, both sexes.....	462	3	10	9	11	63	87	36	32	31	52	27
Male.....	335	2	6	6	8	41	64	29	22	24	34	24
Female.....	127	1	4	3	3	22	23	7	10	7	18	3
Non-Hispanic 1/, both sexes.....	39,567	97	433	533	817	4,861	4,760	2,985	2,792	2,990	3,179	2,927
Male.....	26,677	52	252	309	487	3,188	3,547	2,245	2,035	2,095	2,189	2,098
Female.....	12,890	45	181	224	330	1,673	1,213	740	757	895	990	829
Non-Hispanic white, both sexes.....	32,405	56	280	370	630	4,090	3,807	2,231	2,181	2,326	2,597	2,386
Male.....	21,743	32	155	216	378	2,664	2,841	1,675	1,587	1,625	1,798	1,739
Female.....	10,662	24	125	154	252	1,426	966	556	594	701	799	647
Non-Hispanic black, both sexes.....	5,338	35	118	135	143	538	705	581	468	509	450	419
Male.....	3,774	17	77	76	87	368	523	449	353	367	306	292
Female.....	1,564	18	41	59	56	170	182	132	115	142	144	127
Origin not stated 2/, both sexes.....	154	-	1	2	3	10	18	9	12	14	9	19
Male.....	125	-	1	2	2	6	16	6	11	11	6	17
Female.....	29	-	-	-	1	4	2	3	1	3	3	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)												
All origins, both sexes.....	1,086	2	17	21	49	63	96	59	79	101	122	121
Male.....	882	2	10	11	36	49	85	47	61	85	102	107
Female.....	204	-	7	10	13	14	11	12	18	16	20	14
Hispanic, both sexes.....	144	-	2	5	5	14	28	11	10	13	15	12
Male.....	119	-	1	4	2	12	26	9	9	12	13	10
Female.....	25	-	1	1	3	2	2	2	1	1	2	2
Mexican, both sexes.....	95	-	2	5	1	4	19	8	7	12	11	8
Male.....	80	-	1	4	1	4	18	6	6	11	9	7
Female.....	15	-	1	1	-	-	1	2	1	1	2	1
Puerto Rican, both sexes.....	8	-	-	-	2	1	-	-	-	-	1	2
Male.....	4	-	-	-	-	1	-	-	-	-	1	1
Female.....	4	-	-	-	2	-	-	-	-	-	-	1
Cuban, both sexes.....	4	-	-	-	1	1	-	-	1	-	-	-
Male.....	3	-	-	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Central and South American, both sexes.....	25	-	-	-	-	5	7	3	2	1	2	1
Male.....	20	-	-	-	-	3	6	3	2	1	2	1
Female.....	5	-	-	-	-	2	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	12	-	-	-	1	3	2	-	-	-	1	1
Male.....	12	-	-	-	1	3	2	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	929	2	15	16	44	48	68	48	69	88	104	107
Male.....	752	2	9	7	34	37	59	38	52	73	86	96
Female.....	177	-	6	9	10	11	9	10	17	15	18	11
Non-Hispanic white, both sexes.....	719	1	11	12	32	39	56	38	56	67	73	77
Male.....	582	1	7	7	25	31	50	29	42	57	59	68
Female.....	137	-	4	5	7	8	6	9	14	10	14	9
Non-Hispanic black, both sexes.....	168	1	3	4	9	9	8	10	9	18	22	29
Male.....	143	1	2	-	7	6	6	9	8	14	20	28
Female.....	25	-	1	4	2	3	2	1	1	4	2	1
Origin not stated 2/, both sexes.....	13	-	-	-	-	1	-	-	-	-	3	2
Male.....	11	-	-	-	-	-	-	-	-	-	3	1
Female.....	2	-	-	-	-	1	-	-	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Nontransport accidents (W00-X59,Y86)												
All origins, both sexes.....	58,376	819	1,001	471	509	1,355	2,241	2,231	2,854	3,892	5,130	4,648
Male.....	35,724	481	643	315	359	1,106	1,861	1,778	2,181	2,832	3,681	3,302
Female.....	22,652	338	358	156	150	249	380	453	673	1,060	1,449	1,346
Hispanic, both sexes.....	4,185	101	159	61	51	199	339	322	365	418	493	368
Male.....	3,217	67	102	40	31	174	305	293	322	340	406	291
Female.....	968	34	57	21	20	25	34	29	43	78	87	77
Mexican, both sexes.....	2,483	71	111	45	33	135	222	216	214	254	269	201
Male.....	1,965	48	71	30	18	117	201	200	189	214	229	165
Female.....	518	23	40	15	15	18	21	16	25	40	40	36
Puerto Rican, both sexes.....	532	15	16	3	4	19	23	34	53	59	87	73
Male.....	391	6	12	1	3	17	18	30	46	43	67	54
Female.....	141	9	4	2	1	2	5	4	7	16	20	19
Cuban, both sexes.....	202	-	1	-	-	4	10	5	6	6	13	18
Male.....	133	-	1	-	-	3	10	5	4	5	10	10
Female.....	69	-	-	-	-	1	-	-	2	1	3	8
Central and South American, both sexes.....	417	5	17	11	8	25	57	34	54	41	38	23
Male.....	339	4	10	8	6	24	55	31	49	35	36	22
Female.....	78	1	7	3	2	1	2	3	5	6	2	1
Other and Unknown Hispanic, both sexes.....	551	10	14	2	6	16	27	33	38	58	86	53
Male.....	389	9	8	1	4	13	21	27	34	43	64	40
Female.....	162	1	6	1	2	3	6	6	4	15	22	13
Non-Hispanic 1/, both sexes.....	53,907	715	839	407	455	1,150	1,894	1,898	2,471	3,451	4,611	4,255
Male.....	32,295	412	539	273	326	928	1,550	1,476	1,844	2,472	3,255	2,992
Female.....	21,612	303	300	134	129	222	344	422	627	979	1,356	1,263
Non-Hispanic white, both sexes.....	45,916	403	565	224	281	904	1,614	1,576	2,065	2,811	3,835	3,421
Male.....	27,024	244	359	151	203	725	1,314	1,223	1,549	2,008	2,726	2,428
Female.....	18,892	159	206	73	78	179	300	353	516	803	1,109	993
Non-Hispanic black, both sexes.....	6,620	288	229	153	152	186	219	255	332	537	657	742
Male.....	4,377	154	152	101	113	160	183	200	242	389	440	502
Female.....	2,243	134	77	52	39	26	36	55	90	148	217	240
Origin not stated 2/, both sexes.....	284	3	3	3	3	6	8	11	18	23	26	25
Male.....	212	2	2	2	2	4	6	9	15	20	20	19
Female.....	72	1	1	1	1	2	2	2	3	3	6	6

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidental drowning and submersion (W65-W74)												
All origins, both sexes.....	3,447	63	454	159	162	320	309	227	206	263	263	205
Male.....	2,761	40	312	126	118	288	290	201	179	223	216	164
Female.....	686	23	142	33	44	32	19	26	27	40	47	41
Hispanic, both sexes.....	464	18	65	16	13	69	74	45	35	29	26	18
Male.....	409	13	48	15	8	64	73	43	35	24	24	16
Female.....	55	5	17	1	5	5	1	2	-	5	2	2
Mexican, both sexes.....	292	12	48	10	4	47	51	34	23	16	13	12
Male.....	258	9	36	9	2	43	50	32	23	14	12	11
Female.....	34	3	12	1	2	4	1	2	-	2	1	1
Puerto Rican, both sexes.....	32	4	5	-	4	6	3	1	3	2	-	1
Male.....	27	2	3	-	3	6	3	1	3	2	-	1
Female.....	5	2	2	-	1	-	-	-	-	-	-	-
Cuban, both sexes.....	19	-	1	-	-	1	1	1	1	-	2	-
Male.....	15	-	1	-	-	-	1	1	1	-	2	-
Female.....	4	-	-	-	-	1	-	-	-	-	-	-
Central and South American, both sexes.....	78	1	8	5	3	10	14	6	7	6	7	1
Male.....	71	1	5	5	2	10	14	6	7	4	7	1
Female.....	7	-	3	-	1	-	-	-	-	2	-	-
Other and Unknown Hispanic, both sexes.....	43	1	3	1	2	5	5	3	1	5	4	4
Male.....	38	1	3	1	1	5	5	3	1	4	3	3
Female.....	5	-	-	-	1	-	-	-	-	1	1	1
Non-Hispanic 1/, both sexes.....	2,952	45	387	141	148	250	235	178	169	232	235	187
Male.....	2,326	27	262	110	109	223	217	155	143	197	190	148
Female.....	626	18	125	31	39	27	18	23	26	35	45	39
Non-Hispanic white, both sexes.....	2,143	32	303	71	63	153	163	118	127	170	190	141
Male.....	1,669	18	203	52	44	136	148	101	108	141	153	109
Female.....	474	14	100	19	19	17	15	17	19	29	37	32
Non-Hispanic black, both sexes.....	604	10	62	57	77	70	56	42	32	43	31	33
Male.....	502	6	43	46	61	68	54	39	26	38	28	28
Female.....	102	4	19	11	16	2	2	3	6	5	3	5
Origin not stated 2/, both sexes.....	31	-	2	2	1	1	-	4	2	2	2	-
Male.....	26	-	2	1	1	1	-	3	1	2	2	-
Female.....	5	-	-	1	-	-	-	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidental poisoning and exposure to noxious substances (X40-X49)												
All origins, both sexes.....	17,550	26	31	15	28	486	1,193	1,310	1,806	2,597	3,410	2,946
Male.....	12,059	21	14	10	18	366	940	1,003	1,316	1,807	2,315	1,960
Female.....	5,491	5	17	5	10	120	253	307	490	790	1,095	986
Hispanic, both sexes.....	1,652	6	4	4	5	57	138	160	204	262	324	243
Male.....	1,324	5	-	2	2	44	117	141	171	206	260	184
Female.....	328	1	4	2	3	13	21	19	33	56	64	59
Mexican, both sexes.....	903	5	4	4	4	37	88	97	101	142	161	121
Male.....	739	4	-	2	1	29	75	89	82	115	135	98
Female.....	164	1	4	2	3	8	13	8	19	27	26	23
Puerto Rican, both sexes.....	319	-	-	-	-	9	15	27	46	51	68	61
Male.....	248	-	-	-	-	7	12	23	39	38	51	44
Female.....	71	-	-	-	-	2	3	4	7	13	17	17
Cuban, both sexes.....	51	-	-	-	-	2	5	4	3	5	7	15
Male.....	37	-	-	-	-	2	5	4	2	4	4	7
Female.....	14	-	-	-	-	-	-	-	1	1	3	8
Central and South American, both sexes.....	117	1	-	-	1	3	15	12	27	20	18	9
Male.....	100	1	-	-	1	3	13	10	24	18	17	8
Female.....	17	-	-	-	-	-	2	2	3	2	1	1
Other and Unknown Hispanic, both sexes.....	262	-	-	-	-	6	15	20	27	44	70	37
Male.....	200	-	-	-	-	3	12	15	24	31	53	27
Female.....	62	-	-	-	-	3	3	5	3	13	17	10
Non-Hispanic 1/, both sexes.....	15,789	20	27	11	23	428	1,048	1,144	1,591	2,318	3,064	2,687
Male.....	10,649	16	14	8	16	322	818	857	1,136	1,587	2,039	1,763
Female.....	5,140	4	13	3	7	106	230	287	455	731	1,025	924
Non-Hispanic white, both sexes.....	13,165	7	15	8	20	395	962	1,004	1,371	1,932	2,564	2,156
Male.....	8,849	7	6	6	15	299	749	750	987	1,331	1,714	1,418
Female.....	4,316	-	9	2	5	96	213	254	384	601	850	738
Non-Hispanic black, both sexes.....	2,326	12	11	3	3	19	67	113	186	336	450	489
Male.....	1,601	8	8	2	1	14	52	86	127	226	291	320
Female.....	725	4	3	1	2	5	15	27	59	110	159	169
Origin not stated 2/, both sexes.....	109	-	-	-	-	1	7	6	11	17	22	16
Male.....	86	-	-	-	-	-	5	5	9	14	16	13
Female.....	23	-	-	-	-	1	2	1	2	3	6	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
All origins, both sexes.....	17,201	677	247	113	160	273	365	377	443	577	764	745
Male.....	9,839	389	156	71	114	225	320	311	381	468	613	609
Female.....	7,362	288	91	42	46	48	45	66	62	109	151	136
Hispanic, both sexes.....	954	68	42	17	19	37	63	67	72	69	75	49
Male.....	726	43	28	11	10	34	58	64	69	62	65	45
Female.....	228	25	14	6	9	3	5	3	3	7	10	4
Mexican, both sexes.....	621	48	28	13	17	22	39	54	52	53	51	32
Male.....	497	31	19	9	9	20	37	51	51	51	45	28
Female.....	124	17	9	4	8	2	2	3	1	2	6	4
Puerto Rican, both sexes.....	75	9	3	1	-	1	3	1	2	3	9	6
Male.....	46	3	3	1	-	1	2	1	2	-	8	6
Female.....	29	6	-	-	-	-	1	-	-	3	1	-
Cuban, both sexes.....	55	-	-	-	-	1	4	-	1	1	4	2
Male.....	38	-	-	-	-	1	4	-	1	1	4	2
Female.....	17	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	109	3	3	3	2	9	13	10	10	8	4	6
Male.....	85	2	2	1	1	8	13	10	9	7	4	6
Female.....	24	1	1	2	1	1	-	-	1	1	-	-
Other and Unknown Hispanic, both sexes.....	94	8	8	-	-	4	4	2	7	4	7	3
Male.....	60	7	4	-	-	4	2	2	6	3	4	3
Female.....	34	1	4	-	-	-	2	-	1	1	3	-
Non-Hispanic 1/, both sexes.....	16,183	606	205	95	140	233	301	310	367	505	688	692
Male.....	9,070	344	128	59	104	189	261	247	308	403	547	562
Female.....	7,113	262	77	36	36	44	40	63	59	102	141	130
Non-Hispanic white, both sexes.....	13,865	339	136	66	106	190	256	263	302	402	567	564
Male.....	7,669	203	83	44	76	158	224	212	254	318	468	473
Female.....	6,196	136	53	22	30	32	32	51	48	84	99	91
Non-Hispanic black, both sexes.....	1,951	250	59	23	32	33	35	38	52	85	94	109
Male.....	1,162	132	40	11	27	24	28	28	43	69	57	75
Female.....	789	118	19	12	5	9	7	10	9	16	37	34
Origin not stated 2/, both sexes.....	64	3	-	1	1	3	1	-	4	3	1	4
Male.....	43	2	-	1	-	2	1	-	4	3	1	2
Female.....	21	1	-	-	1	1	-	-	-	-	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)												
All origins, both sexes.....	31,655	4	260	1,513	2,497	2,423	2,623	3,141	3,710	3,473
Male.....	25,409	3	196	1,280	2,152	2,003	2,132	2,484	2,821	2,608
Female.....	6,246	1	64	233	345	420	491	657	889	865
Hispanic, both sexes.....	1,954	2	35	181	274	248	236	222	185	149
Male.....	1,651	1	20	151	237	222	204	188	152	115
Female.....	303	1	15	30	37	26	32	34	33	34
Mexican, both sexes.....	1,147	-	24	130	185	165	158	136	102	80
Male.....	982	-	13	109	161	150	137	114	87	65
Female.....	165	-	11	21	24	15	21	22	15	15
Puerto Rican, both sexes.....	199	1	3	15	19	19	28	18	22	15
Male.....	173	1	3	11	18	16	26	15	17	12
Female.....	26	-	-	4	1	3	2	3	5	3
Cuban, both sexes.....	151	-	1	2	3	8	12	10	12	14
Male.....	126	-	1	2	3	7	11	9	8	12
Female.....	25	-	-	-	-	1	1	1	4	2
Central and South American, both sexes.....	210	1	2	14	33	28	26	23	18	20
Male.....	169	-	-	11	28	24	20	20	16	10
Female.....	41	1	2	3	5	4	6	3	2	10
Other and Unknown Hispanic, both sexes.....	247	-	5	20	34	28	12	35	31	20
Male.....	201	-	3	18	27	25	10	30	24	16
Female.....	46	-	2	2	7	3	2	5	7	4
Non-Hispanic 1/, both sexes.....	29,543	2	224	1,322	2,214	2,165	2,373	2,902	3,511	3,309
Male.....	23,623	2	175	1,120	1,906	1,772	1,917	2,282	2,659	2,480
Female.....	5,920	-	49	202	308	393	456	620	852	829
Non-Hispanic white, both sexes.....	26,691	1	176	1,124	1,827	1,771	2,038	2,570	3,225	3,084
Male.....	21,323	1	137	954	1,573	1,427	1,638	2,013	2,449	2,296
Female.....	5,368	-	39	170	254	344	400	557	776	788
Non-Hispanic black, both sexes.....	1,896	1	34	122	270	271	226	229	203	149
Male.....	1,595	1	28	107	235	244	197	191	154	129
Female.....	301	-	6	15	35	27	29	38	49	20
Origin not stated 2/, both sexes.....	158	-	1	10	9	10	14	17	14	15
Male.....	135	-	1	9	9	9	11	14	10	13
Female.....	23	-	-	1	-	1	3	3	4	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
All origins, both sexes.....	17,108	-	86	742	1,346	1,217	1,182	1,450	1,707	1,652
Male.....	15,045	-	68	668	1,229	1,068	1,010	1,234	1,438	1,394
Female.....	2,063	-	18	74	117	149	172	216	269	258
Hispanic, both sexes.....	834	-	10	88	136	112	86	80	65	59
Male.....	763	-	5	81	127	101	82	72	56	51
Female.....	71	-	5	7	9	11	4	8	9	8
Mexican, both sexes.....	521	-	7	67	97	75	57	53	43	32
Male.....	479	-	4	61	93	70	55	47	37	27
Female.....	42	-	3	6	4	5	2	6	6	5
Puerto Rican, both sexes.....	73	-	-	3	8	9	13	4	5	7
Male.....	68	-	-	3	8	7	12	3	5	7
Female.....	5	-	-	-	-	2	1	1	-	-
Cuban, both sexes.....	51	-	-	-	3	4	2	1	2	5
Male.....	47	-	-	-	3	4	2	1	1	4
Female.....	4	-	-	-	-	-	-	-	1	1
Central and South American, both sexes.....	74	-	1	4	12	12	8	9	6	4
Male.....	67	-	-	4	10	10	8	9	5	3
Female.....	7	-	1	-	2	2	-	-	1	1
Other and Unknown Hispanic, both sexes.....	115	-	2	14	16	12	6	13	9	11
Male.....	102	-	1	13	13	10	5	12	8	10
Female.....	13	-	1	1	3	2	1	1	1	1
Non-Hispanic 1/, both sexes.....	16,213	-	76	649	1,206	1,102	1,093	1,363	1,639	1,585
Male.....	14,226	-	63	582	1,098	964	926	1,155	1,381	1,336
Female.....	1,987	-	13	67	108	138	167	208	258	249
Non-Hispanic white, both sexes.....	14,865	-	63	540	981	898	955	1,219	1,530	1,493
Male.....	13,014	-	53	485	890	767	806	1,028	1,291	1,255
Female.....	1,851	-	10	55	91	131	149	191	239	238
Non-Hispanic black, both sexes.....	1,041	-	9	77	173	162	110	114	85	73
Male.....	945	-	8	68	161	157	101	100	70	67
Female.....	96	-	1	9	12	5	9	14	15	6
Origin not stated 2/, both sexes.....	61	-	-	5	4	3	3	7	3	8
Male.....	56	-	-	5	4	3	2	7	1	7
Female.....	5	-	-	-	-	-	1	-	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)												
All origins, both sexes.....	14,547	4	174	771	1,151	1,206	1,441	1,691	2,003	1,821
Male.....	10,364	3	128	612	923	935	1,122	1,250	1,383	1,214
Female.....	4,183	1	46	159	228	271	319	441	620	607
Hispanic, both sexes.....	1,120	2	25	93	138	136	150	142	120	90
Male.....	888	1	15	70	110	121	122	116	96	64
Female.....	232	1	10	23	28	15	28	26	24	26
Mexican, both sexes.....	626	-	17	63	88	90	101	83	59	48
Male.....	503	-	9	48	68	80	82	67	50	38
Female.....	123	-	8	15	20	10	19	16	9	10
Puerto Rican, both sexes.....	126	1	3	12	11	10	15	14	17	8
Male.....	105	1	3	8	10	9	14	12	12	5
Female.....	21	-	-	4	1	1	1	2	5	3
Cuban, both sexes.....	100	-	1	2	-	4	10	9	10	9
Male.....	79	-	1	2	-	3	9	8	7	8
Female.....	21	-	-	-	-	1	1	1	3	1
Central and South American, both sexes.....	136	1	1	10	21	16	18	14	12	16
Male.....	102	-	-	7	18	14	12	11	11	7
Female.....	34	1	1	3	3	2	6	3	1	9
Other and Unknown Hispanic, both sexes.....	132	-	3	6	18	16	6	22	22	9
Male.....	99	-	2	5	14	15	5	18	16	6
Female.....	33	-	1	1	4	1	1	4	6	3
Non-Hispanic 1/, both sexes.....	13,330	2	148	673	1,008	1,063	1,280	1,539	1,872	1,724
Male.....	9,397	2	112	538	808	808	991	1,127	1,278	1,144
Female.....	3,933	-	36	135	200	255	289	412	594	580
Non-Hispanic white, both sexes.....	11,826	1	113	584	846	873	1,083	1,351	1,695	1,591
Male.....	8,309	1	84	469	683	660	832	985	1,158	1,041
Female.....	3,517	-	29	115	163	213	251	366	537	550
Non-Hispanic black, both sexes.....	855	1	25	45	97	109	116	115	118	76
Male.....	650	1	20	39	74	87	96	91	84	62
Female.....	205	-	5	6	23	22	20	24	34	14
Origin not stated 2/, both sexes.....	97	-	1	5	5	7	11	10	11	7
Male.....	79	-	1	4	5	6	9	7	9	6
Female.....	18	-	-	1	-	1	2	3	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)												
All origins, both sexes.....	17,638	303	423	140	216	1,892	3,327	2,514	1,975	1,734	1,505	1,155
Male.....	13,640	164	234	64	133	1,604	2,870	2,121	1,548	1,288	1,098	841
Female.....	3,998	139	189	76	83	288	457	393	427	446	407	314
Hispanic, both sexes.....	3,129	52	81	28	36	472	728	554	349	273	191	129
Male.....	2,635	28	49	15	22	425	656	493	296	216	151	104
Female.....	494	24	32	13	14	47	72	61	53	57	40	25
Mexican, both sexes.....	2,205	38	56	21	27	363	539	415	241	173	125	87
Male.....	1,901	21	36	12	17	331	496	376	209	136	100	72
Female.....	304	17	20	9	10	32	43	39	32	37	25	15
Puerto Rican, both sexes.....	273	3	8	4	6	34	61	48	24	27	13	8
Male.....	217	2	6	2	3	30	53	41	17	23	8	4
Female.....	56	1	2	2	3	4	8	7	7	4	5	4
Cuban, both sexes.....	54	-	-	-	-	5	3	3	7	10	8	5
Male.....	41	-	-	-	-	3	2	3	7	8	6	3
Female.....	13	-	-	-	-	2	1	-	-	2	2	2
Central and South American, both sexes.....	390	6	7	2	1	48	94	57	53	42	27	16
Male.....	312	2	1	1	1	39	77	48	44	33	24	14
Female.....	78	4	6	1	-	9	17	9	9	9	3	2
Other and Unknown Hispanic, both sexes.....	207	5	10	1	2	22	31	31	24	21	18	13
Male.....	164	3	6	-	1	22	28	25	19	16	13	11
Female.....	43	2	4	1	1	-	3	6	5	5	5	2
Non-Hispanic 1/, both sexes.....	14,346	246	340	112	177	1,406	2,577	1,940	1,608	1,451	1,295	1,016
Male.....	10,881	131	184	49	108	1,168	2,194	1,614	1,238	1,065	937	728
Female.....	3,465	115	156	63	69	238	383	326	370	386	358	288
Non-Hispanic white, both sexes.....	5,571	117	169	56	77	366	592	464	513	618	650	533
Male.....	3,661	70	89	21	40	263	422	323	337	411	463	339
Female.....	1,910	47	80	35	37	103	170	141	176	207	187	194
Non-Hispanic black, both sexes.....	8,147	114	156	45	87	967	1,887	1,412	1,013	770	587	442
Male.....	6,780	54	89	24	60	845	1,695	1,246	846	607	435	359
Female.....	1,367	60	67	21	27	122	192	166	167	163	152	83
Origin not stated 2/, both sexes.....	163	5	2	-	3	14	22	20	18	10	19	10
Male.....	124	5	1	-	3	11	20	14	14	7	10	9
Female.....	39	-	1	-	-	3	2	6	4	3	9	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)												
All origins, both sexes.....	11,829	9	49	55	150	1,567	2,750	2,018	1,447	1,135	907	604
Male.....	9,899	3	30	26	101	1,384	2,467	1,790	1,227	918	705	445
Female.....	1,930	6	19	29	49	183	283	228	220	217	202	159
Hispanic, both sexes.....	2,168	2	12	14	26	402	574	434	245	171	123	65
Male.....	1,942	-	8	11	18	371	538	397	222	145	100	53
Female.....	226	2	4	3	8	31	36	37	23	26	23	12
Mexican, both sexes.....	1,594	2	9	10	22	318	431	335	175	113	82	47
Male.....	1,432	-	6	8	14	293	405	306	158	94	67	39
Female.....	162	2	3	2	8	25	26	29	17	19	15	8
Puerto Rican, both sexes.....	163	-	-	2	3	24	50	35	16	15	6	2
Male.....	156	-	-	2	3	24	48	34	14	14	5	2
Female.....	7	-	-	-	-	-	2	1	2	1	1	-
Cuban, both sexes.....	34	-	-	-	-	1	2	3	5	7	6	3
Male.....	26	-	-	-	-	-	2	3	5	6	4	2
Female.....	8	-	-	-	-	1	-	-	-	1	2	1
Central and South American, both sexes.....	263	-	1	1	-	38	73	43	38	22	18	8
Male.....	233	-	-	1	-	33	67	39	35	19	17	7
Female.....	30	-	1	-	-	5	6	4	3	3	1	1
Other and Unknown Hispanic, both sexes.....	114	-	2	1	1	21	18	18	11	14	11	5
Male.....	95	-	2	-	1	21	16	15	10	12	7	3
Female.....	19	-	-	1	-	-	2	3	1	2	4	2
Non-Hispanic 1/, both sexes.....	9,575	7	37	41	123	1,152	2,157	1,569	1,191	958	777	535
Male.....	7,884	3	22	15	82	1,002	1,911	1,382	996	768	599	388
Female.....	1,691	4	15	26	41	150	246	187	195	190	178	147
Non-Hispanic white, both sexes.....	3,052	1	22	21	45	253	389	308	328	363	372	280
Male.....	2,139	1	12	7	27	191	297	230	235	256	275	175
Female.....	913	-	10	14	18	62	92	78	93	107	97	105
Non-Hispanic black, both sexes.....	6,181	6	14	13	67	851	1,696	1,222	826	558	373	239
Male.....	5,482	2	9	6	48	768	1,557	1,123	731	481	303	202
Female.....	699	4	5	7	19	83	139	99	95	77	70	37
Origin not stated 2/, both sexes.....	86	-	-	-	1	13	19	15	11	6	7	4
Male.....	73	-	-	-	1	11	18	11	9	5	6	4
Female.....	13	-	-	-	-	2	1	4	2	1	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)												
All origins, both sexes.....	5,809	294	374	85	66	325	577	496	528	599	598	551
Male.....	3,741	161	204	38	32	220	403	331	321	370	393	396
Female.....	2,068	133	170	47	34	105	174	165	207	229	205	155
Hispanic, both sexes.....	961	50	69	14	10	70	154	120	104	102	68	64
Male.....	693	28	41	4	4	54	118	96	74	71	51	51
Female.....	268	22	28	10	6	16	36	24	30	31	17	13
Mexican, both sexes.....	611	36	47	11	5	45	108	80	66	60	43	40
Male.....	469	21	30	4	3	38	91	70	51	42	33	33
Female.....	142	15	17	7	2	7	17	10	15	18	10	7
Puerto Rican, both sexes.....	110	3	8	2	3	10	11	13	8	12	7	6
Male.....	61	2	6	-	-	6	5	7	3	9	3	2
Female.....	49	1	2	2	3	4	6	6	5	3	4	4
Cuban, both sexes.....	20	-	-	-	-	4	1	-	2	3	2	2
Male.....	15	-	-	-	-	3	-	-	2	2	2	1
Female.....	5	-	-	-	-	1	1	-	-	1	-	1
Central and South American, both sexes.....	127	6	6	1	1	10	21	14	15	20	9	8
Male.....	79	2	1	-	1	6	10	9	9	14	7	7
Female.....	48	4	5	1	-	4	11	5	6	6	2	1
Other and Unknown Hispanic, both sexes.....	93	5	8	-	1	1	13	13	13	7	7	8
Male.....	69	3	4	-	-	1	12	10	9	4	6	8
Female.....	24	2	4	-	1	-	1	3	4	3	1	-
Non-Hispanic 1/, both sexes.....	4,771	239	303	71	54	254	420	371	417	493	518	481
Male.....	2,997	128	162	34	26	166	283	232	242	297	338	340
Female.....	1,774	111	141	37	28	88	137	139	175	196	180	141
Non-Hispanic white, both sexes.....	2,519	116	147	35	32	113	203	156	185	255	278	253
Male.....	1,522	69	77	14	13	72	125	93	102	155	188	164
Female.....	997	47	70	21	19	41	78	63	83	100	90	89
Non-Hispanic black, both sexes.....	1,966	108	142	32	20	116	191	190	187	212	214	203
Male.....	1,298	52	80	18	12	77	138	123	115	126	132	157
Female.....	668	56	62	14	8	39	53	67	72	86	82	46
Origin not stated 2/, both sexes.....	77	5	2	-	2	1	3	5	7	4	12	6
Male.....	51	5	1	-	2	-	2	3	5	2	4	5
Female.....	26	-	1	-	-	1	1	2	2	2	8	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
All origins, both sexes.....	4,830	101	57	26	42	143	344	352	476	727	789	709
Male.....	3,114	52	28	11	27	108	250	256	329	494	487	432
Female.....	1,716	49	29	15	15	35	94	96	147	233	302	277
Hispanic, both sexes.....	320	14	11	3	1	13	38	29	44	53	37	34
Male.....	242	6	7	1	-	12	33	23	35	40	24	28
Female.....	78	8	4	2	1	1	5	6	9	13	13	6
Mexican, both sexes.....	169	8	9	2	1	9	23	18	21	24	18	13
Male.....	130	3	7	1	-	8	21	15	16	19	10	11
Female.....	39	5	2	1	1	1	2	3	5	5	8	2
Puerto Rican, both sexes.....	64	-	1	-	-	-	5	6	11	15	11	6
Male.....	51	-	-	-	-	-	5	5	9	12	7	6
Female.....	13	-	1	-	-	-	-	1	2	3	4	-
Cuban, both sexes.....	8	-	-	-	-	-	2	-	-	-	2	2
Male.....	6	-	-	-	-	-	1	-	-	-	2	2
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Central and South American, both sexes.....	35	3	1	1	-	1	4	2	7	7	2	3
Male.....	28	1	-	-	-	1	3	2	7	7	2	2
Female.....	7	2	1	1	-	-	1	-	-	-	-	1
Other and Unknown Hispanic, both sexes.....	44	3	-	-	-	3	4	3	5	7	4	10
Male.....	27	2	-	-	-	3	3	1	3	2	3	7
Female.....	17	1	-	-	-	-	1	2	2	5	1	3
Non-Hispanic 1/, both sexes.....	4,470	87	44	23	40	127	305	320	429	671	749	671
Male.....	2,836	46	21	10	26	94	216	230	291	452	460	400
Female.....	1,634	41	23	13	14	33	89	90	138	219	289	271
Non-Hispanic white, both sexes.....	3,627	43	33	13	31	107	263	262	345	546	614	544
Male.....	2,265	23	16	4	20	77	187	187	232	359	380	321
Female.....	1,362	20	17	9	11	30	76	75	113	187	234	223
Non-Hispanic black, both sexes.....	738	37	7	9	6	14	38	51	67	115	125	116
Male.....	504	18	3	5	6	12	27	38	46	87	74	74
Female.....	234	19	4	4	-	2	11	13	21	28	51	42
Origin not stated 2/, both sexes.....	40	-	2	-	1	3	1	3	3	3	3	4
Male.....	36	-	-	-	1	2	1	3	3	2	3	4
Female.....	4	-	2	-	-	1	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)												
All origins, both sexes.....	4,587	101	56	24	38	108	300	325	457	696	770	690
Male.....	2,915	52	27	9	24	74	213	233	313	472	470	418
Female.....	1,672	49	29	15	14	34	87	92	144	224	300	272
Hispanic, both sexes.....	297	14	11	3	1	7	30	25	42	50	37	34
Male.....	221	6	7	1	-	6	26	19	33	38	24	28
Female.....	76	8	4	2	1	1	4	6	9	12	13	6
Mexican, both sexes.....	150	8	9	2	1	5	16	14	19	22	18	13
Male.....	113	3	7	1	-	4	15	11	14	18	10	11
Female.....	37	5	2	1	1	1	1	3	5	4	8	2
Puerto Rican, both sexes.....	64	-	1	-	-	-	5	6	11	15	11	6
Male.....	51	-	-	-	-	-	5	5	9	12	7	6
Female.....	13	-	1	-	-	-	-	1	2	3	4	-
Cuban, both sexes.....	8	-	-	-	-	-	2	-	-	-	2	2
Male.....	6	-	-	-	-	-	1	-	-	-	2	2
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Central and South American, both sexes.....	34	3	1	1	-	1	4	2	7	6	2	3
Male.....	27	1	-	-	-	1	3	2	7	6	2	2
Female.....	7	2	1	1	-	-	1	-	-	-	-	1
Other and Unknown Hispanic, both sexes.....	41	3	-	-	-	1	3	3	5	7	4	10
Male.....	24	2	-	-	-	1	2	1	3	2	3	7
Female.....	17	1	-	-	-	-	1	2	2	5	1	3
Non-Hispanic 1/, both sexes.....	4,255	87	43	21	37	100	269	298	412	643	730	652
Male.....	2,663	46	20	8	24	68	186	212	277	432	443	386
Female.....	1,592	41	23	13	13	32	83	86	135	211	287	266
Non-Hispanic white, both sexes.....	3,458	43	33	13	28	89	234	246	334	524	598	526
Male.....	2,133	23	16	4	18	60	164	175	223	343	366	308
Female.....	1,325	20	17	9	10	29	70	71	111	181	232	218
Non-Hispanic black, both sexes.....	701	37	6	7	6	7	31	45	63	111	123	116
Male.....	469	18	2	3	6	5	20	32	42	84	72	74
Female.....	232	19	4	4	-	2	11	13	21	27	51	42
Origin not stated 2/, both sexes.....	35	-	2	-	-	1	1	2	3	3	3	4
Male.....	31	-	-	-	-	-	1	2	3	2	3	4
Female.....	4	-	2	-	-	1	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alcohol-induced causes (F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15) 3/												
All origins, both sexes.....	19,928	1	2	-	3	33	68	154	427	1,170	2,409	3,259
Male.....	15,036	-	1	-	2	28	55	128	311	813	1,714	2,435
Female.....	4,892	1	1	-	1	5	13	26	116	357	695	824
Hispanic, both sexes.....	2,381	-	-	-	1	11	22	47	93	186	314	383
Male.....	2,040	-	-	-	-	8	22	44	83	156	269	328
Female.....	341	-	-	-	1	3	-	3	10	30	45	55
Mexican, both sexes.....	1,522	-	-	-	-	9	18	33	58	121	201	248
Male.....	1,314	-	-	-	-	6	18	31	54	103	171	214
Female.....	208	-	-	-	-	3	-	2	4	18	30	34
Puerto Rican, both sexes.....	235	-	-	-	-	-	-	2	1	11	23	36
Male.....	190	-	-	-	-	-	-	1	1	9	19	27
Female.....	45	-	-	-	-	-	-	1	-	2	4	9
Cuban, both sexes.....	56	-	-	-	-	-	-	-	2	-	3	5
Male.....	49	-	-	-	-	-	-	-	2	-	2	4
Female.....	7	-	-	-	-	-	-	-	-	-	1	1
Central and South American, both sexes.....	252	-	-	-	-	1	4	8	22	27	43	37
Male.....	219	-	-	-	-	1	4	8	20	26	39	34
Female.....	33	-	-	-	-	-	-	-	2	1	4	3
Other and Unknown Hispanic, both sexes.....	316	-	-	-	1	1	-	4	10	27	44	57
Male.....	268	-	-	-	-	1	-	4	6	18	38	49
Female.....	48	-	-	-	1	-	-	-	4	9	6	8
Non-Hispanic 1/, both sexes.....	17,401	1	2	-	2	22	45	106	332	971	2,080	2,847
Male.....	12,870	-	1	-	2	20	32	83	226	649	1,433	2,081
Female.....	4,531	1	1	-	-	2	13	23	106	322	647	766
Non-Hispanic white, both sexes.....	14,297	-	1	-	1	20	31	74	247	753	1,708	2,337
Male.....	10,625	-	1	-	1	19	23	58	172	507	1,191	1,721
Female.....	3,672	-	-	-	-	1	8	16	75	246	517	616
Non-Hispanic black, both sexes.....	2,336	1	1	-	-	-	8	16	48	123	255	386
Male.....	1,720	-	-	-	-	-	6	14	33	80	167	275
Female.....	616	1	1	-	-	-	2	2	15	43	88	111
Origin not stated 2/, both sexes.....	146	-	-	-	-	-	1	1	2	13	15	29
Male.....	126	-	-	-	-	-	1	1	2	8	12	26
Female.....	20	-	-	-	-	-	-	-	-	5	3	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Drug-induced causes (F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85,Y10-Y14) 3/												
All origins, both sexes.....	26,018	29	30	7	35	625	1,590	1,850	2,599	3,837	5,020	4,450
Male.....	16,724	20	9	6	18	447	1,175	1,346	1,793	2,534	3,194	2,764
Female.....	9,294	9	21	1	17	178	415	504	806	1,303	1,826	1,686
Hispanic, both sexes.....	2,137	5	4	-	4	58	159	188	268	358	419	330
Male.....	1,647	4	-	-	1	44	128	160	211	272	329	247
Female.....	490	1	4	-	3	14	31	28	57	86	90	83
Mexican, both sexes.....	1,140	4	3	-	3	38	95	108	142	192	211	164
Male.....	900	3	-	-	1	29	78	95	108	150	171	131
Female.....	240	1	3	-	2	9	17	13	34	42	40	33
Puerto Rican, both sexes.....	447	-	-	-	-	9	20	34	62	80	94	79
Male.....	348	-	-	-	-	7	16	30	50	61	71	58
Female.....	99	-	-	-	-	2	4	4	12	19	23	21
Cuban, both sexes.....	77	-	-	-	-	2	6	6	7	6	9	20
Male.....	54	-	-	-	-	2	6	6	6	5	5	11
Female.....	23	-	-	-	-	-	-	-	1	1	4	9
Central and South American, both sexes.....	135	1	1	-	1	4	21	14	23	23	16	17
Male.....	103	1	-	-	-	4	15	11	19	20	15	11
Female.....	32	-	1	-	1	-	6	3	4	3	1	6
Other and Unknown Hispanic, both sexes.....	338	-	-	-	-	5	17	26	34	57	89	50
Male.....	242	-	-	-	-	2	13	18	28	36	67	36
Female.....	96	-	-	-	-	3	4	8	6	21	22	14
Non-Hispanic 1/, both sexes.....	23,734	24	26	7	31	565	1,424	1,654	2,319	3,456	4,572	4,097
Male.....	14,968	16	9	6	17	403	1,042	1,179	1,572	2,246	2,843	2,499
Female.....	8,766	8	17	1	14	162	382	475	747	1,210	1,729	1,598
Non-Hispanic white, both sexes.....	19,929	9	14	4	28	514	1,305	1,444	1,985	2,894	3,827	3,329
Male.....	12,468	7	3	3	16	368	957	1,030	1,363	1,883	2,393	2,017
Female.....	7,461	2	11	1	12	146	348	414	622	1,011	1,434	1,312
Non-Hispanic black, both sexes.....	3,402	13	10	2	3	31	96	170	281	490	691	713
Male.....	2,264	8	6	2	1	22	68	120	180	322	418	455
Female.....	1,138	5	4	-	2	9	28	50	101	168	273	258
Origin not stated 2/, both sexes.....	147	-	-	-	-	2	7	8	12	23	29	23
Male.....	109	-	-	-	-	-	5	7	10	16	22	18
Female.....	38	-	-	-	-	2	2	1	2	7	7	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/												
All origins, both sexes.....	30,242	10	61	71	277	2,474	4,306	3,380	2,760	2,712	2,734	2,358
Male.....	26,098	4	38	38	204	2,209	3,887	2,994	2,353	2,257	2,246	1,927
Female.....	4,144	6	23	33	73	265	419	386	407	455	488	431
Hispanic, both sexes.....	3,143	2	15	17	39	514	746	572	348	267	192	127
Male.....	2,834	-	9	12	26	474	699	524	320	231	159	107
Female.....	309	2	6	5	13	40	47	48	28	36	33	20
Mexican, both sexes.....	2,219	2	10	13	31	405	558	428	245	176	128	80
Male.....	2,006	-	6	9	20	372	526	394	225	150	107	67
Female.....	213	2	4	4	11	33	32	34	20	26	21	13
Puerto Rican, both sexes.....	245	-	1	2	3	28	60	46	31	20	11	9
Male.....	233	-	1	2	3	28	58	43	28	18	10	9
Female.....	12	-	-	-	-	-	2	3	3	2	1	-
Cuban, both sexes.....	85	-	-	-	-	1	5	7	7	8	8	8
Male.....	73	-	-	-	-	-	5	7	7	7	5	6
Female.....	12	-	-	-	-	1	-	-	-	1	3	2
Central and South American, both sexes.....	342	-	1	1	1	42	85	55	46	34	25	13
Male.....	303	-	-	1	-	37	77	49	43	30	22	11
Female.....	39	-	1	-	1	5	8	6	3	4	3	2
Other and Unknown Hispanic, both sexes.....	252	-	3	1	4	38	38	36	19	29	20	17
Male.....	219	-	2	-	3	37	33	31	17	26	15	14
Female.....	33	-	1	1	1	1	5	5	2	3	5	3
Non-Hispanic 1/, both sexes.....	26,944	8	46	54	236	1,939	3,537	2,789	2,398	2,431	2,532	2,219
Male.....	23,127	4	29	26	176	1,716	3,166	2,455	2,022	2,013	2,080	1,809
Female.....	3,817	4	17	28	60	223	371	334	376	418	452	410
Non-Hispanic white, both sexes.....	18,762	2	28	28	135	876	1,480	1,276	1,363	1,662	2,000	1,853
Male.....	15,881	2	16	12	102	754	1,284	1,058	1,111	1,350	1,648	1,497
Female.....	2,881	-	12	16	33	122	196	218	252	312	352	356
Non-Hispanic black, both sexes.....	7,494	6	17	18	84	979	1,925	1,428	965	699	473	326
Male.....	6,681	2	12	11	63	886	1,771	1,324	858	603	388	282
Female.....	813	4	5	7	21	93	154	104	107	96	85	44
Origin not stated 2/, both sexes.....	155	-	-	-	2	21	23	19	14	14	10	12
Male.....	137	-	-	-	2	19	22	15	11	13	7	11
Female.....	18	-	-	-	-	2	1	4	3	1	3	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated

All causes

All origins, both sexes.....	96,320	115,441	137,901	175,591	247,399	330,140	377,514	345,385	228,587	88,282	18,822	357
Male.....	60,021	69,830	81,533	100,590	136,431	169,625	173,879	134,637	68,817	19,522	2,930	282
Female.....	36,299	45,611	56,368	75,001	110,968	160,515	203,635	210,748	159,770	68,760	15,892	75
Hispanic, both sexes.....	6,218	6,634	7,581	9,060	11,416	12,797	12,041	9,591	6,460	2,668	546	58
Male.....	4,024	4,247	4,515	5,214	6,262	6,654	5,637	3,846	2,226	768	137	55
Female.....	2,194	2,387	3,066	3,846	5,154	6,143	6,404	5,745	4,234	1,900	409	3
Mexican, both sexes.....	3,607	3,683	4,111	4,941	6,357	7,035	6,264	4,657	3,013	1,279	290	25
Male.....	2,343	2,331	2,413	2,812	3,463	3,726	3,018	1,994	1,132	411	75	24
Female.....	1,264	1,352	1,698	2,129	2,894	3,309	3,246	2,663	1,881	868	215	1
Puerto Rican, both sexes.....	986	1,173	1,234	1,360	1,509	1,489	1,430	1,078	692	250	58	4
Male.....	656	776	742	781	839	708	640	381	242	68	10	4
Female.....	330	397	492	579	670	781	790	697	450	182	48	-
Cuban, both sexes.....	297	415	642	901	1,296	1,727	1,873	1,835	1,312	533	59	-
Male.....	195	289	430	583	777	969	910	691	392	138	13	-
Female.....	102	126	212	318	519	758	963	1,144	920	395	46	-
Central and South American, both sexes.....	643	654	805	918	1,038	1,056	1,035	816	533	213	55	4
Male.....	391	375	423	489	516	463	380	265	148	50	8	4
Female.....	252	279	382	429	522	593	655	551	385	163	47	-
Other and Unknown Hispanic, both sexes.....	685	709	789	940	1,216	1,490	1,439	1,205	910	393	84	25
Male.....	439	476	507	549	667	788	689	515	312	101	31	23
Female.....	246	233	282	391	549	702	750	690	598	292	53	2
Non-Hispanic 1/, both sexes.....	89,665	108,370	129,815	165,934	235,248	316,397	364,481	334,920	221,569	85,363	18,226	169
Male.....	55,690	65,283	76,683	94,990	129,716	162,434	167,757	130,450	66,440	18,694	2,783	134
Female.....	33,975	43,087	53,132	70,944	105,532	153,963	196,724	204,470	155,129	66,669	15,443	35
Non-Hispanic white, both sexes.....	67,768	85,916	104,927	137,191	201,770	278,144	328,287	306,287	203,219	77,698	15,859	122
Male.....	42,622	52,169	62,366	79,363	112,481	143,909	151,854	119,953	60,743	16,825	2,313	98
Female.....	25,146	33,747	42,561	57,828	89,289	134,235	176,433	186,334	142,476	60,873	13,546	24
Non-Hispanic black, both sexes.....	19,209	19,483	21,395	24,508	28,240	32,076	30,107	23,674	15,316	6,521	2,054	39
Male.....	11,467	11,414	12,292	13,292	14,567	15,246	12,891	8,195	4,407	1,441	379	29
Female.....	7,742	8,069	9,103	11,216	13,673	16,830	17,216	15,479	10,909	5,080	1,675	10
Origin not stated 2/, both sexes.....	437	437	505	597	735	946	992	874	558	251	50	130
Male.....	307	300	335	386	453	537	485	341	151	60	10	93
Female.....	130	137	170	211	282	409	507	533	407	191	40	37

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Certain other intestinal infections (A04,A07-A09)												
All origins, both sexes.....	31	63	79	133	229	374	515	509	318	114	23	-
Male.....	17	29	42	67	118	156	202	160	91	27	5	-
Female.....	14	34	37	66	111	218	313	349	227	87	18	-
Hispanic, both sexes.....	3	-	6	4	6	15	16	7	6	2	1	-
Male.....	2	-	4	2	3	6	6	3	-	-	1	-
Female.....	1	-	2	2	3	9	10	4	6	2	-	-
Mexican, both sexes.....	2	-	3	2	3	10	6	5	-	2	1	-
Male.....	1	-	3	1	1	5	3	2	-	-	1	-
Female.....	1	-	-	1	2	5	3	3	-	2	-	-
Puerto Rican, both sexes.....	-	-	1	1	2	2	4	2	2	-	-	-
Male.....	-	-	1	-	2	-	2	1	-	-	-	-
Female.....	-	-	-	1	-	2	2	1	2	-	-	-
Cuban, both sexes.....	-	-	-	-	-	1	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	2	-	-	-
Central and South American, both sexes.....	1	-	2	-	-	1	2	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	-	1	2	-	1	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	1	1	1	3	-	1	-	-	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	27	63	72	129	222	358	499	500	312	112	22	-
Male.....	14	29	38	65	115	150	196	157	91	27	4	-
Female.....	13	34	34	64	107	208	303	343	221	85	18	-
Non-Hispanic white, both sexes.....	24	47	57	120	199	336	478	473	297	107	19	-
Male.....	13	22	30	59	100	139	189	149	85	27	4	-
Female.....	11	25	27	61	99	197	289	324	212	80	15	-
Non-Hispanic black, both sexes.....	2	15	14	9	22	18	17	25	12	4	3	-
Male.....	1	7	8	6	14	8	5	7	5	-	-	-
Female.....	1	8	6	3	8	10	12	18	7	4	3	-
Origin not stated 2/, both sexes.....	1	-	1	-	1	1	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Whooping cough (A37)

Table with 12 columns representing age groups and one column for 'Age not stated'. Rows include categories such as 'All origins, both sexes', 'Hispanic, both sexes', 'Mexican, both sexes', 'Puerto Rican, both sexes', 'Cuban, both sexes', 'Central and South American, both sexes', 'Other and Unknown Hispanic, both sexes', 'Non-Hispanic 1/, both sexes', 'Non-Hispanic white, both sexes', 'Non-Hispanic black, both sexes', and 'Origin not stated 2/, both sexes'. Each cell contains a hyphen (-).

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Scarlet fever and erysipelas (A38,A46)

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include categories like All origins, both sexes; Hispanic, both sexes; Mexican, both sexes; Puerto Rican, both sexes; Cuban, both sexes; Central and South American, both sexes; Other and Unknown Hispanic, both sexes; Non-Hispanic 1/, both sexes; Non-Hispanic white, both sexes; Non-Hispanic black, both sexes; Origin not stated 2/, both sexes.

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
All origins, both sexes.....	1,170	1,499	1,861	2,589	3,747	5,195	5,815	5,026	2,988	1,111	199	3
Male.....	629	767	981	1,292	1,862	2,476	2,552	1,857	834	247	35	3
Female.....	541	732	880	1,297	1,885	2,719	3,263	3,169	2,154	864	164	-
Hispanic, both sexes.....	80	71	94	132	209	206	176	144	96	41	1	-
Male.....	54	35	49	61	100	96	80	52	32	13	1	-
Female.....	26	36	45	71	109	110	96	92	64	28	-	-
Mexican, both sexes.....	47	42	44	67	107	95	82	77	46	17	-	-
Male.....	30	22	22	31	50	48	33	30	19	5	-	-
Female.....	17	20	22	36	57	47	49	47	27	12	-	-
Puerto Rican, both sexes.....	19	14	28	31	42	49	31	21	14	6	-	-
Male.....	14	6	16	14	23	18	15	5	2	3	-	-
Female.....	5	8	12	17	19	31	16	16	12	3	-	-
Cuban, both sexes.....	2	4	6	11	24	24	30	23	28	7	-	-
Male.....	1	2	4	6	9	6	17	10	8	2	-	-
Female.....	1	2	2	5	15	18	13	13	20	5	-	-
Central and South American, both sexes.....	6	8	5	16	17	16	18	16	3	5	1	-
Male.....	4	3	1	8	7	9	8	6	1	3	1	-
Female.....	2	5	4	8	10	7	10	10	2	2	-	-
Other and Unknown Hispanic, both sexes.....	6	3	11	7	19	22	15	7	5	6	-	-
Male.....	5	2	6	2	11	15	7	1	2	-	-	-
Female.....	1	1	5	5	8	7	8	6	3	6	-	-
Non-Hispanic 1/, both sexes.....	1,088	1,420	1,762	2,442	3,527	4,971	5,622	4,865	2,884	1,066	197	3
Male.....	574	727	930	1,221	1,754	2,367	2,463	1,799	801	233	34	3
Female.....	514	693	832	1,221	1,773	2,604	3,159	3,066	2,083	833	163	-
Non-Hispanic white, both sexes.....	702	996	1,245	1,805	2,778	4,043	4,763	4,168	2,466	883	149	2
Male.....	368	524	680	903	1,407	1,921	2,085	1,557	676	192	23	2
Female.....	334	472	565	902	1,371	2,122	2,678	2,611	1,790	691	126	-
Non-Hispanic black, both sexes.....	355	400	468	581	670	845	788	632	381	166	47	1
Male.....	192	191	227	286	312	395	334	212	108	35	10	1
Female.....	163	209	241	295	358	450	454	420	273	131	37	-
Origin not stated 2/, both sexes.....	2	8	5	15	11	18	17	17	8	4	1	-
Male.....	1	5	2	10	8	13	9	6	1	1	-	-
Female.....	1	3	3	5	3	5	8	11	7	3	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Syphilis (A50-A53)												
All origins, both sexes.....	4	2	3	4	2	5	7	6	3	-	-	-
Male.....	4	1	1	4	1	3	1	2	1	-	-	-
Female.....	-	1	2	-	1	2	6	4	2	-	-	-
Hispanic, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Mexican, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	4	2	3	4	2	4	7	5	3	-	-	-
Male.....	4	1	1	4	1	2	1	2	1	-	-	-
Female.....	-	1	2	-	1	2	6	3	2	-	-	-
Non-Hispanic white, both sexes.....	2	-	1	2	1	-	4	3	2	-	-	-
Male.....	2	-	-	2	1	-	-	2	-	-	-	-
Female.....	-	-	1	-	-	-	4	1	2	-	-	-
Non-Hispanic black, both sexes.....	2	2	2	2	1	4	3	2	1	-	-	-
Male.....	2	1	1	2	-	2	1	-	1	-	-	-
Female.....	-	1	1	-	1	2	2	2	-	-	-	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Measles (B05)

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include: All origins, both sexes; Hispanic, both sexes; Mexican, both sexes; Puerto Rican, both sexes; Cuban, both sexes; Central and South American, both sexes; Other and Unknown Hispanic, both sexes; Non-Hispanic 1/, both sexes; Non-Hispanic white, both sexes; Non-Hispanic black, both sexes; Origin not stated 2/, both sexes.

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Viral hepatitis (B15-B19)												
All origins, both sexes.....	1,139	644	428	369	393	352	235	136	34	7	-	-
Male.....	868	448	254	193	180	174	96	56	11	3	-	-
Female.....	271	196	174	176	213	178	139	80	23	4	-	-
Hispanic, both sexes.....	149	92	72	58	44	43	20	12	1	2	-	-
Male.....	105	65	43	22	18	20	5	6	-	-	-	-
Female.....	44	27	29	36	26	23	15	6	1	2	-	-
Mexican, both sexes.....	78	38	30	29	21	18	10	6	-	-	-	-
Male.....	58	25	16	6	9	9	3	2	-	-	-	-
Female.....	20	13	14	23	12	9	7	4	-	-	-	-
Puerto Rican, both sexes.....	42	37	16	11	5	3	2	-	-	1	-	-
Male.....	26	28	13	6	2	1	1	-	-	-	-	-
Female.....	16	9	3	5	3	2	1	-	-	1	-	-
Cuban, both sexes.....	2	3	6	3	10	11	4	2	-	-	-	-
Male.....	-	2	2	-	4	6	1	2	-	-	-	-
Female.....	2	1	4	3	6	5	3	-	-	-	-	-
Central and South American, both sexes.....	4	8	12	9	5	6	3	4	1	-	-	-
Male.....	3	5	6	7	2	2	-	2	-	-	-	-
Female.....	1	3	6	2	3	4	3	2	1	-	-	-
Other and Unknown Hispanic, both sexes.....	23	6	8	6	3	5	1	-	-	1	-	-
Male.....	18	5	6	3	1	2	-	-	-	-	-	-
Female.....	5	1	2	3	2	3	1	-	-	1	-	-
Non-Hispanic 1/, both sexes.....	986	543	355	309	346	309	214	124	33	5	-	-
Male.....	761	376	210	169	162	154	91	50	11	3	-	-
Female.....	225	167	145	140	184	155	123	74	22	2	-	-
Non-Hispanic white, both sexes.....	770	388	247	219	270	256	184	109	29	2	-	-
Male.....	599	271	144	131	132	132	82	45	10	-	-	-
Female.....	171	117	103	88	138	124	102	64	19	2	-	-
Non-Hispanic black, both sexes.....	188	113	71	56	42	34	15	7	4	2	-	-
Male.....	141	82	40	31	17	14	3	-	1	2	-	-
Female.....	47	31	31	25	25	20	12	7	3	-	-	-
Origin not stated 2/, both sexes.....	4	9	1	2	3	-	1	-	-	-	-	-
Male.....	2	7	1	2	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	3	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 years	Age not
non-Hispanic population, and sex	years	years	years	years	years	years	years	years	years	years	and over	stated

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04, B06-B09,B25-B49,B55-B99)

All origins, both sexes.....	513	445	444	520	703	859	735	580	289	112	16	-
Male.....	348	273	259	290	373	429	356	230	110	30	3	-
Female.....	165	172	185	230	330	430	379	350	179	82	13	-
Hispanic, both sexes.....	78	52	33	41	34	33	35	22	7	2	1	-
Male.....	59	34	18	24	16	15	15	12	3	-	-	-
Female.....	19	18	15	17	18	18	20	10	4	2	1	-
Mexican, both sexes.....	60	37	19	22	22	23	23	10	6	1	-	-
Male.....	44	25	9	14	11	12	11	5	2	-	-	-
Female.....	16	12	10	8	11	11	12	5	4	1	-	-
Puerto Rican, both sexes.....	7	6	6	7	7	4	5	2	-	-	-	-
Male.....	5	3	4	3	2	2	-	1	-	-	-	-
Female.....	2	3	2	4	5	2	5	1	-	-	-	-
Cuban, both sexes.....	1	1	-	7	1	-	3	6	1	1	-	-
Male.....	1	1	-	4	-	-	3	3	1	-	-	-
Female.....	-	-	-	3	1	-	-	3	-	1	-	-
Central and South American, both sexes.....	4	-	5	3	-	4	3	1	-	-	-	-
Male.....	4	-	3	2	-	1	-	-	-	-	-	-
Female.....	-	-	2	1	-	3	3	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	6	8	3	2	4	2	1	3	-	-	1	-
Male.....	5	5	2	1	3	-	1	3	-	-	-	-
Female.....	1	3	1	1	1	2	-	-	-	-	1	-
Non-Hispanic 1/, both sexes.....	433	392	409	479	669	823	699	557	282	110	15	-
Male.....	288	239	240	266	357	412	341	217	107	30	3	-
Female.....	145	153	169	213	312	411	358	340	175	80	12	-
Non-Hispanic white, both sexes.....	315	285	321	403	570	716	628	514	253	102	13	-
Male.....	213	169	189	230	307	360	305	202	96	27	2	-
Female.....	102	116	132	173	263	356	323	312	157	75	11	-
Non-Hispanic black, both sexes.....	100	89	62	50	72	87	43	35	27	8	2	-
Male.....	65	62	37	26	36	39	19	12	10	3	1	-
Female.....	35	27	25	24	36	48	24	23	17	5	1	-
Origin not stated 2/, both sexes.....	2	1	2	-	-	3	1	1	-	-	-	-
Male.....	1	-	1	-	-	2	-	1	-	-	-	-
Female.....	1	1	1	-	-	1	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
All origins, both sexes.....	30,342	41,487	51,904	63,598	81,159	89,565	77,497	50,298	22,323	5,772	789	7
Male.....	15,774	22,407	28,708	35,374	44,711	47,734	39,218	23,345	9,106	1,952	218	5
Female.....	14,568	19,080	23,196	28,224	36,448	41,831	38,279	26,953	13,217	3,820	571	2
Hispanic, both sexes.....	1,669	1,971	2,276	2,712	3,145	3,120	2,245	1,446	707	188	20	-
Male.....	864	1,116	1,261	1,532	1,724	1,737	1,165	700	319	92	6	-
Female.....	805	855	1,015	1,180	1,421	1,383	1,080	746	388	96	14	-
Mexican, both sexes.....	950	1,019	1,204	1,388	1,656	1,620	1,137	704	333	87	6	-
Male.....	490	575	658	778	906	946	603	359	157	47	3	-
Female.....	460	444	546	610	750	674	534	345	176	40	3	-
Puerto Rican, both sexes.....	234	318	325	376	399	355	244	146	79	23	4	-
Male.....	134	204	182	226	236	170	121	72	38	13	-	-
Female.....	100	114	143	150	163	185	123	74	41	10	4	-
Cuban, both sexes.....	116	168	231	328	403	451	349	235	140	31	2	-
Male.....	64	107	153	208	226	259	200	95	64	16	-	-
Female.....	52	61	78	120	177	192	149	140	76	15	2	-
Central and South American, both sexes.....	205	256	291	329	330	306	216	160	47	22	2	-
Male.....	91	109	131	161	157	154	92	64	15	5	-	-
Female.....	114	147	160	168	173	152	124	96	32	17	2	-
Other and Unknown Hispanic, both sexes.....	164	210	225	291	357	388	299	201	108	25	6	-
Male.....	85	121	137	159	199	208	149	110	45	11	3	-
Female.....	79	89	88	132	158	180	150	91	63	14	3	-
Non-Hispanic 1/, both sexes.....	28,585	39,406	49,480	60,718	77,827	86,232	75,071	48,738	21,564	5,569	768	5
Male.....	14,865	21,232	27,355	33,742	42,879	45,877	37,962	22,595	8,763	1,857	212	4
Female.....	13,720	18,174	22,125	26,976	34,948	40,355	37,109	26,143	12,801	3,712	556	1
Non-Hispanic white, both sexes.....	22,639	32,418	41,391	51,562	67,902	76,462	67,495	44,205	19,422	4,915	642	2
Male.....	11,787	17,454	22,756	28,750	37,500	40,610	34,029	20,477	7,837	1,629	169	2
Female.....	10,852	14,964	18,635	22,812	30,402	35,852	33,466	23,728	11,585	3,286	473	-
Non-Hispanic black, both sexes.....	4,956	5,899	6,794	7,759	8,325	8,221	6,297	3,818	1,819	550	109	3
Male.....	2,591	3,223	3,883	4,276	4,559	4,413	3,256	1,755	770	187	38	2
Female.....	2,365	2,676	2,911	3,483	3,766	3,808	3,041	2,063	1,049	363	71	1
Origin not stated 2/, both sexes.....	88	110	148	168	187	213	181	114	52	15	1	2
Male.....	45	59	92	100	108	120	91	50	24	3	-	1
Female.....	43	51	56	68	79	93	90	64	28	12	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
All origins, both sexes.....	670	875	936	846	1,052	973	748	505	262	77	13	-
Male.....	534	681	711	619	698	590	407	245	101	24	4	-
Female.....	136	194	225	227	354	383	341	260	161	53	9	-
Hispanic, both sexes.....	31	38	28	30	32	34	20	14	11	3	1	-
Male.....	25	32	21	23	28	25	11	11	5	2	-	-
Female.....	6	6	7	7	4	9	9	3	6	1	1	-
Mexican, both sexes.....	15	16	11	9	12	18	11	8	6	2	-	-
Male.....	11	13	8	8	10	16	5	7	1	1	-	-
Female.....	4	3	3	1	2	2	6	1	5	1	-	-
Puerto Rican, both sexes.....	4	12	6	11	5	8	3	-	-	-	1	-
Male.....	4	10	5	10	5	6	2	-	-	-	-	-
Female.....	-	2	1	1	-	2	1	-	-	-	1	-
Cuban, both sexes.....	3	3	6	6	5	2	2	3	2	-	-	-
Male.....	3	2	4	4	5	1	2	2	1	-	-	-
Female.....	-	1	2	2	-	1	-	1	1	-	-	-
Central and South American, both sexes.....	4	2	4	2	5	2	1	3	-	-	-	-
Male.....	4	2	3	1	3	-	-	2	-	-	-	-
Female.....	-	-	1	1	2	2	1	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	5	5	1	2	5	4	3	-	3	1	-	-
Male.....	3	5	1	-	5	2	2	-	3	1	-	-
Female.....	2	-	-	2	-	2	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	636	837	902	815	1,015	938	728	490	251	74	12	-
Male.....	506	649	686	595	666	564	396	233	96	22	4	-
Female.....	130	188	216	220	349	374	332	257	155	52	8	-
Non-Hispanic white, both sexes.....	458	646	712	659	906	843	661	444	236	64	10	-
Male.....	363	506	536	476	591	510	357	210	92	17	3	-
Female.....	95	140	176	183	315	333	304	234	144	47	7	-
Non-Hispanic black, both sexes.....	148	150	168	124	89	66	48	32	12	7	2	-
Male.....	123	122	135	96	61	36	28	17	3	3	1	-
Female.....	25	28	33	28	28	30	20	15	9	4	1	-
Origin not stated 2/, both sexes.....	3	-	6	1	5	1	-	1	-	-	-	-
Male.....	3	-	4	1	4	1	-	1	-	-	-	-
Female.....	-	-	2	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of esophagus (C15)												
All origins, both sexes.....	887	1,286	1,477	1,736	1,955	1,909	1,480	766	295	65	4	1
Male.....	759	1,099	1,222	1,394	1,558	1,437	1,017	452	127	23	1	-
Female.....	128	187	255	342	397	472	463	314	168	42	3	1
Hispanic, both sexes.....	31	36	44	58	62	54	37	23	14	5	-	-
Male.....	27	35	40	47	49	41	25	13	8	1	-	-
Female.....	4	1	4	11	13	13	12	10	6	4	-	-
Mexican, both sexes.....	21	18	17	27	40	32	20	9	6	2	-	-
Male.....	18	18	15	22	31	25	15	7	4	1	-	-
Female.....	3	-	2	5	9	7	5	2	2	1	-	-
Puerto Rican, both sexes.....	5	5	10	11	12	3	8	6	3	1	-	-
Male.....	5	4	10	10	9	3	4	2	2	-	-	-
Female.....	-	1	-	1	3	-	4	4	1	1	-	-
Cuban, both sexes.....	2	3	5	10	3	3	4	4	2	1	-	-
Male.....	1	3	5	9	3	3	2	1	2	-	-	-
Female.....	1	-	-	1	-	-	2	3	-	1	-	-
Central and South American, both sexes.....	3	2	3	2	1	7	1	2	-	1	-	-
Male.....	3	2	3	1	1	4	1	1	-	-	-	-
Female.....	-	-	-	1	-	3	-	1	-	1	-	-
Other and Unknown Hispanic, both sexes.....	-	8	9	8	6	9	4	2	3	-	-	-
Male.....	-	8	7	5	5	6	3	2	-	-	-	-
Female.....	-	-	2	3	1	3	1	-	3	-	-	-
Non-Hispanic 1/, both sexes.....	854	1,243	1,428	1,675	1,885	1,853	1,443	740	278	60	4	1
Male.....	730	1,058	1,177	1,344	1,504	1,394	992	437	118	22	1	-
Female.....	124	185	251	331	381	459	451	303	160	38	3	1
Non-Hispanic white, both sexes.....	694	1,002	1,171	1,384	1,643	1,645	1,316	679	261	56	3	-
Male.....	606	866	983	1,137	1,328	1,261	910	403	113	21	-	-
Female.....	88	136	188	247	315	384	406	276	148	35	3	-
Non-Hispanic black, both sexes.....	143	221	233	258	217	182	100	52	12	3	1	1
Male.....	109	179	172	181	159	115	63	30	3	1	1	-
Female.....	34	42	61	77	58	67	37	22	9	2	-	1
Origin not stated 2/, both sexes.....	2	7	5	3	8	2	-	3	3	-	-	-
Male.....	2	6	5	3	5	2	-	2	1	-	-	-
Female.....	-	1	-	-	3	-	-	1	2	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs>

and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of stomach (C16)												
All origins, both sexes.....	663	841	990	1,179	1,637	1,903	1,753	1,344	664	153	24	-
Male.....	440	556	659	804	1,063	1,118	946	628	258	38	10	-
Female.....	223	285	331	375	574	785	807	716	406	115	14	-
Hispanic, both sexes.....	83	97	121	111	148	162	121	73	42	15	-	-
Male.....	43	59	69	71	101	87	63	39	20	5	-	-
Female.....	40	38	52	40	47	75	58	34	22	10	-	-
Mexican, both sexes.....	51	48	73	60	81	94	75	36	22	10	-	-
Male.....	25	29	43	34	54	54	38	19	9	4	-	-
Female.....	26	19	30	26	27	40	37	17	13	6	-	-
Puerto Rican, both sexes.....	11	20	13	13	16	15	19	9	6	1	-	-
Male.....	6	13	7	8	13	4	13	6	3	1	-	-
Female.....	5	7	6	5	3	11	6	3	3	-	-	-
Cuban, both sexes.....	1	3	3	11	13	17	4	5	1	-	-	-
Male.....	1	3	2	8	9	11	2	1	1	-	-	-
Female.....	-	-	1	3	4	6	2	4	-	-	-	-
Central and South American, both sexes.....	14	16	23	24	20	21	15	16	6	3	-	-
Male.....	8	6	10	18	11	10	7	9	3	-	-	-
Female.....	6	10	13	6	9	11	8	7	3	3	-	-
Other and Unknown Hispanic, both sexes.....	6	10	9	3	18	15	8	7	7	1	-	-
Male.....	3	8	7	3	14	8	3	4	4	-	-	-
Female.....	3	2	2	-	4	7	5	3	3	1	-	-
Non-Hispanic 1/, both sexes.....	578	742	867	1,064	1,484	1,736	1,627	1,264	619	137	24	-
Male.....	396	495	589	729	959	1,028	880	585	236	33	10	-
Female.....	182	247	278	335	525	708	747	679	383	104	14	-
Non-Hispanic white, both sexes.....	370	525	612	753	1,108	1,331	1,282	1,011	496	100	14	-
Male.....	264	366	425	534	731	815	708	481	187	24	4	-
Female.....	106	159	187	219	377	516	574	530	309	76	10	-
Non-Hispanic black, both sexes.....	156	155	184	229	289	306	239	196	96	30	9	-
Male.....	105	102	121	145	178	159	117	73	40	7	5	-
Female.....	51	53	63	84	111	147	122	123	56	23	4	-
Origin not stated 2/, both sexes.....	2	2	2	4	5	5	5	7	3	1	-	-
Male.....	1	2	1	4	3	3	3	4	2	-	-	-
Female.....	1	-	1	-	2	2	2	3	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of colon, rectum and anus (C18-C21)												
All origins, both sexes.....	2,818	3,694	4,727	5,901	7,491	8,826	8,672	6,453	3,433	1,075	128	1
Male.....	1,606	2,185	2,850	3,455	4,125	4,536	3,968	2,508	1,024	267	24	1
Female.....	1,212	1,509	1,877	2,446	3,366	4,290	4,704	3,945	2,409	808	104	-
Hispanic, both sexes.....	178	197	257	275	330	338	235	161	108	28	2	-
Male.....	104	135	156	168	183	185	110	65	29	10	-	-
Female.....	74	62	101	107	147	153	125	96	79	18	2	-
Mexican, both sexes.....	104	103	125	128	152	147	110	68	35	13	-	-
Male.....	65	77	80	79	83	95	53	29	14	4	-	-
Female.....	39	26	45	49	69	52	57	39	21	9	-	-
Puerto Rican, both sexes.....	30	33	45	34	55	48	26	15	12	3	1	-
Male.....	21	23	24	23	31	14	9	7	5	1	-	-
Female.....	9	10	21	11	24	34	17	8	7	2	1	-
Cuban, both sexes.....	12	15	26	46	47	66	50	43	30	7	-	-
Male.....	3	8	18	27	25	35	27	13	6	4	-	-
Female.....	9	7	8	19	22	31	23	30	24	3	-	-
Central and South American, both sexes.....	20	24	33	32	37	29	24	14	5	3	-	-
Male.....	7	16	18	18	18	14	10	4	-	-	-	-
Female.....	13	8	15	14	19	15	14	10	5	3	-	-
Other and Unknown Hispanic, both sexes.....	12	22	28	35	39	48	25	21	26	2	1	-
Male.....	8	11	16	21	26	27	11	12	4	1	-	-
Female.....	4	11	12	14	13	21	14	9	22	1	1	-
Non-Hispanic 1/, both sexes.....	2,634	3,488	4,460	5,615	7,143	8,466	8,416	6,284	3,312	1,045	126	1
Male.....	1,500	2,045	2,686	3,279	3,929	4,338	3,850	2,441	991	257	24	1
Female.....	1,134	1,443	1,774	2,336	3,214	4,128	4,566	3,843	2,321	788	102	-
Non-Hispanic white, both sexes.....	2,060	2,788	3,613	4,658	6,124	7,384	7,437	5,694	2,954	925	108	1
Male.....	1,183	1,661	2,198	2,763	3,426	3,805	3,406	2,205	883	227	18	1
Female.....	877	1,127	1,415	1,895	2,698	3,579	4,031	3,489	2,071	698	90	-
Non-Hispanic black, both sexes.....	490	591	706	809	847	927	829	505	308	94	13	-
Male.....	268	317	400	433	407	452	370	195	86	19	4	-
Female.....	222	274	306	376	440	475	459	310	222	75	9	-
Origin not stated 2/, both sexes.....	6	9	10	11	18	22	21	8	13	2	-	-
Male.....	2	5	8	8	13	13	8	2	4	-	-	-
Female.....	4	4	2	3	5	9	13	6	9	2	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of liver and intrahepatic bile ducts (C22)												
All origins, both sexes.....	1,245	1,208	1,350	1,618	1,963	2,049	1,679	1,094	419	80	16	-
Male.....	1,015	899	959	1,100	1,267	1,212	900	463	155	22	2	-
Female.....	230	309	391	518	696	837	779	631	264	58	14	-
Hispanic, both sexes.....	122	146	164	198	205	165	100	68	38	2	-	-
Male.....	105	114	111	130	126	97	49	31	13	1	-	-
Female.....	17	32	53	68	79	68	51	37	25	1	-	-
Mexican, both sexes.....	72	81	95	128	130	99	61	38	24	-	-	-
Male.....	61	62	61	76	83	66	28	17	8	-	-	-
Female.....	11	19	34	52	47	33	33	21	16	-	-	-
Puerto Rican, both sexes.....	26	27	31	31	23	16	12	6	2	1	-	-
Male.....	23	25	24	24	18	9	6	3	1	1	-	-
Female.....	3	2	7	7	5	7	6	3	1	-	-	-
Cuban, both sexes.....	6	3	8	10	13	11	11	7	5	-	-	-
Male.....	5	2	7	8	9	6	9	2	3	-	-	-
Female.....	1	1	1	2	4	5	2	5	2	-	-	-
Central and South American, both sexes.....	7	18	17	15	25	19	5	6	4	-	-	-
Male.....	5	12	9	10	7	7	1	4	-	-	-	-
Female.....	2	6	8	5	18	12	4	2	4	-	-	-
Other and Unknown Hispanic, both sexes.....	11	17	13	14	14	20	11	11	3	1	-	-
Male.....	11	13	10	12	9	9	5	5	1	-	-	-
Female.....	-	4	3	2	5	11	6	6	2	1	-	-
Non-Hispanic 1/, both sexes.....	1,119	1,058	1,176	1,416	1,755	1,878	1,574	1,022	381	78	16	-
Male.....	908	782	839	967	1,139	1,111	846	431	142	21	2	-
Female.....	211	276	337	449	616	767	728	591	239	57	14	-
Non-Hispanic white, both sexes.....	740	729	884	1,100	1,404	1,603	1,367	904	316	65	11	-
Male.....	598	537	630	759	913	953	728	387	118	17	1	-
Female.....	142	192	254	341	491	650	639	517	198	48	10	-
Non-Hispanic black, both sexes.....	256	227	158	180	204	171	121	75	43	6	2	-
Male.....	208	167	112	126	135	92	66	23	12	3	-	-
Female.....	48	60	46	54	69	79	55	52	31	3	2	-
Origin not stated 2/, both sexes.....	4	4	10	4	3	6	5	4	-	-	-	-
Male.....	2	3	9	3	2	4	5	1	-	-	-	-
Female.....	2	1	1	1	1	2	-	3	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of pancreas (C25)												
All origins, both sexes.....	1,544	2,321	2,784	3,564	4,623	5,210	4,345	2,824	1,217	263	36	1
Male.....	971	1,394	1,618	1,924	2,346	2,424	1,846	985	351	60	7	1
Female.....	573	927	1,166	1,640	2,277	2,786	2,499	1,839	866	203	29	-
Hispanic, both sexes.....	89	127	146	176	234	202	131	97	35	10	1	-
Male.....	57	71	76	97	117	85	51	27	7	2	-	-
Female.....	32	56	70	79	117	117	80	70	28	8	1	-
Mexican, both sexes.....	47	86	81	85	130	107	63	54	20	4	-	-
Male.....	30	48	46	48	62	45	25	13	2	-	-	-
Female.....	17	38	35	37	68	62	38	41	18	4	-	-
Puerto Rican, both sexes.....	12	14	20	18	16	15	14	7	5	-	-	-
Male.....	7	8	8	10	11	8	3	2	2	-	-	-
Female.....	5	6	12	8	5	7	11	5	3	-	-	-
Cuban, both sexes.....	7	3	16	27	24	30	14	16	6	2	1	-
Male.....	5	2	9	18	11	11	6	6	2	1	-	-
Female.....	2	1	7	9	13	19	8	10	4	1	1	-
Central and South American, both sexes.....	14	13	18	21	28	19	16	6	2	2	-	-
Male.....	10	7	6	8	14	10	6	1	1	-	-	-
Female.....	4	6	12	13	14	9	10	5	1	2	-	-
Other and Unknown Hispanic, both sexes.....	9	11	11	25	36	31	24	14	2	2	-	-
Male.....	5	6	7	13	19	11	11	5	-	1	-	-
Female.....	4	5	4	12	17	20	13	9	2	1	-	-
Non-Hispanic 1/, both sexes.....	1,451	2,187	2,634	3,380	4,383	4,996	4,204	2,721	1,180	253	35	1
Male.....	912	1,317	1,539	1,825	2,226	2,334	1,792	954	343	58	7	1
Female.....	539	870	1,095	1,555	2,157	2,662	2,412	1,767	837	195	28	-
Non-Hispanic white, both sexes.....	1,133	1,795	2,176	2,798	3,735	4,369	3,765	2,450	1,067	219	29	-
Male.....	728	1,091	1,301	1,549	1,931	2,088	1,627	869	312	50	5	-
Female.....	405	704	875	1,249	1,804	2,281	2,138	1,581	755	169	24	-
Non-Hispanic black, both sexes.....	257	332	394	471	545	509	349	225	95	32	6	1
Male.....	157	193	206	225	250	196	136	62	22	8	2	1
Female.....	100	139	188	246	295	313	213	163	73	24	4	-
Origin not stated 2/, both sexes.....	4	7	4	8	6	12	10	6	2	-	-	-
Male.....	2	6	3	2	3	5	3	4	1	-	-	-
Female.....	2	1	1	6	3	7	7	2	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
All origins, both sexes.....	7,809	12,930	17,754	22,358	27,898	27,969	20,113	9,781	3,214	576	81	-
Male.....	4,723	7,769	10,646	13,209	16,334	15,833	10,988	5,022	1,439	216	25	-
Female.....	3,086	5,161	7,108	9,149	11,564	12,136	9,125	4,759	1,775	360	56	-
Hispanic, both sexes.....	238	364	444	574	729	681	420	224	97	16	4	-
Male.....	158	256	311	393	453	463	266	121	54	6	3	-
Female.....	80	108	133	181	276	218	154	103	43	10	1	-
Mexican, both sexes.....	110	144	217	278	355	361	209	114	51	3	2	-
Male.....	74	96	147	191	222	253	137	65	29	1	1	-
Female.....	36	48	70	87	133	108	72	49	22	2	1	-
Puerto Rican, both sexes.....	36	72	59	94	107	71	41	18	9	2	-	-
Male.....	25	57	37	64	68	47	23	9	5	1	-	-
Female.....	11	15	22	30	39	24	18	9	4	1	-	-
Cuban, both sexes.....	27	71	69	78	113	111	63	39	19	3	-	-
Male.....	21	57	62	68	76	76	41	20	12	1	-	-
Female.....	6	14	7	10	37	35	22	19	7	2	-	-
Central and South American, both sexes.....	31	33	50	59	55	57	35	23	4	4	-	-
Male.....	19	19	26	33	32	34	21	11	1	2	-	-
Female.....	12	14	24	26	23	23	14	12	3	2	-	-
Other and Unknown Hispanic, both sexes.....	34	44	49	65	99	81	72	30	14	4	2	-
Male.....	19	27	39	37	55	53	44	16	7	1	2	-
Female.....	15	17	10	28	44	28	28	14	7	3	-	-
Non-Hispanic 1/, both sexes.....	7,548	12,541	17,261	21,725	27,111	27,217	19,645	9,534	3,114	559	77	-
Male.....	4,550	7,498	10,308	12,776	15,852	15,326	10,700	4,889	1,383	209	22	-
Female.....	2,998	5,043	6,953	8,949	11,259	11,891	8,945	4,645	1,731	350	55	-
Non-Hispanic white, both sexes.....	6,041	10,506	14,712	18,892	24,212	24,544	17,962	8,732	2,840	502	60	-
Male.....	3,580	6,189	8,629	11,013	14,089	13,707	9,701	4,458	1,253	193	20	-
Female.....	2,461	4,317	6,083	7,879	10,123	10,837	8,261	4,274	1,587	309	40	-
Non-Hispanic black, both sexes.....	1,343	1,784	2,210	2,483	2,447	2,254	1,387	630	220	44	15	-
Male.....	874	1,145	1,461	1,575	1,508	1,360	803	334	102	10	2	-
Female.....	469	639	749	908	939	894	584	296	118	34	13	-
Origin not stated 2/, both sexes.....	23	25	49	59	58	71	48	23	3	1	-	-
Male.....	15	15	27	40	29	44	22	12	2	1	-	-
Female.....	8	10	22	19	29	27	26	11	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant melanoma of skin (C43)												
All origins, both sexes.....	640	659	692	748	868	954	794	512	233	58	17	1
Male.....	403	445	470	500	575	609	469	264	115	21	6	-
Female.....	237	214	222	248	293	345	325	248	118	37	11	1
Hispanic, both sexes.....	14	10	14	9	10	16	13	7	7	3	1	-
Male.....	5	8	8	4	7	7	6	3	1	-	-	-
Female.....	9	2	6	5	3	9	7	4	6	3	1	-
Mexican, both sexes.....	7	2	7	7	6	8	7	4	1	2	-	-
Male.....	4	-	5	2	3	4	5	3	-	-	-	-
Female.....	3	2	2	5	3	4	2	1	1	2	-	-
Puerto Rican, both sexes.....	2	1	2	1	-	2	1	-	1	-	1	-
Male.....	1	1	1	1	-	-	-	-	1	-	-	-
Female.....	1	-	1	-	-	2	1	-	-	-	1	-
Cuban, both sexes.....	1	-	1	-	3	4	1	-	3	-	-	-
Male.....	-	-	1	-	3	2	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	1	-	3	-	-	-
Central and South American, both sexes.....	2	4	2	-	-	-	3	1	-	1	-	-
Male.....	-	4	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	3	1	-	1	-	-
Other and Unknown Hispanic, both sexes.....	2	3	2	1	1	2	1	2	2	-	-	-
Male.....	-	3	-	1	1	1	1	-	-	-	-	-
Female.....	2	-	2	-	-	1	-	2	2	-	-	-
Non-Hispanic 1/, both sexes.....	626	648	675	739	857	935	779	504	226	55	16	-
Male.....	398	437	459	496	567	601	461	261	114	21	6	-
Female.....	228	211	216	243	290	334	318	243	112	34	10	-
Non-Hispanic white, both sexes.....	614	631	660	722	832	919	768	493	220	52	15	-
Male.....	390	425	451	486	553	592	458	256	112	21	6	-
Female.....	224	206	209	236	279	327	310	237	108	31	9	-
Non-Hispanic black, both sexes.....	9	13	8	11	14	10	8	10	5	-	-	-
Male.....	5	10	3	5	7	6	2	4	2	-	-	-
Female.....	4	3	5	6	7	4	6	6	3	-	-	-
Origin not stated 2/, both sexes.....	-	1	3	-	1	3	2	1	-	-	-	1
Male.....	-	-	3	-	1	1	2	-	-	-	-	-
Female.....	-	1	-	-	-	2	-	1	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
All origins, both sexes.....	3,707	3,924	3,914	3,954	4,551	4,978	4,770	3,528	1,869	658	126	-
Male.....	28	29	38	35	49	57	55	31	13	3	-	-
Female.....	3,679	3,895	3,876	3,919	4,502	4,921	4,715	3,497	1,856	655	126	-
Hispanic, both sexes.....	216	181	167	173	150	138	124	79	35	11	3	-
Male.....	4	-	-	1	2	-	2	-	1	-	-	-
Female.....	212	181	167	172	148	138	122	79	34	11	3	-
Mexican, both sexes.....	127	97	91	83	75	59	55	36	14	4	-	-
Male.....	3	-	-	-	1	-	2	-	1	-	-	-
Female.....	124	97	91	83	74	59	53	36	13	4	-	-
Puerto Rican, both sexes.....	26	23	22	28	18	17	17	9	3	1	1	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	26	23	22	27	18	17	17	9	3	1	1	-
Cuban, both sexes.....	13	11	19	26	25	29	24	17	10	4	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	11	19	26	25	29	24	17	10	4	-	-
Central and South American, both sexes.....	25	34	19	21	11	13	13	9	3	2	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	25	34	19	21	11	13	13	9	3	2	2	-
Other and Unknown Hispanic, both sexes.....	25	16	16	15	21	20	15	8	5	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	24	16	16	15	20	20	15	8	5	-	-	-
Non-Hispanic 1/, both sexes.....	3,479	3,729	3,741	3,770	4,391	4,830	4,634	3,442	1,829	645	122	-
Male.....	24	28	38	34	47	57	53	31	12	3	-	-
Female.....	3,455	3,701	3,703	3,736	4,344	4,773	4,581	3,411	1,817	642	122	-
Non-Hispanic white, both sexes.....	2,683	3,021	3,124	3,188	3,813	4,320	4,136	3,135	1,665	578	105	-
Male.....	17	23	28	23	42	47	47	29	9	3	-	-
Female.....	2,666	2,998	3,096	3,165	3,771	4,273	4,089	3,106	1,656	575	105	-
Non-Hispanic black, both sexes.....	669	596	526	508	497	455	445	285	146	63	15	-
Male.....	6	5	9	11	5	8	5	2	3	-	-	-
Female.....	663	591	517	497	492	447	440	283	143	63	15	-
Origin not stated 2/, both sexes.....	12	14	6	11	10	10	12	7	5	2	1	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	12	13	6	11	10	10	12	7	5	2	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of cervix uteri (C53)												
All origins, both sexes.....	455	401	324	315	315	305	223	155	99	24	6	-
Male.....
Female.....	455	401	324	315	315	305	223	155	99	24	6	-
Hispanic, both sexes.....	45	40	31	24	31	24	16	8	6	2	1	-
Male.....
Female.....	45	40	31	24	31	24	16	8	6	2	1	-
Mexican, both sexes.....	30	24	20	19	17	16	9	3	2	2	1	-
Male.....
Female.....	30	24	20	19	17	16	9	3	2	2	1	-
Puerto Rican, both sexes.....	3	4	5	1	8	1	2	-	1	-	-	-
Male.....
Female.....	3	4	5	1	8	1	2	-	1	-	-	-
Cuban, both sexes.....	1	1	1	1	-	1	2	2	2	-	-	-
Male.....
Female.....	1	1	1	1	-	1	2	2	2	-	-	-
Central and South American, both sexes.....	8	9	3	2	6	5	3	3	1	-	-	-
Male.....
Female.....	8	9	3	2	6	5	3	3	1	-	-	-
Other and Unknown Hispanic, both sexes.....	3	2	2	1	-	1	-	-	-	-	-	-
Male.....
Female.....	3	2	2	1	-	1	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	409	359	291	291	282	281	206	147	93	22	5	-
Male.....
Female.....	409	359	291	291	282	281	206	147	93	22	5	-
Non-Hispanic white, both sexes.....	300	277	203	203	196	216	154	109	68	13	4	-
Male.....
Female.....	300	277	203	203	196	216	154	109	68	13	4	-
Non-Hispanic black, both sexes.....	93	62	69	77	75	54	47	29	19	9	1	-
Male.....
Female.....	93	62	69	77	75	54	47	29	19	9	1	-
Origin not stated 2/, both sexes.....	1	2	2	-	2	-	1	-	-	-	-	-
Male.....
Female.....	1	2	2	-	2	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All origins, both sexes.....	376	531	668	809	1,026	1,051	906	694	314	109	11	-
Male.....
Female.....	376	531	668	809	1,026	1,051	906	694	314	109	11	-
Hispanic, both sexes.....	21	38	26	54	52	40	26	26	7	4	-	-
Male.....
Female.....	21	38	26	54	52	40	26	26	7	4	-	-
Mexican, both sexes.....	13	23	13	23	25	12	11	10	1	-	-	-
Male.....
Female.....	13	23	13	23	25	12	11	10	1	-	-	-
Puerto Rican, both sexes.....	3	3	4	8	6	7	-	5	-	1	-	-
Male.....
Female.....	3	3	4	8	6	7	-	5	-	1	-	-
Cuban, both sexes.....	1	1	5	10	7	8	5	7	2	1	-	-
Male.....
Female.....	1	1	5	10	7	8	5	7	2	1	-	-
Central and South American, both sexes.....	2	4	1	8	8	7	6	2	1	1	-	-
Male.....
Female.....	2	4	1	8	8	7	6	2	1	1	-	-
Other and Unknown Hispanic, both sexes.....	2	7	3	5	6	6	4	2	3	1	-	-
Male.....
Female.....	2	7	3	5	6	6	4	2	3	1	-	-
Non-Hispanic 1/, both sexes.....	353	488	636	753	972	1,007	877	665	306	105	11	-
Male.....
Female.....	353	488	636	753	972	1,007	877	665	306	105	11	-
Non-Hispanic white, both sexes.....	273	370	491	540	772	823	757	580	273	87	9	-
Male.....
Female.....	273	370	491	540	772	823	757	580	273	87	9	-
Non-Hispanic black, both sexes.....	61	98	123	187	186	160	108	81	31	17	2	-
Male.....
Female.....	61	98	123	187	186	160	108	81	31	17	2	-
Origin not stated 2/, both sexes.....	2	5	6	2	2	4	3	3	1	-	-	-
Male.....
Female.....	2	5	6	2	2	4	3	3	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of ovary (C56)												
All origins, both sexes.....	1,029	1,249	1,499	1,662	1,939	2,249	2,010	1,174	447	115	14	-
Male.....
Female.....	1,029	1,249	1,499	1,662	1,939	2,249	2,010	1,174	447	115	14	-
Hispanic, both sexes.....	71	47	64	71	74	90	55	31	12	-	-	-
Male.....
Female.....	71	47	64	71	74	90	55	31	12	-	-	-
Mexican, both sexes.....	42	23	31	35	40	49	30	15	6	-	-	-
Male.....
Female.....	42	23	31	35	40	49	30	15	6	-	-	-
Puerto Rican, both sexes.....	7	3	9	6	5	12	9	6	3	-	-	-
Male.....
Female.....	7	3	9	6	5	12	9	6	3	-	-	-
Cuban, both sexes.....	5	3	5	7	13	10	6	3	1	-	-	-
Male.....
Female.....	5	3	5	7	13	10	6	3	1	-	-	-
Central and South American, both sexes.....	10	15	16	15	6	7	2	3	2	-	-	-
Male.....
Female.....	10	15	16	15	6	7	2	3	2	-	-	-
Other and Unknown Hispanic, both sexes.....	7	3	3	8	10	12	8	4	-	-	-	-
Male.....
Female.....	7	3	3	8	10	12	8	4	-	-	-	-
Non-Hispanic 1/, both sexes.....	956	1,199	1,434	1,583	1,862	2,155	1,952	1,142	435	115	14	-
Male.....
Female.....	956	1,199	1,434	1,583	1,862	2,155	1,952	1,142	435	115	14	-
Non-Hispanic white, both sexes.....	834	1,053	1,276	1,407	1,675	1,965	1,801	1,055	404	105	11	-
Male.....
Female.....	834	1,053	1,276	1,407	1,675	1,965	1,801	1,055	404	105	11	-
Non-Hispanic black, both sexes.....	86	113	124	139	148	153	124	78	27	9	3	-
Male.....
Female.....	86	113	124	139	148	153	124	78	27	9	3	-
Origin not stated 2/, both sexes.....	2	3	1	8	3	4	3	1	-	-	-	-
Male.....
Female.....	2	3	1	8	3	4	3	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of kidney and renal pelvis (C64-C65)												
All origins, both sexes.....	808	1,075	1,265	1,533	1,706	1,829	1,526	967	429	90	7	-
Male.....	592	771	887	1,020	1,067	1,123	801	457	201	34	4	-
Female.....	216	304	378	513	639	706	725	510	228	56	3	-
Hispanic, both sexes.....	60	75	85	78	74	88	58	30	14	3	-	-
Male.....	45	54	52	50	47	64	31	16	7	1	-	-
Female.....	15	21	33	28	27	24	27	14	7	2	-	-
Mexican, both sexes.....	45	52	56	47	45	46	37	22	11	1	-	-
Male.....	34	38	35	33	29	34	21	12	6	1	-	-
Female.....	11	14	21	14	16	12	16	10	5	-	-	-
Puerto Rican, both sexes.....	2	6	4	9	8	8	2	2	-	1	-	-
Male.....	1	4	3	5	6	5	1	1	-	-	-	-
Female.....	1	2	1	4	2	3	1	1	-	1	-	-
Cuban, both sexes.....	2	4	5	6	7	9	6	3	1	1	-	-
Male.....	2	4	2	4	5	6	4	2	1	-	-	-
Female.....	-	-	3	2	2	3	2	1	-	1	-	-
Central and South American, both sexes.....	4	9	8	7	10	13	5	3	-	-	-	-
Male.....	2	5	4	3	6	11	2	1	-	-	-	-
Female.....	2	4	4	4	4	2	3	2	-	-	-	-
Other and Unknown Hispanic, both sexes.....	7	4	12	9	4	12	8	-	2	-	-	-
Male.....	6	3	8	5	1	8	3	-	-	-	-	-
Female.....	1	1	4	4	3	4	5	-	2	-	-	-
Non-Hispanic 1/, both sexes.....	745	996	1,177	1,451	1,628	1,735	1,465	937	414	87	7	-
Male.....	545	713	833	967	1,017	1,057	768	441	193	33	4	-
Female.....	200	283	344	484	611	678	697	496	221	54	3	-
Non-Hispanic white, both sexes.....	626	872	1,026	1,287	1,467	1,561	1,342	860	388	78	7	-
Male.....	464	624	731	865	920	967	701	408	187	30	4	-
Female.....	162	248	295	422	547	594	641	452	201	48	3	-
Non-Hispanic black, both sexes.....	91	104	122	135	125	149	101	65	21	7	-	-
Male.....	62	79	85	80	71	75	50	28	6	2	-	-
Female.....	29	25	37	55	54	74	51	37	15	5	-	-
Origin not stated 2/, both sexes.....	3	4	3	4	4	6	3	-	1	-	-	-
Male.....	2	4	2	3	3	2	2	-	1	-	-	-
Female.....	1	-	1	1	1	4	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of bladder (C67)												
All origins, both sexes.....	321	572	738	1,151	1,756	2,366	2,341	1,864	908	255	32	1
Male.....	223	425	559	845	1,244	1,659	1,540	1,163	498	118	12	1
Female.....	98	147	179	306	512	707	801	701	410	137	20	-
Hispanic, both sexes.....	13	27	30	40	51	53	57	55	39	4	1	-
Male.....	9	15	24	31	36	34	34	33	24	3	-	-
Female.....	4	12	6	9	15	19	23	22	15	1	1	-
Mexican, both sexes.....	5	11	10	22	22	22	29	23	9	1	1	-
Male.....	4	7	8	17	14	15	17	12	5	1	-	-
Female.....	1	4	2	5	8	7	12	11	4	-	1	-
Puerto Rican, both sexes.....	4	5	4	4	4	10	3	11	14	1	-	-
Male.....	2	3	3	3	4	5	1	9	9	1	-	-
Female.....	2	2	1	1	-	5	2	2	5	-	-	-
Cuban, both sexes.....	-	4	5	5	13	12	16	7	9	2	-	-
Male.....	-	3	4	5	11	8	10	4	5	1	-	-
Female.....	-	1	1	-	2	4	6	3	4	1	-	-
Central and South American, both sexes.....	2	4	5	5	8	5	4	5	1	-	-	-
Male.....	1	1	4	4	6	3	2	2	1	-	-	-
Female.....	1	3	1	1	2	2	2	3	-	-	-	-
Other and Unknown Hispanic, both sexes.....	2	3	6	4	4	4	5	9	6	-	-	-
Male.....	2	1	5	2	1	3	4	6	4	-	-	-
Female.....	-	2	1	2	3	1	1	3	2	-	-	-
Non-Hispanic 1/, both sexes.....	306	543	705	1,108	1,701	2,312	2,279	1,803	867	251	31	-
Male.....	213	409	532	812	1,207	1,625	1,503	1,127	472	115	12	-
Female.....	93	134	173	296	494	687	776	676	395	136	19	-
Non-Hispanic white, both sexes.....	265	474	638	989	1,542	2,126	2,106	1,663	790	225	28	-
Male.....	193	375	491	742	1,122	1,511	1,410	1,061	441	109	12	-
Female.....	72	99	147	247	420	615	696	602	349	116	16	-
Non-Hispanic black, both sexes.....	33	59	57	103	139	154	141	120	68	21	3	-
Male.....	16	29	34	57	71	90	74	55	26	3	-	-
Female.....	17	30	23	46	68	64	67	65	42	18	3	-
Origin not stated 2/, both sexes.....	2	2	3	3	4	1	5	6	2	-	-	1
Male.....	1	1	3	2	1	-	3	3	2	-	-	1
Female.....	1	1	-	1	3	1	2	3	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All origins, both sexes.....	1,158	1,276	1,284	1,407	1,547	1,454	981	536	174	39	4	-
Male.....	665	773	721	819	859	750	460	213	54	10	2	-
Female.....	493	503	563	588	688	704	521	323	120	29	2	-
Hispanic, both sexes.....	73	53	62	60	58	54	28	17	6	-	1	-
Male.....	50	27	35	36	29	27	12	8	1	-	1	-
Female.....	23	26	27	24	29	27	16	9	5	-	-	-
Mexican, both sexes.....	43	25	33	29	30	29	12	8	4	-	1	-
Male.....	31	14	19	18	12	16	5	5	1	-	1	-
Female.....	12	11	14	11	18	13	7	3	3	-	-	-
Puerto Rican, both sexes.....	9	7	6	5	4	5	2	3	-	-	-	-
Male.....	6	5	5	2	1	1	1	-	-	-	-	-
Female.....	3	2	1	3	3	4	1	3	-	-	-	-
Cuban, both sexes.....	4	4	5	4	7	10	7	2	1	-	-	-
Male.....	4	1	3	4	3	6	4	-	-	-	-	-
Female.....	-	3	2	-	4	4	3	2	1	-	-	-
Central and South American, both sexes.....	14	11	10	14	9	3	4	3	-	-	-	-
Male.....	7	4	4	5	6	1	-	2	-	-	-	-
Female.....	7	7	6	9	3	2	4	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	3	6	8	8	8	7	3	1	1	-	-	-
Male.....	2	3	4	7	7	3	2	1	-	-	-	-
Female.....	1	3	4	1	1	4	1	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	1,081	1,219	1,219	1,345	1,486	1,396	953	518	168	39	3	-
Male.....	612	744	683	782	830	720	448	205	53	10	1	-
Female.....	469	475	536	563	656	676	505	313	115	29	2	-
Non-Hispanic white, both sexes.....	982	1,112	1,131	1,251	1,395	1,310	899	490	158	36	3	-
Male.....	567	673	633	733	782	677	420	197	50	9	1	-
Female.....	415	439	498	518	613	633	479	293	108	27	2	-
Non-Hispanic black, both sexes.....	76	82	62	72	70	69	43	20	9	3	-	-
Male.....	31	54	38	35	35	32	23	4	2	1	-	-
Female.....	45	28	24	37	35	37	20	16	7	2	-	-
Origin not stated 2/, both sexes.....	4	4	3	2	3	4	-	1	-	-	-	-
Male.....	3	2	3	1	-	3	-	-	-	-	-	-
Female.....	1	2	-	1	3	1	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All origins, both sexes.....	2,361	3,217	4,283	5,672	7,836	9,319	8,970	6,003	2,433	574	62	-
Male.....	1,388	1,947	2,523	3,391	4,512	5,047	4,506	2,624	906	186	24	-
Female.....	973	1,270	1,760	2,281	3,324	4,272	4,464	3,379	1,527	388	38	-
Hispanic, both sexes.....	147	206	231	311	323	337	267	164	58	15	2	-
Male.....	87	116	129	167	164	169	121	79	22	6	1	-
Female.....	60	90	102	144	159	168	146	85	36	9	1	-
Mexican, both sexes.....	78	109	129	159	181	189	136	77	30	5	-	-
Male.....	45	70	72	82	96	94	61	36	15	2	-	-
Female.....	33	39	57	77	85	95	75	41	15	3	-	-
Puerto Rican, both sexes.....	21	35	23	37	36	39	31	13	5	2	-	-
Male.....	11	14	13	12	21	11	15	6	-	1	-	-
Female.....	10	21	10	25	15	28	16	7	5	1	-	-
Cuban, both sexes.....	12	16	25	31	41	49	38	30	14	1	-	-
Male.....	6	7	15	19	17	33	18	14	4	1	-	-
Female.....	6	9	10	12	24	16	20	16	10	-	-	-
Central and South American, both sexes.....	19	25	31	46	35	37	29	21	4	1	-	-
Male.....	14	12	15	31	15	17	12	8	1	-	-	-
Female.....	5	13	16	15	20	20	17	13	3	1	-	-
Other and Unknown Hispanic, both sexes.....	17	21	23	38	30	23	33	23	5	6	2	-
Male.....	11	13	14	23	15	14	15	15	2	2	1	-
Female.....	6	8	9	15	15	9	18	8	3	4	1	-
Non-Hispanic 1/, both sexes.....	2,204	3,005	4,043	5,344	7,495	8,959	8,677	5,829	2,372	554	60	-
Male.....	1,295	1,826	2,391	3,213	4,333	4,863	4,373	2,542	884	179	23	-
Female.....	909	1,179	1,652	2,131	3,162	4,096	4,304	3,287	1,488	375	37	-
Non-Hispanic white, both sexes.....	1,759	2,485	3,445	4,651	6,676	8,160	8,042	5,450	2,202	515	52	-
Male.....	1,060	1,541	2,056	2,833	3,913	4,480	4,077	2,398	818	169	19	-
Female.....	699	944	1,389	1,818	2,763	3,680	3,965	3,052	1,384	346	33	-
Non-Hispanic black, both sexes.....	357	439	496	579	689	647	519	322	145	34	7	-
Male.....	187	240	277	313	366	299	231	120	52	10	4	-
Female.....	170	199	219	266	323	348	288	202	93	24	3	-
Origin not stated 2/, both sexes.....	10	6	9	17	18	23	26	10	3	5	-	-
Male.....	6	5	3	11	15	15	12	3	-	1	-	-
Female.....	4	1	6	6	3	8	14	7	3	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Non-Hodgkin's lymphoma (C82-C85)												
All origins, both sexes.....	943	1,319	1,730	2,225	3,039	3,722	3,561	2,446	881	200	22	-
Male.....	574	823	1,015	1,334	1,652	1,898	1,696	1,013	315	51	6	-
Female.....	369	496	715	891	1,387	1,824	1,865	1,433	566	149	16	-
Hispanic, both sexes.....	56	76	110	122	146	155	107	65	19	6	1	-
Male.....	31	46	63	69	67	66	45	26	8	2	-	-
Female.....	25	30	47	53	79	89	62	39	11	4	1	-
Mexican, both sexes.....	34	39	59	70	82	83	59	37	11	-	-	-
Male.....	20	26	35	37	40	35	24	13	5	-	-	-
Female.....	14	13	24	33	42	48	35	24	6	-	-	-
Puerto Rican, both sexes.....	8	13	12	14	20	19	11	4	2	2	-	-
Male.....	3	5	7	6	10	5	4	2	-	1	-	-
Female.....	5	8	5	8	10	14	7	2	2	1	-	-
Cuban, both sexes.....	4	8	9	11	17	28	16	7	2	-	-	-
Male.....	1	3	5	9	5	16	9	3	1	-	-	-
Female.....	3	5	4	2	12	12	7	4	1	-	-	-
Central and South American, both sexes.....	5	5	16	10	14	16	10	9	2	1	-	-
Male.....	4	4	7	6	7	6	4	3	1	-	-	-
Female.....	1	1	9	4	7	10	6	6	1	1	-	-
Other and Unknown Hispanic, both sexes.....	5	11	14	17	13	9	11	8	2	3	1	-
Male.....	3	8	9	11	5	4	4	5	1	1	-	-
Female.....	2	3	5	6	8	5	7	3	1	2	1	-
Non-Hispanic 1/, both sexes.....	883	1,240	1,617	2,095	2,888	3,561	3,438	2,377	861	193	21	-
Male.....	542	774	951	1,258	1,580	1,828	1,644	987	307	49	6	-
Female.....	341	466	666	837	1,308	1,733	1,794	1,390	554	144	15	-
Non-Hispanic white, both sexes.....	719	1,074	1,443	1,886	2,637	3,339	3,258	2,278	827	185	20	-
Male.....	449	678	848	1,143	1,457	1,725	1,562	950	291	45	6	-
Female.....	270	396	595	743	1,180	1,614	1,696	1,328	536	140	14	-
Non-Hispanic black, both sexes.....	126	136	141	165	191	153	131	74	24	5	-	-
Male.....	71	76	83	91	102	68	54	27	9	4	-	-
Female.....	55	60	58	74	89	85	77	47	15	1	-	-
Origin not stated 2/, both sexes.....	4	3	3	8	5	6	16	4	1	1	-	-
Male.....	1	3	1	7	5	4	7	-	-	-	-	-
Female.....	3	-	2	1	-	2	9	4	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Leukemia (C91-C95)												
All origins, both sexes.....	853	1,111	1,500	1,998	2,820	3,392	3,371	2,294	1,086	281	35	-
Male.....	486	667	891	1,242	1,768	1,995	1,809	1,062	420	95	15	-
Female.....	367	444	609	756	1,052	1,397	1,562	1,232	666	186	20	-
Hispanic, both sexes.....	42	74	69	88	95	81	83	53	25	7	-	-
Male.....	29	36	31	45	52	50	44	26	9	4	-	-
Female.....	13	38	38	43	43	31	39	27	16	3	-	-
Mexican, both sexes.....	20	46	36	41	51	39	35	20	11	4	-	-
Male.....	15	25	14	20	30	24	21	10	5	2	-	-
Female.....	5	21	22	21	21	15	14	10	6	2	-	-
Puerto Rican, both sexes.....	6	10	4	8	9	6	10	4	1	-	-	-
Male.....	3	3	1	2	5	2	4	2	-	-	-	-
Female.....	3	7	3	6	4	4	6	2	1	-	-	-
Cuban, both sexes.....	3	4	11	13	14	13	14	14	10	1	-	-
Male.....	3	2	7	7	7	11	8	6	3	1	-	-
Female.....	-	2	4	6	7	2	6	8	7	-	-	-
Central and South American, both sexes.....	7	8	10	18	8	13	11	8	1	-	-	-
Male.....	3	3	5	12	3	7	3	4	-	-	-	-
Female.....	4	5	5	6	5	6	8	4	1	-	-	-
Other and Unknown Hispanic, both sexes.....	6	6	8	8	13	10	13	7	2	2	-	-
Male.....	5	3	4	4	7	6	8	4	1	1	-	-
Female.....	1	3	4	4	6	4	5	3	1	1	-	-
Non-Hispanic 1/, both sexes.....	806	1,036	1,428	1,906	2,716	3,305	3,281	2,238	1,060	271	35	-
Male.....	453	630	859	1,195	1,709	1,940	1,762	1,034	411	90	15	-
Female.....	353	406	569	711	1,007	1,365	1,519	1,204	649	181	20	-
Non-Hispanic white, both sexes.....	673	869	1,230	1,704	2,465	3,024	3,063	2,085	993	251	30	-
Male.....	386	543	747	1,072	1,559	1,793	1,653	973	387	85	12	-
Female.....	287	326	483	632	906	1,231	1,410	1,112	606	166	18	-
Non-Hispanic black, both sexes.....	104	136	159	160	212	228	177	131	61	19	5	-
Male.....	52	74	87	93	127	114	84	51	21	5	3	-
Female.....	52	62	72	67	85	114	93	80	40	14	2	-
Origin not stated 2/, both sexes.....	5	1	3	4	9	6	7	3	1	3	-	-
Male.....	4	1	1	2	7	5	3	2	-	1	-	-
Female.....	1	-	2	2	2	1	4	1	1	2	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Multiple myeloma and immunoproliferative neoplasms (C88,C90)												
All origins, both sexes.....	466	711	958	1,348	1,828	2,067	1,904	1,171	426	84	5	-
Male.....	274	403	563	748	998	1,090	928	507	159	37	3	-
Female.....	192	308	395	600	830	977	976	664	267	47	2	-
Hispanic, both sexes.....	42	49	49	94	75	94	66	44	13	2	1	-
Male.....	22	30	32	51	41	51	26	26	5	-	1	-
Female.....	20	19	17	43	34	43	40	18	8	2	-	-
Mexican, both sexes.....	23	21	32	42	44	63	36	19	8	1	-	-
Male.....	9	17	21	24	24	34	13	12	5	-	-	-
Female.....	14	4	11	18	20	29	23	7	3	1	-	-
Puerto Rican, both sexes.....	5	10	7	15	7	12	7	5	2	-	-	-
Male.....	3	4	5	4	6	4	6	2	-	-	-	-
Female.....	2	6	2	11	1	8	1	3	2	-	-	-
Cuban, both sexes.....	5	3	5	6	9	8	8	8	1	-	-	-
Male.....	2	2	3	2	4	6	1	5	-	-	-	-
Female.....	3	1	2	4	5	2	7	3	1	-	-	-
Central and South American, both sexes.....	5	12	4	18	12	7	6	4	1	-	-	-
Male.....	5	5	2	13	5	3	3	1	-	-	-	-
Female.....	-	7	2	5	7	4	3	3	1	-	-	-
Other and Unknown Hispanic, both sexes.....	4	3	1	13	3	4	9	8	1	1	1	-
Male.....	3	2	1	8	2	4	3	6	-	-	1	-
Female.....	1	1	-	5	1	-	6	2	1	1	-	-
Non-Hispanic 1/, both sexes.....	424	660	906	1,249	1,749	1,963	1,835	1,124	412	81	4	-
Male.....	252	372	530	695	954	1,034	900	480	154	37	2	-
Female.....	172	288	376	554	795	929	935	644	258	44	2	-
Non-Hispanic white, both sexes.....	292	486	693	977	1,442	1,677	1,606	999	348	71	2	-
Male.....	188	280	419	559	812	904	799	434	130	36	1	-
Female.....	104	206	274	418	630	773	807	565	218	35	1	-
Non-Hispanic black, both sexes.....	117	157	186	247	277	259	206	116	57	9	2	-
Male.....	57	82	100	125	132	114	91	42	21	1	1	-
Female.....	60	75	86	122	145	145	115	74	36	8	1	-
Origin not stated 2/, both sexes.....	-	2	3	5	4	10	3	3	1	1	-	-
Male.....	-	1	1	2	3	5	2	1	-	-	-	-
Female.....	-	1	2	3	1	5	1	2	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All origins, both sexes.....	3,280	4,320	5,403	6,321	8,436	9,718	8,967	6,452	3,129	853	136	1
Male.....	1,906	2,399	3,122	3,548	4,593	4,969	4,177	2,690	1,100	226	25	1
Female.....	1,374	1,921	2,281	2,773	3,843	4,749	4,790	3,762	2,029	627	111	-
Hispanic, both sexes.....	203	232	270	318	394	385	291	191	83	20	2	-
Male.....	113	137	140	164	198	199	139	81	33	8	-	-
Female.....	90	95	130	154	196	186	152	110	50	12	2	-
Mexican, both sexes.....	122	130	147	164	224	203	146	84	43	9	-	-
Male.....	68	76	71	84	118	102	75	41	14	3	-	-
Female.....	54	54	76	80	106	101	71	43	29	6	-	-
Puerto Rican, both sexes.....	26	35	42	41	46	43	20	18	8	3	-	-
Male.....	16	24	23	30	19	22	10	10	3	1	-	-
Female.....	10	11	19	11	27	21	10	8	5	2	-	-
Cuban, both sexes.....	14	14	19	30	40	46	47	22	13	3	1	-
Male.....	8	6	14	14	21	28	26	7	9	2	-	-
Female.....	6	8	5	16	19	18	21	15	4	1	1	-
Central and South American, both sexes.....	23	30	36	42	43	35	28	28	7	2	-	-
Male.....	8	16	16	15	15	16	8	7	1	1	-	-
Female.....	15	14	20	27	28	19	20	21	6	1	-	-
Other and Unknown Hispanic, both sexes.....	18	23	26	41	41	58	50	39	12	3	1	-
Male.....	13	15	16	21	25	31	20	16	6	1	-	-
Female.....	5	8	10	20	16	27	30	23	6	2	1	-
Non-Hispanic 1/, both sexes.....	3,071	4,078	5,114	5,981	8,024	9,308	8,657	6,241	3,037	830	134	1
Male.....	1,789	2,258	2,967	3,370	4,385	4,757	4,025	2,604	1,063	218	25	1
Female.....	1,282	1,820	2,147	2,611	3,639	4,551	4,632	3,637	1,974	612	109	-
Non-Hispanic white, both sexes.....	2,442	3,367	4,268	5,072	6,999	8,306	7,853	5,705	2,785	750	121	1
Male.....	1,440	1,871	2,491	2,920	3,870	4,268	3,698	2,402	981	198	24	1
Female.....	1,002	1,496	1,777	2,152	3,129	4,038	4,155	3,303	1,804	552	97	-
Non-Hispanic black, both sexes.....	526	613	716	769	843	850	657	444	215	67	12	-
Male.....	295	335	404	387	426	405	270	161	65	16	1	-
Female.....	231	278	312	382	417	445	387	283	150	51	11	-
Origin not stated 2/, both sexes.....	6	10	19	22	18	25	19	20	9	3	-	-
Male.....	4	4	15	14	10	13	13	5	4	-	-	-
Female.....	2	6	4	8	8	12	6	15	5	3	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All origins, both sexes.....	387	561	632	928	1,420	2,137	2,460	2,052	1,162	366	33	-
Male.....	196	330	350	543	772	1,145	1,187	900	398	99	8	-
Female.....	191	231	282	385	648	992	1,273	1,152	764	267	25	-
Hispanic, both sexes.....	24	20	40	41	64	65	83	51	31	5	1	-
Male.....	10	14	21	23	31	31	46	24	9	-	1	-
Female.....	14	6	19	18	33	34	37	27	22	5	-	-
Mexican, both sexes.....	12	11	19	29	43	40	41	30	13	1	1	-
Male.....	5	8	13	16	20	18	22	12	5	-	1	-
Female.....	7	3	6	13	23	22	19	18	8	1	-	-
Puerto Rican, both sexes.....	2	5	6	4	5	4	6	2	4	-	-	-
Male.....	1	3	1	3	3	2	1	1	1	-	-	-
Female.....	1	2	5	1	2	2	5	1	3	-	-	-
Cuban, both sexes.....	1	-	3	4	9	8	22	5	6	4	-	-
Male.....	1	-	1	2	4	4	15	2	2	-	-	-
Female.....	-	-	2	2	5	4	7	3	4	4	-	-
Central and South American, both sexes.....	7	3	10	4	1	3	8	6	3	-	-	-
Male.....	2	2	5	2	1	2	3	3	-	-	-	-
Female.....	5	1	5	2	-	1	5	3	3	-	-	-
Other and Unknown Hispanic, both sexes.....	2	1	2	-	6	10	6	8	5	-	-	-
Male.....	1	1	1	-	3	5	5	6	1	-	-	-
Female.....	1	-	1	-	3	5	1	2	4	-	-	-
Non-Hispanic 1/, both sexes.....	362	539	592	887	1,354	2,065	2,371	1,999	1,128	361	32	-
Male.....	186	316	329	520	740	1,107	1,138	874	388	99	7	-
Female.....	176	223	263	367	614	958	1,233	1,125	740	262	25	-
Non-Hispanic white, both sexes.....	285	449	513	772	1,213	1,890	2,173	1,869	1,043	319	27	-
Male.....	152	261	286	457	678	1,023	1,046	824	357	85	7	-
Female.....	133	188	227	315	535	867	1,127	1,045	686	234	20	-
Non-Hispanic black, both sexes.....	63	77	67	99	112	141	159	108	67	34	4	-
Male.....	27	50	33	50	48	64	70	41	22	11	-	-
Female.....	36	27	34	49	64	77	89	67	45	23	4	-
Origin not stated 2/, both sexes.....	1	2	-	-	2	7	6	2	3	-	-	-
Male.....	-	-	-	-	1	7	3	2	1	-	-	-
Female.....	1	2	-	-	1	-	3	-	2	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Anemias (D50-D64)												
All origins, both sexes.....	119	121	143	184	324	474	687	787	665	322	78	-
Male.....	52	57	74	77	167	204	250	256	182	81	13	-
Female.....	67	64	69	107	157	270	437	531	483	241	65	-
Hispanic, both sexes.....	4	3	11	14	23	18	26	21	26	14	1	-
Male.....	2	3	5	6	11	9	9	11	14	7	-	-
Female.....	2	-	6	8	12	9	17	10	12	7	1	-
Mexican, both sexes.....	-	1	4	8	18	12	18	11	14	6	-	-
Male.....	-	1	3	4	7	5	7	5	8	5	-	-
Female.....	-	-	1	4	11	7	11	6	6	1	-	-
Puerto Rican, both sexes.....	1	1	3	1	1	1	1	1	4	3	-	-
Male.....	-	1	-	1	1	1	-	1	3	2	-	-
Female.....	1	-	3	-	-	-	1	-	1	1	-	-
Cuban, both sexes.....	-	-	1	1	2	1	4	5	6	2	-	-
Male.....	-	-	-	-	1	1	1	2	3	-	-	-
Female.....	-	-	1	1	1	-	3	3	3	2	-	-
Central and South American, both sexes.....	2	1	2	3	1	2	1	-	-	3	-	-
Male.....	2	1	1	1	1	1	1	-	-	-	-	-
Female.....	-	-	1	2	-	1	-	-	-	3	-	-
Other and Unknown Hispanic, both sexes.....	1	-	1	1	1	2	2	4	2	-	1	-
Male.....	-	-	1	-	1	1	-	3	-	-	-	-
Female.....	1	-	-	1	-	1	2	1	2	-	1	-
Non-Hispanic 1/, both sexes.....	115	118	132	169	301	455	659	765	639	307	77	-
Male.....	50	54	69	71	156	195	240	245	168	74	13	-
Female.....	65	64	63	98	145	260	419	520	471	233	64	-
Non-Hispanic white, both sexes.....	48	68	79	126	235	368	576	686	559	270	72	-
Male.....	25	33	42	55	117	164	207	220	143	61	12	-
Female.....	23	35	37	71	118	204	369	466	416	209	60	-
Non-Hispanic black, both sexes.....	63	47	47	41	59	80	73	70	68	33	4	-
Male.....	24	20	26	16	35	28	30	21	22	9	1	-
Female.....	39	27	21	25	24	52	43	49	46	24	3	-
Origin not stated 2/, both sexes.....	-	-	-	1	-	1	2	1	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
All origins, both sexes.....	3,390	4,510	5,512	7,249	9,460	11,703	11,579	8,797	4,375	1,357	195	1
Male.....	1,977	2,616	3,067	3,742	4,675	5,402	4,893	3,248	1,254	314	28	1
Female.....	1,413	1,894	2,445	3,507	4,785	6,301	6,686	5,549	3,121	1,043	167	-
Hispanic, both sexes.....	322	432	597	711	880	964	748	457	249	72	12	-
Male.....	198	236	315	327	425	442	306	162	71	16	5	-
Female.....	124	196	282	384	455	522	442	295	178	56	7	-
Mexican, both sexes.....	227	297	410	486	581	649	476	243	138	39	5	-
Male.....	147	163	216	221	280	296	201	95	40	9	1	-
Female.....	80	134	194	265	301	353	275	148	98	30	4	-
Puerto Rican, both sexes.....	42	68	76	93	117	93	73	68	27	7	3	-
Male.....	25	33	43	45	54	41	20	17	8	2	2	-
Female.....	17	35	33	48	63	52	53	51	19	5	1	-
Cuban, both sexes.....	9	10	38	28	49	70	71	56	33	16	1	-
Male.....	5	5	20	13	32	38	38	21	5	4	1	-
Female.....	4	5	18	15	17	32	33	35	28	12	-	-
Central and South American, both sexes.....	14	22	33	45	49	55	49	33	15	3	1	-
Male.....	7	13	11	19	18	21	18	8	5	-	-	-
Female.....	7	9	22	26	31	34	31	25	10	3	1	-
Other and Unknown Hispanic, both sexes.....	30	35	40	59	84	97	79	57	36	7	2	-
Male.....	14	22	25	29	41	46	29	21	13	1	1	-
Female.....	16	13	15	30	43	51	50	36	23	6	1	-
Non-Hispanic 1/, both sexes.....	3,059	4,065	4,893	6,513	8,557	10,698	10,801	8,320	4,121	1,277	183	1
Male.....	1,774	2,374	2,738	3,400	4,239	4,941	4,570	3,075	1,183	295	23	1
Female.....	1,285	1,691	2,155	3,113	4,318	5,757	6,231	5,245	2,938	982	160	-
Non-Hispanic white, both sexes.....	2,096	2,896	3,507	4,717	6,620	8,632	9,060	7,066	3,536	1,064	135	-
Male.....	1,262	1,767	2,048	2,595	3,446	4,179	3,972	2,720	1,071	255	18	-
Female.....	834	1,129	1,459	2,122	3,174	4,453	5,088	4,346	2,465	809	117	-
Non-Hispanic black, both sexes.....	850	1,003	1,201	1,513	1,639	1,728	1,485	1,045	516	195	45	1
Male.....	445	512	592	658	662	634	501	259	90	33	5	1
Female.....	405	491	609	855	977	1,094	984	786	426	162	40	-
Origin not stated 2/, both sexes.....	9	13	22	25	23	41	30	20	5	8	-	-
Male.....	5	6	14	15	11	19	17	11	-	3	-	-
Female.....	4	7	8	10	12	22	13	9	5	5	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Nutritional deficiencies (E40-E64)

All origins, both sexes.....	63	77	91	150	232	452	680	834	667	312	93	-
Male.....	28	43	50	70	116	193	241	283	169	49	13	-
Female.....	35	34	41	80	116	259	439	551	498	263	80	-
Hispanic, both sexes.....	3	1	3	7	14	25	24	22	19	8	4	-
Male.....	1	1	1	5	8	9	10	8	7	3	-	-
Female.....	2	-	2	2	6	16	14	14	12	5	4	-
Mexican, both sexes.....	2	1	2	5	12	18	17	13	15	3	3	-
Male.....	-	1	1	3	7	5	7	4	5	1	-	-
Female.....	2	-	1	2	5	13	10	9	10	2	3	-
Puerto Rican, both sexes.....	1	-	1	-	1	1	3	1	2	1	-	-
Male.....	1	-	-	-	-	1	2	1	2	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	1	-	-
Cuban, both sexes.....	-	-	-	-	-	2	1	1	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	1	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	-	2	1	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	1	-
Other and Unknown Hispanic, both sexes.....	-	-	-	2	1	4	3	5	1	2	-	-
Male.....	-	-	-	2	1	2	1	3	-	1	-	-
Female.....	-	-	-	-	-	2	2	2	1	1	-	-
Non-Hispanic 1/, both sexes.....	60	76	88	143	215	422	655	809	645	303	89	-
Male.....	27	42	49	65	108	181	231	274	162	45	13	-
Female.....	33	34	39	78	107	241	424	535	483	258	76	-
Non-Hispanic white, both sexes.....	46	53	64	107	173	357	565	703	572	267	73	-
Male.....	19	26	31	50	87	157	191	242	147	39	10	-
Female.....	27	27	33	57	86	200	374	461	425	228	63	-
Non-Hispanic black, both sexes.....	13	23	23	33	37	61	78	88	66	32	13	-
Male.....	8	16	17	14	17	21	35	26	12	2	2	-
Female.....	5	7	6	19	20	40	43	62	54	30	11	-
Origin not stated 2/, both sexes.....	-	-	-	-	3	5	1	3	3	1	-	-
Male.....	-	-	-	-	-	3	-	1	-	1	-	-
Female.....	-	-	-	-	3	2	1	2	3	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malnutrition (E40-E46)												
All origins, both sexes.....	55	73	83	136	218	419	648	778	616	283	87	-
Male.....	24	39	45	64	110	176	230	267	163	45	13	-
Female.....	31	34	38	72	108	243	418	511	453	238	74	-
Hispanic, both sexes.....	3	1	3	7	14	25	24	21	19	8	3	-
Male.....	1	1	1	5	8	9	10	7	7	3	-	-
Female.....	2	-	2	2	6	16	14	14	12	5	3	-
Mexican, both sexes.....	2	1	2	5	12	18	17	12	15	3	3	-
Male.....	-	1	1	3	7	5	7	3	5	1	-	-
Female.....	2	-	1	2	5	13	10	9	10	2	3	-
Puerto Rican, both sexes.....	1	-	1	-	1	1	3	1	2	1	-	-
Male.....	1	-	-	-	-	1	2	1	2	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	1	-	-
Cuban, both sexes.....	-	-	-	-	-	2	1	1	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	1	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	-	2	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	2	1	4	3	5	1	2	-	-
Male.....	-	-	-	2	1	2	1	3	-	1	-	-
Female.....	-	-	-	-	-	2	2	2	1	1	-	-
Non-Hispanic 1/, both sexes.....	52	72	80	129	201	390	623	754	594	274	84	-
Male.....	23	38	44	59	102	165	220	259	156	41	13	-
Female.....	29	34	36	70	99	225	403	495	438	233	71	-
Non-Hispanic white, both sexes.....	39	50	58	98	164	327	537	653	525	240	69	-
Male.....	16	23	28	46	83	142	183	228	141	35	10	-
Female.....	23	27	30	52	81	185	354	425	384	205	59	-
Non-Hispanic black, both sexes.....	12	22	22	28	32	59	75	84	63	30	12	-
Male.....	7	15	16	12	15	20	32	25	12	2	2	-
Female.....	5	7	6	16	17	39	43	59	51	28	10	-
Origin not stated 2/, both sexes.....	-	-	-	-	3	4	1	3	3	1	-	-
Male.....	-	-	-	-	-	2	-	1	-	1	-	-
Female.....	-	-	-	-	3	2	1	2	3	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Meningitis (G00,G03)												
All origins, both sexes.....	53	48	40	46	63	47	37	36	16	3	-	1
Male.....	30	29	19	26	36	21	20	11	8	-	-	1
Female.....	23	19	21	20	27	26	17	25	8	3	-	-
Hispanic, both sexes.....	3	6	2	4	7	5	4	1	-	-	-	-
Male.....	2	4	-	1	5	1	2	1	-	-	-	-
Female.....	1	2	2	3	2	4	2	-	-	-	-	-
Mexican, both sexes.....	2	1	1	3	5	2	2	-	-	-	-	-
Male.....	1	1	-	1	3	-	1	-	-	-	-	-
Female.....	1	-	1	2	2	2	1	-	-	-	-	-
Puerto Rican, both sexes.....	1	2	-	-	2	1	1	-	-	-	-	-
Male.....	1	2	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	3	1	-	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	2	1	-	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	50	41	38	42	56	41	32	35	16	3	-	1
Male.....	28	24	19	25	31	19	18	10	8	-	-	1
Female.....	22	17	19	17	25	22	14	25	8	3	-	-
Non-Hispanic white, both sexes.....	29	26	23	34	43	31	27	34	12	3	-	1
Male.....	16	15	12	21	24	15	17	9	5	-	-	1
Female.....	13	11	11	13	19	16	10	25	7	3	-	-
Non-Hispanic black, both sexes.....	19	12	11	8	13	9	4	1	3	-	-	-
Male.....	11	7	5	4	7	4	1	1	2	-	-	-
Female.....	8	5	6	4	6	5	3	-	1	-	-	-
Origin not stated 2/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Parkinson's disease (G20-G21)												
All origins, both sexes.....	39	95	223	626	1,600	3,368	4,771	3,959	1,781	440	32	-
Male.....	26	57	136	433	1,054	2,065	2,746	2,109	793	147	10	-
Female.....	13	38	87	193	546	1,303	2,025	1,850	988	293	22	-
Hispanic, both sexes.....	2	8	13	39	63	104	119	96	33	7	2	-
Male.....	-	5	11	26	45	63	59	53	14	1	-	-
Female.....	2	3	2	13	18	41	60	43	19	6	2	-
Mexican, both sexes.....	1	4	5	20	28	56	55	52	14	3	2	-
Male.....	-	2	4	13	20	31	29	26	6	1	-	-
Female.....	1	2	1	7	8	25	26	26	8	2	2	-
Puerto Rican, both sexes.....	-	1	2	5	10	10	10	12	2	1	-	-
Male.....	-	1	1	4	7	8	5	7	1	-	-	-
Female.....	-	-	1	1	3	2	5	5	1	1	-	-
Cuban, both sexes.....	-	1	4	5	9	17	29	15	8	2	-	-
Male.....	-	-	4	5	7	11	13	8	3	-	-	-
Female.....	-	1	-	-	2	6	16	7	5	2	-	-
Central and South American, both sexes.....	-	-	1	4	6	5	5	6	2	1	-	-
Male.....	-	-	1	1	3	3	2	5	-	-	-	-
Female.....	-	-	-	3	3	2	3	1	2	1	-	-
Other and Unknown Hispanic, both sexes.....	1	2	1	5	10	16	20	11	7	-	-	-
Male.....	-	2	1	3	8	10	10	7	4	-	-	-
Female.....	1	-	-	2	2	6	10	4	3	-	-	-
Non-Hispanic 1/, both sexes.....	37	87	209	586	1,534	3,257	4,642	3,856	1,745	432	30	-
Male.....	26	52	124	406	1,007	1,996	2,681	2,054	776	145	10	-
Female.....	11	35	85	180	527	1,261	1,961	1,802	969	287	20	-
Non-Hispanic white, both sexes.....	36	74	195	530	1,429	3,084	4,461	3,695	1,672	408	28	-
Male.....	25	45	118	369	943	1,896	2,577	1,969	741	136	10	-
Female.....	11	29	77	161	486	1,188	1,884	1,726	931	272	18	-
Non-Hispanic black, both sexes.....	1	8	10	41	70	120	123	103	49	18	1	-
Male.....	1	3	6	29	47	66	72	56	19	5	-	-
Female.....	-	5	4	12	23	54	51	47	30	13	1	-
Origin not stated 2/, both sexes.....	-	-	1	1	3	7	10	7	3	1	-	-
Male.....	-	-	1	1	2	6	6	2	3	1	-	-
Female.....	-	-	-	-	1	1	4	5	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
All origins, both sexes.....	40	135	375	939	2,663	7,078	13,057	16,267	12,267	5,140	878	-
Male.....	22	55	173	408	1,139	2,793	4,434	4,569	2,570	732	79	-
Female.....	18	80	202	531	1,524	4,285	8,623	11,698	9,697	4,408	799	-
Hispanic, both sexes.....	-	3	17	39	88	211	324	359	297	118	17	-
Male.....	-	-	8	18	37	85	111	102	72	25	5	-
Female.....	-	3	9	21	51	126	213	257	225	93	12	-
Mexican, both sexes.....	-	2	6	16	36	110	149	160	116	57	2	-
Male.....	-	-	3	9	11	45	57	48	41	10	1	-
Female.....	-	2	3	7	25	65	92	112	75	47	1	-
Puerto Rican, both sexes.....	-	1	7	8	20	34	26	44	33	11	1	-
Male.....	-	-	2	3	12	15	6	14	10	1	-	-
Female.....	-	1	5	5	8	19	20	30	23	10	1	-
Cuban, both sexes.....	-	-	-	4	17	33	83	84	68	22	3	-
Male.....	-	-	-	2	11	16	27	26	7	6	1	-
Female.....	-	-	-	2	6	17	56	58	61	16	2	-
Central and South American, both sexes.....	-	-	2	5	5	10	19	19	26	11	6	-
Male.....	-	-	1	2	1	2	6	3	4	3	2	-
Female.....	-	-	1	3	4	8	13	16	22	8	4	-
Other and Unknown Hispanic, both sexes.....	-	-	2	6	10	24	47	52	54	17	5	-
Male.....	-	-	2	2	2	7	15	11	10	5	1	-
Female.....	-	-	-	4	8	17	32	41	44	12	4	-
Non-Hispanic 1/, both sexes.....	40	132	356	895	2,568	6,849	12,703	15,872	11,942	5,002	861	-
Male.....	22	55	165	388	1,099	2,699	4,316	4,462	2,493	704	74	-
Female.....	18	77	191	507	1,469	4,150	8,387	11,410	9,449	4,298	787	-
Non-Hispanic white, both sexes.....	37	124	324	804	2,345	6,332	11,895	14,914	11,241	4,684	766	-
Male.....	19	51	152	345	1,008	2,510	4,034	4,217	2,343	651	59	-
Female.....	18	73	172	459	1,337	3,822	7,861	10,697	8,898	4,033	707	-
Non-Hispanic black, both sexes.....	3	3	28	77	200	468	705	834	611	288	81	-
Male.....	3	2	12	36	86	175	243	199	118	50	12	-
Female.....	-	1	16	41	114	293	462	635	493	238	69	-
Origin not stated 2/, both sexes.....	-	-	2	5	7	18	30	36	28	20	-	-
Male.....	-	-	-	2	3	9	7	5	5	3	-	-
Female.....	-	-	2	3	4	9	23	31	23	17	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Major cardiovascular diseases (I00-I78)												
All origins, both sexes.....	27,084	35,004	43,426	57,731	86,340	126,160	161,255	163,421	117,826	47,620	10,542	51
Male.....	18,930	23,721	28,316	35,603	49,716	65,751	73,019	61,344	33,439	9,860	1,521	36
Female.....	8,154	11,283	15,110	22,128	36,624	60,409	88,236	102,077	84,387	37,760	9,021	15
Hispanic, both sexes.....	1,521	1,956	2,504	3,097	4,245	5,078	5,284	4,558	3,306	1,493	330	1
Male.....	1,051	1,346	1,612	1,849	2,455	2,635	2,404	1,745	1,075	389	75	1
Female.....	470	610	892	1,248	1,790	2,443	2,880	2,813	2,231	1,104	255	-
Mexican, both sexes.....	900	1,092	1,368	1,667	2,384	2,752	2,739	2,182	1,553	711	173	-
Male.....	616	735	867	994	1,383	1,442	1,291	887	567	210	41	-
Female.....	284	357	501	673	1,001	1,310	1,448	1,295	986	501	132	-
Puerto Rican, both sexes.....	206	355	434	505	592	613	661	504	335	143	34	1
Male.....	135	237	276	286	340	306	298	178	104	33	4	1
Female.....	71	118	158	219	252	307	363	326	231	110	30	-
Cuban, both sexes.....	83	132	208	323	485	766	846	955	708	308	41	-
Male.....	62	101	151	212	316	438	386	350	187	76	7	-
Female.....	21	31	57	111	169	328	460	605	521	232	34	-
Central and South American, both sexes.....	174	194	255	294	408	399	472	381	301	107	33	-
Male.....	119	142	155	169	205	159	163	116	82	19	2	-
Female.....	55	52	100	125	203	240	309	265	219	88	31	-
Other and Unknown Hispanic, both sexes.....	158	183	239	308	376	548	566	536	409	224	49	-
Male.....	119	131	163	188	211	290	266	214	135	51	21	-
Female.....	39	52	76	120	165	258	300	322	274	173	28	-
Non-Hispanic 1/, both sexes.....	25,433	32,910	40,740	54,399	81,776	120,688	155,544	158,407	114,222	46,000	10,177	38
Male.....	17,775	22,267	26,584	33,601	47,065	62,889	70,414	59,421	32,288	9,448	1,440	25
Female.....	7,658	10,643	14,156	20,798	34,711	57,799	85,130	98,986	81,934	36,552	8,737	13
Non-Hispanic white, both sexes.....	18,473	25,150	31,715	43,606	68,682	104,667	139,407	144,795	104,762	41,989	8,853	26
Male.....	13,442	17,508	21,228	27,612	40,404	55,507	63,824	54,839	29,602	8,570	1,200	18
Female.....	5,031	7,642	10,487	15,994	28,278	49,160	75,583	89,956	75,160	33,419	7,653	8
Non-Hispanic black, both sexes.....	6,273	6,902	7,932	9,321	11,140	13,488	13,444	11,215	7,835	3,396	1,150	11
Male.....	3,857	4,200	4,662	5,119	5,651	6,031	5,292	3,521	2,020	655	187	6
Female.....	2,416	2,702	3,270	4,202	5,489	7,457	8,152	7,694	5,815	2,741	963	5
Origin not stated 2/, both sexes.....	130	138	182	235	319	394	427	456	298	127	35	12
Male.....	104	108	120	153	196	227	201	178	76	23	6	10
Female.....	26	30	62	82	123	167	226	278	222	104	29	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of heart (I00-I09,I11,I13,I20-I51)												
All origins, both sexes.....	22,391	28,895	35,339	45,948	66,599	94,844	118,737	119,565	86,848	35,664	8,096	47
Male.....	16,256	20,199	23,701	29,045	39,613	51,211	56,006	46,515	25,549	7,663	1,208	34
Female.....	6,135	8,696	11,638	16,903	26,986	43,633	62,731	73,050	61,299	28,001	6,888	13
Hispanic, both sexes.....	1,169	1,528	1,964	2,472	3,247	3,859	3,920	3,441	2,548	1,197	250	1
Male.....	846	1,087	1,306	1,511	1,930	2,054	1,844	1,372	820	327	52	1
Female.....	323	441	658	961	1,317	1,805	2,076	2,069	1,728	870	198	-
Mexican, both sexes.....	683	861	1,049	1,316	1,778	2,038	1,951	1,602	1,169	549	126	-
Male.....	489	599	687	810	1,074	1,094	951	682	424	175	27	-
Female.....	194	262	362	506	704	944	1,000	920	745	374	99	-
Puerto Rican, both sexes.....	168	272	356	405	478	485	520	388	264	120	28	1
Male.....	114	184	223	227	272	243	242	138	84	26	4	1
Female.....	54	88	133	178	206	242	278	250	180	94	24	-
Cuban, both sexes.....	68	107	169	275	394	642	686	776	590	265	33	-
Male.....	56	83	126	186	260	369	324	291	152	69	5	-
Female.....	12	24	43	89	134	273	362	485	438	196	28	-
Central and South American, both sexes.....	119	144	191	230	310	292	361	292	224	91	28	-
Male.....	85	112	130	135	159	122	127	99	65	15	2	-
Female.....	34	32	61	95	151	170	234	193	159	76	26	-
Other and Unknown Hispanic, both sexes.....	131	144	199	246	287	402	402	383	301	172	35	-
Male.....	102	109	140	153	165	226	200	162	95	42	14	-
Female.....	29	35	59	93	122	176	202	221	206	130	21	-
Non-Hispanic 1/, both sexes.....	21,104	27,246	33,219	43,274	63,077	90,673	114,483	115,769	84,079	34,366	7,816	34
Male.....	15,315	19,015	22,290	27,403	37,509	48,972	54,000	44,997	24,670	7,314	1,151	23
Female.....	5,789	8,231	10,929	15,871	25,568	41,701	60,483	70,772	59,409	27,052	6,665	11
Non-Hispanic white, both sexes.....	15,799	21,225	26,269	35,099	53,429	78,991	102,984	106,117	77,340	31,405	6,808	23
Male.....	11,908	15,237	18,076	22,786	32,479	43,461	49,155	41,657	22,700	6,647	972	16
Female.....	3,891	5,988	8,193	12,313	20,950	35,530	53,829	64,460	54,640	24,758	5,836	7
Non-Hispanic black, both sexes.....	4,812	5,389	6,165	7,109	8,302	9,863	9,657	8,003	5,623	2,529	875	10
Male.....	3,030	3,338	3,690	3,965	4,282	4,503	3,925	2,580	1,496	507	135	6
Female.....	1,782	2,051	2,475	3,144	4,020	5,360	5,732	5,423	4,127	2,022	740	4
Origin not stated 2/, both sexes.....	118	121	156	202	275	312	334	355	221	101	30	12
Male.....	95	97	105	131	174	185	162	146	59	22	5	10
Female.....	23	24	51	71	101	127	172	209	162	79	25	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All origins, both sexes.....	140	190	243	272	431	620	607	462	263	82	12	-
Male.....	55	73	83	84	161	177	164	100	55	8	1	-
Female.....	85	117	160	188	270	443	443	362	208	74	11	-
Hispanic, both sexes.....	11	15	20	21	33	22	20	11	6	2	-	-
Male.....	5	5	8	6	9	2	2	2	2	-	-	-
Female.....	6	10	12	15	24	20	18	9	4	2	-	-
Mexican, both sexes.....	7	11	12	11	17	10	12	5	1	-	-	-
Male.....	4	5	7	4	4	-	1	-	1	-	-	-
Female.....	3	6	5	7	13	10	11	5	-	-	-	-
Puerto Rican, both sexes.....	2	2	2	5	8	1	1	-	1	-	-	-
Male.....	1	-	-	1	4	-	-	-	-	-	-	-
Female.....	1	2	2	4	4	1	1	-	1	-	-	-
Cuban, both sexes.....	-	1	-	1	4	4	2	3	2	2	-	-
Male.....	-	-	-	-	1	1	1	2	1	-	-	-
Female.....	-	1	-	1	3	3	1	1	1	2	-	-
Central and South American, both sexes.....	2	1	2	1	1	2	1	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	1	2	-	1	2	1	2	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	4	3	3	5	4	1	2	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	3	3	3	4	4	1	2	-	-	-
Non-Hispanic 1/, both sexes.....	128	175	222	250	397	597	586	451	257	80	12	-
Male.....	49	68	74	78	152	175	162	98	53	8	1	-
Female.....	79	107	148	172	245	422	424	353	204	72	11	-
Non-Hispanic white, both sexes.....	99	134	179	209	366	547	562	428	251	77	11	-
Male.....	37	51	62	64	141	161	158	95	52	8	-	-
Female.....	62	83	117	145	225	386	404	333	199	69	11	-
Non-Hispanic black, both sexes.....	23	30	32	29	19	28	14	12	2	2	1	-
Male.....	10	12	9	12	8	8	3	2	-	-	1	-
Female.....	13	18	23	17	11	20	11	10	2	2	-	-
Origin not stated 2/, both sexes.....	1	-	1	1	1	1	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
All origins, both sexes.....	1,616	1,661	1,659	1,807	2,088	2,816	3,505	3,716	3,115	1,442	314	4
Male.....	1,094	1,107	1,052	1,046	1,042	1,259	1,250	1,004	629	194	44	4
Female.....	522	554	607	761	1,046	1,557	2,255	2,712	2,486	1,248	270	-
Hispanic, both sexes.....	97	122	119	130	134	162	146	153	90	43	13	-
Male.....	70	84	75	72	77	81	68	46	25	9	2	-
Female.....	27	38	44	58	57	81	78	107	65	34	11	-
Mexican, both sexes.....	38	68	57	69	67	84	67	76	47	24	7	-
Male.....	30	47	31	40	39	40	29	23	19	6	-	-
Female.....	8	21	26	29	28	44	38	53	28	18	7	-
Puerto Rican, both sexes.....	22	29	22	24	19	26	24	13	6	3	2	-
Male.....	15	20	15	15	7	14	12	4	-	-	-	-
Female.....	7	9	7	9	12	12	12	9	6	3	2	-
Cuban, both sexes.....	6	8	12	18	15	22	24	26	11	3	2	-
Male.....	2	5	7	9	10	13	14	6	2	1	-	-
Female.....	4	3	5	9	5	9	10	20	9	2	2	-
Central and South American, both sexes.....	19	8	22	11	19	21	15	21	12	3	-	-
Male.....	15	7	17	3	12	9	3	7	1	-	-	-
Female.....	4	1	5	8	7	12	12	14	11	3	-	-
Other and Unknown Hispanic, both sexes.....	12	9	6	8	14	9	16	17	14	10	2	-
Male.....	8	5	5	5	9	5	10	6	3	2	2	-
Female.....	4	4	1	3	5	4	6	11	11	8	-	-
Non-Hispanic 1/, both sexes.....	1,505	1,529	1,531	1,650	1,941	2,642	3,343	3,543	3,020	1,393	301	2
Male.....	1,014	1,017	971	957	959	1,170	1,174	949	603	184	42	2
Female.....	491	512	560	693	982	1,472	2,169	2,594	2,417	1,209	259	-
Non-Hispanic white, both sexes.....	853	912	920	1,045	1,335	1,941	2,633	2,970	2,610	1,218	248	1
Male.....	618	644	595	620	674	866	927	795	508	151	29	1
Female.....	235	268	325	425	661	1,075	1,706	2,175	2,102	1,067	219	-
Non-Hispanic black, both sexes.....	626	585	573	561	563	636	631	506	354	158	47	-
Male.....	377	353	354	308	266	270	214	133	75	24	10	-
Female.....	249	232	219	253	297	366	417	373	279	134	37	-
Origin not stated 2/, both sexes.....	14	10	9	27	13	12	16	20	5	6	-	2
Male.....	10	6	6	17	6	8	8	9	1	1	-	2
Female.....	4	4	3	10	7	4	8	11	4	5	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart and renal disease (I13)												
All origins, both sexes.....	90	134	139	156	246	363	503	511	386	150	32	-
Male.....	56	82	76	67	131	158	199	171	108	38	4	-
Female.....	34	52	63	89	115	205	304	340	278	112	28	-
Hispanic, both sexes.....	4	10	16	16	18	25	26	16	19	6	-	-
Male.....	3	7	11	6	12	9	11	8	4	3	-	-
Female.....	1	3	5	10	6	16	15	8	15	3	-	-
Mexican, both sexes.....	3	7	9	10	9	19	17	11	11	3	-	-
Male.....	2	6	7	2	3	6	5	5	3	2	-	-
Female.....	1	1	2	8	6	13	12	6	8	1	-	-
Puerto Rican, both sexes.....	-	-	4	-	3	1	2	1	1	1	-	-
Male.....	-	-	2	-	3	-	1	-	-	-	-	-
Female.....	-	-	2	-	-	1	1	1	1	1	-	-
Cuban, both sexes.....	-	-	2	2	3	1	3	2	3	1	-	-
Male.....	-	-	2	2	3	-	1	1	1	1	-	-
Female.....	-	-	-	-	-	1	2	1	2	-	-	-
Central and South American, both sexes.....	1	1	-	4	1	2	3	-	1	-	-	-
Male.....	1	-	-	2	1	1	3	-	-	-	-	-
Female.....	-	1	-	2	-	1	-	-	1	-	-	-
Other and Unknown Hispanic, both sexes.....	-	2	1	-	2	2	1	2	3	1	-	-
Male.....	-	1	-	-	2	2	1	2	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	3	1	-	-
Non-Hispanic 1/, both sexes.....	85	124	123	139	226	336	476	493	367	144	32	-
Male.....	52	75	65	61	117	149	187	162	104	35	4	-
Female.....	33	49	58	78	109	187	289	331	263	109	28	-
Non-Hispanic white, both sexes.....	17	35	47	57	127	228	376	383	300	121	24	-
Male.....	8	23	24	26	70	107	149	126	86	29	2	-
Female.....	9	12	23	31	57	121	227	257	214	92	22	-
Non-Hispanic black, both sexes.....	68	88	71	74	91	100	87	99	60	22	8	-
Male.....	44	51	37	29	41	37	29	32	17	6	2	-
Female.....	24	37	34	45	50	63	58	67	43	16	6	-
Origin not stated 2/, both sexes.....	1	-	-	1	2	2	1	2	-	-	-	-
Male.....	1	-	-	-	2	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	2	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
All origins, both sexes.....	15,683	20,997	26,265	34,336	49,531	69,769	85,622	84,082	59,567	24,211	5,528	37
Male.....	11,969	15,350	18,306	22,573	30,563	39,154	42,085	34,073	18,199	5,353	821	27
Female.....	3,714	5,647	7,959	11,763	18,968	30,615	43,537	50,009	41,368	18,858	4,707	10
Hispanic, both sexes.....	832	1,137	1,546	1,928	2,582	3,022	3,038	2,662	1,970	926	184	1
Male.....	625	846	1,061	1,221	1,554	1,646	1,453	1,083	642	251	41	1
Female.....	207	291	485	707	1,028	1,376	1,585	1,579	1,328	675	143	-
Mexican, both sexes.....	506	646	835	1,023	1,426	1,596	1,526	1,218	904	406	92	-
Male.....	380	464	563	653	867	884	763	536	331	122	23	-
Female.....	126	182	272	370	559	712	763	682	573	284	69	-
Puerto Rican, both sexes.....	113	193	273	325	378	392	398	315	200	93	23	1
Male.....	75	139	179	183	215	195	179	119	64	24	4	1
Female.....	38	54	94	142	163	197	219	196	136	69	19	-
Cuban, both sexes.....	49	76	133	216	314	510	546	638	489	225	28	-
Male.....	44	62	101	152	211	296	255	238	124	58	4	-
Female.....	5	14	32	64	103	214	291	400	365	167	24	-
Central and South American, both sexes.....	73	112	147	178	244	226	279	229	168	70	20	-
Male.....	53	93	102	111	130	93	106	78	53	12	2	-
Female.....	20	19	45	67	114	133	173	151	115	58	18	-
Other and Unknown Hispanic, both sexes.....	91	110	158	186	220	298	289	262	209	132	21	-
Male.....	73	88	116	122	131	178	150	112	70	35	8	-
Female.....	18	22	42	64	89	120	139	150	139	97	13	-
Non-Hispanic 1/, both sexes.....	14,769	19,768	24,591	32,256	46,731	66,495	82,339	81,150	57,423	23,213	5,321	29
Male.....	11,275	14,425	17,156	21,251	28,865	37,356	40,510	32,871	17,507	5,086	776	19
Female.....	3,494	5,343	7,435	11,005	17,866	29,139	41,829	48,279	39,916	18,127	4,545	10
Non-Hispanic white, both sexes.....	11,580	15,910	19,889	26,553	40,000	58,243	74,305	74,501	52,858	21,199	4,635	20
Male.....	9,120	11,901	14,207	17,941	25,264	33,367	37,003	30,493	16,159	4,618	658	13
Female.....	2,460	4,009	5,682	8,612	14,736	24,876	37,302	44,008	36,699	16,581	3,977	7
Non-Hispanic black, both sexes.....	2,830	3,399	4,105	4,864	5,734	6,871	6,670	5,456	3,758	1,699	596	9
Male.....	1,864	2,186	2,536	2,788	3,023	3,213	2,800	1,817	1,006	356	87	6
Female.....	966	1,213	1,569	2,076	2,711	3,658	3,870	3,639	2,752	1,343	509	3
Origin not stated 2/, both sexes.....	82	92	128	152	218	252	245	270	174	72	23	7
Male.....	69	79	89	101	144	152	122	119	50	16	4	7
Female.....	13	13	39	51	74	100	123	151	124	56	19	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
All origins, both sexes.....	6,564	8,758	11,175	14,230	19,773	26,154	30,436	28,423	18,352	6,623	1,320	5
Male.....	4,929	6,287	7,679	9,214	12,050	14,316	14,603	11,478	5,741	1,559	213	4
Female.....	1,635	2,471	3,496	5,016	7,723	11,838	15,833	16,945	12,611	5,064	1,107	1
Hispanic, both sexes.....	320	456	633	737	989	1,117	1,067	950	620	270	51	-
Male.....	231	332	423	460	583	600	521	397	182	71	12	-
Female.....	89	124	210	277	406	517	546	553	438	199	39	-
Mexican, both sexes.....	215	281	378	426	618	639	553	459	282	128	31	-
Male.....	158	203	250	275	359	359	274	203	96	37	10	-
Female.....	57	78	128	151	259	280	279	256	186	91	21	-
Puerto Rican, both sexes.....	28	77	100	102	102	115	137	101	59	19	5	-
Male.....	19	55	60	58	57	56	64	40	17	6	-	-
Female.....	9	22	40	44	45	59	73	61	42	13	5	-
Cuban, both sexes.....	17	23	41	74	125	190	197	227	171	67	7	-
Male.....	16	18	30	49	83	103	104	80	35	18	1	-
Female.....	1	5	11	25	42	87	93	147	136	49	6	-
Central and South American, both sexes.....	29	34	47	66	76	73	82	70	46	20	5	-
Male.....	17	27	33	35	44	29	31	28	17	4	1	-
Female.....	12	7	14	31	32	44	51	42	29	16	4	-
Other and Unknown Hispanic, both sexes.....	31	41	67	69	68	100	98	93	62	36	3	-
Male.....	21	29	50	43	40	53	48	46	17	6	-	-
Female.....	10	12	17	26	28	47	50	47	45	30	3	-
Non-Hispanic 1/, both sexes.....	6,228	8,286	10,515	13,456	18,716	24,985	29,300	27,407	17,685	6,334	1,263	5
Male.....	4,687	5,943	7,240	8,733	11,428	13,685	14,051	11,046	5,548	1,483	200	4
Female.....	1,541	2,343	3,275	4,723	7,288	11,300	15,249	16,361	12,137	4,851	1,063	1
Non-Hispanic white, both sexes.....	5,046	6,883	8,741	11,314	16,153	21,961	26,356	24,999	16,126	5,698	1,060	4
Male.....	3,911	5,066	6,200	7,547	10,126	12,260	12,776	10,161	5,074	1,330	162	3
Female.....	1,135	1,817	2,541	3,767	6,027	9,701	13,580	14,838	11,052	4,368	898	1
Non-Hispanic black, both sexes.....	1,054	1,248	1,552	1,810	2,183	2,508	2,431	1,982	1,279	570	179	1
Male.....	674	764	887	987	1,099	1,150	1,004	684	353	123	25	1
Female.....	380	484	665	823	1,084	1,358	1,427	1,298	926	447	154	-
Origin not stated 2/, both sexes.....	16	16	27	37	68	52	69	66	47	19	6	-
Male.....	11	12	16	21	39	31	31	35	11	5	1	-
Female.....	5	4	11	16	29	21	38	31	36	14	5	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other forms of chronic ischemic heart disease (I20,I25)												
All origins, both sexes.....	8,893	12,029	14,840	19,817	29,416	43,195	54,708	55,207	40,876	17,435	4,181	32
Male.....	6,878	8,910	10,460	13,166	18,316	24,622	27,254	22,423	12,371	3,759	604	23
Female.....	2,015	3,119	4,380	6,651	11,100	18,573	27,454	32,784	28,505	13,676	3,577	9
Hispanic, both sexes.....	507	677	905	1,187	1,583	1,896	1,965	1,708	1,348	654	132	1
Male.....	390	511	632	760	962	1,042	929	684	459	180	29	1
Female.....	117	166	273	427	621	854	1,036	1,024	889	474	103	-
Mexican, both sexes.....	288	364	450	595	802	954	969	755	622	276	61	-
Male.....	220	260	308	378	503	524	486	331	235	85	13	-
Female.....	68	104	142	217	299	430	483	424	387	191	48	-
Puerto Rican, both sexes.....	84	116	172	223	276	275	261	214	140	74	18	1
Male.....	55	84	118	125	158	139	115	79	46	18	4	1
Female.....	29	32	54	98	118	136	146	135	94	56	14	-
Cuban, both sexes.....	32	53	92	142	188	319	348	411	318	158	21	-
Male.....	28	44	71	103	127	192	151	158	89	40	3	-
Female.....	4	9	21	39	61	127	197	253	229	118	18	-
Central and South American, both sexes.....	43	77	100	112	166	151	197	159	122	50	14	-
Male.....	35	66	69	76	84	63	75	50	36	8	1	-
Female.....	8	11	31	36	82	88	122	109	86	42	13	-
Other and Unknown Hispanic, both sexes.....	60	67	91	115	151	197	190	169	146	96	18	-
Male.....	52	57	66	78	90	124	102	66	53	29	8	-
Female.....	8	10	25	37	61	73	88	103	93	67	10	-
Non-Hispanic 1/, both sexes.....	8,320	11,276	13,835	18,515	27,683	41,099	52,567	53,296	39,401	16,728	4,032	24
Male.....	6,430	8,332	9,755	12,326	17,249	23,459	26,234	21,656	11,873	3,568	572	15
Female.....	1,890	2,944	4,080	6,189	10,434	17,640	26,333	31,640	27,528	13,160	3,460	9
Non-Hispanic white, both sexes.....	6,368	8,857	10,962	15,006	23,570	35,921	47,528	49,098	36,422	15,360	3,553	16
Male.....	5,090	6,711	7,880	10,236	14,983	20,917	24,027	20,173	11,008	3,256	492	10
Female.....	1,278	2,146	3,082	4,770	8,587	15,004	23,501	28,925	25,414	12,104	3,061	6
Non-Hispanic black, both sexes.....	1,725	2,120	2,506	3,007	3,498	4,319	4,194	3,436	2,458	1,121	413	8
Male.....	1,155	1,401	1,620	1,769	1,892	2,044	1,775	1,124	645	230	62	5
Female.....	570	719	886	1,238	1,606	2,275	2,419	2,312	1,813	891	351	3
Origin not stated 2/, both sexes.....	66	76	100	115	150	200	176	203	127	53	17	7
Male.....	58	67	73	80	105	121	91	83	39	11	3	7
Female.....	8	9	27	35	45	79	85	120	88	42	14	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
All origins, both sexes.....	3,285	4,189	4,604	5,163	6,654	8,649	9,969	10,007	7,555	3,361	873	23
Male.....	2,605	3,250	3,299	3,498	4,119	4,746	4,670	3,814	2,165	722	134	17
Female.....	680	939	1,305	1,665	2,535	3,903	5,299	6,193	5,390	2,639	739	6
Hispanic, both sexes.....	186	258	328	327	395	395	349	264	240	112	31	1
Male.....	158	220	241	221	254	219	156	112	91	36	9	1
Female.....	28	38	87	106	141	176	193	152	149	76	22	-
Mexican, both sexes.....	113	144	162	144	203	214	200	122	137	56	20	-
Male.....	97	121	119	95	134	113	94	62	59	18	6	-
Female.....	16	23	43	49	69	101	106	60	78	38	14	-
Puerto Rican, both sexes.....	23	37	51	63	63	55	38	18	20	4	2	1
Male.....	17	31	40	41	46	36	17	6	6	2	1	1
Female.....	6	6	11	22	17	19	21	12	14	2	1	-
Cuban, both sexes.....	5	15	21	42	32	49	33	56	27	14	1	-
Male.....	4	13	17	29	18	28	13	19	8	4	-	-
Female.....	1	2	4	13	14	21	20	37	19	10	1	-
Central and South American, both sexes.....	20	35	50	32	42	22	39	29	21	9	3	-
Male.....	18	30	36	22	21	7	12	8	8	2	-	-
Female.....	2	5	14	10	21	15	27	21	13	7	3	-
Other and Unknown Hispanic, both sexes.....	25	27	44	46	55	55	39	39	35	29	5	-
Male.....	22	25	29	34	35	35	20	17	10	10	2	-
Female.....	3	2	15	12	20	20	19	22	25	19	3	-
Non-Hispanic 1/, both sexes.....	3,059	3,888	4,221	4,794	6,198	8,189	9,582	9,707	7,293	3,242	840	17
Male.....	2,413	2,989	3,015	3,249	3,827	4,486	4,491	3,684	2,068	684	125	11
Female.....	646	899	1,206	1,545	2,371	3,703	5,091	6,023	5,225	2,558	715	6
Non-Hispanic white, both sexes.....	2,245	2,892	3,151	3,551	4,893	6,693	8,279	8,663	6,572	2,908	708	10
Male.....	1,830	2,264	2,295	2,441	3,085	3,707	3,876	3,304	1,859	609	102	6
Female.....	415	628	856	1,110	1,808	2,986	4,403	5,359	4,713	2,299	606	4
Non-Hispanic black, both sexes.....	730	880	964	1,107	1,151	1,328	1,138	892	620	290	117	7
Male.....	508	633	645	712	645	684	539	302	169	63	18	5
Female.....	222	247	319	395	506	644	599	590	451	227	99	2
Origin not stated 2/, both sexes.....	40	43	55	42	61	65	38	36	22	7	2	5
Male.....	34	41	43	28	38	41	23	18	6	2	-	5
Female.....	6	2	12	14	23	24	15	18	16	5	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All origins, both sexes.....	5,608	7,840	10,236	14,654	22,762	34,546	44,739	45,200	33,321	14,074	3,308	9
Male.....	4,273	5,660	7,161	9,668	14,197	19,876	22,584	18,609	10,206	3,037	470	6
Female.....	1,335	2,180	3,075	4,986	8,565	14,670	22,155	26,591	23,115	11,037	2,838	3
Hispanic, both sexes.....	321	419	577	860	1,188	1,501	1,616	1,444	1,108	542	101	-
Male.....	232	291	391	539	708	823	773	572	368	144	20	-
Female.....	89	128	186	321	480	678	843	872	740	398	81	-
Mexican, both sexes.....	175	220	288	451	599	740	769	633	485	220	41	-
Male.....	123	139	189	283	369	411	392	269	176	67	7	-
Female.....	52	81	99	168	230	329	377	364	309	153	34	-
Puerto Rican, both sexes.....	61	79	121	160	213	220	223	196	120	70	16	-
Male.....	38	53	78	84	112	103	98	73	40	16	3	-
Female.....	23	26	43	76	101	117	125	123	80	54	13	-
Cuban, both sexes.....	27	38	71	100	156	270	315	355	291	144	20	-
Male.....	24	31	54	74	109	164	138	139	81	36	3	-
Female.....	3	7	17	26	47	106	177	216	210	108	17	-
Central and South American, both sexes.....	23	42	50	80	124	129	158	130	101	41	11	-
Male.....	17	36	33	54	63	56	63	42	28	6	1	-
Female.....	6	6	17	26	61	73	95	88	73	35	10	-
Other and Unknown Hispanic, both sexes.....	35	40	47	69	96	142	151	130	111	67	13	-
Male.....	30	32	37	44	55	89	82	49	43	19	6	-
Female.....	5	8	10	25	41	53	69	81	68	48	7	-
Non-Hispanic 1/, both sexes.....	5,261	7,388	9,614	13,721	21,485	32,910	42,985	43,589	32,108	13,486	3,192	7
Male.....	4,017	5,343	6,740	9,077	13,422	18,973	21,743	17,972	9,805	2,884	447	4
Female.....	1,244	2,045	2,874	4,644	8,063	13,937	21,242	25,617	22,303	10,602	2,745	3
Non-Hispanic white, both sexes.....	4,123	5,965	7,811	11,455	18,677	29,228	39,249	40,435	29,850	12,452	2,845	6
Male.....	3,260	4,447	5,585	7,795	11,898	17,210	20,151	16,869	9,149	2,647	390	4
Female.....	863	1,518	2,226	3,660	6,779	12,018	19,098	23,566	20,701	9,805	2,455	2
Non-Hispanic black, both sexes.....	995	1,240	1,542	1,900	2,347	2,991	3,056	2,544	1,838	831	296	1
Male.....	647	768	975	1,057	1,247	1,360	1,236	822	476	167	44	-
Female.....	348	472	567	843	1,100	1,631	1,820	1,722	1,362	664	252	1
Origin not stated 2/, both sexes.....	26	33	45	73	89	135	138	167	105	46	15	2
Male.....	24	26	30	52	67	80	68	65	33	9	3	2
Female.....	2	7	15	21	22	55	70	102	72	37	12	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
All origins, both sexes.....	4,862	5,913	7,033	9,377	14,303	21,276	28,500	30,794	23,517	9,779	2,210	6
Male.....	3,082	3,587	4,184	5,275	7,716	10,463	12,308	11,167	6,558	2,070	338	3
Female.....	1,780	2,326	2,849	4,102	6,587	10,813	16,192	19,627	16,959	7,709	1,872	3
Hispanic, both sexes.....	225	244	263	377	480	628	690	599	463	220	53	-
Male.....	143	145	151	206	278	316	310	233	147	64	9	-
Female.....	82	99	112	171	202	312	380	366	316	156	44	-
Mexican, both sexes.....	129	129	136	203	259	329	329	292	206	116	27	-
Male.....	73	77	79	111	161	164	153	118	70	45	4	-
Female.....	56	52	57	92	98	165	176	174	136	71	23	-
Puerto Rican, both sexes.....	31	48	55	51	70	65	95	59	56	23	3	-
Male.....	23	25	27	28	43	34	50	15	20	2	-	-
Female.....	8	23	28	23	27	31	45	44	36	21	3	-
Cuban, both sexes.....	13	22	22	38	58	105	111	107	85	34	3	-
Male.....	10	16	16	23	35	59	53	44	24	9	1	-
Female.....	3	6	6	15	23	46	58	63	61	25	2	-
Central and South American, both sexes.....	24	22	20	36	45	41	63	40	43	18	8	-
Male.....	16	12	11	18	16	19	15	14	11	3	-	-
Female.....	8	10	9	18	29	22	48	26	32	15	8	-
Other and Unknown Hispanic, both sexes.....	28	23	30	49	48	88	92	101	73	29	12	-
Male.....	21	15	18	26	23	40	39	42	22	5	4	-
Female.....	7	8	12	23	25	48	53	59	51	24	8	-
Non-Hispanic 1/, both sexes.....	4,617	5,650	6,752	8,979	13,782	20,603	27,739	30,132	23,012	9,536	2,150	3
Male.....	2,925	3,430	4,024	5,056	7,416	10,122	11,967	10,917	6,403	2,001	328	2
Female.....	1,692	2,220	2,728	3,923	6,366	10,481	15,772	19,215	16,609	7,535	1,822	1
Non-Hispanic white, both sexes.....	3,250	4,234	5,234	7,235	11,601	18,032	25,108	27,835	21,321	8,790	1,890	2
Male.....	2,125	2,618	3,188	4,135	6,330	8,960	10,918	10,148	5,895	1,841	283	2
Female.....	1,125	1,616	2,046	3,100	5,271	9,072	14,190	17,687	15,426	6,949	1,607	-
Non-Hispanic black, both sexes.....	1,265	1,287	1,384	1,581	1,895	2,228	2,255	1,930	1,449	648	223	1
Male.....	735	736	754	828	944	975	879	596	398	121	35	-
Female.....	530	551	630	753	951	1,253	1,376	1,334	1,051	527	188	1
Origin not stated 2/, both sexes.....	20	19	18	21	41	45	71	63	42	23	7	3
Male.....	14	12	9	13	22	25	31	17	8	5	1	1
Female.....	6	7	9	8	19	20	40	46	34	18	6	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
All origins, both sexes.....	638	906	1,436	2,192	3,976	6,603	10,307	12,620	10,776	5,031	1,200	-
Male.....	407	526	819	1,200	2,054	3,192	4,381	4,423	3,000	1,035	178	-
Female.....	231	380	617	992	1,922	3,411	5,926	8,197	7,776	3,996	1,022	-
Hispanic, both sexes.....	29	35	56	93	142	200	251	232	194	113	31	-
Male.....	16	22	32	51	70	100	109	85	56	31	5	-
Female.....	13	13	24	42	72	100	142	147	138	82	26	-
Mexican, both sexes.....	19	19	29	59	94	111	142	127	94	63	18	-
Male.....	11	15	19	33	52	61	69	54	30	23	3	-
Female.....	8	4	10	26	42	50	73	73	64	40	15	-
Puerto Rican, both sexes.....	4	9	17	15	15	27	32	28	34	10	1	-
Male.....	3	4	9	6	10	10	10	3	12	-	-	-
Female.....	1	5	8	9	5	17	22	25	22	10	1	-
Cuban, both sexes.....	-	2	2	7	8	20	21	21	24	11	1	-
Male.....	-	-	-	4	3	11	13	8	7	1	-	-
Female.....	-	2	2	3	5	9	8	13	17	10	1	-
Central and South American, both sexes.....	5	3	3	3	11	8	24	14	12	12	4	-
Male.....	1	2	2	2	1	3	6	4	2	3	-	-
Female.....	4	1	1	1	10	5	18	10	10	9	4	-
Other and Unknown Hispanic, both sexes.....	1	2	5	9	14	34	32	42	30	17	7	-
Male.....	1	1	2	6	4	15	11	16	5	4	2	-
Female.....	-	1	3	3	10	19	21	26	25	13	5	-
Non-Hispanic 1/, both sexes.....	604	869	1,376	2,095	3,819	6,388	10,028	12,353	10,561	4,907	1,163	-
Male.....	388	502	786	1,147	1,977	3,088	4,256	4,328	2,939	1,003	172	-
Female.....	216	367	590	948	1,842	3,300	5,772	8,025	7,622	3,904	991	-
Non-Hispanic white, both sexes.....	397	644	1,075	1,695	3,219	5,618	9,107	11,477	9,844	4,600	1,041	-
Male.....	262	381	619	933	1,687	2,752	3,911	4,044	2,739	945	152	-
Female.....	135	263	456	762	1,532	2,866	5,196	7,433	7,105	3,655	889	-
Non-Hispanic black, both sexes.....	192	204	283	361	530	680	815	767	620	272	108	-
Male.....	115	108	158	190	260	294	308	227	156	47	17	-
Female.....	77	96	125	171	270	386	507	540	464	225	91	-
Origin not stated 2/, both sexes.....	5	2	4	4	15	15	28	35	21	11	6	-
Male.....	3	2	1	2	7	4	16	10	5	1	1	-
Female.....	2	-	3	2	8	11	12	25	16	10	5	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All origins, both sexes.....	4,083	4,868	5,450	7,023	10,108	14,428	17,975	18,033	12,680	4,734	1,009	6
Male.....	2,584	2,985	3,281	3,980	5,553	7,159	7,826	6,688	3,537	1,031	159	3
Female.....	1,499	1,883	2,169	3,043	4,555	7,269	10,149	11,345	9,143	3,703	850	3
Hispanic, both sexes.....	188	196	194	274	327	418	431	361	268	106	22	-
Male.....	120	114	112	149	202	213	197	144	91	33	4	-
Female.....	68	82	82	125	125	205	234	217	177	73	18	-
Mexican, both sexes.....	106	105	101	139	160	214	181	164	111	53	9	-
Male.....	59	57	55	76	106	101	80	63	40	22	1	-
Female.....	47	48	46	63	54	113	101	101	71	31	8	-
Puerto Rican, both sexes.....	25	34	35	34	52	36	63	30	22	12	2	-
Male.....	18	19	17	20	31	24	40	11	8	2	-	-
Female.....	7	15	18	14	21	12	23	19	14	10	2	-
Cuban, both sexes.....	13	19	19	30	48	84	89	82	61	23	2	-
Male.....	10	15	16	18	31	47	40	34	17	8	1	-
Female.....	3	4	3	12	17	37	49	48	44	15	1	-
Central and South American, both sexes.....	17	18	14	32	34	31	39	26	31	6	4	-
Male.....	13	10	8	16	15	16	9	10	9	-	-	-
Female.....	4	8	6	16	19	15	30	16	22	6	4	-
Other and Unknown Hispanic, both sexes.....	27	20	25	39	33	53	59	59	43	12	5	-
Male.....	20	13	16	19	19	25	28	26	17	1	2	-
Female.....	7	7	9	20	14	28	31	33	26	11	3	-
Non-Hispanic 1/, both sexes.....	3,881	4,657	5,242	6,732	9,755	13,980	17,501	17,644	12,391	4,616	986	3
Male.....	2,454	2,863	3,161	3,820	5,336	6,925	7,614	6,537	3,443	994	155	2
Female.....	1,427	1,794	2,081	2,912	4,419	7,055	9,887	11,107	8,948	3,622	831	1
Non-Hispanic white, both sexes.....	2,765	3,509	4,051	5,419	8,208	12,212	15,807	16,232	11,422	4,178	848	2
Male.....	1,804	2,196	2,504	3,130	4,553	6,107	6,918	6,055	3,137	893	130	2
Female.....	961	1,313	1,547	2,289	3,655	6,105	8,889	10,177	8,285	3,285	718	-
Non-Hispanic black, both sexes.....	1,031	1,044	1,077	1,191	1,337	1,520	1,429	1,155	824	376	115	1
Male.....	598	604	585	623	673	674	565	366	240	74	18	-
Female.....	433	440	492	568	664	846	864	789	584	302	97	1
Origin not stated 2/, both sexes.....	14	15	14	17	26	30	43	28	21	12	1	3
Male.....	10	8	8	11	15	21	15	7	3	4	-	1
Female.....	4	7	6	6	11	9	28	21	18	8	1	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All origins, both sexes.....	541	681	845	1,126	1,796	2,592	3,546	3,801	2,915	1,276	293	-
Male.....	322	398	452	563	856	1,103	1,302	1,182	707	215	28	-
Female.....	219	283	393	563	940	1,489	2,244	2,619	2,208	1,061	265	-
Hispanic, both sexes.....	22	50	73	66	117	130	153	116	96	43	13	-
Male.....	9	30	36	26	54	61	52	33	32	9	5	-
Female.....	13	20	37	40	63	69	101	83	64	34	8	-
Mexican, both sexes.....	11	25	48	34	71	81	102	63	53	20	6	-
Male.....	6	13	25	11	28	42	36	18	19	3	3	-
Female.....	5	12	23	23	43	39	66	45	34	17	3	-
Puerto Rican, both sexes.....	7	12	8	14	16	15	10	12	11	4	2	-
Male.....	2	9	5	7	11	6	4	3	1	2	-	-
Female.....	5	3	3	7	5	9	6	9	10	2	2	-
Cuban, both sexes.....	2	3	3	7	11	11	16	14	13	8	1	-
Male.....	1	3	1	3	6	8	3	5	4	3	1	-
Female.....	1	-	2	4	5	3	13	9	9	5	-	-
Central and South American, both sexes.....	2	8	7	5	10	11	16	14	9	1	2	-
Male.....	-	5	1	3	4	2	6	2	4	-	-	-
Female.....	2	3	6	2	6	9	10	12	5	1	2	-
Other and Unknown Hispanic, both sexes.....	-	2	7	6	9	12	9	13	10	10	2	-
Male.....	-	-	4	2	5	3	3	5	4	1	1	-
Female.....	-	2	3	4	4	9	6	8	6	9	1	-
Non-Hispanic 1/, both sexes.....	517	628	772	1,053	1,672	2,457	3,383	3,673	2,811	1,228	278	-
Male.....	311	365	416	530	798	1,039	1,246	1,144	674	206	23	-
Female.....	206	263	356	523	874	1,418	2,137	2,529	2,137	1,022	255	-
Non-Hispanic white, both sexes.....	281	339	466	675	1,163	1,835	2,735	3,077	2,404	1,075	234	-
Male.....	180	210	267	350	570	787	997	977	576	176	17	-
Female.....	101	129	199	325	593	1,048	1,738	2,100	1,828	899	217	-
Non-Hispanic black, both sexes.....	225	272	278	339	456	559	574	512	351	130	40	-
Male.....	125	145	129	159	200	228	214	138	83	26	6	-
Female.....	100	127	149	180	256	331	360	374	268	104	34	-
Origin not stated 2/, both sexes.....	2	3	-	7	7	5	10	12	8	5	2	-
Male.....	2	3	-	7	4	3	4	5	1	-	-	-
Female.....	-	-	-	-	3	2	6	7	7	5	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cerebrovascular diseases (I60-I69)

All origins, both sexes.....	3,440	4,293	5,604	8,026	13,966	22,911	31,978	33,197	23,110	8,521	1,584	3
Male.....	1,876	2,373	3,083	4,305	6,902	10,283	12,372	10,884	5,713	1,510	209	1
Female.....	1,564	1,920	2,521	3,721	7,064	12,628	19,606	22,313	17,397	7,011	1,375	2
Hispanic, both sexes.....	291	321	387	462	753	901	1,017	838	535	202	45	-
Male.....	171	196	225	256	396	421	404	282	177	42	11	-
Female.....	120	125	162	206	357	480	613	556	358	160	34	-
Mexican, both sexes.....	188	181	233	264	470	541	590	431	265	117	30	-
Male.....	112	113	134	144	248	255	245	157	94	25	8	-
Female.....	76	68	99	120	222	286	345	274	171	92	22	-
Puerto Rican, both sexes.....	28	60	56	74	84	88	104	91	50	14	1	-
Male.....	17	37	41	44	49	48	40	34	16	4	-	-
Female.....	11	23	15	30	35	40	64	57	34	10	1	-
Cuban, both sexes.....	9	18	28	32	58	95	119	144	86	27	4	-
Male.....	4	11	18	18	36	49	46	45	26	3	-	-
Female.....	5	7	10	14	22	46	73	99	60	24	4	-
Central and South American, both sexes.....	41	33	42	44	75	78	78	63	56	10	2	-
Male.....	23	19	15	19	34	26	23	10	11	3	-	-
Female.....	18	14	27	25	41	52	55	53	45	7	2	-
Other and Unknown Hispanic, both sexes.....	25	29	28	48	66	99	126	109	78	34	8	-
Male.....	15	16	17	31	29	43	50	36	30	7	3	-
Female.....	10	13	11	17	37	56	76	73	48	27	5	-
Non-Hispanic 1/, both sexes.....	3,140	3,961	5,199	7,546	13,185	21,958	30,892	32,291	22,516	8,302	1,537	3
Male.....	1,699	2,172	2,846	4,039	6,493	9,834	11,939	10,583	5,522	1,467	198	1
Female.....	1,441	1,789	2,353	3,507	6,692	12,124	18,953	21,708	16,994	6,835	1,339	2
Non-Hispanic white, both sexes.....	1,913	2,733	3,699	5,654	10,701	18,821	27,506	29,412	20,578	7,553	1,341	2
Male.....	1,032	1,490	2,021	3,032	5,336	8,484	10,697	9,680	5,016	1,313	153	1
Female.....	881	1,243	1,678	2,622	5,365	10,337	16,809	19,732	15,562	6,240	1,188	1
Non-Hispanic black, both sexes.....	1,067	1,048	1,255	1,584	2,016	2,576	2,701	2,298	1,546	610	168	1
Male.....	588	592	696	848	978	1,084	947	671	349	100	38	-
Female.....	479	456	559	736	1,038	1,492	1,754	1,627	1,197	510	130	1
Origin not stated 2/, both sexes.....	9	11	18	18	28	52	69	68	59	17	2	-
Male.....	6	5	12	10	13	28	29	19	14	1	-	-
Female.....	3	6	6	8	15	24	40	49	45	16	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerosis (I70)												
All origins, both sexes.....	121	207	280	494	806	1,521	2,541	3,090	2,802	1,416	415	1
Male.....	75	127	178	282	446	748	1,055	1,088	755	281	53	1
Female.....	46	80	102	212	360	773	1,486	2,002	2,047	1,135	362	-
Hispanic, both sexes.....	6	9	11	24	26	58	78	78	74	30	14	-
Male.....	3	7	5	12	15	29	36	29	23	6	3	-
Female.....	3	2	6	12	11	29	42	49	51	24	11	-
Mexican, both sexes.....	4	5	7	13	12	37	35	41	38	16	8	-
Male.....	1	3	3	7	5	20	20	15	14	4	2	-
Female.....	3	2	4	6	7	17	15	26	24	12	6	-
Puerto Rican, both sexes.....	-	2	1	5	3	5	12	8	8	2	2	-
Male.....	-	2	1	2	2	2	3	1	3	1	-	-
Female.....	-	-	-	3	1	3	9	7	5	1	2	-
Cuban, both sexes.....	-	-	-	2	3	3	13	7	10	5	1	-
Male.....	-	-	-	-	1	1	7	3	2	-	-	-
Female.....	-	-	-	2	2	2	6	4	8	5	1	-
Central and South American, both sexes.....	-	1	1	3	3	1	5	4	5	1	1	-
Male.....	-	1	-	3	2	-	2	3	-	-	-	-
Female.....	-	-	1	-	1	1	3	1	5	1	1	-
Other and Unknown Hispanic, both sexes.....	2	1	2	1	5	12	13	18	13	6	2	-
Male.....	2	1	1	-	5	6	4	7	4	1	1	-
Female.....	-	-	1	1	-	6	9	11	9	5	1	-
Non-Hispanic 1/, both sexes.....	115	198	268	470	778	1,455	2,456	3,001	2,722	1,386	400	1
Male.....	72	120	172	270	430	716	1,017	1,056	731	275	49	1
Female.....	43	78	96	200	348	739	1,439	1,945	1,991	1,111	351	-
Non-Hispanic white, both sexes.....	79	161	215	411	671	1,282	2,236	2,828	2,560	1,301	357	1
Male.....	47	99	138	239	374	631	930	999	688	260	43	1
Female.....	32	62	77	172	297	651	1,306	1,829	1,872	1,041	314	-
Non-Hispanic black, both sexes.....	31	29	48	49	85	154	195	150	135	68	37	-
Male.....	22	17	32	25	45	76	77	48	35	13	4	-
Female.....	9	12	16	24	40	78	118	102	100	55	33	-
Origin not stated 2/, both sexes.....	-	-	1	-	2	8	7	11	6	-	1	-
Male.....	-	-	1	-	1	3	2	3	1	-	1	-
Female.....	-	-	-	-	1	5	5	8	5	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of circulatory system (I71-I78)												
All origins, both sexes.....	591	928	1,358	2,137	3,173	4,292	4,453	3,768	2,151	743	154	-
Male.....	401	624	902	1,408	1,899	2,406	2,284	1,675	715	191	23	-
Female.....	190	304	456	729	1,274	1,886	2,169	2,093	1,436	552	131	-
Hispanic, both sexes.....	33	48	69	73	102	130	116	85	53	21	8	-
Male.....	22	26	40	44	60	70	68	29	23	5	4	-
Female.....	11	22	29	29	42	60	48	56	30	16	4	-
Mexican, both sexes.....	14	20	31	40	53	55	61	45	28	9	3	-
Male.....	8	7	18	22	28	31	39	15	16	3	1	-
Female.....	6	13	13	18	25	24	22	30	12	6	2	-
Puerto Rican, both sexes.....	3	9	13	7	11	20	15	5	2	3	1	-
Male.....	2	5	6	6	6	7	9	2	-	-	-	-
Female.....	1	4	7	1	5	13	6	3	2	3	1	-
Cuban, both sexes.....	4	4	8	7	19	15	12	14	9	3	2	-
Male.....	1	4	6	5	13	11	6	6	3	1	1	-
Female.....	3	-	2	2	6	4	6	8	6	2	1	-
Central and South American, both sexes.....	12	8	14	12	10	17	12	8	7	4	-	-
Male.....	11	5	9	9	6	9	5	2	2	1	-	-
Female.....	1	3	5	3	4	8	7	6	5	3	-	-
Other and Unknown Hispanic, both sexes.....	-	7	3	7	9	23	16	13	7	2	2	-
Male.....	-	5	1	2	7	12	9	4	2	-	2	-
Female.....	-	2	2	5	2	11	7	9	5	2	-	-
Non-Hispanic 1/, both sexes.....	557	877	1,282	2,056	3,064	4,145	4,330	3,673	2,094	718	146	-
Male.....	378	595	860	1,359	1,835	2,328	2,212	1,641	691	186	19	-
Female.....	179	282	422	697	1,229	1,817	2,118	2,032	1,403	532	127	-
Non-Hispanic white, both sexes.....	401	692	1,066	1,767	2,718	3,738	3,946	3,361	1,880	655	113	-
Male.....	275	472	726	1,205	1,645	2,144	2,045	1,526	622	174	15	-
Female.....	126	220	340	562	1,073	1,594	1,901	1,835	1,258	481	98	-
Non-Hispanic black, both sexes.....	138	164	186	240	281	336	317	252	180	59	30	-
Male.....	92	108	115	122	146	140	129	84	57	9	4	-
Female.....	46	56	71	118	135	196	188	168	123	50	26	-
Origin not stated 2/, both sexes.....	1	3	7	8	7	17	7	10	4	4	-	-
Male.....	1	3	2	5	4	8	4	5	1	-	-	-
Female.....	-	-	5	3	3	9	3	5	3	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
All origins, both sexes.....	383	598	862	1,404	2,078	2,779	2,739	2,013	914	239	21	-
Male.....	291	458	634	1,020	1,349	1,688	1,497	1,034	368	74	5	-
Female.....	92	140	228	384	729	1,091	1,242	979	546	165	16	-
Hispanic, both sexes.....	19	31	44	42	47	72	55	32	17	6	1	-
Male.....	14	21	30	28	35	40	38	15	9	1	1	-
Female.....	5	10	14	14	12	32	17	17	8	5	-	-
Mexican, both sexes.....	7	10	18	19	22	26	24	11	9	1	-	-
Male.....	5	5	14	12	15	15	19	6	6	-	-	-
Female.....	2	5	4	7	7	11	5	5	3	1	-	-
Puerto Rican, both sexes.....	1	7	6	4	5	11	10	3	-	2	-	-
Male.....	1	5	3	4	5	3	8	-	-	-	-	-
Female.....	-	2	3	-	-	8	2	3	-	2	-	-
Cuban, both sexes.....	3	2	7	5	8	9	7	6	2	1	1	-
Male.....	1	2	5	4	7	7	2	4	1	-	1	-
Female.....	2	-	2	1	1	2	5	2	1	1	-	-
Central and South American, both sexes.....	8	7	11	9	8	12	6	4	2	2	-	-
Male.....	7	5	7	7	6	7	4	2	1	1	-	-
Female.....	1	2	4	2	2	5	2	2	1	1	-	-
Other and Unknown Hispanic, both sexes.....	-	5	2	5	4	14	8	8	4	-	-	-
Male.....	-	4	1	1	2	8	5	3	1	-	-	-
Female.....	-	1	1	4	2	6	3	5	3	-	-	-
Non-Hispanic 1/, both sexes.....	363	564	815	1,356	2,028	2,695	2,678	1,977	895	233	20	-
Male.....	276	434	602	987	1,312	1,643	1,456	1,016	358	73	4	-
Female.....	87	130	213	369	716	1,052	1,222	961	537	160	16	-
Non-Hispanic white, both sexes.....	254	451	705	1,216	1,841	2,499	2,489	1,844	825	213	15	-
Male.....	197	349	526	904	1,201	1,542	1,375	968	335	71	3	-
Female.....	57	102	179	312	640	957	1,114	876	490	142	12	-
Non-Hispanic black, both sexes.....	97	99	93	107	137	143	142	94	48	20	5	-
Male.....	72	73	65	58	74	66	53	27	15	2	1	-
Female.....	25	26	28	49	63	77	89	67	33	18	4	-
Origin not stated 2/, both sexes.....	1	3	3	6	3	12	6	4	2	-	-	-
Male.....	1	3	2	5	2	5	3	3	1	-	-	-
Female.....	-	-	1	1	1	7	3	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

All origins, both sexes.....	208	330	496	733	1,095	1,513	1,714	1,755	1,237	504	133	-
Male.....	110	166	268	388	550	718	787	641	347	117	18	-
Female.....	98	164	228	345	545	795	927	1,114	890	387	115	-
Hispanic, both sexes.....	14	17	25	31	55	58	61	53	36	15	7	-
Male.....	8	5	10	16	25	30	30	14	14	4	3	-
Female.....	6	12	15	15	30	28	31	39	22	11	4	-
Mexican, both sexes.....	7	10	13	21	31	29	37	34	19	8	3	-
Male.....	3	2	4	10	13	16	20	9	10	3	1	-
Female.....	4	8	9	11	18	13	17	25	9	5	2	-
Puerto Rican, both sexes.....	2	2	7	3	6	9	5	2	2	1	1	-
Male.....	1	-	3	2	1	4	1	2	-	-	-	-
Female.....	1	2	4	1	5	5	4	-	2	1	1	-
Cuban, both sexes.....	1	2	1	2	11	6	5	8	7	2	1	-
Male.....	-	2	1	1	6	4	4	2	2	1	-	-
Female.....	1	-	-	1	5	2	1	6	5	1	1	-
Central and South American, both sexes.....	4	1	3	3	2	5	6	4	5	2	-	-
Male.....	4	-	2	2	-	2	1	-	1	-	-	-
Female.....	-	1	1	1	2	3	5	4	4	2	-	-
Other and Unknown Hispanic, both sexes.....	-	2	1	2	5	9	8	5	3	2	2	-
Male.....	-	1	-	1	5	4	4	1	1	-	2	-
Female.....	-	1	1	1	-	5	4	4	2	2	-	-
Non-Hispanic 1/, both sexes.....	194	313	467	700	1,036	1,450	1,652	1,696	1,199	485	126	-
Male.....	102	161	258	372	523	685	756	625	333	113	15	-
Female.....	92	152	209	328	513	765	896	1,071	866	372	111	-
Non-Hispanic white, both sexes.....	147	241	361	551	877	1,239	1,457	1,517	1,055	442	98	-
Male.....	78	123	200	301	444	602	670	558	287	103	12	-
Female.....	69	118	161	250	433	637	787	959	768	339	86	-
Non-Hispanic black, both sexes.....	41	65	93	133	144	193	175	158	132	39	25	-
Male.....	20	35	50	64	72	74	76	57	42	7	3	-
Female.....	21	30	43	69	72	119	99	101	90	32	22	-
Origin not stated 2/, both sexes.....	-	-	4	2	4	5	1	6	2	4	-	-
Male.....	-	-	-	-	2	3	1	2	-	-	-	-
Female.....	-	-	4	2	2	2	-	4	2	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other disorders of circulatory system (I80-I99)

All origins, both sexes.....	280	302	293	322	375	552	701	576	390	134	23	-
Male.....	147	168	141	160	163	216	267	173	86	25	1	-
Female.....	133	134	152	162	212	336	434	403	304	109	22	-
Hispanic, both sexes.....	18	14	13	13	24	18	20	18	11	4	-	-
Male.....	10	7	9	8	8	9	7	3	2	-	-	-
Female.....	8	7	4	5	16	9	13	15	9	4	-	-
Mexican, both sexes.....	10	10	9	3	14	8	8	13	3	2	-	-
Male.....	5	4	7	2	5	3	2	1	1	-	-	-
Female.....	5	6	2	1	9	5	6	12	2	2	-	-
Puerto Rican, both sexes.....	5	1	-	1	2	4	3	3	2	-	-	-
Male.....	3	1	-	1	1	3	1	1	-	-	-	-
Female.....	2	-	-	-	1	1	2	2	2	-	-	-
Cuban, both sexes.....	1	1	1	3	3	2	4	-	4	1	-	-
Male.....	1	1	1	1	1	-	1	-	1	-	-	-
Female.....	-	-	-	2	2	2	3	-	3	1	-	-
Central and South American, both sexes.....	2	-	1	3	3	3	1	-	1	-	-	-
Male.....	1	-	-	2	-	2	-	-	-	-	-	-
Female.....	1	-	1	1	3	1	1	-	1	-	-	-
Other and Unknown Hispanic, both sexes.....	-	2	2	3	2	1	4	2	1	1	-	-
Male.....	-	1	1	2	1	1	3	1	-	-	-	-
Female.....	-	1	1	1	1	-	1	1	1	1	-	-
Non-Hispanic 1/, both sexes.....	260	288	278	308	351	534	678	557	379	129	23	-
Male.....	135	161	131	151	155	207	259	170	84	25	1	-
Female.....	125	127	147	157	196	327	419	387	295	104	22	-
Non-Hispanic white, both sexes.....	195	224	206	247	291	455	586	497	344	115	21	-
Male.....	104	123	101	119	129	178	218	151	73	21	1	-
Female.....	91	101	105	128	162	277	368	346	271	94	20	-
Non-Hispanic black, both sexes.....	60	62	66	59	54	74	85	53	32	12	2	-
Male.....	27	36	28	30	23	26	37	15	10	4	-	-
Female.....	33	26	38	29	31	48	48	38	22	8	2	-
Origin not stated 2/, both sexes.....	2	-	2	1	-	-	3	1	-	1	-	-
Male.....	2	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	2	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Influenza and pneumonia (J10-J18)

All origins, both sexes.....	1,031	1,271	1,716	2,420	4,427	7,905	12,079	13,977	11,490	5,172	1,356	3
Male.....	619	742	996	1,384	2,466	4,114	5,781	5,716	3,875	1,352	256	2
Female.....	412	529	720	1,036	1,961	3,791	6,298	8,261	7,615	3,820	1,100	1
Hispanic, both sexes.....	63	95	112	150	249	385	470	443	358	177	43	-
Male.....	45	60	70	88	141	189	233	186	137	55	14	-
Female.....	18	35	42	62	108	196	237	257	221	122	29	-
Mexican, both sexes.....	34	47	57	75	147	202	243	222	166	93	24	-
Male.....	27	28	32	45	83	112	116	101	67	30	11	-
Female.....	7	19	25	30	64	90	127	121	99	63	13	-
Puerto Rican, both sexes.....	12	24	16	27	40	61	63	52	44	15	10	-
Male.....	6	19	13	14	22	25	28	15	18	3	2	-
Female.....	6	5	3	13	18	36	35	37	26	12	8	-
Cuban, both sexes.....	-	6	10	11	24	44	64	78	54	29	2	-
Male.....	-	4	6	5	15	18	34	32	18	8	1	-
Female.....	-	2	4	6	9	26	30	46	36	21	1	-
Central and South American, both sexes.....	10	11	10	17	20	41	43	43	39	17	2	-
Male.....	8	4	7	11	9	16	19	14	15	6	-	-
Female.....	2	7	3	6	11	25	24	29	24	11	2	-
Other and Unknown Hispanic, both sexes.....	7	7	19	20	18	37	57	48	55	23	5	-
Male.....	4	5	12	13	12	18	36	24	19	8	-	-
Female.....	3	2	7	7	6	19	21	24	36	15	5	-
Non-Hispanic 1/, both sexes.....	963	1,172	1,601	2,260	4,164	7,492	11,567	13,504	11,101	4,983	1,310	3
Male.....	570	679	924	1,287	2,313	3,912	5,525	5,523	3,726	1,293	240	2
Female.....	393	493	677	973	1,851	3,580	6,042	7,981	7,375	3,690	1,070	1
Non-Hispanic white, both sexes.....	718	887	1,265	1,866	3,553	6,568	10,433	12,381	10,228	4,585	1,179	3
Male.....	424	508	720	1,059	1,991	3,427	4,975	5,057	3,416	1,164	217	2
Female.....	294	379	545	807	1,562	3,141	5,458	7,324	6,812	3,421	962	1
Non-Hispanic black, both sexes.....	210	254	300	327	510	708	876	849	651	310	107	-
Male.....	123	158	180	188	266	373	416	318	208	92	18	-
Female.....	87	96	120	139	244	335	460	531	443	218	89	-
Origin not stated 2/, both sexes.....	5	4	3	10	14	28	42	30	31	12	3	-
Male.....	4	3	2	9	12	13	23	7	12	4	2	-
Female.....	1	1	1	1	2	15	19	23	19	8	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Influenza (J10-J11)												
All origins, both sexes.....	9	13	17	19	37	59	118	174	144	59	27	-
Male.....	5	7	13	13	19	28	53	66	45	10	3	-
Female.....	4	6	4	6	18	31	65	108	99	49	24	-
Hispanic, both sexes.....	-	-	-	1	1	2	1	-	5	-	-	-
Male.....	-	-	-	1	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	1	2	-	-	4	-	-	-
Mexican, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	1	-	-	-	-	4	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	3	-	-	-
Non-Hispanic 1/, both sexes.....	9	13	17	18	36	56	117	174	137	58	27	-
Male.....	5	7	13	12	19	27	52	66	43	10	3	-
Female.....	4	6	4	6	17	29	65	108	94	48	24	-
Non-Hispanic white, both sexes.....	8	11	14	12	33	54	114	172	129	57	26	-
Male.....	5	5	11	8	19	26	50	65	42	10	3	-
Female.....	3	6	3	4	14	28	64	107	87	47	23	-
Non-Hispanic black, both sexes.....	-	1	3	4	2	1	3	1	5	1	1	-
Male.....	-	1	2	3	-	-	2	1	1	-	-	-
Female.....	-	-	1	1	2	1	1	-	4	1	1	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	1	-	-	2	1	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic

origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
All origins, both sexes.....	1,022	1,258	1,699	2,401	4,390	7,846	11,961	13,803	11,346	5,113	1,329	3
Male.....	614	735	983	1,371	2,447	4,086	5,728	5,650	3,830	1,342	253	2
Female.....	408	523	716	1,030	1,943	3,760	6,233	8,153	7,516	3,771	1,076	1
Hispanic, both sexes.....	63	95	112	149	248	383	469	443	353	177	43	-
Male.....	45	60	70	87	141	189	232	186	136	55	14	-
Female.....	18	35	42	62	107	194	237	257	217	122	29	-
Mexican, both sexes.....	34	47	57	75	147	200	243	222	165	93	24	-
Male.....	27	28	32	45	83	112	116	101	67	30	11	-
Female.....	7	19	25	30	64	88	127	121	98	63	13	-
Puerto Rican, both sexes.....	12	24	16	27	40	61	63	52	44	15	10	-
Male.....	6	19	13	14	22	25	28	15	18	3	2	-
Female.....	6	5	3	13	18	36	35	37	26	12	8	-
Cuban, both sexes.....	-	6	10	11	23	44	64	78	54	29	2	-
Male.....	-	4	6	5	15	18	34	32	18	8	1	-
Female.....	-	2	4	6	8	26	30	46	36	21	1	-
Central and South American, both sexes.....	10	11	10	17	20	41	42	43	39	17	2	-
Male.....	8	4	7	11	9	16	18	14	15	6	-	-
Female.....	2	7	3	6	11	25	24	29	24	11	2	-
Other and Unknown Hispanic, both sexes.....	7	7	19	19	18	37	57	48	51	23	5	-
Male.....	4	5	12	12	12	18	36	24	18	8	-	-
Female.....	3	2	7	7	6	19	21	24	33	15	5	-
Non-Hispanic 1/, both sexes.....	954	1,159	1,584	2,242	4,128	7,436	11,450	13,330	10,964	4,925	1,283	3
Male.....	565	672	911	1,275	2,294	3,885	5,473	5,457	3,683	1,283	237	2
Female.....	389	487	673	967	1,834	3,551	5,977	7,873	7,281	3,642	1,046	1
Non-Hispanic white, both sexes.....	710	876	1,251	1,854	3,520	6,514	10,319	12,209	10,099	4,528	1,153	3
Male.....	419	503	709	1,051	1,972	3,401	4,925	4,992	3,374	1,154	214	2
Female.....	291	373	542	803	1,548	3,113	5,394	7,217	6,725	3,374	939	1
Non-Hispanic black, both sexes.....	210	253	297	323	508	707	873	848	646	309	106	-
Male.....	123	157	178	185	266	373	414	317	207	92	18	-
Female.....	87	96	119	138	242	334	459	531	439	217	88	-
Origin not stated 2/, both sexes.....	5	4	3	10	14	27	42	30	29	11	3	-
Male.....	4	3	2	9	12	12	23	7	11	4	2	-
Female.....	1	1	1	1	2	15	19	23	18	7	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
All origins, both sexes.....	2,249	4,220	7,060	11,405	18,383	24,495	24,746	17,971	8,508	2,430	375	7
Male.....	1,178	2,141	3,642	5,838	9,501	12,457	11,975	8,140	3,448	762	86	5
Female.....	1,071	2,079	3,418	5,567	8,882	12,038	12,771	9,831	5,060	1,668	289	2
Hispanic, both sexes.....	77	102	172	252	383	510	545	439	280	89	17	-
Male.....	42	64	100	152	210	312	281	201	122	34	3	-
Female.....	35	38	72	100	173	198	264	238	158	55	14	-
Mexican, both sexes.....	40	52	68	116	183	257	254	201	126	46	12	-
Male.....	21	32	41	73	103	163	145	115	59	20	2	-
Female.....	19	20	27	43	80	94	109	86	67	26	10	-
Puerto Rican, both sexes.....	14	14	38	56	45	62	77	59	34	3	1	-
Male.....	10	7	16	29	25	28	34	16	11	-	-	-
Female.....	4	7	22	27	20	34	43	43	23	3	1	-
Cuban, both sexes.....	4	9	19	28	60	75	94	96	61	20	1	-
Male.....	4	6	15	21	36	50	49	33	25	6	-	-
Female.....	-	3	4	7	24	25	45	63	36	14	1	-
Central and South American, both sexes.....	6	6	12	23	21	35	38	23	18	9	-	-
Male.....	4	4	7	8	7	17	13	5	3	4	-	-
Female.....	2	2	5	15	14	18	25	18	15	5	-	-
Other and Unknown Hispanic, both sexes.....	13	21	35	29	74	81	82	60	41	11	3	-
Male.....	3	15	21	21	39	54	40	32	24	4	1	-
Female.....	10	6	14	8	35	27	42	28	17	7	2	-
Non-Hispanic 1/, both sexes.....	2,165	4,104	6,871	11,118	17,951	23,913	24,145	17,491	8,212	2,338	356	6
Male.....	1,134	2,072	3,532	5,665	9,259	12,098	11,663	7,918	3,321	728	83	4
Female.....	1,031	2,032	3,339	5,453	8,692	11,815	12,482	9,573	4,891	1,610	273	2
Non-Hispanic white, both sexes.....	1,769	3,600	6,157	10,170	16,638	22,378	22,739	16,549	7,760	2,169	318	4
Male.....	924	1,793	3,116	5,124	8,491	11,168	10,866	7,394	3,109	659	70	3
Female.....	845	1,807	3,041	5,046	8,147	11,210	11,873	9,155	4,651	1,510	248	1
Non-Hispanic black, both sexes.....	359	454	613	802	1,090	1,240	1,126	710	347	138	31	1
Male.....	189	250	357	461	632	735	615	378	155	54	10	1
Female.....	170	204	256	341	458	505	511	332	192	84	21	-
Origin not stated 2/, both sexes.....	7	14	17	35	49	72	56	41	16	3	2	1
Male.....	2	5	10	21	32	47	31	21	5	-	-	1
Female.....	5	9	7	14	17	25	25	20	11	3	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
All origins, both sexes.....	298	643	1,060	1,665	2,723	3,202	2,907	1,826	726	157	15	1
Male.....	172	334	591	875	1,460	1,723	1,505	866	329	52	4	1
Female.....	126	309	469	790	1,263	1,479	1,402	960	397	105	11	-
Hispanic, both sexes.....	4	9	20	25	54	41	72	34	25	6	1	-
Male.....	3	5	12	20	28	27	38	18	11	3	-	-
Female.....	1	4	8	5	26	14	34	16	14	3	1	-
Mexican, both sexes.....	3	5	11	14	23	21	38	19	16	2	-	-
Male.....	2	2	7	11	12	16	22	11	7	1	-	-
Female.....	1	3	4	3	11	5	16	8	9	1	-	-
Puerto Rican, both sexes.....	-	-	3	4	7	3	8	6	-	-	1	-
Male.....	-	-	1	4	4	2	2	3	-	-	-	-
Female.....	-	-	2	-	3	1	6	3	-	-	1	-
Cuban, both sexes.....	1	2	2	1	10	7	9	5	4	2	-	-
Male.....	1	2	2	-	6	5	6	3	1	1	-	-
Female.....	-	-	-	1	4	2	3	2	3	1	-	-
Central and South American, both sexes.....	-	-	2	1	1	4	9	2	-	1	-	-
Male.....	-	-	2	-	-	1	5	-	-	1	-	-
Female.....	-	-	-	1	1	3	4	2	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	2	2	5	13	6	8	2	5	1	-	-
Male.....	-	1	-	5	6	3	3	1	3	-	-	-
Female.....	-	1	2	-	7	3	5	1	2	1	-	-
Non-Hispanic 1/, both sexes.....	294	633	1,039	1,637	2,661	3,155	2,831	1,784	701	151	14	-
Male.....	169	328	579	853	1,428	1,690	1,466	843	318	49	4	-
Female.....	125	305	460	784	1,233	1,465	1,365	941	383	102	10	-
Non-Hispanic white, both sexes.....	258	576	953	1,509	2,483	2,987	2,676	1,691	664	147	11	-
Male.....	143	293	517	759	1,322	1,574	1,372	781	302	47	2	-
Female.....	115	283	436	750	1,161	1,413	1,304	910	362	100	9	-
Non-Hispanic black, both sexes.....	30	49	68	111	156	135	131	67	32	4	3	-
Male.....	22	30	47	81	92	90	79	42	14	2	2	-
Female.....	8	19	21	30	64	45	52	25	18	2	1	-
Origin not stated 2/, both sexes.....	-	1	1	3	8	6	4	8	-	-	-	1
Male.....	-	1	-	2	4	6	1	5	-	-	-	1
Female.....	-	-	1	1	4	-	3	3	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
All origins, both sexes.....	305	288	248	257	326	401	411	345	225	86	19	1
Male.....	120	108	94	89	109	131	125	97	41	10	4	-
Female.....	185	180	154	168	217	270	286	248	184	76	15	1
Hispanic, both sexes.....	19	14	24	25	20	22	20	11	7	3	1	-
Male.....	8	5	10	4	6	10	5	2	1	-	-	-
Female.....	11	9	14	21	14	12	15	9	6	3	1	-
Mexican, both sexes.....	10	7	5	5	8	9	6	3	2	3	1	-
Male.....	3	2	1	-	2	4	2	-	1	-	-	-
Female.....	7	5	4	5	6	5	4	3	1	3	1	-
Puerto Rican, both sexes.....	5	5	13	15	4	4	6	1	2	-	-	-
Male.....	3	2	6	3	2	1	2	-	-	-	-	-
Female.....	2	3	7	12	2	3	4	1	2	-	-	-
Cuban, both sexes.....	-	-	-	2	2	4	3	2	3	-	-	-
Male.....	-	-	-	-	1	3	1	-	-	-	-	-
Female.....	-	-	-	2	1	1	2	2	3	-	-	-
Central and South American, both sexes.....	2	1	3	2	2	4	4	1	-	-	-	-
Male.....	2	-	2	1	-	1	-	-	-	-	-	-
Female.....	-	1	1	1	2	3	4	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	2	1	3	1	4	1	1	4	-	-	-	-
Male.....	-	1	1	-	1	1	-	2	-	-	-	-
Female.....	2	-	2	1	3	-	1	2	-	-	-	-
Non-Hispanic 1/, both sexes.....	285	272	223	230	306	377	390	332	217	83	18	1
Male.....	111	103	84	83	103	119	120	93	40	10	4	-
Female.....	174	169	139	147	203	258	270	239	177	73	14	1
Non-Hispanic white, both sexes.....	155	159	152	155	222	318	341	304	197	72	13	-
Male.....	63	58	55	52	73	95	101	84	37	7	2	-
Female.....	92	101	97	103	149	223	240	220	160	65	11	-
Non-Hispanic black, both sexes.....	119	105	64	57	75	41	34	20	10	7	2	-
Male.....	44	40	27	25	26	13	10	6	1	2	-	-
Female.....	75	65	37	32	49	28	24	14	9	5	2	-
Origin not stated 2/, both sexes.....	1	2	1	2	-	2	1	2	1	-	-	-
Male.....	1	-	-	2	-	2	-	2	-	-	-	-
Female.....	-	2	1	-	-	-	1	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic lower respiratory diseases (J44,J47)												
All origins, both sexes.....	1,626	3,267	5,720	9,432	15,250	20,761	21,273	15,638	7,443	2,118	314	5
Male.....	872	1,689	2,939	4,842	7,890	10,534	10,287	7,115	3,043	680	73	4
Female.....	754	1,578	2,781	4,590	7,360	10,227	10,986	8,523	4,400	1,438	241	1
Hispanic, both sexes.....	52	79	126	200	309	440	446	385	240	77	15	-
Male.....	29	54	77	127	176	274	235	178	109	30	3	-
Female.....	23	25	49	73	133	166	211	207	131	47	12	-
Mexican, both sexes.....	25	40	52	96	152	222	206	176	103	38	11	-
Male.....	14	28	33	62	89	142	119	103	50	18	2	-
Female.....	11	12	19	34	63	80	87	73	53	20	9	-
Puerto Rican, both sexes.....	9	9	20	36	34	55	63	50	30	3	-	-
Male.....	7	5	8	21	19	25	30	13	11	-	-	-
Female.....	2	4	12	15	15	30	33	37	19	3	-	-
Cuban, both sexes.....	3	7	17	25	48	63	81	86	54	18	1	-
Male.....	3	4	13	21	29	42	42	28	24	5	-	-
Female.....	-	3	4	4	19	21	39	58	30	13	1	-
Central and South American, both sexes.....	4	5	7	20	18	26	25	19	18	8	-	-
Male.....	2	4	3	7	7	15	8	5	3	3	-	-
Female.....	2	1	4	13	11	11	17	14	15	5	-	-
Other and Unknown Hispanic, both sexes.....	11	18	30	23	57	74	71	54	35	10	3	-
Male.....	3	13	20	16	32	50	36	29	21	4	1	-
Female.....	8	5	10	7	25	24	35	25	14	6	2	-
Non-Hispanic 1/, both sexes.....	1,568	3,177	5,579	9,203	14,900	20,258	20,776	15,222	7,188	2,038	298	5
Male.....	842	1,631	2,852	4,698	7,686	10,222	10,022	6,923	2,929	650	70	4
Female.....	726	1,546	2,727	4,505	7,214	10,036	10,754	8,299	4,259	1,388	228	1
Non-Hispanic white, both sexes.....	1,341	2,847	5,026	8,463	13,852	18,956	19,587	14,407	6,799	1,887	269	4
Male.....	709	1,434	2,530	4,286	7,056	9,436	9,343	6,471	2,739	586	62	3
Female.....	632	1,413	2,496	4,177	6,796	9,520	10,244	7,936	4,060	1,301	207	1
Non-Hispanic black, both sexes.....	207	297	479	630	857	1,060	952	617	300	125	25	1
Male.....	120	179	282	352	513	629	524	329	137	50	7	1
Female.....	87	118	197	278	344	431	428	288	163	75	18	-
Origin not stated 2/, both sexes.....	6	11	15	29	41	63	51	31	15	3	1	-
Male.....	1	4	10	17	28	38	30	14	5	-	-	-
Female.....	5	7	5	12	13	25	21	17	10	3	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to solids and liquids (J69)

All origins, both sexes.....	208	271	400	627	1,166	2,323	3,577	4,100	2,995	1,219	229	-
Male.....	136	162	231	380	703	1,332	1,911	1,994	1,267	415	55	-
Female.....	72	109	169	247	463	991	1,666	2,106	1,728	804	174	-
Hispanic, both sexes.....	7	12	23	24	38	73	101	110	86	35	6	-
Male.....	4	9	15	14	18	42	63	46	41	11	2	-
Female.....	3	3	8	10	20	31	38	64	45	24	4	-
Mexican, both sexes.....	6	8	17	18	19	44	52	54	37	14	3	-
Male.....	4	5	12	12	9	27	33	26	17	3	2	-
Female.....	2	3	5	6	10	17	19	28	20	11	1	-
Puerto Rican, both sexes.....	1	2	2	3	5	5	15	9	7	-	-	-
Male.....	-	2	1	1	3	4	11	2	6	-	-	-
Female.....	1	-	1	2	2	1	4	7	1	-	-	-
Cuban, both sexes.....	-	-	1	-	3	11	14	25	25	14	-	-
Male.....	-	-	-	-	-	5	7	11	8	4	-	-
Female.....	-	-	1	-	3	6	7	14	17	10	-	-
Central and South American, both sexes.....	-	1	2	1	4	2	6	8	7	3	-	-
Male.....	-	1	1	-	2	1	3	2	3	2	-	-
Female.....	-	-	1	1	2	1	3	6	4	1	-	-
Other and Unknown Hispanic, both sexes.....	-	1	1	2	7	11	14	14	10	4	3	-
Male.....	-	1	1	1	4	5	9	5	7	2	-	-
Female.....	-	-	-	1	3	6	5	9	3	2	3	-
Non-Hispanic 1/, both sexes.....	201	257	377	602	1,121	2,249	3,468	3,980	2,904	1,180	222	-
Male.....	132	151	216	366	679	1,289	1,841	1,939	1,224	403	53	-
Female.....	69	106	161	236	442	960	1,627	2,041	1,680	777	169	-
Non-Hispanic white, both sexes.....	151	215	304	480	957	1,969	3,162	3,664	2,686	1,067	199	-
Male.....	98	123	180	295	579	1,131	1,691	1,800	1,124	367	52	-
Female.....	53	92	124	185	378	838	1,471	1,864	1,562	700	147	-
Non-Hispanic black, both sexes.....	44	35	63	110	140	243	256	259	184	93	17	-
Male.....	30	24	32	67	85	135	118	105	81	30	1	-
Female.....	14	11	31	43	55	108	138	154	103	63	16	-
Origin not stated 2/, both sexes.....	-	2	-	1	7	1	8	10	5	4	1	-
Male.....	-	2	-	-	6	1	7	9	2	1	-	-
Female.....	-	-	-	1	1	-	1	1	3	3	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All origins, both sexes.....	766	1,055	1,385	1,971	3,266	4,212	4,446	3,445	1,908	639	138	-
Male.....	393	573	766	1,084	1,845	2,166	2,095	1,395	625	136	20	-
Female.....	373	482	619	887	1,421	2,046	2,351	2,050	1,283	503	118	-
Hispanic, both sexes.....	54	71	93	123	185	185	163	118	57	22	5	-
Male.....	25	43	49	72	109	78	78	45	15	3	2	-
Female.....	29	28	44	51	76	107	85	73	42	19	3	-
Mexican, both sexes.....	24	39	45	76	100	115	83	55	25	8	3	-
Male.....	11	21	25	44	51	46	42	24	4	1	2	-
Female.....	13	18	20	32	49	69	41	31	21	7	1	-
Puerto Rican, both sexes.....	14	14	21	14	17	17	18	10	8	2	-	-
Male.....	6	12	8	8	11	5	10	2	2	-	-	-
Female.....	8	2	13	6	6	12	8	8	6	2	-	-
Cuban, both sexes.....	4	2	8	6	17	15	21	29	10	4	1	-
Male.....	1	-	4	4	13	12	7	13	3	1	-	-
Female.....	3	2	4	2	4	3	14	16	7	3	1	-
Central and South American, both sexes.....	5	9	10	12	18	18	17	7	9	3	-	-
Male.....	2	5	8	7	13	5	6	-	4	1	-	-
Female.....	3	4	2	5	5	13	11	7	5	2	-	-
Other and Unknown Hispanic, both sexes.....	7	7	9	15	33	20	24	17	5	5	1	-
Male.....	5	5	4	9	21	10	13	6	2	-	-	-
Female.....	2	2	5	6	12	10	11	11	3	5	1	-
Non-Hispanic 1/, both sexes.....	705	981	1,287	1,840	3,076	4,022	4,274	3,322	1,848	615	132	-
Male.....	364	527	716	1,009	1,734	2,086	2,012	1,347	610	133	18	-
Female.....	341	454	571	831	1,342	1,936	2,262	1,975	1,238	482	114	-
Non-Hispanic white, both sexes.....	541	790	1,060	1,598	2,731	3,688	3,931	3,099	1,726	572	120	-
Male.....	284	434	589	902	1,546	1,920	1,862	1,269	563	122	16	-
Female.....	257	356	471	696	1,185	1,768	2,069	1,830	1,163	450	104	-
Non-Hispanic black, both sexes.....	140	161	192	195	251	236	258	157	98	34	11	-
Male.....	70	80	107	89	133	116	113	50	33	9	2	-
Female.....	70	81	85	106	118	120	145	107	65	25	9	-
Origin not stated 2/, both sexes.....	7	3	5	8	5	5	9	5	3	2	1	-
Male.....	4	3	1	3	2	2	5	3	-	-	-	-
Female.....	3	-	4	5	3	3	4	2	3	2	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Peptic ulcer (K25-K28)

All origins, both sexes.....	154	209	202	254	411	592	699	714	407	148	33	-
Male.....	106	129	118	142	236	287	335	279	116	39	5	-
Female.....	48	80	84	112	175	305	364	435	291	109	28	-
Hispanic, both sexes.....	10	15	17	21	18	27	26	21	10	6	-	-
Male.....	8	11	12	16	12	14	13	8	5	3	-	-
Female.....	2	4	5	5	6	13	13	13	5	3	-	-
Mexican, both sexes.....	5	8	10	11	12	15	15	14	7	2	-	-
Male.....	4	4	6	10	8	10	7	6	2	2	-	-
Female.....	1	4	4	1	4	5	8	8	5	-	-	-
Puerto Rican, both sexes.....	3	1	2	1	1	3	3	3	2	2	-	-
Male.....	2	1	1	1	1	1	1	1	2	1	-	-
Female.....	1	-	1	-	-	2	2	2	-	1	-	-
Cuban, both sexes.....	-	2	-	1	3	5	3	2	-	1	-	-
Male.....	-	2	-	1	2	2	1	1	-	-	-	-
Female.....	-	-	-	-	1	3	2	1	-	1	-	-
Central and South American, both sexes.....	-	1	2	4	1	1	1	2	-	1	-	-
Male.....	-	1	2	2	1	1	1	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	2	-	1	-	-
Other and Unknown Hispanic, both sexes.....	2	3	3	4	1	3	4	-	1	-	-	-
Male.....	2	3	3	2	-	-	3	-	1	-	-	-
Female.....	-	-	-	2	1	3	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	144	191	183	233	392	564	671	691	396	142	33	-
Male.....	98	117	105	126	223	272	322	270	110	36	5	-
Female.....	46	74	78	107	169	292	349	421	286	106	28	-
Non-Hispanic white, both sexes.....	108	146	142	193	344	497	626	639	370	132	28	-
Male.....	69	87	82	104	192	239	300	251	103	33	5	-
Female.....	39	59	60	89	152	258	326	388	267	99	23	-
Non-Hispanic black, both sexes.....	33	35	33	30	39	50	25	37	13	8	4	-
Male.....	27	24	21	17	24	25	13	14	2	2	-	-
Female.....	6	11	12	13	15	25	12	23	11	6	4	-
Origin not stated 2/, both sexes.....	-	3	2	-	1	1	2	2	1	-	-	-
Male.....	-	1	1	-	1	1	-	1	1	-	-	-
Female.....	-	2	1	-	-	-	2	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hernia (K40-K46)												
All origins, both sexes.....	44	55	71	90	135	208	281	320	172	85	11	-
Male.....	19	27	29	40	63	84	105	97	45	20	-	-
Female.....	25	28	42	50	72	124	176	223	127	65	11	-
Hispanic, both sexes.....	4	5	9	6	8	6	13	7	6	2	-	-
Male.....	2	2	5	2	2	2	5	1	3	-	-	-
Female.....	2	3	4	4	6	4	8	6	3	2	-	-
Mexican, both sexes.....	2	4	8	6	4	4	8	2	4	1	-	-
Male.....	1	1	4	2	1	1	2	-	2	-	-	-
Female.....	1	3	4	4	3	3	6	2	2	1	-	-
Puerto Rican, both sexes.....	-	1	-	-	-	-	1	1	2	-	-	-
Male.....	-	1	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Cuban, both sexes.....	-	-	-	-	1	1	1	-	-	1	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Central and South American, both sexes.....	-	-	-	-	1	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	2	-	1	-	2	-	2	2	-	-	-	-
Male.....	1	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	2	-	1	2	-	-	-	-
Non-Hispanic 1/, both sexes.....	40	50	61	82	127	199	266	312	166	83	11	-
Male.....	17	25	24	37	61	80	98	96	42	20	-	-
Female.....	23	25	37	45	66	119	168	216	124	63	11	-
Non-Hispanic white, both sexes.....	30	42	46	63	113	188	243	288	161	81	10	-
Male.....	15	22	19	28	53	76	91	88	39	19	-	-
Female.....	15	20	27	35	60	112	152	200	122	62	10	-
Non-Hispanic black, both sexes.....	8	8	13	15	12	10	20	19	4	2	1	-
Male.....	2	3	4	8	7	4	7	6	2	1	-	-
Female.....	6	5	9	7	5	6	13	13	2	1	1	-
Origin not stated 2/, both sexes.....	-	-	1	2	-	3	2	1	-	-	-	-
Male.....	-	-	-	1	-	2	2	-	-	-	-	-
Female.....	-	-	1	1	-	1	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic liver disease and cirrhosis (K70,K73-K74)												
All origins, both sexes.....	3,812	3,258	2,839	2,670	2,711	2,412	1,588	728	230	24	3	4
Male.....	2,843	2,323	1,905	1,652	1,545	1,211	742	310	77	8	-	4
Female.....	969	935	934	1,018	1,166	1,201	846	418	153	16	3	-
Hispanic, both sexes.....	505	422	336	332	331	198	123	58	21	3	-	1
Male.....	408	333	228	226	181	95	62	18	8	1	-	1
Female.....	97	89	108	106	150	103	61	40	13	2	-	-
Mexican, both sexes.....	346	281	211	216	219	127	65	37	9	2	-	-
Male.....	283	225	135	147	121	63	33	11	5	-	-	-
Female.....	63	56	76	69	98	64	32	26	4	2	-	-
Puerto Rican, both sexes.....	70	63	58	42	27	15	11	5	4	-	-	-
Male.....	58	49	44	27	15	4	8	2	2	-	-	-
Female.....	12	14	14	15	12	11	3	3	2	-	-	-
Cuban, both sexes.....	4	10	14	21	20	19	22	4	3	-	-	-
Male.....	3	8	11	15	10	6	9	2	-	-	-	-
Female.....	1	2	3	6	10	13	13	2	3	-	-	-
Central and South American, both sexes.....	33	16	17	21	32	21	14	8	1	-	-	-
Male.....	26	11	11	13	16	11	5	2	1	-	-	-
Female.....	7	5	6	8	16	10	9	6	-	-	-	-
Other and Unknown Hispanic, both sexes.....	52	52	36	32	33	16	11	4	4	1	-	1
Male.....	38	40	27	24	19	11	7	1	-	1	-	1
Female.....	14	12	9	8	14	5	4	3	4	-	-	-
Non-Hispanic 1/, both sexes.....	3,291	2,819	2,488	2,329	2,371	2,207	1,461	669	209	21	3	2
Male.....	2,423	1,977	1,664	1,420	1,358	1,110	678	292	69	7	-	2
Female.....	868	842	824	909	1,013	1,097	783	377	140	14	3	-
Non-Hispanic white, both sexes.....	2,670	2,364	2,119	2,047	2,158	2,061	1,356	628	194	20	3	2
Male.....	1,988	1,674	1,423	1,246	1,243	1,050	631	275	63	7	-	2
Female.....	682	690	696	801	915	1,011	725	353	131	13	3	-
Non-Hispanic black, both sexes.....	516	360	289	213	145	112	61	28	12	-	-	-
Male.....	363	243	193	137	84	47	28	11	4	-	-	-
Female.....	153	117	96	76	61	65	33	17	8	-	-	-
Origin not stated 2/, both sexes.....	16	17	15	9	9	7	4	1	-	-	-	1
Male.....	12	13	13	6	6	6	2	-	-	-	-	1
Female.....	4	4	2	3	3	1	2	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic liver disease and cirrhosis (K73-K74)												
All origins, both sexes.....	1,673	1,546	1,468	1,647	1,885	1,917	1,353	649	214	21	3	2
Male.....	1,219	1,046	845	881	949	877	581	256	67	7	-	2
Female.....	454	500	623	766	936	1,040	772	393	147	14	3	-
Hispanic, both sexes.....	200	193	173	193	224	154	104	50	18	2	-	-
Male.....	151	133	89	104	92	65	48	14	5	-	-	-
Female.....	49	60	84	89	132	89	56	36	13	2	-	-
Mexican, both sexes.....	133	126	110	122	145	102	53	31	8	2	-	-
Male.....	102	87	50	66	59	44	25	9	4	-	-	-
Female.....	31	39	60	56	86	58	28	22	4	2	-	-
Puerto Rican, both sexes.....	36	34	28	32	20	11	9	5	3	-	-	-
Male.....	30	25	19	18	10	3	6	2	1	-	-	-
Female.....	6	9	9	14	10	8	3	3	2	-	-	-
Cuban, both sexes.....	2	6	11	10	14	17	22	4	3	-	-	-
Male.....	1	4	8	5	5	4	9	2	-	-	-	-
Female.....	1	2	3	5	9	13	13	2	3	-	-	-
Central and South American, both sexes.....	8	5	8	11	25	11	12	7	-	-	-	-
Male.....	4	2	4	5	11	5	3	1	-	-	-	-
Female.....	4	3	4	6	14	6	9	6	-	-	-	-
Other and Unknown Hispanic, both sexes.....	21	22	16	18	20	13	8	3	4	-	-	-
Male.....	14	15	8	10	7	9	5	-	-	-	-	-
Female.....	7	7	8	8	13	4	3	3	4	-	-	-
Non-Hispanic 1/, both sexes.....	1,467	1,350	1,286	1,450	1,653	1,759	1,246	598	196	19	3	1
Male.....	1,064	911	749	776	852	809	532	242	62	7	-	1
Female.....	403	439	537	674	801	950	714	356	134	12	3	-
Non-Hispanic white, both sexes.....	1,171	1,134	1,094	1,285	1,517	1,655	1,161	565	183	18	3	1
Male.....	857	759	637	686	791	775	497	231	58	7	-	1
Female.....	314	375	457	599	726	880	664	334	125	11	3	-
Non-Hispanic black, both sexes.....	264	180	154	125	90	79	46	21	11	-	-	-
Male.....	185	131	93	73	45	26	19	6	3	-	-	-
Female.....	79	49	61	52	45	53	27	15	8	-	-	-
Origin not stated 2/, both sexes.....	6	3	9	4	8	4	3	1	-	-	-	1
Male.....	4	2	7	1	5	3	1	-	-	-	-	1
Female.....	2	1	2	3	3	1	2	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic

origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cholelithiasis and other disorders of gallbladder (K80-K82)												
All origins, both sexes.....	77	93	123	194	310	420	572	525	351	150	28	-
Male.....	48	59	63	103	155	229	271	195	112	26	2	-
Female.....	29	34	60	91	155	191	301	330	239	124	26	-
Hispanic, both sexes.....	6	9	16	17	25	29	26	24	11	8	1	-
Male.....	6	8	6	7	14	15	8	9	5	2	-	-
Female.....	-	1	10	10	11	14	18	15	6	6	1	-
Mexican, both sexes.....	4	7	9	11	20	16	18	15	7	5	1	-
Male.....	4	6	4	4	10	8	6	7	4	1	-	-
Female.....	-	1	5	7	10	8	12	8	3	4	1	-
Puerto Rican, both sexes.....	-	-	2	1	-	2	1	2	1	1	-	-
Male.....	-	-	-	1	-	2	-	-	1	-	-	-
Female.....	-	-	2	-	-	-	1	2	-	1	-	-
Cuban, both sexes.....	-	1	-	-	3	4	1	4	2	-	-	-
Male.....	-	1	-	-	2	2	1	2	-	-	-	-
Female.....	-	-	-	-	1	2	-	2	2	-	-	-
Central and South American, both sexes.....	-	-	2	3	1	5	4	1	1	-	-	-
Male.....	-	-	1	1	1	2	-	-	-	-	-	-
Female.....	-	-	1	2	-	3	4	1	1	-	-	-
Other and Unknown Hispanic, both sexes.....	2	1	3	2	1	2	2	2	-	2	-	-
Male.....	2	1	1	1	1	1	1	-	-	1	-	-
Female.....	-	-	2	1	-	1	1	2	-	1	-	-
Non-Hispanic 1/, both sexes.....	71	84	106	176	284	391	544	500	339	142	27	-
Male.....	42	51	56	96	140	214	262	185	107	24	2	-
Female.....	29	33	50	80	144	177	282	315	232	118	25	-
Non-Hispanic white, both sexes.....	49	68	84	150	240	334	484	458	315	134	23	-
Male.....	29	42	45	85	122	190	234	169	100	23	2	-
Female.....	20	26	39	65	118	144	250	289	215	111	21	-
Non-Hispanic black, both sexes.....	19	12	16	20	34	44	47	26	14	6	4	-
Male.....	10	6	10	7	10	16	21	8	3	-	-	-
Female.....	9	6	6	13	24	28	26	18	11	6	4	-
Origin not stated 2/, both sexes.....	-	-	1	1	1	-	2	1	1	-	-	-
Male.....	-	-	1	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All origins, both sexes.....	1,103	1,505	1,950	2,820	4,344	6,338	7,558	6,959	4,450	1,549	298	-
Male.....	632	797	1,027	1,491	2,311	3,248	3,672	3,088	1,693	495	82	-
Female.....	471	708	923	1,329	2,033	3,090	3,886	3,871	2,757	1,054	216	-
Hispanic, both sexes.....	100	119	148	216	211	281	251	179	120	45	19	-
Male.....	59	64	77	115	99	144	129	72	41	21	7	-
Female.....	41	55	71	101	112	137	122	107	79	24	12	-
Mexican, both sexes.....	61	77	81	129	132	176	140	88	47	20	14	-
Male.....	32	39	40	60	52	85	75	33	11	12	3	-
Female.....	29	38	41	69	80	91	65	55	36	8	11	-
Puerto Rican, both sexes.....	15	13	21	30	25	29	35	21	19	5	-	-
Male.....	13	7	14	21	12	16	18	9	6	3	-	-
Female.....	2	6	7	9	13	13	17	12	13	2	-	-
Cuban, both sexes.....	3	3	7	16	18	21	32	28	23	13	-	-
Male.....	2	1	6	11	13	13	17	9	12	4	-	-
Female.....	1	2	1	5	5	8	15	19	11	9	-	-
Central and South American, both sexes.....	6	15	20	24	15	15	18	12	9	1	2	-
Male.....	2	9	9	13	12	8	7	6	5	-	1	-
Female.....	4	6	11	11	3	7	11	6	4	1	1	-
Other and Unknown Hispanic, both sexes.....	15	11	19	17	21	40	26	30	22	6	3	-
Male.....	10	8	8	10	10	22	12	15	7	2	3	-
Female.....	5	3	11	7	11	18	14	15	15	4	-	-
Non-Hispanic 1/, both sexes.....	997	1,377	1,794	2,597	4,113	6,035	7,287	6,760	4,316	1,496	279	-
Male.....	570	730	947	1,372	2,197	3,089	3,531	3,008	1,648	470	75	-
Female.....	427	647	847	1,225	1,916	2,946	3,756	3,752	2,668	1,026	204	-
Non-Hispanic white, both sexes.....	519	822	1,156	1,794	3,076	4,879	6,231	5,901	3,787	1,280	224	-
Male.....	299	438	607	983	1,711	2,583	3,104	2,679	1,454	406	55	-
Female.....	220	384	549	811	1,365	2,296	3,127	3,222	2,333	874	169	-
Non-Hispanic black, both sexes.....	449	497	575	737	933	1,024	917	759	462	195	52	-
Male.....	256	267	306	353	441	444	365	282	165	54	19	-
Female.....	193	230	269	384	492	580	552	477	297	141	33	-
Origin not stated 2/, both sexes.....	6	9	8	7	20	22	20	20	14	8	-	-
Male.....	3	3	3	4	15	15	12	8	4	4	-	-
Female.....	3	6	5	3	5	7	8	12	10	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

All origins, both sexes.....	4	6	10	13	14	19	32	23	13	5	1	-
Male.....	1	5	6	9	5	5	12	10	2	1	1	-
Female.....	3	1	4	4	9	14	20	13	11	4	-	-
Hispanic, both sexes.....	-	1	1	2	-	-	2	-	-	-	-	-
Male.....	-	1	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Mexican, both sexes.....	-	1	-	2	-	-	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	4	5	9	11	14	19	30	23	12	5	1	-
Male.....	1	4	5	8	5	5	11	10	2	1	1	-
Female.....	3	1	4	3	9	14	19	13	10	4	-	-
Non-Hispanic white, both sexes.....	2	4	8	7	12	17	23	17	9	5	1	-
Male.....	1	3	5	5	5	4	9	8	1	1	1	-
Female.....	1	1	3	2	7	13	14	9	8	4	-	-
Non-Hispanic black, both sexes.....	2	1	-	3	2	2	4	5	2	-	-	-
Male.....	-	1	-	2	-	1	1	2	-	-	-	-
Female.....	2	-	-	1	2	1	3	3	2	-	-	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
All origins, both sexes.....	1,072	1,464	1,919	2,774	4,272	6,228	7,429	6,856	4,398	1,530	296	-
Male.....	615	772	1,014	1,468	2,271	3,190	3,618	3,046	1,672	492	81	-
Female.....	457	692	905	1,306	2,001	3,038	3,811	3,810	2,726	1,038	215	-
Hispanic, both sexes.....	99	115	145	212	210	274	247	176	118	45	19	-
Male.....	59	60	75	114	99	139	127	71	40	21	7	-
Female.....	40	55	70	98	111	135	120	105	78	24	12	-
Mexican, both sexes.....	60	76	80	125	131	171	138	87	46	20	14	-
Male.....	32	38	40	59	52	81	73	33	11	12	3	-
Female.....	28	38	40	66	79	90	65	54	35	8	11	-
Puerto Rican, both sexes.....	15	13	21	30	25	29	35	21	19	5	-	-
Male.....	13	7	14	21	12	16	18	9	6	3	-	-
Female.....	2	6	7	9	13	13	17	12	13	2	-	-
Cuban, both sexes.....	3	3	7	16	18	21	32	27	23	13	-	-
Male.....	2	1	6	11	13	13	17	9	12	4	-	-
Female.....	1	2	1	5	5	8	15	18	11	9	-	-
Central and South American, both sexes.....	6	13	19	24	15	15	17	11	8	1	2	-
Male.....	2	7	8	13	12	8	7	5	4	-	1	-
Female.....	4	6	11	11	3	7	10	6	4	1	1	-
Other and Unknown Hispanic, both sexes.....	15	10	18	17	21	38	25	30	22	6	3	-
Male.....	10	7	7	10	10	21	12	15	7	2	3	-
Female.....	5	3	11	7	11	17	13	15	15	4	-	-
Non-Hispanic 1/, both sexes.....	967	1,340	1,766	2,555	4,042	5,932	7,162	6,660	4,267	1,477	277	-
Male.....	553	709	936	1,350	2,157	3,036	3,479	2,967	1,628	467	74	-
Female.....	414	631	830	1,205	1,885	2,896	3,683	3,693	2,639	1,010	203	-
Non-Hispanic white, both sexes.....	502	795	1,133	1,757	3,012	4,797	6,125	5,822	3,744	1,263	223	-
Male.....	290	422	596	964	1,675	2,542	3,058	2,644	1,436	403	54	-
Female.....	212	373	537	793	1,337	2,255	3,067	3,178	2,308	860	169	-
Non-Hispanic black, both sexes.....	437	491	572	733	927	1,009	905	741	458	193	51	-
Male.....	249	263	306	351	437	435	361	277	164	54	19	-
Female.....	188	228	266	382	490	574	544	464	294	139	32	-
Origin not stated 2/, both sexes.....	6	9	8	7	20	22	20	20	13	8	-	-
Male.....	3	3	3	4	15	15	12	8	4	4	-	-
Female.....	3	6	5	3	5	7	8	12	9	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Infections of kidney (N10-N12,N13.6,N15.1)												
All origins, both sexes.....	21	26	33	48	62	118	120	146	105	36	3	-
Male.....	10	10	11	19	28	44	28	42	25	7	-	-
Female.....	11	16	22	29	34	74	92	104	80	29	3	-
Hispanic, both sexes.....	2	-	2	2	10	9	5	2	5	1	-	-
Male.....	2	-	1	-	4	5	-	1	1	1	-	-
Female.....	-	-	1	2	6	4	5	1	4	-	-	-
Mexican, both sexes.....	1	-	1	1	7	8	2	2	2	1	-	-
Male.....	1	-	-	-	3	5	-	1	-	1	-	-
Female.....	-	-	1	1	4	3	2	1	2	-	-	-
Puerto Rican, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	3	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
Central and South American, both sexes.....	-	-	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	-	1	-	2	-	1	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	19	26	31	46	52	109	115	143	100	35	3	-
Male.....	8	10	10	19	24	39	28	41	24	6	-	-
Female.....	11	16	21	27	28	70	87	102	76	29	3	-
Non-Hispanic white, both sexes.....	14	22	22	39	50	96	107	131	93	30	3	-
Male.....	7	9	7	13	23	33	25	36	24	5	-	-
Female.....	7	13	15	26	27	63	82	95	69	25	3	-
Non-Hispanic black, both sexes.....	2	4	6	7	1	11	4	11	5	5	-	-
Male.....	-	1	2	6	-	4	1	4	-	1	-	-
Female.....	2	3	4	1	1	7	3	7	5	4	-	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Inflammatory diseases of female pelvic organs (N70-N76)

All origins, both sexes.....	7	4	2	4	4	17	12	22	11	3	-	-
Male.....
Female.....	7	4	2	4	4	17	12	22	11	3	-	-
Hispanic, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Mexican, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	7	4	2	4	4	17	11	22	11	3	-	-
Male.....
Female.....	7	4	2	4	4	17	11	22	11	3	-	-
Non-Hispanic white, both sexes.....	5	3	2	4	3	16	11	19	10	3	-	-
Male.....
Female.....	5	3	2	4	3	16	11	19	10	3	-	-
Non-Hispanic black, both sexes.....	2	1	-	-	1	1	-	2	1	-	-	-
Male.....
Female.....	2	1	-	-	1	1	-	2	1	-	-	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All origins, both sexes.....	363	351	283	224	216	232	257	184	86	33	2	1
Male.....	186	170	151	107	106	105	96	65	22	9	1	1
Female.....	177	181	132	117	110	127	161	119	64	24	1	-
Hispanic, both sexes.....	21	13	12	12	6	12	11	5	2	1	1	-
Male.....	11	7	8	4	2	6	7	3	-	-	1	-
Female.....	10	6	4	8	4	6	4	2	2	1	-	-
Mexican, both sexes.....	15	7	7	3	3	7	6	2	1	1	-	-
Male.....	8	3	4	1	1	2	4	1	-	-	-	-
Female.....	7	4	3	2	2	5	2	1	1	1	-	-
Puerto Rican, both sexes.....	3	1	-	4	1	-	1	1	-	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	1	-	3	1	-	-	1	-	-	-	-
Cuban, both sexes.....	1	1	2	4	-	1	2	-	1	-	-	-
Male.....	1	1	2	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	3	-	1	-	-	1	-	-	-
Central and South American, both sexes.....	1	1	1	1	1	3	2	1	-	-	1	-
Male.....	-	-	1	1	1	3	-	1	-	-	1	-
Female.....	1	1	-	-	-	-	2	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	3	2	-	1	1	-	1	-	-	-	-
Male.....	-	3	1	-	-	1	-	1	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	338	337	271	211	210	220	245	179	84	31	1	1
Male.....	173	163	143	102	104	99	89	62	22	9	-	1
Female.....	165	174	128	109	106	121	156	117	62	22	1	-
Non-Hispanic white, both sexes.....	292	290	237	189	185	200	220	165	81	28	1	1
Male.....	145	139	124	94	89	89	76	58	22	8	-	1
Female.....	147	151	113	95	96	111	144	107	59	20	1	-
Non-Hispanic black, both sexes.....	37	41	28	20	20	14	18	13	2	3	-	-
Male.....	21	22	18	8	13	7	9	4	-	1	-	-
Female.....	16	19	10	12	7	7	9	9	2	2	-	-
Origin not stated 2/, both sexes.....	4	1	-	1	-	-	1	-	-	1	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All origins, both sexes.....	1,304	1,042	960	995	1,403	2,103	2,833	3,350	3,406	1,944	854	109
Male.....	828	652	621	563	761	1,010	1,218	1,103	857	379	100	77
Female.....	476	390	339	432	642	1,093	1,615	2,247	2,549	1,565	754	32
Hispanic, both sexes.....	79	44	51	36	47	44	68	59	59	30	17	9
Male.....	45	26	33	23	27	24	33	25	19	8	1	8
Female.....	34	18	18	13	20	20	35	34	40	22	16	1
Mexican, both sexes.....	30	23	20	17	26	25	36	25	32	16	12	3
Male.....	17	14	9	8	16	17	18	13	11	5	-	3
Female.....	13	9	11	9	10	8	18	12	21	11	12	-
Puerto Rican, both sexes.....	20	9	12	6	5	4	2	8	4	2	-	-
Male.....	14	6	12	4	3	1	-	4	-	1	-	-
Female.....	6	3	-	2	2	3	2	4	4	1	-	-
Cuban, both sexes.....	6	2	3	4	4	4	8	6	8	4	-	-
Male.....	4	1	1	4	2	2	4	2	4	-	-	-
Female.....	2	1	2	-	2	2	4	4	4	4	-	-
Central and South American, both sexes.....	12	3	6	2	5	4	11	8	3	3	3	-
Male.....	6	2	4	2	3	1	7	1	1	-	1	-
Female.....	6	1	2	-	2	3	4	7	2	3	2	-
Other and Unknown Hispanic, both sexes.....	11	7	10	7	7	7	11	12	12	5	2	6
Male.....	4	3	7	5	3	3	4	5	3	2	-	5
Female.....	7	4	3	2	4	4	7	7	9	3	2	1
Non-Hispanic 1/, both sexes.....	1,212	993	897	954	1,353	2,050	2,754	3,282	3,332	1,904	833	43
Male.....	770	621	577	535	732	981	1,175	1,074	836	369	97	33
Female.....	442	372	320	419	621	1,069	1,579	2,208	2,496	1,535	736	10
Non-Hispanic white, both sexes.....	867	770	723	769	1,165	1,795	2,480	3,012	3,082	1,762	735	31
Male.....	548	478	467	433	632	844	1,053	997	772	337	74	24
Female.....	319	292	256	336	533	951	1,427	2,015	2,310	1,425	661	7
Non-Hispanic black, both sexes.....	324	201	155	165	170	226	245	235	213	120	87	10
Male.....	209	129	100	89	91	122	112	66	52	28	21	7
Female.....	115	72	55	76	79	104	133	169	161	92	66	3
Origin not stated 2/, both sexes.....	13	5	12	5	3	9	11	9	15	10	4	57
Male.....	13	5	11	5	2	5	10	4	2	2	2	36
Female.....	-	-	1	-	1	4	1	5	13	8	2	21

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All origins, both sexes.....	7,992	8,431	8,947	10,576	15,113	22,098	29,520	31,671	24,416	10,231	2,256	13
Male.....	4,810	4,675	4,853	5,453	7,214	9,509	11,158	9,835	5,691	1,711	315	11
Female.....	3,182	3,756	4,094	5,123	7,899	12,589	18,362	21,836	18,725	8,520	1,941	2
Hispanic, both sexes.....	476	493	465	597	716	796	836	749	543	240	39	1
Male.....	292	283	244	322	337	365	342	258	156	60	9	1
Female.....	184	210	221	275	379	431	494	491	387	180	30	-
Mexican, both sexes.....	279	266	234	347	371	450	430	350	248	117	24	-
Male.....	171	149	119	181	174	211	184	135	73	35	4	-
Female.....	108	117	115	166	197	239	246	215	175	82	20	-
Puerto Rican, both sexes.....	62	105	84	75	111	82	106	88	57	21	4	-
Male.....	41	63	46	42	44	35	40	27	22	4	2	-
Female.....	21	42	38	33	67	47	66	61	35	17	2	-
Cuban, both sexes.....	17	20	31	47	81	91	119	144	98	43	5	-
Male.....	13	13	14	33	40	44	47	45	29	8	2	-
Female.....	4	7	17	14	41	47	72	99	69	35	3	-
Central and South American, both sexes.....	46	29	48	49	64	65	62	63	37	18	3	-
Male.....	28	14	27	23	36	24	18	19	8	5	-	-
Female.....	18	15	21	26	28	41	44	44	29	13	3	-
Other and Unknown Hispanic, both sexes.....	72	73	68	79	89	108	119	104	103	41	3	1
Male.....	39	44	38	43	43	51	53	32	24	8	1	1
Female.....	33	29	30	36	46	57	66	72	79	33	2	-
Non-Hispanic 1/, both sexes.....	7,469	7,898	8,449	9,948	14,359	21,240	28,595	30,850	23,814	9,967	2,215	8
Male.....	4,487	4,366	4,587	5,108	6,856	9,121	10,784	9,559	5,524	1,644	306	7
Female.....	2,982	3,532	3,862	4,840	7,503	12,119	17,811	21,291	18,290	8,323	1,909	1
Non-Hispanic white, both sexes.....	5,672	6,294	6,822	8,269	12,261	18,720	25,769	28,310	22,014	9,077	1,924	5
Male.....	3,479	3,499	3,731	4,242	5,867	8,035	9,713	8,765	5,056	1,461	249	5
Female.....	2,193	2,795	3,091	4,027	6,394	10,685	16,056	19,545	16,958	7,616	1,675	-
Non-Hispanic black, both sexes.....	1,619	1,416	1,411	1,450	1,797	2,128	2,431	2,161	1,578	778	255	3
Male.....	899	771	730	735	856	898	897	646	389	138	44	2
Female.....	720	645	681	715	941	1,230	1,534	1,515	1,189	640	211	1
Origin not stated 2/, both sexes.....	47	40	33	31	38	62	89	72	59	24	2	4
Male.....	31	26	22	23	21	23	32	18	11	7	-	3
Female.....	16	14	11	8	17	39	57	54	48	17	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All origins, both sexes.....	6,434	4,557	3,788	3,672	4,414	5,938	6,966	6,507	4,255	1,595	294	85
Male.....	4,552	3,255	2,526	2,369	2,662	3,268	3,419	2,795	1,488	480	54	74
Female.....	1,882	1,302	1,262	1,303	1,752	2,670	3,547	3,712	2,767	1,115	240	11
Hispanic, both sexes.....	483	311	255	228	238	262	202	130	92	47	7	28
Male.....	366	235	172	166	141	152	106	66	43	21	4	27
Female.....	117	76	83	62	97	110	96	64	49	26	3	1
Mexican, both sexes.....	293	185	148	119	131	142	111	68	44	21	4	15
Male.....	222	142	107	94	80	86	57	34	22	12	3	14
Female.....	71	43	41	25	51	56	54	34	22	9	1	1
Puerto Rican, both sexes.....	61	34	30	25	19	24	14	10	4	2	-	1
Male.....	44	27	17	15	11	11	7	3	1	1	-	1
Female.....	17	7	13	10	8	13	7	7	3	1	-	-
Cuban, both sexes.....	17	12	24	27	34	37	31	23	17	9	3	-
Male.....	15	10	15	20	21	24	18	14	9	3	1	-
Female.....	2	2	9	7	13	13	13	9	8	6	2	-
Central and South American, both sexes.....	53	34	23	27	22	27	16	8	6	5	-	2
Male.....	37	22	10	17	13	13	6	5	1	1	-	2
Female.....	16	12	13	10	9	14	10	3	5	4	-	-
Other and Unknown Hispanic, both sexes.....	59	46	30	30	32	32	30	21	21	10	-	10
Male.....	48	34	23	20	16	18	18	10	10	4	-	10
Female.....	11	12	7	10	16	14	12	11	11	6	-	-
Non-Hispanic 1/, both sexes.....	5,913	4,214	3,514	3,428	4,156	5,655	6,739	6,362	4,154	1,544	287	33
Male.....	4,157	2,988	2,337	2,189	2,504	3,105	3,293	2,720	1,444	457	50	30
Female.....	1,756	1,226	1,177	1,239	1,652	2,550	3,446	3,642	2,710	1,087	237	3
Non-Hispanic white, both sexes.....	4,779	3,459	2,934	2,840	3,641	5,082	6,234	5,977	3,894	1,448	260	26
Male.....	3,333	2,427	1,947	1,795	2,196	2,778	3,027	2,544	1,332	425	41	23
Female.....	1,446	1,032	987	1,045	1,445	2,304	3,207	3,433	2,562	1,023	219	3
Non-Hispanic black, both sexes.....	934	618	457	435	383	433	366	289	195	76	20	4
Male.....	687	470	321	295	232	254	194	129	81	25	5	4
Female.....	247	148	136	140	151	179	172	160	114	51	15	-
Origin not stated 2/, both sexes.....	38	32	19	16	20	21	25	15	9	4	-	24
Male.....	29	32	17	14	17	11	20	9	1	2	-	17
Female.....	9	-	2	2	3	10	5	6	8	2	-	7

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Transport accidents (V01-V99,Y85)												
All origins, both sexes.....	2,970	2,229	1,936	1,597	1,754	1,855	1,578	936	330	47	9	39
Male.....	2,089	1,615	1,262	1,039	1,062	1,060	857	527	180	26	4	36
Female.....	881	614	674	558	692	795	721	409	150	21	5	3
Hispanic, both sexes.....	237	155	145	109	108	103	54	28	12	5	1	17
Male.....	163	114	93	82	67	63	28	15	8	3	1	16
Female.....	74	41	52	27	41	40	26	13	4	2	-	1
Mexican, both sexes.....	154	92	85	60	58	59	26	13	7	4	1	10
Male.....	104	71	60	44	35	36	14	8	5	3	1	9
Female.....	50	21	25	16	23	23	12	5	2	1	-	1
Puerto Rican, both sexes.....	18	11	15	9	10	9	2	3	-	-	-	1
Male.....	12	6	6	6	6	5	-	2	-	-	-	1
Female.....	6	5	9	3	4	4	2	1	-	-	-	-
Cuban, both sexes.....	7	7	13	14	20	13	12	6	3	-	-	-
Male.....	5	6	9	12	12	9	7	3	2	-	-	-
Female.....	2	1	4	2	8	4	5	3	1	-	-	-
Central and South American, both sexes.....	36	20	17	17	10	11	6	1	-	-	-	1
Male.....	24	11	7	11	7	5	2	-	-	-	-	1
Female.....	12	9	10	6	3	6	4	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	22	25	15	9	10	11	8	5	2	1	-	5
Male.....	18	20	11	9	7	8	5	2	1	-	-	5
Female.....	4	5	4	-	3	3	3	3	1	1	-	-
Non-Hispanic 1/, both sexes.....	2,721	2,063	1,781	1,482	1,638	1,750	1,514	906	318	42	8	15
Male.....	1,917	1,490	1,161	952	988	995	821	510	172	23	3	14
Female.....	804	573	620	530	650	755	693	396	146	19	5	1
Non-Hispanic white, both sexes.....	2,250	1,738	1,508	1,246	1,449	1,580	1,394	840	298	39	5	10
Male.....	1,586	1,250	990	792	869	884	746	467	156	22	3	9
Female.....	664	488	518	454	580	696	648	373	142	17	2	1
Non-Hispanic black, both sexes.....	341	249	195	158	126	117	89	44	13	2	3	3
Male.....	248	193	134	111	85	83	56	32	10	1	-	3
Female.....	93	56	61	47	41	34	33	12	3	1	3	-
Origin not stated 2/, both sexes.....	12	11	10	6	8	2	10	2	-	-	-	7
Male.....	9	11	8	5	7	2	8	2	-	-	-	6
Female.....	3	-	2	1	1	-	2	-	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

All origins, both sexes.....	2,697	2,004	1,760	1,469	1,644	1,763	1,508	909	321	47	8	35
Male.....	1,861	1,423	1,117	923	965	992	801	512	176	26	4	33
Female.....	836	581	643	546	679	771	707	397	145	21	4	2
Hispanic, both sexes.....	215	144	139	106	105	96	50	28	11	5	1	15
Male.....	145	105	87	79	65	59	25	15	7	3	1	15
Female.....	70	39	52	27	40	37	25	13	4	2	-	-
Mexican, both sexes.....	139	87	81	59	56	56	25	13	6	4	1	8
Male.....	92	67	56	43	34	35	13	8	4	3	1	8
Female.....	47	20	25	16	22	21	12	5	2	1	-	-
Puerto Rican, both sexes.....	17	11	15	8	10	8	2	3	-	-	-	1
Male.....	12	6	6	5	6	4	-	2	-	-	-	1
Female.....	5	5	9	3	4	4	2	1	-	-	-	-
Cuban, both sexes.....	6	6	13	14	20	13	11	6	3	-	-	-
Male.....	4	5	9	12	12	9	6	3	2	-	-	-
Female.....	2	1	4	2	8	4	5	3	1	-	-	-
Central and South American, both sexes.....	34	18	17	17	9	9	6	1	-	-	-	1
Male.....	22	10	7	11	6	4	2	-	-	-	-	1
Female.....	12	8	10	6	3	5	4	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	19	22	13	8	10	10	6	5	2	1	-	5
Male.....	15	17	9	8	7	7	4	2	1	-	-	5
Female.....	4	5	4	-	3	3	2	3	1	1	-	-
Non-Hispanic 1/, both sexes.....	2,473	1,851	1,613	1,358	1,532	1,665	1,449	879	310	42	7	14
Male.....	1,710	1,309	1,024	840	894	931	769	495	169	23	3	13
Female.....	763	542	589	518	638	734	680	384	141	19	4	1
Non-Hispanic white, both sexes.....	2,035	1,559	1,359	1,142	1,354	1,508	1,336	816	290	39	4	9
Male.....	1,409	1,100	868	698	786	833	699	454	153	22	3	8
Female.....	626	459	491	444	568	675	637	362	137	17	1	1
Non-Hispanic black, both sexes.....	315	222	182	145	118	107	84	43	13	2	3	3
Male.....	224	168	122	98	77	73	52	31	10	1	-	3
Female.....	91	54	60	47	41	34	32	12	3	1	3	-
Origin not stated 2/, both sexes.....	9	9	8	5	7	2	9	2	-	-	-	6
Male.....	6	9	6	4	6	2	7	2	-	-	-	5
Female.....	3	-	2	1	1	-	2	-	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nontransport accidents (W00-X59,Y86)												
All origins, both sexes.....	3,464	2,328	1,852	2,075	2,660	4,083	5,388	5,571	3,925	1,548	285	46
Male.....	2,463	1,640	1,264	1,330	1,600	2,208	2,562	2,268	1,308	454	50	38
Female.....	1,001	688	588	745	1,060	1,875	2,826	3,303	2,617	1,094	235	8
Hispanic, both sexes.....	246	156	110	119	130	159	148	102	80	42	6	11
Male.....	203	121	79	84	74	89	78	51	35	18	3	11
Female.....	43	35	31	35	56	70	70	51	45	24	3	-
Mexican, both sexes.....	139	93	63	59	73	83	85	55	37	17	3	5
Male.....	118	71	47	50	45	50	43	26	17	9	2	5
Female.....	21	22	16	9	28	33	42	29	20	8	1	-
Puerto Rican, both sexes.....	43	23	15	16	9	15	12	7	4	2	-	-
Male.....	32	21	11	9	5	6	7	1	1	1	-	-
Female.....	11	2	4	7	4	9	5	6	3	1	-	-
Cuban, both sexes.....	10	5	11	13	14	24	19	17	14	9	3	-
Male.....	10	4	6	8	9	15	11	11	7	3	1	-
Female.....	-	1	5	5	5	9	8	6	7	6	2	-
Central and South American, both sexes.....	17	14	6	10	12	16	10	7	6	5	-	1
Male.....	13	11	3	6	6	8	4	5	1	1	-	1
Female.....	4	3	3	4	6	8	6	2	5	4	-	-
Other and Unknown Hispanic, both sexes.....	37	21	15	21	22	21	22	16	19	9	-	5
Male.....	30	14	12	11	9	10	13	8	9	4	-	5
Female.....	7	7	3	10	13	11	9	8	10	5	-	-
Non-Hispanic 1/, both sexes.....	3,192	2,151	1,733	1,946	2,518	3,905	5,225	5,456	3,836	1,502	279	18
Male.....	2,240	1,498	1,176	1,237	1,516	2,110	2,472	2,210	1,272	434	47	16
Female.....	952	653	557	709	1,002	1,795	2,753	3,246	2,564	1,068	232	2
Non-Hispanic white, both sexes.....	2,529	1,721	1,426	1,594	2,192	3,502	4,840	5,137	3,596	1,409	255	16
Male.....	1,747	1,177	957	1,003	1,327	1,894	2,281	2,077	1,176	403	38	14
Female.....	782	544	469	591	865	1,608	2,559	3,060	2,420	1,006	217	2
Non-Hispanic black, both sexes.....	593	369	262	277	257	316	277	245	182	74	17	1
Male.....	439	277	187	184	147	171	138	97	71	24	5	1
Female.....	154	92	75	93	110	145	139	148	111	50	12	-
Origin not stated 2/, both sexes.....	26	21	9	10	12	19	15	13	9	4	-	17
Male.....	20	21	9	9	10	9	12	7	1	2	-	11
Female.....	6	-	-	1	2	10	3	6	8	2	-	6

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Falls (W00-W19)												
All origins, both sexes.....	530	515	574	759	1,208	2,011	2,869	3,032	2,045	784	129	1
Male.....	394	379	392	474	728	1,079	1,365	1,262	691	231	24	-
Female.....	136	136	182	285	480	932	1,504	1,770	1,354	553	105	1
Hispanic, both sexes.....	46	45	42	46	72	80	95	57	46	26	-	-
Male.....	35	36	29	33	39	40	50	32	16	10	-	-
Female.....	11	9	13	13	33	40	45	25	30	16	-	-
Mexican, both sexes.....	24	31	25	23	41	42	55	27	17	12	-	-
Male.....	21	24	17	20	24	23	28	15	5	5	-	-
Female.....	3	7	8	3	17	19	27	12	12	7	-	-
Puerto Rican, both sexes.....	6	8	6	5	7	4	7	4	2	1	-	-
Male.....	4	7	5	3	4	1	3	1	-	-	-	-
Female.....	2	1	1	2	3	3	4	3	2	1	-	-
Cuban, both sexes.....	2	1	4	7	6	12	12	12	9	5	-	-
Male.....	2	1	2	4	5	6	7	7	4	2	-	-
Female.....	-	-	2	3	1	6	5	5	5	3	-	-
Central and South American, both sexes.....	3	3	-	2	3	10	5	5	4	4	-	-
Male.....	2	2	-	1	1	5	3	4	1	1	-	-
Female.....	1	1	-	1	2	5	2	1	3	3	-	-
Other and Unknown Hispanic, both sexes.....	11	2	7	9	15	12	16	9	14	4	-	-
Male.....	6	2	5	5	5	5	9	5	6	2	-	-
Female.....	5	-	2	4	10	7	7	4	8	2	-	-
Non-Hispanic 1/, both sexes.....	477	467	528	710	1,132	1,920	2,765	2,967	1,997	756	129	-
Male.....	352	340	359	438	685	1,034	1,308	1,226	675	220	24	-
Female.....	125	127	169	272	447	886	1,457	1,741	1,322	536	105	-
Non-Hispanic white, both sexes.....	398	391	462	621	1,023	1,784	2,635	2,846	1,897	726	122	-
Male.....	290	284	312	381	621	959	1,240	1,170	631	209	22	-
Female.....	108	107	150	240	402	825	1,395	1,676	1,266	517	100	-
Non-Hispanic black, both sexes.....	65	56	54	56	79	85	69	71	65	22	5	-
Male.....	51	41	37	36	45	48	37	33	28	8	1	-
Female.....	14	15	17	20	34	37	32	38	37	14	4	-
Origin not stated 2/, both sexes.....	7	3	4	3	4	11	9	8	2	2	-	1
Male.....	7	3	4	3	4	5	7	4	-	1	-	-
Female.....	-	-	-	-	-	6	2	4	2	1	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidental exposure to smoke, fire and flames (X00-X09)												
All origins, both sexes.....	235	183	157	174	211	211	221	129	70	18	4	3
Male.....	146	111	108	117	125	108	123	55	31	9	2	3
Female.....	89	72	49	57	86	103	98	74	39	9	2	-
Hispanic, both sexes.....	10	15	2	12	8	7	9	9	-	1	-	1
Male.....	9	10	2	9	5	4	4	3	-	1	-	1
Female.....	1	5	-	3	3	3	5	6	-	-	-	-
Mexican, both sexes.....	5	8	1	5	3	5	6	6	-	1	-	-
Male.....	4	5	1	5	2	3	3	3	-	1	-	-
Female.....	1	3	-	-	1	2	3	3	-	-	-	-
Puerto Rican, both sexes.....	4	2	1	3	-	2	-	2	-	-	-	-
Male.....	4	2	1	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	2	-	-	-	-
Cuban, both sexes.....	-	1	-	3	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	2	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	2	-	-	3	-	1	-	-	-	-	-
Male.....	-	2	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	2	-	1	2	-	1	1	-	-	-	1
Male.....	1	1	-	1	2	-	-	-	-	-	-	1
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	224	164	153	161	201	202	212	120	70	17	4	1
Male.....	137	97	104	107	120	104	119	52	31	8	2	1
Female.....	87	67	49	54	81	98	93	68	39	9	2	-
Non-Hispanic white, both sexes.....	163	122	105	119	149	155	170	95	49	10	3	1
Male.....	96	73	73	78	88	81	101	44	20	4	1	1
Female.....	67	49	32	41	61	74	69	51	29	6	2	-
Non-Hispanic black, both sexes.....	58	38	46	36	47	42	40	25	20	7	1	-
Male.....	39	22	30	25	28	20	18	8	11	4	1	-
Female.....	19	16	16	11	19	22	22	17	9	3	-	-
Origin not stated 2/, both sexes.....	1	4	2	1	2	2	-	-	-	-	-	1
Male.....	-	4	2	1	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	2	2	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All origins, both sexes.....	751	722	663	826	969	1,601	2,064	2,254	1,720	727	150	13
Male.....	571	534	479	534	579	879	948	878	545	201	24	10
Female.....	180	188	184	292	390	722	1,116	1,376	1,175	526	126	3
Hispanic, both sexes.....	52	34	33	42	31	56	36	34	32	15	6	5
Male.....	42	29	23	27	17	33	19	15	17	7	3	5
Female.....	10	5	10	15	14	23	17	19	15	8	3	-
Mexican, both sexes.....	28	20	23	23	19	30	20	20	19	4	3	3
Male.....	24	17	18	17	13	20	11	7	11	3	2	3
Female.....	4	3	5	6	6	10	9	13	8	1	1	-
Puerto Rican, both sexes.....	9	3	3	5	2	7	4	1	2	1	-	-
Male.....	4	3	-	3	1	3	3	-	1	1	-	-
Female.....	5	-	3	2	1	4	1	1	1	-	-	-
Cuban, both sexes.....	4	-	2	2	4	9	5	5	4	4	3	-
Male.....	4	-	2	2	1	6	2	4	2	1	1	-
Female.....	-	-	-	-	3	3	3	1	2	3	2	-
Central and South American, both sexes.....	8	4	4	4	3	5	4	2	2	1	-	1
Male.....	7	4	2	2	2	2	1	1	-	-	-	1
Female.....	1	-	2	2	1	3	3	1	2	1	-	-
Other and Unknown Hispanic, both sexes.....	3	7	1	8	3	5	3	6	5	5	-	1
Male.....	3	5	1	3	-	2	2	3	3	2	-	1
Female.....	-	2	-	5	3	3	1	3	2	3	-	-
Non-Hispanic 1/, both sexes.....	691	682	629	782	935	1,542	2,024	2,215	1,681	710	144	6
Male.....	522	499	455	506	559	845	926	860	527	193	21	5
Female.....	169	183	174	276	376	697	1,098	1,355	1,154	517	123	1
Non-Hispanic white, both sexes.....	567	556	525	608	806	1,354	1,836	2,058	1,571	658	129	6
Male.....	425	401	385	392	490	742	838	797	487	179	15	5
Female.....	142	155	140	216	316	612	998	1,261	1,084	479	114	1
Non-Hispanic black, both sexes.....	105	106	83	150	107	162	149	137	90	42	10	-
Male.....	82	82	56	95	56	89	70	53	31	11	3	-
Female.....	23	24	27	55	51	73	79	84	59	31	7	-
Origin not stated 2/, both sexes.....	8	6	1	2	3	3	4	5	7	2	-	2
Male.....	7	6	1	1	3	1	3	3	1	1	-	-
Female.....	1	-	-	1	-	2	1	2	6	1	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

All origins, both sexes.....	2,835	2,186	1,432	1,197	1,266	1,231	1,028	573	211	41	1	10
Male.....	2,188	1,708	1,129	975	1,078	1,054	884	492	179	33	-	10
Female.....	647	478	303	222	188	177	144	81	32	8	1	-
Hispanic, both sexes.....	111	90	52	45	44	30	25	17	4	2	-	2
Male.....	91	79	44	39	38	25	22	16	4	1	-	2
Female.....	20	11	8	6	6	5	3	1	-	1	-	-
Mexican, both sexes.....	52	38	22	13	17	9	7	5	2	1	-	1
Male.....	44	32	20	12	16	7	6	5	2	1	-	1
Female.....	8	6	2	1	1	2	1	-	-	-	-	-
Puerto Rican, both sexes.....	21	14	5	8	2	4	5	-	-	-	-	-
Male.....	18	13	5	7	2	4	5	-	-	-	-	-
Female.....	3	1	-	1	-	-	-	-	-	-	-	-
Cuban, both sexes.....	7	14	11	13	13	11	10	8	2	-	-	-
Male.....	5	13	9	10	9	9	9	7	2	-	-	-
Female.....	2	1	2	3	4	2	1	1	-	-	-	-
Central and South American, both sexes.....	14	9	8	7	3	1	1	2	-	-	-	-
Male.....	13	7	6	7	3	1	1	2	-	-	-	-
Female.....	1	2	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	17	15	6	4	9	5	2	2	-	1	-	1
Male.....	11	14	4	3	8	4	1	2	-	-	-	1
Female.....	6	1	2	1	1	1	1	-	-	1	-	-
Non-Hispanic 1/, both sexes.....	2,706	2,086	1,369	1,141	1,219	1,198	1,001	554	205	37	1	4
Male.....	2,083	1,621	1,075	926	1,037	1,026	861	474	173	30	-	4
Female.....	623	465	294	215	182	172	140	80	32	7	1	-
Non-Hispanic white, both sexes.....	2,519	1,965	1,289	1,074	1,154	1,131	974	533	197	34	1	4
Male.....	1,956	1,524	1,022	870	995	974	838	458	167	27	-	4
Female.....	563	441	267	204	159	157	136	75	30	7	1	-
Non-Hispanic black, both sexes.....	116	68	57	33	47	38	13	15	2	2	-	-
Male.....	83	57	40	31	35	33	13	13	2	2	-	-
Female.....	33	11	17	2	12	5	-	2	-	-	-	-
Origin not stated 2/, both sexes.....	18	10	11	11	3	3	2	2	2	2	-	4
Male.....	14	8	10	10	3	3	1	2	2	2	-	4
Female.....	4	2	1	1	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)

All origins, both sexes.....	1,351	891	493	351	336	313	266	181	78	16	1	8
Male.....	905	593	314	222	211	200	162	118	52	9	-	8
Female.....	446	298	179	129	125	113	104	63	26	7	1	-
Hispanic, both sexes.....	72	50	25	19	18	16	11	8	2	1	-	2
Male.....	54	42	19	15	13	11	8	7	2	-	-	2
Female.....	18	8	6	4	5	5	3	1	-	1	-	-
Mexican, both sexes.....	33	16	8	6	7	2	2	1	1	-	-	1
Male.....	27	12	7	5	6	-	1	1	1	-	-	1
Female.....	6	4	1	1	1	2	1	-	-	-	-	-
Puerto Rican, both sexes.....	16	7	4	2	-	3	3	-	-	-	-	-
Male.....	13	7	4	1	-	3	3	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	-
Cuban, both sexes.....	4	11	7	7	8	8	4	5	1	-	-	-
Male.....	2	10	5	5	5	6	3	4	1	-	-	-
Female.....	2	1	2	2	3	2	1	1	-	-	-	-
Central and South American, both sexes.....	8	6	5	3	2	-	1	2	-	-	-	-
Male.....	7	4	3	3	2	-	1	2	-	-	-	-
Female.....	1	2	2	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	11	10	1	1	1	3	1	-	-	1	-	1
Male.....	5	9	-	1	-	2	-	-	-	-	-	1
Female.....	6	1	1	-	1	1	1	-	-	1	-	-
Non-Hispanic 1/, both sexes.....	1,267	835	461	328	316	296	254	172	75	13	1	3
Male.....	843	546	289	204	196	188	154	110	49	7	-	3
Female.....	424	289	172	124	120	108	100	62	26	6	1	-
Non-Hispanic white, both sexes.....	1,166	770	421	290	285	269	241	162	69	12	1	3
Male.....	788	501	271	175	183	174	145	105	45	6	-	3
Female.....	378	269	150	115	102	95	96	57	24	6	1	-
Non-Hispanic black, both sexes.....	59	29	25	11	15	7	3	4	-	-	-	-
Male.....	35	21	13	11	7	4	3	2	-	-	-	-
Female.....	24	8	12	-	8	3	-	2	-	-	-	-
Origin not stated 2/, both sexes.....	12	6	7	4	2	1	1	1	1	2	-	3
Male.....	8	5	6	3	2	1	-	1	1	2	-	3
Female.....	4	1	1	1	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

All origins, both sexes.....	760	523	318	229	192	169	127	64	24	6	1	41
Male.....	553	383	231	152	125	100	58	32	6	3	-	32
Female.....	207	140	87	77	67	69	69	32	18	3	1	9
Hispanic, both sexes.....	87	56	31	19	10	8	11	2	-	1	-	11
Male.....	62	47	25	16	9	4	5	1	-	1	-	10
Female.....	25	9	6	3	1	4	6	1	-	-	-	1
Mexican, both sexes.....	41	35	12	11	6	3	8	1	-	-	-	3
Male.....	31	29	11	9	6	2	4	-	-	-	-	3
Female.....	10	6	1	2	-	1	4	1	-	-	-	-
Puerto Rican, both sexes.....	15	5	6	4	-	3	2	1	-	1	-	-
Male.....	11	4	4	4	-	2	1	1	-	1	-	-
Female.....	4	1	2	-	-	1	1	-	-	-	-	-
Cuban, both sexes.....	4	2	3	4	-	-	-	-	-	-	-	-
Male.....	1	2	3	3	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	17	10	5	-	1	1	1	-	-	-	-	2
Male.....	13	9	3	-	1	-	-	-	-	-	-	2
Female.....	4	1	2	-	-	1	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	10	4	5	-	3	1	-	-	-	-	-	6
Male.....	6	3	4	-	2	-	-	-	-	-	-	5
Female.....	4	1	1	-	1	1	-	-	-	-	-	1
Non-Hispanic 1/, both sexes.....	666	463	284	210	178	159	114	62	24	5	1	12
Male.....	485	333	203	136	112	95	53	31	6	2	-	9
Female.....	181	130	81	74	66	64	61	31	18	3	1	3
Non-Hispanic white, both sexes.....	365	309	187	141	134	110	87	51	18	4	-	10
Male.....	247	205	127	89	77	62	37	27	3	2	-	7
Female.....	118	104	60	52	57	48	50	24	15	2	-	3
Non-Hispanic black, both sexes.....	268	130	86	55	40	47	22	11	5	1	-	2
Male.....	213	112	68	40	32	32	15	4	2	-	-	2
Female.....	55	18	18	15	8	15	7	7	3	1	-	-
Origin not stated 2/, both sexes.....	7	4	3	-	4	2	2	-	-	-	-	18
Male.....	6	3	3	-	4	1	-	-	-	-	-	13
Female.....	1	1	-	-	-	1	2	-	-	-	-	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)

All origins, both sexes.....	339	260	172	137	123	97	84	50	20	5	1	28
Male.....	237	186	127	91	85	56	38	24	6	2	-	20
Female.....	102	74	45	46	38	41	46	26	14	3	1	8
Hispanic, both sexes.....	36	35	21	12	8	7	8	2	-	-	-	7
Male.....	24	29	17	11	7	3	3	1	-	-	-	6
Female.....	12	6	4	1	1	4	5	1	-	-	-	1
Mexican, both sexes.....	15	23	7	8	4	2	7	1	-	-	-	3
Male.....	11	18	6	7	4	1	3	-	-	-	-	3
Female.....	4	5	1	1	-	1	4	1	-	-	-	-
Puerto Rican, both sexes.....	10	4	5	3	-	3	1	1	-	-	-	-
Male.....	6	3	3	3	-	2	-	1	-	-	-	-
Female.....	4	1	2	-	-	1	1	-	-	-	-	-
Cuban, both sexes.....	1	2	2	1	-	-	-	-	-	-	-	-
Male.....	-	2	2	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	5	4	4	-	1	1	-	-	-	-	-	1
Male.....	4	4	3	-	1	-	-	-	-	-	-	1
Female.....	1	-	1	-	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	5	2	3	-	3	1	-	-	-	-	-	3
Male.....	3	2	3	-	2	-	-	-	-	-	-	2
Female.....	2	-	-	-	1	1	-	-	-	-	-	1
Non-Hispanic 1/, both sexes.....	299	222	149	125	112	89	74	48	20	5	1	6
Male.....	209	154	108	80	75	53	35	23	6	2	-	4
Female.....	90	68	41	45	37	36	39	25	14	3	1	2
Non-Hispanic white, both sexes.....	162	139	104	86	82	56	54	38	15	4	-	6
Male.....	101	88	70	56	52	31	24	19	3	2	-	4
Female.....	61	51	34	30	30	25	30	19	12	2	-	2
Non-Hispanic black, both sexes.....	122	69	40	29	27	33	16	10	4	1	-	-
Male.....	98	57	35	19	21	22	10	4	2	-	-	-
Female.....	24	12	5	10	6	11	6	6	2	1	-	-
Origin not stated 2/, both sexes.....	4	3	2	-	3	1	2	-	-	-	-	15
Male.....	4	3	2	-	3	-	-	-	-	-	-	10
Female.....	-	-	-	-	-	1	2	-	-	-	-	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Complications of medical and surgical care (Y40-Y84,Y88)

All origins, both sexes.....	151	164	187	225	335	382	410	288	167	59	7	-
Male.....	67	84	85	110	146	166	154	110	40	18	3	-
Female.....	84	80	102	115	189	216	256	178	127	41	4	-
Hispanic, both sexes.....	10	8	11	14	14	16	13	2	3	-	1	-
Male.....	5	2	4	5	6	9	4	-	-	-	-	-
Female.....	5	6	7	9	8	7	9	2	3	-	1	-
Mexican, both sexes.....	3	4	6	6	9	9	7	2	1	-	-	-
Male.....	1	1	2	2	3	7	3	-	-	-	-	-
Female.....	2	3	4	4	6	2	4	2	1	-	-	-
Puerto Rican, both sexes.....	2	2	1	3	-	1	2	-	-	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	3	-	1	2	-	-	-	1	-
Cuban, both sexes.....	1	1	1	-	1	2	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	1	1	-	1	1	1	-	-	-	-	-
Central and South American, both sexes.....	1	-	2	2	-	-	-	-	1	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	1	-	-	-
Other and Unknown Hispanic, both sexes.....	3	1	1	3	4	4	2	-	1	-	-	-
Male.....	2	-	1	2	3	1	-	-	-	-	-	-
Female.....	1	1	-	1	1	3	2	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	140	156	176	209	321	365	393	285	163	59	6	-
Male.....	61	82	81	104	140	157	149	110	40	18	3	-
Female.....	79	74	95	105	181	208	244	175	123	41	3	-
Non-Hispanic white, both sexes.....	94	114	138	162	278	315	349	258	142	51	6	-
Male.....	44	63	66	78	122	138	138	97	35	14	3	-
Female.....	50	51	72	84	156	177	211	161	107	37	3	-
Non-Hispanic black, both sexes.....	44	38	32	38	39	44	36	21	19	7	-	-
Male.....	16	18	12	20	17	14	11	10	5	4	-	-
Female.....	28	20	20	18	22	30	25	11	14	3	-	-
Origin not stated 2/, both sexes.....	1	-	-	2	-	1	4	1	1	-	-	-
Male.....	1	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	3	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Alcohol-induced causes (F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15) 3/

All origins, both sexes.....	3,384	2,697	2,123	1,569	1,239	800	383	153	38	8	-	8
Male.....	2,652	2,092	1,686	1,228	908	571	270	104	25	5	-	8
Female.....	732	605	437	341	331	229	113	49	13	3	-	-
Hispanic, both sexes.....	384	303	215	181	134	61	26	12	5	2	-	1
Male.....	328	266	185	158	114	45	20	7	5	1	-	1
Female.....	56	37	30	23	20	16	6	5	-	1	-	-
Mexican, both sexes.....	255	188	121	119	91	36	15	7	2	-	-	-
Male.....	221	168	102	102	79	29	11	3	2	-	-	-
Female.....	34	20	19	17	12	7	4	4	-	-	-	-
Puerto Rican, both sexes.....	44	45	41	14	9	5	3	-	1	-	-	-
Male.....	38	37	35	13	6	1	2	-	1	-	-	-
Female.....	6	8	6	1	3	4	1	-	-	-	-	-
Cuban, both sexes.....	4	7	7	14	8	3	1	2	-	-	-	-
Male.....	4	7	6	12	7	3	1	1	-	-	-	-
Female.....	-	-	1	2	1	-	-	1	-	-	-	-
Central and South American, both sexes.....	35	17	16	14	11	12	2	1	1	1	-	-
Male.....	29	14	13	11	8	8	2	1	1	-	-	-
Female.....	6	3	3	3	3	4	-	-	-	1	-	-
Other and Unknown Hispanic, both sexes.....	46	46	30	20	15	5	5	2	1	1	-	1
Male.....	36	40	29	20	14	4	4	2	1	1	-	1
Female.....	10	6	1	-	1	1	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,977	2,372	1,894	1,377	1,100	736	354	140	33	6	-	4
Male.....	2,304	1,808	1,488	1,059	789	523	248	96	20	4	-	4
Female.....	673	564	406	318	311	213	106	44	13	2	-	-
Non-Hispanic white, both sexes.....	2,426	1,926	1,543	1,162	940	654	312	123	30	6	-	3
Male.....	1,897	1,477	1,216	886	666	466	218	81	18	4	-	3
Female.....	529	449	327	276	274	188	94	42	12	2	-	-
Non-Hispanic black, both sexes.....	442	364	275	170	127	69	34	14	2	-	-	1
Male.....	330	271	217	140	100	48	25	12	1	-	-	1
Female.....	112	93	58	30	27	21	9	2	1	-	-	-
Origin not stated 2/, both sexes.....	23	22	14	11	5	3	3	1	-	-	-	3
Male.....	20	18	13	11	5	3	2	1	-	-	-	3
Female.....	3	4	1	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Drug-induced causes (F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85,Y10-Y14) 3/

All origins, both sexes.....	2,731	1,234	591	362	285	261	216	157	83	15	1	10
Male.....	1,752	724	315	180	128	118	93	61	33	7	-	7
Female.....	979	510	276	182	157	143	123	96	50	8	1	3
Hispanic, both sexes.....	175	74	37	19	17	12	8	1	1	-	-	-
Male.....	138	54	27	10	8	9	4	-	1	-	-	-
Female.....	37	20	10	9	9	3	4	1	-	-	-	-
Mexican, both sexes.....	98	39	13	10	11	3	4	1	1	-	-	-
Male.....	77	30	10	8	5	2	1	-	1	-	-	-
Female.....	21	9	3	2	6	1	3	1	-	-	-	-
Puerto Rican, both sexes.....	37	16	9	3	-	3	1	-	-	-	-	-
Male.....	30	14	9	-	-	1	1	-	-	-	-	-
Female.....	7	2	-	3	-	2	-	-	-	-	-	-
Cuban, both sexes.....	5	2	4	3	4	3	-	-	-	-	-	-
Male.....	4	2	1	1	2	3	-	-	-	-	-	-
Female.....	1	-	3	2	2	-	-	-	-	-	-	-
Central and South American, both sexes.....	6	5	2	1	-	-	-	-	-	-	-	-
Male.....	5	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	3	2	1	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	29	12	9	2	2	3	3	-	-	-	-	-
Male.....	22	6	7	1	1	3	2	-	-	-	-	-
Female.....	7	6	2	1	1	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,541	1,151	551	337	265	246	208	156	82	14	1	7
Male.....	1,607	662	285	165	117	107	89	61	32	6	-	5
Female.....	934	489	266	172	148	139	119	95	50	8	1	2
Non-Hispanic white, both sexes.....	1,998	936	447	293	243	225	197	142	77	12	1	5
Male.....	1,212	502	205	132	106	97	78	56	32	5	-	3
Female.....	786	434	242	161	137	128	119	86	45	7	1	2
Non-Hispanic black, both sexes.....	516	201	99	33	15	16	8	8	4	1	-	1
Male.....	378	152	79	26	8	8	8	2	-	-	-	1
Female.....	138	49	20	7	7	8	-	6	4	1	-	-
Origin not stated 2/, both sexes.....	15	9	3	6	3	3	-	-	-	1	-	3
Male.....	7	8	3	5	3	2	-	-	-	1	-	2
Female.....	8	1	-	1	-	1	-	-	-	-	-	1

- Quantity zero.
- ... Category not applicable.
- 1/ Includes races other than white and black.
- 2/ Includes deaths for which Hispanic origin was not reported on the death certificate.
- 3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.