

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Campylobacter enteritis (A04.5)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Enterocolitis due to Clostridium difficile (A04.7)													
All races, both sexes.....	4,062	381	368	329	357	331	314	337	308	298	334	335	370
Male.....	1,518	153	123	116	123	123	127	134	118	107	117	123	154
Female.....	2,544	228	245	213	234	208	187	203	190	191	217	212	216
White, both sexes.....	3,803	362	343	317	331	306	292	319	286	283	308	311	345
Male.....	1,410	145	114	114	112	110	117	123	107	104	108	116	140
Female.....	2,393	217	229	203	219	196	175	196	179	179	200	195	205
Black, both sexes.....	219	15	19	10	24	22	17	15	17	15	20	22	23
Male.....	87	6	5	1	10	12	7	9	7	3	8	6	13
Female.....	132	9	14	9	14	10	10	6	10	12	12	16	10
American Indian 1/, both sexes.....	13	1	1	-	1	1	3	2	1	-	2	1	-
Male.....	8	-	1	-	-	-	2	2	1	-	1	1	-
Female.....	5	1	-	-	1	1	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	27	3	5	2	1	2	2	1	4	-	4	1	2
Male.....	13	2	3	1	1	1	1	-	3	-	-	-	1
Female.....	14	1	2	1	-	1	1	1	1	-	4	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diarrhea and gastroenteritis of infectious origin (A09)													
All races, both sexes.....	111	11	4	8	9	11	9	12	10	10	9	7	11
Male.....	35	5	1	3	4	2	2	4	5	4	3	1	1
Female.....	76	6	3	5	5	9	7	8	5	6	6	6	10
White, both sexes.....	98	9	4	6	6	11	9	9	8	10	9	7	10
Male.....	28	3	1	2	2	2	2	3	4	4	3	1	1
Female.....	70	6	3	4	4	9	7	6	4	6	6	6	9
Black, both sexes.....	11	2	-	2	1	-	-	3	2	-	-	-	1
Male.....	6	2	-	1	1	-	-	1	1	-	-	-	-
Female.....	5	-	-	1	-	-	-	2	1	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis, not confirmed bacteriologically or histologically (A16)													
All races, both sexes.....	504	56	58	42	41	35	38	44	32	39	37	28	54
Male.....	316	32	36	29	24	24	24	35	15	26	25	17	29
Female.....	188	24	22	13	17	11	14	9	17	13	12	11	25
White, both sexes.....	300	29	31	27	27	20	23	28	21	25	27	18	24
Male.....	185	20	20	19	16	11	12	22	11	17	17	11	9
Female.....	115	9	11	8	11	9	11	6	10	8	10	7	15
Black, both sexes.....	141	20	19	7	10	10	8	15	6	10	9	7	20
Male.....	88	9	11	5	6	8	7	12	1	5	7	4	13
Female.....	53	11	8	2	4	2	1	3	5	5	2	3	7
American Indian 1/, both sexes.....	9	1	-	1	-	1	2	-	2	1	-	-	1
Male.....	6	-	-	-	-	1	2	-	1	1	-	-	1
Female.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	54	6	8	7	4	4	5	1	3	3	1	3	9
Male.....	37	3	5	5	2	4	3	1	2	3	1	2	6
Female.....	17	3	3	2	2	-	2	-	1	-	-	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Primary respiratory tuberculosis without mention of bacteriological or histological confirmation (A16.7)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation (A16.9)													
All races, both sexes.....	219	19	23	15	17	16	16	17	13	20	21	13	29
Male.....	141	12	17	10	11	11	10	12	7	14	12	10	15
Female.....	78	7	6	5	6	5	6	5	6	6	9	3	14
White, both sexes.....	141	9	12	10	14	9	9	12	11	14	17	9	15
Male.....	92	8	11	6	10	5	4	10	6	11	9	6	6
Female.....	49	1	1	4	4	4	5	2	5	3	8	3	9
Black, both sexes.....	61	9	9	3	3	5	5	5	1	5	4	3	9
Male.....	38	4	5	3	1	4	5	2	-	2	3	3	6
Female.....	23	5	4	-	2	1	-	3	1	3	1	-	3
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	2	2	-	1	2	-	1	1	-	1	5
Male.....	10	-	1	1	-	1	1	-	1	1	-	1	3
Female.....	6	1	1	1	-	-	1	-	-	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculosis of nervous system (A17)													
All races, both sexes.....	17	-	3	3	3	1	1	2	-	2	2	-	-
Male.....	8	-	2	1	3	1	-	1	-	-	-	-	-
Female.....	9	-	1	2	-	-	1	1	-	2	2	-	-
White, both sexes.....	9	-	2	2	1	-	1	1	-	2	-	-	-
Male.....	4	-	2	1	1	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	-	-	1	1	-	2	-	-	-
Black, both sexes.....	6	-	1	-	2	1	-	1	-	-	1	-	-
Male.....	4	-	-	-	2	1	-	1	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Tuberculous meningitis (A17.0)													
All races, both sexes.....	12	-	1	3	2	1	1	2	-	1	1	-	-
Male.....	6	-	1	1	2	1	-	1	-	-	-	-	-
Female.....	6	-	-	2	-	-	1	1	-	1	1	-	-
White, both sexes.....	7	-	1	2	1	-	1	1	-	1	-	-	-
Male.....	3	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	1	1	-	1	-	-	-
Black, both sexes.....	3	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	3	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculosis of other specified organs (A18.8)													
All races, both sexes.....	7	-	1	-	1	-	-	-	2	-	-	-	3
Male.....	6	-	1	-	1	-	-	-	1	-	-	-	3
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	5	-	1	-	1	-	-	-	1	-	-	-	2
Male.....	4	-	1	-	1	-	-	-	-	-	-	-	2
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Miliary tuberculosis (A19)													
All races, both sexes.....	51	5	4	3	6	3	4	3	3	5	5	8	2
Male.....	35	2	2	1	5	1	3	3	3	4	5	5	1
Female.....	16	3	2	2	1	2	1	-	-	1	-	3	1
White, both sexes.....	22	2	1	1	5	1	-	-	2	2	2	5	1
Male.....	16	1	-	-	4	1	-	-	2	2	2	4	-
Female.....	6	1	1	1	1	-	-	-	-	-	-	1	1
Black, both sexes.....	20	2	2	2	-	1	3	2	-	2	3	3	-
Male.....	13	-	2	1	-	-	2	2	-	2	3	1	-
Female.....	7	2	-	1	-	1	1	-	-	-	-	2	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	1	-	-	-	1
Male.....	3	-	-	-	-	-	1	-	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	-	1	1	-	1	-	1	-	-	-
Male.....	3	1	-	-	1	-	-	1	-	-	-	-	-
Female.....	3	-	1	-	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Leprosy, unspecified (A30.9)													
All races, both sexes.....	4	1	-	1	-	-	2	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	2	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Infection due to other mycobacteria (A31)													
All races, both sexes.....	262	17	21	27	16	25	22	26	23	19	20	22	24
Male.....	133	10	10	13	6	13	14	12	14	10	9	13	9
Female.....	129	7	11	14	10	12	8	14	9	9	11	9	15
White, both sexes.....	220	15	19	23	13	21	19	22	19	12	16	18	23
Male.....	107	9	9	10	4	9	11	12	11	5	7	11	9
Female.....	113	6	10	13	9	12	8	10	8	7	9	7	14
Black, both sexes.....	30	2	2	3	2	3	3	1	3	6	2	2	1
Male.....	21	1	1	2	2	3	3	-	2	5	1	1	-
Female.....	9	1	1	1	-	-	-	1	1	1	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	1	1	-	2	1	1	2	2	-
Male.....	5	-	-	1	-	1	-	-	1	-	1	1	-
Female.....	6	-	-	-	1	-	-	2	-	1	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mycobacterial infection, unspecified (A31.9)													
All races, both sexes.....	38	-	3	6	-	5	4	2	1	2	4	3	8
Male.....	16	-	3	3	-	4	2	-	-	2	2	1	1
Female.....	22	-	-	3	-	1	2	2	1	2	2	2	7
White, both sexes.....	32	-	3	6	-	3	4	-	1	2	3	2	8
Male.....	14	-	3	3	-	2	2	-	-	-	2	1	1
Female.....	18	-	-	3	-	1	2	-	1	2	1	1	7
Black, both sexes.....	3	-	-	-	-	2	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Listeriosis (A32)													
All races, both sexes.....	37	3	4	4	2	-	5	3	2	4	5	1	4
Male.....	15	2	-	1	-	-	4	2	1	1	2	-	2
Female.....	22	1	4	3	2	-	1	1	1	3	3	1	2
White, both sexes.....	34	3	4	4	2	-	3	3	2	4	4	1	4
Male.....	14	2	-	1	-	-	3	2	1	1	2	-	2
Female.....	20	1	4	3	2	-	-	1	1	3	2	1	2
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meningococcal infection, unspecified (A39.9)													
All races, both sexes.....	5	1	-	1	-	1	1	-	-	-	1	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	1	-	1	-	-	-	-	1	-	-
White, both sexes.....	5	1	-	1	-	1	1	-	-	-	1	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	1	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal septicemia (A40)													
All races, both sexes.....	493	59	52	57	40	39	37	22	32	37	48	29	41
Male.....	248	29	30	28	24	19	15	9	18	22	20	10	24
Female.....	245	30	22	29	16	20	22	13	14	15	28	19	17
White, both sexes.....	376	47	40	41	33	32	27	12	29	28	33	25	29
Male.....	192	24	23	19	20	14	10	5	17	17	16	9	18
Female.....	184	23	17	22	13	18	17	7	12	11	17	16	11
Black, both sexes.....	105	11	8	16	6	6	9	10	3	8	14	4	10
Male.....	49	4	5	9	3	4	5	4	1	4	4	1	5
Female.....	56	7	3	7	3	2	4	6	2	4	10	3	5
American Indian 1/, both sexes.....	5	1	3	-	-	1	-	-	-	-	-	-	-
Male.....	4	1	2	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	1	-	1	-	-	1	1	-	2
Male.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Female.....	4	-	1	-	-	-	1	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Septicemia due to other specified staphylococcus (A41.1)													
All races, both sexes.....	18	1	1	-	1	1	2	3	3	1	3	1	1
Male.....	8	1	-	-	-	1	1	2	1	-	1	-	1
Female.....	10	-	1	-	1	-	1	1	2	1	2	1	-
White, both sexes.....	16	1	1	-	1	1	2	3	2	1	3	-	1
Male.....	7	1	-	-	-	1	1	2	-	-	1	-	1
Female.....	9	-	1	-	1	-	1	1	2	1	2	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia due to unspecified staphylococcus (A41.2)													
All races, both sexes.....	717	84	50	65	71	61	58	60	54	43	56	54	61
Male.....	354	49	24	36	39	24	27	30	28	21	25	20	31
Female.....	363	35	26	29	32	37	31	30	26	22	31	34	30
White, both sexes.....	580	69	40	58	60	50	43	52	43	30	41	42	52
Male.....	290	38	22	34	34	17	22	25	21	15	20	16	26
Female.....	290	31	18	24	26	33	21	27	22	15	21	26	26
Black, both sexes.....	121	12	9	7	9	9	14	7	11	13	13	9	8
Male.....	56	8	2	2	4	6	5	4	7	6	4	3	5
Female.....	65	4	7	5	5	3	9	3	4	7	9	6	3
American Indian 1/, both sexes.....	7	2	1	-	-	2	-	-	-	-	-	1	1
Male.....	3	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	1	-	-	1	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	9	1	-	-	2	-	1	1	-	-	2	2	-
Male.....	5	1	-	-	1	-	-	1	-	-	1	1	-
Female.....	4	-	-	-	1	-	1	-	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Legionnaires' disease (A48.1)													
All races, both sexes.....	72	10	5	6	2	5	4	2	17	7	5	3	6
Male.....	44	5	4	3	2	3	2	2	13	3	2	2	3
Female.....	28	5	1	3	-	2	2	-	4	4	3	1	3
White, both sexes.....	63	9	4	6	2	5	2	2	14	7	3	3	6
Male.....	39	4	3	3	2	3	1	2	11	3	2	2	3
Female.....	24	5	1	3	-	2	1	-	3	4	1	1	3
Black, both sexes.....	8	1	1	-	-	-	1	-	3	-	2	-	-
Male.....	4	1	1	-	-	-	-	-	2	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	1	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxic shock syndrome (A48.3)													
All races, both sexes.....	71	10	8	13	4	7	7	2	3	5	7	3	2
Male.....	32	5	5	3	1	4	1	1	3	3	4	1	1
Female.....	39	5	3	10	3	3	6	1	-	2	3	2	1
White, both sexes.....	56	8	6	10	4	6	6	2	2	5	4	2	1
Male.....	26	3	4	2	1	4	1	1	2	3	3	1	1
Female.....	30	5	2	8	3	2	5	1	-	2	1	1	-
Black, both sexes.....	10	1	1	2	-	-	1	-	1	-	3	1	-
Male.....	3	1	-	-	-	-	-	-	1	-	1	-	-
Female.....	7	-	1	2	-	-	1	-	-	-	2	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	1	1	1	-	1	-	-	-	-	-	-	-
Male.....	3	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified bacterial diseases (A48.8)													
All races, both sexes.....	5	1	-	-	1	-	1	1	-	-	1	-	-
Male.....	4	1	-	-	-	-	1	1	-	-	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	5	1	-	-	1	-	1	1	-	-	1	-	-
Male.....	4	1	-	-	-	-	1	1	-	-	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial infection of unspecified site (A49)													
All races, both sexes.....	1,071	97	106	98	98	94	81	82	70	74	84	90	97
Male.....	522	52	52	37	44	50	41	48	31	36	47	44	40
Female.....	549	45	54	61	54	44	40	34	39	38	37	46	57
White, both sexes.....	872	79	88	82	80	75	74	63	54	57	66	70	84
Male.....	421	44	40	33	35	38	36	37	24	26	38	33	37
Female.....	451	35	48	49	45	37	38	26	30	31	28	37	47
Black, both sexes.....	176	16	17	13	13	16	7	17	16	15	17	17	12
Male.....	89	6	11	3	6	10	5	9	7	10	9	10	3
Female.....	87	10	6	10	7	6	2	8	9	5	8	7	9
American Indian 1/, both sexes.....	8	-	-	1	3	1	-	-	-	-	1	1	1
Male.....	3	-	-	-	1	1	-	-	-	-	-	1	-
Female.....	5	-	-	1	2	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	15	2	1	2	2	2	-	2	-	2	-	2	-
Male.....	9	2	1	1	2	1	-	2	-	-	-	-	-
Female.....	6	-	-	1	-	1	-	-	-	2	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other bacterial infections of unspecified site (A49.8)													
All races, both sexes.....	94	7	8	7	9	9	9	11	5	5	8	5	11
Male.....	42	3	2	2	3	6	4	7	1	3	4	2	5
Female.....	52	4	6	5	6	3	5	4	4	2	4	3	6
White, both sexes.....	81	5	7	7	8	6	9	9	4	5	6	4	11
Male.....	35	2	2	2	2	4	4	5	1	3	3	2	5
Female.....	46	3	5	5	6	2	5	4	3	2	3	2	6
Black, both sexes.....	10	2	1	-	1	1	-	1	1	-	2	1	-
Male.....	5	1	-	-	1	1	-	1	-	-	1	-	-
Female.....	5	1	1	-	-	-	-	-	1	-	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Bacterial infection, unspecified (A49.9)													
All races, both sexes.....	457	44	39	41	45	38	22	35	32	37	46	39	39
Male.....	220	24	18	15	17	20	12	25	14	16	27	20	12
Female.....	237	20	21	26	28	18	10	10	18	21	19	19	27
White, both sexes.....	343	35	27	30	36	27	20	25	23	25	34	28	33
Male.....	163	18	10	11	13	15	11	19	10	9	22	15	10
Female.....	180	17	17	19	23	12	9	6	13	16	12	13	23
Black, both sexes.....	100	8	12	9	5	10	2	9	9	10	11	9	6
Male.....	49	5	8	3	1	4	1	5	4	7	5	4	2
Female.....	51	3	4	6	4	6	1	4	5	3	6	5	4
American Indian 1/, both sexes.....	4	-	-	-	2	-	-	-	-	-	1	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	2	2	1	-	1	-	2	-	1	-
Male.....	6	1	-	1	2	1	-	1	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	-	-	2	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atypical virus infections of central nervous system (A81)													
All races, both sexes.....	263	21	25	24	18	23	15	23	29	22	25	18	20
Male.....	141	6	15	13	7	12	7	13	18	14	14	10	12
Female.....	122	15	10	11	11	11	8	10	11	8	11	8	8
White, both sexes.....	237	19	24	21	16	20	13	20	24	19	25	17	19
Male.....	129	5	14	12	6	9	7	12	16	13	14	10	11
Female.....	108	14	10	9	10	11	6	8	8	6	11	7	8
Black, both sexes.....	19	1	1	3	1	2	1	2	4	2	-	1	1
Male.....	8	-	1	1	1	2	-	1	1	-	-	-	1
Female.....	11	1	-	2	-	-	1	1	3	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	1	1	1	1	1	1	-	-	-
Male.....	4	1	-	-	-	1	-	-	1	1	-	-	-
Female.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Creutzfeldt-Jakob disease (A81.0)													
All races, both sexes.....	231	17	23	24	14	23	14	19	22	18	24	17	16
Male.....	121	4	14	13	6	12	6	9	13	12	13	10	9
Female.....	110	13	9	11	8	11	8	10	9	6	11	7	7
White, both sexes.....	211	15	22	21	13	20	12	17	19	16	24	16	16
Male.....	113	3	13	12	6	9	6	9	12	11	13	10	9
Female.....	98	12	9	9	7	11	6	8	7	5	11	6	7
Black, both sexes.....	13	1	1	3	-	2	1	1	2	1	-	1	-
Male.....	4	-	1	1	-	2	-	-	-	-	-	-	-
Female.....	9	1	-	2	-	-	1	1	2	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	1	1	1	1	1	1	-	-	-
Male.....	4	1	-	-	-	1	-	-	1	1	-	-	-
Female.....	3	-	-	-	1	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified viral encephalitis (A85.8)													
All races, both sexes.....	3	-	1	-	-	1	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified viral encephalitis (A86)													
All races, both sexes.....	138	14	14	7	12	8	13	10	15	15	12	8	10
Male.....	70	8	7	2	8	1	9	5	10	5	5	4	6
Female.....	68	6	7	5	4	7	4	5	5	10	7	4	4
White, both sexes.....	113	13	12	5	10	6	11	6	14	13	9	7	7
Male.....	60	7	6	1	7	1	7	4	10	4	5	3	5
Female.....	53	6	6	4	3	5	4	2	4	9	4	4	2
Black, both sexes.....	19	1	2	1	2	2	2	2	1	1	3	-	2
Male.....	8	1	1	1	1	-	2	-	-	1	-	-	1
Female.....	11	-	1	-	1	2	-	2	1	-	3	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	-	-	-	2	-	1	-	1	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Female.....	4	-	-	1	-	-	-	1	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified viral infection of central nervous system (A89)													
All races, both sexes.....	7	2	1	1	-	1	1	1	-	-	-	-	-
Male.....	5	2	-	1	-	-	1	1	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	6	2	1	1	-	-	1	1	-	-	-	-	-
Male.....	5	2	-	1	-	-	1	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other mosquito-borne viral fevers (A92)													
All races, both sexes.....	79	4	2	3	1	-	-	3	15	23	18	3	7
Male.....	50	3	1	3	-	-	-	3	9	16	9	3	3
Female.....	29	1	1	-	1	-	-	-	6	7	9	-	4
White, both sexes.....	71	4	2	3	1	-	-	2	14	21	16	3	5
Male.....	45	3	1	3	-	-	-	2	8	15	8	3	2
Female.....	26	1	1	-	1	-	-	-	6	6	8	-	3
Black, both sexes.....	6	-	-	-	-	-	-	1	-	2	1	-	2
Male.....	4	-	-	-	-	-	-	1	-	1	1	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicella without complications (B01.9)													
All races, both sexes.....	6	-	-	1	-	-	2	-	1	-	-	1	1
Male.....	4	-	-	-	-	-	2	-	-	-	-	1	1
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-
White, both sexes.....	6	-	-	1	-	-	2	-	1	-	-	1	1
Male.....	4	-	-	-	-	-	2	-	-	-	-	1	1
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Zoster [herpes zoster] (B02)													
All races, both sexes.....	151	9	14	13	13	13	14	22	17	8	15	6	7
Male.....	59	3	4	9	4	5	8	7	7	2	4	3	3
Female.....	92	6	10	4	9	8	6	15	10	6	11	3	4
White, both sexes.....	140	9	12	13	13	12	13	20	15	8	13	5	7
Male.....	51	3	2	9	4	4	7	5	7	2	3	2	3
Female.....	89	6	10	4	9	8	6	15	8	6	10	3	4
Black, both sexes.....	6	-	1	-	-	-	1	2	-	-	1	1	-
Male.....	6	-	1	-	-	-	1	2	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disseminated zoster (B02.7)													
All races, both sexes.....	19	1	2	-	1	4	1	4	2	2	1	1	-
Male.....	11	-	1	-	-	3	1	2	1	1	1	1	-
Female.....	8	1	1	-	1	1	-	2	1	1	-	-	-
White, both sexes.....	15	1	1	-	1	3	1	3	2	2	1	-	-
Male.....	7	-	-	-	-	2	1	1	1	1	1	-	-
Female.....	8	1	1	-	1	1	-	2	1	1	-	-	-
Black, both sexes.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Male.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Zoster without complication (B02.9)													
All races, both sexes.....	96	5	9	8	8	7	8	14	13	4	11	4	5
Male.....	33	1	3	7	2	2	4	3	5	-	2	2	2
Female.....	63	4	6	1	6	5	4	11	8	4	9	2	3
White, both sexes.....	89	5	8	8	8	7	7	13	11	4	9	4	5
Male.....	29	1	2	7	2	2	3	2	5	-	1	2	2
Female.....	60	4	6	1	6	5	4	11	6	4	8	2	3
Black, both sexes.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatitis A without hepatic coma (B15.9)													
All races, both sexes.....	55	5	6	3	6	9	7	4	1	1	5	6	2
Male.....	28	3	5	1	3	4	3	-	1	1	3	3	1
Female.....	27	2	1	2	3	5	4	4	-	-	2	3	1
White, both sexes.....	46	3	5	2	6	8	5	4	1	1	3	6	2
Male.....	23	2	4	-	3	4	2	-	1	1	2	3	1
Female.....	23	1	1	2	3	4	3	4	-	-	1	3	1
Black, both sexes.....	6	1	-	-	-	1	2	-	-	-	2	-	-
Male.....	3	1	-	-	-	-	1	-	-	-	1	-	-
Female.....	3	-	-	-	-	1	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute hepatitis B (B16)													
All races, both sexes.....	556	48	44	59	55	39	45	37	54	46	45	41	43
Male.....	401	39	27	38	37	31	35	28	41	36	34	30	25
Female.....	155	9	17	21	18	8	10	9	13	10	11	11	18
White, both sexes.....	359	33	29	36	34	24	34	22	37	30	31	22	27
Male.....	268	27	19	23	21	21	27	18	29	28	24	15	16
Female.....	91	6	10	13	13	3	7	4	8	2	7	7	11
Black, both sexes.....	113	10	8	13	13	12	5	9	9	11	9	6	8
Male.....	81	9	4	8	11	7	4	6	8	7	7	5	5
Female.....	32	1	4	5	2	5	1	3	1	4	2	1	3
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	82	5	7	9	8	3	6	6	7	5	5	13	8
Male.....	51	3	4	6	5	3	4	4	4	1	3	10	4
Female.....	31	2	3	3	3	-	2	2	3	4	2	3	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute hepatitis B without delta-agent with hepatic coma (B16.2)													
All races, both sexes.....	33	3	5	1	4	3	1	2	1	3	2	2	6
Male.....	19	2	1	1	3	2	-	1	-	1	2	2	4
Female.....	14	1	4	-	1	1	1	1	1	2	-	-	2
White, both sexes.....	23	3	4	1	2	2	-	1	1	1	1	1	6
Male.....	15	2	1	1	1	2	-	1	-	1	1	1	4
Female.....	8	1	3	-	1	-	-	-	1	-	-	-	2
Black, both sexes.....	7	-	1	-	1	1	1	1	-	1	1	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	5	-	1	-	-	1	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	-	-	1	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Acute hepatitis B without delta-agent and without hepatic coma (B16.9)													
All races, both sexes.....	523	45	39	58	51	36	44	35	53	43	43	39	37
Male.....	382	37	26	37	34	29	35	27	41	35	32	28	21
Female.....	141	8	13	21	17	7	9	8	12	8	11	11	16
White, both sexes.....	336	30	25	35	32	22	34	21	36	29	30	21	21
Male.....	253	25	18	22	20	19	27	17	29	27	23	14	12
Female.....	83	5	7	13	12	3	7	4	7	2	7	7	9
Black, both sexes.....	106	10	7	13	12	11	4	8	9	10	8	6	8
Male.....	79	9	4	8	10	7	4	6	8	7	6	5	5
Female.....	27	1	3	5	2	4	-	2	1	3	2	1	3
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	79	5	7	9	7	3	6	6	7	4	5	12	8
Male.....	49	3	4	6	4	3	4	4	4	1	3	9	4
Female.....	30	2	3	3	3	-	2	2	3	3	2	3	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other acute viral hepatitis (B17)													
All races, both sexes.....	4,100	386	336	347	347	339	298	312	346	320	372	346	351
Male.....	2,674	253	209	228	230	225	187	201	226	203	246	227	239
Female.....	1,426	133	127	119	117	114	111	111	120	117	126	119	112
White, both sexes.....	3,301	317	255	296	276	270	233	256	274	253	301	286	284
Male.....	2,179	202	162	194	184	181	150	164	181	169	203	193	196
Female.....	1,122	115	93	102	92	89	83	92	93	84	98	93	88
Black, both sexes.....	656	55	71	43	59	57	50	39	55	61	59	51	56
Male.....	417	42	39	29	40	38	31	24	39	32	38	28	37
Female.....	239	13	32	14	19	19	19	15	16	29	21	23	19
American Indian 1/, both sexes.....	48	6	3	4	2	2	4	11	5	1	6	2	2
Male.....	25	3	2	3	-	2	1	9	1	-	2	1	1
Female.....	23	3	1	1	2	-	3	2	4	1	4	1	1
Asian or Pacific Islander 2/, both sexes.....	95	8	7	4	10	10	11	6	12	5	6	7	9
Male.....	53	6	6	2	6	4	5	4	5	2	3	5	5
Female.....	42	2	1	2	4	6	6	2	7	3	3	2	4
Acute hepatitis C (B17.1)													
All races, both sexes.....	4,099	385	336	347	347	339	298	312	346	320	372	346	351
Male.....	2,673	252	209	228	230	225	187	201	226	203	246	227	239
Female.....	1,426	133	127	119	117	114	111	111	120	117	126	119	112
White, both sexes.....	3,301	317	255	296	276	270	233	256	274	253	301	286	284
Male.....	2,179	202	162	194	184	181	150	164	181	169	203	193	196
Female.....	1,122	115	93	102	92	89	83	92	93	84	98	93	88
Black, both sexes.....	655	54	71	43	59	57	50	39	55	61	59	51	56
Male.....	416	41	39	29	40	38	31	24	39	32	38	28	37
Female.....	239	13	32	14	19	19	19	15	16	29	21	23	19
American Indian 1/, both sexes.....	48	6	3	4	2	2	4	11	5	1	6	2	2
Male.....	25	3	2	3	-	2	1	9	1	-	2	1	1
Female.....	23	3	1	1	2	-	3	2	4	1	4	1	1
Asian or Pacific Islander 2/, both sexes.....	95	8	7	4	10	10	11	6	12	5	6	7	9
Male.....	53	6	6	2	6	4	5	4	5	2	3	5	5
Female.....	42	2	1	2	4	6	6	2	7	3	3	2	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified acute viral hepatitis (B17.8)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic viral hepatitis (B18)													
All races, both sexes.....	584	58	46	54	51	47	52	59	41	33	51	46	46
Male.....	365	35	31	29	36	27	31	37	22	21	31	33	32
Female.....	219	23	15	25	15	20	21	22	19	12	20	13	14
White, both sexes.....	476	51	37	45	43	39	44	43	29	29	43	39	34
Male.....	294	30	24	24	31	23	25	27	15	18	27	28	22
Female.....	182	21	13	21	12	16	19	16	14	11	16	11	12
Black, both sexes.....	71	7	4	5	5	6	6	7	10	4	5	3	9
Male.....	54	5	4	4	4	4	5	4	6	3	4	3	8
Female.....	17	2	-	1	1	2	1	3	4	1	1	-	1
American Indian 1/, both sexes.....	10	-	1	2	1	1	-	-	1	-	-	3	1
Male.....	4	-	-	-	-	-	-	-	1	-	-	2	1
Female.....	6	-	1	2	1	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	27	-	4	2	2	1	2	9	1	-	3	1	2
Male.....	13	-	3	1	1	-	1	6	-	-	-	-	1
Female.....	14	-	1	1	1	1	1	3	1	-	3	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic viral hepatitis B without delta-agent (B18.1)													
All races, both sexes.....	87	8	9	5	11	4	8	10	5	9	10	2	6
Male.....	68	5	8	3	11	2	4	9	5	7	7	1	6
Female.....	19	3	1	2	-	2	4	1	-	2	3	1	-
White, both sexes.....	64	7	4	4	10	4	6	4	5	7	7	1	5
Male.....	53	5	3	2	10	2	3	4	5	6	7	1	5
Female.....	11	2	1	2	-	2	3	-	-	1	-	-	-
Black, both sexes.....	10	1	3	1	-	-	-	1	-	2	1	-	1
Male.....	6	-	3	1	-	-	-	-	-	1	-	-	1
Female.....	4	1	-	-	-	-	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	2	-	1	-	2	5	-	-	2	1	-
Male.....	9	-	2	-	1	-	1	5	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	2	1	-
Chronic viral hepatitis C (B18.2)													
All races, both sexes.....	487	48	37	48	39	43	44	48	34	24	41	41	40
Male.....	291	30	23	26	24	25	27	27	15	14	24	30	26
Female.....	196	18	14	22	15	18	17	21	19	10	17	11	14
White, both sexes.....	404	42	33	40	32	35	38	38	23	22	36	36	29
Male.....	236	25	21	22	20	21	22	22	9	12	20	25	17
Female.....	168	17	12	18	12	14	16	16	14	10	16	11	12
Black, both sexes.....	61	6	1	4	5	6	6	6	10	2	4	3	8
Male.....	48	5	1	3	4	4	5	4	6	2	4	3	7
Female.....	13	1	-	1	1	2	1	2	4	-	-	-	1
American Indian 1/, both sexes.....	8	-	1	2	1	1	-	-	-	-	-	2	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	2	1
Female.....	5	-	1	2	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	2	2	1	1	-	4	1	-	1	-	2
Male.....	4	-	1	1	-	-	-	1	-	-	-	-	1
Female.....	10	-	1	1	1	1	-	3	1	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified viral hepatitis without coma (B19.9)													
All races, both sexes.....	81	3	14	8	-	8	6	8	5	9	5	10	5
Male.....	41	1	6	4	-	3	4	5	4	5	2	4	3
Female.....	40	2	8	4	-	5	2	3	1	4	3	6	2
White, both sexes.....	60	2	12	8	-	4	3	5	4	6	4	8	4
Male.....	33	1	5	4	-	2	2	4	3	5	2	3	2
Female.....	27	1	7	4	-	2	1	1	1	1	2	5	2
Black, both sexes.....	15	1	2	-	-	2	2	2	1	2	1	2	-
Male.....	7	-	1	-	-	1	2	1	1	-	-	1	-
Female.....	8	1	1	-	-	1	-	1	-	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	2	1	1	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	2	1	1	-	1	-	-	-
Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases (B20)													
All races, both sexes.....	5,138	517	444	459	422	397	394	397	391	395	442	401	479
Male.....	3,695	382	297	344	302	287	289	295	276	280	306	293	344
Female.....	1,443	135	147	115	120	110	105	102	115	115	136	108	135
White, both sexes.....	2,277	245	194	197	190	173	174	172	163	171	178	200	220
Male.....	1,841	204	150	173	150	138	143	134	127	132	148	163	179
Female.....	436	41	44	24	40	35	31	38	36	39	30	37	41
Black, both sexes.....	2,779	268	244	255	227	215	211	220	221	217	253	195	253
Male.....	1,786	176	141	165	148	140	139	157	145	142	149	124	160
Female.....	993	92	103	90	79	75	72	63	76	75	104	71	93
American Indian 1/, both sexes.....	40	2	2	3	1	3	5	2	5	5	5	4	3
Male.....	34	1	2	3	1	3	5	2	3	4	3	4	3
Female.....	6	1	-	-	-	-	-	-	2	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	42	2	4	4	4	6	4	3	2	2	6	2	3
Male.....	34	1	4	3	3	6	2	2	1	2	6	2	2
Female.....	8	1	-	1	1	-	2	1	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in <i>Pneumocystis carinii</i> pneumonia (B20.6)													
All races, both sexes.....	457	66	44	33	41	40	27	25	41	30	41	24	45
Male.....	322	51	25	26	30	28	17	16	25	22	31	18	33
Female.....	135	15	19	7	11	12	10	9	16	8	10	6	12
White, both sexes.....	233	36	20	19	21	22	10	13	24	13	18	16	21
Male.....	189	31	15	18	18	19	8	7	17	10	16	12	18
Female.....	44	5	5	1	3	3	2	6	7	3	2	4	3
Black, both sexes.....	219	30	24	14	20	18	16	12	16	17	21	8	23
Male.....	129	20	10	8	12	9	8	9	8	12	13	6	14
Female.....	90	10	14	6	8	9	8	3	8	5	8	2	9
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	2	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	2	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in multiple infections (B20.7)													
All races, both sexes.....	1,272	120	117	104	102	91	100	105	95	102	119	105	112
Male.....	892	73	82	76	68	67	81	76	71	72	75	75	76
Female.....	380	47	35	28	34	24	19	29	24	30	44	30	36
White, both sexes.....	557	57	61	41	39	33	53	45	35	49	43	53	48
Male.....	435	38	46	36	27	28	45	34	27	35	38	41	40
Female.....	122	19	15	5	12	5	8	11	8	14	5	12	8
Black, both sexes.....	694	62	54	63	62	53	45	59	57	51	75	51	62
Male.....	440	35	34	40	40	34	36	41	41	35	36	33	35
Female.....	254	27	20	23	22	19	9	18	16	16	39	18	27
American Indian 1/, both sexes.....	9	1	1	-	-	1	-	-	3	2	-	-	1
Male.....	8	-	1	-	-	1	-	-	3	2	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	-	1	4	2	1	-	-	1	1	1
Male.....	9	-	1	-	1	4	-	1	-	-	1	1	-
Female.....	3	-	-	-	-	-	2	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in Burkitt's lymphoma (B21.1)													
All races, both sexes.....	41	4	3	2	2	1	7	1	1	8	6	3	3
Male.....	36	3	3	2	2	1	6	1	-	6	6	3	3
Female.....	5	1	-	-	-	-	1	-	1	2	-	-	-
White, both sexes.....	34	3	3	2	1	1	6	1	-	6	6	2	3
Male.....	30	2	3	2	1	1	5	1	-	4	6	2	3
Female.....	4	1	-	-	-	-	1	-	-	2	-	-	-
Black, both sexes.....	7	1	-	-	1	-	1	-	1	2	-	1	-
Male.....	6	1	-	-	1	-	1	-	-	2	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in other types of non-Hodgkin's lymphoma (B21.2)													
All races, both sexes.....	423	27	33	37	29	40	40	28	29	39	40	40	41
Male.....	342	19	27	29	27	30	31	22	24	36	32	33	32
Female.....	81	8	6	8	2	10	9	6	5	3	8	7	9
White, both sexes.....	250	15	19	20	22	20	23	15	17	28	21	28	22
Male.....	219	11	18	17	21	19	19	12	14	25	17	25	21
Female.....	31	4	1	3	1	1	4	3	3	3	4	3	1
Black, both sexes.....	165	12	12	16	6	20	17	12	11	9	19	12	19
Male.....	117	8	8	11	5	11	12	10	9	9	15	8	11
Female.....	48	4	4	5	1	9	5	2	2	-	4	4	8
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	2	1	-	-	-	1	-	2	-	-	-
Male.....	4	-	1	1	-	-	-	-	-	2	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Human immunodeficiency virus [HIV] disease resulting in other conditions (B23)													
All races, both sexes.....	2,169	207	175	184	184	194	195	157	167	169	180	172	185
Male.....	1,562	152	127	134	136	140	136	107	120	112	132	128	138
Female.....	607	55	48	50	48	54	59	50	47	57	48	44	47
White, both sexes.....	773	63	67	66	63	70	73	57	71	51	58	58	76
Male.....	626	50	56	58	52	55	59	45	61	40	43	49	58
Female.....	147	13	11	8	11	15	14	12	10	11	15	9	18
Black, both sexes.....	1,365	139	105	114	119	123	120	98	95	113	120	111	108
Male.....	915	98	68	74	84	84	76	60	59	69	87	77	79
Female.....	450	41	37	40	35	39	44	38	36	44	33	34	29
American Indian 1/, both sexes.....	16	2	1	3	1	-	2	-	-	3	-	3	1
Male.....	8	1	1	1	-	-	1	-	-	1	-	2	1
Female.....	8	1	-	2	1	-	1	-	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	15	3	2	1	1	1	-	2	1	2	2	-	-
Male.....	13	3	2	1	-	1	-	2	-	2	2	-	-
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-
HIV disease resulting in hematological and immunological abnormalities, not elsewhere classified (B23.2)													
All races, both sexes.....	288	18	29	25	22	26	24	23	26	24	22	30	19
Male.....	199	13	16	17	18	18	15	12	16	20	18	21	15
Female.....	89	5	13	8	4	8	9	11	10	4	4	9	4
White, both sexes.....	122	11	12	6	8	14	10	8	13	8	6	13	13
Male.....	97	7	9	5	8	10	9	6	11	7	5	9	11
Female.....	25	4	3	1	-	4	1	2	2	1	1	4	2
Black, both sexes.....	160	6	17	19	14	12	14	14	12	15	15	16	6
Male.....	97	5	7	12	10	8	6	5	5	12	12	11	4
Female.....	63	1	10	7	4	4	8	9	7	3	3	5	2
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	1	-	1	-
Male.....	3	1	-	-	-	-	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in other specified conditions (B23.8)													
All races, both sexes.....	1,881	189	146	159	162	168	171	134	141	145	158	142	166
Male.....	1,363	139	111	117	118	122	121	95	104	92	114	107	123
Female.....	518	50	35	42	44	46	50	39	37	53	44	35	43
White, both sexes.....	651	52	55	60	55	56	63	49	58	43	52	45	63
Male.....	529	43	47	53	44	45	50	39	50	33	38	40	47
Female.....	122	9	8	7	11	11	13	10	8	10	14	5	16
Black, both sexes.....	1,205	133	88	95	105	111	106	84	83	98	105	95	102
Male.....	818	93	61	62	74	76	70	55	54	57	75	66	75
Female.....	387	40	27	33	31	35	36	29	29	41	30	29	27
American Indian 1/, both sexes.....	13	1	1	3	1	-	2	-	-	2	-	2	1
Male.....	5	-	1	1	-	-	1	-	-	-	-	1	1
Female.....	8	1	-	2	1	-	1	-	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	12	3	2	1	1	1	-	1	-	2	1	-	-
Male.....	11	3	2	1	-	1	-	1	-	2	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Unspecified human immunodeficiency virus [HIV] disease (B24)													
All races, both sexes.....	3,541	341	311	294	298	282	298	288	304	265	299	265	296
Male.....	2,507	230	225	216	213	207	208	198	238	182	208	171	211
Female.....	1,034	111	86	78	85	75	90	90	66	83	91	94	85
White, both sexes.....	1,410	142	132	111	109	121	112	109	136	116	108	94	120
Male.....	1,134	109	107	94	88	96	91	87	114	93	87	71	97
Female.....	276	33	25	17	21	25	21	22	22	23	21	23	23
Black, both sexes.....	2,091	192	175	178	189	158	185	175	166	148	182	170	173
Male.....	1,344	114	115	118	125	109	117	109	122	89	113	100	113
Female.....	747	78	60	60	64	49	68	66	44	59	69	70	60
American Indian 1/, both sexes.....	15	1	3	1	-	2	-	1	-	-	5	1	1
Male.....	10	1	2	1	-	1	-	-	-	-	5	-	-
Female.....	5	-	1	-	-	1	-	1	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	25	6	1	4	-	1	1	3	2	1	4	-	2
Male.....	19	6	1	3	-	1	-	2	2	-	3	-	1
Female.....	6	-	-	1	-	-	1	1	-	1	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cytomegaloviral disease, unspecified (B25.9)													
All races, both sexes.....	37	1	2	4	4	3	1	3	4	4	4	4	3
Male.....	21	1	1	2	2	1	-	1	1	3	3	4	2
Female.....	16	-	1	2	2	2	1	2	3	1	1	-	1
White, both sexes.....	28	1	2	2	3	3	-	3	4	2	3	3	2
Male.....	16	1	1	1	1	1	-	1	1	2	2	3	2
Female.....	12	-	1	1	2	2	-	2	3	-	1	-	-
Black, both sexes.....	8	-	-	2	1	-	1	-	-	1	1	1	1
Male.....	4	-	-	1	1	-	-	-	-	-	1	1	-
Female.....	4	-	-	1	-	-	1	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious mononucleosis (B27)													
All races, both sexes.....	23	4	2	2	1	2	1	1	2	2	2	1	3
Male.....	12	2	1	1	1	-	1	1	1	2	-	-	2
Female.....	11	2	1	1	-	2	-	-	1	-	2	1	1
White, both sexes.....	16	4	2	2	1	-	1	-	-	2	2	1	1
Male.....	9	2	1	1	1	-	1	-	-	2	-	-	1
Female.....	7	2	1	1	-	-	-	-	-	-	2	1	-
Black, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	1	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	1	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other viral infections of unspecified site (B34.8)													
All races, both sexes.....	40	7	9	8	6	2	1	-	-	1	2	-	4
Male.....	19	4	3	5	3	2	-	-	-	1	1	-	1
Female.....	21	3	6	3	3	-	1	-	-	1	1	-	3
White, both sexes.....	28	5	7	4	5	-	1	-	-	1	2	-	3
Male.....	12	2	2	3	3	-	-	-	-	-	1	-	1
Female.....	16	3	5	1	2	-	1	-	-	1	1	-	2
Black, both sexes.....	6	1	1	2	-	1	-	-	-	-	-	-	1
Male.....	3	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	2	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	5	-	1	2	1	1	-	-	-	-	-	-	-
Male.....	3	-	-	2	-	1	-	-	-	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral infection, unspecified (B34.9)													
All races, both sexes.....	226	54	33	19	12	14	14	9	10	10	19	15	17
Male.....	108	27	14	6	9	6	5	5	6	5	8	9	8
Female.....	118	27	19	13	3	8	9	4	4	5	11	6	9
White, both sexes.....	193	49	26	16	11	14	10	7	7	8	16	13	16
Male.....	88	24	10	4	8	6	2	5	3	4	7	8	7
Female.....	105	25	16	12	3	8	8	2	4	4	9	5	9
Black, both sexes.....	29	4	6	3	1	-	4	2	3	2	2	1	1
Male.....	18	3	3	2	1	-	3	-	3	1	1	-	1
Female.....	11	1	3	1	-	-	1	2	-	1	1	1	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Candidiasis, unspecified (B37.9)													
All races, both sexes.....	12	1	1	-	1	1	2	1	3	-	1	-	1
Male.....	7	-	-	-	1	1	1	1	2	-	1	-	-
Female.....	5	1	1	-	-	-	1	-	1	-	-	-	1
White, both sexes.....	11	1	1	-	1	1	2	1	2	-	1	-	1
Male.....	7	-	-	-	1	1	1	1	2	-	1	-	-
Female.....	4	1	1	-	-	-	1	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Coccidioidomycosis (B38)													
All races, both sexes.....	100	9	9	10	12	7	8	13	4	8	6	10	4
Male.....	75	7	7	7	10	7	6	8	3	4	5	9	2
Female.....	25	2	2	3	2	-	2	5	1	4	1	1	2
White, both sexes.....	69	6	4	9	7	5	6	9	2	6	4	7	4
Male.....	48	4	3	6	5	5	4	6	1	3	3	6	2
Female.....	21	2	1	3	2	-	2	3	1	3	1	1	2
Black, both sexes.....	18	3	1	-	3	2	1	3	2	1	1	1	-
Male.....	17	3	1	-	3	2	1	2	2	1	1	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	2	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	2	1	2	-	1	1	-	1	-	2	-
Male.....	8	-	2	1	2	-	1	-	-	-	-	2	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cryptococcosis, unspecified (B45.9)													
All races, both sexes.....	6	2	1	1	-	-	1	-	1	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	4	2	-	1	-	-	-	-	1	-	-	-	-
White, both sexes.....	4	2	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	2	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Zygomycosis (B46)													
All races, both sexes.....	16	3	1	-	2	-	1	1	2	2	1	2	1
Male.....	5	1	-	-	1	-	-	1	1	1	-	-	-
Female.....	11	2	1	-	1	-	1	-	1	1	1	2	1
White, both sexes.....	11	2	-	-	2	-	1	-	2	1	-	2	1
Male.....	4	1	-	-	1	-	-	-	1	1	-	-	-
Female.....	7	1	-	-	1	-	1	-	1	-	-	2	1
Black, both sexes.....	3	1	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of respiratory and unspecified tuberculosis (B90.9)													
All races, both sexes.....	81	5	5	8	9	4	10	10	7	4	6	5	8
Male.....	40	3	2	3	5	2	6	4	2	2	2	3	6
Female.....	41	2	3	5	4	2	4	6	5	2	4	2	2
White, both sexes.....	50	5	4	6	2	3	6	7	4	4	4	2	3
Male.....	23	3	1	2	-	2	2	3	1	2	2	2	3
Female.....	27	2	3	4	2	1	4	4	3	2	2	-	-
Black, both sexes.....	15	-	1	2	5	-	1	1	1	-	1	1	2
Male.....	9	-	1	1	3	-	1	-	-	-	-	1	2
Female.....	6	-	-	1	2	-	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	2	1	3	2	1	-	1	1	3
Male.....	8	-	-	-	2	-	3	1	1	-	-	-	1
Female.....	6	-	-	-	-	1	-	1	-	-	1	1	2
Sequelae of poliomyelitis (B91)													
All races, both sexes.....	313	42	27	28	21	29	22	22	22	23	34	22	21
Male.....	152	21	12	18	14	13	10	9	9	10	15	13	8
Female.....	161	21	15	10	7	16	12	13	13	13	19	9	13
White, both sexes.....	304	42	27	26	20	28	21	22	21	23	33	21	20
Male.....	149	21	12	17	13	13	10	9	9	10	15	12	8
Female.....	155	21	15	9	7	15	11	13	12	13	18	9	12
Black, both sexes.....	8	-	-	2	1	-	1	-	1	-	1	1	1
Male.....	3	-	-	1	1	-	-	-	-	-	-	1	-
Female.....	5	-	-	1	-	-	1	-	1	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of viral hepatitis (B94.2)													
All races, both sexes.....	1,924	170	155	161	164	152	167	151	159	157	169	146	173
Male.....	1,221	117	97	90	115	90	107	94	99	104	103	88	117
Female.....	703	53	58	71	49	62	60	57	60	53	66	58	56
White, both sexes.....	1,640	147	135	134	143	129	145	131	136	134	149	117	140
Male.....	1,058	105	87	78	99	80	94	81	84	90	90	74	96
Female.....	582	42	48	56	44	49	51	50	52	44	59	43	44
Black, both sexes.....	174	16	11	20	16	12	12	12	17	13	10	12	23
Male.....	110	10	8	9	13	7	7	8	12	8	8	6	14
Female.....	64	6	3	11	3	5	5	4	5	5	2	6	9
American Indian 1/, both sexes.....	27	1	2	1	-	3	3	1	1	2	3	6	4
Male.....	16	-	-	1	-	-	2	1	1	2	3	5	1
Female.....	11	1	2	-	-	3	1	-	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes.....	83	6	7	6	5	8	7	7	5	8	7	11	6
Male.....	37	2	2	2	3	3	4	4	2	4	2	3	6
Female.....	46	4	5	4	2	5	3	3	3	4	5	8	-
Sequelae of other specified infectious and parasitic diseases (B94.8)													
All races, both sexes.....	608	72	54	59	42	52	36	42	54	47	49	40	61
Male.....	300	34	27	28	18	26	19	17	33	26	24	21	27
Female.....	308	38	27	31	24	26	17	25	21	21	25	19	34
White, both sexes.....	521	61	46	48	38	47	33	33	47	37	46	34	51
Male.....	255	30	22	23	18	22	17	11	27	21	24	17	23
Female.....	266	31	24	25	20	25	16	22	20	16	22	17	28
Black, both sexes.....	82	8	8	11	4	5	3	9	7	9	3	5	10
Male.....	44	4	5	5	-	4	2	6	6	5	-	3	4
Female.....	38	4	3	6	4	1	1	3	1	4	3	2	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	3	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
External lower lip (C00.1)													
All races, both sexes.....	9	1	1	-	1	1	2	-	1	-	1	-	1
Male.....	4	-	1	-	1	-	2	-	-	-	-	-	-
Female.....	5	1	-	-	-	1	-	-	1	-	1	-	1
White, both sexes.....	9	1	1	-	1	1	2	-	1	-	1	-	1
Male.....	4	-	1	-	1	-	2	-	-	-	-	-	-
Female.....	5	1	-	-	-	1	-	-	1	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Lip, unspecified (C00.9)													
All races, both sexes.....	64	4	6	4	6	5	6	7	7	4	6	3	6
Male.....	45	3	5	4	3	4	2	5	6	2	6	2	3
Female.....	19	1	1	-	3	1	4	2	1	2	-	1	3
White, both sexes.....	59	4	6	4	5	4	4	7	7	4	5	3	6
Male.....	42	3	5	4	2	3	2	5	6	2	5	2	3
Female.....	17	1	1	-	3	1	2	2	1	2	-	1	3
Black, both sexes.....	3	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of base of tongue (C01)													
All races, both sexes.....	153	22	11	13	9	13	16	15	11	8	13	11	11
Male.....	112	20	5	8	7	10	13	5	10	4	11	10	9
Female.....	41	2	6	5	2	3	3	10	1	4	2	1	2
White, both sexes.....	139	21	11	13	8	11	15	15	8	7	11	8	11
Male.....	98	19	5	8	6	8	12	5	7	3	9	7	9
Female.....	41	2	6	5	2	3	3	10	1	4	2	1	2
Black, both sexes.....	12	1	-	-	1	2	1	-	2	1	1	3	-
Male.....	12	1	-	-	1	2	1	-	2	1	1	3	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and unspecified parts of tongue (C02)													
All races, both sexes.....	1,728	140	141	140	134	145	148	129	147	163	142	140	159
Male.....	1,116	90	88	93	88	99	91	78	104	99	90	95	101
Female.....	612	50	53	47	46	46	57	51	43	64	52	45	58
White, both sexes.....	1,494	114	123	118	116	125	133	114	123	136	124	128	140
Male.....	951	72	75	78	73	81	84	70	84	84	77	84	89
Female.....	543	42	48	40	43	44	49	44	39	52	47	44	51
Black, both sexes.....	192	21	13	18	15	17	11	14	21	24	13	10	15
Male.....	140	17	10	12	13	15	6	7	18	13	10	9	10
Female.....	52	4	3	6	2	2	5	7	3	11	3	1	5
American Indian 1/, both sexes.....	6	1	-	1	-	-	1	-	-	1	1	1	-
Male.....	4	1	-	1	-	-	-	-	-	1	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	36	4	5	3	3	3	3	1	3	2	4	1	4
Male.....	21	-	3	2	2	3	1	1	2	1	3	1	2
Female.....	15	4	2	1	1	-	2	-	1	1	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lingual tonsil (C02.4)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Tongue, unspecified (C02.9)													
All races, both sexes.....	1,726	140	141	140	134	145	148	129	147	163	142	140	157
Male.....	1,115	90	88	93	88	99	91	78	104	99	90	95	100
Female.....	611	50	53	47	46	46	57	51	43	64	52	45	57
White, both sexes.....	1,492	114	123	118	116	125	133	114	123	136	124	128	138
Male.....	950	72	75	78	73	81	84	70	84	84	77	84	88
Female.....	542	42	48	40	43	44	49	44	39	52	47	44	50
Black, both sexes.....	192	21	13	18	15	17	11	14	21	24	13	10	15
Male.....	140	17	10	12	13	15	6	7	18	13	10	9	10
Female.....	52	4	3	6	2	2	5	7	3	11	3	1	5
American Indian 1/, both sexes.....	6	1	-	1	-	-	1	-	-	1	1	1	-
Male.....	4	1	-	1	-	-	-	-	-	1	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	36	4	5	3	3	3	3	1	3	2	4	1	4
Male.....	21	-	3	2	2	3	1	1	2	1	3	1	2
Female.....	15	4	2	1	1	-	2	-	1	1	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Palate, unspecified (C05.9)													
All races, both sexes.....	67	9	5	3	10	8	5	6	6	3	7	1	4
Male.....	39	6	2	2	5	3	4	5	4	-	4	1	3
Female.....	28	3	3	1	5	5	1	1	2	3	3	-	1
White, both sexes.....	51	8	4	3	8	6	4	4	6	3	1	-	4
Male.....	28	6	1	2	3	2	3	3	4	-	1	-	3
Female.....	23	2	3	1	5	4	1	1	2	3	-	-	1
Black, both sexes.....	16	1	1	-	2	2	1	2	-	-	6	1	-
Male.....	11	-	1	-	2	1	1	2	-	-	3	1	-
Female.....	5	1	-	-	-	1	-	-	-	-	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and unspecified parts of mouth (C06)													
All races, both sexes.....	925	69	77	83	73	68	81	79	77	83	72	84	79
Male.....	486	39	38	44	38	31	45	45	38	35	41	48	44
Female.....	439	30	39	39	35	37	36	34	39	48	31	36	35
White, both sexes.....	805	58	64	70	62	60	76	70	73	70	64	71	67
Male.....	402	29	28	36	32	28	42	36	35	26	34	39	37
Female.....	403	29	36	34	30	32	34	34	38	44	30	32	30
Black, both sexes.....	101	7	11	11	10	6	5	8	4	9	8	11	11
Male.....	73	7	8	7	6	3	3	8	3	8	7	7	6
Female.....	28	-	3	4	4	3	2	-	1	1	1	4	5
American Indian 1/, both sexes.....	5	1	1	2	-	-	-	-	-	1	-	-	-
Male.....	3	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	3	1	-	1	2	-	1	-	3	-	2	1
Male.....	8	2	1	-	-	-	-	1	-	1	-	2	1
Female.....	6	1	-	-	1	2	-	-	-	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Major salivary gland, unspecified (C08.9)													
All races, both sexes.....	129	16	12	8	13	8	12	8	11	10	9	13	9
Male.....	77	14	4	5	8	7	5	5	5	7	7	7	3
Female.....	52	2	8	3	5	1	7	3	6	3	2	6	6
White, both sexes.....	115	16	10	7	11	7	12	7	8	10	8	11	8
Male.....	71	14	4	5	6	6	5	5	4	7	6	6	3
Female.....	44	2	6	2	5	1	7	2	4	3	2	5	5
Black, both sexes.....	12	-	2	1	2	1	-	-	3	-	1	1	1
Male.....	5	-	-	-	2	1	-	-	1	-	1	-	-
Female.....	7	-	2	1	-	-	-	-	2	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of tonsil (C09)													
All races, both sexes.....	592	58	39	51	50	63	49	39	40	46	62	43	52
Male.....	458	44	29	41	39	40	41	32	33	38	44	33	44
Female.....	134	14	10	10	11	23	8	7	7	8	18	10	8
White, both sexes.....	487	46	33	40	39	51	41	33	34	39	51	39	41
Male.....	371	34	24	32	31	32	33	28	28	32	33	29	35
Female.....	116	12	9	8	8	19	8	5	6	7	18	10	6
Black, both sexes.....	89	10	6	9	9	11	7	4	5	7	9	4	8
Male.....	77	9	5	7	6	7	7	4	5	6	9	4	8
Female.....	12	1	1	2	3	4	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	-	1	-	-	-	-	-	-	1
Male.....	3	-	-	1	-	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	2	-	1	2	-	1	2	1	-	2	-	2
Male.....	7	1	-	1	2	-	1	-	-	-	2	-	-
Female.....	6	1	-	-	-	-	-	2	1	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Oropharynx, unspecified (C10.9)													
All races, both sexes.....	654	60	43	58	51	46	60	58	54	54	50	60	60
Male.....	461	48	30	42	30	32	38	42	40	42	42	40	35
Female.....	193	12	13	16	21	14	22	16	14	12	8	20	25
White, both sexes.....	527	50	37	43	42	39	42	47	45	45	38	54	45
Male.....	374	39	28	30	25	27	24	35	34	35	34	37	26
Female.....	153	11	9	13	17	12	18	12	11	10	4	17	19
Black, both sexes.....	117	9	4	15	9	7	16	11	9	8	11	6	12
Male.....	80	8	1	12	5	5	12	7	6	6	7	3	8
Female.....	37	1	3	3	4	2	4	4	3	2	4	3	4
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	2	-	-	-	1	-	-	1	1	-	2
Male.....	5	1	1	-	-	-	1	-	-	1	1	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	-	2
Malignant neoplasm of nasopharynx (C11)													
All races, both sexes.....	637	63	51	41	45	59	40	55	54	49	62	71	47
Male.....	432	39	36	30	31	40	26	37	41	32	39	51	30
Female.....	205	24	15	11	14	19	14	18	13	17	23	20	17
White, both sexes.....	437	48	34	30	25	46	26	36	35	32	45	51	29
Male.....	288	30	22	22	17	29	17	25	25	21	27	37	16
Female.....	149	18	12	8	8	17	9	11	10	11	18	14	13
Black, both sexes.....	114	8	10	7	13	8	9	7	12	10	9	10	11
Male.....	80	5	8	4	9	7	7	5	10	5	6	6	8
Female.....	34	3	2	3	4	1	2	2	2	5	3	4	3
American Indian 1/, both sexes.....	4	-	-	-	1	-	1	1	-	-	-	1	-
Male.....	3	-	-	-	1	-	-	1	-	-	-	1	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	82	7	7	4	6	5	4	11	7	7	8	9	7
Male.....	61	4	6	4	4	4	2	6	6	6	6	7	6
Female.....	21	3	1	-	2	1	2	5	1	1	2	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypopharynx, unspecified (C13.9)													
All races, both sexes.....	240	19	15	24	29	17	25	24	23	15	17	23	9
Male.....	192	13	13	21	25	15	21	17	18	10	15	19	5
Female.....	48	6	2	3	4	2	4	7	5	5	2	4	4
White, both sexes.....	179	14	13	17	24	13	16	16	15	14	12	17	8
Male.....	139	9	11	15	20	11	13	11	11	10	11	13	4
Female.....	40	5	2	2	4	2	3	5	4	4	1	4	4
Black, both sexes.....	54	5	2	5	5	3	8	8	7	1	4	5	1
Male.....	47	4	2	4	5	3	7	6	6	-	4	5	1
Female.....	7	1	-	1	-	-	1	2	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	2	-	-	1	-	1	-	1	1	-
Male.....	5	-	-	2	-	-	1	-	1	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx (C14)													
All races, both sexes.....	1,629	129	131	139	117	124	136	147	129	150	151	131	145
Male.....	1,206	95	96	98	91	90	105	116	94	107	105	98	111
Female.....	423	34	35	41	26	34	31	31	35	43	46	33	34
White, both sexes.....	1,261	109	100	105	83	96	106	121	99	114	110	96	122
Male.....	911	79	69	69	62	71	81	95	71	79	75	70	90
Female.....	350	30	31	36	21	25	25	26	28	35	35	26	32
Black, both sexes.....	340	19	30	31	28	27	27	23	29	35	35	34	22
Male.....	270	15	26	26	23	19	22	18	22	27	25	27	20
Female.....	70	4	4	5	5	8	5	5	7	8	10	7	2
American Indian 1/, both sexes.....	12	1	-	2	2	-	2	2	-	-	3	-	-
Male.....	11	1	-	2	2	-	1	2	-	-	3	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	1	1	4	1	1	1	1	1	3	1	1
Male.....	14	-	1	1	4	-	1	1	1	1	2	1	1
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pharynx, unspecified (C14.0)													
All races, both sexes.....	1,629	129	131	139	117	124	136	147	129	150	151	131	145
Male.....	1,206	95	96	98	91	90	105	116	94	107	105	98	111
Female.....	423	34	35	41	26	34	31	31	35	43	46	33	34
White, both sexes.....	1,261	109	100	105	83	96	106	121	99	114	110	96	122
Male.....	911	79	69	69	62	71	81	95	71	79	75	70	90
Female.....	350	30	31	36	21	25	25	26	28	35	35	26	32
Black, both sexes.....	340	19	30	31	28	27	27	23	29	35	35	34	22
Male.....	270	15	26	26	23	19	22	18	22	27	25	27	20
Female.....	70	4	4	5	5	8	5	5	7	8	10	7	2
American Indian 1/, both sexes.....	12	1	-	2	2	-	2	2	-	-	3	-	-
Male.....	11	1	-	2	2	-	1	2	-	-	3	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	1	1	4	1	1	1	1	1	3	1	1
Male.....	14	-	1	1	4	-	1	1	1	1	2	1	1
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Malignant neoplasm of esophagus (C15)													
All races, both sexes.....	13,023	1,108	1,071	1,087	1,046	1,005	1,064	1,111	1,115	1,125	1,108	1,066	1,117
Male.....	10,081	843	836	848	818	787	828	862	875	882	829	833	840
Female.....	2,942	265	235	239	228	218	236	249	240	243	279	233	277
White, both sexes.....	11,251	944	935	954	908	862	930	949	956	963	966	926	958
Male.....	8,831	721	742	764	718	688	738	745	765	755	739	726	730
Female.....	2,420	223	193	190	190	174	192	204	191	208	227	200	228
Black, both sexes.....	1,527	148	120	118	118	120	112	136	133	140	123	116	143
Male.....	1,060	108	82	75	85	81	74	97	87	108	77	87	99
Female.....	467	40	38	43	33	39	38	39	46	32	46	29	44
American Indian 1/, both sexes.....	58	3	6	3	6	7	3	7	8	3	3	8	1
Male.....	45	3	5	2	3	4	2	6	8	2	2	7	1
Female.....	13	-	1	1	3	3	1	1	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	187	13	10	12	14	16	19	19	18	19	16	16	15
Male.....	145	11	7	7	12	14	14	14	15	17	11	13	10
Female.....	42	2	3	5	2	2	5	5	3	2	5	3	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Esophagus, unspecified (C15.9)													
All races, both sexes.....	12,939	1,103	1,063	1,080	1,037	1,000	1,055	1,103	1,108	1,120	1,099	1,063	1,108
Male.....	10,010	838	832	841	810	783	820	855	869	877	822	830	833
Female.....	2,929	265	231	239	227	217	235	248	239	243	277	233	275
White, both sexes.....	11,168	939	927	947	899	857	921	942	949	958	957	923	949
Male.....	8,761	716	738	757	710	684	730	739	759	750	732	723	723
Female.....	2,407	223	189	190	189	173	191	203	190	208	225	200	226
Black, both sexes.....	1,526	148	120	118	118	120	112	135	133	140	123	116	143
Male.....	1,059	108	82	75	85	81	74	96	87	108	77	87	99
Female.....	467	40	38	43	33	39	38	39	46	32	46	29	44
American Indian 1/, both sexes.....	58	3	6	3	6	7	3	7	8	3	3	8	1
Male.....	45	3	5	2	3	4	2	6	8	2	2	7	1
Female.....	13	-	1	1	3	3	1	1	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	187	13	10	12	14	16	19	19	18	19	16	16	15
Male.....	145	11	7	7	12	14	14	14	15	17	11	13	10
Female.....	42	2	3	5	2	2	5	5	3	2	5	3	5
Malignant neoplasm of stomach (C16)													
All races, both sexes.....	11,859	1,027	957	1,055	940	1,026	953	1,025	982	904	1,012	927	1,051
Male.....	6,958	599	538	625	570	595	573	585	558	525	599	561	630
Female.....	4,901	428	419	430	370	431	380	440	424	379	413	366	421
White, both sexes.....	9,067	791	758	833	700	783	688	777	762	688	787	717	783
Male.....	5,332	462	436	501	418	459	420	432	432	403	468	439	462
Female.....	3,735	329	322	332	282	324	268	345	330	285	319	278	321
Black, both sexes.....	2,034	169	147	150	180	174	193	188	161	155	168	156	193
Male.....	1,191	98	71	83	117	94	116	116	93	93	95	93	122
Female.....	843	71	76	67	63	80	77	72	68	62	73	63	71
American Indian 1/, both sexes.....	78	7	4	5	9	9	5	4	11	4	5	2	13
Male.....	46	4	1	3	7	5	4	2	7	2	3	1	7
Female.....	32	3	3	2	2	4	1	2	4	2	2	1	6
Asian or Pacific Islander 2/, both sexes.....	680	60	48	67	51	60	67	56	48	57	52	52	62
Male.....	389	35	30	38	28	37	33	35	26	27	33	28	39
Female.....	291	25	18	29	23	23	34	21	22	30	19	24	23

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of stomach (C16.8)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach, unspecified (C16.9)													
All races, both sexes.....	11,216	974	898	1,003	893	970	909	967	926	867	952	864	993
Male.....	6,438	554	489	584	530	551	539	539	516	494	551	509	582
Female.....	4,778	420	409	419	363	419	370	428	410	373	401	355	411
White, both sexes.....	8,466	742	700	785	656	734	646	722	707	653	734	658	729
Male.....	4,846	420	388	463	379	421	388	389	391	374	424	391	418
Female.....	3,620	322	312	322	277	313	258	333	316	279	310	267	311
Black, both sexes.....	2,003	165	146	148	177	169	192	185	160	154	162	153	192
Male.....	1,168	95	70	82	116	90	115	113	92	92	92	90	121
Female.....	835	70	76	66	61	79	77	72	68	62	70	63	71
American Indian 1/, both sexes.....	76	7	4	5	9	8	5	4	11	3	5	2	13
Male.....	44	4	1	3	7	4	4	2	7	1	3	1	7
Female.....	32	3	3	2	2	4	1	2	4	2	2	1	6
Asian or Pacific Islander 2/, both sexes.....	671	60	48	65	51	59	66	56	48	57	51	51	59
Male.....	380	35	30	36	28	36	32	35	26	27	32	27	36
Female.....	291	25	18	29	23	23	34	21	22	30	19	24	23

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of small intestine (C17)													
All races, both sexes.....	1,115	91	82	94	104	90	99	101	100	86	97	87	84
Male.....	592	45	42	55	59	42	56	58	51	35	52	46	51
Female.....	523	46	40	39	45	48	43	43	49	51	45	41	33
White, both sexes.....	908	77	68	79	83	76	79	79	84	68	79	70	66
Male.....	487	38	35	48	52	33	46	45	43	27	43	35	42
Female.....	421	39	33	31	31	43	33	34	41	41	36	35	24
Black, both sexes.....	175	12	12	12	19	11	14	21	15	15	15	14	15
Male.....	85	5	6	5	6	7	6	13	8	7	7	8	7
Female.....	90	7	6	7	13	4	8	8	7	8	8	6	8
American Indian 1/, both sexes.....	7	-	1	2	-	-	1	-	1	1	-	-	1
Male.....	4	-	1	1	-	-	-	-	-	1	-	-	1
Female.....	3	-	-	1	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	2	1	1	2	3	5	1	-	2	3	3	2
Male.....	16	2	-	1	1	2	4	-	-	2	3	3	1
Female.....	9	-	1	-	1	1	1	1	-	2	1	-	1
Duodenum (C17.0)													
All races, both sexes.....	545	42	32	43	48	45	52	51	58	30	54	48	42
Male.....	308	26	19	26	31	24	30	26	30	13	26	26	31
Female.....	237	16	13	17	17	21	22	25	28	17	28	22	11
White, both sexes.....	445	36	25	37	38	37	38	41	53	25	46	38	31
Male.....	252	22	15	23	28	19	22	22	28	10	22	19	22
Female.....	193	14	10	14	10	18	16	19	25	15	24	19	9
Black, both sexes.....	82	5	5	6	8	7	8	10	5	4	6	9	9
Male.....	44	3	3	3	2	4	4	4	2	3	3	6	7
Female.....	38	2	2	3	6	3	4	6	3	1	3	3	2
American Indian 1/, both sexes.....	3	-	1	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	1	-	2	1	5	-	-	1	2	1	1
Male.....	10	1	-	-	1	1	4	-	-	-	1	1	1
Female.....	5	-	1	-	1	-	1	-	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Small intestine, unspecified (C17.9)													
All races, both sexes.....	487	46	44	46	45	38	32	45	36	51	35	36	33
Male.....	242	18	19	28	26	15	19	28	19	18	20	17	15
Female.....	245	28	25	18	19	23	13	17	17	33	15	19	18
White, both sexes.....	394	38	38	38	35	34	28	35	26	39	26	30	27
Male.....	202	15	17	24	22	13	17	21	14	14	16	14	15
Female.....	192	23	21	14	13	21	11	14	12	25	10	16	12
Black, both sexes.....	83	7	6	6	10	3	4	9	9	11	8	5	5
Male.....	35	2	2	2	4	2	2	7	5	4	3	2	-
Female.....	48	5	4	4	6	1	2	2	4	7	5	3	5
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	1	-	1	-	1	-	1	1	1	1
Male.....	4	1	-	1	-	-	-	-	-	-	1	1	-
Female.....	4	-	-	-	-	1	-	1	-	1	-	-	1
Malignant neoplasm of colon (C18)													
All races, both sexes.....	44,591	4,044	3,682	3,933	3,760	3,648	3,626	3,587	3,717	3,596	3,659	3,569	3,770
Male.....	21,883	1,996	1,810	1,921	1,796	1,825	1,830	1,727	1,821	1,743	1,800	1,751	1,863
Female.....	22,708	2,048	1,872	2,012	1,964	1,823	1,796	1,860	1,896	1,853	1,859	1,818	1,907
White, both sexes.....	37,866	3,441	3,136	3,334	3,167	3,108	3,094	3,085	3,145	3,023	3,087	3,085	3,161
Male.....	18,657	1,705	1,562	1,627	1,524	1,555	1,556	1,483	1,557	1,458	1,538	1,519	1,573
Female.....	19,209	1,736	1,574	1,707	1,643	1,553	1,538	1,602	1,588	1,565	1,549	1,566	1,588
Black, both sexes.....	5,668	505	459	517	505	468	451	413	476	475	477	408	514
Male.....	2,677	241	194	249	231	231	228	197	220	238	211	196	241
Female.....	2,991	264	265	268	274	237	223	216	256	237	266	212	273
American Indian 1/, both sexes.....	187	18	18	16	10	16	10	15	14	16	23	14	17
Male.....	106	11	12	13	6	11	5	10	7	6	13	6	6
Female.....	81	7	6	3	4	5	5	5	7	10	10	8	11
Asian or Pacific Islander 2/, both sexes.....	870	80	69	66	78	56	71	74	82	82	72	62	78
Male.....	443	39	42	32	35	28	41	37	37	41	38	30	43
Female.....	427	41	27	34	43	28	30	37	45	41	34	32	35

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cecum (C18.0)													
All races, both sexes.....	337	26	24	24	34	32	24	27	39	30	25	20	32
Male.....	126	9	10	10	14	13	12	11	16	6	7	9	9
Female.....	211	17	14	14	20	19	12	16	23	24	18	11	23
White, both sexes.....	301	23	22	22	29	25	23	26	36	26	24	16	29
Male.....	114	9	8	9	11	12	11	11	14	5	7	8	9
Female.....	187	14	14	13	18	13	12	15	22	21	17	8	20
Black, both sexes.....	32	2	1	2	5	7	1	1	3	4	1	4	1
Male.....	11	-	1	1	3	1	1	-	2	1	-	1	-
Female.....	21	2	-	1	2	6	-	1	1	3	1	3	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	1	1	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Appendix (C18.1)													
All races, both sexes.....	298	21	25	28	22	37	21	26	23	27	21	24	23
Male.....	120	11	7	12	10	12	8	9	11	11	8	10	11
Female.....	178	10	18	16	12	25	13	17	12	16	13	14	12
White, both sexes.....	266	21	23	26	19	32	18	23	21	23	17	24	19
Male.....	111	11	7	12	8	12	7	8	9	11	7	10	9
Female.....	155	10	16	14	11	20	11	15	12	12	10	14	10
Black, both sexes.....	28	-	2	2	2	4	2	3	2	3	4	-	4
Male.....	9	-	-	-	2	-	1	1	2	-	1	-	2
Female.....	19	-	2	2	-	4	1	2	-	3	3	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	1	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	1	1	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Descending colon (C18.6)													
All races, both sexes.....	72	9	5	4	6	7	5	4	5	7	6	6	8
Male.....	38	5	2	1	3	4	4	2	5	5	-	1	6
Female.....	34	4	3	3	3	3	1	2	-	2	6	5	2
White, both sexes.....	51	8	2	2	4	4	3	4	4	6	4	6	4
Male.....	29	5	2	-	3	3	2	2	4	4	-	1	3
Female.....	22	3	-	2	1	1	1	2	-	2	4	5	1
Black, both sexes.....	12	-	2	2	1	2	2	-	1	-	1	-	1
Male.....	5	-	-	1	-	-	2	-	1	-	-	-	1
Female.....	7	-	2	1	1	2	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	-	-	1	-	-	-	1	1	-	3
Male.....	4	-	-	-	-	1	-	-	-	1	-	-	2
Female.....	4	1	1	-	-	-	-	-	-	-	1	-	1
Sigmoid colon (C18.7)													
All races, both sexes.....	379	33	33	32	28	40	27	28	33	35	41	27	22
Male.....	199	19	15	18	18	20	13	16	16	17	23	14	10
Female.....	180	14	18	14	10	20	14	12	17	18	18	13	12
White, both sexes.....	328	26	29	29	22	34	23	25	31	34	34	22	19
Male.....	170	14	13	17	16	17	11	15	15	16	18	11	7
Female.....	158	12	16	12	6	17	12	10	16	18	16	11	12
Black, both sexes.....	27	1	1	2	3	5	3	3	2	-	4	2	1
Male.....	15	1	1	1	1	2	1	1	1	-	3	2	1
Female.....	12	-	-	1	2	3	2	2	1	-	1	-	-
American Indian 1/, both sexes.....	3	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	5	3	1	3	-	-	-	-	1	3	3	2
Male.....	12	4	1	-	1	-	-	-	-	1	2	1	2
Female.....	9	1	2	1	2	-	-	-	-	-	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of colon (C18.8)													
All races, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Colon, unspecified (C18.9)													
All races, both sexes.....	43,101	3,901	3,558	3,808	3,642	3,499	3,526	3,474	3,586	3,470	3,542	3,463	3,632
Male.....	21,203	1,924	1,758	1,864	1,739	1,761	1,776	1,677	1,756	1,690	1,751	1,705	1,802
Female.....	21,898	1,977	1,800	1,944	1,903	1,738	1,750	1,797	1,830	1,780	1,791	1,758	1,830
White, both sexes.....	36,575	3,314	3,027	3,222	3,071	2,983	3,006	2,983	3,029	2,914	2,986	2,992	3,048
Male.....	18,067	1,641	1,516	1,574	1,476	1,498	1,510	1,437	1,501	1,413	1,496	1,478	1,527
Female.....	18,508	1,673	1,511	1,648	1,595	1,485	1,496	1,546	1,528	1,501	1,490	1,514	1,521
Black, both sexes.....	5,530	501	450	505	491	449	441	403	462	463	466	400	499
Male.....	2,619	240	191	245	225	227	221	193	212	234	206	193	232
Female.....	2,911	261	259	260	266	222	220	210	250	229	260	207	267
American Indian 1/, both sexes.....	181	17	18	16	9	15	9	15	14	16	22	14	16
Male.....	104	11	12	13	6	10	4	10	7	6	13	6	6
Female.....	77	6	6	3	3	5	5	5	7	10	9	8	10
Asian or Pacific Islander 2/, both sexes.....	815	69	63	65	71	52	70	73	81	77	68	57	69
Male.....	413	32	39	32	32	26	41	37	36	37	36	28	37
Female.....	402	37	24	33	39	26	29	36	45	40	32	29	32

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of rectosigmoid junction (C19)													
All races, both sexes.....	2,383	215	184	203	201	196	191	212	189	164	218	185	225
Male.....	1,347	121	106	111	117	105	112	111	115	85	121	108	135
Female.....	1,036	94	78	92	84	91	79	101	74	79	97	77	90
White, both sexes.....	2,050	191	154	180	178	173	161	182	159	143	181	160	188
Male.....	1,173	110	93	99	104	94	95	101	94	72	101	96	114
Female.....	877	81	61	81	74	79	66	81	65	71	80	64	74
Black, both sexes.....	281	22	24	19	21	20	24	28	25	17	30	20	31
Male.....	147	10	8	11	12	9	12	9	18	12	16	11	19
Female.....	134	12	16	8	9	11	12	19	7	5	14	9	12
American Indian 1/, both sexes.....	7	-	1	1	-	-	-	-	1	-	-	2	2
Male.....	3	-	1	-	-	-	-	-	1	-	-	1	-
Female.....	4	-	-	1	-	-	-	-	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	45	2	5	3	2	3	6	2	4	4	7	3	4
Male.....	24	1	4	1	1	2	5	1	2	1	4	-	2
Female.....	21	1	1	2	1	1	1	1	2	3	3	3	2
Malignant neoplasm of rectum (C20)													
All races, both sexes.....	6,209	571	543	525	516	517	484	498	489	494	530	505	537
Male.....	3,460	316	295	303	299	302	285	279	270	268	274	286	283
Female.....	2,749	255	248	222	217	215	199	219	219	226	256	219	254
White, both sexes.....	5,396	501	476	460	445	447	428	425	415	426	465	433	475
Male.....	3,006	283	263	263	257	265	245	240	229	227	243	243	248
Female.....	2,390	218	213	197	188	182	183	185	186	199	222	190	227
Black, both sexes.....	630	50	47	51	54	58	39	58	59	54	50	58	52
Male.....	349	22	25	31	33	30	28	28	31	33	23	35	30
Female.....	281	28	22	20	21	28	11	30	28	21	27	23	22
American Indian 1/, both sexes.....	31	4	3	1	3	3	2	1	5	1	4	2	2
Male.....	21	3	1	1	2	3	1	1	4	1	1	1	2
Female.....	10	1	2	-	1	-	1	-	1	-	3	1	-
Asian or Pacific Islander 2/, both sexes.....	152	16	17	13	14	9	15	14	10	13	11	12	8
Male.....	84	8	6	8	7	4	11	10	6	7	7	7	3
Female.....	68	8	11	5	7	5	4	4	4	6	4	5	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of anus and anal canal (C21)													
All races, both sexes.....	589	41	53	50	57	47	35	52	57	45	48	52	52
Male.....	240	14	15	19	25	17	18	23	31	19	18	20	21
Female.....	349	27	38	31	32	30	17	29	26	26	30	32	31
White, both sexes.....	512	35	46	43	49	43	26	47	51	44	42	44	42
Male.....	202	14	11	14	19	16	14	22	27	18	15	15	17
Female.....	310	21	35	29	30	27	12	25	24	26	27	29	25
Black, both sexes.....	61	6	5	6	7	3	8	3	4	1	6	5	7
Male.....	32	-	4	4	6	1	3	1	3	1	3	3	3
Female.....	29	6	1	2	1	2	5	2	1	-	3	2	4
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	2	-	1	1	1	2	2	-	-	3	3
Male.....	5	-	-	-	-	-	1	-	1	-	-	2	1
Female.....	10	-	2	-	1	1	-	2	1	-	-	1	2
Anus, unspecified (C21.0)													
All races, both sexes.....	520	37	48	46	51	40	35	44	50	43	40	42	44
Male.....	206	12	14	17	23	13	18	19	25	17	16	16	16
Female.....	314	25	34	29	28	27	17	25	25	26	24	26	28
White, both sexes.....	454	31	42	40	44	36	26	40	45	43	36	36	35
Male.....	176	12	10	13	18	12	14	19	22	17	14	13	12
Female.....	278	19	32	27	26	24	12	21	23	26	22	23	23
Black, both sexes.....	54	6	5	5	6	3	8	2	3	-	4	5	7
Male.....	26	-	4	3	5	1	3	-	2	-	2	3	3
Female.....	28	6	1	2	1	2	5	2	1	-	2	2	4
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	1	1	1	2	2	-	-	1	2
Male.....	3	-	-	-	-	-	1	-	1	-	-	-	1
Female.....	8	-	1	-	1	1	-	2	1	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of rectum, anus, and anal canal (C21.8)													
All races, both sexes.....	29	2	2	3	2	3	-	5	2	2	3	4	1
Male.....	16	1	1	2	-	2	-	3	2	2	1	2	-
Female.....	13	1	1	1	2	1	-	2	-	-	2	2	1
White, both sexes.....	20	2	2	2	2	3	-	4	1	1	1	2	-
Male.....	9	1	1	1	-	2	-	2	1	1	-	-	-
Female.....	11	1	1	1	2	1	-	2	-	-	1	2	-
Black, both sexes.....	6	-	-	1	-	-	-	1	1	1	2	-	-
Male.....	5	-	-	1	-	-	-	1	1	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	2	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasm of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	15,321	1,236	1,190	1,274	1,246	1,267	1,221	1,342	1,340	1,297	1,324	1,278	1,306
Male.....	9,832	801	742	802	797	820	785	879	876	831	831	827	841
Female.....	5,489	435	448	472	449	447	436	463	464	466	493	451	465
White, both sexes.....	12,111	985	935	1,010	991	981	965	1,068	1,084	1,043	1,039	1,005	1,005
Male.....	7,694	630	573	619	632	639	623	686	691	667	648	646	640
Female.....	4,417	355	362	391	359	342	342	382	393	376	391	359	365
Black, both sexes.....	2,014	159	145	160	161	171	165	185	162	176	176	173	181
Male.....	1,349	109	100	116	106	109	100	132	116	110	116	114	121
Female.....	665	50	45	44	55	62	65	53	46	66	60	59	60
American Indian 1/, both sexes.....	143	11	15	12	16	14	15	10	7	8	14	7	14
Male.....	77	5	8	6	8	9	8	5	5	5	7	3	8
Female.....	66	6	7	6	8	5	7	5	2	3	7	4	6
Asian or Pacific Islander 2/, both sexes.....	1,053	81	95	92	78	101	76	79	87	70	95	93	106
Male.....	712	57	61	61	51	63	54	56	64	49	60	64	72
Female.....	341	24	34	31	27	38	22	23	23	21	35	29	34

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Liver cell carcinoma (C22.0)													
All races, both sexes.....	6,254	503	477	538	509	518	513	547	536	538	534	504	537
Male.....	4,755	396	349	391	397	405	389	418	413	401	408	386	402
Female.....	1,499	107	128	147	112	113	124	129	123	137	126	118	135
White, both sexes.....	4,690	367	345	402	394	380	403	414	408	409	394	376	398
Male.....	3,577	286	245	291	308	305	308	314	312	303	308	296	301
Female.....	1,113	81	100	111	86	75	95	100	96	106	86	80	97
Black, both sexes.....	938	75	70	80	70	82	68	90	78	82	84	76	83
Male.....	730	65	56	62	54	60	50	75	63	63	64	57	61
Female.....	208	10	14	18	16	22	18	15	15	19	20	19	22
American Indian 1/, both sexes.....	60	8	10	3	4	7	3	6	2	4	8	3	2
Male.....	36	5	7	2	1	4	2	3	2	3	5	1	1
Female.....	24	3	3	1	3	3	1	3	-	1	3	2	1
Asian or Pacific Islander 2/, both sexes.....	566	53	52	53	41	49	39	37	48	43	48	49	54
Male.....	412	40	41	36	34	36	29	26	36	32	31	32	39
Female.....	154	13	11	17	7	13	10	11	12	11	17	17	15
Intrahepatic bile duct carcinoma (C22.1)													
All races, both sexes.....	3,490	301	295	273	278	297	263	302	300	304	313	284	280
Male.....	1,707	156	137	129	125	138	132	154	153	158	144	135	146
Female.....	1,783	145	158	144	153	159	131	148	147	146	169	149	134
White, both sexes.....	3,028	269	247	243	241	259	214	262	270	266	273	245	239
Male.....	1,500	141	117	112	111	124	106	132	139	144	127	118	129
Female.....	1,528	128	130	131	130	135	108	130	131	122	146	127	110
Black, both sexes.....	277	22	24	17	21	21	31	25	17	24	25	26	24
Male.....	123	11	13	7	9	9	16	14	6	9	9	10	10
Female.....	154	11	11	10	12	12	15	11	11	15	16	16	14
American Indian 1/, both sexes.....	27	2	2	2	4	1	3	2	2	2	1	2	4
Male.....	8	-	-	2	1	-	1	1	-	1	1	-	1
Female.....	19	2	2	-	3	1	2	1	2	1	-	2	3
Asian or Pacific Islander 2/, both sexes.....	158	8	22	11	12	16	15	13	11	12	14	11	13
Male.....	76	4	7	8	4	5	9	7	8	4	7	7	6
Female.....	82	4	15	3	8	11	6	6	3	8	7	4	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Liver, unspecified (C22.9)													
All races, both sexes.....	5,530	427	415	461	455	447	442	489	499	452	473	486	484
Male.....	3,343	247	253	280	273	274	262	304	308	271	277	303	291
Female.....	2,187	180	162	181	182	173	180	185	191	181	196	183	193
White, both sexes.....	4,351	345	340	363	353	337	345	388	402	366	368	381	363
Male.....	2,592	201	208	214	211	207	207	237	239	219	211	230	208
Female.....	1,759	144	132	149	142	130	138	151	163	147	157	151	155
Black, both sexes.....	797	62	51	63	69	68	66	70	67	69	67	71	74
Male.....	496	33	31	47	43	40	34	43	47	38	43	47	50
Female.....	301	29	20	16	26	28	32	27	20	31	24	24	24
American Indian 1/, both sexes.....	56	1	3	7	8	6	9	2	3	2	5	2	8
Male.....	33	-	1	2	6	5	5	1	3	1	1	2	6
Female.....	23	1	2	5	2	1	4	1	-	1	4	-	2
Asian or Pacific Islander 2/, both sexes.....	326	19	21	28	25	36	22	29	27	15	33	32	39
Male.....	222	13	13	17	13	22	16	23	19	13	22	24	27
Female.....	104	6	8	11	12	14	6	6	8	2	11	8	12
Malignant neoplasm of gallbladder (C23)													
All races, both sexes.....	1,936	158	159	171	156	159	178	156	187	157	157	145	153
Male.....	595	42	42	49	47	48	63	50	62	47	52	44	49
Female.....	1,341	116	117	122	109	111	115	106	125	110	105	101	104
White, both sexes.....	1,599	122	136	143	139	129	147	126	143	132	129	121	132
Male.....	490	29	37	41	41	37	54	42	47	41	41	38	42
Female.....	1,109	93	99	102	98	92	93	84	96	91	88	83	90
Black, both sexes.....	226	19	18	18	9	16	18	23	32	20	23	16	14
Male.....	64	7	3	5	2	5	3	7	10	5	8	4	5
Female.....	162	12	15	13	7	11	15	16	22	15	15	12	9
American Indian 1/, both sexes.....	22	5	-	-	-	1	3	2	4	1	3	2	1
Male.....	9	3	-	-	-	2	-	-	1	-	2	1	-
Female.....	13	2	-	-	-	1	1	2	3	1	1	1	1
Asian or Pacific Islander 2/, both sexes.....	89	12	5	10	8	13	10	5	8	4	2	6	6
Male.....	32	3	2	3	4	6	4	1	4	1	1	1	2
Female.....	57	9	3	7	4	7	6	4	4	3	1	5	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and unspecified parts of biliary tract (C24)													
All races, both sexes.....	1,461	144	128	115	133	134	100	122	102	110	126	116	131
Male.....	690	65	62	53	61	64	44	54	58	46	63	58	62
Female.....	771	79	66	62	72	70	56	68	44	64	63	58	69
White, both sexes.....	1,318	130	115	104	126	119	91	108	95	98	112	105	115
Male.....	627	58	58	48	58	61	38	50	55	39	55	51	56
Female.....	691	72	57	56	68	58	53	58	40	59	57	54	59
Black, both sexes.....	88	9	8	4	5	8	4	11	4	8	11	7	9
Male.....	32	4	1	2	2	-	3	3	3	4	6	4	-
Female.....	56	5	7	2	3	8	1	8	1	4	5	3	9
American Indian 1/, both sexes.....	10	-	-	2	-	1	1	1	-	-	1	2	2
Male.....	4	-	-	1	-	-	-	-	-	-	1	1	1
Female.....	6	-	-	1	-	1	1	1	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	45	5	5	5	2	6	4	2	3	4	2	2	5
Male.....	27	3	3	2	1	3	3	1	-	3	1	2	5
Female.....	18	2	2	3	1	3	1	1	3	1	1	-	-
Extrahepatic bile duct (C24.0)													
All races, both sexes.....	696	66	56	60	54	72	45	54	58	52	66	57	56
Male.....	336	29	33	32	25	35	19	25	33	22	31	30	22
Female.....	360	37	23	28	29	37	26	29	25	30	35	27	34
White, both sexes.....	635	59	51	53	48	65	41	49	54	47	62	54	52
Male.....	311	27	31	29	23	32	17	25	31	18	28	28	22
Female.....	324	32	20	24	25	33	24	24	23	29	34	26	30
Black, both sexes.....	37	5	3	3	4	3	-	5	3	4	3	-	4
Male.....	12	2	1	1	1	-	-	-	2	3	2	-	-
Female.....	25	3	2	2	3	3	-	5	1	1	1	-	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	21	2	2	4	2	4	3	-	1	1	1	1	-
Male.....	12	-	1	2	1	3	2	-	-	1	1	1	-
Female.....	9	2	1	2	1	1	1	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ampulla of Vater (C24.1)													
All races, both sexes.....	192	20	17	14	16	20	13	18	4	12	17	21	20
Male.....	103	11	10	7	9	7	9	8	2	5	11	11	13
Female.....	89	9	7	7	7	13	4	10	2	7	6	10	7
White, both sexes.....	166	18	13	12	16	17	12	16	3	9	14	18	18
Male.....	88	9	8	5	9	7	8	6	1	4	9	9	13
Female.....	78	9	5	7	7	10	4	10	2	5	5	9	5
Black, both sexes.....	18	-	2	1	-	3	1	1	1	3	2	2	2
Male.....	8	-	-	1	-	-	1	1	1	1	2	1	-
Female.....	10	-	2	-	-	3	-	-	-	2	-	1	2
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	2	-	-	-	-	1	-	-	1	1	-
Male.....	6	2	2	-	-	-	-	1	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Biliary tract, unspecified (C24.9)													
All races, both sexes.....	573	58	55	41	63	42	42	50	40	46	43	38	55
Male.....	251	25	19	14	27	22	16	21	23	19	21	17	27
Female.....	322	33	36	27	36	20	26	29	17	27	22	21	28
White, both sexes.....	517	53	51	39	62	37	38	43	38	42	36	33	45
Male.....	228	22	19	14	26	22	13	19	23	17	18	14	21
Female.....	289	31	32	25	36	15	25	24	15	25	18	19	24
Black, both sexes.....	33	4	3	-	1	2	3	5	-	1	6	5	3
Male.....	12	2	-	-	1	-	2	2	-	-	2	3	-
Female.....	21	2	3	-	-	2	1	3	-	1	4	2	3
American Indian 1/, both sexes.....	6	-	-	1	-	1	-	1	-	-	1	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	4	-	-	1	-	1	-	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	17	1	1	1	-	2	1	1	2	3	-	-	5
Male.....	9	1	-	-	-	-	1	-	-	2	-	-	5
Female.....	8	-	1	1	-	2	-	1	2	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other parts of pancreas (C25.7)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pancreas, unspecified (C25.9)													
All races, both sexes.....	31,507	2,823	2,474	2,673	2,475	2,591	2,546	2,609	2,671	2,636	2,704	2,572	2,733
Male.....	15,636	1,387	1,301	1,243	1,239	1,307	1,220	1,288	1,346	1,313	1,347	1,308	1,337
Female.....	15,871	1,436	1,173	1,430	1,236	1,284	1,326	1,321	1,325	1,323	1,357	1,264	1,396
White, both sexes.....	26,991	2,438	2,106	2,309	2,167	2,199	2,167	2,222	2,259	2,276	2,318	2,199	2,331
Male.....	13,488	1,216	1,123	1,084	1,092	1,128	1,040	1,100	1,132	1,127	1,164	1,127	1,155
Female.....	13,503	1,222	983	1,225	1,075	1,071	1,127	1,122	1,127	1,149	1,154	1,072	1,176
Black, both sexes.....	3,654	301	308	286	237	317	298	316	342	289	316	309	335
Male.....	1,725	131	147	124	104	148	137	151	184	147	153	149	150
Female.....	1,929	170	161	162	133	169	161	165	158	142	163	160	185
American Indian 1/, both sexes.....	137	14	8	17	12	14	13	12	10	12	11	5	9
Male.....	69	8	4	6	8	7	9	7	5	6	4	3	2
Female.....	68	6	4	11	4	7	4	5	5	6	7	2	7
Asian or Pacific Islander 2/, both sexes.....	725	70	52	61	59	61	68	59	60	59	59	59	58
Male.....	354	32	27	29	35	24	34	30	25	33	26	29	30
Female.....	371	38	25	32	24	37	34	29	35	26	33	30	28

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sphenoidal sinus (C31.3)													
All races, both sexes.....	6	-	-	-	2	1	-	-	1	-	1	1	-
Male.....	3	-	-	-	1	1	-	-	-	-	1	-	-
Female.....	3	-	-	-	1	-	-	-	1	-	-	1	-
White, both sexes.....	5	-	-	-	2	1	-	-	1	-	-	1	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	1	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accessory sinus, unspecified (C31.9)													
All races, both sexes.....	216	21	19	17	19	28	13	13	16	13	22	16	19
Male.....	122	12	7	10	13	13	7	8	11	4	12	12	13
Female.....	94	9	12	7	6	15	6	5	5	9	10	4	6
White, both sexes.....	184	19	15	16	17	22	10	12	14	12	18	13	16
Male.....	103	11	6	10	11	11	5	7	9	3	10	10	10
Female.....	81	8	9	6	6	11	5	5	5	9	8	3	6
Black, both sexes.....	26	2	3	-	2	6	3	1	-	1	2	3	3
Male.....	15	1	-	-	2	2	2	1	-	1	1	2	3
Female.....	11	1	3	-	-	4	1	-	-	-	1	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	1	-	-	-	-	-	-	2	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Laryngeal cartilage (C32.3)													
All races, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	1	-	-	1
White, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Larynx, unspecified (C32.9)													
All races, both sexes.....	3,414	317	278	293	286	283	300	262	267	247	306	266	309
Male.....	2,749	239	223	248	230	219	250	213	216	207	246	207	251
Female.....	665	78	55	45	56	64	50	49	51	40	60	59	58
White, both sexes.....	2,776	261	233	237	230	225	238	217	208	212	246	216	253
Male.....	2,219	189	183	199	186	174	197	177	168	175	199	170	202
Female.....	557	72	50	38	44	51	41	40	40	37	47	46	51
Black, both sexes.....	593	50	42	55	50	54	55	44	57	33	53	46	54
Male.....	495	45	37	48	39	42	49	35	46	30	42	35	47
Female.....	98	5	5	7	11	12	6	9	11	3	11	11	7
American Indian 1/, both sexes.....	15	3	1	1	1	-	3	1	2	-	1	1	1
Male.....	10	2	1	1	1	-	-	1	2	-	1	-	1
Female.....	5	1	-	-	-	-	3	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	30	3	2	-	5	4	4	-	-	2	6	3	1
Male.....	25	3	2	-	4	3	4	-	-	2	4	2	1
Female.....	5	-	-	-	1	1	-	-	-	-	2	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of trachea (C33)													
All races, both sexes.....	82	2	6	7	5	10	5	7	14	5	9	6	6
Male.....	52	2	5	5	2	5	3	5	6	3	7	4	5
Female.....	30	-	1	2	3	5	2	2	8	2	2	2	1
White, both sexes.....	71	2	5	7	5	9	5	4	14	4	8	5	3
Male.....	43	2	4	5	2	5	3	2	6	2	6	3	3
Female.....	28	-	1	2	3	4	2	2	8	2	2	2	-
Black, both sexes.....	9	-	1	-	-	1	-	2	-	1	1	-	3
Male.....	7	-	1	-	-	-	-	2	-	1	1	-	2
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of bronchus and lung (C34)													
All races, both sexes.....	158,009	13,810	12,579	13,682	12,723	13,304	12,792	13,166	13,034	12,833	13,502	12,987	13,597
Male.....	89,578	7,921	7,152	7,790	7,222	7,513	7,281	7,429	7,401	7,326	7,622	7,291	7,630
Female.....	68,431	5,889	5,427	5,892	5,501	5,791	5,511	5,737	5,633	5,507	5,880	5,696	5,967
White, both sexes.....	138,354	12,194	11,025	11,919	11,151	11,624	11,207	11,566	11,423	11,176	11,808	11,337	11,924
Male.....	77,687	6,914	6,234	6,692	6,278	6,490	6,343	6,452	6,440	6,298	6,618	6,308	6,620
Female.....	60,667	5,280	4,791	5,227	4,873	5,134	4,864	5,114	4,983	4,878	5,190	5,029	5,304
Black, both sexes.....	16,463	1,360	1,326	1,461	1,358	1,401	1,316	1,360	1,330	1,356	1,411	1,398	1,386
Male.....	9,988	860	781	901	822	852	774	835	794	838	833	852	846
Female.....	6,475	500	545	560	536	549	542	525	536	518	578	546	540
American Indian 1/, both sexes.....	676	51	44	79	42	58	56	49	59	58	52	60	68
Male.....	372	24	25	51	22	33	33	25	38	31	28	24	38
Female.....	304	27	19	28	20	25	23	24	21	27	24	36	30
Asian or Pacific Islander 2/, both sexes.....	2,516	205	184	223	172	221	213	191	222	243	231	192	219
Male.....	1,531	123	112	146	100	138	131	117	129	159	143	107	126
Female.....	985	82	72	77	72	83	82	74	93	84	88	85	93

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of bronchus and lung (C34.8)													
All races, both sexes.....	5	1	1	-	-	1	-	-	-	-	2	-	-
Male.....	3	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-
White, both sexes.....	5	1	1	-	-	1	-	-	-	-	2	-	-
Male.....	3	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchus or lung, unspecified (C34.9)													
All races, both sexes.....	157,103	13,728	12,505	13,601	12,648	13,211	12,720	13,096	12,970	12,749	13,440	12,899	13,536
Male.....	89,030	7,876	7,110	7,739	7,178	7,457	7,242	7,389	7,359	7,268	7,583	7,231	7,598
Female.....	68,073	5,852	5,395	5,862	5,470	5,754	5,478	5,707	5,611	5,481	5,857	5,668	5,938
White, both sexes.....	137,515	12,116	10,955	11,847	11,083	11,537	11,140	11,505	11,362	11,100	11,749	11,254	11,867
Male.....	77,185	6,871	6,193	6,647	6,239	6,440	6,308	6,415	6,400	6,246	6,581	6,253	6,592
Female.....	60,330	5,245	4,762	5,200	4,844	5,097	4,832	5,090	4,962	4,854	5,168	5,001	5,275
Black, both sexes.....	16,408	1,356	1,325	1,453	1,351	1,395	1,311	1,354	1,328	1,349	1,410	1,394	1,382
Male.....	9,950	858	781	895	817	846	770	834	793	833	833	848	842
Female.....	6,458	498	544	558	534	549	541	520	535	516	577	546	540
American Indian 1/, both sexes.....	672	51	43	79	42	58	56	48	59	58	51	59	68
Male.....	370	24	25	51	22	33	33	25	38	31	27	23	38
Female.....	302	27	18	28	20	25	23	23	21	27	24	36	30
Asian or Pacific Islander 2/, both sexes.....	2,508	205	182	222	172	221	213	189	221	242	230	192	219
Male.....	1,525	123	111	146	100	138	131	115	128	158	142	107	126
Female.....	983	82	71	76	72	83	82	74	93	84	88	85	93

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of thymus (C37)													
All races, both sexes.....	186	18	19	11	14	20	17	16	10	14	16	17	14
Male.....	104	10	3	7	8	11	11	9	6	9	11	10	9
Female.....	82	8	16	4	6	9	6	7	4	5	5	7	5
White, both sexes.....	148	15	16	9	10	16	14	14	8	9	14	13	10
Male.....	86	9	3	6	7	9	9	8	5	6	10	8	6
Female.....	62	6	13	3	3	7	5	6	3	3	4	5	4
Black, both sexes.....	28	3	3	-	3	3	2	1	2	3	2	2	4
Male.....	10	1	-	-	-	1	1	-	1	1	1	1	3
Female.....	18	2	3	-	3	2	1	1	1	2	1	1	1
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	1	1	1	1	1	-	2	-	1	-
Male.....	7	-	-	1	1	1	1	1	-	2	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasm of heart, mediastinum, and pleura (C38)													
All races, both sexes.....	250	25	31	22	15	19	15	23	20	16	18	18	28
Male.....	138	17	18	13	6	8	7	14	14	10	7	7	17
Female.....	112	8	13	9	9	11	8	9	6	6	11	11	11
White, both sexes.....	216	21	26	19	13	18	13	21	19	12	14	15	25
Male.....	122	14	16	12	5	7	7	14	13	7	6	6	15
Female.....	94	7	10	7	8	11	6	7	6	5	8	9	10
Black, both sexes.....	27	4	4	2	2	1	1	2	1	3	4	3	-
Male.....	12	3	1	-	1	1	-	-	1	3	1	1	-
Female.....	15	1	3	2	1	-	1	2	-	-	3	2	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	-	-	-	-	1	-	-	3
Male.....	3	-	1	-	-	-	-	-	-	-	-	-	2
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ill-defined sites within the respiratory system (C39.9)													
All races, both sexes.....	9	-	1	1	-	2	-	1	-	1	-	-	3
Male.....	4	-	-	-	-	-	-	1	-	1	-	-	2
Female.....	5	-	1	1	-	2	-	-	-	-	-	-	1
White, both sexes.....	5	-	1	1	-	1	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	1	-	-	-	-	-	-	3
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of bone and articular cartilage of limbs (C40)													
All races, both sexes.....	62	5	2	13	5	3	3	6	3	4	5	7	6
Male.....	37	3	1	9	4	-	2	5	3	-	3	3	4
Female.....	25	2	1	4	1	3	1	1	-	4	2	4	2
White, both sexes.....	48	3	2	8	3	3	2	5	1	3	5	7	6
Male.....	27	2	1	4	3	-	2	4	1	-	3	3	4
Female.....	21	1	1	4	-	3	-	1	-	3	2	4	2
Black, both sexes.....	13	2	-	5	2	-	-	1	2	1	-	-	-
Male.....	10	1	-	5	1	-	-	1	2	-	-	-	-
Female.....	3	1	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Scapula and long bones of upper limb (C40.0)													
All races, both sexes.....	11	1	-	2	-	1	1	2	1	1	1	1	-
Male.....	8	1	-	2	-	-	1	2	1	-	1	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	-	1	-
White, both sexes.....	10	1	-	1	-	1	1	2	1	1	1	1	-
Male.....	7	1	-	1	-	-	1	2	1	-	1	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	-	1	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Long bones of lower limb (C40.2)													
All races, both sexes.....	48	4	2	11	5	2	2	4	2	2	3	6	5
Male.....	29	2	1	7	4	-	1	3	2	-	2	3	4
Female.....	19	2	1	4	1	2	1	1	-	2	1	3	1
White, both sexes.....	36	2	2	7	3	2	1	3	-	2	3	6	5
Male.....	20	1	1	3	3	-	1	2	-	-	2	3	4
Female.....	16	1	1	4	-	2	-	1	-	2	1	3	1
Black, both sexes.....	11	2	-	4	2	-	-	1	2	-	-	-	-
Male.....	9	1	-	4	1	-	-	1	2	-	-	-	-
Female.....	2	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of bone and articular cartilage of other and unspecified sites (C41)													
All races, both sexes.....	1,239	110	100	107	108	103	104	99	93	102	103	95	115
Male.....	678	65	56	59	63	48	58	55	45	45	66	53	65
Female.....	561	45	44	48	45	55	46	44	48	57	37	42	50
White, both sexes.....	1,050	97	87	91	94	90	87	82	78	85	86	78	95
Male.....	575	57	48	52	56	44	45	49	39	37	53	43	52
Female.....	475	40	39	39	38	46	42	33	39	48	33	35	43
Black, both sexes.....	157	9	11	10	11	11	16	14	13	14	14	16	18
Male.....	83	5	6	4	5	3	12	5	6	6	10	9	12
Female.....	74	4	5	6	6	8	4	9	7	8	4	7	6
American Indian 1/, both sexes.....	10	1	-	3	2	1	-	-	1	2	-	-	-
Male.....	6	-	-	2	2	-	-	-	-	2	-	-	-
Female.....	4	1	-	1	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	3	2	3	1	1	1	3	1	1	3	1	2
Male.....	14	3	2	1	-	1	1	1	-	-	3	1	1
Female.....	8	-	-	2	1	-	-	2	1	1	-	-	1
Bones of skull and face (C41.0)													
All races, both sexes.....	38	6	6	3	5	3	-	2	1	3	2	2	5
Male.....	19	4	-	2	4	2	-	1	-	1	-	1	4
Female.....	19	2	6	1	1	1	-	1	1	2	2	1	1
White, both sexes.....	30	4	5	2	4	3	-	1	-	3	2	2	4
Male.....	15	3	-	1	4	2	-	-	-	1	-	1	3
Female.....	15	1	5	1	-	1	-	1	-	2	2	1	1
Black, both sexes.....	6	1	1	1	1	-	-	1	-	-	-	-	1
Male.....	3	-	-	1	-	-	-	1	-	-	-	-	1
Female.....	3	1	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bone and articular cartilage, unspecified (C41.9)													
All races, both sexes.....	910	72	70	77	68	79	83	78	73	75	73	71	91
Male.....	501	41	42	43	36	36	50	45	39	32	46	39	52
Female.....	409	31	28	34	32	43	33	33	34	43	27	32	39
White, both sexes.....	765	64	62	67	60	69	69	65	61	59	58	57	74
Male.....	418	36	37	39	31	32	38	41	34	24	34	31	41
Female.....	347	28	25	28	29	37	31	24	27	35	24	26	33
Black, both sexes.....	117	5	7	4	6	8	13	10	11	13	12	13	15
Male.....	66	3	4	1	4	3	11	3	5	6	9	7	10
Female.....	51	2	3	3	2	5	2	7	6	7	3	6	5
American Indian 1/, both sexes.....	9	1	-	3	1	1	-	-	1	2	-	-	-
Male.....	5	-	-	2	1	-	-	-	-	2	-	-	-
Female.....	4	1	-	1	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	2	1	3	1	1	1	3	-	1	3	1	2
Male.....	12	2	1	1	-	1	1	1	-	-	3	1	1
Female.....	7	-	-	2	1	-	-	2	-	1	-	-	1
Malignant melanoma of skin (C43)													
All races, both sexes.....	7,952	696	602	666	658	667	659	668	637	655	740	627	677
Male.....	5,125	422	388	425	423	425	435	461	418	416	455	411	446
Female.....	2,827	274	214	241	235	242	224	207	219	239	285	216	231
White, both sexes.....	7,801	682	586	647	647	655	647	660	630	641	723	617	666
Male.....	5,053	418	384	413	417	419	429	457	413	407	449	407	440
Female.....	2,748	264	202	234	230	236	218	203	217	234	274	210	226
Black, both sexes.....	119	10	13	12	8	7	12	8	7	11	13	8	10
Male.....	57	2	3	7	4	4	6	4	5	8	5	3	6
Female.....	62	8	10	5	4	3	6	4	2	3	8	5	4
American Indian 1/, both sexes.....	11	1	-	3	1	1	-	-	-	1	2	2	-
Male.....	7	1	-	3	1	1	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	-	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	21	3	3	4	2	4	-	-	-	2	2	-	1
Male.....	8	1	1	2	1	1	-	-	-	1	1	-	-
Female.....	13	2	2	2	1	3	-	-	-	1	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant melanoma of other and unspecified parts of face (C43.3)													
All races, both sexes.....	71	7	5	6	3	3	4	5	5	10	7	12	4
Male.....	52	5	3	4	1	2	4	4	4	7	5	10	3
Female.....	19	2	2	2	2	1	-	1	1	3	2	2	1
White, both sexes.....	71	7	5	6	3	3	4	5	5	10	7	12	4
Male.....	52	5	3	4	1	2	4	4	4	7	5	10	3
Female.....	19	2	2	2	2	1	-	1	1	3	2	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of scalp and neck (C43.4)													
All races, both sexes.....	94	9	9	9	3	5	8	8	7	9	8	11	8
Male.....	69	7	8	8	-	2	5	6	5	6	7	10	5
Female.....	25	2	1	1	3	3	3	2	2	3	1	1	3
White, both sexes.....	92	9	9	9	3	4	8	7	7	9	8	11	8
Male.....	69	7	8	8	-	2	5	6	5	6	7	10	5
Female.....	23	2	1	1	3	2	3	1	2	3	1	1	3
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant melanoma of lower limb, including hip (C43.7)													
All races, both sexes.....	132	16	5	9	14	13	11	8	13	10	12	7	14
Male.....	43	4	3	2	7	5	1	2	5	2	2	4	6
Female.....	89	12	2	7	7	8	10	6	8	8	10	3	8
White, both sexes.....	127	16	5	8	12	13	11	7	13	10	12	7	13
Male.....	40	4	3	2	5	5	1	1	5	2	2	4	6
Female.....	87	12	2	6	7	8	10	6	8	8	10	3	7
Black, both sexes.....	4	-	-	1	1	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of skin, unspecified (C43.9)													
All races, both sexes.....	7,329	631	552	609	614	620	613	624	587	612	682	566	619
Male.....	4,727	381	355	390	395	395	407	431	389	391	418	363	412
Female.....	2,602	250	197	219	219	225	206	193	198	221	264	203	207
White, both sexes.....	7,185	617	536	591	605	609	601	618	580	598	665	556	609
Male.....	4,658	377	351	378	391	389	401	428	384	382	412	359	406
Female.....	2,527	240	185	213	214	220	200	190	196	216	253	197	203
Black, both sexes.....	114	10	13	11	7	7	12	6	7	11	13	8	9
Male.....	55	2	3	7	3	4	6	3	5	8	5	3	6
Female.....	59	8	10	4	4	3	6	3	2	3	8	5	3
American Indian 1/, both sexes.....	11	1	-	3	1	1	-	-	-	1	2	2	-
Male.....	7	1	-	3	1	1	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	-	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	19	3	3	4	1	3	-	-	-	2	2	-	1
Male.....	7	1	1	2	-	1	-	-	-	1	1	-	-
Female.....	12	2	2	2	1	2	-	-	-	1	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of eyelid, including canthus (C44.1)													
All races, both sexes.....	6	1	1	2	-	-	-	1	-	-	1	-	-
Male.....	3	-	1	1	-	-	-	-	-	-	1	-	-
Female.....	3	1	-	1	-	-	-	1	-	-	-	-	-
White, both sexes.....	6	1	1	2	-	-	-	1	-	-	1	-	-
Male.....	3	-	1	1	-	-	-	-	-	-	1	-	-
Female.....	3	1	-	1	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin of ear and external auricular canal (C44.2)													
All races, both sexes.....	85	9	9	10	6	9	3	3	6	11	5	8	6
Male.....	65	8	5	7	5	6	3	3	4	8	3	7	6
Female.....	20	1	4	3	1	3	-	-	2	3	2	1	-
White, both sexes.....	83	9	9	10	5	9	3	3	6	10	5	8	6
Male.....	64	8	5	7	4	6	3	3	4	8	3	7	6
Female.....	19	1	4	3	1	3	-	-	2	2	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of other and unspecified parts of face (C44.3)													
All races, both sexes.....	210	30	23	15	20	16	15	13	15	15	15	15	18
Male.....	119	18	14	9	12	9	7	8	7	9	11	6	9
Female.....	91	12	9	6	8	7	8	5	8	6	4	9	9
White, both sexes.....	206	29	23	15	20	15	15	12	14	15	15	15	18
Male.....	117	18	14	9	12	8	7	8	6	9	11	6	9
Female.....	89	11	9	6	8	7	8	4	8	6	4	9	9
Black, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Skin of scalp and neck (C44.4)													
All races, both sexes.....	1,011	84	70	86	92	90	80	90	91	85	93	72	78
Male.....	760	63	52	67	67	69	61	66	68	65	72	45	65
Female.....	251	21	18	19	25	21	19	24	23	20	21	27	13
White, both sexes.....	902	77	63	77	77	80	71	79	84	80	78	68	68
Male.....	669	56	47	58	54	61	54	60	61	60	59	42	57
Female.....	233	21	16	19	23	19	17	19	23	20	19	26	11
Black, both sexes.....	94	6	7	6	10	9	8	10	7	5	13	4	9
Male.....	79	6	5	6	8	7	7	6	7	5	11	3	8
Female.....	15	-	2	-	2	2	1	4	-	-	2	1	1
American Indian 1/, both sexes.....	5	-	-	2	-	-	-	1	-	-	2	-	-
Male.....	4	-	-	2	-	-	-	-	-	-	2	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	1	5	1	1	-	-	-	-	-	1
Male.....	8	1	-	1	5	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of lower limb, including hip (C44.7)													
All races, both sexes.....	39	6	4	4	2	3	1	3	2	4	1	3	6
Male.....	18	3	1	-	-	3	1	3	-	3	-	2	2
Female.....	21	3	3	4	2	-	-	-	2	1	1	1	4
White, both sexes.....	36	5	3	4	2	3	1	2	2	4	1	3	6
Male.....	17	3	1	-	-	3	1	2	-	3	-	2	2
Female.....	19	2	2	4	2	-	-	-	2	1	1	1	4
Black, both sexes.....	3	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of skin, unspecified (C44.9)													
All races, both sexes.....	921	64	65	83	75	71	76	93	61	76	82	97	78
Male.....	639	46	50	57	48	51	51	66	39	54	55	72	50
Female.....	282	18	15	26	27	20	25	27	22	22	27	25	28
White, both sexes.....	888	60	64	81	71	68	69	90	60	74	80	94	77
Male.....	619	44	49	56	46	49	47	65	38	52	53	70	50
Female.....	269	16	15	25	25	19	22	25	22	22	27	24	27
Black, both sexes.....	28	3	1	2	3	3	4	3	1	2	2	3	1
Male.....	18	2	1	1	2	2	2	1	1	2	2	2	-
Female.....	10	1	-	1	1	1	2	2	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	1	-	3	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	3	1	-	-	1	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mesothelioma of other sites (C45.7)													
All races, both sexes.....	309	22	26	28	22	27	29	29	21	26	22	31	26
Male.....	252	19	23	23	19	21	23	23	15	21	18	24	23
Female.....	57	3	3	5	3	6	6	6	6	5	4	7	3
White, both sexes.....	296	21	26	27	22	26	26	27	20	26	21	30	24
Male.....	244	18	23	22	19	21	21	22	14	21	18	23	22
Female.....	52	3	3	5	3	5	5	5	6	5	3	7	2
Black, both sexes.....	7	-	-	1	-	1	2	2	-	-	-	1	-
Male.....	5	-	-	1	-	-	2	1	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	-	-	1	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Mesothelioma, unspecified (C45.9)													
All races, both sexes.....	1,920	172	160	193	155	149	115	170	154	170	168	147	167
Male.....	1,546	131	124	159	123	111	94	138	124	136	143	124	139
Female.....	374	41	36	34	32	38	21	32	30	34	25	23	28
White, both sexes.....	1,835	166	152	186	146	143	108	163	146	166	158	139	162
Male.....	1,476	126	116	153	116	107	88	132	116	133	138	117	134
Female.....	359	40	36	33	30	36	20	31	30	33	20	22	28
Black, both sexes.....	71	5	5	6	7	6	7	6	6	3	9	6	5
Male.....	60	4	5	5	6	4	6	6	6	2	5	6	5
Female.....	11	1	-	1	1	2	1	-	-	1	4	-	-
American Indian 1/, both sexes.....	3	1	1	-	-	-	-	-	-	-	1	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	2	1	2	-	-	1	2	1	-	2	-
Male.....	8	-	2	1	1	-	-	-	2	1	-	1	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral nerves and autonomic nervous system, unspecified (C47.9)													
All races, both sexes.....	77	5	6	12	12	5	3	7	5	3	8	5	6
Male.....	44	3	3	7	9	1	1	2	2	2	4	5	5
Female.....	33	2	3	5	3	4	2	5	3	1	4	-	1
White, both sexes.....	62	5	6	11	11	2	2	6	5	2	7	2	3
Male.....	35	3	3	6	8	1	-	2	2	1	4	2	3
Female.....	27	2	3	5	3	1	2	4	3	1	3	-	-
Black, both sexes.....	13	-	-	1	1	2	1	1	-	1	-	3	3
Male.....	9	-	-	1	1	-	1	-	-	1	-	3	2
Female.....	4	-	-	-	-	2	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasm of retroperitoneum and peritoneum (C48)													
All races, both sexes.....	905	75	83	66	73	80	68	92	76	55	72	84	81
Male.....	180	16	16	11	14	17	14	18	16	7	12	21	18
Female.....	725	59	67	55	59	63	54	74	60	48	60	63	63
White, both sexes.....	822	67	75	60	67	71	65	85	72	49	62	76	73
Male.....	159	15	15	7	14	15	12	17	15	6	10	20	13
Female.....	663	52	60	53	53	56	53	68	57	43	52	56	60
Black, both sexes.....	67	6	8	5	3	7	3	5	3	5	8	6	8
Male.....	18	1	1	3	-	1	2	1	-	1	2	1	5
Female.....	49	5	7	2	3	6	1	4	3	4	6	5	3
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	2	-	1	3	1	-	1	1	1	2	2	-
Male.....	3	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	11	2	-	-	3	-	-	1	-	1	2	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peritoneum, unspecified (C48.2)													
All races, both sexes.....	639	48	60	47	57	54	48	67	53	37	54	59	55
Male.....	49	1	6	4	7	2	4	5	4	2	4	5	5
Female.....	590	47	54	43	50	52	44	62	49	35	50	54	50
White, both sexes.....	596	46	54	44	52	50	48	62	52	34	49	54	51
Male.....	45	1	6	3	7	2	4	4	4	2	4	5	3
Female.....	551	45	48	41	45	48	44	58	48	32	45	49	48
Black, both sexes.....	33	1	6	3	3	4	-	3	1	2	3	3	4
Male.....	4	-	-	1	-	-	-	1	-	-	-	-	2
Female.....	29	1	6	2	3	4	-	2	1	2	3	3	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	-	2	-	-	1	-	1	2	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	1	-	-	2	-	-	1	-	1	2	2	-
Malignant neoplasm of other connective and soft tissue (C49)													
All races, both sexes.....	3,557	262	295	315	275	308	283	304	307	298	300	295	315
Male.....	1,811	124	143	165	129	161	150	144	145	152	180	157	161
Female.....	1,746	138	152	150	146	147	133	160	162	146	120	138	154
White, both sexes.....	3,051	219	264	270	232	248	234	256	256	263	269	261	279
Male.....	1,591	105	131	148	110	136	126	121	129	135	162	141	147
Female.....	1,460	114	133	122	122	112	108	135	127	128	107	120	132
Black, both sexes.....	409	32	24	37	39	43	40	39	41	28	26	29	31
Male.....	170	14	9	12	16	19	18	17	10	13	16	14	12
Female.....	239	18	15	25	23	24	22	22	31	15	10	15	19
American Indian 1/, both sexes.....	13	-	1	-	1	4	-	2	1	1	1	-	2
Male.....	6	-	-	-	1	2	-	1	1	-	1	-	-
Female.....	7	-	1	-	-	2	-	1	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	84	11	6	8	3	13	9	7	9	6	4	5	3
Male.....	44	5	3	5	2	4	6	5	5	4	1	2	2
Female.....	40	6	3	3	1	9	3	2	4	2	3	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of lower limb, including hip (C49.2)													
All races, both sexes.....	196	22	20	15	17	15	20	18	8	17	18	13	13
Male.....	104	10	11	10	6	9	13	8	3	5	12	9	8
Female.....	92	12	9	5	11	6	7	10	5	12	6	4	5
White, both sexes.....	166	17	19	12	14	13	18	17	5	14	14	11	12
Male.....	90	8	10	9	6	9	12	8	2	3	9	7	7
Female.....	76	9	9	3	8	4	6	9	3	11	5	4	5
Black, both sexes.....	27	3	1	2	3	2	2	1	3	3	4	2	1
Male.....	12	1	1	-	-	-	1	-	1	2	3	2	1
Female.....	15	2	-	2	3	2	1	1	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue of thorax (C49.3)													
All races, both sexes.....	72	8	6	10	6	2	2	5	6	8	4	6	9
Male.....	34	4	1	5	3	1	1	3	3	6	2	2	3
Female.....	38	4	5	5	3	1	1	2	3	2	2	4	6
White, both sexes.....	63	6	5	10	6	1	1	3	6	7	4	5	9
Male.....	32	3	1	5	3	1	1	2	3	6	2	2	3
Female.....	31	3	4	5	3	-	-	1	3	1	2	3	6
Black, both sexes.....	6	2	1	-	-	-	1	1	-	1	-	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	1	1	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of abdomen (C49.4)													
All races, both sexes.....	191	18	16	11	17	13	13	14	17	17	17	14	24
Male.....	93	12	9	5	6	7	5	2	10	7	12	7	11
Female.....	98	6	7	6	11	6	8	12	7	10	5	7	13
White, both sexes.....	169	15	14	10	14	11	9	13	16	16	15	13	23
Male.....	79	11	7	4	4	5	4	2	9	6	10	6	11
Female.....	90	4	7	6	10	6	5	11	7	10	5	7	12
Black, both sexes.....	14	2	1	-	3	-	2	1	1	1	1	1	1
Male.....	7	-	1	-	2	-	-	-	1	1	1	1	-
Female.....	7	2	-	-	1	-	2	1	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	1	-	1	2	-	-	-	1	-	-
Male.....	6	1	1	1	-	1	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Connective and soft tissue of pelvis (C49.5)													
All races, both sexes.....	118	8	11	6	9	6	7	7	22	10	8	9	15
Male.....	52	3	6	4	2	3	4	4	8	3	3	4	8
Female.....	66	5	5	2	7	3	3	3	14	7	5	5	7
White, both sexes.....	101	7	9	6	7	5	7	5	17	10	8	8	12
Male.....	44	2	5	4	2	3	4	2	6	3	3	4	6
Female.....	57	5	4	2	5	2	3	3	11	7	5	4	6
Black, both sexes.....	12	1	1	-	2	-	-	2	3	-	-	-	3
Male.....	6	1	-	-	-	-	-	2	1	-	-	-	2
Female.....	6	-	1	-	2	-	-	-	2	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	1	-	-	2	-	-	1	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of trunk, unspecified (C49.6)													
All races, both sexes.....	9	1	2	-	2	-	-	-	-	2	2	-	-
Male.....	5	-	2	-	-	-	-	-	-	2	1	-	-
Female.....	4	1	-	-	2	-	-	-	-	-	1	-	-
White, both sexes.....	9	1	2	-	2	-	-	-	-	2	2	-	-
Male.....	5	-	2	-	-	-	-	-	-	2	1	-	-
Female.....	4	1	-	-	2	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue, unspecified (C49.9)													
All races, both sexes.....	2,820	193	226	255	217	264	233	249	242	233	234	237	237
Male.....	1,432	90	103	132	111	135	122	123	113	120	141	123	119
Female.....	1,388	103	123	123	106	129	111	126	129	113	93	114	118
White, both sexes.....	2,418	163	202	217	182	211	193	208	204	204	212	210	212
Male.....	1,264	77	95	117	94	113	102	103	104	107	129	112	111
Female.....	1,154	86	107	100	88	98	91	105	100	97	83	98	101
Black, both sexes.....	332	23	20	32	31	40	34	33	32	23	19	24	21
Male.....	135	11	7	12	14	18	16	14	6	10	11	9	7
Female.....	197	12	13	20	17	22	18	19	26	13	8	15	14
American Indian 1/, both sexes.....	10	-	-	-	1	2	-	2	1	1	1	-	2
Male.....	5	-	-	-	1	1	-	1	1	-	1	-	-
Female.....	5	-	-	-	-	1	-	1	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	60	7	4	6	3	11	6	6	5	5	2	3	2
Male.....	28	2	1	3	2	3	4	5	2	3	-	2	1
Female.....	32	5	3	3	1	8	2	1	3	2	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Breast, unspecified (C50.9)													
All races, both sexes.....	41,309	3,536	3,402	3,527	3,259	3,514	3,266	3,408	3,512	3,384	3,585	3,429	3,487
Male.....	360	27	32	34	23	31	27	37	24	28	30	28	39
Female.....	40,949	3,509	3,370	3,493	3,236	3,483	3,239	3,371	3,488	3,356	3,555	3,401	3,448
White, both sexes.....	34,752	3,007	2,887	2,979	2,767	2,946	2,718	2,840	2,962	2,850	2,990	2,878	2,928
Male.....	299	25	26	28	16	27	20	27	23	24	26	23	34
Female.....	34,453	2,982	2,861	2,951	2,751	2,919	2,698	2,813	2,939	2,826	2,964	2,855	2,894
Black, both sexes.....	5,597	467	436	470	411	482	468	477	454	455	523	466	488
Male.....	56	1	6	5	7	4	7	8	1	4	3	5	5
Female.....	5,541	466	430	465	404	478	461	469	453	451	520	461	483
American Indian 1/, both sexes.....	169	9	9	13	20	15	14	17	13	19	10	16	14
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	169	9	9	13	20	15	14	17	13	19	10	16	14
Asian or Pacific Islander 2/, both sexes.....	791	53	70	65	61	71	66	74	83	60	62	69	57
Male.....	5	1	-	1	-	-	-	2	-	-	1	-	-
Female.....	786	52	70	64	61	71	66	72	83	60	61	69	57
Malignant neoplasm of vulva (C51)													
All races, both sexes.....	806	74	42	63	66	71	70	71	77	74	79	63	56
Male.....
Female.....	806	74	42	63	66	71	70	71	77	74	79	63	56
White, both sexes.....	732	66	36	59	62	63	61	68	70	67	76	53	51
Male.....
Female.....	732	66	36	59	62	63	61	68	70	67	76	53	51
Black, both sexes.....	61	7	5	4	3	4	6	3	7	6	3	8	5
Male.....
Female.....	61	7	5	4	3	4	6	3	7	6	3	8	5
American Indian 1/, both sexes.....	6	-	-	-	-	1	3	-	-	1	-	1	-
Male.....
Female.....	6	-	-	-	-	1	3	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	-	1	3	-	-	-	-	-	1	-
Male.....
Female.....	7	1	1	-	1	3	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Labium majus (C51.0)													
All races, both sexes.....	11	2	-	-	-	-	-	5	2	-	-	2	-
Male.....
Female.....	11	2	-	-	-	-	-	5	2	-	-	2	-
White, both sexes.....	8	1	-	-	-	-	-	4	1	-	-	2	-
Male.....
Female.....	8	1	-	-	-	-	-	4	1	-	-	2	-
Black, both sexes.....	3	1	-	-	-	-	-	1	1	-	-	-	-
Male.....
Female.....	3	1	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Vulva, unspecified (C51.9)													
All races, both sexes.....	795	72	42	63	66	71	70	66	75	74	79	61	56
Male.....
Female.....	795	72	42	63	66	71	70	66	75	74	79	61	56
White, both sexes.....	724	65	36	59	62	63	61	64	69	67	76	51	51
Male.....
Female.....	724	65	36	59	62	63	61	64	69	67	76	51	51
Black, both sexes.....	58	6	5	4	3	4	6	2	6	6	3	8	5
Male.....
Female.....	58	6	5	4	3	4	6	2	6	6	3	8	5
American Indian 1/, both sexes.....	6	-	-	-	-	1	3	-	-	1	-	1	-
Male.....
Female.....	6	-	-	-	-	1	3	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	-	1	3	-	-	-	-	-	1	-
Male.....
Female.....	7	1	1	-	1	3	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of vagina (C52)													
All races, both sexes.....	416	48	36	31	41	28	20	42	39	33	28	41	29
Male.....
Female.....	416	48	36	31	41	28	20	42	39	33	28	41	29
White, both sexes.....	358	40	29	26	34	22	16	35	36	29	27	37	27
Male.....
Female.....	358	40	29	26	34	22	16	35	36	29	27	37	27
Black, both sexes.....	51	6	6	4	6	6	4	5	3	4	1	4	2
Male.....
Female.....	51	6	6	4	6	6	4	5	3	4	1	4	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	1	1	1	-	-	2	-	-	-	-	-
Male.....
Female.....	7	2	1	1	1	-	-	2	-	-	-	-	-
Malignant neoplasm of cervix uteri (C53)													
All races, both sexes.....	3,850	331	326	337	307	337	321	302	327	321	335	277	329
Male.....
Female.....	3,850	331	326	337	307	337	321	302	327	321	335	277	329
White, both sexes.....	2,899	258	243	257	242	254	229	234	242	244	241	211	244
Male.....
Female.....	2,899	258	243	257	242	254	229	234	242	244	241	211	244
Black, both sexes.....	789	60	64	67	60	65	76	50	70	68	85	53	71
Male.....
Female.....	789	60	64	67	60	65	76	50	70	68	85	53	71
American Indian 1/, both sexes.....	31	3	3	3	1	3	3	4	3	-	1	1	6
Male.....
Female.....	31	3	3	3	1	3	3	4	3	-	1	1	6
Asian or Pacific Islander 2/, both sexes.....	131	10	16	10	4	15	13	14	12	9	8	12	8
Male.....
Female.....	131	10	16	10	4	15	13	14	12	9	8	12	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocervix (C53.0)													
All races, both sexes.....	31	1	5	2	5	5	3	-	1	2	1	1	5
Male.....
Female.....	31	1	5	2	5	5	3	-	1	2	1	1	5
White, both sexes.....	24	1	3	1	5	4	3	-	-	2	-	1	4
Male.....
Female.....	24	1	3	1	5	4	3	-	-	2	-	1	4
Black, both sexes.....	5	-	1	1	-	1	-	-	-	-	1	-	1
Male.....
Female.....	5	-	1	1	-	1	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Cervix uteri, unspecified (C53.9)													
All races, both sexes.....	3,819	330	321	335	302	332	318	302	326	319	334	276	324
Male.....
Female.....	3,819	330	321	335	302	332	318	302	326	319	334	276	324
White, both sexes.....	2,875	257	240	256	237	250	226	234	242	242	241	210	240
Male.....
Female.....	2,875	257	240	256	237	250	226	234	242	242	241	210	240
Black, both sexes.....	784	60	63	66	60	64	76	50	70	68	84	53	70
Male.....
Female.....	784	60	63	66	60	64	76	50	70	68	84	53	70
American Indian 1/, both sexes.....	31	3	3	3	1	3	3	4	3	-	1	1	6
Male.....
Female.....	31	3	3	3	1	3	3	4	3	-	1	1	6
Asian or Pacific Islander 2/, both sexes.....	129	10	15	10	4	15	13	14	11	9	8	12	8
Male.....
Female.....	129	10	15	10	4	15	13	14	11	9	8	12	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Corpus uteri, unspecified (C54.9)													
All races, both sexes.....	41	3	2	-	6	3	5	2	5	5	5	2	3
Male.....
Female.....	41	3	2	-	6	3	5	2	5	5	5	2	3
White, both sexes.....	35	3	2	-	6	3	4	2	3	4	3	2	3
Male.....
Female.....	35	3	2	-	6	3	4	2	3	4	3	2	3
Black, both sexes.....	5	-	-	-	-	-	1	-	2	1	1	-	-
Male.....
Female.....	5	-	-	-	-	-	1	-	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasm of uterus, part unspecified (C55)													
All races, both sexes.....	3,718	323	269	305	312	322	288	309	305	296	329	306	354
Male.....
Female.....	3,718	323	269	305	312	322	288	309	305	296	329	306	354
White, both sexes.....	2,980	260	218	247	249	270	241	243	231	244	257	237	283
Male.....
Female.....	2,980	260	218	247	249	270	241	243	231	244	257	237	283
Black, both sexes.....	653	53	48	46	56	50	42	55	69	45	64	62	63
Male.....
Female.....	653	53	48	46	56	50	42	55	69	45	64	62	63
American Indian 1/, both sexes.....	12	-	-	1	-	1	-	4	2	1	1	1	1
Male.....
Female.....	12	-	-	1	-	1	-	4	2	1	1	1	1
Asian or Pacific Islander 2/, both sexes.....	73	10	3	11	7	1	5	7	3	6	7	6	7
Male.....
Female.....	73	10	3	11	7	1	5	7	3	6	7	6	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of ovary (C56)													
All races, both sexes.....	14,716	1,250	1,207	1,294	1,186	1,186	1,166	1,276	1,260	1,243	1,250	1,184	1,214
Male.....
Female.....	14,716	1,250	1,207	1,294	1,186	1,186	1,166	1,276	1,260	1,243	1,250	1,184	1,214
White, both sexes.....	13,127	1,113	1,083	1,157	1,040	1,052	1,043	1,137	1,127	1,111	1,125	1,063	1,076
Male.....
Female.....	13,127	1,113	1,083	1,157	1,040	1,052	1,043	1,137	1,127	1,111	1,125	1,063	1,076
Black, both sexes.....	1,256	105	97	103	112	104	99	111	107	103	103	93	119
Male.....
Female.....	1,256	105	97	103	112	104	99	111	107	103	103	93	119
American Indian 1/, both sexes.....	57	3	4	6	7	2	5	7	5	7	4	3	4
Male.....
Female.....	57	3	4	6	7	2	5	7	5	7	4	3	4
Asian or Pacific Islander 2/, both sexes.....	276	29	23	28	27	28	19	21	21	22	18	25	15
Male.....
Female.....	276	29	23	28	27	28	19	21	21	22	18	25	15
Malignant neoplasm of other and unspecified female genital organs (C57)													
All races, both sexes.....	251	20	36	16	11	27	20	12	24	28	14	21	22
Male.....
Female.....	251	20	36	16	11	27	20	12	24	28	14	21	22
White, both sexes.....	222	17	27	15	8	25	20	9	22	25	13	19	22
Male.....
Female.....	222	17	27	15	8	25	20	9	22	25	13	19	22
Black, both sexes.....	24	3	8	1	3	1	-	2	2	3	-	1	-
Male.....
Female.....	24	3	8	1	3	1	-	2	2	3	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	1	-	1	-	-	-	1	-
Male.....
Female.....	4	-	1	-	-	1	-	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Male genital organ, unspecified (C63.9)													
All races, both sexes.....	22	1	2	-	1	2	3	4	2	1	2	1	3
Male.....	22	1	2	-	1	2	3	4	2	1	2	1	3
Female.....
White, both sexes.....	17	1	1	-	1	2	3	3	-	-	2	1	3
Male.....	17	1	1	-	1	2	3	3	-	-	2	1	3
Female.....
Black, both sexes.....	4	-	1	-	-	-	-	1	1	1	-	-	-
Male.....	4	-	1	-	-	-	-	1	1	1	-	-	-
Female.....
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....
Malignant neoplasm of kidney, except renal pelvis (C64)													
All races, both sexes.....	12,123	1,010	983	946	973	1,041	918	1,082	1,027	1,006	1,074	989	1,074
Male.....	7,535	623	587	599	594	649	566	660	624	623	695	648	667
Female.....	4,588	387	396	347	379	392	352	422	403	383	379	341	407
White, both sexes.....	10,808	887	880	849	871	921	807	960	925	904	974	873	957
Male.....	6,741	552	535	540	535	574	496	579	562	559	629	581	599
Female.....	4,067	335	345	309	336	347	311	381	363	345	345	292	358
Black, both sexes.....	1,087	100	90	77	82	104	97	97	81	82	84	99	94
Male.....	652	59	44	46	49	65	60	65	49	48	54	57	56
Female.....	435	41	46	31	33	39	37	32	32	34	30	42	38
American Indian 1/, both sexes.....	91	8	2	5	8	5	7	11	11	9	7	5	13
Male.....	59	5	2	3	3	3	4	8	8	9	5	2	7
Female.....	32	3	-	2	5	2	3	3	3	-	2	3	6
Asian or Pacific Islander 2/, both sexes.....	137	15	11	15	12	11	7	14	10	11	9	12	10
Male.....	83	7	6	10	7	7	6	8	5	7	7	8	5
Female.....	54	8	5	5	5	4	1	6	5	4	2	4	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of renal pelvis (C65)													
All races, both sexes.....	190	16	22	12	13	21	11	11	19	12	18	15	20
Male.....	105	9	11	9	8	14	7	7	8	9	10	4	9
Female.....	85	7	11	3	5	7	4	4	11	3	8	11	11
White, both sexes.....	180	14	22	10	13	18	11	11	17	11	18	15	20
Male.....	98	8	11	8	8	11	7	7	7	8	10	4	9
Female.....	82	6	11	2	5	7	4	4	10	3	8	11	11
Black, both sexes.....	4	1	-	1	-	2	-	-	-	-	-	-	-
Male.....	3	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	1	-	-	2	1	-	-	-
Male.....	4	-	-	1	-	1	-	-	1	1	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasm of ureter (C66)													
All races, both sexes.....	334	33	20	28	23	34	25	28	26	28	31	33	25
Male.....	177	19	10	11	14	19	11	15	16	14	17	16	15
Female.....	157	14	10	17	9	15	14	13	10	14	14	17	10
White, both sexes.....	313	30	20	25	22	32	24	27	25	25	31	31	21
Male.....	170	18	10	11	14	18	10	15	16	13	17	15	13
Female.....	143	12	10	14	8	14	14	12	9	12	14	16	8
Black, both sexes.....	14	3	-	1	1	1	-	1	-	1	-	2	4
Male.....	5	1	-	-	-	1	-	-	-	-	-	1	2
Female.....	9	2	-	1	1	-	-	1	-	1	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	2	-	1	1	-	1	2	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	5	-	-	2	-	1	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bladder, unspecified (C67.9)													
All races, both sexes.....	13,000	1,087	1,009	1,141	1,092	1,073	1,031	1,091	1,091	1,029	1,109	1,088	1,159
Male.....	8,978	752	678	791	764	738	719	727	747	711	793	753	805
Female.....	4,022	335	331	350	328	335	312	364	344	318	316	335	354
White, both sexes.....	11,935	1,015	916	1,051	999	1,002	950	994	992	937	1,008	1,005	1,066
Male.....	8,397	706	627	743	714	700	676	679	697	664	736	706	749
Female.....	3,538	309	289	308	285	302	274	315	295	273	272	299	317
Black, both sexes.....	906	59	83	70	76	60	73	83	87	75	85	73	82
Male.....	472	36	43	33	37	33	36	38	43	36	49	41	47
Female.....	434	23	40	37	39	27	37	45	44	39	36	32	35
American Indian 1/, both sexes.....	19	6	-	1	1	1	1	2	1	-	3	2	1
Male.....	14	4	-	1	1	1	1	2	1	-	1	1	1
Female.....	5	2	-	-	-	-	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	140	7	10	19	16	10	7	12	11	17	13	8	10
Male.....	95	6	8	14	12	4	6	8	6	11	7	5	8
Female.....	45	1	2	5	4	6	1	4	5	6	6	3	2
Malignant neoplasm of other and unspecified urinary organs (C68)													
All races, both sexes.....	251	19	24	22	18	21	19	16	17	24	28	20	23
Male.....	143	10	15	12	11	13	12	8	9	17	15	9	12
Female.....	108	9	9	10	7	8	7	8	8	7	13	11	11
White, both sexes.....	212	16	21	18	14	17	14	14	15	23	22	17	21
Male.....	130	9	13	12	8	11	10	8	9	17	13	9	11
Female.....	82	7	8	6	6	6	4	6	6	6	9	8	10
Black, both sexes.....	34	3	2	3	4	2	5	1	2	1	6	3	2
Male.....	12	1	1	-	3	2	2	-	-	-	2	-	1
Female.....	22	2	1	3	1	-	3	1	2	1	4	3	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	1	-	2	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	2	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of meninges (C70)													
All races, both sexes.....	115	10	8	6	10	8	10	10	12	8	11	10	12
Male.....	49	2	5	4	3	3	4	5	6	5	3	3	6
Female.....	66	8	3	2	7	5	6	5	6	3	8	7	6
White, both sexes.....	92	10	5	6	7	6	9	8	10	5	10	7	9
Male.....	37	2	2	4	3	3	4	4	5	2	2	2	4
Female.....	55	8	3	2	4	3	5	4	5	3	8	5	5
Black, both sexes.....	16	-	3	-	3	1	-	1	1	1	1	2	3
Male.....	10	-	3	-	-	-	-	1	1	1	1	1	2
Female.....	6	-	-	-	3	1	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	1	1	1	1	2	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	5	-	-	-	-	1	1	1	1	-	-	1	-
Cerebral meninges (C70.0)													
All races, both sexes.....	18	1	-	-	3	1	2	-	1	3	2	2	3
Male.....	3	-	-	-	-	-	1	-	-	1	-	-	1
Female.....	15	1	-	-	3	1	1	-	1	2	2	2	2
White, both sexes.....	14	1	-	-	2	-	2	-	1	2	2	1	3
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	12	1	-	-	2	-	1	-	1	2	2	1	2
Black, both sexes.....	3	-	-	-	1	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meninges, unspecified (C70.9)													
All races, both sexes.....	97	9	8	6	7	7	8	10	11	5	9	8	9
Male.....	46	2	5	4	3	3	3	5	6	4	3	3	5
Female.....	51	7	3	2	4	4	5	5	5	1	6	5	4
White, both sexes.....	78	9	5	6	5	6	7	8	9	3	8	6	6
Male.....	35	2	2	4	3	3	3	4	5	2	2	2	3
Female.....	43	7	3	2	2	3	4	4	4	1	6	4	3
Black, both sexes.....	13	-	3	-	2	1	-	1	1	-	1	1	3
Male.....	9	-	3	-	-	-	-	1	1	-	1	1	2
Female.....	4	-	-	-	2	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	1	1	2	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	4	-	-	-	-	-	1	1	1	-	-	1	-
Malignant neoplasm of brain (C71)													
All races, both sexes.....	12,606	1,061	961	1,018	1,028	1,018	1,056	1,115	1,099	1,029	1,059	1,061	1,101
Male.....	6,964	608	551	550	578	557	604	615	599	575	566	564	597
Female.....	5,642	453	410	468	450	461	452	500	500	454	493	497	504
White, both sexes.....	11,602	968	879	949	949	919	988	1,033	1,023	944	972	967	1,011
Male.....	6,413	563	499	507	531	498	560	569	561	533	521	516	555
Female.....	5,189	405	380	442	418	421	428	464	462	411	451	451	456
Black, both sexes.....	741	65	61	50	56	78	50	61	60	60	65	65	70
Male.....	397	32	38	30	32	47	33	33	29	27	33	33	30
Female.....	344	33	23	20	24	31	17	28	31	33	32	32	40
American Indian 1/, both sexes.....	34	2	1	3	3	6	4	1	2	-	3	6	3
Male.....	25	-	1	3	3	5	2	-	1	-	2	5	3
Female.....	9	2	-	-	-	1	2	1	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	229	26	20	16	20	15	14	20	14	25	19	23	17
Male.....	129	13	13	10	12	7	9	13	8	15	10	10	9
Female.....	100	13	7	6	8	8	5	7	6	10	9	13	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebellum (C71.6)													
All races, both sexes.....	140	7	8	13	9	10	14	18	17	12	9	8	15
Male.....	83	3	4	8	7	7	9	10	10	8	6	3	8
Female.....	57	4	4	5	2	3	5	8	7	4	3	5	7
White, both sexes.....	115	6	7	12	8	9	10	17	14	9	6	5	12
Male.....	70	2	3	8	6	7	7	10	9	7	4	1	6
Female.....	45	4	4	4	2	2	3	7	5	2	2	4	6
Black, both sexes.....	16	-	1	1	1	1	3	1	1	2	1	1	3
Male.....	6	-	1	-	1	-	1	-	-	-	1	-	2
Female.....	10	-	-	1	-	1	2	1	1	2	-	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	-	-	-	2	1	1	2	-
Male.....	5	1	-	-	-	-	-	-	1	1	-	2	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Brain stem (C71.7)													
All races, both sexes.....	285	26	21	17	25	27	29	26	27	22	27	20	18
Male.....	154	17	10	11	10	12	17	17	14	13	9	12	12
Female.....	131	9	11	6	15	15	12	9	13	9	18	8	6
White, both sexes.....	235	21	17	17	17	20	27	22	22	20	20	18	14
Male.....	129	15	7	11	6	9	17	14	12	12	6	10	10
Female.....	106	6	10	6	11	11	10	8	10	8	14	8	4
Black, both sexes.....	35	4	4	-	6	6	2	-	4	1	4	1	3
Male.....	16	2	3	-	2	3	-	-	1	1	1	1	2
Female.....	19	2	1	-	4	3	2	-	3	-	3	-	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	-	-	1	1	-	4	1	1	3	1	1
Male.....	8	-	-	-	1	-	-	3	1	-	2	1	-
Female.....	6	1	-	-	-	1	-	1	-	1	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of brain (C71.8)													
All races, both sexes.....	25	1	1	3	3	5	2	3	3	1	2	1	-
Male.....	12	1	1	2	1	3	2	1	1	-	-	-	-
Female.....	13	-	-	1	2	2	-	2	2	1	2	1	-
White, both sexes.....	23	1	1	3	2	5	1	3	3	1	2	1	-
Male.....	11	1	1	2	1	3	1	1	1	-	-	-	-
Female.....	12	-	-	1	1	2	-	2	2	1	2	1	-
Black, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain, unspecified (C71.9)													
All races, both sexes.....	11,717	996	901	941	947	937	974	1,032	1,016	962	995	996	1,020
Male.....	6,461	568	515	501	534	514	555	564	559	533	536	530	552
Female.....	5,256	428	386	440	413	423	419	468	457	429	459	466	468
White, both sexes.....	10,820	910	828	877	881	849	915	956	948	884	920	911	941
Male.....	5,967	527	471	462	492	460	514	522	524	494	497	488	516
Female.....	4,853	383	357	415	389	389	401	434	424	390	423	423	425
Black, both sexes.....	663	60	52	45	46	68	43	60	55	55	58	60	61
Male.....	358	29	30	26	29	42	31	33	28	25	30	31	24
Female.....	305	31	22	19	17	26	12	27	27	30	28	29	37
American Indian 1/, both sexes.....	29	2	1	3	2	6	2	1	2	-	2	5	3
Male.....	21	-	1	3	2	5	1	-	1	-	1	4	3
Female.....	8	2	-	-	-	1	1	1	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	205	24	20	16	18	14	14	15	11	23	15	20	15
Male.....	115	12	13	10	11	7	9	9	6	14	8	7	9
Female.....	90	12	7	6	7	7	5	6	5	9	7	13	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of thyroid gland (C73)													
All races, both sexes.....	1,409	125	103	110	127	123	100	114	116	135	120	119	117
Male.....	593	49	46	40	68	56	35	55	58	58	43	45	40
Female.....	816	76	57	70	59	67	65	59	58	77	77	74	77
White, both sexes.....	1,230	104	92	94	114	109	83	98	103	118	108	102	105
Male.....	529	40	41	38	61	51	32	48	54	49	38	39	38
Female.....	701	64	51	56	53	58	51	50	49	69	70	63	67
Black, both sexes.....	118	14	8	10	11	8	11	11	8	7	9	13	8
Male.....	41	6	3	1	5	4	2	5	3	2	3	5	2
Female.....	77	8	5	9	6	4	9	6	5	5	6	8	6
American Indian 1/, both sexes.....	7	1	-	-	-	-	-	1	2	1	-	1	1
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	5	1	-	-	-	-	-	-	2	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	54	6	3	6	2	6	6	4	3	9	3	3	3
Male.....	21	3	2	1	2	1	1	1	1	6	2	1	-
Female.....	33	3	1	5	-	5	5	3	2	3	1	2	3
Malignant neoplasm of adrenal gland (C74)													
All races, both sexes.....	561	41	45	47	49	48	54	34	43	34	42	60	64
Male.....	264	20	21	20	22	27	21	16	20	18	20	34	25
Female.....	297	21	24	27	27	21	33	18	23	16	22	26	39
White, both sexes.....	480	39	41	42	45	44	41	27	38	28	36	48	51
Male.....	228	18	20	18	20	24	16	12	18	15	20	27	20
Female.....	252	21	21	24	25	20	25	15	20	13	16	21	31
Black, both sexes.....	65	2	4	4	3	4	9	6	4	4	5	8	12
Male.....	25	2	1	2	1	3	2	4	1	2	-	3	4
Female.....	40	-	3	2	2	1	7	2	3	2	5	5	8
American Indian 1/, both sexes.....	3	-	-	-	-	-	2	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	1	-	2	1	1	2	1	3	1
Male.....	9	-	-	-	1	-	2	-	1	1	-	3	1
Female.....	4	-	-	1	-	-	-	1	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocrine gland, unspecified (C75.9)													
All races, both sexes.....	34	1	3	2	3	4	3	6	2	3	2	4	1
Male.....	21	-	3	2	2	2	2	2	2	1	2	3	-
Female.....	13	1	-	-	1	2	1	4	-	2	-	1	1
White, both sexes.....	27	1	2	2	3	2	2	4	2	3	1	4	1
Male.....	16	-	2	2	2	1	1	1	2	1	1	3	-
Female.....	11	1	-	-	1	1	1	3	-	2	-	1	1
Black, both sexes.....	5	-	-	-	-	2	-	2	-	-	1	-	-
Male.....	3	-	-	-	-	1	-	1	-	-	1	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and ill-defined sites (C76)													
All races, both sexes.....	1,861	189	166	138	152	176	146	158	152	150	163	140	131
Male.....	859	89	68	64	78	87	65	77	75	70	63	59	64
Female.....	1,002	100	98	74	74	89	81	81	77	80	100	81	67
White, both sexes.....	1,614	171	142	118	126	151	128	136	128	126	143	126	119
Male.....	743	80	56	54	66	71	59	67	64	57	53	57	59
Female.....	871	91	86	64	60	80	69	69	64	69	90	69	60
Black, both sexes.....	196	12	21	16	21	20	15	17	20	18	16	12	8
Male.....	90	7	10	9	9	13	5	7	10	9	6	2	3
Female.....	106	5	11	7	12	7	10	10	10	9	10	10	5
American Indian 1/, both sexes.....	8	1	-	1	1	-	-	2	2	1	-	-	-
Male.....	3	-	-	-	1	-	-	-	1	1	-	-	-
Female.....	5	1	-	1	-	-	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	43	5	3	3	4	5	3	3	2	5	4	2	4
Male.....	23	2	2	1	2	3	1	3	-	3	4	-	2
Female.....	20	3	1	2	2	2	2	-	2	2	-	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abdomen (C76.2)													
All races, both sexes.....	753	81	68	43	70	85	60	68	57	53	56	65	47
Male.....	272	29	20	13	30	36	20	27	21	19	19	21	17
Female.....	481	52	48	30	40	49	40	41	36	34	37	44	30
White, both sexes.....	644	72	58	37	54	72	53	56	48	42	51	58	43
Male.....	227	25	16	11	22	28	19	22	16	13	17	21	17
Female.....	417	47	42	26	32	44	34	34	32	29	34	37	26
Black, both sexes.....	88	5	8	5	14	9	6	10	7	9	5	6	4
Male.....	34	2	3	2	7	5	1	3	4	5	2	-	-
Female.....	54	3	5	3	7	4	5	7	3	4	3	6	4
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	1	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	3	2	1	2	4	1	2	1	1	-	1	-
Male.....	9	2	1	-	1	3	-	2	-	-	-	-	-
Female.....	9	1	1	1	1	1	1	-	1	1	-	1	-
Pelvis (C76.3)													
All races, both sexes.....	242	23	24	22	17	21	24	16	14	24	27	14	16
Male.....	37	4	6	4	3	4	3	2	2	4	1	3	1
Female.....	205	19	18	18	14	17	21	14	12	20	26	11	15
White, both sexes.....	210	22	20	19	14	20	22	13	11	20	23	12	14
Male.....	35	3	6	4	2	4	3	2	2	4	1	3	1
Female.....	175	19	14	15	12	16	19	11	9	16	22	9	13
Black, both sexes.....	24	1	4	1	1	-	2	2	3	4	4	2	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	23	-	4	1	1	-	2	2	3	4	4	2	-
American Indian 1/, both sexes.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	1	1	-	-	-	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	1	1	-	-	-	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lymph node, unspecified (C77.9)													
All races, both sexes.....	20	2	-	5	1	2	-	2	-	3	2	-	3
Male.....	9	1	-	1	1	1	-	2	-	1	1	-	1
Female.....	11	1	-	4	-	1	-	-	-	2	1	-	2
White, both sexes.....	18	1	-	5	1	2	-	2	-	2	2	-	3
Male.....	8	-	-	1	1	1	-	2	-	1	1	-	1
Female.....	10	1	-	4	-	1	-	-	-	1	1	-	2
Black, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of respiratory and digestive organs (C78)													
All races, both sexes.....	3,044	304	259	250	246	256	234	260	247	248	283	237	220
Male.....	1,486	135	117	125	124	117	116	138	125	126	150	110	103
Female.....	1,558	169	142	125	122	139	118	122	122	122	133	127	117
White, both sexes.....	2,589	264	219	222	208	221	193	211	206	216	241	212	176
Male.....	1,254	116	99	109	107	105	95	111	101	106	123	102	80
Female.....	1,335	148	120	113	101	116	98	100	105	110	118	110	96
Black, both sexes.....	353	34	31	21	32	30	29	42	30	23	29	19	33
Male.....	172	16	11	12	14	10	15	23	17	13	17	7	17
Female.....	181	18	20	9	18	20	14	19	13	10	12	12	16
American Indian 1/, both sexes.....	12	-	-	2	1	-	2	-	1	2	1	1	2
Male.....	6	-	-	-	-	-	-	-	1	2	1	1	1
Female.....	6	-	-	2	1	-	2	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	90	6	9	5	5	5	10	7	10	7	12	5	9
Male.....	54	3	7	4	3	2	6	4	6	5	9	-	5
Female.....	36	3	2	1	2	3	4	3	4	2	3	5	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of retroperitoneum and peritoneum (C78.6)													
All races, both sexes.....	412	32	33	26	36	35	37	27	35	33	43	40	35
Male.....	127	7	9	3	11	8	11	9	11	11	18	16	13
Female.....	285	25	24	23	25	27	26	18	24	22	25	24	22
White, both sexes.....	363	26	29	24	31	30	35	20	34	29	39	38	28
Male.....	118	7	8	3	11	8	10	9	11	9	17	15	10
Female.....	245	19	21	21	20	22	25	11	23	20	22	23	18
Black, both sexes.....	43	6	4	2	4	5	2	6	1	4	2	2	5
Male.....	7	-	1	-	-	-	1	-	-	2	-	1	2
Female.....	36	6	3	2	4	5	1	6	1	2	2	1	3
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	1	-	-	2	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Secondary malignant neoplasm of liver (C78.7)													
All races, both sexes.....	2,199	226	184	189	173	173	170	196	179	190	198	174	147
Male.....	1,161	111	94	104	93	90	88	109	102	103	110	84	73
Female.....	1,038	115	90	85	80	83	82	87	77	87	88	90	74
White, both sexes.....	1,856	194	157	163	146	151	136	162	146	165	163	156	117
Male.....	969	93	80	88	80	81	72	86	81	86	86	78	58
Female.....	887	101	77	75	66	70	64	76	65	79	77	78	59
Black, both sexes.....	260	27	20	19	22	18	23	28	26	17	25	13	22
Male.....	141	15	9	12	10	7	11	19	16	11	15	5	11
Female.....	119	12	11	7	12	11	12	9	10	6	10	8	11
American Indian 1/, both sexes.....	9	-	-	2	-	-	2	-	-	2	1	1	1
Male.....	4	-	-	-	-	-	-	-	-	2	1	1	-
Female.....	5	-	-	2	-	-	2	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	74	5	7	5	5	4	9	6	7	6	9	4	7
Male.....	47	3	5	4	3	2	5	4	5	4	8	-	4
Female.....	27	2	2	1	2	2	4	2	2	2	1	4	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other and unspecified digestive organs (C78.8)													
All races, both sexes.....	20	-	2	1	1	2	2	4	1	2	-	3	2
Male.....	14	-	1	-	1	1	2	3	-	2	-	3	1
Female.....	6	-	1	1	-	1	-	1	1	-	-	-	1
White, both sexes.....	15	-	-	1	-	2	1	4	1	2	-	2	2
Male.....	10	-	-	-	-	1	1	3	-	2	-	2	1
Female.....	5	-	-	1	-	1	-	1	1	-	-	-	1
Black, both sexes.....	3	-	1	-	1	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of other sites (C79)													
All races, both sexes.....	4,389	412	331	386	345	360	360	382	366	334	387	363	363
Male.....	2,719	257	200	243	214	235	210	239	233	207	245	198	238
Female.....	1,670	155	131	143	131	125	150	143	133	127	142	165	125
White, both sexes.....	3,714	348	287	331	294	299	314	321	300	289	320	308	303
Male.....	2,292	216	171	214	180	197	178	197	188	177	203	173	198
Female.....	1,422	132	116	117	114	102	136	124	112	112	117	135	105
Black, both sexes.....	592	59	39	45	48	54	39	50	60	41	57	46	54
Male.....	383	38	25	26	32	35	27	36	43	29	36	21	35
Female.....	209	21	14	19	16	19	12	14	17	12	21	25	19
American Indian 1/, both sexes.....	21	1	2	1	-	2	1	2	2	2	3	2	3
Male.....	13	1	1	-	-	1	1	2	1	1	1	1	3
Female.....	8	-	1	1	-	1	-	-	1	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	62	4	3	9	3	5	6	9	4	2	7	7	3
Male.....	31	2	3	3	2	2	4	4	1	-	5	3	2
Female.....	31	2	-	6	1	3	2	5	3	2	2	4	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of skin (C79.2)													
All races, both sexes.....	78	3	10	2	4	6	9	6	5	12	6	11	4
Male.....	52	3	5	2	3	3	7	3	3	9	4	7	3
Female.....	26	-	5	-	1	3	2	3	2	3	2	4	1
White, both sexes.....	77	3	10	2	4	6	9	6	5	11	6	11	4
Male.....	52	3	5	2	3	3	7	3	3	9	4	7	3
Female.....	25	-	5	-	1	3	2	3	2	2	2	4	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of brain and cerebral meninges (C79.3)													
All races, both sexes.....	784	76	62	69	58	71	71	63	67	50	68	72	57
Male.....	351	31	30	27	27	37	33	26	32	23	38	26	21
Female.....	433	45	32	42	31	34	38	37	35	27	30	46	36
White, both sexes.....	670	64	53	54	50	59	62	52	58	46	59	64	49
Male.....	302	26	24	24	24	31	29	21	27	21	34	24	17
Female.....	368	38	29	30	26	28	33	31	31	25	25	40	32
Black, both sexes.....	87	12	7	11	8	9	7	7	7	2	5	6	6
Male.....	40	5	5	3	3	5	3	3	5	2	2	1	3
Female.....	47	7	2	8	5	4	4	4	2	-	3	5	3
American Indian 1/, both sexes.....	7	-	2	-	-	1	-	-	1	-	1	1	1
Male.....	4	-	1	-	-	1	-	-	-	-	-	1	1
Female.....	3	-	1	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	4	-	2	2	4	1	2	3	1	1
Male.....	5	-	-	-	-	-	1	2	-	-	2	-	-
Female.....	15	-	-	4	-	2	1	2	1	2	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other and unspecified parts of nervous system (C79.4)													
All races, both sexes.....	10	-	1	-	1	1	2	3	1	-	-	-	1
Male.....	3	-	-	-	-	-	-	2	-	-	-	-	1
Female.....	7	-	1	-	1	1	2	1	1	-	-	-	-
White, both sexes.....	7	-	1	-	-	1	1	2	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	5	-	1	-	-	1	1	1	1	-	-	-	-
Black, both sexes.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of bone and bone marrow (C79.5)													
All races, both sexes.....	446	45	38	43	37	27	30	47	37	38	31	35	38
Male.....	228	23	21	22	19	16	12	23	23	22	12	13	22
Female.....	218	22	17	21	18	11	18	24	14	16	19	22	16
White, both sexes.....	399	43	34	36	36	24	28	39	31	35	28	33	32
Male.....	206	23	20	19	19	14	10	20	20	19	10	13	19
Female.....	193	20	14	17	17	10	18	19	11	16	18	20	13
Black, both sexes.....	43	2	4	5	1	3	2	7	5	3	3	2	6
Male.....	22	-	1	3	-	2	2	3	3	3	2	-	3
Female.....	21	2	3	2	1	1	-	4	2	-	1	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	2	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	2	-	-	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of ovary (C79.6)													
All races, both sexes.....	3	1	-	-	1	-	-	-	-	-	-	1	-
Male.....
Female.....	3	1	-	-	1	-	-	-	-	-	-	1	-
White, both sexes.....	3	1	-	-	1	-	-	-	-	-	-	1	-
Male.....
Female.....	3	1	-	-	1	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of other specified sites (C79.8)													
All races, both sexes.....	3,053	285	220	271	243	253	244	263	254	233	281	244	262
Male.....	2,077	198	144	192	165	179	155	185	175	152	190	152	190
Female.....	976	87	76	79	78	74	89	78	79	81	91	92	72
White, both sexes.....	2,545	235	189	238	202	208	211	222	203	196	226	199	216
Male.....	1,723	162	122	169	134	149	130	152	138	127	154	129	157
Female.....	822	73	67	69	68	59	81	70	65	69	72	70	59
Black, both sexes.....	456	45	28	29	38	41	28	35	48	35	49	38	42
Male.....	319	33	19	20	29	28	21	29	35	24	32	20	29
Female.....	137	12	9	9	9	13	7	6	13	11	17	18	13
American Indian 1/, both sexes.....	14	1	-	1	-	1	1	2	1	2	2	1	2
Male.....	9	1	-	-	-	-	1	2	1	1	1	-	2
Female.....	5	-	-	1	-	1	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	38	4	3	3	3	3	4	4	2	-	4	6	2
Male.....	26	2	3	3	2	2	3	2	1	-	3	3	2
Female.....	12	2	-	-	1	1	1	2	1	-	1	3	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm without specification of site (C80)													
All races, both sexes.....	26,096	2,317	2,122	2,224	2,177	2,138	2,111	2,160	2,210	2,119	2,209	2,140	2,169
Male.....	12,795	1,184	1,021	1,106	1,086	1,070	1,034	1,058	1,033	1,034	1,050	1,046	1,073
Female.....	13,301	1,133	1,101	1,118	1,091	1,068	1,077	1,102	1,177	1,085	1,159	1,094	1,096
White, both sexes.....	22,545	1,985	1,847	1,911	1,897	1,859	1,849	1,838	1,916	1,851	1,914	1,832	1,846
Male.....	11,009	1,005	893	940	946	940	902	899	876	902	907	890	909
Female.....	11,536	980	954	971	951	919	947	939	1,040	949	1,007	942	937
Black, both sexes.....	2,974	280	223	260	243	224	218	273	246	235	250	257	265
Male.....	1,502	148	109	139	119	102	112	130	133	118	119	133	140
Female.....	1,472	132	114	121	124	122	106	143	113	117	131	124	125
American Indian 1/, both sexes.....	123	18	7	10	6	14	6	7	17	6	6	10	16
Male.....	61	8	1	7	3	7	3	5	9	2	4	4	8
Female.....	62	10	6	3	3	7	3	2	8	4	2	6	8
Asian or Pacific Islander 2/, both sexes.....	454	34	45	43	31	41	38	42	31	27	39	41	42
Male.....	223	23	18	20	18	21	17	24	15	12	20	19	16
Female.....	231	11	27	23	13	20	21	18	16	15	19	22	26
Hodgkin's disease (C81)													
All races, both sexes.....	1,276	110	103	132	86	141	94	119	106	86	98	88	113
Male.....	730	76	66	69	50	88	52	63	58	45	49	47	67
Female.....	546	34	37	63	36	53	42	56	48	41	49	41	46
White, both sexes.....	1,118	98	82	114	77	126	85	105	93	74	84	79	101
Male.....	647	68	55	60	44	77	47	60	54	40	41	42	59
Female.....	471	30	27	54	33	49	38	45	39	34	43	37	42
Black, both sexes.....	135	12	17	16	7	13	8	13	11	11	13	6	8
Male.....	71	8	10	7	5	10	4	3	4	4	8	4	4
Female.....	64	4	7	9	2	3	4	10	7	7	5	2	4
American Indian 1/, both sexes.....	4	-	1	-	-	1	-	1	-	-	-	-	1
Male.....	3	-	1	-	-	1	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	3	2	2	1	1	-	2	1	1	3	3
Male.....	9	-	-	2	1	-	1	-	-	1	-	1	3
Female.....	10	-	3	-	1	1	-	-	2	-	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Follicular non-Hodgkin's lymphoma, unspecified (C82.9)													
All races, both sexes.....	177	15	13	18	19	10	10	15	21	16	13	15	12
Male.....	83	7	2	8	9	4	4	6	15	10	7	7	4
Female.....	94	8	11	10	10	6	6	9	6	6	6	8	8
White, both sexes.....	163	15	13	14	16	10	10	14	18	15	12	14	12
Male.....	76	7	2	7	8	4	4	5	12	9	7	7	4
Female.....	87	8	11	7	8	6	6	9	6	6	5	7	8
Black, both sexes.....	10	-	-	2	2	-	-	1	2	1	1	1	-
Male.....	6	-	-	1	1	-	-	1	2	1	-	-	-
Female.....	4	-	-	1	1	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	3	-	-	1	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Diffuse non-Hodgkin's lymphoma (C83)													
All races, both sexes.....	2,325	206	182	194	190	192	180	192	218	169	201	211	190
Male.....	1,374	116	110	113	110	104	107	110	133	95	131	131	114
Female.....	951	90	72	81	80	88	73	82	85	74	70	80	76
White, both sexes.....	2,154	188	173	178	176	176	171	178	201	156	187	191	179
Male.....	1,278	104	106	105	104	96	101	101	120	90	125	120	106
Female.....	876	84	67	73	72	80	70	77	81	66	62	71	73
Black, both sexes.....	127	14	5	11	11	12	5	11	14	11	9	17	7
Male.....	70	9	2	5	5	6	3	7	11	5	3	10	4
Female.....	57	5	3	6	6	6	2	4	3	6	6	7	3
American Indian 1/, both sexes.....	9	2	1	2	1	1	-	-	1	-	-	1	-
Male.....	6	1	-	2	-	1	-	-	1	-	-	1	-
Female.....	3	1	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	2	3	3	2	3	4	3	2	2	5	2	4
Male.....	20	2	2	1	1	1	3	2	1	-	3	-	4
Female.....	15	-	1	2	1	2	1	1	1	2	2	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mixed small and large cell (diffuse) (C83.2)													
All races, both sexes.....	20	2	-	-	4	2	3	2	1	2	1	3	-
Male.....	8	2	-	-	1	-	1	-	1	-	-	3	-
Female.....	12	-	-	-	3	2	2	2	-	2	1	-	-
White, both sexes.....	17	2	-	-	2	2	3	2	1	2	1	2	-
Male.....	7	2	-	-	1	-	1	-	1	-	-	2	-
Female.....	10	-	-	-	1	2	2	2	-	2	1	-	-
Black, both sexes.....	3	-	-	-	2	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Large cell (diffuse) (C83.3)													
All races, both sexes.....	1,083	105	90	90	99	90	79	83	100	66	97	100	84
Male.....	544	50	44	45	51	41	39	38	47	30	62	55	42
Female.....	539	55	46	45	48	49	40	45	53	36	35	45	42
White, both sexes.....	1,002	98	85	83	93	81	75	75	92	56	93	92	79
Male.....	504	45	43	43	49	37	35	34	42	26	61	50	39
Female.....	498	53	42	40	44	44	40	41	50	30	32	42	40
Black, both sexes.....	60	5	3	5	5	7	1	6	7	8	3	7	3
Male.....	30	3	1	1	2	3	1	3	5	4	1	5	1
Female.....	30	2	2	4	3	4	-	3	2	4	2	2	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	2	1	2	1	2	3	2	1	2	1	1	2
Male.....	10	2	-	1	-	1	3	1	-	-	-	-	2
Female.....	10	-	1	1	1	1	-	1	1	2	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Undifferentiated (diffuse) (C83.6)													
All races, both sexes.....	9	-	2	-	1	1	-	1	-	1	2	-	1
Male.....	7	-	1	-	1	1	-	-	-	1	2	-	1
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	8	-	2	-	-	1	-	1	-	1	2	-	1
Male.....	6	-	1	-	-	1	-	-	-	1	2	-	1
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Burkitt's tumor (C83.7)													
All races, both sexes.....	228	25	11	19	16	23	16	22	24	18	20	13	21
Male.....	151	17	10	12	9	15	11	16	17	8	11	10	15
Female.....	77	8	1	7	7	8	5	6	7	10	9	3	6
White, both sexes.....	208	20	11	15	16	22	16	21	22	17	16	13	19
Male.....	139	13	10	10	9	14	11	16	15	7	10	10	14
Female.....	69	7	1	5	7	8	5	5	7	10	6	3	5
Black, both sexes.....	16	4	-	3	-	1	-	1	1	1	3	-	2
Male.....	10	3	-	2	-	1	-	-	1	1	1	-	1
Female.....	6	1	-	1	-	-	-	1	-	-	2	-	1
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other types of diffuse non-Hodgkin's lymphoma (C83.8)													
All races, both sexes.....	56	2	3	6	5	4	6	6	5	4	3	7	5
Male.....	30	1	-	3	3	3	5	3	2	3	-	4	3
Female.....	26	1	3	3	2	1	1	3	3	1	3	3	2
White, both sexes.....	49	1	3	4	3	4	5	6	5	3	3	7	5
Male.....	26	1	-	1	2	3	4	3	2	3	-	4	3
Female.....	23	-	3	3	1	1	1	3	3	-	3	3	2
Black, both sexes.....	6	1	-	1	2	-	1	-	-	1	-	-	-
Male.....	3	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	3	1	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Diffuse non-Hodgkin's lymphoma, unspecified (C83.9)													
All races, both sexes.....	38	1	4	-	3	6	3	5	6	1	1	6	2
Male.....	22	1	3	-	1	3	1	3	4	1	-	4	1
Female.....	16	-	1	-	2	3	2	2	2	-	1	2	1
White, both sexes.....	31	1	3	-	3	5	1	5	5	1	1	4	2
Male.....	18	1	2	-	1	3	1	3	3	1	-	2	1
Female.....	13	-	1	-	2	2	-	2	2	-	1	2	1
Black, both sexes.....	4	-	-	-	-	1	1	-	-	-	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral T-cell lymphoma (C84.4)													
All races, both sexes.....	69	5	5	8	4	8	5	6	7	6	6	5	4
Male.....	35	3	3	5	1	3	3	3	4	3	2	3	2
Female.....	34	2	2	3	3	5	2	3	3	3	4	2	2
White, both sexes.....	51	3	3	7	4	7	3	4	7	2	4	4	3
Male.....	24	2	2	4	1	3	2	1	4	1	-	3	1
Female.....	27	1	1	3	3	4	1	3	3	1	4	1	2
Black, both sexes.....	15	2	2	1	-	1	1	1	-	4	2	1	-
Male.....	8	1	1	1	-	-	-	1	-	2	2	-	-
Female.....	7	1	1	-	-	1	1	-	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Male.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified T-cell lymphomas (C84.5)													
All races, both sexes.....	709	57	50	65	45	72	56	53	58	52	62	75	64
Male.....	416	30	31	37	23	51	29	37	23	34	37	46	38
Female.....	293	27	19	28	22	21	27	16	35	18	25	29	26
White, both sexes.....	568	47	38	52	35	53	43	40	48	46	51	62	53
Male.....	338	22	24	32	19	38	26	26	19	30	31	42	29
Female.....	230	25	14	20	16	15	17	14	29	16	20	20	24
Black, both sexes.....	116	7	11	12	9	16	10	7	9	6	10	10	9
Male.....	63	6	6	4	4	11	2	6	4	4	6	3	7
Female.....	53	1	5	8	5	5	8	1	5	2	4	7	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	3	1	1	1	3	3	5	1	-	-	3	2
Male.....	15	2	1	1	-	2	1	5	-	-	-	1	2
Female.....	8	1	-	-	1	1	2	-	1	-	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Multiple myeloma and malignant plasma cell neoplasms (C90)													
All races, both sexes.....	10,655	948	885	858	867	895	892	848	884	880	903	868	927
Male.....	5,516	515	455	459	460	461	473	429	436	468	452	448	460
Female.....	5,139	433	430	399	407	434	419	419	448	412	451	420	467
White, both sexes.....	8,646	763	717	696	720	713	732	683	700	721	740	713	748
Male.....	4,556	423	381	375	390	372	401	355	348	393	365	374	379
Female.....	4,090	340	336	321	330	341	331	328	352	328	375	339	369
Black, both sexes.....	1,809	166	152	146	132	168	140	154	160	143	144	138	166
Male.....	852	80	66	77	59	83	63	69	74	67	75	64	75
Female.....	957	86	86	69	73	85	77	85	86	76	69	74	91
American Indian 1/, both sexes.....	52	2	9	4	2	4	10	2	4	2	5	4	4
Male.....	28	2	5	1	1	2	5	2	3	-	3	2	2
Female.....	24	-	4	3	1	2	5	-	1	2	2	2	2
Asian or Pacific Islander 2/, both sexes.....	148	17	7	12	13	10	10	9	20	14	14	13	9
Male.....	80	10	3	6	10	4	4	3	11	8	9	8	4
Female.....	68	7	4	6	3	6	6	6	9	6	5	5	5
Multiple myeloma (C90.0)													
All races, both sexes.....	10,505	937	871	843	853	882	880	842	875	863	889	854	916
Male.....	5,429	509	448	449	453	455	466	424	430	460	443	440	452
Female.....	5,076	428	423	394	400	427	414	418	445	403	446	414	464
White, both sexes.....	8,520	753	703	683	709	701	722	679	694	707	730	701	738
Male.....	4,486	418	374	367	385	366	396	352	343	387	359	367	372
Female.....	4,034	335	329	316	324	335	326	327	351	320	371	334	366
Black, both sexes.....	1,785	165	152	144	129	167	138	152	157	140	140	136	165
Male.....	835	79	66	75	57	83	61	67	73	65	72	63	74
Female.....	950	86	86	69	72	84	77	85	84	75	68	73	91
American Indian 1/, both sexes.....	52	2	9	4	2	4	10	2	4	2	5	4	4
Male.....	28	2	5	1	1	2	5	2	3	-	3	2	2
Female.....	24	-	4	3	1	2	5	-	1	2	2	2	2
Asian or Pacific Islander 2/, both sexes.....	148	17	7	12	13	10	10	9	20	14	14	13	9
Male.....	80	10	3	6	10	4	4	3	11	8	9	8	4
Female.....	68	7	4	6	3	6	6	6	9	6	5	5	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lymphoid leukemia (C91)													
All races, both sexes.....	6,131	572	514	538	500	505	478	517	506	517	489	486	509
Male.....	3,568	327	309	321	283	287	289	300	280	308	295	281	288
Female.....	2,563	245	205	217	217	218	189	217	226	209	194	205	221
White, both sexes.....	5,493	529	463	487	451	448	430	454	446	461	432	438	454
Male.....	3,187	306	276	292	256	245	258	266	240	275	263	254	256
Female.....	2,306	223	187	195	195	203	172	188	206	186	169	184	198
Black, both sexes.....	532	40	45	40	38	46	41	53	45	49	44	44	47
Male.....	323	21	32	24	22	31	25	28	31	28	25	26	30
Female.....	209	19	13	16	16	15	16	25	14	21	19	18	17
American Indian 1/, both sexes.....	27	-	4	2	2	1	2	3	4	1	3	1	4
Male.....	14	-	-	2	-	1	2	1	3	1	3	-	1
Female.....	13	-	4	-	2	-	-	2	1	-	-	1	3
Asian or Pacific Islander 2/, both sexes.....	79	3	2	9	9	10	5	7	11	6	10	3	4
Male.....	44	-	1	3	5	10	4	5	6	4	4	1	1
Female.....	35	3	1	6	4	-	1	2	5	2	6	2	3
Acute lymphoblastic leukemia (C91.0)													
All races, both sexes.....	1,371	114	101	117	123	125	97	117	117	126	116	113	105
Male.....	765	62	61	69	62	71	59	71	64	67	62	65	52
Female.....	606	52	40	48	61	54	38	46	53	59	54	48	53
White, both sexes.....	1,193	105	87	101	106	104	87	96	103	113	97	100	94
Male.....	663	60	51	60	52	56	51	59	54	61	52	59	48
Female.....	530	45	36	41	54	48	36	37	49	52	45	41	46
Black, both sexes.....	116	7	11	8	10	14	10	13	6	9	10	11	7
Male.....	69	2	9	6	7	8	8	7	5	3	5	6	3
Female.....	47	5	2	2	3	6	2	6	1	6	5	5	4
American Indian 1/, both sexes.....	10	-	1	1	-	-	-	2	2	1	2	1	-
Male.....	7	-	-	1	-	-	-	1	2	1	2	-	-
Female.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	52	2	2	7	7	7	-	6	6	3	7	1	4
Male.....	26	-	1	2	3	7	-	4	3	2	3	-	1
Female.....	26	2	1	5	4	-	-	2	3	1	4	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic lymphocytic leukemia (C91.1)													
All races, both sexes.....	4,342	408	380	385	334	352	353	369	352	361	332	343	373
Male.....	2,549	234	226	228	198	206	207	206	193	221	207	201	222
Female.....	1,793	174	154	157	136	146	146	163	159	140	125	142	151
White, both sexes.....	3,930	379	347	357	305	321	316	330	309	323	300	310	333
Male.....	2,298	217	205	212	183	182	185	187	165	198	187	181	196
Female.....	1,632	162	142	145	122	139	131	143	144	125	113	129	137
Black, both sexes.....	376	28	30	26	26	28	30	37	37	36	30	32	36
Male.....	230	17	21	14	14	21	16	18	24	22	19	19	25
Female.....	146	11	9	12	12	7	14	19	13	14	11	13	11
American Indian 1/, both sexes.....	15	-	3	1	2	-	2	1	2	-	-	-	4
Male.....	5	-	-	1	-	-	2	-	1	-	-	-	1
Female.....	10	-	3	-	2	-	-	1	1	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	21	1	-	1	1	3	5	1	4	2	2	1	-
Male.....	16	-	-	1	1	3	4	1	3	1	1	1	-
Female.....	5	1	-	-	-	-	1	-	1	1	1	-	-
Prolymphocytic leukemia (C91.3)													
All races, both sexes.....	71	10	5	4	7	5	7	2	10	3	5	4	9
Male.....	42	5	4	3	4	-	6	2	7	1	4	2	4
Female.....	29	5	1	1	3	5	1	-	3	2	1	2	5
White, both sexes.....	64	10	4	4	6	4	7	2	8	3	5	4	7
Male.....	40	5	4	3	3	-	6	2	6	1	4	2	4
Female.....	24	5	-	1	3	4	1	-	2	2	1	2	3
Black, both sexes.....	6	-	1	-	1	1	-	-	1	-	-	-	2
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	4	-	1	-	-	1	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lymphoid leukemia, unspecified (C91.9)													
All races, both sexes.....	209	21	11	23	23	15	14	21	12	13	26	17	13
Male.....	123	15	6	16	14	7	11	13	5	7	16	8	5
Female.....	86	6	5	7	9	8	3	8	7	6	10	9	8
White, both sexes.....	181	18	10	17	22	13	14	18	12	10	21	15	11
Male.....	105	13	5	13	14	5	11	10	5	5	14	7	3
Female.....	76	5	5	4	8	8	3	8	7	5	7	8	8
Black, both sexes.....	24	3	1	5	1	2	-	3	-	3	3	1	2
Male.....	17	2	1	3	-	2	-	3	-	2	1	1	2
Female.....	7	1	-	2	1	-	-	-	-	1	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	1	1	-
Myeloid leukemia (C92)													
All races, both sexes.....	9,949	869	778	881	836	866	796	799	890	769	822	783	860
Male.....	5,496	461	405	462	452	486	455	451	494	418	449	455	508
Female.....	4,453	408	373	419	384	380	341	348	396	351	373	328	352
White, both sexes.....	8,873	768	697	799	738	758	706	717	817	677	728	701	767
Male.....	4,938	416	372	420	403	428	402	409	456	369	395	419	449
Female.....	3,935	352	325	379	335	330	304	308	361	308	333	282	318
Black, both sexes.....	838	76	69	56	82	81	67	64	61	75	76	62	69
Male.....	412	31	26	28	39	39	38	30	30	39	42	27	43
Female.....	426	45	43	28	43	42	29	34	31	36	34	35	26
American Indian 1/, both sexes.....	31	4	-	4	4	4	5	2	-	-	3	1	4
Male.....	17	2	-	2	3	1	3	1	-	-	2	-	3
Female.....	14	2	-	2	1	3	2	1	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	207	21	12	22	12	23	18	16	12	17	15	19	20
Male.....	129	12	7	12	7	18	12	11	8	10	10	9	13
Female.....	78	9	5	10	5	5	6	5	4	7	5	10	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute myeloid leukemia (C92.0)													
All races, both sexes.....	7,821	672	604	682	661	696	621	612	696	622	660	623	672
Male.....	4,296	363	309	348	353	387	363	348	389	333	352	356	395
Female.....	3,525	309	295	334	308	309	258	264	307	289	308	267	277
White, both sexes.....	7,005	599	545	622	583	611	556	554	641	550	590	555	599
Male.....	3,867	332	287	316	315	341	323	315	358	293	313	323	351
Female.....	3,138	267	258	306	268	270	233	239	283	257	277	232	248
Black, both sexes.....	625	53	49	44	63	58	49	45	45	58	55	50	56
Male.....	315	21	17	24	29	27	30	24	25	31	29	24	34
Female.....	310	32	32	20	34	31	19	21	20	27	26	26	22
American Indian 1/, both sexes.....	25	4	-	2	4	4	4	2	-	-	2	1	2
Male.....	12	2	-	1	3	1	2	1	-	-	1	-	1
Female.....	13	2	-	1	1	3	2	1	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	166	16	10	14	11	23	12	11	10	14	13	17	15
Male.....	102	8	5	7	6	18	8	8	6	9	9	9	9
Female.....	64	8	5	7	5	5	4	3	4	5	4	8	6
Chronic myeloid leukemia (C92.1)													
All races, both sexes.....	1,164	122	80	112	97	93	101	90	104	81	87	85	112
Male.....	643	58	40	65	60	56	49	46	54	45	51	52	67
Female.....	521	64	40	47	37	37	52	44	50	36	36	33	45
White, both sexes.....	1,006	105	67	100	83	80	83	80	92	71	74	76	95
Male.....	552	51	32	58	49	50	39	40	49	39	42	49	54
Female.....	454	54	35	42	34	30	44	40	43	32	32	27	41
Black, both sexes.....	128	14	12	4	13	13	12	9	11	10	11	7	12
Male.....	69	5	7	2	10	6	5	5	4	6	8	3	8
Female.....	59	9	5	2	3	7	7	4	7	4	3	4	4
American Indian 1/, both sexes.....	5	-	-	2	-	-	1	-	-	-	1	-	1
Male.....	4	-	-	1	-	-	1	-	-	-	1	-	1
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	3	1	6	1	-	5	1	1	-	1	2	4
Male.....	18	2	1	4	1	-	4	1	1	-	-	-	4
Female.....	7	1	-	2	-	-	1	-	-	-	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute promyelocytic leukemia (C92.4)													
All races, both sexes.....	125	5	17	10	6	9	14	14	13	8	8	11	10
Male.....	63	3	10	5	3	5	5	8	5	7	3	6	3
Female.....	62	2	7	5	3	4	9	6	8	1	5	5	7
White, both sexes.....	109	5	14	9	4	8	13	12	11	6	8	10	9
Male.....	58	3	9	4	3	4	5	8	5	5	3	6	3
Female.....	51	2	5	5	1	4	8	4	6	1	5	4	6
Black, both sexes.....	14	-	3	1	2	1	1	2	2	1	-	1	-
Male.....	4	-	1	1	-	1	-	-	-	1	-	-	-
Female.....	10	-	2	-	2	-	1	2	2	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Acute myelomonocytic leukemia (C92.5)													
All races, both sexes.....	235	15	19	27	26	18	16	27	16	16	23	17	15
Male.....	135	10	11	15	11	10	8	16	9	6	16	14	9
Female.....	100	5	8	12	15	8	8	11	7	10	7	3	6
White, both sexes.....	210	13	17	23	24	15	13	23	15	16	20	17	14
Male.....	122	8	10	13	11	9	6	15	8	6	14	14	8
Female.....	88	5	7	10	13	6	7	8	7	10	6	3	6
Black, both sexes.....	18	1	2	2	2	3	3	2	1	-	2	-	-
Male.....	9	1	1	1	-	1	2	1	1	-	1	-	-
Female.....	9	-	1	1	2	2	1	1	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	2	-	-	-	2	-	-	1	-	-
Male.....	3	1	-	1	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	1	-	-	-	2	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other myeloid leukemia (C92.7)													
All races, both sexes.....	364	31	38	31	31	32	25	35	35	24	25	29	28
Male.....	225	16	24	21	18	20	19	22	19	14	14	18	20
Female.....	139	15	14	10	13	12	6	13	16	10	11	11	8
White, both sexes.....	330	25	37	30	30	28	23	30	33	20	21	26	27
Male.....	214	12	24	21	18	17	18	22	19	14	12	18	19
Female.....	116	13	13	9	12	11	5	8	14	6	9	8	8
Black, both sexes.....	32	5	1	1	1	4	1	5	2	4	4	3	1
Male.....	10	3	-	-	-	3	1	-	-	-	2	-	1
Female.....	22	2	1	1	1	1	-	5	2	4	2	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Myeloid leukemia, unspecified (C92.9)													
All races, both sexes.....	223	24	18	17	12	17	18	20	25	16	18	17	21
Male.....	127	11	11	7	6	8	11	10	18	11	13	8	13
Female.....	96	13	7	10	6	9	7	10	7	5	5	9	8
White, both sexes.....	198	21	16	13	12	15	17	17	24	12	14	16	21
Male.....	118	10	10	7	6	7	11	8	17	10	11	8	13
Female.....	80	11	6	6	6	8	6	9	7	2	3	8	8
Black, both sexes.....	19	3	1	4	-	2	1	1	-	2	4	1	-
Male.....	5	1	-	-	-	1	-	-	-	1	2	-	-
Female.....	14	2	1	4	-	1	1	1	-	1	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	2	1	2	-	-	-
Male.....	4	-	1	-	-	-	-	2	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic erythremia (C94.1)													
All races, both sexes.....	3	-	1	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	1	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	1	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute megakaryoblastic leukemia (C94.2)													
All races, both sexes.....	15	2	2	2	1	-	1	1	1	3	2	-	-
Male.....	9	1	1	1	1	-	1	-	1	3	-	-	-
Female.....	6	1	1	1	-	-	-	1	-	-	2	-	-
White, both sexes.....	10	2	1	1	1	-	1	1	-	2	1	-	-
Male.....	6	1	1	-	1	-	1	-	-	2	-	-	-
Female.....	4	1	-	1	-	-	-	1	-	-	1	-	-
Black, both sexes.....	3	-	1	1	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified leukemias (C94.7)													
All races, both sexes.....	68	8	3	6	8	6	4	8	6	5	2	8	4
Male.....	32	5	2	3	4	-	2	4	3	3	1	2	3
Female.....	36	3	1	3	4	6	2	4	3	2	1	6	1
White, both sexes.....	48	6	2	5	6	3	4	6	5	2	2	5	2
Male.....	24	3	2	2	3	-	2	4	3	1	1	1	2
Female.....	24	3	-	3	3	3	2	2	2	1	1	4	-
Black, both sexes.....	17	2	1	1	2	3	-	1	1	3	-	1	2
Male.....	8	2	-	1	1	-	-	-	-	2	-	1	1
Female.....	9	-	1	-	1	3	-	1	1	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	2	-
Leukemia of unspecified cell type (C95)													
All races, both sexes.....	5,076	441	385	449	427	396	395	428	427	417	456	411	444
Male.....	2,803	252	217	235	227	230	224	227	225	232	257	222	255
Female.....	2,273	189	168	214	200	166	171	201	202	185	199	189	189
White, both sexes.....	4,509	397	349	393	385	355	351	373	378	381	409	358	380
Male.....	2,508	231	199	208	209	198	206	198	197	213	232	192	225
Female.....	2,001	166	150	185	176	157	145	175	181	168	177	166	155
Black, both sexes.....	464	37	26	47	36	35	35	48	39	30	38	41	52
Male.....	231	17	11	21	16	27	14	27	23	13	17	22	23
Female.....	233	20	15	26	20	8	21	21	16	17	21	19	29
American Indian 1/, both sexes.....	18	-	1	1	-	-	1	-	3	1	2	3	6
Male.....	11	-	1	-	-	-	-	-	2	1	2	1	4
Female.....	7	-	-	1	-	-	1	-	1	-	-	2	2
Asian or Pacific Islander 2/, both sexes.....	85	7	9	8	6	6	8	7	7	5	7	9	6
Male.....	53	4	6	6	2	5	4	2	3	5	6	7	3
Female.....	32	3	3	2	4	1	4	5	4	-	1	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other leukemia of unspecified cell type (C95.7)													
All races, both sexes.....	5	-	-	-	-	4	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	4	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	-	-	-	-	4	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	4	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia, unspecified (C95.9)													
All races, both sexes.....	2,645	254	200	245	221	209	196	219	200	211	262	197	231
Male.....	1,447	145	116	123	120	119	108	109	102	120	153	102	130
Female.....	1,198	109	84	122	101	90	88	110	98	91	109	95	101
White, both sexes.....	2,318	225	177	210	202	183	173	187	176	192	233	171	189
Male.....	1,277	132	105	109	112	100	97	90	87	108	138	89	110
Female.....	1,041	93	72	101	90	83	76	97	89	84	95	82	79
Black, both sexes.....	275	23	18	28	19	24	18	26	21	17	24	22	35
Male.....	140	10	7	10	8	18	10	17	13	10	11	11	15
Female.....	135	13	11	18	11	6	8	9	8	7	13	11	20
American Indian 1/, both sexes.....	8	-	1	1	-	-	1	-	-	-	1	1	3
Male.....	5	-	1	-	-	-	-	-	-	-	1	-	3
Female.....	3	-	-	1	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	44	6	4	6	-	2	4	6	3	2	4	3	4
Male.....	25	3	3	4	-	1	1	2	2	2	3	2	2
Female.....	19	3	1	2	-	1	3	4	1	-	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasms of lymphoid, hematopoietic, and related tissue, unspecified (C96.9)													
All races, both sexes.....	54	4	1	3	4	5	4	7	6	3	3	4	10
Male.....	22	3	-	1	1	3	1	4	2	1	-	-	6
Female.....	32	1	1	2	3	2	3	3	4	2	3	4	4
White, both sexes.....	45	3	1	3	4	4	4	5	4	2	3	3	9
Male.....	19	2	-	1	1	2	1	4	2	1	-	-	5
Female.....	26	1	1	2	3	2	3	1	2	1	3	3	4
Black, both sexes.....	7	1	-	-	-	-	-	2	2	1	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	2	2	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of independent (primary) multiple sites (C97)													
All races, both sexes.....	4,249	367	307	363	346	331	364	378	371	366	366	343	347
Male.....	2,464	226	164	212	196	209	210	210	212	215	206	201	203
Female.....	1,785	141	143	151	150	122	154	168	159	151	160	142	144
White, both sexes.....	3,706	325	277	318	300	293	314	326	314	327	320	302	290
Male.....	2,114	194	146	184	161	184	172	188	174	187	176	176	172
Female.....	1,592	131	131	134	139	109	142	138	140	140	144	126	118
Black, both sexes.....	491	41	28	42	40	36	44	45	50	36	41	38	50
Male.....	318	31	17	27	31	23	32	20	32	27	28	23	27
Female.....	173	10	11	15	9	13	12	25	18	9	13	15	23
American Indian 1/, both sexes.....	12	-	1	1	3	1	1	2	1	-	-	-	2
Male.....	6	-	-	-	2	1	1	-	1	-	-	-	1
Female.....	6	-	1	1	1	-	-	2	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	40	1	1	2	3	1	5	5	6	3	5	3	5
Male.....	26	1	1	1	2	1	5	2	5	1	2	2	3
Female.....	14	-	-	1	1	-	-	3	1	2	3	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bronchus and lung (D14.3)													
All races, both sexes.....	14	1	-	2	-	2	1	2	-	5	-	-	1
Male.....	7	-	-	2	-	1	-	1	-	2	-	-	1
Female.....	7	1	-	-	-	1	1	1	-	3	-	-	-
White, both sexes.....	13	1	-	1	-	2	1	2	-	5	-	-	1
Male.....	6	-	-	1	-	1	-	1	-	2	-	-	1
Female.....	7	1	-	-	-	1	1	1	-	3	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of other and unspecified intrathoracic organs (D15)													
All races, both sexes.....	96	8	4	7	7	14	11	4	5	10	2	9	15
Male.....	28	4	2	2	1	2	3	-	2	3	-	4	5
Female.....	68	4	2	5	6	12	8	4	3	7	2	5	10
White, both sexes.....	87	6	3	7	7	12	8	4	5	10	1	9	15
Male.....	27	4	2	2	1	1	3	-	2	3	-	4	5
Female.....	60	2	1	5	6	11	5	4	3	7	1	5	10
Black, both sexes.....	5	2	1	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	2	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	2	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thymus (D15.0)													
All races, both sexes.....	41	3	3	2	3	4	6	3	1	7	-	5	4
Male.....	13	2	2	-	-	1	2	-	1	1	-	3	1
Female.....	28	1	1	2	3	3	4	3	-	6	-	2	3
White, both sexes.....	37	3	2	2	3	3	4	3	1	7	-	5	4
Male.....	12	2	2	-	-	-	2	-	1	1	-	3	1
Female.....	25	1	-	2	3	3	2	3	-	6	-	2	3
Black, both sexes.....	3	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Heart (D15.1)													
All races, both sexes.....	55	5	1	5	4	10	5	1	4	3	2	4	11
Male.....	15	2	-	2	1	1	1	-	1	2	-	1	4
Female.....	40	3	1	3	3	9	4	1	3	1	2	3	7
White, both sexes.....	50	3	1	5	4	9	4	1	4	3	1	4	11
Male.....	15	2	-	2	1	1	1	-	1	2	-	1	4
Female.....	35	1	1	3	3	8	3	1	3	1	1	3	7
Black, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Kidney (D30.0)													
All races, both sexes.....	4	-	1	-	1	-	-	-	1	-	-	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	1	-	-	-	1
White, both sexes.....	3	-	1	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of meninges (D32)													
All races, both sexes.....	834	72	65	74	59	74	55	71	76	75	70	69	74
Male.....	274	33	18	23	14	23	14	23	26	27	21	29	23
Female.....	560	39	47	51	45	51	41	48	50	48	49	40	51
White, both sexes.....	683	53	55	58	46	64	47	56	58	63	58	63	62
Male.....	224	25	15	16	12	20	13	19	20	23	16	26	19
Female.....	459	28	40	42	34	44	34	37	38	40	42	37	43
Black, both sexes.....	126	17	8	14	10	7	7	12	15	11	12	5	8
Male.....	46	7	3	7	2	3	1	4	6	4	5	2	2
Female.....	80	10	5	7	8	4	6	8	9	7	7	3	6
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	2	2	2	3	2	1	3	3	1	-	1	4
Male.....	4	1	-	-	-	-	-	-	-	-	-	1	2
Female.....	20	1	2	2	3	2	1	3	3	1	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meninges, unspecified (D32.9)													
All races, both sexes.....	585	54	38	53	38	54	35	50	55	53	52	49	54
Male.....	194	26	9	17	7	18	9	17	19	16	18	25	13
Female.....	391	28	29	36	31	36	26	33	36	37	34	24	41
White, both sexes.....	470	39	29	42	30	45	30	40	42	43	41	43	46
Male.....	157	20	7	11	7	15	8	13	17	12	14	22	11
Female.....	313	19	22	31	23	30	22	27	25	31	27	21	35
Black, both sexes.....	97	13	7	10	6	7	5	9	10	9	11	5	5
Male.....	34	5	2	6	-	3	1	4	2	4	4	2	1
Female.....	63	8	5	4	6	4	4	5	8	5	7	3	4
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	2	2	1	2	1	-	1	3	1	-	1	3
Male.....	3	1	-	-	-	-	-	-	-	-	-	1	1
Female.....	14	1	2	1	2	1	-	1	3	1	-	-	2
Benign neoplasm of brain and other parts of central nervous system (D33)													
All races, both sexes.....	134	17	10	6	11	16	10	13	13	11	11	5	11
Male.....	60	10	5	1	7	9	4	6	1	3	6	2	6
Female.....	74	7	5	5	4	7	6	7	12	8	5	3	5
White, both sexes.....	118	15	10	6	8	15	8	11	11	10	10	5	9
Male.....	52	10	5	1	6	8	2	5	1	2	5	2	5
Female.....	66	5	5	5	2	7	6	6	10	8	5	3	4
Black, both sexes.....	13	2	-	-	2	1	2	1	2	1	-	-	2
Male.....	7	-	-	-	1	1	2	1	-	1	-	-	1
Female.....	6	2	-	-	1	-	-	-	2	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Brain, unspecified (D33.2)													
All races, both sexes.....	77	11	5	2	9	9	5	9	7	5	7	2	6
Male.....	36	6	1	-	6	5	3	4	1	1	3	1	5
Female.....	41	5	4	2	3	4	2	5	6	4	4	1	1
White, both sexes.....	65	10	5	2	6	9	4	8	5	4	6	2	4
Male.....	30	6	1	-	5	5	2	3	1	-	2	1	4
Female.....	35	4	4	2	1	4	2	5	4	4	4	1	-
Black, both sexes.....	10	1	-	-	2	-	1	1	2	1	-	-	2
Male.....	5	-	-	-	1	-	1	1	-	1	-	-	1
Female.....	5	1	-	-	1	-	-	-	2	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Cranial nerves (D33.3)													
All races, both sexes.....	40	4	4	4	1	3	5	3	4	3	3	2	4
Male.....	15	3	3	1	-	1	1	1	-	1	3	1	-
Female.....	25	1	1	3	1	2	4	2	4	2	-	1	4
White, both sexes.....	37	3	4	4	1	3	4	2	4	3	3	2	4
Male.....	14	3	3	1	-	1	-	1	-	1	3	1	-
Female.....	23	-	1	3	1	2	4	1	4	2	-	1	4
Black, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of thyroid gland (D34)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of other and unspecified endocrine glands (D35)													
All races, both sexes.....	120	14	12	7	10	11	11	13	5	10	10	10	7
Male.....	60	7	9	4	7	4	7	4	4	5	4	2	3
Female.....	60	7	3	3	3	7	4	9	1	5	6	8	4
White, both sexes.....	89	12	10	6	9	8	8	9	5	7	5	5	5
Male.....	47	6	8	4	6	2	5	4	4	3	1	2	2
Female.....	42	6	2	2	3	6	3	5	1	4	4	3	3
Black, both sexes.....	28	2	2	1	1	2	2	3	-	3	5	5	2
Male.....	12	1	1	-	1	2	1	-	-	2	3	-	1
Female.....	16	1	1	1	-	-	1	3	-	1	2	5	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Appendix (D37.3)													
All races, both sexes.....	5	-	-	-	-	1	-	2	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	1	-	2	-	-	1	-	-
White, both sexes.....	4	-	-	-	-	-	-	2	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	2	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Colon (D37.4)													
All races, both sexes.....	98	8	3	11	8	9	9	4	11	7	9	5	14
Male.....	36	1	1	5	3	4	4	1	2	3	4	2	6
Female.....	62	7	2	6	5	5	5	3	9	4	5	3	8
White, both sexes.....	77	6	2	9	6	5	9	4	10	5	8	3	10
Male.....	26	-	1	3	2	2	4	1	2	2	4	1	4
Female.....	51	6	1	6	4	3	5	3	8	3	4	2	6
Black, both sexes.....	18	2	1	1	2	4	-	-	-	2	1	1	4
Male.....	9	1	-	1	1	2	-	-	-	1	-	1	2
Female.....	9	1	1	-	1	2	-	-	-	1	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of brain and central nervous system (D43)													
All races, both sexes.....	3,040	241	230	275	260	236	243	250	256	234	269	257	289
Male.....	1,501	119	106	136	123	114	123	135	131	119	132	121	142
Female.....	1,539	122	124	139	137	122	120	115	125	115	137	136	147
White, both sexes.....	2,664	217	210	235	235	209	211	221	230	195	243	213	245
Male.....	1,324	109	96	114	114	103	105	122	115	103	122	102	119
Female.....	1,340	108	114	121	121	106	106	99	115	92	121	111	126
Black, both sexes.....	309	19	17	32	22	22	24	25	22	33	21	35	37
Male.....	145	9	8	16	7	9	14	13	14	12	8	15	20
Female.....	164	10	9	16	15	13	10	12	8	21	13	20	17
American Indian 1/, both sexes.....	11	1	2	1	-	1	-	-	-	1	1	2	2
Male.....	4	-	1	1	-	1	-	-	-	1	-	-	-
Female.....	7	1	1	-	-	-	-	-	-	-	1	2	2
Asian or Pacific Islander 2/, both sexes.....	56	4	1	7	3	4	8	4	4	5	4	7	5
Male.....	28	1	1	5	2	1	4	-	2	3	2	4	3
Female.....	28	3	-	2	1	3	4	4	2	2	2	3	2
Brain, supratentorial (D43.0)													
All races, both sexes.....	170	14	24	14	14	9	11	14	12	9	16	15	18
Male.....	76	5	11	5	7	5	6	8	6	3	6	5	9
Female.....	94	9	13	9	7	4	5	6	6	6	10	10	9
White, both sexes.....	146	13	21	12	13	8	9	11	9	6	15	13	16
Male.....	64	4	9	4	7	4	5	7	4	3	6	4	7
Female.....	82	9	12	8	6	4	4	4	5	3	9	9	9
Black, both sexes.....	21	1	2	2	1	1	2	2	3	3	1	2	1
Male.....	10	1	1	1	-	1	1	1	2	-	-	1	1
Female.....	11	-	1	1	1	-	1	1	1	3	1	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Brain, infratentorial (D43.1)													
All races, both sexes.....	115	8	12	9	8	9	9	14	9	12	7	9	9
Male.....	46	4	7	7	3	2	1	8	3	4	2	3	2
Female.....	69	4	5	2	5	7	8	6	6	8	5	6	7
White, both sexes.....	102	8	12	8	7	8	9	12	8	9	7	7	7
Male.....	39	4	7	6	3	1	1	7	2	4	2	1	1
Female.....	63	4	5	2	4	7	8	5	6	5	5	6	6
Black, both sexes.....	11	-	-	1	1	-	-	2	-	3	-	2	2
Male.....	5	-	-	1	-	-	-	1	-	-	-	2	1
Female.....	6	-	-	-	1	-	-	1	-	3	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain, unspecified (D43.2)													
All races, both sexes.....	2,697	212	191	246	234	215	219	219	230	209	239	227	256
Male.....	1,350	108	87	121	112	105	112	119	118	110	120	110	128
Female.....	1,347	104	104	125	122	110	107	100	112	99	119	117	128
White, both sexes.....	2,366	189	175	210	212	190	189	195	208	177	216	188	217
Male.....	1,195	99	80	102	104	96	95	108	105	94	110	94	108
Female.....	1,171	90	95	108	108	94	94	87	103	83	106	94	109
Black, both sexes.....	270	18	14	28	20	21	22	21	19	26	18	30	33
Male.....	128	8	6	13	7	8	13	11	12	12	8	12	18
Female.....	142	10	8	15	13	13	9	10	7	14	10	18	15
American Indian 1/, both sexes.....	9	1	1	1	-	-	-	-	-	1	1	2	2
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	7	1	1	-	-	-	-	-	-	-	1	2	2
Asian or Pacific Islander 2/, both sexes.....	52	4	1	7	2	4	8	3	3	5	4	7	4
Male.....	25	1	1	5	1	1	4	-	1	3	2	4	2
Female.....	27	3	-	2	1	3	4	3	2	2	2	3	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Central nervous system, unspecified (D43.9)													
All races, both sexes.....	25	3	2	3	2	1	1	1	4	1	2	2	3
Male.....	8	-	1	1	-	-	1	-	3	-	-	1	1
Female.....	17	3	1	2	2	1	-	1	1	1	2	1	2
White, both sexes.....	21	3	1	3	2	1	1	1	4	-	1	2	2
Male.....	7	-	-	1	-	-	1	-	3	-	-	1	1
Female.....	14	3	1	2	2	1	-	1	1	-	1	1	1
Black, both sexes.....	4	-	1	-	-	-	-	-	-	1	1	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of endocrine glands (D44)													
All races, both sexes.....	190	22	16	13	11	13	13	18	15	13	15	20	21
Male.....	88	9	6	5	5	5	7	9	8	6	7	12	9
Female.....	102	13	10	8	6	8	6	9	7	7	8	8	12
White, both sexes.....	141	20	10	11	9	8	11	11	12	12	10	14	13
Male.....	66	7	4	5	3	2	6	6	7	5	6	8	7
Female.....	75	13	6	6	6	6	5	5	5	7	4	6	6
Black, both sexes.....	42	1	6	1	2	4	1	6	3	1	4	5	8
Male.....	17	1	2	-	2	2	1	2	1	1	-	3	2
Female.....	25	-	4	1	-	2	-	4	2	-	4	2	6
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	1	-
Male.....	3	-	-	-	-	-	-	1	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	1	-	1	1	-	-	-	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polycythemia vera (D45)													
All races, both sexes.....	304	36	23	31	27	29	17	13	27	20	21	33	27
Male.....	144	20	15	17	13	9	7	7	10	11	6	19	10
Female.....	160	16	8	14	14	20	10	6	17	9	15	14	17
White, both sexes.....	289	34	22	31	26	27	15	12	26	20	19	32	25
Male.....	139	19	14	17	13	9	7	6	9	11	6	19	9
Female.....	150	15	8	14	13	18	8	6	17	9	13	13	16
Black, both sexes.....	13	1	-	-	1	2	2	1	1	-	2	1	2
Male.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Female.....	10	1	-	-	1	2	2	-	-	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndromes (D46)													
All races, both sexes.....	4,497	391	311	387	369	353	353	402	397	403	372	369	390
Male.....	2,520	214	185	217	211	207	200	213	211	224	212	213	213
Female.....	1,977	177	126	170	158	146	153	189	186	179	160	156	177
White, both sexes.....	4,210	358	291	366	345	330	333	377	375	372	354	339	370
Male.....	2,368	201	175	205	197	194	189	198	197	207	204	198	203
Female.....	1,842	157	116	161	148	136	144	179	178	165	150	141	167
Black, both sexes.....	194	20	16	15	17	12	11	19	18	23	12	18	13
Male.....	98	6	7	9	9	8	4	11	13	13	3	10	5
Female.....	96	14	9	6	8	4	7	8	5	10	9	8	8
American Indian 1/, both sexes.....	14	1	-	2	1	3	-	1	1	-	1	1	3
Male.....	9	1	-	1	-	3	-	1	-	-	-	-	3
Female.....	5	-	-	1	1	-	-	-	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	79	12	4	4	6	8	9	5	3	8	5	11	4
Male.....	45	6	3	2	5	2	7	3	1	4	5	5	2
Female.....	34	6	1	2	1	6	2	2	2	4	-	6	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other myelodysplastic syndromes (D46.7)													
All races, both sexes.....	8	1	-	1	1	2	-	1	-	-	-	-	2
Male.....	4	1	-	1	-	1	-	1	-	-	-	-	-
Female.....	4	-	-	-	1	1	-	-	-	-	-	-	2
White, both sexes.....	7	1	-	1	1	2	-	-	-	-	-	-	2
Male.....	3	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	1	-	-	-	-	-	-	2
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndrome, unspecified (D46.9)													
All races, both sexes.....	4,328	383	294	376	352	339	345	393	384	384	357	353	368
Male.....	2,434	209	180	209	201	198	194	208	204	217	204	206	204
Female.....	1,894	174	114	167	151	141	151	185	180	167	153	147	164
White, both sexes.....	4,049	350	276	355	328	316	326	369	363	354	339	323	350
Male.....	2,285	196	170	197	187	185	184	194	190	200	196	191	195
Female.....	1,764	154	106	158	141	131	142	175	173	154	143	132	155
Black, both sexes.....	189	20	14	15	17	12	11	18	17	22	12	18	13
Male.....	97	6	7	9	9	8	4	10	13	13	3	10	5
Female.....	92	14	7	6	8	4	7	8	4	9	9	8	8
American Indian 1/, both sexes.....	13	1	-	2	1	3	-	1	1	-	1	1	2
Male.....	8	1	-	1	-	3	-	1	-	-	-	-	2
Female.....	5	-	-	1	1	-	-	-	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	77	12	4	4	6	8	8	5	3	8	5	11	3
Male.....	44	6	3	2	5	2	6	3	1	4	5	5	2
Female.....	33	6	1	2	1	6	2	2	2	4	-	6	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Essential (hemorrhagic) thrombocytopenia (D47.3)													
All races, both sexes.....	17	-	-	2	-	1	-	4	1	1	2	4	2
Male.....	5	-	-	1	-	1	-	2	1	-	-	-	-
Female.....	12	-	-	1	-	-	-	2	-	1	2	4	2
White, both sexes.....	15	-	-	2	-	1	-	3	1	1	1	4	2
Male.....	5	-	-	1	-	1	-	2	1	-	-	-	-
Female.....	10	-	-	1	-	-	-	1	-	1	1	4	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47.7)													
All races, both sexes.....	16	-	1	-	1	6	-	4	1	1	1	1	-
Male.....	7	-	1	-	1	2	-	3	-	-	-	-	-
Female.....	9	-	-	-	-	4	-	1	1	1	1	1	-
White, both sexes.....	10	-	-	-	1	4	-	2	1	1	1	-	-
Male.....	4	-	-	-	1	2	-	1	-	-	-	-	-
Female.....	6	-	-	-	-	2	-	1	1	1	1	-	-
Black, both sexes.....	5	-	1	-	-	1	-	2	-	-	-	1	-
Male.....	3	-	1	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue, unspecified (D47.9)													
All races, both sexes.....	113	7	11	7	13	13	6	8	12	11	11	7	7
Male.....	58	2	6	5	7	6	4	4	5	3	6	4	6
Female.....	55	5	5	2	6	7	2	4	7	8	5	3	1
White, both sexes.....	97	6	8	6	12	11	6	7	8	9	11	6	7
Male.....	50	2	4	5	6	5	4	3	4	2	6	3	6
Female.....	47	4	4	1	6	6	2	4	4	7	5	3	1
Black, both sexes.....	14	1	2	1	1	2	-	1	3	2	-	1	-
Male.....	8	-	2	-	1	1	-	1	1	1	-	1	-
Female.....	6	1	-	1	-	1	-	-	2	1	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of other and unspecified sites (D48)													
All races, both sexes.....	751	65	60	63	44	62	58	62	61	78	74	57	67
Male.....	320	29	27	30	22	28	24	20	32	30	31	18	29
Female.....	431	36	33	33	22	34	34	42	29	48	43	39	38
White, both sexes.....	651	58	59	51	38	57	50	52	51	69	65	48	53
Male.....	278	23	27	26	20	25	23	18	26	25	25	17	23
Female.....	373	35	32	25	18	32	27	34	25	44	40	31	30
Black, both sexes.....	85	7	1	9	6	5	7	6	9	6	7	9	13
Male.....	36	6	-	4	2	3	1	1	5	3	5	1	5
Female.....	49	1	1	5	4	2	6	5	4	3	2	8	8
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	3	-	-	1	3	1	3	2	-	1
Male.....	6	-	-	-	-	-	-	1	1	2	1	-	1
Female.....	8	-	-	3	-	-	1	2	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Breast (D48.6)													
All races, both sexes.....	21	1	1	2	1	2	3	1	3	3	-	2	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	21	1	1	2	1	2	3	1	3	3	-	2	2
White, both sexes.....	17	1	1	1	-	2	3	-	3	3	-	1	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	1	1	1	-	2	3	-	3	3	-	1	2
Black, both sexes.....	4	-	-	1	1	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	1	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified sites (D48.7)													
All races, both sexes.....	275	20	24	24	18	26	19	22	18	31	20	22	31
Male.....	92	6	9	9	4	11	5	9	6	11	8	5	9
Female.....	183	14	15	15	14	15	14	13	12	20	12	17	22
White, both sexes.....	240	17	23	19	17	26	16	16	13	28	18	20	27
Male.....	79	4	9	7	4	11	5	8	5	9	6	4	7
Female.....	161	13	14	12	13	15	11	8	8	19	12	16	20
Black, both sexes.....	32	3	1	5	1	-	3	4	5	2	2	2	4
Male.....	13	2	-	2	-	-	-	1	1	2	2	1	2
Female.....	19	1	1	3	1	-	3	3	4	-	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acquired pure red cell aplasia, unspecified (D60.9)													
All races, both sexes.....	8	-	-	-	1	1	1	1	1	1	-	-	2
Male.....	3	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	5	-	-	-	1	1	-	-	-	1	-	-	2
White, both sexes.....	5	-	-	-	1	-	1	1	1	-	-	-	1
Male.....	3	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Black, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Other aplastic anemias (D61)													
All races, both sexes.....	959	90	89	82	76	99	71	86	77	71	76	67	75
Male.....	434	31	49	42	31	34	40	34	38	33	34	35	33
Female.....	525	59	40	40	45	65	31	52	39	38	42	32	42
White, both sexes.....	829	79	77	71	63	90	61	73	66	62	69	55	63
Male.....	375	27	40	36	27	31	33	29	36	29	30	29	28
Female.....	454	52	37	35	36	59	28	44	30	33	39	26	35
Black, both sexes.....	96	9	10	8	10	3	8	10	8	7	6	9	8
Male.....	45	3	7	4	2	2	6	4	2	3	4	5	3
Female.....	51	6	3	4	8	1	2	6	6	4	2	4	5
American Indian 1/, both sexes.....	4	-	-	-	-	1	2	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	2	2	3	3	5	-	3	3	1	1	3	4
Male.....	13	1	2	2	2	1	-	1	-	1	-	1	2
Female.....	17	1	-	1	1	4	-	2	3	-	1	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Idiopathic aplastic anemia (D61.3)													
All races, both sexes.....	7	-	1	-	-	1	1	2	-	-	1	-	1
Male.....	5	-	1	-	-	-	1	2	-	-	-	-	1
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
White, both sexes.....	5	-	-	-	-	1	1	2	-	-	1	-	-
Male.....	3	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Aplastic anemia, unspecified (D61.9)													
All races, both sexes.....	932	89	84	76	76	98	70	83	75	71	72	66	72
Male.....	421	31	46	38	31	34	39	32	37	33	33	35	32
Female.....	511	58	38	38	45	64	31	51	38	38	39	31	40
White, both sexes.....	806	78	73	66	63	89	60	70	64	62	65	54	62
Male.....	364	27	38	32	27	31	32	27	35	29	29	29	28
Female.....	442	51	35	34	36	58	28	43	29	33	36	25	34
Black, both sexes.....	93	9	9	7	10	3	8	10	8	7	6	9	7
Male.....	44	3	6	4	2	2	6	4	2	3	4	5	3
Female.....	49	6	3	3	8	1	2	6	6	4	2	4	4
American Indian 1/, both sexes.....	4	-	-	-	-	1	2	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	2	2	3	3	5	-	3	3	1	1	3	3
Male.....	12	1	2	2	2	1	-	1	-	1	-	1	1
Female.....	17	1	-	1	1	4	-	2	3	-	1	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute posthemorrhagic anemia (D62)													
All races, both sexes.....	16	3	2	2	1	-	2	-	-	2	-	1	3
Male.....	5	1	1	-	1	-	1	-	-	-	-	1	-
Female.....	11	2	1	2	-	-	1	-	-	2	-	-	3
White, both sexes.....	13	2	2	2	1	-	2	-	-	1	-	1	2
Male.....	4	-	1	-	1	-	1	-	-	-	-	1	-
Female.....	9	2	1	2	-	-	1	-	-	1	-	-	2
Black, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other anemias (D64)													
All races, both sexes.....	2,504	244	235	242	227	187	173	189	194	205	202	202	204
Male.....	897	66	81	95	92	57	60	64	76	82	69	72	83
Female.....	1,607	178	154	147	135	130	113	125	118	123	133	130	121
White, both sexes.....	2,116	211	199	209	191	161	144	152	161	172	171	170	175
Male.....	741	51	69	80	77	48	49	52	66	67	56	59	67
Female.....	1,375	160	130	129	114	113	95	100	95	105	115	111	108
Black, both sexes.....	347	31	34	32	30	23	25	32	30	30	23	30	27
Male.....	138	15	11	15	12	7	9	10	8	13	11	13	14
Female.....	209	16	23	17	18	16	16	22	22	17	12	17	13
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	1	3	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	2	1	-	1
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	2	2	1	6	3	4	5	2	-	7	2	1
Male.....	14	-	1	-	3	2	2	2	2	-	1	-	1
Female.....	21	2	1	1	3	1	2	3	-	-	6	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anemia, unspecified (D64.9)													
All races, both sexes.....	2,421	239	225	233	218	182	168	186	185	197	198	193	197
Male.....	856	63	79	92	89	54	57	62	71	77	67	66	79
Female.....	1,565	176	146	141	129	128	111	124	114	120	131	127	118
White, both sexes.....	2,041	206	190	200	183	157	139	149	153	165	168	162	169
Male.....	704	48	68	77	74	45	46	50	61	63	54	54	64
Female.....	1,337	158	122	123	109	112	93	99	92	102	114	108	105
Black, both sexes.....	339	31	33	32	29	22	25	32	29	29	22	29	26
Male.....	134	15	10	15	12	7	9	10	8	12	11	12	13
Female.....	205	16	23	17	17	15	16	22	21	17	11	17	13
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	1	3	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	2	1	-	1
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	2	2	1	6	3	4	5	2	-	7	2	1
Male.....	14	-	1	-	3	2	2	2	2	-	1	-	1
Female.....	21	2	1	1	3	1	2	3	-	-	6	2	-
Disseminated intravascular coagulation [defibrination syndrome] (D65)													
All races, both sexes.....	538	59	48	46	38	52	45	46	41	43	51	33	36
Male.....	234	28	15	22	17	23	15	26	18	17	22	17	14
Female.....	304	31	33	24	21	29	30	20	23	26	29	16	22
White, both sexes.....	396	42	41	35	24	37	32	32	28	31	42	22	30
Male.....	171	23	11	16	14	16	8	19	13	11	18	11	11
Female.....	225	19	30	19	10	21	24	13	15	20	24	11	19
Black, both sexes.....	128	17	6	11	11	14	12	13	12	11	6	9	6
Male.....	57	5	3	6	2	7	6	6	5	5	3	6	3
Female.....	71	12	3	5	9	7	6	7	7	6	3	3	3
American Indian 1/, both sexes.....	6	-	1	-	2	1	-	1	-	-	1	-	-
Male.....	3	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	1	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	-	1	-	1	1	2	2	-
Male.....	3	-	-	-	-	-	1	-	-	1	1	-	-
Female.....	5	-	-	-	1	-	-	-	1	-	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acquired coagulation factor deficiency (D68.4)													
All races, both sexes.....	10	1	-	2	-	1	-	-	2	2	2	-	-
Male.....	4	-	-	1	-	-	-	-	1	-	2	-	-
Female.....	6	1	-	1	-	1	-	-	1	2	-	-	-
White, both sexes.....	8	-	-	1	-	1	-	-	2	2	2	-	-
Male.....	3	-	-	-	-	-	-	-	1	-	2	-	-
Female.....	5	-	-	1	-	1	-	-	1	2	-	-	-
Black, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified coagulation defects (D68.8)													
All races, both sexes.....	105	11	7	10	7	8	9	7	11	7	9	11	8
Male.....	36	4	3	5	1	1	1	4	3	4	5	3	2
Female.....	69	7	4	5	6	7	8	3	8	3	4	8	6
White, both sexes.....	87	9	6	9	5	7	6	7	9	7	6	10	6
Male.....	33	3	3	5	1	1	1	4	3	4	3	3	2
Female.....	54	6	3	4	4	6	5	3	6	3	3	7	4
Black, both sexes.....	15	2	1	1	2	1	2	-	1	-	3	-	2
Male.....	3	1	-	-	-	-	-	-	-	-	2	-	-
Female.....	12	1	1	1	2	1	2	-	1	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Coagulation defect, unspecified (D68.9)													
All races, both sexes.....	952	101	64	74	90	80	72	74	69	63	90	89	86
Male.....	457	49	27	37	49	39	33	42	26	27	44	42	42
Female.....	495	52	37	37	41	41	39	32	43	36	46	47	44
White, both sexes.....	794	79	54	67	77	62	60	59	61	50	79	75	71
Male.....	385	41	23	32	41	31	30	32	25	19	40	36	35
Female.....	409	38	31	35	36	31	30	27	36	31	39	39	36
Black, both sexes.....	142	20	10	7	12	16	11	12	7	12	8	13	14
Male.....	66	7	4	5	7	6	3	8	1	8	4	6	7
Female.....	76	13	6	2	5	10	8	4	6	4	4	7	7
American Indian 1/, both sexes.....	4	1	-	-	-	1	-	1	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	-	-	1	1	1	2	1	1	2	1	1
Male.....	4	1	-	-	1	1	-	1	-	-	-	-	-
Female.....	8	-	-	-	-	-	1	1	1	1	2	1	1
Purpura and other hemorrhagic conditions (D69)													
All races, both sexes.....	882	77	70	77	76	75	68	76	80	60	68	67	88
Male.....	391	31	28	26	34	33	29	32	37	29	32	35	45
Female.....	491	46	42	51	42	42	39	44	43	31	36	32	43
White, both sexes.....	761	64	60	63	65	62	58	65	72	56	57	60	79
Male.....	342	24	27	20	31	26	26	28	33	27	28	32	40
Female.....	419	40	33	43	34	36	32	37	39	29	29	28	39
Black, both sexes.....	102	10	8	13	9	10	8	9	6	3	10	7	9
Male.....	42	5	1	6	2	6	3	3	3	1	4	3	5
Female.....	60	5	7	7	7	4	5	6	3	2	6	4	4
American Indian 1/, both sexes.....	3	-	-	-	1	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	3	2	1	1	2	2	2	1	1	1	-	-
Male.....	6	2	-	-	1	-	-	1	1	1	-	-	-
Female.....	10	1	2	1	-	2	2	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Idiopathic thrombocytopenic purpura (D69.3)													
All races, both sexes.....	289	28	28	28	21	26	16	31	25	15	25	18	28
Male.....	123	9	11	7	8	8	8	15	11	9	14	8	15
Female.....	166	19	17	21	13	18	8	16	14	6	11	10	13
White, both sexes.....	255	22	27	25	18	24	14	26	23	13	21	17	25
Male.....	114	8	11	7	8	7	8	14	10	8	12	8	13
Female.....	141	14	16	18	10	17	6	12	13	5	9	9	12
Black, both sexes.....	31	6	1	2	3	2	2	4	2	1	4	1	3
Male.....	8	1	-	-	-	1	-	1	1	-	2	-	2
Female.....	23	5	1	2	3	1	2	3	1	1	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Other primary thrombocytopenia (D69.4)													
All races, both sexes.....	59	3	5	5	10	6	8	4	5	4	2	3	4
Male.....	26	1	2	1	4	3	4	3	2	2	-	2	2
Female.....	33	2	3	4	6	3	4	1	3	2	2	1	2
White, both sexes.....	51	3	4	5	8	6	6	3	5	4	1	3	3
Male.....	23	1	2	1	3	3	3	2	2	2	-	2	2
Female.....	28	2	2	4	5	3	3	1	3	2	1	1	1
Black, both sexes.....	5	-	1	-	1	-	1	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	1	-	1	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary thrombocytopenia (D69.5)													
All races, both sexes.....	24	1	2	4	2	3	2	-	2	3	3	2	-
Male.....	13	1	-	3	1	2	1	-	1	1	1	2	-
Female.....	11	-	2	1	1	1	1	-	1	2	2	-	-
White, both sexes.....	20	1	2	3	1	2	2	-	2	3	2	2	-
Male.....	11	1	-	2	1	1	1	-	1	1	1	2	-
Female.....	9	-	2	1	-	1	1	-	1	2	1	-	-
Black, both sexes.....	3	-	-	1	-	1	-	-	-	-	1	-	-
Male.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrombocytopenia, unspecified (D69.6)													
All races, both sexes.....	474	43	33	36	37	34	39	39	45	35	37	43	53
Male.....	208	20	14	12	17	16	15	13	22	15	16	22	26
Female.....	266	23	19	24	20	18	24	26	23	20	21	21	27
White, both sexes.....	404	37	26	27	32	25	33	34	39	33	33	37	48
Male.....	177	14	14	8	15	12	13	11	19	14	15	19	23
Female.....	227	23	12	19	17	13	20	23	20	19	18	18	25
Black, both sexes.....	59	4	5	9	5	6	5	5	4	2	3	6	5
Male.....	27	4	-	4	2	3	2	2	2	1	1	3	3
Female.....	32	-	5	5	3	3	3	3	2	1	2	3	2
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	2	2	-	-	2	1	-	1	-	1	-	-
Male.....	3	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	6	-	2	-	-	2	1	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemorrhagic condition, unspecified (D69.9)													
All races, both sexes.....	25	1	2	3	4	3	2	2	1	2	1	1	3
Male.....	13	-	1	3	2	1	-	1	-	1	1	1	2
Female.....	12	1	1	-	2	2	2	1	1	1	-	-	1
White, both sexes.....	21	-	1	2	4	3	2	2	1	2	-	1	3
Male.....	10	-	-	2	2	1	-	1	-	1	-	1	2
Female.....	11	-	1	-	2	2	2	1	1	1	-	-	1
Black, both sexes.....	3	-	1	1	-	-	-	-	-	-	1	-	-
Male.....	3	-	1	1	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Agranulocytosis (D70)													
All races, both sexes.....	306	34	29	23	26	24	19	23	24	19	29	36	20
Male.....	143	16	11	13	11	13	7	12	5	12	14	17	12
Female.....	163	18	18	10	15	11	12	11	19	7	15	19	8
White, both sexes.....	263	28	26	21	21	21	14	19	20	17	26	33	17
Male.....	122	14	9	11	9	12	6	8	3	11	12	17	10
Female.....	141	14	17	10	12	9	8	11	17	6	14	16	7
Black, both sexes.....	31	5	3	1	3	2	4	3	3	1	1	3	2
Male.....	15	2	2	1	1	1	1	3	1	1	-	-	2
Female.....	16	3	1	-	2	1	3	-	2	-	1	3	-
American Indian 1/, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	1	-	1	1	1	1	1	2	-	1
Male.....	5	-	-	1	-	-	-	1	1	-	2	-	-
Female.....	5	1	-	-	-	1	1	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Functional disorders of polymorphonuclear neutrophils (D71)													
All races, both sexes.....	16	2	1	-	-	3	2	-	5	3	-	-	-
Male.....	13	1	1	-	-	3	2	-	5	1	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	2	-	-	-
White, both sexes.....	13	1	1	-	-	2	2	-	5	2	-	-	-
Male.....	12	1	1	-	-	2	2	-	5	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Other disorders of white blood cells (D72)													
All races, both sexes.....	89	9	6	3	4	6	7	10	7	11	8	8	10
Male.....	32	3	3	1	-	2	2	4	3	6	2	2	4
Female.....	57	6	3	2	4	4	5	6	4	5	6	6	6
White, both sexes.....	76	8	6	3	2	5	7	8	5	10	6	7	9
Male.....	27	2	3	1	-	2	2	3	1	5	2	2	4
Female.....	49	6	3	2	2	3	5	5	4	5	4	5	5
Black, both sexes.....	10	1	-	-	2	1	-	2	1	1	1	1	-
Male.....	4	1	-	-	-	-	-	1	1	1	-	-	-
Female.....	6	-	-	-	2	1	-	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Methemoglobinemia, unspecified (D74.9)													
All races, both sexes.....	3	-	1	-	-	1	-	-	-	-	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of blood and blood-forming organs (D75)													
All races, both sexes.....	159	20	10	24	10	11	8	7	14	11	13	12	19
Male.....	72	6	7	9	5	5	2	3	7	3	7	9	9
Female.....	87	14	3	15	5	6	6	4	7	8	6	3	10
White, both sexes.....	146	18	9	23	10	11	5	7	12	8	13	11	19
Male.....	68	6	6	8	5	5	1	3	6	3	7	9	9
Female.....	78	12	3	15	5	6	4	4	6	5	6	2	10
Black, both sexes.....	10	2	1	1	-	-	2	-	1	2	-	1	-
Male.....	4	-	1	1	-	-	1	-	1	-	-	-	-
Female.....	6	2	-	-	-	-	1	-	-	2	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified diseases of blood and blood-forming organs (D75.8)													
All races, both sexes.....	63	10	6	8	4	3	3	-	8	4	7	3	7
Male.....	28	3	5	1	2	2	2	-	4	-	4	1	4
Female.....	35	7	1	7	2	1	1	-	4	4	3	2	3
White, both sexes.....	58	9	5	8	4	3	2	-	7	4	7	2	7
Male.....	25	3	4	1	2	2	1	-	3	-	4	1	4
Female.....	33	6	1	7	2	1	1	-	4	4	3	1	3
Black, both sexes.....	5	1	1	-	-	-	1	-	1	-	-	1	-
Male.....	3	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of blood and blood-forming organs, unspecified (D75.9)													
All races, both sexes.....	58	6	2	13	4	3	2	4	6	5	4	5	4
Male.....	31	1	1	7	3	2	-	1	3	3	3	5	2
Female.....	27	5	1	6	1	1	2	3	3	2	1	-	2
White, both sexes.....	52	5	2	12	4	3	1	4	5	3	4	5	4
Male.....	30	1	1	6	3	2	-	1	3	3	3	5	2
Female.....	22	4	1	6	1	1	1	3	2	-	1	-	2
Black, both sexes.....	4	1	-	1	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Immunodeficiency, unspecified (D84.9)													
All races, both sexes.....	403	36	29	46	28	22	42	31	27	41	35	30	36
Male.....	220	20	18	31	11	10	18	14	19	21	19	16	23
Female.....	183	16	11	15	17	12	24	17	8	20	16	14	13
White, both sexes.....	263	28	17	30	19	13	24	19	18	23	26	19	27
Male.....	136	16	8	19	7	5	8	10	13	14	11	7	18
Female.....	127	12	9	11	12	8	16	9	5	9	15	12	9
Black, both sexes.....	129	7	10	13	8	9	17	12	8	17	9	11	8
Male.....	79	4	8	11	4	5	9	4	6	6	8	9	5
Female.....	50	3	2	2	4	4	8	8	2	11	1	2	3
American Indian 1/, both sexes.....	6	1	-	2	-	-	1	-	1	1	-	-	-
Male.....	3	-	-	1	-	-	1	-	-	1	-	-	-
Female.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	2	1	1	-	-	-	-	-	-	-	1
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	-	-	1
Sarcoidosis (D86)													
All races, both sexes.....	841	73	71	69	72	66	57	81	68	64	62	74	84
Male.....	328	33	24	25	32	29	18	25	26	21	22	31	42
Female.....	513	40	47	44	40	37	39	56	42	43	40	43	42
White, both sexes.....	309	26	25	29	35	27	18	24	25	20	26	29	25
Male.....	128	11	9	10	17	12	6	10	8	6	10	17	12
Female.....	181	15	16	19	18	15	12	14	17	14	16	12	13
Black, both sexes.....	526	47	44	40	37	39	39	54	43	43	36	45	59
Male.....	199	22	15	15	15	17	12	14	18	15	12	14	30
Female.....	327	25	29	25	22	22	27	40	25	28	24	31	29
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	2	-	-	-	-	3	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	5	-	2	-	-	-	-	2	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital iodine-deficiency syndrome, unspecified (E00.9)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hypothyroidism (E03)													
All races, both sexes.....	1,348	143	135	111	108	107	108	94	99	82	116	129	116
Male.....	312	37	32	36	16	21	26	24	30	16	19	29	26
Female.....	1,036	106	103	75	92	86	82	70	69	66	97	100	90
White, both sexes.....	1,218	126	122	101	100	93	100	83	89	78	102	116	108
Male.....	276	31	27	34	15	19	25	22	25	16	15	25	22
Female.....	942	95	95	67	85	74	75	61	64	62	87	91	86
Black, both sexes.....	111	17	8	8	7	14	8	9	7	3	12	11	7
Male.....	29	6	3	2	1	2	1	2	3	-	2	3	4
Female.....	82	11	5	6	6	12	7	7	4	3	10	8	3
American Indian 1/, both sexes.....	8	-	2	-	-	-	-	2	1	1	-	2	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	6	-	2	-	-	-	-	2	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	11	-	3	2	1	-	-	-	2	-	2	-	1
Male.....	5	-	2	-	-	-	-	-	1	-	2	-	-
Female.....	6	-	1	2	1	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified hypothyroidism (E03.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypothyroidism, unspecified (E03.9)													
All races, both sexes.....	1,328	141	132	111	106	105	108	92	97	80	114	128	114
Male.....	309	37	31	36	16	21	26	23	30	16	19	28	26
Female.....	1,019	104	101	75	90	84	82	69	67	64	95	100	88
White, both sexes.....	1,204	124	120	101	98	92	100	82	88	76	101	116	106
Male.....	276	31	27	34	15	19	25	22	25	16	15	25	22
Female.....	928	93	93	67	83	73	75	60	63	60	86	91	84
Black, both sexes.....	106	17	7	8	7	13	8	8	6	3	11	11	7
Male.....	27	6	2	2	1	2	1	1	3	-	2	3	4
Female.....	79	11	5	6	6	11	7	7	3	3	9	8	3
American Indian 1/, both sexes.....	7	-	2	-	-	-	-	2	1	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	6	-	2	-	-	-	-	2	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	11	-	3	2	1	-	-	-	2	-	2	-	1
Male.....	5	-	2	-	-	-	-	-	1	-	2	-	-
Female.....	6	-	1	2	1	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nontoxic goiter, unspecified (E04.9)													
All races, both sexes.....	37	3	6	4	5	2	3	3	3	-	2	3	3
Male.....	5	-	1	-	1	-	1	1	1	-	-	-	-
Female.....	32	3	5	4	4	2	2	2	2	-	2	3	3
White, both sexes.....	25	3	4	4	4	1	3	2	1	-	-	2	1
Male.....	4	-	1	-	1	-	1	1	-	-	-	-	-
Female.....	21	3	3	4	3	1	2	1	1	-	-	2	1
Black, both sexes.....	12	-	2	-	1	1	-	1	2	-	2	1	2
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	11	-	2	-	1	1	-	1	1	-	2	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Thyrotoxicosis [hyperthyroidism] (E05)													
All races, both sexes.....	327	27	30	36	24	30	31	14	23	21	31	28	32
Male.....	103	5	12	9	6	11	12	3	8	5	13	8	11
Female.....	224	22	18	27	18	19	19	11	15	16	18	20	21
White, both sexes.....	248	22	22	25	22	23	18	11	16	18	25	19	27
Male.....	75	2	9	6	6	10	6	2	6	5	9	4	10
Female.....	173	20	13	19	16	13	12	9	10	13	16	15	17
Black, both sexes.....	72	5	7	11	2	7	13	2	7	3	6	5	4
Male.....	25	3	3	3	-	1	6	1	2	-	4	2	-
Female.....	47	2	4	8	2	6	7	1	5	3	2	3	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	1	-	-	-	3	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	4	-	1	-	-	-	-	1	-	-	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ketoacidosis (E10.1)													
All races, both sexes.....	168	21	12	13	13	18	8	16	7	12	13	17	18
Male.....	92	12	8	5	7	9	5	12	5	9	4	8	8
Female.....	76	9	4	8	6	9	3	4	2	3	9	9	10
White, both sexes.....	137	16	8	12	9	15	8	14	4	12	13	13	13
Male.....	75	11	4	4	6	8	5	11	3	9	4	5	5
Female.....	62	5	4	8	3	7	3	3	1	3	9	8	8
Black, both sexes.....	25	4	4	-	3	3	-	2	2	-	-	3	4
Male.....	13	1	4	-	-	1	-	1	1	-	-	2	3
Female.....	12	3	-	-	3	2	-	1	1	-	-	1	1
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	1	-	-	-	1	-	-	-	-
Male.....	3	-	-	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
With renal complications (E10.2)													
All races, both sexes.....	155	14	14	19	10	12	9	12	11	12	10	11	21
Male.....	70	5	5	8	3	8	3	7	4	3	4	7	13
Female.....	85	9	9	11	7	4	6	5	7	9	6	4	8
White, both sexes.....	132	12	12	15	10	11	7	12	9	8	8	8	20
Male.....	64	5	5	7	3	8	3	7	3	1	4	5	13
Female.....	68	7	7	8	7	3	4	5	6	7	4	3	7
Black, both sexes.....	21	2	2	4	-	-	2	-	2	4	1	3	1
Male.....	6	-	-	1	-	-	-	-	1	2	-	2	-
Female.....	15	2	2	3	-	-	2	-	1	2	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Without complications (E10.9)													
All races, both sexes.....	4,596	465	396	401	410	371	376	355	372	365	342	354	389
Male.....	2,107	208	174	194	184	182	155	166	170	164	163	154	193
Female.....	2,489	257	222	207	226	189	221	189	202	201	179	200	196
White, both sexes.....	3,774	378	316	335	345	304	310	285	305	295	285	290	326
Male.....	1,769	172	145	158	160	151	132	136	140	142	141	131	161
Female.....	2,005	206	171	177	185	153	178	149	165	153	144	159	165
Black, both sexes.....	725	76	68	56	57	61	53	64	60	59	54	60	57
Male.....	290	31	22	31	21	28	18	26	26	18	20	20	29
Female.....	435	45	46	25	36	33	35	38	34	41	34	40	28
American Indian 1/, both sexes.....	37	4	3	3	2	2	5	3	2	6	1	4	2
Male.....	22	1	2	2	1	2	3	2	1	3	1	3	1
Female.....	15	3	1	1	1	-	2	1	1	3	-	1	1
Asian or Pacific Islander 2/, both sexes.....	60	7	9	7	6	4	8	3	5	5	2	-	4
Male.....	26	4	5	3	2	1	2	2	3	1	1	-	2
Female.....	34	3	4	4	4	3	6	1	2	4	1	-	2
Noninsulin-dependent diabetes mellitus (E11)													
All races, both sexes.....	15,480	1,422	1,341	1,342	1,276	1,244	1,198	1,177	1,241	1,207	1,284	1,286	1,462
Male.....	7,181	647	619	623	594	571	584	579	557	564	569	584	690
Female.....	8,299	775	722	719	682	673	614	598	684	643	715	702	772
White, both sexes.....	13,002	1,206	1,147	1,119	1,097	1,034	1,000	973	1,036	1,008	1,070	1,083	1,229
Male.....	6,175	561	535	527	527	481	493	489	482	479	493	503	605
Female.....	6,827	645	612	592	570	553	507	484	554	529	577	580	624
Black, both sexes.....	2,019	180	156	178	147	173	157	160	174	162	176	163	193
Male.....	778	70	66	75	56	64	62	69	61	64	64	64	63
Female.....	1,241	110	90	103	91	109	95	91	113	98	112	99	130
American Indian 1/, both sexes.....	184	14	10	17	15	14	20	18	12	18	16	14	16
Male.....	88	5	4	10	5	9	15	9	6	10	4	3	8
Female.....	96	9	6	7	10	5	5	9	6	8	12	11	8
Asian or Pacific Islander 2/, both sexes.....	275	22	28	28	17	23	21	26	19	19	22	26	24
Male.....	140	11	14	11	6	17	14	12	8	11	8	14	14
Female.....	135	11	14	17	11	6	7	14	11	8	14	12	10

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With neurological complications (E11.4)													
All races, both sexes.....	113	8	7	10	7	10	9	11	9	11	6	10	15
Male.....	61	5	4	6	3	4	8	6	3	5	5	3	9
Female.....	52	3	3	4	4	6	1	5	6	6	1	7	6
White, both sexes.....	97	7	7	8	7	8	6	11	9	9	4	10	11
Male.....	51	5	4	6	3	2	5	6	3	5	3	3	6
Female.....	46	2	3	2	4	6	1	5	6	4	1	7	5
Black, both sexes.....	14	1	-	2	-	2	2	-	-	1	2	-	4
Male.....	9	-	-	-	-	2	2	-	-	-	2	-	3
Female.....	5	1	-	2	-	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
With peripheral circulatory complications (E11.5)													
All races, both sexes.....	1,707	146	130	149	149	139	138	142	132	143	156	133	150
Male.....	818	63	66	66	77	73	67	76	63	68	75	57	67
Female.....	889	83	64	83	72	66	71	66	69	75	81	76	83
White, both sexes.....	1,350	118	102	112	121	112	107	109	101	115	119	107	127
Male.....	679	55	59	55	63	61	50	59	54	57	58	46	62
Female.....	671	63	43	57	58	51	57	50	47	58	61	61	65
Black, both sexes.....	299	22	22	32	25	24	27	26	24	24	31	22	20
Male.....	111	6	4	9	12	10	13	16	6	9	14	9	3
Female.....	188	16	18	23	13	14	14	10	18	15	17	13	17
American Indian 1/, both sexes.....	29	3	2	4	1	1	3	3	4	2	3	2	1
Male.....	12	1	1	2	1	-	3	-	1	1	1	-	1
Female.....	17	2	1	2	-	1	-	3	3	1	2	2	-
Asian or Pacific Islander 2/, both sexes.....	29	3	4	1	2	2	1	4	3	2	3	2	2
Male.....	16	1	2	-	1	2	1	1	2	1	2	2	1
Female.....	13	2	2	1	1	-	-	3	1	1	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With other specified complications (E11.6)													
All races, both sexes.....	56	7	3	5	6	1	11	4	4	4	1	5	5
Male.....	26	4	-	4	2	1	6	1	1	3	-	1	3
Female.....	30	3	3	1	4	-	5	3	3	1	1	4	2
White, both sexes.....	45	6	3	5	6	-	10	4	2	4	1	2	2
Male.....	21	4	-	4	2	-	6	1	-	3	-	-	1
Female.....	24	2	3	1	4	-	4	3	2	1	1	2	1
Black, both sexes.....	10	1	-	-	-	1	1	-	2	-	-	2	3
Male.....	4	-	-	-	-	1	-	-	1	-	-	-	2
Female.....	6	1	-	-	-	-	1	-	1	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
With multiple complications (E11.7)													
All races, both sexes.....	158	16	19	17	8	13	11	11	9	14	12	14	14
Male.....	74	5	9	7	5	7	8	6	4	8	4	5	6
Female.....	84	11	10	10	3	6	3	5	5	6	8	9	8
White, both sexes.....	122	13	16	12	6	8	8	9	8	10	9	11	12
Male.....	61	4	7	6	4	5	7	4	4	6	4	4	6
Female.....	61	9	9	6	2	3	1	5	4	4	5	7	6
Black, both sexes.....	27	3	3	3	2	3	2	2	1	3	1	3	1
Male.....	9	1	2	-	1	1	-	2	-	1	-	1	-
Female.....	18	2	1	3	1	2	2	-	1	2	1	2	1
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	-	2	1	-	-	1	1	-	1
Male.....	3	-	-	-	-	1	1	-	-	1	-	-	-
Female.....	4	-	-	1	-	1	-	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With unspecified complications (E11.8)													
All races, both sexes.....	5	-	1	1	-	-	-	2	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	2	-	1	-	-	-
White, both sexes.....	3	-	-	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	1	-	1	-	-	-
Black, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E11.9)													
All races, both sexes.....	12,904	1,192	1,135	1,120	1,066	1,029	986	969	1,042	985	1,072	1,081	1,227
Male.....	5,957	546	517	523	487	463	472	471	468	462	470	497	581
Female.....	6,947	646	618	597	579	566	514	498	574	523	602	584	646
White, both sexes.....	10,941	1,013	979	944	922	868	836	812	879	832	903	919	1,034
Male.....	5,160	471	446	440	437	397	409	404	406	394	414	432	510
Female.....	5,781	542	533	504	485	471	427	408	473	438	489	487	524
Black, both sexes.....	1,598	151	125	140	116	132	117	122	140	125	141	129	160
Male.....	613	62	56	66	41	45	42	47	52	51	48	51	52
Female.....	985	89	69	74	75	87	75	75	88	74	93	78	108
American Indian 1/, both sexes.....	140	11	8	11	14	10	15	15	7	15	10	10	14
Male.....	69	4	3	7	4	7	10	9	4	9	2	3	7
Female.....	71	7	5	4	10	3	5	6	3	6	8	7	7
Asian or Pacific Islander 2/, both sexes.....	225	17	23	25	14	19	18	20	16	13	18	23	19
Male.....	115	9	12	10	5	14	11	11	6	8	6	11	12
Female.....	110	8	11	15	9	5	7	9	10	5	12	12	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified diabetes mellitus (E14)													
All races, both sexes.....	51,870	5,195	4,542	4,571	4,326	4,113	3,976	4,010	4,017	3,936	4,257	4,304	4,623
Male.....	25,333	2,451	2,179	2,191	2,074	2,011	1,908	1,987	1,992	1,943	2,164	2,097	2,336
Female.....	26,537	2,744	2,363	2,380	2,252	2,102	2,068	2,023	2,025	1,993	2,093	2,207	2,287
White, both sexes.....	40,323	4,056	3,557	3,554	3,376	3,195	3,100	3,093	3,117	3,061	3,339	3,304	3,571
Male.....	20,130	1,946	1,747	1,746	1,661	1,608	1,532	1,559	1,578	1,557	1,738	1,621	1,837
Female.....	20,193	2,110	1,810	1,808	1,715	1,587	1,568	1,534	1,539	1,504	1,601	1,683	1,734
Black, both sexes.....	9,906	975	853	863	819	795	746	787	784	760	785	841	898
Male.....	4,415	431	374	372	351	350	311	364	353	337	368	380	424
Female.....	5,491	544	479	491	468	445	435	423	431	423	417	461	474
American Indian 1/, both sexes.....	513	59	42	51	45	40	35	43	38	40	37	43	40
Male.....	250	30	19	22	21	14	17	22	23	18	15	27	22
Female.....	263	29	23	29	24	26	18	21	15	22	22	16	18
Asian or Pacific Islander 2/, both sexes.....	1,128	105	90	103	86	83	95	87	78	75	96	116	114
Male.....	538	44	39	51	41	39	48	42	38	31	43	69	53
Female.....	590	61	51	52	45	44	47	45	40	44	53	47	61
With coma (E14.0)													
All races, both sexes.....	361	44	40	38	20	35	20	26	24	23	29	31	31
Male.....	171	23	13	16	7	16	11	15	15	15	12	14	14
Female.....	190	21	27	22	13	19	9	11	9	8	17	17	17
White, both sexes.....	248	30	30	25	15	27	14	15	14	17	24	21	16
Male.....	119	17	9	8	5	15	7	8	10	13	8	11	8
Female.....	129	13	21	17	10	12	7	7	4	4	16	10	8
Black, both sexes.....	105	13	10	12	5	7	5	10	9	6	4	10	14
Male.....	49	6	4	7	2	1	3	6	5	2	4	3	6
Female.....	56	7	6	5	3	6	2	4	4	4	-	7	8
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	-	1	-	1	1	-	1	-	1
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	5	1	-	-	-	1	-	-	1	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ketoacidosis (E14.1)													
All races, both sexes.....	1,549	155	131	129	108	102	116	122	121	129	124	150	162
Male.....	898	83	75	76	62	61	71	70	68	80	76	80	96
Female.....	651	72	56	53	46	41	45	52	53	49	48	70	66
White, both sexes.....	1,082	113	85	93	70	70	81	91	84	87	84	101	123
Male.....	618	57	50	59	38	37	49	52	48	51	49	55	73
Female.....	464	56	35	34	32	33	32	39	36	36	35	46	50
Black, both sexes.....	428	41	42	34	35	31	28	30	33	39	34	44	37
Male.....	265	26	25	17	22	24	17	18	18	27	25	23	23
Female.....	163	15	17	17	13	7	11	12	15	12	9	21	14
American Indian 1/, both sexes.....	12	-	1	1	-	1	3	-	1	1	2	2	-
Male.....	5	-	-	-	-	-	2	-	-	-	1	1	-
Female.....	7	-	1	1	-	1	1	-	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	27	1	3	1	3	-	4	1	3	2	4	3	2
Male.....	10	-	-	-	2	-	3	-	2	1	1	1	-
Female.....	17	1	3	1	1	-	1	1	1	1	3	2	2
With renal complications (E14.2)													
All races, both sexes.....	1,201	115	105	111	108	87	93	85	100	86	94	107	110
Male.....	592	49	58	48	56	47	44	47	52	41	50	43	57
Female.....	609	66	47	63	52	40	49	38	48	45	44	64	53
White, both sexes.....	931	91	89	82	77	67	70	67	77	71	66	88	86
Male.....	466	37	47	37	45	39	34	38	43	36	35	31	44
Female.....	465	54	42	45	32	28	36	29	34	35	31	57	42
Black, both sexes.....	222	22	12	22	26	16	19	16	20	14	18	18	19
Male.....	95	11	8	7	7	6	7	8	7	5	9	11	9
Female.....	127	11	4	15	19	10	12	8	13	9	9	7	10
American Indian 1/, both sexes.....	14	-	3	2	2	2	1	-	-	-	1	-	3
Male.....	9	-	2	2	2	-	1	-	-	-	-	-	2
Female.....	5	-	1	-	-	2	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	34	2	1	5	3	2	3	2	3	1	9	1	2
Male.....	22	1	1	2	2	2	2	1	2	-	6	1	2
Female.....	12	1	-	3	1	-	1	1	1	1	3	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ophthalmic complications (E14.3)													
All races, both sexes.....	14	1	-	2	-	-	2	2	3	3	-	1	-
Male.....	7	-	-	1	-	-	1	1	2	2	-	-	-
Female.....	7	1	-	1	-	-	1	1	1	1	-	1	-
White, both sexes.....	10	1	-	1	-	-	2	1	2	2	-	1	-
Male.....	4	-	-	1	-	-	1	-	1	1	-	-	-
Female.....	6	1	-	-	-	-	1	1	1	1	-	1	-
Black, both sexes.....	4	-	-	1	-	-	-	1	1	1	-	-	-
Male.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
With neurological complications (E14.4)													
All races, both sexes.....	228	30	19	18	20	13	18	16	17	25	18	12	22
Male.....	129	15	8	14	11	7	14	8	8	15	11	7	11
Female.....	99	15	11	4	9	6	4	8	9	10	7	5	11
White, both sexes.....	196	26	18	16	16	12	16	12	15	21	16	10	18
Male.....	110	12	8	12	9	7	14	6	8	11	9	6	8
Female.....	86	14	10	4	7	5	2	6	7	10	7	4	10
Black, both sexes.....	29	4	1	2	3	1	2	4	1	3	2	2	4
Male.....	17	3	-	2	1	-	-	2	-	3	2	1	3
Female.....	12	1	1	-	2	1	2	2	1	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	-	1	1	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other hypoparathyroidism (E20.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypoparathyroidism, unspecified (E20.9)													
All races, both sexes.....	13	2	-	2	1	2	-	2	1	2	-	-	1
Male.....	4	1	-	-	-	1	-	-	-	1	-	-	1
Female.....	9	1	-	2	1	1	-	2	1	1	-	-	-
White, both sexes.....	11	1	-	2	1	2	-	2	1	1	-	-	1
Male.....	3	-	-	-	-	1	-	-	-	1	-	-	1
Female.....	8	1	-	2	1	1	-	2	1	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Syndrome of inappropriate secretion of antidiuretic hormone (E22.2)													
All races, both sexes.....	50	3	5	3	1	5	3	7	4	2	6	5	6
Male.....	14	1	3	2	-	-	-	2	2	-	3	-	1
Female.....	36	2	2	1	1	5	3	5	2	2	3	5	5
White, both sexes.....	48	2	5	3	1	5	3	7	4	2	6	5	5
Male.....	14	1	3	2	-	-	-	2	2	-	3	-	1
Female.....	34	1	2	1	1	5	3	5	2	2	3	5	4
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypofunction and other disorders of the pituitary gland (E23)													
All races, both sexes.....	176	20	19	16	10	9	9	13	20	23	12	11	14
Male.....	89	15	9	6	5	7	7	7	7	8	5	5	8
Female.....	87	5	10	10	5	2	2	6	13	15	7	6	6
White, both sexes.....	139	18	12	12	8	7	6	10	16	17	10	11	12
Male.....	69	13	7	4	4	5	6	5	5	5	4	5	6
Female.....	70	5	5	8	4	2	-	5	11	12	6	6	6
Black, both sexes.....	30	2	5	2	2	-	2	3	4	6	2	-	2
Male.....	16	2	1	1	1	-	1	2	2	3	1	-	2
Female.....	14	-	4	1	1	-	1	1	2	3	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	2	1	-	2	1	-	-	-	-	-	-
Male.....	3	-	1	-	-	2	-	-	-	-	-	-	-
Female.....	3	-	1	1	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Moderate protein-energy malnutrition (E44.0)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Retarded development following protein-energy malnutrition (E45)													
All races, both sexes.....	141	9	14	20	6	14	9	13	8	16	9	9	14
Male.....	41	3	3	8	1	3	1	4	1	4	5	5	3
Female.....	100	6	11	12	5	11	8	9	7	12	4	4	11
White, both sexes.....	121	8	14	17	6	11	7	11	7	15	5	8	12
Male.....	32	2	3	7	1	2	1	2	1	4	2	5	2
Female.....	89	6	11	10	5	9	6	9	6	11	3	3	10
Black, both sexes.....	19	1	-	3	-	3	2	2	1	1	3	1	2
Male.....	9	1	-	1	-	1	-	2	-	-	3	-	1
Female.....	10	-	-	2	-	2	2	-	1	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Deficiency of other B group vitamins (E53)													
All races, both sexes.....	25	2	6	2	4	-	-	4	-	2	2	-	3
Male.....	10	-	3	1	2	-	-	2	-	-	1	-	1
Female.....	15	2	3	1	2	-	-	2	-	2	1	-	2
White, both sexes.....	20	2	4	2	4	-	-	4	-	-	2	-	2
Male.....	9	-	2	1	2	-	-	2	-	-	1	-	1
Female.....	11	2	2	1	2	-	-	2	-	-	1	-	1
Black, both sexes.....	3	-	2	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Deficiency of other specified B group vitamins (E53.8)													
All races, both sexes.....	23	2	5	2	4	-	-	4	-	2	1	-	3
Male.....	9	-	3	1	2	-	-	2	-	-	-	-	1
Female.....	14	2	2	1	2	-	-	2	-	2	1	-	2
White, both sexes.....	18	2	3	2	4	-	-	4	-	-	1	-	2
Male.....	8	-	2	1	2	-	-	2	-	-	-	-	1
Female.....	10	2	1	1	2	-	-	2	-	-	1	-	1
Black, both sexes.....	3	-	2	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of vitamin C deficiency (E64.2)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Obesity (E66)													
All races, both sexes.....	4,203	370	355	410	351	348	343	321	301	332	343	317	412
Male.....	1,956	175	168	188	152	164	147	136	135	149	177	152	213
Female.....	2,247	195	187	222	199	184	196	185	166	183	166	165	199
White, both sexes.....	3,296	281	267	327	279	260	284	253	244	260	267	252	322
Male.....	1,622	140	138	162	124	135	130	116	115	123	139	128	172
Female.....	1,674	141	129	165	155	125	154	137	129	137	128	124	150
Black, both sexes.....	853	83	82	76	70	83	55	64	54	67	75	61	83
Male.....	307	34	27	23	27	26	15	18	19	24	38	22	34
Female.....	546	49	55	53	43	57	40	46	35	43	37	39	49
American Indian 1/, both sexes.....	29	1	4	5	1	3	1	3	2	4	-	2	3
Male.....	17	-	2	3	-	3	1	1	1	2	-	1	3
Female.....	12	1	2	2	1	-	-	2	1	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	25	5	2	2	1	2	3	1	1	1	1	2	4
Male.....	10	1	1	-	1	-	1	1	-	-	-	1	4
Female.....	15	4	1	2	-	2	2	-	1	1	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other obesity (E66.8)													
All races, both sexes.....	2,552	225	212	243	191	221	196	195	179	198	215	214	263
Male.....	1,167	101	93	110	84	108	79	81	74	90	110	98	139
Female.....	1,385	124	119	133	107	113	117	114	105	108	105	116	124
White, both sexes.....	1,980	162	156	197	152	169	160	154	143	154	161	171	201
Male.....	955	75	74	94	71	88	69	71	59	74	85	85	110
Female.....	1,025	87	82	103	81	81	91	83	84	80	76	86	91
Black, both sexes.....	541	58	53	42	39	49	34	39	33	41	53	41	59
Male.....	198	25	17	14	13	18	9	10	14	15	25	12	26
Female.....	343	33	36	28	26	31	25	29	19	26	28	29	33
American Indian 1/, both sexes.....	17	-	1	3	-	2	-	2	2	3	-	2	2
Male.....	10	-	1	2	-	2	-	-	1	1	-	1	2
Female.....	7	-	-	1	-	-	-	2	1	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	14	5	2	1	-	1	2	-	1	-	1	-	1
Male.....	4	1	1	-	-	-	1	-	-	-	-	-	1
Female.....	10	4	1	1	-	1	1	-	1	-	1	-	-
Obesity, unspecified (E66.9)													
All races, both sexes.....	1,516	134	128	151	149	120	134	119	111	119	120	99	132
Male.....	734	72	68	71	66	53	65	51	57	54	61	52	64
Female.....	782	62	60	80	83	67	69	68	54	65	59	47	68
White, both sexes.....	1,208	110	97	119	119	85	115	93	93	93	99	77	108
Male.....	620	63	57	62	51	44	59	42	52	45	49	41	55
Female.....	588	47	40	57	68	41	56	51	41	48	50	36	53
Black, both sexes.....	287	23	28	29	28	33	17	24	18	24	21	20	22
Male.....	103	9	10	8	14	8	5	7	5	8	12	10	7
Female.....	184	14	18	21	14	25	12	17	13	16	9	10	15
American Indian 1/, both sexes.....	12	1	3	2	1	1	1	1	-	1	-	-	1
Male.....	7	-	1	1	-	1	1	1	-	1	-	-	1
Female.....	5	1	2	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	1	1	1	1	-	1	-	2	1
Male.....	4	-	-	-	1	-	-	1	-	-	-	1	1
Female.....	5	-	-	1	-	1	1	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of pyruvate metabolism and gluconeogenesis (E74.4)													
All races, both sexes.....	9	-	1	-	1	-	2	-	-	1	-	2	2
Male.....	5	-	1	-	1	-	1	-	-	1	-	1	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	1	2
White, both sexes.....	8	-	1	-	1	-	1	-	-	1	-	2	2
Male.....	5	-	1	-	1	-	1	-	-	1	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1	2
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of carbohydrate metabolism (E74.8)													
All races, both sexes.....	12	2	1	1	-	1	-	1	2	3	-	-	1
Male.....	3	-	-	-	-	-	-	-	1	2	-	-	-
Female.....	9	2	1	1	-	1	-	1	1	1	-	-	1
White, both sexes.....	8	2	1	1	-	-	-	-	-	3	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	6	2	1	1	-	-	-	-	-	1	-	-	1
Black, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mucopolysaccharidosis, unspecified (E76.3)													
All races, both sexes.....	7	1	-	-	2	-	1	1	-	1	-	1	-
Male.....	7	1	-	-	2	-	1	1	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	1	-	-	1	-	-	1	-	1	-	1	-
Male.....	5	1	-	-	1	-	-	1	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of glycoprotein metabolism (E77)													
All races, both sexes.....	35	4	1	10	3	3	-	5	2	2	1	4	-
Male.....	15	4	-	3	-	2	-	2	1	1	-	2	-
Female.....	20	-	1	7	3	1	-	3	1	1	1	2	-
White, both sexes.....	29	4	1	10	2	3	-	3	1	1	1	3	-
Male.....	11	4	-	3	-	2	-	-	1	-	-	1	-
Female.....	18	-	1	7	2	1	-	3	-	1	1	2	-
Black, both sexes.....	4	-	-	-	1	-	-	1	-	1	-	1	-
Male.....	3	-	-	-	-	-	-	1	-	1	-	1	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of glycoprotein metabolism (E77.8)													
All races, both sexes.....	29	3	1	9	3	2	-	4	1	2	1	3	-
Male.....	12	3	-	3	-	1	-	1	1	1	-	2	-
Female.....	17	-	1	6	3	1	-	3	-	1	1	1	-
White, both sexes.....	25	3	1	9	2	2	-	3	1	1	1	2	-
Male.....	9	3	-	3	-	1	-	-	1	-	-	1	-
Female.....	16	-	1	6	2	1	-	3	-	1	1	1	-
Black, both sexes.....	3	-	-	-	1	-	-	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of lipoprotein metabolism and other lipidemias (E78)													
All races, both sexes.....	6,139	563	477	524	533	523	446	477	466	480	518	530	602
Male.....	3,388	313	269	294	294	299	244	250	250	281	271	288	335
Female.....	2,751	250	208	230	239	224	202	227	216	199	247	242	267
White, both sexes.....	5,538	512	436	486	488	463	396	421	420	443	466	462	545
Male.....	3,081	288	248	276	271	264	221	226	222	260	246	251	308
Female.....	2,457	224	188	210	217	199	175	195	198	183	220	211	237
Black, both sexes.....	495	43	37	31	36	49	39	47	37	29	42	56	49
Male.....	236	19	20	13	19	25	17	17	22	14	19	30	21
Female.....	259	24	17	18	17	24	22	30	15	15	23	26	28
American Indian 1/, both sexes.....	18	2	1	2	-	3	2	1	1	2	1	2	1
Male.....	15	1	-	2	-	3	2	1	-	2	1	2	1
Female.....	3	1	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	88	6	3	5	9	8	9	8	8	6	9	10	7
Male.....	56	5	1	3	4	7	4	6	6	5	5	5	5
Female.....	32	1	2	2	5	1	5	2	2	1	4	5	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of mineral metabolism (E83)													
All races, both sexes.....	497	36	42	41	38	40	37	40	44	38	45	34	62
Male.....	225	17	17	19	18	18	20	19	15	22	19	13	28
Female.....	272	19	25	22	20	22	17	21	29	16	26	21	34
White, both sexes.....	428	33	33	36	34	34	32	35	39	34	39	29	50
Male.....	202	16	16	17	16	17	16	17	14	21	16	12	24
Female.....	226	17	17	19	18	17	16	18	25	13	23	17	26
Black, both sexes.....	59	3	8	4	4	5	3	5	4	3	6	3	11
Male.....	21	1	1	1	2	1	3	2	1	1	3	1	4
Female.....	38	2	7	3	2	4	-	3	3	2	3	2	7
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	1	-	1	2	-	1	1	-	2	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	6	-	-	-	-	1	1	-	1	1	-	2	-
Disorders of copper metabolism (E83.0)													
All races, both sexes.....	30	1	2	5	3	4	2	-	2	1	2	1	7
Male.....	20	-	2	3	2	2	-	-	2	-	2	1	6
Female.....	10	1	-	2	1	2	2	-	-	1	-	-	1
White, both sexes.....	28	1	2	5	3	4	1	-	2	1	2	1	6
Male.....	19	-	2	3	2	2	-	-	2	-	2	1	5
Female.....	9	1	-	2	1	2	1	-	-	1	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of magnesium metabolism (E83.4)													
All races, both sexes.....	9	1	1	-	-	1	1	-	-	1	1	1	2
Male.....	3	-	-	-	-	-	-	-	-	-	1	-	2
Female.....	6	1	1	-	-	1	1	-	-	1	-	1	-
White, both sexes.....	5	1	-	-	-	-	1	-	-	-	1	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	3	1	-	-	-	-	1	-	-	-	-	1	-
Black, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Disorders of calcium metabolism (E83.5)													
All races, both sexes.....	235	19	21	19	15	18	13	18	25	14	24	17	32
Male.....	70	8	5	3	5	5	8	4	6	6	7	3	10
Female.....	165	11	16	16	10	13	5	14	19	8	17	14	22
White, both sexes.....	193	16	16	15	13	14	12	15	20	12	20	15	25
Male.....	60	7	5	2	4	4	7	3	5	5	6	3	9
Female.....	133	9	11	13	9	10	5	12	15	7	14	12	16
Black, both sexes.....	39	3	4	4	2	4	1	3	4	2	4	2	6
Male.....	10	1	-	1	1	1	1	1	1	1	1	-	1
Female.....	29	2	4	3	1	3	-	2	3	1	3	2	5
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cystic fibrosis, unspecified (E84.9)													
All races, both sexes.....	136	8	13	16	12	11	8	15	11	10	11	8	13
Male.....	64	1	7	9	6	6	3	5	6	5	5	4	7
Female.....	72	7	6	7	6	5	5	10	5	5	6	4	6
White, both sexes.....	132	7	13	14	12	11	8	15	11	10	11	7	13
Male.....	62	1	7	8	6	6	3	5	6	5	5	3	7
Female.....	70	6	6	6	6	5	5	10	5	5	6	4	6
Black, both sexes.....	4	1	-	2	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Amyloidosis (E85)													
All races, both sexes.....	960	83	89	77	82	80	55	78	85	64	98	75	94
Male.....	525	43	45	39	41	37	31	44	51	32	65	40	57
Female.....	435	40	44	38	41	43	24	34	34	32	33	35	37
White, both sexes.....	799	71	74	59	70	69	48	69	72	49	84	57	77
Male.....	439	35	33	33	36	32	26	41	44	26	58	31	44
Female.....	360	36	41	26	34	37	22	28	28	23	26	26	33
Black, both sexes.....	141	12	14	16	9	9	6	8	12	14	10	16	15
Male.....	80	8	12	5	4	5	4	3	7	6	6	8	12
Female.....	61	4	2	11	5	4	2	5	5	8	4	8	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	1	2	3	2	1	1	1	-	4	1	2
Male.....	5	-	-	1	1	-	1	-	-	-	1	-	1
Female.....	13	-	1	1	2	2	-	1	1	-	3	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Amyloidosis, unspecified (E85.9)													
All races, both sexes.....	420	38	39	29	37	36	23	30	35	33	44	36	40
Male.....	231	23	18	17	17	17	13	20	20	15	30	19	22
Female.....	189	15	21	12	20	19	10	10	15	18	14	17	18
White, both sexes.....	363	35	32	22	33	33	23	27	32	26	38	28	34
Male.....	202	21	13	14	16	15	13	19	19	12	26	15	19
Female.....	161	14	19	8	17	18	10	8	13	14	12	13	15
Black, both sexes.....	50	3	6	6	2	3	-	3	2	7	5	7	6
Male.....	27	2	5	2	1	2	-	1	1	3	3	4	3
Female.....	23	1	1	4	1	1	-	2	1	4	2	3	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	1	2	-	-	-	1	-	1	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	5	-	1	-	2	-	-	-	1	-	-	1	-
Volume depletion (E86)													
All races, both sexes.....	3,842	512	362	353	311	296	265	240	301	267	294	282	359
Male.....	1,225	166	121	106	101	77	76	82	98	90	91	100	117
Female.....	2,617	346	241	247	210	219	189	158	203	177	203	182	242
White, both sexes.....	3,421	460	319	307	280	271	236	218	257	244	263	253	313
Male.....	1,070	146	107	92	88	70	69	75	81	78	81	86	97
Female.....	2,351	314	212	215	192	201	167	143	176	166	182	167	216
Black, both sexes.....	366	45	39	40	26	22	26	19	38	19	26	28	38
Male.....	135	16	14	11	12	7	7	6	13	11	9	13	16
Female.....	231	29	25	29	14	15	19	13	25	8	17	15	22
American Indian 1/, both sexes.....	14	3	-	1	2	2	1	1	-	-	2	-	2
Male.....	4	2	-	1	-	-	-	-	-	-	-	-	1
Female.....	10	1	-	-	2	2	1	1	-	-	2	-	1
Asian or Pacific Islander 2/, both sexes.....	41	4	4	5	3	1	2	2	6	4	3	1	6
Male.....	16	2	-	2	1	-	-	1	4	1	1	1	3
Female.....	25	2	4	3	2	1	2	1	2	3	2	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of fluid, electrolyte, and acid-base balance (E87)													
All races, both sexes.....	2,708	305	259	243	181	186	205	222	212	202	205	244	244
Male.....	1,089	120	101	101	67	71	92	91	73	90	87	95	101
Female.....	1,619	185	158	142	114	115	113	131	139	112	118	149	143
White, both sexes.....	2,232	257	217	217	146	151	171	178	171	165	168	200	191
Male.....	874	94	77	91	51	53	74	72	54	74	73	81	80
Female.....	1,358	163	140	126	95	98	97	106	117	91	95	119	111
Black, both sexes.....	433	47	38	25	31	32	30	43	38	32	33	38	46
Male.....	203	26	22	10	15	17	16	18	19	15	14	13	18
Female.....	230	21	16	15	16	15	14	25	19	17	19	25	28
American Indian 1/, both sexes.....	12	-	2	-	1	-	-	-	1	2	1	4	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	10	-	1	-	1	-	-	-	1	2	1	3	1
Asian or Pacific Islander 2/, both sexes.....	31	1	2	1	3	3	4	1	2	3	3	2	6
Male.....	10	-	1	-	1	1	2	1	-	1	-	-	3
Female.....	21	1	1	1	2	2	2	-	2	2	3	2	3
Hyperosmolality and hypernatremia (E87.0)													
All races, both sexes.....	512	76	54	53	36	22	29	29	35	33	46	39	60
Male.....	223	30	22	30	13	8	18	7	17	17	22	17	22
Female.....	289	46	32	23	23	14	11	22	18	16	24	22	38
White, both sexes.....	430	61	45	51	32	19	21	23	31	28	36	33	50
Male.....	181	22	16	29	12	6	12	6	14	14	17	15	18
Female.....	249	39	29	22	20	13	9	17	17	14	19	18	32
Black, both sexes.....	76	15	9	2	3	3	6	6	4	4	10	5	9
Male.....	41	8	6	1	1	2	5	1	3	3	5	2	4
Female.....	35	7	3	1	2	1	1	5	1	1	5	3	5
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	2	-	-	1	-	1	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	1	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypo-osmolality and hyponatremia (E87.1)													
All races, both sexes.....	265	26	22	23	19	21	25	25	21	28	21	17	17
Male.....	83	11	8	2	7	5	8	10	4	12	7	6	3
Female.....	182	15	14	21	12	16	17	15	17	16	14	11	14
White, both sexes.....	227	25	17	22	17	16	24	18	17	23	19	15	14
Male.....	70	10	6	2	7	4	7	7	3	9	7	5	3
Female.....	157	15	11	20	10	12	17	11	14	14	12	10	11
Black, both sexes.....	31	1	3	1	-	3	1	7	4	5	2	1	3
Male.....	11	1	2	-	-	-	1	3	1	3	-	-	-
Female.....	20	-	1	1	-	3	-	4	3	2	2	1	3
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	2	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	1	-	2	1	-	-	-	-	-	-	-
Acidosis (E87.2)													
All races, both sexes.....	929	84	85	88	67	70	71	75	75	69	67	102	76
Male.....	392	41	29	35	29	32	34	29	25	29	29	42	38
Female.....	537	43	56	53	38	38	37	46	50	40	38	60	38
White, both sexes.....	741	70	72	73	48	54	59	57	54	54	55	87	58
Male.....	304	32	23	30	18	24	27	21	15	22	24	39	29
Female.....	437	38	49	43	30	30	32	36	39	32	31	48	29
Black, both sexes.....	176	14	13	14	19	16	11	17	19	12	12	13	16
Male.....	85	9	6	5	11	8	6	7	10	6	5	3	9
Female.....	91	5	7	9	8	8	5	10	9	6	7	10	7
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	2	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	2	-	1	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	1	-	-	1	1	2	1	-	1	1
Male.....	3	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	5	-	-	1	-	-	-	-	2	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperkalemia (E87.5)													
All races, both sexes.....	394	45	40	28	18	28	35	39	34	24	33	35	35
Male.....	174	16	18	12	6	11	16	23	10	14	14	18	16
Female.....	220	29	22	16	12	17	19	16	24	10	19	17	19
White, both sexes.....	327	38	33	26	15	23	30	34	28	19	30	25	26
Male.....	141	14	14	10	4	8	14	20	8	12	13	12	12
Female.....	186	24	19	16	11	15	16	14	20	7	17	13	14
Black, both sexes.....	61	6	7	2	2	5	4	5	5	5	3	10	7
Male.....	30	2	4	2	1	3	2	3	2	2	1	6	2
Female.....	31	4	3	-	1	2	2	2	3	3	2	4	5
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	1	-	1	-	-	-	-	-	2
Male.....	3	-	-	-	1	-	-	-	-	-	-	-	2
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Hypokalemia (E87.6)													
All races, both sexes.....	124	13	9	8	6	9	8	9	9	12	10	16	15
Male.....	49	5	4	4	3	2	3	4	4	6	3	5	6
Female.....	75	8	5	4	3	7	5	5	5	6	7	11	9
White, both sexes.....	104	13	8	7	5	6	5	7	9	11	6	15	12
Male.....	44	5	4	4	3	1	3	3	4	6	1	5	5
Female.....	60	8	4	3	2	5	2	4	5	5	5	10	7
Black, both sexes.....	16	-	1	1	1	2	3	2	-	-	3	-	3
Male.....	5	-	-	-	-	1	-	1	-	-	2	-	1
Female.....	11	-	1	1	1	1	3	1	-	-	1	-	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fluid overload (E87.7)													
All races, both sexes.....	68	6	5	7	3	5	3	7	5	7	3	7	10
Male.....	23	2	1	2	1	5	2	2	-	1	1	2	4
Female.....	45	4	4	5	2	-	1	5	5	6	2	5	6
White, both sexes.....	55	6	5	5	2	3	3	5	5	6	3	6	6
Male.....	18	2	1	2	1	3	2	1	-	1	1	2	2
Female.....	37	4	4	3	1	-	1	4	5	5	2	4	4
Black, both sexes.....	13	-	-	2	1	2	-	2	-	1	-	1	4
Male.....	5	-	-	-	-	2	-	1	-	-	-	-	2
Female.....	8	-	-	2	1	-	-	1	-	1	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of electrolyte and fluid balance, not elsewhere classified (E87.8)													
All races, both sexes.....	407	55	42	36	32	31	32	37	33	28	25	26	30
Male.....	143	15	19	16	8	8	10	16	13	11	11	4	12
Female.....	264	40	23	20	24	23	22	21	20	17	14	22	18
White, both sexes.....	343	44	36	33	27	30	27	34	27	24	19	18	24
Male.....	114	9	13	14	6	7	8	14	10	10	10	2	11
Female.....	229	35	23	19	21	23	19	20	17	14	9	16	13
Black, both sexes.....	56	11	4	3	5	1	5	3	6	4	3	7	4
Male.....	26	6	4	2	2	1	2	2	3	1	1	2	-
Female.....	30	5	-	1	3	-	3	1	3	3	2	5	4
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	-	-	-	3	-	2
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	3	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other metabolic disorders (E88)													
All races, both sexes.....	851	85	76	65	88	63	66	65	62	64	63	63	91
Male.....	366	35	36	26	42	25	30	23	22	30	31	29	37
Female.....	485	50	40	39	46	38	36	42	40	34	32	34	54
White, both sexes.....	756	76	67	58	82	57	55	56	58	56	53	57	81
Male.....	326	30	31	23	41	24	25	20	22	25	27	26	32
Female.....	430	46	36	35	41	33	30	36	36	31	26	31	49
Black, both sexes.....	80	8	9	5	4	6	9	7	3	7	9	6	7
Male.....	34	5	5	1	1	1	4	3	-	4	4	3	3
Female.....	46	3	4	4	3	5	5	4	3	3	5	3	4
American Indian 1/, both sexes.....	6	1	-	-	1	-	1	1	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	1	-	-	1	-	1	1	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	-	-	2	1	-	1	1	-	1	1	-	2
Male.....	6	-	-	2	-	-	1	-	-	1	-	-	2
Female.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Disorders of plasma-protein metabolism, not elsewhere classified (E88.0)													
All races, both sexes.....	228	26	18	19	24	17	16	17	14	18	18	18	23
Male.....	108	15	9	7	18	8	4	8	8	6	7	8	10
Female.....	120	11	9	12	6	9	12	9	6	12	11	10	13
White, both sexes.....	216	25	18	18	24	17	15	14	14	18	15	17	21
Male.....	104	14	9	7	18	8	4	7	8	6	6	8	9
Female.....	112	11	9	11	6	9	11	7	6	12	9	9	12
Black, both sexes.....	7	1	-	1	-	-	-	1	-	-	2	1	1
Male.....	3	1	-	-	-	-	-	1	-	-	1	-	-
Female.....	4	-	-	1	-	-	-	-	-	-	1	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Delirium, unspecified (F05.9)													
All races, both sexes.....	151	18	14	9	14	10	11	10	11	10	11	15	18
Male.....	88	13	9	5	8	5	4	7	6	6	5	9	11
Female.....	63	5	5	4	6	5	7	3	5	4	6	6	7
White, both sexes.....	138	18	12	7	14	9	10	9	9	9	10	14	17
Male.....	78	13	7	4	8	4	4	6	4	5	5	8	10
Female.....	60	5	5	3	6	5	6	3	5	4	5	6	7
Black, both sexes.....	13	-	2	2	-	1	1	1	2	1	1	1	1
Male.....	10	-	2	1	-	1	-	1	2	1	-	1	1
Female.....	3	-	-	1	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other mental disorders due to brain damage and dysfunction and to physical disease (F06)													
All races, both sexes.....	1,516	179	130	145	119	107	105	108	129	121	125	115	133
Male.....	479	48	36	45	36	47	37	30	44	49	39	29	39
Female.....	1,037	131	94	100	83	60	68	78	85	72	86	86	94
White, both sexes.....	1,397	168	116	138	113	99	96	96	115	110	113	109	124
Male.....	438	43	30	43	33	42	36	29	38	46	34	29	35
Female.....	959	125	86	95	80	57	60	67	77	64	79	80	89
Black, both sexes.....	108	10	13	6	6	6	8	10	12	11	11	6	9
Male.....	35	4	5	2	3	4	-	1	4	3	5	-	4
Female.....	73	6	8	4	3	2	8	9	8	8	6	6	5
American Indian 1/, both sexes.....	5	1	-	-	-	2	-	1	-	-	1	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	-	1	1	2	-	-	-	-
Male.....	4	-	1	-	-	-	1	-	2	-	-	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified mental disorders due to brain damage and dysfunction and to physical disease (F06.8)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental disorder due to brain damage and dysfunction and to physical disease (F06.9)													
All races, both sexes.....	1,515	178	130	145	119	107	105	108	129	121	125	115	133
Male.....	479	48	36	45	36	47	37	30	44	49	39	29	39
Female.....	1,036	130	94	100	83	60	68	78	85	72	86	86	94
White, both sexes.....	1,396	167	116	138	113	99	96	96	115	110	113	109	124
Male.....	438	43	30	43	33	42	36	29	38	46	34	29	35
Female.....	958	124	86	95	80	57	60	67	77	64	79	80	89
Black, both sexes.....	108	10	13	6	6	6	8	10	12	11	11	6	9
Male.....	35	4	5	2	3	4	-	1	4	3	5	-	4
Female.....	73	6	8	4	3	2	8	9	8	8	6	6	5
American Indian 1/, both sexes.....	5	1	-	-	-	2	-	1	-	-	1	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	-	1	1	2	-	-	-	-
Male.....	4	-	1	-	-	-	1	-	2	-	-	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified organic or symptomatic mental disorder (F09)													
All races, both sexes.....	12	-	1	-	-	1	2	2	1	1	1	1	2
Male.....	8	-	1	-	-	-	1	1	1	1	1	1	1
Female.....	4	-	-	-	-	1	1	1	-	-	-	-	1
White, both sexes.....	9	-	1	-	-	1	1	1	1	1	1	1	1
Male.....	7	-	1	-	-	-	1	1	1	1	1	1	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Black, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of alcohol (F10)													
All races, both sexes.....	7,242	676	578	653	564	615	614	598	553	576	595	591	629
Male.....	5,704	526	466	490	445	497	468	474	439	465	457	462	515
Female.....	1,538	150	112	163	119	118	146	124	114	111	138	129	114
White, both sexes.....	5,991	557	474	539	456	497	509	503	462	485	508	481	520
Male.....	4,707	427	385	404	358	397	388	397	363	388	400	377	423
Female.....	1,284	130	89	135	98	100	121	106	99	97	108	104	97
Black, both sexes.....	967	96	84	91	86	91	77	75	72	72	64	79	80
Male.....	794	79	71	66	71	81	59	62	64	62	43	66	70
Female.....	173	17	13	25	15	10	18	13	8	10	21	13	10
American Indian 1/, both sexes.....	219	18	19	16	15	20	23	18	15	16	17	24	18
Male.....	148	15	10	13	9	14	16	13	9	14	11	12	12
Female.....	71	3	9	3	6	6	7	5	6	2	6	12	6
Asian or Pacific Islander 2/, both sexes.....	65	5	1	7	7	7	5	2	4	3	6	7	11
Male.....	55	5	-	7	7	5	5	2	3	1	3	7	10
Female.....	10	-	1	-	-	2	-	-	1	2	3	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute intoxication (F10.0)													
All races, both sexes.....	608	62	42	43	51	49	49	48	37	41	54	60	72
Male.....	478	47	34	36	40	34	36	35	33	33	39	48	63
Female.....	130	15	8	7	11	15	13	13	4	8	15	12	9
White, both sexes.....	522	48	34	37	44	43	42	42	31	39	48	52	62
Male.....	412	37	28	30	35	29	31	31	27	32	36	42	54
Female.....	110	11	6	7	9	14	11	11	4	7	12	10	8
Black, both sexes.....	52	10	4	3	6	3	4	3	3	1	3	4	8
Male.....	42	7	4	3	5	3	3	2	3	-	2	3	7
Female.....	10	3	-	-	1	-	1	1	-	1	1	1	1
American Indian 1/, both sexes.....	32	4	4	3	1	3	3	3	3	1	3	3	1
Male.....	22	3	2	3	-	2	2	2	3	1	1	2	1
Female.....	10	1	2	-	1	1	1	1	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Harmful use (F10.1)													
All races, both sexes.....	1,809	170	151	163	132	130	171	164	133	152	149	137	157
Male.....	1,426	132	120	119	106	102	133	133	102	121	118	107	133
Female.....	383	38	31	44	26	28	38	31	31	31	31	30	24
White, both sexes.....	1,459	134	121	124	100	106	145	129	109	122	128	114	127
Male.....	1,136	101	95	90	82	82	112	101	82	92	105	89	105
Female.....	323	33	26	34	18	24	33	28	27	30	23	25	22
Black, both sexes.....	300	31	30	37	25	22	22	31	18	23	19	17	25
Male.....	254	26	25	28	20	18	18	28	17	23	12	15	24
Female.....	46	5	5	9	5	4	4	3	1	-	7	2	1
American Indian 1/, both sexes.....	37	3	-	1	4	2	3	4	5	6	2	4	3
Male.....	24	3	-	-	1	2	2	4	3	5	1	1	2
Female.....	13	-	-	1	3	-	1	-	2	1	1	3	1
Asian or Pacific Islander 2/, both sexes.....	13	2	-	1	3	-	1	-	1	1	-	2	2
Male.....	12	2	-	1	3	-	1	-	-	1	-	2	2
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified mental and behavioral disorder (F14.9)													
All races, both sexes.....	198	13	21	17	15	21	17	20	16	18	9	17	14
Male.....	135	10	15	11	11	11	11	14	10	12	8	13	9
Female.....	63	3	6	6	4	10	6	6	6	6	1	4	5
White, both sexes.....	105	3	17	11	7	7	11	11	9	8	3	9	9
Male.....	81	3	13	8	6	6	7	10	7	5	3	7	6
Female.....	24	-	4	3	1	1	4	1	2	3	-	2	3
Black, both sexes.....	91	10	4	6	8	14	6	9	6	9	6	8	5
Male.....	52	7	2	3	5	5	4	4	2	6	5	6	3
Female.....	39	3	2	3	3	9	2	5	4	3	1	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of other stimulants, including caffeine (F15)													
All races, both sexes.....	108	13	11	9	11	8	13	6	8	7	11	8	3
Male.....	69	8	7	9	3	5	11	3	4	4	7	6	2
Female.....	39	5	4	-	8	3	2	3	4	3	4	2	1
White, both sexes.....	91	10	11	6	10	6	10	4	8	7	10	6	3
Male.....	55	7	7	6	2	3	8	2	4	4	6	4	2
Female.....	36	3	4	-	8	3	2	2	4	3	4	2	1
Black, both sexes.....	7	1	-	-	1	2	2	-	-	-	-	1	-
Male.....	7	1	-	-	1	2	2	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	3	-	-	1	2	-	-	-	1	-
Male.....	6	-	-	3	-	-	1	1	-	-	-	1	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dependence syndrome (F15.2)													
All races, both sexes.....	23	2	2	4	5	-	1	-	3	2	1	2	1
Male.....	14	1	2	4	1	-	1	-	2	-	-	2	1
Female.....	9	1	-	-	4	-	-	-	1	2	1	-	-
White, both sexes.....	19	2	2	1	4	-	1	-	3	2	1	2	1
Male.....	10	1	2	1	-	-	1	-	2	-	-	2	1
Female.....	9	1	-	-	4	-	-	-	1	2	1	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	3	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	3	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F15.9)													
All races, both sexes.....	34	4	4	1	2	2	6	3	3	-	5	3	1
Male.....	21	2	3	1	-	1	6	2	1	-	3	2	-
Female.....	13	2	1	-	2	1	-	1	2	-	2	1	1
White, both sexes.....	28	4	4	1	2	2	4	1	3	-	4	2	1
Male.....	16	2	3	1	-	1	4	1	1	-	2	1	-
Female.....	12	2	1	-	2	1	-	-	2	-	2	1	1
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	2	-	-	-	1	-
Male.....	3	-	-	-	-	-	1	1	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Residual and late-onset psychotic disorder (F17.7)													
All races, both sexes.....	4	-	-	-	1	-	-	-	-	1	1	-	1
Male.....	4	-	-	-	1	-	-	-	-	1	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	1	-	-	-	-	-	1	-	1
Male.....	3	-	-	-	1	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F17.9)													
All races, both sexes.....	828	77	64	71	54	73	71	66	67	65	56	87	77
Male.....	509	50	41	38	31	42	48	45	39	39	39	50	47
Female.....	319	27	23	33	23	31	23	21	28	26	17	37	30
White, both sexes.....	755	71	58	67	49	63	69	58	63	56	51	79	71
Male.....	457	46	35	35	29	35	47	38	37	31	37	44	43
Female.....	298	25	23	32	20	28	22	20	26	25	14	35	28
Black, both sexes.....	56	5	5	4	3	6	1	7	3	8	3	6	5
Male.....	41	4	5	3	1	4	1	6	1	7	1	4	4
Female.....	15	1	-	1	2	2	-	1	2	1	2	2	1
American Indian 1/, both sexes.....	9	1	1	-	2	1	1	1	-	-	1	-	1
Male.....	5	-	1	-	1	1	-	1	-	-	1	-	-
Female.....	4	1	-	-	1	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	3	-	-	1	1	1	2	-
Male.....	6	-	-	-	-	2	-	-	1	1	-	2	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Harmful use (F19.1)													
All races, both sexes.....	1,025	90	85	88	74	84	89	111	96	82	78	79	69
Male.....	720	66	62	69	53	57	67	77	66	57	57	48	41
Female.....	305	24	23	19	21	27	22	34	30	25	21	31	28
White, both sexes.....	777	72	63	67	57	61	67	78	70	62	58	68	54
Male.....	553	60	46	55	40	38	50	51	49	46	43	43	32
Female.....	224	12	17	12	17	23	17	27	21	16	15	25	22
Black, both sexes.....	226	17	21	20	15	23	21	26	23	17	19	10	14
Male.....	151	6	15	14	11	19	16	20	15	9	14	4	8
Female.....	75	11	6	6	4	4	5	6	8	8	5	6	6
American Indian 1/, both sexes.....	18	1	1	1	2	-	-	6	1	3	1	1	1
Male.....	12	-	1	-	2	-	-	5	-	2	-	1	1
Female.....	6	1	-	1	-	-	-	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	1	2	-	-	-	-
Male.....	4	-	-	-	-	-	1	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F19.2)													
All races, both sexes.....	206	18	15	18	19	13	16	24	21	24	15	11	12
Male.....	151	14	12	13	14	10	10	16	15	16	15	6	10
Female.....	55	4	3	5	5	3	6	8	6	8	-	5	2
White, both sexes.....	176	16	15	14	14	13	16	18	18	18	14	11	9
Male.....	129	13	12	11	10	10	10	11	13	11	14	6	8
Female.....	47	3	3	3	4	3	6	7	5	7	-	5	1
Black, both sexes.....	23	2	-	2	3	-	-	6	3	4	1	-	2
Male.....	18	1	-	1	2	-	-	5	2	4	1	-	2
Female.....	5	1	-	1	1	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	2	-	-	-	-	-	1	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	2	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bipolar affective disorder, unspecified (F31.9)													
All races, both sexes.....	99	12	8	7	11	4	9	14	8	7	7	7	5
Male.....	31	2	3	2	6	2	2	5	4	-	1	3	1
Female.....	68	10	5	5	5	2	7	9	4	7	6	4	4
White, both sexes.....	91	11	6	6	11	3	9	12	7	7	7	7	5
Male.....	25	1	1	2	6	2	2	3	3	-	1	3	1
Female.....	66	10	5	4	5	1	7	9	4	7	6	4	4
Black, both sexes.....	7	1	1	1	-	1	-	2	1	-	-	-	-
Male.....	5	1	1	-	-	-	-	2	1	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Depressive episode (F32)													
All races, both sexes.....	704	87	56	59	53	63	53	48	58	50	60	49	68
Male.....	223	23	18	20	21	21	14	12	21	16	15	17	25
Female.....	481	64	38	39	32	42	39	36	37	34	45	32	43
White, both sexes.....	670	84	51	56	52	61	51	45	52	46	56	49	67
Male.....	214	22	17	20	21	21	13	12	20	14	12	17	25
Female.....	456	62	34	36	31	40	38	33	32	32	44	32	42
Black, both sexes.....	24	3	3	2	1	1	2	3	4	2	2	-	1
Male.....	6	1	-	-	-	-	1	-	1	1	2	-	-
Female.....	18	2	3	2	1	1	1	3	3	1	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	2	1	-	1	-	-	1	2	1	-	-
Male.....	3	-	1	-	-	-	-	-	-	1	1	-	-
Female.....	5	-	1	1	-	1	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other depressive episodes (F32.8)													
All races, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Depressive episode, unspecified (F32.9)													
All races, both sexes.....	611	74	51	46	46	54	44	41	51	42	53	47	62
Male.....	197	19	17	16	20	18	11	11	20	14	11	16	24
Female.....	414	55	34	30	26	36	33	30	31	28	42	31	38
White, both sexes.....	582	71	46	43	45	52	43	38	47	40	49	47	61
Male.....	188	18	16	16	20	18	10	11	19	12	8	16	24
Female.....	394	53	30	27	25	34	33	27	28	28	41	31	37
Black, both sexes.....	20	3	3	2	1	1	1	3	2	1	2	-	1
Male.....	6	1	-	-	-	-	1	-	1	1	2	-	-
Female.....	14	2	3	2	1	1	-	3	1	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	2	1	-	1	-	-	1	1	1	-	-
Male.....	3	-	1	-	-	-	-	-	-	1	1	-	-
Female.....	4	-	1	1	-	1	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bulimia nervosa (F50.2)													
All races, both sexes.....	11	-	1	1	2	2	-	-	2	-	1	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	1	1	2	2	-	-	2	-	1	1	1
White, both sexes.....	10	-	1	1	1	2	-	-	2	-	1	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	1	1	1	2	-	-	2	-	1	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Other eating disorders (F50.8)													
All races, both sexes.....	160	24	16	18	9	11	15	13	11	14	9	8	12
Male.....	47	8	8	3	3	4	2	3	1	3	2	3	7
Female.....	113	16	8	15	6	7	13	10	10	11	7	5	5
White, both sexes.....	152	23	15	17	9	11	14	11	11	14	7	8	12
Male.....	43	8	7	2	3	4	1	3	1	3	1	3	7
Female.....	109	15	8	15	6	7	13	8	10	11	6	5	5
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	-	-	-	1	2	-	-	1	-	-
Male.....	3	-	1	-	-	-	1	-	-	-	1	-	-
Female.....	3	1	-	-	-	-	-	2	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bacterial meningitis, unspecified (G00.9)													
All races, both sexes.....	174	27	21	31	13	15	8	9	7	7	7	7	22
Male.....	92	13	15	16	8	7	5	6	4	3	1	3	11
Female.....	82	14	6	15	5	8	3	3	3	4	6	4	11
White, both sexes.....	122	22	17	18	13	9	4	5	3	4	5	7	15
Male.....	61	10	12	8	8	3	2	3	1	1	1	3	9
Female.....	61	12	5	10	5	6	2	2	2	3	4	4	6
Black, both sexes.....	44	4	3	10	-	6	4	4	3	3	1	-	6
Male.....	25	2	2	5	-	4	3	3	3	2	-	-	1
Female.....	19	2	1	5	-	2	1	1	-	1	1	-	5
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	3	-	-	-	-	1	-	-	-	-
Male.....	4	-	1	3	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis due to other and unspecified causes (G03)													
All races, both sexes.....	332	36	31	32	30	27	31	14	28	29	31	24	19
Male.....	178	22	15	18	15	17	18	6	15	18	18	9	7
Female.....	154	14	16	14	15	10	13	8	13	11	13	15	12
White, both sexes.....	246	28	21	19	20	23	22	10	25	23	22	20	13
Male.....	139	17	12	11	12	16	11	3	13	15	17	8	4
Female.....	107	11	9	8	8	7	11	7	12	8	5	12	9
Black, both sexes.....	71	7	6	11	9	4	7	4	2	4	8	4	5
Male.....	33	4	2	6	3	1	5	3	1	3	1	1	3
Female.....	38	3	4	5	6	3	2	1	1	1	7	3	2
American Indian 1/, both sexes.....	4	1	1	-	-	-	1	-	1	-	-	-	-
Male.....	3	1	-	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	3	2	1	-	1	-	-	2	1	-	1
Male.....	3	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	8	-	2	1	1	-	-	-	-	2	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary ataxia, unspecified (G11.9)													
All races, both sexes.....	43	2	2	2	3	3	4	2	1	7	7	6	4
Male.....	22	1	1	1	1	2	2	1	1	2	4	4	2
Female.....	21	1	1	1	2	1	2	1	-	5	3	2	2
White, both sexes.....	39	2	-	2	2	3	4	2	1	6	7	6	4
Male.....	21	1	-	1	1	2	2	1	1	2	4	4	2
Female.....	18	1	-	1	1	1	2	1	-	4	3	2	2
Black, both sexes.....	4	-	2	-	1	-	-	-	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Spinal muscular atrophy and related syndromes (G12)													
All races, both sexes.....	5,809	564	462	480	480	500	476	448	498	463	488	463	487
Male.....	3,158	294	253	254	261	286	260	229	259	262	277	259	264
Female.....	2,651	270	209	226	219	214	216	219	239	201	211	204	223
White, both sexes.....	5,391	522	426	440	453	471	439	411	467	431	459	432	440
Male.....	2,930	270	234	234	244	273	243	212	242	242	257	243	236
Female.....	2,461	252	192	206	209	198	196	199	225	189	202	189	204
Black, both sexes.....	317	30	30	30	19	21	27	25	29	27	21	21	37
Male.....	176	16	16	19	13	9	11	12	15	18	14	10	23
Female.....	141	14	14	11	6	12	16	13	14	9	7	11	14
American Indian 1/, both sexes.....	10	3	-	1	1	1	-	-	-	-	-	1	3
Male.....	6	2	-	-	1	1	-	-	-	-	-	-	2
Female.....	4	1	-	1	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	91	9	6	9	7	7	10	12	2	5	8	9	7
Male.....	46	6	3	1	3	3	6	5	2	2	6	6	3
Female.....	45	3	3	8	4	4	4	7	-	3	2	3	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motor neuron disease (G12.2)													
All races, both sexes.....	5,663	553	448	467	472	492	463	439	484	449	474	449	473
Male.....	3,077	288	245	248	257	281	251	225	255	256	263	251	257
Female.....	2,586	265	203	219	215	211	212	214	229	193	211	198	216
White, both sexes.....	5,271	513	416	430	447	464	426	404	455	418	448	421	429
Male.....	2,862	264	226	230	241	269	234	209	240	236	246	236	231
Female.....	2,409	249	190	200	206	195	192	195	215	182	202	185	198
Black, both sexes.....	297	28	26	28	18	20	27	24	27	26	20	18	35
Male.....	167	16	16	17	13	8	11	11	13	18	13	9	22
Female.....	130	12	10	11	5	12	16	13	14	8	7	9	13
American Indian 1/, both sexes.....	9	3	-	1	-	1	-	-	-	-	-	1	3
Male.....	5	2	-	-	-	1	-	-	-	-	-	-	2
Female.....	4	1	-	1	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	86	9	6	8	7	7	10	11	2	5	6	9	6
Male.....	43	6	3	1	3	3	6	5	2	2	4	6	2
Female.....	43	3	3	7	4	4	4	6	-	3	2	3	4
Spinal muscular atrophy, unspecified (G12.9)													
All races, both sexes.....	117	6	11	12	4	8	13	6	12	12	11	9	13
Male.....	65	3	7	6	2	5	9	2	4	5	11	4	7
Female.....	52	3	4	6	2	3	4	4	8	7	-	5	6
White, both sexes.....	96	5	9	9	2	7	13	4	10	12	8	7	10
Male.....	52	3	7	4	1	4	9	1	2	5	8	3	5
Female.....	44	2	2	5	1	3	4	3	8	7	-	4	5
Black, both sexes.....	15	1	2	2	1	1	-	1	2	-	1	2	2
Male.....	9	-	-	2	-	1	-	1	2	-	1	1	1
Female.....	6	1	2	-	1	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	-	-	1	-	-	2	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	2	-	1
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Parkinson's disease (G20)													
All races, both sexes.....	17,898	1,975	1,601	1,517	1,385	1,343	1,226	1,402	1,390	1,389	1,554	1,487	1,629
Male.....	10,311	1,146	935	887	785	746	740	784	817	795	901	856	919
Female.....	7,587	829	666	630	600	597	486	618	573	594	653	631	710
White, both sexes.....	16,959	1,880	1,512	1,447	1,304	1,281	1,160	1,331	1,309	1,309	1,470	1,408	1,548
Male.....	9,778	1,094	889	850	739	711	696	743	766	753	856	807	874
Female.....	7,181	786	623	597	565	570	464	588	543	556	614	601	674
Black, both sexes.....	622	65	54	43	58	39	45	48	58	51	53	54	54
Male.....	343	36	26	22	32	20	26	28	39	26	27	31	30
Female.....	279	29	28	21	26	19	19	20	19	25	26	23	24
American Indian 1/, both sexes.....	44	7	6	3	4	1	3	4	3	3	3	5	2
Male.....	27	2	4	3	4	-	3	2	-	2	3	4	-
Female.....	17	5	2	-	-	1	-	2	3	1	-	1	2
Asian or Pacific Islander 2/, both sexes.....	273	23	29	24	19	22	18	19	20	26	28	20	25
Male.....	163	14	16	12	10	15	15	11	12	14	15	14	15
Female.....	110	9	13	12	9	7	3	8	8	12	13	6	10
Secondary parkinsonism (G21)													
All races, both sexes.....	91	8	13	7	6	7	5	7	10	8	8	6	6
Male.....	55	4	10	5	4	3	4	3	3	6	4	5	4
Female.....	36	4	3	2	2	4	1	4	7	2	4	1	2
White, both sexes.....	82	7	12	6	6	7	3	7	8	8	7	5	6
Male.....	51	4	10	4	4	3	2	3	3	6	4	4	4
Female.....	31	3	2	2	2	4	1	4	5	2	3	1	2
Black, both sexes.....	5	1	1	1	-	-	1	-	1	-	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	3	1	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Extrapyramidal and movement disorder, unspecified (G25.9)													
All races, both sexes.....	19	2	2	3	2	2	2	-	1	2	1	2	-
Male.....	9	1	1	2	1	1	-	-	1	2	-	-	-
Female.....	10	1	1	1	1	1	2	-	-	-	1	2	-
White, both sexes.....	17	2	2	2	2	1	2	-	1	2	1	2	-
Male.....	8	1	1	1	1	1	-	-	1	2	-	-	-
Female.....	9	1	1	1	1	-	2	-	-	-	1	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Alzheimer's disease (G30)													
All races, both sexes.....	65,965	6,774	5,785	5,503	5,094	4,955	4,972	5,073	5,061	5,067	5,650	5,695	6,336
Male.....	18,974	1,940	1,626	1,578	1,453	1,422	1,455	1,432	1,478	1,439	1,643	1,655	1,853
Female.....	46,991	4,834	4,159	3,925	3,641	3,533	3,517	3,641	3,583	3,628	4,007	4,040	4,483
White, both sexes.....	61,087	6,312	5,376	5,106	4,719	4,572	4,589	4,677	4,682	4,640	5,248	5,272	5,894
Male.....	17,605	1,809	1,513	1,472	1,347	1,320	1,342	1,329	1,372	1,319	1,527	1,530	1,725
Female.....	43,482	4,503	3,863	3,634	3,372	3,252	3,247	3,348	3,310	3,321	3,721	3,742	4,169
Black, both sexes.....	4,232	389	352	338	320	335	329	349	323	383	349	368	397
Male.....	1,147	106	97	88	95	85	95	87	85	106	93	99	111
Female.....	3,085	283	255	250	225	250	234	262	238	277	256	269	286
American Indian 1/, both sexes.....	112	11	11	8	10	8	11	8	10	6	11	11	7
Male.....	32	1	2	1	2	4	4	2	4	2	5	3	2
Female.....	80	10	9	7	8	4	7	6	6	4	6	8	5
Asian or Pacific Islander 2/, both sexes.....	534	62	46	51	45	40	43	39	46	38	42	44	38
Male.....	190	24	14	17	9	13	14	14	17	12	18	23	15
Female.....	344	38	32	34	36	27	29	25	29	26	24	21	23

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other Alzheimer's disease (G30.8)													
All races, both sexes.....	21	2	-	1	1	3	2	-	1	1	3	2	5
Male.....	7	1	-	-	1	1	-	-	-	1	2	-	1
Female.....	14	1	-	1	-	2	2	-	1	-	1	2	4
White, both sexes.....	19	2	-	-	1	2	2	-	1	1	3	2	5
Male.....	7	1	-	-	1	1	-	-	-	1	2	-	1
Female.....	12	1	-	-	-	1	2	-	1	-	1	2	4
Black, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Alzheimer's disease, unspecified (G30.9)													
All races, both sexes.....	63,579	6,532	5,577	5,295	4,915	4,782	4,805	4,887	4,873	4,895	5,432	5,467	6,119
Male.....	18,374	1,884	1,575	1,528	1,412	1,371	1,405	1,388	1,429	1,398	1,590	1,599	1,795
Female.....	45,205	4,648	4,002	3,767	3,503	3,411	3,400	3,499	3,444	3,497	3,842	3,868	4,324
White, both sexes.....	58,826	6,081	5,178	4,908	4,551	4,413	4,429	4,501	4,506	4,478	5,039	5,057	5,685
Male.....	17,031	1,754	1,464	1,424	1,307	1,274	1,294	1,287	1,325	1,282	1,475	1,476	1,669
Female.....	41,795	4,327	3,714	3,484	3,244	3,139	3,135	3,214	3,181	3,196	3,564	3,581	4,016
Black, both sexes.....	4,119	382	343	329	309	323	322	340	311	373	340	356	391
Male.....	1,123	105	95	87	94	81	93	85	83	102	92	97	109
Female.....	2,996	277	248	242	215	242	229	255	228	271	248	259	282
American Indian 1/, both sexes.....	108	10	10	8	10	7	11	7	10	6	11	11	7
Male.....	32	1	2	1	2	4	4	2	4	2	5	3	2
Female.....	76	9	8	7	8	3	7	5	6	4	6	8	5
Asian or Pacific Islander 2/, both sexes.....	526	59	46	50	45	39	43	39	46	38	42	43	36
Male.....	188	24	14	16	9	12	14	14	17	12	18	23	15
Female.....	338	35	32	34	36	27	29	25	29	26	24	20	21

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other degenerative diseases of nervous system, not elsewhere classified (G31)													
All races, both sexes.....	1,644	173	112	145	123	137	109	126	134	112	155	140	178
Male.....	743	86	51	65	59	55	45	55	63	46	71	59	88
Female.....	901	87	61	80	64	82	64	71	71	66	84	81	90
White, both sexes.....	1,491	161	103	133	114	123	99	113	122	98	139	124	162
Male.....	675	80	46	62	53	48	40	49	57	41	62	55	82
Female.....	816	81	57	71	61	75	59	64	65	57	77	69	80
Black, both sexes.....	125	11	6	11	8	12	8	13	6	13	14	11	12
Male.....	54	5	3	3	5	5	4	6	2	5	9	2	5
Female.....	71	6	3	8	3	7	4	7	4	8	5	9	7
American Indian 1/, both sexes.....	4	-	-	1	-	1	-	-	1	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	24	1	3	-	1	1	2	-	5	1	1	5	4
Male.....	12	1	2	-	1	1	1	-	3	-	-	2	1
Female.....	12	-	1	-	-	-	1	-	2	1	1	3	3
Circumscribed brain atrophy (G31.0)													
All races, both sexes.....	233	20	18	17	19	17	18	11	25	17	25	22	24
Male.....	124	14	9	7	11	10	7	7	13	7	11	12	16
Female.....	109	6	9	10	8	7	11	4	12	10	14	10	8
White, both sexes.....	227	19	18	17	19	17	17	10	24	16	25	22	23
Male.....	120	13	9	7	11	10	7	6	13	6	11	12	15
Female.....	107	6	9	10	8	7	10	4	11	10	14	10	8
Black, both sexes.....	4	1	-	-	-	-	-	1	-	1	-	-	1
Male.....	4	1	-	-	-	-	-	1	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified degenerative diseases of nervous system (G31.8)													
All races, both sexes.....	204	25	16	15	15	22	10	13	11	14	19	21	23
Male.....	100	14	9	7	8	8	4	7	7	5	10	9	12
Female.....	104	11	7	8	7	14	6	6	4	9	9	12	11
White, both sexes.....	187	24	16	14	15	20	9	12	10	12	17	19	19
Male.....	95	13	9	7	8	7	4	7	7	4	9	9	11
Female.....	92	11	7	7	7	13	5	5	3	8	8	10	8
Black, both sexes.....	11	1	-	1	-	2	1	1	-	1	2	1	1
Male.....	4	1	-	-	-	1	-	-	-	1	1	-	-
Female.....	7	-	-	1	-	1	1	1	-	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	1	1	-	1	3
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	1	1	-	1	2
Degenerative disease of nervous system, unspecified (G31.9)													
All races, both sexes.....	1,098	118	74	100	78	92	77	98	86	69	100	87	119
Male.....	442	50	29	43	30	33	31	38	37	26	42	33	50
Female.....	656	68	45	57	48	59	46	60	49	43	58	54	69
White, both sexes.....	983	111	66	89	71	80	70	87	77	60	89	74	109
Male.....	395	48	25	40	26	27	27	33	31	25	37	29	47
Female.....	588	63	41	49	45	53	43	54	46	35	52	45	62
Black, both sexes.....	96	6	6	10	6	10	6	11	5	9	9	9	9
Male.....	35	1	3	3	3	4	3	5	2	1	5	2	3
Female.....	61	5	3	7	3	6	3	6	3	8	4	7	6
American Indian 1/, both sexes.....	4	-	-	1	-	1	-	-	1	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	2	-	1	1	1	-	3	-	1	4	1
Male.....	10	1	1	-	1	1	1	-	3	-	-	2	-
Female.....	5	-	1	-	-	-	-	-	-	-	1	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute disseminated demyelination, unspecified (G36.9)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other demyelinating diseases of central nervous system (G37)													
All races, both sexes.....	157	13	11	13	16	14	10	15	13	9	12	16	15
Male.....	77	8	7	8	2	6	5	9	5	4	4	9	10
Female.....	80	5	4	5	14	8	5	6	8	5	8	7	5
White, both sexes.....	125	12	10	10	12	12	9	11	9	7	9	10	14
Male.....	62	7	6	6	2	6	4	7	4	3	3	5	9
Female.....	63	5	4	4	10	6	5	4	5	4	6	5	5
Black, both sexes.....	29	1	1	3	4	2	1	2	4	2	3	6	-
Male.....	13	1	1	2	-	-	1	1	1	1	1	4	-
Female.....	16	-	-	1	4	2	-	1	3	1	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	2	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified demyelinating diseases of central nervous system (G37.8)													
All races, both sexes.....	13	1	1	2	2	-	1	3	1	-	-	1	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	11	1	-	2	2	-	1	3	1	-	-	1	-
White, both sexes.....	12	1	1	2	2	-	1	3	1	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	10	1	-	2	2	-	1	3	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Demyelinating disease of central nervous system, unspecified (G37.9)													
All races, both sexes.....	49	2	1	3	6	5	3	5	5	3	5	3	8
Male.....	25	1	1	2	1	3	1	2	2	2	2	1	7
Female.....	24	1	-	1	5	2	2	3	3	1	3	2	1
White, both sexes.....	40	2	1	3	4	5	3	3	3	1	5	3	7
Male.....	22	1	1	2	1	3	1	2	1	2	2	1	6
Female.....	18	1	-	1	3	2	2	1	2	-	3	2	1
Black, both sexes.....	7	-	-	-	2	-	-	1	2	2	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	5	-	-	-	2	-	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Epilepsy, unspecified (G40.9)													
All races, both sexes.....	627	46	40	51	49	59	51	67	42	47	59	59	57
Male.....	376	30	23	25	31	34	31	45	28	29	35	36	29
Female.....	251	16	17	26	18	25	20	22	14	18	24	23	28
White, both sexes.....	475	37	30	37	34	45	39	47	26	36	49	50	45
Male.....	289	23	19	17	23	29	23	33	16	23	29	30	24
Female.....	186	14	11	20	11	16	16	14	10	13	20	20	21
Black, both sexes.....	132	8	9	13	13	13	8	17	13	11	8	7	12
Male.....	74	6	3	7	7	4	6	11	9	6	5	5	5
Female.....	58	2	6	6	6	9	2	6	4	5	3	2	7
American Indian 1/, both sexes.....	8	1	-	-	1	-	1	2	1	-	1	1	-
Male.....	5	1	-	-	-	-	1	1	1	-	1	-	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	1	1	1	3	1	2	-	1	1	-
Male.....	8	-	1	1	1	1	1	-	2	-	-	1	-
Female.....	4	-	-	-	-	-	2	1	-	-	1	-	-
Status epilepticus (G41)													
All races, both sexes.....	500	42	46	44	37	45	39	40	51	40	40	34	42
Male.....	236	24	16	14	21	20	22	22	23	22	19	14	19
Female.....	264	18	30	30	16	25	17	18	28	18	21	20	23
White, both sexes.....	350	29	34	29	28	38	24	24	38	26	31	24	25
Male.....	163	16	12	9	17	17	16	11	20	13	15	6	11
Female.....	187	13	22	20	11	21	8	13	18	13	16	18	14
Black, both sexes.....	135	12	10	14	8	6	14	14	10	13	8	9	17
Male.....	65	7	4	4	4	2	5	9	3	8	3	8	8
Female.....	70	5	6	10	4	4	9	5	7	5	5	1	9
American Indian 1/, both sexes.....	9	1	2	1	-	1	-	1	-	1	1	1	-
Male.....	6	1	-	1	-	1	-	1	-	1	1	-	-
Female.....	3	-	2	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	1	1	3	-	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	-	3	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other status epilepticus (G41.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Status epilepticus, unspecified (G41.9)													
All races, both sexes.....	499	42	46	44	37	45	39	40	51	40	40	34	41
Male.....	236	24	16	14	21	20	22	22	23	22	19	14	19
Female.....	263	18	30	30	16	25	17	18	28	18	21	20	22
White, both sexes.....	349	29	34	29	28	38	24	24	38	26	31	24	24
Male.....	163	16	12	9	17	17	16	11	20	13	15	6	11
Female.....	186	13	22	20	11	21	8	13	18	13	16	18	13
Black, both sexes.....	135	12	10	14	8	6	14	14	10	13	8	9	17
Male.....	65	7	4	4	4	2	5	9	3	8	3	8	8
Female.....	70	5	6	10	4	4	9	5	7	5	5	1	9
American Indian 1/, both sexes.....	9	1	2	1	-	1	-	1	-	1	1	1	-
Male.....	6	1	-	1	-	1	-	1	-	1	1	-	-
Female.....	3	-	2	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	1	1	3	-	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	-	3	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary and idiopathic neuropathy, unspecified (G60.9)													
All races, both sexes.....	12	4	1	-	1	-	1	-	-	2	-	1	2
Male.....	7	2	1	-	1	-	1	-	-	1	-	1	-
Female.....	5	2	-	-	-	-	-	-	-	1	-	-	2
White, both sexes.....	12	4	1	-	1	-	1	-	-	2	-	1	2
Male.....	7	2	1	-	1	-	1	-	-	1	-	1	-
Female.....	5	2	-	-	-	-	-	-	-	1	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Inflammatory polyneuropathy (G61)													
All races, both sexes.....	248	29	20	21	17	17	19	26	18	22	20	21	18
Male.....	136	15	13	13	6	9	10	16	12	10	11	13	8
Female.....	112	14	7	8	11	8	9	10	6	12	9	8	10
White, both sexes.....	224	23	18	19	15	17	15	26	15	21	17	20	18
Male.....	121	11	12	11	5	9	7	16	9	10	11	12	8
Female.....	103	12	6	8	10	8	8	10	6	11	6	8	10
Black, both sexes.....	19	3	2	2	2	-	3	-	3	1	2	1	-
Male.....	14	3	1	2	1	-	3	-	3	-	-	1	-
Female.....	5	-	1	-	1	-	-	-	-	1	2	-	-
American Indian 1/, both sexes.....	3	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myasthenia gravis and other myoneural disorders (G70)													
All races, both sexes.....	782	76	55	49	70	70	69	64	63	56	76	56	78
Male.....	395	41	31	24	33	27	36	33	34	31	34	25	46
Female.....	387	35	24	25	37	43	33	31	29	25	42	31	32
White, both sexes.....	724	69	52	42	65	63	66	60	59	53	72	53	70
Male.....	377	36	31	22	33	26	34	32	34	30	33	23	43
Female.....	347	33	21	20	32	37	32	28	25	23	39	30	27
Black, both sexes.....	39	2	2	5	4	3	3	4	4	2	3	1	6
Male.....	9	2	-	1	-	-	2	1	-	1	-	-	1
Female.....	30	-	2	4	4	3	1	3	4	1	2	1	5
American Indian 1/, both sexes.....	7	2	1	-	-	2	-	-	-	-	-	1	1
Male.....	4	1	-	-	-	1	-	-	-	-	-	1	1
Female.....	3	1	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	3	-	2	1	2	-	-	-	1	1	1	1
Male.....	5	2	-	1	-	-	-	-	-	-	-	1	1
Female.....	7	1	-	1	1	2	-	-	-	1	1	-	-
Myasthenia gravis (G70.0)													
All races, both sexes.....	563	55	37	37	52	52	50	47	43	42	49	38	61
Male.....	275	28	22	17	22	20	23	27	22	22	22	16	34
Female.....	288	27	15	20	30	32	27	20	21	20	27	22	27
White, both sexes.....	524	53	36	32	48	46	49	45	40	39	46	36	54
Male.....	266	27	22	16	22	19	23	27	22	21	21	15	31
Female.....	258	26	14	16	26	27	26	18	18	18	25	21	23
Black, both sexes.....	28	-	1	3	4	3	1	2	3	2	3	1	5
Male.....	3	-	-	-	-	-	-	-	-	1	1	-	1
Female.....	25	-	1	3	4	3	1	2	3	1	2	1	4
American Indian 1/, both sexes.....	5	2	-	-	-	2	-	-	-	-	-	-	1
Male.....	3	1	-	-	-	1	-	-	-	-	-	-	1
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	2	-	1	-	-	-	1	-	1	1
Male.....	3	-	-	1	-	-	-	-	-	-	-	1	1
Female.....	3	-	-	1	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myoneural disorder, unspecified (G70.9)													
All races, both sexes.....	209	21	16	10	18	16	19	17	20	13	24	18	17
Male.....	115	13	8	7	11	5	13	6	12	9	10	9	12
Female.....	94	8	8	3	7	11	6	11	8	4	14	9	5
White, both sexes.....	191	16	15	8	17	15	17	15	19	13	23	17	16
Male.....	106	9	8	6	11	5	11	5	12	9	10	8	12
Female.....	85	7	7	2	6	10	6	10	7	4	13	9	4
Black, both sexes.....	11	2	1	2	-	-	2	2	1	-	-	-	1
Male.....	6	2	-	1	-	-	2	1	-	-	-	-	-
Female.....	5	-	1	1	-	-	-	1	1	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	-	-	1	1	-	-	-	-	1	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	1	1	-	-	-	-	1	-	-
Primary disorders of muscles (G71)													
All races, both sexes.....	1,038	108	82	101	73	71	82	88	94	77	76	89	97
Male.....	693	63	57	69	49	44	50	61	69	53	52	58	68
Female.....	345	45	25	32	24	27	32	27	25	24	24	31	29
White, both sexes.....	934	102	73	90	67	67	76	76	79	69	68	82	85
Male.....	621	58	50	62	45	43	46	54	58	47	46	51	61
Female.....	313	44	23	28	22	24	30	22	21	22	22	31	24
Black, both sexes.....	78	5	8	9	4	3	5	8	11	6	5	5	9
Male.....	53	4	6	5	3	1	3	4	9	4	3	5	6
Female.....	25	1	2	4	1	2	2	4	2	2	2	-	3
American Indian 1/, both sexes.....	10	-	-	-	1	1	-	3	1	1	1	1	1
Male.....	6	-	-	-	-	-	-	3	-	1	1	1	-
Female.....	4	-	-	-	1	1	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	16	1	1	2	1	-	1	1	3	1	2	1	2
Male.....	13	1	1	2	1	-	1	-	2	1	2	1	1
Female.....	3	-	-	-	-	-	-	1	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myopathy, unspecified (G72.9)													
All races, both sexes.....	69	9	6	9	8	5	5	4	4	3	3	8	5
Male.....	42	7	3	6	5	3	4	1	1	1	1	6	4
Female.....	27	2	3	3	3	2	1	3	3	2	2	2	1
White, both sexes.....	62	9	5	9	7	5	4	4	3	3	2	6	5
Male.....	38	7	2	6	5	3	3	1	1	1	-	5	4
Female.....	24	2	3	3	2	2	1	3	2	2	2	1	1
Black, both sexes.....	7	-	1	-	1	-	1	-	1	-	1	2	-
Male.....	4	-	1	-	-	-	1	-	-	-	1	1	-
Female.....	3	-	-	-	1	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile cerebral palsy (G80)													
All races, both sexes.....	1,417	149	146	119	92	110	117	112	86	108	122	112	144
Male.....	801	80	86	84	54	61	67	62	41	65	70	64	67
Female.....	616	69	60	35	38	49	50	50	45	43	52	48	77
White, both sexes.....	1,097	115	118	93	77	87	95	80	61	80	93	88	110
Male.....	625	64	72	70	45	47	52	48	30	46	52	51	48
Female.....	472	51	46	23	32	40	43	32	31	34	41	37	62
Black, both sexes.....	288	31	24	24	14	19	20	28	21	26	28	22	31
Male.....	159	14	13	13	8	11	14	13	10	17	17	11	18
Female.....	129	17	11	11	6	8	6	15	11	9	11	11	13
American Indian 1/, both sexes.....	13	1	1	1	1	1	1	2	2	1	-	-	2
Male.....	5	-	-	-	1	-	1	-	1	1	-	-	1
Female.....	8	1	1	1	-	1	-	2	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	19	2	3	1	-	3	1	2	2	1	1	2	1
Male.....	12	2	1	1	-	3	-	1	-	1	1	2	-
Female.....	7	-	2	-	-	-	1	1	2	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Infantile cerebral palsy, unspecified (G80.9)													
All races, both sexes.....	1,356	140	137	116	87	102	110	110	85	105	115	108	141
Male.....	764	75	80	81	51	56	65	61	40	63	66	62	64
Female.....	592	65	57	35	36	46	45	49	45	42	49	46	77
White, both sexes.....	1,049	110	111	90	73	80	88	78	60	79	88	85	107
Male.....	597	61	67	67	43	42	50	47	29	46	50	50	45
Female.....	452	49	44	23	30	38	38	31	31	33	38	35	62
Black, both sexes.....	276	28	22	24	13	18	20	28	21	24	26	21	31
Male.....	151	13	12	13	7	11	14	13	10	15	15	10	18
Female.....	125	15	10	11	6	7	6	15	11	9	11	11	13
American Indian 1/, both sexes.....	13	1	1	1	1	1	1	2	2	1	-	-	2
Male.....	5	-	-	-	1	-	1	-	1	1	-	-	1
Female.....	8	1	1	1	-	1	-	2	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	18	1	3	1	-	3	1	2	2	1	1	2	1
Male.....	11	1	1	1	-	3	-	1	-	1	1	2	-
Female.....	7	-	2	-	-	-	1	1	2	-	-	-	1
Hemiplegia (G81)													
All races, both sexes.....	118	15	9	8	8	16	4	4	7	8	14	12	13
Male.....	52	10	4	3	4	5	1	3	3	3	6	5	5
Female.....	66	5	5	5	4	11	3	1	4	5	8	7	8
White, both sexes.....	104	14	9	7	7	12	4	4	7	5	11	12	12
Male.....	46	9	4	3	3	4	1	3	3	3	4	5	4
Female.....	58	5	5	4	4	8	3	1	4	2	7	7	8
Black, both sexes.....	10	1	-	1	1	3	-	-	-	1	2	-	1
Male.....	6	1	-	-	1	1	-	-	-	-	2	-	1
Female.....	4	-	-	1	-	2	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	-	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	1	-	-	-	2	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemiplegia, unspecified (G81.9)													
All races, both sexes.....	118	15	9	8	8	16	4	4	7	8	14	12	13
Male.....	52	10	4	3	4	5	1	3	3	3	6	5	5
Female.....	66	5	5	5	4	11	3	1	4	5	8	7	8
White, both sexes.....	104	14	9	7	7	12	4	4	7	5	11	12	12
Male.....	46	9	4	3	3	4	1	3	3	3	4	5	4
Female.....	58	5	5	4	4	8	3	1	4	2	7	7	8
Black, both sexes.....	10	1	-	1	1	3	-	-	-	1	2	-	1
Male.....	6	1	-	-	1	1	-	-	-	-	2	-	1
Female.....	4	-	-	1	-	2	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	-	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	1	-	-	-	2	1	-	-
Paraplegia and tetraplegia (G82)													
All races, both sexes.....	759	71	53	61	79	67	68	52	57	58	60	67	66
Male.....	493	40	40	43	48	42	45	36	31	43	42	42	41
Female.....	266	31	13	18	31	25	23	16	26	15	18	25	25
White, both sexes.....	614	59	41	56	62	57	56	36	41	46	48	56	56
Male.....	389	34	32	39	37	35	35	24	21	34	33	33	32
Female.....	225	25	9	17	25	22	21	12	20	12	15	23	24
Black, both sexes.....	126	9	11	5	13	10	11	15	15	10	10	8	9
Male.....	88	4	7	4	8	7	9	11	10	7	7	6	8
Female.....	38	5	4	1	5	3	2	4	5	3	3	2	1
American Indian 1/, both sexes.....	10	2	-	-	1	-	1	-	-	2	1	2	1
Male.....	10	2	-	-	1	-	1	-	-	2	1	2	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	-	3	-	-	1	1	-	1	1	-
Male.....	6	-	1	-	2	-	-	1	-	-	1	1	-
Female.....	3	1	-	-	1	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spastic paraplegia (G82.1)													
All races, both sexes.....	15	3	1	-	1	4	-	1	1	-	1	-	3
Male.....	5	1	1	-	-	-	-	1	1	-	-	-	1
Female.....	10	2	-	-	1	4	-	-	-	-	1	-	2
White, both sexes.....	13	1	1	-	1	4	-	1	1	-	1	-	3
Male.....	4	-	1	-	-	-	-	1	1	-	-	-	1
Female.....	9	1	-	-	1	4	-	-	-	-	1	-	2
Black, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, unspecified (G82.2)													
All races, both sexes.....	269	19	16	20	33	20	19	14	23	27	19	27	32
Male.....	161	11	9	13	17	13	10	8	10	20	15	17	18
Female.....	108	8	7	7	16	7	9	6	13	7	4	10	14
White, both sexes.....	224	17	13	18	25	17	16	11	17	24	16	22	28
Male.....	131	10	8	11	13	11	8	6	8	17	12	13	14
Female.....	93	7	5	7	12	6	8	5	9	7	4	9	14
Black, both sexes.....	40	2	3	2	5	3	3	3	5	3	3	5	3
Male.....	27	1	1	2	2	2	2	2	2	3	3	4	3
Female.....	13	1	2	-	3	1	1	1	3	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	2	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of autonomic nervous system, unspecified (G90.9)													
All races, both sexes.....	12	-	-	1	3	-	-	1	1	3	2	1	-
Male.....	5	-	-	-	1	-	-	-	1	1	1	1	-
Female.....	7	-	-	1	2	-	-	1	-	2	1	-	-
White, both sexes.....	10	-	-	1	2	-	-	1	1	3	2	-	-
Male.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	7	-	-	1	2	-	-	1	-	2	1	-	-
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus (G91)													
All races, both sexes.....	693	62	66	49	55	46	48	53	63	52	71	68	60
Male.....	333	31	38	22	30	25	18	23	32	29	29	34	22
Female.....	360	31	28	27	25	21	30	30	31	23	42	34	38
White, both sexes.....	598	53	57	37	50	40	45	44	56	46	57	62	51
Male.....	289	27	34	16	28	19	18	21	28	25	22	34	17
Female.....	309	26	23	21	22	21	27	23	28	21	35	28	34
Black, both sexes.....	80	8	8	10	5	5	3	6	5	5	12	5	8
Male.....	37	3	4	6	2	5	-	1	3	3	5	-	5
Female.....	43	5	4	4	3	-	3	5	2	2	7	5	3
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	1	1	-	1	-	3	2	1	2	1	1
Male.....	7	1	-	-	-	1	-	1	1	1	2	-	-
Female.....	7	-	1	1	-	-	-	2	1	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Postviral fatigue syndrome (G93.3)													
All races, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalopathy, unspecified (G93.4)													
All races, both sexes.....	809	76	69	72	72	51	65	54	66	66	71	70	77
Male.....	395	34	34	32	32	20	30	25	39	39	38	33	39
Female.....	414	42	35	40	40	31	35	29	27	27	33	37	38
White, both sexes.....	636	56	55	59	55	40	53	41	51	53	59	53	61
Male.....	314	24	27	27	26	16	25	21	31	31	30	25	31
Female.....	322	32	28	32	29	24	28	20	20	22	29	28	30
Black, both sexes.....	156	19	11	11	17	9	10	13	13	13	10	15	15
Male.....	73	9	5	5	6	3	3	4	7	8	8	7	8
Female.....	83	10	6	6	11	6	7	9	6	5	2	8	7
American Indian 1/, both sexes.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	14	-	3	1	-	2	2	-	2	-	2	1	1
Male.....	7	-	2	-	-	1	2	-	1	-	-	1	-
Female.....	7	-	1	1	-	1	-	-	1	-	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Compression of brain (G93.5)													
All races, both sexes.....	169	11	18	15	10	9	14	17	16	12	18	15	14
Male.....	76	4	8	7	3	2	7	10	6	8	9	8	4
Female.....	93	7	10	8	7	7	7	7	10	4	9	7	10
White, both sexes.....	129	7	12	12	8	7	12	12	11	10	15	15	8
Male.....	60	3	6	5	3	2	6	7	5	6	6	8	3
Female.....	69	4	6	7	5	5	6	5	6	4	9	7	5
Black, both sexes.....	34	3	5	3	2	2	1	5	5	1	3	-	4
Male.....	14	1	2	2	-	-	1	3	1	1	3	-	-
Female.....	20	2	3	1	2	2	-	2	4	-	-	-	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	-	1	-	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Female.....	3	1	1	-	-	-	1	-	-	-	-	-	-
Cerebral edema (G93.6)													
All races, both sexes.....	155	14	12	9	23	17	12	12	17	4	10	12	13
Male.....	61	4	8	5	8	4	4	3	8	1	5	6	5
Female.....	94	10	4	4	15	13	8	9	9	3	5	6	8
White, both sexes.....	111	8	8	6	19	12	9	11	12	4	5	7	10
Male.....	42	3	6	2	8	2	3	3	4	1	3	4	3
Female.....	69	5	2	4	11	10	6	8	8	3	2	3	7
Black, both sexes.....	40	5	4	3	2	5	3	1	5	-	4	5	3
Male.....	19	1	2	3	-	2	1	-	4	-	2	2	2
Female.....	21	4	2	-	2	3	2	1	1	-	2	3	1
American Indian 1/, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of brain, unspecified (G93.9)													
All races, both sexes.....	291	33	26	30	22	25	20	27	21	17	26	22	22
Male.....	110	11	13	10	8	11	4	9	8	6	10	10	10
Female.....	181	22	13	20	14	14	16	18	13	11	16	12	12
White, both sexes.....	244	28	22	24	19	23	17	26	15	15	20	20	15
Male.....	90	10	10	7	6	11	3	9	7	6	7	9	5
Female.....	154	18	12	17	13	12	14	17	8	9	13	11	10
Black, both sexes.....	35	4	4	5	2	2	3	-	4	2	4	1	4
Male.....	15	1	3	2	1	-	1	-	-	-	2	1	4
Female.....	20	3	1	3	1	2	2	-	4	2	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	1	1	-	-	1	2	-	1	1	3
Male.....	4	-	-	1	1	-	-	-	1	-	-	-	1
Female.....	7	1	-	-	-	-	-	1	1	-	1	1	2
Other diseases of spinal cord (G95)													
All races, both sexes.....	262	23	21	21	23	20	24	20	22	24	21	21	22
Male.....	141	11	12	10	11	10	15	12	12	12	12	12	12
Female.....	121	12	9	11	12	10	9	8	10	12	9	9	10
White, both sexes.....	217	20	19	18	18	17	22	14	17	20	19	17	16
Male.....	119	9	11	10	10	9	14	9	9	9	11	10	8
Female.....	98	11	8	8	8	8	8	5	8	11	8	7	8
Black, both sexes.....	37	3	2	2	5	3	1	4	4	2	2	3	6
Male.....	19	2	1	-	1	1	-	3	3	2	1	1	4
Female.....	18	1	1	2	4	2	1	1	1	-	1	2	2
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	1	2	1	2	-	1	-
Male.....	3	-	-	-	-	-	1	-	-	1	-	1	-
Female.....	4	-	-	-	-	-	-	2	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic chorea without heart involvement (I02.9)													
All races, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic mitral valve diseases (I05)													
All races, both sexes.....	1,475	145	124	133	127	109	121	144	110	117	107	119	119
Male.....	444	59	34	42	28	36	30	33	31	39	31	43	38
Female.....	1,031	86	90	91	99	73	91	111	79	78	76	76	81
White, both sexes.....	1,299	122	104	114	111	96	102	130	103	105	97	106	109
Male.....	390	49	28	33	25	33	25	29	29	37	29	36	37
Female.....	909	73	76	81	86	63	77	101	74	68	68	70	72
Black, both sexes.....	125	19	16	13	9	11	16	6	6	10	7	8	4
Male.....	41	9	5	8	1	3	5	1	2	2	1	4	-
Female.....	84	10	11	5	8	8	11	5	4	8	6	4	4
American Indian 1/, both sexes.....	8	1	2	-	1	-	1	2	-	-	-	1	-
Male.....	4	1	1	-	-	-	-	1	-	-	-	1	-
Female.....	4	-	1	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	43	3	2	6	6	2	2	6	1	2	3	4	6
Male.....	9	-	-	1	2	-	-	2	-	-	1	2	1
Female.....	34	3	2	5	4	2	2	4	1	2	2	2	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitral stenosis (I05.0)													
All races, both sexes.....	427	37	40	36	44	32	32	42	26	31	32	35	40
Male.....	82	9	11	9	7	8	3	5	3	7	6	8	6
Female.....	345	28	29	27	37	24	29	37	23	24	26	27	34
White, both sexes.....	379	31	35	31	38	27	27	41	25	28	30	29	37
Male.....	73	7	10	7	6	7	2	5	3	7	6	7	6
Female.....	306	24	25	24	32	20	25	36	22	21	24	22	31
Black, both sexes.....	30	5	3	3	5	3	3	1	-	2	1	3	1
Male.....	7	2	1	2	-	1	1	-	-	-	-	-	-
Female.....	23	3	2	1	5	2	2	1	-	2	1	3	1
American Indian 1/, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	1	2	1	2	1	-	1	1	1	3	2
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	14	1	1	2	-	2	1	-	1	1	1	2	2
Rheumatic mitral insufficiency (I05.1)													
All races, both sexes.....	43	2	-	7	3	3	3	5	6	4	6	2	2
Male.....	12	1	-	1	2	1	2	1	1	-	1	1	1
Female.....	31	1	-	6	1	2	1	4	5	4	5	1	1
White, both sexes.....	35	1	-	7	2	2	3	3	5	4	5	2	1
Male.....	11	1	-	1	2	-	2	1	1	-	1	1	1
Female.....	24	-	-	6	-	2	1	2	4	4	4	1	-
Black, both sexes.....	5	1	-	-	-	1	-	1	1	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tricuspid valve disease, unspecified (I07.9)													
All races, both sexes.....	14	4	1	1	3	-	-	-	-	4	-	-	1
Male.....	4	1	1	-	1	-	-	-	-	1	-	-	-
Female.....	10	3	-	1	2	-	-	-	-	3	-	-	1
White, both sexes.....	13	4	1	-	3	-	-	-	-	4	-	-	1
Male.....	4	1	1	-	1	-	-	-	-	1	-	-	-
Female.....	9	3	-	-	2	-	-	-	-	3	-	-	1
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Multiple valve diseases (I08)													
All races, both sexes.....	842	68	63	75	80	72	70	79	70	52	51	75	87
Male.....	294	22	21	31	21	33	23	27	22	20	15	30	29
Female.....	548	46	42	44	59	39	47	52	48	32	36	45	58
White, both sexes.....	771	63	58	67	73	63	64	71	64	47	45	71	85
Male.....	265	20	19	27	19	29	21	25	21	18	12	26	28
Female.....	506	43	39	40	54	34	43	46	43	29	33	45	57
Black, both sexes.....	50	5	4	5	5	7	5	4	4	4	5	-	2
Male.....	23	2	1	4	2	4	2	1	1	2	3	-	1
Female.....	27	3	3	1	3	3	3	3	3	2	2	-	1
American Indian 1/, both sexes.....	5	-	-	2	1	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	2	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	1	1	1	2	1	4	1	1	1	3	-
Male.....	5	-	1	-	-	-	-	1	-	-	-	3	-
Female.....	11	-	-	1	1	2	1	3	1	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of both mitral and aortic valves (I08.0)													
All races, both sexes.....	716	58	55	63	66	66	63	65	63	43	39	61	74
Male.....	261	21	18	26	16	31	21	26	21	16	12	25	28
Female.....	455	37	37	37	50	35	42	39	42	27	27	36	46
White, both sexes.....	658	53	50	57	60	57	57	61	58	39	35	59	72
Male.....	237	19	16	23	15	27	19	24	20	14	10	23	27
Female.....	421	34	34	34	45	30	38	37	38	25	25	36	45
Black, both sexes.....	43	5	4	4	4	7	5	2	4	3	3	-	2
Male.....	20	2	1	3	1	4	2	1	1	2	2	-	1
Female.....	23	3	3	1	3	3	3	1	3	1	1	-	1
American Indian 1/, both sexes.....	3	-	-	2	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	2	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	-	1	2	1	2	1	1	1	2	-
Male.....	4	-	1	-	-	-	-	1	-	-	-	2	-
Female.....	8	-	-	-	1	2	1	1	1	1	1	-	-
Disorders of both mitral and tricuspid valves (I08.1)													
All races, both sexes.....	74	5	4	8	9	4	2	8	4	6	7	10	7
Male.....	21	1	2	4	3	1	-	1	-	3	1	4	1
Female.....	53	4	2	4	6	3	2	7	4	3	6	6	6
White, both sexes.....	67	5	4	6	8	4	2	6	4	5	7	9	7
Male.....	18	1	2	3	2	1	-	1	-	3	1	3	1
Female.....	49	4	2	3	6	3	2	5	4	2	6	6	6
Black, both sexes.....	4	-	-	1	1	-	-	1	-	1	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of both aortic and tricuspid valves (I08.2)													
All races, both sexes.....	9	1	1	1	-	-	-	1	1	-	2	1	1
Male.....	3	-	-	1	-	-	-	-	-	-	2	-	-
Female.....	6	1	1	-	-	-	-	1	1	-	-	1	1
White, both sexes.....	7	1	1	1	-	-	-	1	-	-	1	1	1
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	5	1	1	-	-	-	-	1	-	-	-	1	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Combined disorders of mitral, aortic, and tricuspid valves (I08.3)													
All races, both sexes.....	38	4	3	1	5	2	5	5	1	3	3	2	4
Male.....	7	-	1	-	2	1	2	-	-	1	-	-	-
Female.....	31	4	2	1	3	1	3	5	1	2	3	2	4
White, both sexes.....	35	4	3	1	5	2	5	3	1	3	2	2	4
Male.....	7	-	1	-	2	1	2	-	-	1	-	-	-
Female.....	28	4	2	1	3	1	3	3	1	2	2	2	4
Black, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic heart disease, unspecified (I09.9)													
All races, both sexes.....	376	44	38	26	35	34	30	33	36	25	25	24	26
Male.....	85	7	12	9	7	6	11	7	9	3	7	3	4
Female.....	291	37	26	17	28	28	19	26	27	22	18	21	22
White, both sexes.....	338	43	34	24	30	29	24	29	35	25	23	20	22
Male.....	77	7	12	8	6	5	8	7	9	3	6	3	3
Female.....	261	36	22	16	24	24	16	22	26	22	17	17	19
Black, both sexes.....	24	-	3	2	3	3	4	-	-	-	2	4	3
Male.....	4	-	-	1	-	-	2	-	-	-	1	-	-
Female.....	20	-	3	1	3	3	2	-	-	-	1	4	3
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	1	-	1	2	2	3	1	-	-	-	1
Male.....	3	-	-	-	-	1	1	-	-	-	-	-	1
Female.....	9	1	1	-	1	1	1	3	1	-	-	-	-
Essential (primary) hypertension (I10)													
All races, both sexes.....	13,456	1,390	1,172	1,118	1,093	1,122	977	1,008	1,013	1,016	1,111	1,132	1,304
Male.....	4,691	453	412	407	408	419	342	341	344	339	378	388	460
Female.....	8,765	937	760	711	685	703	635	667	669	677	733	744	844
White, both sexes.....	11,020	1,136	961	903	902	929	798	837	836	804	897	923	1,094
Male.....	3,753	373	334	315	335	331	275	277	276	255	298	307	377
Female.....	7,267	763	627	588	567	598	523	560	560	549	599	616	717
Black, both sexes.....	2,108	226	185	185	169	167	152	139	159	189	177	185	175
Male.....	807	71	71	76	64	78	55	51	63	74	67	66	71
Female.....	1,301	155	114	109	105	89	97	88	96	115	110	119	104
American Indian 1/, both sexes.....	54	8	5	6	3	5	3	3	1	2	7	3	8
Male.....	24	2	3	3	-	4	1	2	1	-	3	3	2
Female.....	30	6	2	3	3	1	2	1	-	2	4	-	6
Asian or Pacific Islander 2/, both sexes.....	274	20	21	24	19	21	24	29	17	21	30	21	27
Male.....	107	7	4	13	9	6	11	11	4	10	10	12	10
Female.....	167	13	17	11	10	15	13	18	13	11	20	9	17

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart disease (I11)													
All races, both sexes.....	28,585	2,872	2,512	2,500	2,305	2,323	2,283	2,316	2,218	2,121	2,337	2,222	2,576
Male.....	12,929	1,230	1,139	1,122	1,048	1,064	1,012	1,059	1,047	978	1,065	1,038	1,127
Female.....	15,656	1,642	1,373	1,378	1,257	1,259	1,271	1,257	1,171	1,143	1,272	1,184	1,449
White, both sexes.....	21,156	2,159	1,860	1,860	1,726	1,700	1,671	1,716	1,635	1,589	1,722	1,627	1,891
Male.....	9,218	876	812	791	753	746	713	764	753	717	752	739	802
Female.....	11,938	1,283	1,048	1,069	973	954	958	952	882	872	970	888	1,089
Black, both sexes.....	6,796	633	597	576	522	582	570	560	540	491	557	533	635
Male.....	3,391	307	301	297	263	297	285	277	271	243	285	269	296
Female.....	3,405	326	296	279	259	285	285	283	269	248	272	264	339
American Indian 1/, both sexes.....	109	19	7	9	6	5	8	8	13	7	8	11	8
Male.....	59	13	3	4	5	3	3	3	9	2	3	6	5
Female.....	50	6	4	5	1	2	5	5	4	5	5	5	3
Asian or Pacific Islander 2/, both sexes.....	524	61	48	55	51	36	34	32	30	34	50	51	42
Male.....	261	34	23	30	27	18	11	15	14	16	25	24	24
Female.....	263	27	25	25	24	18	23	17	16	18	25	27	18
Hypertensive heart disease with (congestive) heart failure (I11.0)													
All races, both sexes.....	9,655	967	811	863	793	801	772	786	712	723	825	728	874
Male.....	3,062	291	240	266	244	271	247	256	256	238	268	225	260
Female.....	6,593	676	571	597	549	530	525	530	456	485	557	503	614
White, both sexes.....	7,848	778	651	716	660	656	621	641	570	591	686	577	701
Male.....	2,366	222	185	201	193	201	189	195	206	192	210	169	203
Female.....	5,482	556	466	515	467	455	432	446	364	399	476	408	498
Black, both sexes.....	1,634	170	144	134	114	131	139	134	131	118	129	130	160
Male.....	637	61	49	58	43	67	57	59	46	40	54	51	52
Female.....	997	109	95	76	71	64	82	75	85	78	75	79	108
American Indian 1/, both sexes.....	27	3	2	1	-	2	3	4	3	2	2	4	1
Male.....	9	1	1	1	-	-	-	2	1	1	1	1	-
Female.....	18	2	1	-	-	2	3	2	2	1	1	3	1
Asian or Pacific Islander 2/, both sexes.....	146	16	14	12	19	12	9	7	8	12	8	17	12
Male.....	50	7	5	6	8	3	1	-	3	5	3	4	5
Female.....	96	9	9	6	11	9	8	7	5	7	5	13	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart disease without (congestive) heart failure (I11.9)													
All races, both sexes.....	18,930	1,905	1,701	1,637	1,512	1,522	1,511	1,530	1,506	1,398	1,512	1,494	1,702
Male.....	9,867	939	899	856	804	793	765	803	791	740	797	813	867
Female.....	9,063	966	802	781	708	729	746	727	715	658	715	681	835
White, both sexes.....	13,308	1,381	1,209	1,144	1,066	1,044	1,050	1,075	1,065	998	1,036	1,050	1,190
Male.....	6,852	654	627	590	560	545	524	569	547	525	542	570	599
Female.....	6,456	727	582	554	506	499	526	506	518	473	494	480	591
Black, both sexes.....	5,162	463	453	442	408	451	431	426	409	373	428	403	475
Male.....	2,754	246	252	239	220	230	228	218	225	203	231	218	244
Female.....	2,408	217	201	203	188	221	203	208	184	170	197	185	231
American Indian 1/, both sexes.....	82	16	5	8	6	3	5	4	10	5	6	7	7
Male.....	50	12	2	3	5	3	3	1	8	1	2	5	5
Female.....	32	4	3	5	1	-	2	3	2	4	4	2	2
Asian or Pacific Islander 2/, both sexes.....	378	45	34	43	32	24	25	25	22	22	42	34	30
Male.....	211	27	18	24	19	15	10	15	11	11	22	20	19
Female.....	167	18	16	19	13	9	15	10	11	11	20	14	11
Hypertensive renal disease (I12)													
All races, both sexes.....	9,620	950	839	799	763	756	736	800	721	750	813	829	864
Male.....	4,178	412	342	328	340	320	313	365	318	331	360	359	390
Female.....	5,442	538	497	471	423	436	423	435	403	419	453	470	474
White, both sexes.....	6,673	669	602	549	508	540	509	557	512	539	540	543	605
Male.....	2,887	287	249	241	224	233	218	261	214	223	238	229	270
Female.....	3,786	382	353	308	284	307	291	296	298	316	302	314	335
Black, both sexes.....	2,639	251	206	223	230	195	206	221	191	191	247	256	222
Male.....	1,157	109	78	77	102	80	88	95	94	102	109	118	105
Female.....	1,482	142	128	146	128	115	118	126	97	89	138	138	117
American Indian 1/, both sexes.....	53	4	6	3	1	4	2	3	3	5	4	6	12
Male.....	24	3	2	1	1	2	-	1	3	2	1	3	5
Female.....	29	1	4	2	-	2	2	2	-	3	3	3	7
Asian or Pacific Islander 2/, both sexes.....	255	26	25	24	24	17	19	19	15	15	22	24	25
Male.....	110	13	13	9	13	5	7	8	7	4	12	9	10
Female.....	145	13	12	15	11	12	12	11	8	11	10	15	15

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart and renal disease with renal failure (I13.1)													
All races, both sexes.....	1,163	104	119	114	75	83	77	101	91	86	104	91	118
Male.....	557	52	51	44	31	41	41	42	46	41	54	52	62
Female.....	606	52	68	70	44	42	36	59	45	45	50	39	56
White, both sexes.....	638	60	67	67	41	53	38	60	47	44	56	44	61
Male.....	280	28	25	26	17	23	20	22	21	19	24	26	29
Female.....	358	32	42	41	24	30	18	38	26	25	32	18	32
Black, both sexes.....	478	39	46	44	30	30	34	41	40	36	44	40	54
Male.....	248	24	22	16	12	18	18	20	22	17	26	22	31
Female.....	230	15	24	28	18	12	16	21	18	19	18	18	23
American Indian 1/, both sexes.....	6	1	1	-	2	-	1	-	-	-	-	1	-
Male.....	3	-	1	-	1	-	-	-	-	-	-	1	-
Female.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	41	4	5	3	2	-	4	-	4	6	4	6	3
Male.....	26	-	3	2	1	-	3	-	3	5	4	3	2
Female.....	15	4	2	1	1	-	1	-	1	1	-	3	1
Hypertensive heart and renal disease with both (congestive) heart failure and renal failure (I13.2)													
All races, both sexes.....	1,770	177	157	158	139	144	142	122	144	147	127	160	153
Male.....	699	66	65	51	41	56	56	44	52	73	62	73	60
Female.....	1,071	111	92	107	98	88	86	78	92	74	65	87	93
White, both sexes.....	1,353	144	113	121	114	109	107	85	112	116	95	122	115
Male.....	532	52	49	39	36	44	45	29	37	56	47	52	46
Female.....	821	92	64	82	78	65	62	56	75	60	48	70	69
Black, both sexes.....	374	23	42	35	20	32	33	33	29	28	28	34	37
Male.....	148	10	15	11	4	10	11	13	13	15	14	19	13
Female.....	226	13	27	24	16	22	22	20	16	13	14	15	24
American Indian 1/, both sexes.....	7	1	-	1	2	-	1	-	-	1	1	-	-
Male.....	4	1	-	1	1	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	1	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	36	9	2	1	3	3	1	4	3	2	3	4	1
Male.....	15	3	1	-	-	2	-	2	2	1	1	2	1
Female.....	21	6	1	1	3	1	1	2	1	1	2	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute transmural myocardial infarction of unspecified site (I21.3)													
All races, both sexes.....	20	3	1	1	3	-	-	1	1	1	3	3	3
Male.....	12	1	1	1	2	-	-	1	-	2	3	3	1
Female.....	8	2	-	-	1	-	-	-	1	1	-	-	2
White, both sexes.....	16	3	1	-	3	-	-	1	1	-	2	2	3
Male.....	9	1	1	-	2	-	-	1	-	-	1	2	1
Female.....	7	2	-	-	1	-	-	-	1	-	1	-	2
Black, both sexes.....	3	-	-	1	-	-	-	-	-	1	1	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute subendocardial myocardial infarction (I21.4)													
All races, both sexes.....	238	33	17	31	21	18	13	15	12	17	22	22	17
Male.....	113	17	5	12	10	8	7	9	5	10	10	9	11
Female.....	125	16	12	19	11	10	6	6	7	7	12	13	6
White, both sexes.....	212	31	14	29	18	14	13	14	10	15	19	20	15
Male.....	102	16	4	11	9	7	7	9	5	8	8	9	9
Female.....	110	15	10	18	9	7	6	5	5	7	11	11	6
Black, both sexes.....	18	-	3	1	3	2	-	1	2	2	3	-	1
Male.....	9	-	1	1	1	1	-	-	-	2	2	-	1
Female.....	9	-	2	-	2	1	-	1	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	-	1	-	2	-	-	-	-	-	2	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	1	-	1	-	2	-	-	-	-	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of acute ischemic heart disease (I24.8)													
All races, both sexes.....	1,879	202	171	163	152	142	120	144	158	163	146	152	166
Male.....	995	98	69	79	86	80	64	88	90	94	84	87	76
Female.....	884	104	102	84	66	62	56	56	68	69	62	65	90
White, both sexes.....	1,528	163	141	133	125	116	95	115	124	124	126	124	142
Male.....	779	74	55	61	72	60	50	68	69	62	73	72	63
Female.....	749	89	86	72	53	56	45	47	55	62	53	52	79
Black, both sexes.....	321	36	22	28	27	24	24	26	29	36	19	27	23
Male.....	198	22	10	17	14	19	13	17	17	30	11	15	13
Female.....	123	14	12	11	13	5	11	9	12	6	8	12	10
American Indian 1/, both sexes.....	18	2	6	1	-	-	-	1	2	3	1	1	1
Male.....	9	2	2	-	-	-	-	1	2	2	-	-	-
Female.....	9	-	4	1	-	-	-	-	-	1	1	1	1
Asian or Pacific Islander 2/, both sexes.....	12	1	2	1	-	2	1	2	3	-	-	-	-
Male.....	9	-	2	1	-	1	1	2	2	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	1	-	-	-	-
Acute ischemic heart disease, unspecified (I24.9)													
All races, both sexes.....	581	66	59	49	47	44	38	49	34	48	45	42	60
Male.....	306	36	26	25	21	19	22	33	24	23	21	20	36
Female.....	275	30	33	24	26	25	16	16	10	25	24	22	24
White, both sexes.....	495	58	50	44	42	37	33	39	30	40	38	37	47
Male.....	263	33	22	22	19	17	19	27	23	19	19	16	27
Female.....	232	25	28	22	23	20	14	12	7	21	19	21	20
Black, both sexes.....	74	6	9	5	5	4	3	6	4	8	6	5	13
Male.....	37	3	4	3	2	-	2	3	1	4	2	4	9
Female.....	37	3	5	2	3	4	1	3	3	4	4	1	4
American Indian 1/, both sexes.....	5	2	-	-	-	2	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	3	2	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	1	1	4	-	-	1	-	-
Male.....	4	-	-	-	-	1	-	3	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic ischemic heart disease (I25)													
All races, both sexes.....	291,815	29,808	25,576	26,128	24,302	23,736	22,531	22,615	22,383	21,595	23,896	23,404	25,841
Male.....	149,229	14,880	13,043	13,477	12,462	12,309	11,572	11,693	11,458	11,025	12,240	11,917	13,153
Female.....	142,586	14,928	12,533	12,651	11,840	11,427	10,959	10,922	10,925	10,570	11,656	11,487	12,688
White, both sexes.....	255,833	26,177	22,418	22,989	21,378	20,785	19,734	19,685	19,613	18,989	20,984	20,460	22,621
Male.....	130,897	13,051	11,423	11,900	10,999	10,748	10,154	10,203	10,062	9,662	10,739	10,421	11,535
Female.....	124,936	13,126	10,995	11,089	10,379	10,037	9,580	9,482	9,551	9,327	10,245	10,039	11,086
Black, both sexes.....	30,068	3,023	2,663	2,612	2,447	2,479	2,338	2,431	2,309	2,164	2,428	2,475	2,699
Male.....	15,005	1,495	1,345	1,282	1,192	1,282	1,163	1,215	1,144	1,110	1,218	1,236	1,323
Female.....	15,063	1,528	1,318	1,330	1,255	1,197	1,175	1,216	1,165	1,054	1,210	1,239	1,376
American Indian 1/, both sexes.....	1,186	127	100	112	94	93	95	110	89	86	104	86	90
Male.....	688	72	58	61	59	56	53	61	54	47	73	44	50
Female.....	498	55	42	51	35	37	42	49	35	39	31	42	40
Asian or Pacific Islander 2/, both sexes.....	4,728	481	395	415	383	379	364	389	372	356	380	383	431
Male.....	2,639	262	217	234	212	223	202	214	198	206	210	216	245
Female.....	2,089	219	178	181	171	156	162	175	174	150	170	167	186
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	63,661	6,596	5,669	5,579	5,168	5,132	4,945	4,964	4,734	4,718	5,228	5,145	5,783
Male.....	34,574	3,481	3,052	3,053	2,798	2,875	2,682	2,701	2,650	2,561	2,818	2,803	3,100
Female.....	29,087	3,115	2,617	2,526	2,370	2,257	2,263	2,263	2,084	2,157	2,410	2,342	2,683
White, both sexes.....	52,585	5,404	4,637	4,626	4,245	4,227	4,103	4,085	3,961	3,949	4,332	4,269	4,747
Male.....	28,370	2,825	2,465	2,520	2,288	2,323	2,229	2,210	2,204	2,128	2,334	2,314	2,530
Female.....	24,215	2,579	2,172	2,106	1,957	1,904	1,874	1,875	1,757	1,821	1,998	1,955	2,217
Black, both sexes.....	9,666	1,044	915	819	817	796	726	770	661	676	774	770	898
Male.....	5,331	567	511	453	451	480	392	425	373	380	401	428	470
Female.....	4,335	477	404	366	366	316	334	345	288	296	373	342	428
American Indian 1/, both sexes.....	331	33	29	35	30	33	21	32	23	19	27	18	31
Male.....	207	21	16	21	16	23	13	19	16	10	22	12	18
Female.....	124	12	13	14	14	10	8	13	7	9	5	6	13
Asian or Pacific Islander 2/, both sexes.....	1,079	115	88	99	76	76	95	77	89	74	95	88	107
Male.....	666	68	60	59	43	49	48	47	57	43	61	49	82
Female.....	413	47	28	40	33	27	47	30	32	31	34	39	25

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atherosclerotic heart disease (I25.1)													
All races, both sexes.....	201,100	20,503	17,572	18,040	16,900	16,385	15,462	15,515	15,586	14,842	16,489	16,091	17,715
Male.....	99,427	9,881	8,685	9,015	8,374	8,165	7,695	7,807	7,660	7,334	8,208	7,889	8,714
Female.....	101,673	10,622	8,887	9,025	8,526	8,220	7,767	7,708	7,926	7,508	8,281	8,202	9,001
White, both sexes.....	179,018	18,328	15,679	16,140	15,130	14,573	13,737	13,687	13,786	13,219	14,696	14,254	15,789
Male.....	88,823	8,846	7,773	8,126	7,544	7,290	6,858	6,927	6,809	6,528	7,314	7,008	7,800
Female.....	90,195	9,482	7,906	8,014	7,586	7,283	6,879	6,760	6,977	6,691	7,382	7,246	7,989
Black, both sexes.....	18,077	1,766	1,555	1,548	1,443	1,500	1,425	1,475	1,483	1,314	1,466	1,518	1,584
Male.....	8,431	817	734	698	644	697	668	690	691	631	712	707	742
Female.....	9,646	949	821	850	799	803	757	785	792	683	754	811	842
American Indian 1/, both sexes.....	739	75	65	65	52	50	65	69	61	58	69	57	53
Male.....	416	39	37	33	36	29	36	39	34	32	47	27	27
Female.....	323	36	28	32	16	21	29	30	27	26	22	30	26
Asian or Pacific Islander 2/, both sexes.....	3,266	334	273	287	275	262	235	284	256	251	258	262	289
Male.....	1,757	179	141	158	150	149	133	151	126	143	135	147	145
Female.....	1,509	155	132	129	125	113	102	133	130	108	123	115	144
Old myocardial infarction (I25.2)													
All races, both sexes.....	260	33	22	29	21	23	26	20	6	19	21	17	23
Male.....	162	15	16	16	13	16	16	13	5	12	14	12	14
Female.....	98	18	6	13	8	7	10	7	1	7	7	5	9
White, both sexes.....	211	28	16	22	20	19	18	18	6	14	18	13	19
Male.....	134	14	10	13	12	13	11	12	5	10	12	9	13
Female.....	77	14	6	9	8	6	7	6	1	4	6	4	6
Black, both sexes.....	40	2	6	6	1	2	6	1	-	5	3	4	4
Male.....	24	-	6	2	1	1	5	1	-	2	2	3	1
Female.....	16	2	-	4	-	1	1	-	-	3	1	1	3
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	3	-	-	-	2	2	1	-	-	-	-	-
Male.....	3	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	5	2	-	-	-	-	2	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of chronic ischemic heart disease (I25.8)													
All races, both sexes.....	1,487	162	120	142	120	120	122	123	110	118	117	118	115
Male.....	771	89	62	75	60	73	60	54	51	56	67	61	63
Female.....	716	73	58	67	60	47	62	69	59	62	50	57	52
White, both sexes.....	1,320	152	109	123	107	107	110	100	99	106	107	103	97
Male.....	681	82	56	63	53	65	56	44	44	49	61	54	54
Female.....	639	70	53	60	54	42	54	56	55	57	46	49	43
Black, both sexes.....	124	7	9	14	12	9	8	18	9	9	5	10	14
Male.....	65	5	5	8	6	5	2	8	6	5	4	4	7
Female.....	59	2	4	6	6	4	6	10	3	4	1	6	7
American Indian 1/, both sexes.....	5	-	-	1	-	-	-	1	-	1	1	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	1	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	38	3	2	4	1	4	4	4	2	2	4	4	4
Male.....	23	2	1	3	1	3	2	2	1	2	1	3	2
Female.....	15	1	1	1	-	1	2	2	1	-	3	1	2
Chronic ischemic heart disease, unspecified (I25.9)													
All races, both sexes.....	12,834	1,305	1,088	1,201	1,053	1,040	966	1,038	1,011	986	1,018	1,006	1,122
Male.....	6,923	710	584	632	597	547	519	563	533	546	543	549	600
Female.....	5,911	595	504	569	456	493	447	475	478	440	475	457	522
White, both sexes.....	11,221	1,161	949	1,041	934	903	842	909	884	864	888	872	974
Male.....	6,065	639	521	548	535	467	448	494	470	473	477	468	525
Female.....	5,156	522	428	493	399	436	394	415	414	391	411	404	449
Black, both sexes.....	1,351	120	113	139	99	114	103	112	103	104	111	110	123
Male.....	716	61	50	73	53	69	57	59	49	63	54	64	64
Female.....	635	59	63	66	46	45	46	53	54	41	57	46	59
American Indian 1/, both sexes.....	65	12	5	9	6	5	3	2	3	5	6	6	3
Male.....	40	8	5	4	2	2	2	1	2	4	3	5	2
Female.....	25	4	-	5	4	3	1	1	1	1	3	1	1
Asian or Pacific Islander 2/, both sexes.....	197	12	21	12	14	18	18	15	21	13	13	18	22
Male.....	102	2	8	7	7	9	12	9	12	6	9	12	9
Female.....	95	10	13	5	7	9	6	6	9	7	4	6	13

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary embolism without mention of acute cor pulmonale (I26.9)													
All races, both sexes.....	8,096	793	704	731	626	672	635	664	679	635	628	629	700
Male.....	3,379	307	300	302	282	296	249	294	299	268	271	252	259
Female.....	4,717	486	404	429	344	376	386	370	380	367	357	377	441
White, both sexes.....	6,622	677	589	588	514	557	506	518	550	519	519	525	560
Male.....	2,738	260	243	239	229	242	206	227	235	220	218	217	202
Female.....	3,884	417	346	349	285	315	300	291	315	299	301	308	358
Black, both sexes.....	1,377	106	108	130	104	109	123	133	124	110	104	94	132
Male.....	588	42	52	59	48	51	41	57	60	44	51	31	52
Female.....	789	64	56	71	56	58	82	76	64	66	53	63	80
American Indian 1/, both sexes.....	30	3	3	2	3	3	2	4	1	4	-	2	3
Male.....	19	1	3	1	3	-	1	3	1	2	-	1	3
Female.....	11	2	-	1	-	3	1	1	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	67	7	4	11	5	3	4	9	4	2	5	8	5
Male.....	34	4	2	3	2	3	1	7	3	2	2	3	2
Female.....	33	3	2	8	3	-	3	2	1	-	3	5	3
Other pulmonary heart diseases (I27)													
All races, both sexes.....	4,941	456	420	443	409	433	355	376	387	386	448	385	443
Male.....	1,725	165	156	147	153	159	119	117	124	134	177	127	147
Female.....	3,216	291	264	296	256	274	236	259	263	252	271	258	296
White, both sexes.....	4,054	395	350	360	346	353	305	301	298	318	366	307	355
Male.....	1,426	145	130	117	137	130	101	98	93	108	143	103	121
Female.....	2,628	250	220	243	209	223	204	203	205	210	223	204	234
Black, both sexes.....	781	57	59	70	61	70	46	63	80	56	76	66	77
Male.....	258	17	21	25	15	27	18	16	29	17	29	21	23
Female.....	523	40	38	45	46	43	28	47	51	39	47	45	54
American Indian 1/, both sexes.....	28	3	2	2	1	1	-	3	4	4	2	4	2
Male.....	13	2	1	-	1	1	-	-	1	4	2	-	1
Female.....	15	1	1	2	-	-	-	3	3	-	-	4	1
Asian or Pacific Islander 2/, both sexes.....	78	1	9	11	1	9	4	9	5	8	4	8	9
Male.....	28	1	4	5	-	1	-	3	1	5	3	3	2
Female.....	50	-	5	6	1	8	4	6	4	3	1	5	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary heart disease, unspecified (I27.9)													
All races, both sexes.....	1,142	116	101	107	106	93	79	78	98	80	93	78	113
Male.....	514	47	49	44	54	43	41	34	35	41	51	27	48
Female.....	628	69	52	63	52	50	38	44	63	39	42	51	65
White, both sexes.....	973	104	88	92	92	77	74	65	80	72	73	65	91
Male.....	441	42	44	37	48	36	37	29	30	35	41	22	40
Female.....	532	62	44	55	44	41	37	36	50	37	32	43	51
Black, both sexes.....	152	12	12	13	14	14	5	11	16	6	18	12	19
Male.....	66	5	4	6	6	7	4	5	4	4	8	5	8
Female.....	86	7	8	7	8	7	1	6	12	2	10	7	11
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	1	1	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	13	-	1	2	-	2	-	1	1	2	1	1	2
Male.....	5	-	1	1	-	-	-	-	-	2	1	-	-
Female.....	8	-	-	1	-	2	-	1	1	-	-	1	2
Other diseases of pulmonary vessels (I28)													
All races, both sexes.....	68	4	11	3	3	4	6	7	8	5	7	4	6
Male.....	35	3	6	1	2	1	3	4	4	2	4	1	4
Female.....	33	1	5	2	1	3	3	3	4	3	3	3	2
White, both sexes.....	59	4	9	3	3	4	4	6	7	4	7	2	6
Male.....	32	3	5	1	2	1	3	3	3	2	4	1	4
Female.....	27	1	4	2	1	3	1	3	4	2	3	1	2
Black, both sexes.....	7	-	2	-	-	-	2	1	1	-	-	1	-
Male.....	3	-	1	-	-	-	-	1	1	-	-	-	-
Female.....	4	-	1	-	-	-	2	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute pericarditis, unspecified (I30.9)													
All races, both sexes.....	18	4	-	1	1	1	-	2	3	1	2	3	-
Male.....	6	1	-	1	1	-	-	-	-	1	-	2	-
Female.....	12	3	-	-	-	1	-	2	3	-	2	1	-
White, both sexes.....	13	3	-	1	-	1	-	2	2	-	2	2	-
Male.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Female.....	10	2	-	-	-	1	-	2	2	-	2	1	-
Black, both sexes.....	5	1	-	-	1	-	-	-	1	1	-	1	-
Male.....	3	-	-	-	1	-	-	-	-	1	-	1	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of pericardium (I31)													
All races, both sexes.....	493	36	52	49	34	38	44	37	51	30	29	54	39
Male.....	253	22	29	25	16	20	22	18	24	18	9	26	24
Female.....	240	14	23	24	18	18	22	19	27	12	20	28	15
White, both sexes.....	390	30	41	41	23	29	34	29	39	26	23	43	32
Male.....	200	17	21	21	11	16	17	15	20	15	8	18	21
Female.....	190	13	20	20	12	13	17	14	19	11	15	25	11
Black, both sexes.....	92	6	10	8	11	7	8	4	11	4	6	10	7
Male.....	46	5	7	4	5	3	3	1	3	3	1	8	3
Female.....	46	1	3	4	6	4	5	3	8	1	5	2	4
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	-	-	1	2	3	1	-	-	-	-
Male.....	6	-	1	-	-	-	2	2	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemopericardium, not elsewhere classified (I31.2)													
All races, both sexes.....	31	2	3	4	2	4	3	2	2	2	1	4	2
Male.....	19	1	3	1	2	2	2	1	-	2	1	2	2
Female.....	12	1	-	3	-	2	1	1	2	-	-	2	-
White, both sexes.....	26	2	2	3	2	3	3	2	2	2	-	3	2
Male.....	16	1	2	1	2	2	2	1	-	2	-	1	2
Female.....	10	1	-	2	-	1	1	1	2	-	-	2	-
Black, both sexes.....	5	-	1	1	-	1	-	-	-	-	1	1	-
Male.....	3	-	1	-	-	-	-	-	-	-	1	1	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pericardial effusion (noninflammatory) (I31.3)													
All races, both sexes.....	191	17	20	11	19	17	15	14	18	11	11	21	17
Male.....	86	8	8	7	8	8	8	4	12	5	1	10	7
Female.....	105	9	12	4	11	9	7	10	6	6	10	11	10
White, both sexes.....	148	13	19	9	10	15	9	10	13	10	7	19	14
Male.....	67	5	7	6	4	7	5	4	9	4	1	9	6
Female.....	81	8	12	3	6	8	4	6	4	6	6	10	8
Black, both sexes.....	38	4	-	2	9	2	4	3	4	1	4	2	3
Male.....	15	3	-	1	4	1	1	-	2	1	-	1	1
Female.....	23	1	-	1	5	1	3	3	2	-	4	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	-	2	1	1	-	-	-	-
Male.....	4	-	1	-	-	-	2	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified diseases of pericardium (I31.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of pericardium, unspecified (I31.9)													
All races, both sexes.....	214	15	22	26	11	13	20	15	26	14	14	23	15
Male.....	112	11	14	12	5	7	9	10	8	9	6	10	11
Female.....	102	4	8	14	6	6	11	5	18	5	8	13	4
White, both sexes.....	167	13	16	21	9	8	16	11	19	12	13	18	11
Male.....	87	9	10	9	4	5	7	7	7	7	6	7	9
Female.....	80	4	6	12	5	3	9	4	12	5	7	11	2
Black, both sexes.....	42	2	6	5	2	4	4	1	7	2	1	4	4
Male.....	23	2	4	3	1	2	2	1	1	2	-	3	2
Female.....	19	-	2	2	1	2	2	-	6	-	1	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	2	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute and subacute endocarditis (I33)													
All races, both sexes.....	1,196	103	105	109	103	108	91	86	92	96	97	103	103
Male.....	659	63	57	58	49	68	47	53	51	55	51	49	58
Female.....	537	40	48	51	54	40	44	33	41	41	46	54	45
White, both sexes.....	957	78	89	86	85	85	77	72	71	72	79	85	78
Male.....	536	51	48	45	41	55	43	44	41	41	39	40	48
Female.....	421	27	41	41	44	30	34	28	30	31	40	45	30
Black, both sexes.....	204	23	13	20	17	17	11	12	18	21	15	13	24
Male.....	104	11	8	11	7	10	3	8	8	12	9	8	9
Female.....	100	12	5	9	10	7	8	4	10	9	6	5	15
American Indian 1/, both sexes.....	13	1	2	1	-	2	2	-	-	1	1	3	-
Male.....	5	-	1	1	-	1	-	-	-	1	1	-	-
Female.....	8	1	1	-	-	1	2	-	-	-	-	3	-
Asian or Pacific Islander 2/, both sexes.....	22	1	1	2	1	4	1	2	3	2	2	2	1
Male.....	14	1	-	1	1	2	1	1	2	1	2	1	1
Female.....	8	-	1	1	-	2	-	1	1	1	-	1	-
Acute and subacute infective endocarditis (I33.0)													
All races, both sexes.....	1,145	97	102	105	97	106	88	82	89	95	93	97	94
Male.....	634	59	56	56	47	67	46	51	48	55	51	45	53
Female.....	511	38	46	49	50	39	42	31	41	40	42	52	41
White, both sexes.....	917	73	86	83	81	83	75	69	68	71	76	80	72
Male.....	516	47	47	44	40	54	42	43	38	41	39	37	44
Female.....	401	26	39	39	41	29	33	26	30	30	37	43	28
Black, both sexes.....	193	22	13	19	15	17	10	11	18	21	14	12	21
Male.....	99	11	8	10	6	10	3	7	8	12	9	7	8
Female.....	94	11	5	9	9	7	7	4	10	9	5	5	13
American Indian 1/, both sexes.....	13	1	2	1	-	2	2	-	-	1	1	3	-
Male.....	5	-	1	1	-	1	-	-	-	1	1	-	-
Female.....	8	1	1	-	-	1	2	-	-	-	-	3	-
Asian or Pacific Islander 2/, both sexes.....	22	1	1	2	1	4	1	2	3	2	2	2	1
Male.....	14	1	-	1	1	2	1	1	2	1	2	1	1
Female.....	8	-	1	1	-	2	-	1	1	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute endocarditis, unspecified (I33.9)													
All races, both sexes.....	51	6	3	4	6	2	3	4	3	1	4	6	9
Male.....	25	4	1	2	2	1	1	2	3	-	-	4	5
Female.....	26	2	2	2	4	1	2	2	-	1	4	2	4
White, both sexes.....	40	5	3	3	4	2	2	3	3	1	3	5	6
Male.....	20	4	1	1	1	1	1	1	3	-	-	3	4
Female.....	20	1	2	2	3	1	1	2	-	1	3	2	2
Black, both sexes.....	11	1	-	1	2	-	1	1	-	-	1	1	3
Male.....	5	-	-	1	1	-	-	1	-	-	-	1	1
Female.....	6	1	-	-	1	-	1	-	-	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic mitral valve disorders (I34)													
All races, both sexes.....	2,554	245	211	255	215	198	202	201	190	212	212	204	209
Male.....	880	88	69	93	84	75	61	64	64	64	70	69	79
Female.....	1,674	157	142	162	131	123	141	137	126	148	142	135	130
White, both sexes.....	2,309	224	190	226	197	183	188	181	176	185	195	184	180
Male.....	791	81	61	80	76	71	55	57	60	54	63	63	70
Female.....	1,518	143	129	146	121	112	133	124	116	131	132	121	110
Black, both sexes.....	191	15	18	24	15	11	12	16	9	20	13	15	23
Male.....	66	5	6	8	6	4	4	5	4	6	5	5	8
Female.....	125	10	12	16	9	7	8	11	5	14	8	10	15
American Indian 1/, both sexes.....	5	1	-	-	-	-	1	-	-	1	2	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	-	-	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	49	5	3	5	3	4	1	4	5	6	2	5	6
Male.....	22	2	2	5	2	-	1	2	-	4	2	1	1
Female.....	27	3	1	-	1	4	-	2	5	2	-	4	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitral (valve) insufficiency (I34.0)													
All races, both sexes.....	2,074	202	173	212	181	161	159	158	154	170	174	164	166
Male.....	705	71	55	72	73	58	44	53	55	48	58	57	61
Female.....	1,369	131	118	140	108	103	115	105	99	122	116	107	105
White, both sexes.....	1,888	186	158	193	165	148	150	143	144	149	162	146	144
Male.....	641	66	50	65	66	55	38	48	52	41	53	51	56
Female.....	1,247	120	108	128	99	93	112	95	92	108	109	95	88
Black, both sexes.....	144	11	12	17	13	10	7	11	7	17	9	13	17
Male.....	48	4	3	5	5	3	4	3	3	6	3	5	4
Female.....	96	7	9	12	8	7	3	8	4	11	6	8	13
American Indian 1/, both sexes.....	4	1	-	-	-	-	1	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	38	4	3	2	3	3	1	4	3	3	2	5	5
Male.....	15	1	2	2	2	-	1	2	-	1	2	1	1
Female.....	23	3	1	-	1	3	-	2	3	2	-	4	4
Mitral (valve) prolapse (I34.1)													
All races, both sexes.....	272	20	22	22	20	23	23	26	20	29	23	20	24
Male.....	100	8	7	13	7	8	11	7	8	11	7	4	9
Female.....	172	12	15	9	13	15	12	19	12	18	16	16	15
White, both sexes.....	241	20	18	16	18	23	21	22	17	24	22	19	21
Male.....	86	8	6	9	6	8	11	5	7	8	7	4	7
Female.....	155	12	12	7	12	15	10	17	10	16	15	15	14
Black, both sexes.....	24	-	4	3	2	-	2	4	2	2	1	1	3
Male.....	8	-	1	1	1	-	-	2	1	-	-	-	2
Female.....	16	-	3	2	1	-	2	2	1	2	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	3	-	-	-	-	1	3	-	-	-
Male.....	6	-	-	3	-	-	-	-	-	3	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonrheumatic mitral (valve) stenosis (I34.2)													
All races, both sexes.....	17	4	1	1	2	1	-	-	1	3	1	3	-
Male.....	7	-	1	1	-	1	-	-	1	1	-	2	-
Female.....	10	4	-	-	2	-	-	-	-	2	1	1	-
White, both sexes.....	13	3	-	1	2	1	-	-	1	2	-	3	-
Male.....	6	-	-	1	-	1	-	-	1	1	-	2	-
Female.....	7	3	-	-	2	-	-	-	-	1	-	1	-
Black, both sexes.....	3	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other nonrheumatic mitral valve disorders (I34.8)													
All races, both sexes.....	91	13	3	5	7	7	11	12	6	4	8	9	6
Male.....	35	6	2	1	3	5	4	3	-	-	3	4	4
Female.....	56	7	1	4	4	2	7	9	6	4	5	5	2
White, both sexes.....	80	10	3	5	7	6	10	12	5	4	5	9	4
Male.....	31	5	2	1	3	5	4	3	-	-	1	4	3
Female.....	49	5	1	4	4	1	6	9	5	4	4	5	1
Black, both sexes.....	8	3	-	-	-	-	1	-	-	-	3	-	1
Male.....	4	1	-	-	-	-	-	-	-	-	2	-	1
Female.....	4	2	-	-	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonrheumatic mitral valve disorder, unspecified (I34.9)													
All races, both sexes.....	100	6	12	15	5	6	9	5	9	6	6	8	13
Male.....	33	3	4	6	1	3	2	1	-	4	2	2	5
Female.....	67	3	8	9	4	3	7	4	9	2	4	6	8
White, both sexes.....	87	5	11	11	5	5	7	4	9	6	6	7	11
Male.....	27	2	3	4	1	2	2	1	-	4	2	2	4
Female.....	60	3	8	7	4	3	5	3	9	2	4	5	7
Black, both sexes.....	12	-	1	4	-	1	2	1	-	-	-	1	2
Male.....	5	-	1	2	-	1	-	-	-	-	-	-	1
Female.....	7	-	-	2	-	-	2	1	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic aortic valve disorders (I35)													
All races, both sexes.....	12,665	1,178	1,125	1,145	1,026	1,036	1,023	992	934	902	1,075	1,060	1,169
Male.....	4,941	464	445	438	404	376	399	419	376	342	410	407	461
Female.....	7,724	714	680	707	622	660	624	573	558	560	665	653	708
White, both sexes.....	11,904	1,114	1,045	1,065	960	970	969	932	877	842	1,005	1,011	1,114
Male.....	4,608	436	412	404	372	349	377	391	349	315	384	383	436
Female.....	7,296	678	633	661	588	621	592	541	528	527	621	628	678
Black, both sexes.....	590	50	64	58	52	56	41	50	37	49	55	39	39
Male.....	244	24	21	24	25	22	15	22	17	22	18	19	15
Female.....	346	26	43	34	27	34	26	28	20	27	37	20	24
American Indian 1/, both sexes.....	31	4	3	4	1	2	1	1	4	2	5	2	2
Male.....	18	1	3	2	1	-	-	1	3	1	3	1	2
Female.....	13	3	-	2	-	2	1	-	1	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	140	10	13	18	13	8	12	9	16	9	10	8	14
Male.....	71	3	9	8	6	5	7	5	7	4	5	4	8
Female.....	69	7	4	10	7	3	5	4	9	5	5	4	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic (valve) stenosis (I35.0)													
All races, both sexes.....	10,476	966	927	951	861	870	853	810	773	731	884	877	973
Male.....	3,795	356	339	337	316	294	308	306	289	254	313	321	362
Female.....	6,681	610	588	614	545	576	545	504	484	477	571	556	611
White, both sexes.....	9,931	913	876	892	813	826	812	765	732	691	830	842	939
Male.....	3,581	332	321	316	292	279	294	289	271	237	298	305	347
Female.....	6,350	581	555	576	521	547	518	476	461	454	532	537	592
Black, both sexes.....	417	43	41	42	38	36	29	37	23	32	44	28	24
Male.....	149	21	11	14	19	12	7	13	9	12	11	12	8
Female.....	268	22	30	28	19	24	22	24	14	20	33	16	16
American Indian 1/, both sexes.....	24	4	2	3	-	2	1	1	4	2	3	2	-
Male.....	11	1	2	1	-	-	-	1	3	1	1	1	-
Female.....	13	3	-	2	-	2	1	-	1	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	104	6	8	14	10	6	11	7	14	6	7	5	10
Male.....	54	2	5	6	5	3	7	3	6	4	3	3	7
Female.....	50	4	3	8	5	3	4	4	8	2	4	2	3
Aortic (valve) insufficiency (I35.1)													
All races, both sexes.....	500	48	51	49	42	33	36	41	38	35	44	46	37
Male.....	237	25	25	19	21	18	18	22	15	14	25	19	16
Female.....	263	23	26	30	21	15	18	19	23	21	19	27	21
White, both sexes.....	430	44	41	42	38	27	33	35	32	27	39	42	30
Male.....	196	25	19	14	19	13	16	18	13	10	21	16	12
Female.....	234	19	22	28	19	14	17	17	19	17	18	26	18
Black, both sexes.....	59	2	7	5	4	6	3	6	6	8	4	3	5
Male.....	35	-	4	4	2	5	2	4	2	4	4	2	2
Female.....	24	2	3	1	2	1	1	2	4	4	-	1	3
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	2	2	2	-	-	-	-	-	-	1	1	1
Male.....	4	-	1	1	-	-	-	-	-	-	-	1	1
Female.....	5	2	1	1	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic (valve) stenosis with insufficiency (I35.2)													
All races, both sexes.....	78	9	9	5	4	6	9	5	2	5	5	9	10
Male.....	38	5	3	5	4	2	3	4	-	3	3	2	4
Female.....	40	4	6	-	-	4	6	1	2	2	2	7	6
White, both sexes.....	72	9	8	4	4	5	9	5	2	4	5	9	8
Male.....	36	5	3	4	4	2	3	4	-	2	3	2	4
Female.....	36	4	5	-	-	3	6	1	2	2	2	7	4
Black, both sexes.....	5	-	1	1	-	1	-	-	-	1	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	3	-	1	-	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Other aortic valve disorders (I35.8)													
All races, both sexes.....	189	20	17	20	8	15	11	18	14	15	17	14	20
Male.....	116	12	11	15	4	11	5	13	10	7	11	7	10
Female.....	73	8	6	5	4	4	6	5	4	8	6	7	10
White, both sexes.....	160	19	13	16	5	13	10	16	12	11	14	13	18
Male.....	100	12	9	12	3	9	4	12	8	6	9	7	9
Female.....	60	7	4	4	2	4	6	4	4	5	5	6	9
Black, both sexes.....	25	1	3	3	3	2	1	2	2	3	3	-	2
Male.....	14	-	1	2	1	2	1	1	2	1	2	-	1
Female.....	11	1	2	1	2	-	-	1	-	2	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	1	-	-	-	-	-	1	-	1	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocarditis, valve unspecified (I38)													
All races, both sexes.....	5,018	489	467	459	418	424	397	351	392	382	447	388	404
Male.....	2,062	190	184	191	158	181	188	144	155	167	184	156	164
Female.....	2,956	299	283	268	260	243	209	207	237	215	263	232	240
White, both sexes.....	4,429	419	411	416	377	387	347	309	337	340	391	339	356
Male.....	1,796	152	160	170	136	166	165	121	135	152	158	136	145
Female.....	2,633	267	251	246	241	221	182	188	202	188	233	203	211
Black, both sexes.....	508	61	52	33	35	29	44	38	51	37	46	42	40
Male.....	230	34	22	17	18	11	21	21	20	12	20	17	17
Female.....	278	27	30	16	17	18	23	17	31	25	26	25	23
American Indian 1/, both sexes.....	24	2	-	4	1	3	1	2	3	2	1	4	1
Male.....	12	1	-	1	-	2	1	1	-	2	1	2	1
Female.....	12	1	-	3	1	1	-	1	3	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	57	7	4	6	5	5	5	2	1	3	9	3	7
Male.....	24	3	2	3	4	2	1	1	-	1	5	1	1
Female.....	33	4	2	3	1	3	4	1	1	2	4	2	6
Acute myocarditis (I40)													
All races, both sexes.....	232	23	18	18	23	22	15	21	21	18	21	16	16
Male.....	128	14	10	8	12	8	9	13	12	10	12	12	8
Female.....	104	9	8	10	11	14	6	8	9	8	9	4	8
White, both sexes.....	162	15	13	10	14	16	9	17	15	10	19	13	11
Male.....	88	9	7	5	6	6	6	12	8	6	10	9	4
Female.....	74	6	6	5	8	10	3	5	7	4	9	4	7
Black, both sexes.....	62	7	4	8	8	5	6	4	5	6	2	2	5
Male.....	37	5	2	3	6	2	3	1	3	4	2	2	4
Female.....	25	2	2	5	2	3	3	3	2	2	-	-	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	1	1	-	-	1	2	-	1	-
Male.....	3	-	1	-	-	-	-	-	1	-	-	1	-
Female.....	4	-	-	-	1	1	-	-	-	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiomyopathy (I42)													
All races, both sexes.....	25,580	2,498	2,240	2,340	2,218	2,125	1,990	1,993	1,999	1,891	2,085	1,989	2,212
Male.....	14,863	1,466	1,277	1,343	1,291	1,223	1,150	1,176	1,154	1,076	1,196	1,196	1,315
Female.....	10,717	1,032	963	997	927	902	840	817	845	815	889	793	897
White, both sexes.....	20,697	2,076	1,802	1,912	1,795	1,714	1,606	1,570	1,610	1,497	1,708	1,619	1,788
Male.....	12,004	1,209	1,028	1,097	1,036	989	914	934	920	864	969	977	1,067
Female.....	8,693	867	774	815	759	725	692	636	690	633	739	642	721
Black, both sexes.....	4,327	377	382	376	378	369	339	380	345	341	316	336	388
Male.....	2,526	229	213	222	226	211	205	220	207	182	191	194	226
Female.....	1,801	148	169	154	152	158	134	160	138	159	125	142	162
American Indian 1/, both sexes.....	132	6	11	18	10	15	11	11	11	9	12	6	12
Male.....	73	5	8	4	8	8	6	5	6	4	4	6	9
Female.....	59	1	3	14	2	7	5	6	5	5	8	-	3
Asian or Pacific Islander 2/, both sexes.....	424	39	45	34	35	27	34	32	33	44	49	28	24
Male.....	260	23	28	20	21	15	25	17	21	26	32	19	13
Female.....	164	16	17	14	14	12	9	15	12	18	17	9	11
Dilated cardiomyopathy (I42.0)													
All races, both sexes.....	5,820	580	492	507	515	525	443	470	447	444	498	443	456
Male.....	3,527	351	295	303	322	314	257	291	287	264	297	268	278
Female.....	2,293	229	197	204	193	211	186	179	160	180	201	175	178
White, both sexes.....	4,402	453	360	386	388	397	341	345	332	341	377	337	345
Male.....	2,684	269	220	230	247	236	200	214	214	208	226	208	212
Female.....	1,718	184	140	156	141	161	141	131	118	133	151	129	133
Black, both sexes.....	1,258	115	117	106	111	115	90	114	101	88	106	95	100
Male.....	745	76	65	63	65	74	49	68	64	45	63	53	60
Female.....	513	39	52	43	46	41	41	46	37	43	43	42	40
American Indian 1/, both sexes.....	42	1	4	2	2	8	3	3	5	3	6	1	4
Male.....	23	-	3	1	2	3	1	2	4	1	3	1	2
Female.....	19	1	1	1	-	5	2	1	1	2	3	-	2
Asian or Pacific Islander 2/, both sexes.....	118	11	11	13	14	5	9	8	9	12	9	10	7
Male.....	75	6	7	9	8	1	7	7	5	10	5	6	4
Female.....	43	5	4	4	6	4	2	1	4	2	4	4	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Obstructive hypertrophic cardiomyopathy (I42.1)													
All races, both sexes.....	191	22	13	15	15	17	15	12	16	9	26	14	17
Male.....	68	4	1	6	5	5	9	4	4	6	14	2	8
Female.....	123	18	12	9	10	12	6	8	12	3	12	12	9
White, both sexes.....	170	17	13	13	14	16	11	10	15	8	25	14	14
Male.....	60	4	1	6	4	4	6	3	4	6	13	2	7
Female.....	110	13	12	7	10	12	5	7	11	2	12	12	7
Black, both sexes.....	19	4	-	2	-	1	4	2	1	1	1	-	3
Male.....	7	-	-	-	-	1	3	1	-	-	1	-	1
Female.....	12	4	-	2	-	-	1	1	1	1	-	-	2
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Other hypertrophic cardiomyopathy (I42.2)													
All races, both sexes.....	1,091	113	89	100	103	96	71	84	85	87	90	87	86
Male.....	710	79	57	57	69	56	51	64	51	49	59	57	61
Female.....	381	34	32	43	34	40	20	20	34	38	31	30	25
White, both sexes.....	839	90	71	82	82	76	53	68	65	54	72	65	61
Male.....	540	61	42	49	56	46	35	52	39	29	47	43	41
Female.....	299	29	29	33	26	30	18	16	26	25	25	22	20
Black, both sexes.....	219	21	17	17	19	18	15	15	14	29	14	18	22
Male.....	149	16	14	8	11	10	13	12	8	17	10	12	18
Female.....	70	5	3	9	8	8	2	3	6	12	4	6	4
American Indian 1/, both sexes.....	6	1	-	-	1	-	1	-	1	-	1	-	1
Male.....	4	1	-	-	1	-	1	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	27	1	1	1	1	2	2	1	5	4	3	4	2
Male.....	17	1	1	-	1	-	2	-	4	3	2	2	1
Female.....	10	-	-	1	-	2	-	1	1	1	1	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiomyopathy, unspecified (I42.9)													
All races, both sexes.....	17,786	1,729	1,600	1,645	1,511	1,427	1,410	1,369	1,404	1,293	1,409	1,397	1,592
Male.....	10,066	991	889	932	842	805	797	772	782	717	783	833	923
Female.....	7,720	738	711	713	669	622	613	597	622	576	626	564	669
White, both sexes.....	14,719	1,471	1,313	1,371	1,257	1,179	1,164	1,100	1,161	1,045	1,182	1,163	1,313
Male.....	8,321	841	731	776	691	669	648	629	640	587	649	694	766
Female.....	6,398	630	582	595	566	510	516	471	521	458	533	469	547
Black, both sexes.....	2,722	229	247	239	229	223	218	239	223	215	187	216	257
Male.....	1,546	131	133	142	136	119	131	131	131	115	110	124	143
Female.....	1,176	98	114	97	93	104	87	108	92	100	77	92	114
American Indian 1/, both sexes.....	75	3	7	15	6	5	5	8	5	5	5	4	7
Male.....	38	3	5	3	4	3	2	3	2	2	1	4	6
Female.....	37	-	2	12	2	2	3	5	3	3	4	-	1
Asian or Pacific Islander 2/, both sexes.....	270	26	33	20	19	20	23	22	15	28	35	14	15
Male.....	161	16	20	11	11	14	16	9	9	13	23	11	8
Female.....	109	10	13	9	8	6	7	13	6	15	12	3	7
Atrioventricular and left bundle-branch block (I44)													
All races, both sexes.....	367	33	27	30	39	22	31	32	31	37	25	31	29
Male.....	114	11	6	9	12	8	3	9	10	20	9	8	9
Female.....	253	22	21	21	27	14	28	23	21	17	16	23	20
White, both sexes.....	328	26	26	27	36	21	27	28	27	33	24	28	25
Male.....	102	9	6	8	12	8	3	8	9	18	9	6	6
Female.....	226	17	20	19	24	13	24	20	18	15	15	22	19
Black, both sexes.....	32	7	1	2	3	1	2	3	4	3	-	3	3
Male.....	10	2	-	1	-	-	-	-	1	2	-	2	2
Female.....	22	5	1	1	3	1	2	3	3	1	-	1	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	2	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	1	-	-	2	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Left bundle-branch block, unspecified (I44.7)													
All races, both sexes.....	7	2	1	-	-	-	-	-	2	1	-	1	-
Male.....	5	1	1	-	-	-	-	-	1	1	-	1	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	7	2	1	-	-	-	-	-	2	1	-	1	-
Male.....	5	1	1	-	-	-	-	-	1	1	-	1	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conduction disorders (I45)													
All races, both sexes.....	238	22	24	24	21	15	9	19	21	13	29	16	25
Male.....	120	12	16	10	13	6	4	8	12	5	12	10	12
Female.....	118	10	8	14	8	9	5	11	9	8	17	6	13
White, both sexes.....	199	22	22	20	16	14	8	16	16	11	23	10	21
Male.....	101	12	15	8	9	6	3	6	9	4	11	9	9
Female.....	98	10	7	12	7	8	5	10	7	7	12	1	12
Black, both sexes.....	36	-	2	4	5	1	1	3	5	2	3	6	4
Male.....	18	-	1	2	4	-	1	2	3	1	-	1	3
Female.....	18	-	1	2	1	1	-	1	2	1	3	5	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	3	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiac arrest (I46)													
All races, both sexes.....	15,862	1,613	1,374	1,349	1,292	1,252	1,146	1,241	1,258	1,156	1,304	1,366	1,511
Male.....	7,782	783	670	638	630	627	564	606	626	554	630	672	782
Female.....	8,080	830	704	711	662	625	582	635	632	602	674	694	729
White, both sexes.....	12,845	1,325	1,138	1,102	1,040	996	907	994	1,000	932	1,069	1,101	1,241
Male.....	6,289	645	554	525	510	490	438	485	489	453	504	559	637
Female.....	6,556	680	584	577	530	506	469	509	511	479	565	542	604
Black, both sexes.....	2,504	247	202	202	210	207	202	200	212	175	200	223	224
Male.....	1,217	114	96	90	98	103	106	101	115	78	107	91	118
Female.....	1,287	133	106	112	112	104	96	99	97	97	93	132	106
American Indian 1/, both sexes.....	56	5	2	7	7	5	1	6	3	5	6	1	8
Male.....	27	2	1	5	3	3	1	3	1	1	3	-	4
Female.....	29	3	1	2	4	2	-	3	2	4	3	1	4
Asian or Pacific Islander 2/, both sexes.....	457	36	32	38	35	44	36	41	43	44	29	41	38
Male.....	249	22	19	18	19	31	19	17	21	22	16	22	23
Female.....	208	14	13	20	16	13	17	24	22	22	13	19	15
Sudden cardiac death, so described (I46.1)													
All races, both sexes.....	2,568	228	241	228	214	217	185	180	204	193	190	235	253
Male.....	1,354	103	119	126	119	114	96	99	108	99	96	130	145
Female.....	1,214	125	122	102	95	103	89	81	96	94	94	105	108
White, both sexes.....	2,223	206	210	199	174	196	149	153	178	166	168	206	218
Male.....	1,172	95	104	112	92	100	76	87	96	92	81	119	118
Female.....	1,051	111	106	87	82	96	73	66	82	74	87	87	100
Black, both sexes.....	319	21	30	26	37	19	36	26	20	24	22	26	32
Male.....	167	7	14	14	25	12	20	12	9	7	15	8	24
Female.....	152	14	16	12	12	7	16	14	11	17	7	18	8
American Indian 1/, both sexes.....	8	-	-	1	1	1	-	1	1	2	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	6	-	-	1	1	-	-	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	1	2	2	1	-	-	5	1	-	3	2
Male.....	13	1	1	-	2	1	-	-	3	-	-	3	2
Female.....	5	-	-	2	-	-	-	-	2	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paroxysmal tachycardia, unspecified (I47.9)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrial fibrillation and flutter (I48)													
All races, both sexes.....	10,610	1,138	919	937	850	879	781	820	829	792	831	852	982
Male.....	3,574	410	312	305	258	284	259	258	276	283	287	312	330
Female.....	7,036	728	607	632	592	595	522	562	553	509	544	540	652
White, both sexes.....	9,865	1,055	849	877	804	826	731	760	771	733	773	781	905
Male.....	3,266	367	282	283	241	261	237	236	252	254	266	287	300
Female.....	6,599	688	567	594	563	565	494	524	519	479	507	494	605
Black, both sexes.....	578	65	51	45	32	43	39	52	47	40	43	51	70
Male.....	235	31	21	15	14	18	18	18	21	16	16	17	30
Female.....	343	34	30	30	18	25	21	34	26	24	27	34	40
American Indian 1/, both sexes.....	25	3	3	-	2	3	1	2	4	4	-	2	1
Male.....	13	2	2	-	-	3	-	1	2	3	-	-	-
Female.....	12	1	1	-	2	-	1	1	2	1	-	2	1
Asian or Pacific Islander 2/, both sexes.....	142	15	16	15	12	7	10	6	7	15	15	18	6
Male.....	60	10	7	7	3	2	4	3	1	10	5	8	-
Female.....	82	5	9	8	9	5	6	3	6	5	10	10	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cardiac arrhythmias (I49)													
All races, both sexes.....	9,942	1,002	830	849	812	856	744	816	761	758	781	821	912
Male.....	4,716	472	393	405	370	415	364	395	356	354	367	370	455
Female.....	5,226	530	437	444	442	441	380	421	405	404	414	451	457
White, both sexes.....	8,355	831	722	715	684	722	617	677	631	650	655	678	773
Male.....	3,976	379	345	351	312	349	304	325	297	305	310	307	392
Female.....	4,379	452	377	364	372	373	313	352	334	345	345	371	381
Black, both sexes.....	1,438	157	96	120	119	121	116	124	115	94	117	130	129
Male.....	660	83	44	48	53	57	53	59	52	40	55	56	60
Female.....	778	74	52	72	66	64	63	65	63	54	62	74	69
American Indian 1/, both sexes.....	38	3	1	5	4	4	5	4	1	1	3	7	-
Male.....	15	1	-	-	3	2	3	3	-	-	-	3	-
Female.....	23	2	1	5	1	2	2	1	1	1	3	4	-
Asian or Pacific Islander 2/, both sexes.....	111	11	11	9	5	9	6	11	14	13	6	6	10
Male.....	65	9	4	6	2	7	4	8	7	9	2	4	3
Female.....	46	2	7	3	3	2	2	3	7	4	4	2	7
Ventricular fibrillation and flutter (I49.0)													
All races, both sexes.....	1,166	112	94	88	98	101	81	85	101	94	94	90	128
Male.....	685	61	58	52	57	67	51	53	56	56	56	45	73
Female.....	481	51	36	36	41	34	30	32	45	38	38	45	55
White, both sexes.....	974	94	81	76	80	89	66	69	80	77	81	75	106
Male.....	584	50	50	47	47	59	41	44	47	46	52	40	61
Female.....	390	44	31	29	33	30	25	25	33	31	29	35	45
Black, both sexes.....	172	14	12	9	16	11	15	15	19	15	12	13	21
Male.....	90	8	8	4	10	7	10	8	8	8	4	4	11
Female.....	82	6	4	5	6	4	5	7	11	7	8	9	10
American Indian 1/, both sexes.....	4	1	-	1	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	1	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	3	1	2	1	1	-	-	2	2	1	2	1
Male.....	10	3	-	1	-	1	-	-	1	2	-	1	1
Female.....	6	-	1	1	1	-	-	-	1	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ventricular premature depolarization (I49.3)													
All races, both sexes.....	9	-	-	2	-	-	1	-	-	1	3	1	1
Male.....	8	-	-	2	-	-	1	-	-	1	2	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	8	-	-	2	-	-	-	-	-	1	3	1	1
Male.....	7	-	-	2	-	-	-	-	-	1	2	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sick sinus syndrome (I49.5)													
All races, both sexes.....	391	43	42	35	43	36	27	19	41	20	28	22	35
Male.....	132	18	14	14	14	10	10	7	8	9	9	7	12
Female.....	259	25	28	21	29	26	17	12	33	11	19	15	23
White, both sexes.....	349	37	35	33	37	33	25	18	37	18	24	20	32
Male.....	121	16	12	14	13	10	9	7	8	9	6	7	10
Female.....	228	21	23	19	24	23	16	11	29	9	18	13	22
Black, both sexes.....	35	4	6	2	6	3	1	1	3	1	3	2	3
Male.....	7	1	1	-	1	-	-	-	-	-	2	-	2
Female.....	28	3	5	2	5	3	1	1	3	1	1	2	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	-	-	-	1	-	1	1	1	-	-
Male.....	4	1	1	-	-	-	1	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified cardiac arrhythmias (I49.8)													
All races, both sexes.....	105	12	12	9	6	5	11	7	7	12	6	10	8
Male.....	49	8	8	3	2	3	4	1	4	3	4	6	3
Female.....	56	4	4	6	4	2	7	6	3	9	2	4	5
White, both sexes.....	89	10	11	9	5	5	8	5	6	10	5	7	8
Male.....	41	6	8	3	1	3	3	1	3	2	3	5	3
Female.....	48	4	3	6	4	2	5	4	3	8	2	2	5
Black, both sexes.....	15	1	1	-	1	-	3	2	1	2	1	3	-
Male.....	7	1	-	-	1	-	1	-	1	1	1	1	-
Female.....	8	-	1	-	-	-	2	2	-	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiac arrhythmia, unspecified (I49.9)													
All races, both sexes.....	8,271	835	682	715	665	714	624	705	612	631	650	698	740
Male.....	3,842	385	313	334	297	335	298	334	288	285	296	311	366
Female.....	4,429	450	369	381	368	379	326	371	324	346	354	387	374
White, both sexes.....	6,935	690	595	595	562	595	518	585	508	544	542	575	626
Male.....	3,223	307	275	285	251	277	251	273	239	247	247	254	317
Female.....	3,712	383	320	310	311	318	267	312	269	297	295	321	309
Black, both sexes.....	1,215	138	77	109	96	107	96	106	92	76	101	112	105
Male.....	555	73	35	44	41	50	41	51	43	31	48	51	47
Female.....	660	65	42	65	55	57	55	55	49	45	53	61	58
American Indian 1/, both sexes.....	33	1	1	4	3	4	5	3	1	1	3	7	-
Male.....	14	1	-	-	3	2	3	2	-	-	-	3	-
Female.....	19	-	1	4	-	2	2	1	1	1	3	4	-
Asian or Pacific Islander 2/, both sexes.....	88	6	9	7	4	8	5	11	11	10	4	4	9
Male.....	50	4	3	5	2	6	3	8	6	7	1	3	2
Female.....	38	2	6	2	2	2	2	3	5	3	3	1	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Heart failure (I50)													
All races, both sexes.....	57,120	5,639	4,879	5,040	4,705	4,587	4,420	4,529	4,535	4,206	4,745	4,635	5,200
Male.....	22,292	2,211	1,871	1,935	1,857	1,822	1,724	1,757	1,820	1,627	1,848	1,821	1,999
Female.....	34,828	3,428	3,008	3,105	2,848	2,765	2,696	2,772	2,715	2,579	2,897	2,814	3,201
White, both sexes.....	51,205	5,105	4,382	4,505	4,210	4,126	3,996	4,043	4,029	3,765	4,210	4,185	4,649
Male.....	19,806	1,968	1,662	1,718	1,658	1,622	1,544	1,542	1,622	1,449	1,611	1,634	1,776
Female.....	31,399	3,137	2,720	2,787	2,552	2,504	2,452	2,501	2,407	2,316	2,599	2,551	2,873
Black, both sexes.....	5,230	467	428	479	430	398	379	416	456	399	477	403	498
Male.....	2,174	204	181	194	174	168	163	173	177	158	215	165	202
Female.....	3,056	263	247	285	256	230	216	243	279	241	262	238	296
American Indian 1/, both sexes.....	193	23	14	17	15	15	15	20	14	9	24	12	15
Male.....	87	14	7	7	7	6	5	10	6	3	9	9	4
Female.....	106	9	7	10	8	9	10	10	8	6	15	3	11
Asian or Pacific Islander 2/, both sexes.....	492	44	55	39	50	48	30	50	36	33	34	35	38
Male.....	225	25	21	16	18	26	12	32	15	17	13	13	17
Female.....	267	19	34	23	32	22	18	18	21	16	21	22	21
Congestive heart failure (I50.0)													
All races, both sexes.....	53,191	5,285	4,563	4,697	4,363	4,291	4,113	4,201	4,237	3,896	4,405	4,298	4,842
Male.....	20,522	2,042	1,728	1,794	1,691	1,678	1,609	1,611	1,679	1,482	1,686	1,679	1,843
Female.....	32,669	3,243	2,835	2,903	2,672	2,613	2,504	2,590	2,558	2,414	2,719	2,619	2,999
White, both sexes.....	47,906	4,807	4,117	4,219	3,921	3,878	3,729	3,769	3,791	3,498	3,935	3,902	4,340
Male.....	18,336	1,828	1,544	1,603	1,520	1,497	1,443	1,420	1,514	1,325	1,481	1,512	1,649
Female.....	29,570	2,979	2,573	2,616	2,401	2,381	2,286	2,349	2,277	2,173	2,454	2,390	2,691
Black, both sexes.....	4,658	416	382	430	382	356	344	373	399	357	413	354	452
Male.....	1,904	180	157	171	148	152	151	156	147	137	183	146	176
Female.....	2,754	236	225	259	234	204	193	217	252	220	230	208	276
American Indian 1/, both sexes.....	175	22	14	14	14	13	13	15	12	9	24	11	14
Male.....	79	13	7	7	7	5	4	8	4	3	9	9	3
Female.....	96	9	7	7	7	8	9	7	8	6	15	2	11
Asian or Pacific Islander 2/, both sexes.....	452	40	50	34	46	44	27	44	35	32	33	31	36
Male.....	203	21	20	13	16	24	11	27	14	17	13	12	15
Female.....	249	19	30	21	30	20	16	17	21	15	20	19	21

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Left ventricular failure (I50.1)													
All races, both sexes.....	131	21	9	13	13	7	12	11	10	7	13	5	10
Male.....	52	7	5	1	4	3	2	6	5	5	6	3	5
Female.....	79	14	4	12	9	4	10	5	5	2	7	2	5
White, both sexes.....	114	19	8	12	12	7	9	9	10	6	10	5	7
Male.....	43	5	5	1	3	3	1	5	5	4	5	3	3
Female.....	71	14	3	11	9	4	8	4	5	2	5	2	4
Black, both sexes.....	15	2	1	1	1	-	2	1	-	1	3	-	3
Male.....	8	2	-	-	1	-	1	-	-	1	1	-	2
Female.....	7	-	1	1	-	-	1	1	-	-	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Heart failure, unspecified (I50.9)													
All races, both sexes.....	3,798	333	307	330	329	289	295	317	288	303	327	332	348
Male.....	1,718	162	138	140	162	141	113	140	136	140	156	139	151
Female.....	2,080	171	169	190	167	148	182	177	152	163	171	193	197
White, both sexes.....	3,185	279	257	274	277	241	258	265	228	261	265	278	302
Male.....	1,427	135	113	114	135	122	100	117	103	120	125	119	124
Female.....	1,758	144	144	160	142	119	158	148	125	141	140	159	178
Black, both sexes.....	557	49	45	48	47	42	33	42	57	41	61	49	43
Male.....	262	22	24	23	25	16	11	17	30	20	31	19	24
Female.....	295	27	21	25	22	26	22	25	27	21	30	30	19
American Indian 1/, both sexes.....	18	1	-	3	1	2	2	5	2	-	-	1	1
Male.....	8	1	-	-	-	1	1	2	2	-	-	-	1
Female.....	10	-	-	3	1	1	1	3	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	38	4	5	5	4	4	2	5	1	1	1	4	2
Male.....	21	4	1	3	2	2	1	4	1	-	-	1	2
Female.....	17	-	4	2	2	2	1	1	-	1	1	3	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracardiac thrombosis, not elsewhere classified (I51.3)													
All races, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Myocarditis, unspecified (I51.4)													
All races, both sexes.....	501	47	40	47	49	32	35	41	40	44	47	43	36
Male.....	259	28	24	25	28	16	16	19	26	22	17	25	13
Female.....	242	19	16	22	21	16	19	22	14	22	30	18	23
White, both sexes.....	343	32	27	39	34	20	23	32	23	29	33	30	21
Male.....	176	20	14	19	18	9	8	17	15	14	15	18	9
Female.....	167	12	13	20	16	11	15	15	8	15	18	12	12
Black, both sexes.....	142	15	12	7	12	12	12	8	16	14	11	12	11
Male.....	76	8	9	5	7	7	8	2	11	8	2	7	2
Female.....	66	7	3	2	5	5	4	6	5	6	9	5	9
American Indian 1/, both sexes.....	5	-	-	-	2	-	-	-	-	1	-	1	1
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	11	-	1	1	1	-	-	1	1	-	3	-	3
Male.....	5	-	1	1	1	-	-	-	-	-	-	-	2
Female.....	6	-	-	-	-	-	-	1	1	-	3	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myocardial degeneration (I51.5)													
All races, both sexes.....	152	17	14	14	7	11	17	18	14	10	10	9	11
Male.....	65	6	6	5	6	6	2	9	7	5	5	4	4
Female.....	87	11	8	9	1	5	15	9	7	5	5	5	7
White, both sexes.....	134	16	10	13	6	10	12	17	13	10	8	9	10
Male.....	60	6	4	5	5	6	2	8	7	5	5	4	3
Female.....	74	10	6	8	1	4	10	9	6	5	3	5	7
Black, both sexes.....	16	1	4	1	1	1	5	1	-	-	2	-	-
Male.....	4	-	2	-	1	-	-	1	-	-	-	-	-
Female.....	12	1	2	1	-	1	5	-	-	-	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiovascular disease, unspecified (I51.6)													
All races, both sexes.....	4,258	395	404	373	379	358	320	297	339	345	350	334	364
Male.....	1,923	187	179	158	161	170	143	123	154	163	160	153	172
Female.....	2,335	208	225	215	218	188	177	174	185	182	190	181	192
White, both sexes.....	3,649	337	351	325	325	315	266	260	285	300	300	280	305
Male.....	1,625	155	149	137	136	146	121	107	132	139	135	124	144
Female.....	2,024	182	202	188	189	169	145	153	153	161	165	156	161
Black, both sexes.....	546	50	47	42	47	37	50	34	47	40	47	52	53
Male.....	268	27	26	20	21	20	20	14	21	22	24	28	25
Female.....	278	23	21	22	26	17	30	20	26	18	23	24	28
American Indian 1/, both sexes.....	10	1	1	1	-	-	-	-	2	2	1	1	1
Male.....	5	1	-	1	-	-	-	-	1	-	-	1	1
Female.....	5	-	1	-	-	-	-	-	1	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	53	7	5	5	7	6	4	3	5	3	2	1	5
Male.....	25	4	4	-	4	4	2	2	-	2	1	-	2
Female.....	28	3	1	5	3	2	2	1	5	1	1	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiomegaly (I51.7)													
All races, both sexes.....	1,498	136	132	116	134	109	113	125	123	121	125	151	113
Male.....	1,008	93	81	71	94	82	83	81	87	76	84	102	74
Female.....	490	43	51	45	40	27	30	44	36	45	41	49	39
White, both sexes.....	1,144	107	103	87	106	88	84	87	96	86	92	121	87
Male.....	770	72	66	51	73	67	62	52	69	56	61	83	58
Female.....	374	35	37	36	33	21	22	35	27	30	31	38	29
Black, both sexes.....	321	28	27	26	25	18	26	32	26	31	30	28	24
Male.....	213	20	13	17	19	14	18	24	17	18	20	19	14
Female.....	108	8	14	9	6	4	8	8	9	13	10	9	10
American Indian 1/, both sexes.....	5	1	-	1	-	-	-	1	1	-	1	-	-
Male.....	5	1	-	1	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	-	2	2	3	3	3	5	-	4	2	2	2
Male.....	20	-	2	2	2	1	3	4	-	2	2	-	2
Female.....	8	-	-	-	1	2	-	1	-	2	-	2	-
Other ill-defined heart diseases (I51.8)													
All races, both sexes.....	755	68	62	59	64	71	59	51	68	65	76	39	73
Male.....	341	31	25	31	28	30	30	18	25	29	39	20	35
Female.....	414	37	37	28	36	41	29	33	43	36	37	19	38
White, both sexes.....	676	63	53	51	58	63	52	45	63	61	63	37	67
Male.....	302	30	22	25	25	25	27	14	24	27	34	18	31
Female.....	374	33	31	26	33	38	25	31	39	34	29	19	36
Black, both sexes.....	70	5	8	6	6	5	6	5	5	3	13	2	6
Male.....	33	1	3	4	3	3	2	4	1	1	5	2	4
Female.....	37	4	5	2	3	2	4	1	4	2	8	-	2
American Indian 1/, both sexes.....	6	-	1	2	-	3	-	-	-	-	-	-	-
Male.....	4	-	-	2	-	2	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Heart disease, unspecified (I51.9)													
All races, both sexes.....	3,411	329	275	290	291	292	264	245	277	281	274	291	302
Male.....	1,721	177	132	145	147	143	142	116	125	132	143	176	143
Female.....	1,690	152	143	145	144	149	122	129	152	149	131	115	159
White, both sexes.....	2,920	290	234	249	250	246	225	206	226	243	238	254	259
Male.....	1,487	158	115	120	132	120	126	101	103	111	124	153	124
Female.....	1,433	132	119	129	118	126	99	105	123	132	114	101	135
Black, both sexes.....	458	36	40	37	39	43	36	37	46	35	32	37	40
Male.....	217	17	16	22	15	22	15	13	20	20	15	23	19
Female.....	241	19	24	15	24	21	21	24	26	15	17	14	21
American Indian 1/, both sexes.....	8	-	-	-	-	1	-	2	2	2	1	-	-
Male.....	6	-	-	-	-	1	-	2	1	1	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	3	1	4	2	2	3	-	3	1	3	-	3
Male.....	11	2	1	3	-	-	1	-	1	-	3	-	-
Female.....	14	1	-	1	2	2	2	-	2	1	-	-	3
Subarachnoid hemorrhage (I60)													
All races, both sexes.....	6,088	544	484	506	490	506	461	559	501	516	490	491	540
Male.....	2,143	186	159	177	192	179	173	198	171	186	165	168	189
Female.....	3,945	358	325	329	298	327	288	361	330	330	325	323	351
White, both sexes.....	4,907	458	382	399	377	415	368	466	406	410	382	405	439
Male.....	1,738	158	120	147	149	144	145	164	140	153	124	142	152
Female.....	3,169	300	262	252	228	271	223	302	266	257	258	263	287
Black, both sexes.....	866	54	73	76	81	67	73	68	67	90	82	61	74
Male.....	300	20	26	22	29	27	21	23	23	30	34	17	28
Female.....	566	34	47	54	52	40	52	45	44	60	48	44	46
American Indian 1/, both sexes.....	56	4	7	5	6	1	6	5	5	3	8	2	4
Male.....	14	-	4	-	-	-	1	2	1	1	2	1	2
Female.....	42	4	3	5	6	1	5	3	4	2	6	1	2
Asian or Pacific Islander 2/, both sexes.....	259	28	22	26	26	23	14	20	23	13	18	23	23
Male.....	91	8	9	8	14	8	6	9	7	2	5	8	7
Female.....	168	20	13	18	12	15	8	11	16	11	13	15	16

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage from basilar artery (I60.4)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Subarachnoid hemorrhage from other intracranial arteries (I60.6)													
All races, both sexes.....	51	5	4	5	3	2	6	7	2	4	5	3	5
Male.....	14	1	1	1	2	-	2	2	-	1	1	1	2
Female.....	37	4	3	4	1	2	4	5	2	3	4	2	3
White, both sexes.....	33	5	-	3	3	2	2	5	1	2	4	2	4
Male.....	9	1	-	-	2	-	-	2	-	1	1	1	1
Female.....	24	4	-	3	1	2	2	3	1	1	3	1	3
Black, both sexes.....	13	-	3	-	-	-	3	2	-	2	1	1	1
Male.....	4	-	1	-	-	-	2	-	-	-	-	-	1
Female.....	9	-	2	-	-	-	1	2	-	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	2	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	4	-	1	1	-	-	1	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage, unspecified (I60.9)													
All races, both sexes.....	5,388	488	437	455	430	443	399	486	457	465	426	429	473
Male.....	1,857	158	141	154	157	155	152	168	152	167	144	151	158
Female.....	3,531	330	296	301	273	288	247	318	305	298	282	278	315
White, both sexes.....	4,367	407	346	358	333	364	324	408	374	375	335	359	384
Male.....	1,506	133	105	127	125	124	128	138	125	140	107	126	128
Female.....	2,861	274	241	231	208	240	196	270	249	235	228	233	256
Black, both sexes.....	740	49	66	69	69	57	58	56	59	77	68	49	63
Male.....	255	17	24	20	21	23	18	20	20	24	30	16	22
Female.....	485	32	42	49	48	34	40	36	39	53	38	33	41
American Indian 1/, both sexes.....	48	4	7	4	5	1	5	3	4	3	7	1	4
Male.....	13	-	4	-	-	-	1	2	-	1	2	1	2
Female.....	35	4	3	4	5	1	4	1	4	2	5	-	2
Asian or Pacific Islander 2/, both sexes.....	233	28	18	24	23	21	12	19	20	10	16	20	22
Male.....	83	8	8	7	11	8	5	8	7	2	5	8	6
Female.....	150	20	10	17	12	13	7	11	13	8	11	12	16
Intracerebral hemorrhage (I61)													
All races, both sexes.....	18,718	1,729	1,570	1,679	1,504	1,528	1,498	1,412	1,477	1,447	1,664	1,571	1,639
Male.....	8,646	791	725	770	687	719	695	670	673	686	763	716	751
Female.....	10,072	938	845	909	817	809	803	742	804	761	901	855	888
White, both sexes.....	15,279	1,386	1,283	1,380	1,215	1,254	1,211	1,151	1,195	1,170	1,371	1,313	1,350
Male.....	6,958	637	587	622	540	576	548	530	558	539	626	587	608
Female.....	8,321	749	696	758	675	678	663	621	637	631	745	726	742
Black, both sexes.....	2,706	272	237	219	231	211	209	213	229	214	232	214	225
Male.....	1,337	123	112	115	120	104	108	112	96	109	111	111	116
Female.....	1,369	149	125	104	111	107	101	101	133	105	121	103	109
American Indian 1/, both sexes.....	67	4	6	8	7	7	12	2	4	4	4	2	7
Male.....	36	1	3	5	2	5	7	1	2	3	3	1	3
Female.....	31	3	3	3	5	2	5	1	2	1	1	1	4
Asian or Pacific Islander 2/, both sexes.....	666	67	44	72	51	56	66	46	49	59	57	42	57
Male.....	315	30	23	28	25	34	32	27	17	35	23	17	24
Female.....	351	37	21	44	26	22	34	19	32	24	34	25	33

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in hemisphere, subcortical (I61.0)													
All races, both sexes.....	210	24	18	13	20	16	17	20	17	16	15	19	15
Male.....	118	14	12	7	9	7	13	15	11	7	8	7	8
Female.....	92	10	6	6	11	9	4	5	6	9	7	12	7
White, both sexes.....	158	20	13	9	17	13	11	14	13	10	12	16	10
Male.....	93	13	9	6	8	6	9	10	10	4	6	6	6
Female.....	65	7	4	3	9	7	2	4	3	6	6	10	4
Black, both sexes.....	43	3	4	4	2	3	5	6	4	3	3	1	5
Male.....	23	1	3	1	1	1	4	5	1	1	2	1	2
Female.....	20	2	1	3	1	2	1	1	3	2	1	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	-	1	-	1	-	-	3	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	7	1	1	-	1	-	1	-	-	1	-	2	-
Intracerebral hemorrhage in hemisphere, cortical (I61.1)													
All races, both sexes.....	160	9	10	15	18	17	13	13	7	14	14	16	14
Male.....	76	4	3	5	9	10	6	4	5	9	8	8	5
Female.....	84	5	7	10	9	7	7	9	2	5	6	8	9
White, both sexes.....	138	8	10	13	17	12	12	9	6	12	14	12	13
Male.....	63	3	3	5	8	6	5	2	4	8	8	6	5
Female.....	75	5	7	8	9	6	7	7	2	4	6	6	8
Black, both sexes.....	18	1	-	1	1	4	-	4	1	1	-	4	1
Male.....	11	1	-	-	1	3	-	2	1	1	-	2	-
Female.....	7	-	-	1	-	1	-	2	-	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	1	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in hemisphere, unspecified (I61.2)													
All races, both sexes.....	33	2	-	5	2	4	4	3	2	1	1	4	5
Male.....	13	-	-	1	-	-	2	2	2	-	1	2	3
Female.....	20	2	-	4	2	4	2	1	-	1	-	2	2
White, both sexes.....	31	2	-	3	2	4	4	3	2	1	1	4	5
Male.....	12	-	-	-	-	-	2	2	2	-	1	2	3
Female.....	19	2	-	3	2	4	2	1	-	1	-	2	2
Black, both sexes.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral hemorrhage in brain stem (I61.3)													
All races, both sexes.....	707	87	53	77	51	55	48	51	63	43	66	53	60
Male.....	403	45	29	46	34	36	26	24	37	20	36	35	35
Female.....	304	42	24	31	17	19	22	27	26	23	30	18	25
White, both sexes.....	516	62	42	54	35	39	34	35	48	36	48	40	43
Male.....	281	31	23	27	23	23	18	13	26	17	25	27	28
Female.....	235	31	19	27	12	16	16	22	22	19	23	13	15
Black, both sexes.....	139	20	5	15	12	10	12	13	11	5	16	10	10
Male.....	90	12	3	14	9	7	6	9	7	2	9	7	5
Female.....	49	8	2	1	3	3	6	4	4	3	7	3	5
American Indian 1/, both sexes.....	3	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	2	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	49	5	6	7	3	5	2	3	4	2	2	3	7
Male.....	30	2	3	5	1	5	2	2	4	1	2	1	2
Female.....	19	3	3	2	2	-	-	1	-	1	-	2	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in cerebellum (I61.4)													
All races, both sexes.....	590	53	38	48	49	62	49	43	44	46	51	56	51
Male.....	285	22	15	26	22	33	25	25	17	27	25	24	24
Female.....	305	31	23	22	27	29	24	18	27	19	26	32	27
White, both sexes.....	465	40	29	38	38	48	43	33	32	38	43	49	34
Male.....	224	16	12	19	17	25	20	19	13	23	22	21	17
Female.....	241	24	17	19	21	23	23	14	19	15	21	28	17
Black, both sexes.....	98	12	9	7	11	11	4	6	7	6	6	6	13
Male.....	48	6	3	5	5	6	3	4	2	3	2	3	6
Female.....	50	6	6	2	6	5	1	2	5	3	4	3	7
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	24	1	-	3	-	3	1	4	5	2	1	1	3
Male.....	11	-	-	2	-	2	1	2	2	1	-	-	1
Female.....	13	1	-	1	-	1	-	2	3	1	1	1	2
Intracerebral hemorrhage, intraventricular (I61.5)													
All races, both sexes.....	736	67	68	54	57	61	69	57	58	55	71	66	53
Male.....	348	34	33	23	26	37	32	31	23	30	30	26	23
Female.....	388	33	35	31	31	24	37	26	35	25	41	40	30
White, both sexes.....	550	45	52	39	45	47	49	47	38	38	55	60	35
Male.....	255	24	24	16	20	27	21	26	16	21	24	23	13
Female.....	295	21	28	23	25	20	28	21	22	17	31	37	22
Black, both sexes.....	159	18	14	13	11	11	15	9	17	14	14	6	17
Male.....	84	10	8	6	5	9	10	4	6	8	5	3	10
Female.....	75	8	6	7	6	2	5	5	11	6	9	3	7
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	4	2	1	1	3	5	1	2	3	2	-	1
Male.....	8	-	1	-	1	1	1	1	1	1	1	-	-
Female.....	17	4	1	1	-	2	4	-	1	2	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage, unspecified (I61.9)													
All races, both sexes.....	16,215	1,482	1,380	1,458	1,301	1,309	1,292	1,216	1,281	1,264	1,442	1,352	1,438
Male.....	7,375	669	631	659	586	594	590	565	575	587	655	613	651
Female.....	8,840	813	749	799	715	715	702	651	706	677	787	739	787
White, both sexes.....	13,366	1,205	1,134	1,216	1,056	1,087	1,053	1,002	1,052	1,029	1,195	1,127	1,210
Male.....	6,009	548	514	546	463	487	473	454	485	462	540	501	536
Female.....	7,357	657	620	670	593	600	580	548	567	567	655	626	674
Black, both sexes.....	2,237	217	205	176	193	172	173	174	188	184	192	187	176
Male.....	1,075	92	95	88	99	78	85	88	78	93	93	95	91
Female.....	1,162	125	110	88	94	94	88	86	110	91	99	92	85
American Indian 1/, both sexes.....	58	4	6	6	6	6	10	2	3	4	3	2	6
Male.....	30	1	3	4	1	4	5	1	2	3	2	1	3
Female.....	28	3	3	2	5	2	5	1	1	1	1	1	3
Asian or Pacific Islander 2/, both sexes.....	554	56	35	60	46	44	56	38	38	47	52	36	46
Male.....	261	28	19	21	23	25	27	22	10	29	20	16	21
Female.....	293	28	16	39	23	19	29	16	28	18	32	20	25
Other nontraumatic intracranial hemorrhage (I62)													
All races, both sexes.....	8,837	833	681	778	717	696	711	713	698	740	734	691	845
Male.....	4,255	401	346	366	330	329	341	356	339	361	346	345	395
Female.....	4,582	432	335	412	387	367	370	357	359	379	388	346	450
White, both sexes.....	7,231	701	556	638	594	573	582	566	578	599	597	555	692
Male.....	3,439	333	278	300	272	261	273	290	284	299	270	264	315
Female.....	3,792	368	278	338	322	312	309	276	294	300	327	291	377
Black, both sexes.....	1,233	99	94	110	86	89	98	119	93	110	112	104	119
Male.....	629	59	53	55	40	48	50	51	43	49	59	63	59
Female.....	604	40	41	55	46	41	48	68	50	61	53	41	60
American Indian 1/, both sexes.....	52	5	3	5	2	6	7	5	6	2	4	4	3
Male.....	22	2	-	1	-	4	5	2	2	1	2	2	1
Female.....	30	3	3	4	2	2	2	3	4	1	2	2	2
Asian or Pacific Islander 2/, both sexes.....	321	28	28	25	35	28	24	23	21	29	21	28	31
Male.....	165	7	15	10	18	16	13	13	10	12	15	16	20
Female.....	156	21	13	15	17	12	11	10	11	17	6	12	11

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracranial hemorrhage (nontraumatic), unspecified (I62.9)													
All races, both sexes.....	6,981	670	545	636	582	530	549	557	549	576	572	553	662
Male.....	3,256	313	269	282	259	247	255	266	256	278	259	275	297
Female.....	3,725	357	276	354	323	283	294	291	293	298	313	278	365
White, both sexes.....	5,604	549	435	511	477	429	447	431	440	460	452	441	532
Male.....	2,570	254	208	225	211	191	203	208	207	230	195	210	228
Female.....	3,034	295	227	286	266	238	244	223	233	230	257	231	304
Black, both sexes.....	1,048	90	80	99	72	71	77	100	84	90	99	85	101
Male.....	529	51	46	49	34	40	39	43	38	38	50	50	51
Female.....	519	39	34	50	38	31	38	57	46	52	49	35	50
American Indian 1/, both sexes.....	39	4	2	4	2	5	4	4	5	1	3	3	2
Male.....	13	1	-	-	-	3	3	2	1	-	1	1	1
Female.....	26	3	2	4	2	2	1	2	4	1	2	2	1
Asian or Pacific Islander 2/, both sexes.....	290	27	28	22	31	25	21	22	20	25	18	24	27
Male.....	144	7	15	8	14	13	10	13	10	10	13	14	17
Female.....	146	20	13	14	17	12	11	9	10	15	5	10	10
Cerebral infarction (I63)													
All races, both sexes.....	10,995	1,162	971	965	964	907	832	875	783	851	904	877	904
Male.....	4,398	444	377	400	380	372	332	331	315	339	361	369	378
Female.....	6,597	718	594	565	584	535	500	544	468	512	543	508	526
White, both sexes.....	9,455	998	842	825	807	784	711	742	692	734	781	762	777
Male.....	3,717	366	327	344	304	322	269	282	270	285	311	315	322
Female.....	5,738	632	515	481	503	462	442	460	422	449	470	447	455
Black, both sexes.....	1,282	133	112	110	128	103	97	110	77	98	106	101	107
Male.....	565	61	43	42	68	40	51	43	35	44	45	47	46
Female.....	717	72	69	68	60	63	46	67	42	54	61	54	61
American Indian 1/, both sexes.....	35	2	3	4	4	4	4	5	-	2	-	4	3
Male.....	17	1	1	1	1	3	3	1	-	1	-	4	1
Female.....	18	1	2	3	3	1	1	4	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	223	29	14	26	25	16	20	18	14	17	17	10	17
Male.....	99	16	6	13	7	7	9	5	10	9	5	3	9
Female.....	124	13	8	13	18	9	11	13	4	8	12	7	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to thrombosis of precerebral arteries (I63.0)													
All races, both sexes.....	142	12	12	10	13	13	7	17	10	7	12	14	15
Male.....	81	8	7	4	8	8	4	11	8	4	6	6	7
Female.....	61	4	5	6	5	5	3	6	2	3	6	8	8
White, both sexes.....	120	10	9	7	12	11	6	15	9	7	11	10	13
Male.....	68	7	5	2	7	6	4	10	7	4	5	5	6
Female.....	52	3	4	5	5	5	2	5	2	3	6	5	7
Black, both sexes.....	18	1	2	3	1	1	1	1	1	-	1	4	2
Male.....	12	1	2	2	1	1	-	1	1	-	1	1	1
Female.....	6	-	-	1	-	-	1	-	-	-	-	3	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Cerebral infarction due to embolism of precerebral arteries (I63.1)													
All races, both sexes.....	18	1	2	2	1	1	2	3	1	1	2	2	-
Male.....	7	1	-	2	1	-	1	-	1	-	1	-	-
Female.....	11	-	2	-	-	1	1	3	-	1	1	2	-
White, both sexes.....	16	1	2	1	1	1	2	3	1	-	2	2	-
Male.....	6	1	-	1	1	-	1	-	1	-	1	-	-
Female.....	10	-	2	-	-	1	1	3	-	-	1	2	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries (I63.2)													
All races, both sexes.....	708	67	54	45	69	58	57	71	49	49	64	56	69
Male.....	387	35	30	25	37	37	30	35	30	25	29	33	41
Female.....	321	32	24	20	32	21	27	36	19	24	35	23	28
White, both sexes.....	622	58	46	38	58	54	47	63	45	44	58	50	61
Male.....	335	31	25	20	31	33	22	31	29	23	26	30	34
Female.....	287	27	21	18	27	21	25	32	16	21	32	20	27
Black, both sexes.....	67	6	8	5	8	3	8	6	4	4	6	5	4
Male.....	40	3	5	3	6	3	6	3	1	2	3	2	3
Female.....	27	3	3	2	2	-	2	3	3	2	3	3	1
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	3	-	2	3	-	2	2	-	1	-	1	3
Male.....	10	1	-	2	-	-	2	1	-	-	-	1	3
Female.....	7	2	-	-	3	-	-	1	-	1	-	-	-
Cerebral infarction due to thrombosis of cerebral arteries (I63.3)													
All races, both sexes.....	1,316	168	114	120	118	101	102	94	76	110	100	113	100
Male.....	474	50	42	46	39	45	38	35	29	44	27	43	36
Female.....	842	118	72	74	79	56	64	59	47	66	73	70	64
White, both sexes.....	1,174	153	102	107	102	92	90	86	66	98	87	104	87
Male.....	413	44	38	41	30	42	33	31	22	40	25	37	30
Female.....	761	109	64	66	72	50	57	55	44	58	62	67	57
Black, both sexes.....	131	13	11	12	16	8	12	6	9	12	12	8	12
Male.....	56	5	4	5	9	3	5	2	6	4	2	5	6
Female.....	75	8	7	7	7	5	7	4	3	8	10	3	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	2	1	1	-	1	-	2	1	-	1	-	1
Male.....	4	1	-	-	-	-	-	2	1	-	-	-	-
Female.....	6	1	1	1	-	1	-	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cerebral infarction (I63.8)													
All races, both sexes.....	147	15	15	12	17	7	11	9	11	12	17	11	10
Male.....	69	3	9	7	8	2	6	5	3	7	8	7	4
Female.....	78	12	6	5	9	5	5	4	8	5	9	4	6
White, both sexes.....	133	14	13	11	17	6	9	6	11	12	14	11	9
Male.....	61	3	8	6	8	1	4	4	3	7	7	7	3
Female.....	72	11	5	5	9	5	5	2	8	5	7	4	6
Black, both sexes.....	12	1	2	1	-	1	2	3	-	-	2	-	-
Male.....	7	-	1	1	-	1	2	1	-	-	1	-	-
Female.....	5	1	1	-	-	-	-	2	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Cerebral infarction, unspecified (I63.9)													
All races, both sexes.....	7,739	808	709	685	666	624	592	616	561	597	629	602	650
Male.....	3,024	323	265	284	257	237	220	218	212	234	265	247	262
Female.....	4,715	485	444	401	409	387	372	398	349	363	364	355	388
White, both sexes.....	6,586	683	613	588	550	527	505	516	492	505	539	514	554
Male.....	2,522	260	230	245	201	199	178	180	181	190	225	209	224
Female.....	4,064	423	383	343	349	328	327	336	311	315	314	305	330
Black, both sexes.....	956	105	81	76	95	80	66	82	60	76	75	77	83
Male.....	414	50	28	29	49	30	32	35	25	35	35	33	33
Female.....	542	55	53	47	46	50	34	47	35	41	40	44	50
American Indian 1/, both sexes.....	30	2	3	3	4	3	4	4	-	2	-	3	2
Male.....	14	1	1	1	1	2	3	1	-	1	-	3	-
Female.....	16	1	2	2	3	1	1	3	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	167	18	12	18	17	14	17	14	9	14	15	8	11
Male.....	74	12	6	9	6	6	7	2	6	8	5	2	5
Female.....	93	6	6	9	11	8	10	12	3	6	10	6	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Stroke, not specified as hemorrhage or infarction (I64)													
All races, both sexes.....	76,481	7,863	6,812	6,788	6,383	6,217	5,821	5,796	5,952	5,761	5,991	6,195	6,902
Male.....	28,433	2,918	2,537	2,570	2,409	2,252	2,106	2,180	2,148	2,105	2,213	2,382	2,613
Female.....	48,048	4,945	4,275	4,218	3,974	3,965	3,715	3,616	3,804	3,656	3,778	3,813	4,289
White, both sexes.....	65,877	6,828	5,863	5,851	5,530	5,327	5,044	4,967	5,101	4,941	5,169	5,344	5,912
Male.....	24,123	2,509	2,154	2,160	2,052	1,896	1,805	1,848	1,805	1,769	1,876	2,029	2,220
Female.....	41,754	4,319	3,709	3,691	3,478	3,431	3,239	3,119	3,296	3,172	3,293	3,315	3,692
Black, both sexes.....	8,898	864	793	795	704	738	634	704	725	700	689	738	814
Male.....	3,521	333	317	342	289	279	231	280	286	288	270	296	310
Female.....	5,377	531	476	453	415	459	403	424	439	412	419	442	504
American Indian 1/, both sexes.....	285	16	17	29	33	23	23	30	27	26	17	14	30
Male.....	128	4	7	15	13	15	9	12	14	10	9	5	15
Female.....	157	12	10	14	20	8	14	18	13	16	8	9	15
Asian or Pacific Islander 2/, both sexes.....	1,421	155	139	113	116	129	120	95	99	94	116	99	146
Male.....	661	72	59	53	55	62	61	40	43	38	58	52	68
Female.....	760	83	80	60	61	67	59	55	56	56	58	47	78
Other cerebrovascular diseases (I67)													
All races, both sexes.....	10,446	1,101	927	925	884	808	762	807	793	779	885	847	928
Male.....	3,784	380	349	325	334	293	301	277	264	296	330	293	342
Female.....	6,662	721	578	600	550	515	461	530	529	483	555	554	586
White, both sexes.....	9,067	948	829	798	775	693	652	702	674	677	771	752	796
Male.....	3,230	327	318	270	288	238	261	238	224	254	276	256	280
Female.....	5,837	621	511	528	487	455	391	464	450	423	495	496	516
Black, both sexes.....	1,207	129	83	110	93	101	98	93	104	88	105	85	118
Male.....	485	45	24	48	39	46	37	33	37	38	50	33	55
Female.....	722	84	59	62	54	55	61	60	67	50	55	52	63
American Indian 1/, both sexes.....	30	4	2	2	4	1	4	2	2	2	3	1	3
Male.....	10	1	1	2	2	-	-	1	-	-	2	-	1
Female.....	20	3	1	-	2	1	4	1	2	2	1	1	2
Asian or Pacific Islander 2/, both sexes.....	142	20	13	15	12	13	8	10	13	12	6	9	11
Male.....	59	7	6	5	5	9	3	5	3	4	2	4	6
Female.....	83	13	7	10	7	4	5	5	10	8	4	5	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive encephalopathy (I67.4)													
All races, both sexes.....	76	6	9	6	2	11	9	5	7	1	6	5	9
Male.....	31	3	6	2	-	3	2	1	2	1	4	2	5
Female.....	45	3	3	4	2	8	7	4	5	-	2	3	4
White, both sexes.....	49	4	8	3	2	5	5	4	6	1	4	3	4
Male.....	17	2	6	-	-	1	-	1	1	1	2	1	2
Female.....	32	2	2	3	2	4	5	3	5	-	2	2	2
Black, both sexes.....	22	1	1	2	-	5	3	1	1	-	2	2	4
Male.....	12	-	-	1	-	2	2	-	1	-	2	1	3
Female.....	10	1	1	1	-	3	1	1	-	-	-	1	1
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Moyamoya disease (I67.5)													
All races, both sexes.....	18	2	2	3	1	-	2	-	1	2	2	-	3
Male.....	9	1	-	1	1	-	1	-	-	2	2	-	1
Female.....	9	1	2	2	-	-	1	-	1	-	-	-	2
White, both sexes.....	11	2	1	3	1	-	1	-	-	1	1	-	1
Male.....	5	1	-	1	1	-	-	-	-	1	1	-	-
Female.....	6	1	1	2	-	-	1	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	1	-	1	1	1	-	1
Male.....	3	-	-	-	-	-	1	-	-	1	1	-	-
Female.....	3	-	1	-	-	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral arteritis, not elsewhere classified (I67.7)													
All races, both sexes.....	58	7	6	6	6	1	4	4	4	4	8	4	4
Male.....	19	3	2	1	2	1	1	3	1	1	3	-	1
Female.....	39	4	4	5	4	-	3	1	3	3	5	4	3
White, both sexes.....	49	6	4	3	5	1	3	3	4	4	8	4	4
Male.....	18	3	2	1	2	1	1	2	1	1	3	-	1
Female.....	31	3	2	2	3	-	2	1	3	3	5	4	3
Black, both sexes.....	8	1	2	3	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	7	1	2	3	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Other specified cerebrovascular diseases (I67.8)													
All races, both sexes.....	1,030	109	108	85	97	88	72	75	65	86	81	77	87
Male.....	396	42	42	32	38	30	28	27	29	34	32	29	33
Female.....	634	67	66	53	59	58	44	48	36	52	49	48	54
White, both sexes.....	860	83	97	71	85	79	62	64	57	66	69	61	66
Male.....	332	34	40	26	35	26	24	24	25	25	27	24	22
Female.....	528	49	57	45	50	53	38	40	32	41	42	37	44
Black, both sexes.....	147	23	10	12	10	8	8	8	7	17	12	15	17
Male.....	56	7	2	4	2	4	4	3	4	7	5	4	10
Female.....	91	16	8	8	8	4	4	5	3	10	7	11	7
American Indian 1/, both sexes.....	4	1	-	1	-	-	-	-	-	1	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	2	1	1	2	1	2	3	1	2	-	1	3
Male.....	6	1	-	1	1	-	-	-	-	2	-	1	-
Female.....	13	1	1	-	1	1	2	3	1	-	-	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebrovascular disease, unspecified (I67.9)													
All races, both sexes.....	7,812	823	689	678	641	610	559	594	604	587	668	652	707
Male.....	2,809	274	256	234	250	223	231	203	199	222	241	223	253
Female.....	5,003	549	433	444	391	387	328	391	405	365	427	429	454
White, both sexes.....	6,811	721	615	587	561	519	479	519	511	514	582	586	617
Male.....	2,399	237	231	193	212	179	201	175	169	193	201	196	212
Female.....	4,412	484	384	394	349	340	278	344	342	321	381	390	405
Black, both sexes.....	882	85	65	81	67	79	73	68	81	63	80	57	83
Male.....	365	33	21	39	32	35	28	24	27	28	38	24	36
Female.....	517	52	44	42	35	44	45	44	54	35	42	33	47
American Indian 1/, both sexes.....	20	3	1	-	4	1	4	2	1	1	1	1	1
Male.....	5	1	-	-	2	-	-	1	-	-	1	-	-
Female.....	15	2	1	-	2	1	4	1	1	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	99	14	8	10	9	11	3	5	11	9	5	8	6
Male.....	40	3	4	2	4	9	2	3	3	1	1	3	5
Female.....	59	11	4	8	5	2	1	2	8	8	4	5	1
Sequelae of cerebrovascular disease (I69)													
All races, both sexes.....	18,509	1,972	1,598	1,603	1,518	1,532	1,382	1,413	1,416	1,366	1,486	1,539	1,684
Male.....	7,141	761	606	641	584	596	556	539	566	536	571	537	648
Female.....	11,368	1,211	992	962	934	936	826	874	850	830	915	1,002	1,036
White, both sexes.....	16,052	1,746	1,384	1,380	1,315	1,315	1,207	1,224	1,226	1,170	1,270	1,354	1,461
Male.....	6,091	657	520	538	504	503	484	455	482	458	486	452	552
Female.....	9,961	1,089	864	842	811	812	723	769	744	712	784	902	909
Black, both sexes.....	1,926	168	169	170	147	183	140	144	156	158	171	148	172
Male.....	807	75	71	74	60	72	57	61	67	59	67	69	75
Female.....	1,119	93	98	96	87	111	83	83	89	99	104	79	97
American Indian 1/, both sexes.....	56	7	5	9	4	3	2	4	6	1	5	4	6
Male.....	19	4	1	3	1	2	-	2	3	1	1	1	-
Female.....	37	3	4	6	3	1	2	2	3	-	4	3	6
Asian or Pacific Islander 2/, both sexes.....	475	51	40	44	52	31	33	41	28	37	40	33	45
Male.....	224	25	14	26	19	19	15	21	14	18	17	15	21
Female.....	251	26	26	18	33	12	18	20	14	19	23	18	24

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of subarachnoid hemorrhage (I69.0)													
All races, both sexes.....	63	6	5	8	5	9	7	2	6	5	3	-	7
Male.....	22	4	-	3	2	3	4	1	1	1	1	-	2
Female.....	41	2	5	5	3	6	3	1	5	4	2	-	5
White, both sexes.....	54	6	5	8	4	6	6	2	5	5	2	-	5
Male.....	18	4	-	3	2	1	4	1	-	1	-	-	2
Female.....	36	2	5	5	2	5	2	1	5	4	2	-	3
Black, both sexes.....	5	-	-	-	1	1	1	-	-	-	-	-	2
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	-	1	-	-	-	-	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	2	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Sequelae of intracerebral hemorrhage (I69.1)													
All races, both sexes.....	195	20	15	14	21	25	12	13	10	10	18	18	19
Male.....	84	7	7	8	5	11	6	5	5	5	9	7	9
Female.....	111	13	8	6	16	14	6	8	5	5	9	11	10
White, both sexes.....	168	18	10	14	19	24	12	9	8	6	16	16	16
Male.....	70	7	4	8	5	11	6	4	4	3	7	5	6
Female.....	98	11	6	6	14	13	6	5	4	3	9	11	10
Black, both sexes.....	18	1	3	-	1	1	-	2	2	2	2	2	2
Male.....	9	-	1	-	-	-	-	-	1	1	2	2	2
Female.....	9	1	2	-	1	1	-	2	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	-	1	-	-	2	-	2	-	-	1
Male.....	4	-	1	-	-	-	-	1	-	1	-	-	1
Female.....	4	1	-	-	1	-	-	1	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of other nontraumatic intracranial hemorrhage (I69.2)													
All races, both sexes.....	129	9	9	6	11	14	11	9	13	8	10	14	15
Male.....	69	4	7	4	8	6	6	8	7	3	4	6	6
Female.....	60	5	2	2	3	8	5	1	6	5	6	8	9
White, both sexes.....	106	9	7	6	7	10	10	8	10	6	8	12	13
Male.....	55	4	5	4	5	5	5	7	4	3	3	5	5
Female.....	51	5	2	2	2	5	5	1	6	3	5	7	8
Black, both sexes.....	19	-	2	-	3	4	-	-	3	2	2	1	2
Male.....	11	-	2	-	2	1	-	-	3	-	1	1	1
Female.....	8	-	-	-	1	3	-	-	-	2	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	1	1	-	-	-	1	-
Male.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Sequelae of cerebral infarction (I69.3)													
All races, both sexes.....	703	75	66	51	56	51	55	62	62	61	54	57	53
Male.....	295	30	26	26	26	20	18	25	27	33	26	18	20
Female.....	408	45	40	25	30	31	37	37	35	28	28	39	33
White, both sexes.....	614	70	60	46	51	43	49	51	51	54	44	48	47
Male.....	258	28	25	24	24	17	16	19	21	30	20	15	19
Female.....	356	42	35	22	27	26	33	32	30	24	24	33	28
Black, both sexes.....	74	4	4	4	4	7	6	7	10	7	9	7	5
Male.....	33	2	1	1	2	3	2	4	6	3	5	3	1
Female.....	41	2	3	3	2	4	4	3	4	4	4	4	4
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	2	1	1	-	-	3	1	-	1	2	1
Male.....	3	-	-	1	-	-	-	1	-	-	1	-	-
Female.....	10	1	2	-	1	-	-	2	1	-	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of stroke, not specified as hemorrhage or infarction (I69.4)													
All races, both sexes.....	9,641	1,039	826	867	780	786	689	758	707	729	755	854	851
Male.....	4,000	440	335	370	333	320	301	307	298	296	317	328	355
Female.....	5,641	599	491	497	447	466	388	451	409	433	438	526	496
White, both sexes.....	8,113	901	691	709	649	643	581	631	602	615	632	743	716
Male.....	3,301	364	279	290	276	254	255	246	251	250	270	276	290
Female.....	4,812	537	412	419	373	389	326	385	351	365	362	467	426
Black, both sexes.....	1,169	99	108	113	89	120	85	95	87	92	93	87	101
Male.....	528	52	50	56	40	52	35	45	37	35	36	41	49
Female.....	641	47	58	57	49	68	50	50	50	57	57	46	52
American Indian 1/, both sexes.....	40	5	3	9	3	1	2	3	3	1	3	3	4
Male.....	12	3	-	3	1	-	-	1	1	1	-	1	-
Female.....	28	2	3	6	2	-	2	2	2	-	3	2	4
Asian or Pacific Islander 2/, both sexes.....	319	34	24	36	39	22	21	29	15	21	27	21	30
Male.....	159	21	6	21	16	13	11	15	9	10	11	10	16
Female.....	160	13	18	15	23	9	10	14	6	11	16	11	14
Sequelae of other and unspecified cerebrovascular diseases (I69.8)													
All races, both sexes.....	7,778	823	677	657	645	647	608	569	618	553	646	596	739
Male.....	2,671	276	231	230	210	236	221	193	228	198	214	178	256
Female.....	5,107	547	446	427	435	411	387	376	390	355	432	418	483
White, both sexes.....	6,997	742	611	597	585	589	549	523	550	484	568	535	664
Male.....	2,389	250	207	209	192	215	198	178	202	171	186	151	230
Female.....	4,608	492	404	388	393	374	351	345	348	313	382	384	434
Black, both sexes.....	641	64	52	53	49	50	48	40	54	55	65	51	60
Male.....	225	21	17	17	16	15	20	12	20	20	23	22	22
Female.....	416	43	35	36	33	35	28	28	34	35	42	29	38
American Indian 1/, both sexes.....	12	2	1	-	1	1	-	-	2	-	2	1	2
Male.....	4	1	-	-	-	1	-	-	1	-	1	-	-
Female.....	8	1	1	-	1	-	-	-	1	-	1	1	2
Asian or Pacific Islander 2/, both sexes.....	128	15	13	7	10	7	11	6	12	14	11	9	13
Male.....	53	4	7	4	2	5	3	3	5	7	4	5	4
Female.....	75	11	6	3	8	2	8	3	7	7	7	4	9

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atherosclerosis of renal artery (I70.1)													
All races, both sexes.....	64	4	6	5	4	9	5	5	5	3	8	5	5
Male.....	18	1	2	2	1	3	2	1	2	-	3	-	1
Female.....	46	3	4	3	3	6	3	4	3	3	5	5	4
White, both sexes.....	63	4	6	5	4	9	5	4	5	3	8	5	5
Male.....	18	1	2	2	1	3	2	1	2	-	3	-	1
Female.....	45	3	4	3	3	6	3	3	3	3	5	5	4
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis of arteries of the extremities (I70.2)													
All races, both sexes.....	369	41	34	34	32	26	25	31	32	23	32	32	27
Male.....	143	14	11	13	16	9	9	9	12	11	16	15	8
Female.....	226	27	23	21	16	17	16	22	20	12	16	17	19
White, both sexes.....	317	36	28	31	26	21	23	27	27	17	27	30	24
Male.....	129	13	10	13	13	8	9	7	11	9	14	14	8
Female.....	188	23	18	18	13	13	14	20	16	8	13	16	16
Black, both sexes.....	45	4	4	3	5	3	2	4	4	6	5	2	3
Male.....	12	1	1	-	3	-	-	2	-	2	2	1	-
Female.....	33	3	3	3	2	3	2	2	4	4	3	1	3
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	2	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	1	2	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atherosclerosis of other arteries (I70.8)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Generalized and unspecified atherosclerosis (I70.9)													
All races, both sexes.....	11,378	1,243	1,051	972	939	926	803	900	839	867	878	928	1,032
Male.....	4,331	458	391	371	358	357	319	335	309	348	355	349	381
Female.....	7,047	785	660	601	581	569	484	565	530	519	523	579	651
White, both sexes.....	10,451	1,147	979	899	862	839	730	828	775	798	802	846	946
Male.....	3,983	422	366	349	332	321	295	313	288	316	326	313	342
Female.....	6,468	725	613	550	530	518	435	515	487	482	476	533	604
Black, both sexes.....	788	84	63	59	66	74	63	63	58	61	66	60	71
Male.....	292	31	20	20	19	31	22	19	19	31	26	25	29
Female.....	496	53	43	39	47	43	41	44	39	30	40	35	42
American Indian 1/, both sexes.....	34	5	3	5	4	1	2	3	3	3	3	2	-
Male.....	16	3	2	-	2	1	2	1	1	1	1	2	-
Female.....	18	2	1	5	2	-	-	2	2	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	105	7	6	9	7	12	8	6	3	5	7	20	15
Male.....	40	2	3	2	5	4	-	2	1	-	2	9	10
Female.....	65	5	3	7	2	8	8	4	2	5	5	11	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic aneurysm and dissection (I71)													
All races, both sexes.....	13,753	1,322	1,160	1,224	1,116	1,038	1,023	1,073	1,020	1,095	1,202	1,219	1,261
Male.....	8,140	770	680	736	666	599	630	622	602	653	721	744	717
Female.....	5,613	552	480	488	450	439	393	451	418	442	481	475	544
White, both sexes.....	12,189	1,192	1,012	1,090	975	929	894	961	910	968	1,075	1,079	1,104
Male.....	7,226	695	593	655	592	530	555	564	533	575	650	661	623
Female.....	4,963	497	419	435	383	399	339	397	377	393	425	418	481
Black, both sexes.....	1,228	108	118	109	110	86	101	94	84	94	99	102	123
Male.....	697	59	72	66	56	52	55	48	50	56	51	58	74
Female.....	531	49	46	43	54	34	46	46	34	38	48	44	49
American Indian 1/, both sexes.....	38	3	3	2	3	1	1	5	5	7	2	2	4
Male.....	23	2	2	1	2	1	1	2	4	4	1	1	2
Female.....	15	1	1	1	1	-	-	3	1	3	1	1	2
Asian or Pacific Islander 2/, both sexes.....	298	19	27	23	28	22	27	13	21	26	26	36	30
Male.....	194	14	13	14	16	16	19	8	15	18	19	24	18
Female.....	104	5	14	9	12	6	8	5	6	8	7	12	12
Dissection of aorta [any part] (I71.0)													
All races, both sexes.....	3,423	348	276	318	286	254	255	267	243	248	283	300	345
Male.....	1,981	214	159	178	162	148	150	145	134	148	176	174	193
Female.....	1,442	134	117	140	124	106	105	122	109	100	107	126	152
White, both sexes.....	2,808	294	216	262	237	216	206	217	201	202	234	244	279
Male.....	1,613	179	121	144	136	127	122	120	111	116	145	138	154
Female.....	1,195	115	95	118	101	89	84	97	90	86	89	106	125
Black, both sexes.....	506	47	50	47	44	31	38	41	34	39	37	42	56
Male.....	300	31	33	32	24	17	19	19	18	26	22	25	34
Female.....	206	16	17	15	20	14	19	22	16	13	15	17	22
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	1	-	1	-	-	4
Male.....	4	-	-	-	-	-	-	1	-	1	-	-	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	103	7	10	9	5	7	11	8	8	6	12	14	6
Male.....	64	4	5	2	2	4	9	5	5	5	9	11	3
Female.....	39	3	5	7	3	3	2	3	3	1	3	3	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thoracic aortic aneurysm, ruptured (I71.1)													
All races, both sexes.....	825	83	81	70	68	53	54	55	59	76	69	73	84
Male.....	386	38	43	33	35	24	26	26	27	36	27	35	36
Female.....	439	45	38	37	33	29	28	29	32	40	42	38	48
White, both sexes.....	709	75	67	56	59	46	45	51	48	68	58	63	73
Male.....	320	34	34	23	33	18	21	23	19	32	23	31	29
Female.....	389	41	33	33	26	28	24	28	29	36	35	32	44
Black, both sexes.....	76	4	12	10	5	5	5	4	6	3	8	7	7
Male.....	41	1	7	7	1	5	3	3	3	2	3	3	3
Female.....	35	3	5	3	4	-	2	1	3	1	5	4	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	39	4	2	4	4	2	4	-	4	5	3	3	4
Male.....	24	3	2	3	1	1	2	-	4	2	1	1	4
Female.....	15	1	-	1	3	1	2	-	-	3	2	2	-
Thoracic aortic aneurysm, without mention of rupture (I71.2)													
All races, both sexes.....	681	56	67	56	58	44	44	53	56	55	53	59	80
Male.....	311	32	30	25	32	19	25	20	29	28	22	18	31
Female.....	370	24	37	31	26	25	19	33	27	27	31	41	49
White, both sexes.....	596	42	57	50	49	41	36	48	53	49	45	54	72
Male.....	271	24	26	23	25	17	22	18	27	26	19	17	27
Female.....	325	18	31	27	24	24	14	30	26	23	26	37	45
Black, both sexes.....	68	13	8	6	6	2	7	5	3	4	6	5	3
Male.....	30	7	4	2	4	1	3	2	2	1	1	1	2
Female.....	38	6	4	4	2	1	4	3	1	3	5	4	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	2	-	3	1	1	-	-	2	2	-	5
Male.....	9	-	-	-	3	1	-	-	-	1	2	-	2
Female.....	7	-	2	-	-	-	1	-	-	1	-	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abdominal aortic aneurysm, ruptured (I71.3)													
All races, both sexes.....	4,311	396	365	361	335	340	315	324	336	379	383	405	372
Male.....	2,819	252	246	236	216	215	212	217	219	236	254	277	239
Female.....	1,492	144	119	125	119	125	103	107	117	143	129	128	133
White, both sexes.....	4,047	379	348	346	306	318	289	310	316	348	362	380	345
Male.....	2,655	244	234	227	202	198	193	210	204	215	242	262	224
Female.....	1,392	135	114	119	104	120	96	100	112	133	120	118	121
Black, both sexes.....	179	11	10	14	20	12	21	9	15	18	16	15	18
Male.....	105	4	7	8	9	8	15	5	11	10	9	9	10
Female.....	74	7	3	6	11	4	6	4	4	8	7	6	8
American Indian 1/, both sexes.....	19	1	2	-	2	1	1	3	2	4	2	1	-
Male.....	11	-	2	-	1	1	1	1	2	2	1	-	-
Female.....	8	1	-	-	1	-	-	2	-	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	66	5	5	1	7	9	4	2	3	9	3	9	9
Male.....	48	4	3	1	4	8	3	1	2	9	2	6	5
Female.....	18	1	2	-	3	1	1	1	1	-	1	3	4
Abdominal aortic aneurysm, without mention of rupture (I71.4)													
All races, both sexes.....	2,083	201	164	187	178	164	166	181	166	146	191	166	173
Male.....	1,238	109	97	121	114	97	100	112	93	80	113	103	99
Female.....	845	92	67	66	64	67	66	69	73	66	78	63	74
White, both sexes.....	1,901	184	152	166	160	151	151	170	150	131	176	152	158
Male.....	1,132	99	88	110	104	89	91	103	84	75	104	97	88
Female.....	769	85	64	56	56	62	60	67	66	56	72	55	70
Black, both sexes.....	156	16	11	14	15	12	14	11	13	12	14	11	13
Male.....	89	9	8	6	7	8	8	9	7	5	8	5	9
Female.....	67	7	3	8	8	4	6	2	6	7	6	6	4
American Indian 1/, both sexes.....	5	-	-	1	1	-	-	-	1	1	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	3	-	-	1	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	1	1	6	2	1	1	-	2	2	1	2	2
Male.....	15	1	1	5	2	-	1	-	2	-	1	-	2
Female.....	6	-	-	1	-	1	-	-	-	2	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thoracoabdominal aortic aneurysm, ruptured (I71.5)													
All races, both sexes.....	164	19	10	16	16	17	15	16	9	8	15	9	14
Male.....	88	9	7	11	6	6	8	9	5	6	8	7	6
Female.....	76	10	3	5	10	11	7	7	4	2	7	2	8
White, both sexes.....	142	18	8	14	15	15	14	12	8	7	12	8	11
Male.....	81	9	6	10	6	6	8	7	5	6	6	6	6
Female.....	61	9	2	4	9	9	6	5	3	1	6	2	5
Black, both sexes.....	19	1	1	2	1	2	1	4	1	1	3	1	1
Male.....	6	-	-	1	-	-	-	2	-	-	2	1	-
Female.....	13	1	1	1	1	2	1	2	1	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	-	2
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Thoracoabdominal aortic aneurysm, without mention of rupture (I71.6)													
All races, both sexes.....	177	10	13	18	16	12	19	25	11	9	18	13	13
Male.....	96	4	6	9	10	7	12	12	6	7	9	4	10
Female.....	81	6	7	9	6	5	7	13	5	2	9	9	3
White, both sexes.....	146	10	11	18	13	8	17	19	9	8	14	11	8
Male.....	80	4	5	9	7	4	12	10	5	6	7	4	7
Female.....	66	6	6	9	6	4	5	9	4	2	7	7	1
Black, both sexes.....	24	-	1	-	2	4	2	5	2	1	1	2	4
Male.....	11	-	1	-	2	3	-	1	1	1	-	-	2
Female.....	13	-	-	-	-	1	2	4	1	-	1	2	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	-	1	-	-	3	-	1
Male.....	5	-	-	-	1	-	-	1	-	-	2	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aneurysm of other specified arteries (I72.8)													
All races, both sexes.....	111	10	8	7	8	8	9	8	8	11	21	5	8
Male.....	58	6	5	4	6	7	6	1	3	5	12	-	3
Female.....	53	4	3	3	2	1	3	7	5	6	9	5	5
White, both sexes.....	98	8	8	7	8	8	8	7	8	8	20	3	5
Male.....	52	5	5	4	6	7	5	1	3	4	11	-	1
Female.....	46	3	3	3	2	1	3	6	5	4	9	3	4
Black, both sexes.....	8	1	-	-	-	-	-	-	-	3	-	2	2
Male.....	4	1	-	-	-	-	-	-	-	1	-	-	2
Female.....	4	-	-	-	-	-	-	-	-	2	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	-	1	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	1	-	-	-	-	-	1	-	-	-	-	1
Aneurysm of unspecified site (I72.9)													
All races, both sexes.....	355	26	33	33	25	25	39	27	29	27	21	34	36
Male.....	171	13	15	20	11	11	21	13	12	13	14	12	16
Female.....	184	13	18	13	14	14	18	14	17	14	7	22	20
White, both sexes.....	307	24	27	26	24	22	34	23	26	23	19	32	27
Male.....	151	12	14	15	11	11	18	11	11	10	13	12	13
Female.....	156	12	13	11	13	11	16	12	15	13	6	20	14
Black, both sexes.....	36	2	5	4	1	2	4	3	2	2	1	1	9
Male.....	15	1	1	3	-	-	3	1	1	2	-	-	3
Female.....	21	1	4	1	1	2	1	2	1	-	1	1	6
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	2	-	1	1	1	1	2	1	1	-
Male.....	4	-	-	1	-	-	-	1	-	1	1	-	-
Female.....	7	-	1	1	-	1	1	-	1	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral vascular disease, unspecified (I73.9)													
All races, both sexes.....	7,402	687	624	642	612	605	608	622	589	597	604	599	613
Male.....	3,021	282	246	272	245	254	243	235	242	244	241	255	262
Female.....	4,381	405	378	370	367	351	365	387	347	353	363	344	351
White, both sexes.....	6,229	588	536	536	527	503	512	508	488	510	502	496	523
Male.....	2,596	242	217	230	220	220	207	200	209	212	201	213	225
Female.....	3,633	346	319	306	307	283	305	308	279	298	301	283	298
Black, both sexes.....	1,061	88	83	93	78	90	88	102	90	80	90	96	83
Male.....	396	36	27	39	23	31	35	32	31	30	36	40	36
Female.....	665	52	56	54	55	59	53	70	59	50	54	56	47
American Indian 1/, both sexes.....	36	3	1	4	4	5	1	3	4	4	3	2	2
Male.....	10	1	-	1	1	2	-	1	1	1	1	1	-
Female.....	26	2	1	3	3	3	1	2	3	3	2	1	2
Asian or Pacific Islander 2/, both sexes.....	76	8	4	9	3	7	7	9	7	3	9	5	5
Male.....	19	3	2	2	1	1	1	2	1	1	3	1	1
Female.....	57	5	2	7	2	6	6	7	6	2	6	4	4
Arterial embolism and thrombosis (I74)													
All races, both sexes.....	729	72	71	69	55	53	66	55	62	56	54	47	69
Male.....	267	29	27	28	18	17	21	20	22	21	20	13	31
Female.....	462	43	44	41	37	36	45	35	40	35	34	34	38
White, both sexes.....	660	66	63	61	52	45	62	51	56	48	49	45	62
Male.....	238	25	24	25	17	14	21	19	20	15	17	12	29
Female.....	422	41	39	36	35	31	41	32	36	33	32	33	33
Black, both sexes.....	60	6	8	5	3	7	3	3	5	7	5	2	6
Male.....	27	4	3	1	1	3	-	1	2	6	3	1	2
Female.....	33	2	5	4	2	4	3	2	3	1	2	1	4
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	2	-	1	1	-	1	1	-	-	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	1	-	1	1	-	1	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of arteries of the upper extremities (I74.2)													
All races, both sexes.....	11	3	-	-	1	1	1	-	2	1	-	-	2
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	2	-	-	1	1	1	-	2	1	-	-	1
White, both sexes.....	9	2	-	-	1	1	1	-	2	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	2	-	-	1	1	1	-	2	1	-	-	-
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of arteries of the lower extremities (I74.3)													
All races, both sexes.....	132	13	14	10	12	9	9	7	13	12	8	6	19
Male.....	45	5	5	6	5	3	2	1	5	3	2	1	7
Female.....	87	8	9	4	7	6	7	6	8	9	6	5	12
White, both sexes.....	120	12	11	10	12	8	8	6	12	11	7	6	17
Male.....	39	5	3	6	5	2	2	-	4	3	2	1	6
Female.....	81	7	8	4	7	6	6	6	8	8	5	5	11
Black, both sexes.....	10	1	3	-	-	1	-	1	1	1	1	-	1
Male.....	6	-	2	-	-	1	-	1	1	-	-	-	1
Female.....	4	1	1	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of other arteries (I74.8)													
All races, both sexes.....	25	1	2	4	2	3	4	2	2	-	2	-	3
Male.....	14	1	1	2	-	1	2	2	1	-	2	-	2
Female.....	11	-	1	2	2	2	2	-	1	-	-	-	1
White, both sexes.....	24	1	2	4	2	3	4	2	2	-	1	-	3
Male.....	13	1	1	2	-	1	2	2	1	-	1	-	2
Female.....	11	-	1	2	2	2	2	-	1	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of unspecified artery (I74.9)													
All races, both sexes.....	290	24	32	30	14	23	26	23	23	24	24	23	24
Male.....	107	9	13	12	4	8	9	10	9	10	9	6	8
Female.....	183	15	19	18	10	15	17	13	14	14	15	17	16
White, both sexes.....	260	23	27	26	13	19	25	21	20	20	23	22	21
Male.....	96	8	12	11	3	6	9	10	9	7	8	6	7
Female.....	164	15	15	15	10	13	16	11	11	13	15	16	14
Black, both sexes.....	25	1	5	2	1	4	1	1	2	3	1	1	3
Male.....	10	1	1	-	1	2	-	-	-	3	1	-	1
Female.....	15	-	4	2	-	2	1	1	2	-	-	1	2
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Stricture of artery (I77.1)													
All races, both sexes.....	122	9	16	6	10	12	10	12	11	7	12	8	9
Male.....	45	3	7	2	3	5	5	4	3	2	3	5	3
Female.....	77	6	9	4	7	7	5	8	8	5	9	3	6
White, both sexes.....	101	8	12	5	9	10	9	10	6	6	11	7	8
Male.....	32	3	3	1	3	3	4	2	2	2	3	4	2
Female.....	69	5	9	4	6	7	5	8	4	4	8	3	6
Black, both sexes.....	18	1	3	1	1	2	1	1	5	-	1	1	1
Male.....	11	-	3	1	-	2	1	1	1	-	-	1	1
Female.....	7	1	-	-	1	-	-	-	4	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Rupture of artery (I77.2)													
All races, both sexes.....	153	7	12	13	9	12	16	13	9	16	13	16	17
Male.....	87	4	6	6	6	5	9	8	6	10	6	10	11
Female.....	66	3	6	7	3	7	7	5	3	6	7	6	6
White, both sexes.....	132	7	12	13	8	8	14	10	9	12	10	14	15
Male.....	73	4	6	6	5	2	8	6	6	8	5	8	9
Female.....	59	3	6	7	3	6	6	4	3	4	5	6	6
Black, both sexes.....	20	-	-	-	1	4	2	3	-	3	3	2	2
Male.....	14	-	-	-	1	3	1	2	-	2	1	2	2
Female.....	6	-	-	-	-	1	1	1	-	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Arterial fibromuscular dysplasia (I77.3)													
All races, both sexes.....	9	-	-	2	1	-	-	-	1	5	-	-	-
Male.....	6	-	-	1	1	-	-	-	1	3	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	2	-	-	-
White, both sexes.....	6	-	-	2	1	-	-	-	1	2	-	-	-
Male.....	4	-	-	1	1	-	-	-	1	1	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Arteritis, unspecified (I77.6)													
All races, both sexes.....	397	38	34	42	33	32	41	34	30	28	29	28	28
Male.....	145	14	13	18	8	14	18	13	12	10	9	6	10
Female.....	252	24	21	24	25	18	23	21	18	18	20	22	18
White, both sexes.....	360	31	29	41	30	31	36	32	24	27	26	27	26
Male.....	131	12	12	17	7	14	15	13	10	10	7	6	8
Female.....	229	19	17	24	23	17	21	19	14	17	19	21	18
Black, both sexes.....	18	2	2	-	2	1	4	2	2	1	1	1	-
Male.....	7	1	1	-	1	-	3	-	-	-	1	-	-
Female.....	11	1	1	-	1	1	1	2	2	1	-	1	-
American Indian 1/, both sexes.....	6	2	1	-	1	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	5	2	1	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	13	3	2	1	-	-	1	-	3	-	1	-	2
Male.....	6	1	-	1	-	-	-	-	1	-	1	-	2
Female.....	7	2	2	-	-	-	1	-	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of arteries and arterioles (I77.8)													
All races, both sexes.....	30	2	2	2	3	2	3	2	2	3	5	2	2
Male.....	18	1	-	-	2	1	1	2	2	2	4	2	1
Female.....	12	1	2	2	1	1	2	-	-	1	1	-	1
White, both sexes.....	24	2	1	2	2	2	2	2	1	3	4	2	1
Male.....	15	1	-	-	2	1	1	2	1	2	3	2	-
Female.....	9	1	1	2	-	1	1	-	-	1	1	-	1
Black, both sexes.....	5	-	1	-	1	-	1	-	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	3	-	1	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of arteries and arterioles, unspecified (I77.9)													
All races, both sexes.....	263	16	21	25	14	18	31	28	33	23	15	25	14
Male.....	126	4	9	17	8	11	11	14	19	10	7	9	7
Female.....	137	12	12	8	6	7	20	14	14	13	8	16	7
White, both sexes.....	231	13	17	22	13	16	28	21	30	21	13	25	12
Male.....	116	4	8	17	7	10	10	11	19	9	6	9	6
Female.....	115	9	9	5	6	6	18	10	11	12	7	16	6
Black, both sexes.....	30	3	3	3	1	2	3	7	3	2	1	-	2
Male.....	10	-	1	-	1	1	1	3	-	1	1	-	1
Female.....	20	3	2	3	-	1	2	4	3	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of capillaries, unspecified (I78.9)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis and thrombophlebitis (I80)													
All races, both sexes.....	3,148	318	285	287	276	266	248	252	246	239	235	233	263
Male.....	1,316	135	117	112	129	105	104	98	106	97	103	95	115
Female.....	1,832	183	168	175	147	161	144	154	140	142	132	138	148
White, both sexes.....	2,528	258	230	229	222	216	196	194	199	189	193	191	211
Male.....	1,050	113	92	85	102	90	76	78	83	73	82	79	97
Female.....	1,478	145	138	144	120	126	120	116	116	116	111	112	114
Black, both sexes.....	577	59	52	58	46	46	50	53	43	46	39	36	49
Male.....	247	22	23	27	22	13	27	18	22	21	19	15	18
Female.....	330	37	29	31	24	33	23	35	21	25	20	21	31
American Indian 1/, both sexes.....	10	-	1	-	1	1	-	3	1	2	-	-	1
Male.....	6	-	1	-	1	1	-	2	-	1	-	-	-
Female.....	4	-	-	-	-	-	-	1	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	33	1	2	-	7	3	2	2	3	2	3	6	2
Male.....	13	-	1	-	4	1	1	-	1	2	2	1	-
Female.....	20	1	1	-	3	2	1	2	2	-	1	5	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Phlebitis and thrombophlebitis of femoral vein (I80.1)													
All races, both sexes.....	31	-	1	4	1	1	3	5	4	5	3	1	3
Male.....	11	-	-	2	-	-	1	2	1	2	1	1	1
Female.....	20	-	1	2	1	1	2	3	3	3	2	-	2
White, both sexes.....	24	-	1	2	1	-	2	5	3	5	2	1	2
Male.....	10	-	-	1	-	-	1	2	1	2	1	1	1
Female.....	14	-	1	1	1	-	1	3	2	3	1	-	1
Black, both sexes.....	6	-	-	2	-	1	1	-	1	-	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	-	1	1	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Phlebitis and thrombophlebitis of other deep vessels of lower extremities (I80.2)													
All races, both sexes.....	2,843	292	258	258	250	233	223	223	228	212	208	211	247
Male.....	1,186	122	107	101	118	93	92	86	100	86	89	84	108
Female.....	1,657	170	151	157	132	140	131	137	128	126	119	127	139
White, both sexes.....	2,276	237	206	205	201	189	176	169	183	166	172	175	197
Male.....	944	101	85	76	94	81	67	69	78	64	69	70	90
Female.....	1,332	136	121	129	107	108	109	100	105	102	103	105	107
Black, both sexes.....	530	54	49	53	42	41	45	49	41	43	34	31	48
Male.....	227	21	20	25	19	11	24	15	21	20	19	14	18
Female.....	303	33	29	28	23	30	21	34	20	23	15	17	30
American Indian 1/, both sexes.....	9	-	1	-	1	-	-	3	1	2	-	-	1
Male.....	5	-	1	-	1	-	-	2	-	1	-	-	-
Female.....	4	-	-	-	-	-	-	1	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	28	1	2	-	6	3	2	2	3	1	2	5	1
Male.....	10	-	1	-	4	1	1	-	1	1	1	-	-
Female.....	18	1	1	-	2	2	1	2	2	-	1	5	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Phlebitis and thrombophlebitis of unspecified site (I80.9)													
All races, both sexes.....	76	7	9	7	7	9	6	10	3	8	6	3	1
Male.....	29	3	3	3	2	4	2	4	2	1	2	2	1
Female.....	47	4	6	4	5	5	4	6	1	7	4	1	-
White, both sexes.....	70	6	8	7	7	8	6	8	3	7	6	3	1
Male.....	26	3	2	3	2	3	2	3	2	1	2	2	1
Female.....	44	3	6	4	5	5	4	5	1	6	4	1	-
Black, both sexes.....	6	1	1	-	-	1	-	2	-	1	-	-	-
Male.....	3	-	1	-	-	1	-	1	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Portal vein thrombosis (I81)													
All races, both sexes.....	76	6	4	4	7	9	5	2	7	10	7	9	6
Male.....	36	3	2	2	3	6	4	-	1	7	3	3	2
Female.....	40	3	2	2	4	3	1	2	6	3	4	6	4
White, both sexes.....	65	5	4	3	7	9	4	2	6	8	3	8	6
Male.....	31	2	2	2	3	6	3	-	1	6	1	3	2
Female.....	34	3	2	1	4	3	1	2	5	2	2	5	4
Black, both sexes.....	9	1	-	1	-	-	1	-	1	2	2	1	-
Male.....	4	1	-	-	-	-	1	-	-	1	1	-	-
Female.....	5	-	-	1	-	-	-	-	1	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicose veins of other specified sites (I86.8)													
All races, both sexes.....	3	-	2	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	3	-	2	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of veins (I87)													
All races, both sexes.....	149	24	10	14	14	13	12	12	12	8	9	10	11
Male.....	73	10	5	6	8	6	10	6	7	5	4	4	2
Female.....	76	14	5	8	6	7	2	6	5	3	5	6	9
White, both sexes.....	122	22	8	12	12	9	8	10	8	7	7	8	11
Male.....	61	10	4	6	7	4	7	5	5	4	3	4	2
Female.....	61	12	4	6	5	5	1	5	3	3	4	4	9
Black, both sexes.....	23	2	1	2	2	4	2	1	4	1	2	2	-
Male.....	9	-	-	-	1	2	1	1	2	1	1	-	-
Female.....	14	2	1	2	1	2	1	-	2	-	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	-	2	1	-	-	-	-	-
Male.....	3	-	1	-	-	-	2	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Noninfective disorder of lymphatic vessels and lymph nodes, unspecified (I89.9)													
All races, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypotension (I95)													
All races, both sexes.....	241	30	20	17	18	26	17	14	17	20	22	19	21
Male.....	105	15	12	6	9	8	7	9	9	9	8	5	8
Female.....	136	15	8	11	9	18	10	5	8	11	14	14	13
White, both sexes.....	189	24	17	13	14	17	15	12	15	17	17	13	15
Male.....	84	13	10	6	7	7	6	8	7	8	4	2	6
Female.....	105	11	7	7	7	10	9	4	8	9	13	11	9
Black, both sexes.....	45	6	2	4	4	8	2	1	1	3	3	5	6
Male.....	17	2	1	-	2	1	1	-	1	1	3	3	2
Female.....	28	4	1	4	2	7	1	1	-	2	-	2	4
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	1	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypotension, unspecified (I95.9)													
All races, both sexes.....	213	25	14	14	18	25	16	14	14	16	20	18	19
Male.....	93	13	9	4	9	8	6	9	8	6	8	5	8
Female.....	120	12	5	10	9	17	10	5	6	10	12	13	11
White, both sexes.....	163	19	11	10	14	16	14	12	12	14	15	12	14
Male.....	73	11	7	4	7	7	5	8	6	6	4	2	6
Female.....	90	8	4	6	7	9	9	4	6	8	11	10	8
Black, both sexes.....	43	6	2	4	4	8	2	1	1	2	3	5	5
Male.....	16	2	1	-	2	1	1	-	1	-	3	3	2
Female.....	27	4	1	4	2	7	1	1	-	2	-	2	3
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	1	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Other and unspecified disorders of circulatory system (I99)													
All races, both sexes.....	260	26	21	24	23	22	22	17	19	17	12	28	29
Male.....	111	6	13	10	12	11	9	7	7	7	6	14	9
Female.....	149	20	8	14	11	11	13	10	12	10	6	14	20
White, both sexes.....	226	25	19	20	20	19	18	16	19	14	9	23	24
Male.....	95	6	11	8	10	9	7	7	7	6	4	12	8
Female.....	131	19	8	12	10	10	11	9	12	8	5	11	16
Black, both sexes.....	29	1	2	3	2	3	2	1	-	3	3	5	4
Male.....	15	-	2	2	1	2	2	-	-	1	2	2	1
Female.....	14	1	-	1	1	1	-	1	-	2	1	3	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	1	-	2	-	-	-	-	-	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	2	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute upper respiratory infections of multiple and unspecified sites (J06)													
All races, both sexes.....	76	21	10	3	3	3	2	5	3	3	3	10	10
Male.....	22	6	2	1	2	1	1	2	1	1	1	2	2
Female.....	54	15	8	2	1	2	1	3	2	2	2	8	8
White, both sexes.....	67	20	9	3	3	2	2	3	3	2	3	9	8
Male.....	20	5	1	1	2	1	1	2	1	1	1	2	2
Female.....	47	15	8	2	1	1	1	1	2	1	2	7	6
Black, both sexes.....	5	-	-	-	-	1	-	1	-	-	-	1	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	1	-	-	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	-	-	-	-	1	-	1	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Acute upper respiratory infection, unspecified (J06.9)													
All races, both sexes.....	76	21	10	3	3	3	2	5	3	3	3	10	10
Male.....	22	6	2	1	2	1	1	2	1	1	1	2	2
Female.....	54	15	8	2	1	2	1	3	2	2	2	8	8
White, both sexes.....	67	20	9	3	3	2	2	3	3	2	3	9	8
Male.....	20	5	1	1	2	1	1	2	1	1	1	2	2
Female.....	47	15	8	2	1	1	1	1	2	1	2	7	6
Black, both sexes.....	5	-	-	-	-	1	-	1	-	-	-	1	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	1	-	-	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	-	-	-	-	1	-	1	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other viral pneumonia (J12.8)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral pneumonia, unspecified (J12.9)													
All races, both sexes.....	217	63	18	15	17	11	18	7	14	7	9	18	20
Male.....	99	25	5	8	10	5	7	3	9	4	2	7	14
Female.....	118	38	13	7	7	6	11	4	5	3	7	11	6
White, both sexes.....	186	56	17	11	15	9	14	7	13	4	7	15	18
Male.....	82	20	5	6	9	3	7	3	8	2	1	5	13
Female.....	104	36	12	5	6	6	7	4	5	2	6	10	5
Black, both sexes.....	22	7	1	3	-	2	2	-	1	2	2	1	1
Male.....	13	5	-	1	-	2	-	-	1	2	1	-	1
Female.....	9	2	1	2	-	-	2	-	-	-	1	1	-
American Indian 1/, both sexes.....	5	-	-	1	1	-	1	-	-	1	-	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	1	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	1	-	-	-	-	1	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bacterial pneumonia, not elsewhere classified (J15)													
All races, both sexes.....	3,953	562	374	396	335	321	265	251	281	226	308	275	359
Male.....	1,996	261	183	203	180	164	138	143	148	105	150	136	185
Female.....	1,957	301	191	193	155	157	127	108	133	121	158	139	174
White, both sexes.....	3,366	494	326	334	284	258	214	213	246	185	269	249	294
Male.....	1,687	227	161	169	150	131	106	121	135	84	132	123	148
Female.....	1,679	267	165	165	134	127	108	92	111	101	137	126	146
Black, both sexes.....	473	60	34	54	45	49	38	32	31	35	32	18	45
Male.....	246	30	13	29	28	26	23	18	10	18	15	9	27
Female.....	227	30	21	25	17	23	15	14	21	17	17	9	18
American Indian 1/, both sexes.....	31	1	5	1	2	4	3	2	1	-	1	3	8
Male.....	15	1	2	-	-	3	3	-	1	-	-	1	4
Female.....	16	-	3	1	2	1	-	2	-	-	1	2	4
Asian or Pacific Islander 2/, both sexes.....	83	7	9	7	4	10	10	4	3	6	6	5	12
Male.....	48	3	7	5	2	4	6	4	2	3	3	3	6
Female.....	35	4	2	2	2	6	4	-	1	3	3	2	6
Pneumonia due to <i>Klebsiella pneumoniae</i> (J15.0)													
All races, both sexes.....	128	13	13	6	7	10	16	13	10	9	10	13	8
Male.....	67	3	5	5	4	6	8	9	4	3	6	8	6
Female.....	61	10	8	1	3	4	8	4	6	6	4	5	2
White, both sexes.....	88	11	11	4	4	4	9	8	7	5	9	10	6
Male.....	44	2	5	4	2	2	5	5	3	-	5	6	5
Female.....	44	9	6	-	2	2	4	3	4	5	4	4	1
Black, both sexes.....	36	2	2	2	3	6	5	5	2	4	1	3	1
Male.....	20	1	-	1	2	4	2	4	-	3	1	2	-
Female.....	16	1	2	1	1	2	3	1	2	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	-	1	-	-	-	1
Male.....	3	-	-	-	-	-	1	-	1	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to Pseudomonas (J15.1)													
All races, both sexes.....	308	28	23	29	25	21	21	28	32	20	32	22	27
Male.....	168	10	8	17	12	10	11	20	19	10	21	12	18
Female.....	140	18	15	12	13	11	10	8	13	10	11	10	9
White, both sexes.....	257	22	21	20	22	16	18	23	28	16	29	18	24
Male.....	138	8	8	9	12	8	9	16	17	7	19	9	16
Female.....	119	14	13	11	10	8	9	7	11	9	10	9	8
Black, both sexes.....	40	6	2	7	2	3	1	5	4	3	3	3	1
Male.....	23	2	-	6	-	-	1	4	2	3	2	2	1
Female.....	17	4	2	1	2	3	-	1	2	-	1	1	-
American Indian 1/, both sexes.....	4	-	-	-	1	2	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	2	-	-	-	-	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	2	-	-	2	-	-	1	-	1	1
Male.....	4	-	-	2	-	-	1	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	1	-	-	1	-	-	1
Pneumonia due to staphylococcus (J15.2)													
All races, both sexes.....	1,163	170	117	115	111	81	64	72	86	68	91	80	108
Male.....	650	93	69	65	66	43	35	43	54	37	48	42	55
Female.....	513	77	48	50	45	38	29	29	32	31	43	38	53
White, both sexes.....	1,038	153	108	102	100	72	51	63	75	59	87	76	92
Male.....	583	83	63	57	59	39	29	39	49	31	47	40	47
Female.....	455	70	45	45	41	33	22	24	26	28	40	36	45
Black, both sexes.....	99	17	6	9	10	6	9	6	11	7	3	2	13
Male.....	52	10	3	6	6	3	4	2	5	5	-	1	7
Female.....	47	7	3	3	4	3	5	4	6	2	3	1	6
American Indian 1/, both sexes.....	5	-	-	1	-	1	1	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	-	1	-	1	-	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	21	-	3	3	1	2	3	2	-	2	1	2	2
Male.....	14	-	3	2	1	1	1	2	-	1	1	1	1
Female.....	7	-	-	1	-	1	2	-	-	1	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to streptococcus, group B (J15.3)													
All races, both sexes.....	4	-	1	-	-	-	-	-	-	1	-	1	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
White, both sexes.....	3	-	1	-	-	-	-	-	-	1	-	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to other streptococci (J15.4)													
All races, both sexes.....	293	60	34	24	28	18	18	12	12	12	17	27	31
Male.....	128	33	11	12	12	9	8	6	5	3	5	10	14
Female.....	165	27	23	12	16	9	10	6	7	9	12	17	17
White, both sexes.....	249	53	28	19	23	16	13	11	10	8	17	27	24
Male.....	109	30	10	10	9	7	5	6	4	3	5	10	10
Female.....	140	23	18	9	14	9	8	5	6	5	12	17	14
Black, both sexes.....	35	6	5	4	5	2	5	-	-	3	-	-	5
Male.....	17	3	1	2	3	2	3	-	-	-	-	-	3
Female.....	18	3	4	2	2	-	2	-	-	3	-	-	2
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	1	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	1	-	-	-	-	1	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	1	-	-	-	-	1	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to Escherichia coli (J15.5)													
All races, both sexes.....	23	2	2	1	-	1	5	2	3	2	2	3	-
Male.....	14	2	-	1	-	1	3	2	2	1	1	1	-
Female.....	9	-	2	-	-	-	2	-	1	1	1	2	-
White, both sexes.....	20	2	2	-	-	1	4	2	3	1	2	3	-
Male.....	12	2	-	-	-	1	2	2	2	1	1	1	-
Female.....	8	-	2	-	-	-	2	-	1	-	1	2	-
Black, both sexes.....	3	-	-	1	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to other aerobic Gram-negative bacteria (J15.6)													
All races, both sexes.....	24	4	2	3	4	1	2	-	1	1	2	1	3
Male.....	12	2	2	2	2	-	1	-	-	-	-	1	2
Female.....	12	2	-	1	2	1	1	-	1	1	2	-	1
White, both sexes.....	19	4	1	3	3	-	2	-	1	1	-	1	3
Male.....	11	2	1	2	2	-	1	-	-	-	-	1	2
Female.....	8	2	-	1	1	-	1	-	1	1	-	-	1
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia, organism unspecified (J18)													
All races, both sexes.....	53,929	8,131	5,256	5,138	4,393	3,908	3,734	3,529	3,414	3,488	4,027	4,017	4,894
Male.....	24,108	3,432	2,342	2,358	1,921	1,773	1,698	1,637	1,512	1,600	1,810	1,848	2,177
Female.....	29,821	4,699	2,914	2,780	2,472	2,135	2,036	1,892	1,902	1,888	2,217	2,169	2,717
White, both sexes.....	47,457	7,302	4,628	4,571	3,858	3,419	3,275	3,085	2,969	3,039	3,525	3,499	4,287
Male.....	20,987	3,063	2,023	2,070	1,657	1,537	1,473	1,434	1,300	1,374	1,574	1,591	1,891
Female.....	26,470	4,239	2,605	2,501	2,201	1,882	1,802	1,651	1,669	1,665	1,951	1,908	2,396
Black, both sexes.....	5,099	633	505	428	419	406	365	349	339	374	400	412	469
Male.....	2,467	289	257	220	209	193	178	159	162	188	190	206	216
Female.....	2,632	344	248	208	210	213	187	190	177	186	210	206	253
American Indian 1/, both sexes.....	241	34	24	22	27	8	18	12	18	13	19	20	26
Male.....	119	13	9	11	16	6	11	6	12	6	9	8	12
Female.....	122	21	15	11	11	2	7	6	6	7	10	12	14
Asian or Pacific Islander 2/, both sexes.....	1,132	162	99	117	89	75	76	83	88	62	83	86	112
Male.....	535	67	53	57	39	37	36	38	38	32	37	43	58
Female.....	597	95	46	60	50	38	40	45	50	30	46	43	54
Bronchopneumonia, unspecified (J18.0)													
All races, both sexes.....	1,350	204	133	132	91	105	92	79	79	85	102	117	131
Male.....	667	97	67	61	49	46	55	41	34	52	55	46	64
Female.....	683	107	66	71	42	59	37	38	45	33	47	71	67
White, both sexes.....	1,097	175	104	109	75	83	72	62	66	73	83	95	100
Male.....	519	82	46	46	39	35	45	32	27	43	43	33	48
Female.....	578	93	58	63	36	48	27	30	39	30	40	62	52
Black, both sexes.....	225	25	28	17	14	21	18	15	11	12	16	20	28
Male.....	132	13	20	12	9	10	8	9	6	9	9	12	15
Female.....	93	12	8	5	5	11	10	6	5	3	7	8	13
American Indian 1/, both sexes.....	5	-	1	1	-	-	1	-	-	-	1	1	-
Male.....	5	-	1	1	-	-	1	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	4	-	5	2	1	1	2	2	-	2	1	3
Male.....	11	2	-	2	1	1	1	-	1	-	2	-	1
Female.....	12	2	-	3	1	-	-	2	1	-	-	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other pneumonia, organism unspecified (J18.8)													
All races, both sexes.....	31	6	2	3	-	3	3	3	3	3	2	2	1
Male.....	16	4	1	-	-	1	2	2	2	2	-	2	-
Female.....	15	2	1	3	-	2	1	1	1	1	2	-	1
White, both sexes.....	24	5	2	3	-	2	3	3	2	2	-	1	1
Male.....	11	3	1	-	-	-	2	2	1	1	-	1	-
Female.....	13	2	1	3	-	2	1	1	1	1	-	-	1
Black, both sexes.....	7	1	-	-	-	1	-	-	1	1	2	1	-
Male.....	5	1	-	-	-	1	-	-	1	1	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia, unspecified (J18.9)													
All races, both sexes.....	50,932	7,694	4,969	4,841	4,161	3,667	3,540	3,334	3,244	3,298	3,812	3,765	4,607
Male.....	22,622	3,230	2,194	2,215	1,792	1,665	1,591	1,532	1,443	1,495	1,709	1,729	2,027
Female.....	28,310	4,464	2,775	2,626	2,369	2,002	1,949	1,802	1,801	1,803	2,103	2,036	2,580
White, both sexes.....	45,033	6,935	4,389	4,330	3,683	3,222	3,120	2,929	2,830	2,886	3,352	3,296	4,061
Male.....	19,826	2,898	1,908	1,957	1,565	1,451	1,386	1,349	1,248	1,293	1,496	1,502	1,773
Female.....	25,207	4,037	2,481	2,373	2,118	1,771	1,734	1,580	1,582	1,593	1,856	1,794	2,288
Black, both sexes.....	4,621	578	461	388	376	364	333	317	315	340	367	368	414
Male.....	2,193	258	226	196	181	172	163	143	149	167	173	178	187
Female.....	2,428	320	235	192	195	192	170	174	166	173	194	190	227
American Indian 1/, both sexes.....	230	32	23	20	26	8	17	12	17	13	18	18	26
Male.....	110	12	8	10	15	6	10	6	11	6	8	6	12
Female.....	120	20	15	10	11	2	7	6	6	7	10	12	14
Asian or Pacific Islander 2/, both sexes.....	1,048	149	96	103	76	73	70	76	82	59	75	83	106
Male.....	493	62	52	52	31	36	32	34	35	29	32	43	55
Female.....	555	87	44	51	45	37	38	42	47	30	43	40	51

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic sphenoidal sinusitis (J32.3)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic pansinusitis (J32.4)													
All races, both sexes.....	3	-	-	-	-	-	-	2	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of upper respiratory tract, unspecified (J39.9)													
All races, both sexes.....	3	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, not specified as acute or chronic (J40)													
All races, both sexes.....	411	51	40	50	46	25	28	23	14	27	30	33	44
Male.....	182	22	14	26	24	10	19	7	6	12	9	12	21
Female.....	229	29	26	24	22	15	9	16	8	15	21	21	23
White, both sexes.....	378	46	38	49	43	23	27	21	14	27	21	29	40
Male.....	164	18	13	25	22	9	18	6	6	12	6	11	18
Female.....	214	28	25	24	21	14	9	15	8	15	15	18	22
Black, both sexes.....	26	5	1	1	1	2	1	2	-	-	7	3	3
Male.....	15	4	-	1	1	1	1	1	-	-	2	1	3
Female.....	11	1	1	-	-	1	-	1	-	-	5	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	2	-	-	-	-	-	2	1	-
Male.....	3	-	1	-	1	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified chronic bronchitis (J42)													
All races, both sexes.....	356	39	33	35	26	34	23	25	29	23	28	27	34
Male.....	155	17	18	16	13	11	9	11	12	10	15	14	9
Female.....	201	22	15	19	13	23	14	14	17	13	13	13	25
White, both sexes.....	308	36	27	31	19	28	20	23	25	21	24	23	31
Male.....	130	15	14	13	10	9	8	10	11	9	12	11	8
Female.....	178	21	13	18	9	19	12	13	14	12	12	12	23
Black, both sexes.....	38	2	6	3	6	4	2	2	4	2	3	2	2
Male.....	20	1	4	2	3	2	1	1	1	1	3	1	-
Female.....	18	1	2	1	3	2	1	1	3	1	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	1	1	1	1	-	-	-	1	2	1
Male.....	5	1	-	1	-	-	-	-	-	-	-	2	1
Female.....	4	-	-	-	1	1	1	-	-	-	1	-	-
Emphysema (J43)													
All races, both sexes.....	13,639	1,640	1,246	1,306	1,185	1,197	1,020	979	958	957	989	1,009	1,153
Male.....	7,075	828	651	682	586	638	506	511	529	505	520	542	577
Female.....	6,564	812	595	624	599	559	514	468	429	452	469	467	576
White, both sexes.....	12,757	1,527	1,162	1,227	1,104	1,108	961	913	896	900	940	945	1,074
Male.....	6,511	761	596	626	525	580	467	471	491	473	495	502	524
Female.....	6,246	766	566	601	579	528	494	442	405	427	445	443	550
Black, both sexes.....	719	101	68	65	66	67	54	51	48	46	40	52	61
Male.....	460	60	44	43	48	45	36	29	30	25	23	36	41
Female.....	259	41	24	22	18	22	18	22	18	21	17	16	20
American Indian 1/, both sexes.....	46	4	3	3	2	7	1	8	4	5	2	4	3
Male.....	24	1	1	3	2	4	-	5	1	3	-	2	2
Female.....	22	3	2	-	-	3	1	3	3	2	2	2	1
Asian or Pacific Islander 2/, both sexes.....	117	8	13	11	13	15	4	7	10	6	7	8	15
Male.....	80	6	10	10	11	9	3	6	7	4	2	2	10
Female.....	37	2	3	1	2	6	1	1	3	2	5	6	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Emphysema, unspecified (J43.9)													
All races, both sexes.....	13,613	1,637	1,244	1,305	1,181	1,195	1,019	975	956	955	989	1,007	1,150
Male.....	7,055	826	649	681	583	636	506	508	527	503	520	540	576
Female.....	6,558	811	595	624	598	559	513	467	429	452	469	467	574
White, both sexes.....	12,733	1,524	1,160	1,226	1,101	1,106	960	909	895	898	940	943	1,071
Male.....	6,493	759	594	625	523	578	467	468	490	471	495	500	523
Female.....	6,240	765	566	601	578	528	493	441	405	427	445	443	548
Black, both sexes.....	717	101	68	65	65	67	54	51	47	46	40	52	61
Male.....	458	60	44	43	47	45	36	29	29	25	23	36	41
Female.....	259	41	24	22	18	22	18	22	18	21	17	16	20
American Indian 1/, both sexes.....	46	4	3	3	2	7	1	8	4	5	2	4	3
Male.....	24	1	1	3	2	4	-	5	1	3	-	2	2
Female.....	22	3	2	-	-	3	1	3	3	2	2	2	1
Asian or Pacific Islander 2/, both sexes.....	117	8	13	11	13	15	4	7	10	6	7	8	15
Male.....	80	6	10	10	11	9	3	6	7	4	2	2	10
Female.....	37	2	3	1	2	6	1	1	3	2	5	6	5
Other chronic obstructive pulmonary disease (J44)													
All races, both sexes.....	102,801	12,107	9,364	9,730	8,912	8,409	7,665	7,415	7,210	7,189	7,794	7,876	9,130
Male.....	49,576	5,751	4,461	4,663	4,297	4,052	3,740	3,605	3,544	3,523	3,721	3,840	4,379
Female.....	53,225	6,356	4,903	5,067	4,615	4,357	3,925	3,810	3,666	3,666	4,073	4,036	4,751
White, both sexes.....	95,909	11,320	8,731	9,127	8,356	7,788	7,150	6,908	6,721	6,728	7,256	7,322	8,502
Male.....	45,711	5,308	4,120	4,306	3,999	3,707	3,450	3,308	3,253	3,248	3,436	3,534	4,042
Female.....	50,198	6,012	4,611	4,821	4,357	4,081	3,700	3,600	3,468	3,480	3,820	3,788	4,460
Black, both sexes.....	5,579	634	496	484	448	489	425	410	407	374	446	460	506
Male.....	3,088	344	259	286	237	273	238	246	240	221	227	252	265
Female.....	2,491	290	237	198	211	216	187	164	167	153	219	208	241
American Indian 1/, both sexes.....	416	41	34	42	30	45	25	36	25	38	25	37	38
Male.....	201	23	16	19	16	22	10	12	13	24	11	18	17
Female.....	215	18	18	23	14	23	15	24	12	14	14	19	21
Asian or Pacific Islander 2/, both sexes.....	897	112	103	77	78	87	65	61	57	49	67	57	84
Male.....	576	76	66	52	45	50	42	39	38	30	47	36	55
Female.....	321	36	37	25	33	37	23	22	19	19	20	21	29

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified chronic obstructive pulmonary disease (J44.8)													
All races, both sexes.....	3,374	409	308	345	303	268	256	237	211	213	259	255	310
Male.....	1,630	211	142	173	142	115	128	109	108	98	130	126	148
Female.....	1,744	198	166	172	161	153	128	128	103	115	129	129	162
White, both sexes.....	3,075	373	275	314	275	245	236	217	191	195	236	233	285
Male.....	1,464	191	123	158	127	103	116	95	97	85	117	112	140
Female.....	1,611	182	152	156	148	142	120	122	94	110	119	121	145
Black, both sexes.....	232	29	23	23	25	16	15	17	15	15	18	17	19
Male.....	128	15	14	12	12	9	8	13	7	11	9	11	7
Female.....	104	14	9	11	13	7	7	4	8	4	9	6	12
American Indian 1/, both sexes.....	23	2	5	6	-	1	-	1	3	1	-	2	2
Male.....	9	2	1	2	-	-	-	-	2	1	-	1	-
Female.....	14	-	4	4	-	1	-	1	1	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	44	5	5	2	3	6	5	2	2	2	5	3	4
Male.....	29	3	4	1	3	3	4	1	2	1	4	2	1
Female.....	15	2	1	1	-	3	1	1	-	1	1	1	3
Chronic obstructive pulmonary disease, unspecified (J44.9)													
All races, both sexes.....	99,174	11,653	9,024	9,369	8,584	8,126	7,396	7,165	6,989	6,963	7,511	7,600	8,794
Male.....	47,833	5,516	4,304	4,484	4,144	3,934	3,605	3,488	3,432	3,421	3,581	3,704	4,220
Female.....	51,341	6,137	4,720	4,885	4,440	4,192	3,791	3,677	3,557	3,542	3,930	3,896	4,574
White, both sexes.....	92,592	10,905	8,425	8,799	8,056	7,528	6,901	6,679	6,520	6,520	6,997	7,069	8,193
Male.....	44,139	5,095	3,982	4,143	3,861	3,601	3,327	3,206	3,152	3,159	3,309	3,413	3,891
Female.....	48,453	5,810	4,443	4,656	4,195	3,927	3,574	3,473	3,368	3,361	3,688	3,656	4,302
Black, both sexes.....	5,341	605	472	460	423	473	410	392	392	359	427	443	485
Male.....	2,958	329	245	273	225	264	230	232	233	210	218	241	258
Female.....	2,383	276	227	187	198	209	180	160	159	149	209	202	227
American Indian 1/, both sexes.....	390	38	29	35	30	44	25	35	22	37	25	34	36
Male.....	190	20	15	17	16	22	10	12	11	23	11	16	17
Female.....	200	18	14	18	14	22	15	23	11	14	14	18	19
Asian or Pacific Islander 2/, both sexes.....	851	105	98	75	75	81	60	59	55	47	62	54	80
Male.....	546	72	62	51	42	47	38	38	36	29	43	34	54
Female.....	305	33	36	24	33	34	22	21	19	18	19	20	26

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonallergic asthma (J45.1)													
All races, both sexes.....	6	-	-	-	-	-	4	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	3	1	-	-	-	-	-
White, both sexes.....	6	-	-	-	-	-	4	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	3	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma, unspecified (J45.9)													
All races, both sexes.....	3,352	351	307	314	272	279	265	233	246	220	258	272	335
Male.....	1,158	123	105	116	92	98	92	85	81	68	103	82	113
Female.....	2,194	228	202	198	180	181	173	148	165	152	155	190	222
White, both sexes.....	2,405	255	231	227	195	203	186	162	171	153	179	209	234
Male.....	744	76	70	82	61	64	51	53	46	51	65	54	71
Female.....	1,661	179	161	145	134	139	135	109	125	102	114	155	163
Black, both sexes.....	819	74	68	75	59	68	70	63	64	60	68	57	93
Male.....	348	36	32	27	22	30	35	29	32	16	30	24	35
Female.....	471	38	36	48	37	38	35	34	32	44	38	33	58
American Indian 1/, both sexes.....	14	1	2	2	1	3	3	-	-	1	-	-	1
Male.....	7	-	1	1	-	1	3	-	-	-	-	-	1
Female.....	7	1	1	1	1	2	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	114	21	6	10	17	5	6	8	11	6	11	6	7
Male.....	59	11	2	6	9	3	3	3	3	1	8	4	6
Female.....	55	10	4	4	8	2	3	5	8	5	3	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Status asthmaticus (J46)													
All races, both sexes.....	293	33	24	26	21	23	28	23	27	16	27	16	29
Male.....	126	14	6	9	8	11	10	10	15	10	16	7	10
Female.....	167	19	18	17	13	12	18	13	12	6	11	9	19
White, both sexes.....	174	24	16	16	15	10	11	13	16	6	15	13	19
Male.....	65	9	3	3	4	4	6	5	9	2	9	5	6
Female.....	109	15	13	13	11	6	5	8	7	4	6	8	13
Black, both sexes.....	106	8	7	9	5	12	15	8	11	9	10	3	9
Male.....	52	4	2	5	3	7	3	4	6	7	5	2	4
Female.....	54	4	5	4	2	5	12	4	5	2	5	1	5
American Indian 1/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	1	1	1	-	1	2	-	1	2	-	1
Male.....	9	1	1	1	1	-	1	1	-	1	2	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Bronchiectasis (J47)													
All races, both sexes.....	958	119	84	85	79	76	89	63	75	75	66	64	83
Male.....	271	22	22	23	21	30	34	21	23	18	15	18	24
Female.....	687	97	62	62	58	46	55	42	52	57	51	46	59
White, both sexes.....	899	110	82	79	76	71	82	62	70	70	62	58	77
Male.....	254	19	22	19	21	30	31	21	21	18	15	17	20
Female.....	645	91	60	60	55	41	51	41	49	52	47	41	57
Black, both sexes.....	29	6	1	3	1	3	2	-	2	3	3	2	3
Male.....	8	3	-	2	-	-	1	-	-	-	-	-	2
Female.....	21	3	1	1	1	3	1	-	2	3	3	2	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	3	1	3	2	2	4	1	3	1	1	3	3
Male.....	7	-	-	2	-	-	1	-	2	-	-	-	2
Female.....	20	3	1	1	2	2	3	1	1	1	1	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonitis due to solids and liquids (J69)													
All races, both sexes.....	16,780	1,948	1,604	1,567	1,410	1,283	1,189	1,173	1,249	1,243	1,358	1,337	1,419
Male.....	8,593	1,004	821	788	715	662	627	606	625	624	680	713	728
Female.....	8,187	944	783	779	695	621	562	567	624	619	678	624	691
White, both sexes.....	14,968	1,778	1,419	1,375	1,258	1,141	1,065	1,036	1,093	1,108	1,230	1,203	1,262
Male.....	7,644	912	725	691	636	588	558	530	552	553	611	639	649
Female.....	7,324	866	694	684	622	553	507	506	541	555	619	564	613
Black, both sexes.....	1,495	141	155	161	130	115	102	113	135	108	110	103	122
Male.....	766	74	80	78	68	58	56	61	65	55	59	55	57
Female.....	729	67	75	83	62	57	46	52	70	53	51	48	65
American Indian 1/, both sexes.....	64	3	6	5	6	4	5	6	7	6	3	4	9
Male.....	31	2	3	2	4	-	3	5	2	4	1	2	3
Female.....	33	1	3	3	2	4	2	1	5	2	2	2	6
Asian or Pacific Islander 2/, both sexes.....	253	26	24	26	16	23	17	18	14	21	15	27	26
Male.....	152	16	13	17	7	16	10	10	6	12	9	17	19
Female.....	101	10	11	9	9	7	7	8	8	9	6	10	7
Pneumonitis due to food and vomit (J69.0)													
All races, both sexes.....	16,777	1,948	1,604	1,567	1,410	1,283	1,188	1,173	1,248	1,243	1,357	1,337	1,419
Male.....	8,591	1,004	821	788	715	662	627	606	624	624	679	713	728
Female.....	8,186	944	783	779	695	621	561	567	624	619	678	624	691
White, both sexes.....	14,966	1,778	1,419	1,375	1,258	1,141	1,064	1,036	1,092	1,108	1,230	1,203	1,262
Male.....	7,643	912	725	691	636	588	558	530	551	553	611	639	649
Female.....	7,323	866	694	684	622	553	506	506	541	555	619	564	613
Black, both sexes.....	1,494	141	155	161	130	115	102	113	135	108	109	103	122
Male.....	765	74	80	78	68	58	56	61	65	55	58	55	57
Female.....	729	67	75	83	62	57	46	52	70	53	51	48	65
American Indian 1/, both sexes.....	64	3	6	5	6	4	5	6	7	6	3	4	9
Male.....	31	2	3	2	4	-	3	5	2	4	1	2	3
Female.....	33	1	3	3	2	4	2	1	5	2	2	2	6
Asian or Pacific Islander 2/, both sexes.....	253	26	24	26	16	23	17	18	14	21	15	27	26
Male.....	152	16	13	17	7	16	10	10	6	12	9	17	19
Female.....	101	10	11	9	9	7	7	8	8	9	6	10	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Adult respiratory distress syndrome (J80)													
All races, both sexes.....	1,736	179	158	184	139	131	122	132	132	132	158	136	133
Male.....	833	80	74	90	70	72	61	68	60	58	60	69	71
Female.....	903	99	84	94	69	59	61	64	72	74	98	67	62
White, both sexes.....	1,439	147	133	154	112	108	96	114	112	111	120	119	113
Male.....	690	66	65	73	54	61	44	57	50	49	48	62	61
Female.....	749	81	68	81	58	47	52	57	62	62	72	57	52
Black, both sexes.....	243	28	22	22	20	19	22	16	16	15	30	14	19
Male.....	118	13	7	11	13	8	16	11	7	7	12	4	9
Female.....	125	15	15	11	7	11	6	5	9	8	18	10	10
American Indian 1/, both sexes.....	11	1	-	2	2	1	1	1	1	1	1	-	-
Male.....	4	-	-	1	-	-	-	-	1	1	-	-	-
Female.....	7	1	-	1	2	1	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	43	3	3	6	5	3	3	1	3	5	7	3	1
Male.....	21	1	2	5	3	3	-	-	2	1	-	3	1
Female.....	22	2	1	1	2	-	3	1	1	4	7	-	-
Pulmonary edema (J81)													
All races, both sexes.....	594	64	61	51	44	49	39	54	50	42	43	43	54
Male.....	262	25	31	27	15	24	14	26	20	16	19	22	23
Female.....	332	39	30	24	29	25	25	28	30	26	24	21	31
White, both sexes.....	502	50	53	43	41	42	29	45	46	34	37	36	46
Male.....	215	17	28	23	14	20	10	20	18	13	17	17	18
Female.....	287	33	25	20	27	22	19	25	28	21	20	19	28
Black, both sexes.....	85	11	7	8	3	7	10	9	4	7	5	6	8
Male.....	43	5	2	4	1	4	4	6	2	3	2	5	5
Female.....	42	6	5	4	2	3	6	3	2	4	3	1	3
American Indian 1/, both sexes.....	3	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	-	-	-	-	-	-	1	-	1	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary eosinophilia, not elsewhere classified (J82)													
All races, both sexes.....	178	25	17	19	15	22	7	14	13	9	9	15	13
Male.....	94	14	9	8	9	12	4	8	6	7	4	5	8
Female.....	84	11	8	11	6	10	3	6	7	2	5	10	5
White, both sexes.....	154	22	16	15	15	19	6	13	11	8	6	11	12
Male.....	81	11	9	7	9	11	3	7	5	6	2	3	8
Female.....	73	11	7	8	6	8	3	6	6	2	4	8	4
Black, both sexes.....	19	3	1	4	-	1	1	1	2	1	3	1	1
Male.....	12	3	-	1	-	1	1	1	1	1	2	1	-
Female.....	7	-	1	3	-	-	-	-	1	-	1	-	1
American Indian 1/, both sexes.....	3	-	-	-	-	2	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	2	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Other interstitial pulmonary diseases (J84)													
All races, both sexes.....	14,975	1,583	1,296	1,389	1,248	1,156	1,138	1,173	1,135	1,149	1,237	1,216	1,255
Male.....	7,704	813	662	721	661	627	570	582	609	584	613	608	654
Female.....	7,271	770	634	668	587	529	568	591	526	565	624	608	601
White, both sexes.....	13,653	1,441	1,175	1,266	1,145	1,052	1,034	1,070	1,034	1,065	1,129	1,113	1,129
Male.....	7,087	748	603	661	609	580	524	542	564	540	563	561	592
Female.....	6,566	693	572	605	536	472	510	528	470	525	566	552	537
Black, both sexes.....	911	94	83	84	68	79	73	75	71	61	72	64	87
Male.....	413	50	38	40	33	33	31	26	32	28	32	28	42
Female.....	498	44	45	44	35	46	42	49	39	33	40	36	45
American Indian 1/, both sexes.....	117	13	10	18	7	7	9	8	9	5	6	12	13
Male.....	57	3	6	7	3	3	5	5	4	4	4	6	7
Female.....	60	10	4	11	4	4	4	3	5	1	2	6	6
Asian or Pacific Islander 2/, both sexes.....	294	35	28	21	28	18	22	20	21	18	30	27	26
Male.....	147	12	15	13	16	11	10	9	9	12	14	13	13
Female.....	147	23	13	8	12	7	12	11	12	6	16	14	13

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alveolar and parietoalveolar conditions (J84.0)													
All races, both sexes.....	164	13	15	22	18	13	17	10	13	9	4	12	18
Male.....	94	11	11	10	8	8	11	7	7	5	1	6	9
Female.....	70	2	4	12	10	5	6	3	6	4	3	6	9
White, both sexes.....	137	12	14	17	17	13	14	9	10	8	3	8	12
Male.....	77	10	10	8	8	8	8	7	6	5	-	3	4
Female.....	60	2	4	9	9	5	6	2	4	3	3	5	8
Black, both sexes.....	16	-	1	4	-	-	2	-	1	1	1	3	3
Male.....	13	-	1	2	-	-	2	-	1	-	1	3	3
Female.....	3	-	-	2	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	5	1	-	1	-	-	1	-	1	-	-	-	1
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	-	1	1	-	-	1	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	4	-	-	-	1	-	-	1	1	-	-	1	-
Other interstitial pulmonary diseases with fibrosis (J84.1)													
All races, both sexes.....	12,375	1,333	1,068	1,155	1,011	962	946	960	928	947	1,030	1,017	1,018
Male.....	6,418	689	539	598	533	535	476	487	501	494	521	514	531
Female.....	5,957	644	529	557	478	427	470	473	427	453	509	503	487
White, both sexes.....	11,392	1,227	980	1,056	935	883	871	878	856	884	953	937	932
Male.....	5,954	643	498	552	493	497	442	451	472	459	485	476	486
Female.....	5,438	584	482	504	442	386	429	427	384	425	468	461	446
Black, both sexes.....	659	67	58	66	47	60	51	60	49	42	50	48	61
Male.....	303	35	27	30	23	28	24	24	19	20	22	21	30
Female.....	356	32	31	36	24	32	27	36	30	22	28	27	31
American Indian 1/, both sexes.....	89	9	7	13	5	6	6	4	7	5	6	12	9
Male.....	41	2	3	4	2	3	2	3	3	4	4	6	5
Female.....	48	7	4	9	3	3	4	1	4	1	2	6	4
Asian or Pacific Islander 2/, both sexes.....	235	30	23	20	24	13	18	18	16	16	21	20	16
Male.....	120	9	11	12	15	7	8	9	7	11	10	11	10
Female.....	115	21	12	8	9	6	10	9	9	5	11	9	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified interstitial pulmonary diseases (J84.8)													
All races, both sexes.....	39	3	6	2	4	3	2	2	1	6	5	1	4
Male.....	16	1	5	1	1	-	-	1	1	2	3	1	-
Female.....	23	2	1	1	3	3	2	1	-	4	2	-	4
White, both sexes.....	36	3	5	2	3	3	2	2	1	6	4	1	4
Male.....	14	1	4	1	1	-	-	1	1	2	2	1	-
Female.....	22	2	1	1	2	3	2	1	-	4	2	-	4
Black, both sexes.....	3	-	1	-	1	-	-	-	-	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Interstitial pulmonary disease, unspecified (J84.9)													
All races, both sexes.....	2,397	234	207	210	215	178	173	201	193	187	198	186	215
Male.....	1,176	112	107	112	119	84	83	87	100	83	88	87	114
Female.....	1,221	122	100	98	96	94	90	114	93	104	110	99	101
White, both sexes.....	2,088	199	176	191	190	153	147	181	167	167	169	167	181
Male.....	1,042	94	91	100	107	75	74	83	85	74	76	81	102
Female.....	1,046	105	85	91	83	78	73	98	82	93	93	86	79
Black, both sexes.....	233	27	23	14	20	19	20	15	21	18	20	13	23
Male.....	95	15	9	8	10	5	5	2	12	8	8	4	9
Female.....	138	12	14	6	10	14	15	13	9	10	12	9	14
American Indian 1/, both sexes.....	23	3	3	4	2	1	2	4	1	-	-	-	3
Male.....	14	-	3	3	1	-	2	2	1	-	-	-	2
Female.....	9	3	-	1	1	1	-	2	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	53	5	5	1	3	5	4	1	4	2	9	6	8
Male.....	25	3	4	1	1	4	2	-	2	1	4	2	1
Female.....	28	2	1	-	2	1	2	1	2	1	5	4	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abscess of mediastinum (J85.3)													
All races, both sexes.....	4	-	-	2	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	1	1	-	-
White, both sexes.....	4	-	-	2	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyothorax (J86)													
All races, both sexes.....	367	37	42	29	35	32	21	26	31	27	36	22	29
Male.....	237	23	25	19	27	18	13	15	20	22	22	13	20
Female.....	130	14	17	10	8	14	8	11	11	5	14	9	9
White, both sexes.....	309	30	34	24	33	31	20	20	26	24	29	16	22
Male.....	199	18	21	15	25	18	12	12	18	20	15	10	15
Female.....	110	12	13	9	8	13	8	8	8	4	14	6	7
Black, both sexes.....	43	5	6	4	2	-	1	6	4	1	6	3	5
Male.....	30	4	3	3	2	-	1	3	2	1	6	1	4
Female.....	13	1	3	1	-	-	-	3	2	-	-	2	1
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	-	-	1	-	2	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	2	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	2	2	1	-	-	-	-	1	1	1	1	2
Male.....	5	1	1	1	-	-	-	-	-	-	1	-	1
Female.....	6	1	1	-	-	-	-	-	1	1	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pyothorax with fistula (J86.0)													
All races, both sexes.....	68	4	12	9	4	7	4	5	8	1	6	6	2
Male.....	42	1	6	5	3	5	3	2	6	1	5	3	2
Female.....	26	3	6	4	1	2	1	3	2	-	1	3	-
White, both sexes.....	55	2	8	7	4	7	3	5	8	1	6	3	1
Male.....	35	-	4	4	3	5	2	2	6	1	5	2	1
Female.....	20	2	4	3	1	2	1	3	2	-	1	1	-
Black, both sexes.....	11	2	3	2	-	-	1	-	-	-	-	2	1
Male.....	6	1	1	1	-	-	1	-	-	-	-	1	1
Female.....	5	1	2	1	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Pyothorax without fistula (J86.9)													
All races, both sexes.....	299	33	30	20	31	25	17	21	23	26	30	16	27
Male.....	195	22	19	14	24	13	10	13	14	21	17	10	18
Female.....	104	11	11	6	7	12	7	8	9	5	13	6	9
White, both sexes.....	254	28	26	17	29	24	17	15	18	23	23	13	21
Male.....	164	18	17	11	22	13	10	10	12	19	10	8	14
Female.....	90	10	9	6	7	11	7	5	6	4	13	5	7
Black, both sexes.....	32	3	3	2	2	-	-	6	4	1	6	1	4
Male.....	24	3	2	2	2	-	-	3	2	1	6	-	3
Female.....	8	-	1	-	-	-	-	3	2	-	-	1	1
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	-	-	1	-	2	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	2	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	2	1	1	-	-	-	-	1	1	1	-	2
Male.....	4	1	-	1	-	-	-	-	-	-	1	-	1
Female.....	5	1	1	-	-	-	-	-	1	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumothorax, unspecified (J93.9)													
All races, both sexes.....	226	28	15	19	20	18	17	19	15	22	20	16	17
Male.....	105	14	5	7	10	10	11	11	5	7	9	11	5
Female.....	121	14	10	12	10	8	6	8	10	15	11	5	12
White, both sexes.....	186	24	13	14	19	16	12	17	13	19	13	14	12
Male.....	83	10	5	6	10	8	7	9	4	6	5	9	4
Female.....	103	14	8	8	9	8	5	8	9	13	8	5	8
Black, both sexes.....	36	4	2	5	1	2	2	2	2	2	7	2	5
Male.....	19	4	-	1	-	2	2	2	1	-	4	2	1
Female.....	17	-	2	4	1	-	-	-	1	2	3	-	4
American Indian 1/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other pleural conditions (J94)													
All races, both sexes.....	115	12	13	9	10	14	8	13	7	10	5	7	7
Male.....	69	7	4	5	7	8	6	9	5	7	2	5	4
Female.....	46	5	9	4	3	6	2	4	2	3	3	2	3
White, both sexes.....	100	11	11	8	7	12	7	10	6	9	5	7	7
Male.....	60	6	4	4	4	8	5	7	5	6	2	5	4
Female.....	40	5	7	4	3	4	2	3	1	3	3	2	3
Black, both sexes.....	11	1	1	1	2	2	1	2	-	1	-	-	-
Male.....	7	1	-	1	2	-	1	1	-	1	-	-	-
Female.....	4	-	1	-	-	2	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pleural condition, unspecified (J94.9)													
All races, both sexes.....	8	1	-	-	-	2	-	2	1	1	-	-	1
Male.....	7	-	-	-	-	2	-	2	1	1	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	8	1	-	-	-	2	-	2	1	1	-	-	1
Male.....	7	-	-	-	-	2	-	2	1	1	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory failure, not elsewhere classified (J96)													
All races, both sexes.....	3,397	384	285	305	259	264	255	245	277	262	251	293	317
Male.....	1,439	156	109	127	115	125	110	109	120	109	101	131	127
Female.....	1,958	228	176	178	144	139	145	136	157	153	150	162	190
White, both sexes.....	2,936	335	251	275	235	220	222	209	238	219	209	247	276
Male.....	1,221	130	94	111	104	105	95	92	100	91	81	109	109
Female.....	1,715	205	157	164	131	115	127	117	138	128	128	138	167
Black, both sexes.....	418	47	28	28	22	39	31	32	35	39	36	43	38
Male.....	195	24	11	16	9	19	14	15	16	17	17	21	16
Female.....	223	23	17	12	13	20	17	17	19	22	19	22	22
American Indian 1/, both sexes.....	7	-	-	-	1	-	1	1	-	-	3	-	1
Male.....	4	-	-	-	1	-	1	-	-	-	1	-	1
Female.....	3	-	-	-	-	-	-	1	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	36	2	6	2	1	5	1	3	4	4	3	3	2
Male.....	19	2	4	-	1	1	-	2	4	1	2	1	1
Female.....	17	-	2	2	-	4	1	1	-	3	1	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory failure, unspecified (J96.9)													
All races, both sexes.....	2,807	323	241	254	226	213	203	212	231	212	204	236	252
Male.....	1,182	128	90	107	101	106	85	96	97	90	80	106	96
Female.....	1,625	195	151	147	125	107	118	116	134	122	124	130	156
White, both sexes.....	2,427	283	214	226	206	176	177	184	197	176	170	198	220
Male.....	998	107	78	92	92	88	74	80	80	74	63	87	83
Female.....	1,429	176	136	134	114	88	103	104	117	102	107	111	137
Black, both sexes.....	344	38	21	26	18	32	24	24	30	34	31	36	30
Male.....	165	19	8	15	7	17	10	14	13	15	16	19	12
Female.....	179	19	13	11	11	15	14	10	17	19	15	17	18
American Indian 1/, both sexes.....	5	-	-	-	1	-	1	1	-	-	2	-	-
Male.....	3	-	-	-	1	-	1	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	31	2	6	2	1	5	1	3	4	2	1	2	2
Male.....	16	2	4	-	1	1	-	2	4	1	-	-	1
Female.....	15	-	2	2	-	4	1	1	-	1	1	2	1
Other respiratory disorders (J98)													
All races, both sexes.....	3,705	407	306	349	301	295	297	287	277	262	283	296	345
Male.....	1,703	186	132	158	146	132	137	135	123	116	132	138	168
Female.....	2,002	221	174	191	155	163	160	152	154	146	151	158	177
White, both sexes.....	3,232	358	264	293	261	261	260	249	250	223	252	263	298
Male.....	1,449	157	106	129	126	113	119	115	108	97	116	118	145
Female.....	1,783	201	158	164	135	148	141	134	142	126	136	145	153
Black, both sexes.....	402	44	33	52	33	29	32	28	24	32	28	26	41
Male.....	216	25	22	28	17	16	15	18	14	14	15	14	18
Female.....	186	19	11	24	16	13	17	10	10	18	13	12	23
American Indian 1/, both sexes.....	24	3	1	1	4	2	1	2	-	6	1	2	1
Male.....	15	3	1	-	2	1	-	1	-	4	-	2	1
Female.....	9	-	-	1	2	1	1	1	-	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	47	2	8	3	3	3	4	8	3	1	2	5	5
Male.....	23	1	3	1	1	2	3	1	1	1	1	4	4
Female.....	24	1	5	2	2	1	1	7	2	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diseases of bronchus, not elsewhere classified (J98.0)													
All races, both sexes.....	84	10	9	9	7	9	8	7	4	4	6	6	5
Male.....	39	5	5	5	4	-	4	1	2	2	4	4	3
Female.....	45	5	4	4	3	9	4	6	2	2	2	2	2
White, both sexes.....	65	7	6	8	5	7	7	4	4	4	5	4	4
Male.....	31	4	3	5	3	-	3	-	2	2	4	2	3
Female.....	34	3	3	3	2	7	4	4	2	2	1	2	1
Black, both sexes.....	18	3	3	1	2	2	1	2	-	-	1	2	1
Male.....	8	1	2	-	1	-	1	1	-	-	-	2	-
Female.....	10	2	1	1	1	2	-	1	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Pulmonary collapse (J98.1)													
All races, both sexes.....	145	17	15	18	10	11	14	7	12	10	11	4	16
Male.....	60	10	7	6	3	4	9	4	3	3	4	-	7
Female.....	85	7	8	12	7	7	5	3	9	7	7	4	9
White, both sexes.....	123	14	13	16	8	11	12	6	9	9	9	3	13
Male.....	49	8	5	5	1	4	8	4	2	3	4	-	5
Female.....	74	6	8	11	7	7	4	2	7	6	5	3	8
Black, both sexes.....	15	3	1	1	2	-	1	-	3	1	1	-	2
Male.....	8	2	1	-	2	-	1	-	1	-	-	-	1
Female.....	7	1	-	1	-	-	-	-	2	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	-	1	1	-	-	-	1	1
Male.....	3	-	1	1	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	1	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Interstitial emphysema (J98.2)													
All races, both sexes.....	20	2	-	2	3	-	1	2	1	3	2	1	3
Male.....	9	2	-	1	2	-	-	1	1	-	1	-	1
Female.....	11	-	-	1	1	-	1	1	-	3	1	1	2
White, both sexes.....	15	1	-	2	1	-	1	2	-	2	2	1	3
Male.....	6	1	-	1	1	-	-	1	-	-	1	-	1
Female.....	9	-	-	1	-	-	1	1	-	2	1	1	2
Black, both sexes.....	5	1	-	-	2	-	-	-	1	1	-	-	-
Male.....	3	1	-	-	1	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of lung (J98.4)													
All races, both sexes.....	2,729	288	214	254	234	216	218	224	211	196	210	226	238
Male.....	1,232	131	91	114	116	93	96	100	86	85	100	106	114
Female.....	1,497	157	123	140	118	123	122	124	125	111	110	120	124
White, both sexes.....	2,394	259	186	213	205	194	191	195	191	167	187	201	205
Male.....	1,051	114	74	93	104	81	82	85	76	70	86	90	96
Female.....	1,343	145	112	120	101	113	109	110	115	97	101	111	109
Black, both sexes.....	283	26	22	38	22	19	23	22	18	24	22	19	28
Male.....	153	15	14	21	9	10	11	14	10	12	13	10	14
Female.....	130	11	8	17	13	9	12	8	8	12	9	9	14
American Indian 1/, both sexes.....	19	2	1	1	4	1	1	2	-	4	-	2	1
Male.....	12	2	1	-	2	1	-	1	-	2	-	2	1
Female.....	7	-	-	1	2	-	1	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	1	5	2	3	2	3	5	2	1	1	4	4
Male.....	16	-	2	-	1	1	3	-	-	1	1	4	3
Female.....	17	1	3	2	2	1	-	5	2	-	-	-	1

