

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Shigellosis and amebiasis (A03,A06)													
All races, both sexes.....	10	-	1	2	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	7	-	1	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	10	-	1	2	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	7	-	1	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)													
All races, both sexes.....	5,667	10	12	3	7	2	1	3	8	9	23	33	71
Male.....	2,209	7	4	2	3	2	1	2	4	4	13	18	35
Female.....	3,458	3	8	1	4	-	-	1	4	5	10	15	36
White, both sexes.....	5,271	6	9	2	6	1	1	2	7	8	15	29	56
Male.....	2,044	4	2	1	2	1	1	1	4	3	8	17	26
Female.....	3,227	2	7	1	4	-	-	1	3	5	7	12	30
Black, both sexes.....	324	3	3	1	1	1	-	1	-	1	7	4	13
Male.....	131	2	2	1	1	1	-	1	-	1	4	1	8
Female.....	193	1	1	-	-	-	-	-	-	-	3	3	5
American Indian 1/, both sexes.....	22	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	17	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	50	1	-	-	-	-	-	-	1	-	1	-	-
Male.....	29	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	21	-	-	-	-	-	-	-	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Tuberculosis (A16-A19)													
All races, both sexes.....	648	2	3	-	1	6	12	11	10	21	17	37	42
Male.....	392	2	2	-	-	3	9	6	6	16	14	24	30
Female.....	256	-	1	-	1	3	3	5	4	5	3	13	12
White, both sexes.....	376	2	2	-	1	5	4	6	4	17	8	23	21
Male.....	226	2	2	-	-	2	4	4	3	12	7	16	19
Female.....	150	-	-	-	1	3	-	2	1	5	1	7	2
Black, both sexes.....	153	-	1	-	-	-	6	4	3	4	6	12	12
Male.....	94	-	-	-	-	-	4	1	1	4	5	8	8
Female.....	59	-	1	-	-	-	2	3	2	-	1	4	4
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	1	-	2	-	1
Male.....	11	-	-	-	-	-	-	-	1	-	2	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	104	-	-	-	-	1	2	1	2	-	1	2	8
Male.....	61	-	-	-	-	1	1	1	1	-	-	-	2
Female.....	43	-	-	-	-	-	1	-	1	-	1	2	6
Respiratory tuberculosis (A16)													
All races, both sexes.....	480	2	1	-	-	4	5	5	6	15	13	27	35
Male.....	291	2	1	-	-	1	3	-	3	12	11	18	25
Female.....	189	-	-	-	-	3	2	5	3	3	2	9	10
White, both sexes.....	273	2	1	-	-	4	1	2	2	11	7	14	19
Male.....	160	2	1	-	-	1	1	-	1	8	6	10	17
Female.....	113	-	-	-	-	3	-	2	1	3	1	4	2
Black, both sexes.....	115	-	-	-	-	-	3	3	2	4	6	11	9
Male.....	73	-	-	-	-	-	2	-	1	4	5	8	6
Female.....	42	-	-	-	-	-	1	3	1	-	1	3	3
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	7	-	-	-	-	-	-	-	1	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	83	-	-	-	-	-	1	-	1	-	-	2	6
Male.....	51	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	32	-	-	-	-	-	1	-	1	-	-	2	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Measles (B05)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)													
All races, both sexes.....	5,529	-	-	-	1	5	9	26	35	124	385	949	1,365
Male.....	3,612	-	-	-	1	1	2	17	17	87	262	696	1,001
Female.....	1,917	-	-	-	-	4	7	9	18	37	123	253	364
White, both sexes.....	4,395	-	-	-	-	4	5	19	21	101	320	788	1,107
Male.....	2,934	-	-	-	-	1	1	14	10	73	222	588	821
Female.....	1,461	-	-	-	-	3	4	5	11	28	98	200	286
Black, both sexes.....	872	-	-	-	1	1	2	6	12	16	49	131	224
Male.....	530	-	-	-	1	-	-	2	5	9	30	87	153
Female.....	342	-	-	-	-	1	2	4	7	7	19	44	71
American Indian 1/, both sexes.....	56	-	-	-	-	-	-	-	-	4	6	9	14
Male.....	38	-	-	-	-	-	-	-	-	3	4	8	10
Female.....	18	-	-	-	-	-	-	-	-	1	2	1	4
Asian or Pacific Islander 2/, both sexes.....	206	-	-	-	-	-	2	1	2	3	10	21	20
Male.....	110	-	-	-	-	-	1	1	2	2	6	13	17
Female.....	96	-	-	-	-	-	1	-	-	1	4	8	3

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)													
All races, both sexes.....	7,727	169	63	37	27	42	44	50	80	142	261	533	831
Male.....	4,216	100	40	16	13	22	21	26	54	94	176	361	572
Female.....	3,511	69	23	21	14	20	23	24	26	48	85	172	259
White, both sexes.....	6,427	117	45	26	25	26	29	38	47	102	197	415	686
Male.....	3,519	68	27	9	11	12	14	20	33	71	133	289	487
Female.....	2,908	49	18	17	14	14	15	18	14	31	64	126	199
Black, both sexes.....	976	43	13	9	1	10	12	11	29	33	51	95	114
Male.....	524	27	8	5	1	5	6	5	17	20	35	56	64
Female.....	452	16	5	4	-	5	6	6	12	13	16	39	50
American Indian 1/, both sexes.....	80	4	1	2	-	3	-	-	1	4	6	6	18
Male.....	47	3	1	2	-	2	-	-	1	3	3	4	11
Female.....	33	1	-	-	-	1	-	-	-	1	3	2	7
Asian or Pacific Islander 2/, both sexes.	244	5	4	-	1	3	3	1	3	3	7	17	13
Male.....	126	2	4	-	1	3	1	1	3	-	5	12	10
Female.....	118	3	-	-	-	-	2	-	-	3	2	5	3

Malignant neoplasms (C00-C97)

All races, both sexes.....	559,312	75	377	485	515	731	986	1,337	2,264	4,378	10,188	19,452	30,953
Male.....	290,422	45	217	263	294	442	593	749	1,056	1,842	4,496	9,263	16,140
Female.....	268,890	30	160	222	221	289	393	588	1,208	2,536	5,692	10,189	14,813
White, both sexes.....	482,132	64	293	380	407	590	775	991	1,703	3,376	7,976	15,135	24,582
Male.....	250,478	38	168	201	228	358	468	572	806	1,457	3,615	7,302	12,892
Female.....	231,654	26	125	179	179	232	307	419	897	1,919	4,361	7,833	11,690
Black, both sexes.....	63,165	10	64	82	90	103	161	263	425	779	1,781	3,581	5,320
Male.....	32,726	6	37	47	56	58	97	130	191	285	688	1,640	2,725
Female.....	30,439	4	27	35	34	45	64	133	234	494	1,093	1,941	2,595
American Indian 1/, both sexes.....	2,465	-	4	3	1	10	5	17	12	35	81	137	203
Male.....	1,297	-	3	3	1	7	3	9	7	16	46	62	99
Female.....	1,168	-	1	-	-	3	2	8	5	19	35	75	104
Asian or Pacific Islander 2/, both sexes.	11,550	1	16	20	17	28	45	66	124	188	350	599	848
Male.....	5,921	1	9	12	9	19	25	38	52	84	147	259	424
Female.....	5,629	-	7	8	8	9	20	28	72	104	203	340	424

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)													
All races, both sexes.....	7,773	-	1	-	2	9	15	20	34	73	185	425	698
Male.....	5,273	-	-	-	1	8	8	14	18	53	135	315	559
Female.....	2,500	-	1	-	1	1	7	6	16	20	50	110	139
White, both sexes.....	6,409	-	1	-	2	5	7	9	22	48	139	305	523
Male.....	4,247	-	-	-	1	5	4	7	12	34	96	224	418
Female.....	2,162	-	1	-	1	-	3	2	10	14	43	81	105
Black, both sexes.....	1,080	-	-	-	-	4	6	7	7	16	33	101	151
Male.....	841	-	-	-	-	3	2	5	4	12	29	79	123
Female.....	239	-	-	-	-	1	4	2	3	4	4	22	28
American Indian 1/, both sexes.....	38	-	-	-	-	-	-	-	-	1	1	1	2
Male.....	31	-	-	-	-	-	-	-	-	1	1	1	2
Female.....	7	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	246	-	-	-	-	-	2	4	5	8	12	18	22
Male.....	154	-	-	-	-	-	2	2	2	6	9	11	16
Female.....	92	-	-	-	-	-	-	2	3	2	3	7	6
Malignant neoplasm of esophagus (C15)													
All races, both sexes.....	13,499	-	-	-	1	1	2	11	24	75	241	521	989
Male.....	10,611	-	-	-	-	1	2	7	23	64	199	436	866
Female.....	2,888	-	-	-	1	-	-	4	1	11	42	85	123
White, both sexes.....	11,783	-	-	-	1	1	2	9	22	59	195	416	819
Male.....	9,364	-	-	-	-	1	2	7	21	52	164	362	737
Female.....	2,419	-	-	-	1	-	-	2	1	7	31	54	82
Black, both sexes.....	1,468	-	-	-	-	-	-	2	2	12	39	90	156
Male.....	1,075	-	-	-	-	-	-	-	2	10	29	66	120
Female.....	393	-	-	-	-	-	-	2	-	2	10	24	36
American Indian 1/, both sexes.....	69	-	-	-	-	-	-	-	-	1	3	7	5
Male.....	52	-	-	-	-	-	-	-	-	1	3	3	4
Female.....	17	-	-	-	-	-	-	-	-	-	-	4	1
Asian or Pacific Islander 2/, both sexes.....	179	-	-	-	-	-	-	-	-	3	4	8	9
Male.....	120	-	-	-	-	-	-	-	-	1	3	5	5
Female.....	59	-	-	-	-	-	-	-	-	2	1	3	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of stomach (C16)													
All races, both sexes.....	11,514	-	-	-	-	2	18	30	85	144	304	481	622
Male.....	6,752	-	-	-	-	1	8	15	43	89	177	276	417
Female.....	4,762	-	-	-	-	1	10	15	42	55	127	205	205
White, both sexes.....	8,711	-	-	-	-	1	13	22	47	88	208	323	456
Male.....	5,107	-	-	-	-	1	5	11	30	50	123	183	306
Female.....	3,604	-	-	-	-	-	8	11	17	38	85	140	150
Black, both sexes.....	1,973	-	-	-	-	-	3	4	20	34	67	111	120
Male.....	1,162	-	-	-	-	-	2	3	8	24	44	70	81
Female.....	811	-	-	-	-	-	1	1	12	10	23	41	39
American Indian 1/, both sexes.....	85	-	-	-	-	-	-	-	1	3	5	8	4
Male.....	52	-	-	-	-	-	-	-	1	1	1	5	2
Female.....	33	-	-	-	-	-	-	-	-	2	4	3	2
Asian or Pacific Islander 2/, both sexes.....	745	-	-	-	-	1	2	4	17	19	24	39	42
Male.....	431	-	-	-	-	-	1	1	4	14	9	18	28
Female.....	314	-	-	-	-	1	1	3	13	5	15	21	14
Malignant neoplasms of colon, rectum and anus (C18-C21)													
All races, both sexes.....	53,252	1	-	1	3	13	34	87	218	392	905	1,667	2,676
Male.....	26,843	1	-	1	3	7	20	52	115	217	477	912	1,489
Female.....	26,409	-	-	-	-	6	14	35	103	175	428	755	1,187
White, both sexes.....	44,994	1	-	1	3	8	27	64	164	302	691	1,253	2,032
Male.....	22,782	1	-	1	3	4	16	38	82	175	378	700	1,148
Female.....	22,212	-	-	-	-	4	11	26	82	127	313	553	884
Black, both sexes.....	6,884	-	-	-	-	4	6	17	45	77	167	349	548
Male.....	3,344	-	-	-	-	3	3	11	28	37	79	177	288
Female.....	3,540	-	-	-	-	1	3	6	17	40	88	172	260
American Indian 1/, both sexes.....	240	-	-	-	-	-	-	3	1	4	11	19	24
Male.....	136	-	-	-	-	-	-	1	1	2	6	12	14
Female.....	104	-	-	-	-	-	-	2	-	2	5	7	10
Asian or Pacific Islander 2/, both sexes.....	1,134	-	-	-	-	1	1	3	8	9	36	46	72
Male.....	581	-	-	-	-	-	1	2	4	3	14	23	39
Female.....	553	-	-	-	-	1	-	1	4	6	22	23	33

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	16,076	8	21	8	8	8	22	35	54	101	279	825	1,690
Male.....	10,548	6	13	4	5	6	12	22	41	71	187	656	1,347
Female.....	5,528	2	8	4	3	2	10	13	13	30	92	169	343
White, both sexes.....	12,735	7	19	4	7	7	12	18	28	53	187	600	1,223
Male.....	8,278	6	12	3	5	5	4	12	20	33	122	484	958
Female.....	4,457	1	7	1	2	2	8	6	8	20	65	116	265
Black, both sexes.....	2,118	1	2	3	-	1	6	13	15	31	53	154	334
Male.....	1,483	-	1	1	-	1	5	7	13	24	34	115	282
Female.....	635	1	1	2	-	-	1	6	2	7	19	39	52
American Indian 1/, both sexes.....	119	-	-	-	-	-	-	-	-	1	5	7	17
Male.....	73	-	-	-	-	-	-	-	-	-	3	5	13
Female.....	46	-	-	-	-	-	-	-	-	1	2	2	4
Asian or Pacific Islander 2/, both sexes.....	1,104	-	-	1	1	-	4	4	11	16	34	64	116
Male.....	714	-	-	-	-	-	3	3	8	14	28	52	94
Female.....	390	-	-	1	1	-	1	1	3	2	6	12	22
Malignant neoplasm of pancreas (C25)													
All races, both sexes.....	32,760	-	-	-	2	1	2	21	43	130	435	1,003	1,741
Male.....	16,147	-	-	-	2	-	1	14	25	82	250	575	1,038
Female.....	16,613	-	-	-	-	1	1	7	18	48	185	428	703
White, both sexes.....	28,092	-	-	-	2	1	-	13	34	104	347	804	1,359
Male.....	13,958	-	-	-	2	-	-	9	19	63	206	467	820
Female.....	14,134	-	-	-	-	1	-	4	15	41	141	337	539
Black, both sexes.....	3,783	-	-	-	-	-	1	7	6	20	66	172	315
Male.....	1,756	-	-	-	-	-	1	4	4	13	31	93	182
Female.....	2,027	-	-	-	-	-	-	3	2	7	35	79	133
American Indian 1/, both sexes.....	133	-	-	-	-	-	-	1	1	-	2	5	13
Male.....	73	-	-	-	-	-	-	1	1	-	1	4	4
Female.....	60	-	-	-	-	-	-	-	-	-	1	1	9
Asian or Pacific Islander 2/, both sexes.....	752	-	-	-	-	-	1	-	2	6	20	22	54
Male.....	360	-	-	-	-	-	-	-	1	6	12	11	32
Female.....	392	-	-	-	-	-	1	-	1	-	8	11	22

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of larynx (C32)													
All races, both sexes.....	3,797	-	-	-	-	-	-	1	2	10	54	155	268
Male.....	2,983	-	-	-	-	-	-	1	1	7	40	115	205
Female.....	814	-	-	-	-	-	-	-	1	3	14	40	63
White, both sexes.....	3,060	-	-	-	-	-	-	-	2	6	43	118	190
Male.....	2,388	-	-	-	-	-	-	-	1	3	33	87	149
Female.....	672	-	-	-	-	-	-	-	1	3	10	31	41
Black, both sexes.....	680	-	-	-	-	-	-	1	-	3	10	36	75
Male.....	548	-	-	-	-	-	-	1	-	3	6	27	53
Female.....	132	-	-	-	-	-	-	-	-	-	4	9	22
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	17	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	36	-	-	-	-	-	-	-	-	1	1	1	1
Male.....	30	-	-	-	-	-	-	-	-	1	1	1	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)													
All races, both sexes.....	159,292	-	3	1	-	4	12	39	94	441	1,882	4,596	8,028
Male.....	90,187	-	3	-	-	4	5	19	58	235	962	2,535	4,792
Female.....	69,105	-	-	1	-	-	7	20	36	206	920	2,061	3,236
White, both sexes.....	139,442	-	3	1	-	3	11	29	69	352	1,499	3,617	6,429
Male.....	78,379	-	3	-	-	3	5	14	45	184	759	1,978	3,836
Female.....	61,063	-	-	1	-	-	6	15	24	168	740	1,639	2,593
Black, both sexes.....	16,567	-	-	-	-	1	-	8	11	67	321	857	1,393
Male.....	9,887	-	-	-	-	1	-	4	7	38	166	496	838
Female.....	6,680	-	-	-	-	-	-	4	4	29	155	361	555
American Indian 1/, both sexes.....	674	-	-	-	-	-	-	-	2	3	17	33	45
Male.....	357	-	-	-	-	-	-	-	-	2	12	15	24
Female.....	317	-	-	-	-	-	-	-	2	1	5	18	21
Asian or Pacific Islander 2/, both sexes.....	2,609	-	-	-	-	-	1	2	12	19	45	89	161
Male.....	1,564	-	-	-	-	-	-	1	6	11	25	46	94
Female.....	1,045	-	-	-	-	-	1	1	6	8	20	43	67

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant melanoma of skin (C43)													
All races, both sexes.....	8,345	-	1	1	2	7	33	92	124	180	344	499	698
Male.....	5,283	-	1	-	-	4	19	60	78	94	219	298	450
Female.....	3,062	-	-	1	2	3	14	32	46	86	125	201	248
White, both sexes.....	8,146	-	1	-	2	7	28	91	120	176	330	484	686
Male.....	5,184	-	1	-	-	4	16	59	74	91	208	287	447
Female.....	2,962	-	-	-	2	3	12	32	46	85	122	197	239
Black, both sexes.....	124	-	-	1	-	-	2	1	2	1	9	8	5
Male.....	57	-	-	-	-	-	1	1	2	1	7	6	1
Female.....	67	-	-	1	-	-	1	-	-	-	2	2	4
American Indian 1/, both sexes.....	20	-	-	-	-	-	2	-	-	2	3	1	1
Male.....	15	-	-	-	-	-	2	-	-	1	3	1	1
Female.....	5	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	55	-	-	-	-	-	1	-	2	1	2	6	6
Male.....	27	-	-	-	-	-	-	-	2	1	1	4	1
Female.....	28	-	-	-	-	-	1	-	-	-	1	2	5
Malignant neoplasm of breast (C50)													
All races, both sexes.....	41,491	1	-	-	-	-	12	74	282	804	1,693	2,648	3,584
Male.....	375	1	-	-	-	-	-	-	-	2	7	7	26
Female.....	41,116	-	-	-	-	-	12	74	282	802	1,686	2,641	3,558
White, both sexes.....	34,663	1	-	-	-	-	7	47	188	554	1,233	1,912	2,734
Male.....	311	1	-	-	-	-	-	-	-	1	4	3	23
Female.....	34,352	-	-	-	-	-	7	47	188	553	1,229	1,909	2,711
Black, both sexes.....	5,858	-	-	-	-	-	5	23	80	216	398	640	730
Male.....	56	-	-	-	-	-	-	-	-	1	1	3	3
Female.....	5,802	-	-	-	-	-	5	23	80	215	397	637	727
American Indian 1/, both sexes.....	167	-	-	-	-	-	-	2	3	4	8	13	14
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	166	-	-	-	-	-	-	2	3	4	8	13	14
Asian or Pacific Islander 2/, both sexes.....	803	-	-	-	-	-	-	2	11	30	54	83	106
Male.....	7	-	-	-	-	-	-	-	-	-	2	1	-
Female.....	796	-	-	-	-	-	-	2	11	30	52	82	106

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of cervix uteri (C53)													
All races, both sexes.....	3,924	-	-	-	-	1	13	39	129	235	387	492	466
Male.....
Female.....	3,924	-	-	-	-	1	13	39	129	235	387	492	466
White, both sexes.....	2,982	-	-	-	-	1	9	27	106	182	289	355	358
Male.....
Female.....	2,982	-	-	-	-	1	9	27	106	182	289	355	358
Black, both sexes.....	783	-	-	-	-	-	4	9	21	44	89	112	77
Male.....
Female.....	783	-	-	-	-	-	4	9	21	44	89	112	77
American Indian 1/, both sexes.....	34	-	-	-	-	-	-	1	-	2	2	6	11
Male.....
Female.....	34	-	-	-	-	-	-	1	-	2	2	6	11
Asian or Pacific Islander 2/, both sexes.....	125	-	-	-	-	-	-	2	2	7	7	19	20
Male.....
Female.....	125	-	-	-	-	-	-	2	2	7	7	19	20
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)													
All races, both sexes.....	7,096	-	-	-	-	1	3	7	15	54	92	208	360
Male.....
Female.....	7,096	-	-	-	-	1	3	7	15	54	92	208	360
White, both sexes.....	5,742	-	-	-	-	-	2	3	10	40	70	164	285
Male.....
Female.....	5,742	-	-	-	-	-	2	3	10	40	70	164	285
Black, both sexes.....	1,180	-	-	-	-	1	1	3	4	9	16	37	58
Male.....
Female.....	1,180	-	-	-	-	1	1	3	4	9	16	37	58
American Indian 1/, both sexes.....	22	-	-	-	-	-	-	-	-	-	-	-	3
Male.....
Female.....	22	-	-	-	-	-	-	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	152	-	-	-	-	-	-	1	1	5	6	7	14
Male.....
Female.....	152	-	-	-	-	-	-	1	1	5	6	7	14

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All races, both sexes.....	13,152	18	84	188	136	118	116	161	218	338	610	824	1,119
Male.....	7,317	12	38	92	79	77	67	113	135	209	395	477	683
Female.....	5,835	6	46	96	57	41	49	48	83	129	215	347	436
White, both sexes.....	12,079	15	68	143	114	98	99	137	192	295	555	735	1,031
Male.....	6,715	10	28	67	65	64	57	95	119	185	364	428	627
Female.....	5,364	5	40	76	49	34	42	42	73	110	191	307	404
Black, both sexes.....	793	3	13	35	17	12	12	18	12	27	38	67	71
Male.....	440	2	8	17	11	6	8	16	7	15	21	38	47
Female.....	353	1	5	18	6	6	4	2	5	12	17	29	24
American Indian 1/, both sexes.....	44	-	1	2	-	3	-	-	2	5	2	4	1
Male.....	28	-	1	2	-	2	-	-	2	3	1	2	-
Female.....	16	-	-	-	-	1	-	-	-	2	1	2	1
Asian or Pacific Islander 2/, both sexes.....	236	-	2	8	5	5	5	6	12	11	15	18	16
Male.....	134	-	1	6	3	5	2	2	7	6	9	9	9
Female.....	102	-	1	2	2	-	3	4	5	5	6	9	7
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All races, both sexes.....	55,028	24	128	150	185	281	374	366	445	566	932	1,491	2,196
Male.....	30,031	12	84	94	112	174	237	219	245	322	558	870	1,305
Female.....	24,997	12	44	56	73	107	137	147	200	244	374	621	891
White, both sexes.....	48,703	20	93	125	149	226	296	259	324	452	720	1,167	1,745
Male.....	26,707	10	60	73	91	144	188	159	175	261	442	681	1,048
Female.....	21,996	10	33	52	58	82	108	100	149	191	278	486	697
Black, both sexes.....	5,046	4	27	16	29	45	59	78	104	90	171	254	369
Male.....	2,633	2	18	15	17	24	40	39	61	49	93	154	210
Female.....	2,413	2	9	1	12	21	19	39	43	41	78	100	159
American Indian 1/, both sexes.....	222	-	2	1	-	4	2	6	-	2	8	8	21
Male.....	121	-	2	1	-	2	1	4	-	2	5	2	13
Female.....	101	-	-	-	-	2	1	2	-	-	3	6	8
Asian or Pacific Islander 2/, both sexes.....	1,057	-	6	8	7	6	17	23	17	22	33	62	61
Male.....	570	-	4	5	4	4	8	17	9	10	18	33	34
Female.....	487	-	2	3	3	2	9	6	8	12	15	29	27

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hodgkin's disease (C81)													
All races, both sexes.....	1,272	-	-	5	6	11	50	57	59	56	62	94	74
Male.....	684	-	-	3	4	7	20	34	31	32	39	53	41
Female.....	588	-	-	2	2	4	30	23	28	24	23	41	33
White, both sexes.....	1,095	-	-	5	6	8	40	36	37	42	46	77	60
Male.....	582	-	-	3	4	6	16	21	17	26	29	42	34
Female.....	513	-	-	2	2	2	24	15	20	16	17	35	26
Black, both sexes.....	145	-	-	-	-	3	6	17	19	11	15	16	12
Male.....	85	-	-	-	-	1	3	9	13	5	9	10	5
Female.....	60	-	-	-	-	2	3	8	6	6	6	6	7
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	4	3	3	3	1	1	1
Male.....	14	-	-	-	-	-	1	3	1	1	1	1	1
Female.....	15	-	-	-	-	-	3	-	2	2	-	-	-
Non-Hodgkin's lymphoma (C82-C85)													
All races, both sexes.....	20,873	1	6	19	29	47	80	89	133	192	374	546	864
Male.....	11,131	-	2	15	25	36	54	52	82	117	248	348	561
Female.....	9,742	1	4	4	4	11	26	37	51	75	126	198	303
White, both sexes.....	18,970	1	5	13	25	39	53	62	90	142	289	435	705
Male.....	10,118	-	1	9	21	30	40	36	53	90	201	279	454
Female.....	8,852	1	4	4	4	9	13	26	37	52	88	156	251
Black, both sexes.....	1,392	-	1	5	4	7	23	19	38	41	71	88	126
Male.....	752	-	1	5	4	5	12	9	25	22	39	57	86
Female.....	640	-	-	-	-	2	11	10	13	19	32	31	40
American Indian 1/, both sexes.....	83	-	-	-	-	-	-	3	-	1	4	4	6
Male.....	39	-	-	-	-	-	-	2	-	1	2	-	4
Female.....	44	-	-	-	-	-	-	1	-	-	2	4	2
Asian or Pacific Islander 2/, both sexes.....	428	-	-	1	-	1	4	5	5	8	10	19	27
Male.....	222	-	-	1	-	1	2	5	4	4	6	12	17
Female.....	206	-	-	-	-	-	2	-	1	4	4	7	10

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Leukemia (C91-C95)													
All races, both sexes.....	21,623	22	120	125	150	223	243	218	243	288	392	607	812
Male.....	12,231	11	81	76	83	131	162	132	125	152	206	327	435
Female.....	9,392	11	39	49	67	92	81	86	118	136	186	280	377
White, both sexes.....	19,414	18	87	106	118	179	202	159	192	246	312	490	670
Male.....	11,034	9	58	61	66	108	131	101	102	128	163	263	367
Female.....	8,380	9	29	45	52	71	71	58	90	118	149	227	303
Black, both sexes.....	1,718	4	25	11	25	35	30	42	42	31	58	86	115
Male.....	911	2	17	10	13	18	25	21	19	18	30	48	54
Female.....	807	2	8	1	12	17	5	21	23	13	28	38	61
American Indian 1/, both sexes.....	73	-	2	1	-	4	2	2	-	1	3	2	5
Male.....	43	-	2	1	-	2	1	1	-	1	2	2	2
Female.....	30	-	-	-	-	2	1	1	-	-	1	-	3
Asian or Pacific Islander 2/, both sexes.....	418	-	6	7	7	5	9	15	9	10	19	29	22
Male.....	243	-	4	4	4	3	5	9	4	5	11	14	12
Female.....	175	-	2	3	3	2	4	6	5	5	8	15	10
Multiple myeloma and immunoproliferative neoplasms (C88,C90)													
All races, both sexes.....	11,200	-	-	-	-	-	1	1	10	29	102	243	445
Male.....	5,945	-	-	-	-	-	1	1	7	20	63	141	268
Female.....	5,255	-	-	-	-	-	-	-	3	9	39	102	177
White, both sexes.....	9,171	-	-	-	-	-	1	1	5	21	71	164	309
Male.....	4,937	-	-	-	-	-	1	1	3	16	47	96	193
Female.....	4,234	-	-	-	-	-	-	-	2	5	24	68	116
Black, both sexes.....	1,785	-	-	-	-	-	-	-	5	7	27	64	116
Male.....	882	-	-	-	-	-	-	-	4	4	15	39	65
Female.....	903	-	-	-	-	-	-	-	1	3	12	25	51
American Indian 1/, both sexes.....	63	-	-	-	-	-	-	-	-	-	1	2	9
Male.....	36	-	-	-	-	-	-	-	-	-	1	-	6
Female.....	27	-	-	-	-	-	-	-	-	-	-	2	3
Asian or Pacific Islander 2/, both sexes.....	181	-	-	-	-	-	-	-	-	1	3	13	11
Male.....	90	-	-	-	-	-	-	-	-	-	-	6	4
Female.....	91	-	-	-	-	-	-	-	-	1	3	7	7

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)													
All races, both sexes.....	60	1	2	1	-	-	-	1	-	1	2	1	1
Male.....	40	1	1	-	-	-	-	-	-	1	2	1	-
Female.....	20	-	1	1	-	-	-	1	-	-	-	-	1
White, both sexes.....	53	1	1	1	-	-	-	1	-	1	2	1	1
Male.....	36	1	1	-	-	-	-	-	-	1	2	1	-
Female.....	17	-	-	1	-	-	-	1	-	-	-	-	1
Black, both sexes.....	6	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)													
All races, both sexes.....	62,851	15	122	116	163	272	307	300	401	614	1,213	2,236	3,322
Male.....	32,194	9	68	63	88	154	208	200	240	331	670	1,242	1,869
Female.....	30,657	6	54	53	75	118	99	100	161	283	543	994	1,453
White, both sexes.....	54,604	13	95	90	120	222	246	226	307	485	961	1,734	2,633
Male.....	28,050	7	55	50	61	124	169	155	188	270	544	962	1,508
Female.....	26,554	6	40	40	59	98	77	71	119	215	417	772	1,125
Black, both sexes.....	6,672	2	20	23	38	32	49	59	71	100	210	413	577
Male.....	3,352	2	10	12	24	17	31	34	42	48	106	234	298
Female.....	3,320	-	10	11	14	15	18	25	29	52	104	179	279
American Indian 1/, both sexes.....	292	-	1	-	1	3	1	2	1	3	9	14	21
Male.....	152	-	-	-	1	3	-	2	1	2	7	9	13
Female.....	140	-	1	-	-	-	1	-	-	1	2	5	8
Asian or Pacific Islander 2/, both sexes.....	1,283	-	6	3	4	15	11	13	22	26	33	75	91
Male.....	640	-	3	1	2	10	8	9	9	11	13	37	50
Female.....	643	-	3	2	2	5	3	4	13	15	20	38	41

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
All races, both sexes.....	13,710	59	52	40	36	50	43	70	92	140	228	308	421
Male.....	6,820	22	31	19	17	28	26	38	48	70	116	165	239
Female.....	6,890	37	21	21	19	22	17	32	44	70	112	143	182
White, both sexes.....	12,249	42	42	30	27	38	38	53	76	108	174	231	346
Male.....	6,161	16	26	15	14	24	23	29	40	59	87	127	199
Female.....	6,088	26	16	15	13	14	15	24	36	49	87	104	147
Black, both sexes.....	1,151	15	5	7	7	8	3	13	14	31	46	67	58
Male.....	499	6	2	2	2	3	2	6	7	11	24	34	29
Female.....	652	9	3	5	5	5	1	7	7	20	22	33	29
American Indian 1/, both sexes.....	51	-	-	-	-	-	2	1	-	-	2	2	6
Male.....	23	-	-	-	-	-	1	1	-	-	1	1	4
Female.....	28	-	-	-	-	-	1	-	-	-	1	1	2
Asian or Pacific Islander 2/, both sexes.....	259	2	5	3	2	4	-	3	2	1	6	8	11
Male.....	137	-	3	2	1	1	-	2	1	-	4	3	7
Female.....	122	2	2	1	1	3	-	1	1	1	2	5	4
Anemias (D50-D64)													
All races, both sexes.....	4,624	19	23	11	15	40	63	82	75	78	111	130	123
Male.....	1,787	13	9	6	8	21	36	44	41	41	56	55	53
Female.....	2,837	6	14	5	7	19	27	38	34	37	55	75	70
White, both sexes.....	3,499	9	11	3	8	9	13	16	9	16	21	60	54
Male.....	1,288	6	4	1	4	3	7	10	6	5	10	24	26
Female.....	2,211	3	7	2	4	6	6	6	3	11	11	36	28
Black, both sexes.....	1,032	6	11	8	7	30	47	65	66	62	85	69	67
Male.....	456	6	5	5	4	18	27	34	35	36	43	31	27
Female.....	576	-	6	3	3	12	20	31	31	26	42	38	40
American Indian 1/, both sexes.....	24	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	13	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	69	4	1	-	-	1	2	1	-	-	5	1	1
Male.....	30	1	-	-	-	-	2	-	-	-	3	-	-
Female.....	39	3	1	-	-	1	-	1	-	-	2	1	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diabetes mellitus (E10-E14)													
All races, both sexes.....	75,119	1	2	4	34	67	135	210	407	762	1,283	2,233	3,458
Male.....	36,538	-	-	2	13	40	75	118	254	456	814	1,413	2,054
Female.....	38,581	1	2	2	21	27	60	92	153	306	469	820	1,404
White, both sexes.....	59,755	1	1	4	21	41	83	123	249	510	918	1,588	2,491
Male.....	29,628	-	-	2	9	22	51	71	156	301	611	1,039	1,516
Female.....	30,127	1	1	2	12	19	32	52	93	209	307	549	975
Black, both sexes.....	12,970	-	1	-	12	24	49	80	139	224	317	575	835
Male.....	5,730	-	-	-	3	17	22	41	87	141	169	335	445
Female.....	7,240	-	1	-	9	7	27	39	52	83	148	240	390
American Indian 1/, both sexes.....	818	-	-	-	-	2	2	4	13	15	26	36	62
Male.....	412	-	-	-	-	1	1	4	7	10	17	18	45
Female.....	406	-	-	-	-	1	1	-	6	5	9	18	17
Asian or Pacific Islander 2/, both sexes.....	1,576	-	-	-	1	-	1	3	6	13	22	34	70
Male.....	768	-	-	-	1	-	1	2	4	4	17	21	48
Female.....	808	-	-	-	-	-	-	1	2	9	5	13	22
Nutritional deficiencies (E40-E64)													
All races, both sexes.....	3,183	5	3	3	1	2	1	9	10	16	22	46	72
Male.....	1,116	3	1	1	-	-	1	4	3	4	10	24	32
Female.....	2,067	2	2	2	1	2	-	5	7	12	12	22	40
White, both sexes.....	2,677	2	2	2	1	1	-	6	5	13	15	34	54
Male.....	924	1	-	-	-	-	-	3	1	3	8	18	24
Female.....	1,753	1	2	2	1	1	-	3	4	10	7	16	30
Black, both sexes.....	430	3	1	1	-	-	1	2	5	3	6	12	16
Male.....	156	2	1	1	-	-	1	-	2	1	2	6	8
Female.....	274	1	-	-	-	-	-	2	3	2	4	6	8
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	11	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	56	-	-	-	-	1	-	1	-	-	1	-	-
Male.....	25	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	31	-	-	-	-	1	-	-	-	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alzheimer's disease (G30)													
All races, both sexes.....	71,599	-	-	-	-	-	-	-	2	3	7	20	60
Male.....	20,559	-	-	-	-	-	-	-	-	1	5	8	22
Female.....	51,040	-	-	-	-	-	-	-	2	2	2	12	38
White, both sexes.....	66,191	-	-	-	-	-	-	-	2	3	7	16	56
Male.....	18,990	-	-	-	-	-	-	-	-	1	5	6	20
Female.....	47,201	-	-	-	-	-	-	-	2	2	2	10	36
Black, both sexes.....	4,620	-	-	-	-	-	-	-	-	-	-	2	4
Male.....	1,292	-	-	-	-	-	-	-	-	-	-	2	2
Female.....	3,328	-	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	173	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	48	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	125	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	615	-	-	-	-	-	-	-	-	-	-	2	-
Male.....	229	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	386	-	-	-	-	-	-	-	-	-	-	2	-
Major cardiovascular diseases (I00-I78)													
All races, both sexes.....	856,030	503	217	165	202	489	902	1,467	2,574	5,056	10,796	18,937	27,991
Male.....	405,780	282	126	80	120	319	595	973	1,684	3,375	7,289	12,978	19,570
Female.....	450,250	221	91	85	82	170	307	494	890	1,681	3,507	5,959	8,421
White, both sexes.....	737,248	318	141	104	136	330	596	927	1,647	3,410	7,675	13,613	20,359
Male.....	348,454	177	86	53	84	210	400	644	1,104	2,344	5,409	9,695	14,752
Female.....	388,794	141	55	51	52	120	196	283	543	1,066	2,266	3,918	5,607
Black, both sexes.....	100,099	153	60	50	54	141	264	477	807	1,460	2,752	4,775	6,790
Male.....	47,584	89	30	23	30	97	169	287	492	907	1,617	2,901	4,235
Female.....	52,515	64	30	27	24	44	95	190	315	553	1,135	1,874	2,555
American Indian 1/, both sexes.....	3,534	8	1	-	2	5	10	16	36	57	100	177	237
Male.....	1,837	3	1	-	-	4	4	12	25	32	70	113	148
Female.....	1,697	5	-	-	2	1	6	4	11	25	30	64	89
Asian or Pacific Islander 2/, both sexes.....	15,149	24	15	11	10	13	32	47	84	129	269	372	605
Male.....	7,905	13	9	4	6	8	22	30	63	92	193	269	435
Female.....	7,244	11	6	7	4	5	10	17	21	37	76	103	170

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diseases of heart (I00-I09,I11,I13,I20-I51)													
All races, both sexes.....	652,091	358	151	106	146	389	730	1,180	2,069	4,076	8,612	15,295	22,808
Male.....	322,841	197	81	50	81	268	502	814	1,392	2,828	6,103	10,967	16,519
Female.....	329,250	161	70	56	65	121	228	366	677	1,248	2,509	4,328	6,289
White, both sexes.....	564,796	228	93	63	96	262	474	759	1,325	2,793	6,308	11,324	17,050
Male.....	279,324	125	55	33	57	176	333	552	917	1,998	4,646	8,389	12,784
Female.....	285,472	103	38	30	39	86	141	207	408	795	1,662	2,935	4,266
Black, both sexes.....	74,159	107	45	35	42	116	218	375	647	1,152	2,037	3,563	5,153
Male.....	36,343	62	19	14	22	85	144	230	403	736	1,253	2,272	3,297
Female.....	37,816	45	26	21	20	31	74	145	244	416	784	1,291	1,856
American Indian 1/, both sexes.....	2,659	5	1	-	2	4	9	13	33	43	77	147	183
Male.....	1,471	1	1	-	-	3	4	9	24	28	56	100	121
Female.....	1,188	4	-	-	2	1	5	4	9	15	21	47	62
Asian or Pacific Islander 2/, both sexes.....	10,477	18	12	8	6	7	29	33	64	88	190	261	422
Male.....	5,703	9	6	3	2	4	21	23	48	66	148	206	317
Female.....	4,774	9	6	5	4	3	8	10	16	22	42	55	105
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)													
All races, both sexes.....	3,365	1	1	1	3	3	6	11	16	26	56	87	104
Male.....	1,044	1	-	-	2	1	6	7	7	13	25	35	46
Female.....	2,321	-	1	1	1	2	-	4	9	13	31	52	58
White, both sexes.....	3,029	1	1	1	3	2	2	7	10	20	37	62	72
Male.....	926	1	-	-	2	-	2	5	6	9	19	26	34
Female.....	2,103	-	1	1	1	2	-	2	4	11	18	36	38
Black, both sexes.....	227	-	-	-	-	1	1	2	6	3	13	19	29
Male.....	81	-	-	-	-	1	1	1	1	3	5	7	11
Female.....	146	-	-	-	-	-	-	1	5	-	8	12	18
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	-	-	4	3	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	13	-	-	-	-	-	-	-	-	-	3	2	-
Asian or Pacific Islander 2/, both sexes.....	89	-	-	-	-	-	3	2	-	3	2	3	3
Male.....	30	-	-	-	-	-	3	1	-	1	-	1	1
Female.....	59	-	-	-	-	-	-	1	-	2	2	2	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hypertensive heart disease (I11)													
All races, both sexes.....	29,282	2	-	2	1	-	36	113	215	462	906	1,459	1,834
Male.....	13,219	1	-	2	-	-	24	77	145	338	620	1,010	1,268
Female.....	16,063	1	-	-	1	-	12	36	70	124	286	449	566
White, both sexes.....	21,686	1	-	2	-	-	12	59	112	263	511	847	1,089
Male.....	9,408	1	-	2	-	-	8	47	83	205	372	633	787
Female.....	12,278	-	-	-	-	-	4	12	29	58	139	214	302
Black, both sexes.....	6,923	1	-	-	1	-	23	47	93	186	359	577	697
Male.....	3,459	-	-	-	-	-	15	24	54	121	224	350	446
Female.....	3,464	1	-	-	1	-	8	23	39	65	135	227	251
American Indian 1/, both sexes.....	127	-	-	-	-	-	-	5	3	3	10	9	13
Male.....	68	-	-	-	-	-	-	4	1	2	6	7	9
Female.....	59	-	-	-	-	-	-	1	2	1	4	2	4
Asian or Pacific Islander 2/, both sexes.....	546	-	-	-	-	-	1	2	7	10	26	26	35
Male.....	284	-	-	-	-	-	1	2	7	10	18	20	26
Female.....	262	-	-	-	-	-	-	-	-	-	8	6	9
Hypertensive heart and renal disease (I13)													
All races, both sexes.....	3,172	-	-	-	-	-	5	6	27	31	52	73	116
Male.....	1,369	-	-	-	-	-	4	2	18	22	30	54	71
Female.....	1,803	-	-	-	-	-	1	4	9	9	22	19	45
White, both sexes.....	2,186	-	-	-	-	-	2	1	6	11	17	25	36
Male.....	886	-	-	-	-	-	2	1	3	8	11	17	28
Female.....	1,300	-	-	-	-	-	-	-	3	3	6	8	8
Black, both sexes.....	889	-	-	-	-	-	3	5	20	20	34	46	78
Male.....	432	-	-	-	-	-	2	1	15	14	19	36	42
Female.....	457	-	-	-	-	-	1	4	5	6	15	10	36
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	85	-	-	-	-	-	-	-	-	-	1	2	1
Male.....	44	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	41	-	-	-	-	-	-	-	-	-	1	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Ischemic heart diseases (I20-I25)													
All races, both sexes.....	445,687	13	7	7	7	29	122	283	731	1,918	4,942	9,653	15,657
Male.....	232,115	7	4	4	5	23	98	229	545	1,439	3,749	7,355	11,878
Female.....	213,572	6	3	3	2	6	24	54	186	479	1,193	2,298	3,779
White, both sexes.....	390,421	7	5	6	6	21	85	194	544	1,428	3,897	7,587	12,266
Male.....	203,924	5	2	4	5	18	71	159	405	1,087	3,049	5,910	9,568
Female.....	186,497	2	3	2	1	3	14	35	139	341	848	1,677	2,698
Black, both sexes.....	46,027	5	1	1	1	8	28	75	145	429	887	1,804	2,965
Male.....	22,933	2	1	-	-	5	21	59	102	301	567	1,232	1,980
Female.....	23,094	3	-	1	1	3	7	16	43	128	320	572	985
American Indian 1/, both sexes.....	1,788	-	-	-	-	-	1	-	16	22	38	92	124
Male.....	1,028	-	-	-	-	-	-	-	13	17	31	67	87
Female.....	760	-	-	-	-	-	1	-	3	5	7	25	37
Asian or Pacific Islander 2/, both sexes.....	7,451	1	1	-	-	-	8	14	26	39	120	170	302
Male.....	4,230	-	1	-	-	-	6	11	25	34	102	146	243
Female.....	3,221	1	-	-	-	-	2	3	1	5	18	24	59
Acute myocardial infarction (I21-I22)													
All races, both sexes.....	151,004	11	2	5	2	14	54	124	268	744	1,990	3,892	6,178
Male.....	80,079	6	2	2	1	11	43	98	199	537	1,488	2,939	4,624
Female.....	70,925	5	-	3	1	3	11	26	69	207	502	953	1,554
White, both sexes.....	132,364	6	-	4	1	10	40	78	200	572	1,588	3,135	5,037
Male.....	70,791	4	-	2	1	9	33	64	150	420	1,226	2,424	3,884
Female.....	61,573	2	-	2	-	1	7	14	50	152	362	711	1,153
Black, both sexes.....	15,536	4	1	1	1	4	12	40	55	150	348	672	996
Male.....	7,527	2	1	-	-	2	10	29	38	98	217	445	627
Female.....	8,009	2	-	1	1	2	2	11	17	52	131	227	369
American Indian 1/, both sexes.....	589	-	-	-	-	-	-	-	6	7	12	30	42
Male.....	339	-	-	-	-	-	-	-	4	6	11	21	33
Female.....	250	-	-	-	-	-	-	-	2	1	1	9	9
Asian or Pacific Islander 2/, both sexes.....	2,515	1	1	-	-	-	2	6	7	15	42	55	103
Male.....	1,422	-	1	-	-	-	-	5	7	13	34	49	80
Female.....	1,093	1	-	-	-	-	2	1	-	2	8	6	23

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other acute ischemic heart diseases (I24)													
All races, both sexes.....	3,565	-	1	-	1	1	2	6	5	24	58	127	224
Male.....	1,823	-	-	-	1	-	2	4	3	17	42	85	160
Female.....	1,742	-	1	-	-	1	-	2	2	7	16	42	64
White, both sexes.....	2,924	-	1	-	1	1	2	3	4	18	42	87	150
Male.....	1,480	-	-	-	1	-	2	2	2	15	30	66	117
Female.....	1,444	-	1	-	-	1	-	1	2	3	12	21	33
Black, both sexes.....	558	-	-	-	-	-	-	3	1	6	13	36	65
Male.....	296	-	-	-	-	-	-	2	1	2	10	18	38
Female.....	262	-	-	-	-	-	-	1	-	4	3	18	27
American Indian 1/, both sexes.....	44	-	-	-	-	-	-	-	-	-	3	4	4
Male.....	26	-	-	-	-	-	-	-	-	-	2	1	1
Female.....	18	-	-	-	-	-	-	-	-	-	1	3	3
Asian or Pacific Islander 2/, both sexes.....	39	-	-	-	-	-	-	-	-	-	-	-	5
Male.....	21	-	-	-	-	-	-	-	-	-	-	-	4
Female.....	18	-	-	-	-	-	-	-	-	-	-	-	1
Other forms of chronic ischemic heart disease (I20,I25)													
All races, both sexes.....	291,118	2	4	2	4	14	66	153	458	1,150	2,894	5,634	9,255
Male.....	150,213	1	2	2	3	12	53	127	343	885	2,219	4,331	7,094
Female.....	140,905	1	2	-	1	2	13	26	115	265	675	1,303	2,161
White, both sexes.....	255,133	1	4	2	4	10	43	113	340	838	2,267	4,365	7,079
Male.....	131,653	1	2	2	3	9	36	93	253	652	1,793	3,420	5,567
Female.....	123,480	-	2	-	1	1	7	20	87	186	474	945	1,512
Black, both sexes.....	29,933	1	-	-	-	4	16	32	89	273	526	1,096	1,904
Male.....	15,110	-	-	-	-	3	11	28	63	201	340	769	1,315
Female.....	14,823	1	-	-	-	1	5	4	26	72	186	327	589
American Indian 1/, both sexes.....	1,155	-	-	-	-	-	1	-	10	15	23	58	78
Male.....	663	-	-	-	-	-	-	-	9	11	18	45	53
Female.....	492	-	-	-	-	-	1	-	1	4	5	13	25
Asian or Pacific Islander 2/, both sexes.....	4,897	-	-	-	-	-	6	8	19	24	78	115	194
Male.....	2,787	-	-	-	-	-	6	6	18	21	68	97	159
Female.....	2,110	-	-	-	-	-	-	2	1	3	10	18	35

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	62,799	1	-	-	-	2	14	45	137	403	1,017	2,159	3,725
Male.....	34,453	-	-	-	-	2	13	39	107	318	802	1,702	2,941
Female.....	28,346	1	-	-	-	-	1	6	30	85	215	457	784
White, both sexes.....	51,717	-	-	-	-	2	12	32	92	283	790	1,663	2,757
Male.....	28,155	-	-	-	-	2	11	26	71	227	649	1,345	2,238
Female.....	23,562	-	-	-	-	-	1	6	21	56	141	318	519
Black, both sexes.....	9,576	1	-	-	-	-	1	12	30	106	190	431	857
Male.....	5,372	-	-	-	-	-	1	12	22	79	123	299	612
Female.....	4,204	1	-	-	-	-	-	-	8	27	67	132	245
American Indian 1/, both sexes.....	344	-	-	-	-	-	-	-	6	9	10	23	34
Male.....	216	-	-	-	-	-	-	-	5	8	6	20	24
Female.....	128	-	-	-	-	-	-	-	1	1	4	3	10
Asian or Pacific Islander 2/, both sexes.....	1,162	-	-	-	-	-	1	1	9	5	27	42	77
Male.....	710	-	-	-	-	-	1	1	9	4	24	38	67
Female.....	452	-	-	-	-	-	-	-	-	1	3	4	10
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All races, both sexes.....	228,319	1	4	2	4	12	52	108	321	747	1,877	3,475	5,530
Male.....	115,760	1	2	2	3	10	40	88	236	567	1,417	2,629	4,153
Female.....	112,559	-	2	-	1	2	12	20	85	180	460	846	1,377
White, both sexes.....	203,416	1	4	2	4	8	31	81	248	555	1,477	2,702	4,322
Male.....	103,498	1	2	2	3	7	25	67	182	425	1,144	2,075	3,329
Female.....	99,918	-	2	-	1	1	6	14	66	130	333	627	993
Black, both sexes.....	20,357	-	-	-	-	4	15	20	59	167	336	665	1,047
Male.....	9,738	-	-	-	-	3	10	16	41	122	217	470	703
Female.....	10,619	-	-	-	-	1	5	4	18	45	119	195	344
American Indian 1/, both sexes.....	811	-	-	-	-	-	1	-	4	6	13	35	44
Male.....	447	-	-	-	-	-	-	-	4	3	12	25	29
Female.....	364	-	-	-	-	-	1	-	-	3	1	10	15
Asian or Pacific Islander 2/, both sexes.....	3,735	-	-	-	-	-	5	7	10	19	51	73	117
Male.....	2,077	-	-	-	-	-	5	5	9	17	44	59	92
Female.....	1,658	-	-	-	-	-	-	2	1	2	7	14	25

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other heart diseases (I26-I51)													
All races, both sexes.....	170,585	342	143	96	135	357	561	767	1,080	1,639	2,656	4,023	5,097
Male.....	75,094	188	77	44	74	244	370	499	677	1,016	1,679	2,513	3,256
Female.....	95,491	154	66	52	61	113	191	268	403	623	977	1,510	1,841
White, both sexes.....	147,474	219	87	54	87	239	373	498	653	1,071	1,846	2,803	3,587
Male.....	64,180	118	53	27	50	158	250	340	420	689	1,195	1,803	2,367
Female.....	83,294	101	34	27	37	81	123	158	233	382	651	1,000	1,220
Black, both sexes.....	20,093	101	44	34	40	107	163	246	383	514	744	1,117	1,384
Male.....	9,438	60	18	14	22	79	105	145	231	297	438	647	818
Female.....	10,655	41	26	20	18	28	58	101	152	217	306	470	566
American Indian 1/, both sexes.....	712	5	1	-	2	4	8	8	13	18	25	43	45
Male.....	361	1	1	-	-	3	4	5	10	9	18	25	25
Female.....	351	4	-	-	2	1	4	3	3	9	7	18	20
Asian or Pacific Islander 2/, both sexes.	2,306	17	11	8	6	7	17	15	31	36	41	60	81
Male.....	1,115	9	5	3	2	4	11	9	16	21	28	38	46
Female.....	1,191	8	6	5	4	3	6	6	15	15	13	22	35
Acute and subacute endocarditis (I33)													
All races, both sexes.....	1,209	4	-	1	2	1	7	12	16	36	42	80	93
Male.....	695	3	-	-	-	1	4	8	12	24	27	49	64
Female.....	514	1	-	1	2	-	3	4	4	12	15	31	29
White, both sexes.....	949	3	-	-	1	1	5	9	11	19	27	54	58
Male.....	553	2	-	-	-	1	3	6	8	13	18	32	42
Female.....	396	1	-	-	1	-	2	3	3	6	9	22	16
Black, both sexes.....	229	1	-	1	1	-	2	2	4	14	14	22	33
Male.....	124	1	-	-	-	-	1	2	3	10	9	13	21
Female.....	105	-	-	1	1	-	1	-	1	4	5	9	12
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	1	1	4	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	4	-
Female.....	6	-	-	-	-	-	-	-	-	1	1	-	1
Asian or Pacific Islander 2/, both sexes.	19	-	-	-	-	-	-	1	1	2	-	-	1
Male.....	12	-	-	-	-	-	-	-	1	1	-	-	1
Female.....	7	-	-	-	-	-	-	1	-	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diseases of pericardium and acute myocarditis (I30-I31,I40)													
All races, both sexes.....	864	21	17	15	15	18	16	28	25	34	50	69	63
Male.....	439	9	10	4	5	10	11	17	14	14	32	40	37
Female.....	425	12	7	11	10	8	5	11	11	20	18	29	26
White, both sexes.....	661	8	4	6	9	13	13	19	13	23	38	50	52
Male.....	344	3	4	2	4	8	10	10	8	12	21	32	31
Female.....	317	5	-	4	5	5	3	9	5	11	17	18	21
Black, both sexes.....	164	11	11	6	3	4	1	6	9	11	6	18	10
Male.....	73	5	5	1	-	2	1	5	5	2	5	8	5
Female.....	91	6	6	5	3	2	-	1	4	9	1	10	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Male.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	36	2	2	3	3	1	2	2	2	-	6	1	-
Male.....	19	1	1	1	1	-	-	1	-	-	6	-	-
Female.....	17	1	1	2	2	1	2	1	2	-	-	1	-
Heart failure (I50)													
All races, both sexes.....	58,933	27	6	3	8	12	30	33	61	96	220	384	703
Male.....	23,026	14	4	3	2	9	18	20	41	60	147	230	423
Female.....	35,907	13	2	-	6	3	12	13	20	36	73	154	280
White, both sexes.....	52,570	15	3	1	3	8	17	15	32	51	127	230	456
Male.....	20,414	8	3	1	-	5	13	10	22	32	79	140	281
Female.....	32,156	7	-	-	3	3	4	5	10	19	48	90	175
Black, both sexes.....	5,609	8	3	1	5	4	12	18	28	43	88	143	229
Male.....	2,275	4	1	1	2	4	5	10	19	27	63	83	133
Female.....	3,334	4	2	-	3	-	7	8	9	16	25	60	96
American Indian 1/, both sexes.....	228	2	-	-	-	-	1	-	-	1	2	6	9
Male.....	106	1	-	-	-	-	-	-	-	1	2	3	5
Female.....	122	1	-	-	-	-	1	-	-	-	-	3	4
Asian or Pacific Islander 2/, both sexes.	526	2	-	1	-	-	-	-	1	1	3	5	9
Male.....	231	1	-	1	-	-	-	-	-	-	3	4	4
Female.....	295	1	-	-	-	-	-	-	1	1	-	1	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All races, both sexes.....	109,579	290	120	77	110	326	508	694	978	1,473	2,344	3,490	4,238
Male.....	50,934	162	63	37	67	224	337	454	610	918	1,473	2,194	2,732
Female.....	58,645	128	57	40	43	102	171	240	368	555	871	1,296	1,506
White, both sexes.....	93,294	193	80	47	74	217	338	455	597	978	1,654	2,469	3,021
Male.....	42,869	105	46	24	46	144	224	314	382	632	1,077	1,599	2,013
Female.....	50,425	88	34	23	28	73	114	141	215	346	577	870	1,008
Black, both sexes.....	14,091	81	30	26	31	99	148	220	342	446	636	934	1,112
Male.....	6,966	50	12	12	20	73	98	128	204	258	361	543	659
Female.....	7,125	31	18	14	11	26	50	92	138	188	275	391	453
American Indian 1/, both sexes.....	469	3	1	-	2	4	7	7	12	16	22	33	34
Male.....	246	-	1	-	-	3	4	4	9	8	16	18	19
Female.....	223	3	-	-	2	1	3	3	3	8	6	15	15
Asian or Pacific Islander 2/, both sexes.	1,725	13	9	4	3	6	15	12	27	33	32	54	71
Male.....	853	7	4	1	1	4	11	8	15	20	19	34	41
Female.....	872	6	5	3	2	2	4	4	12	13	13	20	30
Essential (primary) hypertension and hypertensive renal disease (I10,I12)													
All races, both sexes.....	24,902	2	-	2	1	7	15	29	55	118	288	504	662
Male.....	9,458	1	-	-	1	3	9	14	31	69	174	307	426
Female.....	15,444	1	-	2	-	4	6	15	24	49	114	197	236
White, both sexes.....	19,254	-	-	2	1	3	7	10	19	51	143	255	347
Male.....	7,018	-	-	-	1	2	5	5	10	33	97	170	227
Female.....	12,236	-	-	2	-	1	2	5	9	18	46	85	120
Black, both sexes.....	4,953	2	-	-	-	3	8	16	36	62	135	237	295
Male.....	2,128	1	-	-	-	1	4	7	21	32	72	127	183
Female.....	2,825	1	-	-	-	2	4	9	15	30	63	110	112
American Indian 1/, both sexes.....	113	-	-	-	-	-	-	1	-	-	2	3	7
Male.....	56	-	-	-	-	-	-	1	-	-	-	3	6
Female.....	57	-	-	-	-	-	-	-	-	-	2	-	1
Asian or Pacific Islander 2/, both sexes.	582	-	-	-	-	1	-	2	-	5	8	9	13
Male.....	256	-	-	-	-	-	-	1	-	4	5	7	10
Female.....	326	-	-	-	-	1	-	1	-	1	3	2	3

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other diseases of circulatory system (I71-I78)													
All races, both sexes.....	23,617	17	3	5	12	17	35	63	93	162	305	446	639
Male.....	12,423	11	3	3	10	14	23	35	67	117	205	319	430
Female.....	11,194	6	-	2	2	3	12	28	26	45	100	127	209
White, both sexes.....	20,485	11	3	4	10	14	29	38	62	99	215	306	459
Male.....	10,825	6	3	3	8	11	18	19	46	67	141	220	311
Female.....	9,660	5	-	1	2	3	11	19	16	32	74	86	148
Black, both sexes.....	2,602	4	-	1	2	3	5	21	25	57	75	120	155
Male.....	1,282	3	-	-	2	3	4	13	15	45	51	86	100
Female.....	1,320	1	-	1	-	-	1	8	10	12	24	34	55
American Indian 1/, both sexes.....	84	1	-	-	-	-	-	1	-	1	2	5	2
Male.....	37	1	-	-	-	-	-	1	-	1	1	1	-
Female.....	47	-	-	-	-	-	-	-	-	-	1	4	2
Asian or Pacific Islander 2/, both sexes.....	446	1	-	-	-	-	1	3	6	5	13	15	23
Male.....	279	1	-	-	-	-	1	2	6	4	12	12	19
Female.....	167	-	-	-	-	-	-	1	-	1	1	3	4
Aortic aneurysm and dissection (I71)													
All races, both sexes.....	13,843	1	-	-	4	13	21	47	67	115	214	323	435
Male.....	8,168	1	-	-	4	10	16	28	55	94	171	256	321
Female.....	5,675	-	-	-	-	3	5	19	12	21	43	67	114
White, both sexes.....	12,156	1	-	-	3	12	19	30	46	66	147	216	301
Male.....	7,203	1	-	-	3	9	14	16	37	52	116	176	229
Female.....	4,953	-	-	-	-	3	5	14	9	14	31	40	72
Black, both sexes.....	1,304	-	-	-	1	1	2	14	15	44	54	92	113
Male.....	719	-	-	-	1	1	2	9	12	38	43	69	75
Female.....	585	-	-	-	-	-	-	5	3	6	11	23	38
American Indian 1/, both sexes.....	43	-	-	-	-	-	-	1	-	-	1	1	1
Male.....	21	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	22	-	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	340	-	-	-	-	-	-	2	6	5	12	14	20
Male.....	225	-	-	-	-	-	-	2	6	4	11	11	17
Female.....	115	-	-	-	-	-	-	-	-	1	1	3	3

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other diseases of arteries, arterioles and capillaries (I72-I78)													
All races, both sexes.....	9,774	16	3	5	8	4	14	16	26	47	91	123	204
Male.....	4,255	10	3	3	6	4	7	7	12	23	34	63	109
Female.....	5,519	6	-	2	2	-	7	9	14	24	57	60	95
White, both sexes.....	8,329	10	3	4	7	2	10	8	16	33	68	90	158
Male.....	3,622	5	3	3	5	2	4	3	9	15	25	44	82
Female.....	4,707	5	-	1	2	-	6	5	7	18	43	46	76
Black, both sexes.....	1,298	4	-	1	1	2	3	7	10	13	21	28	42
Male.....	563	3	-	-	1	2	2	4	3	7	8	17	25
Female.....	735	1	-	1	-	-	1	3	7	6	13	11	17
American Indian 1/, both sexes.....	41	1	-	-	-	-	-	-	-	1	1	4	1
Male.....	16	1	-	-	-	-	-	-	-	1	-	1	-
Female.....	25	-	-	-	-	-	-	-	-	-	1	3	1
Asian or Pacific Islander 2/, both sexes.....	106	1	-	-	-	-	1	1	-	-	1	1	3
Male.....	54	1	-	-	-	-	1	-	-	-	1	1	2
Female.....	52	-	-	-	-	-	-	1	-	-	-	-	1
Other disorders of circulatory system (I80-I99)													
All races, both sexes.....	4,813	26	6	4	1	11	25	50	82	124	208	298	322
Male.....	2,156	13	3	2	1	4	11	23	39	55	109	180	202
Female.....	2,657	13	3	2	-	7	14	27	43	69	99	118	120
White, both sexes.....	3,936	21	3	4	1	6	15	35	52	88	135	220	237
Male.....	1,723	11	2	2	1	3	5	14	27	42	72	131	155
Female.....	2,213	10	1	2	-	3	10	21	25	46	63	89	82
Black, both sexes.....	796	4	2	-	-	5	10	15	27	32	67	72	80
Male.....	388	2	-	-	-	1	6	9	9	11	33	46	43
Female.....	408	2	2	-	-	4	4	6	18	21	34	26	37
American Indian 1/, both sexes.....	27	1	1	-	-	-	-	-	-	1	5	4	3
Male.....	16	-	1	-	-	-	-	-	-	1	3	2	3
Female.....	11	1	-	-	-	-	-	-	-	-	2	2	-
Asian or Pacific Islander 2/, both sexes.....	54	-	-	-	-	-	-	-	3	3	1	2	2
Male.....	29	-	-	-	-	-	-	-	3	1	1	1	1
Female.....	25	-	-	-	-	-	-	-	-	2	-	1	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Emphysema (J43)													
All races, both sexes.....	14,002	2	1	-	-	-	-	2	6	22	55	174	270
Male.....	7,264	-	1	-	-	-	-	2	3	17	37	121	156
Female.....	6,738	2	-	-	-	-	-	-	3	5	18	53	114
White, both sexes.....	12,987	1	1	-	-	-	-	2	4	16	42	147	220
Male.....	6,618	-	1	-	-	-	-	2	2	13	26	102	123
Female.....	6,369	1	-	-	-	-	-	-	2	3	16	45	97
Black, both sexes.....	815	1	-	-	-	-	-	-	2	5	12	26	43
Male.....	509	-	-	-	-	-	-	-	1	3	10	18	29
Female.....	306	1	-	-	-	-	-	-	1	2	2	8	14
American Indian 1/, both sexes.....	54	-	-	-	-	-	-	-	-	-	1	-	4
Male.....	30	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	24	-	-	-	-	-	-	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	146	-	-	-	-	-	-	-	-	1	-	1	3
Male.....	107	-	-	-	-	-	-	-	-	1	-	1	3
Female.....	39	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (J45-J46)													
All races, both sexes.....	3,884	4	37	44	53	51	80	93	114	139	230	308	287
Male.....	1,315	1	25	26	35	36	47	52	49	57	94	100	115
Female.....	2,569	3	12	18	18	15	33	41	65	82	136	208	172
White, both sexes.....	2,714	2	9	21	18	26	32	57	59	82	143	177	185
Male.....	843	1	4	13	11	16	21	30	23	33	58	53	81
Female.....	1,871	1	5	8	7	10	11	27	36	49	85	124	104
Black, both sexes.....	1,016	2	28	22	30	24	47	34	51	50	83	122	89
Male.....	411	-	21	12	22	19	26	21	24	22	34	43	26
Female.....	605	2	7	10	8	5	21	13	27	28	49	79	63
American Indian 1/, both sexes.....	31	-	-	-	2	-	-	1	1	5	2	3	3
Male.....	11	-	-	-	1	-	-	-	-	-	-	1	3
Female.....	20	-	-	-	1	-	-	1	1	5	2	2	-
Asian or Pacific Islander 2/, both sexes.....	123	-	-	1	3	1	1	1	3	2	2	6	10
Male.....	50	-	-	1	1	1	-	1	2	2	2	3	5
Female.....	73	-	-	-	2	-	1	-	1	-	-	3	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Pneumonitis due to solids and liquids (J69)													
All races, both sexes.....	17,279	17	8	8	5	21	22	27	39	71	101	183	293
Male.....	8,760	10	3	4	4	10	13	18	25	37	51	104	176
Female.....	8,519	7	5	4	1	11	9	9	14	34	50	79	117
White, both sexes.....	15,338	13	3	5	4	16	16	23	30	57	86	147	235
Male.....	7,759	8	1	4	3	9	8	14	18	30	45	82	139
Female.....	7,579	5	2	1	1	7	8	9	12	27	41	65	96
Black, both sexes.....	1,620	3	5	2	1	5	5	4	8	13	13	32	55
Male.....	825	2	2	-	1	1	4	4	7	7	5	20	36
Female.....	795	1	3	2	-	4	1	-	1	6	8	12	19
American Indian 1/, both sexes.....	65	1	-	-	-	-	-	-	1	-	1	3	1
Male.....	35	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	30	1	-	-	-	-	-	-	1	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	256	-	-	1	-	-	1	-	-	1	1	1	2
Male.....	141	-	-	-	-	-	1	-	-	-	-	1	1
Female.....	115	-	-	1	-	-	-	-	-	1	1	-	1
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)													
All races, both sexes.....	27,056	303	94	34	27	48	62	66	115	152	322	543	817
Male.....	13,168	187	57	19	14	32	28	37	54	70	156	304	433
Female.....	13,888	116	37	15	13	16	34	29	61	82	166	239	384
White, both sexes.....	23,860	191	66	28	21	33	44	45	80	108	235	390	610
Male.....	11,574	114	38	13	12	24	19	29	38	54	116	221	330
Female.....	12,286	77	28	15	9	9	25	16	42	54	119	169	280
Black, both sexes.....	2,481	102	23	5	6	14	14	18	32	40	81	134	178
Male.....	1,209	68	15	5	2	8	7	7	14	15	38	69	88
Female.....	1,272	34	8	-	4	6	7	11	18	25	43	65	90
American Indian 1/, both sexes.....	185	3	3	-	-	-	-	-	3	2	4	7	7
Male.....	100	1	3	-	-	-	-	-	2	1	2	5	3
Female.....	85	2	-	-	-	-	-	-	1	1	2	2	4
Asian or Pacific Islander 2/, both sexes.....	530	7	2	1	-	1	4	3	-	2	2	12	22
Male.....	285	4	1	1	-	-	2	1	-	-	-	9	12
Female.....	245	3	1	-	-	1	2	2	-	2	2	3	10

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hernia (K40-K46)													
All races, both sexes.....	1,639	43	4	2	-	-	2	2	3	15	24	31	52
Male.....	646	28	1	1	-	-	-	-	1	6	9	16	29
Female.....	993	15	3	1	-	-	2	2	2	9	15	15	23
White, both sexes.....	1,456	35	4	1	-	-	1	1	3	11	18	21	44
Male.....	568	22	1	-	-	-	-	-	1	5	7	12	26
Female.....	888	13	3	1	-	-	1	1	2	6	11	9	18
Black, both sexes.....	152	5	-	1	-	-	1	1	-	3	5	8	8
Male.....	66	4	-	1	-	-	-	-	-	1	2	4	3
Female.....	86	1	-	-	-	-	1	1	-	2	3	4	5
American Indian 1/, both sexes.....	17	2	-	-	-	-	-	-	-	1	1	-	-
Male.....	5	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	1	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	-	-	-	-	-	-	-	-	-	2	-
Male.....	7	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	2	-
Chronic liver disease and cirrhosis (K70,K73-K74)													
All races, both sexes.....	27,530	10	1	1	1	4	19	75	236	719	1,969	3,376	4,141
Male.....	17,937	6	1	1	-	-	13	50	146	476	1,310	2,361	3,062
Female.....	9,593	4	-	-	1	4	6	25	90	243	659	1,015	1,079
White, both sexes.....	24,003	8	1	1	1	3	12	59	172	609	1,675	2,850	3,492
Male.....	15,679	5	1	1	-	-	7	42	110	412	1,127	2,009	2,624
Female.....	8,324	3	-	-	1	3	5	17	62	197	548	841	868
Black, both sexes.....	2,530	2	-	-	-	-	4	4	29	57	182	395	497
Male.....	1,656	1	-	-	-	-	4	1	13	33	111	269	334
Female.....	874	1	-	-	-	-	-	3	16	24	71	126	163
American Indian 1/, both sexes.....	596	-	-	-	-	1	2	11	25	41	84	97	99
Male.....	348	-	-	-	-	-	2	6	16	21	49	53	63
Female.....	248	-	-	-	-	1	-	5	9	20	35	44	36
Asian or Pacific Islander 2/, both sexes.....	401	-	-	-	-	-	1	1	10	12	28	34	53
Male.....	254	-	-	-	-	-	-	1	7	10	23	30	41
Female.....	147	-	-	-	-	-	1	-	3	2	5	4	12

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alcoholic liver disease (K70)													
All races, both sexes.....	12,928	-	-	-	-	-	7	58	159	507	1,299	2,086	2,404
Male.....	9,425	-	-	-	-	-	6	43	104	336	853	1,466	1,808
Female.....	3,503	-	-	-	-	-	1	15	55	171	446	620	596
White, both sexes.....	11,205	-	-	-	-	-	4	44	120	430	1,093	1,781	2,078
Male.....	8,250	-	-	-	-	-	3	35	81	293	732	1,260	1,577
Female.....	2,955	-	-	-	-	-	1	9	39	137	361	521	501
Black, both sexes.....	1,169	-	-	-	-	-	2	3	12	37	115	215	232
Male.....	801	-	-	-	-	-	2	1	5	21	63	151	158
Female.....	368	-	-	-	-	-	-	2	7	16	52	64	74
American Indian 1/, both sexes.....	410	-	-	-	-	-	1	10	19	32	72	71	66
Male.....	258	-	-	-	-	-	1	6	13	15	43	38	49
Female.....	152	-	-	-	-	-	-	4	6	17	29	33	17
Asian or Pacific Islander 2/, both sexes.....	144	-	-	-	-	-	-	1	8	8	19	19	28
Male.....	116	-	-	-	-	-	-	1	5	7	15	17	24
Female.....	28	-	-	-	-	-	-	-	3	1	4	2	4
Other chronic liver disease and cirrhosis (K73-K74)													
All races, both sexes.....	14,602	10	1	1	1	4	12	17	77	212	670	1,290	1,737
Male.....	8,512	6	1	1	-	-	7	7	42	140	457	895	1,254
Female.....	6,090	4	-	-	1	4	5	10	35	72	213	395	483
White, both sexes.....	12,798	8	1	1	1	3	8	15	52	179	582	1,069	1,414
Male.....	7,429	5	1	1	-	-	4	7	29	119	395	749	1,047
Female.....	5,369	3	-	-	1	3	4	8	23	60	187	320	367
Black, both sexes.....	1,361	2	-	-	-	-	2	1	17	20	67	180	265
Male.....	855	1	-	-	-	-	2	-	8	12	48	118	176
Female.....	506	1	-	-	-	-	-	1	9	8	19	62	89
American Indian 1/, both sexes.....	186	-	-	-	-	1	1	1	6	9	12	26	33
Male.....	90	-	-	-	-	-	1	-	3	6	6	15	14
Female.....	96	-	-	-	-	1	-	1	3	3	6	11	19
Asian or Pacific Islander 2/, both sexes.....	257	-	-	-	-	-	1	-	2	4	9	15	25
Male.....	138	-	-	-	-	-	-	-	2	3	8	13	17
Female.....	119	-	-	-	-	-	1	-	-	1	1	2	8

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Cholelithiasis and other disorders of gallbladder (K80-K82)													
All races, both sexes.....	3,072	-	-	1	3	1	7	4	12	16	26	39	74
Male.....	1,363	-	-	-	1	-	5	3	5	7	10	13	46
Female.....	1,709	-	-	1	2	1	2	1	7	9	16	26	28
White, both sexes.....	2,655	-	-	1	3	1	5	4	9	11	17	24	50
Male.....	1,193	-	-	-	1	-	4	3	5	6	7	7	30
Female.....	1,462	-	-	1	2	1	1	1	4	5	10	17	20
Black, both sexes.....	325	-	-	-	-	-	2	-	3	4	8	13	18
Male.....	135	-	-	-	-	-	1	-	-	1	3	6	11
Female.....	190	-	-	-	-	-	1	-	3	3	5	7	7
American Indian 1/, both sexes.....	27	-	-	-	-	-	-	-	-	1	-	2	1
Male.....	10	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	17	-	-	-	-	-	-	-	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	65	-	-	-	-	-	-	-	-	-	1	-	5
Male.....	25	-	-	-	-	-	-	-	-	-	-	-	4
Female.....	40	-	-	-	-	-	-	-	-	-	1	-	1
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)													
All races, both sexes.....	43,901	159	16	9	14	34	57	112	173	260	482	864	1,164
Male.....	21,268	88	12	3	7	14	31	56	97	141	282	532	705
Female.....	22,633	71	4	6	7	20	26	56	76	119	200	332	459
White, both sexes.....	34,806	96	13	7	11	21	39	60	92	147	254	500	721
Male.....	17,137	51	9	2	5	9	23	27	55	83	155	316	452
Female.....	17,669	45	4	5	6	12	16	33	37	64	99	184	269
Black, both sexes.....	8,075	58	3	1	3	12	17	47	74	98	215	335	419
Male.....	3,645	36	3	-	2	4	7	24	37	48	117	205	238
Female.....	4,430	22	-	1	1	8	10	23	37	50	98	130	181
American Indian 1/, both sexes.....	265	2	-	1	-	1	-	3	3	10	5	14	6
Male.....	105	1	-	1	-	1	-	3	2	6	3	3	3
Female.....	160	1	-	-	-	-	-	-	1	4	2	11	3
Asian or Pacific Islander 2/, both sexes.....	755	3	-	-	-	-	1	2	4	5	8	15	18
Male.....	381	-	-	-	-	-	1	2	3	4	7	8	12
Female.....	374	3	-	-	-	-	-	-	1	1	1	7	6

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Inflammatory diseases of female pelvic organs (N70-N76)													
All races, both sexes.....	120	-	-	-	-	-	1	2	3	1	6	8	5
Male.....
Female.....	120	-	-	-	-	-	1	2	3	1	6	8	5
White, both sexes.....	98	-	-	-	-	-	-	1	2	1	5	4	3
Male.....
Female.....	98	-	-	-	-	-	-	1	2	1	5	4	3
Black, both sexes.....	19	-	-	-	-	-	1	1	-	-	-	4	2
Male.....
Female.....	19	-	-	-	-	-	1	1	-	-	-	4	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Pregnancy, childbirth and the puerperium (000-099)													
All races, both sexes.....	760	-	42	141	155	157	133	74	29	25
Male.....
Female.....	760	-	42	141	155	157	133	74	29	25
White, both sexes.....	453	-	21	89	78	101	80	46	16	19
Male.....
Female.....	453	-	21	89	78	101	80	46	16	19
Black, both sexes.....	267	-	20	49	66	51	41	24	10	5
Male.....
Female.....	267	-	20	49	66	51	41	24	10	5
American Indian 1/, both sexes.....	7	-	1	1	1	-	3	1	-	-
Male.....
Female.....	7	-	1	1	1	-	3	1	-	-
Asian or Pacific Islander 2/, both sexes.	33	-	-	2	10	5	9	3	3	1
Male.....
Female.....	33	-	-	2	10	5	9	3	3	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Pregnancy with abortive outcome (000-007)													
All races, both sexes.....	33	-	4	2	8	6	11	-	1	1
Male.....
Female.....	33	-	4	2	8	6	11	-	1	1
White, both sexes.....	15	-	2	2	1	3	5	-	1	1
Male.....
Female.....	15	-	2	2	1	3	5	-	1	1
Black, both sexes.....	13	-	1	-	5	3	4	-	-	-
Male.....
Female.....	13	-	1	-	5	3	4	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-
Male.....
Female.....	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	2	-	2	-	-	-
Male.....
Female.....	4	-	-	-	2	-	2	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)													
All races, both sexes.....	727	-	38	139	147	151	122	74	28	24
Male.....
Female.....	727	-	38	139	147	151	122	74	28	24
White, both sexes.....	438	-	19	87	77	98	75	46	15	18
Male.....
Female.....	438	-	19	87	77	98	75	46	15	18
Black, both sexes.....	254	-	19	49	61	48	37	24	10	5
Male.....
Female.....	254	-	19	49	61	48	37	24	10	5
American Indian 1/, both sexes.....	6	-	-	1	1	-	3	1	-	-
Male.....
Female.....	6	-	-	1	1	-	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	29	-	-	2	8	5	7	3	3	1
Male.....
Female.....	29	-	-	2	8	5	7	3	3	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Certain conditions originating in the perinatal period (P00-P96)													
All races, both sexes.....	14,549	14,423	58	14	12	14	4	4	2	1	5	3	3
Male.....	8,187	8,113	36	7	4	9	3	2	1	1	3	2	3
Female.....	6,362	6,310	22	7	8	5	1	2	1	-	2	1	-
White, both sexes.....	8,906	8,815	35	12	10	12	3	3	2	-	5	3	3
Male.....	5,026	4,971	20	7	4	8	3	2	1	-	3	2	3
Female.....	3,880	3,844	15	5	6	4	-	1	1	-	2	1	-
Black, both sexes.....	5,050	5,018	23	2	1	2	1	-	-	1	-	-	-
Male.....	2,828	2,809	16	-	-	1	-	-	-	1	-	-	-
Female.....	2,222	2,209	7	2	1	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	130	129	-	-	-	-	-	-	-	-	-	-	-
Male.....	75	75	-	-	-	-	-	-	-	-	-	-	-
Female.....	55	54	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	463	461	-	-	1	-	-	1	-	-	-	-	-
Male.....	258	258	-	-	-	-	-	-	-	-	-	-	-
Female.....	205	203	-	-	1	-	-	1	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)													
All races, both sexes.....	10,410	5,552	522	196	200	253	251	232	204	233	284	328	365
Male.....	5,447	2,965	264	86	109	172	154	132	112	129	143	171	185
Female.....	4,963	2,587	258	110	91	81	97	100	92	104	141	157	180
White, both sexes.....	8,254	4,187	385	140	145	188	198	180	159	192	235	281	325
Male.....	4,321	2,239	201	64	81	129	123	101	92	102	118	149	163
Female.....	3,933	1,948	184	76	64	59	75	79	67	90	117	132	162
Black, both sexes.....	1,719	1,080	106	41	47	55	45	46	35	35	40	42	29
Male.....	891	564	48	18	23	36	28	29	14	24	20	19	14
Female.....	828	516	58	23	24	19	17	17	21	11	20	23	15
American Indian 1/, both sexes.....	117	77	11	5	1	-	1	2	1	2	6	3	2
Male.....	61	44	4	-	1	-	-	-	1	1	3	3	1
Female.....	56	33	7	5	-	-	1	2	-	1	3	-	1
Asian or Pacific Islander 2/, both sexes.....	320	208	20	10	7	10	7	4	9	4	3	2	9
Male.....	174	118	11	4	4	7	3	2	5	2	2	-	7
Female.....	146	90	9	6	3	3	4	2	4	2	1	2	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)													
All races, both sexes.....	31,999	3,589	233	61	94	258	517	560	618	857	1,195	1,430	1,401
Male.....	14,647	2,139	132	29	65	174	372	397	410	534	729	912	910
Female.....	17,352	1,450	101	32	29	84	145	163	208	323	466	518	491
White, both sexes.....	26,595	2,331	153	33	58	187	404	424	483	665	931	1,094	1,097
Male.....	11,861	1,435	88	16	43	131	290	308	330	422	585	717	718
Female.....	14,734	896	65	17	15	56	114	116	153	243	346	377	379
Black, both sexes.....	4,798	1,121	65	25	32	63	99	121	114	166	234	310	286
Male.....	2,475	632	36	12	18	41	72	79	67	93	127	178	181
Female.....	2,323	489	29	13	14	22	27	42	47	73	107	132	105
American Indian 1/, both sexes.....	220	71	3	-	1	5	5	5	5	9	15	13	13
Male.....	109	38	2	-	1	1	2	3	4	5	7	7	7
Female.....	111	33	1	-	-	4	3	2	1	4	8	6	6
Asian or Pacific Islander 2/, both sexes.....	386	66	12	3	3	3	9	10	16	17	15	13	5
Male.....	202	34	6	1	3	1	8	7	9	14	10	10	4
Female.....	184	32	6	2	-	2	1	3	7	3	5	3	1
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)													
All races, both sexes.....	217,632	1,198	612	366	491	838	1,222	1,410	1,749	2,916	5,202	7,559	9,563
Male.....	88,869	732	352	204	270	537	708	813	1,008	1,696	3,141	4,524	5,729
Female.....	128,763	466	260	162	221	301	514	597	741	1,220	2,061	3,035	3,834
White, both sexes.....	188,445	801	446	260	334	639	923	1,031	1,252	2,114	3,964	5,749	7,439
Male.....	76,187	491	257	149	188	421	557	616	772	1,292	2,497	3,563	4,566
Female.....	112,258	310	189	111	146	218	366	415	480	822	1,467	2,186	2,873
Black, both sexes.....	24,843	335	130	89	132	168	255	324	423	684	1,074	1,611	1,841
Male.....	10,603	212	77	47	73	98	126	163	199	329	547	849	993
Female.....	14,240	123	53	42	59	70	129	161	224	355	527	762	848
American Indian 1/, both sexes.....	1,363	19	14	4	8	15	18	26	24	64	94	109	151
Male.....	668	8	8	1	1	8	7	18	12	39	56	59	88
Female.....	695	11	6	3	7	7	11	8	12	25	38	50	63
Asian or Pacific Islander 2/, both sexes.....	2,981	43	22	13	17	16	26	29	50	54	70	90	132
Male.....	1,411	21	10	7	8	10	18	16	25	36	41	53	82
Female.....	1,570	22	12	6	9	6	8	13	25	18	29	37	50

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All races, both sexes.....	117,809	1,083	1,664	1,072	1,343	6,616	9,137	7,215	6,782	7,419	9,500	10,019	8,320
Male.....	76,375	578	1,027	627	866	4,645	7,182	5,622	5,043	5,347	6,679	7,057	5,945
Female.....	41,434	505	637	445	477	1,971	1,955	1,593	1,739	2,072	2,821	2,962	2,375
White, both sexes.....	100,406	734	1,262	775	1,010	5,562	7,763	6,066	5,562	6,164	8,008	8,372	6,763
Male.....	64,600	388	793	457	644	3,889	6,146	4,740	4,136	4,445	5,651	5,886	4,828
Female.....	35,806	346	469	318	366	1,673	1,617	1,326	1,426	1,719	2,357	2,486	1,935
Black, both sexes.....	13,652	314	327	236	265	773	1,007	844	952	1,001	1,207	1,374	1,315
Male.....	9,329	172	184	132	182	560	774	658	711	730	827	978	958
Female.....	4,323	142	143	104	83	213	233	186	241	271	380	396	357
American Indian 1/, both sexes.....	1,626	19	44	27	28	142	179	175	149	147	158	150	108
Male.....	1,118	10	31	18	18	97	126	131	109	100	113	108	73
Female.....	508	9	13	9	10	45	53	44	40	47	45	42	35
Asian or Pacific Islander 2/, both sexes.	2,125	16	31	34	40	139	188	130	119	107	127	123	134
Male.....	1,328	8	19	20	22	99	136	93	87	72	88	85	86
Female.....	797	8	12	14	18	40	52	37	32	35	39	38	48
Transport accidents (V01-V99,Y85)													
All races, both sexes.....	48,441	147	646	649	898	5,128	6,160	4,109	3,529	3,415	3,880	3,778	3,323
Male.....	34,086	74	369	365	545	3,432	4,776	3,199	2,641	2,485	2,818	2,760	2,448
Female.....	14,355	73	277	284	353	1,696	1,384	910	888	930	1,062	1,018	875
White, both sexes.....	40,647	100	492	508	702	4,333	5,145	3,346	2,822	2,782	3,240	3,180	2,762
Male.....	28,568	54	278	289	422	2,885	4,013	2,612	2,095	2,008	2,364	2,335	2,045
Female.....	12,079	46	214	219	280	1,448	1,132	734	727	774	876	845	717
Black, both sexes.....	5,842	38	119	112	149	582	746	552	547	497	493	469	435
Male.....	4,237	16	65	58	97	404	571	435	435	385	360	329	325
Female.....	1,605	22	54	54	52	178	175	117	112	112	133	140	110
American Indian 1/, both sexes.....	875	5	27	14	24	108	127	119	82	74	76	60	51
Male.....	622	3	21	10	15	69	94	85	58	52	55	50	34
Female.....	253	2	6	4	9	39	33	34	24	22	21	10	17
Asian or Pacific Islander 2/, both sexes.	1,077	4	8	15	23	105	142	92	78	62	71	69	75
Male.....	659	1	5	8	11	74	98	67	53	40	39	46	44
Female.....	418	3	3	7	12	31	44	25	25	22	32	23	31

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)													
All races, both sexes.....	45,343	146	617	623	824	4,967	5,941	3,926	3,313	3,175	3,573	3,430	2,967
Male.....	31,631	74	351	349	499	3,309	4,595	3,039	2,462	2,299	2,570	2,468	2,163
Female.....	13,712	72	266	274	325	1,658	1,346	887	851	876	1,003	962	804
White, both sexes.....	38,041	99	470	486	640	4,200	4,972	3,198	2,644	2,577	2,980	2,900	2,476
Male.....	26,508	54	263	276	385	2,789	3,871	2,480	1,947	1,853	2,152	2,096	1,817
Female.....	11,533	45	207	210	255	1,411	1,101	718	697	724	828	804	659
Black, both sexes.....	5,491	38	114	108	141	568	709	529	520	471	458	415	383
Male.....	3,957	16	63	55	90	390	540	417	413	362	334	289	282
Female.....	1,534	22	51	53	51	178	169	112	107	109	124	126	101
American Indian 1/, both sexes.....	801	5	26	14	21	103	120	111	77	68	67	52	43
Male.....	556	3	20	10	13	65	88	78	53	47	47	42	28
Female.....	245	2	6	4	8	38	32	33	24	21	20	10	15
Asian or Pacific Islander 2/, both sexes.	1,010	4	7	15	22	96	140	88	72	59	68	63	65
Male.....	610	1	5	8	11	65	96	64	49	37	37	41	36
Female.....	400	3	2	7	11	31	44	24	23	22	31	22	29
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9, V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)													
All races, both sexes.....	1,241	1	27	13	37	94	98	80	82	96	114	118	149
Male.....	957	-	17	8	27	77	79	71	65	74	86	99	113
Female.....	284	1	10	5	10	17	19	9	17	22	28	19	36
White, both sexes.....	970	1	20	11	30	74	74	59	61	82	88	90	106
Male.....	738	-	14	7	21	57	60	53	48	62	67	75	78
Female.....	232	1	6	4	9	17	14	6	13	20	21	15	28
Black, both sexes.....	204	-	5	2	6	11	21	15	17	13	21	23	33
Male.....	163	-	2	1	5	11	16	12	14	11	15	19	27
Female.....	41	-	3	1	1	-	5	3	3	2	6	4	6
American Indian 1/, both sexes.....	36	-	1	-	1	4	2	5	3	1	5	5	3
Male.....	34	-	1	-	1	4	2	5	3	1	4	5	2
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.	31	-	1	-	-	5	1	1	1	-	-	-	7
Male.....	22	-	-	-	-	5	1	1	-	-	-	-	6
Female.....	9	-	1	-	-	-	-	-	1	-	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All races, both sexes.....	1,857	-	2	13	37	67	121	103	134	144	193	230	207
Male.....	1,498	-	1	8	19	46	102	89	114	112	162	193	172
Female.....	359	-	1	5	18	21	19	14	20	32	31	37	35
White, both sexes.....	1,636	-	2	11	32	59	99	89	117	123	172	190	180
Male.....	1,322	-	1	6	16	39	82	79	100	93	145	164	150
Female.....	314	-	1	5	16	20	17	10	17	30	27	26	30
Black, both sexes.....	147	-	-	2	2	3	16	8	10	13	14	31	19
Male.....	117	-	-	2	2	3	15	6	8	12	11	21	16
Female.....	30	-	-	-	-	-	1	2	2	1	3	10	3
American Indian 1/, both sexes.....	38	-	-	-	2	1	5	3	2	5	4	3	5
Male.....	32	-	-	-	1	-	4	2	2	4	4	3	4
Female.....	6	-	-	-	1	1	1	1	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	36	-	-	-	1	4	1	3	5	3	3	6	3
Male.....	27	-	-	-	-	4	1	2	4	3	2	5	2
Female.....	9	-	-	-	1	-	-	1	1	-	1	1	1
Nontransport accidents (W00-X59,Y86)													
All races, both sexes.....	69,368	936	1,018	423	445	1,488	2,977	3,106	3,253	4,004	5,620	6,241	4,997
Male.....	42,289	504	658	262	321	1,213	2,406	2,423	2,402	2,862	3,861	4,297	3,497
Female.....	27,079	432	360	161	124	275	571	683	851	1,142	1,759	1,944	1,500
White, both sexes.....	59,759	634	770	267	308	1,229	2,618	2,720	2,740	3,382	4,768	5,192	4,001
Male.....	36,032	334	515	168	222	1,004	2,133	2,128	2,041	2,437	3,287	3,551	2,783
Female.....	23,727	300	255	99	86	225	485	592	699	945	1,481	1,641	1,218
Black, both sexes.....	7,810	276	208	124	116	191	261	292	405	504	714	905	880
Male.....	5,092	156	119	74	85	156	203	223	276	345	467	649	633
Female.....	2,718	120	89	50	31	35	58	69	129	159	247	256	247
American Indian 1/, both sexes.....	751	14	17	13	4	34	52	56	67	73	82	90	57
Male.....	496	7	10	8	3	28	32	46	51	48	58	58	39
Female.....	255	7	7	5	1	6	20	10	16	25	24	32	18
Asian or Pacific Islander 2/, both sexes.....	1,048	12	23	19	17	34	46	38	41	45	56	54	59
Male.....	669	7	14	12	11	25	38	26	34	32	49	39	42
Female.....	379	5	9	7	6	9	8	12	7	13	7	15	17

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Falls (W00-W19)													
All races, both sexes.....	19,656	16	34	14	18	77	159	139	156	227	380	544	637
Male.....	10,154	6	20	10	14	69	129	126	130	188	301	407	490
Female.....	9,502	10	14	4	4	8	30	13	26	39	79	137	147
White, both sexes.....	18,113	13	19	8	16	70	148	124	124	190	334	459	534
Male.....	9,246	5	12	6	12	62	122	113	106	159	264	337	413
Female.....	8,867	8	7	2	4	8	26	11	18	31	70	122	121
Black, both sexes.....	1,027	2	12	5	1	4	7	7	23	25	29	67	89
Male.....	602	-	5	3	1	4	5	5	16	20	24	57	67
Female.....	425	2	7	2	-	-	2	2	7	5	5	10	22
American Indian 1/, both sexes.....	117	1	-	1	-	2	3	1	7	7	9	12	8
Male.....	65	1	-	1	-	2	2	1	6	6	6	7	5
Female.....	52	-	-	-	-	-	1	-	1	1	3	5	3
Asian or Pacific Islander 2/, both sexes.....	399	-	3	-	1	1	1	7	2	5	8	6	6
Male.....	241	-	3	-	1	1	-	7	2	3	7	6	5
Female.....	158	-	-	-	-	-	1	-	-	2	1	-	1
Accidental discharge of firearms (W32-W34)													
All races, both sexes.....	789	1	22	15	37	98	105	68	62	60	54	55	53
Male.....	683	1	18	9	30	88	102	63	55	51	43	44	44
Female.....	106	-	4	6	7	10	3	5	7	9	11	11	9
White, both sexes.....	601	-	10	6	31	67	72	47	35	46	46	46	46
Male.....	516	-	9	4	25	63	71	43	28	38	35	37	38
Female.....	85	-	1	2	6	4	1	4	7	8	11	9	8
Black, both sexes.....	154	1	12	8	6	24	26	16	24	11	6	5	6
Male.....	138	1	9	4	5	21	24	15	24	11	6	4	5
Female.....	16	-	3	4	1	3	2	1	-	-	-	1	1
American Indian 1/, both sexes.....	11	-	-	1	-	3	1	4	1	1	-	-	-
Male.....	9	-	-	1	-	2	1	4	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	4	6	1	2	2	2	4	1
Male.....	20	-	-	-	-	2	6	1	2	2	2	3	1
Female.....	3	-	-	-	-	2	-	-	-	-	-	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidental drowning and submersion (W65-W74)													
All races, both sexes.....	3,582	64	493	121	132	310	339	206	179	208	289	279	213
Male.....	2,818	27	336	79	105	281	307	178	150	177	233	222	171
Female.....	764	37	157	42	27	29	32	28	29	31	56	57	42
White, both sexes.....	2,819	56	418	73	74	211	259	164	140	155	236	230	174
Male.....	2,191	21	288	45	53	188	238	143	114	131	185	186	134
Female.....	628	35	130	28	21	23	21	21	26	24	51	44	40
Black, both sexes.....	556	8	58	38	50	75	59	31	29	41	31	33	28
Male.....	471	6	36	26	46	73	52	27	27	36	26	28	28
Female.....	85	2	22	12	4	2	7	4	2	5	5	5	-
American Indian 1/, both sexes.....	64	-	5	3	-	10	8	8	1	6	11	4	3
Male.....	49	-	4	1	-	7	5	6	1	6	11	2	3
Female.....	15	-	1	2	-	3	3	2	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	143	-	12	7	8	14	13	3	9	6	11	12	8
Male.....	107	-	8	7	6	13	12	2	8	4	11	6	6
Female.....	36	-	4	-	2	1	1	1	1	2	-	6	2
Accidental exposure to smoke, fire and flames (X00-X09)													
All races, both sexes.....	3,197	34	204	137	85	62	106	116	108	138	196	269	228
Male.....	1,886	16	124	77	48	40	63	74	63	93	133	168	157
Female.....	1,311	18	80	60	37	22	43	42	45	45	63	101	71
White, both sexes.....	2,351	23	123	75	50	39	84	85	76	104	154	216	174
Male.....	1,392	10	81	46	29	27	50	54	50	71	100	137	116
Female.....	959	13	42	29	21	12	34	31	26	33	54	79	58
Black, both sexes.....	746	10	73	51	31	19	17	25	27	30	34	48	50
Male.....	442	6	38	27	17	10	10	16	11	19	26	30	40
Female.....	304	4	35	24	14	9	7	9	16	11	8	18	10
American Indian 1/, both sexes.....	54	-	6	4	1	2	4	5	3	2	5	4	1
Male.....	33	-	4	2	1	2	2	4	2	2	4	1	-
Female.....	21	-	2	2	-	-	2	1	1	-	1	3	1
Asian or Pacific Islander 2/, both sexes.....	46	1	2	7	3	2	1	1	2	2	3	1	3
Male.....	19	-	1	2	1	1	1	-	-	1	3	-	1
Female.....	27	1	1	5	2	1	-	1	2	1	-	1	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidental poisoning and exposure to noxious substances (X40-X49)													
All races, both sexes.....	23,618	20	21	17	34	637	1,847	2,124	2,262	2,830	3,899	4,096	2,887
Male.....	15,884	11	12	11	20	488	1,452	1,596	1,597	1,906	2,517	2,666	1,871
Female.....	7,734	9	9	6	14	149	395	528	665	924	1,382	1,430	1,016
White, both sexes.....	20,163	12	11	10	28	598	1,715	1,913	1,965	2,448	3,340	3,456	2,299
Male.....	13,561	7	5	6	19	462	1,361	1,442	1,402	1,665	2,176	2,230	1,470
Female.....	6,602	5	6	4	9	136	354	471	563	783	1,164	1,226	829
Black, both sexes.....	2,986	7	7	6	3	24	94	161	240	321	499	575	532
Male.....	2,015	4	6	4	-	13	67	120	155	203	302	391	365
Female.....	971	3	1	2	3	11	27	41	85	118	197	184	167
American Indian 1/, both sexes.....	289	-	2	1	1	9	23	30	37	40	39	47	33
Male.....	182	-	1	1	1	8	13	24	24	23	22	30	20
Female.....	107	-	1	-	-	1	10	6	13	17	17	17	13
Asian or Pacific Islander 2/, both sexes.....	180	1	1	-	2	6	15	20	20	21	21	18	23
Male.....	126	-	-	-	-	5	11	10	16	15	17	15	16
Female.....	54	1	1	-	2	1	4	10	4	6	4	3	7
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All races, both sexes.....	18,526	801	244	119	139	304	421	453	486	541	802	998	979
Male.....	10,864	443	148	76	104	247	353	386	407	447	634	790	764
Female.....	7,662	358	96	43	35	57	68	67	79	94	168	208	215
White, both sexes.....	15,712	530	189	95	109	244	340	387	400	439	658	785	774
Male.....	9,126	291	120	61	84	202	291	333	341	373	527	624	612
Female.....	6,586	239	69	34	25	42	49	54	59	66	131	161	162
Black, both sexes.....	2,341	248	46	16	25	45	58	52	62	76	115	177	175
Male.....	1,424	139	25	10	16	35	45	40	43	56	83	139	128
Female.....	917	109	21	6	9	10	13	12	19	20	32	38	47
American Indian 1/, both sexes.....	216	13	4	3	2	8	13	8	18	17	18	23	12
Male.....	158	6	1	2	1	7	9	7	17	11	15	18	11
Female.....	58	7	3	1	1	1	4	1	1	6	3	5	1
Asian or Pacific Islander 2/, both sexes.....	257	10	5	5	3	7	10	6	6	9	11	13	18
Male.....	156	7	2	3	3	3	8	6	6	7	9	9	13
Female.....	101	3	3	2	-	4	2	-	-	2	2	4	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All races, both sexes.....	32,637	2	270	1,613	2,599	2,377	2,613	2,893	3,657	3,764	3,227
Male.....	25,907	2	202	1,303	2,195	1,975	2,091	2,259	2,804	2,826	2,443
Female.....	6,730	-	68	310	404	402	522	634	853	938	784
White, both sexes.....	29,527	1	208	1,369	2,171	1,976	2,253	2,586	3,331	3,497	3,008
Male.....	23,478	1	159	1,119	1,826	1,653	1,794	2,023	2,549	2,627	2,279
Female.....	6,049	-	49	250	345	323	459	563	782	870	729
Black, both sexes.....	1,992	1	40	148	289	252	233	199	220	169	145
Male.....	1,621	1	26	124	258	208	194	158	179	131	109
Female.....	371	-	14	24	31	44	39	41	41	38	36
American Indian 1/, both sexes.....	392	-	14	59	69	49	42	39	45	31	22
Male.....	313	-	11	37	62	38	35	31	37	25	17
Female.....	79	-	3	22	7	11	7	8	8	6	5
Asian or Pacific Islander 2/, both sexes.....	726	-	8	37	70	100	85	69	61	67	52
Male.....	495	-	6	23	49	76	68	47	39	43	38
Female.....	231	-	2	14	21	24	17	22	22	24	14
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All races, both sexes.....	17,002	-	84	738	1,224	1,125	1,144	1,246	1,609	1,804	1,668
Male.....	14,916	-	72	658	1,113	998	983	1,069	1,347	1,520	1,425
Female.....	2,086	-	12	80	111	127	161	177	262	284	243
White, both sexes.....	15,681	-	75	628	1,009	950	993	1,119	1,493	1,698	1,579
Male.....	13,730	-	65	557	917	842	845	955	1,242	1,429	1,343
Female.....	1,951	-	10	71	92	108	148	164	251	269	236
Black, both sexes.....	1,009	-	6	80	167	133	116	96	93	74	63
Male.....	911	-	5	74	156	117	107	88	84	65	57
Female.....	98	-	1	6	11	16	9	8	9	9	6
American Indian 1/, both sexes.....	163	-	2	20	29	22	17	16	13	13	15
Male.....	145	-	1	17	26	20	15	13	13	12	14
Female.....	18	-	1	3	3	2	2	3	-	1	1
Asian or Pacific Islander 2/, both sexes.....	149	-	1	10	19	20	18	15	10	19	11
Male.....	130	-	1	10	14	19	16	13	8	14	11
Female.....	19	-	-	-	5	1	2	2	2	5	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All races, both sexes.....	15,635	2	186	875	1,375	1,252	1,469	1,647	2,048	1,960	1,559
Male.....	10,991	2	130	645	1,082	977	1,108	1,190	1,457	1,306	1,018
Female.....	4,644	-	56	230	293	275	361	457	591	654	541
White, both sexes.....	13,846	1	133	741	1,162	1,026	1,260	1,467	1,838	1,799	1,429
Male.....	9,748	1	94	562	909	811	949	1,068	1,307	1,198	936
Female.....	4,098	-	39	179	253	215	311	399	531	601	493
Black, both sexes.....	983	1	34	68	122	119	117	103	127	95	82
Male.....	710	1	21	50	102	91	87	70	95	66	52
Female.....	273	-	13	18	20	28	30	33	32	29	30
American Indian 1/, both sexes.....	229	-	12	39	40	27	25	23	32	18	7
Male.....	168	-	10	20	36	18	20	18	24	13	3
Female.....	61	-	2	19	4	9	5	5	8	5	4
Asian or Pacific Islander 2/, both sexes.....	577	-	7	27	51	80	67	54	51	48	41
Male.....	365	-	5	13	35	57	52	34	31	29	27
Female.....	212	-	2	14	16	23	15	20	20	19	14
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)													
All races, both sexes.....	18,124	306	375	121	220	2,076	3,390	2,735	2,017	1,582	1,527	1,223	837
Male.....	14,376	173	214	68	136	1,815	2,950	2,342	1,666	1,179	1,138	927	652
Female.....	3,748	133	161	53	84	261	440	393	351	403	389	296	185
White, both sexes.....	8,770	195	217	66	102	866	1,306	1,133	889	794	821	700	482
Male.....	6,457	109	119	40	56	726	1,074	907	680	553	581	513	368
Female.....	2,313	86	98	26	46	140	232	226	209	241	240	187	114
Black, both sexes.....	8,669	95	140	45	105	1,138	1,939	1,521	1,070	734	635	478	319
Male.....	7,412	54	88	25	72	1,032	1,758	1,375	944	586	505	379	254
Female.....	1,257	41	52	20	33	106	181	146	126	148	130	99	65
American Indian 1/, both sexes.....	257	5	10	4	3	29	53	37	23	21	24	17	12
Male.....	193	4	4	2	1	20	47	27	18	15	17	15	10
Female.....	64	1	6	2	2	9	6	10	5	6	7	2	2
Asian or Pacific Islander 2/, both sexes.....	428	11	8	6	10	43	92	44	35	33	47	28	24
Male.....	314	6	3	1	7	37	71	33	24	25	35	20	20
Female.....	114	5	5	5	3	6	21	11	11	8	12	8	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All races, both sexes.....	12,352	6	37	44	143	1,742	2,757	2,207	1,573	1,065	945	679	418
Male.....	10,561	6	22	27	104	1,584	2,512	1,978	1,366	851	748	525	334
Female.....	1,791	-	15	17	39	158	245	229	207	214	197	154	84
White, both sexes.....	5,266	4	23	24	63	668	909	809	624	501	487	383	247
Male.....	4,177	4	13	16	45	590	800	685	506	360	361	278	190
Female.....	1,089	-	10	8	18	78	109	124	118	141	126	105	57
Black, both sexes.....	6,703	2	13	16	73	1,019	1,743	1,345	915	537	424	275	159
Male.....	6,067	2	9	10	55	945	1,623	1,248	832	468	359	231	133
Female.....	636	-	4	6	18	74	120	97	83	69	65	44	26
American Indian 1/, both sexes.....	117	-	-	3	1	19	38	21	13	5	7	3	1
Male.....	96	-	-	1	-	16	34	18	11	4	5	2	-
Female.....	21	-	-	2	1	3	4	3	2	1	2	1	1
Asian or Pacific Islander 2/, both sexes.	266	-	1	1	6	36	67	32	21	22	27	18	11
Male.....	221	-	-	-	4	33	55	27	17	19	23	14	11
Female.....	45	-	1	1	2	3	12	5	4	3	4	4	-
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)													
All races, both sexes.....	5,772	300	338	77	77	334	633	528	444	517	582	544	419
Male.....	3,815	167	192	41	32	231	438	364	300	328	390	402	318
Female.....	1,957	133	146	36	45	103	195	164	144	189	192	142	101
White, both sexes.....	3,504	191	194	42	39	198	397	324	265	293	334	317	235
Male.....	2,280	105	106	24	11	136	274	222	174	193	220	235	178
Female.....	1,224	86	88	18	28	62	123	102	91	100	114	82	57
Black, both sexes.....	1,966	93	127	29	32	119	196	176	155	197	211	203	160
Male.....	1,345	52	79	15	17	87	135	127	112	118	146	148	121
Female.....	621	41	48	14	15	32	61	49	43	79	65	55	39
American Indian 1/, both sexes.....	140	5	10	1	2	10	15	16	10	16	17	14	11
Male.....	97	4	4	1	1	4	13	9	7	11	12	13	10
Female.....	43	1	6	-	1	6	2	7	3	5	5	1	1
Asian or Pacific Islander 2/, both sexes.	162	11	7	5	4	7	25	12	14	11	20	10	13
Male.....	93	6	3	1	3	4	16	6	7	6	12	6	9
Female.....	69	5	4	4	1	3	9	6	7	5	8	4	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Legal intervention (Y35,Y89.0)													
All races, both sexes.....	414	-	-	-	1	22	61	44	66	76	48	34	22
Male.....	401	-	-	-	1	22	60	44	65	74	45	33	21
Female.....	13	-	-	-	-	-	1	-	1	2	3	1	1
White, both sexes.....	289	-	-	-	-	11	48	29	39	48	37	28	15
Male.....	277	-	-	-	-	11	47	29	38	46	35	27	14
Female.....	12	-	-	-	-	-	1	-	1	2	2	1	1
Black, both sexes.....	112	-	-	-	1	11	13	12	27	21	10	6	7
Male.....	111	-	-	-	1	11	13	12	27	21	9	6	7
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	2	-	3	1	-	-
Male.....	7	-	-	-	-	-	-	2	-	3	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	1	-	4	-	-	-
Male.....	6	-	-	-	-	-	-	1	-	4	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)													
All races, both sexes.....	4,742	104	69	21	43	147	337	363	379	484	710	730	584
Male.....	2,861	67	44	11	32	105	250	248	230	285	410	419	339
Female.....	1,881	37	25	10	11	42	87	115	149	199	300	311	245
White, both sexes.....	3,917	68	43	14	33	117	289	311	318	405	570	614	479
Male.....	2,327	45	28	6	26	84	215	208	194	239	327	345	268
Female.....	1,590	23	15	8	7	33	74	103	124	166	243	269	211
Black, both sexes.....	685	31	23	5	6	20	36	41	51	70	119	102	88
Male.....	453	19	14	3	5	16	25	32	30	41	73	68	63
Female.....	232	12	9	2	1	4	11	9	21	29	46	34	25
American Indian 1/, both sexes.....	64	3	2	-	1	5	4	5	4	2	9	6	11
Male.....	37	1	2	-	-	2	4	4	1	1	4	3	6
Female.....	27	2	-	-	1	3	-	1	3	1	5	3	5
Asian or Pacific Islander 2/, both sexes.....	76	2	1	2	3	5	8	6	6	7	12	8	6
Male.....	44	2	-	2	1	3	6	4	5	4	6	3	2
Female.....	32	-	1	-	2	2	2	2	1	3	6	5	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Discharge of firearms, undetermined intent (Y22-Y24)													
All races, both sexes.....	221	-	3	3	9	24	53	23	12	11	17	11	17
Male.....	178	-	2	2	8	23	45	19	10	7	14	8	14
Female.....	43	-	1	1	1	1	8	4	2	4	3	3	3
White, both sexes.....	175	-	-	1	9	15	42	17	11	9	13	9	15
Male.....	141	-	-	-	8	14	35	13	9	5	12	7	13
Female.....	34	-	-	1	1	1	7	4	2	4	1	2	2
Black, both sexes.....	36	-	2	1	-	8	8	5	1	2	3	2	1
Male.....	28	-	1	1	-	8	7	5	1	2	2	1	-
Female.....	8	-	1	-	-	-	1	-	-	-	1	1	1
American Indian 1/, both sexes.....	7	-	1	-	-	1	2	1	-	-	-	-	1
Male.....	7	-	1	-	-	1	2	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)													
All races, both sexes.....	4,521	104	66	18	34	123	284	340	367	473	693	719	567
Male.....	2,683	67	42	9	24	82	205	229	220	278	396	411	325
Female.....	1,838	37	24	9	10	41	79	111	147	195	297	308	242
White, both sexes.....	3,742	68	43	13	24	102	247	294	307	396	557	605	464
Male.....	2,186	45	28	6	18	70	180	195	185	234	315	338	255
Female.....	1,556	23	15	7	6	32	67	99	122	162	242	267	209
Black, both sexes.....	649	31	21	4	6	12	28	36	50	68	116	100	87
Male.....	425	19	13	2	5	8	18	27	29	39	71	67	63
Female.....	224	12	8	2	1	4	10	9	21	29	45	33	24
American Indian 1/, both sexes.....	57	3	1	-	1	4	2	4	4	2	9	6	10
Male.....	30	1	1	-	-	1	2	3	1	1	4	3	5
Female.....	27	2	-	-	1	3	-	1	3	1	5	3	5
Asian or Pacific Islander 2/, both sexes.....	73	2	1	1	3	5	7	6	6	7	11	8	6
Male.....	42	2	-	1	1	3	5	4	5	4	6	3	2
Female.....	31	-	1	-	2	2	2	2	1	3	5	5	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Operations of war and their sequelae (Y36,Y89.1)													
All races, both sexes.....	27	-	-	-	-	-	3	2	1	3	1	1	-
Male.....	27	-	-	-	-	-	3	2	1	3	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	21	-	-	-	-	-	3	-	1	2	1	-	-
Male.....	21	-	-	-	-	-	3	-	1	2	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	6	-	-	-	-	-	-	2	-	1	-	1	-
Male.....	6	-	-	-	-	-	-	2	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)													
All races, both sexes.....	2,653	19	16	10	6	14	15	32	38	58	86	118	169
Male.....	1,220	16	10	7	2	8	8	14	12	22	40	50	81
Female.....	1,433	3	6	3	4	6	7	18	26	36	46	68	88
White, both sexes.....	2,170	11	13	9	5	13	10	24	30	45	67	88	115
Male.....	1,014	8	9	6	2	7	6	11	12	19	34	38	56
Female.....	1,156	3	4	3	3	6	4	13	18	26	33	50	59
Black, both sexes.....	434	8	2	1	1	-	5	8	7	12	17	29	49
Male.....	181	8	-	1	-	-	2	3	-	3	5	12	23
Female.....	253	-	2	-	1	-	3	5	7	9	12	17	26
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	-	1	1	1	4
Male.....	9	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	11	-	-	-	-	-	-	-	-	1	-	1	3
Asian or Pacific Islander 2/, both sexes.....	29	-	1	-	-	1	-	-	1	-	1	-	1
Male.....	16	-	1	-	-	1	-	-	-	-	-	-	1
Female.....	13	-	-	-	-	-	-	-	1	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49 50-54
ages 1 year years years years years years years years years years years years

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/

All races, both sexes.....	21,634	-	-	-	2	40	109	195	346	980	2,301	3,526	3,937
Male.....	16,238	-	-	-	1	33	94	154	251	697	1,639	2,544	3,025
Female.....	5,396	-	-	-	1	7	15	41	95	283	662	982	912
White, both sexes.....	18,432	-	-	-	1	33	86	157	272	817	1,926	2,979	3,325
Male.....	13,917	-	-	-	1	29	77	124	201	592	1,394	2,157	2,571
Female.....	4,515	-	-	-	-	4	9	33	71	225	532	822	754
Black, both sexes.....	2,316	-	-	-	-	3	13	16	32	84	237	406	451
Male.....	1,698	-	-	-	-	2	9	13	20	54	152	298	334
Female.....	618	-	-	-	-	1	4	3	12	30	85	108	117
American Indian 1/, both sexes.....	655	-	-	-	1	3	9	17	26	62	111	110	120
Male.....	432	-	-	-	-	1	7	12	18	36	72	61	86
Female.....	223	-	-	-	1	2	2	5	8	26	39	49	34
Asian or Pacific Islander 2/, both sexes.....	231	-	-	-	-	1	1	5	16	17	27	31	41
Male.....	191	-	-	-	-	1	1	5	12	15	21	28	34
Female.....	40	-	-	-	-	-	-	-	4	2	6	3	7

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	33,541	35	30	14	37	787	2,308	2,700	3,030	3,846	5,487	5,797	4,244
Male.....	21,208	18	23	7	17	582	1,737	1,944	2,026	2,432	3,397	3,543	2,600
Female.....	12,333	17	7	7	20	205	571	756	1,004	1,414	2,090	2,254	1,644
White, both sexes.....	28,804	25	15	10	28	731	2,154	2,418	2,648	3,317	4,704	4,893	3,405
Male.....	18,152	12	11	6	15	549	1,633	1,750	1,792	2,117	2,933	2,953	2,041
Female.....	10,652	13	4	4	13	182	521	668	856	1,200	1,771	1,940	1,364
Black, both sexes.....	4,098	10	14	4	6	33	107	214	315	446	698	813	754
Male.....	2,677	6	11	1	2	19	76	155	192	263	416	533	510
Female.....	1,421	4	3	3	4	14	31	59	123	183	282	280	244
American Indian 1/, both sexes.....	362	-	1	-	1	15	23	37	40	49	49	60	47
Male.....	205	-	1	-	-	9	13	25	22	27	25	36	26
Female.....	157	-	-	-	1	6	10	12	18	22	24	24	21
Asian or Pacific Islander 2/, both sexes.....	277	-	-	-	2	8	24	31	27	34	36	31	38
Male.....	174	-	-	-	-	5	15	14	20	25	23	21	23
Female.....	103	-	-	-	2	3	9	17	7	9	13	10	15

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	30,694	7	62	62	273	2,623	4,198	3,461	2,841	2,440	2,661	2,572	2,172
Male.....	26,657	7	42	38	214	2,374	3,830	3,096	2,463	2,035	2,186	2,119	1,832
Female.....	4,037	-	20	24	59	249	368	365	378	405	475	453	340
White, both sexes.....	21,958	4	33	31	178	1,389	2,078	1,848	1,693	1,713	2,067	2,156	1,900
Male.....	18,788	4	22	20	143	1,235	1,868	1,608	1,417	1,395	1,676	1,770	1,596
Female.....	3,170	-	11	11	35	154	210	240	276	318	391	386	304
Black, both sexes.....	7,984	3	27	25	85	1,141	1,957	1,509	1,076	659	533	359	232
Male.....	7,226	3	19	15	65	1,058	1,823	1,395	984	582	458	304	198
Female.....	758	-	8	10	20	83	134	114	92	77	75	55	34
American Indian 1/, both sexes.....	305	-	1	4	3	43	70	50	31	25	21	16	17
Male.....	264	-	1	2	1	36	63	45	27	20	19	14	15
Female.....	41	-	-	2	2	7	7	5	4	5	2	2	2
Asian or Pacific Islander 2/, both sexes.....	447	-	1	2	7	50	93	54	41	43	40	41	23
Male.....	379	-	-	1	5	45	76	48	35	38	33	31	23
Female.....	68	-	1	1	2	5	17	6	6	5	7	10	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Shigellosis and amebiasis (A03,A06)

All races, both sexes.....	2	-	2	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	2	-	-	-	-	-
White, both sexes.....	2	-	2	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Certain other intestinal infections (A04,A07-A09)

All races, both sexes.....	94	159	279	550	859	1,211	1,246	790	259	38	-
Male.....	44	88	137	240	388	477	439	248	45	8	-
Female.....	50	71	142	310	471	734	807	542	214	30	-
White, both sexes.....	71	137	253	496	800	1,145	1,182	761	249	35	-
Male.....	32	78	129	218	361	443	423	239	43	8	-
Female.....	39	59	124	278	439	702	759	522	206	27	-
Black, both sexes.....	21	17	22	44	43	55	51	25	8	3	-
Male.....	11	6	8	18	21	26	12	6	1	-	-
Female.....	10	11	14	26	22	29	39	19	7	3	-
American Indian 1/, both sexes.....	1	3	3	4	5	2	2	-	-	-	-
Male.....	-	2	-	-	-	1	1	-	-	-	-
Female.....	1	1	3	4	5	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	6	11	9	11	4	2	-	-
Male.....	1	2	-	4	6	7	3	3	1	-	-
Female.....	-	-	1	2	5	2	8	1	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Tuberculosis (A16-A19)

All races, both sexes.....	43	48	54	62	93	72	76	29	9	-	-
Male.....	29	35	33	41	53	36	36	14	3	-	-
Female.....	14	13	21	21	40	36	40	15	6	-	-
White, both sexes.....	19	27	34	29	51	45	50	21	7	-	-
Male.....	14	20	20	18	28	20	23	9	3	-	-
Female.....	5	7	14	11	23	25	27	12	4	-	-
Black, both sexes.....	15	13	13	19	20	9	11	4	1	-	-
Male.....	10	9	10	15	9	4	4	2	-	-	-
Female.....	5	4	3	4	11	5	7	2	1	-	-
American Indian 1/, both sexes.....	2	1	2	2	1	-	2	1	-	-	-
Male.....	1	1	1	-	1	-	2	1	-	-	-
Female.....	1	-	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	7	5	12	21	18	13	3	1	-	-
Male.....	4	5	2	8	15	12	7	2	-	-	-
Female.....	3	2	3	4	6	6	6	1	1	-	-

Respiratory tuberculosis (A16)

All races, both sexes.....	28	34	33	48	72	57	63	24	8	-	-
Male.....	20	26	23	34	38	30	29	12	3	-	-
Female.....	8	8	10	14	34	27	34	12	5	-	-
White, both sexes.....	11	20	22	22	38	36	39	16	6	-	-
Male.....	9	15	14	14	19	15	17	7	3	-	-
Female.....	2	5	8	8	19	21	22	9	3	-	-
Black, both sexes.....	11	8	7	16	16	4	10	4	1	-	-
Male.....	7	6	6	14	6	3	3	2	-	-	-
Female.....	4	2	1	2	10	1	7	2	1	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	-	2	1	-	-	-
Male.....	-	1	1	-	-	-	2	1	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	3	9	18	17	12	3	1	-	-
Male.....	4	4	2	6	13	12	7	2	-	-	-
Female.....	1	1	1	3	5	5	5	1	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other tuberculosis (A17-A19)											
All races, both sexes.....	15	14	21	14	21	15	13	5	1	-	-
Male.....	9	9	10	7	15	6	7	2	-	-	-
Female.....	6	5	11	7	6	9	6	3	1	-	-
White, both sexes.....	8	7	12	7	13	9	11	5	1	-	-
Male.....	5	5	6	4	9	5	6	2	-	-	-
Female.....	3	2	6	3	4	4	5	3	1	-	-
Black, both sexes.....	4	5	6	3	4	5	1	-	-	-	-
Male.....	3	3	4	1	3	1	1	-	-	-	-
Female.....	1	2	2	2	1	4	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	3	3	1	1	-	-	-	-
Male.....	-	1	-	2	2	-	-	-	-	-	-
Female.....	2	1	2	1	1	1	1	-	-	-	-

Whooping cough (A37)

All races, both sexes.....	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Measles (B05)

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Viral hepatitis (B15-B19)

All races, both sexes.....	928	449	323	325	266	216	93	26	2	2	-
Male.....	687	290	164	153	103	90	30	10	-	1	-
Female.....	241	159	159	172	163	126	63	16	2	1	-
White, both sexes.....	725	334	236	235	214	183	76	23	2	2	-
Male.....	544	216	125	115	93	76	25	9	-	1	-
Female.....	181	118	111	120	121	107	51	14	2	1	-
Black, both sexes.....	166	91	57	50	33	20	11	2	-	-	-
Male.....	117	58	28	25	5	8	2	-	-	8	-
Female.....	49	33	29	25	28	12	9	2	-	-	-
American Indian 1/, both sexes.....	9	5	4	2	2	-	1	-	-	-	-
Male.....	9	1	2	-	-	-	1	-	-	-	-
Female.....	-	4	2	2	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	19	26	38	17	13	5	1	-	-	-
Male.....	17	15	9	13	5	6	2	1	-	-	-
Female.....	11	4	17	25	12	7	3	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years and over stated

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All races, both sexes.....	682	591	601	708	893	892	587	326	139	29	-
Male.....	437	331	330	381	440	424	232	104	35	7	-
Female.....	245	260	271	327	453	468	355	222	104	22	-
White, both sexes.....	559	480	515	593	767	789	522	295	129	25	-
Male.....	357	271	285	328	384	377	214	91	32	6	-
Female.....	202	209	230	265	383	412	308	204	97	19	-
Black, both sexes.....	99	83	62	75	80	71	46	27	8	4	-
Male.....	64	46	35	34	42	29	10	12	2	1	-
Female.....	35	37	27	41	38	42	36	15	6	3	-
American Indian 1/, both sexes.....	9	7	6	1	5	5	2	-	-	-	-
Male.....	5	4	3	1	1	2	1	-	-	-	-
Female.....	4	3	3	-	4	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	15	21	18	39	41	27	17	4	2	-	-
Male.....	11	10	7	18	13	16	7	1	1	-	-
Female.....	4	11	11	21	28	11	10	3	1	-	-

Malignant neoplasms (C00-C97)

All races, both sexes.....	44,358	54,882	63,036	75,410	85,861	80,560	52,871	23,759	6,068	757	9
Male.....	23,993	30,046	35,112	41,573	45,989	41,107	24,960	9,940	2,108	189	5
Female.....	20,365	24,836	27,924	33,837	39,872	39,453	27,911	13,819	3,960	568	4
White, both sexes.....	36,277	46,162	53,698	65,582	76,278	72,454	47,874	21,491	5,395	644	5
Male.....	19,566	25,250	29,911	36,169	40,996	36,919	22,593	8,972	1,843	151	3
Female.....	16,711	20,912	23,787	29,413	35,282	35,535	25,281	12,519	3,552	493	2
Black, both sexes.....	6,760	7,200	7,733	7,986	7,763	6,532	3,991	1,855	583	99	4
Male.....	3,754	4,013	4,312	4,412	4,034	3,352	1,864	771	221	31	2
Female.....	3,006	3,187	3,421	3,574	3,729	3,180	2,127	1,084	362	68	2
American Indian 1/, both sexes.....	256	324	334	342	293	225	127	43	13	-	-
Male.....	149	172	175	183	146	121	67	20	8	-	-
Female.....	107	152	159	159	147	104	60	23	5	-	-
Asian or Pacific Islander 2/, both sexes.	1,065	1,196	1,271	1,500	1,527	1,349	879	370	77	14	-
Male.....	524	611	714	809	813	715	436	177	36	7	-
Female.....	541	585	557	691	714	634	443	193	41	7	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All races, both sexes.....	965	971	933	902	872	801	521	257	75	14	-
Male.....	763	738	700	609	559	440	236	98	18	1	-
Female.....	202	233	233	293	313	361	285	159	57	13	-
White, both sexes.....	750	788	759	772	768	719	477	235	68	12	-
Male.....	582	599	564	510	482	390	213	88	17	1	-
Female.....	168	189	195	262	286	329	264	147	51	11	-
Black, both sexes.....	167	158	139	107	78	59	29	11	5	2	-
Male.....	143	123	112	82	60	41	17	5	1	-	-
Female.....	24	35	27	25	18	18	12	6	4	2	-
American Indian 1/, both sexes.....	10	6	6	4	1	2	4	-	-	-	-
Male.....	9	4	4	3	1	2	3	-	-	-	-
Female.....	1	2	2	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	38	19	29	19	25	21	11	11	2	-	-
Male.....	29	12	20	14	16	7	3	5	-	-	-
Female.....	9	7	9	5	9	14	8	6	2	-	-

Malignant neoplasm of esophagus (C15)

All races, both sexes.....	1,464	1,636	1,774	1,908	2,043	1,538	875	335	55	6	-
Male.....	1,245	1,374	1,470	1,507	1,546	1,133	542	171	25	-	-
Female.....	219	262	304	401	497	405	333	164	30	6	-
White, both sexes.....	1,222	1,389	1,525	1,687	1,835	1,414	823	309	50	5	-
Male.....	1,058	1,181	1,274	1,349	1,409	1,046	515	163	23	-	-
Female.....	164	208	251	338	426	368	308	146	27	5	-
Black, both sexes.....	213	218	211	186	181	93	41	19	4	1	-
Male.....	162	172	167	131	118	69	22	6	1	-	-
Female.....	51	46	44	55	63	24	19	13	3	1	-
American Indian 1/, both sexes.....	8	9	10	9	6	8	3	-	-	-	-
Male.....	7	7	7	8	6	4	2	-	-	-	-
Female.....	1	2	3	1	-	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	20	28	26	21	23	8	7	1	-	-
Male.....	18	14	22	19	13	14	3	2	1	-	-
Female.....	3	6	6	7	8	9	5	5	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of stomach (C16)											
All races, both sexes.....	828	955	1,194	1,421	1,742	1,728	1,241	545	150	24	-
Male.....	557	647	775	906	1,014	958	590	229	40	10	-
Female.....	271	308	419	515	728	770	651	316	110	14	-
White, both sexes.....	612	690	865	1,084	1,342	1,367	1,017	436	119	21	-
Male.....	416	464	559	692	798	761	478	192	28	10	-
Female.....	196	226	306	392	544	606	539	244	91	11	-
Black, both sexes.....	162	181	232	234	291	236	165	86	24	3	-
Male.....	110	133	147	153	151	113	84	30	9	-	-
Female.....	52	48	85	81	140	123	81	56	15	3	-
American Indian 1/, both sexes.....	7	14	11	10	8	7	6	-	1	-	-
Male.....	4	8	8	6	5	7	4	-	-	-	-
Female.....	3	6	3	4	3	-	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	47	70	86	93	101	118	53	23	6	-	-
Male.....	27	42	61	55	60	77	24	7	3	-	-
Female.....	20	28	25	38	41	41	29	16	3	-	-

Malignant neoplasms of colon, rectum and anus (C18-C21)

All races, both sexes.....	3,708	4,445	5,342	6,450	7,834	8,420	6,382	3,478	1,061	133	2
Male.....	2,182	2,630	3,195	3,594	4,108	3,895	2,521	1,113	285	24	2
Female.....	1,526	1,815	2,147	2,856	3,726	4,525	3,861	2,365	776	109	-
White, both sexes.....	2,925	3,578	4,368	5,492	6,752	7,449	5,680	3,148	939	116	1
Male.....	1,739	2,146	2,642	3,102	3,565	3,497	2,271	1,001	253	19	1
Female.....	1,186	1,432	1,726	2,390	3,187	3,952	3,409	2,147	686	97	-
Black, both sexes.....	660	722	819	788	888	814	582	275	106	16	1
Male.....	376	408	449	395	441	330	198	90	26	4	1
Female.....	284	314	370	393	447	484	384	185	80	12	-
American Indian 1/, both sexes.....	26	24	29	24	34	20	14	6	1	-	-
Male.....	17	13	21	14	16	9	7	2	1	-	-
Female.....	9	11	8	10	18	11	7	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	97	121	126	146	160	137	106	49	15	1	-
Male.....	50	63	83	83	86	59	45	20	5	1	-
Female.....	47	58	43	63	74	78	61	29	10	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All races, both sexes.....	1,767	1,671	1,680	2,067	2,235	1,941	1,122	424	94	15	1
Male.....	1,404	1,211	1,144	1,326	1,333	1,041	521	173	24	1	-
Female.....	363	460	536	741	902	900	601	251	70	14	1
White, both sexes.....	1,300	1,264	1,327	1,662	1,903	1,661	994	363	84	12	-
Male.....	1,025	916	900	1,076	1,155	892	474	152	23	1	-
Female.....	275	348	427	586	748	769	520	211	61	11	-
Black, both sexes.....	341	278	211	229	174	162	70	31	7	1	1
Male.....	286	202	151	141	101	85	23	10	1	-	-
Female.....	55	76	60	88	73	77	47	21	6	1	1
American Indian 1/, both sexes.....	9	19	12	23	9	11	3	3	-	-	-
Male.....	8	15	6	15	2	3	2	1	-	-	-
Female.....	1	4	6	8	7	8	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	117	110	130	153	149	107	55	27	3	2	-
Male.....	85	78	87	94	75	61	22	10	-	-	-
Female.....	32	32	43	59	74	46	33	17	3	2	-

Malignant neoplasm of pancreas (C25)

All races, both sexes.....	2,724	3,260	3,811	4,477	5,158	4,989	3,203	1,400	330	29	1
Male.....	1,654	1,897	2,074	2,347	2,454	2,086	1,174	399	70	5	-
Female.....	1,070	1,363	1,737	2,130	2,704	2,903	2,029	1,001	260	24	1
White, both sexes.....	2,234	2,746	3,220	3,849	4,506	4,436	2,878	1,247	287	24	1
Male.....	1,361	1,631	1,773	2,070	2,175	1,875	1,060	359	63	5	-
Female.....	873	1,115	1,447	1,779	2,331	2,561	1,818	888	224	19	1
Black, both sexes.....	402	422	485	517	520	433	254	123	36	4	-
Male.....	246	218	249	226	215	166	77	27	4	-	-
Female.....	156	204	236	291	305	267	177	96	32	4	-
American Indian 1/, both sexes.....	15	13	13	21	28	13	4	3	1	-	-
Male.....	12	8	11	10	12	5	2	2	-	-	-
Female.....	3	5	2	11	16	8	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	73	79	93	90	104	107	67	27	6	1	-
Male.....	35	40	41	41	52	40	35	11	3	-	-
Female.....	38	39	52	49	52	67	32	16	3	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of larynx (C32)											
All races, both sexes.....	413	503	584	572	502	412	232	73	15	-	1
Male.....	339	413	483	433	380	313	183	56	13	-	1
Female.....	74	90	101	139	122	99	49	17	2	-	-
White, both sexes.....	306	378	466	468	444	363	199	65	11	-	1
Male.....	249	304	387	349	336	273	156	50	10	-	1
Female.....	57	74	79	119	108	90	43	15	1	-	-
Black, both sexes.....	100	114	114	89	55	45	28	7	3	-	-
Male.....	84	102	93	70	41	37	24	5	2	-	-
Female.....	16	12	21	19	14	8	4	2	1	-	-
American Indian 1/, both sexes.....	3	6	3	4	1	-	1	-	1	-	-
Male.....	3	4	2	4	1	-	-	-	1	-	-
Female.....	-	2	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	5	1	11	2	4	4	1	-	-	-
Male.....	3	3	1	10	2	3	3	1	-	-	-
Female.....	1	2	-	1	-	1	1	-	-	-	-

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

All races, both sexes.....	12,807	18,556	22,157	26,233	27,591	21,441	11,001	3,647	701	55	3
Male.....	7,668	10,995	13,007	15,200	15,512	11,684	5,553	1,658	278	17	2
Female.....	5,139	7,561	9,150	11,033	12,079	9,757	5,448	1,989	423	38	1
White, both sexes.....	10,570	15,899	19,289	23,238	24,929	19,499	10,012	3,338	609	44	2
Male.....	6,212	9,305	11,240	13,398	14,011	10,595	5,019	1,519	237	15	1
Female.....	4,358	6,594	8,049	9,840	10,918	8,904	4,993	1,819	372	29	1
Black, both sexes.....	1,946	2,265	2,450	2,462	2,162	1,541	749	244	79	10	1
Male.....	1,276	1,445	1,528	1,485	1,218	851	388	110	34	1	1
Female.....	670	820	922	977	944	690	361	134	45	9	-
American Indian 1/, both sexes.....	63	109	103	118	90	59	25	7	-	-	-
Male.....	43	56	46	64	47	33	12	3	-	-	-
Female.....	20	53	57	54	43	26	13	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	228	283	315	415	410	342	215	58	13	1	-
Male.....	137	189	193	253	236	205	134	26	7	1	-
Female.....	91	94	122	162	174	137	81	32	6	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant melanoma of skin (C43)											
All races, both sexes.....	802	773	823	925	1,117	914	648	279	74	9	-
Male.....	540	490	561	616	732	562	381	156	21	1	-
Female.....	262	283	262	309	385	352	267	123	53	8	-
White, both sexes.....	778	753	806	910	1,101	891	630	271	72	9	-
Male.....	523	482	555	611	724	552	375	155	19	1	-
Female.....	255	271	251	299	377	339	255	116	53	8	-
Black, both sexes.....	13	13	11	8	14	16	13	5	2	-	-
Male.....	9	6	4	1	7	6	2	1	2	-	-
Female.....	4	7	7	7	7	10	11	4	-	-	-
American Indian 1/, both sexes.....	3	4	1	1	1	-	-	1	-	-	-
Male.....	3	1	1	1	1	-	-	-	-	-	-
Female.....	-	3	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	3	5	6	1	7	5	2	-	-	-
Male.....	5	1	1	3	-	4	4	-	-	-	-
Female.....	3	2	4	3	1	3	1	2	-	-	-

Malignant neoplasm of breast (C50)

All races, both sexes.....	4,345	4,301	3,919	4,194	4,706	4,676	3,583	1,875	683	111	-
Male.....	32	41	46	63	56	55	30	7	2	-	-
Female.....	4,313	4,260	3,873	4,131	4,650	4,621	3,553	1,868	681	111	-
White, both sexes.....	3,439	3,563	3,304	3,632	4,164	4,229	3,242	1,697	622	95	-
Male.....	27	33	35	53	44	52	26	7	2	-	-
Female.....	3,412	3,530	3,269	3,579	4,120	4,177	3,216	1,690	620	95	-
Black, both sexes.....	787	599	532	479	452	377	304	164	60	12	-
Male.....	5	7	11	10	12	1	2	-	-	-	-
Female.....	782	592	521	469	440	376	302	164	60	12	-
American Indian 1/, both sexes.....	16	11	25	19	20	22	6	4	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-
Female.....	16	11	25	19	20	22	5	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	103	128	58	64	70	48	31	10	1	4	-
Male.....	-	1	-	-	-	2	1	-	-	-	-
Female.....	103	127	58	64	70	46	30	10	1	4	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of cervix uteri (C53)

All races, both sexes.....	456	340	308	267	258	260	164	81	26	2	-
Male.....
Female.....	456	340	308	267	258	260	164	81	26	2	-
White, both sexes.....	338	257	233	210	195	204	127	67	23	1	-
Male.....
Female.....	338	257	233	210	195	204	127	67	23	1	-
Black, both sexes.....	92	67	64	48	56	51	33	12	3	1	-
Male.....
Female.....	92	67	64	48	56	51	33	12	3	1	-
American Indian 1/, both sexes.....	3	4	2	2	-	-	1	-	-	-	-
Male.....
Female.....	3	4	2	2	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	12	9	7	7	5	3	2	-	-	-
Male.....
Female.....	23	12	9	7	7	5	3	2	-	-	-

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All races, both sexes.....	642	826	885	923	972	983	689	352	73	11	-
Male.....
Female.....	642	826	885	923	972	983	689	352	73	11	-
White, both sexes.....	504	614	688	726	783	856	605	316	66	10	-
Male.....
Female.....	504	614	688	726	783	856	605	316	66	10	-
Black, both sexes.....	111	190	178	177	165	113	77	34	5	1	-
Male.....
Female.....	111	190	178	177	165	113	77	34	5	1	-
American Indian 1/, both sexes.....	2	2	4	3	5	1	1	-	1	-	-
Male.....
Female.....	2	2	4	3	5	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	25	20	15	17	19	13	6	2	1	-	-
Male.....
Female.....	25	20	15	17	19	13	6	2	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of kidney and renal pelvis (C64-C65)											
All races, both sexes.....	1,106	1,408	1,454	1,689	1,801	1,709	1,048	469	128	14	-
Male.....	781	971	976	1,102	1,064	935	569	191	49	2	-
Female.....	325	437	478	587	737	774	479	278	79	12	-
White, both sexes.....	958	1,228	1,289	1,517	1,631	1,573	961	420	120	14	-
Male.....	685	842	869	988	969	862	531	173	45	2	-
Female.....	273	386	420	529	662	711	430	247	75	12	-
Black, both sexes.....	120	152	133	136	133	108	66	41	7	-	-
Male.....	82	108	84	92	72	56	25	14	3	-	-
Female.....	38	44	49	44	61	52	41	27	4	-	-
American Indian 1/, both sexes.....	12	12	14	10	7	10	3	-	-	-	-
Male.....	8	9	6	8	5	10	2	-	-	-	-
Female.....	4	3	8	2	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	16	18	26	30	18	18	8	1	-	-
Male.....	6	12	17	14	18	7	11	4	1	-	-
Female.....	10	4	1	12	12	11	7	4	-	-	-

Malignant neoplasm of bladder (C67)

All races, both sexes.....	601	881	1,163	1,609	2,222	2,637	2,053	1,079	311	37	-
Male.....	448	667	883	1,189	1,570	1,866	1,320	626	160	13	-
Female.....	153	214	280	420	652	771	733	453	151	24	-
White, both sexes.....	526	794	1,046	1,463	2,037	2,461	1,897	995	287	31	-
Male.....	403	607	812	1,095	1,461	1,764	1,238	587	149	11	-
Female.....	123	187	234	368	576	697	659	408	138	20	-
Black, both sexes.....	67	74	96	122	150	149	117	73	20	5	-
Male.....	40	50	55	79	85	81	64	35	9	1	-
Female.....	27	24	41	43	65	68	53	38	11	4	-
American Indian 1/, both sexes.....	3	3	2	7	6	4	3	-	-	-	-
Male.....	1	2	2	5	2	3	1	-	-	-	-
Female.....	2	1	-	2	4	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	10	19	17	29	23	36	11	4	1	-
Male.....	4	8	14	10	22	18	17	4	2	1	-
Female.....	1	2	5	7	7	5	19	7	2	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)											
All races, both sexes.....	1,444	1,395	1,415	1,528	1,481	1,152	553	209	40	5	-
Male.....	841	812	837	806	789	546	216	81	9	3	-
Female.....	603	583	578	722	692	606	337	128	31	2	-
White, both sexes.....	1,328	1,296	1,316	1,428	1,383	1,089	522	197	33	5	-
Male.....	773	753	787	752	733	516	206	76	7	3	-
Female.....	555	543	529	676	650	573	316	121	26	2	-
Black, both sexes.....	94	70	71	76	77	45	23	7	5	-	-
Male.....	54	41	34	42	43	21	6	1	2	-	-
Female.....	40	29	37	34	34	24	17	6	3	-	-
American Indian 1/, both sexes.....	8	7	1	1	4	2	1	-	-	-	-
Male.....	6	5	-	-	2	1	1	-	-	-	-
Female.....	2	2	1	1	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	22	27	23	17	16	7	5	2	-	-
Male.....	8	13	16	12	11	8	3	4	-	-	-
Female.....	6	9	11	11	6	8	4	1	2	-	-

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races, both sexes.....	3,304	4,319	5,359	7,128	8,999	9,110	6,321	2,678	598	74	-
Male.....	2,017	2,526	3,217	4,168	5,020	4,642	2,934	1,047	209	19	-
Female.....	1,287	1,793	2,142	2,960	3,979	4,468	3,387	1,631	389	55	-
White, both sexes.....	2,744	3,713	4,651	6,315	8,213	8,450	5,927	2,510	543	61	-
Male.....	1,689	2,206	2,835	3,731	4,612	4,324	2,779	992	193	14	-
Female.....	1,055	1,507	1,816	2,584	3,601	4,126	3,148	1,518	350	47	-
Black, both sexes.....	450	486	578	632	617	525	312	136	52	12	-
Male.....	270	257	309	342	311	245	124	35	14	4	-
Female.....	180	229	269	290	306	280	188	101	38	8	-
American Indian 1/, both sexes.....	28	25	38	24	25	13	11	3	1	-	-
Male.....	11	12	25	13	16	7	3	1	1	-	-
Female.....	17	13	13	11	9	6	8	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	82	95	92	157	144	122	71	29	2	1	-
Male.....	47	51	48	82	81	66	28	19	1	1	-
Female.....	35	44	44	75	63	56	43	10	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hodgkin's disease (C81)											
All races, both sexes.....	92	92	100	105	165	139	74	27	4	-	-
Male.....	64	57	58	60	73	58	41	8	1	-	-
Female.....	28	35	42	45	92	81	33	19	3	-	-
White, both sexes.....	78	85	94	95	155	134	69	24	4	-	-
Male.....	51	52	54	54	68	56	41	7	1	-	-
Female.....	27	33	40	41	87	78	28	17	3	-	-
Black, both sexes.....	13	4	5	8	8	3	3	2	-	-	-
Male.....	12	3	3	5	5	1	-	1	-	-	-
Female.....	1	1	2	3	3	2	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	-	2	2	2	2	1	-	-	-
Male.....	1	2	-	1	-	1	-	-	-	-	-
Female.....	-	1	-	1	2	1	2	1	-	-	-
Non-Hodgkin's lymphoma (C82-C85)											
All races, both sexes.....	1,321	1,604	1,942	2,684	3,475	3,636	2,592	1,025	192	22	-
Male.....	816	929	1,156	1,521	1,841	1,716	1,152	393	63	4	-
Female.....	505	675	786	1,163	1,634	1,920	1,440	632	129	18	-
White, both sexes.....	1,138	1,409	1,757	2,449	3,272	3,435	2,472	982	177	20	-
Male.....	708	822	1,052	1,398	1,750	1,628	1,109	375	59	3	-
Female.....	430	587	705	1,051	1,522	1,807	1,363	607	118	17	-
Black, both sexes.....	136	144	137	160	134	132	82	30	12	2	-
Male.....	85	81	75	92	58	53	30	10	2	1	-
Female.....	51	63	62	68	76	79	52	20	10	1	-
American Indian 1/, both sexes.....	13	12	13	6	6	7	6	1	1	-	-
Male.....	4	7	8	3	2	4	-	1	1	-	-
Female.....	9	5	5	3	4	3	6	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	39	35	69	63	62	32	12	2	-	-
Male.....	19	19	21	28	31	31	13	7	1	-	-
Female.....	15	20	14	41	32	31	19	5	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

All races, both sexes.....	1,133	1,529	2,010	2,663	3,390	3,442	2,457	1,187	324	45	-
Male.....	696	953	1,231	1,671	2,057	1,900	1,203	469	118	12	-
Female.....	437	576	779	992	1,333	1,542	1,254	718	206	33	-
White, both sexes.....	980	1,352	1,779	2,413	3,112	3,222	2,322	1,120	299	36	-
Male.....	612	850	1,104	1,524	1,892	1,780	1,151	446	110	8	-
Female.....	368	502	675	889	1,220	1,442	1,171	674	189	28	-
Black, both sexes.....	122	135	185	189	210	178	109	53	25	8	-
Male.....	68	77	103	108	118	95	42	14	8	3	-
Female.....	54	58	82	81	92	83	67	39	17	5	-
American Indian 1/, both sexes.....	4	6	11	6	12	5	5	2	-	-	-
Male.....	1	3	8	4	8	2	3	-	-	-	-
Female.....	3	3	3	2	4	3	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	36	35	55	56	37	21	12	-	1	-
Male.....	15	23	16	35	39	23	7	9	-	1	-
Female.....	12	13	19	20	17	14	14	3	-	-	-

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

All races, both sexes.....	754	1,088	1,301	1,668	1,962	1,884	1,193	434	78	7	-
Male.....	438	583	768	910	1,044	962	535	174	27	3	-
Female.....	316	505	533	758	918	922	658	260	51	4	-
White, both sexes.....	545	861	1,015	1,352	1,667	1,652	1,059	380	63	5	-
Male.....	316	478	621	751	897	855	475	161	23	3	-
Female.....	229	383	394	601	770	797	584	219	40	2	-
Black, both sexes.....	178	203	251	273	265	211	118	50	15	2	-
Male.....	104	96	128	135	130	96	52	10	4	-	-
Female.....	74	107	123	138	135	115	66	40	11	2	-
American Indian 1/, both sexes.....	11	7	13	12	7	1	-	-	-	-	-
Male.....	6	2	8	6	6	1	-	-	-	-	-
Female.....	5	5	5	6	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	17	22	31	23	20	16	4	-	-	-
Male.....	12	7	11	18	11	10	8	3	-	-	-
Female.....	8	10	11	13	12	10	8	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races, both sexes.....	4	6	6	8	7	9	5	5	-	-	-
Male.....	3	4	4	6	5	6	3	3	-	-	-
Female.....	1	2	2	2	2	3	2	2	-	-	-
White, both sexes.....	3	6	6	6	7	7	5	4	-	-	-
Male.....	2	4	4	4	5	5	3	3	-	-	-
Female.....	1	2	2	2	2	2	2	1	-	-	-
Black, both sexes.....	1	-	-	2	-	1	-	1	-	-	-
Male.....	1	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes.....	4,761	5,661	6,350	7,669	9,033	9,447	6,518	3,304	894	132	1
Male.....	2,760	3,242	3,529	4,158	4,630	4,507	2,752	1,198	254	22	-
Female.....	2,001	2,419	2,821	3,511	4,403	4,940	3,766	2,106	640	110	1
White, both sexes.....	3,914	4,779	5,413	6,709	8,104	8,598	5,981	3,040	812	122	-
Male.....	2,280	2,759	3,017	3,653	4,221	4,121	2,545	1,113	227	21	-
Female.....	1,634	2,020	2,396	3,056	3,883	4,477	3,436	1,927	585	101	-
Black, both sexes.....	712	705	751	762	763	696	406	202	70	10	1
Male.....	412	394	415	403	323	309	155	58	24	1	-
Female.....	300	311	336	359	440	387	251	144	46	9	1
American Indian 1/, both sexes.....	29	45	36	46	23	22	24	8	3	-	-
Male.....	14	20	22	22	9	11	11	4	1	-	-
Female.....	15	25	14	24	14	11	13	4	2	-	-
Asian or Pacific Islander 2/, both sexes.....	106	132	150	152	143	131	107	54	9	-	-
Male.....	54	69	75	80	77	66	41	23	2	-	-
Female.....	52	63	75	72	66	65	66	31	7	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races, both sexes.....	579	739	966	1,384	2,068	2,526	2,231	1,262	363	53	-
Male.....	306	448	569	773	1,133	1,286	968	420	87	11	-
Female.....	273	291	397	611	935	1,240	1,263	842	276	42	-
White, both sexes.....	490	619	842	1,225	1,878	2,342	2,085	1,185	330	48	-
Male.....	263	381	505	701	1,045	1,206	918	396	77	10	-
Female.....	227	238	337	524	833	1,136	1,167	789	253	38	-
Black, both sexes.....	71	94	98	128	144	138	116	58	26	4	-
Male.....	35	50	46	57	63	61	36	14	9	-	-
Female.....	36	44	52	71	81	77	80	44	17	4	-
American Indian 1/, both sexes.....	2	4	3	2	9	5	4	5	4	-	-
Male.....	1	3	1	1	5	1	1	2	-	-	-
Female.....	1	1	2	1	4	4	3	3	4	-	-
Asian or Pacific Islander 2/, both sexes.....	16	22	23	29	37	41	26	14	3	1	-
Male.....	7	14	17	14	20	18	13	8	1	1	-
Female.....	9	8	6	15	17	23	13	6	2	-	-

Anemias (D50-D64)

All races, both sexes.....	142	162	199	295	469	724	816	641	323	83	-
Male.....	63	78	92	132	198	304	275	176	79	7	-
Female.....	79	84	107	163	271	420	541	465	244	76	-
White, both sexes.....	91	111	140	232	393	628	728	574	295	78	-
Male.....	41	55	62	109	165	263	247	160	73	7	-
Female.....	50	56	78	123	228	365	481	414	222	71	-
Black, both sexes.....	46	46	52	57	66	83	79	54	22	4	-
Male.....	17	18	28	19	30	33	23	12	5	-	-
Female.....	29	28	24	38	36	50	56	42	17	4	-
American Indian 1/, both sexes.....	2	2	3	4	2	-	3	3	2	1	-
Male.....	2	2	1	3	1	-	2	2	-	-	-
Female.....	-	-	2	1	1	-	1	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	3	3	4	2	8	13	6	10	4	-	-
Male.....	3	3	1	1	2	8	3	2	1	-	-
Female.....	-	-	3	1	6	5	3	8	3	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

All races, both sexes.....	5,150	6,151	7,260	8,923	11,218	11,918	9,313	4,910	1,455	225	-
Male.....	3,062	3,508	3,890	4,615	5,425	5,276	3,615	1,547	334	27	-
Female.....	2,088	2,643	3,370	4,308	5,793	6,642	5,698	3,363	1,121	198	-
White, both sexes.....	3,798	4,660	5,495	6,981	9,164	10,048	8,001	4,160	1,246	172	-
Male.....	2,305	2,740	3,056	3,722	4,583	4,587	3,197	1,352	287	21	-
Female.....	1,493	1,920	2,439	3,259	4,581	5,461	4,804	2,808	959	151	-
Black, both sexes.....	1,148	1,292	1,484	1,644	1,698	1,553	1,050	612	186	47	-
Male.....	637	650	681	749	695	558	312	144	39	5	-
Female.....	511	642	803	895	1,003	995	738	468	147	42	-
American Indian 1/, both sexes.....	95	82	106	128	92	67	57	24	6	1	-
Male.....	53	41	54	61	43	26	21	8	2	-	-
Female.....	42	41	52	67	49	41	36	16	4	1	-
Asian or Pacific Islander 2/, both sexes.....	109	117	175	170	264	250	205	114	17	5	-
Male.....	67	77	99	83	104	105	85	43	6	1	-
Female.....	42	40	76	87	160	145	120	71	11	4	-

Nutritional deficiencies (E40-E64)

All races, both sexes.....	79	78	123	230	352	563	686	550	261	71	-
Male.....	46	42	58	99	139	202	223	154	59	11	-
Female.....	33	36	65	131	213	361	463	396	202	60	-
White, both sexes.....	63	58	92	189	288	475	601	496	222	58	-
Male.....	34	30	44	83	114	168	193	141	50	9	-
Female.....	29	28	48	106	174	307	408	355	172	49	-
Black, both sexes.....	14	20	27	34	52	74	67	45	36	11	-
Male.....	11	12	13	11	18	27	21	10	7	2	-
Female.....	3	8	14	23	34	47	46	35	29	9	-
American Indian 1/, both sexes.....	2	-	2	4	4	-	2	2	1	1	-
Male.....	1	-	1	3	3	-	2	-	1	-	-
Female.....	1	-	1	1	1	-	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	8	14	16	7	2	1	-
Male.....	-	-	-	2	4	7	7	3	1	-	-
Female.....	-	-	2	1	4	7	9	4	1	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malnutrition (E40-E46)

All races, both sexes.....	76	73	119	214	340	526	652	514	242	67	-
Male.....	45	38	56	93	137	190	209	149	54	10	-
Female.....	31	35	63	121	203	336	443	365	188	57	-
White, both sexes.....	60	54	88	174	276	443	571	463	204	56	-
Male.....	33	27	42	77	112	158	180	137	45	9	-
Female.....	27	27	46	97	164	285	391	326	159	47	-
Black, both sexes.....	14	19	27	33	52	69	64	42	35	10	-
Male.....	11	11	13	11	18	25	20	9	7	1	-
Female.....	3	8	14	22	34	44	44	33	28	9	-
American Indian 1/, both sexes.....	2	-	2	4	4	-	2	2	1	1	-
Male.....	1	-	1	3	3	-	2	-	1	-	-
Female.....	1	-	1	1	1	-	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	8	14	15	7	2	-	-
Male.....	-	-	-	2	4	7	7	3	1	-	-
Female.....	-	-	2	1	4	7	8	4	1	-	-

Other nutritional deficiencies (E50-E64)

All races, both sexes.....	3	5	4	16	12	37	34	36	19	4	-
Male.....	1	4	2	6	2	12	14	5	5	1	-
Female.....	2	1	2	10	10	25	20	31	14	3	-
White, both sexes.....	3	4	4	15	12	32	30	33	18	2	-
Male.....	1	3	2	6	2	10	13	4	5	-	-
Female.....	2	1	2	9	10	22	17	29	13	2	-
Black, both sexes.....	-	1	-	1	-	5	3	3	1	1	-
Male.....	-	1	-	-	-	2	1	1	-	1	-
Female.....	-	-	-	1	-	3	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Meningitis (G00,G03)

All races, both sexes.....	65	41	37	37	40	36	31	12	1	1	1
Male.....	33	20	18	19	17	15	9	4	-	1	1
Female.....	32	21	19	18	23	21	22	8	1	-	-
White, both sexes.....	52	30	28	32	32	31	27	11	1	-	1
Male.....	26	15	13	17	15	13	9	3	-	-	1
Female.....	26	15	15	15	17	18	18	8	1	-	-
Black, both sexes.....	11	9	8	5	4	4	3	1	-	1	-
Male.....	6	4	5	2	1	2	-	1	-	1	-
Female.....	5	5	3	3	3	2	3	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	3	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	1	-	2	-	1	-	-	-	-

Parkinson's disease (G20-G21)

All races, both sexes.....	135	299	685	1,729	3,724	5,570	4,624	2,163	486	49	-
Male.....	78	197	454	1,142	2,337	3,321	2,469	1,004	180	13	-
Female.....	57	102	231	587	1,387	2,249	2,155	1,159	306	36	-
White, both sexes.....	123	272	618	1,606	3,517	5,280	4,433	2,074	459	40	-
Male.....	73	177	407	1,065	2,214	3,160	2,367	959	171	9	-
Female.....	50	95	211	541	1,303	2,120	2,066	1,115	288	31	-
Black, both sexes.....	7	18	42	85	136	206	129	55	23	5	-
Male.....	2	13	31	59	81	117	69	26	8	2	-
Female.....	5	5	11	26	55	89	60	29	15	3	-
American Indian 1/, both sexes.....	2	4	4	6	11	20	10	5	1	2	-
Male.....	1	2	2	1	7	11	7	1	-	1	-
Female.....	1	2	2	5	4	9	3	4	1	1	-
Asian or Pacific Islander 2/, both sexes.....	3	5	21	32	60	64	52	29	3	2	-
Male.....	2	5	14	17	35	33	26	18	1	1	-
Female.....	1	-	7	15	25	31	26	11	2	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)											
All races, both sexes.....	195	453	983	2,830	7,596	15,543	19,870	16,058	6,770	1,208	1
Male.....	87	200	453	1,195	2,989	5,337	5,778	3,431	954	99	-
Female.....	108	253	530	1,635	4,607	10,206	14,092	12,627	5,816	1,109	1
White, both sexes.....	179	413	869	2,514	6,895	14,377	18,555	14,977	6,264	1,064	-
Male.....	77	188	399	1,066	2,715	4,954	5,400	3,196	877	86	-
Female.....	102	225	470	1,448	4,180	9,423	13,155	11,781	5,387	978	-
Black, both sexes.....	12	35	102	288	601	995	1,104	922	418	136	1
Male.....	8	10	49	114	232	317	307	188	50	13	-
Female.....	4	25	53	174	369	678	797	734	368	123	1
American Indian 1/, both sexes.....	-	-	4	6	32	37	42	33	16	3	-
Male.....	-	-	3	3	9	10	10	11	2	-	-
Female.....	-	-	1	3	23	27	32	22	14	3	-
Asian or Pacific Islander 2/, both sexes.....	4	5	8	22	68	134	169	126	72	5	-
Male.....	2	2	2	12	33	56	61	36	25	-	-
Female.....	2	3	6	10	35	78	108	90	47	5	-

Major cardiovascular diseases (I00-I78)

All races, both sexes.....	36,137	43,759	52,195	72,171	107,670	148,692	153,745	115,434	46,706	10,181	41
Male.....	24,835	28,649	32,103	41,630	56,750	68,287	59,721	34,787	10,087	1,511	29
Female.....	11,302	15,110	20,092	30,541	50,920	80,405	94,024	80,647	36,619	8,670	12
White, both sexes.....	27,474	34,495	41,931	60,113	93,027	132,696	140,550	106,091	42,674	8,914	27
Male.....	19,346	23,102	26,288	35,290	49,936	61,661	55,145	32,207	9,201	1,301	19
Female.....	8,128	11,393	15,643	24,823	43,091	71,035	85,405	73,884	33,473	7,613	8
Black, both sexes.....	7,626	8,045	8,717	10,128	12,221	13,053	10,600	7,517	3,294	1,102	13
Male.....	4,784	4,805	4,867	5,272	5,612	5,218	3,472	1,888	621	159	9
Female.....	2,842	3,240	3,850	4,856	6,609	7,835	7,128	5,629	2,673	943	4
American Indian 1/, both sexes.....	289	315	351	406	432	407	337	230	87	31	-
Male.....	192	195	194	225	211	178	132	72	20	6	-
Female.....	97	120	157	181	221	229	205	158	67	25	-
Asian or Pacific Islander 2/, both sexes.....	748	904	1,196	1,524	1,990	2,536	2,258	1,596	651	134	1
Male.....	513	547	754	843	991	1,230	972	620	245	45	1
Female.....	235	357	442	681	999	1,306	1,286	976	406	89	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of heart (I00-I09,I11,I13,I20-I51)

All races, both sexes.....	29,681	35,527	41,084	55,645	80,843	109,850	113,840	86,322	35,457	7,885	37
Male.....	21,012	23,883	25,958	33,092	44,088	52,492	46,068	27,191	8,012	1,218	25
Female.....	8,669	11,644	15,126	22,553	36,755	57,358	67,772	59,131	27,445	6,667	12
White, both sexes.....	22,984	28,423	33,445	46,828	70,272	98,439	104,488	79,681	32,484	6,950	27
Male.....	16,675	19,560	21,564	28,331	39,051	47,649	42,732	25,283	7,341	1,054	19
Female.....	6,309	8,863	11,881	18,497	31,221	50,790	61,756	54,398	25,143	5,896	8
Black, both sexes.....	5,902	6,213	6,543	7,462	8,949	9,402	7,573	5,365	2,438	813	9
Male.....	3,765	3,740	3,693	3,983	4,209	3,860	2,549	1,403	475	124	5
Female.....	2,137	2,473	2,850	3,479	4,740	5,542	5,024	3,962	1,963	689	4
American Indian 1/, both sexes.....	237	248	260	292	307	290	247	169	68	24	-
Male.....	161	167	151	168	156	138	104	56	17	6	-
Female.....	76	81	109	124	151	152	143	113	51	18	-
Asian or Pacific Islander 2/, both sexes.....	558	643	836	1,063	1,315	1,719	1,532	1,107	467	98	1
Male.....	411	416	550	610	672	845	683	449	179	34	1
Female.....	147	227	286	453	643	874	849	658	288	64	-

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races, both sexes.....	160	194	252	361	497	617	530	327	103	9	-
Male.....	74	67	91	119	152	174	131	79	14	-	-
Female.....	86	127	161	242	345	443	399	248	89	9	-
White, both sexes.....	124	160	220	326	460	584	513	314	101	9	-
Male.....	58	58	77	111	144	161	124	75	14	-	-
Female.....	66	102	143	215	316	423	389	239	87	9	-
Black, both sexes.....	22	22	25	17	25	19	12	9	2	-	-
Male.....	10	7	11	2	5	10	4	2	-	-	-
Female.....	12	15	14	15	20	9	8	7	2	-	-
American Indian 1/, both sexes.....	3	-	2	1	1	4	1	1	-	-	-
Male.....	1	-	1	1	1	-	-	1	-	-	-
Female.....	2	-	1	-	-	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	12	5	17	11	10	4	3	-	-	-
Male.....	5	2	2	5	2	3	3	1	-	-	-
Female.....	6	10	3	12	9	7	1	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hypertensive heart disease (I11)

All races, both sexes.....	2,037	1,917	1,780	2,026	2,653	3,717	4,240	3,634	1,834	411	3
Male.....	1,393	1,256	1,062	1,085	1,226	1,344	1,262	775	281	47	3
Female.....	644	661	718	941	1,427	2,373	2,978	2,859	1,553	364	-
White, both sexes.....	1,308	1,301	1,169	1,429	1,989	2,933	3,586	3,161	1,565	346	3
Male.....	922	879	723	763	937	1,065	1,049	667	223	39	3
Female.....	386	422	446	666	1,052	1,868	2,537	2,494	1,342	307	-
Black, both sexes.....	683	578	571	544	604	694	571	410	225	59	-
Male.....	437	357	312	288	266	241	179	92	45	8	-
Female.....	246	221	259	256	338	453	392	318	180	51	-
American Indian 1/, both sexes.....	13	12	8	11	12	7	12	7	-	2	-
Male.....	10	7	5	4	4	3	5	1	-	-	-
Female.....	3	5	3	7	8	4	7	6	-	2	-
Asian or Pacific Islander 2/, both sexes.....	33	26	32	42	48	83	71	56	44	4	-
Male.....	24	13	22	30	19	35	29	15	13	-	-
Female.....	9	13	10	12	29	48	42	41	31	4	-

Hypertensive heart and renal disease (I13)

All races, both sexes.....	111	129	183	243	373	535	581	462	211	34	-
Male.....	66	76	97	112	166	212	225	149	57	8	-
Female.....	45	53	86	131	207	323	356	313	154	26	-
White, both sexes.....	42	52	93	147	256	402	484	405	182	25	-
Male.....	28	29	45	71	116	159	184	130	48	6	-
Female.....	14	23	48	76	140	243	300	275	134	19	-
Black, both sexes.....	67	71	86	83	99	117	81	48	23	8	-
Male.....	38	44	49	33	38	47	32	14	6	2	-
Female.....	29	27	37	50	61	70	49	34	17	6	-
American Indian 1/, both sexes.....	1	1	-	2	1	2	1	1	1	-	-
Male.....	-	1	-	2	1	1	1	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	4	11	17	14	15	8	5	1	-
Male.....	-	2	3	6	11	5	8	4	3	-	-
Female.....	1	3	1	5	6	9	7	4	2	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ischemic heart diseases (I20-I25)

All races, both sexes.....	20,979	25,820	29,933	40,188	57,709	76,726	76,489	56,574	22,766	5,106	28
Male.....	15,484	18,064	19,607	24,890	32,870	38,482	32,582	18,648	5,361	773	18
Female.....	5,495	7,756	10,326	15,298	24,839	38,244	43,907	37,926	17,405	4,333	10
White, both sexes.....	16,756	21,156	24,855	34,210	50,491	69,005	70,289	52,216	20,889	4,489	19
Male.....	12,653	15,120	16,614	21,594	29,326	35,049	30,332	17,334	4,938	669	12
Female.....	4,103	6,036	8,241	12,616	21,165	33,956	39,957	34,882	15,951	3,820	7
Black, both sexes.....	3,650	4,030	4,259	4,971	6,016	6,251	4,940	3,483	1,539	531	8
Male.....	2,401	2,501	2,461	2,711	2,901	2,687	1,680	946	295	75	5
Female.....	1,249	1,529	1,798	2,260	3,115	3,564	3,260	2,537	1,244	456	3
American Indian 1/, both sexes.....	170	185	184	206	218	201	167	108	39	17	-
Male.....	119	131	110	115	120	100	72	32	10	4	-
Female.....	51	54	74	91	98	101	95	76	29	13	-
Asian or Pacific Islander 2/, both sexes.....	403	449	635	801	984	1,269	1,093	767	299	69	1
Male.....	311	312	422	470	523	646	498	336	118	25	1
Female.....	92	137	213	331	461	623	595	431	181	44	-

Acute myocardial infarction (I21-I22)

All races, both sexes.....	8,292	10,261	11,652	15,022	20,167	25,282	23,679	16,169	5,977	1,216	3
Male.....	6,083	7,068	7,520	9,156	11,281	12,259	9,779	5,352	1,447	181	3
Female.....	2,209	3,193	4,132	5,866	8,886	13,023	13,900	10,817	4,530	1,035	-
White, both sexes.....	6,801	8,692	9,878	12,974	17,689	22,728	21,635	14,835	5,427	1,032	2
Male.....	5,088	6,131	6,541	8,074	10,116	11,160	9,051	4,942	1,321	148	2
Female.....	1,713	2,561	3,337	4,900	7,573	11,568	12,584	9,893	4,106	884	-
Black, both sexes.....	1,262	1,354	1,484	1,689	2,068	2,056	1,640	1,071	463	164	1
Male.....	818	799	803	880	952	852	536	299	91	27	1
Female.....	444	555	681	809	1,116	1,204	1,104	772	372	137	-
American Indian 1/, both sexes.....	67	58	64	63	78	78	49	22	9	4	-
Male.....	49	35	35	32	43	34	21	11	1	3	-
Female.....	18	23	29	31	35	44	28	11	8	1	-
Asian or Pacific Islander 2/, both sexes.....	162	157	226	296	332	420	355	241	78	16	-
Male.....	128	103	141	170	170	213	171	100	34	3	-
Female.....	34	54	85	126	162	207	184	141	44	13	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other acute ischemic heart diseases (I24)											
All races, both sexes.....	238	277	247	359	401	534	503	365	156	36	-
Male.....	174	197	161	203	221	229	179	108	30	7	-
Female.....	64	80	86	156	180	305	324	257	126	29	-
White, both sexes.....	173	210	203	290	335	466	449	325	134	30	-
Male.....	128	152	131	165	184	201	159	94	25	6	-
Female.....	45	58	72	125	151	265	290	231	109	24	-
Black, both sexes.....	58	57	41	57	58	61	44	34	20	4	-
Male.....	41	38	27	31	33	25	15	11	4	-	-
Female.....	17	19	14	26	25	36	29	23	16	4	-
American Indian 1/, both sexes.....	5	5	3	8	2	3	4	1	-	2	-
Male.....	3	4	3	5	1	2	3	-	-	1	-
Female.....	2	1	-	3	1	1	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	5	-	4	6	4	6	5	2	-	-
Male.....	2	3	-	2	3	1	2	3	1	-	-
Female.....	-	2	-	2	3	3	4	2	1	-	-

Other forms of chronic ischemic heart disease (I20,I25)

All races, both sexes.....	12,449	15,282	18,034	24,807	37,141	50,910	52,307	40,040	16,633	3,854	25
Male.....	9,227	10,799	11,926	15,531	21,368	25,994	22,624	13,188	3,884	585	15
Female.....	3,222	4,483	6,108	9,276	15,773	24,916	29,683	26,852	12,749	3,269	10
White, both sexes.....	9,782	12,254	14,774	20,946	32,467	45,811	48,205	37,056	15,328	3,427	17
Male.....	7,437	8,837	9,942	13,355	19,026	23,688	21,122	12,298	3,592	515	10
Female.....	2,345	3,417	4,832	7,591	13,441	22,123	27,083	24,758	11,736	2,912	7
Black, both sexes.....	2,330	2,619	2,734	3,225	3,890	4,134	3,256	2,378	1,056	363	7
Male.....	1,542	1,664	1,631	1,800	1,916	1,810	1,129	636	200	48	4
Female.....	788	955	1,103	1,425	1,974	2,324	2,127	1,742	856	315	3
American Indian 1/, both sexes.....	98	122	117	135	138	120	114	85	30	11	-
Male.....	67	92	72	78	76	64	48	21	9	-	-
Female.....	31	30	45	57	62	56	66	64	21	11	-
Asian or Pacific Islander 2/, both sexes.....	239	287	409	501	646	845	732	521	219	53	1
Male.....	181	206	281	298	350	432	325	233	83	22	1
Female.....	58	81	128	203	296	413	407	288	136	31	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)											
All races, both sexes.....	4,665	4,900	4,746	5,500	7,151	9,135	8,651	6,855	2,953	723	17
Male.....	3,580	3,580	3,224	3,485	3,961	4,423	3,451	2,059	656	100	10
Female.....	1,085	1,320	1,522	2,015	3,190	4,712	5,200	4,796	2,297	623	7
White, both sexes.....	3,493	3,707	3,693	4,333	5,886	7,834	7,694	6,150	2,665	620	11
Male.....	2,753	2,750	2,541	2,763	3,307	3,795	3,130	1,862	592	88	5
Female.....	740	957	1,152	1,570	2,579	4,039	4,564	4,288	2,073	532	6
Black, both sexes.....	1,023	1,047	913	1,015	1,096	1,092	818	602	247	90	5
Male.....	715	717	590	635	563	515	268	160	48	9	4
Female.....	308	330	323	380	533	577	550	442	199	81	1
American Indian 1/, both sexes.....	43	37	34	38	32	34	20	14	7	3	-
Male.....	29	28	23	17	18	21	10	4	3	-	-
Female.....	14	9	11	21	14	13	10	10	4	3	-
Asian or Pacific Islander 2/, both sexes.....	106	109	106	114	137	175	119	89	34	10	1
Male.....	83	85	70	70	73	92	43	33	13	3	1
Female.....	23	24	36	44	64	83	76	56	21	7	-

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All races, both sexes.....	7,784	10,382	13,288	19,307	29,990	41,775	43,656	33,185	13,680	3,131	8
Male.....	5,647	7,219	8,702	12,046	17,407	21,571	19,173	11,129	3,228	485	5
Female.....	2,137	3,163	4,586	7,261	12,583	20,204	24,483	22,056	10,452	2,646	3
White, both sexes.....	6,289	8,547	11,081	16,613	26,581	37,977	40,511	30,906	12,663	2,807	6
Male.....	4,684	6,087	7,401	10,592	15,719	19,893	17,992	10,436	3,000	427	5
Female.....	1,605	2,460	3,680	6,021	10,862	18,084	22,519	20,470	9,663	2,380	1
Black, both sexes.....	1,307	1,572	1,821	2,210	2,794	3,042	2,438	1,776	809	273	2
Male.....	827	947	1,041	1,165	1,353	1,295	861	476	152	39	-
Female.....	480	625	780	1,045	1,441	1,747	1,577	1,300	657	234	2
American Indian 1/, both sexes.....	55	85	83	97	106	86	94	71	23	8	-
Male.....	38	64	49	61	58	43	38	17	6	-	-
Female.....	17	21	34	36	48	43	56	54	17	8	-
Asian or Pacific Islander 2/, both sexes.....	133	178	303	387	509	670	613	432	185	43	-
Male.....	98	121	211	228	277	340	282	200	70	19	-
Female.....	35	57	92	159	232	330	331	232	115	24	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other heart diseases (I26-I51)

All races, both sexes.....	6,394	7,467	8,936	12,827	19,611	28,255	32,000	25,325	10,543	2,325	6
Male.....	3,995	4,420	5,101	6,886	9,674	12,280	11,868	7,540	2,299	390	4
Female.....	2,399	3,047	3,835	5,941	9,937	15,975	20,132	17,785	8,244	1,935	2
White, both sexes.....	4,754	5,754	7,108	10,716	17,076	25,515	29,616	23,585	9,747	2,081	5
Male.....	3,014	3,474	4,105	5,792	8,528	11,215	11,043	7,077	2,118	340	4
Female.....	1,740	2,280	3,003	4,924	8,548	14,300	18,573	16,508	7,629	1,741	1
Black, both sexes.....	1,480	1,512	1,602	1,847	2,205	2,321	1,969	1,415	649	215	1
Male.....	879	831	860	949	999	875	654	349	129	39	-
Female.....	601	681	742	898	1,206	1,446	1,315	1,066	520	176	1
American Indian 1/, both sexes.....	50	50	66	72	75	76	66	52	28	5	-
Male.....	31	28	35	46	30	34	26	21	7	2	-
Female.....	19	22	31	26	45	42	40	31	21	3	-
Asian or Pacific Islander 2/, both sexes.....	110	151	160	192	255	343	349	273	119	24	-
Male.....	71	87	101	99	117	156	145	93	45	9	-
Female.....	39	64	59	93	138	187	204	180	74	15	-

Acute and subacute endocarditis (I33)

All races, both sexes.....	102	96	112	122	177	151	104	44	6	1	-
Male.....	67	58	56	68	97	76	53	24	3	1	-
Female.....	35	38	56	54	80	75	51	20	3	-	-
White, both sexes.....	62	73	88	109	154	132	94	42	6	1	-
Male.....	42	42	48	60	90	69	49	24	3	1	-
Female.....	20	31	40	49	64	63	45	18	3	-	-
Black, both sexes.....	37	21	22	9	20	16	8	2	-	-	-
Male.....	23	14	8	5	6	5	3	-	-	-	-
Female.....	14	7	14	4	14	11	5	2	-	-	-
American Indian 1/, both sexes.....	2	-	2	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	3	3	3	2	-	-	-	-
Male.....	1	2	-	2	1	2	1	-	-	-	-
Female.....	-	-	-	1	2	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of pericardium and acute myocarditis (I30-I31,I40)											
All races, both sexes.....	53	57	66	66	82	73	57	28	9	2	-
Male.....	26	31	34	37	45	33	21	5	4	-	-
Female.....	27	26	32	29	37	40	36	23	5	2	-
White, both sexes.....	39	43	58	56	69	62	52	23	9	2	-
Male.....	21	21	30	33	37	29	20	4	4	-	-
Female.....	18	22	28	23	32	33	32	19	5	2	-
Black, both sexes.....	13	12	5	9	11	10	4	4	-	-	-
Male.....	4	8	2	3	7	4	-	1	-	-	-
Female.....	9	4	3	6	4	6	4	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	1	2	1	1	1	-	-	-
Male.....	1	2	2	1	1	-	1	-	-	-	-
Female.....	-	-	1	-	1	1	-	1	-	-	-

Heart failure (I50)

All races, both sexes.....	1,078	1,532	2,176	3,712	6,580	10,751	13,180	11,799	5,264	1,278	-
Male.....	641	868	1,163	1,906	3,184	4,620	4,843	3,485	1,138	207	-
Female.....	437	664	1,013	1,806	3,396	6,131	8,337	8,314	4,126	1,071	-
White, both sexes.....	776	1,165	1,723	3,121	5,739	9,732	12,271	11,029	4,898	1,158	-
Male.....	465	670	929	1,617	2,802	4,245	4,563	3,283	1,059	187	-
Female.....	311	495	794	1,504	2,937	5,487	7,708	7,746	3,839	971	-
Black, both sexes.....	282	336	408	538	741	890	776	642	303	111	-
Male.....	164	180	204	261	340	319	231	155	52	17	-
Female.....	118	156	204	277	401	571	545	487	251	94	-
American Indian 1/, both sexes.....	10	13	19	25	35	37	24	26	16	2	-
Male.....	7	6	13	14	13	14	9	12	5	1	-
Female.....	3	7	6	11	22	23	15	14	11	1	-
Asian or Pacific Islander 2/, both sexes.....	10	18	26	28	65	92	109	102	47	7	-
Male.....	5	12	17	14	29	42	40	35	22	2	-
Female.....	5	6	9	14	36	50	69	67	25	5	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All races, both sexes.....	5,161	5,782	6,582	8,927	12,772	17,280	18,659	13,454	5,264	1,044	6
Male.....	3,261	3,463	3,848	4,875	6,348	7,551	6,951	4,026	1,154	182	4
Female.....	1,900	2,319	2,734	4,052	6,424	9,729	11,708	9,428	4,110	862	2
White, both sexes.....	3,877	4,473	5,239	7,430	11,114	15,589	17,199	12,491	4,834	920	5
Male.....	2,486	2,741	3,098	4,082	5,599	6,872	6,411	3,766	1,052	152	4
Female.....	1,391	1,732	2,141	3,348	5,515	8,717	10,788	8,725	3,782	768	1
Black, both sexes.....	1,148	1,143	1,167	1,291	1,433	1,405	1,181	767	346	104	1
Male.....	688	629	646	680	646	547	420	193	77	22	-
Female.....	460	514	521	611	787	858	761	574	269	82	1
American Indian 1/, both sexes.....	38	37	45	46	40	39	42	26	12	3	-
Male.....	23	22	22	31	17	20	17	9	2	1	-
Female.....	15	15	23	15	23	19	25	17	10	2	-
Asian or Pacific Islander 2/, both sexes.....	98	129	131	160	185	247	237	170	72	17	-
Male.....	64	71	82	82	86	112	103	58	23	7	-
Female.....	34	58	49	78	99	135	134	112	49	10	-

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All races, both sexes.....	873	1,081	1,413	1,893	3,000	4,256	4,601	3,891	1,811	400	-
Male.....	535	616	751	888	1,307	1,610	1,476	893	290	57	-
Female.....	338	465	662	1,005	1,693	2,646	3,125	2,998	1,521	343	-
White, both sexes.....	518	693	920	1,302	2,291	3,514	3,928	3,359	1,573	318	-
Male.....	326	401	498	603	984	1,342	1,267	769	234	44	-
Female.....	192	292	422	699	1,307	2,172	2,661	2,590	1,339	274	-
Black, both sexes.....	332	359	441	517	603	631	567	437	200	72	-
Male.....	199	201	222	250	277	220	169	92	41	9	-
Female.....	133	158	219	267	326	411	398	345	159	63	-
American Indian 1/, both sexes.....	1	6	11	17	21	17	14	9	3	1	-
Male.....	-	4	6	10	11	7	2	5	1	-	-
Female.....	1	2	5	7	10	10	12	4	2	1	-
Asian or Pacific Islander 2/, both sexes.....	22	23	41	57	85	94	92	86	35	9	-
Male.....	10	10	25	25	35	41	38	27	14	4	-
Female.....	12	13	16	32	50	53	54	59	21	5	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cerebrovascular diseases (I60-I69)

All races, both sexes.....	4,480	5,548	7,473	11,366	18,800	28,059	28,909	20,446	7,406	1,422	4
Male.....	2,535	3,101	3,996	5,692	8,598	11,090	9,662	5,237	1,350	163	4
Female.....	1,945	2,447	3,477	5,674	10,202	16,969	19,247	15,209	6,056	1,259	-
White, both sexes.....	3,101	4,039	5,695	9,134	15,990	24,842	26,229	18,645	6,750	1,230	-
Male.....	1,742	2,244	3,038	4,607	7,419	9,845	8,794	4,781	1,220	140	-
Female.....	1,359	1,795	2,657	4,527	8,571	14,997	17,435	13,864	5,530	1,090	-
Black, both sexes.....	1,181	1,249	1,434	1,801	2,229	2,517	2,054	1,408	513	166	4
Male.....	683	734	778	875	911	933	632	321	86	19	4
Female.....	498	515	656	926	1,318	1,584	1,422	1,087	427	147	-
American Indian 1/, both sexes.....	41	48	64	78	81	82	65	45	13	6	-
Male.....	25	18	29	36	36	24	23	9	2	-	-
Female.....	16	30	35	42	45	58	42	36	11	6	-
Asian or Pacific Islander 2/, both sexes.....	157	212	280	353	500	618	561	348	130	20	-
Male.....	85	105	151	174	232	288	213	126	42	4	-
Female.....	72	107	129	179	268	330	348	222	88	16	-

Atherosclerosis (I70)

All races, both sexes.....	167	273	397	611	1,255	2,132	2,710	2,485	1,238	340	-
Male.....	100	169	227	333	624	908	946	709	246	51	-
Female.....	67	104	170	278	631	1,224	1,764	1,776	992	289	-
White, both sexes.....	138	228	334	521	1,127	1,961	2,544	2,340	1,171	301	-
Male.....	83	142	195	283	575	835	902	673	235	44	-
Female.....	55	86	139	238	552	1,126	1,642	1,667	936	257	-
Black, both sexes.....	24	39	57	74	99	139	148	122	63	33	-
Male.....	14	24	32	39	38	57	38	29	9	5	-
Female.....	10	15	25	35	61	82	110	93	54	28	-
American Indian 1/, both sexes.....	5	5	3	9	9	7	5	5	-	-	-
Male.....	3	2	-	6	3	3	2	2	-	-	-
Female.....	2	3	3	3	6	4	3	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	7	20	25	13	18	4	6	-
Male.....	-	1	-	5	8	13	4	5	2	2	-
Female.....	-	-	3	2	12	12	9	13	2	4	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of circulatory system (I71-I78)

All races, both sexes.....	936	1,330	1,828	2,656	3,772	4,395	3,685	2,290	794	134	-
Male.....	653	880	1,171	1,625	2,133	2,187	1,569	757	189	22	-
Female.....	283	450	657	1,031	1,639	2,208	2,116	1,533	605	112	-
White, both sexes.....	733	1,112	1,537	2,328	3,347	3,940	3,361	2,066	696	115	-
Male.....	520	755	993	1,466	1,907	1,990	1,450	701	171	19	-
Female.....	213	357	544	862	1,440	1,950	1,911	1,365	525	96	-
Black, both sexes.....	187	185	242	274	341	364	258	185	80	18	-
Male.....	123	106	142	125	177	148	84	43	10	2	-
Female.....	64	79	100	149	164	216	174	142	70	16	-
American Indian 1/, both sexes.....	5	8	13	10	14	11	6	2	3	-	-
Male.....	3	4	8	5	5	6	1	-	-	-	-
Female.....	2	4	5	5	9	5	5	2	3	-	-
Asian or Pacific Islander 2/, both sexes.....	11	25	36	44	70	80	60	37	15	1	-
Male.....	7	15	28	29	44	43	34	13	8	1	-
Female.....	4	10	8	15	26	37	26	24	7	-	-

Aortic aneurysm and dissection (I71)

All races, both sexes.....	578	878	1,185	1,685	2,340	2,631	2,003	1,020	257	26	-
Male.....	445	618	807	1,104	1,365	1,413	950	422	85	3	-
Female.....	133	260	378	581	975	1,218	1,053	598	172	23	-
White, both sexes.....	467	742	1,019	1,520	2,126	2,406	1,848	934	228	25	-
Male.....	366	537	701	1,022	1,255	1,308	884	397	77	3	-
Female.....	101	205	318	498	871	1,098	964	537	151	22	-
Black, both sexes.....	102	111	131	124	153	159	110	58	19	1	-
Male.....	72	66	79	54	76	67	39	14	2	-	-
Female.....	30	45	52	70	77	92	71	44	17	1	-
American Indian 1/, both sexes.....	1	3	8	5	8	7	3	2	2	-	-
Male.....	1	1	6	4	3	4	-	-	-	-	-
Female.....	-	2	2	1	5	3	3	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	8	22	27	36	53	59	42	26	8	-	-
Male.....	6	14	21	24	31	34	27	11	6	-	-
Female.....	2	8	6	12	22	25	15	15	2	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of arteries, arterioles and capillaries (I72-I78)											
All races, both sexes.....	358	452	643	971	1,432	1,764	1,682	1,270	537	108	-
Male.....	208	262	364	521	768	774	619	335	104	19	-
Female.....	150	190	279	450	664	990	1,063	935	433	89	-
White, both sexes.....	266	370	518	808	1,221	1,534	1,513	1,132	468	90	-
Male.....	154	218	292	444	652	682	566	304	94	16	-
Female.....	112	152	226	364	569	852	947	828	374	74	-
Black, both sexes.....	85	74	111	150	188	205	148	127	61	17	-
Male.....	51	40	63	71	101	81	45	29	8	2	-
Female.....	34	34	48	79	87	124	103	98	53	15	-
American Indian 1/, both sexes.....	4	5	5	5	6	4	3	-	1	-	-
Male.....	2	3	2	1	2	2	1	-	-	-	-
Female.....	2	2	3	4	4	2	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	9	8	17	21	18	11	7	1	-
Male.....	1	1	7	5	13	9	7	2	2	1	-
Female.....	2	2	2	3	4	12	11	9	5	-	-

Other disorders of circulatory system (I80-I99)

All races, both sexes.....	333	308	336	377	517	611	610	395	151	18	-
Male.....	197	184	188	191	207	239	180	104	24	-	-
Female.....	136	124	148	186	310	372	430	291	127	18	-
White, both sexes.....	256	236	274	310	438	530	560	361	139	15	-
Male.....	154	141	152	153	177	205	164	92	20	-	-
Female.....	102	95	122	157	261	325	396	269	119	15	-
Black, both sexes.....	72	65	54	59	69	72	46	31	11	3	-
Male.....	39	38	33	32	27	32	14	9	4	-	-
Female.....	33	27	21	27	42	40	32	22	7	3	-
American Indian 1/, both sexes.....	-	2	3	1	3	3	-	-	-	-	-
Male.....	-	2	1	1	2	-	-	-	-	-	-
Female.....	-	-	2	-	1	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	5	7	7	6	4	3	1	-	-
Male.....	4	3	2	5	1	2	2	3	-	-	-
Female.....	1	2	3	2	6	4	2	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Influenza and pneumonia (J10-J18)											
All races, both sexes.....	1,522	1,900	2,486	4,137	7,123	11,440	13,109	10,979	4,937	1,242	2
Male.....	903	1,085	1,400	2,248	3,719	5,484	5,419	3,844	1,305	234	2
Female.....	619	815	1,086	1,889	3,404	5,956	7,690	7,135	3,632	1,008	-
White, both sexes.....	1,175	1,525	2,023	3,467	6,229	10,318	12,008	10,127	4,546	1,107	2
Male.....	679	866	1,129	1,885	3,279	4,946	4,969	3,541	1,180	199	2
Female.....	496	659	894	1,582	2,950	5,372	7,039	6,586	3,366	908	-
Black, both sexes.....	303	308	387	531	693	821	783	597	272	111	-
Male.....	194	183	226	286	323	369	291	181	74	26	-
Female.....	109	125	161	245	370	452	492	416	198	85	-
American Indian 1/, both sexes.....	19	24	23	27	39	59	55	27	16	7	-
Male.....	11	13	15	9	25	27	22	15	6	2	-
Female.....	8	11	8	18	14	32	33	12	10	5	-
Asian or Pacific Islander 2/, both sexes.....	25	43	53	112	162	242	263	228	103	17	-
Male.....	19	23	30	68	92	142	137	107	45	7	-
Female.....	6	20	23	44	70	100	126	121	58	10	-

Influenza (J10-J11)

All races, both sexes.....	26	40	44	93	175	307	408	337	183	54	-
Male.....	15	22	19	42	78	114	146	102	37	7	-
Female.....	11	18	25	51	97	193	262	235	146	47	-
White, both sexes.....	24	35	40	88	166	293	394	328	180	52	-
Male.....	14	18	18	40	74	109	141	95	35	7	-
Female.....	10	17	22	48	92	184	253	233	145	45	-
Black, both sexes.....	2	5	2	3	5	9	6	6	2	1	-
Male.....	1	4	-	2	1	2	2	4	2	-	-
Female.....	1	1	2	1	4	7	4	2	-	1	-
American Indian 1/, both sexes.....	-	-	1	2	1	1	3	1	-	1	-
Male.....	-	-	1	-	1	1	1	1	-	-	-
Female.....	-	-	-	2	-	-	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	3	4	5	2	1	-	-
Male.....	-	-	-	-	2	2	2	2	-	-	-
Female.....	-	-	1	-	1	2	3	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonia (J12-J18)

All races, both sexes.....	1,496	1,860	2,442	4,044	6,948	11,133	12,701	10,642	4,754	1,188	2
Male.....	888	1,063	1,381	2,206	3,641	5,370	5,273	3,742	1,268	227	2
Female.....	608	797	1,061	1,838	3,307	5,763	7,428	6,900	3,486	961	-
White, both sexes.....	1,151	1,490	1,983	3,379	6,063	10,025	11,614	9,799	4,366	1,055	2
Male.....	665	848	1,111	1,845	3,205	4,837	4,828	3,446	1,145	192	2
Female.....	486	642	872	1,534	2,858	5,188	6,786	6,353	3,221	863	-
Black, both sexes.....	301	303	385	528	688	812	777	591	270	110	-
Male.....	193	179	226	284	322	367	289	177	72	26	-
Female.....	108	124	159	244	366	445	488	414	198	84	-
American Indian 1/, both sexes.....	19	24	22	25	38	58	52	26	16	6	-
Male.....	11	13	14	9	24	26	21	14	6	2	-
Female.....	8	11	8	16	14	32	31	12	10	4	-
Asian or Pacific Islander 2/, both sexes.....	25	43	52	112	159	238	258	226	102	17	-
Male.....	19	23	30	68	90	140	135	105	45	7	-
Female.....	6	20	22	44	69	98	123	121	57	10	-

Other acute lower respiratory infections (J20-J22)

All races, both sexes.....	9	10	8	18	29	49	55	55	39	21	-
Male.....	4	1	4	6	13	28	19	19	7	4	-
Female.....	5	9	4	12	16	21	36	36	32	17	-
White, both sexes.....	9	9	6	16	27	45	53	54	36	18	-
Male.....	4	1	3	5	13	27	19	19	6	3	-
Female.....	5	8	3	11	14	18	34	35	30	15	-
Black, both sexes.....	-	1	1	2	2	2	1	1	2	2	-
Male.....	-	-	-	1	-	-	-	-	1	1	-
Female.....	-	1	1	1	2	2	1	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	1	-	1	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

All races, both sexes.....	4,672	8,075	12,016	17,894	24,501	25,832	19,338	9,809	2,923	403	4
Male.....	2,397	4,192	6,274	9,140	12,273	12,206	8,332	3,792	931	95	3
Female.....	2,275	3,883	5,742	8,754	12,228	13,626	11,006	6,017	1,992	308	1
White, both sexes.....	4,060	7,312	10,955	16,562	22,879	24,353	18,278	9,241	2,714	360	3
Male.....	2,052	3,769	5,665	8,385	11,324	11,369	7,771	3,524	846	84	2
Female.....	2,008	3,543	5,290	8,177	11,555	12,984	10,507	5,717	1,868	276	1
Black, both sexes.....	549	658	909	1,111	1,322	1,117	767	412	159	34	1
Male.....	306	363	530	629	773	602	391	187	56	6	1
Female.....	243	295	379	482	549	515	376	225	103	28	-
American Indian 1/, both sexes.....	32	59	63	79	82	82	40	21	7	1	-
Male.....	15	30	24	41	43	49	19	12	1	-	-
Female.....	17	29	39	38	39	33	21	9	6	1	-
Asian or Pacific Islander 2/, both sexes.....	31	46	89	142	218	280	253	135	43	8	-
Male.....	24	30	55	85	133	186	151	69	28	5	-
Female.....	7	16	34	57	85	94	102	66	15	3	-

Bronchitis, chronic and unspecified (J40-J42)

All races, both sexes.....	31	42	46	73	81	124	171	128	67	10	-
Male.....	11	24	17	35	45	55	60	39	15	3	-
Female.....	20	18	29	38	36	69	111	89	52	7	-
White, both sexes.....	22	36	40	66	75	113	164	123	63	10	-
Male.....	9	22	13	31	40	49	55	36	13	3	-
Female.....	13	14	27	35	35	64	109	87	50	7	-
Black, both sexes.....	6	5	5	4	4	6	-	2	4	-	-
Male.....	2	2	3	3	4	3	-	2	2	-	-
Female.....	4	3	2	1	-	3	-	-	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	3	2	3	7	3	-	-	-
Male.....	-	-	1	1	1	2	5	1	-	-	-
Female.....	2	1	-	2	1	1	2	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Emphysema (J43)

All races, both sexes.....	635	1,042	1,551	2,198	2,804	2,596	1,753	694	174	22	1
Male.....	371	602	870	1,169	1,481	1,286	796	275	64	12	1
Female.....	264	440	681	1,029	1,323	1,310	957	419	110	10	-
White, both sexes.....	566	956	1,420	2,060	2,614	2,440	1,659	655	163	20	1
Male.....	322	541	786	1,082	1,372	1,181	742	252	60	10	1
Female.....	244	415	634	978	1,242	1,259	917	403	103	10	-
Black, both sexes.....	63	75	115	106	157	108	67	26	7	2	-
Male.....	46	54	75	64	89	65	36	14	3	2	-
Female.....	17	21	40	42	68	43	31	12	4	-	-
American Indian 1/, both sexes.....	3	8	5	9	7	11	5	1	-	-	-
Male.....	1	5	2	6	4	8	1	1	-	-	-
Female.....	2	3	3	3	3	3	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	11	23	26	37	22	12	4	-	-
Male.....	2	2	7	17	16	32	17	8	1	-	-
Female.....	1	1	4	6	10	5	5	4	3	-	-

Asthma (J45-J46)

All races, both sexes.....	267	253	228	247	306	403	371	253	98	18	-
Male.....	95	75	78	72	115	103	70	49	18	3	-
Female.....	172	178	150	175	191	300	301	204	80	15	-
White, both sexes.....	167	176	155	167	249	325	329	229	89	17	-
Male.....	59	51	52	47	86	80	65	40	16	3	-
Female.....	108	125	103	120	163	245	264	189	73	14	-
Black, both sexes.....	98	66	59	68	47	52	27	11	5	1	-
Male.....	35	19	20	20	22	17	5	3	-	-	-
Female.....	63	47	39	48	25	35	22	8	5	1	-
American Indian 1/, both sexes.....	-	4	3	3	1	-	3	-	-	-	-
Male.....	-	2	1	2	1	-	-	-	-	-	-
Female.....	-	2	2	1	-	-	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	7	11	9	9	26	12	13	4	-	-
Male.....	1	3	5	3	6	6	-	6	2	-	-
Female.....	1	4	6	6	3	20	12	7	2	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)											
All races, both sexes.....	348	485	646	1,095	2,109	3,449	3,987	2,993	1,153	219	-
Male.....	203	303	398	667	1,193	1,864	1,989	1,264	365	59	-
Female.....	145	182	248	428	916	1,585	1,998	1,729	788	160	-
White, both sexes.....	287	394	525	935	1,829	3,103	3,650	2,750	1,040	190	-
Male.....	171	242	320	570	1,034	1,677	1,829	1,177	325	53	-
Female.....	116	152	205	365	795	1,426	1,821	1,573	715	137	-
Black, both sexes.....	56	80	103	132	245	285	266	192	91	24	-
Male.....	29	54	65	81	139	151	118	66	29	4	-
Female.....	27	26	38	51	106	134	148	126	62	20	-
American Indian 1/, both sexes.....	-	5	6	9	8	9	9	7	5	-	-
Male.....	-	4	3	5	6	6	6	2	1	-	-
Female.....	-	1	3	4	2	3	3	5	4	-	-
Asian or Pacific Islander 2/, both sexes.....	5	6	12	19	27	52	62	44	17	5	-
Male.....	3	3	10	11	14	30	36	19	10	2	-
Female.....	2	3	2	8	13	22	26	25	7	3	-

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All races, both sexes.....	1,137	1,539	2,183	3,190	4,405	5,061	3,948	2,173	710	124	3
Male.....	613	873	1,223	1,751	2,324	2,463	1,588	731	188	22	1
Female.....	524	666	960	1,439	2,081	2,598	2,360	1,442	522	102	2
White, both sexes.....	916	1,291	1,873	2,833	3,977	4,691	3,655	2,009	655	107	2
Male.....	490	731	1,074	1,575	2,103	2,280	1,452	675	165	20	1
Female.....	426	560	799	1,258	1,874	2,411	2,203	1,334	490	87	1
Black, both sexes.....	179	192	244	268	315	251	203	125	40	16	1
Male.....	99	110	119	129	157	117	89	38	13	2	-
Female.....	80	82	125	139	158	134	114	87	27	14	1
American Indian 1/, both sexes.....	17	20	22	24	23	20	16	8	6	-	-
Male.....	10	12	10	16	13	12	4	1	5	-	-
Female.....	7	8	12	8	10	8	12	7	1	-	-
Asian or Pacific Islander 2/, both sexes.....	25	36	44	65	90	99	74	31	9	1	-
Male.....	14	20	20	31	51	54	43	17	5	-	-
Female.....	11	16	24	34	39	45	31	14	4	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Peptic ulcer (K25-K28)											
All races, both sexes.....	164	212	222	322	429	611	579	376	119	18	-
Male.....	108	136	124	181	229	283	203	124	30	3	-
Female.....	56	76	98	141	200	328	376	252	89	15	-
White, both sexes.....	139	175	188	271	370	553	526	344	103	17	-
Male.....	90	114	102	151	195	263	187	112	24	2	-
Female.....	49	61	86	120	175	290	339	232	79	15	-
Black, both sexes.....	22	28	27	42	35	40	33	24	8	-	-
Male.....	18	18	17	25	21	12	11	8	3	-	-
Female.....	4	10	10	17	14	28	22	16	5	-	-
American Indian 1/, both sexes.....	1	-	-	1	3	1	2	-	-	-	-
Male.....	-	-	-	1	2	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	9	7	8	21	17	18	8	8	1	-
Male.....	-	4	5	4	11	8	5	4	3	1	-
Female.....	2	5	2	4	10	9	13	4	5	-	-

Diseases of appendix (K35-K38)

All races, both sexes.....	27	30	39	37	58	52	63	33	10	2	-
Male.....	22	15	27	26	29	28	28	13	3	1	-
Female.....	5	15	12	11	29	24	35	20	7	1	-
White, both sexes.....	23	23	34	31	48	50	61	31	8	2	-
Male.....	18	13	24	22	24	28	27	11	3	1	-
Female.....	5	10	10	9	24	22	34	20	5	1	-
Black, both sexes.....	4	5	4	5	8	1	2	-	2	-	-
Male.....	4	1	3	3	4	-	1	-	-	-	-
Female.....	-	4	1	2	4	1	1	-	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	1	-	-	-
Male.....	-	1	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	1	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	1	1	-	1	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hernia (K40-K46)											
All races, both sexes.....	69	112	95	115	182	272	296	246	65	9	-
Male.....	35	56	35	51	76	99	114	71	14	4	-
Female.....	34	56	60	64	106	173	182	175	51	5	-
White, both sexes.....	53	96	79	103	163	251	277	231	58	6	-
Male.....	26	50	30	46	67	90	105	66	13	1	-
Female.....	27	46	49	57	96	161	172	165	45	5	-
Black, both sexes.....	12	16	13	12	17	16	15	12	4	3	-
Male.....	6	6	5	5	9	7	6	4	-	3	-
Female.....	6	10	8	7	8	9	9	8	4	-	-
American Indian 1/, both sexes.....	3	-	3	-	1	3	1	2	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-
Female.....	1	-	3	-	1	2	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	2	3	1	3	-	-
Male.....	1	-	-	-	-	1	2	1	1	-	-
Female.....	-	-	-	-	1	1	1	-	2	-	-

Chronic liver disease and cirrhosis (K70,K73-K74)

All races, both sexes.....	3,995	3,131	2,569	2,497	2,208	1,573	747	221	30	4	3
Male.....	2,905	2,189	1,600	1,452	1,161	759	341	84	16	1	3
Female.....	1,090	942	969	1,045	1,047	814	406	137	14	3	-
White, both sexes.....	3,446	2,692	2,302	2,279	2,018	1,454	695	206	24	2	2
Male.....	2,517	1,890	1,431	1,330	1,060	699	314	82	16	-	2
Female.....	929	802	871	949	958	755	381	124	8	2	-
Black, both sexes.....	444	319	198	159	119	74	30	9	5	2	1
Male.....	313	223	130	100	73	33	14	2	-	1	1
Female.....	131	96	68	59	46	41	16	7	5	1	-
American Indian 1/, both sexes.....	72	71	30	31	17	10	4	1	-	-	-
Male.....	49	46	16	13	5	6	3	-	-	-	-
Female.....	23	25	14	18	12	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	49	39	28	54	35	18	5	1	-	-
Male.....	26	30	23	9	23	21	10	-	-	-	-
Female.....	7	19	16	19	31	14	8	5	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alcoholic liver disease (K70)											
All races, both sexes.....	2,156	1,565	1,047	797	478	269	76	16	2	-	2
Male.....	1,646	1,204	780	572	350	187	57	10	1	-	2
Female.....	510	361	267	225	128	82	19	6	1	-	-
White, both sexes.....	1,894	1,349	927	714	434	248	70	16	1	-	2
Male.....	1,460	1,047	694	513	316	174	52	10	1	-	2
Female.....	434	302	233	201	118	74	18	6	-	-	-
Black, both sexes.....	198	149	89	65	32	14	5	-	1	-	-
Male.....	137	113	65	48	27	6	4	-	-	-	-
Female.....	61	36	24	17	5	8	1	-	1	-	-
American Indian 1/, both sexes.....	52	46	15	15	6	4	1	-	-	-	-
Male.....	39	29	9	9	2	4	1	-	-	-	-
Female.....	13	17	6	6	4	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	21	16	3	6	3	-	-	-	-	-
Male.....	10	15	12	2	5	3	-	-	-	-	-
Female.....	2	6	4	1	1	-	-	-	-	-	-

Other chronic liver disease and cirrhosis (K73-K74)

All races, both sexes.....	1,839	1,566	1,522	1,700	1,730	1,304	671	205	28	4	1
Male.....	1,259	985	820	880	811	572	284	74	15	1	1
Female.....	580	581	702	820	919	732	387	131	13	3	-
White, both sexes.....	1,552	1,343	1,375	1,565	1,584	1,206	625	190	23	2	-
Male.....	1,057	843	737	817	744	525	262	72	15	-	-
Female.....	495	500	638	748	840	681	363	118	8	2	-
Black, both sexes.....	246	170	109	94	87	60	25	9	4	2	1
Male.....	176	110	65	52	46	27	10	2	-	1	1
Female.....	70	60	44	42	41	33	15	7	4	1	-
American Indian 1/, both sexes.....	20	25	15	16	11	6	3	1	-	-	-
Male.....	10	17	7	4	3	2	2	-	-	-	-
Female.....	10	8	8	12	8	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	28	23	25	48	32	18	5	1	-	-
Male.....	16	15	11	7	18	18	10	-	-	-	-
Female.....	5	13	12	18	30	14	8	5	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years and over stated

Cholelithiasis and other disorders of gallbladder (K80-K82)

All races, both sexes.....	95	122	170	278	428	627	585	402	152	30	-
Male.....	45	73	107	164	220	275	232	117	34	6	-
Female.....	50	49	63	114	208	352	353	285	118	24	-
White, both sexes.....	75	100	128	231	375	561	530	366	135	29	-
Male.....	38	58	85	138	197	256	211	110	32	5	-
Female.....	37	42	43	93	178	305	319	256	103	24	-
Black, both sexes.....	18	17	36	36	42	51	39	26	11	1	-
Male.....	6	11	18	20	22	15	14	5	1	1	-
Female.....	12	6	18	16	20	36	25	21	10	-	-
American Indian 1/, both sexes.....	1	4	2	2	1	6	4	1	2	-	-
Male.....	-	3	1	1	-	2	2	-	-	-	-
Female.....	1	1	1	1	1	4	2	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	9	10	9	12	9	4	-	-
Male.....	1	1	3	5	1	2	5	2	1	-	-
Female.....	-	-	1	4	9	7	7	7	3	-	-

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races, both sexes.....	1,835	2,306	2,958	4,362	6,348	8,055	7,662	4,937	1,769	325	-
Male.....	1,046	1,306	1,483	2,250	3,203	3,974	3,514	1,891	550	83	-
Female.....	789	1,000	1,475	2,112	3,145	4,081	4,148	3,046	1,219	242	-
White, both sexes.....	1,127	1,536	2,072	3,271	5,152	6,843	6,703	4,337	1,534	270	-
Male.....	642	903	1,107	1,760	2,670	3,469	3,155	1,695	480	69	-
Female.....	485	633	965	1,511	2,482	3,374	3,548	2,642	1,054	201	-
Black, both sexes.....	646	700	785	971	1,053	1,050	832	504	203	49	-
Male.....	374	376	334	422	467	432	295	156	55	13	-
Female.....	272	324	451	549	586	618	537	348	148	36	-
American Indian 1/, both sexes.....	23	24	31	34	34	28	17	27	1	1	-
Male.....	9	8	8	20	11	7	10	9	-	-	-
Female.....	14	16	23	14	23	21	7	18	1	1	-
Asian or Pacific Islander 2/, both sexes.....	39	46	70	86	109	134	110	69	31	5	-
Male.....	21	19	34	48	55	66	54	31	15	1	-
Female.....	18	27	36	38	54	68	56	38	16	4	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

All races, both sexes.....	6	9	5	12	24	19	25	10	3	1	-
Male.....	3	5	3	8	12	7	11	3	1	-	-
Female.....	3	4	2	4	12	12	14	7	2	1	-
White, both sexes.....	6	9	3	12	24	14	22	8	2	-	-
Male.....	3	5	2	8	12	7	10	3	1	-	-
Female.....	3	4	1	4	12	7	12	5	1	-	-
Black, both sexes.....	-	-	2	-	-	4	2	2	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	4	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	1	-

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

All races, both sexes.....	44	49	54	78	118	134	160	87	26	2	-
Male.....	27	26	27	40	60	69	77	38	5	-	-
Female.....	17	23	27	38	58	65	83	49	21	2	-
White, both sexes.....	27	38	40	58	98	117	139	79	19	1	-
Male.....	18	19	21	33	48	60	70	33	2	-	-
Female.....	9	19	19	25	50	57	69	46	17	1	-
Black, both sexes.....	16	11	8	20	19	15	20	6	7	1	-
Male.....	9	7	2	7	12	9	6	4	3	-	-
Female.....	7	4	6	13	7	6	14	2	4	1	-
American Indian 1/, both sexes.....	-	-	2	-	-	1	1	1	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	4	-	1	1	-	1	-	-	-
Male.....	-	-	3	-	-	-	-	1	-	-	-
Female.....	1	-	1	-	1	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes.....	1	1	-	-	1	-	-	-	-	-	3
Male.....	1	-	-	-	1	-	-	-	-	-	1
Female.....	-	1	-	-	-	-	-	-	-	-	2
White, both sexes.....	1	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes.....	398	318	170	168	180	228	184	108	29	6	1
Male.....	210	160	77	76	86	105	67	35	7	2	-
Female.....	188	158	93	92	94	123	117	73	22	4	1
White, both sexes.....	356	289	157	159	162	217	169	97	27	5	1
Male.....	188	145	74	72	79	102	61	30	7	1	-
Female.....	168	144	83	87	83	115	108	67	20	4	1
Black, both sexes.....	35	24	9	7	12	9	12	9	1	-	-
Male.....	18	13	1	4	6	3	5	4	-	-	-
Female.....	17	11	8	3	6	6	7	5	1	-	-
American Indian 1/, both sexes.....	2	3	-	-	-	1	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	4	2	6	1	3	2	1	1	-
Male.....	2	1	2	-	1	-	1	1	-	1	-
Female.....	3	1	2	2	5	1	2	1	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes.....	1,194	1,005	1,055	1,335	2,042	3,046	3,987	4,113	2,385	951	73
Male.....	771	596	606	715	966	1,184	1,288	1,068	461	132	57
Female.....	423	409	449	620	1,076	1,862	2,699	3,045	1,924	819	16
White, both sexes.....	921	810	846	1,107	1,783	2,715	3,683	3,769	2,194	844	63
Male.....	596	477	484	597	846	1,045	1,179	974	413	116	51
Female.....	325	333	362	510	937	1,670	2,504	2,795	1,781	728	12
Black, both sexes.....	251	178	190	204	232	292	254	291	164	96	10
Male.....	159	110	111	106	110	122	87	75	41	12	6
Female.....	92	68	79	98	122	170	167	216	123	84	4
American Indian 1/, both sexes.....	7	8	7	7	5	12	9	12	4	4	-
Male.....	4	4	5	6	1	5	4	2	-	1	-
Female.....	3	4	2	1	4	7	5	10	4	3	-
Asian or Pacific Islander 2/, both sexes.....	15	9	12	17	22	27	41	41	23	7	-
Male.....	12	5	6	6	9	12	18	17	7	3	-
Female.....	3	4	6	11	13	15	23	24	16	4	-

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes.....	10,462	10,646	11,714	15,522	23,212	33,488	36,147	28,274	12,381	2,647	13
Male.....	6,055	5,773	5,916	7,395	10,197	12,874	11,392	6,989	2,203	350	11
Female.....	4,407	4,873	5,798	8,127	13,015	20,614	24,755	21,285	10,178	2,297	2
White, both sexes.....	8,425	8,785	9,777	13,250	20,380	30,162	33,180	25,950	11,290	2,283	11
Male.....	4,932	4,807	4,938	6,369	8,987	11,586	10,467	6,449	1,982	292	9
Female.....	3,493	3,978	4,839	6,881	11,393	18,576	22,713	19,501	9,308	1,991	2
Black, both sexes.....	1,784	1,615	1,628	1,927	2,401	2,803	2,451	1,922	934	310	2
Male.....	975	831	818	868	1,002	1,059	716	404	176	39	2
Female.....	809	784	810	1,059	1,399	1,744	1,735	1,518	758	271	-
American Indian 1/, both sexes.....	110	96	115	91	94	112	93	68	26	12	-
Male.....	71	53	61	34	46	43	31	15	6	3	-
Female.....	39	43	54	57	48	69	62	53	20	9	-
Asian or Pacific Islander 2/, both sexes.....	143	150	194	254	337	411	423	334	131	42	-
Male.....	77	82	99	124	162	186	178	121	39	16	-
Female.....	66	68	95	130	175	225	245	213	92	26	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years and over stated

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All races, both sexes.....	6,168	4,685	4,060	4,572	6,126	7,728	7,303	4,791	1,778	371	57
Male.....	4,318	3,189	2,579	2,764	3,429	3,908	3,311	1,650	497	63	49
Female.....	1,850	1,496	1,481	1,808	2,697	3,820	3,992	3,141	1,281	308	8
White, both sexes.....	5,097	3,935	3,457	3,967	5,444	7,080	6,842	4,494	1,655	342	52
Male.....	3,544	2,641	2,193	2,393	3,064	3,563	3,098	1,545	454	56	46
Female.....	1,553	1,294	1,264	1,574	2,380	3,517	3,744	2,949	1,201	286	6
Black, both sexes.....	898	573	469	458	523	457	315	219	97	23	5
Male.....	656	438	308	286	292	238	134	73	29	6	3
Female.....	242	135	161	172	231	219	181	146	68	17	2
American Indian 1/, both sexes.....	72	63	37	38	35	25	14	10	5	1	-
Male.....	57	42	22	23	15	13	9	1	2	-	-
Female.....	15	21	15	15	20	12	5	9	3	1	-
Asian or Pacific Islander 2/, both sexes.....	101	114	97	109	124	166	132	68	21	5	-
Male.....	61	68	56	62	58	94	70	31	12	1	-
Female.....	40	46	41	47	66	72	62	37	9	4	-

Transport accidents (V01-V99,Y85)

All races, both sexes.....	2,803	2,115	1,741	1,612	1,703	1,465	954	322	43	10	11
Male.....	1,998	1,437	1,128	1,029	1,013	822	550	157	27	3	10
Female.....	805	678	613	583	690	643	404	165	16	7	1
White, both sexes.....	2,406	1,808	1,509	1,402	1,503	1,356	892	300	42	7	10
Male.....	1,717	1,233	970	898	894	760	513	147	26	1	9
Female.....	689	575	539	504	609	596	379	153	16	6	1
Black, both sexes.....	306	217	170	146	134	67	43	16	1	2	1
Male.....	224	153	121	96	87	39	27	6	1	2	1
Female.....	82	64	49	50	47	28	16	10	-	-	-
American Indian 1/, both sexes.....	33	26	16	15	11	4	3	-	-	-	-
Male.....	28	18	12	8	7	1	2	-	-	-	-
Female.....	5	8	4	7	4	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	58	64	46	49	55	38	16	6	-	1	-
Male.....	29	33	25	27	25	22	8	4	-	-	-
Female.....	29	31	21	22	30	16	8	2	-	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)											
All races, both sexes.....	2,533	1,921	1,596	1,514	1,601	1,390	915	313	42	10	6
Male.....	1,772	1,283	1,016	960	937	772	527	151	27	3	5
Female.....	761	638	580	554	664	618	388	162	15	7	1
White, both sexes.....	2,160	1,637	1,382	1,315	1,412	1,290	858	291	41	7	6
Male.....	1,511	1,099	875	834	827	715	491	141	26	1	5
Female.....	649	538	507	481	585	575	367	150	15	6	1
Black, both sexes.....	287	204	157	140	128	62	40	16	1	2	-
Male.....	208	143	108	93	82	37	26	6	1	2	-
Female.....	79	61	49	47	46	25	14	10	-	-	-
American Indian 1/, both sexes.....	30	21	12	15	10	3	3	-	-	-	-
Male.....	25	13	8	8	6	-	2	-	-	-	-
Female.....	5	8	4	7	4	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	56	59	45	44	51	35	14	6	-	1	-
Male.....	28	28	25	25	22	20	8	4	-	-	-
Female.....	28	31	20	19	29	15	6	2	-	1	-

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races, both sexes.....	79	59	45	36	48	36	20	4	1	-	4
Male.....	63	47	33	21	35	23	13	2	-	-	4
Female.....	16	12	12	15	13	13	7	2	1	-	-
White, both sexes.....	71	46	34	25	40	33	17	4	1	-	3
Male.....	56	34	22	16	29	22	12	2	-	-	3
Female.....	15	12	12	9	11	11	5	2	1	-	-
Black, both sexes.....	6	7	9	6	5	1	2	-	-	-	1
Male.....	5	7	9	3	4	-	1	-	-	-	1
Female.....	1	-	-	3	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	2	2	-	-	1	-	-	-	-	-
Male.....	1	2	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	-	5	3	1	1	-	-	-	-
Male.....	1	4	-	2	2	-	-	-	-	-	-
Female.....	-	-	-	3	1	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years and over stated

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

All races, both sexes.....	191	135	100	62	54	39	19	5	-	-	1
Male.....	163	107	79	48	41	27	10	4	-	-	1
Female.....	28	28	21	14	13	12	9	1	-	-	-
White, both sexes.....	175	125	93	62	51	33	17	5	-	-	1
Male.....	150	100	73	48	38	23	10	4	-	-	1
Female.....	25	25	20	14	13	10	7	1	-	-	-
Black, both sexes.....	13	6	4	-	1	4	1	-	-	-	-
Male.....	11	3	4	-	1	2	-	-	-	-	-
Female.....	2	3	-	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	2	3	2	-	1	-	-	-	-	-	-
Male.....	2	3	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	1	2	1	-	-	-	-
Male.....	-	1	-	-	1	2	-	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-

Nontransport accidents (W00-X59,Y86)

All races, both sexes.....	3,365	2,570	2,319	2,960	4,423	6,263	6,349	4,469	1,735	361	46
Male.....	2,320	1,752	1,451	1,735	2,416	3,086	2,761	1,493	470	60	39
Female.....	1,045	818	868	1,225	2,007	3,177	3,588	2,976	1,265	301	7
White, both sexes.....	2,691	2,127	1,948	2,565	3,941	5,724	5,950	4,194	1,613	335	42
Male.....	1,827	1,408	1,223	1,495	2,170	2,803	2,585	1,398	428	55	37
Female.....	864	719	725	1,070	1,771	2,921	3,365	2,796	1,185	280	5
Black, both sexes.....	592	356	299	312	389	390	272	203	96	21	4
Male.....	432	285	187	190	205	199	107	67	28	4	2
Female.....	160	71	112	122	184	191	165	136	68	17	2
American Indian 1/, both sexes.....	39	37	21	23	24	21	11	10	5	1	-
Male.....	29	24	10	15	8	12	7	1	2	-	-
Female.....	10	13	11	8	16	9	4	9	3	1	-
Asian or Pacific Islander 2/, both sexes.....	43	50	51	60	69	128	116	62	21	4	-
Male.....	32	35	31	35	33	72	62	27	12	1	-
Female.....	11	15	20	25	36	56	54	35	9	3	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidental drowning and submersion (W65-W74)											
All races, both sexes.....	150	116	90	103	102	78	66	18	7	1	18
Male.....	125	93	65	70	67	54	45	12	5	-	16
Female.....	25	23	25	33	35	24	21	6	2	1	2
White, both sexes.....	127	97	75	85	85	62	59	15	5	1	18
Male.....	105	74	55	57	58	44	41	11	4	-	16
Female.....	22	23	20	28	27	18	18	4	1	1	2
Black, both sexes.....	17	14	12	13	8	6	3	1	1	-	-
Male.....	15	14	8	11	5	4	2	1	-	-	-
Female.....	2	-	4	2	3	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	2	-	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	5	3	4	7	8	4	2	1	-	-
Male.....	5	5	2	1	3	5	2	-	1	-	-
Female.....	1	-	1	3	4	3	2	2	-	-	-
Accidental exposure to smoke, fire and flames (X00-X09)											
All races, both sexes.....	193	205	194	196	229	239	153	71	27	3	4
Male.....	123	121	116	108	123	122	73	28	11	1	4
Female.....	70	84	78	88	106	117	80	43	16	2	-
White, both sexes.....	123	158	145	158	175	191	121	53	17	3	4
Male.....	77	89	85	86	94	100	57	23	5	1	4
Female.....	46	69	60	72	81	91	64	30	12	2	-
Black, both sexes.....	67	40	43	33	48	46	29	16	9	-	-
Male.....	44	29	28	18	27	22	15	4	5	-	-
Female.....	23	11	15	15	21	24	14	12	4	-	-
American Indian 1/, both sexes.....	1	5	5	2	2	-	-	1	1	-	-
Male.....	1	2	2	2	1	-	-	-	1	-	-
Female.....	-	3	3	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	3	4	2	3	1	-	-	-
Male.....	1	1	1	2	1	-	1	1	-	-	-
Female.....	1	1	-	1	3	2	2	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidental poisoning and exposure to noxious substances (X40-X49)											
All races, both sexes.....	1,435	572	265	170	173	144	117	48	13	1	6
Male.....	916	353	140	88	100	61	51	16	7	-	5
Female.....	519	219	125	82	73	83	66	32	6	1	1
White, both sexes.....	1,119	460	205	139	150	127	106	45	11	1	5
Male.....	679	264	96	66	86	50	48	16	6	-	5
Female.....	440	196	109	73	64	77	58	29	5	1	-
Black, both sexes.....	295	102	49	29	19	11	9	1	1	-	1
Male.....	220	83	39	21	12	7	2	-	1	-	-
Female.....	75	19	10	8	7	4	7	1	-	-	1
American Indian 1/, both sexes.....	11	6	6	1	2	-	-	1	-	-	-
Male.....	9	3	1	1	1	-	-	-	-	-	-
Female.....	2	3	5	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	4	5	1	2	6	2	1	1	-	-
Male.....	8	3	4	-	1	4	1	-	-	-	-
Female.....	2	1	1	1	1	2	1	1	1	-	-

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All races, both sexes.....	866	880	855	1,043	1,537	2,194	2,283	1,705	705	155	16
Male.....	627	633	545	633	837	1,060	960	534	199	25	12
Female.....	239	247	310	410	700	1,134	1,323	1,171	506	130	4
White, both sexes.....	699	723	711	866	1,328	1,960	2,108	1,575	641	138	13
Male.....	506	508	467	519	721	947	894	492	180	23	10
Female.....	193	215	244	347	607	1,013	1,214	1,083	461	115	3
Black, both sexes.....	138	127	123	150	191	192	137	112	59	14	3
Male.....	99	104	65	92	108	90	51	35	17	2	2
Female.....	39	23	58	58	83	102	86	77	42	12	1
American Indian 1/, both sexes.....	19	17	6	11	6	10	4	2	1	1	-
Male.....	15	13	4	9	3	7	1	-	1	-	-
Female.....	4	4	2	2	3	3	3	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	13	15	16	12	32	34	16	4	2	-
Male.....	7	8	9	13	5	16	14	7	1	-	-
Female.....	3	5	6	3	7	16	20	9	3	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

All races, both sexes.....	2,477	1,733	1,198	1,146	1,143	1,057	593	224	41	2	8
Male.....	1,888	1,362	973	967	994	895	497	190	33	1	7
Female.....	589	371	225	179	149	162	96	34	8	1	1
White, both sexes.....	2,338	1,641	1,128	1,087	1,093	1,013	567	209	41	2	8
Male.....	1,784	1,296	925	923	953	864	482	180	33	1	7
Female.....	554	345	203	164	140	149	85	29	8	1	1
Black, both sexes.....	85	59	41	38	32	24	10	7	-	-	-
Male.....	65	44	29	33	28	19	8	7	-	-	-
Female.....	20	15	12	5	4	5	2	-	-	-	-
American Indian 1/, both sexes.....	10	2	4	1	2	3	-	-	-	-	-
Male.....	9	2	3	1	2	3	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	44	31	25	20	16	17	16	8	-	-	-
Male.....	30	20	16	10	11	9	7	3	-	-	-
Female.....	14	11	9	10	5	8	9	5	-	-	-

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes.....	1,398	1,072	827	842	884	765	404	142	24	1	1
Male.....	1,192	948	733	768	828	720	382	135	24	1	-
Female.....	206	124	94	74	56	45	22	7	-	-	1
White, both sexes.....	1,344	1,030	796	806	855	744	400	136	24	1	1
Male.....	1,145	912	710	736	799	701	378	129	24	1	-
Female.....	199	118	86	70	56	43	22	7	-	-	1
Black, both sexes.....	39	34	27	30	23	18	4	6	-	-	-
Male.....	34	28	20	27	23	16	4	6	-	-	-
Female.....	5	6	7	3	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	6	2	2	1	2	3	-	-	-	-	-
Male.....	5	2	1	1	2	3	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	6	2	5	4	-	-	-	-	-	-
Male.....	8	6	2	4	4	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)

All races, both sexes.....	1,079	661	371	304	259	292	189	82	17	1	7
Male.....	696	414	240	199	166	175	115	55	9	-	7
Female.....	383	247	131	105	93	117	74	27	8	1	-
White, both sexes.....	994	611	332	281	238	269	167	73	17	1	7
Male.....	639	384	215	187	154	163	104	51	9	-	7
Female.....	355	227	117	94	84	106	63	22	8	1	-
Black, both sexes.....	46	25	14	8	9	6	6	1	-	-	-
Male.....	31	16	9	6	5	3	4	1	-	-	-
Female.....	15	9	5	2	4	3	2	-	-	-	-
American Indian 1/, both sexes.....	4	-	2	-	-	-	-	-	-	-	-
Male.....	4	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	25	23	15	12	17	16	8	-	-	-
Male.....	22	14	14	6	7	9	7	3	-	-	-
Female.....	13	11	9	9	5	8	9	5	-	-	-

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

All races, both sexes.....	510	352	233	207	164	119	73	29	6	1	21
Male.....	378	258	147	135	87	51	31	12	-	1	16
Female.....	132	94	86	72	77	68	42	17	6	-	5
White, both sexes.....	335	238	152	143	128	95	60	24	4	-	20
Male.....	235	175	88	89	61	39	21	7	-	-	16
Female.....	100	63	64	54	67	56	39	17	4	-	4
Black, both sexes.....	150	98	70	55	35	23	12	3	2	1	1
Male.....	125	71	53	40	25	12	10	3	-	1	-
Female.....	25	27	17	15	10	11	2	-	2	-	1
American Indian 1/, both sexes.....	5	6	3	5	-	-	-	-	-	-	-
Male.....	3	6	1	3	-	-	-	-	-	-	-
Female.....	2	-	2	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	10	8	4	1	1	1	2	-	-	-
Male.....	15	6	5	3	1	-	-	2	-	-	-
Female.....	5	4	3	1	-	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

All races, both sexes.....	239	166	111	90	63	34	16	5	2	1	9
Male.....	187	125	68	63	32	12	6	3	-	1	7
Female.....	52	41	43	27	31	22	10	2	2	-	2
White, both sexes.....	157	117	77	63	55	27	13	4	2	-	9
Male.....	114	88	43	40	24	8	3	2	-	-	7
Female.....	43	29	34	23	31	19	10	2	2	-	2
Black, both sexes.....	67	41	28	26	8	7	3	1	-	1	-
Male.....	60	31	22	22	8	4	3	1	-	1	-
Female.....	7	10	6	4	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	2	-	-	-	-	-	-	-	-
Male.....	2	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	6	4	1	-	-	-	-	-	-	-
Male.....	11	4	2	1	-	-	-	-	-	-	-
Female.....	2	2	2	-	-	-	-	-	-	-	-

Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)

All races, both sexes.....	271	186	122	117	101	85	57	24	4	-	12
Male.....	191	133	79	72	55	39	25	9	-	-	9
Female.....	80	53	43	45	46	46	32	15	4	-	3
White, both sexes.....	178	121	75	80	73	68	47	20	2	-	11
Male.....	121	87	45	49	37	31	18	5	-	-	9
Female.....	57	34	30	31	36	37	29	15	2	-	2
Black, both sexes.....	83	57	42	29	27	16	9	2	2	-	1
Male.....	65	40	31	18	17	8	7	2	-	-	-
Female.....	18	17	11	11	10	8	2	-	2	-	1
American Indian 1/, both sexes.....	3	4	1	5	-	-	-	-	-	-	-
Male.....	1	4	-	3	-	-	-	-	-	-	-
Female.....	2	-	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	4	4	3	1	1	1	2	-	-	-
Male.....	4	2	3	2	1	-	-	2	-	-	-
Female.....	3	2	1	1	-	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Legal intervention (Y35,Y89.0)

All races, both sexes.....	18	12	4	3	3	-	-	-	-	-	-
Male.....	18	10	4	1	3	-	-	-	-	-	-
Female.....	-	2	-	2	-	-	-	-	-	-	-
White, both sexes.....	17	9	3	3	2	-	-	-	-	-	-
Male.....	17	7	3	1	2	-	-	-	-	-	-
Female.....	-	2	-	2	-	-	-	-	-	-	-
Black, both sexes.....	1	1	1	-	1	-	-	-	-	-	-
Male.....	1	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All races, both sexes.....	282	142	94	63	57	49	49	21	3	1	10
Male.....	178	67	52	39	30	19	21	5	-	-	10
Female.....	104	75	42	24	27	30	28	16	3	1	-
White, both sexes.....	242	118	82	53	45	43	47	18	2	-	6
Male.....	146	51	43	33	21	17	20	5	-	-	6
Female.....	96	67	39	20	24	26	27	13	2	-	-
Black, both sexes.....	32	20	11	7	8	5	2	3	1	1	3
Male.....	26	14	9	3	7	1	1	-	-	-	3
Female.....	6	6	2	4	1	4	1	3	1	1	-
American Indian 1/, both sexes.....	5	2	1	1	1	1	-	-	-	-	1
Male.....	4	1	-	1	1	1	-	-	-	-	1
Female.....	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	2	3	-	-	-	-	-	-
Male.....	2	1	-	2	1	-	-	-	-	-	-
Female.....	1	1	-	-	2	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Discharge of firearms, undetermined intent (Y22-Y24)											
All races, both sexes.....	11	12	3	7	2	1	2	-	-	-	-
Male.....	6	8	1	6	2	1	2	-	-	-	-
Female.....	5	4	2	1	-	-	-	-	-	-	-
White, both sexes.....	10	11	3	6	1	1	2	-	-	-	-
Male.....	6	8	1	6	1	1	2	-	-	-	-
Female.....	4	3	2	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races, both sexes.....	271	130	91	56	55	48	47	21	3	1	10
Male.....	172	59	51	33	28	18	19	5	-	-	10
Female.....	99	71	40	23	27	30	28	16	3	1	-
White, both sexes.....	232	107	79	47	44	42	45	18	2	-	6
Male.....	140	43	42	27	20	16	18	5	-	-	6
Female.....	92	64	37	20	24	26	27	13	2	-	-
Black, both sexes.....	31	19	11	6	8	5	2	3	1	1	3
Male.....	26	14	9	3	7	1	1	-	-	-	3
Female.....	5	5	2	3	1	4	1	3	1	1	-
American Indian 1/, both sexes.....	5	2	1	1	-	1	-	-	-	-	1
Male.....	4	1	-	1	-	1	-	-	-	-	1
Female.....	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	2	3	-	-	-	-	-	-
Male.....	2	1	-	2	1	-	-	-	-	-	-
Female.....	1	1	-	-	2	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Operations of war and their sequelae (Y36,Y89.1)

All races, both sexes.....	3	-	-	2	3	7	1	-	-	-	-
Male.....	3	-	-	2	3	7	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	2	2	7	1	-	-	-	-
Male.....	2	-	-	2	2	7	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes.....	180	184	207	280	350	409	271	140	43	8	-
Male.....	89	103	110	140	143	192	118	39	16	-	-
Female.....	91	81	97	140	207	217	153	101	27	8	-
White, both sexes.....	138	145	159	220	289	368	240	131	42	8	-
Male.....	66	79	92	115	120	172	109	37	16	-	-
Female.....	72	66	67	105	169	196	131	94	26	8	-
Black, both sexes.....	40	36	44	50	56	35	26	7	1	-	-
Male.....	21	21	17	19	21	15	8	2	-	-	-
Female.....	19	15	27	31	35	20	18	5	1	-	-
American Indian 1/, both sexes.....	1	1	1	5	2	1	1	1	-	-	-
Male.....	1	1	-	3	1	1	-	-	-	-	-
Female.....	-	-	1	2	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	5	3	5	4	1	-	-	-
Male.....	1	2	1	3	1	4	1	-	-	-	-
Female.....	-	-	2	2	2	1	3	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/

All races, both sexes.....	3,419	2,511	1,656	1,166	746	455	171	50	14	1	9
Male.....	2,673	1,943	1,273	860	573	322	115	25	8	1	7
Female.....	746	568	383	306	173	133	56	25	6	-	2
White, both sexes.....	2,961	2,131	1,437	1,015	664	407	159	43	11	-	8
Male.....	2,327	1,656	1,103	747	508	288	107	23	6	-	6
Female.....	634	475	334	268	156	119	52	20	5	-	2
Black, both sexes.....	366	295	168	124	64	35	10	7	3	1	1
Male.....	274	227	131	96	54	22	6	2	2	1	1
Female.....	92	68	37	28	10	13	4	5	1	-	-
American Indian 1/, both sexes.....	72	58	27	21	9	7	2	-	-	-	-
Male.....	54	40	20	13	4	6	2	-	-	-	-
Female.....	18	18	7	8	5	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	27	24	6	9	6	-	-	-	-	-
Male.....	18	20	19	4	7	6	-	-	-	-	-
Female.....	2	7	5	2	2	-	-	-	-	-	-

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	2,228	1,012	511	376	364	342	235	106	36	11	5
Male.....	1,351	561	254	198	205	149	100	45	12	2	5
Female.....	877	451	257	178	159	193	135	61	24	9	-
White, both sexes.....	1,794	867	440	336	330	317	224	99	34	10	5
Male.....	1,035	450	204	172	187	134	96	43	12	2	5
Female.....	759	417	236	164	143	183	128	56	22	8	-
Black, both sexes.....	405	130	55	36	26	17	9	4	1	1	-
Male.....	294	105	42	24	14	10	3	1	-	-	-
Female.....	111	25	13	12	12	7	6	3	1	1	-
American Indian 1/, both sexes.....	15	8	11	2	1	2	-	1	-	-	-
Male.....	12	2	5	1	-	1	-	-	-	-	-
Female.....	3	6	6	1	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	7	5	2	7	6	2	2	1	-	-
Male.....	10	4	3	1	4	4	1	1	-	-	-
Female.....	4	3	2	1	3	2	1	1	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/

All races, both sexes.....	1,703	1,284	964	965	967	817	432	150	28	2	10
Male.....	1,434	1,110	820	859	876	748	399	141	25	2	7
Female.....	269	174	144	106	91	69	33	9	3	-	3
White, both sexes.....	1,564	1,188	898	899	927	788	424	141	28	1	10
Male.....	1,312	1,033	771	802	836	724	391	132	25	1	7
Female.....	252	155	127	97	91	64	33	9	3	-	3
Black, both sexes.....	109	78	56	59	32	26	8	9	-	1	-
Male.....	96	61	43	51	32	21	8	9	-	1	-
Female.....	13	17	13	8	-	5	-	-	-	-	-
American Indian 1/, both sexes.....	8	5	4	1	3	3	-	-	-	-	-
Male.....	7	5	2	1	3	3	-	-	-	-	-
Female.....	1	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	13	6	6	5	-	-	-	-	-	-
Male.....	19	11	4	5	5	-	-	-	-	-	-
Female.....	3	2	2	1	-	-	-	-	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.