

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL CAUSES												
BOTH SEXES												
1967	937.6	2,290.7	89.4	41.7	116.5	151.9	309.7	736.3	1,657.2	3,624.6	8,093.6	19,223.2
1966	952.6	2,405.5	96.4	42.8	115.6	153.0	309.9	749.5	1,685.3	3,702.0	8,354.4	19,981.2
1965	944.6	2,463.3	95.9	42.3	109.1	150.8	307.4	746.6	1,683.4	3,662.8	8,358.6	20,069.0
1964	940.7	2,528.1	98.5	43.2	108.2	151.6	306.1	745.3	1,689.1	3,664.4	8,317.0	19,924.2
1963	962.2	2,576.4	101.5	43.3	105.5	148.1	303.4	752.4	1,721.7	3,792.6	8,631.9	20,991.1
1962	945.6	2,582.7	99.2	43.8	103.3	144.9	298.4	743.8	1,691.8	3,736.0	8,500.4	20,489.1
1961	929.8	2,587.0	101.7	43.9	102.6	143.3	292.6	732.4	1,675.2	3,690.7	8,399.2	19,634.3
1960	954.7	2,696.4	109.1	46.6	106.3	146.4	299.4	756.0	1,735.1	3,822.1	8,745.2	19,857.5
MALE												
1967	1,086.0	2,586.3	99.4	50.3	170.6	204.5	393.4	969.1	2,279.0	4,875.4	9,935.5	21,339.4
1966	1,100.8	2,713.7	105.2	51.4	167.9	202.0	391.9	986.7	2,317.6	4,949.8	10,160.0	22,008.6
1965	1,091.6	2,786.6	104.3	50.9	157.4	197.6	385.4	978.2	2,295.9	4,887.0	10,122.8	22,080.9
1964	1,085.4	2,850.3	107.6	51.9	154.8	197.7	384.4	972.5	2,289.0	4,848.5	9,961.3	21,640.6
1963	1,110.4	2,925.3	110.1	51.3	149.7	191.3	377.6	986.1	2,318.0	4,997.7	10,279.6	22,936.9
1962	1,089.5	2,934.0	106.1	52.1	146.8	185.3	371.4	974.1	2,267.1	4,866.8	10,010.3	22,253.5
1961	1,073.7	2,928.8	110.5	52.5	146.8	183.5	366.4	956.6	2,242.7	4,772.3	9,853.7	21,082.6
1960	1,104.5	3,059.3	119.5	55.7	152.1	187.9	372.8	992.2	2,309.5	4,914.4	10,178.4	21,186.3
FEMALE												
1967	796.3	1,983.8	78.9	32.8	64.1	101.5	230.4	517.0	1,092.6	2,629.8	6,811.0	18,037.0
1966	810.8	2,085.1	87.2	33.8	64.1	105.9	232.1	525.3	1,108.6	2,701.2	7,078.3	18,854.2
1965	803.5	2,128.8	87.1	33.4	61.3	105.7	233.3	526.5	1,122.2	2,671.0	7,088.6	18,898.4
1964	801.4	2,193.0	89.1	34.2	62.1	107.1	231.7	528.3	1,137.0	2,694.1	7,112.2	18,907.0
1963	819.2	2,214.9	92.6	35.1	61.8	106.5	232.8	528.5	1,170.2	2,792.5	7,407.6	19,787.7
1962	806.6	2,219.2	92.1	35.3	60.5	105.9	228.9	522.1	1,157.2	2,783.6	7,361.7	19,403.8
1961	790.4	2,233.7	92.6	35.0	59.0	104.7	222.5	515.7	1,145.9	2,766.0	7,288.8	18,688.7
1960	809.2	2,321.3	98.4	37.3	61.3	106.6	229.4	526.7	1,196.4	2,871.8	7,633.1	19,008.4

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL CAUSES												
WHITE, BOTH SEXES												
1967	937.5	1,975.0	78.3	39.4	108.1	125.2	265.4	674.6	1,572.7	3,542.2	8,154.9	19,743.6
1966	949.7	2,065.2	83.6	40.3	107.9	127.6	265.0	686.1	1,594.2	3,611.2	8,404.3	20,468.3
1965	941.6	2,110.5	83.2	39.7	102.1	126.4	264.0	685.0	1,588.3	3,583.9	8,423.7	20,583.1
1964	936.5	2,174.9	85.6	40.6	101.5	127.6	263.6	681.8	1,588.3	3,593.1	8,389.5	20,395.3
1963	954.4	2,238.2	87.6	40.7	98.8	125.3	262.6	687.9	1,612.3	3,687.2	8,671.0	21,387.0
1962	939.1	2,259.7	87.1	41.4	96.4	123.6	259.7	682.7	1,585.9	3,637.8	8,561.7	20,851.8
1961	925.5	2,277.4	90.0	41.8	95.3	121.1	254.3	673.9	1,577.7	3,615.6	8,492.9	20,025.5
1960	947.8	2,357.7	95.2	43.9	99.1	123.6	260.4	692.3	1,632.8	3,739.8	8,827.2	20,354.5
WHITE, MALE												
1967	1,083.9	2,257.2	87.3	47.6	159.0	169.9	340.5	900.9	2,204.4	4,817.1	10,040.7	22,013.2
1966	1,096.0	2,358.2	91.9	48.5	157.8	169.8	339.9	917.6	2,235.0	4,879.7	10,255.8	22,566.0
1965	1,087.6	2,409.0	91.5	48.1	148.3	167.7	336.5	912.4	2,213.5	4,826.7	10,238.2	22,733.6
1964	1,080.7	2,469.9	94.1	48.8	146.6	169.1	336.3	908.2	2,202.4	4,796.0	10,084.2	22,191.5
1963	1,103.3	2,556.2	95.9	48.8	141.6	165.7	334.6	923.3	2,227.2	4,903.7	10,364.8	23,409.5
1962	1,084.6	2,587.4	93.6	49.6	139.0	161.3	331.6	914.4	2,181.3	4,786.0	10,120.2	22,723.1
1961	1,070.8	2,597.5	98.8	50.1	138.5	158.5	325.9	901.4	2,166.2	4,712.5	10,004.0	21,580.1
1960	1,098.5	2,694.1	104.9	52.7	143.7	163.2	332.6	932.2	2,225.2	4,848.4	10,299.6	21,750.0
WHITE, FEMALE												
1967	797.5	1,682.0	68.9	30.8	58.4	81.7	193.3	460.3	999.9	2,533.3	6,854.6	18,496.0
1966	809.0	1,760.5	74.9	31.7	58.5	86.4	193.2	466.1	1,010.2	2,599.7	7,103.2	19,293.5
1965	800.8	1,801.3	74.6	31.0	55.9	85.9	194.4	467.9	1,016.5	2,580.0	7,133.6	19,353.7
1964	797.0	1,866.5	76.7	32.0	56.6	86.9	193.7	464.8	1,024.0	2,610.9	7,160.7	19,313.0
1963	810.2	1,906.9	79.0	32.3	56.2	85.6	193.5	461.4	1,045.1	2,679.3	7,426.5	20,184.2
1962	797.8	1,918.6	80.4	33.0	54.2	86.7	190.7	459.0	1,034.2	2,672.9	7,396.2	19,749.3
1961	784.2	1,944.3	80.9	33.2	52.4	84.6	185.6	453.4	1,029.9	2,681.5	7,348.8	19,096.9
1960	800.9	2,007.7	85.2	34.7	54.9	85.0	191.1	458.8	1,078.9	2,779.3	7,696.6	19,477.7

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL CAUSE												
ALL OTHER, BOTH SEXES												
1967	938.2	4,002.8	149.4	55.6	174.7	341.4	656.6	1,296.0	2,481.1	4,453.7	7,297.1	13,246.3
1966	974.6	4,199.1	167.4	57.8	169.3	333.8	667.1	1,326.9	2,583.0	4,624.1	7,703.5	14,294.4
1965	966.9	4,380.2	167.5	57.8	159.3	325.2	658.4	1,309.0	2,627.8	4,481.5	7,506.7	14,130.1
1964	972.2	4,486.7	172.5	59.0	156.0	323.9	655.3	1,325.8	2,695.2	4,419.7	7,364.5	14,114.1
1963	1,007.6	4,455.6	184.2	60.3	158.2	317.5	645.0	1,328.9	2,779.1	4,775.5	7,790.8	15,783.3
1962	982.1	4,415.1	171.9	59.8	157.2	306.9	630.7	1,295.3	2,698.5	4,629.2	7,471.6	15,220.0
1961	962.9	4,341.1	170.3	57.0	155.0	307.7	618.4	1,270.0	2,655.6	4,542.6	7,154.1	14,638.6
1960	1,008.5	4,626.4	190.8	64.3	158.2	318.6	633.4	1,342.9	2,774.6	4,784.9	7,631.1	13,907.6
ALL OTHER, MALE												
1967	1,101.1	4,415.2	166.4	66.4	252.3	467.6	833.6	1,606.9	3,013.5	5,448.2	8,624.5	14,653.8
1966	1,136.5	4,618.6	180.4	69.2	240.6	447.4	830.8	1,631.2	3,127.0	5,658.8	8,947.5	16,233.3
1965	1,121.3	4,871.1	178.3	67.8	223.3	425.4	802.3	1,595.0	3,110.0	5,488.1	8,733.5	15,761.8
1964	1,120.5	5,012.3	186.2	70.8	215.0	417.4	798.6	1,575.2	3,142.6	5,369.4	8,473.8	15,528.1
1963	1,156.5	5,019.2	197.1	68.4	217.7	395.6	756.7	1,567.5	3,191.0	5,828.6	8,967.3	18,386.2
1962	1,120.5	4,942.7	184.5	69.5	211.5	382.6	735.1	1,529.5	3,061.4	5,556.7	8,448.4	17,213.8
1961	1,096.1	4,865.3	180.5	67.9	208.4	381.6	722.7	1,470.1	3,000.1	5,433.2	8,015.1	16,113.3
1960	1,152.0	5,189.4	207.3	75.2	213.8	386.4	729.2	1,551.0	3,151.5	5,664.0	8,662.6	15,238.7
ALL OTHER, FEMALE												
1967	787.4	3,588.8	132.3	44.7	102.3	233.6	504.9	1,017.6	2,000.2	3,632.7	6,239.8	12,050.9
1966	824.0	3,773.7	154.3	46.4	102.3	236.3	526.3	1,050.9	2,084.5	3,766.4	6,730.8	12,977.4
1965	822.6	3,872.7	156.7	47.7	98.7	238.7	533.5	1,048.8	2,179.6	3,631.4	6,493.0	12,998.0
1964	833.4	3,972.7	158.6	47.3	100.3	243.2	530.0	1,098.1	2,275.0	3,592.5	6,433.7	13,422.2
1963	867.8	3,907.1	171.2	52.1	102.2	250.1	547.2	1,106.8	2,389.3	3,865.8	6,779.7	14,361.9
1962	851.9	3,889.4	159.3	50.1	106.4	241.5	538.4	1,076.7	2,352.1	3,831.4	6,616.8	14,155.0
1961	837.4	3,835.7	160.0	46.2	104.8	244.4	525.0	1,080.0	2,332.1	3,738.5	6,433.3	13,532.5
1960	872.6	4,067.1	174.4	53.4	106.1	260.0	547.3	1,144.9	2,409.7	3,981.4	6,708.4	12,871.2

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Tuberculosis, all forms (001-019)												
BOTH SEXES												
1967	3.5	*	0.2	0.1	0.2	0.8	2.5	5.0	8.7	14.2	21.1	30.7
1966	3.9	*	0.4	0.1	0.2	1.0	2.9	5.5	10.0	15.2	23.8	34.4
1965	4.1	0.7	0.3	0.1	0.3	1.1	3.1	5.8	10.5	16.1	24.9	37.2
1964	4.3	*	0.4	0.1	0.4	1.4	3.3	6.3	11.0	17.1	26.0	35.2
1963	4.9	0.8	0.5	0.1	0.3	1.4	3.7	7.2	12.7	19.9	29.4	38.2
1962	5.1	1.1	0.6	0.1	0.3	1.8	4.0	7.7	13.2	20.0	29.1	34.8
1961	5.4	0.6	0.6	0.1	0.4	1.8	4.6	8.1	13.9	21.5	30.0	38.0
1960	6.1	0.9	0.6	0.1	0.6	2.4	5.1	9.3	15.5	23.2	32.8	39.6
MALE												
1967	5.2	*	0.3	*	0.2	0.9	3.2	7.4	14.2	25.4	36.9	53.5
1966	5.9	*	0.5	*	0.2	1.1	3.8	8.3	16.8	27.1	40.6	62.3
1965	6.1	*	*	*	0.3	1.2	3.6	8.6	17.7	29.0	43.1	61.1
1964	6.5	*	0.4	*	0.3	1.5	4.1	9.4	19.0	29.9	43.6	55.8
1963	7.4	*	0.5	*	0.4	1.4	4.6	10.8	21.5	34.8	50.0	66.0
1962	7.6	1.2	0.6	0.2	0.3	1.8	4.9	11.3	22.2	35.3	49.1	56.4
1961	8.1	*	0.6	0.1	0.3	1.9	5.6	12.2	23.5	37.3	49.8	56.6
1960	8.9	*	0.6	*	0.5	2.3	6.2	14.4	26.6	39.3	52.2	64.9
FEMALE												
1967	1.9	*	*	*	0.2	0.7	1.8	2.8	3.8	5.3	10.1	17.9
1966	2.0	*	0.3	*	0.3	0.9	2.1	2.9	3.7	5.6	11.9	18.5
1965	2.2	*	0.4	*	0.3	0.9	2.6	3.1	3.9	5.7	11.8	23.2
1964	2.3	*	0.4	0.1	0.4	1.3	2.6	3.3	3.7	6.6	13.1	23.0
1963	2.6	*	0.5	*	0.3	1.4	2.9	3.9	4.6	7.4	14.0	21.4
1962	2.7	*	0.5	0.1	0.4	1.8	3.2	4.2	4.8	7.1	14.0	21.5
1961	2.9	*	0.6	*	0.5	1.8	3.6	4.1	5.0	8.0	14.8	26.2
1960	3.3	*	0.6	0.1	0.7	2.4	4.2	4.5	5.1	9.1	17.8	23.5

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Tuberculosis, all forms (001-019)												
WHITE, BOTH SEXES												
1967	2.8	*	0.2	*	0.1	0.4	1.3	3.4	7.1	11.9	19.3	27.5
1966	3.2	*	0.2	*	0.1	0.4	1.7	3.9	8.4	12.8	21.6	31.2
1965	3.4	*	0.2	*	0.2	0.5	1.8	4.2	8.7	14.1	22.9	34.4
1964	3.6	*	0.3	*	0.2	0.6	2.0	4.7	9.2	14.8	24.3	32.2
1963	4.1	*	0.3	*	0.2	0.6	2.2	5.5	10.6	17.3	27.3	33.1
1962	4.2	*	0.4	0.1	0.2	0.9	2.5	5.9	10.8	17.7	26.9	31.6
1961	4.6	*	0.4	0.1	0.2	0.8	2.8	6.3	11.6	19.6	28.2	35.2
1960	5.1	*	0.3	0.1	0.2	1.3	3.3	7.5	13.3	21.2	30.7	35.9
WHITE, MALE												
1967	4.2	*	*	*	*	0.5	1.5	5.0	11.5	21.3	33.9	47.5
1966	4.9	*	*	*	*	0.4	2.1	5.9	14.4	23.1	37.5	56.6
1965	5.2	*	*	*	0.2	0.5	2.3	6.3	14.8	25.6	39.8	56.2
1964	5.5	*	0.3	*	0.2	0.7	2.6	7.0	16.0	26.1	41.3	49.9
1963	6.2	*	*	*	0.2	0.7	2.8	8.1	18.1	30.6	46.2	56.3
1962	6.4	*	0.5	0.1	*	0.9	3.0	8.8	18.6	31.5	45.1	51.2
1961	6.9	*	0.4	*	0.2	0.9	3.4	9.5	20.0	34.5	46.8	52.9
1960	7.7	*	0.3	*	0.2	1.4	3.8	11.6	23.1	36.2	48.8	56.8
WHITE, FEMALE												
1967	1.5	*	*	*	*	0.3	1.0	1.9	3.0	4.4	9.2	16.5
1966	1.6	*	*	*	*	0.4	1.3	2.1	2.9	4.5	10.5	17.0
1965	1.7	*	*	*	*	0.4	1.4	2.3	3.1	4.9	10.8	21.9
1964	1.8	*	*	*	0.2	0.6	1.5	2.5	2.9	5.6	11.9	21.9
1963	2.0	*	0.4	*	*	0.6	1.7	2.9	3.7	6.3	13.3	19.3
1962	2.1	*	0.3	*	0.2	0.9	2.0	3.2	3.6	6.0	13.3	19.7
1961	2.3	*	0.4	*	0.3	0.8	2.2	3.2	3.8	6.9	14.2	24.3
1960	2.6	*	0.4	*	0.2	1.3	2.8	3.5	4.1	8.2	16.9	22.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Tuberculosis, all forms (001-019)												
ALL OTHER, BOTH SEXES												
1967	8.4	*	*	*	0.7	4.1	12.0	19.7	25.0	37.5	44.8	67.4
1966	9.1	*	1.4	*	1.0	5.0	13.1	20.2	25.5	39.9	52.1	71.9
1965	9.3	*	1.2	*	1.5	5.4	13.4	19.8	28.5	36.7	50.9	71.1
1964	9.8	*	1.0	*	1.8	6.6	14.0	20.5	29.3	41.0	49.1	71.8
1963	11.0	*	1.6	*	1.5	6.6	15.6	23.0	33.1	46.8	56.3	101.4
1962	11.5	3.5	1.5	*	1.7	7.8	16.9	23.4	35.7	46.0	61.4	78.6
1961	12.1	*	1.6	*	1.9	9.3	20.1	24.5	36.8	43.6	53.5	72.9
1960	13.2	3.4	1.9	*	3.0	10.3	21.2	26.5	38.2	46.3	61.4	83.8
ALL OTHER, MALE												
1967	12.4	*	*	*	*	4.5	17.0	29.6	39.8	65.4	73.4	112.8
1966	13.3	*	2.0	*	*	5.9	18.6	31.2	40.8	67.3	78.2	122.2
1965	13.2	*	*	*	1.3	6.9	15.2	29.8	46.1	63.8	82.4	114.7
1964	14.0	*	*	*	1.4	7.6	17.7	31.6	48.1	69.2	72.1	121.9
1963	15.8	*	1.7	*	1.6	6.5	19.8	34.9	53.7	77.9	93.3	172.4
1962	16.3	*	*	*	1.5	8.4	21.0	34.5	55.9	76.0	100.0	124.1
1961	17.0	*	1.8	*	1.6	10.0	25.4	37.7	57.6	69.1	86.8	100.0
1960	18.4	*	2.1	*	2.0	10.2	27.2	40.3	61.8	74.7	94.7	149.9
ALL OTHER, FEMALE												
1967	4.8	*	*	*	*	3.8	7.8	10.8	11.6	14.3	22.1	35.1
1966	5.2	*	*	*	1.4	4.2	8.4	10.3	11.4	17.0	31.2	37.7
1965	5.6	*	1.8	*	1.7	4.1	11.9	10.6	12.2	13.8	24.9	40.8
1964	5.9	*	*	*	2.1	5.8	10.9	10.4	11.7	16.8	29.8	*
1963	6.5	*	*	*	1.4	6.8	11.9	11.9	13.6	19.8	24.5	54.8
1962	7.1	*	1.8	*	1.9	7.3	13.3	13.1	16.5	19.7	27.7	*
1961	7.5	*	*	*	2.3	8.6	15.3	12.0	16.8	20.7	24.4	52.5
1960	8.2	*	*	*	3.9	10.5	15.8	13.4	15.4	20.3	31.6	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Tuberculosis of respiratory system (001-008)												
BOTH SEXES												
1967	3.2	*	*	*	0.1	0.6	2.2	4.6	8.2	13.3	19.9	29.4
1966	3.6	*	0.1	*	0.1	0.8	2.7	5.2	9.4	14.4	22.2	32.8
1965	3.8	*	*	*	0.2	0.9	2.8	5.3	10.0	15.2	23.5	35.1
1964	4.0	*	*	*	0.3	1.1	3.0	5.8	10.3	16.2	24.7	32.9
1963	4.6	*	0.2	*	0.2	1.2	3.4	6.8	11.9	18.7	27.8	36.6
1962	4.7	*	0.2	*	0.2	1.6	3.7	7.3	12.4	18.7	27.8	33.1
1961	5.0	*	0.2	*	0.3	1.6	4.2	7.5	13.1	20.4	28.6	36.0
1960	5.6	*	0.2	*	0.4	2.1	4.7	8.8	14.7	21.9	31.3	37.4
MALE												
1967	4.9	*	*	*	*	0.8	2.9	6.9	13.5	24.0	35.0	51.6
1966	5.5	*	*	*	*	0.9	3.5	8.0	16.1	25.9	37.9	59.9
1965	5.7	*	*	*	0.2	1.1	3.4	8.0	17.0	27.6	41.1	57.8
1964	6.0	*	*	*	0.2	1.2	3.8	8.7	17.9	28.7	42.3	51.7
1963	6.9	*	*	*	0.3	1.2	4.3	10.2	20.4	33.3	47.7	63.7
1962	7.2	*	*	*	0.2	1.6	4.6	10.9	21.2	33.4	47.6	53.5
1961	7.6	*	*	*	0.3	1.6	5.1	11.7	22.4	36.0	47.8	55.5
1960	8.4	*	*	*	0.3	2.1	5.7	13.6	25.4	37.4	50.5	62.1
FEMALE												
1967	1.6	*	*	*	*	0.5	1.6	2.5	3.4	4.8	9.4	17.0
1966	1.8	*	*	*	0.2	0.8	1.9	2.6	3.3	5.1	11.0	17.4
1965	1.9	*	*	*	0.2	0.8	2.3	2.8	3.6	5.2	10.9	21.9
1964	2.0	*	*	*	0.3	1.1	2.3	3.0	3.3	6.0	11.8	21.7
1963	2.3	*	*	*	0.2	1.2	2.6	3.5	3.9	6.6	13.1	20.3
1962	2.4	*	*	*	0.3	1.6	3.0	3.8	4.3	6.3	12.8	20.6
1961	2.5	*	*	*	0.4	1.6	3.3	3.5	4.4	7.1	13.8	23.6
1960	2.9	*	*	*	0.5	2.2	3.8	4.1	4.6	8.3	16.4	21.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Tuberculosis of respiratory system (001-008)												
WHITE, BOTH SEXES												
1967	2.6	*	*	*	*	0.3	1.2	3.2	6.7	11.3	18.3	26.4
1966	3.0	*	*	*	0.1	0.4	1.5	3.7	8.0	12.2	20.3	29.9
1965	3.2	*	*	*	0.1	0.4	1.7	4.0	8.3	13.4	21.8	32.7
1964	3.4	*	*	*	0.1	0.5	1.9	4.4	8.7	14.2	23.2	30.5
1963	3.9	*	*	*	0.1	0.6	2.1	5.2	10.1	16.5	25.9	32.0
1962	4.0	*	*	*	0.1	0.9	2.4	5.7	10.4	16.7	25.8	30.1
1961	4.3	*	*	*	0.2	0.8	2.6	5.9	11.1	18.7	27.0	33.9
1960	4.8	*	*	*	0.2	1.2	3.0	7.1	12.7	20.2	29.5	34.0
WHITE, MALE												
1967	4.0	*	*	*	*	0.4	1.5	4.8	11.1	20.4	32.4	46.3
1966	4.6	*	*	*	*	0.3	1.9	5.7	13.9	22.2	35.2	54.4
1965	4.9	*	*	*	*	0.4	2.1	6.0	14.3	24.4	38.1	53.4
1964	5.2	*	*	*	*	0.6	2.4	6.5	15.3	25.3	40.0	46.8
1963	5.9	*	*	*	*	0.6	2.6	7.7	17.4	29.4	44.2	54.5
1962	6.1	*	*	*	*	0.8	2.8	8.5	18.0	30.2	43.9	48.2
1961	6.6	*	*	*	*	0.8	3.1	9.1	19.3	33.4	45.1	52.3
1960	7.4	*	*	*	0.2	1.2	3.5	11.0	22.3	34.8	47.5	55.0
WHITE, FEMALE												
1967	1.3	*	*	*	*	*	0.9	1.7	2.8	4.2	8.7	15.5
1966	1.4	*	*	*	*	0.4	1.2	1.9	2.6	4.2	9.8	16.2
1965	1.6	*	*	*	*	0.4	1.3	2.1	2.9	4.6	10.1	20.8
1964	1.7	*	*	*	*	0.5	1.4	2.4	2.7	5.2	11.0	20.9
1963	1.9	*	*	*	*	0.5	1.6	2.7	3.3	5.7	12.4	18.6
1962	1.9	*	*	*	*	0.9	1.9	3.0	3.3	5.3	12.4	19.2
1961	2.0	*	*	*	0.2	0.7	2.1	2.9	3.4	6.3	13.2	22.5
1960	2.4	*	*	*	*	1.2	2.6	3.3	3.7	7.5	15.6	20.9

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Tuberculosis of respiratory system (001-008)												
ALL OTHER, BOTH SEXES												
1967	7.3	*	*	*	0.5	3.1	10.4	17.5	22.6	33.3	39.8	64.2
1966	8.0	*	*	*	0.7	4.2	11.6	18.2	23.2	36.8	46.6	66.3
1965	8.2	*	*	*	1.0	4.6	12.1	17.1	26.4	34.1	47.0	65.1
1964	8.6	*	*	*	1.2	5.5	12.3	18.4	26.4	37.6	44.6	62.8
1963	9.7	*	*	*	1.0	5.6	13.9	20.9	29.3	42.7	52.7	93.1
1962	10.2	*	*	*	1.1	6.6	15.4	21.4	32.4	41.2	56.8	75.7
1961	10.6	*	*	*	1.5	7.9	17.8	22.3	33.4	39.5	49.7	62.9
1960	11.7	*	0.9	*	2.3	9.2	19.3	24.3	34.7	41.5	55.8	78.2
ALL OTHER, MALE												
1967	11.1	*	*	*	*	3.5	14.9	27.1	37.0	59.1	65.8	105.1
1966	12.1	*	*	*	*	5.3	16.8	29.3	38.0	63.6	69.8	116.7
1965	12.0	*	*	*	*	6.1	13.8	26.5	43.3	59.6	76.7	105.9
1964	12.6	*	*	*	*	6.3	15.8	28.7	44.3	63.7	69.8	106.3
1963	14.3	*	*	*	*	5.2	17.8	32.5	49.3	72.5	87.9	162.1
1962	14.7	*	*	*	*	7.1	19.5	32.1	52.3	68.2	95.7	120.7
1961	15.4	*	*	*	*	8.2	22.9	35.9	53.4	64.7	81.1	93.3
1960	16.7	*	*	*	*	9.4	24.9	37.8	56.7	67.7	87.4	137.1
ALL OTHER, FEMALE												
1967	3.9	*	*	*	*	2.8	6.5	8.9	9.6	11.8	19.0	35.1
1966	4.3	*	*	*	1.0	3.3	7.1	8.3	9.6	14.5	28.1	*
1965	4.7	*	*	*	1.2	3.4	10.5	8.6	10.6	12.5	22.5	*
1964	4.8	*	*	*	1.4	4.9	9.3	8.9	9.6	15.1	23.4	*
1963	5.3	*	*	*	*	5.9	10.5	10.2	10.4	16.9	22.4	47.6
1962	5.9	*	*	*	1.2	6.0	11.7	11.4	13.3	17.6	22.8	*
1961	6.2	*	*	*	1.8	7.5	13.3	9.5	14.4	17.0	22.2	*
1960	7.0	*	*	*	3.3	9.1	14.3	11.4	13.4	17.7	27.4	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Tuberculosis, other forms (010-019)												
BOTH SEXES												
1967	0.3	*	0.2	*	0.1	0.2	0.3	0.4	0.5	0.9	1.2	*
1966	0.3	*	0.2	*	0.1	0.2	0.3	0.4	0.6	0.8	1.6	*
1965	0.3	*	0.2	*	0.1	0.1	0.3	0.4	0.5	0.9	1.3	2.0
1964	0.3	*	0.3	0.1	0.1	0.2	0.3	0.5	0.7	0.9	1.3	2.3
1963	0.4	*	0.3	*	0.1	0.2	0.3	0.5	0.9	1.1	1.5	*
1962	0.4	0.7	0.4	0.1	0.1	0.2	0.3	0.4	0.8	1.3	1.3	*
1961	0.4	*	0.4	0.1	0.1	0.2	0.4	0.5	0.8	1.1	1.4	*
1960	0.4	*	0.4	0.1	0.1	0.3	0.4	0.6	0.9	1.3	1.5	2.2
MALE												
1967	0.3	*	*	*	*	*	0.3	0.4	0.7	1.4	2.0	*
1966	0.4	*	0.3	*	*	*	0.3	0.4	0.7	1.2	2.7	*
1965	0.4	*	*	*	*	*	0.3	0.6	0.7	1.4	2.0	*
1964	0.4	*	0.3	*	*	0.2	0.3	0.7	1.0	1.2	1.4	*
1963	0.4	*	0.3	*	*	0.2	0.3	0.6	1.1	1.5	2.3	*
1962	0.5	*	0.4	0.1	*	0.2	0.3	0.5	1.0	1.9	1.5	*
1961	0.5	*	0.5	*	*	0.2	0.5	0.5	1.1	1.3	1.9	*
1960	0.5	*	0.4	*	*	0.2	0.4	0.7	1.2	1.9	1.7	*
FEMALE												
1967	0.2	*	*	*	*	0.2	0.2	0.3	0.4	0.5	0.7	*
1966	0.2	*	*	*	*	*	0.2	0.4	0.4	0.6	0.9	*
1965	0.2	*	0.3	*	*	*	0.2	0.3	0.4	0.5	0.8	*
1964	0.3	*	0.3	*	*	0.2	0.3	0.3	0.4	0.6	1.3	*
1963	0.3	*	0.4	*	*	0.2	0.3	0.3	0.6	0.8	1.0	*
1962	0.3	*	0.4	*	*	0.2	0.3	0.4	0.6	0.8	1.2	*
1961	0.4	*	0.4	*	*	0.2	0.4	0.5	0.5	0.9	1.0	*
1960	0.4	*	0.4	*	*	0.3	0.4	0.4	0.5	0.8	1.4	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Tuberculosis, other forms (010-019)												
WHITE, BOTH SEXES												
1967	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	0.9	*
1966	0.2	*	*	*	*	*	0.1	0.2	0.4	0.6	1.4	*
1965	0.2	*	*	*	*	*	0.1	0.2	0.4	0.7	1.1	*
1964	0.2	*	0.2	*	*	*	0.2	0.3	0.5	0.6	1.1	*
1963	0.2	*	0.2	*	*	*	0.1	0.3	0.5	0.9	1.4	*
1962	0.2	*	0.3	0.1	*	*	0.1	0.2	0.5	1.0	1.1	*
1961	0.3	*	0.3	0.1	*	*	0.2	0.3	0.6	0.8	1.2	*
1960	0.3	*	0.3	*	*	0.1	0.2	0.4	0.6	1.0	1.2	*
WHITE, MALE												
1967	0.2	*	*	*	*	*	*	*	0.4	0.9	1.5	*
1966	0.2	*	*	*	*	*	*	0.2	0.5	0.9	2.3	*
1965	0.2	*	*	*	*	*	*	0.3	0.5	1.1	1.7	*
1964	0.3	*	*	*	*	*	*	0.5	0.8	0.8	1.3	*
1963	0.3	*	*	*	*	*	*	0.4	0.7	1.2	2.0	*
1962	0.3	*	0.3	*	*	*	*	0.3	0.7	1.3	1.2	*
1961	0.3	*	0.3	*	*	*	0.2	0.4	0.8	1.1	1.6	*
1960	0.3	*	*	*	*	*	0.2	0.5	0.8	1.4	1.2	*
WHITE, FEMALE												
1967	0.1	*	*	*	*	*	*	*	*	*	*	*
1966	0.1	*	*	*	*	*	*	*	0.3	0.4	0.7	*
1965	0.1	*	*	*	*	*	*	*	0.2	0.4	0.7	*
1964	0.2	*	*	*	*	*	*	*	*	0.5	0.9	*
1963	0.2	*	*	*	*	*	*	*	0.4	0.6	0.9	*
1962	0.2	*	*	*	*	*	*	0.2	0.3	0.7	0.9	*
1961	0.2	*	0.3	*	*	*	*	0.3	0.4	0.7	0.9	*
1960	0.3	*	0.3	*	*	*	0.2	*	0.4	0.6	1.2	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Tuberculosis, other forms (010-019)												
ALL OTHER, BOTH SEXES												
1967	1.1	*	*	*	*	1.0	1.7	2.2	2.4	4.2	5.1	*
1966	1.1	*	1.0	*	*	0.8	1.6	2.0	2.3	3.1	5.5	*
1965	1.1	*	*	*	*	0.7	1.3	2.6	2.2	2.6	*	*
1964	1.2	*	*	*	0.6	1.1	1.7	2.1	2.9	3.5	*	*
1963	1.3	*	1.0	*	*	1.1	1.7	2.1	3.8	4.1	*	*
1962	1.4	*	1.0	*	*	1.2	1.5	2.0	3.4	4.7	*	*
1961	1.4	*	1.1	*	*	1.4	2.3	2.1	3.3	4.1	*	*
1960	1.5	*	1.0	*	*	1.1	1.8	2.2	3.5	4.7	*	*
ALL OTHER, MALE												
1967	1.3	*	*	*	*	*	2.1	2.5	2.8	6.3	*	*
1966	1.2	*	*	*	*	*	1.8	1.9	2.9	*	*	*
1965	1.2	*	*	*	*	*	*	3.3	2.8	4.2	*	*
1964	1.4	*	*	*	*	*	1.9	2.9	3.8	5.6	*	*
1963	1.5	*	*	*	*	*	2.0	2.4	4.4	5.4	*	*
1962	1.5	*	*	*	*	*	*	2.4	3.6	7.8	*	*
1961	1.6	*	*	*	*	1.8	2.6	*	4.3	*	*	*
1960	1.7	*	*	*	*	*	2.3	2.5	5.1	7.0	*	*
ALL OTHER, FEMALE												
1967	0.9	*	*	*	*	*	*	1.9	*	*	*	*
1966	0.9	*	*	*	*	*	*	2.1	*	*	*	*
1965	0.9	*	*	*	*	*	*	2.0	*	*	*	*
1964	1.0	*	*	*	*	*	1.6	*	*	*	*	*
1963	1.1	*	*	*	*	*	*	*	3.2	*	*	*
1962	1.2	*	*	*	*	*	1.6	*	3.2	*	*	*
1961	1.3	*	*	*	*	*	2.0	2.5	*	*	*	*
1960	1.2	*	*	*	*	1.4	*	2.0	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Syphilis and its sequelae (020-029)												
BOTH SEXES												
1967	1.2	*	*	*	*	*	0.3	0.8	3.2	7.0	9.6	11.0
1966	1.1	0.7	*	*	*	*	0.2	0.8	3.1	6.6	8.8	9.4
1965	1.3	0.7	*	*	*	0.1	0.2	1.1	3.4	7.6	9.4	7.0
1964	1.4	0.5	*	*	*	0.1	0.3	1.3	4.1	7.3	10.0	11.1
1963	1.4	*	*	*	*	0.1	0.4	1.4	4.7	7.6	9.6	9.0
1962	1.5	0.7	*	*	*	*	0.4	1.6	4.8	8.2	9.8	10.9
1961	1.6	0.5	*	*	*	0.2	0.5	1.8	5.3	8.4	8.5	9.3
1960	1.6	0.7	*	*	*	0.2	0.5	1.9	5.6	9.1	8.7	9.5
MALE												
1967	1.7	*	*	*	*	*	0.4	1.0	4.9	12.1	15.7	16.2
1966	1.6	*	*	*	*	*	0.2	1.1	4.9	11.2	14.1	13.2
1965	1.8	*	*	*	*	*	0.3	1.7	5.2	12.9	14.8	9.0
1964	2.0	*	*	*	*	0.2	0.4	1.7	6.4	12.1	14.8	15.8
1963	2.1	*	*	*	*	*	0.5	1.9	7.2	12.9	14.9	8.5
1962	2.2	1.0	*	*	*	*	0.5	2.2	7.5	13.7	14.6	14.7
1961	2.3	*	*	*	*	0.2	0.7	2.6	8.2	13.5	12.5	13.7
1960	2.4	1.0	*	*	*	0.2	0.6	2.7	8.6	15.2	13.1	12.7
FEMALE												
1967	0.7	*	*	*	*	*	*	0.6	1.6	2.9	5.4	8.0
1966	0.6	*	*	*	*	*	0.2	0.5	1.5	2.9	5.0	7.2
1965	0.7	*	*	*	*	*	*	0.6	1.9	3.3	5.5	5.8
1964	0.8	*	*	*	*	*	0.3	0.9	2.0	3.4	6.5	8.3
1963	0.8	*	*	*	*	*	0.2	0.9	2.3	3.2	5.6	9.3
1962	0.9	*	*	*	*	*	0.3	0.9	2.4	3.6	6.2	8.6
1961	0.9	*	*	*	*	*	0.3	1.1	2.5	4.0	5.5	6.6
1960	0.9	*	*	*	*	*	0.3	1.1	2.8	3.8	5.2	7.4

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Syphilis and its sequelae (020-029)												
WHITE, BOTH SEXES												
1967	1.1	*	*	*	*	*	0.2	0.5	2.5	6.1	9.1	10.7
1966	1.0	*	*	*	*	*	0.1	0.5	2.5	5.7	8.2	9.0
1965	1.0	*	*	*	*	*	0.1	0.6	2.6	6.5	8.7	6.5
1964	1.1	*	*	*	*	*	0.2	0.7	3.1	6.1	9.3	10.5
1963	1.1	*	*	*	*	*	0.2	0.8	3.4	6.2	8.8	8.0
1962	1.2	*	*	*	*	*	0.2	0.9	3.6	6.7	9.0	9.7
1961	1.2	*	*	*	*	0.1	0.2	0.9	3.7	6.7	7.5	8.2
1960	1.3	*	*	*	*	*	0.2	1.0	4.0	7.5	7.7	8.2
WHITE, MALE												
1967	1.6	*	*	*	*	*	0.3	0.7	4.1	10.9	14.6	16.0
1966	1.5	*	*	*	*	*	*	0.8	4.0	10.0	13.3	13.1
1965	1.5	*	*	*	*	*	*	1.0	4.0	11.3	13.8	7.7
1964	1.6	*	*	*	*	*	0.2	1.0	5.0	10.3	13.6	14.6
1963	1.7	*	*	*	*	*	0.2	1.2	5.3	10.7	13.7	8.6
1962	1.8	*	*	*	*	*	0.3	1.4	5.7	11.4	13.3	13.2
1961	1.8	*	*	*	*	*	0.3	1.3	6.1	11.2	11.3	11.1
1960	1.9	*	*	*	*	*	0.4	1.6	6.4	12.6	11.7	10.0
WHITE, FEMALE												
1967	0.6	*	*	*	*	*	*	0.3	1.1	2.4	5.3	7.8
1966	0.5	*	*	*	*	*	*	*	1.1	2.3	4.6	6.8
1965	0.6	*	*	*	*	*	*	0.3	1.3	2.7	5.0	5.8
1964	0.6	*	*	*	*	*	*	0.4	1.3	2.6	6.1	8.1
1963	0.6	*	*	*	*	*	*	0.5	1.5	2.6	5.2	7.6
1962	0.7	*	*	*	*	*	*	0.5	1.6	2.8	5.7	7.7
1961	0.6	*	*	*	*	*	*	0.5	1.3	3.0	4.6	6.4
1960	0.7	*	*	*	*	*	*	0.5	1.8	3.1	4.7	7.0

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Syphilis and its sequelae (020-029)												
ALL OTHER, BOTH SEXES												
1967	2.2	*	*	*	*	*	0.8	3.6	9.5	15.3	16.6	*
1966	2.2	*	*	*	*	*	0.9	3.4	9.3	16.0	16.7	*
1965	2.8	*	*	*	*	*	1.1	5.2	12.2	18.7	18.5	*
1964	3.2	*	*	*	*	*	1.6	6.5	14.9	20.4	19.6	*
1963	3.7	*	*	*	*	*	2.2	6.2	18.8	23.5	19.0	*
1962	3.9	3.5	*	*	*	*	2.1	7.9	17.8	25.5	22.0	*
1961	4.5	*	*	*	*	*	2.6	10.6	21.7	26.6	22.4	*
1960	4.5	*	*	*	*	*	2.3	9.8	21.6	27.8	21.7	*
ALL OTHER, MALE												
1967	2.9	*	*	*	*	*	*	4.0	12.4	23.5	27.7	*
1966	3.0	*	*	*	*	*	*	4.0	13.7	23.5	23.5	*
1965	4.0	*	*	*	*	*	*	8.0	17.1	29.1	26.7	*
1964	4.4	*	*	*	*	*	2.2	8.2	20.7	30.8	29.1	*
1963	5.3	*	*	*	*	*	3.3	7.8	27.1	38.5	27.9	*
1962	5.5	*	*	*	*	*	2.3	10.8	25.9	40.6	30.4	*
1961	6.1	*	*	*	*	*	3.5	14.3	29.0	39.0	27.7	*
1960	6.6	*	*	*	*	*	3.2	13.6	31.2	44.7	31.4	*
ALL OTHER, FEMALE												
1967	1.5	*	*	*	*	*	*	3.2	7.0	8.4	*	*
1966	1.6	*	*	*	*	*	*	2.9	5.3	9.8	11.3	*
1965	1.7	*	*	*	*	*	*	2.7	7.7	9.9	11.7	*
1964	2.1	*	*	*	*	*	*	4.9	9.4	11.5	11.7	*
1963	2.3	*	*	*	*	*	*	4.7	11.0	10.5	11.5	*
1962	2.4	*	*	*	*	*	2.0	5.2	10.2	12.4	14.7	*
1961	3.0	*	*	*	*	*	1.8	7.0	14.8	15.5	17.8	*
1960	2.6	*	*	*	*	*	1.6	6.2	12.4	12.4	13.1	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Dysentery, all forms (045-048)												
BOTH SEXES												
1967	0.1	0.9	0.2	*	*	*	*	*	*	*	*	*
1966	0.1	1.2	0.2	*	*	*	*	*	*	0.2	*	*
1965	0.1	2.3	0.2	*	*	*	*	*	*	0.2	0.4	*
1964	0.1	2.7	0.3	0.1	*	*	*	*	*	0.2	0.6	*
1963	0.2	2.3	0.3	0.1	*	*	*	*	0.2	*	0.4	*
1962	0.2	2.8	0.3	0.1	*	*	*	0.1	0.2	0.2	0.5	*
1961	0.2	2.4	0.3	0.1	*	*	*	0.1	0.2	0.2	0.6	*
1960	0.2	3.4	0.3	0.1	*	*	*	*	0.1	0.3	0.7	*
MALE												
1967	0.1	*	*	*	*	*	*	*	*	*	*	*
1966	0.1	1.4	*	*	*	*	*	*	*	*	*	*
1965	0.1	2.3	0.3	*	*	*	*	*	*	*	*	*
1964	0.2	2.9	0.3	*	*	*	*	*	*	*	*	*
1963	0.2	2.3	0.3	*	*	*	*	*	0.3	*	*	*
1962	0.2	3.2	0.3	*	*	*	*	*	*	*	*	*
1961	0.2	2.5	0.3	*	*	*	*	*	*	*	*	*
1960	0.2	4.0	0.4	*	*	*	*	*	*	*	*	*
FEMALE												
1967	0.1	*	*	*	*	*	*	*	*	*	*	*
1966	0.1	*	*	*	*	*	*	*	*	*	*	*
1965	0.1	2.2	*	*	*	*	*	*	*	*	*	*
1964	0.1	2.5	*	*	*	*	*	*	*	*	*	*
1963	0.1	2.4	*	*	*	*	*	*	*	*	*	*
1962	0.1	2.4	0.3	*	*	*	*	*	*	*	*	*
1961	0.1	2.3	*	*	*	*	*	*	*	*	*	*
1960	0.2	2.8	0.3	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Dysentery, all forms (045-048)												
WHITE, BOTH SEXES												
1967	0.1	*	*	*	*	*	*	*	*	*	*	*
1966	0.1	0.7	*	*	*	*	*	*	*	*	*	*
1965	0.1	1.0	*	*	*	*	*	*	*	*	*	*
1964	0.1	1.3	*	*	*	*	*	*	*	*	0.5	*
1963	0.1	1.2	*	0.1	*	*	*	*	*	*	*	*
1962	0.1	1.5	0.2	*	*	*	*	*	0.1	*	0.4	*
1961	0.1	1.4	0.2	0.1	*	*	*	*	*	*	0.5	*
1960	0.1	1.7	0.2	*	*	*	*	*	*	0.2	0.5	*
WHITE, MALE												
1967	0.1	*	*	*	*	*	*	*	*	*	*	*
1966	0.1	*	*	*	*	*	*	*	*	*	*	*
1965	0.1	*	*	*	*	*	*	*	*	*	*	*
1964	0.1	1.5	*	*	*	*	*	*	*	*	*	*
1963	0.1	*	*	*	*	*	*	*	*	*	*	*
1962	0.1	1.6	*	*	*	*	*	*	*	*	*	*
1961	0.1	1.5	*	*	*	*	*	*	*	*	*	*
1960	0.1	2.1	*	*	*	*	*	*	*	*	*	*
WHITE, FEMALE												
1967	0.0	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	0.1	*	*	*	*	*	*	*	*	*	*	*
1964	0.1	*	*	*	*	*	*	*	*	*	*	*
1963	0.1	*	*	*	*	*	*	*	*	*	*	*
1962	0.1	1.5	*	*	*	*	*	*	*	*	*	*
1961	0.1	1.2	*	*	*	*	*	*	*	*	*	*
1960	0.1	1.3	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Dysentery, all forms (045-048)												
ALL OTHER, BOTH SEXES												
1967	0.3	3.9	*	*	*	*	*	*	*	*	*	*
1966	0.3	4.2	0.8	*	*	*	*	*	*	*	*	*
1965	0.5	9.0	*	*	*	*	*	*	*	*	*	*
1964	0.6	10.6	1.2	*	*	*	*	*	*	*	*	*
1963	0.6	9.2	1.0	*	*	*	*	*	*	*	*	*
1962	0.6	10.5	1.0	*	*	*	*	*	*	*	*	*
1961	0.5	8.6	*	*	*	*	*	*	*	*	*	*
1960	0.7	13.0	1.1	*	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	0.3	*	*	*	*	*	*	*	*	*	*	*
1966	0.3	*	*	*	*	*	*	*	*	*	*	*
1965	0.5	9.5	*	*	*	*	*	*	*	*	*	*
1964	0.6	11.3	*	*	*	*	*	*	*	*	*	*
1963	0.7	8.8	*	*	*	*	*	*	*	*	*	*
1962	0.7	13.0	*	*	*	*	*	*	*	*	*	*
1961	0.6	8.4	*	*	*	*	*	*	*	*	*	*
1960	0.8	14.7	*	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	0.2	*	*	*	*	*	*	*	*	*	*	*
1966	0.3	*	*	*	*	*	*	*	*	*	*	*
1965	0.5	8.5	*	*	*	*	*	*	*	*	*	*
1964	0.5	10.0	*	*	*	*	*	*	*	*	*	*
1963	0.5	9.8	*	*	*	*	*	*	*	*	*	*
1962	0.6	8.0	*	*	*	*	*	*	*	*	*	*
1961	0.5	8.9	*	*	*	*	*	*	*	*	*	*
1960	0.7	11.4	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Scarlet fever and streptococcal sore throat (050,051)												
BOTH SEXES												
1967	0.0	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	0.0	*	*	*	*	*	*	*	*	*	*	*
1964	0.0	*	*	*	*	*	*	*	*	*	*	*
1963	0.1	*	*	0.1	*	*	*	*	*	*	*	*
1962	0.1	*	*	*	*	*	*	*	*	*	*	*
1961	0.1	*	0.2	*	*	*	*	*	*	*	*	*
1960	0.1	*	*	*	*	*	*	*	*	*	*	*
MALE												
1967	0.0	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	0.0	*	*	*	*	*	*	*	*	*	*	*
1964	0.1	*	*	*	*	*	*	*	*	*	*	*
1963	0.1	*	*	*	*	*	*	*	*	*	*	*
1962	0.1	*	*	*	*	*	*	*	*	*	*	*
1961	0.1	*	*	*	*	*	*	*	*	*	*	*
1960	0.1	*	*	*	*	*	*	*	*	*	*	*
FEMALE												
1967	0.0	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	0.0	*	*	*	*	*	*	*	*	*	*	*
1964	0.0	*	*	*	*	*	*	*	*	*	*	*
1963	0.1	*	*	*	*	*	*	*	*	*	*	*
1962	0.1	*	*	*	*	*	*	*	*	*	*	*
1961	0.1	*	*	*	*	*	*	*	*	*	*	*
1960	0.1	*	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Scarlet fever and streptococcal sore throat (050,051)												
WHITE, BOTH SEXES												
1967	0.0	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	0.0	*	*	*	*	*	*	*	*	*	*	*
1964	0.0	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.1	*	0.2	*	*	*	*	*	*	*	*	*
1960	0.1	*	*	*	*	*	*	*	*	*	*	*
WHITE, MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	0.0	*	*	*	*	*	*	*	*	*	*	*
1964	0.1	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.1	*	*	*	*	*	*	*	*	*	*	*
1960	0.1	*	*	*	*	*	*	*	*	*	*	*
WHITE, FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	0.0	*	*	*	*	*	*	*	*	*	*	*
1964	0.0	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.1	*	*	*	*	*	*	*	*	*	*	*
1960	0.1	*	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Scarlet fever and streptococcal sore throat (050,051)												
ALL OTHER, BOTH SEXES												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	0.1	*	*	*	*	*	*	*	*	*	*	*
1962	0.1	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	*	*	*	*	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	*	*	*	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	*	*	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Diphtheria (055)												
BOTH SEXES												
1967	0.0	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	0.0	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	0.2	0.1	*	*	*	*	*	*	*	*
1960	0.0	*	0.2	0.1	*	*	*	*	*	*	*	*
MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	*	*	*	*	*	*	*	*	*	*
1960	0.0	*	*	*	*	*	*	*	*	*	*	*
FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	0.0	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	*	*	*	*	*	*	*	*	*	*
1960	0.0	*	0.3	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Diphtheria (055)												
WHITE, BOTH SEXES												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	0.0	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	*	0.1	*	*	*	*	*	*	*	*
1960	0.0	*	0.2	*	*	*	*	*	*	*	*	*
WHITE, MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	*	*	*	*	*	*	*	*	*	*
1960	0.0	*	*	*	*	*	*	*	*	*	*	*
WHITE, FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	*	*	*	*	*	*	*	*	*	*
1960	0.0	*	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Diphtheria (055)												
ALL OTHER, BOTH SEXES												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	0.1	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	0.1	*	*	*	*	*	*	*	*	*	*	*
1960	0.1	*	*	*	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	*	*	*	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	*	*	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Whooping cough (056)												
BOTH SEXES												
1967	0.0	0.8	*	*	*	*	*	*	*	*	*	*
1966	0.0	0.9	*	*	*	*	*	*	*	*	*	*
1965	0.0	1.1	*	*	*	*	*	*	*	*	*	*
1964	0.0	1.7	0.1	*	*	*	*	*	*	*	*	*
1963	0.1	2.2	0.2	*	*	*	*	*	*	*	*	*
1962	0.0	1.6	*	*	*	*	*	*	*	*	*	*
1961	0.0	1.3	0.1	*	*	*	*	*	*	*	*	*
1960	0.1	1.8	0.2	*	*	*	*	*	*	*	*	*
MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	0.0	1.4	*	*	*	*	*	*	*	*	*	*
1964	0.0	1.6	*	*	*	*	*	*	*	*	*	*
1963	0.1	2.1	*	*	*	*	*	*	*	*	*	*
1962	0.0	1.8	*	*	*	*	*	*	*	*	*	*
1961	0.0	1.0	*	*	*	*	*	*	*	*	*	*
1960	0.1	2.1	*	*	*	*	*	*	*	*	*	*
FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	0.0	*	*	*	*	*	*	*	*	*	*	*
1964	0.1	1.7	*	*	*	*	*	*	*	*	*	*
1963	0.1	2.3	*	*	*	*	*	*	*	*	*	*
1962	0.0	1.4	*	*	*	*	*	*	*	*	*	*
1961	0.0	1.6	*	*	*	*	*	*	*	*	*	*
1960	0.1	1.4	0.4	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Whooping cough (056)												
WHITE, BOTH SEXES												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	0.0	*	*	*	*	*	*	*	*	*	*	*
1965	0.0	0.6	*	*	*	*	*	*	*	*	*	*
1964	0.0	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	1.2	*	*	*	*	*	*	*	*	*	*
1962	0.0	0.8	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	*	*	*	*	*	*	*	*	*	*
1960	0.0	0.7	*	*	*	*	*	*	*	*	*	*
WHITE, MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	*	*	*	*	*	*	*	*	*	*	*	*
WHITE, FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	1.4	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	0.0	*	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Whooping cough (056)												
ALL OTHER, BOTH SEXES												
1967	0.1	3.7	*	*	*	*	*	*	*	*	*	*
1966	0.1	*	*	*	*	*	*	*	*	*	*	*
1965	0.1	3.8	*	*	*	*	*	*	*	*	*	*
1964	0.3	8.0	*	*	*	*	*	*	*	*	*	*
1963	0.3	7.7	0.8	*	*	*	*	*	*	*	*	*
1962	0.2	6.7	*	*	*	*	*	*	*	*	*	*
1961	0.2	5.8	*	*	*	*	*	*	*	*	*	*
1960	0.4	8.0	1.0	*	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	0.2	*	*	*	*	*	*	*	*	*	*	*
1964	0.3	8.3	*	*	*	*	*	*	*	*	*	*
1963	0.3	7.4	*	*	*	*	*	*	*	*	*	*
1962	0.2	*	*	*	*	*	*	*	*	*	*	*
1961	0.2	*	*	*	*	*	*	*	*	*	*	*
1960	0.4	9.5	*	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	0.3	7.7	*	*	*	*	*	*	*	*	*	*
1963	0.3	8.1	*	*	*	*	*	*	*	*	*	*
1962	0.2	7.0	*	*	*	*	*	*	*	*	*	*
1961	0.3	7.0	*	*	*	*	*	*	*	*	*	*
1960	0.3	6.5	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Meningococcal infections (057)												
BOTH SEXES												
1967	0.3	4.8	1.2	0.2	0.2	*	0.1	0.2	0.2	0.2	*	*
1966	0.4	6.0	1.8	0.2	0.3	*	0.1	0.2	0.3	0.2	*	*
1965	0.5	7.3	1.8	0.3	0.2	0.1	0.1	0.2	0.2	0.2	*	*
1964	0.4	5.2	1.4	0.3	0.3	0.1	0.1	0.1	0.2	*	*	*
1963	0.4	5.1	1.6	0.2	0.2	*	*	0.1	0.1	*	*	*
1962	0.3	4.6	1.4	0.2	0.2	*	*	0.1	0.2	*	*	*
1961	0.3	3.9	1.4	0.2	0.1	*	*	0.1	*	*	*	*
1960	0.4	4.8	1.4	0.2	0.1	*	*	0.2	0.1	*	*	*
MALE												
1967	0.4	6.0	1.4	0.2	0.2	*	*	*	*	*	*	*
1966	0.5	6.3	2.1	0.3	0.4	*	*	0.2	0.3	*	*	*
1965	0.5	8.1	1.9	0.3	0.3	*	*	*	*	*	*	*
1964	0.5	6.1	1.8	0.3	0.4	*	*	*	*	*	*	*
1963	0.4	5.3	1.7	0.2	0.4	*	*	*	*	*	*	*
1962	0.4	4.8	1.6	0.2	0.2	*	*	*	*	*	*	*
1961	0.4	4.1	1.7	0.2	0.2	*	*	*	*	*	*	*
1960	0.4	5.4	1.7	0.2	0.2	*	*	*	*	*	*	*
FEMALE												
1967	0.3	3.7	1.0	0.2	0.2	*	*	*	0.2	*	*	*
1966	0.4	5.6	1.6	0.2	0.2	*	0.2	0.2	0.3	*	*	*
1965	0.4	6.4	1.7	0.2	0.2	*	*	*	*	*	*	*
1964	0.3	4.2	1.0	0.2	0.2	*	*	*	*	*	*	*
1963	0.4	4.8	1.5	0.2	*	*	*	*	*	*	*	*
1962	0.3	4.5	1.1	0.2	*	*	*	*	*	*	*	*
1961	0.3	3.7	1.1	0.2	*	*	*	*	*	*	*	*
1960	0.3	4.1	1.1	0.2	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Meningococcal infections (057)												
WHITE, BOTH SEXES												
1967	0.3	4.9	1.0	0.2	0.2	*	*	0.1	0.2	*	*	*
1966	0.4	6.0	1.7	0.2	0.3	*	0.1	0.2	0.2	0.2	*	*
1965	0.4	7.0	1.8	0.2	0.2	*	0.1	0.2	0.2	*	*	*
1964	0.3	4.9	1.3	0.2	0.3	*	*	0.1	*	*	*	*
1963	0.4	5.0	1.5	0.2	0.2	*	*	0.1	*	*	*	*
1962	0.3	4.6	1.4	0.2	0.2	*	*	*	0.1	*	*	*
1961	0.3	4.0	1.3	0.2	0.1	*	*	0.1	*	*	*	*
1960	0.3	4.6	1.4	0.2	0.1	*	*	0.1	*	*	*	*
WHITE, MALE												
1967	0.3	6.1	1.1	0.2	0.2	*	*	*	*	*	*	*
1966	0.4	6.3	2.0	0.2	0.3	*	*	0.2	*	*	*	*
1965	0.5	8.2	1.9	0.3	0.2	*	*	*	*	*	*	*
1964	0.4	5.7	1.7	0.2	0.4	*	*	*	*	*	*	*
1963	0.4	5.3	1.6	0.2	0.4	*	*	*	*	*	*	*
1962	0.4	4.5	1.7	0.2	0.2	*	*	*	*	*	*	*
1961	0.3	4.3	1.6	0.2	*	*	*	*	*	*	*	*
1960	0.4	5.3	1.6	0.2	*	*	*	*	*	*	*	*
WHITE, FEMALE												
1967	0.2	3.7	0.8	0.1	0.2	*	*	*	*	*	*	*
1966	0.4	5.7	1.4	0.2	0.2	*	*	*	0.2	*	*	*
1965	0.4	5.8	1.6	0.2	0.2	*	*	*	*	*	*	*
1964	0.3	4.0	0.9	0.2	*	*	*	*	*	*	*	*
1963	0.3	4.6	1.5	0.1	*	*	*	*	*	*	*	*
1962	0.3	4.7	1.1	0.2	*	*	*	*	*	*	*	*
1961	0.3	3.7	1.1	0.2	*	*	*	*	*	*	*	*
1960	0.3	3.9	1.1	0.2	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Meningococcal infections (057)												
ALL OTHER, BOTH SEXES												
1967	0.6	4.3	2.5	0.4	*	*	*	*	*	*	*	*
1966	0.8	5.7	2.7	0.6	0.6	*	*	*	*	*	*	*
1965	0.8	8.7	2.1	0.6	*	*	*	*	*	*	*	*
1964	0.7	6.6	1.7	0.5	*	*	*	*	*	*	*	*
1963	0.6	6.1	2.1	0.4	*	*	*	*	*	*	*	*
1962	0.4	4.3	1.3	*	*	*	*	*	*	*	*	*
1961	0.5	3.4	1.6	*	*	*	*	*	*	*	*	*
1960	0.7	5.7	2.0	0.4	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	0.7	*	3.0	*	*	*	*	*	*	*	*	*
1966	1.0	*	2.8	*	1.1	*	*	*	*	*	*	*
1965	0.8	7.8	2.1	*	*	*	*	*	*	*	*	*
1964	0.9	7.9	2.2	*	*	*	*	*	*	*	*	*
1963	0.6	*	2.1	*	*	*	*	*	*	*	*	*
1962	0.6	*	*	*	*	*	*	*	*	*	*	*
1961	0.6	*	2.1	*	*	*	*	*	*	*	*	*
1960	0.8	*	2.5	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	0.6	*	2.0	*	*	*	*	*	*	*	*	*
1966	0.7	*	2.5	*	*	*	*	*	*	*	*	*
1965	0.7	9.6	2.1	*	*	*	*	*	*	*	*	*
1964	0.5	*	*	*	*	*	*	*	*	*	*	*
1963	0.6	*	2.0	*	*	*	*	*	*	*	*	*
1962	0.3	*	*	*	*	*	*	*	*	*	*	*
1961	0.4	*	*	*	*	*	*	*	*	*	*	*
1960	0.5	*	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Acute poliomyelitis (080)												
BOTH SEXES												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	*	0.1	*	0.1	*	*	*	*	*	*
1960	0.1	*	0.2	0.2	0.2	0.2	0.1	*	*	*	*	*
MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.1	*	*	*	*	*	*	*	*	*	*	*
1960	0.2	*	0.3	0.2	*	0.3	*	*	*	*	*	*
FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	*	*	*	*	*	*	*	*	*	*
1960	0.1	*	*	0.1	0.2	0.2	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Acute poliomyelitis (080)												
WHITE, BOTH SEXES												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	*	0.1	*	0.1	*	*	*	*	*	*
1960	0.1	*	0.2	0.1	0.2	0.2	0.1	*	*	*	*	*
WHITE, MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	0.0	*	*	*	*	*	*	*	*	*	*	*
1962	0.0	*	*	*	*	*	*	*	*	*	*	*
1961	0.1	*	*	*	*	*	*	*	*	*	*	*
1960	0.1	*	*	0.2	*	0.3	*	*	*	*	*	*
WHITE, FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	0.0	*	*	*	*	*	*	*	*	*	*	*
1960	0.1	*	*	*	0.2	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Acute poliomyelitis (080)												
ALL OTHER, BOTH SEXES												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	0.2	*	*	*	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	0.3	*	*	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	*	*	*	*	*	*	*	*	*	*	*	*
1965	*	*	*	*	*	*	*	*	*	*	*	*
1964	*	*	*	*	*	*	*	*	*	*	*	*
1963	*	*	*	*	*	*	*	*	*	*	*	*
1962	*	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	*	*	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Measles (085)												
BOTH SEXES												
1967	0.0	*	0.2	0.1	*	*	*	*	*	*	*	*
1966	0.1	1.5	0.9	0.1	*	*	*	*	*	*	*	*
1965	0.1	1.8	0.8	0.2	*	*	*	*	*	*	*	*
1964	0.2	2.2	1.2	0.3	*	*	*	*	*	*	*	*
1963	0.2	1.9	1.0	0.3	*	*	*	*	*	*	*	*
1962	0.2	2.3	1.2	0.2	*	*	*	*	*	*	*	*
1961	0.2	1.7	1.4	0.3	*	*	*	*	*	*	*	*
1960	0.2	2.1	1.2	0.2	*	*	*	*	*	*	*	*
MALE												
1967	0.0	*	0.3	*	*	*	*	*	*	*	*	*
1966	0.2	1.7	1.0	0.1	*	*	*	*	*	*	*	*
1965	0.1	1.9	0.8	0.1	*	*	*	*	*	*	*	*
1964	0.2	2.3	1.1	0.3	*	*	*	*	*	*	*	*
1963	0.2	1.7	1.0	0.2	*	*	*	*	*	*	*	*
1962	0.2	1.8	1.2	0.2	*	*	*	*	*	*	*	*
1961	0.2	1.7	1.4	0.3	*	*	*	*	*	*	*	*
1960	0.2	2.2	1.3	0.2	*	*	*	*	*	*	*	*
FEMALE												
1967	0.0	*	*	*	*	*	*	*	*	*	*	*
1966	0.1	1.3	0.7	0.2	*	*	*	*	*	*	*	*
1965	0.1	1.7	0.8	0.3	*	*	*	*	*	*	*	*
1964	0.2	2.2	1.3	0.3	*	*	*	*	*	*	*	*
1963	0.2	2.2	1.0	0.3	*	*	*	*	*	*	*	*
1962	0.2	2.8	1.3	0.3	*	*	*	*	*	*	*	*
1961	0.2	1.7	1.5	0.3	*	*	*	*	*	*	*	*
1960	0.2	1.9	1.2	0.2	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Measles (085)												
WHITE, BOTH SEXES												
1967	0.0	*	0.2	*	*	*	*	*	*	*	*	*
1966	0.1	1.2	0.6	0.1	*	*	*	*	*	*	*	*
1965	0.1	1.4	0.6	0.2	*	*	*	*	*	*	*	*
1964	0.2	1.7	1.1	0.3	*	*	*	*	*	*	*	*
1963	0.2	1.4	0.9	0.3	*	*	*	*	*	*	*	*
1962	0.2	1.8	1.0	0.2	*	*	*	*	*	*	*	*
1961	0.2	1.2	1.2	0.3	*	*	*	*	*	*	*	*
1960	0.2	1.7	1.0	0.2	*	*	*	*	*	*	*	*
WHITE, MALE												
1967	0.0	*	*	*	*	*	*	*	*	*	*	*
1966	0.1	1.4	0.8	0.1	*	*	*	*	*	*	*	*
1965	0.1	1.5	0.7	*	*	*	*	*	*	*	*	*
1964	0.2	1.6	1.0	0.2	*	*	*	*	*	*	*	*
1963	0.2	1.4	0.8	0.2	*	*	*	*	*	*	*	*
1962	0.2	1.3	0.9	0.2	*	*	*	*	*	*	*	*
1961	0.2	1.3	1.1	0.3	*	*	*	*	*	*	*	*
1960	0.2	1.6	1.1	0.2	*	*	*	*	*	*	*	*
WHITE, FEMALE												
1967	0.0	*	*	*	*	*	*	*	*	*	*	*
1966	0.1	*	0.5	0.1	*	*	*	*	*	*	*	*
1965	0.1	*	0.5	0.2	*	*	*	*	*	*	*	*
1964	0.2	1.7	1.2	0.3	*	*	*	*	*	*	*	*
1963	0.2	1.4	0.9	0.3	*	*	*	*	*	*	*	*
1962	0.2	2.2	1.0	0.3	*	*	*	*	*	*	*	*
1961	0.2	1.2	1.3	0.3	*	*	*	*	*	*	*	*
1960	0.2	1.8	0.9	0.2	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Measles (085)												
ALL OTHER, BOTH SEXES												
1967	0.1	*	*	*	*	*	*	*	*	*	*	*
1966	0.3	*	2.0	*	*	*	*	*	*	*	*	*
1965	0.4	4.3	1.8	*	*	*	*	*	*	*	*	*
1964	0.4	5.3	2.0	*	*	*	*	*	*	*	*	*
1963	0.4	5.0	1.9	*	*	*	*	*	*	*	*	*
1962	0.6	5.5	3.0	*	*	*	*	*	*	*	*	*
1961	0.5	4.3	2.8	*	*	*	*	*	*	*	*	*
1960	0.5	4.2	2.6	*	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	0.4	*	2.3	*	*	*	*	*	*	*	*	*
1965	0.3	*	1.7	*	*	*	*	*	*	*	*	*
1964	0.4	*	1.9	*	*	*	*	*	*	*	*	*
1963	0.4	*	2.3	*	*	*	*	*	*	*	*	*
1962	0.5	*	2.7	*	*	*	*	*	*	*	*	*
1961	0.5	*	3.0	*	*	*	*	*	*	*	*	*
1960	0.5	*	2.4	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	*	*	*	*	*	*	*	*	*	*	*	*
1966	0.3	*	1.8	*	*	*	*	*	*	*	*	*
1965	0.4	*	2.0	*	*	*	*	*	*	*	*	*
1964	0.4	*	2.1	*	*	*	*	*	*	*	*	*
1963	0.4	7.1	*	*	*	*	*	*	*	*	*	*
1962	0.6	*	3.3	*	*	*	*	*	*	*	*	*
1961	0.5	*	2.6	*	*	*	*	*	*	*	*	*
1960	0.5	*	2.9	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other infective and parasitic diseases (030-044,049,052-054,058-074,081-084,086-138)												
BOTH SEXES												
1967	3.0	18.8	2.4	0.8	0.9	1.3	1.7	3.0	4.8	8.0	13.7	26.6
1966	3.1	19.5	2.6	0.9	0.9	1.3	1.9	2.8	4.8	8.0	14.4	29.1
1965	3.1	19.7	2.7	0.9	0.9	1.3	1.9	2.8	4.8	7.6	14.3	25.4
1964	3.1	20.4	2.8	1.0	0.8	1.3	1.8	2.9	4.6	7.9	13.4	23.7
1963	3.2	19.7	2.7	0.9	1.0	1.4	1.9	3.1	5.2	8.3	13.6	26.2
1962	3.1	20.4	2.6	1.0	1.1	1.2	2.0	3.0	4.6	7.3	12.7	26.9
1961	3.1	20.4	2.8	0.9	1.0	1.3	1.8	2.8	4.7	7.2	13.3	21.2
1960	3.2	20.9	3.0	0.9	1.1	1.4	1.8	2.9	4.9	7.6	12.3	22.9
MALE												
1967	3.2	19.4	2.6	0.9	0.9	1.2	1.7	3.1	5.9	10.1	15.9	32.4
1966	3.4	21.9	2.9	0.8	0.9	1.3	1.8	3.1	5.8	10.3	18.2	34.0
1965	3.3	22.2	2.9	0.9	0.8	1.2	1.8	3.1	5.6	9.7	18.1	22.9
1964	3.4	23.0	2.9	1.0	0.9	1.2	1.8	3.0	5.4	10.4	16.6	30.2
1963	3.6	22.0	2.9	1.0	1.1	1.4	1.9	3.4	6.2	10.7	16.4	31.6
1962	3.3	21.9	2.6	1.0	1.0	1.2	1.8	3.2	5.3	9.2	15.3	34.0
1961	3.4	24.0	2.9	0.9	1.0	1.2	1.8	3.0	5.8	9.0	15.9	21.2
1960	3.5	25.2	3.2	0.9	1.0	1.1	1.9	3.4	5.6	9.7	14.9	24.0
FEMALE												
1967	2.8	18.1	2.3	0.8	0.9	1.4	1.7	2.9	3.8	6.4	12.2	23.3
1966	2.8	17.0	2.3	0.9	1.0	1.4	2.0	2.5	3.9	6.2	11.6	26.3
1965	2.8	17.1	2.4	0.8	0.9	1.4	2.0	2.4	4.1	5.9	11.5	26.9
1964	2.8	17.8	2.6	0.9	0.8	1.4	1.7	2.8	3.9	5.8	11.1	19.8
1963	2.9	17.3	2.5	0.9	0.9	1.4	1.9	2.7	4.2	6.3	11.5	23.0
1962	2.9	18.9	2.7	1.1	1.2	1.3	2.1	2.7	4.0	5.7	10.8	22.5
1961	2.8	16.7	2.6	0.9	1.0	1.4	1.8	2.7	3.7	5.6	11.2	21.1
1960	2.9	16.6	2.8	1.0	1.1	1.6	1.7	2.5	4.2	5.9	10.3	22.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other infective and parasitic diseases (030-044,049,052-054,058-074,081-084,086-138)												
WHITE, BOTH SEXES												
1967	2.7	14.8	2.1	0.8	0.8	1.0	1.3	2.5	4.2	7.4	13.3	26.5
1966	2.8	15.6	2.4	0.8	0.8	1.0	1.5	2.2	4.2	7.2	13.9	29.5
1965	2.7	15.6	2.3	0.8	0.7	1.0	1.5	2.3	4.3	7.2	13.5	25.1
1964	2.8	16.6	2.5	1.0	0.8	1.0	1.4	2.4	4.0	7.6	13.4	23.5
1963	2.9	16.1	2.5	0.9	0.8	1.1	1.5	2.7	4.6	8.0	13.3	26.5
1962	2.8	16.1	2.3	0.9	0.9	1.0	1.6	2.6	4.1	7.0	12.4	27.6
1961	2.8	16.3	2.3	0.9	0.9	1.1	1.4	2.5	4.3	6.7	13.0	20.8
1960	2.8	16.4	2.6	0.9	1.0	1.1	1.5	2.5	4.4	7.2	12.2	23.7
WHITE, MALE												
1967	2.9	16.2	2.2	0.8	0.8	0.9	1.3	2.6	5.2	9.4	15.1	31.5
1966	3.0	17.3	2.6	0.8	0.7	0.9	1.5	2.6	5.1	9.2	17.6	33.5
1965	2.9	17.6	2.5	0.9	0.7	0.9	1.4	2.6	5.1	9.1	17.1	21.2
1964	3.1	18.5	2.6	1.0	0.8	0.8	1.5	2.5	4.8	10.1	16.4	30.1
1963	3.2	18.2	2.7	1.0	1.0	1.2	1.4	3.0	5.5	10.3	16.0	31.5
1962	3.0	17.5	2.2	0.9	0.9	0.9	1.5	2.8	4.7	8.6	14.6	35.3
1961	3.0	19.4	2.5	0.9	0.9	1.1	1.5	2.7	5.4	8.2	15.6	20.2
1960	3.1	19.5	2.8	0.9	0.9	0.8	1.5	2.8	4.9	9.2	15.0	24.8
WHITE, FEMALE												
1967	2.5	13.4	2.0	0.8	0.8	1.1	1.2	2.4	3.3	5.9	12.0	23.7
1966	2.6	13.9	2.3	0.9	0.8	1.1	1.6	1.9	3.3	5.7	11.3	27.2
1965	2.5	13.5	2.1	0.8	0.8	1.0	1.5	2.0	3.5	5.6	11.0	27.2
1964	2.5	14.5	2.4	0.9	0.7	1.1	1.3	2.2	3.3	5.6	11.1	19.6
1963	2.6	13.9	2.4	0.8	0.7	1.0	1.6	2.3	3.8	6.0	11.3	23.5
1962	2.7	14.6	2.4	1.0	1.0	1.1	1.7	2.4	3.5	5.6	10.8	23.0
1961	2.5	13.0	2.2	0.9	0.9	1.0	1.4	2.4	3.3	5.4	11.1	21.2
1960	2.6	13.2	2.4	0.9	1.0	1.4	1.4	2.1	3.9	5.6	10.1	23.0

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other infective and parasitic diseases (030-044,049,052-054,058-074,081-084,086-138)												
ALL OTHER, BOTH SEXES												
1967	5.3	40.2	4.1	0.8	1.6	3.7	4.9	7.5	10.7	14.3	18.8	27.4
1966	5.5	39.8	3.4	1.0	1.9	3.5	5.1	7.9	10.9	15.8	20.0	24.7
1965	5.6	42.0	4.8	1.2	2.0	3.4	5.3	6.7	10.2	12.2	23.7	30.1
1964	5.3	42.0	4.3	0.9	1.3	3.7	4.5	7.6	11.0	10.9	14.3	25.6
1963	5.6	42.0	4.1	1.4	2.0	3.4	4.7	7.4	10.6	13.4	17.4	*
1962	5.7	45.9	4.7	1.4	2.1	2.7	5.3	6.6	10.4	11.1	18.6	*
1961	5.4	44.1	5.4	1.1	2.0	2.9	4.5	5.7	8.6	12.4	16.2	*
1960	5.7	46.6	5.3	1.2	1.9	3.2	5.1	7.1	9.6	12.1	13.5	*
ALL OTHER, MALE												
1967	5.8	37.2	4.8	1.1	1.5	3.5	4.5	8.3	13.4	17.4	24.5	*
1966	6.2	46.3	4.3	0.9	2.1	3.7	4.9	7.5	12.7	21.6	25.1	*
1965	6.0	48.0	5.5	1.1	2.0	3.2	4.7	7.7	10.4	15.3	29.5	*
1964	5.8	48.3	4.9	0.9	1.4	3.9	4.4	8.0	12.0	13.5	18.0	*
1963	6.1	45.8	4.4	1.2	1.9	2.8	4.8	8.2	13.3	17.1	20.6	*
1962	6.2	49.3	5.0	1.3	1.7	2.6	5.2	7.4	12.4	15.9	22.4	*
1961	5.9	51.1	5.5	1.2	2.1	1.9	4.4	6.0	9.1	17.4	20.1	*
1960	6.5	58.2	5.4	1.2	1.6	2.8	5.5	8.4	12.1	15.0	*	*
ALL OTHER, FEMALE												
1967	4.9	43.3	3.4	*	1.6	3.9	5.3	6.8	8.2	11.8	14.3	*
1966	4.9	33.1	2.5	1.0	1.8	3.3	5.3	8.3	9.2	11.0	15.8	*
1965	5.2	35.8	4.1	1.2	2.1	3.5	5.8	5.8	10.0	9.5	18.8	*
1964	4.8	35.7	3.7	0.9	1.2	3.5	4.6	7.3	10.0	8.8	11.2	*
1963	5.1	38.4	3.8	1.5	2.1	3.9	4.6	6.7	8.0	10.1	14.6	*
1962	5.2	42.5	4.5	1.5	2.4	2.9	5.4	5.9	8.5	6.9	15.2	*
1961	4.9	37.3	5.3	1.0	1.8	3.8	4.7	5.3	8.1	7.9	12.8	*
1960	5.0	35.1	5.3	1.2	2.2	3.6	4.8	5.8	7.2	9.5	14.3	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 140-205 Malignant neoplasms												
BOTH SEXES												
1967	157.5	5.7	8.5	6.7	8.2	17.5	60.2	180.8	408.2	743.1	1,129.0	1,467.9
1966	155.3	5.8	8.6	6.5	8.4	18.2	61.0	181.7	403.3	731.0	1,123.3	1,488.4
1965	153.8	6.0	8.9	6.5	8.2	18.9	60.7	179.8	403.9	726.9	1,116.1	1,483.6
1964	151.5	5.9	9.4	6.5	8.3	19.4	60.9	179.7	399.4	715.2	1,100.1	1,462.7
1963	151.4	6.5	10.2	6.9	8.4	18.8	59.6	177.8	398.7	722.8	1,104.6	1,523.7
1962	149.9	6.4	9.8	6.9	8.4	18.7	59.0	177.5	395.4	716.2	1,101.2	1,498.7
1961	149.5	7.0	10.4	7.1	8.3	19.4	59.4	175.8	392.8	716.7	1,109.7	1,494.3
1960	149.2	7.2	10.9	6.8	8.3	19.5	59.7	177.0	396.8	713.9	1,127.4	1,450.0
MALE												
1967	175.6	6.0	9.0	7.5	10.1	17.3	52.2	180.0	489.2	976.8	1,505.2	1,919.0
1966	172.5	5.4	9.1	7.4	10.1	17.6	53.3	181.3	482.5	955.4	1,477.9	1,905.4
1965	170.2	6.2	9.4	7.2	9.9	17.8	52.5	177.2	481.5	946.1	1,451.6	1,911.1
1964	167.3	6.4	10.7	7.3	9.7	18.8	52.3	176.3	474.6	925.9	1,416.6	1,840.3
1963	166.7	7.6	11.4	7.5	9.9	18.2	49.8	175.1	468.1	929.8	1,405.2	1,923.9
1962	164.3	6.0	10.6	7.5	10.2	17.6	49.1	173.4	463.5	907.7	1,387.2	1,879.7
1961	163.4	6.9	11.3	7.9	10.1	18.5	48.6	170.0	457.4	902.4	1,394.8	1,840.8
1960	162.5	7.7	12.4	7.6	10.2	18.8	48.9	170.8	459.9	890.5	1,389.4	1,741.2
FEMALE												
1967	140.2	5.3	8.0	5.9	6.5	17.6	67.7	181.5	334.7	557.3	867.1	1,215.0
1966	138.8	6.1	8.0	5.5	6.7	18.8	68.2	182.1	331.1	551.0	872.5	1,252.9
1965	138.0	5.8	8.4	5.8	6.5	19.9	68.5	182.4	332.9	549.4	874.6	1,234.9
1964	136.3	5.4	8.1	5.8	7.0	19.9	69.2	182.9	330.2	542.6	868.2	1,238.9
1963	136.6	5.3	9.0	6.2	6.9	19.3	68.8	180.4	334.5	551.0	881.2	1,280.7
1962	136.1	6.8	9.1	6.4	6.6	19.8	68.5	181.4	332.1	555.0	885.4	1,264.3
1961	135.9	7.2	9.5	6.2	6.6	20.3	69.7	181.4	332.6	557.9	891.9	1,273.5
1960	136.4	6.8	9.3	6.0	6.5	20.1	70.0	183.0	337.7	560.2	924.1	1,263.9

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 140-205 Malignant neoplasms												
WHITE, BOTH SEXES												
1967	161.0	5.7	9.0	7.0	8.4	16.8	57.3	172.9	397.5	738.6	1,139.8	1,495.5
1966	158.7	6.1	9.0	6.7	8.5	17.5	57.6	173.8	393.3	727.2	1,133.6	1,518.2
1965	157.5	6.2	9.5	6.8	8.2	18.4	57.6	173.1	393.9	725.3	1,130.4	1,512.5
1964	155.1	5.9	9.7	6.7	8.5	19.0	57.8	172.2	389.1	715.3	1,114.1	1,494.7
1963	153.7	6.6	10.6	7.1	8.6	18.1	55.8	169.1	385.5	715.7	1,114.8	1,550.6
1962	152.4	6.8	10.3	7.1	8.5	18.2	55.8	169.5	383.2	709.0	1,112.7	1,522.7
1961	153.0	7.4	11.1	7.4	8.4	19.0	56.1	168.8	382.8	716.3	1,127.9	1,524.6
1960	152.8	7.4	11.4	7.1	8.4	18.8	56.7	170.0	387.9	713.0	1,145.4	1,492.6
WHITE, MALE												
1967	178.5	6.0	9.6	7.7	10.2	17.1	49.2	169.6	475.1	969.8	1,519.1	1,958.7
1966	175.4	5.7	9.7	7.7	10.4	17.4	50.1	170.9	469.7	948.6	1,493.1	1,934.9
1965	173.7	6.2	10.0	7.6	10.0	18.0	49.8	169.1	469.5	941.7	1,470.0	1,958.7
1964	170.6	6.3	10.9	7.4	9.9	18.5	49.4	167.5	463.2	924.2	1,433.9	1,878.3
1963	168.5	8.0	11.9	7.8	10.1	18.0	46.8	165.3	453.7	916.4	1,416.0	1,954.2
1962	166.6	6.4	11.3	7.7	10.4	17.8	46.7	164.3	451.6	895.8	1,400.7	1,915.0
1961	166.9	7.2	12.0	8.4	10.2	18.5	46.1	162.8	446.2	900.8	1,418.3	1,881.3
1960	166.1	7.9	13.1	8.0	10.3	18.8	46.3	164.1	450.9	887.3	1,413.7	1,791.4
WHITE, FEMALE												
1967	144.3	5.3	8.5	6.1	6.6	16.5	65.1	176.1	327.1	555.6	878.4	1,240.9
1966	142.7	6.4	8.3	5.7	6.6	17.5	64.8	176.6	323.7	550.7	881.1	1,284.8
1965	141.9	6.2	9.0	6.0	6.4	18.7	65.2	176.9	324.8	550.5	888.9	1,257.5
1964	140.1	5.4	8.5	5.9	7.1	19.4	65.9	176.6	321.1	544.8	882.2	1,268.3
1963	139.3	5.3	9.2	6.3	7.0	18.1	64.3	172.7	322.7	549.5	893.3	1,310.6
1962	138.6	7.2	9.3	6.4	6.6	18.7	64.6	174.6	319.8	552.0	897.3	1,286.3
1961	139.5	7.7	10.0	6.4	6.6	19.5	65.7	174.7	323.9	559.2	907.9	1,306.0
1960	139.8	6.8	9.7	6.2	6.5	18.8	66.6	175.7	329.0	562.1	939.3	1,304.9

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 140-205 Malignant neoplasms												
ALL OTHER, BOTH SEXES												
1967	131.7	5.8	5.6	5.2	7.2	22.2	82.4	252.3	513.1	788.4	988.7	1,150.5
1966	130.3	4.2	6.0	5.0	7.5	23.4	87.8	253.7	501.7	768.5	988.3	1,140.4
1965	126.1	4.9	5.5	4.7	7.9	22.5	85.7	241.5	503.9	743.6	928.0	1,154.2
1964	124.9	6.1	7.7	5.6	7.3	22.0	86.5	248.7	502.2	714.3	915.9	1,067.9
1963	125.3	6.1	8.3	5.2	7.6	23.7	88.3	245.7	501.7	737.2	872.8	1,091.7
1962	122.4	4.8	6.8	6.2	7.6	22.7	85.6	239.2	487.7	722.6	876.2	1,040.0
1961	122.3	4.6	6.7	4.9	7.7	22.3	87.1	239.6	493.0	721.2	868.2	1,107.1
1960	121.6	6.5	7.6	4.8	7.9	24.3	85.7	241.6	487.8	723.8	883.5	939.5
ALL OTHER, MALE												
1967	154.3	*	5.8	6.1	8.9	18.6	77.5	277.6	629.0	1,045.1	1,331.5	1,525.6
1966	151.0	*	5.9	5.2	7.9	19.1	80.7	278.3	607.9	1,025.7	1,286.0	1,600.0
1965	144.3	*	5.8	5.2	8.6	16.3	75.6	253.1	600.5	988.9	1,230.1	1,458.8
1964	142.8	6.6	9.2	6.3	8.5	20.5	77.1	259.0	587.6	939.3	1,207.0	1,418.8
1963	142.9	*	8.8	5.2	8.8	19.0	74.5	257.3	579.1	990.1	1,141.2	1,510.3
1962	136.2	*	6.6	6.2	8.4	17.0	69.5	247.7	546.6	938.0	1,111.8	1,369.0
1961	136.1	*	6.8	4.7	9.2	18.3	70.1	236.7	568.5	920.4	1,106.3	1,440.0
1960	134.1	6.5	8.2	4.9	9.2	18.2	71.7	233.6	549.8	927.5	1,086.1	1,211.7
ALL OTHER, FEMALE												
1967	110.9	*	5.5	4.2	5.6	25.2	86.5	229.6	408.5	575.9	715.6	873.7
1966	111.0	*	6.0	4.8	7.2	27.0	93.9	231.3	404.3	554.7	751.6	828.3
1965	109.2	*	5.1	4.2	7.3	27.8	94.6	230.9	414.1	536.4	678.4	942.9
1964	108.2	*	6.1	4.9	6.2	23.3	94.8	239.6	422.0	519.5	671.7	842.2
1963	108.7	*	7.7	5.2	6.4	27.7	100.5	234.8	428.5	518.7	642.2	828.6
1962	109.4	*	7.1	6.2	6.8	27.6	99.9	231.3	431.6	535.9	670.1	827.5
1961	109.3	*	6.6	5.0	6.2	25.7	102.3	242.0	421.8	542.0	662.8	857.5
1960	109.8	6.5	7.0	4.8	6.7	29.6	98.3	249.3	427.8	537.6	702.3	727.5

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of buccal cavity and pharynx (140-148)												
BOTH SEXES												
1967	3.4	*	*	*	0.1	0.2	1.0	5.4	11.3	14.4	18.2	29.8
1966	3.5	*	*	0.1	0.1	0.2	1.2	5.4	11.1	14.6	20.6	33.5
1965	3.4	*	*	*	0.1	0.2	1.1	5.1	11.1	14.5	19.2	31.2
1964	3.4	*	*	*	0.1	0.2	1.1	5.2	11.1	14.5	21.1	37.6
1963	3.5	*	*	*	0.1	0.2	1.1	5.4	11.0	14.9	21.0	35.7
1962	3.5	*	*	*	0.1	0.2	1.2	5.1	10.5	15.4	22.9	40.3
1961	3.5	*	*	*	0.1	0.3	1.0	5.1	10.3	15.7	23.4	37.4
1960	3.4	*	*	*	0.1	0.2	1.1	5.3	9.9	15.6	24.4	34.8
MALE												
1967	5.2	*	*	*	0.1	0.3	1.5	8.3	18.9	24.6	31.4	50.2
1966	5.3	*	*	*	0.1	0.2	1.6	7.8	18.6	25.6	35.3	53.5
1965	5.2	*	*	*	0.1	0.2	1.6	7.8	18.7	25.3	32.9	53.3
1964	5.3	*	*	*	*	0.3	1.5	8.0	18.1	25.8	37.0	61.2
1963	5.3	*	*	*	*	0.3	1.5	8.5	18.5	25.5	35.6	58.9
1962	5.4	*	*	*	0.2	0.2	1.6	8.2	17.3	26.6	38.3	68.4
1961	5.4	*	*	*	0.2	0.4	1.4	7.8	17.5	26.7	39.3	62.5
1960	5.3	*	*	*	*	0.3	1.5	7.9	16.3	26.5	40.5	60.7
FEMALE												
1967	1.7	*	*	*	*	*	0.6	2.7	4.5	6.2	9.0	18.4
1966	1.8	*	*	*	*	*	0.8	3.1	4.3	5.8	10.2	22.1
1965	1.6	*	*	*	*	*	0.6	2.5	4.2	5.7	9.4	18.4
1964	1.6	*	*	*	*	*	0.7	2.6	4.7	5.3	9.5	23.6
1963	1.6	*	*	*	*	*	0.8	2.6	4.0	6.0	10.1	21.7
1962	1.7	*	*	*	*	*	0.8	2.1	4.2	6.0	11.3	23.0
1961	1.6	*	*	*	*	*	0.7	2.5	3.7	6.2	11.2	21.6
1960	1.7	*	*	*	*	0.2	0.7	2.8	3.8	6.2	11.8	18.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of buccal cavity and pharynx (140-148)												
WHITE, BOTH SEXES												
1967	3.4	*	*	*	*	0.2	0.8	4.8	11.2	14.3	18.6	31.4
1966	3.5	*	*	*	0.1	0.1	0.9	5.1	11.0	14.7	20.9	34.8
1965	3.4	*	*	*	0.1	0.2	0.8	4.8	10.8	14.7	19.8	32.0
1964	3.5	*	*	*	*	0.2	0.9	4.7	11.0	14.5	21.4	38.6
1963	3.5	*	*	*	0.1	0.2	1.0	5.2	10.8	15.0	21.5	36.1
1962	3.5	*	*	*	0.1	0.2	1.0	4.8	10.2	15.5	23.2	41.7
1961	3.6	*	*	*	0.1	0.3	0.9	4.8	10.2	15.9	24.2	39.0
1960	3.5	*	*	*	0.1	0.2	1.0	5.1	9.9	15.9	25.0	36.0
WHITE, MALE												
1967	5.2	*	*	*	*	0.2	1.1	7.3	18.7	24.6	32.3	53.7
1966	5.4	*	*	*	*	*	1.3	7.3	18.4	25.8	36.1	56.0
1965	5.3	*	*	*	*	0.2	1.2	7.3	18.1	25.7	34.3	54.8
1964	5.3	*	*	*	*	0.2	1.4	7.0	17.9	25.8	37.8	62.3
1963	5.4	*	*	*	*	*	1.3	8.0	18.2	25.8	36.4	59.8
1962	5.4	*	*	*	*	0.2	1.3	7.7	16.9	26.7	39.0	71.9
1961	5.5	*	*	*	*	0.4	1.2	7.4	17.3	27.1	41.0	65.5
1960	5.5	*	*	*	*	0.2	1.2	7.5	16.5	27.2	42.2	63.5
WHITE, FEMALE												
1967	1.7	*	*	*	*	*	0.5	2.5	4.3	6.1	9.2	19.2
1966	1.8	*	*	*	*	*	0.5	3.0	4.2	5.8	10.3	23.0
1965	1.6	*	*	*	*	*	0.5	2.4	4.1	5.7	9.5	18.9
1964	1.7	*	*	*	*	*	0.5	2.5	4.6	5.2	9.5	24.7
1963	1.7	*	*	*	*	*	0.7	2.4	4.0	6.0	10.5	21.9
1962	1.7	*	*	*	*	*	0.7	2.0	4.1	6.1	11.4	23.4
1961	1.7	*	*	*	*	*	0.6	2.4	3.6	6.3	11.6	22.7
1960	1.7	*	*	*	*	*	0.7	2.7	3.7	6.1	11.8	18.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of buccal cavity and pharynx (140-148)												
ALL OTHER, BOTH SEXES												
1967	3.4	*	*	*	*	*	3.2	10.8	13.0	15.5	12.8	*
1966	3.1	*	*	*	*	*	3.5	8.2	12.3	13.3	16.2	*
1965	3.0	*	*	*	*	*	3.5	8.0	14.5	12.4	11.1	*
1964	3.2	*	*	*	*	*	2.3	9.9	12.3	15.5	17.2	25.6
1963	2.9	*	*	*	*	*	2.4	8.1	13.2	13.4	12.6	*
1962	2.9	*	*	*	*	*	2.6	7.7	12.1	13.0	16.2	*
1961	2.7	*	*	*	*	*	2.1	7.6	11.9	13.5	11.8	*
1960	2.7	*	*	*	*	*	2.4	7.8	9.8	12.6	15.4	*
ALL OTHER, MALE												
1967	5.3	*	*	*	*	*	4.9	18.1	21.0	24.9	20.7	*
1966	4.7	*	*	*	*	*	4.4	12.9	20.7	23.3	25.1	*
1965	4.7	*	*	*	*	*	5.1	12.8	23.9	20.9	15.3	*
1964	5.1	*	*	*	*	*	3.1	17.0	20.0	25.6	27.3	*
1963	4.5	*	*	*	*	*	3.4	12.4	22.0	21.2	20.6	*
1962	4.5	*	*	*	*	*	3.9	12.7	19.8	21.2	24.8	*
1961	4.2	*	*	*	*	*	3.0	11.7	19.5	23.2	18.9	*
1960	4.0	*	*	*	*	*	3.7	12.1	14.7	19.1	19.3	*
ALL OTHER, FEMALE												
1967	1.6	*	*	*	*	*	1.8	4.3	5.7	7.8	*	*
1966	1.5	*	*	*	*	*	2.7	4.0	4.7	5.0	9.0	*
1965	1.5	*	*	*	*	*	2.1	3.7	5.7	5.1	*	*
1964	1.4	*	*	*	*	*	1.7	3.4	5.1	6.8	*	*
1963	1.4	*	*	*	*	*	1.5	4.1	4.8	6.6	*	*
1962	1.3	*	*	*	*	*	*	3.0	4.7	5.9	*	*
1961	1.2	*	*	*	*	*	*	3.8	4.5	4.8	*	*
1960	1.4	*	*	*	*	*	*	3.7	5.1	6.6	11.9	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)												
BOTH SEXES												
1967	48.3	*	0.2	0.1	0.4	2.4	10.7	41.7	114.4	248.7	433.0	601.2
1966	48.6	*	0.2	0.1	0.5	2.5	11.3	43.0	115.3	251.2	441.4	615.7
1965	48.7	*	0.2	0.1	0.5	2.4	11.0	42.3	119.0	253.1	447.1	621.0
1964	48.7	0.8	0.2	0.1	0.5	2.6	11.5	43.6	119.2	255.6	444.4	613.7
1963	49.3	*	0.2	0.1	0.6	2.4	11.3	43.2	120.1	260.6	455.8	658.9
1962	49.5	0.5	0.3	0.1	0.5	2.5	11.5	44.5	122.0	263.0	455.9	646.8
1961	50.1	0.6	0.3	0.1	0.5	2.6	11.9	44.8	123.1	266.7	471.3	645.5
1960	50.8	0.7	0.3	0.1	0.5	2.6	11.6	45.9	127.1	272.4	482.6	630.7
MALE												
1967	53.2	*	*	0.1	0.5	2.7	11.9	48.6	142.7	312.1	521.9	696.0
1966	53.5	*	0.3	0.2	0.6	2.8	12.9	50.7	140.9	313.6	536.3	684.1
1965	54.0	*	0.3	0.1	0.5	2.8	12.2	49.1	147.4	316.9	539.6	720.4
1964	54.1	*	0.3	0.1	0.7	2.8	13.0	50.3	147.2	320.1	530.7	684.0
1963	54.4	*	0.3	0.1	0.6	2.6	12.3	50.3	145.9	325.0	536.4	736.1
1962	54.7	*	0.3	0.2	0.6	2.7	12.7	51.1	148.1	322.4	536.7	728.9
1961	55.7	*	0.3	*	0.6	2.9	12.5	51.8	148.4	330.7	559.9	702.7
1960	56.4	*	0.3	0.2	0.5	2.9	12.5	53.2	153.7	334.9	559.5	676.6
FEMALE												
1967	43.6	*	*	0.1	0.3	2.1	9.6	35.1	88.8	198.4	371.1	548.0
1966	43.9	*	*	*	0.4	2.3	9.8	35.7	91.9	201.1	374.3	577.6
1965	43.6	*	*	*	0.4	2.0	9.8	35.7	93.0	201.4	380.6	563.2
1964	43.6	*	*	*	0.4	2.4	10.1	37.1	93.5	202.8	381.2	572.0
1963	44.4	*	*	0.1	0.5	2.2	10.3	36.3	96.3	207.2	395.9	611.5
1962	44.6	*	0.3	0.1	0.4	2.2	10.4	38.1	97.8	213.0	394.9	596.4
1961	44.7	*	0.3	*	0.4	2.3	11.3	38.1	99.5	211.9	403.6	608.4
1960	45.3	1.0	*	*	0.4	2.4	10.8	38.9	102.2	218.0	422.9	601.4

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)												
WHITE, BOTH SEXES												
1967	49.2	*	0.2	0.1	0.4	2.1	9.9	38.5	109.0	246.0	437.4	613.9
1966	49.4	*	0.2	0.1	0.4	2.2	10.2	39.5	109.6	248.2	444.7	629.9
1965	49.7	*	0.2	0.1	0.4	2.2	10.2	39.2	113.4	250.1	453.0	634.0
1964	49.7	0.9	0.2	0.1	0.5	2.4	10.3	40.3	113.8	253.8	450.5	629.5
1963	49.7	*	0.3	0.1	0.5	2.2	10.2	39.5	113.4	255.6	458.8	670.0
1962	50.1	*	0.3	0.1	0.4	2.3	10.4	40.9	115.9	259.1	459.7	657.3
1961	51.2	*	0.3	0.1	0.4	2.3	10.7	41.7	117.9	265.2	480.0	660.6
1960	51.9	0.7	0.3	0.1	0.4	2.5	10.6	43.0	122.1	270.9	491.0	652.7
WHITE, MALE												
1967	53.5	*	*	0.1	0.4	2.4	10.7	44.0	135.1	307.2	525.9	710.6
1966	53.5	*	0.3	0.2	0.5	2.4	11.5	45.6	132.5	307.5	540.9	691.4
1965	54.3	*	0.3	0.1	0.4	2.6	11.2	44.9	139.3	310.8	545.6	736.6
1964	54.4	*	*	*	0.6	2.6	11.6	45.8	140.1	315.5	535.8	699.7
1963	54.1	*	0.3	*	0.6	2.4	10.9	45.4	136.8	316.0	538.3	744.6
1962	54.7	*	0.3	0.1	0.5	2.7	11.2	46.2	140.9	316.1	538.0	741.3
1961	56.2	*	0.3	*	0.5	2.5	11.1	47.6	141.0	327.3	570.6	717.5
1960	57.0	*	0.3	0.1	0.4	2.7	11.1	49.3	147.2	330.6	570.1	699.9
WHITE, FEMALE												
1967	45.1	*	*	*	0.3	1.9	9.2	33.2	85.4	197.5	376.3	560.8
1966	45.4	*	*	*	0.3	2.0	9.1	33.7	88.7	201.0	377.2	595.5
1965	45.1	*	*	*	0.4	1.8	9.3	33.7	89.7	201.2	387.2	575.3
1964	45.1	*	*	*	0.4	2.2	9.1	34.9	89.7	203.4	388.7	587.5
1963	45.5	*	*	*	0.5	2.1	9.5	33.8	91.8	205.5	400.3	625.7
1962	45.7	*	0.3	*	0.3	1.9	9.6	35.7	92.8	211.2	401.1	607.3
1961	46.3	*	0.3	*	0.3	2.1	10.4	36.0	96.4	212.4	411.5	626.5
1960	47.0	*	*	*	0.3	2.3	10.3	36.8	98.6	219.1	430.3	623.1

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)												
ALL OTHER, BOTH SEXES												
1967	41.6	*	*	*	0.7	4.3	17.0	70.5	167.0	276.7	375.9	454.7
1966	43.0	*	*	*	0.8	4.8	19.8	74.7	171.2	280.9	398.0	449.4
1965	41.9	*	*	*	0.9	3.8	17.5	70.5	174.5	283.5	369.7	472.3
1964	41.8	*	*	*	0.9	4.2	21.1	73.8	173.0	274.9	364.2	417.9
1963	41.4	*	*	*	1.0	3.6	19.6	73.1	173.2	276.5	351.0	463.9
1962	40.6	*	*	*	1.0	3.7	20.4	72.1	169.1	269.6	354.8	408.6
1961	41.9	*	*	*	0.9	4.4	21.8	73.6	174.9	282.9	354.7	452.9
1960	41.8	*	*	*	1.0	3.9	19.9	73.5	178.7	290.1	368.2	367.1
ALL OTHER, MALE												
1967	51.3	*	*	*	*	5.1	22.1	91.2	217.5	359.9	470.7	551.3
1966	53.4	*	*	*	1.1	5.9	24.5	97.8	222.9	374.5	478.8	608.3
1965	52.0	*	*	*	*	4.2	21.1	88.9	226.8	378.0	467.0	567.6
1964	51.6	*	*	*	*	4.8	25.2	91.9	217.0	366.0	468.0	509.4
1963	51.3	*	*	*	*	4.1	22.5	92.1	216.8	372.1	435.2	620.7
1962	49.3	*	*	*	*	3.2	24.8	91.0	202.0	346.3	447.2	503.4
1961	51.6	*	*	*	*	5.9	24.4	90.6	221.5	368.4	429.6	556.7
1960	51.4	*	*	*	*	4.4	24.8	89.6	218.7	383.7	427.0	430.5
ALL OTHER, FEMALE												
1967	32.7	*	*	*	*	3.7	12.6	52.0	121.3	207.8	300.4	380.7
1966	33.4	*	*	*	*	3.8	15.8	53.7	123.7	203.1	334.4	341.5
1965	32.5	*	*	*	*	3.5	14.3	53.7	125.9	203.7	289.2	406.1
1964	32.6	*	*	*	*	3.6	17.5	57.2	131.7	196.0	277.1	362.2
1963	32.1	*	*	*	*	3.1	17.0	55.4	132.0	194.0	278.6	366.7
1962	32.5	*	*	*	*	4.2	16.6	54.5	137.6	203.2	273.9	350.0
1961	32.8	*	*	*	*	3.1	19.4	57.4	130.5	206.0	290.6	375.0
1960	32.8	*	*	*	*	3.5	15.4	58.1	139.9	204.5	315.7	317.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of respiratory system, not specified as secondary (160-164)												
BOTH SEXES												
1967	29.4	*	*	*	0.1	1.0	9.9	40.9	99.9	154.0	149.8	101.3
1966	28.1	*	*	*	0.2	1.2	9.7	39.1	97.6	147.3	138.9	99.5
1965	26.9	*	*	*	0.2	1.0	9.3	38.4	93.5	142.9	129.2	97.1
1964	25.7	*	*	0.1	0.1	1.1	8.9	36.2	92.2	134.7	124.8	87.3
1963	24.9	*	*	*	0.2	1.2	8.5	35.4	88.5	132.7	118.3	91.4
1962	24.0	*	*	0.1	0.2	1.2	8.0	34.5	87.2	126.4	113.2	84.2
1961	23.1	*	*	*	0.2	1.2	7.7	32.6	84.1	122.8	106.9	86.7
1960	22.2	*	*	*	0.1	1.1	7.3	32.0	81.5	117.2	102.9	79.1
MALE												
1967	50.3	*	*	*	0.2	1.5	15.1	65.8	179.4	302.0	300.0	195.5
1966	48.2	*	*	*	0.2	1.8	14.6	64.3	176.9	289.0	273.0	176.8
1965	46.2	*	*	*	0.3	1.5	14.1	63.0	169.8	278.8	253.0	178.1
1964	44.5	*	*	*	0.2	1.5	13.6	60.7	168.7	263.0	238.2	159.2
1963	43.0	*	*	*	0.2	1.8	12.9	59.0	161.6	256.9	225.3	163.9
1962	41.7	*	*	*	0.2	1.8	12.4	58.5	159.6	243.8	211.1	147.3
1961	39.9	*	*	*	0.3	1.8	11.9	55.4	154.1	233.9	195.5	150.7
1960	38.5	*	*	*	0.2	1.7	11.4	54.7	150.2	221.7	188.5	132.2
FEMALE												
1967	9.6	*	*	*	*	0.6	5.0	17.4	27.8	36.3	45.3	48.4
1966	8.9	*	*	*	*	0.6	5.1	15.3	25.4	33.7	43.9	55.6
1965	8.4	*	*	*	0.2	0.6	4.7	15.0	23.6	32.8	40.2	50.0
1964	7.7	*	*	*	*	0.7	4.5	12.9	21.8	29.6	41.8	44.7
1963	7.5	*	*	*	*	0.7	4.4	12.7	21.0	29.5	38.9	47.7
1962	7.0	*	*	*	*	0.6	3.9	11.4	20.0	27.6	39.4	45.4
1961	6.7	*	*	*	*	0.6	3.7	10.6	18.8	27.7	39.1	46.3
1960	6.2	*	*	*	*	0.6	3.4	10.1	17.0	26.2	36.5	45.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of respiratory system, not specified as secondary (160-164)												
WHITE, BOTH SEXES												
1967	30.2	*	*	*	0.1	0.9	9.1	39.2	98.7	155.9	152.0	101.2
1966	28.8	*	*	*	0.1	1.0	8.8	37.2	96.8	148.6	141.4	101.0
1965	27.7	*	*	*	0.2	1.0	8.6	37.2	93.3	144.5	131.8	98.6
1964	26.6	*	*	*	0.1	1.1	8.3	35.1	91.6	137.3	127.6	88.1
1963	25.4	*	*	*	0.2	1.1	7.8	33.9	87.6	133.3	118.9	92.0
1962	24.6	*	*	*	0.2	1.1	7.6	33.4	86.5	127.1	114.2	85.8
1961	23.8	*	*	*	0.2	1.1	7.3	31.7	83.8	124.6	109.5	88.6
1960	22.8	*	*	*	0.1	1.1	6.8	31.1	81.0	118.7	104.0	79.4
WHITE, MALE												
1967	51.4	*	*	*	0.2	1.3	13.6	62.2	176.9	306.8	306.1	196.4
1966	49.2	*	*	*	0.2	1.5	12.9	60.7	175.2	292.7	279.2	180.2
1965	47.5	*	*	*	0.3	1.4	12.9	60.7	169.7	282.5	259.2	181.5
1964	45.8	*	*	*	0.2	1.4	12.4	58.3	168.0	268.8	245.1	162.0
1963	43.7	*	*	*	0.2	1.6	11.6	56.0	160.3	258.8	227.0	164.9
1962	42.5	*	*	*	0.2	1.6	11.7	56.4	158.9	244.9	213.4	149.4
1961	41.1	*	*	*	0.3	1.7	11.1	53.6	154.0	238.2	200.7	154.1
1960	39.6	*	*	*	0.2	1.6	10.4	53.0	149.8	225.1	191.9	133.9
WHITE, FEMALE												
1967	9.9	*	*	*	*	0.5	4.9	17.4	27.8	36.5	45.8	48.9
1966	9.1	*	*	*	*	0.6	4.8	15.0	25.3	33.6	44.8	56.6
1965	8.6	*	*	*	0.2	0.6	4.5	14.8	23.4	33.1	41.1	51.2
1964	8.0	*	*	*	*	0.7	4.4	12.8	21.4	30.0	42.5	44.9
1963	7.6	*	*	*	*	0.6	4.1	12.6	20.4	29.3	39.4	48.7
1962	7.2	*	*	*	*	0.5	3.7	11.2	19.4	28.1	40.1	47.3
1961	7.0	*	*	*	*	0.5	3.6	10.4	18.4	27.9	40.5	48.1
1960	6.4	*	*	*	*	0.6	3.4	9.8	16.7	26.5	36.5	45.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of respiratory system, not specified as secondary (160-164)												
ALL OTHER, BOTH SEXES												
1967	23.7	*	*	*	*	1.6	16.2	56.7	111.6	134.5	121.0	102.1
1966	23.0	*	*	*	*	2.1	17.1	56.4	106.0	134.1	105.5	82.0
1965	20.6	*	*	*	*	1.2	14.7	49.1	95.8	126.0	95.6	80.7
1964	19.6	*	*	*	*	1.4	14.4	46.8	98.6	107.3	87.8	76.9
1963	19.8	*	*	*	*	2.0	15.1	47.4	92.1	115.7	97.5	73.6
1962	17.9	*	*	*	*	1.7	11.9	42.4	87.6	102.8	84.9	60.0
1961	17.3	*	*	*	*	1.7	11.3	41.1	87.1	101.4	72.1	62.9
1960	17.3	*	*	*	*	1.5	11.2	40.8	86.1	99.4	87.6	75.4
ALL OTHER, MALE												
1967	41.6	*	*	*	*	2.5	27.6	100.3	203.8	254.7	225.0	187.2
1966	40.3	*	*	*	*	3.4	28.7	98.0	193.1	253.5	197.2	141.7
1965	36.0	*	*	*	*	1.7	24.5	84.7	171.0	240.2	177.8	147.1
1964	34.2	*	*	*	*	2.3	24.4	82.5	175.5	202.4	154.7	128.1
1963	34.6	*	*	*	*	2.9	24.4	84.1	164.0	214.9	172.1	131.0
1962	31.3	*	*	*	*	2.9	19.4	74.3	154.2	195.9	149.1	110.3
1961	30.4	*	*	*	*	2.5	19.5	71.2	154.9	186.5	132.7	116.7
1960	30.5	*	*	*	*	2.5	19.8	70.4	154.2	183.4	145.4	114.8
ALL OTHER, FEMALE												
1967	7.1	*	*	*	*	*	6.5	17.7	27.9	34.6	38.1	42.1
1966	7.0	*	*	*	*	*	7.1	18.7	25.8	34.4	31.7	41.5
1965	6.3	*	*	*	*	*	6.1	16.7	25.8	29.5	27.7	*
1964	5.9	*	*	*	*	*	5.6	14.2	26.3	25.7	31.7	*
1963	6.0	*	*	*	*	*	7.0	13.4	24.1	30.0	33.3	*
1962	5.2	*	*	*	*	*	5.2	12.7	24.0	21.3	28.8	*
1961	4.9	*	*	*	*	*	4.1	12.6	22.2	25.3	18.9	*
1960	4.9	*	*	*	*	*	3.5	12.5	20.2	22.5	35.8	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of breast (170)												
BOTH SEXES												
1967	14.3	*	*	*	0.1	1.9	10.4	27.5	41.0	51.2	73.0	117.5
1966	14.1	*	*	*	0.1	1.9	10.5	27.2	40.7	50.6	72.8	113.8
1965	14.0	*	*	*	*	2.0	10.6	27.0	39.6	50.5	74.6	115.8
1964	13.7	*	*	*	0.1	2.2	10.4	27.4	38.0	49.6	70.4	119.3
1963	13.5	*	*	*	0.1	1.8	10.3	26.4	38.2	49.9	69.4	116.4
1962	13.4	*	*	*	*	2.1	10.0	26.3	37.1	49.7	72.5	117.1
1961	13.4	*	*	*	*	2.0	10.4	25.9	36.4	49.3	74.8	121.2
1960	13.4	*	*	*	*	2.0	10.4	26.2	37.0	48.7	73.9	118.1
MALE												
1967	0.2	*	*	*	*	*	*	0.3	0.8	1.3	1.8	*
1966	0.2	*	*	*	*	*	*	0.3	0.6	1.2	2.4	*
1965	0.3	*	*	*	*	*	*	0.4	0.6	1.4	2.1	*
1964	0.2	*	*	*	*	*	*	0.3	0.7	1.3	2.2	*
1963	0.3	*	*	*	*	*	*	0.3	0.7	1.6	2.2	*
1962	0.2	*	*	*	*	*	*	0.4	0.7	1.3	2.1	*
1961	0.3	*	*	*	*	*	*	0.4	0.7	1.4	2.0	*
1960	0.2	*	*	*	*	*	*	0.2	1.0	1.2	1.7	*
FEMALE												
1967	27.7	*	*	*	0.1	3.7	20.3	53.1	77.5	90.9	122.6	181.7
1966	27.3	*	*	*	0.2	3.7	20.3	52.7	77.2	90.2	122.7	177.3
1965	27.2	*	*	*	*	3.8	20.7	52.4	75.3	90.2	126.8	181.4
1964	26.6	*	*	*	0.2	4.3	20.2	53.3	72.3	89.3	120.3	188.4
1963	26.2	*	*	*	0.1	3.6	20.0	51.4	72.8	90.1	119.2	183.3
1962	26.2	*	*	*	*	4.1	19.4	51.3	71.0	90.5	125.5	188.2
1961	26.2	*	*	*	*	4.0	20.2	50.7	69.8	90.3	130.6	194.9
1960	26.1	*	*	*	*	3.8	20.2	51.4	70.8	90.0	129.9	191.9

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of breast (170)												
WHITE, BOTH SEXES												
1967	14.9	*	*	*	*	1.8	10.3	27.2	41.2	52.3	74.9	121.5
1966	14.7	*	*	*	*	1.7	10.3	27.2	41.1	51.9	74.9	118.1
1965	14.6	*	*	*	*	1.8	10.3	27.0	40.0	52.0	76.6	118.5
1964	14.3	*	*	*	0.1	2.1	10.2	27.4	38.2	50.9	72.1	123.2
1963	13.8	*	*	*	*	1.7	9.8	26.1	37.9	50.8	70.4	118.4
1962	13.8	*	*	*	*	2.0	9.6	26.3	37.2	50.4	73.8	117.7
1961	14.0	*	*	*	*	2.0	10.0	26.1	36.8	50.5	76.6	125.1
1960	13.9	*	*	*	*	1.8	10.1	26.0	37.5	49.6	75.9	123.6
WHITE, MALE												
1967	0.2	*	*	*	*	*	*	0.2	0.8	1.3	1.9	*
1966	0.2	*	*	*	*	*	*	0.2	0.6	1.2	2.4	*
1965	0.3	*	*	*	*	*	*	0.4	0.6	1.5	2.0	*
1964	0.2	*	*	*	*	*	*	0.3	0.6	1.2	2.2	*
1963	0.3	*	*	*	*	*	*	0.3	0.7	1.5	2.1	*
1962	0.2	*	*	*	*	*	*	0.3	0.7	1.2	2.1	*
1961	0.3	*	*	*	*	*	*	0.3	0.7	1.4	2.0	*
1960	0.2	*	*	*	*	*	*	*	0.9	1.1	1.7	*
WHITE, FEMALE												
1967	28.8	*	*	*	*	3.5	20.1	52.7	77.9	92.6	125.3	186.6
1966	28.6	*	*	*	*	3.4	20.2	52.8	78.0	92.4	125.8	182.9
1965	28.4	*	*	*	*	3.5	20.2	52.5	76.0	92.7	129.8	184.6
1964	27.8	*	*	*	0.2	4.1	20.0	53.4	72.7	91.4	122.8	193.3
1963	26.9	*	*	*	*	3.3	19.0	51.0	72.2	91.6	120.7	186.0
1962	27.0	*	*	*	*	3.9	18.7	51.3	71.0	91.8	127.4	188.7
1961	27.3	*	*	*	*	3.9	19.5	51.0	70.4	92.3	133.2	200.5
1960	27.2	*	*	*	*	3.6	19.7	51.2	71.8	91.6	132.8	199.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of breast (170)												
ALL OTHER, BOTH SEXES												
1967	10.1	*	*	*	*	2.9	11.5	30.0	39.2	40.2	48.4	71.6
1966	9.5	*	*	*	*	3.1	11.4	27.3	36.5	37.3	45.9	64.0
1965	9.6	*	*	*	*	3.1	13.0	27.1	35.6	34.9	48.6	84.3
1964	9.5	*	*	*	*	2.9	11.5	27.7	35.9	36.7	47.2	71.8
1963	9.5	*	*	*	*	3.0	13.4	26.4	35.6	36.3	45.9	73.6
1962	9.1	*	*	*	*	2.8	12.8	24.7	32.1	36.7	47.8	74.3
1961	9.2	*	*	*	*	2.5	13.8	24.8	32.8	35.9	50.6	71.4
1960	9.4	*	*	*	*	3.1	12.8	27.3	31.8	37.3	47.2	51.6
ALL OTHER, MALE												
1967	0.2	*	*	*	*	*	*	*	*	*	*	*
1966	0.3	*	*	*	*	*	*	*	*	*	*	*
1965	0.2	*	*	*	*	*	*	*	*	*	*	*
1964	0.3	*	*	*	*	*	*	*	*	*	*	*
1963	0.3	*	*	*	*	*	*	*	*	*	*	*
1962	0.2	*	*	*	*	*	*	*	*	*	*	*
1961	*	*	*	*	*	*	*	*	*	*	*	*
1960	0.3	*	*	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	19.3	*	*	*	*	5.4	21.3	56.4	73.8	72.7	86.1	117.5
1966	18.0	*	*	*	*	5.8	21.1	51.4	69.2	67.1	80.5	103.8
1965	18.3	*	*	*	*	5.9	24.1	51.4	67.9	63.8	86.4	140.8
1964	18.0	*	*	*	*	5.5	21.5	52.8	68.0	66.2	84.9	122.2
1963	18.2	*	*	*	*	5.5	25.1	50.3	68.2	66.3	83.3	123.8
1962	17.5	*	*	*	*	5.2	24.1	47.3	61.9	67.5	88.6	130.0
1961	17.8	*	*	*	*	4.6	26.0	47.7	63.8	66.7	93.3	122.5
1960	17.9	*	*	*	*	5.9	24.1	53.0	61.1	70.0	87.1	89.4

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of genital organs (171-179)												
BOTH SEXES												
1967	20.5	*	0.1	0.1	0.9	2.8	8.8	20.6	43.2	95.6	179.1	260.5
1966	20.6	*	0.2	0.1	0.8	3.1	9.1	21.9	43.2	95.9	182.2	265.4
1965	20.9	*	*	0.1	0.8	3.5	9.6	22.7	45.0	96.2	183.3	267.4
1964	20.9	*	0.1	0.1	0.8	3.2	9.7	23.0	45.7	96.8	184.6	262.5
1963	21.2	*	0.1	0.1	0.9	3.4	10.0	23.1	47.1	98.5	186.4	273.8
1962	21.3	*	0.1	0.1	0.8	3.5	10.2	23.7	47.7	98.3	187.5	272.5
1961	21.5	*	0.2	0.1	0.7	3.3	10.3	24.7	47.9	99.7	187.9	272.6
1960	21.6	*	0.1	0.1	0.9	3.5	10.7	24.7	49.0	99.8	192.0	262.7
MALE												
1967	18.0	*	*	*	1.0	1.8	1.3	3.4	22.5	102.4	286.4	513.6
1966	17.7	*	*	*	1.0	1.8	1.6	3.7	22.8	101.3	283.6	507.1
1965	17.8	*	*	*	0.9	1.7	1.8	3.9	23.7	100.4	286.6	513.3
1964	17.7	*	*	*	0.8	1.8	1.7	3.9	23.1	103.0	282.4	497.4
1963	17.7	*	*	*	0.9	1.7	1.6	3.7	23.1	104.6	282.4	514.9
1962	17.6	*	*	*	0.9	1.7	1.5	3.7	23.6	102.3	284.8	505.6
1961	17.7	*	0.2	*	0.8	1.7	1.7	3.8	23.6	101.3	286.1	509.4
1960	17.4	*	*	*	0.9	1.7	1.6	4.0	23.5	102.1	285.9	468.2
FEMALE												
1967	22.9	*	*	0.2	0.8	3.7	15.8	36.8	62.0	90.2	104.4	118.6
1966	23.4	*	*	0.2	0.7	4.5	16.2	39.1	61.8	91.6	110.5	128.1
1965	23.9	*	*	0.2	0.8	5.2	17.0	40.6	64.6	92.7	108.9	124.3
1964	24.0	*	*	0.2	0.8	4.6	17.3	41.3	66.4	91.6	112.9	123.3
1963	24.6	*	*	0.2	0.8	5.0	17.9	41.6	69.3	93.4	115.0	128.4
1962	24.9	*	*	0.2	0.7	5.1	18.6	42.8	70.2	95.0	114.2	129.1
1961	25.1	*	*	0.2	0.7	4.8	18.6	44.9	70.6	98.3	112.8	123.0
1960	25.6	*	*	0.2	0.9	5.2	19.4	44.8	73.0	97.9	119.1	131.4

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of genital organs (171-179)												
WHITE, BOTH SEXES												
1967	20.1	*	0.2	0.1	0.9	2.5	7.9	19.1	40.1	89.4	175.1	256.6
1966	20.3	*	0.2	0.1	0.8	2.9	8.2	20.3	39.8	90.8	178.4	261.7
1965	20.6	*	*	0.1	0.9	3.1	8.7	21.1	41.6	91.2	179.9	266.3
1964	20.5	*	0.2	0.1	0.8	3.1	8.7	21.0	42.1	92.1	180.8	258.4
1963	20.8	*	0.2	0.2	0.9	3.0	8.8	21.2	42.9	93.3	184.6	273.0
1962	20.8	*	*	0.1	0.8	3.2	9.2	21.8	43.6	92.3	185.1	270.8
1961	21.0	*	0.2	0.1	0.7	3.0	9.3	22.5	43.8	95.0	185.0	269.9
1960	21.2	*	*	0.1	0.8	3.1	9.6	22.7	45.4	95.3	190.3	262.0
WHITE, MALE												
1967	17.5	*	*	*	1.0	1.9	1.3	2.9	19.5	92.5	278.8	512.1
1966	17.5	*	*	*	1.1	1.9	1.7	3.1	19.8	93.9	277.4	504.6
1965	17.6	*	*	*	1.0	1.9	1.8	3.3	20.6	92.9	281.1	518.7
1964	17.4	*	*	*	0.9	2.0	1.6	3.1	19.9	95.9	275.8	493.8
1963	17.5	*	*	*	1.0	1.8	1.7	3.2	19.8	95.8	279.9	515.8
1962	17.3	*	*	*	0.9	1.9	1.5	3.1	19.6	92.9	282.4	506.3
1961	17.4	*	0.3	*	0.9	1.9	1.7	3.1	19.8	94.7	281.7	512.6
1960	17.2	*	*	*	0.9	1.9	1.6	3.4	20.3	95.0	282.7	471.4
WHITE, FEMALE												
1967	22.5	*	*	0.1	0.7	3.1	14.2	34.5	58.8	86.9	103.6	116.2
1966	23.0	*	*	0.2	0.6	3.8	14.4	36.6	58.0	88.3	109.0	125.7
1965	23.5	*	*	0.2	0.7	4.3	15.2	38.0	60.8	89.9	107.8	122.0
1964	23.6	*	*	0.2	0.7	4.1	15.5	38.1	62.5	88.9	111.9	120.6
1963	24.0	*	*	0.2	0.8	4.2	15.7	38.5	64.2	91.2	114.5	128.7
1962	24.2	*	*	0.2	0.7	4.5	16.6	39.7	65.9	91.8	112.3	127.7
1961	24.5	*	*	0.2	0.6	4.1	16.6	41.3	66.1	95.2	111.7	119.8
1960	25.1	*	*	0.2	0.7	4.2	17.3	41.4	68.8	95.6	119.3	130.4

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of genital organs (171-179)												
ALL OTHER, BOTH SEXES												
1967	23.2	*	*	*	0.8	4.5	15.6	33.8	74.2	158.7	231.3	304.2
1966	23.3	*	*	*	0.8	5.2	16.7	36.5	76.8	148.7	231.7	309.0
1965	23.3	*	*	*	0.7	6.0	17.0	37.6	79.6	147.6	228.0	283.1
1964	23.8	*	*	*	0.9	4.4	17.5	41.7	81.2	146.5	234.2	312.8
1963	24.0	*	*	*	0.6	6.1	18.6	39.2	87.8	153.1	207.8	288.9
1962	24.9	*	*	*	*	5.7	19.7	40.2	89.0	162.1	220.9	312.9
1961	24.9	*	*	*	0.8	5.6	18.9	44.7	89.3	153.3	227.4	307.1
1960	24.5	*	*	*	1.1	6.7	20.3	43.8	86.4	152.9	215.1	270.8
ALL OTHER, MALE												
1967	21.0	*	*	*	*	*	*	8.1	52.4	200.0	376.1	528.2
1966	19.5	*	*	*	*	*	*	9.0	52.0	174.7	357.0	533.3
1965	19.4	*	*	*	*	*	*	9.5	54.7	177.0	352.3	470.6
1964	19.9	*	*	*	*	*	1.8	10.8	54.7	175.9	362.8	537.5
1963	19.6	*	*	*	*	*	*	8.8	56.5	195.7	313.3	510.3
1962	20.7	*	*	*	*	*	1.7	8.8	63.1	205.5	318.6	524.1
1961	19.5	*	*	*	*	*	*	10.0	61.2	174.2	340.3	490.0
1960	19.1	*	*	*	*	*	2.3	10.1	55.1	182.4	326.2	433.7
ALL OTHER, FEMALE												
1967	25.3	*	*	*	1.1	7.7	28.4	56.9	94.0	124.6	116.0	145.6
1966	26.8	*	*	*	1.5	9.2	30.1	61.2	99.8	127.2	131.2	156.6
1965	27.0	*	*	*	1.2	10.8	30.8	63.2	102.7	122.8	125.4	153.1
1964	27.4	*	*	*	1.5	7.8	31.2	70.1	106.1	121.0	126.3	160.0
1963	28.1	*	*	*	*	11.2	33.7	67.3	117.4	116.3	117.2	142.9
1962	28.8	*	*	*	*	10.3	35.6	69.5	113.7	124.5	135.3	167.5
1961	29.9	*	*	*	*	9.9	34.3	77.3	116.6	134.4	128.9	170.0
1960	29.6	*	*	*	1.6	12.2	36.5	75.8	116.6	125.9	115.8	144.0

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of urinary organs (180,181)												
BOTH SEXES												
1967	7.4	*	0.7	0.3	0.1	0.2	1.4	5.8	16.8	39.1	67.5	93.2
1966	7.2	0.6	0.6	0.2	0.1	0.3	1.5	6.0	16.5	37.4	67.3	93.5
1965	7.2	*	0.7	0.3	0.1	0.3	1.4	5.8	17.1	37.7	65.2	90.1
1964	7.1	*	0.8	0.3	0.1	0.3	1.4	6.1	16.7	36.7	64.9	90.2
1963	7.2	*	0.7	0.3	0.1	0.3	1.3	6.3	17.0	38.3	66.1	95.6
1962	7.2	0.5	0.8	0.3	*	0.3	1.4	6.1	16.6	39.1	64.2	95.8
1961	7.1	*	1.0	0.3	0.1	0.3	1.5	6.0	17.1	37.9	65.4	93.2
1960	7.1	0.7	1.0	0.3	0.1	0.2	1.4	5.9	17.4	38.2	68.7	87.4
MALE												
1967	10.1	*	0.5	0.2	*	0.3	1.8	8.5	25.4	60.8	103.8	134.7
1966	9.9	*	0.5	0.2	0.1	0.3	1.9	8.5	24.9	57.7	103.8	150.6
1965	9.6	*	0.8	0.2	*	0.3	1.9	8.0	25.6	58.1	94.8	123.6
1964	9.6	*	0.8	0.2	*	0.4	1.7	8.6	24.4	57.3	96.9	132.6
1963	9.9	*	0.8	0.3	*	0.3	1.7	8.8	25.6	59.1	99.4	134.7
1962	9.7	*	0.7	0.3	*	0.3	1.8	8.7	24.4	59.3	93.4	135.8
1961	9.6	*	0.8	0.3	*	0.4	2.0	8.4	25.6	57.5	94.3	126.3
1960	9.7	*	1.0	0.3	*	0.3	2.0	8.3	25.9	57.2	98.6	120.4
FEMALE												
1967	4.9	*	0.8	0.3	*	0.2	0.9	3.3	9.0	21.9	42.2	69.9
1966	4.7	*	0.7	0.2	*	0.2	1.0	3.6	8.9	21.1	41.5	61.1
1965	4.9	*	0.7	0.3	0.2	0.2	1.0	3.7	9.3	21.2	43.9	70.6
1964	4.6	*	0.7	0.3	*	*	1.1	3.6	9.6	19.9	41.4	65.1
1963	4.7	*	0.6	0.3	*	0.2	0.9	3.8	9.0	21.1	41.4	71.9
1962	4.7	*	0.8	0.4	*	0.3	1.0	3.5	9.3	22.1	42.2	71.2
1961	4.7	*	1.2	0.3	*	0.3	1.0	3.5	9.2	21.2	43.3	72.1
1960	4.6	*	0.9	0.3	*	0.2	0.8	3.5	9.3	21.6	45.5	66.3

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of urinary organs (180,181)												
WHITE, BOTH SEXES												
1967	7.7	*	0.6	0.2	0.1	0.2	1.4	5.5	16.5	39.5	69.4	96.7
1966	7.6	*	0.6	0.2	0.1	0.3	1.4	5.8	16.4	38.0	69.0	96.7
1965	7.5	*	0.7	0.3	0.1	0.2	1.4	5.7	16.9	38.5	66.9	94.6
1964	7.4	*	0.7	0.3	0.1	0.3	1.3	5.8	16.4	37.7	67.1	94.6
1963	7.5	*	0.7	0.3	0.1	0.3	1.1	5.9	16.7	38.8	67.4	98.6
1962	7.4	0.6	0.8	0.3	*	0.3	1.3	5.7	16.1	39.3	65.9	98.1
1961	7.5	*	1.0	0.3	*	0.3	1.3	5.7	17.0	38.6	68.0	97.1
1960	7.5	0.7	1.0	0.3	0.1	0.2	1.3	5.5	17.2	38.9	71.3	91.1
WHITE, MALE												
1967	10.6	*	0.5	0.2	*	0.3	1.9	8.3	25.2	62.2	107.6	142.6
1966	10.4	*	0.5	0.2	*	0.3	1.9	8.3	25.0	59.2	107.8	156.6
1965	10.1	*	0.7	0.2	*	0.2	1.9	8.0	25.6	59.9	98.3	131.4
1964	10.1	*	0.8	0.2	*	0.4	1.7	8.3	24.4	59.2	101.5	141.1
1963	10.2	*	0.8	0.3	*	0.3	1.5	8.4	25.5	60.3	101.7	139.6
1962	10.0	*	0.8	0.3	*	0.3	1.7	8.4	24.4	60.2	96.6	141.0
1961	10.1	*	0.7	0.3	*	0.3	1.8	8.3	25.8	59.0	98.7	132.5
1960	10.2	*	1.0	0.3	*	0.3	1.9	8.0	26.2	58.8	103.2	126.9
WHITE, FEMALE												
1967	5.0	*	0.7	0.3	*	0.2	0.9	2.9	8.6	21.5	43.1	71.4
1966	4.9	*	0.7	0.3	*	0.2	1.0	3.4	8.5	21.1	41.8	63.2
1965	5.0	*	0.7	0.3	*	*	1.0	3.4	8.9	21.2	44.6	73.5
1964	4.8	*	0.7	0.3	*	*	1.0	3.5	9.1	20.1	42.2	67.3
1963	4.8	*	0.6	0.3	*	0.2	0.8	3.5	8.5	21.1	42.2	74.2
1962	4.8	*	0.8	0.4	*	0.2	0.9	3.2	8.5	21.8	42.9	72.1
1961	4.9	*	1.3	0.4	*	0.2	0.9	3.2	8.9	21.2	44.7	75.3
1960	4.8	*	0.9	0.3	*	*	0.7	3.0	8.8	21.6	46.7	68.5

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of urinary organs (180,181)												
ALL OTHER, BOTH SEXES												
1967	5.1	*	1.0	0.3	*	*	1.4	8.1	20.4	35.9	42.4	52.6
1966	4.6	*	*	*	*	*	1.6	7.4	17.8	31.0	44.9	56.2
1965	4.6	*	0.9	*	*	*	1.6	7.0	19.2	30.0	42.7	37.3
1964	4.6	*	0.8	0.4	*	*	2.2	8.1	19.8	26.7	35.5	35.9
1963	4.5	*	*	*	*	*	2.0	8.8	18.6	27.8	35.3	41.7
1962	4.8	*	0.9	0.5	*	*	2.4	9.7	18.7	30.5	34.5	38.6
1961	4.6	*	1.0	*	*	*	2.7	8.4	17.7	30.2	31.2	42.9
1960	4.7	*	0.9	*	*	*	2.3	9.2	18.8	29.8	33.7	43.3
ALL OTHER, MALE												
1967	6.4	*	*	*	*	*	1.6	10.3	27.7	47.6	58.2	56.4
1966	5.9	*	*	*	*	*	2.1	9.9	23.9	43.2	55.3	88.9
1965	5.8	*	*	*	*	*	2.3	8.4	25.9	40.4	52.8	*
1964	5.7	*	*	*	*	*	2.3	11.5	25.0	37.6	41.9	*
1963	5.8	*	*	*	*	*	2.9	11.6	23.3	39.4	46.1	*
1962	5.7	*	*	*	*	*	2.6	12.6	21.1	41.2	39.8	*
1961	5.9	*	*	*	*	*	3.7	10.1	23.7	41.5	40.3	*
1960	5.6	*	*	*	*	*	2.5	11.0	23.2	38.9	41.4	*
ALL OTHER, FEMALE												
1967	4.0	*	*	*	*	*	*	6.2	13.9	26.3	29.9	49.1
1966	3.4	*	*	*	*	*	*	5.2	12.2	20.8	36.7	*
1965	3.6	*	*	*	*	*	*	5.8	13.0	21.2	34.3	*
1964	3.5	*	*	*	*	*	2.1	5.0	15.0	17.3	30.2	*
1963	3.3	*	*	*	*	*	*	6.1	14.2	17.7	26.0	*
1962	3.9	*	*	*	*	*	2.2	6.9	16.5	21.1	29.9	*
1961	3.4	*	*	*	*	*	1.8	6.7	12.1	20.1	23.3	*
1960	3.7	*	*	*	*	*	2.1	7.4	14.7	21.4	26.9	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of other and unspecified sites (156B,165,190-199)												
BOTH SEXES												
1967	18.6	2.1	2.9	2.2	2.6	4.1	9.8	23.3	48.7	75.5	109.9	154.6
1966	17.9	2.1	2.9	2.2	2.8	3.9	9.6	23.0	46.6	72.3	104.5	160.1
1965	17.9	2.1	3.0	2.3	2.6	4.4	9.7	22.8	46.3	72.4	105.2	165.2
1964	17.2	2.1	3.2	2.2	2.6	4.4	9.4	22.4	44.6	67.5	101.9	157.3
1963	17.0	2.0	3.2	2.3	2.7	4.2	9.1	22.5	44.3	68.1	99.9	157.1
1962	16.6	2.2	3.0	2.2	2.8	4.2	9.0	21.9	42.8	64.9	99.7	154.6
1961	16.4	2.3	3.1	2.4	2.7	4.4	8.8	21.3	41.7	65.5	97.9	154.3
1960	16.5	2.2	3.2	2.3	2.7	4.3	9.2	21.5	42.4	64.6	101.5	158.9
MALE												
1967	20.6	2.1	3.2	2.4	3.2	4.8	10.9	26.7	58.8	93.4	131.1	172.8
1966	19.9	2.5	2.9	2.4	3.4	4.4	10.7	26.5	57.6	89.0	122.5	180.9
1965	19.8	2.0	2.9	2.5	3.3	5.0	10.8	26.1	56.2	88.6	124.5	194.5
1964	18.9	2.4	3.6	2.4	3.1	5.4	10.5	25.8	53.7	81.0	116.6	177.5
1963	18.7	2.4	3.3	2.4	3.1	4.9	10.2	26.2	52.9	81.0	113.4	177.5
1962	18.1	1.9	3.3	2.3	3.4	4.7	9.8	24.1	51.8	77.3	113.8	177.5
1961	17.7	2.4	3.4	2.4	3.1	5.0	9.5	24.1	48.4	75.9	110.6	171.8
1960	18.0	2.7	3.6	2.3	3.3	5.1	10.2	23.8	50.1	75.0	114.2	175.0
FEMALE												
1967	16.8	2.0	2.6	2.0	2.1	3.5	8.9	20.2	39.5	61.3	95.1	144.5
1966	16.0	1.7	2.9	2.1	2.2	3.4	8.5	19.7	36.5	58.9	91.7	148.5
1965	16.1	2.1	3.0	2.1	1.9	3.8	8.7	19.8	37.3	59.3	91.3	148.1
1964	15.5	1.7	2.8	2.1	2.1	3.5	8.4	19.1	36.3	56.5	91.1	145.3
1963	15.4	1.7	3.0	2.1	2.2	3.4	8.1	19.0	36.3	57.4	90.0	144.7
1962	15.1	2.5	2.7	2.2	2.2	3.8	8.3	19.9	34.4	54.4	89.1	140.5
1961	15.1	2.3	2.8	2.3	2.2	3.9	8.2	18.6	35.5	56.6	88.1	142.9
1960	15.0	1.6	2.9	2.3	2.1	3.6	8.2	19.2	35.1	55.6	91.6	148.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of other and unspecified sites (156B,165,190-199)												
WHITE, BOTH SEXES												
1967	19.2	2.0	3.0	2.2	2.8	4.2	9.8	23.1	47.9	75.1	111.0	159.8
1966	18.4	2.2	3.0	2.2	2.9	4.0	9.5	22.4	45.9	71.8	105.1	164.1
1965	18.5	2.3	3.1	2.4	2.6	4.5	9.6	22.5	45.5	72.9	107.0	168.5
1964	17.7	1.9	3.2	2.3	2.6	4.6	9.3	22.0	44.2	67.8	103.1	163.3
1963	17.5	2.1	3.2	2.3	2.7	4.2	9.2	22.0	43.9	67.9	102.1	163.6
1962	17.1	2.6	3.1	2.3	2.9	4.3	9.0	21.6	42.0	64.8	102.5	159.9
1961	16.9	2.7	3.2	2.4	2.7	4.6	8.9	21.0	41.2	65.6	99.2	157.7
1960	17.0	2.2	3.3	2.4	2.7	4.4	9.2	21.2	41.7	64.4	103.3	165.7
WHITE, MALE												
1967	21.2	2.1	3.3	2.4	3.3	5.0	10.8	26.5	58.1	93.2	133.5	180.9
1966	20.4	2.6	3.0	2.4	3.5	4.6	10.7	25.8	57.4	88.9	123.4	186.3
1965	20.5	2.2	3.1	2.5	3.3	5.2	10.7	25.8	55.6	89.7	127.3	200.8
1964	19.5	2.2	3.6	2.4	3.1	5.4	10.5	25.7	53.6	81.7	118.6	185.1
1963	19.3	2.4	3.4	2.5	3.2	5.0	10.4	25.9	52.9	80.8	115.9	184.5
1962	18.8	2.3	3.5	2.3	3.6	4.8	9.9	23.8	51.8	77.9	117.6	182.3
1961	18.4	2.7	3.6	2.5	3.2	5.2	9.7	23.9	48.7	76.7	112.4	176.0
1960	18.6	2.6	3.6	2.4	3.3	5.2	10.3	23.9	50.1	75.0	117.3	181.9
WHITE, FEMALE												
1967	17.3	2.0	2.7	2.1	2.2	3.5	8.9	19.8	38.6	60.8	95.5	148.2
1966	16.4	1.8	3.0	2.1	2.3	3.4	8.4	19.1	35.6	58.1	92.1	151.7
1965	16.5	2.4	3.2	2.2	1.9	3.9	8.4	19.4	36.3	59.2	92.6	150.1
1964	16.0	1.7	2.8	2.2	2.1	3.7	8.2	18.6	35.5	56.3	91.9	150.3
1963	15.8	1.8	3.0	2.1	2.2	3.4	8.0	18.2	35.6	57.2	92.0	151.2
1962	15.4	2.9	2.7	2.2	2.3	3.9	8.2	19.4	33.0	53.9	91.2	146.5
1961	15.4	2.7	2.7	2.3	2.3	4.0	8.1	18.2	34.2	56.2	89.1	146.6
1960	15.4	1.8	2.9	2.3	2.1	3.7	8.1	18.6	33.9	55.3	92.5	155.5

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Malignant neoplasm of other and unspecified sites (156B,165,190-199)												
ALL OTHER, BOTH SEXES												
1967	14.5	*	2.3	1.9	1.9	3.5	9.8	25.9	56.3	79.7	94.7	95.8
1966	14.6	*	2.1	2.2	2.1	3.3	10.2	28.5	52.8	77.3	96.5	113.5
1965	13.8	*	1.9	1.8	2.2	3.3	11.1	26.0	54.6	67.8	81.5	126.5
1964	13.2	*	3.2	1.9	2.3	3.5	10.0	25.5	49.4	65.3	85.9	83.3
1963	13.1	*	2.8	1.9	2.3	4.0	8.9	26.3	47.8	69.7	76.2	87.5
1962	12.8	*	2.1	2.1	2.4	3.5	8.8	25.4	49.6	64.8	72.2	88.6
1961	12.6	*	2.7	2.1	2.1	3.4	8.4	23.9	47.5	64.0	80.9	110.0
1960	12.8	*	3.1	1.9	2.7	3.7	9.0	24.0	49.2	67.2	76.9	78.2
ALL OTHER, MALE												
1967	16.1	*	2.7	2.3	2.3	3.2	11.1	28.6	65.8	95.7	101.1	92.3
1966	16.1	*	2.0	2.3	2.6	3.4	11.2	33.1	60.5	90.3	110.1	125.0
1965	14.9	*	2.0	2.0	2.6	3.7	11.4	29.1	62.7	76.8	90.9	132.4
1964	14.4	*	3.6	1.9	3.0	4.9	10.5	27.3	54.7	73.3	92.4	93.8
1963	14.3	*	2.9	1.9	2.5	4.8	9.0	29.4	52.1	81.1	87.3	103.4
1962	13.1	*	2.1	2.0	2.5	3.7	9.0	27.0	51.6	69.4	75.8	96.6
1961	12.7	*	2.5	1.7	2.9	3.5	7.7	25.5	46.2	67.3	89.3	130.0
1960	13.3	*	3.3	1.6	3.2	4.4	9.0	23.3	50.3	75.2	76.1	102.0
ALL OTHER, FEMALE												
1967	13.1	*	1.8	1.6	1.5	3.7	8.6	23.4	47.7	66.4	89.6	96.5
1966	13.1	*	2.2	2.0	1.6	3.2	9.4	24.3	45.8	66.6	86.0	105.7
1965	12.7	*	1.9	1.7	1.9	3.0	10.7	23.0	47.0	60.2	73.7	122.4
1964	12.2	*	2.8	1.8	1.7	2.3	9.5	23.9	44.4	58.2	80.5	77.8
1963	12.0	*	2.7	2.0	2.2	3.2	8.8	23.5	43.7	59.9	66.7	78.6
1962	12.4	*	2.1	2.3	2.3	3.4	8.8	23.9	47.7	61.1	69.0	85.0
1961	12.4	*	2.9	2.4	1.5	3.3	9.0	22.5	48.9	60.9	73.9	95.0
1960	12.4	*	2.8	2.2	2.2	3.1	9.0	24.6	48.2	59.9	77.6	59.6

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Leukemia and aleukemia (204)												
BOTH SEXES												
1967	7.3	2.2	4.0	3.2	2.1	2.0	3.1	5.9	12.2	27.5	50.0	67.5
1966	7.2	1.9	4.2	2.9	2.1	2.0	3.2	5.8	12.7	26.6	49.3	68.5
1965	7.0	2.2	4.3	2.9	2.0	2.0	3.0	5.7	12.6	26.8	48.9	60.4
1964	7.0	2.2	4.4	3.0	2.0	2.2	3.2	6.1	12.2	27.0	47.5	58.6
1963	7.2	2.6	5.2	3.2	2.0	2.2	3.2	5.8	12.8	27.1	47.2	57.8
1962	7.0	2.3	4.9	3.1	2.1	1.9	3.0	5.7	12.6	26.9	46.9	57.5
1961	7.0	2.6	5.1	3.3	2.1	2.2	3.2	5.9	12.4	26.4	45.8	55.9
1960	7.1	2.7	5.5	3.2	2.1	2.3	3.2	6.2	13.2	26.7	44.7	47.0
MALE												
1967	8.5	2.6	4.1	3.6	2.7	2.4	3.5	6.8	15.5	36.0	68.7	94.8
1966	8.4	1.5	4.6	3.5	2.6	2.4	3.6	6.7	16.1	35.4	65.0	97.1
1965	8.3	2.4	4.6	3.3	2.4	2.3	3.5	6.5	15.9	36.0	65.2	81.9
1964	8.3	2.3	4.9	3.3	2.3	2.6	3.5	6.9	15.2	35.9	64.4	79.3
1963	8.4	3.2	5.8	3.3	2.6	2.6	3.5	6.7	16.1	35.6	62.8	86.7
1962	8.2	2.1	5.2	3.4	2.6	2.2	3.4	6.8	15.4	35.6	61.7	76.2
1961	8.4	2.5	5.6	3.7	2.7	2.4	3.7	6.9	15.5	35.0	62.0	80.7
1960	8.3	2.8	6.3	3.7	2.6	2.9	3.7	7.2	16.1	34.0	56.5	64.9
FEMALE												
1967	6.0	1.8	3.9	2.7	1.5	1.6	2.8	5.0	9.1	20.7	36.9	52.2
1966	6.0	2.4	3.7	2.4	1.5	1.6	2.9	5.0	9.7	19.5	38.2	52.4
1965	5.9	2.0	4.0	2.6	1.6	1.7	2.5	4.9	9.5	19.3	37.2	47.8
1964	5.9	2.0	3.8	2.6	1.6	1.7	2.9	5.3	9.5	19.7	35.2	46.2
1963	5.9	2.0	4.6	3.0	1.4	1.9	3.0	5.0	9.6	19.9	35.6	40.4
1962	5.8	2.5	4.7	2.8	1.6	1.5	2.6	4.6	10.0	19.5	35.8	46.1
1961	5.7	2.7	4.5	2.8	1.6	2.0	2.7	5.0	9.5	19.1	33.5	40.2
1960	5.9	2.6	4.7	2.7	1.6	1.7	2.7	5.3	10.6	20.2	35.5	35.6

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Leukemia and aleukemia (204)												
WHITE, BOTH SEXES												
1967	7.7	2.2	4.4	3.4	2.1	1.9	3.2	5.8	12.3	28.2	51.5	71.4
1966	7.6	2.0	4.5	3.1	2.1	2.1	3.2	5.8	12.9	27.5	51.4	72.6
1965	7.4	2.2	4.7	3.2	2.0	2.0	3.0	5.8	12.7	27.7	50.9	63.3
1964	7.4	2.2	4.7	3.1	2.0	2.1	3.3	6.1	12.3	27.9	49.5	61.6
1963	7.5	2.7	5.5	3.3	2.0	2.2	3.1	5.8	12.8	27.8	49.4	60.6
1962	7.3	2.3	5.2	3.3	2.1	1.9	3.1	5.7	12.7	27.5	48.6	60.7
1961	7.4	2.7	5.5	3.5	2.2	2.2	3.1	6.0	12.5	27.3	47.9	58.3
1960	7.5	2.8	6.0	3.5	2.1	2.3	3.3	6.2	13.5	27.7	46.8	49.6
WHITE, MALE												
1967	9.0	2.5	4.5	3.9	2.7	2.3	3.6	6.7	15.6	37.0	71.2	100.0
1966	8.9	1.6	5.1	3.7	2.7	2.5	3.6	6.7	16.5	36.6	68.4	104.0
1965	8.7	2.3	5.0	3.5	2.3	2.3	3.5	6.6	16.2	37.2	67.9	86.0
1964	8.7	2.5	5.2	3.4	2.4	2.5	3.5	7.0	15.3	37.2	67.3	84.2
1963	8.8	3.5	6.2	3.5	2.5	2.5	3.3	6.7	16.2	36.8	65.6	91.1
1962	8.7	2.2	5.5	3.6	2.7	2.2	3.6	6.9	15.8	36.4	64.4	81.4
1961	8.9	2.5	6.2	4.0	2.7	2.4	3.6	7.1	15.7	36.1	65.0	84.5
1960	8.8	2.9	6.9	4.0	2.6	2.9	3.8	7.3	16.6	35.5	59.5	68.9
WHITE, FEMALE												
1967	6.4	2.0	4.2	2.9	1.5	1.6	2.9	4.9	9.3	21.2	37.9	55.7
1966	6.3	2.5	4.0	2.5	1.5	1.7	2.8	5.0	9.6	20.2	39.6	55.0
1965	6.2	2.2	4.4	2.8	1.7	1.7	2.5	4.9	9.5	20.0	38.8	50.4
1964	6.2	1.8	4.1	2.8	1.7	1.8	3.1	5.2	9.5	20.4	36.7	48.4
1963	6.2	2.0	4.8	3.2	1.5	1.9	3.0	4.9	9.6	20.4	37.5	42.5
1962	6.1	2.5	4.9	3.0	1.6	1.6	2.6	4.4	9.8	20.0	36.9	48.2
1961	6.0	2.9	4.9	2.9	1.7	2.1	2.6	4.9	9.5	19.9	34.9	42.1
1960	6.2	2.6	5.1	2.9	1.7	1.8	2.8	5.2	10.6	20.9	37.0	37.4

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Leukemia and aleukemia (204)												
ALL OTHER, BOTH SEXES												
1967	4.4	*	2.0	1.7	2.0	2.3	2.6	6.5	10.4	20.0	29.9	23.2
1966	4.1	*	2.3	1.7	1.7	1.5	3.6	5.6	11.0	17.7	20.9	*
1965	4.1	*	2.3	1.6	1.9	2.1	3.1	5.2	11.3	17.4	23.1	25.3
1964	4.2	*	2.8	2.1	1.4	2.2	2.6	5.9	11.6	17.4	21.2	*
1963	4.6	*	3.9	1.9	1.9	2.2	3.7	5.9	12.8	18.5	21.8	*
1962	4.2	*	3.2	2.2	1.6	1.9	2.4	5.8	11.3	17.8	22.0	*
1961	4.0	*	2.1	1.7	1.7	1.9	3.6	4.9	11.1	16.2	19.1	*
1960	3.9	*	2.5	1.8	1.7	2.2	2.9	5.8	11.1	15.0	16.4	*
ALL OTHER, MALE												
1967	5.4	*	1.8	2.0	2.7	2.8	2.8	7.9	14.2	25.7	38.6	*
1966	4.5	*	2.3	1.7	2.0	1.7	3.9	6.3	11.8	24.3	23.5	*
1965	5.1	*	2.6	2.0	2.6	2.5	3.9	5.7	12.7	23.8	33.0	*
1964	5.1	*	3.3	2.5	2.0	2.9	3.5	6.2	13.8	22.6	30.2	*
1963	5.4	*	3.9	1.9	2.9	2.7	4.1	6.1	15.4	24.1	29.7	*
1962	4.8	*	3.3	2.4	1.9	2.4	2.3	5.7	12.5	24.2	28.0	*
1961	4.7	*	2.3	1.6	2.5	2.3	4.1	4.4	13.3	23.7	26.4	*
1960	4.4	*	2.8	2.2	2.4	2.9	3.4	5.5	11.2	17.9	19.3	*
ALL OTHER, FEMALE												
1967	3.5	*	2.1	1.4	1.3	1.8	2.5	5.2	7.1	15.3	22.9	*
1966	3.7	*	2.3	1.7	1.4	*	3.4	5.0	10.3	12.2	19.0	*
1965	3.2	*	2.0	1.2	1.2	1.7	2.4	4.8	9.9	12.0	15.0	*
1964	3.4	*	2.2	1.7	*	1.6	1.8	5.6	9.5	12.8	13.7	*
1963	3.9	*	3.9	2.0	*	1.8	3.3	5.7	10.4	13.6	15.1	*
1962	3.7	*	3.1	1.9	1.3	1.5	2.5	5.9	10.2	12.2	16.8	*
1961	3.2	*	2.0	1.8	*	1.5	3.2	5.4	9.0	9.5	12.8	*
1960	3.4	*	2.2	1.4	*	1.5	2.4	6.0	11.0	12.4	13.7	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)												
BOTH SEXES												
1967	8.3	*	0.5	0.8	1.8	2.9	4.9	9.8	20.6	37.0	48.5	42.2
1966	8.1	*	0.5	0.8	1.7	3.1	4.9	10.4	19.6	35.1	46.3	38.3
1965	7.8	0.7	0.5	0.7	1.8	3.2	4.9	10.0	19.7	33.0	43.3	35.5
1964	7.7	0.5	0.6	0.8	2.0	3.1	5.3	9.7	19.6	32.6	40.5	36.3
1963	7.6	0.7	0.7	0.8	1.9	3.1	4.8	9.8	19.7	32.7	40.5	37.0
1962	7.4	0.7	0.6	0.8	1.8	3.0	4.7	9.7	18.8	32.4	38.3	29.7
1961	7.4	0.9	0.7	0.9	1.8	3.1	4.6	9.4	19.8	32.7	36.3	27.5
1960	7.2	0.7	0.7	0.7	1.8	3.1	4.8	9.3	19.2	30.7	36.8	31.3
MALE												
1967	9.6	*	0.6	1.1	2.4	3.7	6.2	11.6	25.2	44.1	60.1	58.2
1966	9.4	*	0.6	1.1	2.1	3.9	6.3	12.9	24.1	42.6	56.1	52.6
1965	9.1	*	0.6	1.0	2.4	4.0	6.4	12.2	23.6	40.6	53.0	43.0
1964	8.9	*	0.7	1.1	2.4	3.9	6.7	11.9	23.5	38.4	48.1	46.3
1963	8.9	*	0.9	1.2	2.2	4.0	6.1	11.7	23.7	40.5	47.8	46.4
1962	8.6	*	0.8	1.2	2.2	4.0	5.9	12.0	22.6	39.0	45.3	38.2
1961	8.7	0.9	0.9	1.3	2.3	3.9	5.8	11.5	23.7	39.8	45.0	33.0
1960	8.6	*	0.9	0.9	2.4	4.0	5.9	11.6	23.1	37.9	43.9	40.9
FEMALE												
1967	7.2	*	0.4	0.5	1.3	2.1	3.7	8.0	16.5	31.4	40.5	33.3
1966	6.9	*	0.4	0.5	1.4	2.3	3.6	8.0	15.6	29.2	39.4	30.2
1965	6.6	*	0.4	0.4	1.3	2.3	3.6	7.8	16.1	26.8	36.3	31.1
1964	6.6	*	0.5	0.4	1.5	2.3	4.0	7.7	16.1	27.9	34.9	30.3
1963	6.4	*	0.5	0.4	1.5	2.2	3.5	8.0	16.1	26.3	35.1	31.3
1962	6.2	*	0.4	0.5	1.3	2.1	3.6	7.6	15.4	26.9	33.0	24.5
1961	6.1	*	0.6	0.4	1.4	2.3	3.4	7.5	16.1	26.6	29.7	24.0
1960	5.9	*	0.4	0.4	1.2	2.3	3.7	7.1	15.7	24.5	31.4	25.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)												
WHITE, BOTH SEXES												
1967	8.7	*	0.5	0.8	1.9	2.9	4.9	9.7	20.6	38.0	49.8	42.9
1966	8.5	*	0.5	0.8	1.8	3.2	5.1	10.5	19.9	35.8	47.6	39.3
1965	8.1	0.7	0.6	0.7	1.9	3.3	5.0	9.8	19.8	33.8	44.5	36.7
1964	8.1	*	0.6	0.8	2.1	3.2	5.4	9.8	19.6	33.4	41.8	37.3
1963	7.9	0.7	0.6	0.8	1.9	3.2	4.8	9.6	19.7	33.3	41.7	38.3
1962	7.7	0.7	0.6	0.8	1.8	3.1	4.7	9.5	18.9	32.9	39.7	30.7
1961	7.7	0.8	0.7	0.9	1.9	3.2	4.6	9.3	19.7	33.5	37.5	28.3
1960	7.6	0.7	0.7	0.7	1.9	3.3	4.7	9.3	19.6	31.7	37.8	32.5
WHITE, MALE												
1967	9.9	*	0.6	1.1	2.5	3.7	6.1	11.5	25.2	45.0	61.8	59.2
1966	9.8	*	0.6	1.1	2.2	4.0	6.5	13.1	24.3	42.8	57.7	53.4
1965	9.4	*	0.7	1.1	2.5	4.2	6.4	12.0	23.8	41.5	54.3	45.7
1964	9.2	*	0.8	1.1	2.5	4.0	6.8	11.9	23.4	38.8	49.8	47.3
1963	9.1	*	0.8	1.2	2.4	4.1	6.1	11.5	23.3	40.5	49.1	49.1
1962	8.9	*	0.8	1.2	2.2	4.1	5.9	11.5	22.7	39.5	47.2	39.8
1961	9.0	*	0.9	1.4	2.4	4.0	5.7	11.3	23.3	40.4	46.5	34.8
1960	9.0	*	1.0	1.0	2.6	4.2	5.9	11.6	23.3	39.0	45.1	42.6
WHITE, FEMALE												
1967	7.6	*	0.4	0.5	1.4	2.2	3.7	8.1	16.4	32.4	41.5	33.9
1966	7.2	*	*	0.5	1.4	2.3	3.7	8.0	15.8	30.2	40.6	31.4
1965	6.9	*	0.4	0.4	1.3	2.5	3.6	7.7	16.1	27.6	37.5	31.5
1964	7.0	*	0.5	0.4	1.6	2.5	4.0	7.8	16.1	29.0	36.1	31.4
1963	6.8	*	0.5	0.4	1.5	2.3	3.5	7.8	16.3	27.3	36.3	31.9
1962	6.5	*	0.4	0.4	1.3	2.1	3.6	7.5	15.5	27.3	34.1	25.2
1961	6.4	*	0.6	0.4	1.4	2.4	3.5	7.3	16.3	27.7	30.7	24.3
1960	6.2	*	0.4	0.4	1.3	2.4	3.6	7.0	16.1	25.4	32.3	26.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)												
ALL OTHER, BOTH SEXES												
1967	5.6	*	*	0.8	1.3	2.3	5.1	10.0	21.0	27.2	32.3	34.7
1966	5.1	*	*	0.6	1.2	2.9	3.8	9.2	17.1	28.3	28.7	27.0
1965	5.1	*	*	0.6	1.4	2.0	4.5	11.0	18.9	24.0	27.8	*
1964	5.1	*	*	0.8	1.3	2.4	5.0	9.2	20.4	24.1	22.5	*
1963	5.3	*	*	0.7	1.2	2.2	4.6	10.6	20.6	26.2	24.6	*
1962	5.2	*	*	0.8	1.5	2.4	4.6	11.2	18.2	25.3	22.9	*
1961	5.2	*	*	0.7	1.5	1.9	4.6	10.6	20.7	23.8	20.6	*
1960	4.5	*	*	0.5	1.1	2.2	5.0	9.7	15.9	19.6	23.0	*
ALL OTHER, MALE												
1967	7.0	*	*	1.2	1.7	3.2	6.7	12.7	25.4	35.4	40.2	*
1966	6.3	*	*	0.8	1.2	3.5	4.7	10.8	21.8	40.3	35.8	*
1965	6.2	*	*	0.7	1.5	2.8	6.0	13.7	21.9	31.2	38.1	*
1964	6.5	*	*	1.1	1.7	3.7	6.3	11.3	25.1	34.0	27.3	*
1963	7.1	*	*	1.0	1.3	3.1	6.5	12.3	27.8	40.1	34.5	*
1962	6.5	*	*	1.1	1.9	3.6	5.8	15.1	21.3	32.5	27.3	*
1961	6.7	*	*	1.0	2.1	2.4	6.1	12.9	27.5	34.1	26.4	*
1960	5.5	*	*	*	1.5	2.6	5.9	11.3	20.8	25.4	28.7	*
ALL OTHER, FEMALE												
1967	4.4	*	*	*	*	1.5	3.7	7.5	17.0	20.4	26.0	*
1966	4.0	*	*	*	1.1	2.4	3.1	7.7	12.8	18.2	23.1	*
1965	4.1	*	*	*	1.2	1.4	3.1	8.5	16.2	18.0	19.2	*
1964	3.8	*	*	*	*	*	3.8	7.3	15.9	15.5	18.5	*
1963	3.7	*	*	*	1.2	1.5	2.9	9.0	13.8	14.2	16.1	*
1962	4.0	*	*	*	*	1.4	3.5	7.6	15.4	19.1	19.0	*
1961	3.7	*	*	*	*	1.5	3.2	8.5	14.1	14.5	15.6	*
1960	3.5	*	*	*	*	2.0	4.1	8.2	11.1	14.4	17.9	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Benign neoplasms and neoplasms of unspecified nature (210-239)												
BOTH SEXES												
1967	2.5	2.8	0.7	0.6	0.5	0.9	1.8	3.7	5.6	8.2	11.8	22.2
1966	2.5	2.4	0.6	0.5	0.6	1.0	1.8	3.4	5.7	8.6	12.1	21.7
1965	2.6	2.8	0.7	0.6	0.7	1.0	2.0	3.8	5.9	8.2	12.3	20.2
1964	2.6	2.4	0.6	0.6	0.6	1.0	2.0	3.8	5.9	8.1	12.3	20.7
1963	2.6	3.1	0.6	0.6	0.7	1.0	2.2	3.8	5.8	7.9	12.0	19.9
1962	2.5	3.0	0.6	0.6	0.6	1.1	2.3	3.7	5.5	7.5	10.8	17.6
1961	2.6	3.0	0.7	0.6	0.7	1.3	2.3	3.9	5.8	7.5	10.7	17.9
1960	2.7	3.4	0.6	0.7	0.7	1.2	2.5	4.1	6.0	7.9	11.1	21.2
MALE												
1967	2.5	3.0	0.8	0.5	0.5	0.9	1.5	3.6	6.1	10.3	13.2	23.2
1966	2.4	2.3	0.6	0.5	0.6	0.8	1.4	2.8	6.0	10.1	14.3	22.0
1965	2.5	2.4	0.8	0.6	0.7	0.8	1.6	3.2	6.6	9.5	13.8	20.4
1964	2.5	2.5	0.8	0.7	0.6	0.8	1.7	3.1	6.4	9.0	13.2	20.9
1963	2.5	3.6	0.6	0.6	0.8	1.0	1.5	3.0	6.2	9.0	13.4	20.2
1962	2.3	2.8	0.5	0.7	0.6	0.9	1.7	3.0	5.9	8.3	12.2	15.8
1961	2.4	3.5	0.6	0.6	0.7	1.0	1.5	3.2	6.1	7.9	11.4	16.1
1960	2.5	3.3	0.6	0.7	0.7	0.8	2.0	3.8	6.2	8.5	11.1	17.7
FEMALE												
1967	2.5	2.6	0.6	0.6	0.5	1.0	2.1	3.8	5.2	6.6	10.8	21.6
1966	2.6	2.5	0.6	0.5	0.6	1.2	2.2	4.1	5.4	7.3	10.6	21.6
1965	2.7	3.2	0.6	0.5	0.6	1.1	2.4	4.2	5.3	7.2	11.3	20.2
1964	2.7	2.3	0.5	0.5	0.6	1.1	2.3	4.5	5.4	7.3	11.6	20.5
1963	2.7	2.6	0.5	0.5	0.7	1.1	2.8	4.6	5.5	7.0	11.0	19.8
1962	2.7	3.2	0.7	0.6	0.7	1.4	2.9	4.3	5.1	6.7	9.7	18.8
1961	2.8	2.4	0.9	0.6	0.7	1.5	3.1	4.5	5.5	7.1	10.2	19.1
1960	2.9	3.5	0.7	0.6	0.8	1.5	3.1	4.5	5.9	7.4	11.1	23.5

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Benign neoplasms and neoplasms of unspecified nature (210-239)												
WHITE, BOTH SEXES												
1967	2.5	2.7	0.7	0.5	0.5	0.9	1.6	3.3	5.4	8.0	11.7	22.3
1966	2.5	2.4	0.6	0.4	0.6	1.0	1.6	3.1	5.4	8.3	12.3	22.5
1965	2.6	2.8	0.7	0.6	0.7	0.9	1.8	3.4	5.7	7.9	12.4	20.7
1964	2.5	2.4	0.7	0.6	0.5	0.9	1.7	3.5	5.6	7.9	12.0	21.6
1963	2.5	3.2	0.5	0.5	0.7	0.9	1.8	3.5	5.6	7.8	12.0	20.3
1962	2.4	3.2	0.6	0.6	0.6	1.0	2.0	3.3	5.2	7.3	10.8	18.2
1961	2.5	3.1	0.7	0.6	0.7	1.1	1.9	3.6	5.5	7.5	10.8	18.1
1960	2.6	3.4	0.6	0.6	0.7	1.0	2.2	3.8	5.7	7.8	11.2	21.7
WHITE, MALE												
1967	2.5	3.0	0.8	0.5	0.5	0.8	1.4	3.3	6.0	10.2	13.1	23.5
1966	2.4	2.5	0.6	0.4	0.6	0.9	1.4	2.6	5.8	10.0	14.5	22.3
1965	2.5	2.2	0.7	0.6	0.7	0.8	1.5	3.0	6.4	9.3	14.3	20.9
1964	2.5	2.5	0.9	0.7	0.5	0.8	1.6	3.0	6.2	8.9	13.4	22.0
1963	2.5	3.6	0.5	0.6	0.7	0.9	1.5	2.8	6.2	9.1	13.6	20.8
1962	2.3	2.9	0.4	0.6	0.6	0.8	1.7	2.9	5.8	8.1	12.4	16.2
1961	2.3	3.7	0.5	0.5	0.7	0.9	1.4	3.1	6.1	7.9	11.6	16.4
1960	2.5	3.3	0.6	0.7	0.6	0.8	1.9	3.6	6.0	8.5	11.4	18.1
WHITE, FEMALE												
1967	2.4	2.5	0.6	0.5	0.5	0.9	1.8	3.3	4.8	6.3	10.7	21.6
1966	2.5	2.4	0.5	0.4	0.5	1.1	1.8	3.6	5.1	6.9	10.7	22.7
1965	2.6	3.3	0.6	0.5	0.6	1.0	2.1	3.8	5.0	6.8	11.1	20.6
1964	2.5	2.4	0.5	0.5	0.5	1.0	1.9	4.0	5.1	7.1	11.0	21.4
1963	2.6	2.7	0.5	0.5	0.6	0.9	2.1	4.1	5.1	6.7	10.8	20.0
1962	2.6	3.5	0.8	0.5	0.7	1.2	2.3	3.8	4.7	6.7	9.6	19.5
1961	2.7	2.5	0.9	0.6	0.7	1.2	2.4	4.1	5.0	7.1	10.2	19.2
1960	2.7	3.5	0.6	0.5	0.7	1.2	2.5	4.0	5.4	7.1	11.0	23.9

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Benign neoplasms and neoplasms of unspecified nature (210-239)												
ALL OTHER, BOTH SEXES												
1967	3.0	*	*	0.9	0.7	1.5	3.1	7.2	7.9	10.7	13.5	21.1
1966	2.8	*	*	0.6	0.8	1.2	3.6	6.4	8.0	11.3	10.0	*
1965	3.0	*	0.9	0.6	0.8	1.5	3.8	6.7	8.5	11.1	11.1	*
1964	3.1	*	*	0.5	0.9	1.7	4.7	6.7	8.8	10.1	15.4	*
1963	3.2	*	*	0.7	1.0	1.9	5.1	6.5	8.1	9.6	13.2	*
1962	3.1	*	*	0.9	*	2.1	5.1	6.9	8.9	9.5	9.9	*
1961	3.3	*	0.8	0.9	0.9	2.5	5.8	6.5	8.5	8.1	9.7	*
1960	3.5	*	0.9	0.9	1.1	2.5	5.4	7.5	9.7	9.2	10.1	*
ALL OTHER, MALE												
1967	2.7	*	*	0.9	*	*	1.8	6.4	7.5	11.3	14.1	*
1966	2.3	*	*	*	*	*	2.0	4.3	7.8	11.1	11.2	*
1965	2.7	*	*	*	*	*	2.7	5.1	8.9	11.5	*	*
1964	2.6	*	*	*	*	*	3.3	4.2	9.1	10.7	*	*
1963	2.4	*	*	*	*	*	2.2	4.6	5.8	8.3	13.9	*
1962	2.5	*	*	1.0	*	*	2.6	4.2	7.8	11.1	*	*
1961	2.4	*	*	0.8	*	1.8	2.4	4.8	6.6	8.1	*	*
1960	2.6	*	*	1.0	*	*	3.0	5.5	8.3	8.0	*	*
ALL OTHER, FEMALE												
1967	3.3	*	*	1.0	*	1.6	4.2	7.9	8.2	10.1	13.0	*
1966	3.3	*	*	*	1.0	1.5	5.0	8.2	8.2	11.5	9.0	*
1965	3.4	*	*	*	*	1.8	4.9	8.2	8.1	10.8	13.6	*
1964	3.6	*	*	*	*	2.1	5.9	8.9	8.6	9.5	19.5	*
1963	3.9	*	*	0.8	*	2.4	7.6	8.3	10.3	10.7	12.5	*
1962	3.8	*	*	*	*	2.8	7.3	9.4	10.0	8.1	*	*
1961	4.1	*	*	1.0	*	3.1	8.9	8.2	10.4	8.1	*	*
1960	4.4	*	*	*	1.3	3.6	7.5	9.3	11.1	10.4	11.9	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Asthma (241)												
BOTH SEXES												
1967	2.1	*	0.3	0.2	0.4	0.7	1.4	2.8	5.4	8.3	11.0	12.1
1966	2.2	*	0.2	0.3	0.4	0.7	1.3	2.9	5.8	9.3	11.8	12.0
1965	2.3	*	0.3	0.2	0.4	0.7	1.4	3.0	6.1	9.7	13.1	14.5
1964	2.3	*	0.3	0.2	0.4	0.6	1.4	3.1	5.9	9.8	13.7	13.9
1963	2.7	0.6	0.4	0.2	0.4	0.7	1.4	3.3	7.4	12.0	15.6	15.8
1962	2.6	0.5	0.3	0.2	0.4	0.7	1.5	3.4	6.7	11.9	15.2	16.4
1961	2.7	1.0	0.4	0.2	0.4	0.8	1.4	3.3	7.0	11.9	16.8	18.7
1960	3.0	0.6	0.4	0.2	0.4	0.7	1.8	3.7	7.8	13.8	18.9	18.2
MALE												
1967	2.4	*	*	0.2	0.3	0.5	1.1	2.6	6.8	11.6	17.6	16.0
1966	2.6	*	0.3	0.3	0.3	0.5	1.0	2.9	7.5	14.1	18.6	17.8
1965	2.8	*	*	0.3	0.3	0.5	1.2	3.1	7.7	15.0	20.1	22.9
1964	2.8	*	0.4	0.2	0.4	0.5	1.1	3.2	7.8	14.7	20.9	18.1
1963	3.4	*	0.4	0.3	0.3	0.5	1.0	3.6	10.3	19.1	24.9	23.3
1962	3.4	*	0.4	0.3	0.3	0.6	1.3	3.8	9.7	18.9	24.2	25.4
1961	3.5	0.9	0.4	0.2	0.2	0.6	1.2	3.7	10.1	18.6	26.7	26.3
1960	3.9	*	0.4	0.2	0.3	0.5	1.5	4.4	11.5	22.3	28.6	24.0
FEMALE												
1967	1.8	*	0.4	0.2	0.4	0.8	1.7	3.0	4.0	5.6	6.3	9.9
1966	1.8	*	*	0.2	0.5	0.9	1.6	2.9	4.3	5.5	7.0	8.6
1965	1.9	*	0.4	0.2	0.5	0.9	1.5	2.9	4.6	5.3	8.0	9.6
1964	1.9	*	0.3	0.2	0.4	0.7	1.7	3.1	4.1	5.7	8.5	11.5
1963	2.0	*	0.4	0.2	0.5	1.0	1.7	2.9	4.8	6.1	8.6	11.2
1962	1.9	*	0.3	0.2	0.6	0.9	1.6	3.1	4.0	5.9	8.4	10.9
1961	1.9	1.0	0.3	0.1	0.5	1.0	1.6	2.9	4.1	6.2	9.2	13.9
1960	2.1	*	0.3	0.2	0.5	0.9	2.1	3.1	4.4	6.4	11.5	14.5

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Asthma (241)												
WHITE, BOTH SEXES												
1967	2.0	*	0.2	0.2	0.3	0.4	1.1	2.4	4.9	8.1	10.9	12.0
1966	2.1	*	0.2	0.2	0.3	0.5	1.0	2.5	5.4	9.3	12.1	12.2
1965	2.2	*	0.2	0.2	0.3	0.5	1.0	2.6	5.7	9.8	13.3	14.4
1964	2.2	*	0.2	0.2	0.3	0.4	1.1	2.8	5.4	9.8	13.9	14.3
1963	2.6	*	0.3	0.2	0.3	0.5	1.0	2.9	7.2	12.1	16.0	16.4
1962	2.6	*	0.2	0.2	0.3	0.4	1.1	3.0	6.5	12.4	16.0	17.2
1961	2.6	0.7	0.2	0.1	0.2	0.5	1.1	3.0	6.6	12.0	17.3	18.5
1960	2.9	*	0.2	0.1	0.3	0.5	1.4	3.4	7.6	13.9	19.3	18.5
WHITE, MALE												
1967	2.3	*	*	0.2	0.3	0.3	0.8	2.3	6.3	11.5	17.6	16.5
1966	2.5	*	*	0.2	0.1	0.3	0.7	2.4	6.9	14.1	19.0	18.2
1965	2.7	*	*	0.2	0.2	0.3	0.8	2.5	7.2	15.2	20.7	23.1
1964	2.7	*	*	0.2	0.3	0.3	0.8	2.8	7.2	14.7	21.6	19.2
1963	3.4	*	0.3	0.2	0.2	0.3	0.7	3.3	10.1	19.4	25.7	25.0
1962	3.4	*	*	0.3	0.2	0.3	0.9	3.4	9.5	19.8	25.6	27.2
1961	3.4	*	0.3	0.2	*	0.4	0.9	3.3	9.7	18.8	27.7	25.7
1960	3.9	*	*	0.1	*	0.3	1.1	4.1	11.3	22.7	29.5	25.1
WHITE, FEMALE												
1967	1.7	*	0.3	0.2	0.3	0.6	1.4	2.6	3.6	5.5	6.3	9.5
1966	1.7	*	*	0.2	0.4	0.7	1.2	2.5	4.1	5.5	7.2	8.9
1965	1.8	*	0.3	0.2	0.4	0.6	1.2	2.6	4.4	5.4	8.1	9.4
1964	1.8	*	*	0.2	0.4	0.5	1.3	2.8	3.7	5.9	8.3	11.5
1963	1.8	*	*	0.2	0.3	0.7	1.3	2.5	4.5	6.1	8.8	11.3
1962	1.8	*	*	0.1	0.4	0.5	1.3	2.7	3.8	6.1	8.8	11.1
1961	1.8	*	*	*	0.3	0.6	1.2	2.6	3.7	6.2	9.5	14.0
1960	2.0	*	*	0.1	0.4	0.6	1.6	2.8	4.1	6.3	11.6	14.4

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Asthma (241)												
ALL OTHER, BOTH SEXES												
1967	3.1	*	*	0.5	1.1	2.2	4.0	6.2	9.9	9.6	11.3	*
1966	3.1	*	*	0.7	1.3	2.1	4.1	7.0	9.4	9.5	8.0	*
1965	3.3	*	0.9	0.5	1.4	2.6	4.6	7.1	9.9	8.6	10.0	*
1964	3.1	*	1.0	0.4	1.0	2.2	4.5	6.4	10.8	9.4	11.4	*
1963	3.5	*	1.1	0.6	1.3	2.6	4.1	7.3	10.4	12.3	13.2	*
1962	3.3	*	0.9	0.5	1.4	3.1	4.6	7.1	9.5	9.4	7.5	*
1961	3.4	*	1.1	0.5	1.4	2.9	4.3	6.3	10.6	10.6	10.0	*
1960	3.6	*	1.0	0.6	1.2	2.8	5.2	6.6	10.2	12.7	13.5	*
ALL OTHER, MALE												
1967	3.3	*	*	0.7	*	1.8	3.9	5.9	11.9	13.2	17.4	*
1966	3.6	*	*	0.8	1.2	2.0	3.5	7.6	12.9	14.2	13.4	*
1965	3.8	*	*	*	1.2	2.2	5.0	8.5	13.1	12.8	13.6	*
1964	3.7	*	*	*	*	2.1	4.0	7.3	13.8	15.4	12.8	*
1963	3.9	*	*	*	1.4	1.8	3.3	7.2	13.0	18.7	20.6	*
1962	3.7	*	*	*	*	2.3	4.8	8.2	12.5	13.4	*	*
1961	3.9	*	*	*	*	2.7	3.9	7.5	13.3	16.2	14.5	*
1960	3.9	*	*	*	*	2.3	4.4	7.3	13.7	18.4	17.3	*
ALL OTHER, FEMALE												
1967	2.9	*	*	*	1.3	2.6	4.0	6.6	8.1	6.6	*	*
1966	2.6	*	*	*	1.4	2.1	4.6	6.5	6.1	5.5	*	*
1965	2.7	*	*	*	1.6	2.9	4.2	5.8	6.8	5.1	*	*
1964	2.6	*	*	*	*	2.3	4.9	5.5	8.0	4.2	10.2	*
1963	3.2	*	*	*	1.3	3.2	4.8	7.4	8.0	6.8	*	*
1962	2.9	*	*	*	1.9	3.7	4.5	6.0	6.7	5.9	*	*
1961	2.9	*	*	*	1.7	3.1	4.7	5.0	8.1	5.6	*	*
1960	3.3	*	*	*	1.3	3.2	6.0	6.0	6.8	7.5	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 260 Diabetes												
BOTH SEXES												
1967	17.8	*	0.1	0.2	0.7	2.5	4.7	12.4	35.9	91.1	173.5	232.4
1966	17.7	*	0.2	0.3	0.7	2.5	5.0	12.2	35.4	92.3	175.3	233.6
1965	17.1	0.5	0.2	0.3	0.7	2.6	4.7	12.0	35.9	89.5	169.7	218.6
1964	16.9	0.6	0.2	0.3	0.7	2.6	4.8	12.1	37.1	88.6	164.3	203.9
1963	17.2	*	0.2	0.3	0.9	2.6	5.0	12.2	37.4	92.8	168.1	206.4
1962	16.8	0.6	0.2	0.3	0.8	2.4	4.6	11.7	36.9	92.5	161.6	206.9
1961	16.4	*	0.2	0.3	0.7	2.7	4.7	11.3	35.9	90.6	163.6	184.5
1960	16.7	*	0.3	0.4	0.9	2.3	4.5	12.1	37.9	93.4	163.7	181.7
MALE												
1967	15.0	*	*	0.2	0.6	2.9	5.7	12.6	34.3	81.4	155.7	226.1
1966	14.8	*	*	0.3	0.6	3.0	5.6	12.4	32.3	81.7	156.7	232.3
1965	14.3	*	*	0.2	0.6	3.0	5.4	12.5	32.5	78.1	150.8	215.3
1964	14.1	*	0.2	0.2	0.7	3.1	5.6	12.3	33.7	75.0	147.4	192.2
1963	14.2	*	*	0.2	0.7	3.0	5.5	11.9	33.2	78.6	147.6	209.3
1962	14.1	*	*	0.3	0.7	2.7	5.8	11.5	32.8	77.9	143.1	214.7
1961	13.5	*	*	0.2	0.7	3.0	5.5	11.2	31.2	74.2	139.8	171.8
1960	13.8	*	0.3	0.3	0.8	2.7	5.1	12.1	31.9	76.1	144.6	170.6
FEMALE												
1967	20.4	*	*	0.3	0.8	2.2	3.9	12.3	37.3	98.7	185.9	235.9
1966	20.4	*	*	0.3	0.8	2.1	4.3	11.9	38.2	100.8	188.5	234.7
1965	19.8	*	*	0.4	0.7	2.2	4.1	11.6	39.0	98.7	183.4	220.5
1964	19.6	*	0.3	0.4	0.8	2.1	4.1	12.0	40.2	99.8	176.7	210.9
1963	20.1	*	*	0.4	1.1	2.2	4.4	12.4	41.2	104.6	183.4	204.3
1962	19.4	*	*	0.3	0.9	2.2	3.4	11.9	40.7	104.8	175.6	202.1
1961	19.3	*	*	0.4	0.8	2.5	4.0	11.4	40.2	104.7	181.9	192.2
1960	19.6	*	0.3	0.5	1.0	2.0	4.0	12.1	43.7	108.4	178.5	188.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 260 Diabetes												
WHITE, BOTH SEXES												
1967	17.3	*	*	0.3	0.6	2.3	4.0	10.2	31.1	86.1	173.3	239.0
1966	17.2	*	0.2	0.3	0.6	2.3	4.0	9.7	30.7	87.6	175.3	237.8
1965	16.7	*	0.2	0.3	0.6	2.5	3.9	9.7	31.1	85.4	170.5	221.9
1964	16.5	*	0.3	0.3	0.7	2.5	4.1	9.7	31.8	85.4	164.8	206.3
1963	16.7	*	0.2	0.3	0.8	2.4	4.1	10.0	32.3	88.5	167.8	208.0
1962	16.4	*	0.2	0.3	0.7	2.4	3.9	9.4	32.2	88.9	161.6	210.2
1961	16.2	*	0.2	0.3	0.7	2.5	4.0	9.3	31.7	88.0	165.6	188.6
1960	16.4	*	0.3	0.4	0.8	2.2	3.8	9.8	33.5	91.3	165.4	184.8
WHITE, MALE												
1967	15.0	*	*	0.2	0.5	2.6	5.1	11.1	32.4	78.6	157.7	236.4
1966	14.8	*	*	0.3	0.6	2.8	4.9	11.2	29.9	79.9	158.1	237.0
1965	14.2	*	*	0.2	0.5	2.9	4.8	11.1	30.0	76.0	152.6	220.9
1964	14.0	*	*	0.2	0.6	3.0	5.0	11.0	31.2	73.6	148.4	198.6
1963	14.2	*	*	0.2	0.6	2.8	5.0	10.9	30.9	76.3	149.3	209.2
1962	14.1	*	*	0.3	0.6	2.6	5.4	10.6	30.4	76.2	144.7	223.4
1961	13.5	*	*	0.2	0.7	2.9	5.0	10.4	29.6	72.4	143.7	176.9
1960	13.7	*	*	0.2	0.7	2.6	4.7	10.9	29.5	75.1	146.9	174.7
WHITE, FEMALE												
1967	19.6	*	*	0.3	0.7	1.9	2.9	9.2	30.0	92.1	184.1	240.3
1966	19.6	*	*	0.3	0.7	1.9	3.2	8.3	31.3	93.8	187.3	238.3
1965	19.1	*	*	0.4	0.6	2.0	3.1	8.4	32.1	93.0	183.4	222.5
1964	18.8	*	*	0.4	0.7	1.9	3.2	8.4	32.4	95.0	176.6	210.5
1963	19.2	*	*	0.4	0.9	2.0	3.2	9.0	33.5	98.6	181.5	207.3
1962	18.6	*	*	0.4	0.8	2.1	2.5	8.2	33.9	99.5	174.2	202.6
1961	18.8	*	*	0.4	0.6	2.1	3.1	8.2	33.6	101.4	182.1	196.2
1960	19.1	*	*	0.5	0.9	1.8	2.9	8.7	37.2	105.4	179.6	191.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 260 Diabetes												
ALL OTHER, BOTH SEXES												
1967	20.8	*	*	*	1.2	4.3	10.7	33.1	82.2	140.6	175.9	156.8
1966	21.1	*	*	*	1.4	3.9	12.4	34.5	81.8	140.4	175.3	184.3
1965	20.2	*	*	0.4	1.4	3.7	10.9	33.2	83.5	131.7	159.4	180.7
1964	20.2	*	*	*	1.3	3.5	10.8	34.3	89.6	123.5	158.9	174.4
1963	19.8	*	*	*	1.6	4.2	12.2	32.7	85.8	125.5	147.6	163.9
1962	18.9	*	*	*	1.4	3.0	10.4	33.8	79.7	120.3	149.3	160.0
1961	18.2	*	*	*	1.3	4.2	10.7	30.0	78.2	120.0	137.1	132.9
1960	18.8	*	*	0.4	1.7	3.4	11.1	33.0	83.4	117.0	140.2	143.8
ALL OTHER, MALE												
1967	15.1	*	*	*	1.2	4.7	10.4	26.1	52.7	109.1	131.5	123.1
1966	15.1	*	*	*	1.1	4.4	11.3	24.1	55.7	100.4	139.1	183.3
1965	15.0	*	*	*	1.5	3.7	10.5	25.6	57.1	99.4	129.5	161.8
1964	14.7	*	*	*	1.7	3.6	10.6	24.5	59.2	89.5	134.9	121.9
1963	14.0	*	*	*	*	4.6	10.1	21.4	53.5	94.4	113.9	186.2
1962	13.8	*	*	*	1.3	3.7	10.0	20.6	54.2	89.2	124.2	144.8
1961	12.8	*	*	*	*	3.3	10.8	19.1	47.1	94.4	91.8	120.0
1960	13.9	*	*	*	2.0	3.5	9.1	23.2	55.8	86.8	116.1	127.5
ALL OTHER, FEMALE												
1967	26.1	*	*	*	1.2	4.0	10.9	39.4	109.0	167.1	211.3	177.2
1966	26.7	*	*	*	1.7	3.4	13.3	43.9	106.0	174.2	205.4	184.9
1965	25.0	*	*	*	1.4	3.6	11.2	40.1	108.0	159.0	184.0	193.9
1964	25.3	*	*	*	*	3.4	11.0	43.4	118.1	152.0	179.0	215.6
1963	25.3	*	*	*	2.1	3.8	14.1	43.2	116.3	152.3	176.6	152.4
1962	23.7	*	*	*	1.5	2.4	10.8	46.1	104.1	148.3	171.2	175.0
1961	23.3	*	*	*	1.7	4.9	10.7	40.2	108.4	142.7	177.8	142.5
1960	23.4	*	*	*	1.5	3.3	12.9	42.4	110.1	144.7	161.7	156.4

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Anemias (290-293)												
BOTH SEXES												
1967	1.8	2.5	0.9	0.4	0.6	0.5	0.7	0.9	2.4	5.9	15.7	32.2
1966	1.8	2.3	0.8	0.4	0.4	0.5	0.6	1.1	2.3	6.0	16.3	36.2
1965	1.8	2.8	1.1	0.4	0.5	0.5	0.7	1.0	2.5	6.1	16.4	37.1
1964	1.8	2.3	1.0	0.4	0.5	0.5	0.5	1.0	2.4	6.5	16.7	40.7
1963	1.8	3.0	1.1	0.4	0.5	0.4	0.5	1.0	2.2	6.6	16.6	39.7
1962	1.8	2.6	1.1	0.5	0.5	0.4	0.6	1.1	2.4	6.2	17.5	36.7
1961	1.8	2.6	1.2	0.5	0.5	0.5	0.5	0.9	2.2	6.5	16.7	36.0
1960	1.9	2.7	1.2	0.5	0.6	0.6	0.5	1.0	2.5	6.5	17.6	35.1
MALE												
1967	1.8	2.8	0.8	0.3	0.6	0.4	0.7	0.9	2.8	7.0	18.9	38.7
1966	1.7	1.8	0.8	0.4	0.5	0.5	0.6	1.0	2.6	7.2	18.7	36.9
1965	1.8	3.0	1.0	0.3	0.6	0.6	0.6	0.9	2.6	7.1	20.3	40.5
1964	1.8	2.5	1.0	0.4	0.5	0.5	0.4	1.0	2.7	7.0	18.3	48.8
1963	1.8	2.9	1.2	0.3	0.6	0.4	0.5	0.8	2.3	7.7	17.6	43.0
1962	1.8	2.7	1.0	0.5	0.6	0.3	0.6	1.1	2.4	7.0	19.3	36.4
1961	1.8	2.5	1.2	0.4	0.4	0.5	0.5	0.9	2.4	7.5	18.8	39.4
1960	1.8	3.2	1.1	0.4	0.6	0.5	0.4	0.8	2.7	7.6	18.2	34.0
FEMALE												
1967	1.7	2.1	1.0	0.4	0.5	0.5	0.7	0.9	2.1	5.0	13.4	28.6
1966	1.8	2.8	0.8	0.4	0.4	0.5	0.6	1.1	2.0	5.1	14.6	35.8
1965	1.8	2.5	1.2	0.5	0.5	0.5	0.7	1.1	2.4	5.3	13.5	35.1
1964	1.9	2.0	1.1	0.4	0.6	0.6	0.6	1.1	2.0	6.0	15.5	35.8
1963	1.9	3.1	0.9	0.5	0.5	0.4	0.5	1.2	2.1	5.6	15.8	37.6
1962	1.9	2.4	1.1	0.5	0.5	0.5	0.6	1.1	2.4	5.5	16.2	36.8
1961	1.8	2.7	1.2	0.6	0.6	0.6	0.6	0.9	2.0	5.6	15.2	33.8
1960	1.9	2.2	1.4	0.6	0.5	0.8	0.6	1.1	2.2	5.6	17.1	35.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
<b>Anemias (290-293)</b>												
<b>WHITE, BOTH SEXES</b>												
1967	1.6	1.1	0.4	0.2	0.3	0.2	0.5	0.7	2.3	5.9	15.6	33.9
1966	1.6	1.4	0.3	0.3	0.3	0.2	0.4	0.9	2.1	5.9	16.7	37.6
1965	1.7	1.9	0.6	0.3	0.3	0.2	0.4	0.8	2.2	6.1	16.7	39.1
1964	1.7	1.4	0.5	0.3	0.3	0.3	0.3	0.8	2.1	6.3	17.0	42.3
1963	1.6	1.5	0.5	0.3	0.3	0.2	0.3	0.8	2.0	6.3	17.1	41.3
1962	1.7	1.4	0.6	0.4	0.3	0.2	0.4	0.9	2.3	6.2	17.8	38.4
1961	1.7	1.5	0.7	0.4	0.2	0.3	0.3	0.8	2.0	6.5	17.2	37.0
1960	1.7	1.5	0.8	0.4	0.4	0.3	0.3	0.8	2.3	6.4	18.3	36.4
<b>WHITE, MALE</b>												
1967	1.6	*	*	0.2	0.3	*	0.5	0.7	2.7	7.1	19.1	41.6
1966	1.6	*	0.3	0.3	0.3	*	0.3	0.8	2.4	6.9	19.3	39.1
1965	1.7	1.7	0.5	0.2	0.3	0.2	0.3	0.7	2.4	7.2	20.8	43.8
1964	1.6	1.5	0.5	0.3	0.3	0.2	0.2	0.8	2.5	6.8	18.5	50.7
1963	1.6	1.2	0.6	0.2	0.3	*	0.4	0.7	2.1	7.5	18.1	44.3
1962	1.7	1.6	0.5	0.3	0.4	*	0.4	0.9	2.4	7.2	19.6	38.6
1961	1.6	1.5	0.6	0.3	0.2	*	0.3	0.8	2.2	7.5	19.3	40.1
1960	1.6	1.7	0.6	0.2	0.4	0.2	0.2	0.7	2.7	7.7	19.0	35.7
<b>WHITE, FEMALE</b>												
1967	1.6	*	0.5	0.2	0.3	0.2	0.5	0.8	2.0	4.9	13.2	29.7
1966	1.6	1.5	0.4	0.3	0.2	0.2	0.4	1.0	1.7	5.0	14.8	36.8
1965	1.7	2.1	0.7	0.3	0.3	0.2	0.4	0.8	2.1	5.2	13.8	36.4
1964	1.7	1.2	0.6	0.3	0.3	0.3	0.4	0.8	1.8	5.9	16.0	37.3
1963	1.7	1.9	0.4	0.4	0.3	*	0.3	0.9	1.8	5.4	16.3	39.5
1962	1.7	1.3	0.8	0.4	0.3	0.3	0.4	0.9	2.2	5.3	16.4	38.3
1961	1.7	1.5	0.8	0.5	0.3	0.4	0.4	0.8	1.8	5.7	15.6	35.2
1960	1.8	1.3	0.9	0.5	0.4	0.4	0.5	0.9	2.0	5.3	17.7	36.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Anemias (290-293)												
ALL OTHER, BOTH SEXES												
1967	2.9	9.7	3.6	1.2	2.4	2.7	2.2	2.2	3.6	5.7	17.3	*
1966	2.9	7.1	3.5	1.0	1.7	2.6	2.8	2.7	4.7	7.8	11.7	*
1965	3.1	7.8	4.0	1.2	2.1	2.7	3.1	3.0	4.9	5.8	11.8	*
1964	3.0	7.1	4.1	1.1	2.2	2.5	2.4	2.9	4.5	8.1	12.5	*
1963	3.1	11.3	4.3	1.3	2.1	2.2	2.0	2.6	4.5	7.8	11.5	*
1962	2.7	9.0	3.8	1.0	2.0	1.9	2.2	2.6	3.6	6.5	11.3	*
1961	2.9	8.6	4.3	0.9	2.3	2.6	2.3	2.2	3.8	5.5	11.2	*
1960	2.9	9.5	3.9	1.2	2.0	3.2	1.9	2.5	3.7	7.4	7.6	*
ALL OTHER, MALE												
1967	3.1	13.0	3.7	0.9	2.7	2.9	2.5	2.7	3.7	6.3	17.4	*
1966	2.9	*	3.6	0.9	1.6	2.5	3.5	2.7	4.3	9.7	11.7	*
1965	3.1	10.5	3.9	1.2	2.4	3.2	2.9	2.6	4.4	5.9	14.2	*
1964	3.1	7.9	4.1	1.2	1.9	2.4	2.2	2.7	5.0	8.5	15.7	*
1963	3.2	12.8	5.1	1.1	2.3	2.2	2.1	*	4.0	8.8	12.1	*
1962	2.7	9.0	4.4	1.1	1.9	1.7	2.3	2.4	*	5.5	13.7	*
1961	2.9	8.0	5.1	1.0	1.7	2.7	1.9	*	4.0	7.4	12.6	*
1960	2.9	12.1	4.0	1.3	2.2	2.7	1.8	*	3.4	6.5	*	*
ALL OTHER, FEMALE												
1967	2.8	*	3.4	1.5	2.1	2.6	2.0	1.9	3.5	5.2	17.3	*
1966	2.9	9.6	3.4	1.1	1.7	2.7	2.2	2.7	5.0	6.2	11.8	*
1965	3.0	*	4.1	1.3	1.9	2.2	3.3	3.3	5.4	5.8	9.9	*
1964	3.0	*	4.1	0.9	2.5	2.5	2.5	3.1	4.1	7.7	9.8	*
1963	3.0	9.8	3.5	1.5	1.9	2.3	1.9	3.3	5.1	7.0	10.9	*
1962	2.8	9.0	3.2	0.9	2.0	2.1	2.2	2.8	4.8	7.3	*	*
1961	2.8	9.2	3.4	0.8	2.8	2.5	2.7	2.5	3.6	*	*	*
1960	3.0	6.8	3.8	1.1	1.8	3.6	1.9	3.1	3.9	8.2	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Meningitis, except meningococcal and tuberculous (340)												
BOTH SEXES												
1967	1.0	19.7	2.1	0.3	0.2	0.2	0.4	0.7	1.3	1.6	1.9	2.5
1966	1.2	22.6	2.2	0.3	0.2	0.3	0.5	0.8	1.2	1.7	2.6	3.0
1965	1.2	22.4	2.7	0.3	0.2	0.3	0.4	0.8	1.1	1.7	2.2	3.2
1964	1.3	24.1	2.7	0.3	0.2	0.3	0.4	0.8	1.2	1.7	1.9	2.6
1963	1.2	21.6	2.8	0.4	0.2	0.3	0.5	0.7	1.2	1.5	2.2	2.6
1962	1.2	22.2	2.4	0.4	0.2	0.3	0.4	0.9	1.1	1.6	1.5	2.2
1961	1.2	21.0	2.6	0.4	0.2	0.3	0.4	0.7	1.0	1.6	2.0	*
1960	1.3	21.2	2.8	0.4	0.2	0.3	0.4	0.8	1.1	1.5	2.0	2.3
MALE												
1967	1.2	23.2	2.4	0.3	0.2	0.2	0.6	0.9	1.7	2.0	2.0	*
1966	1.4	25.2	2.3	0.4	0.2	0.3	0.7	1.0	1.6	2.0	2.7	*
1965	1.4	24.4	2.9	0.3	0.2	0.4	0.5	1.0	1.4	2.0	2.4	*
1964	1.5	27.2	3.0	0.4	0.3	0.3	0.6	1.1	1.6	2.0	2.1	*
1963	1.5	23.7	3.3	0.4	0.3	0.3	0.6	0.9	1.4	1.8	2.5	*
1962	1.4	24.6	2.7	0.4	0.3	0.3	0.5	1.0	1.4	1.9	1.7	*
1961	1.5	23.9	3.0	0.5	0.3	0.4	0.4	0.9	1.2	2.0	2.3	*
1960	1.5	25.1	3.3	0.5	0.3	0.4	0.5	1.0	1.3	1.5	2.4	*
FEMALE												
1967	0.8	16.1	1.7	0.3	0.2	*	0.3	0.5	1.0	1.3	1.8	*
1966	1.0	19.9	2.1	0.3	0.2	0.3	0.3	0.7	0.9	1.5	2.5	*
1965	1.1	20.3	2.5	0.3	0.2	0.2	0.3	0.6	0.9	1.4	2.1	*
1964	1.1	21.0	2.4	0.3	0.2	0.2	0.3	0.6	0.9	1.5	1.7	*
1963	1.0	19.4	2.3	0.3	*	0.3	0.4	0.4	0.9	1.2	2.0	*
1962	1.1	19.8	2.1	0.4	0.2	0.2	0.3	0.7	0.9	1.5	1.4	*
1961	1.0	18.0	2.2	0.4	0.2	0.2	0.3	0.4	0.8	1.3	1.9	*
1960	1.1	17.2	2.2	0.3	0.2	0.2	0.3	0.7	0.8	1.5	1.6	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Meningitis, except meningococcal and tuberculous (340)												
WHITE, BOTH SEXES												
1967	0.8	15.6	1.8	0.3	0.2	0.1	0.3	0.5	1.0	1.3	1.7	2.4
1966	0.9	17.0	1.8	0.3	0.2	0.2	0.4	0.7	0.9	1.4	2.3	2.5
1965	1.0	16.9	2.2	0.3	0.2	0.2	0.3	0.5	0.9	1.4	2.0	3.1
1964	1.0	17.8	2.3	0.3	0.2	0.2	0.3	0.6	0.9	1.4	1.7	2.6
1963	1.0	17.5	2.3	0.3	0.1	0.2	0.3	0.5	1.0	1.2	1.9	2.6
1962	1.0	16.4	2.1	0.3	0.2	0.2	0.3	0.7	0.9	1.4	1.4	2.3
1961	1.0	15.7	2.3	0.4	0.2	0.2	0.3	0.5	0.7	1.4	2.1	*
1960	1.0	16.3	2.3	0.4	0.2	0.2	0.3	0.6	0.8	1.3	1.8	*
WHITE, MALE												
1967	1.0	17.9	2.0	0.3	0.2	*	0.4	0.7	1.4	1.6	2.0	*
1966	1.1	18.9	2.0	0.3	0.2	0.2	0.5	0.8	1.2	1.7	2.3	*
1965	1.1	19.2	2.6	0.3	0.2	0.3	0.3	0.6	1.1	1.8	2.2	*
1964	1.2	20.5	2.6	0.3	0.2	0.2	0.4	0.8	1.1	1.6	2.0	*
1963	1.2	19.9	2.6	0.4	0.2	0.3	0.4	0.8	1.2	1.6	2.2	*
1962	1.1	18.2	2.2	0.3	0.2	0.3	0.4	0.8	1.2	1.5	1.6	*
1961	1.2	18.1	2.8	0.4	0.2	0.2	0.3	0.7	0.8	1.8	2.4	*
1960	1.2	19.7	2.8	0.4	0.2	0.3	0.4	0.8	1.0	1.3	2.1	*
WHITE, FEMALE												
1967	0.7	13.3	1.5	0.3	0.1	*	*	0.3	0.7	1.0	1.6	*
1966	0.8	15.0	1.5	0.2	0.2	*	0.2	0.6	0.6	1.3	2.3	*
1965	0.8	14.5	1.9	0.3	0.2	*	0.2	0.4	0.7	1.1	1.9	*
1964	0.8	15.0	2.0	0.3	0.2	*	0.2	0.4	0.7	1.2	1.5	*
1963	0.8	15.0	1.9	0.3	*	*	0.2	0.3	0.8	0.9	1.6	*
1962	0.8	14.5	1.9	0.4	*	*	0.2	0.5	0.6	1.3	1.2	*
1961	0.8	13.3	1.9	0.3	*	*	0.2	0.4	0.7	1.0	1.8	*
1960	0.8	12.7	1.7	0.3	*	*	0.2	0.5	0.6	1.3	1.6	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Meningitis, except meningococcal and tuberculous (340)												
ALL OTHER, BOTH SEXES												
1967	2.6	41.7	3.7	0.5	0.5	*	1.7	2.4	3.9	4.8	*	*
1966	3.1	51.8	4.6	0.7	0.5	0.9	1.6	2.3	4.3	4.6	6.7	*
1965	3.2	52.2	5.3	0.5	0.6	1.0	1.5	3.1	3.5	4.2	*	*
1964	3.4	59.4	5.1	0.4	0.6	0.8	1.4	3.1	4.1	4.8	*	*
1963	3.1	45.4	5.8	0.7	0.7	*	1.7	1.7	3.2	4.0	5.9	*
1962	3.3	55.6	4.3	0.8	*	*	1.2	2.5	3.6	4.5	*	*
1961	3.2	50.8	4.2	0.8	*	0.9	1.4	1.9	3.2	3.8	*	*
1960	3.5	49.2	5.6	0.7	0.7	0.9	1.5	2.6	3.7	4.2	*	*
ALL OTHER, MALE												
1967	3.2	52.4	4.7	*	*	*	2.2	2.9	4.5	5.5	*	*
1966	3.6	58.6	4.2	0.8	*	*	2.2	3.1	4.7	5.6	*	*
1965	3.5	52.7	4.9	*	*	1.8	1.7	4.5	4.4	4.2	*	*
1964	4.0	65.2	5.2	*	*	*	1.8	3.7	5.7	5.8	*	*
1963	3.4	46.5	6.9	*	*	*	2.2	*	4.1	4.5	*	*
1962	3.9	61.3	5.5	1.1	*	*	*	2.7	3.3	5.5	*	*
1961	3.6	57.9	4.5	0.9	*	*	*	2.6	4.1	*	*	*
1960	4.0	56.2	5.8	0.9	*	*	1.9	3.3	4.5	*	*	*
ALL OTHER, FEMALE												
1967	2.0	31.0	2.7	*	*	*	*	2.0	3.5	4.2	*	*
1966	2.8	44.8	5.0	0.7	*	*	*	*	4.0	3.8	*	*
1965	2.9	51.5	5.6	*	*	*	*	1.8	2.7	4.2	*	*
1964	3.0	53.7	5.0	*	*	*	*	2.5	2.7	4.0	*	*
1963	2.8	44.4	4.7	*	*	*	*	*	*	*	*	*
1962	2.8	49.8	3.2	*	*	*	*	2.3	3.8	*	*	*
1961	2.7	43.9	3.9	*	*	*	*	*	*	*	*	*
1960	2.9	42.2	5.5	*	*	*	*	2.0	2.8	4.4	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Major cardiovascular-renal diseases (300-334,400-468,592-594)												
BOTH SEXES												
1967	512.5	16.3	2.0	2.0	6.4	22.2	97.9	320.3	855.0	2,172.3	5,543.1	14,489.7
1966	522.1	15.7	2.3	2.1	7.0	23.8	98.4	327.3	880.8	2,239.4	5,750.9	15,022.7
1965	517.1	15.8	2.5	2.1	7.1	24.4	99.0	330.3	883.2	2,217.0	5,772.9	15,164.4
1964	514.9	14.6	2.8	2.1	7.6	24.3	100.2	332.6	898.4	2,241.3	5,770.2	15,074.3
1963	527.8	13.1	2.4	2.3	7.6	25.3	101.1	338.6	918.1	2,321.5	5,998.7	15,735.7
1962	521.5	11.9	2.3	2.4	7.6	25.0	100.2	339.1	912.4	2,310.8	5,956.8	15,520.1
1961	511.6	12.2	2.3	2.3	8.3	25.3	98.6	337.2	909.2	2,292.0	5,893.6	14,894.7
1960	521.8	12.2	2.5	2.7	8.4	25.8	100.8	344.9	943.8	2,373.7	6,123.8	14,945.1
MALE												
1967	575.5	18.2	2.3	2.0	6.5	25.3	136.5	474.7	1,242.4	2,903.5	6,542.4	15,425.6
1966	586.0	16.9	2.5	2.2	7.4	27.5	137.8	484.4	1,277.2	2,972.7	6,728.4	15,904.4
1965	581.7	18.0	2.6	2.0	7.3	28.4	138.8	486.2	1,267.0	2,935.9	6,738.3	16,060.8
1964	579.0	16.0	2.9	1.9	7.9	28.4	140.9	485.1	1,275.3	2,943.6	6,676.3	15,762.5
1963	595.0	14.2	2.5	2.4	7.8	30.0	140.7	495.5	1,292.4	3,034.1	6,922.3	16,570.8
1962	587.6	13.5	2.4	2.3	8.1	29.4	140.0	495.7	1,276.3	2,988.7	6,798.5	16,266.6
1961	578.9	13.6	2.4	2.2	9.2	30.2	138.8	489.9	1,270.6	2,943.6	6,707.8	15,479.6
1960	591.7	14.5	2.8	2.8	9.0	30.3	140.6	501.8	1,306.8	3,030.6	6,921.2	15,491.2
FEMALE												
1967	452.6	14.4	1.7	1.9	6.3	19.2	61.5	175.0	503.3	1,590.9	4,847.3	13,965.1
1966	461.0	14.5	2.1	2.0	6.6	20.4	61.1	178.7	519.3	1,651.1	5,060.5	14,541.4
1965	455.1	13.4	2.5	2.2	6.8	20.5	61.3	182.2	531.5	1,634.6	5,077.9	14,642.8
1964	453.2	13.2	2.6	2.2	7.3	20.3	61.6	187.1	551.5	1,665.8	5,106.4	14,666.5
1963	462.9	11.9	2.3	2.2	7.3	20.8	63.5	188.2	571.9	1,730.1	5,312.4	15,208.5
1962	457.6	10.4	2.1	2.5	7.2	20.8	62.3	188.3	574.3	1,739.8	5,322.0	15,060.9
1961	446.5	10.7	2.2	2.3	7.5	20.6	60.3	189.6	572.0	1,734.9	5,272.5	14,501.0
1960	453.9	9.7	2.1	2.5	7.9	21.4	62.9	192.6	603.4	1,802.3	5,505.0	14,596.2

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Major cardiovascular-renal diseases (300-334,400-468,592-594)												
WHITE, BOTH SEXES												
1967	524.3	14.1	1.7	1.7	5.3	16.4	82.1	291.5	807.5	2,119.4	5,598.1	14,926.2
1966	532.5	12.5	1.8	1.9	5.8	18.1	82.3	297.8	827.3	2,180.1	5,797.6	15,437.5
1965	527.0	13.3	2.0	1.8	5.9	18.8	83.0	299.6	825.8	2,162.6	5,825.7	15,593.6
1964	524.3	12.0	2.3	1.8	6.5	18.8	84.5	301.0	835.4	2,190.9	5,830.1	15,473.4
1963	534.7	11.3	1.8	2.0	6.3	19.7	85.1	304.7	851.6	2,251.8	6,032.4	16,067.0
1962	528.4	10.0	2.0	2.1	6.4	19.7	84.3	306.1	845.8	2,242.2	6,004.9	15,811.2
1961	520.4	10.4	1.9	2.0	7.2	20.1	83.9	306.0	847.7	2,238.2	5,967.5	15,240.0
1960	530.3	10.3	1.9	2.3	7.2	20.5	86.0	312.5	879.5	2,318.0	6,196.1	15,376.6
WHITE, MALE												
1967	590.3	16.1	1.9	1.7	5.6	19.8	121.5	450.6	1,211.0	2,879.5	6,635.2	15,976.5
1966	599.2	13.4	2.0	2.0	6.4	21.6	122.4	459.3	1,238.9	2,940.7	6,814.0	16,383.9
1965	594.8	15.1	2.1	1.7	6.3	22.9	123.4	460.3	1,228.1	2,905.1	6,835.7	16,593.1
1964	592.0	13.1	2.4	1.6	7.2	23.6	126.4	459.9	1,230.6	2,917.3	6,780.1	16,216.3
1963	605.8	12.6	2.0	2.2	6.7	24.8	126.6	467.8	1,247.3	2,984.2	6,999.8	16,967.3
1962	598.6	11.2	2.1	2.0	7.1	24.5	125.8	468.9	1,231.3	2,943.4	6,889.1	16,632.3
1961	592.0	11.2	2.0	1.9	8.2	25.6	126.0	467.5	1,233.1	2,910.0	6,828.1	15,920.2
1960	604.4	12.8	2.2	2.5	8.0	25.9	128.4	478.5	1,263.5	2,998.0	7,029.2	15,977.8
WHITE, FEMALE												
1967	461.2	11.9	1.5	1.7	5.1	13.2	44.3	140.8	441.5	1,518.0	4,883.0	14,348.9
1966	468.4	11.6	1.7	1.8	5.3	14.6	43.9	144.3	452.2	1,573.6	5,083.0	14,907.5
1965	461.7	11.5	1.9	1.9	5.6	14.7	44.1	146.3	458.0	1,562.8	5,108.1	15,022.2
1964	458.9	10.9	2.1	1.9	5.7	14.1	44.2	148.6	472.3	1,597.8	5,141.4	15,014.1
1963	465.9	10.0	1.7	1.9	5.9	14.8	45.3	147.8	486.6	1,645.1	5,322.0	15,531.7
1962	460.2	8.8	1.8	2.2	5.6	15.0	44.5	148.9	488.5	1,652.9	5,343.8	15,339.6
1961	450.8	9.5	1.9	2.1	6.2	14.8	43.5	149.5	489.0	1,666.1	5,315.9	14,845.6
1960	458.1	7.7	1.6	2.1	6.5	15.3	45.3	150.9	520.4	1,728.9	5,556.3	14,998.9

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Major cardiovascular-renal diseases (300-334,400-468,592-594)												
ALL OTHER, BOTH SEXES												
1967	427.1	28.5	3.7	3.3	14.0	62.9	221.7	581.8	1,318.9	2,705.0	4,828.4	9,476.8
1966	446.4	32.7	5.1	3.5	14.9	64.7	226.4	595.1	1,408.7	2,841.2	5,141.1	10,179.8
1965	443.8	29.0	5.4	3.9	14.9	64.2	229.1	610.6	1,452.2	2,781.3	5,080.5	10,186.7
1964	445.1	29.2	5.5	3.9	15.7	64.0	229.4	622.1	1,526.9	2,774.5	4,983.6	10,152.6
1963	462.7	23.9	5.5	3.8	16.8	64.2	230.6	635.3	1,558.4	2,963.5	5,268.9	11,041.7
1962	456.6	23.8	4.2	4.4	16.3	63.5	232.2	632.1	1,546.9	2,937.9	5,108.7	11,048.6
1961	444.0	22.4	4.5	4.0	16.5	63.8	223.3	623.8	1,527.7	2,902.7	4,912.1	10,484.3
1960	455.8	23.0	5.8	5.1	17.0	65.4	227.7	643.9	1,597.2	3,024.8	5,141.1	9,779.9
ALL OTHER, MALE												
1967	466.0	29.4	4.2	3.4	13.2	66.7	260.5	699.2	1,552.3	3,139.5	5,397.8	9,959.0
1966	487.7	35.8	5.5	3.5	14.4	71.6	267.6	717.9	1,652.8	3,298.4	5,658.1	10,936.1
1965	483.3	34.0	5.2	3.6	15.0	69.9	269.6	729.3	1,651.7	3,241.6	5,565.9	10,850.0
1964	480.6	32.5	5.9	3.9	12.6	65.6	265.4	720.6	1,716.2	3,201.5	5,420.9	10,728.1
1963	501.7	24.6	6.0	3.7	16.7	68.4	257.5	736.0	1,715.7	3,445.7	5,763.0	12,375.9
1962	492.7	28.0	4.4	4.3	14.0	65.6	263.1	733.7	1,685.6	3,359.9	5,505.6	12,075.9
1961	476.2	27.7	5.0	4.1	16.2	66.5	251.9	698.3	1,642.7	3,316.0	5,235.8	10,973.3
1960	491.7	24.8	6.8	4.9	16.6	65.8	248.2	719.1	1,738.5	3,400.7	5,571.1	10,356.8
ALL OTHER, FEMALE												
1967	391.1	27.6	3.2	3.1	14.7	59.7	188.3	476.7	1,108.3	2,347.6	4,374.9	8,980.7
1966	408.0	29.5	4.6	3.4	15.3	58.8	191.0	483.6	1,185.3	2,463.7	4,745.7	9,666.0
1965	406.9	23.9	5.6	4.2	14.9	59.4	193.9	502.7	1,266.8	2,392.6	4,679.3	9,726.5
1964	411.8	26.0	5.1	4.0	18.6	62.6	197.9	532.3	1,349.1	2,399.6	4,616.6	9,968.9
1963	426.1	23.2	5.1	3.8	16.9	60.5	207.1	541.5	1,409.6	2,546.9	4,844.3	10,383.3
1962	422.6	19.6	4.1	4.4	18.4	61.7	204.8	537.3	1,414.5	2,578.3	4,761.4	10,580.0
1961	413.7	17.2	3.9	4.0	16.7	61.4	197.7	553.0	1,421.5	2,528.0	4,653.3	10,117.5
1960	421.7	21.1	4.9	5.2	17.4	65.2	209.3	572.4	1,460.5	2,681.1	4,756.5	9,330.6

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Diseases of cardiovascular system (330-334,400-468)												
BOTH SEXES												
1967	507.5	15.7	1.8	1.6	5.3	20.4	94.5	314.4	845.4	2,155.2	5,508.4	14,403.7
1966	516.8	14.9	2.2	1.7	5.6	21.6	94.9	321.3	870.9	2,221.4	5,712.8	14,930.8
1965	511.7	14.9	2.3	1.7	5.7	22.1	95.6	323.9	872.9	2,198.8	5,732.7	15,063.5
1964	509.1	14.0	2.5	1.7	6.1	21.9	96.5	326.1	887.4	2,222.3	5,725.8	14,965.8
1963	521.8	12.5	2.1	1.8	6.1	22.7	97.4	331.7	906.8	2,301.1	5,954.1	15,625.1
1962	515.4	10.8	2.1	1.9	6.1	22.3	96.1	332.5	901.4	2,290.0	5,908.3	15,401.7
1961	505.3	11.6	2.2	1.8	6.6	22.4	94.6	330.4	897.5	2,270.6	5,843.2	14,770.1
1960	515.1	11.6	2.2	2.2	6.7	22.9	96.6	337.6	931.7	2,349.8	6,070.4	14,813.1
MALE												
1967	569.7	17.4	2.1	1.7	5.2	23.1	132.4	467.6	1,230.2	2,882.4	6,496.4	15,312.4
1966	579.9	16.1	2.4	1.8	5.7	24.7	133.7	477.1	1,264.9	2,949.7	6,680.9	15,779.5
1965	575.5	17.2	2.3	1.7	5.7	25.6	134.6	478.1	1,255.0	2,913.2	6,687.3	15,927.9
1964	572.5	15.2	2.7	1.5	6.2	25.7	136.5	477.2	1,261.9	2,920.5	6,620.4	15,624.8
1963	588.3	13.8	2.3	2.0	6.2	26.7	136.4	487.2	1,278.7	3,009.6	6,866.1	16,427.9
1962	580.6	12.2	2.1	1.9	6.2	26.2	135.2	487.8	1,263.0	2,962.7	6,740.6	16,109.6
1961	571.7	13.1	2.2	1.8	7.1	26.7	134.1	481.7	1,256.9	2,917.8	6,646.5	15,333.0
1960	584.2	13.9	2.5	2.3	6.9	26.8	135.5	493.3	1,292.5	3,002.8	6,856.9	15,329.5
FEMALE												
1967	448.3	13.9	1.6	1.6	5.3	17.7	58.6	170.1	496.0	1,576.9	4,820.4	13,894.3
1966	456.5	13.7	2.1	1.6	5.6	18.5	58.2	173.9	511.5	1,637.2	5,029.0	14,468.1
1965	450.3	12.6	2.2	1.7	5.7	18.7	58.5	177.4	522.8	1,620.1	5,045.5	14,560.5
1964	448.1	12.8	2.3	1.8	6.1	18.2	58.5	181.9	542.6	1,650.2	5,070.3	14,575.2
1963	457.7	11.3	2.0	1.7	6.0	18.8	60.4	182.6	562.8	1,713.1	5,276.4	15,117.5
1962	452.3	9.3	2.0	2.0	6.0	18.5	59.0	183.0	565.3	1,723.5	5,280.6	14,966.3
1961	440.9	10.1	2.1	1.9	6.1	18.4	57.1	184.1	562.2	1,717.2	5,230.5	14,390.5
1960	448.0	9.3	1.9	2.1	6.6	19.2	59.5	186.4	593.3	1,781.7	5,460.2	14,483.2

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Diseases of cardiovascular system (330-334,400-468)												
WHITE, BOTH SEXES												
1967	520.0	13.5	1.6	1.4	4.3	15.1	79.7	287.2	800.0	2,104.8	5,566.0	14,845.5
1966	527.9	11.7	1.7	1.5	4.6	16.3	79.8	293.4	819.6	2,164.6	5,762.6	15,351.2
1965	522.3	12.6	1.8	1.4	4.7	17.0	80.4	294.6	817.7	2,147.3	5,788.8	15,497.9
1964	519.2	11.5	2.1	1.4	5.1	16.9	81.6	296.1	826.9	2,174.6	5,788.9	15,369.4
1963	529.5	10.8	1.7	1.6	5.0	17.6	82.3	299.5	842.5	2,234.6	5,990.8	15,961.9
1962	523.0	9.1	1.8	1.7	4.9	17.4	81.2	301.1	837.1	2,224.4	5,959.3	15,701.0
1961	514.8	9.9	1.8	1.6	5.6	17.6	80.7	300.7	838.3	2,219.6	5,920.7	15,122.7
1960	524.4	9.8	1.7	1.8	5.6	18.0	82.7	306.9	869.8	2,297.6	6,146.9	15,252.4
WHITE, MALE												
1967	585.3	15.4	1.8	1.5	4.4	18.1	118.6	445.1	1,201.0	2,861.2	6,593.4	15,870.5
1966	593.9	12.7	1.9	1.6	4.9	19.4	119.2	453.8	1,229.3	2,920.3	6,770.7	16,267.3
1965	589.3	14.5	1.9	1.4	4.8	20.6	120.3	453.8	1,218.1	2,885.6	6,789.2	16,469.1
1964	586.2	12.4	2.2	1.3	5.6	21.3	122.9	453.8	1,219.8	2,897.4	6,728.6	16,083.7
1963	599.8	12.2	1.8	1.8	5.2	22.0	123.2	461.3	1,235.8	2,963.4	6,947.7	16,831.0
1962	592.4	10.1	1.9	1.7	5.4	21.6	122.0	462.6	1,220.3	2,921.0	6,834.5	16,487.7
1961	585.6	10.8	1.8	1.5	6.2	22.4	122.0	460.7	1,221.8	2,888.0	6,771.0	15,781.6
1960	597.7	12.2	2.0	2.0	5.9	22.7	124.4	471.4	1,251.8	2,974.5	6,970.5	15,824.9
WHITE, FEMALE												
1967	457.6	11.5	1.3	1.4	4.2	12.2	42.5	137.5	436.4	1,506.2	4,857.5	14,282.0
1966	464.5	10.7	1.6	1.3	4.4	13.2	42.1	141.0	446.2	1,562.1	5,053.8	14,838.1
1965	457.5	10.6	1.7	1.4	4.6	13.5	42.1	142.7	451.6	1,550.8	5,078.0	14,942.7
1964	454.5	10.5	1.9	1.5	4.6	12.5	42.1	144.9	465.9	1,584.5	5,107.5	14,927.1
1963	461.4	9.4	1.5	1.4	4.7	13.3	43.2	143.8	479.7	1,630.8	5,288.1	15,445.1
1962	455.6	8.0	1.7	1.7	4.5	13.2	42.1	145.2	481.9	1,639.2	5,304.9	15,250.2
1961	445.9	8.9	1.8	1.6	4.9	13.0	41.2	145.6	481.3	1,650.3	5,276.8	14,741.2
1960	453.0	7.4	1.5	1.7	5.3	13.5	42.7	146.7	512.7	1,711.2	5,514.5	14,892.7

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Diseases of cardiovascular system (330-334,400-468)												
ALL OTHER, BOTH SEXES												
1967	416.9	27.6	3.4	2.9	11.9	57.6	210.2	561.5	1,287.9	2,663.0	4,760.5	9,330.5
1966	435.9	31.6	4.9	3.0	12.7	59.4	215.2	574.6	1,376.5	2,797.7	5,063.6	10,022.5
1965	433.2	27.5	4.8	3.2	13.1	58.2	218.3	591.2	1,420.9	2,734.2	4,998.2	10,021.7
1964	433.9	28.2	5.2	3.4	13.3	58.1	218.3	600.6	1,490.8	2,727.5	4,897.6	9,987.2
1963	451.2	23.0	5.0	3.2	14.3	58.3	219.5	612.9	1,526.1	2,908.9	5,182.4	10,856.9
1962	444.9	21.3	3.8	3.6	14.6	58.0	220.2	610.8	1,513.3	2,883.3	5,018.3	10,824.3
1961	432.5	21.4	4.2	3.4	13.8	58.0	212.5	603.3	1,493.4	2,849.6	4,814.4	10,267.1
1960	442.9	22.2	5.1	4.3	14.8	60.0	215.4	620.4	1,560.2	2,959.9	5,030.6	9,553.7
ALL OTHER, MALE												
1967	455.0	28.6	3.8	2.9	10.9	61.9	248.0	677.4	1,518.6	3,090.7	5,301.6	9,774.4
1966	475.8	34.0	5.2	2.9	11.7	65.4	255.9	694.4	1,614.2	3,248.4	5,560.3	10,725.0
1965	471.5	31.6	4.6	3.1	12.7	63.1	256.9	706.2	1,620.3	3,187.4	5,460.8	10,617.6
1964	468.4	31.1	5.5	3.2	10.1	59.7	253.6	696.3	1,677.6	3,146.6	5,311.6	10,534.4
1963	488.9	23.9	5.4	3.1	13.4	61.6	245.9	710.6	1,681.1	3,381.5	5,653.3	12,124.1
1962	480.0	25.7	3.9	3.4	12.0	60.0	249.7	711.3	1,651.3	3,294.7	5,403.1	11,758.6
1961	463.4	26.0	4.5	3.4	13.3	60.4	240.8	676.5	1,605.4	3,247.8	5,122.0	10,730.0
1960	477.7	23.9	5.9	4.1	13.9	60.3	234.1	696.6	1,698.8	3,324.4	5,435.7	10,101.7
ALL OTHER, FEMALE												
1967	381.8	26.5	3.0	2.9	12.8	54.0	177.7	457.8	1,079.7	2,311.1	4,329.4	8,863.2
1966	398.9	29.2	4.5	3.1	13.7	54.1	180.1	465.9	1,159.0	2,425.5	4,684.2	9,545.3
1965	397.4	23.2	5.1	3.4	13.5	53.9	184.8	486.6	1,235.6	2,351.4	4,616.0	9,608.2
1964	401.6	25.3	4.9	3.5	16.2	56.8	187.4	513.3	1,315.5	2,359.7	4,550.2	9,820.0
1963	415.9	22.2	4.6	3.2	15.1	55.5	196.4	522.0	1,379.4	2,500.6	4,777.6	10,240.5
1962	411.9	16.9	3.8	3.7	16.9	56.2	194.2	517.1	1,381.6	2,532.9	4,681.5	10,417.5
1961	403.2	16.9	3.9	3.3	14.2	56.0	187.1	533.8	1,390.0	2,488.4	4,569.4	9,920.0
1960	409.9	20.5	4.3	4.6	15.5	59.7	198.6	547.9	1,426.1	2,626.8	4,668.2	9,127.0

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67 51

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 330-334 Cerebrovascular diseases												
BOTH SEXES												
1967	102.4	3.1	0.6	0.6	1.4	4.8	15.3	43.9	119.7	398.8	1,292.6	3,556.2
1966	104.7	2.8	0.7	0.7	1.6	4.8	15.5	43.8	123.0	416.8	1,349.2	3,709.3
1965	103.9	4.1	0.7	0.7	1.5	4.8	15.4	45.5	127.1	415.5	1,349.0	3,717.6
1964	103.7	3.2	0.9	0.6	1.7	4.9	15.2	46.7	132.3	421.5	1,360.3	3,660.7
1963	106.7	3.5	0.8	0.6	1.6	4.8	15.2	46.6	137.9	439.7	1,421.4	3,820.2
1962	106.3	3.1	0.8	0.7	1.6	4.7	15.3	47.2	138.4	443.2	1,417.0	3,816.5
1961	105.4	3.5	0.9	0.7	1.7	4.8	14.7	46.9	138.0	447.8	1,427.6	3,716.8
1960	108.0	4.1	0.8	0.7	1.8	4.7	14.7	49.2	147.3	469.2	1,491.3	3,680.5
MALE												
1967	96.6	3.0	0.7	0.7	1.4	4.4	14.9	46.4	140.1	468.1	1,398.4	3,548.6
1966	98.9	2.8	0.8	0.8	1.7	4.5	15.6	47.6	145.6	482.2	1,445.1	3,663.8
1965	98.6	5.3	0.7	0.6	1.6	4.4	15.4	48.6	149.1	480.9	1,439.0	3,693.7
1964	98.7	3.7	0.9	0.6	1.9	4.9	14.7	49.1	152.8	481.4	1,448.8	3,638.5
1963	101.8	3.9	0.8	0.7	1.7	4.8	14.8	49.5	159.3	500.4	1,497.1	3,803.2
1962	101.4	3.6	0.9	0.8	1.6	4.3	14.9	49.8	154.9	502.4	1,493.2	3,771.4
1961	101.1	3.9	1.0	0.7	1.8	4.8	14.8	49.4	154.9	503.6	1,495.9	3,659.2
1960	104.5	5.0	0.9	0.7	1.9	4.5	14.6	52.2	163.8	530.7	1,555.9	3,643.1
FEMALE												
1967	107.9	3.2	0.4	0.6	1.5	5.2	15.7	41.4	101.2	343.7	1,219.0	3,560.4
1966	110.3	2.9	0.7	0.6	1.5	5.0	15.4	40.1	102.4	364.3	1,281.7	3,740.4
1965	109.0	2.9	0.7	0.7	1.4	5.1	15.4	42.5	106.9	362.6	1,284.3	3,731.4
1964	108.6	2.6	0.9	0.6	1.5	4.9	15.6	44.4	113.4	372.5	1,295.5	3,673.8
1963	111.5	3.1	0.7	0.5	1.5	4.8	15.5	43.8	118.2	389.3	1,365.2	3,824.4
1962	111.0	2.7	0.7	0.7	1.6	5.0	15.7	44.7	123.1	393.3	1,359.6	3,844.2
1961	109.7	3.0	0.8	0.6	1.7	4.7	14.7	44.6	122.3	400.0	1,375.9	3,746.8
1960	111.4	3.2	0.7	0.6	1.6	4.9	14.8	46.3	131.8	415.7	1,441.1	3,704.4

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67 52

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 330-334 Cerebrovascular diseases												
WHITE, BOTH SEXES												
1967	101.8	2.7	0.6	0.6	1.3	3.6	11.1	33.9	100.3	367.7	1,293.2	3,652.1
1966	103.7	2.6	0.7	0.7	1.3	3.5	11.0	33.5	102.6	383.5	1,345.5	3,793.2
1965	102.4	3.8	0.6	0.6	1.3	3.7	10.9	34.4	103.6	380.7	1,345.6	3,814.2
1964	102.4	2.6	0.8	0.5	1.5	3.7	10.9	35.6	107.4	391.6	1,359.1	3,749.9
1963	105.8	3.0	0.7	0.6	1.4	3.8	10.8	35.6	113.5	407.4	1,425.7	3,922.5
1962	105.4	2.7	0.8	0.7	1.4	3.5	11.0	36.4	113.1	412.6	1,427.9	3,910.9
1961	104.2	3.1	0.8	0.6	1.5	3.6	10.5	35.8	112.6	417.5	1,435.7	3,792.7
1960	106.4	3.4	0.7	0.7	1.5	3.5	10.7	37.3	120.4	437.9	1,496.9	3,772.2
WHITE, MALE												
1967	95.4	2.7	0.8	0.6	1.2	3.4	11.0	36.6	121.0	436.3	1,402.8	3,659.9
1966	97.1	2.4	0.8	0.8	1.5	3.4	11.3	37.1	125.1	449.0	1,442.5	3,758.7
1965	96.5	4.9	0.6	0.6	1.4	3.5	10.9	37.7	126.4	446.0	1,437.7	3,815.7
1964	96.9	3.2	0.8	0.5	1.8	3.9	10.9	38.6	129.2	451.2	1,450.1	3,731.5
1963	100.5	3.6	0.8	0.6	1.5	4.0	11.2	39.0	137.2	468.1	1,506.1	3,910.1
1962	100.4	3.2	0.9	0.7	1.4	3.5	11.1	39.4	131.5	473.5	1,511.3	3,884.1
1961	99.8	3.4	0.9	0.6	1.7	4.0	10.8	39.3	132.3	475.6	1,510.2	3,741.2
1960	102.7	4.3	0.8	0.7	1.7	3.5	11.3	40.9	139.0	501.0	1,564.8	3,734.8
WHITE, FEMALE												
1967	108.0	2.8	0.4	0.6	1.3	3.9	11.1	31.3	81.5	313.4	1,217.6	3,647.7
1966	110.0	2.8	0.5	0.6	1.2	3.6	10.7	30.1	82.1	331.4	1,277.0	3,812.5
1965	108.0	2.6	0.6	0.6	1.2	3.8	10.9	31.2	82.8	328.0	1,280.5	3,813.4
1964	107.7	2.0	0.8	0.6	1.3	3.5	10.8	32.8	87.3	342.9	1,293.0	3,754.4
1963	110.9	2.4	0.6	0.5	1.4	3.7	10.4	32.3	91.6	357.2	1,367.1	3,929.9
1962	110.3	2.3	0.7	0.7	1.4	3.5	10.9	33.4	96.1	361.5	1,365.5	3,934.3
1961	108.5	2.7	0.7	0.6	1.4	3.3	10.2	32.5	94.3	368.0	1,379.2	3,831.6
1960	110.1	2.6	0.5	0.6	1.4	3.4	10.1	33.8	103.0	383.3	1,444.7	3,795.7

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67 54

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 330-334 Cerebrovascular diseases												
ALL OTHER, BOTH SEXES												
1967	106.4	5.0	*	0.8	2.4	13.5	48.6	134.3	309.6	712.8	1,285.1	2,454.7
1966	112.3	4.2	1.2	1.0	3.3	13.7	51.5	137.1	324.4	756.6	1,397.5	2,730.3
1965	114.9	6.0	1.5	1.0	2.8	12.8	51.4	146.9	359.6	777.2	1,393.6	2,600.0
1964	113.5	6.3	1.3	0.9	2.7	13.7	50.5	148.2	380.6	738.5	1,377.2	2,560.3
1963	118.7	6.4	1.0	0.9	2.7	12.5	51.3	149.0	391.3	801.0	1,463.9	2,795.8
1962	118.4	5.7	1.2	1.0	2.9	13.5	52.8	148.9	400.3	797.2	1,405.8	2,875.7
1961	114.8	5.6	1.3	0.9	3.1	13.2	50.4	149.0	393.7	791.6	1,320.9	2,747.1
1960	119.7	8.0	1.6	0.9	3.6	14.3	49.6	158.5	420.4	834.9	1,415.5	2,582.5
ALL OTHER, MALE												
1967	105.7	*	*	0.8	2.3	12.5	47.4	138.2	326.8	780.4	1,338.0	2,443.6
1966	112.1	*	*	1.0	3.0	12.7	51.8	145.7	346.7	814.6	1,468.7	2,680.6
1965	114.2	7.5	*	1.0	2.6	11.4	53.4	151.3	372.6	833.9	1,454.5	2,500.0
1964	112.0	6.6	*	1.1	2.3	12.5	47.7	147.7	385.1	790.4	1,433.1	2,606.3
1963	117.0	*	*	1.1	3.1	11.5	46.4	149.0	389.7	857.0	1,498.2	2,993.1
1962	115.9	*	*	1.1	2.7	11.1	49.4	150.4	397.1	840.1	1,407.5	2,920.7
1961	111.2	6.8	*	0.9	2.6	11.6	49.2	143.5	378.9	813.2	1,320.1	2,846.7
1960	118.2	9.5	1.8	*	3.9	12.1	44.4	156.7	411.3	868.2	1,445.0	2,675.3
ALL OTHER, FEMALE												
1967	107.0	*	*	0.8	2.5	14.3	49.6	130.8	294.3	657.7	1,242.9	2,419.3
1966	112.5	*	*	0.9	3.5	14.5	51.2	129.1	304.2	709.3	1,346.2	2,764.2
1965	115.6	*	*	1.0	3.1	14.0	49.7	142.9	347.5	729.3	1,343.2	2,669.4
1964	114.9	*	*	0.8	3.0	14.7	53.0	148.7	376.3	691.4	1,330.2	2,584.4
1963	120.2	7.1	*	*	2.3	13.3	55.6	148.9	392.8	752.7	1,434.4	2,726.2
1962	120.7	*	*	0.9	3.2	15.7	55.8	147.5	403.3	762.7	1,404.3	2,915.0
1961	118.1	*	*	1.0	3.6	14.6	51.5	154.1	409.0	770.6	1,328.9	2,672.5
1960	121.2	6.5	*	1.1	3.2	16.2	54.2	160.3	429.3	804.4	1,389.2	2,510.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67 56

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 400-402, 410-416 Diseases of heart												
BOTH SEXES												
1967	365.3	11.7	1.1	0.8	2.6	12.4	71.5	254.0	680.5	1,613.7	3,760.5	9,147.0
1966	371.7	10.9	1.3	0.8	2.9	13.7	71.9	261.0	700.8	1,659.0	3,890.1	9,452.6
1965	368.0	9.8	1.3	0.9	3.1	14.0	72.9	261.3	699.7	1,640.7	3,911.5	9,538.4
1964	366.1	9.7	1.5	0.9	3.3	14.1	74.2	262.7	708.0	1,659.3	3,891.0	9,495.2
1963	375.5	7.7	1.2	1.0	3.6	14.8	75.3	268.5	722.3	1,716.4	4,046.1	9,954.1
1962	370.4	6.9	1.1	1.0	3.6	14.8	73.8	268.8	718.1	1,706.8	4,010.5	9,717.1
1961	362.5	7.0	1.1	1.0	3.9	14.9	73.5	267.5	715.1	1,686.3	3,948.7	9,260.8
1961	369.0	6.6	1.3	1.3	4.0	15.6	74.6	271.8	737.9	1,740.5	4,089.4	9,317.8
MALE												
1967	431.8	13.3	1.2	0.9	3.0	16.2	110.0	400.6	1,027.8	2,220.7	4,554.9	9,968.3
1966	439.2	11.5	1.4	0.9	3.3	17.8	110.6	409.3	1,055.9	2,270.8	4,676.8	10,244.5
1965	435.3	10.6	1.4	0.9	3.4	18.3	111.7	408.2	1,043.6	2,237.6	4,695.5	10,312.1
1964	432.8	10.2	1.6	0.8	3.6	18.5	114.3	407.3	1,044.8	2,250.3	4,620.4	10,086.8
1963	445.2	8.5	1.2	1.1	3.9	19.1	114.2	416.9	1,057.7	2,316.3	4,807.5	10,686.2
1962	438.8	7.5	1.1	1.0	4.0	19.4	112.7	416.8	1,048.2	2,274.3	4,701.3	10,414.7
1961	431.5	7.9	1.1	1.0	4.6	19.3	112.2	412.6	1,042.3	2,236.9	4,617.7	9,816.4
1960	439.5	7.8	1.4	1.4	4.2	20.1	112.7	420.4	1,066.9	2,291.3	4,742.4	9,788.9
FEMALE												
1967	302.0	10.1	1.1	0.8	2.2	8.7	35.0	115.9	365.2	1,131.0	3,207.3	8,686.6
1966	307.1	10.3	1.2	0.8	2.5	9.8	35.2	120.8	377.0	1,168.3	3,334.1	9,014.6
1965	303.2	9.0	1.3	0.9	2.8	9.8	36.0	121.7	384.6	1,157.2	3,347.2	9,088.2
1964	301.9	9.1	1.3	0.9	3.0	9.9	36.1	124.5	398.0	1,174.9	3,356.7	9,144.6
1963	308.4	7.0	1.2	0.9	3.3	10.7	38.3	126.3	412.0	1,218.6	3,480.4	9,498.1
1962	304.2	6.3	1.1	1.0	3.1	10.4	36.9	126.2	411.3	1,228.8	3,489.6	9,288.0
1961	295.7	6.1	1.2	1.0	3.3	10.6	36.7	127.2	409.9	1,215.6	3,438.0	8,895.1
1960	300.6	5.4	1.1	1.2	3.7	11.3	38.2	127.5	429.4	1,261.3	3,582.7	9,016.8

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67 57

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 400-402, 410-416 Diseases of heart												
WHITE, BOTH SEXES												
1967	377.6	10.0	0.8	0.7	2.0	9.4	63.5	239.7	658.6	1,599.5	3,813.1	9,434.3
1966	383.2	8.2	0.9	0.7	2.4	10.7	63.7	246.4	675.2	1,641.3	3,938.8	9,729.5
1965	379.5	8.1	1.0	0.7	2.4	11.2	64.6	246.6	672.5	1,629.2	3,967.6	9,814.8
1964	377.1	7.7	1.1	0.7	2.7	11.3	66.1	247.2	677.4	1,646.7	3,951.6	9,753.8
1963	383.7	6.9	0.9	0.9	2.8	11.8	66.9	250.6	687.5	1,687.6	4,074.6	10,132.9
1962	378.3	5.7	0.9	0.8	2.8	12.0	65.8	251.9	683.8	1,677.1	4,044.9	9,869.0
1961	372.9	5.8	0.9	0.8	3.4	12.2	66.2	252.2	685.9	1,671.5	4,013.9	9,484.8
1960	379.6	5.6	0.9	1.0	3.2	12.8	67.2	256.2	708.2	1,725.6	4,155.4	9,610.7
WHITE, MALE												
1967	447.9	11.6	0.8	0.7	2.5	13.1	102.5	391.3	1,021.3	2,234.6	4,640.2	10,340.3
1966	454.4	8.8	0.9	0.8	2.8	14.5	102.6	399.7	1,045.7	2,279.0	4,761.7	10,571.8
1965	450.8	8.9	1.1	0.7	2.7	15.3	104.3	398.9	1,033.8	2,249.0	4,792.6	10,657.3
1964	447.9	8.0	1.2	0.6	3.2	15.9	106.9	398.1	1,031.2	2,261.5	4,721.0	10,387.9
1963	457.7	7.6	0.9	1.0	3.3	16.1	107.1	405.2	1,041.7	2,307.6	4,874.0	10,917.9
1967	451.2	6.1	0.9	0.8	3.5	16.5	106.0	405.7	1,033.2	2,267.2	4,768.0	10,618.0
1961	446.5	6.3	0.8	0.8	4.1	16.8	106.5	405.1	1,033.5	2,241.1	4,721.7	10,120.2
1960	454.6	6.9	1.0	1.1	3.6	17.6	107.5	413.2	1,056.0	2,297.9	4,839.9	10,135.8
WHITE, FEMALE												
1967	310.4	8.4	0.8	0.7	1.6	5.8	26.1	96.2	329.6	1,097.0	3,242.7	8,936.2
1966	314.8	7.5	0.9	0.6	2.0	6.9	26.4	100.8	337.7	1,132.8	3,360.5	9,257.8
1965	310.7	7.4	1.0	0.6	2.2	7.1	26.4	101.2	342.0	1,128.5	3,381.1	9,333.2
1964	308.6	7.5	1.0	0.7	2.2	6.9	26.9	102.6	352.3	1,144.6	3,393.7	9,367.6
1963	312.0	6.1	0.8	0.7	2.3	7.6	28.4	102.0	360.9	1,173.9	3,487.2	9,666.0
1962	307.5	5.4	0.9	0.8	2.2	7.6	27.2	103.4	359.9	1,181.2	3,504.2	9,430.5
1961	301.4	5.2	0.9	0.8	2.7	7.8	27.5	103.9	362.4	1,186.5	3,477.9	9,107.6
1960	306.5	4.3	0.9	0.9	2.8	8.2	28.6	103.4	383.0	1,229.8	3,629.7	9,280.8

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67 59

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 400-402, 410-416 Diseases of heart												
ALL OTHER, BOTH SEXES												
1967	275.7	21.0	2.7	1.7	6.4	33.6	133.8	383.5	894.1	1,755.6	3,077.3	5,847.4
1966	287.4	25.1	3.4	1.9	6.6	35.1	137.1	393.8	953.0	1,837.0	3,253.9	6,219.1
1965	282.4	18.9	3.0	2.0	7.7	34.3	139.8	395.6	970.0	1,760.8	3,177.4	6,328.9
1964	284.5	20.4	3.6	2.2	7.7	34.1	141.0	403.8	1,013.5	1,792.7	3,096.3	6,305.1
1963	295.5	13.4	3.7	2.1	9.1	34.9	141.3	416.8	1,036.5	1,898.7	3,266.1	6,856.9
1962	290.4	13.8	2.3	2.3	9.1	34.5	139.4	413.1	1,020.5	1,884.3	3,190.4	6,684.3
1961	282.7	13.9	2.8	2.2	7.9	34.4	135.5	407.8	1,008.6	1,854.0	3,082.1	6,400.0
1960	287.1	12.4	3.3	3.0	9.1	36.7	137.4	415.3	1,040.1	1,914.7	3,193.0	5,811.2
ALL OTHER, MALE												
1967	312.6	22.7	3.1	1.8	6.6	40.2	172.1	487.5	1,093.8	2,084.6	3,509.8	6,276.9
1966	325.6	25.6	4.0	1.8	7.0	42.6	177.4	499.3	1,155.8	2,194.2	3,626.8	6,852.8
1965	318.4	20.4	3.0	1.8	8.4	41.3	174.8	495.9	1,141.7	2,117.6	3,526.1	6,929.4
1964	318.2	22.8	4.1	2.0	6.5	38.5	177.7	493.9	1,178.6	2,125.4	3,404.1	6,746.9
1963	331.4	14.8	3.7	1.9	8.4	39.9	170.4	506.0	1,183.1	2,268.2	3,644.8	7,786.2
1962	325.0	16.3	2.2	2.2	8.0	39.8	169.6	505.6	1,151.3	2,206.7	3,536.6	7,448.3
1961	314.4	17.0	2.8	2.3	8.3	39.0	162.1	481.3	1,128.8	2,190.5	3,344.0	6,680.0
1960	320.5	13.1	3.8	3.1	8.7	40.1	158.9	487.4	1,175.6	2,216.9	3,523.1	6,128.6
ALL OTHER, FEMALE												
1967	241.6	19.4	2.2	1.7	6.1	27.9	101.0	290.4	713.7	1,484.5	2,732.9	5,450.9
1966	252.0	24.6	2.9	2.0	6.3	28.6	102.4	298.1	767.1	1,541.3	2,966.5	5,788.7
1965	248.6	17.4	3.0	2.2	7.0	28.3	109.5	304.3	810.4	1,459.5	2,889.2	5,912.2
1964	252.9	18.0	3.1	2.4	8.9	30.4	108.9	321.5	858.5	1,502.0	2,838.0	6,131.1
1963	261.7	12.1	3.7	2.3	9.8	30.7	115.8	333.8	897.7	1,579.6	2,940.6	6,378.6
1962	257.8	11.3	2.4	2.4	10.2	29.9	112.8	326.7	895.6	1,608.1	2,887.5	6,297.5
1961	252.8	10.8	2.8	2.2	7.6	30.4	111.6	338.1	895.9	1,549.9	2,867.8	6,190.0
1960	255.5	11.7	2.8	2.9	9.6	33.7	118.2	346.8	909.0	1,638.4	2,897.7	5,564.1

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)												
BOTH SEXES												
1967	7.2	*	*	0.3	0.8	2.4	5.9	12.3	21.5	26.6	28.2	33.1
1966	7.7	*	0.1	0.3	0.9	3.0	6.8	13.7	22.9	26.7	29.4	36.3
1965	8.0	*	*	0.3	1.2	3.2	7.2	14.7	24.0	26.8	29.1	36.9
1964	8.3	*	0.2	0.3	1.2	3.3	8.1	16.1	25.3	26.6	27.6	36.2
1963	8.8	*	0.2	0.5	1.5	3.6	8.6	17.0	25.8	27.7	30.8	42.0
1962	9.6	*	0.1	0.4	1.7	4.0	9.4	18.5	27.8	29.7	33.9	45.7
1961	9.8	*	0.2	0.5	1.8	4.4	9.4	18.8	27.5	30.8	34.4	47.9
1960	10.3	*	0.2	0.7	2.0	4.8	10.2	19.7	28.7	31.1	36.7	53.4
MALE												
1967	6.2	*	*	0.3	0.8	2.5	5.5	11.6	19.5	24.2	23.4	26.5
1966	6.7	*	*	0.3	0.9	2.9	6.7	12.6	21.1	25.0	24.8	27.6
1965	7.1	*	*	0.3	1.1	2.9	7.1	13.6	22.4	25.6	26.0	31.4
1964	7.6	*	*	0.3	1.1	3.2	8.3	15.5	23.6	25.1	24.6	30.7
1963	8.3	*	*	0.5	1.4	3.7	8.6	16.9	25.5	27.6	27.7	35.8
1962	8.9	*	*	0.4	1.6	3.8	9.7	18.0	27.0	28.6	31.6	38.2
1961	9.3	*	*	0.5	1.9	4.4	9.4	18.8	27.0	30.9	32.4	37.3
1960	9.9	*	*	0.7	1.9	4.7	10.5	19.9	29.0	31.0	35.2	46.1
FEMALE												
1967	8.1	*	*	0.3	0.9	2.3	6.3	12.9	23.4	28.5	31.5	36.8
1966	8.6	*	*	0.3	0.8	3.1	6.9	14.7	24.5	28.1	32.6	41.2
1965	8.8	*	*	0.4	1.2	3.5	7.3	15.6	25.5	27.8	31.4	40.1
1964	9.1	*	*	0.4	1.3	3.4	8.0	16.7	26.8	27.9	29.8	39.4
1963	9.3	*	*	0.4	1.5	3.6	8.6	17.1	26.0	27.7	33.2	45.6
1962	10.1	*	*	0.5	1.7	4.1	9.1	18.9	28.6	30.6	35.7	50.3
1961	10.2	*	*	0.6	1.8	4.4	9.5	18.8	28.0	30.7	36.0	54.6
1960	10.6	*	*	0.7	2.1	4.8	9.9	19.5	28.4	31.2	37.9	58.0

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)												
WHITE, BOTH SEXES												
1967	7.4	*	*	0.2	0.6	2.1	5.5	12.3	22.3	27.7	29.4	33.6
1966	8.0	*	*	0.2	0.7	2.7	6.5	13.8	23.7	28.0	30.4	37.2
1965	8.3	*	*	0.2	0.8	2.8	7.0	14.9	24.9	27.9	30.3	39.1
1964	8.6	*	*	0.2	1.0	2.9	7.8	16.5	26.1	27.9	28.4	37.0
1963	9.0	*	*	0.3	1.1	3.3	8.3	16.9	26.5	28.9	31.9	44.6
1962	9.8	*	*	0.3	1.4	3.6	9.3	18.6	28.3	30.4	35.0	47.3
1961	10.1	*	*	0.4	1.6	4.1	9.3	19.2	28.4	31.8	35.6	48.7
1960	10.6	*	*	0.4	1.7	4.4	10.2	20.4	29.8	32.0	37.6	53.5
WHITE, MALE												
1967	6.4	*	*	0.2	0.7	2.3	5.2	11.6	20.2	25.2	24.2	26.1
1966	6.9	*	*	0.2	0.7	2.6	6.4	12.6	21.7	26.3	25.7	29.0
1965	7.4	*	*	0.2	0.8	2.6	6.9	13.8	23.1	26.7	27.2	33.6
1964	7.8	*	*	0.2	1.0	3.1	8.0	15.8	24.3	26.0	24.9	31.8
1963	8.6	*	*	0.4	1.1	3.5	8.4	17.0	26.2	28.7	28.6	37.2
1962	9.2	*	*	0.3	1.4	3.5	9.7	18.2	27.5	29.5	33.2	39.5
1961	9.6	*	*	0.3	1.7	4.2	9.4	19.1	27.9	31.7	33.5	38.3
1960	10.3	*	*	0.4	1.6	4.4	10.5	20.5	30.2	31.7	35.5	45.3
WHITE, FEMALE												
1967	8.4	*	*	0.2	0.6	1.9	5.9	12.9	24.2	29.7	32.9	37.8
1966	8.9	*	*	0.2	0.6	2.8	6.6	14.9	25.5	29.4	33.6	41.7
1965	9.2	*	*	0.2	0.9	3.0	7.0	15.9	26.6	29.0	32.4	42.2
1964	9.4	*	*	0.3	1.0	2.8	7.7	17.1	27.7	29.5	31.0	40.0
1963	9.5	*	*	0.3	1.0	3.1	8.1	16.9	26.8	29.0	34.4	49.0
1962	10.4	*	*	0.3	1.3	3.7	8.8	18.9	28.9	31.3	36.4	52.2
1961	10.6	*	*	0.5	1.6	4.0	9.3	19.3	28.8	31.9	37.2	55.2
1960	11.0	*	*	0.4	1.7	4.3	9.8	20.2	29.5	32.3	39.1	58.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)												
ALL OTHER, BOTH SEXES												
1967	5.3	*	*	0.9	2.0	4.4	9.1	12.4	14.0	15.2	12.5	27.4
1966	5.5	*	*	1.0	2.2	5.2	9.2	12.5	14.9	13.7	16.5	25.8
1965	5.8	*	*	1.1	3.4	6.1	9.4	12.7	14.8	15.2	14.1	*
1964	6.0	*	*	1.0	3.0	6.1	10.3	12.6	17.0	12.9	16.7	25.6
1963	6.4	*	*	1.3	4.1	5.8	10.4	13.8	15.9	14.5	18.5	*
1962	6.7	*	*	1.3	4.0	6.7	9.4	14.2	18.1	18.6	16.5	*
1961	7.1	*	*	1.5	3.5	6.9	10.2	15.3	18.8	18.8	19.1	38.6
1960	7.4	*	*	2.0	4.2	7.8	10.7	13.6	17.3	20.5	25.5	51.6
ALL OTHER, MALE												
1967	4.9	*	*	0.8	1.7	4.5	8.5	12.3	12.8	14.4	13.6	*
1966	5.2	*	*	0.8	2.3	5.1	9.3	12.6	15.1	12.6	14.0	*
1965	5.5	*	*	0.8	3.5	5.2	8.7	12.6	15.3	15.1	*	*
1964	5.7	*	*	0.9	1.9	4.1	11.0	12.2	17.0	15.0	20.9	*
1963	6.2	*	*	1.2	3.5	4.9	10.0	14.1	17.1	16.9	18.2	*
1962	6.2	*	*	1.1	3.0	6.0	8.4	13.9	18.0	21.4	14.3	*
1961	6.9	*	*	1.4	3.3	6.3	9.4	15.8	18.7	21.8	18.9	*
1960	7.5	*	*	2.0	3.6	7.5	10.5	14.0	17.9	23.4	31.4	*
ALL OTHER, FEMALE												
1967	5.7	*	*	1.0	2.4	4.4	9.6	12.6	15.2	15.9	11.7	*
1966	5.8	*	*	1.2	2.2	5.4	9.2	12.3	14.7	14.6	18.6	*
1965	6.2	*	*	1.3	3.2	6.9	10.0	12.9	14.3	15.4	16.9	*
1964	6.3	*	*	1.1	4.0	7.8	9.7	12.9	17.0	11.1	13.2	*
1963	6.5	*	*	1.4	4.7	6.6	10.8	13.5	14.8	12.5	18.8	*
1962	7.1	*	*	1.5	5.0	7.4	10.2	14.4	18.2	16.2	18.5	*
1961	7.3	*	*	1.6	3.8	7.4	11.0	14.8	19.0	16.1	19.4	*
1960	7.4	*	*	2.0	4.8	8.0	10.9	13.1	16.8	17.9	20.3	49.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Arteriosclerotic heart disease, including coronary disease (420)												
BOTH SEXES												
1967	290.3	*	*	0.1	0.5	6.2	52.3	203.5	557.3	1,323.5	2,981.4	6,861.6
1966	293.1	*	*	0.1	0.6	6.5	51.8	208.2	572.5	1,355.9	3,046.1	6,990.6
1965	289.0	0.5	*	0.1	0.6	7.0	52.4	208.4	570.1	1,336.1	3,047.2	7,014.0
1964	285.4	*	*	0.1	0.7	6.9	53.3	207.8	574.1	1,343.7	3,005.4	6,863.1
1963	290.1	*	*	0.1	0.6	7.2	53.2	211.1	581.9	1,379.6	3,090.7	7,120.1
1962	284.0	*	*	*	0.5	7.1	51.2	208.9	576.1	1,362.2	3,035.2	6,907.6
1961	274.5	*	*	0.1	0.6	6.6	50.5	205.4	567.0	1,333.3	2,946.5	6,457.8
1960	275.6	*	*	0.1	0.6	6.8	50.4	207.7	580.9	1,356.1	2,998.0	6,368.6
MALE												
1967	358.4	*	*	*	0.7	9.4	88.4	339.6	878.4	1,881.7	3,732.1	7,720.2
1966	362.7	*	*	*	0.9	10.3	87.6	347.1	900.0	1,919.4	3,791.2	7,862.6
1965	358.6	*	*	*	0.7	11.3	88.8	346.5	888.5	1,887.9	3,794.9	7,828.1
1964	354.8	*	*	*	1.0	11.0	91.1	344.2	888.5	1,888.4	3,705.0	7,562.5
1963	361.9	*	*	*	0.9	11.1	89.7	350.9	894.6	1,933.6	3,809.9	7,918.6
1962	355.1	*	*	*	0.7	11.3	87.3	347.1	883.8	1,890.8	3,707.0	7,693.3
1961	345.6	*	*	*	0.9	10.6	87.0	341.5	870.4	1,845.5	3,587.0	7,114.2
1960	348.0	*	*	*	0.8	10.9	86.2	347.1	885.2	1,863.2	3,636.6	6,930.6
FEMALE												
1967	225.4	*	*	*	0.3	3.1	18.2	75.4	265.9	879.7	2,458.7	6,380.4
1966	226.5	*	*	*	0.4	2.9	18.0	76.8	273.7	903.9	2,519.3	6,503.6
1965	222.1	*	*	*	0.4	2.9	17.8	77.2	278.4	889.0	2,509.0	6,540.2
1964	218.6	*	*	*	0.5	3.0	17.4	77.6	284.7	897.3	2,492.8	6,448.5
1963	220.8	*	*	*	0.4	3.4	18.5	77.0	292.7	919.9	2,556.4	6,628.7
1962	215.3	*	*	*	0.3	3.0	16.9	75.9	290.1	916.9	2,528.5	6,424.3
1961	205.7	*	*	*	0.3	2.6	15.7	73.9	283.9	895.3	2,457.3	6,033.3
1960	205.4	*	*	*	0.4	2.8	16.4	72.4	295.6	914.8	2,502.5	6,009.4

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Arteriosclerotic heart disease, including coronary disease (420)												
WHITE, BOTH SEXES												
1967	306.1	*	*	*	0.4	5.1	49.7	200.1	555.2	1,340.4	3,054.8	7,125.0
1966	308.4	*	*	0.1	0.5	5.6	49.3	205.2	568.7	1,370.0	3,116.2	7,242.3
1965	304.2	*	*	*	0.5	6.0	49.6	205.0	565.8	1,355.0	3,122.7	7,263.2
1964	300.4	*	*	*	0.6	6.0	50.8	204.2	568.4	1,363.4	3,086.0	7,099.1
1963	303.3	*	*	0.1	0.5	6.1	50.9	206.8	574.5	1,388.4	3,148.7	7,300.7
1962	297.0	*	*	*	0.4	6.3	49.0	205.4	568.6	1,372.0	3,097.5	7,074.6
1961	289.3	*	*	*	0.5	5.8	49.0	203.7	564.6	1,353.7	3,030.5	6,660.1
1960	290.5	*	*	*	0.5	6.1	48.6	205.2	579.0	1,377.2	3,084.4	6,625.4
WHITE, MALE												
1967	378.7	*	*	*	0.6	8.2	86.6	342.0	892.0	1,928.1	3,841.2	8,075.2
1966	382.4	*	*	*	0.7	9.3	85.7	350.2	912.4	1,960.3	3,899.4	8,175.6
1965	378.4	*	*	*	0.6	10.0	86.8	349.1	902.1	1,931.8	3,913.6	8,141.0
1964	374.4	*	*	*	0.9	10.0	89.5	346.9	899.3	1,934.8	3,827.7	7,845.4
1963	379.9	*	*	*	0.8	9.9	88.6	352.8	905.2	1,965.3	3,907.2	8,159.5
1962	372.9	*	*	*	0.6	10.4	86.5	349.6	894.2	1,924.6	3,802.7	7,922.5
1961	365.4	*	*	*	0.8	9.8	87.0	347.4	886.7	1,888.6	3,711.3	7,390.4
1960	368.0	*	*	*	0.7	10.3	86.0	352.5	901.3	1,909.2	3,758.4	7,248.7
WHITE, FEMALE												
1967	236.8	*	*	*	0.3	2.0	14.3	65.8	249.6	875.4	2,512.5	6,602.7
1966	237.3	*	*	*	0.4	1.9	14.4	67.4	255.5	899.3	2,566.0	6,719.5
1965	232.7	*	*	*	0.4	2.1	13.9	67.5	258.2	889.1	2,560.2	6,761.4
1964	228.8	*	*	*	0.4	2.1	13.7	67.4	264.4	896.9	2,548.1	6,651.6
1963	229.1	*	*	*	0.3	2.4	14.8	66.3	269.5	910.5	2,591.2	6,789.9
1962	223.4	*	*	*	0.2	2.2	13.1	66.2	266.9	907.6	2,570.1	6,570.8
1961	215.3	*	*	*	0.3	1.8	12.4	64.3	264.7	898.2	2,515.1	6,218.9
1960	215.1	*	*	*	0.3	1.9	12.7	61.9	277.6	916.3	2,566.9	6,233.7

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Arteriosclerotic heart disease, including coronary disease (420)												
ALL OTHER, BOTH SEXES												
1967	175.1	*	*	*	1.3	14.4	73.0	234.4	578.3	1,151.4	2,028.7	3,836.8
1966	180.7	*	*	*	1.2	13.3	72.1	235.6	609.4	1,208.4	2,129.7	4,052.8
1965	176.1	*	*	*	1.1	14.1	75.1	239.5	612.9	1,139.8	2,059.1	4,101.2
1964	173.5	*	*	*	1.4	13.9	74.0	240.8	630.7	1,134.5	1,947.7	3,952.6
1963	175.3	*	*	*	1.4	14.0	69.8	238.8	628.0	1,174.4	2,009.8	4,194.4
1962	169.8	*	*	*	1.2	12.6	68.5	234.8	614.9	1,135.5	1,946.1	4,034.3
1961	161.3	*	*	*	1.2	12.3	63.7	221.3	591.2	1,101.3	1,830.6	3,874.3
1960	160.4	*	*	*	1.4	12.3	66.1	230.9	601.0	1,108.6	1,823.4	3,294.4
ALL OTHER, MALE												
1967	208.3	*	*	*	1.8	19.2	103.6	317.4	747.1	1,425.3	2,407.1	4,197.4
1966	215.2	*	*	*	1.8	18.2	102.9	318.5	778.7	1,516.0	2,464.2	4,619.4
1965	209.6	*	*	*	1.4	20.9	106.3	322.6	755.9	1,439.3	2,366.5	4,717.6
1964	205.6	*	*	*	1.6	18.9	105.1	319.3	781.6	1,401.9	2,220.3	4,425.0
1963	209.1	*	*	*	1.6	18.8	95.0	316.6	760.6	1,472.7	2,357.6	4,969.0
1962	202.6	*	*	*	*	17.3	94.1	312.4	738.8	1,406.7	2,275.2	4,596.6
1961	191.1	*	*	*	1.8	17.1	87.3	285.7	708.6	1,369.8	2,065.4	4,203.3
1960	190.7	*	*	*	1.5	15.7	87.8	297.0	723.7	1,340.2	2,114.1	3,574.5
ALL OTHER, FEMALE												
1967	144.3	*	*	*	*	10.2	46.9	160.1	425.6	925.1	1,727.3	3,522.8
1966	148.7	*	*	*	*	9.0	45.7	160.4	454.1	953.2	1,868.3	3,667.9
1965	144.9	*	*	*	*	8.3	48.0	163.9	480.0	886.9	1,805.2	3,673.5
1964	143.4	*	*	*	1.2	9.5	46.8	168.9	489.0	902.0	1,719.0	3,704.4
1963	143.6	*	*	*	*	9.9	47.8	166.6	502.4	916.7	1,710.9	3,759.5
1962	139.1	*	*	*	*	8.5	45.8	162.3	496.7	901.4	1,658.2	3,727.5
1961	133.2	*	*	*	*	8.1	42.5	160.4	480.1	859.4	1,633.3	3,627.5
1960	131.7	*	*	*	*	9.3	46.7	168.0	482.3	897.0	1,563.4	3,076.3

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)												
BOTH SEXES												
1967	26.7	1.1	0.2	0.1	0.3	0.9	2.9	9.9	30.7	93.4	325.1	1,159.2
1966	27.4	1.2	0.2	0.1	0.3	0.9	2.8	9.5	29.5	94.7	350.3	1,252.7
1965	27.5	0.9	0.2	0.1	0.3	0.8	2.8	9.0	29.7	94.2	360.1	1,307.0
1964	27.9	1.1	0.2	0.1	0.3	0.8	2.5	9.0	30.7	98.3	367.8	1,348.4
1963	29.7	0.6	0.2	0.1	0.3	0.8	2.6	8.8	31.4	105.8	403.0	1,477.0
1962	29.4	0.9	0.2	0.1	0.3	0.8	2.5	9.3	31.1	106.6	403.8	1,446.3
1961	29.9	1.1	0.2	0.1	0.3	0.8	2.5	9.9	32.8	109.1	412.9	1,454.3
1960	31.8	0.8	0.2	0.1	0.4	0.9	2.6	9.7	34.2	119.6	455.9	1,547.8
MALE												
1967	26.9	1.4	*	0.1	0.5	1.2	4.4	14.3	42.2	118.5	361.6	1,181.2
1966	27.3	*	*	0.1	0.4	1.1	4.0	13.3	40.6	118.9	389.9	1,256.5
1965	27.5	*	0.3	0.1	0.4	0.9	3.7	13.1	40.3	117.1	399.4	1,330.7
1964	27.8	1.0	*	*	0.4	1.0	3.4	12.4	40.9	122.1	410.2	1,338.5
1963	29.8	*	*	0.1	0.4	0.9	3.7	12.0	41.6	130.0	450.8	1,500.0
1962	29.5	1.1	*	0.1	0.5	1.0	3.4	12.8	40.6	129.4	441.9	1,468.4
1961	30.1	1.0	*	0.1	0.4	0.9	3.2	13.8	42.8	131.7	453.6	1,457.1
1960	32.0	*	0.3	0.2	0.5	1.1	3.3	13.0	44.5	143.9	491.4	1,564.0
FEMALE												
1967	26.5	*	*	*	0.2	0.7	1.6	5.7	20.3	73.4	299.7	1,146.8
1966	27.5	1.3	*	*	0.2	0.7	1.7	6.0	19.3	75.3	322.3	1,252.4
1965	27.5	*	*	*	0.2	0.6	1.8	5.1	20.0	75.6	331.8	1,293.3
1964	27.9	1.2	0.3	*	0.2	0.6	1.6	5.8	21.3	78.8	336.7	1,354.2
1963	29.6	*	*	*	0.3	0.8	1.6	5.7	22.1	85.8	367.5	1,460.8
1962	29.4	*	*	*	0.2	0.5	1.6	5.9	22.3	87.5	375.1	1,432.7
1961	29.6	1.1	*	*	0.2	0.6	1.8	6.1	23.6	89.8	381.9	1,450.0
1960	31.6	*	*	0.1	0.3	0.6	1.8	6.6	24.6	98.5	428.3	1,537.5

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)												
WHITE, BOTH SEXES												
1967	27.0	0.9	*	0.1	0.3	0.6	2.4	8.7	27.4	86.7	323.5	1,190.5
1966	27.8	0.8	0.2	0.1	0.3	0.6	2.2	8.1	26.1	88.4	349.2	1,289.0
1965	27.9	0.7	0.2	0.1	0.3	0.6	2.3	7.7	26.1	88.3	359.8	1,343.8
1964	28.2	1.0	0.2	0.1	0.3	0.6	1.9	7.7	26.5	91.7	367.5	1,382.7
1963	29.5	*	*	0.1	0.2	0.6	1.8	7.0	25.7	96.9	396.5	1,490.7
1962	29.1	0.6	0.2	0.1	0.3	0.5	1.8	7.3	25.7	96.6	396.0	1,451.9
1961	30.1	1.0	0.2	0.1	0.3	0.5	1.9	8.1	27.8	101.1	415.1	1,491.6
1960	32.2	0.6	*	0.1	0.3	0.6	2.0	8.0	28.9	112.3	457.6	1,592.0
WHITE, MALE												
1967	27.0	*	*	*	0.4	0.8	3.5	13.0	39.1	112.1	359.6	1,217.1
1966	27.4	*	*	*	0.4	0.8	3.3	11.9	37.2	112.0	390.1	1,286.6
1965	27.7	*	*	0.1	0.3	0.7	3.2	11.6	36.9	111.2	399.2	1,378.0
1964	28.0	*	*	*	0.4	0.7	2.8	11.1	36.9	115.3	410.6	1,375.5
1963	29.3	*	*	0.2	0.3	0.7	2.7	9.7	35.5	120.4	444.8	1,513.7
1962	28.9	*	*	*	0.4	0.7	2.5	10.4	35.1	119.4	435.0	1,471.6
1961	30.1	*	*	0.1	0.4	0.7	2.6	11.6	37.7	122.5	457.6	1,499.4
1960	32.1	*	*	0.1	0.4	0.8	2.8	11.5	39.2	136.1	493.1	1,613.7
WHITE, FEMALE												
1967	27.0	*	*	*	*	0.5	1.2	4.5	16.8	66.7	298.6	1,175.9
1966	28.2	*	*	*	0.2	0.5	1.2	4.6	16.0	69.6	320.4	1,290.4
1965	28.2	*	*	*	0.2	0.4	1.3	4.0	16.3	69.9	331.9	1,324.3
1964	28.4	*	*	*	*	0.4	1.1	4.4	16.9	72.5	336.3	1,384.7
1963	29.7	*	*	*	0.2	0.5	1.0	4.3	16.7	77.3	361.0	1,477.0
1962	29.2	*	*	*	*	0.4	1.1	4.2	17.1	77.5	366.8	1,442.5
1961	30.2	1.2	*	*	*	0.4	1.3	4.7	18.6	82.8	382.9	1,489.5
1960	32.2	*	*	*	*	0.3	1.3	4.7	19.2	91.8	430.3	1,578.3

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)												
ALL OTHER, BOTH SEXES												
1967	24.3	*	*	*	0.7	3.1	7.6	20.9	63.3	160.1	346.5	800.0
1966	24.4	*	*	*	0.8	2.6	7.2	22.3	62.5	158.9	364.3	829.2
1965	24.0	*	*	*	0.6	2.0	6.8	21.1	65.1	154.8	363.8	880.7
1964	25.2	*	*	*	*	2.2	6.8	21.4	72.5	168.4	371.6	924.4
1963	27.9	*	*	*	1.0	1.9	7.4	22.8	84.1	185.2	410.4	1,075.0
1962	27.7	*	*	*	*	2.2	7.0	23.9	78.0	191.1	410.7	1,061.4
1961	27.8	*	*	*	0.7	2.6	7.5	26.1	83.3	200.3	383.2	977.1
1960	29.1	*	0.9	*	0.9	3.0	7.1	25.6	88.4	204.4	432.5	1,019.0
ALL OTHER, MALE												
1967	26.1	*	*	*	*	4.1	11.2	26.2	73.1	181.4	383.2	825.6
1966	26.6	*	*	*	*	3.1	9.8	26.9	74.5	188.7	385.5	944.4
1965	25.6	*	*	*	*	2.3	8.0	27.5	73.3	177.2	402.3	864.7
1964	26.6	*	*	*	*	3.2	7.8	24.8	80.3	192.1	405.2	928.1
1963	30.1	*	*	*	*	1.8	9.5	28.7	96.2	212.8	433.3	1,186.2
1962	29.2	*	*	*	*	2.7	8.8	28.5	85.6	209.7	426.1	1,165.5
1961	30.5	*	*	*	*	2.9	8.8	33.7	92.9	233.9	404.4	1,023.3
1960	31.2	*	*	*	*	3.3	7.7	27.5	97.0	232.5	470.3	1,039.5
ALL OTHER, FEMALE												
1967	22.6	*	*	*	*	2.3	4.5	16.1	54.6	142.7	317.3	768.4
1966	22.4	*	*	*	*	2.1	5.0	18.2	51.4	134.3	348.9	750.9
1965	22.5	*	*	*	*	1.8	5.6	15.3	57.5	135.9	331.9	891.8
1964	23.9	*	*	*	*	*	5.9	18.2	65.2	147.6	343.4	942.2
1963	25.9	*	*	*	*	2.0	5.6	17.3	72.7	161.3	390.6	1,023.8
1962	26.2	*	*	*	*	1.8	5.4	19.5	70.6	175.5	397.3	1,012.5
1961	25.2	*	*	*	*	2.3	6.4	19.0	74.4	170.0	366.7	942.5
1960	27.1	*	*	*	*	2.7	6.6	23.7	80.1	178.7	398.6	1,003.1

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other diseases of heart (430-434)												
BOTH SEXES												
1967	15.8	10.2	0.8	0.4	0.8	1.9	5.2	11.8	28.5	60.6	149.8	416.2
1966	15.9	9.1	0.9	0.4	1.0	2.2	5.1	12.1	28.1	61.0	153.6	429.5
1965	15.1	8.1	0.9	0.4	0.9	2.0	4.9	11.4	26.7	59.4	148.9	405.1
1964	14.5	8.1	1.0	0.4	1.0	2.0	4.9	11.1	25.7	57.3	142.7	399.7
1963	14.5	6.9	0.8	0.3	1.0	2.0	4.9	11.8	26.6	57.4	143.4	388.6
1962	13.9	5.5	0.7	0.4	0.9	1.7	4.8	11.5	25.6	56.1	139.1	368.7
1961	13.8	5.4	0.8	0.3	1.0	1.9	5.0	11.9	26.1	54.7	138.7	346.9
1960	14.3	5.5	0.8	0.4	0.8	2.0	5.0	11.9	26.6	58.9	148.6	363.8
MALE												
1967	17.9	11.3	0.9	0.4	1.0	2.1	6.3	15.9	39.4	81.0	183.5	478.6
1966	17.9	9.8	1.0	0.4	1.0	2.3	6.2	16.2	39.1	81.2	188.1	476.0
1965	17.1	8.8	1.0	0.4	1.0	2.1	5.8	15.4	36.9	78.3	179.8	463.1
1964	16.5	8.6	1.1	0.4	1.0	2.1	5.7	15.1	35.3	76.4	170.4	450.6
1963	16.6	7.5	0.8	0.4	1.1	2.1	5.8	16.0	35.8	76.5	174.5	430.0
1962	16.2	5.8	0.6	0.4	1.1	1.9	6.2	16.1	35.1	74.5	165.9	411.8
1961	16.2	6.2	0.7	0.4	1.3	2.1	6.3	16.5	36.4	71.3	167.2	397.6
1960	16.9	6.5	0.9	0.5	0.9	2.0	6.3	16.5	37.0	78.9	177.9	390.0
FEMALE												
1967	13.8	9.0	0.8	0.4	0.7	1.7	4.3	7.9	18.6	44.5	126.2	381.2
1966	13.9	8.3	0.8	0.3	1.0	2.1	4.1	8.2	18.0	44.8	129.2	403.6
1965	13.2	7.3	0.9	0.4	0.8	1.9	4.0	7.5	17.4	44.0	126.7	371.3
1964	12.6	7.6	0.8	0.4	1.0	1.9	4.1	7.3	16.8	41.6	122.4	369.5
1963	12.5	6.2	0.9	0.3	0.9	1.9	4.1	7.8	18.0	41.5	120.4	363.2
1962	11.8	5.2	0.7	0.4	0.7	1.6	3.4	7.1	16.8	40.7	119.0	342.3
1961	11.5	4.6	0.8	0.3	0.8	1.7	3.8	7.6	16.4	40.5	117.0	314.4
1960	11.9	4.5	0.7	0.4	0.7	1.9	3.6	7.5	16.9	41.4	125.8	347.1

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other diseases of heart (430-434)												
WHITE, BOTH SEXES												
1967	15.0	8.8	0.6	0.4	0.7	1.3	4.0	9.6	24.2	54.7	146.0	419.7
1966	15.0	7.0	0.6	0.3	0.8	1.4	3.8	9.9	23.9	55.2	150.0	432.8
1965	14.3	6.8	0.8	0.3	0.8	1.4	3.6	9.2	22.3	54.1	146.4	407.2
1964	13.6	6.4	0.8	0.3	0.8	1.5	3.4	8.7	21.0	52.2	139.6	405.7
1963	13.7	6.1	0.6	0.3	0.9	1.4	3.6	9.4	22.4	52.2	140.6	393.7
1962	13.1	4.8	0.5	0.4	0.7	1.2	3.5	9.2	21.3	51.4	136.5	373.4
1961	12.9	4.4	0.6	0.3	0.9	1.3	3.7	9.2	22.1	50.0	135.6	348.8
1960	13.5	4.6	0.6	0.4	0.7	1.4	3.9	9.6	22.9	53.8	145.4	366.2
WHITE, MALE												
1967	17.0	10.0	0.6	0.4	0.8	1.5	4.9	13.4	34.3	74.3	179.7	483.5
1966	17.0	7.8	0.6	0.4	0.9	1.5	4.8	13.6	34.4	75.1	183.8	478.3
1965	16.1	7.5	0.8	0.3	0.9	1.5	4.6	13.0	32.0	71.8	176.2	463.9
1964	15.4	6.6	0.9	0.3	0.9	1.6	4.2	12.3	29.9	70.3	167.4	456.1
1963	15.7	6.7	0.6	0.3	1.0	1.5	4.5	13.3	31.7	70.6	171.3	431.5
1962	15.3	5.1	0.5	0.4	0.9	1.4	4.9	13.4	30.9	68.9	162.7	415.9
1961	15.2	5.0	0.5	0.3	1.2	1.6	4.9	13.4	32.2	65.8	164.0	402.9
1960	15.9	5.7	0.7	0.4	0.8	1.5	5.2	13.8	33.0	72.7	174.2	391.9
WHITE, FEMALE												
1967	13.1	7.6	0.7	0.3	0.5	1.1	3.2	5.9	15.0	39.2	122.8	384.7
1966	13.2	6.2	0.6	0.3	0.8	1.4	2.8	6.3	14.3	39.4	126.1	407.4
1965	12.5	6.0	0.7	0.3	0.7	1.3	2.6	5.5	13.4	39.9	125.2	374.8
1964	11.9	6.3	0.6	0.3	0.7	1.3	2.6	5.2	12.9	37.5	119.4	375.7
1963	11.7	5.5	0.6	0.3	0.8	1.3	2.7	5.6	13.7	36.9	118.1	371.2
1962	11.1	4.4	0.5	0.4	0.5	1.0	2.2	5.1	12.5	36.6	116.9	348.2
1961	10.7	3.8	0.6	0.2	0.6	1.1	2.5	5.1	12.7	36.6	114.0	315.8
1960	11.2	3.6	0.5	0.3	0.5	1.3	2.6	5.5	13.4	37.4	123.3	350.1

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other diseases of heart (430-434)												
ALL OTHER, BOTH SEXES												
1967	21.8	17.7	2.0	0.6	2.0	6.3	14.8	31.8	70.5	120.1	198.6	375.8
1966	22.1	20.1	2.3	0.6	2.0	7.9	15.5	32.7	69.2	119.9	201.2	391.0
1965	21.0	15.4	1.9	0.7	2.1	6.0	15.1	31.4	71.0	113.7	182.5	384.3
1964	21.1	17.6	2.1	0.8	2.2	5.9	16.9	32.8	72.2	110.7	183.3	325.6
1963	21.7	11.6	2.4	0.5	2.0	6.2	16.5	35.5	72.1	117.7	190.2	377.8
1962	21.1	9.7	1.4	0.7	2.6	5.7	16.0	34.0	73.2	114.2	186.7	350.0
1961	20.5	11.0	1.8	0.5	2.1	6.2	16.2	37.7	65.9	107.9	180.6	322.9
1960	20.4	10.3	1.7	0.7	1.8	6.1	14.4	33.7	64.9	118.3	191.2	335.0
ALL OTHER, MALE												
1967	25.0	19.0	2.5	*	2.2	6.6	17.6	39.4	88.8	146.2	228.3	430.8
1966	25.2	20.7	2.9	*	1.7	9.0	18.1	41.2	85.3	142.4	238.0	452.8
1965	24.1	16.0	1.7	*	1.9	6.9	16.0	37.3	85.9	144.4	222.7	467.6
1964	24.4	20.5	2.7	0.8	1.9	5.8	18.6	40.9	88.6	138.5	205.8	390.6
1963	24.7	12.8	2.3	*	1.7	6.3	17.9	43.4	81.9	145.5	230.3	486.2
1962	24.7	10.0	*	0.8	2.7	5.8	18.5	43.5	84.2	143.1	221.7	434.5
1961	23.6	13.2	1.8	*	1.8	6.3	18.6	45.7	78.0	132.5	206.3	350.0
1960	24.0	11.1	2.0	*	1.8	6.1	16.9	42.0	77.2	149.8	224.2	369.9
ALL OTHER, FEMALE												
1967	18.8	16.4	*	*	1.9	6.0	12.4	25.0	54.0	98.7	174.9	331.6
1966	19.2	19.6	1.8	*	2.3	7.0	13.3	25.0	54.4	101.4	172.4	349.1
1965	18.0	14.7	2.2	*	2.2	5.3	14.3	26.1	57.2	87.8	149.3	326.5
1964	18.1	14.7	*	0.8	2.6	6.0	15.4	25.3	56.7	86.7	164.4	286.7
1963	18.8	10.4	2.5	*	2.2	6.1	15.3	28.2	62.8	93.8	155.7	311.9
1962	17.8	9.3	*	*	2.5	5.6	13.7	25.2	62.7	89.2	156.0	297.5
1961	17.6	8.9	1.8	*	2.4	6.1	14.1	30.1	54.5	85.7	158.9	302.5
1960	16.9	9.4	*	*	1.8	6.1	12.1	25.9	52.9	89.5	161.7	307.9

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Hypertensive heart disease (440-443)												
BOTH SEXES												
1967	25.3	*	*	*	0.1	1.0	5.0	16.5	42.4	109.6	276.0	676.8
1966	27.7	*	*	*	0.1	1.0	5.3	17.5	47.9	120.7	310.7	743.4
1965	28.4	*	*	*	0.1	1.0	5.6	17.8	49.1	124.3	326.2	775.4
1964	30.1	*	*	*	0.1	1.1	5.5	18.7	52.3	133.3	347.5	847.9
1963	32.4	*	*	*	0.1	1.2	6.0	19.9	56.6	145.9	378.1	926.4
1962	33.5	*	*	*	0.1	1.2	6.0	20.6	57.5	152.2	398.5	948.7
1961	34.6	*	*	*	0.1	1.2	6.0	21.4	61.7	158.5	416.1	953.9
1960	37.0	*	*	*	0.2	1.3	6.4	22.7	67.4	174.9	450.2	984.2
MALE												
1967	22.4	*	*	*	*	1.0	5.3	19.1	48.3	115.4	254.2	561.7
1966	24.5	*	*	*	*	1.1	6.1	20.0	55.0	126.2	282.8	621.8
1965	25.0	*	*	*	*	1.1	6.2	19.6	55.4	128.6	295.4	658.8
1964	26.2	*	*	*	*	1.2	5.8	20.2	56.4	138.3	310.3	704.4
1963	28.5	*	*	*	*	1.4	6.4	21.1	60.2	148.5	344.7	801.9
1962	29.2	*	*	*	0.2	1.3	6.2	22.9	61.7	151.1	354.9	802.9
1961	30.3	*	*	*	*	1.1	6.2	22.0	65.7	157.4	377.5	810.2
1960	32.7	*	*	*	0.2	1.3	6.4	23.9	71.2	174.3	401.2	858.2
FEMALE												
1967	28.1	*	*	*	*	0.9	4.6	14.1	37.0	104.9	291.1	741.3
1966	30.7	*	*	*	*	0.9	4.6	15.1	41.5	116.3	330.6	813.8
1965	31.6	*	*	*	*	1.0	5.0	16.1	43.4	120.8	348.3	843.3
1964	33.8	*	*	*	*	1.0	5.1	17.2	48.5	129.2	374.8	932.9
1963	36.2	*	*	*	0.2	1.0	5.6	18.7	53.2	143.8	402.9	999.8
1962	37.6	*	*	*	*	1.1	5.8	18.4	53.5	153.1	431.4	1,038.3
1961	38.7	*	*	*	*	1.2	5.9	20.8	58.0	159.4	445.8	1,042.9
1960	41.2	*	*	*	0.2	1.2	6.5	21.5	63.9	175.4	488.3	1,064.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Hypertensive heart disease (440-443)												
WHITE, BOTH SEXES												
1967	22.0	*	*	*	*	0.3	1.9	9.1	29.6	89.8	259.4	665.4
1966	24.0	*	*	*	*	0.3	1.9	9.5	32.8	99.7	293.0	728.3
1965	24.8	*	*	*	*	0.3	2.2	9.8	33.3	103.8	308.5	761.5
1964	26.2	*	*	*	*	0.4	2.1	10.2	35.4	111.3	330.1	829.3
1963	28.1	*	*	*	*	0.4	2.3	10.5	38.4	121.3	356.9	903.2
1962	29.3	*	*	*	*	0.4	2.2	11.4	39.8	126.7	379.9	921.7
1961	30.5	*	*	*	*	0.4	2.3	12.0	43.1	134.9	397.1	935.7
1960	32.7	*	*	*	0.1	0.4	2.6	13.0	47.6	150.3	430.4	973.6
WHITE, MALE												
1967	18.9	*	*	*	*	0.4	2.3	11.3	35.7	94.8	235.4	538.5
1966	20.7	*	*	*	*	0.3	2.4	11.5	40.0	105.3	262.6	602.4
1965	21.2	*	*	*	*	0.4	2.8	11.4	39.6	107.6	276.4	640.8
1964	22.3	*	*	*	*	0.5	2.4	12.0	40.7	115.0	290.3	679.2
1963	24.1	*	*	*	*	0.5	2.8	12.3	43.0	122.5	322.1	775.9
1962	24.9	*	*	*	*	0.5	2.4	14.0	45.5	124.9	334.4	768.6
1961	26.2	*	*	*	*	0.5	2.6	13.6	49.0	132.5	355.3	789.2
1960	28.3	*	*	*	*	0.5	3.0	14.9	52.3	148.2	378.7	836.2
WHITE, FEMALE												
1967	25.0	*	*	*	*	0.3	1.5	7.0	24.0	85.9	276.0	735.2
1966	27.2	*	*	*	*	0.3	1.3	7.6	26.3	95.1	314.3	798.8
1965	28.2	*	*	*	*	0.2	1.6	8.2	27.6	100.7	331.4	830.6
1964	30.1	*	*	*	*	0.3	1.8	8.4	30.5	108.3	358.9	915.6
1963	32.0	*	*	*	*	0.3	1.8	8.8	34.1	120.3	382.6	978.9
1962	33.5	*	*	*	*	0.3	2.0	8.8	34.5	128.2	413.9	1,016.8
1961	34.6	*	*	*	*	0.4	2.0	10.5	37.5	136.9	428.7	1,028.3
1960	37.1	*	*	*	*	0.3	2.2	11.1	43.3	152.1	470.1	1,060.0

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Hypertensive heart disease (440-443)												
ALL OTHER, BOTH SEXES												
1967	49.2	*	*	*	*	5.3	29.2	84.0	167.9	308.8	491.1	807.4
1966	54.6	*	*	*	*	6.1	33.0	90.7	197.0	336.0	542.1	920.2
1965	55.4	*	*	*	0.6	6.0	33.5	90.8	206.1	337.3	557.8	951.8
1964	58.6	*	*	*	0.6	6.1	32.9	96.3	221.1	366.1	576.9	1,076.9
1963	64.2	*	*	*	0.7	7.0	37.2	105.9	236.3	406.9	637.3	1,187.5
1962	65.1	*	*	*	0.7	7.2	38.7	106.2	236.3	424.9	630.4	1,217.1
1961	66.0	*	*	*	*	6.5	37.8	107.4	249.3	425.6	668.5	1,187.1
1960	69.9	*	*	*	0.9	7.5	39.1	111.6	268.4	462.9	720.4	1,111.2
ALL OTHER, MALE												
1967	48.3	*	*	*	*	5.8	31.1	92.3	172.1	317.4	477.7	792.3
1966	53.4	*	*	*	*	7.2	37.3	100.1	202.2	334.6	525.1	822.2
1965	53.7	*	*	*	*	6.0	35.8	95.9	211.3	341.6	523.9	870.6
1964	56.0	*	*	*	*	6.4	35.2	96.7	211.1	378.0	551.7	984.4
1963	61.2	*	*	*	*	8.0	38.1	103.3	227.3	420.3	605.5	1,113.8
1962	62.4	*	*	*	*	8.0	39.8	107.3	224.7	425.8	599.4	1,227.6
1961	62.4	*	*	*	*	6.4	38.1	100.4	230.7	432.5	649.1	1,076.7
1960	67.1	*	*	*	*	7.5	36.0	106.9	259.7	471.0	683.1	1,090.5
ALL OTHER, FEMALE												
1967	50.1	*	*	*	*	4.9	27.5	76.6	164.3	302.2	501.7	803.5
1966	55.8	*	*	*	*	5.2	29.3	82.1	192.4	337.9	558.4	986.8
1965	57.0	*	*	*	*	5.9	31.6	86.2	201.4	333.6	585.9	1,008.2
1964	61.1	*	*	*	*	5.8	31.0	96.1	230.6	354.6	598.0	1,166.7
1963	66.9	*	*	*	*	6.1	36.4	108.2	244.9	395.3	664.6	1,266.7
1962	67.6	*	*	*	*	6.6	37.7	105.3	247.3	425.8	657.6	1,240.0
1961	69.5	*	*	*	*	6.5	37.5	113.9	267.8	418.6	689.4	1,270.0
1960	72.4	*	*	*	*	7.5	41.9	116.1	277.0	455.4	753.7	1,127.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other hypertensive disease (444-447)												
BOTH SEXES												
1967	5.6	*	*	*	0.1	0.7	2.4	3.8	6.9	19.3	63.3	192.0
1966	5.8	*	*	*	0.1	0.8	2.3	3.6	7.5	20.5	67.1	201.7
1965	6.0	*	*	*	0.1	0.9	2.2	4.4	7.8	21.2	69.2	211.1
1964	6.4	*	*	*	0.1	0.8	2.5	4.6	8.3	23.0	74.5	222.4
1963	6.7	*	*	*	0.1	1.0	2.6	4.5	9.4	25.1	79.0	229.2
1962	6.7	*	*	*	0.2	1.0	2.8	5.1	8.7	24.2	80.1	231.2
1961	6.7	*	*	*	0.1	1.0	2.7	5.0	9.5	24.7	77.7	223.7
1960	7.1	*	*	*	0.1	0.9	3.2	5.7	10.0	27.1	81.8	230.5
MALE												
1967	5.8	*	*	*	*	0.8	2.7	4.6	8.6	23.2	74.0	221.1
1966	6.0	*	*	*	*	0.9	2.7	4.5	9.1	24.9	76.0	234.0
1965	6.3	*	*	*	*	1.1	2.7	5.4	9.2	25.4	79.3	248.2
1964	6.6	*	*	*	*	0.9	2.9	5.4	9.9	27.0	86.3	252.5
1963	6.9	*	*	*	*	1.2	3.0	5.4	10.6	29.3	88.6	260.7
1962	6.9	*	*	*	*	1.0	3.3	6.1	10.1	29.2	88.5	244.1
1961	6.7	*	*	*	0.2	1.1	3.1	5.8	11.1	27.4	83.8	245.0
1960	7.2	*	*	*	*	1.0	3.9	6.6	10.9	30.6	90.1	253.4
FEMALE												
1967	5.5	*	*	*	0.1	0.7	2.2	3.0	5.4	16.3	55.8	175.7
1966	5.7	*	*	*	*	0.7	1.9	2.8	6.0	16.9	60.9	183.6
1965	5.8	*	*	*	*	0.7	1.8	3.4	6.4	17.7	62.0	189.5
1964	6.2	*	*	*	*	0.8	2.2	3.9	6.7	19.7	65.9	204.6
1963	6.6	*	*	*	*	0.8	2.2	3.6	8.3	21.6	71.9	209.9
1962	6.6	*	*	*	0.2	0.9	2.4	4.1	7.4	20.0	73.8	223.2
1961	6.6	*	*	*	*	0.9	2.4	4.1	8.1	22.5	73.0	209.8
1960	6.9	*	*	*	*	0.9	2.6	4.8	9.1	24.1	75.4	215.9

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other hypertensive disease (444-447)												
WHITE, BOTH SEXES												
1967	5.1	*	*	*	0.1	0.3	0.9	2.2	5.1	17.4	62.5	194.3
1966	5.3	*	*	*	*	0.2	0.9	2.1	5.4	17.9	66.5	205.9
1965	5.5	*	*	*	*	0.3	0.8	2.4	5.9	18.6	68.5	214.6
1964	5.8	*	*	*	*	0.3	1.0	2.7	6.0	20.6	73.5	224.8
1963	6.1	*	*	*	0.1	0.4	1.0	2.5	7.1	22.6	78.2	233.1
1962	6.0	*	*	*	0.1	0.3	1.1	2.9	6.4	21.7	79.3	233.6
1961	6.0	*	*	*	*	0.3	1.0	2.9	7.3	22.0	76.4	225.5
1960	6.4	*	*	*	*	0.4	1.5	3.6	7.7	24.1	80.5	232.6
WHITE, MALE												
1967	5.2	*	*	*	*	0.2	1.0	2.6	6.7	21.3	73.0	228.4
1966	5.4	*	*	*	*	0.3	1.1	2.7	6.9	22.1	75.9	239.1
1965	5.5	*	*	*	*	0.4	1.1	2.9	7.1	22.6	78.0	253.2
1964	5.9	*	*	*	*	0.3	1.2	3.2	7.4	24.2	85.6	255.5
1963	6.1	*	*	*	*	0.5	1.2	3.0	8.1	26.2	87.8	265.8
1962	6.1	*	*	*	*	0.4	1.2	3.7	7.6	26.1	87.3	250.3
1961	6.0	*	*	*	*	0.4	1.3	3.7	9.0	24.4	82.1	246.8
1960	6.4	*	*	*	*	0.5	1.9	4.3	8.7	27.6	88.7	254.7
WHITE, FEMALE												
1967	5.1	*	*	*	*	0.3	0.9	1.7	3.7	14.4	55.2	175.6
1966	5.2	*	*	*	*	*	0.7	1.5	4.0	14.4	59.9	187.2
1965	5.4	*	*	*	*	0.2	0.6	2.0	4.7	15.5	61.7	192.6
1964	5.7	*	*	*	*	0.2	0.8	2.1	4.7	17.7	64.7	206.6
1963	6.1	*	*	*	*	0.3	0.9	1.9	6.2	19.6	71.2	213.6
1962	6.0	*	*	*	*	0.3	0.9	2.1	5.2	18.0	73.4	223.9
1961	6.0	*	*	*	*	0.2	0.9	2.2	5.7	20.0	72.2	212.7
1960	6.3	*	*	*	*	0.3	1.0	2.9	6.8	21.2	74.3	218.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other hypertensive disease (444-447)												
ALL OTHER, BOTH SEXES												
1967	9.3	*	*	*	*	4.2	14.3	18.6	24.1	38.7	73.7	165.3
1966	9.8	*	*	*	*	4.6	13.6	17.6	27.9	47.2	75.6	152.8
1965	10.3	*	*	*	*	5.4	13.6	22.3	26.7	47.4	78.7	171.1
1964	10.9	*	*	*	*	4.8	15.2	22.6	30.9	48.0	88.3	192.3
1963	11.5	*	*	*	*	5.0	15.7	23.1	32.5	54.9	91.0	177.8
1962	12.1	*	*	*	*	5.6	17.3	25.5	33.1	52.3	93.9	211.4
1961	12.0	*	*	*	0.8	5.6	17.1	23.8	31.8	55.6	94.1	200.0
1960	12.6	*	*	*	*	4.8	18.1	25.1	33.6	62.1	99.2	205.2
ALL OTHER, MALE												
1967	10.1	*	*	*	*	4.8	16.8	23.1	27.3	41.3	85.3	148.7
1966	10.5	*	*	*	*	5.3	16.4	21.3	30.0	52.3	76.5	180.6
1965	11.9	*	*	*	*	6.6	16.3	28.8	30.1	54.6	94.3	202.9
1964	11.9	*	*	*	*	5.2	17.3	25.3	35.3	56.2	94.8	218.8
1963	12.8	*	*	*	*	5.8	18.6	27.7	34.3	65.1	102.4	193.1
1962	13.3	*	*	*	*	6.0	21.0	29.0	34.8	62.2	106.2	206.9
1961	12.8	*	*	*	*	6.0	19.6	25.9	32.1	60.6	105.7	233.3
1960	13.4	*	*	*	*	4.7	20.9	28.6	33.4	65.2	107.4	239.2
ALL OTHER, FEMALE												
1967	8.5	*	*	*	*	3.7	12.2	14.6	21.2	36.6	64.5	173.7
1966	9.1	*	*	*	*	3.9	11.2	14.2	26.0	43.0	75.1	134.0
1965	8.8	*	*	*	*	4.3	11.2	16.4	23.5	41.3	65.7	149.0
1964	10.0	*	*	*	*	4.5	13.3	20.1	26.8	40.9	82.9	177.8
1963	10.2	*	*	*	*	4.4	13.2	18.8	30.7	46.1	81.3	171.4
1962	11.0	*	*	*	*	5.3	14.0	22.3	31.4	43.8	83.2	220.0
1961	11.2	*	*	*	*	5.3	14.9	21.9	31.6	51.1	84.4	175.0
1960	11.8	*	*	*	*	4.9	15.6	21.8	33.8	59.2	91.9	178.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 450 Atherosclerosis												
BOTH SEXES												
1967	19.0	*	*	*	*	*	0.2	1.3	8.2	46.8	255.7	1,285.3
1966	19.9	*	*	*	*	*	0.2	1.6	9.2	51.2	274.0	1,354.2
1965	19.7	*	*	*	*	*	0.3	1.6	9.0	50.3	275.9	1,387.2
1964	19.4	*	*	*	*	*	0.2	1.6	9.8	50.3	276.5	1,391.5
1963	19.9	*	*	*	*	*	0.2	1.7	9.6	53.0	289.8	1,424.4
1962	19.8	*	*	*	*	*	0.2	1.9	9.3	51.8	292.4	1,451.3
1961	19.3	*	*	*	*	*	0.2	1.6	10.0	52.8	286.0	1,405.4
1960	20.0	*	*	*	*	*	0.3	1.8	10.9	56.9	307.4	1,423.3
MALE												
1967	17.2	*	*	*	*	*	0.4	1.8	10.4	57.6	285.3	1,311.7
1966	18.3	*	*	*	*	*	0.3	2.0	11.9	62.4	308.7	1,387.3
1965	18.2	*	*	*	*	*	0.4	2.3	11.6	62.2	306.2	1,433.9
1964	17.8	*	*	*	*	*	0.3	2.1	12.5	59.9	301.6	1,415.8
1963	18.5	*	*	*	*	*	0.3	2.2	12.3	64.2	318.5	1,463.7
1962	18.5	*	*	*	*	*	0.3	2.7	12.1	61.2	319.1	1,470.9
1961	18.3	*	*	*	*	*	0.4	2.0	13.2	63.9	314.1	1,424.9
1960	19.3	*	*	*	*	*	0.4	2.5	14.3	68.8	340.9	1,453.3
FEMALE												
1967	20.7	*	*	*	*	*	*	0.9	6.2	38.2	235.0	1,270.5
1966	21.5	*	*	*	*	*	0.2	1.3	6.7	42.3	249.6	1,337.2
1965	21.1	*	*	*	*	*	*	1.0	6.5	40.7	254.1	1,360.1
1964	21.0	*	*	*	*	*	0.2	1.2	7.3	42.5	258.1	1,377.2
1963	21.1	*	*	*	*	*	*	1.3	7.1	43.7	268.4	1,398.6
1962	21.2	*	*	*	*	*	0.2	1.2	6.7	43.9	272.2	1,439.3
1961	20.3	*	*	*	*	*	*	1.1	7.1	43.3	264.5	1,390.7
1960	20.7	*	*	*	*	*	0.2	1.0	7.7	46.5	281.4	1,404.1

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 450 Atherosclerosis												
WHITE, BOTH SEXES												
1967	20.1	*	*	*	*	*	0.2	1.2	7.3	44.4	259.4	1,338.5
1966	20.9	*	*	*	*	*	0.2	1.4	7.9	48.6	277.5	1,406.0
1965	20.7	*	*	*	*	*	0.2	1.4	7.8	47.9	278.6	1,439.4
1964	20.4	*	*	*	*	*	0.2	1.3	8.5	47.6	279.2	1,441.0
1963	20.9	*	*	*	*	*	0.2	1.5	8.3	50.3	293.4	1,473.3
1962	20.9	*	*	*	*	*	0.2	1.6	8.2	49.3	296.5	1,496.6
1961	20.3	*	*	*	*	*	0.2	1.3	8.7	50.0	289.8	1,452.9
1960	20.9	*	*	*	*	*	0.2	1.5	9.4	53.8	311.8	1,471.9
WHITE, MALE												
1967	18.0	*	*	*	*	*	0.3	1.6	9.5	55.2	290.1	1,373.6
1966	19.1	*	*	*	*	*	0.3	1.8	10.6	60.5	312.5	1,442.9
1965	19.0	*	*	*	*	*	0.3	2.0	10.5	59.8	310.0	1,494.8
1964	18.5	*	*	*	*	*	0.2	1.8	11.2	57.3	304.9	1,472.7
1963	19.4	*	*	*	*	*	0.2	2.0	11.0	61.7	322.7	1,517.6
1962	19.2	*	*	*	*	*	0.2	2.4	10.9	58.0	325.1	1,519.2
1961	19.0	*	*	*	*	*	0.3	1.8	11.9	60.7	318.6	1,481.3
1960	20.0	*	*	*	*	*	0.3	2.3	12.5	65.9	346.6	1,502.2
WHITE, FEMALE												
1967	22.1	*	*	*	*	*	*	0.8	5.4	35.9	238.2	1,319.2
1966	22.8	*	*	*	*	*	*	1.0	5.5	39.2	252.9	1,385.3
1965	22.3	*	*	*	*	*	*	0.8	5.3	38.3	256.3	1,407.7
1964	22.2	*	*	*	*	*	*	0.9	6.1	39.7	260.6	1,420.1
1963	22.4	*	*	*	*	*	*	1.0	5.7	40.9	271.9	1,446.9
1962	22.5	*	*	*	*	*	*	0.9	5.7	42.0	275.1	1,485.6
1961	21.5	*	*	*	*	*	*	0.8	5.8	40.9	268.0	1,437.9
1960	21.8	*	*	*	*	*	*	0.8	6.4	43.4	285.1	1,452.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 450 Atherosclerosis												
ALL OTHER, BOTH SEXES												
1967	10.9	*	*	*	*	*	*	2.6	16.3	70.5	207.7	674.7
1966	12.2	*	*	*	*	*	*	3.8	21.8	77.4	228.9	749.4
1965	12.2	*	*	*	*	*	0.8	4.2	20.7	75.4	240.9	777.1
1964	12.2	*	*	*	*	*	*	4.2	22.1	79.0	241.4	782.1
1963	12.9	*	*	*	*	*	*	4.1	23.6	84.0	255.5	862.5
1962	13.0	*	*	*	*	*	*	4.6	20.9	85.1	251.6	921.4
1961	12.1	*	*	*	*	*	*	3.6	23.1	84.8	235.3	798.6
1960	13.0	*	*	*	*	*	1.0	3.8	26.4	92.3	246.9	841.7
ALL OTHER, MALE												
1967	11.2	*	*	*	*	*	*	2.9	19.0	81.2	226.6	697.4
1966	12.4	*	*	*	*	*	*	4.0	24.7	81.3	261.5	811.1
1965	12.5	*	*	*	*	*	*	5.3	23.0	86.0	260.2	826.5
1964	12.4	*	*	*	*	*	*	4.8	25.3	86.3	262.2	784.4
1963	13.4	*	*	*	*	*	*	4.4	24.9	94.4	283.0	975.9
1962	13.7	*	*	*	*	*	*	5.2	24.3	100.2	266.5	1,031.0
1961	12.9	*	*	*	*	*	*	3.8	26.2	99.3	259.1	830.0
1960	14.0	*	*	*	*	*	*	4.6	31.6	101.7	268.8	937.5
ALL OTHER, FEMALE												
1967	10.7	*	*	*	*	*	*	2.2	13.9	61.7	192.6	647.4
1966	12.0	*	*	*	*	*	*	3.7	19.1	74.4	203.6	707.5
1965	11.9	*	*	*	*	*	*	3.2	18.5	66.4	224.9	742.9
1964	12.1	*	*	*	*	*	*	3.6	19.0	72.4	223.9	797.8
1963	12.5	*	*	*	*	*	*	3.8	22.5	75.1	231.8	804.8
1962	12.2	*	*	*	*	*	*	4.0	17.7	72.2	238.6	865.0
1961	11.4	*	*	*	*	*	*	3.4	20.1	71.6	215.6	775.0
1960	12.0	*	*	*	*	*	*	3.1	21.4	83.7	227.4	767.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other diseases of circulatory system (451-468)												
BOTH SEXES												
1967	15.2	0.8	0.2	0.2	1.1	2.4	5.0	11.4	30.1	76.6	136.3	223.3
1966	14.7	1.2	0.2	0.1	1.0	2.3	5.0	11.3	30.3	73.9	132.4	213.0
1965	14.1	1.0	0.2	0.1	1.1	2.3	4.8	11.2	29.4	71.1	127.1	209.2
1964	13.5	1.2	0.2	0.2	1.0	2.1	4.4	10.5	29.1	68.3	123.3	196.0
1963	12.9	1.2	0.1	0.2	0.8	2.0	4.2	10.3	27.6	66.9	117.7	197.1
1962	12.2	0.8	0.1	0.2	0.8	1.8	3.9	9.5	26.9	64.0	108.3	185.6
1961	11.3	1.1	0.1	0.1	0.8	1.8	3.4	9.5	24.8	58.9	103.3	163.5
1960	11.0	0.9	0.1	0.2	0.9	1.6	3.8	9.1	25.6	56.1	100.5	161.0
MALE												
1967	18.3	*	*	0.2	0.7	1.7	4.5	14.2	43.4	112.8	183.8	262.7
1966	17.6	1.7	*	0.1	0.6	1.6	4.5	13.6	42.4	109.4	174.4	249.9
1965	17.1	1.3	*	0.1	0.7	1.6	4.5	13.6	41.4	107.1	167.5	239.9
1964	16.6	1.3	*	0.1	0.6	1.5	4.4	13.2	41.9	101.9	163.2	231.3
1963	15.9	1.2	*	0.1	0.5	1.6	4.1	13.1	38.9	99.5	154.2	214.1
1962	15.0	1.2	*	*	0.5	1.4	4.0	12.3	37.7	95.7	138.4	208.6
1961	14.1	1.2	*	0.1	0.5	1.5	3.6	11.9	35.5	86.0	135.0	187.4
1960	13.7	1.1	*	0.2	0.5	1.2	3.9	11.5	36.6	81.4	127.6	190.7
FEMALE												
1967	12.2	*	*	0.2	1.5	3.0	5.5	8.8	18.0	47.8	103.3	201.2
1966	11.9	*	*	0.2	1.5	3.0	5.5	9.0	19.3	45.4	102.8	192.3
1965	11.2	*	*	0.2	1.4	3.0	5.2	8.8	18.4	41.9	98.0	191.4
1964	10.4	1.0	*	0.2	1.4	2.6	4.4	7.9	17.2	40.7	94.1	175.0
1963	10.1	1.1	*	0.2	1.1	2.5	4.3	7.5	17.1	39.9	90.5	186.6
1962	9.4	*	*	0.2	1.1	2.3	3.8	6.8	16.8	37.4	85.5	171.5
1961	8.6	1.0	*	0.2	1.0	2.1	3.2	7.1	14.9	35.8	79.1	148.1
1960	8.5	*	*	0.2	1.2	2.0	3.6	6.8	15.3	34.1	79.5	142.0

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other diseases of circulatory system (451-468)												
WHITE, BOTH SEXES												
1967	15.2	0.7	*	0.1	0.9	1.8	4.0	10.2	28.7	75.7	137.9	226.3
1966	14.7	0.9	0.2	0.1	0.9	1.8	4.1	10.0	28.4	73.3	134.3	216.7
1965	14.2	0.7	0.2	0.1	0.9	1.8	3.8	9.9	27.9	70.8	128.5	214.8
1964	13.6	1.1	0.2	0.2	0.8	1.6	3.6	9.3	27.6	68.2	125.5	199.9
1963	13.0	0.9	*	0.1	0.7	1.5	3.5	9.3	26.1	66.7	118.9	200.2
1962	12.3	*	*	0.1	0.7	1.5	3.1	8.4	25.6	63.7	110.8	190.9
1961	11.4	1.0	*	0.1	0.6	1.4	2.8	8.4	23.7	58.5	104.9	166.8
1960	11.1	0.8	*	0.2	0.8	1.3	3.1	8.2	24.2	56.1	102.3	165.0
WHITE, MALE												
1967	18.7	*	*	0.1	0.6	1.4	3.7	13.0	42.5	113.7	187.3	268.2
1966	17.9	1.4	*	*	0.5	1.2	3.9	12.5	41.0	109.8	178.2	254.7
1965	17.4	*	*	0.1	0.6	1.3	3.6	12.4	40.3	108.2	170.9	248.2
1964	17.0	1.2	*	*	0.6	1.2	3.7	12.0	40.8	103.2	167.0	236.1
1963	16.1	*	*	*	0.4	1.3	3.5	12.1	37.8	99.8	157.1	219.6
1962	15.4	*	*	*	0.4	1.2	3.4	11.4	37.0	96.2	142.8	216.2
1961	14.3	*	*	*	0.4	1.2	3.0	10.8	35.1	86.2	138.4	192.1
1960	14.0	*	*	0.2	0.5	1.0	3.4	10.7	35.6	82.2	130.5	197.3
WHITE, FEMALE												
1967	11.9	*	*	0.2	1.2	2.2	4.3	7.6	16.1	45.6	103.8	203.3
1966	11.7	*	*	0.2	1.2	2.4	4.2	7.7	16.9	44.2	103.5	195.3
1965	11.1	*	*	0.2	1.1	2.3	4.0	7.6	16.7	40.7	98.4	195.7
1964	10.3	*	*	0.2	1.0	1.9	3.5	6.6	15.5	39.5	95.5	178.5
1963	10.0	*	*	0.2	0.9	1.8	3.4	6.6	15.3	39.3	90.7	188.7
1962	9.3	*	*	0.2	0.9	1.8	2.9	5.6	15.0	36.5	86.7	175.9
1961	8.5	*	*	0.2	0.8	1.6	2.6	6.1	13.1	35.0	79.5	151.4
1960	8.4	*	*	0.2	1.0	1.6	2.9	5.8	13.6	33.5	80.7	144.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other diseases of circulatory system (451-468)												
ALL OTHER, BOTH SEXES												
1967	14.6	*	*	0.4	2.7	6.3	13.0	22.5	43.8	85.4	116.6	188.4
1966	14.2	*	*	*	2.3	5.9	12.5	22.4	49.4	79.5	107.7	170.8
1965	13.4	*	*	*	2.2	5.7	12.7	22.3	44.0	73.4	107.7	144.6
1964	12.7	*	*	*	2.6	5.5	11.1	21.8	43.8	69.3	94.4	147.4
1963	12.7	*	*	*	2.2	5.7	10.6	20.0	42.2	70.1	105.9	163.9
1962	11.1	*	*	*	1.9	4.2	10.0	18.8	38.6	64.4	76.5	131.4
1961	10.9	*	*	*	2.0	4.7	8.9	19.1	36.2	63.6	82.1	121.4
1960	10.4	*	*	*	1.7	4.1	9.3	17.6	39.6	56.0	75.9	113.1
ALL OTHER, MALE												
1967	15.4	*	*	*	1.6	4.2	11.0	25.6	51.8	103.2	141.8	207.7
1966	15.2	*	*	*	1.3	4.7	9.6	24.1	57.0	106.0	126.8	200.0
1965	14.6	*	*	*	1.2	3.7	11.5	25.0	52.9	95.4	125.6	158.8
1964	13.9	*	*	*	1.2	3.6	10.2	24.5	53.2	88.2	117.4	178.1
1963	14.2	*	*	*	1.4	4.1	9.7	23.5	49.2	96.8	124.8	175.9
1962	12.1	*	*	*	*	2.9	9.0	21.0	43.8	85.5	86.3	151.7
1961	12.2	*	*	*	1.4	3.9	9.1	22.0	39.4	84.2	93.1	140.0
1960	11.6	*	*	*	*	3.2	8.6	19.4	46.9	72.3	91.4	121.2
ALL OTHER, FEMALE												
1967	13.9	*	*	*	3.8	8.1	14.7	19.8	36.6	70.7	96.5	171.9
1966	13.3	*	*	*	3.3	7.0	15.0	20.9	42.6	57.5	92.8	150.9
1965	12.4	*	*	*	3.1	7.4	13.7	19.8	35.7	54.8	93.0	134.7
1964	11.6	*	*	*	3.9	7.2	11.9	19.4	34.9	52.9	75.1	128.9
1963	11.2	*	*	*	2.9	7.1	11.4	16.7	35.7	47.1	89.6	159.5
1962	10.2	*	*	*	2.7	5.2	11.0	16.7	33.6	46.0	67.9	120.0
1961	9.7	*	*	*	2.5	5.4	8.8	16.2	33.3	45.1	72.8	107.5
1960	9.4	*	*	*	2.5	4.8	10.0	15.9	32.6	41.1	62.1	106.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Chronic and unspecified nephritis and other renal sclerosis (592-594)												
BOTH SEXES												
1967	5.0	0.6	0.2	0.3	1.2	1.8	3.4	5.9	9.6	17.1	34.7	86.0
1966	5.3	0.8	*	0.4	1.3	2.3	3.5	6.0	10.0	18.0	38.1	91.9
1965	5.5	0.8	0.3	0.4	1.3	2.3	3.5	6.4	10.2	18.2	40.1	100.9
1964	5.8	0.6	0.2	0.4	1.5	2.4	3.7	6.5	11.0	18.9	44.4	108.6
1963	6.0	0.5	0.2	0.5	1.5	2.6	3.6	6.9	11.3	20.4	44.6	110.6
1962	6.1	1.2	0.2	0.5	1.5	2.7	4.0	6.5	11.0	20.7	48.5	118.3
1961	6.3	0.6	0.2	0.5	1.8	2.9	4.0	6.8	11.7	21.4	50.4	124.6
1960	6.7	0.5	0.2	0.5	1.7	2.8	4.2	7.4	12.1	23.9	53.3	132.0
MALE												
1967	5.7	*	*	0.3	1.4	2.1	4.0	7.1	12.2	21.1	46.0	113.1
1966	6.1	*	*	0.4	1.6	2.7	4.1	7.3	12.3	23.1	47.5	124.9
1965	6.2	*	0.2	0.3	1.6	2.8	4.2	8.1	12.0	22.7	51.0	132.9
1964	6.5	*	0.3	0.4	1.7	2.7	4.4	7.9	13.4	23.1	55.9	137.7
1963	6.7	*	*	0.5	1.7	3.2	4.3	8.3	13.6	24.5	56.2	143.0
1962	6.9	1.3	0.2	0.4	1.8	3.2	4.8	7.8	13.2	26.0	57.9	157.0
1961	7.1	*	*	0.4	2.1	3.5	4.8	8.2	13.7	25.8	61.3	146.6
1960	7.5	*	0.3	0.5	2.1	3.5	5.1	8.5	14.3	27.8	64.3	161.8
FEMALE												
1967	4.4	*	*	0.3	1.0	1.6	2.9	4.8	7.3	13.9	26.9	70.8
1966	4.6	*	*	0.4	1.0	1.8	2.9	4.8	7.8	13.9	31.5	73.3
1965	4.8	*	0.3	0.5	1.1	1.8	2.8	4.8	8.6	14.5	32.3	82.3
1964	5.1	*	*	0.4	1.3	2.1	3.1	5.2	8.8	15.6	36.0	91.3
1963	5.2	*	0.3	0.5	1.3	2.0	3.1	5.6	9.1	17.0	36.0	90.9
1962	5.3	1.0	*	0.5	1.2	2.2	3.3	5.3	9.0	16.3	41.4	94.6
1961	5.6	*	*	0.5	1.4	2.3	3.2	5.5	9.8	17.6	42.0	110.5
1960	5.9	*	*	0.5	1.3	2.2	3.4	6.2	10.1	20.5	44.8	113.1

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Chronic and unspecified nephritis and other renal sclerosis (592-594)												
WHITE, BOTH SEXES												
1967	4.3	*	0.2	0.3	1.0	1.3	2.4	4.3	7.4	14.7	32.2	80.8
1966	4.6	0.8	*	0.4	1.2	1.8	2.5	4.4	7.7	15.5	35.1	86.3
1965	4.8	0.7	0.2	0.4	1.3	1.8	2.6	5.0	8.1	15.4	36.9	95.7
1964	5.1	*	0.2	0.4	1.3	1.9	2.8	4.9	8.5	16.3	41.3	104.0
1963	5.2	*	0.2	0.5	1.3	2.1	2.8	5.2	9.1	17.2	41.6	105.1
1962	5.4	0.9	0.2	0.4	1.4	2.3	3.1	5.0	8.7	17.7	45.6	110.2
1961	5.7	*	*	0.4	1.6	2.5	3.2	5.3	9.4	18.6	46.8	117.3
1960	5.9	*	0.1	0.4	1.6	2.5	3.3	5.6	9.7	20.4	49.1	124.2
WHITE, MALE												
1967	5.0	*	*	0.3	1.2	1.7	3.0	5.5	10.0	18.3	41.8	105.9
1966	5.3	*	*	0.4	1.5	2.2	3.2	5.5	9.6	20.4	43.3	116.6
1965	5.5	*	*	0.3	1.5	2.3	3.2	6.5	10.0	19.5	46.5	124.0
1964	5.8	*	*	0.3	1.6	2.3	3.6	6.2	10.8	20.0	51.5	132.7
1963	5.9	*	*	0.4	1.4	2.8	3.5	6.5	11.5	20.8	52.1	136.3
1962	6.2	*	*	0.4	1.8	2.9	3.8	6.3	11.0	22.5	54.6	144.6
1961	6.4	*	*	0.4	2.0	3.2	4.1	6.7	11.3	22.0	57.0	138.6
1960	6.7	*	*	0.5	2.1	3.3	4.1	7.0	11.7	23.5	58.6	152.9
WHITE, FEMALE												
1967	3.7	*	*	0.3	0.9	0.9	1.8	3.2	5.1	11.8	25.5	66.9
1966	3.9	*	*	0.4	0.9	1.4	1.8	3.4	5.9	11.5	29.3	69.4
1965	4.1	*	*	0.4	1.1	1.2	2.0	3.6	6.4	12.0	30.1	79.5
1964	4.4	*	*	0.4	1.1	1.5	2.1	3.7	6.4	13.3	33.9	87.0
1963	4.5	*	*	0.5	1.2	1.5	2.1	4.0	7.0	14.2	33.9	86.5
1962	4.6	*	*	0.5	1.1	1.7	2.4	3.6	6.6	13.7	38.9	89.4
1961	5.0	*	*	0.4	1.3	1.8	2.3	3.9	7.7	15.8	39.1	104.4
1960	5.2	*	*	0.4	1.2	1.7	2.6	4.2	7.7	17.7	41.8	106.1

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Chronic and unspecified nephritis and other renal sclerosis (592-594)												
ALL OTHER, BOTH SEXES												
1967	10.2	*	*	0.3	2.1	5.3	11.5	20.4	31.0	42.0	68.0	146.3
1966	10.5	*	*	0.5	2.1	5.4	11.2	20.4	32.2	43.5	77.6	157.3
1965	10.6	*	*	0.7	1.8	6.0	10.8	19.4	31.3	47.1	82.3	165.1
1964	11.2	*	*	0.6	2.4	5.9	11.1	21.6	36.1	46.9	85.9	165.4
1963	11.5	*	*	0.6	2.5	5.9	11.2	22.4	32.3	54.6	86.6	184.7
1962	11.7	*	*	0.8	1.8	5.5	11.9	21.3	33.6	54.6	90.4	224.3
1961	11.6	*	*	0.7	2.7	5.8	10.9	20.5	34.3	53.1	97.6	217.1
1960	12.9	*	*	0.7	2.2	5.5	12.3	23.5	37.0	64.9	110.6	226.1
ALL OTHER, MALE												
1967	11.1	*	*	*	2.3	4.8	12.6	21.9	33.7	48.8	96.2	184.6
1966	11.9	*	*	*	2.7	6.3	11.6	23.5	38.6	50.0	97.8	211.1
1965	11.8	*	*	*	2.3	6.7	12.7	23.1	31.3	54.2	105.1	232.4
1964	12.2	*	*	*	2.5	5.9	11.8	24.3	38.6	54.9	109.3	193.8
1963	12.9	*	*	*	3.3	6.9	11.6	25.5	34.6	64.2	109.7	251.7
1962	12.7	*	*	0.9	2.1	5.6	13.4	22.5	34.3	65.2	102.5	317.2
1961	12.8	*	*	*	2.9	6.1	11.1	21.8	37.2	68.2	113.8	243.3
1960	14.1	*	*	0.8	2.7	5.5	14.1	22.5	39.6	76.4	135.4	255.1
ALL OTHER, FEMALE												
1967	9.3	*	*	*	2.0	5.8	10.6	19.0	28.6	36.4	45.5	117.5
1966	9.2	*	*	*	1.6	4.6	10.9	17.7	26.3	38.2	61.5	120.8
1965	9.5	*	*	0.8	1.4	5.4	9.1	16.0	31.2	41.2	63.4	118.4
1964	10.3	*	*	*	2.4	5.8	10.5	19.1	33.6	40.0	66.3	148.9
1963	10.2	*	*	*	1.8	5.1	10.8	19.5	30.2	46.3	66.7	142.9
1962	10.7	*	*	*	1.5	5.5	10.6	20.2	32.9	45.4	79.9	162.5
1961	10.4	*	*	*	2.4	5.4	10.6	19.3	31.5	39.5	83.9	197.5
1960	11.8	*	*	*	1.8	5.4	10.6	24.5	34.4	54.3	88.3	203.6

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 480-493 Pneumonia and influenza												
BOTH SEXES												
1967	28.8	165.7	9.5	1.7	2.3	3.2	7.1	14.4	29.3	82.3	276.7	961.3
1966	32.5	195.8	11.3	2.0	2.4	3.5	8.3	16.5	34.6	94.2	306.4	1,087.7
1965	32.0	213.2	11.8	2.1	2.1	3.6	7.8	15.3	33.1	91.4	301.0	1,055.7
1964	31.1	210.9	12.6	1.9	2.1	3.6	7.1	15.2	32.1	88.0	291.0	1,024.8
1963	37.5	222.1	14.7	2.3	2.6	4.2	8.5	18.5	41.2	113.0	354.7	1,262.1
1962	32.3	220.0	13.9	2.3	2.5	3.5	7.6	15.2	33.0	92.7	299.7	1,055.8
1961	30.2	220.5	13.1	2.1	2.2	3.2	7.2	13.9	30.9	85.5	275.6	954.8
1960	37.3	239.0	16.2	2.6	3.0	4.8	9.3	19.6	43.2	112.1	340.6	1,126.6
MALE												
1967	33.1	184.6	10.7	1.8	2.7	3.6	9.0	19.9	41.3	119.2	363.1	1,150.2
1966	37.2	220.1	11.9	2.0	2.8	4.0	10.2	21.5	48.7	134.3	396.9	1,299.5
1965	36.9	240.2	11.7	2.3	2.4	4.1	9.4	20.4	46.1	131.0	396.6	1,258.8
1964	35.8	235.8	13.2	1.9	2.4	3.9	8.7	20.7	44.6	125.6	373.5	1,214.0
1963	42.8	249.1	15.2	2.3	2.8	4.2	10.2	24.9	56.5	157.4	444.5	1,475.3
1962	36.7	246.9	14.6	2.3	2.8	3.7	9.0	20.2	45.1	127.1	375.9	1,207.2
1961	34.6	242.4	13.9	2.2	2.6	3.6	8.8	19.0	42.9	119.3	344.0	1,079.4
1960	43.2	267.7	16.8	2.7	3.4	5.1	11.5	26.8	60.2	154.7	422.0	1,270.0
FEMALE												
1967	24.7	146.0	8.4	1.6	1.8	2.9	5.4	9.3	18.3	53.0	216.5	855.4
1966	28.1	170.6	10.7	2.0	2.0	3.1	6.4	11.7	21.7	62.1	242.5	968.5
1965	27.3	185.2	11.8	1.9	1.9	3.2	6.3	10.4	21.1	59.4	232.3	937.6
1964	26.6	185.0	12.0	1.9	1.9	3.2	5.5	9.9	20.6	57.1	230.6	912.7
1963	32.5	194.2	14.1	2.3	2.4	4.2	6.8	12.4	27.1	76.1	288.0	1,131.9
1962	28.0	192.2	13.1	2.3	2.3	3.2	6.4	10.3	21.8	63.6	242.2	962.7
1961	25.8	197.9	12.4	1.9	1.8	2.9	5.6	9.0	19.7	56.7	223.4	874.7
1960	31.5	209.4	15.6	2.5	2.7	4.5	7.1	12.7	27.2	75.1	277.4	1,035.0

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 480-493 Pneumonia and influenza												
WHITE, BOTH SEXES												
1967	27.5	115.8	6.9	1.5	2.0	2.3	5.1	11.7	26.2	77.6	277.2	992.0
1966	30.7	133.4	8.2	1.8	2.2	2.4	5.8	13.7	30.3	88.3	305.6	1,115.7
1965	30.1	148.8	8.6	1.8	1.9	2.6	5.6	12.9	28.9	86.1	301.1	1,089.4
1964	29.1	151.2	9.1	1.7	1.9	2.3	4.9	12.4	28.3	83.6	291.3	1,051.4
1963	34.8	156.2	10.6	2.0	2.2	3.0	6.2	14.6	34.6	104.0	351.7	1,282.6
1962	30.2	157.9	10.1	2.0	2.3	2.5	5.7	12.3	28.8	87.2	300.8	1,088.2
1961	28.0	163.8	10.0	1.9	1.9	2.3	5.3	11.3	26.9	80.7	277.6	972.8
1960	34.1	166.8	12.4	2.3	2.6	3.5	6.7	15.7	36.8	103.9	337.7	1,150.5
WHITE, MALE												
1967	31.2	132.9	7.5	1.6	2.4	2.4	6.3	15.8	37.2	112.4	362.8	1,193.8
1966	34.6	155.7	8.8	1.8	2.6	2.5	7.2	17.5	43.2	125.9	395.1	1,331.4
1965	34.5	174.4	8.6	2.0	2.2	2.8	6.6	16.9	40.8	123.9	396.6	1,308.5
1964	33.2	173.3	9.5	1.6	2.2	2.5	5.8	17.1	39.6	120.0	373.2	1,246.5
1963	39.4	178.1	10.9	2.0	2.4	3.1	7.3	20.0	48.6	146.7	440.0	1,508.3
1962	34.1	181.9	10.7	2.0	2.6	2.6	6.9	16.3	39.9	120.3	378.3	1,245.8
1961	31.9	183.4	10.8	2.0	2.3	2.4	6.4	15.3	37.7	112.5	346.0	1,100.3
1960	39.2	191.5	12.4	2.4	3.0	3.9	8.5	21.6	52.2	144.0	416.7	1,303.1
WHITE, FEMALE												
1967	24.0	98.1	6.3	1.4	1.6	2.1	3.9	7.8	16.2	50.0	218.3	881.1
1966	26.8	110.2	7.6	1.7	1.7	2.2	4.5	10.1	18.6	58.4	242.8	994.9
1965	25.9	122.3	8.6	1.6	1.6	2.4	4.6	9.1	17.9	55.6	233.1	964.1
1964	25.2	128.1	8.8	1.7	1.6	2.2	3.9	7.9	17.9	53.8	232.0	935.7
1963	30.3	133.3	10.4	2.0	2.0	3.0	5.1	9.3	21.7	68.7	286.8	1,148.3
1962	26.3	133.0	9.5	2.1	1.9	2.3	4.5	8.4	18.5	59.3	242.8	994.2
1961	24.3	143.3	9.1	1.8	1.5	2.1	4.2	7.4	16.8	53.6	225.9	895.5
1960	29.0	141.1	12.3	2.2	2.3	3.2	5.0	10.0	22.5	69.3	277.1	1,054.7

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 480-493 Pneumonia and influenza												
ALL OTHER, BOTH SEXES												
1967	38.2	436.1	23.8	2.9	4.2	10.0	23.2	39.6	59.6	130.2	268.9	608.4
1966	46.2	525.3	28.7	3.3	4.2	11.7	27.7	41.5	77.1	154.1	317.0	760.7
1965	46.0	562.6	29.8	3.9	3.8	11.1	25.8	36.9	74.5	146.5	300.8	663.9
1964	45.8	542.1	32.5	3.4	4.0	12.5	25.4	40.1	70.2	134.9	287.0	697.4
1963	60.5	597.1	38.7	3.9	4.9	12.6	28.4	54.8	111.5	217.7	414.8	1,123.6
1962	49.8	571.0	35.6	3.9	4.3	10.6	24.1	42.7	76.6	156.5	304.9	755.7
1961	46.3	542.0	31.6	3.3	4.5	10.4	23.3	37.8	71.5	140.6	249.1	724.3
1960	62.0	650.6	38.8	4.6	5.7	14.4	31.2	56.1	107.8	207.4	380.2	840.3
ALL OTHER, MALE												
1967	47.6	471.4	28.1	2.7	5.2	12.1	31.1	58.1	82.0	186.4	364.7	717.9
1966	56.2	565.3	29.8	2.9	4.3	15.2	35.9	59.2	103.5	218.1	416.2	969.4
1965	55.1	603.1	30.0	3.9	4.2	13.9	32.9	53.1	98.4	202.3	396.0	764.7
1964	55.3	590.4	34.7	3.9	4.1	15.3	33.6	53.9	94.7	183.8	377.9	853.1
1963	70.8	660.3	40.9	4.1	5.1	12.9	36.0	71.4	140.1	280.9	507.9	1,275.9
1962	58.2	622.7	38.1	4.1	4.2	12.8	27.2	57.1	96.7	204.8	370.8	875.9
1961	55.7	586.5	32.4	3.5	4.8	13.3	30.4	53.1	94.2	194.2	320.1	876.7
1960	74.3	711.7	43.3	4.6	6.0	14.7	38.6	76.0	140.3	276.2	489.0	921.5
ALL OTHER, FEMALE												
1967	29.6	400.7	19.6	3.0	3.2	8.2	16.3	22.9	39.3	83.6	192.6	522.8
1966	36.9	484.7	27.5	3.7	4.2	8.7	20.7	25.4	52.8	100.9	238.0	618.9
1965	37.5	520.1	29.6	3.8	3.4	8.6	19.7	22.1	52.3	99.3	222.1	593.9
1964	36.9	495.3	30.4	3.0	3.9	10.0	18.3	27.5	47.2	92.7	210.7	602.2
1963	50.9	536.0	36.5	3.7	4.8	12.4	21.7	39.4	84.5	163.2	334.9	1,045.2
1962	41.9	519.6	33.1	3.6	4.3	8.8	21.4	29.3	57.3	114.6	247.3	687.5
1961	37.4	499.7	30.9	3.0	4.3	7.9	17.0	23.2	49.9	92.5	187.8	610.0
1960	50.4	589.9	34.3	4.6	5.4	14.1	24.6	37.1	76.3	144.4	282.8	777.1

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Influenza (480-493)												
BOTH SEXES												
1967	0.7	2.3	0.2	0.1	*	*	0.1	0.3	0.6	2.1	8.1	32.5
1966	1.4	3.6	0.3	0.1	0.1	0.1	0.3	0.6	1.4	4.2	15.3	67.3
1965	1.2	4.8	0.4	0.1	0.1	0.1	0.2	0.4	1.1	3.3	12.6	52.3
1964	0.9	3.5	0.3	*	*	*	0.1	0.3	0.8	2.5	9.2	41.6
1963	3.8	8.9	1.0	0.2	0.4	0.4	0.8	1.8	4.5	11.8	41.1	148.6
1962	1.8	7.0	0.8	0.2	0.2	0.2	0.4	0.8	1.6	5.2	18.7	78.4
1961	1.2	6.1	0.5	0.1	0.1	0.1	0.3	0.5	1.2	2.9	12.2	44.0
1960	4.4	13.1	1.2	0.3	0.6	0.7	1.1	2.5	5.4	14.6	43.6	160.1
MALE												
1967	0.7	2.0	*	*	*	*	*	0.3	0.7	2.3	8.1	30.5
1966	1.4	3.9	0.3	*	0.1	*	0.3	0.6	1.6	5.4	16.0	77.0
1965	1.1	5.0	0.4	*	*	*	0.2	0.4	1.4	3.8	13.5	52.0
1964	0.9	3.9	0.4	*	*	*	*	0.4	0.9	3.1	10.1	48.1
1963	3.9	9.5	0.9	0.2	0.4	0.4	0.7	2.1	5.5	14.0	47.2	173.5
1962	1.8	7.8	0.8	0.2	0.2	0.2	0.4	0.9	1.6	5.8	21.4	86.6
1961	1.1	6.7	0.5	0.1	*	*	0.3	0.6	1.4	3.1	12.8	42.4
1960	4.6	14.0	1.0	0.2	0.6	0.7	1.1	3.1	6.6	18.4	49.7	173.9
FEMALE												
1967	0.8	2.5	*	*	*	*	*	0.2	0.5	2.0	8.1	33.6
1966	1.5	3.3	0.3	0.1	*	*	0.3	0.5	1.1	3.2	14.7	61.8
1965	1.2	4.6	0.3	*	*	*	0.2	0.4	0.9	2.9	11.9	52.5
1964	0.9	3.0	*	*	*	*	*	0.3	0.7	2.0	8.5	37.8
1963	3.6	8.2	1.0	0.2	0.4	0.4	0.9	1.5	3.5	10.0	36.5	133.3
1962	1.9	6.1	0.7	0.2	0.2	0.2	0.4	0.7	1.6	4.7	16.7	73.4
1961	1.2	5.5	0.5	*	*	*	0.2	0.3	1.0	2.8	11.7	44.9
1960	4.1	12.1	1.4	0.3	0.6	0.6	1.0	2.0	4.3	11.3	38.8	151.3

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Influenza (480-493)												
WHITE, BOTH SEXES												
1967	0.7	1.0	*	*	*	*	0.1	0.2	0.5	1.9	8.0	32.9
1966	1.4	1.7	0.2	0.1	0.1	0.1	0.3	0.5	1.2	3.9	15.4	69.1
1965	1.1	2.0	0.2	*	0.1	0.1	0.2	0.4	1.0	2.9	12.6	53.7
1964	0.8	1.5	0.2	*	*	*	*	0.3	0.7	2.3	9.3	42.5
1963	3.3	5.1	0.7	0.2	0.3	0.3	0.6	1.3	3.2	9.7	38.9	142.5
1962	1.7	4.2	0.6	0.2	0.2	0.2	0.4	0.6	1.3	4.7	18.7	80.9
1961	1.1	3.4	0.3	0.1	0.1	*	0.2	0.4	1.0	2.6	12.0	43.5
1960	3.9	7.2	0.9	0.3	0.5	0.5	0.8	1.9	4.2	12.3	41.8	160.2
WHITE, MALE												
1967	0.6	*	*	*	*	*	*	0.3	0.7	2.1	8.2	31.8
1966	1.4	2.4	*	*	*	*	0.2	0.5	1.5	5.2	16.3	79.6
1965	1.1	2.3	*	*	*	*	0.2	0.4	1.2	3.5	13.6	53.7
1964	0.8	1.8	0.3	*	*	*	*	0.3	0.7	2.9	10.3	49.9
1963	3.5	5.3	0.6	0.2	0.3	0.3	0.6	1.6	4.3	11.9	44.9	168.8
1962	1.7	4.9	0.7	0.2	0.2	*	0.4	0.6	1.3	5.4	21.7	89.5
1961	1.0	3.4	0.3	*	*	*	0.3	0.5	1.1	2.7	12.6	40.6
1960	4.1	7.8	0.8	0.2	0.6	0.6	0.9	2.3	5.2	15.7	47.6	177.1
WHITE, FEMALE												
1967	0.8	*	*	*	*	*	*	*	0.4	1.7	7.9	33.5
1966	1.5	*	*	*	*	*	0.3	0.5	1.0	2.9	14.8	63.2
1965	1.2	1.7	*	*	*	*	*	0.4	0.8	2.4	11.9	53.7
1964	0.8	1.2	*	*	*	*	*	0.2	0.6	1.8	8.5	38.2
1963	3.2	4.8	0.7	0.1	0.3	0.3	0.6	1.1	2.3	7.9	34.4	126.9
1962	1.8	3.5	0.6	0.2	0.2	*	0.3	0.6	1.4	4.1	16.5	75.7
1961	1.1	3.5	0.3	*	*	*	0.2	0.2	0.9	2.5	11.6	45.4
1960	3.7	6.6	1.1	0.3	0.5	0.5	0.8	1.4	3.2	9.4	37.4	149.6

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Influenza (480-493)												
ALL OTHER, BOTH SEXES												
1967	1.0	9.1	*	*	*	*	*	*	1.5	4.5	9.4	27.4
1966	1.6	14.0	0.9	*	*	*	*	1.3	2.7	6.6	13.2	46.1
1965	1.7	20.0	1.3	*	*	*	*	*	2.6	7.6	12.3	36.1
1964	1.2	14.4	0.8	*	*	*	*	1.1	2.1	4.3	8.0	30.8
1963	7.8	31.3	3.0	*	1.0	1.2	2.3	6.8	18.4	38.2	84.0	269.4
1962	3.0	23.6	1.6	0.4	*	*	1.0	3.0	4.8	12.2	26.4	74.3
1961	2.1	21.1	1.5	*	*	*	*	1.2	3.3	7.0	14.7	50.0
1960	8.0	46.6	2.5	0.5	1.1	1.6	3.3	8.7	18.3	40.7	67.1	159.1
ALL OTHER, MALE												
1967	0.9	8.9	*	*	*	*	*	*	*	*	*	*
1966	1.5	12.3	*	*	*	*	*	*	*	6.6	13.4	*
1965	1.6	19.7	*	*	*	*	*	*	2.8	6.9	11.9	*
1964	1.3	16.2	*	*	*	*	*	*	*	4.5	*	*
1963	7.9	34.3	2.9	*	*	*	1.7	7.4	19.6	41.0	85.5	286.2
1962	2.9	25.7	*	*	*	*	*	3.7	4.7	10.6	24.2	79.3
1961	2.4	26.0	*	*	*	*	*	*	4.0	8.1	15.7	*
1960	8.6	50.3	2.0	*	*	*	3.4	10.2	20.7	49.1	76.1	140.3
ALL OTHER, FEMALE												
1967	1.1	9.3	*	*	*	*	*	*	*	5.1	10.8	*
1966	1.7	15.7	*	*	*	*	*	*	3.0	6.7	13.1	43.4
1965	1.8	20.1	*	*	*	*	*	*	*	8.1	12.7	*
1964	1.2	12.7	*	*	*	*	*	*	*	4.2	*	*
1963	7.7	28.3	3.1	*	*	*	2.9	6.2	17.2	35.8	82.8	264.3
1962	3.1	21.6	1.8	*	*	*	*	2.4	4.9	13.6	28.3	72.5
1961	1.7	16.2	*	*	*	*	*	*	*	6.0	13.9	*
1960	7.4	42.9	3.0	*	1.3	2.0	3.2	7.3	16.1	33.1	59.1	173.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Pneumonia, except pneumonia of newborn (490-493)												
BOTH SEXES												
1967	28.1	163.4	9.3	1.7	2.2	3.2	7.0	14.2	28.7	80.2	268.5	928.8
1966	31.1	192.2	11.0	1.9	2.3	3.4	8.0	15.9	33.3	90.0	291.2	1,020.4
1965	30.8	208.3	11.4	2.0	2.1	3.5	7.6	14.8	31.9	88.1	288.5	1,003.4
1964	30.2	207.4	12.3	1.9	2.1	3.5	7.0	14.8	31.3	85.5	281.9	983.2
1963	33.8	213.3	13.7	2.1	2.2	3.8	7.7	16.7	36.7	101.2	313.6	1,113.6
1962	30.4	213.1	13.1	2.1	2.3	3.3	7.2	14.4	31.4	87.4	280.9	977.4
1961	29.0	214.4	12.6	1.9	2.1	3.1	6.9	13.5	29.7	82.6	263.4	910.8
1960	32.9	225.9	15.0	2.3	2.4	4.1	8.2	17.1	37.8	97.5	297.0	966.5
MALE												
1967	32.5	182.6	10.4	1.7	2.7	3.5	8.8	19.5	40.6	116.9	354.9	1,119.7
1966	35.8	216.2	11.6	1.9	2.7	3.9	10.0	21.0	47.2	128.9	380.8	1,222.5
1965	35.8	235.2	11.4	2.2	2.3	3.9	9.2	20.0	44.8	127.2	383.1	1,206.8
1964	34.9	231.9	12.8	1.9	2.4	3.9	8.6	20.3	43.7	122.6	363.4	1,165.9
1963	38.9	239.6	14.3	2.1	2.4	3.8	9.5	22.8	50.9	143.4	397.3	1,301.9
1962	34.9	239.1	13.8	2.1	2.6	3.5	8.6	19.3	43.5	121.3	354.5	1,120.6
1961	33.5	235.7	13.4	2.0	2.5	3.5	8.5	18.4	41.5	116.1	331.2	1,037.0
1960	38.5	253.6	15.9	2.5	2.8	4.4	10.4	23.7	53.6	136.3	372.3	1,096.1
FEMALE												
1967	23.9	143.5	8.2	1.6	1.8	2.9	5.2	9.1	17.8	51.0	208.4	821.8
1966	26.6	167.2	10.3	1.9	2.0	2.9	6.1	11.1	20.6	58.8	227.8	906.7
1965	26.0	180.6	11.5	1.9	1.8	3.1	6.1	9.9	20.2	56.5	220.4	885.1
1964	25.7	182.0	11.8	1.9	1.8	3.2	5.4	9.6	19.8	55.1	222.1	874.9
1963	28.9	186.0	13.1	2.1	2.0	3.8	6.0	10.8	23.6	66.1	251.5	998.6
1962	26.2	186.1	12.4	2.1	2.0	3.0	6.0	9.6	20.2	58.9	225.4	889.3
1961	24.6	192.4	11.9	1.9	1.7	2.7	5.3	8.7	18.7	53.9	211.7	829.7
1960	27.4	197.3	14.2	2.2	2.1	3.9	6.1	10.7	22.9	63.8	238.6	883.6

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Pneumonia, except pneumonia of newborn (490-493)												
WHITE, BOTH SEXES												
1967	26.8	114.8	6.8	1.5	2.0	2.2	4.9	11.5	25.6	75.7	269.2	959.1
1966	29.2	131.7	8.0	1.7	2.1	2.3	5.5	13.2	29.1	84.4	290.2	1,046.6
1965	29.0	146.8	8.4	1.7	1.8	2.5	5.4	12.5	27.9	83.2	288.5	1,035.7
1964	28.3	149.7	8.9	1.6	1.8	2.3	4.8	12.2	27.6	81.2	282.1	1,008.8
1963	31.4	151.1	10.0	1.9	1.9	2.7	5.5	13.3	31.3	94.3	312.9	1,140.1
1962	28.4	153.7	9.5	1.8	2.0	2.3	5.3	11.7	27.5	82.4	282.0	1,007.4
1961	27.0	160.3	9.6	1.8	1.8	2.2	5.0	11.0	25.9	78.1	265.6	929.3
1960	30.1	159.6	11.4	2.0	2.1	3.0	5.9	13.8	32.7	91.6	295.9	990.3
WHITE, MALE												
1967	30.5	132.1	7.4	1.6	2.3	2.4	6.2	15.5	36.5	110.2	354.6	1,162.0
1966	33.3	153.3	8.6	1.8	2.5	2.4	7.0	17.0	41.7	120.7	378.8	1,251.7
1965	33.4	172.1	8.4	1.9	2.1	2.6	6.4	16.5	39.6	120.4	383.0	1,254.8
1964	32.4	171.6	9.2	1.6	2.1	2.4	5.8	16.8	38.8	117.0	362.9	1,196.6
1963	35.9	172.8	10.3	1.8	2.1	2.8	6.7	18.4	44.3	134.8	395.1	1,339.6
1962	32.4	177.0	10.0	1.8	2.4	2.5	6.5	15.7	38.6	114.9	356.6	1,156.3
1961	30.9	180.0	10.4	1.9	2.2	2.3	6.1	14.8	36.6	109.8	333.4	1,059.6
1960	35.1	183.7	11.6	2.2	2.5	3.2	7.6	19.2	46.9	128.3	369.1	1,126.0
WHITE, FEMALE												
1967	23.2	96.8	6.2	1.4	1.6	2.1	3.8	7.6	15.8	48.3	210.4	847.6
1966	25.4	109.2	7.3	1.6	1.7	2.1	4.2	9.7	17.7	55.5	228.0	931.7
1965	24.7	120.6	8.4	1.5	1.5	2.3	4.5	8.7	17.2	53.2	221.2	910.4
1964	24.3	126.9	8.6	1.7	1.6	2.2	3.8	7.7	17.3	52.0	223.5	897.5
1963	27.1	128.5	9.7	1.9	1.8	2.7	4.4	8.3	19.4	60.7	252.4	1,021.4
1962	24.6	129.6	8.9	1.9	1.7	2.2	4.2	7.8	17.2	55.2	226.3	918.4
1961	23.2	139.8	8.8	1.7	1.4	2.0	4.0	7.2	15.9	51.1	214.3	850.1
1960	25.3	134.5	11.2	1.9	1.8	2.7	4.3	8.6	19.3	59.8	239.6	905.1

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Pneumonia, except pneumonia of newborn (490-493)												
ALL OTHER, BOTH SEXES												
1967	37.3	427.0	23.2	2.8	4.1	9.9	22.9	39.0	58.1	125.7	259.5	581.1
1966	44.6	511.3	27.8	3.2	4.1	11.4	27.3	40.1	74.3	147.5	303.7	714.6
1965	44.3	542.7	28.5	3.8	3.7	10.7	25.5	36.1	72.0	138.9	288.4	627.7
1964	44.5	527.7	31.7	3.4	3.9	12.3	25.1	39.0	68.1	130.6	279.0	666.7
1963	52.8	565.9	35.7	3.6	3.9	11.5	26.1	48.0	93.1	179.5	330.8	854.2
1962	46.8	547.4	34.0	3.5	3.9	10.1	23.1	39.7	71.7	144.3	278.6	681.4
1961	44.2	520.9	30.1	3.0	4.2	10.2	22.6	36.5	68.2	133.6	234.4	674.3
1960	54.0	604.0	36.4	4.1	4.6	12.7	28.0	47.3	89.4	166.6	313.1	681.2
ALL OTHER, MALE												
1967	46.7	462.5	27.3	2.6	5.0	12.0	31.0	57.5	81.0	182.6	357.1	700.0
1966	54.6	553.0	28.7	2.8	4.0	14.8	35.4	57.8	101.0	211.5	402.8	919.4
1965	53.4	583.3	28.4	3.8	4.0	13.6	32.8	52.4	95.6	195.4	384.1	729.4
1964	54.0	574.2	33.7	3.8	4.1	15.1	33.3	52.8	92.2	179.3	370.3	825.0
1963	62.9	625.9	38.0	3.6	4.2	11.6	34.3	64.0	120.5	239.9	422.4	989.7
1962	55.2	597.0	36.6	3.7	3.8	12.4	26.5	53.4	92.0	194.2	346.6	796.6
1961	53.3	560.5	30.8	3.1	4.5	13.0	29.6	51.8	90.2	186.1	304.4	813.3
1960	65.7	661.4	41.4	4.2	5.2	13.4	35.2	65.8	119.6	227.2	412.9	781.2
ALL OTHER, FEMALE												
1967	28.5	391.4	19.0	3.0	3.2	8.2	16.1	22.4	37.4	78.6	181.8	489.5
1966	35.2	469.0	26.8	3.5	4.1	8.4	20.3	24.1	49.8	94.1	224.9	575.5
1965	35.8	500.0	28.6	3.7	3.4	8.3	19.1	21.2	50.0	91.2	209.4	557.1
1964	35.7	482.7	29.7	2.9	3.7	9.9	17.8	26.4	45.6	88.5	202.4	568.9
1963	43.3	507.7	33.4	3.5	3.7	11.4	18.9	33.2	67.2	127.4	252.1	781.0
1962	38.8	498.0	31.3	3.2	4.0	8.1	20.1	26.9	52.4	101.0	219.0	615.0
1961	35.7	483.4	29.4	2.9	3.9	7.7	16.4	22.1	47.3	86.5	173.9	570.0
1960	43.0	547.0	31.3	4.1	4.1	12.1	21.4	29.8	60.2	111.3	223.8	603.3

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67 PAGE 1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------

ICD-7 Nos. 241, 501, 502, 527.1 Chronic obstructive pulmonary diseases and allied conditions  
BOTH SEXES

1967	15.4	5.7	0.9	0.3	0.5	1.0	2.9	10.9	38.5	87.2	126.3	137.9
1966	15.2	6.0	0.7	0.4	0.5	0.9	3.0	11.0	38.8	87.1	125.0	133.8
1965	14.4	7.9	0.8	0.3	0.5	1.0	2.9	10.9	36.8	83.1	116.4	130.0
1964	12.9	6.5	1.0	0.3	0.5	0.8	2.9	10.4	33.4	73.0	101.8	115.0
1963	13.0	7.6	1.0	0.3	0.5	1.0	2.7	10.4	34.4	74.9	98.8	121.5
1962	11.2	7.8	0.9	0.3	0.5	1.0	2.7	9.2	29.5	63.7	83.8	99.7
1961	10.0	8.1	1.0	0.3	0.5	1.0	2.5	8.0	27.1	55.5	73.7	87.3
1960	9.9	8.7	1.2	0.3	0.5	0.9	2.9	8.9	26.9	55.2	71.0	82.0

MALE

1967	25.2	6.9	0.9	0.3	0.5	0.8	3.3	15.4	65.8	168.2	255.3	267.4
1966	25.0	7.5	0.9	0.4	0.4	0.8	3.2	15.7	66.9	167.5	251.4	263.3
1965	23.7	6.9	0.8	0.4	0.4	0.8	3.2	15.8	63.4	160.4	227.3	249.0
1964	21.0	7.1	1.1	0.4	0.5	0.7	3.1	15.1	58.1	139.9	194.4	209.3
1963	21.2	8.6	1.1	0.4	0.4	0.7	2.9	15.3	60.1	143.2	185.9	217.5
1962	18.1	8.8	1.1	0.4	0.4	0.8	3.0	13.2	51.6	120.7	153.7	173.5
1961	15.9	10.0	1.3	0.3	0.3	0.9	2.8	11.6	47.3	102.7	133.9	143.7
1960	15.8	10.3	1.2	0.3	0.4	0.8	3.0	13.1	46.6	102.0	125.6	131.4

FEMALE

1967	6.0	4.3	0.9	0.3	0.5	1.1	2.7	6.7	13.8	22.8	36.5	65.3
1966	5.8	4.6	0.6	0.3	0.6	1.1	2.7	6.5	13.1	22.7	35.5	60.2
1965	5.6	6.8	0.9	0.3	0.6	1.2	2.5	6.3	12.4	20.5	36.5	60.8
1964	5.1	5.9	0.8	0.3	0.5	0.9	2.7	6.0	10.7	18.3	34.0	59.1
1963	5.1	6.6	0.9	0.3	0.6	1.2	2.5	5.7	10.6	18.2	34.1	63.6
1962	4.6	6.8	0.7	0.3	0.6	1.1	2.5	5.4	9.0	15.7	31.0	54.3
1961	4.2	6.2	0.8	0.2	0.6	1.1	2.1	4.6	8.4	15.1	27.7	51.7
1960	4.3	7.0	1.2	0.3	0.6	1.1	2.8	4.8	8.5	14.5	28.7	56.4

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290 for 1960-67 and separate unpublished tables for selected causes and the black population.

77/09/02 TABLE 290. DEATH RATES FOR SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67 PAGE 1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 241, 501, 502, 527.1 Chronic obstructive pulmonary diseases and allied conditions												
WHITE, BOTH SEXES												
1967	16.2	4.7	0.8	0.3	0.4	0.7	2.5	10.5	39.4	91.0	131.0	143.0
1966	16.1	4.9	0.6	0.3	0.4	0.7	2.4	10.4	39.8	91.2	130.6	139.7
1965	15.2	6.4	0.7	0.3	0.4	0.7	2.4	10.4	37.5	87.2	120.8	134.4
1964	13.6	5.4	0.8	0.3	0.4	0.6	2.4	10.1	33.8	76.3	105.9	120.2
1963	13.7	6.5	0.8	0.3	0.4	0.7	2.2	10.1	35.4	78.4	103.3	126.0
1962	11.8	6.5	0.7	0.3	0.3	0.6	2.3	9.0	30.5	66.8	87.8	103.5
1961	10.3	7.3	0.8	0.2	0.3	0.7	2.0	7.6	27.5	57.4	76.3	88.3
1960	10.3	7.7	1.0	0.2	0.4	0.6	2.4	8.5	27.2	56.9	73.7	83.8
WHITE, MALE												
1967	26.8	6.3	0.8	0.3	0.4	0.6	2.7	14.7	67.5	176.3	266.3	280.4
1966	26.6	6.3	0.7	0.4	0.3	0.6	2.6	14.8	68.8	176.0	263.9	276.7
1965	25.1	7.5	0.6	0.3	0.3	0.5	2.7	14.9	65.0	168.8	237.3	258.7
1964	22.2	6.1	0.9	0.3	0.4	0.5	2.6	14.8	59.0	146.2	203.5	221.4
1963	22.6	7.6	0.8	0.3	0.3	0.5	2.4	15.0	62.4	150.6	195.4	227.7
1962	19.2	7.5	0.8	0.4	0.2	0.5	2.6	13.0	53.7	127.0	162.3	182.6
1961	16.7	8.9	1.0	0.2	0.2	0.6	2.4	11.0	48.4	106.7	139.6	148.0
1960	16.5	9.8	1.0	0.2	0.2	0.5	2.5	12.7	47.4	105.6	131.3	136.3
WHITE, FEMALE												
1967	6.2	3.0	0.7	0.2	0.4	0.8	2.2	6.4	13.8	23.5	37.7	67.5
1966	6.0	3.4	0.5	0.2	0.4	0.9	2.2	6.2	13.3	23.6	37.0	62.9
1965	5.7	5.2	0.7	0.2	0.5	0.8	2.2	6.0	12.4	21.3	37.9	63.3
1964	5.2	4.6	0.8	0.3	0.4	0.7	2.2	5.6	10.6	19.2	35.1	60.9
1963	5.1	5.5	0.7	0.3	0.4	0.9	2.1	5.4	10.5	18.6	35.5	65.5
1962	4.6	5.5	0.6	0.2	0.4	0.7	2.0	5.1	9.0	16.2	32.2	55.8
1961	4.1	5.7	0.6	0.2	0.4	0.8	1.7	4.4	8.1	15.4	28.3	51.9
1960	4.2	5.5	1.0	0.2	0.5	0.7	2.3	4.4	8.4	14.6	29.5	50.9

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290 for 1960-67 and separate unpublished tables for selected causes and the black population.

## 77/09/02 TABLE 290. DEATH RATES FOR SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67 PAGE 1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 241, 501, 502, 527.1 Chronic obstructive pulmonary diseases and allied conditions												
ALL OTHER, BOTH SEXES												
1967	9.0	10.8	1.6	0.7	1.3	3.0	6.7	14.6	30.1	48.9	65.1	78.9
1966	8.7	12.2	1.3	0.8	1.5	2.5	7.2	16.2	29.1	45.2	52.4	65.2
1965	8.7	16.0	1.7	0.6	1.5	3.1	6.5	15.8	29.0	40.4	57.6	79.5
1964	8.0	12.6	1.8	0.5	1.3	2.5	7.2	13.2	29.6	38.5	48.3	51.3
1963	8.7	13.6	2.5	0.7	1.5	3.0	6.5	14.5	28.4	45.7	50.4	88.9
1962	7.6	15.5	2.1	0.6	1.7	3.7	6.6	12.3	24.2	37.9	38.8	48.6
1961	7.3	12.8	2.4	0.7	1.6	3.4	6.1	11.4	23.4	33.8	40.0	71.4
1960	7.4	14.2	2.3	0.6	1.5	3.1	7.0	12.2	23.4	35.7	34.6	60.0
ALL OTHER, MALE												
1967	13.4	10.4	1.4	0.7	1.3	2.8	7.6	21.0	48.7	88.3	122.3	138.5
1966	13.2	13.7	1.6	0.9	1.3	2.8	8.2	23.8	48.4	82.5	99.4	125.0
1965	13.1	16.7	1.7	0.8	1.4	2.6	7.9	24.0	47.9	74.5	107.4	152.9
1964	11.9	12.3	2.5	0.6	1.4	2.4	8.0	18.0	48.5	74.1	83.7	75.0
1963	12.4	14.1	2.6	0.8	1.5	2.2	7.0	19.9	44.8	81.1	89.1	144.8
1962	10.7	17.0	2.7	0.6	1.3	3.2	7.3	17.1	38.1	67.5	61.5	75.9
1961	10.3	16.4	2.9	0.8	1.2	3.5	6.8	17.0	36.2	59.2	64.2	100.0
1960	10.0	13.1	2.2	0.5	1.2	2.7	7.1	16.9	37.7	60.9	54.0	79.7
ALL OTHER, FEMALE												
1967	4.9	11.2	1.8	0.6	1.4	3.1	5.9	8.9	13.2	16.2	19.5	36.8
1966	4.5	10.7	1.0	0.7	1.7	2.2	6.3	9.3	11.4	14.1	14.5	24.5
1965	4.5	15.4	1.7	0.4	1.7	3.5	5.4	8.4	11.5	11.7	16.4	28.6
1964	4.3	13.0	1.2	0.4	1.1	2.6	6.5	8.8	11.9	7.8	18.5	35.6
1963	5.2	13.1	2.4	0.6	1.5	3.6	6.0	9.6	12.8	15.2	17.2	52.4
1962	4.8	14.0	1.5	0.7	2.0	4.2	6.0	7.8	11.0	12.0	19.0	30.0
1961	4.4	9.2	1.8	0.6	2.1	3.3	5.5	6.2	11.1	11.2	18.9	50.0
1960	4.9	15.3	2.4	0.7	1.8	3.5	6.9	7.8	9.6	12.6	17.3	44.7

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290 for 1960-67 and separate unpublished tables for selected causes and the black population.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Bronchitis (500-502)												
BOTH SEXES												
1967	3.2	9.1	1.4	0.2	0.1	0.2	0.6	1.9	6.6	15.0	26.2	42.4
1966	3.1	9.9	1.2	0.2	0.1	0.2	0.6	2.1	6.4	15.1	26.1	42.9
1965	3.0	12.5	1.2	0.2	0.1	0.2	0.5	1.9	6.1	14.1	23.3	39.2
1964	2.8	12.5	1.5	0.2	0.1	0.2	0.6	1.8	5.4	13.0	21.7	39.2
1963	2.9	13.6	1.4	0.2	0.2	0.2	0.5	1.6	5.3	13.6	22.1	44.3
1962	2.5	14.2	1.5	0.2	0.1	0.2	0.5	1.5	4.7	10.7	17.9	38.2
1961	2.2	14.4	1.6	0.2	0.1	0.1	0.4	1.3	4.2	9.2	15.1	27.5
1960	2.4	16.0	2.1	0.2	0.1	0.1	0.4	1.5	4.2	9.9	16.1	32.7
MALE												
1967	4.8	11.2	1.6	0.2	0.2	0.2	0.7	2.8	10.7	27.4	48.9	65.3
1966	4.7	11.2	1.4	0.2	0.1	*	0.6	2.9	10.2	27.7	48.2	71.1
1965	4.5	14.2	1.3	0.2	*	*	0.7	2.7	10.1	26.1	41.4	65.1
1964	4.2	13.8	1.8	0.2	*	*	0.6	2.5	9.2	23.9	37.5	63.6
1963	4.3	16.2	1.7	0.2	*	0.2	0.5	2.4	9.4	24.9	36.6	60.7
1962	3.6	16.5	1.8	0.2	0.2	*	0.5	2.2	7.8	19.4	29.1	54.8
1961	3.2	16.5	2.0	0.2	*	0.2	0.6	1.9	6.7	16.3	24.8	37.8
1960	3.4	19.3	2.4	0.2	*	*	0.5	2.3	6.9	17.3	25.5	41.7
FEMALE												
1967	1.6	6.9	1.3	0.2	*	0.2	0.5	1.1	2.8	5.1	10.4	29.6
1966	1.6	8.5	1.0	0.1	*	*	0.5	1.3	2.8	5.1	10.5	26.9
1965	1.6	10.6	1.1	0.1	*	0.2	0.4	1.2	2.5	4.5	10.3	24.1
1964	1.5	11.2	1.2	0.2	*	0.2	0.5	1.1	2.0	4.0	10.0	24.8
1963	1.6	11.0	1.2	0.2	0.2	0.2	0.6	0.9	1.5	4.2	11.3	34.3
1962	1.4	11.8	1.2	0.2	*	0.2	0.4	0.9	1.8	3.4	9.5	28.0
1961	1.3	12.1	1.2	0.2	*	*	0.3	0.7	1.8	3.2	7.6	20.9
1960	1.4	12.5	1.9	0.2	0.2	*	0.3	0.8	1.7	3.4	8.7	27.0

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Bronchitis (500-502)												
WHITE, BOTH SEXES												
1967	3.3	7.0	1.4	0.2	0.1	0.2	0.5	1.9	6.7	15.6	27.2	44.5
1966	3.3	7.8	1.1	0.2	0.1	0.1	0.5	2.0	6.5	15.8	27.2	45.5
1965	3.1	10.0	1.1	0.1	0.1	0.1	0.5	1.9	6.3	14.7	24.2	40.9
1964	2.9	10.9	1.4	0.2	*	0.1	0.5	1.8	5.5	13.6	22.4	41.0
1963	3.0	12.1	1.3	0.2	0.2	0.2	0.5	1.6	5.5	13.8	22.8	46.2
1962	2.5	12.2	1.3	0.2	0.1	0.1	0.4	1.5	4.8	10.9	18.3	38.8
1961	2.2	13.1	1.5	0.2	0.1	0.1	0.4	1.3	4.2	9.4	15.6	28.0
1960	2.4	14.7	2.1	0.2	0.1	0.1	0.4	1.5	4.2	10.0	16.5	33.7
WHITE, MALE												
1967	5.0	9.5	1.6	0.2	0.2	*	0.5	2.7	10.9	28.6	50.9	69.0
1966	5.0	9.0	1.3	0.2	*	*	0.5	2.8	10.5	29.0	50.4	77.2
1965	4.6	11.8	1.1	0.2	*	*	0.6	2.6	10.4	27.1	43.0	68.0
1964	4.4	12.5	1.7	0.3	*	*	0.5	2.5	9.4	25.0	38.9	66.8
1963	4.4	15.0	1.5	0.2	*	*	0.5	2.3	9.8	25.4	38.2	63.1
1962	3.7	14.4	1.6	0.3	*	*	0.5	2.2	8.1	19.9	29.6	55.4
1961	3.2	15.5	1.8	0.2	*	*	0.5	1.8	6.8	16.7	26.0	39.8
1960	3.5	18.7	2.3	0.2	*	*	0.5	2.2	6.9	17.7	26.6	43.5
WHITE, FEMALE												
1967	1.7	4.4	1.2	0.1	*	*	0.5	1.2	2.9	5.3	10.9	31.1
1966	1.7	6.5	1.0	0.1	*	*	0.4	1.3	2.9	5.2	10.9	27.8
1965	1.6	8.1	1.0	*	*	*	0.4	1.3	2.5	4.7	10.9	25.4
1964	1.5	9.2	1.1	0.2	*	*	0.4	1.1	2.0	4.2	10.5	25.8
1963	1.6	9.2	1.1	0.2	0.2	0.2	0.5	0.9	1.5	4.2	11.4	36.1
1962	1.4	9.9	1.0	0.2	*	*	0.4	0.9	1.8	3.4	9.8	28.8
1961	1.3	10.6	1.2	0.2	*	*	0.2	0.7	1.7	3.2	7.8	20.7
1960	1.4	10.5	1.8	0.2	*	*	0.3	0.8	1.7	3.4	8.8	27.5

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Bronchitis (500-502)												
ALL OTHER, BOTH SEXES												
1967	2.2	20.5	1.7	*	*	*	1.3	2.3	4.9	9.2	13.0	*
1966	2.1	21.2	1.5	*	*	*	1.6	2.5	4.6	8.4	11.7	*
1965	2.3	25.8	1.7	0.4	*	*	1.0	1.9	4.5	8.7	11.1	*
1964	2.1	21.6	2.0	*	*	*	1.4	1.9	4.3	6.5	11.7	*
1963	2.4	23.2	2.3	*	*	*	1.1	2.0	4.1	10.5	10.9	30.6
1962	2.2	25.3	2.5	*	*	*	*	1.9	3.2	8.0	11.0	*
1961	2.0	21.4	2.2	*	*	*	1.0	1.5	4.0	7.0	7.6	*
1960	2.2	23.3	2.5	*	*	*	*	2.0	4.2	8.1	9.4	*
ALL OTHER, MALE												
1967	3.1	20.8	*	*	*	*	1.8	4.1	8.2	15.8	24.5	*
1966	2.9	23.2	1.9	*	*	*	1.9	3.8	7.4	14.4	20.7	*
1965	3.2	27.6	2.0	*	*	*	*	3.4	7.3	15.9	21.6	*
1964	2.8	21.2	2.4	*	*	*	*	2.8	6.9	12.0	20.9	*
1963	3.2	24.9	2.8	*	*	*	*	3.4	6.6	18.0	13.9	*
1962	3.0	28.3	3.1	*	*	*	*	2.8	4.7	13.1	17.4	*
1961	2.7	22.8	3.3	*	*	*	*	2.5	6.0	11.8	*	*
1960	2.8	23.2	2.5	*	*	*	*	3.2	6.8	13.0	*	*
ALL OTHER, FEMALE												
1967	1.4	20.1	1.8	*	*	*	*	*	*	3.7	*	*
1966	1.4	19.2	*	*	*	*	*	*	*	3.4	*	*
1965	1.4	23.9	*	*	*	*	*	*	*	*	*	*
1964	1.5	22.0	*	*	*	*	*	*	*	*	*	*
1963	1.7	21.5	1.9	*	*	*	*	*	*	4.1	*	*
1962	1.5	22.3	2.0	*	*	*	*	*	*	*	*	*
1961	1.4	20.1	*	*	*	*	*	*	*	*	*	*
1960	1.7	23.4	2.6	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other bronchopulmonic diseases (525-527)												
BOTH SEXES												
1967	14.9	34.7	0.9	0.2	0.3	0.5	2.1	9.2	35.2	83.7	123.2	139.4
1966	14.5	38.1	1.1	0.1	0.3	0.6	2.3	9.3	34.9	81.0	118.3	133.1
1965	13.7	36.2	1.0	0.1	0.2	0.5	2.2	9.4	32.7	76.5	111.3	129.6
1964	12.3	32.1	1.0	0.2	0.3	0.7	2.1	8.6	30.0	68.0	96.6	111.8
1963	12.3	34.1	1.1	0.1	0.3	0.7	2.1	8.9	30.5	68.5	93.5	115.8
1962	10.8	32.0	1.1	0.2	0.3	0.6	2.1	7.7	26.8	58.5	83.0	97.1
1961	9.7	29.9	1.1	0.2	0.3	0.6	1.9	6.7	25.0	52.0	73.7	88.9
1960	9.6	29.6	1.2	0.2	0.3	0.6	2.1	7.4	24.3	51.9	70.3	79.1
MALE												
1967	24.5	38.0	0.9	0.2	0.3	0.6	2.8	13.7	61.2	162.4	244.8	270.9
1966	23.8	43.5	1.2	0.1	0.3	0.6	2.9	13.8	61.8	155.2	235.5	252.6
1965	22.3	40.8	1.0	0.1	0.3	0.5	2.7	14.4	57.4	147.0	212.2	238.7
1964	20.0	36.5	1.0	0.2	0.4	0.7	2.6	13.5	52.9	129.0	183.2	205.7
1963	20.0	38.4	1.2	0.2	0.3	0.7	2.8	13.6	54.0	129.8	174.2	210.3
1962	17.3	36.8	1.3	0.2	0.3	0.7	2.6	11.6	47.4	110.3	147.8	168.7
1961	15.5	34.3	1.2	0.1	0.3	0.6	2.5	10.1	44.5	96.3	130.3	146.1
1960	15.3	35.4	1.4	0.2	0.4	0.7	2.6	11.6	42.7	94.5	122.6	128.4
FEMALE												
1967	5.7	31.3	0.8	0.2	0.2	0.5	1.5	4.9	11.6	21.2	38.5	65.7
1966	5.6	32.5	1.1	0.1	0.2	0.6	1.7	4.9	10.5	21.5	35.4	65.2
1965	5.4	31.5	1.0	0.2	0.2	0.4	1.7	4.7	10.0	19.4	38.6	66.1
1964	4.8	27.5	0.9	0.2	0.2	0.7	1.5	3.9	9.0	18.0	33.2	56.2
1963	4.9	29.7	1.1	0.1	0.2	0.7	1.4	4.4	8.8	17.7	33.5	58.7
1962	4.5	27.0	0.9	0.2	0.3	0.6	1.5	3.9	7.7	14.9	34.2	53.1
1961	4.1	25.2	1.1	0.3	0.3	0.6	1.2	3.5	6.8	14.1	30.4	52.7
1960	4.1	23.7	1.0	0.2	0.3	0.5	1.5	3.2	7.1	14.8	29.7	47.6

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other bronchopulmonic diseases (525-527)												
WHITE, BOTH SEXES												
1967	15.6	26.3	0.7	0.2	0.2	0.4	1.9	8.9	36.1	87.5	127.7	143.3
1966	15.2	28.5	0.9	0.1	0.2	0.5	2.0	8.9	36.0	84.7	123.1	138.2
1965	14.4	28.2	0.9	0.1	0.2	0.4	2.0	9.0	33.4	80.4	115.4	134.0
1964	12.8	25.4	0.8	0.2	0.2	0.6	1.9	8.4	30.7	71.1	100.5	116.3
1963	13.0	28.5	0.9	0.1	0.2	0.6	1.9	8.7	31.6	71.9	97.8	120.6
1962	11.4	26.4	0.9	0.2	0.2	0.5	1.9	7.7	27.8	61.4	87.0	101.4
1961	10.1	24.2	0.9	0.2	0.2	0.5	1.7	6.6	25.6	54.0	76.2	91.6
1960	10.0	24.2	1.0	0.2	0.3	0.6	1.9	7.2	25.0	53.8	73.3	82.1
WHITE, MALE												
1967	25.8	30.3	0.7	0.2	0.3	0.4	2.5	13.0	62.9	170.1	255.1	280.9
1966	25.2	34.4	0.9	0.1	0.2	0.6	2.5	13.2	63.8	162.8	246.2	264.1
1965	23.5	32.5	0.8	*	0.2	0.5	2.4	13.7	58.9	154.7	221.0	247.1
1964	21.1	30.4	0.8	0.2	0.3	0.6	2.3	13.3	54.1	135.1	191.4	215.8
1963	21.2	32.4	1.0	0.1	0.2	0.7	2.5	13.3	56.2	136.4	183.3	219.9
1962	18.4	31.4	1.0	0.2	0.3	0.5	2.4	11.8	49.2	115.9	155.5	177.5
1961	16.2	28.2	0.9	*	0.2	0.5	2.2	9.8	45.7	100.3	135.7	150.9
1960	16.0	30.4	1.2	0.2	0.3	0.7	2.3	11.3	44.0	98.3	128.2	135.4
WHITE, FEMALE												
1967	5.9	22.2	0.7	0.2	0.2	0.5	1.3	4.9	11.8	22.1	39.8	67.6
1966	5.7	22.2	0.9	0.1	0.2	0.5	1.5	4.8	10.8	22.4	36.8	67.7
1965	5.6	23.7	0.9	0.2	0.2	0.4	1.6	4.5	10.1	20.3	40.3	69.3
1964	4.9	20.2	0.7	0.2	0.2	0.6	1.4	3.8	9.2	18.9	34.6	58.1
1963	5.0	24.4	0.8	*	0.2	0.6	1.2	4.3	9.0	18.6	34.8	61.6
1962	4.6	21.1	0.7	0.1	0.2	0.5	1.4	3.8	8.0	15.6	35.8	55.1
1961	4.2	20.1	0.9	0.3	0.2	0.5	1.2	3.5	6.9	14.6	31.1	55.0
1960	4.1	17.7	0.8	0.2	0.2	0.4	1.4	3.2	7.2	15.2	31.1	48.6

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other bronchopulmonic diseases (525-527)												
ALL OTHER, BOTH SEXES												
1967	9.3	80.4	2.1	*	*	1.2	4.1	11.8	26.5	45.9	65.1	94.7
1966	9.2	89.0	2.3	*	*	1.1	4.4	12.4	24.1	43.4	55.9	73.0
1965	8.6	79.9	1.8	*	*	0.8	3.5	13.0	25.3	35.9	56.3	78.3
1964	7.8	69.2	2.2	*	*	1.3	3.8	9.9	23.0	35.0	45.4	56.4
1963	8.4	69.7	2.5	*	*	1.2	4.1	11.7	22.9	38.0	50.4	77.8
1962	7.4	67.9	2.5	*	0.6	1.7	3.8	8.6	19.7	32.7	37.1	55.7
1961	7.0	61.7	2.6	*	0.7	1.2	3.5	7.7	18.8	29.5	40.3	54.3
1960	6.7	60.8	2.3	*	*	1.1	3.7	9.2	17.2	29.5	29.9	43.3
ALL OTHER, MALE												
1967	14.2	81.0	2.4	*	*	1.6	5.6	19.5	44.9	86.6	120.7	171.8
1966	13.7	92.3	2.7	*	*	*	5.7	19.3	42.3	80.0	105.6	133.3
1965	13.1	86.7	2.1	*	*	*	5.0	20.6	42.8	67.8	105.7	155.9
1964	11.6	71.2	2.1	*	*	1.6	5.2	15.1	40.1	65.6	83.7	93.8
1963	12.3	76.4	2.2	*	*	*	5.0	18.3	38.4	69.4	84.2	141.4
1962	10.7	72.3	2.9	*	*	2.1	4.8	12.3	33.8	60.4	59.0	89.7
1961	10.4	70.1	3.1	*	*	*	5.4	12.6	32.2	52.2	63.5	96.7
1960	9.8	64.4	2.3	*	*	*	5.5	14.9	29.3	52.0	52.0	*
ALL OTHER, FEMALE												
1967	4.7	79.9	1.9	*	*	*	2.8	4.9	9.7	12.0	20.8	40.4
1966	4.9	85.8	1.8	*	*	*	3.2	6.1	7.4	12.9	15.8	*
1965	4.4	72.7	*	*	*	*	2.3	6.2	9.0	9.0	15.5	*
1964	4.2	67.3	2.3	*	*	*	2.6	5.1	6.9	8.8	13.2	*
1963	4.7	63.3	2.7	*	*	*	3.3	5.5	8.3	10.9	21.4	*
1962	4.4	63.5	2.1	*	*	1.4	2.8	5.1	6.3	8.5	17.9	*
1961	3.8	53.5	2.1	*	*	*	1.8	3.0	5.9	9.1	20.0	*
1960	3.9	57.2	2.3	*	*	*	2.1	3.7	5.5	9.1	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Ulcer of stomach and duodenum (540,541)												
BOTH SEXES												
1967	5.0	1.6	*	*	0.2	0.5	1.8	4.9	11.4	21.5	42.5	79.4
1966	5.3	1.6	*	*	0.2	0.5	1.9	5.3	11.8	23.8	46.5	79.0
1965	5.4	2.0	*	*	0.2	0.5	1.9	5.7	12.6	23.9	47.2	81.2
1964	5.7	1.6	*	*	0.1	0.6	2.2	5.9	13.6	25.8	50.8	85.2
1963	6.5	1.7	*	*	0.2	0.8	2.5	7.1	14.8	29.5	56.6	92.9
1962	6.6	1.6	0.1	*	0.2	0.7	2.6	7.0	15.4	30.6	57.3	94.6
1961	6.3	1.3	*	*	0.2	0.8	2.4	7.4	15.1	29.4	53.5	82.8
1960	6.3	1.9	*	*	0.1	0.7	2.5	7.3	15.7	29.9	53.6	77.9
MALE												
1967	7.0	1.8	*	*	0.3	0.7	2.6	7.3	18.5	35.5	65.1	115.7
1966	7.5	1.8	*	*	0.2	0.7	2.9	8.0	18.8	38.9	73.9	114.7
1965	7.8	2.2	*	*	0.2	0.7	2.8	8.6	20.5	39.6	73.5	120.6
1964	8.3	1.9	*	*	0.2	0.8	3.1	8.8	22.4	42.8	78.1	129.7
1963	9.5	2.4	*	*	0.2	1.2	3.6	11.1	24.3	48.9	88.8	135.0
1962	9.7	2.2	*	*	0.2	1.2	3.9	10.8	25.0	50.5	89.1	136.9
1961	9.4	1.7	*	*	0.3	1.3	3.7	11.4	24.8	48.5	83.3	123.1
1960	9.6	2.7	*	*	0.2	1.1	3.9	11.6	26.5	49.4	85.0	114.3
FEMALE												
1967	3.0	1.4	*	*	*	0.3	1.0	2.6	5.0	10.4	26.8	59.1
1966	3.1	1.3	*	*	0.1	0.3	1.0	2.8	5.4	11.7	27.1	58.8
1965	3.1	1.7	*	*	*	0.3	1.1	2.9	5.4	11.2	28.3	58.3
1964	3.2	1.3	*	*	*	0.4	1.3	3.1	5.4	11.8	30.9	58.8
1963	3.5	1.1	*	*	*	0.4	1.4	3.3	6.0	13.4	32.7	67.5
1962	3.6	1.0	*	*	*	0.3	1.4	3.3	6.5	13.9	33.4	68.6
1961	3.3	1.0	*	*	*	0.4	1.2	3.5	6.0	13.0	30.8	57.3
1960	3.1	1.0	*	*	*	0.4	1.2	3.2	5.6	12.9	29.3	54.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Ulcer of stomach and duodenum (540,541)												
WHITE, BOTH SEXES												
1967	5.1	1.2	*	*	0.1	0.4	1.6	4.6	11.3	22.1	43.3	82.3
1966	5.4	1.0	*	*	0.2	0.5	1.7	5.0	11.6	24.1	47.9	82.2
1965	5.6	1.2	*	*	0.1	0.5	1.7	5.4	12.5	24.5	48.4	85.6
1964	5.9	0.9	*	*	0.1	0.5	2.0	5.5	13.4	26.2	52.2	89.0
1963	6.7	1.2	*	*	0.1	0.7	2.3	6.8	14.5	30.1	58.8	98.1
1962	6.8	1.2	*	*	0.2	0.6	2.4	6.8	15.1	31.2	59.5	99.1
1961	6.5	0.9	*	*	0.2	0.7	2.3	7.1	15.0	29.9	55.2	85.6
1960	6.6	1.2	*	*	0.1	0.6	2.3	7.1	15.8	30.4	55.6	81.9
WHITE, MALE												
1967	7.3	1.5	*	*	0.2	0.6	2.3	6.8	18.6	36.6	66.5	121.2
1966	7.7	1.3	*	*	0.2	0.6	2.5	7.5	18.5	39.4	76.1	119.8
1965	8.0	1.4	*	*	0.2	0.6	2.5	8.1	20.6	40.7	75.6	128.7
1964	8.6	1.2	*	*	0.2	0.7	2.9	8.4	22.3	43.7	80.5	137.2
1963	9.8	1.5	*	*	*	1.0	3.3	10.7	24.0	50.2	91.9	145.2
1962	10.0	1.6	*	*	0.2	0.9	3.6	10.4	24.7	51.5	92.4	144.3
1961	9.7	1.1	*	*	0.2	1.1	3.5	11.0	25.1	49.5	86.3	129.2
1960	10.0	1.8	*	*	*	1.0	3.6	11.3	26.8	50.4	88.5	120.9
WHITE, FEMALE												
1967	3.1	*	*	*	*	0.2	0.9	2.6	4.8	10.6	27.3	60.9
1966	3.3	*	*	*	*	0.3	0.9	2.5	5.4	11.8	28.1	61.1
1965	3.2	*	*	*	*	0.3	1.0	2.8	5.2	11.4	28.9	60.9
1964	3.3	*	*	*	*	0.3	1.1	2.8	5.3	12.0	31.6	60.7
1963	3.7	*	*	*	*	0.3	1.3	3.1	5.7	13.5	34.5	70.1
1962	3.8	*	*	*	*	0.3	1.2	3.3	6.1	14.1	34.9	71.7
1961	3.4	*	*	*	*	0.3	1.1	3.3	5.7	13.2	31.7	58.6
1960	3.3	*	*	*	*	0.3	1.0	3.0	5.5	13.1	30.4	57.3

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Ulcer of stomach and duodenum (540,541)												
ALL OTHER, BOTH SEXES												
1967	3.7	3.7	*	*	*	1.0	3.7	7.3	12.2	15.8	32.5	46.3
1966	4.1	4.4	*	*	*	0.9	3.9	8.7	13.9	21.1	28.4	41.6
1965	3.9	6.3	*	*	*	1.0	3.3	8.3	13.1	17.8	32.1	30.1
1964	4.3	5.5	*	*	*	1.3	4.2	9.3	14.8	21.1	32.9	38.5
1963	4.6	4.5	*	*	*	1.5	3.8	9.3	16.8	24.2	29.4	33.3
1962	4.6	3.5	*	*	*	1.7	4.5	8.6	17.7	24.7	27.5	41.4
1961	4.6	3.7	*	*	*	1.9	3.6	9.9	15.4	24.1	31.2	47.1
1960	4.5	5.7	*	*	*	1.5	4.4	9.5	15.0	24.2	26.8	30.7
ALL OTHER, MALE												
1967	5.4	*	*	*	*	*	5.5	12.1	18.4	25.1	47.8	61.5
1966	6.0	*	*	*	*	*	6.0	12.1	22.4	33.3	47.5	61.1
1965	5.6	7.1	*	*	*	1.6	5.0	12.9	19.4	28.2	47.7	*
1964	6.2	*	*	*	*	*	5.6	13.2	24.1	33.8	48.3	*
1963	6.8	*	*	*	*	2.2	6.0	14.0	25.1	37.2	47.9	*
1962	7.1	*	*	*	*	3.2	6.8	13.8	26.1	40.3	41.0	*
1961	6.7	*	*	*	*	3.3	5.7	14.8	22.0	38.1	45.9	*
1960	6.9	7.8	*	*	*	2.2	6.6	15.0	23.8	38.7	40.7	*
ALL OTHER, FEMALE												
1967	2.2	*	*	*	*	*	2.2	3.1	6.6	8.1	20.3	35.1
1966	2.3	*	*	*	*	*	2.1	5.6	6.1	10.8	13.1	*
1965	2.2	*	*	*	*	*	1.9	4.1	7.2	9.0	19.2	*
1964	2.6	*	*	*	*	*	3.0	5.8	6.1	10.2	20.0	*
1963	2.5	*	*	*	*	*	1.9	4.9	8.8	13.0	13.5	*
1962	2.3	*	*	*	*	*	2.4	3.6	9.6	11.0	15.8	*
1961	2.5	*	*	*	*	*	1.7	5.2	9.2	11.6	18.3	*
1960	2.2	*	*	*	*	*	2.3	4.2	6.6	11.0	14.3	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Appendicitis (550-553)												
BOTH SEXES												
1967	0.8	*	0.2	0.2	0.2	0.2	0.4	0.8	1.4	2.7	6.3	8.4
1966	0.8	*	0.2	0.3	0.2	0.3	0.4	0.7	1.5	2.8	6.6	8.5
1965	0.9	*	0.2	0.3	0.3	0.2	0.4	0.8	1.6	3.2	6.5	10.8
1964	0.9	*	0.2	0.3	0.3	0.3	0.4	0.9	1.7	3.4	7.0	10.4
1963	0.9	0.5	0.3	0.3	0.2	0.3	0.5	0.8	1.8	3.4	6.8	11.2
1962	1.0	0.5	0.3	0.4	0.3	0.3	0.5	0.9	1.7	3.5	6.9	10.7
1961	1.0	*	0.4	0.3	0.3	0.3	0.5	1.0	1.9	3.4	6.8	12.6
1960	1.0	*	0.3	0.4	0.3	0.3	0.5	1.0	2.2	4.0	7.1	9.9
MALE												
1967	1.0	*	*	0.2	0.2	0.3	0.6	1.0	2.1	3.6	8.9	11.0
1966	1.0	*	0.3	0.3	0.3	0.3	0.5	1.1	2.1	4.0	8.7	10.0
1965	1.1	*	0.3	0.4	0.3	0.2	0.5	1.1	2.2	4.8	9.8	12.8
1964	1.2	*	*	0.4	0.3	0.4	0.5	1.3	2.5	4.9	10.0	9.6
1963	1.2	*	0.3	0.3	0.3	0.3	0.6	1.0	2.4	4.9	9.5	14.6
1962	1.2	*	0.3	0.4	0.4	0.4	0.6	1.3	2.4	4.8	8.9	12.3
1961	1.2	*	0.4	0.4	0.4	0.3	0.6	1.4	2.9	4.6	8.6	13.9
1960	1.3	*	0.4	0.4	0.4	0.3	0.6	1.5	3.2	5.5	9.8	11.6
FEMALE												
1967	0.6	*	*	0.2	0.2	*	0.2	0.5	0.8	1.9	4.6	7.0
1966	0.7	*	*	0.2	0.2	0.3	0.3	0.4	1.0	1.9	5.1	7.7
1965	0.6	*	*	0.2	0.2	0.2	0.2	0.5	1.1	2.0	4.0	9.6
1964	0.7	*	*	0.2	0.2	0.2	0.4	0.5	0.9	2.2	4.8	10.9
1963	0.7	*	*	0.2	0.2	0.3	0.3	0.6	1.2	2.2	4.9	9.1
1962	0.7	*	*	0.3	0.3	0.2	0.3	0.5	1.1	2.5	5.4	9.7
1961	0.8	*	0.3	0.3	0.3	0.3	0.3	0.6	1.1	2.5	5.5	11.7
1960	0.8	*	0.3	0.4	0.2	0.2	0.4	0.5	1.3	2.7	5.1	8.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Appendicitis (550-553)												
WHITE, BOTH SEXES												
1967	0.7	*	0.2	0.2	0.1	0.2	0.3	0.6	1.3	2.5	6.2	8.8
1966	0.8	*	0.2	0.2	0.2	0.3	0.3	0.6	1.3	2.7	6.5	8.6
1965	0.8	*	0.2	0.3	0.2	0.2	0.3	0.7	1.5	3.0	6.4	10.4
1964	0.9	*	0.2	0.3	0.2	0.2	0.3	0.7	1.5	3.2	6.9	10.7
1963	0.9	*	0.2	0.3	0.2	0.2	0.4	0.7	1.5	3.4	6.6	11.3
1962	0.9	*	0.2	0.3	0.3	0.2	0.4	0.8	1.5	3.3	6.9	11.1
1961	0.9	*	0.3	0.3	0.3	0.2	0.3	0.8	1.7	3.3	6.8	13.0
1960	1.0	*	0.3	0.4	0.3	0.2	0.4	0.8	1.9	3.8	7.2	9.9
WHITE, MALE												
1967	0.9	*	*	0.2	*	0.3	0.4	0.9	1.9	3.4	8.5	11.9
1966	1.0	*	*	0.3	0.3	0.3	0.4	0.9	1.8	3.8	8.6	9.9
1965	1.1	*	*	0.4	0.3	*	0.5	0.9	2.1	4.3	9.6	12.9
1964	1.1	*	*	0.4	0.2	0.4	0.4	1.0	2.3	4.7	9.8	9.9
1963	1.1	*	0.3	0.3	0.2	0.3	0.5	0.9	2.0	4.8	9.2	14.3
1962	1.2	*	*	0.4	0.3	0.4	0.5	1.2	2.2	4.6	9.0	12.6
1961	1.1	*	0.4	0.3	0.4	0.3	0.5	1.2	2.5	4.5	8.5	13.7
1960	1.3	*	0.4	0.3	0.4	0.3	0.5	1.3	2.8	5.1	10.0	11.5
WHITE, FEMALE												
1967	0.6	*	*	0.2	*	*	0.2	0.4	0.7	1.8	4.6	7.1
1966	0.6	*	*	0.2	0.2	0.2	0.2	0.3	0.8	1.7	5.0	7.8
1965	0.6	*	*	0.2	*	*	*	0.4	1.0	2.0	4.2	9.0
1964	0.6	*	*	0.2	0.2	*	0.3	0.4	0.8	2.1	4.8	11.2
1963	0.7	*	*	0.2	0.2	0.2	0.3	0.5	1.0	2.2	4.8	9.6
1962	0.7	*	*	0.3	0.3	*	0.2	0.4	0.9	2.2	5.3	10.2
1961	0.7	*	*	0.3	0.2	0.2	*	0.5	0.9	2.3	5.5	12.5
1960	0.7	*	*	0.4	0.2	*	0.3	0.4	1.1	2.6	5.0	8.9

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Appendicitis (550-553)												
ALL OTHER, BOTH SEXES												
1967	1.1	*	*	*	0.5	*	1.0	1.9	3.0	4.2	8.0	*
1966	1.2	*	*	0.5	*	*	1.2	1.6	3.4	4.2	7.5	*
1965	1.2	*	*	0.4	0.5	*	*	2.1	2.9	5.6	6.9	*
1964	1.3	*	*	0.5	*	*	1.3	2.7	3.2	5.1	9.3	*
1963	1.3	*	*	0.5	*	*	1.1	1.8	4.9	4.1	10.4	*
1962	1.3	*	*	0.7	*	*	1.2	1.9	3.6	6.0	*	*
1961	1.5	*	*	0.6	*	0.9	1.7	2.7	4.5	5.0	7.4	*
1960	1.5	*	*	0.7	*	*	1.3	2.1	5.0	6.7	6.6	*
ALL OTHER, MALE												
1967	1.4	*	*	*	*	*	1.8	2.7	3.8	5.5	12.5	*
1966	1.3	*	*	*	*	*	*	2.1	4.2	5.6	*	*
1965	1.6	*	*	*	*	*	*	3.0	3.2	9.0	12.5	*
1964	1.7	*	*	0.7	*	*	*	3.6	4.6	6.6	13.4	*
1963	1.7	*	*	*	*	*	*	2.3	6.5	5.6	14.5	*
1962	1.5	*	*	*	*	*	*	2.2	4.3	6.7	*	*
1961	1.9	*	*	*	*	*	2.1	3.3	6.0	6.0	*	*
1960	1.8	*	*	0.8	*	*	*	2.8	6.8	9.7	*	*
ALL OTHER, FEMALE												
1967	0.8	*	*	*	*	*	*	*	2.3	*	*	*
1966	1.0	*	*	*	*	*	1.4	*	2.8	*	*	*
1965	0.9	*	*	*	*	*	*	*	2.7	*	*	*
1964	1.0	*	*	*	*	*	*	1.8	*	3.8	*	*
1963	1.1	*	*	*	*	*	*	*	3.3	*	*	*
1962	1.2	*	*	*	*	*	*	*	3.0	5.5	*	*
1961	1.2	*	*	*	*	*	*	2.2	3.0	4.1	*	*
1960	1.2	*	*	*	*	*	1.6	*	3.2	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Hernia and intestinal obstruction (560,561,570)												
BOTH SEXES												
1967	5.0	19.9	0.4	0.1	0.2	0.4	1.1	2.8	7.3	19.7	51.3	111.3
1966	5.2	20.1	0.4	0.1	0.2	0.5	1.1	3.1	7.5	21.1	52.6	119.0
1965	5.2	22.6	0.4	0.1	0.2	0.5	1.2	3.2	8.2	20.0	51.2	118.4
1964	5.2	21.8	0.4	0.1	0.3	0.4	1.1	3.0	7.6	20.8	55.0	118.5
1963	5.3	22.7	0.5	0.1	0.2	0.5	1.2	3.2	8.3	20.7	53.8	117.5
1962	5.2	21.8	0.5	0.1	0.1	0.5	1.3	3.3	8.2	20.8	53.7	115.1
1961	5.0	22.3	0.5	0.2	0.2	0.5	1.1	3.1	8.0	19.6	51.1	108.0
1960	5.1	22.4	0.4	0.1	0.2	0.5	1.3	3.5	8.4	20.1	49.8	109.3
MALE												
1967	4.6	22.9	0.6	0.2	0.3	0.3	1.0	2.7	7.9	21.0	51.8	105.9
1966	4.9	23.7	0.5	0.1	0.2	0.5	1.0	3.0	8.4	23.3	53.5	113.9
1965	4.9	25.7	0.6	0.2	0.2	0.5	1.1	3.0	8.8	22.5	51.9	116.3
1964	5.0	26.0	0.5	0.2	0.3	0.4	1.0	3.0	8.0	23.5	53.6	116.5
1963	5.1	28.1	0.7	0.1	0.2	0.4	1.0	3.0	9.1	23.2	54.6	109.0
1962	5.2	25.1	0.6	0.2	*	0.5	1.1	3.4	8.9	23.5	54.7	124.6
1961	5.0	26.4	0.6	0.2	0.3	0.4	1.1	2.9	8.8	21.6	53.3	116.1
1960	5.1	25.9	0.6	0.1	0.2	0.5	1.3	3.5	9.3	22.4	51.3	104.9
FEMALE												
1967	5.3	16.7	*	0.1	0.2	0.4	1.1	2.9	6.7	18.6	50.9	114.3
1966	5.4	16.4	0.4	0.1	0.2	0.4	1.1	3.3	6.6	19.3	52.0	122.0
1965	5.4	19.4	0.3	*	0.2	0.5	1.4	3.4	7.7	18.0	50.7	119.6
1964	5.4	17.4	0.4	*	0.2	0.5	1.2	3.1	7.3	18.5	56.1	119.6
1963	5.4	17.0	0.3	*	0.2	0.6	1.4	3.5	7.6	18.7	53.2	122.5
1962	5.3	18.3	0.4	*	0.2	0.6	1.5	3.3	7.6	18.5	52.9	109.2
1961	5.0	18.1	0.3	0.1	0.2	0.6	1.2	3.2	7.4	17.8	49.4	102.7
1960	5.1	18.8	0.3	0.1	0.2	0.5	1.4	3.5	7.5	18.1	48.7	112.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Hernia and intestinal obstruction (560,561,570)												
WHITE, BOTH SEXES												
1967	5.0	19.5	0.4	0.1	0.2	0.3	0.9	2.4	6.7	19.3	52.0	115.7
1966	5.2	19.3	0.4	0.1	0.2	0.4	0.9	2.8	7.0	20.6	53.2	123.3
1965	5.2	22.3	0.4	0.1	0.2	0.4	0.9	2.8	7.6	19.4	52.2	122.3
1964	5.2	21.1	0.4	0.1	0.2	0.3	0.9	2.6	7.1	20.4	55.6	122.1
1963	5.3	22.1	0.4	0.1	0.2	0.3	1.0	2.8	7.6	20.2	54.9	121.8
1962	5.2	21.9	0.5	0.1	0.1	0.5	1.0	3.0	7.4	20.3	53.9	118.5
1961	5.0	22.1	0.4	0.2	0.2	0.4	0.8	2.6	7.3	19.3	51.8	110.6
1960	5.0	22.0	0.4	0.1	0.2	0.4	1.1	3.0	7.7	19.5	50.3	112.6
WHITE, MALE												
1967	4.5	22.0	0.6	0.1	0.2	0.2	0.8	2.3	7.2	20.3	51.9	109.8
1966	4.8	22.4	0.4	*	0.1	0.5	0.9	2.6	7.9	22.5	53.5	117.4
1965	4.9	25.2	0.4	0.2	0.2	0.4	0.8	2.7	8.1	21.7	52.9	119.8
1964	4.9	24.7	0.4	0.1	0.2	0.3	0.7	2.5	7.6	22.7	54.1	118.3
1963	5.0	26.8	0.6	0.1	0.2	0.2	0.8	2.7	8.3	22.8	55.0	110.7
1962	5.1	25.2	0.6	0.1	*	0.4	0.9	2.9	8.0	22.6	54.1	127.2
1961	4.9	25.5	0.5	0.2	0.2	0.3	0.8	2.6	8.0	21.2	53.4	117.5
1960	4.9	25.2	0.5	*	*	0.4	1.0	3.1	8.8	21.5	51.1	108.8
WHITE, FEMALE												
1967	5.4	16.8	*	*	*	0.3	1.0	2.6	6.2	18.4	52.0	118.9
1966	5.6	16.1	0.3	*	0.2	0.4	1.0	2.9	6.2	19.1	52.9	126.6
1965	5.5	19.3	*	*	0.2	0.4	1.1	2.9	7.1	17.6	51.7	123.8
1964	5.6	17.2	0.4	*	0.2	0.4	1.0	2.6	6.7	18.6	56.7	124.2
1963	5.5	17.2	*	*	*	0.4	1.1	2.9	7.0	18.1	54.8	128.3
1962	5.4	18.4	0.3	*	*	0.5	1.2	3.0	6.9	18.3	53.8	113.3
1961	5.1	18.6	0.3	*	0.2	0.4	0.9	2.7	6.7	17.6	50.7	106.5
1960	5.1	18.7	*	*	0.2	0.4	1.1	3.0	6.7	17.8	49.7	115.1

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Hernia and intestinal obstruction (560,561,570)												
ALL OTHER, BOTH SEXES												
1967	4.7	22.0	*	*	0.6	0.9	2.9	6.4	13.3	23.6	42.2	61.1
1966	4.7	24.4	0.9	*	*	0.9	2.0	6.3	12.2	25.7	45.1	68.5
1965	5.0	24.2	0.9	*	*	1.0	3.5	6.6	14.4	26.1	37.3	72.3
1964	5.1	25.9	*	*	0.6	1.0	2.7	7.3	13.0	24.5	47.5	73.1
1963	5.3	26.2	*	*	*	1.3	2.9	7.1	16.1	26.7	41.5	69.4
1962	5.2	20.8	*	*	*	1.2	3.8	6.6	15.1	25.3	47.2	77.1
1961	5.2	23.3	0.8	*	*	1.5	3.7	6.9	15.2	22.9	40.6	74.3
1960	5.4	24.6	*	*	*	1.3	3.6	7.7	14.6	27.0	43.5	69.8
ALL OTHER, MALE												
1967	5.3	27.9	*	*	*	*	3.4	6.9	14.7	27.9	50.0	66.7
1966	5.3	30.9	*	*	*	*	2.2	6.2	13.8	30.5	53.1	77.8
1965	5.3	28.2	*	*	*	*	3.1	5.8	16.1	30.3	39.2	82.4
1964	5.6	33.8	*	*	*	*	3.0	7.7	12.8	31.8	47.7	96.9
1963	5.8	36.0	*	*	*	*	2.3	6.2	17.5	29.1	48.5	96.6
1962	5.7	24.7	*	*	*	*	3.0	7.1	15.9	31.3	55.9	106.9
1961	5.7	31.5	*	*	*	*	3.6	5.6	16.5	26.0	51.6	103.3
1960	5.9	30.1	*	*	*	*	3.2	8.1	14.4	32.9	54.0	63.8
ALL OTHER, FEMALE												
1967	4.2	16.0	*	*	*	*	2.4	6.0	12.2	20.1	35.9	56.1
1966	4.3	17.8	*	*	*	*	1.9	6.4	10.7	21.7	38.9	62.3
1965	4.8	20.1	*	*	*	*	3.8	7.4	12.8	22.4	35.7	65.3
1964	4.5	18.0	*	*	*	*	2.5	6.9	13.1	18.1	47.3	57.8
1963	4.9	16.5	*	*	*	*	3.5	7.8	14.8	24.7	35.4	52.4
1962	4.7	16.9	*	*	*	*	4.5	6.2	14.3	20.1	39.7	57.5
1961	4.6	15.3	*	*	*	1.7	3.8	8.2	14.0	20.1	31.1	52.5
1960	4.9	19.2	*	*	*	*	4.0	7.3	14.8	21.6	34.0	74.5

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)												
BOTH SEXES												
1967	3.8	29.9	2.0	0.2	0.3	0.6	1.1	2.3	5.4	12.4	30.1	73.9
1966	3.9	38.0	2.2	0.2	0.3	0.6	1.0	2.5	5.2	12.4	28.7	68.1
1965	4.1	45.3	2.5	0.2	0.3	0.7	1.2	2.5	5.3	12.6	28.1	64.0
1964	4.3	51.3	2.9	0.2	0.5	0.7	1.2	2.4	5.2	12.2	28.1	67.1
1963	4.4	52.2	3.1	0.3	0.4	0.6	1.2	2.6	5.3	12.1	29.1	67.0
1962	4.4	57.3	3.1	0.4	0.4	0.6	1.0	2.5	5.3	11.6	27.7	61.7
1961	4.3	55.0	3.3	0.3	0.5	0.6	1.0	2.4	4.9	11.3	27.3	51.3
1960	4.4	63.8	3.3	0.2	0.4	0.7	1.1	2.4	4.8	11.4	25.4	55.1
MALE												
1967	3.6	32.9	2.2	0.2	0.3	0.6	1.2	2.6	6.4	12.5	28.1	66.0
1966	3.7	41.6	2.4	0.2	0.3	0.6	1.1	2.6	6.0	12.8	27.1	59.2
1965	4.0	49.9	2.9	0.2	0.3	0.7	1.3	2.8	5.8	13.6	24.8	58.3
1964	4.3	55.6	2.8	0.3	0.5	0.7	1.3	2.7	6.0	13.4	25.9	56.3
1963	4.4	58.6	3.1	0.3	0.4	0.7	1.4	3.0	6.1	13.1	27.5	54.9
1962	4.4	62.7	3.2	0.4	0.5	0.6	1.0	2.9	6.1	13.2	24.2	51.9
1961	4.5	60.8	3.7	0.3	0.4	0.7	1.2	2.7	5.7	12.7	25.1	52.8
1960	4.6	69.7	3.8	0.3	0.4	0.7	1.1	2.7	5.5	12.3	24.7	54.1
FEMALE												
1967	4.0	26.8	1.7	0.2	0.3	0.6	1.0	2.1	4.5	12.3	31.5	78.3
1966	4.0	34.4	2.0	0.2	0.3	0.6	0.8	2.4	4.5	12.0	29.8	73.3
1965	4.2	40.6	2.1	0.2	0.3	0.7	1.1	2.2	4.9	11.7	30.5	67.3
1964	4.3	46.8	2.9	0.2	0.4	0.6	1.1	2.1	4.6	11.2	29.8	73.5
1963	4.3	45.5	3.1	0.2	0.4	0.6	0.9	2.3	4.6	11.4	30.3	74.2
1962	4.4	51.8	2.9	0.3	0.4	0.7	1.0	2.1	4.6	10.3	30.4	67.8
1961	4.1	49.1	2.9	0.3	0.5	0.5	0.9	2.2	4.2	10.1	29.1	50.3
1960	4.2	57.6	2.7	0.2	0.5	0.6	1.1	2.1	4.1	10.7	25.9	55.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)												
WHITE, BOTH SEXES												
1967	3.7	17.3	1.6	0.2	0.3	0.6	1.0	2.3	5.3	12.6	30.8	76.5
1966	3.6	20.0	1.7	0.2	0.3	0.6	1.0	2.5	5.2	12.5	29.2	69.7
1965	3.7	23.5	2.0	0.2	0.3	0.7	1.1	2.4	5.3	12.7	29.1	67.7
1964	3.8	27.9	2.1	0.2	0.5	0.6	1.1	2.3	5.2	12.4	29.0	70.1
1963	3.9	29.3	2.4	0.2	0.4	0.6	1.1	2.6	5.2	12.2	29.8	67.7
1962	3.9	33.0	2.5	0.3	0.4	0.6	1.0	2.3	5.0	11.5	28.1	63.5
1961	3.7	31.2	2.7	0.2	0.5	0.6	1.0	2.4	4.8	11.3	28.1	52.6
1960	3.8	36.3	2.5	0.2	0.4	0.7	1.0	2.3	4.7	11.4	26.1	56.0
WHITE, MALE												
1967	3.4	18.2	1.7	0.2	0.3	0.6	1.1	2.6	6.4	12.8	28.6	66.9
1966	3.4	21.9	2.0	0.2	0.3	0.6	1.1	2.6	6.1	13.0	27.7	60.3
1965	3.6	26.4	2.3	0.2	0.3	0.7	1.2	2.7	5.7	14.0	26.1	61.4
1964	3.7	29.6	2.0	0.3	0.5	0.7	1.2	2.6	6.0	13.6	26.4	59.2
1963	3.9	33.2	2.6	0.3	0.3	0.7	1.4	2.9	6.2	13.1	28.2	55.4
1962	3.8	36.0	2.7	0.3	0.5	0.6	1.0	2.8	5.9	13.1	24.7	53.3
1961	3.8	34.5	3.0	0.2	0.4	0.6	1.2	2.7	5.7	12.8	25.9	52.6
1960	3.9	40.8	3.0	0.2	0.4	0.7	1.1	2.7	5.5	12.3	25.5	55.3
WHITE, FEMALE												
1967	4.0	16.4	1.3	0.2	0.3	0.6	0.9	2.1	4.3	12.5	32.4	81.8
1966	3.8	18.0	1.5	0.2	0.3	0.6	0.8	2.3	4.5	12.1	30.2	74.9
1965	3.9	20.4	1.6	0.2	0.3	0.6	1.0	2.0	4.9	11.7	31.3	71.3
1964	4.0	26.2	2.2	0.2	0.4	0.6	1.0	2.0	4.4	11.3	30.8	76.3
1963	3.9	25.2	2.3	0.2	0.4	0.6	0.9	2.2	4.3	11.5	31.0	75.0
1962	3.9	29.8	2.4	0.3	0.4	0.6	1.0	1.9	4.2	10.1	30.7	69.9
1961	3.6	27.7	2.4	0.3	0.5	0.5	0.8	2.1	3.9	10.1	29.8	52.6
1960	3.7	31.6	2.1	0.2	0.5	0.6	1.0	1.9	4.0	10.7	26.6	56.4

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)												
ALL OTHER, BOTH SEXES												
1967	4.7	98.1	4.1	*	*	0.7	1.8	2.4	5.9	10.1	20.2	43.2
1966	5.7	133.4	4.7	*	*	0.8	1.0	3.0	5.1	10.6	21.9	49.4
1965	6.7	164.0	5.5	*	*	0.8	1.8	3.3	5.8	11.2	15.2	*
1964	7.7	180.8	7.1	0.4	*	0.8	1.8	3.3	6.0	10.7	17.0	30.8
1963	7.9	182.9	7.1	0.4	*	0.8	1.3	3.1	5.6	10.9	17.9	54.2
1962	8.5	197.2	6.2	0.6	*	0.8	1.3	3.6	7.2	11.0	18.3	30.0
1961	8.4	190.1	6.9	*	*	*	1.4	2.5	6.6	10.8	16.8	35.7
1960	9.5	220.3	7.5	*	*	0.8	1.7	3.0	5.4	11.3	15.4	44.7
ALL OTHER, MALE												
1967	5.3	114.5	4.6	*	*	*	2.2	3.1	5.5	9.9	21.2	56.4
1966	6.0	147.0	4.8	*	*	*	*	2.5	5.2	10.7	19.0	*
1965	7.3	179.6	6.4	*	*	*	2.0	3.1	6.2	9.4	*	*
1964	8.5	203.0	7.3	*	*	*	2.1	3.9	5.4	10.7	19.8	*
1963	8.7	207.1	6.7	*	*	*	1.7	2.9	5.2	12.8	15.8	*
1962	9.2	217.3	6.3	*	*	*	*	3.9	6.0	11.8	14.3	*
1961	9.3	213.5	7.6	*	*	*	*	2.5	5.8	11.1	15.1	*
1960	10.4	238.3	9.0	*	*	*	1.7	2.9	5.5	12.1	15.3	*
ALL OTHER, FEMALE												
1967	4.1	81.7	3.7	*	*	*	1.6	1.7	6.3	10.3	19.5	*
1966	5.4	119.6	4.6	*	*	*	*	3.4	5.0	10.5	24.4	50.9
1965	6.2	147.8	4.7	*	*	*	1.6	3.5	5.4	12.7	19.2	*
1964	6.9	159.0	7.0	*	*	*	1.5	2.8	6.6	10.6	14.6	*
1963	7.2	159.3	7.6	*	*	*	*	3.4	5.9	9.1	19.8	59.5
1962	7.9	177.1	6.0	*	*	*	*	3.3	8.4	10.3	21.7	*
1961	7.5	167.5	6.3	*	*	*	1.5	2.6	7.3	10.6	18.3	*
1960	8.6	202.4	5.9	*	*	*	1.8	3.2	5.2	10.6	15.5	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 581 Chronic liver disease and cirrhosis												
BOTH SEXES												
1967	14.1	1.0	*	0.1	0.4	4.0	17.1	35.1	45.2	39.7	28.1	22.6
1966	13.6	0.7	0.2	0.1	0.4	3.8	16.6	34.1	42.9	38.4	30.5	24.2
1965	12.8	0.8	0.2	0.1	0.3	3.5	15.0	32.2	39.8	36.7	30.5	21.5
1964	12.1	0.8	0.1	0.1	0.3	3.3	13.9	29.8	38.0	35.6	29.9	25.3
1963	11.9	0.9	0.1	0.1	0.3	3.3	12.7	30.1	36.3	36.6	29.9	26.1
1962	11.7	0.6	0.2	0.1	0.3	3.2	13.0	29.0	35.4	36.5	29.7	26.3
1961	11.3	0.7	0.1	0.1	0.3	3.1	12.3	27.5	34.2	35.3	30.2	25.9
1960	11.3	0.8	0.2	0.1	0.3	2.9	11.8	27.6	32.7	37.4	32.1	28.8
MALE												
1967	18.6	1.3	*	*	0.3	4.7	22.0	45.5	64.3	60.6	41.4	32.9
1966	18.2	*	*	0.1	0.3	4.5	20.8	44.5	62.7	58.8	44.9	37.9
1965	16.9	*	*	*	0.3	3.9	18.4	41.7	57.6	55.5	46.8	31.7
1964	16.0	*	*	*	0.2	3.6	16.7	39.1	54.4	55.1	44.6	33.9
1963	15.7	1.0	*	*	0.2	3.6	15.3	38.4	52.4	56.6	43.5	35.3
1962	15.7	*	*	*	0.3	3.4	15.7	38.3	51.8	55.9	43.6	38.5
1961	15.1	*	*	0.1	0.3	3.6	14.8	36.1	49.5	54.7	45.0	32.7
1960	15.3	*	*	0.1	0.2	3.1	14.4	36.8	48.5	57.4	45.1	40.0
FEMALE												
1967	9.8	*	*	0.1	0.4	3.4	12.5	25.2	27.9	23.0	18.8	16.8
1966	9.3	*	*	0.2	0.4	3.1	12.6	24.3	24.9	22.1	20.2	16.4
1965	8.8	*	*	0.1	0.4	3.1	11.8	23.1	23.5	21.5	18.9	15.6
1964	8.4	*	*	0.1	0.4	3.0	11.2	20.9	22.9	19.7	19.2	20.2
1963	8.3	*	*	0.1	0.3	2.9	10.2	22.0	21.5	20.1	19.9	20.6
1962	7.9	*	*	*	0.4	3.0	10.5	20.0	20.1	20.2	19.2	18.8
1961	7.6	*	*	0.1	0.4	2.7	9.9	19.2	19.9	18.8	18.9	21.6
1960	7.5	*	*	0.2	0.3	2.7	9.3	18.6	17.9	20.1	22.0	21.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 581 Chronic liver disease and cirrhosis												
WHITE, BOTH SEXES												
1967	13.7	0.8	*	0.1	0.2	2.4	14.0	33.4	45.2	40.5	29.0	23.5
1966	13.3	0.7	0.2	0.1	0.2	2.1	13.5	32.2	42.7	39.3	31.4	24.7
1965	12.5	0.7	0.2	0.1	0.2	2.1	12.2	30.8	39.7	37.9	31.5	22.0
1964	12.1	0.7	*	0.1	0.2	2.1	11.8	29.0	38.4	37.0	30.7	26.6
1963	11.8	0.7	*	0.1	0.2	2.1	10.9	29.4	36.1	37.5	30.7	27.3
1962	11.6	*	0.1	0.1	0.2	2.1	11.3	28.3	35.1	36.9	30.4	27.2
1961	11.4	*	*	0.1	0.3	2.1	10.9	27.2	34.7	36.5	31.4	27.0
1960	11.5	0.7	0.2	0.1	0.2	2.1	10.8	27.2	33.1	38.9	33.2	29.7
WHITE, MALE												
1967	18.3	*	*	*	*	3.0	18.1	43.4	64.6	61.7	42.4	33.1
1966	17.8	*	*	*	0.2	2.5	17.3	42.3	62.9	60.0	46.4	38.6
1965	16.6	*	*	*	0.2	2.5	15.2	39.8	57.7	57.4	48.4	32.5
1964	16.0	*	*	*	0.2	2.5	14.3	38.0	54.9	57.2	45.8	36.1
1963	15.7	*	*	*	0.2	2.5	13.2	38.0	52.3	58.2	44.4	37.8
1962	15.7	*	*	*	0.2	2.5	13.6	38.1	51.7	56.6	44.8	39.5
1961	15.4	*	*	*	0.2	2.5	13.3	35.9	50.3	56.6	47.0	34.8
1960	15.6	*	*	*	*	2.3	13.4	36.5	49.2	59.7	46.8	41.7
WHITE, FEMALE												
1967	9.4	*	*	0.1	0.3	1.8	10.0	23.9	27.6	23.7	19.7	18.2
1966	8.9	*	*	0.1	0.3	1.8	9.9	22.7	24.4	22.8	20.8	17.0
1965	8.5	*	*	0.1	0.3	1.8	9.3	22.2	23.2	22.2	19.5	16.1
1964	8.2	*	*	*	0.3	1.7	9.3	20.4	23.2	20.4	19.8	21.1
1963	8.0	*	*	*	0.3	1.6	8.8	21.1	21.1	20.4	20.6	21.1
1962	7.6	*	*	*	0.2	1.7	9.0	18.9	19.7	20.3	19.6	19.7
1961	7.5	*	*	*	0.3	1.6	8.6	18.8	20.1	19.4	19.6	22.1
1960	7.4	*	*	0.2	0.2	1.8	8.2	18.1	18.0	20.8	22.7	22.2

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 581 Chronic liver disease and cirrhosis												
ALL OTHER, BOTH SEXES												
1967	16.6	*	*	*	1.5	15.8	42.0	50.2	45.1	31.5	16.9	*
1966	16.4	*	*	*	1.3	15.7	41.0	51.3	44.5	29.5	18.5	*
1965	14.7	*	*	*	1.2	13.3	37.7	44.6	41.2	24.1	18.0	*
1964	12.5	*	*	*	1.0	11.8	31.5	37.1	33.9	21.7	19.6	*
1963	11.5	*	*	*	*	11.6	26.0	33.2	33.9	23.3	16.2	*
1962	11.5	*	*	*	1.2	10.8	26.1	32.5	32.8	24.7	18.0	*
1961	10.8	*	*	*	0.9	10.8	24.1	30.8	29.6	22.5	14.7	*
1960	10.2	*	*	*	*	9.1	21.0	30.9	29.1	20.8	18.0	*
ALL OTHER, MALE												
1967	21.2	*	*	*	1.7	17.8	55.1	64.7	60.8	49.8	29.3	*
1966	20.8	*	*	*	1.5	19.8	50.8	65.5	60.1	46.9	26.8	*
1965	18.5	*	*	*	*	15.0	45.7	59.5	57.1	36.2	27.3	*
1964	15.7	*	*	*	*	12.0	37.5	49.7	49.2	32.9	30.2	*
1963	13.9	*	*	*	*	11.1	31.8	39.4	47.0	34.0	24.8	*
1962	13.9	*	*	*	*	10.2	31.5	38.6	45.3	34.8	25.5	*
1961	13.3	*	*	*	*	12.0	27.3	38.5	41.1	33.9	21.4	*
1960	12.6	*	*	*	*	9.3	23.8	39.1	41.5	30.9	23.3	*
ALL OTHER, FEMALE												
1967	12.2	*	*	*	1.3	14.0	30.8	37.2	30.8	16.4	*	*
1966	12.3	*	*	*	1.1	12.1	32.5	38.4	30.2	15.0	11.8	*
1965	11.1	*	*	*	1.4	11.8	30.7	31.0	26.4	14.0	10.3	*
1964	9.5	*	*	*	1.2	11.5	26.2	25.5	19.5	12.0	10.7	*
1963	9.3	*	*	*	*	12.0	21.0	27.3	21.5	14.0	*	*
1962	9.3	*	*	*	1.4	11.3	21.3	26.9	20.9	15.8	11.4	*
1961	8.4	*	*	*	*	9.8	21.3	23.4	18.6	12.2	*	*
1960	7.9	*	*	*	*	9.0	18.5	23.1	17.1	11.5	13.1	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Cholelithiasis, cholecystitis, and cholangitis (584,585)												
BOTH SEXES												
1967	2.2	*	*	*	0.1	0.2	0.3	1.1	3.1	10.2	26.4	56.7
1966	2.3	*	*	*	*	0.1	0.5	1.3	3.5	10.9	27.7	60.6
1965	2.4	*	*	*	*	0.2	0.5	1.3	3.4	11.3	29.9	60.3
1964	2.4	*	*	*	*	0.2	0.5	1.3	3.9	11.3	27.9	64.7
1963	2.5	*	*	*	0.1	0.2	0.5	1.2	4.1	11.9	29.6	63.0
1962	2.6	*	*	*	*	0.2	0.5	1.5	4.1	12.7	31.6	63.5
1961	2.6	*	*	*	*	0.2	0.6	1.5	4.3	12.8	29.3	65.8
1960	2.6	*	*	*	*	0.2	0.6	1.6	4.2	13.0	31.3	59.0
MALE												
1967	2.0	*	*	*	*	0.2	0.2	1.0	3.1	11.3	29.0	58.0
1966	2.1	*	*	*	*	*	0.4	1.2	3.5	11.4	28.8	56.7
1965	2.1	*	*	*	*	*	0.3	1.1	3.2	11.4	30.8	55.0
1964	2.0	*	*	*	*	*	0.4	1.1	3.6	11.4	27.2	59.7
1963	2.1	*	*	*	*	*	0.4	1.1	3.7	11.5	27.8	57.3
1962	2.2	*	*	*	*	*	0.4	1.4	3.8	12.7	29.3	55.1
1961	2.2	*	*	*	*	*	0.5	1.2	3.9	12.7	27.6	61.9
1960	2.1	*	*	*	*	*	0.4	1.4	3.5	11.9	29.9	48.9
FEMALE												
1967	2.4	*	*	*	*	0.2	0.4	1.2	3.1	9.3	24.6	55.9
1966	2.6	*	*	*	*	*	0.5	1.4	3.4	10.6	26.9	63.0
1965	2.7	*	*	*	*	0.2	0.6	1.4	3.6	11.2	29.2	63.3
1964	2.8	*	*	*	*	0.3	0.6	1.6	4.2	11.3	28.4	67.7
1963	2.9	*	*	*	*	0.3	0.7	1.3	4.5	12.2	30.9	66.3
1962	3.0	*	*	*	*	0.3	0.6	1.6	4.3	12.8	33.4	68.8
1961	3.0	*	*	*	*	0.3	0.7	1.8	4.8	12.8	30.6	68.1
1960	3.0	*	*	*	*	0.3	0.8	1.8	4.8	13.9	32.3	65.4

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Cholelithiasis, cholecystitis, and cholangitis (584,585)												
WHITE, BOTH SEXES												
1967	2.4	*	*	*	*	0.2	0.3	1.0	3.1	10.5	27.3	59.2
1966	2.5	*	*	*	*	0.1	0.5	1.2	3.5	11.1	28.8	64.1
1965	2.6	*	*	*	*	0.2	0.4	1.3	3.4	11.7	31.1	64.0
1964	2.6	*	*	*	*	0.2	0.4	1.3	4.0	11.8	29.3	67.9
1963	2.6	*	*	*	*	0.2	0.5	1.2	4.2	12.1	30.8	67.4
1962	2.8	*	*	*	*	0.2	0.4	1.4	4.1	13.2	32.7	66.0
1961	2.7	*	*	*	*	0.2	0.6	1.5	4.4	13.2	30.4	69.0
1960	2.8	*	*	*	*	0.2	0.6	1.6	4.3	13.4	32.6	62.0
WHITE, MALE												
1967	2.2	*	*	*	*	*	0.3	1.0	3.3	11.9	30.2	61.0
1966	2.2	*	*	*	*	*	0.4	1.2	3.5	11.8	30.1	60.6
1965	2.2	*	*	*	*	*	0.3	1.1	3.3	12.0	32.5	59.0
1964	2.2	*	*	*	*	*	0.3	1.1	3.8	11.8	28.9	63.7
1963	2.2	*	*	*	*	*	0.4	1.1	4.0	12.0	29.4	61.6
1962	2.4	*	*	*	*	*	0.4	1.4	3.9	13.4	30.4	57.2
1961	2.3	*	*	*	*	*	0.4	1.2	4.0	13.2	29.0	65.8
1960	2.3	*	*	*	*	*	0.4	1.4	3.6	12.5	31.3	51.4
WHITE, FEMALE												
1967	2.5	*	*	*	*	*	0.4	1.1	3.0	9.3	25.3	58.2
1966	2.8	*	*	*	*	*	0.5	1.3	3.4	10.6	27.8	66.1
1965	2.9	*	*	*	*	0.2	0.5	1.4	3.6	11.5	30.1	66.9
1964	3.0	*	*	*	*	0.3	0.5	1.5	4.2	11.7	29.7	70.2
1963	3.0	*	*	*	*	0.3	0.6	1.3	4.3	12.1	31.8	70.8
1962	3.2	*	*	*	*	0.3	0.5	1.5	4.2	13.0	34.5	71.5
1961	3.2	*	*	*	*	0.3	0.7	1.8	4.7	13.2	31.4	71.1
1960	3.2	*	*	*	*	0.3	0.8	1.7	4.9	14.1	33.5	68.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Cholelithiasis, cholecystitis, and cholangitis (584,585)												
ALL OTHER, BOTH SEXES												
1967	1.2	*	*	*	*	*	*	1.6	3.0	7.5	14.7	27.4
1966	1.2	*	*	*	*	*	*	1.6	3.3	9.3	13.2	*
1965	1.1	*	*	*	*	*	0.7	1.3	3.3	7.0	14.4	*
1964	1.0	*	*	*	*	*	0.8	1.6	3.1	6.5	8.5	25.6
1963	1.2	*	*	*	*	*	0.9	1.3	3.6	9.0	12.0	*
1962	1.4	*	*	*	*	*	0.9	1.7	4.3	7.8	18.0	30.0
1961	1.2	*	*	*	*	*	0.8	1.4	4.2	7.7	15.3	*
1960	1.2	*	*	*	*	*	0.8	1.8	3.4	8.0	13.9	*
ALL OTHER, MALE												
1967	0.8	*	*	*	*	*	*	*	*	5.5	14.1	*
1966	1.0	*	*	*	*	*	*	*	3.5	7.6	12.8	*
1965	0.7	*	*	*	*	*	*	*	2.7	5.4	*	*
1964	0.7	*	*	*	*	*	*	*	*	6.4	*	*
1963	0.8	*	*	*	*	*	*	*	*	6.3	*	*
1962	1.0	*	*	*	*	*	*	*	2.9	5.8	16.1	*
1961	0.9	*	*	*	*	*	*	*	3.1	7.0	*	*
1960	0.8	*	*	*	*	*	*	*	*	4.8	*	*
ALL OTHER, FEMALE												
1967	1.5	*	*	*	*	*	*	2.5	4.1	9.3	15.2	*
1966	1.4	*	*	*	*	*	*	1.9	3.1	10.7	13.6	*
1965	1.5	*	*	*	*	*	*	2.0	4.0	8.3	17.8	*
1964	1.3	*	*	*	*	*	*	2.1	3.9	6.6	10.7	*
1963	1.6	*	*	*	*	*	*	*	5.6	11.3	13.0	*
1962	1.7	*	*	*	*	*	*	2.4	5.6	9.5	19.6	*
1961	1.5	*	*	*	*	*	*	*	5.2	8.3	18.9	*
1960	1.5	*	*	*	*	*	*	2.3	4.2	10.8	14.9	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Acute nephritis, and nephritis with edema including nephrosis (590,591)												
BOTH SEXES												
1967	0.5	*	0.2	0.2	0.2	0.2	0.4	0.6	0.9	1.4	2.3	6.8
1966	0.6	0.6	0.3	0.1	0.2	0.3	0.5	0.6	1.0	1.8	3.6	7.3
1965	0.7	0.6	0.4	0.2	0.3	0.3	0.4	0.8	1.1	2.0	3.7	6.7
1964	0.7	0.8	0.3	0.2	0.3	0.4	0.4	0.8	1.2	2.0	3.7	9.0
1963	0.8	*	0.4	0.3	0.3	0.4	0.6	0.8	1.4	2.3	4.0	8.2
1962	0.8	1.0	0.5	0.3	0.4	0.4	0.6	0.8	1.4	2.3	4.8	9.7
1961	0.9	0.8	0.5	0.3	0.3	0.4	0.5	0.9	1.5	2.6	5.0	11.1
1960	0.9	1.1	0.5	0.3	0.4	0.4	0.5	1.0	1.7	2.8	4.6	9.8
MALE												
1967	0.6	*	*	0.2	0.2	0.3	0.4	0.7	1.1	1.8	3.4	8.9
1966	0.7	*	0.4	0.1	0.3	0.3	0.5	0.7	1.3	2.3	4.6	10.3
1965	0.8	*	0.5	0.2	0.4	0.4	0.4	1.0	1.4	2.4	4.7	9.5
1964	0.8	*	0.3	0.2	0.4	0.4	0.5	0.9	1.5	2.4	5.0	9.8
1963	0.9	*	0.4	0.3	0.3	0.4	0.6	1.0	1.8	2.8	4.9	11.9
1962	1.0	1.0	0.6	0.3	0.5	0.5	0.6	1.0	1.7	3.1	6.1	14.2
1961	1.0	0.9	0.6	0.3	0.4	0.4	0.6	1.2	1.6	3.4	6.3	10.7
1960	1.0	1.4	0.4	0.4	0.5	0.6	0.6	1.2	2.0	3.3	5.9	12.1
FEMALE												
1967	0.4	*	*	0.1	0.2	*	0.4	0.5	0.7	1.1	1.6	5.7
1966	0.5	*	*	0.1	0.2	0.3	0.5	0.5	0.8	1.4	2.8	5.6
1965	0.6	*	0.4	0.2	0.2	0.3	0.5	0.6	0.9	1.7	3.0	5.0
1964	0.6	*	0.3	0.2	0.3	0.4	0.4	0.6	1.0	1.6	2.8	8.6
1963	0.7	*	0.3	0.3	0.4	0.3	0.5	0.6	1.0	1.8	3.2	5.9
1962	0.7	1.1	0.4	0.3	0.3	0.4	0.5	0.7	1.1	1.7	3.8	6.9
1961	0.7	*	0.4	0.3	0.2	0.3	0.5	0.6	1.3	1.8	3.9	11.3
1960	0.8	*	0.6	0.3	0.3	0.3	0.5	0.9	1.5	2.3	3.7	8.3

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Acute nephritis, and nephritis with edema including nephrosis (590,591)												
WHITE, BOTH SEXES												
1967	0.4	*	0.2	0.1	0.2	0.1	0.3	0.5	0.8	1.4	2.2	6.1
1966	0.5	*	0.3	0.1	0.2	0.2	0.3	0.5	0.9	1.6	3.5	6.8
1965	0.6	0.6	0.3	0.2	0.3	0.2	0.4	0.6	1.0	1.9	3.4	5.5
1964	0.6	0.7	0.3	0.2	0.3	0.3	0.4	0.6	1.1	1.8	3.6	7.9
1963	0.6	*	0.2	0.2	0.3	0.3	0.4	0.6	1.2	1.9	3.6	8.1
1962	0.8	0.9	0.4	0.3	0.3	0.3	0.4	0.7	1.2	2.2	4.5	9.4
1961	0.8	0.7	0.4	0.3	0.3	0.3	0.4	0.7	1.2	2.3	4.6	10.3
1960	0.8	0.9	0.4	0.3	0.3	0.4	0.4	0.8	1.4	2.5	4.3	9.7
WHITE, MALE												
1967	0.5	*	*	0.1	0.2	*	0.3	0.5	1.0	1.8	3.5	8.0
1966	0.6	*	0.4	0.1	0.2	*	0.3	0.6	1.1	2.0	4.5	9.7
1965	0.7	*	0.3	0.2	0.3	0.3	0.3	0.7	1.2	2.3	4.3	7.4
1964	0.7	*	*	0.2	0.3	0.3	0.4	0.8	1.4	2.2	4.9	9.0
1963	0.7	*	*	0.2	0.3	0.4	0.4	0.8	1.6	2.2	4.5	11.6
1962	0.9	*	0.5	0.3	0.5	0.4	0.5	0.8	1.5	2.9	5.9	14.1
1961	0.9	*	0.5	0.2	0.4	0.4	0.4	1.0	1.5	3.0	6.0	9.4
1960	0.9	*	0.4	0.3	0.4	0.5	0.4	0.9	1.7	2.9	5.5	12.4
WHITE, FEMALE												
1967	0.4	*	*	*	0.1	*	0.2	0.4	0.6	1.1	1.3	5.1
1966	0.4	*	*	*	0.2	0.2	0.3	0.4	0.7	1.2	2.7	5.3
1965	0.5	*	0.3	0.2	0.2	*	0.4	0.5	0.8	1.6	2.8	4.4
1964	0.5	*	*	0.1	0.2	0.2	0.4	0.5	0.9	1.4	2.7	7.2
1963	0.6	*	*	0.2	0.3	*	0.4	0.5	0.9	1.6	2.9	6.0
1962	0.6	*	0.3	0.3	0.2	0.3	0.3	0.5	1.0	1.6	3.5	6.6
1961	0.6	*	0.3	0.3	0.2	0.2	0.3	0.5	1.0	1.6	3.5	10.9
1960	0.7	*	0.5	0.3	0.2	0.2	0.4	0.7	1.2	2.1	3.3	8.0

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Acute nephritis, and nephritis with edema including nephrosis (590,591)												
ALL OTHER, BOTH SEXES												
1967	1.0	*	*	0.3	*	0.7	1.1	1.8	2.1	*	*	*
1966	1.1	*	*	*	*	0.9	1.8	1.4	2.1	3.7	5.0	*
1965	1.3	*	*	*	0.5	1.2	1.0	2.9	2.9	3.4	7.7	*
1964	1.2	*	*	0.4	*	1.4	1.0	1.9	2.2	3.9	*	*
1963	1.6	*	1.2	0.6	0.8	0.9	1.8	1.9	3.4	6.5	7.8	*
1962	1.5	*	1.0	0.4	*	0.9	1.7	2.6	3.5	4.1	10.7	*
1961	1.7	*	1.2	0.6	0.7	1.0	2.0	2.2	4.0	5.6	10.0	*
1960	1.8	*	0.9	0.6	0.7	1.2	1.7	3.1	4.4	5.8	9.8	*
ALL OTHER, MALE												
1967	1.0	*	*	*	*	*	*	*	2.7	*	*	*
1966	1.3	*	*	*	*	*	1.7	*	2.6	4.7	*	*
1965	1.5	*	*	*	*	*	*	3.7	3.9	*	*	*
1964	1.3	*	*	*	*	*	*	*	*	4.5	*	*
1963	1.8	*	*	*	*	*	2.2	2.4	4.2	8.6	*	*
1962	1.8	*	*	*	*	*	*	3.2	4.6	5.8	*	*
1961	2.0	*	*	*	*	*	2.4	2.8	3.6	7.7	*	*
1960	2.1	*	*	0.8	*	*	2.3	3.8	4.5	7.5	*	*
ALL OTHER, FEMALE												
1967	1.0	*	*	*	*	*	1.5	1.7	*	*	*	*
1966	0.9	*	*	*	*	*	1.9	*	*	*	*	*
1965	1.2	*	*	*	*	1.4	*	2.1	*	*	*	*
1964	1.2	*	*	*	*	*	*	2.2	*	*	*	*
1963	1.4	*	*	*	*	*	1.5	*	*	4.7	*	*
1962	1.3	*	*	*	*	*	1.8	2.0	*	*	*	*
1961	1.5	*	*	*	*	*	1.7	*	4.4	*	*	*
1960	1.5	*	*	*	*	*	*	2.5	4.2	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Infections of kidney (600)												
BOTH SEXES												
1967	4.6	*	*	0.1	0.2	0.6	1.4	3.2	7.2	18.9	47.4	117.0
1966	4.9	0.6	*	0.1	0.3	0.6	1.4	3.6	7.8	20.6	50.4	122.4
1965	5.1	1.1	*	0.1	0.3	0.7	1.8	4.0	8.8	21.1	50.2	128.1
1964	5.2	1.2	0.1	0.1	0.3	0.9	1.8	4.3	8.7	21.5	52.8	125.1
1963	4.7	0.9	0.2	0.1	0.3	0.9	1.8	3.9	8.8	20.0	46.5	108.7
1962	4.7	1.0	0.1	0.1	0.3	0.8	1.8	3.8	9.0	19.9	46.2	111.3
1961	4.4	1.0	*	0.1	0.3	0.9	1.9	3.8	8.4	19.0	43.4	91.6
1960	4.3	1.7	*	0.1	0.3	0.9	2.0	4.1	8.4	17.4	40.1	90.7
MALE												
1967	4.3	*	*	*	0.2	0.5	1.0	2.5	6.8	20.4	57.5	152.3
1966	4.7	*	*	*	0.3	0.4	1.1	3.0	7.3	23.8	61.6	154.0
1965	4.9	1.4	*	*	0.3	0.5	1.3	3.2	8.7	24.0	62.1	150.3
1964	5.1	1.6	*	0.1	0.3	0.7	1.3	3.5	8.6	24.9	64.5	155.6
1963	4.7	1.4	*	*	0.3	0.7	1.4	3.2	8.5	23.4	55.6	139.0
1962	4.7	1.4	*	0.1	0.3	0.5	1.4	3.2	8.8	23.0	56.3	148.4
1961	4.5	1.1	*	*	0.3	0.6	1.5	3.4	8.7	22.8	54.3	114.5
1960	4.4	2.2	*	*	0.3	0.7	1.6	3.8	8.5	21.1	49.4	107.9
FEMALE												
1967	4.8	*	*	0.1	0.2	0.7	1.8	3.8	7.6	17.6	40.3	97.2
1966	5.0	*	*	0.1	0.3	0.8	1.8	4.1	8.3	18.0	42.5	104.6
1965	5.2	*	*	0.1	0.4	0.9	2.3	4.6	8.8	18.7	41.7	115.2
1964	5.2	*	*	0.1	0.3	1.2	2.3	5.0	8.8	18.7	44.2	107.0
1963	4.8	*	*	0.2	0.4	1.2	2.1	4.6	9.1	17.2	39.8	90.3
1962	4.7	*	*	*	0.3	1.0	2.3	4.4	9.1	17.3	38.6	88.5
1961	4.3	*	*	0.1	0.4	1.1	2.3	4.2	8.2	15.7	35.1	77.0
1960	4.2	1.2	*	0.2	0.3	1.1	2.4	4.4	8.3	14.2	32.9	79.7

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Infections of kidney (600)												
WHITE, BOTH SEXES												
1967	4.2	*	*	0.1	0.2	0.4	0.9	2.4	5.6	16.4	46.7	118.5
1966	4.5	*	*	0.1	0.3	0.4	1.0	2.6	6.0	18.3	49.1	123.6
1965	4.7	*	*	0.1	0.3	0.5	1.2	2.8	6.7	19.1	49.4	129.0
1964	4.8	1.0	*	0.1	0.3	0.7	1.3	3.1	7.0	19.6	51.6	124.1
1963	4.4	0.8	0.2	0.1	0.3	0.7	1.2	2.9	7.1	17.9	44.9	109.2
1962	4.3	0.7	*	0.1	0.3	0.6	1.3	2.8	7.1	17.7	44.6	113.0
1961	4.1	0.8	*	0.1	0.3	0.7	1.3	2.7	6.7	17.2	42.7	91.9
1960	3.9	1.4	*	0.1	0.2	0.6	1.4	2.9	6.5	15.6	39.3	92.7
WHITE, MALE												
1967	4.1	*	*	*	0.2	0.4	0.7	2.1	5.4	18.1	56.3	153.7
1966	4.3	*	*	*	0.3	0.3	0.8	2.1	5.5	20.8	59.7	153.4
1965	4.5	*	*	*	0.3	0.3	1.0	2.4	6.9	21.0	60.4	149.6
1964	4.7	1.3	*	*	0.3	0.5	0.9	2.5	7.0	22.4	62.1	152.7
1963	4.3	*	*	*	0.2	0.6	0.9	2.5	6.6	20.3	53.2	138.4
1962	4.3	*	*	0.1	0.3	0.5	1.0	2.3	7.1	20.2	53.0	151.8
1961	4.2	*	*	*	0.2	0.5	1.2	2.4	6.8	20.6	53.2	114.9
1960	4.0	1.7	*	*	0.3	0.5	1.2	2.9	6.7	18.9	48.1	108.8
WHITE, FEMALE												
1967	4.4	*	*	0.1	0.2	0.4	1.0	2.7	5.8	15.1	40.1	99.1
1966	4.7	*	*	0.1	0.3	0.5	1.2	3.0	6.5	16.4	41.7	106.9
1965	4.8	*	*	*	0.4	0.7	1.5	3.3	6.6	17.5	41.5	117.2
1964	4.9	*	*	0.1	0.3	0.8	1.6	3.6	6.9	17.3	44.0	107.2
1963	4.5	*	*	0.2	0.3	0.9	1.4	3.4	7.4	15.9	38.8	91.9
1962	4.3	*	*	*	0.3	0.8	1.7	3.3	7.2	15.6	38.2	89.6
1961	4.0	*	*	*	0.3	0.9	1.5	3.0	6.6	14.4	34.7	77.9
1960	3.7	*	*	0.2	0.2	0.8	1.6	3.0	6.3	12.8	32.5	82.6

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Infections of kidney (600)												
ALL OTHER, BOTH SEXES												
1967	6.8	*	*	*	*	2.0	5.5	10.2	23.1	43.2	55.4	100.0
1966	7.5	*	*	*	*	2.1	5.1	12.7	25.3	44.2	67.3	109.0
1965	8.0	3.6	*	*	0.6	2.3	6.7	14.3	28.9	41.9	61.7	119.3
1964	8.0	*	*	*	0.6	2.7	6.4	15.0	26.0	41.5	67.6	137.2
1963	7.8	*	*	*	*	2.4	6.8	13.0	26.9	43.9	66.1	119.4
1962	7.7	*	*	*	*	1.9	6.2	13.1	27.1	43.7	68.1	107.1
1961	7.2	*	*	*	*	1.8	6.7	14.0	26.2	38.6	52.9	87.1
1960	7.5	3.3	*	*	0.7	2.7	7.0	14.7	27.5	38.3	52.0	67.0
ALL OTHER, MALE												
1967	6.0	*	*	*	*	*	3.1	6.5	20.5	42.7	71.2	138.5
1966	7.6	*	*	*	*	*	3.7	11.5	24.4	54.5	83.8	161.1
1965	7.9	*	*	*	*	1.8	3.9	11.5	26.6	53.8	83.5	161.8
1964	8.0	*	*	*	*	1.6	5.0	12.4	24.3	51.3	93.0	187.5
1963	8.0	*	*	*	*	*	5.4	10.3	27.1	56.5	84.8	165.5
1962	8.1	*	*	*	*	*	5.2	11.1	27.0	54.4	97.5	131.0
1961	7.3	*	*	*	*	*	4.4	12.9	27.7	47.3	66.7	113.3
1960	7.5	*	*	*	*	2.0	5.2	12.5	26.2	46.2	66.7	98.8
ALL OTHER, FEMALE												
1967	7.6	*	*	*	*	2.6	7.5	13.5	25.5	43.7	42.9	71.9
1966	7.3	*	*	*	*	2.9	6.3	13.7	26.1	35.6	54.3	73.6
1965	8.0	*	*	*	*	2.7	9.1	16.8	31.0	31.8	43.7	89.8
1964	7.9	*	*	*	*	3.6	7.6	17.4	27.7	33.0	46.3	104.4
1963	7.6	*	*	*	*	3.1	8.0	15.5	26.7	33.1	50.0	90.5
1962	7.3	*	*	*	*	2.9	7.1	15.0	27.2	34.5	42.4	92.5
1961	7.1	*	*	*	*	2.4	8.8	15.0	24.8	30.6	41.1	67.5
1960	7.4	*	*	*	*	3.2	8.6	16.8	28.8	31.1	38.8	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Hyperplasia of prostate (610)												
BOTH SEXES												
1967	1.6	*	*	*	*	*	*	0.1	1.0	6.6	23.0	67.5
1966	1.6	*	*	*	*	*	*	0.1	1.1	7.1	23.9	70.1
1965	1.8	*	*	*	*	*	*	0.2	1.5	7.5	27.0	69.0
1964	2.0	*	*	*	*	*	*	0.1	1.8	8.4	30.7	85.5
1963	2.3	*	*	*	*	*	*	0.2	1.9	9.8	35.6	92.6
1962	2.3	*	*	*	*	*	*	0.2	2.1	10.1	36.0	95.6
1961	2.3	*	*	*	*	*	*	0.2	1.9	9.9	36.2	96.2
1960	2.5	*	*	*	*	*	*	0.2	2.0	11.3	40.3	103.0
MALE												
1967	3.3	*	*	*	*	*	*	0.2	2.1	14.9	55.9	188.0
1966	3.4	*	*	*	*	*	*	0.2	2.4	16.1	57.7	193.4
1965	3.6	*	*	*	*	*	*	0.3	3.1	16.8	64.4	187.7
1964	4.1	*	*	*	*	*	*	0.3	3.7	18.8	72.5	229.7
1963	4.6	*	*	*	*	*	*	0.3	3.9	21.5	83.4	246.4
1962	4.7	*	*	*	*	*	*	0.4	4.3	22.1	83.6	251.1
1961	4.6	*	*	*	*	*	*	0.4	4.0	21.6	83.5	248.5
1960	5.0	*	*	*	*	*	*	0.5	4.2	24.3	92.3	264.2
FEMALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Hyperplasia of prostate (610)												
WHITE, BOTH SEXES												
1967	1.6	*	*	*	*	*	*	*	0.8	5.8	22.3	68.8
1966	1.6	*	*	*	*	*	*	*	0.9	6.4	23.3	70.8
1965	1.7	*	*	*	*	*	*	0.1	1.1	6.7	26.2	68.9
1964	2.0	*	*	*	*	*	*	*	1.4	7.6	29.5	84.1
1963	2.2	*	*	*	*	*	*	0.1	1.4	8.5	34.2	93.2
1962	2.2	*	*	*	*	*	*	*	1.5	8.8	34.8	93.9
1961	2.2	*	*	*	*	*	*	0.1	1.6	8.8	35.1	96.5
1960	2.4	*	*	*	*	*	*	0.1	1.6	10.1	39.4	102.1
WHITE, MALE												
1967	3.2	*	*	*	*	*	*	*	1.6	13.2	54.6	194.1
1966	3.3	*	*	*	*	*	*	*	1.8	14.4	56.6	197.3
1965	3.5	*	*	*	*	*	*	0.2	2.3	15.0	63.0	189.5
1964	4.0	*	*	*	*	*	*	*	2.9	16.9	70.1	227.9
1963	4.5	*	*	*	*	*	*	0.2	2.9	18.7	80.7	250.0
1962	4.5	*	*	*	*	*	*	*	3.1	19.3	81.4	248.2
1961	4.5	*	*	*	*	*	*	0.2	3.2	19.1	81.5	252.3
1960	4.9	*	*	*	*	*	*	0.3	3.3	21.8	90.7	264.7
WHITE, FEMALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Hyperplasia of prostate (610)												
ALL OTHER, BOTH SEXES												
1967	1.7	*	*	*	*	*	*	*	3.3	14.2	31.8	52.6
1966	1.8	*	*	*	*	*	*	*	3.9	15.1	31.9	61.8
1965	2.0	*	*	*	*	*	*	*	5.1	16.0	37.0	71.1
1964	2.3	*	*	*	*	*	*	*	5.5	17.3	46.4	102.6
1963	2.8	*	*	*	*	*	*	*	6.5	22.8	55.5	94.4
1962	3.0	*	*	*	*	*	*	1.2	8.0	24.0	52.5	112.9
1961	2.6	*	*	*	*	*	*	1.0	5.6	22.8	50.3	91.4
1960	2.9	*	*	*	*	*	*	1.1	6.5	25.0	52.6	113.1
ALL OTHER, MALE												
1967	3.5	*	*	*	*	*	*	*	6.9	31.2	71.7	128.2
1966	3.7	*	*	*	*	*	*	*	8.2	33.1	71.5	152.8
1965	4.1	*	*	*	*	*	*	*	10.5	34.9	81.8	173.5
1964	4.9	*	*	*	*	*	*	*	11.4	37.4	101.7	250.0
1963	5.7	*	*	*	*	*	*	*	13.4	49.1	120.0	234.5
1962	6.1	*	*	*	*	*	*	2.5	16.4	51.4	112.4	272.4
1961	5.4	*	*	*	*	*	*	2.1	11.4	48.3	107.5	213.3
1960	5.9	*	*	*	*	*	*	2.4	13.3	52.4	111.4	258.3
ALL OTHER, FEMALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)												
BOTH SEXES												
1967	0.5	*	*	*	1.1	1.6	1.1	*	*	*	*	*
1966	0.5	*	*	*	1.1	1.9	1.1	*	*	*	*	*
1965	0.6	*	*	*	1.2	2.2	1.4	*	*	*	*	*
1964	0.7	*	*	*	1.3	2.5	1.6	*	*	*	*	*
1963	0.8	*	*	*	1.5	2.7	1.8	*	*	*	*	*
1962	0.8	*	*	*	1.4	3.1	1.6	*	*	*	*	*
1961	0.9	*	*	*	1.5	3.2	1.9	*	*	*	*	*
1960	0.9	*	*	*	1.8	2.9	1.9	*	*	*	*	*
MALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE												
1967	1.0	*	*	*	2.1	3.2	2.1	*	*	*	*	*
1966	1.0	*	*	*	2.1	3.7	2.2	*	*	*	*	*
1965	1.2	*	*	*	2.3	4.3	2.7	*	*	*	*	*
1964	1.4	*	*	*	2.5	4.9	3.2	*	*	*	*	*
1963	1.5	*	*	*	2.9	5.4	3.5	*	*	*	*	*
1962	1.6	*	*	*	2.9	6.0	3.1	*	*	*	*	*
1961	1.7	*	*	*	3.1	6.2	3.6	*	*	*	*	*
1960	1.7	*	*	*	3.5	5.8	3.7	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)												
WHITE, BOTH SEXES												
1967	0.3	*	*	*	0.7	1.1	0.7	*	*	*	*	*
1966	0.4	*	*	*	0.7	1.3	0.7	*	*	*	*	*
1965	0.4	*	*	*	0.8	1.3	0.9	*	*	*	*	*
1964	0.4	*	*	*	0.8	1.6	1.1	*	*	*	*	*
1963	0.5	*	*	*	1.0	1.7	1.2	*	*	*	*	*
1962	0.5	*	*	*	0.9	2.0	1.0	*	*	*	*	*
1961	0.6	*	*	*	1.0	2.0	1.3	*	*	*	*	*
1960	0.6	*	*	*	1.2	2.0	1.3	*	*	*	*	*
WHITE, MALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...
WHITE, FEMALE												
1967	0.6	*	*	*	1.3	2.2	1.4	*	*	*	*	*
1966	0.7	*	*	*	1.4	2.5	1.4	*	*	*	*	*
1965	0.8	*	*	*	1.5	2.6	1.8	*	*	*	*	*
1964	0.9	*	*	*	1.5	3.1	2.1	*	*	*	*	*
1963	1.0	*	*	*	1.9	3.4	2.3	*	*	*	*	*
1962	1.0	*	*	*	1.8	4.0	2.0	*	*	*	*	*
1961	1.1	*	*	*	1.9	4.0	2.5	*	*	*	*	*
1960	1.2	*	*	*	2.4	3.9	2.6	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)												
ALL OTHER, BOTH SEXES												
1967	1.7	*	*	*	3.8	5.1	3.8	*	*	*	*	*
1966	1.9	*	*	*	3.7	6.2	4.3	*	*	*	*	*
1965	2.3	*	*	*	3.9	8.8	5.2	*	*	*	*	*
1964	2.6	*	*	*	4.8	9.0	6.4	*	*	*	*	*
1963	2.9	*	*	*	5.1	10.0	7.1	*	*	*	*	*
1962	2.9	*	*	*	5.5	10.5	6.5	*	*	*	*	*
1961	3.2	*	*	*	5.7	11.6	6.9	*	*	*	*	*
1960	3.1	*	*	*	5.8	10.4	7.1	*	*	*	*	*
ALL OTHER, MALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...
ALL OTHER, FEMALE												
1967	3.4	*	*	*	7.4	9.4	7.1	*	*	*	*	*
1966	3.7	*	*	*	7.2	11.4	8.1	*	*	*	*	*
1965	4.5	*	*	*	7.6	16.4	9.8	*	*	*	*	*
1964	5.1	*	*	*	9.3	16.8	11.9	*	*	*	*	*
1963	5.6	*	*	*	9.8	18.7	13.4	*	*	*	*	*
1962	5.7	*	*	*	10.7	19.6	12.3	*	*	*	*	*
1961	6.2	*	*	*	10.9	21.7	13.0	*	*	*	*	*
1960	6.1	*	*	*	11.3	19.4	13.6	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Abortion (650-652)												
BOTH SEXES												
1967	0.1	*	*	*	0.2	0.3	0.1	*	*	*	*	*
1966	0.1	*	*	*	0.2	0.4	0.2	*	*	*	*	*
1965	0.1	*	*	*	0.3	0.5	0.2	*	*	*	*	*
1964	0.1	*	*	*	0.3	0.4	0.2	*	*	*	*	*
1963	0.1	*	*	*	0.3	0.6	0.3	*	*	*	*	*
1962	0.2	*	*	*	0.4	0.7	0.2	*	*	*	*	*
1961	0.2	*	*	*	0.4	0.7	0.3	*	*	*	*	*
1960	0.2	*	*	*	0.3	0.7	0.2	*	*	*	*	*
MALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE												
1967	0.2	*	*	*	0.4	0.5	0.3	*	*	*	*	*
1966	0.2	*	*	*	0.4	0.7	0.3	*	*	*	*	*
1965	0.2	*	*	*	0.6	1.0	0.3	*	*	*	*	*
1964	0.3	*	*	*	0.6	0.9	0.4	*	*	*	*	*
1963	0.3	*	*	*	0.5	1.2	0.5	*	*	*	*	*
1962	0.3	*	*	*	0.7	1.3	0.5	*	*	*	*	*
1961	0.3	*	*	*	0.7	1.5	0.5	*	*	*	*	*
1960	0.3	*	*	*	0.7	1.4	0.4	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Abortion (650-652)												
WHITE, BOTH SEXES												
1967	0.0	*	*	*	0.1	0.1	*	*	*	*	*	*
1966	0.1	*	*	*	0.1	0.2	0.1	*	*	*	*	*
1965	0.1	*	*	*	0.1	0.2	0.1	*	*	*	*	*
1964	0.1	*	*	*	0.2	0.2	0.1	*	*	*	*	*
1963	0.1	*	*	*	0.2	0.4	0.2	*	*	*	*	*
1962	0.1	*	*	*	0.2	0.4	0.2	*	*	*	*	*
1961	0.1	*	*	*	0.2	0.4	0.2	*	*	*	*	*
1960	0.1	*	*	*	0.2	0.4	0.1	*	*	*	*	*
WHITE, MALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...
WHITE, FEMALE												
1967	0.1	*	*	*	0.2	0.3	*	*	*	*	*	*
1966	0.1	*	*	*	0.2	0.4	0.2	*	*	*	*	*
1965	0.1	*	*	*	0.3	0.5	0.2	*	*	*	*	*
1964	0.1	*	*	*	0.3	0.4	0.3	*	*	*	*	*
1963	0.2	*	*	*	0.4	0.8	0.3	*	*	*	*	*
1962	0.2	*	*	*	0.3	0.8	0.3	*	*	*	*	*
1961	0.2	*	*	*	0.3	0.8	0.4	*	*	*	*	*
1960	0.2	*	*	*	0.3	0.8	0.2	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Abortion (650-652)												
ALL OTHER, BOTH SEXES												
1967	0.4	*	*	*	0.8	1.3	*	*	*	*	*	*
1966	0.4	*	*	*	0.9	1.4	*	*	*	*	*	*
1965	0.6	*	*	*	1.3	2.2	0.8	*	*	*	*	*
1964	0.6	*	*	*	1.4	2.0	0.9	*	*	*	*	*
1963	0.5	*	*	*	0.9	1.9	1.1	*	*	*	*	*
1962	0.7	*	*	*	1.7	2.8	0.8	*	*	*	*	*
1961	0.8	*	*	*	1.8	3.2	0.8	*	*	*	*	*
1960	0.7	*	*	*	1.5	2.9	*	*	*	*	*	*
ALL OTHER, MALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...
ALL OTHER, FEMALE												
1967	0.7	*	*	*	1.6	2.4	*	*	*	*	*	*
1966	0.8	*	*	*	1.7	2.5	*	*	*	*	*	*
1965	1.1	*	*	*	2.4	4.2	1.5	*	*	*	*	*
1964	1.1	*	*	*	2.7	3.7	1.8	*	*	*	*	*
1963	1.0	*	*	*	1.7	3.6	2.0	*	*	*	*	*
1962	1.4	*	*	*	3.3	5.2	1.6	*	*	*	*	*
1961	1.5	*	*	*	3.4	5.9	1.6	*	*	*	*	*
1960	1.3	*	*	*	3.0	5.4	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)												
BOTH SEXES												
1967	0.4	*	*	*	0.9	1.3	0.9	*	*	*	*	*
1966	0.4	*	*	*	0.8	1.5	1.0	*	*	*	*	*
1965	0.5	*	*	*	0.9	1.7	1.2	*	*	*	*	*
1964	0.6	*	*	*	1.0	2.1	1.4	*	*	*	*	*
1963	0.6	*	*	*	1.2	2.1	1.5	*	*	*	*	*
1962	0.6	*	*	*	1.1	2.4	1.4	*	*	*	*	*
1961	0.7	*	*	*	1.2	2.4	1.6	*	*	*	*	*
1960	0.7	*	*	*	1.4	2.2	1.7	*	*	*	*	*
MALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE												
1967	0.8	*	*	*	1.7	2.6	1.8	*	*	*	*	*
1966	0.9	*	*	*	1.7	3.0	1.9	*	*	*	*	*
1965	1.0	*	*	*	1.7	3.4	2.4	*	*	*	*	*
1964	1.1	*	*	*	1.9	4.0	2.7	*	*	*	*	*
1963	1.2	*	*	*	2.4	4.2	2.9	*	*	*	*	*
1962	1.2	*	*	*	2.2	4.7	2.7	*	*	*	*	*
1961	1.3	*	*	*	2.3	4.7	3.1	*	*	*	*	*
1960	1.4	*	*	*	2.8	4.4	3.4	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)												
WHITE, BOTH SEXES												
1967	0.3	*	*	*	0.6	1.0	0.6	*	*	*	*	*
1966	0.3	*	*	*	0.6	1.1	0.6	*	*	*	*	*
1965	0.3	*	*	*	0.6	1.0	0.8	*	*	*	*	*
1964	0.4	*	*	*	0.6	1.4	0.9	*	*	*	*	*
1963	0.4	*	*	*	0.8	1.3	1.0	*	*	*	*	*
1962	0.4	*	*	*	0.7	1.6	0.9	*	*	*	*	*
1961	0.5	*	*	*	0.8	1.6	1.1	*	*	*	*	*
1960	0.5	*	*	*	1.0	1.5	1.2	*	*	*	*	*
WHITE, MALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...
WHITE, FEMALE												
1967	0.6	*	*	*	1.1	2.0	1.2	*	*	*	*	*
1966	0.6	*	*	*	1.1	2.1	1.2	*	*	*	*	*
1965	0.6	*	*	*	1.2	2.1	1.6	*	*	*	*	*
1964	0.7	*	*	*	1.2	2.7	1.8	*	*	*	*	*
1963	0.8	*	*	*	1.6	2.5	1.9	*	*	*	*	*
1962	0.8	*	*	*	1.5	3.2	1.7	*	*	*	*	*
1961	0.9	*	*	*	1.6	3.2	2.1	*	*	*	*	*
1960	1.0	*	*	*	2.1	3.0	2.3	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)												
ALL OTHER, BOTH SEXES												
1967	1.4	*	*	*	3.0	3.8	3.3	*	*	*	*	*
1966	1.5	*	*	*	2.8	4.8	3.7	*	*	*	*	*
1965	1.8	*	*	*	2.6	6.6	4.4	*	*	*	*	*
1964	2.0	*	*	*	3.4	7.0	5.4	*	*	*	*	*
1963	2.4	*	*	*	4.2	8.1	6.1	*	*	*	*	*
1962	2.2	*	*	*	3.8	7.7	5.7	*	*	*	*	*
1961	2.4	*	*	*	3.9	8.5	6.1	*	*	*	*	*
1960	2.4	*	*	*	4.3	7.6	6.4	*	*	*	*	*
ALL OTHER, MALE												
1967	...	...	...	...	...	...	...	...	...	...	...	...
1966	...	...	...	...	...	...	...	...	...	...	...	...
1965	...	...	...	...	...	...	...	...	...	...	...	...
1964	...	...	...	...	...	...	...	...	...	...	...	...
1963	...	...	...	...	...	...	...	...	...	...	...	...
1962	...	...	...	...	...	...	...	...	...	...	...	...
1961	...	...	...	...	...	...	...	...	...	...	...	...
1960	...	...	...	...	...	...	...	...	...	...	...	...
ALL OTHER, FEMALE												
1967	2.7	*	*	*	5.9	7.1	6.2	*	*	*	*	*
1966	2.9	*	*	*	5.5	8.9	6.8	*	*	*	*	*
1965	3.4	*	*	*	5.1	12.3	8.3	*	*	*	*	*
1964	4.0	*	*	*	6.7	13.1	10.2	*	*	*	*	*
1963	4.6	*	*	*	8.2	15.1	11.4	*	*	*	*	*
1962	4.3	*	*	*	7.4	14.4	10.8	*	*	*	*	*
1961	4.7	*	*	*	7.5	15.7	11.4	*	*	*	*	*
1960	4.8	*	*	*	8.3	14.1	12.2	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

... Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 750-759 Congenital anomalies												
BOTH SEXES												
1967	8.8	337.2	10.0	2.4	2.2	1.6	1.8	2.7	2.9	2.7	3.3	3.9
1966	9.3	343.2	10.9	2.6	2.3	1.9	1.9	2.7	2.9	2.4	2.4	3.0
1965	10.1	356.6	10.5	2.8	2.4	1.9	2.1	2.9	2.8	2.8	2.7	2.8
1964	10.6	359.7	10.5	2.9	2.5	1.7	2.2	2.8	3.0	2.8	2.6	3.7
1963	11.0	363.3	11.0	2.8	2.5	2.0	2.2	3.1	3.0	2.9	2.7	4.2
1962	11.4	363.2	11.5	3.2	2.7	2.0	2.3	3.0	2.8	2.8	2.5	3.5
1961	12.0	371.8	11.9	3.5	2.8	1.8	2.3	2.8	2.9	2.7	2.7	3.8
1960	12.2	374.3	12.9	3.6	2.7	2.0	2.2	2.7	2.9	2.8	2.8	3.2
MALE												
1967	9.7	359.0	10.4	2.5	2.6	1.7	2.1	3.0	3.1	2.9	4.5	*
1966	10.2	365.6	10.8	2.7	2.5	2.1	2.0	2.7	3.3	2.9	3.0	*
1965	10.9	374.4	10.5	3.0	2.8	1.9	2.3	3.0	3.0	3.2	3.3	*
1964	11.6	378.5	10.6	3.0	2.9	2.0	2.4	3.1	3.1	3.3	3.0	*
1963	12.1	389.0	10.6	3.0	2.9	2.1	2.6	3.3	3.0	3.2	3.5	5.8
1962	12.7	394.4	11.2	3.3	3.3	2.1	2.6	3.3	3.0	3.3	3.3	*
1961	13.2	402.7	11.7	3.7	3.2	2.0	2.6	3.1	3.0	3.3	3.1	5.9
1960	13.5	407.0	12.9	3.8	3.2	2.2	2.5	3.0	3.0	3.7	3.0	5.5
FEMALE												
1967	7.9	314.5	9.7	2.4	1.7	1.5	1.6	2.4	2.7	2.6	2.5	3.8
1966	8.4	319.9	11.0	2.5	2.0	1.7	1.8	2.7	2.6	2.1	2.1	*
1965	9.3	338.1	10.4	2.7	2.1	1.8	1.8	2.7	2.6	2.5	2.3	*
1964	9.7	340.1	10.5	2.8	2.2	1.3	1.9	2.6	2.9	2.4	2.2	3.7
1963	10.0	336.8	11.5	2.5	2.2	1.9	1.9	3.0	2.9	2.5	2.2	3.2
1962	10.2	330.8	11.7	3.0	2.2	1.9	2.0	2.7	2.5	2.3	1.9	*
1961	10.8	339.8	12.1	3.2	2.5	1.7	2.0	2.5	2.9	2.1	2.4	*
1960	10.9	340.4	12.9	3.5	2.2	1.9	1.9	2.4	2.8	1.9	2.6	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 750-759 Congenital anomalies												
WHITE, BOTH SEXES												
1967	8.5	338.2	9.7	2.4	2.1	1.6	1.8	2.6	2.8	2.8	3.4	4.0
1966	9.0	347.8	10.3	2.6	2.3	1.9	1.8	2.7	2.8	2.5	2.4	3.3
1965	9.8	358.7	10.0	2.8	2.4	1.8	2.0	2.8	2.8	2.8	2.7	2.5
1964	10.4	365.7	10.1	2.8	2.6	1.6	2.1	2.8	3.0	2.8	2.5	3.4
1963	10.8	369.6	10.5	2.8	2.5	2.0	2.2	3.0	3.0	3.0	2.8	4.4
1962	11.2	371.2	11.1	3.2	2.7	2.0	2.3	3.1	2.8	2.8	2.5	3.9
1961	11.8	379.8	11.6	3.5	2.8	1.9	2.2	2.8	3.0	2.7	2.7	4.1
1960	12.0	383.8	12.4	3.7	2.8	2.0	2.1	2.6	2.9	2.8	2.7	3.1
WHITE, MALE												
1967	9.4	359.4	10.1	2.4	2.6	1.7	2.1	2.9	3.0	2.9	4.6	*
1966	9.8	369.1	10.2	2.6	2.5	2.0	2.0	2.7	3.2	2.9	2.8	*
1965	10.5	373.5	10.0	3.0	2.8	1.9	2.3	3.0	3.1	3.1	3.4	*
1964	11.2	382.5	10.0	2.9	3.0	1.9	2.4	3.0	3.2	3.2	2.8	*
1963	11.8	392.8	10.3	3.0	2.9	2.1	2.5	3.2	3.0	3.3	3.6	6.5
1962	12.4	399.5	10.6	3.4	3.3	2.1	2.6	3.3	3.0	3.3	3.3	*
1961	13.0	411.2	11.4	3.6	3.2	1.9	2.5	3.2	3.0	3.3	3.0	6.4
1960	13.3	413.8	12.3	3.9	3.3	2.2	2.5	2.9	2.9	3.8	2.9	*
WHITE, FEMALE												
1967	7.6	316.3	9.3	2.3	1.7	1.4	1.6	2.4	2.6	2.7	2.6	3.8
1966	8.2	325.7	10.4	2.5	2.0	1.7	1.7	2.7	2.5	2.1	2.1	*
1965	9.0	343.5	10.0	2.6	2.1	1.7	1.8	2.7	2.6	2.6	2.3	*
1964	9.5	348.1	10.3	2.8	2.2	1.3	1.9	2.5	2.9	2.5	2.3	3.8
1963	9.8	345.3	10.6	2.5	2.1	1.9	1.8	2.9	3.0	2.7	2.3	*
1962	10.1	341.7	11.5	3.1	2.1	1.9	1.9	2.8	2.6	2.5	1.9	*
1961	10.6	347.2	11.7	3.3	2.5	1.8	2.0	2.5	3.0	2.1	2.4	*
1960	10.8	352.5	12.6	3.5	2.3	1.8	1.8	2.3	2.9	2.0	2.5	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 750-759 Congenital anomalies												
ALL OTHER, BOTH SEXES												
1967	10.8	331.5	11.8	2.6	2.5	1.7	2.1	3.4	3.6	2.1	*	*
1966	11.5	318.4	13.9	2.9	2.3	2.3	2.4	3.0	4.0	2.2	*	*
1965	12.4	345.2	13.2	2.9	2.4	2.1	2.6	2.9	2.4	2.7	*	*
1964	12.4	326.4	12.8	3.0	2.4	2.1	2.4	3.2	2.6	3.0	*	*
1963	13.0	324.9	14.5	2.8	2.8	2.3	2.6	3.9	3.2	*	*	*
1962	12.9	320.3	13.7	2.7	2.9	2.3	2.8	2.4	2.7	*	*	*
1961	13.5	326.2	13.7	3.3	2.9	1.6	2.4	2.5	2.1	2.6	*	*
1960	13.7	319.8	15.6	3.2	2.0	2.5	2.6	3.3	2.6	*	*	*
ALL OTHER, MALE												
1967	12.1	357.6	11.9	2.5	2.9	1.7	2.4	4.5	4.2	*	*	*
1966	12.9	347.0	13.8	3.3	2.5	2.9	2.6	3.2	4.4	*	*	*
1965	13.9	379.6	13.4	2.9	2.7	2.4	2.9	2.5	*	*	*	*
1964	14.0	357.3	14.2	3.2	2.5	2.8	2.3	3.3	*	4.9	*	*
1963	14.3	359.3	13.4	3.0	2.9	2.7	2.7	3.7	3.5	*	*	*
1962	14.9	365.3	14.7	2.8	3.4	2.2	3.1	2.7	3.2	*	*	*
1961	14.9	354.7	13.2	3.9	2.8	2.1	3.5	2.2	*	*	*	*
1960	15.8	366.8	16.4	3.2	2.5	2.3	2.8	3.8	3.6	*	*	*
ALL OTHER, FEMALE												
1967	9.7	305.2	11.6	2.6	2.1	1.8	1.8	2.4	3.1	*	*	*
1966	10.2	289.3	14.1	2.6	2.1	1.8	2.3	2.9	3.6	*	*	*
1965	11.0	309.6	12.9	2.8	2.1	1.9	2.4	3.3	*	*	*	*
1964	10.9	296.3	11.5	2.9	2.3	1.4	2.5	3.2	2.7	*	*	*
1963	11.7	291.6	15.7	2.6	2.7	2.0	2.6	4.1	2.8	*	*	*
1962	11.0	275.4	12.7	2.6	2.5	2.4	2.5	2.2	*	*	*	*
1961	12.1	299.0	14.3	2.7	2.9	*	*	2.8	*	*	*	*
1960	11.7	273.2	14.8	3.1	1.4	2.6	2.4	2.9	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 760-776 Certain conditions originating in the perinatal period												
BOTH SEXES												
1967	24.5	1,399.2	0.1	*	*	*	*	*	*	*	*	*
1966	26.4	1,451.7	*	*	*	*	*	*	*	*	*	*
1965	28.6	1,468.8	*	*	*	*	*	*	*	*	*	*
1964	31.6	1,527.7	*	*	*	*	*	*	*	*	*	*
1963	33.3	1,561.5	*	*	*	*	*	*	*	*	*	*
1962	34.6	1,571.6	*	*	*	*	*	*	*	*	*	*
1961	35.9	1,573.5	*	*	*	*	*	*	*	*	*	*
1960	37.4	1,631.2	*	*	*	*	*	*	*	*	*	*
MALE												
1967	29.3	1,606.9	*	*	*	*	*	*	*	*	*	*
1966	31.6	1,667.2	*	*	*	*	*	*	*	*	*	*
1965	34.3	1,694.9	*	*	*	*	*	*	*	*	*	*
1964	37.7	1,755.0	*	*	*	*	*	*	*	*	*	*
1963	39.9	1,806.4	*	*	*	*	*	*	*	*	*	*
1962	41.3	1,816.7	*	*	*	*	*	*	*	*	*	*
1961	42.6	1,809.5	*	*	*	*	*	*	*	*	*	*
1960	44.3	1,870.5	*	*	*	*	*	*	*	*	*	*
FEMALE												
1967	19.8	1,183.6	*	*	*	*	*	*	*	*	*	*
1966	21.4	1,227.7	*	*	*	*	*	*	*	*	*	*
1965	23.2	1,235.0	*	*	*	*	*	*	*	*	*	*
1964	25.7	1,291.4	*	*	*	*	*	*	*	*	*	*
1963	26.9	1,307.8	*	*	*	*	*	*	*	*	*	*
1962	28.0	1,318.0	*	*	*	*	*	*	*	*	*	*
1961	29.4	1,329.5	*	*	*	*	*	*	*	*	*	*
1960	30.8	1,383.9	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 760-776 Certain conditions originating in the perinatal period												
WHITE, BOTH SEXES												
1967	20.6	1,224.4	*	*	*	*	*	*	*	*	*	*
1966	22.1	1,273.2	*	*	*	*	*	*	*	*	*	*
1965	24.0	1,282.9	*	*	*	*	*	*	*	*	*	*
1964	26.5	1,333.7	*	*	*	*	*	*	*	*	*	*
1963	28.4	1,384.0	*	*	*	*	*	*	*	*	*	*
1962	29.7	1,403.9	*	*	*	*	*	*	*	*	*	*
1961	30.9	1,408.9	*	*	*	*	*	*	*	*	*	*
1960	32.3	1,465.3	*	*	*	*	*	*	*	*	*	*
WHITE, MALE												
1967	25.0	1,426.1	*	*	*	*	*	*	*	*	*	*
1966	26.8	1,481.6	*	*	*	*	*	*	*	*	*	*
1965	29.0	1,495.3	*	*	*	*	*	*	*	*	*	*
1964	31.9	1,548.2	*	*	*	*	*	*	*	*	*	*
1963	34.3	1,612.3	*	*	*	*	*	*	*	*	*	*
1962	36.0	1,639.4	*	*	*	*	*	*	*	*	*	*
1961	37.1	1,634.8	*	*	*	*	*	*	*	*	*	*
1960	38.6	1,692.8	*	*	*	*	*	*	*	*	*	*
WHITE, FEMALE												
1967	16.3	1,014.9	*	*	*	*	*	*	*	*	*	*
1966	17.6	1,056.4	*	*	*	*	*	*	*	*	*	*
1965	19.1	1,062.7	*	*	*	*	*	*	*	*	*	*
1964	21.2	1,109.5	*	*	*	*	*	*	*	*	*	*
1963	22.7	1,146.1	*	*	*	*	*	*	*	*	*	*
1962	23.7	1,158.8	*	*	*	*	*	*	*	*	*	*
1961	24.9	1,173.8	*	*	*	*	*	*	*	*	*	*
1960	26.2	1,228.5	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. 760-776 Certain conditions originating in the perinatal period												
All other, both sexes												
1967	52.8	2,346.9	*	*	*	*	*	*	*	*	*	*
1966	57.7	2,392.0	*	*	*	*	*	*	*	*	*	*
1965	63.1	2,479.4	*	*	*	*	*	*	*	*	*	*
1964	69.6	2,603.5	*	*	*	*	*	*	*	*	*	*
1963	69.6	2,515.0	*	*	*	*	*	*	*	*	*	*
1962	71.6	2,503.8	*	*	*	*	*	*	*	*	*	*
1961	74.4	2,506.1	*	*	*	*	*	*	*	*	*	*
1960	77.2	2,576.7	*	*	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	61.2	2,612.3	*	*	*	*	*	*	*	*	*	*
1966	67.1	2,661.4	*	*	*	*	*	*	*	*	*	*
1965	74.0	2,796.9	*	*	*	*	*	*	*	*	*	*
1964	81.1	2,930.8	*	*	*	*	*	*	*	*	*	*
1963	82.0	2,872.4	*	*	*	*	*	*	*	*	*	*
1962	83.1	2,825.7	*	*	*	*	*	*	*	*	*	*
1961	86.0	2,831.8	*	*	*	*	*	*	*	*	*	*
1960	89.2	2,906.4	*	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	45.0	2,080.6	*	*	*	*	*	*	*	*	*	*
1966	49.0	2,118.9	*	*	*	*	*	*	*	*	*	*
1965	53.0	2,152.2	*	*	*	*	*	*	*	*	*	*
1964	58.8	2,282.7	*	*	*	*	*	*	*	*	*	*
1963	58.0	2,166.0	*	*	*	*	*	*	*	*	*	*
1962	60.7	2,183.1	*	*	*	*	*	*	*	*	*	*
1961	63.4	2,191.4	*	*	*	*	*	*	*	*	*	*
1960	65.8	2,249.1	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Birth injuries, postnatal asphyxia, and atelectasis (760-762)												
BOTH SEXES												
1967	9.8	560.7	*	*	*	*	*	*	*	*	*	*
1966	10.8	592.0	*	*	*	*	*	*	*	*	*	*
1965	12.0	614.0	*	*	*	*	*	*	*	*	*	*
1964	13.2	639.5	*	*	*	*	*	*	*	*	*	*
1963	14.3	670.0	*	*	*	*	*	*	*	*	*	*
1962	15.2	690.5	*	*	*	*	*	*	*	*	*	*
1961	15.8	693.6	*	*	*	*	*	*	*	*	*	*
1960	16.6	722.2	*	*	*	*	*	*	*	*	*	*
MALE												
1967	12.0	656.9	*	*	*	*	*	*	*	*	*	*
1966	13.0	687.8	*	*	*	*	*	*	*	*	*	*
1965	14.6	723.4	*	*	*	*	*	*	*	*	*	*
1964	16.0	746.8	*	*	*	*	*	*	*	*	*	*
1963	17.4	789.5	*	*	*	*	*	*	*	*	*	*
1962	18.4	810.4	*	*	*	*	*	*	*	*	*	*
1961	19.2	813.8	*	*	*	*	*	*	*	*	*	*
1960	20.0	845.0	*	*	*	*	*	*	*	*	*	*
FEMALE												
1967	7.7	460.9	*	*	*	*	*	*	*	*	*	*
1966	8.6	492.3	*	*	*	*	*	*	*	*	*	*
1965	9.4	500.8	*	*	*	*	*	*	*	*	*	*
1964	10.5	528.0	*	*	*	*	*	*	*	*	*	*
1963	11.2	546.3	*	*	*	*	*	*	*	*	*	*
1962	12.0	566.4	*	*	*	*	*	*	*	*	*	*
1961	12.6	569.4	*	*	*	*	*	*	*	*	*	*
1960	13.2	595.3	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Birth injuries, postnatal asphyxia, and atelectasis (760-762)												
WHITE, BOTH SEXES												
1967	8.5	505.4	*	*	*	*	*	*	*	*	*	*
1966	9.3	536.0	*	*	*	*	*	*	*	*	*	*
1965	10.4	556.6	*	*	*	*	*	*	*	*	*	*
1964	11.6	585.6	*	*	*	*	*	*	*	*	*	*
1963	12.7	619.2	*	*	*	*	*	*	*	*	*	*
1962	13.6	641.1	*	*	*	*	*	*	*	*	*	*
1961	14.2	647.5	*	*	*	*	*	*	*	*	*	*
1960	14.9	674.3	*	*	*	*	*	*	*	*	*	*
WHITE, MALE												
1967	10.5	600.8	*	*	*	*	*	*	*	*	*	*
1966	11.5	632.7	*	*	*	*	*	*	*	*	*	*
1965	12.9	664.1	*	*	*	*	*	*	*	*	*	*
1964	14.2	689.4	*	*	*	*	*	*	*	*	*	*
1963	15.7	736.5	*	*	*	*	*	*	*	*	*	*
1962	16.6	758.2	*	*	*	*	*	*	*	*	*	*
1961	17.3	765.0	*	*	*	*	*	*	*	*	*	*
1960	18.1	796.8	*	*	*	*	*	*	*	*	*	*
WHITE, FEMALE												
1967	6.5	406.2	*	*	*	*	*	*	*	*	*	*
1966	7.3	435.4	*	*	*	*	*	*	*	*	*	*
1965	8.0	445.0	*	*	*	*	*	*	*	*	*	*
1964	9.1	477.1	*	*	*	*	*	*	*	*	*	*
1963	9.8	497.0	*	*	*	*	*	*	*	*	*	*
1962	10.6	519.2	*	*	*	*	*	*	*	*	*	*
1961	11.1	525.3	*	*	*	*	*	*	*	*	*	*
1960	11.6	546.7	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Birth injuries, postnatal asphyxia, and atelectasis (760-762)												
ALL OTHER, BOTH SEXES												
1967	19.3	860.5	*	*	*	*	*	*	*	*	*	*
1966	21.4	886.4	*	*	*	*	*	*	*	*	*	*
1965	23.6	925.9	*	*	*	*	*	*	*	*	*	*
1964	25.1	938.8	*	*	*	*	*	*	*	*	*	*
1963	25.1	906.1	*	*	*	*	*	*	*	*	*	*
1962	26.9	940.9	*	*	*	*	*	*	*	*	*	*
1961	28.3	954.8	*	*	*	*	*	*	*	*	*	*
1960	29.8	995.4	*	*	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	22.7	969.1	*	*	*	*	*	*	*	*	*	*
1966	24.8	982.8	*	*	*	*	*	*	*	*	*	*
1965	27.8	1,050.7	*	*	*	*	*	*	*	*	*	*
1964	29.7	1,074.2	*	*	*	*	*	*	*	*	*	*
1963	29.6	1,036.4	*	*	*	*	*	*	*	*	*	*
1962	31.8	1,079.7	*	*	*	*	*	*	*	*	*	*
1961	33.4	1,100.6	*	*	*	*	*	*	*	*	*	*
1960	34.6	1,125.9	*	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	16.2	751.5	*	*	*	*	*	*	*	*	*	*
1966	18.2	788.6	*	*	*	*	*	*	*	*	*	*
1965	19.6	797.6	*	*	*	*	*	*	*	*	*	*
1964	20.7	805.7	*	*	*	*	*	*	*	*	*	*
1963	20.9	778.8	*	*	*	*	*	*	*	*	*	*
1962	22.3	802.7	*	*	*	*	*	*	*	*	*	*
1961	23.5	813.4	*	*	*	*	*	*	*	*	*	*
1960	25.3	865.6	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Infections of newborn (763-768)												
BOTH SEXES												
1967	1.7	94.8	*	*	*	*	*	*	*	*	*	*
1966	1.8	99.0	*	*	*	*	*	*	*	*	*	*
1965	2.0	104.1	*	*	*	*	*	*	*	*	*	*
1964	2.3	110.4	*	*	*	*	*	*	*	*	*	*
1963	2.3	109.8	*	*	*	*	*	*	*	*	*	*
1962	2.4	111.4	*	*	*	*	*	*	*	*	*	*
1961	2.6	112.8	*	*	*	*	*	*	*	*	*	*
1960	2.7	116.4	*	*	*	*	*	*	*	*	*	*
MALE												
1967	1.9	106.6	*	*	*	*	*	*	*	*	*	*
1966	2.1	110.1	*	*	*	*	*	*	*	*	*	*
1965	2.4	120.5	*	*	*	*	*	*	*	*	*	*
1964	2.7	124.1	*	*	*	*	*	*	*	*	*	*
1963	2.8	126.0	*	*	*	*	*	*	*	*	*	*
1962	2.9	129.1	*	*	*	*	*	*	*	*	*	*
1961	3.1	131.2	*	*	*	*	*	*	*	*	*	*
1960	3.2	133.9	*	*	*	*	*	*	*	*	*	*
FEMALE												
1967	1.4	82.5	*	*	*	*	*	*	*	*	*	*
1966	1.5	87.6	*	*	*	*	*	*	*	*	*	*
1965	1.6	87.2	*	*	*	*	*	*	*	*	*	*
1964	1.9	96.1	*	*	*	*	*	*	*	*	*	*
1963	1.9	93.1	*	*	*	*	*	*	*	*	*	*
1962	2.0	93.1	*	*	*	*	*	*	*	*	*	*
1961	2.1	93.7	*	*	*	*	*	*	*	*	*	*
1960	2.2	98.3	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Infections of newborn (763-768)												
WHITE, BOTH SEXES												
1967	1.2	73.9	*	*	*	*	*	*	*	*	*	*
1966	1.3	73.9	*	*	*	*	*	*	*	*	*	*
1965	1.4	75.8	*	*	*	*	*	*	*	*	*	*
1964	1.6	79.0	*	*	*	*	*	*	*	*	*	*
1963	1.7	82.8	*	*	*	*	*	*	*	*	*	*
1962	1.8	83.2	*	*	*	*	*	*	*	*	*	*
1961	1.8	84.0	*	*	*	*	*	*	*	*	*	*
1960	2.0	89.3	*	*	*	*	*	*	*	*	*	*
WHITE, MALE												
1967	1.5	84.9	*	*	*	*	*	*	*	*	*	*
1966	1.5	83.1	*	*	*	*	*	*	*	*	*	*
1965	1.7	88.7	*	*	*	*	*	*	*	*	*	*
1964	1.9	89.9	*	*	*	*	*	*	*	*	*	*
1963	2.0	94.6	*	*	*	*	*	*	*	*	*	*
1962	2.2	98.1	*	*	*	*	*	*	*	*	*	*
1961	2.2	98.9	*	*	*	*	*	*	*	*	*	*
1960	2.4	103.9	*	*	*	*	*	*	*	*	*	*
WHITE, FEMALE												
1967	1.0	62.4	*	*	*	*	*	*	*	*	*	*
1966	1.1	64.3	*	*	*	*	*	*	*	*	*	*
1965	1.1	62.4	*	*	*	*	*	*	*	*	*	*
1964	1.3	67.6	*	*	*	*	*	*	*	*	*	*
1963	1.4	70.6	*	*	*	*	*	*	*	*	*	*
1962	1.4	67.6	*	*	*	*	*	*	*	*	*	*
1961	1.4	68.4	*	*	*	*	*	*	*	*	*	*
1960	1.6	74.1	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Infections of newborn (763-768)												
ALL OTHER, BOTH SEXES												
1967	4.7	208.0	*	*	*	*	*	*	*	*	*	*
1966	5.6	231.8	*	*	*	*	*	*	*	*	*	*
1965	6.6	258.2	*	*	*	*	*	*	*	*	*	*
1964	7.6	284.2	*	*	*	*	*	*	*	*	*	*
1963	7.2	261.2	*	*	*	*	*	*	*	*	*	*
1962	7.9	275.2	*	*	*	*	*	*	*	*	*	*
1961	8.2	276.0	*	*	*	*	*	*	*	*	*	*
1960	8.1	270.8	*	*	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	5.3	226.8	*	*	*	*	*	*	*	*	*	*
1966	6.4	254.7	*	*	*	*	*	*	*	*	*	*
1965	7.8	296.3	*	*	*	*	*	*	*	*	*	*
1964	8.8	317.9	*	*	*	*	*	*	*	*	*	*
1963	8.7	304.0	*	*	*	*	*	*	*	*	*	*
1962	9.2	312.0	*	*	*	*	*	*	*	*	*	*
1961	9.7	319.3	*	*	*	*	*	*	*	*	*	*
1960	9.5	308.9	*	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	4.1	189.2	*	*	*	*	*	*	*	*	*	*
1966	4.8	208.5	*	*	*	*	*	*	*	*	*	*
1965	5.4	219.1	*	*	*	*	*	*	*	*	*	*
1964	6.5	251.3	*	*	*	*	*	*	*	*	*	*
1963	5.9	219.2	*	*	*	*	*	*	*	*	*	*
1962	6.6	238.5	*	*	*	*	*	*	*	*	*	*
1961	6.8	234.1	*	*	*	*	*	*	*	*	*	*
1960	6.8	232.9	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)												
BOTH SEXES												
1967	13.0	743.7	*	*	*	*	*	*	*	*	*	*
1966	13.8	760.7	*	*	*	*	*	*	*	*	*	*
1965	14.6	750.7	*	*	*	*	*	*	*	*	*	*
1964	16.1	777.8	*	*	*	*	*	*	*	*	*	*
1963	16.7	781.7	*	*	*	*	*	*	*	*	*	*
1962	16.9	769.7	*	*	*	*	*	*	*	*	*	*
1961	17.5	767.1	*	*	*	*	*	*	*	*	*	*
1960	18.2	792.6	*	*	*	*	*	*	*	*	*	*
MALE												
1967	15.4	843.4	*	*	*	*	*	*	*	*	*	*
1966	16.5	869.3	*	*	*	*	*	*	*	*	*	*
1965	17.2	851.0	*	*	*	*	*	*	*	*	*	*
1964	19.0	884.1	*	*	*	*	*	*	*	*	*	*
1963	19.7	890.9	*	*	*	*	*	*	*	*	*	*
1962	20.0	877.2	*	*	*	*	*	*	*	*	*	*
1961	20.4	864.5	*	*	*	*	*	*	*	*	*	*
1960	21.1	891.5	*	*	*	*	*	*	*	*	*	*
FEMALE												
1967	10.7	640.2	*	*	*	*	*	*	*	*	*	*
1966	11.3	647.8	*	*	*	*	*	*	*	*	*	*
1965	12.2	647.0	*	*	*	*	*	*	*	*	*	*
1964	13.3	667.3	*	*	*	*	*	*	*	*	*	*
1963	13.7	668.4	*	*	*	*	*	*	*	*	*	*
1962	14.0	658.5	*	*	*	*	*	*	*	*	*	*
1961	14.7	666.4	*	*	*	*	*	*	*	*	*	*
1960	15.3	690.3	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)												
WHITE, BOTH SEXES												
1967	10.8	645.1	*	*	*	*	*	*	*	*	*	*
1966	11.5	663.3	*	*	*	*	*	*	*	*	*	*
1965	12.2	650.5	*	*	*	*	*	*	*	*	*	*
1964	13.3	669.1	*	*	*	*	*	*	*	*	*	*
1963	14.0	681.9	*	*	*	*	*	*	*	*	*	*
1962	14.4	679.6	*	*	*	*	*	*	*	*	*	*
1961	14.9	677.4	*	*	*	*	*	*	*	*	*	*
1960	15.5	701.7	*	*	*	*	*	*	*	*	*	*
WHITE, MALE												
1967	13.0	740.3	*	*	*	*	*	*	*	*	*	*
1966	13.9	765.7	*	*	*	*	*	*	*	*	*	*
1965	14.4	742.5	*	*	*	*	*	*	*	*	*	*
1964	15.9	768.9	*	*	*	*	*	*	*	*	*	*
1963	16.6	781.1	*	*	*	*	*	*	*	*	*	*
1962	17.2	783.1	*	*	*	*	*	*	*	*	*	*
1961	17.5	770.9	*	*	*	*	*	*	*	*	*	*
1960	18.0	792.1	*	*	*	*	*	*	*	*	*	*
WHITE, FEMALE												
1967	8.8	546.2	*	*	*	*	*	*	*	*	*	*
1966	9.3	556.8	*	*	*	*	*	*	*	*	*	*
1965	10.0	555.3	*	*	*	*	*	*	*	*	*	*
1964	10.8	564.8	*	*	*	*	*	*	*	*	*	*
1963	11.4	578.5	*	*	*	*	*	*	*	*	*	*
1962	11.7	571.9	*	*	*	*	*	*	*	*	*	*
1961	12.3	580.1	*	*	*	*	*	*	*	*	*	*
1960	13.0	607.7	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)												
ALL OTHER, BOTH SEXES												
1967	28.8	1,278.4	*	*	*	*	*	*	*	*	*	*
1966	30.7	1,273.9	*	*	*	*	*	*	*	*	*	*
1965	33.0	1,295.2	*	*	*	*	*	*	*	*	*	*
1964	36.9	1,380.4	*	*	*	*	*	*	*	*	*	*
1963	37.3	1,347.7	*	*	*	*	*	*	*	*	*	*
1962	36.8	1,287.7	*	*	*	*	*	*	*	*	*	*
1961	37.8	1,275.2	*	*	*	*	*	*	*	*	*	*
1960	39.3	1,310.5	*	*	*	*	*	*	*	*	*	*
ALL OTHER, MALE												
1967	33.2	1,416.4	*	*	*	*	*	*	*	*	*	*
1966	35.9	1,423.9	*	*	*	*	*	*	*	*	*	*
1965	38.4	1,450.0	*	*	*	*	*	*	*	*	*	*
1964	42.6	1,538.7	*	*	*	*	*	*	*	*	*	*
1963	43.7	1,532.0	*	*	*	*	*	*	*	*	*	*
1962	42.2	1,434.0	*	*	*	*	*	*	*	*	*	*
1961	42.9	1,411.9	*	*	*	*	*	*	*	*	*	*
1960	45.2	1,471.5	*	*	*	*	*	*	*	*	*	*
ALL OTHER, FEMALE												
1967	24.7	1,139.9	*	*	*	*	*	*	*	*	*	*
1966	25.9	1,121.7	*	*	*	*	*	*	*	*	*	*
1965	27.9	1,135.5	*	*	*	*	*	*	*	*	*	*
1964	31.6	1,225.7	*	*	*	*	*	*	*	*	*	*
1963	31.3	1,168.0	*	*	*	*	*	*	*	*	*	*
1962	31.7	1,141.9	*	*	*	*	*	*	*	*	*	*
1961	33.1	1,143.9	*	*	*	*	*	*	*	*	*	*
1960	33.7	1,150.5	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Symptoms, senility, and ill-defined conditions (780-795)												
BOTH SEXES												
1967	12.2	75.9	2.5	0.5	1.8	3.4	6.8	12.3	22.3	36.5	69.1	231.5
1966	12.3	74.4	2.9	0.4	1.4	3.2	6.4	12.0	21.7	37.9	71.2	259.9
1965	12.1	62.8	2.5	0.4	1.3	2.9	6.1	12.4	21.9	37.6	75.6	263.3
1964	13.2	65.6	3.0	0.8	2.7	4.7	7.6	13.6	23.4	37.9	75.7	271.2
1963	11.9	63.1	2.4	0.6	1.5	2.9	5.8	11.2	20.3	35.7	75.8	296.6
1962	10.6	55.5	2.1	0.5	1.4	2.9	5.1	9.7	17.7	30.2	69.7	284.8
1961	10.4	57.4	2.3	0.4	1.3	2.3	4.4	9.2	16.8	30.3	71.2	290.2
1960	11.4	61.2	2.8	0.5	1.3	2.6	4.7	10.0	18.0	33.3	81.6	309.3
MALE												
1967	14.9	87.5	2.8	0.5	2.2	3.9	8.2	17.2	32.0	52.6	93.4	271.8
1966	14.8	82.1	3.1	0.5	1.7	3.7	7.7	16.6	31.0	54.3	94.4	295.8
1965	14.7	72.1	2.6	0.4	1.6	3.2	7.6	16.8	31.6	54.1	99.7	299.0
1964	16.1	74.5	3.3	0.9	3.6	5.9	9.3	17.9	33.2	54.3	98.7	300.5
1963	14.2	71.4	2.7	0.6	1.8	3.2	6.9	15.1	28.5	50.2	97.2	335.5
1962	12.6	61.0	2.4	0.5	1.6	3.1	5.8	13.2	24.9	43.2	87.3	316.0
1961	12.4	64.4	2.4	0.4	1.4	2.6	5.3	12.8	23.9	41.8	88.8	315.8
1960	13.6	67.7	3.2	0.6	1.5	2.9	5.7	13.9	25.3	46.2	106.6	325.4
FEMALE												
1967	9.6	63.9	2.3	0.4	1.4	2.9	5.5	7.6	13.5	23.8	52.2	208.9
1966	9.8	66.3	2.6	0.4	1.1	2.7	5.2	7.7	13.4	24.8	54.8	239.8
1965	9.6	53.2	2.3	0.4	1.1	2.7	4.7	8.2	13.0	24.3	58.2	242.5
1964	10.5	56.3	2.6	0.6	1.8	3.5	6.0	9.5	14.3	24.6	58.8	253.8
1963	9.7	54.6	2.2	0.6	1.1	2.6	4.7	7.4	12.8	23.6	59.8	272.7
1962	8.7	49.8	1.8	0.4	1.1	2.7	4.3	6.3	11.0	19.2	56.4	265.6
1961	8.6	50.2	2.1	0.4	1.1	2.0	3.4	5.8	10.2	20.5	57.7	273.6
1960	9.2	54.5	2.4	0.4	1.0	2.2	3.6	6.3	11.1	22.0	62.2	299.0

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Symptoms, senility, and ill-defined conditions (780-795)												
WHITE, BOTH SEXES												
1967	9.2	44.1	1.5	0.3	1.3	2.1	4.4	9.0	16.9	26.5	55.4	198.3
1966	9.1	41.9	1.7	0.3	1.1	1.9	4.2	8.5	16.0	27.9	57.1	222.0
1965	9.0	33.8	1.3	0.3	1.0	1.7	4.0	8.7	15.5	27.8	60.9	232.2
1964	9.9	34.7	1.9	0.6	2.2	3.1	5.1	9.6	17.0	28.0	62.2	236.9
1963	8.9	31.1	1.2	0.4	1.2	1.9	4.1	8.2	14.7	26.2	62.4	255.2
1962	8.1	26.0	1.3	0.3	1.1	1.9	3.5	7.1	12.8	22.8	58.8	248.1
1961	7.7	27.5	1.3	0.3	0.9	1.4	3.1	6.7	11.8	21.9	57.6	244.9
1960	8.3	27.8	1.6	0.4	0.9	1.6	3.2	7.0	12.7	24.1	65.1	261.4
WHITE, MALE												
1967	11.5	54.2	1.7	0.4	1.6	2.4	5.3	12.9	25.7	39.6	76.3	225.3
1966	11.3	50.2	1.8	0.4	1.3	2.1	5.1	12.4	24.0	41.6	76.5	248.3
1965	11.2	39.9	1.4	0.3	1.2	1.9	5.0	12.6	24.1	42.2	81.1	261.2
1964	12.4	40.1	2.3	0.7	3.0	4.1	6.3	13.5	25.7	41.7	81.7	263.1
1963	10.9	35.5	1.3	0.4	1.5	2.1	5.0	11.7	22.3	39.0	80.1	282.7
1962	9.8	28.8	1.4	0.4	1.3	2.0	4.3	10.1	19.5	34.2	74.3	271.0
1961	9.3	31.8	1.4	0.3	1.0	1.7	3.9	9.8	18.3	32.1	72.5	264.0
1960	10.1	31.4	1.8	0.4	1.2	1.8	4.1	10.2	19.3	35.2	85.7	270.8
WHITE, FEMALE												
1967	7.0	33.7	1.3	0.3	1.0	1.8	3.7	5.2	8.9	16.1	41.0	183.4
1966	7.1	33.2	1.7	0.2	0.8	1.6	3.3	4.8	8.6	17.0	43.5	207.4
1965	6.9	27.5	1.3	0.2	0.8	1.5	2.9	5.0	7.7	16.2	46.5	215.6
1964	7.6	28.9	1.4	0.4	1.4	2.2	3.9	6.0	8.9	16.9	48.1	221.2
1963	7.1	26.7	1.1	0.4	0.8	1.8	3.1	4.9	7.7	15.6	49.4	238.8
1962	6.4	23.1	1.2	0.2	0.8	1.9	2.8	4.2	6.6	13.1	47.2	234.7
1961	6.1	23.0	1.2	0.2	0.8	1.2	2.2	3.6	5.7	13.3	46.3	233.4
1960	6.4	24.0	1.3	0.3	0.7	1.4	2.2	3.8	6.6	14.4	49.3	255.6

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Symptoms, senility, and ill-defined conditions (780-795)												
ALL OTHER, BOTH SEXES												
1967	34.1	248.4	8.0	1.3	4.8	12.4	25.1	42.2	75.1	138.2	247.7	613.7
1966	35.0	245.9	9.1	1.2	3.6	12.5	24.1	43.8	78.7	140.1	255.1	702.2
1965	34.9	220.5	9.0	1.3	3.6	11.7	23.4	45.9	85.5	139.3	267.4	641.0
1964	37.8	237.0	9.2	2.0	6.2	15.9	28.3	50.2	87.4	143.1	252.3	693.6
1963	36.4	251.3	9.9	1.5	3.7	9.9	21.0	40.8	82.3	148.2	274.2	898.6
1962	32.3	229.5	7.4	1.3	3.8	10.1	19.2	35.8	72.4	122.1	239.1	821.4
1961	31.6	226.8	7.9	1.1	4.0	8.8	15.3	32.7	67.3	125.3	251.5	870.0
1960	35.5	251.9	10.2	1.7	3.8	9.6	17.4	38.0	71.2	140.8	306.2	882.2
ALL OTHER, MALE												
1967	40.6	272.1	8.7	1.1	5.8	15.2	32.4	57.4	94.1	180.2	297.8	733.3
1966	40.8	253.3	10.6	1.4	4.1	15.7	29.2	56.0	99.0	180.9	309.5	788.9
1965	40.7	250.0	9.9	1.5	4.3	12.9	29.0	56.0	106.1	173.8	323.9	711.8
1964	44.4	268.9	9.6	2.4	8.2	20.1	34.9	59.7	106.8	184.2	304.7	715.6
1963	42.2	287.9	10.9	1.6	4.3	12.0	24.1	50.5	98.2	182.4	330.3	1,051.7
1962	37.2	255.0	9.2	1.3	4.2	12.1	20.5	45.3	86.6	154.8	273.9	931.0
1961	35.8	253.7	8.6	1.1	4.7	9.8	17.7	40.4	79.7	149.0	288.1	916.7
1960	41.0	279.5	11.3	2.1	4.2	11.5	19.9	47.5	85.2	171.1	368.3	902.4
ALL OTHER, FEMALE												
1967	28.0	224.6	7.3	1.5	3.8	10.0	18.9	28.6	57.9	103.5	207.8	521.1
1966	29.6	238.4	7.6	1.0	3.1	9.8	19.7	32.8	60.2	106.2	212.2	643.4
1965	29.4	190.1	8.0	1.1	2.9	10.8	18.5	36.7	66.3	110.1	220.7	591.8
1964	31.6	205.7	8.9	1.6	4.3	12.2	22.6	41.6	69.2	107.5	208.3	693.3
1963	30.9	215.5	8.9	1.3	3.2	8.0	18.2	31.8	67.2	118.7	226.0	814.3
1962	27.7	204.0	5.7	1.3	3.4	8.3	18.0	26.9	58.7	93.7	208.7	762.5
1961	27.6	201.0	7.1	1.1	3.4	7.9	13.1	25.3	55.5	103.9	220.6	835.0
1960	30.3	224.5	9.0	1.2	3.4	8.1	15.2	29.0	57.7	113.1	250.6	866.5

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
All other diseases (Residual)												
BOTH SEXES												
1967	29.0	54.0	7.9	3.7	5.9	9.3	18.5	31.6	54.0	99.8	187.7	378.7
1966	29.2	57.2	8.7	3.9	6.1	9.5	18.1	32.7	54.7	100.3	188.2	387.1
1965	28.6	62.4	8.6	4.0	5.8	8.8	17.5	30.9	54.0	98.9	187.1	376.8
1964	28.6	66.0	9.0	4.2	5.7	9.2	17.3	30.6	53.2	98.0	186.1	384.5
1963	28.7	65.2	9.1	4.2	5.7	9.2	17.5	30.7	54.6	99.0	183.8	400.2
1962	28.1	66.4	9.5	4.0	5.7	9.3	17.0	30.2	52.1	97.0	178.9	386.5
1961	28.2	69.3	9.8	4.2	6.2	9.3	17.1	30.0	52.2	94.9	182.4	375.7
1960	29.0	72.3	10.7	4.5	6.2	9.4	17.2	31.1	53.3	99.8	185.4	383.0
MALE												
1967	32.5	60.2	8.2	4.0	7.3	10.7	20.8	37.3	67.6	126.8	234.9	437.8
1966	32.6	64.3	9.2	4.1	7.2	10.2	20.2	39.0	67.3	127.5	231.9	432.3
1965	32.1	71.3	9.1	4.3	7.1	9.6	19.1	36.2	66.9	125.5	231.9	431.2
1964	31.9	74.8	9.7	4.5	6.8	9.9	19.5	35.7	65.2	123.6	224.2	444.2
1963	32.0	73.7	9.7	4.3	6.8	9.8	19.0	37.0	66.8	124.8	218.9	443.0
1962	31.3	78.1	9.8	4.3	6.6	9.8	18.9	35.6	62.9	122.0	209.4	437.2
1961	31.7	79.1	10.8	4.5	7.4	9.6	19.7	35.7	64.2	119.6	212.4	416.4
1960	32.7	85.0	11.9	4.7	7.3	10.2	18.7	37.3	65.8	124.6	216.0	430.3
FEMALE												
1967	25.6	47.7	7.6	3.5	4.5	8.0	16.2	26.2	41.7	78.3	154.8	345.5
1966	26.0	49.7	8.1	3.7	4.9	8.8	16.0	26.8	43.3	78.5	157.2	361.8
1965	25.3	53.2	8.1	3.7	4.5	8.1	16.0	25.9	42.3	77.4	154.8	345.2
1964	25.4	56.8	8.3	3.9	4.6	8.5	15.2	25.8	42.1	77.0	158.2	349.2
1963	25.6	56.4	8.5	4.2	4.5	8.6	16.0	24.6	43.2	77.6	157.8	373.8
1962	25.0	54.2	9.1	3.7	4.7	8.9	15.2	25.1	42.1	76.0	155.8	355.3
1961	24.8	59.1	8.8	4.0	5.1	9.1	14.6	24.6	40.9	73.9	159.6	349.5
1960	25.3	59.1	9.5	4.2	5.2	8.7	15.7	25.1	41.6	78.3	161.6	352.7

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
All other diseases (Residual)												
WHITE, BOTH SEXES												
1967	28.1	48.3	7.6	3.7	5.3	7.0	14.7	28.0	50.8	98.1	189.1	387.1
1966	28.3	50.8	8.1	3.8	5.4	7.3	14.3	29.3	51.5	98.5	188.6	394.2
1965	27.9	54.8	8.1	3.9	5.3	6.8	14.1	27.8	51.7	97.5	189.0	384.7
1964	27.8	58.7	8.4	4.1	5.2	7.0	13.9	27.3	50.6	97.3	189.3	390.9
1963	28.1	58.4	8.7	4.1	5.1	7.2	14.4	28.0	52.0	97.9	187.0	411.3
1962	27.5	60.3	8.8	3.9	4.9	7.3	14.4	27.7	49.8	96.5	181.8	396.0
1961	27.5	63.9	9.5	4.2	5.4	7.2	14.3	27.5	49.9	94.0	185.3	380.2
1960	28.1	65.9	10.2	4.4	5.6	7.4	14.4	28.2	51.0	98.3	186.4	389.1
WHITE, MALE												
1967	31.3	53.9	8.0	4.0	6.7	7.8	16.4	32.8	63.4	124.7	236.8	449.4
1966	31.2	57.5	8.5	4.0	6.7	7.7	15.7	34.9	63.6	124.8	231.4	439.4
1965	30.9	62.4	8.6	4.2	6.6	7.4	15.4	32.1	63.9	123.0	233.5	440.5
1964	30.8	66.8	9.0	4.3	6.2	7.5	15.7	31.8	62.4	122.2	228.0	454.1
1963	31.2	66.2	9.2	4.2	6.2	7.6	16.0	34.3	64.0	123.3	222.4	451.5
1962	30.5	70.5	8.9	4.3	6.0	7.6	16.1	32.7	60.3	122.0	212.9	448.2
1961	30.8	73.1	10.3	4.4	6.6	7.4	16.3	32.8	61.6	118.0	216.0	419.0
1960	31.6	77.0	11.3	4.7	6.7	8.3	15.9	34.0	63.2	122.1	216.7	434.6
WHITE, FEMALE												
1967	25.0	42.5	7.1	3.4	3.9	6.2	13.0	23.6	39.3	77.0	156.2	352.8
1966	25.4	43.8	7.7	3.7	4.2	7.0	13.0	24.1	40.5	77.5	158.5	368.9
1965	24.9	46.9	7.5	3.6	4.0	6.3	12.9	23.7	40.5	76.8	157.3	352.8
1964	24.8	50.3	7.8	3.8	4.1	6.5	12.2	23.0	39.8	77.0	161.2	353.3
1963	25.0	50.3	8.1	4.1	3.9	6.8	12.9	21.9	40.9	76.9	160.9	387.4
1962	24.5	49.7	8.7	3.6	3.9	7.0	12.8	22.8	40.0	75.1	158.5	365.0
1961	24.4	54.2	8.6	4.0	4.3	7.0	12.3	22.3	39.1	73.6	162.0	356.8
1960	24.7	54.4	9.1	4.2	4.5	6.6	13.1	22.5	39.5	77.7	163.1	360.5

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
All other diseases (Residual)												
ALL OTHER, BOTH SEXES												
1967	35.4	85.3	9.7	4.0	10.0	26.2	48.0	63.7	85.9	116.7	168.9	282.1
1966	36.3	90.8	11.8	4.5	10.4	24.9	48.1	63.5	86.1	119.1	182.3	303.4
1965	34.3	103.6	11.3	4.8	9.8	23.2	44.6	59.1	77.5	114.4	162.0	286.7
1964	34.5	106.1	12.6	5.1	9.5	24.7	45.2	60.6	78.5	105.5	144.3	306.4
1963	34.6	105.9	11.0	5.0	10.0	23.7	43.1	57.0	81.6	113.0	162.5	323.6
1962	34.0	103.3	13.2	4.7	10.5	24.4	39.4	54.2	80.0	107.5	158.6	327.1
1961	33.6	99.8	12.1	4.4	12.0	25.2	41.4	53.6	74.8	105.4	144.4	318.6
1960	35.5	108.4	13.5	5.0	11.0	24.8	40.8	58.4	77.3	117.5	171.0	309.9
ALL OTHER, MALE												
1967	41.6	95.2	9.4	3.9	11.6	32.7	57.4	79.0	108.5	147.0	210.9	323.1
1966	42.7	100.7	13.5	5.0	11.5	29.5	58.4	77.8	102.7	154.5	236.9	358.3
1965	40.5	120.4	11.6	4.9	11.1	26.8	50.9	74.0	96.3	150.2	212.5	344.1
1964	39.9	120.5	13.8	5.3	10.7	28.3	52.5	71.7	92.8	138.2	177.9	334.4
1963	39.1	119.9	12.2	4.6	11.3	25.9	45.1	65.2	96.6	145.0	197.6	441.4
1962	38.4	124.7	15.2	4.6	10.9	26.9	44.5	61.9	92.7	129.7	187.6	400.0
1961	39.3	113.8	13.8	5.3	13.6	27.2	49.9	62.4	90.6	136.4	167.3	400.0
1960	41.1	131.8	15.4	5.2	11.9	26.0	44.1	68.5	91.9	152.5	206.1	385.8
ALL OTHER, FEMALE												
1967	29.6	75.4	10.1	4.1	8.5	20.6	39.9	50.0	65.4	91.7	135.5	249.1
1966	30.3	80.8	10.0	4.1	9.5	20.9	39.2	50.6	70.9	89.7	138.9	266.0
1965	28.5	86.3	11.1	4.7	8.6	20.2	39.1	45.6	60.0	84.1	120.2	246.9
1964	29.5	92.0	11.4	4.9	8.5	21.6	38.8	50.5	65.0	77.2	116.1	293.3
1963	30.4	92.3	9.8	5.4	8.9	21.8	41.5	49.3	67.4	85.4	132.3	250.0
1962	29.8	82.1	11.3	4.9	10.2	22.3	35.0	46.9	67.9	88.4	133.2	282.5
1961	28.2	86.3	10.3	3.6	10.5	23.5	33.8	45.4	59.9	77.4	125.0	257.5
1960	30.2	85.1	11.6	4.7	10.1	23.7	37.7	48.7	63.0	85.5	139.6	250.8

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E800-E962 Accidents												
BOTH SEXES												
1967	57.3	79.7	33.6	19.4	66.9	51.8	47.7	54.6	65.3	88.1	194.4	568.0
1966	58.1	87.1	34.6	19.9	66.9	51.6	47.8	56.1	66.8	89.3	203.6	589.8
1965	55.8	88.0	32.8	18.7	61.6	49.0	46.5	54.9	64.0	87.7	204.0	602.2
1964	54.3	86.3	32.0	18.8	59.1	48.4	45.2	52.6	62.9	87.5	200.7	579.3
1963	53.4	87.6	31.7	18.3	57.1	45.1	43.0	51.7	62.3	87.8	207.7	634.3
1962	52.3	89.4	30.8	18.0	55.0	43.4	42.1	50.2	60.4	88.6	207.7	630.7
1961	50.4	85.8	30.8	18.1	54.0	42.3	40.2	47.9	57.7	83.9	200.6	601.8
1960	52.3	93.2	31.6	19.3	56.0	43.0	40.9	49.8	59.0	88.1	214.5	624.7
MALE												
1967	80.9	88.3	39.6	26.7	108.5	85.7	75.3	83.6	98.6	123.1	233.3	587.8
1966	81.5	97.3	39.8	27.0	108.3	84.9	75.2	86.1	100.8	123.2	244.5	605.4
1965	78.1	98.4	38.7	25.6	99.8	80.8	73.0	83.6	96.2	122.3	241.9	614.3
1964	75.7	95.0	36.5	25.9	95.6	79.3	71.3	81.0	93.3	121.3	235.9	551.4
1963	74.2	95.4	36.5	25.0	92.7	74.5	68.0	79.6	93.6	120.7	239.1	641.1
1962	72.4	97.5	34.5	24.8	89.9	72.2	66.3	77.4	90.2	120.7	237.5	620.9
1961	70.3	96.0	35.1	25.3	89.5	70.3	64.2	74.5	86.9	114.4	227.8	575.6
1960	72.8	103.0	35.9	26.6	93.0	72.0	65.8	77.6	88.2	119.8	236.4	581.9
FEMALE												
1967	34.9	70.8	27.3	11.9	26.5	19.3	21.6	27.2	35.1	60.3	167.3	556.8
1966	35.6	76.5	29.1	12.5	26.2	19.5	21.8	27.7	35.7	62.1	174.7	581.8
1965	34.4	77.1	26.7	11.6	23.8	18.4	21.3	27.5	34.5	59.7	176.8	595.2
1964	33.8	77.2	27.2	11.5	22.9	18.5	20.4	25.5	34.9	59.8	174.9	595.9
1963	33.4	79.4	26.8	11.3	22.1	16.7	19.2	25.0	33.3	60.5	184.4	629.2
1962	32.9	81.1	27.0	11.0	20.6	15.6	19.2	24.0	32.7	61.5	185.2	636.7
1961	31.1	75.2	26.4	10.8	19.1	15.4	17.3	22.1	30.5	57.8	179.9	617.2
1960	32.4	83.0	27.2	11.7	19.7	15.1	17.2	22.7	31.5	60.6	197.5	652.1

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E800-E962 Accidents												
WHITE, BOTH SEXES												
1967	55.8	64.2	29.3	18.1	67.0	48.4	44.0	51.3	62.3	86.4	196.3	590.8
1966	56.3	69.5	30.2	18.5	66.9	48.3	44.0	52.2	63.6	86.5	204.9	608.7
1965	54.3	71.2	28.6	17.4	61.7	46.1	42.7	51.6	61.1	86.1	207.7	623.8
1964	52.9	71.6	28.0	17.5	59.4	45.5	41.8	49.5	60.1	85.9	203.4	599.6
1963	52.3	72.4	28.0	16.9	57.5	42.7	40.6	49.5	60.0	86.0	210.5	658.8
1962	51.2	74.0	27.3	16.7	55.3	41.5	39.7	48.1	57.8	86.5	211.5	650.3
1961	49.0	72.4	27.2	16.9	53.9	39.9	37.1	45.2	54.9	82.6	204.0	624.3
1960	50.5	76.4	27.5	17.7	55.8	40.5	37.8	46.5	56.0	86.4	217.4	646.8
WHITE, MALE												
1967	77.8	72.0	34.9	24.9	108.1	79.5	68.8	77.8	93.2	119.7	234.7	616.5
1966	78.3	78.1	35.6	25.0	107.8	79.4	68.8	79.8	95.3	118.7	245.3	624.1
1965	75.3	82.7	34.3	24.1	99.6	75.5	66.5	77.9	91.2	119.5	244.7	631.1
1964	73.0	79.1	32.6	24.2	95.6	74.4	65.2	75.3	88.9	118.5	240.3	572.4
1963	72.2	81.0	32.7	23.4	92.7	70.7	63.5	76.0	90.0	118.1	242.7	667.6
1962	70.5	82.7	31.6	23.4	89.9	68.7	62.3	73.6	86.2	117.9	242.3	647.9
1961	68.0	81.1	32.0	23.8	89.3	66.4	59.1	69.8	82.6	112.6	231.6	596.2
1960	70.0	85.6	31.8	24.8	92.2	67.7	60.8	72.3	84.2	117.7	238.7	600.5
WHITE, FEMALE												
1967	34.6	56.1	23.4	11.0	26.9	18.1	20.1	26.1	34.2	60.0	169.7	576.7
1966	35.1	60.6	24.7	11.6	26.4	18.0	20.3	26.1	34.7	60.8	176.5	600.0
1965	34.0	59.2	22.6	10.5	23.9	17.3	19.7	26.5	33.5	59.1	181.4	619.7
1964	33.4	63.8	23.3	10.5	23.3	17.2	19.2	24.8	33.7	59.4	176.6	614.5
1963	33.0	63.4	23.1	10.1	22.5	15.2	18.5	24.0	32.2	59.4	186.9	653.6
1962	32.4	65.0	22.9	9.9	21.0	14.8	18.0	23.5	31.5	60.1	188.6	652.9
1961	30.5	63.4	22.2	9.6	18.9	14.0	15.9	21.2	29.0	57.0	183.0	642.8
1960	31.5	66.7	23.0	10.4	19.7	14.0	15.7	21.4	29.6	59.3	201.0	675.9

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E800-E962 Accidents												
ALL OTHER, BOTH SEXES												
1967	68.6	164.1	56.8	27.2	66.4	76.0	76.8	84.5	95.3	105.5	170.1	305.3
1966	71.4	179.7	58.7	28.1	66.9	74.4	77.8	91.5	97.9	117.8	186.8	369.7
1965	67.2	179.0	56.8	26.6	60.8	69.8	77.4	84.6	93.0	105.1	156.0	349.4
1964	65.2	167.7	54.5	27.2	57.0	69.0	73.7	80.5	90.2	103.8	165.3	329.5
1963	65.5	171.9	54.7	27.4	59.0	66.8	68.7	78.6	91.7	110.1	174.5	379.2
1962	64.3	178.5	53.0	27.0	56.8	62.3	68.2	76.2	90.0	115.3	165.8	365.7
1961	61.4	161.7	52.3	26.3	54.6	60.3	66.6	72.9	86.5	98.5	156.2	314.3
1960	66.1	188.8	55.8	29.2	57.9	61.6	67.7	80.2	89.4	107.8	174.8	360.1
ALL OTHER, MALE												
1967	103.2	178.8	65.3	37.1	111.5	133.2	129.2	138.1	151.5	156.1	215.2	302.6
1966	105.3	200.0	63.8	38.7	111.4	126.3	129.8	145.3	154.9	168.1	233.5	411.1
1965	99.3	185.0	64.2	35.1	101.2	121.1	128.4	137.2	145.7	150.2	208.0	452.9
1964	95.8	185.4	59.5	36.6	96.0	117.4	124.0	133.8	136.9	150.0	182.0	318.8
1963	94.8	178.5	60.6	35.9	99.9	112.3	115.3	125.4	139.1	153.2	207.3	386.2
1962	92.5	186.3	54.6	35.4	96.6	107.8	111.3	123.4	136.6	156.0	191.9	365.5
1961	88.3	183.3	53.7	34.7	90.6	100.8	108.5	118.2	129.5	134.6	181.8	360.0
1960	95.0	204.3	60.0	38.6	98.8	106.1	110.4	127.8	129.1	142.8	206.8	385.8
ALL OTHER, FEMALE												
1967	36.6	149.3	48.2	17.4	24.3	27.1	32.0	36.5	44.3	63.6	134.2	301.8
1966	39.9	159.1	53.5	17.5	25.0	29.9	33.1	42.8	45.6	75.9	149.8	341.5
1965	37.2	172.4	49.3	18.1	22.6	25.6	33.3	36.8	44.1	67.0	113.1	277.6
1964	36.5	150.3	49.3	17.8	20.2	27.2	29.7	31.6	46.3	64.1	151.2	344.4
1963	38.0	166.0	48.8	18.8	20.5	27.7	27.8	35.3	46.8	73.0	146.4	383.3
1962	37.8	170.8	51.4	18.5	19.4	23.0	30.0	32.2	45.5	79.9	142.9	375.0
1961	36.0	140.8	50.8	17.8	20.9	25.5	29.2	30.1	45.5	66.0	134.4	280.0
1960	38.7	173.5	51.5	19.9	19.6	23.1	29.3	34.8	51.0	75.8	146.2	340.2

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

Deaths for accidents by age and sex for black population: United States, 1960-61, 1964-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E800-E962 Accidents STATISTICAL WORKSHEET BLACK, BOTH SEXES												
1967	68.4	170.4	56.9	27.7	64.0	75.3	78.7	85.3	94.9	104.3	164.3	304.7
1966	71.4	185.4	59.3	28.6	65.1	73.4	79.6	92.1	98.4	116.6	187.5	359.3
1965	66.9	185.4	57.7	26.9	59.3	68.6	77.8	83.9	93.1	103.7	152.9	326.3
1964	65.2	173.5	54.7	27.5	55.9	68.0	73.9	80.6	92.0	101.5	166.6	331.0
1963	---	---	---	---	---	---	---	---	---	---	---	---
1962	---	---	---	---	---	---	---	---	---	---	---	---
1961	60.7	166.0	52.8	26.4	50.9	58.9	66.2	71.8	86.6	98.4	154.9	293.8
1960	65.4	194.1	55.9	29.5	54.7	60.7	67.9	79.4	90.2	105.7	165.0	337.3
BLACK, MALE												
1967	103.5	186.8	65.3	38.0	109.1	133.4	134.4	140.9	153.1	154.6	204.9	314.7
1966	105.6	204.7	65.3	39.7	109.5	125.6	133.1	147.7	158.0	165.4	233.1	396.9
1965	99.1	192.2	65.1	35.6	99.8	119.9	130.6	138.2	147.8	147.2	202.5	406.7
1964	96.1	190.3	59.5	37.3	94.8	116.7	125.0	136.3	141.8	147.2	181.2	328.6
1963	---	---	---	---	---	---	---	---	---	---	---	---
1962	---	---	---	---	---	---	---	---	---	---	---	---
1961	87.4	191.2	53.8	35.0	85.3	98.9	109.5	117.5	129.8	135.9	180.7	333.3
1960	94.0	209.6	60.1	38.7	93.7	104.6	111.9	129.1	131.4	138.7	192.7	331.0
BLACK, FEMALE												
1967	36.3	154.5	48.4	17.5	22.3	26.2	31.4	36.7	44.0	63.7	133.5	292.5
1966	40.0	165.9	53.4	17.4	23.8	28.8	33.8	43.0	45.7	76.5	152.2	334.7
1965	37.2	178.7	50.4	18.3	21.3	24.6	32.3	35.6	44.4	67.9	114.0	273.9
1964	36.6	156.0	49.8	17.7	19.5	26.2	29.7	30.9	47.1	63.4	154.9	332.6
1963	---	---	---	---	---	---	---	---	---	---	---	---
1962	---	---	---	---	---	---	---	---	---	---	---	---
1961	35.7	141.1	51.7	17.8	19.0	24.5	28.2	30.1	46.8	65.9	133.1	265.8
1960	38.8	178.1	51.7	20.3	18.4	23.0	29.0	33.9	51.7	76.3	141.3	342.1

--- Data not available

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Motor vehicle accidents (E810-E835)												
BOTH SEXES												
1967	26.8	9.3	11.6	9.5	48.4	31.5	24.1	26.0	28.6	35.5	46.5	39.7
1966	27.1	10.0	11.7	9.7	48.7	32.3	24.9	26.7	29.6	35.2	46.7	43.4
1965	25.4	8.6	10.8	8.9	44.2	29.7	24.6	25.6	28.8	34.3	46.5	40.0
1964	24.6	9.5	10.5	8.7	41.9	29.3	23.6	24.8	28.0	34.8	45.8	38.6
1963	23.1	8.0	10.2	8.0	40.0	26.9	22.0	23.8	27.0	32.6	45.1	39.8
1962	22.0	8.2	9.6	8.1	38.4	25.1	20.9	21.9	26.0	32.3	42.1	38.6
1961	20.8	7.4	9.7	7.6	36.5	24.3	19.5	21.1	24.4	30.8	41.1	36.4
1960	21.3	8.1	10.0	7.9	38.0	24.3	19.3	21.4	25.1	31.4	41.8	37.9
MALE												
1967	39.6	9.0	13.3	12.0	76.3	50.8	36.6	38.1	41.0	50.5	71.5	73.5
1966	40.1	10.5	13.1	12.5	76.4	51.8	38.0	39.1	42.1	49.7	74.5	82.4
1965	37.5	9.5	12.3	11.6	69.6	47.9	37.2	37.4	41.0	49.1	73.2	73.1
1964	36.0	9.3	12.0	11.4	65.7	47.2	35.6	36.2	39.2	50.4	70.9	62.8
1963	34.3	7.7	11.8	10.5	63.2	43.7	33.8	34.9	38.7	46.8	71.2	73.5
1962	32.5	8.6	10.5	10.7	61.1	40.8	31.5	32.0	37.0	46.4	65.6	69.8
1961	31.1	7.2	11.2	10.0	59.0	39.6	30.1	31.0	34.8	45.2	63.9	68.1
1960	31.8	8.6	11.5	10.4	61.2	40.1	29.9	31.6	35.6	45.8	66.0	62.7
FEMALE												
1967	14.6	9.6	9.7	6.8	21.2	13.1	12.3	14.5	17.4	23.5	29.1	20.8
1966	14.7	9.4	10.2	6.7	21.4	13.6	12.5	14.9	18.2	23.5	27.1	21.2
1965	13.8	7.8	9.2	6.2	19.0	12.1	12.6	14.5	17.6	22.3	27.2	20.8
1964	13.5	9.7	9.0	5.9	18.4	12.1	12.3	13.8	17.7	22.1	27.3	24.2
1963	12.4	8.3	8.6	5.4	17.1	10.8	10.7	13.1	16.1	20.8	25.6	19.5
1962	11.8	7.9	8.6	5.4	15.9	9.9	10.9	12.1	15.8	20.4	24.5	19.4
1961	10.9	7.5	8.2	5.0	14.5	9.6	9.5	11.4	14.8	18.4	23.6	16.4
1960	11.0	7.5	8.4	5.4	15.1	9.2	9.1	11.6	15.2	19.0	23.0	22.0

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Motor vehicle accidents (E810-E835)												
WHITE, BOTH SEXES												
1967	26.7	9.1	10.9	9.1	49.8	30.5	23.2	24.9	27.8	35.3	47.0	40.9
1966	27.0	9.8	11.2	9.5	50.0	31.2	23.7	25.5	29.1	35.0	47.1	43.7
1965	25.3	9.0	10.2	8.8	45.4	28.6	23.6	24.8	28.1	34.3	47.6	40.7
1964	24.6	9.8	10.3	8.5	43.5	28.6	22.6	23.9	27.4	34.7	46.6	39.4
1963	23.4	8.5	10.1	8.0	41.6	26.5	21.4	23.4	26.7	32.8	46.3	40.3
1962	22.2	8.3	9.5	8.0	39.8	24.8	20.3	21.4	25.7	32.4	43.6	40.5
1961	20.8	7.6	9.6	7.4	37.6	23.6	18.7	20.5	23.8	30.7	41.5	36.9
1960	21.2	8.1	9.8	7.9	39.0	23.6	18.5	20.4	24.5	31.5	42.5	37.5
WHITE, MALE												
1967	39.1	9.1	12.4	11.6	78.3	48.6	34.7	36.4	39.3	49.3	72.3	76.2
1966	39.6	10.0	12.4	12.3	78.4	49.7	35.8	37.1	40.6	48.7	74.8	83.9
1965	37.2	10.0	11.4	11.5	71.4	45.8	35.3	35.7	39.3	48.6	74.8	74.4
1964	35.8	9.5	11.3	11.1	67.8	45.7	33.5	34.4	37.9	49.5	72.2	63.7
1963	34.4	8.1	11.3	10.4	65.3	42.7	32.4	34.2	37.9	46.6	73.3	73.8
1962	32.6	8.7	10.3	10.7	63.2	39.9	30.4	31.0	36.0	45.9	67.8	74.3
1961	30.8	7.4	10.9	9.8	60.7	38.3	28.6	29.8	33.4	44.7	64.8	68.4
1960	31.5	8.8	11.3	10.3	62.7	38.6	28.4	29.7	34.4	45.5	66.8	61.9
WHITE, FEMALE												
1967	14.7	9.1	9.4	6.5	22.0	12.8	12.1	14.1	17.4	24.2	29.5	21.4
1966	14.8	9.5	9.9	6.6	21.9	13.2	12.2	14.5	18.5	24.2	27.7	21.2
1965	13.9	7.9	8.9	6.0	19.5	11.8	12.3	14.3	17.8	22.7	28.2	21.4
1964	13.8	10.1	9.1	5.8	19.3	11.9	12.1	13.8	17.8	22.6	28.0	25.2
1963	12.7	8.9	8.8	5.4	18.1	10.6	10.9	13.1	16.3	21.5	26.4	20.4
1962	12.1	7.9	8.6	5.3	16.7	10.1	10.7	12.2	16.2	21.0	25.6	20.1
1961	11.0	7.9	8.2	4.9	14.7	9.3	9.2	11.4	14.8	18.8	23.8	17.4
1960	11.2	7.5	8.3	5.3	15.6	9.0	8.9	11.4	15.3	19.3	23.8	22.2

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Motor vehicle accidents (E810-E835)												
ALL OTHER, BOTH SEXES												
1967	27.8	10.4	15.0	11.8	38.5	39.0	31.8	35.1	36.7	37.1	40.0	26.3
1966	28.0	11.1	14.4	10.6	39.4	40.1	34.4	37.6	34.9	36.4	41.4	39.3
1965	25.9	6.8	14.3	9.8	35.2	37.4	32.9	33.6	35.9	34.6	31.4	32.5
1964	24.4	7.8	12.2	9.9	30.5	34.4	32.3	32.9	34.1	36.2	34.7	28.2
1963	23.4	5.9	12.2	9.1	31.9	33.7	29.1	31.1	33.2	32.6	33.3	36.1
1962	22.4	8.7	11.1	9.0	30.3	29.9	29.0	29.3	32.2	34.7	29.9	*
1961	21.2	5.8	10.3	8.6	29.0	29.7	26.3	26.3	31.0	31.7	35.9	30.0
1960	21.9	7.7	11.2	8.3	30.3	29.5	26.2	30.5	30.7	30.9	32.4	41.9
ALL OTHER, MALE												
1967	42.9	8.9	18.6	14.8	62.7	67.2	52.8	54.4	57.9	62.6	62.0	*
1966	43.2	13.3	16.8	13.9	62.5	67.8	56.6	58.3	56.6	59.5	70.9	66.7
1965	39.9	*	18.0	12.5	56.2	64.2	53.4	52.6	57.9	54.0	54.0	61.8
1964	38.1	8.3	15.8	13.3	49.8	58.4	53.4	53.4	52.6	59.0	55.2	*
1963	36.7	*	15.4	12.2	53.5	56.9	49.4	48.1	51.4	52.9	52.7	72.4
1962	34.7	9.3	12.8	11.5	49.9	53.0	46.5	45.6	51.1	56.2	47.2	*
1961	32.9	6.4	12.4	11.2	46.7	50.4	42.8	42.2	48.2	51.5	53.5	66.7
1960	34.4	7.5	13.1	10.7	50.7	51.7	43.1	49.1	47.6	49.1	56.0	70.2
ALL OTHER, FEMALE												
1967	13.8	11.9	11.3	8.8	16.0	15.0	13.9	17.9	17.4	16.0	22.5	*
1966	13.9	8.9	11.9	7.3	17.7	16.3	15.3	18.8	15.0	17.2	17.6	*
1965	12.8	7.2	10.6	7.1	15.4	14.3	15.1	16.3	15.4	18.2	12.7	*
1964	11.5	7.3	8.5	6.5	12.3	13.7	13.9	14.1	16.8	16.6	17.6	*
1963	11.0	*	9.0	6.0	11.5	13.7	11.3	15.5	15.9	15.0	16.7	*
1962	10.8	8.0	9.4	6.5	12.0	10.0	13.6	14.0	14.1	15.8	14.7	*
1961	10.3	*	8.2	5.9	12.4	11.8	11.6	11.4	14.5	13.9	20.6	*
1960	10.1	7.8	9.4	5.9	11.2	10.3	11.0	12.8	14.4	14.4	*	*

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other accidents (E800-E802,E840-E962)												
BOTH SEXES												
1967	30.5	70.4	22.0	9.9	18.5	20.3	23.5	28.6	36.7	52.6	147.9	528.2
1966	30.9	77.1	22.9	10.2	18.2	19.2	22.9	29.4	37.2	54.1	156.9	546.5
1965	30.4	79.3	22.0	9.8	17.5	19.3	21.9	29.2	35.2	53.4	157.6	562.2
1964	29.8	76.8	21.4	10.1	17.2	19.0	21.6	27.8	34.8	52.7	154.9	540.8
1963	30.3	79.6	21.5	10.2	17.1	18.1	21.0	27.9	35.3	55.2	162.7	594.5
1962	30.3	81.2	21.3	9.9	16.6	18.3	21.2	28.4	34.3	56.3	165.5	592.1
1961	29.6	78.5	21.1	10.6	17.5	18.0	20.6	26.8	33.3	53.1	159.5	565.4
1960	31.0	85.1	21.6	11.3	18.1	18.6	21.7	28.4	33.9	56.7	172.7	586.8
MALE												
1967	41.3	79.3	26.2	14.6	32.1	34.9	38.7	45.5	57.6	72.6	161.8	514.3
1966	41.4	86.8	26.7	14.5	31.8	33.1	37.3	47.0	58.7	73.5	170.0	523.0
1965	40.6	88.9	26.4	14.0	30.3	32.9	35.8	46.3	55.2	73.3	168.7	541.2
1964	39.6	85.7	24.6	14.5	30.0	32.1	35.8	44.7	54.1	71.0	164.9	488.6
1963	39.9	87.8	24.7	14.5	29.5	30.8	34.3	44.7	54.9	73.8	167.9	567.6
1962	39.9	89.0	24.0	14.2	28.8	31.4	34.7	45.4	53.2	74.4	171.9	551.1
1961	39.3	88.8	23.9	15.3	30.5	30.6	34.1	43.5	52.2	69.2	163.9	507.5
1960	41.1	94.4	24.3	16.3	31.7	31.9	35.9	46.1	52.6	74.0	170.3	519.2
FEMALE												
1967	20.3	61.3	17.6	5.1	5.3	6.2	9.2	12.7	17.7	36.8	138.2	536.1
1966	20.9	67.1	18.9	5.8	4.8	5.9	9.3	12.8	17.5	38.6	147.6	560.6
1965	20.6	69.3	17.5	5.4	4.8	6.2	8.7	13.0	16.9	37.4	149.6	574.4
1964	20.3	67.5	18.2	5.7	4.5	6.4	8.1	11.7	17.1	37.7	147.6	571.7
1963	21.0	71.1	18.1	5.9	4.9	5.9	8.5	11.8	17.2	39.7	158.8	609.7
1962	21.1	73.2	18.4	5.6	4.6	5.7	8.3	12.0	16.8	41.1	160.7	617.3
1961	20.2	67.7	18.3	5.7	4.7	5.8	7.8	10.7	15.7	39.4	156.3	600.8
1960	21.3	75.5	18.7	6.3	4.6	5.9	8.0	11.2	16.3	41.6	174.5	630.0

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other accidents (E800-E802,E840-E962)												
WHITE, BOTH SEXES												
1967	29.1	55.1	18.4	9.0	17.2	17.9	20.8	26.3	34.4	51.1	149.3	550.0
1966	29.3	59.8	19.0	9.0	16.9	17.1	20.3	26.7	34.5	51.5	157.8	565.0
1965	28.9	62.2	18.4	8.6	16.3	17.5	19.1	26.8	33.0	51.8	160.1	583.2
1964	28.3	61.8	17.8	9.0	15.9	16.9	19.2	25.7	32.7	51.3	156.8	560.2
1963	28.9	63.9	17.9	9.0	15.9	16.2	19.1	26.1	33.3	53.1	164.2	618.5
1962	29.0	65.7	17.9	8.7	15.5	16.7	19.4	26.6	32.1	54.2	167.9	609.7
1961	28.2	64.8	17.6	9.5	16.3	16.3	18.3	24.7	31.1	51.9	162.5	587.4
1960	29.4	68.2	17.7	9.9	16.7	16.9	19.3	26.1	31.5	54.9	174.9	609.2
WHITE, MALE												
1967	38.7	62.9	22.5	13.3	29.8	30.9	34.1	41.4	53.9	70.4	162.4	540.3
1966	38.7	68.1	23.1	12.8	29.5	29.7	33.0	42.7	54.6	70.0	170.5	540.2
1965	38.1	72.7	22.9	12.6	28.2	29.7	31.2	42.2	51.9	71.0	169.9	556.7
1964	37.3	69.6	21.3	13.0	27.8	28.6	31.7	40.9	51.0	69.0	168.1	508.7
1963	37.8	72.9	21.4	13.1	27.4	28.0	31.1	41.7	52.1	71.5	169.4	593.8
1962	37.9	74.0	21.3	12.7	26.7	28.8	31.9	42.5	50.1	72.1	174.5	573.7
1961	37.2	73.7	21.0	14.0	28.6	28.1	30.5	40.0	49.2	67.9	166.8	527.8
1960	38.6	76.8	20.6	14.5	29.5	29.1	32.4	42.6	49.7	72.3	171.9	538.5
WHITE, FEMALE												
1967	19.9	46.9	14.0	4.5	4.9	5.3	8.0	12.0	16.8	35.8	140.2	555.3
1966	20.2	51.1	14.8	5.1	4.5	4.8	8.2	11.6	16.2	36.7	148.7	578.8
1965	20.1	51.3	13.7	4.5	4.4	5.5	7.5	12.2	15.7	36.3	153.2	598.3
1964	19.6	53.7	14.1	4.7	4.0	5.3	7.1	11.0	15.9	36.8	148.6	589.3
1963	20.3	54.5	14.3	4.7	4.4	4.6	7.6	11.0	15.9	37.9	160.5	633.3
1962	20.3	57.1	14.3	4.5	4.3	4.7	7.3	11.3	15.3	39.1	163.0	632.8
1961	19.5	55.5	14.0	4.7	4.1	4.7	6.6	9.8	14.2	38.2	159.2	625.4
1960	20.4	59.3	14.7	5.0	4.1	5.0	6.8	10.0	14.4	39.9	177.2	653.7

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
Other accidents (E800-E802,E840-E962)												
ALL OTHER, BOTH SEXES												
1967	40.8	153.6	41.9	15.4	27.9	37.0	45.0	49.3	58.6	68.4	130.1	278.9
1966	43.3	168.6	44.3	17.5	27.5	34.3	43.5	53.9	63.0	81.4	145.4	330.3
1965	41.3	172.2	42.5	16.8	25.6	32.4	44.5	51.0	57.1	70.5	124.7	316.9
1964	40.8	159.9	42.3	17.3	26.5	34.6	41.3	47.6	56.1	67.7	130.5	301.3
1963	42.1	166.1	42.5	18.3	27.2	33.2	39.6	47.5	58.5	77.6	141.2	343.1
1962	41.9	169.9	41.9	18.0	26.4	32.4	39.1	47.0	57.8	80.6	135.9	351.4
1961	40.2	155.9	41.9	17.7	25.6	30.6	40.3	46.6	55.5	66.8	120.3	284.3
1960	44.1	181.2	44.5	20.9	27.6	32.1	41.5	49.7	58.7	76.9	142.4	318.3
ALL OTHER, MALE												
1967	60.2	169.9	46.7	22.3	48.8	66.0	76.4	83.6	93.6	93.5	153.3	256.4
1966	62.0	186.7	47.0	24.7	48.9	58.4	73.2	87.0	98.3	108.6	162.6	344.4
1965	59.3	178.6	46.2	22.6	45.0	56.9	75.0	84.6	87.8	96.2	154.0	391.2
1964	57.7	177.2	43.7	23.3	46.2	59.0	70.6	80.3	84.3	91.0	126.7	265.6
1963	58.1	172.4	45.2	23.8	46.5	55.3	65.9	77.3	87.7	100.2	154.5	313.8
1962	57.7	177.0	41.8	23.9	46.7	54.9	64.8	77.7	85.5	99.8	144.7	337.9
1961	55.5	176.8	41.3	23.5	43.9	50.4	65.7	76.1	81.3	83.1	128.3	293.3
1960	60.6	196.8	46.9	27.8	48.1	54.4	67.3	78.8	81.5	93.8	150.8	315.7
ALL OTHER, FEMALE												
1967	22.9	137.3	37.0	8.6	8.3	12.1	18.1	18.7	26.9	47.6	111.7	289.5
1966	26.0	150.2	41.6	10.2	7.3	13.6	17.9	24.0	30.6	58.7	132.1	320.8
1965	24.4	165.2	38.7	11.0	7.2	11.3	18.1	20.5	28.6	48.8	100.5	265.3
1964	25.0	143.0	40.8	11.3	7.9	13.5	15.8	17.5	29.6	47.4	133.7	333.3
1963	27.0	160.3	39.8	12.8	9.0	14.0	16.4	19.9	30.9	58.0	129.7	371.4
1962	27.0	162.8	42.0	12.1	7.4	13.0	16.4	18.3	31.4	64.1	128.3	370.0
1961	25.7	135.7	42.6	11.9	8.5	13.6	17.6	18.7	31.0	52.2	113.9	277.5
1960	28.6	165.7	42.2	14.0	8.4	12.8	18.3	22.0	36.7	61.4	134.9	320.3

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.



77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E963-E979 Suicide												
BOTH SEXES												
1967	10.8	...	...	0.3	6.9	12.3	16.6	19.7	22.2	19.2	21.5	22.5
1966	10.9	...	...	0.3	6.4	12.3	15.8	20.2	22.7	20.8	24.8	23.7
1965	11.1	...	...	0.3	6.2	12.2	16.7	20.9	23.7	21.2	24.7	24.2
1964	10.8	...	...	0.2	6.0	11.8	15.6	20.7	22.6	21.4	24.3	25.2
1963	11.0	...	...	0.3	6.0	11.8	16.0	21.2	23.5	21.8	25.7	24.5
1962	10.9	...	...	0.3	5.7	11.3	15.0	21.1	23.7	21.9	27.5	26.7
1961	10.4	...	...	0.2	5.1	10.3	14.4	20.3	23.1	21.8	26.1	25.0
1960	10.6	...	...	0.3	5.2	10.0	14.2	20.7	23.7	23.0	27.9	26.0
MALE												
1967	15.8	...	...	0.5	10.5	17.2	22.8	27.7	34.1	31.9	42.7	53.3
1966	16.1	...	...	0.5	9.7	17.2	21.5	28.7	36.0	35.6	49.7	58.2
1965	16.3	...	...	0.4	9.4	17.2	22.6	29.4	37.1	36.2	48.2	54.5
1964	16.1	...	...	0.4	9.2	16.9	21.3	30.1	36.0	36.0	48.7	61.0
1963	16.5	...	...	0.4	9.0	16.6	22.4	30.9	37.2	37.4	50.3	57.0
1962	16.5	...	...	0.5	8.5	15.9	21.6	31.0	38.0	38.2	54.2	58.3
1961	16.1	...	...	0.3	7.9	14.9	21.2	31.0	37.5	37.4	50.7	56.8
1960	16.5	...	...	0.4	8.2	14.7	21.0	31.6	38.1	39.6	52.5	57.4
FEMALE												
1967	6.1	...	...	0.1	3.5	7.6	10.6	12.2	11.4	9.0	6.7	5.3
1966	5.9	...	...	0.1	3.1	7.5	10.3	12.1	10.6	8.9	7.2	4.0
1965	6.1	...	...	*	3.0	7.4	11.1	12.8	11.3	9.1	7.7	6.6
1964	5.6	...	...	*	2.8	6.9	10.1	11.7	10.2	9.5	6.5	4.0
1963	5.8	...	...	*	3.0	7.2	9.9	12.0	10.8	8.9	7.5	4.9
1962	5.4	...	...	*	2.9	6.8	8.8	11.6	10.4	8.1	7.3	7.2
1961	4.9	...	...	*	2.3	5.8	7.8	10.0	9.7	8.5	7.2	4.9
1960	4.9	...	...	*	2.2	5.5	7.7	10.2	10.2	8.4	8.9	6.0

... Not applicable.

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E963-E979 Suicide												
WHITE, BOTH SEXES												
1967	11.6	...	...	0.3	7.1	12.5	17.5	21.0	23.6	20.4	22.6	23.9
1966	11.7	...	...	0.3	6.5	12.4	16.9	21.5	24.2	22.1	26.0	24.4
1965	11.9	...	...	0.3	6.2	12.6	17.6	22.2	25.2	22.6	25.8	25.6
1964	11.6	...	...	0.3	6.1	12.1	16.5	22.2	24.0	22.8	25.6	27.1
1963	11.9	...	...	0.3	6.1	12.2	17.1	22.9	25.3	23.0	27.1	25.6
1962	11.8	...	...	0.3	5.8	11.8	16.1	22.8	25.2	23.4	29.0	28.2
1961	11.1	...	...	0.2	5.1	10.4	15.2	21.6	24.5	23.1	27.4	26.3
1960	11.4	...	...	0.3	5.4	10.3	14.9	22.1	25.0	24.2	29.4	27.4
WHITE, MALE												
1967	16.9	...	...	0.5	10.8	17.2	23.8	29.4	36.2	34.1	45.1	57.6
1966	17.2	...	...	0.5	9.9	17.2	22.8	30.3	38.2	38.0	52.4	60.9
1965	17.5	...	...	0.5	9.5	17.7	23.5	31.1	39.5	38.5	50.8	59.0
1964	17.3	...	...	0.5	9.3	17.0	22.3	32.1	38.4	38.3	51.6	66.2
1963	17.8	...	...	0.5	9.2	16.9	23.6	33.2	40.2	39.6	53.4	60.4
1962	17.9	...	...	0.5	8.7	16.5	22.9	33.5	40.5	40.9	57.7	62.3
1961	17.1	...	...	0.4	7.9	14.7	22.4	32.8	39.7	39.7	53.5	60.8
1960	17.6	...	...	0.5	8.6	14.9	21.9	33.7	40.2	42.0	55.7	61.3
WHITE, FEMALE												
1967	6.5	...	...	0.1	3.4	7.9	11.5	13.1	12.2	9.6	7.0	5.4
1966	6.3	...	...	*	3.1	7.8	11.3	13.1	11.4	9.5	7.5	4.1
1965	6.6	...	...	*	2.9	7.6	12.0	13.8	12.2	9.8	8.0	6.5
1964	6.1	...	...	*	2.9	7.3	10.9	12.7	10.8	10.1	6.8	4.3
1963	6.3	...	...	*	3.1	7.5	10.9	13.0	11.6	9.3	7.8	5.0
1962	5.9	...	...	*	2.9	7.2	9.5	12.4	11.1	8.6	7.6	7.5
1961	5.3	...	...	*	2.3	6.1	8.3	10.8	10.4	9.0	7.6	4.9
1960	5.3	...	...	*	2.3	5.8	8.1	10.9	10.9	8.8	9.2	6.1

... Not applicable.

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E963-E979 Suicide												
ALL OTHER, BOTH SEXES												
1967	5.1	...	...	*	6.1	11.0	8.9	7.4	7.9	6.2	7.5	*
1966	5.0	...	...	*	5.8	11.3	6.8	8.5	8.6	7.1	9.0	*
1965	5.1	...	...	*	5.8	9.5	9.1	8.6	8.2	7.2	9.8	*
1964	4.6	...	...	*	5.0	9.8	8.1	7.4	8.0	6.9	7.7	*
1963	5.0	...	...	*	5.0	9.9	9.0	8.0	7.3	10.0	10.1	*
1962	4.7	...	...	*	5.2	8.3	8.1	7.7	9.1	8.3	8.4	*
1961	4.7	...	...	*	4.7	9.3	7.5	8.2	8.9	7.0	8.8	*
1960	4.5	...	...	*	3.4	7.9	8.3	7.9	10.0	8.0	7.6	*
ALL OTHER, MALE												
1967	7.7	...	...	*	8.4	17.3	14.4	11.6	13.0	10.3	13.6	*
1966	7.9	...	...	*	8.8	17.5	11.2	14.1	14.2	11.9	16.8	*
1965	7.8	...	...	*	8.7	13.9	14.9	13.5	14.1	13.2	17.0	*
1964	7.3	...	...	*	8.1	15.8	12.7	11.8	12.3	11.8	13.4	*
1963	8.0	...	...	*	7.5	15.7	14.8	13.6	12.7	16.4	20.0	*
1962	7.2	...	...	*	7.6	12.6	12.8	12.4	14.7	15.7	14.3	*
1961	7.6	...	...	*	7.6	16.2	11.5	14.0	15.0	12.8	17.0	*
1960	7.2	...	...	*	5.3	12.9	13.5	12.8	16.9	12.6	*	*
ALL OTHER, FEMALE												
1967	2.7	...	...	*	4.0	5.6	4.2	3.6	3.2	*	*	*
1966	2.4	...	...	*	2.9	6.0	3.0	3.6	3.5	*	*	*
1965	2.5	...	...	*	3.1	5.8	4.2	4.2	2.7	*	*	*
1964	2.2	...	...	*	2.0	4.5	4.1	3.4	3.9	*	*	*
1963	2.2	...	...	*	2.5	4.9	4.0	2.7	*	4.5	*	*
1962	2.2	...	...	*	3.0	4.5	3.9	3.3	3.8	*	*	*
1961	1.9	...	...	*	2.0	3.5	3.9	2.7	3.2	*	*	*
1960	2.0	...	...	*	1.5	3.5	3.7	3.2	3.4	*	*	*

... Not applicable.

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E963-E979 Suicide												
BLACK, BOTH SEXES												
1967	4.5	...	...	*	5.4	10.2	8.6	6.8	6.3	5.8	5.3	*
1966	4.5	...	...	*	5.0	10.8	6.3	8.1	7.1	5.9	5.7	*
1965	4.6	...	...	*	5.4	8.9	8.3	8.3	7.1	5.7	7.0	*
1964	4.3	...	...	*	4.6	9.0	7.8	7.1	7.3	6.1	*	*
1963	---	---	---	---	---	---	---	---	---	---	---	---
1962	---	---	---	---	---	---	---	---	---	---	---	---
1961	4.0	...	...	*	4.1	8.1	6.5	7.8	7.7	5.3	*	*
1960	3.9	...	...	*	2.7	7.4	7.6	6.8	9.4	6.5	*	*
BLACK, MALE												
1967	6.9	...	...	*	7.1	16.2	13.9	10.9	10.6	10.5	*	*
1966	7.1	...	...	*	7.8	17.1	10.7	13.6	12.0	10.3	*	*
1965	7.3	...	...	*	8.1	13.4	14.4	13.0	12.8	11.4	13.4	*
1964	6.7	...	...	*	7.5	14.7	12.3	11.4	11.5	10.9	*	*
1963	---	---	---	---	---	---	---	---	---	---	---	---
1962	---	---	---	---	---	---	---	---	---	---	---	---
1961	6.7	...	...	*	6.8	14.1	10.2	13.6	13.2	9.5	*	*
1960	6.4	...	...	*	4.1	12.4	12.8	10.8	16.2	11.3	*	*
BLACK, FEMALE												
1967	2.4	...	...	*	3.8	5.1	4.1	3.2	2.6	*	*	*
1966	2.0	...	...	*	2.3	5.4	2.6	3.3	2.8	*	*	*
1965	2.1	...	...	*	2.7	5.1	3.1	4.2	*	*	*	*
1964	2.0	...	...	*	1.9	4.1	4.0	3.3	3.5	*	*	*
1963	---	---	---	---	---	---	---	---	---	---	---	---
1962	---	---	---	---	---	---	---	---	---	---	---	---
1961	1.6	...	...	*	1.6	3.0	3.3	2.5	*	*	*	*
1960	1.6	...	...	*	*	3.0	3.0	3.1	3.0	*	*	*

... Not applicable.

--- Data not available

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

Deaths for suicides by age and sex for black population: United States, 1960-61, 1964-67

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E964-E985 Homicide												
BOTH SEXES												
1967	6.8	6.6	1.2	0.7	9.0	14.5	12.1	8.3	5.5	4.1	3.3	3.8
1966	5.9	5.9	1.2	0.6	7.6	12.2	10.5	7.7	5.3	3.3	2.9	3.1
1965	5.5	5.6	1.2	0.6	6.8	11.8	9.9	7.0	5.0	3.2	2.8	2.4
1964	5.1	5.5	1.2	0.6	6.3	10.5	9.2	6.7	4.6	2.8	2.5	3.1
1963	4.9	5.1	1.1	0.6	5.8	10.2	8.8	6.2	4.5	2.9	2.8	2.4
1962	4.9	5.2	0.9	0.6	5.9	9.9	8.6	6.4	4.5	3.0	2.6	3.4
1961	4.7	4.6	1.0	0.5	5.7	9.6	8.3	6.3	4.0	2.8	2.9	2.8
1960	4.7	4.8	0.7	0.5	5.9	9.7	8.1	6.2	4.2	2.8	2.4	2.4
MALE												
1967	10.6	6.9	1.1	0.7	14.3	23.6	19.1	13.2	9.3	6.9	4.8	4.9
1966	9.1	6.5	1.2	0.7	12.0	19.0	16.8	12.3	8.6	5.4	3.9	5.1
1965	8.6	6.4	1.2	0.7	10.7	18.7	15.5	11.2	8.1	5.5	4.7	*
1964	7.9	5.6	1.3	0.7	9.9	16.3	14.5	10.8	7.4	4.2	4.0	*
1963	7.5	5.1	1.2	0.6	9.0	16.1	13.8	9.8	7.4	4.4	4.0	*
1962	7.3	5.6	0.9	0.5	9.0	15.4	13.0	10.4	7.4	4.7	3.8	*
1961	7.0	4.9	1.0	0.6	8.8	14.7	12.5	9.9	6.4	4.8	3.8	*
1960	7.1	4.7	0.7	0.5	9.1	14.9	12.3	9.6	6.6	4.6	3.7	*
FEMALE												
1967	3.2	6.1	1.2	0.7	3.9	5.8	5.5	3.7	2.2	1.8	2.2	3.2
1966	2.9	5.3	1.2	0.6	3.4	5.6	4.7	3.5	2.4	1.7	2.2	*
1965	2.6	4.9	1.1	0.5	3.0	5.2	4.5	3.1	2.1	1.4	1.4	*
1964	2.5	5.5	1.2	0.5	2.7	4.9	4.3	2.8	2.0	1.6	1.4	*
1963	2.4	5.0	1.1	0.5	2.6	4.5	4.1	2.8	1.8	1.6	1.9	*
1962	2.4	4.9	0.9	0.6	2.8	4.5	4.4	2.5	1.8	1.6	1.7	3.5
1961	2.4	4.4	1.0	0.4	2.7	4.7	4.3	2.8	1.6	1.2	2.1	*
1960	2.4	4.9	0.7	0.4	2.8	4.6	4.1	2.9	2.0	1.3	1.3	*

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E964-E985 Homicide												
WHITE, BOTH SEXES												
1967	3.6	5.2	0.9	0.5	4.2	6.6	5.9	4.6	3.5	3.0	3.0	3.5
1966	3.1	5.1	0.9	0.5	3.5	5.5	4.9	4.3	3.5	2.4	2.2	3.0
1965	3.0	4.5	0.9	0.5	3.3	5.1	4.8	4.0	3.3	2.3	2.2	*
1964	2.7	4.3	1.0	0.5	3.0	4.8	4.2	3.8	3.0	2.1	2.1	2.8
1963	2.7	4.2	1.0	0.5	2.8	4.8	4.3	3.5	2.8	2.2	2.4	2.2
1962	2.7	4.3	0.8	0.5	2.8	4.5	4.2	3.7	2.9	2.3	2.3	3.2
1961	2.6	3.7	0.8	0.4	2.7	4.4	4.1	3.7	2.6	2.1	2.4	*
1960	2.5	3.7	0.6	0.4	3.0	4.1	3.8	3.5	2.9	2.2	1.8	*
WHITE, MALE												
1967	5.3	5.6	0.9	0.5	6.2	10.4	8.8	6.9	5.7	4.9	4.0	*
1966	4.5	5.4	0.9	0.5	5.0	8.2	7.6	6.3	5.3	3.6	2.8	*
1965	4.4	5.4	1.0	0.5	4.9	7.8	7.3	6.1	5.2	3.5	3.6	*
1964	3.9	4.6	1.1	0.6	4.4	6.9	6.1	5.8	4.7	2.8	3.1	*
1963	3.9	4.2	1.1	0.5	4.2	7.3	6.4	5.1	4.4	3.3	3.2	*
1962	3.8	4.4	0.8	0.5	3.8	6.8	6.0	5.7	4.6	3.3	3.1	*
1961	3.6	4.0	0.8	0.5	3.9	6.4	5.8	5.4	4.1	3.3	2.9	*
1960	3.6	3.8	0.6	0.4	4.4	6.2	5.5	5.0	4.3	3.4	2.7	*
WHITE, FEMALE												
1967	1.9	4.7	0.9	0.5	2.2	2.8	3.2	2.3	1.5	1.4	2.3	3.0
1966	1.8	4.8	0.9	0.4	2.0	2.9	2.4	2.4	1.9	1.5	1.8	*
1965	1.6	3.7	0.8	0.4	1.8	2.5	2.3	2.0	1.6	1.3	1.3	*
1964	1.6	4.0	0.9	0.4	1.6	2.7	2.4	1.9	1.5	1.5	1.4	*
1963	1.5	4.2	0.9	0.4	1.4	2.3	2.2	2.0	1.4	1.3	1.8	*
1962	1.6	4.2	0.9	0.5	1.7	2.2	2.5	1.8	1.4	1.5	1.6	*
1961	1.5	3.3	0.8	0.4	1.5	2.4	2.5	2.1	1.2	1.1	2.0	*
1960	1.4	3.5	0.5	0.3	1.5	2.0	2.2	1.9	1.5	1.1	1.2	*

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E964-E985 Homicide												
ALL OTHER, BOTH SEXES												
1967	30.2	14.0	2.5	2.0	42.4	70.9	60.7	42.0	25.7	15.3	7.2	*
1966	26.5	10.4	3.1	1.6	36.6	59.6	55.1	39.2	23.1	12.4	12.0	*
1965	24.6	11.8	2.6	1.6	31.5	59.6	51.0	34.7	21.2	13.6	10.0	*
1964	23.0	12.3	2.3	1.4	30.1	51.4	50.5	33.4	20.2	10.7	7.7	*
1963	22.0	9.6	1.9	1.4	27.7	50.7	48.2	31.8	21.1	10.4	8.1	*
1962	21.8	10.1	1.5	1.0	29.1	50.2	46.3	31.4	20.6	10.8	8.1	*
1961	20.9	10.2	2.2	1.2	26.9	48.2	43.5	29.7	17.5	11.3	9.7	*
1960	21.9	11.6	1.7	1.2	27.0	51.6	44.6	31.4	17.7	10.5	9.4	*
ALL OTHER, MALE												
1967	49.9	14.1	2.2	2.4	70.9	123.7	105.3	71.7	44.1	26.9	14.7	*
1966	43.7	12.6	3.0	1.8	62.3	101.6	93.8	67.8	40.1	23.3	16.8	*
1965	40.4	12.2	2.6	2.2	52.7	101.7	85.5	58.9	36.5	26.4	17.6	*
1964	37.6	10.9	2.1	1.3	50.2	87.8	86.2	58.2	34.6	18.8	15.7	*
1963	35.8	10.1	1.9	1.5	45.7	86.2	80.8	54.7	37.6	16.2	13.3	*
1962	35.6	11.3	1.7	1.2	48.4	84.0	76.1	56.0	36.1	19.6	12.4	*
1961	33.6	10.0	2.1	1.5	44.3	80.7	70.9	51.1	30.0	21.1	15.7	*
1960	34.5	10.1	*	1.4	43.7	84.7	72.3	51.5	29.1	18.6	16.7	*
ALL OTHER, FEMALE												
1967	11.9	13.8	2.7	1.5	15.9	25.8	22.6	15.4	8.9	5.6	*	*
1966	10.5	8.2	3.1	1.4	12.5	23.6	21.8	13.4	7.6	*	*	*
1965	10.0	11.3	2.6	1.0	11.5	23.2	21.1	12.7	6.9	*	*	*
1964	9.2	13.7	2.6	1.4	11.0	19.9	19.3	10.7	6.7	3.6	*	*
1963	9.0	9.1	2.0	1.3	10.8	19.9	19.6	10.6	5.5	5.4	*	*
1962	8.9	9.0	*	0.8	11.0	20.9	20.0	8.5	5.9	*	*	*
1961	8.8	10.5	2.4	0.8	10.6	20.2	19.1	9.5	5.6	*	*	*
1960	9.9	13.0	1.7	1.0	11.3	22.9	19.6	12.3	6.6	*	*	*

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

\* Figure does not meet standards of reliability or precision, see Technical notes.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E964-E985 Homicide												
BLACK, BOTH SEXES												
1967	32.5	15.0	2.5	2.1	45.7	78.0	66.6	45.5	27.3	15.4	7.7	*
1966	28.5	11.3	3.2	1.7	39.9	65.5	60.4	41.5	24.5	12.6	12.5	*
1965	26.3	12.1	2.8	1.6	34.0	65.1	55.3	36.9	22.1	13.9	10.1	*
1964	24.6	13.2	2.4	1.5	32.5	55.8	55.2	35.2	21.7	11.1	8.1	*
1963	---	---	---	---	---	---	---	---	---	---	---	---
1962	---	---	---	---	---	---	---	---	---	---	---	---
1961	22.2	11.0	2.4	1.2	28.8	52.4	46.7	31.0	18.5	11.7	10.1	*
1960	23.1	12.1	1.7	1.2	28.5	56.0	47.2	32.8	18.8	10.7	8.8	*
BLACK, MALE												
1967	54.1	15.6	2.2	2.6	76.6	137.5	116.6	78.5	47.6	27.6	16.0	*
1966	47.4	14.0	3.1	1.9	68.3	112.3	103.2	72.8	43.1	23.8	18.1	*
1965	43.4	11.9	2.7	2.2	57.1	111.4	93.5	63.7	39.2	27.3	17.8	*
1964	40.6	11.6	2.3	1.4	54.5	95.4	94.8	62.4	38.0	20.2	16.9	*
1963	---	---	---	---	---	---	---	---	---	---	---	---
1962	---	---	---	---	---	---	---	---	---	---	---	---
1961	36.0	10.6	2.3	1.6	47.8	88.3	76.5	54.3	32.2	22.4	16.6	*
1960	36.7	10.3	*	1.4	46.4	92.0	77.5	54.8	31.8	19.1	16.1	*
BLACK, FEMALE												
1967	12.6	14.5	2.7	1.6	17.0	27.7	24.2	16.5	9.5	5.6	*	*
1966	11.2	8.6	3.2	1.5	13.5	25.5	23.8	13.8	8.0	*	*	*
1965	10.5	12.3	2.8	1.0	12.3	25.3	22.4	13.0	6.9	*	*	*
1964	9.8	14.9	2.5	1.5	11.9	21.8	20.9	11.0	7.0	*	*	*
1963	---	---	---	---	---	---	---	---	---	---	---	---
1962	---	---	---	---	---	---	---	---	---	---	---	---
1961	9.3	11.5	2.5	0.9	11.2	21.7	20.5	9.7	5.9	*	*	*
1960	10.4	13.8	*	1.0	11.9	24.9	20.5	12.7	6.8	*	*	*

--- Data not available

\* Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

Deaths for homicides by age and sex for black population: United States, 1960-61, 1964-67