

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	2,337,256	28,371	5,251	3,530	4,261	13,788	16,839	18,151	24,365	37,236	51,630
1997.....	2,314,245	28,045	5,501	3,645	4,416	14,272	17,272	19,272	26,266	38,172	51,236
1996.....	2,314,690	28,487	5,948	3,780	4,550	14,663	17,780	20,730	30,417	42,499	53,534
1995.....	2,312,132	29,583	6,393	3,780	4,816	15,089	19,155	22,681	35,064	46,487	55,783
1994.....	2,278,994	31,710	6,800	3,747	4,717	15,284	19,957	23,374	35,899	45,770	53,733
1993.....	2,268,553	33,466	7,066	3,918	4,740	14,997	20,486	24,085	35,560	44,330	51,708
1992.....	2,175,613	34,628	6,764	3,739	4,454	14,411	20,137	24,314	34,167	42,089	49,201
1991.....	2,169,518	36,766	7,214	3,926	4,553	15,313	21,139	25,485	34,143	40,561	47,561
1990.....	2,148,463	38,351	6,931	3,995	4,441	15,711	21,022	26,579	33,512	39,093	44,469
1989.....	2,150,466	39,655	7,292	4,313	4,601	15,570	20,918	26,930	33,594	37,862	43,057
1988.....	2,167,999	38,910	7,429	4,357	4,568	16,031	22,136	26,809	32,328	36,616	40,838
1987.....	2,123,323	38,408	7,473	4,301	4,442	15,615	22,408	26,500	31,201	34,902	38,561
1986.....	2,105,361	38,891	7,480	4,082	4,706	16,224	23,705	26,474	30,056	33,496	36,897
1985.....	2,086,440	40,030	7,339	4,168	4,765	15,068	22,867	24,729	27,123	30,439	35,376
1984.....	2,039,369	39,580	7,372	4,140	4,936	15,213	23,604	24,242	25,686	28,247	34,309
1983.....	2,019,201	40,627	7,801	4,259	4,884	15,717	23,365	24,170	24,612	26,512	32,837
1982.....	1,974,797	42,401	7,910	4,514	5,111	17,041	24,930	24,589	24,721	26,333	31,972
1981.....	1,977,981	43,305	8,046	4,671	5,407	18,485	26,624	25,828	25,425	25,949	32,589
1980.....	1,989,841	45,526	8,187	5,075	5,614	20,733	28,294	25,732	24,508	25,656	32,762
1979.....	1,913,841	45,665	8,108	5,278	5,868	21,085	27,634	24,814	23,127	25,103	32,620
TOTAL, MALE											
1998.....	1,157,260	15,786	2,920	2,038	2,648	9,913	12,804	12,890	16,325	24,034	33,105
1997.....	1,154,039	15,788	3,121	2,045	2,718	10,265	13,047	13,759	17,948	25,078	33,063
1996.....	1,163,569	15,965	3,349	2,200	2,803	10,682	13,631	14,825	21,245	28,806	35,498
1995.....	1,172,959	16,622	3,609	2,212	3,007	11,068	14,709	16,572	25,254	32,339	37,792
1994.....	1,162,747	17,814	3,841	2,186	2,996	11,444	15,314	17,130	26,050	32,027	36,717
1993.....	1,161,797	18,959	3,992	2,203	3,004	11,163	15,743	17,759	25,928	31,185	35,210
1992.....	1,122,336	19,545	3,809	2,231	2,849	10,747	15,460	18,032	24,863	29,641	33,354
1991.....	1,121,665	21,008	4,045	2,292	2,980	11,358	16,191	18,994	24,715	28,534	32,018
1990.....	1,113,417	21,856	3,969	2,363	2,764	11,671	16,202	19,794	24,263	27,601	29,861
1989.....	1,114,190	22,361	4,110	2,510	2,914	11,263	15,902	19,932	24,222	26,742	28,586
1988.....	1,125,540	22,007	4,221	2,574	2,907	11,687	16,844	19,653	23,332	25,433	27,001
1987.....	1,107,958	21,798	4,261	2,636	2,943	11,253	16,978	19,415	22,318	24,048	25,301
1986.....	1,104,005	22,224	4,262	2,437	3,066	11,786	18,048	19,595	21,631	23,027	23,896
1985.....	1,097,758	22,958	4,241	2,430	3,055	10,831	17,331	18,213	19,141	20,561	22,933
1984.....	1,076,514	22,359	4,142	2,480	3,105	10,928	17,732	17,750	18,017	18,694	21,893
1983.....	1,071,923	22,969	4,512	2,532	3,123	11,362	17,485	17,582	17,266	17,489	20,899
1982.....	1,056,440	24,073	4,448	2,686	3,237	12,524	18,852	18,052	17,310	17,366	20,289
1981.....	1,063,772	24,452	4,600	2,821	3,435	13,460	20,235	19,041	17,698	17,053	20,852
1980.....	1,075,078	25,804	4,761	2,989	3,571	15,207	21,696	19,037	17,003	16,822	20,790
1979.....	1,044,959	25,980	4,591	3,179	3,763	15,547	21,054	18,332	16,014	16,305	20,752

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	1,179,996	12,585	2,331	1,492	1,613	3,875	4,035	5,261	8,040	13,202	18,525
1997.....	1,160,206	12,257	2,380	1,600	1,698	4,007	4,225	5,513	8,318	13,094	18,173
1996.....	1,151,121	12,522	2,599	1,580	1,747	3,981	4,149	5,905	9,172	13,693	18,036
1995.....	1,139,173	12,961	2,784	1,568	1,809	4,021	4,446	6,109	9,810	14,148	17,991
1994.....	1,116,247	13,896	2,959	1,561	1,721	3,840	4,643	6,244	9,849	13,743	17,016
1993.....	1,106,756	14,507	3,074	1,715	1,736	3,834	4,743	6,326	9,632	13,145	16,498
1992.....	1,053,277	15,083	2,955	1,508	1,605	3,664	4,677	6,282	9,304	12,448	15,847
1991.....	1,047,853	15,758	3,169	1,634	1,573	3,955	4,948	6,491	9,428	12,027	15,543
1990.....	1,035,046	16,495	2,962	1,632	1,677	4,040	4,820	6,785	9,249	11,492	14,608
1989.....	1,036,276	17,294	3,182	1,803	1,687	4,307	5,016	6,998	9,372	11,120	14,471
1988.....	1,042,459	16,903	3,208	1,783	1,661	4,344	5,292	7,156	8,996	11,183	13,837
1987.....	1,015,365	16,610	3,212	1,665	1,499	4,362	5,430	7,085	8,883	10,854	13,260
1986.....	1,001,356	16,667	3,218	1,645	1,640	4,438	5,657	6,879	8,425	10,469	13,001
1985.....	988,682	17,072	3,098	1,738	1,710	4,237	5,536	6,516	7,982	9,878	12,443
1984.....	962,855	17,221	3,230	1,660	1,831	4,285	5,820	6,492	7,669	9,553	12,416
1983.....	947,278	17,658	3,289	1,727	1,761	4,355	5,880	6,588	7,346	9,023	11,938
1982.....	918,357	18,328	3,462	1,828	1,874	4,517	6,078	6,537	7,411	8,967	11,683
1981.....	914,209	18,853	3,446	1,850	1,972	5,025	6,389	6,787	7,727	8,896	11,737
1980.....	914,763	19,722	3,426	2,086	2,043	5,526	6,598	6,695	7,505	8,834	11,972
1979.....	868,882	19,685	3,517	2,099	2,105	5,538	6,580	6,482	7,113	8,798	11,868
WHITE, BOTH SEXES											
1998.....	2,015,984	18,561	3,628	2,456	3,157	10,325	11,971	12,663	17,417	27,304	38,043
1997.....	1,996,393	18,539	3,849	2,521	3,285	10,527	12,040	13,422	18,838	27,568	37,587
1996.....	1,992,966	18,761	4,041	2,693	3,352	10,619	12,324	14,424	21,422	30,277	38,621
1995.....	1,987,437	19,490	4,366	2,701	3,548	10,857	13,328	15,717	24,855	33,124	40,115
1994.....	1,959,875	20,504	4,583	2,646	3,438	10,773	13,744	16,175	25,265	32,530	38,543
1993.....	1,951,437	21,497	4,793	2,817	3,493	10,610	13,886	16,668	25,380	31,547	37,249
1992.....	1,873,781	22,164	4,685	2,690	3,299	10,308	14,033	17,051	24,450	30,127	35,886
1991.....	1,868,904	23,657	5,028	2,903	3,418	11,067	14,921	17,918	24,427	28,928	35,029
1990.....	1,853,254	24,883	4,866	2,949	3,323	11,678	15,230	19,018	23,737	27,949	33,074
1989.....	1,853,841	25,794	5,133	3,187	3,467	11,945	15,232	19,514	23,876	26,885	32,046
1988.....	1,876,906	25,925	5,380	3,193	3,460	12,538	16,502	19,510	23,031	26,043	30,717
1987.....	1,843,067	25,810	5,428	3,245	3,382	12,493	16,950	19,710	22,408	25,183	29,112
1986.....	1,831,083	26,564	5,426	2,998	3,664	13,293	18,465	19,683	21,804	24,609	27,937
1985.....	1,819,054	27,864	5,351	3,088	3,724	12,304	18,086	18,751	19,712	22,699	26,909
1984.....	1,781,897	27,608	5,413	3,121	3,890	12,625	18,890	18,433	18,967	21,185	26,125
1983.....	1,765,582	28,301	5,767	3,257	3,834	13,025	18,528	18,482	18,200	20,128	25,107
1982.....	1,729,085	29,659	5,895	3,443	4,085	14,138	19,922	18,668	18,209	19,967	24,529
1981.....	1,731,233	30,478	5,937	3,618	4,300	15,542	21,372	19,675	18,901	19,459	24,658
1980.....	1,738,607	31,880	6,099	3,898	4,503	17,530	22,530	19,469	18,229	19,166	24,698
1979.....	1,676,145	32,079	5,995	4,065	4,759	17,913	22,187	18,784	17,236	18,714	24,742

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	990,190	10,327	2,010	1,424	1,929	7,246	9,133	9,082	11,905	18,024	24,943
1997.....	986,884	10,503	2,193	1,446	2,033	7,397	9,017	9,644	13,104	18,501	24,691
1996.....	991,984	10,561	2,335	1,566	2,055	7,555	9,434	10,402	15,269	21,018	26,044
1995.....	997,277	11,103	2,477	1,589	2,213	7,773	10,226	11,650	18,302	23,474	27,575
1994.....	988,823	11,544	2,606	1,546	2,176	7,828	10,493	11,965	18,783	23,277	26,723
1993.....	988,329	12,222	2,747	1,616	2,208	7,628	10,613	12,475	18,901	22,676	25,626
1992.....	956,957	12,625	2,690	1,605	2,093	7,440	10,696	12,825	18,210	21,690	24,726
1991.....	956,497	13,696	2,818	1,697	2,219	7,941	11,392	13,470	18,039	20,704	23,848
1990.....	950,812	14,371	2,784	1,750	2,070	8,515	11,693	14,309	17,522	20,054	22,380
1989.....	950,852	14,760	2,910	1,864	2,211	8,450	11,560	14,640	17,498	19,234	21,376
1988.....	965,419	14,878	3,073	1,889	2,248	9,033	12,589	14,485	16,869	18,285	20,454
1987.....	953,382	14,763	3,117	2,002	2,231	8,912	12,928	14,562	16,279	17,461	19,203
1986.....	952,554	15,284	3,119	1,814	2,375	9,638	14,125	14,733	15,978	17,045	18,161
1985.....	950,455	16,218	3,111	1,815	2,400	8,807	13,775	14,005	14,097	15,429	17,478
1984.....	934,529	15,805	3,070	1,869	2,458	9,075	14,299	13,657	13,447	14,049	16,797
1983.....	931,779	16,131	3,340	1,961	2,463	9,462	14,021	13,593	12,872	13,374	16,045
1982.....	919,239	16,965	3,337	2,060	2,591	10,429	15,183	13,851	12,809	13,204	15,626
1981.....	925,490	17,411	3,397	2,181	2,760	11,310	16,355	14,641	13,218	12,829	15,849
1980.....	933,878	18,290	3,573	2,285	2,891	12,866	17,391	14,618	12,685	12,559	15,785
1979.....	910,137	18,502	3,435	2,450	3,053	13,265	17,076	13,989	11,977	12,172	15,726
WHITE FEMALE											
1998.....	1,025,794	8,234	1,618	1,032	1,228	3,079	2,838	3,581	5,512	9,280	13,100
1997.....	1,009,509	8,036	1,656	1,075	1,252	3,130	3,023	3,778	5,734	9,067	12,896
1996.....	1,000,982	8,200	1,706	1,127	1,297	3,064	2,890	4,022	6,153	9,259	12,577
1995.....	990,160	8,387	1,889	1,112	1,335	3,084	3,102	4,067	6,553	9,650	12,540
1994.....	971,052	8,960	1,977	1,100	1,262	2,945	3,251	4,210	6,482	9,253	11,820
1993.....	963,108	9,275	2,046	1,201	1,285	2,982	3,273	4,193	6,479	8,871	11,623
1992.....	916,824	9,539	1,995	1,085	1,206	2,868	3,337	4,226	6,240	8,437	11,160
1991.....	912,407	9,961	2,210	1,206	1,199	3,126	3,529	4,448	6,388	8,224	11,181
1990.....	902,442	10,512	2,082	1,199	1,253	3,163	3,537	4,709	6,215	7,895	10,694
1989.....	902,989	11,034	2,223	1,323	1,256	3,495	3,672	4,874	6,378	7,651	10,670
1988.....	911,487	11,047	2,307	1,304	1,212	3,505	3,913	5,025	6,162	7,758	10,263
1987.....	889,685	11,047	2,311	1,243	1,151	3,581	4,022	5,148	6,129	7,722	9,909
1986.....	878,529	11,280	2,307	1,184	1,289	3,655	4,340	4,950	5,826	7,564	9,776
1985.....	868,599	11,646	2,240	1,273	1,324	3,497	4,311	4,746	5,615	7,270	9,431
1984.....	847,368	11,803	2,343	1,252	1,432	3,550	4,591	4,776	5,520	7,136	9,328
1983.....	833,803	12,170	2,427	1,296	1,371	3,563	4,507	4,889	5,328	6,754	9,062
1982.....	809,846	12,694	2,558	1,383	1,494	3,709	4,739	4,817	5,400	6,763	8,903
1981.....	805,743	13,067	2,540	1,437	1,540	4,232	5,017	5,034	5,683	6,630	8,809
1980.....	804,729	13,590	2,526	1,613	1,612	4,664	5,139	4,851	5,544	6,607	8,913
1979.....	766,008	13,577	2,560	1,615	1,706	4,648	5,111	4,795	5,259	6,542	9,016

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
ALL OTHER, BOTH SEXES												
1998.....	321,272	9,810	1,623	1,074	1,104	3,463	4,868	5,488	6,948	9,932	13,587	
1997.....	317,852	9,506	1,652	1,124	1,131	3,745	5,232	5,850	7,428	10,604	13,649	
1996.....	321,724	9,726	1,907	1,087	1,198	4,044	5,456	6,306	8,995	12,222	14,913	
1995.....	324,695	10,093	2,027	1,079	1,268	4,232	5,827	6,964	10,209	13,363	15,668	
1994.....	319,119	11,206	2,217	1,101	1,279	4,511	6,213	7,199	10,634	13,240	15,190	
1993.....	317,116	11,969	2,273	1,101	1,247	4,387	6,600	7,417	10,180	12,783	14,459	
1992.....	301,832	12,464	2,079	1,049	1,155	4,103	6,104	7,263	9,717	11,962	13,315	
1991.....	300,614	13,109	2,186	1,023	1,135	4,246	6,218	7,567	9,716	11,633	12,532	
1990.....	295,209	13,468	2,065	1,046	1,118	4,033	5,792	7,561	9,775	11,144	11,395	
1989.....	296,625	13,861	2,159	1,126	1,134	3,625	5,686	7,416	9,718	10,977	11,011	
1988.....	291,093	12,985	2,049	1,164	1,108	3,493	5,634	7,299	9,297	10,573	10,121	
1987.....	280,256	12,598	2,045	1,056	1,060	3,122	5,458	6,790	8,793	9,719	9,449	
1986.....	274,278	12,327	2,054	1,084	1,042	2,931	5,240	6,791	8,252	8,887	8,960	
1985.....	267,386	12,166	1,988	1,080	1,041	2,764	4,781	5,978	7,411	7,740	8,467	
1984.....	257,472	11,972	1,959	1,019	1,046	2,588	4,714	5,809	6,719	7,062	8,184	
1983.....	253,619	12,326	2,034	1,002	1,050	2,692	4,837	5,688	6,412	6,384	7,730	
1982.....	245,712	12,742	2,015	1,071	1,026	2,903	5,008	5,921	6,512	6,366	7,443	
1981.....	246,748	12,827	2,109	1,053	1,107	2,943	5,252	6,153	6,524	6,490	7,931	
1980.....	251,234	13,646	2,088	1,177	1,111	3,203	5,764	6,263	6,279	6,490	8,064	
1979.....	237,696	13,586	2,113	1,213	1,109	3,172	5,447	6,030	5,891	6,389	7,878	
ALL OTHER MALE												
1998.....	167,070	5,459	910	614	719	2,667	3,671	3,808	4,420	6,010	8,162	
1997.....	167,155	5,285	928	599	685	2,868	4,030	4,115	4,844	6,577	8,372	
1996.....	171,585	5,404	1,014	634	748	3,127	4,197	4,423	5,976	7,788	9,454	
1995.....	175,682	5,519	1,132	623	794	3,295	4,483	4,922	6,952	8,865	10,217	
1994.....	173,924	6,270	1,235	640	820	3,616	4,821	5,165	7,267	8,750	9,994	
1993.....	173,468	6,737	1,245	587	796	3,535	5,130	5,284	7,027	8,509	9,584	
1992.....	165,379	6,920	1,119	626	756	3,307	4,764	5,207	6,653	7,951	8,628	
1991.....	165,168	7,312	1,227	595	761	3,417	4,799	5,524	6,676	7,830	8,170	
1990.....	162,605	7,485	1,185	613	694	3,156	4,509	5,485	6,741	7,547	7,481	
1989.....	163,338	7,601	1,200	646	703	2,813	4,342	5,292	6,724	7,508	7,210	
1988.....	160,121	7,129	1,148	685	659	2,654	4,255	5,168	6,463	7,148	6,547	
1987.....	154,576	7,035	1,144	634	712	2,341	4,050	4,853	6,039	6,587	6,098	
1986.....	151,451	6,940	1,143	623	691	2,148	3,923	4,862	5,653	5,982	5,735	
1985.....	147,303	6,740	1,130	615	655	2,024	3,556	4,208	5,044	5,132	5,455	
1984.....	141,985	6,554	1,072	611	647	1,853	3,433	4,093	4,570	4,645	5,096	
1983.....	140,144	6,838	1,172	571	660	1,900	3,464	3,989	4,394	4,115	4,854	
1982.....	137,201	7,108	1,111	626	646	2,095	3,669	4,201	4,501	4,162	4,663	
1981.....	138,282	7,041	1,203	640	675	2,150	3,880	4,400	4,480	4,224	5,003	
1980.....	141,200	7,514	1,188	704	680	2,341	4,305	4,419	4,318	4,263	5,005	
1979.....	134,822	7,478	1,156	729	710	2,282	3,978	4,343	4,037	4,133	5,026	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	154,202	4,351	713	460	385	796	1,197	1,680	2,528	3,922	5,425
1997.....	150,697	4,221	724	525	446	877	1,202	1,735	2,584	4,027	5,277
1996.....	150,139	4,322	893	453	450	917	1,259	1,883	3,019	4,434	5,459
1995.....	149,013	4,574	895	456	474	937	1,344	2,042	3,257	4,498	5,451
1994.....	145,195	4,936	982	461	459	895	1,392	2,034	3,367	4,490	5,196
1993.....	143,648	5,232	1,028	514	451	852	1,470	2,133	3,153	4,274	4,875
1992.....	136,453	5,544	960	423	399	796	1,340	2,056	3,064	4,011	4,687
1991.....	135,446	5,797	959	428	374	829	1,419	2,043	3,040	3,803	4,362
1990.....	132,604	5,983	880	433	424	877	1,283	2,076	3,034	3,597	3,914
1989.....	133,287	6,260	959	480	431	812	1,344	2,124	2,994	3,469	3,801
1988.....	130,972	5,856	901	479	449	839	1,379	2,131	2,834	3,425	3,574
1987.....	125,680	5,563	901	422	348	781	1,408	1,937	2,754	3,132	3,351
1986.....	122,827	5,387	911	461	351	783	1,317	1,929	2,599	2,905	3,225
1985.....	120,083	5,426	858	465	386	740	1,225	1,770	2,367	2,608	3,012
1984.....	115,487	5,418	887	408	399	735	1,281	1,716	2,149	2,417	3,088
1983.....	113,475	5,488	862	431	390	792	1,373	1,699	2,018	2,269	2,876
1982.....	108,511	5,634	904	445	380	808	1,339	1,720	2,011	2,204	2,780
1981.....	108,466	5,786	906	413	432	793	1,372	1,753	2,044	2,266	2,928
1980.....	110,034	6,132	900	473	431	862	1,459	1,844	1,961	2,227	3,059
1979.....	102,874	6,108	957	484	399	890	1,469	1,687	1,854	2,256	2,852
BLACK, BOTH SEXES											
1998.....	278,440	8,726	1,397	920	895	2,939	4,220	4,745	6,059	8,839	12,166
1997.....	276,520	8,496	1,383	947	943	3,188	4,550	5,093	6,582	9,470	12,177
1996.....	282,089	8,730	1,623	934	990	3,490	4,762	5,552	8,086	11,056	13,534
1995.....	286,401	9,118	1,742	915	1,059	3,675	5,048	6,209	9,231	12,215	14,261
1994.....	282,379	10,072	1,929	934	1,085	3,962	5,474	6,424	9,610	12,106	13,904
1993.....	282,151	10,887	1,975	936	1,056	3,832	5,867	6,667	9,276	11,745	13,119
1992.....	269,219	11,348	1,799	894	982	3,583	5,399	6,559	8,836	10,965	12,213
1991.....	269,525	11,994	1,930	879	990	3,737	5,566	6,811	8,882	10,651	11,408
1990.....	265,498	12,290	1,768	876	963	3,467	5,119	6,838	8,965	10,175	10,356
1989.....	267,642	12,527	1,830	953	967	3,120	5,037	6,685	8,947	10,050	10,025
1988.....	264,019	11,840	1,784	997	947	2,998	4,977	6,606	8,556	9,763	9,262
1987.....	254,814	11,461	1,785	905	896	2,706	4,791	6,110	8,108	8,957	8,598
1986.....	250,326	11,204	1,801	929	888	2,519	4,562	6,117	7,575	8,102	8,197
1985.....	244,207	11,063	1,704	921	906	2,345	4,158	5,382	6,762	7,050	7,729
1984.....	235,884	10,881	1,679	910	919	2,192	4,139	5,252	6,128	6,439	7,446
1983.....	233,124	11,242	1,794	864	920	2,304	4,225	5,109	5,845	5,800	7,032
1982.....	226,513	11,642	1,787	956	910	2,478	4,424	5,372	5,934	5,822	6,838
1981.....	228,560	11,757	1,881	937	976	2,533	4,679	5,608	5,916	5,937	7,246
1980.....	233,135	12,603	1,871	1,044	983	2,772	5,169	5,668	5,745	5,921	7,419
1979.....	220,818	12,586	1,888	1,098	1,003	2,761	4,830	5,433	5,373	5,877	7,286

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	143,417	4,883	795	532	582	2,296	3,226	3,310	3,832	5,302	7,288
1997.....	144,110	4,710	796	502	574	2,475	3,546	3,578	4,292	5,842	7,503
1996.....	149,472	4,837	869	542	618	2,728	3,694	3,887	5,372	7,044	8,591
1995.....	154,175	5,002	973	535	668	2,895	3,908	4,400	6,283	8,107	9,318
1994.....	153,019	5,642	1,065	549	694	3,209	4,277	4,611	6,580	8,006	9,192
1993.....	153,502	6,121	1,089	487	679	3,130	4,604	4,766	6,396	7,842	8,743
1992.....	146,630	6,298	965	529	633	2,923	4,246	4,695	6,083	7,308	7,949
1991.....	147,331	6,714	1,083	505	667	3,053	4,312	4,962	6,110	7,206	7,495
1990.....	145,359	6,811	999	512	601	2,737	3,994	4,949	6,220	6,910	6,817
1989.....	146,393	6,842	1,021	559	603	2,456	3,846	4,772	6,203	6,938	6,583
1988.....	144,228	6,503	1,016	592	561	2,312	3,744	4,677	5,967	6,632	6,011
1987.....	139,551	6,391	999	541	606	2,028	3,560	4,367	5,569	6,088	5,578
1986.....	137,214	6,305	992	528	591	1,847	3,409	4,384	5,210	5,491	5,276
1985.....	133,610	6,127	961	520	579	1,734	3,072	3,781	4,634	4,720	5,004
1984.....	129,147	5,961	919	538	577	1,565	2,991	3,697	4,200	4,269	4,651
1983.....	127,911	6,259	1,029	494	575	1,619	3,004	3,580	4,016	3,771	4,423
1982.....	125,610	6,485	990	557	573	1,782	3,251	3,821	4,116	3,826	4,291
1981.....	127,296	6,451	1,067	569	587	1,856	3,469	4,043	4,091	3,905	4,591
1980.....	130,138	6,958	1,069	627	613	2,015	3,854	4,020	3,993	3,906	4,615
1979.....	124,433	6,933	1,028	661	637	1,984	3,519	3,921	3,706	3,812	4,668
BLACK FEMALE											
1998.....	135,023	3,843	602	388	313	643	994	1,435	2,227	3,537	4,878
1997.....	132,410	3,786	587	445	369	713	1,004	1,515	2,290	3,628	4,674
1996.....	132,617	3,893	754	392	372	762	1,068	1,665	2,714	4,012	4,943
1995.....	132,226	4,116	769	380	391	780	1,140	1,809	2,948	4,108	4,943
1994.....	129,360	4,430	864	385	391	753	1,197	1,813	3,030	4,100	4,712
1993.....	128,649	4,766	886	449	377	702	1,263	1,901	2,880	3,903	4,376
1992.....	122,589	5,050	834	365	349	660	1,153	1,864	2,753	3,657	4,264
1991.....	122,194	5,280	847	374	323	684	1,254	1,849	2,772	3,445	3,913
1990.....	120,139	5,479	769	364	362	730	1,125	1,889	2,745	3,265	3,539
1989.....	121,249	5,685	809	394	364	664	1,191	1,913	2,744	3,112	3,442
1988.....	119,791	5,337	768	405	386	686	1,233	1,929	2,589	3,131	3,251
1987.....	115,263	5,070	786	364	290	678	1,231	1,743	2,539	2,869	3,020
1986.....	113,112	4,899	809	401	297	672	1,153	1,733	2,365	2,611	2,921
1985.....	110,597	4,936	743	401	327	611	1,086	1,601	2,128	2,330	2,725
1984.....	106,737	4,920	760	372	342	627	1,148	1,555	1,928	2,170	2,795
1983.....	105,213	4,983	765	370	345	685	1,221	1,529	1,829	2,029	2,609
1982.....	100,903	5,157	797	399	337	696	1,173	1,551	1,818	1,996	2,547
1981.....	101,264	5,306	814	368	389	677	1,210	1,565	1,825	2,032	2,655
1980.....	102,997	5,645	802	417	370	757	1,315	1,648	1,752	2,015	2,804
1979.....	96,385	5,653	860	437	366	777	1,311	1,512	1,667	2,065	2,618

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SHIGELLOSIS AND AMEBIASIS (004,006)											
TOTAL, BOTH SEXES											
1998.....	8	-	-	1	-	-	-	-	-	1	1
1997.....	6	-	-	1	-	-	-	-	1	-	-
1996.....	9	-	1	-	-	-	-	-	-	-	-
1995.....	12	-	1	-	-	-	-	-	-	-	-
1994.....	15	1	1	-	-	-	-	1	-	1	1
1993.....	11	1	1	-	-	1	1	-	-	-	1
1992.....	14	1	1	1	-	-	-	-	-	-	-
1991.....	15	3	3	-	-	-	-	-	2	-	-
1990.....	15	-	3	1	-	-	-	1	1	-	-
1989.....	20	-	4	3	-	-	-	-	1	1	1
1988.....	15	1	1	1	2	-	-	-	-	1	-
1987.....	22	1	3	2	1	-	-	1	1	-	1
1986.....	12	-	-	1	-	-	-	1	2	-	3
1985.....	27	1	5	1	1	-	-	-	2	-	-
1984.....	18	-	-	3	-	-	1	-	-	-	1
1983.....	30	-	4	1	-	-	-	1	1	-	-
1982.....	16	3	-	-	-	-	1	-	1	-	1
1981.....	27	1	5	1	-	1	-	-	1	1	-
1980.....	37	5	4	3	-	1	-	3	1	2	-
1979.....	38	4	8	1	1	-	-	-	-	2	-
TOTAL, MALE											
1998.....	3	-	-	-	-	-	-	-	-	1	1
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	3	-	-	-	-	-	-	-	-	-	-
1995.....	7	-	1	-	-	-	-	-	-	-	-
1994.....	7	-	-	-	-	-	-	-	-	-	1
1993.....	5	-	-	-	-	1	1	-	-	-	1
1992.....	12	1	1	1	-	-	-	-	-	-	-
1991.....	11	2	1	-	-	-	-	-	2	-	-
1990.....	5	-	1	-	-	-	-	1	-	-	-
1989.....	9	-	1	1	-	-	-	-	1	1	1
1988.....	5	-	-	1	2	-	-	-	-	1	-
1987.....	11	1	1	1	1	-	-	1	1	-	1
1986.....	9	-	-	-	-	-	-	-	2	-	3
1985.....	16	1	3	1	-	-	-	-	2	-	-
1984.....	11	-	-	-	-	-	1	-	-	-	1
1983.....	17	-	-	1	-	-	-	1	1	-	-
1982.....	8	2	-	-	-	-	-	-	-	-	1
1981.....	16	-	3	-	-	-	-	-	1	-	-
1980.....	21	4	2	1	-	-	-	3	1	2	-
1979.....	26	3	7	-	1	-	-	-	-	2	-

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SHIGELLOSIS AND AMEBIASIS (004,006)											
TOTAL, FEMALE											
1998.....	5	-	-	1	-	-	-	-	-	-	-
1997.....	5	-	-	1	-	-	-	-	1	-	-
1996.....	6	-	1	-	-	-	-	-	-	-	-
1995.....	5	-	-	-	-	-	-	-	-	-	-
1994.....	8	1	1	-	-	-	-	1	-	1	-
1993.....	6	1	1	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1991.....	4	1	2	-	-	-	-	-	-	-	-
1990.....	10	-	2	1	-	-	-	-	1	-	-
1989.....	11	-	3	2	-	-	-	-	-	-	-
1988.....	10	1	1	-	-	-	-	-	-	-	-
1987.....	11	-	2	1	-	-	-	-	-	-	-
1986.....	3	-	-	1	-	-	-	1	-	-	-
1985.....	11	-	2	-	1	-	-	-	-	-	-
1984.....	7	-	-	3	-	-	-	-	-	-	-
1983.....	13	-	4	-	-	-	-	-	-	-	-
1982.....	8	1	-	-	-	-	1	-	1	-	-
1981.....	11	1	2	1	-	1	-	-	-	1	-
1980.....	16	1	2	2	-	1	-	-	-	-	-
1979.....	12	1	1	1	-	-	-	-	-	-	-
WHITE, BOTH SEXES											
1998.....	6	-	-	-	-	-	-	-	-	-	1
1997.....	6	-	-	1	-	-	-	-	1	-	-
1996.....	9	-	1	-	-	-	-	-	-	-	-
1995.....	10	-	-	-	-	-	-	-	-	-	-
1994.....	12	-	1	-	-	-	-	1	-	-	1
1993.....	9	-	1	-	-	1	1	-	-	-	1
1992.....	10	-	1	-	-	-	-	-	-	-	-
1991.....	13	2	2	-	-	-	-	-	2	-	-
1990.....	11	-	2	-	-	-	-	1	1	-	-
1989.....	12	-	1	1	-	-	-	-	-	1	1
1988.....	8	1	-	-	1	-	-	-	-	1	-
1987.....	16	-	2	2	1	-	-	-	-	-	1
1986.....	11	-	-	1	-	-	-	1	2	-	2
1985.....	20	-	4	1	1	-	-	-	-	-	-
1984.....	16	-	-	3	-	-	1	-	-	-	1
1983.....	23	-	3	1	-	-	-	1	-	-	-
1982.....	12	2	-	-	-	-	1	-	1	-	1
1981.....	22	1	4	1	-	1	-	-	-	1	-
1980.....	28	4	2	3	-	1	-	2	-	1	-
1979.....	29	2	5	1	1	-	-	-	-	2	-



RACE, AND SEX:		UNITED STATES, 1979-98									
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SHIGELLOSIS AND AMEBIASIS (004,006)											
WHITE MALE											
1998.....	2	-	-	-	-	-	-	-	-	-	1
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	3	-	-	-	-	-	-	-	-	-	-
1995.....	5	-	-	-	-	-	-	-	-	-	-
1994.....	6	-	-	-	-	-	-	-	-	-	1
1993.....	4	-	-	-	-	1	1	-	-	-	1
1992.....	8	-	1	-	-	-	-	-	-	-	-
1991.....	10	1	1	-	-	-	-	-	2	-	-
1990.....	5	-	1	-	-	-	-	1	-	-	-
1989.....	6	-	-	1	-	-	-	-	-	1	1
1988.....	2	-	-	-	1	-	-	-	-	1	-
1987.....	7	-	-	1	1	-	-	-	-	-	1
1986.....	8	-	-	-	-	-	-	-	2	-	2
1985.....	10	-	2	1	-	-	-	-	-	-	-
1984.....	11	-	-	-	-	-	1	-	-	-	1
1983.....	15	-	-	1	-	-	-	1	-	-	-
1982.....	5	1	-	-	-	-	-	-	-	-	1
1981.....	13	-	2	-	-	-	-	-	-	-	-
1980.....	14	3	1	1	-	-	-	2	-	1	-
1979.....	22	2	5	-	1	-	-	-	-	2	-
WHITE FEMALE											
1998.....	4	-	-	-	-	-	-	-	-	-	-
1997.....	5	-	-	1	-	-	-	-	1	-	-
1996.....	6	-	1	-	-	-	-	-	-	-	-
1995.....	5	-	-	-	-	-	-	-	-	-	-
1994.....	6	-	1	-	-	-	-	1	-	-	-
1993.....	5	-	1	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1991.....	3	1	1	-	-	-	-	-	-	-	-
1990.....	6	-	1	-	-	-	-	-	1	-	-
1989.....	6	-	1	-	-	-	-	-	-	-	-
1988.....	6	1	-	-	-	-	-	-	-	-	-
1987.....	9	-	2	1	-	-	-	-	-	-	-
1986.....	3	-	-	1	-	-	-	1	-	-	-
1985.....	10	-	2	-	1	-	-	-	-	-	-
1984.....	5	-	-	3	-	-	-	-	-	-	-
1983.....	8	-	3	-	-	-	-	-	-	-	-
1982.....	7	1	-	-	-	-	1	-	1	-	-
1981.....	9	1	2	1	-	1	-	-	-	1	-
1980.....	14	1	1	2	-	1	-	-	-	-	-
1979.....	7	-	-	1	-	-	-	-	-	-	-







CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR CERTAIN OTHER INTESTINAL INFECTIONS (007-009)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	1,059	229	19	1	-	2	2	-	3	6	7
1997.....	1,023	200	20	1	5	-	2	4	5	11	11
1996.....	824	207	8	4	3	1	1	2	5	5	7
1995.....	793	202	10	1	2	-	3	5	9	9	8
1994.....	746	209	21	3	-	1	1	3	8	9	6
1993.....	631	133	11	3	-	2	1	3	3	6	8
1992.....	529	130	16	1	1	-	3	1	3	8	11
1991.....	469	125	19	3	1	-	1	1	3	5	6
1990.....	415	98	13	5	1	2	-	4	3	8	5
1989.....	339	92	13	2	3	-	2	2	4	2	4
1988.....	305	85	8	2	-	3	2	1	3	1	3
1987.....	307	93	14	2	1	2	2	5	5	5	6
1986.....	347	114	9	2	1	-	3	8	9	12	7
1985.....	301	98	16	2	1	-	2	4	7	8	4
1984.....	331	138	13	3	1	3	-	3	5	3	4
1983.....	354	131	12	-	4	2	4	2	4	4	4
1982.....	329	137	20	2	-	2	2	4	4	3	10
1981.....	371	131	23	6	-	3	4	2	1	2	2
1980.....	364	112	20	3	4	2	3	5	5	1	2
1979.....	298	106	11	3	2	2	5	4	1	4	2
TOTAL, MALE											
1998.....	464	136	11	1	-	-	1	-	2	2	3
1997.....	435	116	14	1	5	-	1	3	2	5	8
1996.....	356	131	5	1	2	-	1	1	4	3	4
1995.....	347	115	9	-	1	-	2	4	5	5	6
1994.....	348	124	12	1	-	1	1	3	5	6	3
1993.....	292	80	5	1	-	-	-	2	2	6	6
1992.....	255	75	11	-	1	-	2	1	3	8	9
1991.....	215	68	13	2	-	-	1	1	1	3	5
1990.....	180	50	7	4	-	2	-	4	3	6	3
1989.....	172	57	6	1	2	-	1	2	4	1	4
1988.....	133	46	5	2	-	3	2	1	2	-	1
1987.....	137	40	8	1	1	2	-	4	4	5	3
1986.....	192	75	5	2	-	-	3	8	9	11	6
1985.....	146	55	8	-	1	-	1	4	7	8	2
1984.....	156	83	6	2	1	1	-	2	2	3	3
1983.....	172	77	9	-	4	2	3	1	3	3	2
1982.....	148	68	14	1	-	2	1	2	2	2	3
1981.....	170	70	13	4	-	2	3	2	1	1	1
1980.....	162	63	11	1	1	1	3	4	2	-	-
1979.....	143	58	6	1	1	2	2	3	1	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR CERTAIN OTHER INTESTINAL INFECTIONS (007-009)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	595	93	8	-	-	2	1	-	1	4	4
1997.....	588	84	6	-	-	-	1	1	3	6	3
1996.....	468	76	3	3	1	1	-	1	1	2	3
1995.....	446	87	1	1	1	-	1	1	4	4	2
1994.....	398	85	9	2	-	-	-	-	3	3	3
1993.....	339	53	6	2	-	2	1	1	1	-	2
1992.....	274	55	5	1	-	-	1	-	-	-	2
1991.....	254	57	6	1	1	-	-	-	2	2	1
1990.....	235	48	6	1	1	-	-	-	-	2	2
1989.....	167	35	7	1	1	-	1	-	-	1	-
1988.....	172	39	3	-	-	-	-	-	1	1	2
1987.....	170	53	6	1	-	-	2	1	1	-	3
1986.....	155	39	4	-	1	-	-	-	-	1	1
1985.....	155	43	8	2	-	-	1	-	-	-	2
1984.....	175	55	7	1	-	2	-	1	3	-	1
1983.....	182	54	3	-	-	-	1	1	1	1	2
1982.....	181	69	6	1	-	-	1	2	2	1	7
1981.....	201	61	10	2	-	1	1	-	-	1	1
1980.....	202	49	9	2	3	1	-	1	3	1	2
1979.....	155	48	5	2	1	-	3	1	-	2	-
WHITE, BOTH SEXES											
1998.....	882	127	14	1	-	2	2	-	2	3	5
1997.....	850	114	13	1	4	-	1	3	2	5	8
1996.....	672	102	6	1	3	1	-	2	5	2	5
1995.....	635	98	8	1	2	-	3	4	7	9	2
1994.....	574	96	11	1	-	-	1	3	5	6	5
1993.....	510	60	9	2	-	2	-	3	2	4	7
1992.....	430	65	11	-	1	-	-	1	2	7	10
1991.....	363	60	9	3	1	-	1	1	-	5	5
1990.....	342	54	8	4	-	1	-	4	3	5	5
1989.....	252	38	7	1	3	-	1	2	3	1	2
1988.....	239	45	7	2	-	2	2	1	2	1	2
1987.....	246	51	10	1	1	1	2	5	5	5	4
1986.....	257	54	8	-	-	-	3	7	7	12	7
1985.....	231	51	12	2	1	-	1	2	6	7	3
1984.....	245	72	11	2	1	3	-	1	4	3	4
1983.....	262	65	5	-	4	2	3	2	4	2	4
1982.....	233	71	12	2	-	1	1	4	3	2	9
1981.....	290	72	17	5	-	2	4	2	1	2	1
1980.....	286	63	16	2	4	1	2	4	3	1	2
1979.....	228	59	9	1	2	2	3	4	-	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR CERTAIN OTHER INTESTINAL INFECTIONS (007-009)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	379	77	10	1	-	-	1	-	1	1	2
1997.....	343	65	8	1	4	-	1	3	-	1	5
1996.....	268	64	4	-	2	-	-	1	4	1	3
1995.....	264	56	7	-	1	-	2	4	5	5	1
1994.....	244	56	5	-	-	-	1	3	5	5	3
1993.....	221	31	5	1	-	-	-	2	1	4	6
1992.....	205	42	8	-	1	-	-	1	2	7	8
1991.....	157	32	5	2	-	-	1	1	-	3	4
1990.....	141	28	4	3	-	1	-	4	3	4	3
1989.....	120	24	2	-	2	-	1	2	3	1	2
1988.....	99	22	5	2	-	2	2	1	1	-	-
1987.....	111	24	6	1	1	1	-	4	4	5	2
1986.....	134	36	4	-	-	-	3	7	7	11	6
1985.....	107	31	5	-	1	-	-	2	6	7	1
1984.....	102	37	6	1	1	1	-	1	2	3	3
1983.....	117	36	4	-	4	2	2	1	3	2	2
1982.....	103	36	9	1	-	1	-	2	2	2	2
1981.....	124	38	8	3	-	1	3	2	1	1	-
1980.....	122	35	9	1	1	-	2	4	2	-	-
1979.....	107	34	5	-	1	2	2	3	-	1	2
WHITE FEMALE											
1998.....	503	50	4	-	-	2	1	-	1	2	3
1997.....	507	49	5	-	-	-	-	-	2	4	3
1996.....	404	38	2	1	1	1	-	1	1	1	2
1995.....	371	42	1	1	1	-	1	-	2	4	1
1994.....	330	40	6	1	-	-	-	-	-	1	2
1993.....	289	29	4	1	-	2	-	1	1	-	1
1992.....	225	23	3	-	-	-	-	-	-	-	2
1991.....	206	28	4	1	1	-	-	-	-	2	1
1990.....	201	26	4	1	-	-	-	-	-	1	2
1989.....	132	14	5	1	1	-	-	-	-	-	-
1988.....	140	23	2	-	-	-	-	-	1	1	2
1987.....	135	27	4	-	-	-	2	1	1	-	2
1986.....	123	18	4	-	-	-	-	-	-	1	1
1985.....	124	20	7	2	-	-	1	-	-	-	2
1984.....	143	35	5	1	-	2	-	-	2	-	1
1983.....	145	29	1	-	-	-	1	1	1	-	2
1982.....	130	35	3	1	-	-	1	2	1	-	7
1981.....	166	34	9	2	-	1	1	-	-	1	1
1980.....	164	28	7	1	3	1	-	-	1	1	2
1979.....	121	25	4	1	1	-	1	1	-	2	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR CERTAIN OTHER INTESTINAL INFECTIONS (007-009)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	177	102	5	-	-	-	-	-	1	3	2
1997.....	173	86	7	-	1	-	1	1	3	6	3
1996.....	152	105	2	3	-	-	1	-	-	3	2
1995.....	158	104	2	-	-	-	-	1	2	-	6
1994.....	172	113	10	2	-	1	-	-	3	3	1
1993.....	121	73	2	1	-	-	1	-	1	2	1
1992.....	99	65	5	1	-	-	3	-	1	1	1
1991.....	106	65	10	-	-	-	-	-	3	-	1
1990.....	73	44	5	1	1	1	-	-	-	3	-
1989.....	87	54	6	1	-	-	1	-	1	1	2
1988.....	66	40	1	-	-	1	-	-	1	-	1
1987.....	61	42	4	1	-	1	-	-	-	-	2
1986.....	90	60	1	2	1	-	-	1	2	-	-
1985.....	70	47	4	-	-	-	1	2	1	1	1
1984.....	86	66	2	1	-	-	-	2	1	-	-
1983.....	92	66	7	-	-	-	1	-	-	2	-
1982.....	96	66	8	-	-	1	1	-	1	1	1
1981.....	81	59	6	1	-	1	-	-	-	-	1
1980.....	78	49	4	1	-	1	1	1	2	-	-
1979.....	70	47	2	2	-	-	2	-	1	1	-
ALL OTHER MALE											
1998.....	85	59	1	-	-	-	-	-	1	1	1
1997.....	92	51	6	-	1	-	-	-	2	4	3
1996.....	88	67	1	1	-	-	1	-	-	2	1
1995.....	83	59	2	-	-	-	-	-	-	-	5
1994.....	104	68	7	1	-	1	-	-	-	1	-
1993.....	71	49	-	-	-	-	-	-	1	2	-
1992.....	50	33	3	-	-	-	2	-	1	1	1
1991.....	58	36	8	-	-	-	-	-	1	-	1
1990.....	39	22	3	1	-	1	-	-	-	2	-
1989.....	52	33	4	1	-	-	-	-	1	-	2
1988.....	34	24	-	-	-	1	-	-	1	-	1
1987.....	26	16	2	-	-	1	-	-	-	-	1
1986.....	58	39	1	2	-	-	-	1	2	-	-
1985.....	39	24	3	-	-	-	1	2	1	1	1
1984.....	54	46	-	1	-	-	-	1	-	-	-
1983.....	55	41	5	-	-	-	1	-	-	1	-
1982.....	45	32	5	-	-	1	1	-	-	-	1
1981.....	46	32	5	1	-	1	-	-	-	-	1
1980.....	40	28	2	-	-	1	1	-	-	-	-
1979.....	36	24	1	1	-	-	-	-	1	1	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR CERTAIN OTHER INTESTINAL INFECTIONS (007-009)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	92	43	4	-	-	-	-	-	-	2	1
1997.....	81	35	1	-	-	-	1	1	1	2	-
1996.....	64	38	1	2	-	-	-	-	-	1	1
1995.....	75	45	-	-	-	-	-	1	2	-	1
1994.....	68	45	3	1	-	-	-	-	3	2	1
1993.....	50	24	2	1	-	-	1	-	-	-	1
1992.....	49	32	2	1	-	-	1	-	-	-	-
1991.....	48	29	2	-	-	-	-	-	2	-	-
1990.....	34	22	2	-	1	-	-	-	-	1	-
1989.....	35	21	2	-	-	-	1	-	-	1	-
1988.....	32	16	1	-	-	-	-	-	-	-	-
1987.....	35	26	2	1	-	-	-	-	-	-	1
1986.....	32	21	-	-	1	-	-	-	-	-	-
1985.....	31	23	1	-	-	-	-	-	-	-	-
1984.....	32	20	2	-	-	-	-	1	1	-	-
1983.....	37	25	2	-	-	-	-	-	-	1	-
1982.....	51	34	3	-	-	-	-	-	1	1	-
1981.....	35	27	1	-	-	-	-	-	-	-	-
1980.....	38	21	2	1	-	-	-	1	2	-	-
1979.....	34	23	1	1	-	-	2	-	-	-	-
BLACK, BOTH SEXES											
1998.....	158	97	5	-	-	-	-	-	1	3	1
1997.....	154	81	5	-	1	-	1	-	3	6	2
1996.....	140	100	2	3	-	-	1	-	-	3	2
1995.....	145	98	2	-	-	-	-	1	2	-	6
1994.....	154	104	8	2	-	1	-	-	2	3	1
1993.....	110	68	2	1	-	-	1	-	1	2	1
1992.....	94	63	5	1	-	-	3	-	1	1	1
1991.....	96	62	7	-	-	-	-	-	3	-	1
1990.....	67	41	5	1	1	1	-	-	-	3	-
1989.....	78	49	4	1	-	-	1	-	1	1	1
1988.....	57	39	1	-	-	-	-	-	1	-	1
1987.....	56	40	2	1	-	1	-	-	-	-	2
1986.....	82	54	1	2	1	-	-	1	2	-	-
1985.....	65	44	4	-	-	-	1	2	-	1	1
1984.....	80	62	2	1	-	-	-	2	1	-	-
1983.....	84	64	5	-	-	-	1	-	-	2	-
1982.....	87	61	6	-	-	-	1	-	1	1	1
1981.....	75	56	4	1	-	1	-	-	-	-	1
1980.....	72	47	4	1	-	1	-	1	2	-	-
1979.....	65	44	2	2	-	-	2	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		RACE, AND SEX: UNITED STATES, 1979-98									
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
		TOTAL	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
BLACK MALE											
1998.....	77	57	1	-	-	-	-	-	1	1	1
1997.....	81	46	5	-	1	-	-	-	2	4	2
1996.....	82	63	1	1	-	-	1	-	-	2	1
1995.....	75	54	2	-	-	-	-	-	-	-	5
1994.....	94	63	5	1	-	1	-	-	-	1	-
1993.....	64	46	-	-	-	-	-	-	1	2	-
1992.....	47	32	3	-	-	-	2	-	1	1	1
1991.....	53	35	5	-	-	-	-	-	1	-	1
1990.....	34	19	3	1	-	1	-	-	-	2	-
1989.....	46	31	2	1	-	-	-	-	1	-	1
1988.....	29	23	-	-	-	-	-	-	1	-	1
1987.....	23	15	1	-	-	1	-	-	-	-	1
1986.....	53	35	1	2	-	-	-	1	2	-	-
1985.....	36	23	3	-	-	-	1	2	-	1	1
1984.....	51	43	-	1	-	-	-	1	-	-	-
1983.....	51	41	4	-	-	-	1	-	-	1	-
1982.....	39	28	4	-	-	-	1	-	-	-	1
1981.....	42	31	3	1	-	1	-	-	-	-	1
1980.....	36	26	2	-	-	1	-	-	-	-	-
1979.....	35	23	1	1	-	-	-	-	1	1	-
BLACK FEMALE											
1998.....	81	40	4	-	-	-	-	-	-	2	-
1997.....	73	35	-	-	-	-	1	-	1	2	-
1996.....	58	37	1	2	-	-	-	-	-	1	1
1995.....	70	44	-	-	-	-	-	1	2	-	1
1994.....	60	41	3	1	-	-	-	-	2	2	1
1993.....	46	22	2	1	-	-	1	-	-	-	1
1992.....	47	31	2	1	-	-	1	-	-	-	-
1991.....	43	27	2	-	-	-	-	-	2	-	-
1990.....	33	22	2	-	1	-	-	-	-	1	-
1989.....	32	18	2	-	-	-	1	-	-	1	-
1988.....	28	16	1	-	-	-	-	-	-	-	-
1987.....	33	25	1	1	-	-	-	-	-	-	1
1986.....	29	19	-	-	1	-	-	-	-	-	-
1985.....	29	21	1	-	-	-	-	-	-	-	-
1984.....	29	19	2	-	-	-	-	1	1	-	-
1983.....	33	23	1	-	-	-	-	-	-	1	-
1982.....	48	33	2	-	-	-	-	-	1	1	-
1981.....	33	25	1	-	-	-	-	-	-	-	-
1980.....	36	21	2	1	-	-	-	1	2	-	-
1979.....	30	21	1	1	-	-	2	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	1,112	-	3	-	1	4	7	13	25	42	66
1997.....	1,166	-	4	1	-	3	11	12	24	39	42
1996.....	1,202	2	2	-	2	4	10	16	27	57	40
1995.....	1,336	1	2	1	1	2	16	16	23	58	69
1994.....	1,478	-	3	-	1	3	12	22	51	61	76
1993.....	1,631	2	5	1	1	2	11	27	56	70	89
1992.....	1,705	5	6	2	2	3	10	31	71	111	87
1991.....	1,713	2	2	5	-	4	18	44	67	104	101
1990.....	1,810	2	6	2	1	3	20	48	96	87	91
1989.....	1,970	1	7	3	-	3	22	41	86	94	106
1988.....	1,921	2	3	1	-	4	24	39	67	101	92
1987.....	1,755	1	6	1	1	5	18	33	68	79	83
1986.....	1,782	1	3	4	-	2	16	37	70	97	87
1985.....	1,752	4	3	-	2	8	17	29	53	64	71
1984.....	1,729	2	2	1	1	5	23	43	45	61	79
1983.....	1,779	1	3	2	2	6	12	29	45	47	60
1982.....	1,807	3	3	1	3	2	6	24	42	49	67
1981.....	1,937	4	4	3	-	4	12	31	37	47	77
1980.....	1,978	2	6	3	1	4	7	19	25	43	67
1979.....	2,007	1	7	1	2	4	10	26	36	54	77
TOTAL, MALE											
1998.....	658	-	-	-	-	1	-	6	13	31	43
1997.....	662	-	1	-	-	3	3	9	15	22	36
1996.....	739	-	2	-	2	1	7	8	16	38	28
1995.....	814	-	-	-	1	-	8	9	13	37	48
1994.....	884	-	2	-	-	-	2	14	27	38	59
1993.....	1,018	-	4	1	-	1	6	14	36	51	62
1992.....	1,059	1	3	2	1	1	1	17	39	68	64
1991.....	1,048	2	-	4	-	2	5	19	38	73	72
1990.....	1,147	2	2	1	-	1	6	28	59	66	71
1989.....	1,284	-	6	2	-	3	16	21	62	71	88
1988.....	1,221	-	1	1	-	2	10	20	47	68	69
1987.....	1,169	-	4	1	-	1	8	21	50	61	59
1986.....	1,157	1	-	1	-	1	6	24	49	80	71
1985.....	1,135	4	1	-	-	2	9	18	39	47	53
1984.....	1,149	1	1	1	1	3	10	28	31	51	57
1983.....	1,176	-	1	1	1	-	4	19	33	32	44
1982.....	1,202	1	1	1	-	1	4	16	29	38	51
1981.....	1,299	1	3	2	-	1	4	19	27	30	56
1980.....	1,331	2	4	1	1	1	2	10	15	29	40
1979.....	1,371	1	4	-	2	1	5	12	24	34	59

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	454	-	3	-	1	3	7	7	12	11	23
1997.....	504	-	3	1	-	-	8	3	9	17	6
1996.....	463	2	-	-	-	3	3	8	11	19	12
1995.....	522	1	2	1	-	2	8	7	10	21	21
1994.....	594	-	1	-	1	3	10	8	24	23	17
1993.....	613	2	1	-	1	1	5	13	20	19	27
1992.....	646	4	3	-	1	2	9	14	32	43	23
1991.....	665	-	2	1	-	2	13	25	29	31	29
1990.....	663	-	4	1	1	2	14	20	37	21	20
1989.....	686	1	1	1	-	-	6	20	24	23	18
1988.....	700	2	2	-	-	2	14	19	20	33	23
1987.....	586	1	2	-	1	4	10	12	18	18	24
1986.....	625	-	3	3	-	1	10	13	21	17	16
1985.....	617	-	2	-	2	6	8	11	14	17	18
1984.....	580	1	1	-	-	2	13	15	14	10	22
1983.....	603	1	2	1	1	6	8	10	12	15	16
1982.....	605	2	2	-	3	1	2	8	13	11	16
1981.....	638	3	1	1	-	3	8	12	10	17	21
1980.....	647	-	2	2	-	3	5	9	10	14	27
1979.....	636	-	3	1	-	3	5	14	12	20	18
WHITE, BOTH SEXES											
1998.....	667	-	3	-	-	2	2	4	8	15	24
1997.....	695	-	3	1	-	2	5	3	10	19	16
1996.....	724	-	-	-	2	1	3	8	12	23	16
1995.....	804	1	1	1	1	1	8	11	9	24	20
1994.....	863	-	1	-	-	1	2	7	21	22	33
1993.....	969	-	2	-	-	1	7	15	20	17	35
1992.....	994	2	4	2	2	-	4	16	23	36	34
1991.....	978	2	2	2	-	1	5	15	22	38	37
1990.....	1,033	2	5	2	1	-	6	15	26	32	33
1989.....	1,152	1	2	2	-	-	10	12	28	37	42
1988.....	1,172	1	2	-	-	-	10	13	24	26	42
1987.....	1,082	-	1	1	1	2	6	12	26	35	34
1986.....	1,065	-	1	1	-	1	5	9	26	31	33
1985.....	1,101	1	1	-	1	4	8	9	17	17	33
1984.....	1,047	-	1	1	-	1	8	12	19	20	22
1983.....	1,119	-	2	2	1	2	5	9	14	14	19
1982.....	1,135	1	2	1	1	-	2	9	11	16	24
1981.....	1,211	1	3	2	-	3	6	9	9	14	24
1980.....	1,253	1	1	1	-	2	1	1	7	16	19
1979.....	1,294	1	5	1	1	2	3	8	13	16	30

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	381	-	-	-	-	1	-	1	4	12	18
1997.....	380	-	1	-	-	2	1	2	7	11	15
1996.....	440	-	-	-	2	-	3	5	10	17	14
1995.....	474	-	-	-	1	-	5	6	5	16	16
1994.....	506	-	1	-	-	-	-	6	14	16	25
1993.....	591	-	1	-	-	-	4	8	14	14	24
1992.....	602	1	2	2	1	-	-	9	11	26	26
1991.....	593	2	-	2	-	1	1	8	16	28	27
1990.....	630	2	2	1	-	-	3	10	17	22	26
1989.....	724	-	2	1	-	-	9	8	23	25	36
1988.....	730	-	-	-	-	-	5	7	21	18	31
1987.....	724	-	-	1	-	1	3	7	18	26	26
1986.....	679	-	-	-	-	1	2	4	18	27	28
1985.....	703	1	-	-	-	1	3	8	16	12	27
1984.....	689	-	1	1	-	1	3	9	12	17	17
1983.....	718	-	1	1	1	-	2	6	11	7	13
1982.....	745	-	1	1	-	-	1	6	9	14	15
1981.....	797	-	2	2	-	1	2	3	7	7	17
1980.....	856	1	-	1	-	1	-	1	3	10	13
1979.....	909	1	2	-	1	-	1	3	11	10	24
WHITE FEMALE											
1998.....	286	-	3	-	-	1	2	3	4	3	6
1997.....	315	-	2	1	-	-	4	1	3	8	1
1996.....	284	-	-	-	-	1	-	3	2	6	2
1995.....	330	1	1	1	-	1	3	5	4	8	4
1994.....	357	-	-	-	-	1	2	1	7	6	8
1993.....	378	-	1	-	-	1	3	7	6	3	11
1992.....	392	1	2	-	1	-	4	7	12	10	8
1991.....	385	-	2	-	-	-	4	7	6	10	10
1990.....	403	-	3	1	1	-	3	5	9	10	7
1989.....	428	1	-	1	-	-	1	4	5	12	6
1988.....	442	1	2	-	-	-	5	6	3	8	11
1987.....	358	-	1	-	1	1	3	5	8	9	8
1986.....	386	-	1	1	-	-	3	5	8	4	5
1985.....	398	-	1	-	1	3	5	1	1	5	6
1984.....	358	-	-	-	-	-	5	3	7	3	5
1983.....	401	-	1	1	-	2	3	3	3	7	6
1982.....	390	1	1	-	1	-	1	3	2	2	9
1981.....	414	1	1	-	-	2	4	6	2	7	7
1980.....	397	-	1	-	-	1	1	-	4	6	6
1979.....	385	-	3	1	-	2	2	5	2	6	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	445	-	-	-	1	2	5	9	17	27	42
1997.....	471	-	1	-	-	1	6	9	14	20	26
1996.....	478	2	2	-	-	3	7	8	15	34	24
1995.....	532	-	1	-	-	1	8	5	14	34	49
1994.....	615	-	2	-	1	2	10	15	30	39	43
1993.....	662	2	3	1	1	1	4	12	36	53	54
1992.....	711	3	2	-	-	3	6	15	48	75	53
1991.....	735	-	-	3	-	3	13	29	45	66	64
1990.....	777	-	1	-	-	3	14	33	70	55	58
1989.....	818	-	5	1	-	3	12	29	58	57	64
1988.....	749	1	1	1	-	4	14	26	43	75	50
1987.....	673	1	5	-	-	3	12	21	42	44	49
1986.....	717	1	2	3	-	1	11	28	44	66	54
1985.....	651	3	2	-	1	4	9	20	36	47	38
1984.....	682	2	1	-	1	4	15	31	26	41	57
1983.....	660	1	1	-	1	4	7	20	31	33	41
1982.....	672	2	1	-	2	2	4	15	31	33	43
1981.....	726	3	1	1	-	1	6	22	28	33	53
1980.....	725	1	5	2	1	2	6	18	18	27	48
1979.....	713	-	2	-	1	2	7	18	23	38	47
ALL OTHER MALE											
1998.....	277	-	-	-	-	-	-	5	9	19	25
1997.....	282	-	-	-	-	1	2	7	8	11	21
1996.....	299	-	2	-	-	1	4	3	6	21	14
1995.....	340	-	-	-	-	-	3	3	8	21	32
1994.....	378	-	1	-	-	-	2	8	13	22	34
1993.....	427	-	3	1	-	1	2	6	22	37	38
1992.....	457	-	1	-	-	1	1	8	28	42	38
1991.....	455	-	-	2	-	1	4	11	22	45	45
1990.....	517	-	-	-	-	1	3	18	42	44	45
1989.....	560	-	4	1	-	3	7	13	39	46	52
1988.....	491	-	1	1	-	2	5	13	26	50	38
1987.....	445	-	4	-	-	-	5	14	32	35	33
1986.....	478	1	-	1	-	-	4	20	31	53	43
1985.....	432	3	1	-	-	1	6	10	23	35	26
1984.....	460	1	-	-	1	2	7	19	19	34	40
1983.....	458	-	-	-	-	-	2	13	22	25	31
1982.....	457	1	-	-	-	1	3	10	20	24	36
1981.....	502	1	1	-	-	-	2	16	20	23	39
1980.....	475	1	4	-	1	-	2	9	12	19	27
1979.....	462	-	2	-	1	1	4	9	13	24	35

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	168	-	-	-	1	2	5	4	8	8	17
1997.....	189	-	1	-	-	-	4	2	6	9	5
1996.....	179	2	-	-	-	2	3	5	9	13	10
1995.....	192	-	1	-	-	1	5	2	6	13	17
1994.....	237	-	1	-	1	2	8	7	17	17	9
1993.....	235	2	-	-	1	-	2	6	14	16	16
1992.....	254	3	1	-	-	2	5	7	20	33	15
1991.....	280	-	-	1	-	2	9	18	23	21	19
1990.....	260	-	1	-	-	2	11	15	28	11	13
1989.....	258	-	1	-	-	-	5	16	19	11	12
1988.....	258	1	-	-	-	2	9	13	17	25	12
1987.....	228	1	1	-	-	3	7	7	10	9	16
1986.....	239	-	2	2	-	1	7	8	13	13	11
1985.....	219	-	1	-	1	3	3	10	13	12	12
1984.....	222	1	1	-	-	2	8	12	7	7	17
1983.....	202	1	1	-	1	4	5	7	9	8	10
1982.....	215	1	1	-	2	1	1	5	11	9	7
1981.....	224	2	-	1	-	1	4	6	8	10	14
1980.....	250	-	1	2	-	2	4	9	6	8	21
1979.....	251	-	-	-	-	1	3	9	10	14	12
BLACK, BOTH SEXES											
1998.....	346	-	-	-	1	1	5	7	13	21	31
1997.....	342	-	1	-	-	-	6	8	12	16	22
1996.....	369	2	2	-	-	2	4	8	12	31	23
1995.....	418	-	1	-	-	-	8	5	11	31	39
1994.....	499	-	2	-	1	2	10	13	28	36	41
1993.....	549	2	3	-	1	1	4	11	33	48	49
1992.....	612	3	2	-	-	3	6	15	45	71	49
1991.....	619	-	-	2	-	2	12	29	45	65	59
1990.....	668	-	1	-	-	3	14	32	64	52	55
1989.....	707	-	5	-	-	3	10	29	55	55	59
1988.....	641	1	1	1	-	3	14	25	39	70	47
1987.....	582	-	4	-	-	3	12	20	40	44	49
1986.....	628	-	2	2	-	1	9	26	42	61	50
1985.....	579	2	2	-	1	3	7	19	34	44	33
1984.....	619	1	1	-	1	4	15	31	24	39	53
1983.....	577	-	-	-	1	4	6	19	29	29	38
1982.....	587	2	-	-	1	2	4	15	31	29	38
1981.....	657	3	1	1	-	1	6	21	27	29	49
1980.....	651	-	4	-	1	2	3	17	18	24	46
1979.....	643	-	1	-	1	2	6	16	23	37	45

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	213	-	-	-	-	-	-	4	6	15	20
1997.....	204	-	-	-	-	-	2	6	7	8	17
1996.....	236	-	2	-	-	1	3	3	6	19	14
1995.....	271	-	-	-	-	-	3	3	6	18	26
1994.....	315	-	1	-	-	-	2	8	12	20	32
1993.....	361	-	3	-	-	1	2	6	20	34	33
1992.....	400	-	1	-	-	1	1	8	25	39	36
1991.....	390	-	-	1	-	1	3	11	22	45	43
1990.....	446	-	-	-	-	1	3	18	39	42	44
1989.....	485	-	4	-	-	3	7	13	36	44	50
1988.....	422	-	1	1	-	1	5	12	24	46	36
1987.....	395	-	3	-	-	-	5	14	30	35	33
1986.....	424	-	-	1	-	-	4	19	29	48	40
1985.....	393	2	1	-	-	1	5	10	23	32	24
1984.....	425	-	-	-	1	2	7	19	19	33	39
1983.....	409	-	-	-	-	-	2	12	21	24	29
1982.....	412	1	-	-	-	1	3	10	20	22	34
1981.....	455	1	1	-	-	-	2	15	19	19	37
1980.....	443	-	3	-	1	-	1	9	12	17	27
1979.....	423	-	1	-	1	1	4	9	13	23	35
BLACK FEMALE											
1998.....	133	-	-	-	1	1	5	3	7	6	11
1997.....	138	-	1	-	-	-	4	2	5	8	5
1996.....	133	2	-	-	-	1	1	5	6	12	9
1995.....	147	-	1	-	-	-	5	2	5	13	13
1994.....	184	-	1	-	1	2	8	5	16	16	9
1993.....	188	2	-	-	1	-	2	5	13	14	16
1992.....	212	3	1	-	-	2	5	7	20	32	13
1991.....	229	-	-	1	-	1	9	18	23	20	16
1990.....	222	-	1	-	-	2	11	14	25	10	11
1989.....	222	-	1	-	-	-	3	16	19	11	9
1988.....	219	1	-	-	-	2	9	13	15	24	11
1987.....	187	-	1	-	-	3	7	6	10	9	16
1986.....	204	-	2	1	-	1	5	7	13	13	10
1985.....	186	-	1	-	1	2	2	9	11	12	9
1984.....	194	1	1	-	-	2	8	12	5	6	14
1983.....	168	-	-	-	1	4	4	7	8	5	9
1982.....	175	1	-	-	1	1	1	5	11	7	4
1981.....	202	2	-	1	-	1	4	6	8	10	12
1980.....	208	-	1	-	-	2	2	8	6	7	19
1979.....	220	-	-	-	-	1	2	7	10	14	10



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)											
TOTAL, BOTH SEXES											
1998.....	815	-	-	-	-	3	4	6	19	26	38
1997.....	875	-	2	1	-	2	3	7	16	25	32
1996.....	912	2	-	-	2	3	8	8	17	39	29
1995.....	1,044	1	1	-	-	1	8	6	13	46	48
1994.....	1,129	-	-	-	1	2	5	15	30	42	61
1993.....	1,276	-	-	-	-	1	2	14	37	48	70
1992.....	1,315	1	2	1	-	1	7	21	43	66	67
1991.....	1,310	1	1	2	-	-	11	24	53	79	63
1990.....	1,378	1	1	-	1	2	11	30	65	63	68
1989.....	1,536	-	1	2	-	1	13	26	62	68	78
1988.....	1,488	-	1	-	-	2	10	19	41	73	66
1987.....	1,398	-	2	-	1	4	12	22	50	56	51
1986.....	1,407	-	1	1	-	1	11	16	44	67	68
1985.....	1,368	2	-	-	-	4	6	12	40	50	42
1984.....	1,342	-	1	-	-	1	12	27	27	43	51
1983.....	1,418	1	-	1	1	5	7	18	24	33	46
1982.....	1,468	1	-	-	-	-	4	14	31	35	52
1981.....	1,586	1	-	-	-	-	8	21	23	38	64
1980.....	1,638	-	-	-	-	2	6	10	16	28	57
1979.....	1,657	-	-	-	1	2	7	16	27	41	68
TOTAL, MALE											
1998.....	528	-	-	-	-	1	-	3	13	19	32
1997.....	537	-	-	-	-	2	2	5	11	16	29
1996.....	600	-	-	-	2	1	6	6	12	27	22
1995.....	684	-	-	-	-	-	3	4	8	31	38
1994.....	722	-	-	-	-	-	2	11	18	29	50
1993.....	837	-	-	-	-	1	1	7	26	37	52
1992.....	853	-	2	1	-	1	1	11	24	39	51
1991.....	841	1	-	2	-	-	3	11	33	56	48
1990.....	907	1	1	-	-	1	4	19	45	46	56
1989.....	1,042	-	1	1	-	1	10	15	46	55	67
1988.....	986	-	-	-	-	-	5	11	28	50	52
1987.....	971	-	2	-	-	1	4	14	39	43	39
1986.....	948	-	-	-	-	1	5	11	31	58	56
1985.....	923	2	-	-	-	1	3	8	31	39	32
1984.....	932	-	1	-	-	1	6	18	18	37	37
1983.....	982	-	-	1	1	-	1	13	18	23	37
1982.....	1,014	-	-	-	-	-	2	10	22	29	42
1981.....	1,118	-	-	-	-	-	3	14	18	26	50
1980.....	1,148	-	-	-	-	1	2	4	9	24	35
1979.....	1,205	-	-	-	1	-	4	8	19	29	54

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)											
TOTAL, FEMALE											
1998.....	287	-	-	-	-	2	4	3	6	7	6
1997.....	338	-	2	1	-	-	1	2	5	9	3
1996.....	312	2	-	-	-	2	2	2	5	12	7
1995.....	360	1	1	-	-	1	5	2	5	15	10
1994.....	407	-	-	-	1	2	3	4	12	13	11
1993.....	439	-	-	-	-	-	1	7	11	11	18
1992.....	462	1	-	-	-	-	6	10	19	27	16
1991.....	469	-	1	-	-	-	8	13	20	23	15
1990.....	471	-	-	-	1	1	7	11	20	17	12
1989.....	494	-	-	1	-	-	3	11	16	13	11
1988.....	502	-	1	-	-	2	5	8	13	23	14
1987.....	427	-	-	-	1	3	8	8	11	13	12
1986.....	459	-	1	1	-	-	6	5	13	9	12
1985.....	445	-	-	-	-	3	3	4	9	11	10
1984.....	410	-	-	-	-	-	6	9	9	6	14
1983.....	436	1	-	-	-	5	6	5	6	10	9
1982.....	454	1	-	-	-	-	2	4	9	6	10
1981.....	468	1	-	-	-	-	5	7	5	12	14
1980.....	490	-	-	-	-	1	4	6	7	4	22
1979.....	452	-	-	-	-	2	3	8	8	12	14
WHITE, BOTH SEXES											
1998.....	495	-	-	-	-	1	1	2	5	10	14
1997.....	532	-	1	1	-	2	-	2	8	9	12
1996.....	551	-	-	-	2	1	2	3	8	14	14
1995.....	641	1	1	-	-	1	4	4	4	20	13
1994.....	678	-	-	-	-	-	1	6	15	14	25
1993.....	769	-	-	-	-	-	1	6	15	12	28
1992.....	780	-	1	1	-	-	3	12	11	20	26
1991.....	754	1	1	1	-	-	3	9	16	30	20
1990.....	812	1	1	-	1	-	2	9	16	22	25
1989.....	927	-	-	1	-	-	6	7	18	27	27
1988.....	957	-	1	-	-	-	4	6	18	21	27
1987.....	900	-	-	-	1	2	3	8	22	23	17
1986.....	859	-	1	-	-	1	4	4	15	21	24
1985.....	882	-	-	-	-	2	2	3	16	12	18
1984.....	828	-	1	-	-	1	4	7	13	11	16
1983.....	925	-	-	1	1	2	3	5	7	10	14
1982.....	962	-	-	-	-	-	2	6	10	13	20
1981.....	1,012	-	-	-	-	-	4	6	4	9	17
1980.....	1,067	-	-	-	-	1	1	1	5	8	15
1979.....	1,106	-	-	-	1	1	1	5	12	11	28

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)											
WHITE MALE											
1998.....	306	-	-	-	-	1	-	-	4	9	13
1997.....	309	-	-	-	-	2	-	1	6	6	11
1996.....	361	-	-	-	2	-	2	3	8	11	13
1995.....	400	-	-	-	-	-	1	3	4	13	12
1994.....	423	-	-	-	-	-	-	5	12	11	20
1993.....	490	-	-	-	-	-	1	4	10	11	21
1992.....	488	-	1	1	-	-	-	6	7	13	21
1991.....	474	1	-	1	-	-	-	3	12	21	19
1990.....	518	1	1	-	-	-	2	8	13	14	20
1989.....	600	-	-	-	-	-	6	6	16	19	24
1988.....	611	-	-	-	-	-	3	2	16	15	22
1987.....	623	-	-	-	-	1	1	5	15	17	14
1986.....	564	-	-	-	-	1	2	1	10	18	20
1985.....	585	-	-	-	-	-	1	3	15	10	15
1984.....	575	-	1	-	-	1	3	5	10	10	14
1983.....	616	-	-	1	1	-	1	4	7	6	11
1982.....	647	-	-	-	-	-	1	4	8	12	14
1981.....	702	-	-	-	-	-	1	2	3	6	15
1980.....	752	-	-	-	-	1	-	1	2	7	9
1979.....	812	-	-	-	1	-	-	2	10	8	23
WHITE FEMALE											
1998.....	189	-	-	-	-	-	1	2	1	1	1
1997.....	223	-	1	1	-	-	-	1	2	3	1
1996.....	190	-	-	-	-	1	-	-	-	3	1
1995.....	241	1	1	-	-	1	3	1	-	7	1
1994.....	255	-	-	-	-	-	1	1	3	3	5
1993.....	279	-	-	-	-	-	-	2	5	1	7
1992.....	292	-	-	-	-	-	3	6	4	7	5
1991.....	280	-	1	-	-	-	3	6	4	9	1
1990.....	294	-	-	-	1	-	-	1	3	8	5
1989.....	327	-	-	1	-	-	-	1	2	8	3
1988.....	346	-	1	-	-	-	1	4	2	6	5
1987.....	277	-	-	-	1	1	2	3	7	6	3
1986.....	295	-	1	-	-	-	2	3	5	3	4
1985.....	297	-	-	-	-	2	1	-	1	2	3
1984.....	253	-	-	-	-	-	1	2	3	1	2
1983.....	309	-	-	-	-	2	2	1	-	4	3
1982.....	315	-	-	-	-	-	1	2	2	1	6
1981.....	310	-	-	-	-	-	3	4	1	3	2
1980.....	315	-	-	-	-	-	1	-	3	1	6
1979.....	294	-	-	-	-	1	1	3	2	3	5

RACE, AND SEX:		UNITED STATES, 1979-98									
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)											
ALL OTHER, BOTH SEXES											
1998.....	320	-	-	-	-	2	3	4	14	16	24
1997.....	343	-	1	-	-	-	3	5	8	16	20
1996.....	361	2	-	-	-	2	6	5	9	25	15
1995.....	403	-	-	-	-	-	4	2	9	26	35
1994.....	451	-	-	-	1	2	4	9	15	28	36
1993.....	507	-	-	-	-	1	1	8	22	36	42
1992.....	535	1	1	-	-	1	4	9	32	46	41
1991.....	556	-	-	1	-	-	8	15	37	49	43
1990.....	566	-	-	-	-	2	9	21	49	41	43
1989.....	609	-	1	1	-	1	7	19	44	41	51
1988.....	531	-	-	-	-	2	6	13	23	52	39
1987.....	498	-	2	-	-	2	9	14	28	33	34
1986.....	548	-	-	1	-	-	7	12	29	46	44
1985.....	486	2	-	-	-	2	4	9	24	38	24
1984.....	514	-	-	-	-	-	8	20	14	32	35
1983.....	493	1	-	-	-	3	4	13	17	23	32
1982.....	506	1	-	-	-	-	2	8	21	22	32
1981.....	574	1	-	-	-	-	4	15	19	29	47
1980.....	571	-	-	-	-	1	5	9	11	20	42
1979.....	551	-	-	-	-	1	6	11	15	30	40
ALL OTHER MALE											
1998.....	222	-	-	-	-	-	-	3	9	10	19
1997.....	228	-	-	-	-	-	2	4	5	10	18
1996.....	239	-	-	-	-	1	4	3	4	16	9
1995.....	284	-	-	-	-	-	2	1	4	18	26
1994.....	299	-	-	-	-	-	2	6	6	18	30
1993.....	347	-	-	-	-	1	-	3	16	26	31
1992.....	365	-	1	-	-	1	1	5	17	26	30
1991.....	367	-	-	1	-	-	3	8	21	35	29
1990.....	389	-	-	-	-	1	2	11	32	32	36
1989.....	442	-	1	1	-	1	4	9	30	36	43
1988.....	375	-	-	-	-	-	2	9	12	35	30
1987.....	348	-	2	-	-	-	3	9	24	26	25
1986.....	384	-	-	-	-	-	3	10	21	40	36
1985.....	338	2	-	-	-	1	2	5	16	29	17
1984.....	357	-	-	-	-	-	3	13	8	27	23
1983.....	366	-	-	-	-	-	-	9	11	17	26
1982.....	367	-	-	-	-	-	1	6	14	17	28
1981.....	416	-	-	-	-	-	2	12	15	20	35
1980.....	396	-	-	-	-	-	2	3	7	17	26
1979.....	393	-	-	-	-	-	4	6	9	21	31

RACE, AND SEX:		UNITED STATES, 1979-98									
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)											
ALL OTHER FEMALE											
1998.....	98	-	-	-	-	2	3	1	5	6	5
1997.....	115	-	1	-	-	-	1	1	3	6	2
1996.....	122	2	-	-	-	1	2	2	5	9	6
1995.....	119	-	-	-	-	-	2	1	5	8	9
1994.....	152	-	-	-	1	2	2	3	9	10	6
1993.....	160	-	-	-	-	-	1	5	6	10	11
1992.....	170	1	-	-	-	-	3	4	15	20	11
1991.....	189	-	-	-	-	-	5	7	16	14	14
1990.....	177	-	-	-	-	1	7	10	17	9	7
1989.....	167	-	-	-	-	-	3	10	14	5	8
1988.....	156	-	-	-	-	2	4	4	11	17	9
1987.....	150	-	-	-	-	2	6	5	4	7	9
1986.....	164	-	-	1	-	-	4	2	8	6	8
1985.....	148	-	-	-	-	1	2	4	8	9	7
1984.....	157	-	-	-	-	-	5	7	6	5	12
1983.....	127	1	-	-	-	3	4	4	6	6	6
1982.....	139	1	-	-	-	-	1	2	7	5	4
1981.....	158	1	-	-	-	-	2	3	4	9	12
1980.....	175	-	-	-	-	1	3	6	4	3	16
1979.....	158	-	-	-	-	1	2	5	6	9	9
BLACK, BOTH SEXES											
1998.....	251	-	-	-	-	1	3	4	10	14	19
1997.....	250	-	1	-	-	-	3	4	8	13	17
1996.....	284	2	-	-	-	2	4	5	9	23	14
1995.....	314	-	-	-	-	-	4	2	8	24	29
1994.....	368	-	-	-	1	2	4	9	15	27	34
1993.....	416	-	-	-	-	1	1	7	22	32	40
1992.....	463	1	1	-	-	1	4	9	30	44	39
1991.....	467	-	-	1	-	-	8	15	37	48	39
1990.....	491	-	-	-	-	2	9	20	45	38	42
1989.....	533	-	1	-	-	1	6	19	42	40	48
1988.....	454	-	-	-	-	2	6	13	21	48	36
1987.....	432	-	2	-	-	2	9	14	26	33	34
1986.....	478	-	-	-	-	-	6	12	27	41	40
1985.....	432	1	-	-	-	1	4	8	23	35	21
1984.....	463	-	-	-	-	-	8	20	13	31	33
1983.....	431	-	-	-	-	3	3	12	15	20	31
1982.....	444	1	-	-	-	-	2	8	21	19	29
1981.....	522	1	-	-	-	-	4	14	18	26	45
1980.....	518	-	-	-	-	1	2	9	11	19	40
1979.....	504	-	-	-	-	1	5	9	15	29	40

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)

BLACK MALE

1998.....	176	-	-	-	-	-	-	3	6	9	16
1997.....	165	-	-	-	-	-	2	3	5	7	15
1996.....	186	-	-	-	-	1	3	3	4	14	9
1995.....	225	-	-	-	-	-	2	1	4	16	21
1994.....	252	-	-	-	-	-	2	6	6	17	28
1993.....	294	-	-	-	-	1	-	3	16	24	29
1992.....	323	-	1	-	-	1	1	5	15	25	29
1991.....	319	-	-	1	-	-	3	8	21	35	27
1990.....	341	-	-	-	-	1	2	11	31	30	36
1989.....	386	-	1	-	-	1	4	9	28	35	41
1988.....	319	-	-	-	-	-	2	9	11	32	28
1987.....	310	-	2	-	-	-	3	9	22	26	25
1986.....	339	-	-	-	-	-	3	10	19	35	33
1985.....	306	1	-	-	-	1	2	5	16	26	15
1984.....	328	-	-	-	-	-	3	13	8	27	23
1983.....	327	-	-	-	-	-	-	8	10	17	26
1982.....	328	-	-	-	-	-	1	6	14	15	26
1981.....	376	-	-	-	-	-	2	11	14	17	34
1980.....	373	-	-	-	-	-	1	3	7	16	26
1979.....	363	-	-	-	-	-	4	6	9	20	31

BLACK FEMALE

1998.....	75	-	-	-	-	1	3	1	4	5	3
1997.....	85	-	1	-	-	-	1	1	3	6	2
1996.....	98	2	-	-	-	1	1	2	5	9	5
1995.....	89	-	-	-	-	-	2	1	4	8	8
1994.....	116	-	-	-	1	2	2	3	9	10	6
1993.....	122	-	-	-	-	-	1	4	6	8	11
1992.....	140	1	-	-	-	-	3	4	15	19	10
1991.....	148	-	-	-	-	-	5	7	16	13	12
1990.....	150	-	-	-	-	1	7	9	14	8	6
1989.....	147	-	-	-	-	-	2	10	14	5	7
1988.....	135	-	-	-	-	2	4	4	10	16	8
1987.....	122	-	-	-	-	2	6	5	4	7	9
1986.....	139	-	-	-	-	-	3	2	8	6	7
1985.....	126	-	-	-	-	-	2	3	7	9	6
1984.....	135	-	-	-	-	-	5	7	5	4	10
1983.....	104	-	-	-	-	3	3	4	5	3	5
1982.....	116	1	-	-	-	-	1	2	7	4	3
1981.....	146	1	-	-	-	-	2	3	4	9	11
1980.....	145	-	-	-	-	1	1	6	4	3	14
1979.....	141	-	-	-	-	1	1	3	6	9	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	297	-	3	-	1	1	3	7	6	16	28
1997.....	291	-	2	-	-	1	8	5	8	14	10
1996.....	290	-	2	-	-	1	2	8	10	18	11
1995.....	292	-	1	1	1	1	8	10	10	12	21
1994.....	349	-	3	-	-	1	7	7	21	19	15
1993.....	355	2	5	1	1	1	9	13	19	22	19
1992.....	390	4	4	1	2	2	3	10	28	45	20
1991.....	403	1	1	3	-	4	7	20	14	25	38
1990.....	432	1	5	2	-	1	9	18	31	24	23
1989.....	434	1	6	1	-	2	9	15	24	26	28
1988.....	433	2	2	1	-	2	14	20	26	28	26
1987.....	357	1	4	1	-	1	6	11	18	23	32
1986.....	375	1	2	3	-	1	5	21	26	30	19
1985.....	384	2	3	-	2	4	11	17	13	14	29
1984.....	387	2	1	1	1	4	11	16	18	18	28
1983.....	361	-	3	1	1	1	5	11	21	14	14
1982.....	339	2	3	1	3	2	2	10	11	14	15
1981.....	351	3	4	3	-	4	4	10	14	9	13
1980.....	340	2	6	3	1	2	1	9	9	15	10
1979.....	350	1	7	1	1	2	3	10	9	13	9
TOTAL, MALE											
1998.....	130	-	-	-	-	-	-	3	-	12	11
1997.....	125	-	1	-	-	1	1	4	4	6	7
1996.....	139	-	2	-	-	-	1	2	4	11	6
1995.....	130	-	-	-	1	-	5	5	5	6	10
1994.....	162	-	2	-	-	-	-	3	9	9	9
1993.....	181	-	4	1	-	-	5	7	10	14	10
1992.....	206	1	1	1	1	-	-	6	15	29	13
1991.....	207	1	-	2	-	2	2	8	5	17	24
1990.....	240	1	1	1	-	-	2	9	14	20	15
1989.....	242	-	5	1	-	2	6	6	16	16	21
1988.....	235	-	1	1	-	2	5	9	19	18	17
1987.....	198	-	2	1	-	-	4	7	11	18	20
1986.....	209	1	-	1	-	-	1	13	18	22	15
1985.....	212	2	1	-	-	1	6	10	8	8	21
1984.....	217	1	-	1	1	2	4	10	13	14	20
1983.....	194	-	1	-	-	-	3	6	15	9	7
1982.....	188	1	1	1	-	1	2	6	7	9	9
1981.....	181	1	3	2	-	1	1	5	9	4	6
1980.....	183	2	4	1	1	-	-	6	6	5	5
1979.....	166	1	4	-	1	1	1	4	5	5	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	167	-	3	-	1	1	3	4	6	4	17
1997.....	166	-	1	-	-	-	7	1	4	8	3
1996.....	151	-	-	-	-	1	1	6	6	7	5
1995.....	162	-	1	1	-	1	3	5	5	6	11
1994.....	187	-	1	-	-	1	7	4	12	10	6
1993.....	174	2	1	-	1	1	4	6	9	8	9
1992.....	184	3	3	-	1	2	3	4	13	16	7
1991.....	196	-	1	1	-	2	5	12	9	8	14
1990.....	192	-	4	1	-	1	7	9	17	4	8
1989.....	192	1	1	-	-	-	3	9	8	10	7
1988.....	198	2	1	-	-	-	9	11	7	10	9
1987.....	159	1	2	-	-	1	2	4	7	5	12
1986.....	166	-	2	2	-	1	4	8	8	8	4
1985.....	172	-	2	-	2	3	5	7	5	6	8
1984.....	170	1	1	-	-	2	7	6	5	4	8
1983.....	167	-	2	1	1	1	2	5	6	5	7
1982.....	151	1	2	-	3	1	-	4	4	5	6
1981.....	170	2	1	1	-	3	3	5	5	5	7
1980.....	157	-	2	2	-	2	1	3	3	10	5
1979.....	184	-	3	1	-	1	2	6	4	8	4
WHITE, BOTH SEXES											
1998.....	172	-	3	-	-	1	1	2	3	5	10
1997.....	163	-	2	-	-	-	5	1	2	10	4
1996.....	173	-	-	-	-	-	1	5	4	9	2
1995.....	163	-	-	1	1	-	4	7	5	4	7
1994.....	185	-	1	-	-	1	1	1	6	8	8
1993.....	200	-	2	-	-	1	6	9	5	5	7
1992.....	214	2	3	1	2	-	1	4	12	16	8
1991.....	224	1	1	1	-	1	2	6	6	8	17
1990.....	221	1	4	2	-	-	4	6	10	10	8
1989.....	225	1	2	1	-	-	4	5	10	10	15
1988.....	215	1	1	-	-	-	6	7	6	5	15
1987.....	182	-	1	1	-	-	3	4	4	12	17
1986.....	206	-	-	1	-	-	1	5	11	10	9
1985.....	219	1	1	-	1	2	6	6	1	5	15
1984.....	219	-	-	1	-	-	4	5	6	9	6
1983.....	194	-	2	1	-	-	2	4	7	4	5
1982.....	173	1	2	1	1	-	-	3	1	3	4
1981.....	199	1	3	2	-	3	2	3	5	5	7
1980.....	186	1	1	1	-	1	-	-	2	8	4
1979.....	188	1	5	1	-	1	2	3	1	5	2



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	75	-	-	-	-	-	-	1	-	3	5
1997.....	71	-	1	-	-	-	1	1	1	5	4
1996.....	79	-	-	-	-	-	1	2	2	6	1
1995.....	74	-	-	-	1	-	4	3	1	3	4
1994.....	83	-	1	-	-	-	-	1	2	5	5
1993.....	101	-	1	-	-	-	3	4	4	3	3
1992.....	114	1	1	1	1	-	-	3	4	13	5
1991.....	119	1	-	1	-	1	1	5	4	7	8
1990.....	112	1	1	1	-	-	1	2	4	8	6
1989.....	124	-	2	1	-	-	3	2	7	6	12
1988.....	119	-	-	-	-	-	2	5	5	3	9
1987.....	101	-	-	1	-	-	2	2	3	9	12
1986.....	115	-	-	-	-	-	-	3	8	9	8
1985.....	118	1	-	-	-	1	2	5	1	2	12
1984.....	114	-	-	1	-	-	-	4	2	7	3
1983.....	102	-	1	-	-	-	1	2	4	1	2
1982.....	98	-	1	1	-	-	-	2	1	2	1
1981.....	95	-	2	2	-	1	1	1	4	1	2
1980.....	104	1	-	1	-	-	-	-	1	3	4
1979.....	97	1	2	-	-	-	1	1	1	2	1
WHITE FEMALE											
1998.....	97	-	3	-	-	1	1	1	3	2	5
1997.....	92	-	1	-	-	-	4	-	1	5	-
1996.....	94	-	-	-	-	-	-	3	2	3	1
1995.....	89	-	-	1	-	-	-	4	4	1	3
1994.....	102	-	-	-	-	1	1	-	4	3	3
1993.....	99	-	1	-	-	1	3	5	1	2	4
1992.....	100	1	2	-	1	-	1	1	8	3	3
1991.....	105	-	1	-	-	-	1	1	2	1	9
1990.....	109	-	3	1	-	-	3	4	6	2	2
1989.....	101	1	-	-	-	-	1	3	3	4	3
1988.....	96	1	1	-	-	-	4	2	1	2	6
1987.....	81	-	1	-	-	-	1	2	1	3	5
1986.....	91	-	-	1	-	-	1	2	3	1	1
1985.....	101	-	1	-	1	1	4	1	-	3	3
1984.....	105	-	-	-	-	-	4	1	4	2	3
1983.....	92	-	1	1	-	-	1	2	3	3	3
1982.....	75	1	1	-	1	-	-	1	-	1	3
1981.....	104	1	1	-	-	2	1	2	1	4	5
1980.....	82	-	1	-	-	1	-	-	1	5	-
1979.....	91	-	3	1	-	1	1	2	-	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	125	-	-	-	1	-	2	5	3	11	18
1997.....	128	-	-	-	-	1	3	4	6	4	6
1996.....	117	-	2	-	-	1	1	3	6	9	9
1995.....	129	-	1	-	-	1	4	3	5	8	14
1994.....	164	-	2	-	-	-	6	6	15	11	7
1993.....	155	2	3	1	1	-	3	4	14	17	12
1992.....	176	2	1	-	-	2	2	6	16	29	12
1991.....	179	-	-	2	-	3	5	14	8	17	21
1990.....	211	-	1	-	-	1	5	12	21	14	15
1989.....	209	-	4	-	-	2	5	10	14	16	13
1988.....	218	1	1	1	-	2	8	13	20	23	11
1987.....	175	1	3	-	-	1	3	7	14	11	15
1986.....	169	1	2	2	-	1	4	16	15	20	10
1985.....	165	1	2	-	1	2	5	11	12	9	14
1984.....	168	2	1	-	1	4	7	11	12	9	22
1983.....	167	-	1	-	1	1	3	7	14	10	9
1982.....	166	1	1	-	2	2	2	7	10	11	11
1981.....	152	2	1	1	-	1	2	7	9	4	6
1980.....	154	1	5	2	1	1	1	9	7	7	6
1979.....	162	-	2	-	1	1	1	7	8	8	7
ALL OTHER MALE											
1998.....	55	-	-	-	-	-	-	2	-	9	6
1997.....	54	-	-	-	-	1	-	3	3	1	3
1996.....	60	-	2	-	-	-	-	-	2	5	5
1995.....	56	-	-	-	-	-	1	2	4	3	6
1994.....	79	-	1	-	-	-	-	2	7	4	4
1993.....	80	-	3	1	-	-	2	3	6	11	7
1992.....	92	-	-	-	-	-	-	3	11	16	8
1991.....	88	-	-	1	-	1	1	3	1	10	16
1990.....	128	-	-	-	-	-	1	7	10	12	9
1989.....	118	-	3	-	-	2	3	4	9	10	9
1988.....	116	-	1	1	-	2	3	4	14	15	8
1987.....	97	-	2	-	-	-	2	5	8	9	8
1986.....	94	1	-	1	-	-	1	10	10	13	7
1985.....	94	1	1	-	-	-	4	5	7	6	9
1984.....	103	1	-	-	1	2	4	6	11	7	17
1983.....	92	-	-	-	-	-	2	4	11	8	5
1982.....	90	1	-	-	-	1	2	4	6	7	8
1981.....	86	1	1	-	-	-	-	4	5	3	4
1980.....	79	1	4	-	1	-	-	6	5	2	1
1979.....	69	-	2	-	1	1	-	3	4	3	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
OTHER TUBERCULOSIS (013-018)												
ALL OTHER FEMALE												
1998.....	70	-	-	-	1	-	2	3	3	2	12	
1997.....	74	-	-	-	-	-	3	1	3	3	3	
1996.....	57	-	-	-	-	1	1	3	4	4	4	
1995.....	73	-	1	-	-	1	3	1	1	5	8	
1994.....	85	-	1	-	-	-	6	4	8	7	3	
1993.....	75	2	-	-	1	-	1	1	8	6	5	
1992.....	84	2	1	-	-	2	2	3	5	13	4	
1991.....	91	-	-	1	-	2	4	11	7	7	5	
1990.....	83	-	1	-	-	1	4	5	11	2	6	
1989.....	91	-	1	-	-	-	2	6	5	6	4	
1988.....	102	1	-	-	-	-	5	9	6	8	3	
1987.....	78	1	1	-	-	1	1	2	6	2	7	
1986.....	75	-	2	1	-	1	3	6	5	7	3	
1985.....	71	-	1	-	1	2	1	6	5	3	5	
1984.....	65	1	1	-	-	2	3	5	1	2	5	
1983.....	75	-	1	-	1	1	1	3	3	2	4	
1982.....	76	-	1	-	2	1	-	3	4	4	3	
1981.....	66	1	-	1	-	1	2	3	4	1	2	
1980.....	75	-	1	2	-	1	1	3	2	5	5	
1979.....	93	-	-	-	-	-	1	4	4	5	3	
BLACK, BOTH SEXES												
1998.....	95	-	-	-	1	-	2	3	3	7	12	
1997.....	92	-	-	-	-	-	3	4	4	3	5	
1996.....	85	-	2	-	-	-	-	3	3	8	9	
1995.....	104	-	1	-	-	-	4	3	3	7	10	
1994.....	131	-	2	-	-	-	6	4	13	9	7	
1993.....	133	2	3	-	1	-	3	4	11	16	9	
1992.....	149	2	1	-	-	2	2	6	15	27	10	
1991.....	152	-	-	1	-	2	4	14	8	17	20	
1990.....	177	-	1	-	-	1	5	12	19	14	13	
1989.....	174	-	4	-	-	2	4	10	13	15	11	
1988.....	187	1	1	1	-	1	8	12	18	22	11	
1987.....	150	-	2	-	-	1	3	6	14	11	15	
1986.....	150	-	2	2	-	1	3	14	15	20	10	
1985.....	147	1	2	-	1	2	3	11	11	9	12	
1984.....	156	1	1	-	1	4	7	11	11	8	20	
1983.....	146	-	-	-	1	1	3	7	14	9	7	
1982.....	143	1	-	-	1	2	2	7	10	10	9	
1981.....	135	2	1	1	-	1	2	7	9	3	4	
1980.....	133	-	4	-	1	1	1	8	7	5	6	
1979.....	139	-	1	-	1	1	1	7	8	8	5	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	37	-	-	-	-	-	-	1	-	6	4
1997.....	39	-	-	-	-	-	-	3	2	1	2
1996.....	50	-	2	-	-	-	-	-	2	5	5
1995.....	46	-	-	-	-	-	1	2	2	2	5
1994.....	63	-	1	-	-	-	-	2	6	3	4
1993.....	67	-	3	-	-	-	2	3	4	10	4
1992.....	77	-	-	-	-	-	-	3	10	14	7
1991.....	71	-	-	-	-	1	-	3	1	10	16
1990.....	105	-	-	-	-	-	1	7	8	12	8
1989.....	99	-	3	-	-	2	3	4	8	9	9
1988.....	103	-	1	1	-	1	3	3	13	14	8
1987.....	85	-	1	-	-	-	2	5	8	9	8
1986.....	85	-	-	1	-	-	1	9	10	13	7
1985.....	87	1	1	-	-	-	3	5	7	6	9
1984.....	97	-	-	-	1	2	4	6	11	6	16
1983.....	82	-	-	-	-	-	2	4	11	7	3
1982.....	84	1	-	-	-	1	2	4	6	7	8
1981.....	79	1	1	-	-	-	-	4	5	2	3
1980.....	70	-	3	-	1	-	-	6	5	1	1
1979.....	60	-	1	-	1	1	-	3	4	3	4
BLACK FEMALE											
1998.....	58	-	-	-	1	-	2	2	3	1	8
1997.....	53	-	-	-	-	-	3	1	2	2	3
1996.....	35	-	-	-	-	-	-	3	1	3	4
1995.....	58	-	1	-	-	-	3	1	1	5	5
1994.....	68	-	1	-	-	-	6	2	7	6	3
1993.....	66	2	-	-	1	-	1	1	7	6	5
1992.....	72	2	1	-	-	2	2	3	5	13	3
1991.....	81	-	-	1	-	1	4	11	7	7	4
1990.....	72	-	1	-	-	1	4	5	11	2	5
1989.....	75	-	1	-	-	-	1	6	5	6	2
1988.....	84	1	-	-	-	-	5	9	5	8	3
1987.....	65	-	1	-	-	1	1	1	6	2	7
1986.....	65	-	2	1	-	1	2	5	5	7	3
1985.....	60	-	1	-	1	2	-	6	4	3	3
1984.....	59	1	1	-	-	2	3	5	-	2	4
1983.....	64	-	-	-	1	1	1	3	3	2	4
1982.....	59	-	-	-	1	1	-	3	4	3	1
1981.....	56	1	-	1	-	1	2	3	4	1	1
1980.....	63	-	1	-	-	1	1	2	2	4	5
1979.....	79	-	-	-	-	-	1	4	4	5	1















CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)											
TOTAL, BOTH SEXES											
1998.....	8	-	1	1	1	-	-	1	-	-	-
1997.....	8	-	1	-	-	-	1	-	-	-	-
1996.....	13	1	-	-	-	1	1	-	-	-	-
1995.....	9	-	1	1	1	-	-	-	-	-	-
1994.....	12	1	-	-	-	-	-	1	3	1	1
1993.....	13	-	-	-	-	1	1	-	-	1	-
1992.....	5	-	-	-	-	-	-	-	-	1	-
1991.....	5	-	-	-	-	-	-	1	-	-	-
1990.....	14	2	-	-	-	1	-	-	1	-	-
1989.....	17	1	1	-	-	1	1	-	-	-	-
1988.....	13	1	-	1	-	-	-	-	1	-	-
1987.....	10	1	1	-	-	-	-	-	-	-	1
1986.....	12	-	-	1	-	2	-	-	-	-	-
1985.....	9	-	-	-	-	-	-	2	-	-	-
1984.....	11	-	-	-	-	-	-	-	1	2	-
1983.....	6	-	-	-	-	-	-	-	-	-	-
1982.....	18	-	2	-	-	-	-	1	3	-	-
1981.....	13	-	1	-	-	-	-	-	-	1	2
1980.....	15	1	-	-	1	-	-	-	-	1	-
1979.....	25	2	2	1	3	1	-	-	1	-	4
TOTAL, MALE											
1998.....	5	-	1	-	-	-	-	1	-	-	-
1997.....	2	-	-	-	-	-	1	-	-	-	-
1996.....	9	-	-	-	-	1	1	-	-	-	-
1995.....	3	-	1	-	1	-	-	-	-	-	-
1994.....	4	-	-	-	-	-	-	1	1	-	-
1993.....	4	-	-	-	-	-	-	-	-	1	-
1992.....	2	-	-	-	-	-	-	-	-	1	-
1991.....	4	-	-	-	-	-	-	1	-	-	-
1990.....	6	1	-	-	-	1	-	-	1	-	-
1989.....	6	1	-	-	-	1	1	-	-	-	-
1988.....	6	1	-	1	-	-	-	-	1	-	-
1987.....	4	-	1	-	-	-	-	-	-	-	1
1986.....	5	-	-	-	-	1	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	1	-	-	-
1984.....	5	-	-	-	-	-	-	-	-	2	-
1983.....	3	-	-	-	-	-	-	-	-	-	-
1982.....	11	-	2	-	-	-	-	-	3	-	-
1981.....	6	-	-	-	-	-	-	-	-	1	1
1980.....	6	1	-	-	1	-	-	-	-	-	-
1979.....	14	2	2	-	1	-	-	-	1	-	3

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL, FEMALE											
1998.....	3	-	-	1	1	-	-	-	-	-	-	-
1997.....	6	-	1	-	-	-	-	-	-	-	-	-
1996.....	4	1	-	-	-	-	-	-	-	-	-	-
1995.....	6	-	-	1	-	-	-	-	-	-	-	-
1994.....	8	1	-	-	-	-	-	-	2	1	1	-
1993.....	9	-	-	-	-	1	1	-	-	-	-	-
1992.....	3	-	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-	-
1990.....	8	1	-	-	-	-	-	-	-	-	-	-
1989.....	11	-	1	-	-	-	-	-	-	-	-	-
1988.....	7	-	-	-	-	-	-	-	-	-	-	-
1987.....	6	1	-	-	-	-	-	-	-	-	-	-
1986.....	7	-	-	1	-	1	-	-	-	-	-	-
1985.....	6	-	-	-	-	-	-	1	-	-	-	-
1984.....	6	-	-	-	-	-	-	-	1	-	-	-
1983.....	3	-	-	-	-	-	-	-	-	-	-	-
1982.....	7	-	-	-	-	-	-	1	-	-	-	-
1981.....	7	-	1	-	-	-	-	-	-	-	1	-
1980.....	9	-	-	-	-	-	-	-	-	1	-	-
1979.....	11	-	-	1	2	1	-	-	-	-	-	1
	WHITE, BOTH SEXES											
1998.....	7	-	1	1	1	-	-	-	-	-	-	-
1997.....	8	-	1	-	-	-	1	-	-	-	-	-
1996.....	9	-	-	-	-	-	1	-	-	-	-	-
1995.....	8	-	1	1	-	-	-	-	-	-	-	-
1994.....	10	1	-	-	-	-	-	1	2	1	-	-
1993.....	13	-	-	-	-	1	1	-	-	1	-	-
1992.....	4	-	-	-	-	-	-	-	-	1	-	-
1991.....	5	-	-	-	-	-	-	1	-	-	-	-
1990.....	12	1	-	-	-	-	-	-	1	-	-	-
1989.....	16	1	1	-	-	1	1	-	-	-	-	-
1988.....	12	1	-	1	-	-	-	-	1	-	-	-
1987.....	10	1	1	-	-	-	-	-	-	-	-	1
1986.....	10	-	-	1	-	1	-	-	-	-	-	-
1985.....	8	-	-	-	-	-	-	1	-	-	-	-
1984.....	8	-	-	-	-	-	-	-	-	1	-	-
1983.....	6	-	-	-	-	-	-	-	-	-	-	-
1982.....	14	-	2	-	-	-	-	-	2	-	-	-
1981.....	13	-	1	-	-	-	-	-	-	1	2	-
1980.....	13	-	-	-	1	-	-	-	-	1	-	-
1979.....	23	2	2	1	2	1	-	-	1	-	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)											
WHITE MALE											
1998.....	4	-	1	-	-	-	-	-	-	-	-
1997.....	2	-	-	-	-	-	1	-	-	-	-
1996.....	6	-	-	-	-	-	1	-	-	-	-
1995.....	2	-	1	-	-	-	-	-	-	-	-
1994.....	4	-	-	-	-	-	-	1	1	-	-
1993.....	4	-	-	-	-	-	-	-	-	1	-
1992.....	2	-	-	-	-	-	-	-	-	1	-
1991.....	4	-	-	-	-	-	-	1	-	-	-
1990.....	4	-	-	-	-	-	-	-	1	-	-
1989.....	5	1	-	-	-	1	1	-	-	-	-
1988.....	6	1	-	1	-	-	-	-	1	-	-
1987.....	4	-	1	-	-	-	-	-	-	-	1
1986.....	5	-	-	-	-	1	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	1	-	-	-
1984.....	4	-	-	-	-	-	-	-	-	1	-
1983.....	3	-	-	-	-	-	-	-	-	-	-
1982.....	8	-	2	-	-	-	-	-	2	-	-
1981.....	6	-	-	-	-	-	-	-	-	1	1
1980.....	4	-	-	-	1	-	-	-	-	-	-
1979.....	12	2	2	-	-	-	-	-	1	-	2
WHITE FEMALE											
1998.....	3	-	-	1	1	-	-	-	-	-	-
1997.....	6	-	1	-	-	-	-	-	-	-	-
1996.....	3	-	-	-	-	-	-	-	-	-	-
1995.....	6	-	-	1	-	-	-	-	-	-	-
1994.....	6	1	-	-	-	-	-	-	1	1	-
1993.....	9	-	-	-	-	1	1	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	8	1	-	-	-	-	-	-	-	-	-
1989.....	11	-	1	-	-	-	-	-	-	-	-
1988.....	6	-	-	-	-	-	-	-	-	-	-
1987.....	6	1	-	-	-	-	-	-	-	-	-
1986.....	5	-	-	1	-	-	-	-	-	-	-
1985.....	5	-	-	-	-	-	-	-	-	-	-
1984.....	4	-	-	-	-	-	-	-	-	-	-
1983.....	3	-	-	-	-	-	-	-	-	-	-
1982.....	6	-	-	-	-	-	-	-	-	-	-
1981.....	7	-	1	-	-	-	-	-	-	-	1
1980.....	9	-	-	-	-	-	-	-	-	1	-
1979.....	11	-	-	1	2	1	-	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)											
ALL OTHER, BOTH SEXES											
1998.....	1	-	-	-	-	-	-	1	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-	-
1996.....	4	1	-	-	-	1	-	-	-	-	-
1995.....	1	-	-	-	1	-	-	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	1	-	1
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-	-
1990.....	2	1	-	-	-	1	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	1	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	1	-	-	-
1984.....	3	-	-	-	-	-	-	-	1	1	-
1983.....	-	-	-	-	-	-	-	-	-	-	-
1982.....	4	-	-	-	-	-	-	1	1	-	-
1981.....	-	-	-	-	-	-	-	-	-	-	-
1980.....	2	1	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	1	-	-	-	-	-	1
ALL OTHER MALE											
1998.....	1	-	-	-	-	-	-	1	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-	-
1996.....	3	-	-	-	-	1	-	-	-	-	-
1995.....	1	-	-	-	1	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-	-
1990.....	2	1	-	-	-	1	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-	-
1985.....	-	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	-	-	-	-	-	-	-	-	-	-	-
1982.....	3	-	-	-	-	-	-	-	1	-	-
1981.....	-	-	-	-	-	-	-	-	-	-	-
1980.....	2	1	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	1	-	-	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)		TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998		-	-	-	-	-	-	-	-	-	-
1997		-	-	-	-	-	-	-	-	-	-
1996		1	1	-	-	-	-	-	-	-	-
1995		-	-	-	-	-	-	-	-	-	-
1994		2	-	-	-	-	-	-	1	-	1
1993		-	-	-	-	-	-	-	-	-	-
1992		1	-	-	-	-	-	-	-	-	-
1991		-	-	-	-	-	-	-	-	-	-
1990		-	-	-	-	-	-	-	-	-	-
1989		-	-	-	-	-	-	-	-	-	-
1988		1	-	-	-	-	-	-	-	-	-
1987		-	-	-	-	-	-	-	-	-	-
1986		2	-	-	-	1	-	-	-	-	-
1985		1	-	-	-	-	-	1	-	-	-
1984		2	-	-	-	-	-	-	1	-	-
1983		-	-	-	-	-	-	-	-	-	-
1982		1	-	-	-	-	-	1	-	-	-
1981		-	-	-	-	-	-	-	-	-	-
1980		-	-	-	-	-	-	-	-	-	-
1979		-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES											
1998		1	-	-	-	-	-	1	-	-	-
1997		-	-	-	-	-	-	-	-	-	-
1996		4	1	-	-	1	-	-	-	-	-
1995		-	-	-	-	-	-	-	-	-	-
1994		2	-	-	-	-	-	-	1	-	1
1993		-	-	-	-	-	-	-	-	-	-
1992		1	-	-	-	-	-	-	-	-	-
1991		-	-	-	-	-	-	-	-	-	-
1990		2	1	-	-	1	-	-	-	-	-
1989		1	-	-	-	-	-	-	-	-	-
1988		1	-	-	-	-	-	-	-	-	-
1987		-	-	-	-	-	-	-	-	-	-
1986		2	-	-	-	1	-	-	-	-	-
1985		1	-	-	-	-	-	1	-	-	-
1984		3	-	-	-	-	-	-	1	1	-
1983		-	-	-	-	-	-	-	-	-	-
1982		2	-	-	-	-	-	1	-	-	-
1981		-	-	-	-	-	-	-	-	-	-
1980		1	-	-	-	-	-	-	-	-	-
1979		2	-	-	-	1	-	-	-	-	1





CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
TOTAL, BOTH SEXES											
1998.....	234	23	33	14	18	33	17	9	13	9	8
1997.....	309	46	45	19	15	43	23	10	10	14	9
1996.....	290	39	41	17	23	39	18	10	6	13	10
1995.....	273	39	40	11	19	37	17	12	5	8	15
1994.....	276	45	55	13	13	28	21	8	2	12	10
1993.....	260	46	29	19	8	34	22	8	6	11	12
1992.....	201	34	39	9	7	27	13	2	4	7	8
1991.....	198	43	41	12	12	24	5	4	8	2	9
1990.....	215	50	38	11	7	20	12	7	8	5	9
1989.....	273	58	48	19	12	29	9	3	5	7	10
1988.....	278	72	68	10	9	16	8	12	8	8	9
1987.....	258	66	72	9	12	10	10	8	9	5	8
1986.....	286	62	64	11	9	25	13	15	9	9	7
1985.....	257	69	61	12	6	14	8	6	9	4	7
1984.....	300	66	70	15	7	28	16	9	7	5	5
1983.....	299	62	83	21	9	16	10	8	6	5	5
1982.....	364	95	78	13	6	31	19	8	12	17	12
1981.....	459	125	101	14	17	32	12	12	14	8	11
1980.....	387	77	110	19	15	28	10	21	8	4	7
1979.....	404	89	107	13	13	30	15	10	9	12	8
TOTAL, MALE											
1998.....	132	10	18	9	13	23	11	6	10	5	4
1997.....	152	26	24	9	6	21	16	4	6	10	4
1996.....	141	24	19	8	9	27	15	3	3	9	2
1995.....	137	30	18	5	10	20	11	8	4	5	7
1994.....	132	22	26	5	3	19	10	7	2	8	4
1993.....	124	21	17	9	3	17	13	7	3	8	9
1992.....	98	15	23	4	4	17	9	2	1	5	4
1991.....	103	26	21	7	8	13	3	1	6	1	4
1990.....	113	27	18	7	1	13	6	3	7	4	6
1989.....	127	28	23	11	3	16	7	-	4	2	5
1988.....	143	40	40	5	6	6	4	6	4	6	5
1987.....	137	42	40	6	4	4	8	6	2	3	5
1986.....	146	37	34	7	4	9	7	10	4	6	2
1985.....	127	45	33	2	4	7	7	4	2	2	4
1984.....	146	36	38	10	2	15	9	6	3	4	3
1983.....	157	38	49	12	5	8	5	7	3	2	2
1982.....	177	59	43	7	1	16	12	2	6	8	5
1981.....	233	71	55	9	6	18	8	7	9	3	5
1980.....	204	44	71	10	8	17	5	10	2	3	2
1979.....	234	56	68	8	5	16	14	4	7	6	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
TOTAL, FEMALE											
1998.....	102	13	15	5	5	10	6	3	3	4	4
1997.....	157	20	21	10	9	22	7	6	4	4	5
1996.....	149	15	22	9	14	12	3	7	3	4	8
1995.....	136	9	22	6	9	17	6	4	1	3	8
1994.....	144	23	29	8	10	9	11	1	-	4	6
1993.....	136	25	12	10	5	17	9	1	3	3	3
1992.....	103	19	16	5	3	10	4	-	3	2	4
1991.....	95	17	20	5	4	11	2	3	2	1	5
1990.....	102	23	20	4	6	7	6	4	1	1	3
1989.....	146	30	25	8	9	13	2	3	1	5	5
1988.....	135	32	28	5	3	10	4	6	4	2	4
1987.....	121	24	32	3	8	6	2	2	7	2	3
1986.....	140	25	30	4	5	16	6	5	5	3	5
1985.....	130	24	28	10	2	7	1	2	7	2	3
1984.....	154	30	32	5	5	13	7	3	4	1	2
1983.....	142	24	34	9	4	8	5	1	3	3	3
1982.....	187	36	35	6	5	15	7	6	6	9	7
1981.....	226	54	46	5	11	14	4	5	5	5	6
1980.....	183	33	39	9	7	11	5	11	6	1	5
1979.....	170	33	39	5	8	14	1	6	2	6	4
WHITE, BOTH SEXES											
1998.....	180	19	26	10	13	22	14	4	9	6	7
1997.....	236	37	33	15	10	37	13	2	8	9	7
1996.....	223	31	33	10	11	32	14	7	5	7	8
1995.....	207	31	27	5	11	30	13	7	5	4	11
1994.....	232	40	44	12	11	19	20	7	1	8	7
1993.....	201	37	22	13	6	28	14	3	4	11	9
1992.....	167	29	31	4	5	25	10	2	1	6	8
1991.....	165	34	38	9	7	20	3	4	7	2	8
1990.....	166	37	27	7	5	15	10	5	6	5	7
1989.....	214	43	36	11	8	21	8	2	5	6	8
1988.....	198	54	46	3	7	12	7	5	5	6	7
1987.....	192	54	46	6	9	7	7	6	4	4	7
1986.....	216	49	43	9	6	18	7	9	7	7	7
1985.....	210	54	50	7	5	11	7	6	9	3	6
1984.....	226	58	49	8	5	21	9	5	6	2	3
1983.....	229	50	63	15	7	13	8	3	3	1	2
1982.....	282	82	62	3	4	19	11	5	8	14	11
1981.....	380	107	79	9	13	27	12	9	10	6	9
1980.....	306	60	83	15	10	21	9	17	8	3	6
1979.....	310	79	80	8	9	23	7	8	5	8	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
WHITE MALE											
1998.....	98	7	14	5	9	16	8	3	8	5	4
1997.....	111	19	18	8	3	18	9	-	4	7	2
1996.....	103	19	12	6	3	21	12	3	3	5	1
1995.....	97	23	12	2	5	16	9	4	4	3	4
1994.....	107	20	18	5	2	12	10	6	1	6	4
1993.....	89	15	13	5	2	13	9	3	1	8	6
1992.....	79	14	17	1	4	15	6	2	-	4	4
1991.....	87	21	20	5	5	10	1	1	6	1	4
1990.....	80	20	11	4	1	8	4	2	5	4	5
1989.....	103	22	17	8	1	14	6	-	4	1	4
1988.....	102	31	26	2	5	3	4	2	2	4	5
1987.....	100	36	27	4	2	2	6	5	-	2	4
1986.....	113	31	23	5	2	6	4	8	3	5	2
1985.....	107	38	27	1	3	5	6	4	2	1	3
1984.....	107	31	28	7	2	10	5	4	2	2	1
1983.....	122	31	41	9	4	6	4	3	2	1	-
1982.....	132	51	34	1	-	8	7	2	4	6	5
1981.....	191	59	46	5	6	15	8	5	5	2	5
1980.....	158	35	55	9	5	13	4	7	2	2	1
1979.....	179	52	47	6	3	13	6	3	4	3	3
WHITE FEMALE											
1998.....	82	12	12	5	4	6	6	1	1	1	3
1997.....	125	18	15	7	7	19	4	2	4	2	5
1996.....	120	12	21	4	8	11	2	4	2	2	7
1995.....	110	8	15	3	6	14	4	3	1	1	7
1994.....	125	20	26	7	9	7	10	1	-	2	3
1993.....	112	22	9	8	4	15	5	-	3	3	3
1992.....	88	15	14	3	1	10	4	-	1	2	4
1991.....	78	13	18	4	2	10	2	3	1	1	4
1990.....	86	17	16	3	4	7	6	3	1	1	2
1989.....	111	21	19	3	7	7	2	2	1	5	4
1988.....	96	23	20	1	2	9	3	3	3	2	2
1987.....	92	18	19	2	7	5	1	1	4	2	3
1986.....	103	18	20	4	4	12	3	1	4	2	5
1985.....	103	16	23	6	2	6	1	2	7	2	3
1984.....	119	27	21	1	3	11	4	1	4	-	2
1983.....	107	19	22	6	3	7	4	-	1	-	2
1982.....	150	31	28	2	4	11	4	3	4	8	6
1981.....	189	48	33	4	7	12	4	4	5	4	4
1980.....	148	25	28	6	5	8	5	10	6	1	5
1979.....	131	27	33	2	6	10	1	5	1	5	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
ALL OTHER, BOTH SEXES											
1998.....	54	4	7	4	5	11	3	5	4	3	1
1997.....	73	9	12	4	5	6	10	8	2	5	2
1996.....	67	8	8	7	12	7	4	3	1	6	2
1995.....	66	8	13	6	8	7	4	5	-	4	4
1994.....	44	5	11	1	2	9	1	1	1	4	3
1993.....	59	9	7	6	2	6	8	5	2	-	3
1992.....	34	5	8	5	2	2	3	-	3	1	-
1991.....	33	9	3	3	5	4	2	-	1	-	1
1990.....	49	13	11	4	2	5	2	2	2	-	2
1989.....	59	15	12	8	4	8	1	1	-	1	2
1988.....	80	18	22	7	2	4	1	7	3	2	2
1987.....	66	12	26	3	3	3	3	2	5	1	1
1986.....	70	13	21	2	3	7	6	6	2	2	-
1985.....	47	15	11	5	1	3	1	-	-	1	1
1984.....	74	8	21	7	2	7	7	4	1	3	2
1983.....	70	12	20	6	2	3	2	5	3	4	3
1982.....	82	13	16	10	2	12	8	3	4	3	1
1981.....	79	18	22	5	4	5	-	3	4	2	2
1980.....	81	17	27	4	5	7	1	4	-	1	1
1979.....	94	10	27	5	4	7	8	2	4	4	4
ALL OTHER MALE											
1998.....	34	3	4	4	4	7	3	3	2	-	-
1997.....	41	7	6	1	3	3	7	4	2	3	2
1996.....	38	5	7	2	6	6	3	-	-	4	1
1995.....	40	7	6	3	5	4	2	4	-	2	3
1994.....	25	2	8	-	1	7	-	1	1	2	-
1993.....	35	6	4	4	1	4	4	4	2	-	3
1992.....	19	1	6	3	-	2	3	-	1	1	-
1991.....	16	5	1	2	3	3	2	-	-	-	-
1990.....	33	7	7	3	-	5	2	1	2	-	1
1989.....	24	6	6	3	2	2	1	-	-	1	1
1988.....	41	9	14	3	1	3	-	4	2	2	-
1987.....	37	6	13	2	2	2	2	1	2	1	1
1986.....	33	6	11	2	2	3	3	2	1	1	-
1985.....	20	7	6	1	1	2	1	-	-	1	1
1984.....	39	5	10	3	-	5	4	2	1	2	2
1983.....	35	7	8	3	1	2	1	4	1	1	2
1982.....	45	8	9	6	1	8	5	-	2	2	-
1981.....	42	12	9	4	-	3	-	2	4	1	-
1980.....	46	9	16	1	3	4	1	3	-	1	1
1979.....	55	4	21	2	2	3	8	1	3	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
ALL OTHER FEMALE											
1998.....	20	1	3	-	1	4	-	2	2	3	1
1997.....	32	2	6	3	2	3	3	4	-	2	-
1996.....	29	3	1	5	6	1	1	3	1	2	1
1995.....	26	1	7	3	3	3	2	1	-	2	1
1994.....	19	3	3	1	1	2	1	-	-	2	3
1993.....	24	3	3	2	1	2	4	1	-	-	-
1992.....	15	4	2	2	2	-	-	-	2	-	-
1991.....	17	4	2	1	2	1	-	-	1	-	1
1990.....	16	6	4	1	2	-	-	1	-	-	1
1989.....	35	9	6	5	2	6	-	1	-	-	1
1988.....	39	9	8	4	1	1	1	3	1	-	2
1987.....	29	6	13	1	1	1	1	1	3	-	-
1986.....	37	7	10	-	1	4	3	4	1	1	-
1985.....	27	8	5	4	-	1	-	-	-	-	-
1984.....	35	3	11	4	2	2	3	2	-	1	-
1983.....	35	5	12	3	1	1	1	1	2	3	1
1982.....	37	5	7	4	1	4	3	3	2	1	1
1981.....	37	6	13	1	4	2	-	1	-	1	2
1980.....	35	8	11	3	2	3	-	1	-	-	-
1979.....	39	6	6	3	2	4	-	1	1	1	3
BLACK, BOTH SEXES											
1998.....	51	2	7	4	4	11	3	5	4	3	1
1997.....	63	8	11	3	5	4	9	6	1	5	2
1996.....	58	5	7	7	11	7	4	3	1	5	2
1995.....	57	7	12	6	6	6	3	3	-	3	4
1994.....	36	5	10	1	1	7	-	1	1	3	2
1993.....	49	8	7	5	1	4	8	4	1	-	3
1992.....	31	5	6	5	2	2	3	-	2	1	-
1991.....	29	9	3	3	4	4	1	-	1	-	-
1990.....	43	11	9	4	2	5	2	2	2	-	2
1989.....	50	12	10	8	4	6	1	1	-	1	2
1988.....	71	16	19	7	2	4	1	6	2	1	1
1987.....	65	11	26	3	3	3	3	2	5	1	1
1986.....	66	11	20	2	3	7	6	5	2	2	-
1985.....	44	14	10	5	1	3	1	-	-	1	1
1984.....	70	7	19	7	1	7	7	4	1	3	2
1983.....	67	11	18	6	2	3	2	5	3	4	3
1982.....	75	10	15	10	2	12	7	3	4	2	1
1981.....	75	16	21	5	4	5	-	3	4	2	2
1980.....	72	14	23	3	5	7	1	4	-	1	1
1979.....	83	10	25	5	4	7	8	2	2	3	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
MENINGOCOCCAL INFECTION (036)												
BLACK MALE												
1998.....	32	2	4	4	3	7	3	3	2	-	-	
1997.....	35	6	5	1	3	2	6	3	1	3	2	
1996.....	35	3	6	2	6	6	3	-	-	4	1	
1995.....	34	6	5	3	4	3	2	3	-	1	3	
1994.....	20	2	7	-	-	5	-	1	1	1	-	
1993.....	28	6	4	4	-	2	4	3	1	-	3	
1992.....	18	1	5	3	-	2	3	-	1	1	-	
1991.....	15	5	1	2	3	3	1	-	-	-	-	
1990.....	28	6	5	3	-	5	2	1	2	-	1	
1989.....	22	6	5	3	2	2	1	-	-	1	1	
1988.....	37	8	12	3	1	3	-	4	2	1	-	
1987.....	36	5	13	2	2	2	2	1	2	1	1	
1986.....	31	5	10	2	2	3	3	2	1	1	-	
1985.....	19	7	5	1	1	2	1	-	-	1	1	
1984.....	37	4	9	3	-	5	4	2	1	2	2	
1983.....	33	6	7	3	1	2	1	4	1	1	2	
1982.....	44	7	9	6	1	8	5	-	2	2	-	
1981.....	40	11	8	4	-	3	-	2	4	1	-	
1980.....	41	6	14	1	3	4	1	3	-	1	1	
1979.....	49	4	19	2	2	3	8	1	2	2	-	
BLACK FEMALE												
1998.....	19	-	3	-	1	4	-	2	2	3	1	
1997.....	28	2	6	2	2	2	3	3	-	2	-	
1996.....	23	2	1	5	5	1	1	3	1	1	1	
1995.....	23	1	7	3	2	3	1	-	-	2	1	
1994.....	16	3	3	1	1	2	-	-	-	2	2	
1993.....	21	2	3	1	1	2	4	1	-	-	-	
1992.....	13	4	1	2	2	-	-	-	1	-	-	
1991.....	14	4	2	1	1	1	-	-	1	-	-	
1990.....	15	5	4	1	2	-	-	1	-	-	1	
1989.....	28	6	5	5	2	4	-	1	-	-	1	
1988.....	34	8	7	4	1	1	1	2	-	-	1	
1987.....	29	6	13	1	1	1	1	1	3	-	-	
1986.....	35	6	10	-	1	4	3	3	1	1	-	
1985.....	25	7	5	4	-	1	-	-	-	-	-	
1984.....	33	3	10	4	1	2	3	2	-	1	-	
1983.....	34	5	11	3	1	1	1	1	2	3	1	
1982.....	31	3	6	4	1	4	2	3	2	-	1	
1981.....	35	5	13	1	4	2	-	1	-	1	2	
1980.....	31	8	9	2	2	3	-	1	-	-	-	
1979.....	34	6	6	3	2	4	-	1	-	1	3	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SEPTICEMIA (038)											
TOTAL, BOTH SEXES											
1998.....	23,731	216	89	25	31	38	66	97	160	267	404
1997.....	22,396	196	73	34	18	39	47	82	153	267	367
1996.....	21,423	199	83	28	13	28	41	83	183	242	384
1995.....	20,965	221	80	30	27	39	46	93	176	268	373
1994.....	20,360	222	91	26	25	28	47	82	199	244	351
1993.....	20,634	233	96	36	24	25	39	103	171	288	321
1992.....	19,667	225	77	24	21	28	58	101	174	258	331
1991.....	19,691	265	91	23	14	33	49	117	172	257	348
1990.....	19,169	267	100	32	14	28	56	110	193	252	305
1989.....	19,333	290	94	16	17	35	52	122	200	274	327
1988.....	20,925	245	89	29	22	46	51	98	188	238	305
1987.....	19,916	254	90	28	22	45	61	115	178	219	277
1986.....	18,795	302	90	23	21	38	49	92	163	209	253
1985.....	17,182	303	92	22	19	36	50	95	139	173	212
1984.....	15,028	296	76	27	16	22	76	91	122	163	198
1983.....	13,394	303	81	18	16	39	47	82	83	118	153
1982.....	11,493	274	81	15	13	33	39	70	96	110	147
1981.....	10,443	301	94	15	13	33	46	84	109	121	138
1980.....	9,438	242	71	21	17	30	51	72	65	113	119
1979.....	8,024	262	63	21	18	37	47	53	76	78	121
TOTAL, MALE											
1998.....	10,225	111	54	15	13	24	38	44	77	143	229
1997.....	9,655	119	38	15	7	27	21	46	75	129	194
1996.....	9,246	114	47	14	5	14	22	40	111	140	236
1995.....	8,991	112	38	19	15	19	17	53	97	149	206
1994.....	8,810	115	45	12	13	15	20	43	118	142	220
1993.....	8,916	120	51	13	13	9	21	57	107	158	199
1992.....	8,527	123	33	11	8	15	30	58	100	145	207
1991.....	8,610	143	53	11	6	14	22	63	93	155	224
1990.....	8,542	149	63	20	7	15	28	61	125	168	194
1989.....	8,489	161	50	7	8	14	28	71	114	173	195
1988.....	9,132	135	48	12	9	20	22	52	108	146	174
1987.....	8,969	141	49	15	13	21	29	58	105	126	173
1986.....	8,786	179	50	16	10	22	20	56	89	121	133
1985.....	8,017	178	57	10	7	12	22	48	70	107	123
1984.....	7,068	172	35	16	7	12	36	56	73	94	108
1983.....	6,417	179	49	9	9	20	26	35	42	68	97
1982.....	5,469	156	41	5	8	15	15	26	51	56	75
1981.....	5,047	158	46	10	9	11	19	44	64	63	76
1980.....	4,684	151	43	14	6	15	26	35	37	58	61
1979.....	3,972	139	34	12	8	20	25	29	41	38	58

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SEPTICEMIA (038)											
TOTAL, FEMALE											
1998.....	13,506	105	35	10	18	14	28	53	83	124	175
1997.....	12,741	77	35	19	11	12	26	36	78	138	173
1996.....	12,177	85	36	14	8	14	19	43	72	102	148
1995.....	11,974	109	42	11	12	20	29	40	79	119	167
1994.....	11,550	107	46	14	12	13	27	39	81	102	131
1993.....	11,718	113	45	23	11	16	18	46	64	130	122
1992.....	11,140	102	44	13	13	13	28	43	74	113	124
1991.....	11,081	122	38	12	8	19	27	54	79	102	124
1990.....	10,627	118	37	12	7	13	28	49	68	84	111
1989.....	10,844	129	44	9	9	21	24	51	86	101	132
1988.....	11,793	110	41	17	13	26	29	46	80	92	131
1987.....	10,947	113	41	13	9	24	32	57	73	93	104
1986.....	10,009	123	40	7	11	16	29	36	74	88	120
1985.....	9,165	125	35	12	12	24	28	47	69	66	89
1984.....	7,960	124	41	11	9	10	40	35	49	69	90
1983.....	6,977	124	32	9	7	19	21	47	41	50	56
1982.....	6,024	118	40	10	5	18	24	44	45	54	72
1981.....	5,396	143	48	5	4	22	27	40	45	58	62
1980.....	4,754	91	28	7	11	15	25	37	28	55	58
1979.....	4,052	123	29	9	10	17	22	24	35	40	63
WHITE, BOTH SEXES											
1998.....	18,855	121	64	15	24	23	46	57	97	173	264
1997.....	17,832	125	48	24	12	22	30	48	100	158	221
1996.....	17,130	116	52	22	9	14	29	53	112	141	217
1995.....	16,784	127	55	19	17	21	30	56	107	159	224
1994.....	16,452	139	57	20	20	22	30	47	121	149	213
1993.....	16,696	146	66	24	20	15	23	66	109	171	193
1992.....	15,792	126	53	16	18	15	31	72	107	159	180
1991.....	15,884	148	64	14	8	23	28	72	92	142	204
1990.....	15,456	156	75	23	9	18	36	77	114	143	173
1989.....	15,557	173	61	12	14	24	34	72	114	155	206
1988.....	16,943	155	61	24	17	33	32	65	118	144	176
1987.....	15,936	148	62	21	16	27	36	79	87	122	173
1986.....	15,156	189	66	14	17	31	32	47	99	133	153
1985.....	13,740	191	66	17	11	31	34	53	80	103	141
1984.....	11,976	182	50	15	12	17	59	61	66	107	112
1983.....	10,696	199	57	12	12	29	35	47	40	76	95
1982.....	9,192	170	63	12	8	22	27	39	56	64	88
1981.....	8,311	179	61	12	11	24	32	54	63	78	75
1980.....	7,461	147	52	16	14	23	32	53	43	73	74
1979.....	6,376	159	41	14	12	30	40	41	48	48	77



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SEPTICEMIA (038)											
WHITE MALE											
1998.....	8,114	56	40	12	10	15	29	26	52	98	158
1997.....	7,633	74	28	10	5	17	14	30	50	82	118
1996.....	7,247	62	32	11	3	8	15	27	68	77	135
1995.....	7,040	66	24	12	9	10	11	29	60	90	118
1994.....	7,018	76	26	9	10	11	12	25	72	87	130
1993.....	7,087	75	34	9	11	5	12	39	73	96	116
1992.....	6,735	71	21	8	7	9	18	44	70	90	112
1991.....	6,812	82	37	5	4	9	12	36	47	93	134
1990.....	6,786	89	44	14	4	11	20	39	74	98	114
1989.....	6,728	101	37	5	7	9	20	42	69	101	119
1988.....	7,270	91	32	11	7	17	16	40	64	92	101
1987.....	7,096	76	34	14	7	14	16	42	56	70	101
1986.....	6,962	103	34	8	6	17	14	29	61	81	76
1985.....	6,321	113	42	7	4	10	16	29	40	65	80
1984.....	5,602	107	22	10	6	8	29	40	38	62	59
1983.....	5,119	120	36	8	7	18	23	19	17	51	61
1982.....	4,357	93	31	5	4	11	9	15	32	30	51
1981.....	4,003	105	28	8	7	8	13	28	38	37	41
1980.....	3,672	102	31	11	4	11	15	26	21	34	36
1979.....	3,121	84	18	9	5	17	22	22	25	22	39
WHITE FEMALE											
1998.....	10,741	65	24	3	14	8	17	31	45	75	106
1997.....	10,199	51	20	14	7	5	16	18	50	76	103
1996.....	9,883	54	20	11	6	6	14	26	44	64	82
1995.....	9,744	61	31	7	8	11	19	27	47	69	106
1994.....	9,434	63	31	11	10	11	18	22	49	62	83
1993.....	9,609	71	32	15	9	10	11	27	36	75	77
1992.....	9,057	55	32	8	11	6	13	28	37	69	68
1991.....	9,072	66	27	9	4	14	16	36	45	49	70
1990.....	8,670	67	31	9	5	7	16	38	40	45	59
1989.....	8,829	72	24	7	7	15	14	30	45	54	87
1988.....	9,673	64	29	13	10	16	16	25	54	52	75
1987.....	8,840	72	28	7	9	13	20	37	31	52	72
1986.....	8,194	86	32	6	11	14	18	18	38	52	77
1985.....	7,419	78	24	10	7	21	18	24	40	38	61
1984.....	6,374	75	28	5	6	9	30	21	28	45	53
1983.....	5,577	79	21	4	5	11	12	28	23	25	34
1982.....	4,835	77	32	7	4	11	18	24	24	34	37
1981.....	4,308	74	33	4	4	16	19	26	25	41	34
1980.....	3,789	45	21	5	10	12	17	27	22	39	38
1979.....	3,255	75	23	5	7	13	18	19	23	26	38

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SEPTICEMIA (038)											
ALL OTHER, BOTH SEXES											
1998.....	4,876	95	25	10	7	15	20	40	63	94	140
1997.....	4,564	71	25	10	6	17	17	34	53	109	146
1996.....	4,293	83	31	6	4	14	12	30	71	101	167
1995.....	4,181	94	25	11	10	18	16	37	69	109	149
1994.....	3,908	83	34	6	5	6	17	35	78	95	138
1993.....	3,938	87	30	12	4	10	16	37	62	117	128
1992.....	3,875	99	24	8	3	13	27	29	67	99	151
1991.....	3,807	117	27	9	6	10	21	45	80	115	144
1990.....	3,713	111	25	9	5	10	20	33	79	109	132
1989.....	3,776	117	33	4	3	11	18	50	86	119	121
1988.....	3,982	90	28	5	5	13	19	33	70	94	129
1987.....	3,980	106	28	7	6	18	25	36	91	97	104
1986.....	3,639	113	24	9	4	7	17	45	64	76	100
1985.....	3,442	112	26	5	8	5	16	42	59	70	71
1984.....	3,052	114	26	12	4	5	17	30	56	56	86
1983.....	2,698	104	24	6	4	10	12	35	43	42	58
1982.....	2,301	104	18	3	5	11	12	31	40	46	59
1981.....	2,132	122	33	3	2	9	14	30	46	43	63
1980.....	1,977	95	19	5	3	7	19	19	22	40	45
1979.....	1,648	103	22	7	6	7	7	12	28	30	44
ALL OTHER MALE											
1998.....	2,111	55	14	3	3	9	9	18	25	45	71
1997.....	2,022	45	10	5	2	10	7	16	25	47	76
1996.....	1,999	52	15	3	2	6	7	13	43	63	101
1995.....	1,951	46	14	7	6	9	6	24	37	59	88
1994.....	1,792	39	19	3	3	4	8	18	46	55	90
1993.....	1,829	45	17	4	2	4	9	18	34	62	83
1992.....	1,792	52	12	3	1	6	12	14	30	55	95
1991.....	1,798	61	16	6	2	5	10	27	46	62	90
1990.....	1,756	60	19	6	3	4	8	22	51	70	80
1989.....	1,761	60	13	2	1	5	8	29	45	72	76
1988.....	1,862	44	16	1	2	3	6	12	44	54	73
1987.....	1,873	65	15	1	6	7	13	16	49	56	72
1986.....	1,824	76	16	8	4	5	6	27	28	40	57
1985.....	1,696	65	15	3	3	2	6	19	30	42	43
1984.....	1,466	65	13	6	1	4	7	16	35	32	49
1983.....	1,298	59	13	1	2	2	3	16	25	17	36
1982.....	1,112	63	10	-	4	4	6	11	19	26	24
1981.....	1,044	53	18	2	2	3	6	16	26	26	35
1980.....	1,012	49	12	3	2	4	11	9	16	24	25
1979.....	851	55	16	3	3	3	3	7	16	16	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SEPTICEMIA (038)											
ALL OTHER FEMALE											
1998.....	2,765	40	11	7	4	6	11	22	38	49	69
1997.....	2,542	26	15	5	4	7	10	18	28	62	70
1996.....	2,294	31	16	3	2	8	5	17	28	38	66
1995.....	2,230	48	11	4	4	9	10	13	32	50	61
1994.....	2,116	44	15	3	2	2	9	17	32	40	48
1993.....	2,109	42	13	8	2	6	7	19	28	55	45
1992.....	2,083	47	12	5	2	7	15	15	37	44	56
1991.....	2,009	56	11	3	4	5	11	18	34	53	54
1990.....	1,957	51	6	3	2	6	12	11	28	39	52
1989.....	2,015	57	20	2	2	6	10	21	41	47	45
1988.....	2,120	46	12	4	3	10	13	21	26	40	56
1987.....	2,107	41	13	6	-	11	12	20	42	41	32
1986.....	1,815	37	8	1	-	2	11	18	36	36	43
1985.....	1,746	47	11	2	5	3	10	23	29	28	28
1984.....	1,586	49	13	6	3	1	10	14	21	24	37
1983.....	1,400	45	11	5	2	8	9	19	18	25	22
1982.....	1,189	41	8	3	1	7	6	20	21	20	35
1981.....	1,088	69	15	1	-	6	8	14	20	17	28
1980.....	965	46	7	2	1	3	8	10	6	16	20
1979.....	797	48	6	4	3	4	4	5	12	14	25
BLACK, BOTH SEXES											
1998.....	4,487	81	23	10	6	14	17	36	58	87	133
1997.....	4,241	68	22	8	5	15	16	32	49	107	138
1996.....	3,996	74	27	5	4	9	12	27	66	97	159
1995.....	3,845	83	22	6	10	15	13	35	64	102	142
1994.....	3,639	77	30	4	5	6	17	35	71	93	132
1993.....	3,632	82	27	9	2	9	14	35	58	106	121
1992.....	3,607	97	23	7	3	12	26	28	62	95	140
1991.....	3,535	106	24	8	5	9	20	43	74	108	140
1990.....	3,465	100	20	8	4	10	18	30	76	104	126
1989.....	3,555	110	28	3	2	11	17	44	85	116	115
1988.....	3,740	82	25	5	5	11	19	33	66	87	125
1987.....	3,748	99	23	5	6	17	23	34	88	92	100
1986.....	3,417	104	21	8	4	5	16	44	63	74	96
1985.....	3,257	109	23	5	6	5	16	41	57	67	69
1984.....	2,897	100	24	11	3	4	16	26	54	53	78
1983.....	2,550	96	21	6	4	10	11	34	42	41	54
1982.....	2,162	95	17	3	5	10	11	29	39	43	55
1981.....	2,028	111	32	2	2	8	14	29	46	40	61
1980.....	1,877	81	16	4	3	7	17	16	22	39	41
1979.....	1,561	96	19	7	6	7	7	9	26	28	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SEPTICEMIA (038)											
BLACK MALE											
1998.....	1,923	45	13	3	3	9	8	16	24	40	70
1997.....	1,871	44	9	5	2	8	6	14	24	47	70
1996.....	1,844	48	13	2	2	4	7	12	39	61	97
1995.....	1,779	39	12	3	6	8	4	24	36	57	81
1994.....	1,659	37	15	1	3	4	8	18	41	53	86
1993.....	1,673	43	14	3	2	4	9	16	31	58	78
1992.....	1,668	51	12	3	1	5	11	13	29	53	89
1991.....	1,656	58	14	5	2	4	9	26	43	60	86
1990.....	1,624	55	15	5	3	4	7	19	49	68	75
1989.....	1,643	54	12	1	1	5	7	26	45	70	71
1988.....	1,729	37	15	1	2	3	6	12	44	50	71
1987.....	1,760	63	10	1	6	6	13	16	47	53	71
1986.....	1,697	70	14	7	4	4	5	26	28	39	55
1985.....	1,595	63	14	3	2	2	6	18	29	41	43
1984.....	1,383	60	12	6	1	3	7	15	33	30	46
1983.....	1,221	56	11	1	2	2	3	16	24	17	36
1982.....	1,046	57	9	-	4	4	6	11	19	25	20
1981.....	987	48	17	2	2	2	6	16	26	25	33
1980.....	958	40	9	3	2	4	10	7	16	24	24
1979.....	797	51	13	3	3	3	3	5	15	16	17
BLACK FEMALE											
1998.....	2,564	36	10	7	3	5	9	20	34	47	63
1997.....	2,370	24	13	3	3	7	10	18	25	60	68
1996.....	2,152	26	14	3	2	5	5	15	27	36	62
1995.....	2,066	44	10	3	4	7	9	11	28	45	61
1994.....	1,980	40	15	3	2	2	9	17	30	40	46
1993.....	1,959	39	13	6	-	5	5	19	27	48	43
1992.....	1,939	46	11	4	2	7	15	15	33	42	51
1991.....	1,879	48	10	3	3	5	11	17	31	48	54
1990.....	1,841	45	5	3	1	6	11	11	27	36	51
1989.....	1,912	56	16	2	1	6	10	18	40	46	44
1988.....	2,011	45	10	4	3	8	13	21	22	37	54
1987.....	1,988	36	13	4	-	11	10	18	41	39	29
1986.....	1,720	34	7	1	-	1	11	18	35	35	41
1985.....	1,662	46	9	2	4	3	10	23	28	26	26
1984.....	1,514	40	12	5	2	1	9	11	21	23	32
1983.....	1,329	40	10	5	2	8	8	18	18	24	18
1982.....	1,116	38	8	3	1	6	5	18	20	18	35
1981.....	1,041	63	15	-	-	6	8	13	20	15	28
1980.....	919	41	7	1	1	3	7	9	6	15	17
1979.....	764	45	6	4	3	4	4	4	11	12	25

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE POLIOMYELITIS (045)											
TOTAL, BOTH SEXES											
1998.....	-	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-	-
1988.....	1	1	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	-	-	-	1
1984.....	-	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-	-
1980.....	6	-	-	-	-	-	-	-	-	1	-
1979.....	4	-	-	-	-	-	-	-	1	-	-
TOTAL, MALE											
1998.....	-	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	-	-	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-	-
1988.....	1	1	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-	-
1985.....	2	-	-	-	-	-	-	-	-	-	1
1984.....	-	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-	-
1980.....	4	-	-	-	-	-	-	-	-	-	-
1979.....	4	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE POLIOMYELITIS (045)											
TOTAL, FEMALE											
1998.....	-	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	-	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-	-
1980.....	2	-	-	-	-	-	-	-	-	1	-
1979.....	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES											
1998.....	-	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-	-
1988.....	1	1	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	-	-	-	1
1984.....	-	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-	-
1980.....	4	-	-	-	-	-	-	-	-	-	-
1979.....	4	-	-	-	-	-	-	-	1	-	-











CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MEASLES (055)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	-	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	1	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	1	-
1995.....	2	-	-	-	2	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	4	-	1	-	-	2	-	-	-	-	1
1991.....	27	5	3	7	2	1	1	4	2	1	-
1990.....	64	11	29	1	3	4	3	7	3	2	1
1989.....	32	8	12	2	1	2	-	2	2	1	1
1988.....	3	1	-	-	-	-	-	1	-	1	-
1987.....	2	-	-	1	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	-	1	-	-	-	-
1985.....	4	-	-	-	-	2	1	-	-	-	1
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	4	-	1	1	1	-	-	-	1	-	-
1982.....	2	-	-	-	-	1	-	-	-	-	-
1981.....	2	-	-	-	-	1	-	-	-	-	-
1980.....	11	2	2	1	1	1	2	1	1	-	-
1979.....	6	-	-	-	-	2	1	1	-	-	-
TOTAL, MALE											
1998.....	-	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	1	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	1	-	-	1	-	-	-	-	-
1991.....	10	4	2	1	-	-	-	1	2	-	-
1990.....	34	3	18	1	2	2	3	3	1	1	-
1989.....	16	6	4	1	-	2	-	1	1	1	-
1988.....	1	-	-	-	-	-	-	1	-	-	-
1987.....	2	-	-	1	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	1	-	-	-	-
1985.....	1	-	-	-	-	1	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	3	-	-	1	1	-	-	-	1	-	-
1982.....	1	-	-	-	-	1	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-	-
1980.....	6	2	1	-	1	-	1	1	-	-	-
1979.....	2	-	-	-	-	1	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MEASLES (055)											
TOTAL, FEMALE											
1998.....	-	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	1	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	1	-
1995.....	1	-	-	-	1	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	1	-	-	-	-	1
1991.....	17	1	1	6	2	1	1	3	-	1	-
1990.....	30	8	11	-	1	2	-	4	2	1	1
1989.....	16	2	8	1	1	-	-	1	1	-	1
1988.....	2	1	-	-	-	-	-	-	-	1	-
1987.....	-	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	1	1	-	-	-	1
1984.....	-	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	1	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	2	-	-	-	-	1	-	-	-	-	-
1980.....	5	-	1	1	-	1	1	-	1	-	-
1979.....	4	-	-	-	-	1	1	1	-	-	-
WHITE, BOTH SEXES											
1998.....	-	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	1	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-	-
1995.....	2	-	-	-	2	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	4	-	1	-	-	2	-	-	-	-	1
1991.....	19	4	3	3	1	1	1	3	2	-	-
1990.....	43	5	15	1	3	4	3	6	3	2	1
1989.....	18	5	4	1	1	2	-	1	1	1	1
1988.....	3	1	-	-	-	-	-	1	-	1	-
1987.....	2	-	-	1	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	1	-	-	-	-
1985.....	4	-	-	-	-	2	1	-	-	-	1
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	3	-	-	1	1	-	-	-	1	-	-
1982.....	2	-	-	-	-	1	-	-	-	-	-
1981.....	2	-	-	-	-	1	-	-	-	-	-
1980.....	8	-	1	1	1	1	2	1	1	-	-
1979.....	5	-	-	-	-	2	1	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MEASLES (055)											
WHITE MALE											
1998.....	-	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	1	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	1	-	-	1	-	-	-	-	-
1991.....	9	4	2	-	-	-	-	1	2	-	-
1990.....	23	1	9	1	2	2	3	3	1	1	-
1989.....	10	3	2	1	-	2	-	1	-	1	-
1988.....	1	-	-	-	-	-	-	1	-	-	-
1987.....	2	-	-	1	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	1	-	-	-	-
1985.....	1	-	-	-	-	1	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	3	-	-	1	1	-	-	-	1	-	-
1982.....	1	-	-	-	-	1	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-	-
1980.....	4	-	1	-	1	-	1	1	-	-	-
1979.....	2	-	-	-	-	1	-	-	-	-	-
WHITE FEMALE											
1998.....	-	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	1	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	1	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	1	-	-	-	-	1
1991.....	10	-	1	3	1	1	1	2	-	-	-
1990.....	20	4	6	-	1	2	-	3	2	1	1
1989.....	8	2	2	-	1	-	-	-	1	-	1
1988.....	2	1	-	-	-	-	-	-	-	1	-
1987.....	-	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	1	1	-	-	-	1
1984.....	-	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	2	-	-	-	-	1	-	-	-	-	-
1980.....	4	-	-	1	-	1	1	-	1	-	-
1979.....	3	-	-	-	-	1	1	1	-	-	-









CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
TOTAL, BOTH SEXES											
1998.....	4,796	2	2	1	2	17	9	33	87	282	621
1997.....	4,057	3	1	4	4	10	14	27	82	251	483
1996.....	3,780	1	3	3	4	7	16	36	95	240	459
1995.....	3,400	1	5	1	2	10	15	35	101	230	363
1994.....	3,061	8	5	-	2	9	17	52	131	215	346
1993.....	2,489	3	1	1	5	14	20	40	106	184	236
1992.....	2,001	9	2	1	2	7	19	51	77	146	190
1991.....	1,840	6	3	1	3	6	26	41	68	136	157
1990.....	1,578	4	4	1	1	11	27	44	70	102	122
1989.....	1,516	7	5	2	3	16	44	53	85	84	103
1988.....	1,290	6	6	2	1	8	24	57	60	87	58
1987.....	1,182	2	3	2	3	9	53	50	75	84	71
1986.....	1,006	10	8	8	2	9	36	54	53	67	52
1985.....	942	6	10	-	4	19	45	48	52	58	51
1984.....	869	8	6	4	3	18	54	60	50	54	41
1983.....	863	20	8	9	2	25	48	51	41	38	38
1982.....	814	12	13	1	4	19	41	45	43	32	30
1981.....	862	10	7	5	6	18	65	57	45	37	43
1980.....	809	11	11	9	6	19	55	36	35	47	29
1979.....	753	13	7	5	4	23	54	54	37	36	27
TOTAL, MALE											
1998.....	2,982	2	1	1	-	10	4	16	61	196	477
1997.....	2,442	1	1	1	2	8	9	14	54	184	377
1996.....	2,273	1	1	2	1	5	7	20	62	165	363
1995.....	2,076	1	2	-	1	6	7	24	77	174	285
1994.....	1,869	5	3	-	-	5	8	34	92	161	282
1993.....	1,554	1	1	1	2	11	10	27	82	144	191
1992.....	1,249	5	-	1	1	5	7	35	59	117	143
1991.....	1,132	4	3	1	1	5	15	29	48	111	131
1990.....	927	2	3	-	1	3	12	31	52	76	99
1989.....	906	3	4	2	2	9	22	30	61	62	75
1988.....	768	2	4	2	-	6	19	34	39	62	42
1987.....	725	-	2	1	2	5	29	35	43	64	54
1986.....	619	4	4	2	2	1	16	32	37	48	41
1985.....	531	5	8	-	2	8	18	28	34	33	33
1984.....	484	3	3	1	1	9	25	31	32	32	32
1983.....	494	7	6	4	1	10	24	39	28	26	23
1982.....	444	10	9	-	2	8	25	25	25	19	17
1981.....	466	5	3	2	3	7	31	44	29	20	25
1980.....	415	5	9	6	5	9	26	22	13	25	15
1979.....	399	9	5	2	2	8	28	30	22	15	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
TOTAL, FEMALE											
1998.....	1,814	-	1	-	2	7	5	17	26	86	144
1997.....	1,615	2	-	3	2	2	5	13	28	67	106
1996.....	1,507	-	2	1	3	2	9	16	33	75	96
1995.....	1,324	-	3	1	1	4	8	11	24	56	78
1994.....	1,192	3	2	-	2	4	9	18	39	54	64
1993.....	935	2	-	-	3	3	10	13	24	40	45
1992.....	752	4	2	-	1	2	12	16	18	29	47
1991.....	708	2	-	-	2	1	11	12	20	25	26
1990.....	651	2	1	1	-	8	15	13	18	26	23
1989.....	610	4	1	-	1	7	22	23	24	22	28
1988.....	522	4	2	-	1	2	5	23	21	25	16
1987.....	457	2	1	1	1	4	24	15	32	20	17
1986.....	387	6	4	6	-	8	20	22	16	19	11
1985.....	411	1	2	-	2	11	27	20	18	25	18
1984.....	385	5	3	3	2	9	29	29	18	22	9
1983.....	369	13	2	5	1	15	24	12	13	12	15
1982.....	370	2	4	1	2	11	16	20	18	13	13
1981.....	396	5	4	3	3	11	34	13	16	17	18
1980.....	394	6	2	3	1	10	29	14	22	22	14
1979.....	354	4	2	3	2	15	26	24	15	21	9
WHITE, BOTH SEXES											
1998.....	3,829	2	1	1	1	13	4	20	63	221	492
1997.....	3,250	1	-	3	3	10	9	17	55	202	397
1996.....	3,065	1	1	3	1	5	8	27	77	184	366
1995.....	2,769	1	4	1	1	5	6	25	82	162	286
1994.....	2,441	4	5	-	2	6	6	33	91	161	277
1993.....	2,029	2	1	-	3	9	12	30	82	143	184
1992.....	1,614	5	1	1	1	7	11	38	58	99	145
1991.....	1,487	2	3	1	2	4	13	30	57	92	115
1990.....	1,265	1	3	1	-	6	15	29	47	73	94
1989.....	1,232	4	4	1	-	13	26	36	61	65	78
1988.....	1,056	3	6	1	1	4	15	41	39	69	40
1987.....	935	1	1	1	1	6	35	34	47	61	54
1986.....	830	3	6	6	1	6	23	37	39	58	49
1985.....	765	3	6	-	3	10	36	34	33	44	39
1984.....	699	4	5	4	2	11	41	41	34	36	29
1983.....	683	9	5	7	1	17	33	27	32	29	31
1982.....	646	12	9	-	4	14	24	27	30	23	17
1981.....	694	6	5	4	5	11	37	37	33	32	36
1980.....	667	9	7	7	5	13	42	23	29	32	17
1979.....	594	11	6	3	1	15	30	39	26	24	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
WHITE MALE											
1998.....	2,382	2	1	1	-	8	2	11	42	154	383
1997.....	1,988	-	-	1	2	8	6	9	37	151	312
1996.....	1,868	1	1	2	-	5	4	15	53	126	290
1995.....	1,714	1	2	-	-	2	2	20	66	128	227
1994.....	1,543	3	3	-	-	4	4	24	69	125	230
1993.....	1,270	-	1	-	1	7	8	20	63	113	149
1992.....	1,015	3	-	1	1	5	5	27	49	83	113
1991.....	930	-	3	1	1	3	7	22	44	77	96
1990.....	755	1	2	-	-	1	9	23	35	60	79
1989.....	744	-	3	1	-	7	15	23	49	49	58
1988.....	647	1	4	1	-	3	13	25	31	51	30
1987.....	580	-	1	-	1	4	20	23	26	50	42
1986.....	517	-	3	1	1	1	11	24	30	41	38
1985.....	447	3	5	-	2	4	14	22	25	27	26
1984.....	396	1	3	1	-	5	19	22	22	27	24
1983.....	396	3	3	4	1	6	18	21	21	21	20
1982.....	360	10	6	-	2	5	13	17	20	14	10
1981.....	388	3	3	1	2	5	21	29	21	19	20
1980.....	350	4	6	5	4	4	23	12	11	19	11
1979.....	310	7	4	-	-	2	16	21	17	12	9
WHITE FEMALE											
1998.....	1,447	-	-	-	1	5	2	9	21	67	109
1997.....	1,262	1	-	2	1	2	3	8	18	51	85
1996.....	1,197	-	-	1	1	-	4	12	24	58	76
1995.....	1,055	-	2	1	1	3	4	5	16	34	59
1994.....	898	1	2	-	2	2	2	9	22	36	47
1993.....	759	2	-	-	2	2	4	10	19	30	35
1992.....	599	2	1	-	-	2	6	11	9	16	32
1991.....	557	2	-	-	1	1	6	8	13	15	19
1990.....	510	-	1	1	-	5	6	6	12	13	15
1989.....	488	4	1	-	-	6	11	13	12	16	20
1988.....	409	2	2	-	1	1	2	16	8	18	10
1987.....	355	1	-	1	-	2	15	11	21	11	12
1986.....	313	3	3	5	-	5	12	13	9	17	11
1985.....	318	-	1	-	1	6	22	12	8	17	13
1984.....	303	3	2	3	2	6	22	19	12	9	5
1983.....	287	6	2	3	-	11	15	6	11	8	11
1982.....	286	2	3	-	2	9	11	10	10	9	7
1981.....	306	3	2	3	3	6	16	8	12	13	16
1980.....	317	5	1	2	1	9	19	11	18	13	6
1979.....	284	4	2	3	1	13	14	18	9	12	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
ALL OTHER, BOTH SEXES											
1998.....	967	-	1	-	1	4	5	13	24	61	129
1997.....	807	2	1	1	1	-	5	10	27	49	86
1996.....	715	-	2	-	3	2	8	9	18	56	93
1995.....	631	-	1	-	1	5	9	10	19	68	77
1994.....	620	4	-	-	-	3	11	19	40	54	69
1993.....	460	1	-	1	2	5	8	10	24	41	52
1992.....	387	4	1	-	1	-	8	13	19	47	45
1991.....	353	4	-	-	1	2	13	11	11	44	42
1990.....	313	3	1	-	1	5	12	15	23	29	28
1989.....	284	3	1	1	3	3	18	17	24	19	25
1988.....	234	3	-	1	-	4	9	16	21	18	18
1987.....	247	1	2	1	2	3	18	16	28	23	17
1986.....	176	7	2	2	1	3	13	17	14	9	3
1985.....	177	3	4	-	1	9	9	14	19	14	12
1984.....	170	4	1	-	1	7	13	19	16	18	12
1983.....	180	11	3	2	1	8	15	24	9	9	7
1982.....	168	-	4	1	-	5	17	18	13	9	13
1981.....	168	4	2	1	1	7	28	20	12	5	7
1980.....	142	2	4	2	1	6	13	13	6	15	12
1979.....	159	2	1	2	3	8	24	15	11	12	11
ALL OTHER MALE											
1998.....	600	-	-	-	-	2	2	5	19	42	94
1997.....	454	1	1	-	-	-	3	5	17	33	65
1996.....	405	-	-	-	1	-	3	5	9	39	73
1995.....	362	-	-	-	1	4	5	4	11	46	58
1994.....	326	2	-	-	-	1	4	10	23	36	52
1993.....	284	1	-	1	1	4	2	7	19	31	42
1992.....	234	2	-	-	-	-	2	8	10	34	30
1991.....	202	4	-	-	-	2	8	7	4	34	35
1990.....	172	1	1	-	1	2	3	8	17	16	20
1989.....	162	3	1	1	2	2	7	7	12	13	17
1988.....	121	1	-	1	-	3	6	9	8	11	12
1987.....	145	-	1	1	1	1	9	12	17	14	12
1986.....	102	4	1	1	1	-	5	8	7	7	3
1985.....	84	2	3	-	-	4	4	6	9	6	7
1984.....	88	2	-	-	1	4	6	9	10	5	8
1983.....	98	4	3	-	-	4	6	18	7	5	3
1982.....	84	-	3	-	-	3	12	8	5	5	7
1981.....	78	2	-	1	1	2	10	15	8	1	5
1980.....	65	1	3	1	1	5	3	10	2	6	4
1979.....	89	2	1	2	2	6	12	9	5	3	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
ALL OTHER FEMALE											
1998.....	367	-	1	-	1	2	3	8	5	19	35
1997.....	353	1	-	1	1	-	2	5	10	16	21
1996.....	310	-	2	-	2	2	5	4	9	17	20
1995.....	269	-	1	-	-	1	4	6	8	22	19
1994.....	294	2	-	-	-	2	7	9	17	18	17
1993.....	176	-	-	-	1	1	6	3	5	10	10
1992.....	153	2	1	-	1	-	6	5	9	13	15
1991.....	151	-	-	-	1	-	5	4	7	10	7
1990.....	141	2	-	-	-	3	9	7	6	13	8
1989.....	122	-	-	-	1	1	11	10	12	6	8
1988.....	113	2	-	-	-	1	3	7	13	7	6
1987.....	102	1	1	-	1	2	9	4	11	9	5
1986.....	74	3	1	1	-	3	8	9	7	2	-
1985.....	93	1	1	-	1	5	5	8	10	8	5
1984.....	82	2	1	-	-	3	7	10	6	13	4
1983.....	82	7	-	2	1	4	9	6	2	4	4
1982.....	84	-	1	1	-	2	5	10	8	4	6
1981.....	90	2	2	-	-	5	18	5	4	4	2
1980.....	77	1	1	1	-	1	10	3	4	9	8
1979.....	70	-	-	-	1	2	12	6	6	9	2
BLACK, BOTH SEXES											
1998.....	694	-	-	-	1	4	4	12	18	46	105
1997.....	535	2	-	-	1	-	3	8	22	36	67
1996.....	480	-	2	-	1	2	7	7	15	46	72
1995.....	429	-	1	-	1	5	8	7	16	56	64
1994.....	413	4	-	-	-	3	11	17	29	45	55
1993.....	294	1	-	-	1	3	5	9	17	36	41
1992.....	256	4	1	-	1	-	7	9	15	40	36
1991.....	221	3	-	-	1	1	11	8	9	37	28
1990.....	212	3	-	-	-	5	12	14	20	22	21
1989.....	206	3	1	1	2	3	14	17	21	17	17
1988.....	162	1	-	1	-	4	6	14	18	13	17
1987.....	165	-	2	1	1	3	15	16	23	16	9
1986.....	126	5	1	2	1	3	13	16	12	8	2
1985.....	118	1	2	-	1	7	9	13	15	9	6
1984.....	119	4	1	-	1	6	12	17	14	15	4
1983.....	135	4	1	1	1	8	13	19	8	8	6
1982.....	125	-	2	1	-	4	16	17	11	5	8
1981.....	139	2	2	1	1	7	28	18	10	5	2
1980.....	113	2	4	2	1	6	13	13	3	11	8
1979.....	127	1	1	2	2	8	23	15	9	9	6

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
BLACK MALE											
1998.....	429	-	-	-	-	2	1	4	14	31	73
1997.....	311	1	-	-	-	-	1	3	14	24	50
1996.....	273	-	-	-	-	-	2	3	6	32	54
1995.....	243	-	-	-	1	4	4	3	9	37	49
1994.....	216	2	-	-	-	1	4	8	15	29	43
1993.....	185	1	-	-	-	2	-	6	12	26	32
1992.....	155	2	-	-	-	-	1	5	8	28	25
1991.....	124	3	-	-	-	1	6	5	2	29	23
1990.....	105	1	-	-	-	2	3	7	15	11	14
1989.....	106	3	1	1	1	2	5	7	10	11	12
1988.....	79	-	-	1	-	3	3	8	6	8	11
1987.....	92	-	1	1	1	1	8	12	13	8	7
1986.....	66	2	1	1	1	-	5	7	5	6	2
1985.....	54	1	1	-	-	4	4	6	7	4	3
1984.....	55	2	-	-	1	4	6	8	9	3	2
1983.....	72	1	1	-	-	4	5	15	6	4	2
1982.....	56	-	1	-	-	2	12	7	4	2	3
1981.....	58	-	-	1	1	2	10	13	7	1	2
1980.....	50	1	3	1	1	5	3	10	1	5	2
1979.....	60	1	1	2	1	6	11	9	3	2	4
BLACK FEMALE											
1998.....	265	-	-	-	1	2	3	8	4	15	32
1997.....	224	1	-	-	1	-	2	5	8	12	17
1996.....	207	-	2	-	1	2	5	4	9	14	18
1995.....	186	-	1	-	-	1	4	4	7	19	15
1994.....	197	2	-	-	-	2	7	9	14	16	12
1993.....	109	-	-	-	1	1	5	3	5	10	9
1992.....	101	2	1	-	1	-	6	4	7	12	11
1991.....	97	-	-	-	1	-	5	3	7	8	5
1990.....	107	2	-	-	-	3	9	7	5	11	7
1989.....	100	-	-	-	1	1	9	10	11	6	5
1988.....	83	1	-	-	-	1	3	6	12	5	6
1987.....	73	-	1	-	-	2	7	4	10	8	2
1986.....	60	3	-	1	-	3	8	9	7	2	-
1985.....	64	-	1	-	1	3	5	7	8	5	3
1984.....	64	2	1	-	-	2	6	9	5	12	2
1983.....	63	3	-	1	1	4	8	4	2	4	4
1982.....	69	-	1	1	-	2	4	10	7	3	5
1981.....	81	2	2	-	-	5	18	5	3	4	-
1980.....	63	1	1	1	-	1	10	3	2	6	6
1979.....	67	-	-	-	1	2	12	6	6	7	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	45	2	-	-	-	-	-	2	-	4	2
1997.....	62	4	-	-	-	1	-	1	1	4	1
1996.....	73	6	-	-	-	-	1	1	3	5	2
1995.....	65	4	1	-	-	-	1	3	6	2	1
1994.....	79	11	1	-	-	-	1	2	-	1	3
1993.....	80	12	1	-	-	-	1	3	7	4	3
1992.....	91	12	-	-	1	1	2	2	2	4	2
1991.....	93	25	1	-	1	-	1	-	5	-	3
1990.....	106	25	1	-	-	2	-	4	4	4	3
1989.....	105	19	-	1	1	-	-	3	7	2	2
1988.....	85	17	-	-	-	-	-	3	2	2	3
1987.....	98	14	-	-	-	-	2	-	3	4	3
1986.....	80	5	-	-	-	-	-	1	1	1	3
1985.....	80	7	-	1	-	-	-	-	2	2	1
1984.....	105	6	-	-	-	-	2	-	1	-	2
1983.....	121	7	-	1	-	-	-	3	3	-	1
1982.....	126	10	-	-	-	2	1	1	1	1	3
1981.....	136	6	-	-	-	1	1	1	4	1	2
1980.....	154	2	-	-	-	1	1	-	2	3	3
1979.....	180	6	1	-	-	1	2	1	-	2	2
TOTAL, MALE											
1998.....	25	2	-	-	-	-	-	1	-	2	1
1997.....	39	2	-	-	-	-	-	1	1	3	1
1996.....	50	4	-	-	-	-	-	1	1	3	2
1995.....	41	3	1	-	-	-	1	3	4	2	1
1994.....	46	9	-	-	-	-	1	2	-	1	-
1993.....	52	5	1	-	-	-	-	3	6	2	2
1992.....	60	9	-	-	1	1	1	2	2	3	2
1991.....	52	9	1	-	1	-	1	-	5	-	2
1990.....	63	15	-	-	-	2	-	3	3	4	2
1989.....	65	10	-	-	1	-	-	3	7	2	2
1988.....	51	8	-	-	-	-	-	2	2	-	3
1987.....	57	8	-	-	-	-	1	-	3	4	2
1986.....	42	2	-	-	-	-	-	1	1	1	2
1985.....	49	3	-	-	-	-	-	-	2	1	1
1984.....	67	3	-	-	-	-	1	-	1	-	1
1983.....	68	4	-	-	-	-	-	3	2	-	1
1982.....	76	6	-	-	-	2	-	1	1	-	3
1981.....	76	4	-	-	-	1	-	1	3	-	2
1980.....	92	1	-	-	-	1	1	-	-	3	2
1979.....	107	4	1	-	-	1	2	-	-	-	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	20	-	-	-	-	-	-	1	-	2	1
1997.....	23	2	-	-	-	1	-	-	-	1	-
1996.....	23	2	-	-	-	-	1	-	2	2	-
1995.....	24	1	-	-	-	-	-	-	2	-	-
1994.....	33	2	1	-	-	-	-	-	-	-	3
1993.....	28	7	-	-	-	-	1	-	1	2	1
1992.....	31	3	-	-	-	-	1	-	-	1	-
1991.....	41	16	-	-	-	-	-	-	-	-	1
1990.....	43	10	1	-	-	-	-	1	1	-	1
1989.....	40	9	-	1	-	-	-	-	-	-	-
1988.....	34	9	-	-	-	-	-	1	-	2	-
1987.....	41	6	-	-	-	-	1	-	-	-	1
1986.....	38	3	-	-	-	-	-	-	-	-	1
1985.....	31	4	-	1	-	-	-	-	-	1	-
1984.....	38	3	-	-	-	-	1	-	-	-	1
1983.....	53	3	-	1	-	-	-	-	1	-	-
1982.....	50	4	-	-	-	-	1	-	-	1	-
1981.....	60	2	-	-	-	-	1	-	1	1	-
1980.....	62	1	-	-	-	-	-	-	2	-	1
1979.....	73	2	-	-	-	-	-	1	-	2	1
WHITE, BOTH SEXES											
1998.....	21	-	-	-	-	-	-	2	-	-	1
1997.....	37	3	-	-	-	1	-	-	-	4	1
1996.....	39	3	-	-	-	-	1	-	2	3	1
1995.....	36	2	-	-	-	-	-	3	4	-	-
1994.....	41	1	-	-	-	-	1	-	-	1	3
1993.....	32	3	-	-	-	-	1	2	1	3	1
1992.....	43	3	-	-	1	1	1	2	-	1	-
1991.....	44	5	-	-	1	-	1	-	3	-	2
1990.....	41	3	-	-	-	2	-	2	1	-	2
1989.....	47	4	-	-	1	-	-	2	1	1	1
1988.....	40	4	-	-	-	-	-	1	1	1	1
1987.....	51	5	-	-	-	-	2	-	2	2	1
1986.....	43	4	-	-	-	-	-	1	1	-	1
1985.....	49	4	-	-	-	-	-	-	1	1	1
1984.....	55	3	-	-	-	-	2	-	1	-	2
1983.....	70	3	-	1	-	-	-	-	2	-	-
1982.....	84	6	-	-	-	1	-	1	1	1	2
1981.....	88	1	-	-	-	1	1	1	4	1	1
1980.....	93	1	-	-	-	1	-	-	1	3	3
1979.....	101	4	-	-	-	1	2	1	-	2	-



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	12	-	-	-	-	-	-	1	-	-	1
1997.....	20	1	-	-	-	-	-	-	-	3	1
1996.....	26	1	-	-	-	-	-	-	1	3	1
1995.....	22	1	-	-	-	-	-	3	4	-	-
1994.....	24	1	-	-	-	-	1	-	-	1	-
1993.....	22	2	-	-	-	-	-	2	1	2	1
1992.....	23	1	-	-	1	1	-	2	-	1	-
1991.....	27	3	-	-	1	-	1	-	3	-	1
1990.....	21	2	-	-	-	2	-	2	1	-	1
1989.....	27	3	-	-	1	-	-	2	1	1	1
1988.....	25	3	-	-	-	-	-	-	1	-	1
1987.....	32	2	-	-	-	-	1	-	2	2	1
1986.....	22	2	-	-	-	-	-	1	1	-	1
1985.....	29	1	-	-	-	-	-	-	1	1	1
1984.....	33	2	-	-	-	-	1	-	1	-	1
1983.....	35	2	-	-	-	-	-	-	1	-	-
1982.....	47	4	-	-	-	1	-	1	1	-	2
1981.....	47	1	-	-	-	1	-	1	3	-	1
1980.....	50	-	-	-	-	1	-	-	-	3	2
1979.....	60	3	-	-	-	1	2	-	-	-	-
WHITE FEMALE											
1998.....	9	-	-	-	-	-	-	1	-	-	-
1997.....	17	2	-	-	-	1	-	-	-	1	-
1996.....	13	2	-	-	-	-	1	-	1	-	-
1995.....	14	1	-	-	-	-	-	-	-	-	-
1994.....	17	-	-	-	-	-	-	-	-	-	3
1993.....	10	1	-	-	-	-	1	-	-	1	-
1992.....	20	2	-	-	-	-	1	-	-	-	-
1991.....	17	2	-	-	-	-	-	-	-	-	1
1990.....	20	1	-	-	-	-	-	-	-	-	1
1989.....	20	1	-	-	-	-	-	-	-	-	-
1988.....	15	1	-	-	-	-	-	1	-	1	-
1987.....	19	3	-	-	-	-	1	-	-	-	-
1986.....	21	2	-	-	-	-	-	-	-	-	-
1985.....	20	3	-	-	-	-	-	-	-	-	-
1984.....	22	1	-	-	-	-	1	-	-	-	1
1983.....	35	1	-	1	-	-	-	-	1	-	-
1982.....	37	2	-	-	-	-	-	-	-	1	-
1981.....	41	-	-	-	-	-	1	-	1	1	-
1980.....	43	1	-	-	-	-	-	-	1	-	1
1979.....	41	1	-	-	-	-	-	1	-	2	-







- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	20,254	272	109	76	62	74	235	941	2,267	3,194	3,195
1997.....	23,336	266	149	105	84	104	309	1,216	3,098	4,015	3,775
1996.....	38,172	249	255	148	122	125	420	2,292	6,208	7,666	6,813
1995.....	50,266	299	314	195	122	110	658	3,506	8,937	10,683	9,106
1994.....	49,265	332	322	169	135	140	646	3,614	9,024	10,475	8,856
1993.....	44,387	333	327	161	105	125	653	3,728	8,164	9,266	7,535
1992.....	40,396	361	244	137	73	111	610	3,630	7,393	8,363	6,705
1991.....	36,346	394	252	116	71	97	644	3,433	6,645	7,347	5,776
1990.....	32,214	370	222	121	71	116	612	3,248	5,859	6,358	4,749
1989.....	29,234	396	216	94	50	104	690	3,032	5,383	5,460	3,939
1988.....	23,253	305	219	104	65	103	612	2,419	4,166	4,050	2,845
1987.....	19,560	315	211	95	56	93	569	2,014	3,512	3,221	2,209
1986.....	9,295	219	107	52	44	63	229	658	1,044	1,023	691
1985.....	7,442	229	91	54	32	66	165	441	652	700	474
1984.....	6,101	199	84	54	52	66	137	310	444	404	337
1983.....	4,969	209	81	57	47	69	97	180	241	225	214
1982.....	4,502	199	110	56	46	71	107	132	153	170	170
1981.....	4,258	184	89	61	51	69	90	130	128	141	131
1980.....	4,078	232	97	56	36	80	85	99	115	118	120
1979.....	3,615	222	98	66	62	78	84	99	116	115	116
TOTAL, MALE											
1998.....	13,700	154	60	39	29	32	115	609	1,625	2,409	2,419
1997.....	16,338	153	79	53	57	38	163	840	2,333	3,085	2,924
1996.....	28,948	129	138	79	72	58	241	1,671	4,962	6,165	5,564
1995.....	39,822	176	156	92	67	58	389	2,654	7,333	8,958	7,666
1994.....	39,576	187	174	80	81	68	426	2,849	7,551	8,837	7,599
1993.....	35,985	180	167	74	63	70	437	3,041	6,984	7,930	6,530
1992.....	33,057	198	136	75	39	68	432	2,996	6,370	7,250	5,894
1991.....	29,914	215	126	59	46	55	464	2,891	5,716	6,532	5,150
1990.....	26,301	203	112	59	38	70	453	2,754	5,111	5,607	4,268
1989.....	23,738	208	111	57	27	64	544	2,613	4,640	4,871	3,548
1988.....	18,459	177	117	46	45	60	486	2,093	3,585	3,594	2,558
1987.....	15,385	174	112	54	27	58	477	1,725	3,043	2,860	1,968
1986.....	6,307	130	57	28	21	37	176	545	895	903	564
1985.....	4,721	123	49	35	17	33	129	340	552	586	389
1984.....	3,633	121	38	30	27	39	92	220	355	313	253
1983.....	2,736	127	44	27	29	40	54	126	163	158	145
1982.....	2,351	113	55	31	20	50	50	69	90	108	91
1981.....	2,206	98	53	34	29	31	49	64	69	71	75
1980.....	2,099	119	55	28	21	39	42	49	62	70	63
1979.....	1,893	114	56	32	34	46	41	59	54	59	62

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)											
TOTAL, FEMALE											
1998.....	6,554	118	49	37	33	42	120	332	642	785	776
1997.....	6,998	113	70	52	27	66	146	376	765	930	851
1996.....	9,224	120	117	69	50	67	179	621	1,246	1,501	1,249
1995.....	10,444	123	158	103	55	52	269	852	1,604	1,725	1,440
1994.....	9,689	145	148	89	54	72	220	765	1,473	1,638	1,257
1993.....	8,402	153	160	87	42	55	216	687	1,180	1,336	1,005
1992.....	7,339	163	108	62	34	43	178	634	1,023	1,113	811
1991.....	6,432	179	126	57	25	42	180	542	929	815	626
1990.....	5,913	167	110	62	33	46	159	494	748	751	481
1989.....	5,496	188	105	37	23	40	146	419	743	589	391
1988.....	4,794	128	102	58	20	43	126	326	581	456	287
1987.....	4,175	141	99	41	29	35	92	289	469	361	241
1986.....	2,988	89	50	24	23	26	53	113	149	120	127
1985.....	2,721	106	42	19	15	33	36	101	100	114	85
1984.....	2,468	78	46	24	25	27	45	90	89	91	84
1983.....	2,233	82	37	30	18	29	43	54	78	67	69
1982.....	2,151	86	55	25	26	21	57	63	63	62	79
1981.....	2,052	86	36	27	22	38	41	66	59	70	56
1980.....	1,979	113	42	28	15	41	43	50	53	48	57
1979.....	1,722	108	42	34	28	32	43	40	62	56	54
WHITE, BOTH SEXES											
1998.....	11,362	174	72	47	38	49	91	384	1,052	1,566	1,508
1997.....	13,010	149	92	60	48	58	137	552	1,573	1,993	1,811
1996.....	22,139	143	125	68	75	87	192	1,138	3,548	4,292	3,578
1995.....	30,982	173	160	98	76	66	301	1,922	5,518	6,492	5,255
1994.....	31,068	187	160	86	95	92	293	2,066	5,641	6,495	5,317
1993.....	29,016	179	164	87	73	88	320	2,239	5,292	5,892	4,639
1992.....	27,106	170	120	88	55	81	314	2,253	4,903	5,398	4,311
1991.....	25,047	219	129	74	49	65	345	2,193	4,484	4,871	3,896
1990.....	22,658	200	113	60	48	81	359	2,156	3,859	4,254	3,348
1989.....	20,638	221	116	72	34	68	429	1,985	3,551	3,605	2,705
1988.....	16,496	183	129	64	54	71	372	1,583	2,669	2,652	2,003
1987.....	14,085	185	131	70	40	68	357	1,340	2,308	2,141	1,591
1986.....	7,305	139	80	43	35	54	165	464	738	732	497
1985.....	5,883	148	67	44	30	51	112	312	442	492	359
1984.....	4,801	131	64	41	40	55	97	212	285	274	224
1983.....	3,969	141	59	44	37	52	72	125	145	154	131
1982.....	3,636	131	88	44	36	55	82	86	93	104	113
1981.....	3,469	135	71	55	40	60	65	79	75	86	73
1980.....	3,292	166	70	48	26	65	63	68	74	75	70
1979.....	2,932	162	72	58	52	62	59	62	71	68	66

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,\*042-\*044,046-054,056-066,071-088,098-139)

WHITE MALE

1998.....	7,844	100	40	26	18	23	52	287	849	1,318	1,258
1997.....	9,323	89	57	28	30	26	79	416	1,287	1,681	1,531
1996.....	17,443	78	63	38	46	39	123	891	3,049	3,731	3,137
1995.....	25,684	103	82	46	43	38	205	1,587	4,840	5,761	4,711
1994.....	26,028	111	87	43	59	52	218	1,730	4,996	5,836	4,860
1993.....	24,428	109	80	44	45	57	225	1,948	4,806	5,349	4,227
1992.....	23,023	101	67	49	30	52	229	1,980	4,452	4,977	3,992
1991.....	21,318	127	68	36	32	41	266	1,959	4,085	4,548	3,626
1990.....	19,131	120	56	31	25	54	278	1,931	3,547	3,979	3,144
1989.....	17,195	127	55	43	22	44	346	1,800	3,240	3,387	2,540
1988.....	13,322	112	71	27	40	43	308	1,428	2,432	2,462	1,868
1987.....	11,307	110	66	40	19	45	311	1,195	2,118	1,997	1,472
1986.....	4,980	83	44	25	18	34	131	398	666	674	431
1985.....	3,736	80	34	29	17	25	87	249	393	435	305
1984.....	2,850	80	29	23	20	31	67	155	241	226	180
1983.....	2,169	87	30	21	21	33	41	91	100	111	90
1982.....	1,881	74	42	25	15	37	39	41	59	67	59
1981.....	1,804	68	42	29	23	26	34	42	45	42	45
1980.....	1,708	83	42	26	16	35	32	35	41	49	41
1979.....	1,553	80	42	26	28	42	25	38	36	40	36

WHITE FEMALE

1998.....	3,518	74	32	21	20	26	39	97	203	248	250
1997.....	3,687	60	35	32	18	32	58	136	286	312	280
1996.....	4,696	65	62	30	29	48	69	247	499	561	441
1995.....	5,298	70	78	52	33	28	96	335	678	731	544
1994.....	5,040	76	73	43	36	40	75	336	645	659	457
1993.....	4,588	70	84	43	28	31	95	291	486	543	412
1992.....	4,083	69	53	39	25	29	85	273	451	421	319
1991.....	3,729	92	61	38	17	24	79	234	399	323	270
1990.....	3,527	80	57	29	23	27	81	225	312	275	204
1989.....	3,443	94	61	29	12	24	83	185	311	218	165
1988.....	3,174	71	58	37	14	28	64	155	237	190	135
1987.....	2,778	75	65	30	21	23	46	145	190	144	119
1986.....	2,325	56	36	18	17	20	34	66	72	58	66
1985.....	2,147	68	33	15	13	26	25	63	49	57	54
1984.....	1,951	51	35	18	20	24	30	57	44	48	44
1983.....	1,800	54	29	23	16	19	31	34	45	43	41
1982.....	1,755	57	46	19	21	18	43	45	34	37	54
1981.....	1,665	67	29	26	17	34	31	37	30	44	28
1980.....	1,584	83	28	22	10	30	31	33	33	26	29
1979.....	1,379	82	30	32	24	20	34	24	35	28	30

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)											
ALL OTHER, BOTH SEXES											
1998.....	8,892	98	37	29	24	25	144	557	1,215	1,628	1,687
1997.....	10,326	117	57	45	36	46	172	664	1,525	2,022	1,964
1996.....	16,033	106	130	80	47	38	228	1,154	2,660	3,374	3,235
1995.....	19,284	126	154	97	46	44	357	1,584	3,419	4,191	3,851
1994.....	18,197	145	162	83	40	48	353	1,548	3,383	3,980	3,539
1993.....	15,371	154	163	74	32	37	333	1,489	2,872	3,374	2,896
1992.....	13,290	191	124	49	18	30	296	1,377	2,490	2,965	2,394
1991.....	11,299	175	123	42	22	32	299	1,240	2,161	2,476	1,880
1990.....	9,556	170	109	61	23	35	253	1,092	2,000	2,104	1,401
1989.....	8,596	175	100	22	16	36	261	1,047	1,832	1,855	1,234
1988.....	6,757	122	90	40	11	32	240	836	1,497	1,398	842
1987.....	5,475	130	80	25	16	25	212	674	1,204	1,080	618
1986.....	1,990	80	27	9	9	9	64	194	306	291	194
1985.....	1,559	81	24	10	2	15	53	129	210	208	115
1984.....	1,300	68	20	13	12	11	40	98	159	130	113
1983.....	1,000	68	22	13	10	17	25	55	96	71	83
1982.....	866	68	22	12	10	16	25	46	60	66	57
1981.....	789	49	18	6	11	9	25	51	53	55	58
1980.....	786	66	27	8	10	15	22	31	41	43	50
1979.....	683	60	26	8	10	16	25	37	45	47	50
ALL OTHER MALE											
1998.....	5,856	54	20	13	11	9	63	322	776	1,091	1,161
1997.....	7,015	64	22	25	27	12	84	424	1,046	1,404	1,393
1996.....	11,505	51	75	41	26	19	118	780	1,913	2,434	2,427
1995.....	14,138	73	74	46	24	20	184	1,067	2,493	3,197	2,955
1994.....	13,548	76	87	37	22	16	208	1,119	2,555	3,001	2,739
1993.....	11,557	71	87	30	18	13	212	1,093	2,178	2,581	2,303
1992.....	10,034	97	69	26	9	16	203	1,016	1,918	2,273	1,902
1991.....	8,596	88	58	23	14	14	198	932	1,631	1,984	1,524
1990.....	7,170	83	56	28	13	16	175	823	1,564	1,628	1,124
1989.....	6,543	81	56	14	5	20	198	813	1,400	1,484	1,008
1988.....	5,137	65	46	19	5	17	178	665	1,153	1,132	690
1987.....	4,078	64	46	14	8	13	166	530	925	863	496
1986.....	1,327	47	13	3	3	3	45	147	229	229	133
1985.....	985	43	15	6	-	8	42	91	159	151	84
1984.....	783	41	9	7	7	8	25	65	114	87	73
1983.....	567	40	14	6	8	7	13	35	63	47	55
1982.....	470	39	13	6	5	13	11	28	31	41	32
1981.....	402	30	11	5	6	5	15	22	24	29	30
1980.....	391	36	13	2	5	4	10	14	21	21	22
1979.....	340	34	14	6	6	4	16	21	18	19	26



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)											
ALL OTHER FEMALE											
1998.....	3,036	44	17	16	13	16	81	235	439	537	526
1997.....	3,311	53	35	20	9	34	88	240	479	618	571
1996.....	4,528	55	55	39	21	19	110	374	747	940	808
1995.....	5,146	53	80	51	22	24	173	517	926	994	896
1994.....	4,649	69	75	46	18	32	145	429	828	979	800
1993.....	3,814	83	76	44	14	24	121	396	694	793	593
1992.....	3,256	94	55	23	9	14	93	361	572	692	492
1991.....	2,703	87	65	19	8	18	101	308	530	492	356
1990.....	2,386	87	53	33	10	19	78	269	436	476	277
1989.....	2,053	94	44	8	11	16	63	234	432	371	226
1988.....	1,620	57	44	21	6	15	62	171	344	266	152
1987.....	1,397	66	34	11	8	12	46	144	279	217	122
1986.....	663	33	14	6	6	6	19	47	77	62	61
1985.....	574	38	9	4	2	7	11	38	51	57	31
1984.....	517	27	11	6	5	3	15	33	45	43	40
1983.....	433	28	8	7	2	10	12	20	33	24	28
1982.....	396	29	9	6	5	3	14	18	29	25	25
1981.....	387	19	7	1	5	4	10	29	29	26	28
1980.....	395	30	14	6	5	11	12	17	20	22	28
1979.....	343	26	12	2	4	12	9	16	27	28	24
BLACK, BOTH SEXES											
1998.....	8,566	87	31	25	22	23	140	540	1,185	1,596	1,649
1997.....	9,980	106	55	43	33	37	170	651	1,490	1,971	1,920
1996.....	15,505	95	119	80	43	34	219	1,126	2,595	3,277	3,159
1995.....	18,638	117	148	91	44	43	350	1,541	3,300	4,072	3,741
1994.....	17,556	136	153	76	33	44	340	1,495	3,263	3,876	3,456
1993.....	14,821	141	158	69	27	30	323	1,446	2,785	3,286	2,816
1992.....	12,855	179	118	48	16	29	289	1,332	2,432	2,888	2,342
1991.....	10,889	166	114	38	20	28	291	1,197	2,099	2,412	1,831
1990.....	9,198	159	102	54	20	31	247	1,059	1,962	2,048	1,361
1989.....	8,254	158	95	21	12	33	254	1,016	1,789	1,809	1,186
1988.....	6,491	117	86	32	11	27	232	817	1,456	1,362	816
1987.....	5,250	124	73	24	9	23	205	659	1,185	1,054	590
1986.....	1,831	68	25	7	7	9	61	188	298	278	189
1985.....	1,423	74	18	10	2	15	51	125	201	196	111
1984.....	1,177	62	19	13	9	8	37	91	153	127	103
1983.....	913	57	19	11	8	14	22	53	96	68	82
1982.....	778	60	18	11	8	13	23	44	59	62	55
1981.....	697	41	16	4	5	9	24	46	52	52	54
1980.....	716	61	22	7	9	15	20	28	40	41	49
1979.....	607	52	19	7	9	12	24	34	43	45	48

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	UNDER 1 TOTAL	1-4 YEAR	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	------------------	-------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,\*042-\*044,046-054,056-066,071-088,098-139)

## BLACK MALE

1998.....	5,658	46	18	10	9	8	61	310	750	1,067	1,135
1997.....	6,778	60	21	24	25	8	82	413	1,017	1,364	1,355
1996.....	11,105	46	68	41	24	17	115	758	1,858	2,353	2,363
1995.....	13,643	67	72	44	24	19	181	1,030	2,391	3,095	2,860
1994.....	13,047	74	81	32	16	13	200	1,079	2,451	2,912	2,664
1993.....	11,124	65	85	27	15	9	204	1,055	2,102	2,506	2,232
1992.....	9,698	89	65	25	8	15	198	976	1,867	2,205	1,859
1991.....	8,273	81	54	20	14	10	191	895	1,578	1,930	1,478
1990.....	6,890	76	53	25	10	14	170	797	1,531	1,581	1,091
1989.....	6,284	71	52	13	4	18	192	789	1,361	1,443	968
1988.....	4,941	63	43	15	5	14	171	648	1,115	1,099	669
1987.....	3,920	58	39	13	5	12	162	520	909	844	471
1986.....	1,222	40	13	2	2	3	43	143	224	220	129
1985.....	901	37	14	6	-	8	40	87	152	143	80
1984.....	701	38	9	7	6	6	23	58	111	84	66
1983.....	512	33	12	4	6	5	12	35	63	46	54
1982.....	416	36	10	6	4	10	11	28	30	38	30
1981.....	348	25	10	3	2	5	14	21	23	28	27
1980.....	353	33	11	1	5	4	10	13	21	20	21
1979.....	299	30	12	5	5	2	16	19	17	18	26

## BLACK FEMALE

1998.....	2,908	41	13	15	13	15	79	230	435	529	514
1997.....	3,202	46	34	19	8	29	88	238	473	607	565
1996.....	4,400	49	51	39	19	17	104	368	737	924	796
1995.....	4,995	50	76	47	20	24	169	511	909	977	881
1994.....	4,509	62	72	44	17	31	140	416	812	964	792
1993.....	3,697	76	73	42	12	21	119	391	683	780	584
1992.....	3,157	90	53	23	8	14	91	356	565	683	483
1991.....	2,616	85	60	18	6	18	100	302	521	482	353
1990.....	2,308	83	49	29	10	17	77	262	431	467	270
1989.....	1,970	87	43	8	8	15	62	227	428	366	218
1988.....	1,550	54	43	17	6	13	61	169	341	263	147
1987.....	1,330	66	34	11	4	11	43	139	276	210	119
1986.....	609	28	12	5	5	6	18	45	74	58	60
1985.....	522	37	4	4	2	7	11	38	49	53	31
1984.....	476	24	10	6	3	2	14	33	42	43	37
1983.....	401	24	7	7	2	9	10	18	33	22	28
1982.....	362	24	8	5	4	3	12	16	29	24	25
1981.....	349	16	6	1	3	4	10	25	29	24	27
1980.....	363	28	11	6	4	11	10	15	19	21	28
1979.....	308	22	7	2	4	10	8	15	26	27	22

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)											
TOTAL, BOTH SEXES											
1998.....	541,532	78	365	487	526	720	979	1,483	2,902	5,960	11,062
1997.....	539,577	91	438	547	483	702	943	1,616	2,991	6,076	11,023
1996.....	539,533	87	424	523	505	685	947	1,610	3,235	6,148	10,901
1995.....	538,455	70	488	523	503	691	951	1,593	3,282	6,309	10,801
1994.....	534,310	59	518	543	510	724	1,016	1,670	3,386	6,209	10,634
1993.....	529,904	88	522	582	507	720	1,018	1,688	3,391	6,147	10,608
1992.....	520,578	95	479	557	548	738	1,071	1,776	3,527	6,282	10,600
1991.....	514,657	77	526	580	526	741	1,073	1,808	3,511	6,223	10,686
1990.....	505,322	90	513	569	525	759	1,060	1,897	3,530	6,012	10,211
1989.....	496,152	107	506	625	530	758	1,093	1,873	3,441	5,882	9,860
1988.....	485,048	89	542	586	510	805	1,089	1,835	3,376	5,937	9,644
1987.....	476,927	101	548	637	501	810	1,129	1,957	3,414	5,809	9,125
1986.....	469,376	97	569	622	543	847	1,268	2,127	3,477	5,886	9,105
1985.....	461,563	114	543	607	576	860	1,282	2,044	3,451	5,647	8,884
1984.....	453,492	114	563	592	615	911	1,283	2,017	3,334	5,494	8,752
1983.....	442,986	132	654	664	654	960	1,333	1,991	3,167	5,163	8,249
1982.....	433,795	135	628	738	672	1,047	1,408	1,939	3,240	5,060	7,930
1981.....	422,094	91	654	719	677	1,046	1,336	1,959	3,096	4,681	7,809
1980.....	416,509	113	573	777	720	1,145	1,538	2,041	3,040	4,684	7,786
1979.....	403,395	116	578	791	761	1,141	1,440	1,911	2,875	4,485	7,647
TOTAL, MALE											
1998.....	282,065	43	189	279	303	442	587	777	1,315	2,538	5,054
1997.....	281,110	45	240	290	270	407	574	860	1,424	2,609	4,948
1996.....	281,898	43	246	303	279	398	557	811	1,501	2,742	4,942
1995.....	281,611	36	290	299	288	428	581	836	1,548	2,718	4,967
1994.....	280,465	28	287	304	300	431	628	897	1,614	2,735	4,845
1993.....	279,375	56	301	325	296	420	593	863	1,633	2,805	4,879
1992.....	274,838	52	248	318	319	458	626	881	1,690	2,747	4,777
1991.....	272,380	44	288	328	322	445	638	988	1,628	2,759	4,789
1990.....	268,283	48	280	324	297	441	637	1,025	1,685	2,624	4,501
1989.....	263,309	50	278	335	311	444	630	1,004	1,589	2,587	4,342
1988.....	258,088	46	281	351	293	480	632	985	1,574	2,527	4,386
1987.....	254,653	51	300	383	287	477	689	1,034	1,581	2,494	4,122
1986.....	250,559	53	323	355	302	516	786	1,177	1,692	2,570	4,074
1985.....	246,914	56	311	346	329	533	758	1,120	1,618	2,508	4,098
1984.....	242,790	60	311	350	352	558	794	1,064	1,574	2,337	3,922
1983.....	238,383	70	371	368	380	582	769	1,076	1,476	2,236	3,699
1982.....	233,864	67	345	451	383	627	807	1,034	1,498	2,223	3,563
1981.....	227,885	51	366	411	385	628	816	1,054	1,385	2,020	3,562
1980.....	225,948	66	344	467	414	680	985	1,098	1,371	2,011	3,515
1979.....	220,015	67	317	462	447	711	873	1,053	1,296	1,919	3,440

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)											
TOTAL, FEMALE											
1998.....	259,467	35	176	208	223	278	392	706	1,587	3,422	6,008
1997.....	258,467	46	198	257	213	295	369	756	1,567	3,467	6,075
1996.....	257,635	44	178	220	226	287	390	799	1,734	3,406	5,959
1995.....	256,844	34	198	224	215	263	370	757	1,734	3,591	5,834
1994.....	253,845	31	231	239	210	293	388	773	1,772	3,474	5,789
1993.....	250,529	32	221	257	211	300	425	825	1,758	3,342	5,729
1992.....	245,740	43	231	239	229	280	445	895	1,837	3,535	5,823
1991.....	242,277	33	238	252	204	296	435	820	1,883	3,464	5,897
1990.....	237,039	42	233	245	228	318	423	872	1,845	3,388	5,710
1989.....	232,843	57	228	290	219	314	463	869	1,852	3,295	5,518
1988.....	226,960	43	261	235	217	325	457	850	1,802	3,410	5,258
1987.....	222,274	50	248	254	214	333	440	923	1,833	3,315	5,003
1986.....	218,817	44	246	267	241	331	482	950	1,785	3,316	5,031
1985.....	214,649	58	232	261	247	327	524	924	1,833	3,139	4,786
1984.....	210,702	54	252	242	263	353	489	953	1,760	3,157	4,830
1983.....	204,603	62	283	296	274	378	564	915	1,691	2,927	4,550
1982.....	199,931	68	283	287	289	420	601	905	1,742	2,837	4,367
1981.....	194,209	40	288	308	292	418	520	905	1,711	2,661	4,247
1980.....	190,561	47	229	310	306	465	553	943	1,669	2,673	4,271
1979.....	183,380	49	261	329	314	430	567	858	1,579	2,566	4,207
WHITE, BOTH SEXES											
1998.....	470,139	68	289	385	417	590	781	1,137	2,280	4,588	8,646
1997.....	468,521	68	340	436	395	549	734	1,240	2,360	4,683	8,617
1996.....	469,406	76	344	420	405	540	727	1,291	2,550	4,779	8,555
1995.....	468,897	55	380	411	387	545	747	1,258	2,547	4,990	8,489
1994.....	465,797	47	411	433	402	578	835	1,334	2,657	4,926	8,317
1993.....	461,904	69	422	477	422	573	792	1,320	2,707	4,853	8,388
1992.....	454,531	81	388	456	448	600	867	1,401	2,820	4,942	8,353
1991.....	449,506	57	416	479	434	600	870	1,476	2,817	4,893	8,508
1990.....	441,585	69	413	464	433	606	864	1,526	2,805	4,754	8,226
1989.....	434,156	92	409	517	430	610	873	1,533	2,762	4,667	7,980
1988.....	425,140	70	446	475	415	665	878	1,493	2,717	4,696	7,856
1987.....	418,473	87	452	538	414	638	915	1,610	2,788	4,668	7,377
1986.....	412,352	82	473	514	443	709	1,060	1,753	2,857	4,735	7,375
1985.....	405,727	93	458	509	467	722	1,062	1,706	2,835	4,642	7,231
1984.....	398,631	83	473	495	500	761	1,085	1,672	2,741	4,513	7,063
1983.....	390,009	105	554	555	530	826	1,099	1,671	2,572	4,275	6,709
1982.....	382,652	102	530	628	551	861	1,181	1,617	2,693	4,220	6,481
1981.....	372,674	73	549	594	556	863	1,139	1,643	2,594	3,855	6,280
1980.....	368,162	90	479	680	611	956	1,288	1,734	2,578	3,922	6,319
1979.....	357,336	95	486	684	638	970	1,225	1,618	2,434	3,713	6,255

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)											
WHITE MALE											
1998.....	244,109	37	149	218	241	362	483	610	1,061	2,002	4,017
1997.....	243,192	32	188	231	218	329	445	667	1,152	2,026	3,894
1996.....	243,952	35	205	247	230	320	434	667	1,210	2,178	3,893
1995.....	244,000	30	233	248	223	342	463	671	1,237	2,169	3,897
1994.....	242,995	23	235	236	239	354	519	735	1,284	2,216	3,788
1993.....	241,908	42	248	268	247	335	470	696	1,321	2,261	3,871
1992.....	238,499	44	207	258	266	371	518	724	1,381	2,200	3,759
1991.....	236,409	30	222	272	270	365	537	815	1,334	2,210	3,804
1990.....	232,608	36	226	262	244	363	516	847	1,379	2,064	3,602
1989.....	228,301	45	238	277	258	355	505	830	1,284	2,092	3,448
1988.....	224,514	37	236	289	244	401	515	816	1,314	2,012	3,544
1987.....	221,757	43	246	325	247	378	573	872	1,313	2,046	3,339
1986.....	218,381	47	279	295	249	428	675	1,005	1,447	2,082	3,255
1985.....	215,079	48	260	293	265	447	635	946	1,374	2,094	3,296
1984.....	211,369	41	258	296	291	464	679	899	1,305	1,909	3,148
1983.....	208,053	54	310	311	311	509	644	921	1,233	1,858	2,979
1982.....	204,477	53	296	384	319	513	686	889	1,267	1,882	2,866
1981.....	199,370	37	311	341	324	513	705	910	1,184	1,669	2,844
1980.....	198,188	52	293	417	355	571	843	974	1,191	1,690	2,834
1979.....	193,444	55	271	406	372	603	761	913	1,138	1,601	2,762
WHITE FEMALE											
1998.....	226,030	31	140	167	176	228	298	527	1,219	2,586	4,629
1997.....	225,329	36	152	205	177	220	289	573	1,208	2,657	4,723
1996.....	225,454	41	139	173	175	220	293	624	1,340	2,601	4,662
1995.....	224,897	25	147	163	164	203	284	587	1,310	2,821	4,592
1994.....	222,802	24	176	197	163	224	316	599	1,373	2,710	4,529
1993.....	219,996	27	174	209	175	238	322	624	1,386	2,592	4,517
1992.....	216,032	37	181	198	182	229	349	677	1,439	2,742	4,594
1991.....	213,097	27	194	207	164	235	333	661	1,483	2,683	4,704
1990.....	208,977	33	187	202	189	243	348	679	1,426	2,690	4,624
1989.....	205,855	47	171	240	172	255	368	703	1,478	2,575	4,532
1988.....	200,626	33	210	186	171	264	363	677	1,403	2,684	4,312
1987.....	196,716	44	206	213	167	260	342	738	1,475	2,622	4,038
1986.....	193,971	35	194	219	194	281	385	748	1,410	2,653	4,120
1985.....	190,648	45	198	216	202	275	427	760	1,461	2,548	3,935
1984.....	187,262	42	215	199	209	297	406	773	1,436	2,604	3,915
1983.....	181,956	51	244	244	219	317	455	750	1,339	2,417	3,730
1982.....	178,175	49	234	244	232	348	495	728	1,426	2,338	3,615
1981.....	173,304	36	238	253	232	350	434	733	1,410	2,186	3,436
1980.....	169,974	38	186	263	256	385	445	760	1,387	2,232	3,485
1979.....	163,892	40	215	278	266	367	464	705	1,296	2,112	3,493

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)											
ALL OTHER, BOTH SEXES											
1998.....	71,393	10	76	102	109	130	198	346	622	1,372	2,416
1997.....	71,056	23	98	111	88	153	209	376	631	1,393	2,406
1996.....	70,127	11	80	103	100	145	220	319	685	1,369	2,346
1995.....	69,558	15	108	112	116	146	204	335	735	1,319	2,312
1994.....	68,513	12	107	110	108	146	181	336	729	1,283	2,317
1993.....	68,000	19	100	105	85	147	226	368	684	1,294	2,220
1992.....	66,047	14	91	101	100	138	204	375	707	1,340	2,247
1991.....	65,151	20	110	101	92	141	203	332	694	1,330	2,178
1990.....	63,737	21	100	105	92	153	196	371	725	1,258	1,985
1989.....	61,996	15	97	108	100	148	220	340	679	1,215	1,880
1988.....	59,908	19	96	111	95	140	211	342	659	1,241	1,788
1987.....	58,454	14	96	99	87	172	214	347	626	1,141	1,748
1986.....	57,024	15	96	108	100	138	208	374	620	1,151	1,730
1985.....	55,836	21	85	98	109	138	220	338	616	1,005	1,653
1984.....	54,861	31	90	97	115	150	198	345	593	981	1,689
1983.....	52,977	27	100	109	124	134	234	320	595	888	1,540
1982.....	51,143	33	98	110	121	186	227	322	547	840	1,449
1981.....	49,420	18	105	125	121	183	197	316	502	826	1,529
1980.....	48,347	23	94	97	109	189	250	307	462	762	1,467
1979.....	46,059	21	92	107	123	171	215	293	441	772	1,392
ALL OTHER MALE											
1998.....	37,956	6	40	61	62	80	104	167	254	536	1,037
1997.....	37,918	13	52	59	52	78	129	193	272	583	1,054
1996.....	37,946	8	41	56	49	78	123	144	291	564	1,049
1995.....	37,611	6	57	51	65	86	118	165	311	549	1,070
1994.....	37,470	5	52	68	61	77	109	162	330	519	1,057
1993.....	37,467	14	53	57	49	85	123	167	312	544	1,008
1992.....	36,339	8	41	60	53	87	108	157	309	547	1,018
1991.....	35,971	14	66	56	52	80	101	173	294	549	985
1990.....	35,675	12	54	62	53	78	121	178	306	560	899
1989.....	35,008	5	40	58	53	89	125	174	305	495	894
1988.....	33,574	9	45	62	49	79	117	169	260	515	842
1987.....	32,896	8	54	58	40	99	116	162	268	448	783
1986.....	32,178	6	44	60	53	88	111	172	245	488	819
1985.....	31,835	8	51	53	64	86	123	174	244	414	802
1984.....	31,421	19	53	54	61	94	115	165	269	428	774
1983.....	30,330	16	61	57	69	73	125	155	243	378	720
1982.....	29,387	14	49	67	64	114	121	145	231	341	697
1981.....	28,515	14	55	70	61	115	111	144	201	351	718
1980.....	27,760	14	51	50	59	109	142	124	180	321	681
1979.....	26,571	12	46	56	75	108	112	140	158	318	678

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)											
ALL OTHER FEMALE											
1998.....	33,437	4	36	41	47	50	94	179	368	836	1,379
1997.....	33,138	10	46	52	36	75	80	183	359	810	1,352
1996.....	32,181	3	39	47	51	67	97	175	394	805	1,297
1995.....	31,947	9	51	61	51	60	86	170	424	770	1,242
1994.....	31,043	7	55	42	47	69	72	174	399	764	1,260
1993.....	30,533	5	47	48	36	62	103	201	372	750	1,212
1992.....	29,708	6	50	41	47	51	96	218	398	793	1,229
1991.....	29,180	6	44	45	40	61	102	159	400	781	1,193
1990.....	28,062	9	46	43	39	75	75	193	419	698	1,086
1989.....	26,988	10	57	50	47	59	95	166	374	720	986
1988.....	26,334	10	51	49	46	61	94	173	399	726	946
1987.....	25,558	6	42	41	47	73	98	185	358	693	965
1986.....	24,846	9	52	48	47	50	97	202	375	663	911
1985.....	24,001	13	34	45	45	52	97	164	372	591	851
1984.....	23,440	12	37	43	56	56	83	180	324	553	915
1983.....	22,647	11	39	52	55	61	109	165	352	510	820
1982.....	21,756	19	49	43	57	72	106	177	316	499	752
1981.....	20,905	4	50	55	60	68	86	172	301	475	811
1980.....	20,587	9	43	47	50	80	108	183	282	441	786
1979.....	19,488	9	46	51	48	63	103	153	283	454	714
BLACK, BOTH SEXES											
1998.....	61,193	8	60	85	80	95	153	272	495	1,147	2,049
1997.....	61,333	13	72	86	66	122	170	306	520	1,179	2,022
1996.....	60,766	8	59	87	80	121	174	259	569	1,146	1,996
1995.....	60,603	10	86	89	84	115	171	262	608	1,126	1,982
1994.....	59,939	9	83	84	85	120	141	264	603	1,098	1,985
1993.....	59,873	15	72	86	66	120	178	315	574	1,119	1,875
1992.....	58,401	12	62	81	78	107	169	313	599	1,154	1,968
1991.....	57,921	14	96	77	77	113	169	276	592	1,132	1,872
1990.....	57,077	17	81	82	72	122	170	321	627	1,066	1,730
1989.....	55,564	15	75	85	82	124	195	279	578	1,028	1,622
1988.....	53,968	18	79	83	76	119	186	293	579	1,071	1,585
1987.....	53,027	11	75	82	69	146	182	291	523	1,000	1,531
1986.....	51,979	13	80	92	85	121	186	322	530	992	1,522
1985.....	50,906	19	62	82	92	114	186	289	533	867	1,473
1984.....	50,266	16	71	83	99	126	177	302	511	865	1,503
1983.....	48,754	20	82	95	105	102	199	271	509	777	1,368
1982.....	47,316	16	86	97	105	157	200	287	485	745	1,316
1981.....	45,827	10	91	113	107	159	175	278	436	725	1,368
1980.....	45,037	20	86	86	98	163	230	277	416	667	1,339
1979.....	42,981	19	81	90	115	154	198	255	379	699	1,276

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
BLACK MALE											
1998.....	32,523	5	32	53	44	54	80	133	194	425	878
1997.....	32,719	8	41	41	38	63	104	154	215	483	900
1996.....	32,973	7	29	47	40	65	98	116	244	468	898
1995.....	32,880	4	45	42	43	67	95	135	254	469	921
1994.....	32,861	4	41	51	46	65	82	126	273	430	914
1993.....	33,071	10	38	43	37	70	99	140	251	471	857
1992.....	32,155	7	27	45	38	67	85	129	266	460	903
1991.....	32,094	8	58	41	43	63	81	146	251	464	862
1990.....	31,995	11	42	48	43	59	103	147	259	473	788
1989.....	31,452	5	34	48	44	73	112	143	249	423	764
1988.....	30,321	8	38	46	38	70	99	141	222	435	745
1987.....	29,928	6	47	44	29	82	96	136	228	385	695
1986.....	29,363	5	34	54	47	76	98	148	205	417	720
1985.....	29,028	7	36	44	53	72	104	148	209	355	723
1984.....	28,851	9	38	45	51	79	99	141	231	376	701
1983.....	27,946	11	50	49	58	54	102	126	207	341	647
1982.....	27,226	7	42	58	57	94	104	127	198	304	641
1981.....	26,477	8	46	65	54	103	96	122	174	320	644
1980.....	25,861	12	49	44	52	96	131	113	165	283	629
1979.....	24,831	11	39	47	69	94	104	119	132	291	635
BLACK FEMALE											
1998.....	28,670	3	28	32	36	41	73	139	301	722	1,171
1997.....	28,614	5	31	45	28	59	66	152	305	696	1,122
1996.....	27,793	1	30	40	40	56	76	143	325	678	1,098
1995.....	27,723	6	41	47	41	48	76	127	354	657	1,061
1994.....	27,078	5	42	33	39	55	59	138	330	668	1,071
1993.....	26,802	5	34	43	29	50	79	175	323	648	1,018
1992.....	26,246	5	35	36	40	40	84	184	333	694	1,065
1991.....	25,827	6	38	36	34	50	88	130	341	668	1,010
1990.....	25,082	6	39	34	29	63	67	174	368	593	942
1989.....	24,112	10	41	37	38	51	83	136	329	605	858
1988.....	23,647	10	41	37	38	49	87	152	357	636	840
1987.....	23,099	5	28	38	40	64	86	155	295	615	836
1986.....	22,616	8	46	38	38	45	88	174	325	575	802
1985.....	21,878	12	26	38	39	42	82	141	324	512	750
1984.....	21,415	7	33	38	48	47	78	161	280	489	802
1983.....	20,808	9	32	46	47	48	97	145	302	436	721
1982.....	20,090	9	44	39	48	63	96	160	287	441	675
1981.....	19,350	2	45	48	53	56	79	156	262	405	724
1980.....	19,176	8	37	42	46	67	99	164	251	384	710
1979.....	18,150	8	42	43	46	60	94	136	247	408	641



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	7,965	-	1	-	4	10	13	17	38	87	219
1997.....	7,894	-	-	2	4	10	14	24	41	112	214
1996.....	7,854	-	1	1	4	10	15	26	43	101	224
1995.....	8,060	-	2	-	3	8	13	26	32	108	207
1994.....	7,915	-	4	1	1	6	13	16	37	94	213
1993.....	8,241	2	-	1	2	9	11	14	44	109	229
1992.....	8,107	1	1	-	1	10	13	19	35	94	225
1991.....	8,278	1	-	1	5	9	10	31	35	109	209
1990.....	8,405	-	1	2	3	9	14	25	40	104	204
1989.....	8,104	-	2	3	1	5	23	19	33	100	204
1988.....	8,199	1	-	4	1	15	12	20	43	95	193
1987.....	7,968	-	-	1	-	6	16	24	40	89	186
1986.....	8,292	1	2	2	4	6	19	22	46	110	183
1985.....	8,290	1	1	2	3	11	14	27	49	98	207
1984.....	8,462	-	-	-	8	10	14	29	39	90	208
1983.....	8,486	1	1	6	5	12	16	29	47	103	202
1982.....	8,528	3	-	2	3	17	23	21	38	85	192
1981.....	8,506	1	-	5	4	7	17	27	35	70	176
1980.....	8,553	-	2	3	5	6	15	22	29	89	209
1979.....	8,589	-	2	6	4	10	17	24	36	89	196
TOTAL, MALE											
1998.....	5,281	-	-	-	3	7	12	8	26	61	161
1997.....	5,201	-	-	1	1	4	6	18	26	78	160
1996.....	5,215	-	-	-	1	5	9	13	25	73	163
1995.....	5,327	-	-	-	1	6	12	16	18	79	160
1994.....	5,227	-	2	1	1	3	10	8	26	69	163
1993.....	5,515	-	-	1	-	6	8	13	26	77	177
1992.....	5,366	-	1	-	1	5	8	12	22	70	168
1991.....	5,464	1	-	-	1	5	10	18	22	87	162
1990.....	5,636	-	-	2	2	3	12	18	31	82	162
1989.....	5,340	-	1	2	1	4	16	12	18	65	149
1988.....	5,497	1	-	3	1	11	7	8	30	63	147
1987.....	5,310	-	-	-	-	4	8	13	26	60	142
1986.....	5,514	-	-	1	3	4	15	18	31	71	151
1985.....	5,616	-	-	1	2	4	9	14	35	66	149
1984.....	5,765	-	-	-	5	5	10	17	27	69	147
1983.....	5,790	1	-	3	3	9	8	21	25	75	152
1982.....	5,856	1	-	1	2	11	14	16	28	59	146
1981.....	5,831	1	-	1	2	4	13	17	23	52	131
1980.....	5,899	-	2	3	2	3	11	15	20	61	168
1979.....	5,877	-	2	2	2	7	12	20	22	68	134

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)											
TOTAL, FEMALE											
1998.....	2,684	-	1	-	1	3	1	9	12	26	58
1997.....	2,693	-	-	1	3	6	8	6	15	34	54
1996.....	2,639	-	1	1	3	5	6	13	18	28	61
1995.....	2,733	-	2	-	2	2	1	10	14	29	47
1994.....	2,688	-	2	-	-	3	3	8	11	25	50
1993.....	2,726	2	-	-	2	3	3	1	18	32	52
1992.....	2,741	1	-	-	-	5	5	7	13	24	57
1991.....	2,814	-	-	1	4	4	-	13	13	22	47
1990.....	2,769	-	1	-	1	6	2	7	9	22	42
1989.....	2,764	-	1	1	-	1	7	7	15	35	55
1988.....	2,702	-	-	1	-	4	5	12	13	32	46
1987.....	2,658	-	-	1	-	2	8	11	14	29	44
1986.....	2,778	1	2	1	1	2	4	4	15	39	32
1985.....	2,674	1	1	1	1	7	5	13	14	32	58
1984.....	2,697	-	-	-	3	5	4	12	12	21	61
1983.....	2,696	-	1	3	2	3	8	8	22	28	50
1982.....	2,672	2	-	1	1	6	9	5	10	26	46
1981.....	2,675	-	-	4	2	3	4	10	12	18	45
1980.....	2,654	-	-	-	3	3	4	7	9	28	41
1979.....	2,712	-	-	4	2	3	5	4	14	21	62
WHITE, BOTH SEXES											
1998.....	6,612	-	1	-	4	8	7	9	25	54	145
1997.....	6,510	-	-	2	2	5	5	17	30	82	149
1996.....	6,463	-	-	1	4	9	12	23	30	69	147
1995.....	6,581	-	2	-	3	6	11	17	15	74	126
1994.....	6,489	-	2	1	-	4	10	12	27	60	136
1993.....	6,746	2	-	1	2	4	8	10	32	61	133
1992.....	6,676	1	1	-	1	7	9	13	24	51	129
1991.....	6,830	1	-	1	1	5	5	20	27	64	121
1990.....	6,918	-	1	2	2	6	11	16	26	59	124
1989.....	6,693	-	1	2	-	2	12	16	26	60	124
1988.....	6,816	1	-	1	1	8	6	13	25	60	117
1987.....	6,679	-	-	1	-	5	10	21	27	50	107
1986.....	6,879	1	1	2	1	6	13	17	38	67	99
1985.....	6,938	1	1	1	2	7	9	20	34	62	116
1984.....	7,078	-	-	-	6	8	9	18	29	53	123
1983.....	7,070	1	1	5	3	9	8	18	27	62	118
1982.....	7,158	2	-	2	2	10	19	15	29	47	99
1981.....	7,173	-	-	5	1	5	14	19	20	38	95
1980.....	7,181	-	2	2	4	2	10	17	19	55	121
1979.....	7,307	-	2	6	2	5	11	20	30	52	106

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE											
1998.....	4,289	-	-	-	3	6	6	4	16	36	112
1997.....	4,193	-	-	1	-	1	2	13	17	57	111
1996.....	4,178	-	-	-	1	4	8	11	17	49	102
1995.....	4,257	-	-	-	1	4	10	9	8	54	95
1994.....	4,181	-	2	1	-	2	8	5	19	45	105
1993.....	4,396	-	-	1	-	2	5	10	19	44	98
1992.....	4,283	-	1	-	1	3	5	9	17	37	94
1991.....	4,405	1	-	-	-	2	5	10	16	51	91
1990.....	4,515	-	-	2	1	2	10	12	19	46	95
1989.....	4,293	-	1	1	-	2	9	11	14	36	91
1988.....	4,462	1	-	1	1	6	4	4	15	39	89
1987.....	4,344	-	-	-	-	3	6	13	17	31	77
1986.....	4,476	-	-	1	-	4	11	13	26	40	80
1985.....	4,597	-	-	-	2	2	6	13	22	47	80
1984.....	4,688	-	-	-	4	4	6	12	19	39	82
1983.....	4,725	1	-	3	2	7	5	12	14	43	89
1982.....	4,833	1	-	1	1	6	10	12	20	31	73
1981.....	4,824	-	-	1	1	3	10	11	13	26	72
1980.....	4,827	-	2	2	2	-	7	11	11	38	95
1979.....	4,914	-	2	2	1	4	9	16	18	36	66
WHITE FEMALE											
1998.....	2,323	-	1	-	1	2	1	5	9	18	33
1997.....	2,317	-	-	1	2	4	3	4	13	25	38
1996.....	2,285	-	-	1	3	5	4	12	13	20	45
1995.....	2,324	-	2	-	2	2	1	8	7	20	31
1994.....	2,308	-	-	-	-	2	2	7	8	15	31
1993.....	2,350	2	-	-	2	2	3	-	13	17	35
1992.....	2,393	1	-	-	-	4	4	4	7	14	35
1991.....	2,425	-	-	1	1	3	-	10	11	13	30
1990.....	2,403	-	1	-	1	4	1	4	7	13	29
1989.....	2,400	-	-	1	-	-	3	5	12	24	33
1988.....	2,354	-	-	-	-	2	2	9	10	21	28
1987.....	2,335	-	-	1	-	2	4	8	10	19	30
1986.....	2,403	1	1	1	1	2	2	4	12	27	19
1985.....	2,341	1	1	1	-	5	3	7	12	15	36
1984.....	2,390	-	-	-	2	4	3	6	10	14	41
1983.....	2,345	-	1	2	1	2	3	6	13	19	29
1982.....	2,325	1	-	1	1	4	9	3	9	16	26
1981.....	2,349	-	-	4	-	2	4	8	7	12	23
1980.....	2,354	-	-	-	2	2	3	6	8	17	26
1979.....	2,393	-	-	4	1	1	2	4	12	16	40

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)											
ALL OTHER, BOTH SEXES											
1998.....	1,353	-	-	-	-	2	6	8	13	33	74
1997.....	1,384	-	-	-	2	5	9	7	11	30	65
1996.....	1,391	-	1	-	-	1	3	3	13	32	77
1995.....	1,479	-	-	-	-	2	2	9	17	34	81
1994.....	1,426	-	2	-	1	2	3	4	10	34	77
1993.....	1,495	-	-	-	-	5	3	4	12	48	96
1992.....	1,431	-	-	-	-	3	4	6	11	43	96
1991.....	1,448	-	-	-	4	4	5	11	8	45	88
1990.....	1,487	-	-	-	1	3	3	9	14	45	80
1989.....	1,411	-	1	1	1	3	11	3	7	40	80
1988.....	1,383	-	-	3	-	7	6	7	18	35	76
1987.....	1,289	-	-	-	-	1	6	3	13	39	79
1986.....	1,413	-	1	-	3	-	6	5	8	43	84
1985.....	1,352	-	-	1	1	4	5	7	15	36	91
1984.....	1,384	-	-	-	2	2	5	11	10	37	85
1983.....	1,416	-	-	1	2	3	8	11	20	41	84
1982.....	1,370	1	-	-	1	7	4	6	9	38	93
1981.....	1,333	1	-	-	3	2	3	8	15	32	81
1980.....	1,372	-	-	1	1	4	5	5	10	34	88
1979.....	1,282	-	-	-	2	5	6	4	6	37	90
ALL OTHER MALE											
1998.....	992	-	-	-	-	1	6	4	10	25	49
1997.....	1,008	-	-	-	1	3	4	5	9	21	49
1996.....	1,037	-	-	-	-	1	1	2	8	24	61
1995.....	1,070	-	-	-	-	2	2	7	10	25	65
1994.....	1,046	-	-	-	1	1	2	3	7	24	58
1993.....	1,119	-	-	-	-	4	3	3	7	33	79
1992.....	1,083	-	-	-	-	2	3	3	5	33	74
1991.....	1,059	-	-	-	1	3	5	8	6	36	71
1990.....	1,121	-	-	-	1	1	2	6	12	36	67
1989.....	1,047	-	-	1	1	2	7	1	4	29	58
1988.....	1,035	-	-	2	-	5	3	4	15	24	58
1987.....	966	-	-	-	-	1	2	-	9	29	65
1986.....	1,038	-	-	-	3	-	4	5	5	31	71
1985.....	1,019	-	-	1	-	2	3	1	13	19	69
1984.....	1,077	-	-	-	1	1	4	5	8	30	65
1983.....	1,065	-	-	-	1	2	3	9	11	32	63
1982.....	1,023	-	-	-	1	5	4	4	8	28	73
1981.....	1,007	1	-	-	1	1	3	6	10	26	59
1980.....	1,072	-	-	1	-	3	4	4	9	23	73
1979.....	963	-	-	-	1	3	3	4	4	32	68

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)											
ALL OTHER FEMALE											
1998.....	361	-	-	-	-	1	-	4	3	8	25
1997.....	376	-	-	-	1	2	5	2	2	9	16
1996.....	354	-	1	-	-	-	2	1	5	8	16
1995.....	409	-	-	-	-	-	-	2	7	9	16
1994.....	380	-	2	-	-	1	1	1	3	10	19
1993.....	376	-	-	-	-	1	-	1	5	15	17
1992.....	348	-	-	-	-	1	1	3	6	10	22
1991.....	389	-	-	-	3	1	-	3	2	9	17
1990.....	366	-	-	-	-	2	1	3	2	9	13
1989.....	364	-	1	-	-	1	4	2	3	11	22
1988.....	348	-	-	1	-	2	3	3	3	11	18
1987.....	323	-	-	-	-	-	4	3	4	10	14
1986.....	375	-	1	-	-	-	2	-	3	12	13
1985.....	333	-	-	-	1	2	2	6	2	17	22
1984.....	307	-	-	-	1	1	1	6	2	7	20
1983.....	351	-	-	1	1	1	5	2	9	9	21
1982.....	347	1	-	-	-	2	-	2	1	10	20
1981.....	326	-	-	-	2	1	-	2	5	6	22
1980.....	300	-	-	-	1	1	1	1	1	11	15
1979.....	319	-	-	-	1	2	3	-	2	5	22
BLACK, BOTH SEXES											
1998.....	1,155	-	-	-	-	1	5	6	5	22	63
1997.....	1,165	-	-	-	1	5	5	5	8	23	51
1996.....	1,181	-	1	-	-	1	2	2	10	20	65
1995.....	1,274	-	-	-	-	2	2	5	12	30	65
1994.....	1,242	-	2	-	1	2	1	2	9	27	66
1993.....	1,286	-	-	-	-	3	3	2	7	38	79
1992.....	1,248	-	-	-	-	2	3	4	8	34	74
1991.....	1,274	-	-	-	4	4	4	6	6	36	76
1990.....	1,311	-	-	-	1	2	3	8	11	33	71
1989.....	1,251	-	1	1	1	3	7	1	3	33	66
1988.....	1,242	-	-	2	-	6	6	4	16	28	65
1987.....	1,161	-	-	-	-	1	5	3	9	31	70
1986.....	1,289	-	1	-	3	-	4	3	4	37	80
1985.....	1,243	-	-	1	1	3	3	6	14	31	83
1984.....	1,248	-	-	-	2	1	3	7	4	34	76
1983.....	1,288	-	-	1	2	1	5	9	14	36	71
1982.....	1,257	-	-	-	1	6	2	6	3	33	87
1981.....	1,216	-	-	-	3	2	2	6	12	29	72
1980.....	1,287	-	-	1	1	3	5	5	8	29	83
1979.....	1,204	-	-	-	2	5	6	3	5	35	83

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)											
BLACK MALE											
1998.....	849	-	-	-	-	-	5	2	2	18	40
1997.....	851	-	-	-	1	3	1	5	6	16	39
1996.....	892	-	-	-	-	1	1	1	6	15	49
1995.....	926	-	-	-	-	2	2	3	8	21	51
1994.....	920	-	-	-	1	1	-	1	6	18	49
1993.....	968	-	-	-	-	2	3	1	2	26	65
1992.....	949	-	-	-	-	1	2	2	4	28	57
1991.....	933	-	-	-	1	3	4	4	4	28	61
1990.....	1,000	-	-	-	1	1	2	5	9	28	60
1989.....	939	-	-	1	1	2	5	-	2	24	50
1988.....	939	-	-	1	-	5	3	3	13	19	51
1987.....	864	-	-	-	-	1	1	-	7	24	57
1986.....	956	-	-	-	3	-	2	3	3	28	70
1985.....	946	-	-	1	-	2	2	1	12	17	64
1984.....	985	-	-	-	1	1	3	4	3	29	61
1983.....	986	-	-	-	1	1	1	7	9	28	55
1982.....	945	-	-	-	1	4	2	4	3	25	68
1981.....	920	-	-	-	1	1	2	4	8	24	53
1980.....	1,005	-	-	1	-	2	4	4	7	19	68
1979.....	900	-	-	-	1	3	3	3	3	31	63
BLACK FEMALE											
1998.....	306	-	-	-	-	1	-	4	3	4	23
1997.....	314	-	-	-	-	2	4	-	2	7	12
1996.....	289	-	1	-	-	-	1	1	4	5	16
1995.....	348	-	-	-	-	-	-	2	4	9	14
1994.....	322	-	2	-	-	1	1	1	3	9	17
1993.....	318	-	-	-	-	1	-	1	5	12	14
1992.....	299	-	-	-	-	1	1	2	4	6	17
1991.....	341	-	-	-	3	1	-	2	2	8	15
1990.....	311	-	-	-	-	1	1	3	2	5	11
1989.....	312	-	1	-	-	1	2	1	1	9	16
1988.....	303	-	-	1	-	1	3	1	3	9	14
1987.....	297	-	-	-	-	-	4	3	2	7	13
1986.....	333	-	1	-	-	-	2	-	1	9	10
1985.....	297	-	-	-	1	1	1	5	2	14	19
1984.....	263	-	-	-	1	-	-	3	1	5	15
1983.....	302	-	-	1	1	-	4	2	5	8	16
1982.....	312	-	-	-	-	2	-	2	-	8	19
1981.....	296	-	-	-	2	1	-	2	4	5	19
1980.....	282	-	-	-	1	1	1	1	1	10	15
1979.....	304	-	-	-	1	2	3	-	2	4	20

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	128,683	5	17	7	17	31	93	203	447	968	2,142
1997.....	127,054	7	21	9	7	40	69	185	464	1,042	2,093
1996.....	126,495	4	17	11	8	27	90	191	439	1,008	2,066
1995.....	126,617	5	24	8	10	38	75	196	441	981	2,075
1994.....	125,353	6	28	12	12	33	92	199	481	971	2,001
1993.....	124,466	5	22	9	17	34	85	206	432	1,006	1,971
1992.....	122,873	11	14	11	15	38	87	196	449	1,000	1,945
1991.....	121,781	7	27	10	9	25	97	189	479	996	1,926
1990.....	120,765	8	25	7	8	34	73	202	425	950	1,738
1989.....	119,663	7	18	6	15	31	87	187	461	893	1,628
1988.....	117,416	6	18	8	8	28	85	179	443	900	1,676
1987.....	117,436	4	25	10	15	42	80	213	461	951	1,572
1986.....	116,508	5	20	7	7	31	94	219	425	894	1,518
1985.....	116,609	7	24	12	15	36	104	198	488	854	1,487
1984.....	116,616	16	28	12	12	37	74	238	448	846	1,482
1983.....	113,864	11	24	15	17	36	100	229	433	777	1,450
1982.....	112,564	19	30	21	19	40	112	246	404	761	1,401
1981.....	111,297	10	30	6	14	45	104	230	406	729	1,361
1980.....	110,647	12	29	12	19	44	129	211	424	689	1,363
1979.....	109,125	11	16	15	16	40	106	226	407	738	1,331
TOTAL, MALE											
1998.....	68,556	3	10	3	12	17	53	107	255	547	1,305
1997.....	67,758	5	12	8	5	24	46	109	275	612	1,256
1996.....	66,932	2	12	6	6	13	56	109	249	586	1,286
1995.....	66,987	2	10	4	5	18	41	103	250	559	1,326
1994.....	66,476	4	22	6	8	21	52	117	296	596	1,237
1993.....	65,489	3	10	4	9	18	50	118	248	594	1,248
1992.....	64,996	8	6	7	9	21	48	102	248	592	1,211
1991.....	64,324	5	17	4	6	14	58	110	282	595	1,194
1990.....	63,920	4	14	4	3	19	41	106	246	583	1,064
1989.....	63,209	3	12	3	11	15	42	115	250	515	1,000
1988.....	61,875	4	12	6	4	14	44	102	270	540	1,043
1987.....	61,792	3	14	6	10	24	45	121	288	568	950
1986.....	61,137	2	14	6	4	16	57	132	234	546	924
1985.....	61,187	2	16	9	8	23	60	114	262	501	912
1984.....	60,824	8	15	8	6	21	45	137	283	492	879
1983.....	59,738	3	17	9	6	16	47	136	243	461	840
1982.....	58,950	11	16	14	14	15	59	147	241	447	801
1981.....	58,437	6	18	1	8	35	59	147	245	424	805
1980.....	57,947	10	20	6	12	22	83	112	226	391	808
1979.....	57,320	7	9	8	13	23	60	127	232	414	772

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	60,127	2	7	4	5	14	40	96	192	421	837
1997.....	59,296	2	9	1	2	16	23	76	189	430	837
1996.....	59,563	2	5	5	2	14	34	82	190	422	780
1995.....	59,630	3	14	4	5	20	34	93	191	422	749
1994.....	58,877	2	6	6	4	12	40	82	185	375	764
1993.....	58,977	2	12	5	8	16	35	88	184	412	723
1992.....	57,877	3	8	4	6	17	39	94	201	408	734
1991.....	57,457	2	10	6	3	11	39	79	197	401	732
1990.....	56,845	4	11	3	5	15	32	96	179	367	674
1989.....	56,454	4	6	3	4	16	45	72	211	378	628
1988.....	55,541	2	6	2	4	14	41	77	173	360	633
1987.....	55,644	1	11	4	5	18	35	92	173	383	622
1986.....	55,371	3	6	1	3	15	37	87	191	348	594
1985.....	55,422	5	8	3	7	13	44	84	226	353	575
1984.....	55,792	8	13	4	6	16	29	101	165	354	603
1983.....	54,126	8	7	6	11	20	53	93	190	316	610
1982.....	53,614	8	14	7	5	25	53	99	163	314	600
1981.....	52,860	4	12	5	6	10	45	83	161	305	556
1980.....	52,700	2	9	6	7	22	46	99	198	298	555
1979.....	51,805	4	7	7	3	17	46	99	175	324	559
WHITE, BOTH SEXES											
1998.....	109,130	5	13	4	9	21	65	140	305	659	1,594
1997.....	107,756	3	17	7	2	27	51	123	324	723	1,573
1996.....	107,601	2	15	9	8	20	57	140	305	705	1,564
1995.....	107,925	3	19	6	8	28	53	139	310	715	1,506
1994.....	106,826	5	25	9	8	23	68	128	323	713	1,436
1993.....	106,381	4	19	8	6	21	57	145	326	756	1,490
1992.....	105,107	7	11	7	11	23	68	146	314	719	1,417
1991.....	104,449	4	20	7	8	17	67	136	356	722	1,461
1990.....	103,530	8	16	6	4	25	47	147	307	666	1,332
1989.....	102,769	6	15	4	11	19	50	137	331	644	1,242
1988.....	101,206	6	16	5	6	20	58	110	314	644	1,296
1987.....	101,519	4	20	8	13	31	54	146	327	713	1,191
1986.....	100,884	3	20	6	5	21	62	160	319	669	1,150
1985.....	101,126	7	20	9	11	22	76	144	358	669	1,141
1984.....	101,250	10	22	8	9	27	50	169	328	633	1,155
1983.....	99,010	7	21	10	13	26	72	177	314	598	1,091
1982.....	98,093	12	28	20	15	27	74	178	305	602	1,053
1981.....	97,324	8	27	6	12	28	79	163	310	555	1,049
1980.....	96,873	9	24	10	16	26	92	168	338	553	1,043
1979.....	95,783	8	13	10	12	31	80	177	313	562	1,044



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)											
WHITE MALE											
1998.....	58,141	3	7	2	6	10	40	73	165	385	979
1997.....	57,437	3	9	7	1	17	35	72	194	420	946
1996.....	56,863	1	10	4	6	11	35	82	174	416	967
1995.....	57,009	2	8	4	4	12	28	73	180	414	967
1994.....	56,432	4	21	4	5	13	40	75	196	446	889
1993.....	55,802	2	10	4	2	10	31	84	185	439	949
1992.....	55,440	5	5	6	6	11	38	77	181	437	893
1991.....	54,994	2	13	4	6	9	45	79	210	441	908
1990.....	54,515	4	10	4	1	16	23	77	176	398	831
1989.....	53,895	3	10	1	8	9	22	82	169	371	756
1988.....	52,903	4	10	4	2	9	30	60	195	391	806
1987.....	53,100	3	11	5	9	17	30	82	208	434	717
1986.....	52,533	2	14	5	3	11	40	97	177	410	699
1985.....	52,705	2	14	6	6	15	46	82	194	391	700
1984.....	52,314	7	12	6	3	15	32	98	208	360	683
1983.....	51,457	1	14	6	6	12	35	105	180	345	624
1982.....	50,774	8	15	13	10	11	37	110	182	351	593
1981.....	50,599	5	16	1	6	21	46	107	193	321	624
1980.....	50,227	8	17	6	10	15	58	91	183	309	623
1979.....	49,858	5	8	5	10	17	47	96	186	319	604
WHITE FEMALE											
1998.....	50,989	2	6	2	3	11	25	67	140	274	615
1997.....	50,319	-	8	-	1	10	16	51	130	303	627
1996.....	50,738	1	5	5	2	9	22	58	131	289	597
1995.....	50,916	1	11	2	4	16	25	66	130	301	539
1994.....	50,394	1	4	5	3	10	28	53	127	267	547
1993.....	50,579	2	9	4	4	11	26	61	141	317	541
1992.....	49,667	2	6	1	5	12	30	69	133	282	524
1991.....	49,455	2	7	3	2	8	22	57	146	281	553
1990.....	49,015	4	6	2	3	9	24	70	131	268	501
1989.....	48,874	3	5	3	3	10	28	55	162	273	486
1988.....	48,303	2	6	1	4	11	28	50	119	253	490
1987.....	48,419	1	9	3	4	14	24	64	119	279	474
1986.....	48,351	1	6	1	2	10	22	63	142	259	451
1985.....	48,421	5	6	3	5	7	30	62	164	278	441
1984.....	48,936	3	10	2	6	12	18	71	120	273	472
1983.....	47,553	6	7	4	7	14	37	72	134	253	467
1982.....	47,319	4	13	7	5	16	37	68	123	251	460
1981.....	46,725	3	11	5	6	7	33	56	117	234	425
1980.....	46,646	1	7	4	6	11	34	77	155	244	420
1979.....	45,925	3	5	5	2	14	33	81	127	243	440

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER, BOTH SEXES											
1998.....	19,553	-	4	3	8	10	28	63	142	309	548
1997.....	19,298	4	4	2	5	13	18	62	140	319	520
1996.....	18,894	2	2	2	-	7	33	51	134	303	502
1995.....	18,692	2	5	2	2	10	22	57	131	266	569
1994.....	18,527	1	3	3	4	10	24	71	158	258	565
1993.....	18,085	1	3	1	11	13	28	61	106	250	481
1992.....	17,766	4	3	4	4	15	19	50	135	281	528
1991.....	17,332	3	7	3	1	8	30	53	123	274	465
1990.....	17,235	-	9	1	4	9	26	55	118	284	406
1989.....	16,894	1	3	2	4	12	37	50	130	249	386
1988.....	16,210	-	2	3	2	8	27	69	129	256	380
1987.....	15,917	-	5	2	2	11	26	67	134	238	381
1986.....	15,624	2	-	1	2	10	32	59	106	225	368
1985.....	15,483	-	4	3	4	14	28	54	130	185	346
1984.....	15,366	6	6	4	3	10	24	69	120	213	327
1983.....	14,854	4	3	5	4	10	28	52	119	179	359
1982.....	14,471	7	2	1	4	13	38	68	99	159	348
1981.....	13,973	2	3	-	2	17	25	67	96	174	312
1980.....	13,774	3	5	2	3	18	37	43	86	136	320
1979.....	13,342	3	3	5	4	9	26	49	94	176	287
ALL OTHER MALE											
1998.....	10,415	-	3	1	6	7	13	34	90	162	326
1997.....	10,321	2	3	1	4	7	11	37	81	192	310
1996.....	10,069	1	2	2	-	2	21	27	75	170	319
1995.....	9,978	-	2	-	1	6	13	30	70	145	359
1994.....	10,044	-	1	2	3	8	12	42	100	150	348
1993.....	9,687	1	-	-	7	8	19	34	63	155	299
1992.....	9,556	3	1	1	3	10	10	25	67	155	318
1991.....	9,330	3	4	-	-	5	13	31	72	154	286
1990.....	9,405	-	4	-	2	3	18	29	70	185	233
1989.....	9,314	-	2	2	3	6	20	33	81	144	244
1988.....	8,972	-	2	2	2	5	14	42	75	149	237
1987.....	8,692	-	3	1	1	7	15	39	80	134	233
1986.....	8,604	-	-	1	1	5	17	35	57	136	225
1985.....	8,482	-	2	3	2	8	14	32	68	110	212
1984.....	8,510	1	3	2	3	6	13	39	75	132	196
1983.....	8,281	2	3	3	-	4	12	31	63	116	216
1982.....	8,176	3	1	1	4	4	22	37	59	96	208
1981.....	7,838	1	2	-	2	14	13	40	52	103	181
1980.....	7,720	2	3	-	2	7	25	21	43	82	185
1979.....	7,462	2	1	3	3	6	13	31	46	95	168

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)											
ALL OTHER FEMALE											
1998.....	9,138	-	1	2	2	3	15	29	52	147	222
1997.....	8,977	2	1	1	1	6	7	25	59	127	210
1996.....	8,825	1	-	-	-	5	12	24	59	133	183
1995.....	8,714	2	3	2	1	4	9	27	61	121	210
1994.....	8,483	1	2	1	1	2	12	29	58	108	217
1993.....	8,398	-	3	1	4	5	9	27	43	95	182
1992.....	8,210	1	2	3	1	5	9	25	68	126	210
1991.....	8,002	-	3	3	1	3	17	22	51	120	179
1990.....	7,830	-	5	1	2	6	8	26	48	99	173
1989.....	7,580	1	1	-	1	6	17	17	49	105	142
1988.....	7,238	-	-	1	-	3	13	27	54	107	143
1987.....	7,225	-	2	1	1	4	11	28	54	104	148
1986.....	7,020	2	-	-	1	5	15	24	49	89	143
1985.....	7,001	-	2	-	2	6	14	22	62	75	134
1984.....	6,856	5	3	2	-	4	11	30	45	81	131
1983.....	6,573	2	-	2	4	6	16	21	56	63	143
1982.....	6,295	4	1	-	-	9	16	31	40	63	140
1981.....	6,135	1	1	-	-	3	12	27	44	71	131
1980.....	6,054	1	2	2	1	11	12	22	43	54	135
1979.....	5,880	1	2	2	1	3	13	18	48	81	119
BLACK, BOTH SEXES											
1998.....	16,050	-	4	2	6	4	20	46	99	236	433
1997.....	15,883	2	2	2	2	8	10	47	100	240	407
1996.....	15,679	1	2	1	-	6	21	43	99	246	386
1995.....	15,606	2	5	2	2	5	18	37	101	206	451
1994.....	15,521	-	3	2	3	5	16	54	122	197	456
1993.....	15,378	1	2	1	9	12	19	50	77	197	383
1992.....	15,090	4	1	2	3	11	17	34	101	222	434
1991.....	14,951	1	6	3	-	6	25	41	97	220	382
1990.....	14,933	-	8	1	4	7	24	46	91	221	334
1989.....	14,698	1	2	-	3	9	31	36	112	192	308
1988.....	14,141	-	2	-	2	5	22	54	107	200	319
1987.....	14,016	-	4	2	2	8	22	53	100	186	317
1986.....	13,858	1	-	1	2	9	26	48	84	172	305
1985.....	13,721	-	2	2	4	14	23	42	100	144	290
1984.....	13,745	1	4	3	2	9	22	52	95	178	278
1983.....	13,357	2	3	2	3	6	23	44	98	144	306
1982.....	13,076	1	2	1	2	12	32	58	83	130	300
1981.....	12,692	-	3	-	1	13	25	57	80	145	270
1980.....	12,567	2	5	2	2	17	34	36	74	108	276
1979.....	12,214	3	2	4	4	6	21	41	81	157	253

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
BLACK MALE											
1998.....	8,390	-	3	1	4	3	9	23	67	121	255
1997.....	8,336	-	1	1	2	4	7	29	57	140	242
1996.....	8,242	1	2	1	-	2	14	23	54	139	249
1995.....	8,210	-	2	-	1	2	10	22	56	112	287
1994.....	8,281	-	1	1	2	5	7	33	77	117	282
1993.....	8,149	1	-	-	7	7	14	30	48	122	240
1992.....	7,999	3	-	-	2	7	9	18	50	119	273
1991.....	7,957	1	4	-	-	3	12	26	57	123	236
1990.....	8,001	-	3	-	2	2	16	23	50	150	188
1989.....	7,988	-	2	-	2	5	15	23	68	110	195
1988.....	7,732	-	2	-	2	3	13	30	59	114	198
1987.....	7,544	-	2	1	1	5	12	28	61	102	199
1986.....	7,554	-	-	1	1	4	14	32	44	105	186
1985.....	7,411	-	-	2	2	8	12	28	52	85	179
1984.....	7,561	-	2	1	2	5	12	29	59	111	170
1983.....	7,354	1	3	1	-	3	9	25	51	101	185
1982.....	7,329	1	1	1	2	3	17	31	51	81	185
1981.....	7,063	-	2	-	1	12	13	34	44	89	158
1980.....	6,978	1	3	-	2	7	23	17	37	67	162
1979.....	6,790	2	1	2	3	4	11	27	40	87	149
BLACK FEMALE											
1998.....	7,660	-	1	1	2	1	11	23	32	115	178
1997.....	7,547	2	1	1	-	4	3	18	43	100	165
1996.....	7,437	-	-	-	-	4	7	20	45	107	137
1995.....	7,396	2	3	2	1	3	8	15	45	94	164
1994.....	7,240	-	2	1	1	-	9	21	45	80	174
1993.....	7,229	-	2	1	2	5	5	20	29	75	143
1992.....	7,091	1	1	2	1	4	8	16	51	103	161
1991.....	6,994	-	2	3	-	3	13	15	40	97	146
1990.....	6,932	-	5	1	2	5	8	23	41	71	146
1989.....	6,710	1	-	-	1	4	16	13	44	82	113
1988.....	6,409	-	-	-	-	2	9	24	48	86	121
1987.....	6,472	-	2	1	1	3	10	25	39	84	118
1986.....	6,304	1	-	-	1	5	12	16	40	67	119
1985.....	6,310	-	2	-	2	6	11	14	48	59	111
1984.....	6,184	1	2	2	-	4	10	23	36	67	108
1983.....	6,003	1	-	1	3	3	14	19	47	43	121
1982.....	5,747	-	1	-	-	9	15	27	32	49	115
1981.....	5,629	-	1	-	-	1	12	23	36	56	112
1980.....	5,589	1	2	2	-	10	11	19	37	41	114
1979.....	5,424	1	1	2	1	2	10	14	41	70	104

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	159,736	4	3	5	5	15	31	50	193	744	2,153
1997.....	158,465	2	3	-	2	15	23	65	210	771	2,110
1996.....	157,271	1	1	3	5	7	18	53	258	825	2,001
1995.....	156,378	3	2	6	5	18	23	54	249	796	1,913
1994.....	154,714	1	5	7	2	12	26	54	240	806	1,885
1993.....	154,183	2	1	7	1	14	29	49	261	783	1,918
1992.....	151,269	3	5	3	6	10	33	59	244	814	2,005
1991.....	149,119	4	4	2	6	18	26	74	241	776	1,985
1990.....	146,386	4	3	7	6	13	27	74	266	767	1,936
1989.....	142,281	7	3	4	2	21	26	73	227	732	1,909
1988.....	138,253	3	4	3	6	15	30	68	244	719	1,954
1987.....	134,983	4	5	2	2	10	31	84	247	696	1,937
1986.....	130,450	4	2	1	2	16	36	80	237	670	1,927
1985.....	127,311	5	5	5	6	13	38	91	228	709	1,875
1984.....	123,699	10	8	15	10	17	34	94	208	707	1,784
1983.....	119,962	9	9	9	9	17	39	65	212	728	1,876
1982.....	116,359	6	6	10	9	20	31	72	228	711	1,761
1981.....	111,296	6	2	5	5	19	34	59	213	730	1,781
1980.....	108,504	7	7	10	6	18	40	76	207	674	1,799
1979.....	103,178	1	3	5	6	19	41	88	215	647	1,803
TOTAL, MALE											
1998.....	95,261	2	1	2	1	4	24	30	96	397	1,263
1997.....	95,255	2	1	-	2	8	15	36	125	407	1,228
1996.....	95,540	-	-	2	3	4	11	30	149	472	1,202
1995.....	95,763	2	1	3	3	12	16	29	139	437	1,172
1994.....	95,808	1	1	4	1	6	21	32	136	482	1,178
1993.....	96,569	2	-	2	1	9	17	29	155	484	1,186
1992.....	95,382	2	4	2	4	9	17	26	143	470	1,227
1991.....	95,676	2	3	-	4	13	17	42	123	462	1,213
1990.....	94,950	3	2	4	2	7	22	43	171	459	1,223
1989.....	92,914	4	3	2	2	13	16	43	126	458	1,171
1988.....	91,873	2	2	1	2	11	18	41	151	438	1,227
1987.....	91,083	3	-	-	-	5	19	51	164	440	1,158
1986.....	88,813	1	2	1	1	12	26	54	152	389	1,209
1985.....	87,513	1	2	2	3	10	23	53	128	445	1,208
1984.....	86,336	9	3	14	5	11	26	64	118	420	1,143
1983.....	84,165	8	5	7	5	15	26	42	122	442	1,161
1982.....	83,027	3	4	8	5	14	19	44	139	439	1,093
1981.....	80,458	3	1	3	3	11	25	36	132	449	1,170
1980.....	79,150	5	3	2	3	16	33	51	129	422	1,157
1979.....	76,542	1	1	3	6	11	23	56	136	399	1,180

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	64,475	2	2	3	4	11	7	20	97	347	890
1997.....	63,210	-	2	-	-	7	8	29	85	364	882
1996.....	61,731	1	1	1	2	3	7	23	109	353	799
1995.....	60,615	1	1	3	2	6	7	25	110	359	741
1994.....	58,906	-	4	3	1	6	5	22	104	324	707
1993.....	57,614	-	1	5	-	5	12	20	106	299	732
1992.....	55,887	1	1	1	2	1	16	33	101	344	778
1991.....	53,443	2	1	2	2	5	9	32	118	314	772
1990.....	51,436	1	1	3	4	6	5	31	95	308	713
1989.....	49,367	3	-	2	-	8	10	30	101	274	738
1988.....	46,380	1	2	2	4	4	12	27	93	281	727
1987.....	43,900	1	5	2	2	5	12	33	83	256	779
1986.....	41,637	3	-	-	1	4	10	26	85	281	718
1985.....	39,798	4	3	3	3	3	15	38	100	264	667
1984.....	37,363	1	5	1	5	6	8	30	90	287	641
1983.....	35,797	1	4	2	4	2	13	23	90	286	715
1982.....	33,332	3	2	2	4	6	12	28	89	272	668
1981.....	30,838	3	1	2	2	8	9	23	81	281	611
1980.....	29,354	2	4	8	3	2	7	25	78	252	642
1979.....	26,636	-	2	2	-	8	18	32	79	248	623
WHITE, BOTH SEXES											
1998.....	140,268	3	2	4	5	9	25	41	168	577	1,650
1997.....	139,272	2	2	-	-	6	19	52	167	585	1,598
1996.....	138,366	1	1	3	5	4	13	40	212	631	1,525
1995.....	137,629	2	2	4	4	16	17	41	202	626	1,450
1994.....	136,169	-	5	6	2	9	21	39	191	625	1,450
1993.....	135,748	2	1	6	1	11	22	41	190	612	1,471
1992.....	133,129	2	4	2	5	7	24	47	181	605	1,533
1991.....	131,320	1	2	1	5	12	19	59	187	587	1,541
1990.....	128,927	3	2	6	4	10	17	59	195	587	1,498
1989.....	125,274	4	3	3	2	17	16	56	175	548	1,496
1988.....	121,941	2	4	3	4	13	21	52	195	550	1,573
1987.....	119,072	2	4	2	1	9	24	68	200	535	1,554
1986.....	115,179	4	2	1	2	13	29	62	191	512	1,520
1985.....	112,512	3	5	4	5	11	28	66	174	576	1,489
1984.....	109,199	5	6	14	8	13	30	72	166	568	1,411
1983.....	106,091	5	6	8	8	16	34	53	165	601	1,499
1982.....	103,042	2	6	9	5	16	24	65	183	580	1,415
1981.....	98,468	4	2	4	5	17	27	50	179	594	1,405
1980.....	96,153	4	5	9	5	15	29	54	169	546	1,456
1979.....	91,638	-	3	3	3	17	34	74	176	526	1,444

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE											
1998.....	82,739	2	-	2	1	2	22	23	85	309	961
1997.....	82,786	2	1	-	-	4	13	28	100	302	912
1996.....	82,987	-	-	2	3	3	6	22	122	345	899
1995.....	83,293	1	1	2	2	11	11	23	112	329	867
1994.....	83,277	-	1	4	1	5	16	22	106	369	880
1993.....	83,922	2	-	2	1	7	15	23	110	377	886
1992.....	83,000	1	4	1	4	6	14	22	101	340	918
1991.....	83,342	-	2	-	3	10	14	35	93	340	924
1990.....	82,714	2	1	3	1	5	14	35	120	347	918
1989.....	80,821	2	3	2	2	11	9	34	99	340	882
1988.....	80,166	2	2	1	2	10	12	30	119	320	950
1987.....	79,604	1	-	-	-	4	14	39	129	332	918
1986.....	77,647	1	2	1	1	10	22	40	122	288	919
1985.....	76,567	-	2	2	2	8	17	36	95	347	941
1984.....	75,437	4	2	13	4	8	23	52	88	325	874
1983.....	73,872	4	3	6	5	14	21	33	93	353	907
1982.....	72,924	1	4	7	2	10	14	40	110	348	874
1981.....	70,682	2	1	2	3	10	19	31	111	362	904
1980.....	69,720	3	1	1	3	13	26	38	102	331	905
1979.....	67,575	-	1	2	3	10	20	50	109	321	921
WHITE FEMALE											
1998.....	57,529	1	2	2	4	7	3	18	83	268	689
1997.....	56,486	-	1	-	-	2	6	24	67	283	686
1996.....	55,379	1	1	1	2	1	7	18	90	286	626
1995.....	54,336	1	1	2	2	5	6	18	90	297	583
1994.....	52,892	-	4	2	1	4	5	17	85	256	570
1993.....	51,826	-	1	4	-	4	7	18	80	235	585
1992.....	50,129	1	-	1	1	1	10	25	80	265	615
1991.....	47,978	1	-	1	2	2	5	24	94	247	617
1990.....	46,213	1	1	3	3	5	3	24	75	240	580
1989.....	44,453	2	-	1	-	6	7	22	76	208	614
1988.....	41,775	-	2	2	2	3	9	22	76	230	623
1987.....	39,468	1	4	2	1	5	10	29	71	203	636
1986.....	37,532	3	-	-	1	3	7	22	69	224	601
1985.....	35,945	3	3	2	3	3	11	30	79	229	548
1984.....	33,762	1	4	1	4	5	7	20	78	243	537
1983.....	32,219	1	3	2	3	2	13	20	72	248	592
1982.....	30,118	1	2	2	3	6	10	25	73	232	541
1981.....	27,786	2	1	2	2	7	8	19	68	232	501
1980.....	26,433	1	4	8	2	2	3	16	67	215	551
1979.....	24,063	-	2	1	-	7	14	24	67	205	523

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER, BOTH SEXES											
1998.....	19,468	1	1	1	-	6	6	9	25	167	503
1997.....	19,193	-	1	-	2	9	4	13	43	186	512
1996.....	18,905	-	-	-	-	3	5	13	46	194	476
1995.....	18,749	1	-	2	1	2	6	13	47	170	463
1994.....	18,545	1	-	1	-	3	5	15	49	181	435
1993.....	18,435	-	-	1	-	3	7	8	71	171	447
1992.....	18,140	1	1	1	1	3	9	12	63	209	472
1991.....	17,799	3	2	1	1	6	7	15	54	189	444
1990.....	17,459	1	1	1	2	3	10	15	71	180	438
1989.....	17,007	3	-	1	-	4	10	17	52	184	413
1988.....	16,312	1	-	-	2	2	9	16	49	169	381
1987.....	15,911	2	1	-	1	1	7	16	47	161	383
1986.....	15,271	-	-	-	-	3	7	18	46	158	407
1985.....	14,799	2	-	1	1	2	10	25	54	133	386
1984.....	14,500	5	2	1	2	4	4	22	42	139	373
1983.....	13,871	4	3	1	1	1	5	12	47	127	377
1982.....	13,317	4	-	1	4	4	7	7	45	131	346
1981.....	12,828	2	-	1	-	2	7	9	34	136	376
1980.....	12,351	3	2	1	1	3	11	22	38	128	343
1979.....	11,540	1	-	2	3	2	7	14	39	121	359
ALL OTHER MALE											
1998.....	12,522	-	1	-	-	2	2	7	11	88	302
1997.....	12,469	-	-	-	2	4	2	8	25	105	316
1996.....	12,553	-	-	-	-	1	5	8	27	127	303
1995.....	12,470	1	-	1	1	1	5	6	27	108	305
1994.....	12,531	1	-	-	-	1	5	10	30	113	298
1993.....	12,647	-	-	-	-	2	2	6	45	107	300
1992.....	12,382	1	-	1	-	3	3	4	42	130	309
1991.....	12,334	2	1	-	1	3	3	7	30	122	289
1990.....	12,236	1	1	1	1	2	8	8	51	112	305
1989.....	12,093	2	-	-	-	2	7	9	27	118	289
1988.....	11,707	-	-	-	-	1	6	11	32	118	277
1987.....	11,479	2	-	-	-	1	5	12	35	108	240
1986.....	11,166	-	-	-	-	2	4	14	30	101	290
1985.....	10,946	1	-	-	1	2	6	17	33	98	267
1984.....	10,899	5	1	1	1	3	3	12	30	95	269
1983.....	10,293	4	2	1	-	1	5	9	29	89	254
1982.....	10,103	2	-	1	3	4	5	4	29	91	219
1981.....	9,776	1	-	1	-	1	6	5	21	87	266
1980.....	9,430	2	2	1	-	3	7	13	27	91	252
1979.....	8,967	1	-	1	3	1	3	6	27	78	259



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998.....	6,946	1	-	1	-	4	4	2	14	79	201
1997.....	6,724	-	1	-	-	5	2	5	18	81	196
1996.....	6,352	-	-	-	-	2	-	5	19	67	173
1995.....	6,279	-	-	1	-	1	1	7	20	62	158
1994.....	6,014	-	-	1	-	2	-	5	19	68	137
1993.....	5,788	-	-	1	-	1	5	2	26	64	147
1992.....	5,758	-	1	-	1	-	6	8	21	79	163
1991.....	5,465	1	1	1	-	3	4	8	24	67	155
1990.....	5,223	-	-	-	1	1	2	7	20	68	133
1989.....	4,914	1	-	1	-	2	3	8	25	66	124
1988.....	4,605	1	-	-	2	1	3	5	17	51	104
1987.....	4,432	-	1	-	1	-	2	4	12	53	143
1986.....	4,105	-	-	-	-	1	3	4	16	57	117
1985.....	3,853	1	-	1	-	-	4	8	21	35	119
1984.....	3,601	-	1	-	1	1	1	10	12	44	104
1983.....	3,578	-	1	-	1	-	-	3	18	38	123
1982.....	3,214	2	-	-	1	-	2	3	16	40	127
1981.....	3,052	1	-	-	-	1	1	4	13	49	110
1980.....	2,921	1	-	-	1	-	4	9	11	37	91
1979.....	2,573	-	-	1	-	1	4	8	12	43	100
BLACK, BOTH SEXES											
1998.....	16,948	-	1	1	-	4	3	6	20	149	445
1997.....	16,879	-	1	-	2	7	4	10	32	164	450
1996.....	16,714	-	-	-	-	3	3	9	37	179	436
1995.....	16,635	1	-	2	1	2	3	9	38	145	423
1994.....	16,539	1	-	1	-	2	5	12	43	165	401
1993.....	16,507	-	-	1	-	3	6	7	67	156	406
1992.....	16,338	1	1	-	1	3	8	12	60	189	433
1991.....	16,057	3	1	1	1	6	6	11	42	170	400
1990.....	15,913	1	1	-	2	2	10	14	62	168	405
1989.....	15,528	3	-	1	-	4	9	14	45	169	369
1988.....	14,938	1	-	-	2	2	9	13	39	153	348
1987.....	14,622	2	1	-	1	1	6	15	43	151	353
1986.....	14,112	-	-	-	-	1	6	15	37	141	378
1985.....	13,729	2	-	1	1	2	9	23	50	122	363
1984.....	13,461	3	1	1	1	3	4	18	36	131	344
1983.....	12,951	1	3	1	1	1	5	11	40	118	349
1982.....	12,537	2	-	1	4	3	6	7	42	123	331
1981.....	12,058	-	-	1	-	2	5	7	31	129	351
1980.....	11,618	2	2	1	1	2	11	21	36	122	327
1979.....	10,844	1	-	1	3	2	7	11	31	112	342

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98											
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
BLACK MALE												
1998.....	10,944	-	1	-	-	1	1	5	9	80	275	
1997.....	11,018	-	-	-	2	3	2	5	20	95	283	
1996.....	11,151	-	-	-	-	1	3	6	22	116	281	
1995.....	11,186	1	-	1	1	1	3	5	21	95	284	
1994.....	11,239	1	-	-	-	1	5	7	26	103	279	
1993.....	11,399	-	-	-	-	2	1	5	42	102	273	
1992.....	11,198	1	-	-	-	3	3	4	41	119	286	
1991.....	11,181	2	1	-	1	3	3	5	24	113	267	
1990.....	11,219	1	1	-	1	1	8	8	46	106	287	
1989.....	11,116	2	-	-	-	2	7	8	23	108	258	
1988.....	10,784	-	-	-	-	1	6	9	25	108	256	
1987.....	10,647	2	-	-	-	1	4	12	34	104	222	
1986.....	10,368	-	-	-	-	1	4	11	25	89	267	
1985.....	10,193	1	-	-	1	2	6	16	30	91	255	
1984.....	10,181	3	-	1	-	2	3	9	28	88	254	
1983.....	9,645	1	2	1	-	1	5	8	26	83	238	
1982.....	9,545	1	-	1	3	3	5	4	27	86	209	
1981.....	9,220	-	-	1	-	1	4	4	19	84	247	
1980.....	8,904	1	2	1	-	2	7	12	26	89	243	
1979.....	8,476	1	-	-	3	1	3	5	23	73	253	
BLACK FEMALE												
1998.....	6,004	-	-	1	-	3	2	1	11	69	170	
1997.....	5,861	-	1	-	-	4	2	5	12	69	167	
1996.....	5,563	-	-	-	-	2	-	3	15	63	155	
1995.....	5,449	-	-	1	-	1	-	4	17	50	139	
1994.....	5,300	-	-	1	-	1	-	5	17	62	122	
1993.....	5,108	-	-	1	-	1	5	2	25	54	133	
1992.....	5,140	-	1	-	1	-	5	8	19	70	147	
1991.....	4,876	1	-	1	-	3	3	6	18	57	133	
1990.....	4,694	-	-	-	1	1	2	6	16	62	118	
1989.....	4,412	1	-	1	-	2	2	6	22	61	111	
1988.....	4,154	1	-	-	2	1	3	4	14	45	92	
1987.....	3,975	-	1	-	1	-	2	3	9	47	131	
1986.....	3,744	-	-	-	-	-	2	4	12	52	111	
1985.....	3,536	1	-	1	-	-	3	7	20	31	108	
1984.....	3,280	-	1	-	1	1	1	9	8	43	90	
1983.....	3,306	-	1	-	1	-	-	3	14	35	111	
1982.....	2,992	1	-	-	1	-	1	3	15	37	122	
1981.....	2,838	-	-	-	-	1	1	3	12	45	104	
1980.....	2,714	1	-	-	1	-	4	9	10	33	84	
1979.....	2,368	-	-	1	-	1	4	6	8	39	89	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASM OF BREAST (174-175)											
TOTAL, BOTH SEXES											
1998.....	42,086	-	-	-	-	2	3	87	422	1,098	1,926
1997.....	42,297	-	-	-	-	1	10	110	411	1,102	1,995
1996.....	43,448	1	-	-	1	-	18	101	439	1,106	2,004
1995.....	44,209	-	-	-	-	1	11	103	447	1,210	2,003
1994.....	44,008	-	-	-	-	2	11	88	467	1,198	2,013
1993.....	43,910	-	-	-	-	-	14	104	443	1,099	2,039
1992.....	43,365	1	-	1	1	-	6	120	490	1,194	2,055
1991.....	43,849	-	1	-	-	1	12	132	517	1,207	2,156
1990.....	43,663	-	-	-	-	1	14	122	507	1,200	2,180
1989.....	43,138	1	-	-	-	-	7	137	518	1,198	2,084
1988.....	42,461	1	-	-	-	3	10	127	538	1,263	1,885
1987.....	41,211	-	-	-	-	2	14	132	542	1,271	1,794
1986.....	40,789	-	-	1	-	1	13	134	520	1,261	1,812
1985.....	40,383	2	-	-	-	-	20	113	516	1,169	1,666
1984.....	39,722	1	-	1	-	3	14	148	537	1,198	1,682
1983.....	38,247	1	-	6	1	2	21	142	512	979	1,512
1982.....	37,685	4	2	4	1	-	13	134	540	1,004	1,476
1981.....	36,737	1	1	1	-	-	16	124	526	919	1,432
1980.....	35,897	-	-	-	2	3	11	144	471	928	1,420
1979.....	34,622	-	-	-	-	-	18	131	463	855	1,420
TOTAL, MALE											
1998.....	349	-	-	-	-	-	-	-	1	5	11
1997.....	354	-	-	-	-	-	-	2	-	2	4
1996.....	357	-	-	-	-	-	-	-	1	6	8
1995.....	365	-	-	-	-	-	-	1	1	5	5
1994.....	364	-	-	-	-	-	-	-	4	6	9
1993.....	355	-	-	-	-	-	-	-	1	4	8
1992.....	297	-	-	-	-	-	-	-	1	1	8
1991.....	266	-	1	-	-	-	-	1	1	4	5
1990.....	272	-	-	-	-	-	1	-	-	1	9
1989.....	301	-	-	-	-	-	-	-	1	3	6
1988.....	289	-	-	-	-	-	-	1	2	4	6
1987.....	312	-	-	-	-	-	-	-	2	4	9
1986.....	250	-	-	-	-	-	-	-	-	3	7
1985.....	290	-	-	-	-	-	1	1	1	5	7
1984.....	250	-	-	-	-	-	1	-	3	3	7
1983.....	268	-	-	-	-	-	-	1	-	3	3
1982.....	271	-	-	-	-	-	-	-	-	6	4
1981.....	254	-	-	-	-	-	-	-	1	3	4
1980.....	256	-	-	-	-	-	-	1	-	2	4
1979.....	222	-	-	-	-	-	-	1	1	2	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASM OF BREAST (174-175)											
TOTAL, FEMALE											
1998.....	41,737	-	-	-	-	2	3	87	421	1,093	1,915
1997.....	41,943	-	-	-	-	1	10	108	411	1,100	1,991
1996.....	43,091	1	-	-	-	1	18	101	438	1,100	1,996
1995.....	43,844	-	-	-	-	1	11	102	446	1,205	1,998
1994.....	43,644	-	-	-	-	2	11	88	463	1,192	2,004
1993.....	43,555	-	-	-	-	-	14	104	442	1,095	2,031
1992.....	43,068	1	-	1	1	-	6	120	489	1,193	2,047
1991.....	43,583	-	-	-	-	1	12	131	516	1,203	2,151
1990.....	43,391	-	-	-	-	1	13	122	507	1,199	2,171
1989.....	42,837	1	-	-	-	-	7	137	517	1,195	2,078
1988.....	42,172	1	-	-	-	3	10	126	536	1,259	1,879
1987.....	40,899	-	-	-	-	2	14	132	540	1,267	1,785
1986.....	40,539	-	-	1	-	1	13	134	520	1,258	1,805
1985.....	40,093	2	-	-	-	-	19	112	515	1,164	1,659
1984.....	39,472	1	-	1	-	3	13	148	534	1,195	1,675
1983.....	37,979	1	-	6	1	2	21	141	512	976	1,509
1982.....	37,414	4	2	4	1	-	13	134	540	998	1,472
1981.....	36,483	1	1	1	-	-	16	124	525	916	1,428
1980.....	35,641	-	-	-	2	3	11	143	471	926	1,416
1979.....	34,400	-	-	-	-	-	18	130	462	853	1,418
WHITE, BOTH SEXES											
1998.....	36,060	-	-	-	-	2	2	63	295	798	1,456
1997.....	36,194	-	-	-	-	1	7	71	297	810	1,532
1996.....	37,510	-	-	-	1	-	10	65	307	803	1,513
1995.....	38,236	-	-	-	-	1	5	69	305	937	1,556
1994.....	38,272	-	-	-	-	2	10	62	332	913	1,554
1993.....	38,341	-	-	-	-	-	8	67	324	808	1,596
1992.....	38,053	1	-	-	-	-	5	81	364	907	1,622
1991.....	38,478	-	1	-	-	1	6	92	397	920	1,711
1990.....	38,513	-	-	-	-	-	9	85	385	931	1,788
1989.....	38,253	-	-	-	-	-	3	98	397	923	1,734
1988.....	37,556	-	-	-	-	2	6	91	404	964	1,534
1987.....	36,569	-	-	-	-	-	8	103	420	999	1,435
1986.....	36,398	-	-	1	-	1	9	91	396	987	1,493
1985.....	36,146	2	-	-	-	-	14	94	403	939	1,380
1984.....	35,469	1	-	1	-	3	11	106	434	984	1,343
1983.....	34,324	1	-	5	1	2	15	105	412	800	1,249
1982.....	33,837	1	2	4	1	-	10	96	439	824	1,265
1981.....	33,124	1	1	1	-	-	7	94	425	761	1,187
1980.....	32,450	-	-	-	2	3	8	102	382	783	1,169
1979.....	31,364	-	-	-	-	-	15	101	369	708	1,204

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASM OF BREAST (174-175)											
WHITE MALE											
1998.....	301	-	-	-	-	-	-	-	1	4	10
1997.....	293	-	-	-	-	-	-	2	-	1	3
1996.....	292	-	-	-	-	-	-	-	1	4	5
1995.....	299	-	-	-	-	-	-	-	-	5	5
1994.....	312	-	-	-	-	-	-	-	4	6	7
1993.....	297	-	-	-	-	-	-	-	1	3	7
1992.....	256	-	-	-	-	-	-	-	-	-	8
1991.....	228	-	1	-	-	-	-	1	1	3	4
1990.....	227	-	-	-	-	-	-	-	-	1	7
1989.....	265	-	-	-	-	-	-	-	1	3	3
1988.....	229	-	-	-	-	-	-	1	1	2	4
1987.....	272	-	-	-	-	-	-	-	1	3	8
1986.....	215	-	-	-	-	-	-	-	-	3	6
1985.....	260	-	-	-	-	-	1	1	-	5	7
1984.....	213	-	-	-	-	-	1	-	3	3	5
1983.....	226	-	-	-	-	-	-	1	-	2	2
1982.....	236	-	-	-	-	-	-	-	-	5	4
1981.....	218	-	-	-	-	-	-	-	1	3	3
1980.....	227	-	-	-	-	-	-	1	-	1	3
1979.....	187	-	-	-	-	-	-	1	-	1	2
WHITE FEMALE											
1998.....	35,759	-	-	-	-	2	2	63	294	794	1,446
1997.....	35,901	-	-	-	-	1	7	69	297	809	1,529
1996.....	37,218	-	-	-	1	-	10	65	306	799	1,508
1995.....	37,937	-	-	-	-	1	5	69	305	932	1,551
1994.....	37,960	-	-	-	-	2	10	62	328	907	1,547
1993.....	38,044	-	-	-	-	-	8	67	323	805	1,589
1992.....	37,797	1	-	-	-	-	5	81	364	907	1,614
1991.....	38,250	-	-	-	-	1	6	91	396	917	1,707
1990.....	38,286	-	-	-	-	-	9	85	385	930	1,781
1989.....	37,988	-	-	-	-	-	3	98	396	920	1,731
1988.....	37,327	-	-	-	-	2	6	90	403	962	1,530
1987.....	36,297	-	-	-	-	-	8	103	419	996	1,427
1986.....	36,183	-	-	1	-	1	9	91	396	984	1,487
1985.....	35,886	2	-	-	-	-	13	93	403	934	1,373
1984.....	35,256	1	-	1	-	3	10	106	431	981	1,338
1983.....	34,098	1	-	5	1	2	15	104	412	798	1,247
1982.....	33,601	1	2	4	1	-	10	96	439	819	1,261
1981.....	32,906	1	1	1	-	-	7	94	424	758	1,184
1980.....	32,223	-	-	-	2	3	8	101	382	782	1,166
1979.....	31,177	-	-	-	-	-	15	100	369	707	1,202

RACE, AND SEX:		UNITED STATES, 1979-98									
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASM OF BREAST (174-175)											
ALL OTHER, BOTH SEXES											
1998.....	6,026	-	-	-	-	-	1	24	127	300	470
1997.....	6,103	-	-	-	-	-	3	39	114	292	463
1996.....	5,938	1	-	-	-	-	8	36	132	303	491
1995.....	5,973	-	-	-	-	-	6	34	142	273	447
1994.....	5,736	-	-	-	-	-	1	26	135	285	459
1993.....	5,569	-	-	-	-	-	6	37	119	291	443
1992.....	5,312	-	-	1	1	-	1	39	126	287	433
1991.....	5,371	-	-	-	-	-	6	40	120	287	445
1990.....	5,150	-	-	-	-	1	5	37	122	269	392
1989.....	4,885	1	-	-	-	-	4	39	121	275	350
1988.....	4,905	1	-	-	-	1	4	36	134	299	351
1987.....	4,642	-	-	-	-	2	6	29	122	272	359
1986.....	4,391	-	-	-	-	-	4	43	124	274	319
1985.....	4,237	-	-	-	-	-	6	19	113	230	286
1984.....	4,253	-	-	-	-	-	3	42	103	214	339
1983.....	3,923	-	-	1	-	-	6	37	100	179	263
1982.....	3,848	3	-	-	-	-	3	38	101	180	211
1981.....	3,613	-	-	-	-	-	9	30	101	158	245
1980.....	3,447	-	-	-	-	-	3	42	89	145	251
1979.....	3,258	-	-	-	-	-	3	30	94	147	216
ALL OTHER MALE											
1998.....	48	-	-	-	-	-	-	-	-	1	1
1997.....	61	-	-	-	-	-	-	-	-	1	1
1996.....	65	-	-	-	-	-	-	-	-	2	3
1995.....	66	-	-	-	-	-	-	1	1	-	-
1994.....	52	-	-	-	-	-	-	-	-	-	2
1993.....	58	-	-	-	-	-	-	-	-	1	1
1992.....	41	-	-	-	-	-	-	-	1	1	-
1991.....	38	-	-	-	-	-	-	-	-	1	1
1990.....	45	-	-	-	-	-	1	-	-	-	2
1989.....	36	-	-	-	-	-	-	-	-	-	3
1988.....	60	-	-	-	-	-	-	-	1	2	2
1987.....	40	-	-	-	-	-	-	-	1	1	1
1986.....	35	-	-	-	-	-	-	-	-	-	1
1985.....	30	-	-	-	-	-	-	-	1	-	-
1984.....	37	-	-	-	-	-	-	-	-	-	2
1983.....	42	-	-	-	-	-	-	-	-	1	1
1982.....	35	-	-	-	-	-	-	-	-	1	-
1981.....	36	-	-	-	-	-	-	-	-	-	1
1980.....	29	-	-	-	-	-	-	-	-	1	1
1979.....	35	-	-	-	-	-	-	-	1	1	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98											
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 MALIGNANT NEOPLASM OF BREAST (174-175)												
ALL OTHER FEMALE												
1998.....	5,978	-	-	-	-	-	1	24	127	299	469	
1997.....	6,042	-	-	-	-	-	3	39	114	291	462	
1996.....	5,873	1	-	-	-	-	8	36	132	301	488	
1995.....	5,907	-	-	-	-	-	6	33	141	273	447	
1994.....	5,684	-	-	-	-	-	1	26	135	285	457	
1993.....	5,511	-	-	-	-	-	6	37	119	290	442	
1992.....	5,271	-	-	1	1	-	1	39	125	286	433	
1991.....	5,333	-	-	-	-	-	6	40	120	286	444	
1990.....	5,105	-	-	-	-	1	4	37	122	269	390	
1989.....	4,849	1	-	-	-	-	4	39	121	275	347	
1988.....	4,845	1	-	-	-	1	4	36	133	297	349	
1987.....	4,602	-	-	-	-	2	6	29	121	271	358	
1986.....	4,356	-	-	-	-	-	4	43	124	274	318	
1985.....	4,207	-	-	-	-	-	6	19	112	230	286	
1984.....	4,216	-	-	-	-	-	3	42	103	214	337	
1983.....	3,881	-	-	1	-	-	6	37	100	178	262	
1982.....	3,813	3	-	-	-	-	3	38	101	179	211	
1981.....	3,577	-	-	-	-	-	9	30	101	158	244	
1980.....	3,418	-	-	-	-	-	3	42	89	144	250	
1979.....	3,223	-	-	-	-	-	3	30	93	146	216	
BLACK, BOTH SEXES												
1998.....	5,329	-	-	-	-	-	1	22	109	270	411	
1997.....	5,483	-	-	-	-	-	3	37	106	270	401	
1996.....	5,316	1	-	-	-	-	8	31	121	265	437	
1995.....	5,328	-	-	-	-	-	6	27	127	242	397	
1994.....	5,134	-	-	-	-	-	-	23	116	257	408	
1993.....	5,052	-	-	-	-	-	5	35	109	260	386	
1992.....	4,816	-	-	1	1	-	1	38	110	262	397	
1991.....	4,843	-	-	-	-	-	6	34	112	252	397	
1990.....	4,703	-	-	-	-	1	5	36	117	244	345	
1989.....	4,438	1	-	-	-	-	4	37	113	242	313	
1988.....	4,525	1	-	-	-	1	4	34	123	281	326	
1987.....	4,291	-	-	-	-	2	5	25	110	261	316	
1986.....	4,076	-	-	-	-	-	4	40	118	247	293	
1985.....	3,925	-	-	-	-	-	6	19	103	211	266	
1984.....	3,981	-	-	-	-	-	3	41	92	199	306	
1983.....	3,648	-	-	1	-	-	5	29	89	161	240	
1982.....	3,602	1	-	-	-	-	3	37	94	162	197	
1981.....	3,393	-	-	-	-	-	9	30	94	138	226	
1980.....	3,244	-	-	-	-	-	3	39	81	130	231	
1979.....	3,086	-	-	-	-	-	3	28	83	136	195	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASM OF BREAST (174-175)											
BLACK MALE											
1998.....	48	-	-	-	-	-	-	-	-	1	1
1997.....	59	-	-	-	-	-	-	-	-	1	1
1996.....	62	-	-	-	-	-	-	-	-	2	3
1995.....	63	-	-	-	-	-	-	1	-	-	-
1994.....	51	-	-	-	-	-	-	-	-	-	2
1993.....	54	-	-	-	-	-	-	-	-	1	1
1992.....	37	-	-	-	-	-	-	-	1	1	-
1991.....	34	-	-	-	-	-	-	-	-	1	1
1990.....	44	-	-	-	-	-	1	-	-	-	2
1989.....	35	-	-	-	-	-	-	-	-	-	3
1988.....	58	-	-	-	-	-	-	-	1	2	2
1987.....	39	-	-	-	-	-	-	-	1	1	1
1986.....	31	-	-	-	-	-	-	-	-	-	-
1985.....	29	-	-	-	-	-	-	-	1	-	-
1984.....	36	-	-	-	-	-	-	-	-	-	2
1983.....	38	-	-	-	-	-	-	-	-	1	1
1982.....	35	-	-	-	-	-	-	-	-	1	-
1981.....	35	-	-	-	-	-	-	-	-	-	1
1980.....	29	-	-	-	-	-	-	-	-	1	1
1979.....	34	-	-	-	-	-	-	-	1	1	-
BLACK FEMALE											
1998.....	5,281	-	-	-	-	-	1	22	109	269	410
1997.....	5,424	-	-	-	-	-	3	37	106	269	400
1996.....	5,254	1	-	-	-	-	8	31	121	263	434
1995.....	5,265	-	-	-	-	-	6	26	127	242	397
1994.....	5,083	-	-	-	-	-	-	23	116	257	406
1993.....	4,998	-	-	-	-	-	5	35	109	259	385
1992.....	4,779	-	-	1	1	-	1	38	109	261	397
1991.....	4,809	-	-	-	-	-	6	34	112	251	396
1990.....	4,659	-	-	-	-	1	4	36	117	244	343
1989.....	4,403	1	-	-	-	-	4	37	113	242	310
1988.....	4,467	1	-	-	-	1	4	34	122	279	324
1987.....	4,252	-	-	-	-	2	5	25	109	260	315
1986.....	4,045	-	-	-	-	-	4	40	118	247	293
1985.....	3,896	-	-	-	-	-	6	19	102	211	266
1984.....	3,945	-	-	-	-	-	3	41	92	199	304
1983.....	3,610	-	-	1	-	-	5	29	89	160	239
1982.....	3,567	1	-	-	-	-	3	37	94	161	197
1981.....	3,358	-	-	-	-	-	9	30	94	138	225
1980.....	3,215	-	-	-	-	-	3	39	81	129	230
1979.....	3,052	-	-	-	-	-	3	28	82	135	195



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)											
TOTAL, BOTH SEXES											
1998.....	58,367	-	-	-	4	13	68	154	341	643	957
1997.....	59,010	1	3	2	3	16	73	170	361	601	932
1996.....	60,080	-	1	-	4	15	75	190	378	625	933
1995.....	60,507	-	-	1	3	29	66	155	367	621	948
1994.....	61,054	-	2	1	6	19	78	174	379	635	878
1993.....	60,393	-	-	2	5	26	79	170	377	617	903
1992.....	60,050	1	3	1	3	27	71	199	391	644	947
1991.....	58,944	-	1	2	2	15	81	172	409	656	886
1990.....	57,487	2	-	-	5	25	82	185	398	620	885
1989.....	54,952	1	5	3	4	25	91	205	397	568	832
1988.....	53,353	2	4	3	3	20	94	213	365	529	792
1987.....	51,829	-	1	1	6	24	95	240	418	571	709
1986.....	51,247	-	6	2	1	33	101	225	372	539	770
1985.....	49,690	-	3	1	5	44	108	237	357	515	735
1984.....	48,955	1	8	3	14	32	113	220	376	504	751
1983.....	48,709	4	10	10	9	47	138	245	344	519	664
1982.....	47,547	3	4	6	9	56	118	251	377	459	651
1981.....	46,732	2	5	6	7	59	122	236	361	428	686
1980.....	46,430	-	3	3	9	67	154	244	335	472	702
1979.....	45,402	1	5	6	12	56	142	225	341	479	704
TOTAL, MALE											
1998.....	32,800	-	-	-	-	5	31	46	58	73	85
1997.....	33,481	-	1	1	-	10	36	34	57	64	68
1996.....	34,695	-	-	-	-	6	31	58	53	71	66
1995.....	35,023	-	-	-	-	19	29	30	57	69	72
1994.....	35,475	-	-	-	2	9	44	54	63	60	69
1993.....	35,459	-	-	1	1	14	41	57	70	55	72
1992.....	34,821	-	3	1	-	17	31	60	62	58	67
1991.....	34,158	-	-	2	-	5	37	63	71	74	53
1990.....	32,929	2	-	-	-	13	38	57	70	67	52
1989.....	31,141	1	5	2	-	14	40	76	70	62	68
1988.....	29,560	2	1	1	2	8	48	64	62	45	50
1987.....	28,504	-	1	1	1	18	50	89	77	66	47
1986.....	27,878	-	5	-	1	13	58	67	76	55	44
1985.....	26,609	-	3	-	2	17	64	86	83	52	58
1984.....	26,060	-	4	2	2	16	67	73	79	49	50
1983.....	25,634	2	5	3	2	23	76	96	73	45	47
1982.....	24,715	-	3	3	1	28	65	92	83	51	44
1981.....	24,014	-	3	3	1	29	72	88	85	40	38
1980.....	23,647	-	2	1	2	41	87	103	82	51	39
1979.....	23,017	1	3	3	2	27	82	100	80	59	45

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)											
TOTAL, FEMALE											
1998.....	25,567	-	-	-	4	8	37	108	283	570	872
1997.....	25,529	1	2	1	3	6	37	136	304	537	864
1996.....	25,385	-	1	-	4	9	44	132	325	554	867
1995.....	25,484	-	-	1	3	10	37	125	310	552	876
1994.....	25,579	-	2	1	4	10	34	120	316	575	809
1993.....	24,934	-	-	1	4	12	38	113	307	562	831
1992.....	25,229	1	-	-	3	10	40	139	329	586	880
1991.....	24,786	-	1	-	2	10	44	109	338	582	833
1990.....	24,558	-	-	-	5	12	44	128	328	553	833
1989.....	23,811	-	-	1	4	11	51	129	327	506	764
1988.....	23,793	-	3	2	1	12	46	149	303	484	742
1987.....	23,325	-	-	-	5	6	45	151	341	505	662
1986.....	23,369	-	1	2	-	20	43	158	296	484	726
1985.....	23,081	-	-	1	3	27	44	151	274	463	677
1984.....	22,895	1	4	1	12	16	46	147	297	455	701
1983.....	23,075	2	5	7	7	24	62	149	271	474	617
1982.....	22,832	3	1	3	8	28	53	159	294	408	607
1981.....	22,718	2	2	3	6	30	50	148	276	388	648
1980.....	22,783	-	1	2	7	26	67	141	253	421	663
1979.....	22,385	-	2	3	10	29	60	125	261	420	659
WHITE, BOTH SEXES											
1998.....	48,920	-	-	-	4	8	51	124	270	504	759
1997.....	49,481	1	2	1	1	14	59	131	292	472	709
1996.....	50,371	-	-	-	3	7	60	158	307	496	747
1995.....	51,053	-	-	1	3	27	54	122	298	475	768
1994.....	51,540	-	2	-	5	14	69	144	309	497	690
1993.....	50,797	-	-	2	5	20	66	136	304	484	724
1992.....	50,613	1	2	1	1	21	58	157	304	501	756
1991.....	49,792	-	1	2	-	11	65	149	315	505	695
1990.....	48,635	1	-	-	4	19	73	152	313	510	710
1989.....	46,572	1	5	2	3	20	75	172	322	450	653
1988.....	45,214	-	3	3	3	18	82	175	285	411	646
1987.....	43,951	-	1	-	4	22	72	193	332	463	571
1986.....	43,437	-	6	1	1	28	88	183	289	435	628
1985.....	42,091	-	3	-	4	36	96	196	284	399	608
1984.....	41,510	1	7	3	12	29	100	191	301	412	590
1983.....	41,391	3	10	9	9	39	115	198	270	418	520
1982.....	40,518	2	3	6	6	52	104	211	309	359	536
1981.....	39,817	2	5	5	5	49	107	201	295	333	537
1980.....	39,490	-	3	3	8	56	129	209	275	368	556
1979.....	38,778	1	4	4	11	47	122	186	268	381	564

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE											
1998.....	26,947	-	-	-	-	4	26	44	55	64	74
1997.....	27,574	-	1	-	-	9	34	31	50	58	53
1996.....	28,539	-	-	-	-	5	29	54	47	63	59
1995.....	28,988	-	-	-	-	18	28	26	53	59	57
1994.....	29,434	-	-	-	2	9	40	52	58	52	57
1993.....	29,378	-	-	1	1	11	38	53	67	51	63
1992.....	28,953	-	2	1	-	14	30	57	55	51	57
1991.....	28,492	-	-	2	-	4	33	60	62	64	47
1990.....	27,412	1	-	-	-	12	37	53	65	61	48
1989.....	26,027	1	5	1	-	11	36	73	62	55	62
1988.....	24,694	-	-	1	2	8	42	60	60	41	43
1987.....	23,742	-	1	-	1	16	40	82	70	63	46
1986.....	23,257	-	5	-	1	10	56	60	74	49	39
1985.....	22,071	-	3	-	1	15	63	78	78	45	53
1984.....	21,684	-	3	2	2	15	65	73	69	40	42
1983.....	21,391	2	5	3	2	22	72	87	70	41	42
1982.....	20,688	-	3	3	1	28	59	86	78	45	36
1981.....	19,995	-	3	2	1	27	68	86	81	35	33
1980.....	19,784	-	2	1	2	36	84	100	77	46	35
1979.....	19,332	1	2	3	2	27	77	95	69	53	37
WHITE FEMALE											
1998.....	21,973	-	-	-	4	4	25	80	215	440	685
1997.....	21,907	1	1	1	1	5	25	100	242	414	656
1996.....	21,832	-	-	-	3	2	31	104	260	433	688
1995.....	22,065	-	-	1	3	9	26	96	245	416	711
1994.....	22,106	-	2	-	3	5	29	92	251	445	633
1993.....	21,419	-	-	1	4	9	28	83	237	433	661
1992.....	21,660	1	-	-	1	7	28	100	249	450	699
1991.....	21,300	-	1	-	-	7	32	89	253	441	648
1990.....	21,223	-	-	-	4	7	36	99	248	449	662
1989.....	20,545	-	-	1	3	9	39	99	260	395	591
1988.....	20,520	-	3	2	1	10	40	115	225	370	603
1987.....	20,209	-	-	-	3	6	32	111	262	400	525
1986.....	20,180	-	1	1	-	18	32	123	215	386	589
1985.....	20,020	-	-	-	3	21	33	118	206	354	555
1984.....	19,826	1	4	1	10	14	35	118	232	372	548
1983.....	20,000	1	5	6	7	17	43	111	200	377	478
1982.....	19,830	2	-	3	5	24	45	125	231	314	500
1981.....	19,822	2	2	3	4	22	39	115	214	298	504
1980.....	19,706	-	1	2	6	20	45	109	198	322	521
1979.....	19,446	-	2	1	9	20	45	91	199	328	527

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)											
ALL OTHER, BOTH SEXES											
1998.....	9,447	-	-	-	-	5	17	30	71	139	198
1997.....	9,529	-	1	1	2	2	14	39	69	129	223
1996.....	9,709	-	1	-	1	8	15	32	71	129	186
1995.....	9,454	-	-	-	-	2	12	33	69	146	180
1994.....	9,514	-	-	1	1	5	9	30	70	138	188
1993.....	9,596	-	-	-	-	6	13	34	73	133	179
1992.....	9,437	-	1	-	2	6	13	42	87	143	191
1991.....	9,152	-	-	-	2	4	16	23	94	151	191
1990.....	8,852	1	-	-	1	6	9	33	85	110	175
1989.....	8,380	-	-	1	1	5	16	33	75	118	179
1988.....	8,139	2	1	-	-	2	12	38	80	118	146
1987.....	7,878	-	-	1	2	2	23	47	86	108	138
1986.....	7,810	-	-	1	-	5	13	42	83	104	142
1985.....	7,599	-	-	1	1	8	12	41	73	116	127
1984.....	7,445	-	1	-	2	3	13	29	75	92	161
1983.....	7,318	1	-	1	-	8	23	47	74	101	144
1982.....	7,029	1	1	-	3	4	14	40	68	100	115
1981.....	6,915	-	-	1	2	10	15	35	66	95	149
1980.....	6,940	-	-	-	1	11	25	35	60	104	146
1979.....	6,624	-	1	2	1	9	20	39	73	98	140
ALL OTHER MALE											
1998.....	5,853	-	-	-	-	1	5	2	3	9	11
1997.....	5,907	-	-	1	-	1	2	3	7	6	15
1996.....	6,156	-	-	-	-	1	2	4	6	8	7
1995.....	6,035	-	-	-	-	1	1	4	4	10	15
1994.....	6,041	-	-	-	-	-	4	2	5	8	12
1993.....	6,081	-	-	-	-	3	3	4	3	4	9
1992.....	5,868	-	1	-	-	3	1	3	7	7	10
1991.....	5,666	-	-	-	-	1	4	3	9	10	6
1990.....	5,517	1	-	-	-	1	1	4	5	6	4
1989.....	5,114	-	-	1	-	3	4	3	8	7	6
1988.....	4,866	2	1	-	-	-	6	4	2	4	7
1987.....	4,762	-	-	1	-	2	10	7	7	3	1
1986.....	4,621	-	-	-	-	3	2	7	2	6	5
1985.....	4,538	-	-	-	1	2	1	8	5	7	5
1984.....	4,376	-	1	-	-	1	2	-	10	9	8
1983.....	4,243	-	-	-	-	1	4	9	3	4	5
1982.....	4,027	-	-	-	-	-	6	6	5	6	8
1981.....	4,019	-	-	1	-	2	4	2	4	5	5
1980.....	3,863	-	-	-	-	5	3	3	5	5	4
1979.....	3,685	-	1	-	-	-	5	5	11	6	8

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998.....	3,594	-	-	-	-	4	12	28	68	130	187
1997.....	3,622	-	1	-	2	1	12	36	62	123	208
1996.....	3,553	-	1	-	1	7	13	28	65	121	179
1995.....	3,419	-	-	-	-	1	11	29	65	136	165
1994.....	3,473	-	-	1	1	5	5	28	65	130	176
1993.....	3,515	-	-	-	-	3	10	30	70	129	170
1992.....	3,569	-	-	-	2	3	12	39	80	136	181
1991.....	3,486	-	-	-	2	3	12	20	85	141	185
1990.....	3,335	-	-	-	1	5	8	29	80	104	171
1989.....	3,266	-	-	-	1	2	12	30	67	111	173
1988.....	3,273	-	-	-	-	2	6	34	78	114	139
1987.....	3,116	-	-	-	2	-	13	40	79	105	137
1986.....	3,189	-	-	1	-	2	11	35	81	98	137
1985.....	3,061	-	-	1	-	6	11	33	68	109	122
1984.....	3,069	-	-	-	2	2	11	29	65	83	153
1983.....	3,075	1	-	1	-	7	19	38	71	97	139
1982.....	3,002	1	1	-	3	4	8	34	63	94	107
1981.....	2,896	-	-	-	2	8	11	33	62	90	144
1980.....	3,077	-	-	-	1	6	22	32	55	99	142
1979.....	2,939	-	-	2	1	9	15	34	62	92	132
BLACK, BOTH SEXES											
1998.....	8,580	-	-	-	-	5	13	22	59	123	166
1997.....	8,668	-	1	1	2	1	11	32	61	110	182
1996.....	8,787	-	1	-	1	6	12	23	61	105	149
1995.....	8,629	-	-	-	-	1	11	27	63	130	152
1994.....	8,719	-	-	1	-	5	8	24	61	120	151
1993.....	8,819	-	-	-	-	4	12	31	66	117	142
1992.....	8,688	-	1	-	2	5	12	33	73	126	160
1991.....	8,442	-	-	-	2	3	12	20	78	125	148
1990.....	8,195	1	-	-	-	4	7	26	74	95	147
1989.....	7,762	-	-	1	1	4	13	25	64	94	152
1988.....	7,564	2	1	-	-	2	9	29	73	97	128
1987.....	7,378	-	-	-	2	2	16	38	70	90	123
1986.....	7,322	-	-	1	-	5	11	34	70	94	123
1985.....	7,134	-	-	1	1	7	10	33	66	95	105
1984.....	7,012	-	1	-	2	3	11	27	66	75	142
1983.....	6,935	1	-	1	-	6	21	41	66	86	127
1982.....	6,658	-	1	-	2	4	12	35	64	88	99
1981.....	6,567	-	-	1	2	8	12	33	55	78	131
1980.....	6,626	-	-	-	1	8	24	30	57	93	132
1979.....	6,317	-	-	1	1	9	18	37	62	90	125

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98											
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
BLACK MALE												
1998.....	5,491	-	-	-	-	1	2	1	2	9	10	
1997.....	5,524	-	-	1	-	-	1	3	6	5	13	
1996.....	5,758	-	-	-	-	-	2	2	5	5	5	
1995.....	5,636	-	-	-	-	-	-	2	3	9	14	
1994.....	5,693	-	-	-	-	-	3	2	5	7	11	
1993.....	5,712	-	-	-	-	2	3	3	3	4	8	
1992.....	5,538	-	1	-	-	3	1	1	5	7	9	
1991.....	5,354	-	-	-	-	-	1	2	6	7	3	
1990.....	5,226	1	-	-	-	-	1	2	5	6	4	
1989.....	4,840	-	-	1	-	3	3	2	7	6	5	
1988.....	4,631	2	1	-	-	-	3	2	2	4	6	
1987.....	4,545	-	-	-	-	2	4	5	7	3	1	
1986.....	4,420	-	-	-	-	3	2	6	2	5	4	
1985.....	4,331	-	-	-	1	2	1	4	4	5	5	
1984.....	4,192	-	1	-	-	1	-	-	8	7	8	
1983.....	4,103	-	-	-	-	1	3	5	2	4	5	
1982.....	3,875	-	-	-	-	-	4	4	4	6	8	
1981.....	3,890	-	-	1	-	2	2	2	4	5	4	
1980.....	3,742	-	-	-	-	4	3	2	5	5	4	
1979.....	3,563	-	-	-	-	-	4	5	7	4	7	
BLACK FEMALE												
1998.....	3,089	-	-	-	-	4	11	21	57	114	156	
1997.....	3,144	-	1	-	2	1	10	29	55	105	169	
1996.....	3,029	-	1	-	1	6	10	21	56	100	144	
1995.....	2,993	-	-	-	-	1	11	25	60	121	138	
1994.....	3,026	-	-	1	-	5	5	22	56	113	140	
1993.....	3,107	-	-	-	-	2	9	28	63	113	134	
1992.....	3,150	-	-	-	2	2	11	32	68	119	151	
1991.....	3,088	-	-	-	2	3	11	18	72	118	145	
1990.....	2,969	-	-	-	-	4	6	24	69	89	143	
1989.....	2,922	-	-	-	1	1	10	23	57	88	147	
1988.....	2,933	-	-	-	-	2	6	27	71	93	122	
1987.....	2,833	-	-	-	2	-	12	33	63	87	122	
1986.....	2,902	-	-	1	-	2	9	28	68	89	119	
1985.....	2,803	-	-	1	-	5	9	29	62	90	100	
1984.....	2,820	-	-	-	2	2	11	27	58	68	134	
1983.....	2,832	1	-	1	-	5	18	36	64	82	122	
1982.....	2,783	-	1	-	2	4	8	31	60	82	91	
1981.....	2,677	-	-	-	2	6	10	31	51	73	127	
1980.....	2,884	-	-	-	1	4	21	28	52	88	128	
1979.....	2,754	-	-	1	1	9	14	32	55	86	118	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	23,768	3	21	25	9	12	13	29	46	143	335
1997.....	23,395	6	18	26	7	8	10	17	46	124	333
1996.....	23,004	5	13	22	5	15	14	26	55	141	304
1995.....	22,639	3	23	17	11	9	15	23	53	150	312
1994.....	22,432	2	17	24	7	9	16	17	64	111	302
1993.....	21,769	5	16	24	4	8	10	34	62	141	293
1992.....	21,643	2	16	26	10	5	13	20	55	137	280
1991.....	21,180	2	14	28	10	11	16	33	49	124	298
1990.....	20,654	-	20	25	7	10	14	27	81	114	274
1989.....	20,233	5	23	22	11	7	14	21	57	141	239
1988.....	19,474	5	20	33	8	9	23	26	70	113	256
1987.....	19,401	2	18	28	6	8	15	23	52	114	243
1986.....	19,113	4	20	40	4	7	18	29	59	125	211
1985.....	18,897	10	18	26	10	10	10	23	44	135	250
1984.....	18,600	2	22	19	10	7	19	31	49	102	223
1983.....	18,555	4	37	31	10	15	22	27	52	102	193
1982.....	18,460	3	24	33	10	14	21	31	61	108	200
1981.....	17,999	4	32	31	10	13	19	29	72	108	197
1980.....	17,828	9	22	32	10	13	22	31	54	78	181
1979.....	17,443	8	29	42	14	12	28	19	41	97	183
TOTAL, MALE											
1998.....	15,316	2	9	8	3	8	9	18	28	87	238
1997.....	14,837	3	7	15	2	3	6	8	30	78	214
1996.....	14,718	1	8	13	2	6	6	16	33	93	216
1995.....	14,415	1	8	6	3	4	7	13	28	97	214
1994.....	14,238	1	9	13	2	6	13	8	34	72	193
1993.....	14,073	3	9	12	2	4	6	21	39	95	203
1992.....	13,741	2	6	12	5	3	5	12	37	91	185
1991.....	13,468	2	11	12	4	4	13	15	29	79	210
1990.....	13,181	-	8	14	3	-	6	12	46	77	193
1989.....	12,976	3	9	10	8	2	7	11	31	92	165
1988.....	12,389	3	8	18	4	5	13	14	45	77	165
1987.....	12,444	-	10	14	2	1	6	12	34	73	170
1986.....	12,153	2	10	15	3	2	9	9	39	74	143
1985.....	12,195	5	9	8	5	5	4	13	26	84	161
1984.....	12,050	1	12	8	3	4	10	15	27	65	154
1983.....	12,029	2	18	14	5	10	12	17	31	68	123
1982.....	12,090	2	13	19	5	8	8	15	40	68	141
1981.....	11,705	3	20	12	8	5	10	17	42	68	136
1980.....	11,692	4	14	9	4	6	12	21	30	49	126
1979.....	11,509	5	21	13	5	6	17	9	20	58	121

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
TOTAL, FEMALE											
1998.....	8,452	1	12	17	6	4	4	11	18	56	97
1997.....	8,558	3	11	11	5	5	4	9	16	46	119
1996.....	8,286	4	5	9	3	9	8	10	22	48	88
1995.....	8,224	2	15	11	8	5	8	10	25	53	98
1994.....	8,194	1	8	11	5	3	3	9	30	39	109
1993.....	7,696	2	7	12	2	4	4	13	23	46	90
1992.....	7,902	-	10	14	5	2	8	8	18	46	95
1991.....	7,712	-	3	16	6	7	3	18	20	45	88
1990.....	7,473	-	12	11	4	10	8	15	35	37	81
1989.....	7,257	2	14	12	3	5	7	10	26	49	74
1988.....	7,085	2	12	15	4	4	10	12	25	36	91
1987.....	6,957	2	8	14	4	7	9	11	18	41	73
1986.....	6,960	2	10	25	1	5	9	20	20	51	68
1985.....	6,702	5	9	18	5	5	6	10	18	51	89
1984.....	6,550	1	10	11	7	3	9	16	22	37	69
1983.....	6,526	2	19	17	5	5	10	10	21	34	70
1982.....	6,370	1	11	14	5	6	13	16	21	40	59
1981.....	6,294	1	12	19	2	8	9	12	30	40	61
1980.....	6,136	5	8	23	6	7	10	10	24	29	55
1979.....	5,934	3	8	29	9	6	11	10	21	39	62
WHITE, BOTH SEXES											
1998.....	21,515	3	15	19	7	7	6	14	34	107	271
1997.....	21,143	6	11	18	4	7	4	9	26	90	283
1996.....	20,821	5	11	16	3	9	5	16	35	112	248
1995.....	20,491	2	17	13	9	5	8	15	41	115	254
1994.....	20,286	2	13	20	7	6	12	9	44	87	241
1993.....	19,722	3	11	15	4	6	6	19	45	107	243
1992.....	19,667	2	10	20	7	4	6	12	40	107	232
1991.....	19,150	1	12	23	7	7	9	22	32	93	242
1990.....	18,694	-	17	22	5	3	10	16	50	93	225
1989.....	18,307	4	18	17	10	6	7	12	41	119	197
1988.....	17,700	4	15	25	5	7	15	15	48	81	219
1987.....	17,669	2	17	21	4	6	10	13	45	93	206
1986.....	17,435	4	12	34	1	6	7	17	41	92	173
1985.....	17,179	5	9	21	6	6	4	13	36	109	212
1984.....	16,922	2	20	12	8	5	12	21	38	84	181
1983.....	16,946	1	30	27	5	11	10	19	31	83	165
1982.....	16,818	2	19	26	5	11	11	18	46	91	174
1981.....	16,419	2	23	26	9	6	11	19	57	88	167
1980.....	16,377	8	15	26	9	13	12	23	44	69	164
1979.....	15,966	8	22	31	10	8	14	14	34	82	148



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
WHITE MALE											
1998.....	13,996	2	5	4	3	4	4	8	20	67	195
1997.....	13,534	3	4	9	2	2	3	4	15	56	179
1996.....	13,475	1	6	10	1	3	1	8	19	79	179
1995.....	13,227	-	5	4	2	1	3	9	23	77	180
1994.....	13,008	1	7	11	2	4	9	5	24	58	159
1993.....	12,886	1	8	8	2	2	3	11	30	73	173
1992.....	12,575	2	6	9	4	3	2	7	27	73	158
1991.....	12,300	1	9	8	3	3	7	9	16	59	168
1990.....	12,047	-	7	12	1	-	4	6	31	67	163
1989.....	11,850	3	7	8	7	1	5	5	21	79	139
1988.....	11,366	2	6	12	1	3	8	8	31	53	143
1987.....	11,420	-	10	13	2	1	3	6	30	61	145
1986.....	11,218	2	7	13	-	2	3	6	28	58	116
1985.....	11,142	3	5	6	3	3	2	8	20	67	139
1984.....	11,061	1	11	5	3	3	5	9	22	56	130
1983.....	11,057	-	15	11	2	7	4	12	20	55	102
1982.....	11,125	1	11	13	2	6	5	9	29	60	124
1981.....	10,749	2	16	11	8	1	6	10	31	54	116
1980.....	10,848	3	11	9	4	6	6	15	24	44	115
1979.....	10,620	5	17	9	3	4	8	7	19	51	103
WHITE FEMALE											
1998.....	7,519	1	10	15	4	3	2	6	14	40	76
1997.....	7,609	3	7	9	2	5	1	5	11	34	104
1996.....	7,346	4	5	6	2	6	4	8	16	33	69
1995.....	7,264	2	12	9	7	4	5	6	18	38	74
1994.....	7,278	1	6	9	5	2	3	4	20	29	82
1993.....	6,836	2	3	7	2	4	3	8	15	34	70
1992.....	7,092	-	4	11	3	1	4	5	13	34	74
1991.....	6,850	-	3	15	4	4	2	13	16	34	74
1990.....	6,647	-	10	10	4	3	6	10	19	26	62
1989.....	6,457	1	11	9	3	5	2	7	20	40	58
1988.....	6,334	2	9	13	4	4	7	7	17	28	76
1987.....	6,249	2	7	8	2	5	7	7	15	32	61
1986.....	6,217	2	5	21	1	4	4	11	13	34	57
1985.....	6,037	2	4	15	3	3	2	5	16	42	73
1984.....	5,861	1	9	7	5	2	7	12	16	28	51
1983.....	5,889	1	15	16	3	4	6	7	11	28	63
1982.....	5,693	1	8	13	3	5	6	9	17	31	50
1981.....	5,670	-	7	15	1	5	5	9	26	34	51
1980.....	5,529	5	4	17	5	7	6	8	20	25	49
1979.....	5,346	3	5	22	7	4	6	7	15	31	45

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
ALL OTHER, BOTH SEXES											
1998.....	2,253	-	6	6	2	5	7	15	12	36	64
1997.....	2,252	-	7	8	3	1	6	8	20	34	50
1996.....	2,183	-	2	6	2	6	9	10	20	29	56
1995.....	2,148	1	6	4	2	4	7	8	12	35	58
1994.....	2,146	-	4	4	-	3	4	8	20	24	61
1993.....	2,047	2	5	9	-	2	4	15	17	34	50
1992.....	1,976	-	6	6	3	1	7	8	15	30	48
1991.....	2,030	1	2	5	3	4	7	11	17	31	56
1990.....	1,960	-	3	3	2	7	4	11	31	21	49
1989.....	1,926	1	5	5	1	1	7	9	16	22	42
1988.....	1,774	1	5	8	3	2	8	11	22	32	37
1987.....	1,732	-	1	7	2	2	5	10	7	21	37
1986.....	1,678	-	8	6	3	1	11	12	18	33	38
1985.....	1,718	5	9	5	4	4	6	10	8	26	38
1984.....	1,678	-	2	7	2	2	7	10	11	18	42
1983.....	1,609	3	7	4	5	4	12	8	21	19	28
1982.....	1,642	1	5	7	5	3	10	13	15	17	26
1981.....	1,580	2	9	5	1	7	8	10	15	20	30
1980.....	1,451	1	7	6	1	-	10	8	10	9	17
1979.....	1,477	-	7	11	4	4	14	5	7	15	35
ALL OTHER MALE											
1998.....	1,320	-	4	4	-	4	5	10	8	20	43
1997.....	1,303	-	3	6	-	1	3	4	15	22	35
1996.....	1,243	-	2	3	1	3	5	8	14	14	37
1995.....	1,188	1	3	2	1	3	4	4	5	20	34
1994.....	1,230	-	2	2	-	2	4	3	10	14	34
1993.....	1,187	2	1	4	-	2	3	10	9	22	30
1992.....	1,166	-	-	3	1	-	3	5	10	18	27
1991.....	1,168	1	2	4	1	1	6	6	13	20	42
1990.....	1,134	-	1	2	2	-	2	6	15	10	30
1989.....	1,126	-	2	2	1	1	2	6	10	13	26
1988.....	1,023	1	2	6	3	2	5	6	14	24	22
1987.....	1,024	-	-	1	-	-	3	6	4	12	25
1986.....	935	-	3	2	3	-	6	3	11	16	27
1985.....	1,053	2	4	2	2	2	2	5	6	17	22
1984.....	989	-	1	3	-	1	5	6	5	9	24
1983.....	972	2	3	3	3	3	8	5	11	13	21
1982.....	965	1	2	6	3	2	3	6	11	8	17
1981.....	956	1	4	1	-	4	4	7	11	14	20
1980.....	844	1	3	-	-	-	6	6	6	5	11
1979.....	889	-	4	4	2	2	9	2	1	7	18

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
ALL OTHER FEMALE											
1998.....	933	-	2	2	2	1	2	5	4	16	21
1997.....	949	-	4	2	3	-	3	4	5	12	15
1996.....	940	-	-	3	1	3	4	2	6	15	19
1995.....	960	-	3	2	1	1	3	4	7	15	24
1994.....	916	-	2	2	-	1	-	5	10	10	27
1993.....	860	-	4	5	-	-	1	5	8	12	20
1992.....	810	-	6	3	2	1	4	3	5	12	21
1991.....	862	-	-	1	2	3	1	5	4	11	14
1990.....	826	-	2	1	-	7	2	5	16	11	19
1989.....	800	1	3	3	-	-	5	3	6	9	16
1988.....	751	-	3	2	-	-	3	5	8	8	15
1987.....	708	-	1	6	2	2	2	4	3	9	12
1986.....	743	-	5	4	-	1	5	9	7	17	11
1985.....	665	3	5	3	2	2	4	5	2	9	16
1984.....	689	-	1	4	2	1	2	4	6	9	18
1983.....	637	1	4	1	2	1	4	3	10	6	7
1982.....	677	-	3	1	2	1	7	7	4	9	9
1981.....	624	1	5	4	1	3	4	3	4	6	10
1980.....	607	-	4	6	1	-	4	2	4	4	6
1979.....	588	-	3	7	2	2	5	3	6	8	17
BLACK, BOTH SEXES											
1998.....	1,913	-	5	5	2	5	5	14	11	32	57
1997.....	1,943	-	7	7	3	1	6	8	17	31	44
1996.....	1,896	-	2	6	2	6	8	10	19	24	48
1995.....	1,896	1	4	3	2	4	7	8	12	33	52
1994.....	1,876	-	3	4	-	3	2	8	18	20	53
1993.....	1,807	2	5	9	-	2	4	11	15	31	49
1992.....	1,748	-	6	6	1	1	7	8	13	22	43
1991.....	1,818	1	2	4	3	4	6	10	16	28	50
1990.....	1,792	-	2	3	2	7	4	11	30	19	44
1989.....	1,741	1	5	5	-	1	7	9	16	19	34
1988.....	1,602	1	4	8	3	2	8	11	20	28	36
1987.....	1,575	-	1	5	2	2	5	10	6	19	35
1986.....	1,536	-	7	6	3	1	11	12	17	30	35
1985.....	1,583	5	7	4	4	4	6	10	8	24	36
1984.....	1,537	-	2	6	2	2	5	10	10	17	36
1983.....	1,495	3	7	4	4	2	12	8	17	18	27
1982.....	1,516	1	2	7	5	2	10	11	14	15	25
1981.....	1,467	1	8	5	1	6	7	10	12	19	23
1980.....	1,349	1	7	6	1	-	10	8	9	8	15
1979.....	1,367	-	6	8	2	3	14	5	6	15	34

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
BLACK MALE											
1998.....	1,099	-	3	4	-	4	4	10	8	18	39
1997.....	1,104	-	3	5	-	1	3	4	12	21	29
1996.....	1,048	-	2	3	1	3	5	8	13	11	30
1995.....	1,030	1	1	1	1	3	4	4	5	18	31
1994.....	1,063	-	1	2	-	2	2	3	9	11	31
1993.....	1,040	2	1	4	-	2	3	8	7	20	29
1992.....	1,008	-	-	3	-	-	3	5	9	12	25
1991.....	1,049	1	2	3	1	1	6	6	12	19	39
1990.....	1,029	-	1	2	2	-	2	6	14	9	26
1989.....	1,009	-	2	2	-	1	2	6	10	12	19
1988.....	912	1	1	6	3	2	5	6	14	20	22
1987.....	918	-	-	1	-	-	3	6	3	11	24
1986.....	855	-	3	2	3	-	6	3	10	15	26
1985.....	962	2	2	2	2	2	2	5	6	15	20
1984.....	888	-	1	2	-	1	4	6	4	8	18
1983.....	899	2	3	3	2	1	8	5	9	13	20
1982.....	885	1	1	6	3	1	3	5	10	6	17
1981.....	875	-	4	1	-	3	4	7	9	13	14
1980.....	772	1	3	-	-	-	6	6	5	5	9
1979.....	829	-	3	3	1	1	9	2	1	7	18
BLACK FEMALE											
1998.....	814	-	2	1	2	1	1	4	3	14	18
1997.....	839	-	4	2	3	-	3	4	5	10	15
1996.....	848	-	-	3	1	3	3	2	6	13	18
1995.....	866	-	3	2	1	1	3	4	7	15	21
1994.....	813	-	2	2	-	1	-	5	9	9	22
1993.....	767	-	4	5	-	-	1	3	8	11	20
1992.....	740	-	6	3	1	1	4	3	4	10	18
1991.....	769	-	-	1	2	3	-	4	4	9	11
1990.....	763	-	1	1	-	7	2	5	16	10	18
1989.....	732	1	3	3	-	-	5	3	6	7	15
1988.....	690	-	3	2	-	-	3	5	6	8	14
1987.....	657	-	1	4	2	2	2	4	3	8	11
1986.....	681	-	4	4	-	1	5	9	7	15	9
1985.....	621	3	5	2	2	2	4	5	2	9	16
1984.....	649	-	1	4	2	1	1	4	6	9	18
1983.....	596	1	4	1	2	1	4	3	8	5	7
1982.....	631	-	1	1	2	1	7	6	4	9	8
1981.....	592	1	4	4	1	3	3	3	3	6	9
1980.....	577	-	4	6	1	-	4	2	4	3	6
1979.....	538	-	3	5	1	2	5	3	5	8	16

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)											
TOTAL, BOTH SEXES											
1998.....	65,389	42	191	287	268	347	352	467	784	1,347	2,040
1997.....	65,627	40	253	300	229	323	332	521	766	1,359	2,010
1996.....	66,451	43	228	305	248	324	317	505	845	1,381	2,047
1995.....	65,678	36	266	267	240	296	376	503	879	1,411	1,977
1994.....	65,754	27	277	295	251	321	358	545	910	1,436	2,059
1993.....	65,315	42	309	297	228	314	383	533	932	1,404	1,961
1992.....	62,887	39	249	281	253	325	382	533	964	1,324	1,958
1991.....	61,916	41	290	278	261	314	376	577	968	1,351	1,956
1990.....	60,221	52	279	310	251	294	381	598	963	1,301	1,856
1989.....	61,030	51	271	325	231	328	379	599	920	1,294	1,797
1988.....	61,130	47	284	266	247	346	376	598	920	1,346	1,774
1987.....	60,500	52	289	300	214	332	407	633	914	1,248	1,689
1986.....	59,446	55	296	280	249	352	438	733	1,011	1,361	1,667
1985.....	57,905	53	285	275	237	363	461	695	1,020	1,321	1,619
1984.....	56,236	47	301	279	259	367	450	655	947	1,182	1,629
1983.....	54,852	63	308	266	297	377	466	621	881	1,142	1,476
1982.....	53,191	61	335	287	296	414	496	582	876	1,113	1,387
1981.....	51,701	45	323	293	300	399	477	623	806	973	1,369
1980.....	50,679	52	297	306	283	434	562	631	848	980	1,291
1979.....	48,591	57	280	281	332	468	500	583	734	892	1,259
TOTAL, MALE											
1998.....	34,965	23	103	164	157	211	216	269	457	777	1,174
1997.....	34,470	21	142	147	121	184	203	307	470	788	1,195
1996.....	35,283	27	131	170	132	189	207	278	489	822	1,171
1995.....	34,844	20	166	143	137	182	250	302	520	804	1,146
1994.....	34,726	12	157	160	144	187	222	318	526	836	1,209
1993.....	34,769	28	178	165	119	176	231	278	544	861	1,159
1992.....	33,456	19	124	146	142	199	234	294	589	772	1,145
1991.....	33,047	23	155	156	151	184	224	340	588	818	1,149
1990.....	31,891	27	153	164	123	161	244	361	565	767	1,092
1989.....	32,627	27	146	157	117	185	209	344	550	780	1,059
1988.....	32,813	28	149	146	126	188	218	358	540	749	1,078
1987.....	32,269	25	165	168	120	194	261	374	528	722	1,033
1986.....	31,663	30	161	145	132	216	267	451	655	861	959
1985.....	30,962	34	155	152	129	225	270	443	621	812	958
1984.....	29,838	24	172	152	145	225	286	383	586	710	944
1983.....	29,250	37	166	136	174	223	274	375	550	673	840
1982.....	27,926	32	183	160	152	248	300	356	550	654	786
1981.....	27,086	26	185	155	159	237	295	353	449	560	799
1980.....	27,016	26	184	168	148	247	373	382	493	583	720
1979.....	25,702	32	143	152	185	289	302	363	425	511	738

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)

TOTAL, FEMALE											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	30,424	19	88	123	111	136	136	198	327	570	866
1997	31,157	19	111	153	108	139	129	214	296	571	815
1996	31,168	16	97	135	116	135	110	227	356	559	876
1995	30,834	16	100	124	103	114	126	201	359	607	831
1994	31,028	15	120	135	107	134	136	227	384	600	850
1993	30,546	14	131	132	109	138	152	255	388	543	802
1992	29,431	20	125	135	111	126	148	239	375	552	813
1991	28,869	18	135	122	110	130	152	237	380	533	807
1990	28,330	25	126	146	128	133	137	237	398	534	764
1989	28,403	24	125	168	114	143	170	255	370	514	738
1988	28,317	19	135	120	121	158	158	240	380	597	696
1987	28,231	27	124	132	94	138	146	259	386	526	656
1986	27,783	25	135	135	117	136	171	282	356	500	708
1985	26,943	19	130	123	108	138	191	252	399	509	661
1984	26,398	23	129	127	114	142	164	272	361	472	685
1983	25,602	26	142	130	123	154	192	246	331	469	636
1982	25,265	29	152	127	144	166	196	226	326	459	601
1981	24,615	19	138	138	141	162	182	270	357	413	570
1980	23,663	26	113	138	135	187	189	249	355	397	571
1979	22,889	25	137	129	147	179	198	220	309	381	521
WHITE, BOTH SEXES											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	58,269	36	152	226	214	291	281	388	677	1,160	1,737
1997	58,396	26	200	243	193	252	261	434	669	1,177	1,716
1996	59,362	41	181	249	201	257	256	428	740	1,192	1,738
1995	58,425	30	212	202	194	236	305	430	747	1,206	1,681
1994	58,683	21	223	228	191	266	298	474	773	1,245	1,743
1993	58,098	33	251	247	192	253	321	436	809	1,212	1,661
1992	56,166	33	194	226	213	268	327	452	850	1,178	1,690
1991	55,199	36	226	226	217	267	316	507	849	1,177	1,693
1990	53,613	38	222	251	211	237	318	508	821	1,125	1,615
1989	54,382	44	224	267	186	276	324	510	799	1,127	1,547
1988	54,510	37	234	213	197	282	313	523	819	1,169	1,535
1987	53,867	45	237	254	174	264	338	552	814	1,102	1,453
1986	53,038	48	242	231	202	294	376	640	893	1,197	1,447
1985	51,508	47	247	231	199	310	389	625	904	1,163	1,385
1984	50,049	36	256	230	209	313	393	585	831	1,038	1,419
1983	48,874	51	260	220	237	330	393	559	788	1,020	1,312
1982	47,573	51	287	235	250	339	427	519	761	1,006	1,193
1981	46,240	38	274	233	239	329	412	555	721	874	1,173
1980	45,252	42	252	255	238	368	492	563	775	879	1,092
1979	43,431	47	240	237	273	402	437	525	678	811	1,096

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)											
WHITE MALE											
1998.....	31,348	19	86	127	125	175	176	229	401	672	1,020
1997.....	30,843	12	112	121	101	150	155	251	412	689	1,030
1996.....	31,640	25	107	144	109	150	168	237	434	716	1,002
1995.....	31,074	18	135	115	111	151	200	256	438	677	982
1994.....	31,124	9	128	117	115	158	188	284	447	733	1,037
1993.....	31,011	22	146	136	102	145	197	233	473	748	1,010
1992.....	30,012	17	95	116	121	164	201	254	513	702	989
1991.....	29,470	20	119	126	125	157	195	294	524	721	996
1990.....	28,366	19	119	131	103	129	203	307	496	664	954
1989.....	29,004	25	127	128	101	158	180	293	480	693	898
1988.....	29,319	23	125	120	104	156	184	313	489	657	942
1987.....	28,713	21	131	141	102	158	216	328	471	648	900
1986.....	28,284	27	136	120	113	179	237	401	585	754	852
1985.....	27,469	32	136	131	110	186	228	399	562	718	817
1984.....	26,486	16	145	127	120	191	251	344	510	630	820
1983.....	25,998	29	135	112	138	199	232	337	497	603	756
1982.....	24,944	26	157	134	134	203	263	317	485	599	680
1981.....	24,164	19	157	125	132	192	254	313	401	506	690
1980.....	24,169	21	159	140	126	211	330	350	453	526	621
1979.....	22,966	28	124	131	148	246	265	328	398	467	636
WHITE FEMALE											
1998.....	26,921	17	66	99	89	116	105	159	276	488	717
1997.....	27,553	14	88	122	92	102	106	183	257	488	686
1996.....	27,722	16	74	105	92	107	88	191	306	476	736
1995.....	27,351	12	77	87	83	85	105	174	309	529	699
1994.....	27,559	12	95	111	76	108	110	190	326	512	706
1993.....	27,087	11	105	111	90	108	124	203	336	464	651
1992.....	26,154	16	99	110	92	104	126	198	337	476	701
1991.....	25,729	16	107	100	92	110	121	213	325	456	697
1990.....	25,247	19	103	120	108	108	115	201	325	461	661
1989.....	25,378	19	97	139	85	118	144	217	319	434	649
1988.....	25,191	14	109	93	93	126	129	210	330	512	593
1987.....	25,154	24	106	113	72	106	122	224	343	454	553
1986.....	24,754	21	106	111	89	115	139	239	308	443	595
1985.....	24,039	15	111	100	89	124	161	226	342	445	568
1984.....	23,563	20	111	103	89	122	142	241	321	408	599
1983.....	22,876	22	125	108	99	131	161	222	291	417	556
1982.....	22,629	25	130	101	116	136	164	202	276	407	513
1981.....	22,076	19	117	108	107	137	158	242	320	368	483
1980.....	21,083	21	93	115	112	157	162	213	322	353	471
1979.....	20,465	19	116	106	125	156	172	197	280	344	460

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER, BOTH SEXES											
1998.....	7,120	6	39	61	54	56	71	79	107	187	303
1997.....	7,231	14	53	57	36	71	71	87	97	182	294
1996.....	7,089	2	47	56	47	67	61	77	105	189	309
1995.....	7,253	6	54	65	46	60	71	73	132	205	296
1994.....	7,071	6	54	67	60	55	60	71	137	191	316
1993.....	7,217	9	58	50	36	61	62	97	123	192	300
1992.....	6,721	6	55	55	40	57	55	81	114	146	268
1991.....	6,717	5	64	52	44	47	60	70	119	174	263
1990.....	6,608	14	57	59	40	57	63	90	142	176	241
1989.....	6,648	7	47	58	45	52	55	89	121	167	250
1988.....	6,620	10	50	53	50	64	63	75	101	177	239
1987.....	6,633	7	52	46	40	68	69	81	100	146	236
1986.....	6,408	7	54	49	47	58	62	93	118	164	220
1985.....	6,397	6	38	44	38	53	72	70	116	158	234
1984.....	6,187	11	45	49	50	54	57	70	116	144	210
1983.....	5,978	12	48	46	60	47	73	62	93	122	164
1982.....	5,618	10	48	52	46	75	69	63	115	107	194
1981.....	5,461	7	49	60	61	70	65	68	85	99	196
1980.....	5,427	10	45	51	45	66	70	68	73	101	199
1979.....	5,160	10	40	44	59	66	63	58	56	81	163
ALL OTHER MALE											
1998.....	3,617	4	17	37	32	36	40	40	56	105	154
1997.....	3,627	9	30	26	20	34	48	56	58	99	165
1996.....	3,643	2	24	26	23	39	39	41	55	106	169
1995.....	3,770	2	31	28	26	31	50	46	82	127	164
1994.....	3,602	3	29	43	29	29	34	34	79	103	172
1993.....	3,758	6	32	29	17	31	34	45	71	113	149
1992.....	3,444	2	29	30	21	35	33	40	76	70	156
1991.....	3,577	3	36	30	26	27	29	46	64	97	153
1990.....	3,525	8	34	33	20	32	41	54	69	103	138
1989.....	3,623	2	19	29	16	27	29	51	70	87	161
1988.....	3,494	5	24	26	22	32	34	45	51	92	136
1987.....	3,556	4	34	27	18	36	45	46	57	74	133
1986.....	3,379	3	25	25	19	37	30	50	70	107	107
1985.....	3,493	2	19	21	19	39	42	44	59	94	141
1984.....	3,352	8	27	25	25	34	35	39	76	80	124
1983.....	3,252	8	31	24	36	24	42	38	53	70	84
1982.....	2,982	6	26	26	18	45	37	39	65	55	106
1981.....	2,922	7	28	30	27	45	41	40	48	54	109
1980.....	2,847	5	25	28	22	36	43	32	40	57	99
1979.....	2,736	4	19	21	37	43	37	35	27	44	102



RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)

## ALL OTHER FEMALE

1998.....	3,503	2	22	24	22	20	31	39	51	82	149
1997.....	3,604	5	23	31	16	37	23	31	39	83	129
1996.....	3,446	-	23	30	24	28	22	36	50	83	140
1995.....	3,483	4	23	37	20	29	21	27	50	78	132
1994.....	3,469	3	25	24	31	26	26	37	58	88	144
1993.....	3,459	3	26	21	19	30	28	52	52	79	151
1992.....	3,277	4	26	25	19	22	22	41	38	76	112
1991.....	3,140	2	28	22	18	20	31	24	55	77	110
1990.....	3,083	6	23	26	20	25	22	36	73	73	103
1989.....	3,025	5	28	29	29	25	26	38	51	80	89
1988.....	3,126	5	26	27	28	32	29	30	50	85	103
1987.....	3,077	3	18	19	22	32	24	35	43	72	103
1986.....	3,029	4	29	24	28	21	32	43	48	57	113
1985.....	2,904	4	19	23	19	14	30	26	57	64	93
1984.....	2,835	3	18	24	25	20	22	31	40	64	86
1983.....	2,726	4	17	22	24	23	31	24	40	52	80
1982.....	2,636	4	22	26	28	30	32	24	50	52	88
1981.....	2,539	-	21	30	34	25	24	28	37	45	87
1980.....	2,580	5	20	23	23	30	27	36	33	44	100
1979.....	2,424	6	21	23	22	23	26	23	29	37	61

## BLACK, BOTH SEXES

1998.....	5,996	6	30	51	42	42	55	56	89	142	258
1997.....	6,184	10	37	45	27	57	60	75	77	151	252
1996.....	6,045	2	36	47	41	56	51	61	84	151	259
1995.....	6,277	5	44	52	35	45	66	61	103	177	257
1994.....	6,162	4	44	52	52	46	49	57	118	167	270
1993.....	6,233	7	43	39	29	51	48	86	100	163	246
1992.....	5,898	5	39	46	35	47	44	67	102	120	237
1991.....	5,903	3	58	42	37	36	47	61	103	150	226
1990.....	5,866	13	50	48	34	46	54	81	119	144	214
1989.....	5,911	7	39	51	36	41	51	74	99	147	223
1988.....	5,934	9	45	46	43	57	55	65	88	155	213
1987.....	6,026	6	46	40	34	60	62	68	84	128	203
1986.....	5,813	6	43	42	41	54	55	78	99	144	179
1985.....	5,797	6	31	39	31	44	62	61	105	136	200
1984.....	5,639	6	37	43	43	41	55	59	103	127	180
1983.....	5,463	10	42	44	49	39	63	49	79	109	145
1982.....	5,176	6	47	46	42	63	66	57	98	95	176
1981.....	5,041	5	40	54	57	62	56	58	72	93	176
1980.....	5,075	9	43	44	42	60	64	61	63	91	186
1979.....	4,838	9	39	38	59	60	58	52	49	73	152

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR      UNDER 1      1-4      5-9      10-14      15-19      20-24      25-29      30-34      35-39      40-44  
0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)

BLACK MALE

Year	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998	3,025	4	13	31	26	24	31	26	41	72	133
1997	3,134	8	23	19	15	29	40	50	46	86	145
1996	3,120	2	18	23	21	35	32	32	46	84	149
1995	3,243	1	27	23	19	25	47	39	68	111	143
1994	3,141	2	26	32	24	24	27	27	71	88	150
1993	3,255	4	24	22	12	27	27	39	58	98	128
1992	3,035	2	21	23	17	30	25	34	67	55	140
1991	3,170	1	31	24	22	22	20	39	58	84	134
1990	3,130	8	28	26	17	24	35	47	59	85	124
1989	3,223	2	18	25	13	20	28	44	54	81	142
1988	3,144	4	21	23	16	27	27	37	46	83	122
1987	3,255	3	32	21	14	32	41	39	46	66	119
1986	3,055	2	17	23	16	34	25	42	59	96	92
1985	3,157	2	15	19	15	33	35	38	54	81	123
1984	3,055	4	21	22	20	27	33	32	68	70	108
1983	2,974	7	26	23	29	21	36	29	46	64	78
1982	2,747	3	25	22	16	37	34	36	55	50	95
1981	2,702	5	21	28	25	40	35	35	41	51	101
1980	2,659	5	25	24	20	34	38	29	38	51	91
1979	2,566	4	18	18	37	38	35	30	22	42	96

BLACK FEMALE

Year	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998	2,971	2	17	20	16	18	24	30	48	70	125
1997	3,050	2	14	26	12	28	20	25	31	65	107
1996	2,925	-	18	24	20	21	19	29	38	67	110
1995	3,034	4	17	29	16	20	19	22	35	66	114
1994	3,021	2	18	20	28	22	22	30	47	79	120
1993	2,978	3	19	17	17	24	21	47	42	65	118
1992	2,863	3	18	23	18	17	19	33	35	65	97
1991	2,733	2	27	18	15	14	27	22	45	66	92
1990	2,736	5	22	22	17	22	19	34	60	59	90
1989	2,688	5	21	26	23	21	23	30	45	66	81
1988	2,790	5	24	23	27	30	28	28	42	72	91
1987	2,771	3	14	19	20	28	21	29	38	62	84
1986	2,758	4	26	19	25	20	30	36	40	48	87
1985	2,640	4	16	20	16	11	27	23	51	55	77
1984	2,584	2	16	21	23	14	22	27	35	57	72
1983	2,489	3	16	21	20	18	27	20	33	45	67
1982	2,429	3	22	24	26	26	32	21	43	45	81
1981	2,339	-	19	26	32	22	21	23	31	42	75
1980	2,416	4	18	20	22	26	26	32	25	40	95
1979	2,272	5	21	20	22	22	23	22	27	31	56

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
TOTAL, BOTH SEXES											
1998.....	20,324	19	116	142	186	209	238	222	273	385	544
1997.....	20,313	32	134	175	191	213	237	251	264	367	476
1996.....	20,340	32	150	163	187	202	228	236	335	352	462
1995.....	20,148	22	155	196	200	197	223	264	320	375	487
1994.....	19,669	19	170	179	182	248	252	299	321	356	470
1993.....	19,530	31	154	208	204	229	241	267	349	388	524
1992.....	19,272	36	174	212	210	224	257	279	376	408	440
1991.....	18,945	20	176	222	192	241	244	282	326	367	480
1990.....	18,574	24	170	187	195	274	261	309	359	420	452
1989.....	18,246	32	160	224	205	239	266	294	388	396	460
1988.....	17,577	21	187	228	188	257	261	271	309	427	472
1987.....	17,284	30	192	259	214	255	261	290	341	394	431
1986.....	17,365	25	194	236	212	276	298	313	356	386	424
1985.....	17,319	31	182	250	251	260	265	310	334	357	443
1984.....	17,080	32	175	233	245	289	322	291	320	404	426
1983.....	16,820	37	236	269	238	299	287	310	336	390	396
1982.....	16,704	33	200	306	260	356	333	294	347	404	358
1981.....	16,273	18	233	315	264	324	294	314	348	343	354
1980.....	16,533	31	188	352	303	394	341	358	338	365	379
1979.....	15,988	33	210	360	302	377	357	278	322	336	338
TOTAL, MALE											
1998.....	11,201	11	55	87	106	133	140	137	149	236	315
1997.....	11,265	13	72	94	120	124	153	155	152	198	259
1996.....	11,179	13	87	98	104	128	134	142	196	200	253
1995.....	11,229	10	93	121	117	124	127	154	189	213	290
1994.....	10,840	8	88	101	102	159	168	191	209	209	247
1993.....	10,750	20	91	114	134	136	145	151	213	215	295
1992.....	10,609	20	93	134	128	136	157	160	223	226	268
1991.....	10,194	11	92	125	122	157	148	179	177	187	266
1990.....	10,192	12	94	109	129	172	150	190	207	223	238
1989.....	10,039	11	84	129	130	149	166	175	228	219	271
1988.....	9,724	6	93	146	117	171	162	162	190	245	278
1987.....	9,387	14	99	165	124	150	166	170	196	233	240
1986.....	9,565	17	109	148	109	177	208	190	196	203	245
1985.....	9,442	12	112	149	145	165	158	170	186	210	255
1984.....	9,276	17	94	138	152	183	188	167	184	237	241
1983.....	9,312	15	144	155	134	195	173	187	204	196	221
1982.....	9,244	16	106	187	156	219	185	163	174	234	210
1981.....	9,078	10	123	193	159	200	187	192	193	191	189
1980.....	9,193	19	105	226	186	235	209	214	180	197	209
1979.....	8,893	16	118	221	174	237	222	170	185	176	179

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
TOTAL, FEMALE											
1998.....	9,123	8	61	55	80	76	98	85	124	149	229
1997.....	9,048	19	62	81	71	89	84	96	112	169	217
1996.....	9,161	19	63	65	83	74	94	94	139	152	209
1995.....	8,919	12	62	75	83	73	96	110	131	162	197
1994.....	8,829	11	82	78	80	89	84	108	112	147	223
1993.....	8,780	11	63	94	70	93	96	116	136	173	229
1992.....	8,663	16	81	78	82	88	100	119	153	182	172
1991.....	8,751	9	84	97	70	84	96	103	149	180	214
1990.....	8,382	12	76	78	66	102	111	119	152	197	214
1989.....	8,207	21	76	95	75	90	100	119	160	177	189
1988.....	7,853	15	94	82	71	86	99	109	119	182	194
1987.....	7,897	16	93	94	90	105	95	120	145	161	191
1986.....	7,800	8	85	88	103	99	90	123	160	183	179
1985.....	7,877	19	70	101	106	95	107	140	148	147	188
1984.....	7,804	15	81	95	93	106	134	124	136	167	185
1983.....	7,508	22	92	114	104	104	114	123	132	194	175
1982.....	7,460	17	94	119	104	137	148	131	173	170	148
1981.....	7,195	8	110	122	105	124	107	122	155	152	165
1980.....	7,340	12	83	126	117	159	132	144	158	168	170
1979.....	7,095	17	92	139	128	140	135	108	137	160	159
WHITE, BOTH SEXES											
1998.....	18,214	18	92	116	148	176	206	169	218	297	447
1997.....	18,283	27	103	140	161	181	192	186	211	290	381
1996.....	18,234	26	126	131	147	162	180	195	268	285	380
1995.....	18,109	18	115	164	142	152	183	216	237	311	422
1994.....	17,708	16	131	148	152	196	210	240	266	285	395
1993.....	17,504	24	125	171	172	185	178	209	272	320	430
1992.....	17,405	33	149	181	172	183	203	210	317	342	364
1991.....	17,064	13	142	185	161	196	205	230	276	299	396
1990.....	16,722	19	143	151	160	221	225	245	295	339	378
1989.....	16,434	31	126	189	166	188	222	252	321	325	387
1988.....	15,854	17	153	189	156	220	213	219	262	351	400
1987.....	15,569	27	157	221	183	193	219	234	288	322	375
1986.....	15,709	19	167	196	179	235	254	257	302	317	366
1985.....	15,703	26	151	211	200	226	223	258	290	309	383
1984.....	15,479	26	145	198	200	243	266	249	278	334	361
1983.....	15,231	34	199	229	203	263	244	263	272	332	336
1982.....	15,152	28	161	267	213	299	277	253	298	353	304
1981.....	14,786	15	192	266	222	279	261	263	297	286	295
1980.....	15,081	26	158	319	263	326	286	312	286	316	329
1979.....	14,607	28	175	327	260	321	310	233	288	278	293

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
WHITE MALE											
1998.....	10,070	10	42	71	85	113	123	108	115	173	262
1997.....	10,171	11	57	76	100	106	121	113	125	159	207
1996.....	10,055	8	75	78	86	102	109	117	161	165	211
1995.....	10,143	9	73	105	86	95	110	131	141	180	257
1994.....	9,772	7	69	82	85	127	144	154	173	165	211
1993.....	9,658	15	75	94	112	107	111	120	159	178	241
1992.....	9,595	18	83	112	106	110	127	122	188	191	223
1991.....	9,165	6	70	106	104	126	125	146	147	151	217
1990.....	9,189	10	81	87	107	144	131	154	177	175	201
1989.....	9,011	11	73	109	103	116	138	152	188	181	226
1988.....	8,785	5	80	123	101	147	134	133	163	197	236
1987.....	8,480	14	84	140	108	113	145	142	162	196	209
1986.....	8,685	14	98	123	93	150	178	161	164	169	211
1985.....	8,548	10	88	126	113	146	133	141	166	190	219
1984.....	8,409	13	77	116	128	154	153	141	163	197	214
1983.....	8,461	15	123	135	113	171	144	161	169	174	186
1982.....	8,402	15	89	163	128	182	155	143	152	209	183
1981.....	8,276	8	103	163	130	172	167	166	163	159	160
1980.....	8,396	16	89	209	162	192	177	188	155	172	187
1979.....	8,138	13	101	203	150	201	199	141	166	145	154
WHITE FEMALE											
1998.....	8,144	8	50	45	63	63	83	61	103	124	185
1997.....	8,112	16	46	64	61	75	71	73	86	131	174
1996.....	8,179	18	51	53	61	60	71	78	107	120	169
1995.....	7,966	9	42	59	56	57	73	85	96	131	165
1994.....	7,936	9	62	66	67	69	66	86	93	120	184
1993.....	7,846	9	50	77	60	78	67	89	113	142	189
1992.....	7,810	15	66	69	66	73	76	88	129	151	141
1991.....	7,899	7	72	79	57	70	80	84	129	148	179
1990.....	7,533	9	62	64	53	77	94	91	118	164	177
1989.....	7,423	20	53	80	63	72	84	100	133	144	161
1988.....	7,069	12	73	66	55	73	79	86	99	154	164
1987.....	7,089	13	73	81	75	80	74	92	126	126	166
1986.....	7,024	5	69	73	86	85	76	96	138	148	155
1985.....	7,155	16	63	85	87	80	90	117	124	119	164
1984.....	7,070	13	68	82	72	89	113	108	115	137	147
1983.....	6,770	19	76	94	90	92	100	102	103	158	150
1982.....	6,750	13	72	104	85	117	122	110	146	144	121
1981.....	6,510	7	89	103	92	107	94	97	134	127	135
1980.....	6,685	10	69	110	101	134	109	124	131	144	142
1979.....	6,469	15	74	124	110	120	111	92	122	133	139

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
ALL OTHER, BOTH SEXES											
1998.....	2,110	1	24	26	38	33	32	53	55	88	97
1997.....	2,030	5	31	35	30	32	45	65	53	77	95
1996.....	2,106	6	24	32	40	40	48	41	67	67	82
1995.....	2,039	4	40	32	58	45	40	48	83	64	65
1994.....	1,961	3	39	31	30	52	42	59	55	71	75
1993.....	2,026	7	29	37	32	44	63	58	77	68	94
1992.....	1,867	3	25	31	38	41	54	69	59	66	76
1991.....	1,881	7	34	37	31	45	39	52	50	68	84
1990.....	1,852	5	27	36	35	53	36	64	64	81	74
1989.....	1,812	1	34	35	39	51	44	42	67	71	73
1988.....	1,723	4	34	39	32	37	48	52	47	76	72
1987.....	1,715	3	35	38	31	62	42	56	53	72	56
1986.....	1,656	6	27	40	33	41	44	56	54	69	58
1985.....	1,616	5	31	39	51	34	42	52	44	48	60
1984.....	1,601	6	30	35	45	46	56	42	42	70	65
1983.....	1,589	3	37	40	35	36	43	47	64	58	60
1982.....	1,552	5	39	39	47	57	56	41	49	51	54
1981.....	1,487	3	41	49	42	45	33	51	51	57	59
1980.....	1,452	5	30	33	40	68	55	46	52	49	50
1979.....	1,381	5	35	33	42	56	47	45	34	58	45
ALL OTHER MALE											
1998.....	1,131	1	13	16	21	20	17	29	34	63	53
1997.....	1,094	2	15	18	20	18	32	42	27	39	52
1996.....	1,124	5	12	20	18	26	25	25	35	35	42
1995.....	1,086	1	20	16	31	29	17	23	48	33	33
1994.....	1,068	1	19	19	17	32	24	37	36	44	36
1993.....	1,092	5	16	20	22	29	34	31	54	37	54
1992.....	1,014	2	10	22	22	26	30	38	35	35	45
1991.....	1,029	5	22	19	18	31	23	33	30	36	49
1990.....	1,003	2	13	22	22	28	19	36	30	48	37
1989.....	1,028	-	11	20	27	33	28	23	40	38	45
1988.....	939	1	13	23	16	24	28	29	27	48	42
1987.....	907	-	15	25	16	37	21	28	34	37	31
1986.....	880	3	11	25	16	27	30	29	32	34	34
1985.....	894	2	24	23	32	19	25	29	20	20	36
1984.....	867	4	17	22	24	29	35	26	21	40	27
1983.....	851	-	21	20	21	24	29	26	35	22	35
1982.....	842	1	17	24	28	37	30	20	22	25	27
1981.....	802	2	20	30	29	28	20	26	30	32	29
1980.....	797	3	16	17	24	43	32	26	25	25	22
1979.....	755	3	17	18	24	36	23	29	19	31	25

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
ALL OTHER FEMALE											
1998.....	979	-	11	10	17	13	15	24	21	25	44
1997.....	936	3	16	17	10	14	13	23	26	38	43
1996.....	982	1	12	12	22	14	23	16	32	32	40
1995.....	953	3	20	16	27	16	23	25	35	31	32
1994.....	893	2	20	12	13	20	18	22	19	27	39
1993.....	934	2	13	17	10	15	29	27	23	31	40
1992.....	853	1	15	9	16	15	24	31	24	31	31
1991.....	852	2	12	18	13	14	16	19	20	32	35
1990.....	849	3	14	14	13	25	17	28	34	33	37
1989.....	784	1	23	15	12	18	16	19	27	33	28
1988.....	784	3	21	16	16	13	20	23	20	28	30
1987.....	808	3	20	13	15	25	21	28	19	35	25
1986.....	776	3	16	15	17	14	14	27	22	35	24
1985.....	722	3	7	16	19	15	17	23	24	28	24
1984.....	734	2	13	13	21	17	21	16	21	30	38
1983.....	738	3	16	20	14	12	14	21	29	36	25
1982.....	710	4	22	15	19	20	26	21	27	26	27
1981.....	685	1	21	19	13	17	13	25	21	25	30
1980.....	655	2	14	16	16	25	23	20	27	24	28
1979.....	626	2	18	15	18	20	24	16	15	27	20
BLACK, BOTH SEXES											
1998.....	1,752	1	19	21	25	26	26	40	48	74	78
1997.....	1,673	1	24	25	21	26	37	50	43	65	67
1996.....	1,763	4	15	27	27	31	35	34	54	50	65
1995.....	1,686	1	31	23	39	36	30	33	65	51	48
1994.....	1,634	3	28	22	22	44	33	46	35	56	60
1993.....	1,681	5	18	30	24	34	49	46	57	58	72
1992.....	1,587	2	14	24	26	29	41	56	45	58	65
1991.....	1,609	5	28	24	27	35	30	42	40	52	67
1990.....	1,591	2	18	25	26	41	27	49	50	63	53
1989.....	1,540	1	23	22	32	44	39	31	48	51	60
1988.....	1,478	4	24	24	21	31	40	48	39	56	61
1987.....	1,479	2	21	31	23	49	34	42	44	59	39
1986.....	1,460	6	24	32	26	34	41	48	44	55	45
1985.....	1,401	3	20	31	41	23	35	41	32	39	54
1984.....	1,407	4	24	29	40	41	46	39	36	56	59
1983.....	1,394	3	27	33	30	26	36	41	54	49	47
1982.....	1,378	5	32	36	40	45	47	33	42	46	46
1981.....	1,337	3	37	43	36	39	29	45	43	47	47
1980.....	1,310	5	26	29	34	56	48	41	48	36	45
1979.....	1,262	4	28	28	36	49	45	37	26	46	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
BLACK MALE											
1998.....	936	1	11	14	12	15	15	26	32	52	43
1997.....	905	-	14	10	13	14	26	30	25	34	43
1996.....	931	4	6	16	12	18	18	21	33	28	34
1995.....	908	1	15	13	18	22	11	18	38	29	26
1994.....	885	1	12	14	13	28	20	29	24	32	30
1993.....	906	3	10	14	16	23	29	24	39	31	40
1992.....	840	1	5	17	14	18	22	29	27	31	38
1991.....	869	3	19	11	16	23	17	29	25	25	41
1990.....	854	1	9	16	18	21	12	25	26	38	24
1989.....	868	-	8	17	23	26	26	17	28	27	36
1988.....	806	1	10	14	12	23	22	28	23	37	36
1987.....	781	-	11	19	11	28	16	22	30	31	19
1986.....	771	3	10	21	15	22	28	24	27	28	24
1985.....	769	1	17	18	25	12	21	22	14	17	34
1984.....	754	2	12	18	22	24	27	23	18	34	26
1983.....	741	-	16	17	19	14	24	23	30	19	28
1982.....	745	1	13	22	25	30	28	17	17	21	23
1981.....	709	2	18	27	25	26	18	22	25	27	24
1980.....	714	3	15	15	20	36	30	24	24	17	21
1979.....	677	2	13	15	19	30	22	23	14	25	22
BLACK FEMALE											
1998.....	816	-	8	7	13	11	11	14	16	22	35
1997.....	768	1	10	15	8	12	11	20	18	31	24
1996.....	832	-	9	11	15	13	17	13	21	22	31
1995.....	778	-	16	10	21	14	19	15	27	22	22
1994.....	749	2	16	8	9	16	13	17	11	24	30
1993.....	775	2	8	16	8	11	20	22	18	27	32
1992.....	747	1	9	7	12	11	19	27	18	27	27
1991.....	740	2	9	13	11	12	13	13	15	27	26
1990.....	737	1	9	9	8	20	15	24	24	25	29
1989.....	672	1	15	5	9	18	13	14	20	24	24
1988.....	672	3	14	10	9	8	18	20	16	19	25
1987.....	698	2	10	12	12	21	18	20	14	28	20
1986.....	689	3	14	11	11	12	13	24	17	27	21
1985.....	632	2	3	13	16	11	14	19	18	22	20
1984.....	653	2	12	11	18	17	19	16	18	22	33
1983.....	653	3	11	16	11	12	12	18	24	30	19
1982.....	633	4	19	14	15	15	19	16	25	25	23
1981.....	628	1	19	16	11	13	11	23	18	20	23
1980.....	596	2	11	14	14	20	18	17	24	19	24
1979.....	585	2	15	13	17	19	23	14	12	21	17



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)											
TOTAL, BOTH SEXES											
1998.....	35,214	5	16	21	33	81	168	254	358	545	746
1997.....	35,522	3	6	33	40	76	175	273	428	598	860
1996.....	34,590	1	13	18	43	85	172	282	443	609	860
1995.....	34,219	1	16	28	31	95	149	269	494	657	879
1994.....	33,411	4	15	24	49	74	170	278	487	602	813
1993.....	32,097	1	20	34	46	86	166	311	491	600	770
1992.....	31,112	1	17	22	49	99	209	351	523	667	745
1991.....	30,645	2	13	37	41	107	211	318	487	637	790
1990.....	29,167	-	15	31	50	99	194	355	491	536	686
1989.....	28,505	3	24	38	61	102	200	338	440	560	707
1988.....	27,185	3	25	41	49	112	198	333	444	545	642
1987.....	26,315	9	18	36	44	131	210	318	399	475	564
1986.....	26,166	3	29	53	64	125	251	372	451	540	593
1985.....	25,159	5	25	36	49	123	262	350	415	489	602
1984.....	24,122	5	21	30	57	149	243	311	410	461	567
1983.....	23,491	2	29	52	68	155	244	323	350	423	480
1982.....	22,757	3	27	69	65	130	261	308	369	415	504
1981.....	21,553	4	28	57	73	180	253	317	329	381	453
1980.....	21,438	2	25	59	83	166	264	324	334	409	442
1979.....	20,457	5	33	76	75	159	231	337	316	352	413
TOTAL, MALE											
1998.....	18,336	2	11	15	21	57	102	162	245	355	502
1997.....	18,489	1	5	24	19	50	109	191	289	382	564
1996.....	17,979	-	8	14	31	47	103	165	306	419	577
1995.....	17,658	1	12	22	22	63	99	188	346	455	582
1994.....	17,311	2	8	19	40	40	98	169	320	405	540
1993.....	16,396	-	13	26	30	57	95	196	337	420	531
1992.....	16,170	1	11	16	30	68	126	215	365	467	498
1991.....	15,783	-	9	29	34	63	131	220	335	453	537
1990.....	15,312	-	9	27	35	66	123	238	349	365	468
1989.....	14,762	1	18	30	42	62	134	228	315	393	453
1988.....	14,068	-	16	30	37	72	122	235	284	366	392
1987.....	13,552	6	11	29	30	81	134	204	266	328	373
1986.....	13,586	1	22	39	49	76	146	256	309	368	392
1985.....	13,100	2	14	25	35	84	169	226	276	333	390
1984.....	12,391	1	11	28	34	93	161	208	267	292	357
1983.....	12,197	2	16	41	51	91	153	201	228	273	312
1982.....	11,785	2	20	59	48	84	157	201	243	265	338
1981.....	11,022	2	16	43	45	107	155	204	215	233	290
1980.....	11,148	2	14	52	57	110	177	199	211	255	284
1979.....	10,933	5	20	60	60	111	155	207	195	232	269

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	16,878	3	5	6	12	24	66	92	113	190	244
1997.....	17,033	2	1	9	21	26	66	82	139	216	296
1996.....	16,611	1	5	4	12	38	69	117	137	190	283
1995.....	16,561	-	4	6	9	32	50	81	148	202	297
1994.....	16,100	2	7	5	9	34	72	109	167	197	273
1993.....	15,701	1	7	8	16	29	71	115	154	180	239
1992.....	14,942	-	6	6	19	31	83	136	158	200	247
1991.....	14,862	2	4	8	7	44	80	98	152	184	253
1990.....	13,855	-	6	4	15	33	71	117	142	171	218
1989.....	13,743	2	6	8	19	40	66	110	125	167	254
1988.....	13,117	3	9	11	12	40	76	98	160	179	250
1987.....	12,763	3	7	7	14	50	76	114	133	147	191
1986.....	12,580	2	7	14	15	49	105	116	142	172	201
1985.....	12,059	3	11	11	14	39	93	124	139	156	212
1984.....	11,731	4	10	2	23	56	82	103	143	169	210
1983.....	11,294	-	13	11	17	64	91	122	122	150	168
1982.....	10,972	1	7	10	17	46	104	107	126	150	166
1981.....	10,531	2	12	14	28	73	98	113	114	148	163
1980.....	10,290	-	11	7	26	56	87	125	123	154	158
1979.....	9,524	-	13	16	15	48	76	130	121	120	144
WHITE, BOTH SEXES											
1998.....	31,151	3	14	16	26	68	138	189	288	432	587
1997.....	31,486	3	5	25	32	56	136	217	344	454	676
1996.....	30,678	1	10	11	33	72	134	226	346	486	693
1995.....	30,448	-	13	21	24	74	111	209	392	531	726
1994.....	29,824	3	10	21	37	58	137	226	392	501	672
1993.....	28,567	1	15	27	40	73	126	257	405	493	640
1992.....	27,715	1	17	19	38	87	167	283	426	532	610
1991.....	27,224	1	12	34	35	84	178	261	378	526	648
1990.....	26,033	-	12	26	43	85	154	298	413	444	556
1989.....	25,472	2	17	33	52	82	164	280	350	471	600
1988.....	24,343	3	21	36	43	95	164	295	365	466	536
1987.....	23,578	7	16	31	35	108	180	280	335	391	485
1986.....	23,393	3	23	42	52	105	222	326	388	459	499
1985.....	22,524	2	22	32	40	104	223	290	352	416	517
1984.....	21,675	2	17	29	48	120	214	261	336	407	480
1983.....	21,072	2	27	42	51	130	208	279	293	361	419
1982.....	20,461	2	24	59	54	107	235	262	323	358	442
1981.....	19,323	3	25	48	63	150	221	279	290	326	372
1980.....	19,305	1	20	56	66	147	230	286	290	353	389
1979.....	18,462	3	27	66	67	139	202	288	278	313	356

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE											
1998.....	16,278	1	9	12	18	48	86	121	203	292	404
1997.....	16,361	1	4	17	14	40	82	153	239	284	453
1996.....	15,923	-	7	9	24	42	78	136	235	341	469
1995.....	15,710	-	11	18	17	50	73	144	282	374	487
1994.....	15,455	2	7	17	29	36	74	138	257	342	443
1993.....	14,558	-	9	22	27	51	70	162	277	348	444
1992.....	14,385	1	11	13	24	60	101	176	299	369	419
1991.....	14,013	-	8	26	29	54	113	181	265	380	449
1990.....	13,623	-	8	23	30	55	94	203	295	305	385
1989.....	13,135	-	12	27	37	47	106	180	250	334	391
1988.....	12,590	-	13	27	31	62	101	207	241	312	331
1987.....	12,082	4	9	26	25	66	119	180	225	278	319
1986.....	12,066	1	17	32	38	62	128	227	271	311	333
1985.....	11,720	1	12	22	28	72	139	188	237	284	340
1984.....	11,077	-	8	27	27	74	143	170	223	259	298
1983.....	10,866	2	15	35	43	77	131	173	190	242	271
1982.....	10,551	1	17	50	41	67	143	172	211	234	299
1981.....	9,863	1	15	36	43	87	135	186	190	203	242
1980.....	9,990	1	12	49	46	98	155	180	186	223	250
1979.....	9,854	3	16	51	55	94	136	179	173	208	239
WHITE FEMALE											
1998.....	14,873	2	5	4	8	20	52	68	85	140	183
1997.....	15,125	2	1	8	18	16	54	64	105	170	223
1996.....	14,755	1	3	2	9	30	56	90	111	145	224
1995.....	14,738	-	2	3	7	24	38	65	110	157	239
1994.....	14,369	1	3	4	8	22	63	88	135	159	229
1993.....	14,009	1	6	5	13	22	56	95	128	145	196
1992.....	13,330	-	6	6	14	27	66	107	127	163	191
1991.....	13,211	1	4	8	6	30	65	80	113	146	199
1990.....	12,410	-	4	3	13	30	60	95	118	139	171
1989.....	12,337	2	5	6	15	35	58	100	100	137	209
1988.....	11,753	3	8	9	12	33	63	88	124	154	205
1987.....	11,496	3	7	5	10	42	61	100	110	113	166
1986.....	11,327	2	6	10	14	43	94	99	117	148	166
1985.....	10,804	1	10	10	12	32	84	102	115	132	177
1984.....	10,598	2	9	2	21	46	71	91	113	148	182
1983.....	10,206	-	12	7	8	53	77	106	103	119	148
1982.....	9,910	1	7	9	13	40	92	90	112	124	143
1981.....	9,460	2	10	12	20	63	86	93	100	123	130
1980.....	9,315	-	8	7	20	49	75	106	104	130	139
1979.....	8,608	-	11	15	12	45	66	109	105	105	117

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)											
ALL OTHER, BOTH SEXES											
1998.....	4,063	2	2	5	7	13	30	65	70	113	159
1997.....	4,036	-	1	8	8	20	39	56	84	144	184
1996.....	3,912	-	3	7	10	13	38	56	97	123	167
1995.....	3,771	1	3	7	7	21	38	60	102	126	153
1994.....	3,587	1	5	3	12	16	33	52	95	101	141
1993.....	3,530	-	5	7	6	13	40	54	86	107	130
1992.....	3,397	-	-	3	11	12	42	68	97	135	135
1991.....	3,421	1	1	3	6	23	33	57	109	111	142
1990.....	3,134	-	3	5	7	14	40	57	78	92	130
1989.....	3,033	1	7	5	9	20	36	58	90	89	107
1988.....	2,842	-	4	5	6	17	34	38	79	79	106
1987.....	2,737	2	2	5	9	23	30	38	64	84	79
1986.....	2,773	-	6	11	12	20	29	46	63	81	94
1985.....	2,635	3	3	4	9	19	39	60	63	73	85
1984.....	2,447	3	4	1	9	29	29	50	74	54	87
1983.....	2,419	-	2	10	17	25	36	44	57	62	61
1982.....	2,296	1	3	10	11	23	26	46	46	57	62
1981.....	2,230	1	3	9	10	30	32	38	39	55	81
1980.....	2,133	1	5	3	17	19	34	38	44	56	53
1979.....	1,995	2	6	10	8	20	29	49	38	39	57
ALL OTHER MALE											
1998.....	2,058	1	2	3	3	9	16	41	42	63	98
1997.....	2,128	-	1	7	5	10	27	38	50	98	111
1996.....	2,056	-	1	5	7	5	25	29	71	78	108
1995.....	1,948	1	1	4	5	13	26	44	64	81	95
1994.....	1,856	-	1	2	11	4	24	31	63	63	97
1993.....	1,838	-	4	4	3	6	25	34	60	72	87
1992.....	1,785	-	-	3	6	8	25	39	66	98	79
1991.....	1,770	-	1	3	5	9	18	39	70	73	88
1990.....	1,689	-	1	4	5	11	29	35	54	60	83
1989.....	1,627	1	6	3	5	15	28	48	65	59	62
1988.....	1,478	-	3	3	6	10	21	28	43	54	61
1987.....	1,470	2	2	3	5	15	15	24	41	50	54
1986.....	1,520	-	5	7	11	14	18	29	38	57	59
1985.....	1,380	1	2	3	7	12	30	38	39	49	50
1984.....	1,314	1	3	1	7	19	18	38	44	33	59
1983.....	1,331	-	1	6	8	14	22	28	38	31	41
1982.....	1,234	1	3	9	7	17	14	29	32	31	39
1981.....	1,159	1	1	7	2	20	20	18	25	30	48
1980.....	1,158	1	2	3	11	12	22	19	25	32	34
1979.....	1,079	2	4	9	5	17	19	28	22	24	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998.....	2,005	1	-	2	4	4	14	24	28	50	61
1997.....	1,908	-	-	1	3	10	12	18	34	46	73
1996.....	1,856	-	2	2	3	8	13	27	26	45	59
1995.....	1,823	-	2	3	2	8	12	16	38	45	58
1994.....	1,731	1	4	1	1	12	9	21	32	38	44
1993.....	1,692	-	1	3	3	7	15	20	26	35	43
1992.....	1,612	-	-	-	5	4	17	29	31	37	56
1991.....	1,651	1	-	-	1	14	15	18	39	38	54
1990.....	1,445	-	2	1	2	3	11	22	24	32	47
1989.....	1,406	-	1	2	4	5	8	10	25	30	45
1988.....	1,364	-	1	2	-	7	13	10	36	25	45
1987.....	1,267	-	-	2	4	8	15	14	23	34	25
1986.....	1,253	-	1	4	1	6	11	17	25	24	35
1985.....	1,255	2	1	1	2	7	9	22	24	24	35
1984.....	1,133	2	1	-	2	10	11	12	30	21	28
1983.....	1,088	-	1	4	9	11	14	16	19	31	20
1982.....	1,062	-	-	1	4	6	12	17	14	26	23
1981.....	1,071	-	2	2	8	10	12	20	14	25	33
1980.....	975	-	3	-	6	7	12	19	19	24	19
1979.....	916	-	2	1	3	3	10	21	16	15	27
BLACK, BOTH SEXES											
1998.....	3,470	1	1	5	5	8	25	60	55	99	138
1997.....	3,455	-	-	6	8	17	34	42	76	125	168
1996.....	3,385	-	2	6	9	12	34	46	84	106	151
1995.....	3,272	-	2	7	5	20	28	55	87	112	137
1994.....	3,112	1	3	2	7	13	27	38	81	89	120
1993.....	3,110	-	4	6	4	11	32	47	76	99	112
1992.....	2,988	-	-	2	9	9	36	61	87	121	125
1991.....	3,024	1	1	3	3	19	33	51	98	99	126
1990.....	2,773	-	2	5	3	12	36	50	73	79	117
1989.....	2,695	1	5	4	9	18	34	52	78	81	97
1988.....	2,544	-	3	3	5	13	33	35	74	73	89
1987.....	2,479	1	2	4	5	21	27	37	57	75	75
1986.....	2,513	-	5	10	10	17	28	44	57	72	84
1985.....	2,373	3	2	3	9	17	32	54	55	65	76
1984.....	2,236	2	2	1	7	26	28	49	69	48	82
1983.....	2,223	-	-	8	16	21	29	39	52	56	56
1982.....	2,116	-	2	6	9	22	22	43	45	53	55
1981.....	2,056	1	3	9	7	27	30	32	37	47	72
1980.....	1,961	1	3	3	16	17	31	36	40	50	44
1979.....	1,849	2	6	10	8	20	26	41	36	35	53

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
BLACK MALE											
1998.....	1,741	-	1	3	2	6	13	40	33	54	82
1997.....	1,788	-	-	5	5	9	24	28	43	85	105
1996.....	1,769	-	1	4	6	5	23	23	65	68	98
1995.....	1,678	-	-	4	3	12	18	41	55	74	85
1994.....	1,588	-	1	2	6	4	18	24	55	54	80
1993.....	1,588	-	3	3	2	5	19	30	52	67	73
1992.....	1,551	-	-	2	5	5	20	36	62	88	75
1991.....	1,547	-	1	3	2	8	18	35	65	64	80
1990.....	1,492	-	-	4	2	10	26	31	50	51	73
1989.....	1,434	1	4	2	5	14	26	43	57	55	56
1988.....	1,315	-	3	2	5	9	20	26	39	48	52
1987.....	1,335	1	2	2	3	13	15	24	39	43	53
1986.....	1,353	-	4	7	9	12	17	27	35	51	51
1985.....	1,230	1	2	2	7	11	25	34	36	44	43
1984.....	1,199	-	1	1	6	18	17	38	43	29	54
1983.....	1,206	-	-	4	7	12	16	24	34	28	37
1982.....	1,120	-	2	6	7	16	11	26	31	28	36
1981.....	1,063	1	1	7	2	18	18	14	24	27	42
1980.....	1,058	1	1	3	10	11	20	19	23	29	30
1979.....	996	2	4	9	5	17	17	24	21	21	27
BLACK FEMALE											
1998.....	1,729	1	-	2	3	2	12	20	22	45	56
1997.....	1,667	-	-	1	3	8	10	14	33	40	63
1996.....	1,616	-	1	2	3	7	11	23	19	38	53
1995.....	1,594	-	2	3	2	8	10	14	32	38	52
1994.....	1,524	1	2	-	1	9	9	14	26	35	40
1993.....	1,522	-	1	3	2	6	13	17	24	32	39
1992.....	1,437	-	-	-	4	4	16	25	25	33	50
1991.....	1,477	1	-	-	1	11	15	16	33	35	46
1990.....	1,281	-	2	1	1	2	10	19	23	28	44
1989.....	1,261	-	1	2	4	4	8	9	21	26	41
1988.....	1,229	-	-	1	-	4	13	9	35	25	37
1987.....	1,144	-	-	2	2	8	12	13	18	32	22
1986.....	1,160	-	1	3	1	5	11	17	22	21	33
1985.....	1,143	2	-	1	2	6	7	20	19	21	33
1984.....	1,037	2	1	-	1	8	11	11	26	19	28
1983.....	1,017	-	-	4	9	9	13	15	18	28	19
1982.....	996	-	-	-	2	6	11	17	14	25	19
1981.....	993	-	2	2	5	9	12	18	13	20	30
1980.....	903	-	2	-	6	6	11	17	17	21	14
1979.....	853	-	2	1	3	3	9	17	15	14	26

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
TOTAL, BOTH SEXES											
1998.....	7,933	60	53	52	32	62	59	63	112	123	208
1997.....	7,659	63	65	35	41	57	58	67	120	127	189
1996.....	7,647	60	70	47	38	55	43	59	105	147	210
1995.....	7,759	74	54	50	55	49	53	82	128	162	169
1994.....	7,517	67	79	54	47	52	58	68	121	173	211
1993.....	7,441	61	77	38	34	41	55	83	136	171	170
1992.....	7,070	62	61	53	44	39	62	82	115	133	188
1991.....	6,994	60	76	39	34	45	58	80	115	151	140
1990.....	6,752	71	75	53	47	45	48	86	127	142	154
1989.....	6,701	56	66	48	37	44	43	66	100	115	169
1988.....	6,735	60	69	54	49	47	53	92	102	138	135
1987.....	6,570	59	55	44	37	47	59	89	94	106	140
1986.....	6,730	78	56	47	43	55	77	75	128	131	131
1985.....	6,699	61	68	47	40	50	50	99	86	139	144
1984.....	6,436	78	49	44	36	47	52	82	104	124	134
1983.....	6,483	53	54	42	48	58	62	76	102	126	143
1982.....	6,460	60	56	57	36	60	73	82	94	122	122
1981.....	6,235	54	48	49	43	42	74	74	96	111	150
1980.....	6,193	67	38	52	52	62	68	83	112	112	152
1979.....	5,904	48	47	50	41	56	75	87	109	96	152
TOTAL, MALE											
1998.....	3,516	29	28	30	16	35	37	42	63	68	106
1997.....	3,366	31	32	10	20	33	31	33	68	64	96
1996.....	3,412	26	39	24	15	33	27	36	61	84	114
1995.....	3,474	43	35	21	31	28	29	57	79	90	96
1994.....	3,404	33	44	32	20	30	30	37	76	110	119
1993.....	3,424	30	47	19	16	26	28	48	78	108	92
1992.....	3,256	34	34	24	27	16	36	53	62	75	100
1991.....	3,179	30	39	23	21	23	26	44	74	83	79
1990.....	3,012	31	35	23	22	24	23	47	71	87	78
1989.....	3,048	29	34	27	20	24	24	43	51	70	73
1988.....	3,012	26	36	27	22	30	29	48	53	82	74
1987.....	3,065	26	28	29	20	23	28	55	49	56	59
1986.....	3,114	37	28	17	29	34	46	45	72	75	71
1985.....	3,008	22	45	24	19	24	28	58	40	73	81
1984.....	2,920	34	23	18	16	25	25	53	54	68	77
1983.....	2,985	29	26	21	25	37	28	40	57	69	78
1982.....	2,977	28	31	30	14	27	37	44	46	65	61
1981.....	2,934	30	26	23	26	26	38	29	52	56	79
1980.....	2,879	36	22	22	33	34	38	39	57	51	81
1979.....	2,704	17	25	24	19	31	37	46	55	48	69

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
TOTAL, FEMALE											
1998.....	4,417	31	25	22	16	27	22	21	49	55	102
1997.....	4,293	32	33	25	21	24	27	34	52	63	93
1996.....	4,235	34	31	23	23	22	16	23	44	63	96
1995.....	4,285	31	19	29	24	21	24	25	49	72	73
1994.....	4,113	34	35	22	27	22	28	31	45	63	92
1993.....	4,017	31	30	19	18	15	27	35	58	63	78
1992.....	3,814	28	27	29	17	23	26	29	53	58	88
1991.....	3,815	30	37	16	13	22	32	36	41	68	61
1990.....	3,740	40	40	30	25	21	25	39	56	55	76
1989.....	3,653	27	32	21	17	20	19	23	49	45	96
1988.....	3,723	34	33	27	27	17	24	44	49	56	61
1987.....	3,505	33	27	15	17	24	31	34	45	50	81
1986.....	3,616	41	28	30	14	21	31	30	56	56	60
1985.....	3,691	39	23	23	21	26	22	41	46	66	63
1984.....	3,516	44	26	26	20	22	27	29	50	56	57
1983.....	3,498	24	28	21	23	21	34	36	45	57	65
1982.....	3,483	32	25	27	22	33	36	38	48	57	61
1981.....	3,301	24	22	26	17	16	36	45	44	55	71
1980.....	3,314	31	16	30	19	28	30	44	55	61	71
1979.....	3,200	31	22	26	22	25	38	41	54	48	83
WHITE, BOTH SEXES											
1998.....	6,940	44	39	34	24	45	46	53	88	93	156
1997.....	6,682	48	56	22	29	43	47	54	91	96	147
1996.....	6,657	51	49	33	28	39	33	43	71	114	162
1995.....	6,748	68	37	37	42	36	34	66	102	127	120
1994.....	6,595	51	62	43	36	40	49	56	97	138	163
1993.....	6,539	49	66	30	23	35	48	68	102	133	133
1992.....	6,191	47	51	43	39	31	50	68	89	106	158
1991.....	6,136	48	64	36	27	35	46	56	85	126	111
1990.....	5,908	57	62	47	38	35	36	70	110	114	120
1989.....	5,858	39	46	37	33	28	35	55	79	87	138
1988.....	5,870	53	53	45	38	34	40	73	76	118	117
1987.....	5,802	54	42	37	31	43	40	73	76	85	113
1986.....	5,895	65	44	38	36	38	65	65	109	105	111
1985.....	5,839	50	53	37	29	36	40	85	70	116	107
1984.....	5,656	61	42	34	29	37	45	69	87	101	112
1983.....	5,728	43	42	37	34	45	53	63	79	105	119
1982.....	5,654	42	45	45	25	52	54	67	75	97	99
1981.....	5,508	43	38	41	34	36	54	56	86	89	130
1980.....	5,383	53	30	39	41	50	60	76	87	94	129
1979.....	5,201	41	36	35	34	43	61	76	88	76	116



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
WHITE MALE											
1998.....	3,079	20	22	20	13	25	32	33	50	56	81
1997.....	2,926	20	27	7	11	26	26	27	54	54	77
1996.....	2,973	24	30	16	11	23	23	29	44	66	96
1995.....	3,025	39	24	16	21	22	19	45	69	73	67
1994.....	2,997	24	35	26	16	24	25	31	61	90	98
1993.....	2,997	24	40	15	11	21	25	41	56	85	72
1992.....	2,843	24	27	19	23	12	29	43	49	62	89
1991.....	2,783	23	33	21	17	17	24	31	54	72	68
1990.....	2,658	25	31	20	17	20	15	38	60	71	58
1989.....	2,685	24	21	24	18	11	17	38	46	57	65
1988.....	2,639	21	29	22	19	22	23	41	39	72	67
1987.....	2,683	25	20	26	17	21	20	45	40	42	46
1986.....	2,740	31	23	15	22	24	37	38	62	63	62
1985.....	2,632	17	38	21	13	17	22	50	32	64	59
1984.....	2,568	27	21	14	14	19	22	44	46	56	63
1983.....	2,639	26	20	16	18	29	23	34	47	58	66
1982.....	2,617	19	23	23	10	24	27	35	39	53	49
1981.....	2,625	25	21	21	20	23	30	22	47	51	70
1980.....	2,514	30	17	17	26	28	36	36	49	47	68
1979.....	2,406	14	21	19	16	27	31	39	42	37	46
WHITE FEMALE											
1998.....	3,861	24	17	14	11	20	14	20	38	37	75
1997.....	3,756	28	29	15	18	17	21	27	37	42	70
1996.....	3,684	27	19	17	17	16	10	14	27	48	66
1995.....	3,723	29	13	21	21	14	15	21	33	54	53
1994.....	3,598	27	27	17	20	16	24	25	36	48	65
1993.....	3,542	25	26	15	12	14	23	27	46	48	61
1992.....	3,348	23	24	24	16	19	21	25	40	44	69
1991.....	3,353	25	31	15	10	18	22	25	31	54	43
1990.....	3,250	32	31	27	21	15	21	32	50	43	62
1989.....	3,173	15	25	13	15	17	18	17	33	30	73
1988.....	3,231	32	24	23	19	12	17	32	37	46	50
1987.....	3,119	29	22	11	14	22	20	28	36	43	67
1986.....	3,155	34	21	23	14	14	28	27	47	42	49
1985.....	3,207	33	15	16	16	19	18	35	38	52	48
1984.....	3,088	34	21	20	15	18	23	25	41	45	49
1983.....	3,089	17	22	21	16	16	30	29	32	47	53
1982.....	3,037	23	22	22	15	28	27	32	36	44	50
1981.....	2,883	18	17	20	14	13	24	34	39	38	60
1980.....	2,869	23	13	22	15	22	24	40	38	47	61
1979.....	2,795	27	15	16	18	16	30	37	46	39	70

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
ALL OTHER, BOTH SEXES											
1998.....	993	16	14	18	8	17	13	10	24	30	52
1997.....	977	15	9	13	12	14	11	13	29	31	42
1996.....	990	9	21	14	10	16	10	16	34	33	48
1995.....	1,011	6	17	13	13	13	19	16	26	35	49
1994.....	922	16	17	11	11	12	9	12	24	35	48
1993.....	902	12	11	8	11	6	7	15	34	38	37
1992.....	879	15	10	10	5	8	12	14	26	27	30
1991.....	858	12	12	3	7	10	12	24	30	25	29
1990.....	844	14	13	6	9	10	12	16	17	28	34
1989.....	843	17	20	11	4	16	8	11	21	28	31
1988.....	865	7	16	9	11	13	13	19	26	20	18
1987.....	768	5	13	7	6	4	19	16	18	21	27
1986.....	835	13	12	9	7	17	12	10	19	26	20
1985.....	860	11	15	10	11	14	10	14	16	23	37
1984.....	780	17	7	10	7	10	7	13	17	23	22
1983.....	755	10	12	5	14	13	9	13	23	21	24
1982.....	806	18	11	12	11	8	19	15	19	25	23
1981.....	727	11	10	8	9	6	20	18	10	22	20
1980.....	810	14	8	13	11	12	8	7	25	18	23
1979.....	703	7	11	15	7	13	14	11	21	20	36
ALL OTHER MALE											
1998.....	437	9	6	10	3	10	5	9	13	12	25
1997.....	440	11	5	3	9	7	5	6	14	10	19
1996.....	439	2	9	8	4	10	4	7	17	18	18
1995.....	449	4	11	5	10	6	10	12	10	17	29
1994.....	407	9	9	6	4	6	5	6	15	20	21
1993.....	427	6	7	4	5	5	3	7	22	23	20
1992.....	413	10	7	5	4	4	7	10	13	13	11
1991.....	396	7	6	2	4	6	2	13	20	11	11
1990.....	354	6	4	3	5	4	8	9	11	16	20
1989.....	363	5	13	3	2	13	7	5	5	13	8
1988.....	373	5	7	5	3	8	6	7	14	10	7
1987.....	382	1	8	3	3	2	8	10	9	14	13
1986.....	374	6	5	2	7	10	9	7	10	12	9
1985.....	376	5	7	3	6	7	6	8	8	9	22
1984.....	352	7	2	4	2	6	3	9	8	12	14
1983.....	346	3	6	5	7	8	5	6	10	11	12
1982.....	360	9	8	7	4	3	10	9	7	12	12
1981.....	309	5	5	2	6	3	8	7	5	5	9
1980.....	365	6	5	5	7	6	2	3	8	4	13
1979.....	298	3	4	5	3	4	6	7	13	11	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
ALL OTHER FEMALE											
1998.....	556	7	8	8	5	7	8	1	11	18	27
1997.....	537	4	4	10	3	7	6	7	15	21	23
1996.....	551	7	12	6	6	6	6	9	17	15	30
1995.....	562	2	6	8	3	7	9	4	16	18	20
1994.....	515	7	8	5	7	6	4	6	9	15	27
1993.....	475	6	4	4	6	1	4	8	12	15	17
1992.....	466	5	3	5	1	4	5	4	13	14	19
1991.....	462	5	6	1	3	4	10	11	10	14	18
1990.....	490	8	9	3	4	6	4	7	6	12	14
1989.....	480	12	7	8	2	3	1	6	16	15	23
1988.....	492	2	9	4	8	5	7	12	12	10	11
1987.....	386	4	5	4	3	2	11	6	9	7	14
1986.....	461	7	7	7	-	7	3	3	9	14	11
1985.....	484	6	8	7	5	7	4	6	8	14	15
1984.....	428	10	5	6	5	4	4	4	9	11	8
1983.....	409	7	6	-	7	5	4	7	13	10	12
1982.....	446	9	3	5	7	5	9	6	12	13	11
1981.....	418	6	5	6	3	3	12	11	5	17	11
1980.....	445	8	3	8	4	6	6	4	17	14	10
1979.....	405	4	7	10	4	9	8	4	8	9	13
BLACK, BOTH SEXES											
1998.....	855	14	11	16	8	16	11	8	21	27	45
1997.....	861	12	8	10	10	12	8	11	27	28	37
1996.....	855	6	20	11	10	14	8	15	29	28	44
1995.....	878	4	14	10	12	10	16	14	23	31	40
1994.....	804	7	14	10	10	6	9	10	23	32	44
1993.....	798	9	9	5	9	5	5	15	31	36	36
1992.....	778	12	9	9	3	7	11	14	23	24	25
1991.....	777	12	9	3	4	10	9	23	27	22	27
1990.....	747	14	10	6	7	8	10	14	15	23	32
1989.....	742	15	14	9	3	13	7	10	19	23	25
1988.....	784	4	14	8	10	9	11	14	23	19	15
1987.....	689	3	9	6	5	4	16	15	17	20	24
1986.....	756	11	12	9	5	11	10	8	17	18	19
1985.....	776	9	12	9	7	14	10	12	15	19	33
1984.....	697	12	6	9	6	10	5	11	13	23	21
1983.....	684	7	9	2	12	11	9	13	19	21	23
1982.....	748	14	9	11	10	8	18	15	18	21	21
1981.....	665	9	10	8	7	6	18	16	9	22	19
1980.....	749	12	8	12	10	12	8	7	20	15	20
1979.....	654	7	10	14	7	12	14	9	19	20	34

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
BLACK MALE											
1998.....	366	8	6	8	3	9	5	7	12	12	20
1997.....	376	8	5	3	7	5	3	5	12	8	18
1996.....	372	1	9	6	4	9	3	7	14	15	17
1995.....	394	2	9	3	9	5	8	12	9	14	24
1994.....	352	5	8	6	3	4	5	5	14	18	20
1993.....	374	4	7	3	3	4	2	7	21	22	20
1992.....	360	10	6	5	2	3	7	10	11	13	8
1991.....	354	7	5	2	1	6	-	12	17	9	10
1990.....	316	6	4	3	3	3	6	8	9	14	19
1989.....	321	5	8	3	2	11	7	5	4	12	7
1988.....	330	4	7	4	2	5	4	5	13	9	7
1987.....	339	1	5	2	2	2	6	9	9	14	11
1986.....	332	4	5	2	5	6	7	5	8	11	9
1985.....	332	4	5	3	4	7	6	6	8	7	19
1984.....	308	5	2	4	2	6	1	7	7	12	13
1983.....	307	3	3	2	6	6	5	6	9	11	11
1982.....	331	7	6	6	3	3	10	9	7	11	10
1981.....	273	4	5	2	5	3	7	5	4	5	9
1980.....	339	5	5	4	6	6	2	3	5	4	13
1979.....	276	3	3	4	3	3	6	6	12	11	21
BLACK FEMALE											
1998.....	489	6	5	8	5	7	6	1	9	15	25
1997.....	485	4	3	7	3	7	5	6	15	20	19
1996.....	483	5	11	5	6	5	5	8	15	13	27
1995.....	484	2	5	7	3	5	8	2	14	17	16
1994.....	452	2	6	4	7	2	4	5	9	14	24
1993.....	424	5	2	2	6	1	3	8	10	14	16
1992.....	418	2	3	4	1	4	4	4	12	11	17
1991.....	423	5	4	1	3	4	9	11	10	13	17
1990.....	431	8	6	3	4	5	4	6	6	9	13
1989.....	421	10	6	6	1	2	-	5	15	11	18
1988.....	454	-	7	4	8	4	7	9	10	10	8
1987.....	350	2	4	4	3	2	10	6	8	6	13
1986.....	424	7	7	7	-	5	3	3	9	7	10
1985.....	444	5	7	6	3	7	4	6	7	12	14
1984.....	389	7	4	5	4	4	4	4	6	11	8
1983.....	377	4	6	-	6	5	4	7	10	10	12
1982.....	417	7	3	5	7	5	8	6	11	10	11
1981.....	392	5	5	6	2	3	11	11	5	17	10
1980.....	410	7	3	8	4	6	6	4	15	11	7
1979.....	378	4	7	10	4	9	8	3	7	9	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DIABETES MELLITUS (250)											
TOTAL, BOTH SEXES											
1998.....	64,751	2	6	9	11	43	94	197	439	707	1,178
1997.....	62,636	2	3	13	15	40	89	222	398	752	1,106
1996.....	61,767	-	6	6	20	40	105	207	440	713	1,166
1995.....	59,254	-	6	6	11	47	89	208	406	754	1,090
1994.....	56,692	1	4	5	14	32	94	228	454	690	1,095
1993.....	53,894	1	14	11	13	27	91	203	399	722	975
1992.....	50,067	4	4	14	12	36	97	234	424	666	934
1991.....	48,951	1	8	12	22	29	93	216	442	657	896
1990.....	47,664	4	7	7	17	29	86	244	430	617	893
1989.....	46,833	6	15	11	21	31	105	250	437	593	839
1988.....	40,368	1	8	15	16	31	88	237	419	641	754
1987.....	38,532	-	10	10	21	34	85	220	398	566	637
1986.....	37,184	2	9	10	15	30	110	223	411	542	632
1985.....	36,969	2	11	11	20	38	83	211	326	539	626
1984.....	35,787	4	5	10	17	28	91	225	353	501	571
1983.....	36,246	4	9	11	27	32	97	230	354	492	572
1982.....	34,583	11	12	13	27	37	97	200	333	421	501
1981.....	34,642	6	8	12	20	43	106	194	360	388	528
1980.....	34,851	4	12	15	22	33	95	244	328	415	485
1979.....	33,192	3	10	15	29	50	120	217	296	393	511
TOTAL, MALE											
1998.....	29,584	-	2	4	8	20	42	105	251	419	732
1997.....	28,187	2	1	5	7	23	43	110	215	474	684
1996.....	27,646	-	4	2	6	18	64	106	261	452	687
1995.....	26,124	-	5	4	5	29	54	119	226	430	646
1994.....	24,758	1	4	3	9	18	46	121	265	419	675
1993.....	23,430	1	5	3	7	17	49	105	218	430	590
1992.....	21,672	4	2	6	7	18	59	136	246	423	542
1991.....	21,096	-	3	7	9	15	56	109	258	377	538
1990.....	20,266	3	1	6	8	9	41	125	248	379	535
1989.....	19,730	5	8	3	7	14	54	145	267	373	517
1988.....	16,975	-	3	5	7	18	49	123	268	386	456
1987.....	16,237	-	5	4	10	17	43	116	247	349	385
1986.....	15,369	-	5	4	6	15	57	117	238	317	363
1985.....	15,263	-	3	7	8	14	41	106	208	332	371
1984.....	14,859	-	3	4	9	15	45	117	201	296	338
1983.....	14,668	2	3	3	10	10	48	109	203	295	322
1982.....	14,171	6	4	3	12	15	58	100	189	242	295
1981.....	14,211	5	4	9	6	15	54	106	209	221	296
1980.....	14,325	2	7	8	13	15	48	118	201	243	263
1979.....	13,795	3	2	3	10	23	66	122	157	214	308

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DIABETES MELLITUS (250)											
TOTAL, FEMALE											
1998.....	35,167	2	4	5	3	23	52	92	188	288	446
1997.....	34,449	-	2	8	8	17	46	112	183	278	422
1996.....	34,121	-	2	4	14	22	41	101	179	261	479
1995.....	33,130	-	1	2	6	18	35	89	180	324	444
1994.....	31,934	-	-	2	5	14	48	107	189	271	420
1993.....	30,464	-	9	8	6	10	42	98	181	292	385
1992.....	28,395	-	2	8	5	18	38	98	178	243	392
1991.....	27,855	1	5	5	13	14	37	107	184	280	358
1990.....	27,398	1	6	1	9	20	45	119	182	238	358
1989.....	27,103	1	7	8	14	17	51	105	170	220	322
1988.....	23,393	1	5	10	9	13	39	114	151	255	298
1987.....	22,295	-	5	6	11	17	42	104	151	217	252
1986.....	21,815	2	4	6	9	15	53	106	173	225	269
1985.....	21,706	2	8	4	12	24	42	105	118	207	255
1984.....	20,928	4	2	6	8	13	46	108	152	205	233
1983.....	21,578	2	6	8	17	22	49	121	151	197	250
1982.....	20,412	5	8	10	15	22	39	100	144	179	206
1981.....	20,431	1	4	3	14	28	52	88	151	167	232
1980.....	20,526	2	5	7	9	18	47	126	127	172	222
1979.....	19,397	-	8	12	19	27	54	95	139	179	203
WHITE, BOTH SEXES											
1998.....	51,706	2	5	8	9	30	56	128	299	505	836
1997.....	49,850	2	3	10	9	28	55	135	279	549	777
1996.....	49,511	-	4	4	10	27	65	147	327	527	829
1995.....	47,475	-	5	5	7	31	52	134	291	548	806
1994.....	45,650	1	3	5	10	21	59	168	343	492	794
1993.....	43,461	1	9	9	8	16	59	141	301	528	696
1992.....	40,442	4	4	8	10	23	62	166	331	497	684
1991.....	39,600	1	8	8	14	20	62	161	334	498	638
1990.....	38,696	3	7	3	12	21	54	176	321	473	665
1989.....	38,053	6	13	8	19	17	71	181	345	439	645
1988.....	32,692	-	8	12	13	21	66	173	326	467	550
1987.....	31,395	-	6	8	14	28	67	162	312	450	485
1986.....	30,284	1	9	8	13	21	90	179	337	400	458
1985.....	30,305	1	11	10	11	25	53	167	257	426	468
1984.....	29,466	3	4	9	12	19	74	184	257	386	407
1983.....	29,987	3	6	9	19	27	71	186	269	387	418
1982.....	28,910	8	11	8	18	30	72	164	251	335	384
1981.....	28,750	6	6	8	15	32	74	150	286	300	380
1980.....	28,868	2	7	13	15	26	70	186	266	307	349
1979.....	27,624	3	8	12	21	40	91	175	232	289	359

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DIABETES MELLITUS (250)											
WHITE MALE											
1998.....	24,249	-	2	4	6	14	25	67	173	304	527
1997.....	22,968	2	1	4	3	15	27	61	140	357	493
1996.....	22,829	-	3	1	2	14	40	78	199	334	498
1995.....	21,407	-	5	3	4	20	30	75	164	315	487
1994.....	20,391	1	3	3	7	10	28	86	201	307	510
1993.....	19,311	1	2	2	6	9	32	74	160	307	440
1992.....	17,951	4	2	3	5	9	41	96	196	326	415
1991.....	17,473	-	3	5	6	10	38	80	198	289	387
1990.....	16,817	2	1	2	5	7	32	86	184	296	411
1989.....	16,282	5	7	1	6	7	35	102	207	283	402
1988.....	14,008	-	3	5	6	13	37	93	210	284	338
1987.....	13,553	-	3	3	7	15	35	84	204	286	297
1986.....	12,788	-	5	3	5	8	47	93	197	235	269
1985.....	12,758	-	3	6	2	8	26	88	165	268	276
1984.....	12,450	-	2	3	4	12	38	98	145	234	252
1983.....	12,337	2	3	3	7	8	36	85	154	231	243
1982.....	12,092	4	4	2	9	13	46	83	138	192	230
1981.....	12,066	5	3	8	4	11	36	83	164	177	214
1980.....	12,125	1	2	6	10	10	36	93	167	180	193
1979.....	11,688	3	1	2	8	17	50	98	123	170	222
WHITE FEMALE											
1998.....	27,457	2	3	4	3	16	31	61	126	201	309
1997.....	26,882	-	2	6	6	13	28	74	139	192	284
1996.....	26,682	-	1	3	8	13	25	69	128	193	331
1995.....	26,068	-	-	2	3	11	22	59	127	233	319
1994.....	25,259	-	-	2	3	11	31	82	142	185	284
1993.....	24,150	-	7	7	2	7	27	67	141	221	256
1992.....	22,491	-	2	5	5	14	21	70	135	171	269
1991.....	22,127	1	5	3	8	10	24	81	136	209	251
1990.....	21,879	1	6	1	7	14	22	90	137	177	254
1989.....	21,771	1	6	7	13	10	36	79	138	156	243
1988.....	18,684	-	5	7	7	8	29	80	116	183	212
1987.....	17,842	-	3	5	7	13	32	78	108	164	188
1986.....	17,496	1	4	5	8	13	43	86	140	165	189
1985.....	17,547	1	8	4	9	17	27	79	92	158	192
1984.....	17,016	3	2	6	8	7	36	86	112	152	155
1983.....	17,650	1	3	6	12	19	35	101	115	156	175
1982.....	16,818	4	7	6	9	17	26	81	113	143	154
1981.....	16,684	1	3	-	11	21	38	67	122	123	166
1980.....	16,743	1	5	7	5	16	34	93	99	127	156
1979.....	15,936	-	7	10	13	23	41	77	109	119	137

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DIABETES MELLITUS (250)											
ALL OTHER, BOTH SEXES											
1998.....	13,045	-	1	1	2	13	38	69	140	202	342
1997.....	12,786	-	-	3	6	12	34	87	119	203	329
1996.....	12,256	-	2	2	10	13	40	60	113	186	337
1995.....	11,779	-	1	1	4	16	37	74	115	206	284
1994.....	11,042	-	1	-	4	11	35	60	111	198	301
1993.....	10,433	-	5	2	5	11	32	62	98	194	279
1992.....	9,625	-	-	6	2	13	35	68	93	169	250
1991.....	9,351	-	-	4	8	9	31	55	108	159	258
1990.....	8,968	1	-	4	5	8	32	68	109	144	228
1989.....	8,780	-	2	3	2	14	34	69	92	154	194
1988.....	7,676	1	-	3	3	10	22	64	93	174	204
1987.....	7,137	-	4	2	7	6	18	58	86	116	152
1986.....	6,900	1	-	2	2	9	20	44	74	142	174
1985.....	6,664	1	-	1	9	13	30	44	69	113	158
1984.....	6,321	1	1	1	5	9	17	41	96	115	164
1983.....	6,259	1	3	2	8	5	26	44	85	105	154
1982.....	5,673	3	1	5	9	7	25	36	82	86	117
1981.....	5,892	-	2	4	5	11	32	44	74	88	148
1980.....	5,983	2	5	2	7	7	25	58	62	108	136
1979.....	5,568	-	2	3	8	10	29	42	64	104	152
ALL OTHER MALE											
1998.....	5,335	-	-	-	2	6	17	38	78	115	205
1997.....	5,219	-	-	1	4	8	16	49	75	117	191
1996.....	4,817	-	1	1	4	4	24	28	62	118	189
1995.....	4,717	-	-	1	1	9	24	44	62	115	159
1994.....	4,367	-	1	-	2	8	18	35	64	112	165
1993.....	4,119	-	3	1	1	8	17	31	58	123	150
1992.....	3,721	-	-	3	2	9	18	40	50	97	127
1991.....	3,623	-	-	2	3	5	18	29	60	88	151
1990.....	3,449	1	-	4	3	2	9	39	64	83	124
1989.....	3,448	-	1	2	1	7	19	43	60	90	115
1988.....	2,967	-	-	-	1	5	12	30	58	102	118
1987.....	2,684	-	2	1	3	2	8	32	43	63	88
1986.....	2,581	-	-	1	1	7	10	24	41	82	94
1985.....	2,505	-	-	1	6	6	15	18	43	64	95
1984.....	2,409	-	1	1	5	3	7	19	56	62	86
1983.....	2,331	-	-	-	3	2	12	24	49	64	79
1982.....	2,079	2	-	1	3	2	12	17	51	50	65
1981.....	2,145	-	1	1	2	4	18	23	45	44	82
1980.....	2,200	1	5	2	3	5	12	25	34	63	70
1979.....	2,107	-	1	1	2	6	16	24	34	44	86



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DIABETES MELLITUS (250)											
ALL OTHER FEMALE											
1998.....	7,710	-	1	1	-	7	21	31	62	87	137
1997.....	7,567	-	-	2	2	4	18	38	44	86	138
1996.....	7,439	-	1	1	6	9	16	32	51	68	148
1995.....	7,062	-	1	-	3	7	13	30	53	91	125
1994.....	6,675	-	-	-	2	3	17	25	47	86	136
1993.....	6,314	-	2	1	4	3	15	31	40	71	129
1992.....	5,904	-	-	3	-	4	17	28	43	72	123
1991.....	5,728	-	-	2	5	4	13	26	48	71	107
1990.....	5,519	-	-	-	2	6	23	29	45	61	104
1989.....	5,332	-	1	1	1	7	15	26	32	64	79
1988.....	4,709	1	-	3	2	5	10	34	35	72	86
1987.....	4,453	-	2	1	4	4	10	26	43	53	64
1986.....	4,319	1	-	1	1	2	10	20	33	60	80
1985.....	4,159	1	-	-	3	7	15	26	26	49	63
1984.....	3,912	1	-	-	-	6	10	22	40	53	78
1983.....	3,928	1	3	2	5	3	14	20	36	41	75
1982.....	3,594	1	1	4	6	5	13	19	31	36	52
1981.....	3,747	-	1	3	3	7	14	21	29	44	66
1980.....	3,783	1	-	-	4	2	13	33	28	45	66
1979.....	3,461	-	1	2	6	4	13	18	30	60	66
BLACK, BOTH SEXES											
1998.....	11,378	-	1	1	2	12	37	68	125	190	317
1997.....	11,130	-	-	3	6	12	32	84	117	190	292
1996.....	10,800	-	2	1	7	13	39	53	97	168	298
1995.....	10,402	-	1	1	4	15	35	69	105	191	259
1994.....	9,849	-	1	-	4	11	35	57	108	186	279
1993.....	9,380	-	5	2	5	11	31	58	92	187	264
1992.....	8,653	-	-	6	2	12	34	68	86	163	232
1991.....	8,517	-	-	3	8	9	29	54	104	150	241
1990.....	8,114	1	-	3	5	7	30	67	105	134	207
1989.....	7,955	-	2	3	2	13	33	67	82	152	184
1988.....	6,972	1	-	3	3	8	20	62	89	164	195
1987.....	6,497	-	3	2	7	6	17	55	79	111	139
1986.....	6,299	1	-	2	2	9	20	39	72	135	160
1985.....	6,104	-	-	1	9	13	29	44	64	106	148
1984.....	5,810	1	1	1	4	8	16	39	92	112	157
1983.....	5,790	-	3	2	8	5	26	42	83	98	142
1982.....	5,227	2	1	5	9	6	22	36	77	83	109
1981.....	5,461	-	2	3	5	11	32	41	70	84	138
1980.....	5,544	1	5	2	7	7	24	52	61	106	121
1979.....	5,174	-	1	3	8	10	25	41	62	100	140

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DIABETES MELLITUS (250)											
BLACK MALE											
1998.....	4,511	-	-	-	2	6	16	37	66	104	190
1997.....	4,440	-	-	1	4	8	14	49	73	110	169
1996.....	4,132	-	1	-	2	4	23	23	53	108	163
1995.....	4,110	-	-	1	1	9	23	42	58	108	142
1994.....	3,834	-	1	-	2	8	18	34	63	105	150
1993.....	3,648	-	3	1	1	8	17	29	53	121	142
1992.....	3,271	-	-	3	2	8	18	40	47	94	116
1991.....	3,267	-	-	1	3	5	16	28	58	85	138
1990.....	3,049	1	-	3	3	2	8	38	62	76	110
1989.....	3,072	-	1	2	1	7	18	41	53	89	108
1988.....	2,640	-	-	-	1	4	12	29	54	99	111
1987.....	2,388	-	1	1	3	2	7	32	39	60	79
1986.....	2,295	-	-	1	1	7	10	23	40	77	89
1985.....	2,230	-	-	1	6	6	15	18	41	59	87
1984.....	2,160	-	1	1	4	3	6	19	54	59	83
1983.....	2,123	-	-	-	3	2	12	22	47	58	72
1982.....	1,878	2	-	1	3	2	11	17	48	49	59
1981.....	1,925	-	1	1	2	4	18	21	42	43	74
1980.....	2,010	-	5	2	3	5	11	21	34	62	58
1979.....	1,915	-	1	1	2	6	14	23	34	40	77
BLACK FEMALE											
1998.....	6,867	-	1	1	-	6	21	31	59	86	127
1997.....	6,690	-	-	2	2	4	18	35	44	80	123
1996.....	6,668	-	1	1	5	9	16	30	44	60	135
1995.....	6,292	-	1	-	3	6	12	27	47	83	117
1994.....	6,015	-	-	-	2	3	17	23	45	81	129
1993.....	5,732	-	2	1	4	3	14	29	39	66	122
1992.....	5,382	-	-	3	-	4	16	28	39	69	116
1991.....	5,250	-	-	2	5	4	13	26	46	65	103
1990.....	5,065	-	-	-	2	5	22	29	43	58	97
1989.....	4,883	-	1	1	1	6	15	26	29	63	76
1988.....	4,332	1	-	3	2	4	8	33	35	65	84
1987.....	4,109	-	2	1	4	4	10	23	40	51	60
1986.....	4,004	1	-	1	1	2	10	16	32	58	71
1985.....	3,874	-	-	-	3	7	14	26	23	47	61
1984.....	3,650	1	-	-	-	5	10	20	38	53	74
1983.....	3,667	-	3	2	5	3	14	20	36	40	70
1982.....	3,349	-	1	4	6	4	11	19	29	34	50
1981.....	3,536	-	1	2	3	7	14	20	28	41	64
1980.....	3,534	1	-	-	4	2	13	31	27	44	63
1979.....	3,259	-	-	2	6	4	11	18	28	60	63

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
TOTAL, BOTH SEXES											
1998.....	4,077	11	5	-	3	4	3	6	6	18	25
1997.....	3,928	11	1	3	1	1	5	5	6	18	30
1996.....	3,706	12	3	2	1	2	4	9	6	11	15
1995.....	3,584	7	6	2	2	1	5	6	10	17	15
1994.....	3,451	19	3	1	-	5	6	3	15	12	18
1993.....	3,451	23	6	-	-	-	4	8	11	22	18
1992.....	3,135	22	5	6	-	4	3	11	11	13	20
1991.....	2,991	22	3	-	1	1	7	8	11	14	10
1990.....	3,017	16	4	-	1	4	5	2	12	20	11
1989.....	3,046	14	3	3	1	4	4	7	10	13	24
1988.....	2,985	27	4	4	-	2	3	8	11	17	23
1987.....	2,889	25	8	4	2	4	5	10	11	14	11
1986.....	2,862	24	-	2	1	1	5	8	9	10	24
1985.....	2,874	30	3	2	2	4	3	5	7	14	14
1984.....	2,600	18	7	2	2	-	2	8	11	5	15
1983.....	2,656	34	5	3	2	5	2	3	9	11	12
1982.....	2,430	31	9	2	1	5	2	7	8	8	11
1981.....	2,331	28	10	-	4	2	4	6	8	12	22
1980.....	2,364	29	9	1	2	1	8	9	9	11	15
1979.....	2,210	45	2	1	-	1	7	8	11	12	20
TOTAL, MALE											
1998.....	1,278	6	2	-	1	3	2	2	4	12	13
1997.....	1,213	5	1	-	1	-	1	1	-	5	15
1996.....	1,225	7	2	1	1	1	1	4	1	4	8
1995.....	1,193	3	6	2	1	-	4	5	6	13	8
1994.....	1,186	14	-	-	-	2	3	3	8	8	11
1993.....	1,257	16	4	-	-	-	1	3	6	11	7
1992.....	1,089	11	3	5	-	3	1	5	7	8	9
1991.....	1,085	15	1	-	1	1	4	1	7	5	6
1990.....	1,108	10	3	-	1	2	1	1	6	13	3
1989.....	1,098	9	1	2	-	2	1	4	5	7	11
1988.....	1,096	13	2	1	-	1	3	3	9	13	11
1987.....	1,107	16	6	2	1	4	3	3	6	5	6
1986.....	1,088	7	-	1	-	1	1	3	6	6	15
1985.....	1,086	14	1	1	-	3	1	2	4	9	8
1984.....	977	13	5	2	1	-	2	2	8	1	5
1983.....	1,065	18	1	1	2	4	1	3	6	6	6
1982.....	994	16	2	1	1	1	1	2	5	3	8
1981.....	941	19	5	-	3	1	3	3	3	3	8
1980.....	962	16	2	1	1	1	6	7	5	5	8
1979.....	927	34	1	1	-	1	2	5	6	8	9

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
TOTAL, FEMALE											
1998.....	2,799	5	3	-	2	1	1	4	2	6	12
1997.....	2,715	6	-	3	-	1	4	4	6	13	15
1996.....	2,481	5	1	1	-	1	3	5	5	7	7
1995.....	2,391	4	-	-	1	1	1	1	4	4	7
1994.....	2,265	5	3	1	-	3	3	-	7	4	7
1993.....	2,194	7	2	-	-	-	3	5	5	11	11
1992.....	2,046	11	2	1	-	1	2	6	4	5	11
1991.....	1,906	7	2	-	-	-	3	7	4	9	4
1990.....	1,909	6	1	-	-	2	4	1	6	7	8
1989.....	1,948	5	2	1	1	2	3	3	5	6	13
1988.....	1,889	14	2	3	-	1	-	5	2	4	12
1987.....	1,782	9	2	2	1	-	2	7	5	9	5
1986.....	1,774	17	-	1	1	-	4	5	3	4	9
1985.....	1,788	16	2	1	2	1	2	3	3	5	6
1984.....	1,623	5	2	-	1	-	-	6	3	4	10
1983.....	1,591	16	4	2	-	1	1	-	3	5	6
1982.....	1,436	15	7	1	-	4	1	5	3	5	3
1981.....	1,390	9	5	-	1	1	1	3	5	9	14
1980.....	1,402	13	7	-	1	-	2	2	4	6	7
1979.....	1,283	11	1	-	-	-	5	3	5	4	11
WHITE, BOTH SEXES											
1998.....	3,539	7	2	-	2	4	3	6	6	14	16
1997.....	3,447	5	1	3	1	-	4	2	4	13	21
1996.....	3,255	7	1	2	1	1	3	6	4	7	11
1995.....	3,118	4	4	2	2	1	3	4	6	16	10
1994.....	3,007	8	2	-	-	2	5	1	10	6	8
1993.....	2,986	9	2	-	-	-	3	3	6	13	14
1992.....	2,642	12	2	3	-	2	2	6	10	9	14
1991.....	2,558	15	2	-	1	1	6	6	9	12	9
1990.....	2,546	11	4	-	1	3	4	2	9	12	7
1989.....	2,571	8	2	2	1	1	4	6	4	7	20
1988.....	2,526	15	1	2	-	1	2	5	8	12	13
1987.....	2,478	11	4	2	1	3	2	8	5	8	6
1986.....	2,438	12	-	2	1	1	4	4	6	7	17
1985.....	2,490	20	1	1	2	4	3	3	4	8	8
1984.....	2,231	12	5	2	1	-	2	7	9	4	9
1983.....	2,252	16	2	2	1	2	1	1	6	8	10
1982.....	2,049	19	4	1	-	4	1	7	7	6	7
1981.....	1,989	14	5	-	4	1	2	6	8	10	17
1980.....	2,008	9	4	1	-	1	6	7	6	7	10
1979.....	1,862	21	2	-	-	-	7	6	9	9	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
WHITE MALE											
1998.....	1,067	5	1	-	1	3	2	2	4	10	6
1997.....	1,003	1	1	-	1	-	1	-	-	3	9
1996.....	1,035	4	1	1	1	1	1	3	1	4	7
1995.....	999	2	4	2	1	-	3	3	3	12	4
1994.....	995	5	-	-	-	1	3	1	6	3	4
1993.....	1,046	6	2	-	-	-	-	1	3	8	5
1992.....	872	7	1	3	-	2	1	1	7	6	5
1991.....	868	10	1	-	1	1	3	1	5	3	5
1990.....	903	7	3	-	1	2	1	1	5	7	1
1989.....	895	6	1	2	-	-	1	3	3	5	8
1988.....	884	7	1	-	-	1	2	2	6	9	5
1987.....	901	8	2	1	1	3	1	3	3	3	2
1986.....	883	4	-	1	-	1	1	-	4	3	12
1985.....	916	9	1	1	-	3	1	-	3	6	6
1984.....	799	8	4	2	-	-	2	2	6	1	2
1983.....	853	9	-	-	1	1	1	1	3	4	5
1982.....	818	10	1	-	-	1	1	2	4	2	5
1981.....	786	9	4	-	3	-	2	3	3	2	6
1980.....	779	4	2	1	-	1	5	6	4	3	4
1979.....	750	15	1	-	-	-	2	4	5	6	5
WHITE FEMALE											
1998.....	2,472	2	1	-	1	1	1	4	2	4	10
1997.....	2,444	4	-	3	-	-	3	2	4	10	12
1996.....	2,220	3	-	1	-	-	2	3	3	3	4
1995.....	2,119	2	-	-	1	1	-	1	3	4	6
1994.....	2,012	3	2	-	-	1	2	-	4	3	4
1993.....	1,940	3	-	-	-	-	3	2	3	5	9
1992.....	1,770	5	1	-	-	-	1	5	3	3	9
1991.....	1,690	5	1	-	-	-	3	5	4	9	4
1990.....	1,643	4	1	-	-	1	3	1	4	5	6
1989.....	1,676	2	1	-	1	1	3	3	1	2	12
1988.....	1,642	8	-	2	-	-	-	3	2	3	8
1987.....	1,577	3	2	1	-	-	1	5	2	5	4
1986.....	1,555	8	-	1	1	-	3	4	2	4	5
1985.....	1,574	11	-	-	2	1	2	3	1	2	2
1984.....	1,432	4	1	-	1	-	-	5	3	3	7
1983.....	1,399	7	2	2	-	1	-	-	3	4	5
1982.....	1,231	9	3	1	-	3	-	5	3	4	2
1981.....	1,203	5	1	-	1	1	-	3	5	8	11
1980.....	1,229	5	2	-	-	-	1	1	2	4	6
1979.....	1,112	6	1	-	-	-	5	2	4	3	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
ALL OTHER, BOTH SEXES											
1998.....	538	4	3	-	1	-	-	-	-	4	9
1997.....	481	6	-	-	-	1	1	3	2	5	9
1996.....	451	5	2	-	-	1	1	3	2	4	4
1995.....	466	3	2	-	-	-	2	2	4	1	5
1994.....	444	11	1	1	-	3	1	2	5	6	10
1993.....	465	14	4	-	-	-	1	5	5	9	4
1992.....	493	10	3	3	-	2	1	5	1	4	6
1991.....	433	7	1	-	-	-	1	2	2	2	1
1990.....	471	5	-	-	-	1	1	-	3	8	4
1989.....	475	6	1	1	-	3	-	1	6	6	4
1988.....	459	12	3	2	-	1	1	3	3	5	10
1987.....	411	14	4	2	1	1	3	2	6	6	5
1986.....	424	12	-	-	-	-	1	4	3	3	7
1985.....	384	10	2	1	-	-	-	2	3	6	6
1984.....	369	6	2	-	1	-	-	1	2	1	6
1983.....	404	18	3	1	1	3	1	2	3	3	2
1982.....	381	12	5	1	1	1	1	-	1	2	4
1981.....	342	14	5	-	-	1	2	-	-	2	5
1980.....	356	20	5	-	2	-	2	2	3	4	5
1979.....	348	24	-	1	-	1	-	2	2	3	9
ALL OTHER MALE											
1998.....	211	1	1	-	-	-	-	-	-	2	7
1997.....	210	4	-	-	-	-	-	1	-	2	6
1996.....	190	3	1	-	-	-	-	1	-	-	1
1995.....	194	1	2	-	-	-	1	2	3	1	4
1994.....	191	9	-	-	-	1	-	2	2	5	7
1993.....	211	10	2	-	-	-	1	2	3	3	2
1992.....	217	4	2	2	-	1	-	4	-	2	4
1991.....	217	5	-	-	-	-	1	-	2	2	1
1990.....	205	3	-	-	-	-	-	-	1	6	2
1989.....	203	3	-	-	-	2	-	1	2	2	3
1988.....	212	6	1	1	-	-	1	1	3	4	6
1987.....	206	8	4	1	-	1	2	-	3	2	4
1986.....	205	3	-	-	-	-	-	3	2	3	3
1985.....	170	5	-	-	-	-	-	2	1	3	2
1984.....	178	5	1	-	1	-	-	-	2	-	3
1983.....	212	9	1	1	1	3	-	2	3	2	1
1982.....	176	6	1	1	1	-	-	-	1	1	3
1981.....	155	10	1	-	-	1	1	-	-	1	2
1980.....	183	12	-	-	1	-	1	1	1	2	4
1979.....	177	19	-	1	-	1	-	1	1	2	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
ALL OTHER FEMALE											
1998.....	327	3	2	-	1	-	-	-	-	2	2
1997.....	271	2	-	-	-	1	1	2	2	3	3
1996.....	261	2	1	-	-	1	1	2	2	4	3
1995.....	272	2	-	-	-	-	1	-	1	-	1
1994.....	253	2	1	1	-	2	1	-	3	1	3
1993.....	254	4	2	-	-	-	-	3	2	6	2
1992.....	276	6	1	1	-	1	1	1	1	2	2
1991.....	216	2	1	-	-	-	-	2	-	-	-
1990.....	266	2	-	-	-	1	1	-	2	2	2
1989.....	272	3	1	1	-	1	-	-	4	4	1
1988.....	247	6	2	1	-	1	-	2	-	1	4
1987.....	205	6	-	1	1	-	1	2	3	4	1
1986.....	219	9	-	-	-	-	1	1	1	-	4
1985.....	214	5	2	1	-	-	-	-	2	3	4
1984.....	191	1	1	-	-	-	1	1	-	1	3
1983.....	192	9	2	-	-	-	1	-	-	1	1
1982.....	205	6	4	-	-	1	1	-	-	1	1
1981.....	187	4	4	-	-	-	1	-	-	1	3
1980.....	173	8	5	-	1	-	1	1	2	2	1
1979.....	171	5	-	-	-	-	-	1	1	1	5
BLACK, BOTH SEXES											
1998.....	480	4	3	-	1	-	-	-	-	4	9
1997.....	429	6	-	-	-	1	1	3	2	4	8
1996.....	396	5	2	-	-	1	1	3	2	3	4
1995.....	418	3	2	-	-	-	2	2	4	1	5
1994.....	411	10	1	-	-	3	1	2	5	6	10
1993.....	424	13	4	-	-	-	1	5	4	9	4
1992.....	445	10	3	3	-	2	1	5	1	4	6
1991.....	393	7	1	-	-	-	1	2	2	2	1
1990.....	433	5	-	-	-	1	-	-	2	7	4
1989.....	443	6	1	-	-	3	-	1	6	6	4
1988.....	420	11	3	1	-	1	-	3	2	5	9
1987.....	383	14	4	2	1	1	3	2	6	6	5
1986.....	392	12	-	-	-	-	1	4	3	3	7
1985.....	349	10	2	1	-	-	-	2	3	6	6
1984.....	338	6	1	-	1	-	-	1	2	1	6
1983.....	372	16	3	1	1	3	1	2	3	3	2
1982.....	346	11	4	1	-	1	1	-	1	2	4
1981.....	310	14	5	-	-	-	-	2	-	2	5
1980.....	333	20	5	-	1	-	2	2	3	4	5
1979.....	325	23	-	1	-	-	-	1	2	3	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
BLACK MALE											
1998.....	188	1	1	-	-	-	-	-	-	2	7
1997.....	185	4	-	-	-	-	-	1	-	1	5
1996.....	167	3	1	-	-	-	-	1	-	-	1
1995.....	176	1	2	-	-	-	1	2	3	1	4
1994.....	177	8	-	-	-	1	-	2	2	5	7
1993.....	193	9	2	-	-	-	1	2	3	3	2
1992.....	195	4	2	2	-	1	-	4	-	2	4
1991.....	193	5	-	-	-	-	1	-	2	2	1
1990.....	189	3	-	-	-	-	-	-	1	5	2
1989.....	188	3	-	-	-	2	-	1	2	2	3
1988.....	195	6	1	-	-	-	-	1	2	4	5
1987.....	194	8	4	1	-	1	2	-	3	2	4
1986.....	190	3	-	-	-	-	-	3	2	3	3
1985.....	149	5	-	-	-	-	-	2	1	3	2
1984.....	161	5	1	-	1	-	-	-	2	-	3
1983.....	199	8	1	1	1	3	-	2	3	2	1
1982.....	159	6	1	1	-	-	-	-	1	1	3
1981.....	137	10	1	-	-	-	1	-	-	1	2
1980.....	172	12	-	-	1	-	1	1	1	2	4
1979.....	165	18	-	1	-	-	-	-	1	2	3
BLACK FEMALE											
1998.....	292	3	2	-	1	-	-	-	-	2	2
1997.....	244	2	-	-	-	1	1	2	2	3	3
1996.....	229	2	1	-	-	1	1	2	2	3	3
1995.....	242	2	-	-	-	-	1	-	1	-	1
1994.....	234	2	1	-	-	2	1	-	3	1	3
1993.....	231	4	2	-	-	-	-	3	1	6	2
1992.....	250	6	1	1	-	1	1	1	1	2	2
1991.....	200	2	1	-	-	-	-	2	-	-	-
1990.....	244	2	-	-	-	1	-	-	1	2	2
1989.....	255	3	1	-	-	1	-	-	4	4	1
1988.....	225	5	2	1	-	1	-	2	-	1	4
1987.....	189	6	-	1	1	-	1	2	3	4	1
1986.....	202	9	-	-	-	-	1	1	1	-	4
1985.....	200	5	2	1	-	-	-	-	2	3	4
1984.....	177	1	-	-	-	-	-	1	-	1	3
1983.....	173	8	2	-	-	-	1	-	-	1	1
1982.....	187	5	3	-	-	1	1	-	-	1	1
1981.....	173	4	4	-	-	-	1	-	-	1	3
1980.....	161	8	5	-	-	-	1	1	2	2	1
1979.....	160	5	-	-	-	-	-	1	1	1	5



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
TOTAL, BOTH SEXES											
1998.....	4,544	23	31	20	26	30	63	84	84	109	111
1997.....	4,471	25	40	38	25	34	51	71	63	103	101
1996.....	4,332	31	40	29	25	35	57	75	90	97	107
1995.....	4,556	34	48	31	43	46	87	80	79	112	106
1994.....	4,380	28	48	38	27	39	62	97	132	117	121
1993.....	4,315	44	44	22	31	46	72	89	97	126	86
1992.....	4,246	48	65	30	32	42	85	87	112	112	110
1991.....	4,121	29	47	23	33	41	53	89	108	86	88
1990.....	4,092	29	51	28	23	47	77	84	103	111	84
1989.....	3,993	38	50	26	21	43	69	76	99	110	74
1988.....	3,816	27	43	27	27	41	69	66	78	83	62
1987.....	3,813	19	46	41	21	43	60	78	121	85	66
1986.....	3,708	21	61	38	22	41	73	74	102	71	47
1985.....	3,694	17	60	32	41	45	59	81	74	60	66
1984.....	3,527	33	65	36	36	49	73	69	59	65	49
1983.....	3,487	38	58	36	45	50	76	79	67	56	52
1982.....	3,292	35	69	31	30	56	71	73	61	59	58
1981.....	3,300	25	48	35	40	54	67	58	58	64	64
1980.....	3,238	24	63	45	34	45	88	83	74	50	48
1979.....	3,171	35	73	32	51	58	87	70	62	55	64
TOTAL, MALE											
1998.....	1,873	13	15	9	16	15	37	43	48	51	49
1997.....	1,805	11	25	19	14	15	27	38	32	57	53
1996.....	1,820	15	23	15	16	19	26	43	44	44	51
1995.....	1,855	18	25	15	19	19	52	46	47	56	52
1994.....	1,909	15	27	21	12	24	29	56	66	73	60
1993.....	1,789	28	23	14	15	25	39	53	54	63	41
1992.....	1,825	18	39	17	20	20	52	50	59	65	59
1991.....	1,758	19	25	8	19	32	30	42	57	49	46
1990.....	1,770	21	31	16	11	30	46	49	57	53	48
1989.....	1,688	22	30	8	10	27	38	41	54	56	41
1988.....	1,614	15	25	17	8	22	41	35	48	42	36
1987.....	1,670	9	27	19	9	20	30	53	68	51	37
1986.....	1,633	8	32	21	13	25	43	47	47	33	27
1985.....	1,633	13	29	17	21	25	34	47	45	30	34
1984.....	1,545	16	34	14	15	27	41	41	29	33	19
1983.....	1,571	18	30	20	28	22	49	37	39	32	29
1982.....	1,452	20	30	17	18	34	41	43	33	23	29
1981.....	1,519	14	26	17	25	31	38	31	34	26	37
1980.....	1,421	13	34	27	14	30	48	40	40	24	22
1979.....	1,475	24	40	18	29	34	47	38	26	31	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
TOTAL, FEMALE											
1998.....	2,671	10	16	11	10	15	26	41	36	58	62
1997.....	2,666	14	15	19	11	19	24	33	31	46	48
1996.....	2,512	16	17	14	9	16	31	32	46	53	56
1995.....	2,701	16	23	16	24	27	35	34	32	56	54
1994.....	2,471	13	21	17	15	15	33	41	66	44	61
1993.....	2,526	16	21	8	16	21	33	36	43	63	45
1992.....	2,421	30	26	13	12	22	33	37	53	47	51
1991.....	2,363	10	22	15	14	9	23	47	51	37	42
1990.....	2,322	8	20	12	12	17	31	35	46	58	36
1989.....	2,305	16	20	18	11	16	31	35	45	54	33
1988.....	2,202	12	18	10	19	19	28	31	30	41	26
1987.....	2,143	10	19	22	12	23	30	25	53	34	29
1986.....	2,075	13	29	17	9	16	30	27	55	38	20
1985.....	2,061	4	31	15	20	20	25	34	29	30	32
1984.....	1,982	17	31	22	21	22	32	28	30	32	30
1983.....	1,916	20	28	16	17	28	27	42	28	24	23
1982.....	1,840	15	39	14	12	22	30	30	28	36	29
1981.....	1,781	11	22	18	15	23	29	27	24	38	27
1980.....	1,817	11	29	18	20	15	40	43	34	26	26
1979.....	1,696	11	33	14	22	24	40	32	36	24	32
WHITE, BOTH SEXES											
1998.....	3,503	11	13	11	15	8	14	13	13	25	33
1997.....	3,473	8	11	15	7	13	13	9	17	16	28
1996.....	3,340	15	11	16	15	9	16	13	19	19	33
1995.....	3,461	17	15	13	19	10	19	11	18	29	34
1994.....	3,332	13	16	19	14	12	12	26	34	31	41
1993.....	3,308	21	15	12	13	17	21	20	24	38	19
1992.....	3,241	20	25	13	15	16	20	17	26	30	39
1991.....	3,180	16	15	10	19	11	9	22	30	26	35
1990.....	3,136	16	17	10	9	12	23	16	20	29	34
1989.....	3,089	15	20	12	12	16	18	20	21	41	24
1988.....	3,034	10	8	12	14	16	24	21	24	23	27
1987.....	3,027	8	18	17	8	15	15	17	34	25	27
1986.....	2,949	6	23	18	13	18	22	12	23	25	18
1985.....	2,931	7	14	17	19	20	16	26	26	20	28
1984.....	2,844	17	23	21	21	19	27	23	13	25	27
1983.....	2,786	18	13	16	25	16	25	19	27	27	28
1982.....	2,620	16	25	18	17	24	22	23	18	23	31
1981.....	2,658	11	18	17	24	30	20	15	17	17	30
1980.....	2,550	7	26	29	19	23	36	22	20	16	19
1979.....	2,504	19	28	23	25	29	30	27	23	21	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
WHITE MALE											
1998.....	1,391	5	5	5	9	5	9	6	9	11	16
1997.....	1,353	4	3	9	4	4	6	5	7	8	19
1996.....	1,372	8	6	7	10	5	8	9	8	6	14
1995.....	1,362	9	6	6	8	3	13	6	11	15	15
1994.....	1,423	9	12	9	5	9	5	16	17	23	24
1993.....	1,336	12	7	8	8	9	11	13	15	18	11
1992.....	1,349	5	14	6	11	9	11	10	17	19	17
1991.....	1,305	11	8	5	12	7	6	8	15	14	17
1990.....	1,274	12	9	2	3	7	14	9	12	16	22
1989.....	1,267	6	14	6	6	14	10	8	8	22	16
1988.....	1,247	8	7	7	3	11	16	7	13	12	18
1987.....	1,269	4	10	8	4	8	4	9	15	16	15
1986.....	1,272	4	10	11	7	13	10	5	12	12	11
1985.....	1,264	4	8	9	9	7	8	17	17	11	17
1984.....	1,203	9	9	9	7	10	12	11	7	11	7
1983.....	1,217	6	7	11	16	9	15	8	14	16	16
1982.....	1,132	9	7	10	10	14	10	17	7	10	14
1981.....	1,193	7	10	10	16	20	11	6	8	5	17
1980.....	1,085	3	15	15	7	16	14	9	10	7	5
1979.....	1,163	14	13	13	13	18	14	15	8	12	18
WHITE FEMALE											
1998.....	2,112	6	8	6	6	3	5	7	4	14	17
1997.....	2,120	4	8	6	3	9	7	4	10	8	9
1996.....	1,968	7	5	9	5	4	8	4	11	13	19
1995.....	2,099	8	9	7	11	7	6	5	7	14	19
1994.....	1,909	4	4	10	9	3	7	10	17	8	17
1993.....	1,972	9	8	4	5	8	10	7	9	20	8
1992.....	1,892	15	11	7	4	7	9	7	9	11	22
1991.....	1,875	5	7	5	7	4	3	14	15	12	18
1990.....	1,862	4	8	8	6	5	9	7	8	13	12
1989.....	1,822	9	6	6	6	2	8	12	13	19	8
1988.....	1,787	2	1	5	11	5	8	14	11	11	9
1987.....	1,758	4	8	9	4	7	11	8	19	9	12
1986.....	1,677	2	13	7	6	5	12	7	11	13	7
1985.....	1,667	3	6	8	10	13	8	9	9	9	11
1984.....	1,641	8	14	12	14	9	15	12	6	14	20
1983.....	1,569	12	6	5	9	7	10	11	13	11	12
1982.....	1,488	7	18	8	7	10	12	6	11	13	17
1981.....	1,465	4	8	7	8	10	9	9	9	12	13
1980.....	1,465	4	11	14	12	7	22	13	10	9	14
1979.....	1,341	5	15	10	12	11	16	12	15	9	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
ALL OTHER, BOTH SEXES											
1998.....	1,041	12	18	9	11	22	49	71	71	84	78
1997.....	998	17	29	23	18	21	38	62	46	87	73
1996.....	992	16	29	13	10	26	41	62	71	78	74
1995.....	1,095	17	33	18	24	36	68	69	61	83	72
1994.....	1,048	15	32	19	13	27	50	71	98	86	80
1993.....	1,007	23	29	10	18	29	51	69	73	88	67
1992.....	1,005	28	40	17	17	26	65	70	86	82	71
1991.....	941	13	32	13	14	30	44	67	78	60	53
1990.....	956	13	34	18	14	35	54	68	83	82	50
1989.....	904	23	30	14	9	27	51	56	78	69	50
1988.....	782	17	35	15	13	25	45	45	54	60	35
1987.....	786	11	28	24	13	28	45	61	87	60	39
1986.....	759	15	38	20	9	23	51	62	79	46	29
1985.....	763	10	46	15	22	25	43	55	48	40	38
1984.....	683	16	42	15	15	30	46	46	46	40	22
1983.....	701	20	45	20	20	34	51	60	40	29	24
1982.....	672	19	44	13	13	32	49	50	43	36	27
1981.....	642	14	30	18	16	24	47	43	41	47	34
1980.....	688	17	37	16	15	22	52	61	54	34	29
1979.....	667	16	45	9	26	29	57	43	39	34	32
ALL OTHER MALE											
1998.....	482	8	10	4	7	10	28	37	39	40	33
1997.....	452	7	22	10	10	11	21	33	25	49	34
1996.....	448	7	17	8	6	14	18	34	36	38	37
1995.....	493	9	19	9	11	16	39	40	36	41	37
1994.....	486	6	15	12	7	15	24	40	49	50	36
1993.....	453	16	16	6	7	16	28	40	39	45	30
1992.....	476	13	25	11	9	11	41	40	42	46	42
1991.....	453	8	17	3	7	25	24	34	42	35	29
1990.....	496	9	22	14	8	23	32	40	45	37	26
1989.....	421	16	16	2	4	13	28	33	46	34	25
1988.....	367	7	18	10	5	11	25	28	35	30	18
1987.....	401	5	17	11	5	12	26	44	53	35	22
1986.....	361	4	22	10	6	12	33	42	35	21	16
1985.....	369	9	21	8	12	18	26	30	28	19	17
1984.....	342	7	25	5	8	17	29	30	22	22	12
1983.....	354	12	23	9	12	13	34	29	25	16	13
1982.....	320	11	23	7	8	20	31	26	26	13	15
1981.....	326	7	16	7	9	11	27	25	26	21	20
1980.....	336	10	19	12	7	14	34	31	30	17	17
1979.....	312	10	27	5	16	16	33	23	18	19	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
ALL OTHER FEMALE											
1998.....	559	4	8	5	4	12	21	34	32	44	45
1997.....	546	10	7	13	8	10	17	29	21	38	39
1996.....	544	9	12	5	4	12	23	28	35	40	37
1995.....	602	8	14	9	13	20	29	29	25	42	35
1994.....	562	9	17	7	6	12	26	31	49	36	44
1993.....	554	7	13	4	11	13	23	29	34	43	37
1992.....	529	15	15	6	8	15	24	30	44	36	29
1991.....	488	5	15	10	7	5	20	33	36	25	24
1990.....	460	4	12	4	6	12	22	28	38	45	24
1989.....	483	7	14	12	5	14	23	23	32	35	25
1988.....	415	10	17	5	8	14	20	17	19	30	17
1987.....	385	6	11	13	8	16	19	17	34	25	17
1986.....	398	11	16	10	3	11	18	20	44	25	13
1985.....	394	1	25	7	10	7	17	25	20	21	21
1984.....	341	9	17	10	7	13	17	16	24	18	10
1983.....	347	8	22	11	8	21	17	31	15	13	11
1982.....	352	8	21	6	5	12	18	24	17	23	12
1981.....	316	7	14	11	7	13	20	18	15	26	14
1980.....	352	7	18	4	8	8	18	30	24	17	12
1979.....	355	6	18	4	10	13	24	20	21	15	18
BLACK, BOTH SEXES											
1998.....	953	6	17	9	9	20	48	70	69	83	76
1997.....	927	11	28	23	17	18	36	59	45	85	72
1996.....	929	8	28	13	10	26	39	61	70	77	74
1995.....	1,014	8	31	17	23	36	67	68	59	82	72
1994.....	991	7	32	18	12	27	50	70	96	85	79
1993.....	947	15	28	10	18	26	50	69	73	87	66
1992.....	947	21	40	16	17	25	61	69	83	79	71
1991.....	883	10	31	13	14	26	40	64	77	57	52
1990.....	887	6	30	17	13	32	53	67	82	79	49
1989.....	852	17	29	9	9	27	51	55	76	69	49
1988.....	731	9	34	15	11	23	44	43	53	59	34
1987.....	739	8	28	24	12	24	43	59	86	60	39
1986.....	706	8	36	17	9	22	50	61	79	44	28
1985.....	717	7	45	14	21	24	42	53	47	39	37
1984.....	640	11	39	12	15	30	45	45	44	40	22
1983.....	665	14	44	19	17	34	50	59	40	29	23
1982.....	632	16	43	13	13	27	47	49	43	36	26
1981.....	615	12	30	18	14	23	46	43	41	46	30
1980.....	660	15	36	15	14	21	52	61	53	33	29
1979.....	637	10	45	9	22	28	57	41	38	34	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
BLACK MALE											
1998.....	429	4	9	4	6	8	27	37	38	39	32
1997.....	423	5	21	10	9	9	20	30	24	48	33
1996.....	419	4	17	8	6	14	16	34	35	38	37
1995.....	450	2	18	9	10	16	39	39	36	40	37
1994.....	461	3	15	12	7	15	24	40	48	49	36
1993.....	424	12	15	6	7	13	28	40	39	44	30
1992.....	450	11	25	11	9	11	39	40	41	45	42
1991.....	420	8	16	3	7	21	20	32	42	32	29
1990.....	460	5	19	13	7	22	31	39	45	37	26
1989.....	401	13	16	2	4	13	28	32	46	34	25
1988.....	337	4	17	10	4	10	24	27	34	30	17
1987.....	378	4	17	11	5	10	26	42	53	35	22
1986.....	334	2	21	7	6	12	32	41	35	20	15
1985.....	345	7	21	7	12	18	25	29	27	19	17
1984.....	315	5	22	5	8	17	28	29	20	22	12
1983.....	334	9	23	8	10	13	33	29	25	16	12
1982.....	296	9	23	7	8	16	30	25	26	13	14
1981.....	308	5	16	7	7	10	26	25	26	21	18
1980.....	321	9	18	12	7	13	34	31	29	17	17
1979.....	298	8	27	5	13	15	33	22	17	19	14
BLACK FEMALE											
1998.....	524	2	8	5	3	12	21	33	31	44	44
1997.....	504	6	7	13	8	9	16	29	21	37	39
1996.....	510	4	11	5	4	12	23	27	35	39	37
1995.....	564	6	13	8	13	20	28	29	23	42	35
1994.....	530	4	17	6	5	12	26	30	48	36	43
1993.....	523	3	13	4	11	13	22	29	34	43	36
1992.....	497	10	15	5	8	14	22	29	42	34	29
1991.....	463	2	15	10	7	5	20	32	35	25	23
1990.....	427	1	11	4	6	10	22	28	37	42	23
1989.....	451	4	13	7	5	14	23	23	30	35	24
1988.....	394	5	17	5	7	13	20	16	19	29	17
1987.....	361	4	11	13	7	14	17	17	33	25	17
1986.....	372	6	15	10	3	10	18	20	44	24	13
1985.....	372	-	24	7	9	6	17	24	20	20	20
1984.....	325	6	17	7	7	13	17	16	24	18	10
1983.....	331	5	21	11	7	21	17	30	15	13	11
1982.....	336	7	20	6	5	11	17	24	17	23	12
1981.....	307	7	14	11	7	13	20	18	15	25	12
1980.....	339	6	18	3	7	8	18	30	24	16	12
1979.....	339	2	18	4	9	13	24	19	21	15	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGITIS (320-322)											
TOTAL, BOTH SEXES											
1998.....	768	107	48	23	11	18	20	13	24	39	52
1997.....	781	97	44	15	18	12	11	27	29	41	44
1996.....	758	103	38	21	10	13	12	18	23	36	44
1995.....	761	121	37	15	13	16	22	22	26	35	33
1994.....	770	107	47	17	15	13	17	18	28	33	37
1993.....	788	107	39	16	15	13	16	30	27	32	39
1992.....	798	126	32	25	7	16	15	20	21	42	42
1991.....	887	128	39	19	16	11	18	19	35	46	36
1990.....	1,017	197	81	23	14	14	15	24	29	45	43
1989.....	1,068	229	99	12	9	13	11	22	43	44	47
1988.....	1,156	205	129	25	28	16	17	32	30	24	22
1987.....	1,161	214	139	25	12	10	11	33	41	49	34
1986.....	1,160	220	144	14	13	6	19	30	32	27	35
1985.....	1,206	257	159	21	20	13	14	31	35	22	25
1984.....	1,194	268	174	24	22	16	20	19	38	22	21
1983.....	1,287	318	197	24	15	11	22	25	25	25	32
1982.....	1,282	331	187	25	21	13	16	28	26	26	30
1981.....	1,405	422	165	30	18	21	18	35	33	26	27
1980.....	1,415	443	223	30	21	21	28	20	19	22	28
1979.....	1,393	441	183	36	20	12	15	17	33	33	32
TOTAL, MALE											
1998.....	424	61	29	13	10	11	10	4	15	24	29
1997.....	403	40	20	11	8	7	4	12	15	25	27
1996.....	423	61	21	13	6	9	5	8	15	23	27
1995.....	408	63	23	10	9	9	13	14	17	20	22
1994.....	418	61	29	14	8	8	9	12	19	24	24
1993.....	420	62	20	11	10	7	10	18	16	19	24
1992.....	402	61	17	12	3	7	8	14	11	25	28
1991.....	442	68	23	9	9	6	9	13	24	26	25
1990.....	545	108	52	15	6	6	9	15	21	39	29
1989.....	588	126	69	6	6	8	7	11	29	31	37
1988.....	601	110	76	13	10	8	11	25	20	18	19
1987.....	645	120	78	16	8	6	9	22	32	30	24
1986.....	624	123	100	9	8	5	13	16	23	18	23
1985.....	634	142	101	6	13	10	9	24	23	12	16
1984.....	650	155	105	9	11	6	13	15	27	14	14
1983.....	670	177	108	15	7	6	16	18	16	15	19
1982.....	700	194	114	17	18	8	9	9	18	20	18
1981.....	776	253	97	18	9	13	13	22	20	13	21
1980.....	796	251	145	16	9	11	21	11	7	11	15
1979.....	765	252	107	18	8	8	12	9	19	17	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGITIS (320-322)											
TOTAL, FEMALE											
1998.....	344	46	19	10	1	7	10	9	9	15	23
1997.....	378	57	24	4	10	5	7	15	14	16	17
1996.....	335	42	17	8	4	4	7	10	8	13	17
1995.....	353	58	14	5	4	7	9	8	9	15	11
1994.....	352	46	18	3	7	5	8	6	9	9	13
1993.....	368	45	19	5	5	6	6	12	11	13	15
1992.....	396	65	15	13	4	9	7	6	10	17	14
1991.....	445	60	16	10	7	5	9	6	11	20	11
1990.....	472	89	29	8	8	8	6	9	8	6	14
1989.....	480	103	30	6	3	5	4	11	14	13	10
1988.....	555	95	53	12	18	8	6	7	10	6	3
1987.....	516	94	61	9	4	4	2	11	9	19	10
1986.....	536	97	44	5	5	1	6	14	9	9	12
1985.....	572	115	58	15	7	3	5	7	12	10	9
1984.....	544	113	69	15	11	10	7	4	11	8	7
1983.....	617	141	89	9	8	5	6	7	9	10	13
1982.....	582	137	73	8	3	5	7	19	8	6	12
1981.....	629	169	68	12	9	8	5	13	13	13	6
1980.....	619	192	78	14	12	10	7	9	12	11	13
1979.....	628	189	76	18	12	4	3	8	14	16	9
WHITE, BOTH SEXES											
1998.....	545	66	39	16	8	10	11	6	15	22	35
1997.....	546	62	24	10	12	5	3	17	18	27	26
1996.....	529	57	27	16	5	9	4	9	11	19	31
1995.....	541	62	33	12	12	11	13	14	19	21	23
1994.....	542	57	31	12	11	9	10	9	17	25	22
1993.....	547	57	26	13	10	9	11	21	14	15	26
1992.....	569	80	21	18	5	11	8	14	15	26	17
1991.....	618	71	26	17	13	8	12	8	20	22	20
1990.....	705	111	56	20	8	10	8	17	20	28	26
1989.....	703	128	71	8	6	10	5	15	27	25	24
1988.....	808	135	89	20	17	10	16	20	20	14	10
1987.....	812	132	107	20	8	6	7	24	26	22	18
1986.....	827	135	104	11	8	6	14	23	22	16	16
1985.....	871	155	117	14	16	8	8	19	22	16	16
1984.....	846	172	124	18	14	11	13	12	27	16	12
1983.....	935	203	151	21	13	8	17	14	18	13	21
1982.....	912	207	146	20	17	9	9	18	12	11	24
1981.....	987	270	134	15	14	16	15	23	21	17	15
1980.....	1,020	294	170	25	19	12	22	16	13	12	18
1979.....	951	273	131	25	14	4	12	15	25	20	17



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	297	36	25	10	8	5	6	2	8	15	21
1997.....	275	21	9	7	5	4	2	8	10	18	12
1996.....	294	37	15	9	2	6	2	5	5	12	21
1995.....	290	35	22	7	9	5	7	10	12	11	14
1994.....	285	34	21	10	5	5	5	7	12	17	14
1993.....	286	31	16	10	7	4	7	14	8	10	14
1992.....	280	44	10	9	1	4	3	10	8	16	13
1991.....	306	39	16	8	7	5	6	6	12	14	14
1990.....	371	65	36	12	3	4	5	12	14	25	17
1989.....	383	74	49	5	3	6	3	7	17	17	18
1988.....	402	74	49	10	8	6	10	14	12	9	7
1987.....	460	80	58	14	5	5	6	14	20	18	12
1986.....	445	77	77	7	5	5	9	14	14	10	9
1985.....	451	86	76	4	11	6	6	13	13	9	9
1984.....	472	107	80	8	9	3	9	9	20	11	9
1983.....	486	116	83	13	6	5	13	9	10	9	12
1982.....	492	125	90	13	14	5	6	6	7	10	15
1981.....	547	167	81	8	7	10	11	12	13	8	11
1980.....	577	171	109	13	8	5	16	10	4	5	11
1979.....	521	157	79	16	7	2	9	8	14	10	11
WHITE FEMALE											
1998.....	248	30	14	6	-	5	5	4	7	7	14
1997.....	271	41	15	3	7	1	1	9	8	9	14
1996.....	235	20	12	7	3	3	2	4	6	7	10
1995.....	251	27	11	5	3	6	6	4	7	10	9
1994.....	257	23	10	2	6	4	5	2	5	8	8
1993.....	261	26	10	3	3	5	4	7	6	5	12
1992.....	289	36	11	9	4	7	5	4	7	10	4
1991.....	312	32	10	9	6	3	6	2	8	8	6
1990.....	334	46	20	8	5	6	3	5	6	3	9
1989.....	320	54	22	3	3	4	2	8	10	8	6
1988.....	406	61	40	10	9	4	6	6	8	5	3
1987.....	352	52	49	6	3	1	1	10	6	4	6
1986.....	382	58	27	4	3	1	5	9	8	6	7
1985.....	420	69	41	10	5	2	2	6	9	7	7
1984.....	374	65	44	10	5	8	4	3	7	5	3
1983.....	449	87	68	8	7	3	4	5	8	4	9
1982.....	420	82	56	7	3	4	3	12	5	1	9
1981.....	440	103	53	7	7	6	4	11	8	9	4
1980.....	443	123	61	12	11	7	6	6	9	7	7
1979.....	430	116	52	9	7	2	3	7	11	10	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGITIS (320-322)											
ALL OTHER, BOTH SEXES											
1998.....	223	41	9	7	3	8	9	7	9	17	17
1997.....	235	35	20	5	6	7	8	10	11	14	18
1996.....	229	46	11	5	5	4	8	9	12	17	13
1995.....	220	59	4	3	1	5	9	8	7	14	10
1994.....	228	50	16	5	4	4	7	9	11	8	15
1993.....	241	50	13	3	5	4	5	9	13	17	13
1992.....	229	46	11	7	2	5	7	6	6	16	25
1991.....	269	57	13	2	3	3	6	11	15	24	16
1990.....	312	86	25	3	6	4	7	7	9	17	17
1989.....	365	101	28	4	3	3	6	7	16	19	23
1988.....	348	70	40	5	11	6	1	12	10	10	12
1987.....	349	82	32	5	4	4	4	9	15	27	16
1986.....	333	85	40	3	5	-	5	7	10	11	19
1985.....	335	102	42	7	4	5	6	12	13	6	9
1984.....	348	96	50	6	8	5	7	7	11	6	9
1983.....	352	115	46	3	2	3	5	11	7	12	11
1982.....	370	124	41	5	4	4	7	10	14	15	6
1981.....	418	152	31	15	4	5	3	12	12	9	12
1980.....	395	149	53	5	2	9	6	4	6	10	10
1979.....	442	168	52	11	6	8	3	2	8	13	15
ALL OTHER MALE											
1998.....	127	25	4	3	2	6	4	2	7	9	8
1997.....	128	19	11	4	3	3	2	4	5	7	15
1996.....	129	24	6	4	4	3	3	3	10	11	6
1995.....	118	28	1	3	-	4	6	4	5	9	8
1994.....	133	27	8	4	3	3	4	5	7	7	10
1993.....	134	31	4	1	3	3	3	4	8	9	10
1992.....	122	17	7	3	2	3	5	4	3	9	15
1991.....	136	29	7	1	2	1	3	7	12	12	11
1990.....	174	43	16	3	3	2	4	3	7	14	12
1989.....	205	52	20	1	3	2	4	4	12	14	19
1988.....	199	36	27	3	2	2	1	11	8	9	12
1987.....	185	40	20	2	3	1	3	8	12	12	12
1986.....	179	46	23	2	3	-	4	2	9	8	14
1985.....	183	56	25	2	2	4	3	11	10	3	7
1984.....	178	48	25	1	2	3	4	6	7	3	5
1983.....	184	61	25	2	1	1	3	9	6	6	7
1982.....	208	69	24	4	4	3	3	3	11	10	3
1981.....	229	86	16	10	2	3	2	10	7	5	10
1980.....	219	80	36	3	1	6	5	1	3	6	4
1979.....	244	95	28	2	1	6	3	1	5	7	12

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGITIS (320-322)											
ALL OTHER FEMALE											
1998.....	96	16	5	4	1	2	5	5	2	8	9
1997.....	107	16	9	1	3	4	6	6	6	7	3
1996.....	100	22	5	1	1	1	5	6	2	6	7
1995.....	102	31	3	-	1	1	3	4	2	5	2
1994.....	95	23	8	1	1	1	3	4	4	1	5
1993.....	107	19	9	2	2	1	2	5	5	8	3
1992.....	107	29	4	4	-	2	2	2	3	7	10
1991.....	133	28	6	1	1	2	3	4	3	12	5
1990.....	138	43	9	-	3	2	3	4	2	3	5
1989.....	160	49	8	3	-	1	2	3	4	5	4
1988.....	149	34	13	2	9	4	-	1	2	1	-
1987.....	164	42	12	3	1	3	1	1	3	15	4
1986.....	154	39	17	1	2	-	1	5	1	3	5
1985.....	152	46	17	5	2	1	3	1	3	3	2
1984.....	170	48	25	5	6	2	3	1	4	3	4
1983.....	168	54	21	1	1	2	2	2	1	6	4
1982.....	162	55	17	1	-	1	4	7	3	5	3
1981.....	189	66	15	5	2	2	1	2	5	4	2
1980.....	176	69	17	2	1	3	1	3	3	4	6
1979.....	198	73	24	9	5	2	-	1	3	6	3
BLACK, BOTH SEXES											
1998.....	195	38	5	5	2	8	7	7	7	16	14
1997.....	204	27	17	5	6	5	8	9	11	13	16
1996.....	211	44	11	5	4	4	6	8	12	16	13
1995.....	197	53	3	3	1	5	7	8	7	13	8
1994.....	210	48	16	3	3	3	7	9	10	7	15
1993.....	216	49	9	3	5	4	5	7	12	17	10
1992.....	204	39	8	6	1	5	7	4	5	16	23
1991.....	245	49	13	2	3	2	4	10	15	23	14
1990.....	284	74	24	3	6	3	7	5	9	16	17
1989.....	331	87	25	4	2	2	6	7	16	18	22
1988.....	326	62	40	4	11	6	1	11	10	9	11
1987.....	319	69	30	4	4	4	4	9	14	26	14
1986.....	305	74	39	2	5	-	4	6	10	11	19
1985.....	301	87	38	5	4	5	6	10	11	6	9
1984.....	319	79	46	5	8	5	7	6	11	6	9
1983.....	332	106	44	2	2	3	5	10	7	12	11
1982.....	339	109	36	5	4	3	7	10	13	13	6
1981.....	380	140	29	15	4	4	2	11	10	9	10
1980.....	369	138	49	5	2	8	6	3	6	9	10
1979.....	404	151	48	11	5	8	3	2	7	13	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGITIS (320-322)											
BLACK MALE											
1998.....	114	24	2	2	1	6	3	2	5	8	7
1997.....	112	15	11	4	3	2	2	4	5	6	13
1996.....	119	24	6	4	3	3	2	2	10	10	6
1995.....	106	26	1	3	-	4	5	4	5	8	6
1994.....	122	26	8	2	2	3	4	5	6	6	10
1993.....	119	30	2	1	3	3	3	3	7	9	7
1992.....	107	15	5	2	1	3	5	3	2	9	14
1991.....	123	27	7	1	2	1	2	6	12	12	10
1990.....	159	37	16	3	3	1	4	2	7	13	12
1989.....	186	44	17	1	2	2	4	4	12	13	19
1988.....	185	34	27	2	2	2	1	10	8	8	11
1987.....	169	34	18	2	3	1	3	8	11	12	10
1986.....	165	40	22	1	3	-	3	2	9	8	14
1985.....	163	47	22	2	2	4	3	10	8	3	7
1984.....	164	39	24	1	2	3	4	6	7	3	5
1983.....	175	56	25	1	1	1	3	8	6	6	7
1982.....	196	63	22	4	4	3	3	3	10	9	3
1981.....	204	79	14	10	2	2	2	9	6	5	8
1980.....	203	75	32	3	1	5	5	1	3	5	4
1979.....	222	82	26	2	1	6	3	1	4	7	12
BLACK FEMALE											
1998.....	81	14	3	3	1	2	4	5	2	8	7
1997.....	92	12	6	1	3	3	6	5	6	7	3
1996.....	92	20	5	1	1	1	4	6	2	6	7
1995.....	91	27	2	-	1	1	2	4	2	5	2
1994.....	88	22	8	1	1	-	3	4	4	1	5
1993.....	97	19	7	2	2	1	2	4	5	8	3
1992.....	97	24	3	4	-	2	2	1	3	7	9
1991.....	122	22	6	1	1	1	2	4	3	11	4
1990.....	125	37	8	-	3	2	3	3	2	3	5
1989.....	145	43	8	3	-	-	2	3	4	5	3
1988.....	141	28	13	2	9	4	-	1	2	1	-
1987.....	150	35	12	2	1	3	1	1	3	14	4
1986.....	140	34	17	1	2	-	1	4	1	3	5
1985.....	138	40	16	3	2	1	3	-	3	3	2
1984.....	155	40	22	4	6	2	3	-	4	3	4
1983.....	157	50	19	1	1	2	2	2	1	6	4
1982.....	143	46	14	1	-	-	4	7	3	4	3
1981.....	176	61	15	5	2	2	-	2	4	4	2
1980.....	166	63	17	2	1	3	1	2	3	4	6
1979.....	182	69	22	9	4	2	-	1	3	6	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)											
TOTAL, BOTH SEXES											
1998.....	940,565	932	277	197	232	501	807	1,433	2,728	6,022	11,054
1997.....	944,148	903	277	163	250	520	853	1,381	2,860	5,952	10,883
1996.....	950,164	881	272	176	261	494	722	1,380	2,933	6,071	10,668
1995.....	951,406	901	315	164	224	484	810	1,366	3,107	6,311	10,923
1994.....	940,693	902	351	164	258	459	799	1,484	3,112	6,210	10,501
1993.....	948,088	893	350	175	234	469	803	1,482	3,130	5,967	10,449
1992.....	913,908	897	347	160	203	429	827	1,468	3,029	5,607	10,389
1991.....	916,342	881	397	168	216	466	820	1,547	2,971	5,561	10,018
1990.....	916,007	963	335	162	239	440	784	1,515	2,965	5,268	9,492
1989.....	931,838	924	332	164	232	434	814	1,558	3,086	5,376	9,407
1988.....	969,400	1,033	412	181	229	506	928	1,678	3,124	5,592	9,463
1987.....	963,611	1,094	383	190	226	486	908	1,722	3,140	5,565	9,611
1986.....	968,240	1,116	415	179	223	508	944	1,720	3,152	5,722	9,532
1985.....	977,879	1,085	363	178	248	544	959	1,667	2,900	5,477	9,381
1984.....	973,418	1,084	411	224	246	509	998	1,615	2,850	5,234	9,355
1983.....	981,098	1,119	407	203	229	570	935	1,635	2,795	5,093	9,043
1982.....	967,868	922	364	223	272	533	961	1,646	2,737	5,032	8,961
1981.....	972,992	916	393	194	236	540	1,000	1,640	2,861	5,044	9,083
1980.....	988,545	984	407	192	258	664	1,086	1,588	2,693	4,913	9,166
1979.....	958,282	872	321	174	243	558	1,046	1,556	2,653	4,918	9,190
TOTAL, MALE											
1998.....	441,278	501	142	119	130	328	485	859	1,709	3,985	7,650
1997.....	445,709	505	162	87	144	318	507	821	1,816	3,979	7,553
1996.....	448,848	473	137	85	151	296	461	844	1,861	4,070	7,407
1995.....	450,523	482	179	95	128	304	493	844	2,033	4,256	7,727
1994.....	447,233	493	191	80	147	287	485	882	1,934	4,187	7,363
1993.....	452,412	497	193	85	132	300	471	955	1,985	4,011	7,403
1992.....	439,307	501	180	94	116	284	512	876	1,962	3,858	7,403
1991.....	441,689	493	213	90	116	294	499	966	1,872	3,844	7,145
1990.....	442,737	541	165	86	129	289	469	918	1,906	3,680	6,865
1989.....	450,995	510	187	87	119	258	493	961	2,033	3,781	6,750
1988.....	470,857	576	207	91	144	329	566	1,013	2,128	3,936	6,811
1987.....	470,076	629	203	112	119	298	551	1,027	2,071	3,936	6,978
1986.....	475,591	639	217	94	121	320	566	1,033	2,118	4,079	6,909
1985.....	485,055	631	189	80	122	340	562	1,053	1,933	3,894	6,708
1984.....	485,019	598	219	121	124	295	599	994	1,919	3,697	6,762
1983.....	492,335	635	225	104	125	350	544	1,029	1,896	3,623	6,488
1982.....	489,179	549	204	111	140	340	548	1,043	1,814	3,537	6,429
1981.....	494,204	510	202	104	128	313	595	1,003	1,848	3,520	6,518
1980.....	503,749	566	216	90	138	398	677	957	1,750	3,444	6,563
1979.....	494,234	508	170	89	130	336	614	969	1,728	3,405	6,591

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)											
TOTAL, FEMALE											
1998.....	499,287	431	135	78	102	173	322	574	1,019	2,037	3,404
1997.....	498,439	398	115	76	106	202	346	560	1,044	1,973	3,330
1996.....	501,316	408	135	91	110	198	261	536	1,072	2,001	3,261
1995.....	500,883	419	136	69	96	180	317	522	1,074	2,055	3,196
1994.....	493,460	409	160	84	111	172	314	602	1,178	2,023	3,138
1993.....	495,676	396	157	90	102	169	332	527	1,145	1,956	3,046
1992.....	474,601	396	167	66	87	145	315	592	1,067	1,749	2,986
1991.....	474,653	388	184	78	100	172	321	581	1,099	1,717	2,873
1990.....	473,270	422	170	76	110	151	315	597	1,059	1,588	2,627
1989.....	480,843	414	145	77	113	176	321	597	1,053	1,595	2,657
1988.....	498,543	457	205	90	85	177	362	665	996	1,656	2,652
1987.....	493,535	465	180	78	107	188	357	695	1,069	1,629	2,633
1986.....	492,649	477	198	85	102	188	378	687	1,034	1,643	2,623
1985.....	492,824	454	174	98	126	204	397	614	967	1,583	2,673
1984.....	488,399	486	192	103	122	214	399	621	931	1,537	2,593
1983.....	488,763	484	182	99	104	220	391	606	899	1,470	2,555
1982.....	478,689	373	160	112	132	193	413	603	923	1,495	2,532
1981.....	478,788	406	191	90	108	227	405	637	1,013	1,524	2,565
1980.....	484,796	418	191	102	120	266	409	631	943	1,469	2,603
1979.....	464,048	364	151	85	113	222	432	587	925	1,513	2,599
WHITE, BOTH SEXES											
1998.....	821,836	620	174	136	162	333	536	940	1,828	4,195	7,745
1997.....	827,466	632	183	110	182	377	538	899	1,997	4,123	7,630
1996.....	833,361	596	175	134	175	321	476	919	1,968	4,223	7,510
1995.....	834,366	622	191	120	148	314	492	899	2,128	4,385	7,719
1994.....	826,478	596	222	125	184	309	518	970	2,075	4,230	7,334
1993.....	833,034	601	229	117	169	331	517	959	2,133	4,071	7,350
1992.....	803,996	592	227	109	141	285	557	952	2,028	3,814	7,355
1991.....	806,302	575	251	118	153	333	542	1,028	1,990	3,735	7,193
1990.....	807,688	606	218	124	170	312	508	1,032	1,952	3,534	6,849
1989.....	820,810	619	214	116	157	293	551	1,059	2,069	3,634	6,808
1988.....	856,367	694	285	137	170	351	651	1,114	2,072	3,817	6,927
1987.....	853,480	775	255	141	162	345	617	1,172	2,090	3,831	7,166
1986.....	858,820	773	277	132	163	368	639	1,142	2,075	4,078	7,045
1985.....	869,148	753	235	134	177	376	669	1,122	1,936	3,922	6,995
1984.....	867,397	759	285	172	176	372	688	1,082	1,933	3,774	7,040
1983.....	875,077	762	292	150	165	410	648	1,120	1,916	3,735	6,804
1982.....	865,762	639	254	168	211	390	686	1,122	1,883	3,714	6,770
1981.....	870,306	647	282	157	168	389	694	1,075	2,002	3,708	6,837
1980.....	883,540	680	275	144	188	464	741	1,060	1,806	3,535	6,874
1979.....	858,837	574	219	142	184	414	744	1,031	1,873	3,587	6,954

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)											
WHITE MALE											
1998.....	384,520	341	86	88	90	216	324	572	1,188	2,879	5,667
1997.....	389,678	361	97	65	107	239	317	542	1,307	2,894	5,578
1996.....	392,898	321	98	66	100	199	300	595	1,303	2,984	5,522
1995.....	393,862	335	108	69	86	206	295	568	1,421	3,098	5,727
1994.....	392,137	335	123	63	101	202	319	587	1,352	2,978	5,421
1993.....	396,844	345	131	53	97	213	297	635	1,390	2,890	5,454
1992.....	385,803	337	114	68	76	185	346	575	1,376	2,743	5,539
1991.....	387,808	325	128	62	82	214	332	658	1,304	2,672	5,373
1990.....	389,824	338	103	69	99	209	317	639	1,313	2,582	5,176
1989.....	396,710	356	119	61	89	184	342	693	1,412	2,662	5,109
1988.....	415,222	395	139	64	111	235	393	692	1,444	2,813	5,215
1987.....	415,406	452	138	92	81	215	382	715	1,435	2,779	5,391
1986.....	421,230	454	145	72	92	239	391	704	1,441	3,053	5,270
1985.....	430,778	443	126	59	91	238	404	728	1,321	2,872	5,225
1984.....	431,917	421	152	88	89	219	416	682	1,345	2,781	5,300
1983.....	439,106	436	160	78	88	254	391	728	1,340	2,792	5,075
1982.....	437,281	397	144	83	108	258	404	731	1,303	2,703	5,062
1981.....	442,066	358	144	83	97	230	412	683	1,308	2,677	5,111
1980.....	450,122	408	141	72	103	280	463	667	1,210	2,566	5,143
1979.....	442,842	342	115	77	103	253	452	679	1,271	2,577	5,185
WHITE FEMALE											
1998.....	437,316	279	88	48	72	117	212	368	640	1,316	2,078
1997.....	437,788	271	86	45	75	138	221	357	690	1,229	2,052
1996.....	440,463	275	77	68	75	122	176	324	665	1,239	1,988
1995.....	440,504	287	83	51	62	108	197	331	707	1,287	1,992
1994.....	434,341	261	99	62	83	107	199	383	723	1,252	1,913
1993.....	436,190	256	98	64	72	118	220	324	743	1,181	1,896
1992.....	418,193	255	113	41	65	100	211	377	652	1,071	1,816
1991.....	418,494	250	123	56	71	119	210	370	686	1,063	1,820
1990.....	417,864	268	115	55	71	103	191	393	639	952	1,673
1989.....	424,100	263	95	55	68	109	209	366	657	972	1,699
1988.....	441,145	299	146	73	59	116	258	422	628	1,004	1,712
1987.....	438,074	323	117	49	81	130	235	457	655	1,052	1,775
1986.....	437,590	319	132	60	71	129	248	438	634	1,025	1,775
1985.....	438,370	310	109	75	86	138	265	394	615	1,050	1,770
1984.....	435,480	338	133	84	87	153	272	400	588	993	1,740
1983.....	435,971	326	132	72	77	156	257	392	576	943	1,729
1982.....	428,481	242	110	85	103	132	282	391	580	1,011	1,708
1981.....	428,240	289	138	74	71	159	282	392	694	1,031	1,726
1980.....	433,418	272	134	72	85	184	278	393	596	969	1,731
1979.....	415,995	232	104	65	81	161	292	352	602	1,010	1,769

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)											
ALL OTHER, BOTH SEXES											
1998.....	118,729	312	103	61	70	168	271	493	900	1,827	3,309
1997.....	116,682	271	94	53	68	143	315	482	863	1,829	3,253
1996.....	116,803	285	97	42	86	173	246	461	965	1,848	3,158
1995.....	117,040	279	124	44	76	170	318	467	979	1,926	3,204
1994.....	114,215	306	129	39	74	150	281	514	1,037	1,980	3,167
1993.....	115,054	292	121	58	65	138	286	523	997	1,896	3,099
1992.....	109,912	305	120	51	62	144	270	516	1,001	1,793	3,034
1991.....	110,040	306	146	50	63	133	278	519	981	1,826	2,825
1990.....	108,319	357	117	38	69	128	276	483	1,013	1,734	2,643
1989.....	111,028	305	118	48	75	141	263	499	1,017	1,742	2,599
1988.....	113,033	339	127	44	59	155	277	564	1,052	1,775	2,536
1987.....	110,131	319	128	49	64	141	291	550	1,050	1,734	2,445
1986.....	109,420	343	138	47	60	140	305	578	1,077	1,644	2,487
1985.....	108,731	332	128	44	71	168	290	545	964	1,555	2,386
1984.....	106,021	325	126	52	70	137	310	533	917	1,460	2,315
1983.....	106,021	357	115	53	64	160	287	515	879	1,358	2,239
1982.....	102,106	283	110	55	61	143	275	524	854	1,318	2,191
1981.....	102,686	269	111	37	68	151	306	565	859	1,336	2,246
1980.....	105,005	304	132	48	70	200	345	528	887	1,378	2,292
1979.....	99,445	298	102	32	59	144	302	525	780	1,331	2,236
ALL OTHER MALE											
1998.....	56,758	160	56	31	40	112	161	287	521	1,106	1,983
1997.....	56,031	144	65	22	37	79	190	279	509	1,085	1,975
1996.....	55,950	152	39	19	51	97	161	249	558	1,086	1,885
1995.....	56,661	147	71	26	42	98	198	276	612	1,158	2,000
1994.....	55,096	158	68	17	46	85	166	295	582	1,209	1,942
1993.....	55,568	152	62	32	35	87	174	320	595	1,121	1,949
1992.....	53,504	164	66	26	40	99	166	301	586	1,115	1,864
1991.....	53,881	168	85	28	34	80	167	308	568	1,172	1,772
1990.....	52,913	203	62	17	30	80	152	279	593	1,098	1,689
1989.....	54,285	154	68	26	30	74	151	268	621	1,119	1,641
1988.....	55,635	181	68	27	33	94	173	321	684	1,123	1,596
1987.....	54,670	177	65	20	38	83	169	312	636	1,157	1,587
1986.....	54,361	185	72	22	29	81	175	329	677	1,026	1,639
1985.....	54,277	188	63	21	31	102	158	325	612	1,022	1,483
1984.....	53,102	177	67	33	35	76	183	312	574	916	1,462
1983.....	53,229	199	65	26	37	96	153	301	556	831	1,413
1982.....	51,898	152	60	28	32	82	144	312	511	834	1,367
1981.....	52,138	152	58	21	31	83	183	320	540	843	1,407
1980.....	53,627	158	75	18	35	118	214	290	540	878	1,420
1979.....	51,392	166	55	12	27	83	162	290	457	828	1,406



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)											
ALL OTHER FEMALE											
1998.....	61,971	152	47	30	30	56	110	206	379	721	1,326
1997.....	60,651	127	29	31	31	64	125	203	354	744	1,278
1996.....	60,853	133	58	23	35	76	85	212	407	762	1,273
1995.....	60,379	132	53	18	34	72	120	191	367	768	1,204
1994.....	59,119	148	61	22	28	65	115	219	455	771	1,225
1993.....	59,486	140	59	26	30	51	112	203	402	775	1,150
1992.....	56,408	141	54	25	22	45	104	215	415	678	1,170
1991.....	56,159	138	61	22	29	53	111	211	413	654	1,053
1990.....	55,406	154	55	21	39	48	124	204	420	636	954
1989.....	56,743	151	50	22	45	67	112	231	396	623	958
1988.....	57,398	158	59	17	26	61	104	243	368	652	940
1987.....	55,461	142	63	29	26	58	122	238	414	577	858
1986.....	55,059	158	66	25	31	59	130	249	400	618	848
1985.....	54,454	144	65	23	40	66	132	220	352	533	903
1984.....	52,919	148	59	19	35	61	127	221	343	544	853
1983.....	52,792	158	50	27	27	64	134	214	323	527	826
1982.....	50,208	131	50	27	29	61	131	212	343	484	824
1981.....	50,548	117	53	16	37	68	123	245	319	493	839
1980.....	51,378	146	57	30	35	82	131	238	347	500	872
1979.....	48,053	132	47	20	32	61	140	235	323	503	830
BLACK, BOTH SEXES											
1998.....	103,458	266	85	54	62	151	237	452	820	1,652	3,045
1997.....	101,981	235	86	49	61	127	277	431	769	1,652	2,960
1996.....	102,622	248	81	36	73	159	222	424	877	1,677	2,878
1995.....	103,525	246	111	36	66	154	281	418	896	1,761	2,959
1994.....	101,190	271	116	33	64	133	246	472	947	1,812	2,899
1993.....	102,729	244	99	46	57	121	266	476	915	1,750	2,834
1992.....	98,295	278	107	42	53	130	241	475	913	1,661	2,799
1991.....	99,043	276	130	45	56	116	249	479	914	1,690	2,624
1990.....	98,068	309	103	30	60	117	255	436	940	1,599	2,444
1989.....	100,901	270	100	41	64	127	245	460	963	1,628	2,405
1988.....	103,426	300	110	39	52	149	258	525	988	1,667	2,364
1987.....	100,921	277	114	40	57	134	262	500	982	1,609	2,268
1986.....	100,891	311	121	39	54	125	277	534	1,010	1,536	2,335
1985.....	100,294	294	117	36	62	155	267	522	903	1,436	2,229
1984.....	98,159	297	107	47	61	131	277	499	847	1,366	2,164
1983.....	98,520	323	98	44	53	150	265	476	830	1,259	2,075
1982.....	95,079	240	100	48	55	125	263	488	793	1,236	2,045
1981.....	96,293	238	95	35	65	138	285	531	805	1,259	2,116
1980.....	98,502	280	117	43	60	185	318	497	842	1,288	2,158
1979.....	93,369	268	91	31	54	136	274	492	722	1,245	2,123

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)											
BLACK MALE											
1998.....	48,391	139	48	28	35	104	141	259	466	975	1,787
1997.....	47,943	125	62	22	36	73	167	248	443	967	1,785
1996.....	48,184	133	34	15	43	90	145	227	495	964	1,681
1995.....	49,183	133	67	20	38	89	170	245	554	1,038	1,827
1994.....	47,824	139	59	14	40	75	145	258	522	1,104	1,754
1993.....	48,656	121	49	24	32	76	160	287	536	1,018	1,760
1992.....	46,966	153	60	20	35	88	144	275	529	1,028	1,697
1991.....	47,654	148	75	25	30	69	149	286	523	1,075	1,636
1990.....	47,209	175	56	14	27	70	138	246	546	999	1,549
1989.....	48,508	133	58	24	26	67	141	249	584	1,048	1,501
1988.....	50,087	158	57	24	30	88	159	297	640	1,053	1,472
1987.....	49,201	150	61	17	35	78	152	274	589	1,061	1,463
1986.....	49,375	170	65	18	25	74	157	297	629	951	1,529
1985.....	49,375	165	57	16	28	97	143	307	569	946	1,382
1984.....	48,491	161	57	29	30	72	158	291	527	862	1,354
1983.....	48,812	177	56	23	32	88	144	270	518	762	1,292
1982.....	47,632	129	52	24	29	73	137	288	473	778	1,259
1981.....	48,315	134	51	21	30	77	169	299	507	790	1,325
1980.....	49,610	145	68	17	33	106	197	273	514	812	1,323
1979.....	47,665	147	49	12	26	80	144	275	419	769	1,331
BLACK FEMALE											
1998.....	55,067	127	37	26	27	47	96	193	354	677	1,258
1997.....	54,038	110	24	27	25	54	110	183	326	685	1,175
1996.....	54,438	115	47	21	30	69	77	197	382	713	1,197
1995.....	54,342	113	44	16	28	65	111	173	342	723	1,132
1994.....	53,366	132	57	19	24	58	101	214	425	708	1,145
1993.....	54,073	123	50	22	25	45	106	189	379	732	1,074
1992.....	51,329	125	47	22	18	42	97	200	384	633	1,102
1991.....	51,389	128	55	20	26	47	100	193	391	615	988
1990.....	50,859	134	47	16	33	47	117	190	394	600	895
1989.....	52,393	137	42	17	38	60	104	211	379	580	904
1988.....	53,339	142	53	15	22	61	99	228	348	614	892
1987.....	51,720	127	53	23	22	56	110	226	393	548	805
1986.....	51,516	141	56	21	29	51	120	237	381	585	806
1985.....	50,919	129	60	20	34	58	124	215	334	490	847
1984.....	49,668	136	50	18	31	59	119	208	320	504	810
1983.....	49,708	146	42	21	21	62	121	206	312	497	783
1982.....	47,447	111	48	24	26	52	126	200	320	458	786
1981.....	47,978	104	44	14	35	61	116	232	298	469	791
1980.....	48,892	135	49	26	27	79	121	224	328	476	835
1979.....	45,704	121	42	19	28	56	130	217	303	476	792

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF HEART (390-398,402,404-429)											
TOTAL, BOTH SEXES											
1998.....	724,859	609	214	156	170	415	642	1,086	2,121	4,700	8,893
1997.....	726,974	622	212	128	185	417	681	1,076	2,210	4,660	8,567
1996.....	733,361	625	217	129	205	407	562	1,072	2,278	4,739	8,478
1995.....	737,563	658	251	130	164	399	640	1,067	2,394	4,903	8,700
1994.....	732,409	685	285	129	198	376	616	1,155	2,365	4,909	8,334
1993.....	743,460	663	296	129	174	366	615	1,126	2,413	4,658	8,463
1992.....	717,706	716	286	130	154	333	635	1,119	2,304	4,350	8,348
1991.....	720,862	704	332	128	153	359	631	1,159	2,266	4,337	8,060
1990.....	720,058	794	282	124	184	344	573	1,089	2,201	4,068	7,687
1989.....	733,867	776	281	124	171	343	595	1,141	2,321	4,155	7,627
1988.....	765,156	871	352	146	178	394	696	1,230	2,345	4,387	7,683
1987.....	760,353	950	322	149	175	391	671	1,267	2,385	4,363	7,859
1986.....	765,490	982	366	150	160	391	705	1,274	2,417	4,523	7,892
1985.....	771,169	920	305	139	183	410	703	1,249	2,206	4,346	7,738
1984.....	765,114	953	346	168	172	370	729	1,150	2,164	4,142	7,665
1983.....	770,432	955	349	145	173	410	658	1,170	2,158	4,017	7,521
1982.....	755,592	769	311	166	194	394	718	1,202	2,021	3,993	7,457
1981.....	753,884	763	338	144	179	387	692	1,151	2,106	3,949	7,479
1980.....	761,085	806	338	142	188	487	736	1,102	1,978	3,872	7,561
1979.....	733,235	693	265	119	170	395	722	1,089	1,951	3,847	7,533
TOTAL, MALE											
1998.....	353,897	312	114	99	92	273	399	689	1,382	3,275	6,450
1997.....	356,598	349	119	67	113	258	416	665	1,480	3,272	6,297
1996.....	360,075	335	111	59	122	251	365	688	1,533	3,371	6,173
1995.....	362,714	344	136	75	88	255	404	670	1,651	3,490	6,457
1994.....	361,276	369	146	64	110	246	385	715	1,556	3,504	6,128
1993.....	367,479	367	164	56	93	246	381	745	1,612	3,298	6,278
1992.....	357,545	383	151	73	87	231	395	693	1,581	3,181	6,274
1991.....	359,814	396	178	68	83	239	402	774	1,509	3,166	6,048
1990.....	360,788	442	141	65	104	233	355	706	1,514	3,008	5,893
1989.....	368,202	425	161	68	83	212	378	743	1,619	3,074	5,768
1988.....	385,402	486	176	80	115	269	440	782	1,683	3,261	5,811
1987.....	385,217	545	167	85	94	247	426	793	1,671	3,277	6,028
1986.....	390,912	563	189	80	90	257	439	812	1,706	3,418	6,031
1985.....	398,208	524	156	65	91	262	442	829	1,575	3,273	5,861
1984.....	397,097	524	183	92	86	225	450	752	1,565	3,115	5,848
1983.....	402,727	538	190	75	100	261	400	777	1,537	3,045	5,711
1982.....	398,570	453	175	84	94	258	429	800	1,435	2,987	5,653
1981.....	400,535	415	174	77	103	234	438	754	1,461	2,956	5,690
1980.....	405,661	460	183	65	105	301	481	712	1,375	2,922	5,715
1979.....	396,372	406	138	57	93	250	445	712	1,356	2,844	5,722

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF HEART (390-398,402,404-429)											
TOTAL, FEMALE											
1998.....	370,962	297	100	57	78	142	243	397	739	1,425	2,443
1997.....	370,376	273	93	61	72	159	265	411	730	1,388	2,270
1996.....	373,286	290	106	70	83	156	197	384	745	1,368	2,305
1995.....	374,849	314	115	55	76	144	236	397	743	1,413	2,243
1994.....	371,133	316	139	65	88	130	231	440	809	1,405	2,206
1993.....	375,981	296	132	73	81	120	234	381	801	1,360	2,185
1992.....	360,161	333	135	57	67	102	240	426	723	1,169	2,074
1991.....	361,048	308	154	60	70	120	229	385	757	1,171	2,012
1990.....	359,270	352	141	59	80	111	218	383	687	1,060	1,794
1989.....	365,665	351	120	56	88	131	217	398	702	1,081	1,859
1988.....	379,754	385	176	66	63	125	256	448	662	1,126	1,872
1987.....	375,136	405	155	64	81	144	245	474	714	1,086	1,831
1986.....	374,578	419	177	70	70	134	266	462	711	1,105	1,861
1985.....	372,961	396	149	74	92	148	261	420	631	1,073	1,877
1984.....	368,017	429	163	76	86	145	279	398	599	1,027	1,817
1983.....	367,705	417	159	70	73	149	258	393	621	972	1,810
1982.....	357,022	316	136	82	100	136	289	402	586	1,006	1,804
1981.....	353,349	348	164	67	76	153	254	397	645	993	1,789
1980.....	355,424	346	155	77	83	186	255	390	603	950	1,846
1979.....	336,863	287	127	62	77	145	277	377	595	1,003	1,811
WHITE, BOTH SEXES											
1998.....	635,549	405	136	108	116	268	425	703	1,435	3,303	6,399
1997.....	639,225	442	140	86	135	293	425	685	1,551	3,297	6,235
1996.....	645,514	419	135	94	132	259	351	701	1,538	3,380	6,147
1995.....	649,089	450	153	92	104	252	377	697	1,641	3,467	6,357
1994.....	646,056	441	173	95	142	250	390	744	1,580	3,440	6,021
1993.....	655,365	432	190	85	130	250	385	724	1,650	3,240	6,115
1992.....	633,487	477	179	87	101	213	416	718	1,555	3,035	6,075
1991.....	636,805	463	210	87	103	252	407	774	1,540	2,978	5,961
1990.....	637,364	501	181	95	131	241	362	722	1,467	2,816	5,735
1989.....	648,866	517	179	87	110	233	398	775	1,571	2,894	5,683
1988.....	678,526	594	242	108	132	268	466	804	1,599	3,068	5,786
1987.....	675,732	676	206	110	120	271	456	862	1,596	3,083	6,006
1986.....	681,363	691	243	108	114	281	468	855	1,596	3,311	5,988
1985.....	688,152	642	192	102	122	279	481	829	1,495	3,182	5,932
1984.....	684,511	668	242	130	126	261	502	759	1,498	3,054	5,901
1983.....	689,749	650	244	105	128	282	449	785	1,499	3,035	5,799
1982.....	678,837	543	214	121	148	284	503	825	1,403	3,016	5,801
1981.....	677,449	546	239	114	126	272	471	747	1,500	2,971	5,789
1980.....	683,347	556	224	103	138	326	492	727	1,342	2,835	5,813
1979.....	660,154	459	178	98	125	291	506	727	1,401	2,889	5,845

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	---------------	------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 DISEASES OF HEART (390-398,402,404-429)

## WHITE MALE

1998.....	309,952	215	70	74	62	177	257	451	967	2,394	4,881
1997.....	313,316	257	71	50	85	190	256	436	1,064	2,428	4,780
1996.....	316,889	222	78	44	74	164	228	471	1,086	2,535	4,710
1995.....	318,751	236	82	51	55	170	234	447	1,157	2,588	4,933
1994.....	318,543	242	90	49	74	171	249	466	1,085	2,551	4,661
1993.....	323,802	251	110	34	72	170	241	485	1,126	2,405	4,750
1992.....	315,483	263	89	53	54	144	257	447	1,111	2,321	4,811
1991.....	317,642	265	108	45	54	170	256	526	1,061	2,248	4,692
1990.....	319,362	280	89	53	79	164	233	479	1,048	2,172	4,573
1989.....	325,397	298	102	48	60	151	256	534	1,124	2,226	4,487
1988.....	341,519	339	117	56	86	185	294	523	1,175	2,399	4,563
1987.....	342,063	388	108	71	60	175	295	553	1,161	2,382	4,766
1986.....	347,967	407	124	60	66	193	297	559	1,167	2,612	4,717
1985.....	355,374	371	103	45	62	177	313	564	1,085	2,476	4,663
1984.....	355,454	375	130	70	64	157	311	499	1,113	2,400	4,680
1983.....	360,951	369	128	54	73	178	285	538	1,097	2,411	4,571
1982.....	358,308	333	121	63	72	188	313	564	1,034	2,348	4,560
1981.....	360,386	294	123	59	76	169	299	501	1,056	2,303	4,580
1980.....	364,679	335	116	52	81	202	323	486	970	2,219	4,589
1979.....	357,378	278	93	51	71	186	322	499	1,020	2,227	4,622

## WHITE FEMALE

1998.....	325,597	190	66	34	54	91	168	252	468	909	1,518
1997.....	325,909	185	69	36	50	103	169	249	487	869	1,455
1996.....	328,625	197	57	50	58	95	123	230	452	845	1,437
1995.....	330,338	214	71	41	49	82	143	250	484	879	1,424
1994.....	327,513	199	83	46	68	79	141	278	495	889	1,360
1993.....	331,563	181	80	51	58	80	144	239	524	835	1,365
1992.....	318,004	214	90	34	47	69	159	271	444	714	1,264
1991.....	319,163	198	102	42	49	82	151	248	479	730	1,269
1990.....	318,002	221	92	42	52	77	129	243	419	644	1,162
1989.....	323,469	219	77	39	50	82	142	241	447	668	1,196
1988.....	337,007	255	125	52	46	83	172	281	424	669	1,223
1987.....	333,669	288	98	39	60	96	161	309	435	701	1,240
1986.....	333,396	284	119	48	48	88	171	296	429	699	1,271
1985.....	332,778	271	89	57	60	102	168	265	410	706	1,269
1984.....	329,057	293	112	60	62	104	191	260	385	654	1,221
1983.....	328,798	281	116	51	55	104	164	247	402	624	1,228
1982.....	320,529	210	93	58	76	96	190	261	369	668	1,241
1981.....	317,063	252	116	55	50	103	172	246	444	668	1,209
1980.....	318,668	221	108	51	57	124	169	241	372	616	1,224
1979.....	302,776	181	85	47	54	105	184	228	381	662	1,223

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF HEART (390-398,402,404-429)											
ALL OTHER, BOTH SEXES											
1998.....	89,310	204	78	48	54	147	217	383	686	1,397	2,494
1997.....	87,749	180	72	42	50	124	256	391	659	1,363	2,332
1996.....	87,847	206	82	35	73	148	211	371	740	1,359	2,331
1995.....	88,474	208	98	38	60	147	263	370	753	1,436	2,343
1994.....	86,353	244	112	34	56	126	226	411	785	1,469	2,313
1993.....	88,095	231	106	44	44	116	230	402	763	1,418	2,348
1992.....	84,219	239	107	43	53	120	219	401	749	1,315	2,273
1991.....	84,057	241	122	41	50	107	224	385	726	1,359	2,099
1990.....	82,694	293	101	29	53	103	211	367	734	1,252	1,952
1989.....	85,001	259	102	37	61	110	197	366	750	1,261	1,944
1988.....	86,630	277	110	38	46	126	230	426	746	1,319	1,897
1987.....	84,621	274	116	39	55	120	215	405	789	1,280	1,853
1986.....	84,127	291	123	42	46	110	237	419	821	1,212	1,904
1985.....	83,017	278	113	37	61	131	222	420	711	1,164	1,806
1984.....	80,603	285	104	38	46	109	227	391	666	1,088	1,764
1983.....	80,683	305	105	40	45	128	209	385	659	982	1,722
1982.....	76,755	226	97	45	46	110	215	377	618	977	1,656
1981.....	76,435	217	99	30	53	115	221	404	606	978	1,690
1980.....	77,738	250	114	39	50	161	244	375	636	1,037	1,748
1979.....	73,081	234	87	21	45	104	216	362	550	958	1,688
ALL OTHER MALE											
1998.....	43,945	97	44	25	30	96	142	238	415	881	1,569
1997.....	43,282	92	48	17	28	68	160	229	416	844	1,517
1996.....	43,186	113	33	15	48	87	137	217	447	836	1,463
1995.....	43,963	108	54	24	33	85	170	223	494	902	1,524
1994.....	42,733	127	56	15	36	75	136	249	471	953	1,467
1993.....	43,677	116	54	22	21	76	140	260	486	893	1,528
1992.....	42,062	120	62	20	33	87	138	246	470	860	1,463
1991.....	42,172	131	70	23	29	69	146	248	448	918	1,356
1990.....	41,426	162	52	12	25	69	122	227	466	836	1,320
1989.....	42,805	127	59	20	23	61	122	209	495	848	1,281
1988.....	43,883	147	59	24	29	84	146	259	508	862	1,248
1987.....	43,154	157	59	14	34	72	131	240	510	895	1,262
1986.....	42,945	156	65	20	24	64	142	253	539	806	1,314
1985.....	42,834	153	53	20	29	85	129	265	490	797	1,198
1984.....	41,643	149	53	22	22	68	139	253	452	715	1,168
1983.....	41,776	169	62	21	27	83	115	239	440	634	1,140
1982.....	40,262	120	54	21	22	70	116	236	401	639	1,093
1981.....	40,149	121	51	18	27	65	139	253	405	653	1,110
1980.....	40,982	125	67	13	24	99	158	226	405	703	1,126
1979.....	38,994	128	45	6	22	64	123	213	336	617	1,100

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF HEART (390-398,402,404-429)											
ALL OTHER FEMALE											
1998.....	45,365	107	34	23	24	51	75	145	271	516	925
1997.....	44,467	88	24	25	22	56	96	162	243	519	815
1996.....	44,661	93	49	20	25	61	74	154	293	523	868
1995.....	44,511	100	44	14	27	62	93	147	259	534	819
1994.....	43,620	117	56	19	20	51	90	162	314	516	846
1993.....	44,418	115	52	22	23	40	90	142	277	525	820
1992.....	42,157	119	45	23	20	33	81	155	279	455	810
1991.....	41,885	110	52	18	21	38	78	137	278	441	743
1990.....	41,268	131	49	17	28	34	89	140	268	416	632
1989.....	42,196	132	43	17	38	49	75	157	255	413	663
1988.....	42,747	130	51	14	17	42	84	167	238	457	649
1987.....	41,467	117	57	25	21	48	84	165	279	385	591
1986.....	41,182	135	58	22	22	46	95	166	282	406	590
1985.....	40,183	125	60	17	32	46	93	155	221	367	608
1984.....	38,960	136	51	16	24	41	88	138	214	373	596
1983.....	38,907	136	43	19	18	45	94	146	219	348	582
1982.....	36,493	106	43	24	24	40	99	141	217	338	563
1981.....	36,286	96	48	12	26	50	82	151	201	325	580
1980.....	36,756	125	47	26	26	62	86	149	231	334	622
1979.....	34,087	106	42	15	23	40	93	149	214	341	588
BLACK, BOTH SEXES											
1998.....	78,294	166	64	41	48	134	191	348	638	1,264	2,297
1997.....	77,174	156	65	38	45	112	227	355	588	1,235	2,128
1996.....	77,641	179	67	30	62	135	193	346	676	1,235	2,130
1995.....	78,643	180	88	32	53	137	234	330	697	1,315	2,177
1994.....	76,852	214	104	29	48	113	196	380	714	1,346	2,124
1993.....	79,011	196	87	37	40	104	216	363	702	1,318	2,137
1992.....	75,600	215	95	36	46	110	195	372	681	1,219	2,091
1991.....	76,014	218	111	36	44	94	202	358	678	1,256	1,955
1990.....	75,111	254	90	24	46	95	195	334	690	1,154	1,802
1989.....	77,431	229	89	31	51	98	186	339	713	1,182	1,809
1988.....	79,466	246	96	34	40	120	216	399	700	1,238	1,776
1987.....	77,747	235	103	31	50	115	198	369	739	1,183	1,718
1986.....	77,726	265	109	35	41	98	218	388	768	1,137	1,786
1985.....	76,684	245	103	31	55	122	206	400	663	1,073	1,692
1984.....	74,698	259	92	35	42	104	206	366	615	1,026	1,645
1983.....	75,008	277	91	32	37	119	195	353	621	912	1,597
1982.....	71,468	191	87	40	41	93	204	349	570	918	1,538
1981.....	71,697	191	85	28	51	106	208	381	564	914	1,589
1980.....	72,956	231	103	35	42	147	221	349	604	966	1,639
1979.....	68,579	208	78	20	41	100	197	336	506	894	1,603

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 DISEASES OF HEART (390-398,402,404-429)

BLACK MALE

1998.....	37,662	82	38	22	26	90	124	213	380	776	1,414
1997.....	37,212	80	45	17	27	62	142	205	361	752	1,376
1996.....	37,335	100	28	12	40	80	125	199	399	744	1,307
1995.....	38,389	96	51	19	30	79	148	198	455	812	1,404
1994.....	37,241	110	50	13	31	67	116	221	422	872	1,323
1993.....	38,357	91	42	17	20	67	131	231	439	818	1,365
1992.....	37,040	112	56	16	29	79	119	224	423	797	1,323
1991.....	37,454	115	63	20	25	60	132	232	412	841	1,252
1990.....	37,038	141	47	11	23	61	110	203	431	761	1,202
1989.....	38,321	108	53	18	20	55	114	196	470	794	1,174
1988.....	39,584	129	51	22	26	78	136	242	474	808	1,153
1987.....	38,934	132	56	12	32	68	121	211	474	816	1,160
1986.....	39,076	144	58	16	21	58	128	230	499	748	1,221
1985.....	38,982	134	48	15	26	81	117	249	456	735	1,114
1984.....	38,034	135	47	20	20	64	123	236	411	677	1,076
1983.....	38,311	152	54	18	22	75	110	213	409	581	1,038
1982.....	36,925	103	46	19	20	61	110	217	369	599	999
1981.....	37,188	106	45	18	26	62	129	237	378	604	1,041
1980.....	37,877	115	61	12	22	88	144	210	387	644	1,043
1979.....	36,122	111	41	6	21	62	109	200	305	569	1,037

BLACK FEMALE

1998.....	40,632	84	26	19	22	44	67	135	258	488	883
1997.....	39,962	76	20	21	18	50	85	150	227	483	752
1996.....	40,306	79	39	18	22	55	68	147	277	491	823
1995.....	40,254	84	37	13	23	58	86	132	242	503	773
1994.....	39,611	104	54	16	17	46	80	159	292	474	801
1993.....	40,654	105	45	20	20	37	85	132	263	500	772
1992.....	38,560	103	39	20	17	31	76	148	258	422	768
1991.....	38,560	103	48	16	19	34	70	126	266	415	703
1990.....	38,073	113	43	13	23	34	85	131	259	393	600
1989.....	39,110	121	36	13	31	43	72	143	243	388	635
1988.....	39,882	117	45	12	14	42	80	157	226	430	623
1987.....	38,813	103	47	19	18	47	77	158	265	367	558
1986.....	38,650	121	51	19	20	40	90	158	269	389	565
1985.....	37,702	111	55	16	29	41	89	151	207	338	578
1984.....	36,664	124	45	15	22	40	83	130	204	349	569
1983.....	36,697	125	37	14	15	44	85	140	212	331	559
1982.....	34,543	88	41	21	21	32	94	132	201	319	539
1981.....	34,509	85	40	10	25	44	79	144	186	310	548
1980.....	35,079	116	42	23	20	59	77	139	217	322	596
1979.....	32,457	97	37	14	20	38	88	136	201	325	566



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
TOTAL, BOTH SEXES											
1998.....	4,792	2	1	1	3	8	25	38	44	78	117
1997.....	5,014	3	4	-	5	16	27	30	63	98	112
1996.....	5,006	9	7	2	2	16	16	37	44	92	117
1995.....	5,147	5	4	1	2	13	15	27	60	102	117
1994.....	5,415	6	6	7	15	13	20	29	73	85	119
1993.....	5,743	4	5	2	5	13	14	35	69	101	121
1992.....	5,702	2	7	2	4	13	23	41	60	86	136
1991.....	5,951	6	4	3	1	8	15	42	62	86	135
1990.....	6,018	7	2	4	4	16	19	36	66	109	144
1989.....	6,087	4	6	6	4	11	24	36	72	91	164
1988.....	6,421	6	4	2	8	16	38	40	70	111	111
1987.....	6,389	5	8	4	4	9	32	65	90	116	107
1986.....	6,441	5	2	2	4	14	38	53	85	103	145
1985.....	6,593	7	6	4	10	15	46	74	75	107	153
1984.....	6,912	5	9	4	8	23	48	51	90	99	179
1983.....	6,895	7	4	4	9	21	32	74	71	112	175
1982.....	7,053	6	7	8	7	24	39	63	77	98	163
1981.....	7,378	7	1	3	16	16	34	70	95	125	185
1980.....	7,836	4	6	6	17	31	55	61	92	136	205
1979.....	7,795	5	2	4	7	29	54	70	83	130	224
TOTAL, MALE											
1998.....	1,422	2	1	1	1	4	8	15	18	34	43
1997.....	1,553	-	3	-	2	12	12	14	33	32	40
1996.....	1,482	7	4	-	-	6	8	15	15	35	51
1995.....	1,534	3	3	1	1	5	6	9	29	43	48
1994.....	1,679	3	3	5	6	6	5	10	34	37	48
1993.....	1,790	2	3	-	1	6	8	18	31	44	52
1992.....	1,714	2	5	1	3	2	12	16	26	38	57
1991.....	1,786	1	3	3	1	4	8	16	22	32	69
1990.....	1,830	2	-	1	2	8	8	15	35	56	60
1989.....	1,877	2	3	4	1	3	7	16	35	32	77
1988.....	1,945	3	2	2	5	9	23	18	28	42	46
1987.....	1,934	3	2	4	3	5	10	25	41	58	44
1986.....	2,054	5	1	2	1	6	18	25	39	51	68
1985.....	2,142	4	6	2	4	9	23	35	38	43	65
1984.....	2,279	3	3	-	5	12	20	15	48	50	75
1983.....	2,199	5	3	1	7	15	15	40	35	48	71
1982.....	2,336	5	5	4	4	14	19	31	37	43	65
1981.....	2,469	2	1	1	7	9	22	27	39	48	79
1980.....	2,660	2	1	1	10	18	34	24	45	57	91
1979.....	2,651	3	1	1	6	19	29	31	38	58	102

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98											
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
TOTAL, FEMALE												
1998.....	3,370	-	-	-	2	4	17	23	26	44	74	
1997.....	3,461	3	1	-	3	4	15	16	30	66	72	
1996.....	3,524	2	3	2	2	10	8	22	29	57	66	
1995.....	3,613	2	1	-	1	8	9	18	31	59	69	
1994.....	3,736	3	3	2	9	7	15	19	39	48	71	
1993.....	3,953	2	2	2	4	7	6	17	38	57	69	
1992.....	3,988	-	2	1	1	11	11	25	34	48	79	
1991.....	4,165	5	1	-	-	4	7	26	40	54	66	
1990.....	4,188	5	2	3	2	8	11	21	31	53	84	
1989.....	4,210	2	3	2	3	8	17	20	37	59	87	
1988.....	4,476	3	2	-	3	7	15	22	42	69	65	
1987.....	4,455	2	6	-	1	4	22	40	49	58	63	
1986.....	4,387	-	1	-	3	8	20	28	46	52	77	
1985.....	4,451	3	-	2	6	6	23	39	37	64	88	
1984.....	4,633	2	6	4	3	11	28	36	42	49	104	
1983.....	4,696	2	1	3	2	6	17	34	36	64	104	
1982.....	4,717	1	2	4	3	10	20	32	40	55	98	
1981.....	4,909	5	-	2	9	7	12	43	56	77	106	
1980.....	5,176	2	5	5	7	13	21	37	47	79	114	
1979.....	5,144	2	1	3	1	10	25	39	45	72	122	
WHITE, BOTH SEXES												
1998.....	4,334	2	-	1	3	6	21	29	33	55	83	
1997.....	4,547	3	4	-	2	13	14	18	50	64	73	
1996.....	4,534	8	5	2	2	10	13	29	35	52	86	
1995.....	4,661	4	1	1	-	8	12	19	38	70	85	
1994.....	4,923	5	6	5	10	11	13	21	48	56	80	
1993.....	5,231	4	3	1	5	9	11	23	43	68	83	
1992.....	5,161	2	6	-	3	10	18	28	47	59	92	
1991.....	5,426	5	3	3	-	5	9	31	52	56	99	
1990.....	5,483	6	2	4	2	10	12	24	48	72	96	
1989.....	5,523	4	6	6	1	9	17	27	47	58	114	
1988.....	5,874	5	3	1	3	13	27	28	47	65	79	
1987.....	5,875	5	5	2	-	7	18	43	59	80	76	
1986.....	5,872	3	2	1	-	5	18	32	56	64	99	
1985.....	6,026	6	4	3	7	8	31	49	48	71	115	
1984.....	6,355	3	8	4	5	16	34	22	62	67	134	
1983.....	6,341	3	4	3	6	12	17	44	47	88	126	
1982.....	6,504	5	7	4	4	14	26	39	50	75	131	
1981.....	6,798	4	1	1	12	8	22	43	69	97	144	
1980.....	7,203	3	5	4	6	15	28	33	59	105	160	
1979.....	7,195	5	2	2	5	14	35	37	60	98	181	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
WHITE MALE											
1998.....	1,288	2	-	1	1	2	6	11	16	26	33
1997.....	1,389	-	3	-	1	10	5	9	30	19	24
1996.....	1,331	6	4	-	-	2	7	12	11	27	38
1995.....	1,375	2	1	1	-	4	3	5	19	30	31
1994.....	1,513	3	3	4	4	6	4	8	17	23	35
1993.....	1,621	2	1	-	1	4	6	11	17	34	35
1992.....	1,537	2	4	-	3	1	9	10	21	29	43
1991.....	1,607	1	2	3	-	3	5	12	19	26	54
1990.....	1,655	2	-	1	1	4	6	11	27	39	43
1989.....	1,674	2	3	4	-	2	5	11	21	16	51
1988.....	1,746	2	2	1	1	8	14	10	19	26	33
1987.....	1,767	3	2	2	-	5	6	18	28	42	31
1986.....	1,842	3	1	1	-	4	10	14	24	33	47
1985.....	1,934	4	4	2	3	5	18	24	25	29	50
1984.....	2,087	3	3	-	3	7	17	5	33	34	58
1983.....	1,996	1	3	-	5	8	9	25	21	38	54
1982.....	2,133	5	5	2	3	9	11	21	24	34	54
1981.....	2,254	2	1	-	6	3	13	17	30	39	62
1980.....	2,424	2	1	1	6	9	15	12	35	46	71
1979.....	2,414	3	1	1	4	10	19	18	26	38	82
WHITE FEMALE											
1998.....	3,046	-	-	-	2	4	15	18	17	29	50
1997.....	3,158	3	1	-	1	3	9	9	20	45	49
1996.....	3,203	2	1	2	2	8	6	17	24	25	48
1995.....	3,286	2	-	-	-	4	9	14	19	40	54
1994.....	3,410	2	3	1	6	5	9	13	31	33	45
1993.....	3,610	2	2	1	4	5	5	12	26	34	48
1992.....	3,624	-	2	-	-	9	9	18	26	30	49
1991.....	3,819	4	1	-	-	2	4	19	33	30	45
1990.....	3,828	4	2	3	1	6	6	13	21	33	53
1989.....	3,849	2	3	2	1	7	12	16	26	42	63
1988.....	4,128	3	1	-	2	5	13	18	28	39	46
1987.....	4,108	2	3	-	-	2	12	25	31	38	45
1986.....	4,030	-	1	-	-	1	8	18	32	31	52
1985.....	4,092	2	-	1	4	3	13	25	23	42	65
1984.....	4,268	-	5	4	2	9	17	17	29	33	76
1983.....	4,345	2	1	3	1	4	8	19	26	50	72
1982.....	4,371	-	2	2	1	5	15	18	26	41	77
1981.....	4,544	2	-	1	6	5	9	26	39	58	82
1980.....	4,779	1	4	3	-	6	13	21	24	59	89
1979.....	4,781	2	1	1	1	4	16	19	34	60	99

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
ALL OTHER, BOTH SEXES											
1998.....	458	-	1	-	-	2	4	9	11	23	34
1997.....	467	-	-	-	3	3	13	12	13	34	39
1996.....	472	1	2	-	-	6	3	8	9	40	31
1995.....	486	1	3	-	2	5	3	8	22	32	32
1994.....	492	1	-	2	5	2	7	8	25	29	39
1993.....	512	-	2	1	-	4	3	12	26	33	38
1992.....	541	-	1	2	1	3	5	13	13	27	44
1991.....	525	1	1	-	1	3	6	11	10	30	36
1990.....	535	1	-	-	2	6	7	12	18	37	48
1989.....	564	-	-	-	3	2	7	9	25	33	50
1988.....	547	1	1	1	5	3	11	12	23	46	32
1987.....	514	-	3	2	4	2	14	22	31	36	31
1986.....	569	2	-	1	4	9	20	21	29	39	46
1985.....	567	1	2	1	3	7	15	25	27	36	38
1984.....	557	2	1	-	3	7	14	29	28	32	45
1983.....	554	4	-	1	3	9	15	30	24	24	49
1982.....	549	1	-	4	3	10	13	24	27	23	32
1981.....	580	3	-	2	4	8	12	27	26	28	41
1980.....	633	1	1	2	11	16	27	28	33	31	45
1979.....	600	-	-	2	2	15	19	33	23	32	43
ALL OTHER MALE											
1998.....	134	-	1	-	-	2	2	4	2	8	10
1997.....	164	-	-	-	1	2	7	5	3	13	16
1996.....	151	1	-	-	-	4	1	3	4	8	13
1995.....	159	1	2	-	1	1	3	4	10	13	17
1994.....	166	-	-	1	2	-	1	2	17	14	13
1993.....	169	-	2	-	-	2	2	7	14	10	17
1992.....	177	-	1	1	-	1	3	6	5	9	14
1991.....	179	-	1	-	1	1	3	4	3	6	15
1990.....	175	-	-	-	1	4	2	4	8	17	17
1989.....	203	-	-	-	1	1	2	5	14	16	26
1988.....	199	1	-	1	4	1	9	8	9	16	13
1987.....	167	-	-	2	3	-	4	7	13	16	13
1986.....	212	2	-	1	1	2	8	11	15	18	21
1985.....	208	-	2	-	1	4	5	11	13	14	15
1984.....	192	-	-	-	2	5	3	10	15	16	17
1983.....	203	4	-	1	2	7	6	15	14	10	17
1982.....	203	-	-	2	1	5	8	10	13	9	11
1981.....	215	-	-	1	1	6	9	10	9	9	17
1980.....	236	-	-	-	4	9	19	12	10	11	20
1979.....	237	-	-	-	2	9	10	13	12	20	20

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
ALL OTHER FEMALE											
1998.....	324	-	-	-	-	-	2	5	9	15	24
1997.....	303	-	-	-	2	1	6	7	10	21	23
1996.....	321	-	2	-	-	2	2	5	5	32	18
1995.....	327	-	1	-	1	4	-	4	12	19	15
1994.....	326	1	-	1	3	2	6	6	8	15	26
1993.....	343	-	-	1	-	2	1	5	12	23	21
1992.....	364	-	-	1	1	2	2	7	8	18	30
1991.....	346	1	-	-	-	2	3	7	7	24	21
1990.....	360	1	-	-	1	2	5	8	10	20	31
1989.....	361	-	-	-	2	1	5	4	11	17	24
1988.....	348	-	1	-	1	2	2	4	14	30	19
1987.....	347	-	3	-	1	2	10	15	18	20	18
1986.....	357	-	-	-	3	7	12	10	14	21	25
1985.....	359	1	-	1	2	3	10	14	14	22	23
1984.....	365	2	1	-	1	2	11	19	13	16	28
1983.....	351	-	-	-	1	2	9	15	10	14	32
1982.....	346	1	-	2	2	5	5	14	14	14	21
1981.....	365	3	-	1	3	2	3	17	17	19	24
1980.....	397	1	1	2	7	7	8	16	23	20	25
1979.....	363	-	-	2	-	6	9	20	11	12	23
BLACK, BOTH SEXES											
1998.....	356	-	-	-	-	2	4	8	11	20	28
1997.....	353	-	-	-	2	3	8	11	9	25	31
1996.....	355	1	2	-	-	6	3	6	8	33	28
1995.....	368	1	2	-	2	5	2	6	21	28	25
1994.....	370	1	-	2	5	1	3	7	19	23	28
1993.....	410	-	2	1	-	4	3	12	25	25	33
1992.....	431	-	-	2	1	3	4	11	11	24	37
1991.....	413	1	1	-	-	3	6	10	10	26	28
1990.....	436	1	-	-	2	5	6	7	16	34	40
1989.....	448	-	-	-	3	1	4	7	20	28	42
1988.....	426	-	1	1	3	3	8	10	17	37	27
1987.....	412	-	3	2	2	1	10	21	29	34	23
1986.....	470	2	-	1	3	8	15	18	21	33	42
1985.....	472	1	2	1	3	6	12	21	23	32	31
1984.....	458	2	-	-	2	7	11	26	25	26	34
1983.....	465	4	-	1	2	8	13	24	21	18	43
1982.....	458	-	-	4	2	7	9	20	21	16	26
1981.....	479	3	-	1	4	4	6	23	22	23	36
1980.....	556	1	1	2	9	14	22	23	27	27	37
1979.....	531	-	-	1	2	14	17	28	19	27	39

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98											
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
BLACK MALE												
1998.....	101	-	-	-	-	2	2	4	2	8	8	
1997.....	124	-	-	-	1	2	5	5	2	10	13	
1996.....	106	1	-	-	-	4	1	3	3	6	10	
1995.....	123	1	2	-	1	1	2	3	10	12	12	
1994.....	131	-	-	1	2	-	1	1	13	12	10	
1993.....	133	-	2	-	-	2	2	7	13	7	14	
1992.....	131	-	-	1	-	1	2	5	4	9	12	
1991.....	138	-	1	-	-	1	3	3	3	5	11	
1990.....	146	-	-	-	1	3	1	3	7	14	14	
1989.....	168	-	-	-	1	1	-	4	12	14	22	
1988.....	154	-	-	1	3	1	6	6	4	15	10	
1987.....	132	-	-	2	2	-	3	7	12	16	11	
1986.....	177	2	-	1	-	2	7	10	12	14	20	
1985.....	174	-	2	-	1	4	3	10	12	12	13	
1984.....	157	-	-	-	1	5	2	9	15	14	13	
1983.....	166	4	-	1	1	6	6	11	13	7	15	
1982.....	158	-	-	2	-	3	6	8	10	6	8	
1981.....	173	-	-	1	1	4	4	8	9	6	16	
1980.....	206	-	-	-	2	8	17	11	9	11	15	
1979.....	211	-	-	-	2	9	8	11	9	17	18	
BLACK FEMALE												
1998.....	255	-	-	-	-	-	2	4	9	12	20	
1997.....	229	-	-	-	1	1	3	6	7	15	18	
1996.....	249	-	2	-	-	2	2	3	5	27	18	
1995.....	245	-	-	-	1	4	-	3	11	16	13	
1994.....	239	1	-	1	3	1	2	6	6	11	18	
1993.....	277	-	-	1	-	2	1	5	12	18	19	
1992.....	300	-	-	1	1	2	2	6	7	15	25	
1991.....	275	1	-	-	-	2	3	7	7	21	17	
1990.....	290	1	-	-	1	2	5	4	9	20	26	
1989.....	280	-	-	-	2	-	4	3	8	14	20	
1988.....	272	-	1	-	-	2	2	4	13	22	17	
1987.....	280	-	3	-	-	1	7	14	17	18	12	
1986.....	293	-	-	-	3	6	8	8	9	19	22	
1985.....	298	1	-	1	2	2	9	11	11	20	18	
1984.....	301	2	-	-	1	2	9	17	10	12	21	
1983.....	299	-	-	-	1	2	7	13	8	11	28	
1982.....	300	-	-	2	2	4	3	12	11	10	18	
1981.....	306	3	-	-	3	-	2	15	13	17	20	
1980.....	350	1	1	2	7	6	5	12	18	16	22	
1979.....	320	-	-	1	-	5	9	17	10	10	21	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 HYPERTENSIVE HEART DISEASE (402)												
TOTAL, BOTH SEXES												
1998.....	27,715	1	1	-	-	5	19	68	137	350	653	
1997.....	26,607	2	-	-	1	5	23	39	139	345	608	
1996.....	26,188	-	-	-	1	3	23	55	141	299	584	
1995.....	25,014	1	-	-	-	5	14	41	134	289	578	
1994.....	23,943	-	-	-	2	5	15	56	153	318	519	
1993.....	23,037	2	1	-	1	2	14	45	125	263	488	
1992.....	21,853	1	-	-	1	2	18	45	121	234	478	
1991.....	21,365	1	1	2	2	1	17	48	99	232	432	
1990.....	21,072	-	1	-	2	2	14	42	106	205	403	
1989.....	20,963	2	2	-	2	3	8	34	110	212	374	
1988.....	20,788	1	1	1	-	3	22	37	109	193	340	
1987.....	20,678	1	-	1	-	1	13	42	69	207	336	
1986.....	20,509	1	2	-	-	2	17	31	88	184	344	
1985.....	20,882	1	-	-	1	5	17	44	85	184	331	
1984.....	20,712	-	1	1	-	5	11	33	80	170	336	
1983.....	20,984	1	2	-	-	1	6	38	97	182	303	
1982.....	20,779	3	1	1	-	6	13	46	85	156	295	
1981.....	20,793	-	-	2	1	2	12	36	93	148	326	
1980.....	21,095	1	-	1	-	3	17	34	82	168	317	
1979.....	20,992	1	-	-	1	4	10	53	91	159	326	
TOTAL, MALE												
1998.....	11,937	-	-	-	-	3	16	47	97	244	458	
1997.....	11,386	1	-	-	1	2	16	25	90	259	427	
1996.....	11,129	-	-	-	1	2	20	37	101	209	390	
1995.....	10,638	-	-	-	-	4	13	26	91	197	403	
1994.....	10,055	-	-	-	1	2	10	44	103	221	351	
1993.....	9,771	1	1	-	1	1	8	32	93	187	319	
1992.....	9,211	1	-	-	1	2	10	26	82	170	339	
1991.....	8,995	-	1	2	2	1	15	32	61	151	289	
1990.....	8,822	-	-	-	-	2	11	28	75	139	279	
1989.....	8,923	2	1	-	1	1	6	27	76	145	247	
1988.....	8,850	1	1	-	-	2	17	27	75	134	212	
1987.....	8,855	-	-	1	-	-	10	30	46	148	231	
1986.....	8,614	-	1	-	-	1	14	16	70	120	220	
1985.....	8,970	-	-	-	-	5	12	34	68	130	228	
1984.....	8,892	-	1	1	-	4	8	25	61	115	229	
1983.....	9,106	-	2	-	-	1	5	30	78	126	205	
1982.....	8,896	1	-	-	-	5	6	32	57	102	190	
1981.....	8,994	-	-	2	1	2	10	25	73	93	198	
1980.....	8,870	1	-	-	-	2	8	22	54	110	194	
1979.....	8,902	-	-	-	-	3	6	31	49	107	215	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 HYPERTENSIVE HEART DISEASE (402)												
TOTAL, FEMALE												
1998.....	15,778	1	1	-	-	2	3	21	40	106	195	
1997.....	15,221	1	-	-	-	3	7	14	49	86	181	
1996.....	15,059	-	-	-	-	1	3	18	40	90	194	
1995.....	14,376	1	-	-	-	1	1	15	43	92	175	
1994.....	13,888	-	-	-	1	3	5	12	50	97	168	
1993.....	13,266	1	-	-	-	1	6	13	32	76	169	
1992.....	12,642	-	-	-	-	-	8	19	39	64	139	
1991.....	12,370	1	-	-	-	-	2	16	38	81	143	
1990.....	12,250	-	1	-	2	-	3	14	31	66	124	
1989.....	12,040	-	1	-	1	2	2	7	34	67	127	
1988.....	11,938	-	-	1	-	1	5	10	34	59	128	
1987.....	11,823	1	-	-	-	1	3	12	23	59	105	
1986.....	11,895	1	1	-	-	1	3	15	18	64	124	
1985.....	11,912	1	-	-	1	-	5	10	17	54	103	
1984.....	11,820	-	-	-	-	1	3	8	19	55	107	
1983.....	11,878	1	-	-	-	-	1	8	19	56	98	
1982.....	11,883	2	1	1	-	1	7	14	28	54	105	
1981.....	11,799	-	-	-	-	-	2	11	20	55	128	
1980.....	12,225	-	-	1	-	1	9	12	28	58	123	
1979.....	12,090	1	-	-	1	1	4	22	42	52	111	
WHITE, BOTH SEXES												
1998.....	20,047	1	-	-	-	1	9	23	53	164	307	
1997.....	19,377	2	-	-	-	3	6	15	69	183	289	
1996.....	19,197	-	-	-	-	2	6	22	66	148	274	
1995.....	18,166	1	-	-	-	2	2	17	56	131	279	
1994.....	17,395	-	-	-	2	3	10	25	72	137	240	
1993.....	16,620	1	1	-	1	-	3	21	58	121	227	
1992.....	15,685	-	-	-	-	1	8	22	45	104	210	
1991.....	15,409	-	1	-	1	1	6	22	45	92	190	
1990.....	15,165	-	-	-	2	1	4	16	45	77	195	
1989.....	15,012	1	2	-	1	-	4	18	51	79	169	
1988.....	14,901	1	-	-	-	2	7	10	45	74	152	
1987.....	15,119	1	-	1	-	1	6	18	29	82	157	
1986.....	14,982	1	2	-	-	2	11	11	45	73	149	
1985.....	15,303	1	-	-	-	2	6	20	41	77	149	
1984.....	15,237	-	1	1	-	-	7	20	38	63	135	
1983.....	15,463	1	1	-	-	1	2	15	40	81	121	
1982.....	15,392	2	1	1	-	3	6	15	29	60	133	
1981.....	15,474	-	-	2	-	2	5	11	44	58	134	
1980.....	15,682	1	-	-	-	-	8	12	28	57	128	
1979.....	15,518	1	-	-	1	1	3	18	32	58	138	



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 HYPERTENSIVE HEART DISEASE (402)												
WHITE MALE												
1998.....	8,223	-	-	-	-	1	8	21	41	135	241	
1997.....	7,916	1	-	-	-	2	5	10	54	149	223	
1996.....	7,735	-	-	-	-	2	6	17	53	115	203	
1995.....	7,371	-	-	-	-	2	2	14	45	105	221	
1994.....	6,996	-	-	-	1	2	6	20	60	110	191	
1993.....	6,742	1	1	-	1	-	2	18	49	99	168	
1992.....	6,312	-	-	-	-	1	4	15	35	85	165	
1991.....	6,218	-	1	-	1	1	5	14	36	73	144	
1990.....	6,077	-	-	-	-	1	4	15	36	62	152	
1989.....	6,082	1	1	-	-	-	4	16	38	62	127	
1988.....	6,099	1	-	-	-	2	6	8	35	56	116	
1987.....	6,245	-	-	1	-	-	4	13	23	64	121	
1986.....	6,043	-	1	-	-	1	10	7	38	52	115	
1985.....	6,322	-	-	-	-	2	6	18	30	59	120	
1984.....	6,302	-	1	1	-	-	6	17	33	47	101	
1983.....	6,458	-	1	-	-	1	1	13	34	65	92	
1982.....	6,341	-	-	-	-	2	4	12	21	42	85	
1981.....	6,462	-	-	2	-	2	5	10	36	39	92	
1980.....	6,386	1	-	-	-	-	4	10	20	41	88	
1979.....	6,325	-	-	-	-	1	2	12	21	47	99	
WHITE FEMALE												
1998.....	11,824	1	-	-	-	-	1	2	12	29	66	
1997.....	11,461	1	-	-	-	1	1	5	15	34	66	
1996.....	11,462	-	-	-	-	-	-	5	13	33	71	
1995.....	10,795	1	-	-	-	-	-	3	11	26	58	
1994.....	10,399	-	-	-	1	1	4	5	12	27	49	
1993.....	9,878	-	-	-	-	-	1	3	9	22	59	
1992.....	9,373	-	-	-	-	-	4	7	10	19	45	
1991.....	9,191	-	-	-	-	-	1	8	9	19	46	
1990.....	9,088	-	-	-	2	-	-	1	9	15	43	
1989.....	8,930	-	1	-	1	-	-	2	13	17	42	
1988.....	8,802	-	-	-	-	-	1	2	10	18	36	
1987.....	8,874	1	-	-	-	1	2	5	6	18	36	
1986.....	8,939	1	1	-	-	1	1	4	7	21	34	
1985.....	8,981	1	-	-	-	-	-	2	11	18	29	
1984.....	8,935	-	-	-	-	-	1	3	5	16	34	
1983.....	9,005	1	-	-	-	-	1	2	6	16	29	
1982.....	9,051	2	1	1	-	1	2	3	8	18	48	
1981.....	9,012	-	-	-	-	-	-	1	8	19	42	
1980.....	9,296	-	-	-	-	-	4	2	8	16	40	
1979.....	9,193	1	-	-	1	-	1	6	11	11	39	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 HYPERTENSIVE HEART DISEASE (402)												
ALL OTHER, BOTH SEXES												
1998.....	7,668	-	1	-	-	4	10	45	84	186	346	
1997.....	7,230	-	-	-	1	2	17	24	70	162	319	
1996.....	6,991	-	-	-	1	1	17	33	75	151	310	
1995.....	6,848	-	-	-	-	3	12	24	78	158	299	
1994.....	6,548	-	-	-	-	2	5	31	81	181	279	
1993.....	6,417	1	-	-	-	2	11	24	67	142	261	
1992.....	6,168	1	-	-	1	1	10	23	76	130	268	
1991.....	5,956	1	-	2	1	-	11	26	54	140	242	
1990.....	5,907	-	1	-	-	1	10	26	61	128	208	
1989.....	5,951	1	-	-	1	3	4	16	59	133	205	
1988.....	5,887	-	1	1	-	1	15	27	64	119	188	
1987.....	5,559	-	-	-	-	-	7	24	40	125	179	
1986.....	5,527	-	-	-	-	-	6	20	43	111	195	
1985.....	5,579	-	-	-	1	3	11	24	44	107	182	
1984.....	5,475	-	-	-	-	5	4	13	42	107	201	
1983.....	5,521	-	1	-	-	-	4	23	57	101	182	
1982.....	5,387	1	-	-	-	3	7	31	56	96	162	
1981.....	5,319	-	-	-	1	-	7	25	49	90	192	
1980.....	5,413	-	-	1	-	3	9	22	54	111	189	
1979.....	5,474	-	-	-	-	3	7	35	59	101	188	
ALL OTHER MALE												
1998.....	3,714	-	-	-	-	2	8	26	56	109	217	
1997.....	3,470	-	-	-	1	-	11	15	36	110	204	
1996.....	3,394	-	-	-	1	-	14	20	48	94	187	
1995.....	3,267	-	-	-	-	2	11	12	46	92	182	
1994.....	3,059	-	-	-	-	-	4	24	43	111	160	
1993.....	3,029	-	-	-	-	1	6	14	44	88	151	
1992.....	2,899	1	-	-	1	1	6	11	47	85	174	
1991.....	2,777	-	-	2	1	-	10	18	25	78	145	
1990.....	2,745	-	-	-	-	1	7	13	39	77	127	
1989.....	2,841	1	-	-	1	1	2	11	38	83	120	
1988.....	2,751	-	1	-	-	-	11	19	40	78	96	
1987.....	2,610	-	-	-	-	-	6	17	23	84	110	
1986.....	2,571	-	-	-	-	-	4	9	32	68	105	
1985.....	2,648	-	-	-	-	3	6	16	38	71	108	
1984.....	2,590	-	-	-	-	4	2	8	28	68	128	
1983.....	2,648	-	1	-	-	-	4	17	44	61	113	
1982.....	2,555	1	-	-	-	3	2	20	36	60	105	
1981.....	2,532	-	-	-	1	-	5	15	37	54	106	
1980.....	2,484	-	-	-	-	2	4	12	34	69	106	
1979.....	2,577	-	-	-	-	2	4	19	28	60	116	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 HYPERTENSIVE HEART DISEASE (402)												
ALL OTHER FEMALE												
1998.....	3,954	-	1	-	-	2	2	19	28	77	129	
1997.....	3,760	-	-	-	-	2	6	9	34	52	115	
1996.....	3,597	-	-	-	-	1	3	13	27	57	123	
1995.....	3,581	-	-	-	-	1	1	12	32	66	117	
1994.....	3,489	-	-	-	-	2	1	7	38	70	119	
1993.....	3,388	1	-	-	-	1	5	10	23	54	110	
1992.....	3,269	-	-	-	-	-	4	12	29	45	94	
1991.....	3,179	1	-	-	-	-	1	8	29	62	97	
1990.....	3,162	-	1	-	-	-	3	13	22	51	81	
1989.....	3,110	-	-	-	-	2	2	5	21	50	85	
1988.....	3,136	-	-	1	-	1	4	8	24	41	92	
1987.....	2,949	-	-	-	-	-	1	7	17	41	69	
1986.....	2,956	-	-	-	-	-	2	11	11	43	90	
1985.....	2,931	-	-	-	1	-	5	8	6	36	74	
1984.....	2,885	-	-	-	-	1	2	5	14	39	73	
1983.....	2,873	-	-	-	-	-	-	6	13	40	69	
1982.....	2,832	-	-	-	-	-	5	11	20	36	57	
1981.....	2,787	-	-	-	-	-	2	10	12	36	86	
1980.....	2,929	-	-	1	-	1	5	10	20	42	83	
1979.....	2,897	-	-	-	-	1	3	16	31	41	72	
BLACK, BOTH SEXES												
1998.....	7,158	-	1	-	-	3	10	41	76	178	332	
1997.....	6,708	-	-	-	1	2	17	24	68	153	308	
1996.....	6,564	-	-	-	1	-	16	33	70	145	299	
1995.....	6,408	-	-	-	-	3	12	24	74	151	293	
1994.....	6,160	-	-	-	-	2	4	31	79	170	271	
1993.....	6,057	1	-	-	-	2	11	22	62	141	254	
1992.....	5,854	1	-	-	1	1	10	22	73	126	264	
1991.....	5,639	1	-	2	1	-	10	25	53	138	239	
1990.....	5,636	-	1	-	-	1	10	26	60	124	203	
1989.....	5,680	1	-	-	1	3	4	15	56	133	201	
1988.....	5,626	-	1	1	-	1	14	27	62	117	184	
1987.....	5,276	-	-	-	-	-	6	24	39	122	175	
1986.....	5,312	-	-	-	-	-	6	19	43	108	192	
1985.....	5,342	-	-	-	1	3	11	24	43	104	181	
1984.....	5,276	-	-	-	-	4	4	13	41	107	192	
1983.....	5,339	-	1	-	-	-	4	22	57	97	176	
1982.....	5,197	1	-	-	-	3	7	31	56	91	160	
1981.....	5,160	-	-	-	1	-	7	25	48	88	188	
1980.....	5,228	-	-	-	-	3	9	21	52	109	182	
1979.....	5,311	-	-	-	-	3	5	34	58	98	186	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 HYPERTENSIVE HEART DISEASE (402)												
BLACK MALE												
1998.....	3,463	-	-	-	-	2	8	23	49	102	206	
1997.....	3,190	-	-	-	1	-	11	15	36	102	195	
1996.....	3,160	-	-	-	1	-	13	20	44	91	178	
1995.....	3,039	-	-	-	-	2	11	12	43	88	178	
1994.....	2,855	-	-	-	-	-	3	24	42	104	154	
1993.....	2,843	-	-	-	-	1	6	13	41	87	147	
1992.....	2,724	1	-	-	1	1	6	10	44	82	171	
1991.....	2,635	-	-	2	1	-	10	17	25	76	143	
1990.....	2,608	-	-	-	-	1	7	13	38	75	123	
1989.....	2,688	1	-	-	1	1	2	11	36	83	118	
1988.....	2,607	-	1	-	-	-	10	19	39	77	92	
1987.....	2,465	-	-	-	-	-	5	17	23	81	108	
1986.....	2,465	-	-	-	-	-	4	8	32	65	102	
1985.....	2,515	-	-	-	-	3	6	16	37	68	107	
1984.....	2,474	-	-	-	-	3	2	8	27	68	124	
1983.....	2,546	-	1	-	-	-	4	16	44	58	108	
1982.....	2,449	1	-	-	-	3	2	20	36	57	103	
1981.....	2,444	-	-	-	1	-	5	15	36	53	104	
1980.....	2,388	-	-	-	-	2	4	11	34	67	100	
1979.....	2,482	-	-	-	-	2	3	18	28	57	114	
BLACK FEMALE												
1998.....	3,695	-	1	-	-	1	2	18	27	76	126	
1997.....	3,518	-	-	-	-	2	6	9	32	51	113	
1996.....	3,404	-	-	-	-	-	3	13	26	54	121	
1995.....	3,369	-	-	-	-	1	1	12	31	63	115	
1994.....	3,305	-	-	-	-	2	1	7	37	66	117	
1993.....	3,214	1	-	-	-	1	5	9	21	54	107	
1992.....	3,130	-	-	-	-	-	4	12	29	44	93	
1991.....	3,004	1	-	-	-	-	-	8	28	62	96	
1990.....	3,028	-	1	-	-	-	3	13	22	49	80	
1989.....	2,992	-	-	-	-	2	2	4	20	50	83	
1988.....	3,019	-	-	1	-	1	4	8	23	40	92	
1987.....	2,811	-	-	-	-	-	1	7	16	41	67	
1986.....	2,847	-	-	-	-	-	2	11	11	43	90	
1985.....	2,827	-	-	-	1	-	5	8	6	36	74	
1984.....	2,802	-	-	-	-	1	2	5	14	39	68	
1983.....	2,793	-	-	-	-	-	-	6	13	39	68	
1982.....	2,748	-	-	-	-	-	5	11	20	34	57	
1981.....	2,716	-	-	-	-	-	2	10	12	35	84	
1980.....	2,840	-	-	-	-	1	5	10	18	42	82	
1979.....	2,829	-	-	-	-	1	2	16	30	41	72	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)											
TOTAL, BOTH SEXES											
1998.....	2,412	-	-	-	-	1	3	6	16	13	42
1997.....	2,424	-	-	1	1	-	3	7	15	20	29
1996.....	2,501	-	-	-	-	3	1	8	11	20	32
1995.....	2,484	-	-	-	-	-	5	8	8	23	26
1994.....	2,494	1	-	-	-	-	3	11	14	18	28
1993.....	2,464	-	-	-	-	1	7	9	14	19	29
1992.....	2,492	-	-	-	-	-	3	2	10	9	34
1991.....	2,445	-	-	-	-	-	3	6	15	22	24
1990.....	2,377	1	-	-	-	-	7	6	15	19	36
1989.....	2,385	-	-	-	-	-	5	7	10	13	17
1988.....	2,450	1	-	1	-	3	6	2	11	24	19
1987.....	2,521	-	-	-	1	1	1	6	12	28	25
1986.....	2,496	-	-	-	-	-	2	9	17	18	23
1985.....	2,800	-	-	-	-	-	4	4	9	11	13
1984.....	2,855	-	-	1	-	-	-	8	6	11	16
1983.....	3,073	-	-	-	-	-	4	6	7	15	14
1982.....	3,028	1	-	-	-	-	4	10	16	10	14
1981.....	3,347	-	1	-	-	2	3	8	15	9	26
1980.....	3,711	-	1	-	-	1	1	6	8	10	21
1979.....	3,649	-	-	-	2	1	3	4	13	13	32
TOTAL, MALE											
1998.....	996	-	-	-	-	1	2	3	7	5	28
1997.....	1,051	-	-	1	-	-	3	6	11	15	19
1996.....	1,002	-	-	-	-	2	-	5	9	18	18
1995.....	997	-	-	-	-	-	4	6	5	12	13
1994.....	1,066	-	-	-	-	-	2	6	6	16	19
1993.....	1,023	-	-	-	-	1	6	8	7	10	22
1992.....	1,024	-	-	-	-	-	3	1	6	7	19
1991.....	996	-	-	-	-	-	2	4	8	17	17
1990.....	959	-	-	-	-	-	4	1	7	15	22
1989.....	954	-	-	-	-	-	4	4	7	11	10
1988.....	994	-	-	1	-	1	2	2	8	17	12
1987.....	997	-	-	-	-	1	1	4	5	22	14
1986.....	1,017	-	-	-	-	-	2	9	12	12	13
1985.....	1,152	-	-	-	-	-	1	3	6	7	8
1984.....	1,151	-	-	-	-	-	-	5	5	8	9
1983.....	1,221	-	-	-	-	-	4	2	4	11	8
1982.....	1,222	-	-	-	-	-	3	4	13	8	9
1981.....	1,351	-	-	-	-	2	-	5	10	4	18
1980.....	1,492	-	1	-	-	1	-	3	2	7	11
1979.....	1,507	-	-	-	1	-	3	3	7	5	22

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	1,416	-	-	-	-	-	1	3	9	8	14
1997.....	1,373	-	-	-	1	-	-	1	4	5	10
1996.....	1,499	-	-	-	-	1	1	3	2	2	14
1995.....	1,487	-	-	-	-	-	1	2	3	11	13
1994.....	1,428	1	-	-	-	-	1	5	8	2	9
1993.....	1,441	-	-	-	-	-	1	1	7	9	7
1992.....	1,468	-	-	-	-	-	-	1	4	2	15
1991.....	1,449	-	-	-	-	-	1	2	7	5	7
1990.....	1,418	1	-	-	-	-	3	5	8	4	14
1989.....	1,431	-	-	-	-	-	1	3	3	2	7
1988.....	1,456	1	-	-	-	2	4	-	3	7	7
1987.....	1,524	-	-	-	1	-	-	2	7	6	11
1986.....	1,479	-	-	-	-	-	-	-	5	6	10
1985.....	1,648	-	-	-	-	-	3	1	3	4	5
1984.....	1,704	-	-	1	-	-	-	3	1	3	7
1983.....	1,852	-	-	-	-	-	-	4	3	4	6
1982.....	1,806	1	-	-	-	-	1	6	3	2	5
1981.....	1,996	-	1	-	-	-	3	3	5	5	8
1980.....	2,219	-	-	-	-	-	1	3	6	3	10
1979.....	2,142	-	-	-	1	1	-	1	6	8	10
WHITE, BOTH SEXES											
1998.....	1,648	-	-	-	-	1	-	1	7	3	9
1997.....	1,722	-	-	-	1	-	1	2	5	6	7
1996.....	1,748	-	-	-	-	2	-	-	2	7	7
1995.....	1,765	-	-	-	-	-	1	5	1	8	10
1994.....	1,757	1	-	-	-	-	1	8	4	6	9
1993.....	1,745	-	-	-	-	1	3	2	5	2	4
1992.....	1,743	-	-	-	-	-	1	-	1	1	4
1991.....	1,714	-	-	-	-	-	2	3	5	7	9
1990.....	1,648	1	-	-	-	-	2	1	5	2	8
1989.....	1,693	-	-	-	-	-	3	3	3	4	4
1988.....	1,771	1	-	-	-	1	3	1	3	2	5
1987.....	1,828	-	-	-	1	-	1	3	2	10	9
1986.....	1,831	-	-	-	-	-	1	4	6	7	5
1985.....	2,089	-	-	-	-	-	3	-	3	5	3
1984.....	2,165	-	-	-	-	-	-	5	3	6	5
1983.....	2,365	-	-	-	-	-	1	1	5	4	5
1982.....	2,354	1	-	-	-	-	1	2	6	4	2
1981.....	2,642	-	-	-	-	1	2	5	5	3	9
1980.....	2,909	-	-	-	-	-	-	5	2	5	6
1979.....	2,880	-	-	-	1	-	2	1	6	5	10

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)											
WHITE MALE											
1998.....	669	-	-	-	-	1	-	-	4	1	7
1997.....	741	-	-	-	-	-	1	2	5	4	5
1996.....	680	-	-	-	-	2	-	-	1	7	5
1995.....	703	-	-	-	-	-	1	3	1	5	4
1994.....	744	-	-	-	-	-	1	5	1	5	8
1993.....	727	-	-	-	-	1	3	2	1	1	2
1992.....	701	-	-	-	-	-	1	-	1	-	2
1991.....	682	-	-	-	-	-	1	2	2	5	6
1990.....	648	-	-	-	-	-	1	-	3	1	6
1989.....	658	-	-	-	-	-	2	2	3	4	3
1988.....	702	-	-	-	-	-	1	1	3	2	3
1987.....	685	-	-	-	-	-	1	3	1	8	5
1986.....	721	-	-	-	-	-	1	4	4	3	3
1985.....	863	-	-	-	-	-	-	-	2	3	2
1984.....	853	-	-	-	-	-	-	4	2	4	3
1983.....	923	-	-	-	-	-	1	-	3	3	2
1982.....	948	-	-	-	-	-	1	-	5	4	1
1981.....	1,059	-	-	-	-	1	-	4	3	2	7
1980.....	1,175	-	-	-	-	-	-	3	-	3	2
1979.....	1,179	-	-	-	1	-	2	1	3	1	9
WHITE FEMALE											
1998.....	979	-	-	-	-	-	-	1	3	2	2
1997.....	981	-	-	-	1	-	-	-	-	2	2
1996.....	1,068	-	-	-	-	-	-	-	1	-	2
1995.....	1,062	-	-	-	-	-	-	2	-	3	6
1994.....	1,013	1	-	-	-	-	-	3	3	1	1
1993.....	1,018	-	-	-	-	-	-	-	4	1	2
1992.....	1,042	-	-	-	-	-	-	-	-	1	2
1991.....	1,032	-	-	-	-	-	1	1	3	2	3
1990.....	1,000	1	-	-	-	-	1	1	2	1	2
1989.....	1,035	-	-	-	-	-	1	1	-	-	1
1988.....	1,069	1	-	-	-	1	2	-	-	-	2
1987.....	1,143	-	-	-	1	-	-	-	1	2	4
1986.....	1,110	-	-	-	-	-	-	-	2	4	2
1985.....	1,226	-	-	-	-	-	3	-	1	2	1
1984.....	1,312	-	-	-	-	-	-	1	1	2	2
1983.....	1,442	-	-	-	-	-	-	1	2	1	3
1982.....	1,406	1	-	-	-	-	-	2	1	-	1
1981.....	1,583	-	-	-	-	-	2	1	2	1	2
1980.....	1,734	-	-	-	-	-	-	2	2	2	4
1979.....	1,701	-	-	-	-	-	-	-	3	4	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER, BOTH SEXES											
1998.....	764	-	-	-	-	-	3	5	9	10	33
1997.....	702	-	-	1	-	-	2	5	10	14	22
1996.....	753	-	-	-	-	1	1	8	9	13	25
1995.....	719	-	-	-	-	-	4	3	7	15	16
1994.....	737	-	-	-	-	-	2	3	10	12	19
1993.....	719	-	-	-	-	-	4	7	9	17	25
1992.....	749	-	-	-	-	-	2	2	9	8	30
1991.....	731	-	-	-	-	-	1	3	10	15	15
1990.....	729	-	-	-	-	-	5	5	10	17	28
1989.....	692	-	-	-	-	-	2	4	7	9	13
1988.....	679	-	-	1	-	2	3	1	8	22	14
1987.....	693	-	-	-	-	1	-	3	10	18	16
1986.....	665	-	-	-	-	-	1	5	11	11	18
1985.....	711	-	-	-	-	-	1	4	6	6	10
1984.....	690	-	-	1	-	-	-	3	3	5	11
1983.....	708	-	-	-	-	-	3	5	2	11	9
1982.....	674	-	-	-	-	-	3	8	10	6	12
1981.....	705	-	1	-	-	1	1	3	10	6	17
1980.....	802	-	1	-	-	1	1	1	6	5	15
1979.....	769	-	-	-	1	1	1	3	7	8	22
ALL OTHER MALE											
1998.....	327	-	-	-	-	-	2	3	3	4	21
1997.....	310	-	-	1	-	-	2	4	6	11	14
1996.....	322	-	-	-	-	-	-	5	8	11	13
1995.....	294	-	-	-	-	-	3	3	4	7	9
1994.....	322	-	-	-	-	-	1	1	5	11	11
1993.....	296	-	-	-	-	-	3	6	6	9	20
1992.....	323	-	-	-	-	-	2	1	5	7	17
1991.....	314	-	-	-	-	-	1	2	6	12	11
1990.....	311	-	-	-	-	-	3	1	4	14	16
1989.....	296	-	-	-	-	-	2	2	4	7	7
1988.....	292	-	-	1	-	1	1	1	5	15	9
1987.....	312	-	-	-	-	1	-	1	4	14	9
1986.....	296	-	-	-	-	-	1	5	8	9	10
1985.....	289	-	-	-	-	-	1	3	4	4	6
1984.....	298	-	-	-	-	-	-	1	3	4	6
1983.....	298	-	-	-	-	-	3	2	1	8	6
1982.....	274	-	-	-	-	-	2	4	8	4	8
1981.....	292	-	-	-	-	1	-	1	7	2	11
1980.....	317	-	1	-	-	1	-	-	2	4	9
1979.....	328	-	-	-	-	-	1	2	4	4	13



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998.....	437	-	-	-	-	-	1	2	6	6	12
1997.....	392	-	-	-	-	-	-	1	4	3	8
1996.....	431	-	-	-	-	1	1	3	1	2	12
1995.....	425	-	-	-	-	-	1	-	3	8	7
1994.....	415	-	-	-	-	-	1	2	5	1	8
1993.....	423	-	-	-	-	-	1	1	3	8	5
1992.....	426	-	-	-	-	-	-	1	4	1	13
1991.....	417	-	-	-	-	-	-	1	4	3	4
1990.....	418	-	-	-	-	-	2	4	6	3	12
1989.....	396	-	-	-	-	-	-	2	3	2	6
1988.....	387	-	-	-	-	1	2	-	3	7	5
1987.....	381	-	-	-	-	-	-	2	6	4	7
1986.....	369	-	-	-	-	-	-	-	3	2	8
1985.....	422	-	-	-	-	-	-	1	2	2	4
1984.....	392	-	-	1	-	-	-	2	-	1	5
1983.....	410	-	-	-	-	-	-	3	1	3	3
1982.....	400	-	-	-	-	-	1	4	2	2	4
1981.....	413	-	1	-	-	-	1	2	3	4	6
1980.....	485	-	-	-	-	-	1	1	4	1	6
1979.....	441	-	-	-	1	1	-	1	3	4	9
BLACK, BOTH SEXES											
1998.....	700	-	-	-	-	-	3	5	9	10	31
1997.....	653	-	-	1	-	-	2	5	10	14	22
1996.....	689	-	-	-	-	1	1	7	9	12	24
1995.....	672	-	-	-	-	-	4	3	6	15	16
1994.....	679	-	-	-	-	-	2	2	10	12	19
1993.....	683	-	-	-	-	-	4	6	9	16	24
1992.....	707	-	-	-	-	-	2	2	9	8	30
1991.....	695	-	-	-	-	-	1	2	10	14	15
1990.....	707	-	-	-	-	-	5	5	10	17	28
1989.....	656	-	-	-	-	-	2	4	7	8	12
1988.....	658	-	-	1	-	2	3	1	8	22	14
1987.....	662	-	-	-	-	1	-	3	9	18	16
1986.....	634	-	-	-	-	-	1	5	11	10	16
1985.....	675	-	-	-	-	-	1	4	6	5	10
1984.....	665	-	-	1	-	-	-	3	3	5	11
1983.....	686	-	-	-	-	-	3	5	2	11	9
1982.....	653	-	-	-	-	-	3	8	10	6	12
1981.....	683	-	1	-	-	1	1	3	10	6	15
1980.....	777	-	1	-	-	1	1	1	6	5	15
1979.....	748	-	-	-	1	1	-	3	7	8	22

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)											
BLACK MALE											
1998.....	293	-	-	-	-	-	2	3	3	4	19
1997.....	287	-	-	1	-	-	2	4	6	11	14
1996.....	298	-	-	-	-	-	-	4	8	10	12
1995.....	274	-	-	-	-	-	3	3	4	7	9
1994.....	294	-	-	-	-	-	1	1	5	11	11
1993.....	276	-	-	-	-	-	3	5	6	8	19
1992.....	294	-	-	-	-	-	2	1	5	7	17
1991.....	298	-	-	-	-	-	1	2	6	11	11
1990.....	300	-	-	-	-	-	3	1	4	14	16
1989.....	280	-	-	-	-	-	2	2	4	7	7
1988.....	277	-	-	1	-	1	1	1	5	15	9
1987.....	299	-	-	-	-	1	-	1	4	14	9
1986.....	279	-	-	-	-	-	1	5	8	8	9
1985.....	274	-	-	-	-	-	1	3	4	4	6
1984.....	287	-	-	-	-	-	-	1	3	4	6
1983.....	289	-	-	-	-	-	3	2	1	8	6
1982.....	266	-	-	-	-	-	2	4	8	4	8
1981.....	280	-	-	-	-	1	-	1	7	2	11
1980.....	305	-	1	-	-	1	-	-	2	4	9
1979.....	318	-	-	-	-	-	-	2	4	4	13
BLACK FEMALE											
1998.....	407	-	-	-	-	-	1	2	6	6	12
1997.....	366	-	-	-	-	-	-	1	4	3	8
1996.....	391	-	-	-	-	1	1	3	1	2	12
1995.....	398	-	-	-	-	-	1	-	2	8	7
1994.....	385	-	-	-	-	-	1	1	5	1	8
1993.....	407	-	-	-	-	-	1	1	3	8	5
1992.....	413	-	-	-	-	-	-	1	4	1	13
1991.....	397	-	-	-	-	-	-	-	4	3	4
1990.....	407	-	-	-	-	-	2	4	6	3	12
1989.....	376	-	-	-	-	-	-	2	3	1	5
1988.....	381	-	-	-	-	1	2	-	3	7	5
1987.....	363	-	-	-	-	-	-	2	5	4	7
1986.....	355	-	-	-	-	-	-	-	3	2	7
1985.....	401	-	-	-	-	-	-	1	2	1	4
1984.....	378	-	-	1	-	-	-	2	-	1	5
1983.....	397	-	-	-	-	-	-	3	1	3	3
1982.....	387	-	-	-	-	-	1	4	2	2	4
1981.....	403	-	1	-	-	-	1	2	3	4	4
1980.....	472	-	-	-	-	-	1	1	4	1	6
1979.....	430	-	-	-	1	1	-	1	3	4	9

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ISCHEMIC HEART DISEASE (410-414)												
TOTAL, BOTH SEXES												
1998.....	459,841	19	7	9	14	41	70	234	702	2,062	4,473	
1997.....	466,101	21	4	7	12	39	84	249	757	2,042	4,384	
1996.....	476,124	24	5	5	14	42	71	234	803	2,230	4,520	
1995.....	481,287	21	6	4	6	34	86	263	820	2,237	4,655	
1994.....	481,458	26	11	5	8	23	89	258	790	2,223	4,498	
1993.....	490,063	29	12	4	7	33	88	263	858	2,122	4,658	
1992.....	480,051	21	9	8	7	22	83	277	822	2,068	4,721	
1991.....	485,438	20	14	6	9	34	92	290	807	2,092	4,623	
1990.....	489,171	26	9	5	14	25	88	271	792	1,993	4,482	
1989.....	498,021	33	5	2	10	28	83	274	867	2,003	4,550	
1988.....	509,592	29	12	5	9	26	99	307	858	2,186	4,607	
1987.....	512,138	26	11	8	7	29	101	305	907	2,254	4,870	
1986.....	520,729	23	8	7	9	35	84	322	950	2,457	4,961	
1985.....	536,805	21	10	6	8	32	106	353	923	2,422	4,991	
1984.....	541,288	33	15	36	5	32	114	308	859	2,372	4,946	
1983.....	552,492	38	24	29	11	36	80	316	925	2,315	4,987	
1982.....	552,786	30	21	32	14	33	98	384	911	2,398	5,058	
1981.....	555,158	26	9	32	10	33	111	319	919	2,389	5,073	
1980.....	565,755	29	16	11	6	38	107	298	905	2,305	5,167	
1979.....	551,365	23	9	5	8	38	108	310	979	2,410	5,158	
TOTAL, MALE												
1998.....	233,374	12	3	8	7	33	48	170	488	1,585	3,452	
1997.....	237,332	10	4	4	7	27	60	172	557	1,560	3,443	
1996.....	242,036	8	1	1	10	33	50	170	601	1,698	3,508	
1995.....	244,819	10	3	2	3	26	57	181	610	1,715	3,694	
1994.....	245,350	14	2	2	5	12	60	178	582	1,747	3,537	
1993.....	250,362	16	5	3	4	31	60	198	632	1,642	3,707	
1992.....	246,913	12	5	3	6	11	58	197	626	1,634	3,740	
1991.....	249,736	10	11	2	3	26	62	224	595	1,668	3,728	
1990.....	252,597	15	3	1	9	16	62	202	611	1,598	3,671	
1989.....	257,524	17	5	2	5	17	58	206	663	1,636	3,681	
1988.....	264,505	15	4	2	6	21	76	218	681	1,789	3,719	
1987.....	267,757	13	9	-	3	22	71	226	715	1,837	3,964	
1986.....	274,184	14	3	4	9	24	57	249	747	2,025	4,033	
1985.....	286,181	10	9	2	5	21	73	265	735	1,993	4,058	
1984.....	289,461	16	9	27	3	20	77	237	699	1,941	4,024	
1983.....	297,522	28	14	15	6	25	52	239	757	1,934	4,037	
1982.....	300,820	18	10	16	7	23	71	314	746	1,963	4,090	
1981.....	303,929	19	5	20	6	17	81	250	737	1,980	4,150	
1980.....	310,774	17	11	3	2	29	85	229	738	1,920	4,201	
1979.....	307,286	14	4	3	7	26	71	256	792	1,960	4,198	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ISCHEMIC HEART DISEASE (410-414)												
TOTAL, FEMALE												
1998.....	226,467	7	4	1	7	8	22	64	214	477	1,021	
1997.....	228,769	11	-	3	5	12	24	77	200	482	941	
1996.....	234,088	16	4	4	4	9	21	64	202	532	1,012	
1995.....	236,468	11	3	2	3	8	29	82	210	522	961	
1994.....	236,108	12	9	3	3	11	29	80	208	476	961	
1993.....	239,701	13	7	1	3	2	28	65	226	480	951	
1992.....	233,138	9	4	5	1	11	25	80	196	434	981	
1991.....	235,702	10	3	4	6	8	30	66	212	424	895	
1990.....	236,574	11	6	4	5	9	26	69	181	395	811	
1989.....	240,497	16	-	-	5	11	25	68	204	367	869	
1988.....	245,087	14	8	3	3	5	23	89	177	397	888	
1987.....	244,381	13	2	8	4	7	30	79	192	417	906	
1986.....	246,545	9	5	3	-	11	27	73	203	432	928	
1985.....	250,624	11	1	4	3	11	33	88	188	429	933	
1984.....	251,827	17	6	9	2	12	37	71	160	431	922	
1983.....	254,970	10	10	14	5	11	28	77	168	381	950	
1982.....	251,966	12	11	16	7	10	27	70	165	435	968	
1981.....	251,229	7	4	12	4	16	30	69	182	409	923	
1980.....	254,981	12	5	8	4	9	22	69	167	385	966	
1979.....	244,079	9	5	2	1	12	37	54	187	450	960	
WHITE, BOTH SEXES												
1998.....	412,351	8	6	6	10	30	47	175	544	1,614	3,542	
1997.....	418,541	14	3	6	8	29	63	175	598	1,582	3,476	
1996.....	428,458	18	4	4	12	31	50	171	627	1,760	3,590	
1995.....	433,329	14	5	3	4	29	54	199	646	1,764	3,720	
1994.....	434,399	16	8	5	7	13	59	180	620	1,734	3,529	
1993.....	442,336	26	10	3	6	24	53	202	654	1,638	3,668	
1992.....	434,078	14	6	6	5	14	63	206	628	1,620	3,798	
1991.....	439,156	13	10	4	5	22	64	214	609	1,616	3,737	
1990.....	443,859	18	6	2	12	18	62	203	603	1,553	3,697	
1989.....	451,808	18	4	2	9	17	55	210	661	1,567	3,720	
1988.....	463,674	21	9	4	8	13	68	225	662	1,726	3,803	
1987.....	466,690	21	9	6	7	19	77	228	694	1,794	4,035	
1986.....	475,398	19	5	7	8	19	63	247	715	2,010	4,075	
1985.....	490,515	15	9	5	7	23	73	256	713	1,947	4,132	
1984.....	495,457	20	13	32	5	26	87	229	657	1,936	4,104	
1983.....	505,927	27	20	22	7	30	64	239	718	1,933	4,123	
1982.....	507,177	20	16	24	13	22	69	286	702	1,963	4,223	
1981.....	509,351	18	6	26	10	20	79	228	715	1,960	4,221	
1980.....	519,059	26	12	9	5	26	77	219	684	1,875	4,280	
1979.....	506,933	16	5	4	6	30	78	225	755	1,980	4,295	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ISCHEMIC HEART DISEASE (410-414)												
WHITE MALE												
1998.....	210,056	5	2	5	6	23	33	134	383	1,272	2,822	
1997.....	213,934	8	3	3	5	20	45	122	442	1,253	2,819	
1996.....	218,811	8	1	1	9	24	36	127	476	1,373	2,874	
1995.....	221,072	6	2	1	3	22	33	137	483	1,398	3,045	
1994.....	222,143	8	2	2	4	8	43	128	468	1,402	2,879	
1993.....	226,807	14	5	2	3	22	36	152	489	1,306	3,016	
1992.....	224,109	9	4	2	4	9	42	146	487	1,321	3,101	
1991.....	226,684	8	8	1	1	15	41	170	463	1,319	3,101	
1990.....	229,937	10	2	1	8	13	42	154	473	1,285	3,108	
1989.....	234,365	9	4	2	5	11	41	162	522	1,317	3,096	
1988.....	241,284	11	3	1	6	9	51	159	529	1,462	3,145	
1987.....	244,461	11	8	-	3	14	54	170	557	1,498	3,348	
1986.....	251,111	12	2	4	8	13	41	191	583	1,700	3,375	
1985.....	262,139	8	8	1	5	13	47	196	584	1,637	3,437	
1984.....	265,597	10	9	23	3	15	58	173	545	1,634	3,431	
1983.....	273,246	19	11	11	4	19	44	192	604	1,667	3,441	
1982.....	276,601	13	7	11	6	14	49	239	592	1,649	3,508	
1981.....	279,602	14	4	18	6	10	56	184	581	1,652	3,539	
1980.....	285,771	15	8	3	2	19	59	170	574	1,609	3,580	
1979.....	283,168	10	2	2	5	22	54	194	634	1,649	3,601	
WHITE FEMALE												
1998.....	202,295	3	4	1	4	7	14	41	161	342	720	
1997.....	204,607	6	-	3	3	9	18	53	156	329	657	
1996.....	209,647	10	3	3	3	7	14	44	151	387	716	
1995.....	212,257	8	3	2	1	7	21	62	163	366	675	
1994.....	212,256	8	6	3	3	5	16	52	152	332	650	
1993.....	215,529	12	5	1	3	2	17	50	165	332	652	
1992.....	209,969	5	2	4	1	5	21	60	141	299	697	
1991.....	212,472	5	2	3	4	7	23	44	146	297	636	
1990.....	213,922	8	4	1	4	5	20	49	130	268	589	
1989.....	217,443	9	-	-	4	6	14	48	139	250	624	
1988.....	222,390	10	6	3	2	4	17	66	133	264	658	
1987.....	222,229	10	1	6	4	5	23	58	137	296	687	
1986.....	224,287	7	3	3	-	6	22	56	132	310	700	
1985.....	228,376	7	1	4	2	10	26	60	129	310	695	
1984.....	229,860	10	4	9	2	11	29	56	112	302	673	
1983.....	232,681	8	9	11	3	11	20	47	114	266	682	
1982.....	230,576	7	9	13	7	8	20	47	110	314	715	
1981.....	229,749	4	2	8	4	10	23	44	134	308	682	
1980.....	233,288	11	4	6	3	7	18	49	110	266	700	
1979.....	223,765	6	3	2	1	8	24	31	121	331	694	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ISCHEMIC HEART DISEASE (410-414)												
ALL OTHER, BOTH SEXES												
1998.....	47,490	11	1	3	4	11	23	59	158	448	931	
1997.....	47,560	7	1	1	4	10	21	74	159	460	908	
1996.....	47,666	6	1	1	2	11	21	63	176	470	930	
1995.....	47,958	7	1	1	2	5	32	64	174	473	935	
1994.....	47,059	10	3	-	1	10	30	78	170	489	969	
1993.....	47,727	3	2	1	1	9	35	61	204	484	990	
1992.....	45,973	7	3	2	2	8	20	71	194	448	923	
1991.....	46,282	7	4	2	4	12	28	76	198	476	886	
1990.....	45,312	8	3	3	2	7	26	68	189	440	785	
1989.....	46,213	15	1	-	1	11	28	64	206	436	830	
1988.....	45,918	8	3	1	1	13	31	82	196	460	804	
1987.....	45,448	5	2	2	-	10	24	77	213	460	835	
1986.....	45,331	4	3	-	1	16	21	75	235	447	886	
1985.....	46,290	6	1	1	1	9	33	97	210	475	859	
1984.....	45,831	13	2	4	-	6	27	79	202	436	842	
1983.....	46,565	11	4	7	4	6	16	77	207	382	864	
1982.....	45,609	10	5	8	1	11	29	98	209	435	835	
1981.....	45,807	8	3	6	-	13	32	91	204	429	852	
1980.....	46,696	3	4	2	1	12	30	79	221	430	887	
1979.....	44,432	7	4	1	2	8	30	85	224	430	863	
ALL OTHER MALE												
1998.....	23,318	7	1	3	1	10	15	36	105	313	630	
1997.....	23,398	2	1	1	2	7	15	50	115	307	624	
1996.....	23,225	-	-	-	1	9	14	43	125	325	634	
1995.....	23,747	4	1	1	-	4	24	44	127	317	649	
1994.....	23,207	6	-	-	1	4	17	50	114	345	658	
1993.....	23,555	2	-	1	1	9	24	46	143	336	691	
1992.....	22,804	3	1	1	2	2	16	51	139	313	639	
1991.....	23,052	2	3	1	2	11	21	54	132	349	627	
1990.....	22,660	5	1	-	1	3	20	48	138	313	563	
1989.....	23,159	8	1	-	-	6	17	44	141	319	585	
1988.....	23,221	4	1	1	-	12	25	59	152	327	574	
1987.....	23,296	2	1	-	-	8	17	56	158	339	616	
1986.....	23,073	2	1	-	1	11	16	58	164	325	658	
1985.....	24,042	2	1	1	-	8	26	69	151	356	621	
1984.....	23,864	6	-	4	-	5	19	64	154	307	593	
1983.....	24,276	9	3	4	2	6	8	47	153	267	596	
1982.....	24,219	5	3	5	1	9	22	75	154	314	582	
1981.....	24,327	5	1	2	-	7	25	66	156	328	611	
1980.....	25,003	2	3	-	-	10	26	59	164	311	621	
1979.....	24,118	4	2	1	2	4	17	62	158	311	597	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ISCHEMIC HEART DISEASE (410-414)												
ALL OTHER FEMALE												
1998.....	24,172	4	-	-	3	1	8	23	53	135	301	
1997.....	24,162	5	-	-	2	3	6	24	44	153	284	
1996.....	24,441	6	1	1	1	2	7	20	51	145	296	
1995.....	24,211	3	-	-	2	1	8	20	47	156	286	
1994.....	23,852	4	3	-	-	6	13	28	56	144	311	
1993.....	24,172	1	2	-	-	-	11	15	61	148	299	
1992.....	23,169	4	2	1	-	6	4	20	55	135	284	
1991.....	23,230	5	1	1	2	1	7	22	66	127	259	
1990.....	22,652	3	2	3	1	4	6	20	51	127	222	
1989.....	23,054	7	-	-	1	5	11	20	65	117	245	
1988.....	22,697	4	2	-	1	1	6	23	44	133	230	
1987.....	22,152	3	1	2	-	2	7	21	55	121	219	
1986.....	22,258	2	2	-	-	5	5	17	71	122	228	
1985.....	22,248	4	-	-	1	1	7	28	59	119	238	
1984.....	21,967	7	2	-	-	1	8	15	48	129	249	
1983.....	22,289	2	1	3	2	-	8	30	54	115	268	
1982.....	21,390	5	2	3	-	2	7	23	55	121	253	
1981.....	21,480	3	2	4	-	6	7	25	48	101	241	
1980.....	21,693	1	1	2	1	2	4	20	57	119	266	
1979.....	20,314	3	2	-	-	4	13	23	66	119	266	
BLACK, BOTH SEXES												
1998.....	40,597	9	1	3	4	11	21	56	146	395	838	
1997.....	40,986	7	1	1	4	8	21	64	138	413	803	
1996.....	41,292	5	1	1	2	10	18	58	156	411	828	
1995.....	41,842	7	1	1	2	4	24	54	153	424	843	
1994.....	41,089	10	3	-	1	10	26	70	146	434	869	
1993.....	42,052	2	2	1	1	8	35	54	183	436	871	
1992.....	40,397	7	2	2	2	8	18	65	168	412	824	
1991.....	41,154	6	4	2	3	11	22	72	180	431	785	
1990.....	40,571	6	2	2	2	7	24	62	172	397	712	
1989.....	41,376	13	1	-	1	9	27	63	196	397	758	
1988.....	41,419	8	2	-	1	12	30	71	183	431	741	
1987.....	41,070	5	2	2	-	10	21	69	192	410	760	
1986.....	41,201	4	3	-	1	12	18	64	216	415	814	
1985.....	42,161	6	1	1	1	9	31	94	194	430	787	
1984.....	41,862	9	2	3	-	6	27	74	184	409	773	
1983.....	42,751	7	2	6	4	4	16	72	191	344	786	
1982.....	41,912	5	4	6	1	7	29	87	185	407	767	
1981.....	42,481	4	2	5	-	13	29	83	186	393	791	
1980.....	43,365	2	3	1	1	11	27	77	207	392	822	
1979.....	41,229	6	2	1	2	8	28	81	199	401	811	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ISCHEMIC HEART DISEASE (410-414)												
BLACK MALE												
1998.....	19,307	7	1	3	1	10	14	33	96	265	546	
1997.....	19,493	2	1	1	2	5	15	41	95	275	549	
1996.....	19,482	-	-	-	1	8	11	39	109	275	543	
1995.....	20,122	4	1	1	-	3	19	36	110	274	575	
1994.....	19,678	6	-	-	1	4	14	43	96	297	575	
1993.....	20,130	1	-	1	1	8	24	40	125	297	591	
1992.....	19,507	3	1	1	2	2	14	47	117	282	556	
1991.....	19,966	2	3	1	1	10	17	52	116	314	547	
1990.....	19,858	4	-	-	1	3	18	42	123	282	498	
1989.....	20,243	7	1	-	-	4	17	43	132	287	524	
1988.....	20,430	4	1	-	-	11	24	49	141	303	520	
1987.....	20,521	2	1	-	-	8	14	48	142	298	552	
1986.....	20,498	2	1	-	1	8	13	48	146	296	597	
1985.....	21,425	2	1	1	-	8	24	66	137	319	564	
1984.....	21,374	4	-	3	-	5	19	60	137	287	532	
1983.....	21,911	5	1	3	2	4	8	43	139	237	529	
1982.....	21,802	3	2	3	1	6	22	66	136	292	522	
1981.....	22,184	2	1	2	-	7	23	60	140	296	562	
1980.....	22,760	1	2	-	-	9	23	57	153	277	567	
1979.....	21,978	3	1	1	2	4	15	59	138	290	554	
BLACK FEMALE												
1998.....	21,290	2	-	-	3	1	7	23	50	130	292	
1997.....	21,493	5	-	-	2	3	6	23	43	138	254	
1996.....	21,810	5	1	1	1	2	7	19	47	136	285	
1995.....	21,720	3	-	-	2	1	5	18	43	150	268	
1994.....	21,411	4	3	-	-	6	12	27	50	137	294	
1993.....	21,922	1	2	-	-	-	11	14	58	139	280	
1992.....	20,890	4	1	1	-	6	4	18	51	130	268	
1991.....	21,188	4	1	1	2	1	5	20	64	117	238	
1990.....	20,713	2	2	2	1	4	6	20	49	115	214	
1989.....	21,133	6	-	-	1	5	10	20	64	110	234	
1988.....	20,989	4	1	-	1	1	6	22	42	128	221	
1987.....	20,549	3	1	2	-	2	7	21	50	112	208	
1986.....	20,703	2	2	-	-	4	5	16	70	119	217	
1985.....	20,736	4	-	-	1	1	7	28	57	111	223	
1984.....	20,488	5	2	-	-	1	8	14	47	122	241	
1983.....	20,840	2	1	3	2	-	8	29	52	107	257	
1982.....	20,110	2	2	3	-	1	7	21	49	115	245	
1981.....	20,297	2	1	3	-	6	6	23	46	97	229	
1980.....	20,605	1	1	1	1	2	4	20	54	115	255	
1979.....	19,251	3	1	-	-	4	13	22	61	111	257	



RACE, AND SEX:		UNITED STATES, 1979-98									
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)											
TOTAL, BOTH SEXES											
1998.....	203,551	12	6	6	7	21	36	128	360	1,035	2,454
1997.....	206,212	13	2	4	9	19	47	131	383	1,078	2,345
1996.....	213,532	13	3	1	8	22	37	113	441	1,157	2,468
1995.....	218,229	11	2	1	3	18	51	137	433	1,184	2,589
1994.....	222,399	16	4	4	7	12	51	148	444	1,238	2,500
1993.....	227,456	12	5	-	6	18	45	135	450	1,183	2,605
1992.....	229,383	19	7	4	3	14	45	158	466	1,154	2,714
1991.....	235,255	8	7	1	4	19	54	151	464	1,144	2,698
1990.....	239,008	16	5	2	8	14	57	161	446	1,148	2,597
1989.....	246,950	19	3	1	5	17	57	144	497	1,135	2,675
1988.....	247,950	17	4	1	4	12	66	169	486	1,260	2,765
1987.....	253,542	16	7	4	5	14	59	186	516	1,334	2,874
1986.....	261,002	16	4	4	6	19	43	194	560	1,451	3,028
1985.....	274,199	14	4	4	5	22	66	222	560	1,492	3,107
1984.....	279,122	21	5	17	3	19	68	178	539	1,420	3,187
1983.....	286,300	26	14	13	8	22	53	204	581	1,477	3,196
1982.....	291,031	20	11	16	10	20	70	241	575	1,548	3,359
1981.....	292,504	14	4	16	3	22	82	195	618	1,575	3,419
1980.....	299,584	20	13	6	5	25	71	193	587	1,529	3,489
1979.....	300,462	13	5	3	7	23	74	220	657	1,705	3,605
TOTAL, MALE											
1998.....	106,995	7	2	5	4	17	24	95	241	803	1,916
1997.....	109,171	7	2	2	6	12	31	86	280	811	1,827
1996.....	112,739	6	1	-	5	17	20	77	316	872	1,939
1995.....	115,987	3	-	-	1	13	32	90	309	916	2,067
1994.....	118,294	9	1	1	4	4	30	101	323	959	1,960
1993.....	121,732	6	3	-	4	17	30	100	316	913	2,084
1992.....	123,121	12	4	3	2	4	30	109	352	902	2,146
1991.....	126,144	3	4	-	3	14	35	117	332	892	2,179
1990.....	129,483	9	2	-	5	9	34	117	339	889	2,135
1989.....	134,298	11	3	1	3	11	41	110	381	936	2,151
1988.....	135,884	10	1	-	1	9	48	113	378	1,028	2,217
1987.....	140,252	8	5	-	3	12	39	135	393	1,076	2,356
1986.....	145,795	11	2	1	6	11	33	147	439	1,206	2,450
1985.....	155,860	7	4	2	2	14	44	168	450	1,225	2,513
1984.....	159,934	11	4	13	2	13	43	139	431	1,170	2,600
1983.....	165,679	19	6	6	4	16	30	150	471	1,228	2,582
1982.....	170,372	13	3	10	5	13	49	196	462	1,266	2,724
1981.....	172,898	10	1	11	2	10	61	146	498	1,310	2,846
1980.....	178,485	12	10	1	1	20	59	148	468	1,285	2,872
1979.....	181,054	6	2	2	7	14	53	179	535	1,397	2,958

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98											
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ACUTE MYOCARDIAL INFARCTION (410)												
TOTAL, FEMALE												
1998.....	96,556	5	4	1	3	4	12	33	119	232	538	
1997.....	97,041	6	-	2	3	7	16	45	103	267	518	
1996.....	100,793	7	2	1	3	5	17	36	125	285	529	
1995.....	102,242	8	2	1	2	5	19	47	124	268	522	
1994.....	104,105	7	3	3	3	8	21	47	121	279	540	
1993.....	105,724	6	2	-	2	1	15	35	134	270	521	
1992.....	106,262	7	3	1	1	10	15	49	114	252	568	
1991.....	109,111	5	3	1	1	5	19	34	132	252	519	
1990.....	109,525	7	3	2	3	5	23	44	107	259	462	
1989.....	112,652	8	-	-	2	6	16	34	116	199	524	
1988.....	112,066	7	3	1	3	3	18	56	108	232	548	
1987.....	113,290	8	2	4	2	2	20	51	123	258	518	
1986.....	115,207	5	2	3	-	8	10	47	121	245	578	
1985.....	118,339	7	-	2	3	8	22	54	110	267	594	
1984.....	119,188	10	1	4	1	6	25	39	108	250	587	
1983.....	120,621	7	8	7	4	6	23	54	110	249	614	
1982.....	120,659	7	8	6	5	7	21	45	113	282	635	
1981.....	119,606	4	3	5	1	12	21	49	120	265	573	
1980.....	121,099	8	3	5	4	5	12	45	119	244	617	
1979.....	119,408	7	3	1	-	9	21	41	122	308	647	
WHITE, BOTH SEXES												
1998.....	181,298	6	5	4	7	15	22	93	276	811	1,969	
1997.....	184,132	10	2	3	7	15	37	91	296	836	1,876	
1996.....	191,235	9	3	1	6	15	29	81	337	933	2,011	
1995.....	195,726	9	2	1	2	15	33	109	351	934	2,093	
1994.....	199,856	10	3	4	7	6	34	102	346	990	2,007	
1993.....	204,386	10	4	-	5	15	28	103	336	918	2,082	
1992.....	206,629	13	5	3	2	7	33	115	357	904	2,228	
1991.....	212,058	7	5	-	2	13	38	115	348	881	2,204	
1990.....	216,252	12	3	1	8	11	40	118	343	905	2,166	
1989.....	223,228	9	2	1	5	11	35	111	385	895	2,236	
1988.....	225,262	11	4	1	3	7	48	123	381	998	2,322	
1987.....	230,809	13	6	3	5	8	46	136	404	1,077	2,431	
1986.....	238,218	12	3	4	5	10	28	151	424	1,214	2,541	
1985.....	250,527	10	4	3	4	16	46	157	449	1,225	2,627	
1984.....	255,496	14	5	15	3	16	48	125	416	1,184	2,686	
1983.....	262,549	18	13	9	4	19	41	148	458	1,249	2,689	
1982.....	267,971	13	8	13	9	13	47	179	453	1,290	2,864	
1981.....	269,389	11	3	13	3	13	56	145	498	1,325	2,921	
1980.....	275,957	19	10	4	4	17	51	145	452	1,269	2,944	
1979.....	277,070	8	3	2	5	18	50	161	509	1,432	3,059	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)											
WHITE MALE											
1998.....	95,921	3	1	3	4	11	15	73	191	653	1,582
1997.....	98,238	5	2	1	5	10	24	61	216	654	1,516
1996.....	101,698	6	1	-	4	12	17	57	246	717	1,619
1995.....	104,716	2	-	-	1	11	18	72	250	750	1,722
1994.....	106,943	6	1	1	4	4	23	73	255	789	1,632
1993.....	110,131	5	3	-	3	14	20	77	244	727	1,713
1992.....	111,528	9	3	2	1	3	22	79	274	727	1,815
1991.....	114,431	3	3	-	1	9	24	91	262	701	1,838
1990.....	117,850	6	1	-	5	8	23	85	267	726	1,824
1989.....	122,228	6	2	1	3	6	27	83	309	757	1,845
1988.....	124,278	8	1	-	1	5	36	81	300	844	1,913
1987.....	128,433	7	5	-	3	7	31	101	313	885	2,035
1986.....	133,960	9	2	1	5	6	22	114	342	1,026	2,088
1985.....	143,311	5	4	1	2	9	29	125	366	1,029	2,180
1984.....	147,255	8	4	11	2	10	28	93	338	1,004	2,239
1983.....	152,898	13	6	4	2	13	25	115	385	1,072	2,241
1982.....	157,748	9	2	8	4	7	32	149	372	1,090	2,390
1981.....	160,102	9	1	10	2	5	41	112	406	1,119	2,484
1980.....	165,470	11	7	1	1	13	41	114	374	1,103	2,485
1979.....	167,890	4	1	1	5	11	36	137	425	1,206	2,580
WHITE FEMALE											
1998.....	85,377	3	4	1	3	4	7	20	85	158	387
1997.....	85,894	5	-	2	2	5	13	30	80	182	360
1996.....	89,537	3	2	1	2	3	12	24	91	216	392
1995.....	91,010	7	2	1	1	4	15	37	101	184	371
1994.....	92,913	4	2	3	3	2	11	29	91	201	375
1993.....	94,255	5	1	-	2	1	8	26	92	191	369
1992.....	95,101	4	2	1	1	4	11	36	83	177	413
1991.....	97,627	4	2	-	1	4	14	24	86	180	366
1990.....	98,402	6	2	1	3	3	17	33	76	179	342
1989.....	101,000	3	-	-	2	5	8	28	76	138	391
1988.....	100,984	3	3	1	2	2	12	42	81	154	409
1987.....	102,376	6	1	3	2	1	15	35	91	192	396
1986.....	104,258	3	1	3	-	4	6	37	82	188	453
1985.....	107,216	5	-	2	2	7	17	32	83	196	447
1984.....	108,241	6	1	4	1	6	20	32	78	180	447
1983.....	109,651	5	7	5	2	6	16	33	73	177	448
1982.....	110,223	4	6	5	5	6	15	30	81	200	474
1981.....	109,287	2	2	3	1	8	15	33	92	206	437
1980.....	110,487	8	3	3	3	4	10	31	78	166	459
1979.....	109,180	4	2	1	-	7	14	24	84	226	479

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)											
ALL OTHER, BOTH SEXES											
1998.....	22,253	6	1	2	-	6	14	35	84	224	485
1997.....	22,080	3	-	1	2	4	10	40	87	242	469
1996.....	22,297	4	-	-	2	7	8	32	104	224	457
1995.....	22,503	2	-	-	1	3	18	28	82	250	496
1994.....	22,543	6	1	-	-	6	17	46	98	248	493
1993.....	23,070	2	1	-	1	3	17	32	114	265	523
1992.....	22,754	6	2	1	1	7	12	43	109	250	486
1991.....	23,197	1	2	1	2	6	16	36	116	263	494
1990.....	22,756	4	2	1	-	3	17	43	103	243	431
1989.....	23,722	10	1	-	-	6	22	33	112	240	439
1988.....	22,688	6	-	-	1	5	18	46	105	262	443
1987.....	22,733	3	1	1	-	6	13	50	112	257	443
1986.....	22,784	4	1	-	1	9	15	43	136	237	487
1985.....	23,672	4	-	1	1	6	20	65	111	267	480
1984.....	23,626	7	-	2	-	3	20	53	123	236	501
1983.....	23,751	8	1	4	4	3	12	56	123	228	507
1982.....	23,060	7	3	3	1	7	23	62	122	258	495
1981.....	23,115	3	1	3	-	9	26	50	120	250	498
1980.....	23,627	1	3	2	1	8	20	48	135	260	545
1979.....	23,392	5	2	1	2	5	24	59	148	273	546
ALL OTHER MALE											
1998.....	11,074	4	1	2	-	6	9	22	50	150	334
1997.....	10,933	2	-	1	1	2	7	25	64	157	311
1996.....	11,041	-	-	-	1	5	3	20	70	155	320
1995.....	11,271	1	-	-	-	2	14	18	59	166	345
1994.....	11,351	3	-	-	-	-	7	28	68	170	328
1993.....	11,601	1	-	-	1	3	10	23	72	186	371
1992.....	11,593	3	1	1	1	1	8	30	78	175	331
1991.....	11,713	-	1	-	2	5	11	26	70	191	341
1990.....	11,633	3	1	-	-	1	11	32	72	163	311
1989.....	12,070	5	1	-	-	5	14	27	72	179	306
1988.....	11,606	2	-	-	-	4	12	32	78	184	304
1987.....	11,819	1	-	-	-	5	8	34	80	191	321
1986.....	11,835	2	-	-	1	5	11	33	97	180	362
1985.....	12,549	2	-	1	-	5	15	43	84	196	333
1984.....	12,679	3	-	2	-	3	15	46	93	166	361
1983.....	12,781	6	-	2	2	3	5	35	86	156	341
1982.....	12,624	4	1	2	1	6	17	47	90	176	334
1981.....	12,796	1	-	1	-	5	20	34	92	191	362
1980.....	13,015	1	3	-	-	7	18	34	94	182	387
1979.....	13,164	2	1	1	2	3	17	42	110	191	378

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)											
ALL OTHER FEMALE											
1998.....	11,179	2	-	-	-	-	5	13	34	74	151
1997.....	11,147	1	-	-	1	2	3	15	23	85	158
1996.....	11,256	4	-	-	1	2	5	12	34	69	137
1995.....	11,232	1	-	-	1	1	4	10	23	84	151
1994.....	11,192	3	1	-	-	6	10	18	30	78	165
1993.....	11,469	1	1	-	-	-	7	9	42	79	152
1992.....	11,161	3	1	-	-	6	4	13	31	75	155
1991.....	11,484	1	1	1	-	1	5	10	46	72	153
1990.....	11,123	1	1	1	-	2	6	11	31	80	120
1989.....	11,652	5	-	-	-	1	8	6	40	61	133
1988.....	11,082	4	-	-	1	1	6	14	27	78	139
1987.....	10,914	2	1	1	-	1	5	16	32	66	122
1986.....	10,949	2	1	-	-	4	4	10	39	57	125
1985.....	11,123	2	-	-	1	1	5	22	27	71	147
1984.....	10,947	4	-	-	-	-	5	7	30	70	140
1983.....	10,970	2	1	2	2	-	7	21	37	72	166
1982.....	10,436	3	2	1	-	1	6	15	32	82	161
1981.....	10,319	2	1	2	-	4	6	16	28	59	136
1980.....	10,612	-	-	2	1	1	2	14	41	78	158
1979.....	10,228	3	1	-	-	2	7	17	38	82	168
BLACK, BOTH SEXES											
1998.....	19,198	5	1	2	-	6	13	34	78	202	431
1997.....	19,244	3	-	1	2	4	10	34	78	216	422
1996.....	19,492	3	-	-	2	7	6	31	92	196	400
1995.....	19,766	2	-	-	1	2	15	23	76	227	441
1994.....	19,811	6	1	-	-	6	15	42	85	224	440
1993.....	20,399	2	1	-	1	3	17	28	104	246	461
1992.....	20,104	6	1	1	1	7	11	38	99	231	433
1991.....	20,654	-	2	1	1	5	12	35	106	242	436
1990.....	20,436	2	1	-	-	3	16	41	98	218	384
1989.....	21,198	9	1	-	-	4	21	32	106	215	401
1988.....	20,393	6	-	-	1	5	18	40	97	245	407
1987.....	20,453	3	1	1	-	6	13	45	102	234	396
1986.....	20,684	4	1	-	1	7	14	37	129	224	445
1985.....	21,447	4	-	1	1	6	20	63	103	237	437
1984.....	21,498	5	-	2	-	3	20	51	111	220	449
1983.....	21,775	5	1	4	4	2	12	54	115	206	460
1982.....	21,099	3	2	2	1	4	23	56	106	244	455
1981.....	21,363	2	-	3	-	9	24	47	112	225	461
1980.....	21,892	1	2	1	1	7	17	48	127	241	502
1979.....	21,714	4	2	1	2	5	22	57	134	255	515

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)											
BLACK MALE											
1998.....	9,273	4	1	2	-	6	8	21	46	131	285
1997.....	9,215	2	-	1	1	2	7	20	55	143	281
1996.....	9,357	-	-	-	1	5	1	20	61	130	269
1995.....	9,594	1	-	-	-	1	12	14	54	145	298
1994.....	9,736	3	-	-	-	-	6	25	58	150	286
1993.....	9,933	1	-	-	1	3	10	20	63	169	318
1992.....	9,970	3	1	1	1	1	7	27	68	159	289
1991.....	10,158	-	1	-	1	4	9	26	62	175	292
1990.....	10,260	2	-	-	-	1	10	30	69	149	269
1989.....	10,545	5	1	-	-	3	14	26	66	157	273
1988.....	10,197	2	-	-	-	4	12	26	72	170	273
1987.....	10,344	1	-	-	-	5	8	29	72	173	282
1986.....	10,525	2	-	-	1	4	10	28	91	168	328
1985.....	11,103	2	-	1	-	5	15	41	77	171	302
1984.....	11,321	2	-	2	-	3	15	44	82	154	316
1983.....	11,529	3	-	2	2	2	5	33	80	140	302
1982.....	11,345	2	-	1	1	4	17	42	78	166	299
1981.....	11,638	1	-	1	-	5	19	31	85	170	332
1980.....	11,834	1	2	-	-	6	15	34	88	167	351
1979.....	12,016	1	1	1	2	3	15	41	100	180	350
BLACK FEMALE											
1998.....	9,925	1	-	-	-	-	5	13	32	71	146
1997.....	10,029	1	-	-	1	2	3	14	23	73	141
1996.....	10,135	3	-	-	1	2	5	11	31	66	131
1995.....	10,172	1	-	-	1	1	3	9	22	82	143
1994.....	10,075	3	1	-	-	6	9	17	27	74	154
1993.....	10,466	1	1	-	-	-	7	8	41	77	143
1992.....	10,134	3	-	-	-	6	4	11	31	72	144
1991.....	10,496	-	1	1	-	1	3	9	44	67	144
1990.....	10,176	-	1	-	-	2	6	11	29	69	115
1989.....	10,653	4	-	-	-	1	7	6	40	58	128
1988.....	10,196	4	-	-	1	1	6	14	25	75	134
1987.....	10,109	2	1	1	-	1	5	16	30	61	114
1986.....	10,159	2	1	-	-	3	4	9	38	56	117
1985.....	10,344	2	-	-	1	1	5	22	26	66	135
1984.....	10,177	3	-	-	-	-	5	7	29	66	133
1983.....	10,246	2	1	2	2	-	7	21	35	66	158
1982.....	9,754	1	2	1	-	-	6	14	28	78	156
1981.....	9,725	1	-	2	-	4	5	16	27	55	129
1980.....	10,058	-	-	1	1	1	2	14	39	74	151
1979.....	9,698	3	1	-	-	2	7	16	34	75	165

RACE, AND SEX: UNITED STATES, 1979-98												
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
TOTAL, BOTH SEXES												
1998.....	2,907	1	-	-	-	1	4	3	10	42	58	
1997.....	3,046	-	-	-	-	3	1	3	13	34	65	
1996.....	2,889	1	-	-	-	-	3	7	12	34	84	
1995.....	2,740	3	-	-	-	1	-	1	14	30	54	
1994.....	2,862	1	-	-	-	-	3	4	13	34	73	
1993.....	2,968	-	-	-	-	2	1	9	17	40	80	
1992.....	3,179	-	-	-	-	-	3	3	12	46	87	
1991.....	3,300	1	1	-	-	3	3	6	20	44	81	
1990.....	3,333	-	-	-	-	1	2	6	16	33	77	
1989.....	3,376	2	-	-	-	-	5	9	15	28	68	
1988.....	3,408	4	1	-	-	1	4	8	18	38	71	
1987.....	3,532	1	-	-	-	-	2	6	21	27	77	
1986.....	3,856	-	-	1	-	2	5	6	21	55	85	
1985.....	3,969	-	1	-	-	1	5	11	15	29	75	
1984.....	4,034	1	1	1	-	1	3	6	15	44	81	
1983.....	4,059	1	1	1	-	2	-	7	11	36	86	
1982.....	4,120	-	-	-	-	3	3	12	19	48	84	
1981.....	4,549	2	-	-	-	2	2	11	16	58	84	
1980.....	4,773	-	-	-	-	2	3	10	24	45	88	
1979.....	4,762	3	-	-	-	2	5	8	25	45	79	
TOTAL, MALE												
1998.....	1,563	1	-	-	-	1	4	2	9	30	46	
1997.....	1,691	-	-	-	-	1	1	3	12	25	51	
1996.....	1,591	-	-	-	-	-	3	5	8	30	66	
1995.....	1,517	2	-	-	-	1	-	-	11	23	39	
1994.....	1,562	1	-	-	-	-	3	3	10	25	52	
1993.....	1,662	-	-	-	-	2	-	7	14	29	61	
1992.....	1,770	-	-	-	-	-	3	3	6	37	75	
1991.....	1,941	1	1	-	-	3	3	5	16	37	73	
1990.....	1,968	-	-	-	-	1	2	4	12	22	65	
1989.....	1,902	1	-	-	-	-	4	8	12	19	53	
1988.....	1,955	3	-	-	-	1	3	4	15	35	60	
1987.....	2,073	1	-	-	-	-	1	6	16	20	54	
1986.....	2,352	-	-	1	-	2	3	5	15	42	72	
1985.....	2,381	-	1	-	-	1	4	6	12	24	58	
1984.....	2,459	1	1	1	-	1	2	4	14	33	70	
1983.....	2,501	1	1	-	-	1	-	5	7	27	65	
1982.....	2,611	-	-	-	-	3	3	11	17	42	66	
1981.....	2,801	2	-	-	-	1	1	7	11	48	57	
1980.....	2,975	-	-	-	-	2	2	5	21	42	69	
1979.....	2,992	3	-	-	-	1	2	7	21	35	69	

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

TOTAL, FEMALE												
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	
1998	1,344	-	-	-	-	-	-	1	1	12	12	
1997	1,355	-	-	-	-	2	-	-	1	9	14	
1996	1,298	1	-	-	-	-	-	2	4	4	18	
1995	1,223	1	-	-	-	-	-	1	3	7	15	
1994	1,300	-	-	-	-	-	-	1	3	9	21	
1993	1,306	-	-	-	-	-	1	2	3	11	19	
1992	1,409	-	-	-	-	-	-	-	6	9	12	
1991	1,359	-	-	-	-	-	-	1	4	7	8	
1990	1,365	-	-	-	-	-	-	2	4	11	12	
1989	1,474	1	-	-	-	-	1	1	3	9	15	
1988	1,453	1	1	-	-	-	1	4	3	3	11	
1987	1,459	-	-	-	-	-	1	-	5	7	23	
1986	1,504	-	-	-	-	-	2	1	6	13	13	
1985	1,588	-	-	-	-	-	1	5	3	5	17	
1984	1,575	-	-	-	-	-	1	2	1	11	11	
1983	1,558	-	-	1	-	1	-	2	4	9	21	
1982	1,509	-	-	-	-	-	-	1	2	6	18	
1981	1,748	-	-	-	-	1	1	4	5	10	27	
1980	1,798	-	-	-	-	-	1	5	3	3	19	
1979	1,770	-	-	-	-	1	3	1	4	10	10	
WHITE, BOTH SEXES												
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	
1998	2,448	1	-	-	-	1	2	2	8	31	43	
1997	2,596	-	-	-	-	3	1	3	11	25	56	
1996	2,454	1	-	-	-	-	2	6	10	27	65	
1995	2,356	-	-	-	-	1	-	1	9	23	37	
1994	2,442	-	-	-	-	-	1	2	11	31	53	
1993	2,541	-	-	-	-	1	-	7	11	32	56	
1992	2,699	-	-	-	-	-	2	3	5	36	72	
1991	2,807	-	1	-	-	1	2	5	16	34	57	
1990	2,807	-	-	-	-	-	1	4	11	26	55	
1989	2,843	-	-	-	-	-	2	7	10	24	57	
1988	2,915	3	1	-	-	1	1	5	10	28	55	
1987	3,007	-	-	-	-	-	1	3	14	19	59	
1986	3,296	-	-	1	-	1	5	4	15	42	67	
1985	3,394	-	-	-	-	-	1	8	9	19	55	
1984	3,387	1	1	1	-	1	3	5	9	28	62	
1983	3,405	1	1	1	-	2	-	5	9	30	64	
1982	3,488	-	-	-	-	2	3	10	12	40	63	
1981	3,835	1	-	-	-	2	2	9	14	45	59	
1980	4,048	-	-	-	-	2	3	6	13	38	69	
1979	4,020	3	-	-	-	2	4	4	17	33	67	



RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)											
WHITE MALE											
1998.....	1,293	1	-	-	-	1	2	1	7	22	36
1997.....	1,447	-	-	-	-	1	1	3	10	18	45
1996.....	1,342	-	-	-	-	-	2	4	7	23	51
1995.....	1,308	-	-	-	-	1	-	-	9	19	26
1994.....	1,331	-	-	-	-	-	1	2	9	24	42
1993.....	1,417	-	-	-	-	1	-	6	10	24	46
1992.....	1,495	-	-	-	-	-	2	3	3	28	63
1991.....	1,654	-	1	-	-	1	2	4	12	30	52
1990.....	1,667	-	-	-	-	-	1	3	8	19	49
1989.....	1,608	-	-	-	-	-	2	7	7	17	48
1988.....	1,661	2	-	-	-	1	-	3	9	26	47
1987.....	1,750	-	-	-	-	-	1	3	11	14	42
1986.....	2,014	-	-	1	-	1	3	3	12	36	56
1985.....	2,060	-	-	-	-	-	1	3	7	17	45
1984.....	2,081	1	1	1	-	1	2	4	8	23	56
1983.....	2,132	1	1	-	-	1	-	4	5	23	50
1982.....	2,230	-	-	-	-	2	3	10	11	35	50
1981.....	2,383	1	-	-	-	1	1	6	9	39	43
1980.....	2,522	-	-	-	-	2	2	2	12	35	55
1979.....	2,532	3	-	-	-	1	2	4	15	25	60
WHITE FEMALE											
1998.....	1,155	-	-	-	-	-	-	1	1	9	7
1997.....	1,149	-	-	-	-	2	-	-	1	7	11
1996.....	1,112	1	-	-	-	-	-	2	3	4	14
1995.....	1,048	-	-	-	-	-	-	1	-	4	11
1994.....	1,111	-	-	-	-	-	-	-	2	7	11
1993.....	1,124	-	-	-	-	-	-	1	1	8	10
1992.....	1,204	-	-	-	-	-	-	-	2	8	9
1991.....	1,153	-	-	-	-	-	-	1	4	4	5
1990.....	1,140	-	-	-	-	-	-	1	3	7	6
1989.....	1,235	-	-	-	-	-	-	-	3	7	9
1988.....	1,254	1	1	-	-	-	1	2	1	2	8
1987.....	1,257	-	-	-	-	-	-	-	3	5	17
1986.....	1,282	-	-	-	-	-	2	1	3	6	11
1985.....	1,334	-	-	-	-	-	-	5	2	2	10
1984.....	1,306	-	-	-	-	-	1	1	1	5	6
1983.....	1,273	-	-	1	-	1	-	1	4	7	14
1982.....	1,258	-	-	-	-	-	-	-	1	5	13
1981.....	1,452	-	-	-	-	1	1	3	5	6	16
1980.....	1,526	-	-	-	-	-	1	4	1	3	14
1979.....	1,488	-	-	-	-	1	2	-	2	8	7

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)											
ALL OTHER, BOTH SEXES											
1998.....	459	-	-	-	-	-	2	1	2	11	15
1997.....	450	-	-	-	-	-	-	-	2	9	9
1996.....	435	-	-	-	-	-	1	1	2	7	19
1995.....	384	3	-	-	-	-	-	-	5	7	17
1994.....	420	1	-	-	-	-	2	2	2	3	20
1993.....	427	-	-	-	-	1	1	2	6	8	24
1992.....	480	-	-	-	-	-	1	-	7	10	15
1991.....	493	1	-	-	-	2	1	1	4	10	24
1990.....	526	-	-	-	-	1	1	2	5	7	22
1989.....	533	2	-	-	-	-	3	2	5	4	11
1988.....	493	1	-	-	-	-	3	3	8	10	16
1987.....	525	1	-	-	-	-	1	3	7	8	18
1986.....	560	-	-	-	-	1	-	2	6	13	18
1985.....	575	-	1	-	-	1	4	3	6	10	20
1984.....	647	-	-	-	-	-	-	1	6	16	19
1983.....	654	-	-	-	-	-	-	2	2	6	22
1982.....	632	-	-	-	-	1	-	2	7	8	21
1981.....	714	1	-	-	-	-	-	2	2	13	25
1980.....	725	-	-	-	-	-	-	4	11	7	19
1979.....	742	-	-	-	-	-	1	4	8	12	12
ALL OTHER MALE											
1998.....	270	-	-	-	-	-	2	1	2	8	10
1997.....	244	-	-	-	-	-	-	-	2	7	6
1996.....	249	-	-	-	-	-	1	1	1	7	15
1995.....	209	2	-	-	-	-	-	-	2	4	13
1994.....	231	1	-	-	-	-	2	1	1	1	10
1993.....	245	-	-	-	-	1	-	1	4	5	15
1992.....	275	-	-	-	-	-	1	-	3	9	12
1991.....	287	1	-	-	-	2	1	1	4	7	21
1990.....	301	-	-	-	-	1	1	1	4	3	16
1989.....	294	1	-	-	-	-	2	1	5	2	5
1988.....	294	1	-	-	-	-	3	1	6	9	13
1987.....	323	1	-	-	-	-	-	3	5	6	12
1986.....	338	-	-	-	-	1	-	2	3	6	16
1985.....	321	-	1	-	-	1	3	3	5	7	13
1984.....	378	-	-	-	-	-	-	-	6	10	14
1983.....	369	-	-	-	-	-	-	1	2	4	15
1982.....	381	-	-	-	-	1	-	1	6	7	16
1981.....	418	1	-	-	-	-	-	1	2	9	14
1980.....	453	-	-	-	-	-	-	3	9	7	14
1979.....	460	-	-	-	-	-	-	3	6	10	9

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)											
ALL OTHER FEMALE											
1998.....	189	-	-	-	-	-	-	-	-	3	5
1997.....	206	-	-	-	-	-	-	-	-	2	3
1996.....	186	-	-	-	-	-	-	-	1	-	4
1995.....	175	1	-	-	-	-	-	-	3	3	4
1994.....	189	-	-	-	-	-	-	1	1	2	10
1993.....	182	-	-	-	-	-	1	1	2	3	9
1992.....	205	-	-	-	-	-	-	-	4	1	3
1991.....	206	-	-	-	-	-	-	-	-	3	3
1990.....	225	-	-	-	-	-	-	1	1	4	6
1989.....	239	1	-	-	-	-	1	1	-	2	6
1988.....	199	-	-	-	-	-	-	2	2	1	3
1987.....	202	-	-	-	-	-	1	-	2	2	6
1986.....	222	-	-	-	-	-	-	-	3	7	2
1985.....	254	-	-	-	-	-	1	-	1	3	7
1984.....	269	-	-	-	-	-	-	1	-	6	5
1983.....	285	-	-	-	-	-	-	1	-	2	7
1982.....	251	-	-	-	-	-	-	1	1	1	5
1981.....	296	-	-	-	-	-	-	1	-	4	11
1980.....	272	-	-	-	-	-	-	1	2	-	5
1979.....	282	-	-	-	-	-	1	1	2	2	3
BLACK, BOTH SEXES											
1998.....	407	-	-	-	-	-	2	1	2	11	14
1997.....	396	-	-	-	-	-	-	-	2	8	6
1996.....	398	-	-	-	-	-	1	1	2	7	17
1995.....	351	3	-	-	-	-	-	-	4	7	17
1994.....	361	1	-	-	-	-	2	2	2	3	18
1993.....	386	-	-	-	-	1	1	2	6	7	22
1992.....	428	-	-	-	-	-	1	-	5	8	12
1991.....	450	1	-	-	-	2	1	1	2	7	24
1990.....	479	-	-	-	-	1	-	2	4	6	20
1989.....	496	2	-	-	-	-	3	2	5	3	11
1988.....	465	1	-	-	-	-	3	3	6	10	14
1987.....	482	1	-	-	-	-	1	3	5	7	15
1986.....	517	-	-	-	-	1	-	1	6	11	17
1985.....	549	-	1	-	-	1	3	3	6	9	19
1984.....	615	-	-	-	-	-	-	1	4	15	18
1983.....	624	-	-	-	-	-	-	2	2	6	18
1982.....	598	-	-	-	-	1	-	2	7	7	20
1981.....	673	-	-	-	-	-	-	1	2	13	23
1980.....	685	-	-	-	-	-	-	4	11	6	18
1979.....	709	-	-	-	-	-	1	4	7	11	11

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)											
BLACK MALE											
1998.....	234	-	-	-	-	-	2	1	2	8	9
1997.....	210	-	-	-	-	-	-	-	2	6	3
1996.....	230	-	-	-	-	-	1	1	1	7	14
1995.....	190	2	-	-	-	-	-	-	1	4	13
1994.....	196	1	-	-	-	-	2	1	1	1	9
1993.....	216	-	-	-	-	1	-	1	4	4	14
1992.....	237	-	-	-	-	-	1	-	2	7	9
1991.....	259	1	-	-	-	2	1	1	2	5	21
1990.....	272	-	-	-	-	1	-	1	3	2	14
1989.....	271	1	-	-	-	-	2	1	5	2	5
1988.....	274	1	-	-	-	-	3	1	4	9	11
1987.....	290	1	-	-	-	-	-	3	4	5	10
1986.....	307	-	-	-	-	1	-	1	3	5	15
1985.....	304	-	1	-	-	1	2	3	5	6	12
1984.....	354	-	-	-	-	-	-	-	4	10	13
1983.....	350	-	-	-	-	-	-	1	2	4	12
1982.....	356	-	-	-	-	1	-	1	6	6	15
1981.....	394	-	-	-	-	-	-	1	2	9	12
1980.....	420	-	-	-	-	-	-	3	9	6	13
1979.....	435	-	-	-	-	-	-	3	5	9	8
BLACK FEMALE											
1998.....	173	-	-	-	-	-	-	-	-	3	5
1997.....	186	-	-	-	-	-	-	-	-	2	3
1996.....	168	-	-	-	-	-	-	-	1	-	3
1995.....	161	1	-	-	-	-	-	-	3	3	4
1994.....	165	-	-	-	-	-	-	1	1	2	9
1993.....	170	-	-	-	-	-	1	1	2	3	8
1992.....	191	-	-	-	-	-	-	-	3	1	3
1991.....	191	-	-	-	-	-	-	-	-	2	3
1990.....	207	-	-	-	-	-	-	1	1	4	6
1989.....	225	1	-	-	-	-	1	1	-	1	6
1988.....	191	-	-	-	-	-	-	2	2	1	3
1987.....	192	-	-	-	-	-	1	-	1	2	5
1986.....	210	-	-	-	-	-	-	-	3	6	2
1985.....	245	-	-	-	-	-	1	-	1	3	7
1984.....	261	-	-	-	-	-	-	1	-	5	5
1983.....	274	-	-	-	-	-	-	1	-	2	6
1982.....	242	-	-	-	-	-	-	1	1	1	5
1981.....	279	-	-	-	-	-	-	-	-	4	11
1980.....	265	-	-	-	-	-	-	1	2	-	5
1979.....	274	-	-	-	-	-	1	1	2	2	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98											
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ANGINA PECTORIS (413)												
TOTAL, BOTH SEXES												
1998.....	650	-	-	-	-	-	-	1	1	-	9	
1997.....	735	-	-	-	-	-	-	-	1	1	4	
1996.....	829	-	-	-	-	-	1	1	1	10	8	
1995.....	840	-	-	-	-	-	1	1	2	3	7	
1994.....	913	-	-	-	-	-	1	-	1	4	12	
1993.....	984	-	-	-	-	-	1	-	3	6	11	
1992.....	1,003	-	-	1	-	1	-	3	-	4	6	
1991.....	1,064	-	-	-	-	-	-	-	1	3	9	
1990.....	1,070	-	-	1	-	-	1	-	4	3	14	
1989.....	1,066	-	-	-	-	-	-	-	1	3	6	
1988.....	1,021	-	-	-	-	-	-	1	-	3	3	
1987.....	1,032	-	-	-	-	-	-	-	1	7	6	
1986.....	990	1	-	-	-	-	1	1	1	4	13	
1985.....	928	-	1	-	-	-	-	2	-	4	5	
1984.....	841	1	-	-	-	-	-	1	-	3	11	
1983.....	744	-	-	-	-	-	1	2	2	4	5	
1982.....	605	-	-	-	-	-	1	3	2	4	3	
1981.....	569	-	-	-	-	-	-	-	-	5	7	
1980.....	561	-	-	-	-	-	-	1	2	5	10	
1979.....	500	1	-	-	-	-	1	1	2	2	11	
TOTAL, MALE												
1998.....	273	-	-	-	-	-	-	1	-	-	6	
1997.....	298	-	-	-	-	-	-	-	1	-	-	
1996.....	360	-	-	-	-	-	1	-	1	6	3	
1995.....	338	-	-	-	-	-	-	-	2	3	6	
1994.....	393	-	-	-	-	-	1	-	1	4	5	
1993.....	393	-	-	-	-	-	1	-	2	4	6	
1992.....	433	-	-	-	-	1	-	-	-	3	5	
1991.....	440	-	-	-	-	-	-	-	-	2	8	
1990.....	443	-	-	-	-	-	1	-	2	3	10	
1989.....	474	-	-	-	-	-	-	-	1	3	4	
1988.....	455	-	-	-	-	-	-	-	-	2	2	
1987.....	472	-	-	-	-	-	-	-	1	5	2	
1986.....	445	-	-	-	-	-	-	1	1	2	9	
1985.....	436	-	-	-	-	-	-	2	-	2	4	
1984.....	438	-	-	-	-	-	-	-	-	3	8	
1983.....	376	-	-	-	-	-	1	1	2	3	3	
1982.....	311	-	-	-	-	-	1	2	2	1	1	
1981.....	301	-	-	-	-	-	-	-	-	3	4	
1980.....	303	-	-	-	-	-	-	1	2	4	8	
1979.....	262	1	-	-	-	-	1	1	1	1	7	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ANGINA PECTORIS (413)												
TOTAL, FEMALE												
1998.....	377	-	-	-	-	-	-	-	1	-	3	
1997.....	437	-	-	-	-	-	-	-	-	1	4	
1996.....	469	-	-	-	-	-	-	1	-	4	5	
1995.....	502	-	-	-	-	-	1	1	-	-	1	
1994.....	520	-	-	-	-	-	-	-	-	-	7	
1993.....	591	-	-	-	-	-	-	-	1	2	5	
1992.....	570	-	-	1	-	-	-	3	-	1	1	
1991.....	624	-	-	-	-	-	-	-	1	1	1	
1990.....	627	-	-	1	-	-	-	-	2	-	4	
1989.....	592	-	-	-	-	-	-	-	-	-	2	
1988.....	566	-	-	-	-	-	-	1	-	1	1	
1987.....	560	-	-	-	-	-	-	-	-	2	4	
1986.....	545	1	-	-	-	-	1	-	-	2	4	
1985.....	492	-	1	-	-	-	-	-	-	2	1	
1984.....	403	1	-	-	-	-	-	1	-	-	3	
1983.....	368	-	-	-	-	-	-	1	-	1	2	
1982.....	294	-	-	-	-	-	-	1	-	3	2	
1981.....	268	-	-	-	-	-	-	-	-	2	3	
1980.....	258	-	-	-	-	-	-	-	-	1	2	
1979.....	238	-	-	-	-	-	-	-	1	1	4	
WHITE, BOTH SEXES												
1998.....	579	-	-	-	-	-	-	-	1	-	5	
1997.....	663	-	-	-	-	-	-	-	1	1	2	
1996.....	744	-	-	-	-	-	1	1	1	7	6	
1995.....	765	-	-	-	-	-	-	-	1	3	6	
1994.....	828	-	-	-	-	-	1	-	1	3	7	
1993.....	894	-	-	-	-	-	-	-	3	4	8	
1992.....	912	-	-	1	-	1	-	1	-	3	5	
1991.....	956	-	-	-	-	-	-	-	1	2	8	
1990.....	959	-	-	-	-	-	1	-	2	2	10	
1989.....	958	-	-	-	-	-	-	-	1	3	6	
1988.....	927	-	-	-	-	-	-	1	-	2	2	
1987.....	919	-	-	-	-	-	-	-	1	7	4	
1986.....	882	1	-	-	-	-	1	1	1	3	9	
1985.....	839	-	1	-	-	-	-	2	-	3	5	
1984.....	763	1	-	-	-	-	-	1	-	3	8	
1983.....	667	-	-	-	-	-	1	1	1	3	4	
1982.....	563	-	-	-	-	-	1	3	2	4	2	
1981.....	515	-	-	-	-	-	-	-	-	4	5	
1980.....	510	-	-	-	-	-	-	1	2	5	8	
1979.....	446	1	-	-	-	-	1	1	1	1	9	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ANGINA PECTORIS (413)												
WHITE MALE												
1998.....	236	-	-	-	-	-	-	-	-	-	-	4
1997.....	263	-	-	-	-	-	-	-	1	-	-	-
1996.....	322	-	-	-	-	-	1	-	1	3	3	-
1995.....	306	-	-	-	-	-	-	-	1	3	5	-
1994.....	357	-	-	-	-	-	1	-	1	3	3	-
1993.....	362	-	-	-	-	-	-	-	2	3	4	-
1992.....	394	-	-	-	-	1	-	-	-	3	5	-
1991.....	402	-	-	-	-	-	-	-	-	1	7	-
1990.....	391	-	-	-	-	-	1	-	1	2	8	-
1989.....	424	-	-	-	-	-	-	-	1	3	4	-
1988.....	413	-	-	-	-	-	-	-	-	1	2	-
1987.....	429	-	-	-	-	-	-	-	1	5	2	-
1986.....	399	-	-	-	-	-	-	1	1	2	6	-
1985.....	402	-	-	-	-	-	-	2	-	1	4	-
1984.....	398	-	-	-	-	-	-	-	-	3	5	-
1983.....	339	-	-	-	-	-	1	-	1	3	2	-
1982.....	295	-	-	-	-	-	1	2	2	1	1	-
1981.....	271	-	-	-	-	-	-	-	-	2	3	-
1980.....	281	-	-	-	-	-	-	1	2	4	6	-
1979.....	241	1	-	-	-	-	1	1	1	-	6	-
WHITE FEMALE												
1998.....	343	-	-	-	-	-	-	-	1	-	1	-
1997.....	400	-	-	-	-	-	-	-	-	1	2	-
1996.....	422	-	-	-	-	-	-	1	-	4	3	-
1995.....	459	-	-	-	-	-	-	-	-	-	1	-
1994.....	471	-	-	-	-	-	-	-	-	-	4	-
1993.....	532	-	-	-	-	-	-	-	1	1	4	-
1992.....	518	-	-	1	-	-	-	1	-	-	-	-
1991.....	554	-	-	-	-	-	-	-	1	1	1	-
1990.....	568	-	-	-	-	-	-	-	1	-	2	-
1989.....	534	-	-	-	-	-	-	-	-	-	2	-
1988.....	514	-	-	-	-	-	-	1	-	1	-	-
1987.....	490	-	-	-	-	-	-	-	-	2	2	-
1986.....	483	1	-	-	-	-	1	-	-	1	3	-
1985.....	437	-	1	-	-	-	-	-	-	2	1	-
1984.....	365	1	-	-	-	-	-	1	-	-	3	-
1983.....	328	-	-	-	-	-	-	1	-	-	2	-
1982.....	268	-	-	-	-	-	-	1	-	3	1	-
1981.....	244	-	-	-	-	-	-	-	-	2	2	-
1980.....	229	-	-	-	-	-	-	-	-	1	2	-
1979.....	205	-	-	-	-	-	-	-	-	1	3	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ANGINA PECTORIS (413)												
ALL OTHER, BOTH SEXES												
1998.....	71	-	-	-	-	-	-	1	-	-	-	4
1997.....	72	-	-	-	-	-	-	-	-	-	-	2
1996.....	85	-	-	-	-	-	-	-	-	3	-	2
1995.....	75	-	-	-	-	-	1	1	1	-	-	1
1994.....	85	-	-	-	-	-	-	-	-	1	-	5
1993.....	90	-	-	-	-	-	1	-	-	2	-	3
1992.....	91	-	-	-	-	-	-	2	-	1	-	1
1991.....	108	-	-	-	-	-	-	-	-	1	-	1
1990.....	111	-	-	1	-	-	-	-	2	1	-	4
1989.....	108	-	-	-	-	-	-	-	-	-	-	-
1988.....	94	-	-	-	-	-	-	-	-	1	-	1
1987.....	113	-	-	-	-	-	-	-	-	-	-	2
1986.....	108	-	-	-	-	-	-	-	-	1	-	4
1985.....	89	-	-	-	-	-	-	-	-	1	-	-
1984.....	78	-	-	-	-	-	-	-	-	-	-	3
1983.....	77	-	-	-	-	-	-	1	1	1	-	1
1982.....	42	-	-	-	-	-	-	-	-	-	-	1
1981.....	54	-	-	-	-	-	-	-	-	1	-	2
1980.....	51	-	-	-	-	-	-	-	-	-	-	2
1979.....	54	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER MALE												
1998.....	37	-	-	-	-	-	-	1	-	-	-	2
1997.....	35	-	-	-	-	-	-	-	-	-	-	-
1996.....	38	-	-	-	-	-	-	-	-	3	-	-
1995.....	32	-	-	-	-	-	-	-	1	-	-	1
1994.....	36	-	-	-	-	-	-	-	-	1	-	2
1993.....	31	-	-	-	-	-	1	-	-	1	-	2
1992.....	39	-	-	-	-	-	-	-	-	-	-	-
1991.....	38	-	-	-	-	-	-	-	-	1	-	1
1990.....	52	-	-	-	-	-	-	-	1	1	-	2
1989.....	50	-	-	-	-	-	-	-	-	-	-	-
1988.....	42	-	-	-	-	-	-	-	-	1	-	-
1987.....	43	-	-	-	-	-	-	-	-	-	-	-
1986.....	46	-	-	-	-	-	-	-	-	-	-	3
1985.....	34	-	-	-	-	-	-	-	-	1	-	-
1984.....	40	-	-	-	-	-	-	-	-	-	-	3
1983.....	37	-	-	-	-	-	-	1	1	-	-	1
1982.....	16	-	-	-	-	-	-	-	-	-	-	-
1981.....	30	-	-	-	-	-	-	-	-	1	-	1
1980.....	22	-	-	-	-	-	-	-	-	-	-	2
1979.....	21	-	-	-	-	-	-	-	-	1	-	1



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ANGINA PECTORIS (413)												
ALL OTHER FEMALE												
1998.....	34	-	-	-	-	-	-	-	-	-	-	2
1997.....	37	-	-	-	-	-	-	-	-	-	-	2
1996.....	47	-	-	-	-	-	-	-	-	-	-	2
1995.....	43	-	-	-	-	-	1	1	-	-	-	-
1994.....	49	-	-	-	-	-	-	-	-	-	-	3
1993.....	59	-	-	-	-	-	-	-	-	1	-	1
1992.....	52	-	-	-	-	-	-	2	-	1	-	1
1991.....	70	-	-	-	-	-	-	-	-	-	-	-
1990.....	59	-	-	1	-	-	-	-	1	-	-	2
1989.....	58	-	-	-	-	-	-	-	-	-	-	-
1988.....	52	-	-	-	-	-	-	-	-	-	-	1
1987.....	70	-	-	-	-	-	-	-	-	-	-	2
1986.....	62	-	-	-	-	-	-	-	-	1	-	1
1985.....	55	-	-	-	-	-	-	-	-	-	-	-
1984.....	38	-	-	-	-	-	-	-	-	-	-	-
1983.....	40	-	-	-	-	-	-	-	-	1	-	-
1982.....	26	-	-	-	-	-	-	-	-	-	-	1
1981.....	24	-	-	-	-	-	-	-	-	-	-	1
1980.....	29	-	-	-	-	-	-	-	-	-	-	-
1979.....	33	-	-	-	-	-	-	-	1	-	-	1
BLACK, BOTH SEXES												
1998.....	61	-	-	-	-	-	-	-	-	-	-	4
1997.....	66	-	-	-	-	-	-	-	-	-	-	2
1996.....	80	-	-	-	-	-	-	-	-	3	-	2
1995.....	69	-	-	-	-	-	1	1	1	-	-	1
1994.....	79	-	-	-	-	-	-	-	-	1	-	5
1993.....	80	-	-	-	-	-	1	-	-	2	-	3
1992.....	82	-	-	-	-	-	-	2	-	1	-	1
1991.....	98	-	-	-	-	-	-	-	-	1	-	1
1990.....	103	-	-	1	-	-	-	-	2	1	-	4
1989.....	96	-	-	-	-	-	-	-	-	-	-	-
1988.....	91	-	-	-	-	-	-	-	-	1	-	1
1987.....	107	-	-	-	-	-	-	-	-	-	-	2
1986.....	101	-	-	-	-	-	-	-	-	1	-	4
1985.....	85	-	-	-	-	-	-	-	-	1	-	-
1984.....	73	-	-	-	-	-	-	-	-	-	-	3
1983.....	70	-	-	-	-	-	-	1	1	-	-	1
1982.....	38	-	-	-	-	-	-	-	-	-	-	1
1981.....	51	-	-	-	-	-	-	-	-	-	-	2
1980.....	45	-	-	-	-	-	-	-	-	-	-	2
1979.....	50	-	-	-	-	-	-	-	-	1	-	2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
TOTAL, BOTH SEXES											
1998.....	252,733	6	1	3	7	19	30	102	331	985	1,952
1997.....	256,108	8	2	3	3	17	36	115	360	929	1,970
1996.....	258,874	10	2	4	6	20	30	113	349	1,029	1,960
1995.....	259,478	7	4	3	3	15	34	124	371	1,020	2,005
1994.....	255,284	9	7	1	1	11	34	106	332	947	1,913
1993.....	258,655	17	7	4	1	13	41	119	388	893	1,962
1992.....	246,486	2	2	3	4	7	35	113	344	864	1,914
1991.....	245,819	11	6	5	5	12	35	133	322	901	1,835
1990.....	245,760	10	4	2	6	10	28	104	326	809	1,794
1989.....	246,629	12	2	1	5	11	21	121	354	837	1,801
1988.....	257,213	8	7	4	5	13	29	129	354	885	1,768
1987.....	254,032	9	4	4	2	15	40	113	369	886	1,913
1986.....	254,881	6	4	2	3	14	35	121	368	947	1,835
1985.....	257,709	7	4	2	3	9	35	118	348	897	1,804
1984.....	257,291	10	9	18	2	12	43	123	305	905	1,667
1983.....	261,389	11	9	15	3	12	26	103	331	798	1,700
1982.....	257,030	10	10	16	4	10	24	128	315	798	1,612
1981.....	257,536	10	5	16	7	9	27	113	285	751	1,563
1980.....	260,837	9	3	5	1	11	33	94	292	726	1,580
1979.....	245,641	6	4	2	1	13	28	81	295	658	1,463
TOTAL, MALE											
1998.....	124,543	4	1	3	3	15	20	72	238	752	1,484
1997.....	126,172	3	2	2	1	14	28	83	264	724	1,565
1996.....	127,346	2	-	1	5	16	26	88	276	790	1,500
1995.....	126,977	5	3	2	2	12	25	91	288	773	1,582
1994.....	125,101	4	1	1	1	8	26	74	248	759	1,520
1993.....	126,575	10	2	3	-	12	29	91	300	696	1,556
1992.....	121,589	-	1	-	4	6	25	85	268	692	1,514
1991.....	121,211	6	6	2	-	9	24	102	247	737	1,468
1990.....	120,703	6	1	1	4	6	25	81	258	684	1,461
1989.....	120,850	5	2	1	2	6	13	88	269	678	1,473
1988.....	126,211	2	3	2	5	11	25	101	288	724	1,440
1987.....	124,960	4	4	-	-	10	31	85	305	736	1,552
1986.....	125,592	3	1	2	3	11	21	96	292	775	1,502
1985.....	127,504	3	4	-	3	6	25	89	273	742	1,483
1984.....	126,630	4	4	13	1	6	32	94	254	735	1,346
1983.....	128,966	8	7	9	2	8	21	83	277	676	1,387
1982.....	127,526	5	7	6	2	7	18	105	265	654	1,299
1981.....	127,929	7	4	9	4	6	19	97	228	619	1,243
1980.....	129,011	5	1	2	1	7	24	75	247	589	1,252
1979.....	122,978	4	2	1	-	11	15	69	235	527	1,164

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
TOTAL, FEMALE											
1998.....	128,190	2	-	-	4	4	10	30	93	233	468
1997.....	129,936	5	-	1	2	3	8	32	96	205	405
1996.....	131,528	8	2	3	1	4	4	25	73	239	460
1995.....	132,501	2	1	1	1	3	9	33	83	247	423
1994.....	130,183	5	6	-	-	3	8	32	84	188	393
1993.....	132,080	7	5	1	1	1	12	28	88	197	406
1992.....	124,897	2	1	3	-	1	10	28	76	172	400
1991.....	124,608	5	-	3	5	3	11	31	75	164	367
1990.....	125,057	4	3	1	2	4	3	23	68	125	333
1989.....	125,779	7	-	-	3	5	8	33	85	159	328
1988.....	131,002	6	4	2	-	2	4	28	66	161	328
1987.....	129,072	5	-	4	2	5	9	28	64	150	361
1986.....	129,289	3	3	-	-	3	14	25	76	172	333
1985.....	130,205	4	-	2	-	3	10	29	75	155	321
1984.....	130,661	6	5	5	1	6	11	29	51	170	321
1983.....	132,423	3	2	6	1	4	5	20	54	122	313
1982.....	129,504	5	3	10	2	3	6	23	50	144	313
1981.....	129,607	3	1	7	3	3	8	16	57	132	320
1980.....	131,826	4	2	3	-	4	9	19	45	137	328
1979.....	122,663	2	2	1	1	2	13	12	60	131	299
WHITE, BOTH SEXES											
1998.....	228,026	1	1	2	3	14	23	80	259	772	1,525
1997.....	231,150	4	1	3	1	11	25	81	290	720	1,542
1996.....	234,025	8	1	3	6	16	18	83	279	793	1,508
1995.....	234,482	5	3	2	2	13	21	89	285	804	1,584
1994.....	231,273	6	5	1	-	7	23	76	262	710	1,462
1993.....	234,515	16	6	3	1	8	25	92	304	684	1,522
1992.....	223,838	1	1	2	3	6	28	87	266	677	1,493
1991.....	223,335	6	4	4	3	8	24	94	244	699	1,468
1990.....	223,841	6	3	1	4	7	20	81	247	620	1,466
1989.....	224,779	9	2	1	4	6	18	92	265	645	1,421
1988.....	234,570	7	4	3	5	5	19	96	271	698	1,424
1987.....	231,955	8	3	3	2	11	30	89	275	691	1,541
1986.....	233,002	6	2	2	3	8	29	91	275	751	1,458
1985.....	235,755	5	4	2	3	7	26	89	255	700	1,445
1984.....	235,811	4	7	16	2	9	36	98	232	721	1,348
1983.....	239,306	8	6	12	3	9	22	85	250	651	1,366
1982.....	235,155	7	8	11	4	7	18	94	235	629	1,294
1981.....	235,612	6	3	13	7	5	21	74	203	586	1,236
1980.....	238,544	7	2	5	1	7	23	67	217	563	1,259
1979.....	225,397	4	2	2	1	10	23	59	228	514	1,160

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
WHITE MALE											
1998.....	112,606	1	1	2	2	11	16	60	185	597	1,200
1997.....	113,986	3	1	2	-	9	20	58	215	581	1,258
1996.....	115,449	2	-	1	5	12	16	66	222	630	1,201
1995.....	114,742	4	2	1	2	10	15	65	223	626	1,292
1994.....	113,512	2	1	1	-	4	18	53	203	586	1,202
1993.....	114,897	9	2	2	-	7	16	69	233	552	1,253
1992.....	110,692	-	1	-	3	5	18	64	210	563	1,218
1991.....	110,197	5	4	1	-	5	15	75	189	587	1,204
1990.....	110,029	4	1	1	3	5	17	66	197	538	1,227
1989.....	110,105	3	2	1	2	5	12	72	205	540	1,199
1988.....	114,932	1	2	1	5	3	15	75	220	591	1,183
1987.....	113,849	4	3	-	-	7	22	66	232	594	1,269
1986.....	114,738	3	-	2	3	6	16	73	228	636	1,225
1985.....	116,366	3	4	-	3	4	17	66	211	590	1,208
1984.....	115,863	1	4	11	1	4	28	76	199	604	1,131
1983.....	117,877	5	4	7	2	5	18	73	213	569	1,148
1982.....	116,328	4	5	3	2	5	13	78	207	523	1,067
1981.....	116,846	4	3	8	4	4	14	66	166	492	1,009
1980.....	117,498	4	1	2	1	4	16	53	186	467	1,034
1979.....	112,505	2	1	1	-	10	15	52	193	418	955
WHITE FEMALE											
1998.....	115,420	-	-	-	1	3	7	20	74	175	325
1997.....	117,164	1	-	1	1	2	5	23	75	139	284
1996.....	118,576	6	1	2	1	4	2	17	57	163	307
1995.....	119,740	1	1	1	-	3	6	24	62	178	292
1994.....	117,761	4	4	-	-	3	5	23	59	124	260
1993.....	119,618	7	4	1	1	1	9	23	71	132	269
1992.....	113,146	1	-	2	-	1	10	23	56	114	275
1991.....	113,138	1	-	3	3	3	9	19	55	112	264
1990.....	113,812	2	2	-	1	2	3	15	50	82	239
1989.....	114,674	6	-	-	2	1	6	20	60	105	222
1988.....	119,638	6	2	2	-	2	4	21	51	107	241
1987.....	118,106	4	-	3	2	4	8	23	43	97	272
1986.....	118,264	3	2	-	-	2	13	18	47	115	233
1985.....	119,389	2	-	2	-	3	9	23	44	110	237
1984.....	119,948	3	3	5	1	5	8	22	33	117	217
1983.....	121,429	3	2	5	1	4	4	12	37	82	218
1982.....	118,827	3	3	8	2	2	5	16	28	106	227
1981.....	118,766	2	-	5	3	1	7	8	37	94	227
1980.....	121,046	3	1	3	-	3	7	14	31	96	225
1979.....	112,892	2	1	1	1	-	8	7	35	96	205

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
ALL OTHER, BOTH SEXES											
1998.....	24,707	5	-	1	4	5	7	22	72	213	427
1997.....	24,958	4	1	-	2	6	11	34	70	209	428
1996.....	24,849	2	1	1	-	4	12	30	70	236	452
1995.....	24,996	2	1	1	1	2	13	35	86	216	421
1994.....	24,011	3	2	-	1	4	11	30	70	237	451
1993.....	24,140	1	1	1	-	5	16	27	84	209	440
1992.....	22,648	1	1	1	1	1	7	26	78	187	421
1991.....	22,484	5	2	1	2	4	11	39	78	202	367
1990.....	21,919	4	1	1	2	3	8	23	79	189	328
1989.....	21,850	3	-	-	1	5	3	29	89	192	380
1988.....	22,643	1	3	1	-	8	10	33	83	187	344
1987.....	22,077	1	1	1	-	4	10	24	94	195	372
1986.....	21,879	-	2	-	-	6	6	30	93	196	377
1985.....	21,954	2	-	-	-	2	9	29	93	197	359
1984.....	21,480	6	2	2	-	3	7	25	73	184	319
1983.....	22,083	3	3	3	-	3	4	18	81	147	334
1982.....	21,875	3	2	5	-	3	6	34	80	169	318
1981.....	21,924	4	2	3	-	4	6	39	82	165	327
1980.....	22,293	2	1	-	-	4	10	27	75	163	321
1979.....	20,244	2	2	-	-	3	5	22	67	144	303
ALL OTHER MALE											
1998.....	11,937	3	-	1	1	4	4	12	53	155	284
1997.....	12,186	-	1	-	1	5	8	25	49	143	307
1996.....	11,897	-	-	-	-	4	10	22	54	160	299
1995.....	12,235	1	1	1	-	2	10	26	65	147	290
1994.....	11,589	2	-	-	1	4	8	21	45	173	318
1993.....	11,678	1	-	1	-	5	13	22	67	144	303
1992.....	10,897	-	-	-	1	1	7	21	58	129	296
1991.....	11,014	1	2	1	-	4	9	27	58	150	264
1990.....	10,674	2	-	-	1	1	8	15	61	146	234
1989.....	10,745	2	-	-	-	1	1	16	64	138	274
1988.....	11,279	1	1	1	-	8	10	26	68	133	257
1987.....	11,111	-	1	-	-	3	9	19	73	142	283
1986.....	10,854	-	1	-	-	5	5	23	64	139	277
1985.....	11,138	-	-	-	-	2	8	23	62	152	275
1984.....	10,767	3	-	2	-	2	4	18	55	131	215
1983.....	11,089	3	3	2	-	3	3	10	64	107	239
1982.....	11,198	1	2	3	-	2	5	27	58	131	232
1981.....	11,083	3	1	1	-	2	5	31	62	127	234
1980.....	11,513	1	-	-	-	3	8	22	61	122	218
1979.....	10,473	2	1	-	-	1	-	17	42	109	209

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
ALL OTHER FEMALE											
1998.....	12,770	2	-	-	3	1	3	10	19	58	143
1997.....	12,772	4	-	-	1	1	3	9	21	66	121
1996.....	12,952	2	1	1	-	-	2	8	16	76	153
1995.....	12,761	1	-	-	1	-	3	9	21	69	131
1994.....	12,422	1	2	-	-	-	3	9	25	64	133
1993.....	12,462	-	1	-	-	-	3	5	17	65	137
1992.....	11,751	1	1	1	-	-	-	5	20	58	125
1991.....	11,470	4	-	-	2	-	2	12	20	52	103
1990.....	11,245	2	1	1	1	2	-	8	18	43	94
1989.....	11,105	1	-	-	1	4	2	13	25	54	106
1988.....	11,364	-	2	-	-	-	-	7	15	54	87
1987.....	10,966	1	-	1	-	1	1	5	21	53	89
1986.....	11,025	-	1	-	-	1	1	7	29	57	100
1985.....	10,816	2	-	-	-	-	1	6	31	45	84
1984.....	10,713	3	2	-	-	1	3	7	18	53	104
1983.....	10,994	-	-	1	-	-	1	8	17	40	95
1982.....	10,677	2	-	2	-	1	1	7	22	38	86
1981.....	10,841	1	1	2	-	2	1	8	20	38	93
1980.....	10,780	1	1	-	-	1	2	5	14	41	103
1979.....	9,771	-	1	-	-	2	5	5	25	35	94
BLACK, BOTH SEXES											
1998.....	20,931	4	-	1	4	5	6	21	66	182	389
1997.....	21,280	4	1	-	2	4	11	30	58	189	373
1996.....	21,322	2	1	1	-	3	11	26	62	205	409
1995.....	21,656	2	1	1	1	2	8	30	72	190	384
1994.....	20,838	3	2	-	1	4	9	26	59	206	406
1993.....	21,187	-	1	1	-	4	16	24	73	181	385
1992.....	19,783	1	1	1	1	1	6	25	64	172	378
1991.....	19,952	5	2	1	2	4	9	36	72	181	324
1990.....	19,553	4	1	1	2	3	8	19	68	172	304
1989.....	19,586	2	-	-	1	5	3	29	85	179	346
1988.....	20,470	1	2	-	-	7	9	28	80	175	319
1987.....	20,028	1	1	1	-	4	7	21	85	169	347
1986.....	19,899	-	2	-	-	4	4	26	81	179	348
1985.....	20,080	2	-	-	-	2	8	28	85	183	331
1984.....	19,676	4	2	1	-	3	7	22	69	174	303
1983.....	20,282	2	1	2	-	2	4	15	73	132	307
1982.....	20,177	2	2	4	-	2	6	29	72	156	291
1981.....	20,394	2	2	2	-	4	5	35	72	155	305
1980.....	20,743	1	1	-	-	4	10	25	69	145	300
1979.....	18,756	2	-	-	-	3	5	20	58	134	283

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
BLACK MALE											
1998.....	9,768	3	-	1	1	4	4	11	48	126	250
1997.....	10,039	-	1	-	1	3	8	21	38	126	265
1996.....	9,859	-	-	-	-	3	9	18	47	135	260
1995.....	10,308	1	1	1	-	2	7	22	54	125	263
1994.....	9,714	2	-	-	1	4	6	17	37	145	278
1993.....	9,951	-	-	1	-	4	13	19	58	123	257
1992.....	9,265	-	-	-	1	1	6	20	47	116	258
1991.....	9,517	1	2	1	-	4	7	25	52	133	233
1990.....	9,278	2	-	-	1	1	8	11	50	130	213
1989.....	9,383	1	-	-	-	1	1	16	61	128	246
1988.....	9,918	1	1	-	-	7	9	22	65	123	236
1987.....	9,847	-	1	-	-	3	6	16	66	120	260
1986.....	9,623	-	1	-	-	3	3	19	52	123	251
1985.....	9,985	-	-	-	-	2	7	22	55	141	250
1984.....	9,662	2	-	1	-	2	4	16	51	123	200
1983.....	10,000	2	1	1	-	2	3	8	56	93	214
1982.....	10,088	1	2	2	-	1	5	23	52	120	208
1981.....	10,125	1	1	1	-	2	4	28	53	117	217
1980.....	10,487	-	-	-	-	3	8	20	56	104	201
1979.....	9,508	2	-	-	-	1	-	15	33	100	195
BLACK FEMALE											
1998.....	11,163	1	-	-	3	1	2	10	18	56	139
1997.....	11,241	4	-	-	1	1	3	9	20	63	108
1996.....	11,463	2	1	1	-	-	2	8	15	70	149
1995.....	11,348	1	-	-	1	-	1	8	18	65	121
1994.....	11,124	1	2	-	-	-	3	9	22	61	128
1993.....	11,236	-	1	-	-	-	3	5	15	58	128
1992.....	10,518	1	1	1	-	-	-	5	17	56	120
1991.....	10,435	4	-	-	2	-	2	11	20	48	91
1990.....	10,275	2	1	1	1	2	-	8	18	42	91
1989.....	10,203	1	-	-	1	4	2	13	24	51	100
1988.....	10,552	-	1	-	-	-	-	6	15	52	83
1987.....	10,181	1	-	1	-	1	1	5	19	49	87
1986.....	10,276	-	1	-	-	1	1	7	29	56	97
1985.....	10,095	2	-	-	-	-	1	6	30	42	81
1984.....	10,014	2	2	-	-	1	3	6	18	51	103
1983.....	10,282	-	-	1	-	-	1	7	17	39	93
1982.....	10,089	1	-	2	-	1	1	6	20	36	83
1981.....	10,269	1	1	1	-	2	1	7	19	38	88
1980.....	10,256	1	1	-	-	1	2	5	13	41	99
1979.....	9,248	-	-	-	-	2	5	5	25	34	88



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
TOTAL, BOTH SEXES											
1998.....	18,520	19	5	2	6	14	24	34	62	115	210
1997.....	17,661	5	12	3	11	14	30	33	78	121	176
1996.....	17,181	7	5	3	6	12	12	34	63	123	146
1995.....	16,241	10	4	4	5	12	23	34	67	130	146
1994.....	15,417	7	3	5	7	14	28	23	73	124	140
1993.....	15,200	14	5	1	6	17	16	47	82	132	143
1992.....	14,359	10	8	10	9	17	21	33	53	95	161
1991.....	13,727	22	10	5	4	11	29	50	76	113	134
1990.....	13,004	17	7	5	9	13	21	39	80	84	140
1989.....	12,185	19	7	7	9	11	26	54	100	121	122
1988.....	11,731	16	8	1	7	12	18	54	75	107	127
1987.....	10,952	17	15	4	7	11	28	57	67	106	123
1986.....	10,130	13	7	4	6	16	27	54	64	86	106
1985.....	9,510	24	5	5	8	18	34	58	80	97	102
1984.....	8,722	17	7	4	11	20	22	46	62	76	83
1983.....	8,372	24	9	5	10	17	21	34	56	71	91
1982.....	7,793	16	10	3	9	14	31	44	56	73	73
1981.....	7,346	14	7	5	10	18	24	44	53	63	83
1980.....	7,164	8	2	6	5	28	41	48	50	71	80
1979.....	6,492	12	6	7	6	19	34	41	47	60	94
TOTAL, MALE											
1998.....	7,326	11	3	1	5	12	17	19	32	62	146
1997.....	7,035	4	5	2	9	11	16	17	43	74	113
1996.....	6,889	3	2	3	1	9	10	21	35	77	96
1995.....	6,575	5	1	2	2	5	15	22	37	86	98
1994.....	6,278	3	-	3	2	12	15	11	46	83	91
1993.....	6,203	5	2	1	4	11	13	33	47	91	89
1992.....	6,051	7	4	4	6	12	16	16	39	64	119
1991.....	5,829	11	1	3	3	7	18	28	54	72	88
1990.....	5,500	8	3	-	6	7	16	25	50	57	88
1989.....	5,300	15	5	3	6	9	14	31	64	88	92
1988.....	5,185	11	2	-	4	7	10	29	46	70	85
1987.....	4,986	9	10	2	3	7	16	28	48	72	84
1986.....	4,586	8	4	2	3	10	15	24	46	51	81
1985.....	4,420	15	3	4	5	9	18	44	46	64	68
1984.....	4,118	13	3	3	6	13	13	34	44	56	55
1983.....	4,073	15	3	2	6	13	13	21	40	40	50
1982.....	3,730	11	7	2	5	8	17	29	39	47	45
1981.....	3,654	5	5	1	5	14	16	28	33	37	62
1980.....	3,693	5	1	5	5	19	22	30	34	47	46
1979.....	3,395	10	2	6	4	15	26	31	28	37	63

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
TOTAL, FEMALE											
1998.....	11,194	8	2	1	1	2	7	15	30	53	64
1997.....	10,626	1	7	1	2	3	14	16	35	47	63
1996.....	10,292	4	3	-	5	3	2	13	28	46	50
1995.....	9,666	5	3	2	3	7	8	12	30	44	48
1994.....	9,139	4	3	2	5	2	13	12	27	41	49
1993.....	8,997	9	3	-	2	6	3	14	35	41	54
1992.....	8,308	3	4	6	3	5	5	17	14	31	42
1991.....	7,898	11	9	2	1	4	11	22	22	41	46
1990.....	7,504	9	4	5	3	6	5	14	30	27	52
1989.....	6,885	4	2	4	3	2	12	23	36	33	30
1988.....	6,546	5	6	1	3	5	8	25	29	37	42
1987.....	5,966	8	5	2	4	4	12	29	19	34	39
1986.....	5,544	5	3	2	3	6	12	30	18	35	25
1985.....	5,090	9	2	1	3	9	16	14	34	33	34
1984.....	4,604	4	4	1	5	7	9	12	18	20	28
1983.....	4,299	9	6	3	4	4	8	13	16	31	41
1982.....	4,063	5	3	1	4	6	14	15	17	26	28
1981.....	3,692	9	2	4	5	4	8	16	20	26	21
1980.....	3,471	3	1	1	-	9	19	18	16	24	34
1979.....	3,097	2	4	1	2	4	8	10	19	23	31
WHITE, BOTH SEXES											
1998.....	17,120	11	4	1	5	7	20	27	39	72	136
1997.....	16,323	5	11	2	9	13	22	24	59	91	131
1996.....	15,890	5	5	1	5	10	11	24	45	78	103
1995.....	14,995	6	3	4	5	8	16	28	48	98	101
1994.....	14,280	5	3	5	4	12	20	18	53	83	91
1993.....	14,007	13	3	1	5	13	12	36	59	94	96
1992.....	13,251	9	6	7	6	14	16	21	40	61	114
1991.....	12,746	14	8	4	4	9	22	38	54	79	87
1990.....	11,951	15	6	3	6	11	16	27	56	54	95
1989.....	11,206	16	7	6	5	7	22	36	71	91	77
1988.....	10,687	12	6	1	6	11	13	36	53	63	90
1987.....	9,971	12	13	4	6	5	20	43	46	62	80
1986.....	9,283	10	7	3	6	15	16	36	43	54	76
1985.....	8,632	21	4	2	8	13	23	38	50	66	74
1984.....	7,918	11	7	3	9	17	17	34	52	56	57
1983.....	7,675	22	7	4	6	13	13	28	37	60	65
1982.....	7,065	14	7	2	6	10	20	31	38	61	52
1981.....	6,648	11	6	5	7	15	17	28	35	50	64
1980.....	6,499	8	2	6	5	18	31	29	40	54	68
1979.....	5,846	10	3	6	4	16	24	31	38	45	76

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
WHITE MALE											
1998.....	6,704	6	3	1	4	5	14	15	18	38	99
1997.....	6,454	4	5	1	9	11	11	13	31	59	86
1996.....	6,314	1	2	1	1	7	10	14	27	57	67
1995.....	6,036	2	1	2	2	2	10	19	29	65	71
1994.....	5,739	2	-	3	2	10	12	9	38	52	59
1993.....	5,708	5	1	1	4	9	11	26	38	67	62
1992.....	5,512	6	3	2	4	9	11	9	32	44	84
1991.....	5,361	5	1	2	3	6	15	24	39	47	62
1990.....	5,023	6	3	-	3	5	12	18	34	36	60
1989.....	4,833	14	5	2	3	7	13	23	44	68	59
1988.....	4,680	8	2	-	4	6	7	22	31	43	62
1987.....	4,524	7	9	2	3	4	14	21	33	40	57
1986.....	4,176	7	4	2	3	9	8	18	32	32	60
1985.....	3,981	13	3	1	5	8	11	31	33	45	51
1984.....	3,725	7	3	2	6	12	11	26	40	41	39
1983.....	3,722	15	2	1	4	10	8	17	26	36	37
1982.....	3,368	9	5	1	3	7	13	22	27	41	32
1981.....	3,291	4	4	1	5	12	12	17	22	30	49
1980.....	3,334	5	1	5	5	12	18	21	25	38	40
1979.....	3,057	8	1	6	3	13	16	24	23	27	55
WHITE FEMALE											
1998.....	10,416	5	1	-	1	2	6	12	21	34	37
1997.....	9,869	1	6	1	-	2	11	11	28	32	45
1996.....	9,576	4	3	-	4	3	1	10	18	21	36
1995.....	8,959	4	2	2	3	6	6	9	19	33	30
1994.....	8,541	3	3	2	2	2	8	9	15	31	32
1993.....	8,299	8	2	-	1	4	1	10	21	27	34
1992.....	7,739	3	3	5	2	5	5	12	8	17	30
1991.....	7,385	9	7	2	1	3	7	14	15	32	25
1990.....	6,928	9	3	3	3	6	4	9	22	18	35
1989.....	6,373	2	2	4	2	-	9	13	27	23	18
1988.....	6,007	4	4	1	2	5	6	14	22	20	28
1987.....	5,447	5	4	2	3	1	6	22	13	22	23
1986.....	5,107	3	3	1	3	6	8	18	11	22	16
1985.....	4,651	8	1	1	3	5	12	7	17	21	23
1984.....	4,193	4	4	1	3	5	6	8	12	15	18
1983.....	3,953	7	5	3	2	3	5	11	11	24	28
1982.....	3,697	5	2	1	3	3	7	9	11	20	20
1981.....	3,357	7	2	4	2	3	5	11	13	20	15
1980.....	3,165	3	1	1	-	6	13	8	15	16	28
1979.....	2,789	2	2	-	1	3	8	7	15	18	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
ALL OTHER, BOTH SEXES											
1998.....	1,400	8	1	1	1	7	4	7	23	43	74
1997.....	1,338	-	1	1	2	1	8	9	19	30	45
1996.....	1,291	2	-	2	1	2	1	10	18	45	43
1995.....	1,246	4	1	-	-	4	7	6	19	32	45
1994.....	1,137	2	-	-	3	2	8	5	20	41	49
1993.....	1,193	1	2	-	1	4	4	11	23	38	47
1992.....	1,108	1	2	3	3	3	5	12	13	34	47
1991.....	981	8	2	1	-	2	7	12	22	34	47
1990.....	1,053	2	1	2	3	2	5	12	24	30	45
1989.....	979	3	-	1	4	4	4	18	29	30	45
1988.....	1,044	4	2	-	1	1	5	18	22	44	37
1987.....	981	5	2	-	1	6	8	14	21	44	43
1986.....	847	3	-	1	-	1	11	18	21	32	30
1985.....	878	3	1	3	-	5	11	20	30	31	28
1984.....	804	6	-	1	2	3	5	12	10	20	26
1983.....	697	2	2	1	4	4	8	6	19	11	26
1982.....	728	2	3	1	3	4	11	13	18	12	21
1981.....	698	3	1	-	3	3	7	16	18	13	19
1980.....	665	-	-	-	-	10	10	19	10	17	12
1979.....	646	2	3	1	2	3	10	10	9	15	18
ALL OTHER MALE											
1998.....	622	5	-	-	1	7	3	4	14	24	47
1997.....	581	-	-	1	-	-	5	4	12	15	27
1996.....	575	2	-	2	-	2	-	7	8	20	29
1995.....	539	3	-	-	-	3	5	3	8	21	27
1994.....	539	1	-	-	-	2	3	2	8	31	32
1993.....	495	-	1	-	-	2	2	7	9	24	27
1992.....	539	1	1	2	2	3	5	7	7	20	35
1991.....	468	6	-	1	-	1	3	4	15	25	26
1990.....	477	2	-	-	3	2	4	7	16	21	28
1989.....	467	1	-	1	3	2	1	8	20	20	33
1988.....	505	3	-	-	-	1	3	7	15	27	23
1987.....	462	2	1	-	-	3	2	7	15	32	27
1986.....	410	1	-	-	-	1	7	6	14	19	21
1985.....	439	2	-	3	-	1	7	13	13	19	17
1984.....	393	6	-	1	-	1	2	8	4	15	16
1983.....	351	-	1	1	2	3	5	4	14	4	13
1982.....	362	2	2	1	2	1	4	7	12	6	13
1981.....	363	1	1	-	-	2	4	11	11	7	13
1980.....	359	-	-	-	-	7	4	9	9	9	6
1979.....	338	2	1	-	1	2	10	7	5	10	8

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
ALL OTHER FEMALE											
1998.....	778	3	1	1	-	-	1	3	9	19	27
1997.....	757	-	1	-	2	1	3	5	7	15	18
1996.....	716	-	-	-	1	-	1	3	10	25	14
1995.....	707	1	1	-	-	1	2	3	11	11	18
1994.....	598	1	-	-	3	-	5	3	12	10	17
1993.....	698	1	1	-	1	2	2	4	14	14	20
1992.....	569	-	1	1	1	-	-	5	6	14	12
1991.....	513	2	2	-	-	1	4	8	7	9	21
1990.....	576	-	1	2	-	-	1	5	8	9	17
1989.....	512	2	-	-	1	2	3	10	9	10	12
1988.....	539	1	2	-	1	-	2	11	7	17	14
1987.....	519	3	1	-	1	3	6	7	6	12	16
1986.....	437	2	-	1	-	-	4	12	7	13	9
1985.....	439	1	1	-	-	4	4	7	17	12	11
1984.....	411	-	-	-	2	2	3	4	6	5	10
1983.....	346	2	1	-	2	1	3	2	5	7	13
1982.....	366	-	1	-	1	3	7	6	6	6	8
1981.....	335	2	-	-	3	1	3	5	7	6	6
1980.....	306	-	-	-	-	3	6	10	1	8	6
1979.....	308	-	2	1	1	1	-	3	4	5	10
BLACK, BOTH SEXES											
1998.....	1,149	5	1	1	1	4	3	6	19	35	66
1997.....	1,111	-	1	1	1	-	8	9	19	26	44
1996.....	1,088	2	-	2	1	2	1	8	15	43	41
1995.....	1,033	3	1	-	-	4	7	4	18	29	42
1994.....	943	2	-	-	3	2	7	4	17	37	44
1993.....	1,004	1	2	-	1	4	4	9	21	36	42
1992.....	984	1	2	3	2	3	4	10	11	32	46
1991.....	858	8	2	1	-	1	7	12	20	31	47
1990.....	924	2	1	2	3	2	5	12	22	29	44
1989.....	860	1	-	1	4	3	4	17	28	26	41
1988.....	904	4	1	-	1	1	2	16	21	43	33
1987.....	887	4	2	-	1	6	8	12	20	42	38
1986.....	754	2	-	1	-	1	10	17	19	29	30
1985.....	794	3	1	1	-	3	10	19	29	29	27
1984.....	717	5	-	1	2	3	5	11	9	20	24
1983.....	613	2	1	-	4	3	7	6	18	10	22
1982.....	654	-	3	1	3	4	10	13	14	12	18
1981.....	632	3	1	-	3	3	6	14	18	13	17
1980.....	591	-	-	-	-	9	9	14	10	17	11
1979.....	588	2	3	1	2	2	7	10	8	13	16

RACE, AND SEX:		UNITED STATES, 1979-98									
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
BLACK MALE											
1998.....	489	2	-	-	1	4	2	3	12	19	41
1997.....	464	-	-	1	-	-	5	4	12	13	26
1996.....	472	2	-	2	-	2	-	6	6	19	28
1995.....	434	2	-	-	-	3	5	3	8	19	25
1994.....	433	1	-	-	-	2	3	1	7	29	29
1993.....	397	-	1	-	-	2	2	6	9	22	22
1992.....	467	1	1	2	1	3	4	5	7	18	34
1991.....	398	6	-	1	-	-	3	4	14	22	26
1990.....	414	2	-	-	3	2	4	7	15	20	27
1989.....	402	-	-	1	3	1	1	8	20	19	31
1988.....	428	3	-	-	-	1	2	6	14	26	21
1987.....	414	1	1	-	-	3	2	6	14	30	22
1986.....	356	1	-	-	-	1	6	5	14	17	21
1985.....	390	2	-	1	-	1	6	12	12	17	17
1984.....	353	5	-	1	-	1	2	7	4	15	14
1983.....	300	-	1	-	2	2	5	4	14	4	9
1982.....	320	-	2	1	2	1	4	7	10	6	11
1981.....	326	1	1	-	-	2	3	9	11	7	12
1980.....	315	-	-	-	-	6	4	7	9	9	6
1979.....	300	2	1	-	1	1	7	7	5	8	7
BLACK FEMALE											
1998.....	660	3	1	1	-	-	1	3	7	16	25
1997.....	647	-	1	-	1	-	3	5	7	13	18
1996.....	616	-	-	-	1	-	1	2	9	24	13
1995.....	599	1	1	-	-	1	2	1	10	10	17
1994.....	510	1	-	-	3	-	4	3	10	8	15
1993.....	607	1	1	-	1	2	2	3	12	14	20
1992.....	517	-	1	1	1	-	-	5	4	14	12
1991.....	460	2	2	-	-	1	4	8	6	9	21
1990.....	510	-	1	2	-	-	1	5	7	9	17
1989.....	458	1	-	-	1	2	3	9	8	7	10
1988.....	476	1	1	-	1	-	-	10	7	17	12
1987.....	473	3	1	-	1	3	6	6	6	12	16
1986.....	398	1	-	1	-	-	4	12	5	12	9
1985.....	404	1	1	-	-	2	4	7	17	12	10
1984.....	364	-	-	-	2	2	3	4	5	5	10
1983.....	313	2	-	-	2	1	2	2	4	6	13
1982.....	334	-	1	-	1	3	6	6	4	6	7
1981.....	306	2	-	-	3	1	3	5	7	6	5
1980.....	276	-	-	-	-	3	5	7	1	8	5
1979.....	288	-	2	1	1	1	-	3	3	5	9

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)											
TOTAL, BOTH SEXES											
1998.....	211,579	568	200	144	147	346	501	706	1,160	2,082	3,398
1997.....	209,167	591	192	117	155	343	514	718	1,158	2,034	3,258
1996.....	206,361	585	200	119	182	331	439	704	1,216	1,975	3,079
1995.....	207,390	621	237	121	151	335	497	694	1,305	2,122	3,178
1994.....	203,682	645	265	112	166	321	461	778	1,262	2,141	3,030
1993.....	206,953	614	273	122	155	300	476	727	1,265	2,021	3,024
1992.....	193,249	682	262	110	133	279	487	721	1,238	1,858	2,818
1991.....	191,936	655	303	112	137	305	475	723	1,207	1,792	2,712
1990.....	188,416	743	263	110	155	288	424	695	1,142	1,658	2,482
1989.....	194,226	718	261	109	146	290	449	736	1,162	1,715	2,400
1988.....	214,174	818	327	136	154	334	513	790	1,222	1,766	2,479
1987.....	207,675	901	288	132	156	340	496	792	1,240	1,652	2,398
1986.....	205,185	940	347	137	141	324	537	805	1,213	1,675	2,313
1985.....	194,579	867	284	124	156	340	496	716	1,034	1,525	2,148
1984.....	184,625	898	314	122	148	290	534	704	1,067	1,414	2,105
1983.....	178,616	885	310	107	143	335	515	702	1,002	1,322	1,951
1982.....	164,153	713	272	122	164	317	533	655	876	1,258	1,854
1981.....	159,862	716	320	102	142	316	508	674	931	1,215	1,786
1980.....	155,524	764	313	118	160	386	515	655	841	1,182	1,771
1979.....	142,942	652	248	103	146	304	513	611	738	1,075	1,699
TOTAL, MALE											
1998.....	98,842	287	107	89	79	220	308	435	740	1,345	2,323
1997.....	98,241	334	107	60	94	206	309	431	746	1,332	2,255
1996.....	97,537	317	104	55	110	199	277	440	772	1,334	2,110
1995.....	98,151	326	129	70	82	215	309	426	879	1,437	2,201
1994.....	96,848	349	141	54	96	214	293	466	785	1,400	2,082
1993.....	98,330	343	153	52	83	196	286	456	802	1,324	2,089
1992.....	92,632	361	137	65	71	204	296	437	802	1,268	2,000
1991.....	92,472	374	162	58	74	201	297	470	769	1,226	1,857
1990.....	91,080	417	135	63	87	200	254	435	736	1,143	1,773
1989.....	93,624	389	147	59	70	182	289	459	774	1,162	1,661
1988.....	103,923	456	167	75	100	229	312	488	845	1,209	1,737
1987.....	100,688	520	146	78	85	212	318	480	816	1,140	1,691
1986.....	100,457	536	180	72	77	216	333	489	792	1,159	1,616
1985.....	95,343	495	138	57	77	218	315	448	682	1,036	1,434
1984.....	91,196	492	167	61	72	176	332	436	708	945	1,456
1983.....	88,606	490	168	57	81	207	311	445	623	886	1,340
1982.....	81,566	418	153	62	78	208	313	390	543	824	1,254
1981.....	80,138	389	163	53	84	190	309	419	569	794	1,183
1980.....	78,172	435	169	56	88	232	332	404	502	781	1,172
1979.....	72,631	379	131	47	75	187	310	360	442	677	1,122

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	112,737	281	93	55	68	126	193	271	420	737	1,075
1997.....	110,926	257	85	57	61	137	205	287	412	702	1,003
1996.....	108,824	268	96	64	72	132	162	264	444	641	969
1995.....	109,239	295	108	51	69	120	188	268	426	685	977
1994.....	106,834	296	124	58	70	107	168	312	477	741	948
1993.....	108,623	271	120	70	72	104	190	271	463	697	935
1992.....	100,617	321	125	45	62	75	191	284	436	590	818
1991.....	99,464	281	141	54	63	104	178	253	438	566	855
1990.....	97,336	326	128	47	68	88	170	260	406	515	709
1989.....	100,602	329	114	50	76	108	160	277	388	553	739
1988.....	110,251	362	160	61	54	105	201	302	377	557	742
1987.....	106,987	381	142	54	71	128	178	312	424	512	707
1986.....	104,728	404	167	65	64	108	204	316	421	516	697
1985.....	99,236	372	146	67	79	122	181	268	352	489	714
1984.....	93,429	406	147	61	76	114	202	268	359	469	649
1983.....	90,010	395	142	50	62	128	204	257	379	436	611
1982.....	82,587	295	119	60	86	109	220	265	333	434	600
1981.....	79,724	327	157	49	58	126	199	255	362	421	603
1980.....	77,352	329	144	62	72	154	183	251	339	401	599
1979.....	70,311	273	117	56	71	117	203	251	296	398	577
WHITE, BOTH SEXES											
1998.....	180,049	383	126	100	98	223	328	448	759	1,395	2,322
1997.....	178,715	418	122	78	115	235	319	451	770	1,371	2,259
1996.....	175,687	388	121	87	113	204	271	455	763	1,335	2,087
1995.....	176,173	425	144	84	95	205	292	429	852	1,396	2,162
1994.....	173,302	414	156	80	119	211	287	492	783	1,424	2,072
1993.....	175,426	388	173	80	113	203	303	440	831	1,317	2,037
1992.....	163,569	452	161	74	87	174	310	441	794	1,190	1,857
1991.....	162,354	431	188	76	93	215	304	466	775	1,128	1,839
1990.....	159,258	461	167	86	109	201	266	451	710	1,058	1,644
1989.....	163,624	478	160	73	94	200	297	481	738	1,095	1,599
1988.....	181,619	554	224	102	115	228	348	504	789	1,138	1,657
1987.....	176,249	637	179	97	106	239	334	527	766	1,055	1,649
1986.....	173,997	658	227	97	100	240	359	525	731	1,103	1,584
1985.....	165,587	599	175	92	100	233	345	466	640	1,016	1,459
1984.....	157,379	634	213	90	107	202	357	449	686	926	1,466
1983.....	151,978	597	212	76	109	226	352	458	652	869	1,359
1982.....	140,345	501	183	90	125	235	381	452	578	853	1,260
1981.....	136,536	513	226	80	97	226	346	432	632	803	1,217
1980.....	131,995	518	205	84	122	267	348	429	529	739	1,171
1979.....	121,782	427	168	86	108	230	364	415	510	703	1,145



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)											
WHITE MALE											
1998.....	83,012	202	65	67	51	145	196	270	505	922	1,679
1997.....	82,882	244	60	46	70	147	189	280	502	944	1,623
1996.....	82,018	207	71	42	64	127	169	301	518	956	1,523
1995.....	82,194	226	78	47	50	140	185	269	580	985	1,561
1994.....	81,408	229	85	40	63	145	183	296	501	959	1,489
1993.....	82,197	229	102	31	63	134	183	276	532	898	1,467
1992.....	77,312	246	78	49	43	124	190	267	535	842	1,416
1991.....	77,090	251	96	39	49	145	189	304	502	778	1,325
1990.....	76,022	262	84	51	67	141	168	281	475	749	1,204
1989.....	77,785	272	89	40	52	131	191	320	496	759	1,151
1988.....	87,008	317	110	54	75	160	215	323	558	810	1,204
1987.....	84,381	367	89	66	54	152	216	328	519	730	1,204
1986.....	84,074	385	116	53	55	166	227	325	486	792	1,117
1985.....	80,135	346	88	41	49	149	231	295	411	703	1,003
1984.....	76,890	355	114	44	52	123	219	274	460	640	1,048
1983.....	74,606	334	111	42	60	140	222	291	409	602	945
1982.....	68,917	306	104	49	60	156	235	270	365	578	880
1981.....	67,718	274	114	38	59	141	213	269	384	541	831
1980.....	65,589	312	106	43	68	162	227	270	316	482	808
1979.....	61,235	257	89	42	58	140	229	250	313	465	776
WHITE FEMALE											
1998.....	97,037	181	61	33	47	78	132	178	254	473	643
1997.....	95,833	174	62	32	45	88	130	171	268	427	636
1996.....	93,669	181	50	45	49	77	102	154	245	379	564
1995.....	93,979	199	66	37	45	65	107	160	272	411	601
1994.....	91,894	185	71	40	56	66	104	196	282	465	583
1993.....	93,229	159	71	49	50	69	120	164	299	419	570
1992.....	86,257	206	83	25	44	50	120	174	259	348	441
1991.....	85,264	180	92	37	44	70	115	162	273	350	514
1990.....	83,236	199	83	35	42	60	98	170	235	309	440
1989.....	85,839	206	71	33	42	69	106	161	242	336	448
1988.....	94,611	237	114	48	40	68	133	181	231	328	453
1987.....	91,868	270	90	31	52	87	118	199	247	325	445
1986.....	89,923	273	111	44	45	74	132	200	245	311	467
1985.....	85,452	253	87	51	51	84	114	171	229	313	456
1984.....	80,489	279	99	46	55	79	138	175	226	286	418
1983.....	77,372	263	101	34	49	86	130	167	243	267	414
1982.....	71,428	195	79	41	65	79	146	182	213	275	380
1981.....	68,818	239	112	42	38	85	133	163	248	262	386
1980.....	66,406	206	99	41	54	105	121	159	213	257	363
1979.....	60,547	170	79	44	50	90	135	165	197	238	369

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)											
ALL OTHER, BOTH SEXES											
1998.....	31,530	185	74	44	49	123	173	258	401	687	1,076
1997.....	30,452	173	70	39	40	108	195	267	388	663	999
1996.....	30,674	197	79	32	69	127	168	249	453	640	992
1995.....	31,217	196	93	37	56	130	205	265	453	726	1,016
1994.....	30,380	231	109	32	47	110	174	286	479	717	958
1993.....	31,527	226	100	42	42	97	173	287	434	704	987
1992.....	29,680	230	101	36	46	105	177	280	444	668	961
1991.....	29,582	224	115	36	44	90	171	257	432	664	873
1990.....	29,158	282	96	24	46	87	158	244	432	600	838
1989.....	30,602	240	101	36	52	90	152	255	424	620	801
1988.....	32,555	264	103	34	39	106	165	286	433	628	822
1987.....	31,426	264	109	35	50	101	162	265	474	597	749
1986.....	31,188	282	120	40	41	84	178	280	482	572	729
1985.....	28,992	268	109	32	56	107	151	250	394	509	689
1984.....	27,246	264	101	32	41	88	177	255	381	488	639
1983.....	26,638	288	98	31	34	109	163	244	350	453	592
1982.....	23,808	212	89	32	39	82	152	203	298	405	594
1981.....	23,326	203	94	22	45	90	162	242	299	412	569
1980.....	23,529	246	108	34	38	119	167	226	312	443	600
1979.....	21,160	225	80	17	38	74	149	196	228	372	554
ALL OTHER MALE											
1998.....	15,830	85	42	22	28	75	112	165	235	423	644
1997.....	15,359	90	47	14	24	59	120	151	244	388	632
1996.....	15,519	110	33	13	46	72	108	139	254	378	587
1995.....	15,957	100	51	23	32	75	124	157	299	452	640
1994.....	15,440	120	56	14	33	69	110	170	284	441	593
1993.....	16,133	114	51	21	20	62	103	180	270	426	622
1992.....	15,320	115	59	16	28	80	106	170	267	426	584
1991.....	15,382	123	66	19	25	56	108	166	267	448	532
1990.....	15,058	155	51	12	20	59	86	154	261	394	569
1989.....	15,839	117	58	19	18	51	98	139	278	403	510
1988.....	16,915	139	57	21	25	69	97	165	287	399	533
1987.....	16,307	153	57	12	31	60	102	152	297	410	487
1986.....	16,383	151	64	19	22	50	106	164	306	367	499
1985.....	15,208	149	50	16	28	69	84	153	271	333	431
1984.....	14,306	137	53	17	20	53	113	162	248	305	408
1983.....	14,000	156	57	15	21	67	89	154	214	284	395
1982.....	12,649	112	49	13	18	52	78	120	178	246	374
1981.....	12,420	115	49	15	25	49	96	150	185	253	352
1980.....	12,583	123	63	13	20	70	105	134	186	299	364
1979.....	11,396	122	42	5	17	47	81	110	129	212	346

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998.....	15,700	100	32	22	21	48	61	93	166	264	432
1997.....	15,093	83	23	25	16	49	75	116	144	275	367
1996.....	15,155	87	46	19	23	55	60	110	199	262	405
1995.....	15,260	96	42	14	24	55	81	108	154	274	376
1994.....	14,940	111	53	18	14	41	64	116	195	276	365
1993.....	15,394	112	49	21	22	35	70	107	164	278	365
1992.....	14,360	115	42	20	18	25	71	110	177	242	377
1991.....	14,200	101	49	17	19	34	63	91	165	216	341
1990.....	14,100	127	45	12	26	28	72	90	171	206	269
1989.....	14,763	123	43	17	34	39	54	116	146	217	291
1988.....	15,640	125	46	13	14	37	68	121	146	229	289
1987.....	15,119	111	52	23	19	41	60	113	177	187	262
1986.....	14,805	131	56	21	19	34	72	116	176	205	230
1985.....	13,784	119	59	16	28	38	67	97	123	176	258
1984.....	12,940	127	48	15	21	35	64	93	133	183	231
1983.....	12,638	132	41	16	13	42	74	90	136	169	197
1982.....	11,159	100	40	19	21	30	74	83	120	159	220
1981.....	10,906	88	45	7	20	41	66	92	114	159	217
1980.....	10,946	123	45	21	18	49	62	92	126	144	236
1979.....	9,764	103	38	12	21	27	68	86	99	160	208
BLACK, BOTH SEXES											
1998.....	28,334	152	61	37	43	114	150	232	377	626	1,002
1997.....	27,363	149	63	35	37	99	171	242	344	604	920
1996.....	27,653	171	64	27	58	116	154	234	418	591	910
1995.....	28,320	169	84	31	49	121	185	239	425	668	958
1994.....	27,611	201	101	27	39	98	154	266	443	670	893
1993.....	28,805	192	81	35	38	86	159	260	402	664	913
1992.....	27,227	206	91	29	40	95	157	262	409	617	890
1991.....	27,255	202	104	31	40	79	156	237	405	616	841
1990.....	26,837	245	86	20	39	80	145	222	410	553	775
1989.....	28,411	214	88	30	42	82	145	233	406	590	755
1988.....	30,433	234	91	31	35	101	159	274	409	588	777
1987.....	29,440	226	96	27	47	97	153	240	450	557	706
1986.....	29,355	257	106	33	37	77	168	265	458	542	692
1985.....	27,240	235	99	28	50	101	141	238	368	473	656
1984.....	25,720	243	90	30	38	84	159	239	353	459	611
1983.....	25,154	264	87	25	27	104	152	224	332	432	561
1982.....	22,594	185	80	29	35	72	146	190	284	386	555
1981.....	22,262	181	81	22	43	85	159	233	280	391	542
1980.....	22,439	228	98	32	32	109	153	213	302	416	572
1979.....	20,172	200	73	17	34	72	140	180	215	347	529

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)											
BLACK MALE											
1998.....	14,009	73	37	19	24	72	96	147	218	378	594
1997.....	13,654	78	44	14	23	55	104	136	210	341	579
1996.....	13,817	97	28	10	38	66	100	127	229	343	536
1995.....	14,397	89	48	18	29	70	108	141	280	412	605
1994.....	13,850	103	50	12	28	61	94	151	259	419	544
1993.....	14,578	90	39	16	19	54	94	160	245	397	572
1992.....	13,917	107	54	12	25	72	91	156	246	399	533
1991.....	14,019	107	59	16	23	49	98	154	248	413	514
1990.....	13,712	135	47	11	18	52	77	137	244	356	524
1989.....	14,540	100	52	17	15	48	92	128	266	384	472
1988.....	15,688	122	49	20	23	64	93	161	271	372	501
1987.....	15,103	129	54	10	30	56	97	132	279	377	458
1986.....	15,301	139	57	15	20	47	97	154	287	348	472
1985.....	14,204	130	45	13	25	65	77	142	254	315	407
1984.....	13,389	126	47	16	19	50	98	151	225	289	387
1983.....	13,099	143	51	14	17	63	84	137	198	267	371
1982.....	11,930	99	42	13	17	48	74	112	169	234	347
1981.....	11,781	103	43	15	24	48	94	144	175	240	336
1980.....	11,903	114	58	12	20	62	96	124	180	276	346
1979.....	10,833	106	39	5	16	46	76	103	121	193	331
BLACK FEMALE											
1998.....	14,325	79	24	18	19	42	54	85	159	248	408
1997.....	13,709	71	19	21	14	44	67	106	134	263	341
1996.....	13,836	74	36	17	20	50	54	107	189	248	374
1995.....	13,923	80	36	13	20	51	77	98	145	256	353
1994.....	13,761	98	51	15	11	37	60	115	184	251	349
1993.....	14,227	102	42	19	19	32	65	100	157	267	341
1992.....	13,310	99	37	17	15	23	66	106	163	218	357
1991.....	13,236	95	45	15	17	30	58	83	157	203	327
1990.....	13,125	110	39	9	21	28	68	85	166	197	251
1989.....	13,871	114	36	13	27	34	53	105	140	206	283
1988.....	14,745	112	42	11	12	37	66	113	138	216	276
1987.....	14,337	97	42	17	17	41	56	108	171	180	248
1986.....	14,054	118	49	18	17	30	71	111	171	194	220
1985.....	13,036	105	54	15	25	36	64	96	114	158	249
1984.....	12,331	117	43	14	19	34	61	88	128	170	224
1983.....	12,055	121	36	11	10	41	68	87	134	165	190
1982.....	10,664	86	38	16	18	24	72	78	115	152	208
1981.....	10,481	78	38	7	19	37	65	89	105	151	206
1980.....	10,536	114	40	20	12	47	57	89	122	140	226
1979.....	9,339	94	34	12	18	26	64	77	94	154	198

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	14,308	12	-	1	3	3	4	26	29	95	143
1997.....	13,534	5	1	1	3	2	6	27	32	78	162
1996.....	12,945	8	-	2	1	5	14	19	37	75	139
1995.....	12,483	4	1	-	3	2	10	21	42	84	170
1994.....	11,765	8	4	-	1	1	15	23	44	85	139
1993.....	11,243	4	2	1	-	4	12	23	43	104	142
1992.....	10,265	3	2	2	-	5	11	20	47	64	122
1991.....	9,524	2	3	2	-	5	8	24	32	72	121
1990.....	9,169	5	1	2	-	4	6	13	33	75	106
1989.....	8,766	3	3	3	2	3	13	28	42	72	102
1988.....	8,456	1	1	-	1	4	5	24	38	72	87
1987.....	8,139	2	1	1	-	3	12	16	31	58	98
1986.....	7,984	5	1	-	1	2	5	20	34	54	69
1985.....	7,751	4	-	-	2	2	7	16	28	61	76
1984.....	7,774	1	1	2	1	3	3	16	32	42	82
1983.....	7,739	4	1	2	-	3	7	19	27	43	88
1982.....	7,571	5	-	3	1	3	8	16	33	51	59
1981.....	7,587	3	1	1	-	7	6	27	36	47	92
1980.....	7,827	4	1	3	4	5	13	28	36	61	90
1979.....	7,275	4	5	2	3	1	10	23	26	59	90
TOTAL, MALE											
1998.....	5,526	7	-	-	1	1	2	16	18	66	86
1997.....	5,419	2	1	1	-	-	2	14	17	55	105
1996.....	5,160	3	-	-	1	2	9	9	22	46	76
1995.....	5,025	3	1	-	2	2	5	17	30	52	105
1994.....	4,794	4	3	-	-	-	6	11	26	50	96
1993.....	4,512	3	-	-	-	1	9	11	25	62	97
1992.....	4,285	3	2	1	-	5	5	16	33	36	75
1991.....	3,956	2	1	2	-	3	5	16	23	42	73
1990.....	3,833	2	-	1	-	1	3	9	24	54	68
1989.....	3,771	3	1	2	-	2	8	20	34	45	63
1988.....	3,555	-	1	-	1	-	2	14	23	42	54
1987.....	3,530	1	-	-	-	3	4	10	18	40	63
1986.....	3,403	2	-	-	1	2	4	10	27	30	40
1985.....	3,385	4	-	-	1	1	3	9	16	39	43
1984.....	3,435	1	1	2	1	1	3	10	25	27	50
1983.....	3,476	3	1	1	-	2	4	14	20	32	52
1982.....	3,432	3	-	1	-	-	5	11	26	35	36
1981.....	3,477	1	-	1	-	4	2	14	19	26	54
1980.....	3,581	3	-	1	2	3	6	14	23	33	56
1979.....	3,377	3	2	1	-	-	8	18	17	34	53

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	8,782	5	-	1	2	2	2	10	11	29	57
1997.....	8,115	3	-	-	3	2	4	13	15	23	57
1996.....	7,785	5	-	2	-	3	5	10	15	29	63
1995.....	7,458	1	-	-	1	-	5	4	12	32	65
1994.....	6,971	4	1	-	1	1	9	12	18	35	43
1993.....	6,731	1	2	1	-	3	3	12	18	42	45
1992.....	5,980	-	-	1	-	-	6	4	14	28	47
1991.....	5,568	-	2	-	-	2	3	8	9	30	48
1990.....	5,336	3	1	1	-	3	3	4	9	21	38
1989.....	4,995	-	2	1	2	1	5	8	8	27	39
1988.....	4,901	1	-	-	-	4	3	10	15	30	33
1987.....	4,609	1	1	1	-	-	8	6	13	18	35
1986.....	4,581	3	1	-	-	-	1	10	7	24	29
1985.....	4,366	-	-	-	1	1	4	7	12	22	33
1984.....	4,339	-	-	-	-	2	-	6	7	15	32
1983.....	4,263	1	-	1	-	1	3	5	7	11	36
1982.....	4,139	2	-	2	1	3	3	5	7	16	23
1981.....	4,110	2	1	-	-	3	4	13	17	21	38
1980.....	4,246	1	1	2	2	2	7	14	13	28	34
1979.....	3,898	1	3	1	3	1	2	5	9	25	37
WHITE, BOTH SEXES											
1998.....	10,818	6	-	1	1	3	2	10	11	47	63
1997.....	10,376	5	-	1	2	1	1	13	11	32	64
1996.....	9,864	5	-	2	-	1	6	6	16	35	59
1995.....	9,452	1	1	-	2	2	2	11	18	39	73
1994.....	8,902	6	3	-	1	1	3	8	19	30	60
1993.....	8,438	4	1	1	-	3	4	6	17	47	62
1992.....	7,750	2	2	2	-	2	4	6	16	27	53
1991.....	7,160	-	1	2	-	4	4	8	14	26	50
1990.....	6,960	3	-	2	-	1	-	4	13	24	43
1989.....	6,649	3	3	2	2	1	7	11	20	28	42
1988.....	6,433	-	1	-	1	2	3	11	14	40	43
1987.....	6,250	2	1	1	-	1	6	9	15	23	46
1986.....	6,171	4	1	-	1	-	2	6	15	18	29
1985.....	5,922	3	-	-	1	2	2	6	11	20	30
1984.....	5,998	-	1	1	-	3	2	7	10	14	39
1983.....	6,092	2	1	1	-	1	6	10	12	19	40
1982.....	6,006	1	-	2	1	2	5	8	13	24	29
1981.....	5,894	2	1	1	-	5	2	15	14	19	35
1980.....	6,130	4	-	3	2	4	6	15	19	26	37
1979.....	5,713	2	2	2	3	1	8	6	7	26	41

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)		TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE											
1998.....	4,105	3	-	-	1	1	1	5	7	36	43
1997.....	4,038	2	-	1	-	-	-	5	6	22	47
1996.....	3,814	2	-	-	-	-	3	3	9	24	32
1995.....	3,697	1	1	-	1	2	1	9	14	22	46
1994.....	3,547	4	2	-	-	-	-	4	11	15	45
1993.....	3,370	3	-	-	-	1	4	3	12	35	45
1992.....	3,228	2	2	1	-	2	2	6	13	20	40
1991.....	2,938	-	1	2	-	2	2	7	10	13	26
1990.....	2,862	1	-	1	-	-	-	2	11	20	25
1989.....	2,819	3	1	1	-	1	4	7	18	22	24
1988.....	2,749	-	1	-	1	-	1	7	7	21	28
1987.....	2,692	1	-	-	-	1	1	5	8	19	31
1986.....	2,639	2	-	-	1	-	2	2	12	14	18
1985.....	2,588	3	-	-	1	1	2	3	6	11	17
1984.....	2,651	-	1	1	-	1	2	3	9	10	26
1983.....	2,724	1	1	1	-	-	4	9	9	16	22
1982.....	2,740	1	-	-	-	-	3	6	11	17	17
1981.....	2,718	1	-	1	-	2	-	8	6	11	23
1980.....	2,813	3	-	1	1	3	3	10	12	17	23
1979.....	2,645	2	-	1	-	-	6	6	5	16	23
WHITE FEMALE											
1998.....	6,713	3	-	1	-	2	1	5	4	11	20
1997.....	6,338	3	-	-	2	1	1	8	5	10	17
1996.....	6,050	3	-	2	-	1	3	3	7	11	27
1995.....	5,755	-	-	-	1	-	1	2	4	17	27
1994.....	5,355	2	1	-	1	1	3	4	8	15	15
1993.....	5,068	1	1	1	-	2	-	3	5	12	17
1992.....	4,522	-	-	1	-	-	2	-	3	7	13
1991.....	4,222	-	-	-	-	2	2	1	4	13	24
1990.....	4,098	2	-	1	-	1	-	2	2	4	18
1989.....	3,830	-	2	1	2	-	3	4	2	6	18
1988.....	3,684	-	-	-	-	2	2	4	7	19	15
1987.....	3,558	1	1	1	-	-	5	4	7	4	15
1986.....	3,532	2	1	-	-	-	-	4	3	4	11
1985.....	3,334	-	-	-	-	1	-	3	5	9	13
1984.....	3,347	-	-	-	-	2	-	4	1	4	13
1983.....	3,368	1	-	-	-	1	2	1	3	3	18
1982.....	3,266	-	-	2	1	2	2	2	2	7	12
1981.....	3,176	1	1	-	-	3	2	7	8	8	12
1980.....	3,317	1	-	2	1	1	3	5	7	9	14
1979.....	3,068	-	2	1	3	1	2	-	2	10	18

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)											
ALL OTHER, BOTH SEXES											
1998.....	3,490	6	-	-	2	-	2	16	18	48	80
1997.....	3,158	-	1	-	1	1	5	14	21	46	98
1996.....	3,081	3	-	-	1	4	8	13	21	40	80
1995.....	3,031	3	-	-	1	-	8	10	24	45	97
1994.....	2,863	2	1	-	-	-	12	15	25	55	79
1993.....	2,805	-	1	-	-	1	8	17	26	57	80
1992.....	2,515	1	-	-	-	3	7	14	31	37	69
1991.....	2,364	2	2	-	-	1	4	16	18	46	71
1990.....	2,209	2	1	-	-	3	6	9	20	51	63
1989.....	2,117	-	-	1	-	2	6	17	22	44	60
1988.....	2,023	1	-	-	-	2	2	13	24	32	44
1987.....	1,889	-	-	-	-	2	6	7	16	35	52
1986.....	1,813	1	-	-	-	2	3	14	19	36	40
1985.....	1,829	1	-	-	1	-	5	10	17	41	46
1984.....	1,776	1	-	1	1	-	1	9	22	28	43
1983.....	1,647	2	-	1	-	2	1	9	15	24	48
1982.....	1,565	4	-	1	-	1	3	8	20	27	30
1981.....	1,693	1	-	-	-	2	4	12	22	28	57
1980.....	1,697	-	1	-	2	1	7	13	17	35	53
1979.....	1,562	2	3	-	-	-	2	17	19	33	49
ALL OTHER MALE											
1998.....	1,421	4	-	-	-	-	1	11	11	30	43
1997.....	1,381	-	1	-	-	-	2	9	11	33	58
1996.....	1,346	1	-	-	1	2	6	6	13	22	44
1995.....	1,328	2	-	-	1	-	4	8	16	30	59
1994.....	1,247	-	1	-	-	-	6	7	15	35	51
1993.....	1,142	-	-	-	-	-	5	8	13	27	52
1992.....	1,057	1	-	-	-	3	3	10	20	16	35
1991.....	1,018	2	-	-	-	1	3	9	13	29	47
1990.....	971	1	-	-	-	1	3	7	13	34	43
1989.....	952	-	-	1	-	-	4	13	16	23	39
1988.....	806	-	-	-	-	-	1	7	16	21	26
1987.....	838	-	-	-	-	2	3	5	10	21	32
1986.....	764	-	-	-	-	2	2	8	15	16	22
1985.....	797	1	-	-	-	-	1	6	10	28	26
1984.....	784	1	-	1	1	-	1	7	16	17	24
1983.....	752	2	-	-	-	2	-	5	11	16	30
1982.....	692	2	-	1	-	-	2	5	15	18	19
1981.....	759	-	-	-	-	2	2	6	13	15	31
1980.....	768	-	-	-	1	-	3	4	11	16	33
1979.....	732	1	2	-	-	-	2	12	12	18	30



RACE, AND SEX:		UNITED STATES, 1979-98									
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)											
ALL OTHER FEMALE											
1998.....	2,069	2	-	-	2	-	1	5	7	18	37
1997.....	1,777	-	-	-	1	1	3	5	10	13	40
1996.....	1,735	2	-	-	-	2	2	7	8	18	36
1995.....	1,703	1	-	-	-	-	4	2	8	15	38
1994.....	1,616	2	-	-	-	-	6	8	10	20	28
1993.....	1,663	-	1	-	-	1	3	9	13	30	28
1992.....	1,458	-	-	-	-	-	4	4	11	21	34
1991.....	1,346	-	2	-	-	-	1	7	5	17	24
1990.....	1,238	1	1	-	-	2	3	2	7	17	20
1989.....	1,165	-	-	-	-	1	2	4	6	21	21
1988.....	1,217	1	-	-	-	2	1	6	8	11	18
1987.....	1,051	-	-	-	-	-	3	2	6	14	20
1986.....	1,049	1	-	-	-	-	1	6	4	20	18
1985.....	1,032	-	-	-	1	-	4	4	7	13	20
1984.....	992	-	-	-	-	-	-	2	6	11	19
1983.....	895	-	-	1	-	-	1	4	4	8	18
1982.....	873	2	-	-	-	1	1	3	5	9	11
1981.....	934	1	-	-	-	-	2	6	9	13	26
1980.....	929	-	1	-	1	1	4	9	6	19	20
1979.....	830	1	1	-	-	-	-	5	7	15	19
BLACK, BOTH SEXES											
1998.....	3,179	6	-	-	2	-	2	15	17	43	77
1997.....	2,919	-	1	-	1	-	5	12	21	44	91
1996.....	2,845	3	-	-	1	4	7	13	19	37	77
1995.....	2,804	3	-	-	1	-	8	9	22	43	93
1994.....	2,654	2	1	-	-	-	11	15	25	53	75
1993.....	2,622	-	1	-	-	1	8	17	26	56	79
1992.....	2,327	1	-	-	-	3	7	14	30	37	67
1991.....	2,224	2	2	-	-	1	3	16	18	46	65
1990.....	2,109	1	1	-	-	3	6	9	18	48	60
1989.....	1,997	-	-	1	-	2	6	15	22	43	59
1988.....	1,926	1	-	-	-	2	2	13	24	32	44
1987.....	1,804	-	-	-	-	2	6	6	16	34	49
1986.....	1,732	1	-	-	-	2	3	13	17	34	39
1985.....	1,757	-	-	-	-	-	4	10	17	40	44
1984.....	1,711	1	-	1	1	-	1	9	22	28	41
1983.....	1,582	1	-	1	-	2	1	9	14	22	48
1982.....	1,489	4	-	1	-	1	2	8	18	24	28
1981.....	1,633	-	-	-	-	2	4	11	22	28	56
1980.....	1,627	-	1	-	2	1	7	13	17	34	52
1979.....	1,509	2	2	-	-	-	2	17	19	31	47

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
BLACK MALE											
1998.....	1,276	4	-	-	-	-	1	10	10	27	41
1997.....	1,257	-	1	-	-	-	2	8	11	31	53
1996.....	1,233	1	-	-	1	2	5	6	11	19	41
1995.....	1,216	2	-	-	1	-	4	7	15	28	58
1994.....	1,147	-	1	-	-	-	6	7	15	33	49
1993.....	1,067	-	-	-	-	-	5	8	13	26	52
1992.....	969	1	-	-	-	3	3	10	20	16	33
1991.....	945	2	-	-	-	1	2	9	13	29	43
1990.....	919	1	-	-	-	1	3	7	12	31	40
1989.....	892	-	-	1	-	1	4	12	16	23	38
1988.....	747	-	-	-	-	-	1	7	16	21	26
1987.....	795	-	-	-	-	2	3	5	10	20	30
1986.....	719	-	-	-	-	2	2	7	14	15	21
1985.....	764	-	-	-	-	-	1	6	10	27	24
1984.....	750	1	-	1	1	-	1	7	16	17	23
1983.....	719	1	-	-	-	2	-	5	10	15	30
1982.....	650	2	-	1	-	-	1	5	14	15	17
1981.....	727	-	-	-	-	2	2	6	13	15	30
1980.....	728	-	-	-	1	-	3	4	11	16	32
1979.....	705	1	1	-	-	-	2	12	12	17	29
BLACK FEMALE											
1998.....	1,903	2	-	-	2	-	1	5	7	16	36
1997.....	1,662	-	-	-	1	-	3	4	10	13	38
1996.....	1,612	2	-	-	-	2	2	7	8	18	36
1995.....	1,588	1	-	-	-	-	4	2	7	15	35
1994.....	1,507	2	-	-	-	-	5	8	10	20	26
1993.....	1,555	-	1	-	-	1	3	9	13	30	27
1992.....	1,358	-	-	-	-	-	4	4	10	21	34
1991.....	1,279	-	2	-	-	-	1	7	5	17	22
1990.....	1,190	-	1	-	-	2	3	2	6	17	20
1989.....	1,105	-	-	-	-	1	2	3	6	20	21
1988.....	1,179	1	-	-	-	2	1	6	8	11	18
1987.....	1,009	-	-	-	-	-	3	1	6	14	19
1986.....	1,013	1	-	-	-	-	1	6	3	19	18
1985.....	993	-	-	-	-	-	3	4	7	13	20
1984.....	961	-	-	-	-	-	-	2	6	11	18
1983.....	863	-	-	1	-	-	1	4	4	7	18
1982.....	839	2	-	-	-	1	1	3	4	9	11
1981.....	906	-	-	-	-	-	2	5	9	13	26
1980.....	899	-	1	-	1	1	4	9	6	18	20
1979.....	804	1	1	-	-	-	-	5	7	14	18

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBROVASCULAR DISEASES (430-438)												
TOTAL, BOTH SEXES												
1998.....	158,448	296	57	35	47	65	113	233	437	979	1,671	
1997.....	159,791	264	56	25	51	71	117	203	475	981	1,806	
1996.....	159,942	233	49	42	42	61	106	220	500	1,029	1,693	
1995.....	157,991	223	57	28	42	54	118	204	516	1,098	1,674	
1994.....	153,306	197	54	28	46	63	120	235	567	1,019	1,698	
1993.....	150,108	214	49	33	46	74	134	247	550	993	1,526	
1992.....	143,769	166	50	27	37	67	130	253	543	996	1,595	
1991.....	143,481	159	57	34	52	78	141	275	538	981	1,549	
1990.....	144,088	148	45	33	40	74	160	334	603	957	1,458	
1989.....	145,551	127	40	32	51	66	166	310	603	948	1,406	
1988.....	150,517	152	55	32	40	78	188	342	627	964	1,459	
1987.....	149,835	127	54	31	42	74	170	361	606	982	1,428	
1986.....	149,643	109	37	25	48	81	182	362	598	984	1,367	
1985.....	153,050	135	48	31	51	96	211	330	572	906	1,366	
1984.....	154,327	111	53	47	59	113	216	361	562	902	1,392	
1983.....	155,598	144	49	47	44	114	222	364	514	894	1,258	
1982.....	157,710	133	43	42	68	107	188	362	581	866	1,291	
1981.....	163,504	132	44	42	50	116	253	389	625	916	1,315	
1980.....	170,225	155	59	44	51	141	277	390	575	861	1,328	
1979.....	169,488	156	40	44	60	120	259	372	575	890	1,387	
TOTAL, MALE												
1998.....	61,145	174	25	17	31	45	64	107	220	485	891	
1997.....	62,564	147	36	17	27	41	65	103	232	498	921	
1996.....	62,475	125	24	26	22	32	64	107	244	515	930	
1995.....	61,563	125	36	16	26	33	64	115	263	566	919	
1994.....	60,225	115	36	13	29	29	69	111	267	515	952	
1993.....	59,048	119	28	21	27	37	57	146	274	541	824	
1992.....	56,645	109	23	19	21	36	82	129	271	523	843	
1991.....	56,714	84	32	17	28	37	68	126	261	536	839	
1990.....	56,697	88	22	18	18	45	83	155	300	503	757	
1989.....	57,321	71	19	15	33	32	83	159	299	531	741	
1988.....	59,759	83	28	10	20	45	99	174	347	523	789	
1987.....	59,061	75	33	22	20	36	84	180	309	529	744	
1986.....	59,164	64	20	12	23	43	99	176	314	533	729	
1985.....	60,780	87	26	12	24	58	92	171	296	480	675	
1984.....	61,697	65	27	24	31	57	118	186	280	467	713	
1983.....	62,847	87	30	24	18	61	115	190	280	457	611	
1982.....	63,855	82	24	20	40	63	89	197	290	438	636	
1981.....	66,429	81	22	23	22	57	130	193	318	463	650	
1980.....	69,973	90	28	22	24	79	161	189	293	418	677	
1979.....	70,439	86	23	25	33	62	136	202	287	460	706	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98											
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBROVASCULAR DISEASES (430-438)												
TOTAL, FEMALE												
1998.....	97,303	122	32	18	16	20	49	126	217	494	780	
1997.....	97,227	117	20	8	24	30	52	100	243	483	885	
1996.....	97,467	108	25	16	20	29	42	113	256	514	763	
1995.....	96,428	98	21	12	16	21	54	89	253	532	755	
1994.....	93,081	82	18	15	17	34	51	124	300	504	746	
1993.....	91,060	95	21	12	19	37	77	101	276	452	702	
1992.....	87,124	57	27	8	16	31	48	124	272	473	752	
1991.....	86,767	75	25	17	24	41	73	149	277	445	710	
1990.....	87,391	60	23	15	22	29	77	179	303	454	701	
1989.....	88,230	56	21	17	18	34	83	151	304	417	665	
1988.....	90,758	69	27	22	20	33	89	168	280	441	670	
1987.....	90,774	52	21	9	22	38	86	181	297	453	684	
1986.....	90,479	45	17	13	25	38	83	186	284	451	638	
1985.....	92,270	48	22	19	27	38	119	159	276	426	691	
1984.....	92,630	46	26	23	28	56	98	175	282	435	679	
1983.....	92,751	57	19	23	26	53	107	174	234	437	647	
1982.....	93,855	51	19	22	28	44	99	165	291	428	655	
1981.....	97,075	51	22	19	28	59	123	196	307	453	665	
1980.....	100,252	65	31	22	27	62	116	201	282	443	651	
1979.....	99,049	70	17	19	27	58	123	170	288	430	681	
WHITE, BOTH SEXES												
1998.....	136,855	198	34	24	34	47	81	161	284	664	1,034	
1997.....	138,324	179	36	17	37	60	76	145	323	633	1,093	
1996.....	138,296	160	34	36	32	49	84	160	334	658	1,049	
1995.....	136,481	161	34	23	32	40	79	141	358	701	1,010	
1994.....	132,497	140	39	25	32	45	88	161	372	615	1,022	
1993.....	129,992	154	35	22	31	57	102	168	378	640	954	
1992.....	124,371	104	38	20	30	51	96	170	355	607	981	
1991.....	123,720	103	37	25	41	59	103	181	347	601	990	
1990.....	124,526	89	33	24	31	58	113	247	375	576	900	
1989.....	125,516	84	27	24	38	44	116	211	386	571	879	
1988.....	130,075	93	39	26	29	57	150	239	374	585	933	
1987.....	130,047	86	42	23	33	60	118	247	388	608	945	
1986.....	130,006	66	24	20	38	65	129	234	387	634	876	
1985.....	133,032	90	33	26	44	64	156	233	364	591	878	
1984.....	134,404	77	35	35	38	90	146	246	354	594	934	
1983.....	135,596	99	40	39	30	90	156	260	339	583	834	
1982.....	137,641	84	31	34	54	79	139	242	385	584	821	
1981.....	142,765	83	35	35	38	88	183	257	427	628	870	
1980.....	148,734	103	44	36	36	111	192	267	371	584	886	
1979.....	148,416	97	31	35	50	95	191	256	391	574	931	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBROVASCULAR DISEASES (430-438)												
WHITE MALE												
1998.....	51,766	117	13	11	22	31	54	79	151	332	575	
1997.....	53,158	99	21	12	19	35	42	69	167	334	586	
1996.....	53,016	89	18	22	20	28	49	89	164	329	609	
1995.....	52,045	93	22	15	21	24	43	84	187	363	565	
1994.....	51,009	86	26	12	21	22	51	80	188	324	574	
1993.....	50,220	84	20	13	18	30	38	109	201	366	516	
1992.....	48,073	67	19	14	16	29	61	94	191	314	522	
1991.....	47,839	55	18	12	23	31	57	85	175	330	528	
1990.....	48,024	49	13	13	15	38	61	117	202	309	472	
1989.....	48,563	45	12	11	26	23	61	116	201	313	463	
1988.....	50,692	50	20	7	17	36	80	126	205	309	513	
1987.....	50,237	56	27	16	16	29	61	123	209	312	481	
1986.....	50,365	39	14	10	19	33	73	119	208	350	452	
1985.....	51,965	57	16	11	22	43	67	125	196	305	434	
1984.....	52,833	40	16	14	19	51	81	139	182	303	475	
1983.....	53,968	62	27	20	12	53	82	137	190	301	399	
1982.....	54,726	54	18	15	31	51	67	136	204	280	401	
1981.....	57,000	51	17	20	18	44	93	136	214	309	417	
1980.....	60,095	57	21	18	14	64	113	136	187	271	445	
1979.....	60,613	52	18	20	29	49	106	149	195	279	454	
WHITE FEMALE												
1998.....	85,089	81	21	13	12	16	27	82	133	332	459	
1997.....	85,166	80	15	5	18	25	34	76	156	299	507	
1996.....	85,280	71	16	14	12	21	35	71	170	329	440	
1995.....	84,436	68	12	8	11	16	36	57	171	338	445	
1994.....	81,488	54	13	13	11	23	37	81	184	291	448	
1993.....	79,772	70	15	9	13	27	64	59	177	274	438	
1992.....	76,298	37	19	6	14	22	35	76	164	293	459	
1991.....	75,881	48	19	13	18	28	46	96	172	271	462	
1990.....	76,502	40	20	11	16	20	52	130	173	267	428	
1989.....	76,953	39	15	13	12	21	55	95	185	258	416	
1988.....	79,383	43	19	19	12	21	70	113	169	276	420	
1987.....	79,810	30	15	7	17	31	57	124	179	296	464	
1986.....	79,641	27	10	10	19	32	56	115	179	284	424	
1985.....	81,067	33	17	15	22	21	89	108	168	286	444	
1984.....	81,571	37	19	21	19	39	65	107	172	291	459	
1983.....	81,628	37	13	19	18	37	74	123	149	282	435	
1982.....	82,915	30	13	19	23	28	72	106	181	304	420	
1981.....	85,765	32	18	15	20	44	90	121	213	319	453	
1980.....	88,639	46	23	18	22	47	79	131	184	313	441	
1979.....	87,803	45	13	15	21	46	85	107	196	295	477	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CEREBROVASCULAR DISEASES (430-438)											
ALL OTHER, BOTH SEXES											
1998.....	21,593	98	23	11	13	18	32	72	153	315	637
1997.....	21,467	85	20	8	14	11	41	58	152	348	713
1996.....	21,646	73	15	6	10	12	22	60	166	371	644
1995.....	21,510	62	23	5	10	14	39	63	158	397	664
1994.....	20,809	57	15	3	14	18	32	74	195	404	676
1993.....	20,116	60	14	11	15	17	32	79	172	353	572
1992.....	19,398	62	12	7	7	16	34	83	188	389	614
1991.....	19,761	56	20	9	11	19	38	94	191	380	559
1990.....	19,562	59	12	9	9	16	47	87	228	381	558
1989.....	20,035	43	13	8	13	22	50	99	217	377	527
1988.....	20,442	59	16	6	11	21	38	103	253	379	526
1987.....	19,788	41	12	8	9	14	52	114	218	374	483
1986.....	19,637	43	13	5	10	16	53	128	211	350	491
1985.....	20,018	45	15	5	7	32	55	97	208	315	488
1984.....	19,923	34	18	12	21	23	70	115	208	308	458
1983.....	20,002	45	9	8	14	24	66	104	175	311	424
1982.....	20,069	49	12	8	14	28	49	120	196	282	470
1981.....	20,739	49	9	7	12	28	70	132	198	288	445
1980.....	21,491	52	15	8	15	30	85	123	204	277	442
1979.....	21,072	59	9	9	10	25	68	116	184	316	456
ALL OTHER MALE											
1998.....	9,379	57	12	6	9	14	10	28	69	153	316
1997.....	9,406	48	15	5	8	6	23	34	65	164	335
1996.....	9,459	36	6	4	2	4	15	18	80	186	321
1995.....	9,518	32	14	1	5	9	21	31	76	203	354
1994.....	9,216	29	10	1	8	7	18	31	79	191	378
1993.....	8,828	35	8	8	9	7	19	37	73	175	308
1992.....	8,572	42	4	5	5	7	21	35	80	209	321
1991.....	8,875	29	14	5	5	6	11	41	86	206	311
1990.....	8,673	39	9	5	3	7	22	38	98	194	285
1989.....	8,758	26	7	4	7	9	22	43	98	218	278
1988.....	9,067	33	8	3	3	9	19	48	142	214	276
1987.....	8,824	19	6	6	4	7	23	57	100	217	263
1986.....	8,799	25	6	2	4	10	26	57	106	183	277
1985.....	8,815	30	10	1	2	15	25	46	100	175	241
1984.....	8,864	25	11	10	12	6	37	47	98	164	238
1983.....	8,879	25	3	4	6	8	33	53	90	156	212
1982.....	9,129	28	6	5	9	12	22	61	86	158	235
1981.....	9,429	30	5	3	4	13	37	57	104	154	233
1980.....	9,878	33	7	4	10	15	48	53	106	147	232
1979.....	9,826	34	5	5	4	13	30	53	92	181	252

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBROVASCULAR DISEASES (430-438)												
ALL OTHER FEMALE												
1998.....	12,214	41	11	5	4	4	22	44	84	162	321	
1997.....	12,061	37	5	3	6	5	18	24	87	184	378	
1996.....	12,187	37	9	2	8	8	7	42	86	185	323	
1995.....	11,992	30	9	4	5	5	18	32	82	194	310	
1994.....	11,593	28	5	2	6	11	14	43	116	213	298	
1993.....	11,288	25	6	3	6	10	13	42	99	178	264	
1992.....	10,826	20	8	2	2	9	13	48	108	180	293	
1991.....	10,886	27	6	4	6	13	27	53	105	174	248	
1990.....	10,889	20	3	4	6	9	25	49	130	187	273	
1989.....	11,277	17	6	4	6	13	28	56	119	159	249	
1988.....	11,375	26	8	3	8	12	19	55	111	165	250	
1987.....	10,964	22	6	2	5	7	29	57	118	157	220	
1986.....	10,838	18	7	3	6	6	27	71	105	167	214	
1985.....	11,203	15	5	4	5	17	30	51	108	140	247	
1984.....	11,059	9	7	2	9	17	33	68	110	144	220	
1983.....	11,123	20	6	4	8	16	33	51	85	155	212	
1982.....	10,940	21	6	3	5	16	27	59	110	124	235	
1981.....	11,310	19	4	4	8	15	33	75	94	134	212	
1980.....	11,613	19	8	4	5	15	37	70	98	130	210	
1979.....	11,246	25	4	4	6	12	38	63	92	135	204	
BLACK, BOTH SEXES												
1998.....	18,237	90	20	11	11	15	26	67	130	283	582	
1997.....	18,131	73	19	8	13	8	35	49	133	304	639	
1996.....	18,481	63	14	5	9	12	18	50	151	334	582	
1995.....	18,537	57	21	4	7	10	32	58	139	361	597	
1994.....	18,022	53	11	3	13	16	28	65	179	366	612	
1993.....	17,557	48	11	9	11	13	27	75	155	316	533	
1992.....	17,044	59	11	5	6	13	30	73	172	356	573	
1991.....	17,362	49	17	9	11	16	33	82	179	347	513	
1990.....	17,407	52	10	6	9	13	42	74	206	353	516	
1989.....	17,979	38	9	7	12	20	44	91	203	347	472	
1988.....	18,479	52	14	5	10	21	34	94	236	354	479	
1987.....	17,907	39	11	7	7	12	43	102	202	351	449	
1986.....	17,952	38	10	4	9	15	44	117	204	324	461	
1985.....	18,341	43	14	5	6	28	50	94	198	290	452	
1984.....	18,369	32	14	10	17	23	60	106	191	280	431	
1983.....	18,562	41	7	7	12	24	61	98	168	288	389	
1982.....	18,698	42	12	7	13	27	49	115	187	264	447	
1981.....	19,416	45	7	7	11	24	66	124	187	275	419	
1980.....	20,135	47	11	7	14	29	81	118	192	262	420	
1979.....	19,837	56	9	9	10	22	62	110	171	299	433	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBROVASCULAR DISEASES (430-438)												
BLACK MALE												
1998.....	7,765	51	10	6	8	13	9	26	55	134	283	
1997.....	7,794	41	15	5	8	6	19	30	57	142	294	
1996.....	7,972	30	6	3	2	4	12	15	70	163	284	
1995.....	8,011	30	14	1	4	7	16	28	63	178	307	
1994.....	7,826	28	8	1	8	6	17	24	71	171	342	
1993.....	7,599	30	7	7	7	6	15	34	64	152	290	
1992.....	7,421	39	4	3	5	5	19	33	72	186	301	
1991.....	7,685	25	12	5	5	5	8	35	81	186	286	
1990.....	7,653	33	9	3	3	5	20	30	89	178	267	
1989.....	7,739	24	4	4	6	8	20	38	89	204	248	
1988.....	8,098	28	6	2	3	9	16	43	132	199	250	
1987.....	7,852	17	5	5	3	6	19	48	90	205	246	
1986.....	7,938	23	6	2	3	9	22	50	102	169	264	
1985.....	8,000	28	9	1	2	14	22	44	94	164	228	
1984.....	8,093	23	9	8	9	6	28	43	92	151	226	
1983.....	8,139	21	2	4	6	8	31	48	85	143	196	
1982.....	8,414	23	6	4	8	12	22	57	82	146	226	
1981.....	8,760	27	4	3	4	10	34	53	99	150	222	
1980.....	9,194	30	6	4	10	14	45	52	99	141	220	
1979.....	9,186	33	5	5	4	12	27	52	85	173	244	
BLACK FEMALE												
1998.....	10,472	39	10	5	3	2	17	41	75	149	299	
1997.....	10,337	32	4	3	5	2	16	19	76	162	345	
1996.....	10,509	33	8	2	7	8	6	35	81	171	298	
1995.....	10,526	27	7	3	3	3	16	30	76	183	290	
1994.....	10,196	25	3	2	5	10	11	41	108	195	270	
1993.....	9,958	18	4	2	4	7	12	41	91	164	243	
1992.....	9,623	20	7	2	1	8	11	40	100	170	272	
1991.....	9,677	24	5	4	6	11	25	47	98	161	227	
1990.....	9,754	19	1	3	6	8	22	44	117	175	249	
1989.....	10,240	14	5	3	6	12	24	53	114	143	224	
1988.....	10,381	24	8	3	7	12	18	51	104	155	229	
1987.....	10,055	22	6	2	4	6	24	54	112	146	203	
1986.....	10,014	15	4	2	6	6	22	67	102	155	197	
1985.....	10,341	15	5	4	4	14	28	50	104	126	224	
1984.....	10,276	9	5	2	8	17	32	63	99	129	205	
1983.....	10,423	20	5	3	6	16	30	50	83	145	193	
1982.....	10,284	19	6	3	5	15	27	58	105	118	221	
1981.....	10,656	18	3	4	7	14	32	71	88	125	197	
1980.....	10,941	17	5	3	4	15	36	66	93	121	200	
1979.....	10,651	23	4	4	6	10	35	58	86	126	189	



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)											
TOTAL, BOTH SEXES											
1998.....	26,230	37	15	13	15	27	41	89	159	362	694
1997.....	25,858	30	10	12	18	33	41	73	192	379	762
1996.....	23,573	36	10	20	14	24	37	67	177	379	680
1995.....	22,645	40	16	9	19	21	49	65	189	392	698
1994.....	21,807	49	12	6	23	24	36	67	201	411	692
1993.....	21,449	58	11	13	23	27	37	82	184	377	618
1992.....	21,118	41	19	12	14	31	47	92	184	379	637
1991.....	20,681	41	13	16	24	29	49	106	166	390	598
1990.....	20,575	61	12	8	11	31	52	118	197	341	575
1989.....	20,679	50	12	17	20	33	60	109	211	369	530
1988.....	21,242	53	19	15	16	30	61	122	221	369	540
1987.....	20,673	51	21	13	20	22	58	109	200	370	553
1986.....	20,479	52	10	11	21	37	69	126	198	368	524
1985.....	20,728	68	15	16	23	36	70	113	199	348	511
1984.....	20,192	67	19	18	34	35	82	109	203	323	517
1983.....	19,407	94	18	16	15	46	80	128	189	309	471
1982.....	19,895	86	14	17	34	44	65	134	199	302	453
1981.....	20,188	86	13	22	23	48	92	137	197	312	483
1980.....	20,772	93	22	19	30	58	85	125	170	288	495
1979.....	21,755	109	13	21	21	49	90	105	184	297	482
TOTAL, MALE											
1998.....	12,044	26	5	10	11	19	21	47	91	200	425
1997.....	11,940	17	7	8	9	18	25	39	102	224	430
1996.....	10,802	21	5	10	6	13	26	39	100	229	408
1995.....	10,374	21	12	5	10	11	23	44	101	219	430
1994.....	10,094	27	10	-	13	12	21	41	109	249	437
1993.....	9,947	37	7	7	12	14	19	50	107	235	379
1992.....	9,639	30	7	9	10	11	33	49	110	225	400
1991.....	9,430	26	9	8	12	18	18	54	88	241	358
1990.....	9,227	37	6	5	6	22	22	62	113	212	338
1989.....	9,471	28	7	9	14	19	32	63	122	239	317
1988.....	9,736	29	9	6	8	22	40	74	139	225	324
1987.....	9,378	29	14	11	11	11	29	59	115	234	317
1986.....	9,122	30	5	5	9	22	36	67	113	226	317
1985.....	9,351	47	8	6	8	16	34	69	116	208	283
1984.....	9,018	38	11	7	14	18	45	59	106	191	312
1983.....	8,717	58	7	10	6	24	41	75	111	164	266
1982.....	9,071	54	6	11	20	26	33	82	118	181	252
1981.....	9,037	46	6	10	6	21	52	77	112	169	265
1980.....	9,427	51	13	11	14	33	49	62	101	161	265
1979.....	9,933	59	9	10	12	25	51	53	95	187	272

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	14,186	11	10	3	4	8	20	42	68	162	269
1997.....	13,918	13	3	4	9	15	16	34	90	155	332
1996.....	12,771	15	5	10	8	11	11	28	77	150	272
1995.....	12,271	19	4	4	9	10	26	21	88	173	268
1994.....	11,713	22	2	6	10	12	15	26	92	162	255
1993.....	11,502	21	4	6	11	13	18	32	77	142	239
1992.....	11,479	11	12	3	4	20	14	43	74	154	237
1991.....	11,251	15	4	8	12	11	31	52	78	149	240
1990.....	11,348	24	6	3	5	9	30	56	84	129	237
1989.....	11,208	22	5	8	6	14	28	46	89	130	213
1988.....	11,506	24	10	9	8	8	21	48	82	144	216
1987.....	11,295	22	7	2	9	11	29	50	85	136	236
1986.....	11,357	22	5	6	12	15	33	59	85	142	207
1985.....	11,377	21	7	10	15	20	36	44	83	140	228
1984.....	11,174	29	8	11	20	17	37	50	97	132	205
1983.....	10,690	36	11	6	9	22	39	53	78	145	205
1982.....	10,824	32	8	6	14	18	32	52	81	121	201
1981.....	11,151	40	7	12	17	27	40	60	85	143	218
1980.....	11,345	42	9	8	16	25	36	63	69	127	230
1979.....	11,822	50	4	11	9	24	39	52	89	110	210
WHITE, BOTH SEXES											
1998.....	21,553	16	7	10	12	17	27	56	93	214	389
1997.....	21,202	17	7	10	13	29	27	48	124	215	397
1996.....	19,256	20	6	18	13	20	27	53	114	211	366
1995.....	18,452	22	9	6	14	16	34	40	130	201	353
1994.....	17,696	32	9	6	15	17	29	45	122	206	349
1993.....	17,542	45	6	7	18	22	27	59	104	216	335
1992.....	17,325	18	14	9	12	25	33	63	115	211	342
1991.....	16,768	22	8	12	18	25	31	59	99	196	341
1990.....	16,776	32	9	5	9	27	31	78	116	190	304
1989.....	16,818	28	9	11	13	21	38	71	122	194	289
1988.....	17,288	26	18	13	12	24	50	83	125	198	293
1987.....	16,922	31	18	9	15	19	42	77	109	189	319
1986.....	16,816	27	4	7	18	28	50	72	118	210	279
1985.....	17,041	40	11	13	20	23	50	73	115	192	264
1984.....	16,682	43	14	14	25	25	55	69	120	177	325
1983.....	15,999	64	12	12	9	40	57	101	114	175	269
1982.....	16,519	52	11	16	26	32	51	82	125	172	252
1981.....	16,824	49	12	18	18	40	61	80	115	193	271
1980.....	17,165	65	19	15	20	48	54	76	90	171	275
1979.....	18,091	68	12	19	15	35	66	60	110	168	285

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE											
1998.....	9,694	12	2	8	9	11	18	32	59	126	249
1997.....	9,516	12	5	7	6	17	16	26	66	135	240
1996.....	8,589	12	5	10	6	11	18	32	68	126	228
1995.....	8,209	12	7	5	8	8	15	30	74	111	228
1994.....	7,983	20	8	-	7	9	17	28	70	133	227
1993.....	7,891	29	2	4	8	10	13	41	69	143	204
1992.....	7,682	13	6	7	9	10	22	37	70	125	222
1991.....	7,421	15	5	6	8	18	14	31	57	123	205
1990.....	7,252	16	5	4	5	20	15	40	67	114	172
1989.....	7,485	17	6	6	9	13	19	44	67	124	174
1988.....	7,687	15	8	5	7	18	31	51	76	114	183
1987.....	7,423	19	13	7	8	9	23	43	67	114	178
1986.....	7,280	17	3	3	9	17	29	42	65	128	165
1985.....	7,473	27	4	5	8	11	24	48	71	108	143
1984.....	7,269	21	8	4	11	17	30	40	64	99	195
1983.....	7,017	41	4	7	4	23	29	59	66	91	146
1982.....	7,323	34	6	11	15	23	25	53	72	94	136
1981.....	7,293	26	6	9	4	18	34	44	61	97	133
1980.....	7,584	35	12	9	8	28	30	41	50	85	136
1979.....	8,029	37	9	8	9	15	37	34	55	93	151
WHITE FEMALE											
1998.....	11,859	4	5	2	3	6	9	24	34	88	140
1997.....	11,686	5	2	3	7	12	11	22	58	80	157
1996.....	10,667	8	1	8	7	9	9	21	46	85	138
1995.....	10,243	10	2	1	6	8	19	10	56	90	125
1994.....	9,713	12	1	6	8	8	12	17	52	73	122
1993.....	9,651	16	4	3	10	12	14	18	35	73	131
1992.....	9,643	5	8	2	3	15	11	26	45	86	120
1991.....	9,347	7	3	6	10	7	17	28	42	73	136
1990.....	9,524	16	4	1	4	7	16	38	49	76	132
1989.....	9,333	11	3	5	4	8	19	27	55	70	115
1988.....	9,601	11	10	8	5	6	19	32	49	84	110
1987.....	9,499	12	5	2	7	10	19	34	42	75	141
1986.....	9,536	10	1	4	9	11	21	30	53	82	114
1985.....	9,568	13	7	8	12	12	26	25	44	84	121
1984.....	9,413	22	6	10	14	8	25	29	56	78	130
1983.....	8,982	23	8	5	5	17	28	42	48	84	123
1982.....	9,196	18	5	5	11	9	26	29	53	78	116
1981.....	9,531	23	6	9	14	22	27	36	54	96	138
1980.....	9,581	30	7	6	12	20	24	35	40	86	139
1979.....	10,062	31	3	11	6	20	29	26	55	75	134

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)											
ALL OTHER, BOTH SEXES											
1998.....	4,677	21	8	3	3	10	14	33	66	148	305
1997.....	4,656	13	3	2	5	4	14	25	68	164	365
1996.....	4,317	16	4	2	1	4	10	14	63	168	314
1995.....	4,193	18	7	3	5	5	15	25	59	191	345
1994.....	4,111	17	3	-	8	7	7	22	79	205	343
1993.....	3,907	13	5	6	5	5	10	23	80	161	283
1992.....	3,793	23	5	3	2	6	14	29	69	168	295
1991.....	3,913	19	5	4	6	4	18	47	67	194	257
1990.....	3,799	29	3	3	2	4	21	40	81	151	271
1989.....	3,861	22	3	6	7	12	22	38	89	175	241
1988.....	3,954	27	1	2	4	6	11	39	96	171	247
1987.....	3,751	20	3	4	5	3	16	32	91	181	234
1986.....	3,663	25	6	4	3	9	19	54	80	158	245
1985.....	3,687	28	4	3	3	13	20	40	84	156	247
1984.....	3,510	24	5	4	9	10	27	40	83	146	192
1983.....	3,408	30	6	4	6	6	23	27	75	134	202
1982.....	3,376	34	3	1	8	12	14	52	74	130	201
1981.....	3,364	37	1	4	5	8	31	57	82	119	212
1980.....	3,607	28	3	4	10	10	31	49	80	117	220
1979.....	3,664	41	1	2	6	14	24	45	74	129	197
ALL OTHER MALE											
1998.....	2,350	14	3	2	2	8	3	15	32	74	176
1997.....	2,424	5	2	1	3	1	9	13	36	89	190
1996.....	2,213	9	-	-	-	2	8	7	32	103	180
1995.....	2,165	9	5	-	2	3	8	14	27	108	202
1994.....	2,111	7	2	-	6	3	4	13	39	116	210
1993.....	2,056	8	5	3	4	4	6	9	38	92	175
1992.....	1,957	17	1	2	1	1	11	12	40	100	178
1991.....	2,009	11	4	2	4	-	4	23	31	118	153
1990.....	1,975	21	1	1	1	2	7	22	46	98	166
1989.....	1,986	11	1	3	5	6	13	19	55	115	143
1988.....	2,049	14	1	1	1	4	9	23	63	111	141
1987.....	1,955	10	1	4	3	2	6	16	48	120	139
1986.....	1,842	13	2	2	-	5	7	25	48	98	152
1985.....	1,878	20	4	1	-	5	10	21	45	100	140
1984.....	1,749	17	3	3	3	1	15	19	42	92	117
1983.....	1,700	17	3	3	2	1	12	16	45	73	120
1982.....	1,748	20	-	-	5	3	8	29	46	87	116
1981.....	1,744	20	-	1	2	3	18	33	51	72	132
1980.....	1,843	16	1	2	6	5	19	21	51	76	129
1979.....	1,904	22	-	2	3	10	14	19	40	94	121

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)											
ALL OTHER FEMALE											
1998.....	2,327	7	5	1	1	2	11	18	34	74	129
1997.....	2,232	8	1	1	2	3	5	12	32	75	175
1996.....	2,104	7	4	2	1	2	2	7	31	65	134
1995.....	2,028	9	2	3	3	2	7	11	32	83	143
1994.....	2,000	10	1	-	2	4	3	9	40	89	133
1993.....	1,851	5	-	3	1	1	4	14	42	69	108
1992.....	1,836	6	4	1	1	5	3	17	29	68	117
1991.....	1,904	8	1	2	2	4	14	24	36	76	104
1990.....	1,824	8	2	2	1	2	14	18	35	53	105
1989.....	1,875	11	2	3	2	6	9	19	34	60	98
1988.....	1,905	13	-	1	3	2	2	16	33	60	106
1987.....	1,796	10	2	-	2	1	10	16	43	61	95
1986.....	1,821	12	4	2	3	4	12	29	32	60	93
1985.....	1,809	8	-	2	3	8	10	19	39	56	107
1984.....	1,761	7	2	1	6	9	12	21	41	54	75
1983.....	1,708	13	3	1	4	5	11	11	30	61	82
1982.....	1,628	14	3	1	3	9	6	23	28	43	85
1981.....	1,620	17	1	3	3	5	13	24	31	47	80
1980.....	1,764	12	2	2	4	5	12	28	29	41	91
1979.....	1,760	19	1	-	3	4	10	26	34	35	76
BLACK, BOTH SEXES											
1998.....	3,694	18	7	3	1	9	11	30	55	131	287
1997.....	3,712	12	3	2	4	2	14	19	61	142	335
1996.....	3,477	14	4	2	1	4	8	12	57	149	289
1995.....	3,379	17	5	2	3	5	12	24	53	175	308
1994.....	3,382	16	2	-	7	6	6	18	70	184	311
1993.....	3,235	10	5	4	5	4	9	23	72	146	265
1992.....	3,139	22	5	2	1	5	13	25	63	155	275
1991.....	3,242	17	4	4	6	4	15	39	62	180	240
1990.....	3,227	26	1	2	2	3	18	33	72	140	255
1989.....	3,324	17	3	5	6	10	18	37	84	164	220
1988.....	3,450	24	1	1	3	6	11	36	90	165	231
1987.....	3,238	20	3	3	4	2	15	29	86	169	222
1986.....	3,220	22	4	4	3	8	15	52	76	151	232
1985.....	3,258	27	3	3	2	12	19	39	81	146	234
1984.....	3,155	23	4	4	7	10	24	35	77	136	189
1983.....	3,069	27	5	4	4	6	23	25	70	127	188
1982.....	3,087	32	3	1	7	12	14	49	69	128	191
1981.....	3,053	34	1	4	4	6	30	54	80	117	201
1980.....	3,315	27	3	4	9	10	31	47	75	112	210
1979.....	3,400	41	1	2	6	12	23	44	71	123	188

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)											
BLACK MALE											
1998.....	1,862	11	3	2	1	7	3	14	24	62	162
1997.....	1,934	5	2	1	3	1	9	11	33	75	172
1996.....	1,793	7	-	-	-	2	7	5	28	88	166
1995.....	1,729	8	5	-	2	3	7	13	22	97	176
1994.....	1,714	7	1	-	6	2	4	9	32	103	188
1993.....	1,694	7	5	2	4	3	5	9	34	82	165
1992.....	1,627	16	1	1	1	1	10	11	36	89	167
1991.....	1,654	10	4	2	4	-	2	21	27	109	144
1990.....	1,665	19	1	-	1	1	7	16	41	92	158
1989.....	1,712	9	1	3	4	5	11	18	50	107	132
1988.....	1,787	12	1	-	1	4	9	20	57	107	130
1987.....	1,684	10	1	3	3	2	6	14	45	114	132
1986.....	1,594	12	2	2	-	4	5	24	45	92	146
1985.....	1,657	19	3	1	-	5	9	20	42	94	133
1984.....	1,564	16	3	3	2	1	12	16	39	86	115
1983.....	1,515	14	2	3	2	1	12	14	40	68	114
1982.....	1,571	19	-	-	4	3	8	27	44	85	111
1981.....	1,579	18	-	1	2	1	17	31	51	72	127
1980.....	1,684	15	1	2	6	5	19	21	47	72	122
1979.....	1,763	22	-	2	3	9	14	19	38	89	119
BLACK FEMALE											
1998.....	1,832	7	4	1	-	2	8	16	31	69	125
1997.....	1,778	7	1	1	1	1	5	8	28	67	163
1996.....	1,684	7	4	2	1	2	1	7	29	61	123
1995.....	1,650	9	-	2	1	2	5	11	31	78	132
1994.....	1,668	9	1	-	1	4	2	9	38	81	123
1993.....	1,541	3	-	2	1	1	4	14	38	64	100
1992.....	1,512	6	4	1	-	4	3	14	27	66	108
1991.....	1,588	7	-	2	2	4	13	18	35	71	96
1990.....	1,562	7	-	2	1	2	11	17	31	48	97
1989.....	1,612	8	2	2	2	5	7	19	34	57	88
1988.....	1,663	12	-	1	2	2	2	16	33	58	101
1987.....	1,554	10	2	-	1	-	9	15	41	55	90
1986.....	1,626	10	2	2	3	4	10	28	31	59	86
1985.....	1,601	8	-	2	2	7	10	19	39	52	101
1984.....	1,591	7	1	1	5	9	12	19	38	50	74
1983.....	1,554	13	3	1	2	5	11	11	30	59	74
1982.....	1,516	13	3	1	3	9	6	22	25	43	80
1981.....	1,474	16	1	3	2	5	13	23	29	45	74
1980.....	1,631	12	2	2	3	5	12	26	28	40	88
1979.....	1,637	19	1	-	3	3	9	25	33	34	69

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)											
TOTAL, BOTH SEXES											
1998.....	10,958	25	1	4	6	6	6	14	18	48	87
1997.....	12,045	25	8	1	3	5	7	11	24	58	80
1996.....	13,022	17	5	2	3	4	7	7	28	47	80
1995.....	13,901	22	6	1	1	5	12	13	25	50	88
1994.....	14,629	29	10	2	3	7	15	15	20	43	82
1993.....	15,236	25	9	3	2	5	15	15	25	52	76
1992.....	15,583	21	5	1	2	3	6	14	27	49	92
1991.....	16,699	21	11	3	4	9	16	11	24	59	84
1990.....	18,261	15	7	8	3	6	14	17	30	62	99
1989.....	19,799	16	8	4	6	6	14	13	25	51	68
1988.....	21,265	30	10	2	3	6	9	18	48	51	85
1987.....	22,405	17	5	3	4	10	12	19	38	55	67
1986.....	23,467	13	6	5	3	2	16	20	35	49	86
1985.....	24,519	17	4	4	2	10	15	18	38	46	90
1984.....	25,284	16	9	6	6	14	8	14	34	53	111
1983.....	26,435	11	10	6	6	3	17	13	32	68	69
1982.....	28,361	12	6	6	4	7	16	12	36	40	82
1981.....	31,013	14	3	1	6	11	12	15	36	54	82
1980.....	34,048	15	12	2	1	9	19	20	38	52	81
1979.....	35,717	11	12	3	6	7	14	30	24	52	97
TOTAL, MALE											
1998.....	4,160	13	1	-	3	3	3	9	9	21	49
1997.....	4,619	15	5	1	-	3	3	4	12	35	44
1996.....	5,065	6	2	2	2	3	3	3	15	25	49
1995.....	5,300	10	4	1	-	3	5	7	14	25	51
1994.....	5,711	17	5	1	1	2	8	7	5	18	52
1993.....	5,980	15	6	2	1	2	5	12	9	28	37
1992.....	6,061	10	3	1	1	2	4	9	11	25	54
1991.....	6,577	8	5	1	2	2	7	4	13	43	51
1990.....	7,032	9	3	3	1	3	8	8	20	33	50
1989.....	7,656	9	5	1	4	1	8	6	13	35	39
1988.....	8,303	16	3	-	-	3	2	8	32	35	55
1987.....	8,752	11	3	2	2	6	5	12	24	23	39
1986.....	9,206	9	4	2	-	1	10	7	20	30	50
1985.....	9,531	9	2	3	-	5	3	12	19	26	54
1984.....	10,082	8	2	4	6	4	3	10	17	34	59
1983.....	10,583	6	6	3	2	1	7	6	20	35	38
1982.....	11,295	6	4	3	1	5	6	7	16	19	49
1981.....	12,346	10	2	-	2	4	8	5	19	29	46
1980.....	13,747	11	4	1	-	8	13	10	22	30	47
1979.....	14,541	4	5	2	4	3	8	14	7	26	52

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	6,798	12	-	4	3	3	3	5	9	27	38
1997.....	7,426	10	3	-	3	2	4	7	12	23	36
1996.....	7,957	11	3	-	1	1	4	4	13	22	31
1995.....	8,601	12	2	-	1	2	7	6	11	25	37
1994.....	8,918	12	5	1	2	5	7	8	15	25	30
1993.....	9,256	10	3	1	1	3	10	3	16	24	39
1992.....	9,522	11	2	-	1	1	2	5	16	24	38
1991.....	10,122	13	6	2	2	7	9	7	11	16	33
1990.....	11,229	6	4	5	2	3	6	9	10	29	49
1989.....	12,143	7	3	3	2	5	6	7	12	16	29
1988.....	12,962	14	7	2	3	3	7	10	16	16	30
1987.....	13,653	6	2	1	2	4	7	7	14	32	28
1986.....	14,261	4	2	3	3	1	6	13	15	19	36
1985.....	14,988	8	2	1	2	5	12	6	19	20	36
1984.....	15,202	8	7	2	-	10	5	4	17	19	52
1983.....	15,852	5	4	3	4	2	10	7	12	33	31
1982.....	17,066	6	2	3	3	2	10	5	20	21	33
1981.....	18,667	4	1	1	4	7	4	10	17	25	36
1980.....	20,301	4	8	1	1	1	6	10	16	22	34
1979.....	21,176	7	7	1	2	4	6	16	17	26	45
WHITE, BOTH SEXES											
1998.....	9,511	20	-	2	5	5	4	10	11	34	62
1997.....	10,495	18	6	-	2	4	4	8	17	38	54
1996.....	11,399	10	4	2	1	3	6	5	14	35	46
1995.....	12,089	17	4	-	1	4	10	9	20	33	61
1994.....	12,748	23	8	2	2	5	10	8	13	32	51
1993.....	13,353	19	5	2	1	5	14	9	19	37	47
1992.....	13,615	14	5	1	2	1	4	9	14	29	53
1991.....	14,656	16	8	2	3	5	13	6	15	39	56
1990.....	16,079	10	6	6	3	3	10	14	21	39	61
1989.....	17,495	12	4	4	4	4	11	12	17	34	44
1988.....	18,825	20	6	1	2	3	8	12	24	27	61
1987.....	19,966	13	3	2	3	8	8	13	32	34	47
1986.....	20,878	8	6	5	2	2	9	12	22	34	53
1985.....	21,785	13	4	3	1	8	11	15	26	29	56
1984.....	22,609	14	6	3	2	12	7	8	26	43	72
1983.....	23,541	6	9	4	4	2	15	8	21	45	46
1982.....	25,434	8	4	5	4	5	14	8	25	29	52
1981.....	27,795	12	2	1	4	7	9	13	24	34	54
1980.....	30,404	10	6	1	-	6	14	14	26	37	51
1979.....	32,046	8	9	2	6	7	9	19	20	33	63



- CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

WHITE MALE

1998.....	3,544	10	-	-	2	2	3	7	6	17	35
1997.....	3,955	12	4	-	-	2	2	1	9	21	31
1996.....	4,352	2	2	2	1	3	2	3	6	22	28
1995.....	4,528	8	3	-	-	2	4	4	12	19	34
1994.....	4,853	14	4	1	1	2	4	4	3	15	34
1993.....	5,173	12	4	1	-	2	4	9	6	20	23
1992.....	5,199	6	3	1	1	1	2	6	5	15	35
1991.....	5,638	5	2	-	2	1	6	1	7	29	34
1990.....	6,087	6	2	2	1	2	6	7	16	22	37
1989.....	6,673	5	2	1	3	-	6	6	9	24	27
1988.....	7,237	12	2	-	-	1	2	5	15	17	38
1987.....	7,638	9	1	1	2	4	3	7	20	12	26
1986.....	8,086	5	4	2	-	1	7	6	11	25	29
1985.....	8,350	6	2	3	-	3	3	10	12	18	33
1984.....	8,867	6	-	2	2	4	2	5	12	26	37
1983.....	9,311	4	6	3	1	1	7	2	13	24	27
1982.....	9,971	4	3	2	1	4	5	3	12	14	29
1981.....	10,907	9	2	-	2	3	5	5	9	18	30
1980.....	12,113	7	2	-	-	5	10	7	16	19	31
1979.....	12,811	3	3	2	4	3	6	10	6	14	33

WHITE FEMALE

1998.....	5,967	10	-	2	3	3	1	3	5	17	27
1997.....	6,540	6	2	-	2	2	2	7	8	17	23
1996.....	7,047	8	2	-	-	-	4	2	8	13	18
1995.....	7,561	9	1	-	1	2	6	5	8	14	27
1994.....	7,895	9	4	1	1	3	6	4	10	17	17
1993.....	8,180	7	1	1	1	3	10	-	13	17	24
1992.....	8,416	8	2	-	1	-	2	3	9	14	18
1991.....	9,018	11	6	2	1	4	7	5	8	10	22
1990.....	9,992	4	4	4	2	1	4	7	5	17	24
1989.....	10,822	7	2	3	1	4	5	6	8	10	17
1988.....	11,588	8	4	1	2	2	6	7	9	10	23
1987.....	12,328	4	2	1	1	4	5	6	12	22	21
1986.....	12,792	3	2	3	2	1	2	6	11	9	24
1985.....	13,435	7	2	-	1	5	8	5	14	11	23
1984.....	13,742	8	6	1	-	8	5	3	14	17	35
1983.....	14,230	2	3	1	3	1	8	6	8	21	19
1982.....	15,463	4	1	3	3	1	9	5	13	15	23
1981.....	16,888	3	-	1	2	4	4	8	15	16	24
1980.....	18,291	3	4	1	-	1	4	7	10	18	20
1979.....	19,235	5	6	-	2	4	3	9	14	19	30

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

ALL OTHER, BOTH SEXES

1998.....	1,447	5	1	2	1	1	2	4	7	14	25
1997.....	1,550	7	2	1	1	1	3	3	7	20	26
1996.....	1,623	7	1	-	2	1	1	2	14	12	34
1995.....	1,812	5	2	1	-	1	2	4	5	17	27
1994.....	1,881	6	2	-	1	2	5	7	7	11	31
1993.....	1,883	6	4	1	1	-	1	6	6	15	29
1992.....	1,968	7	-	-	-	2	2	5	13	20	39
1991.....	2,043	5	3	1	1	4	3	5	9	20	28
1990.....	2,182	5	1	2	-	3	4	3	9	23	38
1989.....	2,304	4	4	-	2	2	3	1	8	17	24
1988.....	2,440	10	4	1	1	3	1	6	24	24	24
1987.....	2,439	4	2	1	1	2	4	6	6	21	20
1986.....	2,589	5	-	-	1	-	7	8	13	15	33
1985.....	2,734	4	-	1	1	2	4	3	12	17	34
1984.....	2,675	2	3	3	4	2	1	6	8	10	39
1983.....	2,894	5	1	2	2	1	2	5	11	23	23
1982.....	2,927	4	2	1	-	2	2	4	11	11	30
1981.....	3,218	2	1	-	2	4	3	2	12	20	28
1980.....	3,644	5	6	1	1	3	5	6	12	15	30
1979.....	3,671	3	3	1	-	-	5	11	4	19	34

ALL OTHER MALE

1998.....	616	3	1	-	1	1	-	2	3	4	14
1997.....	664	3	1	1	-	1	1	3	3	14	13
1996.....	713	4	-	-	1	-	1	-	9	3	21
1995.....	772	2	1	1	-	1	1	3	2	6	17
1994.....	858	3	1	-	-	-	4	3	2	3	18
1993.....	807	3	2	1	1	-	1	3	3	8	14
1992.....	862	4	-	-	-	1	2	3	6	10	19
1991.....	939	3	3	1	-	1	1	3	6	14	17
1990.....	945	3	1	1	-	1	2	1	4	11	13
1989.....	983	4	3	-	1	1	2	-	4	11	12
1988.....	1,066	4	1	-	-	2	-	3	17	18	17
1987.....	1,114	2	2	1	-	2	2	5	4	11	13
1986.....	1,120	4	-	-	-	-	3	1	9	5	21
1985.....	1,181	3	-	-	-	2	-	2	7	8	21
1984.....	1,215	2	2	2	4	-	1	5	5	8	22
1983.....	1,272	2	-	-	1	-	-	4	7	11	11
1982.....	1,324	2	1	1	-	1	1	4	4	5	20
1981.....	1,439	1	-	-	-	1	3	-	10	11	16
1980.....	1,634	4	2	1	-	3	3	3	6	11	16
1979.....	1,730	1	2	-	-	-	2	4	1	12	19

- CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

ALL OTHER FEMALE											
1998	831	2	-	2	-	-	2	2	4	10	11
1997	886	4	1	-	1	-	2	-	4	6	13
1996	910	3	1	-	1	-	-	2	5	9	13
1995	1,040	3	1	-	-	-	1	1	3	11	10
1994	1,023	3	1	-	1	2	1	4	5	8	13
1993	1,076	3	2	-	-	-	-	3	3	7	15
1992	1,106	3	-	-	-	1	-	2	7	10	20
1991	1,104	2	-	-	1	3	2	2	3	6	11
1990	1,237	2	-	1	-	2	2	2	5	12	25
1989	1,321	-	1	-	1	1	1	1	4	6	12
1988	1,374	6	3	1	1	1	1	3	7	6	7
1987	1,325	2	-	-	1	-	2	1	2	10	7
1986	1,469	1	-	-	1	-	4	7	4	10	12
1985	1,553	1	-	1	1	-	4	1	5	9	13
1984	1,460	-	1	1	-	2	-	1	3	2	17
1983	1,622	3	1	2	1	1	2	1	4	12	12
1982	1,603	2	1	-	-	1	1	-	7	6	10
1981	1,779	1	1	-	2	3	-	2	2	9	12
1980	2,010	1	4	-	1	-	2	3	6	4	14
1979	1,941	2	1	1	-	-	3	7	3	7	15
BLACK, BOTH SEXES											
1998	1,259	4	-	2	1	1	2	4	6	13	24
1997	1,353	4	2	1	1	1	2	3	6	19	25
1996	1,404	7	-	-	1	1	1	2	14	12	31
1995	1,600	4	2	1	-	1	2	4	4	17	26
1994	1,652	5	-	-	1	2	4	5	6	11	28
1993	1,665	6	2	1	-	-	-	5	6	15	29
1992	1,760	7	-	-	-	2	1	4	11	20	38
1991	1,846	4	1	1	1	4	2	5	9	19	27
1990	1,977	4	1	2	-	3	3	3	7	23	35
1989	2,109	4	3	-	2	2	3	1	8	16	23
1988	2,233	9	4	1	1	3	1	6	22	24	18
1987	2,241	3	2	1	1	1	4	5	6	21	19
1986	2,385	5	-	-	1	-	6	7	13	15	33
1985	2,537	4	-	1	1	2	4	3	12	13	34
1984	2,501	1	1	2	4	2	1	6	7	10	38
1983	2,705	5	1	1	2	1	2	5	11	21	21
1982	2,726	2	2	1	-	2	2	4	10	10	30
1981	3,018	2	1	-	2	4	3	2	10	19	27
1980	3,425	3	5	1	1	2	4	6	12	15	30
1979	3,447	2	3	1	-	-	5	10	4	17	32

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)											

## BLACK MALE

1998.....	528	3	-	-	1	1	-	2	2	4	14
1997.....	573	1	1	1	-	1	-	3	2	13	12
1996.....	607	4	-	-	1	-	1	-	9	3	19
1995.....	667	2	1	1	-	1	1	3	2	6	16
1994.....	737	3	-	-	-	-	4	3	2	3	16
1993.....	699	3	1	1	-	-	-	3	3	8	14
1992.....	753	4	-	-	-	1	1	3	5	10	19
1991.....	831	2	1	1	-	1	1	3	6	14	16
1990.....	851	2	1	1	-	1	1	1	3	11	12
1989.....	882	4	2	-	1	1	2	-	4	11	11
1988.....	965	4	1	-	-	2	-	3	17	18	14
1987.....	999	1	2	1	-	1	2	4	4	11	12
1986.....	1,023	4	-	-	-	-	3	1	9	5	21
1985.....	1,074	3	-	-	-	2	-	2	7	5	21
1984.....	1,115	1	-	1	4	-	1	5	5	8	22
1983.....	1,168	2	-	-	1	-	-	4	7	11	9
1982.....	1,230	-	1	1	-	1	1	4	3	5	20
1981.....	1,328	1	-	-	-	1	3	-	8	11	15
1980.....	1,522	2	2	1	5	2	2	3	6	11	16
1979.....	1,614	1	2	-	-	-	2	4	1	11	17

## BLACK FEMALE

1998.....	731	1	-	2	-	-	2	2	4	9	10
1997.....	780	3	1	-	1	-	2	-	4	6	13
1996.....	797	3	-	-	-	1	-	2	5	9	12
1995.....	933	2	1	-	-	-	1	1	2	11	10
1994.....	915	2	-	-	1	2	-	2	4	8	12
1993.....	966	3	1	-	-	-	-	2	3	7	15
1992.....	1,007	3	-	-	-	1	-	1	6	10	19
1991.....	1,015	2	-	-	1	3	1	2	3	5	11
1990.....	1,126	2	-	1	-	2	2	2	4	12	23
1989.....	1,227	-	1	-	1	1	1	1	4	5	12
1988.....	1,268	5	3	1	1	1	1	3	5	6	4
1987.....	1,242	2	-	-	1	-	2	1	2	10	7
1986.....	1,362	1	-	-	1	-	3	6	4	10	12
1985.....	1,463	1	-	1	1	-	4	1	5	8	13
1984.....	1,386	-	1	1	-	2	-	1	2	2	16
1983.....	1,537	3	1	1	1	1	2	1	4	10	12
1982.....	1,496	2	1	-	-	1	1	-	7	5	10
1981.....	1,690	1	1	-	2	3	-	2	2	8	12
1980.....	1,903	1	3	-	1	-	2	3	6	4	14
1979.....	1,833	1	1	1	-	-	3	6	3	6	15

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBRAL EMBOLISM (434.1)												
TOTAL, BOTH SEXES												
1998.....	570	-	-	-	-	-	1	-	1	3	7	
1997.....	617	-	-	-	-	-	-	3	5	5	4	
1996.....	672	1	-	-	-	-	1	3	2	4	3	
1995.....	627	-	1	-	-	-	-	-	2	4	2	
1994.....	708	-	-	-	-	-	-	4	2	6	7	
1993.....	643	1	-	-	-	2	-	3	2	7	5	
1992.....	630	-	-	-	-	-	-	1	4	7	4	
1991.....	633	-	-	1	1	1	2	1	3	4	6	
1990.....	651	-	-	-	-	-	-	-	6	2	2	
1989.....	681	-	2	-	-	1	-	1	-	2	7	
1988.....	741	1	-	-	-	-	-	3	1	5	6	
1987.....	739	-	-	-	-	1	1	2	5	4	4	
1986.....	784	1	1	1	1	2	1	2	3	2	7	
1985.....	786	-	-	1	-	1	2	-	4	2	3	
1984.....	774	-	1	-	1	1	2	-	3	4	8	
1983.....	746	-	-	2	-	-	1	4	3	2	6	
1982.....	759	-	-	-	-	-	4	1	4	2	6	
1981.....	806	-	-	-	-	-	1	4	2	4	4	
1980.....	795	1	-	-	1	3	-	5	6	5	10	
1979.....	850	-	-	-	-	1	2	1	7	6	5	
TOTAL, MALE												
1998.....	228	-	-	-	-	-	-	-	-	2	4	
1997.....	227	-	-	-	-	-	-	1	2	2	1	
1996.....	263	-	-	-	-	-	1	1	2	2	1	
1995.....	263	-	1	-	-	-	-	-	2	2	-	
1994.....	265	-	-	-	-	-	-	-	1	4	4	
1993.....	258	-	-	-	-	1	-	1	2	4	4	
1992.....	233	-	-	-	-	-	-	1	3	1	2	
1991.....	229	-	-	1	1	-	-	1	1	3	2	
1990.....	263	-	-	-	-	-	-	-	2	2	2	
1989.....	257	-	2	-	-	-	-	-	-	1	7	
1988.....	309	1	-	-	-	-	-	2	-	3	4	
1987.....	305	-	-	-	-	-	1	1	5	3	2	
1986.....	314	1	1	-	1	-	-	1	2	1	5	
1985.....	331	-	-	-	-	1	1	-	3	-	2	
1984.....	316	-	-	-	1	-	1	-	1	3	2	
1983.....	296	-	-	-	-	-	-	2	2	1	5	
1982.....	308	-	-	-	-	-	2	-	3	-	1	
1981.....	328	-	-	-	-	-	-	3	1	3	-	
1980.....	335	-	-	-	-	1	-	1	1	2	4	
1979.....	316	-	-	-	-	1	-	1	4	3	2	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBRAL EMBOLISM (434.1)												
TOTAL, FEMALE												
1998.....	342	-	-	-	-	-	1	-	1	1	3	
1997.....	390	-	-	-	-	-	-	2	3	3	3	
1996.....	409	1	-	-	-	-	-	2	-	2	2	
1995.....	364	-	-	-	-	-	-	-	-	2	2	
1994.....	443	-	-	-	-	-	-	4	1	2	3	
1993.....	385	1	-	-	-	1	-	2	-	3	1	
1992.....	397	-	-	-	-	-	-	-	1	6	2	
1991.....	404	-	-	-	-	1	2	-	2	1	4	
1990.....	388	-	-	-	-	-	-	-	4	-	-	
1989.....	424	-	-	-	-	1	-	1	-	1	-	
1988.....	432	-	-	-	-	-	-	1	1	2	2	
1987.....	434	-	-	-	-	1	-	1	-	1	2	
1986.....	470	-	-	1	-	2	1	1	1	1	2	
1985.....	455	-	-	1	-	-	1	-	1	2	1	
1984.....	458	-	1	-	-	1	1	-	2	1	6	
1983.....	450	-	-	2	-	-	1	2	1	1	1	
1982.....	451	-	-	-	-	-	2	1	1	2	5	
1981.....	478	-	-	-	-	-	1	1	1	1	4	
1980.....	460	1	-	-	1	2	-	4	5	3	6	
1979.....	534	-	-	-	-	-	2	-	3	3	3	
WHITE, BOTH SEXES												
1998.....	519	-	-	-	-	-	-	-	1	1	5	
1997.....	561	-	-	-	-	-	-	2	4	4	4	
1996.....	612	1	-	-	-	-	1	3	1	4	3	
1995.....	570	-	1	-	-	-	-	-	2	3	1	
1994.....	643	-	-	-	-	-	-	3	2	5	4	
1993.....	595	1	-	-	-	1	-	3	2	6	4	
1992.....	562	-	-	-	-	-	-	-	3	7	2	
1991.....	573	-	-	1	1	1	2	1	2	3	4	
1990.....	604	-	-	-	-	-	-	-	3	1	2	
1989.....	615	-	-	-	-	1	-	1	-	2	4	
1988.....	682	1	-	-	-	-	-	3	-	3	5	
1987.....	671	-	-	-	-	-	1	2	5	2	1	
1986.....	713	1	1	1	1	2	1	1	3	1	5	
1985.....	725	-	-	1	-	-	2	-	3	2	3	
1984.....	705	-	-	-	-	1	1	-	2	3	7	
1983.....	680	-	-	2	-	-	1	3	2	1	5	
1982.....	702	-	-	-	-	-	3	1	2	2	3	
1981.....	739	-	-	-	-	-	1	2	1	3	3	
1980.....	705	-	-	-	1	3	-	4	5	2	6	
1979.....	779	-	-	-	-	1	1	1	7	6	4	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBRAL EMBOLISM (434.1)												
WHITE MALE												
1998.....	206	-	-	-	-	-	-	-	-	-	-	3
1997.....	204	-	-	-	-	-	-	-	1	2	1	
1996.....	241	-	-	-	-	-	1	1	1	2	1	
1995.....	238	-	1	-	-	-	-	-	2	1	-	
1994.....	239	-	-	-	-	-	-	-	1	3	2	
1993.....	244	-	-	-	-	1	-	1	2	4	4	
1992.....	207	-	-	-	-	-	-	-	2	1	1	
1991.....	204	-	-	1	1	-	-	1	1	2	1	
1990.....	240	-	-	-	-	-	-	-	2	1	2	
1989.....	221	-	-	-	-	-	-	-	-	1	4	
1988.....	280	1	-	-	-	-	-	2	-	2	4	
1987.....	278	-	-	-	-	-	1	1	5	2	1	
1986.....	284	1	1	-	1	-	-	1	2	-	4	
1985.....	302	-	-	-	-	-	1	-	3	-	2	
1984.....	291	-	-	-	-	-	1	-	-	2	2	
1983.....	267	-	-	-	-	-	-	2	1	-	4	
1982.....	286	-	-	-	-	-	1	-	1	-	1	
1981.....	294	-	-	-	-	-	-	1	1	3	-	
1980.....	290	-	-	-	-	1	-	-	1	-	3	
1979.....	284	-	-	-	-	1	-	1	4	3	2	
WHITE FEMALE												
1998.....	313	-	-	-	-	-	-	-	1	1	2	
1997.....	357	-	-	-	-	-	-	2	3	2	3	
1996.....	371	1	-	-	-	-	-	2	-	2	2	
1995.....	332	-	-	-	-	-	-	-	-	2	1	
1994.....	404	-	-	-	-	-	-	3	1	2	2	
1993.....	351	1	-	-	-	-	-	2	-	2	-	
1992.....	355	-	-	-	-	-	-	-	1	6	1	
1991.....	369	-	-	-	-	1	2	-	1	1	3	
1990.....	364	-	-	-	-	-	-	-	1	-	-	
1989.....	394	-	-	-	-	1	-	1	-	1	-	
1988.....	402	-	-	-	-	-	-	1	-	1	1	
1987.....	393	-	-	-	-	-	-	1	-	-	-	
1986.....	429	-	-	1	-	2	1	-	1	1	1	
1985.....	423	-	-	1	-	-	1	-	-	2	1	
1984.....	414	-	-	-	-	1	-	-	2	1	5	
1983.....	413	-	-	2	-	-	1	1	1	1	1	
1982.....	416	-	-	-	-	-	2	1	1	2	2	
1981.....	445	-	-	-	-	-	1	1	-	-	3	
1980.....	415	-	-	-	1	2	-	4	4	2	3	
1979.....	495	-	-	-	-	-	1	-	3	3	2	





CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBRAL EMBOLISM (434.1)												
ALL OTHER FEMALE												
1998.....	29	-	-	-	-	-	1	-	-	-	-	1
1997.....	33	-	-	-	-	-	-	-	-	1	-	-
1996.....	38	-	-	-	-	-	-	-	-	-	-	-
1995.....	32	-	-	-	-	-	-	-	-	-	-	1
1994.....	39	-	-	-	-	-	-	1	-	-	-	1
1993.....	34	-	-	-	-	1	-	-	-	1	-	1
1992.....	42	-	-	-	-	-	-	-	-	-	-	1
1991.....	35	-	-	-	-	-	-	-	1	-	-	1
1990.....	24	-	-	-	-	-	-	-	3	-	-	-
1989.....	30	-	-	-	-	-	-	-	-	-	-	-
1988.....	30	-	-	-	-	-	-	-	1	1	-	1
1987.....	41	-	-	-	-	1	-	-	-	1	-	2
1986.....	41	-	-	-	-	-	-	1	-	-	-	1
1985.....	32	-	-	-	-	-	-	-	1	-	-	-
1984.....	44	-	1	-	-	-	1	-	-	-	-	1
1983.....	37	-	-	-	-	-	-	1	-	-	-	-
1982.....	35	-	-	-	-	-	-	-	-	-	-	3
1981.....	33	-	-	-	-	-	-	-	1	1	-	1
1980.....	45	1	-	-	-	-	-	-	1	1	-	3
1979.....	39	-	-	-	-	-	1	-	-	-	-	1
BLACK, BOTH SEXES												
1998.....	38	-	-	-	-	-	-	-	-	1	-	1
1997.....	36	-	-	-	-	-	-	1	1	-	-	-
1996.....	47	-	-	-	-	-	-	-	-	-	-	-
1995.....	43	-	-	-	-	-	-	-	-	-	-	1
1994.....	54	-	-	-	-	-	-	1	-	1	-	3
1993.....	39	-	-	-	-	-	-	-	-	1	-	1
1992.....	56	-	-	-	-	-	-	1	1	-	-	2
1991.....	53	-	-	-	-	-	-	-	1	1	-	2
1990.....	39	-	-	-	-	-	-	-	3	1	-	-
1989.....	57	-	1	-	-	-	-	-	-	-	-	3
1988.....	49	-	-	-	-	-	-	-	1	2	-	1
1987.....	61	-	-	-	-	1	-	-	-	2	-	2
1986.....	64	-	-	-	-	-	-	1	-	1	-	2
1985.....	53	-	-	-	-	1	-	-	-	-	-	-
1984.....	66	-	1	-	1	-	1	-	1	1	-	1
1983.....	62	-	-	-	-	-	-	1	1	1	-	1
1982.....	52	-	-	-	-	-	1	-	2	-	-	2
1981.....	66	-	-	-	-	-	-	2	1	1	-	1
1980.....	80	-	-	-	-	-	-	1	-	2	-	4
1979.....	67	-	-	-	-	-	1	-	-	-	-	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBRAL EMBOLISM (434.1)												
BLACK MALE												
1998.....	16	-	-	-	-	-	-	-	-	-	1	-
1997.....	15	-	-	-	-	-	-	1	1	-	-	-
1996.....	17	-	-	-	-	-	-	-	-	-	-	-
1995.....	18	-	-	-	-	-	-	-	-	-	-	-
1994.....	21	-	-	-	-	-	-	-	-	1	2	-
1993.....	12	-	-	-	-	-	-	-	-	-	-	-
1992.....	19	-	-	-	-	-	-	1	1	-	1	-
1991.....	23	-	-	-	-	-	-	-	-	1	1	-
1990.....	20	-	-	-	-	-	-	-	-	1	-	-
1989.....	29	-	1	-	-	-	-	-	-	-	3	-
1988.....	23	-	-	-	-	-	-	-	-	1	-	-
1987.....	24	-	-	-	-	-	-	-	-	1	1	-
1986.....	28	-	-	-	-	-	-	-	-	1	1	-
1985.....	25	-	-	-	-	1	-	-	-	-	-	-
1984.....	24	-	-	-	1	-	-	-	1	1	-	-
1983.....	27	-	-	-	-	-	-	-	1	1	1	-
1982.....	19	-	-	-	-	-	1	-	2	-	-	-
1981.....	33	-	-	-	-	-	-	2	-	-	-	-
1980.....	40	-	-	-	-	-	-	1	-	2	1	-
1979.....	30	-	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE												
1998.....	22	-	-	-	-	-	-	-	-	-	-	1
1997.....	21	-	-	-	-	-	-	-	-	-	-	-
1996.....	30	-	-	-	-	-	-	-	-	-	-	-
1995.....	25	-	-	-	-	-	-	-	-	-	-	1
1994.....	33	-	-	-	-	-	-	1	-	-	1	-
1993.....	27	-	-	-	-	-	-	-	-	1	1	-
1992.....	37	-	-	-	-	-	-	-	-	-	1	-
1991.....	30	-	-	-	-	-	-	-	1	-	1	-
1990.....	19	-	-	-	-	-	-	-	3	-	-	-
1989.....	28	-	-	-	-	-	-	-	-	-	-	-
1988.....	26	-	-	-	-	-	-	-	1	1	1	-
1987.....	37	-	-	-	-	1	-	-	-	1	1	-
1986.....	36	-	-	-	-	-	-	1	-	-	1	-
1985.....	28	-	-	-	-	-	-	-	-	-	-	-
1984.....	42	-	1	-	-	-	1	-	-	-	1	-
1983.....	35	-	-	-	-	-	-	1	-	-	-	-
1982.....	33	-	-	-	-	-	-	-	-	-	2	-
1981.....	33	-	-	-	-	-	-	-	1	1	1	-
1980.....	40	-	-	-	-	-	-	-	-	-	3	-
1979.....	37	-	-	-	-	-	1	-	-	-	1	-

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

TOTAL, BOTH SEXES											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	120,690	234	41	18	26	32	65	130	259	566	883
1997	121,271	209	38	12	30	33	69	116	254	539	960
1996	122,675	179	34	20	25	33	61	143	293	599	930
1995	120,818	161	34	18	22	28	57	126	300	652	886
1994	116,162	119	32	20	20	32	69	149	344	559	917
1993	112,780	130	29	17	21	40	82	147	339	557	827
1992	106,438	104	26	14	21	33	77	146	328	561	862
1991	105,468	97	33	14	23	39	74	157	345	528	861
1990	104,601	72	26	17	26	37	94	199	370	552	782
1989	104,392	61	18	11	25	26	92	187	367	526	801
1988	107,269	68	26	15	21	42	118	199	357	539	828
1987	106,018	59	28	15	18	41	99	231	363	553	804
1986	104,913	43	20	8	23	40	96	214	362	565	750
1985	107,017	50	29	10	26	49	124	199	331	510	762
1984	108,077	28	24	23	18	63	124	238	322	522	756
1983	109,010	39	21	23	23	65	124	219	290	515	712
1982	108,695	35	23	19	30	56	103	215	342	522	750
1981	111,497	32	28	19	21	57	148	233	390	546	746
1980	114,610	46	25	23	19	71	173	240	361	516	742
1979	111,166	36	15	20	33	63	153	236	360	535	803
TOTAL, MALE											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	44,713	135	19	7	17	23	40	51	120	262	413
1997	45,778	115	24	8	18	20	37	59	116	237	446
1996	46,345	98	17	14	14	16	34	64	127	259	472
1995	45,626	94	19	10	16	19	36	64	146	320	438
1994	44,155	71	21	12	15	15	40	63	152	244	459
1993	42,863	67	15	12	14	20	33	83	156	274	404
1992	40,712	69	13	9	10	23	45	70	147	272	387
1991	40,478	50	18	7	13	17	43	67	159	249	428
1990	40,175	42	13	10	11	20	53	85	165	256	367
1989	39,937	34	5	5	15	12	43	90	164	256	378
1988	41,411	37	16	4	12	20	57	90	176	260	406
1987	40,626	35	16	9	7	19	49	108	165	269	386
1986	40,522	24	10	5	13	20	53	101	179	276	357
1985	41,567	31	16	3	16	36	54	90	158	246	336
1984	42,281	19	14	13	10	35	69	117	156	239	340
1983	43,251	23	17	11	10	36	67	107	147	257	302
1982	43,181	22	14	6	19	32	48	108	153	238	334
1981	44,718	25	14	13	14	32	70	108	186	262	339
1980	46,464	28	11	10	10	37	99	116	169	225	361
1979	45,649	23	9	13	17	33	77	134	181	244	380

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	75,977	99	22	11	9	9	25	79	139	304	470
1997.....	75,493	94	14	4	12	13	32	57	138	302	514
1996.....	76,330	81	17	6	11	17	27	79	166	340	458
1995.....	75,192	67	15	8	6	9	21	62	154	332	448
1994.....	72,007	48	11	8	5	17	29	86	192	315	458
1993.....	69,917	63	14	5	7	20	49	64	183	283	423
1992.....	65,726	35	13	5	11	10	32	76	181	289	475
1991.....	64,990	47	15	7	10	22	31	90	186	279	433
1990.....	64,426	30	13	7	15	17	41	114	205	296	415
1989.....	64,455	27	13	6	10	14	49	97	203	270	423
1988.....	65,858	31	10	11	9	22	61	109	181	279	422
1987.....	65,392	24	12	6	11	22	50	123	198	284	418
1986.....	64,391	19	10	3	10	20	43	113	183	289	393
1985.....	65,450	19	13	7	10	13	70	109	173	264	426
1984.....	65,796	9	10	10	8	28	55	121	166	283	416
1983.....	65,759	16	4	12	13	29	57	112	143	258	410
1982.....	65,514	13	9	13	11	24	55	107	189	284	416
1981.....	66,779	7	14	6	7	25	78	125	204	284	407
1980.....	68,146	18	14	13	9	34	74	124	192	291	381
1979.....	65,517	13	6	7	16	30	76	102	179	291	423
WHITE, BOTH SEXES											
1998.....	105,272	162	27	12	17	25	50	95	179	415	578
1997.....	106,066	144	23	7	22	27	45	87	178	376	638
1996.....	107,029	129	24	16	18	26	50	99	205	408	634
1995.....	105,370	122	20	17	17	20	35	92	206	464	595
1994.....	101,410	85	22	17	15	23	49	105	235	372	618
1993.....	98,502	89	24	13	12	29	61	97	253	381	568
1992.....	92,869	72	19	10	16	25	59	98	223	360	584
1991.....	91,723	65	21	10	19	28	57	115	231	363	589
1990.....	91,067	47	18	13	19	28	72	155	235	346	533
1989.....	90,588	44	14	9	21	18	67	127	247	341	542
1988.....	93,280	46	15	12	15	30	92	141	225	357	574
1987.....	92,488	42	21	12	15	33	67	155	242	383	578
1986.....	91,599	30	13	7	17	33	69	149	244	389	539
1985.....	93,481	37	18	9	23	33	93	145	220	368	555
1984.....	94,408	20	15	18	11	52	83	169	206	371	530
1983.....	95,376	29	19	21	17	48	83	148	202	362	514
1982.....	94,986	24	16	13	24	42	71	151	233	381	514
1981.....	97,407	22	21	16	16	41	112	162	287	398	542
1980.....	100,460	28	19	20	15	54	124	173	250	374	554
1979.....	97,500	21	10	14	29	52	115	176	254	367	579

RACE, AND SEX:		UNITED STATES, 1979-98									
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)											
WHITE MALE											
1998.....	38,322	95	11	3	11	18	33	40	86	189	288
1997.....	39,483	75	12	5	13	16	24	42	91	176	314
1996.....	39,834	75	11	10	13	14	28	53	89	179	352
1995.....	39,070	73	11	10	13	14	24	50	99	232	303
1994.....	37,934	52	14	11	13	11	30	48	114	173	311
1993.....	36,912	43	14	8	10	17	21	58	124	199	285
1992.....	34,985	48	10	6	6	18	37	51	114	173	264
1991.....	34,576	35	11	5	12	12	37	52	110	176	288
1990.....	34,445	27	6	7	9	16	40	70	117	172	261
1989.....	34,184	23	4	4	14	10	36	66	125	164	258
1988.....	35,488	22	10	2	10	17	47	68	114	176	288
1987.....	34,898	28	13	8	6	16	34	72	117	184	276
1986.....	34,715	16	6	5	9	15	37	70	130	197	254
1985.....	35,840	24	10	3	14	29	39	67	110	179	256
1984.....	36,406	13	8	8	6	30	48	94	106	176	241
1983.....	37,373	17	17	10	7	29	46	74	110	186	222
1982.....	37,146	16	9	2	15	24	36	80	119	172	235
1981.....	38,506	16	9	11	12	23	54	86	143	191	254
1980.....	40,108	15	7	9	6	30	73	88	120	167	275
1979.....	39,489	12	6	10	16	30	63	104	130	169	268
WHITE FEMALE											
1998.....	66,950	67	16	9	6	7	17	55	93	226	290
1997.....	66,583	69	11	2	9	11	21	45	87	200	324
1996.....	67,195	54	13	6	5	12	22	46	116	229	282
1995.....	66,300	49	9	7	4	6	11	42	107	232	292
1994.....	63,476	33	8	6	2	12	19	57	121	199	307
1993.....	61,590	46	10	5	2	12	40	39	129	182	283
1992.....	57,884	24	9	4	10	7	22	47	109	187	320
1991.....	57,147	30	10	5	7	16	20	63	121	187	301
1990.....	56,622	20	12	6	10	12	32	85	118	174	272
1989.....	56,404	21	10	5	7	8	31	61	122	177	284
1988.....	57,792	24	5	10	5	13	45	73	111	181	286
1987.....	57,590	14	8	4	9	17	33	83	125	199	302
1986.....	56,884	14	7	2	8	18	32	79	114	192	285
1985.....	57,641	13	8	6	9	4	54	78	110	189	299
1984.....	58,002	7	7	10	5	22	35	75	100	195	289
1983.....	58,003	12	2	11	10	19	37	74	92	176	292
1982.....	57,840	8	7	11	9	18	35	71	114	209	279
1981.....	58,901	6	12	5	4	18	58	76	144	207	288
1980.....	60,352	13	12	11	9	24	51	85	130	207	279
1979.....	58,011	9	4	4	13	22	52	72	124	198	311

RACE, AND SEX:		UNITED STATES, 1979-98									
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)											
ALL OTHER, BOTH SEXES											
1998.....	15,418	72	14	6	9	7	15	35	80	151	305
1997.....	15,205	65	15	5	8	6	24	29	76	163	322
1996.....	15,646	50	10	4	7	7	11	44	88	191	296
1995.....	15,448	39	14	1	5	8	22	34	94	188	291
1994.....	14,752	34	10	3	5	9	20	44	109	187	299
1993.....	14,278	41	5	4	9	11	21	50	86	176	259
1992.....	13,569	32	7	4	5	8	18	48	105	201	278
1991.....	13,745	32	12	4	4	11	17	42	114	165	272
1990.....	13,534	25	8	4	7	9	22	44	135	206	249
1989.....	13,804	17	4	2	4	8	25	60	120	185	259
1988.....	13,989	22	11	3	6	12	26	58	132	182	254
1987.....	13,530	17	7	3	3	8	32	76	121	170	226
1986.....	13,314	13	7	1	6	7	27	65	118	176	211
1985.....	13,536	13	11	1	3	16	31	54	111	142	207
1984.....	13,669	8	9	5	7	11	41	69	116	151	226
1983.....	13,634	10	2	2	6	17	41	71	88	153	198
1982.....	13,709	11	7	6	6	14	32	64	109	141	236
1981.....	14,090	10	7	3	5	16	36	71	103	148	204
1980.....	14,150	18	6	3	4	17	49	67	111	142	188
1979.....	13,666	15	5	6	4	11	38	60	106	168	224
ALL OTHER MALE											
1998.....	6,391	40	8	4	6	5	7	11	34	73	125
1997.....	6,295	40	12	3	5	4	13	17	25	61	132
1996.....	6,511	23	6	4	1	2	6	11	38	80	120
1995.....	6,556	21	8	-	3	5	12	14	47	88	135
1994.....	6,221	19	7	1	2	4	10	15	38	71	148
1993.....	5,951	24	1	4	4	3	12	25	32	75	119
1992.....	5,727	21	3	3	4	5	8	19	33	99	123
1991.....	5,902	15	7	2	1	5	6	15	49	73	140
1990.....	5,730	15	7	3	2	4	13	15	48	84	106
1989.....	5,753	11	1	1	1	2	7	24	39	92	120
1988.....	5,923	15	6	2	2	3	10	22	62	84	118
1987.....	5,728	7	3	1	1	3	15	36	48	85	110
1986.....	5,807	8	4	-	4	5	16	31	49	79	103
1985.....	5,727	7	6	-	2	7	15	23	48	67	80
1984.....	5,875	6	6	5	4	5	21	23	50	63	99
1983.....	5,878	6	-	1	3	7	21	33	37	71	80
1982.....	6,035	6	5	4	4	8	12	28	34	66	99
1981.....	6,212	9	5	2	2	9	16	22	43	71	85
1980.....	6,356	13	4	1	4	7	26	28	49	58	86
1979.....	6,160	11	3	3	1	3	14	30	51	75	112

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998.....	9,027	32	6	2	3	2	8	24	46	78	180
1997.....	8,910	25	3	2	3	2	11	12	51	102	190
1996.....	9,135	27	4	-	6	5	5	33	50	111	176
1995.....	8,892	18	6	1	2	3	10	20	47	100	156
1994.....	8,531	15	3	2	3	5	10	29	71	116	151
1993.....	8,327	17	4	-	5	8	9	25	54	101	140
1992.....	7,842	11	4	1	1	3	10	29	72	102	155
1991.....	7,843	17	5	2	3	6	11	27	65	92	132
1990.....	7,804	10	1	1	5	5	9	29	87	122	143
1989.....	8,051	6	3	1	3	6	18	36	81	93	139
1988.....	8,066	7	5	1	4	9	16	36	70	98	136
1987.....	7,802	10	4	2	2	5	17	40	73	85	116
1986.....	7,507	5	3	1	2	2	11	34	69	97	108
1985.....	7,809	6	5	1	1	9	16	31	63	75	127
1984.....	7,794	2	3	-	3	6	20	46	66	88	127
1983.....	7,756	4	2	1	3	10	20	38	51	82	118
1982.....	7,674	5	2	2	2	6	20	36	75	75	137
1981.....	7,878	1	2	1	3	7	20	49	60	77	119
1980.....	7,794	5	2	2	-	10	23	39	62	84	102
1979.....	7,506	4	2	3	3	8	24	30	55	93	112
BLACK, BOTH SEXES											
1998.....	13,246	68	13	6	9	5	13	33	69	138	270
1997.....	13,030	57	14	5	8	5	19	26	65	143	279
1996.....	13,553	42	10	3	7	7	9	36	80	173	262
1995.....	13,515	36	14	1	4	4	18	30	82	169	262
1994.....	12,934	32	9	3	5	8	18	41	103	170	270
1993.....	12,618	32	4	4	6	9	18	47	77	154	238
1992.....	12,089	30	6	3	5	6	16	43	97	181	258
1991.....	12,221	28	12	4	4	8	16	38	107	147	244
1990.....	12,164	22	8	2	7	7	21	38	124	189	226
1989.....	12,489	17	2	2	4	8	23	53	111	167	226
1988.....	12,747	19	9	3	6	12	22	52	123	163	229
1987.....	12,367	16	6	3	2	8	24	68	110	159	206
1986.....	12,283	11	6	-	5	7	23	57	115	157	194
1985.....	12,493	12	11	1	3	13	27	52	105	131	184
1984.....	12,647	8	8	4	5	11	34	65	106	133	203
1983.....	12,726	9	1	2	6	17	36	67	86	139	179
1982.....	12,833	8	7	5	6	13	32	62	106	126	224
1981.....	13,279	9	5	3	5	14	33	66	96	138	190
1980.....	13,315	17	3	2	4	17	46	64	105	133	176
1979.....	12,923	13	5	6	4	10	33	56	96	159	212

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
BLACK MALE											
1998.....	5,359	37	7	4	6	5	6	10	29	67	107
1997.....	5,272	35	12	3	5	4	10	15	21	54	110
1996.....	5,555	19	6	3	1	2	4	10	33	72	99
1995.....	5,597	20	8	-	2	3	8	12	39	75	115
1994.....	5,354	18	7	1	2	4	9	12	37	64	136
1993.....	5,194	20	1	4	3	3	10	22	27	62	111
1992.....	5,022	19	3	2	4	3	8	18	30	87	114
1991.....	5,177	13	7	2	1	4	5	11	48	62	125
1990.....	5,117	12	7	2	2	3	12	13	45	74	97
1989.....	5,116	11	-	1	1	2	7	20	35	86	102
1988.....	5,323	12	4	2	2	3	7	20	58	73	106
1987.....	5,145	6	2	1	-	3	11	30	41	79	101
1986.....	5,293	7	4	-	3	5	14	25	48	71	96
1985.....	5,244	6	6	-	2	6	13	22	45	65	74
1984.....	5,390	6	6	4	2	5	15	22	47	56	89
1983.....	5,429	5	-	1	3	7	19	30	37	63	72
1982.....	5,594	4	5	3	4	8	12	26	33	56	95
1981.....	5,820	8	4	2	2	8	14	20	40	67	80
1980.....	5,948	13	3	1	4	7	24	27	46	56	81
1979.....	5,779	10	3	3	1	3	11	29	46	73	108
BLACK FEMALE											
1998.....	7,887	31	6	2	3	-	7	23	40	71	163
1997.....	7,758	22	2	2	3	1	9	11	44	89	169
1996.....	7,998	23	4	-	6	5	5	26	47	101	163
1995.....	7,918	16	6	1	2	1	10	18	43	94	147
1994.....	7,580	14	2	2	3	4	9	29	66	106	134
1993.....	7,424	12	3	-	3	6	8	25	50	92	127
1992.....	7,067	11	3	1	1	3	8	25	67	94	144
1991.....	7,044	15	5	2	3	4	11	27	59	85	119
1990.....	7,047	10	1	-	5	4	9	25	79	115	129
1989.....	7,373	6	2	1	3	6	16	33	76	81	124
1988.....	7,424	7	5	1	4	9	15	32	65	90	123
1987.....	7,222	10	4	2	2	5	13	38	69	80	105
1986.....	6,990	4	2	-	2	2	9	32	67	86	98
1985.....	7,249	6	5	1	1	7	14	30	60	66	110
1984.....	7,257	2	2	-	3	6	19	43	59	77	114
1983.....	7,297	4	1	1	3	10	17	37	49	76	107
1982.....	7,239	4	2	2	2	5	20	36	73	70	129
1981.....	7,459	1	1	1	3	6	19	46	56	71	110
1980.....	7,367	4	-	1	-	10	22	37	59	77	95
1979.....	7,144	3	2	3	3	7	22	27	50	86	104



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ATHEROSCLEROSIS (440)											
TOTAL, BOTH SEXES											
1998.....	15,279	1	1	-	-	-	2	4	6	16	25
1997.....	16,057	-	1	-	-	-	-	2	3	17	32
1996.....	16,740	2	-	-	-	-	1	2	8	17	43
1995.....	16,723	-	-	1	-	-	-	2	3	14	28
1994.....	17,116	-	-	1	-	-	1	2	5	21	37
1993.....	17,272	-	-	2	-	-	2	6	7	13	33
1992.....	16,831	-	-	-	-	-	1	3	6	18	30
1991.....	17,420	1	-	-	-	1	1	2	6	14	27
1990.....	18,047	1	-	-	1	-	1	3	11	11	22
1989.....	19,357	1	1	1	-	1	1	1	4	13	31
1988.....	22,086	1	1	-	-	2	-	3	4	20	34
1987.....	22,474	1	-	-	-	-	2	3	8	13	29
1986.....	22,706	-	-	-	-	-	1	2	8	12	28
1985.....	23,926	-	-	-	-	1	1	3	4	16	32
1984.....	24,462	-	3	3	-	-	3	-	5	10	34
1983.....	26,371	1	1	1	-	1	2	3	1	10	22
1982.....	26,823	1	3	4	-	-	2	2	7	17	25
1981.....	28,004	-	2	-	-	-	2	1	4	17	42
1980.....	29,449	2	-	-	-	1	1	1	8	13	31
1979.....	28,801	3	-	-	-	1	-	2	3	10	27
TOTAL, MALE											
1998.....	5,719	-	-	-	-	-	-	2	4	12	18
1997.....	6,019	-	1	-	-	-	-	1	3	12	22
1996.....	6,281	2	-	-	-	-	1	1	3	8	28
1995.....	6,404	-	-	1	-	-	-	1	3	12	22
1994.....	6,420	-	-	-	-	-	1	1	5	13	26
1993.....	6,410	-	-	1	-	-	1	6	3	8	25
1992.....	6,328	-	-	-	-	-	-	2	5	8	21
1991.....	6,636	1	-	-	-	-	1	2	3	9	20
1990.....	6,859	1	-	-	-	-	1	3	8	7	13
1989.....	7,254	-	1	1	-	-	1	1	3	11	24
1988.....	8,327	-	1	-	-	1	-	2	2	16	25
1987.....	8,428	-	-	-	-	-	2	2	4	10	19
1986.....	8,587	-	-	-	-	-	-	2	7	9	17
1985.....	9,062	-	-	-	-	-	1	2	3	10	25
1984.....	9,240	-	2	1	-	-	3	-	4	6	25
1983.....	10,042	-	-	1	-	-	1	2	-	10	14
1982.....	10,583	1	-	1	-	-	1	1	6	11	18
1981.....	10,969	-	-	-	-	-	1	1	3	11	29
1980.....	11,601	1	-	-	-	1	1	1	5	6	24
1979.....	11,426	2	-	-	-	-	-	-	3	7	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ATHEROSCLEROSIS (440)											
TOTAL, FEMALE											
1998.....	9,560	1	1	-	-	-	2	2	2	4	7
1997.....	10,038	-	-	-	-	-	-	1	-	5	10
1996.....	10,459	-	-	-	-	-	-	1	5	9	15
1995.....	10,319	-	-	-	-	-	-	1	-	2	6
1994.....	10,696	-	-	1	-	-	-	1	-	8	11
1993.....	10,862	-	-	1	-	-	1	-	4	5	8
1992.....	10,503	-	-	-	-	-	1	1	1	10	9
1991.....	10,784	-	-	-	-	1	-	-	3	5	7
1990.....	11,188	-	-	-	1	-	-	-	3	4	9
1989.....	12,103	1	-	-	-	1	-	-	1	2	7
1988.....	13,759	1	-	-	-	1	-	1	2	4	9
1987.....	14,046	1	-	-	-	-	-	1	4	3	10
1986.....	14,119	-	-	-	-	-	1	-	1	3	11
1985.....	14,864	-	-	-	-	1	-	1	1	6	7
1984.....	15,222	-	1	2	-	-	-	-	1	4	9
1983.....	16,329	1	1	-	-	1	1	1	1	-	8
1982.....	16,240	-	3	3	-	-	1	1	1	6	7
1981.....	17,035	-	2	-	-	-	1	-	1	6	13
1980.....	17,848	1	-	-	-	-	-	-	3	7	7
1979.....	17,375	1	-	-	-	1	-	2	-	3	8
WHITE, BOTH SEXES											
1998.....	14,050	-	-	-	-	-	2	2	3	12	22
1997.....	14,750	-	1	-	-	-	-	1	2	11	25
1996.....	15,379	2	-	-	-	-	1	2	6	9	35
1995.....	15,378	-	-	1	-	-	-	-	-	13	26
1994.....	15,660	-	-	-	-	-	-	2	3	20	25
1993.....	15,905	-	-	2	-	-	-	2	7	11	18
1992.....	15,493	-	-	-	-	-	1	3	5	15	24
1991.....	15,981	1	-	-	-	1	1	2	4	12	20
1990.....	16,547	1	-	-	-	-	1	3	9	9	18
1989.....	17,791	1	-	-	-	1	1	1	4	12	24
1988.....	20,261	1	1	-	-	2	-	2	3	16	29
1987.....	20,726	1	-	-	-	-	2	3	7	11	26
1986.....	20,858	-	-	-	-	-	-	1	7	9	25
1985.....	22,021	-	-	-	-	-	1	3	4	13	24
1984.....	22,645	-	1	3	-	-	2	-	5	9	26
1983.....	24,451	1	-	1	-	-	1	3	1	9	18
1982.....	24,789	-	3	4	-	-	2	2	7	14	18
1981.....	25,824	-	2	-	-	-	2	-	4	10	32
1980.....	27,069	2	-	-	-	1	1	1	5	10	21
1979.....	26,602	3	-	-	-	-	-	2	2	9	24

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ATHEROSCLEROSIS (440)											
WHITE MALE											
1998.....	5,213	-	-	-	-	-	-	1	3	8	16
1997.....	5,506	-	1	-	-	-	-	-	2	9	18
1996.....	5,746	2	-	-	-	-	1	1	2	6	23
1995.....	5,840	-	-	1	-	-	-	-	-	11	21
1994.....	5,838	-	-	-	-	-	-	1	3	12	19
1993.....	5,853	-	-	1	-	-	-	2	3	7	15
1992.....	5,756	-	-	-	-	-	-	2	4	7	17
1991.....	6,033	1	-	-	-	-	1	2	3	8	14
1990.....	6,232	1	-	-	-	-	1	3	7	5	11
1989.....	6,652	-	-	-	-	-	1	1	3	10	19
1988.....	7,529	-	1	-	-	1	-	1	1	12	22
1987.....	7,686	-	-	-	-	-	2	2	4	9	18
1986.....	7,767	-	-	-	-	-	-	1	6	7	15
1985.....	8,251	-	-	-	-	-	1	2	3	9	20
1984.....	8,447	-	-	1	-	-	2	-	4	6	21
1983.....	9,165	-	-	1	-	-	-	2	-	9	11
1982.....	9,689	-	-	1	-	-	1	1	6	10	15
1981.....	10,028	-	-	-	-	-	1	-	3	8	25
1980.....	10,543	1	-	-	-	1	1	1	4	5	17
1979.....	10,460	2	-	-	-	-	-	-	2	6	17
WHITE FEMALE											
1998.....	8,837	-	-	-	-	-	2	1	-	4	6
1997.....	9,244	-	-	-	-	-	-	1	-	2	7
1996.....	9,633	-	-	-	-	-	-	1	4	3	12
1995.....	9,538	-	-	-	-	-	-	-	-	2	5
1994.....	9,822	-	-	-	-	-	-	1	-	8	6
1993.....	10,052	-	-	1	-	-	-	-	4	4	3
1992.....	9,737	-	-	-	-	-	1	1	1	8	7
1991.....	9,948	-	-	-	-	1	-	-	1	4	6
1990.....	10,315	-	-	-	-	-	-	-	2	4	7
1989.....	11,139	1	-	-	-	1	-	-	1	2	5
1988.....	12,732	1	-	-	-	1	-	1	2	4	7
1987.....	13,040	1	-	-	-	-	-	1	3	2	8
1986.....	13,091	-	-	-	-	-	-	-	1	2	10
1985.....	13,770	-	-	-	-	-	-	1	1	4	4
1984.....	14,198	-	1	2	-	-	-	-	1	3	5
1983.....	15,286	1	-	-	-	-	1	1	1	-	7
1982.....	15,100	-	3	3	-	-	1	1	1	4	3
1981.....	15,796	-	2	-	-	-	-	1	1	2	7
1980.....	16,526	1	-	-	-	-	-	-	1	5	4
1979.....	16,142	1	-	-	-	-	-	2	-	3	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ATHEROSCLEROSIS (440)											
ALL OTHER, BOTH SEXES											
1998.....	1,229	1	1	-	-	-	-	2	3	4	3
1997.....	1,307	-	-	-	-	-	-	1	1	6	7
1996.....	1,361	-	-	-	-	-	-	-	2	8	8
1995.....	1,345	-	-	-	-	-	-	2	3	1	2
1994.....	1,456	-	-	1	-	-	1	-	2	1	12
1993.....	1,367	-	-	-	-	-	2	4	-	2	15
1992.....	1,338	-	-	-	-	-	-	-	1	3	6
1991.....	1,439	-	-	-	-	-	-	-	2	2	7
1990.....	1,500	-	-	-	1	-	-	-	2	2	4
1989.....	1,566	-	1	1	-	-	-	-	-	1	7
1988.....	1,825	-	-	-	-	-	-	1	1	4	5
1987.....	1,748	-	-	-	-	-	-	-	1	2	3
1986.....	1,848	-	-	-	-	-	1	1	1	3	3
1985.....	1,905	-	-	-	-	1	-	-	-	3	8
1984.....	1,817	-	2	-	-	-	1	-	-	1	8
1983.....	1,920	-	1	-	-	1	1	-	-	1	4
1982.....	2,034	1	-	-	-	-	-	-	-	3	7
1981.....	2,180	-	-	-	-	-	-	1	-	7	10
1980.....	2,380	-	-	-	-	-	-	-	3	3	10
1979.....	2,199	-	-	-	-	1	-	-	1	1	3
ALL OTHER MALE											
1998.....	506	-	-	-	-	-	-	1	1	4	2
1997.....	513	-	-	-	-	-	-	1	1	3	4
1996.....	535	-	-	-	-	-	-	-	1	2	5
1995.....	564	-	-	-	-	-	-	1	3	1	1
1994.....	582	-	-	-	-	-	1	-	2	1	7
1993.....	557	-	-	-	-	-	1	4	-	1	10
1992.....	572	-	-	-	-	-	-	-	1	1	4
1991.....	603	-	-	-	-	-	-	-	-	1	6
1990.....	627	-	-	-	-	-	-	-	1	2	2
1989.....	602	-	1	1	-	-	-	-	-	1	5
1988.....	798	-	-	-	-	-	-	1	1	4	3
1987.....	742	-	-	-	-	-	-	-	-	1	1
1986.....	820	-	-	-	-	-	-	1	1	2	2
1985.....	811	-	-	-	-	-	-	-	-	1	5
1984.....	793	-	2	-	-	-	1	-	-	-	4
1983.....	877	-	-	-	-	-	1	-	-	1	3
1982.....	894	1	-	-	-	-	-	-	-	1	3
1981.....	941	-	-	-	-	-	-	1	-	3	4
1980.....	1,058	-	-	-	-	-	-	-	1	1	7
1979.....	966	-	-	-	-	-	-	-	1	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ATHEROSCLEROSIS (440)											
ALL OTHER FEMALE											
1998.....	723	1	1	-	-	-	-	1	2	-	1
1997.....	794	-	-	-	-	-	-	-	-	3	3
1996.....	826	-	-	-	-	-	-	-	1	6	3
1995.....	781	-	-	-	-	-	-	1	-	-	1
1994.....	874	-	-	1	-	-	-	-	-	-	5
1993.....	810	-	-	-	-	-	1	-	-	1	5
1992.....	766	-	-	-	-	-	-	-	-	2	2
1991.....	836	-	-	-	-	-	-	-	2	1	1
1990.....	873	-	-	-	1	-	-	-	1	-	2
1989.....	964	-	-	-	-	-	-	-	-	-	2
1988.....	1,027	-	-	-	-	-	-	-	-	-	2
1987.....	1,006	-	-	-	-	-	-	-	1	1	2
1986.....	1,028	-	-	-	-	-	1	-	-	1	1
1985.....	1,094	-	-	-	-	1	-	-	-	2	3
1984.....	1,024	-	-	-	-	-	-	-	-	1	4
1983.....	1,043	-	1	-	-	1	-	-	-	-	1
1982.....	1,140	-	-	-	-	-	-	-	-	2	4
1981.....	1,239	-	-	-	-	-	-	-	-	4	6
1980.....	1,322	-	-	-	-	-	-	-	2	2	3
1979.....	1,233	-	-	-	-	1	-	-	-	-	1
BLACK, BOTH SEXES											
1998.....	1,082	1	1	-	-	-	-	2	2	3	3
1997.....	1,171	-	-	-	-	-	-	-	-	6	7
1996.....	1,200	-	-	-	-	-	-	-	2	7	7
1995.....	1,199	-	-	-	-	-	-	1	3	1	2
1994.....	1,299	-	-	1	-	-	1	-	2	1	10
1993.....	1,238	-	-	-	-	-	2	3	-	1	14
1992.....	1,209	-	-	-	-	-	-	-	1	3	5
1991.....	1,306	-	-	-	-	-	-	-	1	2	7
1990.....	1,380	-	-	-	1	-	-	-	2	2	4
1989.....	1,436	-	-	1	-	-	-	-	-	1	6
1988.....	1,694	-	-	-	-	-	-	1	1	4	4
1987.....	1,622	-	-	-	-	-	-	-	1	2	3
1986.....	1,720	-	-	-	-	-	1	1	1	3	3
1985.....	1,780	-	-	-	-	1	-	-	-	3	7
1984.....	1,684	-	1	-	-	-	1	-	-	1	7
1983.....	1,807	-	-	-	-	1	1	-	-	1	3
1982.....	1,898	-	-	-	-	-	-	-	-	3	7
1981.....	2,062	-	-	-	-	-	-	1	-	7	10
1980.....	2,252	-	-	-	-	-	-	-	3	3	9
1979.....	2,057	-	-	-	-	-	-	-	1	1	3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)											
TOTAL, BOTH SEXES											
1998.....	27,671	14	5	5	12	18	46	84	135	232	322
1997.....	27,792	12	7	9	11	30	49	73	140	216	316
1996.....	27,176	13	6	3	13	21	39	67	110	211	315
1995.....	26,646	16	6	5	15	29	42	72	152	212	351
1994.....	26,097	12	8	6	13	19	47	69	131	176	293
1993.....	26,005	12	3	10	14	25	40	80	117	199	285
1992.....	25,337	12	9	1	12	24	50	73	129	179	294
1991.....	25,055	15	5	4	11	23	39	87	129	157	261
1990.....	24,645	15	7	3	14	18	44	76	117	157	219
1989.....	24,297	17	7	4	8	21	39	78	116	188	241
1988.....	23,185	8	3	3	10	28	39	79	110	149	200
1987.....	22,810	14	6	9	9	18	53	75	110	149	197
1986.....	22,417	20	11	4	14	34	51	62	95	149	176
1985.....	21,983	26	10	8	12	35	37	69	90	148	169
1984.....	21,741	19	8	4	14	23	47	88	87	138	182
1983.....	20,958	15	7	8	12	42	46	79	95	129	154
1982.....	20,172	14	7	8	9	29	45	64	95	105	129
1981.....	20,013	18	8	7	7	30	47	72	90	115	155
1980.....	19,959	17	9	3	15	30	59	67	96	106	156
1979.....	19,483	16	11	9	10	41	55	70	98	112	153
TOTAL, MALE											
1998.....	14,991	8	3	3	6	9	20	45	85	147	205
1997.....	15,109	7	5	2	4	19	24	38	84	142	208
1996.....	14,857	8	2	-	6	11	22	39	59	130	200
1995.....	14,817	10	6	3	12	14	20	41	86	136	224
1994.....	14,518	5	6	3	8	12	24	44	80	105	161
1993.....	14,963	8	1	7	12	16	23	47	71	102	179
1992.....	14,504	6	4	1	8	12	30	36	72	110	190
1991.....	14,569	10	2	3	5	15	23	48	76	91	165
1990.....	14,560	8	2	2	7	10	27	45	60	108	134
1989.....	14,447	11	5	1	3	12	23	38	78	120	154
1988.....	13,814	7	1	1	8	14	25	41	73	94	132
1987.....	13,840	8	3	5	5	12	35	42	69	80	124
1986.....	13,525	10	8	2	7	18	24	33	64	89	92
1985.....	13,620	16	7	3	6	19	24	42	43	92	104
1984.....	13,550	8	6	2	6	12	25	46	45	82	126
1983.....	13,243	7	4	3	7	26	24	46	59	79	100
1982.....	12,739	10	5	5	6	19	24	34	57	66	86
1981.....	12,794	13	6	3	3	18	24	41	47	64	95
1980.....	12,933	12	5	2	7	14	28	41	54	65	91
1979.....	12,620	11	7	6	4	24	25	37	65	60	91

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)											
TOTAL, FEMALE											
1998.....	12,680	6	2	2	6	9	26	39	50	85	117
1997.....	12,683	5	2	7	7	11	25	35	56	74	108
1996.....	12,319	5	4	3	7	10	17	28	51	81	115
1995.....	11,829	6	-	2	3	15	22	31	66	76	127
1994.....	11,579	7	2	3	5	7	23	25	51	71	132
1993.....	11,042	4	2	3	2	9	17	33	46	97	106
1992.....	10,833	6	5	-	4	12	20	37	57	69	104
1991.....	10,486	5	3	1	6	8	16	39	53	66	96
1990.....	10,085	7	5	1	7	8	17	31	57	49	85
1989.....	9,850	6	2	3	5	9	16	40	38	68	87
1988.....	9,371	1	2	2	2	14	14	38	37	55	68
1987.....	8,970	6	3	4	4	6	18	33	41	69	73
1986.....	8,892	10	3	2	7	16	27	29	31	60	84
1985.....	8,363	10	3	5	6	16	13	27	47	56	65
1984.....	8,191	11	2	2	8	11	22	42	42	56	56
1983.....	7,715	8	3	5	5	16	22	33	36	50	54
1982.....	7,433	4	2	3	3	10	21	30	38	39	43
1981.....	7,219	5	2	4	4	12	23	31	43	51	60
1980.....	7,026	5	4	1	8	16	31	26	42	41	65
1979.....	6,863	5	4	3	6	17	30	33	33	52	62
WHITE, BOTH SEXES											
1998.....	24,564	11	4	3	11	15	26	64	95	169	227
1997.....	24,791	6	6	6	8	23	36	55	110	150	213
1996.....	24,308	10	6	2	11	12	34	50	74	141	220
1995.....	23,966	10	3	4	10	20	34	50	111	165	253
1994.....	23,363	9	7	5	9	13	37	55	101	125	206
1993.....	23,334	11	3	7	8	21	26	59	81	133	201
1992.....	22,895	9	8	-	10	19	40	55	97	130	222
1991.....	22,636	8	3	4	9	17	27	63	85	118	172
1990.....	22,291	12	4	3	8	12	32	56	88	109	153
1989.....	21,988	14	5	3	7	14	29	61	88	129	180
1988.....	21,072	6	2	3	8	22	32	58	82	108	136
1987.....	20,725	10	6	7	9	13	35	51	84	106	143
1986.....	20,422	12	9	4	10	22	40	46	70	106	127
1985.....	20,021	18	10	6	10	31	29	51	62	116	131
1984.....	19,839	14	6	3	12	18	36	70	66	103	140
1983.....	19,189	10	7	4	7	37	36	62	65	89	113
1982.....	18,489	11	6	7	8	25	37	45	75	76	101
1981.....	18,374	16	5	7	4	24	36	56	57	80	111
1980.....	18,260	15	7	2	12	22	50	50	69	80	117
1979.....	17,952	13	8	7	6	27	39	40	72	89	113



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE											
1998.....	13,484	6	3	3	5	7	12	36	60	109	152
1997.....	13,660	3	4	2	3	14	19	32	68	101	147
1996.....	13,433	6	2	-	6	7	19	31	42	90	148
1995.....	13,529	5	3	2	9	10	17	28	63	114	162
1994.....	13,200	3	5	2	6	9	19	36	65	76	122
1993.....	13,599	7	1	5	7	12	14	36	48	77	128
1992.....	13,263	5	4	-	6	10	26	26	57	81	149
1991.....	13,356	4	1	3	5	11	16	38	55	73	113
1990.....	13,344	7	1	2	5	7	22	38	45	76	95
1989.....	13,279	10	4	1	3	9	20	35	66	91	116
1988.....	12,733	6	-	1	7	13	18	35	56	72	89
1987.....	12,728	7	3	5	5	10	23	32	53	57	95
1986.....	12,492	6	7	2	6	13	19	23	48	70	68
1985.....	12,600	12	7	3	6	17	21	34	31	71	91
1984.....	12,532	6	5	2	6	10	20	41	37	62	98
1983.....	12,298	4	4	2	3	23	20	42	44	55	72
1982.....	11,818	9	5	4	5	19	20	24	48	48	69
1981.....	11,934	12	4	3	3	15	19	38	29	46	66
1980.....	11,992	12	4	1	7	10	23	34	37	54	69
1979.....	11,746	8	4	5	3	18	18	25	49	49	69
WHITE FEMALE											
1998.....	11,080	5	1	-	6	8	14	28	35	60	75
1997.....	11,131	3	2	4	5	9	17	23	42	49	66
1996.....	10,875	4	4	2	5	5	15	19	32	51	72
1995.....	10,437	5	-	2	1	10	17	22	48	51	91
1994.....	10,163	6	2	3	3	4	18	19	36	49	84
1993.....	9,735	4	2	2	1	9	12	23	33	56	73
1992.....	9,632	4	4	-	4	9	14	29	40	49	73
1991.....	9,280	4	2	1	4	6	11	25	30	45	59
1990.....	8,947	5	3	1	3	5	10	18	43	33	58
1989.....	8,709	4	1	2	4	5	9	26	22	38	64
1988.....	8,339	-	2	2	1	9	14	23	26	36	47
1987.....	7,997	3	3	2	4	3	12	19	31	49	48
1986.....	7,930	6	2	2	4	9	21	23	22	36	59
1985.....	7,421	6	3	3	4	14	8	17	31	45	40
1984.....	7,307	8	1	1	6	8	16	29	29	41	42
1983.....	6,891	6	3	2	4	14	16	20	21	34	41
1982.....	6,671	2	1	3	3	6	17	21	27	28	32
1981.....	6,440	4	1	4	1	9	17	18	28	34	45
1980.....	6,268	3	3	1	5	12	27	16	32	26	48
1979.....	6,206	5	4	2	3	9	21	15	23	40	44

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)											
ALL OTHER, BOTH SEXES											
1998.....	3,107	3	1	2	1	3	20	20	40	63	95
1997.....	3,001	6	1	3	3	7	13	18	30	66	103
1996.....	2,868	3	-	1	2	9	5	17	36	70	95
1995.....	2,680	6	3	1	5	9	8	22	41	47	98
1994.....	2,734	3	1	1	4	6	10	14	30	51	87
1993.....	2,671	1	-	3	6	4	14	21	36	66	84
1992.....	2,442	3	1	1	2	5	10	18	32	49	72
1991.....	2,419	7	2	-	2	6	12	24	44	39	89
1990.....	2,354	3	3	-	6	6	12	20	29	48	66
1989.....	2,309	3	2	1	1	7	10	17	28	59	61
1988.....	2,113	2	1	-	2	6	7	21	28	41	64
1987.....	2,085	4	-	2	-	5	18	24	26	43	54
1986.....	1,995	8	2	-	4	12	11	16	25	43	49
1985.....	1,962	8	-	2	2	4	8	18	28	32	38
1984.....	1,902	5	2	1	2	5	11	18	21	35	42
1983.....	1,769	5	-	4	5	5	10	17	30	40	41
1982.....	1,683	3	1	1	1	4	8	19	20	29	28
1981.....	1,639	2	3	-	3	6	11	16	33	35	44
1980.....	1,699	2	2	1	3	8	9	17	27	26	39
1979.....	1,531	3	3	2	4	14	16	30	26	23	40
ALL OTHER MALE											
1998.....	1,507	2	-	-	1	2	8	9	25	38	53
1997.....	1,449	4	1	-	1	5	5	6	16	41	61
1996.....	1,424	2	-	-	-	4	3	8	17	40	52
1995.....	1,288	5	3	1	3	4	3	13	23	22	62
1994.....	1,318	2	1	1	2	3	5	8	15	29	39
1993.....	1,364	1	-	2	5	4	9	11	23	25	51
1992.....	1,241	1	-	1	2	2	4	10	15	29	41
1991.....	1,213	6	1	-	-	4	7	10	21	18	52
1990.....	1,216	1	1	-	2	3	5	7	15	32	39
1989.....	1,168	1	1	-	-	3	3	3	12	29	38
1988.....	1,081	1	1	-	1	1	7	6	17	22	43
1987.....	1,112	1	-	-	-	2	12	10	16	23	29
1986.....	1,033	4	1	-	1	5	5	10	16	19	24
1985.....	1,020	4	-	-	-	2	3	8	12	21	13
1984.....	1,018	2	1	-	-	2	5	5	8	20	28
1983.....	945	3	-	1	4	3	4	4	15	24	28
1982.....	921	1	-	1	1	-	4	10	9	18	17
1981.....	860	1	2	-	-	3	5	3	18	18	29
1980.....	941	-	1	1	-	4	5	7	17	11	22
1979.....	874	3	3	1	1	6	7	12	16	11	22

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)											
ALL OTHER FEMALE											
1998.....	1,600	1	1	2	-	1	12	11	15	25	42
1997.....	1,552	2	-	3	2	2	8	12	14	25	42
1996.....	1,444	1	-	1	2	5	2	9	19	30	43
1995.....	1,392	1	-	-	2	5	5	9	18	25	36
1994.....	1,416	1	-	-	2	3	5	6	15	22	48
1993.....	1,307	-	-	1	1	-	5	10	13	41	33
1992.....	1,201	2	1	-	-	3	6	8	17	20	31
1991.....	1,206	1	1	-	2	2	5	14	23	21	37
1990.....	1,138	2	2	-	4	3	7	13	14	16	27
1989.....	1,141	2	1	1	1	4	7	14	16	30	23
1988.....	1,032	1	-	-	1	5	-	15	11	19	21
1987.....	973	3	-	2	-	3	6	14	10	20	25
1986.....	962	4	1	-	3	7	6	6	9	24	25
1985.....	942	4	-	2	2	2	5	10	16	11	25
1984.....	884	3	1	1	2	3	6	13	13	15	14
1983.....	824	2	-	3	1	2	6	13	15	16	13
1982.....	762	2	1	-	-	4	4	9	11	11	11
1981.....	779	1	1	-	3	3	6	13	15	17	15
1980.....	758	2	1	-	3	4	4	10	10	15	17
1979.....	657	-	-	1	3	8	9	18	10	12	18
BLACK, BOTH SEXES											
1998.....	2,666	3	-	2	1	2	18	20	33	59	86
1997.....	2,586	6	1	3	2	7	10	15	27	63	95
1996.....	2,455	3	-	1	1	8	4	15	29	64	82
1995.....	2,342	6	2	-	5	7	7	20	35	41	90
1994.....	2,363	2	-	-	3	4	10	12	27	46	78
1993.....	2,301	-	-	-	6	3	13	18	32	59	71
1992.....	2,115	3	1	1	1	4	9	16	29	46	63
1991.....	2,137	7	-	-	1	5	11	23	38	39	84
1990.....	2,061	2	2	-	4	6	12	19	24	42	62
1989.....	2,058	3	2	1	1	7	9	15	25	55	59
1988.....	1,861	1	-	-	2	6	6	18	27	39	61
1987.....	1,841	3	-	2	-	5	15	23	24	39	49
1986.....	1,761	7	2	-	4	10	11	15	20	38	46
1985.....	1,732	6	-	-	1	4	7	18	25	30	34
1984.....	1,697	5	-	1	1	4	9	18	19	31	40
1983.....	1,561	4	-	4	4	4	7	16	27	36	38
1982.....	1,526	3	1	-	1	4	8	16	18	27	25
1981.....	1,485	2	3	-	3	6	7	14	32	35	42
1980.....	1,532	2	2	1	2	8	9	17	26	23	38
1979.....	1,387	2	2	2	3	14	13	29	25	20	37

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)											
BLACK MALE											
1998.....	1,252	2	-	-	1	1	7	9	21	35	47
1997.....	1,229	4	1	-	1	5	4	5	14	39	58
1996.....	1,186	2	-	-	-	4	3	7	14	36	45
1995.....	1,078	5	2	-	3	3	2	12	18	19	57
1994.....	1,103	1	-	-	1	2	5	6	12	27	35
1993.....	1,143	-	-	-	5	3	8	11	20	21	43
1992.....	1,032	1	-	1	1	1	3	8	13	28	36
1991.....	1,027	6	-	-	-	3	7	10	17	18	49
1990.....	1,036	-	-	-	1	3	5	6	13	27	38
1989.....	1,009	1	1	-	-	3	3	3	9	26	36
1988.....	919	1	-	-	1	1	6	4	17	21	41
1987.....	940	1	-	-	-	2	9	10	15	19	26
1986.....	886	3	1	-	1	5	5	9	13	17	21
1985.....	871	3	-	-	-	2	3	8	9	19	12
1984.....	894	2	-	-	-	2	5	5	8	17	26
1983.....	820	3	-	1	4	3	2	4	14	22	26
1982.....	817	1	-	-	1	-	4	9	8	17	14
1981.....	760	1	2	-	-	3	4	2	17	18	28
1980.....	821	-	1	1	-	4	5	7	16	10	21
1979.....	764	2	2	1	1	6	6	11	16	9	19
BLACK FEMALE											
1998.....	1,414	1	-	2	-	1	11	11	12	24	39
1997.....	1,357	2	-	3	1	2	6	10	13	24	37
1996.....	1,269	1	-	1	1	4	1	8	15	28	37
1995.....	1,264	1	-	-	2	4	5	8	17	22	33
1994.....	1,260	1	-	-	2	2	5	6	15	19	43
1993.....	1,158	-	-	-	1	-	5	7	12	38	28
1992.....	1,083	2	1	-	-	3	6	8	16	18	27
1991.....	1,110	1	-	-	1	2	4	13	21	21	35
1990.....	1,025	2	2	-	3	3	7	13	11	15	24
1989.....	1,049	2	1	1	1	4	6	12	16	29	23
1988.....	942	-	-	-	1	5	-	14	10	18	20
1987.....	901	2	-	2	-	3	6	13	9	20	23
1986.....	875	4	1	-	3	5	6	6	7	21	25
1985.....	861	3	-	-	1	2	4	10	16	11	22
1984.....	803	3	-	1	1	2	4	13	11	14	14
1983.....	741	1	-	3	-	1	5	12	13	14	12
1982.....	709	2	1	-	-	4	4	7	10	10	11
1981.....	725	1	1	-	3	3	3	12	15	17	14
1980.....	711	2	1	-	2	4	4	10	10	13	17
1979.....	623	-	-	1	2	8	7	18	9	11	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
TOTAL, BOTH SEXES											
1998.....	452	44	18	1	1	1	5	2	4	4	5
1997.....	465	67	20	5	3	-	1	1	1	9	7
1996.....	486	65	25	2	4	-	1	-	4	2	4
1995.....	532	71	25	2	1	2	-	5	1	4	4
1994.....	578	84	24	3	1	-	-	1	-	5	6
1993.....	662	75	14	3	3	3	3	5	5	6	5
1992.....	577	92	16	5	2	-	1	6	9	4	10
1991.....	633	68	18	2	3	1	3	4	5	2	6
1990.....	633	75	18	3	3	4	1	3	2	7	10
1989.....	633	73	21	2	2	1	2	4	6	6	1
1988.....	635	72	22	4	1	1	4	1	7	5	6
1987.....	548	63	20	6	4	2	1	2	5	8	7
1986.....	588	59	14	3	2	1	5	-	4	5	5
1985.....	600	64	17	1	2	3	3	1	4	4	5
1984.....	544	57	24	2	2	5	3	3	5	5	8
1983.....	552	87	14	3	1	3	4	6	1	9	7
1982.....	503	74	27	4	2	3	5	7	9	4	8
1981.....	573	86	22	5	5	2	3	4	3	3	10
1980.....	642	87	34	6	1	7	7	9	4	4	5
1979.....	554	94	34	7	3	4	3	11	5	1	9
TOTAL, MALE											
1998.....	194	29	14	-	-	-	1	1	3	2	1
1997.....	194	40	10	3	-	-	1	1	1	3	3
1996.....	205	40	14	1	2	-	-	-	4	1	4
1995.....	224	40	12	1	1	1	-	4	1	2	1
1994.....	243	53	18	1	1	-	-	-	-	1	4
1993.....	286	45	8	-	2	3	2	5	3	6	2
1992.....	282	61	8	5	2	-	1	4	7	4	7
1991.....	288	45	12	1	-	1	-	3	3	2	5
1990.....	269	44	6	2	2	2	1	-	1	5	4
1989.....	288	48	10	1	1	1	2	3	3	2	-
1988.....	281	47	14	1	1	-	2	1	5	2	4
1987.....	267	39	9	4	1	2	1	2	4	4	5
1986.....	280	38	6	1	1	1	3	-	2	5	2
1985.....	303	44	10	1	1	3	2	1	2	2	4
1984.....	260	35	10	1	2	4	2	3	3	4	3
1983.....	273	57	6	2	1	2	2	2	-	6	2
1982.....	250	47	19	1	2	2	4	4	7	3	3
1981.....	277	52	8	1	2	1	2	4	1	2	5
1980.....	299	52	24	3	1	5	4	5	2	3	3
1979.....	283	57	15	4	2	3	2	6	2	-	5

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

ACUTE BRONCHITIS AND BRONCHIOLITIS (466)

TOTAL, FEMALE											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	258	15	4	1	1	1	4	1	1	2	4
1997	271	27	10	2	3	-	-	-	-	6	4
1996	281	25	11	1	2	-	1	-	-	1	-
1995	308	31	13	1	-	1	-	1	-	2	3
1994	335	31	6	2	-	-	-	1	-	4	2
1993	376	30	6	3	1	-	1	-	2	-	3
1992	295	31	8	-	-	-	-	2	2	-	3
1991	345	23	6	1	3	-	3	1	2	-	1
1990	364	31	12	1	1	2	-	3	1	2	6
1989	345	25	11	1	1	-	-	1	3	4	1
1988	354	25	8	3	-	1	2	-	2	3	2
1987	281	24	11	2	3	-	-	-	1	4	2
1986	308	21	8	2	1	-	2	-	2	-	3
1985	297	20	7	-	1	-	1	-	2	2	1
1984	284	22	14	1	-	1	2	-	2	1	5
1983	279	30	8	1	-	1	2	4	1	3	5
1982	253	27	8	3	-	1	1	3	2	1	5
1981	296	34	14	4	3	1	1	-	2	1	5
1980	343	35	10	3	-	2	3	4	2	1	2
1979	271	37	19	3	1	1	1	5	3	1	4
WHITE, BOTH SEXES											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	400	28	8	1	1	-	4	2	3	2	2
1997	404	46	14	3	2	-	-	1	1	6	6
1996	418	38	14	2	1	-	1	-	4	1	4
1995	477	44	16	2	1	2	-	5	1	3	4
1994	497	48	16	2	1	-	-	1	-	3	5
1993	583	49	7	3	3	3	3	5	4	6	3
1992	500	58	8	5	2	-	1	6	8	2	8
1991	560	53	10	2	2	1	2	3	4	2	6
1990	559	39	11	2	3	2	1	2	2	4	9
1989	544	37	13	1	2	1	1	3	4	4	1
1988	564	44	18	1	1	1	3	1	5	5	5
1987	485	37	14	6	4	2	1	1	3	5	4
1986	537	43	11	2	1	1	4	-	4	5	5
1985	532	49	8	-	1	3	2	1	2	4	4
1984	482	35	18	2	2	4	2	3	3	4	6
1983	481	56	11	2	-	3	4	4	1	6	7
1982	433	49	17	4	1	3	4	6	6	4	8
1981	507	57	12	5	5	2	3	4	3	2	10
1980	568	64	23	4	1	6	7	9	2	4	2
1979	482	63	24	6	3	3	3	10	2	1	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
WHITE MALE											
1998.....	164	19	6	-	-	-	1	1	3	1	-
1997.....	161	28	8	2	-	-	-	1	1	2	3
1996.....	176	27	12	1	1	-	-	-	4	-	4
1995.....	197	27	8	1	1	1	-	4	1	2	1
1994.....	199	31	12	-	1	-	-	-	-	1	3
1993.....	242	31	4	-	2	3	2	5	2	6	1
1992.....	239	39	5	5	2	-	1	4	7	2	5
1991.....	248	35	7	1	-	1	-	3	3	2	5
1990.....	233	21	4	2	2	-	1	-	1	3	4
1989.....	241	24	7	1	1	1	1	2	2	2	-
1988.....	246	29	11	-	1	-	2	1	4	2	4
1987.....	236	26	7	4	1	2	1	1	2	3	3
1986.....	251	27	5	1	1	1	2	-	2	5	2
1985.....	258	33	4	-	1	3	1	1	1	2	4
1984.....	230	25	8	1	2	4	1	3	2	4	2
1983.....	229	38	4	2	-	2	2	1	-	3	2
1982.....	205	29	12	1	1	2	4	3	5	3	3
1981.....	242	34	5	1	2	1	2	4	1	1	5
1980.....	255	37	17	2	1	4	4	5	1	3	1
1979.....	243	40	10	3	2	2	2	5	1	-	5
WHITE FEMALE											
1998.....	236	9	2	1	1	-	3	1	-	1	2
1997.....	243	18	6	1	2	-	-	-	-	4	3
1996.....	242	11	2	1	-	-	1	-	-	1	-
1995.....	280	17	8	1	-	1	-	1	-	1	3
1994.....	298	17	4	2	-	-	-	1	-	2	2
1993.....	341	18	3	3	1	-	1	-	2	-	2
1992.....	261	19	3	-	-	-	-	2	1	-	3
1991.....	312	18	3	1	2	-	2	-	1	-	1
1990.....	326	18	7	-	1	2	-	2	1	1	5
1989.....	303	13	6	-	1	-	-	1	2	2	1
1988.....	318	15	7	1	-	1	1	-	1	3	1
1987.....	249	11	7	2	3	-	-	-	1	2	1
1986.....	286	16	6	1	-	-	2	-	2	-	3
1985.....	274	16	4	-	-	-	1	-	1	2	-
1984.....	252	10	10	1	-	-	1	-	1	-	4
1983.....	252	18	7	-	-	1	2	3	1	3	5
1982.....	228	20	5	3	-	1	-	3	1	1	5
1981.....	265	23	7	4	3	1	1	-	2	1	5
1980.....	313	27	6	2	-	2	3	4	1	1	1
1979.....	239	23	14	3	1	1	1	5	1	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
ALL OTHER, BOTH SEXES											
1998.....	52	16	10	-	-	1	1	-	1	2	3
1997.....	61	21	6	2	1	-	1	-	-	3	1
1996.....	68	27	11	-	3	-	-	-	-	1	-
1995.....	55	27	9	-	-	-	-	-	-	1	-
1994.....	81	36	8	1	-	-	-	-	-	2	1
1993.....	79	26	7	-	-	-	-	-	1	-	2
1992.....	77	34	8	-	-	-	-	-	1	2	2
1991.....	73	15	8	-	1	-	1	1	1	-	-
1990.....	74	36	7	1	-	2	-	1	-	3	1
1989.....	89	36	8	1	-	-	1	1	2	2	-
1988.....	71	28	4	3	-	-	1	-	2	-	1
1987.....	63	26	6	-	-	-	-	1	2	3	3
1986.....	51	16	3	1	1	-	1	-	-	-	-
1985.....	68	15	9	1	1	-	1	-	2	-	1
1984.....	62	22	6	-	-	1	1	-	2	1	2
1983.....	71	31	3	1	1	-	-	2	-	3	-
1982.....	70	25	10	-	1	-	1	1	3	-	-
1981.....	66	29	10	-	-	-	-	-	-	1	-
1980.....	74	23	11	2	-	1	-	-	2	-	3
1979.....	72	31	10	1	-	1	-	1	3	-	2
ALL OTHER MALE											
1998.....	30	10	8	-	-	-	-	-	-	1	1
1997.....	33	12	2	1	-	-	1	-	-	1	-
1996.....	29	13	2	-	1	-	-	-	-	1	-
1995.....	27	13	4	-	-	-	-	-	-	-	-
1994.....	44	22	6	1	-	-	-	-	-	-	1
1993.....	44	14	4	-	-	-	-	-	1	-	1
1992.....	43	22	3	-	-	-	-	-	-	2	2
1991.....	40	10	5	-	-	-	-	-	-	-	-
1990.....	36	23	2	-	-	2	-	-	-	2	-
1989.....	47	24	3	-	-	-	1	1	1	-	-
1988.....	35	18	3	1	-	-	-	-	1	-	-
1987.....	31	13	2	-	-	-	-	1	2	1	2
1986.....	29	11	1	-	-	-	1	-	-	-	-
1985.....	45	11	6	1	-	-	1	-	1	-	-
1984.....	30	10	2	-	-	-	1	-	1	-	1
1983.....	44	19	2	-	1	-	-	1	-	3	-
1982.....	45	18	7	-	1	-	-	1	2	-	-
1981.....	35	18	3	-	-	-	-	-	-	1	-
1980.....	44	15	7	1	-	1	-	-	1	-	2
1979.....	40	17	5	1	-	1	-	1	1	-	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
ALL OTHER FEMALE											
1998.....	22	6	2	-	-	1	1	-	1	1	2
1997.....	28	9	4	1	1	-	-	-	-	2	1
1996.....	39	14	9	-	2	-	-	-	-	-	-
1995.....	28	14	5	-	-	-	-	-	-	1	-
1994.....	37	14	2	-	-	-	-	-	-	2	-
1993.....	35	12	3	-	-	-	-	-	-	-	1
1992.....	34	12	5	-	-	-	-	-	1	-	-
1991.....	33	5	3	-	1	-	1	1	1	-	-
1990.....	38	13	5	1	-	-	-	1	-	1	1
1989.....	42	12	5	1	-	-	-	-	1	2	-
1988.....	36	10	1	2	-	-	1	-	1	-	1
1987.....	32	13	4	-	-	-	-	-	-	2	1
1986.....	22	5	2	1	1	-	-	-	-	-	-
1985.....	23	4	3	-	1	-	-	-	1	-	1
1984.....	32	12	4	-	-	1	-	-	1	1	1
1983.....	27	12	1	1	-	-	-	1	-	-	-
1982.....	25	7	3	-	-	-	1	-	1	-	-
1981.....	31	11	7	-	-	-	-	-	-	-	-
1980.....	30	8	4	1	-	-	-	-	1	-	1
1979.....	32	14	5	-	-	-	-	-	2	-	2
BLACK, BOTH SEXES											
1998.....	46	12	10	-	-	1	1	-	1	2	3
1997.....	53	18	6	1	1	-	1	-	-	3	1
1996.....	55	22	9	-	3	-	-	-	-	1	-
1995.....	49	25	7	-	-	-	-	-	-	1	-
1994.....	77	32	8	1	-	-	-	-	-	2	1
1993.....	69	25	7	-	-	-	-	-	1	-	1
1992.....	71	32	8	-	-	-	-	-	1	2	2
1991.....	57	11	6	-	1	-	1	1	1	-	-
1990.....	64	32	6	1	-	2	-	1	-	2	1
1989.....	79	30	8	1	-	-	1	1	2	1	-
1988.....	62	23	3	3	-	-	1	-	2	-	1
1987.....	56	22	6	-	-	-	-	1	1	3	3
1986.....	47	15	3	1	1	-	1	-	-	-	-
1985.....	63	15	8	1	1	-	1	-	2	-	1
1984.....	56	22	5	-	-	-	1	-	2	1	2
1983.....	59	25	2	1	1	-	-	2	-	3	-
1982.....	59	21	7	-	1	-	1	1	3	-	-
1981.....	56	25	7	-	-	-	-	-	-	1	-
1980.....	64	21	10	2	-	1	-	-	-	-	2
1979.....	69	30	9	1	-	1	-	1	3	-	2

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)

BLACK MALE

1998.....	27	8	8	-	-	-	-	-	-	1	1
1997.....	27	9	2	1	-	-	1	-	-	1	-
1996.....	24	12	1	-	1	-	-	-	-	1	-
1995.....	24	12	3	-	-	-	-	-	-	-	-
1994.....	41	19	6	1	-	-	-	-	-	-	1
1993.....	39	14	4	-	-	-	-	-	1	-	-
1992.....	38	21	3	-	-	-	-	-	-	2	2
1991.....	31	6	5	-	-	-	-	-	-	-	-
1990.....	33	20	2	-	-	2	-	-	-	2	-
1989.....	39	19	3	-	-	-	1	1	1	-	-
1988.....	32	16	2	1	-	-	-	-	1	-	-
1987.....	27	11	2	-	-	-	-	1	1	1	2
1986.....	27	10	1	-	-	-	1	-	-	-	-
1985.....	41	11	5	1	-	-	1	-	1	-	-
1984.....	28	10	2	-	-	-	1	-	1	-	1
1983.....	34	14	2	-	1	-	-	1	-	3	-
1982.....	36	15	5	-	1	-	-	1	2	-	-
1981.....	28	15	1	-	-	-	-	-	-	1	-
1980.....	35	13	6	1	-	1	-	-	-	-	1
1979.....	39	17	5	1	-	1	-	1	1	-	-

BLACK FEMALE

1998.....	19	4	2	-	-	1	1	-	1	1	2
1997.....	26	9	4	-	1	-	-	-	-	2	1
1996.....	31	10	8	-	2	-	-	-	-	-	-
1995.....	25	13	4	-	-	-	-	-	-	1	-
1994.....	36	13	2	-	-	-	-	-	-	2	-
1993.....	30	11	3	-	-	-	-	-	-	-	1
1992.....	33	11	5	-	-	-	-	-	1	-	-
1991.....	26	5	1	-	1	-	1	1	1	-	-
1990.....	31	12	4	1	-	-	-	1	-	-	1
1989.....	40	11	5	1	-	-	-	-	1	1	-
1988.....	30	7	1	2	-	-	1	-	1	-	1
1987.....	29	11	4	-	-	-	-	-	-	2	1
1986.....	20	5	2	1	1	-	-	-	-	-	-
1985.....	22	4	3	-	1	-	-	-	1	-	1
1984.....	28	12	3	-	-	-	-	-	1	1	1
1983.....	25	11	-	1	-	-	-	1	-	-	-
1982.....	23	6	2	-	-	-	1	-	1	-	-
1981.....	28	10	6	-	-	-	-	-	-	-	-
1980.....	29	8	4	1	-	-	-	-	-	-	1
1979.....	30	13	4	-	-	-	-	-	2	-	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	91,871	441	146	70	51	75	140	183	348	538	862
1997.....	86,449	421	180	76	65	94	126	203	331	575	819
1996.....	83,727	496	168	72	64	89	114	204	364	593	868
1995.....	82,923	492	156	73	55	83	124	203	419	664	816
1994.....	81,473	559	178	57	46	89	132	199	448	678	830
1993.....	82,820	530	182	72	63	95	156	250	474	678	873
1992.....	75,719	600	188	53	51	85	144	223	431	607	743
1991.....	77,860	607	207	68	67	91	165	279	480	706	738
1990.....	79,513	634	171	76	58	85	146	285	477	687	729
1989.....	76,550	636	228	63	59	104	167	324	557	671	744
1988.....	77,662	641	186	66	61	92	174	294	551	657	691
1987.....	69,225	674	199	53	41	104	164	291	468	585	592
1986.....	69,812	663	199	76	71	117	159	269	467	574	626
1985.....	67,615	705	219	76	54	89	162	224	406	496	551
1984.....	58,894	685	211	94	77	104	147	257	393	424	499
1983.....	55,854	769	232	69	61	118	152	248	329	373	443
1982.....	48,886	756	230	66	76	127	183	234	317	343	432
1981.....	53,731	809	240	84	77	133	194	260	311	404	460
1980.....	54,619	1,012	267	101	93	137	211	261	302	404	500
1979.....	45,030	1,129	258	115	97	155	186	235	289	364	449
TOTAL, MALE											
1998.....	40,979	239	73	27	30	38	71	104	204	307	503
1997.....	39,284	257	89	38	33	55	64	115	198	353	498
1996.....	37,991	299	91	35	34	47	59	112	205	374	542
1995.....	37,787	280	69	34	24	54	65	115	262	417	508
1994.....	37,339	339	98	36	22	44	71	124	293	406	518
1993.....	37,996	310	93	39	33	48	79	141	281	439	573
1992.....	35,465	356	95	32	22	44	82	139	272	385	495
1991.....	36,214	328	125	38	31	57	94	177	312	465	481
1990.....	36,898	365	88	40	31	41	78	164	321	458	492
1989.....	35,701	383	119	35	29	56	91	186	337	440	491
1988.....	36,834	381	91	39	36	51	93	177	343	434	460
1987.....	33,562	381	109	23	22	56	93	182	317	404	395
1986.....	34,203	387	110	30	41	70	95	149	304	384	402
1985.....	33,159	412	111	36	28	55	95	144	255	331	343
1984.....	29,440	400	105	48	37	65	80	150	255	278	316
1983.....	28,007	442	124	33	32	54	94	147	213	236	292
1982.....	25,325	425	128	42	41	72	111	137	206	205	280
1981.....	27,059	468	136	45	35	83	112	152	185	255	295
1980.....	27,574	598	144	51	45	61	110	157	175	248	314
1979.....	23,725	628	138	61	49	87	103	136	185	241	279

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	50,892	202	73	43	21	37	69	79	144	231	359
1997.....	47,165	164	91	38	32	39	62	88	133	222	321
1996.....	45,736	197	77	37	30	42	55	92	159	219	326
1995.....	45,136	212	87	39	31	29	59	88	157	247	308
1994.....	44,134	220	80	21	24	45	61	75	155	272	312
1993.....	44,824	220	89	33	30	47	77	109	193	239	300
1992.....	40,254	244	93	21	29	41	62	84	159	222	248
1991.....	41,646	279	82	30	36	34	71	102	168	241	257
1990.....	42,615	269	83	36	27	44	68	121	156	229	237
1989.....	40,849	253	109	28	30	48	76	138	220	231	253
1988.....	40,828	260	95	27	25	41	81	117	208	223	231
1987.....	35,663	293	90	30	19	48	71	109	151	181	197
1986.....	35,609	276	89	46	30	47	64	120	163	190	224
1985.....	34,456	293	108	40	26	34	67	80	151	165	208
1984.....	29,454	285	106	46	40	39	67	107	138	146	183
1983.....	27,847	327	108	36	29	64	58	101	116	137	151
1982.....	23,561	331	102	24	35	55	72	97	111	138	152
1981.....	26,672	341	104	39	42	50	82	108	126	149	165
1980.....	27,045	414	123	50	48	76	101	104	127	156	186
1979.....	21,305	501	120	54	48	68	83	99	104	123	170
WHITE, BOTH SEXES											
1998.....	81,659	255	98	48	41	45	94	118	223	358	571
1997.....	76,875	264	120	54	51	69	85	126	211	391	567
1996.....	74,194	310	109	55	46	59	75	133	241	379	561
1995.....	73,641	302	89	49	40	66	87	130	282	440	546
1994.....	72,605	342	118	39	34	65	95	120	294	428	528
1993.....	73,720	323	117	57	52	69	99	171	301	433	577
1992.....	67,456	357	116	42	38	63	101	138	271	383	458
1991.....	69,276	346	134	60	52	67	118	189	302	425	468
1990.....	70,806	375	118	58	42	64	90	177	267	413	451
1989.....	67,853	396	137	51	44	74	111	207	320	373	457
1988.....	69,570	387	134	49	46	63	120	188	321	397	449
1987.....	61,811	412	135	44	26	81	110	196	261	345	361
1986.....	62,323	421	133	55	62	94	111	176	297	327	385
1985.....	60,508	443	149	52	39	68	132	149	241	293	347
1984.....	52,514	441	135	76	68	74	108	157	231	254	307
1983.....	49,996	465	161	51	49	93	120	157	190	240	279
1982.....	43,515	458	150	47	56	93	131	143	190	215	264
1981.....	47,919	507	167	73	64	111	147	179	206	226	273
1980.....	48,369	593	195	75	76	104	142	173	199	270	307
1979.....	39,803	703	172	92	78	127	133	157	173	212	269

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	35,795	138	52	19	24	24	55	68	130	199	325
1997.....	34,386	168	56	28	26	40	46	75	131	237	346
1996.....	32,924	190	54	26	24	34	39	70	129	229	357
1995.....	32,948	170	41	23	17	46	50	70	175	283	339
1994.....	32,658	203	66	22	16	31	54	77	203	256	338
1993.....	33,151	186	61	31	25	34	51	101	187	282	382
1992.....	30,951	218	56	24	14	34	59	86	173	240	302
1991.....	31,589	196	79	34	26	42	67	120	198	285	313
1990.....	32,101	214	62	29	22	33	52	103	179	278	296
1989.....	30,892	246	70	28	22	43	58	121	207	240	298
1988.....	32,262	239	66	30	27	36	63	113	205	260	297
1987.....	29,284	235	73	17	14	43	66	122	183	233	242
1986.....	29,891	251	77	23	37	59	63	102	198	214	240
1985.....	29,028	256	74	24	20	46	79	95	151	197	198
1984.....	25,677	254	72	40	31	51	61	96	157	158	193
1983.....	24,463	258	87	22	26	41	81	92	115	142	170
1982.....	22,100	263	85	31	30	53	81	84	124	117	164
1981.....	23,531	296	92	38	30	68	86	108	119	129	172
1980.....	23,810	350	108	37	39	46	71	98	108	159	185
1979.....	20,544	394	93	50	39	73	77	101	111	128	160
WHITE FEMALE											
1998.....	45,864	117	46	29	17	21	39	50	93	159	246
1997.....	42,489	96	64	26	25	29	39	51	80	154	221
1996.....	41,270	120	55	29	22	25	36	63	112	150	204
1995.....	40,693	132	48	26	23	20	37	60	107	157	207
1994.....	39,947	139	52	17	18	34	41	43	91	172	190
1993.....	40,569	137	56	26	27	35	48	70	114	151	195
1992.....	36,505	139	60	18	24	29	42	52	98	143	156
1991.....	37,687	150	55	26	26	25	51	69	104	140	155
1990.....	38,705	161	56	29	20	31	38	74	88	135	155
1989.....	36,961	150	67	23	22	31	53	86	113	133	159
1988.....	37,308	148	68	19	19	27	57	75	116	137	152
1987.....	32,527	177	62	27	12	38	44	74	78	112	119
1986.....	32,432	170	56	32	25	35	48	74	99	113	145
1985.....	31,480	187	75	28	19	22	53	54	90	96	149
1984.....	26,837	187	63	36	37	23	47	61	74	96	114
1983.....	25,533	207	74	29	23	52	39	65	75	98	109
1982.....	21,415	195	65	16	26	40	50	59	66	98	100
1981.....	24,388	211	75	35	34	43	61	71	87	97	101
1980.....	24,559	243	87	38	37	58	71	75	91	111	122
1979.....	19,259	309	79	42	39	54	56	56	62	84	109

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	10,212	186	48	22	10	30	46	65	125	180	291
1997.....	9,574	157	60	22	14	25	41	77	120	184	252
1996.....	9,533	186	59	17	18	30	39	71	123	214	307
1995.....	9,282	190	67	24	15	17	37	73	137	224	270
1994.....	8,868	217	60	18	12	24	37	79	154	250	302
1993.....	9,100	207	65	15	11	26	57	79	173	245	296
1992.....	8,263	243	72	11	13	22	43	85	160	224	285
1991.....	8,584	261	73	8	15	24	47	90	178	281	270
1990.....	8,707	259	53	18	16	21	56	108	210	274	278
1989.....	8,697	240	91	12	15	30	56	117	237	298	287
1988.....	8,092	254	52	17	15	29	54	106	230	260	242
1987.....	7,414	262	64	9	15	23	54	95	207	240	231
1986.....	7,489	242	66	21	9	23	48	93	170	247	241
1985.....	7,107	262	70	24	15	21	30	75	165	203	204
1984.....	6,380	244	76	18	9	30	39	100	162	170	192
1983.....	5,858	304	71	18	12	25	32	91	139	133	164
1982.....	5,371	298	80	19	20	34	52	91	127	128	168
1981.....	5,812	302	73	11	13	22	47	81	105	178	187
1980.....	6,250	419	72	26	17	33	69	88	103	134	193
1979.....	5,227	426	86	23	19	28	53	78	116	152	180
ALL OTHER MALE											
1998.....	5,184	101	21	8	6	14	16	36	74	108	178
1997.....	4,898	89	33	10	7	15	18	40	67	116	152
1996.....	5,067	109	37	9	10	13	20	42	76	145	185
1995.....	4,839	110	28	11	7	8	15	45	87	134	169
1994.....	4,681	136	32	14	6	13	17	47	90	150	180
1993.....	4,845	124	32	8	8	14	28	40	94	157	191
1992.....	4,514	138	39	8	8	10	23	53	99	145	193
1991.....	4,625	132	46	4	5	15	27	57	114	180	168
1990.....	4,797	151	26	11	9	8	26	61	142	180	196
1989.....	4,809	137	49	7	7	13	33	65	130	200	193
1988.....	4,572	142	25	9	9	15	30	64	138	174	163
1987.....	4,278	146	36	6	8	13	27	60	134	171	153
1986.....	4,312	136	33	7	4	11	32	47	106	170	162
1985.....	4,131	156	37	12	8	9	16	49	104	134	145
1984.....	3,763	146	33	8	6	14	19	54	98	120	123
1983.....	3,544	184	37	11	6	13	13	55	98	94	122
1982.....	3,225	162	43	11	11	19	30	53	82	88	116
1981.....	3,528	172	44	7	5	15	26	44	66	126	123
1980.....	3,764	248	36	14	6	15	39	59	67	89	129
1979.....	3,181	234	45	11	10	14	26	35	74	113	119

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	5,028	85	27	14	4	16	30	29	51	72	113
1997.....	4,676	68	27	12	7	10	23	37	53	68	100
1996.....	4,466	77	22	8	8	17	19	29	47	69	122
1995.....	4,443	80	39	13	8	9	22	28	50	90	101
1994.....	4,187	81	28	4	6	11	20	32	64	100	122
1993.....	4,255	83	33	7	3	12	29	39	79	88	105
1992.....	3,749	105	33	3	5	12	20	32	61	79	92
1991.....	3,959	129	27	4	10	9	20	33	64	101	102
1990.....	3,910	108	27	7	7	13	30	47	68	94	82
1989.....	3,888	103	42	5	8	17	23	52	107	98	94
1988.....	3,520	112	27	8	6	14	24	42	92	86	79
1987.....	3,136	116	28	3	7	10	27	35	73	69	78
1986.....	3,177	106	33	14	5	12	16	46	64	77	79
1985.....	2,976	106	33	12	7	12	14	26	61	69	59
1984.....	2,617	98	43	10	3	16	20	46	64	50	69
1983.....	2,314	120	34	7	6	12	19	36	41	39	42
1982.....	2,146	136	37	8	9	15	22	38	45	40	52
1981.....	2,284	130	29	4	8	7	21	37	39	52	64
1980.....	2,486	171	36	12	11	18	30	29	36	45	64
1979.....	2,046	192	41	12	9	14	27	43	42	39	61
BLACK, BOTH SEXES											
1998.....	8,326	148	44	19	9	24	38	55	106	164	268
1997.....	7,920	141	50	18	14	19	37	67	110	170	234
1996.....	7,963	159	53	12	15	28	36	62	110	192	287
1995.....	7,803	166	58	23	13	11	36	71	121	211	244
1994.....	7,472	189	48	16	10	20	28	71	136	230	279
1993.....	7,724	176	54	10	10	22	53	66	168	231	269
1992.....	7,074	216	56	8	11	21	36	78	152	206	269
1991.....	7,372	234	68	8	15	23	43	87	164	270	248
1990.....	7,563	235	40	14	14	15	54	98	197	258	261
1989.....	7,585	210	75	10	15	28	52	112	232	283	273
1988.....	7,191	224	45	14	12	25	50	105	227	251	230
1987.....	6,565	227	52	7	14	20	51	89	204	232	217
1986.....	6,700	223	57	18	8	22	44	90	162	236	225
1985.....	6,338	237	63	22	14	20	29	70	155	190	192
1984.....	5,669	220	68	17	6	26	36	98	155	162	178
1983.....	5,234	279	62	16	10	23	29	85	133	124	150
1982.....	4,799	268	71	14	16	27	47	87	119	120	159
1981.....	5,276	274	62	9	11	21	43	78	99	171	180
1980.....	5,648	391	64	24	17	32	62	81	94	125	183
1979.....	4,740	395	83	22	17	25	46	69	109	142	169

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	4,178	83	20	8	6	10	13	29	61	99	165
1997.....	3,978	75	28	8	7	13	15	34	60	108	139
1996.....	4,170	89	34	7	9	12	19	34	69	132	175
1995.....	4,019	96	22	10	6	3	15	43	80	125	156
1994.....	3,899	119	26	13	6	10	15	43	78	133	165
1993.....	4,051	105	27	4	7	12	25	36	93	150	172
1992.....	3,822	124	31	5	6	10	19	49	93	134	181
1991.....	3,938	117	42	4	5	15	24	56	105	173	156
1990.....	4,161	136	20	9	7	7	25	56	134	171	186
1989.....	4,168	121	40	6	7	12	31	63	128	190	183
1988.....	4,047	123	23	8	8	13	29	64	137	171	156
1987.....	3,795	127	29	4	7	11	26	56	132	166	144
1986.....	3,836	123	31	6	4	10	29	44	98	160	153
1985.....	3,664	141	34	10	8	8	15	47	96	126	140
1984.....	3,336	131	31	8	4	12	18	54	93	116	112
1983.....	3,190	172	32	10	5	12	11	53	95	87	112
1982.....	2,884	148	37	8	9	16	25	49	78	87	111
1981.....	3,201	155	37	5	3	14	23	41	64	122	120
1980.....	3,386	231	34	12	6	14	34	54	60	81	122
1979.....	2,884	218	44	11	8	12	23	30	70	108	114
BLACK FEMALE											
1998.....	4,148	65	24	11	3	14	25	26	45	65	103
1997.....	3,942	66	22	10	7	6	22	33	50	62	95
1996.....	3,793	70	19	5	6	16	17	28	41	60	112
1995.....	3,784	70	36	13	7	8	21	28	41	86	88
1994.....	3,573	70	22	3	4	10	13	28	58	97	114
1993.....	3,673	71	27	6	3	10	28	30	75	81	97
1992.....	3,252	92	25	3	5	11	17	29	59	72	88
1991.....	3,434	117	26	4	10	8	19	31	59	97	92
1990.....	3,402	99	20	5	7	8	29	42	63	87	75
1989.....	3,417	89	35	4	8	16	21	49	104	93	90
1988.....	3,144	101	22	6	4	12	21	41	90	80	74
1987.....	2,770	100	23	3	7	9	25	33	72	66	73
1986.....	2,864	100	26	12	4	12	15	46	64	76	72
1985.....	2,674	96	29	12	6	12	14	23	59	64	52
1984.....	2,333	89	37	9	2	14	18	44	62	46	66
1983.....	2,044	107	30	6	5	11	18	32	38	37	38
1982.....	1,915	120	34	6	7	11	22	38	41	33	48
1981.....	2,075	119	25	4	8	7	20	37	35	49	60
1980.....	2,262	160	30	12	11	18	28	27	34	44	61
1979.....	1,856	177	39	11	9	13	23	39	39	34	55



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA (480-486)											
TOTAL, BOTH SEXES											
1998.....	90,147	435	143	66	41	69	136	182	348	530	853
1997.....	85,729	409	170	70	58	91	125	200	327	564	812
1996.....	82,982	481	165	67	61	83	112	202	358	584	863
1995.....	82,317	485	149	67	54	79	122	203	418	656	810
1994.....	80,244	553	171	56	44	86	130	196	443	672	816
1993.....	81,776	520	168	66	56	92	151	246	470	667	865
1992.....	74,713	592	182	51	48	82	139	222	425	596	735
1991.....	76,723	591	192	64	60	84	162	273	471	697	726
1990.....	77,415	627	161	69	53	82	144	279	477	677	725
1989.....	74,957	624	220	56	52	99	156	317	549	654	730
1988.....	75,719	635	177	63	59	89	169	289	545	646	686
1987.....	68,593	666	193	52	41	101	161	286	465	573	588
1986.....	67,974	656	191	71	62	109	158	265	459	564	613
1985.....	65,561	698	213	71	52	86	158	221	401	491	541
1984.....	57,798	680	206	90	70	99	141	251	385	419	492
1983.....	54,423	763	224	68	59	112	151	243	325	367	435
1982.....	48,159	748	226	64	73	125	181	231	313	339	423
1981.....	50,725	796	232	80	69	124	185	246	294	395	450
1980.....	51,917	1,000	255	98	86	132	204	254	296	387	488
1979.....	44,426	1,120	250	112	92	149	183	230	286	361	446
TOTAL, MALE											
1998.....	40,395	237	71	26	25	36	69	104	204	304	501
1997.....	39,013	250	84	34	31	54	63	114	195	345	494
1996.....	37,722	290	90	32	33	44	57	111	204	372	541
1995.....	37,565	275	65	30	23	52	65	115	261	414	508
1994.....	36,913	335	96	36	21	42	70	123	289	403	513
1993.....	37,607	304	86	36	28	47	75	140	279	432	568
1992.....	35,127	350	93	31	22	42	80	138	269	378	489
1991.....	35,781	316	116	38	27	54	92	173	305	460	474
1990.....	36,099	360	86	34	29	39	77	162	321	455	491
1989.....	35,151	377	117	31	26	53	87	183	336	433	484
1988.....	36,161	378	84	38	35	49	90	174	341	431	457
1987.....	33,310	374	107	23	22	54	92	179	317	395	392
1986.....	33,527	382	105	26	36	67	94	148	300	382	399
1985.....	32,422	409	108	33	27	52	93	142	251	328	336
1984.....	29,024	399	103	48	31	61	76	147	249	274	312
1983.....	27,464	439	119	32	32	53	94	145	212	234	290
1982.....	25,030	422	125	40	40	72	110	136	205	203	275
1981.....	25,954	459	133	41	33	76	105	143	180	252	291
1980.....	26,581	591	138	50	39	57	105	154	172	241	308
1979.....	23,493	624	133	58	46	83	102	131	183	239	277

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA (480-486)											
TOTAL, FEMALE											
1998.....	49,752	198	72	40	16	33	67	78	144	226	352
1997.....	46,716	159	86	36	27	37	62	86	132	219	318
1996.....	45,260	191	75	35	28	39	55	91	154	212	322
1995.....	44,752	210	84	37	31	27	57	88	157	242	302
1994.....	43,331	218	75	20	23	44	60	73	154	269	303
1993.....	44,169	216	82	30	28	45	76	106	191	235	297
1992.....	39,586	242	89	20	26	40	59	84	156	218	246
1991.....	40,942	275	76	26	33	30	70	100	166	237	252
1990.....	41,316	267	75	35	24	43	67	117	156	222	234
1989.....	39,806	247	103	25	26	46	69	134	213	221	246
1988.....	39,558	257	93	25	24	40	79	115	204	215	229
1987.....	35,283	292	86	29	19	47	69	107	148	178	196
1986.....	34,447	274	86	45	26	42	64	117	159	182	214
1985.....	33,139	289	105	38	25	34	65	79	150	163	205
1984.....	28,774	281	103	42	39	38	65	104	136	145	180
1983.....	26,959	324	105	36	27	59	57	98	113	133	145
1982.....	23,129	326	101	24	33	53	71	95	108	136	148
1981.....	24,771	337	99	39	36	48	80	103	114	143	159
1980.....	25,336	409	117	48	47	75	99	100	124	146	180
1979.....	20,933	496	117	54	46	66	81	99	103	122	169
WHITE, BOTH SEXES											
1998.....	79,992	251	96	45	32	41	90	117	223	351	562
1997.....	76,194	254	112	50	44	67	84	125	207	382	563
1996.....	73,499	300	106	50	44	56	73	131	237	371	557
1995.....	73,075	299	82	45	39	63	85	130	281	433	542
1994.....	71,428	339	111	38	32	63	93	117	289	423	514
1993.....	72,728	317	105	52	46	66	95	168	297	423	569
1992.....	66,502	350	111	40	35	60	96	137	267	376	451
1991.....	68,207	334	122	57	48	61	116	183	295	420	458
1990.....	68,807	368	110	52	39	62	89	173	267	404	448
1989.....	66,344	386	130	45	38	69	100	201	314	358	445
1988.....	67,705	384	128	46	44	60	115	186	318	388	445
1987.....	61,216	407	129	43	26	79	107	191	258	333	357
1986.....	60,569	415	128	51	53	88	111	175	290	318	374
1985.....	58,561	439	145	48	37	65	128	146	237	288	340
1984.....	51,473	439	132	73	62	69	102	151	223	250	303
1983.....	48,616	460	155	51	48	88	119	153	187	236	271
1982.....	42,829	453	147	45	54	91	129	140	186	212	256
1981.....	45,079	498	162	70	56	104	139	167	193	220	264
1980.....	45,774	586	184	73	69	101	139	167	193	254	297
1979.....	39,253	699	164	90	73	121	130	153	170	212	267

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA (480-486)											
WHITE MALE											
1998.....	35,235	137	51	18	19	23	53	68	130	197	323
1997.....	34,135	162	53	25	24	39	45	75	128	231	344
1996.....	32,678	184	53	23	23	32	37	69	128	227	357
1995.....	32,742	168	37	20	16	45	50	70	174	280	339
1994.....	32,252	201	64	22	15	30	53	76	199	254	333
1993.....	32,785	182	55	28	21	33	48	100	185	276	377
1992.....	30,637	212	54	23	14	32	57	85	171	236	297
1991.....	31,187	187	71	34	24	40	65	116	193	281	308
1990.....	31,350	209	61	24	21	31	52	102	179	275	296
1989.....	30,379	241	69	25	19	40	54	119	206	233	292
1988.....	31,622	237	62	29	26	34	60	113	204	257	295
1987.....	29,048	231	71	17	14	42	65	119	183	224	239
1986.....	29,247	246	74	20	32	56	63	102	194	212	237
1985.....	28,347	255	72	21	19	43	77	93	148	194	193
1984.....	25,289	253	71	40	26	47	57	93	151	154	190
1983.....	23,943	256	83	22	26	40	81	91	114	140	168
1982.....	21,827	260	83	29	29	53	80	83	123	115	160
1981.....	22,498	290	90	35	28	63	80	100	116	128	168
1980.....	22,859	346	102	36	33	44	70	96	105	152	180
1979.....	20,340	392	88	48	36	69	76	97	109	128	158
WHITE FEMALE											
1998.....	44,757	114	45	27	13	18	37	49	93	154	239
1997.....	42,059	92	59	25	20	28	39	50	79	151	219
1996.....	40,821	116	53	27	21	24	36	62	109	144	200
1995.....	40,333	131	45	25	23	18	35	60	107	153	203
1994.....	39,176	138	47	16	17	33	40	41	90	169	181
1993.....	39,943	135	50	24	25	33	47	68	112	147	192
1992.....	35,865	138	57	17	21	28	39	52	96	140	154
1991.....	37,020	147	51	23	24	21	51	67	102	139	150
1990.....	37,457	159	49	28	18	31	37	71	88	129	152
1989.....	35,965	145	61	20	19	29	46	82	108	125	153
1988.....	36,083	147	66	17	18	26	55	73	114	131	150
1987.....	32,168	176	58	26	12	37	42	72	75	109	118
1986.....	31,322	169	54	31	21	32	48	73	96	106	137
1985.....	30,214	184	73	27	18	22	51	53	89	94	147
1984.....	26,184	186	61	33	36	22	45	58	72	96	113
1983.....	24,673	204	72	29	22	48	38	62	73	96	103
1982.....	21,002	193	64	16	25	38	49	57	63	97	96
1981.....	22,581	208	72	35	28	41	59	67	77	92	96
1980.....	22,915	240	82	37	36	57	69	71	88	102	117
1979.....	18,913	307	76	42	37	52	54	56	61	84	109

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA (480-486)											
ALL OTHER, BOTH SEXES											
1998.....	10,155	184	47	21	9	28	46	65	125	179	291
1997.....	9,535	155	58	20	14	24	41	75	120	182	249
1996.....	9,483	181	59	17	17	27	39	71	121	213	306
1995.....	9,242	186	67	22	15	16	37	73	137	223	268
1994.....	8,816	214	60	18	12	23	37	79	154	249	302
1993.....	9,048	203	63	14	10	26	56	78	173	244	296
1992.....	8,211	242	71	11	13	22	43	85	158	220	284
1991.....	8,516	257	70	7	12	23	46	90	176	277	268
1990.....	8,608	259	51	17	14	20	55	106	210	273	277
1989.....	8,613	238	90	11	14	30	56	116	235	296	285
1988.....	8,014	251	49	17	15	29	54	103	227	258	241
1987.....	7,377	259	64	9	15	22	54	95	207	240	231
1986.....	7,405	241	63	20	9	21	47	90	169	246	239
1985.....	7,000	259	68	23	15	21	30	75	164	203	201
1984.....	6,325	241	74	17	8	30	39	100	162	169	189
1983.....	5,807	303	69	17	11	24	32	90	138	131	164
1982.....	5,330	295	79	19	19	34	52	91	127	127	167
1981.....	5,646	298	70	10	13	20	46	79	101	175	186
1980.....	6,143	414	71	25	17	31	65	87	103	133	191
1979.....	5,173	421	86	22	19	28	53	77	116	149	179
ALL OTHER MALE											
1998.....	5,160	100	20	8	6	13	16	36	74	107	178
1997.....	4,878	88	31	9	7	15	18	39	67	114	150
1996.....	5,044	106	37	9	10	12	20	42	76	145	184
1995.....	4,823	107	28	10	7	7	15	45	87	134	169
1994.....	4,661	134	32	14	6	12	17	47	90	149	180
1993.....	4,822	122	31	8	7	14	27	40	94	156	191
1992.....	4,490	138	39	8	8	10	23	53	98	142	192
1991.....	4,594	129	45	4	3	14	27	57	112	179	166
1990.....	4,749	151	25	10	8	8	25	60	142	180	195
1989.....	4,772	136	48	6	7	13	33	64	130	200	192
1988.....	4,539	141	22	9	9	15	30	61	137	174	162
1987.....	4,262	143	36	6	8	12	27	60	134	171	153
1986.....	4,280	136	31	6	4	11	31	46	106	170	162
1985.....	4,075	154	36	12	8	9	16	49	103	134	143
1984.....	3,735	146	32	8	5	14	19	54	98	120	122
1983.....	3,521	183	36	10	6	13	13	54	98	94	122
1982.....	3,203	162	42	11	11	19	30	53	82	88	115
1981.....	3,456	169	43	6	5	13	25	43	64	124	123
1980.....	3,722	245	36	14	6	13	35	58	67	89	128
1979.....	3,153	232	45	10	10	14	26	34	74	111	119

- CAUSE-OF-DEATH CODE,  
RACE, SEX, AND YEAR  
0 PNEUMONIA (480-486)

TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

## ALL OTHER FEMALE

1998.....	4,995	84	27	13	3	15	30	29	51	72	113
1997.....	4,657	67	27	11	7	9	23	36	53	68	99
1996.....	4,439	75	22	8	7	15	19	29	45	68	122
1995.....	4,419	79	39	12	8	9	22	28	50	89	99
1994.....	4,155	80	28	4	6	11	20	32	64	100	122
1993.....	4,226	81	32	6	3	12	29	38	79	88	105
1992.....	3,721	104	32	3	5	12	20	32	60	78	92
1991.....	3,922	128	25	3	9	9	19	33	64	98	102
1990.....	3,859	108	26	7	6	12	30	46	68	93	82
1989.....	3,841	102	42	5	7	17	23	52	105	96	93
1988.....	3,475	110	27	8	6	14	24	42	90	84	79
1987.....	3,115	116	28	3	7	10	27	35	73	69	78
1986.....	3,125	105	32	14	5	10	16	44	63	76	77
1985.....	2,925	105	32	11	7	12	14	26	61	69	58
1984.....	2,590	95	42	9	3	16	20	46	64	49	67
1983.....	2,286	120	33	7	5	11	19	36	40	37	42
1982.....	2,127	133	37	8	8	15	22	38	45	39	52
1981.....	2,190	129	27	4	8	7	21	36	37	51	63
1980.....	2,421	169	35	11	11	18	30	29	36	44	63
1979.....	2,020	189	41	12	9	14	27	43	42	38	60

## BLACK, BOTH SEXES

1998.....	8,293	147	43	18	9	22	38	55	106	163	268
1997.....	7,894	139	48	18	14	19	37	65	110	169	231
1996.....	7,929	156	53	12	15	26	36	62	109	191	286
1995.....	7,772	163	58	21	13	10	36	71	121	210	242
1994.....	7,433	186	48	16	10	20	28	71	136	229	279
1993.....	7,677	173	52	9	9	22	52	65	168	230	269
1992.....	7,034	216	56	8	11	21	36	78	150	202	268
1991.....	7,320	230	67	7	12	22	42	87	164	268	246
1990.....	7,473	235	38	13	12	14	53	96	197	257	260
1989.....	7,521	208	74	9	14	28	52	112	230	282	271
1988.....	7,122	222	42	14	12	25	50	102	224	249	229
1987.....	6,543	226	52	7	14	19	51	89	204	232	217
1986.....	6,631	222	55	17	8	20	44	87	161	235	223
1985.....	6,247	235	61	21	14	20	29	70	154	190	189
1984.....	5,626	218	66	16	6	26	36	98	155	162	175
1983.....	5,194	278	60	15	9	22	29	84	132	122	150
1982.....	4,772	266	71	14	15	27	47	87	119	119	158
1981.....	5,130	272	59	8	11	19	42	77	95	168	179
1980.....	5,560	386	63	23	17	31	58	80	94	124	181
1979.....	4,697	391	83	21	17	25	46	68	109	139	168

- CAUSE-OF-DEATH CODE,  
RACE, SEX, AND YEAR  
0 PNEUMONIA (480-486)

TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

## BLACK MALE

1998.....	4,165	82	19	8	6	9	13	29	61	98	165
1997.....	3,965	74	26	8	7	13	15	33	60	107	137
1996.....	4,156	88	34	7	9	11	19	34	69	132	174
1995.....	4,008	94	22	9	6	2	15	43	80	125	156
1994.....	3,884	117	26	13	6	10	15	43	78	132	165
1993.....	4,028	103	26	4	6	12	24	36	93	149	172
1992.....	3,804	124	31	5	6	10	19	49	92	131	180
1991.....	3,915	114	42	4	3	14	24	56	105	172	154
1990.....	4,115	136	19	8	6	7	24	55	134	171	185
1989.....	4,141	120	39	5	7	12	31	63	128	190	182
1988.....	4,019	123	20	8	8	13	29	61	136	171	155
1987.....	3,785	126	29	4	7	10	26	56	132	166	144
1986.....	3,812	123	29	5	4	10	29	43	98	160	153
1985.....	3,616	140	33	10	8	8	15	47	95	126	138
1984.....	3,314	131	30	8	4	12	18	54	93	116	111
1983.....	3,171	171	31	9	5	12	11	52	95	87	112
1982.....	2,869	148	37	8	9	16	25	49	78	87	110
1981.....	3,137	154	36	4	3	12	22	41	62	120	120
1980.....	3,349	228	34	12	6	13	30	53	60	81	121
1979.....	2,862	216	44	10	8	12	23	29	70	106	114

## BLACK FEMALE

1998.....	4,128	65	24	10	3	13	25	26	45	65	103
1997.....	3,929	65	22	10	7	6	22	32	50	62	94
1996.....	3,773	68	19	5	6	15	17	28	40	59	112
1995.....	3,764	69	36	12	7	8	21	28	41	85	86
1994.....	3,549	69	22	3	4	10	13	28	58	97	114
1993.....	3,649	70	26	5	3	10	28	29	75	81	97
1992.....	3,230	92	25	3	5	11	17	29	58	71	88
1991.....	3,405	116	25	3	9	8	18	31	59	96	92
1990.....	3,358	99	19	5	6	7	29	41	63	86	75
1989.....	3,380	88	35	4	7	16	21	49	102	92	89
1988.....	3,103	99	22	6	4	12	21	41	88	78	74
1987.....	2,758	100	23	3	7	9	25	33	72	66	73
1986.....	2,819	99	26	12	4	10	15	44	63	75	70
1985.....	2,631	95	28	11	6	12	14	23	59	64	51
1984.....	2,312	87	36	8	2	14	18	44	62	46	64
1983.....	2,023	107	29	6	4	10	18	32	37	35	38
1982.....	1,903	118	34	6	6	11	22	38	41	32	48
1981.....	1,993	118	23	4	8	7	20	36	33	48	59
1980.....	2,211	158	29	11	11	18	28	27	34	43	60
1979.....	1,835	175	39	11	9	13	23	39	39	33	54

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFLUENZA (487)											
TOTAL, BOTH SEXES											
1998.....	1,724	6	3	4	10	6	4	1	-	8	9
1997.....	720	12	10	6	7	3	1	3	4	11	7
1996.....	745	15	3	5	3	6	2	2	6	9	5
1995.....	606	7	7	6	1	4	2	-	1	8	6
1994.....	1,229	6	7	1	2	3	2	3	5	6	14
1993.....	1,044	10	14	6	7	3	5	4	4	11	8
1992.....	1,006	8	6	2	3	3	5	1	6	11	8
1991.....	1,137	16	15	4	7	7	3	6	9	9	12
1990.....	2,098	7	10	7	5	3	2	6	-	10	4
1989.....	1,593	12	8	7	7	5	11	7	8	17	14
1988.....	1,943	6	9	3	2	3	5	5	6	11	5
1987.....	632	8	6	1	-	3	3	5	3	12	4
1986.....	1,838	7	8	5	9	8	1	4	8	10	13
1985.....	2,054	7	6	5	2	3	4	3	5	5	10
1984.....	1,096	5	5	4	7	5	6	6	8	5	7
1983.....	1,431	6	8	1	2	6	1	5	4	6	8
1982.....	727	8	4	2	3	2	2	3	4	4	9
1981.....	3,006	13	8	4	8	9	9	14	17	9	10
1980.....	2,702	12	12	3	7	5	7	7	6	17	12
1979.....	604	9	8	3	5	6	3	5	3	3	3
TOTAL, MALE											
1998.....	584	2	2	1	5	2	2	-	-	3	2
1997.....	271	7	5	4	2	1	1	1	3	8	4
1996.....	269	9	1	3	1	3	2	1	1	2	1
1995.....	222	5	4	4	1	2	-	-	1	3	-
1994.....	426	4	2	-	1	2	1	1	4	3	5
1993.....	389	6	7	3	5	1	4	1	2	7	5
1992.....	338	6	2	1	-	2	2	1	3	7	6
1991.....	433	12	9	-	4	3	2	4	7	5	7
1990.....	799	5	2	6	2	2	1	2	-	3	1
1989.....	550	6	2	4	3	3	4	3	1	7	7
1988.....	673	3	7	1	1	2	3	3	2	3	3
1987.....	252	7	2	-	-	2	1	3	-	9	3
1986.....	676	5	5	4	5	3	1	1	4	2	3
1985.....	737	3	3	3	1	3	2	2	4	3	7
1984.....	416	1	2	-	6	4	4	3	6	4	4
1983.....	543	3	5	1	-	1	-	2	1	2	2
1982.....	295	3	3	2	1	-	1	1	1	2	5
1981.....	1,105	9	3	4	2	7	7	9	5	3	4
1980.....	993	7	6	1	6	4	5	3	3	7	6
1979.....	232	4	5	3	3	4	1	5	2	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFLUENZA (487)											
TOTAL, FEMALE											
1998.....	1,140	4	1	3	5	4	2	1	-	5	7
1997.....	449	5	5	2	5	2	-	2	1	3	3
1996.....	476	6	2	2	2	3	-	1	5	7	4
1995.....	384	2	3	2	-	2	2	-	-	5	6
1994.....	803	2	5	1	1	1	1	2	1	3	9
1993.....	655	4	7	3	2	2	1	3	2	4	3
1992.....	668	2	4	1	3	1	3	-	3	4	2
1991.....	704	4	6	4	3	4	1	2	2	4	5
1990.....	1,299	2	8	1	3	1	1	4	-	7	3
1989.....	1,043	6	6	3	4	2	7	4	7	10	7
1988.....	1,270	3	2	2	1	1	2	2	4	8	2
1987.....	380	1	4	1	-	1	2	2	3	3	1
1986.....	1,162	2	3	1	4	5	-	3	4	8	10
1985.....	1,317	4	3	2	1	-	2	1	1	2	3
1984.....	680	4	3	4	1	1	2	3	2	1	3
1983.....	888	3	3	-	2	5	1	3	3	4	6
1982.....	432	5	1	-	2	2	1	2	3	2	4
1981.....	1,901	4	5	-	6	2	2	5	12	6	6
1980.....	1,709	5	6	2	1	1	2	4	3	10	6
1979.....	372	5	3	-	2	2	2	-	1	1	1
WHITE, BOTH SEXES											
1998.....	1,667	4	2	3	9	4	4	1	-	7	9
1997.....	681	10	8	4	7	2	1	1	4	9	4
1996.....	695	10	3	5	2	3	2	2	4	8	4
1995.....	566	3	7	4	1	3	2	-	1	7	4
1994.....	1,177	3	7	1	2	2	2	3	5	5	14
1993.....	992	6	12	5	6	3	4	3	4	10	8
1992.....	954	7	5	2	3	3	5	1	4	7	7
1991.....	1,069	12	12	3	4	6	2	6	7	5	10
1990.....	1,999	7	8	6	3	2	1	4	-	9	3
1989.....	1,509	10	7	6	6	5	11	6	6	15	12
1988.....	1,865	3	6	3	2	3	5	2	3	9	4
1987.....	595	5	6	1	-	2	3	5	3	12	4
1986.....	1,754	6	5	4	9	6	-	1	7	9	11
1985.....	1,947	4	4	4	2	3	4	3	4	5	7
1984.....	1,041	2	3	3	6	5	6	6	8	4	4
1983.....	1,380	5	6	-	1	5	1	4	3	4	8
1982.....	686	5	3	2	2	2	2	3	4	3	8
1981.....	2,840	9	5	3	8	7	8	12	13	6	9
1980.....	2,595	7	11	2	7	3	3	6	6	16	10
1979.....	550	4	8	2	5	6	3	4	3	-	2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFLUENZA (487)											
WHITE MALE											
1998.....	560	1	1	1	5	1	2	-	-	2	2
1997.....	251	6	3	3	2	1	1	-	3	6	2
1996.....	246	6	1	3	1	2	2	1	1	2	-
1995.....	206	2	4	3	1	1	-	-	1	3	-
1994.....	406	2	2	-	1	1	1	1	4	2	5
1993.....	366	4	6	3	4	1	3	1	2	6	5
1992.....	314	6	2	1	-	2	2	1	2	4	5
1991.....	402	9	8	-	2	2	2	4	5	4	5
1990.....	751	5	1	5	1	2	-	1	-	3	-
1989.....	513	5	1	3	3	3	4	2	1	7	6
1988.....	640	2	4	1	1	2	3	-	1	3	2
1987.....	236	4	2	-	-	1	1	3	-	9	3
1986.....	644	5	3	3	5	3	-	-	4	2	3
1985.....	681	1	2	3	1	3	2	2	3	3	5
1984.....	388	1	1	-	5	4	4	3	6	4	3
1983.....	520	2	4	-	-	1	-	1	1	2	2
1982.....	273	3	2	2	1	-	1	1	1	2	4
1981.....	1,033	6	2	3	2	5	6	8	3	1	4
1980.....	951	4	6	1	6	2	1	2	3	7	5
1979.....	204	2	5	2	3	4	1	4	2	-	2
WHITE FEMALE											
1998.....	1,107	3	1	2	4	3	2	1	-	5	7
1997.....	430	4	5	1	5	1	-	1	1	3	2
1996.....	449	4	2	2	1	1	-	1	3	6	4
1995.....	360	1	3	1	-	2	2	-	-	4	4
1994.....	771	1	5	1	1	1	1	2	1	3	9
1993.....	626	2	6	2	2	2	1	2	2	4	3
1992.....	640	1	3	1	3	1	3	-	2	3	2
1991.....	667	3	4	3	2	4	-	2	2	1	5
1990.....	1,248	2	7	1	2	-	1	3	-	6	3
1989.....	996	5	6	3	3	2	7	4	5	8	6
1988.....	1,225	1	2	2	1	1	2	2	2	6	2
1987.....	359	1	4	1	-	1	2	2	3	3	1
1986.....	1,110	1	2	1	4	3	-	1	3	7	8
1985.....	1,266	3	2	1	1	-	2	1	1	2	2
1984.....	653	1	2	3	1	1	2	3	2	-	1
1983.....	860	3	2	-	1	4	1	3	2	2	6
1982.....	413	2	1	-	1	2	1	2	3	1	4
1981.....	1,807	3	3	-	6	2	2	4	10	5	5
1980.....	1,644	3	5	1	1	1	2	4	3	9	5
1979.....	346	2	3	-	2	2	2	-	1	-	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFLUENZA (487)											
ALL OTHER, BOTH SEXES											
1998.....	57	2	1	1	1	2	-	-	-	1	-
1997.....	39	2	2	2	-	1	-	2	-	2	3
1996.....	50	5	-	-	1	3	-	-	2	1	1
1995.....	40	4	-	2	-	1	-	-	-	1	2
1994.....	52	3	-	-	-	1	-	-	-	1	-
1993.....	52	4	2	1	1	-	1	1	-	1	-
1992.....	52	1	1	-	-	-	-	-	2	4	1
1991.....	68	4	3	1	3	1	1	-	2	4	2
1990.....	99	-	2	1	2	1	1	2	-	1	1
1989.....	84	2	1	1	1	-	-	1	2	2	2
1988.....	78	3	3	-	-	-	-	3	3	2	1
1987.....	37	3	-	-	-	1	-	-	-	-	-
1986.....	84	1	3	1	-	2	1	3	1	1	2
1985.....	107	3	2	1	-	-	-	-	1	-	3
1984.....	55	3	2	1	1	-	-	-	-	1	3
1983.....	51	1	2	1	1	1	-	1	1	2	-
1982.....	41	3	1	-	1	-	-	-	-	1	1
1981.....	166	4	3	1	-	2	1	2	4	3	1
1980.....	107	5	1	1	-	2	4	1	-	1	2
1979.....	54	5	-	1	-	-	-	1	-	3	1
ALL OTHER MALE											
1998.....	24	1	1	-	-	1	-	-	-	1	-
1997.....	20	1	2	1	-	-	-	1	-	2	2
1996.....	23	3	-	-	-	1	-	-	-	-	1
1995.....	16	3	-	1	-	1	-	-	-	-	-
1994.....	20	2	-	-	-	1	-	-	-	1	-
1993.....	23	2	1	-	1	-	1	-	-	1	-
1992.....	24	-	-	-	-	-	-	-	1	3	1
1991.....	31	3	1	-	2	1	-	-	2	1	2
1990.....	48	-	1	1	1	-	1	1	-	-	1
1989.....	37	1	1	1	-	-	-	1	-	-	1
1988.....	33	1	3	-	-	-	-	3	1	-	1
1987.....	16	3	-	-	-	1	-	-	-	-	-
1986.....	32	-	2	1	-	-	1	1	-	-	-
1985.....	56	2	1	-	-	-	-	-	1	-	2
1984.....	28	-	1	-	1	-	-	-	-	-	1
1983.....	23	1	1	1	-	-	-	1	-	-	-
1982.....	22	-	1	-	-	-	-	-	-	-	1
1981.....	72	3	1	1	-	2	1	1	2	2	-
1980.....	42	3	-	-	-	2	4	1	-	-	1
1979.....	28	2	-	1	-	-	-	1	-	2	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFLUENZA (487)											
ALL OTHER FEMALE											
1998.....	33	1	-	1	1	1	-	-	-	-	-
1997.....	19	1	-	1	-	1	-	1	-	-	1
1996.....	27	2	-	-	1	2	-	-	2	1	-
1995.....	24	1	-	1	-	-	-	-	-	1	2
1994.....	32	1	-	-	-	-	-	-	-	-	-
1993.....	29	2	1	1	-	-	-	1	-	-	-
1992.....	28	1	1	-	-	-	-	1	-	1	-
1991.....	37	1	2	1	1	-	1	-	-	3	-
1990.....	51	-	1	-	1	1	-	1	-	1	-
1989.....	47	1	-	-	1	-	-	-	2	2	1
1988.....	45	2	-	-	-	-	-	-	2	2	-
1987.....	21	-	-	-	-	-	-	-	-	-	-
1986.....	52	1	1	-	-	2	-	2	1	1	2
1985.....	51	1	1	1	-	-	-	-	-	-	1
1984.....	27	3	1	1	-	-	-	-	-	1	2
1983.....	28	-	1	-	1	1	-	-	1	2	-
1982.....	19	3	-	-	1	-	-	-	-	1	-
1981.....	94	1	2	-	-	-	-	1	2	1	1
1980.....	65	2	1	1	-	-	-	1	-	1	1
1979.....	26	3	-	-	-	-	-	-	-	1	1
BLACK, BOTH SEXES											
1998.....	33	1	1	1	-	2	-	-	-	1	-
1997.....	26	2	2	-	-	-	-	2	-	1	3
1996.....	34	3	-	-	-	2	-	-	1	1	1
1995.....	31	3	-	2	-	1	-	-	-	1	2
1994.....	39	3	-	-	-	-	-	-	-	1	-
1993.....	47	3	2	1	1	-	1	1	-	1	-
1992.....	40	-	-	-	-	-	-	-	2	4	1
1991.....	52	4	1	1	3	1	1	-	-	2	2
1990.....	90	-	2	1	2	1	1	2	-	1	1
1989.....	64	2	1	1	1	-	-	-	2	1	2
1988.....	69	2	3	-	-	-	-	3	3	2	1
1987.....	22	1	-	-	-	1	-	-	-	-	-
1986.....	69	1	2	1	-	2	-	3	1	1	2
1985.....	91	2	2	1	-	-	-	-	1	-	3
1984.....	43	2	2	1	-	-	-	-	-	-	3
1983.....	40	1	2	1	1	1	-	1	1	2	-
1982.....	27	2	-	-	1	-	-	-	-	1	1
1981.....	146	2	3	1	-	2	1	1	4	3	1
1980.....	88	5	1	1	-	1	4	1	-	1	2
1979.....	43	4	-	1	-	-	-	1	-	3	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 INFLUENZA (487)												
BLACK MALE												
1998.....	13	1	1	-	-	1	-	-	-	1	-	
1997.....	13	1	2	-	-	-	-	1	-	1	2	
1996.....	14	1	-	-	-	1	-	-	-	-	1	
1995.....	11	2	-	1	-	1	-	-	-	-	-	
1994.....	15	2	-	-	-	-	-	-	-	1	-	
1993.....	23	2	1	-	1	-	1	-	-	1	-	
1992.....	18	-	-	-	-	-	-	-	1	3	1	
1991.....	23	3	-	-	2	1	-	-	-	1	2	
1990.....	46	-	1	1	1	-	1	1	-	-	1	
1989.....	27	1	1	1	-	-	-	-	-	-	1	
1988.....	28	-	3	-	-	-	-	3	1	-	1	
1987.....	10	1	-	-	-	1	-	-	-	-	-	
1986.....	24	-	2	1	-	-	-	1	-	-	-	
1985.....	48	1	1	-	-	-	-	-	1	-	2	
1984.....	22	-	1	-	-	-	-	-	-	-	1	
1983.....	19	1	1	1	-	-	-	1	-	-	-	
1982.....	15	-	-	-	-	-	-	-	-	-	1	
1981.....	64	1	1	1	-	2	1	-	2	2	-	
1980.....	37	3	-	-	-	1	4	1	-	-	1	
1979.....	22	2	-	1	-	-	-	1	-	2	-	
BLACK FEMALE												
1998.....	20	-	-	1	-	1	-	-	-	-	-	
1997.....	13	1	-	-	-	-	-	1	-	-	1	
1996.....	20	2	-	-	-	1	-	-	1	1	-	
1995.....	20	1	-	1	-	-	-	-	-	1	2	
1994.....	24	1	-	-	-	-	-	-	-	-	-	
1993.....	24	1	1	1	-	-	-	1	-	-	-	
1992.....	22	-	-	-	-	-	-	-	1	1	-	
1991.....	29	1	1	1	1	-	1	-	-	1	-	
1990.....	44	-	1	-	1	1	-	1	-	1	-	
1989.....	37	1	-	-	1	-	-	-	2	1	1	
1988.....	41	2	-	-	-	-	-	-	2	2	-	
1987.....	12	-	-	-	-	-	-	-	-	-	-	
1986.....	45	1	-	-	-	2	-	2	1	1	2	
1985.....	43	1	1	1	-	-	-	-	-	-	1	
1984.....	21	2	1	1	-	-	-	-	-	-	2	
1983.....	21	-	1	-	1	1	-	-	1	2	-	
1982.....	12	2	-	-	1	-	-	-	-	1	-	
1981.....	82	1	2	-	-	-	-	1	2	1	1	
1980.....	51	2	1	1	-	-	-	-	-	1	1	
1979.....	21	2	-	-	-	-	-	-	-	1	1	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	112,584	39	49	54	98	98	141	155	173	337	547
1997.....	109,029	50	41	50	79	96	105	156	201	315	571
1996.....	106,027	38	51	55	110	111	126	162	189	307	548
1995.....	102,899	43	37	38	105	132	114	141	233	312	519
1994.....	101,628	54	44	41	86	120	112	158	206	304	433
1993.....	101,077	53	51	43	95	91	115	126	170	283	450
1992.....	91,938	45	63	38	62	90	99	103	175	269	432
1991.....	90,650	59	51	44	78	103	106	139	192	250	437
1990.....	86,679	55	55	34	81	82	96	133	167	222	386
1989.....	84,344	48	55	43	70	86	90	127	191	243	389
1988.....	82,853	55	44	32	71	75	103	137	163	236	394
1987.....	78,380	53	49	31	88	109	100	109	155	243	390
1986.....	76,559	60	34	29	77	95	96	116	131	205	337
1985.....	74,662	52	36	37	78	73	107	98	135	200	294
1984.....	69,100	56	46	36	58	64	96	106	121	180	313
1983.....	66,246	52	58	32	61	96	88	113	123	183	302
1982.....	59,869	61	59	35	52	92	109	94	129	169	278
1981.....	58,832	61	43	36	61	64	85	102	111	167	273
1980.....	56,050	57	47	25	60	63	78	91	111	142	269
1979.....	49,933	66	61	24	33	62	70	87	89	151	274
TOTAL, MALE											
1998.....	57,018	24	33	26	62	56	93	87	89	169	259
1997.....	55,984	32	27	30	41	67	68	79	111	150	265
1996.....	54,485	25	34	36	61	64	67	76	84	143	258
1995.....	53,938	28	20	29	69	69	64	74	117	157	210
1994.....	53,729	34	26	26	56	75	68	82	106	151	221
1993.....	54,371	31	33	23	56	56	72	62	74	132	223
1992.....	50,465	34	35	20	35	51	55	61	97	134	224
1991.....	50,485	32	34	23	52	59	58	77	97	125	232
1990.....	49,416	32	40	24	47	43	48	70	85	120	202
1989.....	48,178	35	28	27	43	49	47	67	102	128	206
1988.....	48,939	33	25	24	39	42	57	70	87	124	205
1987.....	47,039	34	25	19	59	60	57	60	79	127	206
1986.....	47,058	43	19	15	43	60	54	64	55	107	183
1985.....	46,596	37	19	23	34	37	54	50	68	106	151
1984.....	44,013	35	19	17	43	35	55	54	51	92	161
1983.....	43,119	33	42	19	37	49	44	56	60	92	143
1982.....	39,702	40	29	19	23	54	66	50	74	92	132
1981.....	39,773	38	31	22	36	40	48	59	54	74	146
1980.....	38,625	34	30	12	30	34	44	49	57	70	144
1979.....	35,295	40	33	12	23	30	37	43	49	72	148

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	55,566	15	16	28	36	42	48	68	84	168	288
1997.....	53,045	18	14	20	38	29	37	77	90	165	306
1996.....	51,542	13	17	19	49	47	59	86	105	164	290
1995.....	48,961	15	17	9	36	63	50	67	116	155	309
1994.....	47,899	20	18	15	30	45	44	76	100	153	212
1993.....	46,706	22	18	20	39	35	43	64	96	151	227
1992.....	41,473	11	28	18	27	39	44	42	78	135	208
1991.....	40,165	27	17	21	26	44	48	62	95	125	205
1990.....	37,263	23	15	10	34	39	48	63	82	102	184
1989.....	36,166	13	27	16	27	37	43	60	89	115	183
1988.....	33,914	22	19	8	32	33	46	67	76	112	189
1987.....	31,341	19	24	12	29	49	43	49	76	116	184
1986.....	29,501	17	15	14	34	35	42	52	76	98	154
1985.....	28,066	15	17	14	44	36	53	48	67	94	143
1984.....	25,087	21	27	19	15	29	41	52	70	88	152
1983.....	23,127	19	16	13	24	47	44	57	63	91	159
1982.....	20,167	21	30	16	29	38	43	44	55	77	146
1981.....	19,059	23	12	14	25	24	37	43	57	93	127
1980.....	17,425	23	17	13	30	29	34	42	54	72	125
1979.....	14,638	26	28	12	10	32	33	44	40	79	126
WHITE, BOTH SEXES											
1998.....	104,061	20	23	29	49	50	79	82	86	207	371
1997.....	100,770	29	17	20	40	56	69	87	115	191	400
1996.....	97,889	19	22	26	50	56	67	97	102	200	365
1995.....	95,077	29	24	16	51	77	61	84	149	192	351
1994.....	94,073	36	21	20	42	63	69	76	130	189	281
1993.....	93,615	35	24	22	51	53	67	68	102	180	272
1992.....	85,231	22	32	16	34	54	53	62	106	168	307
1991.....	83,951	34	26	20	45	60	58	83	113	145	304
1990.....	80,179	38	31	17	42	51	57	80	94	137	265
1989.....	77,881	33	36	21	41	59	53	68	119	146	251
1988.....	76,673	35	27	16	37	43	57	86	89	136	270
1987.....	72,668	39	31	17	42	64	58	68	90	152	292
1986.....	71,122	38	24	15	45	48	60	76	80	134	245
1985.....	69,438	37	21	18	40	39	60	60	78	139	216
1984.....	64,276	31	33	26	31	32	68	63	76	113	217
1983.....	61,709	38	31	18	30	54	60	70	63	120	209
1982.....	55,887	39	34	24	28	59	65	61	81	109	193
1981.....	54,982	45	25	25	38	35	57	63	70	110	204
1980.....	52,375	36	26	14	35	39	45	53	64	87	194
1979.....	46,692	50	48	17	25	39	46	51	53	96	205

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE											
1998.....	52,172	14	16	12	29	30	49	44	43	109	177
1997.....	51,184	18	9	11	23	43	41	41	62	84	197
1996.....	49,822	12	14	18	31	29	34	43	44	93	170
1995.....	49,320	20	11	12	28	35	31	41	70	97	146
1994.....	49,226	21	11	15	26	39	37	34	59	101	147
1993.....	49,812	20	17	15	24	31	40	31	48	86	134
1992.....	46,355	19	22	8	18	29	25	32	60	90	160
1991.....	46,316	19	16	11	30	33	27	46	58	71	158
1990.....	45,234	21	21	13	20	22	28	42	49	78	135
1989.....	44,046	25	18	11	27	31	24	32	61	76	122
1988.....	44,827	23	19	13	21	21	28	39	44	71	137
1987.....	43,290	24	14	7	26	35	34	33	46	74	157
1986.....	43,341	28	12	6	21	32	33	42	33	71	129
1985.....	43,074	30	10	16	13	18	24	26	37	70	103
1984.....	40,728	20	11	12	23	18	39	32	37	60	114
1983.....	39,978	22	22	10	17	26	30	34	29	59	99
1982.....	36,970	27	17	13	11	33	39	34	44	60	87
1981.....	36,991	29	15	17	23	17	30	39	30	50	108
1980.....	35,977	20	17	7	14	20	26	31	35	37	99
1979.....	32,942	29	27	8	18	21	25	26	32	44	106
WHITE FEMALE											
1998.....	51,889	6	7	17	20	20	30	38	43	98	194
1997.....	49,586	11	8	9	17	13	28	46	53	107	203
1996.....	48,067	7	8	8	19	27	33	54	58	107	195
1995.....	45,757	9	13	4	23	42	30	43	79	95	205
1994.....	44,847	15	10	5	16	24	32	42	71	88	134
1993.....	43,803	15	7	7	27	22	27	37	54	94	138
1992.....	38,876	3	10	8	16	25	28	30	46	78	147
1991.....	37,635	15	10	9	15	27	31	37	55	74	146
1990.....	34,945	17	10	4	22	29	29	38	45	59	130
1989.....	33,835	8	18	10	14	28	29	36	58	70	129
1988.....	31,846	12	8	3	16	22	29	47	45	65	133
1987.....	29,378	15	17	10	16	29	24	35	44	78	135
1986.....	27,781	10	12	9	24	16	27	34	47	63	116
1985.....	26,364	7	11	2	27	21	36	34	41	69	113
1984.....	23,548	11	22	14	8	14	29	31	39	53	103
1983.....	21,731	16	9	8	13	28	30	36	34	61	110
1982.....	18,917	12	17	11	17	26	26	27	37	49	106
1981.....	17,991	16	10	8	15	18	27	24	40	60	96
1980.....	16,398	16	9	7	21	19	19	22	29	50	95
1979.....	13,750	21	21	9	7	18	21	25	21	52	99

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER, BOTH SEXES											
1998.....	8,523	19	26	25	49	48	62	73	87	130	176
1997.....	8,259	21	24	30	39	40	36	69	86	124	171
1996.....	8,138	19	29	29	60	55	59	65	87	107	183
1995.....	7,822	14	13	22	54	55	53	57	84	120	168
1994.....	7,555	18	23	21	44	57	43	82	76	115	152
1993.....	7,462	18	27	21	44	38	48	58	68	103	178
1992.....	6,707	23	31	22	28	36	46	41	69	101	125
1991.....	6,699	25	25	24	33	43	48	56	79	105	133
1990.....	6,500	17	24	17	39	31	39	53	73	85	121
1989.....	6,463	15	19	22	29	27	37	59	72	97	138
1988.....	6,180	20	17	16	34	32	46	51	74	100	124
1987.....	5,712	14	18	14	46	45	42	41	65	91	98
1986.....	5,437	22	10	14	32	47	36	40	51	71	92
1985.....	5,224	15	15	19	38	34	47	38	57	61	78
1984.....	4,824	25	13	10	27	32	28	43	45	67	96
1983.....	4,537	14	27	14	31	42	28	43	60	63	93
1982.....	3,982	22	25	11	24	33	44	33	48	60	85
1981.....	3,850	16	18	11	23	29	28	39	41	57	69
1980.....	3,675	21	21	11	25	24	33	38	47	55	75
1979.....	3,241	16	13	7	8	23	24	36	36	55	69
ALL OTHER MALE											
1998.....	4,846	10	17	14	33	26	44	43	46	60	82
1997.....	4,800	14	18	19	18	24	27	38	49	66	68
1996.....	4,663	13	20	18	30	35	33	33	40	50	88
1995.....	4,618	8	9	17	41	34	33	33	47	60	64
1994.....	4,503	13	15	11	30	36	31	48	47	50	74
1993.....	4,559	11	16	8	32	25	32	31	26	46	89
1992.....	4,110	15	13	12	17	22	30	29	37	44	64
1991.....	4,169	13	18	12	22	26	31	31	39	54	74
1990.....	4,182	11	19	11	27	21	20	28	36	42	67
1989.....	4,132	10	10	16	16	18	23	35	41	52	84
1988.....	4,112	10	6	11	18	21	29	31	43	53	68
1987.....	3,749	10	11	12	33	25	23	27	33	53	49
1986.....	3,717	15	7	9	22	28	21	22	22	36	54
1985.....	3,522	7	9	7	21	19	30	24	31	36	48
1984.....	3,285	15	8	5	20	17	16	22	14	32	47
1983.....	3,141	11	20	9	20	23	14	22	31	33	44
1982.....	2,732	13	12	6	12	21	27	16	30	32	45
1981.....	2,782	9	16	5	13	23	18	20	24	24	38
1980.....	2,648	14	13	5	16	14	18	18	22	33	45
1979.....	2,353	11	6	4	5	9	12	17	17	28	42



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998.....	3,677	9	9	11	16	22	18	30	41	70	94
1997.....	3,459	7	6	11	21	16	9	31	37	58	103
1996.....	3,475	6	9	11	30	20	26	32	47	57	95
1995.....	3,204	6	4	5	13	21	20	24	37	60	104
1994.....	3,052	5	8	10	14	21	12	34	29	65	78
1993.....	2,903	7	11	13	12	13	16	27	42	57	89
1992.....	2,597	8	18	10	11	14	16	12	32	57	61
1991.....	2,530	12	7	12	11	17	17	25	40	51	59
1990.....	2,318	6	5	6	12	10	19	25	37	43	54
1989.....	2,331	5	9	6	13	9	14	24	31	45	54
1988.....	2,068	10	11	5	16	11	17	20	31	47	56
1987.....	1,963	4	7	2	13	20	19	14	32	38	49
1986.....	1,720	7	3	5	10	19	15	18	29	35	38
1985.....	1,702	8	6	12	17	15	17	14	26	25	30
1984.....	1,539	10	5	5	7	15	12	21	31	35	49
1983.....	1,396	3	7	5	11	19	14	21	29	30	49
1982.....	1,250	9	13	5	12	12	17	17	18	28	40
1981.....	1,068	7	2	6	10	6	10	19	17	33	31
1980.....	1,027	7	8	6	9	10	15	20	25	22	30
1979.....	888	5	7	3	3	14	12	19	19	27	27
BLACK, BOTH SEXES											
1998.....	7,205	16	24	23	41	47	58	68	75	126	160
1997.....	6,908	18	22	27	37	33	32	63	80	114	153
1996.....	6,924	17	25	25	53	52	52	59	77	102	168
1995.....	6,667	14	12	21	51	53	51	54	80	104	151
1994.....	6,511	16	20	20	41	52	38	76	72	113	139
1993.....	6,435	16	23	21	41	37	45	53	63	92	168
1992.....	5,857	21	28	21	26	35	45	37	63	92	119
1991.....	5,816	25	24	22	32	40	42	51	73	95	120
1990.....	5,655	15	22	16	37	27	36	49	69	80	111
1989.....	5,671	12	18	18	27	25	35	54	68	89	125
1988.....	5,476	18	16	13	31	29	40	45	70	97	116
1987.....	5,052	12	18	13	43	42	39	38	64	85	95
1986.....	4,856	19	9	14	32	40	36	38	46	64	85
1985.....	4,659	13	13	17	36	31	45	35	55	60	74
1984.....	4,293	23	12	9	25	31	27	37	44	60	90
1983.....	4,068	11	25	11	28	40	25	42	56	60	84
1982.....	3,631	21	24	10	24	31	40	33	44	57	82
1981.....	3,517	16	18	11	22	26	25	38	35	54	64
1980.....	3,380	20	18	11	25	22	32	35	44	52	71
1979.....	2,957	14	11	7	8	22	22	34	34	53	63

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)											
BLACK MALE											
1998.....	4,039	8	15	12	27	26	43	40	40	57	73
1997.....	3,966	12	18	16	17	18	24	34	44	61	61
1996.....	3,928	13	16	15	26	34	28	28	36	47	82
1995.....	3,917	8	8	17	38	33	31	31	47	51	54
1994.....	3,857	12	12	11	28	31	26	45	46	49	67
1993.....	3,913	9	12	8	30	24	31	29	24	42	81
1992.....	3,569	14	13	12	16	21	29	27	34	40	63
1991.....	3,621	13	17	10	21	24	25	28	36	47	69
1990.....	3,628	9	17	11	26	18	20	27	35	42	62
1989.....	3,593	9	9	14	14	17	21	32	39	47	75
1988.....	3,644	9	6	9	15	20	24	27	40	52	65
1987.....	3,319	8	11	11	30	23	23	26	32	48	47
1986.....	3,302	12	6	9	22	24	21	21	20	33	50
1985.....	3,154	6	9	5	20	17	29	21	30	36	46
1984.....	2,922	15	8	5	19	16	15	19	14	31	42
1983.....	2,813	8	19	8	18	22	13	21	30	32	41
1982.....	2,489	12	12	6	12	21	27	16	28	31	44
1981.....	2,545	9	16	5	12	20	16	20	20	22	38
1980.....	2,429	13	11	5	16	13	17	16	22	30	42
1979.....	2,166	10	6	4	5	8	11	16	17	27	37
BLACK FEMALE											
1998.....	3,166	8	9	11	14	21	15	28	35	69	87
1997.....	2,942	6	4	11	20	15	8	29	36	53	92
1996.....	2,996	4	9	10	27	18	24	31	41	55	86
1995.....	2,750	6	4	4	13	20	20	23	33	53	97
1994.....	2,654	4	8	9	13	21	12	31	26	64	72
1993.....	2,522	7	11	13	11	13	14	24	39	50	87
1992.....	2,288	7	15	9	10	14	16	10	29	52	56
1991.....	2,195	12	7	12	11	16	17	23	37	48	51
1990.....	2,027	6	5	5	11	9	16	22	34	38	49
1989.....	2,078	3	9	4	13	8	14	22	29	42	50
1988.....	1,832	9	10	4	16	9	16	18	30	45	51
1987.....	1,733	4	7	2	13	19	16	12	32	37	48
1986.....	1,554	7	3	5	10	16	15	17	26	31	35
1985.....	1,505	7	4	12	16	14	16	14	25	24	28
1984.....	1,371	8	4	4	6	15	12	18	30	29	48
1983.....	1,255	3	6	3	10	18	12	21	26	28	43
1982.....	1,142	9	12	4	12	10	13	17	16	26	38
1981.....	972	7	2	6	10	6	9	18	15	32	26
1980.....	951	7	7	6	9	9	15	19	22	22	29
1979.....	791	4	5	3	3	14	11	18	17	26	26

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)											
TOTAL, BOTH SEXES											
1998.....	3,032	27	12	5	6	3	7	5	8	22	19
1997.....	3,055	39	10	2	4	8	4	7	6	13	26
1996.....	3,151	27	11	5	7	5	4	10	18	17	32
1995.....	3,333	26	13	-	6	11	4	11	11	15	23
1994.....	3,579	41	16	2	3	5	1	5	8	17	23
1993.....	3,777	41	12	8	7	3	6	8	9	17	29
1992.....	3,664	33	20	4	3	6	4	3	12	19	21
1991.....	3,727	45	19	7	5	4	10	10	7	17	22
1990.....	3,600	39	23	3	4	2	5	11	8	13	25
1989.....	3,759	30	26	4	6	1	8	8	9	17	13
1988.....	3,720	43	18	2	2	1	4	9	13	15	20
1987.....	3,581	36	23	10	4	4	12	9	10	11	15
1986.....	3,750	40	12	2	3	3	6	4	8	14	19
1985.....	3,615	40	12	5	5	7	2	4	10	14	10
1984.....	3,545	38	17	2	4	4	7	8	9	15	21
1983.....	3,578	36	23	3	1	8	5	6	4	9	16
1982.....	3,495	41	24	3	3	7	10	4	10	18	15
1981.....	3,685	44	24	5	9	3	11	8	6	13	14
1980.....	3,728	42	21	7	5	7	5	6	10	12	23
1979.....	3,650	57	37	10	4	5	9	12	5	9	18
TOTAL, MALE											
1998.....	1,482	18	9	2	2	1	4	3	4	10	14
1997.....	1,460	27	6	1	2	5	3	4	3	4	15
1996.....	1,574	18	9	2	2	3	1	6	7	7	20
1995.....	1,667	22	5	-	2	7	3	5	4	8	9
1994.....	1,763	26	8	2	2	2	1	2	3	13	12
1993.....	1,888	24	8	4	4	3	4	4	6	9	14
1992.....	1,819	24	14	3	3	3	2	1	7	9	15
1991.....	1,957	23	14	3	2	3	5	7	4	7	13
1990.....	1,878	23	14	2	3	1	1	7	4	5	11
1989.....	1,956	22	16	3	3	1	4	4	7	13	9
1988.....	1,992	26	10	2	1	-	3	4	6	6	12
1987.....	1,884	22	11	7	4	3	6	5	5	7	11
1986.....	2,079	27	7	-	2	2	5	2	3	8	14
1985.....	2,041	28	6	4	-	4	1	2	7	5	6
1984.....	2,029	25	4	1	3	3	6	3	5	8	10
1983.....	2,139	22	16	2	-	4	3	4	2	3	10
1982.....	2,126	24	9	2	1	4	8	3	6	7	4
1981.....	2,344	31	18	1	7	1	7	6	4	8	7
1980.....	2,380	25	15	5	3	5	2	2	4	9	14
1979.....	2,405	34	22	6	3	4	5	8	4	3	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)											
TOTAL, FEMALE											
1998.....	1,550	9	3	3	4	2	3	2	4	12	5
1997.....	1,595	12	4	1	2	3	1	3	3	9	11
1996.....	1,577	9	2	3	5	2	3	4	11	10	12
1995.....	1,666	4	8	-	4	4	1	6	7	7	14
1994.....	1,816	15	8	-	1	3	-	3	5	4	11
1993.....	1,889	17	4	4	3	-	2	4	3	8	15
1992.....	1,845	9	6	1	-	3	2	2	5	10	6
1991.....	1,770	22	5	4	3	1	5	3	3	10	9
1990.....	1,722	16	9	1	1	1	4	4	4	8	14
1989.....	1,803	8	10	1	3	-	4	4	2	4	4
1988.....	1,728	17	8	-	1	1	1	5	7	9	8
1987.....	1,697	14	12	3	-	1	6	4	5	4	4
1986.....	1,671	13	5	2	1	1	1	2	5	6	5
1985.....	1,574	12	6	1	5	3	1	2	3	9	4
1984.....	1,516	13	13	1	1	1	1	5	4	7	11
1983.....	1,439	14	7	1	1	4	2	2	2	6	6
1982.....	1,369	17	15	1	2	3	2	1	4	11	11
1981.....	1,341	13	6	4	2	2	4	2	2	5	7
1980.....	1,348	17	6	2	2	2	3	4	6	3	9
1979.....	1,245	23	15	4	1	1	4	4	1	6	10
WHITE, BOTH SEXES											
1998.....	2,817	15	8	5	5	2	7	4	6	16	15
1997.....	2,805	25	7	-	2	5	3	6	5	7	19
1996.....	2,889	16	9	3	4	4	3	9	11	11	22
1995.....	3,053	18	8	-	5	7	4	5	9	10	13
1994.....	3,323	27	11	1	3	4	1	3	5	13	18
1993.....	3,502	26	7	4	5	3	4	5	6	11	20
1992.....	3,421	17	13	4	2	6	4	2	10	13	16
1991.....	3,459	26	13	5	-	3	9	6	4	12	15
1990.....	3,365	27	14	-	2	1	3	7	8	11	20
1989.....	3,522	21	20	3	2	1	7	6	9	12	10
1988.....	3,491	29	12	2	1	-	3	5	9	9	14
1987.....	3,379	27	19	8	2	2	8	5	7	10	14
1986.....	3,531	27	9	2	2	1	6	3	6	13	16
1985.....	3,413	28	8	2	5	4	2	3	7	12	7
1984.....	3,359	21	15	2	2	3	7	6	7	13	14
1983.....	3,364	24	14	2	1	6	5	6	1	7	12
1982.....	3,311	28	16	3	3	5	9	4	10	12	9
1981.....	3,486	33	16	5	7	2	10	6	6	10	14
1980.....	3,513	27	12	6	5	6	4	5	9	9	17
1979.....	3,452	41	30	9	4	5	8	11	4	7	13

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)											
WHITE MALE											
1998.....	1,359	11	5	2	2	1	4	2	3	7	10
1997.....	1,321	17	4	-	1	3	2	3	2	2	9
1996.....	1,435	10	8	2	1	2	1	5	5	5	14
1995.....	1,509	15	2	-	2	5	3	-	3	5	5
1994.....	1,618	16	5	1	2	1	1	2	3	11	9
1993.....	1,734	14	6	3	2	3	3	2	4	6	12
1992.....	1,685	14	10	3	2	3	2	1	6	7	11
1991.....	1,801	15	10	2	-	2	4	4	3	5	9
1990.....	1,726	15	8	-	1	-	1	5	4	5	7
1989.....	1,823	17	13	2	1	1	3	4	7	8	6
1988.....	1,850	19	8	2	-	-	2	2	3	4	9
1987.....	1,766	17	8	5	2	2	5	3	4	6	10
1986.....	1,931	19	6	-	1	1	5	2	1	7	11
1985.....	1,929	23	5	2	-	3	1	1	5	5	4
1984.....	1,912	14	3	1	1	2	6	2	3	6	6
1983.....	1,995	13	10	2	-	4	3	4	1	3	7
1982.....	2,010	16	6	2	1	3	7	3	6	4	2
1981.....	2,193	23	11	1	5	-	6	5	4	6	7
1980.....	2,231	16	9	5	3	4	2	2	3	6	11
1979.....	2,275	23	19	5	3	4	5	8	4	3	5
WHITE FEMALE											
1998.....	1,458	4	3	3	3	1	3	2	3	9	5
1997.....	1,484	8	3	-	1	2	1	3	3	5	10
1996.....	1,454	6	1	1	3	2	2	4	6	6	8
1995.....	1,544	3	6	-	3	2	1	5	6	5	8
1994.....	1,705	11	6	-	1	3	-	1	2	2	9
1993.....	1,768	12	1	1	3	-	1	3	2	5	8
1992.....	1,736	3	3	1	-	3	2	1	4	6	5
1991.....	1,658	11	3	3	-	1	5	2	1	7	6
1990.....	1,639	12	6	-	1	1	2	2	4	6	13
1989.....	1,699	4	7	1	1	-	4	2	2	4	4
1988.....	1,641	10	4	-	1	-	1	3	6	5	5
1987.....	1,613	10	11	3	-	-	3	2	3	4	4
1986.....	1,600	8	3	2	1	-	1	1	5	6	5
1985.....	1,484	5	3	-	5	1	1	2	2	7	3
1984.....	1,447	7	12	1	1	1	1	4	4	7	8
1983.....	1,369	11	4	-	1	2	2	2	-	4	5
1982.....	1,301	12	10	1	2	2	2	1	4	8	7
1981.....	1,293	10	5	4	2	2	4	1	2	4	7
1980.....	1,282	11	3	1	2	2	2	3	6	3	6
1979.....	1,177	18	11	4	1	1	3	3	-	4	8

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

ALL OTHER, BOTH SEXES

1998.....	215	12	4	-	1	1	-	1	2	6	4
1997.....	250	14	3	2	2	3	1	1	1	6	7
1996.....	262	11	2	2	3	1	1	1	7	6	10
1995.....	280	8	5	-	1	4	-	6	2	5	10
1994.....	256	14	5	1	-	1	-	2	3	4	5
1993.....	275	15	5	4	2	-	2	3	3	6	9
1992.....	243	16	7	-	1	-	-	1	2	6	5
1991.....	268	19	6	2	5	1	1	4	3	5	7
1990.....	235	12	9	3	2	1	2	4	-	2	5
1989.....	237	9	6	1	4	-	1	2	-	5	3
1988.....	229	14	6	-	1	1	1	4	4	6	6
1987.....	202	9	4	2	2	2	4	4	3	1	1
1986.....	219	13	3	-	1	2	-	1	2	1	3
1985.....	202	12	4	3	-	3	-	1	3	2	3
1984.....	186	17	2	-	2	1	-	2	2	2	7
1983.....	214	12	9	1	-	2	-	-	3	2	4
1982.....	184	13	8	-	-	2	1	-	-	6	6
1981.....	199	11	8	-	2	1	1	2	-	3	-
1980.....	215	15	9	1	-	1	1	1	1	3	6
1979.....	198	16	7	1	-	-	1	1	1	2	5

ALL OTHER MALE

1998.....	123	7	4	-	-	-	-	1	1	3	4
1997.....	139	10	2	1	1	2	1	1	1	2	6
1996.....	139	8	1	-	1	1	-	1	2	2	6
1995.....	158	7	3	-	-	2	-	5	1	3	4
1994.....	145	10	3	1	-	1	-	-	-	2	3
1993.....	154	10	2	1	2	-	1	2	2	3	2
1992.....	134	10	4	-	1	-	-	-	1	2	4
1991.....	156	8	4	1	2	1	1	3	1	2	4
1990.....	152	8	6	2	2	1	-	2	-	-	4
1989.....	133	5	3	1	2	-	1	-	-	5	3
1988.....	142	7	2	-	1	-	1	2	3	2	3
1987.....	118	5	3	2	2	1	1	2	1	1	1
1986.....	148	8	1	-	1	1	-	-	2	1	3
1985.....	112	5	1	2	-	1	-	1	2	-	2
1984.....	117	11	1	-	2	1	-	1	2	2	4
1983.....	144	9	6	-	-	-	-	-	1	-	3
1982.....	116	8	3	-	-	1	1	-	-	3	2
1981.....	151	8	7	-	2	1	1	1	-	2	-
1980.....	149	9	6	-	-	1	-	-	1	3	3
1979.....	130	11	3	1	-	-	-	-	-	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

## ALL OTHER FEMALE

1998.....	92	5	-	-	1	1	-	-	1	3	-
1997.....	111	4	1	1	1	1	-	-	-	4	1
1996.....	123	3	1	2	2	-	1	-	5	4	4
1995.....	122	1	2	-	1	2	-	1	1	2	6
1994.....	111	4	2	-	-	-	-	2	3	2	2
1993.....	121	5	3	3	-	-	1	1	1	3	7
1992.....	109	6	3	-	-	-	-	1	1	4	1
1991.....	112	11	2	1	3	-	-	1	2	3	3
1990.....	83	4	3	1	-	-	2	2	-	2	1
1989.....	104	4	3	-	2	-	-	2	-	-	-
1988.....	87	7	4	-	-	1	-	2	1	4	3
1987.....	84	4	1	-	-	1	3	2	2	-	-
1986.....	71	5	2	-	-	1	-	1	-	-	-
1985.....	90	7	3	1	-	2	-	-	1	2	1
1984.....	69	6	1	-	-	-	-	1	-	-	3
1983.....	70	3	3	1	-	2	-	-	2	2	1
1982.....	68	5	5	-	-	1	-	-	-	3	4
1981.....	48	3	1	-	-	-	-	1	-	1	-
1980.....	66	6	3	1	-	-	1	1	-	-	3
1979.....	68	5	4	-	-	-	1	1	1	2	2

## BLACK, BOTH SEXES

1998.....	165	10	4	-	1	1	-	1	1	5	4
1997.....	196	12	2	2	2	2	1	-	1	5	6
1996.....	214	10	2	2	1	-	1	1	7	6	9
1995.....	222	8	4	-	1	4	-	5	1	4	9
1994.....	209	12	4	1	-	-	-	2	2	4	5
1993.....	222	13	3	4	2	-	1	2	3	5	9
1992.....	204	14	5	-	1	-	-	1	2	5	5
1991.....	224	19	6	1	5	1	1	3	3	4	6
1990.....	190	10	8	3	2	-	1	4	-	2	4
1989.....	207	7	6	1	3	-	1	2	-	4	2
1988.....	193	14	5	-	1	1	1	2	3	6	5
1987.....	169	7	4	2	2	2	3	3	3	1	1
1986.....	184	11	3	-	1	2	-	1	1	1	3
1985.....	167	10	3	1	-	3	-	1	3	2	2
1984.....	166	16	2	-	2	1	-	2	2	2	6
1983.....	180	9	8	1	-	2	-	-	3	2	3
1982.....	163	12	8	-	-	2	1	-	-	6	5
1981.....	178	11	8	-	2	1	1	2	-	3	-
1980.....	195	14	8	1	-	1	1	1	1	3	6
1979.....	170	14	6	1	-	-	1	-	1	2	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)											
BLACK MALE											
1998.....	94	5	4	-	-	-	-	1	-	2	4
1997.....	108	9	2	1	1	1	1	-	1	1	5
1996.....	108	8	1	-	-	-	-	1	2	2	6
1995.....	127	7	2	-	-	2	-	4	1	3	4
1994.....	118	9	2	1	-	-	-	-	-	2	3
1993.....	122	8	-	1	2	-	1	1	2	3	2
1992.....	115	9	4	-	1	-	-	-	1	2	4
1991.....	135	8	4	-	2	1	1	2	1	1	4
1990.....	125	6	5	2	2	-	-	2	-	-	3
1989.....	113	5	3	1	1	-	1	-	-	4	2
1988.....	121	7	2	-	1	-	1	1	2	2	3
1987.....	100	3	3	2	2	1	1	2	1	1	1
1986.....	121	6	1	-	1	1	-	-	1	1	3
1985.....	93	4	1	-	-	1	-	1	2	-	1
1984.....	105	11	1	-	2	1	-	1	2	2	3
1983.....	120	6	5	-	-	-	-	-	1	-	2
1982.....	102	7	3	-	-	1	1	-	-	3	2
1981.....	133	8	7	-	2	1	1	1	-	2	-
1980.....	136	8	5	-	-	1	-	-	1	3	3
1979.....	117	10	3	1	-	-	-	-	-	-	2
BLACK FEMALE											
1998.....	71	5	-	-	1	1	-	-	1	3	-
1997.....	88	3	-	1	1	1	-	-	-	4	1
1996.....	106	2	1	2	1	-	1	-	5	4	3
1995.....	95	1	2	-	1	2	-	1	-	1	5
1994.....	91	3	2	-	-	-	-	2	2	2	2
1993.....	100	5	3	3	-	-	-	1	1	2	7
1992.....	89	5	1	-	-	-	-	1	1	3	1
1991.....	89	11	2	1	3	-	-	1	2	3	2
1990.....	65	4	3	1	-	-	1	2	-	2	1
1989.....	94	2	3	-	2	-	-	2	-	-	-
1988.....	72	7	3	-	-	1	-	1	1	4	2
1987.....	69	4	1	-	-	1	2	1	2	-	-
1986.....	63	5	2	-	-	1	-	1	-	-	-
1985.....	74	6	2	1	-	2	-	-	1	2	1
1984.....	61	5	1	-	-	-	-	1	-	-	3
1983.....	60	3	3	1	-	2	-	-	2	2	1
1982.....	61	5	5	-	-	1	-	-	-	3	3
1981.....	45	3	1	-	-	-	-	1	-	1	-
1980.....	59	6	3	1	-	-	1	1	-	-	3
1979.....	53	4	3	-	-	-	1	-	1	2	2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
TOTAL, BOTH SEXES											
1998.....	17,555	1	-	-	-	-	4	4	8	22	60
1997.....	17,518	2	-	1	-	-	-	2	9	23	68
1996.....	17,286	2	1	-	-	-	1	5	4	17	53
1995.....	16,927	1	1	-	-	-	1	3	9	17	49
1994.....	17,215	2	-	-	1	1	1	7	3	24	56
1993.....	17,586	1	1	2	1	3	1	2	7	15	44
1992.....	16,363	1	2	-	-	1	2	-	8	20	55
1991.....	16,436	2	-	-	-	-	1	3	5	20	42
1990.....	15,706	-	1	-	-	-	1	3	10	14	57
1989.....	15,467	7	1	-	1	2	1	2	5	14	49
1988.....	15,513	3	-	-	-	-	1	6	10	23	51
1987.....	14,483	8	1	-	-	-	-	4	10	24	54
1986.....	14,471	4	-	-	1	-	2	5	6	15	48
1985.....	14,150	2	-	1	1	-	4	5	7	21	44
1984.....	13,263	6	1	1	-	-	4	9	8	15	52
1983.....	13,293	6	1	-	-	-	5	6	8	28	45
1982.....	12,793	2	-	-	-	3	2	2	7	19	51
1981.....	13,369	2	1	1	-	2	4	6	8	20	64
1980.....	13,877	3	-	-	2	3	3	5	14	18	58
1979.....	13,569	2	2	-	1	1	3	8	11	25	68
TOTAL, MALE											
1998.....	9,333	-	-	-	-	-	3	3	4	10	42
1997.....	9,497	1	-	1	-	-	-	-	4	12	45
1996.....	9,422	-	1	-	-	-	1	2	2	11	35
1995.....	9,344	-	-	-	-	-	-	2	7	10	25
1994.....	9,622	-	-	-	1	-	1	6	2	15	34
1993.....	9,914	1	-	1	-	2	1	2	5	9	32
1992.....	9,422	1	1	-	-	-	2	-	7	15	37
1991.....	9,531	-	-	-	-	-	-	3	3	12	27
1990.....	9,408	-	1	-	-	-	-	2	7	13	38
1989.....	9,294	3	-	-	1	1	1	1	4	9	33
1988.....	9,686	2	-	-	-	-	1	3	8	17	34
1987.....	9,182	7	-	-	-	-	-	2	9	19	34
1986.....	9,396	2	-	-	1	-	1	5	4	13	33
1985.....	9,375	2	-	1	-	-	4	3	3	15	26
1984.....	8,926	3	-	1	-	-	3	5	3	12	35
1983.....	9,203	3	-	-	-	-	4	4	6	17	28
1982.....	9,037	1	-	-	-	2	2	2	5	14	28
1981.....	9,592	-	1	1	-	2	3	6	3	12	40
1980.....	10,133	1	-	-	2	2	3	3	13	10	38
1979.....	10,171	-	1	-	1	-	2	7	8	19	37

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
TOTAL, FEMALE											
1998.....	8,222	1	-	-	-	-	1	1	4	12	18
1997.....	8,021	1	-	-	-	-	-	2	5	11	23
1996.....	7,864	2	-	-	-	-	-	3	2	6	18
1995.....	7,583	1	1	-	-	-	1	1	2	7	24
1994.....	7,593	2	-	-	-	1	-	1	1	9	22
1993.....	7,672	-	1	1	1	1	-	-	2	6	12
1992.....	6,941	-	1	-	-	1	-	-	1	5	18
1991.....	6,905	2	-	-	-	-	1	-	2	8	15
1990.....	6,298	-	-	-	-	-	1	1	3	1	19
1989.....	6,173	4	1	-	-	1	-	1	1	5	16
1988.....	5,827	1	-	-	-	-	-	3	2	6	17
1987.....	5,301	1	1	-	-	-	-	2	1	5	20
1986.....	5,075	2	-	-	-	-	1	-	2	2	15
1985.....	4,775	-	-	-	1	-	-	2	4	6	18
1984.....	4,337	3	1	-	-	-	1	4	5	3	17
1983.....	4,090	3	1	-	-	-	1	2	2	11	17
1982.....	3,756	1	-	-	-	1	-	-	2	5	23
1981.....	3,777	2	-	-	-	-	1	-	5	8	24
1980.....	3,744	2	-	-	-	1	-	2	1	8	20
1979.....	3,398	2	1	-	-	1	1	1	3	6	31
WHITE, BOTH SEXES											
1998.....	16,511	-	-	-	-	-	3	2	5	17	41
1997.....	16,516	2	-	1	-	-	-	2	4	16	63
1996.....	16,257	-	-	-	-	-	-	4	4	11	36
1995.....	15,928	-	1	-	-	-	1	2	5	8	35
1994.....	16,223	2	-	-	1	1	1	1	2	13	40
1993.....	16,534	1	-	1	-	2	-	1	4	10	22
1992.....	15,405	1	2	-	-	1	1	-	6	13	44
1991.....	15,539	2	-	-	-	-	1	2	4	15	37
1990.....	14,828	-	1	-	-	-	1	-	7	11	49
1989.....	14,590	7	1	-	-	1	-	1	2	13	34
1988.....	14,589	1	-	-	-	-	1	4	2	14	39
1987.....	13,663	5	1	-	-	-	-	3	8	15	42
1986.....	13,687	2	-	-	-	-	2	5	4	8	39
1985.....	13,353	2	-	1	1	-	3	2	5	16	40
1984.....	12,547	5	-	1	-	-	2	4	8	11	41
1983.....	12,588	5	-	-	-	-	5	4	3	17	35
1982.....	12,155	1	-	-	-	2	1	2	6	15	42
1981.....	12,683	1	1	1	-	1	2	4	6	10	51
1980.....	13,194	3	-	-	1	2	3	3	8	11	45
1979.....	12,887	2	2	-	-	-	3	7	8	16	55

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
WHITE MALE											
1998.....	8,684	-	-	-	-	-	2	1	3	6	29
1997.....	8,823	1	-	1	-	-	-	-	3	9	42
1996.....	8,750	-	-	-	-	-	-	2	2	8	21
1995.....	8,656	-	-	-	-	-	-	1	4	4	17
1994.....	8,952	-	-	-	1	-	1	-	1	8	23
1993.....	9,202	1	-	1	-	1	-	1	3	6	17
1992.....	8,745	1	1	-	-	-	1	-	5	11	29
1991.....	8,904	-	-	-	-	-	-	2	2	8	23
1990.....	8,769	-	1	-	-	-	-	-	4	10	33
1989.....	8,665	3	-	-	-	-	-	1	1	8	22
1988.....	8,953	1	-	-	-	-	1	2	1	9	23
1987.....	8,566	4	-	-	-	-	-	1	7	10	24
1986.....	8,781	1	-	-	-	-	1	5	2	6	26
1985.....	8,766	2	-	1	-	-	3	-	2	12	22
1984.....	8,369	2	-	1	-	-	2	3	3	9	25
1983.....	8,653	2	-	-	-	-	4	2	2	10	20
1982.....	8,533	1	-	-	-	1	1	2	4	11	21
1981.....	9,026	-	1	1	-	1	1	4	1	5	31
1980.....	9,587	1	-	-	1	1	3	3	7	4	28
1979.....	9,625	-	1	-	-	-	2	7	6	11	28
WHITE FEMALE											
1998.....	7,827	-	-	-	-	-	1	1	2	11	12
1997.....	7,693	1	-	-	-	-	-	2	1	7	21
1996.....	7,507	-	-	-	-	-	-	2	2	3	15
1995.....	7,272	-	1	-	-	-	1	1	1	4	18
1994.....	7,271	2	-	-	-	1	-	1	1	5	17
1993.....	7,332	-	-	-	-	1	-	-	1	4	5
1992.....	6,660	-	1	-	-	1	-	-	1	2	15
1991.....	6,635	2	-	-	-	-	1	-	2	7	14
1990.....	6,059	-	-	-	-	-	1	-	3	1	16
1989.....	5,925	4	1	-	-	1	-	-	1	5	12
1988.....	5,636	-	-	-	-	-	-	2	1	5	16
1987.....	5,097	1	1	-	-	-	-	2	1	5	18
1986.....	4,906	1	-	-	-	-	1	-	2	2	13
1985.....	4,587	-	-	-	1	-	-	2	3	4	18
1984.....	4,178	3	-	-	-	-	-	1	5	2	16
1983.....	3,935	3	-	-	-	-	1	2	1	7	15
1982.....	3,622	-	-	-	-	1	-	-	2	4	21
1981.....	3,657	1	-	-	-	-	1	-	5	5	20
1980.....	3,607	2	-	-	-	1	-	-	1	7	17
1979.....	3,262	2	1	-	-	-	1	-	2	5	27

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
ALL OTHER, BOTH SEXES											
1998.....	1,044	1	-	-	-	-	1	2	3	5	19
1997.....	1,002	-	-	-	-	-	-	-	5	7	5
1996.....	1,029	2	1	-	-	-	1	1	-	6	17
1995.....	999	1	-	-	-	-	-	1	4	9	14
1994.....	992	-	-	-	-	-	-	6	1	11	16
1993.....	1,052	-	1	1	1	1	1	1	3	5	22
1992.....	958	-	-	-	-	-	1	-	2	7	11
1991.....	897	-	-	-	-	-	-	1	1	5	5
1990.....	878	-	-	-	-	-	-	3	3	3	8
1989.....	877	-	-	-	1	1	1	1	3	1	15
1988.....	924	2	-	-	-	-	-	2	8	9	12
1987.....	820	3	-	-	-	-	-	1	2	9	12
1986.....	784	2	-	-	1	-	-	-	2	7	9
1985.....	797	-	-	-	-	-	1	3	2	5	4
1984.....	716	1	1	-	-	-	2	5	-	4	11
1983.....	705	1	1	-	-	-	-	2	5	11	10
1982.....	638	1	-	-	-	1	1	-	1	4	9
1981.....	686	1	-	-	-	1	2	2	2	10	13
1980.....	683	-	-	-	1	1	-	2	6	7	13
1979.....	682	-	-	-	1	1	-	1	3	9	13
ALL OTHER MALE											
1998.....	649	-	-	-	-	-	1	2	1	4	13
1997.....	674	-	-	-	-	-	-	-	1	3	3
1996.....	672	-	1	-	-	-	1	-	-	3	14
1995.....	688	-	-	-	-	-	-	1	3	6	8
1994.....	670	-	-	-	-	-	-	6	1	7	11
1993.....	712	-	-	-	-	1	1	1	2	3	15
1992.....	677	-	-	-	-	-	1	-	2	4	8
1991.....	627	-	-	-	-	-	-	1	1	4	4
1990.....	639	-	-	-	-	-	-	2	3	3	5
1989.....	629	-	-	-	1	1	1	-	3	1	11
1988.....	733	1	-	-	-	-	-	1	7	8	11
1987.....	616	3	-	-	-	-	-	1	2	9	10
1986.....	615	1	-	-	1	-	-	-	2	7	7
1985.....	609	-	-	-	-	-	1	3	1	3	4
1984.....	557	1	-	-	-	-	1	2	-	3	10
1983.....	550	1	-	-	-	-	-	2	4	7	8
1982.....	504	-	-	-	-	1	1	-	1	3	7
1981.....	566	-	-	-	-	1	2	2	2	7	9
1980.....	546	-	-	-	1	1	-	-	6	6	10
1979.....	546	-	-	-	1	-	-	-	2	8	9

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 EMPHYSEMA (492)												
ALL OTHER FEMALE												
1998.....	395	1	-	-	-	-	-	-	2	1	6	
1997.....	328	-	-	-	-	-	-	4	4	4	2	
1996.....	357	2	-	-	-	-	-	1	-	3	3	
1995.....	311	1	-	-	-	-	-	-	1	3	6	
1994.....	322	-	-	-	-	-	-	-	-	4	5	
1993.....	340	-	1	1	1	-	-	-	1	2	7	
1992.....	281	-	-	-	-	-	-	-	-	3	3	
1991.....	270	-	-	-	-	-	-	-	-	1	1	
1990.....	239	-	-	-	-	-	-	1	-	-	3	
1989.....	248	-	-	-	-	-	-	1	-	-	4	
1988.....	191	1	-	-	-	-	-	1	1	1	1	
1987.....	204	-	-	-	-	-	-	-	-	-	2	
1986.....	169	1	-	-	-	-	-	-	-	-	2	
1985.....	188	-	-	-	-	-	-	-	1	2	-	
1984.....	159	-	1	-	-	-	1	3	-	1	1	
1983.....	155	-	1	-	-	-	-	-	1	4	2	
1982.....	134	1	-	-	-	-	-	-	-	1	2	
1981.....	120	1	-	-	-	-	-	-	-	3	4	
1980.....	137	-	-	-	-	-	-	2	-	1	3	
1979.....	136	-	-	-	-	1	-	1	1	1	4	
BLACK, BOTH SEXES												
1998.....	890	1	-	-	-	-	1	2	3	5	18	
1997.....	847	-	-	-	-	-	-	-	5	5	5	
1996.....	882	1	1	-	-	-	1	1	-	6	17	
1995.....	855	1	-	-	-	-	-	1	4	9	13	
1994.....	858	-	-	-	-	-	-	5	1	11	15	
1993.....	888	-	1	1	1	1	1	1	3	5	22	
1992.....	831	-	-	-	-	-	1	-	1	7	11	
1991.....	772	-	-	-	-	-	-	1	1	4	5	
1990.....	763	-	-	-	-	-	-	3	3	3	7	
1989.....	765	-	-	-	1	1	1	1	3	1	14	
1988.....	816	2	-	-	-	-	-	1	8	8	12	
1987.....	719	3	-	-	-	-	-	1	2	8	12	
1986.....	704	2	-	-	1	-	-	-	2	7	8	
1985.....	687	-	-	-	-	-	1	3	2	5	4	
1984.....	627	1	1	-	-	-	2	4	-	4	10	
1983.....	624	1	1	-	-	-	-	2	4	11	10	
1982.....	579	1	-	-	-	1	1	-	1	4	9	
1981.....	643	1	-	-	-	1	1	2	1	10	12	
1980.....	625	-	-	-	1	1	-	2	6	7	13	
1979.....	631	-	-	-	1	1	-	1	3	9	13	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
BLACK MALE											
1998.....	543	-	-	-	-	-	1	2	1	4	12
1997.....	562	-	-	-	-	-	-	-	1	2	3
1996.....	576	-	1	-	-	-	1	-	-	3	14
1995.....	578	-	-	-	-	-	-	1	3	6	7
1994.....	567	-	-	-	-	-	-	5	1	7	10
1993.....	601	-	-	-	-	1	1	1	2	3	15
1992.....	585	-	-	-	-	-	1	-	1	4	8
1991.....	536	-	-	-	-	-	-	1	1	3	4
1990.....	552	-	-	-	-	-	-	2	3	3	4
1989.....	547	-	-	-	1	1	1	-	3	1	10
1988.....	648	1	-	-	-	-	-	-	7	7	11
1987.....	543	3	-	-	-	-	-	1	2	8	10
1986.....	553	1	-	-	1	-	-	-	2	7	6
1985.....	523	-	-	-	-	-	1	3	1	3	4
1984.....	480	1	-	-	-	-	1	2	-	3	9
1983.....	484	1	-	-	-	-	-	2	4	7	8
1982.....	454	-	-	-	-	1	1	-	1	3	7
1981.....	531	-	-	-	-	1	1	2	1	7	9
1980.....	504	-	-	-	1	1	-	-	6	6	10
1979.....	506	-	-	-	1	-	-	-	2	8	9
BLACK FEMALE											
1998.....	347	1	-	-	-	-	-	-	2	1	6
1997.....	285	-	-	-	-	-	-	-	4	3	2
1996.....	306	1	-	-	-	-	-	1	-	3	3
1995.....	277	1	-	-	-	-	-	-	1	3	6
1994.....	291	-	-	-	-	-	-	-	-	4	5
1993.....	287	-	1	1	1	-	-	-	1	2	7
1992.....	246	-	-	-	-	-	-	-	-	3	3
1991.....	236	-	-	-	-	-	-	-	-	1	1
1990.....	211	-	-	-	-	-	-	1	-	-	3
1989.....	218	-	-	-	-	-	-	1	-	-	4
1988.....	168	1	-	-	-	-	-	1	1	1	1
1987.....	176	-	-	-	-	-	-	-	-	-	2
1986.....	151	1	-	-	-	-	-	-	-	-	2
1985.....	164	-	-	-	-	-	-	-	1	2	-
1984.....	147	-	1	-	-	-	1	2	-	1	1
1983.....	140	-	1	-	-	-	-	-	-	4	2
1982.....	125	1	-	-	-	-	-	-	-	1	2
1981.....	112	1	-	-	-	-	-	-	-	3	3
1980.....	121	-	-	-	-	-	-	2	-	1	3
1979.....	125	-	-	-	-	1	-	1	1	1	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
TOTAL, BOTH SEXES											
1998.....	5,438	7	33	43	88	92	122	133	144	214	273
1997.....	5,434	5	30	46	73	81	93	137	161	211	278
1996.....	5,667	8	34	48	101	102	112	141	147	206	290
1995.....	5,637	13	21	35	95	119	105	119	179	224	274
1994.....	5,487	5	24	37	81	109	106	140	164	207	214
1993.....	5,167	6	32	32	86	83	103	107	133	189	216
1992.....	4,964	9	38	33	55	81	87	92	140	168	205
1991.....	5,106	5	30	35	71	93	90	117	163	157	229
1990.....	4,819	12	24	28	74	76	84	107	130	152	180
1989.....	4,869	6	26	37	58	75	73	109	147	153	193
1988.....	4,597	7	19	26	67	70	92	113	118	152	191
1987.....	4,360	4	19	18	83	99	82	85	114	157	184
1986.....	3,955	13	17	23	69	84	82	94	103	130	121
1985.....	3,880	6	21	28	70	59	97	74	108	122	109
1984.....	3,564	10	17	25	54	54	78	73	86	101	126
1983.....	3,561	5	28	21	57	76	68	89	97	100	131
1982.....	3,154	8	26	24	46	76	86	76	93	78	98
1981.....	3,054	3	12	25	47	55	57	78	77	91	87
1980.....	2,891	8	21	14	47	41	64	64	66	62	83
1979.....	2,598	5	19	13	26	51	48	57	54	72	85
TOTAL, MALE											
1998.....	2,000	5	22	20	60	54	80	74	72	100	89
1997.....	1,986	3	20	28	38	59	59	70	90	95	92
1996.....	2,075	7	20	33	59	58	61	64	64	87	107
1995.....	2,079	5	15	27	64	60	58	61	86	104	92
1994.....	2,101	5	14	23	52	70	64	69	89	93	86
1993.....	1,928	2	20	18	51	49	63	47	51	78	85
1992.....	1,869	8	19	17	31	48	47	55	75	75	85
1991.....	1,927	5	19	18	48	54	48	62	77	67	112
1990.....	1,885	7	18	20	43	39	43	52	66	75	77
1989.....	1,848	6	11	22	36	42	40	57	74	69	77
1988.....	1,822	4	12	19	37	42	52	58	60	72	75
1987.....	1,730	2	12	10	54	53	47	46	53	69	76
1986.....	1,584	11	10	13	38	51	43	53	40	58	46
1985.....	1,551	4	12	16	33	29	47	33	53	58	38
1984.....	1,467	5	9	13	40	30	41	35	31	43	53
1983.....	1,455	5	23	13	35	38	31	40	45	44	48
1982.....	1,314	7	17	13	22	44	48	35	52	37	36
1981.....	1,287	1	9	16	26	36	28	40	34	30	37
1980.....	1,292	6	12	6	23	21	37	33	28	21	27
1979.....	1,133	4	9	6	17	23	26	25	26	24	40

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
TOTAL, FEMALE											
1998.....	3,438	2	11	23	28	38	42	59	72	114	184
1997.....	3,448	2	10	18	35	22	34	67	71	116	186
1996.....	3,592	1	14	15	42	44	51	77	83	119	183
1995.....	3,558	8	6	8	31	59	47	58	93	120	182
1994.....	3,386	-	10	14	29	39	42	71	75	114	128
1993.....	3,239	4	12	14	35	34	40	60	82	111	131
1992.....	3,095	1	19	16	24	33	40	37	65	93	120
1991.....	3,179	-	11	17	23	39	42	55	86	90	117
1990.....	2,934	5	6	8	31	37	41	55	64	77	103
1989.....	3,021	-	15	15	22	33	33	52	73	84	116
1988.....	2,775	3	7	7	30	28	40	55	58	80	116
1987.....	2,630	2	7	8	29	46	35	39	61	88	108
1986.....	2,371	2	7	10	31	33	39	41	63	72	75
1985.....	2,329	2	9	12	37	30	50	41	55	64	71
1984.....	2,097	5	8	12	14	24	37	38	55	58	73
1983.....	2,106	-	5	8	22	38	37	49	52	56	83
1982.....	1,840	1	9	11	24	32	38	41	41	41	62
1981.....	1,767	2	3	9	21	19	29	38	43	61	50
1980.....	1,599	2	9	8	24	20	27	31	38	41	56
1979.....	1,465	1	10	7	9	28	22	32	28	48	45
WHITE, BOTH SEXES											
1998.....	3,947	2	13	20	43	45	63	65	68	114	168
1997.....	4,002	1	10	18	37	45	59	71	88	119	164
1996.....	4,110	2	10	22	45	49	57	82	73	121	167
1995.....	4,208	9	13	13	44	68	52	72	111	139	165
1994.....	4,134	3	8	17	37	54	64	66	97	123	119
1993.....	3,910	4	12	16	46	46	59	54	74	107	118
1992.....	3,789	4	15	11	28	45	44	55	76	102	139
1991.....	3,915	2	12	14	43	52	45	68	91	79	145
1990.....	3,696	7	11	14	39	47	47	63	66	85	107
1989.....	3,761	4	14	17	36	51	41	59	88	85	115
1988.....	3,473	4	10	11	34	40	49	71	61	83	114
1987.....	3,327	4	8	7	39	57	44	51	63	92	124
1986.....	3,036	7	11	10	39	39	47	59	61	78	77
1985.....	3,026	4	12	12	34	30	51	44	60	72	71
1984.....	2,779	4	10	15	29	25	53	43	48	54	74
1983.....	2,751	5	12	8	28	40	42	52	48	62	76
1982.....	2,450	5	11	14	22	48	45	44	49	43	54
1981.....	2,426	1	3	16	27	29	36	45	43	54	54
1980.....	2,291	5	10	5	25	22	34	37	30	40	51
1979.....	2,095	5	15	7	19	30	27	26	30	44	54



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
WHITE MALE											
1998.....	1,366	2	10	8	27	28	38	35	32	56	51
1997.....	1,383	-	5	10	21	37	34	33	46	47	57
1996.....	1,426	2	4	16	30	24	29	34	29	47	56
1995.....	1,454	4	9	10	24	28	25	36	47	65	51
1994.....	1,492	3	4	13	22	36	33	27	45	57	48
1993.....	1,384	2	7	11	22	25	33	20	30	42	44
1992.....	1,362	4	10	5	15	26	20	28	41	51	56
1991.....	1,388	2	5	8	28	29	20	36	43	33	70
1990.....	1,358	4	7	11	18	20	23	30	37	43	42
1989.....	1,352	4	5	8	25	26	19	26	43	36	42
1988.....	1,299	2	8	9	20	21	24	31	29	39	44
1987.....	1,244	2	5	1	23	29	25	23	30	36	53
1986.....	1,178	6	5	4	18	24	23	33	25	38	28
1985.....	1,140	3	5	11	13	12	18	17	26	28	20
1984.....	1,106	3	4	8	22	15	27	19	20	23	37
1983.....	1,084	5	9	4	16	17	19	21	21	26	31
1982.....	983	5	9	7	10	26	24	20	25	21	18
1981.....	977	1	1	12	15	15	16	24	16	17	23
1980.....	1,008	3	5	2	8	10	20	21	16	12	13
1979.....	898	4	7	3	13	15	15	9	16	14	25
WHITE FEMALE											
1998.....	2,581	-	3	12	16	17	25	30	36	58	117
1997.....	2,619	1	5	8	16	8	25	38	42	72	107
1996.....	2,684	-	6	6	15	25	28	48	44	74	111
1995.....	2,754	5	4	3	20	40	27	36	64	74	114
1994.....	2,642	-	4	4	15	18	31	39	52	66	71
1993.....	2,526	2	5	5	24	21	26	34	44	65	74
1992.....	2,427	-	5	6	13	19	24	27	35	51	83
1991.....	2,527	-	7	6	15	23	25	32	48	46	75
1990.....	2,338	3	4	3	21	27	24	33	29	42	65
1989.....	2,409	-	9	9	11	25	22	33	45	49	73
1988.....	2,174	2	2	2	14	19	25	40	32	44	70
1987.....	2,083	2	3	6	16	28	19	28	33	56	71
1986.....	1,858	1	6	6	21	15	24	26	36	40	49
1985.....	1,886	1	7	1	21	18	33	27	34	44	51
1984.....	1,673	1	6	7	7	10	26	24	28	31	37
1983.....	1,667	-	3	4	12	23	23	31	27	36	45
1982.....	1,467	-	2	7	12	22	21	24	24	22	36
1981.....	1,449	-	2	4	12	14	20	21	27	37	31
1980.....	1,283	2	5	3	17	12	14	16	14	28	38
1979.....	1,197	1	8	4	6	15	12	17	14	30	29

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
ALL OTHER, BOTH SEXES											
1998.....	1,491	5	20	23	45	47	59	68	76	100	105
1997.....	1,432	4	20	28	36	36	34	66	73	92	114
1996.....	1,557	6	24	26	56	53	55	59	74	85	123
1995.....	1,429	4	8	22	51	51	53	47	68	85	109
1994.....	1,353	2	16	20	44	55	42	74	67	84	95
1993.....	1,257	2	20	16	40	37	44	53	59	82	98
1992.....	1,175	5	23	22	27	36	43	37	64	66	66
1991.....	1,191	3	18	21	28	41	45	49	72	78	84
1990.....	1,123	5	13	14	35	29	37	44	64	67	73
1989.....	1,108	2	12	20	22	24	32	50	59	68	78
1988.....	1,124	3	9	15	33	30	43	42	57	69	77
1987.....	1,033	-	11	11	44	42	38	34	51	65	60
1986.....	919	6	6	13	30	45	35	35	42	52	44
1985.....	854	2	9	16	36	29	46	30	48	50	38
1984.....	785	6	7	10	25	29	25	30	38	47	52
1983.....	810	-	16	13	29	36	26	37	49	38	55
1982.....	704	3	15	10	24	28	41	32	44	35	44
1981.....	628	2	9	9	20	26	21	33	34	37	33
1980.....	600	3	11	9	22	19	30	27	36	22	32
1979.....	503	-	4	6	7	21	21	31	24	28	31
ALL OTHER MALE											
1998.....	634	3	12	12	33	26	42	39	40	44	38
1997.....	603	3	15	18	17	22	25	37	44	48	35
1996.....	649	5	16	17	29	34	32	30	35	40	51
1995.....	625	1	6	17	40	32	33	25	39	39	41
1994.....	609	2	10	10	30	34	31	42	44	36	38
1993.....	544	-	13	7	29	24	30	27	21	36	41
1992.....	507	4	9	12	16	22	27	27	34	24	29
1991.....	539	3	14	10	20	25	28	26	34	34	42
1990.....	527	3	11	9	25	19	20	22	29	32	35
1989.....	496	2	6	14	11	16	21	31	31	33	35
1988.....	523	2	4	10	17	21	28	27	31	33	31
1987.....	486	-	7	9	31	24	22	23	23	33	23
1986.....	406	5	5	9	20	27	20	20	15	20	18
1985.....	411	1	7	5	20	17	29	16	27	30	18
1984.....	361	2	5	5	18	15	14	16	11	20	16
1983.....	371	-	14	9	19	21	12	19	24	18	17
1982.....	331	2	8	6	12	18	24	15	27	16	18
1981.....	310	-	8	4	11	21	12	16	18	13	14
1980.....	284	3	7	4	15	11	17	12	12	9	14
1979.....	235	-	2	3	4	8	11	16	10	10	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
ALL OTHER FEMALE											
1998.....	857	2	8	11	12	21	17	29	36	56	67
1997.....	829	1	5	10	19	14	9	29	29	44	79
1996.....	908	1	8	9	27	19	23	29	39	45	72
1995.....	804	3	2	5	11	19	20	22	29	46	68
1994.....	744	-	6	10	14	21	11	32	23	48	57
1993.....	713	2	7	9	11	13	14	26	38	46	57
1992.....	668	1	14	10	11	14	16	10	30	42	37
1991.....	652	-	4	11	8	16	17	23	38	44	42
1990.....	596	2	2	5	10	10	17	22	35	35	38
1989.....	612	-	6	6	11	8	11	19	28	35	43
1988.....	601	1	5	5	16	9	15	15	26	36	46
1987.....	547	-	4	2	13	18	16	11	28	32	37
1986.....	513	1	1	4	10	18	15	15	27	32	26
1985.....	443	1	2	11	16	12	17	14	21	20	20
1984.....	424	4	2	5	7	14	11	14	27	27	36
1983.....	439	-	2	4	10	15	14	18	25	20	38
1982.....	373	1	7	4	12	10	17	17	17	19	26
1981.....	318	2	1	5	9	5	9	17	16	24	19
1980.....	316	-	4	5	7	8	13	15	24	13	18
1979.....	268	-	2	3	3	13	10	15	14	18	16
BLACK, BOTH SEXES											
1998.....	1,290	5	18	22	38	46	55	63	66	98	96
1997.....	1,200	3	19	25	34	30	31	62	67	85	100
1996.....	1,325	6	20	22	51	51	48	53	65	81	109
1995.....	1,247	4	8	21	48	49	51	47	65	75	96
1994.....	1,186	2	15	19	41	52	37	69	66	82	86
1993.....	1,112	2	18	16	37	36	42	49	55	74	90
1992.....	1,036	5	22	21	25	35	42	33	60	60	62
1991.....	1,043	3	17	21	27	38	41	45	67	72	76
1990.....	986	5	12	13	33	26	35	40	61	62	69
1989.....	984	2	11	16	21	22	30	46	55	64	71
1988.....	1,012	1	9	12	30	27	38	39	55	67	70
1987.....	920	-	11	11	41	39	36	33	50	62	59
1986.....	828	5	5	13	30	38	35	34	39	47	42
1985.....	778	2	9	16	34	26	44	28	46	49	37
1984.....	701	5	6	9	23	28	25	27	37	42	49
1983.....	732	-	15	10	26	35	24	36	48	36	49
1982.....	647	3	14	9	24	26	37	32	40	33	43
1981.....	576	2	9	9	19	23	21	32	29	34	31
1980.....	557	3	10	9	22	18	29	25	33	21	30
1979.....	470	-	4	6	7	21	19	31	24	27	26

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
BLACK MALE											
1998.....	536	3	10	11	27	26	41	36	36	43	36
1997.....	498	2	15	15	16	17	23	34	39	45	31
1996.....	540	5	12	14	26	34	27	25	31	38	45
1995.....	538	1	6	17	37	31	31	25	39	35	32
1994.....	525	2	9	10	28	31	26	40	44	35	34
1993.....	465	-	11	7	27	23	29	26	20	32	35
1992.....	433	4	9	12	15	21	26	25	32	21	28
1991.....	472	3	13	10	19	23	24	24	32	30	38
1990.....	460	3	10	9	24	17	20	21	28	32	34
1989.....	434	2	5	12	10	15	19	29	29	31	30
1988.....	460	1	4	8	14	20	23	25	29	33	28
1987.....	428	-	7	9	28	22	22	22	22	30	22
1986.....	360	4	4	9	20	23	20	20	14	18	18
1985.....	371	1	7	5	19	15	28	14	26	30	18
1984.....	312	2	5	5	17	14	14	13	11	19	14
1983.....	336	-	14	8	17	20	12	18	24	18	15
1982.....	301	2	8	6	12	18	24	15	25	16	17
1981.....	281	-	8	4	10	18	12	16	15	11	14
1980.....	260	3	6	4	15	11	16	11	12	8	13
1979.....	214	-	2	3	4	8	10	16	10	9	11
BLACK FEMALE											
1998.....	754	2	8	11	11	20	14	27	30	55	60
1997.....	702	1	4	10	18	13	8	28	28	40	69
1996.....	785	1	8	8	25	17	21	28	34	43	64
1995.....	709	3	2	4	11	18	20	22	26	40	64
1994.....	661	-	6	9	13	21	11	29	22	47	52
1993.....	647	2	7	9	10	13	13	23	35	42	55
1992.....	603	1	13	9	10	14	16	8	28	39	34
1991.....	571	-	4	11	8	15	17	21	35	42	38
1990.....	526	2	2	4	9	9	15	19	33	30	35
1989.....	550	-	6	4	11	7	11	17	26	33	41
1988.....	552	-	5	4	16	7	15	14	26	34	42
1987.....	492	-	4	2	13	17	14	11	28	32	37
1986.....	468	1	1	4	10	15	15	14	25	29	24
1985.....	407	1	2	11	15	11	16	14	20	19	19
1984.....	389	3	1	4	6	14	11	14	26	23	35
1983.....	396	-	1	2	9	15	12	18	24	18	34
1982.....	346	1	6	3	12	8	13	17	15	17	26
1981.....	295	2	1	5	9	5	9	16	14	23	17
1980.....	297	-	4	5	7	7	13	14	21	13	17
1979.....	256	-	2	3	3	13	9	15	14	18	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)											
TOTAL, BOTH SEXES											
1998.....	86,559	4	4	6	4	3	8	13	13	79	195
1997.....	83,022	4	1	1	2	7	8	10	25	68	199
1996.....	79,923	1	5	2	2	4	9	6	20	67	173
1995.....	77,002	3	2	3	4	2	4	8	34	56	173
1994.....	75,347	6	4	2	1	5	4	6	31	56	140
1993.....	74,547	5	6	1	1	2	5	9	21	62	161
1992.....	66,947	2	3	1	4	2	6	8	15	62	151
1991.....	65,381	7	2	2	2	6	5	9	17	56	144
1990.....	62,554	4	7	3	3	4	6	12	19	43	124
1989.....	60,249	5	2	2	5	8	8	8	30	59	134
1988.....	59,023	2	7	4	2	4	6	9	22	46	132
1987.....	55,956	5	6	3	1	6	6	11	21	51	137
1986.....	54,383	3	5	4	4	8	6	13	14	46	149
1985.....	53,017	4	3	3	2	7	4	15	10	43	131
1984.....	48,728	2	11	8	-	6	7	16	18	49	114
1983.....	45,814	5	6	8	3	12	10	12	14	46	110
1982.....	40,427	10	9	8	3	6	11	12	19	54	114
1981.....	38,724	12	6	5	5	4	13	10	20	43	108
1980.....	35,554	4	5	4	6	12	6	16	21	50	105
1979.....	30,116	2	3	1	2	5	10	10	19	45	103
TOTAL, MALE											
1998.....	44,203	1	2	4	-	1	6	7	9	49	114
1997.....	43,041	1	1	-	1	3	6	5	14	39	113
1996.....	41,414	-	4	1	-	3	4	4	11	38	96
1995.....	40,848	1	-	2	3	2	3	6	20	35	84
1994.....	40,243	3	4	1	1	3	2	5	12	30	89
1993.....	40,641	4	5	-	1	2	4	9	12	36	92
1992.....	37,355	1	1	-	1	-	4	5	8	35	87
1991.....	37,070	4	1	2	2	2	5	5	13	39	80
1990.....	36,245	2	7	2	1	3	4	9	8	27	76
1989.....	35,080	4	1	2	3	5	2	5	17	37	87
1988.....	35,439	1	3	3	1	-	1	5	13	29	84
1987.....	34,243	3	2	2	1	4	4	7	12	32	85
1986.....	33,999	3	2	2	2	7	5	4	8	28	90
1985.....	33,629	3	1	2	1	4	2	12	5	28	81
1984.....	31,591	2	6	2	-	2	5	11	12	29	63
1983.....	30,322	3	3	4	2	7	6	8	7	28	57
1982.....	27,225	8	3	4	-	4	8	10	11	34	64
1981.....	26,550	6	3	4	3	1	10	7	13	24	62
1980.....	24,820	2	3	1	2	6	2	11	12	30	65
1979.....	21,586	2	1	-	2	3	4	3	11	26	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)											
TOTAL, FEMALE											
1998.....	42,356	3	2	2	4	2	2	6	4	30	81
1997.....	39,981	3	-	1	1	4	2	5	11	29	86
1996.....	38,509	1	1	1	2	1	5	2	9	29	77
1995.....	36,154	2	2	1	1	-	1	2	14	21	89
1994.....	35,104	3	-	1	-	2	2	1	19	26	51
1993.....	33,906	1	1	1	-	-	1	-	9	26	69
1992.....	29,592	1	2	1	3	2	2	3	7	27	64
1991.....	28,311	3	1	-	-	4	-	4	4	17	64
1990.....	26,309	2	-	1	2	1	2	3	11	16	48
1989.....	25,169	1	1	-	2	3	6	3	13	22	47
1988.....	23,584	1	4	1	2	4	5	4	9	17	48
1987.....	21,713	2	4	1	-	2	2	4	9	19	52
1986.....	20,384	-	3	2	2	1	1	9	6	18	59
1985.....	19,388	1	2	1	1	3	2	3	5	15	50
1984.....	17,137	-	5	6	-	4	2	5	6	20	51
1983.....	15,492	2	3	4	1	5	4	4	7	18	53
1982.....	13,202	2	6	4	3	2	3	2	8	20	50
1981.....	12,174	6	3	1	2	3	3	3	7	19	46
1980.....	10,734	2	2	3	4	6	4	5	9	20	40
1979.....	8,530	-	2	1	-	2	6	7	8	19	40
WHITE, BOTH SEXES											
1998.....	80,786	3	2	4	1	3	6	11	7	60	147
1997.....	77,447	1	-	1	1	6	7	8	18	49	154
1996.....	74,633	1	3	1	1	3	7	2	14	57	140
1995.....	71,888	2	2	3	2	2	4	5	24	35	138
1994.....	70,393	4	2	2	1	4	3	6	26	40	104
1993.....	69,669	4	5	1	-	2	4	8	18	52	112
1992.....	62,616	-	2	1	4	2	4	5	14	40	108
1991.....	61,038	4	1	1	2	5	3	7	14	39	107
1990.....	58,290	4	5	3	1	3	6	10	13	30	89
1989.....	56,008	1	1	1	3	6	5	2	20	36	92
1988.....	55,120	1	5	3	2	3	4	6	17	30	103
1987.....	52,299	3	3	2	1	5	6	9	12	35	112
1986.....	50,868	2	4	3	4	8	5	9	9	35	113
1985.....	49,646	3	1	3	-	5	4	11	6	39	98
1984.....	45,591	1	8	8	-	4	6	10	13	35	88
1983.....	43,006	4	5	8	1	8	8	8	11	34	86
1982.....	37,971	5	7	7	3	4	10	11	16	39	88
1981.....	36,387	10	5	3	4	3	9	8	15	36	85
1980.....	33,377	1	4	3	4	9	4	8	17	27	81
1979.....	28,258	2	1	1	2	4	8	7	11	29	83

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)											
WHITE MALE											
1998.....	40,763	1	1	2	-	1	5	6	5	40	87
1997.....	39,657	-	-	-	1	3	5	5	11	26	89
1996.....	38,211	-	2	-	-	3	4	2	8	33	79
1995.....	37,701	1	-	2	2	2	3	4	16	23	73
1994.....	37,164	2	2	1	1	2	2	5	10	25	67
1993.....	37,492	3	4	-	-	2	4	8	11	32	61
1992.....	34,563	-	1	-	1	-	2	3	8	21	64
1991.....	34,223	2	1	1	2	2	3	4	10	25	56
1990.....	33,381	2	5	2	1	2	4	7	4	20	53
1989.....	32,206	1	-	1	1	4	2	1	10	24	52
1988.....	32,725	1	3	2	1	-	1	4	11	19	61
1987.....	31,714	1	1	1	1	4	4	6	5	22	70
1986.....	31,451	2	1	2	2	7	4	2	5	20	64
1985.....	31,239	2	-	2	-	3	2	8	4	25	57
1984.....	29,341	1	4	2	-	1	4	8	11	22	46
1983.....	28,246	2	3	4	1	5	4	7	5	20	41
1982.....	25,444	5	2	4	-	3	7	9	9	24	46
1981.....	24,795	5	2	3	3	1	7	6	9	22	47
1980.....	23,151	-	3	-	2	5	1	5	9	15	47
1979.....	20,144	2	-	-	2	2	3	2	6	16	48
WHITE FEMALE											
1998.....	40,023	2	1	2	1	2	1	5	2	20	60
1997.....	37,790	1	-	1	-	3	2	3	7	23	65
1996.....	36,422	1	1	1	1	-	3	-	6	24	61
1995.....	34,187	1	2	1	-	-	1	1	8	12	65
1994.....	33,229	2	-	1	-	2	1	1	16	15	37
1993.....	32,177	1	1	1	-	-	-	-	7	20	51
1992.....	28,053	-	1	1	3	2	2	2	6	19	44
1991.....	26,815	2	-	-	-	3	-	3	4	14	51
1990.....	24,909	2	-	1	-	1	2	3	9	10	36
1989.....	23,802	-	1	-	2	2	3	1	10	12	40
1988.....	22,395	-	2	1	1	3	3	2	6	11	42
1987.....	20,585	2	2	1	-	1	2	3	7	13	42
1986.....	19,417	-	3	1	2	1	1	7	4	15	49
1985.....	18,407	1	1	1	-	2	2	3	2	14	41
1984.....	16,250	-	4	6	-	3	2	2	2	13	42
1983.....	14,760	2	2	4	-	3	4	1	6	14	45
1982.....	12,527	-	5	3	3	1	3	2	7	15	42
1981.....	11,592	5	3	-	1	2	2	2	6	14	38
1980.....	10,226	1	1	3	2	4	3	3	8	12	34
1979.....	8,114	-	1	1	-	2	5	5	5	13	35

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)											
ALL OTHER, BOTH SEXES											
1998.....	5,773	1	2	2	3	-	2	2	6	19	48
1997.....	5,575	3	1	-	1	1	1	2	7	19	45
1996.....	5,290	-	2	1	1	1	2	4	6	10	33
1995.....	5,114	1	-	-	2	-	-	3	10	21	35
1994.....	4,954	2	2	-	-	1	1	-	5	16	36
1993.....	4,878	1	1	-	1	-	1	1	3	10	49
1992.....	4,331	2	1	-	-	-	2	3	1	22	43
1991.....	4,343	3	1	1	-	1	2	2	3	17	37
1990.....	4,264	-	2	-	2	1	-	2	6	13	35
1989.....	4,241	4	1	1	2	2	3	6	10	23	42
1988.....	3,903	1	2	1	1	1	2	3	5	16	29
1987.....	3,657	2	3	1	-	1	-	2	9	16	25
1986.....	3,515	1	1	1	-	-	1	4	5	11	36
1985.....	3,371	1	2	-	2	2	-	4	4	4	33
1984.....	3,137	1	3	-	-	2	1	6	5	14	26
1983.....	2,808	1	1	-	2	4	2	4	3	12	24
1982.....	2,456	5	2	1	-	2	1	1	3	15	26
1981.....	2,337	2	1	2	1	1	4	2	5	7	23
1980.....	2,177	3	1	1	2	3	2	8	4	23	24
1979.....	1,858	-	2	-	-	1	2	3	8	16	20
ALL OTHER MALE											
1998.....	3,440	-	1	2	-	-	1	1	4	9	27
1997.....	3,384	1	1	-	-	-	1	-	3	13	24
1996.....	3,203	-	2	1	-	-	-	2	3	5	17
1995.....	3,147	-	-	-	1	-	-	2	4	12	11
1994.....	3,079	1	2	-	-	1	-	-	2	5	22
1993.....	3,149	1	1	-	1	-	-	1	1	4	31
1992.....	2,792	1	-	-	-	-	2	2	-	14	23
1991.....	2,847	2	-	1	-	-	2	1	3	14	24
1990.....	2,864	-	2	-	-	1	-	2	4	7	23
1989.....	2,874	3	1	1	2	1	-	4	7	13	35
1988.....	2,714	-	-	1	-	-	-	1	2	10	23
1987.....	2,529	2	1	1	-	-	-	1	7	10	15
1986.....	2,548	1	1	-	-	-	1	2	3	8	26
1985.....	2,390	1	1	-	1	1	-	4	1	3	24
1984.....	2,250	1	2	-	-	1	1	3	1	7	17
1983.....	2,076	1	-	-	1	2	2	1	2	8	16
1982.....	1,781	3	1	-	-	1	1	1	2	10	18
1981.....	1,755	1	1	1	-	-	3	1	4	2	15
1980.....	1,669	2	-	1	-	1	1	6	3	15	18
1979.....	1,442	-	1	-	-	1	1	1	5	10	15



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)											
ALL OTHER FEMALE											
1998.....	2,333	1	1	-	3	-	1	1	2	10	21
1997.....	2,191	2	-	-	1	1	-	2	4	6	21
1996.....	2,087	-	-	-	1	1	2	2	3	5	16
1995.....	1,967	1	-	-	1	-	-	1	6	9	24
1994.....	1,875	1	-	-	-	-	1	-	3	11	14
1993.....	1,729	-	-	-	-	-	1	-	2	6	18
1992.....	1,539	1	1	-	-	-	-	1	1	8	20
1991.....	1,496	1	1	-	-	1	-	1	-	3	13
1990.....	1,400	-	-	-	2	-	-	-	2	6	12
1989.....	1,367	1	-	-	-	1	3	2	3	10	7
1988.....	1,189	1	2	-	-	1	2	2	3	6	6
1987.....	1,128	-	2	-	-	1	-	1	2	6	10
1986.....	967	-	-	1	-	-	-	2	2	3	10
1985.....	981	-	1	-	1	1	-	-	3	1	9
1984.....	887	-	1	-	-	1	-	3	4	7	9
1983.....	732	-	1	-	1	2	-	3	1	4	8
1982.....	675	2	1	1	-	1	-	-	1	5	8
1981.....	582	1	-	1	1	1	1	1	1	5	8
1980.....	508	1	1	-	2	2	1	2	1	8	6
1979.....	416	-	1	-	-	-	1	2	3	6	5
BLACK, BOTH SEXES											
1998.....	4,860	-	2	1	2	-	2	2	5	18	42
1997.....	4,665	3	1	-	1	1	-	1	7	19	42
1996.....	4,503	-	2	1	1	1	2	4	5	9	33
1995.....	4,343	1	-	-	2	-	-	1	10	16	33
1994.....	4,258	2	1	-	-	-	1	-	3	16	33
1993.....	4,213	1	1	-	1	-	1	1	2	8	47
1992.....	3,786	2	1	-	-	-	2	3	-	20	41
1991.....	3,777	3	1	-	-	1	-	2	2	15	33
1990.....	3,716	-	2	-	2	1	-	2	5	13	31
1989.....	3,715	3	1	1	2	2	3	5	10	20	38
1988.....	3,455	1	2	1	-	1	1	3	4	16	29
1987.....	3,244	2	3	-	-	1	-	1	9	14	23
1986.....	3,140	1	1	1	-	-	1	3	4	9	32
1985.....	3,027	1	1	-	2	2	-	3	4	4	31
1984.....	2,799	1	3	-	-	2	-	4	5	12	25
1983.....	2,532	1	1	-	2	3	1	4	1	11	22
1982.....	2,242	5	2	1	-	2	1	1	3	14	25
1981.....	2,120	2	1	2	1	1	2	2	5	7	21
1980.....	2,003	3	-	1	2	2	2	7	4	21	22
1979.....	1,686	-	1	-	-	-	2	2	6	15	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)											
BLACK MALE											
1998.....	2,866	-	1	1	-	-	1	1	3	8	21
1997.....	2,798	1	1	-	-	-	-	-	3	13	22
1996.....	2,704	-	2	1	-	-	-	2	3	4	17
1995.....	2,674	-	-	-	1	-	-	1	4	7	11
1994.....	2,647	1	1	-	-	-	-	-	1	5	20
1993.....	2,725	1	1	-	1	-	-	1	-	4	29
1992.....	2,436	1	-	-	-	-	2	2	-	13	23
1991.....	2,478	2	-	-	-	-	-	1	2	13	23
1990.....	2,491	-	2	-	-	1	-	2	4	7	21
1989.....	2,499	2	1	1	2	1	-	3	7	11	33
1988.....	2,415	-	-	1	-	-	-	1	2	10	23
1987.....	2,248	2	1	-	-	-	-	1	7	9	14
1986.....	2,268	1	1	-	-	-	1	1	3	7	23
1985.....	2,167	1	1	-	1	1	-	3	1	3	23
1984.....	2,025	1	2	-	-	1	-	3	1	7	16
1983.....	1,873	1	-	-	1	2	1	1	1	7	16
1982.....	1,632	3	1	-	-	1	1	1	2	9	18
1981.....	1,600	1	1	1	-	-	2	1	4	2	15
1980.....	1,529	2	-	1	-	-	1	5	3	13	16
1979.....	1,329	-	1	-	-	-	1	-	5	10	15
BLACK FEMALE											
1998.....	1,994	-	1	-	2	-	1	1	2	10	21
1997.....	1,867	2	-	-	1	1	-	1	4	6	20
1996.....	1,799	-	-	-	1	1	2	2	2	5	16
1995.....	1,669	1	-	-	1	-	-	-	6	9	22
1994.....	1,611	1	-	-	-	-	1	-	2	11	13
1993.....	1,488	-	-	-	-	-	1	-	2	4	18
1992.....	1,350	1	1	-	-	-	-	1	-	7	18
1991.....	1,299	1	1	-	-	1	-	1	-	2	10
1990.....	1,225	-	-	-	2	-	-	-	1	6	10
1989.....	1,216	1	-	-	-	1	3	2	3	9	5
1988.....	1,040	1	2	-	-	1	1	2	2	6	6
1987.....	996	-	2	-	-	1	-	-	2	5	9
1986.....	872	-	-	1	-	-	-	2	1	2	9
1985.....	860	-	-	-	1	1	-	-	3	1	8
1984.....	774	-	1	-	-	1	-	1	4	5	9
1983.....	659	-	1	-	1	1	-	3	-	4	6
1982.....	610	2	1	1	-	1	-	-	1	5	7
1981.....	520	1	-	1	1	1	-	1	1	5	6
1980.....	474	1	-	-	2	2	1	2	1	8	6
1979.....	357	-	-	-	-	-	1	2	1	5	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ULCER OF STOMACH AND DUODENUM (531-533)											
TOTAL, BOTH SEXES											
1998.....	4,695	4	2	1	2	3	5	12	23	32	77
1997.....	5,115	8	-	3	2	3	8	7	17	41	92
1996.....	5,105	12	4	2	3	4	4	9	20	54	85
1995.....	5,464	7	1	3	3	6	6	11	24	55	82
1994.....	6,088	8	2	2	3	6	10	21	29	56	88
1993.....	5,945	5	5	3	-	3	10	9	25	57	94
1992.....	6,128	7	3	2	2	4	5	11	34	61	84
1991.....	6,117	6	5	-	2	-	6	13	26	57	94
1990.....	6,186	9	3	2	2	3	8	24	33	50	76
1989.....	6,455	12	3	3	1	5	6	19	21	59	84
1988.....	6,435	16	3	1	4	7	10	16	32	66	78
1987.....	6,358	10	5	2	3	3	4	22	36	49	82
1986.....	6,477	9	1	1	2	4	11	16	41	66	76
1985.....	6,645	12	5	-	1	3	9	19	20	53	69
1984.....	6,570	11	2	1	3	6	9	14	35	50	78
1983.....	6,369	11	3	1	3	3	9	16	29	45	78
1982.....	6,738	13	2	3	4	5	11	31	39	46	83
1981.....	6,489	14	5	3	2	8	15	24	39	62	72
1980.....	6,115	11	10	2	9	13	12	17	44	58	85
1979.....	5,902	16	3	1	2	7	22	25	36	61	102
TOTAL, MALE											
1998.....	2,235	2	-	1	-	2	3	6	18	18	57
1997.....	2,379	4	-	3	1	1	7	6	12	30	60
1996.....	2,404	5	2	2	2	2	1	8	9	38	67
1995.....	2,624	6	1	2	1	6	2	11	15	34	60
1994.....	2,928	5	1	2	2	5	8	18	24	41	57
1993.....	2,824	4	5	3	-	3	4	6	15	39	57
1992.....	2,924	6	1	1	1	2	3	9	29	40	63
1991.....	2,928	4	2	-	1	-	3	9	18	38	63
1990.....	2,973	3	2	2	1	2	5	17	25	39	53
1989.....	3,145	7	2	1	1	4	4	13	16	42	63
1988.....	3,182	8	2	1	3	5	6	13	26	49	52
1987.....	3,192	5	2	1	3	2	2	16	22	39	55
1986.....	3,108	6	1	1	1	3	5	8	25	51	48
1985.....	3,330	6	1	-	-	1	6	14	17	42	49
1984.....	3,227	5	-	1	1	4	6	7	26	36	43
1983.....	3,260	8	2	-	2	1	9	10	18	29	55
1982.....	3,422	6	1	2	3	2	9	16	23	31	55
1981.....	3,432	9	4	2	1	6	11	15	26	45	49
1980.....	3,405	7	5	1	6	9	6	7	24	44	58
1979.....	3,246	10	2	-	1	2	13	13	26	42	67

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ULCER OF STOMACH AND DUODENUM (531-533)											
TOTAL, FEMALE											
1998.....	2,460	2	2	-	2	1	2	6	5	14	20
1997.....	2,736	4	-	-	1	2	1	1	5	11	32
1996.....	2,701	7	2	-	1	2	3	1	11	16	18
1995.....	2,840	1	-	1	2	-	4	-	9	21	22
1994.....	3,160	3	1	-	1	1	2	3	5	15	31
1993.....	3,121	1	-	-	-	-	6	3	10	18	37
1992.....	3,204	1	2	1	1	2	2	2	5	21	21
1991.....	3,189	2	3	-	1	-	3	4	8	19	31
1990.....	3,213	6	1	-	1	1	3	7	8	11	23
1989.....	3,310	5	1	2	-	1	2	6	5	17	21
1988.....	3,253	8	1	-	1	2	4	3	6	17	26
1987.....	3,166	5	3	1	-	1	2	6	14	10	27
1986.....	3,369	3	-	-	1	1	6	8	16	15	28
1985.....	3,315	6	4	-	1	2	3	5	3	11	20
1984.....	3,343	6	2	-	2	2	3	7	9	14	35
1983.....	3,109	3	1	1	1	2	-	6	11	16	23
1982.....	3,316	7	1	1	1	3	2	15	16	15	28
1981.....	3,057	5	1	1	1	2	4	9	13	17	23
1980.....	2,710	4	5	1	3	4	6	10	20	14	27
1979.....	2,656	6	1	1	1	5	9	12	10	19	35
WHITE, BOTH SEXES											
1998.....	4,162	2	2	1	2	1	4	9	17	22	57
1997.....	4,484	4	-	1	-	2	4	4	10	28	67
1996.....	4,460	8	3	-	2	2	1	2	12	30	62
1995.....	4,840	6	-	3	3	4	5	4	16	34	53
1994.....	5,366	2	2	2	1	6	8	13	19	29	64
1993.....	5,264	3	5	2	-	2	6	6	17	39	68
1992.....	5,452	3	1	2	2	3	5	6	20	35	60
1991.....	5,456	5	4	-	2	-	4	8	16	39	68
1990.....	5,517	8	2	2	2	2	3	15	16	32	48
1989.....	5,664	6	1	2	1	4	2	11	11	42	50
1988.....	5,787	9	2	1	4	6	4	11	17	42	56
1987.....	5,740	4	3	2	-	2	2	15	24	30	57
1986.....	5,794	7	1	1	2	3	10	11	25	45	55
1985.....	5,984	9	3	-	1	2	8	7	12	39	51
1984.....	5,933	6	1	1	2	6	6	10	21	32	56
1983.....	5,752	8	2	1	3	1	7	15	15	35	58
1982.....	6,063	5	2	3	4	4	8	21	29	34	67
1981.....	5,834	7	3	3	1	5	12	19	20	45	52
1980.....	5,543	5	9	2	7	9	9	11	31	39	59
1979.....	5,331	7	3	1	1	5	16	18	21	43	83

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ULCER OF STOMACH AND DUODENUM (531-533)											
WHITE MALE											
1998.....	1,960	1	-	1	-	1	3	5	14	15	41
1997.....	2,025	2	-	1	-	1	4	4	6	22	44
1996.....	2,052	3	2	-	2	1	-	2	4	23	49
1995.....	2,269	5	-	2	1	4	2	4	9	19	34
1994.....	2,528	1	1	2	-	5	6	10	14	22	38
1993.....	2,431	3	5	2	-	2	3	4	10	24	39
1992.....	2,539	2	1	1	1	1	3	4	19	21	40
1991.....	2,558	4	1	-	1	-	2	6	12	23	40
1990.....	2,594	2	2	2	1	1	2	10	11	24	35
1989.....	2,701	4	1	1	1	3	1	8	8	28	38
1988.....	2,807	5	1	1	3	5	2	8	12	27	38
1987.....	2,828	3	1	1	-	1	1	11	13	23	34
1986.....	2,726	4	1	1	1	2	5	5	16	34	35
1985.....	2,947	5	1	-	-	1	5	5	10	29	37
1984.....	2,865	3	-	1	-	4	4	4	15	21	30
1983.....	2,885	5	1	-	2	-	7	10	9	22	41
1982.....	3,032	3	1	2	3	2	7	9	17	23	42
1981.....	3,035	5	3	2	1	4	9	13	13	29	33
1980.....	3,036	2	5	1	4	7	5	4	15	29	38
1979.....	2,882	6	2	-	1	1	10	8	13	26	52
WHITE FEMALE											
1998.....	2,202	1	2	-	2	-	1	4	3	7	16
1997.....	2,459	2	-	-	-	1	-	-	4	6	23
1996.....	2,408	5	1	-	-	1	1	-	8	7	13
1995.....	2,571	1	-	1	2	-	3	-	7	15	19
1994.....	2,838	1	1	-	1	1	2	3	5	7	26
1993.....	2,833	-	-	-	-	-	3	2	7	15	29
1992.....	2,913	1	-	1	1	2	2	2	1	14	20
1991.....	2,898	1	3	-	1	-	2	2	4	16	28
1990.....	2,923	6	-	-	1	1	1	5	5	8	13
1989.....	2,963	2	-	1	-	1	1	3	3	14	12
1988.....	2,980	4	1	-	1	1	2	3	5	15	18
1987.....	2,912	1	2	1	-	1	1	4	11	7	23
1986.....	3,068	3	-	-	1	1	5	6	9	11	20
1985.....	3,037	4	2	-	1	1	3	2	2	10	14
1984.....	3,068	3	1	-	2	2	2	6	6	11	26
1983.....	2,867	3	1	1	1	1	-	5	6	13	17
1982.....	3,031	2	1	1	1	2	1	12	12	11	25
1981.....	2,799	2	-	1	-	1	3	6	7	16	19
1980.....	2,507	3	4	1	3	2	4	7	16	10	21
1979.....	2,449	1	1	1	-	4	6	10	8	17	31

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ULCER OF STOMACH AND DUODENUM (531-533)											
ALL OTHER, BOTH SEXES											
1998.....	533	2	-	-	-	2	1	3	6	10	20
1997.....	631	4	-	2	2	1	4	3	7	13	25
1996.....	645	4	1	2	1	2	3	7	8	24	23
1995.....	624	1	1	-	-	2	1	7	8	21	29
1994.....	722	6	-	-	2	-	2	8	10	27	24
1993.....	681	2	-	1	-	1	4	3	8	18	26
1992.....	676	4	2	-	-	1	-	5	14	26	24
1991.....	661	1	1	-	-	-	2	5	10	18	26
1990.....	669	1	1	-	-	1	5	9	17	18	28
1989.....	791	6	2	1	-	1	4	8	10	17	34
1988.....	648	7	1	-	-	1	6	5	15	24	22
1987.....	618	6	2	-	3	1	2	7	12	19	25
1986.....	683	2	-	-	-	1	1	5	16	21	21
1985.....	661	3	2	-	-	1	1	12	8	14	18
1984.....	637	5	1	-	1	-	3	4	14	18	22
1983.....	617	3	1	-	-	2	2	1	14	10	20
1982.....	675	8	-	-	-	1	3	10	10	12	16
1981.....	655	7	2	-	1	3	3	5	19	17	20
1980.....	572	6	1	-	2	4	3	6	13	19	26
1979.....	571	9	-	-	1	2	6	7	15	18	19
ALL OTHER MALE											
1998.....	275	1	-	-	-	1	-	1	4	3	16
1997.....	354	2	-	2	1	-	3	2	6	8	16
1996.....	352	2	-	2	-	1	1	6	5	15	18
1995.....	355	1	1	-	-	2	-	7	6	15	26
1994.....	400	4	-	-	2	-	2	8	10	19	19
1993.....	393	1	-	1	-	1	1	2	5	15	18
1992.....	385	4	-	-	-	1	-	5	10	19	23
1991.....	370	-	1	-	-	-	1	3	6	15	23
1990.....	379	1	-	-	-	1	3	7	14	15	18
1989.....	444	3	1	-	-	1	3	5	8	14	25
1988.....	375	3	1	-	-	-	4	5	14	22	14
1987.....	364	2	1	-	3	1	1	5	9	16	21
1986.....	382	2	-	-	-	1	-	3	9	17	13
1985.....	383	1	-	-	-	-	1	9	7	13	12
1984.....	362	2	-	-	1	-	2	3	11	15	13
1983.....	375	3	1	-	-	1	2	-	9	7	14
1982.....	390	3	-	-	-	-	2	7	6	8	13
1981.....	397	4	1	-	-	2	2	2	13	16	16
1980.....	369	5	-	-	2	2	1	3	9	15	20
1979.....	364	4	-	-	-	1	3	5	13	16	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ULCER OF STOMACH AND DUODENUM (531-533)											
ALL OTHER FEMALE											
1998.....	258	1	-	-	-	1	1	2	2	7	4
1997.....	277	2	-	-	1	1	1	1	1	5	9
1996.....	293	2	1	-	1	1	2	1	3	9	5
1995.....	269	-	-	-	-	-	1	-	2	6	3
1994.....	322	2	-	-	-	-	-	-	-	8	5
1993.....	288	1	-	-	-	-	3	1	3	3	8
1992.....	291	-	2	-	-	-	-	-	4	7	1
1991.....	291	1	-	-	-	-	1	2	4	3	3
1990.....	290	-	1	-	-	-	2	2	3	3	10
1989.....	347	3	1	1	-	-	1	3	2	3	9
1988.....	273	4	-	-	-	1	2	-	1	2	8
1987.....	254	4	1	-	-	-	1	2	3	3	4
1986.....	301	-	-	-	-	-	1	2	7	4	8
1985.....	278	2	2	-	-	1	-	3	1	1	6
1984.....	275	3	1	-	-	-	1	1	3	3	9
1983.....	242	-	-	-	-	1	-	1	5	3	6
1982.....	285	5	-	-	-	1	1	3	4	4	3
1981.....	258	3	1	-	1	1	1	3	6	1	4
1980.....	203	1	1	-	-	2	2	3	4	4	6
1979.....	207	5	-	-	1	1	3	2	2	2	4
BLACK, BOTH SEXES											
1998.....	411	1	-	-	-	2	1	3	4	9	17
1997.....	492	4	-	2	-	1	4	3	6	12	22
1996.....	520	3	1	1	1	2	3	6	7	20	22
1995.....	518	1	-	-	-	2	1	6	8	20	27
1994.....	577	5	-	-	2	-	2	7	8	27	23
1993.....	561	2	-	1	-	-	4	2	8	16	26
1992.....	568	4	-	-	-	-	-	5	13	26	22
1991.....	547	1	-	-	-	-	2	5	10	16	24
1990.....	582	1	1	-	-	1	5	8	15	17	25
1989.....	665	6	1	1	-	1	4	8	10	15	28
1988.....	560	7	1	-	-	1	6	5	15	22	21
1987.....	543	6	1	-	2	1	1	7	12	19	25
1986.....	600	2	-	-	-	1	1	4	16	20	20
1985.....	571	2	2	-	-	1	1	11	6	13	16
1984.....	562	5	-	-	1	-	1	4	14	17	21
1983.....	547	3	-	-	-	2	2	1	13	9	19
1982.....	593	7	-	-	-	1	3	10	10	11	15
1981.....	593	7	1	-	1	3	3	5	19	16	19
1980.....	511	5	1	-	1	4	3	6	12	19	25
1979.....	504	8	-	-	1	2	5	7	13	16	16

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ULCER OF STOMACH AND DUODENUM (531-533)											
BLACK MALE											
1998.....	204	1	-	-	-	1	-	1	3	2	13
1997.....	275	2	-	2	-	-	3	2	5	8	13
1996.....	280	1	-	1	-	1	1	5	5	13	17
1995.....	289	1	-	-	-	2	-	6	6	14	25
1994.....	313	3	-	-	2	-	2	7	8	19	18
1993.....	317	1	-	1	-	-	1	1	5	14	18
1992.....	323	4	-	-	-	-	-	5	9	19	21
1991.....	302	-	-	-	-	-	1	3	6	13	21
1990.....	332	1	-	-	-	1	3	6	12	14	18
1989.....	362	3	1	-	-	1	3	5	8	13	20
1988.....	324	3	1	-	-	-	4	5	14	20	13
1987.....	316	2	1	-	2	1	1	5	9	16	21
1986.....	333	2	-	-	-	1	-	2	9	16	12
1985.....	328	1	-	-	-	-	1	9	6	12	11
1984.....	313	2	-	-	1	-	1	3	11	14	12
1983.....	327	3	-	-	-	1	2	-	9	7	14
1982.....	339	3	-	-	-	-	2	7	6	8	12
1981.....	357	4	1	-	-	2	2	2	13	15	16
1980.....	331	4	-	-	1	2	1	3	9	15	19
1979.....	316	3	-	-	-	1	2	5	12	14	12
BLACK FEMALE											
1998.....	207	-	-	-	-	1	1	2	1	7	4
1997.....	217	2	-	-	-	1	1	1	1	4	9
1996.....	240	2	1	-	1	1	2	1	2	7	5
1995.....	229	-	-	-	-	-	1	-	2	6	2
1994.....	264	2	-	-	-	-	-	-	-	8	5
1993.....	244	1	-	-	-	-	3	1	3	2	8
1992.....	245	-	-	-	-	-	-	-	4	7	1
1991.....	245	1	-	-	-	-	1	2	4	3	3
1990.....	250	-	1	-	-	-	2	2	3	3	7
1989.....	303	3	-	1	-	-	1	3	2	2	8
1988.....	236	4	-	-	-	1	2	-	1	2	8
1987.....	227	4	-	-	-	-	-	2	3	3	4
1986.....	267	-	-	-	-	-	1	2	7	4	8
1985.....	243	1	2	-	-	1	-	2	-	1	5
1984.....	249	3	-	-	-	-	-	1	3	3	9
1983.....	220	-	-	-	-	1	-	1	4	2	5
1982.....	254	4	-	-	-	1	1	3	4	3	3
1981.....	236	3	-	-	1	1	1	3	6	1	3
1980.....	180	1	1	-	-	2	2	3	3	4	6
1979.....	188	5	-	-	1	1	3	2	1	2	4



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR APPENDICITIS (540-543)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	439	9	5	5	10	5	7	5	6	16	13
1997.....	395	3	2	10	8	3	6	5	10	10	14
1996.....	424	1	2	11	14	11	7	5	6	19	9
1995.....	398	4	3	7	7	3	3	5	4	5	13
1994.....	380	1	5	5	5	9	6	6	8	18	5
1993.....	367	6	8	3	7	6	5	2	10	11	15
1992.....	413	4	2	6	3	10	6	9	8	11	14
1991.....	389	2	5	4	6	10	5	7	4	11	16
1990.....	438	5	7	6	7	5	6	5	7	8	22
1989.....	451	2	-	6	10	10	8	9	8	5	8
1988.....	473	3	7	6	13	4	3	6	7	12	11
1987.....	481	1	1	11	4	7	4	1	10	11	12
1986.....	512	6	6	14	3	10	6	5	10	6	10
1985.....	501	6	8	7	3	5	8	7	7	8	7
1984.....	493	3	8	8	10	2	8	8	7	6	11
1983.....	526	2	7	8	8	9	10	4	8	8	9
1982.....	529	7	9	10	19	9	3	4	5	10	11
1981.....	589	3	5	3	14	10	12	14	7	13	15
1980.....	701	10	12	11	12	14	14	8	14	11	14
1979.....	682	6	7	11	18	10	16	10	7	11	12
TOTAL, MALE											
1998.....	256	5	3	3	6	4	5	4	5	10	9
1997.....	228	1	-	5	4	2	3	5	9	7	10
1996.....	240	1	1	7	7	7	6	3	5	11	3
1995.....	229	3	1	4	5	3	3	5	2	3	9
1994.....	220	1	2	3	3	7	3	4	3	10	3
1993.....	217	6	6	2	4	3	3	2	6	7	10
1992.....	244	3	2	6	3	5	6	6	2	8	9
1991.....	207	2	2	1	4	9	3	4	4	10	9
1990.....	257	3	5	3	3	4	5	3	3	5	14
1989.....	237	1	-	6	6	6	5	7	7	4	4
1988.....	241	3	3	3	9	2	1	2	3	9	7
1987.....	255	-	1	6	4	7	2	1	5	8	10
1986.....	280	4	3	5	2	5	4	5	6	3	5
1985.....	276	4	4	4	2	3	6	4	6	6	6
1984.....	265	2	2	3	7	2	6	3	3	4	5
1983.....	292	1	6	8	5	7	6	3	6	3	6
1982.....	303	3	6	7	14	6	1	2	3	7	7
1981.....	329	1	3	1	9	4	10	10	3	10	11
1980.....	383	4	6	6	5	8	7	4	8	6	8
1979.....	373	4	2	8	10	6	10	6	5	7	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
APPENDICITIS (540-543)											
TOTAL, FEMALE											
1998.....	183	4	2	2	4	1	2	1	1	6	4
1997.....	167	2	2	5	4	1	3	-	1	3	4
1996.....	184	-	1	4	7	4	1	2	1	8	6
1995.....	169	1	2	3	2	-	-	-	2	2	4
1994.....	160	-	3	2	2	2	3	2	5	8	2
1993.....	150	-	2	1	3	3	2	-	4	4	5
1992.....	169	1	-	-	-	5	-	3	6	3	5
1991.....	182	-	3	3	2	1	2	3	-	1	7
1990.....	181	2	2	3	4	1	1	2	4	3	8
1989.....	214	1	-	-	4	4	3	2	1	1	4
1988.....	232	-	4	3	4	2	2	4	4	3	4
1987.....	226	1	-	5	-	-	2	-	5	3	2
1986.....	232	2	3	9	1	5	2	-	4	3	5
1985.....	225	2	4	3	1	2	2	3	1	2	1
1984.....	228	1	6	5	3	-	2	5	4	2	6
1983.....	234	1	1	-	3	2	4	1	2	5	3
1982.....	226	4	3	3	5	3	2	2	2	3	4
1981.....	260	2	2	2	5	6	2	4	4	3	4
1980.....	318	6	6	5	7	6	7	4	6	5	6
1979.....	309	2	5	3	8	4	6	4	2	4	4
WHITE, BOTH SEXES											
1998.....	356	4	4	3	8	3	5	4	5	11	11
1997.....	309	3	1	7	5	3	4	3	7	7	7
1996.....	352	1	2	8	13	7	4	3	5	14	7
1995.....	313	3	3	5	7	2	2	4	4	3	5
1994.....	305	-	3	2	4	7	5	5	4	9	4
1993.....	283	4	5	3	4	4	3	2	8	5	11
1992.....	326	3	2	5	2	9	2	4	2	7	11
1991.....	321	2	2	4	5	5	3	5	3	8	12
1990.....	357	5	7	4	6	3	4	3	5	7	16
1989.....	354	1	-	4	4	5	6	8	4	4	5
1988.....	368	3	5	1	11	1	3	5	6	10	7
1987.....	378	1	-	8	3	6	2	1	6	8	11
1986.....	394	5	2	9	2	5	3	4	6	3	6
1985.....	396	6	4	2	2	5	7	4	3	4	4
1984.....	403	2	7	6	6	1	7	6	4	3	8
1983.....	428	2	6	6	7	7	7	4	6	5	6
1982.....	413	6	8	8	14	7	3	2	5	7	7
1981.....	466	2	4	3	11	6	11	13	5	9	14
1980.....	566	7	11	8	9	7	12	5	13	8	9
1979.....	539	5	5	9	14	9	9	6	3	9	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
APPENDICITIS (540-543)											
WHITE MALE											
1998.....	201	3	2	2	5	2	3	3	4	7	8
1997.....	167	1	-	4	2	2	1	3	6	6	4
1996.....	191	1	1	6	6	3	4	1	4	8	3
1995.....	168	2	1	3	5	2	2	4	2	2	3
1994.....	168	-	2	-	2	5	3	3	-	4	3
1993.....	159	4	4	2	2	2	1	2	5	4	7
1992.....	196	3	2	5	2	5	2	3	-	5	8
1991.....	163	2	1	1	3	4	2	2	3	8	7
1990.....	212	3	5	3	2	3	3	3	3	5	11
1989.....	185	1	-	4	2	2	4	6	4	3	2
1988.....	181	3	2	1	8	1	1	2	2	7	3
1987.....	203	-	-	4	3	6	1	1	4	5	9
1986.....	215	3	1	3	1	3	3	4	4	1	5
1985.....	217	4	2	1	2	3	5	2	3	3	4
1984.....	220	1	2	3	4	1	5	2	2	2	3
1983.....	238	1	5	6	4	5	5	3	6	2	5
1982.....	236	2	5	6	10	5	1	1	3	7	3
1981.....	260	-	2	1	7	3	9	9	3	7	10
1980.....	308	3	6	4	3	5	6	3	7	4	5
1979.....	292	3	1	7	10	6	5	4	2	6	6
WHITE FEMALE											
1998.....	155	1	2	1	3	1	2	1	1	4	3
1997.....	142	2	1	3	3	1	3	-	1	1	3
1996.....	161	-	1	2	7	4	-	2	1	6	4
1995.....	145	1	2	2	2	-	-	-	2	1	2
1994.....	137	-	1	2	2	2	2	2	4	5	1
1993.....	124	-	1	1	2	2	2	-	3	1	4
1992.....	130	-	-	-	-	4	-	1	2	2	3
1991.....	158	-	1	3	2	1	1	3	-	-	5
1990.....	145	2	2	1	4	-	1	-	2	2	5
1989.....	169	-	-	-	2	3	2	2	-	1	3
1988.....	187	-	3	-	3	-	2	3	4	3	4
1987.....	175	1	-	4	-	-	1	-	2	3	2
1986.....	179	2	1	6	1	2	-	-	2	2	1
1985.....	179	2	2	1	-	2	2	2	-	1	-
1984.....	183	1	5	3	2	-	2	4	2	1	5
1983.....	190	1	1	-	3	2	2	1	-	3	1
1982.....	177	4	3	2	4	2	2	1	2	-	4
1981.....	206	2	2	2	4	3	2	4	2	2	4
1980.....	258	4	5	4	6	2	6	2	6	4	4
1979.....	247	2	4	2	4	3	4	2	1	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
APPENDICITIS (540-543)											
ALL OTHER, BOTH SEXES											
1998.....	83	5	1	2	2	2	2	1	1	5	2
1997.....	86	-	1	3	3	-	2	2	3	3	7
1996.....	72	-	-	3	1	4	3	2	1	5	2
1995.....	85	1	-	2	-	1	1	1	-	2	8
1994.....	75	1	2	3	1	2	1	1	4	9	1
1993.....	84	2	3	-	3	2	2	-	2	6	4
1992.....	87	1	-	1	1	1	4	5	6	4	3
1991.....	68	-	3	-	1	5	2	2	1	3	4
1990.....	81	-	-	2	1	2	2	2	2	1	6
1989.....	97	1	-	2	6	5	2	1	4	1	3
1988.....	105	-	2	5	2	3	-	1	1	2	4
1987.....	103	-	1	3	1	1	2	-	4	3	1
1986.....	118	1	4	5	1	5	3	1	4	3	4
1985.....	105	-	4	5	1	-	1	3	4	4	3
1984.....	90	1	1	2	4	1	1	2	3	3	3
1983.....	98	-	1	2	1	2	3	-	2	3	3
1982.....	116	1	1	2	5	2	-	2	-	3	4
1981.....	123	1	1	-	3	4	1	1	2	4	1
1980.....	135	3	1	3	3	7	2	3	1	3	5
1979.....	143	1	2	2	4	1	7	4	4	2	5
ALL OTHER MALE											
1998.....	55	2	1	1	1	2	2	1	1	3	1
1997.....	61	-	-	1	2	-	2	2	3	1	6
1996.....	49	-	-	1	1	4	2	2	1	3	-
1995.....	61	1	-	1	-	1	1	1	-	1	6
1994.....	52	1	-	3	1	2	-	1	3	6	-
1993.....	58	2	2	-	2	1	2	-	1	3	3
1992.....	48	-	-	1	1	-	4	3	2	3	1
1991.....	44	-	1	-	1	5	1	2	1	2	2
1990.....	45	-	-	-	1	1	2	-	-	-	3
1989.....	52	-	-	2	4	4	1	1	3	1	2
1988.....	60	-	1	2	1	1	-	-	1	2	4
1987.....	52	-	1	2	1	1	1	-	1	3	1
1986.....	65	1	2	2	1	2	1	1	2	2	-
1985.....	59	-	2	3	-	-	1	2	3	3	2
1984.....	45	1	-	-	3	1	1	1	1	2	2
1983.....	54	-	1	2	1	2	1	-	-	1	1
1982.....	67	1	1	1	4	1	-	1	-	-	4
1981.....	69	1	1	-	2	1	1	1	-	3	1
1980.....	75	1	-	2	2	3	1	1	1	2	3
1979.....	81	1	1	1	-	-	5	2	3	1	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR APPENDICITIS (540-543)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	28	3	-	1	1	-	-	-	-	2	1
1997.....	25	-	1	2	1	-	-	-	-	2	1
1996.....	23	-	-	2	-	-	1	-	-	2	2
1995.....	24	-	-	1	-	-	-	-	-	1	2
1994.....	23	-	2	-	-	-	1	-	1	3	1
1993.....	26	-	1	-	1	1	-	-	1	3	1
1992.....	39	1	-	-	-	1	-	2	4	1	2
1991.....	24	-	2	-	-	-	1	-	-	1	2
1990.....	36	-	-	2	-	1	-	2	2	1	3
1989.....	45	1	-	-	2	1	1	-	1	-	1
1988.....	45	-	1	3	1	2	-	1	-	-	-
1987.....	51	-	-	1	-	-	1	-	3	-	-
1986.....	53	-	2	3	-	3	2	-	2	1	4
1985.....	46	-	2	2	1	-	-	1	1	1	1
1984.....	45	-	1	2	1	-	-	1	2	1	1
1983.....	44	-	-	-	-	-	2	-	2	2	2
1982.....	49	-	-	1	1	1	-	1	-	3	-
1981.....	54	-	-	-	1	3	-	-	2	1	-
1980.....	60	2	1	1	1	4	1	2	-	1	2
1979.....	62	-	1	1	4	1	2	2	1	1	3
BLACK, BOTH SEXES											
1998.....	66	2	1	1	1	2	1	-	1	4	2
1997.....	76	-	-	3	3	-	2	2	3	3	7
1996.....	66	-	-	3	1	4	2	2	1	5	2
1995.....	79	1	-	2	-	1	1	1	-	2	8
1994.....	68	1	2	2	1	2	1	1	3	7	1
1993.....	71	2	2	-	3	2	1	-	2	6	4
1992.....	76	1	-	1	1	1	3	4	5	3	3
1991.....	65	-	2	-	1	5	2	2	1	3	4
1990.....	71	-	-	1	1	2	1	2	2	1	6
1989.....	89	1	-	2	5	4	2	1	3	1	3
1988.....	99	-	2	5	1	3	-	1	1	2	4
1987.....	95	-	1	2	1	1	2	-	4	3	1
1986.....	109	1	4	4	1	5	3	1	4	3	4
1985.....	99	-	4	5	1	-	1	3	4	4	2
1984.....	84	1	1	2	3	1	1	2	3	2	3
1983.....	91	-	1	2	-	2	3	-	-	2	3
1982.....	108	1	1	2	5	2	-	2	-	3	4
1981.....	117	1	1	-	3	4	1	1	2	4	1
1980.....	130	3	1	3	3	6	2	3	1	3	5
1979.....	136	1	1	2	4	1	7	3	4	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
APPENDICITIS (540-543)											
BLACK MALE											
1998.....	46	1	1	-	-	2	1	-	1	2	1
1997.....	56	-	-	1	2	-	2	2	3	1	6
1996.....	44	-	-	1	1	4	1	2	1	3	-
1995.....	57	1	-	1	-	1	1	1	-	1	6
1994.....	46	1	-	2	1	2	-	1	2	5	-
1993.....	48	2	1	-	2	1	1	-	1	3	3
1992.....	41	-	-	1	1	-	3	2	1	3	1
1991.....	42	-	-	-	1	5	1	2	1	2	2
1990.....	39	-	-	-	1	1	1	-	-	-	3
1989.....	47	-	-	2	3	3	1	1	3	1	2
1988.....	57	-	1	2	1	1	-	-	1	2	4
1987.....	47	-	1	1	1	1	1	-	1	3	1
1986.....	59	1	2	2	1	2	1	1	2	2	-
1985.....	57	-	2	3	-	-	1	2	3	3	1
1984.....	40	1	-	-	2	1	1	1	1	1	2
1983.....	51	-	1	2	-	2	1	-	-	1	1
1982.....	62	1	1	1	4	1	-	1	-	-	4
1981.....	64	1	1	-	2	1	1	1	-	3	1
1980.....	72	1	-	2	2	2	1	1	1	2	3
1979.....	75	1	-	1	-	-	5	1	3	1	2
BLACK FEMALE											
1998.....	20	1	-	1	1	-	-	-	-	2	1
1997.....	20	-	-	2	1	-	-	-	-	2	1
1996.....	22	-	-	2	-	-	1	-	-	2	2
1995.....	22	-	-	1	-	-	-	-	-	1	2
1994.....	22	-	2	-	-	-	1	-	1	2	1
1993.....	23	-	1	-	1	1	-	-	1	3	1
1992.....	35	1	-	-	-	1	-	2	4	-	2
1991.....	23	-	2	-	-	-	1	-	-	1	2
1990.....	32	-	-	1	-	1	-	2	2	1	3
1989.....	42	1	-	-	2	1	1	-	-	-	1
1988.....	42	-	1	3	-	2	-	1	-	-	-
1987.....	48	-	-	1	-	-	1	-	3	-	-
1986.....	50	-	2	2	-	3	2	-	2	1	4
1985.....	42	-	2	2	1	-	-	1	1	1	1
1984.....	44	-	1	2	1	-	-	1	2	1	1
1983.....	40	-	-	-	-	-	2	-	-	1	2
1982.....	46	-	-	1	1	1	-	1	-	3	-
1981.....	53	-	-	-	1	3	-	-	2	1	-
1980.....	58	2	1	1	1	4	1	2	-	1	2
1979.....	61	-	1	1	4	1	2	2	1	1	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	6,635	69	20	12	7	9	15	17	16	35	60
1997.....	6,498	77	15	7	10	10	10	15	22	43	61
1996.....	6,476	69	24	15	7	9	15	21	29	41	63
1995.....	6,188	74	25	12	12	15	8	22	23	53	51
1994.....	6,142	62	21	11	11	9	11	12	31	33	50
1993.....	5,919	69	26	8	15	13	4	17	26	34	44
1992.....	6,073	77	21	13	9	12	15	24	25	45	45
1991.....	6,106	88	31	6	4	11	9	25	23	44	46
1990.....	5,838	87	23	17	10	7	15	17	15	43	54
1989.....	5,530	88	26	12	12	9	5	24	30	49	46
1988.....	5,599	77	25	11	8	6	13	13	26	32	43
1987.....	5,547	94	33	13	4	11	14	23	34	40	35
1986.....	5,445	104	31	17	8	15	12	14	25	27	45
1985.....	5,361	81	23	14	7	8	16	20	28	37	37
1984.....	5,300	105	21	8	9	13	20	18	25	37	34
1983.....	5,094	105	28	11	10	9	15	17	25	29	43
1982.....	5,054	130	29	6	9	17	21	19	24	35	39
1981.....	5,282	126	30	18	11	8	21	20	19	29	47
1980.....	5,415	131	27	15	10	23	24	20	30	43	60
1979.....	5,349	171	25	14	6	14	32	26	34	36	49
TOTAL, MALE											
1998.....	2,350	40	12	12	4	4	9	8	10	21	34
1997.....	2,420	49	8	6	6	8	6	9	14	23	31
1996.....	2,400	36	15	10	4	8	7	13	15	19	31
1995.....	2,280	39	15	11	11	10	5	13	15	31	25
1994.....	2,284	37	17	4	4	5	7	10	20	23	30
1993.....	2,197	47	16	4	7	10	4	9	15	15	30
1992.....	2,241	40	15	10	3	7	8	17	15	30	21
1991.....	2,244	61	21	4	3	9	6	14	17	24	25
1990.....	2,132	59	16	10	7	5	10	11	8	22	29
1989.....	2,047	57	16	7	9	7	4	10	18	23	21
1988.....	2,041	36	15	9	4	4	7	5	15	23	25
1987.....	2,091	58	22	7	4	8	7	9	18	25	20
1986.....	2,072	65	20	7	5	9	8	8	16	9	27
1985.....	2,040	43	15	8	2	6	12	10	14	25	20
1984.....	2,029	72	10	5	3	9	7	11	14	20	23
1983.....	2,091	62	21	7	7	5	10	10	16	21	22
1982.....	1,965	82	21	4	6	10	12	12	12	22	21
1981.....	2,079	80	18	11	5	5	11	13	7	16	24
1980.....	2,147	78	16	9	7	11	15	12	12	19	24
1979.....	2,146	104	14	7	5	5	20	17	23	17	27

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)											
TOTAL, FEMALE											
1998.....	4,285	29	8	-	3	5	6	9	6	14	26
1997.....	4,078	28	7	1	4	2	4	6	8	20	30
1996.....	4,076	33	9	5	3	1	8	8	14	22	32
1995.....	3,908	35	10	1	1	5	3	9	8	22	26
1994.....	3,858	25	4	7	7	4	4	2	11	10	20
1993.....	3,722	22	10	4	8	3	-	8	11	19	14
1992.....	3,832	37	6	3	6	5	7	7	10	15	24
1991.....	3,862	27	10	2	1	2	3	11	6	20	21
1990.....	3,706	28	7	7	3	2	5	6	7	21	25
1989.....	3,483	31	10	5	3	2	1	14	12	26	25
1988.....	3,558	41	10	2	4	2	6	8	11	9	18
1987.....	3,456	36	11	6	-	3	7	14	16	15	15
1986.....	3,373	39	11	10	3	6	4	6	9	18	18
1985.....	3,321	38	8	6	5	2	4	10	14	12	17
1984.....	3,271	33	11	3	6	4	13	7	11	17	11
1983.....	3,003	43	7	4	3	4	5	7	9	8	21
1982.....	3,089	48	8	2	3	7	9	7	12	13	18
1981.....	3,203	46	12	7	6	3	10	7	12	13	23
1980.....	3,268	53	11	6	3	12	9	8	18	24	36
1979.....	3,203	67	11	7	1	9	12	9	11	19	22
WHITE, BOTH SEXES											
1998.....	5,815	41	14	9	5	5	9	14	13	28	49
1997.....	5,729	50	10	6	9	5	6	9	17	31	42
1996.....	5,585	44	12	9	6	6	9	10	18	26	48
1995.....	5,376	47	21	7	10	12	6	15	16	39	38
1994.....	5,318	45	11	7	6	8	9	8	23	20	34
1993.....	5,168	49	18	3	11	7	4	14	17	23	36
1992.....	5,291	47	16	10	7	11	13	15	18	34	33
1991.....	5,296	56	19	5	2	9	7	21	15	31	37
1990.....	5,089	59	19	13	8	6	12	8	10	27	33
1989.....	4,791	57	19	6	10	5	5	15	17	33	32
1988.....	4,866	49	17	7	5	4	9	6	21	22	30
1987.....	4,867	50	21	9	3	7	7	20	17	28	26
1986.....	4,725	71	25	14	6	12	7	10	18	18	29
1985.....	4,683	61	13	10	6	6	11	12	19	28	28
1984.....	4,659	79	13	5	5	10	14	13	21	25	26
1983.....	4,416	74	23	8	6	5	9	9	20	17	30
1982.....	4,416	88	20	6	7	10	18	15	17	24	29
1981.....	4,605	93	21	15	7	6	15	16	15	16	32
1980.....	4,757	93	14	10	9	15	17	15	23	31	41
1979.....	4,675	123	20	9	4	10	22	22	20	19	32



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)											
WHITE MALE											
1998.....	2,005	22	8	9	3	1	4	6	8	15	30
1997.....	2,064	31	6	5	5	3	3	6	11	16	19
1996.....	2,000	23	7	5	3	5	4	8	11	10	22
1995.....	1,918	21	12	6	9	8	4	9	9	22	17
1994.....	1,904	26	9	3	2	4	5	7	16	10	22
1993.....	1,846	34	11	1	5	5	4	9	10	9	25
1992.....	1,879	23	11	7	2	6	8	11	11	22	14
1991.....	1,868	39	12	3	2	8	4	11	12	17	19
1990.....	1,787	40	14	7	5	5	8	6	6	13	16
1989.....	1,711	35	12	3	9	3	4	7	11	14	16
1988.....	1,706	23	9	6	3	3	4	2	13	17	19
1987.....	1,749	27	13	4	3	5	4	9	7	18	17
1986.....	1,744	46	18	7	3	6	5	5	12	5	16
1985.....	1,711	32	8	7	2	5	8	6	9	19	14
1984.....	1,731	55	7	4	2	8	7	7	11	14	20
1983.....	1,732	43	16	6	4	4	5	5	12	10	14
1982.....	1,617	53	16	4	4	4	9	10	6	14	17
1981.....	1,734	57	14	8	4	3	7	11	5	8	18
1980.....	1,806	55	8	7	6	7	9	9	10	14	17
1979.....	1,801	77	11	3	4	5	15	16	14	11	16
WHITE FEMALE											
1998.....	3,810	19	6	-	2	4	5	8	5	13	19
1997.....	3,665	19	4	1	4	2	3	3	6	15	23
1996.....	3,585	21	5	4	3	1	5	2	7	16	26
1995.....	3,458	26	9	1	1	4	2	6	7	17	21
1994.....	3,414	19	2	4	4	4	4	1	7	10	12
1993.....	3,322	15	7	2	6	2	-	5	7	14	11
1992.....	3,412	24	5	3	5	5	5	4	7	12	19
1991.....	3,428	17	7	2	-	1	3	10	3	14	18
1990.....	3,302	19	5	6	3	1	4	2	4	14	17
1989.....	3,080	22	7	3	1	2	1	8	6	19	16
1988.....	3,160	26	8	1	2	1	5	4	8	5	11
1987.....	3,118	23	8	5	-	2	3	11	10	10	9
1986.....	2,981	25	7	7	3	6	2	5	6	13	13
1985.....	2,972	29	5	3	4	1	3	6	10	9	14
1984.....	2,928	24	6	1	3	2	7	6	10	11	6
1983.....	2,684	31	7	2	2	1	4	4	8	7	16
1982.....	2,799	35	4	2	3	6	9	5	11	10	12
1981.....	2,871	36	7	7	3	3	8	5	10	8	14
1980.....	2,951	38	6	3	3	8	8	6	13	17	24
1979.....	2,874	46	9	6	-	5	7	6	6	8	16

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)											
ALL OTHER, BOTH SEXES											
1998.....	820	28	6	3	2	4	6	3	3	7	11
1997.....	769	27	5	1	1	5	4	6	5	12	19
1996.....	891	25	12	6	1	3	6	11	11	15	15
1995.....	812	27	4	5	2	3	2	7	7	14	13
1994.....	824	17	10	4	5	1	2	4	8	13	16
1993.....	751	20	8	5	4	6	-	3	9	11	8
1992.....	782	30	5	3	2	1	2	9	7	11	12
1991.....	810	32	12	1	2	2	2	4	8	13	9
1990.....	749	28	4	4	2	1	3	9	5	16	21
1989.....	739	31	7	6	2	4	-	9	13	16	14
1988.....	733	28	8	4	3	2	4	7	5	10	13
1987.....	680	44	12	4	1	4	7	3	17	12	9
1986.....	720	33	6	3	2	3	5	4	7	9	16
1985.....	678	20	10	4	1	2	5	8	9	9	9
1984.....	641	26	8	3	4	3	6	5	4	12	8
1983.....	678	31	5	3	4	4	6	8	5	12	13
1982.....	638	42	9	-	2	7	3	4	7	11	10
1981.....	677	33	9	3	4	2	6	4	4	13	15
1980.....	658	38	13	5	1	8	7	5	7	12	19
1979.....	674	48	5	5	2	4	10	4	14	17	17
ALL OTHER MALE											
1998.....	345	18	4	3	1	3	5	2	2	6	4
1997.....	356	18	2	1	1	5	3	3	3	7	12
1996.....	400	13	8	5	1	3	3	5	4	9	9
1995.....	362	18	3	5	2	2	1	4	6	9	8
1994.....	380	11	8	1	2	1	2	3	4	13	8
1993.....	351	13	5	3	2	5	-	-	5	6	5
1992.....	362	17	4	3	1	1	-	6	4	8	7
1991.....	376	22	9	1	1	1	2	3	5	7	6
1990.....	345	19	2	3	2	-	2	5	2	9	13
1989.....	336	22	4	4	-	4	-	3	7	9	5
1988.....	335	13	6	3	1	1	3	3	2	6	6
1987.....	342	31	9	3	1	3	3	-	11	7	3
1986.....	328	19	2	-	2	3	3	3	4	4	11
1985.....	329	11	7	1	-	1	4	4	5	6	6
1984.....	298	17	3	1	1	1	-	4	3	6	3
1983.....	359	19	5	1	3	1	5	5	4	11	8
1982.....	348	29	5	-	2	6	3	2	6	8	4
1981.....	345	23	4	3	1	2	4	2	2	8	6
1980.....	341	23	8	2	1	4	6	3	2	5	7
1979.....	345	27	3	4	1	-	5	1	9	6	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)											
ALL OTHER FEMALE											
1998.....	475	10	2	-	1	1	1	1	1	1	7
1997.....	413	9	3	-	-	-	1	3	2	5	7
1996.....	491	12	4	1	-	-	3	6	7	6	6
1995.....	450	9	1	-	-	1	1	3	1	5	5
1994.....	444	6	2	3	3	-	-	1	4	-	8
1993.....	400	7	3	2	2	1	-	3	4	5	3
1992.....	420	13	1	-	1	-	2	3	3	3	5
1991.....	434	10	3	-	1	1	-	1	3	6	3
1990.....	404	9	2	1	-	1	1	4	3	7	8
1989.....	403	9	3	2	2	-	-	6	6	7	9
1988.....	398	15	2	1	2	1	1	4	3	4	7
1987.....	338	13	3	1	-	1	4	3	6	5	6
1986.....	392	14	4	3	-	-	2	1	3	5	5
1985.....	349	9	3	3	1	1	1	4	4	3	3
1984.....	343	9	5	2	3	2	6	1	1	6	5
1983.....	319	12	-	2	1	3	1	3	1	1	5
1982.....	290	13	4	-	-	1	-	2	1	3	6
1981.....	332	10	5	-	3	-	2	2	2	5	9
1980.....	317	15	5	3	-	4	1	2	5	7	12
1979.....	329	21	2	1	1	4	5	3	5	11	6
BLACK, BOTH SEXES											
1998.....	750	24	6	3	1	3	6	3	3	6	11
1997.....	706	25	4	1	1	4	3	6	3	12	19
1996.....	823	21	10	5	1	3	6	8	10	12	15
1995.....	755	23	3	5	2	3	2	7	6	13	11
1994.....	764	14	8	4	5	1	2	4	8	11	14
1993.....	693	18	7	4	3	5	-	3	8	11	8
1992.....	724	25	5	3	2	-	2	8	6	10	12
1991.....	753	29	10	-	-	2	2	4	8	11	7
1990.....	697	26	4	3	2	1	2	9	5	15	20
1989.....	683	27	5	4	2	3	-	9	13	14	11
1988.....	695	27	8	4	3	2	4	7	4	9	13
1987.....	635	38	9	4	1	4	7	2	15	12	9
1986.....	673	27	6	3	2	3	5	4	5	9	16
1985.....	637	18	10	4	1	2	3	8	8	9	9
1984.....	602	24	7	3	4	3	6	3	4	12	7
1983.....	635	30	5	3	3	4	5	8	5	11	13
1982.....	607	41	9	-	2	7	3	4	7	11	10
1981.....	643	28	9	3	4	2	6	3	4	13	15
1980.....	618	30	12	5	1	7	6	4	7	12	19
1979.....	641	40	5	5	1	4	10	3	14	17	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)											
BLACK MALE											
1998.....	310	16	4	3	1	3	5	2	2	5	4
1997.....	321	16	1	1	1	4	2	3	1	7	12
1996.....	369	10	6	5	1	3	3	4	3	8	9
1995.....	333	17	2	5	2	2	1	4	5	8	7
1994.....	352	9	7	1	2	1	2	3	4	11	7
1993.....	325	12	5	2	2	4	-	-	4	6	5
1992.....	326	14	4	3	1	-	-	5	4	7	7
1991.....	347	19	8	-	-	1	2	3	5	6	6
1990.....	319	17	2	2	2	-	2	5	2	9	13
1989.....	315	20	3	3	-	3	-	3	7	9	4
1988.....	312	13	6	3	1	1	3	3	1	5	6
1987.....	322	27	8	3	1	3	3	-	9	7	3
1986.....	306	17	2	-	2	3	3	3	3	4	11
1985.....	306	9	7	1	-	1	3	4	4	6	6
1984.....	274	15	3	1	1	1	-	3	3	6	3
1983.....	334	18	5	1	2	1	5	5	4	10	8
1982.....	324	28	5	-	2	6	3	2	6	8	4
1981.....	324	19	4	3	1	2	4	2	2	8	6
1980.....	319	21	8	2	1	3	5	2	2	5	7
1979.....	332	22	3	4	1	-	5	1	9	6	11
BLACK FEMALE											
1998.....	440	8	2	-	-	-	1	1	1	1	7
1997.....	385	9	3	-	-	-	1	3	2	5	7
1996.....	454	11	4	-	-	-	3	4	7	4	6
1995.....	422	6	1	-	-	1	1	3	1	5	4
1994.....	412	5	1	3	3	-	-	1	4	-	7
1993.....	368	6	2	2	1	1	-	3	4	5	3
1992.....	398	11	1	-	1	-	2	3	2	3	5
1991.....	406	10	2	-	-	1	-	1	3	5	1
1990.....	378	9	2	1	-	1	-	4	3	6	7
1989.....	368	7	2	1	2	-	-	6	6	5	7
1988.....	383	14	2	1	2	1	1	4	3	4	7
1987.....	313	11	1	1	-	1	4	2	6	5	6
1986.....	367	10	4	3	-	-	2	1	2	5	5
1985.....	331	9	3	3	1	1	-	4	4	3	3
1984.....	328	9	4	2	3	2	6	-	1	6	4
1983.....	301	12	-	2	1	3	-	3	1	1	5
1982.....	283	13	4	-	-	1	-	2	1	3	6
1981.....	319	9	5	-	3	-	2	1	2	5	9
1980.....	299	9	4	3	-	4	1	2	5	7	12
1979.....	309	18	2	1	-	4	5	2	5	11	6

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
TOTAL, BOTH SEXES											
1998.....	25,192	16	1	3	1	3	19	97	409	1,110	2,260
1997.....	25,175	15	4	-	2	7	18	91	425	1,186	2,322
1996.....	25,047	17	5	4	1	4	16	121	449	1,295	2,345
1995.....	25,222	23	6	3	4	8	25	134	470	1,341	2,364
1994.....	25,406	19	7	3	2	3	23	135	598	1,390	2,308
1993.....	25,209	19	11	4	4	9	30	166	555	1,469	2,287
1992.....	25,263	24	9	1	2	8	24	157	608	1,448	2,160
1991.....	25,429	15	4	3	3	8	30	191	667	1,452	2,139
1990.....	25,815	16	7	3	4	10	34	196	693	1,575	2,041
1989.....	26,694	18	6	4	3	9	48	211	770	1,586	2,017
1988.....	26,409	21	6	1	1	17	36	258	799	1,559	2,004
1987.....	26,201	16	4	4	6	14	57	261	879	1,543	1,879
1986.....	26,159	20	10	1	3	12	57	274	908	1,429	1,759
1985.....	26,767	13	15	2	-	10	55	283	961	1,370	1,744
1984.....	27,317	23	12	11	11	13	53	303	859	1,291	1,781
1983.....	27,266	23	13	5	8	16	50	339	869	1,192	1,759
1982.....	27,690	31	10	8	7	12	75	373	829	1,288	1,719
1981.....	29,308	28	12	8	6	14	87	388	802	1,359	1,873
1980.....	30,583	33	12	6	5	28	94	404	888	1,426	2,064
1979.....	29,720	34	10	5	10	22	72	409	815	1,412	2,078
TOTAL, MALE											
1998.....	16,343	11	-	1	-	3	13	67	265	714	1,624
1997.....	16,260	6	2	-	2	3	12	59	278	800	1,663
1996.....	16,311	12	2	1	1	2	10	82	278	897	1,739
1995.....	16,525	14	2	3	2	4	22	92	322	924	1,781
1994.....	16,513	11	2	1	2	1	12	90	396	971	1,715
1993.....	16,276	15	6	1	1	5	17	114	365	1,027	1,705
1992.....	16,487	14	4	-	2	3	15	97	404	1,042	1,661
1991.....	16,269	10	2	1	1	5	18	118	424	1,029	1,564
1990.....	16,627	8	2	1	1	7	16	125	432	1,134	1,511
1989.....	17,310	11	3	3	3	3	25	140	532	1,201	1,515
1988.....	17,196	12	3	-	1	9	21	142	567	1,137	1,460
1987.....	17,051	8	3	3	3	7	35	159	600	1,110	1,358
1986.....	16,797	9	4	1	3	8	35	172	621	1,062	1,219
1985.....	17,244	8	6	1	-	5	38	182	645	960	1,246
1984.....	17,558	15	4	9	6	9	31	190	604	939	1,233
1983.....	17,530	13	9	3	-	7	20	219	600	825	1,233
1982.....	17,917	21	4	3	5	3	44	240	580	918	1,172
1981.....	18,894	14	8	3	1	7	48	252	562	910	1,302
1980.....	19,768	19	7	2	3	14	55	259	608	964	1,369
1979.....	19,369	19	7	2	4	9	47	279	568	961	1,404

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
TOTAL, FEMALE											
1998.....	8,849	5	1	2	1	-	6	30	144	396	636
1997.....	8,915	9	2	-	-	4	6	32	147	386	659
1996.....	8,736	5	3	3	-	2	6	39	171	398	606
1995.....	8,697	9	4	-	2	4	3	42	148	417	583
1994.....	8,893	8	5	2	-	2	11	45	202	419	593
1993.....	8,933	4	5	3	3	4	13	52	190	442	582
1992.....	8,776	10	5	1	-	5	9	60	204	406	499
1991.....	9,160	5	2	2	2	3	12	73	243	423	575
1990.....	9,188	8	5	2	3	3	18	71	261	441	530
1989.....	9,384	7	3	1	-	6	23	71	238	385	502
1988.....	9,213	9	3	1	-	8	15	116	232	422	544
1987.....	9,150	8	1	1	3	7	22	102	279	433	521
1986.....	9,362	11	6	-	-	4	22	102	287	367	540
1985.....	9,523	5	9	1	-	5	17	101	316	410	498
1984.....	9,759	8	8	2	5	4	22	113	255	352	548
1983.....	9,736	10	4	2	8	9	30	120	269	367	526
1982.....	9,773	10	6	5	2	9	31	133	249	370	547
1981.....	10,414	14	4	5	5	7	39	136	240	449	571
1980.....	10,815	14	5	4	2	14	39	145	280	462	695
1979.....	10,351	15	3	3	6	13	25	130	247	451	674
WHITE, BOTH SEXES											
1998.....	21,771	11	-	2	1	2	15	76	325	892	1,845
1997.....	21,683	9	3	-	2	5	13	73	328	956	1,916
1996.....	21,422	16	4	4	1	4	13	91	361	992	1,868
1995.....	21,432	15	3	3	3	3	12	104	361	1,030	1,863
1994.....	21,476	13	7	2	1	2	15	94	454	1,080	1,789
1993.....	21,348	14	7	2	1	7	20	120	416	1,095	1,701
1992.....	21,286	19	8	1	2	7	13	109	439	1,091	1,636
1991.....	21,386	9	4	2	3	4	18	133	477	1,065	1,574
1990.....	21,478	13	4	2	3	8	23	132	470	1,103	1,482
1989.....	22,211	9	3	2	3	5	31	132	517	1,079	1,457
1988.....	21,924	15	3	1	1	12	23	168	533	1,052	1,450
1987.....	21,766	8	2	4	3	13	38	172	564	1,014	1,320
1986.....	21,916	12	8	1	2	10	37	166	565	969	1,242
1985.....	22,192	5	13	2	-	7	42	173	604	875	1,204
1984.....	22,909	11	11	10	7	8	36	172	531	852	1,270
1983.....	22,927	18	11	3	3	9	27	216	534	771	1,258
1982.....	23,409	19	7	7	5	7	44	217	512	856	1,248
1981.....	24,465	19	10	6	2	10	60	232	468	871	1,303
1980.....	25,240	22	9	4	4	21	54	219	505	901	1,402
1979.....	24,639	25	7	5	5	18	47	229	467	895	1,483

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
WHITE MALE											
1998.....	14,096	8	-	1	-	2	12	55	214	586	1,359
1997.....	14,045	4	1	-	2	3	10	50	226	664	1,405
1996.....	13,992	11	2	1	1	2	10	61	227	711	1,427
1995.....	14,100	11	1	3	2	2	10	73	256	720	1,434
1994.....	14,015	7	2	1	1	1	7	71	319	791	1,362
1993.....	13,821	10	4	-	-	5	12	86	286	803	1,296
1992.....	13,910	11	4	-	2	3	7	72	303	813	1,288
1991.....	13,789	6	2	1	1	2	11	88	324	804	1,189
1990.....	13,889	6	2	1	1	6	13	86	314	828	1,138
1989.....	14,414	7	1	2	3	2	16	89	376	848	1,124
1988.....	14,381	7	1	-	1	6	15	102	392	801	1,089
1987.....	14,175	3	2	3	3	7	27	110	404	761	969
1986.....	14,099	4	3	1	2	6	26	111	407	750	872
1985.....	14,321	2	4	1	-	3	30	119	433	647	859
1984.....	14,783	6	4	8	3	7	24	118	402	644	904
1983.....	14,823	10	7	2	-	5	13	154	393	556	902
1982.....	15,249	13	3	3	4	3	29	158	380	638	873
1981.....	15,868	10	7	3	-	5	34	163	359	618	907
1980.....	16,407	15	7	1	3	10	38	157	363	621	948
1979.....	16,104	13	4	2	2	8	29	173	343	636	1,018
WHITE FEMALE											
1998.....	7,675	3	-	1	1	-	3	21	111	306	486
1997.....	7,638	5	2	-	-	2	3	23	102	292	511
1996.....	7,430	5	2	3	-	2	3	30	134	281	441
1995.....	7,332	4	2	-	1	1	2	31	105	310	429
1994.....	7,461	6	5	1	-	1	8	23	135	289	427
1993.....	7,527	4	3	2	1	2	8	34	130	292	405
1992.....	7,376	8	4	1	-	4	6	37	136	278	348
1991.....	7,597	3	2	1	2	2	7	45	153	261	385
1990.....	7,589	7	2	1	2	2	10	46	156	275	344
1989.....	7,797	2	2	-	-	3	15	43	141	231	333
1988.....	7,543	8	2	1	-	6	8	66	141	251	361
1987.....	7,591	5	-	1	-	6	11	62	160	253	351
1986.....	7,817	8	5	-	-	4	11	55	158	219	370
1985.....	7,871	3	9	1	-	4	12	54	171	228	345
1984.....	8,126	5	7	2	4	1	12	54	129	208	366
1983.....	8,104	8	4	1	3	4	14	62	141	215	356
1982.....	8,160	6	4	4	1	4	15	59	132	218	375
1981.....	8,597	9	3	3	2	5	26	69	109	253	396
1980.....	8,833	7	2	3	1	11	16	62	142	280	454
1979.....	8,535	12	3	3	3	10	18	56	124	259	465

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
ALL OTHER, BOTH SEXES											
1998.....	3,421	5	1	1	-	1	4	21	84	218	415
1997.....	3,492	6	1	-	-	2	5	18	97	230	406
1996.....	3,625	1	1	-	-	-	3	30	88	303	477
1995.....	3,790	8	3	-	1	5	13	30	109	311	501
1994.....	3,930	6	-	1	1	1	8	41	144	310	519
1993.....	3,861	5	4	2	3	2	10	46	139	374	586
1992.....	3,977	5	1	-	-	1	11	48	169	357	524
1991.....	4,043	6	-	1	-	4	12	58	190	387	565
1990.....	4,337	3	3	1	1	2	11	64	223	472	559
1989.....	4,483	9	3	2	-	4	17	79	253	507	560
1988.....	4,485	6	3	-	-	5	13	90	266	507	554
1987.....	4,435	8	2	-	3	1	19	89	315	529	559
1986.....	4,243	8	2	-	1	2	20	108	343	460	517
1985.....	4,575	8	2	-	-	3	13	110	357	495	540
1984.....	4,408	12	1	1	4	5	17	131	328	439	511
1983.....	4,339	5	2	2	5	7	23	123	335	421	501
1982.....	4,281	12	3	1	2	5	31	156	317	432	471
1981.....	4,843	9	2	2	4	4	27	156	334	488	570
1980.....	5,343	11	3	2	1	7	40	185	383	525	662
1979.....	5,081	9	3	-	5	4	25	180	348	517	595
ALL OTHER MALE											
1998.....	2,247	3	-	-	-	1	1	12	51	128	265
1997.....	2,215	2	1	-	-	-	2	9	52	136	258
1996.....	2,319	1	-	-	-	-	-	21	51	186	312
1995.....	2,425	3	1	-	-	2	12	19	66	204	347
1994.....	2,498	4	-	-	1	-	5	19	77	180	353
1993.....	2,455	5	2	1	1	-	5	28	79	224	409
1992.....	2,577	3	-	-	-	-	8	25	101	229	373
1991.....	2,480	4	-	-	-	3	7	30	100	225	375
1990.....	2,738	2	-	-	-	1	3	39	118	306	373
1989.....	2,896	4	2	1	-	1	9	51	156	353	391
1988.....	2,815	5	2	-	-	3	6	40	175	336	371
1987.....	2,876	5	1	-	-	-	8	49	196	349	389
1986.....	2,698	5	1	-	1	2	9	61	214	312	347
1985.....	2,923	6	2	-	-	2	8	63	212	313	387
1984.....	2,775	9	-	1	3	2	7	72	202	295	329
1983.....	2,707	3	2	1	-	2	7	65	207	269	331
1982.....	2,668	8	1	-	1	-	15	82	200	280	299
1981.....	3,026	4	1	-	1	2	14	89	203	292	395
1980.....	3,361	4	-	1	-	4	17	102	245	343	421
1979.....	3,265	6	3	-	2	1	18	106	225	325	386



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
ALL OTHER FEMALE											
1998.....	1,174	2	1	1	-	-	3	9	33	90	150
1997.....	1,277	4	-	-	-	2	3	9	45	94	148
1996.....	1,306	-	1	-	-	-	3	9	37	117	165
1995.....	1,365	5	2	-	1	3	1	11	43	107	154
1994.....	1,432	2	-	1	-	1	3	22	67	130	166
1993.....	1,406	-	2	1	2	2	5	18	60	150	177
1992.....	1,400	2	1	-	-	1	3	23	68	128	151
1991.....	1,563	2	-	1	-	1	5	28	90	162	190
1990.....	1,599	1	3	1	1	1	8	25	105	166	186
1989.....	1,587	5	1	1	-	3	8	28	97	154	169
1988.....	1,670	1	1	-	-	2	7	50	91	171	183
1987.....	1,559	3	1	-	3	1	11	40	119	180	170
1986.....	1,545	3	1	-	-	-	11	47	129	148	170
1985.....	1,652	2	-	-	-	1	5	47	145	182	153
1984.....	1,633	3	1	-	1	3	10	59	126	144	182
1983.....	1,632	2	-	1	5	5	16	58	128	152	170
1982.....	1,613	4	2	1	1	5	16	74	117	152	172
1981.....	1,817	5	1	2	3	2	13	67	131	196	175
1980.....	1,982	7	3	1	1	3	23	83	138	182	241
1979.....	1,816	3	-	-	3	3	7	74	123	192	209
BLACK, BOTH SEXES											
1998.....	2,697	5	1	1	-	1	2	10	49	159	328
1997.....	2,820	5	1	-	-	2	4	13	54	168	325
1996.....	2,950	1	1	-	-	-	2	20	54	241	393
1995.....	3,073	5	1	-	1	5	9	17	77	243	411
1994.....	3,245	6	-	1	1	1	7	28	103	243	449
1993.....	3,228	4	4	2	2	2	8	37	110	300	495
1992.....	3,315	5	1	-	-	1	7	31	131	296	469
1991.....	3,464	6	-	1	-	4	9	44	159	338	504
1990.....	3,753	3	3	1	1	2	8	51	186	420	499
1989.....	3,851	7	3	2	-	3	15	67	210	444	492
1988.....	3,903	6	2	-	-	4	11	70	237	452	505
1987.....	3,916	7	1	-	3	1	13	76	290	492	508
1986.....	3,745	7	2	-	1	2	16	98	304	414	473
1985.....	4,055	5	2	-	-	3	12	96	321	449	485
1984.....	3,901	11	1	1	4	5	15	119	289	389	449
1983.....	3,883	3	2	1	4	6	20	108	304	390	445
1982.....	3,839	12	2	1	2	5	28	136	282	396	425
1981.....	4,349	7	2	2	4	4	22	134	300	439	512
1980.....	4,790	10	3	2	1	7	38	168	333	459	592
1979.....	4,567	6	2	-	5	3	23	154	300	474	527

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
BLACK MALE											
1998.....	1,804	3	-	-	-	1	-	7	28	94	217
1997.....	1,818	1	1	-	-	-	2	6	30	98	206
1996.....	1,923	1	-	-	-	-	-	16	27	153	261
1995.....	1,999	2	1	-	-	2	8	10	42	158	282
1994.....	2,097	4	-	-	1	-	5	15	56	146	309
1993.....	2,100	4	2	1	-	-	5	24	63	181	353
1992.....	2,181	3	-	-	-	-	6	15	81	193	334
1991.....	2,137	4	-	-	-	3	6	23	82	199	333
1990.....	2,393	2	-	-	-	1	2	34	103	272	330
1989.....	2,517	4	2	1	-	-	8	44	132	314	346
1988.....	2,476	5	2	-	-	2	6	33	160	304	336
1987.....	2,574	4	1	-	-	-	6	41	181	326	358
1986.....	2,404	4	1	-	1	2	6	54	195	285	319
1985.....	2,616	4	2	-	-	2	7	54	192	292	352
1984.....	2,458	8	-	1	3	2	5	62	179	265	296
1983.....	2,429	3	2	-	-	2	7	56	184	251	293
1982.....	2,408	8	1	-	1	-	13	73	176	259	272
1981.....	2,740	3	1	-	1	2	13	82	181	263	357
1980.....	3,020	4	-	1	-	4	16	91	219	302	380
1979.....	2,954	4	2	-	2	1	16	90	200	304	344
BLACK FEMALE											
1998.....	893	2	1	1	-	-	2	3	21	65	111
1997.....	1,002	4	-	-	-	2	2	7	24	70	119
1996.....	1,027	-	1	-	-	-	2	4	27	88	132
1995.....	1,074	3	-	-	1	3	1	7	35	85	129
1994.....	1,148	2	-	1	-	1	2	13	47	97	140
1993.....	1,128	-	2	1	2	2	3	13	47	119	142
1992.....	1,134	2	1	-	-	1	1	16	50	103	135
1991.....	1,327	2	-	1	-	1	3	21	77	139	171
1990.....	1,360	1	3	1	1	1	6	17	83	148	169
1989.....	1,334	3	1	1	-	3	7	23	78	130	146
1988.....	1,427	1	-	-	-	2	5	37	77	148	169
1987.....	1,342	3	-	-	3	1	7	35	109	166	150
1986.....	1,341	3	1	-	-	-	10	44	109	129	154
1985.....	1,439	1	-	-	-	1	5	42	129	157	133
1984.....	1,443	3	1	-	1	3	10	57	110	124	153
1983.....	1,454	-	-	1	4	4	13	52	120	139	152
1982.....	1,431	4	1	1	1	5	15	63	106	137	153
1981.....	1,609	4	1	2	3	2	9	52	119	176	155
1980.....	1,770	6	3	1	1	3	22	77	114	157	212
1979.....	1,613	2	-	-	3	2	7	64	100	170	183

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
TOTAL, BOTH SEXES											
1998.....	2,822	2	5	1	-	2	6	11	18	23	33
1997.....	2,757	1	2	-	1	3	6	4	18	18	35
1996.....	2,816	4	1	3	-	2	5	7	15	24	25
1995.....	2,751	6	-	1	-	2	4	7	11	20	31
1994.....	2,855	9	4	-	1	2	6	4	18	21	38
1993.....	2,752	5	1	-	-	-	5	9	8	18	27
1992.....	2,915	2	-	1	1	2	3	11	11	18	32
1991.....	2,881	2	1	-	-	3	10	5	16	19	27
1990.....	3,022	3	-	-	1	1	4	10	12	24	19
1989.....	3,048	3	2	-	-	1	3	9	11	20	28
1988.....	3,115	4	1	-	1	1	4	15	8	15	32
1987.....	3,032	1	-	-	-	3	3	7	12	15	12
1986.....	2,956	4	1	1	1	4	3	9	7	10	23
1985.....	2,975	2	1	-	-	4	4	9	14	15	31
1984.....	3,023	4	-	-	-	1	6	5	15	18	28
1983.....	2,989	3	3	-	-	-	6	7	20	17	25
1982.....	2,941	2	-	2	1	2	6	5	10	16	26
1981.....	3,084	1	-	-	3	4	6	7	12	17	20
1980.....	3,285	1	-	-	-	-	13	13	18	27	22
1979.....	3,139	5	1	-	-	-	5	16	11	19	21
TOTAL, MALE											
1998.....	1,216	1	3	-	-	1	2	6	10	11	18
1997.....	1,239	-	1	-	1	1	1	1	7	9	22
1996.....	1,213	2	1	1	-	1	1	4	6	10	15
1995.....	1,215	4	-	-	-	1	3	2	4	9	16
1994.....	1,245	5	-	-	1	-	2	1	7	8	29
1993.....	1,207	2	1	-	-	-	-	3	4	10	16
1992.....	1,252	2	-	1	-	1	2	4	7	7	18
1991.....	1,246	1	-	-	-	-	2	2	10	11	14
1990.....	1,280	2	-	-	1	-	3	3	6	16	8
1989.....	1,336	3	2	-	-	-	-	5	7	9	14
1988.....	1,385	4	-	-	-	1	2	5	6	5	18
1987.....	1,297	1	-	-	-	1	2	3	5	6	6
1986.....	1,344	1	-	-	1	2	-	2	3	4	10
1985.....	1,368	2	-	-	-	2	1	1	5	11	19
1984.....	1,387	4	-	-	-	-	-	1	3	11	14
1983.....	1,385	-	2	-	-	-	1	3	12	11	16
1982.....	1,289	1	-	1	1	1	5	1	5	5	9
1981.....	1,345	1	-	-	1	-	-	1	4	8	8
1980.....	1,475	-	-	-	-	-	4	6	6	16	9
1979.....	1,383	5	-	-	-	-	-	7	2	8	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
TOTAL, FEMALE											
1998.....	1,606	1	2	1	-	1	4	5	8	12	15
1997.....	1,518	1	1	-	-	2	5	3	11	9	13
1996.....	1,603	2	-	2	-	1	4	3	9	14	10
1995.....	1,536	2	-	1	-	1	1	5	7	11	15
1994.....	1,610	4	4	-	-	2	4	3	11	13	9
1993.....	1,545	3	-	-	-	-	5	6	4	8	11
1992.....	1,663	-	-	-	1	1	1	7	4	11	14
1991.....	1,635	1	1	-	-	3	8	3	6	8	13
1990.....	1,742	1	-	-	-	1	1	7	6	8	11
1989.....	1,712	-	-	-	-	1	3	4	4	11	14
1988.....	1,730	-	1	-	1	-	2	10	2	10	14
1987.....	1,735	-	-	-	-	2	1	4	7	9	6
1986.....	1,612	3	1	1	-	2	3	7	4	6	13
1985.....	1,607	-	1	-	-	2	3	8	9	4	12
1984.....	1,636	-	-	-	-	1	6	4	12	7	14
1983.....	1,604	3	1	-	-	-	5	4	8	6	9
1982.....	1,652	1	-	1	-	1	1	4	5	11	17
1981.....	1,739	-	-	-	2	4	6	6	8	9	12
1980.....	1,810	1	-	-	-	-	9	7	12	11	13
1979.....	1,756	-	1	-	-	-	5	9	9	11	13
WHITE, BOTH SEXES											
1998.....	2,474	-	1	1	-	1	5	7	15	16	24
1997.....	2,413	1	2	-	-	2	5	2	12	16	27
1996.....	2,440	2	1	2	-	1	5	6	12	15	15
1995.....	2,416	4	-	1	-	2	3	5	4	13	23
1994.....	2,525	6	2	-	1	1	5	3	12	11	29
1993.....	2,417	4	1	-	-	-	4	6	8	16	21
1992.....	2,589	2	-	-	1	-	3	7	9	11	24
1991.....	2,562	1	-	-	-	3	7	2	13	13	22
1990.....	2,722	3	-	-	-	-	3	8	10	16	14
1989.....	2,738	2	1	-	-	1	2	7	7	13	18
1988.....	2,789	4	1	-	1	1	1	12	7	12	21
1987.....	2,721	-	-	-	-	3	2	7	8	11	11
1986.....	2,673	2	-	-	-	2	3	6	4	9	18
1985.....	2,660	1	1	-	-	4	2	5	13	12	27
1984.....	2,752	3	-	-	-	1	6	4	12	13	22
1983.....	2,684	2	2	-	-	-	6	5	12	15	21
1982.....	2,663	1	-	1	1	1	3	3	8	11	16
1981.....	2,811	1	-	-	3	4	3	6	11	13	15
1980.....	2,995	1	-	-	-	-	5	9	12	18	16
1979.....	2,867	4	1	-	-	-	4	8	9	15	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
WHITE MALE											
1998.....	1,074	-	1	-	-	-	2	3	8	8	12
1997.....	1,085	-	1	-	-	1	1	1	5	7	17
1996.....	1,064	1	1	1	-	-	1	3	5	7	9
1995.....	1,080	2	-	-	-	1	2	2	2	6	13
1994.....	1,109	3	-	-	1	-	2	1	4	5	23
1993.....	1,067	1	1	-	-	-	-	2	4	9	14
1992.....	1,140	2	-	-	-	-	2	4	6	6	16
1991.....	1,122	-	-	-	-	-	2	-	9	8	12
1990.....	1,156	2	-	-	-	-	2	2	5	10	5
1989.....	1,210	2	1	-	-	-	-	3	5	6	9
1988.....	1,243	4	-	-	-	1	-	4	5	4	13
1987.....	1,181	-	-	-	-	1	1	3	3	2	6
1986.....	1,224	-	-	-	-	1	-	2	3	4	10
1985.....	1,229	1	-	-	-	2	1	-	5	9	16
1984.....	1,272	3	-	-	-	-	-	1	3	8	11
1983.....	1,255	-	1	-	-	-	1	2	7	9	14
1982.....	1,177	1	-	-	1	-	2	1	3	4	6
1981.....	1,255	1	-	-	1	-	-	1	3	7	5
1980.....	1,356	-	-	-	-	-	2	4	3	8	7
1979.....	1,266	4	-	-	-	-	-	4	2	6	6
WHITE FEMALE											
1998.....	1,400	-	-	1	-	1	3	4	7	8	12
1997.....	1,328	1	1	-	-	1	4	1	7	9	10
1996.....	1,376	1	-	1	-	1	4	3	7	8	6
1995.....	1,336	2	-	1	-	1	1	3	2	7	10
1994.....	1,416	3	2	-	-	1	3	2	8	6	6
1993.....	1,350	3	-	-	-	-	4	4	4	7	7
1992.....	1,449	-	-	-	1	-	1	3	3	5	8
1991.....	1,440	1	-	-	-	3	5	2	4	5	10
1990.....	1,566	1	-	-	-	-	1	6	5	6	9
1989.....	1,528	-	-	-	-	1	2	4	2	7	9
1988.....	1,546	-	1	-	1	-	1	8	2	8	8
1987.....	1,540	-	-	-	-	2	1	4	5	9	5
1986.....	1,449	2	-	-	-	1	3	4	1	5	8
1985.....	1,431	-	1	-	-	2	1	5	8	3	11
1984.....	1,480	-	-	-	-	1	6	3	9	5	11
1983.....	1,429	2	1	-	-	-	5	3	5	6	7
1982.....	1,486	-	-	1	-	1	1	2	5	7	10
1981.....	1,556	-	-	-	2	4	3	5	8	6	10
1980.....	1,639	1	-	-	-	-	3	5	9	10	9
1979.....	1,601	-	1	-	-	-	4	4	7	9	8

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
ALL OTHER, BOTH SEXES											
1998.....	348	2	4	-	-	1	1	4	3	7	9
1997.....	344	-	-	-	1	1	1	2	6	2	8
1996.....	376	2	-	1	-	1	-	1	3	9	10
1995.....	335	2	-	-	-	-	1	2	7	7	8
1994.....	330	3	2	-	-	1	1	1	6	10	9
1993.....	335	1	-	-	-	-	1	3	-	2	6
1992.....	326	-	-	1	-	2	-	4	2	7	8
1991.....	319	1	1	-	-	-	3	3	3	6	5
1990.....	300	-	-	-	1	1	1	2	2	8	5
1989.....	310	1	1	-	-	-	1	2	4	7	10
1988.....	326	-	-	-	-	-	3	3	1	3	11
1987.....	311	1	-	-	-	-	1	-	4	4	1
1986.....	283	2	1	1	1	2	-	3	3	1	5
1985.....	315	1	-	-	-	-	2	4	1	3	4
1984.....	271	1	-	-	-	-	-	1	3	5	6
1983.....	305	1	1	-	-	-	-	2	8	2	4
1982.....	278	1	-	1	-	1	3	2	2	5	10
1981.....	273	-	-	-	-	-	3	1	1	4	5
1980.....	290	-	-	-	-	-	8	4	6	9	6
1979.....	272	1	-	-	-	-	1	8	2	4	7
ALL OTHER MALE											
1998.....	142	1	2	-	-	1	-	3	2	3	6
1997.....	154	-	-	-	1	-	-	-	2	2	5
1996.....	149	1	-	-	-	1	-	1	1	3	6
1995.....	135	2	-	-	-	-	1	-	2	3	3
1994.....	136	2	-	-	-	-	-	-	3	3	6
1993.....	140	1	-	-	-	-	-	1	-	1	2
1992.....	112	-	-	1	-	1	-	-	1	1	2
1991.....	124	1	-	-	-	-	-	2	1	3	2
1990.....	124	-	-	-	1	-	1	1	1	6	3
1989.....	126	1	1	-	-	-	-	2	2	3	5
1988.....	142	-	-	-	-	-	2	1	1	1	5
1987.....	116	1	-	-	-	-	1	-	2	4	-
1986.....	120	1	-	-	1	1	-	-	-	-	-
1985.....	139	1	-	-	-	-	-	1	-	2	3
1984.....	115	1	-	-	-	-	-	-	-	3	3
1983.....	130	-	1	-	-	-	-	1	5	2	2
1982.....	112	-	-	1	-	1	3	-	2	1	3
1981.....	90	-	-	-	-	-	-	-	1	1	3
1980.....	119	-	-	-	-	-	2	2	3	8	2
1979.....	117	1	-	-	-	-	-	3	-	2	2

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
ALL OTHER FEMALE											
1998.....	206	1	2	-	-	-	1	1	1	4	3
1997.....	190	-	-	-	-	1	1	2	4	-	3
1996.....	227	1	-	1	-	-	-	-	2	6	4
1995.....	200	-	-	-	-	-	-	2	5	4	5
1994.....	194	1	2	-	-	1	1	1	3	7	3
1993.....	195	-	-	-	-	-	1	2	-	1	4
1992.....	214	-	-	-	-	1	-	4	1	6	6
1991.....	195	-	1	-	-	-	3	1	2	3	3
1990.....	176	-	-	-	-	1	-	1	1	2	2
1989.....	184	-	-	-	-	-	1	-	2	4	5
1988.....	184	-	-	-	-	-	1	2	-	2	6
1987.....	195	-	-	-	-	-	-	-	2	-	1
1986.....	163	1	1	1	-	1	-	3	3	1	5
1985.....	176	-	-	-	-	-	2	3	1	1	1
1984.....	156	-	-	-	-	-	-	1	3	2	3
1983.....	175	1	-	-	-	-	-	1	3	-	2
1982.....	166	1	-	-	-	-	-	2	-	4	7
1981.....	183	-	-	-	-	-	3	1	-	3	2
1980.....	171	-	-	-	-	-	6	2	3	1	4
1979.....	155	-	-	-	-	-	1	5	2	2	5
BLACK, BOTH SEXES											
1998.....	282	2	4	-	-	1	1	2	3	6	8
1997.....	272	-	-	-	1	1	-	2	6	1	6
1996.....	304	2	-	-	-	1	-	1	3	8	8
1995.....	268	1	-	-	-	-	1	2	7	5	5
1994.....	275	3	2	-	-	1	1	1	5	9	8
1993.....	272	1	-	-	-	-	1	2	-	2	6
1992.....	275	-	-	1	-	2	-	3	2	6	8
1991.....	260	1	-	-	-	-	3	2	2	5	5
1990.....	244	-	-	-	1	1	1	2	2	6	5
1989.....	255	1	1	-	-	-	1	2	4	6	8
1988.....	264	-	-	-	-	-	3	3	1	3	11
1987.....	263	1	-	-	-	-	1	-	4	4	1
1986.....	230	2	1	1	1	2	-	3	2	1	5
1985.....	270	1	-	-	-	-	2	4	1	3	3
1984.....	228	-	-	-	-	-	-	1	2	5	6
1983.....	262	1	1	-	-	-	-	1	8	2	4
1982.....	230	1	-	1	-	1	3	2	2	5	10
1981.....	215	-	-	-	-	-	1	1	-	4	4
1980.....	235	-	-	-	-	-	8	4	6	9	6
1979.....	226	1	-	-	-	-	1	8	2	4	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
BLACK MALE											
1998.....	109	1	2	-	-	1	-	2	2	3	5
1997.....	119	-	-	-	1	-	-	-	2	1	4
1996.....	122	1	-	-	-	1	-	1	1	2	5
1995.....	100	1	-	-	-	-	1	-	2	3	2
1994.....	111	2	-	-	-	-	-	-	2	2	6
1993.....	103	1	-	-	-	-	-	1	-	1	2
1992.....	92	-	-	1	-	1	-	-	1	-	2
1991.....	92	1	-	-	-	-	-	1	1	2	2
1990.....	96	-	-	-	1	-	1	1	1	5	3
1989.....	102	1	1	-	-	-	-	2	2	3	5
1988.....	107	-	-	-	-	-	2	1	1	1	5
1987.....	90	1	-	-	-	-	1	-	2	4	-
1986.....	92	1	-	-	1	1	-	-	-	-	-
1985.....	118	1	-	-	-	-	-	1	-	2	2
1984.....	89	-	-	-	-	-	-	-	-	3	3
1983.....	103	-	1	-	-	-	-	-	5	2	2
1982.....	87	-	-	1	-	1	3	-	2	1	3
1981.....	65	-	-	-	-	-	-	-	-	1	2
1980.....	89	-	-	-	-	-	2	2	3	8	2
1979.....	91	1	-	-	-	-	-	3	-	2	1
BLACK FEMALE											
1998.....	173	1	2	-	-	-	1	-	1	3	3
1997.....	153	-	-	-	-	1	-	2	4	-	2
1996.....	182	1	-	-	-	-	-	-	2	6	3
1995.....	168	-	-	-	-	-	-	2	5	2	3
1994.....	164	1	2	-	-	1	1	1	3	7	2
1993.....	169	-	-	-	-	-	1	1	-	1	4
1992.....	183	-	-	-	-	1	-	3	1	6	6
1991.....	168	-	-	-	-	-	3	1	1	3	3
1990.....	148	-	-	-	-	1	-	1	1	1	2
1989.....	153	-	-	-	-	-	1	-	2	3	3
1988.....	157	-	-	-	-	-	1	2	-	2	6
1987.....	173	-	-	-	-	-	-	-	2	-	1
1986.....	138	1	1	1	-	1	-	3	2	1	5
1985.....	152	-	-	-	-	-	2	3	1	1	1
1984.....	139	-	-	-	-	-	-	1	2	2	3
1983.....	159	1	-	-	-	-	-	1	3	-	2
1982.....	143	1	-	-	-	-	-	2	-	4	7
1981.....	150	-	-	-	-	-	1	1	-	3	2
1980.....	146	-	-	-	-	-	6	2	3	1	4
1979.....	135	-	-	-	-	-	1	5	2	2	5



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	26,182	138	12	12	8	17	26	52	97	177	259
1997.....	25,331	136	11	6	12	23	30	64	115	183	265
1996.....	24,304	144	16	14	13	17	42	65	88	188	288
1995.....	23,676	155	19	11	12	16	38	78	120	210	284
1994.....	22,976	175	10	5	9	21	26	63	124	189	241
1993.....	23,317	183	21	18	10	19	29	69	151	198	260
1992.....	22,162	189	17	9	11	14	42	84	152	234	246
1991.....	21,360	189	16	14	11	27	35	89	134	240	266
1990.....	20,764	151	24	9	11	17	40	75	140	252	279
1989.....	21,118	198	15	10	10	19	51	85	173	227	238
1988.....	22,392	218	21	10	10	31	52	96	175	219	260
1987.....	22,052	220	21	16	9	18	56	88	177	214	191
1986.....	21,767	251	28	13	20	16	63	79	162	195	240
1985.....	21,349	277	23	15	13	27	49	101	140	209	224
1984.....	20,126	273	22	21	19	29	54	115	132	188	204
1983.....	18,998	232	20	20	8	36	53	106	138	154	189
1982.....	18,102	260	28	16	16	26	55	85	140	161	204
1981.....	17,277	258	26	22	14	36	75	105	122	171	186
1980.....	16,753	225	26	12	19	39	72	103	143	159	203
1979.....	15,729	219	29	21	33	55	78	122	145	153	226
TOTAL, MALE											
1998.....	12,561	69	7	7	4	13	8	31	52	101	175
1997.....	12,140	81	4	4	6	11	21	42	59	100	168
1996.....	11,642	91	8	9	5	10	24	46	49	113	174
1995.....	11,389	90	12	4	5	10	21	43	73	128	184
1994.....	10,866	104	5	1	6	12	11	34	75	119	154
1993.....	11,210	102	17	11	4	11	18	40	95	125	158
1992.....	10,816	94	6	5	7	8	23	53	100	155	167
1991.....	10,418	118	13	9	5	13	20	50	85	167	179
1990.....	10,005	82	14	6	4	8	27	48	92	165	178
1989.....	10,320	118	10	3	7	9	24	56	110	167	154
1988.....	10,880	113	9	4	7	20	23	58	109	150	161
1987.....	10,872	111	13	7	7	12	28	58	102	142	117
1986.....	10,863	150	14	4	9	11	35	48	89	123	139
1985.....	10,551	157	14	7	6	16	33	64	87	139	144
1984.....	10,051	163	11	11	7	11	35	65	83	114	124
1983.....	9,312	121	11	7	5	16	28	62	75	86	98
1982.....	9,165	157	11	11	8	12	32	47	82	93	123
1981.....	8,720	144	10	14	10	20	40	67	73	108	100
1980.....	8,638	128	12	4	13	16	36	61	90	99	125
1979.....	8,260	123	18	16	18	31	41	76	81	84	138

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	13,621	69	5	5	4	4	18	21	45	76	84
1997.....	13,191	55	7	2	6	12	9	22	56	83	97
1996.....	12,662	53	8	5	8	7	18	19	39	75	114
1995.....	12,287	65	7	7	7	6	17	35	47	82	100
1994.....	12,110	71	5	4	3	9	15	29	49	70	87
1993.....	12,107	81	4	7	6	8	11	29	56	73	102
1992.....	11,346	95	11	4	4	6	19	31	52	79	79
1991.....	10,942	71	3	5	6	14	15	39	49	73	87
1990.....	10,759	69	10	3	7	9	13	27	48	87	101
1989.....	10,798	80	5	7	3	10	27	29	63	60	84
1988.....	11,512	105	12	6	3	11	29	38	66	69	99
1987.....	11,180	109	8	9	2	6	28	30	75	72	74
1986.....	10,904	101	14	9	11	5	28	31	73	72	101
1985.....	10,798	120	9	8	7	11	16	37	53	70	80
1984.....	10,075	110	11	10	12	18	19	50	49	74	80
1983.....	9,686	111	9	13	3	20	25	44	63	68	91
1982.....	8,937	103	17	5	8	14	23	38	58	68	81
1981.....	8,557	114	16	8	4	16	35	38	49	63	86
1980.....	8,115	97	14	8	6	23	36	42	53	60	78
1979.....	7,469	96	11	5	15	24	37	46	64	69	88
WHITE, BOTH SEXES											
1998.....	21,369	89	7	9	7	8	19	28	61	98	152
1997.....	20,678	96	9	4	8	18	23	41	64	109	164
1996.....	19,696	83	14	10	8	12	22	39	48	101	169
1995.....	19,117	92	12	8	6	10	21	51	71	116	146
1994.....	18,639	100	6	4	2	13	19	36	57	103	119
1993.....	18,795	113	16	14	7	15	20	32	69	97	143
1992.....	17,903	127	14	7	7	9	25	44	80	127	130
1991.....	17,165	126	13	9	7	17	14	45	72	114	158
1990.....	16,571	90	15	7	6	11	24	37	80	135	155
1989.....	16,607	130	10	6	4	12	29	54	80	116	121
1988.....	17,915	148	18	8	7	19	27	52	99	108	161
1987.....	17,764	126	14	10	5	11	32	57	88	113	132
1986.....	17,446	164	19	11	15	9	41	43	95	105	139
1985.....	17,046	185	18	14	8	21	28	58	70	106	147
1984.....	16,198	178	17	15	11	21	38	80	80	113	126
1983.....	15,334	157	16	16	6	25	38	64	89	85	117
1982.....	14,453	174	21	11	15	17	35	52	90	104	130
1981.....	13,828	184	21	20	10	29	55	63	79	106	111
1980.....	13,137	155	22	11	13	27	40	55	89	103	125
1979.....	12,534	158	25	15	25	39	47	79	99	95	140

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)											
WHITE MALE											
1998.....	10,406	45	5	6	3	6	6	16	32	55	99
1997.....	10,002	52	4	2	4	6	17	24	32	56	99
1996.....	9,549	53	6	8	2	8	14	25	26	59	95
1995.....	9,288	53	6	4	2	5	10	27	40	67	94
1994.....	8,901	56	2	-	2	6	6	16	33	62	68
1993.....	9,110	62	13	8	2	9	12	17	38	60	81
1992.....	8,784	68	5	4	4	6	16	30	52	77	83
1991.....	8,403	82	11	5	2	10	9	23	38	79	112
1990.....	8,021	50	7	5	2	5	19	27	51	99	96
1989.....	8,093	78	7	2	3	6	12	37	49	84	75
1988.....	8,786	82	9	4	5	12	9	33	60	73	103
1987.....	8,800	66	9	5	4	7	16	36	48	68	79
1986.....	8,754	101	10	2	8	6	22	25	50	59	80
1985.....	8,482	111	10	6	6	12	20	40	37	70	89
1984.....	8,174	107	10	8	3	8	26	42	52	71	77
1983.....	7,548	86	8	5	3	11	23	37	46	46	56
1982.....	7,405	108	8	7	7	8	21	28	54	61	86
1981.....	7,018	101	7	13	8	19	30	43	46	73	58
1980.....	6,848	93	10	4	10	12	23	32	56	63	72
1979.....	6,630	83	15	11	13	19	25	52	56	48	87
WHITE FEMALE											
1998.....	10,963	44	2	3	4	2	13	12	29	43	53
1997.....	10,676	44	5	2	4	12	6	17	32	53	65
1996.....	10,147	30	8	2	6	4	8	14	22	42	74
1995.....	9,829	39	6	4	4	5	11	24	31	49	52
1994.....	9,738	44	4	4	-	7	13	20	24	41	51
1993.....	9,685	51	3	6	5	6	8	15	31	37	62
1992.....	9,119	59	9	3	3	3	9	14	28	50	47
1991.....	8,762	44	2	4	5	7	5	22	34	35	46
1990.....	8,550	40	8	2	4	6	5	10	29	36	59
1989.....	8,514	52	3	4	1	6	17	17	31	32	46
1988.....	9,129	66	9	4	2	7	18	19	39	35	58
1987.....	8,964	60	5	5	1	4	16	21	40	45	53
1986.....	8,692	63	9	9	7	3	19	18	45	46	59
1985.....	8,564	74	8	8	2	9	8	18	33	36	58
1984.....	8,024	71	7	7	8	13	12	38	28	42	49
1983.....	7,786	71	8	11	3	14	15	27	43	39	61
1982.....	7,048	66	13	4	8	9	14	24	36	43	44
1981.....	6,810	83	14	7	2	10	25	20	33	33	53
1980.....	6,289	62	12	7	3	15	17	23	33	40	53
1979.....	5,904	75	10	4	12	20	22	27	43	47	53

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	4,813	49	5	3	1	9	7	24	36	79	107
1997.....	4,653	40	2	2	4	5	7	23	51	74	101
1996.....	4,608	61	2	4	5	5	20	26	40	87	119
1995.....	4,559	63	7	3	6	6	17	27	49	94	138
1994.....	4,337	75	4	1	7	8	7	27	67	86	122
1993.....	4,522	70	5	4	3	4	9	37	82	101	117
1992.....	4,259	62	3	2	4	5	17	40	72	107	116
1991.....	4,195	63	3	5	4	10	21	44	62	126	108
1990.....	4,193	61	9	2	5	6	16	38	60	117	124
1989.....	4,511	68	5	4	6	7	22	31	93	111	117
1988.....	4,477	70	3	2	3	12	25	44	76	111	99
1987.....	4,288	94	7	6	4	7	24	31	89	101	59
1986.....	4,321	87	9	2	5	7	22	36	67	90	101
1985.....	4,303	92	5	1	5	6	21	43	70	103	77
1984.....	3,928	95	5	6	8	8	16	35	52	75	78
1983.....	3,664	75	4	4	2	11	15	42	49	69	72
1982.....	3,649	86	7	5	1	9	20	33	50	57	74
1981.....	3,449	74	5	2	4	7	20	42	43	65	75
1980.....	3,616	70	4	1	6	12	32	48	54	56	78
1979.....	3,195	61	4	6	8	16	31	43	46	58	86
ALL OTHER MALE											
1998.....	2,155	24	2	1	1	7	2	15	20	46	76
1997.....	2,138	29	-	2	2	5	4	18	27	44	69
1996.....	2,093	38	2	1	3	2	10	21	23	54	79
1995.....	2,101	37	6	-	3	5	11	16	33	61	90
1994.....	1,965	48	3	1	4	6	5	18	42	57	86
1993.....	2,100	40	4	3	2	2	6	23	57	65	77
1992.....	2,032	26	1	1	3	2	7	23	48	78	84
1991.....	2,015	36	2	4	3	3	11	27	47	88	67
1990.....	1,984	32	7	1	2	3	8	21	41	66	82
1989.....	2,227	40	3	1	4	3	12	19	61	83	79
1988.....	2,094	31	-	-	2	8	14	25	49	77	58
1987.....	2,072	45	4	2	3	5	12	22	54	74	38
1986.....	2,109	49	4	2	1	5	13	23	39	64	59
1985.....	2,069	46	4	1	-	4	13	24	50	69	55
1984.....	1,877	56	1	3	4	3	9	23	31	43	47
1983.....	1,764	35	3	2	2	5	5	25	29	40	42
1982.....	1,760	49	3	4	1	4	11	19	28	32	37
1981.....	1,702	43	3	1	2	1	10	24	27	35	42
1980.....	1,790	35	2	-	3	4	13	29	34	36	53
1979.....	1,630	40	3	5	5	12	16	24	25	36	51

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998.....	2,658	25	3	2	-	2	5	9	16	33	31
1997.....	2,515	11	2	-	2	-	3	5	24	30	32
1996.....	2,515	23	-	3	2	3	10	5	17	33	40
1995.....	2,458	26	1	3	3	1	6	11	16	33	48
1994.....	2,372	27	1	-	3	2	2	9	25	29	36
1993.....	2,422	30	1	1	1	2	3	14	25	36	40
1992.....	2,227	36	2	1	1	3	10	17	24	29	32
1991.....	2,180	27	1	1	1	7	10	17	15	38	41
1990.....	2,209	29	2	1	3	3	8	17	19	51	42
1989.....	2,284	28	2	3	2	4	10	12	32	28	38
1988.....	2,383	39	3	2	1	4	11	19	27	34	41
1987.....	2,216	49	3	4	1	2	12	9	35	27	21
1986.....	2,212	38	5	-	4	2	9	13	28	26	42
1985.....	2,234	46	1	-	5	2	8	19	20	34	22
1984.....	2,051	39	4	3	4	5	7	12	21	32	31
1983.....	1,900	40	1	2	-	6	10	17	20	29	30
1982.....	1,889	37	4	1	-	5	9	14	22	25	37
1981.....	1,747	31	2	1	2	6	10	18	16	30	33
1980.....	1,826	35	2	1	3	8	19	19	20	20	25
1979.....	1,565	21	1	1	3	4	15	19	21	22	35
BLACK, BOTH SEXES											
1998.....	4,329	42	5	3	1	9	6	22	34	74	101
1997.....	4,236	35	1	1	4	5	6	22	46	71	95
1996.....	4,144	59	2	4	5	4	17	23	36	80	115
1995.....	4,159	59	6	3	3	6	15	25	49	90	131
1994.....	3,980	69	3	1	6	8	7	27	66	83	113
1993.....	4,107	67	5	4	3	3	9	32	78	97	108
1992.....	3,889	56	3	2	4	5	13	37	67	104	107
1991.....	3,866	61	2	4	4	8	20	43	59	121	104
1990.....	3,855	54	9	2	5	5	16	37	56	113	116
1989.....	4,166	65	4	3	4	6	20	29	89	107	110
1988.....	4,157	64	3	2	3	11	23	39	73	109	91
1987.....	3,975	85	6	4	3	7	23	28	82	95	53
1986.....	4,020	82	8	2	4	7	19	35	60	88	95
1985.....	4,044	82	5	1	4	5	20	43	68	101	76
1984.....	3,666	91	4	5	7	8	14	32	49	68	73
1983.....	3,426	71	4	4	2	10	13	41	44	63	63
1982.....	3,417	84	6	4	1	8	15	28	45	53	66
1981.....	3,262	69	4	2	3	7	20	40	40	64	69
1980.....	3,416	67	3	1	5	10	28	47	49	51	72
1979.....	3,018	58	4	6	7	15	28	40	46	57	84

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)											
BLACK MALE											
1998.....	1,929	23	2	1	1	7	1	14	20	43	71
1997.....	1,941	25	-	1	2	5	3	17	27	43	67
1996.....	1,873	38	2	1	3	2	8	19	22	50	76
1995.....	1,916	37	5	-	2	5	10	16	33	58	86
1994.....	1,794	44	2	1	3	6	5	18	42	55	81
1993.....	1,879	39	4	3	2	2	6	20	55	62	71
1992.....	1,850	23	1	1	3	2	6	22	47	76	78
1991.....	1,849	35	1	3	3	2	10	26	45	87	65
1990.....	1,806	28	7	1	2	2	8	20	39	64	77
1989.....	2,047	39	2	1	2	3	11	18	59	82	75
1988.....	1,908	29	-	-	2	7	14	24	47	75	55
1987.....	1,905	41	3	2	2	5	12	21	51	68	36
1986.....	1,963	46	3	2	1	5	11	22	35	62	58
1985.....	1,935	41	4	1	-	4	12	24	48	68	54
1984.....	1,731	54	1	2	4	3	7	22	31	41	45
1983.....	1,648	33	3	2	2	5	5	24	27	38	39
1982.....	1,650	47	3	4	1	4	8	16	25	30	33
1981.....	1,609	41	2	1	2	1	10	22	26	35	40
1980.....	1,694	34	2	-	3	4	11	28	31	36	48
1979.....	1,525	38	3	5	5	12	14	22	25	36	50
BLACK FEMALE											
1998.....	2,400	19	3	2	-	2	5	8	14	31	30
1997.....	2,295	10	1	-	2	-	3	5	19	28	28
1996.....	2,271	21	-	3	2	2	9	4	14	30	39
1995.....	2,243	22	1	3	1	1	5	9	16	32	45
1994.....	2,186	25	1	-	3	2	2	9	24	28	32
1993.....	2,228	28	1	1	1	1	3	12	23	35	37
1992.....	2,039	33	2	1	1	3	7	15	20	28	29
1991.....	2,017	26	1	1	1	6	10	17	14	34	39
1990.....	2,049	26	2	1	3	3	8	17	17	49	39
1989.....	2,119	26	2	2	2	3	9	11	30	25	35
1988.....	2,249	35	3	2	1	4	9	15	26	34	36
1987.....	2,070	44	3	2	1	2	11	7	31	27	17
1986.....	2,057	36	5	-	3	2	8	13	25	26	37
1985.....	2,109	41	1	-	4	1	8	19	20	33	22
1984.....	1,935	37	3	3	3	5	7	10	18	27	28
1983.....	1,778	38	1	2	-	5	8	17	17	25	24
1982.....	1,767	37	3	-	-	4	7	12	20	23	33
1981.....	1,653	28	2	1	1	6	10	18	14	29	29
1980.....	1,722	33	1	1	2	6	17	19	18	15	24
1979.....	1,493	20	1	1	2	3	14	18	21	21	34

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR      UNDER 1      1-4      5-9      10-14      15-19      20-24      25-29      30-34      35-39      40-44  
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
TOTAL, BOTH SEXES												
1998.....	325	11	2	3	1	1	-	2	1	2	5	
1997.....	324	8	-	1	2	3	-	4	3	3	6	
1996.....	321	8	5	3	-	1	4	1	4	3	4	
1995.....	292	6	7	4	1	1	3	1	2	4	5	
1994.....	305	7	2	-	-	1	2	2	1	6	2	
1993.....	292	7	4	5	-	1	2	1	2	6	4	
1992.....	304	5	5	1	3	3	3	-	5	4	4	
1991.....	320	5	5	2	-	-	3	2	5	7	8	
1990.....	296	10	5	2	1	-	3	2	5	9	2	
1989.....	310	8	3	-	4	1	3	1	6	8	6	
1988.....	310	4	4	-	1	2	2	-	4	6	3	
1987.....	277	9	3	4	1	1	1	3	4	6	3	
1986.....	293	8	5	1	-	1	5	5	3	7	5	
1985.....	348	9	5	1	-	2	2	5	7	2	7	
1984.....	316	5	6	2	-	-	2	5	4	3	5	
1983.....	354	8	2	3	-	3	2	1	6	6	3	
1982.....	309	8	3	2	2	-	1	3	3	3	3	
1981.....	302	9	6	3	1	1	2	1	4	4	6	
1980.....	328	7	5	2	2	3	3	5	5	6	5	
1979.....	338	7	9	1	2	9	1	2	1	6	5	
TOTAL, MALE												
1998.....	154	3	1	3	1	1	-	-	1	1	4	
1997.....	154	2	-	1	1	2	-	3	1	-	5	
1996.....	153	3	5	3	-	-	3	-	2	2	3	
1995.....	133	4	5	1	-	-	1	1	1	1	4	
1994.....	142	4	2	-	-	1	2	-	-	6	1	
1993.....	124	3	4	3	-	-	2	1	1	4	2	
1992.....	143	4	2	1	3	2	1	-	4	2	1	
1991.....	154	2	3	1	-	-	3	-	4	3	3	
1990.....	145	4	2	2	-	-	2	2	5	7	1	
1989.....	160	3	-	-	4	1	2	-	4	6	5	
1988.....	158	2	2	-	-	-	1	-	2	5	2	
1987.....	133	2	2	1	-	1	-	2	3	4	1	
1986.....	133	6	2	-	-	-	2	3	1	4	4	
1985.....	159	4	3	1	-	1	2	4	3	2	4	
1984.....	147	4	2	1	-	-	-	2	4	1	1	
1983.....	171	4	1	1	-	2	2	1	3	4	2	
1982.....	151	4	2	2	1	-	1	1	2	3	1	
1981.....	142	5	3	1	-	1	1	1	1	2	4	
1980.....	162	5	2	-	2	-	1	1	2	3	3	
1979.....	182	6	5	1	1	8	1	1	1	5	4	

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

TOTAL, FEMALE											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	171	8	1	-	-	-	-	2	-	1	1
1997	170	6	-	-	1	1	-	1	2	3	1
1996	168	5	-	-	-	1	1	1	2	1	1
1995	159	2	2	3	1	1	2	-	1	3	1
1994	163	3	-	-	-	-	-	2	1	-	1
1993	168	4	-	2	-	1	-	-	1	2	2
1992	161	1	3	-	-	1	2	-	1	2	3
1991	166	3	2	1	-	-	-	2	1	4	5
1990	151	6	3	-	1	-	1	-	-	2	1
1989	150	5	3	-	-	-	1	1	2	2	1
1988	152	2	2	-	1	2	1	-	2	1	1
1987	144	7	1	3	1	-	1	1	1	2	2
1986	160	2	3	1	-	1	3	2	2	3	1
1985	189	5	2	-	-	1	-	1	4	-	3
1984	169	1	4	1	-	-	2	3	-	2	4
1983	183	4	1	2	-	1	-	-	3	2	1
1982	158	4	1	-	1	-	-	2	1	-	2
1981	160	4	3	2	1	-	1	-	3	2	2
1980	166	2	3	2	-	3	2	4	3	3	2
1979	156	1	4	-	1	1	-	1	-	1	1
WHITE, BOTH SEXES											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	272	10	2	2	1	1	-	-	-	1	3
1997	270	8	-	-	2	2	-	3	3	2	3
1996	257	7	4	3	-	1	2	1	2	-	3
1995	244	4	5	3	-	1	2	1	2	1	4
1994	248	5	1	-	-	1	-	2	-	3	1
1993	232	6	3	3	-	1	-	-	-	5	2
1992	252	4	4	1	2	1	2	-	2	-	3
1991	259	3	3	2	-	-	-	2	2	3	4
1990	249	8	2	1	1	-	3	1	2	8	-
1989	241	7	3	-	1	-	1	1	1	3	4
1988	249	4	3	-	-	2	1	-	2	3	2
1987	221	7	2	1	-	-	1	3	2	2	2
1986	243	8	2	1	-	-	2	3	1	3	3
1985	286	6	5	-	-	1	-	2	2	1	5
1984	262	4	5	1	-	-	2	4	2	1	-
1983	301	7	2	3	-	2	1	-	4	3	2
1982	247	4	2	1	2	-	1	1	1	2	1
1981	251	8	4	2	-	1	1	-	3	2	5
1980	270	7	5	2	1	2	2	3	-	5	4
1979	291	4	7	-	-	5	-	1	1	5	3



RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

## WHITE MALE

1998.....	133	3	1	2	1	1	-	-	-	1	2
1997.....	125	2	-	-	1	1	-	2	1	-	3
1996.....	125	2	4	3	-	-	2	-	1	-	2
1995.....	115	3	3	1	-	-	1	1	1	-	3
1994.....	108	2	1	-	-	1	-	-	-	3	1
1993.....	98	2	3	2	-	-	-	-	-	4	1
1992.....	119	4	2	1	2	1	1	-	2	-	1
1991.....	129	2	2	1	-	-	-	-	1	1	2
1990.....	118	3	-	1	-	-	2	1	2	6	-
1989.....	126	3	-	-	1	-	1	-	-	2	4
1988.....	131	2	2	-	-	-	-	-	1	3	1
1987.....	103	1	1	-	-	-	-	2	1	2	1
1986.....	107	6	1	-	-	-	1	2	-	1	2
1985.....	130	3	3	-	-	-	-	2	1	1	3
1984.....	125	4	2	1	-	-	-	2	2	1	-
1983.....	143	3	1	1	-	1	1	-	2	3	1
1982.....	120	1	1	1	1	-	1	-	1	2	1
1981.....	119	5	2	1	-	1	1	-	-	1	3
1980.....	131	5	2	-	1	-	1	-	-	2	2
1979.....	157	3	3	-	-	4	-	-	1	4	3

## WHITE FEMALE

1998.....	139	7	1	-	-	-	-	-	-	-	1
1997.....	145	6	-	-	1	1	-	1	2	2	-
1996.....	132	5	-	-	-	1	-	1	1	-	1
1995.....	129	1	2	2	-	1	1	-	1	1	1
1994.....	140	3	-	-	-	-	-	2	-	-	-
1993.....	134	4	-	1	-	1	-	-	-	1	1
1992.....	133	-	2	-	-	-	1	-	-	-	2
1991.....	130	1	1	1	-	-	-	2	1	2	2
1990.....	131	5	2	-	1	-	1	-	-	2	-
1989.....	115	4	3	-	-	-	-	1	1	1	-
1988.....	118	2	1	-	-	2	1	-	1	-	1
1987.....	118	6	1	1	-	-	1	1	1	-	1
1986.....	136	2	1	1	-	-	1	1	1	2	1
1985.....	156	3	2	-	-	1	-	-	1	-	2
1984.....	137	-	3	-	-	-	2	2	-	-	-
1983.....	158	4	1	2	-	1	-	-	2	-	1
1982.....	127	3	1	-	1	-	-	1	-	-	-
1981.....	132	3	2	1	-	-	-	-	3	1	2
1980.....	139	2	3	2	-	2	1	3	-	3	2
1979.....	134	1	4	-	-	1	-	1	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

## ALL OTHER, BOTH SEXES

1998.....	53	1	-	1	-	-	-	2	1	1	2
1997.....	54	-	-	1	-	1	-	1	-	1	3
1996.....	64	1	1	-	-	-	2	-	2	3	1
1995.....	48	2	2	1	1	-	1	-	-	3	1
1994.....	57	2	1	-	-	-	2	-	1	3	1
1993.....	60	1	1	2	-	-	2	1	2	1	2
1992.....	52	1	1	-	1	2	1	-	3	4	1
1991.....	61	2	2	-	-	-	3	-	3	4	4
1990.....	47	2	3	1	-	-	-	1	3	1	2
1989.....	69	1	-	-	3	1	2	-	5	5	2
1988.....	61	-	1	-	1	-	1	-	2	3	1
1987.....	56	2	1	3	1	1	-	-	2	4	1
1986.....	50	-	3	-	-	1	3	2	2	4	2
1985.....	62	3	-	1	-	1	2	3	5	1	2
1984.....	54	1	1	1	-	-	-	1	2	2	5
1983.....	53	1	-	-	-	1	1	1	2	3	1
1982.....	62	4	1	1	-	-	-	2	2	1	2
1981.....	51	1	2	1	1	-	1	1	1	2	1
1980.....	58	-	-	-	1	1	1	2	5	1	1
1979.....	47	3	2	1	2	4	1	1	-	1	2

## ALL OTHER MALE

1998.....	21	-	-	1	-	-	-	-	1	-	2
1997.....	29	-	-	1	-	1	-	1	-	-	2
1996.....	28	1	1	-	-	-	1	-	1	2	1
1995.....	18	1	2	-	-	-	-	-	-	1	1
1994.....	34	2	1	-	-	-	2	-	-	3	-
1993.....	26	1	1	1	-	-	1	1	1	-	1
1992.....	24	-	-	-	1	1	-	-	2	2	-
1991.....	25	-	1	-	-	-	3	-	3	2	1
1990.....	27	1	2	1	-	-	-	1	3	1	1
1989.....	34	-	-	-	3	1	1	-	4	4	1
1988.....	27	-	-	-	-	-	1	-	1	2	1
1987.....	30	1	1	1	-	1	-	-	2	2	-
1986.....	26	-	1	-	-	-	1	1	1	3	2
1985.....	29	1	-	1	-	1	2	2	2	1	1
1984.....	22	-	-	-	-	-	-	-	2	-	1
1983.....	28	1	-	-	-	1	1	1	1	1	1
1982.....	31	3	1	1	-	-	-	1	1	1	-
1981.....	23	-	1	-	-	-	-	1	1	1	1
1980.....	31	-	-	-	1	-	-	1	2	1	1
1979.....	25	3	2	1	1	4	1	1	-	1	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98											
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)												
ALL OTHER FEMALE												
1998.....	32	1	-	-	-	-	-	2	-	1	-	-
1997.....	25	-	-	-	-	-	-	-	-	1	1	1
1996.....	36	-	-	-	-	-	1	-	1	1	-	-
1995.....	30	1	-	1	1	-	1	-	-	2	-	-
1994.....	23	-	-	-	-	-	-	-	1	-	1	1
1993.....	34	-	-	1	-	-	-	-	1	1	1	1
1992.....	28	1	1	-	-	1	1	1	-	1	2	1
1991.....	36	2	1	-	-	-	-	-	-	2	3	3
1990.....	20	1	1	-	-	-	-	-	-	-	1	1
1989.....	35	1	-	-	-	-	1	-	1	1	1	1
1988.....	34	-	1	-	1	-	-	-	1	1	-	-
1987.....	26	1	-	2	1	-	-	-	-	2	1	1
1986.....	24	-	2	-	-	1	2	1	1	1	-	-
1985.....	33	2	-	-	-	-	-	1	3	-	1	1
1984.....	32	1	1	1	-	-	-	1	-	2	4	4
1983.....	25	-	-	-	-	-	-	-	1	2	-	-
1982.....	31	1	-	-	-	-	-	1	1	-	2	2
1981.....	28	1	1	1	1	-	1	-	-	1	-	-
1980.....	27	-	-	-	-	1	1	1	3	-	-	-
1979.....	22	-	-	-	1	-	-	-	-	-	-	1
BLACK, BOTH SEXES												
1998.....	45	-	-	1	-	-	-	1	1	1	2	2
1997.....	49	-	-	1	-	1	-	1	-	1	3	3
1996.....	60	1	1	-	-	-	2	-	2	2	1	1
1995.....	45	1	2	1	-	-	1	-	-	3	1	1
1994.....	50	1	1	-	-	-	2	-	1	3	-	-
1993.....	55	1	1	2	-	-	2	1	2	1	2	2
1992.....	44	1	1	-	1	2	-	-	3	4	1	1
1991.....	59	2	2	-	-	-	3	-	3	3	3	3
1990.....	42	1	3	1	-	-	-	1	3	1	2	2
1989.....	66	1	-	-	2	1	2	-	4	4	2	2
1988.....	59	-	1	-	1	-	1	-	2	3	1	1
1987.....	48	1	-	1	1	1	-	-	1	4	-	-
1986.....	49	-	3	-	-	1	3	2	2	4	2	2
1985.....	58	2	-	1	-	1	2	3	5	1	2	2
1984.....	51	1	-	1	-	-	-	1	2	2	5	5
1983.....	49	1	-	-	-	1	1	1	2	2	1	1
1982.....	59	4	1	1	-	-	-	1	2	1	2	2
1981.....	47	-	1	1	-	-	1	1	1	2	1	1
1980.....	55	-	-	-	1	1	1	2	5	1	-	-
1979.....	44	3	2	1	2	4	1	1	-	1	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

## BLACK MALE

1998.....	19	-	-	1	-	-	-	-	1	-	2
1997.....	24	-	-	1	-	1	-	1	-	-	2
1996.....	26	1	1	-	-	-	1	-	1	1	1
1995.....	18	1	2	-	-	-	-	-	-	1	1
1994.....	30	1	1	-	-	-	2	-	-	3	-
1993.....	23	1	1	1	-	-	2	1	1	-	1
1992.....	18	-	-	-	1	1	-	-	2	2	-
1991.....	25	-	1	-	-	-	3	-	3	2	1
1990.....	24	1	2	1	-	-	-	1	3	1	1
1989.....	33	-	-	-	2	1	1	-	4	4	1
1988.....	27	-	-	-	-	-	1	-	1	2	1
1987.....	26	1	-	1	-	1	-	-	1	2	-
1986.....	25	-	1	-	-	-	1	1	1	3	2
1985.....	27	1	-	1	-	1	2	2	2	1	1
1984.....	21	-	-	-	-	-	-	-	2	-	1
1983.....	26	1	-	-	-	1	1	1	1	1	1
1982.....	30	3	1	1	-	-	-	1	1	1	-
1981.....	22	-	-	-	-	-	-	1	1	1	1
1980.....	28	-	-	-	1	-	-	1	2	1	-
1979.....	24	3	2	1	1	4	1	1	-	1	1

## BLACK FEMALE

1998.....	26	-	-	-	-	-	-	1	-	1	-
1997.....	25	-	-	-	-	-	-	-	-	1	1
1996.....	34	-	-	-	-	-	1	-	1	1	-
1995.....	27	-	-	1	-	-	1	-	-	2	-
1994.....	20	-	-	-	-	-	-	-	1	-	-
1993.....	32	-	-	1	-	-	-	-	1	1	1
1992.....	26	1	1	-	-	1	-	-	1	2	1
1991.....	34	2	1	-	-	-	-	-	-	1	2
1990.....	18	-	1	-	-	-	-	-	-	-	1
1989.....	33	1	-	-	-	-	1	-	-	-	1
1988.....	32	-	1	-	1	-	-	-	1	1	-
1987.....	22	-	-	-	1	-	-	-	-	2	-
1986.....	24	-	2	-	-	1	2	1	1	1	-
1985.....	31	1	-	-	-	-	-	1	3	-	1
1984.....	30	1	-	1	-	-	-	1	-	2	4
1983.....	23	-	-	-	-	-	-	-	1	1	-
1982.....	29	1	-	-	-	-	-	-	1	-	2
1981.....	25	-	1	1	-	-	1	-	-	1	-
1980.....	27	-	-	-	-	1	1	1	3	-	-
1979.....	20	-	-	-	1	-	-	-	-	-	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR

0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	1,715	1	1	-	3	3	5	4	18	19	28
1997.....	1,652	4	-	-	5	6	7	11	22	27	35
1996.....	1,638	3	2	3	2	4	8	10	7	16	30
1995.....	1,504	4	2	1	4	2	7	16	16	23	34
1994.....	1,546	-	-	-	4	4	5	8	17	24	20
1993.....	1,588	3	2	1	1	4	7	7	21	28	22
1992.....	1,503	3	2	1	1	3	4	12	20	28	24
1991.....	1,512	6	2	2	3	10	7	6	13	32	29
1990.....	1,521	1	4	3	3	3	8	12	19	39	33
1989.....	1,517	4	3	1	3	4	9	20	16	28	29
1988.....	1,521	2	4	1	1	5	6	20	23	28	27
1987.....	1,509	4	-	3	2	3	13	4	19	35	18
1986.....	1,505	2	2	4	4	5	7	9	23	25	22
1985.....	1,565	1	1	4	1	4	6	19	15	23	29
1984.....	1,824	3	-	5	2	1	17	31	20	35	36
1983.....	1,887	6	4	3	1	9	14	23	20	29	23
1982.....	1,946	7	4	1	3	7	12	18	30	24	32
1981.....	2,055	5	2	2	3	5	22	25	22	30	34
1980.....	2,245	-	2	2	3	12	18	27	19	31	34
1979.....	2,363	6	2	4	9	11	21	35	32	31	45
TOTAL, MALE											
1998.....	831	1	1	-	2	2	1	3	8	10	19
1997.....	807	3	-	-	1	2	5	6	8	13	22
1996.....	800	2	-	-	-	2	3	8	2	9	19
1995.....	753	4	-	1	2	2	4	6	9	12	19
1994.....	728	-	-	-	4	3	2	5	8	15	14
1993.....	806	2	2	1	1	2	4	6	13	18	14
1992.....	776	3	1	-	1	3	3	7	14	15	16
1991.....	758	3	2	1	2	3	4	4	6	22	14
1990.....	763	1	-	1	1	1	5	10	14	27	22
1989.....	733	3	2	-	3	3	4	15	7	23	16
1988.....	793	1	2	-	-	4	2	12	16	19	14
1987.....	741	3	-	1	1	2	6	2	14	27	7
1986.....	785	2	2	2	1	5	5	6	14	20	12
1985.....	770	1	1	1	-	3	6	16	10	16	21
1984.....	911	2	-	4	-	1	10	22	11	25	17
1983.....	882	3	1	1	-	5	6	10	13	12	14
1982.....	984	4	2	-	-	-	8	13	19	14	26
1981.....	963	3	1	1	3	4	14	16	13	14	15
1980.....	1,138	-	2	1	3	2	12	15	13	16	21
1979.....	1,244	4	2	3	6	6	13	27	12	15	30

RACE, AND SEX: UNITED STATES, 1979-98

- CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

TOTAL, FEMALE											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	884	-	-	-	1	1	4	1	10	9	9
1997	845	1	-	-	4	4	2	5	14	14	13
1996	838	1	2	3	2	2	5	2	5	7	11
1995	751	-	2	-	2	-	3	10	7	11	15
1994	818	-	-	-	-	1	3	3	9	9	6
1993	782	1	-	-	-	2	3	1	8	10	8
1992	727	-	1	1	-	-	1	5	6	13	8
1991	754	3	-	1	1	7	3	2	7	10	15
1990	758	-	4	2	2	2	3	2	5	12	11
1989	784	1	1	1	-	1	5	5	9	5	13
1988	728	1	2	1	1	1	4	8	7	9	13
1987	768	1	-	2	1	1	7	2	5	8	11
1986	720	-	-	2	3	-	2	3	9	5	10
1985	795	-	-	3	1	1	-	3	5	7	8
1984	913	1	-	1	2	-	7	9	9	10	19
1983	1,005	3	3	2	1	4	8	13	7	17	9
1982	962	3	2	1	3	7	4	5	11	10	6
1981	1,092	2	1	1	-	1	8	9	9	16	19
1980	1,107	-	-	1	-	10	6	12	6	15	13
1979	1,119	2	-	1	3	5	8	8	20	16	15
WHITE, BOTH SEXES											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	1,369	-	1	-	2	3	2	2	14	11	20
1997	1,343	2	-	-	2	6	4	7	13	14	27
1996	1,308	2	2	-	2	3	4	7	6	10	16
1995	1,206	2	2	1	2	1	3	10	12	13	17
1994	1,211	-	-	-	1	2	4	4	8	15	10
1993	1,251	3	1	1	1	3	2	3	10	12	16
1992	1,200	2	1	1	1	3	4	7	12	15	13
1991	1,199	3	1	-	2	5	4	2	9	23	20
1990	1,191	1	4	2	3	3	3	8	9	28	18
1989	1,201	4	1	1	2	3	7	13	9	19	17
1988	1,250	2	4	1	1	2	4	13	15	12	22
1987	1,204	-	-	3	1	3	8	2	10	15	12
1986	1,180	2	-	3	2	1	5	4	16	11	15
1985	1,256	-	-	4	-	3	2	9	10	12	21
1984	1,472	2	-	4	1	1	10	18	13	23	24
1983	1,497	2	4	2	1	4	12	11	10	20	14
1982	1,558	4	3	-	3	5	9	10	16	14	20
1981	1,670	5	1	2	2	4	17	18	13	18	16
1980	1,717	-	1	2	2	9	12	13	8	22	23
1979	1,847	5	2	4	7	6	12	19	22	16	32

RACE, AND SEX: UNITED STATES, 1979-98

- CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
WHITE MALE											
1998.....	664	-	1	-	1	2	-	1	6	6	14
1997.....	657	2	-	-	-	2	4	3	4	7	15
1996.....	642	1	-	-	-	2	1	5	2	6	9
1995.....	599	2	-	1	1	1	2	4	8	5	9
1994.....	578	-	-	-	1	2	1	3	4	9	6
1993.....	639	2	1	1	1	2	1	2	6	9	10
1992.....	611	2	-	-	1	3	3	3	8	8	8
1991.....	605	1	1	-	1	2	3	1	3	17	9
1990.....	590	1	-	1	1	1	3	6	7	19	11
1989.....	590	3	1	-	2	2	3	11	5	15	8
1988.....	644	1	2	-	-	2	1	9	10	7	10
1987.....	587	-	-	1	-	2	3	1	7	10	4
1986.....	610	2	-	1	-	1	3	2	8	8	8
1985.....	607	-	-	1	-	2	2	7	6	9	15
1984.....	741	1	-	3	-	1	6	13	6	17	13
1983.....	675	1	1	-	-	2	5	4	6	7	7
1982.....	798	2	2	-	-	-	6	8	11	6	17
1981.....	785	3	-	1	2	4	10	12	7	10	8
1980.....	878	-	1	1	2	1	9	8	6	12	13
1979.....	972	3	2	3	5	3	9	15	10	6	20
WHITE FEMALE											
1998.....	705	-	-	-	1	1	2	1	8	5	6
1997.....	686	-	-	-	2	4	-	4	9	7	12
1996.....	666	1	2	-	2	1	3	2	4	4	7
1995.....	607	-	2	-	1	-	1	6	4	8	8
1994.....	633	-	-	-	-	-	3	1	4	6	4
1993.....	612	1	-	-	-	1	1	1	4	3	6
1992.....	589	-	1	1	-	-	1	4	4	7	5
1991.....	594	2	-	-	1	3	1	1	6	6	11
1990.....	601	-	4	1	2	2	-	2	2	9	7
1989.....	611	1	-	1	-	1	4	2	4	4	9
1988.....	606	1	2	1	1	-	3	4	5	5	12
1987.....	617	-	-	2	1	1	5	1	3	5	8
1986.....	570	-	-	2	2	-	2	2	8	3	7
1985.....	649	-	-	3	-	1	-	2	4	3	6
1984.....	731	1	-	1	1	-	4	5	7	6	11
1983.....	822	1	3	2	1	2	7	7	4	13	7
1982.....	760	2	1	-	3	5	3	2	5	8	3
1981.....	885	2	1	1	-	-	7	6	6	8	8
1980.....	839	-	-	1	-	8	3	5	2	10	10
1979.....	875	2	-	1	2	3	3	4	12	10	12

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

## ALL OTHER, BOTH SEXES

1998.....	346	1	-	-	1	-	3	2	4	8	8
1997.....	309	2	-	-	3	-	3	4	9	13	8
1996.....	330	1	-	3	-	1	4	3	1	6	14
1995.....	298	2	-	-	2	1	4	6	4	10	17
1994.....	335	-	-	-	3	2	1	4	9	9	10
1993.....	337	-	1	-	-	1	5	4	11	16	6
1992.....	303	1	1	-	-	-	-	5	8	13	11
1991.....	313	3	1	2	1	5	3	4	4	9	9
1990.....	330	-	-	1	-	-	5	4	10	11	15
1989.....	316	-	2	-	1	1	2	7	7	9	12
1988.....	271	-	-	-	-	3	2	7	8	16	5
1987.....	305	4	-	-	1	-	5	2	9	20	6
1986.....	325	-	2	1	2	4	2	5	7	14	7
1985.....	309	1	1	-	1	1	4	10	5	11	8
1984.....	352	1	-	1	1	-	7	13	7	12	12
1983.....	390	4	-	1	-	5	2	12	10	9	9
1982.....	388	3	1	1	-	2	3	8	14	10	12
1981.....	385	-	1	-	1	1	5	7	9	12	18
1980.....	528	-	1	-	1	3	6	14	11	9	11
1979.....	516	1	-	-	2	5	9	16	10	15	13

## ALL OTHER MALE

1998.....	167	1	-	-	1	-	1	2	2	4	5
1997.....	150	1	-	-	1	-	1	3	4	6	7
1996.....	158	1	-	-	-	-	2	3	-	3	10
1995.....	154	2	-	-	1	1	2	2	1	7	10
1994.....	150	-	-	-	3	1	1	2	4	6	8
1993.....	167	-	1	-	-	-	3	4	7	9	4
1992.....	165	1	1	-	-	-	-	4	6	7	8
1991.....	153	2	1	1	1	1	1	3	3	5	5
1990.....	173	-	-	-	-	-	2	4	7	8	11
1989.....	143	-	1	-	1	1	1	4	2	8	8
1988.....	149	-	-	-	-	2	1	3	6	12	4
1987.....	154	3	-	-	1	-	3	1	7	17	3
1986.....	175	-	2	1	1	4	2	4	6	12	4
1985.....	163	1	1	-	-	1	4	9	4	7	6
1984.....	170	1	-	1	-	-	4	9	5	8	4
1983.....	207	2	-	1	-	3	1	6	7	5	7
1982.....	186	2	-	-	-	-	2	5	8	8	9
1981.....	178	-	1	-	1	-	4	4	6	4	7
1980.....	260	-	1	-	1	1	3	7	7	4	8
1979.....	272	1	-	-	1	3	4	12	2	9	10



RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)											

## ALL OTHER FEMALE

1998.....	179	-	-	-	-	-	2	-	2	4	3
1997.....	159	1	-	-	2	-	2	1	5	7	1
1996.....	172	-	-	3	-	-	2	-	1	3	4
1995.....	144	-	-	-	1	-	2	4	3	3	7
1994.....	185	-	-	-	-	1	-	2	5	3	2
1993.....	170	-	-	-	-	1	2	-	4	7	2
1992.....	138	-	-	-	-	-	-	1	2	6	3
1991.....	160	1	-	1	-	4	2	1	1	4	4
1990.....	157	-	-	1	-	-	3	-	3	3	4
1989.....	173	-	1	-	-	-	1	3	5	1	4
1988.....	122	-	-	-	-	1	1	4	2	4	1
1987.....	151	1	-	-	-	-	2	1	2	3	3
1986.....	150	-	-	-	1	-	-	1	1	2	3
1985.....	146	-	-	-	1	-	-	1	1	4	2
1984.....	182	-	-	-	1	-	3	4	2	4	8
1983.....	183	2	-	-	-	2	1	6	3	4	2
1982.....	202	1	1	1	-	2	1	3	6	2	3
1981.....	207	-	-	-	-	1	1	3	3	8	11
1980.....	268	-	-	-	-	2	3	7	4	5	3
1979.....	244	-	-	-	1	2	5	4	8	6	3

## BLACK, BOTH SEXES

1998.....	310	1	-	-	1	-	3	2	3	7	6
1997.....	276	2	-	-	3	-	3	4	8	13	8
1996.....	292	1	-	3	-	-	2	1	1	5	14
1995.....	266	2	-	-	1	1	3	4	4	9	15
1994.....	306	-	-	-	2	2	1	4	9	9	9
1993.....	309	-	1	-	-	-	5	4	9	15	6
1992.....	279	1	1	-	-	-	-	4	7	13	11
1991.....	285	2	-	2	1	4	3	4	3	9	9
1990.....	300	-	-	1	-	-	5	4	9	10	15
1989.....	295	-	1	-	-	1	2	7	6	9	11
1988.....	241	-	-	-	-	3	2	4	8	16	4
1987.....	277	4	-	-	-	-	5	2	9	17	6
1986.....	299	-	1	1	1	4	2	5	6	14	7
1985.....	288	1	1	-	1	1	3	10	5	9	8
1984.....	324	1	-	1	-	-	6	12	7	12	9
1983.....	366	4	-	1	-	5	2	11	10	9	5
1982.....	353	3	1	-	-	2	2	5	12	10	10
1981.....	359	-	1	-	1	1	5	7	8	12	15
1980.....	498	-	1	-	1	2	4	14	10	8	10
1979.....	484	-	-	-	2	4	7	14	10	15	12

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)											

## BLACK MALE

1998.....	153	1	-	-	1	-	1	2	2	4	3
1997.....	135	1	-	-	1	-	1	3	4	6	7
1996.....	144	1	-	-	-	-	1	1	-	3	10
1995.....	139	2	-	-	1	1	1	2	1	6	8
1994.....	138	-	-	-	2	1	1	2	4	6	7
1993.....	153	-	1	-	-	-	3	4	7	8	4
1992.....	152	1	1	-	-	-	-	4	6	7	8
1991.....	136	1	-	1	1	-	1	3	2	5	5
1990.....	156	-	-	-	-	-	2	4	7	7	11
1989.....	137	-	-	-	-	1	1	4	2	8	8
1988.....	133	-	-	-	-	2	1	3	6	12	4
1987.....	139	3	-	-	-	-	3	1	7	14	3
1986.....	166	-	1	1	1	4	2	4	5	12	4
1985.....	155	1	1	-	-	1	3	9	4	6	6
1984.....	155	1	-	1	-	-	3	8	5	8	4
1983.....	194	2	-	1	-	3	1	5	7	5	5
1982.....	172	2	-	-	-	-	2	3	7	8	8
1981.....	166	-	1	-	1	-	4	4	5	4	6
1980.....	243	-	1	-	1	1	1	7	7	4	7
1979.....	252	-	-	-	1	3	3	10	2	9	9

## BLACK FEMALE

1998.....	157	-	-	-	-	-	2	-	1	3	3
1997.....	141	1	-	-	2	-	2	1	4	7	1
1996.....	148	-	-	3	-	-	1	-	1	2	4
1995.....	127	-	-	-	-	-	2	2	3	3	7
1994.....	168	-	-	-	-	1	-	2	5	3	2
1993.....	156	-	-	-	-	-	2	-	2	7	2
1992.....	127	-	-	-	-	-	-	-	1	6	3
1991.....	149	1	-	1	-	4	2	1	1	4	4
1990.....	144	-	-	1	-	-	3	-	2	3	4
1989.....	158	-	1	-	-	-	1	3	4	1	3
1988.....	108	-	-	-	-	1	1	1	2	4	-
1987.....	138	1	-	-	-	-	2	1	2	3	3
1986.....	133	-	-	-	-	-	-	1	1	2	3
1985.....	133	-	-	-	1	-	-	1	1	3	2
1984.....	169	-	-	-	-	-	3	4	2	4	5
1983.....	172	2	-	-	-	2	1	6	3	4	-
1982.....	181	1	1	-	-	2	-	2	5	2	2
1981.....	193	-	-	-	-	1	1	3	3	8	9
1980.....	255	-	-	-	-	1	3	7	3	4	3
1979.....	232	-	-	-	1	1	4	4	8	6	3

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

TOTAL, BOTH SEXES											
1998.....	24,142	126	9	9	4	13	21	46	78	156	226
1997.....	23,355	124	11	5	5	14	23	49	90	153	224
1996.....	22,345	133	9	8	11	12	30	54	77	169	254
1995.....	21,880	145	10	6	7	13	28	61	102	183	245
1994.....	21,125	168	8	5	5	16	19	53	106	159	219
1993.....	21,437	173	15	12	9	14	20	61	128	164	234
1992.....	20,355	181	10	7	7	8	35	72	127	202	218
1991.....	19,528	178	9	10	8	17	25	81	116	201	229
1990.....	18,947	140	15	4	7	14	29	61	116	204	244
1989.....	19,291	186	9	9	3	14	39	64	151	191	203
1988.....	20,561	212	13	9	8	24	44	76	148	185	230
1987.....	20,266	207	18	9	6	14	42	81	154	173	170
1986.....	19,969	241	21	8	16	10	51	65	136	163	213
1985.....	19,436	267	17	10	12	21	41	77	118	184	188
1984.....	17,986	265	16	14	17	28	35	79	108	150	163
1983.....	16,757	218	14	14	7	24	37	82	112	119	163
1982.....	15,847	245	21	13	11	19	42	64	107	134	169
1981.....	14,920	244	18	17	10	30	51	79	96	137	146
1980.....	14,180	218	19	8	14	24	51	71	119	122	164
1979.....	13,028	206	18	16	22	35	56	85	112	116	176
TOTAL, MALE											
1998.....	11,576	65	5	4	1	10	7	28	43	90	152
1997.....	11,179	76	4	3	4	7	16	33	50	87	141
1996.....	10,689	86	3	6	5	8	18	38	45	102	152
1995.....	10,503	82	7	2	3	8	16	36	63	115	161
1994.....	9,996	100	3	1	2	8	7	29	67	98	139
1993.....	10,280	97	11	7	3	9	12	33	81	103	142
1992.....	9,897	87	3	4	3	3	19	46	82	138	150
1991.....	9,506	113	8	7	3	10	13	46	75	142	162
1990.....	9,097	77	12	3	3	7	20	36	73	131	155
1989.....	9,427	112	8	3	-	5	18	41	99	138	133
1988.....	9,929	110	5	4	7	16	20	46	91	126	145
1987.....	9,998	106	11	5	6	9	22	54	85	111	109
1986.....	9,945	142	10	2	8	6	28	39	74	99	123
1985.....	9,622	152	10	5	6	12	25	44	74	121	119
1984.....	8,993	157	9	6	7	10	25	41	68	88	106
1983.....	8,259	114	9	5	5	9	20	51	59	70	82
1982.....	8,030	149	7	9	7	12	23	33	61	76	96
1981.....	7,615	136	6	12	7	15	25	50	59	92	81
1980.....	7,338	123	8	3	8	14	23	45	75	80	101
1979.....	6,834	113	11	12	11	17	27	48	68	64	104

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

TOTAL, FEMALE											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	12,566	61	4	5	3	3	14	18	35	66	74
1997	12,176	48	7	2	1	7	7	16	40	66	83
1996	11,656	47	6	2	6	4	12	16	32	67	102
1995	11,377	63	3	4	4	5	12	25	39	68	84
1994	11,129	68	5	4	3	8	12	24	39	61	80
1993	11,157	76	4	5	6	5	8	28	47	61	92
1992	10,458	94	7	3	4	5	16	26	45	64	68
1991	10,022	65	1	3	5	7	12	35	41	59	67
1990	9,850	63	3	1	4	7	9	25	43	73	89
1989	9,864	74	1	6	3	9	21	23	52	53	70
1988	10,632	102	8	5	1	8	24	30	57	59	85
1987	10,268	101	7	4	-	5	20	27	69	62	61
1986	10,024	99	11	6	8	4	23	26	62	64	90
1985	9,814	115	7	5	6	9	16	33	44	63	69
1984	8,993	108	7	8	10	18	10	38	40	62	57
1983	8,498	104	5	9	2	15	17	31	53	49	81
1982	7,817	96	14	4	4	7	19	31	46	58	73
1981	7,305	108	12	5	3	15	26	29	37	45	65
1980	6,842	95	11	5	6	10	28	26	44	42	63
1979	6,194	93	7	4	11	18	29	37	44	52	72
WHITE, BOTH SEXES											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	19,728	79	4	7	4	4	17	26	47	86	129
1997	19,065	86	9	4	4	10	19	31	48	93	134
1996	18,131	74	8	7	6	8	16	31	40	91	150
1995	17,667	86	5	4	4	8	16	40	57	102	125
1994	17,180	95	5	4	1	10	15	30	49	85	108
1993	17,312	104	12	10	6	11	18	29	59	80	125
1992	16,451	121	9	5	4	5	19	37	66	112	114
1991	15,707	120	9	7	5	12	10	41	61	88	134
1990	15,131	81	9	4	2	8	18	28	69	99	137
1989	15,165	119	6	5	1	9	21	40	70	94	100
1988	16,416	142	11	7	6	15	22	39	82	93	137
1987	16,339	119	12	6	4	8	23	52	76	96	118
1986	16,023	154	17	7	13	8	34	36	78	91	121
1985	15,504	179	13	10	8	17	26	47	58	93	121
1984	14,464	172	12	10	10	20	26	58	65	89	102
1983	13,536	148	10	11	5	19	25	53	75	62	101
1982	12,648	166	16	10	10	12	25	41	73	88	109
1981	11,907	171	16	16	8	24	37	45	63	86	90
1980	11,150	148	16	7	10	16	26	39	81	76	98
1979	10,396	149	16	11	18	28	35	59	76	74	105

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

## WHITE MALE

1998.....	9,609	42	3	4	1	3	6	15	26	48	83
1997.....	9,220	48	4	2	3	3	13	19	27	49	81
1996.....	8,782	50	2	5	2	6	11	20	23	53	84
1995.....	8,574	48	3	2	1	4	7	22	31	62	82
1994.....	8,215	54	1	-	1	3	5	13	29	50	61
1993.....	8,373	58	9	5	1	7	11	15	32	47	70
1992.....	8,054	62	3	3	1	2	12	27	42	69	74
1991.....	7,669	79	8	4	1	8	6	22	34	61	101
1990.....	7,313	46	7	3	1	4	14	20	42	74	85
1989.....	7,377	72	6	2	-	4	8	26	44	67	63
1988.....	8,011	79	5	4	5	10	8	24	49	63	92
1987.....	8,110	65	8	4	4	5	13	33	40	56	74
1986.....	8,037	93	9	1	8	5	18	21	42	50	70
1985.....	7,745	108	7	5	6	10	18	31	30	60	71
1984.....	7,308	102	8	4	3	7	20	27	44	53	64
1983.....	6,730	82	6	4	3	8	17	33	38	36	48
1982.....	6,487	105	5	6	6	8	14	20	42	53	68
1981.....	6,114	93	5	11	6	14	19	31	39	62	47
1980.....	5,839	88	7	3	7	11	13	24	50	49	57
1979.....	5,501	77	10	8	8	12	16	37	45	38	64

## WHITE FEMALE

1998.....	10,119	37	1	3	3	1	11	11	21	38	46
1997.....	9,845	38	5	2	1	7	6	12	21	44	53
1996.....	9,349	24	6	2	4	2	5	11	17	38	66
1995.....	9,093	38	2	2	3	4	9	18	26	40	43
1994.....	8,965	41	4	4	-	7	10	17	20	35	47
1993.....	8,939	46	3	5	5	4	7	14	27	33	55
1992.....	8,397	59	6	2	3	3	7	10	24	43	40
1991.....	8,038	41	1	3	4	4	4	19	27	27	33
1990.....	7,818	35	2	1	1	4	4	8	27	25	52
1989.....	7,788	47	-	3	1	5	13	14	26	27	37
1988.....	8,405	63	6	3	1	5	14	15	33	30	45
1987.....	8,229	54	4	2	-	3	10	19	36	40	44
1986.....	7,986	61	8	6	5	3	16	15	36	41	51
1985.....	7,759	71	6	5	2	7	8	16	28	33	50
1984.....	7,156	70	4	6	7	13	6	31	21	36	38
1983.....	6,806	66	4	7	2	11	8	20	37	26	53
1982.....	6,161	61	11	4	4	4	11	21	31	35	41
1981.....	5,793	78	11	5	2	10	18	14	24	24	43
1980.....	5,311	60	9	4	3	5	13	15	31	27	41
1979.....	4,895	72	6	3	10	16	19	22	31	36	41

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

ALL OTHER, BOTH SEXES

Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	4,414	47	5	2	-	9	4	20	31	70	97
1997	4,290	38	2	1	1	4	4	18	42	60	90
1996	4,214	59	1	1	5	4	14	23	37	78	104
1995	4,213	59	5	2	3	5	12	21	45	81	120
1994	3,945	73	3	1	4	6	4	23	57	74	111
1993	4,125	69	3	2	3	3	2	32	69	84	109
1992	3,904	60	1	2	3	3	16	35	61	90	104
1991	3,821	58	-	3	3	5	15	40	55	113	95
1990	3,816	59	6	-	5	6	11	33	47	105	107
1989	4,126	67	3	4	2	5	18	24	81	97	103
1988	4,145	70	2	2	2	9	22	37	66	92	93
1987	3,927	88	6	3	2	6	19	29	78	77	52
1986	3,946	87	4	1	3	2	17	29	58	72	92
1985	3,932	88	4	-	4	4	15	30	60	91	67
1984	3,522	93	4	4	7	8	9	21	43	61	61
1983	3,221	70	4	3	2	5	12	29	37	57	62
1982	3,199	79	5	3	1	7	17	23	34	46	60
1981	3,013	73	2	1	2	6	14	34	33	51	56
1980	3,030	70	3	1	4	8	25	32	38	46	66
1979	2,632	57	2	5	4	7	21	26	36	42	71

ALL OTHER MALE

Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	1,967	23	2	-	-	7	1	13	17	42	69
1997	1,959	28	-	1	1	4	3	14	23	38	60
1996	1,907	36	1	1	3	2	7	18	22	49	68
1995	1,929	34	4	-	2	4	9	14	32	53	79
1994	1,781	46	2	1	1	5	2	16	38	48	78
1993	1,907	39	2	2	2	2	1	18	49	56	72
1992	1,843	25	-	1	2	1	7	19	40	69	76
1991	1,837	34	-	3	2	2	7	24	41	81	61
1990	1,784	31	5	-	2	3	6	16	31	57	70
1989	2,050	40	2	1	-	1	10	15	55	71	70
1988	1,918	31	-	-	2	6	12	22	42	63	53
1987	1,888	41	3	1	2	4	9	21	45	55	35
1986	1,908	49	1	1	-	1	10	18	32	49	53
1985	1,877	44	3	-	-	2	7	13	44	61	48
1984	1,685	55	1	2	4	3	5	14	24	35	42
1983	1,529	32	3	1	2	1	3	18	21	34	34
1982	1,543	44	2	3	1	4	9	13	19	23	28
1981	1,501	43	1	1	1	1	6	19	20	30	34
1980	1,499	35	1	-	1	3	10	21	25	31	44
1979	1,333	36	1	4	3	5	11	11	23	26	40

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

ALL OTHER FEMALE											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	2,447	24	3	2	-	2	3	7	14	28	28
1997	2,331	10	2	-	-	-	1	4	19	22	30
1996	2,307	23	-	-	2	2	7	5	15	29	36
1995	2,284	25	1	2	1	1	3	7	13	28	41
1994	2,164	27	1	-	3	1	2	7	19	26	33
1993	2,218	30	1	-	1	1	1	14	20	28	37
1992	2,061	35	1	1	1	2	9	16	21	21	28
1991	1,984	24	-	-	1	3	8	16	14	32	34
1990	2,032	28	1	-	3	3	5	17	16	48	37
1989	2,076	27	1	3	2	4	8	9	26	26	33
1988	2,227	39	2	2	-	3	10	15	24	29	40
1987	2,039	47	3	2	-	2	10	8	33	22	17
1986	2,038	38	3	-	3	1	7	11	26	23	39
1985	2,055	44	1	-	4	2	8	17	16	30	19
1984	1,837	38	3	2	3	5	4	7	19	26	19
1983	1,692	38	1	2	-	4	9	11	16	23	28
1982	1,656	35	3	-	-	3	8	10	15	23	32
1981	1,512	30	1	-	1	5	8	15	13	21	22
1980	1,531	35	2	1	3	5	15	11	13	15	22
1979	1,299	21	1	1	1	2	10	15	13	16	31
BLACK, BOTH SEXES											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	3,974	41	5	2	-	9	3	19	30	66	93
1997	3,911	33	1	-	1	4	3	17	38	57	84
1996	3,792	57	1	1	5	4	13	22	33	73	100
1995	3,848	56	4	2	2	5	11	21	45	78	115
1994	3,624	68	2	1	4	6	4	23	56	71	104
1993	3,743	66	3	2	3	3	2	27	67	81	100
1992	3,566	54	1	2	3	3	13	33	57	87	95
1991	3,522	57	-	2	3	4	14	39	53	109	92
1990	3,513	53	6	-	5	5	11	32	44	102	99
1989	3,805	64	3	3	2	4	16	22	79	94	97
1988	3,857	64	2	2	2	8	20	35	63	90	86
1987	3,650	80	6	3	2	6	18	26	72	74	47
1986	3,672	82	4	1	3	2	14	28	52	70	86
1985	3,698	79	4	-	3	3	15	30	58	91	66
1984	3,291	89	4	3	7	8	8	19	40	54	59
1983	3,011	66	4	3	2	4	10	29	32	52	57
1982	3,005	77	4	3	1	6	13	22	31	42	54
1981	2,856	69	2	1	2	6	14	32	31	50	53
1980	2,863	67	2	1	3	7	23	31	34	42	62
1979	2,490	55	2	5	3	7	20	25	36	41	70

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

## BLACK MALE

1998.....	1,757	22	2	-	-	7	-	12	17	39	66
1997.....	1,782	24	-	-	1	4	2	13	23	37	58
1996.....	1,703	36	1	1	3	2	6	18	21	46	65
1995.....	1,759	34	3	-	1	4	9	14	32	51	77
1994.....	1,626	43	1	1	1	5	2	16	38	46	74
1993.....	1,703	38	2	2	2	2	1	15	47	54	66
1992.....	1,680	22	-	1	2	1	6	18	39	67	70
1991.....	1,688	34	-	2	2	2	6	23	40	80	59
1990.....	1,626	27	5	-	2	2	6	15	29	56	65
1989.....	1,877	39	2	1	-	1	9	14	53	70	66
1988.....	1,748	29	-	-	2	5	12	21	40	61	50
1987.....	1,740	37	3	1	2	4	9	20	43	52	33
1986.....	1,772	46	1	1	-	1	8	17	29	47	52
1985.....	1,753	39	3	-	-	2	7	13	42	61	47
1984.....	1,555	53	1	1	4	3	4	14	24	33	40
1983.....	1,428	30	3	1	2	1	3	18	19	32	33
1982.....	1,448	42	2	3	1	4	6	12	17	21	25
1981.....	1,421	41	1	1	1	1	6	17	20	30	33
1980.....	1,423	34	1	-	1	3	10	20	22	31	41
1979.....	1,249	35	1	4	3	5	10	11	23	26	40

## BLACK FEMALE

1998.....	2,217	19	3	2	-	2	3	7	13	27	27
1997.....	2,129	9	1	-	-	-	1	4	15	20	26
1996.....	2,089	21	-	-	2	2	7	4	12	27	35
1995.....	2,089	22	1	2	1	1	2	7	13	27	38
1994.....	1,998	25	1	-	3	1	2	7	18	25	30
1993.....	2,040	28	1	-	1	1	1	12	20	27	34
1992.....	1,886	32	1	1	1	2	7	15	18	20	25
1991.....	1,834	23	-	-	1	2	8	16	13	29	33
1990.....	1,887	26	1	-	3	3	5	17	15	46	34
1989.....	1,928	25	1	2	2	3	7	8	26	24	31
1988.....	2,109	35	2	2	-	3	8	14	23	29	36
1987.....	1,910	43	3	2	-	2	9	6	29	22	14
1986.....	1,900	36	3	-	3	1	6	11	23	23	34
1985.....	1,945	40	1	-	3	1	8	17	16	30	19
1984.....	1,736	36	3	2	3	5	4	5	16	21	19
1983.....	1,583	36	1	2	-	3	7	11	13	20	24
1982.....	1,557	35	2	-	-	2	7	10	14	21	29
1981.....	1,435	28	1	-	1	5	8	15	11	20	20
1980.....	1,440	33	1	1	2	4	13	11	12	11	21
1979.....	1,241	20	1	1	-	2	10	14	13	15	30



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF KIDNEY (590)											
TOTAL, BOTH SEXES											
1998.....	828	5	-	-	-	-	2	5	2	14	17
1997.....	831	1	2	-	-	1	3	6	5	5	16
1996.....	896	6	4	1	-	1	4	8	7	9	16
1995.....	918	2	3	-	1	-	2	5	7	13	15
1994.....	973	6	1	-	1	1	2	5	7	8	16
1993.....	1,023	1	1	-	-	1	6	2	7	13	16
1992.....	1,083	1	1	-	2	-	2	4	8	14	21
1991.....	1,219	8	5	1	-	2	7	8	9	15	18
1990.....	1,296	6	1	-	-	1	8	3	5	15	19
1989.....	1,414	6	-	-	-	4	6	13	12	13	21
1988.....	1,610	5	3	-	2	-	6	8	10	12	25
1987.....	1,742	7	3	-	-	1	3	9	5	12	17
1986.....	1,870	4	3	1	-	1	3	8	10	16	12
1985.....	1,982	4	3	-	1	2	4	11	11	12	10
1984.....	2,077	5	1	-	1	4	9	10	11	14	23
1983.....	2,089	3	3	1	-	3	5	8	16	8	16
1982.....	2,218	8	1	2	1	2	5	8	14	12	15
1981.....	2,305	3	1	1	-	1	9	12	11	10	22
1980.....	2,732	6	-	4	-	2	4	13	15	12	30
1979.....	2,868	9	1	1	1	9	9	12	11	18	23
TOTAL, MALE											
1998.....	214	2	-	-	-	-	1	2	1	7	7
1997.....	241	-	1	-	-	1	2	4	-	2	5
1996.....	255	3	3	-	-	-	2	1	1	5	5
1995.....	241	-	1	-	1	-	-	2	3	4	5
1994.....	261	1	-	-	-	-	-	1	-	3	6
1993.....	276	1	-	-	-	-	1	-	4	5	2
1992.....	327	1	1	-	1	-	1	1	5	4	8
1991.....	327	6	1	1	-	1	4	3	3	6	7
1990.....	404	5	-	-	-	-	2	1	4	6	5
1989.....	435	4	-	-	-	3	1	4	4	4	9
1988.....	496	3	1	-	-	-	2	3	4	3	12
1987.....	536	6	2	-	-	-	-	3	1	5	6
1986.....	562	1	-	-	-	1	1	2	5	4	3
1985.....	691	2	2	-	1	-	2	4	4	4	2
1984.....	713	3	-	-	1	2	1	3	6	6	7
1983.....	715	1	3	1	-	-	2	4	6	1	5
1982.....	733	5	-	1	-	-	-	1	3	7	3
1981.....	838	3	-	1	-	1	6	6	3	3	7
1980.....	960	2	-	-	-	1	2	6	5	4	11
1979.....	1,095	5	1	-	1	2	4	6	3	5	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF KIDNEY (590)											
TOTAL, FEMALE											
1998.....	614	3	-	-	-	-	1	3	1	7	10
1997.....	590	1	1	-	-	-	1	2	5	3	11
1996.....	641	3	1	1	-	-	2	7	6	4	11
1995.....	677	2	2	-	-	-	2	3	4	9	10
1994.....	712	5	1	-	1	1	2	4	7	5	10
1993.....	747	-	1	-	-	1	5	2	3	8	14
1992.....	756	-	-	-	1	-	1	3	3	10	13
1991.....	892	2	4	-	-	1	3	5	6	9	11
1990.....	892	1	1	-	-	1	6	2	1	9	14
1989.....	979	2	-	-	-	1	5	9	8	9	12
1988.....	1,114	2	2	-	2	-	4	5	6	9	13
1987.....	1,206	1	1	-	-	1	3	6	4	7	11
1986.....	1,308	3	3	1	-	-	2	6	5	12	9
1985.....	1,291	2	1	-	-	2	2	7	7	8	8
1984.....	1,364	2	1	-	-	2	8	7	5	8	16
1983.....	1,374	2	-	-	-	3	3	4	10	7	11
1982.....	1,485	3	1	1	1	2	5	7	11	5	12
1981.....	1,467	-	1	-	-	-	3	6	8	7	15
1980.....	1,772	4	-	4	-	1	2	7	10	8	19
1979.....	1,773	4	-	1	-	7	5	6	8	13	14
WHITE, BOTH SEXES											
1998.....	704	4	-	-	-	-	-	3	2	12	12
1997.....	725	-	2	-	-	1	3	5	4	3	10
1996.....	778	4	4	1	-	1	3	3	5	6	12
1995.....	783	1	3	-	1	-	1	2	4	10	12
1994.....	830	5	-	-	1	1	1	5	2	7	9
1993.....	881	1	1	-	-	1	4	1	3	11	12
1992.....	946	-	-	-	1	-	1	4	3	8	11
1991.....	1,041	4	3	1	-	1	5	7	5	10	12
1990.....	1,134	3	1	-	-	1	7	2	4	12	13
1989.....	1,203	3	-	-	-	3	3	7	8	6	16
1988.....	1,415	5	2	-	-	-	3	7	4	7	15
1987.....	1,526	5	2	-	-	-	1	7	3	10	9
1986.....	1,623	3	3	-	-	1	2	5	7	8	9
1985.....	1,708	3	2	-	1	2	3	7	7	10	4
1984.....	1,805	5	1	-	1	3	8	7	7	8	12
1983.....	1,821	2	3	1	-	3	3	5	9	5	9
1982.....	1,953	6	1	2	1	2	2	4	12	7	10
1981.....	2,022	2	1	1	-	1	8	7	7	7	16
1980.....	2,365	4	-	4	-	2	3	10	10	10	20
1979.....	2,493	6	1	1	1	8	6	10	8	13	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF KIDNEY (590)											
WHITE MALE											
1998.....	173	1	-	-	-	-	-	1	1	6	5
1997.....	203	-	1	-	-	1	2	3	-	2	2
1996.....	222	2	3	-	-	-	1	-	1	4	3
1995.....	201	-	1	-	1	-	-	1	1	3	4
1994.....	215	1	-	-	-	-	-	1	-	3	4
1993.....	226	1	-	-	-	-	1	-	2	4	2
1992.....	277	-	-	-	1	-	-	1	3	3	4
1991.....	274	2	-	1	-	-	3	3	3	5	4
1990.....	339	2	-	-	-	-	2	1	4	3	3
1989.....	358	1	-	-	-	3	1	2	3	2	7
1988.....	414	3	-	-	-	-	1	3	2	1	8
1987.....	458	4	1	-	-	-	-	2	-	5	4
1986.....	479	-	-	-	-	1	1	2	4	3	1
1985.....	582	1	1	-	1	-	1	4	3	3	1
1984.....	597	3	-	-	1	2	1	3	4	4	3
1983.....	613	1	3	1	-	-	2	3	3	1	4
1982.....	629	4	-	1	-	-	-	1	3	5	2
1981.....	741	2	-	1	-	1	5	3	1	3	6
1980.....	813	-	-	-	-	1	2	6	5	3	8
1979.....	935	3	1	-	1	2	4	5	2	5	6
WHITE FEMALE											
1998.....	531	3	-	-	-	-	-	2	1	6	7
1997.....	522	-	1	-	-	-	1	2	4	1	8
1996.....	556	2	1	1	-	1	2	3	4	2	9
1995.....	582	1	2	-	-	-	1	1	3	7	8
1994.....	615	4	-	-	1	1	1	4	2	4	5
1993.....	655	-	1	-	-	1	3	1	1	7	10
1992.....	669	-	-	-	-	-	1	3	-	5	7
1991.....	767	2	3	-	-	1	2	4	2	5	8
1990.....	795	1	1	-	-	1	5	1	-	9	10
1989.....	845	2	-	-	-	-	2	5	5	4	9
1988.....	1,001	2	2	-	-	-	2	4	2	6	7
1987.....	1,068	1	1	-	-	-	1	5	3	5	5
1986.....	1,144	3	3	-	-	-	1	3	3	5	8
1985.....	1,126	2	1	-	-	2	2	3	4	7	3
1984.....	1,208	2	1	-	-	1	7	4	3	4	9
1983.....	1,208	1	-	-	-	3	1	2	6	4	5
1982.....	1,324	2	1	1	1	2	2	3	9	2	8
1981.....	1,281	-	1	-	-	-	3	4	6	4	10
1980.....	1,552	4	-	4	-	1	1	4	5	7	12
1979.....	1,558	3	-	1	-	6	2	5	6	8	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF KIDNEY (590)											
ALL OTHER, BOTH SEXES											
1998.....	124	1	-	-	-	-	2	2	-	2	5
1997.....	106	1	-	-	-	-	-	1	1	2	6
1996.....	118	2	-	-	-	-	1	5	2	3	4
1995.....	135	1	-	-	-	-	1	3	3	3	3
1994.....	143	1	1	-	-	-	1	-	5	1	7
1993.....	142	-	-	-	-	-	2	1	4	2	4
1992.....	137	1	1	-	1	-	1	-	5	6	10
1991.....	178	4	2	-	-	1	2	1	4	5	6
1990.....	162	3	-	-	-	-	1	1	1	3	6
1989.....	211	3	-	-	-	1	3	6	4	7	5
1988.....	195	-	1	-	2	-	3	1	6	5	10
1987.....	216	2	1	-	-	1	2	2	2	2	8
1986.....	247	1	-	1	-	-	1	3	3	8	3
1985.....	274	1	1	-	-	-	1	4	4	2	6
1984.....	272	-	-	-	-	1	1	3	4	6	11
1983.....	268	1	-	-	-	-	2	3	7	3	7
1982.....	265	2	-	-	-	-	3	4	2	5	5
1981.....	283	1	-	-	-	-	1	5	4	3	6
1980.....	367	2	-	-	-	-	1	3	5	2	10
1979.....	375	3	-	-	-	1	3	2	3	5	11
ALL OTHER MALE											
1998.....	41	1	-	-	-	-	1	1	-	1	2
1997.....	38	-	-	-	-	-	-	1	-	-	3
1996.....	33	1	-	-	-	-	1	1	-	1	2
1995.....	40	-	-	-	-	-	-	1	2	1	1
1994.....	46	-	-	-	-	-	-	-	-	-	2
1993.....	50	-	-	-	-	-	-	-	2	1	-
1992.....	50	1	1	-	-	-	1	-	2	1	4
1991.....	53	4	1	-	-	1	1	-	-	1	3
1990.....	65	3	-	-	-	-	-	-	-	3	2
1989.....	77	3	-	-	-	-	-	2	1	2	2
1988.....	82	-	1	-	-	-	1	-	2	2	4
1987.....	78	2	1	-	-	-	-	1	1	-	2
1986.....	83	1	-	-	-	-	-	-	1	1	2
1985.....	109	1	1	-	-	-	1	-	1	1	1
1984.....	116	-	-	-	-	-	-	-	2	2	4
1983.....	102	-	-	-	-	-	-	1	3	-	1
1982.....	104	1	-	-	-	-	-	-	-	2	1
1981.....	97	1	-	-	-	-	1	3	2	-	1
1980.....	147	2	-	-	-	-	-	-	-	1	3
1979.....	160	2	-	-	-	-	-	1	1	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF KIDNEY (590)											
ALL OTHER FEMALE											
1998.....	83	-	-	-	-	-	1	1	-	1	3
1997.....	68	1	-	-	-	-	-	-	1	2	3
1996.....	85	1	-	-	-	-	-	4	2	2	2
1995.....	95	1	-	-	-	-	1	2	1	2	2
1994.....	97	1	1	-	-	-	1	-	5	1	5
1993.....	92	-	-	-	-	-	2	1	2	1	4
1992.....	87	-	-	-	1	-	-	-	3	5	6
1991.....	125	-	1	-	-	-	1	1	4	4	3
1990.....	97	-	-	-	-	-	1	1	1	-	4
1989.....	134	-	-	-	-	1	3	4	3	5	3
1988.....	113	-	-	-	2	-	2	1	4	3	6
1987.....	138	-	-	-	-	1	2	1	1	2	6
1986.....	164	-	-	1	-	-	1	3	2	7	1
1985.....	165	-	-	-	-	-	-	4	3	1	5
1984.....	156	-	-	-	-	1	1	3	2	4	7
1983.....	166	1	-	-	-	-	2	2	4	3	6
1982.....	161	1	-	-	-	-	3	4	2	3	4
1981.....	186	-	-	-	-	-	-	2	2	3	5
1980.....	220	-	-	-	-	-	1	3	5	1	7
1979.....	215	1	-	-	-	1	3	1	2	5	8
BLACK, BOTH SEXES											
1998.....	102	1	-	-	-	-	2	-	-	2	4
1997.....	91	1	-	-	-	-	-	1	-	1	5
1996.....	106	1	-	-	-	-	-	3	2	3	4
1995.....	111	1	-	-	-	-	1	2	2	3	2
1994.....	125	1	-	-	-	-	1	-	4	1	6
1993.....	127	-	-	-	-	-	2	1	4	1	4
1992.....	119	1	-	-	1	-	1	-	3	4	9
1991.....	161	3	2	-	-	1	2	1	4	5	5
1990.....	138	3	-	-	-	-	1	1	1	2	4
1989.....	194	3	-	-	-	1	2	6	4	7	4
1988.....	175	-	1	-	2	-	3	1	4	5	8
1987.....	196	2	-	-	-	1	1	2	2	2	7
1986.....	223	-	-	1	-	-	1	3	2	8	3
1985.....	249	1	1	-	-	-	1	2	4	2	6
1984.....	248	-	-	-	-	1	1	3	4	6	11
1983.....	254	1	-	-	-	-	2	3	7	3	6
1982.....	249	1	-	-	-	-	2	4	2	5	5
1981.....	267	1	-	-	-	-	1	3	4	3	6
1980.....	350	2	-	-	-	-	1	3	5	2	10
1979.....	350	3	-	-	-	1	1	2	3	4	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF KIDNEY (590)											
BLACK MALE											
1998.....	33	1	-	-	-	-	1	-	-	1	1
1997.....	33	-	-	-	-	-	-	1	-	-	3
1996.....	30	-	-	-	-	-	-	1	-	1	2
1995.....	36	-	-	-	-	-	-	1	2	1	1
1994.....	42	-	-	-	-	-	-	-	-	-	2
1993.....	44	-	-	-	-	-	-	-	2	1	-
1992.....	44	1	-	-	-	-	1	-	2	-	4
1991.....	50	3	1	-	-	1	1	-	-	1	2
1990.....	57	3	-	-	-	-	-	-	-	2	2
1989.....	68	3	-	-	-	-	-	2	1	2	1
1988.....	74	-	1	-	-	-	1	-	1	2	4
1987.....	74	2	-	-	-	-	-	1	1	-	2
1986.....	76	-	-	-	-	-	-	-	-	1	2
1985.....	103	1	1	-	-	-	1	-	1	1	1
1984.....	107	-	-	-	-	-	-	-	2	2	4
1983.....	96	-	-	-	-	-	-	1	3	-	1
1982.....	98	1	-	-	-	-	-	-	-	2	1
1981.....	93	1	-	-	-	-	1	1	2	-	1
1980.....	138	2	-	-	-	-	-	-	-	1	3
1979.....	153	2	-	-	-	-	-	1	1	-	3
BLACK FEMALE											
1998.....	69	-	-	-	-	-	1	-	-	1	3
1997.....	58	1	-	-	-	-	-	-	-	1	2
1996.....	76	1	-	-	-	-	-	2	2	2	2
1995.....	75	1	-	-	-	-	1	1	-	2	1
1994.....	83	1	-	-	-	-	1	-	4	1	4
1993.....	83	-	-	-	-	-	2	1	2	-	4
1992.....	75	-	-	-	1	-	-	-	1	4	5
1991.....	111	-	1	-	-	-	1	1	4	4	3
1990.....	81	-	-	-	-	-	1	1	1	-	2
1989.....	126	-	-	-	-	1	2	4	3	5	3
1988.....	101	-	-	-	2	-	2	1	3	3	4
1987.....	122	-	-	-	-	1	1	1	1	2	5
1986.....	147	-	-	1	-	-	1	3	2	7	1
1985.....	146	-	-	-	-	-	-	2	3	1	5
1984.....	141	-	-	-	-	1	1	3	2	4	7
1983.....	158	1	-	-	-	-	2	2	4	3	5
1982.....	151	-	-	-	-	-	2	4	2	3	4
1981.....	174	-	-	-	-	-	-	2	2	3	5
1980.....	212	-	-	-	-	-	1	3	5	1	7
1979.....	197	1	-	-	-	1	1	1	2	4	8













CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)											
TOTAL, BOTH SEXES											
1998.....	281	...	...	...	-	19	48	73	67	53	20
1997.....	327	...	...	...	3	25	62	84	74	52	22
1996.....	294	...	...	...	-	18	47	71	68	67	21
1995.....	277	...	...	...	1	19	55	64	66	50	21
1994.....	328	...	...	...	-	36	76	77	59	57	22
1993.....	302	...	...	...	1	22	61	67	69	64	18
1992.....	318	...	...	...	1	36	74	57	82	52	15
1991.....	323	...	...	...	3	33	64	72	78	51	17
1990.....	343	...	...	...	-	40	67	76	84	52	21
1989.....	320	...	...	...	-	30	69	85	84	39	11
1988.....	330	...	...	...	-	34	77	76	75	52	14
1987.....	251	...	...	...	1	23	52	64	68	32	10
1986.....	272	...	...	...	-	28	63	69	56	44	11
1985.....	295	...	...	...	2	31	62	77	62	42	16
1984.....	285	...	...	...	1	29	49	81	76	39	8
1983.....	290	...	...	...	-	27	87	76	57	36	7
1982.....	292	...	...	...	2	32	54	88	69	31	14
1981.....	309	...	...	...	1	40	79	74	66	33	15
1980.....	334	...	...	...	-	43	71	85	75	44	14
1979.....	336	...	...	...	2	33	89	81	66	45	15
TOTAL, FEMALE											
1998.....	281	...	...	...	-	19	48	73	67	53	20
1997.....	327	...	...	...	3	25	62	84	74	52	22
1996.....	294	...	...	...	-	18	47	71	68	67	21
1995.....	277	...	...	...	1	19	55	64	66	50	21
1994.....	328	...	...	...	-	36	76	77	59	57	22
1993.....	302	...	...	...	1	22	61	67	69	64	18
1992.....	318	...	...	...	1	36	74	57	82	52	15
1991.....	323	...	...	...	3	33	64	72	78	51	17
1990.....	343	...	...	...	-	40	67	76	84	52	21
1989.....	320	...	...	...	-	30	69	85	84	39	11
1988.....	330	...	...	...	-	34	77	76	75	52	14
1987.....	251	...	...	...	1	23	52	64	68	32	10
1986.....	272	...	...	...	-	28	63	69	56	44	11
1985.....	295	...	...	...	2	31	62	77	62	42	16
1984.....	285	...	...	...	1	29	49	81	76	39	8
1983.....	290	...	...	...	-	27	87	76	57	36	7
1982.....	292	...	...	...	2	32	54	88	69	31	14
1981.....	309	...	...	...	1	40	79	74	66	33	15
1980.....	334	...	...	...	-	43	71	85	75	44	14
1979.....	336	...	...	...	2	33	89	81	66	45	15

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)											
WHITE, BOTH SEXES											
1998.....	158	...	...	...	-	10	23	43	36	33	13
1997.....	179	...	...	...	-	16	30	47	40	32	10
1996.....	159	...	...	...	-	10	19	35	37	40	16
1995.....	129	...	...	...	-	4	26	35	30	25	9
1994.....	193	...	...	...	-	22	36	54	38	31	12
1993.....	152	...	...	...	1	9	28	33	41	31	9
1992.....	161	...	...	...	-	15	38	30	47	24	7
1991.....	187	...	...	...	2	13	32	42	53	32	10
1990.....	177	...	...	...	-	19	33	50	37	28	9
1989.....	180	...	...	...	-	18	40	50	45	23	4
1988.....	180	...	...	...	-	12	44	46	47	23	8
1987.....	153	...	...	...	1	16	32	39	38	20	6
1986.....	146	...	...	...	-	13	32	36	31	26	8
1985.....	156	...	...	...	1	13	30	47	30	28	6
1984.....	159	...	...	...	-	14	18	55	43	24	4
1983.....	170	...	...	...	-	15	45	50	31	23	6
1982.....	171	...	...	...	-	15	30	53	46	19	7
1981.....	184	...	...	...	-	16	51	48	42	19	8
1980.....	193	...	...	...	-	23	42	51	43	24	9
1979.....	180	...	...	...	1	12	43	52	38	26	6
WHITE FEMALE											
1998.....	158	...	...	...	-	10	23	43	36	33	13
1997.....	179	...	...	...	-	16	30	47	40	32	10
1996.....	159	...	...	...	-	10	19	35	37	40	16
1995.....	129	...	...	...	-	4	26	35	30	25	9
1994.....	193	...	...	...	-	22	36	54	38	31	12
1993.....	152	...	...	...	1	9	28	33	41	31	9
1992.....	161	...	...	...	-	15	38	30	47	24	7
1991.....	187	...	...	...	2	13	32	42	53	32	10
1990.....	177	...	...	...	-	19	33	50	37	28	9
1989.....	180	...	...	...	-	18	40	50	45	23	4
1988.....	180	...	...	...	-	12	44	46	47	23	8
1987.....	153	...	...	...	1	16	32	39	38	20	6
1986.....	146	...	...	...	-	13	32	36	31	26	8
1985.....	156	...	...	...	1	13	30	47	30	28	6
1984.....	159	...	...	...	-	14	18	55	43	24	4
1983.....	170	...	...	...	-	15	45	50	31	23	6
1982.....	171	...	...	...	-	15	30	53	46	19	7
1981.....	184	...	...	...	-	16	51	48	42	19	8
1980.....	193	...	...	...	-	23	42	51	43	24	9
1979.....	180	...	...	...	1	12	43	52	38	26	6

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)											
ALL OTHER, BOTH SEXES											
1998.....	123	...	...	...	-	9	25	30	31	20	7
1997.....	148	...	...	...	3	9	32	37	34	20	12
1996.....	135	...	...	...	-	8	28	36	31	27	5
1995.....	148	...	...	...	1	15	29	29	36	25	12
1994.....	135	...	...	...	-	14	40	23	21	26	10
1993.....	150	...	...	...	-	13	33	34	28	33	9
1992.....	157	...	...	...	1	21	36	27	35	28	8
1991.....	136	...	...	...	1	20	32	30	25	19	7
1990.....	166	...	...	...	-	21	34	26	47	24	12
1989.....	140	...	...	...	-	12	29	35	39	16	7
1988.....	150	...	...	...	-	22	33	30	28	29	6
1987.....	98	...	...	...	-	7	20	25	30	12	4
1986.....	126	...	...	...	-	15	31	33	25	18	3
1985.....	139	...	...	...	1	18	32	30	32	14	10
1984.....	126	...	...	...	1	15	31	26	33	15	4
1983.....	120	...	...	...	-	12	42	26	26	13	1
1982.....	121	...	...	...	2	17	24	35	23	12	7
1981.....	125	...	...	...	1	24	28	26	24	14	7
1980.....	141	...	...	...	-	20	29	34	32	20	5
1979.....	156	...	...	...	1	21	46	29	28	19	9
ALL OTHER FEMALE											
1998.....	123	...	...	...	-	9	25	30	31	20	7
1997.....	148	...	...	...	3	9	32	37	34	20	12
1996.....	135	...	...	...	-	8	28	36	31	27	5
1995.....	148	...	...	...	1	15	29	29	36	25	12
1994.....	135	...	...	...	-	14	40	23	21	26	10
1993.....	150	...	...	...	-	13	33	34	28	33	9
1992.....	157	...	...	...	1	21	36	27	35	28	8
1991.....	136	...	...	...	1	20	32	30	25	19	7
1990.....	166	...	...	...	-	21	34	26	47	24	12
1989.....	140	...	...	...	-	12	29	35	39	16	7
1988.....	150	...	...	...	-	22	33	30	28	29	6
1987.....	98	...	...	...	-	7	20	25	30	12	4
1986.....	126	...	...	...	-	15	31	33	25	18	3
1985.....	139	...	...	...	1	18	32	30	32	14	10
1984.....	126	...	...	...	1	15	31	26	33	15	4
1983.....	120	...	...	...	-	12	42	26	26	13	1
1982.....	121	...	...	...	2	17	24	35	23	12	7
1981.....	125	...	...	...	1	24	28	26	24	14	7
1980.....	141	...	...	...	-	20	29	34	32	20	5
1979.....	156	...	...	...	1	21	46	29	28	19	9

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

BLACK, BOTH SEXES

1998	104	...	...	...	-	9	24	24	26	15	5
1997	125	...	...	...	3	8	28	33	31	13	8
1996	121	...	...	...	-	7	27	34	27	22	4
1995	133	...	...	...	1	15	28	28	30	22	8
1994	118	...	...	...	-	14	36	19	17	24	7
1993	135	...	...	...	-	13	30	32	26	26	8
1992	140	...	...	...	1	20	33	25	31	22	7
1991	125	...	...	...	1	18	29	27	23	19	6
1990	153	...	...	...	-	19	32	25	44	20	11
1989	124	...	...	...	-	11	29	30	32	14	6
1988	131	...	...	...	-	18	32	24	25	26	4
1987	91	...	...	...	-	6	20	23	27	11	4
1986	117	...	...	...	-	15	29	30	24	16	2
1985	124	...	...	...	1	16	29	28	28	12	9
1984	117	...	...	...	1	15	31	23	28	14	4
1983	107	...	...	...	-	10	41	23	22	10	1
1982	108	...	...	...	2	16	24	32	16	11	6
1981	120	...	...	...	1	24	27	25	23	13	6
1980	127	...	...	...	-	20	28	29	27	18	4
1979	145	...	...	...	1	21	46	26	26	17	5

BLACK FEMALE

1998	104	...	...	...	-	9	24	24	26	15	5
1997	125	...	...	...	3	8	28	33	31	13	8
1996	121	...	...	...	-	7	27	34	27	22	4
1995	133	...	...	...	1	15	28	28	30	22	8
1994	118	...	...	...	-	14	36	19	17	24	7
1993	135	...	...	...	-	13	30	32	26	26	8
1992	140	...	...	...	1	20	33	25	31	22	7
1991	125	...	...	...	1	18	29	27	23	19	6
1990	153	...	...	...	-	19	32	25	44	20	11
1989	124	...	...	...	-	11	29	30	32	14	6
1988	131	...	...	...	-	18	32	24	25	26	4
1987	91	...	...	...	-	6	20	23	27	11	4
1986	117	...	...	...	-	15	29	30	24	16	2
1985	124	...	...	...	1	16	29	28	28	12	9
1984	117	...	...	...	1	15	31	23	28	14	4
1983	107	...	...	...	-	10	41	23	22	10	1
1982	108	...	...	...	2	16	24	32	16	11	6
1981	120	...	...	...	1	24	27	25	23	13	6
1980	127	...	...	...	-	20	28	29	27	18	4
1979	145	...	...	...	1	21	46	26	26	17	5

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)											
TOTAL, BOTH SEXES											
1998.....	32	...	...	...	-	4	5	8	7	6	2
1997.....	41	...	...	...	1	5	7	8	11	7	2
1996.....	39	...	...	...	-	4	10	9	6	8	2
1995.....	28	...	...	...	-	3	11	5	4	5	-
1994.....	41	...	...	...	-	4	9	11	9	6	2
1993.....	47	...	...	...	-	5	14	9	13	5	1
1992.....	52	...	...	...	1	5	10	13	11	11	1
1991.....	54	...	...	...	1	7	13	13	5	10	4
1990.....	57	...	...	...	-	8	11	8	18	9	2
1989.....	50	...	...	...	-	6	13	15	10	4	2
1988.....	61	...	...	...	-	8	15	12	13	9	4
1987.....	44	...	...	...	-	3	9	13	16	2	1
1986.....	51	...	...	...	-	7	13	11	7	11	2
1985.....	49	...	...	...	1	8	12	12	10	5	1
1984.....	57	...	...	...	1	7	14	13	9	8	4
1983.....	50	...	...	...	-	6	12	15	11	5	1
1982.....	55	...	...	...	-	5	14	14	13	6	2
1981.....	47	...	...	...	-	6	11	11	12	5	2
1980.....	62	...	...	...	-	3	17	19	14	9	-
1979.....	61	...	...	...	-	5	21	16	12	7	-
TOTAL, FEMALE											
1998.....	32	...	...	...	-	4	5	8	7	6	2
1997.....	41	...	...	...	1	5	7	8	11	7	2
1996.....	39	...	...	...	-	4	10	9	6	8	2
1995.....	28	...	...	...	-	3	11	5	4	5	-
1994.....	41	...	...	...	-	4	9	11	9	6	2
1993.....	47	...	...	...	-	5	14	9	13	5	1
1992.....	52	...	...	...	1	5	10	13	11	11	1
1991.....	54	...	...	...	1	7	13	13	5	10	4
1990.....	57	...	...	...	-	8	11	8	18	9	2
1989.....	50	...	...	...	-	6	13	15	10	4	2
1988.....	61	...	...	...	-	8	15	12	13	9	4
1987.....	44	...	...	...	-	3	9	13	16	2	1
1986.....	51	...	...	...	-	7	13	11	7	11	2
1985.....	49	...	...	...	1	8	12	12	10	5	1
1984.....	57	...	...	...	1	7	14	13	9	8	4
1983.....	50	...	...	...	-	6	12	15	11	5	1
1982.....	55	...	...	...	-	5	14	14	13	6	2
1981.....	47	...	...	...	-	6	11	11	12	5	2
1980.....	62	...	...	...	-	3	17	19	14	9	-
1979.....	61	...	...	...	-	5	21	16	12	7	-



RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)

## WHITE, BOTH SEXES

1998.....	15	...	...	...	-	2	2	3	5	3	-
1997.....	18	...	...	...	-	4	1	4	7	2	-
1996.....	24	...	...	...	-	4	6	3	3	6	2
1995.....	7	...	...	...	-	-	-	1	1	5	-
1994.....	24	...	...	...	-	4	2	6	6	4	2
1993.....	21	...	...	...	-	3	7	3	7	1	-
1992.....	25	...	...	...	-	1	6	5	6	6	1
1991.....	25	...	...	...	1	2	6	5	3	5	2
1990.....	23	...	...	...	-	4	4	4	6	5	-
1989.....	21	...	...	...	-	3	5	7	6	-	-
1988.....	23	...	...	...	-	1	8	5	6	2	1
1987.....	25	...	...	...	-	3	5	7	8	1	1
1986.....	24	...	...	...	-	2	9	6	1	5	1
1985.....	19	...	...	...	1	2	2	6	6	2	-
1984.....	25	...	...	...	-	2	5	7	5	3	2
1983.....	23	...	...	...	-	4	5	9	4	-	1
1982.....	27	...	...	...	-	2	7	7	6	3	1
1981.....	24	...	...	...	-	1	7	7	5	3	1
1980.....	27	...	...	...	-	1	9	10	4	3	-
1979.....	27	...	...	...	-	-	11	9	5	2	-

## WHITE FEMALE

1998.....	15	...	...	...	-	2	2	3	5	3	-
1997.....	18	...	...	...	-	4	1	4	7	2	-
1996.....	24	...	...	...	-	4	6	3	3	6	2
1995.....	7	...	...	...	-	-	-	1	1	5	-
1994.....	24	...	...	...	-	4	2	6	6	4	2
1993.....	21	...	...	...	-	3	7	3	7	1	-
1992.....	25	...	...	...	-	1	6	5	6	6	1
1991.....	25	...	...	...	1	2	6	5	3	5	2
1990.....	23	...	...	...	-	4	4	4	6	5	-
1989.....	21	...	...	...	-	3	5	7	6	-	-
1988.....	23	...	...	...	-	1	8	5	6	2	1
1987.....	25	...	...	...	-	3	5	7	8	1	1
1986.....	24	...	...	...	-	2	9	6	1	5	1
1985.....	19	...	...	...	1	2	2	6	6	2	-
1984.....	25	...	...	...	-	2	5	7	5	3	2
1983.....	23	...	...	...	-	4	5	9	4	-	1
1982.....	27	...	...	...	-	2	7	7	6	3	1
1981.....	24	...	...	...	-	1	7	7	5	3	1
1980.....	27	...	...	...	-	1	9	10	4	3	-
1979.....	27	...	...	...	-	-	11	9	5	2	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)											
ALL OTHER, BOTH SEXES											
1998.....	17	...	...	...	-	2	3	5	2	3	2
1997.....	23	...	...	...	1	1	6	4	4	5	2
1996.....	15	...	...	...	-	-	4	6	3	2	-
1995.....	21	...	...	...	-	3	11	4	3	-	-
1994.....	17	...	...	...	-	-	7	5	3	2	-
1993.....	26	...	...	...	-	2	7	6	6	4	1
1992.....	27	...	...	...	1	4	4	8	5	5	-
1991.....	29	...	...	...	-	5	7	8	2	5	2
1990.....	34	...	...	...	-	4	7	4	12	4	2
1989.....	29	...	...	...	-	3	8	8	4	4	2
1988.....	38	...	...	...	-	7	7	7	7	7	3
1987.....	19	...	...	...	-	-	4	6	8	1	-
1986.....	27	...	...	...	-	5	4	5	6	6	1
1985.....	30	...	...	...	-	6	10	6	4	3	1
1984.....	32	...	...	...	1	5	9	6	4	5	2
1983.....	27	...	...	...	-	2	7	6	7	5	-
1982.....	28	...	...	...	-	3	7	7	7	3	1
1981.....	23	...	...	...	-	5	4	4	7	2	1
1980.....	35	...	...	...	-	2	8	9	10	6	-
1979.....	34	...	...	...	-	5	10	7	7	5	-
ALL OTHER FEMALE											
1998.....	17	...	...	...	-	2	3	5	2	3	2
1997.....	23	...	...	...	1	1	6	4	4	5	2
1996.....	15	...	...	...	-	-	4	6	3	2	-
1995.....	21	...	...	...	-	3	11	4	3	-	-
1994.....	17	...	...	...	-	-	7	5	3	2	-
1993.....	26	...	...	...	-	2	7	6	6	4	1
1992.....	27	...	...	...	1	4	4	8	5	5	-
1991.....	29	...	...	...	-	5	7	8	2	5	2
1990.....	34	...	...	...	-	4	7	4	12	4	2
1989.....	29	...	...	...	-	3	8	8	4	4	2
1988.....	38	...	...	...	-	7	7	7	7	7	3
1987.....	19	...	...	...	-	-	4	6	8	1	-
1986.....	27	...	...	...	-	5	4	5	6	6	1
1985.....	30	...	...	...	-	6	10	6	4	3	1
1984.....	32	...	...	...	1	5	9	6	4	5	2
1983.....	27	...	...	...	-	2	7	6	7	5	-
1982.....	28	...	...	...	-	3	7	7	7	3	1
1981.....	23	...	...	...	-	5	4	4	7	2	1
1980.....	35	...	...	...	-	2	8	9	10	6	-
1979.....	34	...	...	...	-	5	10	7	7	5	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)

## BLACK, BOTH SEXES

1998.....	14	...	...	...	-	2	3	2	2	3	2
1997.....	21	...	...	...	1	1	6	4	4	3	2
1996.....	14	...	...	...	-	-	4	5	3	2	-
1995.....	21	...	...	...	-	3	11	4	3	-	-
1994.....	17	...	...	...	-	-	7	5	3	2	-
1993.....	25	...	...	...	-	2	7	6	6	4	-
1992.....	26	...	...	...	1	4	4	8	5	4	-
1991.....	27	...	...	...	-	4	7	7	2	5	2
1990.....	33	...	...	...	-	4	7	3	12	4	2
1989.....	26	...	...	...	-	3	8	6	3	4	2
1988.....	35	...	...	...	-	5	7	7	6	7	3
1987.....	18	...	...	...	-	-	4	5	8	1	-
1986.....	26	...	...	...	-	5	4	5	6	6	-
1985.....	28	...	...	...	-	5	10	6	4	2	1
1984.....	30	...	...	...	1	5	9	6	3	4	2
1983.....	26	...	...	...	-	2	7	6	7	4	-
1982.....	23	...	...	...	-	2	7	6	5	2	1
1981.....	22	...	...	...	-	5	4	4	7	1	1
1980.....	31	...	...	...	-	2	7	8	9	5	-
1979.....	30	...	...	...	-	5	10	5	6	4	-

## BLACK FEMALE

1998.....	14	...	...	...	-	2	3	2	2	3	2
1997.....	21	...	...	...	1	1	6	4	4	3	2
1996.....	14	...	...	...	-	-	4	5	3	2	-
1995.....	21	...	...	...	-	3	11	4	3	-	-
1994.....	17	...	...	...	-	-	7	5	3	2	-
1993.....	25	...	...	...	-	2	7	6	6	4	-
1992.....	26	...	...	...	1	4	4	8	5	4	-
1991.....	27	...	...	...	-	4	7	7	2	5	2
1990.....	33	...	...	...	-	4	7	3	12	4	2
1989.....	26	...	...	...	-	3	8	6	3	4	2
1988.....	35	...	...	...	-	5	7	7	6	7	3
1987.....	18	...	...	...	-	-	4	5	8	1	-
1986.....	26	...	...	...	-	5	4	5	6	6	-
1985.....	28	...	...	...	-	5	10	6	4	2	1
1984.....	30	...	...	...	1	5	9	6	3	4	2
1983.....	26	...	...	...	-	2	7	6	7	4	-
1982.....	23	...	...	...	-	2	7	6	5	2	1
1981.....	22	...	...	...	-	5	4	4	7	1	1
1980.....	31	...	...	...	-	2	7	8	9	5	-
1979.....	30	...	...	...	-	5	10	5	6	4	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)											
TOTAL, BOTH SEXES											
1998.....	249	...	...	...	-	15	43	65	60	47	18
1997.....	286	...	...	...	2	20	55	76	63	45	20
1996.....	255	...	...	...	-	14	37	62	62	59	19
1995.....	249	...	...	...	1	16	44	59	62	45	21
1994.....	287	...	...	...	-	32	67	66	50	51	20
1993.....	255	...	...	...	1	17	47	58	56	59	17
1992.....	266	...	...	...	-	31	64	44	71	41	14
1991.....	269	...	...	...	2	26	51	59	73	41	13
1990.....	286	...	...	...	-	32	56	68	66	43	19
1989.....	270	...	...	...	-	24	56	70	74	35	9
1988.....	269	...	...	...	-	26	62	64	62	43	10
1987.....	207	...	...	...	1	20	43	51	52	30	9
1986.....	221	...	...	...	-	21	50	58	49	33	9
1985.....	246	...	...	...	1	23	50	65	52	37	15
1984.....	228	...	...	...	-	22	35	68	67	31	4
1983.....	240	...	...	...	-	21	75	61	46	31	6
1982.....	237	...	...	...	2	27	40	74	56	25	12
1981.....	262	...	...	...	1	34	68	63	54	28	13
1980.....	272	...	...	...	-	40	54	66	61	35	14
1979.....	275	...	...	...	2	28	68	65	54	38	15
TOTAL, FEMALE											
1998.....	249	...	...	...	-	15	43	65	60	47	18
1997.....	286	...	...	...	2	20	55	76	63	45	20
1996.....	255	...	...	...	-	14	37	62	62	59	19
1995.....	249	...	...	...	1	16	44	59	62	45	21
1994.....	287	...	...	...	-	32	67	66	50	51	20
1993.....	255	...	...	...	1	17	47	58	56	59	17
1992.....	266	...	...	...	-	31	64	44	71	41	14
1991.....	269	...	...	...	2	26	51	59	73	41	13
1990.....	286	...	...	...	-	32	56	68	66	43	19
1989.....	270	...	...	...	-	24	56	70	74	35	9
1988.....	269	...	...	...	-	26	62	64	62	43	10
1987.....	207	...	...	...	1	20	43	51	52	30	9
1986.....	221	...	...	...	-	21	50	58	49	33	9
1985.....	246	...	...	...	1	23	50	65	52	37	15
1984.....	228	...	...	...	-	22	35	68	67	31	4
1983.....	240	...	...	...	-	21	75	61	46	31	6
1982.....	237	...	...	...	2	27	40	74	56	25	12
1981.....	262	...	...	...	1	34	68	63	54	28	13
1980.....	272	...	...	...	-	40	54	66	61	35	14
1979.....	275	...	...	...	2	28	68	65	54	38	15

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)											
WHITE, BOTH SEXES											
1998.....	143	...	...	...	-	8	21	40	31	30	13
1997.....	161	...	...	...	-	12	29	43	33	30	10
1996.....	135	...	...	...	-	6	13	32	34	34	14
1995.....	122	...	...	...	-	4	26	34	29	20	9
1994.....	169	...	...	...	-	18	34	48	32	27	10
1993.....	131	...	...	...	1	6	21	30	34	30	9
1992.....	136	...	...	...	-	14	32	25	41	18	6
1991.....	162	...	...	...	1	11	26	37	50	27	8
1990.....	154	...	...	...	-	15	29	46	31	23	9
1989.....	159	...	...	...	-	15	35	43	39	23	4
1988.....	157	...	...	...	-	11	36	41	41	21	7
1987.....	128	...	...	...	1	13	27	32	30	19	5
1986.....	122	...	...	...	-	11	23	30	30	21	7
1985.....	137	...	...	...	-	11	28	41	24	26	6
1984.....	134	...	...	...	-	12	13	48	38	21	2
1983.....	147	...	...	...	-	11	40	41	27	23	5
1982.....	144	...	...	...	-	13	23	46	40	16	6
1981.....	160	...	...	...	-	15	44	41	37	16	7
1980.....	166	...	...	...	-	22	33	41	39	21	9
1979.....	153	...	...	...	1	12	32	43	33	24	6
WHITE FEMALE											
1998.....	143	...	...	...	-	8	21	40	31	30	13
1997.....	161	...	...	...	-	12	29	43	33	30	10
1996.....	135	...	...	...	-	6	13	32	34	34	14
1995.....	122	...	...	...	-	4	26	34	29	20	9
1994.....	169	...	...	...	-	18	34	48	32	27	10
1993.....	131	...	...	...	1	6	21	30	34	30	9
1992.....	136	...	...	...	-	14	32	25	41	18	6
1991.....	162	...	...	...	1	11	26	37	50	27	8
1990.....	154	...	...	...	-	15	29	46	31	23	9
1989.....	159	...	...	...	-	15	35	43	39	23	4
1988.....	157	...	...	...	-	11	36	41	41	21	7
1987.....	128	...	...	...	1	13	27	32	30	19	5
1986.....	122	...	...	...	-	11	23	30	30	21	7
1985.....	137	...	...	...	-	11	28	41	24	26	6
1984.....	134	...	...	...	-	12	13	48	38	21	2
1983.....	147	...	...	...	-	11	40	41	27	23	5
1982.....	144	...	...	...	-	13	23	46	40	16	6
1981.....	160	...	...	...	-	15	44	41	37	16	7
1980.....	166	...	...	...	-	22	33	41	39	21	9
1979.....	153	...	...	...	1	12	32	43	33	24	6

RACE, AND SEX: UNITED STATES, 1979-98											
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)											
ALL OTHER, BOTH SEXES											
1998.....	106	...	...	...	-	7	22	25	29	17	5
1997.....	125	...	...	...	2	8	26	33	30	15	10
1996.....	120	...	...	...	-	8	24	30	28	25	5
1995.....	127	...	...	...	1	12	18	25	33	25	12
1994.....	118	...	...	...	-	14	33	18	18	24	10
1993.....	124	...	...	...	-	11	26	28	22	29	8
1992.....	130	...	...	...	-	17	32	19	30	23	8
1991.....	107	...	...	...	1	15	25	22	23	14	5
1990.....	132	...	...	...	-	17	27	22	35	20	10
1989.....	111	...	...	...	-	9	21	27	35	12	5
1988.....	112	...	...	...	-	15	26	23	21	22	3
1987.....	79	...	...	...	-	7	16	19	22	11	4
1986.....	99	...	...	...	-	10	27	28	19	12	2
1985.....	109	...	...	...	1	12	22	24	28	11	9
1984.....	94	...	...	...	-	10	22	20	29	10	2
1983.....	93	...	...	...	-	10	35	20	19	8	1
1982.....	93	...	...	...	2	14	17	28	16	9	6
1981.....	102	...	...	...	1	19	24	22	17	12	6
1980.....	106	...	...	...	-	18	21	25	22	14	5
1979.....	122	...	...	...	1	16	36	22	21	14	9
ALL OTHER FEMALE											
1998.....	106	...	...	...	-	7	22	25	29	17	5
1997.....	125	...	...	...	2	8	26	33	30	15	10
1996.....	120	...	...	...	-	8	24	30	28	25	5
1995.....	127	...	...	...	1	12	18	25	33	25	12
1994.....	118	...	...	...	-	14	33	18	18	24	10
1993.....	124	...	...	...	-	11	26	28	22	29	8
1992.....	130	...	...	...	-	17	32	19	30	23	8
1991.....	107	...	...	...	1	15	25	22	23	14	5
1990.....	132	...	...	...	-	17	27	22	35	20	10
1989.....	111	...	...	...	-	9	21	27	35	12	5
1988.....	112	...	...	...	-	15	26	23	21	22	3
1987.....	79	...	...	...	-	7	16	19	22	11	4
1986.....	99	...	...	...	-	10	27	28	19	12	2
1985.....	109	...	...	...	1	12	22	24	28	11	9
1984.....	94	...	...	...	-	10	22	20	29	10	2
1983.....	93	...	...	...	-	10	35	20	19	8	1
1982.....	93	...	...	...	2	14	17	28	16	9	6
1981.....	102	...	...	...	1	19	24	22	17	12	6
1980.....	106	...	...	...	-	18	21	25	22	14	5
1979.....	122	...	...	...	1	16	36	22	21	14	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)											
BLACK, BOTH SEXES											
1998.....	90	...	...	...	-	7	21	22	24	12	3
1997.....	104	...	...	...	2	7	22	29	27	10	6
1996.....	107	...	...	...	-	7	23	29	24	20	4
1995.....	112	...	...	...	1	12	17	24	27	22	8
1994.....	101	...	...	...	-	14	29	14	14	22	7
1993.....	110	...	...	...	-	11	23	26	20	22	8
1992.....	114	...	...	...	-	16	29	17	26	18	7
1991.....	98	...	...	...	1	14	22	20	21	14	4
1990.....	120	...	...	...	-	15	25	22	32	16	9
1989.....	98	...	...	...	-	8	21	24	29	10	4
1988.....	96	...	...	...	-	13	25	17	19	19	1
1987.....	73	...	...	...	-	6	16	18	19	10	4
1986.....	91	...	...	...	-	10	25	25	18	10	2
1985.....	96	...	...	...	1	11	19	22	24	10	8
1984.....	87	...	...	...	-	10	22	17	25	10	2
1983.....	81	...	...	...	-	8	34	17	15	6	1
1982.....	85	...	...	...	2	14	17	26	11	9	5
1981.....	98	...	...	...	1	19	23	21	16	12	5
1980.....	96	...	...	...	-	18	21	21	18	13	4
1979.....	115	...	...	...	1	16	36	21	20	13	5
BLACK FEMALE											
1998.....	90	...	...	...	-	7	21	22	24	12	3
1997.....	104	...	...	...	2	7	22	29	27	10	6
1996.....	107	...	...	...	-	7	23	29	24	20	4
1995.....	112	...	...	...	1	12	17	24	27	22	8
1994.....	101	...	...	...	-	14	29	14	14	22	7
1993.....	110	...	...	...	-	11	23	26	20	22	8
1992.....	114	...	...	...	-	16	29	17	26	18	7
1991.....	98	...	...	...	1	14	22	20	21	14	4
1990.....	120	...	...	...	-	15	25	22	32	16	9
1989.....	98	...	...	...	-	8	21	24	29	10	4
1988.....	96	...	...	...	-	13	25	17	19	19	1
1987.....	73	...	...	...	-	6	16	18	19	10	4
1986.....	91	...	...	...	-	10	25	25	18	10	2
1985.....	96	...	...	...	1	11	19	22	24	10	8
1984.....	87	...	...	...	-	10	22	17	25	10	2
1983.....	81	...	...	...	-	8	34	17	15	6	1
1982.....	85	...	...	...	2	14	17	26	11	9	5
1981.....	98	...	...	...	1	19	23	21	16	12	5
1980.....	96	...	...	...	-	18	21	21	18	13	4
1979.....	115	...	...	...	1	16	36	21	20	13	5

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES (740-759)											
TOTAL, BOTH SEXES											
1998.....	11,934	6,212	564	198	173	216	234	223	229	276	269
1997.....	11,912	6,178	589	223	224	217	203	228	226	258	276
1996.....	11,836	6,381	638	241	216	191	191	194	198	255	279
1995.....	11,891	6,554	695	242	207	251	201	233	241	254	273
1994.....	12,030	6,854	714	241	193	217	246	218	238	237	258
1993.....	12,444	7,129	804	274	211	232	240	249	227	232	237
1992.....	12,491	7,449	856	245	203	224	226	230	236	263	216
1991.....	12,599	7,685	871	279	208	231	218	224	243	224	228
1990.....	13,085	8,239	896	286	182	224	267	236	237	236	218
1989.....	12,897	8,120	928	267	213	240	234	269	214	234	168
1988.....	12,753	8,141	913	281	218	237	237	246	219	220	191
1987.....	12,333	7,884	924	263	185	243	256	225	223	216	171
1986.....	12,638	8,244	879	259	194	259	252	195	203	203	180
1985.....	12,783	8,561	840	272	197	231	235	213	197	184	179
1984.....	13,039	8,548	946	242	242	239	277	232	213	178	170
1983.....	13,173	8,732	913	246	225	272	282	261	192	192	165
1982.....	13,604	9,024	1,028	288	265	279	281	248	205	186	145
1981.....	13,527	8,914	1,018	284	258	300	294	282	213	183	142
1980.....	13,938	9,220	1,026	303	258	287	313	245	237	182	153
1979.....	13,526	8,923	1,021	289	289	300	276	239	176	196	163
TOTAL, MALE											
1998.....	6,199	3,282	287	107	90	124	132	129	127	148	132
1997.....	6,261	3,266	317	119	113	134	107	127	132	151	136
1996.....	6,238	3,452	325	146	127	120	111	108	108	132	147
1995.....	6,243	3,585	374	126	104	143	115	122	124	131	137
1994.....	6,209	3,590	354	120	112	130	142	108	132	119	133
1993.....	6,610	3,886	388	139	125	136	141	132	140	125	130
1992.....	6,625	4,034	460	125	113	145	135	133	120	150	118
1991.....	6,800	4,202	469	147	116	134	124	126	124	136	126
1990.....	7,050	4,520	473	155	90	145	156	135	133	144	120
1989.....	6,812	4,387	436	144	112	142	139	160	121	130	80
1988.....	6,775	4,384	511	160	126	135	132	129	121	134	100
1987.....	6,604	4,232	492	159	106	154	151	135	129	124	89
1986.....	6,744	4,459	464	145	106	161	138	103	129	116	102
1985.....	6,895	4,709	451	142	104	138	150	116	107	102	91
1984.....	6,925	4,576	489	131	125	141	172	140	122	97	94
1983.....	7,013	4,711	487	136	118	158	154	146	111	102	88
1982.....	7,157	4,806	524	159	133	166	158	139	119	89	82
1981.....	7,128	4,769	527	141	137	183	172	164	119	98	72
1980.....	7,496	4,968	555	166	132	164	181	142	142	99	84
1979.....	7,309	4,903	551	152	155	195	183	136	99	100	80



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES (740-759)											
TOTAL, FEMALE											
1998.....	5,735	2,930	277	91	83	92	102	94	102	128	137
1997.....	5,651	2,912	272	104	111	83	96	101	94	107	140
1996.....	5,598	2,929	313	95	89	71	80	86	90	123	132
1995.....	5,648	2,969	321	116	103	108	86	111	117	123	136
1994.....	5,821	3,264	360	121	81	87	104	110	106	118	125
1993.....	5,834	3,243	416	135	86	96	99	117	87	107	107
1992.....	5,866	3,415	396	120	90	79	91	97	116	113	98
1991.....	5,799	3,483	402	132	92	97	94	98	119	88	102
1990.....	6,035	3,719	423	131	92	79	111	101	104	92	98
1989.....	6,085	3,733	492	123	101	98	95	109	93	104	88
1988.....	5,978	3,757	402	121	92	102	105	117	98	86	91
1987.....	5,729	3,652	432	104	79	89	105	90	94	92	82
1986.....	5,894	3,785	415	114	88	98	114	92	74	87	78
1985.....	5,888	3,852	389	130	93	93	85	97	90	82	88
1984.....	6,114	3,972	457	111	117	98	105	92	91	81	76
1983.....	6,160	4,021	426	110	107	114	128	115	81	90	77
1982.....	6,447	4,218	504	129	132	113	123	109	86	97	63
1981.....	6,399	4,145	491	143	121	117	122	118	94	85	70
1980.....	6,442	4,252	471	137	126	123	132	103	95	83	69
1979.....	6,217	4,020	470	137	134	105	93	103	77	96	83
WHITE, BOTH SEXES											
1998.....	9,651	4,794	406	141	134	158	166	177	182	220	220
1997.....	9,719	4,803	439	162	174	158	149	197	184	215	233
1996.....	9,556	4,951	456	179	159	151	151	150	169	204	223
1995.....	9,614	5,095	504	188	159	196	160	185	197	213	229
1994.....	9,660	5,304	515	185	153	164	196	183	190	200	214
1993.....	9,934	5,449	597	225	168	178	202	205	180	186	205
1992.....	9,890	5,666	613	190	153	183	186	192	187	214	188
1991.....	9,978	5,864	650	211	165	188	176	187	202	175	192
1990.....	10,502	6,418	686	226	146	176	206	197	197	205	183
1989.....	10,291	6,312	703	217	165	182	196	225	169	190	142
1988.....	10,334	6,442	727	213	180	187	206	206	176	173	160
1987.....	9,910	6,172	719	198	138	203	202	183	190	182	148
1986.....	10,188	6,519	684	204	155	204	199	155	158	165	152
1985.....	10,437	6,898	665	201	159	182	201	186	150	154	150
1984.....	10,662	6,875	771	187	205	193	229	175	169	155	149
1983.....	10,747	7,026	726	192	178	221	237	208	158	161	132
1982.....	11,129	7,281	810	227	226	231	229	203	163	151	114
1981.....	11,145	7,224	797	242	218	248	255	235	177	163	120
1980.....	11,471	7,442	819	251	212	240	256	205	192	158	132
1979.....	11,222	7,288	824	228	244	253	230	201	149	168	141

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES (740-759)											
WHITE MALE											
1998.....	5,001	2,547	205	71	68	88	91	108	104	117	107
1997.....	5,123	2,567	237	90	89	97	78	104	106	123	114
1996.....	5,066	2,706	243	109	93	96	90	82	95	106	121
1995.....	5,047	2,809	273	94	80	109	94	102	100	111	116
1994.....	4,993	2,793	254	91	91	102	111	87	105	102	108
1993.....	5,281	2,987	293	109	98	104	118	107	111	102	115
1992.....	5,254	3,084	339	91	88	114	114	112	91	125	103
1991.....	5,378	3,220	343	111	91	107	100	106	104	111	101
1990.....	5,667	3,545	353	121	74	113	115	114	116	131	104
1989.....	5,444	3,437	333	114	89	100	116	131	96	105	66
1988.....	5,491	3,474	417	117	108	99	111	113	100	107	83
1987.....	5,364	3,370	392	120	78	125	121	112	108	105	75
1986.....	5,444	3,561	353	116	88	125	106	78	100	97	88
1985.....	5,674	3,836	359	100	83	108	126	104	86	84	83
1984.....	5,703	3,727	403	105	112	109	137	106	95	83	79
1983.....	5,718	3,803	381	107	91	127	135	116	93	86	72
1982.....	5,883	3,902	424	126	119	135	127	118	94	72	64
1981.....	5,906	3,902	419	123	121	151	147	138	97	87	63
1980.....	6,188	4,034	441	140	109	134	149	123	115	87	74
1979.....	6,106	4,025	459	124	134	163	153	121	85	88	71
WHITE FEMALE											
1998.....	4,650	2,247	201	70	66	70	75	69	78	103	113
1997.....	4,596	2,236	202	72	85	61	71	93	78	92	119
1996.....	4,490	2,245	213	70	66	55	61	68	74	98	102
1995.....	4,567	2,286	231	94	79	87	66	83	97	102	113
1994.....	4,667	2,511	261	94	62	62	85	96	85	98	106
1993.....	4,653	2,462	304	116	70	74	84	98	69	84	90
1992.....	4,636	2,582	274	99	65	69	72	80	96	89	85
1991.....	4,600	2,644	307	100	74	81	76	81	98	64	91
1990.....	4,835	2,873	333	105	72	63	91	83	81	74	79
1989.....	4,847	2,875	370	103	76	82	80	94	73	85	76
1988.....	4,843	2,968	310	96	72	88	95	93	76	66	77
1987.....	4,546	2,802	327	78	60	78	81	71	82	77	73
1986.....	4,744	2,958	331	88	67	79	93	77	58	68	64
1985.....	4,763	3,062	306	101	76	74	75	82	64	70	67
1984.....	4,959	3,148	368	82	93	84	92	69	74	72	70
1983.....	5,029	3,223	345	85	87	94	102	92	65	75	60
1982.....	5,246	3,379	386	101	107	96	102	85	69	79	50
1981.....	5,239	3,322	378	119	97	97	108	97	80	76	57
1980.....	5,283	3,408	378	111	103	106	107	82	77	71	58
1979.....	5,116	3,263	365	104	110	90	77	80	64	80	70

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES (740-759)											
ALL OTHER, BOTH SEXES											
1998.....	2,283	1,418	158	57	39	58	68	46	47	56	49
1997.....	2,193	1,375	150	61	50	59	54	31	42	43	43
1996.....	2,280	1,430	182	62	57	40	40	44	29	51	56
1995.....	2,277	1,459	191	54	48	55	41	48	44	41	44
1994.....	2,370	1,550	199	56	40	53	50	35	48	37	44
1993.....	2,510	1,680	207	49	43	54	38	44	47	46	32
1992.....	2,601	1,783	243	55	50	41	40	38	49	49	28
1991.....	2,621	1,821	221	68	43	43	42	37	41	49	36
1990.....	2,583	1,821	210	60	36	48	61	39	40	31	35
1989.....	2,606	1,808	225	50	48	58	38	44	45	44	26
1988.....	2,419	1,699	186	68	38	50	31	40	43	47	31
1987.....	2,423	1,712	205	65	47	40	54	42	33	34	23
1986.....	2,450	1,725	195	55	39	55	53	40	45	38	28
1985.....	2,346	1,663	175	71	38	49	34	27	47	30	29
1984.....	2,377	1,673	175	55	37	46	48	57	44	23	21
1983.....	2,426	1,706	187	54	47	51	45	53	34	31	33
1982.....	2,475	1,743	218	61	39	48	52	45	42	35	31
1981.....	2,382	1,690	221	42	40	52	39	47	36	20	22
1980.....	2,467	1,778	207	52	46	47	57	40	45	24	21
1979.....	2,304	1,635	197	61	45	47	46	38	27	28	22
ALL OTHER MALE											
1998.....	1,198	735	82	36	22	36	41	21	23	31	25
1997.....	1,138	699	80	29	24	37	29	23	26	28	22
1996.....	1,172	746	82	37	34	24	21	26	13	26	26
1995.....	1,196	776	101	32	24	34	21	20	24	20	21
1994.....	1,216	797	100	29	21	28	31	21	27	17	25
1993.....	1,329	899	95	30	27	32	23	25	29	23	15
1992.....	1,371	950	121	34	25	31	21	21	29	25	15
1991.....	1,422	982	126	36	25	27	24	20	20	25	25
1990.....	1,383	975	120	34	16	32	41	21	17	13	16
1989.....	1,368	950	103	30	23	42	23	29	25	25	14
1988.....	1,284	910	94	43	18	36	21	16	21	27	17
1987.....	1,240	862	100	39	28	29	30	23	21	19	14
1986.....	1,300	898	111	29	18	36	32	25	29	19	14
1985.....	1,221	873	92	42	21	30	24	12	21	18	8
1984.....	1,222	849	86	26	13	32	35	34	27	14	15
1983.....	1,295	908	106	29	27	31	19	30	18	16	16
1982.....	1,274	904	100	33	14	31	31	21	25	17	18
1981.....	1,222	867	108	18	16	32	25	26	22	11	9
1980.....	1,308	934	114	26	23	30	32	19	27	12	10
1979.....	1,203	878	92	28	21	32	30	15	14	12	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES (740-759)											
ALL OTHER FEMALE											
1998.....	1,085	683	76	21	17	22	27	25	24	25	24
1997.....	1,055	676	70	32	26	22	25	8	16	15	21
1996.....	1,108	684	100	25	23	16	19	18	16	25	30
1995.....	1,081	683	90	22	24	21	20	28	20	21	23
1994.....	1,154	753	99	27	19	25	19	14	21	20	19
1993.....	1,181	781	112	19	16	22	15	19	18	23	17
1992.....	1,230	833	122	21	25	10	19	17	20	24	13
1991.....	1,199	839	95	32	18	16	18	17	21	24	11
1990.....	1,200	846	90	26	20	16	20	18	23	18	19
1989.....	1,238	858	122	20	25	16	15	15	20	19	12
1988.....	1,135	789	92	25	20	14	10	24	22	20	14
1987.....	1,183	850	105	26	19	11	24	19	12	15	9
1986.....	1,150	827	84	26	21	19	21	15	16	19	14
1985.....	1,125	790	83	29	17	19	10	15	26	12	21
1984.....	1,155	824	89	29	24	14	13	23	17	9	6
1983.....	1,131	798	81	25	20	20	26	23	16	15	17
1982.....	1,201	839	118	28	25	17	21	24	17	18	13
1981.....	1,160	823	113	24	24	20	14	21	14	9	13
1980.....	1,159	844	93	26	23	17	25	21	18	12	11
1979.....	1,101	757	105	33	24	15	16	23	13	16	13
BLACK, BOTH SEXES											
1998.....	1,885	1,161	125	50	30	51	56	36	42	43	47
1997.....	1,797	1,125	111	54	41	54	42	25	34	33	38
1996.....	1,905	1,189	152	50	50	32	32	35	23	45	49
1995.....	1,887	1,204	168	39	39	50	31	36	36	37	35
1994.....	1,961	1,266	174	51	30	46	44	29	41	32	39
1993.....	2,104	1,403	174	42	32	48	27	41	39	44	25
1992.....	2,167	1,477	208	45	46	37	33	33	43	36	24
1991.....	2,202	1,524	181	55	34	36	33	31	37	43	34
1990.....	2,177	1,530	176	48	31	43	56	36	33	26	31
1989.....	2,179	1,498	191	42	35	48	32	39	42	39	24
1988.....	2,019	1,410	148	54	34	43	26	38	38	43	28
1987.....	2,076	1,453	173	56	43	37	50	38	31	28	21
1986.....	2,061	1,442	165	44	36	51	45	37	41	31	21
1985.....	2,008	1,419	144	60	33	44	32	25	45	26	23
1984.....	1,983	1,389	140	45	32	41	41	47	39	20	17
1983.....	2,088	1,443	159	49	43	47	41	48	32	28	29
1982.....	2,141	1,488	190	54	38	44	46	39	39	30	29
1981.....	2,064	1,443	193	40	36	47	34	44	33	16	21
1980.....	2,168	1,544	184	48	42	45	49	32	43	23	20
1979.....	2,040	1,434	180	57	41	42	39	31	26	26	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES (740-759)											
BLACK MALE											
1998.....	994	604	69	30	16	32	35	17	20	21	24
1997.....	921	567	59	26	19	32	23	18	22	20	18
1996.....	971	615	71	30	31	19	17	18	9	22	22
1995.....	996	643	87	26	19	31	14	15	22	17	17
1994.....	1,014	654	90	28	14	25	27	18	23	14	23
1993.....	1,116	743	84	24	21	28	16	22	24	23	13
1992.....	1,152	796	102	27	23	27	17	18	26	21	11
1991.....	1,206	833	101	30	21	23	20	17	19	21	23
1990.....	1,174	823	99	28	14	29	39	19	15	12	15
1989.....	1,143	789	83	27	17	34	20	25	24	23	12
1988.....	1,069	747	79	35	17	32	17	15	18	25	15
1987.....	1,087	751	83	36	26	26	29	20	19	16	13
1986.....	1,096	753	92	22	17	32	28	23	26	15	11
1985.....	1,046	745	75	38	19	28	23	11	20	15	6
1984.....	1,023	705	70	20	11	30	32	28	23	14	11
1983.....	1,108	770	86	26	25	28	17	27	17	14	12
1982.....	1,092	764	87	28	14	28	29	18	23	14	18
1981.....	1,064	748	94	18	13	28	22	23	19	9	9
1980.....	1,160	817	103	23	22	30	26	16	27	11	9
1979.....	1,068	770	83	27	20	30	26	11	14	12	8
BLACK FEMALE											
1998.....	891	557	56	20	14	19	21	19	22	22	23
1997.....	876	558	52	28	22	22	19	7	12	13	20
1996.....	934	574	81	20	19	13	15	17	14	23	27
1995.....	891	561	81	13	20	19	17	21	14	20	18
1994.....	947	612	84	23	16	21	17	11	18	18	16
1993.....	988	660	90	18	11	20	11	19	15	21	12
1992.....	1,015	681	106	18	23	10	16	15	17	15	13
1991.....	996	691	80	25	13	13	13	14	18	22	11
1990.....	1,003	707	77	20	17	14	17	17	18	14	16
1989.....	1,036	709	108	15	18	14	12	14	18	16	12
1988.....	950	663	69	19	17	11	9	23	20	18	13
1987.....	989	702	90	20	17	11	21	18	12	12	8
1986.....	965	689	73	22	19	19	17	14	15	16	10
1985.....	962	674	69	22	14	16	9	14	25	11	17
1984.....	960	684	70	25	21	11	9	19	16	6	6
1983.....	980	673	73	23	18	19	24	21	15	14	17
1982.....	1,049	724	103	26	24	16	17	21	16	16	11
1981.....	1,000	695	99	22	23	19	12	21	14	7	12
1980.....	1,008	727	81	25	20	15	23	16	16	12	11
1979.....	972	664	97	30	21	12	13	20	12	14	11

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	13,428	13,294	75	16	10	4	2	2	6	6	2
1997.....	13,092	12,935	75	27	10	11	7	2	5	5	1
1996.....	13,069	12,955	60	16	8	6	2	2	2	6	1
1995.....	13,471	13,328	87	22	9	3	2	5	2	3	1
1994.....	14,487	14,315	114	21	7	5	3	4	5	2	-
1993.....	15,097	14,946	100	11	9	5	1	4	4	1	4
1992.....	15,730	15,562	113	17	14	2	-	2	3	5	2
1991.....	16,781	16,591	140	18	9	4	6	1	2	1	4
1990.....	17,674	17,482	134	25	4	5	-	4	2	2	-
1989.....	18,752	18,564	134	17	6	5	2	4	2	4	2
1988.....	18,220	18,036	129	17	5	5	4	5	4	2	-
1987.....	18,222	18,070	121	12	2	5	1	1	1	3	1
1986.....	18,391	18,226	132	8	5	5	1	5	2	-	1
1985.....	19,246	19,068	139	9	4	5	5	5	2	2	1
1984.....	18,881	18,682	144	21	5	7	2	4	1	1	1
1983.....	19,310	19,157	112	9	4	3	4	4	3	-	2
1982.....	20,794	20,685	77	5	2	7	2	3	2	1	1
1981.....	21,626	21,510	77	13	4	4	2	1	1	-	-
1980.....	22,866	22,745	84	10	2	4	6	1	2	-	1
1979.....	23,448	23,322	75	5	3	3	4	2	1	4	1
TOTAL, MALE											
1998.....	7,496	7,429	37	4	7	4	1	1	2	3	1
1997.....	7,398	7,308	46	16	4	6	5	1	1	4	1
1996.....	7,303	7,230	44	8	5	3	2	1	2	3	1
1995.....	7,600	7,516	45	16	6	3	1	5	1	2	1
1994.....	8,156	8,057	67	10	5	4	3	1	3	1	-
1993.....	8,472	8,374	68	7	6	2	1	-	1	1	3
1992.....	8,817	8,727	62	12	8	-	-	-	1	-	2
1991.....	9,561	9,450	84	10	4	2	4	-	1	-	3
1990.....	10,056	9,936	91	12	2	2	-	3	-	-	-
1989.....	10,511	10,387	89	11	4	4	-	4	1	2	2
1988.....	10,393	10,280	79	13	3	4	2	1	3	-	-
1987.....	10,442	10,348	72	12	2	1	1	-	1	2	1
1986.....	10,563	10,465	83	3	-	3	1	4	2	-	-
1985.....	11,094	10,979	95	3	2	3	3	1	2	1	1
1984.....	10,659	10,547	84	12	2	3	-	3	1	1	-
1983.....	11,036	10,948	72	3	1	1	1	3	1	-	-
1982.....	11,876	11,811	47	3	1	4	1	1	2	-	-
1981.....	12,302	12,228	48	9	4	2	1	-	1	-	-
1980.....	13,051	12,984	46	4	2	4	4	-	1	-	-
1979.....	13,350	13,278	46	3	1	2	3	1	-	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)											
TOTAL, FEMALE											
1998.....	5,932	5,865	38	12	3	-	1	1	4	3	1
1997.....	5,694	5,627	29	11	6	5	2	1	4	1	-
1996.....	5,766	5,725	16	8	3	3	-	1	-	3	-
1995.....	5,871	5,812	42	6	3	-	1	-	1	1	-
1994.....	6,331	6,258	47	11	2	1	-	3	2	1	-
1993.....	6,625	6,572	32	4	3	3	-	4	3	-	1
1992.....	6,913	6,835	51	5	6	2	-	2	2	5	-
1991.....	7,220	7,141	56	8	5	2	2	1	1	1	1
1990.....	7,618	7,546	43	13	2	3	-	1	2	2	-
1989.....	8,241	8,177	45	6	2	1	2	-	1	2	-
1988.....	7,827	7,756	50	4	2	1	2	4	1	2	-
1987.....	7,780	7,722	49	-	-	4	-	1	-	1	-
1986.....	7,828	7,761	49	5	5	2	-	1	-	-	1
1985.....	8,152	8,089	44	6	2	2	2	4	-	1	-
1984.....	8,222	8,135	60	9	3	4	2	1	-	-	1
1983.....	8,274	8,209	40	6	3	2	3	1	2	-	2
1982.....	8,918	8,874	30	2	1	3	1	2	-	1	1
1981.....	9,324	9,282	29	4	-	2	1	1	-	-	-
1980.....	9,815	9,761	38	6	-	-	2	1	1	-	1
1979.....	10,098	10,044	29	2	2	1	1	1	1	2	-
WHITE, BOTH SEXES											
1998.....	8,129	8,043	48	10	5	1	1	2	3	5	2
1997.....	7,981	7,877	40	16	8	10	5	2	5	4	1
1996.....	7,964	7,890	33	12	6	5	2	1	1	5	1
1995.....	8,155	8,065	47	14	7	3	1	5	1	3	1
1994.....	8,562	8,459	61	13	6	2	3	2	4	2	-
1993.....	8,831	8,732	58	9	8	3	1	4	4	-	4
1992.....	9,168	9,058	64	16	11	2	-	2	2	3	2
1991.....	9,889	9,771	88	7	7	3	2	-	2	1	3
1990.....	10,506	10,378	81	17	4	5	-	3	2	2	-
1989.....	11,306	11,181	85	12	2	5	1	4	1	4	2
1988.....	11,192	11,060	86	15	4	5	2	5	4	2	-
1987.....	11,412	11,300	86	10	1	4	1	1	1	3	1
1986.....	11,814	11,691	95	7	5	5	1	3	1	-	1
1985.....	12,634	12,520	85	7	1	4	5	5	1	2	1
1984.....	12,471	12,331	94	17	3	5	2	4	1	1	1
1983.....	12,816	12,715	73	5	4	-	4	4	3	-	2
1982.....	13,932	13,848	57	4	2	7	2	3	2	1	1
1981.....	14,551	14,472	49	10	4	4	2	1	-	-	-
1980.....	15,457	15,367	60	8	1	4	6	-	2	-	1
1979.....	16,034	15,933	59	4	3	1	4	2	1	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	4,523	4,481	25	2	4	1	-	1	1	2	1
1997.....	4,538	4,479	22	11	4	5	4	1	1	4	1
1996.....	4,446	4,401	23	6	3	3	2	-	1	3	1
1995.....	4,676	4,624	23	9	4	3	1	5	-	2	1
1994.....	4,829	4,769	38	6	4	1	3	-	3	1	-
1993.....	4,956	4,891	39	7	6	1	1	-	1	-	3
1992.....	5,128	5,068	36	11	7	-	-	-	1	-	2
1991.....	5,654	5,587	51	5	3	1	1	-	1	-	2
1990.....	6,055	5,975	55	10	2	2	-	2	-	-	-
1989.....	6,426	6,339	60	8	2	4	-	4	-	2	2
1988.....	6,485	6,407	48	12	2	4	2	1	3	-	-
1987.....	6,560	6,491	50	10	1	1	1	-	1	2	1
1986.....	6,815	6,743	60	3	-	3	1	3	1	-	-
1985.....	7,404	7,329	61	3	1	2	3	1	1	1	1
1984.....	7,135	7,055	55	10	2	2	-	3	1	1	-
1983.....	7,417	7,358	47	3	1	-	1	3	1	-	-
1982.....	8,003	7,959	31	2	1	4	1	1	2	-	-
1981.....	8,380	8,326	34	7	4	2	1	-	-	-	-
1980.....	8,945	8,895	31	4	1	4	4	-	1	-	-
1979.....	9,262	9,203	38	2	1	1	3	1	-	2	1
WHITE FEMALE											
1998.....	3,606	3,562	23	8	1	-	1	1	2	3	1
1997.....	3,443	3,398	18	5	4	5	1	1	4	-	-
1996.....	3,518	3,489	10	6	3	2	-	1	-	2	-
1995.....	3,479	3,441	24	5	3	-	-	-	1	1	-
1994.....	3,733	3,690	23	7	2	1	-	2	1	1	-
1993.....	3,875	3,841	19	2	2	2	-	4	3	-	1
1992.....	4,040	3,990	28	5	4	2	-	2	1	3	-
1991.....	4,235	4,184	37	2	4	2	1	-	1	1	1
1990.....	4,451	4,403	26	7	2	3	-	1	2	2	-
1989.....	4,880	4,842	25	4	-	1	1	-	1	2	-
1988.....	4,707	4,653	38	3	2	1	-	4	1	2	-
1987.....	4,852	4,809	36	-	-	3	-	1	-	1	-
1986.....	4,999	4,948	35	4	5	2	-	-	-	-	1
1985.....	5,230	5,191	24	4	-	2	2	4	-	1	-
1984.....	5,336	5,276	39	7	1	3	2	1	-	-	1
1983.....	5,399	5,357	26	2	3	-	3	1	2	-	2
1982.....	5,929	5,889	26	2	1	3	1	2	-	1	1
1981.....	6,171	6,146	15	3	-	2	1	1	-	-	-
1980.....	6,512	6,472	29	4	-	-	2	-	1	-	1
1979.....	6,772	6,730	21	2	2	-	1	1	1	1	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)											
ALL OTHER, BOTH SEXES											
1998.....	5,299	5,251	27	6	5	3	1	-	3	1	-
1997.....	5,111	5,058	35	11	2	1	2	-	-	1	-
1996.....	5,105	5,065	27	4	2	1	-	1	1	1	-
1995.....	5,316	5,263	40	8	2	-	1	-	1	-	-
1994.....	5,925	5,856	53	8	1	3	-	2	1	-	-
1993.....	6,266	6,214	42	2	1	2	-	-	-	1	-
1992.....	6,562	6,504	49	1	3	-	-	-	1	2	-
1991.....	6,892	6,820	52	11	2	1	4	1	-	-	1
1990.....	7,168	7,104	53	8	-	-	-	1	-	-	-
1989.....	7,446	7,383	49	5	4	-	1	-	1	-	-
1988.....	7,028	6,976	43	2	1	-	2	-	-	-	-
1987.....	6,810	6,770	35	2	1	1	-	-	-	-	-
1986.....	6,577	6,535	37	1	-	-	-	2	1	-	-
1985.....	6,612	6,548	54	2	3	1	-	-	1	-	-
1984.....	6,410	6,351	50	4	2	2	-	-	-	-	-
1983.....	6,494	6,442	39	4	-	3	-	-	-	-	-
1982.....	6,862	6,837	20	1	-	-	-	-	-	-	-
1981.....	7,075	7,038	28	3	-	-	-	-	1	-	-
1980.....	7,409	7,378	24	2	1	-	-	1	-	-	-
1979.....	7,414	7,389	16	1	-	2	-	-	-	1	-
ALL OTHER MALE											
1998.....	2,973	2,948	12	2	3	3	1	-	1	1	-
1997.....	2,860	2,829	24	5	-	1	1	-	-	-	-
1996.....	2,857	2,829	21	2	2	-	-	1	1	-	-
1995.....	2,924	2,892	22	7	2	-	-	-	1	-	-
1994.....	3,327	3,288	29	4	1	3	-	1	-	-	-
1993.....	3,516	3,483	29	-	-	1	-	-	-	1	-
1992.....	3,689	3,659	26	1	1	-	-	-	-	-	-
1991.....	3,907	3,863	33	5	1	1	3	-	-	-	1
1990.....	4,001	3,961	36	2	-	-	-	1	-	-	-
1989.....	4,085	4,048	29	3	2	-	-	-	1	-	-
1988.....	3,908	3,873	31	1	1	-	-	-	-	-	-
1987.....	3,882	3,857	22	2	1	-	-	-	-	-	-
1986.....	3,748	3,722	23	-	-	-	-	1	1	-	-
1985.....	3,690	3,650	34	-	1	1	-	-	1	-	-
1984.....	3,524	3,492	29	2	-	1	-	-	-	-	-
1983.....	3,619	3,590	25	-	-	1	-	-	-	-	-
1982.....	3,873	3,852	16	1	-	-	-	-	-	-	-
1981.....	3,922	3,902	14	2	-	-	-	-	1	-	-
1980.....	4,106	4,089	15	-	1	-	-	-	-	-	-
1979.....	4,088	4,075	8	1	-	1	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	2,326	2,303	15	4	2	-	-	-	2	-	-
1997.....	2,251	2,229	11	6	2	-	1	-	-	1	-
1996.....	2,248	2,236	6	2	-	1	-	-	-	1	-
1995.....	2,392	2,371	18	1	-	-	1	-	-	-	-
1994.....	2,598	2,568	24	4	-	-	-	1	1	-	-
1993.....	2,750	2,731	13	2	1	1	-	-	-	-	-
1992.....	2,873	2,845	23	-	2	-	-	-	1	2	-
1991.....	2,985	2,957	19	6	1	-	1	1	-	-	-
1990.....	3,167	3,143	17	6	-	-	-	-	-	-	-
1989.....	3,361	3,335	20	2	2	-	1	-	-	-	-
1988.....	3,120	3,103	12	1	-	-	2	-	-	-	-
1987.....	2,928	2,913	13	-	-	1	-	-	-	-	-
1986.....	2,829	2,813	14	1	-	-	-	1	-	-	-
1985.....	2,922	2,898	20	2	2	-	-	-	-	-	-
1984.....	2,886	2,859	21	2	2	1	-	-	-	-	-
1983.....	2,875	2,852	14	4	-	2	-	-	-	-	-
1982.....	2,989	2,985	4	-	-	-	-	-	-	-	-
1981.....	3,153	3,136	14	1	-	-	-	-	-	-	-
1980.....	3,303	3,289	9	2	-	-	-	1	-	-	-
1979.....	3,326	3,314	8	-	-	1	-	-	-	1	-
BLACK, BOTH SEXES											
1998.....	4,841	4,796	26	6	4	2	1	-	3	1	-
1997.....	4,714	4,664	34	9	2	1	2	-	-	1	-
1996.....	4,711	4,679	22	3	1	-	-	1	1	1	-
1995.....	4,952	4,905	35	8	2	-	1	-	1	-	-
1994.....	5,515	5,455	46	6	1	3	-	2	1	-	-
1993.....	5,891	5,844	38	2	1	1	-	-	-	1	-
1992.....	6,176	6,125	43	1	3	-	-	-	1	1	-
1991.....	6,512	6,447	50	8	1	-	4	1	-	-	1
1990.....	6,744	6,688	48	7	-	-	-	-	-	-	-
1989.....	6,965	6,907	47	3	3	-	1	-	1	-	-
1988.....	6,614	6,566	39	2	1	-	2	-	-	-	-
1987.....	6,373	6,336	34	2	-	1	-	-	-	-	-
1986.....	6,149	6,109	35	1	-	-	-	2	1	-	-
1985.....	6,196	6,140	46	2	3	1	-	-	1	-	-
1984.....	6,002	5,950	44	4	2	1	-	-	-	-	-
1983.....	6,100	6,051	37	3	-	3	-	-	-	-	-
1982.....	6,464	6,443	18	1	-	-	-	-	-	-	-
1981.....	6,658	6,623	27	3	-	-	-	-	1	-	-
1980.....	6,961	6,933	23	2	-	-	-	1	-	-	-
1979.....	7,024	7,002	14	1	-	1	-	-	-	1	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

## TOTAL, BOTH SEXES

1998.....	1,997	1,950	27	5	6	2	1	-	-	-	1
1997.....	1,990	1,938	23	8	5	5	3	1	2	3	-
1996.....	1,993	1,956	15	7	4	3	1	2	-	3	-
1995.....	2,168	2,130	20	9	6	1	-	1	-	-	-
1994.....	2,378	2,332	22	6	3	4	2	2	2	1	-
1993.....	2,618	2,580	21	3	4	1	-	-	2	1	2
1992.....	2,929	2,883	25	6	6	2	-	-	2	3	-
1991.....	3,417	3,372	28	7	3	3	2	-	1	-	1
1990.....	3,871	3,819	28	15	1	3	-	2	1	1	-
1989.....	4,631	4,578	31	5	4	3	1	3	1	2	1
1988.....	4,222	4,174	29	7	2	2	2	1	2	1	-
1987.....	4,354	4,322	17	5	2	5	-	1	-	2	-
1986.....	4,693	4,652	28	4	4	2	-	2	-	-	-
1985.....	5,225	5,178	32	2	1	3	2	5	1	1	-
1984.....	5,163	5,103	36	14	4	3	-	1	-	-	-
1983.....	5,371	5,326	33	2	2	1	2	3	1	-	1
1982.....	6,183	6,144	24	1	1	2	1	3	2	1	1
1981.....	6,677	6,642	20	7	1	4	-	1	-	-	-
1980.....	7,580	7,544	26	6	1	1	-	-	-	-	-
1979.....	8,017	7,980	20	3	2	2	3	2	-	1	1

## TOTAL, MALE

1998.....	1,131	1,111	10	-	3	2	1	-	-	-	-
1997.....	1,145	1,113	13	6	2	3	3	1	1	3	-
1996.....	1,181	1,161	7	3	3	2	1	1	-	2	-
1995.....	1,281	1,258	10	7	4	1	-	1	-	-	-
1994.....	1,414	1,383	15	4	3	4	2	-	1	-	-
1993.....	1,523	1,500	13	1	2	-	-	-	-	1	2
1992.....	1,699	1,673	15	4	5	-	-	-	1	-	-
1991.....	2,059	2,037	14	3	1	2	1	-	1	-	-
1990.....	2,311	2,282	19	6	-	1	-	2	-	-	-
1989.....	2,803	2,768	21	2	3	2	-	3	-	1	1
1988.....	2,508	2,478	14	7	1	2	1	1	2	-	-
1987.....	2,658	2,641	8	5	2	1	-	-	-	1	-
1986.....	2,791	2,772	15	1	-	1	-	2	-	-	-
1985.....	3,178	3,149	23	-	-	2	2	1	1	-	-
1984.....	3,071	3,039	20	8	1	1	-	1	-	-	-
1983.....	3,224	3,194	24	2	1	-	1	2	-	-	-
1982.....	3,695	3,673	14	1	1	1	1	1	2	-	-
1981.....	4,009	3,986	15	5	1	2	-	-	-	-	-
1980.....	4,503	4,482	15	3	1	1	-	-	-	-	-
1979.....	4,767	4,744	13	2	-	2	2	1	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)											
TOTAL, FEMALE											
1998.....	866	839	17	5	3	-	-	-	-	-	1
1997.....	845	825	10	2	3	2	-	-	1	-	-
1996.....	812	795	8	4	1	1	-	1	-	1	-
1995.....	887	872	10	2	2	-	-	-	-	-	-
1994.....	964	949	7	2	-	-	-	2	1	1	-
1993.....	1,095	1,080	8	2	2	1	-	-	2	-	-
1992.....	1,230	1,210	10	2	1	2	-	-	1	3	-
1991.....	1,358	1,335	14	4	2	1	1	-	-	-	1
1990.....	1,560	1,537	9	9	1	2	-	-	1	1	-
1989.....	1,828	1,810	10	3	1	1	1	-	1	1	-
1988.....	1,714	1,696	15	-	1	-	1	-	-	1	-
1987.....	1,696	1,681	9	-	-	4	-	1	-	1	-
1986.....	1,902	1,880	13	3	4	1	-	-	-	-	-
1985.....	2,047	2,029	9	2	1	1	-	4	-	1	-
1984.....	2,092	2,064	16	6	3	2	-	-	-	-	-
1983.....	2,147	2,132	9	-	1	1	1	1	1	-	1
1982.....	2,488	2,471	10	-	-	1	-	2	-	1	1
1981.....	2,668	2,656	5	2	-	2	-	1	-	-	-
1980.....	3,077	3,062	11	3	-	-	-	-	-	-	-
1979.....	3,250	3,236	7	1	2	-	1	1	-	1	-
WHITE, BOTH SEXES											
1998.....	1,323	1,292	19	4	3	-	-	-	-	-	1
1997.....	1,317	1,276	16	6	4	5	3	1	2	3	-
1996.....	1,310	1,280	11	5	4	3	1	1	-	3	-
1995.....	1,411	1,387	11	5	5	1	-	1	-	-	-
1994.....	1,556	1,525	15	3	2	1	2	1	2	1	-
1993.....	1,652	1,625	13	3	3	1	-	-	2	-	2
1992.....	1,898	1,867	13	6	5	2	-	-	1	2	-
1991.....	2,182	2,151	19	4	2	2	2	-	1	-	1
1990.....	2,498	2,455	23	11	1	3	-	2	1	1	-
1989.....	3,037	2,997	21	4	2	3	1	3	1	2	1
1988.....	2,861	2,823	21	7	2	2	1	1	2	1	-
1987.....	2,974	2,952	10	4	1	4	-	1	-	2	-
1986.....	3,303	3,268	23	3	4	2	-	2	-	-	-
1985.....	3,747	3,710	25	1	-	2	2	5	1	1	-
1984.....	3,700	3,656	26	11	2	2	-	1	-	-	-
1983.....	3,885	3,853	21	2	2	-	2	3	1	-	1
1982.....	4,485	4,452	19	1	1	2	1	3	2	1	1
1981.....	4,834	4,809	13	4	1	4	-	1	-	-	-
1980.....	5,503	5,473	20	6	1	1	-	-	-	-	-
1979.....	5,804	5,771	18	3	2	1	3	2	-	-	1

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
WHITE MALE												
1998.....	746	733	8	-	2	-	-	-	-	-	-	
1997.....	767	741	8	5	2	3	3	1	1	3	-	
1996.....	785	768	5	3	3	2	1	-	-	2	-	
1995.....	835	820	6	4	3	1	-	1	-	-	-	
1994.....	924	904	10	2	2	1	2	-	1	-	-	
1993.....	959	943	8	1	2	-	-	-	-	-	2	
1992.....	1,098	1,081	6	4	5	-	-	-	1	-	-	
1991.....	1,334	1,317	10	3	1	1	1	-	1	-	-	
1990.....	1,487	1,461	16	6	-	1	-	2	-	-	-	
1989.....	1,844	1,817	14	2	2	2	-	3	-	1	1	
1988.....	1,747	1,724	8	7	1	2	1	1	2	-	-	
1987.....	1,850	1,838	5	4	1	1	-	-	-	1	-	
1986.....	1,952	1,936	12	1	-	1	-	2	-	-	-	
1985.....	2,301	2,277	19	-	-	1	2	1	1	-	-	
1984.....	2,234	2,210	14	6	1	1	-	1	-	-	-	
1983.....	2,383	2,361	16	2	1	-	1	2	-	-	-	
1982.....	2,676	2,657	12	1	1	1	1	1	2	-	-	
1981.....	2,920	2,904	10	3	1	2	-	-	-	-	-	
1980.....	3,336	3,320	10	3	1	1	-	-	-	-	-	
1979.....	3,488	3,468	11	2	-	1	2	1	-	-	1	
WHITE FEMALE												
1998.....	577	559	11	4	1	-	-	-	-	-	1	
1997.....	550	535	8	1	2	2	-	-	1	-	-	
1996.....	525	512	6	2	1	1	-	1	-	1	-	
1995.....	576	567	5	1	2	-	-	-	-	-	-	
1994.....	632	621	5	1	-	-	-	1	1	1	-	
1993.....	693	682	5	2	1	1	-	-	2	-	-	
1992.....	800	786	7	2	-	2	-	-	-	2	-	
1991.....	848	834	9	1	1	1	1	-	-	-	1	
1990.....	1,011	994	7	5	1	2	-	-	1	1	-	
1989.....	1,193	1,180	7	2	-	1	1	-	1	1	-	
1988.....	1,114	1,099	13	-	1	-	-	-	-	1	-	
1987.....	1,124	1,114	5	-	-	3	-	1	-	1	-	
1986.....	1,351	1,332	11	2	4	1	-	-	-	-	-	
1985.....	1,446	1,433	6	1	-	1	-	4	-	1	-	
1984.....	1,466	1,446	12	5	1	1	-	-	-	-	-	
1983.....	1,502	1,492	5	-	1	-	1	1	1	-	1	
1982.....	1,809	1,795	7	-	-	1	-	2	-	1	1	
1981.....	1,914	1,905	3	1	-	2	-	1	-	-	-	
1980.....	2,167	2,153	10	3	-	-	-	-	-	-	-	
1979.....	2,316	2,303	7	1	2	-	1	1	-	-	-	

- CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

ALL OTHER, BOTH SEXES

1998.....	674	658	8	1	3	2	1	-	-	-	-
1997.....	673	662	7	2	1	-	-	-	-	-	-
1996.....	683	676	4	2	-	-	-	1	-	-	-
1995.....	757	743	9	4	1	-	-	-	-	-	-
1994.....	822	807	7	3	1	3	-	1	-	-	-
1993.....	966	955	8	-	1	-	-	-	-	1	-
1992.....	1,031	1,016	12	-	1	-	-	-	1	1	-
1991.....	1,235	1,221	9	3	1	1	-	-	-	-	-
1990.....	1,373	1,364	5	4	-	-	-	-	-	-	-
1989.....	1,594	1,581	10	1	2	-	-	-	-	-	-
1988.....	1,361	1,351	8	-	-	-	1	-	-	-	-
1987.....	1,380	1,370	7	1	1	1	-	-	-	-	-
1986.....	1,390	1,384	5	1	-	-	-	-	-	-	-
1985.....	1,478	1,468	7	1	1	1	-	-	-	-	-
1984.....	1,463	1,447	10	3	2	1	-	-	-	-	-
1983.....	1,486	1,473	12	-	-	1	-	-	-	-	-
1982.....	1,698	1,692	5	-	-	-	-	-	-	-	-
1981.....	1,843	1,833	7	3	-	-	-	-	-	-	-
1980.....	2,077	2,071	6	-	-	2	-	6	-	-	-
1979.....	2,213	2,209	2	-	-	1	-	-	-	1	-

ALL OTHER MALE

1998.....	385	378	2	-	1	2	1	-	-	-	-
1997.....	378	372	5	1	-	-	-	-	-	-	-
1996.....	396	393	2	-	-	-	-	1	-	-	-
1995.....	446	438	4	3	1	-	-	-	-	-	-
1994.....	490	479	5	2	1	3	-	-	-	-	-
1993.....	564	557	5	-	-	-	-	-	-	1	-
1992.....	601	592	9	-	-	-	-	-	-	-	-
1991.....	725	720	4	-	-	1	-	-	-	-	-
1990.....	824	821	3	-	-	-	-	-	-	-	-
1989.....	959	951	7	-	1	-	-	-	-	-	-
1988.....	761	754	6	-	-	-	-	-	-	-	-
1987.....	808	803	3	1	1	-	-	-	-	-	-
1986.....	839	836	3	-	-	-	-	-	-	-	-
1985.....	877	872	4	-	-	1	-	-	-	-	-
1984.....	837	829	6	2	-	-	-	-	-	-	-
1983.....	841	833	8	-	-	-	-	-	-	-	-
1982.....	1,019	1,016	2	-	-	-	-	-	-	-	-
1981.....	1,089	1,082	5	2	-	-	-	-	-	-	-
1980.....	1,167	1,162	5	-	-	-	-	-	-	-	-
1979.....	1,279	1,276	2	-	-	1	-	-	-	-	-

RACE, AND SEX: UNITED STATES, 1979-98  
 - CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44  
 RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

ALL OTHER FEMALE	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998.....	289	280	6	1	2	-	-	-	-	-	-
1997.....	295	290	2	1	1	-	-	-	-	-	-
1996.....	287	283	2	2	-	-	-	-	-	-	-
1995.....	311	305	5	1	-	-	-	-	-	-	-
1994.....	332	328	2	1	-	-	-	1	-	-	-
1993.....	402	398	3	-	1	-	-	-	-	-	-
1992.....	430	424	3	-	1	-	-	-	1	1	-
1991.....	510	501	5	3	1	-	-	-	-	-	-
1990.....	549	543	2	4	-	-	-	-	-	-	-
1989.....	635	630	3	1	1	-	-	-	-	-	-
1988.....	600	597	2	-	-	-	1	-	-	-	-
1987.....	572	567	4	-	-	1	-	-	-	-	-
1986.....	551	548	2	1	-	-	-	-	-	-	-
1985.....	601	596	3	1	1	-	-	-	-	-	-
1984.....	626	618	4	1	2	1	-	-	-	-	-
1983.....	645	640	4	-	-	1	-	-	-	-	-
1982.....	679	676	3	-	-	-	-	-	-	-	-
1981.....	754	751	2	1	-	-	-	-	-	-	-
1980.....	910	909	1	-	-	-	-	-	-	-	-
1979.....	934	933	-	-	-	-	-	-	-	1	-
BLACK, BOTH SEXES	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998.....	615	599	8	1	3	2	1	-	-	-	-
1997.....	614	603	7	2	1	-	-	-	-	-	-
1996.....	618	612	3	2	-	-	-	1	-	-	-
1995.....	687	673	9	4	1	-	-	-	-	-	-
1994.....	766	753	5	3	1	3	-	1	-	-	-
1993.....	909	900	6	-	1	-	-	-	-	1	-
1992.....	960	950	8	-	1	-	-	-	1	-	-
1991.....	1,167	1,155	9	2	1	-	-	-	-	-	-
1990.....	1,276	1,267	5	4	-	-	-	-	-	-	-
1989.....	1,467	1,456	10	-	1	-	-	-	-	-	-
1988.....	1,256	1,248	6	-	-	-	1	-	-	-	-
1987.....	1,294	1,285	7	1	-	1	-	-	-	-	-
1986.....	1,272	1,267	4	1	-	-	-	-	-	-	-
1985.....	1,373	1,364	6	1	1	1	-	-	-	-	-
1984.....	1,346	1,332	9	3	2	-	-	-	-	-	-
1983.....	1,374	1,361	12	-	-	1	-	-	-	-	-
1982.....	1,582	1,577	4	-	-	-	-	-	-	-	-
1981.....	1,712	1,703	6	3	-	-	-	-	-	-	-
1980.....	1,937	1,931	6	-	-	-	-	-	-	-	-
1979.....	2,067	2,063	2	-	-	1	-	-	-	1	-





- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	11,431	11,344	48	11	4	2	1	2	6	6	1
1997.....	11,102	10,997	52	19	5	6	4	1	3	2	1
1996.....	11,076	10,999	45	9	4	3	1	-	2	3	1
1995.....	11,303	11,198	67	13	3	2	2	4	2	3	1
1994.....	12,109	11,983	92	15	4	1	1	2	3	1	-
1993.....	12,479	12,366	79	8	5	4	1	4	2	-	2
1992.....	12,801	12,679	88	11	8	-	-	2	1	2	2
1991.....	13,364	13,219	112	11	6	1	4	1	1	1	3
1990.....	13,803	13,663	106	10	3	2	-	2	1	1	-
1989.....	14,121	13,986	103	12	2	2	1	1	1	2	1
1988.....	13,998	13,862	100	10	3	3	2	4	2	1	-
1987.....	13,868	13,748	104	7	-	-	1	-	1	1	1
1986.....	13,698	13,574	104	4	1	3	1	3	2	-	1
1985.....	14,021	13,890	107	7	3	2	3	-	1	1	1
1984.....	13,718	13,579	108	7	1	4	2	3	1	1	1
1983.....	13,939	13,831	79	7	2	2	2	1	2	-	1
1982.....	14,611	14,541	53	4	1	5	1	-	-	-	-
1981.....	14,949	14,868	57	6	3	-	2	-	1	-	-
1980.....	15,286	15,201	58	4	1	3	6	1	2	-	1
1979.....	15,431	15,342	55	2	1	1	1	-	1	3	-
TOTAL, MALE											
1998.....	6,365	6,318	27	4	4	2	-	1	2	3	1
1997.....	6,253	6,195	33	10	2	3	2	-	-	1	1
1996.....	6,122	6,069	37	5	2	1	1	-	2	1	1
1995.....	6,319	6,258	35	9	2	2	1	4	1	2	1
1994.....	6,742	6,674	52	6	2	-	1	1	2	1	-
1993.....	6,949	6,874	55	6	4	2	1	-	1	-	1
1992.....	7,118	7,054	47	8	3	-	-	-	-	-	2
1991.....	7,502	7,413	70	7	3	-	3	-	-	-	3
1990.....	7,745	7,654	72	6	2	1	-	1	-	-	-
1989.....	7,708	7,619	68	9	1	2	-	1	1	1	1
1988.....	7,885	7,802	65	6	2	2	1	-	1	-	-
1987.....	7,784	7,707	64	7	-	-	1	-	1	1	1
1986.....	7,772	7,693	68	2	-	2	1	2	2	-	-
1985.....	7,916	7,830	72	3	2	1	1	-	1	1	1
1984.....	7,588	7,508	64	4	1	2	-	2	1	1	-
1983.....	7,812	7,754	48	1	-	1	-	1	1	-	-
1982.....	8,181	8,138	33	2	-	3	-	-	-	-	-
1981.....	8,293	8,242	33	4	3	-	1	-	1	-	-
1980.....	8,548	8,502	31	1	1	3	4	-	1	-	-
1979.....	8,583	8,534	33	1	1	-	1	-	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)											
TOTAL, FEMALE											
1998.....	5,066	5,026	21	7	-	-	1	1	4	3	-
1997.....	4,849	4,802	19	9	3	3	2	1	3	1	-
1996.....	4,954	4,930	8	4	2	2	-	-	-	2	-
1995.....	4,984	4,940	32	4	1	-	1	-	1	1	-
1994.....	5,367	5,309	40	9	2	1	-	1	1	-	-
1993.....	5,530	5,492	24	2	1	2	-	4	1	-	1
1992.....	5,683	5,625	41	3	5	-	-	2	1	2	-
1991.....	5,862	5,806	42	4	3	1	1	1	1	1	-
1990.....	6,058	6,009	34	4	1	1	-	1	1	1	-
1989.....	6,413	6,367	35	3	1	-	1	-	-	1	-
1988.....	6,113	6,060	35	4	1	1	1	4	1	1	-
1987.....	6,084	6,041	40	-	-	-	-	-	-	-	-
1986.....	5,926	5,881	36	2	1	1	-	1	-	-	1
1985.....	6,105	6,060	35	4	1	1	2	-	-	-	-
1984.....	6,130	6,071	44	3	-	2	2	1	-	-	1
1983.....	6,127	6,077	31	6	2	1	2	-	1	-	1
1982.....	6,430	6,403	20	2	1	2	1	-	-	-	-
1981.....	6,656	6,626	24	2	-	-	1	-	-	-	-
1980.....	6,738	6,699	27	3	-	-	2	1	1	-	1
1979.....	6,848	6,808	22	1	-	1	-	-	1	1	-
WHITE, BOTH SEXES											
1998.....	6,806	6,751	29	6	2	1	1	2	3	5	1
1997.....	6,664	6,601	24	10	4	5	2	1	3	1	1
1996.....	6,654	6,610	22	7	2	2	1	-	1	2	1
1995.....	6,744	6,678	36	9	2	2	1	4	1	3	1
1994.....	7,006	6,934	46	10	4	1	1	1	2	1	-
1993.....	7,179	7,107	45	6	5	2	1	4	2	-	2
1992.....	7,270	7,191	51	10	6	-	-	2	1	1	2
1991.....	7,707	7,620	69	3	5	1	-	-	1	1	2
1990.....	8,008	7,923	58	6	3	2	-	1	1	1	-
1989.....	8,269	8,184	64	8	-	2	-	1	-	2	1
1988.....	8,331	8,237	65	8	2	3	1	4	2	1	-
1987.....	8,438	8,348	76	6	-	-	1	-	1	1	1
1986.....	8,511	8,423	72	4	1	3	1	1	1	-	1
1985.....	8,887	8,810	60	6	1	2	3	-	-	1	1
1984.....	8,771	8,675	68	6	1	3	2	3	1	1	1
1983.....	8,931	8,862	52	3	2	-	2	1	2	-	1
1982.....	9,447	9,396	38	3	1	5	1	-	-	-	-
1981.....	9,717	9,663	36	6	3	-	2	-	-	-	-
1980.....	9,954	9,894	40	2	-	3	6	-	2	-	1
1979.....	10,230	10,162	41	1	1	-	1	-	1	3	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)											
WHITE MALE											
1998.....	3,777	3,748	17	2	2	1	-	1	1	2	1
1997.....	3,771	3,738	14	6	2	2	1	-	-	1	1
1996.....	3,661	3,633	18	3	-	1	1	-	1	1	1
1995.....	3,841	3,804	17	5	1	2	1	4	-	2	1
1994.....	3,905	3,865	28	4	2	-	1	-	2	1	-
1993.....	3,997	3,948	31	6	4	1	1	-	1	-	1
1992.....	4,030	3,987	30	7	2	-	-	-	-	-	2
1991.....	4,320	4,270	41	2	2	-	-	-	-	-	2
1990.....	4,568	4,514	39	4	2	1	-	-	-	-	-
1989.....	4,582	4,522	46	6	-	2	-	1	-	1	1
1988.....	4,738	4,683	40	5	1	2	1	-	1	-	-
1987.....	4,710	4,653	45	6	-	-	1	-	1	1	1
1986.....	4,863	4,807	48	2	-	2	1	1	1	-	-
1985.....	5,103	5,052	42	3	1	1	1	-	-	1	1
1984.....	4,901	4,845	41	4	1	1	-	2	1	1	-
1983.....	5,034	4,997	31	1	-	-	-	1	1	-	-
1982.....	5,327	5,302	19	1	-	3	-	-	-	-	-
1981.....	5,460	5,422	24	4	3	-	1	-	-	-	-
1980.....	5,609	5,575	21	1	-	3	4	-	1	-	-
1979.....	5,774	5,735	27	-	1	-	1	-	-	2	-
WHITE FEMALE											
1998.....	3,029	3,003	12	4	-	-	1	1	2	3	-
1997.....	2,893	2,863	10	4	2	3	1	1	3	-	-
1996.....	2,993	2,977	4	4	2	1	-	-	-	1	-
1995.....	2,903	2,874	19	4	1	-	-	-	1	1	-
1994.....	3,101	3,069	18	6	2	1	-	1	-	-	-
1993.....	3,182	3,159	14	-	1	1	-	4	1	-	1
1992.....	3,240	3,204	21	3	4	-	-	2	1	1	-
1991.....	3,387	3,350	28	1	3	1	-	-	1	1	-
1990.....	3,440	3,409	19	2	1	1	-	1	1	1	-
1989.....	3,687	3,662	18	2	-	-	-	-	-	1	-
1988.....	3,593	3,554	25	3	1	1	-	4	1	1	-
1987.....	3,728	3,695	31	-	-	-	-	-	-	-	-
1986.....	3,648	3,616	24	2	1	1	-	-	-	-	1
1985.....	3,784	3,758	18	3	-	1	2	-	-	-	-
1984.....	3,870	3,830	27	2	-	2	2	1	-	-	1
1983.....	3,897	3,865	21	2	2	-	2	-	1	-	1
1982.....	4,120	4,094	19	2	1	2	1	-	-	-	-
1981.....	4,257	4,241	12	2	-	-	1	-	-	-	-
1980.....	4,345	4,319	19	1	-	-	2	-	1	-	1
1979.....	4,456	4,427	14	1	-	-	-	-	1	1	-

RACE, AND SEX:		UNITED STATES, 1979-98									
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)											
ALL OTHER, BOTH SEXES											
1998.....	4,625	4,593	19	5	2	1	-	-	3	1	-
1997.....	4,438	4,396	28	9	1	1	2	-	-	1	-
1996.....	4,422	4,389	23	2	2	1	-	-	1	1	-
1995.....	4,559	4,520	31	4	1	-	1	-	1	-	-
1994.....	5,103	5,049	46	5	-	-	-	1	1	-	-
1993.....	5,300	5,259	34	2	-	2	-	-	-	-	-
1992.....	5,531	5,488	37	1	2	-	-	-	-	1	-
1991.....	5,657	5,599	43	8	1	-	4	1	-	-	1
1990.....	5,795	5,740	48	4	-	-	-	1	-	-	-
1989.....	5,852	5,802	39	4	2	-	1	-	1	-	-
1988.....	5,667	5,625	35	2	1	-	1	-	-	-	-
1987.....	5,430	5,400	28	1	-	-	-	-	-	-	-
1986.....	5,187	5,151	32	-	-	-	-	2	1	-	-
1985.....	5,134	5,080	47	1	2	-	-	-	1	-	-
1984.....	4,947	4,904	40	1	-	1	-	-	-	-	-
1983.....	5,008	4,969	27	4	-	2	-	-	-	-	-
1982.....	5,164	5,145	15	1	-	-	-	-	-	-	-
1981.....	5,232	5,205	21	-	-	-	-	-	1	-	-
1980.....	5,332	5,307	18	2	1	-	-	1	-	-	-
1979.....	5,201	5,180	14	1	-	1	-	-	-	-	-
ALL OTHER MALE											
1998.....	2,588	2,570	10	2	2	1	-	-	1	1	-
1997.....	2,482	2,457	19	4	-	1	1	-	-	-	-
1996.....	2,461	2,436	19	2	2	-	-	-	1	-	-
1995.....	2,478	2,454	18	4	1	-	-	-	1	-	-
1994.....	2,837	2,809	24	2	-	-	-	1	-	-	-
1993.....	2,952	2,926	24	-	-	1	-	-	-	-	-
1992.....	3,088	3,067	17	1	1	-	-	-	-	-	-
1991.....	3,182	3,143	29	5	1	-	3	-	-	-	1
1990.....	3,177	3,140	33	2	-	-	-	1	-	-	-
1989.....	3,126	3,097	22	3	1	-	-	-	1	-	-
1988.....	3,147	3,119	25	1	1	-	-	-	-	-	-
1987.....	3,074	3,054	19	1	-	-	-	-	-	-	-
1986.....	2,909	2,886	20	-	-	-	-	1	1	-	-
1985.....	2,813	2,778	30	-	1	-	-	-	1	-	-
1984.....	2,687	2,663	23	-	-	1	-	-	-	-	-
1983.....	2,778	2,757	17	-	-	1	-	-	-	-	-
1982.....	2,854	2,836	14	1	-	-	-	-	-	-	-
1981.....	2,833	2,820	9	-	-	-	-	-	1	-	-
1980.....	2,939	2,927	10	-	1	-	-	-	-	-	-
1979.....	2,809	2,799	6	1	-	-	-	-	-	-	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)											
ALL OTHER FEMALE											
1998.....	2,037	2,023	9	3	-	-	-	-	2	-	-
1997.....	1,956	1,939	9	5	1	-	1	-	-	1	-
1996.....	1,961	1,953	4	-	-	1	-	-	-	1	-
1995.....	2,081	2,066	13	-	-	-	1	-	-	-	-
1994.....	2,266	2,240	22	3	-	-	-	-	1	-	-
1993.....	2,348	2,333	10	2	-	1	-	-	-	-	-
1992.....	2,443	2,421	20	-	1	-	-	-	-	1	-
1991.....	2,475	2,456	14	3	-	-	1	1	-	-	-
1990.....	2,618	2,600	15	2	-	-	-	-	-	-	-
1989.....	2,726	2,705	17	1	1	-	1	-	-	-	-
1988.....	2,520	2,506	10	1	-	-	1	-	-	-	-
1987.....	2,356	2,346	9	-	-	-	-	-	-	-	-
1986.....	2,278	2,265	12	-	-	-	-	1	-	-	-
1985.....	2,321	2,302	17	1	1	-	-	-	-	-	-
1984.....	2,260	2,241	17	1	-	-	-	-	-	-	-
1983.....	2,230	2,212	10	4	-	1	-	-	-	-	-
1982.....	2,310	2,309	1	-	-	-	-	-	-	-	-
1981.....	2,399	2,385	12	-	-	-	-	-	-	-	-
1980.....	2,393	2,380	8	2	-	-	-	1	-	-	-
1979.....	2,392	2,381	8	-	-	1	-	-	-	-	-
BLACK, BOTH SEXES											
1998.....	4,226	4,197	18	5	1	-	-	-	3	1	-
1997.....	4,100	4,061	27	7	1	1	2	-	-	1	-
1996.....	4,093	4,067	19	1	1	-	-	-	1	1	-
1995.....	4,265	4,232	26	4	1	-	1	-	1	-	-
1994.....	4,749	4,702	41	3	-	-	-	1	1	-	-
1993.....	4,982	4,944	32	2	-	1	-	-	-	-	-
1992.....	5,216	5,175	35	1	2	-	-	-	-	1	-
1991.....	5,345	5,292	41	6	-	-	4	1	-	-	1
1990.....	5,468	5,421	43	3	-	-	-	-	-	-	-
1989.....	5,498	5,451	37	3	2	-	1	-	1	-	-
1988.....	5,358	5,318	33	2	1	-	1	-	-	-	-
1987.....	5,079	5,051	27	1	-	-	-	-	-	-	-
1986.....	4,877	4,842	31	-	-	-	-	2	1	-	-
1985.....	4,823	4,776	40	1	2	-	-	-	1	-	-
1984.....	4,656	4,618	35	1	-	1	-	-	-	-	-
1983.....	4,726	4,690	25	3	-	2	-	-	-	-	-
1982.....	4,882	4,866	14	1	-	-	-	-	-	-	-
1981.....	4,946	4,920	21	-	-	-	-	-	1	-	-
1980.....	5,024	5,002	17	2	-	-	-	1	-	-	-
1979.....	4,957	4,939	12	1	-	-	-	-	-	-	-



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
	YEAR	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	25,992	3,658	219	74	82	234	324	423	635	914	1,052
1997.....	25,752	3,773	241	79	92	280	371	488	659	955	1,099
1996.....	26,190	3,883	283	72	100	264	423	514	756	1,022	1,128
1995.....	27,283	4,381	315	102	105	295	463	643	957	1,219	1,327
1994.....	25,245	4,942	268	75	79	226	411	519	794	1,042	1,000
1993.....	26,540	5,659	297	93	101	208	408	569	921	1,106	1,064
1992.....	23,430	5,838	258	51	77	210	424	576	857	926	838
1991.....	24,342	6,268	336	66	76	225	434	705	912	1,039	934
1990.....	24,137	6,409	270	50	73	239	472	736	957	1,091	924
1989.....	26,988	6,627	285	90	91	244	492	857	1,112	1,211	1,020
1988.....	30,951	6,486	298	84	84	290	562	943	1,174	1,242	956
1987.....	31,261	6,137	305	87	72	264	616	976	1,254	1,227	939
1986.....	31,390	6,038	317	59	87	282	588	795	1,050	976	787
1985.....	30,960	5,945	277	56	60	266	484	774	881	805	685
1984.....	29,721	5,874	259	47	55	246	477	634	809	666	639
1983.....	29,628	5,927	290	64	64	258	515	723	704	645	619
1982.....	29,814	5,933	269	67	80	338	623	821	824	680	712
1981.....	29,472	5,954	280	75	85	312	604	763	738	630	626
1980.....	28,808	6,088	288	71	80	303	578	657	609	531	609
1979.....	27,578	5,899	259	56	67	322	563	607	608	532	609
TOTAL, MALE											
1998.....	12,766	2,193	119	36	44	158	238	290	421	608	688
1997.....	13,065	2,268	146	46	45	197	260	347	437	649	750
1996.....	13,348	2,308	159	37	57	172	298	339	501	682	768
1995.....	14,244	2,578	168	60	68	209	332	449	654	819	918
1994.....	13,182	2,973	159	51	44	160	273	350	549	714	695
1993.....	14,179	3,463	162	40	63	124	285	405	644	783	759
1992.....	12,580	3,507	144	27	47	134	303	399	607	637	580
1991.....	13,407	3,823	195	35	38	147	311	467	659	752	651
1990.....	13,533	3,910	144	28	50	162	323	514	665	778	664
1989.....	15,205	4,025	155	51	50	151	344	580	806	891	721
1988.....	16,969	3,861	169	47	54	192	382	649	856	858	632
1987.....	17,440	3,685	161	54	42	170	433	678	876	859	645
1986.....	17,587	3,652	175	43	54	171	393	549	770	684	547
1985.....	17,470	3,643	166	33	30	156	318	537	596	588	453
1984.....	16,711	3,554	138	25	36	151	312	449	545	460	430
1983.....	16,666	3,483	162	43	40	166	349	480	475	435	403
1982.....	17,060	3,541	153	43	54	212	415	559	597	456	451
1981.....	17,127	3,553	168	48	49	191	383	523	492	412	407
1980.....	16,465	3,579	170	34	45	194	389	458	409	336	374
1979.....	16,012	3,517	131	30	40	201	387	440	384	332	384



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	13,226	1,465	100	38	38	76	86	133	214	306	364
1997.....	12,687	1,505	95	33	47	83	111	141	222	306	349
1996.....	12,842	1,575	124	35	43	92	125	175	255	340	360
1995.....	13,039	1,803	147	42	37	86	131	194	303	400	409
1994.....	12,063	1,969	109	24	35	66	138	169	245	328	305
1993.....	12,361	2,196	135	53	38	84	123	164	277	323	305
1992.....	10,850	2,331	114	24	30	76	121	177	250	289	258
1991.....	10,935	2,445	141	31	38	78	123	238	253	287	283
1990.....	10,604	2,499	126	22	23	77	149	222	292	313	260
1989.....	11,783	2,602	130	39	41	93	148	277	306	320	299
1988.....	13,982	2,625	129	37	30	98	180	294	318	384	324
1987.....	13,821	2,452	144	33	30	94	183	298	378	368	294
1986.....	13,803	2,386	142	16	33	111	195	246	280	292	240
1985.....	13,490	2,302	111	23	30	110	166	237	285	217	232
1984.....	13,010	2,320	121	22	19	95	165	185	264	206	209
1983.....	12,962	2,444	128	21	24	92	166	243	229	210	216
1982.....	12,754	2,392	116	24	26	126	208	262	227	224	261
1981.....	12,345	2,401	112	27	36	121	221	240	246	218	219
1980.....	12,343	2,509	118	37	35	109	189	199	200	195	235
1979.....	11,566	2,382	128	26	27	121	176	167	224	200	225
WHITE, BOTH SEXES											
1998.....	21,041	2,315	141	53	54	168	234	301	467	685	788
1997.....	20,790	2,428	159	48	71	210	268	341	482	705	822
1996.....	21,126	2,466	195	49	73	185	296	390	549	753	803
1995.....	21,837	2,859	211	73	76	200	337	471	710	917	977
1994.....	19,835	3,170	168	52	52	139	273	365	564	741	669
1993.....	20,529	3,652	185	66	69	137	277	398	632	755	694
1992.....	17,959	3,778	168	31	50	133	286	375	590	628	577
1991.....	18,499	4,075	225	43	52	158	276	462	619	693	616
1990.....	18,058	4,161	168	35	42	174	330	485	636	675	625
1989.....	20,597	4,323	173	51	63	170	349	584	744	795	709
1988.....	24,060	4,342	207	49	57	209	402	662	772	766	654
1987.....	24,184	4,168	195	59	48	192	424	674	819	788	681
1986.....	24,304	4,138	209	40	59	208	449	562	720	648	515
1985.....	23,836	4,118	179	38	41	196	364	526	587	548	469
1984.....	22,796	4,053	173	33	38	185	350	449	567	429	439
1983.....	22,387	3,981	177	53	38	200	381	550	490	442	414
1982.....	22,376	4,026	182	39	55	256	453	603	553	454	468
1981.....	22,036	4,089	165	47	60	247	449	557	474	418	417
1980.....	20,902	4,070	206	40	54	241	423	455	432	329	371
1979.....	19,898	3,835	174	42	49	248	400	409	404	343	392

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	10,045	1,409	73	27	30	114	174	212	320	461	523
1997.....	10,244	1,500	101	27	37	145	191	248	320	481	556
1996.....	10,516	1,490	114	23	42	125	217	263	364	516	554
1995.....	11,126	1,711	104	40	50	140	242	342	497	631	684
1994.....	10,022	1,932	102	38	30	94	183	250	398	523	458
1993.....	10,631	2,260	102	30	45	79	200	293	454	548	494
1992.....	9,424	2,335	94	16	32	83	206	265	431	442	402
1991.....	10,069	2,623	129	23	29	98	204	304	453	508	433
1990.....	9,951	2,620	96	18	30	120	221	344	456	501	431
1989.....	11,361	2,685	96	24	35	113	250	409	543	579	502
1988.....	12,947	2,680	119	24	35	145	288	463	579	544	427
1987.....	13,322	2,559	103	41	30	125	306	477	591	560	460
1986.....	13,465	2,566	118	29	37	136	311	398	543	455	350
1985.....	13,340	2,608	109	24	22	116	246	387	404	409	303
1984.....	12,682	2,541	88	19	26	114	237	322	392	295	295
1983.....	12,525	2,393	100	32	25	134	259	366	328	291	271
1982.....	12,753	2,462	112	27	38	170	312	417	400	295	296
1981.....	12,786	2,516	95	28	35	157	286	391	318	274	266
1980.....	11,992	2,468	126	19	31	154	289	323	282	213	222
1979.....	11,599	2,364	94	25	30	154	280	296	251	206	250
WHITE FEMALE											
1998.....	10,996	906	68	26	24	54	60	89	147	224	265
1997.....	10,546	928	58	21	34	65	77	93	162	224	266
1996.....	10,610	976	81	26	31	60	79	127	185	237	249
1995.....	10,711	1,148	107	33	26	60	95	129	213	286	293
1994.....	9,813	1,238	66	14	22	45	90	115	166	218	211
1993.....	9,898	1,392	83	36	24	58	77	105	178	207	200
1992.....	8,535	1,443	74	15	18	50	80	110	159	186	175
1991.....	8,430	1,452	96	20	23	60	72	158	166	185	183
1990.....	8,107	1,541	72	17	12	54	109	141	180	174	194
1989.....	9,236	1,638	77	27	28	57	99	175	201	216	207
1988.....	11,113	1,662	88	25	22	64	114	199	193	222	227
1987.....	10,862	1,609	92	18	18	67	118	197	228	228	221
1986.....	10,839	1,572	91	11	22	72	138	164	177	193	165
1985.....	10,496	1,510	70	14	19	80	118	139	183	139	166
1984.....	10,114	1,512	85	14	12	71	113	127	175	134	144
1983.....	9,862	1,588	77	21	13	66	122	184	162	151	143
1982.....	9,623	1,564	70	12	17	86	141	186	153	159	172
1981.....	9,250	1,573	70	19	25	90	163	166	156	144	151
1980.....	8,910	1,602	80	21	23	87	134	132	150	116	149
1979.....	8,299	1,471	80	17	19	94	120	113	153	137	142

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	4,951	1,343	78	21	28	66	90	122	168	229	264
1997.....	4,962	1,345	82	31	21	70	103	147	177	250	277
1996.....	5,064	1,417	88	23	27	79	127	124	207	269	325
1995.....	5,446	1,522	104	29	29	95	126	172	247	302	350
1994.....	5,410	1,772	100	23	27	87	138	154	230	301	331
1993.....	6,011	2,007	112	27	32	71	131	171	289	351	370
1992.....	5,471	2,060	90	20	27	77	138	201	267	298	261
1991.....	5,843	2,193	111	23	24	67	158	243	293	346	318
1990.....	6,079	2,248	102	15	31	65	142	251	321	416	299
1989.....	6,391	2,304	112	39	28	74	143	273	368	416	311
1988.....	6,891	2,144	91	35	27	81	160	281	402	476	302
1987.....	7,077	1,969	110	28	24	72	192	302	435	439	258
1986.....	7,086	1,900	108	19	28	74	139	233	330	328	272
1985.....	7,124	1,827	98	18	19	70	120	248	294	257	216
1984.....	6,925	1,821	86	14	17	61	127	185	242	237	200
1983.....	7,241	1,946	113	11	26	58	134	173	214	203	205
1982.....	7,438	1,907	87	28	25	82	170	218	271	226	244
1981.....	7,436	1,865	115	28	25	65	155	206	264	212	209
1980.....	7,906	2,018	82	31	26	62	155	202	177	202	238
1979.....	7,680	2,064	85	14	18	74	163	198	204	189	217
ALL OTHER MALE											
1998.....	2,721	784	46	9	14	44	64	78	101	147	165
1997.....	2,821	768	45	19	8	52	69	99	117	168	194
1996.....	2,832	818	45	14	15	47	81	76	137	166	214
1995.....	3,118	867	64	20	18	69	90	107	157	188	234
1994.....	3,160	1,041	57	13	14	66	90	100	151	191	237
1993.....	3,548	1,203	60	10	18	45	85	112	190	235	265
1992.....	3,156	1,172	50	11	15	51	97	134	176	195	178
1991.....	3,338	1,200	66	12	9	49	107	163	206	244	218
1990.....	3,582	1,290	48	10	20	42	102	170	209	277	233
1989.....	3,844	1,340	59	27	15	38	94	171	263	312	219
1988.....	4,022	1,181	50	23	19	47	94	186	277	314	205
1987.....	4,118	1,126	58	13	12	45	127	201	285	299	185
1986.....	4,122	1,086	57	14	17	35	82	151	227	229	197
1985.....	4,130	1,035	57	9	8	40	72	150	192	179	150
1984.....	4,029	1,013	50	6	10	37	75	127	153	165	135
1983.....	4,141	1,090	62	11	15	32	90	114	147	144	132
1982.....	4,307	1,079	41	16	16	42	103	142	197	161	155
1981.....	4,341	1,037	73	20	14	34	97	132	174	138	141
1980.....	4,473	1,111	44	15	14	40	100	135	127	123	152
1979.....	4,413	1,153	37	5	10	47	107	144	133	126	134

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
ALL OTHER FEMALE											
1998.....	2,230	559	32	12	14	22	26	44	67	82	99
1997.....	2,141	577	37	12	13	18	34	48	60	82	83
1996.....	2,232	599	43	9	12	32	46	48	70	103	111
1995.....	2,328	655	40	9	11	26	36	65	90	114	116
1994.....	2,250	731	43	10	13	21	48	54	79	110	94
1993.....	2,463	804	52	17	14	26	46	59	99	116	105
1992.....	2,315	888	40	9	12	26	41	67	91	103	83
1991.....	2,505	993	45	11	15	18	51	80	87	102	100
1990.....	2,497	958	54	5	11	23	40	81	112	139	66
1989.....	2,547	964	53	12	13	36	49	102	105	104	92
1988.....	2,869	963	41	12	8	34	66	95	125	162	97
1987.....	2,959	843	52	15	12	27	65	101	150	140	73
1986.....	2,964	814	51	5	11	39	57	82	103	99	75
1985.....	2,994	792	41	9	11	30	48	98	102	78	66
1984.....	2,896	808	36	8	7	24	52	58	89	72	65
1983.....	3,100	856	51	-	11	26	44	59	67	59	73
1982.....	3,131	828	46	12	9	40	67	76	74	65	89
1981.....	3,095	828	42	8	11	31	58	74	90	74	68
1980.....	3,433	907	38	16	12	22	55	67	50	79	86
1979.....	3,267	911	48	9	8	27	56	54	71	63	83
BLACK, BOTH SEXES											
1998.....	4,481	1,198	66	18	28	63	79	108	146	205	244
1997.....	4,505	1,206	77	26	20	65	91	133	154	230	257
1996.....	4,607	1,267	80	20	26	68	109	109	190	250	307
1995.....	4,958	1,377	91	26	24	82	110	158	225	274	326
1994.....	4,895	1,558	90	20	23	80	124	136	205	279	308
1993.....	5,499	1,802	105	24	28	66	117	151	265	321	345
1992.....	4,976	1,837	77	18	26	69	125	179	252	278	247
1991.....	5,306	1,963	100	17	23	59	138	217	275	328	290
1990.....	5,505	2,014	91	12	30	57	123	221	284	387	273
1989.....	5,835	2,017	98	33	25	61	130	247	340	385	299
1988.....	6,353	1,918	80	32	22	69	145	257	363	458	280
1987.....	6,562	1,762	99	22	19	64	171	270	412	413	247
1986.....	6,642	1,711	98	19	24	68	128	217	314	310	259
1985.....	6,626	1,606	84	16	19	64	113	232	280	238	204
1984.....	6,511	1,657	73	13	15	54	121	164	226	224	189
1983.....	6,787	1,748	100	9	21	49	121	169	197	189	194
1982.....	6,938	1,713	83	23	22	71	159	193	253	212	229
1981.....	6,886	1,686	106	19	22	48	131	184	231	195	196
1980.....	7,461	1,852	76	24	20	59	141	186	167	191	229
1979.....	7,242	1,879	77	12	18	63	154	178	194	176	207

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	2,451	697	39	8	14	43	56	67	83	132	151
1997.....	2,560	694	43	15	7	47	64	91	100	152	183
1996.....	2,564	722	43	14	14	41	68	64	125	153	200
1995.....	2,839	788	59	18	15	63	80	94	139	171	220
1994.....	2,839	919	50	12	11	62	81	86	132	177	219
1993.....	3,235	1,081	56	10	17	43	74	97	170	216	247
1992.....	2,856	1,040	44	10	15	45	84	117	163	182	168
1991.....	3,020	1,067	59	9	9	45	94	142	191	228	200
1990.....	3,215	1,140	45	8	19	36	88	142	187	256	214
1989.....	3,496	1,160	52	22	12	35	85	154	240	293	210
1988.....	3,692	1,050	47	22	16	42	83	170	248	303	191
1987.....	3,817	1,004	53	11	11	40	112	178	269	285	178
1986.....	3,865	974	54	14	13	32	75	140	216	216	188
1985.....	3,829	913	48	8	8	35	65	137	183	167	140
1984.....	3,784	925	41	5	10	32	72	111	141	159	127
1983.....	3,879	988	55	9	13	27	79	111	135	135	126
1982.....	4,014	967	41	13	14	34	95	126	183	150	146
1981.....	3,982	929	67	13	12	21	77	118	149	128	130
1980.....	4,214	1,020	40	11	10	37	89	123	120	118	147
1979.....	4,163	1,059	32	5	10	40	102	129	125	115	128
BLACK FEMALE											
1998.....	2,030	501	27	10	14	20	23	41	63	73	93
1997.....	1,945	512	34	11	13	18	27	42	54	78	74
1996.....	2,043	545	37	6	12	27	41	45	65	97	107
1995.....	2,119	589	32	8	9	19	30	64	86	103	106
1994.....	2,056	639	40	8	12	18	43	50	73	102	89
1993.....	2,264	721	49	14	11	23	43	54	95	105	98
1992.....	2,120	797	33	8	11	24	41	62	89	96	79
1991.....	2,286	896	41	8	14	14	44	75	84	100	90
1990.....	2,290	874	46	4	11	21	35	79	97	131	59
1989.....	2,339	857	46	11	13	26	45	93	100	92	89
1988.....	2,661	868	33	10	6	27	62	87	115	155	89
1987.....	2,745	758	46	11	8	24	59	92	143	128	69
1986.....	2,777	737	44	5	11	36	53	77	98	94	71
1985.....	2,797	693	36	8	11	29	48	95	97	71	64
1984.....	2,727	732	32	8	5	22	49	53	85	65	62
1983.....	2,908	760	45	-	8	22	42	58	62	54	68
1982.....	2,924	746	42	10	8	37	64	67	70	62	83
1981.....	2,904	757	39	6	10	27	54	66	82	67	66
1980.....	3,247	832	36	13	10	22	52	63	47	73	82
1979.....	3,079	820	45	7	8	23	52	49	69	61	79

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER DISEASES (RESIDUAL)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	247,644	1,328	716	440	494	779	949	1,266	2,023	3,375	4,886
1997.....	235,435	1,328	738	451	491	764	1,009	1,317	2,115	3,373	4,810
1996.....	223,540	1,340	800	474	480	744	966	1,369	2,166	3,466	4,662
1995.....	214,121	1,308	836	446	565	762	1,023	1,337	2,283	3,559	4,736
1994.....	203,939	1,353	822	473	530	750	960	1,387	2,367	3,436	4,472
1993.....	195,584	1,496	929	505	558	723	993	1,435	2,323	3,504	4,424
1992.....	180,901	1,517	907	481	523	711	1,002	1,494	2,317	3,478	4,238
1991.....	177,873	1,723	879	524	525	716	1,012	1,477	2,297	3,330	4,085
1990.....	172,891	1,655	864	517	513	756	986	1,530	2,378	3,158	3,707
1989.....	171,472	1,623	892	509	553	810	1,114	1,618	2,542	3,203	3,725
1988.....	167,935	1,660	876	493	450	754	1,076	1,691	2,541	3,371	3,484
1987.....	160,673	1,639	867	481	419	793	1,132	1,665	2,528	3,216	3,259
1986.....	158,102	1,689	921	453	520	853	1,356	2,497	3,933	4,430	3,971
1985.....	149,685	1,810	972	505	510	826	1,261	2,144	3,186	3,523	3,350
1984.....	137,497	1,798	940	508	557	873	1,300	1,814	2,457	2,778	3,070
1983.....	130,087	1,883	1,014	530	539	963	1,248	1,763	2,223	2,424	2,774
1982.....	120,029	1,815	981	539	560	961	1,285	1,627	2,030	2,201	2,537
1981.....	117,795	1,949	1,062	548	624	1,020	1,345	1,693	2,061	2,205	2,725
1980.....	115,292	2,096	975	652	642	1,074	1,437	1,672	2,050	2,250	2,633
1979.....	107,385	2,166	1,048	618	620	1,084	1,398	1,701	1,911	2,120	2,645
TOTAL, MALE											
1998.....	104,589	730	374	238	282	449	561	716	1,170	1,999	2,923
1997.....	100,435	768	412	233	288	457	570	732	1,195	1,997	2,927
1996.....	96,646	786	436	283	254	463	551	803	1,303	2,090	2,956
1995.....	93,605	730	465	246	287	469	604	763	1,401	2,210	2,937
1994.....	90,194	787	444	279	298	450	560	801	1,436	2,144	2,830
1993.....	87,271	838	509	279	311	438	595	859	1,406	2,148	2,802
1992.....	82,152	888	472	265	286	445	568	909	1,402	2,219	2,693
1991.....	81,082	994	456	271	298	420	592	901	1,394	2,066	2,597
1990.....	79,020	952	495	302	266	456	577	901	1,450	2,028	2,362
1989.....	79,288	930	504	259	310	498	645	935	1,625	2,099	2,352
1988.....	78,490	935	483	238	239	472	658	978	1,628	2,245	2,257
1987.....	75,661	922	482	258	223	494	658	986	1,633	2,066	2,005
1986.....	78,129	972	508	245	299	509	878	1,718	2,891	3,247	2,758
1985.....	73,510	1,001	524	267	300	493	776	1,417	2,209	2,432	2,295
1984.....	67,304	1,032	512	273	306	509	792	1,107	1,631	1,786	1,934
1983.....	64,336	1,038	569	281	274	580	752	1,065	1,419	1,488	1,675
1982.....	59,392	1,047	510	269	309	580	738	1,006	1,243	1,359	1,512
1981.....	58,974	1,117	591	297	311	592	788	989	1,221	1,341	1,614
1980.....	58,514	1,189	542	325	348	639	846	1,031	1,215	1,323	1,534
1979.....	55,248	1,242	577	306	326	673	823	988	1,128	1,218	1,548

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER DISEASES (RESIDUAL)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	143,055	598	342	202	212	330	388	550	853	1,376	1,963
1997.....	135,000	560	326	218	203	307	439	585	920	1,376	1,883
1996.....	126,894	554	364	191	226	281	415	566	863	1,376	1,706
1995.....	120,516	578	371	200	278	293	419	574	882	1,349	1,799
1994.....	113,745	566	378	194	232	300	400	586	931	1,292	1,642
1993.....	108,313	658	420	226	247	285	398	576	917	1,356	1,622
1992.....	98,749	629	435	216	237	266	434	585	915	1,259	1,545
1991.....	96,791	729	423	253	227	296	420	576	903	1,264	1,488
1990.....	93,871	703	369	215	247	300	409	629	928	1,130	1,345
1989.....	92,184	693	388	250	243	312	469	683	917	1,104	1,373
1988.....	89,445	725	393	255	211	282	418	713	913	1,126	1,227
1987.....	85,012	717	385	223	196	299	474	679	895	1,150	1,254
1986.....	79,973	717	413	208	221	344	478	779	1,042	1,183	1,213
1985.....	76,175	809	448	238	210	333	485	727	977	1,091	1,055
1984.....	70,193	766	428	235	251	364	508	707	826	992	1,136
1983.....	65,751	845	445	249	265	383	496	698	804	936	1,099
1982.....	60,637	768	471	270	251	381	547	621	787	842	1,025
1981.....	58,821	832	471	251	313	428	557	704	840	864	1,111
1980.....	56,778	907	433	327	294	435	591	641	835	927	1,099
1979.....	52,137	924	471	312	294	411	575	713	783	902	1,097
WHITE, BOTH SEXES											
1998.....	217,822	938	519	330	366	606	707	875	1,391	2,438	3,486
1997.....	207,175	929	553	333	370	582	736	906	1,464	2,353	3,500
1996.....	196,175	942	572	364	373	590	689	977	1,513	2,393	3,264
1995.....	187,233	920	596	331	441	601	727	940	1,606	2,444	3,285
1994.....	178,038	946	583	358	391	577	707	971	1,640	2,403	3,105
1993.....	170,188	1,003	654	388	436	560	710	1,000	1,617	2,372	3,054
1992.....	156,775	1,041	666	350	404	546	732	1,056	1,603	2,388	2,914
1991.....	153,917	1,180	621	408	415	536	735	1,030	1,517	2,250	2,821
1990.....	148,904	1,141	633	407	399	596	740	1,049	1,542	2,077	2,468
1989.....	147,014	1,083	670	400	427	618	832	1,163	1,617	2,049	2,502
1988.....	144,073	1,113	664	379	337	580	768	1,174	1,663	2,090	2,343
1987.....	137,905	1,130	659	379	340	630	817	1,197	1,599	2,024	2,167
1986.....	134,409	1,147	670	359	413	662	979	1,715	2,484	2,918	2,738
1985.....	127,669	1,224	712	397	410	654	901	1,458	1,982	2,348	2,231
1984.....	117,626	1,240	699	397	451	704	964	1,232	1,527	1,799	2,105
1983.....	111,248	1,344	774	437	435	773	941	1,180	1,418	1,601	1,907
1982.....	102,545	1,256	766	446	458	781	954	1,084	1,285	1,427	1,737
1981.....	100,230	1,332	804	453	502	820	1,024	1,121	1,291	1,404	1,863
1980.....	97,751	1,446	746	527	525	896	1,056	1,118	1,336	1,419	1,759
1979.....	91,332	1,489	786	515	512	902	1,078	1,157	1,266	1,369	1,765

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER DISEASES (RESIDUAL)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	91,004	508	269	183	207	364	442	516	852	1,512	2,150
1997.....	87,262	531	313	185	219	360	426	526	880	1,470	2,191
1996.....	83,682	562	323	220	199	375	421	606	951	1,503	2,104
1995.....	80,624	528	341	184	231	377	450	566	1,019	1,574	2,114
1994.....	77,629	552	319	219	222	362	435	593	1,055	1,562	1,979
1993.....	74,825	573	364	221	247	345	445	636	1,020	1,508	1,973
1992.....	70,166	615	345	194	219	362	425	671	1,015	1,606	1,906
1991.....	69,183	673	327	213	233	325	462	645	968	1,444	1,812
1990.....	66,879	670	362	241	216	376	445	628	981	1,372	1,574
1989.....	66,907	640	370	213	245	397	506	712	1,095	1,360	1,612
1988.....	66,100	631	365	185	185	378	491	716	1,086	1,415	1,495
1987.....	63,865	623	369	200	178	397	505	744	1,052	1,325	1,345
1986.....	65,120	652	371	193	239	407	665	1,217	1,903	2,205	1,939
1985.....	61,638	681	383	207	245	399	570	1,017	1,408	1,637	1,526
1984.....	56,773	726	381	211	250	431	617	782	1,043	1,155	1,314
1983.....	54,305	747	429	235	230	479	591	732	923	992	1,141
1982.....	50,048	727	389	223	252	485	578	686	809	868	1,008
1981.....	49,610	776	445	242	254	489	635	663	760	843	1,099
1980.....	48,917	832	412	249	288	551	638	723	789	815	1,030
1979.....	46,363	873	438	254	277	562	653	683	719	779	1,003
WHITE FEMALE											
1998.....	126,818	430	250	147	159	242	265	359	539	926	1,336
1997.....	119,913	398	240	148	151	222	310	380	584	883	1,309
1996.....	112,493	380	249	144	174	215	268	371	562	890	1,160
1995.....	106,609	392	255	147	210	224	277	374	587	870	1,171
1994.....	100,409	394	264	139	169	215	272	378	585	841	1,126
1993.....	95,363	430	290	167	189	215	265	364	597	864	1,081
1992.....	86,609	426	321	156	185	184	307	385	588	782	1,008
1991.....	84,734	507	294	195	182	211	273	385	549	806	1,009
1990.....	82,025	471	271	166	183	220	295	421	561	705	894
1989.....	80,107	443	300	187	182	221	326	451	522	689	890
1988.....	77,973	482	299	194	152	202	277	458	577	675	848
1987.....	74,040	507	290	179	162	233	312	453	547	699	822
1986.....	69,289	495	299	166	174	255	314	498	581	713	799
1985.....	66,031	543	329	190	165	255	331	441	574	711	705
1984.....	60,853	514	318	186	201	273	347	450	484	644	791
1983.....	56,943	597	345	202	205	294	350	448	495	609	766
1982.....	52,497	529	377	223	206	296	376	398	476	559	729
1981.....	50,620	556	359	211	248	331	389	458	531	561	764
1980.....	48,834	614	334	278	237	345	418	395	547	604	729
1979.....	44,969	616	348	261	235	340	425	474	547	590	762



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98										
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
ALL OTHER DISEASES (RESIDUAL)												
ALL OTHER, BOTH SEXES												
1998.....	29,822	390	197	110	128	173	242	391	632	937	1,400	
1997.....	28,260	399	185	118	121	182	273	411	651	1,020	1,310	
1996.....	27,365	398	228	110	107	154	277	392	653	1,073	1,398	
1995.....	26,888	388	240	115	124	161	296	397	677	1,115	1,451	
1994.....	25,901	407	239	115	139	173	253	416	727	1,033	1,367	
1993.....	25,396	493	275	117	122	163	283	435	706	1,132	1,370	
1992.....	24,126	476	241	131	119	165	270	438	714	1,090	1,324	
1991.....	23,956	543	258	116	110	180	277	447	780	1,080	1,264	
1990.....	23,987	514	231	110	114	160	246	481	836	1,081	1,239	
1989.....	24,458	540	222	109	126	192	282	455	925	1,154	1,223	
1988.....	23,862	547	212	114	113	174	308	517	878	1,281	1,141	
1987.....	22,768	509	208	102	79	163	315	468	929	1,192	1,092	
1986.....	23,693	542	251	94	107	191	377	782	1,449	1,512	1,233	
1985.....	22,016	586	260	108	100	172	360	686	1,204	1,175	1,119	
1984.....	19,871	558	241	111	106	169	336	582	930	979	965	
1983.....	18,839	539	240	93	104	190	307	583	805	823	867	
1982.....	17,484	559	215	93	102	180	331	543	745	774	800	
1981.....	17,565	617	258	95	122	200	321	572	770	801	862	
1980.....	17,541	650	229	125	117	178	381	554	714	831	874	
1979.....	16,053	677	262	103	108	182	320	544	645	751	880	
ALL OTHER MALE												
1998.....	13,585	222	105	55	75	85	119	200	318	487	773	
1997.....	13,173	237	99	48	69	97	144	206	315	527	736	
1996.....	12,964	224	113	63	55	88	130	197	352	587	852	
1995.....	12,981	202	124	62	56	92	154	197	382	636	823	
1994.....	12,565	235	125	60	76	88	125	208	381	582	851	
1993.....	12,446	265	145	58	64	93	150	223	386	640	829	
1992.....	11,986	273	127	71	67	83	143	238	387	613	787	
1991.....	11,899	321	129	58	65	95	130	256	426	622	785	
1990.....	12,141	282	133	61	50	80	132	273	469	656	788	
1989.....	12,381	290	134	46	65	101	139	223	530	739	740	
1988.....	12,390	304	118	53	54	94	167	262	542	830	762	
1987.....	11,796	299	113	58	45	97	153	242	581	741	660	
1986.....	13,009	320	137	52	60	102	213	501	988	1,042	819	
1985.....	11,872	320	141	60	55	94	206	400	801	795	769	
1984.....	10,531	306	131	62	56	78	175	325	588	631	620	
1983.....	10,031	291	140	46	44	101	161	333	496	496	534	
1982.....	9,344	320	121	46	57	95	160	320	434	491	504	
1981.....	9,364	341	146	55	57	103	153	326	461	498	515	
1980.....	9,597	357	130	76	60	88	208	308	426	508	504	
1979.....	8,885	369	139	52	49	111	170	305	409	439	545	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES (RESIDUAL)											
ALL OTHER FEMALE											
1998.....	16,237	168	92	55	53	88	123	191	314	450	627
1997.....	15,087	162	86	70	52	85	129	205	336	493	574
1996.....	14,401	174	115	47	52	66	147	195	301	486	546
1995.....	13,907	186	116	53	68	69	142	200	295	479	628
1994.....	13,336	172	114	55	63	85	128	208	346	451	516
1993.....	12,950	228	130	59	58	70	133	212	320	492	541
1992.....	12,140	203	114	60	52	82	127	200	327	477	537
1991.....	12,057	222	129	58	45	85	147	191	354	458	479
1990.....	11,846	232	98	49	64	80	114	208	367	425	451
1989.....	12,077	250	88	63	61	91	143	232	395	415	483
1988.....	11,472	243	94	61	59	80	141	255	336	451	379
1987.....	10,972	210	95	44	34	66	162	226	348	451	432
1986.....	10,684	222	114	42	47	89	164	281	461	470	414
1985.....	10,144	266	119	48	45	78	154	286	403	380	350
1984.....	9,340	252	110	49	50	91	161	257	342	348	345
1983.....	8,808	248	100	47	60	89	146	250	309	327	333
1982.....	8,140	239	94	47	45	85	171	223	311	283	296
1981.....	8,201	276	112	40	65	97	168	246	309	303	347
1980.....	7,944	293	99	49	57	90	173	246	288	323	370
1979.....	7,168	308	123	51	59	71	150	239	236	312	335
BLACK, BOTH SEXES											
1998.....	26,127	351	165	94	103	143	209	344	561	830	1,275
1997.....	24,803	338	153	98	98	152	231	364	571	914	1,198
1996.....	24,167	348	181	93	92	135	239	344	582	976	1,273
1995.....	23,865	328	200	104	105	136	258	367	616	1,023	1,319
1994.....	23,064	350	202	98	112	156	225	360	645	951	1,253
1993.....	22,657	449	238	104	105	132	237	390	647	1,037	1,242
1992.....	21,648	418	212	113	96	142	233	407	636	1,012	1,209
1991.....	21,709	500	219	104	91	156	256	405	722	997	1,165
1990.....	21,737	461	200	94	97	144	213	442	778	1,010	1,143
1989.....	22,334	480	183	91	118	167	258	420	851	1,072	1,157
1988.....	21,797	475	182	100	98	157	277	478	833	1,214	1,064
1987.....	20,893	446	175	84	68	146	286	429	876	1,137	1,032
1986.....	21,911	483	223	77	92	166	351	743	1,403	1,443	1,164
1985.....	20,357	521	226	95	91	149	331	647	1,139	1,125	1,051
1984.....	18,312	480	213	103	89	149	308	541	876	913	902
1983.....	17,316	472	206	82	94	164	284	543	758	769	818
1982.....	16,177	500	191	79	94	162	298	505	697	719	751
1981.....	16,274	559	220	86	111	174	288	533	723	744	796
1980.....	16,248	602	204	109	108	160	343	525	657	793	800
1979.....	14,848	609	233	87	101	163	293	503	594	702	821

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES (RESIDUAL)											
BLACK MALE											
1998.....	11,780	201	89	47	59	69	105	174	278	426	700
1997.....	11,426	203	81	44	54	81	121	178	281	455	673
1996.....	11,336	195	88	55	47	74	116	174	308	527	770
1995.....	11,400	168	105	56	48	75	132	185	345	578	740
1994.....	11,093	203	102	57	63	77	109	177	342	536	782
1993.....	11,011	242	128	51	58	73	127	190	350	582	766
1992.....	10,671	229	112	65	52	69	127	219	344	561	722
1991.....	10,702	295	112	53	53	81	116	222	392	572	721
1990.....	10,908	250	110	55	43	68	114	249	441	612	724
1989.....	11,199	253	109	39	61	84	121	205	488	678	702
1988.....	11,263	266	106	46	49	85	151	240	524	786	713
1987.....	10,788	262	95	45	41	87	135	219	541	708	631
1986.....	12,004	283	120	42	54	87	198	476	958	1,001	783
1985.....	10,971	281	121	51	48	80	186	380	767	765	724
1984.....	9,677	266	119	56	49	68	158	307	556	596	582
1983.....	9,182	258	120	41	37	85	146	312	467	469	510
1982.....	8,599	290	107	39	52	84	135	296	405	455	476
1981.....	8,625	308	127	49	49	87	132	307	434	465	480
1980.....	8,865	333	116	65	54	75	186	296	392	487	469
1979.....	8,145	333	127	43	44	95	154	282	385	408	511
BLACK FEMALE											
1998.....	14,347	150	76	47	44	74	104	170	283	404	575
1997.....	13,377	135	72	54	44	71	110	186	290	459	525
1996.....	12,831	153	93	38	45	61	123	170	274	449	503
1995.....	12,465	160	95	48	57	61	126	182	271	445	579
1994.....	11,971	147	100	41	49	79	116	183	303	415	471
1993.....	11,646	207	110	53	47	59	110	200	297	455	476
1992.....	10,977	189	100	48	44	73	106	188	292	451	487
1991.....	11,007	205	107	51	38	75	140	183	330	425	444
1990.....	10,829	211	90	39	54	76	99	193	337	398	419
1989.....	11,135	227	74	52	57	83	137	215	363	394	455
1988.....	10,534	209	76	54	49	72	126	238	309	428	351
1987.....	10,105	184	80	39	27	59	151	210	335	429	401
1986.....	9,907	200	103	35	38	79	153	267	445	442	381
1985.....	9,386	240	105	44	43	69	145	267	372	360	327
1984.....	8,635	214	94	47	40	81	150	234	320	317	320
1983.....	8,134	214	86	41	57	79	138	231	291	300	308
1982.....	7,578	210	84	40	42	78	163	209	292	264	275
1981.....	7,649	251	93	37	62	87	156	226	289	279	316
1980.....	7,383	269	88	44	54	85	157	229	265	306	331
1979.....	6,703	276	106	44	57	68	139	221	209	294	310

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	97,835	754	1,935	1,544	1,710	6,590	6,759	5,798	6,247	7,534	7,593
1997.....	95,644	765	2,005	1,534	1,837	6,603	6,764	6,141	6,457	7,341	7,190
1996.....	94,948	804	2,147	1,588	1,845	6,756	7,053	6,208	6,617	7,359	6,908
1995.....	93,320	787	2,280	1,612	1,932	6,623	7,219	6,376	7,059	7,501	6,724
1994.....	91,437	889	2,517	1,595	1,913	6,565	7,333	6,252	7,200	7,155	6,405
1993.....	90,523	898	2,590	1,599	1,867	6,437	7,529	6,501	7,521	7,175	6,080
1992.....	86,777	819	2,467	1,628	1,760	6,234	7,428	6,719	7,079	6,625	5,385
1991.....	89,347	961	2,665	1,739	1,921	6,935	8,343	7,330	7,444	6,350	5,402
1990.....	91,983	930	2,566	1,771	1,879	7,561	8,680	8,264	7,686	6,580	5,133
1989.....	95,028	996	2,774	2,064	2,026	7,899	8,839	8,660	7,914	6,541	5,314
1988.....	97,100	936	2,858	2,102	2,113	8,498	10,009	8,823	7,905	6,426	5,125
1987.....	95,020	950	2,921	2,068	2,130	8,528	10,167	9,058	7,564	6,242	4,620
1986.....	95,277	909	2,934	1,983	2,243	8,988	10,987	9,351	7,555	5,991	4,304
1985.....	93,457	890	2,856	1,995	2,257	8,202	10,959	8,845	7,051	5,612	4,432
1984.....	92,911	838	2,814	1,915	2,283	8,466	11,335	8,884	7,083	5,346	4,185
1983.....	92,488	956	3,043	1,987	2,334	8,575	11,181	8,843	6,826	5,226	4,101
1982.....	94,082	1,024	3,084	2,095	2,409	9,364	11,942	9,023	6,918	5,204	3,990
1981.....	100,704	981	3,149	2,244	2,622	10,537	13,045	9,959	7,537	5,210	4,222
1980.....	105,718	1,166	3,313	2,440	2,784	12,259	13,947	9,956	7,205	5,147	4,414
1979.....	105,312	1,080	3,349	2,707	2,982	12,689	13,885	9,639	6,813	5,274	4,371
TOTAL, MALE											
1998.....	63,042	433	1,155	957	1,129	4,567	5,320	4,469	4,685	5,513	5,565
1997.....	61,963	430	1,192	934	1,176	4,580	5,211	4,703	4,887	5,439	5,383
1996.....	61,589	448	1,290	965	1,218	4,755	5,518	4,705	4,953	5,448	5,167
1995.....	61,401	422	1,354	1,012	1,276	4,640	5,673	4,941	5,376	5,698	5,081
1994.....	60,509	505	1,518	1,009	1,296	4,721	5,696	4,822	5,570	5,421	4,916
1993.....	60,117	504	1,545	981	1,266	4,659	5,942	5,033	5,841	5,534	4,660
1992.....	57,862	463	1,513	1,058	1,222	4,450	5,803	5,245	5,501	5,089	4,146
1991.....	59,730	555	1,566	1,125	1,368	4,990	6,544	5,755	5,819	4,848	4,139
1990.....	61,938	509	1,574	1,129	1,289	5,558	6,912	6,452	6,027	5,122	3,890
1989.....	63,912	542	1,675	1,318	1,400	5,661	6,986	6,759	6,102	5,053	3,975
1988.....	65,821	530	1,728	1,342	1,450	6,231	7,964	6,935	6,167	5,003	3,868
1987.....	64,816	524	1,799	1,346	1,567	6,263	8,050	7,113	5,978	4,863	3,476
1986.....	65,570	492	1,744	1,304	1,610	6,680	8,786	7,515	5,996	4,675	3,257
1985.....	64,160	481	1,757	1,279	1,610	6,050	8,741	7,107	5,648	4,345	3,338
1984.....	64,053	449	1,737	1,275	1,603	6,315	9,014	7,145	5,584	4,144	3,157
1983.....	63,902	550	1,847	1,301	1,647	6,476	8,896	7,103	5,422	4,099	3,105
1982.....	65,754	602	1,852	1,343	1,702	7,204	9,652	7,280	5,557	4,067	3,028
1981.....	70,881	542	1,916	1,478	1,896	8,016	10,551	8,082	6,032	4,052	3,218
1980.....	74,180	659	1,997	1,580	1,971	9,379	11,340	8,090	5,771	4,041	3,340
1979.....	74,403	614	2,000	1,796	2,136	9,721	11,291	7,814	5,483	4,119	3,320

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	34,793	321	780	587	581	2,023	1,439	1,329	1,562	2,021	2,028
1997.....	33,681	335	813	600	661	2,023	1,553	1,438	1,570	1,902	1,807
1996.....	33,359	356	857	623	627	2,001	1,535	1,503	1,664	1,911	1,741
1995.....	31,919	365	926	600	656	1,983	1,546	1,435	1,683	1,803	1,643
1994.....	30,928	384	999	586	617	1,844	1,637	1,430	1,630	1,734	1,489
1993.....	30,406	394	1,045	618	601	1,778	1,587	1,468	1,680	1,641	1,420
1992.....	28,915	356	954	570	538	1,784	1,625	1,474	1,578	1,536	1,239
1991.....	29,617	406	1,099	614	553	1,945	1,799	1,575	1,625	1,502	1,263
1990.....	30,045	421	992	642	590	2,003	1,768	1,812	1,659	1,458	1,243
1989.....	31,116	454	1,099	746	626	2,238	1,853	1,901	1,812	1,488	1,339
1988.....	31,279	406	1,130	760	663	2,267	2,045	1,888	1,738	1,423	1,257
1987.....	30,204	426	1,122	722	563	2,265	2,117	1,945	1,586	1,379	1,144
1986.....	29,707	417	1,190	679	633	2,308	2,201	1,836	1,559	1,316	1,047
1985.....	29,297	409	1,099	716	647	2,152	2,218	1,738	1,403	1,267	1,094
1984.....	28,858	389	1,077	640	680	2,151	2,321	1,739	1,499	1,202	1,028
1983.....	28,586	406	1,196	686	687	2,099	2,285	1,740	1,404	1,127	996
1982.....	28,328	422	1,232	752	707	2,160	2,290	1,743	1,361	1,137	962
1981.....	29,823	439	1,233	766	726	2,521	2,494	1,877	1,505	1,158	1,004
1980.....	31,538	507	1,316	860	813	2,880	2,607	1,866	1,434	1,106	1,074
1979.....	30,909	466	1,349	911	846	2,968	2,594	1,825	1,330	1,155	1,051
WHITE, BOTH SEXES											
1998.....	82,178	511	1,388	1,039	1,297	5,583	5,587	4,661	5,084	6,150	6,131
1997.....	79,922	515	1,438	1,045	1,404	5,553	5,602	4,890	5,267	5,955	5,688
1996.....	79,405	545	1,513	1,112	1,424	5,662	5,739	5,047	5,344	5,978	5,579
1995.....	77,748	523	1,648	1,168	1,484	5,555	5,969	5,157	5,765	6,025	5,295
1994.....	75,894	583	1,749	1,100	1,457	5,528	6,008	5,133	5,819	5,734	5,073
1993.....	75,218	599	1,821	1,105	1,422	5,421	6,141	5,354	6,117	5,737	4,757
1992.....	72,392	533	1,794	1,162	1,339	5,243	6,207	5,550	5,759	5,274	4,291
1991.....	74,413	638	1,943	1,270	1,477	5,880	7,043	5,960	6,017	4,970	4,226
1990.....	76,934	609	1,861	1,290	1,457	6,470	7,357	6,828	6,209	5,277	4,099
1989.....	79,139	614	2,030	1,510	1,581	6,903	7,387	7,177	6,426	5,150	4,257
1988.....	81,091	638	2,078	1,528	1,648	7,421	8,468	7,315	6,392	5,101	4,094
1987.....	79,810	650	2,177	1,537	1,674	7,497	8,670	7,531	6,159	5,010	3,669
1986.....	80,315	602	2,195	1,405	1,766	7,996	9,479	7,782	6,141	4,823	3,494
1985.....	79,011	626	2,136	1,445	1,805	7,278	9,507	7,433	5,759	4,564	3,592
1984.....	79,222	588	2,066	1,420	1,844	7,556	9,897	7,579	5,852	4,393	3,418
1983.....	78,607	667	2,293	1,472	1,892	7,715	9,756	7,507	5,644	4,323	3,354
1982.....	80,392	707	2,326	1,546	1,974	8,389	10,550	7,708	5,704	4,304	3,280
1981.....	86,432	689	2,352	1,682	2,130	9,546	11,554	8,565	6,320	4,331	3,442
1980.....	90,122	817	2,500	1,797	2,264	11,083	12,314	8,501	6,014	4,250	3,599
1979.....	90,310	744	2,487	1,993	2,459	11,514	12,295	8,232	5,664	4,355	3,551

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE											
1998.....	52,398	304	833	646	822	3,798	4,441	3,594	3,815	4,535	4,535
1997.....	51,396	285	866	649	908	3,803	4,331	3,755	4,017	4,457	4,286
1996.....	51,061	302	921	665	920	3,950	4,504	3,825	4,045	4,492	4,214
1995.....	50,670	292	978	735	977	3,840	4,707	4,012	4,432	4,615	4,020
1994.....	49,809	339	1,061	698	978	3,922	4,678	3,980	4,576	4,397	3,913
1993.....	49,515	334	1,099	705	965	3,862	4,872	4,171	4,815	4,448	3,647
1992.....	47,879	320	1,136	763	917	3,691	4,855	4,345	4,535	4,079	3,335
1991.....	49,212	361	1,149	820	1,032	4,170	5,523	4,686	4,728	3,813	3,252
1990.....	51,348	333	1,146	828	990	4,721	5,855	5,360	4,892	4,100	3,103
1989.....	52,691	334	1,228	970	1,079	4,879	5,831	5,634	4,978	3,998	3,182
1988.....	54,435	360	1,259	984	1,140	5,404	6,743	5,764	5,040	3,989	3,094
1987.....	53,936	354	1,341	999	1,226	5,445	6,841	5,938	4,898	3,906	2,737
1986.....	54,864	324	1,313	943	1,257	5,898	7,566	6,276	4,918	3,746	2,651
1985.....	53,856	342	1,322	936	1,283	5,331	7,577	6,000	4,661	3,525	2,694
1984.....	54,227	310	1,288	933	1,283	5,605	7,873	6,113	4,636	3,390	2,565
1983.....	54,074	378	1,411	987	1,331	5,818	7,788	6,074	4,494	3,384	2,526
1982.....	55,896	417	1,412	1,004	1,397	6,451	8,541	6,268	4,584	3,379	2,480
1981.....	60,491	381	1,437	1,117	1,542	7,221	9,354	6,994	5,087	3,365	2,607
1980.....	62,963	460	1,519	1,151	1,614	8,442	10,004	6,945	4,829	3,328	2,724
1979.....	63,460	442	1,491	1,317	1,745	8,830	10,012	6,682	4,570	3,388	2,675
WHITE FEMALE											
1998.....	29,780	207	555	393	475	1,785	1,146	1,067	1,269	1,615	1,596
1997.....	28,526	230	572	396	496	1,750	1,271	1,135	1,250	1,498	1,402
1996.....	28,344	243	592	447	504	1,712	1,235	1,222	1,299	1,486	1,365
1995.....	27,078	231	670	433	507	1,715	1,262	1,145	1,333	1,410	1,275
1994.....	26,085	244	688	402	479	1,606	1,330	1,153	1,243	1,337	1,160
1993.....	25,703	265	722	400	457	1,559	1,269	1,183	1,302	1,289	1,110
1992.....	24,513	213	658	399	422	1,552	1,352	1,205	1,224	1,195	956
1991.....	25,201	277	794	450	445	1,710	1,520	1,274	1,289	1,157	974
1990.....	25,586	276	715	462	467	1,749	1,502	1,468	1,317	1,177	996
1989.....	26,448	280	802	540	502	2,024	1,556	1,543	1,448	1,152	1,075
1988.....	26,656	278	819	544	508	2,017	1,725	1,551	1,352	1,112	1,000
1987.....	25,874	296	836	538	448	2,052	1,829	1,593	1,261	1,104	932
1986.....	25,451	278	882	462	509	2,098	1,913	1,506	1,223	1,077	843
1985.....	25,155	284	814	509	522	1,947	1,930	1,433	1,098	1,039	898
1984.....	24,995	278	778	487	561	1,951	2,024	1,466	1,216	1,003	853
1983.....	24,533	289	882	485	561	1,897	1,968	1,433	1,150	939	828
1982.....	24,496	290	914	542	577	1,938	2,009	1,440	1,120	925	800
1981.....	25,941	308	915	565	588	2,325	2,200	1,571	1,233	966	835
1980.....	27,159	357	981	646	650	2,641	2,310	1,556	1,185	922	875
1979.....	26,850	302	996	676	714	2,684	2,283	1,550	1,094	967	876

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	15,657	243	547	505	413	1,007	1,172	1,137	1,163	1,384	1,462
1997.....	15,722	250	567	489	433	1,050	1,162	1,251	1,190	1,386	1,502
1996.....	15,543	259	634	476	421	1,094	1,314	1,161	1,273	1,381	1,329
1995.....	15,572	264	632	444	448	1,068	1,250	1,219	1,294	1,476	1,429
1994.....	15,543	306	768	495	456	1,037	1,325	1,119	1,381	1,421	1,332
1993.....	15,305	299	769	494	445	1,016	1,388	1,147	1,404	1,438	1,323
1992.....	14,385	286	673	466	421	991	1,221	1,169	1,320	1,351	1,094
1991.....	14,934	323	722	469	444	1,055	1,300	1,370	1,427	1,380	1,176
1990.....	15,049	321	705	481	422	1,091	1,323	1,436	1,477	1,303	1,034
1989.....	15,889	382	744	554	445	996	1,452	1,483	1,488	1,391	1,057
1988.....	16,009	298	780	574	465	1,077	1,541	1,508	1,513	1,325	1,031
1987.....	15,210	300	744	531	456	1,031	1,497	1,527	1,405	1,232	951
1986.....	14,962	307	739	578	477	992	1,508	1,569	1,414	1,168	810
1985.....	14,446	264	720	550	452	924	1,452	1,412	1,292	1,048	840
1984.....	13,689	250	748	495	439	910	1,438	1,305	1,231	953	767
1983.....	13,881	289	750	515	442	860	1,425	1,336	1,182	903	747
1982.....	13,690	317	758	549	435	975	1,392	1,315	1,214	900	710
1981.....	14,272	292	797	562	492	991	1,491	1,394	1,217	879	780
1980.....	15,596	349	813	643	520	1,176	1,633	1,455	1,191	897	815
1979.....	15,002	336	862	714	523	1,175	1,590	1,407	1,149	919	820
ALL OTHER MALE											
1998.....	10,644	129	322	311	307	769	879	875	870	978	1,030
1997.....	10,567	145	326	285	268	777	880	948	870	982	1,097
1996.....	10,528	146	369	300	298	805	1,014	880	908	956	953
1995.....	10,731	130	376	277	299	800	966	929	944	1,083	1,061
1994.....	10,700	166	457	311	318	799	1,018	842	994	1,024	1,003
1993.....	10,602	170	446	276	301	797	1,070	862	1,026	1,086	1,013
1992.....	9,983	143	377	295	305	759	948	900	966	1,010	811
1991.....	10,518	194	417	305	336	820	1,021	1,069	1,091	1,035	887
1990.....	10,590	176	428	301	299	837	1,057	1,092	1,135	1,022	787
1989.....	11,221	208	447	348	321	782	1,155	1,125	1,124	1,055	793
1988.....	11,386	170	469	358	310	827	1,221	1,171	1,127	1,014	774
1987.....	10,880	170	458	347	341	818	1,209	1,175	1,080	957	739
1986.....	10,706	168	431	361	353	782	1,220	1,239	1,078	929	606
1985.....	10,304	139	435	343	327	719	1,164	1,107	987	820	644
1984.....	9,826	139	449	342	320	710	1,141	1,032	948	754	592
1983.....	9,828	172	436	314	316	658	1,108	1,029	928	715	579
1982.....	9,858	185	440	339	305	753	1,111	1,012	973	688	548
1981.....	10,390	161	479	361	354	795	1,197	1,088	945	687	611
1980.....	11,217	199	478	429	357	937	1,336	1,145	942	713	616
1979.....	10,943	172	509	479	391	891	1,279	1,132	913	731	645

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	5,013	114	225	194	106	238	293	262	293	406	432
1997.....	5,155	105	241	204	165	273	282	303	320	404	405
1996.....	5,015	113	265	176	123	289	300	281	365	425	376
1995.....	4,841	134	256	167	149	268	284	290	350	393	368
1994.....	4,843	140	311	184	138	238	307	277	387	397	329
1993.....	4,703	129	323	218	144	219	318	285	378	352	310
1992.....	4,402	143	296	171	116	232	273	269	354	341	283
1991.....	4,416	129	305	164	108	235	279	301	336	345	289
1990.....	4,459	145	277	180	123	254	266	344	342	281	247
1989.....	4,668	174	297	206	124	214	297	358	364	336	264
1988.....	4,623	128	311	216	155	250	320	337	386	311	257
1987.....	4,330	130	286	184	115	213	288	352	325	275	212
1986.....	4,256	139	308	217	124	210	288	330	336	239	204
1985.....	4,142	125	285	207	125	205	288	305	305	228	196
1984.....	3,863	111	299	153	119	200	297	273	283	199	175
1983.....	4,053	117	314	201	126	202	317	307	254	188	168
1982.....	3,832	132	318	210	130	222	281	303	241	212	162
1981.....	3,882	131	318	201	138	196	294	306	272	192	169
1980.....	4,379	150	335	214	163	239	297	310	249	184	199
1979.....	4,059	164	353	235	132	284	311	275	236	188	175
BLACK, BOTH SEXES											
1998.....	12,801	223	470	430	331	769	885	903	907	1,158	1,242
1997.....	12,665	221	455	406	347	802	886	950	944	1,153	1,248
1996.....	12,655	223	532	403	327	838	1,000	898	1,023	1,138	1,146
1995.....	12,748	238	515	366	367	830	919	948	1,043	1,244	1,222
1994.....	12,767	271	657	416	385	818	1,007	880	1,114	1,178	1,168
1993.....	12,707	259	660	413	364	777	1,088	902	1,158	1,239	1,167
1992.....	11,820	251	574	395	343	748	936	908	1,070	1,138	949
1991.....	12,472	276	641	406	377	836	1,030	1,108	1,179	1,170	1,000
1990.....	12,419	289	591	397	348	805	1,023	1,152	1,242	1,091	859
1989.....	13,404	335	611	484	368	748	1,138	1,207	1,271	1,186	898
1988.....	13,487	281	666	497	387	819	1,190	1,227	1,303	1,147	874
1987.....	12,777	272	647	457	377	802	1,175	1,256	1,172	1,051	805
1986.....	12,585	268	625	495	392	777	1,171	1,283	1,201	985	682
1985.....	12,207	227	599	461	388	710	1,139	1,154	1,086	895	707
1984.....	11,687	222	625	441	394	689	1,155	1,097	1,063	814	644
1983.....	11,883	267	670	440	388	682	1,110	1,115	1,002	766	632
1982.....	11,688	281	663	493	379	747	1,121	1,099	1,027	768	614
1981.....	12,310	259	707	491	422	784	1,219	1,161	1,009	759	661
1980.....	13,480	316	713	567	445	916	1,340	1,196	1,015	759	691
1979.....	13,000	309	750	646	462	938	1,269	1,169	995	782	713



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	8,788	119	279	271	250	606	680	714	690	812	875
1997.....	8,582	128	269	235	222	606	682	725	693	822	927
1996.....	8,642	122	313	250	236	618	773	676	736	787	836
1995.....	8,834	118	306	232	251	644	723	728	755	911	912
1994.....	8,832	145	390	261	269	643	777	663	812	853	891
1993.....	8,900	148	385	230	250	627	849	691	851	939	904
1992.....	8,238	120	319	248	249	591	737	692	789	855	710
1991.....	8,821	168	368	262	290	673	826	861	901	885	767
1990.....	8,756	157	351	245	251	627	828	877	961	859	660
1989.....	9,503	179	374	304	273	600	909	907	967	917	685
1988.....	9,608	160	400	315	263	646	946	944	976	885	666
1987.....	9,159	152	399	300	281	640	953	970	900	827	629
1986.....	9,035	146	354	304	293	618	953	1,024	925	805	517
1985.....	8,752	118	356	286	288	563	911	920	838	718	554
1984.....	8,399	124	377	302	291	539	920	871	827	646	499
1983.....	8,385	160	388	271	276	524	861	856	799	613	493
1982.....	8,449	162	392	302	267	577	913	854	831	596	483
1981.....	9,014	143	421	315	304	644	991	926	801	604	523
1980.....	9,701	178	419	383	317	735	1,100	954	816	610	529
1979.....	9,489	160	438	436	346	722	1,021	940	794	635	566
BLACK FEMALE											
1998.....	4,013	104	191	159	81	163	205	189	217	346	367
1997.....	4,083	93	186	171	125	196	204	225	251	331	321
1996.....	4,013	101	219	153	91	220	227	222	287	351	310
1995.....	3,914	120	209	134	116	186	196	220	288	333	310
1994.....	3,935	126	267	155	116	175	230	217	302	325	277
1993.....	3,807	111	275	183	114	150	239	211	307	300	263
1992.....	3,582	131	255	147	94	157	199	216	281	283	239
1991.....	3,651	108	273	144	87	163	204	247	278	285	233
1990.....	3,663	132	240	152	97	178	195	275	281	232	199
1989.....	3,901	156	237	180	95	148	229	300	304	269	213
1988.....	3,879	121	266	182	124	173	244	283	327	262	208
1987.....	3,618	120	248	157	96	162	222	286	272	224	176
1986.....	3,550	122	271	191	99	159	218	259	276	180	165
1985.....	3,455	109	243	175	100	147	228	234	248	177	153
1984.....	3,288	98	248	139	103	150	235	226	236	168	145
1983.....	3,498	107	282	169	112	158	249	259	203	153	139
1982.....	3,239	119	271	191	112	170	208	245	196	172	131
1981.....	3,296	116	286	176	118	140	228	235	208	155	138
1980.....	3,779	138	294	184	128	181	240	242	199	149	162
1979.....	3,511	149	312	210	116	216	248	229	201	147	147

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
TOTAL, BOTH SEXES											
1998.....	43,501	162	759	834	1,034	5,161	4,865	3,724	3,408	3,682	3,281
1997.....	43,458	165	768	850	1,117	5,213	4,995	3,943	3,557	3,527	3,140
1996.....	43,649	215	820	879	1,101	5,329	5,247	4,063	3,666	3,654	3,099
1995.....	43,363	179	825	907	1,148	5,168	5,432	4,154	3,923	3,581	2,960
1994.....	42,524	187	952	893	1,133	5,160	5,500	3,937	3,843	3,404	2,782
1993.....	41,893	190	891	879	1,084	4,940	5,560	4,127	4,085	3,398	2,673
1992.....	40,982	160	860	907	997	4,818	5,487	4,275	3,954	3,274	2,568
1991.....	43,536	174	902	935	1,076	5,369	6,295	4,827	4,266	3,323	2,666
1990.....	46,814	195	928	970	1,089	5,918	6,689	5,606	4,564	3,608	2,710
1989.....	47,575	216	1,005	1,123	1,143	6,242	6,699	5,730	4,539	3,469	2,833
1988.....	49,078	215	1,005	1,176	1,247	6,785	7,621	5,872	4,561	3,441	2,706
1987.....	48,290	201	989	1,141	1,256	6,805	7,642	6,032	4,435	3,437	2,501
1986.....	47,865	183	1,005	1,069	1,281	6,997	8,230	6,030	4,328	3,243	2,243
1985.....	45,901	179	1,016	1,063	1,256	6,282	7,995	5,612	3,977	3,097	2,348
1984.....	46,263	161	977	1,016	1,247	6,495	8,243	5,693	4,122	2,966	2,255
1983.....	44,452	190	1,043	1,026	1,215	6,399	7,890	5,528	3,867	2,823	2,105
1982.....	45,779	210	1,090	1,032	1,269	6,940	8,384	5,556	3,935	2,913	2,065
1981.....	51,385	220	1,036	1,183	1,392	7,948	9,415	6,519	4,597	3,028	2,303
1980.....	53,172	247	1,179	1,276	1,471	9,100	9,940	6,397	4,388	2,960	2,388
1979.....	53,524	222	1,239	1,445	1,507	9,519	9,850	6,237	4,135	2,967	2,319
TOTAL, MALE											
1998.....	28,990	88	416	490	654	3,401	3,708	2,760	2,443	2,536	2,255
1997.....	28,770	84	419	493	661	3,421	3,746	2,902	2,545	2,464	2,178
1996.....	29,123	109	455	501	687	3,582	3,991	2,971	2,591	2,544	2,156
1995.....	29,164	96	454	555	700	3,406	4,188	3,109	2,832	2,543	2,063
1994.....	28,635	96	532	558	702	3,517	4,147	2,915	2,817	2,431	1,978
1993.....	28,531	97	489	516	686	3,424	4,263	3,058	3,028	2,468	1,889
1992.....	27,982	90	487	575	655	3,252	4,186	3,191	2,972	2,343	1,821
1991.....	29,947	92	491	586	713	3,656	4,812	3,654	3,186	2,407	1,895
1990.....	32,406	100	523	595	665	4,172	5,189	4,254	3,442	2,651	1,917
1989.....	32,704	114	548	682	739	4,262	5,167	4,313	3,344	2,523	1,989
1988.....	34,258	118	543	735	803	4,767	5,922	4,504	3,405	2,563	1,924
1987.....	33,904	97	561	716	873	4,798	5,921	4,603	3,370	2,532	1,790
1986.....	34,088	94	572	689	852	5,004	6,459	4,724	3,337	2,415	1,627
1985.....	32,443	95	601	657	824	4,441	6,239	4,407	3,068	2,282	1,646
1984.....	32,949	79	578	645	801	4,684	6,423	4,473	3,139	2,155	1,636
1983.....	31,907	100	619	666	807	4,638	6,169	4,356	2,964	2,130	1,504
1982.....	33,191	112	608	633	832	5,127	6,637	4,369	3,063	2,201	1,521
1981.....	37,533	116	571	771	935	5,802	7,435	5,181	3,591	2,304	1,717
1980.....	38,861	132	671	801	975	6,731	7,925	5,066	3,443	2,247	1,739
1979.....	39,309	120	675	924	1,003	7,070	7,879	4,963	3,268	2,251	1,693

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
TOTAL, FEMALE											
1998.....	14,511	74	343	344	380	1,760	1,157	964	965	1,146	1,026
1997.....	14,688	81	349	357	456	1,792	1,249	1,041	1,012	1,063	962
1996.....	14,526	106	365	378	414	1,747	1,256	1,092	1,075	1,110	943
1995.....	14,199	83	371	352	448	1,762	1,244	1,045	1,091	1,038	897
1994.....	13,889	91	420	335	431	1,643	1,353	1,022	1,026	973	804
1993.....	13,362	93	402	363	398	1,516	1,297	1,069	1,057	930	784
1992.....	13,000	70	373	332	342	1,566	1,301	1,084	982	931	747
1991.....	13,589	82	411	349	363	1,713	1,483	1,173	1,080	916	771
1990.....	14,408	95	405	375	424	1,746	1,500	1,352	1,122	957	793
1989.....	14,871	102	457	441	404	1,980	1,532	1,417	1,195	946	844
1988.....	14,820	97	462	441	444	2,018	1,699	1,368	1,156	878	782
1987.....	14,386	104	428	425	383	2,007	1,721	1,429	1,065	905	711
1986.....	13,777	89	433	380	429	1,993	1,771	1,306	991	828	616
1985.....	13,458	84	415	406	432	1,841	1,756	1,205	909	815	702
1984.....	13,314	82	399	371	446	1,811	1,820	1,220	983	811	619
1983.....	12,545	90	424	360	408	1,761	1,721	1,172	903	693	601
1982.....	12,588	98	482	399	437	1,813	1,747	1,187	872	712	544
1981.....	13,852	104	465	412	457	2,146	1,980	1,338	1,006	724	586
1980.....	14,311	115	508	475	496	2,369	2,015	1,331	945	713	649
1979.....	14,215	102	564	521	504	2,449	1,971	1,274	867	716	626
WHITE, BOTH SEXES											
1998.....	36,182	118	535	582	819	4,458	4,027	2,935	2,737	3,017	2,664
1997.....	36,094	120	544	618	892	4,437	4,154	3,091	2,879	2,878	2,546
1996.....	36,452	165	588	646	913	4,549	4,269	3,289	2,939	2,992	2,563
1995.....	36,255	132	604	675	923	4,417	4,509	3,350	3,226	2,912	2,417
1994.....	35,619	125	681	651	919	4,460	4,526	3,262	3,167	2,801	2,323
1993.....	35,194	137	634	651	854	4,304	4,599	3,428	3,397	2,801	2,176
1992.....	34,439	112	627	666	806	4,173	4,638	3,579	3,254	2,664	2,100
1991.....	36,851	120	684	710	867	4,683	5,413	3,997	3,529	2,716	2,176
1990.....	39,651	148	668	736	893	5,187	5,745	4,686	3,777	2,979	2,234
1989.....	40,491	153	765	858	966	5,594	5,701	4,831	3,757	2,818	2,341
1988.....	41,974	172	770	903	1,035	6,051	6,569	4,974	3,810	2,845	2,241
1987.....	41,581	154	764	881	1,065	6,134	6,633	5,114	3,741	2,894	2,067
1986.....	41,189	133	762	784	1,086	6,376	7,227	5,115	3,594	2,680	1,889
1985.....	39,689	127	776	823	1,070	5,721	7,039	4,801	3,308	2,596	1,977
1984.....	40,429	124	747	794	1,077	5,939	7,331	4,939	3,518	2,535	1,901
1983.....	38,864	157	812	785	1,047	5,905	7,005	4,821	3,310	2,419	1,778
1982.....	40,191	167	852	789	1,103	6,381	7,547	4,862	3,364	2,508	1,749
1981.....	45,424	182	816	921	1,215	7,397	8,509	5,765	3,994	2,606	1,936
1980.....	46,863	204	910	988	1,264	8,451	8,989	5,582	3,792	2,546	2,020
1979.....	47,248	192	972	1,127	1,327	8,845	8,893	5,478	3,567	2,528	1,965

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
WHITE MALE											
1998.....	23,985	70	291	334	501	2,889	3,106	2,158	1,958	2,080	1,839
1997.....	23,834	57	295	368	529	2,869	3,128	2,281	2,059	2,017	1,775
1996.....	24,214	81	327	359	558	3,032	3,262	2,393	2,088	2,093	1,786
1995.....	24,229	66	328	415	559	2,878	3,484	2,509	2,343	2,065	1,684
1994.....	23,932	67	379	407	571	3,010	3,419	2,426	2,358	2,023	1,646
1993.....	23,874	69	343	396	541	2,952	3,547	2,547	2,539	2,044	1,533
1992.....	23,415	68	379	425	521	2,782	3,531	2,672	2,470	1,906	1,502
1991.....	25,183	65	360	445	563	3,152	4,135	3,023	2,642	1,965	1,545
1990.....	27,288	77	371	441	539	3,637	4,445	3,558	2,846	2,185	1,570
1989.....	27,621	80	417	517	618	3,777	4,391	3,645	2,778	2,046	1,635
1988.....	29,127	92	417	570	670	4,235	5,094	3,810	2,861	2,111	1,598
1987.....	29,017	68	430	554	735	4,287	5,123	3,900	2,867	2,128	1,463
1986.....	29,163	64	420	511	713	4,532	5,662	4,016	2,773	1,991	1,370
1985.....	27,894	70	452	509	692	4,024	5,484	3,779	2,564	1,900	1,384
1984.....	28,614	60	444	492	694	4,266	5,698	3,883	2,677	1,834	1,359
1983.....	27,781	87	482	514	686	4,279	5,485	3,793	2,528	1,814	1,258
1982.....	29,073	88	472	486	726	4,724	5,977	3,846	2,614	1,895	1,284
1981.....	33,067	91	452	605	824	5,387	6,723	4,587	3,124	1,971	1,430
1980.....	34,109	104	514	610	845	6,228	7,153	4,444	2,988	1,916	1,465
1979.....	34,579	107	518	716	872	6,585	7,113	4,354	2,811	1,905	1,422
WHITE FEMALE											
1998.....	12,197	48	244	248	318	1,569	921	777	779	937	825
1997.....	12,260	63	249	250	363	1,568	1,026	810	820	861	771
1996.....	12,238	84	261	287	355	1,517	1,007	896	851	899	777
1995.....	12,026	66	276	260	364	1,539	1,025	841	883	847	733
1994.....	11,687	58	302	244	348	1,450	1,107	836	809	778	677
1993.....	11,320	68	291	255	313	1,352	1,052	881	858	757	643
1992.....	11,024	44	248	241	285	1,391	1,107	907	784	758	598
1991.....	11,668	55	324	265	304	1,531	1,278	974	887	751	631
1990.....	12,363	71	297	295	354	1,550	1,300	1,128	931	794	664
1989.....	12,870	73	348	341	348	1,817	1,310	1,186	979	772	706
1988.....	12,847	80	353	333	365	1,816	1,475	1,164	949	734	643
1987.....	12,564	86	334	327	330	1,847	1,510	1,214	874	766	604
1986.....	12,026	69	342	273	373	1,844	1,565	1,099	821	689	519
1985.....	11,795	57	324	314	378	1,697	1,555	1,022	744	696	593
1984.....	11,815	64	303	302	383	1,673	1,633	1,056	841	701	542
1983.....	11,083	70	330	271	361	1,626	1,520	1,028	782	605	520
1982.....	11,118	79	380	303	377	1,657	1,570	1,016	750	613	465
1981.....	12,357	91	364	316	391	2,010	1,786	1,178	870	635	506
1980.....	12,754	100	396	378	419	2,223	1,836	1,138	804	630	555
1979.....	12,669	85	454	411	455	2,260	1,780	1,124	756	623	543

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
ALL OTHER, BOTH SEXES											
1998.....	7,319	44	224	252	215	703	838	789	671	665	617
1997.....	7,364	45	224	232	225	776	841	852	678	649	594
1996.....	7,197	50	232	233	188	780	978	774	727	662	536
1995.....	7,108	47	221	232	225	751	923	804	697	669	543
1994.....	6,905	62	271	242	214	700	974	675	676	603	459
1993.....	6,699	53	257	228	230	636	961	699	688	597	497
1992.....	6,543	48	233	241	191	645	849	696	700	610	468
1991.....	6,685	54	218	225	209	686	882	830	737	607	490
1990.....	7,163	47	260	234	196	731	944	920	787	629	476
1989.....	7,084	63	240	265	177	648	998	899	782	651	492
1988.....	7,104	43	235	273	212	734	1,052	898	751	596	465
1987.....	6,709	47	225	260	191	671	1,009	918	694	543	434
1986.....	6,676	50	243	285	195	621	1,003	915	734	563	354
1985.....	6,212	52	240	240	186	561	956	811	669	501	371
1984.....	5,834	37	230	222	170	556	912	754	604	431	354
1983.....	5,588	33	231	241	168	494	885	707	557	404	327
1982.....	5,588	43	238	243	166	559	837	694	571	405	316
1981.....	5,961	38	220	262	177	551	906	754	603	422	367
1980.....	6,309	43	269	288	207	649	951	815	596	414	368
1979.....	6,276	30	267	318	180	674	957	759	568	439	354
ALL OTHER MALE											
1998.....	5,005	18	125	156	153	512	602	602	485	456	416
1997.....	4,936	27	124	125	132	552	618	621	486	447	403
1996.....	4,909	28	128	142	129	550	729	578	503	451	370
1995.....	4,935	30	126	140	141	528	704	600	489	478	379
1994.....	4,703	29	153	151	131	507	728	489	459	408	332
1993.....	4,657	28	146	120	145	472	716	511	489	424	356
1992.....	4,567	22	108	150	134	470	655	519	502	437	319
1991.....	4,764	27	131	141	150	504	677	631	544	442	350
1990.....	5,118	23	152	154	126	535	744	696	596	466	347
1989.....	5,083	34	131	165	121	485	776	668	566	477	354
1988.....	5,131	26	126	165	133	532	828	694	544	452	326
1987.....	4,887	29	131	162	138	511	798	703	503	404	327
1986.....	4,925	30	152	178	139	472	797	708	564	424	257
1985.....	4,549	25	149	148	132	417	755	628	504	382	262
1984.....	4,335	19	134	153	107	418	725	590	462	321	277
1983.....	4,126	13	137	152	121	359	684	563	436	316	246
1982.....	4,118	24	136	147	106	403	660	523	449	306	237
1981.....	4,466	25	119	166	111	415	712	594	467	333	287
1980.....	4,752	28	157	191	130	503	772	622	455	331	274
1979.....	4,730	13	157	208	131	485	766	609	457	346	271

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
ALL OTHER FEMALE											
1998.....	2,314	26	99	96	62	191	236	187	186	209	201
1997.....	2,428	18	100	107	93	224	223	231	192	202	191
1996.....	2,288	22	104	91	59	230	249	196	224	211	166
1995.....	2,173	17	95	92	84	223	219	204	208	191	164
1994.....	2,202	33	118	91	83	193	246	186	217	195	127
1993.....	2,042	25	111	108	85	164	245	188	199	173	141
1992.....	1,976	26	125	91	57	175	194	177	198	173	149
1991.....	1,921	27	87	84	59	182	205	199	193	165	140
1990.....	2,045	24	108	80	70	196	200	224	191	163	129
1989.....	2,001	29	109	100	56	163	222	231	216	174	138
1988.....	1,973	17	109	108	79	202	224	204	207	144	139
1987.....	1,822	18	94	98	53	160	211	215	191	139	107
1986.....	1,751	20	91	107	56	149	206	207	170	139	97
1985.....	1,663	27	91	92	54	144	201	183	165	119	109
1984.....	1,499	18	96	69	63	138	187	164	142	110	77
1983.....	1,462	20	94	89	47	135	201	144	121	88	81
1982.....	1,470	19	102	96	60	156	177	171	122	99	79
1981.....	1,495	13	101	96	66	136	194	160	136	89	80
1980.....	1,557	15	112	97	77	146	179	193	141	83	94
1979.....	1,546	17	110	110	49	189	191	150	111	93	83
BLACK, BOTH SEXES											
1998.....	5,686	41	186	215	163	526	625	617	508	547	483
1997.....	5,666	37	181	197	180	584	642	646	518	519	462
1996.....	5,528	42	183	195	144	593	742	585	559	509	424
1995.....	5,423	40	180	191	173	564	663	602	543	532	437
1994.....	5,341	54	219	205	178	541	721	527	525	463	370
1993.....	5,217	42	211	193	187	469	732	531	545	479	408
1992.....	5,071	42	191	197	159	469	648	528	544	485	375
1991.....	5,205	42	185	190	166	513	680	643	569	476	393
1990.....	5,560	40	205	186	155	524	707	710	637	510	363
1989.....	5,611	48	172	227	137	473	781	713	634	510	401
1988.....	5,623	39	184	235	172	544	784	700	620	487	370
1987.....	5,287	39	189	224	146	495	765	736	554	425	344
1986.....	5,287	38	190	231	150	468	766	727	600	448	277
1985.....	4,916	39	187	194	156	408	739	622	532	410	292
1984.....	4,721	30	179	193	149	397	733	611	496	350	289
1983.....	4,472	24	199	198	134	373	671	557	445	325	266
1982.....	4,493	29	199	221	139	417	649	558	468	327	252
1981.....	4,809	27	185	224	146	391	714	601	481	340	287
1980.....	5,081	35	223	248	160	467	747	643	482	337	296
1979.....	5,132	25	214	284	146	497	735	606	480	344	287

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
BLACK MALE											
1998.....	3,996	15	108	137	118	399	461	491	382	375	327
1997.....	3,895	22	107	106	111	432	481	476	372	359	328
1996.....	3,862	21	103	119	101	416	554	433	400	354	307
1995.....	3,863	26	102	118	113	415	520	460	384	383	315
1994.....	3,703	25	127	128	110	401	544	381	371	318	276
1993.....	3,752	23	121	104	119	361	555	403	399	347	303
1992.....	3,607	16	85	121	110	350	512	394	398	356	257
1991.....	3,771	18	109	115	121	395	532	488	422	358	288
1990.....	4,046	18	117	122	105	393	570	536	488	387	271
1989.....	4,120	24	102	141	100	365	612	528	468	393	293
1988.....	4,139	23	103	146	113	407	623	538	458	377	270
1987.....	3,913	24	109	143	104	382	610	573	401	323	262
1986.....	3,974	23	117	146	110	358	617	570	468	353	206
1985.....	3,659	17	116	121	117	305	582	493	409	324	212
1984.....	3,556	16	106	130	98	299	588	481	386	262	227
1983.....	3,349	10	116	124	98	272	521	449	363	263	206
1982.....	3,387	15	118	132	87	305	532	428	379	255	199
1981.....	3,702	18	98	145	93	304	574	492	394	280	229
1980.....	3,912	21	133	168	107	366	614	505	379	277	232
1979.....	3,929	10	125	186	108	367	593	488	394	283	227
BLACK FEMALE											
1998.....	1,690	26	78	78	45	127	164	126	126	172	156
1997.....	1,771	15	74	91	69	152	161	170	146	160	134
1996.....	1,666	21	80	76	43	177	188	152	159	155	117
1995.....	1,560	14	78	73	60	149	143	142	159	149	122
1994.....	1,638	29	92	77	68	140	177	146	154	145	94
1993.....	1,465	19	90	89	68	108	177	128	146	132	105
1992.....	1,464	26	106	76	49	119	136	134	146	129	118
1991.....	1,434	24	76	75	45	118	148	155	147	118	105
1990.....	1,514	22	88	64	50	131	137	174	149	123	92
1989.....	1,491	24	70	86	37	108	169	185	166	117	108
1988.....	1,484	16	81	89	59	137	161	162	162	110	100
1987.....	1,374	15	80	81	42	113	155	163	153	102	82
1986.....	1,313	15	73	85	40	110	149	157	132	95	71
1985.....	1,257	22	71	73	39	103	157	129	123	86	80
1984.....	1,165	14	73	63	51	98	145	130	110	88	62
1983.....	1,123	14	83	74	36	101	150	108	82	62	60
1982.....	1,106	14	81	89	52	112	117	130	89	72	53
1981.....	1,107	9	87	79	53	87	140	109	87	60	58
1980.....	1,169	14	90	80	53	101	133	138	103	60	64
1979.....	1,203	15	89	98	38	130	142	118	86	61	60

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES											
1998.....	54,334	592	1,176	710	676	1,429	1,894	2,074	2,839	3,852	4,312
1997.....	52,186	600	1,237	684	720	1,390	1,769	2,198	2,900	3,814	4,050
1996.....	51,299	589	1,327	709	744	1,427	1,806	2,145	2,951	3,705	3,809
1995.....	49,957	608	1,455	705	784	1,455	1,787	2,222	3,136	3,920	3,764
1994.....	48,913	702	1,565	702	780	1,405	1,833	2,315	3,357	3,751	3,623
1993.....	48,630	708	1,699	720	783	1,497	1,969	2,374	3,436	3,777	3,407
1992.....	45,795	659	1,607	721	763	1,416	1,941	2,444	3,125	3,351	2,817
1991.....	45,811	787	1,763	804	845	1,566	2,048	2,503	3,178	3,027	2,736
1990.....	45,169	735	1,638	801	790	1,643	1,991	2,658	3,122	2,972	2,423
1989.....	47,453	780	1,769	941	883	1,657	2,140	2,930	3,375	3,072	2,481
1988.....	48,022	721	1,853	926	866	1,713	2,388	2,951	3,344	2,985	2,419
1987.....	46,730	749	1,932	927	874	1,723	2,525	3,026	3,129	2,805	2,119
1986.....	47,412	726	1,929	914	962	1,991	2,757	3,321	3,227	2,748	2,061
1985.....	47,556	711	1,840	932	1,001	1,920	2,964	3,233	3,074	2,515	2,084
1984.....	46,648	677	1,837	899	1,036	1,971	3,092	3,191	2,961	2,380	1,930
1983.....	48,036	766	2,000	961	1,119	2,176	3,291	3,315	2,959	2,403	1,996
1982.....	48,303	814	1,994	1,063	1,140	2,424	3,558	3,467	2,983	2,291	1,925
1981.....	49,319	761	2,113	1,061	1,230	2,589	3,630	3,440	2,940	2,182	1,919
1980.....	52,546	919	2,134	1,164	1,313	3,159	4,007	3,559	2,817	2,187	2,026
1979.....	51,788	858	2,110	1,262	1,475	3,170	4,035	3,402	2,678	2,307	2,052
TOTAL, MALE											
1998.....	34,052	345	739	467	475	1,166	1,612	1,709	2,242	2,977	3,310
1997.....	33,193	346	773	441	515	1,159	1,465	1,801	2,342	2,975	3,205
1996.....	32,466	339	835	464	531	1,173	1,527	1,734	2,362	2,904	3,011
1995.....	32,237	326	900	457	576	1,234	1,485	1,832	2,544	3,155	3,018
1994.....	31,874	409	986	451	594	1,204	1,549	1,907	2,753	2,990	2,938
1993.....	31,586	407	1,056	465	580	1,235	1,679	1,975	2,813	3,066	2,771
1992.....	29,880	373	1,026	483	567	1,198	1,617	2,054	2,529	2,746	2,325
1991.....	29,783	463	1,075	539	655	1,334	1,732	2,101	2,633	2,441	2,244
1990.....	29,532	409	1,051	534	624	1,386	1,723	2,198	2,585	2,471	1,973
1989.....	31,208	428	1,127	636	661	1,399	1,819	2,446	2,758	2,530	1,986
1988.....	31,563	412	1,185	607	647	1,464	2,042	2,431	2,762	2,440	1,944
1987.....	30,912	427	1,238	630	694	1,465	2,129	2,510	2,608	2,331	1,686
1986.....	31,482	398	1,172	615	758	1,676	2,327	2,791	2,659	2,260	1,630
1985.....	31,717	386	1,156	622	786	1,609	2,502	2,700	2,580	2,063	1,692
1984.....	31,104	370	1,159	630	802	1,631	2,591	2,672	2,445	1,989	1,521
1983.....	31,995	450	1,228	635	840	1,838	2,727	2,747	2,458	1,969	1,601
1982.....	32,563	490	1,244	710	870	2,077	3,015	2,911	2,494	1,866	1,507
1981.....	33,348	426	1,345	707	961	2,214	3,116	2,901	2,441	1,748	1,501
1980.....	35,319	527	1,326	779	996	2,648	3,415	3,024	2,328	1,794	1,601
1979.....	35,094	494	1,325	872	1,133	2,651	3,412	2,851	2,215	1,868	1,627



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)											
TOTAL, FEMALE											
1998.....	20,282	247	437	243	201	263	282	365	597	875	1,002
1997.....	18,993	254	464	243	205	231	304	397	558	839	845
1996.....	18,833	250	492	245	213	254	279	411	589	801	798
1995.....	17,720	282	555	248	208	221	302	390	592	765	746
1994.....	17,039	293	579	251	186	201	284	408	604	761	685
1993.....	17,044	301	643	255	203	262	290	399	623	711	636
1992.....	15,915	286	581	238	196	218	324	390	596	605	492
1991.....	16,028	324	688	265	190	232	316	402	545	586	492
1990.....	15,637	326	587	267	166	257	268	460	537	501	450
1989.....	16,245	352	642	305	222	258	321	484	617	542	495
1988.....	16,459	309	668	319	219	249	346	520	582	545	475
1987.....	15,818	322	694	297	180	258	396	516	521	474	433
1986.....	15,930	328	757	299	204	315	430	530	568	488	431
1985.....	15,839	325	684	310	215	311	462	533	494	452	392
1984.....	15,544	307	678	269	234	340	501	519	516	391	409
1983.....	16,041	316	772	326	279	338	564	568	501	434	395
1982.....	15,740	324	750	353	270	347	543	556	489	425	418
1981.....	15,971	335	768	354	269	375	514	539	499	434	418
1980.....	17,227	392	808	385	317	511	592	535	489	393	425
1979.....	16,694	364	785	390	342	519	623	551	463	439	425
WHITE, BOTH SEXES											
1998.....	45,996	393	853	457	478	1,125	1,560	1,726	2,347	3,133	3,467
1997.....	43,828	395	894	427	512	1,116	1,448	1,799	2,388	3,077	3,142
1996.....	42,953	380	925	466	511	1,113	1,470	1,758	2,405	2,986	3,016
1995.....	41,493	391	1,044	493	561	1,138	1,460	1,807	2,539	3,113	2,878
1994.....	40,275	458	1,068	449	538	1,068	1,482	1,871	2,652	2,933	2,750
1993.....	40,024	462	1,187	454	568	1,117	1,542	1,926	2,720	2,936	2,581
1992.....	37,953	421	1,167	496	533	1,070	1,569	1,971	2,505	2,610	2,191
1991.....	37,562	518	1,259	560	610	1,197	1,630	1,963	2,488	2,254	2,050
1990.....	37,283	461	1,193	554	564	1,283	1,612	2,142	2,432	2,298	1,865
1989.....	38,648	461	1,265	652	615	1,309	1,686	2,346	2,669	2,332	1,916
1988.....	39,117	466	1,308	625	613	1,370	1,899	2,341	2,582	2,256	1,853
1987.....	38,229	496	1,413	656	609	1,363	2,037	2,417	2,418	2,116	1,602
1986.....	39,126	469	1,433	621	680	1,620	2,252	2,667	2,547	2,143	1,605
1985.....	39,322	499	1,360	622	735	1,557	2,468	2,632	2,451	1,968	1,615
1984.....	38,793	464	1,319	626	767	1,617	2,566	2,640	2,334	1,858	1,517
1983.....	39,743	510	1,481	687	845	1,810	2,751	2,686	2,334	1,904	1,576
1982.....	40,201	540	1,474	757	871	2,008	3,003	2,846	2,340	1,796	1,531
1981.....	41,008	507	1,536	761	915	2,149	3,045	2,800	2,326	1,725	1,506
1980.....	43,259	613	1,590	809	1,000	2,632	3,325	2,919	2,222	1,704	1,579
1979.....	43,062	552	1,515	866	1,132	2,669	3,402	2,754	2,097	1,827	1,586

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE											
1998.....	28,413	234	542	312	321	909	1,335	1,436	1,857	2,455	2,696
1997.....	27,562	228	571	281	379	934	1,203	1,474	1,958	2,440	2,511
1996.....	26,847	221	594	306	362	918	1,242	1,432	1,957	2,399	2,428
1995.....	26,441	226	650	320	418	962	1,223	1,503	2,089	2,550	2,336
1994.....	25,877	272	682	291	407	912	1,259	1,554	2,218	2,374	2,267
1993.....	25,641	265	756	309	424	910	1,325	1,624	2,276	2,404	2,114
1992.....	24,464	252	757	338	396	909	1,324	1,673	2,065	2,173	1,833
1991.....	24,029	296	789	375	469	1,018	1,388	1,663	2,086	1,848	1,707
1990.....	24,060	256	775	387	451	1,084	1,410	1,802	2,046	1,915	1,533
1989.....	25,070	254	811	453	461	1,102	1,440	1,989	2,200	1,952	1,547
1988.....	25,308	268	842	414	470	1,169	1,649	1,954	2,179	1,878	1,496
1987.....	24,919	286	911	445	491	1,158	1,718	2,038	2,031	1,778	1,274
1986.....	25,701	260	893	432	544	1,366	1,904	2,260	2,145	1,755	1,281
1985.....	25,962	272	870	427	591	1,307	2,093	2,221	2,097	1,625	1,310
1984.....	25,613	250	844	441	589	1,339	2,175	2,230	1,959	1,556	1,206
1983.....	26,293	291	929	473	645	1,539	2,303	2,281	1,966	1,570	1,268
1982.....	26,823	329	940	518	671	1,727	2,564	2,422	1,970	1,484	1,196
1981.....	27,424	290	985	512	718	1,834	2,631	2,407	1,963	1,394	1,177
1980.....	28,854	356	1,005	541	769	2,214	2,851	2,501	1,841	1,412	1,259
1979.....	28,881	335	973	601	873	2,245	2,899	2,328	1,759	1,483	1,253
WHITE FEMALE											
1998.....	17,583	159	311	145	157	216	225	290	490	678	771
1997.....	16,266	167	323	146	133	182	245	325	430	637	631
1996.....	16,106	159	331	160	149	195	228	326	448	587	588
1995.....	15,052	165	394	173	143	176	237	304	450	563	542
1994.....	14,398	186	386	158	131	156	223	317	434	559	483
1993.....	14,383	197	431	145	144	207	217	302	444	532	467
1992.....	13,489	169	410	158	137	161	245	298	440	437	358
1991.....	13,533	222	470	185	141	179	242	300	402	406	343
1990.....	13,223	205	418	167	113	199	202	340	386	383	332
1989.....	13,578	207	454	199	154	207	246	357	469	380	369
1988.....	13,809	198	466	211	143	201	250	387	403	378	357
1987.....	13,310	210	502	211	118	205	319	379	387	338	328
1986.....	13,425	209	540	189	136	254	348	407	402	388	324
1985.....	13,360	227	490	195	144	250	375	411	354	343	305
1984.....	13,180	214	475	185	178	278	391	410	375	302	311
1983.....	13,450	219	552	214	200	271	448	405	368	334	308
1982.....	13,378	211	534	239	200	281	439	424	370	312	335
1981.....	13,584	217	551	249	197	315	414	393	363	331	329
1980.....	14,405	257	585	268	231	418	474	418	381	292	320
1979.....	14,181	217	542	265	259	424	503	426	338	344	333

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)											
ALL OTHER, BOTH SEXES											
1998.....	8,338	199	323	253	198	304	334	348	492	719	845
1997.....	8,358	205	343	257	208	274	321	399	512	737	908
1996.....	8,346	209	402	243	233	314	336	387	546	719	793
1995.....	8,464	217	411	212	223	317	327	415	597	807	886
1994.....	8,638	244	497	253	242	337	351	444	705	818	873
1993.....	8,606	246	512	266	215	380	427	448	716	841	826
1992.....	7,842	238	440	225	230	346	372	473	620	741	626
1991.....	8,249	269	504	244	235	369	418	540	690	773	686
1990.....	7,886	274	445	247	226	360	379	516	690	674	558
1989.....	8,805	319	504	289	268	348	454	584	706	740	565
1988.....	8,905	255	545	301	253	343	489	610	762	729	566
1987.....	8,501	253	519	271	265	360	488	609	711	689	517
1986.....	8,286	257	496	293	282	371	505	654	680	605	456
1985.....	8,234	212	480	310	266	363	496	601	623	547	469
1984.....	7,855	213	518	273	269	354	526	551	627	522	413
1983.....	8,293	256	519	274	274	366	540	629	625	499	420
1982.....	8,102	274	520	306	269	416	555	621	643	495	394
1981.....	8,311	254	577	300	315	440	585	640	614	457	413
1980.....	9,287	306	544	355	313	527	682	640	595	483	447
1979.....	8,726	306	595	396	343	501	633	648	581	480	466
ALL OTHER MALE											
1998.....	5,639	111	197	155	154	257	277	273	385	522	614
1997.....	5,631	118	202	160	136	225	262	327	384	535	694
1996.....	5,619	118	241	158	169	255	285	302	405	505	583
1995.....	5,796	100	250	137	158	272	262	329	455	605	682
1994.....	5,997	137	304	160	187	292	290	353	535	616	671
1993.....	5,945	142	300	156	156	325	354	351	537	662	657
1992.....	5,416	121	269	145	171	289	293	381	464	573	492
1991.....	5,754	167	286	164	186	316	344	438	547	593	537
1990.....	5,472	153	276	147	173	302	313	396	539	556	440
1989.....	6,138	174	316	183	200	297	379	457	558	578	439
1988.....	6,255	144	343	193	177	295	393	477	583	562	448
1987.....	5,993	141	327	185	203	307	411	472	577	553	412
1986.....	5,781	138	279	183	214	310	423	531	514	505	349
1985.....	5,755	114	286	195	195	302	409	479	483	438	382
1984.....	5,491	120	315	189	213	292	416	442	486	433	315
1983.....	5,702	159	299	162	195	299	424	466	492	399	333
1982.....	5,740	161	304	192	199	350	451	489	524	382	311
1981.....	5,924	136	360	195	243	380	485	494	478	354	324
1980.....	6,465	171	321	238	227	434	564	523	487	382	342
1979.....	6,213	159	352	271	260	406	513	523	456	385	374

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)											
ALL OTHER FEMALE											
1998.....	2,699	88	126	98	44	47	57	75	107	197	231
1997.....	2,727	87	141	97	72	49	59	72	128	202	214
1996.....	2,727	91	161	85	64	59	51	85	141	214	210
1995.....	2,668	117	161	75	65	45	65	86	142	202	204
1994.....	2,641	107	193	93	55	45	61	91	170	202	202
1993.....	2,661	104	212	110	59	55	73	97	179	179	169
1992.....	2,426	117	171	80	59	57	79	92	156	168	134
1991.....	2,495	102	218	80	49	53	74	102	143	180	149
1990.....	2,414	121	169	100	53	58	66	120	151	118	118
1989.....	2,667	145	188	106	68	51	75	127	148	162	126
1988.....	2,650	111	202	108	76	48	96	133	179	167	118
1987.....	2,508	112	192	86	62	53	77	137	134	136	105
1986.....	2,505	119	217	110	68	61	82	123	166	100	107
1985.....	2,479	98	194	115	71	61	87	122	140	109	87
1984.....	2,364	93	203	84	56	62	110	109	141	89	98
1983.....	2,591	97	220	112	79	67	116	163	133	100	87
1982.....	2,362	113	216	114	70	66	104	132	119	113	83
1981.....	2,387	118	217	105	72	60	100	146	136	103	89
1980.....	2,822	135	223	117	86	93	118	117	108	101	109
1979.....	2,513	147	243	125	83	95	120	125	125	95	92
BLACK, BOTH SEXES											
1998.....	7,115	182	284	215	168	243	260	286	399	611	759
1997.....	6,999	184	274	209	167	218	244	304	426	634	786
1996.....	7,127	181	349	208	183	245	258	313	464	629	722
1995.....	7,325	198	335	175	194	266	256	346	500	712	785
1994.....	7,426	217	438	211	207	277	286	353	589	715	798
1993.....	7,490	217	449	220	177	308	356	371	613	760	759
1992.....	6,749	209	383	198	184	279	288	380	526	653	574
1991.....	7,267	234	456	216	211	323	350	465	610	694	607
1990.....	6,859	249	386	211	193	281	316	442	605	581	496
1989.....	7,793	287	439	257	231	275	357	494	637	676	497
1988.....	7,864	242	482	262	215	275	406	527	683	660	504
1987.....	7,490	233	458	233	231	307	410	520	618	626	461
1986.....	7,298	230	435	264	242	309	405	556	601	537	405
1985.....	7,291	188	412	267	232	302	400	532	554	485	415
1984.....	6,966	192	446	248	245	292	422	486	567	464	355
1983.....	7,411	243	471	242	254	309	439	558	557	441	366
1982.....	7,195	252	464	272	240	330	472	541	559	441	362
1981.....	7,501	232	522	267	276	393	505	560	528	419	374
1980.....	8,399	281	490	319	285	449	593	553	533	422	395
1979.....	7,868	284	536	362	316	441	534	563	515	438	426

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)											

## BLACK MALE

1998.....	4,792	104	171	134	132	207	219	223	308	437	548
1997.....	4,687	106	162	129	111	174	201	249	321	463	599
1996.....	4,780	101	210	131	135	202	219	243	336	433	529
1995.....	4,971	92	204	114	138	229	203	268	371	528	597
1994.....	5,129	120	263	133	159	242	233	282	441	535	615
1993.....	5,148	125	264	126	131	266	294	288	452	592	601
1992.....	4,631	104	234	127	139	241	225	298	391	499	453
1991.....	5,050	150	259	147	169	278	294	373	479	527	479
1990.....	4,710	139	234	123	146	234	258	341	473	472	389
1989.....	5,383	155	272	163	173	235	297	379	499	524	392
1988.....	5,469	137	297	169	150	239	323	406	518	508	396
1987.....	5,246	128	290	157	177	258	343	397	499	504	367
1986.....	5,061	123	237	158	183	260	336	454	457	452	311
1985.....	5,093	101	240	165	171	258	329	427	429	394	342
1984.....	4,843	108	271	172	193	240	332	390	441	384	272
1983.....	5,036	150	272	147	178	252	340	407	436	350	287
1982.....	5,062	147	274	170	180	272	381	426	452	341	284
1981.....	5,312	125	323	170	211	340	417	434	407	324	294
1980.....	5,789	157	286	215	210	369	486	449	437	333	297
1979.....	5,560	150	313	250	238	355	428	452	400	352	339

## BLACK FEMALE

1998.....	2,323	78	113	81	36	36	41	63	91	174	211
1997.....	2,312	78	112	80	56	44	43	55	105	171	187
1996.....	2,347	80	139	77	48	43	39	70	128	196	193
1995.....	2,354	106	131	61	56	37	53	78	129	184	188
1994.....	2,297	97	175	78	48	35	53	71	148	180	183
1993.....	2,342	92	185	94	46	42	62	83	161	168	158
1992.....	2,118	105	149	71	45	38	63	82	135	154	121
1991.....	2,217	84	197	69	42	45	56	92	131	167	128
1990.....	2,149	110	152	88	47	47	58	101	132	109	107
1989.....	2,410	132	167	94	58	40	60	115	138	152	105
1988.....	2,395	105	185	93	65	36	83	121	165	152	108
1987.....	2,244	105	168	76	54	49	67	123	119	122	94
1986.....	2,237	107	198	106	59	49	69	102	144	85	94
1985.....	2,198	87	172	102	61	44	71	105	125	91	73
1984.....	2,123	84	175	76	52	52	90	96	126	80	83
1983.....	2,375	93	199	95	76	57	99	151	121	91	79
1982.....	2,133	105	190	102	60	58	91	115	107	100	78
1981.....	2,189	107	199	97	65	53	88	126	121	95	80
1980.....	2,610	124	204	104	75	80	107	104	96	89	98
1979.....	2,308	134	223	112	78	86	106	111	115	86	87

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	30,575	...	...	7	317	1,737	2,398	2,608	2,757	3,439	3,398
1997.....	30,535	...	...	4	303	1,802	2,384	2,709	2,963	3,407	3,323
1996.....	30,903	...	...	4	298	1,817	2,541	2,816	3,045	3,476	3,265
1995.....	31,284	...	...	7	330	1,890	2,894	2,880	3,412	3,332	3,135
1994.....	31,142	...	...	4	318	1,948	3,008	3,026	3,328	3,397	2,978
1993.....	31,102	...	...	6	315	1,884	2,965	2,979	3,328	3,248	2,922
1992.....	30,484	...	...	10	304	1,847	2,846	2,864	3,308	3,177	2,832
1991.....	30,810	...	...	1	265	1,899	2,852	3,086	3,428	3,089	2,678
1990.....	30,906	...	...	6	258	1,979	2,890	3,192	3,358	3,098	2,619
1989.....	30,232	...	...	4	236	2,009	2,861	3,299	3,266	2,937	2,394
1988.....	30,407	...	...	6	237	2,059	2,870	3,355	3,355	2,909	2,296
1987.....	30,796	...	...	1	250	1,902	3,022	3,372	3,283	2,799	2,333
1986.....	30,904	...	...	5	250	1,896	3,224	3,429	3,282	2,852	2,161
1985.....	29,453	...	...	3	275	1,849	3,272	3,364	3,012	2,528	2,098
1984.....	29,286	...	...	7	225	1,692	3,334	3,380	3,012	2,560	2,042
1983.....	28,295	...	...	10	195	1,677	3,168	3,365	2,973	2,328	1,978
1982.....	28,242	...	...	2	198	1,730	3,295	3,444	2,872	2,373	1,942
1981.....	27,596	...	...	4	163	1,770	3,391	3,435	2,908	2,279	1,928
1980.....	26,869	...	...	3	139	1,797	3,442	3,228	2,692	2,150	1,785
1979.....	27,206	...	...	1	151	1,788	3,458	3,271	2,586	2,095	1,781
TOTAL, MALE											
1998.....	24,538	...	...	7	234	1,463	2,069	2,182	2,222	2,663	2,633
1997.....	24,492	...	...	3	230	1,490	2,069	2,263	2,421	2,673	2,550
1996.....	24,998	...	...	3	222	1,496	2,228	2,361	2,487	2,781	2,519
1995.....	25,369	...	...	7	253	1,616	2,516	2,449	2,785	2,647	2,433
1994.....	25,174	...	...	4	230	1,649	2,653	2,555	2,740	2,662	2,308
1993.....	25,007	...	...	3	230	1,561	2,558	2,500	2,718	2,569	2,273
1992.....	24,457	...	...	8	224	1,560	2,484	2,435	2,667	2,522	2,158
1991.....	24,769	...	...	1	207	1,588	2,485	2,563	2,798	2,418	2,057
1990.....	24,724	...	...	4	191	1,656	2,504	2,667	2,672	2,413	2,011
1989.....	24,102	...	...	3	181	1,637	2,469	2,742	2,597	2,301	1,802
1988.....	24,078	...	...	5	176	1,668	2,475	2,779	2,684	2,279	1,696
1987.....	24,272	...	...	1	198	1,525	2,584	2,779	2,591	2,166	1,711
1986.....	24,226	...	...	3	196	1,552	2,724	2,825	2,625	2,190	1,552
1985.....	23,145	...	...	3	202	1,509	2,758	2,759	2,375	1,943	1,538
1984.....	22,689	...	...	6	171	1,365	2,784	2,767	2,358	1,931	1,470
1983.....	21,786	...	...	7	145	1,370	2,611	2,677	2,340	1,736	1,433
1982.....	21,625	...	...	1	159	1,422	2,739	2,749	2,190	1,716	1,391
1981.....	20,809	...	...	4	115	1,413	2,788	2,677	2,229	1,659	1,348
1980.....	20,505	...	...	3	113	1,483	2,853	2,589	2,009	1,572	1,252
1979.....	20,256	...	...	1	103	1,452	2,793	2,587	1,918	1,457	1,223

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	6,037	...	...	-	83	274	329	426	535	776	765
1997.....	6,043	...	...	1	73	312	315	446	542	734	773
1996.....	5,905	...	...	1	76	321	313	455	558	695	746
1995.....	5,915	...	...	-	77	274	378	431	627	685	702
1994.....	5,968	...	...	-	88	299	355	471	588	735	670
1993.....	6,095	...	...	3	85	323	407	479	610	679	649
1992.....	6,027	...	...	2	80	287	362	429	641	655	674
1991.....	6,041	...	...	-	58	311	367	523	630	671	621
1990.....	6,182	...	...	2	67	323	386	525	686	685	608
1989.....	6,130	...	...	1	55	372	392	557	669	636	592
1988.....	6,329	...	...	1	61	391	395	576	671	630	600
1987.....	6,524	...	...	-	52	377	438	593	692	633	622
1986.....	6,678	...	...	2	54	344	500	604	657	662	609
1985.....	6,308	...	...	-	73	340	514	605	637	585	560
1984.....	6,597	...	...	1	54	327	550	613	654	629	572
1983.....	6,509	...	...	3	50	307	557	688	633	592	545
1982.....	6,617	...	...	1	39	308	556	695	682	657	551
1981.....	6,787	...	...	-	48	357	603	758	679	620	580
1980.....	6,364	...	...	-	26	314	589	639	683	578	533
1979.....	6,950	...	...	-	48	336	665	684	668	638	558
WHITE, BOTH SEXES											
1998.....	27,648	...	...	5	269	1,448	1,986	2,182	2,377	3,158	3,120
1997.....	27,513	...	...	3	252	1,509	1,947	2,306	2,581	3,066	3,043
1996.....	27,856	...	...	4	244	1,522	2,117	2,369	2,640	3,123	2,979
1995.....	28,187	...	...	5	284	1,587	2,416	2,443	2,977	2,985	2,857
1994.....	27,976	...	...	2	269	1,588	2,490	2,557	2,933	3,003	2,719
1993.....	28,035	...	...	4	258	1,594	2,443	2,504	2,940	2,902	2,665
1992.....	27,611	...	...	6	265	1,531	2,404	2,464	2,895	2,845	2,582
1991.....	27,996	...	...	-	228	1,628	2,450	2,629	3,045	2,799	2,470
1990.....	28,086	...	...	4	219	1,701	2,481	2,731	2,952	2,779	2,404
1989.....	27,424	...	...	2	196	1,743	2,399	2,847	2,850	2,628	2,189
1988.....	27,790	...	...	6	195	1,819	2,489	2,940	2,904	2,626	2,124
1987.....	28,217	...	...	1	218	1,679	2,649	2,940	2,910	2,517	2,157
1986.....	28,437	...	...	2	212	1,716	2,875	3,004	2,915	2,572	2,012
1985.....	27,087	...	...	3	243	1,643	2,866	2,985	2,674	2,316	1,948
1984.....	27,002	...	...	7	197	1,528	2,961	2,979	2,702	2,335	1,895
1983.....	26,157	...	...	9	161	1,491	2,800	3,016	2,682	2,131	1,844
1982.....	26,141	...	...	2	169	1,573	2,927	3,060	2,571	2,170	1,812
1981.....	25,452	...	...	3	153	1,607	3,024	3,056	2,585	2,080	1,779
1980.....	24,829	...	...	2	130	1,635	3,057	2,876	2,391	1,979	1,639
1979.....	24,945	...	...	-	139	1,602	3,000	2,865	2,292	1,904	1,646

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	22,174	...	...	5	200	1,222	1,712	1,819	1,915	2,445	2,415
1997.....	22,042	...	...	2	192	1,252	1,689	1,923	2,103	2,393	2,327
1996.....	22,547	...	...	3	179	1,249	1,860	1,996	2,150	2,492	2,297
1995.....	22,853	...	...	5	218	1,360	2,099	2,084	2,430	2,370	2,214
1994.....	22,581	...	...	2	194	1,347	2,203	2,156	2,414	2,338	2,097
1993.....	22,524	...	...	3	183	1,313	2,120	2,104	2,402	2,293	2,061
1992.....	22,126	...	...	5	191	1,289	2,103	2,097	2,332	2,251	1,968
1991.....	22,452	...	...	-	175	1,351	2,125	2,191	2,472	2,190	1,895
1990.....	22,448	...	...	3	162	1,422	2,147	2,279	2,346	2,164	1,844
1989.....	21,858	...	...	1	151	1,424	2,074	2,368	2,254	2,062	1,647
1988.....	21,980	...	...	5	146	1,473	2,145	2,438	2,308	2,048	1,581
1987.....	22,188	...	...	1	173	1,352	2,265	2,419	2,291	1,940	1,573
1986.....	22,270	...	...	2	166	1,414	2,427	2,471	2,336	1,953	1,441
1985.....	21,256	...	...	3	180	1,339	2,414	2,436	2,099	1,782	1,427
1984.....	20,882	...	...	6	152	1,240	2,473	2,429	2,108	1,753	1,357
1983.....	20,097	...	...	6	129	1,219	2,311	2,388	2,095	1,587	1,339
1982.....	19,965	...	...	1	133	1,297	2,440	2,426	1,956	1,562	1,293
1981.....	19,166	...	...	3	110	1,288	2,487	2,373	1,988	1,510	1,247
1980.....	18,901	...	...	2	106	1,352	2,529	2,303	1,779	1,444	1,147
1979.....	18,504	...	...	-	94	1,305	2,422	2,260	1,691	1,309	1,121
WHITE FEMALE											
1998.....	5,474	...	...	-	69	226	274	363	462	713	705
1997.....	5,471	...	...	1	60	257	258	383	478	673	716
1996.....	5,309	...	...	1	65	273	257	373	490	631	682
1995.....	5,334	...	...	-	66	227	317	359	547	615	643
1994.....	5,395	...	...	-	75	241	287	401	519	665	622
1993.....	5,511	...	...	1	75	281	323	400	538	609	604
1992.....	5,485	...	...	1	74	242	301	367	563	594	614
1991.....	5,544	...	...	-	53	277	325	438	573	609	575
1990.....	5,638	...	...	1	57	279	334	452	606	615	560
1989.....	5,566	...	...	1	45	319	325	479	596	566	542
1988.....	5,810	...	...	1	49	346	344	502	596	578	543
1987.....	6,029	...	...	-	45	327	384	521	619	577	584
1986.....	6,167	...	...	-	46	302	448	533	579	619	571
1985.....	5,831	...	...	-	63	304	452	549	575	534	521
1984.....	6,120	...	...	1	45	288	488	550	594	582	538
1983.....	6,060	...	...	3	32	272	489	628	587	544	505
1982.....	6,176	...	...	1	36	276	487	634	615	608	519
1981.....	6,286	...	...	-	43	319	537	683	597	570	532
1980.....	5,928	...	...	-	24	283	528	573	612	535	492
1979.....	6,441	...	...	-	45	297	578	605	601	595	525



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	2,927	...	...	2	48	289	412	426	380	281	278
1997.....	3,022	...	...	1	51	293	437	403	382	341	280
1996.....	3,047	...	...	-	54	295	424	447	405	353	286
1995.....	3,097	...	...	2	46	303	478	437	435	347	278
1994.....	3,166	...	...	2	49	360	518	469	395	394	259
1993.....	3,067	...	...	2	57	290	522	475	388	346	257
1992.....	2,873	...	...	4	39	316	442	400	413	332	250
1991.....	2,814	...	...	1	37	271	402	457	383	290	208
1990.....	2,820	...	...	2	39	278	409	461	406	319	215
1989.....	2,808	...	...	2	40	266	462	452	416	309	205
1988.....	2,617	...	...	-	42	240	381	415	451	283	172
1987.....	2,579	...	...	-	32	223	373	432	373	282	176
1986.....	2,467	...	...	3	38	180	349	425	367	280	149
1985.....	2,366	...	...	-	32	206	406	379	338	212	150
1984.....	2,284	...	...	-	28	164	373	401	310	225	147
1983.....	2,138	...	...	1	34	186	368	349	291	197	134
1982.....	2,101	...	...	-	29	157	368	384	301	203	130
1981.....	2,144	...	...	1	10	163	367	379	323	199	149
1980.....	2,040	...	...	1	9	162	385	352	301	171	146
1979.....	2,261	...	...	1	12	186	458	406	294	191	135
ALL OTHER MALE											
1998.....	2,364	...	...	2	34	241	357	363	307	218	218
1997.....	2,450	...	...	1	38	238	380	340	318	280	223
1996.....	2,451	...	...	-	43	247	368	365	337	289	222
1995.....	2,516	...	...	2	35	256	417	365	355	277	219
1994.....	2,593	...	...	2	36	302	450	399	326	324	211
1993.....	2,483	...	...	-	47	248	438	396	316	276	212
1992.....	2,331	...	...	3	33	271	381	338	335	271	190
1991.....	2,317	...	...	1	32	237	360	372	326	228	162
1990.....	2,276	...	...	1	29	234	357	388	326	249	167
1989.....	2,244	...	...	2	30	213	395	374	343	239	155
1988.....	2,098	...	...	-	30	195	330	341	376	231	115
1987.....	2,084	...	...	-	25	173	319	360	300	226	138
1986.....	1,956	...	...	1	30	138	297	354	289	237	111
1985.....	1,889	...	...	-	22	170	344	323	276	161	111
1984.....	1,807	...	...	-	19	125	311	338	250	178	113
1983.....	1,689	...	...	1	16	151	300	289	245	149	94
1982.....	1,660	...	...	-	26	125	299	323	234	154	98
1981.....	1,643	...	...	1	5	125	301	304	241	149	101
1980.....	1,604	...	...	1	7	131	324	286	230	128	105
1979.....	1,752	...	...	1	9	147	371	327	227	148	102

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	563	...	...	-	14	48	55	63	73	63	60
1997.....	572	...	...	-	13	55	57	63	64	61	57
1996.....	596	...	...	-	11	48	56	82	68	64	64
1995.....	581	...	...	-	11	47	61	72	80	70	59
1994.....	573	...	...	-	13	58	68	70	69	70	48
1993.....	584	...	...	2	10	42	84	79	72	70	45
1992.....	542	...	...	1	6	45	61	62	78	61	60
1991.....	497	...	...	-	5	34	42	85	57	62	46
1990.....	544	...	...	1	10	44	52	73	80	70	48
1989.....	564	...	...	-	10	53	67	78	73	70	50
1988.....	519	...	...	-	12	45	51	74	75	52	57
1987.....	495	...	...	-	7	50	54	72	73	56	38
1986.....	511	...	...	2	8	42	52	71	78	43	38
1985.....	477	...	...	-	10	36	62	56	62	51	39
1984.....	477	...	...	-	9	39	62	63	60	47	34
1983.....	449	...	...	-	18	35	68	60	46	48	40
1982.....	441	...	...	-	3	32	69	61	67	49	32
1981.....	501	...	...	-	5	38	66	75	82	50	48
1980.....	436	...	...	-	2	31	61	66	71	43	41
1979.....	509	...	...	-	3	39	87	79	67	43	33
BLACK, BOTH SEXES											
1998.....	1,977	...	...	2	29	191	297	273	273	202	186
1997.....	2,103	...	...	-	40	211	302	278	289	245	208
1996.....	2,164	...	...	-	36	195	328	301	289	267	209
1995.....	2,231	...	...	1	30	229	323	321	312	266	218
1994.....	2,271	...	...	2	39	263	366	325	282	296	201
1993.....	2,259	...	...	2	39	213	395	353	296	265	183
1992.....	2,143	...	...	1	33	223	313	303	331	257	194
1991.....	2,097	...	...	1	31	183	296	344	301	237	153
1990.....	2,111	...	...	2	29	183	282	357	318	252	171
1989.....	2,153	...	...	2	32	175	350	340	349	244	168
1988.....	2,022	...	...	-	29	167	298	325	360	226	131
1987.....	1,963	...	...	-	25	162	263	341	311	225	129
1986.....	1,892	...	...	2	25	128	252	332	303	218	113
1985.....	1,795	...	...	-	22	135	289	294	262	175	115
1984.....	1,760	...	...	-	19	107	273	322	259	179	116
1983.....	1,623	...	...	-	27	119	280	271	234	145	108
1982.....	1,639	...	...	-	22	113	270	305	235	169	105
1981.....	1,658	...	...	1	6	105	282	315	253	151	110
1980.....	1,607	...	...	1	9	108	307	278	245	133	128
1979.....	1,812	...	...	1	7	132	354	336	251	150	115

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	1,659	...	...	2	21	164	261	240	228	159	154
1997.....	1,764	...	...	-	28	171	276	243	249	201	172
1996.....	1,820	...	...	-	28	169	292	258	245	227	170
1995.....	1,878	...	...	1	24	197	295	273	262	218	173
1994.....	1,922	...	...	2	31	230	326	284	237	249	164
1993.....	1,905	...	...	-	33	194	342	308	251	216	153
1992.....	1,803	...	...	1	28	198	280	265	274	216	153
1991.....	1,782	...	...	1	27	164	271	283	266	193	126
1990.....	1,737	...	...	1	21	157	247	300	267	199	133
1989.....	1,771	...	...	2	23	144	303	285	294	196	132
1988.....	1,648	...	...	-	17	136	258	270	304	190	95
1987.....	1,635	...	...	-	21	125	229	286	253	190	107
1986.....	1,537	...	...	1	20	99	217	284	245	191	87
1985.....	1,481	...	...	-	17	114	253	254	221	135	90
1984.....	1,432	...	...	-	14	83	228	273	215	146	93
1983.....	1,321	...	...	-	12	94	227	230	201	118	77
1982.....	1,327	...	...	-	20	91	226	260	187	127	82
1981.....	1,315	...	...	1	4	81	235	260	197	119	78
1980.....	1,297	...	...	1	7	84	262	235	194	102	91
1979.....	1,428	...	...	1	4	100	289	271	198	116	89
BLACK FEMALE											
1998.....	318	...	...	-	8	27	36	33	45	43	32
1997.....	339	...	...	-	12	40	26	35	40	44	36
1996.....	344	...	...	-	8	26	36	43	44	40	39
1995.....	353	...	...	-	6	32	28	48	50	48	45
1994.....	349	...	...	-	8	33	40	41	45	47	37
1993.....	354	...	...	2	6	19	53	45	45	49	30
1992.....	340	...	...	-	5	25	33	38	57	41	41
1991.....	315	...	...	-	4	19	25	61	35	44	27
1990.....	374	...	...	1	8	26	35	57	51	53	38
1989.....	382	...	...	-	9	31	47	55	55	48	36
1988.....	374	...	...	-	12	31	40	55	56	36	36
1987.....	328	...	...	-	4	37	34	55	58	35	22
1986.....	355	...	...	1	5	29	35	48	58	27	26
1985.....	314	...	...	-	5	21	36	40	41	40	25
1984.....	328	...	...	-	5	24	45	49	44	33	23
1983.....	302	...	...	-	15	25	53	41	33	27	31
1982.....	312	...	...	-	2	22	44	45	48	42	23
1981.....	343	...	...	-	2	24	47	55	56	32	32
1980.....	310	...	...	-	2	24	45	43	51	31	37
1979.....	384	...	...	-	3	32	65	65	53	34	26

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
TOTAL, BOTH SEXES											
1998.....	18,272	322	399	170	290	2,311	3,195	2,537	2,028	1,932	1,635
1997.....	19,846	317	375	174	283	2,618	3,528	2,747	2,328	2,067	1,610
1996.....	20,971	332	420	179	335	2,924	3,624	2,890	2,538	2,246	1,648
1995.....	22,895	311	452	157	405	3,292	3,992	3,227	2,935	2,313	1,805
1994.....	24,926	313	473	156	416	3,569	4,547	3,607	3,281	2,698	1,833
1993.....	26,009	344	464	194	462	3,576	4,848	3,811	3,467	2,668	1,869
1992.....	25,488	326	430	146	441	3,302	4,717	3,916	3,427	2,596	1,864
1991.....	26,513	380	428	138	381	3,365	4,794	4,157	3,644	2,691	1,880
1990.....	24,932	332	378	156	356	3,042	4,312	4,180	3,463	2,633	1,784
1989.....	22,909	335	393	181	329	2,442	3,743	3,864	3,271	2,357	1,662
1988.....	22,032	315	381	179	280	2,135	3,636	3,834	3,158	2,273	1,561
1987.....	21,103	273	334	141	266	1,838	3,516	3,582	2,964	2,245	1,477
1986.....	21,731	278	382	134	245	1,862	3,660	3,813	3,091	2,282	1,501
1985.....	19,893	200	348	167	250	1,602	3,170	3,385	2,805	2,106	1,475
1984.....	19,796	237	341	155	274	1,564	3,255	3,414	2,640	2,027	1,436
1983.....	20,191	193	320	144	213	1,642	3,395	3,453	2,748	1,965	1,512
1982.....	22,358	243	377	166	237	1,937	3,758	3,784	3,029	2,149	1,580
1981.....	23,646	218	341	156	284	2,071	4,101	3,966	3,213	2,185	1,632
1980.....	24,278	210	319	153	262	2,253	4,394	4,117	3,150	2,248	1,621
1979.....	22,550	170	314	165	229	2,191	3,965	3,715	2,830	2,026	1,559
TOTAL, MALE											
1998.....	14,023	172	223	84	173	1,971	2,749	2,058	1,553	1,402	1,197
1997.....	15,449	182	209	95	200	2,236	3,066	2,273	1,795	1,535	1,200
1996.....	16,269	168	214	94	217	2,509	3,146	2,369	1,953	1,665	1,248
1995.....	17,740	175	253	87	287	2,776	3,448	2,600	2,240	1,715	1,355
1994.....	19,707	179	265	75	282	3,118	3,906	2,926	2,559	2,044	1,458
1993.....	20,290	193	274	105	303	3,079	4,127	3,010	2,676	2,057	1,419
1992.....	20,115	181	242	78	297	2,865	4,026	3,140	2,692	2,038	1,441
1991.....	20,768	206	235	71	266	2,901	4,022	3,363	2,836	2,110	1,461
1990.....	19,604	178	208	70	229	2,571	3,651	3,392	2,704	2,090	1,426
1989.....	17,686	165	215	89	211	2,039	3,073	3,065	2,583	1,850	1,299
1988.....	16,712	151	217	98	170	1,743	2,925	2,957	2,440	1,790	1,222
1987.....	15,855	155	164	79	167	1,442	2,781	2,764	2,281	1,751	1,135
1986.....	16,595	152	223	68	147	1,432	2,909	2,990	2,475	1,810	1,165
1985.....	15,066	106	184	84	161	1,245	2,522	2,652	2,197	1,638	1,159
1984.....	15,038	134	173	71	149	1,172	2,490	2,706	2,124	1,613	1,126
1983.....	15,514	92	181	80	140	1,255	2,683	2,731	2,226	1,564	1,202
1982.....	17,315	139	208	87	126	1,488	2,979	3,046	2,492	1,718	1,242
1981.....	18,572	106	183	88	159	1,612	3,276	3,261	2,622	1,796	1,325
1980.....	19,088	114	180	76	145	1,741	3,514	3,358	2,609	1,804	1,321
1979.....	17,628	104	154	91	145	1,681	3,143	3,028	2,343	1,646	1,253

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
TOTAL, FEMALE											
1998.....	4,249	150	176	86	117	340	446	479	475	530	438
1997.....	4,397	135	166	79	83	382	462	474	533	532	410
1996.....	4,702	164	206	85	118	415	478	521	585	581	400
1995.....	5,155	136	199	70	118	516	544	627	695	598	450
1994.....	5,219	134	208	81	134	451	641	681	722	654	375
1993.....	5,719	151	190	89	159	497	721	801	791	611	450
1992.....	5,373	145	188	68	144	437	691	776	735	558	423
1991.....	5,745	174	193	67	115	464	772	794	808	581	419
1990.....	5,328	154	170	86	127	471	661	788	759	543	358
1989.....	5,223	170	178	92	118	403	670	799	688	507	363
1988.....	5,320	164	164	81	110	392	711	877	718	483	339
1987.....	5,248	118	170	62	99	396	735	818	683	494	342
1986.....	5,136	126	159	66	98	430	751	823	616	472	336
1985.....	4,827	94	164	83	89	357	648	733	608	468	316
1984.....	4,758	103	168	84	125	392	765	708	516	414	310
1983.....	4,677	101	139	64	73	387	712	722	522	401	310
1982.....	5,043	104	169	79	111	449	779	738	537	431	338
1981.....	5,074	112	158	68	125	459	825	705	591	389	307
1980.....	5,190	96	139	77	117	512	880	759	541	444	300
1979.....	4,922	66	160	74	84	510	822	687	487	380	306
WHITE, BOTH SEXES											
1998.....	9,241	188	199	98	169	997	1,265	1,080	1,030	1,036	925
1997.....	9,913	189	212	98	149	1,080	1,348	1,206	1,176	1,080	876
1996.....	10,317	201	225	112	184	1,150	1,396	1,197	1,274	1,194	899
1995.....	11,364	184	242	94	222	1,359	1,626	1,450	1,425	1,191	1,037
1994.....	11,976	170	266	91	199	1,349	1,772	1,565	1,590	1,392	987
1993.....	12,286	198	223	118	224	1,315	1,813	1,623	1,675	1,367	978
1992.....	12,468	189	224	79	216	1,308	1,871	1,721	1,667	1,375	1,024
1991.....	12,782	207	226	81	196	1,265	1,901	1,835	1,711	1,385	1,034
1990.....	12,153	181	190	88	179	1,170	1,795	1,864	1,629	1,308	1,011
1989.....	11,308	178	202	97	168	936	1,553	1,740	1,560	1,198	949
1988.....	11,066	180	221	108	139	824	1,549	1,737	1,512	1,141	910
1987.....	11,128	156	195	86	134	781	1,603	1,773	1,487	1,206	820
1986.....	11,690	160	194	68	155	919	1,797	1,866	1,578	1,221	916
1985.....	11,163	121	204	95	164	768	1,659	1,790	1,455	1,175	886
1984.....	11,127	133	208	80	170	829	1,751	1,770	1,382	1,153	840
1983.....	11,235	104	166	95	136	833	1,760	1,817	1,420	1,117	894
1982.....	12,439	146	203	103	150	1,044	2,013	1,932	1,506	1,208	962
1981.....	13,066	137	188	94	170	1,156	2,168	1,987	1,646	1,201	933
1980.....	13,558	125	181	100	172	1,323	2,303	2,048	1,648	1,234	934
1979.....	12,334	96	177	105	145	1,274	2,116	1,811	1,437	1,052	853

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
WHITE MALE											
1998.....	6,707	102	104	44	98	815	1,043	836	758	737	651
1997.....	7,343	121	119	52	105	869	1,115	961	879	783	651
1996.....	7,570	101	122	60	117	940	1,151	935	968	867	656
1995.....	8,336	110	133	51	152	1,086	1,335	1,114	1,063	869	760
1994.....	9,055	94	147	39	135	1,114	1,456	1,237	1,213	1,049	762
1993.....	9,054	110	138	60	141	1,074	1,461	1,235	1,265	1,020	702
1992.....	9,456	104	133	40	145	1,068	1,536	1,362	1,306	1,063	765
1991.....	9,581	121	131	43	134	1,022	1,521	1,458	1,314	1,068	780
1990.....	9,147	103	109	37	117	922	1,453	1,484	1,240	1,022	785
1989.....	8,337	91	115	45	101	704	1,217	1,341	1,202	919	712
1988.....	7,994	89	131	56	86	606	1,178	1,302	1,144	862	699
1987.....	7,979	94	107	47	71	563	1,223	1,318	1,111	888	614
1986.....	8,567	84	115	38	84	670	1,364	1,421	1,243	941	699
1985.....	8,122	58	111	49	101	567	1,283	1,372	1,106	892	671
1984.....	8,171	75	115	35	90	587	1,287	1,388	1,091	893	654
1983.....	8,355	50	97	52	83	611	1,368	1,408	1,140	877	691
1982.....	9,260	86	108	51	68	766	1,537	1,508	1,216	937	742
1981.....	9,941	69	90	50	82	864	1,711	1,597	1,326	976	737
1980.....	10,381	64	106	50	88	986	1,814	1,660	1,355	980	732
1979.....	9,392	58	93	58	89	957	1,665	1,439	1,183	851	653
WHITE FEMALE											
1998.....	2,534	86	95	54	71	182	222	244	272	299	274
1997.....	2,570	68	93	46	44	211	233	245	297	297	225
1996.....	2,747	100	103	52	67	210	245	262	306	327	243
1995.....	3,028	74	109	43	70	273	291	336	362	322	277
1994.....	2,921	76	119	52	64	235	316	328	377	343	225
1993.....	3,232	88	85	58	83	241	352	388	410	347	276
1992.....	3,012	85	91	39	71	240	335	359	361	312	259
1991.....	3,201	86	95	38	62	243	380	377	397	317	254
1990.....	3,006	78	81	51	62	248	342	380	389	286	226
1989.....	2,971	87	87	52	67	232	336	399	358	279	237
1988.....	3,072	91	90	52	53	218	371	435	368	279	211
1987.....	3,149	62	88	39	63	218	380	455	376	318	206
1986.....	3,123	76	79	30	71	249	433	445	335	280	217
1985.....	3,041	63	93	46	63	201	376	418	349	283	215
1984.....	2,956	58	93	45	80	242	464	382	291	260	186
1983.....	2,880	54	69	43	53	222	392	409	280	240	203
1982.....	3,179	60	95	52	82	278	476	424	290	271	220
1981.....	3,125	68	98	44	88	292	457	390	320	225	196
1980.....	3,177	61	75	50	84	337	489	388	293	254	202
1979.....	2,942	38	84	47	56	317	451	372	254	201	200

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
ALL OTHER, BOTH SEXES											
1998.....	9,031	134	200	72	121	1,314	1,930	1,457	998	896	710
1997.....	9,933	128	163	76	134	1,538	2,180	1,541	1,152	987	734
1996.....	10,654	131	195	67	151	1,774	2,228	1,693	1,264	1,052	749
1995.....	11,531	127	210	63	183	1,933	2,366	1,777	1,510	1,122	768
1994.....	12,950	143	207	65	217	2,220	2,775	2,042	1,691	1,306	846
1993.....	13,723	146	241	76	238	2,261	3,035	2,188	1,792	1,301	891
1992.....	13,020	137	206	67	225	1,994	2,846	2,195	1,760	1,221	840
1991.....	13,731	173	202	57	185	2,100	2,893	2,322	1,933	1,306	846
1990.....	12,779	151	188	68	177	1,872	2,517	2,316	1,834	1,325	773
1989.....	11,601	157	191	84	161	1,506	2,190	2,124	1,711	1,159	713
1988.....	10,966	135	160	71	141	1,311	2,087	2,097	1,646	1,132	651
1987.....	9,975	117	139	55	132	1,057	1,913	1,809	1,477	1,039	657
1986.....	10,041	118	188	66	90	943	1,863	1,947	1,513	1,061	585
1985.....	8,730	79	144	72	86	834	1,511	1,595	1,350	931	589
1984.....	8,669	104	133	75	104	735	1,504	1,644	1,258	874	596
1983.....	8,956	89	154	49	77	809	1,635	1,636	1,328	848	618
1982.....	9,919	97	174	63	87	893	1,745	1,852	1,523	941	618
1981.....	10,580	81	153	62	114	915	1,933	1,979	1,567	984	699
1980.....	10,720	85	138	53	90	930	2,091	2,069	1,502	1,014	687
1979.....	10,216	74	137	60	84	917	1,849	1,904	1,393	974	706
ALL OTHER MALE											
1998.....	7,316	70	119	40	75	1,156	1,706	1,222	795	665	546
1997.....	8,106	61	90	43	95	1,367	1,951	1,312	916	752	549
1996.....	8,699	67	92	34	100	1,569	1,995	1,434	985	798	592
1995.....	9,404	65	120	36	135	1,690	2,113	1,486	1,177	846	595
1994.....	10,652	85	118	36	147	2,004	2,450	1,689	1,346	995	696
1993.....	11,236	83	136	45	162	2,005	2,666	1,775	1,411	1,037	717
1992.....	10,659	77	109	38	152	1,797	2,490	1,778	1,386	975	676
1991.....	11,187	85	104	28	132	1,879	2,501	1,905	1,522	1,042	681
1990.....	10,457	75	99	33	112	1,649	2,198	1,908	1,464	1,068	641
1989.....	9,349	74	100	44	110	1,335	1,856	1,724	1,381	931	587
1988.....	8,718	62	86	42	84	1,137	1,747	1,655	1,296	928	523
1987.....	7,876	61	57	32	96	879	1,558	1,446	1,170	863	521
1986.....	8,028	68	108	30	63	762	1,545	1,569	1,232	869	466
1985.....	6,944	48	73	35	60	678	1,239	1,280	1,091	746	488
1984.....	6,867	59	58	36	59	585	1,203	1,318	1,033	720	472
1983.....	7,159	42	84	28	57	644	1,315	1,323	1,086	687	511
1982.....	8,055	53	100	36	58	722	1,442	1,538	1,276	781	500
1981.....	8,631	37	93	38	77	748	1,565	1,664	1,296	820	588
1980.....	8,707	50	74	26	57	755	1,700	1,698	1,254	824	589
1979.....	8,236	46	61	33	56	724	1,478	1,589	1,160	795	600

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
ALL OTHER FEMALE											
1998.....	1,715	64	81	32	46	158	224	235	203	231	164
1997.....	1,827	67	73	33	39	171	229	229	236	235	185
1996.....	1,955	64	103	33	51	205	233	259	279	254	157
1995.....	2,127	62	90	27	48	243	253	291	333	276	173
1994.....	2,298	58	89	29	70	216	325	353	345	311	150
1993.....	2,487	63	105	31	76	256	369	413	381	264	174
1992.....	2,361	60	97	29	73	197	356	417	374	246	164
1991.....	2,544	88	98	29	53	221	392	417	411	264	165
1990.....	2,322	76	89	35	65	223	319	408	370	257	132
1989.....	2,252	83	91	40	51	171	334	400	330	228	126
1988.....	2,248	73	74	29	57	174	340	442	350	204	128
1987.....	2,099	56	82	23	36	178	355	363	307	176	136
1986.....	2,013	50	80	36	27	181	318	378	281	192	119
1985.....	1,786	31	71	37	26	156	272	315	259	185	101
1984.....	1,802	45	75	39	45	150	301	326	225	154	124
1983.....	1,797	47	70	21	20	165	320	313	242	161	107
1982.....	1,864	44	74	27	29	171	303	314	247	160	118
1981.....	1,949	44	60	24	37	167	368	315	271	164	111
1980.....	2,013	35	64	27	33	175	391	371	248	190	98
1979.....	1,980	28	76	27	28	193	371	315	233	179	106
BLACK, BOTH SEXES											
1998.....	8,420	123	187	58	105	1,238	1,857	1,369	927	838	648
1997.....	9,253	110	147	64	116	1,438	2,091	1,462	1,088	911	672
1996.....	9,983	121	174	60	134	1,673	2,122	1,600	1,195	990	697
1995.....	10,783	120	192	55	161	1,809	2,251	1,677	1,419	1,051	709
1994.....	12,207	128	185	54	197	2,084	2,674	1,948	1,607	1,224	784
1993.....	12,937	132	217	68	224	2,143	2,909	2,073	1,687	1,232	822
1992.....	12,318	128	185	55	205	1,906	2,719	2,108	1,667	1,155	783
1991.....	12,958	159	184	50	176	2,006	2,779	2,202	1,819	1,209	795
1990.....	12,144	141	170	62	170	1,794	2,407	2,237	1,747	1,251	718
1989.....	10,962	142	172	66	148	1,451	2,090	2,026	1,618	1,089	660
1988.....	10,403	127	152	64	132	1,248	1,999	2,009	1,558	1,074	603
1987.....	9,487	109	130	49	120	1,010	1,835	1,737	1,425	982	608
1986.....	9,495	113	174	60	86	889	1,755	1,865	1,435	1,001	546
1985.....	8,282	75	136	60	77	787	1,443	1,526	1,301	870	554
1984.....	8,240	101	125	69	96	696	1,441	1,583	1,197	823	559
1983.....	8,494	81	142	43	73	765	1,561	1,547	1,274	812	582
1982.....	9,473	87	159	60	77	849	1,667	1,794	1,470	900	581
1981.....	10,137	71	147	57	106	874	1,856	1,919	1,515	938	661
1980.....	10,283	84	131	49	85	897	2,007	1,983	1,456	967	658
1979.....	9,812	70	132	56	82	881	1,779	1,833	1,335	943	674



- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
BLACK MALE											
1998.....	6,873	62	109	33	67	1,092	1,647	1,160	740	630	501
1997.....	7,601	51	84	34	83	1,284	1,876	1,247	868	696	505
1996.....	8,183	64	84	32	89	1,488	1,905	1,359	935	747	546
1995.....	8,847	61	109	32	119	1,581	2,021	1,412	1,110	799	558
1994.....	10,083	75	106	32	132	1,880	2,372	1,614	1,277	933	655
1993.....	10,640	76	122	39	151	1,901	2,560	1,695	1,334	986	663
1992.....	10,131	72	95	31	135	1,720	2,387	1,710	1,318	930	632
1991.....	10,628	77	97	25	125	1,802	2,406	1,810	1,443	974	650
1990.....	9,981	69	88	29	108	1,585	2,107	1,851	1,399	1,015	599
1989.....	8,888	69	91	36	100	1,292	1,776	1,651	1,312	880	549
1988.....	8,314	58	84	38	76	1,089	1,673	1,594	1,233	887	488
1987.....	7,518	56	53	28	89	844	1,502	1,389	1,133	817	486
1986.....	7,634	65	102	26	60	721	1,463	1,511	1,177	825	440
1985.....	6,616	46	70	30	55	645	1,180	1,223	1,062	701	455
1984.....	6,563	56	54	31	54	554	1,156	1,271	993	684	447
1983.....	6,822	39	77	26	54	615	1,255	1,264	1,043	662	484
1982.....	7,730	48	92	36	51	687	1,379	1,496	1,243	749	474
1981.....	8,312	33	90	35	71	714	1,517	1,617	1,260	790	559
1980.....	8,385	50	70	24	53	731	1,634	1,633	1,221	793	569
1979.....	7,938	43	60	29	55	699	1,430	1,537	1,116	772	574
BLACK FEMALE											
1998.....	1,547	61	78	25	38	146	210	209	187	208	147
1997.....	1,652	59	63	30	33	154	215	215	220	215	167
1996.....	1,800	57	90	28	45	185	217	241	260	243	151
1995.....	1,936	59	83	23	42	228	230	265	309	252	151
1994.....	2,124	53	79	22	65	204	302	334	330	291	129
1993.....	2,297	56	95	29	73	242	349	378	353	246	159
1992.....	2,187	56	90	24	70	186	332	398	349	225	151
1991.....	2,330	82	87	25	51	204	373	392	376	235	145
1990.....	2,163	72	82	33	62	209	300	386	348	236	119
1989.....	2,074	73	81	30	48	159	314	375	306	209	111
1988.....	2,089	69	68	26	56	159	326	415	325	187	115
1987.....	1,969	53	77	21	31	166	333	348	292	165	122
1986.....	1,861	48	72	34	26	168	292	354	258	176	106
1985.....	1,666	29	66	30	22	142	263	303	239	169	99
1984.....	1,677	45	71	38	42	142	285	312	204	139	112
1983.....	1,672	42	65	17	19	150	306	283	231	150	98
1982.....	1,743	39	67	24	26	162	288	298	227	151	107
1981.....	1,825	38	57	22	35	160	339	302	255	148	102
1980.....	1,898	34	61	25	32	166	373	350	235	174	89
1979.....	1,874	27	72	27	27	182	349	296	219	171	100

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	3,763	75	43	15	51	139	203	307	427	638	648
1997.....	3,666	57	40	16	32	146	214	263	453	659	639
1996.....	3,476	58	54	23	25	166	201	266	497	618	545
1995.....	3,310	57	45	11	35	155	209	278	502	621	510
1994.....	3,435	47	47	22	49	175	248	327	492	579	482
1993.....	3,427	61	39	17	42	150	270	319	565	548	469
1992.....	2,906	41	34	12	33	137	204	328	434	503	406
1991.....	2,517	48	41	11	39	150	173	261	374	400	272
1990.....	2,390	53	31	18	35	125	185	285	362	327	255
1989.....	2,700	51	56	7	42	126	219	339	421	398	270
1988.....	3,033	42	55	22	51	157	292	414	484	387	249
1987.....	3,023	57	76	21	42	149	268	409	465	391	251
1986.....	3,120	51	53	11	38	149	316	407	457	378	239
1985.....	2,845	54	71	19	39	133	264	386	406	326	206
1984.....	3,019	60	56	25	50	154	342	409	368	301	215
1983.....	3,117	56	71	26	49	164	348	423	384	275	230
1982.....	3,212	73	67	23	40	186	373	431	402	314	183
1981.....	3,630	81	84	23	48	241	421	436	400	304	232
1980.....	3,686	68	100	34	48	250	452	508	387	278	253
1979.....	3,877	85	95	28	72	283	495	492	378	290	260
TOTAL, MALE											
1998.....	2,614	53	27	9	44	112	159	214	295	452	469
1997.....	2,665	37	19	9	27	116	173	200	335	502	471
1996.....	2,536	29	26	15	22	143	165	198	379	452	419
1995.....	2,470	28	28	8	29	134	174	206	370	495	394
1994.....	2,524	24	21	12	39	155	201	242	359	438	374
1993.....	2,521	38	22	10	36	121	215	241	430	416	352
1992.....	2,115	24	18	7	29	113	169	254	324	379	302
1991.....	1,765	29	16	4	27	117	128	193	280	309	189
1990.....	1,733	30	20	13	27	99	150	220	279	249	190
1989.....	1,956	30	33	2	31	107	177	246	329	306	187
1988.....	2,208	28	26	15	43	123	218	308	380	307	177
1987.....	2,196	32	41	12	33	113	188	307	371	303	184
1986.....	2,270	30	33	5	32	121	238	319	335	285	173
1985.....	2,037	30	43	10	29	97	195	297	325	244	152
1984.....	2,174	36	27	14	39	126	252	317	295	212	158
1983.....	2,193	27	46	14	42	124	252	318	297	190	166
1982.....	2,309	43	40	15	33	139	278	346	305	234	129
1981.....	2,549	36	47	13	35	186	317	337	310	216	159
1980.....	2,643	44	60	21	39	192	357	399	297	195	170
1979.....	2,688	36	57	20	47	208	386	370	277	196	171

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	1,149	22	16	6	7	27	44	93	132	186	179
1997.....	1,001	20	21	7	5	30	41	63	118	157	168
1996.....	940	29	28	8	3	23	36	68	118	166	126
1995.....	840	29	17	3	6	21	35	72	132	126	116
1994.....	911	23	26	10	10	20	47	85	133	141	108
1993.....	906	23	17	7	6	29	55	78	135	132	117
1992.....	791	17	16	5	4	24	35	74	110	124	104
1991.....	752	19	25	7	12	33	45	68	94	91	83
1990.....	657	23	11	5	8	26	35	65	83	78	65
1989.....	744	21	23	5	11	19	42	93	92	92	83
1988.....	825	14	29	7	8	34	74	106	104	80	72
1987.....	827	25	35	9	9	36	80	102	94	88	67
1986.....	850	21	20	6	6	28	78	88	122	93	66
1985.....	808	24	28	9	10	36	69	89	81	82	54
1984.....	845	24	29	11	11	28	90	92	73	89	57
1983.....	924	29	25	12	7	40	96	105	87	85	64
1982.....	903	30	27	8	7	47	95	85	97	80	54
1981.....	1,081	45	37	10	13	55	104	99	90	88	73
1980.....	1,043	24	40	13	9	58	95	109	90	83	83
1979.....	1,189	49	38	8	25	75	109	122	101	94	89
WHITE, BOTH SEXES											
1998.....	2,968	53	28	12	35	108	162	245	337	507	495
1997.....	2,846	38	22	9	28	103	153	195	355	523	501
1996.....	2,693	39	33	15	22	110	143	211	376	483	424
1995.....	2,484	34	26	8	26	103	147	213	393	475	385
1994.....	2,634	27	29	11	33	127	192	255	377	454	366
1993.....	2,581	30	20	12	31	106	211	231	432	399	344
1992.....	2,239	22	19	6	24	92	155	258	331	379	314
1991.....	1,951	27	28	6	28	107	126	201	287	309	215
1990.....	1,820	22	13	11	28	93	138	213	277	254	199
1989.....	1,973	25	40	4	37	97	166	231	306	260	201
1988.....	2,250	22	29	13	40	111	209	280	357	282	189
1987.....	2,194	40	37	9	35	113	191	286	331	258	182
1986.....	2,326	27	19	7	28	113	246	310	327	274	179
1985.....	2,165	26	42	11	29	109	208	300	287	237	157
1984.....	2,276	34	30	14	36	124	274	294	256	216	157
1983.....	2,327	20	38	15	36	128	253	313	287	205	169
1982.....	2,391	38	38	13	27	156	278	309	285	232	115
1981.....	2,741	47	45	16	38	192	319	344	273	221	156
1980.....	2,805	40	54	17	37	195	365	386	281	204	170
1979.....	2,917	41	52	15	55	211	373	353	281	210	193

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	2,004	35	15	6	31	85	122	173	234	349	345
1997.....	2,046	25	11	6	24	78	123	148	263	398	363
1996.....	1,937	20	17	10	20	94	116	154	282	351	326
1995.....	1,842	16	14	6	23	90	123	159	295	385	293
1994.....	1,905	16	11	6	27	111	154	184	280	340	285
1993.....	1,882	20	12	7	28	85	169	175	329	304	253
1992.....	1,602	14	9	3	21	74	127	202	247	284	233
1991.....	1,366	16	12	1	19	84	94	150	212	244	154
1990.....	1,315	13	8	9	20	73	110	171	217	194	141
1989.....	1,414	12	23	1	28	81	134	175	238	201	135
1988.....	1,620	13	14	10	33	82	162	212	279	218	134
1987.....	1,566	24	23	8	27	85	137	208	263	201	126
1986.....	1,683	16	15	3	23	90	189	241	240	205	131
1985.....	1,548	14	24	7	22	80	154	233	235	178	116
1984.....	1,630	21	11	10	31	101	204	230	204	151	109
1983.....	1,634	9	23	8	31	100	186	237	221	146	116
1982.....	1,696	21	24	10	21	119	205	251	215	174	74
1981.....	1,907	22	27	8	27	153	234	262	215	151	105
1980.....	1,986	27	35	12	33	155	288	309	217	135	114
1979.....	2,016	20	32	12	35	158	303	267	206	136	126
WHITE FEMALE											
1998.....	964	18	13	6	4	23	40	72	103	158	150
1997.....	800	13	11	3	4	25	30	47	92	125	138
1996.....	756	19	16	5	2	16	27	57	94	132	98
1995.....	642	18	12	2	3	13	24	54	98	90	92
1994.....	729	11	18	5	6	16	38	71	97	114	81
1993.....	699	10	8	5	3	21	42	56	103	95	91
1992.....	637	8	10	3	3	18	28	56	84	95	81
1991.....	585	11	16	5	9	23	32	51	75	65	61
1990.....	505	9	5	2	8	20	28	42	60	60	58
1989.....	559	13	17	3	9	16	32	56	68	59	66
1988.....	630	9	15	3	7	29	47	68	78	64	55
1987.....	628	16	14	1	8	28	54	78	68	57	56
1986.....	643	11	4	4	5	23	57	69	87	69	48
1985.....	617	12	18	4	7	29	54	67	52	59	41
1984.....	646	13	19	4	5	23	70	64	52	65	48
1983.....	693	11	15	7	5	28	67	76	66	59	53
1982.....	695	17	14	3	6	37	73	58	70	58	41
1981.....	834	25	18	8	11	39	85	82	58	70	51
1980.....	819	13	19	5	4	40	77	77	64	69	56
1979.....	901	21	20	3	20	53	70	86	75	74	67

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER EXTERNAL CAUSES (E980-E999)											
ALL OTHER, BOTH SEXES											
1998.....	795	22	15	3	16	31	41	62	90	131	153
1997.....	820	19	18	7	4	43	61	68	98	136	138
1996.....	783	19	21	8	3	56	58	55	121	135	121
1995.....	826	23	19	3	9	52	62	65	109	146	125
1994.....	801	20	18	11	16	48	56	72	115	125	116
1993.....	846	31	19	5	11	44	59	88	133	149	125
1992.....	667	19	15	6	9	45	49	70	103	124	92
1991.....	566	21	13	5	11	43	47	60	87	91	57
1990.....	570	31	18	7	7	32	47	72	85	73	56
1989.....	727	26	16	3	5	29	53	108	115	138	69
1988.....	783	20	26	9	11	46	83	134	127	105	60
1987.....	829	17	39	12	7	36	77	123	134	133	69
1986.....	794	24	34	4	10	36	70	97	130	104	60
1985.....	680	28	29	8	10	24	56	86	119	89	49
1984.....	743	26	26	11	14	30	68	115	112	85	58
1983.....	790	36	33	11	13	36	95	110	97	70	61
1982.....	821	35	29	10	13	30	95	122	117	82	68
1981.....	889	34	39	7	10	49	102	92	127	83	76
1980.....	881	28	46	17	11	55	87	122	106	74	83
1979.....	960	44	43	13	17	72	122	139	97	80	67
ALL OTHER MALE											
1998.....	610	18	12	3	13	27	37	41	61	103	124
1997.....	619	12	8	3	3	38	50	52	72	104	108
1996.....	599	9	9	5	2	49	49	44	97	101	93
1995.....	628	12	14	2	6	44	51	47	75	110	101
1994.....	619	8	10	6	12	44	47	58	79	98	89
1993.....	639	18	10	3	8	36	46	66	101	112	99
1992.....	513	10	9	4	8	39	42	52	77	95	69
1991.....	399	13	4	3	8	33	34	43	68	65	35
1990.....	418	17	12	4	7	26	40	49	62	55	49
1989.....	542	18	10	1	3	26	43	71	91	105	52
1988.....	588	15	12	5	10	41	56	96	101	89	43
1987.....	630	8	18	4	6	28	51	99	108	102	58
1986.....	587	14	18	2	9	31	49	78	95	80	42
1985.....	489	16	19	3	7	17	41	64	90	66	36
1984.....	544	15	16	4	8	25	48	87	91	61	49
1983.....	559	18	23	6	11	24	66	81	76	44	50
1982.....	613	22	16	5	12	20	73	95	90	60	55
1981.....	642	14	20	5	8	33	83	75	95	65	54
1980.....	657	17	25	9	6	37	69	90	80	60	56
1979.....	672	16	25	8	12	50	83	103	71	60	45

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	185	4	3	-	3	4	4	21	29	28	29
1997.....	201	7	10	4	1	5	11	16	26	32	30
1996.....	184	10	12	3	1	7	9	11	24	34	28
1995.....	198	11	5	1	3	8	11	18	34	36	24
1994.....	182	12	8	5	4	4	9	14	36	27	27
1993.....	207	13	9	2	3	8	13	22	32	37	26
1992.....	154	9	6	2	1	6	7	18	26	29	23
1991.....	167	8	9	2	3	10	13	17	19	26	22
1990.....	152	14	6	3	-	6	7	23	23	18	7
1989.....	185	8	6	2	2	3	10	37	24	33	17
1988.....	195	5	14	4	1	5	27	38	26	16	17
1987.....	199	9	21	8	1	8	26	24	26	31	11
1986.....	207	10	16	2	1	5	21	19	35	24	18
1985.....	191	12	10	5	3	7	15	22	29	23	13
1984.....	199	11	10	7	6	5	20	28	21	24	9
1983.....	231	18	10	5	2	12	29	29	21	26	11
1982.....	208	13	13	5	1	10	22	27	27	22	13
1981.....	247	20	19	2	2	16	19	17	32	18	22
1980.....	224	11	21	8	5	18	18	32	26	14	27
1979.....	288	28	18	5	5	22	39	36	26	20	22
BLACK, BOTH SEXES											
1998.....	709	16	15	3	14	28	34	47	82	116	141
1997.....	730	14	17	7	4	39	51	60	94	123	123
1996.....	713	19	19	7	2	55	51	51	110	126	110
1995.....	729	19	18	3	9	39	49	56	102	135	112
1994.....	719	18	17	11	14	47	44	63	106	112	112
1993.....	751	29	17	3	9	34	50	78	114	140	117
1992.....	599	17	15	5	8	39	41	61	93	117	86
1991.....	508	19	11	5	10	40	39	50	81	85	52
1990.....	494	29	15	7	7	20	41	60	79	67	53
1989.....	664	24	16	3	3	23	43	99	109	129	65
1988.....	715	19	23	8	11	38	75	124	115	97	56
1987.....	754	17	38	11	3	32	68	110	126	122	60
1986.....	684	24	33	3	7	29	52	78	112	92	54
1985.....	600	26	25	8	9	19	42	71	110	80	46
1984.....	661	24	24	9	12	26	53	102	106	79	53
1983.....	699	34	29	11	12	31	78	97	86	63	53
1982.....	720	32	26	9	13	25	77	104	108	74	61
1981.....	797	31	37	7	10	38	88	87	114	77	69
1980.....	797	26	46	16	10	44	79	108	96	65	77
1979.....	867	41	41	13	14	62	112	119	91	74	59

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	550	13	12	3	12	24	32	30	57	93	112
1997.....	556	9	7	3	3	35	44	46	69	95	95
1996.....	551	9	8	4	1	48	45	40	89	97	86
1995.....	560	10	13	2	6	32	41	39	71	106	93
1994.....	556	7	9	6	11	44	38	50	71	89	86
1993.....	564	16	9	2	6	28	38	57	86	105	95
1992.....	460	9	9	3	7	35	35	46	68	89	64
1991.....	360	12	4	3	7	30	27	38	64	60	33
1990.....	361	15	10	4	7	18	34	39	57	51	46
1989.....	492	16	10	1	2	23	34	63	86	98	49
1988.....	544	14	11	5	10	35	49	91	95	82	41
1987.....	570	8	17	3	3	24	45	89	100	94	51
1986.....	510	14	17	2	6	25	36	61	83	73	38
1985.....	434	14	18	3	7	15	31	51	84	59	33
1984.....	486	14	14	3	7	23	34	76	89	58	46
1983.....	492	17	21	6	10	20	52	72	66	40	44
1982.....	539	21	13	5	12	15	60	81	83	55	50
1981.....	583	13	18	5	8	27	74	73	83	61	50
1980.....	596	17	25	9	6	31	63	80	74	52	51
1979.....	608	14	24	8	10	43	75	92	66	55	41
BLACK FEMALE											
1998.....	159	3	3	-	2	4	2	17	25	23	29
1997.....	174	5	10	4	1	4	7	14	25	28	28
1996.....	162	10	11	3	1	7	6	11	21	29	24
1995.....	169	9	5	1	3	7	8	17	31	29	19
1994.....	163	11	8	5	3	3	6	13	35	23	26
1993.....	187	13	8	1	3	6	12	21	28	35	22
1992.....	139	8	6	2	1	4	6	15	25	28	22
1991.....	148	7	7	2	3	10	12	12	17	25	19
1990.....	133	14	5	3	-	2	7	21	22	16	7
1989.....	172	8	6	2	1	-	9	36	23	31	16
1988.....	171	5	12	3	1	3	26	33	20	15	15
1987.....	184	9	21	8	-	8	23	21	26	28	9
1986.....	174	10	16	1	1	4	16	17	29	19	16
1985.....	166	12	7	5	2	4	11	20	26	21	13
1984.....	175	10	10	6	5	3	19	26	17	21	7
1983.....	207	17	8	5	2	11	26	25	20	23	9
1982.....	181	11	13	4	1	10	17	23	25	19	11
1981.....	214	18	19	2	2	11	14	14	31	16	19
1980.....	201	9	21	7	4	13	16	28	22	13	26
1979.....	259	27	17	5	4	19	37	27	25	19	18