

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,228

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
MINNESOTA -----	5	7	19	32	77	90	166	166	113	51	6	-
WHITE-----MALE----	1	3	7	13	40	46	85	74	37	13	1	-
FEMALE--	3	3	10	19	30	43	78	92	74	37	5	-
ALL OTHER--MALE----	1	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	5	-	2	-	2	1	-	-
BLACK---MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	-	1	-	2	-	-	-
MISSISSIPPI -----	25	25	38	46	95	85	149	118	87	30	11	-
WHITE-----MALE----	4	1	8	19	28	34	43	24	17	4	3	-
FEMALE--	5	4	11	2	27	22	55	49	39	12	4	-
ALL OTHER--MALE----	8	11	7	9	16	12	21	18	10	5	1	-
FEMALE--	8	9	12	16	24	17	30	27	21	9	3	-
BLACK---MALE----	8	11	7	9	16	12	20	18	10	5	1	-
FEMALE--	8	9	12	15	24	15	30	27	21	9	3	-
MISSOURI -----	14	26	39	68	129	153	237	228	155	63	12	-
WHITE-----MALE----	5	9	18	37	60	67	94	79	32	17	1	-
FEMALE--	2	12	8	20	52	64	114	124	112	42	7	-
ALL OTHER--MALE----	5	3	6	6	13	9	10	7	5	-	1	-
FEMALE--	2	2	7	5	4	13	19	18	6	4	3	-
BLACK---MALE----	5	3	6	6	13	9	9	7	4	-	1	-
FEMALE--	2	2	6	5	4	12	19	17	6	4	3	-
MONTANA -----	-	4	2	10	13	16	28	39	18	8	-	-
WHITE-----MALE----	-	4	2	6	9	7	12	17	5	2	-	-
FEMALE--	-	-	-	2	3	9	16	21	13	6	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	5	10	13	26	39	60	54	31	17	5	-
WHITE-----MALE----	3	2	4	3	10	18	28	20	14	7	3	-
FEMALE--	3	2	5	8	14	19	32	34	17	10	2	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	-	-	-	-	-	-
NEVADA -----	7	16	14	41	33	59	53	34	25	4	1	-
WHITE-----MALE----	3	6	7	21	21	30	22	16	10	1	-	-
FEMALE--	3	3	4	13	9	21	25	16	14	3	1	-
ALL OTHER--MALE----	1	3	1	4	1	3	1	1	-	-	-	-
FEMALE--	-	4	2	3	2	5	5	1	1	-	-	-
BLACK---MALE----	1	2	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	1	1	5	4	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,230

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
OHIO -----	2,222	3	2	-	1	-	4	9	11	11	18	25
WHITE-----MALE----	859	1	-	-	1	-	3	4	7	4	9	7
FEMALE--	1,044	1	1	-	-	-	1	3	2	5	5	8
ALL OTHER--MALE----	138	1	-	-	-	-	-	2	-	1	2	4
FEMALE--	181	-	1	-	-	-	-	-	2	1	2	6
BLACK---MALE----	136	1	-	-	-	-	-	2	-	1	2	4
FEMALE--	178	-	1	-	-	-	-	-	2	1	1	6
OKLAHOMA -----	686	3	-	1	-	1	1	1	1	6	9	4
WHITE-----MALE----	266	1	-	-	-	1	1	-	-	3	3	-
FEMALE--	315	-	-	1	-	-	-	-	-	1	4	1
ALL OTHER--MALE----	50	1	-	-	-	-	-	1	-	2	1	2
FEMALE--	55	1	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	28	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	35	1	-	-	-	-	-	-	1	-	-	-
OREGON -----	380	-	-	-	-	-	-	1	1	1	8	3
WHITE-----MALE----	149	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	220	-	-	-	-	-	-	1	-	1	5	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	3,048	8	1	-	-	1	3	8	14	17	26	42
WHITE-----MALE----	1,141	5	-	-	-	1	1	4	2	3	5	18
FEMALE--	1,501	3	1	-	-	-	1	2	11	5	10	13
ALL OTHER--MALE----	197	-	-	-	-	-	1	1	1	5	8	5
FEMALE--	209	-	-	-	-	-	-	1	-	4	3	6
BLACK---MALE----	193	-	-	-	-	-	1	1	1	5	8	5
FEMALE--	205	-	-	-	-	-	-	1	-	4	3	6
RHODE ISLAND -----	203	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	80	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	111	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	658	3	-	-	-	-	-	2	7	8	12	10
WHITE-----MALE----	154	-	-	-	-	-	-	-	3	1	6	-
FEMALE--	242	1	-	-	-	-	-	1	1	4	2	1
ALL OTHER--MALE----	112	1	-	-	-	-	-	-	3	2	2	8
FEMALE--	150	1	-	-	-	-	-	1	-	1	2	1
BLACK---MALE----	112	1	-	-	-	-	-	-	3	2	2	8
FEMALE--	149	1	-	-	-	-	-	1	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,230

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
OHIO -----	48	42	84	161	275	354	419	384	264	88	19	-
WHITE-----MALE----	19	15	27	63	116	157	185	132	82	24	3	-
FEMALE--	16	13	26	61	112	147	205	207	161	56	14	-
ALL OTHER--MALE----	5	6	11	17	26	21	14	20	4	3	1	-
FEMALE--	8	8	20	20	21	29	15	25	17	5	1	-
BLACK---MALE----	5	6	11	17	26	21	13	20	3	3	1	-
FEMALE--	8	8	20	20	21	28	15	24	17	5	1	-
OKLAHOMA -----	16	21	25	30	74	89	114	154	87	43	6	-
WHITE-----MALE----	9	7	7	17	33	50	42	56	27	8	1	-
FEMALE--	2	7	9	8	28	33	57	81	52	28	3	-
ALL OTHER--MALE----	3	3	2	3	4	5	6	9	6	2	-	-
FEMALE--	2	4	7	2	9	1	9	8	2	5	2	-
BLACK---MALE----	2	-	1	3	2	1	3	6	4	1	-	-
FEMALE--	1	4	3	-	5	-	7	6	2	3	2	-
OREGON -----	11	6	7	6	32	57	76	86	60	22	3	-
WHITE-----MALE----	3	4	4	2	13	27	31	33	20	7	1	-
FEMALE--	3	2	2	4	17	30	44	53	40	15	2	-
ALL OTHER--MALE----	3	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	48	61	113	197	341	496	608	516	393	129	26	-
WHITE-----MALE----	13	22	53	77	160	220	232	179	110	31	5	-
FEMALE--	16	15	33	78	122	218	327	294	251	83	18	-
ALL OTHER--MALE----	14	12	17	22	28	19	20	24	16	4	-	-
FEMALE--	5	12	10	20	31	39	29	19	16	11	3	-
BLACK---MALE----	14	11	17	22	27	18	20	23	16	4	-	-
FEMALE--	5	12	10	19	30	38	28	19	16	11	3	-
RHODE ISLAND -----	-	1	9	10	19	32	37	46	30	13	2	-
WHITE-----MALE----	-	-	2	3	10	21	14	18	6	3	1	-
FEMALE--	-	-	3	6	9	10	22	26	24	10	1	-
ALL OTHER--MALE----	-	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	1	-	-	-	-
SOUTH CAROLINA -----	17	19	44	51	78	104	103	100	68	26	6	-
WHITE-----MALE----	7	6	5	18	28	27	22	22	8	1	-	-
FEMALE--	3	3	11	8	19	36	43	46	45	16	2	-
ALL OTHER--MALE----	7	6	13	9	8	15	14	16	6	2	-	-
FEMALE--	-	4	15	16	23	26	24	16	9	7	4	-
BLACK---MALE----	7	6	13	9	8	15	14	16	6	2	-	-
FEMALE--	-	4	15	16	23	25	24	16	9	7	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,231

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
SOUTH DAKOTA -----	129	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,018	7	1	1	1	2	2	2	5	4	14	20
WHITE-----MALE----	332	4	-	-	1	1	-	1	2	3	4	5
FEMALE--	454	2	1	-	-	1	-	-	2	-	1	6
ALL OTHER--MALE----	109	1	-	1	-	-	-	1	-	1	4	6
FEMALE--	123	-	-	-	-	-	-	-	1	-	5	3
BLACK---MALE----	107	1	-	1	-	-	-	1	-	1	4	6
FEMALE--	122	-	-	-	-	-	-	-	1	-	5	3
TEXAS -----	2,406	13	1	1	4	2	3	13	15	24	31	38
WHITE-----MALE----	834	4	-	1	-	-	1	5	2	7	12	14
FEMALE--	1,130	7	1	-	3	1	1	3	4	6	6	12
ALL OTHER--MALE----	193	2	-	-	-	1	1	4	3	5	10	4
FEMALE--	249	-	-	-	1	-	-	1	6	6	3	8
BLACK---MALE----	183	2	-	-	-	1	1	4	3	5	10	4
FEMALE--	243	-	-	-	1	-	-	1	6	6	3	8
UTAH -----	233	1	-	-	-	-	1	-	-	2	2	3
WHITE-----MALE----	95	1	-	-	-	-	1	-	-	1	2	1
FEMALE--	130	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	95	1	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	35	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	60	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,269	4	1	-	-	2	3	3	6	13	14	12
WHITE-----MALE----	361	3	-	-	-	-	-	1	-	3	4	1
FEMALE--	529	-	1	-	-	1	1	-	1	3	1	2
ALL OTHER--MALE----	176	-	-	-	-	1	1	1	2	2	6	4
FEMALE--	203	1	-	-	-	-	1	1	3	5	3	5
BLACK---MALE----	173	-	-	-	-	1	1	1	2	2	6	4
FEMALE--	194	1	-	-	-	-	1	1	2	5	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,231

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
SOUTH DAKOTA -----	1	-	6	9	12	13	23	26	25	12	2	-
WHITE-----MALE----	-	-	3	2	5	5	14	12	10	4	1	-
FEMALE--	-	-	2	4	7	7	8	14	15	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	29	43	65	111	149	165	209	119	40	14	-
WHITE-----MALE----	6	9	11	19	44	60	55	69	28	8	2	-
FEMALE--	9	10	12	25	34	57	83	107	75	18	11	-
ALL OTHER--MALE----	-	5	9	7	15	21	14	15	4	4	1	-
FEMALE--	2	5	11	14	18	11	13	18	12	10	-	-
BLACK---MALE----	-	5	9	6	15	21	13	15	4	4	1	-
FEMALE--	2	5	11	14	18	11	13	18	12	9	-	-
TEXAS -----	50	60	109	144	230	295	369	433	379	161	31	-
WHITE-----MALE----	17	26	48	62	97	129	135	126	117	27	4	-
FEMALE--	17	22	36	48	79	118	185	242	199	118	22	-
ALL OTHER--MALE----	11	7	12	15	21	18	19	26	30	4	-	-
FEMALE--	5	5	13	19	33	30	30	39	33	12	5	-
BLACK---MALE----	10	7	11	15	21	15	17	24	29	4	-	-
FEMALE--	5	5	13	18	33	28	28	39	32	12	5	-
UTAH -----	2	5	6	18	30	39	40	46	35	3	-	-
WHITE-----MALE----	1	1	2	7	14	18	17	18	10	1	-	-
FEMALE--	1	4	3	10	15	21	20	27	25	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	2	2	6	6	16	15	19	17	5	1	-
WHITE-----MALE----	1	-	2	2	3	8	5	4	8	1	-	-
FEMALE--	1	2	-	4	3	8	10	15	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	29	47	57	106	137	192	253	202	119	58	11	-
WHITE-----MALE----	5	11	18	32	44	64	75	61	27	11	1	-
FEMALE--	9	7	21	35	42	72	117	101	69	37	9	-
ALL OTHER--MALE----	11	17	10	20	24	30	25	15	5	2	-	-
FEMALE--	4	12	8	19	27	26	36	25	18	8	1	-
BLACK---MALE----	11	17	10	20	23	29	24	15	5	2	-	-
FEMALE--	4	12	8	18	24	25	36	25	16	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,232

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
WASHINGTON -----	12	10	17	26	47	80	93	130	68	36	9	-
WHITE-----MALE----	5	5	7	14	22	39	40	55	25	7	2	-
FEMALE--	7	2	9	10	21	38	50	67	38	26	7	-
ALL OTHER--MALE----	-	1	-	-	2	-	3	6	3	2	-	-
FEMALE--	-	2	1	2	2	3	-	2	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	2	1	-	1	-	-
FEMALE--	-	1	-	1	-	2	-	1	1	-	-	-
WEST VIRGINIA -----	12	7	15	21	59	73	100	72	47	22	2	-
WHITE-----MALE----	5	3	4	10	29	36	43	22	13	4	-	-
FEMALE--	5	3	9	10	28	33	54	48	30	16	2	-
ALL OTHER--MALE----	1	-	2	-	1	2	2	-	1	1	-	-
FEMALE--	1	1	-	1	1	2	1	2	3	1	-	-
BLACK---MALE----	1	-	2	-	1	2	2	-	1	1	-	-
FEMALE--	1	1	-	1	1	2	1	2	3	1	-	-
WISCONSIN -----	11	12	32	48	83	125	203	208	166	57	15	-
WHITE-----MALE----	3	7	13	30	43	58	90	72	54	13	4	-
FEMALE--	4	4	13	10	36	59	107	128	109	43	11	-
ALL OTHER--MALE----	4	-	2	3	2	1	1	2	1	-	-	-
FEMALE--	-	1	4	5	2	7	5	6	2	1	-	-
BLACK---MALE----	4	-	2	3	2	1	1	2	1	-	-	-
FEMALE--	-	1	4	5	-	6	5	5	1	1	-	-
WYOMING -----	-	2	-	5	7	4	11	14	7	4	-	-
WHITE-----MALE----	-	-	-	3	4	2	4	8	2	-	-	-
FEMALE--	-	2	-	2	3	2	7	6	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,233

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
0 UNITED STATES --	45,437	152	25	7	16	30	48	117	199	321	484	643
WHITE-----MALE----	15,930	59	9	3	4	10	23	37	54	101	154	191
FEMALE--	21,145	48	12	2	7	13	12	31	63	79	120	171
ALL OTHER--MALE----	3,704	33	2	2	3	7	9	35	42	86	135	165
FEMALE--	4,658	12	2	-	2	-	4	14	40	55	75	116
BLACK---MALE----	3,374	29	2	1	3	7	8	33	39	84	127	155
FEMALE--	4,237	11	1	-	2	-	4	14	34	52	67	103
ALABAMA -----	1,055	3	-	-	1	1	-	-	1	7	8	17
WHITE-----MALE----	295	1	-	-	-	-	-	-	-	1	4	6
FEMALE--	415	1	-	-	-	-	-	-	1	3	-	4
ALL OTHER--MALE----	139	-	-	-	1	1	-	-	-	2	4	5
FEMALE--	206	1	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	139	-	-	-	1	1	-	-	-	2	4	5
FEMALE--	206	1	-	-	-	-	-	-	-	1	-	2
ALASKA -----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	633	1	-	1	-	1	1	1	3	4	9	10
WHITE-----MALE----	271	1	-	-	-	1	1	1	1	1	2	2
FEMALE--	297	-	-	-	-	-	-	-	1	1	3	4
ALL OTHER--MALE----	28	-	-	1	-	-	-	-	-	1	3	1
FEMALE--	37	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	690	2	-	-	-	1	1	2	3	4	5	12
WHITE-----MALE----	247	1	-	-	-	-	-	1	1	2	1	2
FEMALE--	302	1	-	-	-	1	1	-	1	1	-	4
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	89	-	-	-	-	-	-	1	1	-	2	3
BLACK---MALE----	50	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	87	-	-	-	-	-	-	1	-	-	2	2
CALIFORNIA -----	3,505	14	3	-	1	3	4	12	20	20	49	46
WHITE-----MALE----	1,159	5	3	-	-	1	2	3	9	10	13	17
FEMALE--	1,748	6	-	-	1	2	1	7	5	4	18	17
ALL OTHER--MALE----	259	1	-	-	-	-	1	2	4	4	11	5
FEMALE--	339	2	-	-	-	-	-	-	2	2	7	7
BLACK---MALE----	163	1	-	-	-	-	1	1	1	4	8	4
FEMALE--	190	2	-	-	-	-	-	-	1	2	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,233

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
UNITED STATES --	867	1,197	1,832	2,874	4,880	6,690	8,415	8,380	5,680	2,110	469	1
WHITE-----MALE----	279	421	632	1,103	1,998	2,754	3,193	2,811	1,547	463	84	-
FEMALE--	255	343	593	1,010	1,840	2,810	4,044	4,530	3,487	1,365	310	-
ALL OTHER--MALE----	180	216	293	342	458	496	466	423	218	77	15	1
FEMALE--	153	217	314	419	584	630	712	616	428	205	60	-
BLACK---MALE----	168	194	271	317	424	444	419	369	196	69	14	1
FEMALE--	135	199	287	373	526	567	654	564	399	186	59	-
ALABAMA -----	18	30	54	78	114	139	201	192	124	49	18	-
WHITE-----MALE----	3	12	13	26	37	50	56	42	32	8	4	-
FEMALE--	4	4	16	27	28	57	80	94	67	21	8	-
ALL OTHER--MALE----	8	8	12	9	19	14	23	16	6	10	1	-
FEMALE--	3	6	13	16	30	18	42	40	19	10	5	-
BLACK---MALE----	8	8	12	9	19	14	23	16	6	10	1	-
FEMALE--	3	6	13	16	30	18	42	40	19	10	5	-
ALASKA -----	2	-	1	1	3	8	4	2	4	-	-	-
WHITE-----MALE----	-	-	-	-	3	4	-	1	-	-	-	-
FEMALE--	2	-	1	1	-	1	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	20	27	48	82	84	129	113	65	21	2	-
WHITE-----MALE----	4	10	11	24	28	35	70	48	21	9	1	-
FEMALE--	4	8	12	19	40	41	55	57	41	10	1	-
ALL OTHER--MALE----	1	1	2	3	4	4	2	3	1	1	-	-
FEMALE--	2	1	2	2	10	4	2	5	2	1	-	-
BLACK---MALE----	-	1	-	1	3	3	-	1	1	-	-	-
FEMALE--	1	-	-	-	3	2	2	3	-	1	-	-
ARKANSAS -----	8	19	21	37	76	119	112	134	104	23	7	-
WHITE-----MALE----	5	7	11	16	36	57	34	38	30	4	1	-
FEMALE--	-	6	6	12	27	32	57	76	59	15	3	-
ALL OTHER--MALE----	1	1	2	4	3	15	11	6	2	-	1	-
FEMALE--	2	5	2	5	10	15	10	14	13	4	2	-
BLACK---MALE----	1	1	2	3	3	15	11	6	2	-	1	-
FEMALE--	2	5	2	5	10	15	10	14	13	4	2	-
CALIFORNIA -----	78	109	126	217	362	521	645	625	426	169	54	1
WHITE-----MALE----	23	33	45	77	130	203	228	194	110	46	7	-
FEMALE--	27	45	49	89	164	226	323	356	265	102	41	-
ALL OTHER--MALE----	13	11	18	23	32	35	37	33	22	5	1	1
FEMALE--	15	20	14	28	36	57	57	42	29	16	5	-
BLACK---MALE----	12	7	9	15	23	21	23	14	15	2	1	1
FEMALE--	8	13	8	13	20	26	31	26	20	8	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,234

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
COLORADO -----	417	1	-	-	-	-	-	2	4	-	3	9
WHITE-----MALE----	165	-	-	-	-	-	-	1	2	-	2	2
FEMALE--	230	-	-	-	-	-	-	1	2	-	-	5
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	564	2	1	-	-	1	-	2	2	5	6	10
WHITE-----MALE----	239	-	-	-	-	1	-	1	-	-	2	5
FEMALE--	275	1	1	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	25	1	-	-	-	-	-	-	-	3	2	2
FEMALE--	25	-	-	-	-	-	-	1	1	1	-	1
BLACK---MALE----	24	1	-	-	-	-	-	-	-	3	2	2
FEMALE--	24	-	-	-	-	-	-	1	1	1	-	1
DELAWARE -----	120	-	-	-	-	-	-	-	2	1	1	-
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	163	1	-	-	-	-	-	1	-	5	7	6
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	62	1	-	-	-	-	-	1	-	3	4	4
FEMALE--	82	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	62	1	-	-	-	-	-	1	-	3	4	4
FEMALE--	80	-	-	-	-	-	-	-	-	1	3	2
FLORIDA -----	2,245	7	1	-	2	1	1	9	9	17	16	26
WHITE-----MALE----	907	1	-	-	-	-	-	2	1	7	6	8
FEMALE--	1,007	3	-	-	1	1	-	2	2	1	2	8
ALL OTHER--MALE----	139	3	1	-	-	-	1	2	1	7	6	5
FEMALE--	192	-	-	-	1	-	-	3	5	2	2	5
BLACK---MALE----	136	3	1	-	-	-	1	2	1	7	6	5
FEMALE--	191	-	-	-	1	-	-	3	5	2	2	5
GEORGIA -----	1,365	3	-	-	1	1	-	1	17	17	18	26
WHITE-----MALE----	353	2	-	-	1	1	-	-	4	3	3	5
FEMALE--	461	1	-	-	-	-	-	1	6	3	2	4
ALL OTHER--MALE----	224	-	-	-	-	-	-	-	4	7	7	9
FEMALE--	327	-	-	-	-	-	-	-	3	4	6	8
BLACK---MALE----	223	-	-	-	-	-	-	-	4	7	7	9
FEMALE--	325	-	-	-	-	-	-	-	3	3	6	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,234

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
COLORADO -----	7	6	11	22	49	62	70	90	63	15	3	-
WHITE-----MALE----	3	3	3	12	22	27	30	31	18	8	1	-
FEMALE--	3	3	8	8	22	33	36	57	43	7	2	-
ALL OTHER--MALE----	-	-	-	1	2	1	3	-	1	-	-	-
FEMALE--	1	-	-	1	3	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	1	1	-	-	-
CONNECTICUT -----	10	11	17	25	58	85	121	118	54	31	5	-
WHITE-----MALE----	7	4	5	10	24	47	58	48	16	9	2	-
FEMALE--	2	6	10	9	27	33	55	64	37	22	2	-
ALL OTHER--MALE----	1	1	2	1	4	3	2	2	1	-	-	-
FEMALE--	-	-	-	5	3	2	6	4	-	-	1	-
BLACK---MALE----	1	1	2	1	4	2	2	2	1	-	-	-
FEMALE--	-	-	-	5	2	2	6	4	-	-	1	-
DELAWARE -----	2	2	5	5	16	14	23	30	11	6	2	-
WHITE-----MALE----	1	1	-	1	9	5	11	13	-	-	-	-
FEMALE--	-	-	1	3	5	6	6	13	9	5	1	-
ALL OTHER--MALE----	1	-	3	-	1	1	4	2	1	-	-	-
FEMALE--	-	1	1	1	1	2	2	2	1	1	1	-
BLACK---MALE----	1	-	3	-	1	1	4	2	1	-	-	-
FEMALE--	-	1	1	1	1	2	2	1	1	1	1	-
DISTRICT OF COLUMBIA -----	5	6	10	14	17	20	31	20	15	2	3	-
WHITE-----MALE----	-	-	-	-	-	1	5	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	4	2	1	1	-
ALL OTHER--MALE----	1	3	7	7	5	8	10	6	2	-	-	-
FEMALE--	4	3	3	6	12	11	14	10	10	1	2	-
BLACK---MALE----	1	3	7	7	5	8	10	6	2	-	-	-
FEMALE--	3	3	3	6	12	11	13	10	10	1	2	-
FLORIDA -----	36	50	83	121	210	312	435	467	306	114	22	-
WHITE-----MALE----	8	27	32	50	93	144	200	183	107	32	6	-
FEMALE--	13	10	30	34	88	127	191	241	168	72	13	-
ALL OTHER--MALE----	9	3	12	17	11	14	14	17	11	4	1	-
FEMALE--	6	10	9	20	18	27	30	26	20	6	2	-
BLACK---MALE----	9	3	12	17	11	13	13	16	11	4	1	-
FEMALE--	6	10	9	20	18	27	30	25	20	6	2	-
GEORGIA -----	35	43	80	85	163	216	257	208	147	38	9	-
WHITE-----MALE----	9	15	25	27	50	66	69	46	25	2	-	-
FEMALE--	6	7	15	16	38	75	107	82	72	22	4	-
ALL OTHER--MALE----	8	15	20	18	28	30	26	35	10	5	2	-
FEMALE--	12	6	20	24	47	45	55	45	40	9	3	-
BLACK---MALE----	8	15	20	18	28	29	26	35	10	5	2	-
FEMALE--	12	6	20	24	47	45	55	44	40	9	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,235

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX DISEASES OF URINARY SYSTEM (580-599)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	7	9	9	14	17	21	27	15	2	1	-
WHITE-----MALE----	-	1	-	2	2	2	3	2	4	-	-	-
FEMALE--	-	1	-	-	1	3	1	1	3	-	-	-
ALL OTHER--MALE----	2	4	6	2	6	7	8	10	3	-	1	-
FEMALE--	2	1	3	5	5	5	9	14	5	2	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	4	5	4	8	20	23	23	15	8	1	-
WHITE-----MALE----	-	2	5	3	6	10	10	9	2	2	-	-
FEMALE--	1	2	-	1	2	9	13	14	13	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	38	83	88	178	264	368	434	424	261	101	14	-
WHITE-----MALE----	9	26	33	69	108	144	172	151	66	22	1	-
FEMALE--	10	15	18	59	89	151	199	220	163	65	10	-
ALL OTHER--MALE----	8	24	15	23	32	26	26	23	11	4	1	-
FEMALE--	11	18	22	27	35	47	37	30	21	10	2	-
BLACK---MALE----	8	22	15	21	30	25	24	20	11	4	1	-
FEMALE--	10	18	22	25	33	45	37	28	20	10	2	-
INDIANA -----	20	31	50	77	150	171	234	239	159	68	11	-
WHITE-----MALE----	8	9	18	27	69	77	89	83	45	14	2	-
FEMALE--	11	14	22	33	61	75	125	141	105	52	7	-
ALL OTHER--MALE----	-	2	5	7	11	12	10	9	3	2	-	-
FEMALE--	1	6	5	10	9	7	10	6	6	-	2	-
BLACK---MALE----	-	2	5	7	10	12	10	9	3	2	-	-
FEMALE--	1	6	5	10	9	7	10	6	6	-	2	-
IOWA -----	2	6	10	17	30	46	61	86	63	31	6	-
WHITE-----MALE----	1	3	7	10	9	17	21	29	18	10	2	-
FEMALE--	1	3	2	7	20	29	39	56	45	21	4	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
KANSAS -----	7	7	19	31	49	65	78	90	76	28	7	-
WHITE-----MALE----	3	4	8	17	31	28	29	39	21	11	2	-
FEMALE--	3	2	7	13	11	34	44	48	52	16	5	-
ALL OTHER--MALE----	-	-	2	1	2	1	4	2	-	1	-	-
FEMALE--	1	1	2	-	5	2	1	1	3	-	-	-
BLACK---MALE----	-	-	2	-	2	1	4	2	-	-	-	-
FEMALE--	1	1	2	-	4	2	1	-	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,236

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
KENTUCKY -----	815	3	-	2	-	-	1	3	2	8	5	12
WHITE-----MALE----	326	1	-	1	-	-	1	-	-	3	2	6
FEMALE--	394	1	-	1	-	-	-	1	1	1	2	5
ALL OTHER--MALE----	47	1	-	-	-	-	-	2	-	3	-	1
FEMALE--	48	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	46	-	-	-	-	-	-	2	-	3	-	1
FEMALE--	48	-	-	-	-	-	-	-	1	1	1	-
LOUISIANA -----	1,069	6	3	-	-	2	1	2	9	4	11	22
WHITE-----MALE----	290	2	2	-	-	-	-	2	-	-	3	5
FEMALE--	389	-	1	-	-	2	-	-	2	1	4	4
ALL OTHER--MALE----	179	3	-	-	-	-	1	-	5	2	2	6
FEMALE--	211	1	-	-	-	-	-	-	2	1	2	7
BLACK---MALE----	176	3	-	-	-	-	1	-	5	2	2	6
FEMALE--	209	1	-	-	-	-	-	-	2	1	2	6
MAINE -----	217	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	85	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	132	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	876	3	-	-	-	-	1	2	5	17	9	21
WHITE-----MALE----	227	-	-	-	-	-	-	1	-	2	3	4
FEMALE--	358	2	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	137	1	-	-	-	-	1	1	4	12	3	6
FEMALE--	154	-	-	-	-	-	-	-	-	1	2	11
BLACK---MALE----	135	1	-	-	-	-	1	1	4	11	3	6
FEMALE--	149	-	-	-	-	-	-	-	-	1	2	11
MASSACHUSETTS -----	1,404	3	1	-	-	-	1	2	3	8	10	17
WHITE-----MALE----	573	-	1	-	-	-	1	1	1	5	4	11
FEMALE--	742	-	-	-	-	-	-	-	2	3	6	2
ALL OTHER--MALE----	35	2	-	-	-	-	-	1	-	-	-	1
FEMALE--	54	1	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	32	2	-	-	-	-	-	1	-	-	-	1
FEMALE--	46	1	-	-	-	-	-	-	-	-	-	3
MICHIGAN -----	1,803	5	-	1	-	2	4	5	7	18	16	37
WHITE-----MALE----	636	4	-	1	-	-	1	2	-	6	6	9
FEMALE--	821	-	-	-	-	1	2	-	4	4	3	7
ALL OTHER--MALE----	164	1	-	-	-	1	-	2	-	5	6	15
FEMALE--	182	-	-	-	-	-	1	1	3	3	1	6
BLACK---MALE----	159	1	-	-	-	1	-	2	-	5	6	14
FEMALE--	177	-	-	-	-	-	1	1	3	3	1	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,236

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
KENTUCKY -----	15	18	32	55	90	134	145	150	103	30	7	-
WHITE-----MALE----	5	10	16	20	46	64	56	53	35	6	1	-
FEMALE--	5	5	12	25	34	60	71	85	60	19	6	-
ALL OTHER--MALE----	2	1	1	5	7	6	7	6	4	1	-	-
FEMALE--	3	2	3	5	3	4	11	6	4	4	-	-
BLACK---MALE----	2	1	1	5	7	6	7	6	4	1	-	-
FEMALE--	3	2	3	5	3	4	11	6	4	4	-	-
LOUISIANA -----	22	43	49	80	119	168	195	175	116	35	7	-
WHITE-----MALE----	4	11	13	20	39	59	62	48	15	4	1	-
FEMALE--	4	10	11	23	35	55	71	85	62	16	3	-
ALL OTHER--MALE----	4	14	9	20	21	28	28	16	14	6	-	-
FEMALE--	10	8	16	17	24	26	34	26	25	9	3	-
BLACK---MALE----	4	13	9	19	20	28	28	16	14	6	-	-
FEMALE--	10	8	16	17	24	26	34	26	24	9	3	-
MAINE -----	3	2	8	10	25	34	47	37	36	10	3	-
WHITE-----MALE----	1	2	7	6	13	16	18	13	7	2	-	-
FEMALE--	2	-	1	4	12	18	29	24	29	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	26	46	60	100	128	143	158	102	31	8	-
WHITE-----MALE----	4	3	9	16	31	46	39	42	23	4	-	-
FEMALE--	2	9	10	18	33	40	67	87	58	20	8	-
ALL OTHER--MALE----	6	9	15	13	13	22	14	10	6	1	-	-
FEMALE--	4	5	12	13	23	20	23	19	15	6	-	-
BLACK---MALE----	6	9	15	13	13	22	14	10	5	1	-	-
FEMALE--	4	5	11	12	21	20	22	19	15	6	-	-
MASSACHUSETTS -----	16	29	37	87	136	237	278	263	191	65	20	-
WHITE-----MALE----	8	15	15	41	73	111	120	101	49	14	2	-
FEMALE--	5	7	16	35	50	113	148	151	139	47	18	-
ALL OTHER--MALE----	-	1	1	4	8	6	2	8	-	1	-	-
FEMALE--	3	6	5	7	5	7	8	3	3	3	-	-
BLACK---MALE----	-	1	1	3	8	5	1	8	-	1	-	-
FEMALE--	3	5	5	6	3	6	7	1	3	3	-	-
MICHIGAN -----	48	41	71	89	192	270	347	338	215	79	18	-
WHITE-----MALE----	15	10	23	33	75	102	140	127	62	15	5	-
FEMALE--	13	12	22	30	81	119	158	165	137	53	10	-
ALL OTHER--MALE----	12	8	11	11	21	24	21	19	4	2	1	-
FEMALE--	8	11	15	15	15	25	28	27	12	9	2	-
BLACK---MALE----	12	8	11	11	21	22	21	17	4	2	1	-
FEMALE--	8	11	15	14	14	25	28	26	10	9	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,237

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX DISEASES OF URINARY SYSTEM (580-599)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	5	6	19	32	77	87	162	161	112	51	6	-
WHITE-----MALE----	1	2	7	13	40	43	81	70	37	13	1	-
FEMALE--	3	3	10	19	30	43	78	91	73	37	5	-
ALL OTHER--MALE----	1	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	5	-	2	-	2	1	-	-
BLACK---MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	-	1	-	2	-	-	-
MISSISSIPPI -----	25	25	37	46	95	85	149	118	87	30	11	-
WHITE-----MALE----	4	1	8	19	28	34	43	24	17	4	3	-
FEMALE--	5	4	10	2	27	22	55	49	39	12	4	-
ALL OTHER--MALE----	8	11	7	9	16	12	21	18	10	5	1	-
FEMALE--	8	9	12	16	24	17	30	27	21	9	3	-
BLACK---MALE----	8	11	7	9	16	12	20	18	10	5	1	-
FEMALE--	8	9	12	15	24	15	30	27	21	9	3	-
MISSOURI -----	14	25	39	65	127	153	231	227	153	63	12	-
WHITE-----MALE----	5	9	18	37	60	67	90	79	30	17	1	-
FEMALE--	2	11	8	19	52	64	113	124	112	42	7	-
ALL OTHER--MALE----	5	3	6	5	11	9	9	7	5	-	1	-
FEMALE--	2	2	7	4	4	13	19	17	6	4	3	-
BLACK---MALE----	5	3	6	5	11	9	8	7	4	-	1	-
FEMALE--	2	2	6	4	4	12	19	17	6	4	3	-
MONTANA -----	-	4	2	10	13	16	27	38	17	8	-	-
WHITE-----MALE----	-	4	2	6	9	7	11	17	5	2	-	-
FEMALE--	-	-	-	2	3	9	16	20	12	6	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	5	10	13	26	39	59	52	30	17	5	-
WHITE-----MALE----	3	2	4	3	10	18	27	19	14	7	3	-
FEMALE--	3	2	5	8	14	19	32	33	16	10	2	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	-	-	-	-	-	-
NEVADA -----	7	15	14	41	33	58	53	34	25	4	1	-
WHITE-----MALE----	3	5	7	21	21	30	22	16	10	1	-	-
FEMALE--	3	3	4	13	9	20	25	16	14	3	1	-
ALL OTHER--MALE----	1	3	1	4	1	3	1	1	-	-	-	-
FEMALE--	-	4	2	3	2	5	5	1	1	-	-	-
BLACK---MALE----	1	2	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	1	1	5	4	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,239

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
OHIO -----	2,180	3	2	-	1	-	4	9	10	11	17	25
WHITE-----MALE----	836	1	-	-	1	-	3	4	7	4	9	7
FEMALE--	1,029	1	1	-	-	-	1	3	2	5	4	8
ALL OTHER--MALE----	136	1	-	-	-	-	-	2	-	1	2	4
FEMALE--	179	-	1	-	-	-	-	-	1	1	2	6
BLACK---MALE----	134	1	-	-	-	-	-	2	-	1	2	4
FEMALE--	176	-	1	-	-	-	-	-	1	1	1	6
OKLAHOMA -----	674	2	-	1	-	1	1	1	-	5	8	3
WHITE-----MALE----	262	1	-	-	-	1	1	-	-	3	3	-
FEMALE--	311	-	-	1	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	48	1	-	-	-	-	-	1	-	1	1	2
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	27	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	363	-	-	-	-	-	-	1	1	1	8	3
WHITE-----MALE----	137	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	216	-	-	-	-	-	-	1	-	1	5	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	3,003	8	1	-	-	1	3	8	14	17	26	42
WHITE-----MALE----	1,122	5	-	-	-	1	1	4	2	3	5	18
FEMALE--	1,482	3	1	-	-	-	1	2	11	5	10	13
ALL OTHER--MALE----	194	-	-	-	-	-	1	1	1	5	8	5
FEMALE--	205	-	-	-	-	-	-	1	-	4	3	6
BLACK---MALE----	190	-	-	-	-	-	1	1	1	5	8	5
FEMALE--	201	-	-	-	-	-	-	1	-	4	3	6
RHODE ISLAND -----	192	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	71	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	109	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	638	3	-	-	-	-	-	1	7	7	12	10
WHITE-----MALE----	143	-	-	-	-	-	-	-	3	1	6	-
FEMALE--	239	1	-	-	-	-	-	1	1	3	2	1
ALL OTHER--MALE----	108	1	-	-	-	-	-	-	3	2	2	8
FEMALE--	148	1	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	108	1	-	-	-	-	-	-	3	2	2	8
FEMALE--	147	1	-	-	-	-	-	-	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,239
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
OHIO -----	46	41	84	160	272	348	413	376	255	84	19	-
WHITE-----MALE----	19	15	27	63	115	153	181	126	77	21	3	-
FEMALE--	14	12	26	60	111	146	203	205	157	56	14	-
ALL OTHER--MALE----	5	6	11	17	25	20	14	20	4	3	1	-
FEMALE--	8	8	20	20	21	29	15	25	17	4	1	-
BLACK---MALE----	5	6	11	17	25	20	13	20	3	3	1	-
FEMALE--	8	8	20	20	21	28	15	24	17	4	1	-
OKLAHOMA -----	16	21	24	30	74	88	112	152	86	43	6	-
WHITE-----MALE----	9	7	6	17	33	50	41	55	26	8	1	-
FEMALE--	2	7	9	8	28	32	57	80	52	28	3	-
ALL OTHER--MALE----	3	3	2	3	4	5	5	9	6	2	-	-
FEMALE--	2	4	7	2	9	1	9	8	2	5	2	-
BLACK---MALE----	2	-	1	3	2	1	3	6	4	1	-	-
FEMALE--	1	4	3	-	5	-	7	6	2	3	2	-
OREGON -----	10	6	7	6	30	54	72	84	55	22	3	-
WHITE-----MALE----	3	4	4	2	12	24	28	31	17	7	1	-
FEMALE--	3	2	2	4	16	30	43	53	38	15	2	-
ALL OTHER--MALE----	3	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	47	61	112	195	335	491	601	507	382	127	25	-
WHITE-----MALE----	13	22	52	76	158	217	230	175	106	30	4	-
FEMALE--	16	15	33	78	120	217	323	289	245	82	18	-
ALL OTHER--MALE----	14	12	17	22	26	19	20	24	15	4	-	-
FEMALE--	4	12	10	19	31	38	28	19	16	11	3	-
BLACK---MALE----	14	11	17	22	25	18	20	23	15	4	-	-
FEMALE--	4	12	10	18	30	37	27	19	16	11	3	-
RHODE ISLAND -----	-	1	9	10	18	29	36	43	29	11	2	-
WHITE-----MALE----	-	-	2	3	10	19	13	15	5	1	1	-
FEMALE--	-	-	3	6	8	9	22	26	24	10	1	-
ALL OTHER--MALE----	-	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	1	-	-	-	-
SOUTH CAROLINA -----	16	19	42	49	74	103	100	95	68	26	6	-
WHITE-----MALE----	6	6	4	16	25	26	21	20	8	1	-	-
FEMALE--	3	3	11	8	19	36	42	45	45	16	2	-
ALL OTHER--MALE----	7	6	13	9	7	15	13	14	6	2	-	-
FEMALE--	-	4	14	16	23	26	24	16	9	7	4	-
BLACK---MALE----	7	6	13	9	7	15	13	14	6	2	-	-
FEMALE--	-	4	14	16	23	25	24	16	9	7	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,240

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
SOUTH DAKOTA -----	127	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	994	7	1	1	1	2	2	2	5	4	14	20
WHITE-----MALE----	318	4	-	-	1	1	-	1	2	3	4	5
FEMALE--	450	2	1	-	-	1	-	-	2	-	1	6
ALL OTHER--MALE----	103	1	-	1	-	-	-	1	-	1	4	6
FEMALE--	123	-	-	-	-	-	-	-	1	-	5	3
BLACK---MALE----	101	1	-	1	-	-	-	1	-	1	4	6
FEMALE--	122	-	-	-	-	-	-	-	1	-	5	3
TEXAS -----	2,345	13	1	1	4	2	3	12	15	22	31	36
WHITE-----MALE----	795	4	-	1	-	-	1	4	2	7	12	13
FEMALE--	1,120	7	1	-	3	1	1	3	4	5	6	12
ALL OTHER--MALE----	185	2	-	-	-	1	1	4	3	5	10	4
FEMALE--	245	-	-	-	1	-	-	1	6	5	3	7
BLACK---MALE----	175	2	-	-	-	1	1	4	3	5	10	4
FEMALE--	239	-	-	-	1	-	-	1	6	5	3	7
UTAH -----	230	1	-	-	-	-	1	-	-	2	2	3
WHITE-----MALE----	92	1	-	-	-	-	1	-	-	1	2	1
FEMALE--	130	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	94	1	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	34	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	60	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,248	4	1	-	-	2	3	3	6	13	14	12
WHITE-----MALE----	353	3	-	-	-	-	-	1	-	3	4	1
FEMALE--	519	-	1	-	-	1	1	-	1	3	1	2
ALL OTHER--MALE----	174	-	-	-	-	1	1	1	2	2	6	4
FEMALE--	202	1	-	-	-	-	1	1	3	5	3	5
BLACK---MALE----	171	-	-	-	-	1	1	1	2	2	6	4
FEMALE--	193	1	-	-	-	-	1	1	2	5	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,240

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
SOUTH DAKOTA -----	1	-	5	9	12	13	23	25	25	12	2	-
WHITE-----MALE----	-	-	2	2	5	5	14	11	10	4	1	-
FEMALE--	-	-	2	4	7	7	8	14	15	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	29	43	65	110	145	159	203	114	38	14	-
WHITE-----MALE----	6	9	11	19	44	58	49	66	25	8	2	-
FEMALE--	9	10	12	25	34	57	83	105	74	17	11	-
ALL OTHER--MALE----	-	5	9	7	14	19	14	14	3	3	1	-
FEMALE--	2	5	11	14	18	11	13	18	12	10	-	-
BLACK---MALE----	-	5	9	6	14	19	13	14	3	3	1	-
FEMALE--	2	5	11	14	18	11	13	18	12	9	-	-
TEXAS -----	48	59	106	143	225	284	355	422	375	157	31	-
WHITE-----MALE----	17	26	48	61	96	121	123	117	115	23	4	-
FEMALE--	17	21	34	48	78	117	183	240	199	118	22	-
ALL OTHER--MALE----	9	7	11	15	19	17	19	26	28	4	-	-
FEMALE--	5	5	13	19	32	29	30	39	33	12	5	-
BLACK---MALE----	8	7	10	15	19	14	17	24	27	4	-	-
FEMALE--	5	5	13	18	32	27	28	39	32	12	5	-
UTAH -----	2	5	6	18	30	37	40	45	35	3	-	-
WHITE-----MALE----	1	1	2	7	14	16	17	17	10	1	-	-
FEMALE--	1	4	3	10	15	21	20	27	25	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	2	2	6	6	15	15	19	17	5	1	-
WHITE-----MALE----	1	-	2	2	3	7	5	4	8	1	-	-
FEMALE--	1	2	-	4	3	8	10	15	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	27	46	55	104	137	190	247	198	117	58	11	-
WHITE-----MALE----	4	11	16	32	44	63	72	60	27	11	1	-
FEMALE--	8	7	21	35	42	71	114	98	67	37	9	-
ALL OTHER--MALE----	11	16	10	19	24	30	25	15	5	2	-	-
FEMALE--	4	12	8	18	27	26	36	25	18	8	1	-
BLACK---MALE----	11	16	10	19	23	29	24	15	5	2	-	-
FEMALE--	4	12	8	17	24	25	36	25	16	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,241

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
WASHINGTON -----	12	9	15	25	45	79	88	128	65	35	9	-
WHITE-----MALE----	5	5	6	13	20	38	36	54	22	6	2	-
FEMALE--	7	1	8	10	21	38	49	67	38	26	7	-
ALL OTHER--MALE----	-	1	-	-	2	-	3	5	3	2	-	-
FEMALE--	-	2	1	2	2	3	-	2	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	2	1	-	1	-	-
FEMALE--	-	1	-	1	-	2	-	1	1	-	-	-
WEST VIRGINIA -----	12	7	15	21	59	73	97	71	46	22	2	-
WHITE-----MALE----	5	3	4	10	29	36	41	22	12	4	-	-
FEMALE--	5	3	9	10	28	33	53	47	30	16	2	-
ALL OTHER--MALE----	1	-	2	-	1	2	2	-	1	1	-	-
FEMALE--	1	1	-	1	1	2	1	2	3	1	-	-
BLACK---MALE----	1	-	2	-	1	2	2	-	1	1	-	-
FEMALE--	1	1	-	1	1	2	1	2	3	1	-	-
WISCONSIN -----	10	12	29	47	81	124	200	204	160	53	15	-
WHITE-----MALE----	3	7	11	29	42	57	88	70	52	10	4	-
FEMALE--	3	4	13	10	35	59	106	126	105	42	11	-
ALL OTHER--MALE----	4	-	1	3	2	1	1	2	1	-	-	-
FEMALE--	-	1	4	5	2	7	5	6	2	1	-	-
BLACK---MALE----	4	-	1	3	2	1	1	2	1	-	-	-
FEMALE--	-	1	4	5	-	6	5	5	1	1	-	-
WYOMING -----	-	2	-	5	6	4	11	14	7	4	-	-
WHITE-----MALE----	-	-	-	3	4	2	4	8	2	-	-	-
FEMALE--	-	2	-	2	2	2	7	6	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,242

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
UNITED STATES --	502	730	1,102	1,786	2,943	3,929	4,691	4,384	2,831	1,028	195	-
WHITE-----MALE----	184	260	405	751	1,301	1,744	1,980	1,698	926	291	43	-
FEMALE--	139	205	340	609	1,044	1,529	2,086	2,120	1,563	594	121	-
ALL OTHER--MALE----	101	142	174	198	275	288	254	240	113	46	8	-
FEMALE--	78	123	183	228	323	368	371	326	229	97	23	-
BLACK---MALE----	93	125	162	184	252	255	227	214	101	41	7	-
FEMALE--	69	113	170	204	285	331	340	304	219	91	22	-
ALABAMA -----	12	17	34	50	68	92	119	119	74	30	11	-
WHITE-----MALE----	2	8	7	19	25	36	34	25	24	7	3	-
FEMALE--	3	2	12	15	14	36	46	57	32	9	5	-
ALL OTHER--MALE----	4	3	8	7	10	9	11	12	5	7	-	-
FEMALE--	3	4	7	9	19	11	28	25	13	7	3	-
BLACK---MALE----	4	3	8	7	10	9	11	12	5	7	-	-
FEMALE--	3	4	7	9	19	11	28	25	13	7	3	-
ALASKA -----	-	-	1	1	1	6	3	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	10	16	26	44	52	67	54	28	11	1	-
WHITE-----MALE----	3	5	7	16	15	23	40	27	12	3	1	-
FEMALE--	2	4	8	8	25	23	26	26	15	7	-	-
ALL OTHER--MALE----	1	1	1	1	1	3	1	1	-	-	-	-
FEMALE--	1	-	-	1	3	3	-	-	1	1	-	-
BLACK---MALE----	-	1	-	-	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	1	-	-
ARKANSAS -----	6	12	16	23	42	82	65	75	50	14	4	-
WHITE-----MALE----	3	6	8	11	24	42	25	18	17	3	-	-
FEMALE--	-	4	5	7	12	19	30	43	26	10	2	-
ALL OTHER--MALE----	1	1	2	2	1	11	5	2	2	-	-	-
FEMALE--	2	1	1	3	5	10	5	12	5	1	2	-
BLACK---MALE----	1	1	2	2	1	11	5	2	2	-	-	-
FEMALE--	2	1	1	3	5	10	5	12	5	1	2	-
CALIFORNIA -----	34	62	56	107	163	192	210	203	112	44	10	-
WHITE-----MALE----	13	18	21	42	60	77	86	83	39	17	1	-
FEMALE--	9	24	23	35	69	75	87	98	56	21	7	-
ALL OTHER--MALE----	5	6	6	13	17	17	15	9	8	3	-	-
FEMALE--	7	14	6	17	17	23	22	13	9	3	2	-
BLACK---MALE----	5	4	2	9	13	8	6	5	6	1	-	-
FEMALE--	4	9	4	8	8	8	10	9	7	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,243
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
COLORADO -----	250	-	-	-	-	-	-	-	2	-	1	7
WHITE-----MALE----	119	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	120	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	346	2	-	-	-	1	-	2	1	4	5	7
WHITE-----MALE----	161	-	-	-	-	1	-	1	-	-	2	4
FEMALE--	150	1	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	16	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	19	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	15	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	18	-	-	-	-	-	-	1	-	1	-	1
DELAWARE -----	79	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	-
DISTRICT OF COLUMBIA -----	90	1	-	-	-	-	-	1	-	4	4	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	36	1	-	-	-	-	-	1	-	2	2	3
FEMALE--	44	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	36	1	-	-	-	-	-	1	-	2	2	3
FEMALE--	42	-	-	-	-	-	-	-	-	1	2	1
FLORIDA -----	1,008	4	-	-	2	1	-	3	2	8	7	13
WHITE-----MALE----	438	1	-	-	-	-	-	-	-	2	3	5
FEMALE--	404	2	-	-	1	1	-	1	-	1	-	3
ALL OTHER--MALE----	72	1	-	-	-	-	-	1	1	3	3	1
FEMALE--	94	-	-	-	1	-	-	1	1	2	1	4
BLACK---MALE----	70	1	-	-	-	-	-	1	1	3	3	1
FEMALE--	94	-	-	-	1	-	-	1	1	2	1	4
GEORGIA -----	770	2	-	-	1	-	-	-	10	9	9	12
WHITE-----MALE----	234	1	-	-	1	-	-	-	3	3	3	2
FEMALE--	225	1	-	-	-	-	-	-	3	1	2	2
ALL OTHER--MALE----	119	-	-	-	-	-	-	-	3	1	3	5
FEMALE--	192	-	-	-	-	-	-	-	1	4	1	3
BLACK---MALE----	119	-	-	-	-	-	-	-	3	1	3	5
FEMALE--	190	-	-	-	-	-	-	-	1	3	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,243

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
COLORADO -----	5	6	6	15	29	38	46	49	35	9	2	-
WHITE-----MALE----	2	3	2	10	12	18	25	26	10	5	1	-
FEMALE--	2	3	4	5	13	19	20	22	24	4	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
CONNECTICUT -----	7	8	8	15	38	50	71	78	28	18	3	-
WHITE-----MALE----	5	3	2	4	18	28	37	34	11	9	2	-
FEMALE--	1	4	5	6	16	19	28	39	17	9	-	-
ALL OTHER--MALE----	1	1	1	1	2	1	2	2	-	-	-	-
FEMALE--	-	-	-	4	2	2	4	3	-	-	1	-
BLACK---MALE----	1	1	1	1	2	-	2	2	-	-	-	-
FEMALE--	-	-	-	4	1	2	4	3	-	-	1	-
DELAWARE -----	1	2	4	5	11	14	13	12	7	6	1	-
WHITE-----MALE----	1	1	-	1	7	5	7	6	-	-	-	-
FEMALE--	-	-	1	3	3	6	2	3	5	5	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	3	1	1	-	-	-
FEMALE--	-	1	1	1	1	2	1	2	1	1	1	-
BLACK---MALE----	-	-	2	-	-	1	3	1	1	-	-	-
FEMALE--	-	1	1	1	1	2	1	1	1	1	1	-
DISTRICT OF COLUMBIA ----	3	5	7	7	10	6	15	13	8	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	1	-	-
ALL OTHER--MALE----	1	2	5	5	2	3	5	3	1	-	-	-
FEMALE--	2	3	2	2	8	3	4	8	7	1	-	-
BLACK---MALE----	1	2	5	5	2	3	5	3	1	-	-	-
FEMALE--	1	3	2	2	8	3	3	8	7	1	-	-
FLORIDA -----	18	31	37	68	106	149	191	201	108	50	9	-
WHITE-----MALE----	4	15	12	31	48	70	95	88	42	18	4	-
FEMALE--	6	9	14	17	42	56	76	91	50	30	4	-
ALL OTHER--MALE----	4	1	8	12	5	10	7	10	3	1	1	-
FEMALE--	4	6	3	8	11	13	13	12	13	1	-	-
BLACK---MALE----	4	1	8	12	5	10	6	9	3	1	1	-
FEMALE--	4	6	3	8	11	13	13	12	13	1	-	-
GEORGIA -----	15	31	52	45	96	127	132	114	87	25	3	-
WHITE-----MALE----	4	13	17	19	30	44	43	32	17	2	-	-
FEMALE--	2	4	10	7	21	38	46	37	37	13	1	-
ALL OTHER--MALE----	4	10	11	8	13	13	13	22	8	3	2	-
FEMALE--	5	4	14	11	32	32	30	23	25	7	-	-
BLACK---MALE----	4	10	11	8	13	13	13	22	8	3	2	-
FEMALE--	5	4	14	11	32	32	30	22	25	7	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,244

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
HAWAII -----	4	6	4	5	9	11	13	18	6	-	1	-
WHITE-----MALE----	-	1	-	1	2	-	2	2	3	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	4	4	1	5	6	7	9	2	-	1	-
FEMALE--	2	-	-	3	2	4	4	7	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	3	4	2	7	10	10	9	5	3	-	-
WHITE-----MALE----	-	2	4	2	6	3	5	3	1	-	-	-
FEMALE--	1	1	-	-	1	6	5	6	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	29	56	59	124	181	231	268	261	145	58	11	-
WHITE-----MALE----	8	18	24	50	75	104	112	107	42	14	1	-
FEMALE--	8	8	11	40	61	83	117	120	86	37	8	-
ALL OTHER--MALE----	6	18	8	16	19	15	18	16	6	1	1	-
FEMALE--	7	12	16	18	26	29	21	18	11	6	1	-
BLACK---MALE----	6	17	8	15	18	15	16	15	6	1	1	-
FEMALE--	6	12	16	17	24	28	21	16	11	6	1	-
INDIANA -----	14	21	29	51	103	113	143	143	87	33	5	-
WHITE-----MALE----	6	7	9	20	48	56	65	57	31	10	2	-
FEMALE--	7	9	14	18	42	43	68	77	53	22	2	-
ALL OTHER--MALE----	-	1	3	6	7	8	8	6	-	1	-	-
FEMALE--	1	4	3	7	6	6	2	3	3	-	1	-
BLACK---MALE----	-	1	3	6	6	8	8	6	-	1	-	-
FEMALE--	1	4	3	7	6	6	2	3	3	-	1	-
IOWA -----	2	4	5	9	15	28	33	36	30	12	3	-
WHITE-----MALE----	1	2	4	5	5	12	12	15	13	4	1	-
FEMALE--	1	2	1	4	9	16	20	20	17	8	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
KANSAS -----	3	4	16	19	37	49	62	57	50	20	4	-
WHITE-----MALE----	2	2	6	10	23	24	25	28	16	9	1	-
FEMALE--	1	1	6	9	8	22	35	27	31	10	3	-
ALL OTHER--MALE----	-	-	2	-	2	1	1	1	-	1	-	-
FEMALE--	-	1	2	-	4	2	1	1	3	-	-	-
BLACK---MALE----	-	-	2	-	2	1	1	1	-	-	-	-
FEMALE--	-	1	2	-	3	2	1	-	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,245
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
KENTUCKY -----	519	3	-	1	-	-	-	1	1	5	2	5
WHITE-----MALE----	217	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	236	1	-	1	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	32	1	-	-	-	-	-	1	-	2	-	-
FEMALE--	34	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	31	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	34	-	-	-	-	-	-	-	1	1	1	-
LOUISIANA -----	582	5	2	-	-	2	-	2	5	2	6	12
WHITE-----MALE----	183	2	2	-	-	-	-	2	-	-	1	5
FEMALE--	180	-	-	-	-	2	-	-	1	-	3	1
ALL OTHER--MALE----	110	2	-	-	-	-	-	-	2	1	1	3
FEMALE--	109	1	-	-	-	-	-	-	2	1	1	3
BLACK---MALE----	108	2	-	-	-	-	-	-	2	1	1	3
FEMALE--	107	1	-	-	-	-	-	-	2	1	1	2
MAINE -----	143	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	58	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	85	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	471	3	-	-	-	-	1	2	3	14	4	11
WHITE-----MALE----	151	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	151	2	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	84	1	-	-	-	-	1	1	2	11	2	4
FEMALE--	85	-	-	-	-	-	-	-	-	-	-	5
BLACK---MALE----	83	1	-	-	-	-	1	1	2	10	2	4
FEMALE--	83	-	-	-	-	-	-	-	-	-	-	5
MASSACHUSETTS -----	938	3	1	-	-	-	1	2	2	7	7	13
WHITE-----MALE----	422	-	1	-	-	-	1	1	1	4	3	8
FEMALE--	461	-	-	-	-	-	-	-	1	3	4	2
ALL OTHER--MALE----	25	2	-	-	-	-	-	1	-	-	-	1
FEMALE--	30	1	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	22	2	-	-	-	-	-	1	-	-	-	1
FEMALE--	26	1	-	-	-	-	-	-	-	-	-	2
MICHIGAN -----	1,107	5	-	1	-	2	1	1	5	9	12	25
WHITE-----MALE----	426	4	-	1	-	-	1	1	-	2	5	7
FEMALE--	473	-	-	-	-	1	-	-	3	4	1	5
ALL OTHER--MALE----	101	1	-	-	-	1	-	-	-	1	5	9
FEMALE--	107	-	-	-	-	-	-	-	2	2	1	4
BLACK---MALE----	98	1	-	-	-	1	-	-	-	1	5	8
FEMALE--	104	-	-	-	-	-	-	-	2	2	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,245

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
KENTUCKY -----	8	13	19	40	66	93	98	88	61	12	3	-
WHITE-----MALE----	2	7	8	13	35	45	40	37	22	4	-	-
FEMALE--	3	4	9	20	23	40	48	41	33	5	3	-
ALL OTHER--MALE----	1	1	-	4	5	4	4	5	3	1	-	-
FEMALE--	2	1	2	3	3	4	6	5	3	2	-	-
BLACK---MALE----	1	1	-	4	5	4	4	5	3	1	-	-
FEMALE--	2	1	2	3	3	4	6	5	3	2	-	-
LOUISIANA -----	9	21	27	45	74	109	102	88	55	14	2	-
WHITE-----MALE----	2	5	8	14	26	40	41	27	5	3	-	-
FEMALE--	1	4	3	11	22	36	27	38	24	5	2	-
ALL OTHER--MALE----	2	7	7	12	13	16	19	11	10	4	-	-
FEMALE--	4	5	9	8	13	17	15	12	16	2	-	-
BLACK---MALE----	2	6	7	11	13	16	19	11	10	4	-	-
FEMALE--	4	5	9	8	13	17	15	12	15	2	-	-
MAINE -----	2	-	7	9	18	22	33	22	20	6	2	-
WHITE-----MALE----	-	-	6	5	9	9	14	8	6	1	-	-
FEMALE--	2	-	1	4	9	13	19	14	14	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	13	31	43	62	63	76	75	40	21	3	-
WHITE-----MALE----	3	3	7	14	21	26	26	31	11	4	-	-
FEMALE--	-	3	6	11	20	14	27	27	22	12	3	-
ALL OTHER--MALE----	1	5	11	9	10	12	7	5	1	1	-	-
FEMALE--	2	2	7	9	11	11	16	12	6	4	-	-
BLACK---MALE----	1	5	11	9	10	12	7	5	1	1	-	-
FEMALE--	2	2	7	9	10	11	15	12	6	4	-	-
MASSACHUSETTS -----	10	22	28	60	94	166	202	167	112	31	10	-
WHITE-----MALE----	6	13	12	30	52	84	94	70	31	9	2	-
FEMALE--	2	6	13	23	33	75	101	90	80	20	8	-
ALL OTHER--MALE----	-	1	1	3	4	4	2	5	-	1	-	-
FEMALE--	2	2	2	4	5	3	5	2	1	1	-	-
BLACK---MALE----	-	1	1	2	4	3	1	5	-	1	-	-
FEMALE--	2	2	2	4	3	3	4	1	1	1	-	-
MICHIGAN -----	30	27	51	61	134	162	206	196	129	43	7	-
WHITE-----MALE----	8	8	17	26	60	66	90	77	46	6	1	-
FEMALE--	7	6	15	21	50	68	90	93	75	29	5	-
ALL OTHER--MALE----	9	8	8	4	16	15	8	13	2	1	-	-
FEMALE--	6	5	11	10	8	13	18	13	6	7	1	-
BLACK---MALE----	9	8	8	4	16	13	8	13	2	1	-	-
FEMALE--	6	5	11	9	8	13	18	13	4	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,246

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
MINNESOTA -----	3	5	12	25	57	58	119	97	69	25	1	-
WHITE-----MALE----	-	2	4	11	29	30	61	47	25	5	-	-
FEMALE--	2	2	7	14	22	27	55	50	42	20	1	-
ALL OTHER--MALE----	1	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	4	-	2	-	2	-	-	-
BLACK---MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	2	-	-	-
MISSISSIPPI -----	14	18	22	20	61	46	89	54	48	16	5	-
WHITE-----MALE----	4	1	5	8	19	24	28	17	11	4	1	-
FEMALE--	3	4	5	-	16	6	34	18	18	5	2	-
ALL OTHER--MALE----	4	8	4	3	13	7	11	7	7	4	1	-
FEMALE--	3	5	8	9	13	9	16	12	12	3	1	-
BLACK---MALE----	4	8	4	3	13	7	11	7	7	4	1	-
FEMALE--	3	5	8	9	13	7	16	12	12	3	1	-
MISSOURI -----	10	18	25	53	84	111	154	129	86	31	4	-
WHITE-----MALE----	5	6	13	30	38	50	62	52	23	13	1	-
FEMALE--	1	8	6	15	35	46	73	65	54	15	1	-
ALL OTHER--MALE----	3	3	4	5	8	5	7	3	4	-	-	-
FEMALE--	1	1	2	3	3	10	12	9	5	3	2	-
BLACK---MALE----	3	3	4	5	8	5	6	3	3	-	-	-
FEMALE--	1	1	2	3	3	9	12	9	5	3	2	-
MONTANA -----	-	3	1	7	12	10	22	27	8	6	-	-
WHITE-----MALE----	-	3	1	3	8	5	9	12	2	1	-	-
FEMALE--	-	-	-	2	3	5	13	14	6	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	3	8	10	22	28	43	26	21	13	2	-
WHITE-----MALE----	2	1	4	2	10	12	22	11	10	6	1	-
FEMALE--	2	1	3	6	11	14	21	15	11	7	1	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
NEVADA -----	7	12	11	35	28	43	35	20	16	2	1	-
WHITE-----MALE----	3	5	4	17	16	23	14	11	7	1	-	-
FEMALE--	3	2	4	11	9	13	18	8	8	1	1	-
ALL OTHER--MALE----	1	1	1	4	1	3	-	1	-	-	-	-
FEMALE--	-	4	2	3	2	4	3	-	1	-	-	-
BLACK---MALE----	1	1	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	4	3	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,248

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	33	23	58	112	176	219	259	227	140	43	9	-
WHITE-----MALE----	15	9	18	46	83	100	122	88	41	17	2	-
FEMALE--	10	7	19	46	69	86	124	110	87	24	6	-
ALL OTHER--MALE----	4	2	9	8	12	15	9	12	3	1	1	-
FEMALE--	4	5	12	12	12	18	4	17	9	1	-	-
BLACK---MALE----	4	2	9	8	12	15	9	12	2	1	1	-
FEMALE--	4	5	12	12	12	17	4	17	9	1	-	-
OKLAHOMA -----	11	14	14	25	44	52	72	93	48	25	2	-
WHITE-----MALE----	6	5	4	16	22	31	31	37	22	6	1	-
FEMALE--	1	4	4	6	15	19	31	43	21	13	1	-
ALL OTHER--MALE----	3	3	2	3	3	2	3	7	4	1	-	-
FEMALE--	1	2	4	-	4	-	7	6	1	5	-	-
BLACK---MALE----	2	-	1	3	1	-	2	4	3	1	-	-
FEMALE--	1	2	2	-	1	-	6	5	1	3	-	-
OREGON -----	6	5	4	3	17	30	31	36	17	10	2	-
WHITE-----MALE----	2	3	3	-	8	16	15	19	10	4	1	-
FEMALE--	2	2	-	3	7	14	15	17	7	6	1	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	28	41	69	135	229	321	376	324	231	70	12	-
WHITE-----MALE----	11	15	35	59	124	143	156	119	78	17	2	-
FEMALE--	10	9	20	54	74	140	194	174	137	44	8	-
ALL OTHER--MALE----	6	8	7	12	12	13	11	18	9	2	-	-
FEMALE--	1	9	7	10	19	25	15	13	7	7	2	-
BLACK---MALE----	6	7	7	12	11	12	11	17	9	2	-	-
FEMALE--	1	9	7	9	18	25	14	13	7	7	2	-
RHODE ISLAND -----	-	1	5	8	10	19	21	17	14	3	-	-
WHITE-----MALE----	-	-	-	2	5	14	10	8	4	1	-	-
FEMALE--	-	-	1	5	5	4	10	7	10	2	-	-
ALL OTHER--MALE----	-	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	1	-	-	-	-
SOUTH CAROLINA -----	11	13	24	28	38	41	44	34	22	6	1	-
WHITE-----MALE----	5	4	4	11	12	11	10	8	2	1	-	-
FEMALE--	2	3	5	3	9	11	13	15	15	1	-	-
ALL OTHER--MALE----	4	3	8	4	5	6	9	5	1	2	-	-
FEMALE--	-	3	7	10	12	13	12	6	4	2	1	-
BLACK---MALE----	4	3	8	4	5	6	9	5	1	2	-	-
FEMALE--	-	3	7	10	12	12	12	6	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,249
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
SOUTH DAKOTA -----	77	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	413	7	-	1	1	2	-	-	3	1	4	8
WHITE-----MALE----	168	4	-	-	1	1	-	-	-	1	2	2
FEMALE--	156	2	-	-	-	1	-	-	2	-	-	3
ALL OTHER--MALE----	37	1	-	1	-	-	-	-	-	-	-	2
FEMALE--	52	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	37	1	-	1	-	-	-	-	-	-	-	2
FEMALE--	52	-	-	-	-	-	-	-	1	-	2	1
TEXAS -----	1,048	12	1	1	3	2	2	8	9	8	11	14
WHITE-----MALE----	410	4	-	1	-	-	1	2	2	3	7	7
FEMALE--	448	6	1	-	2	1	1	2	2	2	1	3
ALL OTHER--MALE----	81	2	-	-	-	1	-	3	2	1	2	1
FEMALE--	109	-	-	-	1	-	-	1	3	2	1	3
BLACK---MALE----	77	2	-	-	-	1	-	3	2	1	2	1
FEMALE--	106	-	-	-	1	-	-	1	3	2	1	3
UTAH -----	133	1	-	-	-	-	1	-	-	1	1	3
WHITE-----MALE----	60	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	67	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	55	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	22	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	740	4	1	-	-	1	3	1	4	7	8	6
WHITE-----MALE----	228	3	-	-	-	-	-	1	-	2	4	1
FEMALE--	288	-	1	-	-	1	1	-	1	2	-	1
ALL OTHER--MALE----	114	-	-	-	-	-	1	-	1	1	4	1
FEMALE--	110	1	-	-	-	-	1	-	2	2	-	3
BLACK---MALE----	113	-	-	-	-	-	1	-	1	1	4	1
FEMALE--	106	1	-	-	-	-	1	-	1	2	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,249

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
SOUTH DAKOTA -----	1	-	4	5	7	6	12	17	18	6	1	-
WHITE-----MALE----	-	-	2	-	5	2	9	9	9	3	-	-
FEMALE--	-	-	1	3	2	3	3	8	9	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	10	19	31	51	65	67	81	43	9	4	-
WHITE-----MALE----	3	2	4	12	28	29	25	34	15	4	1	-
FEMALE--	3	3	2	9	11	21	31	40	23	2	3	-
ALL OTHER--MALE----	-	3	4	3	5	9	4	3	1	1	-	-
FEMALE--	-	2	9	7	7	6	7	4	4	2	-	-
BLACK---MALE----	-	3	4	3	5	9	4	3	1	1	-	-
FEMALE--	-	2	9	7	7	6	7	4	4	2	-	-
TEXAS -----	22	31	54	67	100	129	152	159	178	73	12	-
WHITE-----MALE----	8	10	32	32	49	62	53	54	66	15	2	-
FEMALE--	8	15	13	23	35	46	79	69	83	47	9	-
ALL OTHER--MALE----	5	3	5	7	5	8	6	15	12	3	-	-
FEMALE--	1	3	4	5	11	13	14	21	17	8	1	-
BLACK---MALE----	5	3	5	7	5	6	6	14	11	3	-	-
FEMALE--	1	3	4	5	11	11	14	21	16	8	1	-
UTAH -----	1	1	5	12	17	23	24	26	16	1	-	-
WHITE-----MALE----	1	1	2	6	6	11	10	11	7	1	-	-
FEMALE--	-	-	2	6	10	12	12	14	9	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	2	1	2	5	9	12	11	6	3	1	-
WHITE-----MALE----	1	-	1	1	3	4	3	4	3	1	-	-
FEMALE--	1	2	-	1	2	5	9	7	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	27	35	67	94	120	149	109	53	32	4	-
WHITE-----MALE----	3	6	13	20	29	40	49	34	15	8	-	-
FEMALE--	4	4	11	29	32	40	61	54	26	17	3	-
ALL OTHER--MALE----	7	12	6	9	21	20	17	10	2	2	-	-
FEMALE--	1	5	5	9	12	20	22	11	10	5	1	-
BLACK---MALE----	7	12	6	9	20	20	17	10	2	2	-	-
FEMALE--	1	5	5	9	10	19	22	11	10	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,252

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE GLOMERULONEPHRITIS (580)												
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	-	1	2	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	1	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,254

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE GLOMERULONEPHRITIS (580)												
KENTUCKY -----	-	1	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	2	1	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,257

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE GLOMERULONEPHRITIS (580)												
OHIO -----	-	-	1	-	1	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	2	1	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,258

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACUTE GLOMERULONEPHRITIS (580)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	-	-	1	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	1	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,261

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHROTIC SYNDROME (581)												
COLORADO -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	-	1	1	2	1	5	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	-	1	-	-	1	2	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,266
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHROTIC SYNDROME (581)												
OHIO -----	1	-	-	1	-	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	-	2	-	-	1	8	1	3	1	-	-
WHITE-----MALE----	2	-	2	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	6	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,267
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHROTIC SYNDROME (581)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	13	1	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,267
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHROTIC SYNDROME (581)												
SOUTH DAKOTA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	2	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	2	1	-	-	-	2	3	1	1	-	-
WHITE-----MALE----	-	1	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	-	-	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,269

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
0 UNITED STATES --	45	51	64	109	190	250	293	271	161	55	12	-
WHITE-----MALE----	17	19	32	38	79	108	126	120	51	14	3	-
FEMALE--	17	18	12	53	72	101	119	121	87	32	7	-
ALL OTHER--MALE----	10	7	9	5	20	24	18	16	8	2	-	-
FEMALE--	1	7	11	13	19	17	30	14	15	7	2	-
BLACK---MALE----	7	6	8	5	20	20	17	14	7	2	-	-
FEMALE--	1	7	10	12	16	12	25	13	15	7	2	-
ALABAMA -----	-	1	-	2	2	4	13	6	4	3	1	-
WHITE-----MALE----	-	1	-	1	1	2	7	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	1	-	1	-	-
FEMALE--	-	-	-	1	-	1	3	2	2	1	1	-
BLACK---MALE----	-	-	-	-	1	-	2	1	-	1	-	-
FEMALE--	-	-	-	1	-	1	3	2	2	1	1	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	2	3	2	5	4	4	1	-	-	-
WHITE-----MALE----	-	-	1	2	1	2	3	2	-	-	-	-
FEMALE--	1	-	1	1	1	3	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	1	5	6	1	2	1	-	-
WHITE-----MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	7	8	5	16	22	25	22	20	4	1	-	-
WHITE-----MALE----	5	3	3	4	7	9	9	12	2	1	-	-
FEMALE--	2	5	1	8	10	11	9	8	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	3	3	-	-	-	-	-	-
FEMALE--	-	-	1	2	2	2	4	-	1	-	-	-
BLACK---MALE----	-	-	-	2	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,270

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	1	-	-	3	1	2	2	6	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	2	1	-	-	-
FEMALE--	2	-	-	-	2	1	2	-	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	2	1	5	3	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	3	1	-	-	1	-
FEMALE--	-	1	-	-	1	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	5	2	10	13	22	24	27	10	3	2	-
WHITE-----MALE----	-	3	1	5	5	14	11	16	2	1	1	-
FEMALE--	1	1	1	5	6	8	9	11	6	2	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	3	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	3	-	1	-	-	-
GEORGIA -----	1	-	-	2	7	5	2	5	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	4	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	5	1	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	5	1	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,272

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
KENTUCKY -----	1	-	-	3	2	5	3	3	4	1	1	-
WHITE-----MALE----	-	-	-	1	1	4	-	2	2	-	-	-
FEMALE--	-	-	-	2	-	1	2	1	2	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
LOUISIANA -----	-	2	1	1	7	5	7	4	3	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	4	2	5	3	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	2	-	-	-
BLACK---MALE----	-	-	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	2	-	-	-
MAINE -----	-	-	-	-	-	1	6	1	2	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	4	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	1	6	3	3	5	-	1	-	-
WHITE-----MALE----	-	1	-	1	2	-	1	2	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
MASSACHUSETTS -----	1	-	1	3	4	6	3	5	4	2	-	-
WHITE-----MALE----	-	-	-	1	3	4	1	1	1	1	-	-
FEMALE--	1	-	1	1	1	2	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	2	2	7	7	6	9	5	-	-	-
WHITE-----MALE----	1	-	1	1	1	1	4	3	2	-	-	-
FEMALE--	1	1	1	1	5	4	1	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,275
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
OHIO -----	-	1	5	7	8	9	8	5	6	2	-	-
WHITE-----MALE----	-	-	3	3	4	6	2	1	3	1	-	-
FEMALE--	-	-	-	2	4	2	5	4	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	1	-	-	-	-	-
OKLAHOMA -----	1	-	-	-	4	2	3	3	1	3	-	-
WHITE-----MALE----	1	-	-	-	2	1	3	2	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	2	2	1	3	6	6	2	-	1	-	-
WHITE-----MALE----	2	2	2	-	1	3	4	2	-	1	-	-
FEMALE--	-	-	-	1	2	3	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	2	2	7	10	11	17	12	9	1	1	-
WHITE-----MALE----	-	1	-	1	4	2	10	6	5	-	-	-
FEMALE--	2	-	1	5	4	6	6	5	4	-	1	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	1	-	-
BLACK---MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	1	-	-
RHODE ISLAND -----	-	-	-	-	3	1	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	2	1	4	5	7	9	-	1	-	-
WHITE-----MALE----	1	-	1	1	2	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	3	-	-	-	-
FEMALE--	-	1	1	-	-	2	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	3	-	-	-	-
FEMALE--	-	1	1	-	-	1	2	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,276

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	54	1	-	-	-	2	-	-	1	1	-	2
WHITE-----MALE----	24	1	-	-	-	1	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	117	-	-	-	2	1	-	5	3	1	-	3
WHITE-----MALE----	48	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	47	-	-	-	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	16	-	-	-	1	-	-	1	1	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	16	-	-	-	1	-	-	1	1	1	-	-
UTAH -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	41	1	-	-	-	-	1	-	2	-	1	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,276

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
SOUTH DAKOTA -----	-	-	-	-	1	-	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	4	3	3	7	11	11	4	2	1	-
WHITE-----MALE----	-	-	-	2	2	4	6	4	2	-	-	-
FEMALE--	-	1	-	1	1	3	5	7	2	1	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
TEXAS -----	-	2	6	7	12	18	20	16	16	4	1	-
WHITE-----MALE----	-	-	5	3	7	9	8	6	5	1	-	-
FEMALE--	-	2	-	2	4	7	10	7	8	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	2	-	-	-
FEMALE--	-	-	1	1	1	1	2	3	1	2	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	-	-	1	1	1	1	2	3	1	2	-	-
UTAH -----	-	1	-	-	-	1	1	3	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	-	4	2	6	11	4	3	2	1	-
WHITE-----MALE----	-	-	-	1	1	2	4	2	-	-	-	-
FEMALE--	-	1	-	1	1	2	3	2	3	2	-	-
ALL OTHER--MALE----	2	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	1	-
BLACK---MALE----	2	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,278

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
0 UNITED STATES --	445	666	1,025	1,661	2,718	3,630	4,338	4,065	2,635	965	182	-
WHITE-----MALE----	158	237	366	708	1,210	1,616	1,830	1,559	865	275	39	-
FEMALE--	120	182	327	550	955	1,406	1,941	1,975	1,454	556	114	-
ALL OTHER--MALE----	91	132	162	190	250	260	233	221	105	44	8	-
FEMALE--	76	115	170	213	303	348	334	310	211	90	21	-
BLACK---MALE----	86	118	151	177	229	231	207	197	94	39	7	-
FEMALE--	67	105	158	190	268	316	308	289	201	84	20	-
ALABAMA -----	12	16	33	47	66	88	104	111	70	27	10	-
WHITE-----MALE----	2	7	7	17	24	34	27	24	23	7	3	-
FEMALE--	3	2	12	15	14	35	43	53	31	8	5	-
ALL OTHER--MALE----	4	3	7	7	9	9	9	11	5	6	-	-
FEMALE--	3	4	7	8	19	10	25	23	11	6	2	-
BLACK---MALE----	4	3	7	7	9	9	9	11	5	6	-	-
FEMALE--	3	4	7	8	19	10	25	23	11	6	2	-
ALASKA -----	-	-	1	1	1	6	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	9	13	23	40	46	61	50	27	11	1	-
WHITE-----MALE----	3	5	6	14	13	21	37	25	12	3	1	-
FEMALE--	1	3	6	7	23	19	23	24	14	7	-	-
ALL OTHER--MALE----	-	1	1	1	1	3	1	1	-	-	-	-
FEMALE--	1	-	-	1	3	3	-	-	1	1	-	-
BLACK---MALE----	-	1	-	-	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	1	-	-
ARKANSAS -----	6	12	15	22	40	77	58	73	47	13	4	-
WHITE-----MALE----	3	6	7	11	24	40	23	18	16	3	-	-
FEMALE--	-	4	5	6	10	19	27	42	24	9	2	-
ALL OTHER--MALE----	1	1	2	2	1	8	4	2	2	-	-	-
FEMALE--	2	1	1	3	5	10	4	11	5	1	2	-
BLACK---MALE----	1	1	2	2	1	8	4	2	2	-	-	-
FEMALE--	2	1	1	3	5	10	4	11	5	1	2	-
CALIFORNIA -----	25	53	50	90	139	162	183	182	106	43	10	-
WHITE-----MALE----	6	14	17	38	51	66	74	70	36	16	1	-
FEMALE--	7	19	22	27	59	62	76	90	54	21	7	-
ALL OTHER--MALE----	5	6	6	10	14	13	15	9	8	3	-	-
FEMALE--	7	14	5	15	15	21	18	13	8	3	2	-
BLACK---MALE----	5	4	2	7	10	6	6	5	6	1	-	-
FEMALE--	4	9	3	7	8	8	9	9	6	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,279

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
COLORADO -----	231	-	-	-	-	-	-	-	2	-	1	7
WHITE-----MALE----	112	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	108	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	328	2	-	-	-	-	-	2	-	4	5	7
WHITE-----MALE----	153	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	140	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	16	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	19	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	15	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	18	-	-	-	-	-	-	1	-	1	-	1
DELAWARE -----	74	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	87	1	-	-	-	-	-	1	-	4	4	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	33	1	-	-	-	-	-	1	-	2	2	3
FEMALE--	44	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	33	1	-	-	-	-	-	1	-	2	2	3
FEMALE--	42	-	-	-	-	-	-	-	-	1	2	1
FLORIDA -----	855	3	-	-	-	-	-	3	-	6	5	11
WHITE-----MALE----	369	1	-	-	-	-	-	-	-	2	2	4
FEMALE--	341	1	-	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	63	1	-	-	-	-	-	1	-	2	2	1
FEMALE--	82	-	-	-	-	-	-	1	-	1	1	3
BLACK---MALE----	61	1	-	-	-	-	-	1	-	2	2	1
FEMALE--	82	-	-	-	-	-	-	1	-	1	1	3
GEORGIA -----	728	2	-	-	1	-	-	-	9	8	6	11
WHITE-----MALE----	217	1	-	-	1	-	-	-	3	3	2	2
FEMALE--	218	1	-	-	-	-	-	-	2	1	1	1
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	3	-	2	5
FEMALE--	180	-	-	-	-	-	-	-	1	4	1	3
BLACK---MALE----	113	-	-	-	-	-	-	-	3	-	2	5
FEMALE--	178	-	-	-	-	-	-	-	1	3	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,279

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	5	6	15	26	37	44	45	29	9	2	-
WHITE-----MALE----	2	2	2	10	11	18	25	22	9	5	1	-
FEMALE--	-	3	4	5	11	18	18	22	19	4	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
CONNECTICUT -----	7	6	8	15	35	49	66	75	27	18	2	-
WHITE-----MALE----	5	3	2	4	16	28	34	33	11	9	1	-
FEMALE--	1	2	5	6	15	18	26	37	16	9	-	-
ALL OTHER--MALE----	1	1	1	1	2	1	2	2	-	-	-	-
FEMALE--	-	-	-	4	2	2	4	3	-	-	1	-
BLACK---MALE----	1	1	1	1	2	-	2	2	-	-	-	-
FEMALE--	-	-	-	4	1	2	4	3	-	-	1	-
DELAWARE -----	1	1	3	5	11	12	13	11	7	6	1	-
WHITE-----MALE----	1	1	-	1	7	5	7	6	-	-	-	-
FEMALE--	-	-	-	3	3	6	2	2	5	5	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	3	1	1	-	-	-
FEMALE--	-	-	1	1	1	1	1	2	1	1	1	-
BLACK---MALE----	-	-	2	-	-	-	3	1	1	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	1	1	1	-
DISTRICT OF COLUMBIA -----	3	4	7	7	10	5	14	13	8	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	1	-	-
ALL OTHER--MALE----	1	1	5	5	2	2	4	3	1	-	-	-
FEMALE--	2	3	2	2	8	3	4	8	7	1	-	-
BLACK---MALE----	1	1	5	5	2	2	4	3	1	-	-	-
FEMALE--	1	3	2	2	8	3	3	8	7	1	-	-
FLORIDA -----	15	25	35	57	91	123	164	166	97	47	7	-
WHITE-----MALE----	4	12	11	26	41	55	83	68	40	17	3	-
FEMALE--	5	7	13	12	36	45	65	78	43	28	3	-
ALL OTHER--MALE----	3	1	8	12	4	10	6	8	2	1	1	-
FEMALE--	3	5	3	7	10	13	10	12	12	1	-	-
BLACK---MALE----	3	1	8	12	4	10	5	7	2	1	1	-
FEMALE--	3	5	3	7	10	13	10	12	12	1	-	-
GEORGIA -----	13	30	51	43	88	120	129	108	82	24	3	-
WHITE-----MALE----	3	12	17	18	29	41	41	28	15	1	-	-
FEMALE--	2	4	10	6	19	38	45	37	37	13	1	-
ALL OTHER--MALE----	3	10	11	8	13	11	13	21	8	3	2	-
FEMALE--	5	4	13	11	27	30	30	22	22	7	-	-
BLACK---MALE----	3	10	11	8	13	11	13	21	8	3	2	-
FEMALE--	5	4	13	11	27	30	30	21	22	7	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,280

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	6	3	5	9	11	12	16	6	-	1	-
WHITE-----MALE----	-	1	-	1	2	-	2	2	3	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	4	3	1	5	6	7	8	2	-	1	-
FEMALE--	2	-	-	3	2	4	3	6	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	3	2	7	9	8	7	5	3	-	-
WHITE-----MALE----	-	1	3	2	6	3	5	2	1	-	-	-
FEMALE--	1	1	-	-	1	5	3	5	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	25	52	54	116	173	224	254	249	136	52	11	-
WHITE-----MALE----	7	18	21	47	74	100	103	103	40	12	1	-
FEMALE--	7	7	11	35	57	81	114	115	81	33	8	-
ALL OTHER--MALE----	5	16	8	16	18	14	17	13	5	1	1	-
FEMALE--	6	11	14	18	24	29	20	18	10	6	1	-
BLACK---MALE----	5	15	8	15	17	14	16	12	5	1	1	-
FEMALE--	5	11	14	17	22	28	20	16	10	6	1	-
INDIANA -----	13	20	29	49	97	109	131	138	80	31	5	-
WHITE-----MALE----	5	6	9	19	44	55	58	54	29	9	2	-
FEMALE--	7	9	14	17	42	41	63	75	49	21	2	-
ALL OTHER--MALE----	-	1	3	6	5	7	8	6	-	1	-	-
FEMALE--	1	4	3	7	6	6	2	3	2	-	1	-
BLACK---MALE----	-	1	3	6	4	7	8	6	-	1	-	-
FEMALE--	1	4	3	7	6	6	2	3	2	-	1	-
IOWA -----	1	2	5	7	12	21	27	30	27	11	3	-
WHITE-----MALE----	1	1	4	3	4	10	8	12	12	4	1	-
FEMALE--	-	1	1	4	7	11	18	17	15	7	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
KANSAS -----	2	3	15	19	36	49	60	53	47	20	4	-
WHITE-----MALE----	1	2	5	10	22	24	24	26	16	9	1	-
FEMALE--	1	-	6	9	8	22	34	25	28	10	3	-
ALL OTHER--MALE----	-	-	2	-	2	1	1	1	-	1	-	-
FEMALE--	-	1	2	-	4	2	1	1	3	-	-	-
BLACK---MALE----	-	-	2	-	2	1	1	1	-	-	-	-
FEMALE--	-	1	2	-	3	2	1	-	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,281

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
KENTUCKY -----	491	3	-	1	-	-	-	1	1	4	2	5
WHITE-----MALE----	205	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	225	1	-	1	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	29	1	-	-	-	-	-	1	-	2	-	-
FEMALE--	32	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	28	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	32	-	-	-	-	-	-	-	1	1	1	-
LOUISIANA -----	542	5	2	-	-	2	-	-	2	1	5	10
WHITE-----MALE----	179	2	2	-	-	-	-	-	-	-	1	5
FEMALE--	161	-	-	-	-	2	-	-	-	-	2	1
ALL OTHER--MALE----	102	2	-	-	-	-	-	-	1	1	1	3
FEMALE--	100	1	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	101	2	-	-	-	-	-	-	1	1	1	3
FEMALE--	99	1	-	-	-	-	-	-	1	-	1	1
MAINE -----	131	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	78	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	442	3	-	-	-	-	1	2	3	13	2	10
WHITE-----MALE----	137	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	147	2	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	77	1	-	-	-	-	1	1	2	10	1	4
FEMALE--	81	-	-	-	-	-	-	-	-	-	-	5
BLACK---MALE----	76	1	-	-	-	-	1	1	2	9	1	4
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	5
MASSACHUSETTS -----	902	3	1	-	-	-	1	-	2	7	7	13
WHITE-----MALE----	408	-	1	-	-	-	1	-	1	4	3	8
FEMALE--	442	-	-	-	-	-	-	-	1	3	4	2
ALL OTHER--MALE----	23	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	1	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	20	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	1	-	-	-	-	-	-	-	-	-	2
MICHIGAN -----	1,042	5	-	1	-	1	-	1	3	8	9	21
WHITE-----MALE----	404	4	-	1	-	-	-	1	-	2	4	5
FEMALE--	443	-	-	-	-	1	-	-	1	3	-	5
ALL OTHER--MALE----	93	1	-	-	-	-	-	-	-	1	5	7
FEMALE--	102	-	-	-	-	-	-	-	2	2	-	4
BLACK---MALE----	92	1	-	-	-	-	-	-	-	1	5	7
FEMALE--	99	-	-	-	-	-	-	-	2	2	-	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,281

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
KENTUCKY -----	7	12	19	36	63	88	94	85	57	11	2	-
WHITE-----MALE----	2	6	8	12	34	41	40	35	20	4	-	-
FEMALE--	3	4	9	18	22	39	45	40	31	5	2	-
ALL OTHER--MALE----	-	1	-	3	4	4	4	5	3	1	-	-
FEMALE--	2	1	2	3	3	4	5	5	3	1	-	-
BLACK---MALE----	-	1	-	3	4	4	4	5	3	1	-	-
FEMALE--	2	1	2	3	3	4	5	5	3	1	-	-
LOUISIANA -----	9	19	26	44	67	104	95	84	51	14	2	-
WHITE-----MALE----	2	4	8	14	25	40	41	27	5	3	-	-
FEMALE--	1	4	3	10	18	34	22	35	22	5	2	-
ALL OTHER--MALE----	2	6	6	12	12	15	17	10	10	4	-	-
FEMALE--	4	5	9	8	12	15	15	12	14	2	-	-
BLACK---MALE----	2	6	6	11	12	15	17	10	10	4	-	-
FEMALE--	4	5	9	8	12	15	15	12	13	2	-	-
MAINE -----	2	-	7	9	17	21	27	21	18	6	1	-
WHITE-----MALE----	-	-	6	5	9	9	12	7	4	1	-	-
FEMALE--	2	-	1	4	8	12	15	14	14	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	12	31	41	54	58	73	70	40	20	3	-
WHITE-----MALE----	3	2	7	12	18	24	25	29	11	3	-	-
FEMALE--	-	3	6	11	18	13	27	26	22	12	3	-
ALL OTHER--MALE----	1	5	11	9	8	11	6	4	1	1	-	-
FEMALE--	2	2	7	9	10	10	15	11	6	4	-	-
BLACK---MALE----	1	5	11	9	8	11	6	4	1	1	-	-
FEMALE--	2	2	7	9	9	10	14	11	6	4	-	-
MASSACHUSETTS -----	9	22	27	57	90	157	199	160	108	29	10	-
WHITE-----MALE----	6	13	12	29	49	79	93	69	30	8	2	-
FEMALE--	1	6	12	22	32	71	99	85	77	19	8	-
ALL OTHER--MALE----	-	1	1	3	4	4	2	4	-	1	-	-
FEMALE--	2	2	2	3	5	3	5	2	1	1	-	-
BLACK---MALE----	-	1	1	2	4	3	1	4	-	1	-	-
FEMALE--	2	2	2	3	3	3	4	1	1	1	-	-
MICHIGAN -----	28	26	48	57	126	155	196	185	122	43	7	-
WHITE-----MALE----	7	8	16	24	59	65	85	73	43	6	1	-
FEMALE--	6	5	14	19	45	64	87	88	71	29	5	-
ALL OTHER--MALE----	9	8	7	4	14	14	7	13	2	1	-	-
FEMALE--	6	5	11	10	8	12	17	11	6	7	1	-
BLACK---MALE----	9	8	7	4	14	13	7	13	2	1	-	-
FEMALE--	6	5	11	9	8	12	17	11	4	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,282

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
MINNESOTA -----	2	5	12	21	52	54	111	91	66	22	1	-
WHITE-----MALE----	-	2	4	9	27	28	59	45	24	5	-	-
FEMALE--	1	2	7	12	19	25	49	46	40	17	1	-
ALL OTHER--MALE----	1	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	4	-	2	-	2	-	-	-
BLACK---MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	2	-	-	-
MISSISSIPPI -----	14	15	21	18	58	45	82	54	45	16	5	-
WHITE-----MALE----	4	1	5	8	18	24	27	17	11	4	1	-
FEMALE--	3	3	5	-	15	6	33	18	15	5	2	-
ALL OTHER--MALE----	4	7	3	2	12	7	7	7	7	4	1	-
FEMALE--	3	4	8	8	13	8	15	12	12	3	1	-
BLACK---MALE----	4	7	3	2	12	7	7	7	7	4	1	-
FEMALE--	3	4	8	8	13	7	15	12	12	3	1	-
MISSOURI -----	9	16	25	50	78	104	141	123	81	29	4	-
WHITE-----MALE----	4	6	13	30	36	48	53	49	21	13	1	-
FEMALE--	1	6	6	12	32	42	70	62	52	14	1	-
ALL OTHER--MALE----	3	3	4	5	7	5	7	3	4	-	-	-
FEMALE--	1	1	2	3	3	9	11	9	4	2	2	-
BLACK---MALE----	3	3	4	5	7	5	6	3	3	-	-	-
FEMALE--	1	1	2	3	3	9	11	9	4	2	2	-
MONTANA -----	-	3	-	7	10	10	20	22	7	6	-	-
WHITE-----MALE----	-	3	-	3	6	5	9	10	2	1	-	-
FEMALE--	-	-	-	2	3	5	11	11	5	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	3	8	10	20	25	42	24	21	12	2	-
WHITE-----MALE----	2	1	4	2	9	12	22	10	10	5	1	-
FEMALE--	1	1	3	6	10	12	20	14	11	7	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
NEVADA -----	7	12	11	33	28	43	34	19	16	2	1	-
WHITE-----MALE----	3	5	4	17	16	23	14	10	7	1	-	-
FEMALE--	3	2	4	9	9	13	17	8	8	1	1	-
ALL OTHER--MALE----	1	1	1	4	1	3	-	1	-	-	-	-
FEMALE--	-	4	2	3	2	4	3	-	1	-	-	-
BLACK---MALE----	1	1	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	4	3	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,284

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	32	22	52	104	167	207	250	220	134	41	9	-
WHITE-----MALE----	15	9	15	43	78	94	119	87	38	16	2	-
FEMALE--	9	7	19	43	65	81	119	104	84	23	6	-
ALL OTHER--MALE----	4	2	7	8	12	14	9	12	3	1	1	-
FEMALE--	4	4	11	10	12	18	3	17	9	1	-	-
BLACK---MALE----	4	2	7	8	12	14	9	12	2	1	1	-
FEMALE--	4	4	11	10	12	17	3	17	9	1	-	-
OKLAHOMA -----	10	13	14	25	39	49	68	88	46	22	2	-
WHITE-----MALE----	5	5	4	16	20	29	27	34	22	5	1	-
FEMALE--	1	4	4	6	14	18	31	42	19	11	1	-
ALL OTHER--MALE----	3	2	2	3	2	2	3	6	4	1	-	-
FEMALE--	1	2	4	-	3	-	7	6	1	5	-	-
BLACK---MALE----	2	-	1	3	-	-	2	3	3	1	-	-
FEMALE--	1	2	2	-	1	-	6	5	1	3	-	-
OREGON -----	2	3	2	2	14	22	24	33	16	9	2	-
WHITE-----MALE----	-	1	1	-	7	12	10	17	10	3	1	-
FEMALE--	2	2	-	2	5	10	13	16	6	6	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	39	65	128	217	308	350	310	217	68	11	-
WHITE-----MALE----	9	14	33	58	119	141	144	112	71	17	2	-
FEMALE--	8	9	19	49	69	133	182	168	130	43	7	-
ALL OTHER--MALE----	5	7	6	12	11	11	11	17	9	2	-	-
FEMALE--	1	9	7	9	18	23	13	13	7	6	2	-
BLACK---MALE----	5	6	6	12	10	10	11	16	9	2	-	-
FEMALE--	1	9	7	8	17	23	12	13	7	6	2	-
RHODE ISLAND -----	-	-	5	8	7	18	21	15	13	2	-	-
WHITE-----MALE----	-	-	-	2	3	14	10	6	3	1	-	-
FEMALE--	-	-	1	5	4	3	10	7	10	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	1	-	-	-	-
SOUTH CAROLINA -----	10	12	22	27	34	35	35	25	21	5	1	-
WHITE-----MALE----	4	4	3	10	10	10	10	6	2	1	-	-
FEMALE--	2	3	5	3	7	9	10	14	14	-	-	-
ALL OTHER--MALE----	4	3	8	4	5	6	6	2	1	2	-	-
FEMALE--	-	2	6	10	12	10	9	3	4	2	1	-
BLACK---MALE----	4	3	8	4	5	6	6	2	1	2	-	-
FEMALE--	-	2	6	10	12	10	9	3	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,285

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	71	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	352	6	-	-	-	-	-	-	2	-	4	6
WHITE-----MALE----	139	3	-	-	-	-	-	-	-	-	2	1
FEMALE--	131	2	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	33	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	49	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	33	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	49	-	-	-	-	-	-	-	1	-	2	-
TEXAS -----	911	11	1	1	-	1	2	3	6	7	10	11
WHITE-----MALE----	355	4	-	1	-	-	1	2	1	3	6	4
FEMALE--	390	5	1	-	-	-	1	-	1	2	1	3
ALL OTHER--MALE----	75	2	-	-	-	1	-	1	2	1	2	1
FEMALE--	91	-	-	-	-	-	-	-	2	1	1	3
BLACK---MALE----	72	2	-	-	-	1	-	1	2	1	2	1
FEMALE--	88	-	-	-	-	-	-	-	2	1	1	3
UTAH -----	127	1	-	-	-	-	1	-	-	1	1	3
WHITE-----MALE----	58	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	63	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	48	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	687	3	1	-	-	1	2	1	2	6	7	5
WHITE-----MALE----	216	3	-	-	-	-	-	1	-	2	3	1
FEMALE--	267	-	1	-	-	1	1	-	-	2	-	-
ALL OTHER--MALE----	104	-	-	-	-	-	1	-	-	1	4	1
FEMALE--	100	-	-	-	-	-	-	-	2	1	-	3
BLACK---MALE----	103	-	-	-	-	-	1	-	-	1	4	1
FEMALE--	96	-	-	-	-	-	-	-	1	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,285

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
SOUTH DAKOTA -----	1	-	3	5	6	6	11	17	15	6	1	-
WHITE-----MALE----	-	-	1	-	5	2	9	9	7	3	-	-
FEMALE--	-	-	1	3	1	3	2	8	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	9	15	28	48	55	56	69	39	7	2	-
WHITE-----MALE----	3	2	4	10	26	23	19	29	13	4	-	-
FEMALE--	3	2	2	8	10	17	26	33	21	1	2	-
ALL OTHER--MALE----	-	3	2	3	5	9	4	3	1	-	-	-
FEMALE--	-	2	7	7	7	6	7	4	4	2	-	-
BLACK---MALE----	-	3	2	3	5	9	4	3	1	-	-	-
FEMALE--	-	2	7	7	7	6	7	4	4	2	-	-
TEXAS -----	22	27	47	60	88	111	129	138	158	67	11	-
WHITE-----MALE----	8	9	26	29	42	53	43	46	61	14	2	-
FEMALE--	8	12	13	21	31	39	69	59	72	44	8	-
ALL OTHER--MALE----	5	3	5	6	5	7	6	15	10	3	-	-
FEMALE--	1	3	3	4	10	12	11	18	15	6	1	-
BLACK---MALE----	5	3	5	6	5	6	6	14	9	3	-	-
FEMALE--	1	3	3	4	10	10	11	18	14	6	1	-
UTAH -----	1	-	5	12	17	22	23	23	16	1	-	-
WHITE-----MALE----	1	-	2	6	6	10	10	11	7	1	-	-
FEMALE--	-	-	2	6	10	12	11	11	9	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	-	2	5	8	11	9	6	3	1	-
WHITE-----MALE----	-	-	-	1	3	4	2	3	3	1	-	-
FEMALE--	1	2	-	1	2	4	9	6	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	26	35	62	91	113	135	104	48	30	3	-
WHITE-----MALE----	3	6	13	19	28	38	44	32	15	8	-	-
FEMALE--	3	3	11	27	31	38	58	51	22	15	3	-
ALL OTHER--MALE----	5	12	6	8	20	17	15	10	2	2	-	-
FEMALE--	1	5	5	8	12	20	18	11	9	5	-	-
BLACK---MALE----	5	12	6	8	19	17	15	10	2	2	-	-
FEMALE--	1	5	5	8	10	19	18	11	9	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,287

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF KIDNEY (590)												
UNITED STATES --	20	17	35	40	87	98	158	162	102	38	13	-
WHITE-----MALE----	5	4	8	6	17	36	48	38	20	6	1	-
FEMALE--	8	11	18	29	52	55	94	113	72	30	11	-
ALL OTHER--MALE----	3	1	4	2	8	3	4	3	3	-	1	-
FEMALE--	4	1	5	3	10	4	12	8	7	2	-	-
BLACK---MALE----	3	1	3	-	7	3	4	3	2	-	1	-
FEMALE--	4	1	3	2	9	4	11	7	7	1	-	-
ALABAMA -----	-	-	1	2	1	4	5	4	4	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	2	1	1	-	-
FEMALE--	-	-	-	1	-	2	3	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	3	2	1	3	3	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	1	-	2	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	3	3	5	8	12	19	25	12	11	9	4	-
WHITE-----MALE----	-	-	1	1	2	10	7	1	1	3	-	-
FEMALE--	1	3	2	7	6	9	14	11	9	5	3	-
ALL OTHER--MALE----	1	-	1	-	2	-	1	-	-	-	1	-
FEMALE--	1	-	1	-	2	-	3	-	1	1	-	-
BLACK---MALE----	1	-	1	-	1	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	2	-	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,288

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
COLORADO -----	-	-	-	1	-	-	2	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	-	-	-	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	1	2	4	1	6	5	5	-	-	-
WHITE-----MALE----	-	1	1	2	1	-	3	2	3	-	-	-
FEMALE--	1	-	-	-	3	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	2	-	2	3	5	6	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	4	6	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,290

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
KENTUCKY -----	-	-	-	-	1	1	1	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	1	1	1	-	2	1	7	7	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	5	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
MAINE -----	-	-	-	-	2	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	1	-	1	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	1	1	-	2	3	1	-	1	-
WHITE-----MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	1	2	2	3	5	4	-	2	-	-
WHITE-----MALE----	1	-	1	-	-	1	1	2	-	-	-	-
FEMALE--	1	1	-	2	2	2	3	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,293

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
OHIO -----	1	1	2	1	4	6	7	7	3	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	3	2	-	-	-	-
FEMALE--	1	-	2	1	4	5	3	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	-	2	8	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	2	1	1	3	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	4	3	4	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	1	-	-	-
FEMALE--	-	-	-	-	3	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	3	-	1	1	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,294

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
SOUTH DAKOTA -----	-	-	-	-	1	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	-	-	2	7	2	6	5	-	1	-
WHITE-----MALE----	-	1	-	-	1	4	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	3	1	4	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	-	2	2	7	9	12	9	11	3	1	-
WHITE-----MALE----	-	-	-	-	1	3	6	4	3	-	1	-
FEMALE--	2	-	2	2	2	5	6	4	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
UTAH -----	-	-	1	1	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	2	2	1	8	2	2	1	1	-
WHITE-----MALE----	-	-	-	-	1	-	3	-	1	1	-	-
FEMALE--	1	-	-	1	-	-	4	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,296

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 URINARY CALCULUS (592,594)												
0 UNITED STATES --	11	11	13	13	28	40	52	50	27	6	2	-
WHITE-----MALE----	5	7	7	4	11	18	19	14	7	1	1	-
FEMALE--	5	4	4	8	13	18	28	32	18	5	1	-
ALL OTHER--MALE----	1	-	1	1	1	2	2	1	1	-	-	-
FEMALE--	-	-	1	-	3	2	3	3	1	-	-	-
BLACK---MALE----	1	-	1	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	2	3	3	1	-	-	-
ALABAMA -----	-	-	-	1	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	2	1	4	5	5	4	4	-	2	-
WHITE-----MALE----	-	-	2	1	3	4	1	1	2	-	1	-
FEMALE--	1	1	-	-	-	1	3	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,297

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 URINARY CALCULUS (592,594)												
COLORADO -----	-	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	3	2	2	3	5	2	1	1	-	-
WHITE-----MALE----	-	1	2	-	-	2	3	1	-	1	-	-
FEMALE--	1	-	1	2	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	-	2	2	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,305
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
0 UNITED STATES --	19,004	15	11	-	3	6	15	45	77	129	200	252
WHITE-----MALE----	5,625	7	4	-	-	3	4	10	22	41	51	64
FEMALE--	9,801	4	6	-	2	1	5	10	25	24	46	70
ALL OTHER--MALE----	1,517	4	1	-	1	2	5	16	15	42	63	64
FEMALE--	2,061	-	-	-	-	-	1	9	15	22	40	54
BLACK---MALE----	1,391	4	1	-	1	2	5	15	12	41	57	63
FEMALE--	1,871	-	-	-	-	-	1	9	15	22	37	47
ALABAMA -----	375	-	-	-	-	-	-	-	-	2	3	4
WHITE-----MALE----	89	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	163	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	53	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	283	1	-	-	-	-	-	-	1	3	5	6
WHITE-----MALE----	111	1	-	-	-	-	-	-	-	1	2	2
FEMALE--	137	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	271	-	-	-	-	-	-	1	1	2	2	4
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	130	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	38	-	-	-	-	-	-	1	-	-	1	2
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	37	-	-	-	-	-	-	1	-	-	1	1
CALIFORNIA -----	2,076	2	2	-	1	2	1	5	11	6	21	25
WHITE-----MALE----	624	1	2	-	-	1	1	1	3	3	5	9
FEMALE--	1,125	1	-	-	1	1	-	2	3	1	7	7
ALL OTHER--MALE----	140	-	-	-	-	-	-	2	4	-	6	3
FEMALE--	187	-	-	-	-	-	-	-	1	2	3	6
BLACK---MALE----	87	-	-	-	-	-	-	1	1	-	3	3
FEMALE--	109	-	-	-	-	-	-	-	1	2	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,305

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
0 UNITED STATES --	334	439	682	1,035	1,822	2,623	3,514	3,784	2,720	1,038	259	1
WHITE-----MALE----	85	150	212	342	669	956	1,146	1,061	594	165	39	-
FEMALE--	103	123	231	364	731	1,208	1,836	2,265	1,834	736	177	-
ALL OTHER--MALE----	75	73	114	141	174	203	206	179	101	31	6	1
FEMALE--	71	93	125	188	248	256	326	279	191	106	37	-
BLACK---MALE----	71	68	105	132	164	184	187	152	92	28	6	1
FEMALE--	62	85	113	167	230	230	300	250	172	94	37	-
ALABAMA -----	6	13	19	25	45	43	76	69	46	17	7	-
WHITE-----MALE----	1	4	6	7	11	13	21	15	7	-	1	-
FEMALE--	1	2	4	10	14	19	30	36	32	11	3	-
ALL OTHER--MALE----	4	5	4	2	9	4	12	4	1	3	1	-
FEMALE--	-	2	5	6	11	7	13	14	6	3	2	-
BLACK---MALE----	4	5	4	2	9	4	12	4	1	3	1	-
FEMALE--	-	2	5	6	11	7	13	14	6	3	2	-
ALASKA -----	2	-	-	-	2	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	9	9	19	34	31	59	56	36	10	1	-
WHITE-----MALE----	-	4	4	8	13	11	29	21	9	6	-	-
FEMALE--	2	4	3	9	13	18	27	28	25	3	1	-
ALL OTHER--MALE----	-	-	-	1	3	1	1	2	1	1	-	-
FEMALE--	1	1	2	1	5	1	2	5	1	-	-	-
BLACK---MALE----	-	-	-	1	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	-	-	-	-
ARKANSAS -----	2	7	4	14	34	36	46	57	50	8	3	-
WHITE-----MALE----	2	1	2	5	12	15	9	19	13	1	1	-
FEMALE--	-	2	1	5	15	12	26	32	30	4	1	-
ALL OTHER--MALE----	-	-	-	2	2	4	6	4	-	-	1	-
FEMALE--	-	4	1	2	5	5	5	2	7	3	-	-
BLACK---MALE----	-	-	-	1	2	4	6	4	-	-	1	-
FEMALE--	-	4	1	2	5	5	5	2	7	3	-	-
CALIFORNIA -----	40	43	63	101	183	305	405	406	299	116	38	1
WHITE-----MALE----	10	15	21	33	65	112	134	109	68	26	5	-
FEMALE--	16	17	24	47	89	141	219	245	198	76	30	-
ALL OTHER--MALE----	7	5	11	10	13	18	21	23	14	2	-	1
FEMALE--	7	6	7	11	16	34	31	29	19	12	3	-
BLACK---MALE----	6	3	6	6	9	13	16	9	9	1	-	1
FEMALE--	3	4	4	5	10	18	18	17	12	7	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,306

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	157	1	-	-	-	-	-	2	2	-	2	1
WHITE-----MALE----	43	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	103	-	-	-	-	-	-	1	2	-	-	1
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	208	-	1	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	118	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	40	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	73	-	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	1,187	3	1	-	-	-	1	5	7	9	8	12
WHITE-----MALE----	445	-	-	-	-	-	-	2	1	5	3	2
FEMALE--	579	1	-	-	-	-	-	-	2	-	2	5
ALL OTHER--MALE----	65	2	1	-	-	-	1	1	-	4	2	4
FEMALE--	98	-	-	-	-	-	-	2	4	-	1	1
BLACK---MALE----	64	2	1	-	-	-	1	1	-	4	2	4
FEMALE--	97	-	-	-	-	-	-	2	4	-	1	1
GEORGIA -----	564	1	-	-	-	1	-	1	5	8	9	13
WHITE-----MALE----	115	1	-	-	-	1	-	-	1	-	-	3
FEMALE--	215	-	-	-	-	-	-	1	1	2	-	1
ALL OTHER--MALE----	101	-	-	-	-	-	-	-	1	6	4	4
FEMALE--	133	-	-	-	-	-	-	-	2	-	5	5
BLACK---MALE----	100	-	-	-	-	-	-	-	1	6	4	4
FEMALE--	133	-	-	-	-	-	-	-	2	-	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,306

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
COLORADO -----	2	-	5	6	20	24	22	37	26	6	1	-
WHITE-----MALE----	1	-	1	2	10	9	4	4	7	3	-	-
FEMALE--	1	-	4	2	9	14	15	32	18	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
CONNECTICUT -----	2	2	7	10	20	35	48	36	26	13	2	-
WHITE-----MALE----	1	1	2	6	6	19	20	14	5	-	-	-
FEMALE--	1	1	4	3	11	14	26	21	20	13	2	-
ALL OTHER--MALE----	-	-	1	-	2	2	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	2	2	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	-	-	-
DELAWARE -----	1	-	1	-	5	-	10	17	4	-	1	-
WHITE-----MALE----	-	-	-	-	2	-	4	6	-	-	-	-
FEMALE--	-	-	-	-	2	-	4	10	4	-	1	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA -----	2	1	3	7	7	14	16	7	7	-	3	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	2	-	1	-
ALL OTHER--MALE----	-	1	2	2	3	5	5	3	1	-	-	-
FEMALE--	2	-	1	4	4	8	10	2	3	-	2	-
BLACK---MALE----	-	1	2	2	3	5	5	3	1	-	-	-
FEMALE--	2	-	1	4	4	8	10	2	3	-	2	-
FLORIDA -----	16	17	42	49	98	159	233	259	192	63	13	-
WHITE-----MALE----	4	10	17	17	44	72	99	92	62	13	2	-
FEMALE--	5	1	15	15	42	69	110	146	115	42	9	-
ALL OTHER--MALE----	5	2	4	5	5	4	7	7	8	3	-	-
FEMALE--	2	4	6	12	7	14	17	14	7	5	2	-
BLACK---MALE----	5	2	4	5	5	3	7	7	8	3	-	-
FEMALE--	2	4	6	12	7	14	17	13	7	5	2	-
GEORGIA -----	17	12	26	40	63	84	118	88	59	13	6	-
WHITE-----MALE----	4	2	7	8	20	21	25	14	8	-	-	-
FEMALE--	3	3	5	9	15	33	57	39	34	9	3	-
ALL OTHER--MALE----	3	5	8	10	14	17	12	13	2	2	-	-
FEMALE--	7	2	6	13	14	13	24	22	15	2	3	-
BLACK---MALE----	3	5	8	10	14	16	12	13	2	2	-	-
FEMALE--	7	2	6	13	14	13	24	22	15	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,307

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
HAWAII -----	-	1	4	4	5	5	8	8	9	2	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	1	1	1	1	-	-	-
FEMALE--	-	1	2	2	3	1	5	6	4	2	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	1	1	1	9	10	12	9	5	1	-
WHITE-----MALE----	-	-	1	1	-	6	4	4	-	2	-	-
FEMALE--	-	1	-	-	1	3	6	8	9	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	25	28	51	78	127	157	150	110	42	3	-
WHITE-----MALE----	-	7	9	18	31	38	54	39	24	8	-	-
FEMALE--	2	6	6	17	26	61	79	93	72	27	2	-
ALL OTHER--MALE----	2	6	7	7	13	10	8	7	4	3	-	-
FEMALE--	4	6	6	9	8	18	16	11	10	4	1	-
BLACK---MALE----	2	5	7	6	12	9	8	5	4	3	-	-
FEMALE--	4	6	6	8	8	17	16	11	9	4	1	-
INDIANA -----	6	10	18	25	45	55	87	92	66	31	4	-
WHITE-----MALE----	2	2	8	7	21	21	23	26	14	4	-	-
FEMALE--	4	5	6	14	17	30	55	60	47	26	3	-
ALL OTHER--MALE----	-	1	2	1	4	3	2	3	3	1	-	-
FEMALE--	-	2	2	3	3	1	7	3	2	-	1	-
BLACK---MALE----	-	1	2	1	4	3	2	3	3	1	-	-
FEMALE--	-	2	2	3	3	1	7	3	2	-	1	-
IOWA -----	-	2	4	7	15	17	22	48	32	15	3	-
WHITE-----MALE----	-	1	3	5	4	5	8	14	5	5	1	-
FEMALE--	-	1	-	2	11	12	14	34	27	10	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	3	3	12	12	16	16	29	25	8	2	-
WHITE-----MALE----	1	2	2	7	8	4	4	10	5	2	1	-
FEMALE--	2	1	1	4	3	12	9	18	20	6	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	3	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,308

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
KENTUCKY -----	282	-	-	-	-	-	-	2	1	2	3	7
WHITE-----MALE----	103	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	151	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	461	1	1	-	-	-	1	-	4	2	5	9
WHITE-----MALE----	101	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	193	-	1	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	68	1	-	-	-	-	1	-	3	1	1	2
FEMALE--	99	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	67	1	-	-	-	-	1	-	3	1	1	2
FEMALE--	99	-	-	-	-	-	-	-	-	-	1	4
MAINE -----	69	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	392	-	-	-	-	-	-	-	2	3	5	9
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	198	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	68	-	-	-	-	-	-	-	-	1	2	6
BLACK---MALE----	52	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	65	-	-	-	-	-	-	-	-	1	2	6
MASSACHUSETTS -----	450	-	-	-	-	-	-	-	1	1	3	4
WHITE-----MALE----	147	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	270	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	665	-	-	-	-	-	3	3	2	8	3	11
WHITE-----MALE----	201	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	328	-	-	-	-	-	2	-	1	-	1	1
ALL OTHER--MALE----	62	-	-	-	-	-	-	2	-	4	1	6
FEMALE--	74	-	-	-	-	-	1	1	1	1	-	2
BLACK---MALE----	60	-	-	-	-	-	-	2	-	4	1	6
FEMALE--	72	-	-	-	-	-	1	1	1	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,308

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
KENTUCKY -----	7	5	13	15	23	40	46	57	40	17	4	-
WHITE-----MALE----	3	3	8	7	10	18	16	15	13	2	1	-
FEMALE--	2	1	3	5	11	20	22	40	26	13	3	-
ALL OTHER--MALE----	1	-	1	1	2	2	3	1	1	-	-	-
FEMALE--	1	1	1	2	-	-	5	1	-	2	-	-
BLACK---MALE----	1	-	1	1	2	2	3	1	1	-	-	-
FEMALE--	1	1	1	2	-	-	5	1	-	2	-	-
LOUISIANA -----	12	20	21	35	42	57	86	80	60	20	5	-
WHITE-----MALE----	1	5	5	6	12	18	20	20	10	1	1	-
FEMALE--	3	5	7	12	13	18	39	41	37	10	1	-
ALL OTHER--MALE----	2	7	2	8	8	12	9	5	4	2	-	-
FEMALE--	6	3	7	9	9	9	18	14	9	7	3	-
BLACK---MALE----	2	7	2	8	7	12	9	5	4	2	-	-
FEMALE--	6	3	7	9	9	9	18	14	9	7	3	-
MAINE -----	1	2	1	1	5	12	12	15	15	4	1	-
WHITE-----MALE----	1	2	1	1	4	7	3	5	1	1	-	-
FEMALE--	-	-	-	-	1	5	9	10	14	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	12	15	16	38	62	66	80	60	10	5	-
WHITE-----MALE----	1	-	2	2	10	19	13	11	11	-	-	-
FEMALE--	1	5	4	6	13	25	39	57	35	8	5	-
ALL OTHER--MALE----	5	4	4	4	3	10	7	5	5	-	-	-
FEMALE--	2	3	5	4	12	8	7	7	9	2	-	-
BLACK---MALE----	5	4	4	4	3	10	7	5	4	-	-	-
FEMALE--	2	3	4	3	11	8	7	7	9	2	-	-
MASSACHUSETTS -----	5	7	9	26	40	69	74	91	77	34	9	-
WHITE-----MALE----	1	2	3	10	21	27	25	30	18	5	-	-
FEMALE--	3	1	3	12	15	36	46	57	58	27	9	-
ALL OTHER--MALE----	-	-	-	1	4	2	-	3	-	-	-	-
FEMALE--	1	4	3	3	-	4	3	1	1	2	-	-
BLACK---MALE----	-	-	-	1	4	2	-	3	-	-	-	-
FEMALE--	1	3	3	2	-	3	3	-	1	2	-	-
MICHIGAN -----	16	13	19	26	55	104	136	137	84	34	11	-
WHITE-----MALE----	6	2	5	7	15	34	49	48	16	9	4	-
FEMALE--	5	5	7	7	28	49	65	70	60	22	5	-
ALL OTHER--MALE----	3	-	3	7	5	9	12	6	2	1	1	-
FEMALE--	2	6	4	5	7	12	10	13	6	2	1	-
BLACK---MALE----	3	-	3	7	5	9	12	4	2	1	1	-
FEMALE--	2	6	4	5	6	12	10	12	6	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,309

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
MINNESOTA -----	2	1	7	7	19	29	37	62	41	26	4	-
WHITE-----MALE----	1	-	3	2	11	13	18	22	11	8	1	-
FEMALE--	1	1	3	5	7	16	19	40	30	17	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	10	7	13	26	32	33	55	55	37	14	6	-
WHITE-----MALE----	-	-	3	11	8	9	13	5	6	-	2	-
FEMALE--	2	-	4	2	10	14	19	26	20	7	2	-
ALL OTHER--MALE----	4	3	3	6	3	4	10	10	3	1	-	-
FEMALE--	4	4	3	7	11	6	13	14	8	6	2	-
BLACK---MALE----	4	3	3	6	3	4	9	10	3	1	-	-
FEMALE--	4	4	3	6	11	6	13	14	8	6	2	-
MISSOURI -----	3	7	12	11	39	42	72	90	63	29	8	-
WHITE-----MALE----	-	3	4	7	20	17	28	25	6	4	-	-
FEMALE--	1	3	2	3	15	18	37	54	55	24	6	-
ALL OTHER--MALE----	2	-	2	-	3	4	1	4	1	-	1	-
FEMALE--	-	1	4	1	1	3	6	7	1	1	1	-
BLACK---MALE----	2	-	2	-	3	4	1	4	1	-	1	-
FEMALE--	-	1	3	1	1	3	6	7	1	1	1	-
MONTANA -----	-	1	-	3	1	4	5	10	8	1	-	-
WHITE-----MALE----	-	1	-	3	1	2	2	4	3	1	-	-
FEMALE--	-	-	-	-	-	2	3	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	1	1	2	3	11	14	24	9	4	3	-
WHITE-----MALE----	1	-	-	1	-	6	4	7	4	1	2	-
FEMALE--	1	1	1	1	2	5	10	17	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	-	3	3	6	5	13	17	12	9	2	-	-
WHITE-----MALE----	-	-	3	4	5	7	8	5	3	-	-	-
FEMALE--	-	1	-	2	-	5	6	6	6	2	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,311

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
OHIO -----	780	-	-	-	-	-	1	-	6	5	7	7
WHITE-----MALE----	262	-	-	-	-	-	1	-	4	2	5	1
FEMALE--	390	-	-	-	-	-	-	-	1	3	2	1
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	77	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	51	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	76	-	-	-	-	-	-	-	1	-	-	3
OKLAHOMA -----	243	-	-	-	-	1	-	-	-	2	2	2
WHITE-----MALE----	68	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	139	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	175	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	124	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,068	-	1	-	-	-	1	3	5	8	13	18
WHITE-----MALE----	323	-	-	-	-	-	-	1	1	2	3	5
FEMALE--	580	-	1	-	-	-	1	1	4	1	7	7
ALL OTHER--MALE----	86	-	-	-	-	-	1	1	-	3	3	4
FEMALE--	79	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	86	-	-	-	-	-	1	1	-	3	3	4
FEMALE--	78	-	-	-	-	-	-	-	-	2	-	2
RHODE ISLAND -----	90	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	338	-	-	-	-	-	-	1	2	3	3	3
WHITE-----MALE----	67	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	152	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	72	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	72	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,311

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	12	17	23	47	89	121	144	139	112	40	10	-
WHITE-----MALE----	4	5	8	17	31	52	56	35	36	4	1	-
FEMALE--	3	5	5	13	36	53	74	88	67	31	8	-
ALL OTHER--MALE----	1	4	2	9	13	5	4	8	1	2	-	-
FEMALE--	4	3	8	8	9	11	10	8	8	3	1	-
BLACK---MALE----	1	4	2	9	13	5	4	8	1	2	-	-
FEMALE--	4	3	8	8	9	11	10	7	8	3	1	-
OKLAHOMA -----	5	7	10	5	28	35	37	50	37	18	4	-
WHITE-----MALE----	3	2	2	1	10	18	8	16	4	2	-	-
FEMALE--	1	3	5	2	12	13	25	30	30	15	2	-
ALL OTHER--MALE----	-	-	-	-	1	3	2	2	2	1	-	-
FEMALE--	1	2	3	2	5	1	2	2	1	-	2	-
BLACK---MALE----	-	-	-	-	1	1	1	2	1	-	-	-
FEMALE--	-	2	1	-	4	-	1	1	1	-	2	-
OREGON -----	4	1	3	3	8	23	40	44	33	12	1	-
WHITE-----MALE----	1	1	1	2	3	8	13	10	6	3	-	-
FEMALE--	1	-	2	1	5	15	27	34	27	9	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	19	20	43	59	100	164	217	178	149	57	13	-
WHITE-----MALE----	2	7	17	16	32	71	71	53	27	13	2	-
FEMALE--	6	6	13	24	43	74	125	113	107	38	10	-
ALL OTHER--MALE----	8	4	10	10	14	6	8	6	6	2	-	-
FEMALE--	3	3	3	9	11	13	13	6	9	4	1	-
BLACK---MALE----	8	4	10	10	14	6	8	6	6	2	-	-
FEMALE--	3	3	3	9	11	12	13	6	9	4	1	-
RHODE ISLAND -----	-	-	4	1	8	10	14	26	14	8	2	-
WHITE-----MALE----	-	-	2	1	5	5	3	7	1	-	1	-
FEMALE--	-	-	2	-	3	5	11	19	13	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	6	15	21	35	61	53	60	46	19	5	-
WHITE-----MALE----	1	2	-	5	13	14	10	12	6	-	-	-
FEMALE--	1	-	5	5	10	25	28	29	30	15	2	-
ALL OTHER--MALE----	3	3	4	5	2	9	4	9	5	-	-	-
FEMALE--	-	1	6	6	10	13	11	10	5	4	3	-
BLACK---MALE----	3	3	4	5	2	9	4	9	5	-	-	-
FEMALE--	-	1	6	6	10	13	11	10	5	4	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,312

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
SOUTH DAKOTA -----	46	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	549	-	1	-	-	-	-	2	2	3	10	12
WHITE-----MALE----	139	-	-	-	-	-	-	1	2	2	2	3
FEMALE--	276	-	1	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	-	1	4	4
FEMALE--	70	-	-	-	-	-	-	-	-	-	3	2
BLACK---MALE----	62	-	-	-	-	-	-	1	-	1	4	4
FEMALE--	69	-	-	-	-	-	-	-	-	-	3	2
TEXAS -----	1,224	1	-	-	1	-	1	3	6	14	20	19
WHITE-----MALE----	364	-	-	-	-	-	-	2	-	4	5	6
FEMALE--	629	1	-	-	1	-	-	-	2	3	5	7
ALL OTHER--MALE----	99	-	-	-	-	-	1	1	1	4	8	3
FEMALE--	132	-	-	-	-	-	-	-	3	3	2	3
BLACK---MALE----	93	-	-	-	-	-	1	1	1	4	8	3
FEMALE--	129	-	-	-	-	-	-	-	3	3	2	3
UTAH -----	88	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	37	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	480	-	-	-	-	1	-	2	2	6	5	5
WHITE-----MALE----	117	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	218	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	58	-	-	-	-	1	-	1	1	1	2	3
FEMALE--	87	-	-	-	-	-	-	1	1	3	3	1
BLACK---MALE----	56	-	-	-	-	1	-	1	1	1	2	3
FEMALE--	82	-	-	-	-	-	-	1	1	3	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,312

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
SOUTH DAKOTA -----	-	-	1	4	4	7	9	8	6	6	1	-
WHITE-----MALE----	-	-	-	2	-	3	4	2	1	1	1	-
FEMALE--	-	-	1	1	4	4	4	6	5	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	17	24	34	56	72	89	114	65	29	9	-
WHITE-----MALE----	2	6	7	7	15	24	23	31	9	4	1	-
FEMALE--	6	6	10	16	22	33	50	60	46	15	7	-
ALL OTHER--MALE----	-	2	5	4	8	10	10	10	2	2	1	-
FEMALE--	2	3	2	7	11	5	6	13	8	8	-	-
BLACK---MALE----	-	2	5	3	8	10	9	10	2	2	1	-
FEMALE--	2	3	2	7	11	5	6	13	8	7	-	-
TEXAS -----	24	28	50	72	118	143	191	252	185	78	18	-
WHITE-----MALE----	9	16	16	28	46	56	64	58	45	8	1	-
FEMALE--	7	6	19	22	41	63	98	166	110	65	13	-
ALL OTHER--MALE----	4	4	6	8	11	9	13	10	15	1	-	-
FEMALE--	4	2	9	14	20	15	16	18	15	4	4	-
BLACK---MALE----	3	4	5	8	11	8	11	9	15	1	-	-
FEMALE--	4	2	9	13	20	15	14	18	15	4	4	-
UTAH -----	1	4	-	5	12	11	15	18	19	2	-	-
WHITE-----MALE----	-	-	-	1	7	3	7	6	3	-	-	-
FEMALE--	1	4	-	3	5	8	7	12	16	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	4	1	5	3	7	11	2	-	-
WHITE-----MALE----	-	-	1	1	-	3	2	-	5	-	-	-
FEMALE--	-	-	-	3	1	2	1	7	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	19	20	34	40	68	89	87	60	25	6	-
WHITE-----MALE----	1	5	3	11	14	22	20	26	11	2	1	-
FEMALE--	3	3	10	5	9	31	48	43	39	20	5	-
ALL OTHER--MALE----	4	4	4	10	3	9	8	5	2	-	-	-
FEMALE--	3	7	3	8	14	6	13	13	8	3	-	-
BLACK---MALE----	4	4	4	10	3	8	7	5	2	-	-	-
FEMALE--	3	7	3	7	13	6	13	13	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,313

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
WASHINGTON -----	4	4	6	7	18	24	42	64	33	19	5	-
WHITE-----MALE----	1	3	1	2	6	10	12	21	8	2	-	-
FEMALE--	3	-	5	5	12	13	29	40	23	16	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WEST VIRGINIA -----	4	2	6	8	22	19	41	28	24	12	1	-
WHITE-----MALE----	1	2	2	4	10	7	16	8	6	3	-	-
FEMALE--	3	-	3	4	12	11	25	20	18	9	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	3	5	7	16	26	50	76	91	73	26	6	-
WHITE-----MALE----	2	4	2	7	11	19	30	28	13	1	3	-
FEMALE--	1	-	3	5	14	27	43	57	57	24	3	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	1	1	-	-	-
FEMALE--	-	1	2	2	-	4	2	5	2	1	-	-
BLACK---MALE----	-	-	-	2	1	-	1	1	1	-	-	-
FEMALE--	-	1	2	2	-	3	2	4	1	1	-	-
WYOMING -----	-	1	-	-	3	1	5	8	5	3	-	-
WHITE-----MALE----	-	-	-	-	3	1	2	4	-	-	-	-
FEMALE--	-	1	-	-	-	-	3	4	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,314

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
0 UNITED STATES --	10	11	23	26	52	90	116	138	86	37	6	2
WHITE-----MALE----	6	6	17	18	38	80	105	124	78	35	3	1
ALL OTHER--MALE----	4	5	6	8	14	10	11	14	8	2	3	1
BLACK---MALE----	3	4	6	8	12	10	9	13	8	2	3	1
ALABAMA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	-	1	-	4	2	1	1	-
WHITE-----MALE----	-	-	-	1	-	1	-	4	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	-	-	-	-	2	-	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
CALIFORNIA -----	1	1	2	5	9	16	20	26	7	7	-	1
WHITE-----MALE----	1	1	2	4	8	15	19	22	7	7	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	4	-	-	-	1
BLACK---MALE----	-	-	-	1	-	1	-	4	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,315

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
COLORADO -----	-	-	-	1	2	2	2	2	1	-	1	-
WHITE-----MALE----	-	-	-	1	2	2	2	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	4	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	1	1	1	4	6	9	6	1	-	1
WHITE-----MALE----	-	1	1	-	1	4	6	9	5	1	-	1
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
GEORGIA -----	-	-	1	-	1	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,316

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
HAWAII -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	1	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	-	-	1	2	1	2	5	3	-	-	-
WHITE-----MALE----	1	-	-	1	2	1	2	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
INDIANA -----	1	-	1	-	3	1	2	-	4	1	1	-
WHITE-----MALE----	-	-	1	-	3	1	2	-	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
IOWA -----	-	-	-	1	-	2	-	5	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	1	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,317

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
KENTUCKY -----	-	-	-	-	2	-	2	4	3	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	-	3	1	1	3	-	1	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	3	1	-	1	-	1	-
BLACK---MALE----	-	-	-	1	-	3	1	-	1	-	1	-
MAINE -----	1	-	-	-	-	2	1	1	4	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	1	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	1	1	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	2	2	1	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	1	1	1	3	3	4	2	1	1	-
WHITE-----MALE----	-	1	-	1	1	3	2	3	2	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	1	-	-	1	-
BLACK---MALE----	-	1	1	-	-	-	1	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,320

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
OHIO -----	-	-	-	-	2	5	4	6	5	3	-	-
WHITE-----MALE----	-	-	-	-	1	4	4	6	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	-	-	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	3	3	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	1	4	3	2	4	5	1	1	-
WHITE-----MALE----	-	-	1	1	2	3	2	4	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	1	-	-	-
RHODE ISLAND -----	-	-	-	-	-	2	1	3	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	2	4	1	2	4	-	-	-	-
WHITE-----MALE----	1	-	1	2	3	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,323

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
0 UNITED STATES --	3	1	10	9	24	62	92	113	71	29	5	-
WHITE-----MALE----	1	-	9	6	17	54	84	101	66	28	3	-
ALL OTHER--MALE----	2	1	1	3	7	8	8	12	5	1	2	-
BLACK---MALE----	2	1	1	3	5	8	7	11	5	1	2	-
ALABAMA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	1	-	2	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	1	4	5	14	17	21	7	7	-	-
WHITE-----MALE----	1	-	1	4	4	13	16	17	7	7	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	4	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,324

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
COLORADO -----	-	-	-	-	1	2	2	2	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	2	2	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	4	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	1	1	-	3	4	8	6	-	-	-
WHITE-----MALE----	-	-	1	-	-	3	4	8	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
GEORGIA -----	-	-	-	-	-	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,325

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	1	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	-	-	-	1	1	5	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
INDIANA -----	1	-	-	-	1	-	2	-	2	1	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
IOWA -----	-	-	-	-	-	2	-	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	1	1	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,326

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
KENTUCKY -----	-	-	-	-	-	-	2	4	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	2	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	1	-	-	-
MAINE -----	-	-	-	-	-	2	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	2	1	1	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	-	-	1	2	2	4	1	1	1	-
WHITE-----MALE----	-	-	-	-	1	2	2	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,329

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERPLASIA OF PROSTATE (600)												
OHIO -----	-	-	-	-	2	4	4	4	5	2	-	-
WHITE-----MALE----	-	-	-	-	1	3	4	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	2	1	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	-	3	1	2	3	4	1	1	-
WHITE-----MALE----	-	-	1	-	1	1	2	3	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	2	1	3	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,333

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
COLORADO -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	-	-	1	1	2	1	-	1	-	1
WHITE-----MALE----	-	1	-	-	1	1	2	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,335
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
KENTUCKY -----	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	-	1	-	1	1	-	1	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	1	-
MAINE -----	1	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	1	1	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,338

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
OHIO -----	-	-	-	-	-	1	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	1	1	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	2	4	1	-	2	-	-	-	-
WHITE-----MALE----	1	-	1	2	3	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,342

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISORDERS OF BREAST (610-611)												
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,350

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
0 UNITED STATES --	270	3	-	-	-	2	4	3	7	15	4	14
WHITE-----FEMALE--	209	2	-	-	-	-	2	-	2	7	2	11
ALL OTHER--FEMALE--	61	1	-	-	-	2	2	3	5	8	2	3
BLACK---FEMALE--	52	1	-	-	-	1	1	3	4	7	2	3
ALABAMA -----	5	-	-	-	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	24	-	-	-	-	-	2	1	1	4	1	4
WHITE-----FEMALE--	17	-	-	-	-	-	1	-	-	3	-	3
ALL OTHER--FEMALE--	7	-	-	-	-	-	1	1	1	1	1	1
BLACK---FEMALE--	3	-	-	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,351

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
COLORADO -----	3	-	-	-	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	15	-	-	-	-	-	-	-	-	-	-	2
WHITE-----FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	8	-	-	-	-	-	-	-	-	1	-	1
WHITE-----FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,351

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
COLORADO -----	-	1	-	-	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	-	1	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	-	2	1	5	2	1	1	-	-	-
WHITE-----FEMALE--	-	1	-	2	-	3	2	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	3	1	1	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	2	1	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,352

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
HAWAII -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	1	1	-	2	1	1	2	2	-	-	-
WHITE-----FEMALE--	-	1	1	-	2	1	1	2	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	-	-	-	1	-	-	1	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	1	-	-	-	2	1	1	-	-	-
WHITE-----FEMALE--	-	-	1	-	-	-	2	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,353

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
KENTUCKY -----	3	-	-	-	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	8	-	-	-	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	17	-	-	-	-	-	1	2	2	-	1	3
WHITE-----FEMALE--	12	-	-	-	-	-	-	1	1	-	1	2
ALL OTHER--FEMALE--	5	-	-	-	-	-	1	1	1	-	-	1
BLACK---FEMALE--	5	-	-	-	-	-	1	1	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,353

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
KENTUCKY -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	2	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	1	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	1	1	-	2	2	1	-	-	-
WHITE-----FEMALE--	-	-	-	1	1	-	2	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	1	1	1	1	3	2	-	1	-	-
WHITE-----FEMALE--	-	-	-	1	1	1	3	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,356

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
OHIO -----	12	-	-	-	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	6	1	-	-	-	-	-	-	1	-	1	1
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
OREGON -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	-	-	-	-	-	-	1	-	1	-	-
WHITE-----FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,359

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)												
0 UNITED STATES --	327	3	25	62	84	74	52	22	4
WHITE-----FEMALE--	179	-	16	30	47	40	32	10	4
ALL OTHER--FEMALE--	148	3	9	32	37	34	20	12	-
BLACK---FEMALE--	125	3	8	28	33	31	13	8	-
ALABAMA -----	6	-	1	-	3	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	4	-	1	-	1	1	-	-	-
BLACK---FEMALE--	4	-	1	-	1	1	-	-	-
ALASKA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	-	3	1	1	4	2	-	-
WHITE-----FEMALE--	10	-	2	1	1	4	2	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	1	2	-	1	-	-
WHITE-----FEMALE--	4	-	-	1	2	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	45	-	3	7	11	7	11	6	-
WHITE-----FEMALE--	29	-	3	3	7	4	10	2	-
ALL OTHER--FEMALE--	16	-	-	4	4	3	1	4	-
BLACK---FEMALE--	11	-	-	2	3	3	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,360

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

COLORADO -----	5	-	1	-	2	1	1	-	-
WHITE-----FEMALE--	4	-	-	-	2	1	1	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
FLORIDA -----	21	-	-	5	7	5	1	3	-
WHITE-----FEMALE--	6	-	-	1	4	-	-	1	-
ALL OTHER--FEMALE--	15	-	-	4	3	5	1	2	-
BLACK---FEMALE--	12	-	-	3	3	5	-	1	-
GEORGIA -----	13	1	-	2	6	2	1	1	-
WHITE-----FEMALE--	8	-	-	1	4	1	1	1	-
ALL OTHER--FEMALE--	5	1	-	1	2	1	-	-	-
BLACK---FEMALE--	5	1	-	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,361

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)												
HAWAII -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	1	-	-	1	-	-
WHITE-----FEMALE--	2	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ILLINOIS -----	12	-	1	4	2	3	1	1	-
WHITE-----FEMALE--	5	-	1	1	1	2	-	-	-
ALL OTHER--FEMALE--	7	-	-	3	1	1	1	1	-
BLACK---FEMALE--	7	-	-	3	1	1	1	1	-
INDIANA -----	3	-	-	1	-	1	1	-	-
WHITE-----FEMALE--	2	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
IOWA -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
KANSAS -----	5	-	-	1	1	3	-	-	-
WHITE-----FEMALE--	3	-	-	-	1	2	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	-	1	-	-	-
BLACK---FEMALE--	2	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,362

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)												
KENTUCKY -----	3	-	-	1	1	-	-	-	1
WHITE-----FEMALE--	1	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	1	1	-	-	-	-
BLACK---FEMALE--	2	-	-	1	1	-	-	-	-
LOUISIANA -----	4	-	-	1	2	-	-	-	1
WHITE-----FEMALE--	2	-	-	1	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	-	2	-	-	-	-
BLACK---FEMALE--	2	-	-	-	2	-	-	-	-
MAINE -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	-	-	-	3	4	1	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	7	-	-	-	2	4	1	-	-
BLACK---FEMALE--	7	-	-	-	2	4	1	-	-
MASSACHUSETTS -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	12	1	1	3	2	4	1	-	-
WHITE-----FEMALE--	6	-	1	1	1	2	1	-	-
ALL OTHER--FEMALE--	6	1	-	2	1	2	-	-	-
BLACK---FEMALE--	6	1	-	2	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,365

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	5	-	-	2	-	2	1	-	-
WHITE-----FEMALE--	4	-	-	1	-	2	1	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
OKLAHOMA -----	2	-	1	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-
OREGON -----	5	-	-	2	-	3	-	-	-
WHITE-----FEMALE--	5	-	-	2	-	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	1	1	-	1	3	2	-	-
WHITE-----FEMALE--	4	-	1	-	-	2	1	-	-
ALL OTHER--FEMALE--	4	1	-	-	1	1	1	-	-
BLACK---FEMALE--	4	1	-	-	1	1	1	-	-
RHODE ISLAND -----	2	-	-	-	-	-	2	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	-	-	2	1	2	-	-	-
WHITE-----FEMALE--	2	-	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	-	1	2	-	-	-
BLACK---FEMALE--	3	-	-	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,368

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
0 UNITED STATES --	41	1	5	7	8	11	7	2	-
WHITE-----FEMALE--	18	-	4	1	4	7	2	-	-
ALL OTHER--FEMALE--	23	1	1	6	4	4	5	2	-
BLACK---FEMALE--	21	1	1	6	4	4	3	2	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	1	-	-	1	-	-	-
WHITE-----FEMALE--	2	-	1	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	-	-	-	-	1	-	2	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	-	-	1	-	2	-
BLACK---FEMALE--	3	-	-	-	-	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,371

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
KENTUCKY -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	1	-	1	-	-	-	-	-
BLACK---FEMALE--	2	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,377

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ECTOPIC PREGNANCY (633)												
0 UNITED STATES --	25	1	2	3	4	10	4	1	-
WHITE-----FEMALE--	11	-	2	-	2	6	1	-	-
ALL OTHER--FEMALE--	14	1	-	3	2	4	3	1	-
BLACK---FEMALE--	13	1	-	3	2	4	2	1	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	-	-	-	-	1	-	1	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	1	-	1	-
BLACK---FEMALE--	2	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,380

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ECTOPIC PREGNANCY (633)												
KENTUCKY -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	1	-	1	-	-	-	-	-
BLACK---FEMALE--	2	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,422

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
0 UNITED STATES --	278	2	19	54	74	62	43	20	3
WHITE-----FEMALE--	155	-	11	28	43	32	28	10	3
ALL OTHER--FEMALE--	123	2	8	26	31	30	15	10	-
BLACK---FEMALE--	102	2	7	22	27	27	10	6	-
ALABAMA -----	6	-	1	-	3	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	4	-	1	-	1	1	-	-	-
BLACK---FEMALE--	4	-	1	-	1	1	-	-	-
ALASKA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	-	2	1	1	3	2	-	-
WHITE-----FEMALE--	8	-	1	1	1	3	2	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	42	-	3	7	11	6	11	4	-
WHITE-----FEMALE--	29	-	3	3	7	4	10	2	-
ALL OTHER--FEMALE--	13	-	-	4	4	2	1	2	-
BLACK---FEMALE--	8	-	-	2	3	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,423

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
COLORADO -----	4	-	1	-	1	1	1	-	-
WHITE-----FEMALE--	3	-	-	-	1	1	1	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
FLORIDA -----	20	-	-	5	7	4	1	3	-
WHITE-----FEMALE--	6	-	-	1	4	-	-	1	-
ALL OTHER--FEMALE--	14	-	-	4	3	4	1	2	-
BLACK---FEMALE--	11	-	-	3	3	4	-	1	-
GEORGIA -----	13	1	-	2	6	2	1	1	-
WHITE-----FEMALE--	8	-	-	1	4	1	1	1	-
ALL OTHER--FEMALE--	5	1	-	1	2	1	-	-	-
BLACK---FEMALE--	5	1	-	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,424

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
HAWAII -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	1	-	-	1	-	-
WHITE-----FEMALE--	2	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	-	-	4	2	3	-	1	-
WHITE-----FEMALE--	4	-	-	1	1	2	-	-	-
ALL OTHER--FEMALE--	6	-	-	3	1	1	-	1	-
BLACK---FEMALE--	6	-	-	3	1	1	-	1	-
INDIANA -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IOWA -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
KANSAS -----	4	-	-	1	1	2	-	-	-
WHITE-----FEMALE--	2	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	-	1	-	-	-
BLACK---FEMALE--	2	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,425

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
KENTUCKY -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
LOUISIANA -----	4	-	-	1	2	-	-	-	1
WHITE-----FEMALE--	2	-	-	1	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	-	2	-	-	-	-
BLACK---FEMALE--	2	-	-	-	2	-	-	-	-
MAINE -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	-	-	-	2	4	1	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	6	-	-	-	1	4	1	-	-
BLACK---FEMALE--	6	-	-	-	1	4	1	-	-
MASSACHUSETTS -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	10	-	1	2	2	4	1	-	-
WHITE-----FEMALE--	6	-	1	1	1	2	1	-	-
ALL OTHER--FEMALE--	4	-	-	1	1	2	-	-	-
BLACK---FEMALE--	4	-	-	1	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,428

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
OHIO -----	4	-	-	2	-	2	-	-	-
WHITE-----FEMALE--	3	-	-	1	-	2	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
OKLAHOMA -----	2	-	1	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-
OREGON -----	5	-	-	2	-	3	-	-	-
WHITE-----FEMALE--	5	-	-	2	-	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	1	1	-	1	3	2	-	-
WHITE-----FEMALE--	4	-	1	-	-	2	1	-	-
ALL OTHER--FEMALE--	4	1	-	-	1	1	1	-	-
BLACK---FEMALE--	4	1	-	-	1	1	1	-	-
RHODE ISLAND -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	-	2	-	2	-	-	-
WHITE-----FEMALE--	2	-	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	2	-	-	-
BLACK---FEMALE--	2	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,431

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH (640-641,666)												
0 UNITED STATES --	44	-	3	9	13	10	6	2	-
WHITE-----FEMALE--	25	-	2	4	6	6	5	2	-
ALL OTHER--FEMALE--	19	-	1	5	7	4	1	-	-
BLACK---FEMALE--	17	-	1	4	7	3	1	-	-
ALABAMA -----	2	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	10	-	1	1	3	1	3	1	-
WHITE-----FEMALE--	9	-	1	1	2	1	3	1	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,432
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH (640-641,666)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
FLORIDA -----	2	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
GEORGIA -----	3	-	-	-	1	2	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,433

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH (640-641,666)												
HAWAII -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
INDIANA -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,434

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH (640-641,666)												
KENTUCKY -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,440
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)												
0 UNITED STATES --	64	1	4	16	16	15	8	4	-
WHITE-----FEMALE--	33	-	1	7	10	8	5	2	-
ALL OTHER--FEMALE--	31	1	3	9	6	7	3	2	-
BLACK---FEMALE--	27	1	2	8	4	7	3	2	-
ALABAMA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	1	-	-	2	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	2	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	14	-	1	1	4	3	3	2	-
WHITE-----FEMALE--	9	-	1	-	2	2	3	1	-
ALL OTHER--FEMALE--	5	-	-	1	2	1	-	1	-
BLACK---FEMALE--	3	-	-	-	1	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,441

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	8	-	-	2	2	3	-	1	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	6	-	-	1	1	3	-	1	-
BLACK---FEMALE--	6	-	-	1	1	3	-	1	-
GEORGIA -----	3	1	-	-	1	-	1	-	-
WHITE-----FEMALE--	2	-	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	1	1	-	-	-	-	-	-	-
BLACK---FEMALE--	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,458

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
0 UNITED STATES --	125	1	9	20	35	26	25	7	2
WHITE-----FEMALE--	73	-	6	10	22	14	16	3	2
ALL OTHER--FEMALE--	52	1	3	10	13	12	9	4	-
BLACK---FEMALE--	39	1	3	8	11	10	4	2	-
ALABAMA -----	2	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
ALASKA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	1	-	1	1	1	-	-
WHITE-----FEMALE--	4	-	1	-	1	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	14	-	-	4	4	1	4	1	-
WHITE-----FEMALE--	8	-	-	1	3	1	3	-	-
ALL OTHER--FEMALE--	6	-	-	3	1	-	1	1	-
BLACK---FEMALE--	3	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,460
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
HAWAII -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	1	-	-	1	-	-
WHITE-----FEMALE--	2	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	-	-	2	1	1	-	-	-
WHITE-----FEMALE--	2	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	1	-	-	-	-
BLACK---FEMALE--	2	-	-	1	1	-	-	-	-
INDIANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
KANSAS -----	3	-	-	-	1	2	-	-	-
WHITE-----FEMALE--	2	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,461

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
KENTUCKY -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	-	-	1	1	-	-	-	1
WHITE-----FEMALE--	2	-	-	1	-	-	-	-	1
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	-	-	-	1	2	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	-	1	2	-	-	-
BLACK---FEMALE--	3	-	-	-	1	2	-	-	-
MASSACHUSETTS -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	-	1	-	1	3	1	-	-
WHITE-----FEMALE--	5	-	1	-	1	2	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,464

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
OHIO -----	2	-	-	1	-	1	-	-	-
WHITE-----FEMALE--	2	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	-	1	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-
OREGON -----	3	-	-	1	-	2	-	-	-
WHITE-----FEMALE--	3	-	-	1	-	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	1	-	-	-	1	1	-	-
WHITE-----FEMALE--	2	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	1	1	-	-	-	-	-	-	-
BLACK---FEMALE--	1	1	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,467

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)												
0 UNITED STATES --	45	-	3	9	10	11	4	7	1
WHITE-----FEMALE--	24	-	2	7	5	4	2	3	1
ALL OTHER--FEMALE--	21	-	1	2	5	7	2	4	-
BLACK---FEMALE--	19	-	1	2	5	7	2	2	-
ALABAMA -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	-	1	1	-	1	1	-	-
WHITE-----FEMALE--	3	-	1	1	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,468

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
GEORGIA -----	5	-	-	2	2	-	-	1	-
WHITE-----FEMALE--	3	-	-	1	1	-	-	1	-
ALL OTHER--FEMALE--	2	-	-	1	1	-	-	-	-
BLACK---FEMALE--	2	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,470

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)												
KENTUCKY -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	-	1	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	-	1	-	-	-
BLACK---FEMALE--	2	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,473

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)												
OHIO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,482

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INDIRECT OBSTETRIC CAUSES (647-648)												
OHIO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,494

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
0 UNITED STATES --	68	79	121	170	283	419	547	565	406	208	60	-
WHITE-----MALE----	22	28	37	60	95	128	153	131	75	31	6	-
FEMALE--	28	29	36	61	103	183	273	322	251	127	29	-
ALL OTHER--MALE----	7	10	18	23	31	43	41	33	15	9	5	-
FEMALE--	11	12	30	26	54	65	80	79	65	41	20	-
BLACK---MALE----	7	10	15	20	30	42	38	31	12	7	5	-
FEMALE--	9	9	29	25	51	58	74	78	63	41	20	-
ALABAMA -----	1	1	2	4	6	6	12	9	5	1	-	-
WHITE-----MALE----	-	-	1	1	-	1	3	1	1	-	-	-
FEMALE--	1	1	-	-	1	1	6	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	3	2	2	2	3	1	-	-
BLACK---MALE----	-	-	-	2	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	3	2	2	2	3	1	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	2	1	3	15	4	9	5	2	-	-
WHITE-----MALE----	1	4	1	1	2	3	1	2	2	-	-	-
FEMALE--	1	-	1	-	1	10	3	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	3	1	1	-	4	1	5	6	7	3	1	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	1	-
FEMALE--	2	-	-	-	-	1	4	2	6	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	2	1	2	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	2	1	2	-	-
CALIFORNIA -----	6	9	6	10	16	30	25	34	18	11	2	-
WHITE-----MALE----	2	4	4	6	6	10	5	6	6	3	-	-
FEMALE--	3	4	1	2	8	13	13	22	11	7	1	-
ALL OTHER--MALE----	-	-	-	2	-	3	2	2	1	-	1	-
FEMALE--	1	1	1	-	2	4	5	4	-	1	-	-
BLACK---MALE----	-	-	-	-	-	3	1	1	1	-	1	-
FEMALE--	-	1	1	-	1	2	2	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,495

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
COLORADO -----	1	-	-	2	2	3	10	3	3	1	-	-
WHITE-----MALE----	1	-	-	2	-	2	4	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	6	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	3	2	3	5	6	11	8	3	-	-
WHITE-----MALE----	-	-	1	1	3	-	2	4	-	1	-	-
FEMALE--	1	-	2	1	-	3	3	7	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
DELAWARE -----	-	-	-	3	1	2	1	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	3	7	3	3	-	2	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	3	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	4	1	1	-	2	1	-
BLACK---MALE----	-	-	-	-	2	3	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	4	1	1	-	2	1	-
FLORIDA -----	2	3	10	12	13	32	33	50	24	9	4	-
WHITE-----MALE----	-	-	5	5	3	13	11	13	10	2	-	-
FEMALE--	2	1	2	6	6	13	16	31	13	6	3	-
ALL OTHER--MALE----	-	1	1	-	1	3	4	3	-	-	-	-
FEMALE--	-	1	2	1	3	3	2	3	1	1	1	-
BLACK---MALE----	-	1	1	-	1	2	4	3	-	-	-	-
FEMALE--	-	1	2	1	3	3	2	3	1	1	1	-
GEORGIA -----	5	3	5	10	13	26	21	22	25	8	5	-
WHITE-----MALE----	2	2	1	-	2	6	3	4	3	1	-	-
FEMALE--	1	-	2	1	3	7	11	8	12	4	1	-
ALL OTHER--MALE----	2	1	1	2	3	6	-	1	1	-	1	-
FEMALE--	-	-	1	7	5	7	7	9	9	3	3	-
BLACK---MALE----	2	1	1	2	3	6	-	1	1	-	1	-
FEMALE--	-	-	1	7	5	7	7	9	9	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,496

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)

HAWAII -----	16	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	174	1	-	-	1	-	1	-	-	1	2	1
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	87	1	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-
INDIANA -----	65	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
IOWA -----	28	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	38	-	-	-	-	-	1	-	1	2	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,496

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
HAWAII -----	-	1	1	2	4	1	2	-	3	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	2	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	2	-	-	2	1	1	1	-	-
WHITE-----MALE----	-	1	1	2	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	4	5	10	23	26	35	28	20	8	3	-
WHITE-----MALE----	-	2	1	4	6	6	3	5	-	2	-	-
FEMALE--	4	-	2	2	10	13	21	13	13	5	1	-
ALL OTHER--MALE----	1	1	1	1	3	3	4	3	2	-	-	-
FEMALE--	-	1	1	3	4	4	7	7	5	1	2	-
BLACK---MALE----	1	1	1	1	3	3	4	3	2	-	-	-
FEMALE--	-	1	1	2	4	4	7	7	5	1	2	-
INDIANA -----	2	1	2	3	7	8	17	10	11	2	1	-
WHITE-----MALE----	1	-	-	-	1	5	8	2	3	-	-	-
FEMALE--	1	1	2	3	3	2	7	7	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	4	-	1	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	4	-	1	-
IOWA -----	-	1	2	1	1	1	4	7	5	4	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	5	1	1	-	-
FEMALE--	-	1	1	1	1	1	3	2	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	1	1	2	1	1	5	3	5	6	9	-	-
WHITE-----MALE----	-	-	1	-	-	3	2	1	2	3	-	-
FEMALE--	-	1	1	1	-	2	1	2	4	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,497

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
KENTUCKY -----	2	-	-	2	2	3	7	6	2	1	-	-
WHITE-----MALE----	1	-	-	1	-	1	1	4	-	-	-	-
FEMALE--	1	-	-	1	1	2	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
LOUISIANA -----	1	1	3	4	7	17	17	21	6	8	3	-
WHITE-----MALE----	1	-	-	2	3	5	3	1	-	-	-	-
FEMALE--	-	1	-	1	1	3	5	10	3	4	1	-
ALL OTHER--MALE----	-	-	1	-	2	5	4	4	1	-	1	-
FEMALE--	-	-	2	1	1	4	5	6	2	4	1	-
BLACK---MALE----	-	-	1	-	2	5	4	4	1	-	1	-
FEMALE--	-	-	2	1	1	4	5	6	2	4	1	-
MAINE -----	-	-	-	-	-	2	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	5	5	10	12	10	10	14	3	2	-
WHITE-----MALE----	-	1	1	1	7	2	2	2	1	-	1	-
FEMALE--	-	1	-	1	-	7	8	6	4	1	-	-
ALL OTHER--MALE----	1	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	3	2	2	3	-	2	8	2	1	-
BLACK---MALE----	1	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	3	2	2	2	-	2	8	2	1	-
MASSACHUSETTS -----	-	1	2	2	7	5	10	14	4	8	1	-
WHITE-----MALE----	-	-	-	-	2	-	3	1	-	1	-	-
FEMALE--	-	1	1	2	4	4	7	13	4	7	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
MICHIGAN -----	2	4	4	7	17	21	24	19	17	8	5	-
WHITE-----MALE----	1	-	-	1	6	5	6	3	5	-	-	-
FEMALE--	1	3	1	2	8	8	11	10	9	2	4	-
ALL OTHER--MALE----	-	1	1	3	-	4	4	3	1	2	-	-
FEMALE--	-	-	2	1	3	4	3	3	2	4	1	-
BLACK---MALE----	-	1	1	3	-	4	4	3	1	2	-	-
FEMALE--	-	-	2	1	3	4	3	3	2	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,498

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
MINNESOTA -----	-	1	2	5	2	7	6	8	6	1	-	-
WHITE-----MALE----	-	-	1	1	2	4	2	5	2	-	-	-
FEMALE--	-	1	1	4	-	3	4	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	4	5	2	5	5	8	10	8	4	4	-
WHITE-----MALE----	-	1	1	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	2	3	1	1	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	5	2	2	1	-
FEMALE--	-	3	2	-	1	3	5	3	3	1	2	-
BLACK---MALE----	-	-	1	1	1	1	-	5	2	2	1	-
FEMALE--	-	3	2	-	1	3	5	3	3	1	2	-
MISSOURI -----	-	-	1	1	6	4	9	11	9	2	-	-
WHITE-----MALE----	-	-	-	1	-	2	5	5	2	-	-	-
FEMALE--	-	-	1	-	3	2	3	4	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	1	-	-
MONTANA -----	-	-	-	-	1	-	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	-	1	1	6	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	1	1	1	1	1	3	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	2	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,500

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	3	5	6	13	13	20	16	17	9	-	-
WHITE-----MALE----	-	-	1	2	9	5	6	2	2	-	-	-
FEMALE--	2	3	1	2	3	6	10	12	11	6	-	-
ALL OTHER--MALE----	1	-	1	1	-	2	2	-	-	1	-	-
FEMALE--	-	-	2	1	1	-	2	2	4	2	-	-
BLACK---MALE----	1	-	1	1	-	2	2	-	-	1	-	-
FEMALE--	-	-	2	1	1	-	2	2	4	2	-	-
OKLAHOMA -----	1	3	3	2	2	4	9	8	5	4	1	-
WHITE-----MALE----	-	-	-	2	1	-	5	2	-	2	-	-
FEMALE--	-	-	3	-	1	3	4	5	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	3	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
OREGON -----	1	3	-	-	4	1	8	5	4	8	1	-
WHITE-----MALE----	-	2	-	-	1	-	2	2	-	-	-	-
FEMALE--	1	1	-	-	3	1	5	3	4	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	-	5	11	15	24	28	27	21	7	1	-
WHITE-----MALE----	2	-	2	4	2	12	6	4	6	-	-	-
FEMALE--	1	-	1	5	11	11	22	19	14	7	1	-
ALL OTHER--MALE----	-	-	2	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	4	-	-	-	-
BLACK---MALE----	-	-	2	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	4	-	-	-	-
RHODE ISLAND -----	-	-	1	1	2	1	4	1	2	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	3	-	1	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	2	3	10	9	11	12	5	4	2	-
WHITE-----MALE----	1	-	-	-	1	1	2	1	-	1	1	-
FEMALE--	-	-	1	-	1	3	2	4	1	1	1	-
ALL OTHER--MALE----	-	-	1	2	2	2	3	2	-	-	-	-
FEMALE--	-	-	-	1	6	3	4	5	4	2	-	-
BLACK---MALE----	-	-	1	2	2	2	3	2	-	-	-	-
FEMALE--	-	-	-	1	5	3	4	5	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,501

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	-	3	6	5	4	11	6	-	2	-
WHITE-----MALE----	-	2	-	1	1	1	-	4	1	-	-	-
FEMALE--	-	2	-	1	1	3	3	5	4	-	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	3	-	-	-	3	1	1	-	1	-	1	-
BLACK---MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	2	-	-	-	3	1	1	-	1	-	1	-
TEXAS -----	1	4	11	16	16	28	37	49	27	18	5	-
WHITE-----MALE----	-	1	3	5	10	9	14	11	6	1	1	-
FEMALE--	1	2	3	7	4	14	17	28	18	13	2	-
ALL OTHER--MALE----	-	-	1	3	2	-	3	3	-	1	1	-
FEMALE--	-	1	4	1	-	5	3	7	3	3	1	-
BLACK---MALE----	-	-	1	3	2	-	3	2	-	1	1	-
FEMALE--	-	1	4	1	-	4	3	7	3	3	1	-
UTAH -----	1	-	2	-	1	3	2	6	4	4	-	-
WHITE-----MALE----	1	-	1	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	2	1	5	3	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	-	-	-	-	-	-	2	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	3	3	5	8	16	27	15	20	9	2	-
WHITE-----MALE----	-	1	2	-	1	6	4	4	1	2	-	-
FEMALE--	-	-	-	1	5	4	7	6	13	3	1	-
ALL OTHER--MALE----	1	2	-	-	1	2	5	-	1	-	-	-
FEMALE--	-	-	1	4	1	4	11	5	5	4	1	-
BLACK---MALE----	1	2	-	-	1	2	4	-	1	-	-	-
FEMALE--	-	-	1	4	1	4	11	5	5	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,503

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
0 UNITED STATES --	24	39	53	64	96	110	119	136	93	51	10	-
WHITE-----MALE----	10	18	24	27	44	38	38	42	22	8	1	-
FEMALE--	11	15	20	28	37	57	71	83	64	37	7	-
ALL OTHER--MALE----	-	1	4	1	7	7	4	6	3	2	-	-
FEMALE--	3	5	5	8	8	8	6	5	4	4	2	-
BLACK---MALE----	-	1	3	-	7	7	3	5	1	1	-	-
FEMALE--	3	5	4	7	7	7	6	5	4	4	2	-
ALABAMA -----	1	-	1	2	1	3	2	1	-	1	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	1	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	1	-	2	6	-	2	1	-	-	-
WHITE-----MALE----	-	3	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	5	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	1	-	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	4	5	3	5	6	12	8	11	2	1	-	-
WHITE-----MALE----	2	3	2	4	3	5	1	3	1	1	-	-
FEMALE--	2	2	1	1	3	5	4	8	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,504

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
COLORADO -----	-	-	-	1	-	2	4	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	-	1	3	2	5	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	4	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	2	5	5	4	8	7	10	5	-	1	-
WHITE-----MALE----	-	-	3	2	2	5	2	2	2	-	-	-
FEMALE--	-	1	-	2	1	2	5	7	3	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	-	-	-	-
GEORGIA -----	1	1	2	2	4	5	3	3	3	-	1	-
WHITE-----MALE----	1	1	1	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,505

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
HAWAII -----	9	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	40	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	12	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	12	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,506

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
KENTUCKY -----	2	-	-	1	-	2	3	2	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	1	2	5	1	2	1	3	-	-
WHITE-----MALE----	-	-	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	1	4	3	2	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	4	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	1	2	4	1	4	4	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	1	2	3	-	2	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	2	3	2	-	7	3	5	6	6	-	1	-
WHITE-----MALE----	1	-	-	-	4	-	1	3	2	-	-	-
FEMALE--	1	2	1	-	2	3	4	1	3	-	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,509

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
OHIO -----	-	2	2	1	8	5	6	5	4	5	-	-
WHITE-----MALE----	-	-	1	-	5	2	1	-	1	-	-	-
FEMALE--	-	2	-	-	2	2	3	5	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	-	-	1	-	-
OKLAHOMA -----	-	-	1	1	-	2	2	3	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	-	3	-	-	1	-	-	1	1	2	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	-	2	7	3	7	4	3	3	1	-	-
WHITE-----MALE----	1	-	1	4	1	5	1	1	2	-	-	-
FEMALE--	1	-	1	3	2	1	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	1	1	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	-	2	2	2	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,510

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	-	1	2	2	3	1	3	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	2	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	-	-	6	3	7	4	8	13	9	8	2	-
WHITE-----MALE----	-	-	3	1	5	2	4	4	1	-	1	-
FEMALE--	-	-	2	2	1	2	3	7	8	6	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	2	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	2	-	-
UTAH -----	1	-	2	-	1	1	-	-	2	1	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	2	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	3	2	2	1	4	5	2	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	2	1	-	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,512

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	44	40	68	106	187	309	428	429	313	157	50	-
WHITE-----MALE----	12	10	13	33	51	90	115	89	53	23	5	-
FEMALE--	17	14	16	33	66	126	202	239	187	90	22	-
ALL OTHER--MALE----	7	9	14	22	24	36	37	27	12	7	5	-
FEMALE--	8	7	25	18	46	57	74	74	61	37	18	-
BLACK---MALE----	7	9	12	20	23	35	35	26	11	6	5	-
FEMALE--	6	4	25	18	44	51	68	73	59	37	18	-
ALABAMA -----	-	1	1	2	5	3	10	8	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	2	3	-	-	-
BLACK---MALE----	-	-	-	2	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	2	3	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	1	1	1	9	4	7	4	2	-	-
WHITE-----MALE----	1	1	-	1	1	2	1	2	2	-	-	-
FEMALE--	1	-	1	-	-	5	3	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	3	1	-	-	3	1	5	5	6	2	1	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	1	4	2	5	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	2	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	2	-	-
CALIFORNIA -----	2	4	3	5	10	18	17	23	16	10	2	-
WHITE-----MALE----	-	1	2	2	3	5	4	3	5	2	-	-
FEMALE--	1	2	-	1	5	8	9	14	10	7	1	-
ALL OTHER--MALE----	-	-	-	2	-	2	-	2	1	-	1	-
FEMALE--	1	1	1	-	2	3	4	4	-	1	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	1	-	1	-
FEMALE--	-	1	1	-	1	2	1	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,513

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
COLORADO -----	1	-	-	1	2	1	6	-	1	1	-	-
WHITE-----MALE----	1	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	4	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	2	2	2	4	6	7	3	-	-
WHITE-----MALE----	-	-	-	1	2	-	1	-	-	1	-	-
FEMALE--	1	-	1	1	-	2	3	6	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	-	-	-	2	-	2	1	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	2	7	3	3	-	2	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	4	1	1	-	2	1	-
BLACK---MALE----	-	-	-	-	1	3	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	4	1	1	-	2	1	-
FLORIDA -----	2	1	5	7	9	24	26	40	19	9	3	-
WHITE-----MALE----	-	-	2	3	1	8	9	11	8	2	-	-
FEMALE--	2	-	2	4	5	11	11	24	10	6	2	-
ALL OTHER--MALE----	-	1	-	-	1	3	4	2	-	-	-	-
FEMALE--	-	-	1	-	2	2	2	3	1	1	1	-
BLACK---MALE----	-	1	-	-	1	2	4	2	-	-	-	-
FEMALE--	-	-	1	-	2	2	2	3	1	1	1	-
GEORGIA -----	4	2	3	8	9	21	18	19	22	8	4	-
WHITE-----MALE----	1	1	-	-	-	6	2	3	3	1	-	-
FEMALE--	1	-	1	-	2	6	9	6	9	4	-	-
ALL OTHER--MALE----	2	1	1	2	3	4	-	1	1	-	1	-
FEMALE--	-	-	1	6	4	5	7	9	9	3	3	-
BLACK---MALE----	2	1	1	2	3	4	-	1	1	-	1	-
FEMALE--	-	-	1	6	4	5	7	9	9	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,514

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
HAWAII -----	-	-	-	-	2	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	2	5	8	18	21	25	22	16	6	1	-
WHITE-----MALE----	-	-	1	3	5	6	2	4	-	2	-	-
FEMALE--	3	-	2	2	6	8	12	10	11	3	-	-
ALL OTHER--MALE----	1	1	1	1	3	3	4	2	1	-	-	-
FEMALE--	-	1	1	2	4	4	7	6	4	1	1	-
BLACK---MALE----	1	1	1	1	3	3	4	2	1	-	-	-
FEMALE--	-	1	1	2	4	4	7	6	4	1	1	-
INDIANA -----	2	-	1	2	5	6	12	8	9	1	-	-
WHITE-----MALE----	1	-	-	-	-	4	5	2	3	-	-	-
FEMALE--	1	-	1	2	2	1	5	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	4	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	4	-	-	-
IOWA -----	-	-	1	-	1	1	4	3	3	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	2	-	1	-	-
FEMALE--	-	-	-	-	1	1	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	-	1	1	-	1	5	2	5	4	5	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	1	1	2	-	-
FEMALE--	-	1	1	-	-	2	1	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,515

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
KENTUCKY -----	-	-	-	1	2	1	4	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
LOUISIANA -----	1	1	3	3	5	12	16	19	5	5	3	-
WHITE-----MALE----	1	-	-	1	2	2	3	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	4	8	2	1	1	-
ALL OTHER--MALE----	-	-	1	-	2	5	4	4	1	-	1	-
FEMALE--	-	-	2	1	1	3	5	6	2	4	1	-
BLACK---MALE----	-	-	1	-	2	5	4	4	1	-	1	-
FEMALE--	-	-	2	1	1	3	5	6	2	4	1	-
MAINE -----	-	-	-	-	-	2	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	4	4	6	9	8	9	11	3	2	-
WHITE-----MALE----	-	1	1	1	3	1	2	2	1	-	1	-
FEMALE--	-	1	-	1	-	5	6	5	1	1	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	3	1	2	3	-	2	8	2	1	-
BLACK---MALE----	1	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	3	1	2	2	-	2	8	2	1	-
MASSACHUSETTS -----	-	-	1	-	3	4	6	10	3	6	1	-
WHITE-----MALE----	-	-	-	-	2	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	4	5	9	3	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	2	7	10	18	19	13	11	8	4	-
WHITE-----MALE----	-	-	-	1	2	5	5	-	3	-	-	-
FEMALE--	-	1	-	2	6	5	7	9	6	2	3	-
ALL OTHER--MALE----	-	-	-	3	-	4	4	2	1	2	-	-
FEMALE--	-	-	2	1	2	4	3	2	1	4	1	-
BLACK---MALE----	-	-	-	3	-	4	4	2	1	2	-	-
FEMALE--	-	-	2	1	2	4	3	2	1	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,516

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
MINNESOTA -----	-	1	1	3	-	3	6	3	4	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	2	3	2	-	-	-
FEMALE--	-	1	-	2	-	2	4	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	1	5	1	4	5	7	7	8	4	3	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	1	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	3	2	2	1	-
FEMALE--	-	1	2	-	1	3	5	3	3	1	2	-
BLACK---MALE----	-	-	1	1	1	1	-	3	2	2	1	-
FEMALE--	-	1	2	-	1	3	5	3	3	1	2	-
MISSOURI -----	-	-	-	1	3	4	7	6	6	2	-	-
WHITE-----MALE----	-	-	-	1	-	2	3	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	2	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	1	-	-
MONTANA -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	1	-	-	1	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,518

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
OHIO -----	3	1	3	5	5	8	14	11	13	4	-	-
WHITE-----MALE----	-	-	-	2	4	3	5	2	1	-	-	-
FEMALE--	2	1	1	2	1	4	7	7	8	2	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	2	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	2	4	1	-	-
BLACK---MALE----	1	-	1	1	-	1	2	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	2	4	1	-	-
OKLAHOMA -----	1	3	2	1	2	2	7	5	3	3	1	-
WHITE-----MALE----	-	-	-	1	1	-	4	1	-	2	-	-
FEMALE--	-	-	2	-	1	1	3	4	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	3	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	1	-	-	-	3	1	8	4	3	6	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	5	3	3	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	3	4	12	17	24	24	18	6	1	-
WHITE-----MALE----	1	-	1	-	1	7	5	3	4	-	-	-
FEMALE--	-	-	-	2	9	10	19	17	13	6	1	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	4	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	4	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	3	8	7	9	11	2	4	2	-
WHITE-----MALE----	1	-	-	-	1	1	1	1	-	1	1	-
FEMALE--	-	-	-	-	-	1	1	3	-	1	1	-
ALL OTHER--MALE----	-	-	1	2	1	2	3	2	-	-	-	-
FEMALE--	-	-	-	1	6	3	4	5	2	2	-	-
BLACK---MALE----	-	-	1	2	1	2	3	2	-	-	-	-
FEMALE--	-	-	-	1	5	3	4	5	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,519

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	-	2	4	3	1	10	3	-	2	-
WHITE-----MALE----	-	1	-	1	1	1	-	4	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	4	2	-	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	2	-	-	-	2	1	1	-	1	-	1	-
BLACK---MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	1	-	1	-
TEXAS -----	1	4	5	13	9	24	29	36	18	10	3	-
WHITE-----MALE----	-	1	-	4	5	7	10	7	5	1	-	-
FEMALE--	1	2	1	5	3	12	14	21	10	7	1	-
ALL OTHER--MALE----	-	-	1	3	1	-	2	2	-	1	1	-
FEMALE--	-	1	3	1	-	5	3	6	3	1	1	-
BLACK---MALE----	-	-	1	3	1	-	2	2	-	1	1	-
FEMALE--	-	1	3	1	-	4	3	6	3	1	1	-
UTAH -----	-	-	-	-	-	2	2	6	2	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	2	2	6	14	26	11	15	7	2	-
WHITE-----MALE----	-	-	1	-	1	5	4	4	1	1	-	-
FEMALE--	-	-	-	-	3	3	7	3	8	2	1	-
ALL OTHER--MALE----	1	2	-	-	1	2	4	-	1	-	-	-
FEMALE--	-	-	1	2	1	4	11	4	5	4	1	-
BLACK---MALE----	1	2	-	-	1	2	3	-	1	-	-	-
FEMALE--	-	-	1	2	1	4	11	4	5	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,521

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	10,035	14	8	3	21	49	79	116	165	232	276	354
WHITE-----MALE----	2,321	4	2	1	6	10	8	12	16	46	49	64
FEMALE--	6,111	4	2	1	7	19	31	45	62	75	103	146
ALL OTHER--MALE----	439	4	1	-	3	3	4	12	8	23	27	47
FEMALE--	1,164	2	3	1	5	17	36	47	79	88	97	97
BLACK---MALE----	386	4	1	-	3	3	2	12	7	20	25	42
FEMALE--	1,009	2	1	-	5	16	29	43	67	80	90	81
ALABAMA -----	175	-	1	1	1	1	-	4	2	4	6	6
WHITE-----MALE----	39	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	87	-	1	1	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	36	-	-	-	1	-	-	1	1	3	4	4
BLACK---MALE----	13	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	36	-	-	-	1	-	-	1	1	3	4	4
ALASKA -----	18	-	-	-	-	-	-	1	2	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	163	-	-	-	-	-	1	3	1	4	7	9
WHITE-----MALE----	46	-	-	-	-	-	-	1	-	1	3	-
FEMALE--	106	-	-	-	-	-	1	2	-	2	2	7
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
ARKANSAS -----	103	-	-	-	1	-	-	1	2	1	1	2
WHITE-----MALE----	25	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	61	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	1	-	1	-
CALIFORNIA -----	988	4	2	1	3	10	13	16	33	34	36	62
WHITE-----MALE----	248	1	-	-	1	4	-	1	8	8	10	17
FEMALE--	563	2	-	-	2	4	9	8	15	14	18	23
ALL OTHER--MALE----	45	1	-	-	-	1	2	3	-	4	3	8
FEMALE--	132	-	2	1	-	1	2	4	10	8	5	14
BLACK---MALE----	29	1	-	-	-	1	-	3	-	3	2	6
FEMALE--	75	-	-	-	-	-	-	3	5	5	5	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,521

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
0 UNITED STATES --	407	384	572	815	1,118	1,360	1,404	1,322	881	373	81	1
WHITE-----MALE----	91	80	146	234	341	385	360	271	140	49	6	-
FEMALE--	207	196	323	462	639	863	928	956	681	299	62	-
ALL OTHER--MALE----	35	29	37	37	46	39	40	24	10	6	4	-
FEMALE--	74	79	66	82	92	73	76	71	50	19	9	1
BLACK---MALE----	33	25	32	33	39	34	33	20	8	6	4	-
FEMALE--	66	69	58	70	75	63	67	60	45	15	6	1
ALABAMA -----	5	9	15	17	16	45	17	17	4	2	2	-
WHITE-----MALE----	2	1	5	8	3	11	4	1	-	1	-	-
FEMALE--	2	3	8	8	8	25	11	11	3	1	2	-
ALL OTHER--MALE----	1	1	-	-	3	2	1	1	-	-	-	-
FEMALE--	-	4	2	1	2	7	1	4	1	-	-	-
BLACK---MALE----	1	1	-	-	3	2	1	1	-	-	-	-
FEMALE--	-	4	2	1	2	7	1	4	1	-	-	-
ALASKA -----	1	1	-	1	3	2	3	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ARIZONA -----	7	3	12	11	27	26	23	16	10	3	-	-
WHITE-----MALE----	3	-	2	5	10	5	9	4	3	-	-	-
FEMALE--	4	2	9	5	16	20	14	12	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	-	8	7	13	18	13	16	12	3	-	-
WHITE-----MALE----	1	-	1	4	2	6	4	2	3	-	-	-
FEMALE--	2	-	3	1	9	12	8	13	8	2	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	1	1	-	-
FEMALE--	1	-	3	1	2	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	1	1	-	-
FEMALE--	1	-	3	1	2	-	1	1	-	-	-	-
CALIFORNIA -----	60	48	57	100	107	98	120	101	55	20	8	-
WHITE-----MALE----	13	9	8	34	30	25	32	29	13	4	1	-
FEMALE--	31	27	37	55	55	65	75	63	39	14	7	-
ALL OTHER--MALE----	2	3	4	3	5	2	2	2	-	-	-	-
FEMALE--	14	9	8	8	17	6	11	7	3	2	-	-
BLACK---MALE----	1	1	4	3	1	-	2	1	-	-	-	-
FEMALE--	10	7	4	2	12	3	7	1	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,522

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
COLORADO -----	146	-	-	-	-	-	-	1	2	2	5	4
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	106	-	-	-	-	-	-	1	1	1	3	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	95	1	-	-	-	1	-	-	-	-	3	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	1	-	-	-	-	1	-
DELAWARE -----	28	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	34	-	-	-	-	-	-	1	2	1	2	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	2	1	2	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	2	1	1	1
FLORIDA -----	626	-	-	-	1	3	7	2	8	17	16	19
WHITE-----MALE----	158	-	-	-	-	-	1	-	-	5	2	3
FEMALE--	395	-	-	-	-	1	2	1	2	5	4	8
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	59	-	-	-	1	2	4	1	5	6	8	7
BLACK---MALE----	14	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	57	-	-	-	1	2	4	1	5	6	8	7
GEORGIA -----	246	1	1	1	-	1	1	4	3	7	13	9
WHITE-----MALE----	54	-	-	1	-	-	-	-	-	2	2	3
FEMALE--	117	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	26	1	1	-	-	-	-	1	-	-	5	-
FEMALE--	49	-	-	-	-	1	1	3	3	5	6	3
BLACK---MALE----	26	1	1	-	-	-	-	1	-	-	5	-
FEMALE--	48	-	-	-	-	1	1	3	3	5	6	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,522

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	6	6	14	14	22	20	24	15	4	2	-
WHITE-----MALE----	-	1	-	3	7	8	3	4	3	-	1	-
FEMALE--	5	3	6	11	7	14	15	20	12	4	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	3	4	8	14	15	15	17	8	3	-	-
WHITE-----MALE----	2	1	1	2	4	6	1	4	1	1	-	-
FEMALE--	1	1	3	5	10	9	14	12	7	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	1	2	2	2	6	6	2	4	-	1	-	-
WHITE-----MALE----	-	-	1	1	3	-	1	1	-	-	-	-
FEMALE--	1	1	1	1	1	4	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	1	2	1	2	6	3	2	4	3	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	4	1	-	4	3	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	4	1	-	4	3	-	-
FLORIDA -----	24	31	29	52	66	86	103	86	49	24	3	-
WHITE-----MALE----	4	5	9	20	19	29	33	18	6	4	-	-
FEMALE--	17	19	15	28	46	54	65	66	39	20	3	-
ALL OTHER--MALE----	1	2	1	2	1	-	1	1	-	-	-	-
FEMALE--	2	5	4	2	-	3	4	1	4	-	-	-
BLACK---MALE----	1	2	1	2	1	-	1	1	-	-	-	-
FEMALE--	2	4	4	1	-	3	4	1	4	-	-	-
GEORGIA -----	11	10	12	20	29	33	34	27	20	7	2	-
WHITE-----MALE----	6	3	3	7	6	9	4	4	2	2	-	-
FEMALE--	1	3	3	9	15	18	26	17	17	3	2	-
ALL OTHER--MALE----	-	-	3	4	3	3	1	2	-	2	-	-
FEMALE--	4	4	3	-	5	3	3	4	1	-	-	-
BLACK---MALE----	-	-	3	4	3	3	1	2	-	2	-	-
FEMALE--	4	4	2	-	5	3	3	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,523

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
HAWAII -----	34	-	-	-	-	-	1	1	-	2	2	2
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	62	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	50	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	477	1	-	-	3	3	7	10	11	9	14	14
WHITE-----MALE----	104	-	-	-	1	1	2	1	-	1	2	2
FEMALE--	285	-	-	-	1	1	1	4	4	3	4	3
ALL OTHER--MALE----	24	1	-	-	-	-	1	1	3	-	4	1
FEMALE--	64	-	-	-	1	1	3	4	4	5	4	8
BLACK---MALE----	24	1	-	-	-	-	1	1	3	-	4	1
FEMALE--	61	-	-	-	1	1	3	4	4	5	4	8
INDIANA -----	221	-	-	-	1	1	-	3	2	4	3	5
WHITE-----MALE----	43	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	156	-	-	-	-	-	-	2	-	2	1	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	1	-	-	-	1	1	2	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	1	-	-	-	1	1	2	-
IOWA -----	145	-	-	-	-	-	1	-	2	1	1	5
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	107	-	-	-	-	-	1	-	1	-	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
KANSAS -----	132	1	-	-	-	1	3	-	1	2	3	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	95	-	-	-	-	-	1	-	1	-	2	2
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	1	2	-	-	1	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	1	2	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,523

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
HAWAII -----	-	2	2	3	1	4	4	4	3	1	2	-
WHITE-----MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	2	2	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	3	4	4	2	8	10	17	6	4	-	-
WHITE-----MALE----	-	2	-	-	1	1	3	3	2	-	-	-
FEMALE--	1	1	4	4	1	7	7	14	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	22	15	29	27	49	65	68	64	44	20	2	-
WHITE-----MALE----	4	4	9	5	16	15	14	15	9	3	-	-
FEMALE--	10	7	15	17	26	46	48	44	33	16	2	-
ALL OTHER--MALE----	3	1	1	1	3	2	1	1	-	-	-	-
FEMALE--	5	3	4	4	4	2	5	4	2	1	-	-
BLACK---MALE----	3	1	1	1	3	2	1	1	-	-	-	-
FEMALE--	5	3	3	4	3	2	4	4	2	1	-	-
INDIANA -----	6	6	12	16	29	23	36	32	20	17	5	-
WHITE-----MALE----	2	-	3	2	12	5	6	7	1	2	-	-
FEMALE--	4	4	8	12	15	18	27	24	18	13	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	2	-	2	2	-	2	1	1	1	1	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	2	-	2	2	-	2	1	1	1	1	-
IOWA -----	6	4	10	9	20	23	21	23	18	1	-	-
WHITE-----MALE----	2	-	1	3	7	3	5	8	2	-	-	-
FEMALE--	4	4	9	6	13	19	16	14	16	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	2	7	10	18	15	17	20	14	13	-	-
WHITE-----MALE----	-	-	-	2	6	3	4	6	1	2	-	-
FEMALE--	3	1	7	6	12	10	13	14	13	10	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,524

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
KENTUCKY -----	147	-	-	-	-	-	1	-	1	2	2	4
WHITE-----MALE----	51	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	88	-	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	176	-	-	-	-	2	4	4	6	4	6	13
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	82	-	-	-	-	-	-	2	1	-	3	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	2	1	4
FEMALE--	51	-	-	-	-	2	4	2	4	2	1	6
BLACK---MALE----	16	-	-	-	-	-	-	-	1	2	1	4
FEMALE--	48	-	-	-	-	2	3	1	4	2	1	5
MAINE -----	64	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	45	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	198	-	-	-	1	-	4	1	2	2	7	8
WHITE-----MALE----	37	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	96	-	-	-	-	-	1	-	-	-	2	1
ALL OTHER--MALE----	18	-	-	-	-	-	1	1	-	2	1	1
FEMALE--	47	-	-	-	1	-	1	-	2	-	4	5
BLACK---MALE----	18	-	-	-	-	-	1	1	-	2	1	1
FEMALE--	44	-	-	-	1	-	1	-	2	-	4	5
MASSACHUSETTS -----	188	1	-	-	-	-	1	2	3	-	5	9
WHITE-----MALE----	26	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	148	1	-	-	-	-	1	2	-	-	2	7
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN -----	304	-	-	-	-	-	4	4	3	10	13	9
WHITE-----MALE----	70	-	-	-	-	-	1	1	-	1	-	1
FEMALE--	180	-	-	-	-	-	1	1	1	4	7	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	36	-	-	-	-	-	2	1	2	4	6	3
BLACK---MALE----	18	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	36	-	-	-	-	-	2	1	2	4	6	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,524

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	7	11	8	14	21	24	17	18	6	3	-
WHITE-----MALE----	5	4	5	3	5	9	7	3	6	-	-	-
FEMALE--	3	2	6	5	8	11	16	11	12	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	-	-	-	-
LOUISIANA -----	7	5	6	16	16	24	22	20	13	7	1	-
WHITE-----MALE----	1	-	1	2	4	3	11	2	1	-	1	-
FEMALE--	4	2	2	6	6	16	9	16	7	5	-	-
ALL OTHER--MALE----	-	-	2	-	2	1	-	1	2	-	-	-
FEMALE--	2	3	1	8	4	4	2	1	3	2	-	-
BLACK---MALE----	-	-	2	-	2	1	-	1	2	-	-	-
FEMALE--	2	3	1	8	4	4	2	1	3	2	-	-
MAINE -----	2	-	2	6	4	8	17	9	8	2	1	-
WHITE-----MALE----	-	-	-	2	3	3	4	3	2	-	-	-
FEMALE--	2	-	2	4	1	5	13	6	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	8	12	20	23	29	18	27	20	4	2	-
WHITE-----MALE----	4	1	3	5	5	5	7	4	1	-	-	-
FEMALE--	1	3	1	10	10	21	8	19	14	3	2	-
ALL OTHER--MALE----	2	2	1	2	4	-	-	1	-	-	-	-
FEMALE--	3	2	7	3	4	3	3	3	5	1	-	-
BLACK---MALE----	2	2	1	2	4	-	-	1	-	-	-	-
FEMALE--	2	2	6	3	3	3	3	3	5	1	-	-
MASSACHUSETTS -----	1	2	13	9	15	27	26	25	29	14	6	-
WHITE-----MALE----	-	-	2	1	2	4	4	3	4	2	-	-
FEMALE--	1	2	8	6	11	22	21	21	25	12	6	-
ALL OTHER--MALE----	-	-	2	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
MICHIGAN -----	10	14	17	27	41	38	42	36	27	7	2	-
WHITE-----MALE----	4	2	4	9	9	12	14	6	4	2	-	-
FEMALE--	3	12	12	13	24	24	24	24	21	5	2	-
ALL OTHER--MALE----	3	-	1	3	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	2	8	1	1	5	1	-	-	-
BLACK---MALE----	3	-	1	3	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	2	8	1	1	5	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,525

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
MINNESOTA -----	237	1	-	-	-	-	-	-	1	1	1	7
WHITE-----MALE----	54	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	179	-	-	-	-	-	-	-	1	-	-	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	91	1	-	-	-	-	1	-	4	4	3	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	28	-	-	-	-	-	1	-	4	4	3	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	1	-	4	3	3	-
MISSOURI -----	188	-	-	-	1	2	1	-	4	2	4	5
WHITE-----MALE----	44	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	124	-	-	-	1	-	1	-	1	-	-	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	3	1	4	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	3	1	4	2
MONTANA -----	51	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	75	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	43	-	-	-	-	1	-	-	1	2	2	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	1	-	-	1	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,527

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
OHIO -----	447	-	-	-	2	-	2	7	3	6	8	12
WHITE-----MALE----	97	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	291	-	-	-	1	-	-	1	2	2	2	5
ALL OTHER--MALE----	18	-	-	-	1	-	-	-	-	1	-	2
FEMALE--	41	-	-	-	-	-	2	6	1	3	4	5
BLACK---MALE----	18	-	-	-	1	-	-	-	-	1	-	2
FEMALE--	41	-	-	-	-	-	2	6	1	3	4	5
OKLAHOMA -----	152	-	-	-	1	1	2	1	-	6	3	9
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	90	-	-	-	1	1	-	1	-	3	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	2	-	-	2	2	6
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	2	-	-	1	2	3
OREGON -----	178	-	-	-	-	-	-	2	-	3	1	4
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	131	-	-	-	-	-	-	1	-	2	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	497	-	3	-	2	-	2	4	6	14	7	12
WHITE-----MALE----	123	-	2	-	1	-	-	-	-	1	1	3
FEMALE--	297	-	1	-	-	-	1	3	2	5	5	4
ALL OTHER--MALE----	18	-	-	-	1	-	-	-	1	3	-	3
FEMALE--	59	-	-	-	-	-	1	1	3	5	1	2
BLACK---MALE----	17	-	-	-	1	-	-	-	1	3	-	3
FEMALE--	57	-	-	-	-	-	1	1	3	5	1	1
RHODE ISLAND -----	25	-	-	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	170	-	-	-	1	1	-	3	4	4	9	2
WHITE-----MALE----	31	-	-	-	1	-	-	1	-	1	1	-
FEMALE--	83	-	-	-	-	1	-	-	2	1	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	2	2	2	7	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	2	2	2	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,527

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
OHIO -----	8	9	21	43	42	81	72	58	45	19	9	-
WHITE-----MALE----	1	1	5	11	10	25	17	14	6	3	2	-
FEMALE--	4	7	13	28	26	50	49	44	37	15	5	-
ALL OTHER--MALE----	2	-	2	1	2	3	3	-	-	-	1	-
FEMALE--	1	1	1	3	4	3	3	-	2	1	1	-
BLACK---MALE----	2	-	2	1	2	3	3	-	-	-	1	-
FEMALE--	1	1	1	3	4	3	3	-	2	1	1	-
OKLAHOMA -----	10	6	10	11	10	25	17	18	12	10	-	-
WHITE-----MALE----	1	-	4	1	3	8	5	5	4	-	-	-
FEMALE--	7	4	6	9	6	12	10	12	7	9	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	2	-	1	1	-	-
FEMALE--	2	2	-	1	-	3	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	1	1	-	-
FEMALE--	1	1	-	1	-	2	-	-	-	-	-	-
OREGON -----	3	6	9	7	17	25	28	32	32	6	3	-
WHITE-----MALE----	2	1	-	2	6	8	3	10	4	1	1	-
FEMALE--	1	5	9	5	9	17	25	22	25	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	22	21	27	42	75	60	74	63	41	16	6	-
WHITE-----MALE----	4	6	9	10	24	18	23	16	5	-	-	-
FEMALE--	10	12	12	25	44	37	47	38	33	14	4	-
ALL OTHER--MALE----	1	1	3	-	1	2	1	-	-	-	1	-
FEMALE--	7	2	3	7	6	3	3	9	3	2	1	-
BLACK---MALE----	1	1	3	-	1	1	1	-	-	-	1	-
FEMALE--	7	2	3	7	6	3	3	8	3	2	1	-
RHODE ISLAND -----	1	-	2	-	5	5	4	3	1	1	-	-
WHITE-----MALE----	-	-	1	-	2	2	3	-	1	1	-	-
FEMALE--	1	-	1	-	3	3	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	9	21	12	9	18	27	21	10	6	1	-
WHITE-----MALE----	2	3	2	3	4	4	6	2	1	-	-	-
FEMALE--	4	-	10	6	3	9	15	16	7	5	1	-
ALL OTHER--MALE----	3	4	1	2	1	3	1	1	-	-	-	-
FEMALE--	3	2	8	1	1	2	5	2	2	1	-	-
BLACK---MALE----	3	4	-	2	1	3	1	1	-	-	-	-
FEMALE--	3	2	8	-	1	2	5	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,528

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
SOUTH DAKOTA -----	47	-	-	-	-	1	-	-	1	-	-	1
WHITE-----MALE----	11	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	228	-	-	-	-	1	2	-	3	8	6	10
WHITE-----MALE----	60	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	123	-	-	-	-	-	1	-	1	2	3	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	33	-	-	-	-	-	1	-	2	4	2	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	33	-	-	-	-	-	1	-	2	4	2	1
TEXAS -----	725	1	-	-	-	5	8	8	14	22	29	27
WHITE-----MALE----	166	1	-	-	-	-	1	-	3	5	4	5
FEMALE--	451	-	-	-	-	3	4	5	6	9	14	13
ALL OTHER--MALE----	28	-	-	-	-	1	-	-	-	-	3	3
FEMALE--	80	-	-	-	-	1	3	3	5	8	8	6
BLACK---MALE----	27	-	-	-	-	1	-	-	-	-	3	3
FEMALE--	76	-	-	-	-	1	2	3	5	8	8	5
UTAH -----	118	-	-	-	-	-	-	-	-	3	1	1
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	84	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	25	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	233	1	-	-	-	-	1	5	4	2	9	8
WHITE-----MALE----	43	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	124	-	-	-	-	-	-	1	1	-	2	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	48	1	-	-	-	-	1	3	2	1	4	2
BLACK---MALE----	18	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	48	1	-	-	-	-	1	3	2	1	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,528

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	1	2	3	5	10	4	7	5	3	1	-
WHITE-----MALE----	-	-	-	-	1	4	1	2	1	1	-	-
FEMALE--	3	-	1	3	3	6	2	5	4	2	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	8	13	27	32	30	27	23	25	6	-	-
WHITE-----MALE----	4	4	6	9	10	8	9	4	1	-	-	-
FEMALE--	1	1	7	7	19	19	17	14	23	6	-	-
ALL OTHER--MALE----	-	-	-	3	-	1	1	1	-	-	-	-
FEMALE--	2	3	-	8	3	2	-	4	1	-	-	-
BLACK---MALE----	-	-	-	3	-	1	1	1	-	-	-	-
FEMALE--	2	3	-	8	3	2	-	4	1	-	-	-
TEXAS -----	36	36	46	54	83	106	93	94	49	11	3	-
WHITE-----MALE----	6	9	14	12	17	35	25	21	8	-	-	-
FEMALE--	23	18	25	31	57	65	61	65	38	11	3	-
ALL OTHER--MALE----	3	2	1	3	5	3	2	2	-	-	-	-
FEMALE--	4	7	6	8	4	3	5	6	3	-	-	-
BLACK---MALE----	2	2	1	3	5	3	2	2	-	-	-	-
FEMALE--	4	7	6	8	3	3	4	6	3	-	-	-
UTAH -----	5	1	7	7	12	18	21	17	16	7	2	-
WHITE-----MALE----	2	-	3	3	4	5	4	1	7	1	-	-
FEMALE--	2	1	4	4	8	13	17	16	9	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	-	5	4	-	7	4	1	-	-
WHITE-----MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	3	3	-	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	16	9	12	22	17	26	42	23	21	13	1	1
WHITE-----MALE----	3	-	2	6	5	9	11	1	1	-	-	-
FEMALE--	8	5	6	12	9	12	20	19	15	12	-	-
ALL OTHER--MALE----	-	1	2	2	1	1	3	1	1	1	-	-
FEMALE--	5	3	2	2	2	4	8	2	4	-	1	1
BLACK---MALE----	-	1	2	2	1	1	3	1	1	1	-	-
FEMALE--	5	3	2	2	2	4	8	2	4	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,530

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	57	57	119	220	338	418	397	265	111	27	1	-
WHITE-----MALE----	14	16	35	56	94	91	86	38	10	3	1	-
FEMALE--	35	34	74	142	220	300	288	211	92	22	-	-
ALL OTHER--MALE----	1	2	4	8	7	6	4	5	4	-	-	-
FEMALE--	7	5	6	14	17	21	19	11	5	2	-	-
BLACK---MALE----	-	1	2	6	4	5	3	5	3	-	-	-
FEMALE--	5	3	5	13	11	17	14	9	5	2	-	-
ALABAMA -----	-	-	4	7	3	12	3	3	-	-	-	-
WHITE-----MALE----	-	-	-	4	-	4	1	-	-	-	-	-
FEMALE--	-	-	4	3	3	6	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALASKA -----	-	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	4	9	10	3	5	1	1	-	-
WHITE-----MALE----	1	-	-	2	4	3	-	-	-	-	-	-
FEMALE--	-	1	-	1	5	7	3	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	5	2	6	3	4	2	-	-	-
WHITE-----MALE----	1	-	-	2	-	2	1	1	2	-	-	-
FEMALE--	-	-	-	1	2	4	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	10	8	20	19	18	40	19	5	2	1	-
WHITE-----MALE----	2	3	3	6	2	-	13	4	-	-	1	-
FEMALE--	4	7	4	13	14	15	21	12	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	3	5	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,531

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
COLORADO -----	-	2	2	5	3	10	5	4	1	1	-	-
WHITE-----MALE----	-	1	-	1	2	5	-	1	1	-	-	-
FEMALE--	-	-	2	4	1	5	5	3	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	1	6	5	4	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	6	3	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	1	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
FLORIDA -----	4	6	5	11	14	20	25	15	6	2	-	-
WHITE-----MALE----	1	1	1	5	4	4	5	-	-	1	-	-
FEMALE--	3	5	4	6	9	15	19	15	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
GEORGIA -----	2	1	1	6	9	9	11	6	3	-	-	-
WHITE-----MALE----	1	1	1	2	1	2	2	-	-	-	-	-
FEMALE--	1	-	-	3	6	5	8	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,532

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
HAWAII -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	1	1	3	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	1	4	8	12	16	21	19	2	1	-	-
WHITE-----MALE----	-	-	-	1	3	1	5	2	1	-	-	-
FEMALE--	1	1	2	6	9	14	15	15	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	2	-	-	-	-
INDIANA -----	2	2	3	3	8	10	8	5	4	1	-	-
WHITE-----MALE----	1	-	1	-	4	2	1	-	-	1	-	-
FEMALE--	1	2	2	2	4	8	7	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IOWA -----	2	-	3	1	12	10	8	5	1	-	-	-
WHITE-----MALE----	1	-	1	1	4	1	1	2	1	-	-	-
FEMALE--	1	-	2	-	8	9	7	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	4	1	8	5	5	4	1	1	-	-
WHITE-----MALE----	-	-	-	1	2	-	1	2	-	-	-	-
FEMALE--	1	-	4	-	6	3	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,533

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
KENTUCKY -----	1	1	2	6	4	2	11	4	1	-	-	-
WHITE-----MALE----	1	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	1	5	3	2	9	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	4	4	7	5	6	4	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	2	2	5	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	1	-	-	-
MAINE -----	-	-	-	1	2	3	7	4	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	3	6	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	3	8	8	6	1	5	1	1	-	-
WHITE-----MALE----	-	-	-	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	4	6	4	-	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	1	-	1	-	1	-	-
MASSACHUSETTS -----	-	-	2	2	5	10	10	7	5	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	2	1	4	7	8	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	-	-	3	5	15	10	9	7	2	1	-	-
WHITE-----MALE----	-	-	2	2	3	3	3	1	-	-	-	-
FEMALE--	-	-	1	3	10	7	5	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,536

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
OHIO -----	-	-	5	12	16	25	16	11	2	-	-	-
WHITE-----MALE----	-	-	2	3	4	7	4	1	-	-	-	-
FEMALE--	-	-	3	9	11	17	12	10	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
OKLAHOMA -----	3	1	2	4	3	10	6	6	3	-	-	-
WHITE-----MALE----	-	-	2	-	-	2	1	1	1	-	-	-
FEMALE--	1	1	-	4	3	6	4	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	-	1	2	4	8	14	6	7	3	1	-	-
WHITE-----MALE----	-	1	-	-	4	4	1	2	-	-	-	-
FEMALE--	-	-	2	4	3	10	5	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	5	4	15	22	16	21	8	3	1	-	-
WHITE-----MALE----	-	2	2	2	4	4	6	3	-	-	-	-
FEMALE--	1	3	2	12	17	10	15	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	2	-	-	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	4	3	5	8	5	6	1	-	-	-
WHITE-----MALE----	-	1	-	1	2	2	2	1	-	-	-	-
FEMALE--	1	-	3	1	1	4	2	5	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,537

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
SOUTH DAKOTA -----	-	1	-	2	2	4	3	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	1	4	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	3	6	10	8	9	7	2	1	-	-
WHITE-----MALE----	2	-	2	4	4	3	1	1	-	-	-	-
FEMALE--	1	1	1	-	6	5	8	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
TEXAS -----	8	10	15	11	21	35	24	13	7	1	-	-
WHITE-----MALE----	2	4	7	1	5	8	3	1	-	-	-	-
FEMALE--	5	5	8	9	14	26	19	11	7	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	1	-	-	-	-
UTAH -----	-	-	1	3	5	9	8	1	1	1	-	-
WHITE-----MALE----	-	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	4	8	6	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	1	1	7	8	11	12	3	7	-	-	-
WHITE-----MALE----	1	-	-	1	1	3	4	-	-	-	-	-
FEMALE--	2	1	1	5	7	7	5	1	6	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,539

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,287	-	-	3	11	31	66	99	136	184	206	248
WHITE-----MALE----	719	-	-	1	2	2	1	8	4	19	18	32
FEMALE--	2,565	-	-	1	2	10	28	40	51	64	80	107
ALL OTHER--MALE----	199	-	-	-	2	3	3	6	6	19	18	22
FEMALE--	804	-	-	1	5	16	34	45	75	82	90	87
BLACK---MALE----	172	-	-	-	2	3	1	6	6	16	18	18
FEMALE--	707	-	-	-	5	15	28	41	64	75	83	72
ALABAMA -----	87	-	-	1	1	1	-	3	2	4	4	6
WHITE-----MALE----	13	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	44	-	-	1	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	25	-	-	-	1	-	-	1	1	3	3	4
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	25	-	-	-	1	-	-	1	1	3	3	4
ALASKA -----	8	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	79	-	-	-	-	-	1	3	1	3	5	6
WHITE-----MALE----	15	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	57	-	-	-	-	-	1	2	-	2	1	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
ARKANSAS -----	42	-	-	-	-	-	-	1	2	-	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	1	-	1	-
CALIFORNIA -----	458	-	-	1	2	7	13	14	22	22	18	35
WHITE-----MALE----	70	-	-	-	1	2	-	1	1	2	1	5
FEMALE--	270	-	-	-	1	3	9	7	12	8	12	14
ALL OTHER--MALE----	26	-	-	-	-	1	2	2	-	4	1	3
FEMALE--	92	-	-	1	-	1	2	4	9	8	4	13
BLACK---MALE----	15	-	-	-	-	1	-	2	-	3	1	2
FEMALE--	55	-	-	-	-	-	-	3	5	5	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,539

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
0 UNITED STATES --	263	223	294	384	463	489	406	367	256	127	31	-
WHITE-----MALE----	41	21	45	79	105	103	101	72	45	16	4	-
FEMALE--	147	125	184	238	298	336	273	267	188	102	24	-
ALL OTHER--MALE----	17	12	18	16	14	19	11	6	3	2	2	-
FEMALE--	58	65	47	51	46	31	21	22	20	7	1	-
BLACK---MALE----	16	10	17	14	10	16	8	5	2	2	2	-
FEMALE--	52	58	40	42	38	28	19	20	19	7	1	-
ALABAMA -----	3	6	8	4	9	23	7	3	1	-	1	-
WHITE-----MALE----	1	-	3	1	3	2	1	-	-	-	-	-
FEMALE--	2	3	4	2	3	16	6	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	3	1	1	1	5	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	3	1	1	1	5	-	1	-	-	-	-
ALASKA -----	-	1	-	1	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	5	2	9	4	11	8	8	5	6	2	-	-
WHITE-----MALE----	2	-	-	1	1	1	2	2	2	-	-	-
FEMALE--	3	1	8	3	9	7	6	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	4	1	7	8	6	4	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	-	-	-	-	-
FEMALE--	2	-	2	-	5	6	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
CALIFORNIA -----	38	27	33	53	53	40	30	31	15	3	1	-
WHITE-----MALE----	5	1	2	10	9	9	7	10	4	-	-	-
FEMALE--	20	17	22	35	30	28	21	18	10	2	1	-
ALL OTHER--MALE----	2	2	2	2	2	2	-	1	-	-	-	-
FEMALE--	11	7	7	6	12	1	2	2	1	1	-	-
BLACK---MALE----	1	1	2	2	-	-	-	-	-	-	-	-
FEMALE--	7	6	3	1	9	-	2	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,540

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
COLORADO -----	60	-	-	-	-	-	-	1	1	2	5	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	1	-	1	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	27	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	16	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	18	-	-	-	-	-	-	1	2	1	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	2	1	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	2	1	1	-
FLORIDA -----	291	-	-	-	1	3	6	1	8	14	14	13
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	182	-	-	-	-	1	2	-	2	5	4	8
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	48	-	-	-	1	2	4	1	5	6	8	5
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	46	-	-	-	1	2	4	1	5	6	8	5
GEORGIA -----	111	-	-	1	-	1	1	4	3	6	10	5
WHITE-----MALE----	23	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	-	4	-
FEMALE--	35	-	-	-	-	1	1	3	3	5	5	2
BLACK---MALE----	15	-	-	-	-	-	-	1	-	-	4	-
FEMALE--	34	-	-	-	-	1	1	3	3	5	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,540

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
COLORADO -----	4	4	3	6	7	5	7	4	5	2	2	-
WHITE-----MALE----	-	-	-	1	2	1	1	1	1	-	1	-
FEMALE--	4	3	3	5	5	4	5	3	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	2	3	4	3	5	3	2	1	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	2	3	5	3	2	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	2	2	1	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	2	1	1	3	2	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	2	1	-	-	1	-	-
FLORIDA -----	18	22	13	28	30	38	35	26	14	6	1	-
WHITE-----MALE----	2	3	3	7	6	9	12	6	2	1	-	-
FEMALE--	13	13	6	19	24	28	22	19	10	5	1	-
ALL OTHER--MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	4	4	2	-	1	-	1	2	-	-	-
BLACK---MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	3	4	1	-	1	-	1	2	-	-	-
GEORGIA -----	6	5	5	8	16	14	11	8	6	-	1	-
WHITE-----MALE----	3	1	1	3	3	3	2	2	1	-	-	-
FEMALE--	-	1	1	3	7	7	8	3	5	-	1	-
ALL OTHER--MALE----	-	-	2	2	3	2	-	1	-	-	-	-
FEMALE--	3	3	1	-	3	2	1	2	-	-	-	-
BLACK---MALE----	-	-	2	2	3	2	-	1	-	-	-	-
FEMALE--	3	3	-	-	3	2	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,541

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
HAWAII -----	18	-	-	-	-	-	1	1	-	2	2	2
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	6	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	27	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	215	-	-	-	2	1	4	8	9	7	10	11
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	125	-	-	-	1	-	1	3	3	3	3	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	2	-	2	-
FEMALE--	43	-	-	-	1	1	3	4	4	4	4	8
BLACK---MALE----	11	-	-	-	-	-	-	1	2	-	2	-
FEMALE--	42	-	-	-	1	1	3	4	4	4	4	8
INDIANA -----	82	-	-	-	1	-	-	3	1	3	3	3
WHITE-----MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	2	-	1	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	1	-	-	-	1	1	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	1	-	-	-	1	1	2	-
IOWA -----	53	-	-	-	-	-	-	-	1	-	-	5
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
KANSAS -----	55	-	-	-	-	1	2	-	1	2	2	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	1	2	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	1	2	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,542

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
KENTUCKY -----	57	-	-	-	-	-	-	-	-	1	-	4
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	88	-	-	-	-	2	3	4	6	4	6	8
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	-	-	-	-	-	-	2	1	-	3	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	35	-	-	-	-	2	3	2	4	2	1	5
BLACK---MALE----	8	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	32	-	-	-	-	2	2	1	4	2	1	4
MAINE -----	18	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	87	-	-	-	1	-	3	-	2	2	4	6
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	2	1	-
FEMALE--	28	-	-	-	1	-	1	-	2	-	3	5
BLACK---MALE----	10	-	-	-	-	-	1	-	-	2	1	-
FEMALE--	26	-	-	-	1	-	1	-	2	-	3	5
MASSACHUSETTS -----	74	-	-	-	-	-	1	2	3	-	5	7
WHITE-----MALE----	6	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	62	-	-	-	-	-	1	2	-	-	2	7
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN -----	138	-	-	-	-	-	3	3	3	10	11	5
WHITE-----MALE----	28	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	80	-	-	-	-	-	1	1	1	4	5	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	2	1	2	4	6	3
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	2	1	2	4	6	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,542

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
KENTUCKY -----	3	2	6	-	8	10	10	3	6	2	2	-
WHITE-----MALE----	2	1	3	-	3	5	2	-	2	-	-	-
FEMALE--	1	-	3	-	4	4	7	2	4	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
LOUISIANA -----	5	4	5	10	6	9	6	6	2	2	-	-
WHITE-----MALE----	-	-	-	1	2	-	3	-	-	-	-	-
FEMALE--	4	2	2	4	2	7	2	5	1	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	5	2	1	1	1	1	1	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	5	2	1	1	1	1	1	-	-
MAINE -----	1	-	2	4	1	-	2	1	2	-	1	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	3	-	-	2	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	6	5	6	7	14	9	8	6	1	-	-
WHITE-----MALE----	3	-	-	-	2	-	2	2	1	-	-	-
FEMALE--	-	2	-	6	2	12	6	5	3	1	-	-
ALL OTHER--MALE----	2	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	2	2	5	-	2	2	1	-	2	-	-	-
BLACK---MALE----	2	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	2	4	-	2	2	1	-	2	-	-	-
MASSACHUSETTS -----	1	2	6	5	5	6	7	5	9	6	4	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	2	5	4	4	6	6	4	8	6	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MICHIGAN -----	8	10	8	17	16	10	13	10	7	4	-	-
WHITE-----MALE----	3	1	1	6	4	3	3	1	1	2	-	-
FEMALE--	3	9	7	9	9	7	9	8	5	2	-	-
ALL OTHER--MALE----	2	-	-	2	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	3	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	2	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	3	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,543

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
MINNESOTA -----	78	-	-	-	-	-	-	-	1	1	-	6
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	56	-	-	-	-	-	-	-	1	-	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	42	-	-	-	-	-	1	-	4	4	3	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	1	-	4	4	3	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	1	-	4	3	3	-
MISSOURI -----	63	-	-	-	-	-	1	-	4	2	3	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	38	-	-	-	-	-	1	-	1	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	3	1	3	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	3	1	3	2
MONTANA -----	14	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	23	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	10	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,545

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
OHIO -----	190	-	-	-	1	-	2	7	3	5	6	10
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	128	-	-	-	-	-	-	1	2	2	2	4
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	2	6	1	3	4	5
BLACK---MALE----	5	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	2	6	1	3	4	5
OKLAHOMA -----	70	-	-	-	-	-	2	1	-	5	3	9
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	1	-	3	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	2	-	-	2	2	6
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	2	-	-	1	2	3
OREGON -----	61	-	-	-	-	-	-	2	-	2	1	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	46	-	-	-	-	-	-	1	-	2	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	215	-	-	-	1	-	2	4	6	13	5	8
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	134	-	-	-	-	-	1	3	2	5	4	2
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	1	3	-	2
FEMALE--	30	-	-	-	-	-	1	1	3	4	1	2
BLACK---MALE----	11	-	-	-	1	-	-	-	1	3	-	2
FEMALE--	28	-	-	-	-	-	1	1	3	4	1	1
RHODE ISLAND -----	14	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	70	-	-	-	-	-	-	2	3	3	8	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	2	2	2	7	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	2	2	2	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,545

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
OHIO -----	6	5	9	20	16	21	26	19	18	11	5	-
WHITE-----MALE----	-	-	-	2	4	5	5	2	3	2	2	-
FEMALE--	4	4	7	15	10	15	19	17	15	9	2	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	1	3	2	1	2	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	1	3	2	1	2	-	-	-	-	-
OKLAHOMA -----	7	5	4	4	4	6	4	7	5	4	-	-
WHITE-----MALE----	1	-	1	1	1	1	1	2	2	-	-	-
FEMALE--	6	3	3	3	2	3	3	5	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	5	6	1	6	4	7	11	7	1	2	-
WHITE-----MALE----	2	-	-	1	-	1	-	5	-	1	1	-
FEMALE--	1	5	6	-	6	3	7	6	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	10	15	19	31	21	19	25	15	6	-	-
WHITE-----MALE----	1	1	4	5	8	2	7	5	4	-	-	-
FEMALE--	8	6	7	11	22	18	12	17	11	5	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	2	3	1	1	-	3	-	1	-	-
BLACK---MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	2	3	1	1	-	2	-	1	-	-
RHODE ISLAND -----	1	-	-	-	5	2	-	3	-	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	3	2	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	5	12	6	2	6	7	4	2	3	-	-
WHITE-----MALE----	1	1	-	2	1	1	2	-	-	-	-	-
FEMALE--	3	-	6	2	1	2	3	3	1	2	-	-
ALL OTHER--MALE----	-	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	2	2	6	1	-	1	2	1	1	1	-	-
BLACK---MALE----	-	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	2	2	6	-	-	1	2	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,546

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
SOUTH DAKOTA -----	18	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	106	-	-	-	-	-	2	-	3	7	5	6
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	55	-	-	-	-	-	1	-	1	2	3	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	27	-	-	-	-	-	1	-	2	4	2	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	27	-	-	-	-	-	1	-	2	4	2	1
TEXAS -----	327	-	-	-	-	5	6	7	9	15	22	19
WHITE-----MALE----	59	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	197	-	-	-	-	3	3	5	4	7	12	10
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	61	-	-	-	-	1	3	2	4	6	7	5
BLACK---MALE----	10	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	57	-	-	-	-	1	2	2	4	6	7	4
UTAH -----	29	-	-	-	-	-	-	-	-	3	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	107	-	-	-	-	-	1	3	3	2	7	7
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	53	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	30	-	-	-	-	-	1	3	2	1	3	2
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	30	-	-	-	-	-	1	3	2	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,546

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
SOUTH DAKOTA -----	2	-	2	1	3	3	1	2	-	1	1	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	1	1	2	2	-	2	-	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	5	14	16	13	9	8	9	2	-	-
WHITE-----MALE----	1	1	1	-	4	2	7	1	-	-	-	-
FEMALE--	-	-	4	6	10	9	2	6	8	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	3	-	6	2	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	3	-	6	2	2	-	1	1	-	-	-
TEXAS -----	23	17	24	27	41	43	24	24	17	3	1	-
WHITE-----MALE----	1	1	4	6	6	16	7	6	4	-	-	-
FEMALE--	16	11	13	14	33	24	14	14	10	3	1	-
ALL OTHER--MALE----	2	-	1	1	-	1	-	2	-	-	-	-
FEMALE--	4	5	6	6	2	2	3	2	3	-	-	-
BLACK---MALE----	2	-	1	1	-	1	-	2	-	-	-	-
FEMALE--	4	5	6	6	1	2	2	2	3	-	-	-
UTAH -----	4	1	2	2	3	4	4	3	2	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	2	2	2	3	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	3	3	-	2	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	6	6	10	5	7	17	8	6	7	-	-
WHITE-----MALE----	1	-	1	1	1	3	5	1	-	-	-	-
FEMALE--	6	3	3	6	2	2	9	7	3	7	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	5	3	1	2	1	2	1	-	3	-	-	-
BLACK---MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	5	3	1	2	1	2	1	-	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,549

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DORSOPATHIES (720-724)												
COLORADO -----	-	-	-	1	2	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	1	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	-	1	1	2	3	4	2	4	1	2	-	-
WHITE-----MALE----	-	1	-	2	2	2	1	2	-	1	-	-
FEMALE--	-	-	-	-	1	2	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	-	1	1	2	1	2	2	1	-	2	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	1	1	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,551

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DORSOPATHIES (720-724)												
KENTUCKY -----	1	2	-	-	-	2	-	1	1	-	-	-
WHITE-----MALE----	-	2	-	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	1	1	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	-	1	1	1	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	1	-	2	-	-	3	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,555

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DORSOPATHIES (720-724)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	-	-	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	2	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	1	2	-	1	6	4	4	4	2	-	-	-
WHITE-----MALE----	1	2	-	-	3	1	2	3	2	-	-	-
FEMALE--	-	-	-	1	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	1	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,557

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
0 UNITED STATES --	41	46	61	76	97	109	116	95	44	12	3	-
WHITE-----MALE----	17	11	29	30	49	51	40	29	12	6	-	-
FEMALE--	12	17	18	35	31	49	52	57	26	4	1	-
ALL OTHER--MALE----	6	10	7	5	8	4	14	3	-	1	1	-
FEMALE--	6	8	7	6	9	5	10	6	6	1	1	-
BLACK---MALE----	6	9	6	5	8	4	11	2	-	1	1	-
FEMALE--	6	7	7	5	8	3	10	6	6	1	1	-
ALABAMA -----	1	3	2	4	1	3	1	2	-	1	-	-
WHITE-----MALE----	1	1	1	2	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	2	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	1	1	1	1	3	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	2	-	2	-	2	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	9	7	8	8	12	10	13	4	3	1	-	-
WHITE-----MALE----	3	3	2	5	8	6	3	2	2	1	-	-
FEMALE--	5	1	4	3	3	3	7	2	1	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,558

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
COLORADO -----	1	-	-	1	1	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	3	3	1	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	1	-	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	3	1	8	7	9	7	2	-	1	-
WHITE-----MALE----	-	-	3	-	3	3	3	2	-	-	-	-
FEMALE--	-	-	-	1	5	4	4	5	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	1	-	-	-
GEORGIA -----	1	1	4	2	-	3	3	2	3	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	1	-	-
FEMALE--	1	1	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	1	-	-
FEMALE--	1	1	2	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,560

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
KENTUCKY -----	3	1	1	1	-	1	3	1	2	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	3	-	1	-	-	-
FEMALE--	1	1	1	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	4	1	3	4	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
MAINE -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	2	3	1	3	1	-	2	-	-	-
WHITE-----MALE----	1	1	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	-	-	2	-	1	-	2	5	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	1	-	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	2	2	3	4	7	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	2	2	1	2	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,563

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
OHIO -----	-	1	2	3	4	13	8	3	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	6	4	1	-	-	-	-
FEMALE--	-	1	-	2	2	5	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	2	1	1	3	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
OREGON -----	-	-	-	1	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	3	2	3	6	6	10	6	2	-	1	-
WHITE-----MALE----	2	1	1	1	5	2	7	3	-	-	-	-
FEMALE--	-	2	1	1	1	4	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	-	1	-
RHODE ISLAND -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	1	1	1	1	1	5	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	-	-	1	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,564

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	3	3	1	2	-	1	2	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
TEXAS -----	1	5	1	7	2	7	9	5	4	-	-	-
WHITE-----MALE----	-	2	-	3	-	2	3	1	1	-	-	-
FEMALE--	1	-	1	3	-	4	4	3	3	-	-	-
ALL OTHER--MALE----	-	2	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	2	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	-	2	1	2	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	2	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	1	1	3	-	1	-	2	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,566

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	38	41	82	115	181	300	428	545	439	199	46	1
WHITE-----MALE----	15	18	30	57	76	119	108	109	58	21	1	-
FEMALE--	11	17	40	41	74	161	290	397	361	167	37	-
ALL OTHER--MALE----	9	5	6	7	13	7	8	9	2	2	1	-
FEMALE--	3	1	6	10	18	13	22	30	18	9	7	1
BLACK---MALE----	9	5	5	7	13	7	8	8	2	2	1	-
FEMALE--	3	1	6	9	16	12	20	23	14	5	4	1
ALABAMA -----	1	-	-	-	3	6	6	9	3	1	1	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	3	6	2	1	1	-
ALL OTHER--MALE----	1	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	1	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	2	2	6	7	9	3	2	-	-	-
WHITE-----MALE----	-	-	1	1	4	1	5	1	-	-	-	-
FEMALE--	-	-	1	1	2	5	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	2	-	2	3	2	7	6	2	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	5	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	6	3	5	14	19	27	32	43	30	14	6	-
WHITE-----MALE----	3	1	1	9	10	10	6	10	6	3	-	-
FEMALE--	2	2	4	3	6	16	24	30	22	10	6	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	3	1	2	3	2	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,567

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	1	1	6	6	12	8	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	4	5	12	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	1	1	-	4	5	9	3	2	-	-
WHITE-----MALE----	1	1	1	-	-	1	1	3	-	1	-	-
FEMALE--	-	-	-	1	-	3	4	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	3	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	1	-	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	3	1	-	-
FLORIDA -----	2	1	7	10	11	17	32	34	26	14	1	-
WHITE-----MALE----	1	-	2	6	4	11	12	8	4	1	-	-
FEMALE--	1	1	5	2	7	5	20	25	21	13	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
GEORGIA -----	2	2	1	2	3	5	7	10	8	4	1	-
WHITE-----MALE----	2	-	-	1	2	2	-	2	1	1	-	-
FEMALE--	-	2	1	1	1	3	7	6	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,569

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	1	2	1	2	6	-	8	8	4	1	-
WHITE-----MALE----	-	1	1	1	1	3	-	2	2	-	-	-
FEMALE--	-	-	1	-	1	3	-	5	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	2	-	1	2	1	6	8	4	5	4	1	-
WHITE-----MALE----	1	-	1	-	1	2	4	-	1	-	1	-
FEMALE--	-	-	-	-	-	2	3	3	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	2	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	2	-	2	1	-	1	-	-	-
MAINE -----	1	-	-	1	1	3	8	3	4	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	3	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	5	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	1	3	6	5	6	13	9	2	2	-
WHITE-----MALE----	-	-	1	2	-	2	2	2	-	-	-	-
FEMALE--	1	1	-	-	1	3	2	9	8	2	2	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	2	1	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	2	1	-	-	-
MASSACHUSETTS -----	-	-	3	2	4	10	6	8	14	6	2	-
WHITE-----MALE----	-	-	2	1	1	2	-	-	3	1	-	-
FEMALE--	-	-	-	1	2	8	5	7	11	5	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	1	2	3	3	5	14	13	15	16	2	2	-
WHITE-----MALE----	-	1	1	1	-	4	6	4	2	-	-	-
FEMALE--	-	1	2	-	3	8	7	8	14	2	2	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	3	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,572

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	2	5	8	5	21	20	21	22	8	4	-
WHITE-----MALE----	-	-	1	6	2	7	4	6	2	1	-	-
FEMALE--	-	2	3	2	2	13	15	15	19	6	3	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
OKLAHOMA -----	-	-	2	2	1	5	4	5	4	6	-	-
WHITE-----MALE----	-	-	1	-	-	3	2	2	1	-	-	-
FEMALE--	-	-	1	2	1	2	2	2	3	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	1	2	7	12	13	19	4	1	-
WHITE-----MALE----	-	-	-	-	2	3	2	2	3	-	-	-
FEMALE--	-	-	1	1	-	4	10	11	15	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	1	6	5	15	16	22	22	21	9	5	-
WHITE-----MALE----	1	-	2	2	6	9	2	4	1	-	-	-
FEMALE--	1	1	2	1	4	5	16	13	18	8	4	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	1	-
FEMALE--	1	-	1	2	4	1	3	5	2	1	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	1	-
FEMALE--	1	-	1	2	4	1	3	5	2	1	-	-
RHODE ISLAND -----	-	-	-	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	2	1	1	3	10	10	7	2	1	-
WHITE-----MALE----	1	1	-	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	1	1	-	2	7	8	5	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,573

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)												
SOUTH DAKOTA -----	1	-	-	-	-	1	-	4	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	2	4	4	6	9	6	11	3	-	-
WHITE-----MALE----	1	1	2	4	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	3	4	7	3	11	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	3	2	6	8	13	17	32	48	19	7	2	-
WHITE-----MALE----	2	-	3	2	3	8	10	10	1	-	-	-
FEMALE--	1	2	3	4	8	9	22	36	18	7	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	-	-	-	-
UTAH -----	-	-	2	1	2	3	8	12	12	6	2	-
WHITE-----MALE----	-	-	1	-	2	2	2	1	6	1	-	-
FEMALE--	-	-	1	1	-	1	6	11	6	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	4	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	3	3	-	7	11	12	5	6	1	1
WHITE-----MALE----	-	-	-	2	-	2	2	-	1	-	-	-
FEMALE--	-	-	1	1	-	3	6	11	3	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	1	-	-	2	3	1	-	-	1	1
BLACK---MALE----	-	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	1	-	-	2	3	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,575
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
0 UNITED STATES --	11,912	6,178	589	223	224	217	203	228	226	258	276	274
WHITE-----MALE----	5,123	2,567	237	90	89	97	78	104	106	123	114	135
FEMALE--	4,596	2,236	202	72	85	61	71	93	78	92	119	102
ALL OTHER--MALE----	1,138	699	80	29	24	37	29	23	26	28	22	19
FEMALE--	1,055	676	70	32	26	22	25	8	16	15	21	18
BLACK---MALE----	921	567	59	26	19	32	23	18	22	20	18	16
FEMALE--	876	558	52	28	22	22	19	7	12	13	20	17
ALABAMA -----	206	108	8	4	6	2	1	1	6	3	5	4
WHITE-----MALE----	76	36	3	-	2	1	1	-	2	1	2	2
FEMALE--	65	35	2	1	2	-	-	1	3	-	2	1
ALL OTHER--MALE----	29	14	2	3	1	1	-	-	-	2	1	-
FEMALE--	36	23	1	-	1	-	-	-	1	-	-	1
BLACK---MALE----	27	14	1	2	1	1	-	-	-	2	1	-
FEMALE--	36	23	1	-	1	-	-	-	1	-	-	1
ALASKA -----	30	15	4	-	-	-	1	2	1	1	-	-
WHITE-----MALE----	10	6	2	-	-	-	-	1	-	1	-	-
FEMALE--	8	5	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	7	2	2	-	-	-	-	-	1	-	-	-
FEMALE--	5	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	229	133	15	3	5	2	2	4	2	3	2	8
WHITE-----MALE----	110	59	12	1	1	-	1	1	-	2	-	5
FEMALE--	98	58	3	2	4	1	1	3	2	1	1	3
ALL OTHER--MALE----	10	7	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	9	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	2	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	127	72	6	1	4	4	1	2	2	1	2	1
WHITE-----MALE----	53	30	2	1	-	3	-	-	-	1	1	1
FEMALE--	48	25	3	-	3	-	-	1	1	-	1	-
ALL OTHER--MALE----	11	7	-	-	-	1	1	-	1	-	-	-
FEMALE--	15	10	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	11	7	-	-	-	1	1	-	1	-	-	-
FEMALE--	15	10	1	-	1	-	-	1	-	-	-	-
CALIFORNIA -----	1,495	835	87	34	22	28	23	34	17	30	31	31
WHITE-----MALE----	641	341	36	15	10	16	9	17	9	12	13	12
FEMALE--	600	346	32	12	6	8	7	15	6	6	14	15
ALL OTHER--MALE----	125	67	9	2	4	3	4	2	1	9	3	2
FEMALE--	129	81	10	5	2	1	3	-	1	3	1	2
BLACK---MALE----	57	31	5	2	2	1	2	1	-	4	1	1
FEMALE--	61	41	4	3	1	1	-	-	-	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,575

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
0 UNITED STATES --	264	240	261	308	346	470	482	371	199	65	8	2
WHITE-----MALE----	125	112	135	137	170	226	229	158	75	12	2	2
FEMALE--	107	105	95	143	139	214	223	193	116	46	4	-
ALL OTHER--MALE----	14	14	14	16	20	17	12	9	3	2	1	-
FEMALE--	18	9	17	12	17	13	18	11	5	5	1	-
BLACK---MALE----	11	12	11	11	18	15	11	7	2	2	1	-
FEMALE--	17	6	13	10	13	12	17	9	5	3	1	-
ALABAMA -----	8	4	4	4	8	11	13	1	4	1	-	-
WHITE-----MALE----	4	2	2	2	3	5	6	-	1	1	-	-
FEMALE--	2	1	-	1	2	5	5	-	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	1	1	1	-	-	-
BLACK---MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	1	1	1	-	-	-
ALASKA -----	-	-	2	2	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	6	1	8	3	6	8	11	1	1	1	-
WHITE-----MALE----	3	4	-	4	2	5	5	4	1	-	-	-
FEMALE--	1	2	-	3	1	1	3	7	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	4	1	3	2	6	5	2	2	1	-	-
WHITE-----MALE----	1	2	1	2	-	4	2	1	1	-	-	-
FEMALE--	2	2	-	1	2	2	2	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	34	24	31	27	33	59	50	39	17	9	-	-
WHITE-----MALE----	21	10	11	12	15	27	27	19	8	1	-	-
FEMALE--	10	11	11	12	9	28	22	16	8	6	-	-
ALL OTHER--MALE----	-	1	4	3	5	2	1	2	1	-	-	-
FEMALE--	3	2	5	-	4	2	-	2	-	2	-	-
BLACK---MALE----	-	-	2	-	3	1	-	1	-	-	-	-
FEMALE--	2	-	2	-	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,576

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
COLORADO -----	158	88	13	2	2	4	2	1	4	6	3	-
WHITE-----MALE----	64	36	6	1	1	-	1	1	1	1	1	-
FEMALE--	80	45	5	-	1	3	1	-	3	4	2	-
ALL OTHER--MALE----	8	5	1	-	-	1	-	-	-	-	-	-
FEMALE--	6	2	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	6	4	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	1	1	1	-	-	-	-	-	1	-	-
CONNECTICUT -----	133	75	3	2	2	1	2	1	3	1	2	1
WHITE-----MALE----	62	34	2	-	1	1	-	-	3	1	1	-
FEMALE--	55	27	1	2	1	-	1	1	-	-	1	1
ALL OTHER--MALE----	8	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	7	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	5	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	37	15	4	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	14	6	1	-	-	-	-	-	-	-	-	-
FEMALE--	17	7	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	22	14	1	-	-	1	1	-	2	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	9	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	5	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	12	9	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	5	1	-	-	1	-	-	-	-	-	-
FLORIDA -----	631	274	38	14	14	11	9	11	14	13	22	15
WHITE-----MALE----	249	99	9	3	4	4	1	7	3	6	13	7
FEMALE--	240	94	15	4	3	2	3	4	5	6	7	5
ALL OTHER--MALE----	66	35	7	1	4	3	3	-	2	1	-	3
FEMALE--	76	46	7	6	3	2	2	-	4	-	2	-
BLACK---MALE----	63	34	6	1	4	3	3	-	2	1	-	3
FEMALE--	71	44	7	5	2	2	2	-	4	-	2	-
GEORGIA -----	318	191	18	7	1	7	5	5	8	4	9	5
WHITE-----MALE----	116	67	7	-	-	1	3	1	4	2	5	2
FEMALE--	93	51	3	2	-	1	-	2	3	1	3	3
ALL OTHER--MALE----	64	44	2	4	-	3	2	2	-	1	-	-
FEMALE--	45	29	6	1	1	2	-	-	1	-	1	-
BLACK---MALE----	63	43	2	4	-	3	2	2	-	1	-	-
FEMALE--	44	28	6	1	1	2	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,576

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
COLORADO -----	4	5	1	5	2	8	-	1	7	-	-	-
WHITE-----MALE----	1	5	1	1	-	5	-	-	2	-	-	-
FEMALE--	2	-	-	4	2	2	-	1	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	3	2	4	3	10	6	5	3	-	1	-
WHITE-----MALE----	1	1	2	2	2	3	3	3	2	-	-	-
FEMALE--	1	2	-	2	1	7	3	2	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	3	4	1	1	3	2	1	-	-	-
WHITE-----MALE----	-	1	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	17	11	17	23	20	20	39	30	15	4	-	-
WHITE-----MALE----	6	5	10	11	8	11	22	11	9	-	-	-
FEMALE--	10	5	5	10	11	9	17	16	6	3	-	-
ALL OTHER--MALE----	1	1	1	1	1	-	-	1	-	1	-	-
FEMALE--	-	-	1	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
GEORGIA -----	8	7	7	7	5	5	7	6	5	-	1	-
WHITE-----MALE----	4	2	3	2	1	3	2	3	4	-	-	-
FEMALE--	2	3	2	5	2	2	4	3	1	-	-	-
ALL OTHER--MALE----	2	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,578

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
KENTUCKY -----	178	99	7	6	4	4	7	2	1	2	1	6
WHITE-----MALE----	97	61	3	1	2	3	5	1	1	2	-	3
FEMALE--	68	31	4	2	1	-	2	-	-	-	1	3
ALL OTHER--MALE----	5	2	-	1	-	1	-	1	-	-	-	-
FEMALE--	8	5	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	8	5	-	2	1	-	-	-	-	-	-	-
LOUISIANA -----	229	128	10	3	7	5	4	4	7	5	8	4
WHITE-----MALE----	73	39	4	-	2	-	-	1	2	4	4	1
FEMALE--	57	31	1	2	2	1	1	-	1	-	1	-
ALL OTHER--MALE----	56	30	3	1	2	3	1	2	3	-	1	2
FEMALE--	43	28	2	-	1	1	2	1	1	1	2	1
BLACK---MALE----	54	29	3	1	2	2	1	2	3	-	1	2
FEMALE--	43	28	2	-	1	1	2	1	1	1	2	1
MAINE -----	60	22	1	-	1	1	3	2	-	1	1	2
WHITE-----MALE----	30	9	-	-	-	1	2	1	-	-	-	-
FEMALE--	30	13	1	-	1	-	1	1	-	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	181	92	5	2	2	5	5	4	9	9	3	9
WHITE-----MALE----	50	18	1	1	-	1	1	-	3	2	1	4
FEMALE--	65	32	1	1	2	1	1	2	2	5	1	1
ALL OTHER--MALE----	43	27	2	-	-	2	3	1	2	2	1	1
FEMALE--	23	15	1	-	-	1	-	1	2	-	-	3
BLACK---MALE----	40	24	2	-	-	2	3	1	2	2	1	1
FEMALE--	22	14	1	-	-	1	-	1	2	-	-	3
MASSACHUSETTS -----	220	87	12	3	5	3	2	9	4	9	2	8
WHITE-----MALE----	100	38	4	3	2	1	1	5	3	2	2	4
FEMALE--	101	35	5	-	2	2	1	4	1	7	-	4
ALL OTHER--MALE----	9	8	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	6	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	422	213	20	5	10	10	10	7	8	12	5	11
WHITE-----MALE----	177	83	11	2	7	1	6	3	4	8	2	7
FEMALE--	156	71	5	2	2	8	3	2	2	1	2	1
ALL OTHER--MALE----	44	29	3	-	-	-	-	2	2	3	-	1
FEMALE--	45	30	1	1	1	1	1	-	-	-	1	2
BLACK---MALE----	42	27	3	-	-	-	-	2	2	3	-	1
FEMALE--	43	29	1	1	-	1	1	-	-	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,578

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
KENTUCKY -----	2	4	6	10	6	1	4	3	1	1	1	-
WHITE-----MALE----	1	3	1	3	1	1	3	2	-	-	-	-
FEMALE--	1	1	5	7	5	-	1	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	4	8	4	5	6	6	3	2	2	-	-
WHITE-----MALE----	1	1	4	2	2	2	2	-	1	1	-	-
FEMALE--	2	1	1	1	2	3	2	3	1	1	-	-
ALL OTHER--MALE----	-	2	2	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	2	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
MAINE -----	2	2	3	3	3	4	5	3	1	-	-	-
WHITE-----MALE----	1	1	3	1	1	3	4	3	-	-	-	-
FEMALE--	1	1	-	2	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	3	2	3	3	4	5	4	2	1	-	-
WHITE-----MALE----	5	2	2	2	3	1	2	1	-	-	-	-
FEMALE--	3	-	-	1	-	3	3	3	2	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	5	6	5	7	10	11	16	10	5	1	-	-
WHITE-----MALE----	2	2	4	5	6	6	4	5	1	-	-	-
FEMALE--	3	4	1	2	4	4	12	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	3	9	10	11	20	15	18	20	5	-	-	-
WHITE-----MALE----	2	-	6	3	11	7	7	5	2	-	-	-
FEMALE--	-	9	4	6	7	6	9	13	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	2	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	2	1	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,579

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
MINNESOTA -----	236	115	15	3	6	6	4	5	4	5	2	6
WHITE-----MALE----	109	56	5	3	2	3	1	1	2	1	1	3
FEMALE--	102	36	9	-	4	3	2	4	2	4	1	3
ALL OTHER--MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	11	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	5	1	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	147	92	5	-	2	2	1	4	3	6	4	3
WHITE-----MALE----	40	20	1	-	-	1	-	2	2	3	-	3
FEMALE--	45	22	1	-	-	1	-	-	1	3	2	-
ALL OTHER--MALE----	37	31	1	-	1	-	-	1	-	-	2	-
FEMALE--	25	19	2	-	1	-	1	1	-	-	-	-
BLACK---MALE----	36	30	1	-	1	-	-	1	-	-	2	-
FEMALE--	24	18	2	-	1	-	1	1	-	-	-	-
MISSOURI -----	239	128	8	6	5	5	5	2	4	5	3	5
WHITE-----MALE----	109	59	2	1	1	2	2	1	2	2	1	4
FEMALE--	90	41	5	2	3	3	2	-	1	2	1	1
ALL OTHER--MALE----	21	15	1	2	1	-	-	-	-	-	1	-
FEMALE--	19	13	-	1	-	-	1	1	1	1	-	-
BLACK---MALE----	19	13	1	2	1	-	-	-	-	-	1	-
FEMALE--	18	13	-	1	-	-	1	1	-	1	-	-
MONTANA -----	41	18	3	-	1	3	-	-	2	2	-	2
WHITE-----MALE----	18	7	-	-	1	2	-	-	-	2	-	1
FEMALE--	21	11	2	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	80	41	3	-	1	1	4	-	1	3	-	4
WHITE-----MALE----	35	17	-	-	1	1	1	-	-	2	-	3
FEMALE--	36	19	1	-	-	-	3	-	1	1	-	-
ALL OTHER--MALE----	5	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	1
NEVADA -----	72	44	3	1	1	4	3	1	2	3	-	1
WHITE-----MALE----	38	24	2	-	1	2	2	1	2	1	-	-
FEMALE--	25	15	-	1	-	1	1	-	-	1	-	1
ALL OTHER--MALE----	4	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	3	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,581

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
OHIO -----	486	234	18	9	8	9	6	12	9	6	15	15
WHITE-----MALE----	236	90	9	7	6	4	5	7	5	3	8	13
FEMALE--	175	91	6	2	1	1	-	5	2	1	5	1
ALL OTHER--MALE----	36	26	2	-	1	1	1	-	2	-	1	-
FEMALE--	39	27	1	-	-	3	-	-	-	2	1	1
BLACK---MALE----	34	26	2	-	-	1	-	-	2	-	1	-
FEMALE--	37	25	1	-	-	3	-	-	-	2	1	1
OKLAHOMA -----	180	65	13	-	1	3	2	4	2	5	3	3
WHITE-----MALE----	79	28	7	-	-	2	-	3	1	1	1	1
FEMALE--	81	26	4	-	-	1	-	1	1	3	2	2
ALL OTHER--MALE----	12	7	1	-	-	-	1	-	-	1	-	-
FEMALE--	8	4	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	7	4	1	-	-	-	1	-	-	-	-	-
FEMALE--	6	2	1	-	1	-	1	-	-	-	-	-
OREGON -----	172	65	5	1	4	4	3	3	4	3	7	6
WHITE-----MALE----	90	35	3	-	1	2	3	2	1	1	2	2
FEMALE--	72	26	2	1	3	1	-	1	2	2	4	3
ALL OTHER--MALE----	3	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	7	3	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	490	217	16	10	9	7	5	7	12	12	15	9
WHITE-----MALE----	232	91	10	7	3	4	2	3	6	6	7	6
FEMALE--	202	84	3	3	4	3	3	4	5	4	7	3
ALL OTHER--MALE----	26	21	1	-	1	-	-	-	1	1	-	-
FEMALE--	30	21	2	-	1	-	-	-	-	1	1	-
BLACK---MALE----	22	17	1	-	1	-	-	-	1	1	-	-
FEMALE--	27	18	2	-	1	-	-	-	-	1	1	-
RHODE ISLAND -----	40	17	-	1	1	1	1	3	1	-	1	-
WHITE-----MALE----	23	11	-	1	1	1	1	2	-	-	1	-
FEMALE--	15	6	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	170	96	4	3	3	5	3	1	3	4	5	1
WHITE-----MALE----	58	30	2	2	1	2	-	-	2	1	1	-
FEMALE--	53	27	-	-	-	1	1	-	1	2	2	1
ALL OTHER--MALE----	28	22	1	-	1	1	-	-	-	-	-	-
FEMALE--	31	17	1	1	1	1	2	1	-	1	2	-
BLACK---MALE----	26	20	1	-	1	1	-	-	-	-	-	-
FEMALE--	30	17	1	1	1	1	1	1	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,582

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
SOUTH DAKOTA -----	33	17	2	-	-	1	-	-	2	2	1	-
WHITE-----MALE----	9	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	17	8	-	-	-	-	-	-	2	2	1	-
ALL OTHER--MALE----	5	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	255	138	10	6	3	4	7	6	4	3	10	6
WHITE-----MALE----	103	55	4	2	1	3	2	2	-	1	2	3
FEMALE--	96	46	4	2	1	-	3	3	1	2	7	3
ALL OTHER--MALE----	30	20	2	1	-	-	1	1	2	-	1	-
FEMALE--	26	17	-	1	1	1	1	-	1	-	-	-
BLACK---MALE----	30	20	2	1	-	-	1	1	2	-	1	-
FEMALE--	26	17	-	1	1	1	1	-	1	-	-	-
TEXAS -----	955	535	49	23	23	15	11	18	18	20	14	24
WHITE-----MALE----	445	263	20	10	9	8	3	4	10	10	7	10
FEMALE--	380	205	17	6	11	3	5	12	5	8	4	8
ALL OTHER--MALE----	69	36	5	4	2	3	-	2	2	1	2	2
FEMALE--	61	31	7	3	1	1	3	-	1	1	1	4
BLACK---MALE----	59	27	5	4	2	3	-	1	2	1	2	2
FEMALE--	56	28	5	3	1	1	3	-	1	1	1	4
UTAH -----	123	77	7	2	4	3	1	5	2	1	3	1
WHITE-----MALE----	59	42	2	2	1	3	1	1	1	-	1	-
FEMALE--	57	32	2	-	3	-	-	3	1	1	2	1
ALL OTHER--MALE----	4	-	3	-	-	-	-	1	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	24	11	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	9	5	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	6	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	263	129	14	3	7	3	1	7	4	4	9	8
WHITE-----MALE----	118	64	5	-	3	1	-	2	3	2	3	4
FEMALE--	90	38	7	2	2	1	1	3	-	1	2	2
ALL OTHER--MALE----	30	15	-	1	1	-	-	2	1	1	2	1
FEMALE--	25	12	2	-	1	1	-	-	-	-	2	1
BLACK---MALE----	28	14	-	1	1	-	-	1	1	1	2	1
FEMALE--	24	11	2	-	1	1	-	-	-	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,582

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

XIV. CONGENITAL ANOMALIES (740-759)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	2	2	1	1	-	-	1	1	-	-
WHITE-----MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	3	7	4	9	7	9	5	4	3	-	-
WHITE-----MALE----	3	1	5	4	4	4	3	2	1	1	-	-
FEMALE--	3	2	-	-	5	2	5	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	2	-	-	-	1	-	-	-	-	-
TEXAS -----	16	23	18	23	14	37	25	29	12	8	-	-
WHITE-----MALE----	10	12	10	6	10	13	13	11	5	1	-	-
FEMALE--	4	8	8	15	3	21	9	17	5	6	-	-
ALL OTHER--MALE----	1	1	-	1	-	3	2	1	1	-	-	-
FEMALE--	1	2	-	1	1	-	1	-	1	1	-	-
BLACK---MALE----	1	1	-	1	-	3	2	1	1	-	-	-
FEMALE--	1	2	-	1	1	-	1	-	1	1	-	-
UTAH -----	2	2	3	-	3	5	2	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	2	2	-	3	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	1	-	1	2	3	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	10	3	7	6	13	12	7	6	-	-	-
WHITE-----MALE----	4	5	3	4	2	7	3	1	2	-	-	-
FEMALE--	5	5	-	2	3	5	5	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	2	1	-	-	-
FEMALE--	1	-	-	-	-	-	4	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	2	1	-	-	-
FEMALE--	1	-	-	-	-	-	4	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,593

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	2,197	780	123	48	37	30	23	23	14	15	19	16
WHITE-----MALE----	961	249	45	20	11	10	9	7	7	6	9	7
FEMALE--	911	347	44	13	19	13	9	13	5	3	7	7
ALL OTHER--MALE----	157	82	18	7	3	3	1	3	2	2	2	-
FEMALE--	168	102	16	8	4	4	4	-	-	4	1	2
BLACK---MALE----	118	56	14	7	3	3	1	2	1	1	1	-
FEMALE--	131	80	11	6	3	4	3	-	-	4	1	2
ALABAMA -----	39	8	1	-	3	-	-	-	-	-	-	1
WHITE-----MALE----	12	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	14	4	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	8	3	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	8	3	-	-	1	-	-	-	-	-	-	-
ALASKA -----	7	4	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	50	20	1	2	3	-	-	-	-	-	-	1
WHITE-----MALE----	24	9	-	1	-	-	-	-	-	-	-	-
FEMALE--	23	10	1	1	3	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	21	11	4	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	7	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	12	7	3	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	297	128	18	8	4	7	2	6	2	1	5	2
WHITE-----MALE----	131	45	8	4	2	3	-	3	1	-	2	2
FEMALE--	118	58	6	2	1	4	1	2	1	-	2	-
ALL OTHER--MALE----	22	11	1	1	1	-	-	1	-	-	1	-
FEMALE--	26	14	3	1	-	-	1	-	-	1	-	-
BLACK---MALE----	6	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	7	4	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,593

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	13	25	61	77	135	210	243	177	97	27	4	-
WHITE-----MALE----	5	13	42	46	88	120	136	90	35	6	-	-
FEMALE--	8	11	15	24	35	81	99	79	59	17	3	-
ALL OTHER--MALE----	-	1	2	4	7	8	4	5	1	1	1	-
FEMALE--	-	-	2	3	5	1	4	3	2	3	-	-
BLACK---MALE----	-	1	1	2	6	8	4	4	1	1	1	-
FEMALE--	-	-	2	2	4	1	4	1	2	1	-	-
ALABAMA -----	-	-	1	1	6	7	7	1	2	1	-	-
WHITE-----MALE----	-	-	1	1	2	3	3	-	-	1	-	-
FEMALE--	-	-	-	-	2	3	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	2	3	4	6	6	1	-	1	-
WHITE-----MALE----	-	-	-	1	2	4	4	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	1	2	6	13	29	26	23	7	4	-	-
WHITE-----MALE----	2	1	1	4	7	17	15	12	2	-	-	-
FEMALE--	1	-	-	1	2	12	11	7	5	2	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	-	2	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,594

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
COLORADO -----	26	11	2	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	8	3	1	-	-	-	-	-	1	1	-	-
FEMALE--	16	7	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	21	8	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	4	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	3	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	126	35	5	1	3	1	2	1	1	2	2	1
WHITE-----MALE----	57	11	2	-	-	1	-	-	1	2	2	-
FEMALE--	53	15	2	-	1	-	1	1	-	-	-	1
ALL OTHER--MALE----	6	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	10	8	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	6	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	60	21	7	2	-	2	2	-	-	-	2	-
WHITE-----MALE----	24	5	2	-	-	-	2	-	-	-	2	-
FEMALE--	19	8	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	4	1	1	-	1	-	-	-	-	-	-
FEMALE--	8	4	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	8	3	1	1	-	1	-	-	-	-	-	-
FEMALE--	8	4	2	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,594

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	2	1	3	-	1	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	1	1	1	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	1	1	1	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	2	-	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	6	6	8	9	20	11	8	3	-	-
WHITE-----MALE----	-	1	5	3	3	5	11	6	4	-	-	-
FEMALE--	-	-	-	3	5	4	9	5	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	1	3	2	2	3	4	4	3	-	-	-
WHITE-----MALE----	2	1	2	1	-	2	1	1	3	-	-	-
FEMALE--	-	-	1	1	-	1	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,600

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
SOUTH DAKOTA -----	3	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	13	2	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	17	6	1	-	-	1	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	1	-	-	-	-	-	-	-	-
TEXAS -----	160	73	12	5	2	1	2	1	-	1	1	1
WHITE-----MALE----	60	23	3	2	-	-	-	-	-	-	1	1
FEMALE--	75	38	4	2	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	11	4	2	1	-	-	-	-	-	-	-	-
FEMALE--	14	8	3	-	-	-	1	-	-	1	-	-
BLACK---MALE----	10	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	11	7	1	-	-	-	1	-	-	1	-	-
UTAH -----	21	11	5	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	10	6	2	-	-	1	-	-	-	-	-	-
FEMALE--	10	5	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	4	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	55	19	2	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	22	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	4	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	6	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	4	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	9	5	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	3	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,600

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	1	-	2	2	2	-	3	1	-	-
WHITE-----MALE----	1	1	-	-	2	2	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	-	1	5	2	3	21	10	13	4	2	-	-
WHITE-----MALE----	-	1	4	1	3	6	7	7	-	1	-	-
FEMALE--	-	-	1	1	-	12	2	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
UTAH -----	-	1	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	4	1	3	2	6	7	5	4	-	-	-
WHITE-----MALE----	-	3	1	3	1	4	2	1	2	-	-	-
FEMALE--	-	1	-	-	-	2	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,602

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
UNITED STATES --	3,700	1,760	238	85	88	128	108	104	114	137	126	88
WHITE-----MALE----	1,580	765	97	37	34	58	44	52	55	58	53	42
FEMALE--	1,421	624	76	24	28	32	34	34	36	62	51	33
ALL OTHER--MALE----	373	196	32	12	12	26	19	13	15	11	8	9
FEMALE--	326	175	33	12	14	12	11	5	8	6	14	4
BLACK---MALE----	307	169	23	9	7	22	16	9	13	10	6	8
FEMALE--	267	139	26	11	12	12	8	5	6	5	14	4
ALABAMA -----	51	34	2	2	1	-	-	-	1	-	3	-
WHITE-----MALE----	15	7	1	-	1	-	-	-	1	-	1	-
FEMALE--	19	14	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	7	5	-	2	-	-	-	-	-	-	-	-
FEMALE--	10	8	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	5	-	1	-	-	-	-	-	-	-	-
FEMALE--	10	8	1	-	-	-	-	-	-	-	-	-
ALASKA -----	10	4	2	-	-	-	1	2	1	-	-	-
WHITE-----MALE----	4	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	66	33	8	-	2	1	1	3	1	3	1	2
WHITE-----MALE----	30	12	7	-	1	-	-	1	-	2	-	2
FEMALE--	33	20	1	-	1	1	1	2	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	42	20	-	-	2	4	1	1	-	1	-	-
WHITE-----MALE----	19	9	-	-	-	3	-	-	-	1	-	-
FEMALE--	13	4	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	3	-	-	-	1	1	-	-	-	-	-
FEMALE--	5	4	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	3	-	-	-	1	1	-	-	-	-	-
FEMALE--	5	4	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	439	221	41	11	9	16	14	11	11	14	8	10
WHITE-----MALE----	183	86	14	6	2	10	7	7	5	6	4	2
FEMALE--	181	96	17	3	3	3	3	4	4	5	3	8
ALL OTHER--MALE----	35	14	7	-	3	2	3	-	1	3	-	-
FEMALE--	40	25	3	2	1	1	1	-	1	-	1	-
BLACK---MALE----	18	8	4	-	1	-	2	-	-	3	-	-
FEMALE--	21	13	1	2	1	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,602

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CONGENITAL ANOMALIES OF HEART (745-746)												
UNITED STATES --	81	80	49	73	82	110	102	81	49	16	1	-
WHITE-----MALE----	41	37	25	23	32	47	36	27	17	-	-	-
FEMALE--	28	36	21	43	47	56	58	52	30	15	1	-
ALL OTHER--MALE----	5	3	-	3	1	2	4	1	1	-	-	-
FEMALE--	7	4	3	4	2	5	4	1	1	1	-	-
BLACK---MALE----	3	3	-	2	1	1	3	1	1	-	-	-
FEMALE--	6	1	2	4	1	5	3	1	1	1	-	-
ALABAMA -----	1	-	-	-	-	3	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	1	1	-	2	1	2	-	-	-	-
WHITE-----MALE----	1	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	2	2	2	2	1	2	-	-	-
WHITE-----MALE----	-	1	1	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	11	9	9	7	6	10	12	5	2	2	-	-
WHITE-----MALE----	8	3	4	2	2	5	5	3	2	-	-	-
FEMALE--	1	4	5	4	4	4	6	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,603

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
COLORADO -----	47	27	4	1	2	2	2	1	-	5	-	-
WHITE-----MALE----	21	15	1	-	1	-	1	1	-	-	-	-
FEMALE--	21	11	2	-	1	1	1	-	-	4	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	-	-	-	-	1	-	-
CONNECTICUT -----	46	23	1	1	1	1	-	1	2	-	2	-
WHITE-----MALE----	25	12	1	-	1	1	-	-	2	-	1	-
FEMALE--	16	6	-	1	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	3	3	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	4	1	-	-	1	1	-	2	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	-
FLORIDA -----	185	71	13	7	6	5	3	4	8	7	10	5
WHITE-----MALE----	67	30	3	1	1	-	-	4	1	3	6	2
FEMALE--	73	25	4	1	2	1	2	-	2	4	2	2
ALL OTHER--MALE----	22	9	2	1	2	3	1	-	2	-	-	1
FEMALE--	23	7	4	4	1	1	-	-	3	-	2	-
BLACK---MALE----	22	9	2	1	2	3	1	-	2	-	-	1
FEMALE--	20	5	4	4	1	1	-	-	3	-	2	-
GEORGIA -----	100	57	7	3	1	4	2	2	4	2	5	1
WHITE-----MALE----	33	16	4	-	-	-	1	-	3	1	3	1
FEMALE--	34	21	-	1	-	1	-	-	1	1	2	-
ALL OTHER--MALE----	23	14	1	2	-	2	1	2	-	-	-	-
FEMALE--	10	6	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	23	14	1	2	-	2	1	2	-	-	-	-
FEMALE--	10	6	2	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
KENTUCKY -----	49	26	3	2	3	2	2	-	-	1	-	2
WHITE-----MALE----	27	16	1	1	2	2	2	-	-	1	-	1
FEMALE--	20	10	2	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
LOUISIANA -----	75	39	4	2	1	4	3	4	5	1	2	1
WHITE-----MALE----	22	13	2	-	-	-	-	1	2	1	1	-
FEMALE--	21	11	1	1	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	20	9	-	1	-	2	1	2	2	-	-	1
FEMALE--	12	6	1	-	-	1	1	1	-	-	1	-
BLACK---MALE----	20	9	-	1	-	2	1	2	2	-	-	1
FEMALE--	12	6	1	-	-	1	1	1	-	-	1	-