



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,228

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
MINNESOTA -----	15	9	14	29	60	107	152	163	130	58	10	-
WHITE-----MALE----	7	3	8	11	26	61	69	68	43	16	-	-
FEMALE--	6	4	4	16	32	45	80	90	85	41	10	-
ALL OTHER--MALE----	2	2	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	2	1	1	1	2	3	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	3	1	1	-	-
MISSISSIPPI -----	17	29	39	42	94	93	148	131	90	39	10	-
WHITE-----MALE----	4	8	6	12	24	33	30	39	13	8	1	-
FEMALE--	5	5	13	8	25	21	65	47	40	16	4	-
ALL OTHER--MALE----	6	10	13	11	18	7	16	18	10	4	3	-
FEMALE--	2	6	7	11	27	32	37	27	27	11	2	-
BLACK---MALE----	4	10	13	11	18	7	16	18	10	4	3	-
FEMALE--	2	6	7	11	27	32	37	27	27	11	1	-
MISSOURI -----	11	18	40	67	122	147	215	223	156	64	20	-
WHITE-----MALE----	6	8	16	23	54	64	95	71	44	12	2	-
FEMALE--	2	8	14	30	49	68	100	132	100	47	17	-
ALL OTHER--MALE----	-	-	5	4	4	6	7	4	4	2	1	-
FEMALE--	3	2	5	10	15	9	13	16	8	3	-	-
BLACK---MALE----	-	-	5	4	4	6	7	4	4	2	1	-
FEMALE--	3	2	5	10	14	9	13	15	8	3	-	-
MONTANA -----	1	4	3	6	15	30	21	31	18	8	-	-
WHITE-----MALE----	1	2	1	2	5	15	10	14	8	1	-	-
FEMALE--	-	1	1	3	8	13	11	17	10	7	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	7	3	13	25	31	42	56	45	17	8	-
WHITE-----MALE----	1	5	1	4	10	15	22	27	14	5	2	-
FEMALE--	-	-	2	8	11	15	19	27	30	12	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	3	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	-	1	2	1	-	-	-
NEVADA -----	14	15	14	39	45	56	54	38	21	11	2	-
WHITE-----MALE----	8	5	5	20	19	26	22	18	6	3	-	-
FEMALE--	3	6	7	17	20	24	27	17	15	7	2	-
ALL OTHER--MALE----	1	2	2	1	4	4	3	1	-	-	-	-
FEMALE--	2	2	-	1	2	2	2	2	-	1	-	-
BLACK---MALE----	1	1	1	1	2	4	3	1	-	-	-	-
FEMALE--	1	2	-	1	1	1	1	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,229

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
NEW HAMPSHIRE -----	4	1	2	10	10	22	23	23	25	7	2	-
WHITE-----MALE----	1	1	-	5	8	7	13	12	6	3	1	-
FEMALE--	3	-	2	5	2	15	10	11	19	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	39	40	73	113	174	279	358	305	231	71	11	-
WHITE-----MALE----	16	15	32	43	71	130	147	122	81	17	3	-
FEMALE--	12	13	16	34	63	111	188	156	132	45	7	-
ALL OTHER--MALE----	4	6	14	16	22	15	12	14	5	4	-	-
FEMALE--	7	6	11	20	18	23	11	13	13	5	1	-
BLACK---MALE----	4	6	14	15	21	13	12	12	5	4	-	-
FEMALE--	7	6	11	19	17	23	8	13	13	5	1	-
NEW MEXICO -----	3	4	5	16	27	29	54	43	33	9	3	-
WHITE-----MALE----	2	-	-	7	13	13	23	21	13	3	-	-
FEMALE--	-	3	5	7	12	14	27	18	17	5	3	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	3	4	3	1	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
NEW YORK -----	60	89	131	216	324	476	519	559	369	137	28	-
WHITE-----MALE----	20	30	51	94	122	189	220	208	114	37	7	-
FEMALE--	13	15	37	70	131	187	231	298	233	86	19	-
ALL OTHER--MALE----	16	24	24	19	31	45	20	16	7	3	-	-
FEMALE--	11	20	19	33	40	55	48	37	15	11	2	-
BLACK---MALE----	13	23	20	17	27	37	19	13	5	3	-	-
FEMALE--	11	19	17	32	34	50	44	34	14	11	2	-
NORTH CAROLINA -----	30	50	67	108	171	240	278	265	181	50	14	-
WHITE-----MALE----	7	15	22	37	51	81	92	55	32	15	5	-
FEMALE--	8	10	17	26	49	81	112	142	104	26	4	-
ALL OTHER--MALE----	5	12	17	22	36	36	29	21	11	4	-	-
FEMALE--	10	13	11	23	35	42	45	47	34	5	5	-
BLACK---MALE----	5	12	16	22	34	35	29	20	9	4	-	-
FEMALE--	10	12	10	22	34	40	45	46	33	5	5	-
NORTH DAKOTA -----	-	1	2	6	15	14	24	27	19	7	5	-
WHITE-----MALE----	-	1	2	4	7	5	11	14	6	1	3	-
FEMALE--	-	-	-	2	7	9	12	13	13	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,230

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
OHIO -----	2,270	2	1	-	1	-	3	4	5	5	18	28
WHITE-----MALE----	826	1	-	-	-	-	2	3	2	4	1	14
FEMALE--	1,121	1	-	-	-	-	-	1	2	1	9	7
ALL OTHER--MALE----	136	-	-	-	1	-	-	-	1	-	6	2
FEMALE--	187	-	1	-	-	-	1	-	-	-	2	5
BLACK---MALE----	135	-	-	-	1	-	-	-	1	-	6	1
FEMALE--	183	-	1	-	-	-	1	-	-	-	2	4
OKLAHOMA -----	758	2	-	-	1	-	2	2	3	1	9	14
WHITE-----MALE----	266	-	-	-	1	-	-	-	1	1	2	5
FEMALE--	377	-	-	-	-	-	-	1	2	-	4	5
ALL OTHER--MALE----	52	2	-	-	-	-	-	-	-	-	2	4
FEMALE--	63	-	-	-	-	-	2	1	-	-	1	-
BLACK---MALE----	30	2	-	-	-	-	-	-	-	-	1	2
FEMALE--	37	-	-	-	-	-	1	-	-	-	1	-
OREGON -----	414	-	-	1	-	-	1	-	2	1	3	2
WHITE-----MALE----	194	-	-	1	-	-	1	-	2	-	1	1
FEMALE--	203	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,098	5	1	1	1	2	2	1	9	18	23	49
WHITE-----MALE----	1,176	3	-	1	1	1	1	-	4	6	7	19
FEMALE--	1,562	1	-	-	-	-	1	-	4	2	8	16
ALL OTHER--MALE----	159	-	1	-	-	1	-	1	-	8	8	7
FEMALE--	201	1	-	-	-	-	-	-	1	2	-	7
BLACK---MALE----	156	-	1	-	-	1	-	1	-	8	8	7
FEMALE--	198	-	-	-	-	-	-	-	1	2	-	7
RHODE ISLAND -----	179	-	-	-	-	-	-	-	-	-	2	4
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	97	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	799	6	-	-	-	1	1	1	4	4	16	20
WHITE-----MALE----	202	-	-	-	-	-	-	-	2	-	3	4
FEMALE--	273	1	-	-	-	-	-	-	-	3	3	-
ALL OTHER--MALE----	151	4	-	-	-	1	-	-	1	-	7	8
FEMALE--	173	1	-	-	-	-	1	1	1	1	3	8
BLACK---MALE----	151	4	-	-	-	1	-	-	1	-	7	8
FEMALE--	171	1	-	-	-	-	1	1	1	1	3	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,230  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
OHIO -----	36	57	87	160	238	386	423	428	266	101	21	-
WHITE-----MALE----	12	21	31	69	94	146	164	160	74	23	5	-
FEMALE--	17	17	35	55	97	187	218	225	163	72	14	-
ALL OTHER--MALE----	4	10	11	20	21	26	12	12	9	1	-	-
FEMALE--	3	9	10	16	26	27	29	31	20	5	2	-
BLACK---MALE----	4	10	11	20	21	26	12	12	9	1	-	-
FEMALE--	3	9	9	15	26	26	29	31	20	5	2	-
OKLAHOMA -----	6	14	25	46	71	118	117	161	102	51	13	-
WHITE-----MALE----	-	4	11	12	32	39	57	60	27	10	4	-
FEMALE--	2	5	13	22	24	60	50	81	64	35	9	-
ALL OTHER--MALE----	3	2	1	6	8	8	2	7	3	4	-	-
FEMALE--	1	3	-	6	7	11	8	13	8	2	-	-
BLACK---MALE----	2	2	-	3	6	3	1	4	2	2	-	-
FEMALE--	1	1	-	2	4	7	5	8	6	1	-	-
OREGON -----	7	9	9	21	37	55	83	92	57	26	8	-
WHITE-----MALE----	5	4	3	11	20	34	47	37	18	5	4	-
FEMALE--	2	5	6	7	15	18	33	54	37	19	4	-
ALL OTHER--MALE----	-	-	-	2	2	3	3	1	1	2	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	-	1	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	49	60	85	195	361	503	644	574	346	140	29	-
WHITE-----MALE----	17	23	25	91	172	203	276	191	96	35	4	-
FEMALE--	16	16	35	67	137	245	315	351	231	97	20	-
ALL OTHER--MALE----	10	15	12	14	18	20	24	12	7	1	-	-
FEMALE--	6	6	13	23	34	35	29	20	12	7	5	-
BLACK---MALE----	10	15	11	14	18	20	23	12	6	1	-	-
FEMALE--	6	6	13	22	34	34	29	20	12	7	5	-
RHODE ISLAND -----	2	5	1	8	14	32	46	41	19	5	-	-
WHITE-----MALE----	1	2	1	2	6	18	21	10	5	1	-	-
FEMALE--	1	1	-	4	5	12	24	30	13	4	-	-
ALL OTHER--MALE----	-	2	-	1	1	2	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
SOUTH CAROLINA -----	26	27	53	58	109	106	133	128	73	28	5	-
WHITE-----MALE----	9	5	9	17	30	34	38	25	21	4	1	-
FEMALE--	2	4	18	14	30	34	51	63	33	16	1	-
ALL OTHER--MALE----	8	12	12	14	19	19	19	14	9	3	1	-
FEMALE--	7	6	14	13	30	19	25	26	10	5	2	-
BLACK---MALE----	8	12	12	14	19	19	19	14	9	3	1	-
FEMALE--	7	6	14	13	29	19	24	26	10	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,231

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
SOUTH DAKOTA -----	137	1	-	-	-	-	-	1	1	2	1	-
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	75	1	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,059	5	-	-	1	1	6	2	1	11	8	15
WHITE-----MALE----	307	1	-	-	-	-	2	-	1	2	1	3
FEMALE--	503	2	-	-	1	1	2	1	-	1	3	4
ALL OTHER--MALE----	101	1	-	-	-	-	1	-	-	1	2	5
FEMALE--	148	1	-	-	-	-	1	1	-	7	2	3
BLACK---MALE----	100	1	-	-	-	-	1	-	-	1	2	4
FEMALE--	145	1	-	-	-	-	1	1	-	7	2	3
TEXAS -----	2,508	14	2	-	1	2	3	8	10	21	29	49
WHITE-----MALE----	860	4	1	-	1	1	1	1	-	9	13	21
FEMALE--	1,215	7	1	-	-	-	1	6	6	8	4	14
ALL OTHER--MALE----	191	-	-	-	-	-	-	-	3	1	10	6
FEMALE--	242	3	-	-	-	1	1	1	1	3	2	8
BLACK---MALE----	185	-	-	-	-	-	-	-	3	1	10	6
FEMALE--	228	2	-	-	-	1	1	-	1	3	2	7
UTAH -----	215	-	1	-	-	-	-	1	1	3	2	3
WHITE-----MALE----	96	-	1	-	-	-	-	1	1	2	-	2
FEMALE--	109	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	79	-	1	-	-	-	-	-	2	1	-	1
WHITE-----MALE----	45	-	1	-	-	-	-	-	1	1	-	1
FEMALE--	33	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,354	4	1	-	-	3	2	5	5	13	12	21
WHITE-----MALE----	390	1	1	-	-	-	-	1	1	4	1	5
FEMALE--	516	2	-	-	-	1	-	1	1	2	-	4
ALL OTHER--MALE----	195	1	-	-	-	1	1	1	3	5	5	10
FEMALE--	253	-	-	-	-	1	1	2	-	2	6	2
BLACK---MALE----	192	1	-	-	-	1	1	1	3	5	5	10
FEMALE--	245	-	-	-	-	1	1	2	-	2	6	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,231

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
SOUTH DAKOTA -----	1	2	2	3	10	13	29	39	21	8	3	-
WHITE-----MALE----	-	-	1	-	3	7	12	20	7	5	1	-
FEMALE--	1	1	1	3	7	4	17	19	14	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	44	48	61	121	151	210	183	121	41	12	1
WHITE-----MALE----	3	14	13	22	41	46	72	56	24	5	1	-
FEMALE--	6	14	19	15	44	71	102	94	84	29	10	-
ALL OTHER--MALE----	2	7	7	8	11	18	18	16	2	1	-	1
FEMALE--	5	9	9	16	25	16	18	17	11	6	1	-
BLACK---MALE----	2	7	7	8	11	18	18	16	2	1	-	1
FEMALE--	5	9	9	15	24	16	17	17	11	6	1	-
TEXAS -----	55	68	88	154	254	339	407	460	372	146	26	-
WHITE-----MALE----	17	24	35	55	112	143	139	140	104	35	4	-
FEMALE--	23	21	31	55	94	140	211	266	220	93	14	-
ALL OTHER--MALE----	6	11	14	25	23	26	22	21	16	5	2	-
FEMALE--	9	12	8	19	25	30	35	33	32	13	6	-
BLACK---MALE----	6	11	14	25	22	25	22	18	15	5	2	-
FEMALE--	9	11	8	17	22	29	34	30	32	13	6	-
UTAH -----	1	9	5	8	23	35	41	53	22	7	-	-
WHITE-----MALE----	1	4	3	6	9	16	15	26	9	-	-	-
FEMALE--	-	3	2	2	9	17	26	26	13	7	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
VERMONT -----	1	2	5	6	4	15	10	14	10	6	1	-
WHITE-----MALE----	-	2	3	2	-	11	8	9	3	3	-	-
FEMALE--	1	-	2	3	4	4	2	5	7	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	32	43	58	94	151	214	269	231	124	59	13	-
WHITE-----MALE----	6	16	18	29	47	63	87	68	25	16	1	-
FEMALE--	5	9	14	26	39	75	111	116	75	29	6	-
ALL OTHER--MALE----	13	8	16	14	23	30	32	15	9	7	1	-
FEMALE--	8	10	10	25	42	46	39	32	15	7	5	-
BLACK---MALE----	13	8	16	13	23	30	30	15	9	7	1	-
FEMALE--	8	10	10	25	41	45	35	32	14	6	5	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,233

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
UNITED STATES --	47,446	159	22	13	11	30	49	99	166	303	459	728
WHITE-----MALE----	16,604	52	9	6	5	9	12	27	49	92	152	254
FEMALE--	22,032	52	4	4	5	6	19	29	50	77	95	161
ALL OTHER--MALE----	3,764	28	5	1	1	8	8	22	36	73	135	195
FEMALE--	5,046	27	4	2	-	7	10	21	31	61	77	118
BLACK---MALE----	3,407	27	5	1	1	8	7	20	34	69	127	178
FEMALE--	4,582	21	4	2	-	7	9	17	28	58	71	110
ALABAMA -----	1,152	1	1	-	1	1	2	4	4	13	19	10
WHITE-----MALE----	352	-	-	-	-	1	1	2	1	3	4	3
FEMALE--	426	1	-	-	1	-	-	-	1	3	2	2
ALL OTHER--MALE----	142	-	1	-	-	-	1	-	-	4	7	2
FEMALE--	232	-	-	-	-	-	-	2	2	3	6	3
BLACK---MALE----	142	-	1	-	-	-	1	-	-	4	7	2
FEMALE--	231	-	-	-	-	-	-	2	2	3	5	3
ALASKA -----	20	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	680	1	-	-	-	-	1	1	2	7	7	13
WHITE-----MALE----	290	1	-	-	-	-	1	1	1	3	3	4
FEMALE--	320	-	-	-	-	-	-	-	-	1	3	7
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	43	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	1
ARKANSAS -----	626	5	1	-	-	-	-	-	2	5	3	12
WHITE-----MALE----	202	3	-	-	-	-	-	-	-	1	2	6
FEMALE--	296	-	1	-	-	-	-	-	1	2	-	4
ALL OTHER--MALE----	56	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	72	1	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	55	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	72	1	-	-	-	-	-	-	1	1	-	1
CALIFORNIA -----	3,588	24	2	2	-	5	7	10	15	22	34	64
WHITE-----MALE----	1,140	5	2	1	-	3	2	4	4	5	17	19
FEMALE--	1,844	11	-	-	-	1	4	3	6	8	6	17
ALL OTHER--MALE----	258	5	-	1	-	1	1	2	2	5	9	16
FEMALE--	346	3	-	-	-	-	-	1	3	4	2	12
BLACK---MALE----	162	4	-	1	-	1	-	1	2	4	8	12
FEMALE--	187	3	-	-	-	-	-	-	2	2	2	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,233

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
UNITED STATES --	900	1,253	1,788	2,953	5,079	7,159	8,894	8,772	5,859	2,237	513	-
WHITE-----MALE----	316	410	617	1,135	1,985	2,837	3,453	2,962	1,626	510	86	-
FEMALE--	243	362	587	1,016	1,923	3,043	4,241	4,737	3,587	1,456	335	-
ALL OTHER--MALE----	174	257	298	359	480	547	465	373	197	79	23	-
FEMALE--	167	224	286	443	691	732	735	700	449	192	69	-
BLACK---MALE----	153	238	281	333	428	498	411	326	175	66	21	-
FEMALE--	155	203	259	402	626	662	655	629	421	181	62	-
ALABAMA -----	20	25	46	84	139	154	212	218	131	52	15	-
WHITE-----MALE----	7	9	16	35	49	55	74	47	32	10	3	-
FEMALE--	2	5	12	22	40	51	89	105	63	24	3	-
ALL OTHER--MALE----	7	7	7	13	15	18	15	24	11	4	6	-
FEMALE--	4	4	11	14	35	30	34	42	25	14	3	-
BLACK---MALE----	7	7	7	13	15	18	15	24	11	4	6	-
FEMALE--	4	4	11	14	35	30	34	42	25	14	3	-
ALASKA -----	1	-	-	3	4	4	3	2	2	-	-	-
WHITE-----MALE----	1	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	21	36	44	92	103	135	113	66	18	5	-
WHITE-----MALE----	6	11	12	20	47	48	58	49	20	4	1	-
FEMALE--	7	6	12	18	38	51	67	56	42	10	2	-
ALL OTHER--MALE----	1	2	2	1	2	-	5	5	3	2	1	-
FEMALE--	1	2	10	5	5	4	5	3	1	2	1	-
BLACK---MALE----	-	-	1	1	1	-	2	2	-	-	-	-
FEMALE--	1	-	2	1	1	2	-	2	-	1	-	-
ARKANSAS -----	8	13	30	34	58	91	135	123	77	23	6	-
WHITE-----MALE----	3	3	12	14	26	28	44	41	15	2	2	-
FEMALE--	2	5	9	11	21	37	68	66	47	19	3	-
ALL OTHER--MALE----	1	3	6	3	3	10	11	7	8	-	-	-
FEMALE--	2	2	3	6	8	16	12	9	7	2	1	-
BLACK---MALE----	1	2	6	3	3	10	11	7	8	-	-	-
FEMALE--	2	2	3	6	8	16	12	9	7	2	1	-
CALIFORNIA -----	77	83	132	227	372	502	697	669	428	175	41	-
WHITE-----MALE----	34	26	42	84	131	168	230	226	96	40	1	-
FEMALE--	24	27	60	94	163	248	363	361	295	117	36	-
ALL OTHER--MALE----	8	15	10	16	36	36	47	25	14	8	1	-
FEMALE--	11	15	20	33	42	50	57	57	23	10	3	-
BLACK---MALE----	5	11	8	11	21	29	21	12	8	3	-	-
FEMALE--	4	11	13	19	22	26	27	30	11	7	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,234

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
COLORADO -----	473	4	-	-	-	-	1	3	2	2	4	8
WHITE-----MALE----	211	1	-	-	-	-	-	1	1	1	3	5
FEMALE--	239	1	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	8	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	15	1	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	7	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	1	1
CONNECTICUT -----	611	-	1	-	-	-	-	2	1	1	7	8
WHITE-----MALE----	244	-	-	-	-	-	-	1	-	-	3	4
FEMALE--	311	-	1	-	-	-	-	1	-	1	1	4
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	29	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	1	-	2	-
DELAWARE -----	154	1	-	-	-	-	-	1	1	1	1	2
WHITE-----MALE----	53	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	182	-	1	-	-	-	-	1	2	2	-	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	86	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	64	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	86	-	1	-	-	-	-	-	-	1	-	-
FLORIDA -----	2,437	11	2	3	-	2	3	4	6	18	30	33
WHITE-----MALE----	1,019	3	1	1	-	-	-	1	2	6	19	12
FEMALE--	1,046	2	-	1	-	-	2	1	1	4	2	10
ALL OTHER--MALE----	162	2	1	-	-	1	-	2	2	4	4	10
FEMALE--	210	4	-	1	-	1	1	-	1	4	5	1
BLACK---MALE----	157	2	1	-	-	1	-	2	2	4	4	10
FEMALE--	205	4	-	1	-	1	1	-	1	4	5	-
GEORGIA -----	1,434	7	1	1	1	2	-	2	8	13	20	37
WHITE-----MALE----	364	3	-	-	-	-	-	-	2	4	7	6
FEMALE--	497	-	-	-	1	1	-	-	3	-	1	6
ALL OTHER--MALE----	204	1	1	-	-	-	-	1	2	4	7	16
FEMALE--	369	3	-	1	-	1	-	1	1	5	5	9
BLACK---MALE----	203	1	1	-	-	-	-	1	2	4	7	16
FEMALE--	366	3	-	1	-	1	-	1	1	5	5	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,234

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
COLORADO -----	13	9	12	20	40	73	91	106	49	27	9	-
WHITE-----MALE----	5	3	6	11	21	38	40	48	21	6	-	-
FEMALE--	4	6	5	9	17	30	48	57	28	21	8	-
ALL OTHER--MALE----	2	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	2	-	1	-	2	2	2	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	2	1	-	-	1	-
CONNECTICUT -----	12	16	21	34	72	101	113	113	72	32	5	-
WHITE-----MALE----	5	5	9	13	34	35	51	44	31	8	1	-
FEMALE--	3	6	7	14	25	55	61	64	40	24	4	-
ALL OTHER--MALE----	2	1	2	5	7	6	1	2	-	-	-	-
FEMALE--	2	4	3	2	6	5	-	3	1	-	-	-
BLACK---MALE----	2	1	2	5	7	6	1	2	-	-	-	-
FEMALE--	2	4	2	2	6	5	-	3	1	-	-	-
DELAWARE -----	-	4	7	7	18	34	31	27	15	2	2	-
WHITE-----MALE----	-	-	-	3	10	15	12	6	5	1	-	-
FEMALE--	-	2	3	4	3	11	12	12	8	-	2	-
ALL OTHER--MALE----	-	1	2	-	3	3	1	3	1	1	-	-
FEMALE--	-	1	2	-	2	5	6	6	1	-	-	-
BLACK---MALE----	-	1	2	-	3	3	1	3	1	1	-	-
FEMALE--	-	1	2	-	2	5	6	6	1	-	-	-
DISTRICT OF COLUMBIA ----	4	12	7	15	19	28	26	27	15	15	4	-
WHITE-----MALE----	-	-	-	1	-	2	3	2	1	1	-	-
FEMALE--	-	-	-	1	1	2	4	2	4	3	2	-
ALL OTHER--MALE----	4	7	2	7	9	11	8	8	3	-	-	-
FEMALE--	-	5	5	6	9	13	11	15	7	11	2	-
BLACK---MALE----	4	7	2	7	9	11	8	8	3	-	-	-
FEMALE--	-	5	5	6	9	13	11	15	7	11	2	-
FLORIDA -----	32	49	96	140	239	383	483	456	317	109	21	-
WHITE-----MALE----	15	19	39	56	100	179	227	190	110	35	4	-
FEMALE--	4	14	28	45	90	143	212	229	181	65	12	-
ALL OTHER--MALE----	6	10	14	18	17	22	21	17	7	3	1	-
FEMALE--	7	6	15	21	32	39	23	20	19	6	4	-
BLACK---MALE----	5	9	14	18	15	22	20	17	7	3	1	-
FEMALE--	7	6	15	21	32	37	23	18	19	6	4	-
GEORGIA -----	39	48	80	109	158	234	210	241	150	59	14	-
WHITE-----MALE----	10	13	20	30	47	86	50	48	28	8	2	-
FEMALE--	7	4	15	25	50	66	81	120	75	34	8	-
ALL OTHER--MALE----	12	17	17	24	19	28	28	14	9	3	1	-
FEMALE--	10	14	28	30	42	54	51	59	38	14	3	-
BLACK---MALE----	11	17	17	24	19	28	28	14	9	3	1	-
FEMALE--	10	14	28	30	42	54	50	57	38	14	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,235

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
HAWAII -----	161	2	-	-	-	-	-	-	2	-	3	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	61	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	147	1	-	-	-	-	-	-	3	1	1	1
WHITE-----MALE----	68	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	78	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,472	3	1	-	1	-	3	5	6	15	18	41
WHITE-----MALE----	867	1	-	-	-	-	-	-	2	3	6	20
FEMALE--	1,091	-	-	-	1	-	1	3	1	2	5	5
ALL OTHER--MALE----	224	2	-	-	-	-	2	2	3	5	4	12
FEMALE--	290	-	1	-	-	-	-	-	-	5	3	4
BLACK---MALE----	219	2	-	-	-	-	2	2	3	5	4	12
FEMALE--	279	-	1	-	-	-	-	-	-	5	3	4
INDIANA -----	1,234	4	-	-	-	1	2	1	4	4	13	12
WHITE-----MALE----	467	2	-	-	-	-	-	-	1	2	4	5
FEMALE--	631	2	-	-	-	-	1	1	1	2	5	4
ALL OTHER--MALE----	53	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	83	-	-	-	-	1	-	-	1	-	2	1
BLACK---MALE----	52	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	83	-	-	-	-	1	-	-	1	-	2	1
IOWA -----	389	2	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	157	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	220	1	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	517	2	-	1	-	1	1	1	-	4	6	6
WHITE-----MALE----	207	-	-	1	-	-	-	-	-	-	3	1
FEMALE--	273	1	-	-	-	-	1	1	-	2	1	3
ALL OTHER--MALE----	19	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	18	1	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	17	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	17	1	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,235

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
HAWAII -----	2	10	7	12	21	26	25	25	15	8	1	-
WHITE-----MALE----	-	-	1	2	-	2	2	4	3	1	-	-
FEMALE--	-	-	2	1	1	4	3	1	3	-	1	-
ALL OTHER--MALE----	1	6	1	4	13	13	7	9	5	3	-	-
FEMALE--	1	4	3	5	7	7	13	11	4	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	3	14	14	17	22	39	21	6	1	-
WHITE-----MALE----	1	1	2	6	6	9	13	21	5	-	-	-
FEMALE--	-	1	1	8	8	8	9	18	16	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	46	84	94	130	288	364	493	442	322	97	19	-
WHITE-----MALE----	12	22	22	46	108	134	208	151	110	17	5	-
FEMALE--	14	26	31	43	104	156	214	231	178	65	11	-
ALL OTHER--MALE----	11	19	26	14	31	31	24	21	10	4	3	-
FEMALE--	9	17	15	27	45	43	47	39	24	11	-	-
BLACK---MALE----	11	19	25	14	31	31	21	20	10	4	3	-
FEMALE--	9	16	15	27	42	41	44	37	24	11	-	-
INDIANA -----	23	33	48	70	122	186	240	243	150	63	15	-
WHITE-----MALE----	17	15	24	34	43	78	99	78	42	22	1	-
FEMALE--	1	12	17	23	58	87	121	152	93	37	14	-
ALL OTHER--MALE----	1	3	2	5	8	10	11	3	4	-	-	-
FEMALE--	4	3	5	8	13	11	9	10	11	4	-	-
BLACK---MALE----	1	3	2	5	8	10	10	3	4	-	-	-
FEMALE--	4	3	5	8	13	11	9	10	11	4	-	-
IOWA -----	6	14	9	16	31	57	57	86	66	35	6	-
WHITE-----MALE----	4	5	5	6	16	28	24	33	26	8	-	-
FEMALE--	2	7	4	8	13	29	32	51	39	26	5	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	1	1	1	-	-
FEMALE--	-	1	-	2	1	-	-	1	-	-	1	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	2	1	-	-	1	-	-	1	-
KANSAS -----	6	9	14	24	42	73	96	103	88	31	9	-
WHITE-----MALE----	3	7	3	16	21	36	40	39	29	7	1	-
FEMALE--	2	1	9	7	17	30	52	59	56	23	8	-
ALL OTHER--MALE----	1	-	2	1	-	5	2	3	2	-	-	-
FEMALE--	-	1	-	-	4	2	2	2	1	1	-	-
BLACK---MALE----	1	-	2	1	-	5	2	1	2	-	-	-
FEMALE--	-	1	-	-	4	2	2	2	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,236

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
KENTUCKY -----	850	2	1	1	-	-	-	2	3	2	6	8
WHITE-----MALE----	309	1	-	-	-	-	-	1	1	2	4	3
FEMALE--	437	-	1	1	-	-	-	1	2	-	2	2
ALL OTHER--MALE----	40	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	40	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	1,117	4	-	-	-	-	3	6	14	17	24	
WHITE-----MALE----	271	2	-	-	-	-	-	-	-	2	1	10
FEMALE--	395	1	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	190	1	-	-	-	-	2	2	5	7	5	
FEMALE--	261	-	-	-	-	-	1	4	5	7	8	
BLACK---MALE----	189	1	-	-	-	-	2	2	5	7	5	
FEMALE--	259	-	-	-	-	-	1	4	5	7	8	
MAINE -----	266	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	117	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	147	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	894	3	-	-	-	1	1	2	5	10	19	17
WHITE-----MALE----	240	1	-	-	-	-	-	-	1	2	5	4
FEMALE--	348	-	-	-	-	-	1	-	1	2	-	3
ALL OTHER--MALE----	137	1	-	-	-	1	-	1	1	3	10	7
FEMALE--	169	1	-	-	-	-	-	1	2	3	4	3
BLACK---MALE----	133	1	-	-	-	1	-	1	1	3	10	7
FEMALE--	163	1	-	-	-	-	-	1	2	3	4	3
MASSACHUSETTS -----	1,421	5	2	-	-	-	-	-	7	7	9	11
WHITE-----MALE----	573	4	1	-	-	-	-	-	1	1	3	3
FEMALE--	759	1	-	-	-	-	-	-	4	5	4	6
ALL OTHER--MALE----	34	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	55	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	27	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	1	1	1	1
MICHIGAN -----	1,869	5	-	-	-	-	3	3	5	12	15	37
WHITE-----MALE----	627	3	-	-	-	-	-	1	1	6	4	8
FEMALE--	877	1	-	-	-	-	1	-	2	2	4	6
ALL OTHER--MALE----	173	-	-	-	-	-	1	-	2	1	5	9
FEMALE--	192	1	-	-	-	-	1	2	-	3	2	14
BLACK---MALE----	166	-	-	-	-	-	1	-	2	1	5	9
FEMALE--	189	-	-	-	-	-	1	2	-	3	2	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,236

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
KENTUCKY -----	20	24	32	54	111	125	147	152	110	40	10	-
WHITE-----MALE----	10	7	14	22	55	54	48	48	31	6	2	-
FEMALE--	5	8	8	22	48	57	80	92	69	32	7	-
ALL OTHER--MALE----	1	6	6	5	2	8	6	3	-	-	-	-
FEMALE--	4	3	4	5	6	6	13	9	10	2	1	-
BLACK---MALE----	1	6	6	5	2	8	6	3	-	-	-	-
FEMALE--	4	3	4	4	6	6	12	9	10	2	1	-
LOUISIANA -----	46	45	54	82	126	179	189	161	108	43	16	-
WHITE-----MALE----	8	6	9	20	38	54	57	34	15	12	3	-
FEMALE--	7	14	8	18	42	69	77	81	54	16	3	-
ALL OTHER--MALE----	12	12	21	22	24	25	19	20	7	4	2	-
FEMALE--	19	13	16	22	22	31	36	26	32	11	8	-
BLACK---MALE----	12	12	20	22	24	25	19	20	7	4	2	-
FEMALE--	18	13	16	22	22	30	36	26	32	11	8	-
MAINE -----	2	6	9	18	23	33	60	62	30	20	2	-
WHITE-----MALE----	1	2	5	6	16	17	29	29	8	3	-	-
FEMALE--	1	4	4	12	7	16	31	32	21	17	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	23	33	32	54	113	133	156	140	111	32	9	-
WHITE-----MALE----	4	8	9	11	34	44	48	39	26	3	1	-
FEMALE--	4	7	-	19	36	52	65	68	64	20	6	-
ALL OTHER--MALE----	8	8	12	14	15	18	17	10	9	2	-	-
FEMALE--	7	10	11	10	28	19	26	23	12	7	2	-
BLACK---MALE----	8	8	12	13	13	17	17	10	9	2	-	-
FEMALE--	7	10	11	10	28	17	26	20	11	7	2	-
MASSACHUSETTS -----	20	31	42	71	149	229	285	278	181	83	11	-
WHITE-----MALE----	8	17	25	32	73	102	119	105	59	17	3	-
FEMALE--	8	10	14	29	60	114	153	161	117	65	8	-
ALL OTHER--MALE----	1	1	2	6	7	4	4	4	1	-	-	-
FEMALE--	3	3	1	4	9	9	9	8	4	1	-	-
BLACK---MALE----	1	1	2	5	6	2	2	3	1	-	-	-
FEMALE--	3	3	1	3	8	6	8	4	4	1	-	-
MICHIGAN -----	34	45	78	113	177	295	364	352	220	87	24	-
WHITE-----MALE----	10	9	23	37	63	111	141	117	66	24	3	-
FEMALE--	11	16	27	44	70	126	178	189	132	53	15	-
ALL OTHER--MALE----	9	13	18	17	16	33	19	17	9	3	1	-
FEMALE--	4	7	10	15	28	25	26	29	13	7	5	-
BLACK---MALE----	7	13	17	16	16	31	18	17	9	3	1	-
FEMALE--	4	7	10	15	26	25	26	29	13	7	5	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,237

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
MINNESOTA -----	14	9	13	29	59	105	149	161	129	54	10	-
WHITE-----MALE----	6	3	8	11	26	59	67	66	42	15	-	-
FEMALE--	6	4	3	16	31	45	79	90	85	38	10	-
ALL OTHER--MALE----	2	2	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	2	1	1	1	2	3	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	3	1	1	1	-	-
MISSISSIPPI -----	17	29	38	42	94	92	145	130	89	38	10	-
WHITE-----MALE----	4	8	6	12	24	33	29	38	13	7	1	-
FEMALE--	5	5	13	8	25	20	64	47	40	16	4	-
ALL OTHER--MALE----	6	10	12	11	18	7	15	18	9	4	3	-
FEMALE--	2	6	7	11	27	32	37	27	27	11	2	-
BLACK---MALE----	4	10	12	11	18	7	15	18	9	4	3	-
FEMALE--	2	6	7	11	27	32	37	27	27	11	1	-
MISSOURI -----	10	18	38	65	122	147	209	221	156	63	19	-
WHITE-----MALE----	5	8	16	22	54	64	92	71	44	12	2	-
FEMALE--	2	8	12	29	49	68	98	130	100	46	17	-
ALL OTHER--MALE----	-	-	5	4	4	6	7	4	4	2	-	-
FEMALE--	3	2	5	10	15	9	12	16	8	3	-	-
BLACK---MALE----	-	-	5	4	4	6	7	4	4	2	-	-
FEMALE--	3	2	5	10	14	9	12	15	8	3	-	-
MONTANA -----	1	4	3	6	15	29	20	29	17	8	-	-
WHITE-----MALE----	1	2	1	2	5	14	9	13	8	1	-	-
FEMALE--	-	1	1	3	8	13	11	16	9	7	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	7	3	12	25	30	42	55	45	17	8	-
WHITE-----MALE----	1	5	1	4	10	14	22	26	14	5	2	-
FEMALE--	-	-	2	7	11	15	19	27	30	12	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	3	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	-	1	2	1	-	-	-
NEVADA -----	13	15	14	39	44	56	52	38	21	10	2	-
WHITE-----MALE----	8	5	5	20	18	26	22	18	6	3	-	-
FEMALE--	3	6	7	17	20	24	25	17	15	6	2	-
ALL OTHER--MALE----	-	2	2	1	4	4	3	1	-	-	-	-
FEMALE--	2	2	-	1	2	2	2	2	-	1	-	-
BLACK---MALE----	-	1	1	1	2	4	3	1	-	-	-	-
FEMALE--	1	2	-	1	1	1	1	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,238

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
NEW HAMPSHIRE -----	4	1	2	9	10	22	20	22	25	5	2	-
WHITE-----MALE----	1	1	-	5	8	7	11	11	6	1	1	-
FEMALE--	3	-	2	4	2	15	9	11	19	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	36	39	72	110	174	273	357	301	228	71	10	-
WHITE-----MALE----	16	15	32	41	71	128	146	120	78	17	2	-
FEMALE--	9	13	16	34	63	108	188	155	132	45	7	-
ALL OTHER--MALE----	4	5	14	16	22	15	12	13	5	4	-	-
FEMALE--	7	6	10	19	18	22	11	13	13	5	1	-
BLACK---MALE----	4	5	14	15	21	13	12	11	5	4	-	-
FEMALE--	7	6	10	18	17	22	8	13	13	5	1	-
NEW MEXICO -----	3	4	5	15	27	27	54	43	32	8	3	-
WHITE-----MALE----	2	-	-	7	13	11	23	21	12	2	-	-
FEMALE--	-	3	5	6	12	14	27	18	17	5	3	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	3	4	3	1	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
NEW YORK -----	60	86	128	214	322	467	515	546	359	134	28	-
WHITE-----MALE----	20	29	50	93	120	187	217	200	110	35	7	-
FEMALE--	13	15	36	70	131	185	231	293	227	85	19	-
ALL OTHER--MALE----	16	22	23	19	31	41	20	16	7	3	-	-
FEMALE--	11	20	19	32	40	54	47	37	15	11	2	-
BLACK---MALE----	13	21	19	17	27	33	19	13	5	3	-	-
FEMALE--	11	19	17	31	34	50	43	34	14	11	2	-
NORTH CAROLINA -----	30	49	66	108	169	237	272	262	178	50	14	-
WHITE-----MALE----	7	15	22	37	50	80	90	53	30	15	5	-
FEMALE--	8	10	17	26	49	81	110	141	104	26	4	-
ALL OTHER--MALE----	5	12	16	22	35	35	27	21	10	4	-	-
FEMALE--	10	12	11	23	35	41	45	47	34	5	5	-
BLACK---MALE----	5	12	15	22	33	34	27	20	9	4	-	-
FEMALE--	10	11	10	22	34	39	45	46	33	5	5	-
NORTH DAKOTA -----	-	1	2	6	14	13	22	25	19	7	5	-
WHITE-----MALE----	-	1	2	4	7	5	10	12	6	1	3	-
FEMALE--	-	-	-	2	6	8	11	13	13	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,239

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
OHIO -----	2,224	2	1	-	1	-	3	4	5	5	18	27
WHITE-----MALE----	803	1	-	-	-	-	2	3	2	4	1	14
FEMALE--	1,107	1	-	-	-	-	-	1	2	1	9	7
ALL OTHER--MALE----	130	-	-	-	1	-	-	-	1	-	6	2
FEMALE--	184	-	1	-	-	-	1	-	-	-	2	4
BLACK---MALE----	129	-	-	-	1	-	-	-	1	-	6	1
FEMALE--	181	-	1	-	-	-	1	-	-	-	2	4
OKLAHOMA -----	755	2	-	-	1	-	2	2	3	1	9	14
WHITE-----MALE----	264	-	-	-	1	-	-	-	1	1	2	5
FEMALE--	377	-	-	-	-	-	-	1	2	-	4	5
ALL OTHER--MALE----	51	2	-	-	-	-	-	-	-	-	2	4
FEMALE--	63	-	-	-	-	-	2	1	-	-	1	-
BLACK---MALE----	29	2	-	-	-	-	-	-	-	-	1	2
FEMALE--	37	-	-	-	-	-	1	-	-	-	1	-
OREGON -----	398	-	-	1	-	-	1	-	2	-	2	2
WHITE-----MALE----	185	-	-	1	-	-	1	-	2	-	1	1
FEMALE--	197	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,061	5	1	1	1	2	2	1	7	18	22	49
WHITE-----MALE----	1,157	3	-	1	1	1	1	-	4	6	7	19
FEMALE--	1,547	1	-	-	-	-	1	-	2	2	8	16
ALL OTHER--MALE----	158	-	1	-	-	1	-	1	-	8	7	7
FEMALE--	199	1	-	-	-	-	-	-	1	2	-	7
BLACK---MALE----	155	-	1	-	-	1	-	1	-	8	7	7
FEMALE--	196	-	-	-	-	-	-	-	1	2	-	7
RHODE ISLAND -----	175	-	-	-	-	-	-	-	-	-	2	4
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	96	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	781	6	-	-	-	1	1	1	4	4	15	20
WHITE-----MALE----	196	-	-	-	-	-	-	-	2	-	3	4
FEMALE--	266	1	-	-	-	-	-	-	-	3	2	-
ALL OTHER--MALE----	148	4	-	-	-	1	-	-	1	-	7	8
FEMALE--	171	1	-	-	-	-	1	1	1	1	3	8
BLACK---MALE----	148	4	-	-	-	1	-	-	1	-	7	8
FEMALE--	169	1	-	-	-	-	1	1	1	1	3	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,239

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
OHIO -----	35	56	84	157	235	380	414	419	258	99	21	-
WHITE-----MALE----	11	21	30	68	93	144	159	154	69	22	5	-
FEMALE--	17	17	34	54	95	186	215	223	160	71	14	-
ALL OTHER--MALE----	4	10	10	19	21	23	11	12	9	1	-	-
FEMALE--	3	8	10	16	26	27	29	30	20	5	2	-
BLACK---MALE----	4	10	10	19	21	23	11	12	9	1	-	-
FEMALE--	3	8	9	15	26	26	29	30	20	5	2	-
OKLAHOMA -----	6	13	25	46	71	117	117	161	101	51	13	-
WHITE-----MALE----	-	3	11	12	32	39	57	60	26	10	4	-
FEMALE--	2	5	13	22	24	60	50	81	64	35	9	-
ALL OTHER--MALE----	3	2	1	6	8	7	2	7	3	4	-	-
FEMALE--	1	3	-	6	7	11	8	13	8	2	-	-
BLACK---MALE----	2	2	-	3	6	2	1	4	2	2	-	-
FEMALE--	1	1	-	2	4	7	5	8	6	1	-	-
OREGON -----	7	9	8	21	36	54	78	90	55	24	8	-
WHITE-----MALE----	5	4	2	11	20	34	43	36	16	4	4	-
FEMALE--	2	5	6	7	14	17	33	53	37	18	4	-
ALL OTHER--MALE----	-	-	-	2	2	3	2	1	1	2	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	-	1	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	49	59	83	195	360	495	638	569	339	137	28	-
WHITE-----MALE----	17	23	24	91	172	199	273	187	91	33	4	-
FEMALE--	16	16	34	67	136	241	313	350	229	96	19	-
ALL OTHER--MALE----	10	15	12	14	18	20	24	12	7	1	-	-
FEMALE--	6	5	13	23	34	35	28	20	12	7	5	-
BLACK---MALE----	10	15	11	14	18	20	23	12	6	1	-	-
FEMALE--	6	5	13	22	34	34	28	20	12	7	5	-
RHODE ISLAND -----	1	5	1	8	13	32	45	40	19	5	-	-
WHITE-----MALE----	1	2	1	2	5	18	20	9	5	1	-	-
FEMALE--	-	1	-	4	5	12	24	30	13	4	-	-
ALL OTHER--MALE----	-	2	-	1	1	2	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
SOUTH CAROLINA -----	25	27	52	57	109	101	128	126	71	28	5	-
WHITE-----MALE----	8	5	9	17	30	33	36	25	19	4	1	-
FEMALE--	2	4	18	13	30	31	51	61	33	16	1	-
ALL OTHER--MALE----	8	12	12	14	19	18	17	14	9	3	1	-
FEMALE--	7	6	13	13	30	19	24	26	10	5	2	-
BLACK---MALE----	8	12	12	14	19	18	17	14	9	3	1	-
FEMALE--	7	6	13	13	29	19	23	26	10	5	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,240

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
SOUTH DAKOTA -----	135	1	-	-	-	-	-	1	1	2	1	-
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	73	1	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,031	5	-	-	1	1	5	2	1	11	8	15
WHITE-----MALE----	294	1	-	-	-	-	2	-	1	2	1	3
FEMALE--	496	2	-	-	1	1	2	1	-	1	3	4
ALL OTHER--MALE----	96	1	-	-	-	-	1	-	-	1	2	5
FEMALE--	145	1	-	-	-	-	-	1	-	7	2	3
BLACK---MALE----	95	1	-	-	-	-	1	-	-	1	2	4
FEMALE--	142	1	-	-	-	-	-	1	-	7	2	3
TEXAS -----	2,441	14	2	-	1	2	3	8	10	20	28	46
WHITE-----MALE----	819	4	1	-	1	1	1	1	-	9	13	19
FEMALE--	1,201	7	1	-	-	-	1	6	6	8	4	13
ALL OTHER--MALE----	183	-	-	-	-	-	-	-	3	1	9	6
FEMALE--	238	3	-	-	-	1	1	1	1	2	2	8
BLACK---MALE----	177	-	-	-	-	-	-	-	3	1	9	6
FEMALE--	224	2	-	-	-	1	1	-	1	2	2	7
UTAH -----	208	-	1	-	-	-	-	1	1	3	2	3
WHITE-----MALE----	91	-	1	-	-	-	-	1	1	2	-	2
FEMALE--	107	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	74	-	1	-	-	-	-	-	2	1	-	1
WHITE-----MALE----	41	-	1	-	-	-	-	-	1	1	-	1
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,337	4	1	-	-	3	2	5	5	13	12	20
WHITE-----MALE----	382	1	1	-	-	-	-	1	1	4	1	4
FEMALE--	512	2	-	-	-	1	-	1	1	2	-	4
ALL OTHER--MALE----	192	1	-	-	-	1	1	1	3	5	5	10
FEMALE--	251	-	-	-	-	1	1	2	-	2	6	2
BLACK---MALE----	189	1	-	-	-	1	1	1	3	5	5	10
FEMALE--	243	-	-	-	-	1	1	2	-	2	6	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,240

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
SOUTH DAKOTA -----	1	2	2	3	10	13	29	39	19	8	3	-
WHITE-----MALE----	-	-	1	-	3	7	12	20	7	5	1	-
FEMALE--	1	1	1	3	7	4	17	19	12	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	43	46	61	120	147	204	175	118	40	12	-
WHITE-----MALE----	3	14	13	22	40	44	69	52	21	5	1	-
FEMALE--	6	13	19	15	44	70	100	92	84	28	10	-
ALL OTHER--MALE----	2	7	6	8	11	17	18	14	2	1	-	-
FEMALE--	5	9	8	16	25	16	17	17	11	6	1	-
BLACK---MALE----	2	7	6	8	11	17	18	14	2	1	-	-
FEMALE--	5	9	8	15	24	16	16	17	11	6	1	-
TEXAS -----	55	65	85	152	247	325	398	445	366	143	26	-
WHITE-----MALE----	17	22	34	54	110	135	133	129	99	32	4	-
FEMALE--	23	20	29	55	91	137	209	264	220	93	14	-
ALL OTHER--MALE----	6	11	14	25	22	24	21	19	15	5	2	-
FEMALE--	9	12	8	18	24	29	35	33	32	13	6	-
BLACK---MALE----	6	11	14	25	21	23	21	16	14	5	2	-
FEMALE--	9	11	8	16	21	28	34	30	32	13	6	-
UTAH -----	1	9	5	7	22	33	40	52	22	6	-	-
WHITE-----MALE----	1	4	3	5	9	14	14	25	9	-	-	-
FEMALE--	-	3	2	2	8	17	26	26	13	6	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
VERMONT -----	1	2	5	6	4	13	10	12	9	6	1	-
WHITE-----MALE----	-	2	3	2	-	9	8	7	3	3	-	-
FEMALE--	1	-	2	3	4	4	2	5	6	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	30	43	58	94	147	213	264	228	124	58	13	-
WHITE-----MALE----	5	16	18	29	45	62	86	67	25	15	1	-
FEMALE--	5	9	14	26	38	75	108	116	75	29	6	-
ALL OTHER--MALE----	12	8	16	14	22	30	31	15	9	7	1	-
FEMALE--	8	10	10	25	42	46	39	30	15	7	5	-
BLACK---MALE----	12	8	16	13	22	30	29	15	9	7	1	-
FEMALE--	8	10	10	25	41	45	35	30	14	6	5	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,242

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
UNITED STATES --	26,182	138	12	12	8	17	26	52	97	177	259	422
WHITE-----MALE----	10,406	45	5	6	3	6	6	16	32	55	99	176
FEMALE--	10,963	44	2	3	4	2	13	12	29	43	53	83
ALL OTHER--MALE----	2,155	24	2	1	1	7	2	15	20	46	76	105
FEMALE--	2,658	25	3	2	-	2	5	9	16	33	31	58
BLACK---MALE----	1,929	23	2	1	1	7	1	14	20	43	71	96
FEMALE--	2,400	19	3	2	-	2	5	8	14	31	30	52
ALABAMA -----	690	1	1	-	1	1	1	3	2	6	11	9
WHITE-----MALE----	237	-	-	-	-	1	1	1	1	1	3	3
FEMALE--	239	1	-	-	1	-	-	-	1	1	1	2
ALL OTHER--MALE----	87	-	1	-	-	-	-	-	-	2	5	2
FEMALE--	127	-	-	-	-	-	-	2	-	2	2	2
BLACK---MALE----	87	-	1	-	-	-	-	-	-	2	5	2
FEMALE--	127	-	-	-	-	-	-	2	-	2	2	2
ALASKA -----	12	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	370	1	-	-	-	-	1	1	-	3	5	5
WHITE-----MALE----	179	1	-	-	-	-	1	1	-	2	3	2
FEMALE--	155	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	386	4	1	-	-	-	-	-	2	3	1	9
WHITE-----MALE----	129	3	-	-	-	-	-	-	-	-	1	4
FEMALE--	170	-	1	-	-	-	-	-	1	1	-	4
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	48	1	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	38	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	48	1	-	-	-	-	-	-	1	1	-	1
CALIFORNIA -----	1,295	20	1	2	-	3	5	3	10	8	21	27
WHITE-----MALE----	513	5	1	1	-	2	-	1	3	3	13	10
FEMALE--	528	9	-	-	-	-	4	-	3	3	2	5
ALL OTHER--MALE----	123	4	-	1	-	1	1	2	2	1	4	7
FEMALE--	131	2	-	-	-	-	-	-	2	1	2	5
BLACK---MALE----	69	3	-	1	-	1	-	1	2	1	3	6
FEMALE--	67	2	-	-	-	-	-	-	1	-	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,242  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
UNITED STATES --	510	745	1,067	1,753	3,025	4,113	4,945	4,611	2,901	1,050	242	-
WHITE-----MALE----	193	257	398	743	1,295	1,782	2,168	1,810	967	296	48	-
FEMALE--	137	210	337	611	1,073	1,614	2,138	2,205	1,602	605	143	-
ALL OTHER--MALE----	104	152	176	180	287	317	255	217	102	51	15	-
FEMALE--	76	126	156	219	370	400	384	379	230	98	36	-
BLACK---MALE----	88	139	169	165	244	282	223	187	97	43	13	-
FEMALE--	67	112	141	198	325	362	340	344	217	95	33	-
ALABAMA -----	12	13	26	50	90	101	132	118	71	32	9	-
WHITE-----MALE----	5	5	9	19	35	39	53	34	21	5	1	-
FEMALE--	1	3	8	14	25	30	52	53	30	14	2	-
ALL OTHER--MALE----	5	3	4	10	10	12	8	14	5	2	4	-
FEMALE--	1	2	5	7	20	20	19	17	15	11	2	-
BLACK---MALE----	5	3	4	10	10	12	8	14	5	2	4	-
FEMALE--	1	2	5	7	20	20	19	17	15	11	2	-
ALASKA -----	1	-	-	1	3	3	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	11	19	26	54	61	73	61	29	9	2	-
WHITE-----MALE----	4	7	7	16	25	30	36	31	11	2	-	-
FEMALE--	4	2	5	6	23	29	31	29	16	4	1	-
ALL OTHER--MALE----	1	1	1	-	2	-	3	1	1	2	1	-
FEMALE--	-	1	6	4	4	2	3	-	1	1	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	1	-	-	-
ARKANSAS -----	4	9	17	23	37	58	87	73	43	11	4	-
WHITE-----MALE----	1	3	7	8	16	20	31	21	10	2	2	-
FEMALE--	1	2	4	10	14	18	39	40	26	8	1	-
ALL OTHER--MALE----	1	2	4	1	3	9	7	5	6	-	-	-
FEMALE--	1	2	2	4	4	11	10	7	1	1	1	-
BLACK---MALE----	1	1	4	1	3	9	7	5	6	-	-	-
FEMALE--	1	2	2	4	4	11	10	7	1	1	1	-
CALIFORNIA -----	42	42	62	104	161	182	235	212	103	45	7	-
WHITE-----MALE----	17	17	22	41	68	69	97	93	32	18	-	-
FEMALE--	12	8	24	44	58	86	102	78	61	24	5	-
ALL OTHER--MALE----	4	9	9	10	18	11	17	14	4	3	1	-
FEMALE--	9	8	7	9	17	16	19	27	6	-	1	-
BLACK---MALE----	2	7	8	6	6	8	5	5	4	-	-	-
FEMALE--	3	5	3	7	8	6	9	14	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,243

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
COLORADO -----	273	4	-	-	-	-	1	3	2	1	4	8
WHITE-----MALE----	137	1	-	-	-	-	-	1	1	-	3	5
FEMALE--	121	1	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	6	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	1	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	5	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	1	1
CONNECTICUT -----	371	-	1	-	-	-	-	1	-	1	3	5
WHITE-----MALE----	153	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	179	-	1	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	107	1	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	40	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	84	-	1	-	-	-	-	1	2	1	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	38	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	38	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,159	10	1	3	-	2	1	3	2	10	17	20
WHITE-----MALE----	544	3	-	1	-	-	-	1	2	3	10	11
FEMALE--	419	2	-	1	-	-	1	1	-	4	2	3
ALL OTHER--MALE----	96	1	1	-	-	1	-	1	-	2	3	5
FEMALE--	100	4	-	1	-	1	-	-	-	1	2	1
BLACK---MALE----	94	1	1	-	-	1	-	1	-	2	3	5
FEMALE--	99	4	-	1	-	1	-	-	-	1	2	-
GEORGIA -----	801	6	-	1	1	-	-	1	4	9	17	19
WHITE-----MALE----	223	2	-	-	-	-	-	-	1	3	7	3
FEMALE--	242	-	-	-	1	-	-	-	2	-	1	2
ALL OTHER--MALE----	124	1	-	-	-	-	-	1	1	3	5	9
FEMALE--	212	3	-	1	-	-	-	-	-	3	4	5
BLACK---MALE----	123	1	-	-	-	-	-	1	1	3	5	9
FEMALE--	211	3	-	1	-	-	-	-	-	3	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,243

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	9	4	6	16	20	42	53	56	23	17	4	-
WHITE-----MALE----	3	1	3	9	12	23	24	31	16	4	-	-
FEMALE--	3	3	2	7	8	16	27	25	7	13	4	-
ALL OTHER--MALE----	1	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
CONNECTICUT -----	11	12	16	23	48	62	69	64	38	13	4	-
WHITE-----MALE----	5	4	7	6	25	24	34	27	15	2	-	-
FEMALE--	3	4	6	11	13	30	35	34	22	11	4	-
ALL OTHER--MALE----	2	1	2	4	5	3	-	1	-	-	-	-
FEMALE--	1	3	1	2	5	5	-	2	1	-	-	-
BLACK---MALE----	2	1	2	4	5	3	-	1	-	-	-	-
FEMALE--	1	3	1	2	5	5	-	2	1	-	-	-
DELAWARE -----	-	4	6	5	13	24	19	20	8	2	2	-
WHITE-----MALE----	-	-	-	3	8	13	5	5	4	1	-	-
FEMALE--	-	2	2	2	1	5	7	7	3	-	2	-
ALL OTHER--MALE----	-	1	2	-	3	1	1	3	-	1	-	-
FEMALE--	-	1	2	-	1	5	6	5	1	-	-	-
BLACK---MALE----	-	1	2	-	3	1	1	3	-	1	-	-
FEMALE--	-	1	2	-	1	5	6	5	1	-	-	-
DISTRICT OF COLUMBIA ----	2	6	4	7	9	12	9	17	4	6	2	-
WHITE-----MALE----	-	-	-	1	-	2	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	1	1	-
ALL OTHER--MALE----	2	2	1	4	5	4	2	5	1	-	-	-
FEMALE--	-	4	3	2	4	5	3	10	1	4	1	-
BLACK---MALE----	2	2	1	4	5	4	2	5	1	-	-	-
FEMALE--	-	4	3	2	4	5	3	10	1	4	1	-
FLORIDA -----	16	26	60	65	132	184	230	186	134	48	9	-
WHITE-----MALE----	9	9	24	26	63	95	120	94	54	17	2	-
FEMALE--	1	7	16	22	42	64	86	72	64	26	5	-
ALL OTHER--MALE----	3	6	11	10	13	7	11	10	7	3	1	-
FEMALE--	3	4	9	7	14	18	13	10	9	2	1	-
BLACK---MALE----	3	6	11	10	11	7	11	10	7	3	1	-
FEMALE--	3	4	9	7	14	18	13	10	9	2	1	-
GEORGIA -----	21	35	41	72	87	131	125	130	64	29	8	-
WHITE-----MALE----	4	10	10	21	27	57	36	22	14	4	2	-
FEMALE--	4	4	11	19	25	24	45	62	25	15	2	-
ALL OTHER--MALE----	8	13	7	13	12	15	15	10	7	3	1	-
FEMALE--	5	8	13	19	23	35	29	36	18	7	3	-
BLACK---MALE----	7	13	7	13	12	15	15	10	7	3	1	-
FEMALE--	5	8	13	19	23	35	29	35	18	7	3	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,244

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
HAWAII -----	107	2	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	40	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	94	1	-	-	-	-	-	-	3	-	1	1
WHITE-----MALE----	53	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	40	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,580	3	1	-	-	-	2	4	6	11	11	30
WHITE-----MALE----	593	1	-	-	-	-	-	-	2	1	4	15
FEMALE--	644	-	-	-	-	-	1	2	1	2	1	3
ALL OTHER--MALE----	152	2	-	-	-	-	1	2	3	4	4	10
FEMALE--	191	-	1	-	-	-	-	-	-	4	2	2
BLACK---MALE----	148	2	-	-	-	-	1	2	3	4	4	10
FEMALE--	182	-	1	-	-	-	-	-	-	4	2	2
INDIANA -----	801	2	-	-	-	1	-	-	2	4	8	8
WHITE-----MALE----	333	-	-	-	-	-	-	-	1	2	3	3
FEMALE--	374	2	-	-	-	-	-	-	1	2	4	3
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	54	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	54	-	-	-	-	1	-	-	-	-	-	-
IOWA -----	192	2	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	88	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	100	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	349	2	-	1	-	1	1	1	-	4	4	3
WHITE-----MALE----	152	-	-	1	-	-	-	-	-	-	2	-
FEMALE--	167	1	-	-	-	-	1	1	-	2	1	2
ALL OTHER--MALE----	14	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	16	1	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	13	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	15	1	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,244

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
HAWAII -----	1	9	5	7	18	20	18	14	7	2	-	-
WHITE-----MALE----	-	-	1	2	-	2	1	4	1	-	-	-
FEMALE--	-	-	2	-	1	3	2	-	2	-	-	-
ALL OTHER--MALE----	1	6	-	2	11	11	4	5	1	1	-	-
FEMALE--	-	3	2	3	6	4	11	5	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	2	13	10	8	14	25	12	1	1	-
WHITE-----MALE----	-	1	1	5	6	5	10	17	4	-	-	-
FEMALE--	-	1	1	8	4	3	4	8	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	29	61	69	95	192	224	317	266	199	49	11	-
WHITE-----MALE----	9	14	16	34	77	77	146	104	78	11	4	-
FEMALE--	6	22	23	33	71	96	125	123	101	29	5	-
ALL OTHER--MALE----	7	14	19	5	20	21	16	15	4	3	2	-
FEMALE--	7	11	11	23	24	30	30	24	16	6	-	-
BLACK---MALE----	7	14	18	5	20	21	13	15	4	3	2	-
FEMALE--	7	10	11	23	22	29	27	22	16	6	-	-
INDIANA -----	11	17	37	51	86	124	166	156	83	38	7	-
WHITE-----MALE----	9	4	20	30	34	62	72	50	25	17	1	-
FEMALE--	-	8	12	13	40	46	78	94	48	17	6	-
ALL OTHER--MALE----	1	3	1	4	5	8	9	3	3	-	-	-
FEMALE--	1	2	4	4	7	8	7	9	7	4	-	-
BLACK---MALE----	1	3	1	4	5	8	8	3	3	-	-	-
FEMALE--	1	2	4	4	7	8	7	9	7	4	-	-
IOWA -----	4	10	6	5	17	29	31	38	32	11	4	-
WHITE-----MALE----	2	3	4	3	12	14	13	19	13	3	-	-
FEMALE--	2	6	2	2	5	15	18	18	19	7	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	4	8	5	22	28	59	62	69	55	16	4	-
WHITE-----MALE----	2	6	1	14	14	29	29	30	20	4	-	-
FEMALE--	2	1	3	7	11	23	30	35	32	11	4	-
ALL OTHER--MALE----	-	-	1	1	-	5	1	2	2	-	-	-
FEMALE--	-	1	-	-	3	2	2	2	1	1	-	-
BLACK---MALE----	-	-	1	1	-	5	1	1	2	-	-	-
FEMALE--	-	1	-	-	3	2	2	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,245

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
KENTUCKY -----	522	2	-	1	-	-	-	1	3	2	4	7
WHITE-----MALE----	210	1	-	-	-	-	-	1	1	2	3	3
FEMALE--	242	-	-	1	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	27	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	27	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	622	4	-	-	-	-	-	1	2	9	7	11
WHITE-----MALE----	172	2	-	-	-	-	-	-	-	1	1	6
FEMALE--	209	1	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	101	1	-	-	-	-	-	1	-	2	3	3
FEMALE--	140	-	-	-	-	-	-	-	2	4	2	2
BLACK---MALE----	100	1	-	-	-	-	-	1	-	2	3	3
FEMALE--	138	-	-	-	-	-	-	-	2	4	2	2
MAINE -----	170	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	87	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	447	3	-	-	-	1	1	1	3	7	10	13
WHITE-----MALE----	135	1	-	-	-	-	-	-	-	2	2	3
FEMALE--	151	-	-	-	-	-	1	-	1	-	-	2
ALL OTHER--MALE----	76	1	-	-	-	1	-	-	1	3	5	6
FEMALE--	85	1	-	-	-	-	-	1	1	2	3	2
BLACK---MALE----	74	1	-	-	-	1	-	-	1	3	5	6
FEMALE--	83	1	-	-	-	-	-	1	1	2	3	2
MASSACHUSETTS -----	920	5	1	-	-	-	-	-	6	5	5	10
WHITE-----MALE----	403	4	1	-	-	-	-	-	1	1	3	2
FEMALE--	464	1	-	-	-	-	-	-	3	3	2	6
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	1	1	-	1
MICHIGAN -----	1,130	5	-	-	-	-	-	3	3	5	10	23
WHITE-----MALE----	410	3	-	-	-	-	-	1	1	3	3	5
FEMALE--	507	1	-	-	-	-	-	-	1	1	2	4
ALL OTHER--MALE----	103	-	-	-	-	-	-	-	1	-	4	6
FEMALE--	110	1	-	-	-	-	-	2	-	1	1	8
BLACK---MALE----	98	-	-	-	-	-	-	-	1	-	4	6
FEMALE--	107	-	-	-	-	-	-	2	-	1	1	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,245

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
KENTUCKY -----	16	15	23	40	73	78	87	89	55	20	6	-
WHITE-----MALE----	9	5	9	17	40	38	27	33	16	4	1	-
FEMALE--	3	6	7	14	29	30	45	51	33	15	4	-
ALL OTHER--MALE----	1	2	4	4	2	6	4	1	-	-	-	-
FEMALE--	3	2	3	5	2	4	11	4	6	1	1	-
BLACK---MALE----	1	2	4	4	2	6	4	1	-	-	-	-
FEMALE--	3	2	3	4	2	4	10	4	6	1	1	-
LOUISIANA -----	20	30	28	41	83	101	117	78	55	27	8	-
WHITE-----MALE----	4	5	3	15	28	32	41	20	6	7	1	-
FEMALE--	4	11	6	9	25	33	52	32	25	8	-	-
ALL OTHER--MALE----	4	5	12	6	14	18	6	13	7	4	2	-
FEMALE--	8	9	7	11	16	18	18	13	17	8	5	-
BLACK---MALE----	4	5	11	6	14	18	6	13	7	4	2	-
FEMALE--	7	9	7	11	16	17	18	13	17	8	5	-
MAINE -----	1	4	8	15	17	23	32	45	16	8	1	-
WHITE-----MALE----	-	2	4	5	11	13	16	21	7	2	-	-
FEMALE--	1	2	4	10	6	10	16	23	8	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	19	20	33	61	72	71	57	53	9	2	-
WHITE-----MALE----	1	5	5	8	20	25	27	20	14	1	1	-
FEMALE--	2	5	-	14	18	29	25	22	27	5	-	-
ALL OTHER--MALE----	6	4	8	6	7	9	11	3	4	1	-	-
FEMALE--	2	5	7	5	16	9	8	12	8	2	1	-
BLACK---MALE----	6	4	8	5	7	8	11	3	4	1	-	-
FEMALE--	2	5	7	5	16	9	8	11	7	2	1	-
MASSACHUSETTS -----	15	21	36	47	108	157	177	172	111	39	5	-
WHITE-----MALE----	6	10	23	20	55	73	82	67	41	12	2	-
FEMALE--	7	8	12	21	44	75	88	97	67	27	3	-
ALL OTHER--MALE----	1	1	1	4	5	4	3	2	1	-	-	-
FEMALE--	1	2	-	2	4	5	4	6	2	-	-	-
BLACK---MALE----	1	1	1	3	4	2	1	2	1	-	-	-
FEMALE--	1	2	-	2	3	4	3	3	2	-	-	-
MICHIGAN -----	25	31	52	71	122	187	207	215	115	42	14	-
WHITE-----MALE----	7	8	19	23	47	78	86	74	38	13	1	-
FEMALE--	8	9	17	30	48	75	98	114	66	23	10	-
ALL OTHER--MALE----	8	9	11	10	9	18	9	11	4	2	1	-
FEMALE--	2	5	5	8	18	16	14	16	7	4	2	-
BLACK---MALE----	6	9	11	9	9	16	9	11	4	2	1	-
FEMALE--	2	5	5	8	16	16	14	16	7	4	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,246

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
MINNESOTA -----	12	6	10	23	40	81	102	102	76	33	6	-
WHITE-----MALE----	5	2	6	10	17	46	52	47	31	9	-	-
FEMALE--	5	2	3	12	22	35	48	51	43	23	6	-
ALL OTHER--MALE----	2	2	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	1	1	-	-
MISSISSIPPI -----	8	16	18	18	53	48	82	68	40	24	6	-
WHITE-----MALE----	3	6	4	7	13	18	17	24	9	5	1	-
FEMALE--	2	2	6	2	14	10	35	24	14	9	3	-
ALL OTHER--MALE----	3	6	7	5	12	3	12	8	3	3	1	-
FEMALE--	-	2	1	4	14	17	18	12	14	7	1	-
BLACK---MALE----	2	6	7	5	12	3	12	8	3	3	1	-
FEMALE--	-	2	1	4	14	17	18	12	14	7	-	-
MISSOURI -----	9	13	20	50	81	93	134	136	88	39	8	-
WHITE-----MALE----	5	7	10	19	41	47	71	54	26	8	-	-
FEMALE--	1	5	4	25	32	36	54	72	55	27	8	-
ALL OTHER--MALE----	-	-	4	3	2	5	2	2	2	2	-	-
FEMALE--	3	1	2	3	6	5	7	8	5	2	-	-
BLACK---MALE----	-	-	4	3	2	5	2	2	2	2	-	-
FEMALE--	3	1	2	3	5	5	7	7	5	2	-	-
MONTANA -----	-	3	2	3	14	21	14	14	13	4	-	-
WHITE-----MALE----	-	2	-	1	5	10	6	7	7	1	-	-
FEMALE--	-	1	1	2	7	9	8	7	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	5	3	7	17	18	33	40	33	8	5	-
WHITE-----MALE----	-	4	1	3	8	8	19	19	11	3	2	-
FEMALE--	-	-	2	3	6	10	13	20	21	5	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	1	1	1	-	-	-
NEVADA -----	10	11	9	28	32	47	33	26	10	6	1	-
WHITE-----MALE----	5	3	4	17	18	23	15	14	2	1	-	-
FEMALE--	3	4	4	9	10	19	15	9	8	5	1	-
ALL OTHER--MALE----	-	2	1	1	2	3	2	1	-	-	-	-
FEMALE--	2	2	-	1	2	2	1	2	-	-	-	-
BLACK---MALE----	-	1	1	1	2	3	2	1	-	-	-	-
FEMALE--	1	2	-	1	1	1	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,248

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
OHIO -----	1,344	2	1	-	1	-	3	4	3	1	7	19
WHITE-----MALE----	556	1	-	-	-	-	2	3	1	-	1	12
FEMALE--	609	1	-	-	-	-	-	1	2	1	4	5
ALL OTHER--MALE----	75	-	-	-	1	-	-	-	-	-	2	1
FEMALE--	104	-	1	-	-	-	1	-	-	-	-	1
BLACK---MALE----	74	-	-	-	1	-	-	-	-	-	2	-
FEMALE--	102	-	1	-	-	-	1	-	-	-	-	1
OKLAHOMA -----	456	2	-	-	1	-	1	1	2	1	7	7
WHITE-----MALE----	177	-	-	-	1	-	-	-	1	1	2	3
FEMALE--	207	-	-	-	-	-	-	1	1	-	4	2
ALL OTHER--MALE----	32	2	-	-	-	-	-	-	-	-	1	2
FEMALE--	40	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	19	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	209	-	-	1	-	-	-	-	1	-	1	2
WHITE-----MALE----	108	-	-	1	-	-	-	-	1	-	-	1
FEMALE--	89	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,911	3	-	1	1	1	1	1	6	15	11	30
WHITE-----MALE----	808	2	-	1	1	1	-	-	3	5	4	15
FEMALE--	885	-	-	-	-	-	1	-	2	1	5	8
ALL OTHER--MALE----	96	-	-	-	-	-	-	1	-	7	2	3
FEMALE--	122	1	-	-	-	-	-	-	1	2	-	4
BLACK---MALE----	94	-	-	-	-	-	-	1	-	7	2	3
FEMALE--	119	-	-	-	-	-	-	-	1	2	-	4
RHODE ISLAND -----	94	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	332	6	-	-	-	1	1	-	-	2	9	9
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	90	1	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	75	4	-	-	-	1	-	-	-	-	4	5
FEMALE--	73	1	-	-	-	-	1	-	-	-	2	3
BLACK---MALE----	75	4	-	-	-	1	-	-	-	-	4	5
FEMALE--	73	1	-	-	-	-	1	-	-	-	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,248

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
OHIO -----	27	38	52	104	157	227	246	244	148	51	9	-
WHITE-----MALE----	9	16	22	57	71	95	103	103	43	13	4	-
FEMALE--	12	8	21	28	57	108	120	115	88	34	4	-
ALL OTHER--MALE----	3	9	4	11	15	13	6	6	4	-	-	-
FEMALE--	3	5	5	8	14	11	17	20	13	4	1	-
BLACK---MALE----	3	9	4	11	15	13	6	6	4	-	-	-
FEMALE--	3	5	4	7	14	11	17	20	13	4	1	-
OKLAHOMA -----	2	7	11	26	45	71	77	98	56	33	8	-
WHITE-----MALE----	-	1	4	6	18	29	42	41	17	7	4	-
FEMALE--	1	3	7	12	17	29	30	41	34	21	4	-
ALL OTHER--MALE----	1	1	-	3	6	4	2	6	1	3	-	-
FEMALE--	-	2	-	5	4	9	3	10	4	2	-	-
BLACK---MALE----	1	1	-	2	4	-	1	3	1	2	-	-
FEMALE--	-	-	-	1	2	6	3	6	3	1	-	-
OREGON -----	4	6	3	8	22	31	46	51	25	6	2	-
WHITE-----MALE----	4	2	-	5	13	22	24	19	12	2	2	-
FEMALE--	-	4	3	1	7	7	20	31	12	3	-	-
ALL OTHER--MALE----	-	-	-	1	2	2	2	1	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	28	37	63	129	229	323	414	323	202	76	17	-
WHITE-----MALE----	8	13	18	66	114	147	190	122	74	22	2	-
FEMALE--	9	11	26	42	84	146	191	180	118	50	11	-
ALL OTHER--MALE----	6	9	8	6	11	13	17	9	3	1	-	-
FEMALE--	5	4	11	15	20	17	16	12	7	3	4	-
BLACK---MALE----	6	9	7	6	11	13	16	9	3	1	-	-
FEMALE--	5	4	11	14	20	16	16	12	7	3	4	-
RHODE ISLAND -----	-	3	-	4	10	24	25	16	6	3	-	-
WHITE-----MALE----	-	2	-	2	5	14	11	4	1	1	-	-
FEMALE--	-	1	-	2	4	8	13	12	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	12	9	33	30	49	39	56	42	25	9	-	-
WHITE-----MALE----	5	2	5	9	19	15	16	9	9	2	-	-
FEMALE--	1	2	10	8	9	8	19	18	9	2	-	-
ALL OTHER--MALE----	5	3	8	5	9	7	12	6	4	2	-	-
FEMALE--	1	2	10	8	12	9	9	9	3	3	-	-
BLACK---MALE----	5	3	8	5	9	7	12	6	4	2	-	-
FEMALE--	1	2	10	8	12	9	9	9	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,249

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
SOUTH DAKOTA -----	94	1	-	-	-	-	-	1	1	2	1	-
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	1	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	391	4	-	-	1	-	2	-	1	5	3	5
WHITE-----MALE----	151	1	-	-	-	-	2	-	1	2	1	1
FEMALE--	146	1	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	40	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	54	1	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	40	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	52	1	-	-	-	-	-	-	-	2	1	1
TEXAS -----	1,021	9	1	-	1	-	1	1	3	11	11	23
WHITE-----MALE----	404	3	1	-	1	-	-	-	-	5	5	13
FEMALE--	433	4	-	-	-	-	1	1	-	4	2	7
ALL OTHER--MALE----	88	-	-	-	-	-	-	-	2	1	4	1
FEMALE--	96	2	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	82	-	-	-	-	-	-	-	2	1	4	1
FEMALE--	87	1	-	-	-	-	-	-	1	1	-	1
UTAH -----	113	-	1	-	-	-	-	1	-	2	-	1
WHITE-----MALE----	62	-	1	-	-	-	-	1	-	2	-	1
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	41	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	774	3	1	-	-	1	1	3	3	7	8	6
WHITE-----MALE----	243	1	1	-	-	-	-	-	1	-	1	2
FEMALE--	267	2	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	118	-	-	-	-	1	-	1	2	5	4	3
FEMALE--	146	-	-	-	-	-	1	1	-	2	3	-
BLACK---MALE----	115	-	-	-	-	1	-	1	2	5	4	3
FEMALE--	139	-	-	-	-	-	1	1	-	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,249

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
SOUTH DAKOTA -----	-	-	1	3	6	9	20	26	13	7	3	-
WHITE-----MALE----	-	-	-	-	2	4	10	17	6	5	1	-
FEMALE--	-	-	1	3	4	3	10	9	7	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	18	16	27	49	57	92	61	28	13	4	-
WHITE-----MALE----	2	8	6	12	19	22	40	23	7	4	-	-
FEMALE--	3	3	6	8	16	22	34	23	17	6	4	-
ALL OTHER--MALE----	-	2	2	3	4	7	9	7	1	1	-	-
FEMALE--	-	5	2	4	10	6	9	8	3	2	-	-
BLACK---MALE----	-	2	2	3	4	7	9	7	1	1	-	-
FEMALE--	-	5	2	4	9	6	8	8	3	2	-	-
TEXAS -----	26	33	43	73	117	138	147	166	157	53	7	-
WHITE-----MALE----	12	11	20	29	57	62	61	55	54	15	-	-
FEMALE--	11	10	12	23	39	52	65	83	85	30	4	-
ALL OTHER--MALE----	1	8	8	10	9	12	11	13	6	2	-	-
FEMALE--	2	4	3	11	12	12	10	15	12	6	3	-
BLACK---MALE----	1	8	8	10	8	11	11	10	5	2	-	-
FEMALE--	2	3	3	9	10	11	10	14	12	6	3	-
UTAH -----	1	6	2	3	17	18	21	29	11	-	-	-
WHITE-----MALE----	1	4	2	2	7	6	10	21	4	-	-	-
FEMALE--	-	-	-	1	5	10	11	7	7	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
VERMONT -----	1	2	3	4	2	9	7	4	5	1	-	-
WHITE-----MALE----	-	2	2	2	-	8	6	4	1	-	-	-
FEMALE--	1	-	1	2	2	1	1	-	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	29	39	57	89	136	146	125	69	26	6	-
WHITE-----MALE----	3	12	15	19	34	45	45	41	16	7	-	-
FEMALE--	2	6	10	19	15	49	57	58	37	9	1	-
ALL OTHER--MALE----	9	6	9	9	12	18	19	7	7	5	1	-
FEMALE--	5	5	5	10	28	24	25	19	9	5	4	-
BLACK---MALE----	9	6	9	8	12	18	17	7	7	5	1	-
FEMALE--	5	5	5	10	27	23	22	19	8	4	4	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,251

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE GLOMERULONEPHRITIS (580)												
UNITED STATES --	3	2	2	10	18	15	24	32	14	4	1	-
WHITE-----MALE----	1	1	-	5	12	5	6	13	8	1	-	-
FEMALE--	-	-	2	3	4	8	13	14	4	2	1	-
ALL OTHER--MALE----	1	1	-	1	1	2	3	1	1	-	-	-
FEMALE--	1	-	-	1	1	-	2	4	1	1	-	-
BLACK---MALE----	-	1	-	1	1	2	3	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	2	4	1	1	-	-
ALABAMA -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	-	1	1	-	2	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,254

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE GLOMERULONEPHRITIS (580)												
KENTUCKY -----	-	-	-	-	2	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	1	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-







































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,263

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHROTIC SYNDROME (581)												
KENTUCKY -----	1	-	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	-	-	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	1	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	1	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,266

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHROTIC SYNDROME (581)												
OHIO -----	-	1	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	2	5	3	-	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	3	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,269

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	33	55	66	93	202	260	313	303	185	74	15	-
WHITE-----MALE----	13	25	21	41	81	104	144	104	61	19	2	-
FEMALE--	8	14	22	31	76	106	124	151	95	38	9	-
ALL OTHER--MALE----	6	9	8	12	27	30	20	19	8	6	1	-
FEMALE--	6	7	15	9	18	20	25	29	21	11	3	-
BLACK---MALE----	5	9	7	11	23	29	20	16	8	6	1	-
FEMALE--	4	5	14	9	15	19	23	24	18	10	3	-
ALABAMA -----	1	1	2	1	3	6	7	4	2	2	1	-
WHITE-----MALE----	-	1	1	-	3	2	4	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	3	1	-	2	1	-	-
BLACK---MALE----	1	-	1	1	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	3	1	-	2	1	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	2	1	2	1	3	2	1	1	-	-
WHITE-----MALE----	1	-	1	1	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	1	3	9	3	5	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	6	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	7	7	6	8	24	25	23	23	10	4	1	-
WHITE-----MALE----	3	2	2	3	9	12	10	9	3	4	-	-
FEMALE--	1	3	2	4	13	13	13	7	4	-	1	-
ALL OTHER--MALE----	1	1	1	-	2	-	-	2	-	-	-	-
FEMALE--	2	1	1	1	-	-	-	5	3	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	2	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,270

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	-	-	1	1	2	4	-	2	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	3	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	-	4	3	2	4	5	2	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	3	2	-	-	-
FEMALE--	1	1	-	-	1	2	2	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	2	-	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	4	4	9	20	19	30	25	14	3	-	-
WHITE-----MALE----	1	1	2	4	9	14	15	11	6	1	-	-
FEMALE--	1	3	1	4	7	4	11	9	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	3	-	1	3	-	2	-	-
FEMALE--	-	-	1	-	1	1	3	2	3	-	-	-
BLACK---MALE----	-	-	-	1	3	-	1	3	-	2	-	-
FEMALE--	-	-	1	-	1	1	3	2	3	-	-	-
GEORGIA -----	1	-	3	1	6	3	5	9	3	2	1	-
WHITE-----MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	6	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	1	1	-	1	-	-
FEMALE--	-	-	2	-	1	1	1	2	2	-	1	-
BLACK---MALE----	1	-	-	-	2	-	1	1	-	1	-	-
FEMALE--	-	-	2	-	1	1	1	2	2	-	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,271

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	1	2	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	1	1	2	2	2	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	1	1	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	2	5	5	1	7	15	14	14	3	1	-
WHITE-----MALE----	-	1	1	1	-	1	8	7	6	-	-	-
FEMALE--	1	-	2	3	1	5	5	5	8	3	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	2	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	2	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-
INDIANA -----	1	1	-	2	7	12	7	9	5	1	1	-
WHITE-----MALE----	1	-	-	2	3	4	5	1	1	1	-	-
FEMALE--	-	-	-	-	4	4	2	8	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
IOWA -----	-	1	-	-	2	6	1	3	5	2	1	-
WHITE-----MALE----	-	-	-	-	2	3	-	-	3	1	-	-
FEMALE--	-	1	-	-	-	3	1	3	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	-	3	3	7	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	3	2	-	-	-
FEMALE--	-	-	-	-	-	3	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,272

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	2	1	4	5	2	3	5	2	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	3	-	-	-
FEMALE--	-	-	-	-	3	2	1	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
LOUISIANA -----	1	-	-	3	5	4	10	1	4	3	1	-
WHITE-----MALE----	-	-	-	-	3	-	5	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	1	1	1	-	-
FEMALE--	1	-	-	2	1	-	1	-	-	2	1	-
BLACK---MALE----	-	-	-	-	-	2	2	1	1	1	-	-
FEMALE--	1	-	-	2	1	-	1	-	-	2	1	-
MAINE -----	-	-	1	1	2	3	4	4	2	-	-	-
WHITE-----MALE----	-	-	1	-	2	2	2	3	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	3	1	3	3	4	3	3	-	-	-
WHITE-----MALE----	-	2	1	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	-	-	-	4	4	4	11	7	-	1	-
WHITE-----MALE----	1	-	-	-	1	1	1	3	3	-	1	-
FEMALE--	1	-	-	-	2	2	3	7	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	-	4	2	2	8	8	14	9	5	1	-	-
WHITE-----MALE----	-	2	1	1	2	2	3	1	3	-	-	-
FEMALE--	-	-	-	-	5	5	8	8	2	1	-	-
ALL OTHER--MALE----	-	2	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	2	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,275

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
OHIO -----	67	-	-	-	1	-	-	-	-	-	1	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	14	-	-	-	1	-	-	-	-	-	1	1
WHITE-----MALE----	5	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	17	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	76	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	36	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	36	-	-	-	-	-	1	-	-	-	3	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,275  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	5	1	7	8	8	11	15	5	2	-	-
WHITE-----MALE----	-	2	-	5	2	2	5	5	1	-	-	-
FEMALE--	-	1	-	1	2	4	6	7	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	4	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	1	-	3	1	-	-	-
BLACK---MALE----	-	1	-	-	4	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	1	-	3	1	-	-	-
OKLAHOMA -----	-	-	-	-	3	-	2	4	1	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	-	2	3	3	4	2	-	-	-
WHITE-----MALE----	1	-	-	-	1	2	1	2	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	2	2	6	13	22	19	8	1	1	-
WHITE-----MALE----	-	-	1	1	5	6	10	7	5	-	-	-
FEMALE--	-	-	-	-	1	5	9	11	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	3	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	1	-
BLACK---MALE----	-	-	-	1	-	1	3	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	1	-
RHODE ISLAND -----	-	-	-	1	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	5	2	2	5	9	3	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	3	-	1	1	2	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	2	1	1	1	3	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	2	1	1	1	3	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,276

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	50	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	126	-	-	-	-	-	-	1	-	2	1	3
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	45	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	34	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	11	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,276

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	3	9	10	10	8	3	3	-	-
WHITE-----MALE----	-	1	-	2	4	6	7	4	1	-	-	-
FEMALE--	-	-	1	-	4	2	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
TEXAS -----	4	5	7	12	13	25	17	15	14	7	-	-
WHITE-----MALE----	2	2	2	7	8	10	7	5	4	3	-	-
FEMALE--	1	1	3	2	3	8	8	6	9	-	-	-
ALL OTHER--MALE----	-	2	2	2	-	6	2	2	1	-	-	-
FEMALE--	1	-	-	1	2	1	-	2	-	4	-	-
BLACK---MALE----	-	2	2	2	-	5	2	1	1	-	-	-
FEMALE--	1	-	-	1	2	1	-	2	-	4	-	-
UTAH -----	-	2	-	-	1	2	3	2	3	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	2	1	5	3	8	11	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	5	3	-	-	-	-
FEMALE--	-	-	1	1	-	2	2	5	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	3	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	1	-	-
BLACK---MALE----	-	-	1	-	3	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,278

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
UNITED STATES --	24,142	126	9	9	4	13	21	46	78	156	226	380
WHITE-----MALE----	9,609	42	3	4	1	3	6	15	26	48	83	153
FEMALE--	10,119	37	1	3	3	1	11	11	21	38	46	74
ALL OTHER--MALE----	1,967	23	2	-	-	7	1	13	17	42	69	99
FEMALE--	2,447	24	3	2	-	2	3	7	14	28	28	54
BLACK---MALE----	1,757	22	2	-	-	7	-	12	17	39	66	92
FEMALE--	2,217	19	3	2	-	2	3	7	13	27	27	48
ALABAMA -----	650	-	1	-	1	1	1	2	2	5	11	8
WHITE-----MALE----	220	-	-	-	-	1	1	1	1	1	3	2
FEMALE--	232	-	-	-	1	-	-	-	1	1	1	2
ALL OTHER--MALE----	81	-	1	-	-	-	-	-	-	2	5	2
FEMALE--	117	-	-	-	-	-	-	1	-	1	2	2
BLACK---MALE----	81	-	1	-	-	-	-	-	-	2	5	2
FEMALE--	117	-	-	-	-	-	-	1	-	1	2	2
ALASKA -----	10	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	351	1	-	-	-	-	1	1	-	3	4	4
WHITE-----MALE----	170	1	-	-	-	-	1	1	-	2	2	1
FEMALE--	146	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	359	4	-	-	-	-	-	-	2	3	1	9
WHITE-----MALE----	120	3	-	-	-	-	-	-	-	-	1	4
FEMALE--	157	-	-	-	-	-	-	-	1	1	-	4
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	47	1	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	34	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	47	1	-	-	-	-	-	-	1	1	-	1
CALIFORNIA -----	1,111	18	-	-	-	1	4	3	5	5	18	22
WHITE-----MALE----	437	5	-	-	-	-	-	1	2	2	10	8
FEMALE--	448	7	-	-	-	-	3	-	1	2	2	4
ALL OTHER--MALE----	113	4	-	-	-	1	1	2	1	1	4	6
FEMALE--	113	2	-	-	-	-	-	-	1	-	2	4
BLACK---MALE----	62	3	-	-	-	1	-	1	1	1	3	5
FEMALE--	60	2	-	-	-	-	-	-	1	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,278

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
UNITED STATES --	468	681	987	1,636	2,788	3,802	4,574	4,251	2,692	969	226	-
WHITE-----MALE----	176	228	373	694	1,194	1,661	2,002	1,683	893	275	46	-
FEMALE--	127	195	308	569	985	1,484	1,983	2,027	1,499	563	133	-
ALL OTHER--MALE----	97	141	165	166	259	285	232	197	93	45	14	-
FEMALE--	68	117	141	207	350	372	357	344	207	86	33	-
BLACK---MALE----	83	128	159	152	220	251	200	170	88	37	12	-
FEMALE--	61	106	127	187	308	337	315	314	197	84	30	-
ALABAMA -----	11	12	24	49	86	94	122	113	69	30	8	-
WHITE-----MALE----	5	4	8	19	31	37	46	33	21	5	1	-
FEMALE--	1	3	8	14	25	30	50	50	30	13	2	-
ALL OTHER--MALE----	4	3	3	9	10	11	8	13	5	2	3	-
FEMALE--	1	2	5	7	20	16	18	17	13	10	2	-
BLACK---MALE----	4	3	3	9	10	11	8	13	5	2	3	-
FEMALE--	1	2	5	7	20	16	18	17	13	10	2	-
ALASKA -----	-	-	-	1	3	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	11	17	25	51	59	70	59	27	8	2	-
WHITE-----MALE----	3	7	6	15	25	29	34	31	10	2	-	-
FEMALE--	4	2	5	6	20	28	30	27	15	3	1	-
ALL OTHER--MALE----	1	1	1	-	2	-	3	1	1	2	1	-
FEMALE--	-	1	5	4	4	2	3	-	1	1	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	1	-	-
ARKANSAS -----	4	9	17	21	35	55	78	69	38	10	4	-
WHITE-----MALE----	1	3	7	7	15	19	25	21	10	2	2	-
FEMALE--	1	2	4	9	14	17	38	37	21	7	1	-
ALL OTHER--MALE----	1	2	4	1	2	8	6	4	6	-	-	-
FEMALE--	1	2	2	4	4	11	9	7	1	1	1	-
BLACK---MALE----	1	1	4	1	2	8	6	4	6	-	-	-
FEMALE--	1	2	2	4	4	11	9	7	1	1	1	-
CALIFORNIA -----	34	35	52	94	136	152	207	187	92	40	6	-
WHITE-----MALE----	13	15	18	38	59	55	85	84	29	13	-	-
FEMALE--	11	5	20	39	44	70	86	69	57	24	4	-
ALL OTHER--MALE----	3	8	8	10	16	11	17	12	4	3	1	-
FEMALE--	7	7	6	7	17	16	19	22	2	-	1	-
BLACK---MALE----	1	6	7	6	6	8	5	4	4	-	-	-
FEMALE--	3	5	3	6	8	6	9	12	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,279

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
COLORADO -----	254	3	-	-	-	-	1	2	2	1	4	7
WHITE-----MALE----	126	1	-	-	-	-	-	1	1	-	3	4
FEMALE--	114	-	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	1	1
CONNECTICUT -----	347	-	1	-	-	-	-	1	-	-	3	5
WHITE-----MALE----	144	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	165	-	1	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	101	1	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	38	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	83	-	1	-	-	-	-	1	2	1	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	38	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	38	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	994	10	1	3	-	2	-	2	2	8	11	16
WHITE-----MALE----	459	3	-	1	-	-	-	1	2	3	5	9
FEMALE--	366	2	-	1	-	-	-	1	-	3	2	2
ALL OTHER--MALE----	82	1	1	-	-	1	-	-	-	2	3	4
FEMALE--	87	4	-	1	-	1	-	-	-	-	1	1
BLACK---MALE----	80	1	1	-	-	1	-	-	-	2	3	4
FEMALE--	86	4	-	1	-	1	-	-	-	-	1	-
GEORGIA -----	759	6	-	1	1	-	-	1	3	9	16	19
WHITE-----MALE----	215	2	-	-	-	-	-	-	1	3	6	3
FEMALE--	226	-	-	-	1	-	-	-	1	-	1	2
ALL OTHER--MALE----	117	1	-	-	-	-	-	1	1	3	5	9
FEMALE--	201	3	-	1	-	-	-	-	-	3	4	5
BLACK---MALE----	116	1	-	-	-	-	-	1	1	3	5	9
FEMALE--	200	3	-	1	-	-	-	-	-	3	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,279

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	8	4	6	16	19	39	50	50	23	15	4	-
WHITE-----MALE----	2	1	3	9	11	21	23	27	16	3	-	-
FEMALE--	3	3	2	7	8	15	25	23	7	12	4	-
ALL OTHER--MALE----	1	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
CONNECTICUT -----	10	11	15	23	44	59	67	60	33	11	4	-
WHITE-----MALE----	5	4	6	6	23	23	34	24	13	2	-	-
FEMALE--	2	3	6	11	12	28	33	33	19	9	4	-
ALL OTHER--MALE----	2	1	2	4	4	3	-	1	-	-	-	-
FEMALE--	1	3	1	2	5	5	-	2	1	-	-	-
BLACK---MALE----	2	1	2	4	4	3	-	1	-	-	-	-
FEMALE--	1	3	1	2	5	5	-	2	1	-	-	-
DELAWARE -----	-	4	6	5	12	22	19	17	8	2	2	-
WHITE-----MALE----	-	-	-	3	7	12	5	5	4	1	-	-
FEMALE--	-	2	2	2	1	5	7	6	3	-	2	-
ALL OTHER--MALE----	-	1	2	-	3	1	1	3	-	1	-	-
FEMALE--	-	1	2	-	1	4	6	3	1	-	-	-
BLACK---MALE----	-	1	2	-	3	1	1	3	-	1	-	-
FEMALE--	-	1	2	-	1	4	6	3	1	-	-	-
DISTRICT OF COLUMBIA ----	2	6	4	7	9	12	9	17	4	6	1	-
WHITE-----MALE----	-	-	-	1	-	2	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	1	-	-
ALL OTHER--MALE----	2	2	1	4	5	4	2	5	1	-	-	-
FEMALE--	-	4	3	2	4	5	3	10	1	4	1	-
BLACK---MALE----	2	2	1	4	5	4	2	5	1	-	-	-
FEMALE--	-	4	3	2	4	5	3	10	1	4	1	-
FLORIDA -----	13	22	56	55	108	163	197	156	115	45	9	-
WHITE-----MALE----	7	8	22	22	51	80	103	79	45	16	2	-
FEMALE--	-	4	15	17	35	59	74	62	58	26	5	-
ALL OTHER--MALE----	3	6	11	9	9	7	10	7	6	1	1	-
FEMALE--	3	4	8	7	13	17	10	8	6	2	1	-
BLACK---MALE----	3	6	11	9	7	7	10	7	6	1	1	-
FEMALE--	3	4	8	7	13	17	10	8	6	2	1	-
GEORGIA -----	20	34	37	71	80	127	119	121	60	27	7	-
WHITE-----MALE----	4	10	9	21	25	55	35	22	13	4	2	-
FEMALE--	4	4	10	18	23	24	42	56	24	14	2	-
ALL OTHER--MALE----	7	13	7	13	10	14	14	9	7	2	1	-
FEMALE--	5	7	11	19	22	34	28	34	16	7	2	-
BLACK---MALE----	6	13	7	13	10	14	14	9	7	2	1	-
FEMALE--	5	7	11	19	22	34	28	33	16	7	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,280

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
HAWAII -----	102	2	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	38	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	81	1	-	-	-	-	-	-	3	-	-	-
WHITE-----MALE----	45	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	35	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,494	3	1	-	-	-	1	4	6	10	11	27
WHITE-----MALE----	563	1	-	-	-	-	-	-	2	1	4	13
FEMALE--	600	-	-	-	-	-	1	2	1	2	1	2
ALL OTHER--MALE----	146	2	-	-	-	-	-	2	3	4	4	10
FEMALE--	185	-	1	-	-	-	-	-	-	3	2	2
BLACK---MALE----	142	2	-	-	-	-	-	2	3	4	4	10
FEMALE--	177	-	1	-	-	-	-	-	-	3	2	2
INDIANA -----	746	2	-	-	-	1	-	-	1	4	7	8
WHITE-----MALE----	311	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	347	2	-	-	-	-	-	-	1	2	4	3
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	53	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	53	-	-	-	-	1	-	-	-	-	-	-
IOWA -----	167	2	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	76	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	87	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	325	2	-	1	-	1	1	1	-	4	4	2
WHITE-----MALE----	144	-	-	1	-	-	-	-	-	-	2	-
FEMALE--	152	1	-	-	-	-	1	1	-	2	1	1
ALL OTHER--MALE----	14	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	15	1	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	13	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,280

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
HAWAII -----	1	9	5	6	16	20	18	14	6	2	-	-
WHITE-----MALE----	-	-	1	2	-	2	1	4	1	-	-	-
FEMALE--	-	-	2	-	1	3	2	-	2	-	-	-
ALL OTHER--MALE----	1	6	-	1	10	11	4	5	1	1	-	-
FEMALE--	-	3	2	3	5	4	11	5	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	12	9	6	12	23	12	1	1	-
WHITE-----MALE----	-	-	1	4	5	5	9	15	4	-	-	-
FEMALE--	-	-	-	8	4	1	3	8	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	27	59	63	89	190	216	297	250	184	46	10	-
WHITE-----MALE----	9	13	15	33	77	76	135	97	72	11	4	-
FEMALE--	4	22	20	29	69	91	118	116	92	26	4	-
ALL OTHER--MALE----	7	14	17	5	20	21	15	13	4	3	2	-
FEMALE--	7	10	11	22	24	28	29	24	16	6	-	-
BLACK---MALE----	7	14	16	5	20	21	12	13	4	3	2	-
FEMALE--	7	9	11	22	22	28	26	22	16	6	-	-
INDIANA -----	10	16	37	49	78	110	157	145	78	37	6	-
WHITE-----MALE----	8	4	20	28	31	57	67	48	24	16	1	-
FEMALE--	-	8	12	13	35	41	74	85	45	17	5	-
ALL OTHER--MALE----	1	2	1	4	5	4	9	3	3	-	-	-
FEMALE--	1	2	4	4	7	8	7	9	6	4	-	-
BLACK---MALE----	1	2	1	4	5	4	8	3	3	-	-	-
FEMALE--	1	2	4	4	7	8	7	9	6	4	-	-
IOWA -----	4	9	6	5	15	23	30	32	27	9	3	-
WHITE-----MALE----	2	3	4	3	10	11	13	16	10	2	-	-
FEMALE--	2	5	2	2	5	12	17	15	17	6	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	4	8	5	22	28	54	58	61	50	15	4	-
WHITE-----MALE----	2	6	1	14	14	28	28	27	17	4	-	-
FEMALE--	2	1	3	7	11	19	27	31	30	10	4	-
ALL OTHER--MALE----	-	-	1	1	-	5	1	2	2	-	-	-
FEMALE--	-	1	-	-	3	2	2	1	1	1	-	-
BLACK---MALE----	-	-	1	1	-	5	1	1	2	-	-	-
FEMALE--	-	1	-	-	3	2	2	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,281

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
KENTUCKY -----	487	1	-	1	-	-	-	1	2	2	4	5
WHITE-----MALE----	199	-	-	-	-	-	-	1	1	2	3	2
FEMALE--	225	-	-	1	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	27	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	584	4	-	-	-	-	-	1	2	9	7	8
WHITE-----MALE----	161	2	-	-	-	-	-	-	-	1	1	3
FEMALE--	199	1	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	93	1	-	-	-	-	-	1	-	2	3	3
FEMALE--	131	-	-	-	-	-	-	-	2	4	2	2
BLACK---MALE----	92	1	-	-	-	-	-	1	-	2	3	3
FEMALE--	129	-	-	-	-	-	-	-	2	4	2	2
MAINE -----	150	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	414	2	-	-	-	1	1	1	2	7	9	12
WHITE-----MALE----	126	1	-	-	-	-	-	-	-	2	2	3
FEMALE--	138	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	69	-	-	-	-	1	-	-	-	3	4	6
FEMALE--	81	1	-	-	-	-	-	1	1	2	3	2
BLACK---MALE----	67	-	-	-	-	1	-	-	-	3	4	6
FEMALE--	79	1	-	-	-	-	-	1	1	2	3	2
MASSACHUSETTS -----	880	5	1	-	-	-	-	-	5	5	5	10
WHITE-----MALE----	390	4	1	-	-	-	-	-	-	1	3	2
FEMALE--	440	1	-	-	-	-	-	-	3	3	2	6
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	1	1	-	1
MICHIGAN -----	1,066	5	-	-	-	-	-	3	3	4	10	22
WHITE-----MALE----	393	3	-	-	-	-	-	1	1	2	3	5
FEMALE--	474	1	-	-	-	-	-	-	1	1	2	4
ALL OTHER--MALE----	95	-	-	-	-	-	-	-	1	-	4	6
FEMALE--	104	1	-	-	-	-	-	2	-	1	1	7
BLACK---MALE----	90	-	-	-	-	-	-	-	1	-	4	6
FEMALE--	101	-	-	-	-	-	-	2	-	1	1	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,281

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
KENTUCKY -----	15	15	21	38	67	71	85	86	50	18	5	-
WHITE-----MALE----	9	5	8	16	38	36	27	33	13	4	1	-
FEMALE--	3	6	7	13	25	28	44	48	31	13	3	-
ALL OTHER--MALE----	1	2	4	4	2	6	4	1	-	-	-	-
FEMALE--	2	2	2	5	2	1	10	4	6	1	1	-
BLACK---MALE----	1	2	4	4	2	6	4	1	-	-	-	-
FEMALE--	2	2	2	4	2	1	10	4	6	1	1	-
LOUISIANA -----	19	30	28	37	78	97	106	76	51	24	7	-
WHITE-----MALE----	4	5	3	15	25	32	36	20	6	7	1	-
FEMALE--	4	11	6	8	24	31	49	32	22	8	-	-
ALL OTHER--MALE----	4	5	12	5	14	16	4	12	6	3	2	-
FEMALE--	7	9	7	9	15	18	17	12	17	6	4	-
BLACK---MALE----	4	5	11	5	14	16	4	12	6	3	2	-
FEMALE--	6	9	7	9	15	17	17	12	17	6	4	-
MAINE -----	1	4	7	13	15	20	26	41	14	8	1	-
WHITE-----MALE----	-	2	3	4	9	11	13	18	7	2	-	-
FEMALE--	1	2	4	9	6	9	13	22	6	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	16	17	30	57	69	65	53	50	9	2	-
WHITE-----MALE----	1	3	4	8	18	24	26	19	13	1	1	-
FEMALE--	2	5	-	12	18	27	21	19	26	5	-	-
ALL OTHER--MALE----	6	4	8	5	6	9	10	3	3	1	-	-
FEMALE--	2	4	5	5	15	9	8	12	8	2	1	-
BLACK---MALE----	6	4	8	4	6	8	10	3	3	1	-	-
FEMALE--	2	4	5	5	15	9	8	11	7	2	1	-
MASSACHUSETTS -----	13	21	36	46	103	152	172	159	104	39	4	-
WHITE-----MALE----	5	10	23	20	54	72	80	64	38	12	1	-
FEMALE--	6	8	12	20	41	72	85	88	63	27	3	-
ALL OTHER--MALE----	1	1	1	4	5	3	3	2	1	-	-	-
FEMALE--	1	2	-	2	3	5	4	5	2	-	-	-
BLACK---MALE----	1	1	1	3	4	1	1	2	1	-	-	-
FEMALE--	1	2	-	2	2	4	3	3	2	-	-	-
MICHIGAN -----	25	27	49	69	113	177	190	204	110	41	14	-
WHITE-----MALE----	7	6	18	22	44	76	83	73	35	13	1	-
FEMALE--	8	9	17	30	43	68	89	105	64	22	10	-
ALL OTHER--MALE----	8	7	10	9	8	17	7	11	4	2	1	-
FEMALE--	2	5	4	8	18	16	11	15	7	4	2	-
BLACK---MALE----	6	7	10	8	8	15	7	11	4	2	1	-
FEMALE--	2	5	4	8	16	16	11	15	7	4	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,282

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
MINNESOTA -----	12	5	10	21	35	76	95	97	72	28	4	-
WHITE-----MALE----	5	1	6	9	16	44	48	44	28	9	-	-
FEMALE--	5	2	3	11	18	32	45	51	42	19	4	-
ALL OTHER--MALE----	2	2	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
MISSISSIPPI -----	7	15	17	17	51	46	79	66	40	22	6	-
WHITE-----MALE----	2	6	4	7	13	17	16	23	9	5	1	-
FEMALE--	2	2	6	2	13	9	34	24	14	8	3	-
ALL OTHER--MALE----	3	5	6	5	12	3	11	7	3	3	1	-
FEMALE--	-	2	1	3	13	17	18	12	14	6	1	-
BLACK---MALE----	2	5	6	5	12	3	11	7	3	3	1	-
FEMALE--	-	2	1	3	13	17	18	12	14	6	-	-
MISSOURI -----	9	10	19	48	73	88	124	120	85	36	7	-
WHITE-----MALE----	5	5	10	18	38	45	64	47	25	7	-	-
FEMALE--	1	4	3	24	27	34	52	64	53	25	7	-
ALL OTHER--MALE----	-	-	4	3	2	5	2	2	2	2	-	-
FEMALE--	3	1	2	3	6	4	6	7	5	2	-	-
BLACK---MALE----	-	-	4	3	2	5	2	2	2	2	-	-
FEMALE--	3	1	2	3	5	4	6	6	5	2	-	-
MONTANA -----	-	2	2	3	14	18	14	13	13	4	-	-
WHITE-----MALE----	-	2	-	1	5	9	6	7	7	1	-	-
FEMALE--	-	-	1	2	7	7	8	6	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	3	3	7	15	17	32	40	31	8	4	-
WHITE-----MALE----	-	3	1	3	7	8	18	19	10	3	1	-
FEMALE--	-	-	2	3	6	9	13	20	20	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	1	-	-	-
NEVADA -----	10	10	9	27	32	45	32	25	10	6	1	-
WHITE-----MALE----	5	2	4	16	18	23	14	14	2	1	-	-
FEMALE--	3	4	4	9	10	18	15	9	8	5	1	-
ALL OTHER--MALE----	-	2	1	1	2	2	2	1	-	-	-	-
FEMALE--	2	2	-	1	2	2	1	1	-	-	-	-
BLACK---MALE----	-	1	1	1	2	2	2	1	-	-	-	-
FEMALE--	1	2	-	1	1	1	-	1	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,284

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
OHIO -----	26	32	51	97	149	218	234	227	142	49	9	-
WHITE-----MALE----	9	13	22	52	69	93	97	97	41	13	4	-
FEMALE--	12	7	21	27	55	103	114	107	85	32	4	-
ALL OTHER--MALE----	3	8	4	11	11	12	6	6	4	-	-	-
FEMALE--	2	4	4	7	14	10	17	17	12	4	1	-
BLACK---MALE----	3	8	4	11	11	12	6	6	4	-	-	-
FEMALE--	2	4	3	6	14	10	17	17	12	4	1	-
OKLAHOMA -----	2	7	11	25	42	71	75	93	55	32	8	-
WHITE-----MALE----	-	1	4	6	16	29	41	40	17	7	4	-
FEMALE--	1	3	7	11	16	29	29	37	33	20	4	-
ALL OTHER--MALE----	1	1	-	3	6	4	2	6	1	3	-	-
FEMALE--	-	2	-	5	4	9	3	10	4	2	-	-
BLACK---MALE----	1	1	-	2	4	-	1	3	1	2	-	-
FEMALE--	-	-	-	1	2	6	3	6	3	1	-	-
OREGON -----	3	6	2	8	20	28	41	44	23	6	2	-
WHITE-----MALE----	3	2	-	5	12	20	22	16	11	2	2	-
FEMALE--	-	4	2	1	6	6	19	27	12	3	-	-
ALL OTHER--MALE----	-	-	-	1	2	2	-	1	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	27	37	61	127	221	303	383	301	192	73	16	-
WHITE-----MALE----	8	13	17	65	108	139	177	114	68	21	2	-
FEMALE--	9	11	26	42	82	136	176	168	116	48	11	-
ALL OTHER--MALE----	6	9	8	5	11	12	14	9	2	1	-	-
FEMALE--	4	4	10	15	20	16	16	10	6	3	3	-
BLACK---MALE----	6	9	7	5	11	12	13	9	2	1	-	-
FEMALE--	4	4	10	14	20	15	16	10	6	3	3	-
RHODE ISLAND -----	-	3	-	3	10	24	23	15	6	2	-	-
WHITE-----MALE----	-	2	-	2	5	14	11	4	1	1	-	-
FEMALE--	-	1	-	1	4	8	11	11	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	11	9	28	28	47	33	47	39	22	8	-	-
WHITE-----MALE----	5	2	5	8	19	14	14	8	8	2	-	-
FEMALE--	1	2	7	8	8	7	17	17	8	1	-	-
ALL OTHER--MALE----	4	3	8	5	9	5	10	6	3	2	-	-
FEMALE--	1	2	8	7	11	7	6	8	3	3	-	-
BLACK---MALE----	4	3	8	5	9	5	10	6	3	2	-	-
FEMALE--	1	2	8	7	11	7	6	8	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,285

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
SOUTH DAKOTA -----	92	1	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	331	4	-	-	1	-	2	-	1	3	2	5
WHITE-----MALE----	120	1	-	-	-	-	2	-	1	-	-	1
FEMALE--	130	1	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	33	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	48	1	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	33	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	46	1	-	-	-	-	-	-	-	2	1	1
TEXAS -----	863	8	1	-	-	-	1	-	3	9	9	19
WHITE-----MALE----	337	3	1	-	-	-	-	-	-	5	5	10
FEMALE--	381	4	-	-	-	-	1	-	-	3	1	6
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	2	1	3	1
FEMALE--	78	1	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	63	-	-	-	-	-	-	-	2	1	3	1
FEMALE--	70	1	-	-	-	-	-	-	1	-	-	1
UTAH -----	99	-	1	-	-	-	-	1	-	2	-	1
WHITE-----MALE----	57	-	1	-	-	-	-	1	-	2	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	36	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	732	3	-	-	-	1	-	3	3	7	8	6
WHITE-----MALE----	230	1	-	-	-	-	-	-	1	-	1	2
FEMALE--	252	2	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	110	-	-	-	-	1	-	1	2	5	4	3
FEMALE--	140	-	-	-	-	-	-	1	-	2	3	-
BLACK---MALE----	107	-	-	-	-	1	-	1	2	5	4	3
FEMALE--	134	-	-	-	-	-	-	1	-	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,285

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
SOUTH DAKOTA -----	-	-	1	3	6	9	20	26	13	7	3	-
WHITE-----MALE----	-	-	-	-	2	4	10	17	6	5	1	-
FEMALE--	-	-	1	3	4	3	10	9	7	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	17	15	24	37	44	80	52	25	10	4	-
WHITE-----MALE----	2	7	6	10	13	15	33	19	6	4	-	-
FEMALE--	3	3	5	8	12	20	32	19	16	4	4	-
ALL OTHER--MALE----	-	2	2	2	3	5	8	7	-	-	-	-
FEMALE--	-	5	2	4	9	4	7	7	3	2	-	-
BLACK---MALE----	-	2	2	2	3	5	8	7	-	-	-	-
FEMALE--	-	5	2	4	8	4	6	7	3	2	-	-
TEXAS -----	22	27	35	56	97	111	125	146	142	45	7	-
WHITE-----MALE----	10	9	18	19	43	51	53	49	49	12	-	-
FEMALE--	10	9	8	20	36	44	54	75	76	30	4	-
ALL OTHER--MALE----	1	5	6	8	9	6	8	10	5	2	-	-
FEMALE--	1	4	3	9	9	10	10	12	12	1	3	-
BLACK---MALE----	1	5	6	8	8	6	8	8	4	2	-	-
FEMALE--	1	3	3	7	7	9	10	11	12	1	3	-
UTAH -----	1	4	2	3	16	16	17	27	8	-	-	-
WHITE-----MALE----	1	2	2	2	7	6	8	20	4	-	-	-
FEMALE--	-	-	-	1	4	8	9	6	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
VERMONT -----	1	2	3	4	2	8	7	3	3	1	-	-
WHITE-----MALE----	-	2	2	2	-	7	6	3	1	-	-	-
FEMALE--	1	-	1	2	2	1	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	28	37	55	84	131	137	113	68	23	6	-
WHITE-----MALE----	3	11	15	19	33	44	40	37	16	7	-	-
FEMALE--	2	6	9	18	15	47	54	53	36	7	1	-
ALL OTHER--MALE----	9	6	8	8	9	16	19	6	7	5	1	-
FEMALE--	5	5	5	10	27	24	24	17	9	4	4	-
BLACK---MALE----	9	6	8	7	9	16	17	6	7	5	1	-
FEMALE--	5	5	5	10	26	23	21	17	8	4	4	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,287

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
UNITED STATES --	20	26	32	44	76	100	140	154	113	42	13	-
WHITE-----MALE----	7	3	8	9	21	18	33	30	15	5	-	-
FEMALE--	11	14	13	23	44	67	92	113	86	32	11	-
ALL OTHER--MALE----	-	4	3	2	-	6	7	5	5	1	1	-
FEMALE--	2	5	8	10	11	9	8	6	7	4	1	-
BLACK---MALE----	-	4	3	1	-	4	7	3	4	1	1	-
FEMALE--	2	5	7	7	9	6	8	5	5	4	1	-
ALABAMA -----	-	1	-	1	1	-	4	6	4	1	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	4	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	1	1	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	1	1	1	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	2	-	1	1	5	7	3	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	4	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	1	-	2	-	-	2	2	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	6	4	8	11	13	13	23	18	6	1	-
WHITE-----MALE----	-	2	2	2	1	2	3	5	3	1	-	-
FEMALE--	2	3	1	3	9	8	9	17	13	4	1	-
ALL OTHER--MALE----	-	1	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	3	1	1	-	-	2	1	-	-
BLACK---MALE----	-	1	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,288

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
COLORADO -----	-	1	1	1	-	2	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	-	1	3	1	4	2	6	1	4	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	1	-	-	-
FEMALE--	-	1	2	1	3	2	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
GEORGIA -----	-	1	3	1	4	3	5	5	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	2	1	3	3	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	2	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	2	1	-	1	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,290

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
KENTUCKY -----	-	-	1	1	2	4	3	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	4	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	1	-	-	2	1	6	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	6	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	1	1	-
MAINE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	1	-	1	1	3	3	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	1	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	1	-	3	3	3	5	6	4	-	1	-
WHITE-----MALE----	2	-	-	-	1	-	2	2	-	-	-	-
FEMALE--	1	-	-	2	1	2	2	3	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,292  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
NEW HAMPSHIRE -----	-	-	-	-	-	1	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	-	-	1	2	1	-	-	3	4	2	1	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
NEW MEXICO -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK -----	-	2	5	1	7	2	4	5	1	-	-	-
WHITE-----MALE----	-	-	2	-	2	1	1	2	-	-	-	-
FEMALE--	-	-	2	1	5	-	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	1	-	-	-	-
NORTH CAROLINA -----	-	1	-	1	1	4	8	4	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	-	1	-	-	1	3	3	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
NORTH DAKOTA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,293

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
OHIO -----	1	1	-	4	4	3	7	4	3	2	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	3	3	3	4	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	2	2	-	5	-	2	4	-	1	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	5	-	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	-	1	2	3	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	-	1	-	6	3	4	2	3	-	-
WHITE-----MALE----	2	-	-	1	-	1	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	4	2	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	3	3	2	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,294

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	1	-	3	3	6	2	6	2	1	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	2	-	-	-
FEMALE--	1	-	1	-	2	3	5	2	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	2	2	2	2	8	9	19	13	11	3	1	-
WHITE-----MALE----	-	1	1	1	4	2	4	2	3	1	-	-
FEMALE--	2	1	1	1	3	6	13	11	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
UTAH -----	-	1	-	-	-	-	3	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	-	3	2	3	7	2	-	1	-
WHITE-----MALE----	-	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	-	-	1	-	2	-	2	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,297  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 URINARY CALCULUS (592,594)												
COLORADO -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	2	2	3	2	2	3	-	-	-
WHITE-----MALE----	-	-	-	2	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,305

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
UNITED STATES --	20,215	16	10	1	3	13	21	41	65	108	180	282
WHITE-----MALE----	5,938	6	4	-	2	3	6	10	15	29	47	68
FEMALE--	10,418	5	2	1	1	4	6	15	19	26	33	72
ALL OTHER--MALE----	1,561	3	3	-	-	1	5	6	16	26	57	88
FEMALE--	2,298	2	1	-	-	5	4	10	15	27	43	54
BLACK---MALE----	1,441	3	3	-	-	1	5	6	14	25	55	81
FEMALE--	2,107	2	1	-	-	5	3	8	14	26	38	53
ALABAMA -----	442	-	-	-	-	-	1	1	2	6	8	1
WHITE-----MALE----	110	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	178	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	50	-	-	-	-	-	1	-	-	2	2	-
FEMALE--	104	-	-	-	-	-	-	-	2	1	4	1
BLACK---MALE----	50	-	-	-	-	-	1	-	-	2	2	-
FEMALE--	103	-	-	-	-	-	-	-	2	1	3	1
ALASKA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	283	-	-	-	-	-	-	-	2	3	2	7
WHITE-----MALE----	105	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	149	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	17	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	1
ARKANSAS -----	230	-	-	-	-	-	-	-	-	2	2	3
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	120	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,149	3	1	-	-	2	2	5	5	11	11	28
WHITE-----MALE----	591	-	1	-	-	1	2	2	1	2	2	7
FEMALE--	1,229	1	-	-	-	1	-	2	3	3	4	9
ALL OTHER--MALE----	127	1	-	-	-	-	-	-	-	3	5	8
FEMALE--	202	1	-	-	-	-	-	1	1	3	-	4
BLACK---MALE----	87	1	-	-	-	-	-	-	-	2	5	6
FEMALE--	116	1	-	-	-	-	-	-	1	2	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,305

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
UNITED STATES --	363	470	680	1,140	1,954	2,909	3,776	3,966	2,822	1,139	256	-
WHITE-----MALE----	110	144	209	378	655	1,025	1,237	1,107	638	208	37	-
FEMALE--	94	134	232	372	798	1,337	1,995	2,396	1,882	814	180	-
ALL OTHER--MALE----	70	99	118	177	191	224	202	151	90	27	7	-
FEMALE--	89	93	121	213	310	323	342	312	212	90	32	-
BLACK---MALE----	65	94	109	167	182	212	180	136	74	22	7	-
FEMALE--	86	86	110	196	292	294	307	277	199	82	28	-
ALABAMA -----	8	11	20	33	48	53	76	94	56	19	5	-
WHITE-----MALE----	2	4	7	16	13	16	19	12	11	5	2	-
FEMALE--	1	2	4	7	15	21	36	48	30	10	1	-
ALL OTHER--MALE----	2	3	3	3	5	6	7	9	5	1	1	-
FEMALE--	3	2	6	7	15	10	14	25	10	3	1	-
BLACK---MALE----	2	3	3	3	5	6	7	9	5	1	1	-
FEMALE--	3	2	6	7	15	10	14	25	10	3	1	-
ALASKA -----	-	-	-	-	1	1	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	10	15	16	36	41	56	45	34	7	3	-
WHITE-----MALE----	2	4	4	4	21	17	21	17	9	2	1	-
FEMALE--	3	4	7	10	14	22	32	23	24	4	1	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	4	1	-	-	-
FEMALE--	1	1	3	1	1	2	2	1	-	1	1	-
BLACK---MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-
ARKANSAS -----	3	4	11	11	21	31	46	48	34	12	2	-
WHITE-----MALE----	1	-	4	6	10	8	13	19	5	-	-	-
FEMALE--	1	3	4	1	7	17	27	25	21	11	2	-
ALL OTHER--MALE----	-	1	2	2	-	1	4	2	2	-	-	-
FEMALE--	1	-	1	2	4	5	2	2	6	1	-	-
BLACK---MALE----	-	1	2	2	-	1	4	2	2	-	-	-
FEMALE--	1	-	1	2	4	5	2	2	6	1	-	-
CALIFORNIA -----	32	31	66	113	198	303	446	431	305	123	33	-
WHITE-----MALE----	16	4	18	41	60	97	128	127	60	21	1	-
FEMALE--	10	16	35	45	96	150	252	264	220	88	30	-
ALL OTHER--MALE----	4	4	1	6	18	23	29	10	10	5	-	-
FEMALE--	2	7	12	21	24	33	37	30	15	9	2	-
BLACK---MALE----	3	3	-	5	15	19	15	6	4	3	-	-
FEMALE--	1	6	9	12	14	20	18	16	7	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,306

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
COLORADO -----	189	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	72	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	109	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	232	-	-	-	-	-	-	1	1	-	4	3
WHITE-----MALE----	89	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	126	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
DELAWARE -----	45	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	95	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	47	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	47	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	1,235	1	1	-	-	-	2	1	4	6	10	12
WHITE-----MALE----	459	-	1	-	-	-	-	-	-	1	7	-
FEMALE--	605	-	-	-	-	-	1	-	1	-	-	7
ALL OTHER--MALE----	65	1	-	-	-	-	-	1	2	2	1	5
FEMALE--	106	-	-	-	-	-	1	-	1	3	2	-
BLACK---MALE----	62	1	-	-	-	-	-	1	2	2	1	5
FEMALE--	102	-	-	-	-	-	1	-	1	3	2	-
GEORGIA -----	602	1	1	-	-	2	-	1	4	4	3	17
WHITE-----MALE----	136	1	-	-	-	-	-	-	1	1	-	3
FEMALE--	240	-	-	-	-	1	-	-	1	-	-	3
ALL OTHER--MALE----	78	-	1	-	-	-	-	-	1	1	2	7
FEMALE--	148	-	-	-	-	1	-	1	1	2	1	4
BLACK---MALE----	78	-	1	-	-	-	-	-	1	1	2	7
FEMALE--	146	-	-	-	-	1	-	1	1	2	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,306

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
COLORADO -----	4	4	5	3	20	29	37	48	24	9	5	-
WHITE-----MALE----	2	2	3	2	9	14	15	17	5	2	-	-
FEMALE--	1	2	2	1	9	13	21	30	19	7	4	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	1	-
CONNECTICUT -----	1	4	5	11	23	39	40	46	34	19	1	-
WHITE-----MALE----	-	1	2	7	9	11	16	16	16	6	1	-
FEMALE--	-	2	1	3	11	25	23	28	18	13	-	-
ALL OTHER--MALE----	-	-	-	1	2	3	1	1	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	3	1	1	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	1	-	-	-	-
DELAWARE -----	-	-	1	2	5	9	12	7	7	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	7	1	1	-	-	-
FEMALE--	-	-	1	2	2	5	5	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	2	5	3	8	9	16	17	10	10	9	2	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	1	2	2	1	-
ALL OTHER--MALE----	2	4	1	3	4	7	6	3	2	-	-	-
FEMALE--	-	1	2	4	4	8	8	5	6	7	1	-
BLACK---MALE----	2	4	1	3	4	7	6	3	2	-	-	-
FEMALE--	-	1	2	4	4	8	8	5	6	7	1	-
FLORIDA -----	16	22	33	72	101	194	245	267	176	60	12	-
WHITE-----MALE----	6	10	15	28	35	83	104	95	54	18	2	-
FEMALE--	3	6	10	22	44	75	123	155	113	38	7	-
ALL OTHER--MALE----	3	4	3	8	4	15	9	7	-	-	-	-
FEMALE--	4	2	5	14	18	21	9	10	9	4	3	-
BLACK---MALE----	2	3	3	8	4	15	8	7	-	-	-	-
FEMALE--	4	2	5	14	18	19	9	8	9	4	3	-
GEORGIA -----	16	12	36	36	67	99	79	105	85	28	6	-
WHITE-----MALE----	4	3	10	9	19	29	14	24	14	4	-	-
FEMALE--	3	-	4	5	23	40	32	55	50	17	6	-
ALL OTHER--MALE----	4	4	9	11	7	13	12	4	2	-	-	-
FEMALE--	5	5	13	11	18	17	21	22	19	7	-	-
BLACK---MALE----	4	4	9	11	7	13	12	4	2	-	-	-
FEMALE--	5	5	13	11	18	17	20	21	19	7	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,307

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
HAWAII -----	1	1	2	5	3	5	7	10	8	6	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	1	-
ALL OTHER--MALE----	-	-	1	2	2	1	3	3	4	2	-	-
FEMALE--	1	1	1	2	1	3	2	6	1	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	1	4	8	7	14	9	5	-	-
WHITE-----MALE----	1	-	1	1	-	4	3	4	1	-	-	-
FEMALE--	-	-	-	-	4	4	4	10	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	17	22	25	33	93	129	168	171	114	46	8	-
WHITE-----MALE----	3	8	6	11	31	53	58	46	32	6	1	-
FEMALE--	8	4	8	9	32	53	86	104	70	34	6	-
ALL OTHER--MALE----	4	4	7	9	11	10	7	6	4	1	1	-
FEMALE--	2	6	4	4	19	13	17	15	8	5	-	-
BLACK---MALE----	4	4	7	9	11	10	7	5	4	1	1	-
FEMALE--	2	6	4	4	19	12	17	15	8	5	-	-
INDIANA -----	12	16	11	16	35	60	69	80	61	25	8	-
WHITE-----MALE----	8	11	4	3	9	16	25	26	17	5	-	-
FEMALE--	1	4	5	8	17	39	40	53	39	20	8	-
ALL OTHER--MALE----	-	-	1	1	3	2	2	-	1	-	-	-
FEMALE--	3	1	1	4	6	3	2	1	4	-	-	-
BLACK---MALE----	-	-	1	1	3	2	2	-	1	-	-	-
FEMALE--	3	1	1	4	6	3	2	1	4	-	-	-
IOWA -----	2	4	3	11	14	28	25	42	31	22	2	-
WHITE-----MALE----	2	2	1	3	4	14	10	13	13	5	-	-
FEMALE--	-	1	2	6	8	14	14	28	17	17	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	2	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	-	-	-	-
KANSAS -----	2	1	9	2	13	13	34	30	33	15	5	-
WHITE-----MALE----	1	1	2	2	6	6	11	9	9	3	1	-
FEMALE--	-	-	6	-	6	7	22	21	24	12	4	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,308

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
KENTUCKY -----	305	-	1	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	95	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	177	-	1	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	473	-	-	-	-	-	-	2	4	5	10	13
WHITE-----MALE----	96	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	172	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	88	-	-	-	-	-	-	1	2	3	4	2
FEMALE--	117	-	-	-	-	-	-	1	2	1	5	6
BLACK---MALE----	88	-	-	-	-	-	-	1	2	3	4	2
FEMALE--	117	-	-	-	-	-	-	1	2	1	5	6
MAINE -----	91	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	427	-	-	-	-	-	-	1	2	2	8	4
WHITE-----MALE----	101	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	187	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	60	-	-	-	-	-	-	1	-	-	4	1
FEMALE--	79	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	58	-	-	-	-	-	-	1	-	-	4	1
FEMALE--	75	-	-	-	-	-	-	-	1	-	1	1
MASSACHUSETTS -----	490	-	1	-	-	-	-	-	1	-	4	1
WHITE-----MALE----	170	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	284	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	708	-	-	-	-	-	3	-	2	7	5	13
WHITE-----MALE----	208	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	354	-	-	-	-	-	1	-	1	1	2	2
ALL OTHER--MALE----	69	-	-	-	-	-	1	-	1	1	1	3
FEMALE--	77	-	-	-	-	-	1	-	-	2	1	6
BLACK---MALE----	67	-	-	-	-	-	1	-	1	1	1	3
FEMALE--	77	-	-	-	-	-	1	-	-	2	1	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,308

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
KENTUCKY -----	3	9	8	13	36	42	57	57	53	19	4	-
WHITE-----MALE----	1	2	5	5	13	16	20	14	15	2	1	-
FEMALE--	1	2	1	7	19	22	33	36	34	16	3	-
ALL OTHER--MALE----	-	4	1	1	-	2	2	2	-	-	-	-
FEMALE--	1	1	1	-	4	2	2	5	4	1	-	-
BLACK---MALE----	-	4	1	1	-	2	2	2	-	-	-	-
FEMALE--	1	1	1	-	4	2	2	5	4	1	-	-
LOUISIANA -----	24	14	25	41	42	73	70	77	51	15	7	-
WHITE-----MALE----	4	1	6	5	9	20	16	14	9	5	2	-
FEMALE--	2	2	2	9	17	33	24	43	27	8	3	-
ALL OTHER--MALE----	8	7	8	16	10	7	13	7	-	-	-	-
FEMALE--	10	4	9	11	6	13	17	13	15	2	2	-
BLACK---MALE----	8	7	8	16	10	7	13	7	-	-	-	-
FEMALE--	10	4	9	11	6	13	17	13	15	2	2	-
MAINE -----	1	1	1	3	6	9	27	16	14	12	1	-
WHITE-----MALE----	1	-	1	1	5	4	13	8	1	1	-	-
FEMALE--	-	1	-	2	1	5	14	8	13	11	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	14	11	21	51	60	80	80	56	22	5	-
WHITE-----MALE----	2	3	4	3	14	18	20	19	11	2	-	-
FEMALE--	2	2	-	5	18	23	36	43	36	15	4	-
ALL OTHER--MALE----	2	4	4	8	8	9	6	7	5	1	-	-
FEMALE--	4	5	3	5	11	10	18	11	4	4	1	-
BLACK---MALE----	2	4	4	8	6	9	6	7	5	1	-	-
FEMALE--	4	5	3	5	11	8	18	9	4	4	1	-
MASSACHUSETTS -----	5	10	6	24	41	71	106	103	69	42	6	-
WHITE-----MALE----	2	7	2	12	18	29	37	38	18	5	1	-
FEMALE--	1	2	2	8	16	38	63	61	49	36	5	-
ALL OTHER--MALE----	-	-	1	2	2	-	1	2	-	-	-	-
FEMALE--	2	1	1	2	5	4	5	2	2	1	-	-
BLACK---MALE----	-	-	1	2	2	-	1	1	-	-	-	-
FEMALE--	2	1	1	1	5	2	5	1	2	1	-	-
MICHIGAN -----	6	12	26	39	52	105	152	131	101	45	9	-
WHITE-----MALE----	1	-	4	14	15	33	53	41	28	11	2	-
FEMALE--	2	7	10	12	21	49	78	72	62	30	4	-
ALL OTHER--MALE----	1	4	7	7	7	15	9	6	5	1	-	-
FEMALE--	2	1	5	6	9	8	12	12	6	3	3	-
BLACK---MALE----	1	4	6	7	7	15	8	6	5	1	-	-
FEMALE--	2	1	5	6	9	8	12	12	6	3	3	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,309

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
MINNESOTA -----	2	2	3	6	19	23	44	57	49	20	4	-
WHITE-----MALE----	1	1	2	1	9	13	15	17	11	6	-	-
FEMALE--	1	1	-	4	9	9	28	39	38	14	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
MISSISSIPPI -----	8	13	19	23	38	42	61	60	47	14	4	-
WHITE-----MALE----	1	2	2	5	10	15	12	14	4	2	-	-
FEMALE--	2	3	6	6	10	8	27	22	24	7	1	-
ALL OTHER--MALE----	3	4	5	6	6	4	3	10	6	1	2	-
FEMALE--	2	4	6	6	12	15	19	14	13	4	1	-
BLACK---MALE----	2	4	5	6	6	4	3	10	6	1	2	-
FEMALE--	2	4	6	6	12	15	19	14	13	4	1	-
MISSOURI -----	1	4	17	14	37	52	70	76	66	23	9	-
WHITE-----MALE----	-	-	5	3	11	16	19	15	18	3	2	-
FEMALE--	1	3	8	3	15	31	41	52	43	19	7	-
ALL OTHER--MALE----	-	-	1	1	2	1	5	2	2	-	-	-
FEMALE--	-	1	3	7	9	4	5	7	3	1	-	-
BLACK---MALE----	-	-	1	1	2	1	5	2	2	-	-	-
FEMALE--	-	1	3	7	9	4	5	7	3	1	-	-
MONTANA -----	1	1	1	3	1	8	6	14	4	4	-	-
WHITE-----MALE----	1	-	1	1	-	4	3	5	1	-	-	-
FEMALE--	-	-	-	1	1	4	3	9	3	4	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	2	-	4	8	11	9	13	11	9	3	-
WHITE-----MALE----	1	1	-	1	2	6	3	5	3	2	-	-
FEMALE--	-	-	-	3	5	5	6	7	8	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
NEVADA -----	3	3	5	10	12	9	19	12	10	4	1	-
WHITE-----MALE----	3	2	1	3	-	3	7	4	3	2	-	-
FEMALE--	-	1	3	7	10	5	10	8	7	1	1	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,311

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
OHIO -----	839	-	-	-	-	-	-	-	2	4	10	8
WHITE-----MALE----	239	-	-	-	-	-	-	-	1	4	-	2
FEMALE--	470	-	-	-	-	-	-	-	-	-	5	2
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	1	-	4	1
FEMALE--	76	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	54	-	-	-	-	-	-	-	1	-	4	1
FEMALE--	75	-	-	-	-	-	-	-	-	-	1	3
OKLAHOMA -----	280	-	-	-	-	-	1	-	1	-	2	7
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	157	-	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	178	-	-	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	72	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	102	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,116	1	1	-	-	1	1	-	1	2	11	19
WHITE-----MALE----	339	1	-	-	-	-	1	-	1	-	3	4
FEMALE--	640	-	-	-	-	-	-	-	-	1	3	8
ALL OTHER--MALE----	62	-	1	-	-	1	-	-	-	1	5	4
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	61	-	1	-	-	1	-	-	-	1	5	4
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	3
RHODE ISLAND -----	77	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	427	-	-	-	-	-	-	1	4	2	6	11
WHITE-----MALE----	95	-	-	-	-	-	-	-	2	-	1	3
FEMALE--	167	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	71	-	-	-	-	-	-	-	1	-	3	3
FEMALE--	94	-	-	-	-	-	-	1	1	1	1	5
BLACK---MALE----	71	-	-	-	-	-	-	-	1	-	3	3
FEMALE--	92	-	-	-	-	-	-	1	1	1	1	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,311

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
OHIO -----	7	16	30	49	73	147	159	170	106	46	12	-
WHITE-----MALE----	1	5	8	11	21	48	54	49	25	9	1	-
FEMALE--	5	7	12	23	34	73	90	105	69	35	10	-
ALL OTHER--MALE----	1	1	6	8	6	10	4	6	5	1	-	-
FEMALE--	-	3	4	7	12	16	11	10	7	1	1	-
BLACK---MALE----	1	1	6	8	6	10	4	6	5	1	-	-
FEMALE--	-	3	4	7	12	15	11	10	7	1	1	-
OKLAHOMA -----	4	6	12	17	26	41	40	60	41	18	4	-
WHITE-----MALE----	-	2	6	4	14	10	15	18	8	3	-	-
FEMALE--	1	2	5	9	7	26	20	38	27	14	4	-
ALL OTHER--MALE----	2	1	1	3	2	3	-	1	2	1	-	-
FEMALE--	1	1	-	1	3	2	5	3	4	-	-	-
BLACK---MALE----	1	1	-	1	2	2	-	1	1	-	-	-
FEMALE--	1	1	-	1	2	1	2	2	3	-	-	-
OREGON -----	3	3	4	13	13	21	30	35	30	17	6	-
WHITE-----MALE----	1	2	2	6	6	10	18	16	4	2	2	-
FEMALE--	2	1	2	6	7	10	12	19	25	14	4	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	19	21	19	64	130	165	219	239	134	58	11	-
WHITE-----MALE----	7	10	6	23	58	51	81	64	17	10	2	-
FEMALE--	7	4	7	25	51	90	119	165	108	44	8	-
ALL OTHER--MALE----	4	6	4	8	7	7	7	3	4	-	-	-
FEMALE--	1	1	2	8	14	17	12	7	5	4	1	-
BLACK---MALE----	4	6	4	8	7	7	7	3	3	-	-	-
FEMALE--	1	1	2	8	14	17	12	7	5	4	1	-
RHODE ISLAND -----	1	2	1	3	3	8	20	22	13	2	-	-
WHITE-----MALE----	1	-	1	-	-	4	9	4	4	-	-	-
FEMALE--	-	-	-	1	1	4	11	17	8	2	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	17	19	23	56	57	68	82	44	19	5	-
WHITE-----MALE----	3	3	4	7	9	15	19	16	10	2	1	-
FEMALE--	1	2	8	4	20	22	29	41	23	14	1	-
ALL OTHER--MALE----	3	9	4	8	10	10	5	8	5	1	1	-
FEMALE--	6	3	3	4	17	10	15	17	6	2	2	-
BLACK---MALE----	3	9	4	8	10	10	5	8	5	1	1	-
FEMALE--	6	3	3	4	16	10	14	17	6	2	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,312

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
SOUTH DAKOTA -----	40	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	609	1	-	-	-	1	3	2	-	6	5	10
WHITE-----MALE----	138	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	328	1	-	-	-	1	2	1	-	1	2	3
ALL OTHER--MALE----	55	-	-	-	-	-	1	-	-	-	2	3
FEMALE--	88	-	-	-	-	-	-	1	-	5	1	2
BLACK---MALE----	54	-	-	-	-	-	1	-	-	-	2	2
FEMALE--	87	-	-	-	-	-	-	1	-	5	1	2
TEXAS -----	1,336	5	1	-	-	2	2	7	7	8	17	22
WHITE-----MALE----	390	1	-	-	-	1	1	1	-	4	8	5
FEMALE--	715	3	1	-	-	-	-	5	6	3	2	6
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	1	-	5	5
FEMALE--	138	1	-	-	-	1	1	1	-	1	2	6
BLACK---MALE----	93	-	-	-	-	-	-	-	1	-	5	5
FEMALE--	133	1	-	-	-	1	1	-	-	1	2	6
UTAH -----	83	-	-	-	-	-	-	-	1	1	-	2
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	54	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	30	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	538	1	-	-	-	2	1	2	2	5	4	13
WHITE-----MALE----	130	-	-	-	-	-	-	1	-	3	-	1
FEMALE--	232	-	-	-	-	1	-	-	1	2	-	3
ALL OTHER--MALE----	72	1	-	-	-	-	1	-	1	-	1	7
FEMALE--	104	-	-	-	-	1	-	1	-	-	3	2
BLACK---MALE----	72	1	-	-	-	-	1	-	1	-	1	7
FEMALE--	103	-	-	-	-	1	-	1	-	-	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,312

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
SOUTH DAKOTA -----	1	2	1	-	4	4	9	12	6	1	-	-
WHITE-----MALE----	-	-	1	-	1	3	2	3	1	-	-	-
FEMALE--	1	1	-	-	3	1	7	9	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	25	28	33	67	87	104	111	84	25	7	-
WHITE-----MALE----	1	6	7	10	20	22	27	29	12	1	1	-
FEMALE--	2	10	11	7	26	45	60	67	63	21	5	-
ALL OTHER--MALE----	2	5	4	5	6	10	9	7	1	-	-	-
FEMALE--	5	4	6	11	15	10	8	8	8	3	1	-
BLACK---MALE----	2	5	4	5	6	10	9	7	1	-	-	-
FEMALE--	5	4	6	10	15	10	8	8	8	3	1	-
TEXAS -----	26	29	40	77	120	176	231	263	198	87	18	-
WHITE-----MALE----	4	9	13	24	48	70	68	71	42	16	4	-
FEMALE--	10	9	16	31	48	78	130	168	129	61	9	-
ALL OTHER--MALE----	5	3	6	15	13	11	10	6	8	3	2	-
FEMALE--	7	8	5	7	11	17	23	18	19	7	3	-
BLACK---MALE----	5	3	6	15	13	11	10	6	8	3	2	-
FEMALE--	7	8	5	7	10	17	22	16	19	7	3	-
UTAH -----	-	2	2	4	5	13	15	23	10	5	-	-
WHITE-----MALE----	-	-	1	3	2	8	4	4	5	-	-	-
FEMALE--	-	2	1	1	3	5	11	19	5	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	1	2	3	3	8	4	5	1	-
WHITE-----MALE----	-	-	1	-	-	1	2	3	2	3	-	-
FEMALE--	-	-	1	-	2	2	1	5	2	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	14	18	37	53	74	115	95	53	32	6	-
WHITE-----MALE----	2	4	3	10	10	16	40	22	9	8	1	-
FEMALE--	3	3	3	7	20	25	49	55	36	20	4	-
ALL OTHER--MALE----	3	2	7	5	9	12	12	7	2	2	-	-
FEMALE--	3	5	5	15	14	21	14	11	6	2	1	-
BLACK---MALE----	3	2	7	5	9	12	12	7	2	2	-	-
FEMALE--	3	5	5	15	14	21	13	11	6	2	1	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,314

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
UNITED STATES --	14	14	25	23	39	92	129	139	85	33	4	1
WHITE-----MALE----	11	9	15	21	28	71	112	128	79	29	3	-
ALL OTHER--MALE----	3	5	10	2	11	21	17	11	6	4	1	1
BLACK---MALE-----	2	5	10	2	10	19	14	10	5	3	1	1
ALABAMA -----	-	-	2	-	2	1	1	4	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	2	-	-	-	-	-	-	-
ALASKA -----	-	1	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	2	-	3	-	5	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	3	-	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	2	1	4	3	8	13	27	18	9	6	-	-
WHITE-----MALE----	2	1	4	3	6	10	24	16	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	2	3	3	2	-	2	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	1	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,315

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
COLORADO -----	-	1	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	1	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	2	1	2	7	9	4	3	-	1	-
WHITE-----MALE----	1	-	1	1	1	6	7	4	3	-	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	2	-	-	-	-	-
GEORGIA -----	-	1	-	2	1	4	3	4	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	2	1	1	1	-	-	-
BLACK---MALE----	-	1	-	1	-	2	1	1	1	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,317

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
KENTUCKY -----	-	-	-	-	1	2	2	4	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	2	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	2	1	2	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	1	-	-
MAINE -----	-	-	1	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	2	1	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
MASSACHUSETTS -----	1	-	1	1	1	3	2	1	-	1	-	-
WHITE-----MALE----	1	-	1	1	1	3	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	-	2	1	2	5	2	2	2	-	-
WHITE-----MALE----	-	1	-	2	1	2	4	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,320

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
OHIO -----	1	-	2	2	1	5	6	6	5	1	-	-
WHITE-----MALE----	1	-	1	1	1	2	5	6	5	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	3	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	3	1	-	-	-	-	-
OKLAHOMA -----	-	1	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	-	-	1	-	-	-	5	1	2	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	4	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	-	-	4	3	4	5	2	-	-
WHITE-----MALE----	-	-	1	-	-	4	3	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	2	4	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,321

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	1	3	3	6	3	-	-	1
WHITE-----MALE----	-	-	-	-	1	2	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	2	-	-	-	1
BLACK---MALE----	-	-	1	-	-	1	-	2	-	-	-	1
TEXAS -----	-	2	1	1	3	10	7	12	6	3	-	-
WHITE-----MALE----	-	2	1	1	2	8	6	10	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	2	1	2	1	-	-	-
UTAH -----	-	-	-	1	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	-	-	3	1	2	1	-	1	-	-
WHITE-----MALE----	1	-	-	-	2	1	1	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,323

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
UNITED STATES --	1	3	10	9	17	65	98	113	66	25	2	1
WHITE-----MALE----	1	2	6	9	12	49	87	106	61	22	1	-
ALL OTHER--MALE----	-	1	4	-	5	16	11	7	5	3	1	1
BLACK---MALE-----	-	1	4	-	4	14	8	6	4	2	1	1
ALABAMA -----	-	-	1	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	1	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	1	-	-	2	5	11	22	18	8	5	-	-
WHITE-----MALE----	1	-	-	2	3	8	20	16	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	2	3	2	2	-	2	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	1	-	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,324

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
COLORADO -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	2	-	1	5	7	4	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	4	6	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
GEORGIA -----	-	-	-	-	1	3	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	1	-	-	-





















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,329

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
OHIO -----	-	-	-	-	-	2	5	6	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	4	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	4	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	4	3	3	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	4	3	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	2	3	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,330

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	-	3	3	6	3	-	-	1
WHITE-----MALE----	-	-	-	-	-	2	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	2	-	-	-	1
BLACK---MALE----	-	-	1	-	-	1	-	2	-	-	-	1
TEXAS -----	-	-	-	1	-	6	4	10	5	3	-	-
WHITE-----MALE----	-	-	-	1	-	5	4	9	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
UTAH -----	-	-	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	2	-	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,332

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
UNITED STATES --	13	11	15	14	22	27	31	26	19	8	2	-
WHITE-----MALE----	10	7	9	12	16	22	25	22	18	7	2	-
ALL OTHER--MALE----	3	4	6	2	6	5	6	4	1	1	-	-
BLACK---MALE-----	2	4	6	2	6	5	6	4	1	1	-	-
ALABAMA -----	-	-	1	-	2	1	-	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	2	-	-	-	-	-	-	-
ALASKA -----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	2	-	2	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	4	1	3	2	5	-	1	1	-	-
WHITE-----MALE----	1	1	4	1	3	2	4	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,333

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
COLORADO -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	1	1	2	2	-	1	-	1	-
WHITE-----MALE----	1	-	-	1	1	2	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	-	1	-	2	-	1	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,335

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
KENTUCKY -----	-	-	-	-	1	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	1	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	1	1	2	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	1	-	1	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,338

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
OHIO -----	1	-	2	2	1	3	1	-	1	1	-	-
WHITE-----MALE----	1	-	1	1	1	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	-	-	1	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	-	-	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,339

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	2	1	-	3	4	3	2	1	-	-	-
WHITE-----MALE----	-	2	1	-	2	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	1	-	-	-	-
UTAH -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-









































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,348

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISORDERS OF BREAST (610-611)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-



















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,353

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
KENTUCKY -----	3	-	-	-	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	-	-	-	-	-	-	-	1	-	-	1
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	14	2	-	-	-	-	-	1	-	1	1	-
WHITE-----FEMALE--	7	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	7	1	-	-	-	-	-	1	-	-	1	-
BLACK---FEMALE--	7	1	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,353

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	-	-	-	1	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	-	1	-	-	1	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	2	1	1	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	1	1	1	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	1	-	1	2	-	-
WHITE-----FEMALE--	-	-	-	-	-	1	1	-	1	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	1	-	-	3	4	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	3	2	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	2	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	2	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,356

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	1	1	-	2	-	2	3	2	1	-	-
WHITE-----FEMALE--	-	-	1	-	2	-	2	2	2	1	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	1	-	1	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	1	1	-	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	-	1	4	2	1	2	1	-	-
WHITE-----FEMALE--	-	-	1	-	1	4	1	1	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	1	-	3	1	2	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	3	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,357

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	2	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	-	-	1	3	1	-	1	-	-
WHITE-----FEMALE--	-	1	-	-	-	1	2	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
TEXAS -----	-	1	2	1	3	4	1	2	-	-	-	-
WHITE-----FEMALE--	-	1	2	-	2	3	1	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	1	-	3	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	3	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,359

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	281	...	...	...	-	19	48	73	67	53	20	1
WHITE-----FEMALE--	158	...	...	...	-	10	23	43	36	33	13	-
ALL OTHER--FEMALE--	123	...	...	...	-	9	25	30	31	20	7	1
BLACK---FEMALE--	104	...	...	...	-	9	24	24	26	15	5	1
ALABAMA -----	8	...	...	...	-	2	1	1	3	1	-	-
WHITE-----FEMALE--	6	...	...	...	-	1	1	1	2	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	1	-	-	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	1	-	-	1	-	-	-
ALASKA -----	1	...	...	...	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA -----	2	...	...	...	-	-	-	-	1	1	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS -----	3	...	...	...	-	-	-	1	1	1	-	-
WHITE-----FEMALE--	3	...	...	...	-	-	-	1	1	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA -----	40	...	...	...	-	1	10	10	8	8	3	-
WHITE-----FEMALE--	27	...	...	...	-	-	7	6	5	6	3	-
ALL OTHER--FEMALE--	13	...	...	...	-	1	3	4	3	2	-	-
BLACK---FEMALE--	8	...	...	...	-	1	3	2	1	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,360

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	9	...	...	...	-	-	2	2	2	1	2	-
WHITE-----FEMALE--	6	...	...	...	-	-	1	2	1	-	2	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	1	-	1	1	-	-
BLACK---FEMALE--	3	...	...	...	-	-	1	-	1	1	-	-
CONNECTICUT -----	2	...	...	...	-	-	-	-	2	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
DELAWARE -----	2	...	...	...	-	-	-	1	-	1	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA -----	18	...	...	...	-	1	-	9	4	2	2	-
WHITE-----FEMALE--	9	...	...	...	-	-	-	5	2	1	1	-
ALL OTHER--FEMALE--	9	...	...	...	-	1	-	4	2	1	1	-
BLACK---FEMALE--	9	...	...	...	-	1	-	4	2	1	1	-
GEORGIA -----	9	...	...	...	-	-	1	1	4	3	-	-
WHITE-----FEMALE--	3	...	...	...	-	-	-	-	2	1	-	-
ALL OTHER--FEMALE--	6	...	...	...	-	-	1	1	2	2	-	-
BLACK---FEMALE--	5	...	...	...	-	-	1	1	2	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,362

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3	...	...	...	-	-	-	1	1	1	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
LOUISIANA -----	3	...	...	...	-	1	1	-	-	1	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	1	1	-	-	1	-	-
BLACK---FEMALE--	3	...	...	...	-	1	1	-	-	1	-	-
MAINE -----	1	...	...	...	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND -----	10	...	...	...	-	1	-	1	4	1	3	-
WHITE-----FEMALE--	3	...	...	...	-	-	-	1	1	1	-	-
ALL OTHER--FEMALE--	7	...	...	...	-	1	-	-	3	-	3	-
BLACK---FEMALE--	7	...	...	...	-	1	-	-	3	-	3	-
MASSACHUSETTS -----	2	...	...	...	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN -----	9	...	...	...	-	-	3	2	-	4	-	-
WHITE-----FEMALE--	3	...	...	...	-	-	-	-	-	3	-	-
ALL OTHER--FEMALE--	6	...	...	...	-	-	3	2	-	1	-	-
BLACK---FEMALE--	5	...	...	...	-	-	3	1	-	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,365

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	7	...	...	...	-	1	1	4	1	-	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	5	...	...	...	-	1	1	2	1	-	-	-
BLACK---FEMALE--	5	...	...	...	-	1	1	2	1	-	-	-
OKLAHOMA -----	5	...	...	...	-	1	2	1	-	1	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	5	...	...	...	-	1	2	1	-	1	-	-
BLACK---FEMALE--	5	...	...	...	-	1	2	1	-	1	-	-
OREGON -----	4	...	...	...	-	-	1	2	-	-	1	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	1	-	-	1	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
PENNSYLVANIA -----	12	...	...	...	-	1	2	4	1	1	2	1
WHITE-----FEMALE--	7	...	...	...	-	1	2	2	-	1	1	-
ALL OTHER--FEMALE--	5	...	...	...	-	-	-	2	1	-	1	1
BLACK---FEMALE--	4	...	...	...	-	-	-	2	1	-	-	1
RHODE ISLAND -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	...	...	...	-	-	-	1	2	1	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	-	1	1	1	-	-
BLACK---FEMALE--	3	...	...	...	-	-	-	1	1	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,368

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
UNITED STATES --	32	...	...	...	-	4	5	8	7	6	2	-
WHITE-----FEMALE--	15	...	...	...	-	2	2	3	5	3	-	-
ALL OTHER--FEMALE--	17	...	...	...	-	2	3	5	2	3	2	-
BLACK---FEMALE--	14	...	...	...	-	2	3	2	2	3	2	-
ALABAMA -----	1	...	...	...	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
ALASKA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA -----	1	...	...	...	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	...	...	...	-	-	1	1	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-







































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,377

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ECTOPIC PREGNANCY (633)												
UNITED STATES --	19	...	...	...	-	2	2	6	3	4	2	-
WHITE-----FEMALE--	7	...	...	...	-	1	-	2	2	2	-	-
ALL OTHER--FEMALE--	12	...	...	...	-	1	2	4	1	2	2	-
BLACK---FEMALE--	9	...	...	...	-	1	2	1	1	2	2	-
ALABAMA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	...	...	...	-	-	1	1	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-









































































































































































































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,422

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
UNITED STATES --	229	...	...	...	-	12	40	60	54	45	17	1
WHITE-----FEMALE--	129	...	...	...	-	6	19	36	28	28	12	-
ALL OTHER--FEMALE--	100	...	...	...	-	6	21	24	26	17	5	1
BLACK---FEMALE--	85	...	...	...	-	6	20	21	22	12	3	1
ALABAMA -----	5	...	...	...	-	1	1	-	2	1	-	-
WHITE-----FEMALE--	4	...	...	...	-	1	1	-	1	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALASKA -----	1	...	...	...	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA -----	1	...	...	...	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS -----	3	...	...	...	-	-	-	1	1	1	-	-
WHITE-----FEMALE--	3	...	...	...	-	-	-	1	1	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA -----	34	...	...	...	-	1	8	7	8	7	3	-
WHITE-----FEMALE--	23	...	...	...	-	-	6	4	5	5	3	-
ALL OTHER--FEMALE--	11	...	...	...	-	1	2	3	3	2	-	-
BLACK---FEMALE--	7	...	...	...	-	1	2	2	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,423

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
COLORADO -----	8	...	...	...	-	-	2	2	1	1	2	-
WHITE-----FEMALE--	5	...	...	...	-	-	1	2	-	-	2	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	1	-	1	1	-	-
BLACK---FEMALE--	3	...	...	...	-	-	1	-	1	1	-	-
CONNECTICUT -----	2	...	...	...	-	-	-	-	2	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
DELAWARE -----	2	...	...	...	-	-	-	1	-	1	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA -----	13	...	...	...	-	-	-	8	2	2	1	-
WHITE-----FEMALE--	8	...	...	...	-	-	-	5	1	1	1	-
ALL OTHER--FEMALE--	5	...	...	...	-	-	-	3	1	1	-	-
BLACK---FEMALE--	5	...	...	...	-	-	-	3	1	1	-	-
GEORGIA -----	9	...	...	...	-	-	1	1	4	3	-	-
WHITE-----FEMALE--	3	...	...	...	-	-	-	-	2	1	-	-
ALL OTHER--FEMALE--	6	...	...	...	-	-	1	1	2	2	-	-
BLACK---FEMALE--	5	...	...	...	-	-	1	1	2	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,425

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
KENTUCKY -----	3	...	...	...	-	-	-	1	1	1	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
LOUISIANA -----	2	...	...	...	-	-	1	-	-	1	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	1	-	-	1	-	-
BLACK---FEMALE--	2	...	...	...	-	-	1	-	-	1	-	-
MAINE -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND -----	9	...	...	...	-	1	-	1	3	1	3	-
WHITE-----FEMALE--	3	...	...	...	-	-	-	1	1	1	-	-
ALL OTHER--FEMALE--	6	...	...	...	-	1	-	-	2	-	3	-
BLACK---FEMALE--	6	...	...	...	-	1	-	-	2	-	3	-
MASSACHUSETTS -----	2	...	...	...	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN -----	7	...	...	...	-	-	3	1	-	3	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
ALL OTHER--FEMALE--	5	...	...	...	-	-	3	1	-	1	-	-
BLACK---FEMALE--	5	...	...	...	-	-	3	1	-	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,428

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
OHIO -----	6	...	...	...	-	1	1	3	1	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	5	...	...	...	-	1	1	2	1	-	-	-
BLACK---FEMALE--	5	...	...	...	-	1	1	2	1	-	-	-
OKLAHOMA -----	4	...	...	...	-	1	2	1	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	...	...	...	-	1	2	1	-	-	-	-
BLACK---FEMALE--	4	...	...	...	-	1	2	1	-	-	-	-
OREGON -----	3	...	...	...	-	-	1	1	-	-	1	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
PENNSYLVANIA -----	11	...	...	...	-	1	2	3	1	1	2	1
WHITE-----FEMALE--	7	...	...	...	-	1	2	2	-	1	1	-
ALL OTHER--FEMALE--	4	...	...	...	-	-	-	1	1	-	1	1
BLACK---FEMALE--	3	...	...	...	-	-	-	1	1	-	-	1
RHODE ISLAND -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	...	...	...	-	-	-	1	1	1	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	-	1	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	1	-	1	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,431

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH (640-641,666)												
UNITED STATES --	24	...	...	...	-	-	5	6	3	6	4	-
WHITE-----FEMALE--	16	...	...	...	-	-	3	4	2	4	3	-
ALL OTHER--FEMALE--	8	...	...	...	-	-	2	2	1	2	1	-
BLACK---FEMALE--	5	...	...	...	-	-	1	2	-	1	1	-
ALABAMA -----	1	...	...	...	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA -----	1	...	...	...	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	...	...	...	-	-	3	1	1	1	-	-
WHITE-----FEMALE--	5	...	...	...	-	-	2	1	1	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-









































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,440

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)												
UNITED STATES --	47	...	...	...	-	4	10	12	7	11	3	-
WHITE-----FEMALE--	23	...	...	...	-	2	5	6	3	5	2	-
ALL OTHER--FEMALE--	24	...	...	...	-	2	5	6	4	6	1	-
BLACK---FEMALE--	22	...	...	...	-	2	5	6	4	4	1	-
ALABAMA -----	1	...	...	...	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA -----	1	...	...	...	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	...	...	...	-	-	1	1	-	2	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	-	1	-	2	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	1	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,441

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)												
COLORADO -----	3	...	...	...	-	-	2	-	-	-	1	-
WHITE-----FEMALE--	2	...	...	...	-	-	1	-	-	-	1	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
CONNECTICUT -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA -----	4	...	...	...	-	-	-	2	1	1	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
GEORGIA -----	2	...	...	...	-	-	-	1	-	1	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,443

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)												
KENTUCKY -----	1	...	...	...	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
LOUISIANA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND -----	3	...	...	...	-	1	-	-	-	1	1	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	1	-	-	-	-	1	-
BLACK---FEMALE--	2	...	...	...	-	1	-	-	-	-	1	-
MASSACHUSETTS -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN -----	3	...	...	...	-	-	3	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	3	-	-	-	-	-
BLACK---FEMALE--	3	...	...	...	-	-	3	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,446

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)												
OHIO -----	1	...	...	...	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	...	...	...	-	-	-	-	1	1	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
RHODE ISLAND -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	...	...	...	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-





















































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,458

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
UNITED STATES --	99	...	...	...	-	5	16	26	26	17	8	1
WHITE-----FEMALE--	60	...	...	...	-	2	8	18	16	11	5	-
ALL OTHER--FEMALE--	39	...	...	...	-	3	8	8	10	6	3	1
BLACK---FEMALE--	35	...	...	...	-	3	8	7	9	6	1	1
ALABAMA -----	1	...	...	...	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS -----	1	...	...	...	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA -----	15	...	...	...	-	1	2	3	4	2	3	-
WHITE-----FEMALE--	11	...	...	...	-	-	1	2	3	2	3	-
ALL OTHER--FEMALE--	4	...	...	...	-	1	1	1	1	-	-	-
BLACK---FEMALE--	3	...	...	...	-	1	1	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,459

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
COLORADO -----	2	...	...	...	-	-	-	1	-	-	1	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	1	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	...	...	...	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA -----	7	...	...	...	-	-	-	5	1	1	-	-
WHITE-----FEMALE--	5	...	...	...	-	-	-	3	1	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	2	-	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	2	-	-	-	-
GEORGIA -----	4	...	...	...	-	-	1	-	1	2	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	1	-	1	1	-	-
BLACK---FEMALE--	3	...	...	...	-	-	1	-	1	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,461

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
KENTUCKY -----	2	...	...	...	-	-	-	-	1	1	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA -----	1	...	...	...	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
MAINE -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND -----	5	...	...	...	-	-	-	1	3	-	1	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	-	-	2	-	1	-
BLACK---FEMALE--	3	...	...	...	-	-	-	-	2	-	1	-
MASSACHUSETTS -----	1	...	...	...	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN -----	2	...	...	...	-	-	-	-	-	2	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,464

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
OHIO -----	3	...	...	...	-	1	1	-	1	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	1	1	-	1	-	-	-
BLACK---FEMALE--	3	...	...	...	-	1	1	-	1	-	-	-
OKLAHOMA -----	1	...	...	...	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
OREGON -----	1	...	...	...	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	4	...	...	...	-	-	1	1	-	-	1	1
WHITE-----FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	-	-	1	1
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	-	-	1
RHODE ISLAND -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	...	...	...	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,467

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)												
UNITED STATES --	59	...	...	...	-	3	9	16	18	11	2	-
WHITE-----FEMALE--	30	...	...	...	-	2	3	8	7	8	2	-
ALL OTHER--FEMALE--	29	...	...	...	-	1	6	8	11	3	-	-
BLACK---FEMALE--	23	...	...	...	-	1	6	6	9	1	-	-
ALABAMA -----	2	...	...	...	-	-	-	-	2	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALASKA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS -----	2	...	...	...	-	-	-	1	-	1	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	...	...	...	-	-	2	2	3	2	-	-
WHITE-----FEMALE--	6	...	...	...	-	-	2	1	1	2	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	-	1	2	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,468

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)												
COLORADO -----	2	...	...	...	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
CONNECTICUT -----	1	...	...	...	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
DELAWARE -----	1	...	...	...	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA -----	2	...	...	...	-	-	-	1	-	-	1	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
GEORGIA -----	3	...	...	...	-	-	-	-	3	-	-	-
WHITE-----FEMALE--	2	...	...	...	-	-	-	-	2	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,470

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)												
KENTUCKY -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA -----	1	...	...	...	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
MAINE -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN -----	1	...	...	...	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-





















































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,482

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INDIRECT OBSTETRIC CAUSES (647-648)												
OHIO -----	1	...	...	...	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	...	...	...	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	...	...	...	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-























































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,494

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
UNITED STATES --	72	83	115	181	323	402	564	572	456	190	52	-
WHITE-----MALE----	28	28	42	55	102	136	179	152	85	23	4	-
FEMALE--	23	26	40	72	139	173	262	307	296	127	29	-
ALL OTHER--MALE----	8	15	18	23	25	40	52	32	13	6	1	-
FEMALE--	13	14	15	31	57	53	71	81	62	34	18	-
BLACK---MALE----	8	10	18	18	25	39	49	28	12	5	1	-
FEMALE--	11	14	14	29	52	49	69	76	58	33	17	-
ALABAMA -----	-	1	1	3	2	5	13	13	5	2	1	-
WHITE-----MALE----	-	-	-	1	2	1	4	1	1	-	-	-
FEMALE--	-	1	1	-	-	1	3	7	1	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	4	2	-	1	-
BLACK---MALE----	-	-	-	2	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	4	2	-	1	-
ALASKA -----	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	-	1	6	2	4	9	5	2	1	-
WHITE-----MALE----	1	1	-	-	1	-	2	4	2	-	-	-
FEMALE--	-	-	-	1	4	2	2	4	2	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	2	5	3	6	7	8	1	-	-
WHITE-----MALE----	1	-	1	2	-	2	-	2	-	-	-	-
FEMALE--	-	1	-	-	4	1	4	5	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
CALIFORNIA -----	7	8	12	14	19	32	33	26	26	8	-	-
WHITE-----MALE----	3	1	3	5	8	13	11	4	4	1	-	-
FEMALE--	3	6	5	8	9	14	21	19	21	7	-	-
ALL OTHER--MALE----	1	-	1	1	-	2	1	2	-	-	-	-
FEMALE--	-	1	3	-	2	3	-	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,495

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
COLORADO -----	34	-	-	-	-	1	-	-	-	1	1	-
WHITE-----MALE----	13	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	45	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	27	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	17	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	207	-	-	-	-	-	1	-	2	5	4	2
WHITE-----MALE----	73	-	-	-	-	-	1	-	2	2	2	-
FEMALE--	91	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	135	-	-	-	-	-	-	-	2	-	2	2
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	-	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,495

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
COLORADO -----	1	-	1	2	3	5	8	4	5	1	1	-
WHITE-----MALE----	1	-	1	1	1	1	3	2	1	-	-	-
FEMALE--	-	-	-	1	1	3	5	2	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	1	1	3	4	12	8	8	4	-	-
WHITE-----MALE----	-	-	-	-	2	1	3	5	1	2	-	-
FEMALE--	-	1	-	1	1	3	8	3	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	3	2	2	-	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	1	1	2	5	2	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	3	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	3	-	-
FLORIDA -----	5	9	6	11	24	22	37	36	24	16	3	-
WHITE-----MALE----	1	1	5	5	8	9	18	9	7	3	-	-
FEMALE--	-	4	-	3	11	10	14	21	13	9	2	-
ALL OTHER--MALE----	2	4	1	-	1	2	2	2	-	-	-	-
FEMALE--	2	-	-	3	4	1	3	4	4	4	1	-
BLACK---MALE----	2	2	1	-	1	2	2	2	-	-	-	-
FEMALE--	2	-	-	3	4	1	3	4	4	4	1	-
GEORGIA -----	4	1	8	11	14	18	29	19	17	4	4	-
WHITE-----MALE----	1	-	2	3	4	3	9	4	1	1	-	-
FEMALE--	-	-	1	2	2	6	9	9	8	1	2	-
ALL OTHER--MALE----	2	1	1	4	4	3	7	3	2	-	-	-
FEMALE--	1	-	4	2	4	6	4	3	6	2	2	-
BLACK---MALE----	2	1	1	4	4	3	7	3	2	-	-	-
FEMALE--	1	-	4	2	4	6	4	3	6	2	2	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,496

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
HAWAII -----	-	-	-	3	1	1	3	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	5	3	13	14	20	30	24	23	11	5	-
WHITE-----MALE----	-	2	-	3	5	9	6	6	3	1	-	-
FEMALE--	-	-	3	6	5	8	13	12	16	8	4	-
ALL OTHER--MALE----	-	2	-	-	1	-	6	1	1	1	-	-
FEMALE--	-	1	-	4	3	3	5	5	3	1	1	-
BLACK---MALE----	-	2	-	-	1	-	6	1	1	1	-	-
FEMALE--	-	1	-	4	3	2	5	4	3	1	1	-
INDIANA -----	1	1	4	3	7	10	12	15	10	4	-	-
WHITE-----MALE----	-	-	2	2	2	3	5	5	2	1	-	-
FEMALE--	-	-	-	1	4	6	6	9	8	2	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	1	-	-
BLACK---MALE----	-	1	2	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	1	-	-
IOWA -----	1	1	-	-	3	1	2	5	2	1	1	-
WHITE-----MALE----	1	1	-	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	4	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	-	-	1	3	5	3	5	6	-	-
WHITE-----MALE----	-	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	2	3	3	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,497

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
KENTUCKY -----	37	-	-	-	1	-	1	-	-	1	-	3
WHITE-----MALE----	14	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
LOUISIANA -----	104	-	-	-	-	-	-	-	1	1	3	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	1	1	1	-
MAINE -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	95	-	-	-	-	-	1	-	-	2	-	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	1	-	-	1	-	-
MASSACHUSETTS -----	68	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	135	-	-	-	-	-	1	1	1	-	2	3
WHITE-----MALE----	36	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	22	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	22	-	-	-	-	-	1	-	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,497

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
KENTUCKY -----	-	-	1	1	6	6	7	4	6	-	-	-
WHITE-----MALE----	-	-	-	1	3	3	3	-	1	-	-	-
FEMALE--	-	-	1	-	3	3	2	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
LOUISIANA -----	1	3	6	4	7	15	17	21	12	10	2	-
WHITE-----MALE----	1	-	2	-	-	4	3	3	1	-	-	-
FEMALE--	-	-	1	1	2	4	6	9	7	8	1	-
ALL OTHER--MALE----	-	1	3	1	1	5	-	2	1	2	-	-
FEMALE--	-	2	-	2	4	2	8	7	3	-	1	-
BLACK---MALE----	-	-	3	-	1	5	-	2	1	2	-	-
FEMALE--	-	2	-	2	4	2	8	7	3	-	1	-
MAINE -----	-	-	1	-	1	1	4	2	-	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	4	6	10	11	12	23	16	5	1	-
WHITE-----MALE----	-	-	3	2	3	3	5	2	4	-	-	-
FEMALE--	1	2	1	-	4	5	4	14	10	4	-	-
ALL OTHER--MALE----	-	1	-	1	2	2	1	2	-	-	-	-
FEMALE--	-	-	-	3	1	1	2	5	2	1	1	-
BLACK---MALE----	-	1	-	1	2	2	-	2	-	-	-	-
FEMALE--	-	-	-	3	1	1	1	5	2	1	1	-
MASSACHUSETTS -----	4	-	2	6	4	8	13	14	13	1	1	-
WHITE-----MALE----	2	-	2	2	2	3	3	6	4	-	-	-
FEMALE--	2	-	-	3	2	4	8	7	9	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
MICHIGAN -----	1	4	3	8	14	16	24	28	15	10	4	-
WHITE-----MALE----	1	-	1	2	3	7	6	10	5	-	-	-
FEMALE--	-	-	2	5	6	6	14	13	10	6	3	-
ALL OTHER--MALE----	-	1	-	1	2	1	2	-	-	1	-	-
FEMALE--	-	3	-	-	3	2	2	5	-	3	1	-
BLACK---MALE----	-	1	-	1	2	1	2	-	-	1	-	-
FEMALE--	-	3	-	-	3	2	2	5	-	3	1	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,500

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
OHIO -----	3	1	1	9	12	12	20	13	18	7	2	-
WHITE-----MALE----	-	1	1	-	4	4	10	6	2	1	-	-
FEMALE--	1	-	-	4	4	4	7	6	12	4	2	-
ALL OTHER--MALE----	1	-	-	4	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	3	3	3	-	4	2	-	-
BLACK---MALE----	1	-	-	4	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	3	3	3	-	4	2	-	-
OKLAHOMA -----	4	1	3	3	4	3	4	11	6	1	1	-
WHITE-----MALE----	2	1	1	-	1	3	-	4	2	-	-	-
FEMALE--	-	-	1	2	3	-	2	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	1	-
OREGON -----	-	-	1	3	2	6	6	4	7	2	1	-
WHITE-----MALE----	-	-	-	1	2	2	3	1	4	-	1	-
FEMALE--	-	-	1	1	-	4	2	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	5	-	7	8	12	18	31	32	19	11	4	-
WHITE-----MALE----	3	-	3	1	4	10	12	10	1	1	2	-
FEMALE--	2	-	4	3	6	4	13	13	17	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	4	-	-	-	-
FEMALE--	-	-	-	4	2	3	5	5	1	1	1	-
BLACK---MALE----	-	-	-	-	-	1	1	4	-	-	-	-
FEMALE--	-	-	-	3	2	3	5	5	1	1	1	-
RHODE ISLAND -----	-	-	-	-	2	2	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	3	3	5	6	14	14	17	4	1	1	-
WHITE-----MALE----	-	2	-	2	1	4	2	6	-	-	-	-
FEMALE--	1	-	1	-	3	3	7	7	3	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	5	1	-	-	-	-	-
FEMALE--	-	1	-	3	2	2	4	4	1	-	1	-
BLACK---MALE----	-	-	2	-	-	5	1	-	-	-	-	-
FEMALE--	-	1	-	3	2	2	4	4	1	-	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,501  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
SOUTH DAKOTA -----	-	-	-	-	-	2	3	1	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	4	2	2	8	5	7	18	7	2	-	-
WHITE-----MALE----	1	2	-	2	4	-	1	6	2	-	-	-
FEMALE--	2	1	-	-	3	4	5	9	5	2	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	3	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	3	-	-	-	-
TEXAS -----	9	7	12	16	25	38	44	42	41	14	3	-
WHITE-----MALE----	5	3	4	8	9	16	12	13	9	2	-	-
FEMALE--	1	2	5	7	7	19	22	21	23	11	2	-
ALL OTHER--MALE----	1	1	1	1	2	1	5	1	1	-	-	-
FEMALE--	2	1	2	-	7	2	5	7	8	1	1	-
BLACK---MALE----	1	1	1	1	2	1	5	1	1	-	-	-
FEMALE--	2	1	2	-	7	2	5	7	8	1	1	-
UTAH -----	-	1	-	-	1	5	4	2	5	2	-	-
WHITE-----MALE----	-	1	-	-	-	4	2	-	2	1	-	-
FEMALE--	-	-	-	-	1	1	2	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	3	2	9	7	14	18	21	13	3	-	-
WHITE-----MALE----	1	1	-	1	3	2	8	8	2	-	-	-
FEMALE--	-	-	-	3	2	7	6	8	3	1	-	-
ALL OTHER--MALE----	1	1	1	3	1	2	1	2	-	-	-	-
FEMALE--	1	1	1	2	1	3	3	3	8	2	-	-
BLACK---MALE----	1	-	1	3	1	2	1	2	-	-	-	-
FEMALE--	-	1	1	2	1	3	3	3	7	2	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,504

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	-	1	2	2	4	1	1	-	1	-
WHITE-----MALE----	1	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	-	2	2	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	-	1	-	1	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	1	3	3	4	7	5	12	3	3	7	-	-
WHITE-----MALE----	1	-	3	2	4	4	6	1	1	3	-	-
FEMALE--	-	2	-	1	3	1	5	2	1	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
GEORGIA -----	2	-	3	2	2	5	3	4	-	1	1	-
WHITE-----MALE----	-	-	1	1	1	-	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	4	1	2	-	1	1	-
ALL OTHER--MALE----	2	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,505

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	2	-	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	2	-	4	6	8	5	6	5	2	4	-
WHITE-----MALE----	-	-	-	2	3	6	4	2	-	-	-	-
FEMALE--	-	-	-	2	2	1	1	3	4	2	3	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	1	-
BLACK---MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-
INDIANA -----	-	-	1	3	1	2	6	5	3	1	-	-
WHITE-----MALE----	-	-	-	2	-	1	3	3	-	1	-	-
FEMALE--	-	-	-	1	1	1	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	-	-	-	2	-	1	3	-	-	1	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	-	-	-	2	1	-	3	4	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	2	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,506

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	1	1	3	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	-	-	2	3	1	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	4	-	4	4	5	5	5	1	1	-
WHITE-----MALE----	-	-	3	-	1	1	1	1	2	-	-	-
FEMALE--	1	1	1	-	1	1	4	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	1	-
MASSACHUSETTS -----	2	-	1	2	4	2	4	7	4	-	-	-
WHITE-----MALE----	1	-	1	-	2	-	1	4	2	-	-	-
FEMALE--	1	-	-	2	2	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	1	2	1	4	6	8	11	9	3	6	1	-
WHITE-----MALE----	1	-	-	2	-	4	3	3	1	-	-	-
FEMALE--	-	-	1	2	6	2	8	6	2	5	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,509

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
OHIO -----	3	-	-	2	3	2	5	4	7	1	1	-
WHITE-----MALE----	-	-	-	-	2	1	3	2	1	1	-	-
FEMALE--	1	-	-	2	1	-	2	1	6	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	1	1	-	1	1	-	5	2	1	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	3	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	1	2	-	2	3	1	-	1	-
WHITE-----MALE----	-	-	-	1	2	-	2	1	-	-	1	-
FEMALE--	-	-	1	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	-	3	3	4	7	7	3	4	1	1	-
WHITE-----MALE----	2	-	1	-	3	6	3	1	-	-	1	-
FEMALE--	1	-	2	1	1	-	4	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	2	3	1	3	2	5	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	3	-	-	-	-
FEMALE--	1	-	1	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,510

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	-	1	1	1	2	4	3	-	-	-
WHITE-----MALE----	-	2	-	1	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	5	5	1	4	8	10	8	5	13	4	-	-
WHITE-----MALE----	3	3	1	2	4	5	3	1	3	1	-	-
FEMALE--	-	2	-	2	2	5	4	4	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	2	-	-	-
UTAH -----	-	1	-	-	-	2	3	1	2	1	-	-
WHITE-----MALE----	-	1	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	3	3	3	4	6	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	2	3	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,512

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
UNITED STATES --	37	46	72	109	210	275	410	434	342	139	34	-
WHITE-----MALE----	14	10	24	30	53	77	110	101	62	12	2	-
FEMALE--	10	15	23	37	95	125	189	229	215	89	17	-
ALL OTHER--MALE----	4	12	15	16	16	32	47	29	11	6	1	-
FEMALE--	9	9	10	26	46	41	64	75	54	32	14	-
BLACK---MALE----	4	7	15	14	16	31	44	25	10	5	1	-
FEMALE--	7	9	10	25	43	37	63	73	51	31	14	-
ALABAMA -----	-	-	-	2	2	3	9	12	3	2	-	-
WHITE-----MALE----	-	-	-	1	2	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	6	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	4	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	4	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	-	-	4	2	4	5	3	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	4	2	2	2	1	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	2	5	1	5	6	7	1	-	-
WHITE-----MALE----	1	-	1	2	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	4	1	3	4	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
CALIFORNIA -----	2	5	6	4	9	15	23	17	13	5	-	-
WHITE-----MALE----	1	-	2	1	2	2	6	2	3	1	-	-
FEMALE--	1	4	2	3	6	8	16	13	9	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	2	-	-	-	-
FEMALE--	-	1	1	-	1	3	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,513

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
COLORADO -----	20	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	34	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	20	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	155	-	-	-	-	-	1	-	2	3	2	2
WHITE-----MALE----	46	-	-	-	-	-	1	-	2	1	1	-
FEMALE--	71	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	110	-	-	-	-	-	-	-	2	-	1	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,513

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	1	1	3	4	3	4	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	-	3	2	10	6	6	3	-	-
WHITE-----MALE----	-	-	-	-	2	-	3	4	-	1	-	-
FEMALE--	-	-	-	-	1	2	6	2	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	2	2	1	-	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	1	2	5	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	2	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	2	-	-
FLORIDA -----	4	6	3	7	17	17	25	33	21	9	3	-
WHITE-----MALE----	-	1	2	3	4	5	12	8	6	-	-	-
FEMALE--	-	2	-	2	8	9	9	19	12	5	2	-
ALL OTHER--MALE----	2	3	1	-	1	2	2	2	-	-	-	-
FEMALE--	2	-	-	2	4	1	2	4	3	4	1	-
BLACK---MALE----	2	1	1	-	1	2	2	2	-	-	-	-
FEMALE--	2	-	-	2	4	1	2	4	3	4	1	-
GEORGIA -----	2	1	5	9	12	13	26	15	17	3	3	-
WHITE-----MALE----	1	-	1	2	3	3	7	2	1	1	-	-
FEMALE--	-	-	-	2	2	2	8	7	8	-	1	-
ALL OTHER--MALE----	-	1	-	3	3	3	7	3	2	-	-	-
FEMALE--	1	-	4	2	4	5	4	3	6	2	2	-
BLACK---MALE----	-	1	-	3	3	3	7	3	2	-	-	-
FEMALE--	1	-	4	2	4	5	4	3	6	2	2	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,515

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
KENTUCKY -----	29	-	-	-	1	-	1	-	-	1	-	2
WHITE-----MALE----	9	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
LOUISIANA -----	91	-	-	-	-	-	-	-	1	-	3	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	1	-	1	-
MAINE -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	62	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	41	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	80	-	-	-	-	-	1	1	1	-	1	1
WHITE-----MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	17	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	17	-	-	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,515

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	3	6	5	4	6	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	2	-	1	-	-	-
FEMALE--	-	-	-	-	2	3	1	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
LOUISIANA -----	1	2	6	4	7	13	14	20	10	8	2	-
WHITE-----MALE----	1	-	2	-	-	3	2	2	1	-	-	-
FEMALE--	-	-	1	1	2	4	5	9	5	6	1	-
ALL OTHER--MALE----	-	1	3	1	1	4	-	2	1	2	-	-
FEMALE--	-	1	-	2	4	2	7	7	3	-	1	-
BLACK---MALE----	-	-	3	-	1	4	-	2	1	2	-	-
FEMALE--	-	1	-	2	4	2	7	7	3	-	1	-
MAINE -----	-	-	1	-	1	1	4	2	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	-	6	6	7	7	18	11	4	-	-
WHITE-----MALE----	-	-	-	2	2	2	4	1	2	-	-	-
FEMALE--	-	1	-	-	3	4	-	11	7	3	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	3	-	1	2	4	2	1	-	-
BLACK---MALE----	-	1	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	3	-	1	1	4	2	1	-	-
MASSACHUSETTS -----	2	-	1	4	-	6	9	7	9	1	1	-
WHITE-----MALE----	1	-	1	2	-	3	2	2	2	-	-	-
FEMALE--	1	-	-	1	-	3	5	4	7	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
MICHIGAN -----	-	2	2	4	8	8	13	19	12	4	3	-
WHITE-----MALE----	-	-	1	-	3	3	3	7	4	-	-	-
FEMALE--	-	-	1	3	-	4	6	7	8	1	2	-
ALL OTHER--MALE----	-	-	-	1	2	1	2	-	-	1	-	-
FEMALE--	-	2	-	-	3	-	2	5	-	2	1	-
BLACK---MALE----	-	-	-	1	2	1	2	-	-	1	-	-
FEMALE--	-	2	-	-	3	-	2	5	-	2	1	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,518

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	1	1	7	9	10	15	9	11	6	1	-
WHITE-----MALE----	-	1	1	-	2	3	7	4	1	-	-	-
FEMALE--	-	-	-	2	3	4	5	5	6	4	1	-
ALL OTHER--MALE----	-	-	-	4	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	2	3	-	4	2	-	-
BLACK---MALE----	-	-	-	4	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	2	3	-	4	2	-	-
OKLAHOMA -----	4	-	2	3	3	2	4	6	4	-	1	-
WHITE-----MALE----	2	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	1	2	2	-	2	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	1	-
OREGON -----	-	-	-	2	-	6	4	1	6	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	4	-	-	-
FEMALE--	-	-	-	1	-	4	2	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	2	-	4	5	8	11	24	29	15	10	3	-
WHITE-----MALE----	1	-	2	1	1	4	9	9	1	1	1	-
FEMALE--	1	-	2	2	5	4	9	11	13	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	4	-	-	-	-
FEMALE--	-	-	-	2	2	2	5	5	1	1	1	-
BLACK---MALE----	-	-	-	-	-	1	1	4	-	-	-	-
FEMALE--	-	-	-	2	2	2	5	5	1	1	1	-
RHODE ISLAND -----	-	-	-	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	2	5	11	12	12	4	1	1	-
WHITE-----MALE----	-	1	-	1	1	4	1	3	-	-	-	-
FEMALE--	-	-	-	-	3	1	6	5	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	5	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	4	4	1	-	1	-
BLACK---MALE----	-	-	1	-	-	5	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	4	4	1	-	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,519

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
SOUTH DAKOTA -----	-	-	-	-	-	2	2	-	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	2	2	1	7	4	5	14	4	2	-	-
WHITE-----MALE----	1	-	-	1	3	-	-	5	2	-	-	-
FEMALE--	1	1	-	-	3	3	4	6	2	2	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	3	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	3	-	-	-	-
TEXAS -----	4	2	11	12	17	28	36	37	28	10	3	-
WHITE-----MALE----	2	-	3	6	5	11	9	12	6	1	-	-
FEMALE--	1	-	5	5	5	14	18	17	15	8	2	-
ALL OTHER--MALE----	1	1	1	1	1	1	4	1	1	-	-	-
FEMALE--	-	1	2	-	6	2	5	7	6	1	1	-
BLACK---MALE----	1	1	1	1	1	1	4	1	1	-	-	-
FEMALE--	-	1	2	-	6	2	5	7	6	1	1	-
UTAH -----	-	-	-	-	1	3	1	1	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	1	6	4	11	14	15	12	3	-	-
WHITE-----MALE----	1	-	-	1	2	2	6	5	2	-	-	-
FEMALE--	-	-	-	1	1	5	5	6	3	1	-	-
ALL OTHER--MALE----	1	1	1	2	1	2	-	1	-	-	-	-
FEMALE--	1	1	-	2	-	2	3	3	7	2	-	-
BLACK---MALE----	1	-	1	2	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	2	3	3	6	2	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,521  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
UNITED STATES --	10,166	12	7	5	25	49	70	98	155	199	308	382
WHITE-----MALE----	2,289	5	-	3	7	11	9	10	32	40	58	75
FEMALE--	6,276	6	5	2	9	14	25	32	53	70	117	177
ALL OTHER--MALE----	446	-	-	-	2	4	8	10	17	15	31	28
FEMALE--	1,155	1	2	-	7	20	28	46	53	74	102	102
BLACK---MALE----	385	-	-	-	2	4	8	10	15	13	29	26
FEMALE--	1,022	1	2	-	6	19	25	42	46	68	94	92
ALABAMA -----	164	-	-	-	1	2	3	6	3	3	8	9
WHITE-----MALE----	31	-	-	-	1	-	2	1	-	1	-	2
FEMALE--	79	-	-	-	-	1	-	-	1	-	2	3
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	-	2	1	-
FEMALE--	41	-	-	-	-	1	-	5	2	-	5	4
BLACK---MALE----	13	-	-	-	-	-	1	-	-	2	1	-
FEMALE--	41	-	-	-	-	1	-	5	2	-	5	4
ALASKA -----	9	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	200	-	-	-	1	-	1	1	4	2	6	13
WHITE-----MALE----	47	-	-	-	-	-	-	-	2	-	1	4
FEMALE--	136	-	-	-	-	-	1	1	2	-	5	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	1	-	-	-	-	2	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	2	-	1
ARKANSAS -----	104	-	-	1	-	-	-	2	-	2	4	3
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	66	-	-	1	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	2	-
CALIFORNIA -----	954	2	-	1	5	7	11	7	21	35	52	56
WHITE-----MALE----	243	2	-	-	2	1	2	2	8	9	13	13
FEMALE--	557	-	-	1	2	2	5	3	6	18	22	33
ALL OTHER--MALE----	44	-	-	-	1	-	1	-	1	1	3	3
FEMALE--	110	-	-	-	-	4	3	2	6	7	14	7
BLACK---MALE----	26	-	-	-	1	-	1	-	1	1	3	3
FEMALE--	65	-	-	-	-	3	2	1	3	2	12	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,521  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
UNITED STATES --	412	470	563	797	1,125	1,355	1,441	1,319	903	366	105	-
WHITE-----MALE----	98	101	136	213	293	355	380	274	137	49	3	-
FEMALE--	191	245	321	483	701	862	938	943	694	294	94	-
ALL OTHER--MALE----	36	33	32	32	55	51	37	35	14	4	2	-
FEMALE--	87	91	74	69	76	87	86	67	58	19	6	-
BLACK---MALE----	33	27	27	31	39	45	30	28	12	4	2	-
FEMALE--	78	78	63	60	65	69	79	60	51	18	6	-
ALABAMA -----	8	8	12	16	19	21	20	14	6	2	3	-
WHITE-----MALE----	1	-	3	6	3	3	6	2	-	-	-	-
FEMALE--	4	4	7	6	12	12	11	8	5	1	2	-
ALL OTHER--MALE----	1	1	-	1	1	-	2	2	-	-	1	-
FEMALE--	2	3	2	3	3	6	1	2	1	1	-	-
BLACK---MALE----	1	1	-	1	1	-	2	2	-	-	1	-
FEMALE--	2	3	2	3	3	6	1	2	1	1	-	-
ALASKA -----	-	-	1	1	1	3	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	9	15	18	22	31	27	22	18	3	-	-
WHITE-----MALE----	2	1	-	7	8	8	6	4	3	1	-	-
FEMALE--	4	5	12	10	14	22	21	18	12	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	1	2	2	1	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ARKANSAS -----	2	8	8	15	13	11	14	12	3	5	1	-
WHITE-----MALE----	1	2	3	5	2	2	1	2	-	-	-	-
FEMALE--	-	6	4	7	10	8	13	7	2	3	1	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	2	1	1	-	2	-	1	-	-
BLACK---MALE----	1	-	1	1	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	2	1	1	-	2	-	1	-	-
CALIFORNIA -----	52	46	54	71	98	107	117	106	72	26	8	-
WHITE-----MALE----	16	10	15	21	31	22	36	22	13	4	1	-
FEMALE--	24	22	32	45	50	66	75	69	55	20	7	-
ALL OTHER--MALE----	3	4	2	2	10	5	-	5	3	-	-	-
FEMALE--	9	10	5	3	7	14	6	10	1	2	-	-
BLACK---MALE----	2	1	-	1	4	3	-	2	3	-	-	-
FEMALE--	8	4	4	1	4	4	3	8	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,522

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
COLORADO -----	141	-	-	-	-	2	-	-	2	1	5	6
WHITE-----MALE----	45	-	-	-	-	1	-	-	1	1	1	2
FEMALE--	90	-	-	-	-	1	-	-	1	-	4	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	82	-	-	-	1	-	-	-	-	1	2	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	60	-	-	-	1	-	-	-	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
DELAWARE -----	35	-	-	-	1	-	-	-	-	-	1	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	24	-	-	-	-	-	1	-	1	1	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	1	-	1	1	1	1
FLORIDA -----	640	2	1	-	-	6	5	9	10	12	22	22
WHITE-----MALE----	166	1	-	-	-	2	-	-	2	1	5	4
FEMALE--	384	1	1	-	-	1	3	3	3	2	8	11
ALL OTHER--MALE----	22	-	-	-	-	1	-	-	1	-	3	3
FEMALE--	68	-	-	-	-	2	2	6	4	9	6	4
BLACK---MALE----	21	-	-	-	-	1	-	-	1	-	3	3
FEMALE--	67	-	-	-	-	2	2	5	4	9	6	4
GEORGIA -----	267	1	-	-	-	3	2	2	4	8	8	18
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	135	1	-	-	-	-	-	-	-	1	3	3
ALL OTHER--MALE----	18	-	-	-	-	-	2	-	-	2	-	1
FEMALE--	68	-	-	-	-	3	-	2	4	3	4	10
BLACK---MALE----	18	-	-	-	-	-	2	-	-	2	-	1
FEMALE--	67	-	-	-	-	3	-	2	4	3	4	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,522  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
COLORADO -----	7	7	11	14	9	24	24	14	13	1	1	-
WHITE-----MALE----	1	4	5	3	4	10	10	2	-	-	-	-
FEMALE--	4	3	5	11	5	13	14	11	13	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	2	5	7	6	8	10	16	9	6	3	3	-
WHITE-----MALE----	-	-	1	1	-	3	3	2	2	-	-	-
FEMALE--	-	5	4	5	6	7	12	7	4	3	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	1	-	-	-	-	-
DELAWARE -----	3	-	3	5	5	5	7	3	1	-	-	-
WHITE-----MALE----	-	-	-	2	1	2	2	2	1	-	-	-
FEMALE--	3	-	3	1	4	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	3	-	1	3	2	2	2	5	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	2	-	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	3	1	-	-
BLACK---MALE----	-	2	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	3	1	-	-
FLORIDA -----	32	30	25	45	86	98	86	84	52	12	1	-
WHITE-----MALE----	9	11	7	13	22	30	24	21	10	4	-	-
FEMALE--	12	14	15	27	59	63	55	59	41	5	1	-
ALL OTHER--MALE----	6	2	-	-	1	1	2	1	-	1	-	-
FEMALE--	5	3	3	5	4	4	5	3	1	2	-	-
BLACK---MALE----	6	1	-	-	1	1	2	1	-	1	-	-
FEMALE--	5	3	3	5	4	4	5	3	1	2	-	-
GEORGIA -----	11	19	12	24	26	40	42	24	17	5	1	-
WHITE-----MALE----	4	6	-	4	7	4	9	1	3	1	-	-
FEMALE--	5	6	8	17	14	24	22	17	10	4	-	-
ALL OTHER--MALE----	-	-	1	-	3	5	-	4	-	-	-	-
FEMALE--	2	7	3	3	2	7	11	2	4	-	1	-
BLACK---MALE----	-	-	1	-	3	5	-	4	-	-	-	-
FEMALE--	2	7	3	3	2	6	11	2	4	-	1	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,524

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
KENTUCKY -----	152	1	-	-	-	-	2	1	1	2	2	7
WHITE-----MALE----	34	1	-	-	-	-	-	-	-	1	-	3
FEMALE--	109	-	-	-	-	-	1	1	1	1	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
LOUISIANA -----	188	1	-	-	2	1	4	5	1	2	7	11
WHITE-----MALE----	25	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	92	1	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	23	-	-	-	-	-	1	1	-	-	1	2
FEMALE--	48	-	-	-	1	1	3	3	1	1	5	5
BLACK---MALE----	23	-	-	-	-	-	1	1	-	-	1	2
FEMALE--	46	-	-	-	1	1	3	2	1	1	5	5
MAINE -----	60	-	-	-	-	-	-	1	-	-	1	2
WHITE-----MALE----	15	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	206	-	-	-	-	1	4	1	3	4	7	7
WHITE-----MALE----	31	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	111	-	-	-	-	1	-	-	-	-	2	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	52	-	-	-	-	-	4	1	1	4	4	3
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	52	-	-	-	-	-	4	1	1	4	4	3
MASSACHUSETTS -----	186	-	-	-	-	-	1	1	1	-	4	7
WHITE-----MALE----	37	-	-	-	-	-	-	1	-	-	3	-
FEMALE--	139	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	2
MICHIGAN -----	343	-	-	-	-	-	2	9	4	8	10	12
WHITE-----MALE----	90	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	186	-	-	-	-	-	-	1	2	2	3	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	2	1	1	1	3
FEMALE--	49	-	-	-	-	-	2	5	1	4	5	4
BLACK---MALE----	16	-	-	-	-	-	-	2	1	1	1	3
FEMALE--	47	-	-	-	-	-	2	5	1	4	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,524  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
KENTUCKY -----	9	4	7	15	18	17	28	13	16	6	3	-
WHITE-----MALE----	1	2	2	1	8	4	9	2	-	-	-	-
FEMALE--	8	2	3	13	9	13	19	11	13	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	2	-	-	-
LOUISIANA -----	8	11	7	20	19	23	32	15	13	3	3	-
WHITE-----MALE----	1	1	3	2	1	5	5	4	1	-	-	-
FEMALE--	4	3	1	12	14	12	18	7	9	3	2	-
ALL OTHER--MALE----	2	3	3	1	1	2	5	-	-	-	1	-
FEMALE--	1	4	-	5	3	4	4	4	3	-	-	-
BLACK---MALE----	2	3	3	1	1	2	5	-	-	-	1	-
FEMALE--	1	4	-	5	3	3	4	4	3	-	-	-
MAINE -----	1	1	3	7	5	9	14	7	5	3	1	-
WHITE-----MALE----	1	-	-	3	-	4	3	1	1	-	-	-
FEMALE--	-	1	3	4	5	5	11	6	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	8	15	16	18	28	24	33	15	5	5	-
WHITE-----MALE----	2	-	4	2	4	4	8	2	1	3	-	-
FEMALE--	3	5	6	13	8	15	13	23	11	2	5	-
ALL OTHER--MALE----	1	-	1	-	2	3	1	2	-	-	-	-
FEMALE--	6	3	4	1	4	6	2	6	3	-	-	-
BLACK---MALE----	1	-	1	-	2	3	1	2	-	-	-	-
FEMALE--	6	3	4	1	4	6	2	6	3	-	-	-
MASSACHUSETTS -----	6	5	11	12	20	20	40	28	14	14	2	-
WHITE-----MALE----	-	-	1	2	6	7	10	3	-	4	-	-
FEMALE--	6	3	9	10	14	13	29	25	13	10	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	1	-	1	-
MICHIGAN -----	18	10	17	35	39	65	35	42	26	10	1	-
WHITE-----MALE----	6	2	4	9	12	29	10	10	5	-	-	-
FEMALE--	6	4	12	21	23	30	18	29	20	9	1	-
ALL OTHER--MALE----	3	1	-	-	-	3	3	-	-	-	-	-
FEMALE--	3	3	1	5	4	3	4	3	1	1	-	-
BLACK---MALE----	3	1	-	-	-	2	2	-	-	-	-	-
FEMALE--	3	3	1	4	3	3	4	3	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,525

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	9	10	6	16	21	31	45	37	42	22	6	-
WHITE-----MALE----	3	2	4	2	8	5	15	6	7	4	-	-
FEMALE--	6	7	2	14	12	26	30	31	34	18	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	5	7	4	3	13	10	11	6	5	4	1	-
WHITE-----MALE----	-	1	-	1	3	2	5	-	1	2	-	-
FEMALE--	2	4	4	1	7	7	4	6	3	1	-	-
ALL OTHER--MALE----	1	1	-	1	2	1	-	-	1	-	-	-
FEMALE--	2	1	-	-	1	-	2	-	-	1	1	-
BLACK---MALE----	1	1	-	1	1	1	-	-	1	-	-	-
FEMALE--	2	1	-	-	1	-	2	-	-	1	1	-
MISSOURI -----	8	12	16	16	34	46	35	34	27	16	2	-
WHITE-----MALE----	-	2	1	7	12	7	12	9	6	1	1	-
FEMALE--	2	9	12	5	21	30	18	23	21	15	1	-
ALL OTHER--MALE----	2	-	-	2	-	4	1	-	-	-	-	-
FEMALE--	4	1	3	2	1	5	4	2	-	-	-	-
BLACK---MALE----	2	-	-	2	-	4	1	-	-	-	-	-
FEMALE--	4	1	3	2	1	5	4	2	-	-	-	-
MONTANA -----	1	2	2	-	6	10	9	14	4	8	3	-
WHITE-----MALE----	-	-	1	-	1	2	4	4	-	1	-	-
FEMALE--	1	2	1	-	4	8	5	10	3	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	4	5	8	9	12	8	6	3	-
WHITE-----MALE----	-	-	-	2	2	3	6	1	2	-	-	-
FEMALE--	-	-	1	2	3	5	3	11	6	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	4	5	6	6	9	8	5	4	1	-	-
WHITE-----MALE----	-	1	1	4	1	3	3	-	-	-	-	-
FEMALE--	-	1	3	1	4	6	4	5	2	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	1	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,527

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
OHIO -----	459	-	-	-	1	1	1	1	4	7	10	13
WHITE-----MALE----	85	-	-	-	-	-	-	-	-	5	1	2
FEMALE--	320	-	-	-	1	-	1	1	2	-	2	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	42	-	-	-	-	1	-	-	-	2	5	5
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	41	-	-	-	-	1	-	-	-	2	5	5
OKLAHOMA -----	146	1	-	-	2	1	1	-	3	2	2	4
WHITE-----MALE----	41	-	-	-	2	1	-	-	2	-	-	1
FEMALE--	91	1	-	-	-	-	1	-	1	-	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
OREGON -----	152	-	-	-	-	-	-	-	1	3	3	2
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	111	-	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	497	-	-	-	-	1	-	2	5	6	4	19
WHITE-----MALE----	104	-	-	-	-	-	-	-	4	3	-	4
FEMALE--	342	-	-	-	-	-	-	-	1	1	2	11
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	32	-	-	-	-	1	-	1	-	2	1	4
BLACK---MALE----	19	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	32	-	-	-	-	1	-	1	-	2	1	4
RHODE ISLAND -----	37	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	149	-	-	-	-	3	-	4	3	4	3	8
WHITE-----MALE----	37	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	62	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	2	1	2	1	2
FEMALE--	29	-	-	-	-	1	-	2	1	2	1	3
BLACK---MALE----	19	-	-	-	-	-	-	2	1	2	1	2
FEMALE--	29	-	-	-	-	1	-	2	1	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,527

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	13	25	16	30	59	54	86	70	41	17	10	-
WHITE-----MALE----	7	3	3	6	14	11	16	10	5	2	-	-
FEMALE--	2	16	12	21	42	37	67	57	33	13	9	-
ALL OTHER--MALE----	1	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	3	4	1	2	3	5	2	3	3	2	1	-
BLACK---MALE----	1	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	3	4	-	2	3	5	2	3	3	2	1	-
OKLAHOMA -----	6	8	9	19	13	20	19	18	8	8	2	-
WHITE-----MALE----	1	3	4	2	3	11	3	5	1	2	-	-
FEMALE--	4	4	5	15	8	6	14	12	7	6	2	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	2	-	-	-	-	-
OREGON -----	3	4	5	9	16	15	26	32	23	8	2	-
WHITE-----MALE----	-	1	4	1	5	4	9	5	1	2	-	-
FEMALE--	3	2	-	7	10	11	17	27	22	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	22	33	30	60	67	81	76	57	18	3	-
WHITE-----MALE----	1	5	7	4	14	13	25	16	7	1	-	-
FEMALE--	9	13	21	22	40	51	50	54	48	16	3	-
ALL OTHER--MALE----	-	1	1	1	5	2	3	4	-	-	-	-
FEMALE--	3	3	4	3	1	1	3	2	2	1	-	-
BLACK---MALE----	-	1	1	1	5	2	3	4	-	-	-	-
FEMALE--	3	3	4	3	1	1	3	2	2	1	-	-
RHODE ISLAND -----	2	1	2	5	2	5	8	3	3	3	1	-
WHITE-----MALE----	-	-	-	2	1	-	4	2	-	-	-	-
FEMALE--	1	1	2	3	1	5	4	1	3	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	9	10	10	17	21	16	13	13	3	1	-
WHITE-----MALE----	2	1	4	2	10	4	3	4	2	1	-	-
FEMALE--	5	-	4	3	4	12	11	9	8	2	1	-
ALL OTHER--MALE----	1	4	1	1	2	3	1	-	-	-	-	-
FEMALE--	3	4	1	4	1	2	1	-	3	-	-	-
BLACK---MALE----	1	4	1	1	1	2	1	-	-	-	-	-
FEMALE--	3	4	1	4	1	2	1	-	3	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,528

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
SOUTH DAKOTA -----	32	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	240	-	-	-	1	2	2	4	4	7	11	10
WHITE-----MALE----	66	-	-	-	-	2	-	-	-	2	2	1
FEMALE--	128	-	-	-	-	-	1	-	2	3	4	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	1	-	1	4	2	2	5	3
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	1	-	1	4	2	2	5	3
TEXAS -----	734	1	-	-	5	3	12	11	16	22	18	40
WHITE-----MALE----	166	-	-	-	-	-	2	-	4	3	1	8
FEMALE--	459	-	-	-	3	1	5	8	8	10	13	18
ALL OTHER--MALE----	32	-	-	-	-	1	-	-	1	2	1	2
FEMALE--	77	1	-	-	2	1	5	3	3	7	3	12
BLACK---MALE----	31	-	-	-	-	1	-	-	-	2	1	2
FEMALE--	75	1	-	-	2	1	4	2	3	7	3	12
UTAH -----	117	-	-	-	-	-	1	1	1	1	1	-
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	87	-	-	-	-	-	1	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	25	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	241	-	-	-	-	1	1	4	6	7	10	9
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	129	-	-	-	-	1	-	2	3	1	4	-
ALL OTHER--MALE----	17	-	-	-	-	-	1	1	1	-	-	2
FEMALE--	46	-	-	-	-	-	-	1	2	3	5	6
BLACK---MALE----	17	-	-	-	-	-	1	1	1	-	-	2
FEMALE--	45	-	-	-	-	-	-	1	2	3	4	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,528

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	1	3	7	6	4	6	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	1	3	6	4	3	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	11	13	20	25	33	24	37	25	5	1	-
WHITE-----MALE----	3	6	6	5	8	8	6	12	5	-	-	-
FEMALE--	-	4	6	11	13	22	12	23	15	5	1	-
ALL OTHER--MALE----	-	-	1	1	3	1	1	1	-	-	-	-
FEMALE--	2	1	-	3	1	2	5	1	5	-	-	-
BLACK---MALE----	-	-	1	1	2	1	1	1	-	-	-	-
FEMALE--	2	1	-	3	1	2	5	1	5	-	-	-
TEXAS -----	31	36	48	85	81	92	73	92	44	16	8	-
WHITE-----MALE----	6	9	8	31	20	30	24	19	-	1	-	-
FEMALE--	19	18	31	45	53	55	45	68	40	13	6	-
ALL OTHER--MALE----	4	1	4	5	3	4	1	2	1	-	-	-
FEMALE--	2	8	5	4	5	3	3	3	3	2	2	-
BLACK---MALE----	4	1	4	5	3	4	1	2	1	-	-	-
FEMALE--	2	8	5	4	5	3	3	3	3	2	2	-
UTAH -----	4	2	1	6	11	14	22	23	20	8	1	-
WHITE-----MALE----	-	-	-	4	3	4	6	5	5	2	-	-
FEMALE--	4	2	1	2	8	10	16	18	15	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	2	-	4	4	-	4	4	2	-	-
WHITE-----MALE----	1	1	1	-	1	-	-	-	1	1	-	-
FEMALE--	-	1	1	-	3	4	-	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	8	7	17	24	34	43	27	13	13	3	-
WHITE-----MALE----	3	2	4	2	5	10	10	5	-	3	-	-
FEMALE--	4	3	1	11	16	18	24	21	9	8	3	-
ALL OTHER--MALE----	3	1	1	2	-	2	2	-	-	1	-	-
FEMALE--	4	2	1	2	3	4	7	1	4	1	-	-
BLACK---MALE----	3	1	1	2	-	2	2	-	-	1	-	-
FEMALE--	4	2	1	2	3	4	7	1	4	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,530

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
UNITED STATES --	32	75	117	234	342	395	378	247	110	27	7	-
WHITE-----MALE----	7	18	36	68	78	97	72	30	11	3	-	-
FEMALE--	19	46	67	152	241	270	279	204	91	21	6	-
ALL OTHER--MALE----	3	3	5	3	5	7	7	2	1	-	1	-
FEMALE--	3	8	9	11	18	21	20	11	7	3	-	-
BLACK---MALE----	3	3	4	3	2	5	7	2	1	-	1	-
FEMALE--	2	6	6	8	13	13	18	9	5	3	-	-
ALABAMA -----	2	2	2	7	8	6	7	4	1	-	-	-
WHITE-----MALE----	1	-	-	4	2	-	2	-	-	-	-	-
FEMALE--	1	1	1	1	5	4	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	1	1	-	-	-	-
ALASKA -----	-	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	3	7	8	9	7	6	3	-	-	-
WHITE-----MALE----	-	-	-	3	3	2	1	1	-	-	-	-
FEMALE--	-	-	3	4	5	7	6	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	3	5	5	5	3	2	-	1	-	-
WHITE-----MALE----	-	-	1	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	3	4	4	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	6	13	16	25	22	28	12	8	-	1	-
WHITE-----MALE----	-	-	6	6	8	4	4	1	1	-	-	-
FEMALE--	3	4	6	10	15	14	22	10	7	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	3	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,531

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	1	3	2	14	6	3	2	-	-	-
WHITE-----MALE----	-	1	-	1	2	7	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	7	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	1	1	2	3	2	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	2	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	4	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	1	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
FLORIDA -----	2	4	4	9	25	24	23	15	6	1	-	-
WHITE-----MALE----	-	1	1	2	7	7	5	1	-	-	-	-
FEMALE--	2	2	3	7	18	17	18	14	6	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	3	3	5	8	9	13	14	2	3	-	-	-
WHITE-----MALE----	1	1	-	1	3	2	5	-	1	-	-	-
FEMALE--	2	2	4	7	6	9	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	-	1	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,533

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
KENTUCKY -----	-	-	3	3	6	4	8	2	4	-	1	-
WHITE-----MALE----	-	-	1	-	2	2	2	1	-	-	-	-
FEMALE--	-	-	1	3	4	2	6	1	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	2	1	3	7	13	13	4	1	-	2	-
WHITE-----MALE----	-	-	1	-	-	3	1	1	-	-	-	-
FEMALE--	1	2	-	2	6	7	8	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	-	-	-	1	1	3	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	-	-	-	1	1	2	2	2	-	-	-	-
MAINE -----	-	-	1	2	2	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	-	5	4	5	3	7	4	-	1	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	1	-	-	-
FEMALE--	-	3	-	4	1	3	1	4	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	2	-	-	-	-
MASSACHUSETTS -----	-	-	2	2	7	4	14	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	4	-	-	-	-	-
FEMALE--	-	-	2	2	6	3	9	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	2	1	6	8	13	23	13	8	-	1	-	-
WHITE-----MALE----	2	-	2	2	3	9	4	2	-	-	-	-
FEMALE--	-	1	4	5	7	13	9	6	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,534

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
MINNESOTA -----	1	4	2	9	7	11	11	16	2	2	1	-
WHITE-----MALE----	-	1	2	-	3	2	3	4	-	-	-	-
FEMALE--	1	3	-	9	4	9	8	12	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	2	2	2	5	3	3	2	-	2	-	-
WHITE-----MALE----	-	1	-	-	2	1	-	-	-	1	-	-
FEMALE--	-	1	2	1	2	2	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSOURI -----	-	3	5	2	15	12	10	4	3	-	-	-
WHITE-----MALE----	-	-	-	2	5	2	2	-	-	-	-	-
FEMALE--	-	3	4	-	9	8	7	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-
MONTANA -----	-	-	1	-	5	1	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	3	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	2	2	2	1	3	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	1	2	2	2	4	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,536

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
OHIO -----	1	2	3	13	20	25	23	16	6	-	1	-
WHITE-----MALE----	-	-	3	1	1	6	-	2	-	-	-	-
FEMALE--	-	2	-	12	19	18	20	14	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	-	-	-	-	-
OKLAHOMA -----	-	1	1	4	1	7	3	4	1	1	-	-
WHITE-----MALE----	-	1	1	1	-	5	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	3	7	4	11	6	4	2	-	-
WHITE-----MALE----	-	1	-	-	2	1	6	1	1	1	-	-
FEMALE--	1	-	-	2	5	3	5	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	8	7	18	18	18	16	6	2	-	-
WHITE-----MALE----	-	-	2	1	5	3	2	2	-	-	-	-
FEMALE--	-	1	6	6	13	15	15	11	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	3	3	2	5	9	3	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	6	3	-	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,537

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	3	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	8	7	6	15	10	4	4	-	-	-
WHITE-----MALE----	1	2	3	2	3	2	2	1	1	-	-	-
FEMALE--	-	1	5	5	3	13	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
TEXAS -----	3	6	5	28	20	19	16	20	6	4	-	-
WHITE-----MALE----	-	2	-	11	3	5	2	1	-	-	-	-
FEMALE--	3	4	5	16	16	14	13	17	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	2	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	2	-	-
UTAH -----	-	-	-	1	5	5	4	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	4	5	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	-	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	1	3	9	7	18	8	3	-	-	-
WHITE-----MALE----	1	1	1	-	3	3	3	-	-	-	-	-
FEMALE--	-	-	-	3	6	4	13	8	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,539

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
UNITED STATES --	4,290	-	2	1	17	34	57	82	127	135	223	264
WHITE-----MALE----	691	-	-	1	4	2	2	5	17	7	22	27
FEMALE--	2,645	-	2	-	7	10	21	26	48	55	94	132
ALL OTHER--MALE----	180	-	-	-	1	3	7	7	11	5	17	15
FEMALE--	774	-	-	-	5	19	27	44	51	68	90	90
BLACK---MALE----	154	-	-	-	1	3	7	7	9	5	16	13
FEMALE--	700	-	-	-	5	18	24	40	44	62	83	83
ALABAMA -----	73	-	-	-	1	1	1	5	3	-	6	6
WHITE-----MALE----	7	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	24	-	-	-	-	1	-	5	2	-	4	4
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	24	-	-	-	-	1	-	5	2	-	4	4
ALASKA -----	3	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	80	-	-	-	1	-	1	1	2	2	2	9
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	57	-	-	-	-	-	1	1	2	-	2	6
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	-	-	2	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	2	-	1
ARKANSAS -----	56	-	-	-	-	-	-	2	-	2	3	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	33	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	-
CALIFORNIA -----	436	-	-	-	3	6	10	5	14	21	35	38
WHITE-----MALE----	63	-	-	-	1	-	2	1	2	2	3	6
FEMALE--	286	-	-	-	2	2	4	2	6	12	16	27
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	-	3	-
FEMALE--	72	-	-	-	-	4	3	2	6	7	13	5
BLACK---MALE----	9	-	-	-	-	-	1	-	-	-	3	-
FEMALE--	45	-	-	-	-	3	2	1	3	2	11	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,539

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
UNITED STATES --	284	291	307	348	452	475	422	353	260	114	42	-
WHITE-----MALE----	52	43	46	55	83	99	96	75	40	15	-	-
FEMALE--	145	164	199	241	306	326	289	245	205	91	39	-
ALL OTHER--MALE----	13	19	13	10	22	15	9	10	2	1	-	-
FEMALE--	74	65	49	42	41	35	28	23	13	7	3	-
BLACK---MALE----	12	15	12	9	15	13	7	8	1	1	-	-
FEMALE--	67	58	43	38	37	28	27	21	13	6	3	-
ALABAMA -----	2	3	7	7	6	12	4	5	3	-	1	-
WHITE-----MALE----	-	-	-	1	-	3	-	1	-	-	-	-
FEMALE--	2	2	6	4	3	6	3	3	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	2	3	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	3	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	8	7	8	8	8	11	3	4	-	-	-
WHITE-----MALE----	2	1	-	3	1	2	2	1	1	-	-	-
FEMALE--	3	5	6	4	7	6	9	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ARKANSAS -----	-	7	4	8	8	1	6	7	2	3	-	-
WHITE-----MALE----	-	2	2	2	1	1	-	1	-	-	-	-
FEMALE--	-	5	2	3	6	-	6	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	1	-	-
CALIFORNIA -----	30	29	32	35	33	49	39	29	16	8	4	-
WHITE-----MALE----	4	4	5	6	4	5	10	4	2	2	-	-
FEMALE--	19	16	22	25	26	35	29	20	14	5	4	-
ALL OTHER--MALE----	1	3	1	1	2	2	-	1	-	-	-	-
FEMALE--	6	6	4	3	1	7	-	4	-	1	-	-
BLACK---MALE----	1	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	5	3	4	1	1	2	-	4	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,540

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
COLORADO -----	65	-	-	-	-	2	-	-	2	1	4	4
WHITE-----MALE----	13	-	-	-	-	1	-	-	1	1	-	1
FEMALE--	46	-	-	-	-	1	-	-	1	-	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	37	-	-	-	1	-	-	-	-	1	1	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	1	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	12	-	-	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	12	-	-	-	-	-	1	-	1	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	1	-	1	1
FLORIDA -----	295	-	1	-	-	3	4	8	10	11	17	18
WHITE-----MALE----	59	-	-	-	-	-	-	-	2	-	4	2
FEMALE--	165	-	1	-	-	-	2	2	3	2	5	9
ALL OTHER--MALE----	15	-	-	-	-	1	-	-	1	-	2	3
FEMALE--	56	-	-	-	-	2	2	6	4	9	6	4
BLACK---MALE----	14	-	-	-	-	1	-	-	1	-	2	3
FEMALE--	55	-	-	-	-	2	2	5	4	9	6	4
GEORGIA -----	116	-	-	-	-	3	2	2	4	4	6	13
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	54	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	7	-	-	-	-	-	2	-	-	1	-	1
FEMALE--	48	-	-	-	-	3	-	2	4	3	4	8
BLACK---MALE----	7	-	-	-	-	-	2	-	-	1	-	1
FEMALE--	48	-	-	-	-	3	-	2	4	3	4	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,540

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	3	6	9	5	7	8	2	5	-	1	-
WHITE-----MALE----	1	1	1	-	-	2	4	-	-	-	-	-
FEMALE--	3	2	4	9	5	4	4	1	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	1	3	5	3	3	3	4	3	4	-	2	-
WHITE-----MALE----	-	-	1	-	-	-	2	1	1	-	-	-
FEMALE--	-	3	3	3	1	3	2	2	3	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
DELAWARE -----	2	-	2	1	1	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	2	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	-	-	2	-	-	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	1	-	-
FLORIDA -----	27	21	16	23	40	40	24	16	13	3	-	-
WHITE-----MALE----	7	7	3	4	5	9	5	6	3	2	-	-
FEMALE--	10	10	10	16	31	29	16	10	9	-	-	-
ALL OTHER--MALE----	5	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	5	3	3	3	3	1	3	-	1	1	-	-
BLACK---MALE----	5	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	5	3	3	3	3	1	3	-	1	1	-	-
GEORGIA -----	5	8	5	12	11	12	13	10	5	-	1	-
WHITE-----MALE----	-	1	-	1	3	-	1	-	-	-	-	-
FEMALE--	3	3	2	8	5	9	8	7	4	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	2	4	3	3	2	3	4	1	1	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	2	4	3	3	2	3	4	1	1	-	1	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,542

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
KENTUCKY -----	54	-	-	-	-	-	1	1	1	-	2	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	44	-	-	-	-	-	1	1	1	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	94	-	-	-	1	-	4	4	1	2	7	9
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	36	-	-	-	1	-	3	3	1	1	5	4
BLACK---MALE----	10	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	35	-	-	-	1	-	3	2	1	1	5	4
MAINE -----	15	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	-	-	-	-	1	4	1	2	4	5	5
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	1	-	-	-	-	2	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	-	-	-	4	1	1	4	2	2
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	-	-	-	4	1	1	4	2	2
MASSACHUSETTS -----	79	-	-	-	-	-	1	-	1	-	1	7
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	2
MICHIGAN -----	131	-	-	-	-	-	2	8	2	5	8	8
WHITE-----MALE----	21	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	78	-	-	-	-	-	-	1	1	2	2	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	27	-	-	-	-	-	2	5	1	3	5	3
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	27	-	-	-	-	-	2	5	1	3	5	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,542

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	3	2	6	5	7	5	3	4	4	1	-
WHITE-----MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	5	2	1	4	4	7	4	3	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-
LOUISIANA -----	5	7	1	14	11	8	8	5	6	1	-	-
WHITE-----MALE----	1	-	1	1	1	2	-	1	1	-	-	-
FEMALE--	3	1	-	9	7	3	4	2	3	1	-	-
ALL OTHER--MALE----	-	2	-	-	1	2	2	-	-	-	-	-
FEMALE--	1	4	-	4	2	1	2	2	2	-	-	-
BLACK---MALE----	-	2	-	-	1	2	2	-	-	-	-	-
FEMALE--	1	4	-	4	2	1	2	2	2	-	-	-
MAINE -----	1	1	2	2	3	2	-	1	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	2	3	2	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	3	9	5	9	7	5	10	2	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	2	1	-	-	-	-
FEMALE--	3	1	6	5	5	5	3	7	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	4	2	1	-	1	1	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	4	2	1	-	1	1	-	2	-	-	-	-
MASSACHUSETTS -----	5	4	7	7	10	5	9	11	6	4	1	-
WHITE-----MALE----	-	-	-	1	3	1	2	-	-	-	-	-
FEMALE--	5	2	6	6	7	4	7	11	6	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	12	4	9	15	13	11	8	11	10	5	-	-
WHITE-----MALE----	3	1	2	2	4	4	1	2	1	-	-	-
FEMALE--	6	1	7	11	9	6	6	8	9	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	3	2	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	2	-	2	-	-	-	1	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,545

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
OHIO -----	197	-	-	-	-	1	1	-	4	2	4	10
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	128	-	-	-	-	-	1	-	2	-	1	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	-	-	2
FEMALE--	25	-	-	-	-	1	-	-	-	1	3	4
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	24	-	-	-	-	1	-	-	-	1	3	4
OKLAHOMA -----	69	-	-	-	2	-	1	-	3	2	2	3
WHITE-----MALE----	18	-	-	-	2	-	-	-	2	-	-	1
FEMALE--	41	-	-	-	-	-	1	-	1	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
OREGON -----	44	-	-	-	-	-	-	-	1	2	1	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	199	-	-	-	-	1	-	2	3	3	3	15
WHITE-----MALE----	24	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	153	-	-	-	-	-	-	-	1	1	2	10
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	1	-	1	-	1	1	4
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	1	-	1	-	1	1	4
RHODE ISLAND -----	10	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	70	-	-	-	-	2	-	3	2	3	2	4
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	27	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	21	-	-	-	-	1	-	2	1	2	1	3
BLACK---MALE----	7	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	21	-	-	-	-	1	-	2	1	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,545

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
OHIO -----	7	19	12	13	26	14	35	23	13	10	3	-
WHITE-----MALE----	5	2	-	3	8	4	8	3	2	1	-	-
FEMALE--	-	12	11	7	16	8	27	19	11	7	3	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	4	1	2	2	2	-	1	-	2	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	4	-	2	2	2	-	1	-	2	-	-
OKLAHOMA -----	5	7	5	6	4	8	8	5	4	2	2	-
WHITE-----MALE----	-	2	2	1	-	4	1	1	1	1	-	-
FEMALE--	4	4	3	5	2	3	5	3	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	2	-	-	-	-	-
OREGON -----	1	2	2	4	5	5	3	7	5	3	1	-
WHITE-----MALE----	-	-	2	1	2	2	-	1	-	-	-	-
FEMALE--	1	2	-	3	2	3	3	6	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	15	11	16	25	25	24	17	18	6	3	-
WHITE-----MALE----	-	3	-	-	4	3	6	2	2	-	-	-
FEMALE--	9	9	8	14	20	22	18	15	16	5	3	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	2	2	1	-	-	-	-	1	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	2	2	1	-	-	-	-	1	-	-
RHODE ISLAND -----	-	1	2	2	-	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	2	2	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	4	4	6	8	9	3	5	5	-	1	-
WHITE-----MALE----	1	-	1	-	4	2	1	2	1	-	-	-
FEMALE--	4	-	3	3	3	5	1	3	2	-	1	-
ALL OTHER--MALE----	1	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	3	3	-	2	-	1	-	-	2	-	-	-
BLACK---MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	3	3	-	2	-	1	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,546

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
SOUTH DAKOTA -----	12	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	92	-	-	-	1	-	2	4	4	3	11	6
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	50	-	-	-	-	-	1	-	2	2	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	1	-	1	4	2	1	5	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	1	-	1	4	2	1	5	3
TEXAS -----	352	-	-	-	3	3	10	10	15	18	14	28
WHITE-----MALE----	62	-	-	-	-	-	-	-	3	1	1	1
FEMALE--	217	-	-	-	2	1	5	7	8	10	10	14
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	61	-	-	-	1	1	5	3	3	7	3	12
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	59	-	-	-	1	1	4	2	3	7	3	12
UTAH -----	31	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	106	-	-	-	-	1	1	3	3	4	10	6
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	55	-	-	-	-	1	-	2	1	1	4	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	2	3	5	6
BLACK---MALE----	5	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	2	3	4	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,546

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
SOUTH DAKOTA -----	-	1	1	1	1	3	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	3	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	5	2	5	11	7	9	8	9	1	-	-
WHITE-----MALE----	2	3	1	-	2	2	2	1	1	-	-	-
FEMALE--	-	1	1	3	7	5	6	6	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	1	-	1	1	-	-	-	-
TEXAS -----	23	24	34	35	41	31	23	23	11	3	3	-
WHITE-----MALE----	6	3	4	9	10	11	7	6	-	-	-	-
FEMALE--	14	12	23	21	29	17	13	16	10	3	2	-
ALL OTHER--MALE----	1	1	3	2	-	1	-	1	-	-	-	-
FEMALE--	2	8	4	3	2	2	3	-	1	-	1	-
BLACK---MALE----	1	1	3	2	-	1	-	1	-	-	-	-
FEMALE--	2	8	4	3	2	2	3	-	1	-	1	-
UTAH -----	3	1	1	2	1	3	7	5	2	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	3	1	1	2	1	2	7	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	2	2	-	1	1	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	2	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	5	4	8	6	18	10	8	5	5	2	-
WHITE-----MALE----	1	1	1	1	-	3	2	-	-	1	-	-
FEMALE--	2	2	1	6	4	10	4	7	4	4	2	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	2	1	1	2	4	4	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	2	1	1	2	4	4	1	1	-	-	-







































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,555

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DORSOPATHIES (720-724)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	2	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	2	4	3	6	5	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	4	4	1	-	-	-	-
FEMALE--	-	-	2	2	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	-	4	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,557

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
UNITED STATES --	45	59	52	76	82	110	102	101	50	14	2	-
WHITE-----MALE----	19	20	20	27	35	41	42	34	12	4	-	-
FEMALE--	12	23	20	34	36	55	45	50	32	8	1	-
ALL OTHER--MALE----	8	5	3	8	6	8	9	8	2	1	-	-
FEMALE--	6	11	9	7	5	6	6	9	4	1	1	-
BLACK---MALE----	6	3	2	8	5	8	7	7	2	1	-	-
FEMALE--	6	9	9	7	4	5	5	9	3	1	1	-
ALABAMA -----	3	3	1	2	1	1	2	1	-	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	1	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	1	4	6	1	-	4	-	-	-
WHITE-----MALE----	-	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	4	1	-	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	2	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	11	7	2	10	9	4	7	13	8	-	-	-
WHITE-----MALE----	7	4	2	1	4	2	3	3	3	-	-	-
FEMALE--	1	1	-	9	3	1	3	9	3	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	2	-	-	-
FEMALE--	2	1	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	2	-	-	-	1	1	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,558

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
COLORADO -----	1	2	1	1	1	1	2	-	1	-	-	-
WHITE-----MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	2	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	1	2	3	5	11	6	5	-	-	-
WHITE-----MALE----	-	-	1	1	1	3	4	1	1	-	-	-
FEMALE--	-	1	-	-	2	2	4	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	-	-	-
GEORGIA -----	1	5	1	-	-	3	1	2	2	-	-	-
WHITE-----MALE----	1	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,560

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATISM, EXCLUDING THE BACK (725-729)												
KENTUCKY -----	21	1	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	7	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	25	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	18	-	-	-	-	-	-	1	-	-	2	-
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	33	-	-	-	-	-	-	1	1	3	1	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,564

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATISM, EXCLUDING THE BACK (725-729)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	18	-	-	-	-	1	-	-	-	2	-	-
WHITE-----MALE----	13	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	59	-	-	-	1	-	1	-	-	4	2	4
WHITE-----MALE----	25	-	-	-	-	-	1	-	-	2	-	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
UTAH -----	8	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	-	-	-	-	-	-	1	1	2	-	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,564

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	1	2	2	4	-	3	1	-	-	-
WHITE-----MALE----	-	1	1	1	1	3	-	2	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	3	3	7	6	10	7	5	2	-	1	-
WHITE-----MALE----	-	2	1	4	3	4	3	3	-	-	-	-
FEMALE--	2	1	-	2	1	5	4	2	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	1	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	1	-
UTAH -----	-	1	-	1	1	-	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	1	4	1	2	5	4	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	2	3	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,566

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	45	33	69	120	205	325	480	567	448	203	53	-
WHITE-----MALE----	15	15	25	52	77	86	134	111	63	23	3	-
FEMALE--	15	9	30	52	100	196	308	422	346	170	47	-
ALL OTHER--MALE----	11	3	7	9	17	20	9	12	5	2	1	-
FEMALE--	4	6	7	7	11	23	29	22	34	8	2	-
BLACK---MALE----	11	3	6	9	15	18	8	8	4	2	1	-
FEMALE--	3	5	5	6	10	21	26	19	30	8	2	-
ALABAMA -----	1	-	-	-	3	2	7	3	2	1	2	-
WHITE-----MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	4	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	2	2	1	5	6	12	7	3	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	2	1	-	-
FEMALE--	-	-	1	2	-	5	5	11	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	1	2	-	3	5	3	1	-	1	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	5	3	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	4	7	9	24	26	39	44	37	17	3	-
WHITE-----MALE----	5	2	2	7	13	6	16	9	7	2	1	-
FEMALE--	1	1	4	1	5	15	20	27	28	14	2	-
ALL OTHER--MALE----	1	-	1	1	3	2	-	3	1	-	-	-
FEMALE--	-	1	-	-	3	3	3	5	1	1	-	-
BLACK---MALE----	1	-	-	1	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	1	4	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,567

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	2	1	1	2	8	8	5	1	-	-
WHITE-----MALE----	-	1	2	1	1	1	4	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	7	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	2	3	3	10	4	2	2	1	-
WHITE-----MALE----	-	-	-	1	-	2	1	1	1	-	-	-
FEMALE--	-	-	1	1	3	1	8	3	1	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	1	-	-	1	-	3	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	3	2	4	10	15	25	26	43	25	8	1	-
WHITE-----MALE----	2	2	2	5	7	7	10	11	6	2	-	-
FEMALE--	-	-	2	4	7	15	15	32	19	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	3	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	3	1	-	-	1	-	-
GEORGIA -----	1	2	1	4	5	12	12	7	7	4	-	-
WHITE-----MALE----	1	-	-	2	1	2	3	1	1	-	-	-
FEMALE--	-	-	1	2	3	5	6	4	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	4	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	1	3	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	4	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	1	3	1	2	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,569

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	-	2	2	4	5	8	7	5	1	1	-
WHITE-----MALE----	-	-	1	-	2	2	4	1	-	-	-	-
FEMALE--	2	-	1	2	1	3	4	6	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	1	2	3	1	1	2	10	5	6	2	1	-
WHITE-----MALE----	-	1	1	-	-	-	3	2	-	-	-	-
FEMALE--	-	-	-	1	1	2	6	3	5	2	1	-
ALL OTHER--MALE----	1	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	2	-	3	9	4	3	2	1	-
WHITE-----MALE----	-	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	7	3	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	2	3	5	9	9	11	8	5	4	-
WHITE-----MALE----	1	-	-	-	1	1	2	-	-	3	-	-
FEMALE--	-	1	-	3	2	6	6	9	6	2	4	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	2	-	1	2	1	1	2	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	2	-	1	2	1	1	2	-	-	-
MASSACHUSETTS -----	1	-	-	3	2	7	13	7	7	8	1	-
WHITE-----MALE----	-	-	-	1	1	2	3	1	-	4	-	-
FEMALE--	1	-	-	2	1	5	10	6	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
MICHIGAN -----	2	3	2	4	7	24	10	18	13	4	1	-
WHITE-----MALE----	-	1	-	1	1	10	3	2	3	-	-	-
FEMALE--	-	1	1	1	5	10	3	14	9	3	1	-
ALL OTHER--MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	2	4	2	1	1	-	-
BLACK---MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	2	4	2	1	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,572

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	-	-	3	7	9	20	23	18	6	6	-
WHITE-----MALE----	-	-	-	1	3	1	4	1	1	-	-	-
FEMALE--	1	-	-	2	3	7	16	21	14	6	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	3	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	3	-	1	-
OKLAHOMA -----	-	-	-	5	6	1	8	7	3	4	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	3	-	-	-	-
FEMALE--	-	-	-	5	4	1	6	4	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	2	2	5	8	17	14	2	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	1	-	-	2	2	4	8	15	14	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	7	3	10	15	25	33	27	9	-	-
WHITE-----MALE----	1	2	3	1	4	3	8	9	4	1	-	-
FEMALE--	-	1	4	1	4	10	14	22	21	8	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
BLACK---MALE----	-	-	-	1	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
RHODE ISLAND -----	1	-	-	2	1	2	4	2	2	2	1	-
WHITE-----MALE----	-	-	-	1	1	-	2	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	2	1	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	2	-	3	3	10	7	7	2	-	-
WHITE-----MALE----	-	-	1	-	3	2	2	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	7	6	5	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,573

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	-	1	1	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	2	6	4	5	5	21	11	4	1	-
WHITE-----MALE----	-	-	1	2	1	-	2	8	2	-	-	-
FEMALE--	-	1	-	2	1	2	1	13	5	4	1	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	4	-	-	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	4	-	-	-
TEXAS -----	2	3	4	11	11	26	22	41	25	9	4	-
WHITE-----MALE----	-	2	3	6	2	6	8	8	-	1	-	-
FEMALE--	-	1	1	4	6	17	14	32	24	8	4	-
ALL OTHER--MALE----	2	-	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	2	-	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
UTAH -----	1	-	-	2	3	5	9	14	16	5	1	-
WHITE-----MALE----	-	-	-	2	1	2	4	3	4	1	-	-
FEMALE--	1	-	-	-	2	3	5	11	12	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	-	2	4	6	9	6	5	8	1	-
WHITE-----MALE----	-	-	-	-	1	3	2	2	-	2	-	-
FEMALE--	1	-	-	2	3	2	6	4	3	4	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	2	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,575

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
UNITED STATES --	11,934	6,212	564	198	173	216	234	223	229	276	269	280
WHITE-----MALE----	5,001	2,547	205	71	68	88	91	108	104	117	107	138
FEMALE--	4,650	2,247	201	70	66	70	75	69	78	103	113	105
ALL OTHER--MALE----	1,198	735	82	36	22	36	41	21	23	31	25	24
FEMALE--	1,085	683	76	21	17	22	27	25	24	25	24	13
BLACK---MALE----	994	604	69	30	16	32	35	17	20	21	24	20
FEMALE--	891	557	56	20	14	19	21	19	22	22	23	12
ALABAMA -----	203	120	7	2	3	3	7	-	3	6	3	6
WHITE-----MALE----	61	34	2	-	-	-	2	-	2	2	1	3
FEMALE--	77	42	4	1	1	-	2	-	-	3	1	1
ALL OTHER--MALE----	35	27	-	1	-	1	2	-	1	1	1	-
FEMALE--	30	17	1	-	2	2	1	-	-	-	-	2
BLACK---MALE----	35	27	-	1	-	1	2	-	1	1	1	-
FEMALE--	30	17	1	-	2	2	1	-	-	-	-	2
ALASKA -----	25	13	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	12	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	2	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	234	134	15	5	5	2	5	3	4	4	3	6
WHITE-----MALE----	113	64	4	4	4	-	3	2	1	2	1	3
FEMALE--	93	52	5	-	1	2	1	-	3	1	2	3
ALL OTHER--MALE----	17	10	4	1	-	-	-	1	-	1	-	-
FEMALE--	11	8	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	113	84	1	2	2	1	3	-	3	2	2	2
WHITE-----MALE----	51	40	-	1	1	-	1	-	2	1	2	-
FEMALE--	39	26	1	-	1	1	1	-	-	-	-	1
ALL OTHER--MALE----	13	10	-	-	-	-	1	-	-	1	-	1
FEMALE--	10	8	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	13	10	-	-	-	-	1	-	-	1	-	1
FEMALE--	9	7	-	1	-	-	-	-	1	-	-	-
CALIFORNIA -----	1,436	787	74	26	29	32	25	30	35	38	35	40
WHITE-----MALE----	607	310	34	9	14	17	13	16	18	15	12	18
FEMALE--	560	318	24	12	8	9	4	7	12	10	14	16
ALL OTHER--MALE----	130	68	9	3	5	2	5	2	2	7	6	4
FEMALE--	139	91	7	2	2	4	3	5	3	6	3	2
BLACK---MALE----	75	36	7	2	3	-	2	1	2	4	5	3
FEMALE--	71	43	1	2	1	3	1	3	2	4	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,575

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
UNITED STATES --	245	248	271	288	363	498	500	390	182	59	15	1
WHITE-----MALE----	112	116	115	139	168	237	224	165	60	19	2	-
FEMALE--	112	104	120	118	162	229	239	204	113	39	12	1
ALL OTHER--MALE----	12	18	16	17	18	16	15	5	4	-	1	-
FEMALE--	9	10	20	14	15	16	22	16	5	1	-	-
BLACK---MALE----	10	18	14	14	15	12	15	3	4	-	1	-
FEMALE--	8	8	16	10	13	14	19	12	5	1	-	-
ALABAMA -----	2	2	6	3	3	6	9	7	3	1	1	-
WHITE-----MALE----	1	-	2	2	1	1	3	2	1	1	1	-
FEMALE--	-	1	4	1	1	5	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	1	1	-	-	-
ALASKA -----	-	1	1	-	1	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	4	2	2	5	6	8	8	3	3	-	-
WHITE-----MALE----	4	3	1	1	3	3	3	4	2	1	-	-
FEMALE--	3	1	1	1	2	3	5	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	2	1	1	2	2	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	32	29	15	28	29	55	47	36	9	5	-	-
WHITE-----MALE----	12	18	7	12	14	24	21	17	5	1	-	-
FEMALE--	17	7	4	10	11	27	24	18	4	4	-	-
ALL OTHER--MALE----	1	3	3	4	1	4	1	-	-	-	-	-
FEMALE--	2	1	1	2	3	-	1	1	-	-	-	-
BLACK---MALE----	1	3	2	1	-	2	1	-	-	-	-	-
FEMALE--	2	1	1	1	1	-	-	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,576

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
COLORADO -----	182	100	8	1	2	4	5	8	3	7	2	3
WHITE-----MALE----	87	51	4	-	-	3	3	5	3	2	1	-
FEMALE--	83	44	2	1	1	1	1	3	-	4	1	2
ALL OTHER--MALE----	8	4	-	-	1	-	1	-	-	1	-	-
FEMALE--	4	1	2	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	3	-	-	1	-	1	-	-	-	-	-
FEMALE--	4	1	2	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	113	53	4	1	1	3	1	1	3	-	3	5
WHITE-----MALE----	53	27	2	1	1	1	-	1	1	-	-	2
FEMALE--	49	21	1	-	-	1	1	-	1	-	1	3
ALL OTHER--MALE----	6	3	1	-	-	1	-	-	1	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	6	3	1	-	-	1	-	-	1	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	-	-	2	-
DELAWARE -----	27	19	1	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	6	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	11	6	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	7	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	7	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	20	10	-	1	-	-	1	-	-	2	1	2
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	4	-	-	-	-	1	-	-	1	1	-
FEMALE--	8	4	-	1	-	-	-	-	-	1	-	1
BLACK---MALE----	9	4	-	-	-	-	1	-	-	1	1	-
FEMALE--	8	4	-	1	-	-	-	-	-	1	-	1
FLORIDA -----	622	265	24	13	10	13	18	12	8	14	18	11
WHITE-----MALE----	267	110	11	6	3	1	7	9	3	7	4	5
FEMALE--	223	83	2	4	3	6	5	2	3	3	8	5
ALL OTHER--MALE----	75	43	6	3	-	4	3	1	1	2	5	1
FEMALE--	57	29	5	-	4	2	3	-	1	2	1	-
BLACK---MALE----	70	40	5	3	-	4	3	1	1	2	5	1
FEMALE--	56	29	5	-	3	2	3	-	1	2	1	-
GEORGIA -----	336	204	18	4	7	8	6	6	5	11	4	6
WHITE-----MALE----	100	61	5	-	2	2	1	-	-	3	2	2
FEMALE--	101	51	2	2	2	1	3	2	1	6	2	2
ALL OTHER--MALE----	83	53	7	2	3	5	2	3	1	2	-	1
FEMALE--	52	39	4	-	-	-	-	1	3	-	-	1
BLACK---MALE----	79	49	7	2	3	5	2	3	1	2	-	1
FEMALE--	52	39	4	-	-	-	-	1	3	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,576

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
COLORADO -----	2	5	6	2	7	3	6	4	4	-	-	-
WHITE-----MALE----	-	3	2	1	2	1	3	1	2	-	-	-
FEMALE--	1	2	4	1	5	2	3	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	4	4	2	7	8	4	4	2	-	-
WHITE-----MALE----	1	-	1	3	1	4	3	2	1	1	-	-
FEMALE--	2	-	2	1	1	3	5	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	16	10	11	22	32	30	40	35	16	2	1	1
WHITE-----MALE----	6	5	3	10	18	14	18	21	5	1	-	-
FEMALE--	9	4	6	10	12	12	21	12	10	1	1	1
ALL OTHER--MALE----	1	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	2	3	1	1	1	-	-	-
BLACK---MALE----	1	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	3	1	1	1	-	-	-
GEORGIA -----	4	7	7	10	8	6	7	5	2	-	1	-
WHITE-----MALE----	1	1	3	4	5	3	4	1	-	-	-	-
FEMALE--	3	4	2	4	3	2	3	3	2	-	1	-
ALL OTHER--MALE----	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,578

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
KENTUCKY -----	184	100	9	6	2	2	4	4	3	4	3	-
WHITE-----MALE----	84	44	5	5	1	2	2	2	2	3	-	-
FEMALE--	78	41	3	-	1	-	1	1	1	1	3	-
ALL OTHER--MALE----	14	10	-	1	-	-	-	-	-	-	-	-
FEMALE--	8	5	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	13	9	-	1	-	-	1	-	-	-	-	-
FEMALE--	6	4	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	221	123	20	6	4	3	7	3	2	8	7	1
WHITE-----MALE----	66	38	2	1	4	1	2	-	1	2	2	-
FEMALE--	59	29	6	2	-	-	-	-	-	3	3	-
ALL OTHER--MALE----	45	26	5	2	-	-	3	1	-	1	1	1
FEMALE--	51	30	7	1	-	2	2	2	1	2	1	-
BLACK---MALE----	45	26	5	2	-	-	3	1	-	1	1	1
FEMALE--	49	30	7	1	-	1	2	2	1	2	1	-
MAINE -----	44	20	3	-	-	2	-	2	1	2	1	1
WHITE-----MALE----	23	11	2	-	-	-	-	1	-	1	-	-
FEMALE--	21	9	1	-	-	2	-	1	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	180	89	11	3	2	1	3	2	2	4	3	4
WHITE-----MALE----	69	29	-	2	1	-	1	1	-	2	2	2
FEMALE--	56	25	5	-	-	1	1	-	-	2	1	1
ALL OTHER--MALE----	24	14	3	1	1	-	1	-	2	-	-	-
FEMALE--	31	21	3	-	-	-	-	1	-	-	-	1
BLACK---MALE----	22	12	3	1	1	-	1	-	2	-	-	-
FEMALE--	27	19	2	-	-	-	-	1	-	-	-	1
MASSACHUSETTS -----	204	80	7	2	1	3	2	2	8	7	10	7
WHITE-----MALE----	94	34	3	1	-	2	1	-	3	5	9	6
FEMALE--	96	39	2	1	1	1	-	1	3	2	1	1
ALL OTHER--MALE----	10	7	1	-	-	-	-	-	2	-	-	-
FEMALE--	4	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	8	5	1	-	-	-	-	-	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	436	210	20	6	10	10	5	14	7	8	9	9
WHITE-----MALE----	183	93	4	4	6	4	2	6	4	3	3	6
FEMALE--	172	73	6	2	2	3	2	3	1	3	6	2
ALL OTHER--MALE----	42	19	6	-	-	3	1	3	2	2	-	1
FEMALE--	39	25	4	-	2	-	-	2	-	-	-	-
BLACK---MALE----	37	17	6	-	-	3	-	2	2	1	-	1
FEMALE--	35	22	3	-	2	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,578

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
KENTUCKY -----	3	6	4	1	3	7	8	7	6	2	-	-
WHITE-----MALE----	1	5	2	1	2	3	1	2	1	-	-	-
FEMALE--	1	1	2	-	1	4	5	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	4	-	5	7	7	9	2	1	-	-
WHITE-----MALE----	-	1	3	-	2	3	3	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	4	6	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	1	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
MAINE -----	-	2	1	1	1	4	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	1	1	-	-	-
FEMALE--	-	2	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	2	6	7	7	7	7	8	5	1	1	-
WHITE-----MALE----	1	2	6	2	3	3	6	3	3	-	-	-
FEMALE--	3	-	-	5	2	2	-	5	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
MASSACHUSETTS -----	2	7	6	6	10	11	16	7	3	6	1	-
WHITE-----MALE----	-	1	2	4	3	4	8	4	2	2	-	-
FEMALE--	2	6	3	2	7	7	8	3	1	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	10	9	10	10	17	17	21	18	11	4	1	-
WHITE-----MALE----	3	4	3	3	8	7	7	7	4	2	-	-
FEMALE--	7	5	4	7	9	9	9	10	6	2	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	1	-	-	-
BLACK---MALE----	-	-	2	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	1	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,581

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIV. CONGENITAL ANOMALIES (740-759)												
OHIO -----	516	261	23	11	5	9	7	14	6	7	11	18
WHITE-----MALE----	231	126	7	6	-	5	3	9	4	2	5	9
FEMALE--	238	103	13	3	5	4	4	3	2	5	5	8
ALL OTHER--MALE----	24	17	1	-	-	-	-	1	-	-	-	1
FEMALE--	23	15	2	2	-	-	-	1	-	-	1	-
BLACK---MALE----	24	17	1	-	-	-	-	1	-	-	-	1
FEMALE--	21	13	2	2	-	-	-	1	-	-	1	-
OKLAHOMA -----	207	94	8	3	2	3	1	3	3	3	4	3
WHITE-----MALE----	90	45	1	1	1	-	-	2	2	1	1	3
FEMALE--	88	36	3	-	1	1	-	1	1	1	1	-
ALL OTHER--MALE----	18	8	2	2	-	1	1	-	-	1	-	-
FEMALE--	11	5	2	-	-	1	-	-	-	-	2	-
BLACK---MALE----	8	4	1	1	-	-	-	-	-	-	-	-
FEMALE--	6	4	-	-	-	1	-	-	-	-	1	-
OREGON -----	154	78	5	3	2	2	4	-	1	3	6	2
WHITE-----MALE----	75	38	3	-	1	1	2	-	1	2	3	-
FEMALE--	69	32	2	2	1	1	2	-	-	1	3	2
ALL OTHER--MALE----	6	4	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	434	198	24	9	3	4	7	6	5	11	16	11
WHITE-----MALE----	198	82	10	3	1	2	3	2	3	2	10	3
FEMALE--	181	86	8	4	1	2	3	3	1	7	5	6
ALL OTHER--MALE----	23	11	4	1	1	-	-	1	-	-	-	2
FEMALE--	32	19	2	1	-	-	1	-	1	2	1	-
BLACK---MALE----	23	11	4	1	1	-	-	1	-	-	-	2
FEMALE--	28	17	1	1	-	-	-	-	1	2	1	-
RHODE ISLAND -----	46	24	1	2	-	-	1	1	1	1	2	1
WHITE-----MALE----	23	9	-	1	-	-	-	1	1	1	1	1
FEMALE--	20	12	1	1	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	170	93	4	-	2	2	6	2	5	3	3	3
WHITE-----MALE----	48	23	-	-	1	-	-	-	3	1	1	-
FEMALE--	41	21	1	-	-	-	2	-	1	1	-	2
ALL OTHER--MALE----	46	31	2	-	1	-	2	-	1	1	-	-
FEMALE--	35	18	1	-	-	2	2	2	-	-	2	1
BLACK---MALE----	46	31	2	-	1	-	2	-	1	1	-	-
FEMALE--	35	18	1	-	-	2	2	2	-	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,581

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
OHIO -----	11	12	15	10	22	27	20	14	12	-	1	-
WHITE-----MALE----	6	5	9	3	5	12	7	6	2	-	-	-
FEMALE--	5	5	5	7	16	15	11	8	10	-	1	-
ALL OTHER--MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	1	5	3	5	9	20	9	14	11	1	2	-
WHITE-----MALE----	1	3	1	1	5	10	4	5	2	1	-	-
FEMALE--	-	2	2	3	3	9	5	8	9	-	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	2	3	2	3	8	8	14	2	2	1	-
WHITE-----MALE----	2	-	2	1	2	6	6	4	1	-	-	-
FEMALE--	1	2	1	1	1	1	2	10	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	11	11	11	21	24	24	19	4	5	-	-
WHITE-----MALE----	6	7	5	9	8	14	16	9	3	-	-	-
FEMALE--	3	3	5	1	13	8	7	9	1	5	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	1	-	-	-	-
RHODE ISLAND -----	2	1	2	-	2	2	1	1	1	-	-	-
WHITE-----MALE----	1	-	1	-	2	2	-	1	1	-	-	-
FEMALE--	1	1	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	5	5	4	4	10	9	3	2	2	-	-
WHITE-----MALE----	2	-	3	2	2	6	3	1	-	-	-	-
FEMALE--	1	-	2	-	-	2	3	2	2	1	-	-
ALL OTHER--MALE----	-	3	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	2	-	-	1	-	-
BLACK---MALE----	-	3	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	2	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,582

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
SOUTH DAKOTA -----	28	14	1	-	1	2	-	-	-	-	1	-
WHITE-----MALE----	12	5	-	-	-	2	-	-	-	-	-	-
FEMALE--	11	5	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	271	126	12	4	5	2	9	3	7	7	7	9
WHITE-----MALE----	101	48	3	1	-	1	3	1	3	5	-	4
FEMALE--	103	47	4	2	2	-	3	2	-	1	4	3
ALL OTHER--MALE----	29	14	4	1	1	-	1	-	2	-	-	2
FEMALE--	38	17	1	-	2	1	2	-	2	1	3	-
BLACK---MALE----	29	14	4	1	1	-	1	-	2	-	-	2
FEMALE--	36	16	1	-	2	1	2	-	2	1	3	-
TEXAS -----	989	547	45	13	15	14	24	20	28	17	16	20
WHITE-----MALE----	408	233	13	6	5	5	12	7	10	7	8	10
FEMALE--	437	229	21	3	9	7	7	12	13	9	5	10
ALL OTHER--MALE----	71	43	5	2	-	1	4	-	1	1	-	-
FEMALE--	73	42	6	2	1	1	1	1	4	-	3	-
BLACK---MALE----	59	34	4	2	-	1	4	-	1	-	-	-
FEMALE--	70	40	6	2	1	1	1	1	4	-	3	-
UTAH -----	123	81	4	1	1	4	3	5	2	2	2	3
WHITE-----MALE----	56	39	1	1	-	3	2	2	-	1	1	2
FEMALE--	57	36	2	-	1	1	1	2	1	1	1	1
ALL OTHER--MALE----	4	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	3	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
VERMONT -----	28	17	2	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	14	11	1	-	-	-	-	-	1	-	-	-
FEMALE--	13	5	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	276	151	13	3	3	3	2	8	5	7	7	12
WHITE-----MALE----	114	57	6	1	-	2	1	4	1	3	3	8
FEMALE--	92	46	3	1	1	1	1	3	3	2	3	2
ALL OTHER--MALE----	32	23	1	1	-	-	-	-	-	1	1	1
FEMALE--	38	25	3	-	2	-	-	1	1	1	-	1
BLACK---MALE----	28	21	1	-	-	-	-	-	-	1	1	1
FEMALE--	36	24	3	-	1	-	-	1	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,582

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
SOUTH DAKOTA -----	-	1	1	1	2	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	4	8	9	10	17	11	9	4	-	-	-
WHITE-----MALE----	4	1	5	3	3	11	3	1	1	-	-	-
FEMALE--	4	2	3	3	4	5	7	4	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	3	2	1	1	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	2	1	1	2	-	-	-	-
TEXAS -----	24	18	26	15	28	40	40	23	14	2	-	-
WHITE-----MALE----	11	9	8	7	11	17	16	7	5	1	-	-
FEMALE--	10	7	14	8	13	17	20	14	8	1	-	-
ALL OTHER--MALE----	3	2	1	-	1	3	3	-	1	-	-	-
FEMALE--	-	-	3	-	3	3	1	2	-	-	-	-
BLACK---MALE----	3	2	1	-	-	3	3	-	1	-	-	-
FEMALE--	-	-	3	-	3	3	1	1	-	-	-	-
UTAH -----	1	-	2	-	5	2	-	2	2	-	1	-
WHITE-----MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	3	2	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	2	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	6	8	6	11	7	11	6	1	-	-	-
WHITE-----MALE----	5	1	4	2	3	3	6	4	-	-	-	-
FEMALE--	1	2	3	3	6	4	4	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-















































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,593

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
UNITED STATES --	2,269	716	117	50	47	37	21	17	12	19	16	23
WHITE-----MALE----	967	242	38	11	12	15	4	10	6	8	3	15
FEMALE--	982	312	48	19	26	15	12	6	3	5	9	4
ALL OTHER--MALE----	155	77	17	11	4	3	3	1	1	2	2	1
FEMALE--	165	85	14	9	5	4	2	-	2	4	2	3
BLACK---MALE----	117	54	14	8	3	3	3	1	1	2	2	1
FEMALE--	137	65	13	9	4	3	1	-	2	3	2	3
ALABAMA -----	42	11	2	-	1	1	-	-	-	1	-	1
WHITE-----MALE----	15	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	22	6	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	1	-	-	-	-	-	-
ALASKA -----	5	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	48	14	4	1	1	1	1	-	-	-	-	2
WHITE-----MALE----	20	5	1	-	-	-	1	-	-	-	-	1
FEMALE--	20	4	1	-	1	1	-	-	-	-	-	1
ALL OTHER--MALE----	7	4	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	14	11	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	5	4	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	232	85	13	8	7	3	2	6	2	6	2	3
WHITE-----MALE----	95	25	6	3	1	2	1	3	2	3	-	2
FEMALE--	107	48	6	2	3	1	1	3	-	-	1	1
ALL OTHER--MALE----	15	5	1	1	2	-	-	-	-	1	1	-
FEMALE--	15	7	-	2	1	-	-	-	-	2	-	-
BLACK---MALE----	7	2	1	-	1	-	-	-	-	1	1	-
FEMALE--	7	1	-	2	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,593

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
UNITED STATES --	16	28	47	82	148	258	272	203	99	33	8	-
WHITE-----MALE----	5	17	16	46	81	150	132	102	38	14	2	-
FEMALE--	10	8	27	28	55	97	126	90	58	18	6	-
ALL OTHER--MALE----	-	1	3	5	9	7	6	2	-	-	-	-
FEMALE--	1	2	1	3	3	4	8	9	3	1	-	-
BLACK---MALE----	-	1	3	3	7	5	6	-	-	-	-	-
FEMALE--	1	2	1	2	3	4	8	7	3	1	-	-
ALABAMA -----	-	-	4	2	1	5	6	3	2	1	1	-
WHITE-----MALE----	-	-	2	1	-	1	3	1	1	1	1	-
FEMALE--	-	-	2	1	1	4	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	1	-	1	4	5	5	2	3	-	-
WHITE-----MALE----	-	2	-	-	1	2	2	3	1	1	-	-
FEMALE--	1	-	1	-	-	2	3	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	4	7	8	23	22	21	4	4	-	-
WHITE-----MALE----	-	1	2	2	3	11	11	13	3	1	-	-
FEMALE--	1	-	2	2	4	10	11	7	1	3	-	-
ALL OTHER--MALE----	-	-	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,596

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
KENTUCKY -----	39	13	-	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	10	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	6	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	39	18	3	2	-	1	1	-	-	-	-	-
WHITE-----MALE----	9	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	8	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	3	-	1	-	-	1	-	-	-	-	-
FEMALE--	9	3	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	6	3	-	1	-	-	1	-	-	-	-	-
FEMALE--	8	3	2	1	-	1	-	-	-	-	-	-
MAINE -----	11	4	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	37	15	1	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	21	7	-	1	-	-	-	-	-	-	-	-
FEMALE--	8	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	55	11	2	1	1	-	-	-	-	1	-	-
WHITE-----MALE----	27	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	28	8	1	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	117	29	6	4	4	2	1	-	-	-	1	2
WHITE-----MALE----	51	13	1	4	1	2	-	-	-	-	-	1
FEMALE--	53	12	3	-	1	-	1	-	-	-	1	1
ALL OTHER--MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	3	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	3	1	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,596

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	-	1	1	2	5	3	2	6	2	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	3	2	2	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	1	2	5	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	1	3	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	2	-	3	5	6	1	-	1	-
WHITE-----MALE----	-	-	1	1	-	2	5	3	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	3	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	1	2	4	8	11	7	3	2	-	-
WHITE-----MALE----	-	-	1	2	2	4	6	4	2	2	-	-
FEMALE--	-	1	-	-	2	4	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	2	5	11	11	16	10	9	3	-	-
WHITE-----MALE----	-	-	1	2	6	5	6	5	2	2	-	-
FEMALE--	1	-	1	3	5	5	7	5	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,599

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	2	2	1	9	14	14	7	8	-	1	-
WHITE-----MALE----	1	-	2	1	4	7	5	2	2	-	-	-
FEMALE--	1	1	-	-	4	7	8	5	6	-	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	3	8	4	3	4	-	-	-
WHITE-----MALE----	-	-	-	-	2	4	1	2	2	-	-	-
FEMALE--	-	-	-	-	-	4	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	1	5	2	6	1	1	1	-
WHITE-----MALE----	-	-	-	-	1	4	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	4	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	2	2	16	17	15	12	2	3	-	-
WHITE-----MALE----	1	1	2	2	8	12	9	7	2	-	-	-
FEMALE--	-	-	-	-	8	4	5	4	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	2	1	5	3	-	-	2	-	-
WHITE-----MALE----	1	-	-	1	1	3	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,600

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
SOUTH DAKOTA -----	6	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	34	10	3	2	-	-	-	-	1	-	1	-
WHITE-----MALE----	14	4	-	1	-	-	-	-	-	-	-	-
FEMALE--	10	3	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	5	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	1	-	1	-
TEXAS -----	158	63	8	3	6	6	2	2	1	1	-	1
WHITE-----MALE----	58	19	2	1	1	3	-	1	1	1	-	1
FEMALE--	81	35	4	-	5	3	1	1	-	-	-	-
ALL OTHER--MALE----	9	4	2	1	-	-	-	-	-	-	-	-
FEMALE--	10	5	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	7	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	9	4	-	1	-	-	1	-	-	-	-	-
UTAH -----	11	8	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	7	1	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	53	17	2	-	1	1	-	-	-	-	-	2
WHITE-----MALE----	24	8	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	6	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	3	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	3	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,600

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	1	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	2	3	7	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	2	1	6	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	1	2	3	3	7	15	18	10	6	-	-	-
WHITE-----MALE----	-	1	-	1	3	7	9	4	3	-	-	-
FEMALE--	1	1	1	2	3	8	8	5	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	1	2	8	3	9	4	1	-	-	-
WHITE-----MALE----	-	-	1	1	3	2	4	3	-	-	-	-
FEMALE--	-	-	-	-	3	1	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,602

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
UNITED STATES --	3,629	1,769	210	70	65	99	122	112	111	145	144	107
WHITE-----MALE----	1,575	783	84	28	26	45	53	58	52	65	66	54
FEMALE--	1,346	604	65	21	19	26	29	28	36	54	60	40
ALL OTHER--MALE----	370	193	32	12	14	19	25	10	9	15	10	8
FEMALE--	338	189	29	9	6	9	15	16	14	11	8	5
BLACK---MALE----	305	155	28	12	10	16	20	8	8	10	9	7
FEMALE--	279	158	22	8	6	8	12	12	13	10	7	5
ALABAMA -----	56	35	2	1	-	2	5	-	-	2	2	1
WHITE-----MALE----	15	10	1	-	-	-	2	-	-	-	1	1
FEMALE--	19	12	1	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	12	6	-	1	-	1	2	-	-	1	-	-
FEMALE--	10	7	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	12	6	-	1	-	1	2	-	-	1	-	-
FEMALE--	10	7	-	-	-	1	1	-	-	-	-	-
ALASKA -----	6	3	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	73	42	9	1	3	-	2	1	2	2	1	1
WHITE-----MALE----	33	16	3	1	3	-	1	1	1	1	-	-
FEMALE--	31	21	4	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	5	3	1	-	-	-	-	-	-	1	-	-
FEMALE--	4	2	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	38	27	-	2	-	1	2	-	1	1	1	1
WHITE-----MALE----	18	12	-	1	-	-	1	-	1	1	1	-
FEMALE--	14	11	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	3	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	2	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	431	223	23	6	11	16	15	15	15	18	17	15
WHITE-----MALE----	190	91	13	3	4	7	7	9	6	8	7	8
FEMALE--	150	83	3	2	3	5	2	1	7	8	6	5
ALL OTHER--MALE----	49	26	4	1	3	2	4	2	-	2	3	1
FEMALE--	42	23	3	-	1	2	2	3	2	-	1	1
BLACK---MALE----	26	13	3	1	2	-	1	1	-	2	2	-
FEMALE--	25	14	1	-	1	2	1	2	1	-	1	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,603

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
COLORADO -----	71	40	4	-	-	4	4	3	2	2	2	1
WHITE-----MALE----	38	23	2	-	-	3	2	2	2	-	1	-
FEMALE--	28	16	1	-	-	1	1	1	-	1	1	1
ALL OTHER--MALE----	4	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	30	12	2	-	-	1	-	1	1	-	2	3
WHITE-----MALE----	15	8	1	-	-	-	-	1	-	-	-	2
FEMALE--	10	3	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	3	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
DELAWARE -----	6	4	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	3	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	175	66	5	6	3	6	12	5	6	7	10	4
WHITE-----MALE----	72	29	2	4	2	1	5	4	3	2	2	2
FEMALE--	67	20	-	1	-	3	2	1	2	2	6	1
ALL OTHER--MALE----	19	9	1	1	-	2	2	-	-	1	2	1
FEMALE--	17	8	2	-	1	-	3	-	1	2	-	-
BLACK---MALE----	18	8	1	1	-	2	2	-	-	1	2	1
FEMALE--	17	8	2	-	1	-	3	-	1	2	-	-
GEORGIA -----	110	65	7	1	5	4	3	2	2	6	3	4
WHITE-----MALE----	34	20	3	-	1	2	1	-	-	2	2	1
FEMALE--	31	18	1	-	1	-	1	1	-	4	1	1
ALL OTHER--MALE----	24	14	1	1	3	2	1	-	-	-	-	1
FEMALE--	21	13	2	-	-	-	-	1	2	-	-	1
BLACK---MALE----	23	13	1	1	3	2	1	-	-	-	-	1
FEMALE--	21	13	2	-	-	-	-	1	2	-	-	1









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
KENTUCKY -----	60	33	7	2	-	-	-	3	3	1	3	-
WHITE-----MALE----	32	19	4	2	-	-	-	2	2	1	-	-
FEMALE--	22	10	2	-	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	68	31	8	2	3	1	3	1	-	5	4	1
WHITE-----MALE----	23	11	-	1	3	-	1	-	-	2	1	-
FEMALE--	16	7	2	1	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	14	6	3	-	-	-	2	-	-	-	-	1
FEMALE--	15	7	3	-	-	1	-	1	-	2	1	-
BLACK---MALE----	14	6	3	-	-	-	2	-	-	-	-	1
FEMALE--	14	7	3	-	-	-	-	1	-	2	1	-