

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,918
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CONNECTICUT -----	5	3	2	8	6	17	29	35	29	12	7	-
WHITE-----MALE----	3	2	1	7	1	9	12	9	15	4	3	-
FEMALE--	1	1	1	1	3	8	17	26	14	8	4	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	1	5	7	3	-	1	-
WHITE-----MALE----	-	-	-	-	2	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	2	2	1	-	1	2	3	1	4	2	-	1
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	1	-	1
FEMALE--	-	-	-	-	1	-	-	-	2	-	-	-
ALL OTHER--MALE----	2	2	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
BLACK---MALE----	2	2	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
FLORIDA -----	15	12	20	24	51	76	118	146	93	44	6	1
WHITE-----MALE----	10	6	6	15	24	41	50	63	22	16	1	-
FEMALE--	5	5	8	7	23	33	66	83	68	27	5	-
ALL OTHER--MALE----	-	1	5	-	3	-	1	-	2	1	-	1
FEMALE--	-	-	1	2	1	2	1	-	1	-	-	-
BLACK---MALE----	-	1	5	-	3	-	1	-	2	1	-	1
FEMALE--	-	-	1	1	1	2	1	-	1	-	-	-
GEORGIA -----	12	8	9	19	31	49	73	76	45	17	2	-
WHITE-----MALE----	3	5	3	5	19	17	27	21	13	4	-	-
FEMALE--	3	1	4	5	10	26	35	48	28	13	1	-
ALL OTHER--MALE----	3	1	2	6	1	2	5	3	2	-	-	-
FEMALE--	3	1	-	3	1	4	6	4	2	-	1	-
BLACK---MALE----	3	1	2	6	1	2	4	3	1	-	-	-
FEMALE--	3	1	-	2	-	4	6	4	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,920

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
KENTUCKY -----	2	3	1	7	16	24	39	37	23	8	2	-
WHITE-----MALE----	2	2	1	3	8	10	14	15	5	2	-	-
FEMALE--	-	1	-	4	8	14	25	22	17	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	1	7	7	10	14	21	41	15	10	2	-
WHITE-----MALE----	3	-	1	2	3	3	7	11	4	4	1	-
FEMALE--	1	-	4	5	3	8	10	26	8	6	1	-
ALL OTHER--MALE----	-	1	1	-	3	-	3	1	1	-	-	-
FEMALE--	-	-	1	-	1	3	1	3	2	-	-	-
BLACK---MALE----	-	1	1	-	3	-	3	1	1	-	-	-
FEMALE--	-	-	1	-	1	3	1	3	2	-	-	-
MAINE -----	1	-	-	2	5	5	5	14	16	3	3	-
WHITE-----MALE----	-	-	-	-	3	-	4	5	4	1	1	-
FEMALE--	1	-	-	2	2	5	1	9	12	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	4	1	11	17	20	23	33	29	4	3	-
WHITE-----MALE----	-	2	-	4	8	9	7	8	12	2	-	-
FEMALE--	1	2	-	6	5	10	11	24	15	1	3	-
ALL OTHER--MALE----	3	-	1	-	2	1	4	1	-	1	-	-
FEMALE--	-	-	-	1	2	-	1	-	2	-	-	-
BLACK---MALE----	3	-	-	-	2	-	4	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	2	-	-	-
MASSACHUSETTS -----	2	3	7	7	18	31	35	60	63	28	8	-
WHITE-----MALE----	1	3	2	3	8	14	12	19	18	3	2	-
FEMALE--	1	-	4	3	9	16	22	40	45	24	6	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
MICHIGAN -----	11	7	9	10	27	40	54	65	54	22	5	-
WHITE-----MALE----	6	5	4	5	16	17	26	27	14	1	1	-
FEMALE--	2	1	3	4	7	22	28	34	38	20	4	-
ALL OTHER--MALE----	3	1	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	3	-	-	2	2	1	-	-
BLACK---MALE----	3	1	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	3	-	-	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,923

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
OHIO -----	3	7	13	22	39	79	81	110	92	39	15	-
WHITE-----MALE----	1	2	7	13	16	42	32	29	23	9	4	-
FEMALE--	2	4	6	7	21	31	47	77	64	29	11	-
ALL OTHER--MALE----	-	1	-	2	2	2	1	2	1	1	-	-
FEMALE--	-	-	-	-	-	4	1	2	4	-	-	-
BLACK---MALE----	-	1	-	2	2	2	1	2	1	1	-	-
FEMALE--	-	-	-	-	-	4	1	1	4	-	-	-
OKLAHOMA -----	4	5	3	11	22	20	35	45	42	14	1	-
WHITE-----MALE----	3	3	3	5	4	8	14	10	15	3	-	-
FEMALE--	1	2	-	5	18	11	19	32	25	11	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	1	1	2	5	8	23	34	47	43	22	3	-
WHITE-----MALE----	1	-	1	3	-	14	18	22	12	8	-	-
FEMALE--	-	1	1	2	8	9	16	25	31	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	11	12	19	45	75	119	133	90	45	8	-
WHITE-----MALE----	5	8	6	13	22	26	41	42	23	7	1	-
FEMALE--	-	2	5	3	19	45	74	91	66	36	7	-
ALL OTHER--MALE----	1	1	1	2	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	3	-	1	2	-	-
BLACK---MALE----	1	1	1	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	-	1	2	-	-
RHODE ISLAND -----	-	-	-	1	1	7	6	16	9	4	-	-
WHITE-----MALE----	-	-	-	1	-	4	5	6	2	2	-	-
FEMALE--	-	-	-	-	1	3	1	10	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	1	5	17	10	27	31	21	28	5	3	-
WHITE-----MALE----	1	-	2	10	4	8	12	7	8	2	-	-
FEMALE--	2	-	3	5	4	18	15	14	18	3	3	-
ALL OTHER--MALE----	3	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	-	2	-	-	-
BLACK---MALE----	3	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,924

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
SOUTH DAKOTA -----	2	-	1	3	1	4	8	14	8	6	-	-
WHITE-----MALE----	1	-	1	1	1	2	3	6	3	2	-	-
FEMALE--	-	-	-	1	-	2	4	8	5	4	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	11	7	11	15	27	55	70	49	20	2	-
WHITE-----MALE----	3	8	6	4	7	12	24	27	13	2	-	-
FEMALE--	-	2	-	6	7	12	29	39	34	14	2	-
ALL OTHER--MALE----	1	1	1	1	1	1	-	1	2	1	-	-
FEMALE--	-	-	-	-	-	2	2	3	-	3	-	-
BLACK---MALE----	1	1	1	1	1	1	-	1	2	1	-	-
FEMALE--	-	-	-	-	-	2	2	3	-	3	-	-
TEXAS -----	14	17	14	29	51	75	134	150	97	47	6	-
WHITE-----MALE----	7	6	8	12	28	37	70	61	31	12	1	-
FEMALE--	4	5	4	12	18	33	60	85	62	34	5	-
ALL OTHER--MALE----	2	4	2	2	3	3	2	2	2	-	-	-
FEMALE--	1	2	-	3	2	2	2	2	2	1	-	-
BLACK---MALE----	-	4	2	2	2	3	2	2	2	-	-	-
FEMALE--	1	2	-	2	2	2	2	2	2	1	-	-
UTAH -----	2	1	-	4	3	5	17	18	5	1	-	-
WHITE-----MALE----	1	1	-	3	2	4	5	6	3	-	-	-
FEMALE--	1	-	-	1	1	1	12	12	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	3	5	12	4	4	2	-
WHITE-----MALE----	-	-	-	-	1	1	2	4	1	-	-	-
FEMALE--	-	-	-	-	1	2	3	8	3	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	5	9	8	29	39	71	65	55	19	8	-
WHITE-----MALE----	2	5	3	5	12	17	23	23	16	5	-	-
FEMALE--	2	-	2	3	15	17	41	38	35	13	6	-
ALL OTHER--MALE----	3	-	3	-	1	1	4	2	1	-	-	-
FEMALE--	-	-	1	-	1	4	3	2	3	1	2	-
BLACK---MALE----	3	-	2	-	1	1	4	2	1	-	-	-
FEMALE--	-	-	1	-	1	4	2	2	3	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,926

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
UNITED STATES --	3,255	41	258	196	104	86	108	114	140	186	235	183
WHITE-----MALE----	1,383	14	81	61	41	38	59	63	74	98	127	81
FEMALE--	933	8	51	43	32	25	21	28	31	35	50	43
ALL OTHER--MALE----	558	10	67	47	15	10	18	16	24	32	40	40
FEMALE--	381	9	59	45	16	13	10	7	11	21	18	19
BLACK---MALE----	510	10	62	46	13	8	13	13	23	24	36	39
FEMALE--	364	9	59	43	15	13	10	5	10	20	15	19
ALABAMA -----	84	-	8	4	-	1	3	7	7	3	4	5
WHITE-----MALE----	22	-	1	2	-	-	-	4	3	1	2	1
FEMALE--	16	-	1	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	31	-	5	1	-	1	1	1	2	1	-	3
FEMALE--	15	-	1	1	-	-	2	1	1	1	1	-
BLACK---MALE----	31	-	5	1	-	1	1	1	2	1	-	3
FEMALE--	15	-	1	1	-	-	2	1	1	1	1	-
ALASKA -----	19	-	1	1	3	-	1	1	-	1	4	2
WHITE-----MALE----	9	-	1	1	1	-	-	1	-	1	2	1
FEMALE--	7	-	-	-	2	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	36	-	2	-	4	-	3	-	1	2	4	2
WHITE-----MALE----	19	-	2	-	2	-	1	-	-	1	2	2
FEMALE--	10	-	-	-	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	5	-	-	-	1	-	2	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	75	2	1	4	2	3	1	2	1	2	8	3
WHITE-----MALE----	28	-	-	2	1	1	-	-	1	1	3	-
FEMALE--	16	1	-	2	1	1	-	-	-	-	1	-
ALL OTHER--MALE----	23	1	1	-	-	-	1	2	-	1	3	3
FEMALE--	8	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	23	1	1	-	-	-	1	2	-	1	3	3
FEMALE--	8	-	-	-	-	1	-	-	-	-	1	-
CALIFORNIA -----	229	3	10	9	5	3	4	9	11	15	12	14
WHITE-----MALE----	110	2	5	5	2	3	3	5	7	8	5	7
FEMALE--	85	-	3	2	1	-	1	2	2	6	2	5
ALL OTHER--MALE----	20	-	1	1	-	-	-	2	2	1	4	2
FEMALE--	14	1	1	1	2	-	-	-	-	-	1	-
BLACK---MALE----	13	-	1	1	-	-	-	-	2	-	2	2
FEMALE--	13	1	1	1	1	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,926

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
UNITED STATES --	178	153	155	191	206	251	224	143	69	23	9	2
WHITE-----MALE----	82	61	69	94	82	92	86	42	29	8	-	1
FEMALE--	49	50	47	52	65	104	101	56	28	8	6	-
ALL OTHER--MALE----	40	24	32	26	39	30	15	20	7	3	2	1
FEMALE--	7	18	7	19	20	25	22	25	5	4	1	-
BLACK---MALE----	39	21	31	25	34	28	14	20	5	3	2	1
FEMALE--	7	15	6	18	20	25	21	24	5	4	1	-
ALABAMA -----	6	5	3	5	6	5	5	4	-	1	2	-
WHITE-----MALE----	1	1	3	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	1	3	2	1	-	-	-	-
ALL OTHER--MALE----	3	2	-	1	4	2	2	-	-	1	1	-
FEMALE--	1	1	-	-	-	-	1	3	-	-	1	-
BLACK---MALE----	3	2	-	1	4	2	2	-	-	1	1	-
FEMALE--	1	1	-	-	-	-	1	3	-	-	1	-
ALASKA -----	-	1	-	2	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	5	2	1	2	2	3	1	-	-	-
WHITE-----MALE----	1	-	4	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	6	4	6	5	3	7	7	4	2	1	1	-
WHITE-----MALE----	2	-	3	2	3	4	4	-	1	-	-	-
FEMALE--	1	4	-	1	-	1	2	-	1	-	-	-
ALL OTHER--MALE----	2	-	3	1	-	1	-	2	-	1	1	-
FEMALE--	1	-	-	1	-	1	1	2	-	-	-	-
BLACK---MALE----	2	-	3	1	-	1	-	2	-	1	1	-
FEMALE--	1	-	-	1	-	1	1	2	-	-	-	-
CALIFORNIA -----	13	18	3	13	20	27	24	11	4	1	-	-
WHITE-----MALE----	11	8	2	7	8	8	8	4	2	-	-	-
FEMALE--	2	7	1	5	7	16	16	4	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	3	1	-	2	-	-	-	-
FEMALE--	-	2	-	1	2	2	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	2	-	1	2	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,927

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
COLORADO -----	23	-	2	3	1	-	1	-	1	-	1	1
WHITE-----MALE----	12	-	1	3	1	-	1	-	1	-	-	1
FEMALE--	11	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	34	-	-	3	2	1	2	1	-	2	5	2
WHITE-----MALE----	14	-	-	-	2	-	2	1	-	2	1	-
FEMALE--	12	-	-	1	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	2	-	1	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	2	-	1	-	-	-	-	1	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	12	1	1	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	1	1	1
FLORIDA -----	128	3	16	6	-	1	2	3	8	5	13	9
WHITE-----MALE----	48	-	1	3	-	-	-	-	6	2	9	3
FEMALE--	45	1	4	1	-	1	1	3	2	2	2	4
ALL OTHER--MALE----	19	1	4	-	-	-	-	-	-	-	2	2
FEMALE--	16	1	7	2	-	-	1	-	-	1	-	-
BLACK---MALE----	18	1	4	-	-	-	-	-	-	-	2	2
FEMALE--	16	1	7	2	-	-	1	-	-	1	-	-
GEORGIA -----	127	1	7	10	3	4	3	4	6	9	7	5
WHITE-----MALE----	43	-	-	2	2	1	3	1	2	6	1	1
FEMALE--	28	-	1	-	-	1	-	-	2	1	2	1
ALL OTHER--MALE----	34	1	4	7	1	-	-	3	2	1	2	2
FEMALE--	22	-	2	1	-	2	-	-	1	1	2	1
BLACK---MALE----	34	1	4	7	1	-	-	3	2	1	2	2
FEMALE--	22	-	2	1	-	2	-	-	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,927

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
COLORADO -----	-	-	1	-	2	2	3	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	1	5	2	1	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	3	-	-	2	-	1	-	-	-
FEMALE--	1	2	-	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	-	1	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	-	-	-	-
FLORIDA -----	4	5	10	9	9	9	9	3	4	-	-	-
WHITE-----MALE----	1	-	8	5	2	2	2	2	2	-	-	-
FEMALE--	2	3	1	2	4	5	6	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	3	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	1	1	2	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	1	-	-	-
GEORGIA -----	10	7	3	6	9	14	12	5	1	1	-	-
WHITE-----MALE----	5	2	2	2	1	5	4	2	1	-	-	-
FEMALE--	3	-	1	1	3	5	5	2	-	-	-	-
ALL OTHER--MALE----	2	2	-	2	3	1	1	-	-	-	-	-
FEMALE--	-	3	-	1	2	3	2	1	-	1	-	-
BLACK---MALE----	2	2	-	2	3	1	1	-	-	-	-	-
FEMALE--	-	3	-	1	2	3	2	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,928

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
HAWAII -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	1	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	12	8	10	8	6	10	5	3	-	1	-	-
WHITE-----MALE----	3	1	3	3	3	4	2	1	-	-	-	-
FEMALE--	3	2	3	1	1	6	3	2	-	-	-	-
ALL OTHER--MALE----	5	3	4	3	1	-	-	-	-	1	-	-
FEMALE--	1	2	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	5	3	4	3	1	-	-	-	-	1	-	-
FEMALE--	1	2	-	1	1	-	-	-	-	-	-	-
INDIANA -----	2	2	2	4	2	4	1	5	3	-	-	-
WHITE-----MALE----	1	-	1	2	1	1	-	3	1	-	-	-
FEMALE--	-	2	1	1	1	2	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	2	2	2	3	1	1	3	4	1	-	-	-
WHITE-----MALE----	2	1	2	1	1	1	1	2	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	3	2	3	1	1	3	1	-	-	-
WHITE-----MALE----	-	-	3	2	2	-	1	3	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,929

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
KENTUCKY -----	56	1	2	1	4	1	1	2	-	8	5	5
WHITE-----MALE----	28	-	-	1	2	1	1	1	-	5	3	3
FEMALE--	23	1	2	-	2	-	-	1	-	3	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
LOUISIANA -----	92	1	12	11	2	1	3	2	5	4	4	4
WHITE-----MALE----	23	1	1	1	-	-	1	1	1	2	2	-
FEMALE--	19	-	-	2	1	1	-	-	3	-	-	1
ALL OTHER--MALE----	27	-	5	3	-	-	-	1	1	2	1	3
FEMALE--	23	-	6	5	1	-	2	-	-	-	1	-
BLACK---MALE----	26	-	5	3	-	-	-	1	1	1	1	3
FEMALE--	23	-	6	5	1	-	2	-	-	-	1	-
MAINE -----	15	-	1	1	-	-	-	1	-	-	2	2
WHITE-----MALE----	7	-	1	-	-	-	-	1	-	-	1	2
FEMALE--	8	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	58	1	4	1	5	2	-	1	3	3	5	1
WHITE-----MALE----	18	-	1	1	1	-	-	1	2	-	1	-
FEMALE--	10	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	15	1	2	-	2	1	-	-	-	2	1	-
FEMALE--	15	-	1	-	1	1	-	-	1	1	2	1
BLACK---MALE----	14	1	2	-	1	1	-	-	-	2	1	-
FEMALE--	15	-	1	-	1	1	-	-	1	1	2	1
MASSACHUSETTS -----	52	1	4	2	1	1	3	1	1	2	4	6
WHITE-----MALE----	23	-	1	1	-	1	1	-	1	2	3	4
FEMALE--	22	-	2	-	1	-	1	1	-	-	1	-
ALL OTHER--MALE----	4	-	-	1	-	-	1	-	-	-	-	2
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	1	-	-	-	-	1
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	141	4	19	20	6	3	5	4	6	5	10	10
WHITE-----MALE----	57	3	7	3	3	2	2	2	3	2	6	3
FEMALE--	30	-	4	3	-	-	1	-	-	-	3	3
ALL OTHER--MALE----	31	1	6	5	1	1	1	1	2	2	1	1
FEMALE--	23	-	2	9	2	-	1	1	1	1	-	3
BLACK---MALE----	29	1	5	5	1	1	1	1	2	1	1	1
FEMALE--	21	-	2	8	2	-	1	1	-	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,929

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
KENTUCKY -----	1	5	2	1	4	4	4	5	-	-	-	-
WHITE-----MALE----	1	2	1	-	2	1	2	2	-	-	-	-
FEMALE--	-	3	-	1	2	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
LOUISIANA -----	5	5	4	3	3	5	9	5	3	-	1	-
WHITE-----MALE----	2	4	1	1	1	2	2	-	-	-	-	-
FEMALE--	2	1	1	1	1	-	3	1	-	-	1	-
ALL OTHER--MALE----	1	-	2	1	1	1	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	2	-	-	-
BLACK---MALE----	1	-	2	1	1	1	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	2	-	-	-
MAINE -----	-	-	1	-	1	2	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	5	5	4	6	3	3	4	-	-	-	-
WHITE-----MALE----	-	2	2	1	2	3	1	-	-	-	-	-
FEMALE--	1	1	1	2	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	2	-	-	-	-
BLACK---MALE----	1	2	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	2	-	-	-	-
MASSACHUSETTS -----	1	1	4	6	4	3	3	-	3	1	-	-
WHITE-----MALE----	1	-	-	2	2	2	1	-	1	-	-	-
FEMALE--	-	1	4	4	2	1	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	9	2	4	7	5	9	6	2	3	1	1	-
WHITE-----MALE----	5	1	1	4	-	6	4	-	-	-	-	-
FEMALE--	-	-	2	2	2	3	2	1	3	-	1	-
ALL OTHER--MALE----	3	1	1	1	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	3	1	1	1	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,930

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
MINNESOTA -----	3	2	2	2	5	1	3	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	4	1	1	1	-	-	-	-
FEMALE--	-	1	2	2	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	6	8	5	8	7	3	6	1	1	-	-
WHITE-----MALE----	-	3	1	3	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	2	3	2	1	-	-	-	-
ALL OTHER--MALE----	2	1	6	1	1	2	-	2	1	-	-	-
FEMALE--	1	-	1	1	5	2	1	3	-	1	-	-
BLACK---MALE----	2	-	6	1	1	2	-	2	1	-	-	-
FEMALE--	1	-	1	1	5	2	1	3	-	1	-	-
MISSOURI -----	3	3	3	7	3	10	5	2	1	1	1	-
WHITE-----MALE----	1	1	1	7	1	7	2	1	1	1	-	-
FEMALE--	1	2	1	-	2	3	2	-	-	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MONTANA -----	-	2	1	3	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	-	-	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	-	2	1	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,932

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
OHIO -----	112	2	13	2	3	1	5	5	7	8	12	-
WHITE-----MALE----	45	1	3	1	-	-	4	2	4	4	9	-
FEMALE--	41	-	5	-	1	-	1	1	2	3	3	-
ALL OTHER--MALE----	15	1	3	1	2	1	-	2	-	-	-	-
FEMALE--	11	-	2	-	-	-	-	-	1	1	-	-
BLACK---MALE----	15	1	3	1	2	1	-	2	-	-	-	-
FEMALE--	11	-	2	-	-	-	-	-	1	1	-	-
OKLAHOMA -----	60	-	3	6	2	2	3	3	3	3	5	1
WHITE-----MALE----	34	-	3	3	2	-	2	1	1	3	3	-
FEMALE--	19	-	-	2	-	2	1	2	-	-	1	1
ALL OTHER--MALE----	6	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	25	1	2	2	2	-	-	-	2	1	1	2
WHITE-----MALE----	12	-	2	-	1	-	-	-	1	1	1	1
FEMALE--	12	-	-	2	1	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	180	2	16	18	7	8	15	1	4	9	10	6
WHITE-----MALE----	82	1	8	4	3	5	11	-	2	3	6	3
FEMALE--	54	-	2	8	4	3	3	-	-	3	2	2
ALL OTHER--MALE----	28	-	5	2	-	-	-	-	1	2	-	1
FEMALE--	16	1	1	4	-	-	1	1	1	1	2	-
BLACK---MALE----	28	-	5	2	-	-	-	-	1	2	-	1
FEMALE--	16	1	1	4	-	-	1	1	1	1	2	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	67	1	4	6	2	3	3	2	-	3	11	5
WHITE-----MALE----	20	-	1	-	1	1	1	1	-	3	5	1
FEMALE--	11	-	-	-	-	1	-	-	-	-	3	-
ALL OTHER--MALE----	21	-	-	2	-	-	2	1	-	-	3	2
FEMALE--	15	1	3	4	1	1	-	-	-	-	-	2
BLACK---MALE----	21	-	-	2	-	-	2	1	-	-	3	2
FEMALE--	15	1	3	4	1	1	-	-	-	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,932

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
OHIO -----	6	3	5	9	11	6	6	6	1	1	-	-
WHITE-----MALE----	3	1	1	3	6	1	1	1	-	-	-	-
FEMALE--	2	2	4	3	4	3	2	3	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	2	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	2	-	-	-	-
OKLAHOMA -----	3	2	-	6	4	5	3	5	-	1	-	-
WHITE-----MALE----	3	1	-	3	2	4	3	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	-	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	1	1	3	1	1	2	1	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	3	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	3	10	10	14	14	13	8	4	-	-	-
WHITE-----MALE----	1	3	3	4	6	5	8	3	3	-	-	-
FEMALE--	2	-	4	3	4	6	5	2	1	-	-	-
ALL OTHER--MALE----	5	-	2	3	4	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	5	-	2	3	4	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	3	1	3	5	3	3	1	2	-	-	-
WHITE-----MALE----	1	-	-	2	-	1	1	-	1	-	-	-
FEMALE--	3	1	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	1	1	2	2	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	2	1	1	1	2	2	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,933

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
SOUTH DAKOTA -----	8	-	-	-	1	1	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	119	-	4	7	7	4	5	3	4	9	8	6
WHITE-----MALE----	58	-	-	5	3	1	2	2	2	4	5	2
FEMALE--	32	-	1	1	2	-	2	1	1	2	1	1
ALL OTHER--MALE----	18	-	1	1	1	-	1	-	1	2	2	2
FEMALE--	11	-	2	-	1	3	-	-	1	1	-	1
BLACK---MALE----	18	-	1	1	1	-	1	-	1	2	2	2
FEMALE--	11	-	2	-	1	3	-	-	1	-	-	1
TEXAS -----	258	3	24	9	10	9	9	7	11	18	15	17
WHITE-----MALE----	117	-	9	4	2	3	5	5	8	12	7	8
FEMALE--	80	2	4	2	3	3	3	2	2	3	5	4
ALL OTHER--MALE----	36	-	6	1	2	2	-	-	-	2	2	2
FEMALE--	25	1	5	2	3	1	1	-	1	1	1	3
BLACK---MALE----	34	-	6	1	2	1	-	-	2	2	2	2
FEMALE--	25	1	5	2	3	1	1	-	1	1	1	3
UTAH -----	6	-	-	1	1	-	-	-	1	-	-	-
WHITE-----MALE----	5	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	1	1	-	3	-	-	-	1	-	-
WHITE-----MALE----	8	-	1	-	-	2	-	-	-	1	-	-
FEMALE--	3	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	95	1	7	7	1	3	2	5	1	4	9	2
WHITE-----MALE----	40	-	2	4	1	-	1	3	1	1	4	2
FEMALE--	33	1	2	1	-	3	1	2	-	2	3	-
ALL OTHER--MALE----	14	-	1	2	-	-	-	-	-	-	1	-
FEMALE--	8	-	2	-	-	-	-	-	-	1	1	-
BLACK---MALE----	14	-	1	2	-	-	-	-	-	-	1	-
FEMALE--	7	-	2	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,933

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
SOUTH DAKOTA -----	-	1	1	2	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	10	9	8	6	7	8	1	1	1	-	-
WHITE-----MALE----	3	6	5	5	5	3	3	-	1	1	-	-
FEMALE--	6	2	4	1	-	2	4	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
TEXAS -----	16	8	11	10	15	20	24	11	9	-	2	-
WHITE-----MALE----	9	5	5	5	7	7	10	3	3	-	-	-
FEMALE--	5	1	4	2	5	6	12	6	4	-	2	-
ALL OTHER--MALE----	2	1	2	2	3	4	1	2	2	-	-	-
FEMALE--	-	1	-	1	-	3	1	-	-	-	-	-
BLACK---MALE----	2	1	2	2	2	4	1	2	2	-	-	-
FEMALE--	-	1	-	1	-	3	1	-	-	-	-	-
UTAH -----	-	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	3	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	9	5	4	5	10	4	6	1	1	-	-
WHITE-----MALE----	5	5	2	3	1	2	2	1	-	-	-	-
FEMALE--	3	2	1	-	4	4	1	2	1	-	-	-
ALL OTHER--MALE----	-	2	2	1	-	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
BLACK---MALE----	-	2	2	1	-	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,935

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
UNITED STATES --	18,227	486	807	432	443	832	842	770	918	1,066	1,103	993
WHITE-----MALE----	10,371	192	409	207	218	527	596	547	649	741	736	660
FEMALE--	4,715	134	229	81	83	87	72	80	111	142	147	148
ALL OTHER--MALE----	2,280	89	110	99	120	197	155	125	138	147	169	155
FEMALE--	861	71	59	45	22	21	19	18	20	36	51	30
BLACK---MALE----	1,928	82	90	82	106	164	129	108	108	116	143	137
FEMALE--	723	62	48	32	16	14	13	16	14	29	44	20
ALABAMA -----	598	7	15	14	15	32	41	30	33	37	29	34
WHITE-----MALE----	290	1	11	6	6	16	20	16	19	24	16	18
FEMALE--	146	2	-	3	2	3	2	5	8	6	7	6
ALL OTHER--MALE----	108	2	2	5	6	11	17	8	6	4	6	7
FEMALE--	54	2	2	-	1	2	2	1	-	3	-	3
BLACK---MALE----	108	2	2	5	6	11	17	8	6	4	6	7
FEMALE--	53	2	2	-	1	2	2	1	-	3	-	3
ALASKA -----	48	1	-	3	3	5	1	3	6	5	4	1
WHITE-----MALE----	18	-	-	2	1	1	1	1	4	1	3	-
FEMALE--	6	-	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	17	1	-	-	2	2	-	2	1	3	1	-
FEMALE--	7	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	394	11	35	4	10	18	19	15	17	31	24	23
WHITE-----MALE----	249	6	19	-	8	12	15	9	11	24	15	14
FEMALE--	80	3	13	-	1	3	-	3	2	-	3	4
ALL OTHER--MALE----	53	2	2	2	1	2	4	3	3	6	4	4
FEMALE--	12	-	1	2	-	1	-	-	1	1	2	1
BLACK---MALE----	9	-	1	-	-	1	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	249	6	13	7	4	16	14	8	15	13	8	18
WHITE-----MALE----	149	2	8	4	2	9	10	6	11	10	5	13
FEMALE--	53	3	5	3	-	1	-	-	1	2	-	-
ALL OTHER--MALE----	36	1	-	-	2	6	3	1	3	1	3	4
FEMALE--	11	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	34	1	-	-	2	6	3	1	3	1	3	4
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	1
CALIFORNIA -----	1,392	30	94	38	31	63	100	83	86	77	100	110
WHITE-----MALE----	883	13	55	17	13	37	80	62	64	59	65	74
FEMALE--	296	10	24	9	8	7	6	11	14	7	13	18
ALL OTHER--MALE----	155	4	8	9	6	15	12	8	8	9	17	14
FEMALE--	58	3	7	3	4	4	2	2	-	2	5	4
BLACK---MALE----	90	3	4	5	2	8	6	4	3	7	13	9
FEMALE--	26	1	4	2	1	2	-	1	-	1	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,935

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
UNITED STATES --	822	762	727	829	1,130	1,327	1,472	1,306	801	250	50	59
WHITE-----MALE----	529	499	441	473	653	702	699	517	247	65	9	55
FEMALE--	140	137	157	225	339	476	610	651	470	163	32	1
ALL OTHER--MALE----	122	95	91	91	89	84	90	67	36	9	-	2
FEMALE--	31	31	38	40	49	65	73	71	48	13	9	1
BLACK---MALE----	106	86	73	77	75	73	77	60	27	7	-	2
FEMALE--	24	25	32	34	41	62	63	66	45	13	9	1
ALABAMA -----	36	16	18	20	42	43	60	43	20	8	5	-
WHITE-----MALE----	17	13	11	12	24	16	20	13	8	2	1	-
FEMALE--	8	1	3	5	10	18	28	17	6	4	2	-
ALL OTHER--MALE----	7	2	3	3	4	2	6	5	1	1	-	-
FEMALE--	4	-	1	-	4	7	6	8	5	1	2	-
BLACK---MALE----	7	2	3	3	4	2	6	5	1	1	-	-
FEMALE--	3	-	1	-	4	7	6	8	5	1	2	-
ALASKA -----	3	3	2	1	2	-	2	3	-	-	-	-
WHITE-----MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	15	17	21	15	27	35	23	11	18	1	-	4
WHITE-----MALE----	12	12	12	10	19	19	15	4	9	-	-	4
FEMALE--	2	4	5	2	6	9	6	5	8	1	-	-
ALL OTHER--MALE----	1	1	4	3	2	6	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	6	12	6	15	10	22	15	22	13	4	2	-
WHITE-----MALE----	3	9	4	10	7	12	12	7	4	1	-	-
FEMALE--	1	3	-	2	2	6	3	13	7	1	-	-
ALL OTHER--MALE----	2	-	2	2	1	3	-	-	-	2	-	-
FEMALE--	-	-	-	1	-	1	-	2	2	-	2	-
BLACK---MALE----	2	-	1	2	1	3	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	2	2	-	2	-
CALIFORNIA -----	75	73	64	51	56	56	66	53	37	11	2	36
WHITE-----MALE----	49	55	35	36	29	25	32	23	18	5	1	36
FEMALE--	17	10	18	8	20	23	23	28	16	5	1	-
ALL OTHER--MALE----	8	4	9	3	4	4	8	1	3	1	-	-
FEMALE--	1	4	2	4	3	4	3	1	-	-	-	-
BLACK---MALE----	5	4	6	2	3	1	4	1	-	-	-	-
FEMALE--	-	3	-	2	1	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,936

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
COLORADO -----	277	5	19	8	8	6	7	12	8	11	19	14
WHITE-----MALE----	161	3	7	5	7	4	4	9	7	8	16	10
FEMALE--	97	1	7	2	1	-	2	3	1	2	3	4
ALL OTHER--MALE----	14	-	3	-	-	2	1	-	-	1	-	-
FEMALE--	5	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	5	1	2	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	216	2	4	1	3	7	2	11	10	8	8	11
WHITE-----MALE----	127	2	4	1	1	5	2	9	7	6	6	8
FEMALE--	70	-	-	-	-	-	-	2	2	2	1	1
ALL OTHER--MALE----	14	-	-	-	2	2	-	-	1	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	2	1	-	-	1	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	65	2	3	4	3	3	-	-	2	3	-	4
WHITE-----MALE----	26	-	-	3	2	1	-	-	-	2	-	3
FEMALE--	22	2	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	2	1	-	2	-	-	2	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	2	1	-	2	-	-	2	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	32	-	-	-	-	1	2	3	1	2	2	2
WHITE-----MALE----	4	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	2	1	-	1	2	2
FEMALE--	9	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	17	-	-	-	-	-	2	1	-	1	2	2
FEMALE--	9	-	-	-	-	-	-	1	1	-	-	-
FLORIDA -----	1,057	43	80	31	22	25	40	35	43	57	91	58
WHITE-----MALE----	607	23	31	12	5	16	23	26	32	37	65	39
FEMALE--	262	10	24	4	7	1	4	3	6	6	10	9
ALL OTHER--MALE----	149	6	20	11	9	8	12	6	5	11	13	9
FEMALE--	39	4	5	4	1	-	1	-	-	3	3	1
BLACK---MALE----	146	6	20	11	9	8	10	5	5	11	13	9
FEMALE--	33	4	4	4	1	-	-	-	-	3	2	-
GEORGIA -----	532	11	25	26	17	21	17	23	35	36	29	23
WHITE-----MALE----	229	4	9	9	5	12	6	13	17	16	13	8
FEMALE--	122	1	6	1	4	3	1	2	4	7	6	2
ALL OTHER--MALE----	121	4	5	14	7	6	10	5	13	10	9	8
FEMALE--	60	2	5	2	1	-	-	3	1	3	1	5
BLACK---MALE----	114	4	4	13	7	5	10	5	11	9	9	7
FEMALE--	60	2	5	2	1	-	-	3	1	3	1	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,936

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
COLORADO -----	11	12	12	9	18	25	31	22	16	3	1	-
WHITE-----MALE----	8	9	6	4	9	11	17	12	5	-	-	-
FEMALE--	2	2	4	3	9	14	13	10	10	3	1	-
ALL OTHER--MALE----	1	1	2	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	10	14	8	12	22	23	29	14	9	-	-
WHITE-----MALE----	7	7	9	4	5	13	9	14	6	2	-	-
FEMALE--	1	1	2	2	7	8	13	15	7	6	-	-
ALL OTHER--MALE----	-	2	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	1	1	-	-
BLACK---MALE----	-	2	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	1	1	-	-
DELAWARE -----	3	3	2	9	4	5	5	3	6	1	-	-
WHITE-----MALE----	-	1	2	3	2	-	4	1	2	-	-	-
FEMALE--	1	1	-	3	2	4	1	2	3	1	-	-
ALL OTHER--MALE----	2	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	2	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	1	3	1	5	2	3	1	1	1	-	-	1
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	4	-	2	-	1	-	-	-	1
FEMALE--	1	1	1	1	2	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	4	-	2	-	1	-	-	-	1
FEMALE--	1	1	1	1	2	-	1	-	-	-	-	-
FLORIDA -----	53	40	39	66	60	72	72	74	42	11	2	1
WHITE-----MALE----	37	21	25	40	30	43	45	35	15	7	-	-
FEMALE--	7	14	5	15	25	23	24	33	25	4	2	1
ALL OTHER--MALE----	7	4	8	9	3	4	2	2	-	-	-	-
FEMALE--	2	1	1	2	2	2	1	4	2	-	-	-
BLACK---MALE----	7	4	8	9	3	4	2	2	-	-	-	-
FEMALE--	-	1	1	2	2	2	1	4	2	-	-	-
GEORGIA -----	29	23	15	25	30	34	44	42	22	3	2	-
WHITE-----MALE----	15	11	7	10	17	19	18	14	5	1	-	-
FEMALE--	2	6	2	8	5	10	20	16	13	2	1	-
ALL OTHER--MALE----	9	3	3	1	5	2	2	4	1	-	-	-
FEMALE--	3	3	3	6	3	3	4	8	3	-	1	-
BLACK---MALE----	9	3	3	1	5	2	2	4	1	-	-	-
FEMALE--	3	3	3	6	3	3	4	8	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,937

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
HAWAII -----	4	3	1	4	4	2	2	3	3	-	1	-
WHITE-----MALE----	3	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	1	2	1	3	2	-	1	2	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	4	7	8	6	9	5	11	2	-	1	-
WHITE-----MALE----	5	4	7	8	5	4	2	7	1	-	-	-
FEMALE--	-	-	-	-	1	5	3	4	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	26	38	24	27	41	70	62	51	35	5	3	1
WHITE-----MALE----	18	26	14	12	23	31	30	24	11	1	1	1
FEMALE--	5	4	5	10	17	30	26	23	21	4	2	-
ALL OTHER--MALE----	3	6	3	5	1	5	3	3	2	-	-	-
FEMALE--	-	2	2	-	-	4	3	1	1	-	-	-
BLACK---MALE----	3	6	3	4	1	5	3	3	2	-	-	-
FEMALE--	-	2	2	-	-	4	3	1	1	-	-	-
INDIANA -----	21	16	14	15	25	37	41	38	27	17	-	-
WHITE-----MALE----	13	14	12	7	15	20	16	15	8	2	-	-
FEMALE--	2	2	1	7	10	16	20	23	17	13	-	-
ALL OTHER--MALE----	5	-	1	1	-	1	3	-	1	2	-	-
FEMALE--	1	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	5	-	1	1	-	1	3	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
IOWA -----	9	7	12	9	17	20	20	15	8	3	-	-
WHITE-----MALE----	6	5	10	7	15	13	10	8	4	-	-	-
FEMALE--	3	1	2	2	2	7	10	7	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	7	9	7	10	10	15	22	15	17	4	1	-
WHITE-----MALE----	3	7	4	7	6	5	13	5	4	-	-	-
FEMALE--	3	1	2	1	4	8	9	9	10	4	1	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	2	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,938

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
KENTUCKY -----	369	9	11	6	5	15	19	21	27	19	26	21
WHITE-----MALE----	253	7	8	5	4	12	16	16	25	16	21	12
FEMALE--	98	1	3	1	-	2	2	4	2	3	2	7
ALL OTHER--MALE----	14	-	-	-	1	1	1	1	-	-	2	2
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	14	-	-	-	1	1	1	1	-	-	2	2
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	429	24	22	9	12	29	16	22	24	30	23	27
WHITE-----MALE----	183	8	13	2	6	12	7	13	12	19	11	13
FEMALE--	70	4	1	-	-	1	1	2	2	4	4	2
ALL OTHER--MALE----	126	5	3	4	4	16	8	7	8	5	5	12
FEMALE--	50	7	5	3	2	-	-	-	2	2	3	-
BLACK---MALE----	124	5	3	4	4	16	8	7	7	5	5	12
FEMALE--	50	7	5	3	2	-	-	-	2	2	3	-
MAINE -----	88	-	3	-	4	4	3	4	-	4	7	5
WHITE-----MALE----	53	-	1	-	4	4	1	4	-	4	6	5
FEMALE--	34	-	2	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	273	6	7	4	8	8	7	9	11	16	22	14
WHITE-----MALE----	131	5	2	3	1	6	5	7	9	10	10	9
FEMALE--	74	-	2	-	1	-	1	-	1	3	1	1
ALL OTHER--MALE----	49	-	2	-	5	2	1	2	1	3	9	4
FEMALE--	19	1	1	1	1	-	-	-	-	-	2	-
BLACK---MALE----	47	-	1	-	5	2	1	2	1	3	8	4
FEMALE--	19	1	1	1	1	-	-	-	-	-	2	-
MASSACHUSETTS -----	319	8	11	1	3	15	6	7	13	13	16	10
WHITE-----MALE----	197	4	7	1	2	12	4	6	8	9	14	8
FEMALE--	102	4	2	-	1	-	1	-	2	3	2	1
ALL OTHER--MALE----	16	-	2	-	-	3	1	1	2	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	14	-	2	-	-	3	1	1	2	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	652	23	28	15	18	24	29	30	44	27	39	36
WHITE-----MALE----	367	7	12	8	8	9	18	22	30	19	22	23
FEMALE--	172	7	8	5	3	6	6	1	6	5	12	6
ALL OTHER--MALE----	80	6	5	1	7	8	5	5	7	2	2	7
FEMALE--	33	3	3	1	-	1	-	2	1	1	3	-
BLACK---MALE----	76	6	5	1	7	7	5	5	6	2	1	7
FEMALE--	29	3	2	1	-	1	-	2	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,938

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
KENTUCKY -----	16	9	21	13	22	31	29	28	14	6	1	-
WHITE-----MALE----	12	9	14	9	13	19	16	13	5	1	-	-
FEMALE--	3	-	6	4	7	10	12	14	9	5	1	-
ALL OTHER--MALE----	1	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
LOUISIANA -----	16	17	21	19	40	26	20	19	11	2	-	-
WHITE-----MALE----	7	10	6	8	14	11	5	4	1	1	-	-
FEMALE--	2	2	5	2	11	5	8	8	6	-	-	-
ALL OTHER--MALE----	7	5	8	7	9	3	5	4	1	-	-	-
FEMALE--	-	-	2	2	6	7	2	3	3	1	-	-
BLACK---MALE----	7	5	8	6	9	3	5	4	1	-	-	-
FEMALE--	-	-	2	2	6	7	2	3	3	1	-	-
MAINE -----	8	3	2	6	4	8	7	8	5	3	-	-
WHITE-----MALE----	6	1	1	4	1	5	3	1	1	1	-	-
FEMALE--	2	2	1	2	3	3	4	7	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	4	8	10	20	26	30	32	11	5	2	1
WHITE-----MALE----	8	2	4	4	9	13	13	8	2	1	-	-
FEMALE--	1	-	2	2	6	10	13	19	7	3	1	-
ALL OTHER--MALE----	2	1	2	2	3	2	3	4	1	-	-	-
FEMALE--	1	1	-	2	2	1	1	1	1	1	1	1
BLACK---MALE----	2	1	2	2	3	2	3	4	1	-	-	-
FEMALE--	1	1	-	2	2	1	1	1	1	1	1	1
MASSACHUSETTS -----	7	11	12	20	18	31	36	37	30	12	2	-
WHITE-----MALE----	7	9	11	13	11	23	19	18	6	5	-	-
FEMALE--	-	1	1	7	6	8	15	16	23	7	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	36	28	36	34	51	45	42	36	22	8	1	-
WHITE-----MALE----	27	19	24	17	27	26	20	18	9	2	-	-
FEMALE--	4	7	9	13	14	15	14	14	10	6	1	-
ALL OTHER--MALE----	3	1	1	2	8	3	3	3	1	-	-	-
FEMALE--	2	1	2	2	2	1	5	1	2	-	-	-
BLACK---MALE----	3	1	1	2	7	3	3	3	1	-	-	-
FEMALE--	2	1	1	2	1	1	5	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,941

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
OHIO -----	720	23	23	19	15	27	19	26	34	32	45	27
WHITE-----MALE----	406	5	15	11	6	23	15	21	26	23	31	19
FEMALE--	229	10	8	5	4	3	1	2	2	3	6	5
ALL OTHER--MALE----	56	4	-	3	5	1	3	2	4	5	6	2
FEMALE--	29	4	-	-	-	-	-	1	2	1	2	1
BLACK---MALE----	55	4	-	3	5	-	3	2	4	5	6	2
FEMALE--	28	4	-	-	-	-	-	1	1	1	2	1
OKLAHOMA -----	335	4	22	9	3	23	12	16	14	18	17	6
WHITE-----MALE----	190	3	11	7	2	15	9	12	6	13	11	6
FEMALE--	107	1	6	-	1	4	2	3	5	4	4	-
ALL OTHER--MALE----	28	-	3	1	-	3	1	1	2	1	2	-
FEMALE--	10	-	2	1	-	1	-	-	1	-	-	-
BLACK---MALE----	18	-	3	1	-	3	-	1	-	-	1	-
FEMALE--	4	-	1	1	-	-	-	-	-	-	-	-
OREGON -----	251	8	5	6	8	18	9	11	12	12	20	20
WHITE-----MALE----	175	2	4	3	6	15	7	8	10	10	18	17
FEMALE--	62	2	1	3	2	2	1	2	2	1	2	1
ALL OTHER--MALE----	8	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	6	3	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	4	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	815	17	32	7	21	25	29	23	32	41	29	40
WHITE-----MALE----	446	9	12	3	8	16	24	17	27	32	23	27
FEMALE--	253	-	10	1	4	3	1	1	1	6	3	7
ALL OTHER--MALE----	74	5	5	3	7	5	4	4	3	1	3	6
FEMALE--	42	3	5	-	2	1	-	1	1	2	-	-
BLACK---MALE----	67	5	5	3	6	3	4	4	3	1	3	6
FEMALE--	41	3	5	-	2	1	-	1	1	2	-	-
RHODE ISLAND -----	65	1	1	1	2	2	3	2	4	2	5	4
WHITE-----MALE----	39	1	1	-	2	-	3	2	4	1	3	4
FEMALE--	23	-	-	1	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	330	10	8	8	8	25	15	18	13	21	17	14
WHITE-----MALE----	144	4	3	4	-	11	9	9	8	11	8	7
FEMALE--	67	1	1	1	-	1	1	-	1	3	1	3
ALL OTHER--MALE----	89	1	2	3	8	13	5	9	3	7	7	3
FEMALE--	30	4	2	-	-	-	-	-	1	-	1	1
BLACK---MALE----	88	1	1	3	8	13	5	9	3	7	7	3
FEMALE--	29	3	2	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,941

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
OHIO -----	33	34	29	36	38	69	73	65	39	13	1	-
WHITE-----MALE----	18	20	18	21	23	35	34	24	14	4	-	-
FEMALE--	11	10	7	8	12	32	33	34	23	9	1	-
ALL OTHER--MALE----	2	4	2	5	2	2	2	2	-	-	-	-
FEMALE--	2	-	2	2	1	-	4	5	2	-	-	-
BLACK---MALE----	2	4	2	5	2	2	2	2	-	-	-	-
FEMALE--	2	-	2	2	1	-	4	5	2	-	-	-
OKLAHOMA -----	16	10	20	19	22	26	26	29	20	2	1	-
WHITE-----MALE----	9	8	12	12	13	13	12	12	4	-	-	-
FEMALE--	3	1	4	6	8	10	12	16	14	2	1	-
ALL OTHER--MALE----	4	-	3	1	1	3	-	-	2	-	-	-
FEMALE--	-	1	1	-	-	-	2	1	-	-	-	-
BLACK---MALE----	3	-	2	1	-	2	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
OREGON -----	12	13	6	10	17	17	20	13	13	1	-	-
WHITE-----MALE----	8	9	4	7	12	13	10	8	4	-	-	-
FEMALE--	3	3	2	3	4	4	9	5	9	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	27	28	37	45	60	72	102	82	47	17	2	-
WHITE-----MALE----	15	17	24	25	34	37	47	35	11	3	-	-
FEMALE--	8	6	7	16	21	26	44	39	34	13	2	-
ALL OTHER--MALE----	3	3	4	4	4	3	4	3	-	-	-	-
FEMALE--	1	2	2	-	1	6	7	5	2	1	-	-
BLACK---MALE----	3	2	3	4	4	2	3	3	-	-	-	-
FEMALE--	1	2	2	-	1	6	7	5	1	1	-	-
RHODE ISLAND -----	3	2	1	3	8	4	6	5	5	1	-	-
WHITE-----MALE----	2	1	1	1	4	3	3	1	2	-	-	-
FEMALE--	-	1	-	2	4	1	3	4	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	23	16	10	12	17	25	32	18	17	2	-	1
WHITE-----MALE----	11	8	1	4	9	12	15	7	3	-	-	-
FEMALE--	3	1	6	5	5	5	9	8	10	2	-	-
ALL OTHER--MALE----	6	6	-	1	3	3	4	2	2	-	-	1
FEMALE--	3	1	3	2	-	5	4	1	2	-	-	-
BLACK---MALE----	6	6	-	1	3	3	4	2	2	-	-	1
FEMALE--	3	1	3	2	-	5	4	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,942

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
SOUTH DAKOTA -----	79	-	9	1	5	1	3	4	6	6	12	3
WHITE-----MALE----	43	-	4	1	4	1	2	3	3	2	9	1
FEMALE--	21	-	3	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	14	-	2	-	1	-	-	-	3	3	3	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	586	12	17	6	9	35	35	29	35	46	45	32
WHITE-----MALE----	359	7	11	2	5	28	27	21	24	31	26	21
FEMALE--	145	3	5	2	2	1	6	2	5	9	13	7
ALL OTHER--MALE----	62	2	-	1	2	4	1	5	6	4	4	4
FEMALE--	20	-	1	1	-	2	1	1	-	2	2	-
BLACK---MALE----	60	2	-	1	2	4	1	5	6	3	4	4
FEMALE--	19	-	1	1	-	2	1	1	-	2	1	-
TEXAS -----	1,331	52	67	49	40	77	79	60	91	83	69	98
WHITE-----MALE----	804	19	38	25	25	51	62	49	72	59	46	65
FEMALE--	319	27	20	11	4	12	4	8	10	13	7	13
ALL OTHER--MALE----	154	3	5	8	9	13	11	3	8	9	13	17
FEMALE--	54	3	4	5	2	1	2	-	1	2	3	3
BLACK---MALE----	146	3	4	8	8	12	11	3	7	9	13	16
FEMALE--	48	3	4	2	2	1	1	-	1	2	2	3
UTAH -----	129	5	16	5	3	7	5	6	6	10	4	9
WHITE-----MALE----	83	2	9	2	3	6	5	5	4	6	4	6
FEMALE--	38	3	7	3	-	1	-	-	2	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
VERMONT -----	52	-	-	1	-	8	3	2	3	4	5	3
WHITE-----MALE----	41	-	-	1	-	8	3	2	2	4	5	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	510	12	13	10	11	21	21	18	28	38	29	32
WHITE-----MALE----	281	3	5	4	8	10	15	13	22	24	21	20
FEMALE--	112	1	5	1	1	1	2	2	1	5	3	5
ALL OTHER--MALE----	83	4	2	2	2	8	4	2	4	7	3	7
FEMALE--	34	4	1	3	-	2	-	1	1	2	2	-
BLACK---MALE----	80	4	2	2	2	7	3	2	4	7	3	7
FEMALE--	31	4	-	3	-	-	-	1	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,942

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
SOUTH DAKOTA -----	2	4	2	1	5	3	3	5	1	3	-	-
WHITE-----MALE----	2	1	2	-	2	1	3	2	-	-	-	-
FEMALE--	-	2	-	1	3	2	-	3	1	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	33	24	32	37	45	32	43	13	2	2	-
WHITE-----MALE----	16	23	11	24	23	27	17	9	5	-	1	-
FEMALE--	1	6	9	6	10	14	8	25	8	2	1	-
ALL OTHER--MALE----	4	3	2	2	3	3	6	6	-	-	-	-
FEMALE--	1	1	2	-	1	1	1	3	-	-	-	-
BLACK---MALE----	4	2	2	2	3	3	6	6	-	-	-	-
FEMALE--	1	1	2	-	1	1	1	3	-	-	-	-
TEXAS -----	67	55	46	51	78	76	71	53	36	19	3	11
WHITE-----MALE----	38	37	28	32	45	31	28	23	12	7	1	11
FEMALE--	13	9	11	15	16	35	34	26	19	10	2	-
ALL OTHER--MALE----	14	7	5	3	10	8	5	1	2	-	-	-
FEMALE--	2	2	2	1	7	2	4	3	3	2	-	-
BLACK---MALE----	13	7	4	3	10	8	4	1	2	-	-	-
FEMALE--	1	2	2	1	7	2	4	3	3	2	-	-
UTAH -----	6	5	3	4	4	7	6	9	6	2	1	-
WHITE-----MALE----	5	4	2	3	4	3	3	3	3	-	1	-
FEMALE--	1	-	1	-	-	4	2	6	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	2	2	2	5	2	3	1	1	1	-	-
WHITE-----MALE----	4	1	2	1	2	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	3	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	29	23	26	39	33	41	39	25	3	1	-
WHITE-----MALE----	11	17	15	8	26	20	18	14	7	-	-	-
FEMALE--	4	3	2	9	9	6	16	22	10	3	1	-
ALL OTHER--MALE----	2	8	5	6	1	6	5	2	3	-	-	-
FEMALE--	1	1	1	3	3	1	2	1	5	-	-	-
BLACK---MALE----	2	7	5	6	1	6	5	2	3	-	-	-
FEMALE--	1	1	1	3	3	1	2	1	5	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,943

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
WASHINGTON -----	324	8	18	3	11	18	18	12	11	16	18	25
WHITE-----MALE----	192	5	9	1	2	15	12	10	7	12	11	18
FEMALE--	97	2	7	-	7	-	2	1	2	2	5	4
ALL OTHER--MALE----	28	1	2	1	1	3	2	1	2	2	2	2
FEMALE--	7	-	-	1	1	-	2	-	-	-	-	1
BLACK---MALE----	9	-	2	-	-	1	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
WEST VIRGINIA -----	185	2	6	1	5	6	4	12	8	7	16	12
WHITE-----MALE----	118	1	4	-	4	5	4	10	7	7	11	8
FEMALE--	52	-	1	1	1	1	-	1	-	-	3	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	-
WISCONSIN -----	335	12	13	6	11	20	16	12	14	21	20	19
WHITE-----MALE----	219	4	9	2	7	13	9	11	11	17	16	14
FEMALE--	84	3	1	1	2	4	1	-	1	3	2	5
ALL OTHER--MALE----	24	3	2	1	2	3	5	1	2	1	1	-
FEMALE--	8	2	1	2	-	-	1	-	-	-	1	-
BLACK---MALE----	20	3	1	1	2	3	5	1	1	-	-	-
FEMALE--	4	1	-	-	-	-	1	-	-	-	1	-
WYOMING -----	44	1	3	-	1	3	2	3	3	3	3	3
WHITE-----MALE----	25	-	2	-	1	2	2	3	2	1	2	3
FEMALE--	14	1	-	-	-	1	-	-	1	1	1	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,943

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
WASHINGTON -----	18	13	9	11	18	31	21	30	12	3	-	-
WHITE-----MALE----	13	11	6	7	12	15	13	11	1	1	-	-
FEMALE--	3	1	2	3	4	14	7	19	10	2	-	-
ALL OTHER--MALE----	1	1	1	1	1	2	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	9	6	8	9	17	14	14	15	6	7	1	-
WHITE-----MALE----	7	4	6	5	11	6	7	7	2	1	1	-
FEMALE--	-	2	2	4	4	8	5	8	3	5	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	2	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	2	-	2	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
WISCONSIN -----	13	13	16	16	25	18	28	20	16	5	1	-
WHITE-----MALE----	10	12	10	12	15	12	19	8	8	-	-	-
FEMALE--	2	1	6	3	9	6	9	11	8	5	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING -----	2	-	2	1	-	2	3	3	6	-	-	-
WHITE-----MALE----	2	-	1	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,953

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
UNITED STATES --	3,964	62	495	239	195	411	333	266	290	307	285	221
WHITE-----MALE----	2,361	29	264	105	75	240	219	167	196	213	177	152
FEMALE--	646	18	143	35	25	35	28	26	36	38	38	27
ALL OTHER--MALE----	800	8	61	68	81	126	80	67	54	51	57	31
FEMALE--	157	7	27	31	14	10	6	6	4	5	13	11
BLACK---MALE----	651	7	48	57	72	102	67	58	42	37	42	28
FEMALE--	107	6	20	23	9	5	3	4	3	3	9	5
ALABAMA -----	102	3	8	9	4	9	9	5	11	7	6	7
WHITE-----MALE----	59	-	5	3	2	5	4	2	7	5	2	7
FEMALE--	12	1	-	2	-	-	1	-	1	-	3	-
ALL OTHER--MALE----	28	2	1	4	1	4	4	3	3	2	1	-
FEMALE--	3	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	28	2	1	4	1	4	4	3	3	2	1	-
FEMALE--	3	-	2	-	1	-	-	-	-	-	-	-
ALASKA -----	13	1	-	1	2	2	1	-	2	2	1	-
WHITE-----MALE----	5	-	-	1	-	-	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	-	-	2	1	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	97	1	25	1	6	6	5	3	3	10	8	4
WHITE-----MALE----	71	1	14	-	6	5	4	1	2	9	6	3
FEMALE--	15	-	9	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	7	-	1	1	-	-	1	-	1	1	1	-
FEMALE--	4	-	1	-	-	1	-	-	-	-	1	1
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	50	2	7	1	2	13	5	4	5	4	1	2
WHITE-----MALE----	28	2	4	1	-	6	3	2	4	2	1	1
FEMALE--	7	-	3	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	13	-	-	-	2	6	2	1	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	13	-	-	-	2	6	2	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	501	7	79	26	15	36	46	37	34	25	38	23
WHITE-----MALE----	311	4	44	10	4	16	34	24	25	21	23	13
FEMALE--	90	1	21	6	4	6	4	5	6	2	4	6
ALL OTHER--MALE----	72	1	8	8	3	11	7	6	3	2	9	2
FEMALE--	28	1	6	2	4	3	1	2	-	-	2	2
BLACK---MALE----	36	1	4	5	1	5	3	3	1	-	6	1
FEMALE--	9	-	3	1	1	1	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,953
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
UNITED STATES --	157	114	92	96	104	103	80	51	18	-	2	43
WHITE-----MALE----	96	72	49	59	61	64	41	27	11	-	2	42
FEMALE--	23	19	23	27	24	27	28	21	5	-	-	-
ALL OTHER--MALE----	36	19	19	8	13	10	7	1	2	-	-	1
FEMALE--	2	4	1	2	6	2	4	2	-	-	-	-
BLACK---MALE----	30	16	13	5	11	8	6	-	1	-	-	1
FEMALE--	1	2	-	2	5	2	4	1	-	-	-	-
ALABAMA -----	5	2	2	2	7	2	3	1	-	-	-	-
WHITE-----MALE----	2	2	2	2	5	2	1	1	-	-	-	-
FEMALE--	2	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	2	4	2	5	2	5	-	-	-	-	1
WHITE-----MALE----	3	2	2	2	5	-	5	-	-	-	-	1
FEMALE--	1	-	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	-	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	23	15	18	13	10	7	7	9	3	-	1	29
WHITE-----MALE----	16	11	8	10	5	3	3	4	3	-	1	29
FEMALE--	3	2	4	3	3	2	4	4	-	-	-	-
ALL OTHER--MALE----	3	1	5	-	1	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	2	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,954

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
COLORADO -----	54	2	7	4	2	4	4	4	2	4	5	4
WHITE-----MALE----	37	2	2	3	1	4	2	3	1	3	4	4
FEMALE--	10	-	3	-	1	-	1	1	1	-	1	-
ALL OTHER--MALE----	5	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	25	-	2	1	1	2	2	4	1	1	2	1
WHITE-----MALE----	17	-	2	1	-	1	2	3	1	1	2	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	2	1	1	2	-	-	1	1	-	2
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	1	1	-	2	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	1	-	2	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	-	-	-	1	-	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	351	8	62	21	8	17	19	18	17	18	32	20
WHITE-----MALE----	192	4	23	7	2	12	7	13	11	14	21	13
FEMALE--	64	2	18	3	-	-	2	-	3	-	4	3
ALL OTHER--MALE----	80	1	18	7	6	5	9	5	3	4	5	3
FEMALE--	15	1	3	4	-	-	1	-	-	-	2	1
BLACK---MALE----	78	1	18	7	6	5	8	4	3	4	5	3
FEMALE--	11	1	2	4	-	-	-	-	-	-	1	-
GEORGIA -----	119	-	13	16	6	10	7	8	13	9	9	7
WHITE-----MALE----	46	-	7	4	1	6	1	3	5	3	3	3
FEMALE--	16	-	4	-	-	-	1	2	-	1	2	1
ALL OTHER--MALE----	50	-	1	12	5	4	5	2	7	5	3	1
FEMALE--	7	-	1	-	-	-	-	1	1	-	1	2
BLACK---MALE----	48	-	1	11	5	3	5	2	7	5	3	1
FEMALE--	7	-	1	-	-	-	-	1	1	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,954
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
COLORADO -----	2	2	-	-	3	1	3	1	-	-	-	-
WHITE-----MALE----	1	2	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	1	-	-	3	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	20	13	13	12	9	18	13	8	5	-	-	-
WHITE-----MALE----	15	6	4	7	3	12	9	5	4	-	-	-
FEMALE--	2	5	3	3	4	5	3	3	1	-	-	-
ALL OTHER--MALE----	3	2	6	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	3	2	6	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
GEORGIA -----	6	1	2	4	3	2	2	-	1	-	-	-
WHITE-----MALE----	2	1	-	2	2	1	1	-	1	-	-	-
FEMALE--	-	-	1	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,955

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
HAWAII -----	3	2	1	4	2	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	3	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	8	2	1	2	7	1	3	-	-	-	-
WHITE-----MALE----	1	6	1	1	2	5	1	3	-	-	-	-
FEMALE--	3	-	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	1	3	1	1	3	1	2	-	1	-	-	-
WHITE-----MALE----	-	3	1	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	2	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	1	-	1	1	-	3	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,956

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
KENTUCKY -----	77	1	7	6	1	8	6	7	9	7	11	5
WHITE-----MALE----	57	1	5	5	-	8	5	5	8	4	7	2
FEMALE--	15	-	2	1	-	-	1	1	1	3	2	2
ALL OTHER--MALE----	5	-	-	-	1	-	-	1	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	-	1	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	108	1	13	5	7	13	7	8	12	11	7	7
WHITE-----MALE----	45	1	8	-	3	4	2	2	5	4	3	3
FEMALE--	13	-	1	-	-	1	1	1	1	3	1	-
ALL OTHER--MALE----	45	-	3	3	3	8	4	5	5	4	3	4
FEMALE--	5	-	1	2	1	-	-	-	1	-	-	-
BLACK---MALE----	45	-	3	3	3	8	4	5	5	4	3	4
FEMALE--	5	-	1	2	1	-	-	-	1	-	-	-
MAINE -----	23	-	3	-	2	3	-	1	-	1	2	2
WHITE-----MALE----	16	-	1	-	2	3	-	1	-	1	1	2
FEMALE--	7	-	2	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	50	-	5	1	5	4	5	3	4	5	5	4
WHITE-----MALE----	32	-	2	1	1	3	4	2	3	4	2	4
FEMALE--	4	-	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	14	-	1	-	4	1	-	1	1	1	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	4	1	-	1	1	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	58	1	7	1	2	12	4	3	5	3	6	1
WHITE-----MALE----	40	-	4	1	2	10	2	2	3	2	4	-
FEMALE--	10	1	2	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	8	-	1	-	-	2	1	1	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	1	-	-	2	1	1	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	126	3	20	7	6	9	13	8	8	4	6	8
WHITE-----MALE----	67	-	9	4	2	2	8	4	5	3	4	6
FEMALE--	23	3	7	1	-	2	1	-	-	1	-	-
ALL OTHER--MALE----	31	-	3	1	4	5	4	3	3	-	1	2
FEMALE--	5	-	1	1	-	-	-	1	-	-	1	-
BLACK---MALE----	29	-	3	1	4	5	4	3	2	-	-	2
FEMALE--	3	-	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,956

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
KENTUCKY -----	1	-	5	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	1	-	3	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	1	-	2	3	2	1	1	1	-	-	-
WHITE-----MALE----	4	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	-	-	1	2	1	1	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	1	2	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	2	-	3	1	3	2	1	1	-	-	-
WHITE-----MALE----	-	2	-	2	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	5	7	5	3	4	3	1	1	-	-	-
WHITE-----MALE----	3	4	5	1	3	2	-	1	1	-	-	-
FEMALE--	1	1	1	4	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,961

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
WASHINGTON -----	85	1	10	1	5	13	10	3	3	6	5	5
WHITE-----MALE----	51	1	5	1	1	10	7	2	2	3	2	3
FEMALE--	21	-	4	-	4	-	2	-	1	1	2	-
ALL OTHER--MALE----	12	-	1	-	-	3	1	1	-	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	27	-	4	-	1	3	3	2	5	1	3	1
WHITE-----MALE----	21	-	3	-	1	3	3	1	4	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
WISCONSIN -----	69	1	7	4	5	8	6	5	3	8	2	4
WHITE-----MALE----	50	1	5	1	3	6	3	5	3	8	2	3
FEMALE--	8	-	1	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	9	-	1	1	2	2	2	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	1	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING -----	5	-	-	-	-	1	-	-	2	1	1	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,962

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
UNITED STATES --	103	130	133	214	316	439	544	507	375	117	27	1
WHITE-----MALE----	52	59	60	93	169	193	223	185	99	28	4	-
FEMALE--	33	48	41	77	109	191	256	266	234	82	19	1
ALL OTHER--MALE----	10	12	14	29	22	26	33	27	16	2	-	-
FEMALE--	8	11	18	15	16	29	32	29	26	5	4	-
BLACK---MALE----	8	12	13	26	17	22	26	23	12	2	-	-
FEMALE--	8	10	17	12	14	29	27	28	26	5	4	-
ALABAMA -----	8	3	1	2	7	14	18	16	11	2	5	-
WHITE-----MALE----	4	1	-	1	5	4	5	6	4	-	1	-
FEMALE--	1	1	-	-	1	7	9	5	2	2	2	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	2	1	-	-	-
FEMALE--	2	-	1	-	1	2	4	3	4	-	2	-
BLACK---MALE----	1	1	-	1	-	1	-	2	1	-	-	-
FEMALE--	2	-	1	-	1	2	4	3	4	-	2	-
ALASKA -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	5	3	6	9	8	6	7	-	-	-
WHITE-----MALE----	2	1	3	2	4	5	2	2	6	-	-	-
FEMALE--	-	-	2	-	1	2	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	1	4	5	6	5	13	10	2	-	-
WHITE-----MALE----	-	-	1	1	2	3	3	4	3	1	-	-
FEMALE--	-	2	-	1	2	3	2	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
CALIFORNIA -----	7	7	6	10	11	15	20	14	13	4	1	-
WHITE-----MALE----	5	3	2	6	8	2	4	5	3	2	-	-
FEMALE--	2	2	3	3	3	11	7	9	9	2	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	6	-	1	-	-	-
FEMALE--	-	1	-	1	-	2	3	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,963

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
COLORADO -----	67	-	3	1	-	-	-	1	-	-	1	2
WHITE-----MALE----	32	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	1	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	71	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	11	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	1	-	-	-	-
FLORIDA -----	205	3	5	3	4	-	2	1	3	1	5	8
WHITE-----MALE----	104	2	2	1	-	-	1	-	2	1	3	4
FEMALE--	85	1	2	1	3	-	-	1	1	-	2	4
ALL OTHER--MALE----	8	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	125	-	3	1	-	1	-	1	1	4	-	5
WHITE-----MALE----	36	-	1	-	-	-	-	-	1	1	-	1
FEMALE--	50	-	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	15	-	1	1	-	1	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE----	14	-	1	1	-	1	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	1	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,963

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	2	2	5	6	10	18	7	7	-	-	-
WHITE-----MALE----	2	2	2	2	1	5	10	5	1	-	-	-
FEMALE--	-	-	-	2	5	5	8	2	6	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	2	3	1	4	11	12	19	7	6	-	-
WHITE-----MALE----	2	1	-	1	2	7	4	10	3	1	-	-
FEMALE--	1	-	1	-	2	4	8	9	3	4	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
DELAWARE -----	-	1	-	1	1	3	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	4	-	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
FLORIDA -----	6	9	6	15	20	21	21	38	22	9	2	1
WHITE-----MALE----	3	2	5	9	10	13	14	20	7	5	-	-
FEMALE--	3	5	1	4	10	7	6	14	13	4	2	1
ALL OTHER--MALE----	-	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	3	2	-	-	-
BLACK---MALE----	-	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	3	2	-	-	-
GEORGIA -----	1	6	5	11	8	17	26	22	12	1	-	-
WHITE-----MALE----	1	1	1	2	3	6	8	8	2	-	-	-
FEMALE--	-	3	1	4	1	9	13	6	9	1	-	-
ALL OTHER--MALE----	-	-	1	1	3	1	2	2	-	-	-	-
FEMALE--	-	2	2	4	1	1	3	6	1	-	-	-
BLACK---MALE----	-	-	1	1	3	1	2	2	-	-	-	-
FEMALE--	-	2	2	4	1	1	3	6	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,964

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
HAWAII -----	-	-	-	-	2	-	1	1	2	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	-	2	1	-	1	1	-	-	1	-
WHITE-----MALE----	1	1	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	10	3	10	15	26	25	19	9	3	1	-
WHITE-----MALE----	1	7	1	2	8	11	6	6	3	1	-	-
FEMALE--	1	1	1	6	7	10	15	12	6	2	1	-
ALL OTHER--MALE----	-	1	1	2	-	2	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	3	2	-	-	-	-	-
BLACK---MALE----	-	1	1	2	-	2	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	3	2	-	-	-	-	-
INDIANA -----	2	1	1	4	7	12	14	13	16	7	-	-
WHITE-----MALE----	2	1	1	2	4	5	5	5	7	-	-	-
FEMALE--	-	-	-	1	3	6	7	8	8	5	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
IOWA -----	-	1	3	3	6	8	3	5	5	2	-	-
WHITE-----MALE----	-	-	2	2	6	3	2	3	2	-	-	-
FEMALE--	-	-	1	1	-	5	1	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	2	-	3	7	8	9	8	3	1	-
WHITE-----MALE----	-	-	2	-	1	1	4	1	3	-	-	-
FEMALE--	-	-	-	-	2	4	4	8	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,965

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
KENTUCKY -----	63	1	1	-	-	-	1	-	1	-	-	2
WHITE-----MALE----	33	-	1	-	-	-	1	-	1	-	-	1
FEMALE--	26	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	75	7	3	-	-	-	1	2	1	4	2	4
WHITE-----MALE----	30	2	3	-	-	-	1	2	1	3	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	3	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	12	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	3	-	-	-	-	-	-	-	1	1	-
MAINE -----	18	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	59	1	1	-	-	-	-	-	1	1	4	2
WHITE-----MALE----	20	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	27	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	88	3	1	-	1	-	-	-	-	1	2	1
WHITE-----MALE----	47	2	1	-	-	-	-	-	-	1	2	-
FEMALE--	38	1	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	93	1	1	-	1	1	1	2	4	2	6	5
WHITE-----MALE----	49	1	1	-	1	1	-	2	2	1	2	1
FEMALE--	37	-	-	-	-	-	1	-	1	1	3	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,965

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
KENTUCKY -----	3	1	6	1	7	7	13	9	9	1	-	-
WHITE-----MALE----	1	1	3	-	4	3	8	6	3	-	-	-
FEMALE--	2	-	2	1	2	2	5	3	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	4	2	5	5	10	6	7	7	4	1	-	-
WHITE-----MALE----	1	1	2	2	4	4	-	3	-	-	-	-
FEMALE--	2	1	2	-	3	-	4	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	2	2	-	-	-	-
FEMALE--	-	-	1	1	2	2	1	-	2	1	-	-
BLACK---MALE----	1	-	-	2	1	-	2	2	-	-	-	-
FEMALE--	-	-	1	1	2	2	1	-	2	1	-	-
MAINE -----	1	1	-	-	2	5	-	2	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	1	1	-	-
FEMALE--	1	1	-	-	2	3	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	4	3	9	2	13	8	7	3	-	-
WHITE-----MALE----	-	-	1	2	4	1	6	2	-	1	-	-
FEMALE--	-	-	2	1	3	-	6	6	5	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
MASSACHUSETTS -----	2	1	4	6	5	16	15	12	12	5	1	-
WHITE-----MALE----	2	1	4	3	2	11	8	6	2	2	-	-
FEMALE--	-	-	-	3	2	5	6	5	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	6	3	3	1	17	10	6	12	8	3	-	-
WHITE-----MALE----	4	2	1	-	12	5	4	6	2	1	-	-
FEMALE--	1	1	2	1	3	5	2	6	5	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,968

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
OHIO -----	7	9	6	10	12	23	27	22	14	6	-	-
WHITE-----MALE----	1	5	2	5	7	7	12	7	4	2	-	-
FEMALE--	5	4	2	2	4	15	14	13	9	4	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	1	2	1	-	-	-
OKLAHOMA -----	1	-	3	2	2	10	12	8	9	1	1	-
WHITE-----MALE----	-	-	2	1	-	4	4	3	1	-	-	-
FEMALE--	1	-	1	1	1	5	7	4	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	1	3	4	3	7	1	5	-	-	-
WHITE-----MALE----	-	1	1	1	2	3	4	1	2	-	-	-
FEMALE--	-	-	-	2	2	-	3	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	8	8	21	20	33	40	32	23	11	1	-
WHITE-----MALE----	4	3	3	12	12	13	15	8	5	1	-	-
FEMALE--	1	5	2	7	6	15	18	20	17	10	1	-
ALL OTHER--MALE----	-	-	1	2	1	2	4	1	-	-	-	-
FEMALE--	-	-	2	-	1	3	3	3	1	-	-	-
BLACK---MALE----	-	-	-	2	1	1	3	1	-	-	-	-
FEMALE--	-	-	2	-	1	3	3	3	1	-	-	-
RHODE ISLAND -----	1	2	-	-	3	1	3	3	3	-	-	-
WHITE-----MALE----	1	1	-	-	2	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	4	5	4	7	7	18	11	11	-	-	-
WHITE-----MALE----	2	-	-	1	3	2	8	4	1	-	-	-
FEMALE--	2	-	2	2	2	1	6	5	7	-	-	-
ALL OTHER--MALE----	-	4	-	1	2	1	1	1	2	-	-	-
FEMALE--	2	-	3	-	-	3	3	1	1	-	-	-
BLACK---MALE----	-	4	-	1	2	1	1	1	2	-	-	-
FEMALE--	2	-	3	-	-	3	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,969

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	-	1	-	-	1	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	5	5	8	9	16	14	23	8	2	2	-
WHITE-----MALE----	1	3	-	5	4	9	6	5	4	-	1	-
FEMALE--	-	1	2	2	2	5	6	14	4	2	1	-
ALL OTHER--MALE----	1	1	1	1	2	1	1	3	-	-	-	-
FEMALE--	1	-	2	-	1	1	1	1	-	-	-	-
BLACK---MALE----	1	1	1	1	2	1	1	3	-	-	-	-
FEMALE--	1	-	2	-	1	1	1	1	-	-	-	-
TEXAS -----	2	7	5	12	14	25	23	21	16	9	1	-
WHITE-----MALE----	-	3	3	6	6	9	7	10	7	3	-	-
FEMALE--	1	4	2	6	3	13	15	9	7	5	1	-
ALL OTHER--MALE----	1	-	-	-	3	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	1	-	-
BLACK---MALE----	1	-	-	-	3	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	1	-	-
UTAH -----	1	1	-	3	1	2	1	5	3	1	1	-
WHITE-----MALE----	-	-	-	2	1	1	-	3	1	-	1	-
FEMALE--	1	-	-	-	-	1	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	1	-	2	-	-	1	1	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	6	7	13	9	10	14	13	8	2	-	-
WHITE-----MALE----	-	3	4	3	5	6	5	4	3	-	-	-
FEMALE--	-	2	2	8	2	2	5	8	3	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	3	1	1	-	-	-
FEMALE--	1	1	-	1	2	1	1	-	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	3	1	1	-	-	-
FEMALE--	1	1	-	1	2	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,972

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENT CAUSED BY HANDGUN (E922.0)												
COLORADO -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	7	-	-	-	1	1	2	1	-	-	-	-
WHITE-----MALE----	5	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,987

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)												
SOUTH DAKOTA -----	2	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	57	-	2	-	3	9	6	2	5	8	7	4
WHITE-----MALE----	41	-	2	-	3	6	5	1	4	5	5	2
FEMALE--	7	-	-	-	-	-	1	-	-	2	2	1
ALL OTHER--MALE----	7	-	-	-	-	2	-	1	1	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	2	-	1	1	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
TEXAS -----	63	-	-	4	4	15	6	4	6	7	7	4
WHITE-----MALE----	44	-	-	2	4	13	4	3	4	5	3	2
FEMALE--	8	-	-	2	-	1	-	1	1	1	1	-
ALL OTHER--MALE----	10	-	-	-	-	1	2	-	1	1	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	1	2	-	1	1	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	4	-	-	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	-	1	1	-	3	2	-	3	4	3	2
WHITE-----MALE----	14	-	-	-	-	3	2	-	2	3	1	-
FEMALE--	6	-	1	1	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,999

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, STEAM, AND EXPOSURE TO RADIATION (E924,E926)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	1	-	1	2	4	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,016

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
UNITED STATES --	9,008	357	198	124	145	225	308	329	399	506	553	540
WHITE-----MALE----	5,291	135	94	71	76	149	232	250	283	355	384	367
FEMALE--	2,346	95	63	31	40	38	33	35	47	63	67	73
ALL OTHER--MALE----	953	73	21	16	24	29	34	37	60	68	77	87
FEMALE--	418	54	20	6	5	9	9	7	9	20	25	13
BLACK---MALE----	810	68	18	11	21	22	24	30	47	53	67	76
FEMALE--	357	46	19	3	5	7	6	7	5	17	23	10
ALABAMA -----	326	3	4	4	7	18	25	18	10	20	17	20
WHITE-----MALE----	158	1	4	3	1	10	12	8	6	14	12	8
FEMALE--	91	-	-	1	2	3	1	5	4	4	3	4
ALL OTHER--MALE----	49	-	-	-	4	4	10	4	-	-	2	5
FEMALE--	28	2	-	-	-	1	2	1	-	2	-	3
BLACK---MALE----	49	-	-	-	4	4	10	4	-	-	2	5
FEMALE--	27	2	-	-	-	1	2	1	-	2	-	3
ALASKA -----	24	-	-	-	1	2	-	2	3	2	2	-
WHITE-----MALE----	8	-	-	-	1	-	-	-	2	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	1	-	2	1	1	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	201	9	6	2	2	8	6	8	9	15	13	16
WHITE-----MALE----	114	5	3	-	1	4	3	5	4	10	8	9
FEMALE--	47	3	3	-	1	3	-	-	2	-	2	3
ALL OTHER--MALE----	35	1	-	1	-	1	3	3	2	4	3	4
FEMALE--	5	-	-	1	-	-	-	-	1	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	115	3	5	3	1	2	5	4	8	4	4	9
WHITE-----MALE----	83	-	4	2	1	2	5	4	6	4	4	8
FEMALE--	16	2	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	2	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	1	-	-	-	-	-	-	2	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	620	23	10	9	11	17	32	37	36	40	47	69
WHITE-----MALE----	407	9	8	5	6	14	27	30	24	29	33	48
FEMALE--	138	9	1	2	2	1	2	6	8	4	7	11
ALL OTHER--MALE----	55	3	-	1	3	1	2	1	4	5	5	9
FEMALE--	20	2	1	1	-	1	1	-	-	2	2	1
BLACK---MALE----	38	2	-	-	1	-	1	-	2	5	5	8
FEMALE--	10	1	1	1	-	1	-	-	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,017

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
COLORADO -----	136	3	8	2	4	-	2	6	4	6	11	7
WHITE-----MALE----	79	1	3	1	4	-	1	5	4	5	10	5
FEMALE--	50	1	4	1	-	-	1	1	-	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	103	2	2	-	2	3	-	5	7	5	6	6
WHITE-----MALE----	64	2	2	-	1	3	-	4	4	4	4	4
FEMALE--	30	-	-	-	-	-	-	1	2	1	1	1
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	41	2	1	3	2	1	-	-	1	1	-	-
WHITE-----MALE----	18	-	-	3	1	1	-	-	-	1	-	-
FEMALE--	14	2	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	1	1	1	-	1	1	1
WHITE-----MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	404	32	9	6	6	4	13	12	14	30	37	27
WHITE-----MALE----	239	17	4	4	2	2	10	9	10	17	27	19
FEMALE--	103	7	3	-	3	1	2	2	2	5	3	2
ALL OTHER--MALE----	47	5	1	2	1	1	1	1	2	5	6	6
FEMALE--	15	3	1	-	-	-	-	-	-	3	1	-
BLACK---MALE----	46	5	1	2	1	1	-	1	2	5	6	6
FEMALE--	13	3	1	-	-	-	-	-	-	3	1	-
GEORGIA -----	238	11	9	6	7	6	6	7	11	18	15	10
WHITE-----MALE----	118	4	1	4	1	3	4	5	6	10	6	4
FEMALE--	51	1	1	1	4	3	-	-	2	3	4	-
ALL OTHER--MALE----	43	4	3	-	1	-	2	2	3	3	5	5
FEMALE--	26	2	4	1	1	-	-	-	-	2	-	1
BLACK---MALE----	39	4	2	-	1	-	2	2	1	3	5	4
FEMALE--	26	2	4	1	1	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,017

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)												
COLORADO -----	6	6	9	4	9	14	10	12	9	3	1	-
WHITE-----MALE----	5	3	4	2	6	5	6	5	4	-	-	-
FEMALE--	1	2	3	1	3	9	4	7	4	3	1	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	3	8	7	8	7	10	9	7	3	-	-
WHITE-----MALE----	3	3	7	3	3	4	5	4	3	1	-	-
FEMALE--	-	-	-	2	5	2	4	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
DELAWARE -----	3	1	2	7	3	2	4	2	5	1	-	-
WHITE-----MALE----	-	-	2	2	2	-	3	1	2	-	-	-
FEMALE--	1	-	-	2	1	2	1	1	2	1	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	1	2	1	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	1
FEMALE--	1	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	1
FEMALE--	1	-	1	-	2	-	-	-	-	-	-	-
FLORIDA -----	18	15	14	33	28	31	35	24	14	2	-	-
WHITE-----MALE----	11	10	11	20	14	16	21	9	4	2	-	-
FEMALE--	2	4	1	8	11	11	13	13	10	-	-	-
ALL OTHER--MALE----	3	1	1	4	3	2	1	1	-	-	-	-
FEMALE--	2	-	1	1	-	2	-	1	-	-	-	-
BLACK---MALE----	3	1	1	4	3	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	1	-	-	-	-
GEORGIA -----	22	16	7	9	15	15	16	19	9	2	2	-
WHITE-----MALE----	12	9	5	6	8	12	9	6	2	1	-	-
FEMALE--	2	3	-	1	3	1	6	10	4	1	1	-
ALL OTHER--MALE----	5	3	1	-	2	1	-	2	1	-	-	-
FEMALE--	3	1	1	2	2	1	1	1	2	-	1	-
BLACK---MALE----	5	3	1	-	2	1	-	2	1	-	-	-
FEMALE--	3	1	1	2	2	1	1	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,019

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
KENTUCKY -----	183	7	2	-	3	4	6	10	6	8	10	12
WHITE-----MALE----	124	6	1	-	3	2	6	8	6	8	9	7
FEMALE--	52	-	1	-	-	1	-	2	-	-	-	4
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	184	14	3	3	3	4	2	7	7	9	10	11
WHITE-----MALE----	72	4	1	2	2	2	1	6	3	8	5	5
FEMALE--	34	4	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	53	3	-	1	1	2	1	-	3	-	2	5
FEMALE--	25	3	2	-	-	-	-	-	1	1	2	-
BLACK---MALE----	51	3	-	1	1	2	1	-	2	-	2	5
FEMALE--	25	3	2	-	-	-	-	-	1	1	2	-
MAINE -----	41	-	-	-	1	1	3	2	-	2	2	1
WHITE-----MALE----	24	-	-	-	1	1	1	2	-	2	2	1
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	144	5	1	1	3	2	-	4	3	8	12	7
WHITE-----MALE----	64	4	-	1	-	2	-	3	3	4	6	4
FEMALE--	43	-	-	-	1	-	-	-	-	3	1	-
ALL OTHER--MALE----	23	-	-	-	1	-	-	1	-	1	4	3
FEMALE--	14	1	1	-	1	-	-	-	-	-	1	-
BLACK---MALE----	23	-	-	-	1	-	-	1	-	1	4	3
FEMALE--	14	1	1	-	1	-	-	-	-	-	1	-
MASSACHUSETTS -----	160	4	3	-	-	2	2	3	6	8	7	5
WHITE-----MALE----	98	2	2	-	-	1	2	3	3	5	7	5
FEMALE--	54	2	-	-	-	-	-	-	2	2	-	-
ALL OTHER--MALE----	6	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	374	19	7	8	7	11	11	14	24	18	20	18
WHITE-----MALE----	210	6	2	4	3	3	7	11	17	13	13	12
FEMALE--	100	4	1	4	3	4	4	1	3	2	5	3
ALL OTHER--MALE----	39	6	2	-	1	3	-	1	4	2	-	3
FEMALE--	25	3	2	-	-	1	-	1	-	1	2	-
BLACK---MALE----	37	6	2	-	1	2	-	1	4	2	-	3
FEMALE--	24	3	2	-	-	1	-	1	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,019

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)												
KENTUCKY -----	9	6	9	10	15	22	15	19	4	5	1	-
WHITE-----MALE----	8	6	7	7	9	14	8	7	1	1	-	-
FEMALE--	1	-	2	3	5	8	6	11	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	6	7	15	11	26	18	11	10	6	1	-	-
WHITE-----MALE----	2	3	4	4	9	5	3	1	1	1	-	-
FEMALE--	-	1	3	2	5	5	4	4	3	-	-	-
ALL OTHER--MALE----	4	3	7	4	8	3	3	2	1	-	-	-
FEMALE--	-	-	1	1	4	5	1	3	1	-	-	-
BLACK---MALE----	4	3	7	3	8	3	3	2	1	-	-	-
FEMALE--	-	-	1	1	4	5	1	3	1	-	-	-
MAINE -----	4	2	2	5	-	2	6	5	2	1	-	-
WHITE-----MALE----	4	1	1	4	-	2	2	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	4	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	3	3	6	9	21	15	23	4	2	2	1
WHITE-----MALE----	6	1	3	1	4	9	6	5	2	-	-	-
FEMALE--	1	-	-	1	3	10	6	13	2	1	1	-
ALL OTHER--MALE----	1	1	-	2	2	1	2	4	-	-	-	-
FEMALE--	1	1	-	2	-	1	1	1	-	1	1	1
BLACK---MALE----	1	1	-	2	2	1	2	4	-	-	-	-
FEMALE--	1	1	-	2	-	1	1	1	-	1	1	1
MASSACHUSETTS -----	4	7	7	11	12	11	19	24	17	7	1	-
WHITE-----MALE----	4	6	6	8	8	8	10	11	4	3	-	-
FEMALE--	-	1	1	3	4	3	8	11	12	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	20	14	24	26	30	29	33	23	12	5	1	-
WHITE-----MALE----	17	8	16	14	12	18	16	11	6	1	-	-
FEMALE--	-	5	6	8	10	9	11	8	4	4	1	-
ALL OTHER--MALE----	1	-	-	2	7	1	2	3	1	-	-	-
FEMALE--	2	1	2	2	1	1	4	1	1	-	-	-
BLACK---MALE----	1	-	-	2	6	1	2	3	1	-	-	-
FEMALE--	2	1	1	2	1	1	4	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,022

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)												
OHIO -----	404	18	7	9	7	9	10	18	15	15	21	18
WHITE-----MALE----	235	3	5	4	3	6	9	17	13	12	15	14
FEMALE--	124	8	2	3	3	2	1	-	1	1	2	3
ALL OTHER--MALE----	29	4	-	2	1	1	-	-	1	2	2	1
FEMALE--	16	3	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	28	4	-	2	1	-	-	-	1	2	2	1
FEMALE--	16	3	-	-	-	-	-	1	-	-	2	-
OKLAHOMA -----	174	1	3	1	1	9	4	8	6	10	6	3
WHITE-----MALE----	103	1	1	-	-	6	2	5	4	7	4	3
FEMALE--	54	-	2	-	1	2	2	2	1	2	1	-
ALL OTHER--MALE----	13	-	-	1	-	-	-	1	1	1	1	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	9	-	-	1	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	138	7	3	1	3	1	6	4	5	5	15	13
WHITE-----MALE----	94	1	2	1	2	1	5	4	5	5	13	11
FEMALE--	35	2	1	-	1	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	3	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	426	14	7	3	7	13	12	12	19	20	15	20
WHITE-----MALE----	252	8	2	1	2	7	12	10	17	15	12	13
FEMALE--	125	-	4	1	2	2	-	-	1	4	2	5
ALL OTHER--MALE----	31	4	-	1	2	3	-	2	1	-	1	2
FEMALE--	18	2	1	-	1	1	-	-	-	1	-	-
BLACK---MALE----	30	4	-	1	2	2	-	2	1	-	1	2
FEMALE--	18	2	1	-	1	1	-	-	-	1	-	-
RHODE ISLAND -----	29	1	-	-	1	-	3	-	1	-	2	3
WHITE-----MALE----	20	1	-	-	1	-	3	-	1	-	2	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	131	8	-	3	1	4	4	2	6	8	8	7
WHITE-----MALE----	60	3	-	1	-	2	2	1	3	4	3	4
FEMALE--	31	1	-	1	-	1	1	-	1	1	-	-
ALL OTHER--MALE----	28	1	-	1	1	1	1	1	1	3	4	3
FEMALE--	12	3	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	28	1	-	1	1	1	1	1	1	3	4	3
FEMALE--	11	2	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,022

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)												
OHIO -----	19	17	22	23	22	40	40	41	25	7	1	-
WHITE-----MALE----	12	8	16	14	14	25	17	16	10	2	-	-
FEMALE--	5	5	4	5	7	14	18	20	14	5	1	-
ALL OTHER--MALE----	1	4	2	3	-	1	2	2	-	-	-	-
FEMALE--	1	-	-	1	1	-	3	3	1	-	-	-
BLACK---MALE----	1	4	2	3	-	1	2	2	-	-	-	-
FEMALE--	1	-	-	1	1	-	3	3	1	-	-	-
OKLAHOMA -----	10	8	14	15	18	13	14	21	8	1	-	-
WHITE-----MALE----	6	7	7	9	13	8	8	9	3	-	-	-
FEMALE--	2	-	3	5	5	4	5	12	4	1	-	-
ALL OTHER--MALE----	2	-	3	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	2	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
OREGON -----	8	8	2	7	8	12	12	10	7	1	-	-
WHITE-----MALE----	5	5	1	6	6	8	5	6	2	-	-	-
FEMALE--	3	2	1	1	2	4	6	4	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	17	17	21	22	36	35	60	46	23	6	1	-
WHITE-----MALE----	9	13	15	12	20	20	31	25	6	2	-	-
FEMALE--	4	1	4	8	13	11	25	17	17	3	1	-
ALL OTHER--MALE----	3	2	2	2	3	1	-	2	-	-	-	-
FEMALE--	1	1	-	-	-	3	4	2	-	1	-	-
BLACK---MALE----	3	2	2	2	3	1	-	2	-	-	-	-
FEMALE--	1	1	-	-	-	3	4	2	-	1	-	-
RHODE ISLAND -----	1	-	-	2	5	3	2	2	2	1	-	-
WHITE-----MALE----	1	-	-	-	2	3	1	1	1	-	-	-
FEMALE--	-	-	-	2	3	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	8	4	8	7	17	14	6	6	2	-	-
WHITE-----MALE----	4	6	-	3	4	9	7	2	2	-	-	-
FEMALE--	1	-	4	3	2	4	3	3	3	2	-	-
ALL OTHER--MALE----	3	1	-	-	1	2	3	1	-	-	-	-
FEMALE--	-	1	-	2	-	2	1	-	1	-	-	-
BLACK---MALE----	3	1	-	-	1	2	3	1	-	-	-	-
FEMALE--	-	1	-	2	-	2	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,023

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)												
SOUTH DAKOTA -----	44	-	2	1	3	-	2	2	2	2	6	1
WHITE-----MALE----	26	-	-	1	2	-	2	1	2	1	5	-
FEMALE--	13	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	1	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	281	9	6	2	3	14	14	11	16	14	20	16
WHITE-----MALE----	180	5	4	1	1	12	11	10	9	8	12	10
FEMALE--	67	2	2	1	2	1	3	-	3	3	4	5
ALL OTHER--MALE----	27	2	-	-	-	-	-	-	4	3	2	1
FEMALE--	7	-	-	-	-	1	-	1	-	-	2	-
BLACK---MALE----	25	2	-	-	-	-	-	-	4	2	2	1
FEMALE--	6	-	-	-	-	1	-	1	-	-	1	-
TEXAS -----	606	31	17	10	11	16	25	10	33	36	29	53
WHITE-----MALE----	364	10	9	7	7	11	20	8	27	27	19	34
FEMALE--	147	16	6	3	1	3	1	1	3	3	4	7
ALL OTHER--MALE----	64	2	1	-	2	2	4	1	2	5	5	10
FEMALE--	31	3	1	-	1	-	-	-	1	1	1	2
BLACK---MALE----	63	2	1	-	2	2	4	1	2	5	5	10
FEMALE--	29	3	1	-	1	-	-	-	1	1	-	2
UTAH -----	70	3	8	4	2	1	2	2	3	9	1	7
WHITE-----MALE----	45	2	4	2	2	1	2	1	3	6	1	4
FEMALE--	20	1	4	2	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	27	-	-	1	-	2	1	1	-	3	4	2
WHITE-----MALE----	23	-	-	1	-	2	1	1	-	3	4	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	276	9	5	1	2	3	7	10	12	17	18	19
WHITE-----MALE----	161	3	2	1	2	2	5	6	10	10	15	13
FEMALE--	59	1	2	-	-	-	1	2	1	1	1	1
ALL OTHER--MALE----	40	4	-	-	-	1	1	1	1	4	1	5
FEMALE--	16	1	1	-	-	-	-	1	-	2	1	-
BLACK---MALE----	39	4	-	-	-	1	1	1	1	4	1	5
FEMALE--	15	1	-	-	-	-	-	1	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,023

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)												
SOUTH DAKOTA -----	2	2	2	1	4	3	3	4	1	1	-	-
WHITE-----MALE----	2	1	2	-	2	1	3	1	-	-	-	-
FEMALE--	-	1	-	1	2	2	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	23	14	20	21	27	15	18	5	-	-	-
WHITE-----MALE----	10	16	9	16	15	17	9	4	1	-	-	-
FEMALE--	1	4	4	3	5	9	2	9	4	-	-	-
ALL OTHER--MALE----	2	2	1	1	1	1	4	3	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	2	1	1	1	1	1	4	3	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
TEXAS -----	39	37	36	29	51	45	37	28	19	10	2	2
WHITE-----MALE----	23	28	25	18	32	18	17	12	5	4	1	2
FEMALE--	7	3	7	7	11	20	13	14	11	5	1	-
ALL OTHER--MALE----	7	4	3	3	4	5	3	-	1	-	-	-
FEMALE--	2	2	1	1	4	2	4	2	2	1	-	-
BLACK---MALE----	6	4	3	3	4	5	3	-	1	-	-	-
FEMALE--	1	2	1	1	4	2	4	2	2	1	-	-
UTAH -----	4	3	3	-	2	4	4	4	3	1	-	-
WHITE-----MALE----	4	3	2	-	2	2	2	-	2	-	-	-
FEMALE--	-	-	1	-	-	2	1	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	1	2	3	1	3	-	-	1	-	-
WHITE-----MALE----	1	1	1	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	18	14	12	28	18	25	26	16	1	1	-
WHITE-----MALE----	9	11	11	5	19	11	13	10	3	-	-	-
FEMALE--	4	1	-	1	7	3	10	14	7	1	1	-
ALL OTHER--MALE----	1	6	2	4	1	4	1	1	2	-	-	-
FEMALE--	-	-	1	2	1	-	1	1	4	-	-	-
BLACK---MALE----	1	5	2	4	1	4	1	1	2	-	-	-
FEMALE--	-	-	1	2	1	-	1	1	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,024

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)												
WASHINGTON -----	9	6	6	4	8	9	12	14	5	1	-	-
WHITE-----MALE----	7	4	4	4	5	4	8	8	1	-	-	-
FEMALE--	1	1	1	-	2	4	4	6	4	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	7	3	4	4	10	8	5	8	4	4	-	-
WHITE-----MALE----	7	3	4	1	6	4	2	4	2	1	-	-
FEMALE--	-	-	-	3	3	4	1	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
WISCONSIN -----	9	7	11	7	17	10	21	12	8	1	-	-
WHITE-----MALE----	6	7	8	7	10	8	14	4	3	-	-	-
FEMALE--	2	-	3	-	7	2	7	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING -----	1	-	2	1	-	2	3	-	4	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,026
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,034

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	30,575	7	317	1,737	2,398	2,608	2,757	3,439	3,398	2,881
WHITE-----MALE----	22,174	5	200	1,222	1,712	1,819	1,915	2,445	2,415	2,038
FEMALE--	5,474	-	69	226	274	363	462	713	705	617
ALL OTHER--MALE----	2,364	2	34	241	357	363	307	218	218	175
FEMALE--	563	-	14	48	55	63	73	63	60	51
BLACK---MALE----	1,659	2	21	164	261	240	228	159	154	130
FEMALE--	318	-	8	27	36	33	45	43	32	33
ALABAMA -----	569	-	5	26	43	48	50	57	68	55
WHITE-----MALE----	398	-	3	22	26	32	34	37	43	46
FEMALE--	101	-	-	-	5	4	9	16	18	7
ALL OTHER--MALE----	60	-	2	4	10	12	6	4	5	1
FEMALE--	10	-	-	-	2	-	1	-	2	1
BLACK---MALE----	59	-	2	4	9	12	6	4	5	1
FEMALE--	9	-	-	-	1	-	1	-	2	1
ALASKA -----	129	-	-	19	26	13	10	9	9	15
WHITE-----MALE----	60	-	-	2	11	7	1	4	4	11
FEMALE--	13	-	-	-	2	-	1	1	2	3
ALL OTHER--MALE----	43	-	-	13	10	5	6	4	2	-
FEMALE--	13	-	-	4	3	1	2	-	1	1
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	804	1	8	51	60	76	74	84	92	75
WHITE-----MALE----	588	1	5	35	44	57	46	64	63	53
FEMALE--	155	-	1	6	6	6	17	16	24	20
ALL OTHER--MALE----	48	-	1	9	9	11	6	4	4	2
FEMALE--	13	-	1	1	1	2	5	-	1	-
BLACK---MALE----	6	-	-	1	1	2	-	-	-	2
FEMALE--	4	-	-	-	1	1	1	-	-	-
ARKANSAS -----	344	1	6	26	27	29	35	43	35	26
WHITE-----MALE----	258	-	5	18	19	20	24	31	25	23
FEMALE--	54	-	-	6	2	4	7	7	6	2
ALL OTHER--MALE----	26	1	1	1	6	5	4	3	3	-
FEMALE--	6	-	-	1	-	-	-	2	1	1
BLACK---MALE----	24	1	1	1	6	3	4	3	3	-
FEMALE--	5	-	-	-	-	-	-	2	1	1
CALIFORNIA -----	3,415	-	30	147	246	297	274	375	370	324
WHITE-----MALE----	2,325	-	16	105	166	186	180	250	253	205
FEMALE--	673	-	8	19	34	50	49	84	78	73
ALL OTHER--MALE----	316	-	2	21	40	53	36	30	31	28
FEMALE--	101	-	4	2	6	8	9	11	8	18
BLACK---MALE----	138	-	1	8	21	19	22	18	17	10
FEMALE--	34	-	1	1	2	3	5	5	1	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,035

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	611	1	7	41	52	45	52	70	72	64
WHITE-----MALE----	465	1	4	31	42	38	45	55	55	47
FEMALE--	115	-	3	7	5	3	3	11	14	15
ALL OTHER--MALE----	25	-	-	3	5	3	2	4	2	1
FEMALE--	6	-	-	-	-	1	2	-	1	1
BLACK---MALE----	17	-	-	2	3	3	1	4	1	-
FEMALE--	4	-	-	-	-	1	1	-	1	-
CONNECTICUT -----	257	-	2	19	15	19	34	32	35	17
WHITE-----MALE----	181	-	-	8	10	14	21	25	26	14
FEMALE--	52	-	2	2	2	2	9	6	7	2
ALL OTHER--MALE----	21	-	-	8	3	2	3	1	2	1
FEMALE--	3	-	-	1	-	1	1	-	-	-
BLACK---MALE----	17	-	-	7	3	1	2	1	2	-
FEMALE--	3	-	-	1	-	1	1	-	-	-
DELAWARE -----	68	-	-	2	4	1	9	14	4	9
WHITE-----MALE----	52	-	-	2	3	1	8	13	3	4
FEMALE--	11	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	5	-	-	-	1	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	43	-	-	4	2	3	7	5	4	1
WHITE-----MALE----	13	-	-	-	2	2	2	-	2	-
FEMALE--	9	-	-	-	-	1	2	2	-	1
ALL OTHER--MALE----	20	-	-	4	-	-	3	3	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	4	-	-	3	3	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	2,172	-	8	89	113	152	153	212	249	206
WHITE-----MALE----	1,545	-	4	57	82	99	103	145	180	134
FEMALE--	486	-	2	18	14	30	35	53	53	55
ALL OTHER--MALE----	109	-	2	9	13	19	12	12	13	14
FEMALE--	32	-	-	5	4	4	3	2	3	3
BLACK---MALE----	97	-	2	8	12	15	11	12	10	13
FEMALE--	26	-	-	5	4	2	3	2	2	3
GEORGIA -----	822	1	5	46	63	97	78	89	93	81
WHITE-----MALE----	571	1	4	31	43	63	41	63	61	54
FEMALE--	147	-	-	6	7	12	18	19	23	18
ALL OTHER--MALE----	87	-	1	9	11	17	15	5	8	8
FEMALE--	17	-	-	-	2	5	4	2	1	1
BLACK---MALE----	80	-	1	6	10	16	13	5	8	8
FEMALE--	15	-	-	-	2	3	4	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,035

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SUICIDE (E950-E959)												
COLORADO -----	39	39	20	22	20	24	23	15	4	1	-	-
WHITE-----MALE----	20	24	16	17	16	20	19	11	3	1	-	-
FEMALE--	17	14	3	5	3	4	3	4	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	19	12	6	11	4	12	11	5	3	1	-	-
WHITE-----MALE----	15	10	5	7	3	10	8	2	2	1	-	-
FEMALE--	4	2	1	3	1	2	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	3	4	1	3	4	3	-	1	-	-	-
WHITE-----MALE----	4	2	4	-	1	3	3	-	1	-	-	-
FEMALE--	2	1	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	1	4	5	2	-	1	2	1	-	-	-	1
WHITE-----MALE----	1	1	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	3	2	-	1	-	-	-	-	-	1
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	3	2	-	1	-	-	-	-	-	1
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	166	130	118	107	132	137	101	58	32	5	1	3
WHITE-----MALE----	112	95	84	82	109	107	78	43	23	4	1	3
FEMALE--	47	28	32	24	22	27	22	15	8	1	-	-
ALL OTHER--MALE----	5	5	2	1	1	1	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	5	4	2	1	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	2	-	-	-	-	-	-
GEORGIA -----	60	44	32	36	26	37	19	14	1	-	-	-
WHITE-----MALE----	45	32	25	30	19	31	16	11	1	-	-	-
FEMALE--	14	9	4	2	5	5	3	2	-	-	-	-
ALL OTHER--MALE----	1	2	3	4	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	2	3	4	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,036

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	116	-	1	10	7	16	11	10	17	5
WHITE-----MALE----	29	-	-	1	-	3	2	2	8	2
FEMALE--	13	-	-	-	1	-	1	2	3	1
ALL OTHER--MALE----	53	-	-	5	3	12	4	6	3	2
FEMALE--	21	-	1	4	3	1	4	-	3	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
IDAHO -----	201	-	6	19	14	15	10	28	23	21
WHITE-----MALE----	161	-	6	14	11	13	8	23	19	14
FEMALE--	31	-	-	2	1	1	2	4	3	7
ALL OTHER--MALE----	8	-	-	3	1	1	-	1	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,036	-	9	66	88	89	122	111	103	97
WHITE-----MALE----	718	-	5	45	56	56	79	87	60	65
FEMALE--	193	-	3	11	14	14	19	15	29	23
ALL OTHER--MALE----	110	-	1	10	17	18	20	7	12	8
FEMALE--	15	-	-	-	1	1	4	2	2	1
BLACK---MALE----	95	-	1	8	17	13	19	7	10	8
FEMALE--	11	-	-	-	1	-	3	1	2	1
INDIANA -----	699	-	6	36	66	56	80	81	67	69
WHITE-----MALE----	539	-	3	27	46	42	62	52	50	53
FEMALE--	114	-	2	3	9	9	10	24	15	11
ALL OTHER--MALE----	39	-	1	6	10	4	7	2	2	4
FEMALE--	7	-	-	-	1	1	1	3	-	1
BLACK---MALE----	35	-	1	5	10	3	6	2	2	3
FEMALE--	6	-	-	-	1	1	1	2	-	1
IOWA -----	329	-	3	22	24	27	36	34	37	26
WHITE-----MALE----	253	-	1	17	21	20	28	28	26	23
FEMALE--	66	-	1	5	1	4	6	5	11	3
ALL OTHER--MALE----	8	-	1	-	2	2	1	1	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
KANSAS -----	325	-	7	33	28	20	37	32	37	30
WHITE-----MALE----	258	-	6	22	24	17	31	27	29	25
FEMALE--	48	-	1	3	4	2	4	2	6	4
ALL OTHER--MALE----	16	-	-	7	-	1	2	2	1	1
FEMALE--	3	-	-	1	-	-	-	1	1	-
BLACK---MALE----	11	-	-	6	-	1	2	-	-	1
FEMALE--	2	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,037

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	526	-	4	27	32	39	47	63	60	43
WHITE-----MALE----	412	-	2	23	27	24	36	51	45	27
FEMALE--	97	-	2	1	4	13	9	12	13	14
ALL OTHER--MALE----	15	-	-	3	1	2	2	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	3	1	2	2	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1
LOUISIANA -----	480	-	6	37	45	34	55	53	56	38
WHITE-----MALE----	318	-	1	23	23	25	33	34	35	27
FEMALE--	79	-	3	3	4	2	10	13	14	8
ALL OTHER--MALE----	71	-	2	9	16	7	10	6	6	3
FEMALE--	12	-	-	2	2	-	2	-	1	-
BLACK---MALE----	70	-	2	9	16	7	9	6	6	3
FEMALE--	10	-	-	2	2	-	1	-	-	-
MAINE -----	196	-	4	9	13	17	30	22	22	11
WHITE-----MALE----	159	-	3	5	11	14	23	18	17	9
FEMALE--	32	-	1	3	2	2	4	4	5	2
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-
FEMALE--	3	-	-	1	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
MARYLAND -----	497	-	6	19	41	42	45	58	63	46
WHITE-----MALE----	311	-	4	14	20	20	26	37	41	33
FEMALE--	76	-	-	1	7	8	4	9	8	3
ALL OTHER--MALE----	95	-	1	3	12	13	12	11	14	8
FEMALE--	15	-	1	1	2	1	3	1	-	2
BLACK---MALE----	88	-	1	3	12	13	11	11	10	8
FEMALE--	12	-	1	1	2	1	2	-	-	2
MASSACHUSETTS -----	506	-	7	27	39	40	44	76	60	46
WHITE-----MALE----	368	-	6	23	29	31	34	57	38	33
FEMALE--	106	-	1	1	8	6	5	15	18	13
ALL OTHER--MALE----	25	-	-	3	2	2	3	4	3	-
FEMALE--	7	-	-	-	-	1	2	-	1	-
BLACK---MALE----	13	-	-	1	1	2	3	1	1	-
FEMALE--	3	-	-	-	-	-	1	-	1	-
MICHIGAN -----	969	-	13	58	72	89	91	102	125	95
WHITE-----MALE----	730	-	7	43	58	70	60	71	94	76
FEMALE--	141	-	1	3	5	7	15	24	21	13
ALL OTHER--MALE----	75	-	3	9	7	9	14	5	6	3
FEMALE--	23	-	2	3	2	3	2	2	4	3
BLACK---MALE----	65	-	2	7	7	7	11	5	6	3
FEMALE--	17	-	2	2	1	2	2	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,038
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	459	-	8	33	61	35	41	57	49	49
WHITE-----MALE----	349	-	7	23	38	27	30	47	45	36
FEMALE--	71	-	1	4	11	5	7	9	3	9
ALL OTHER--MALE----	33	-	-	6	10	1	4	1	1	4
FEMALE--	6	-	-	-	2	2	-	-	-	-
BLACK---MALE----	15	-	-	5	3	1	2	-	-	2
FEMALE--	4	-	-	-	2	1	-	-	-	-
MISSISSIPPI -----	329	1	7	21	38	28	27	39	31	25
WHITE-----MALE----	231	1	5	13	31	21	12	25	22	14
FEMALE--	51	-	1	3	-	2	7	7	5	8
ALL OTHER--MALE----	39	-	1	4	7	4	8	4	2	2
FEMALE--	8	-	-	1	-	1	-	3	2	1
BLACK---MALE----	38	-	1	4	7	4	8	4	2	2
FEMALE--	8	-	-	1	-	1	-	3	2	1
MISSOURI -----	698	-	7	46	58	58	59	87	92	72
WHITE-----MALE----	508	-	3	34	39	39	40	68	68	48
FEMALE--	143	-	3	11	10	10	14	18	20	17
ALL OTHER--MALE----	40	-	-	1	9	8	5	-	2	6
FEMALE--	7	-	1	-	-	1	-	1	2	1
BLACK---MALE----	39	-	-	1	8	8	5	-	2	6
FEMALE--	6	-	1	-	-	-	-	1	2	1
MONTANA -----	158	-	7	10	10	14	7	9	22	17
WHITE-----MALE----	124	-	5	7	8	9	7	7	19	10
FEMALE--	23	-	-	2	-	2	-	2	3	5
ALL OTHER--MALE----	7	-	1	1	1	2	-	-	-	1
FEMALE--	4	-	1	-	1	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	204	-	1	17	14	18	22	20	27	19
WHITE-----MALE----	165	-	1	14	12	13	20	14	20	15
FEMALE--	30	-	-	2	-	2	1	5	7	3
ALL OTHER--MALE----	7	-	-	-	1	3	1	1	-	1
FEMALE--	2	-	-	1	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	1	1	1	-	1
FEMALE--	2	-	-	1	1	-	-	-	-	-
NEVADA -----	397	-	7	22	25	26	33	53	40	43
WHITE-----MALE----	284	-	5	15	16	17	22	42	32	30
FEMALE--	86	-	1	6	2	3	8	11	7	10
ALL OTHER--MALE----	26	-	-	1	7	6	3	-	1	3
FEMALE--	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	1	3	3	1	-	1	1
FEMALE--	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,040
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,108	-	20	69	70	95	97	116	120	94
WHITE-----MALE----	850	-	13	52	52	73	73	78	86	70
FEMALE--	176	-	3	7	6	14	12	32	25	18
ALL OTHER--MALE----	70	-	2	9	10	7	11	4	8	6
FEMALE--	12	-	2	1	2	1	1	2	1	-
BLACK---MALE----	64	-	1	9	9	6	10	4	8	6
FEMALE--	9	-	2	1	2	-	1	1	1	-
OKLAHOMA -----	471	-	4	41	44	36	31	42	60	53
WHITE-----MALE----	352	-	3	29	31	26	22	33	37	44
FEMALE--	84	-	1	6	5	6	4	9	17	7
ALL OTHER--MALE----	31	-	-	6	8	2	5	-	6	-
FEMALE--	4	-	-	-	-	2	-	-	-	2
BLACK---MALE----	13	-	-	2	6	1	2	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
OREGON -----	545	-	8	15	44	55	37	62	59	54
WHITE-----MALE----	422	-	6	12	37	42	26	47	48	34
FEMALE--	99	-	2	1	5	12	8	9	9	18
ALL OTHER--MALE----	16	-	-	1	2	-	2	3	2	1
FEMALE--	8	-	-	1	-	1	1	3	-	1
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,370	-	10	62	107	106	132	170	142	142
WHITE-----MALE----	1,048	-	7	43	77	75	106	123	108	107
FEMALE--	211	-	2	14	11	7	18	35	24	26
ALL OTHER--MALE----	92	-	1	4	14	20	7	9	10	9
FEMALE--	19	-	-	1	5	4	1	3	-	-
BLACK---MALE----	82	-	1	4	13	15	7	9	8	8
FEMALE--	15	-	-	1	3	4	1	3	-	-
RHODE ISLAND -----	86	-	-	4	7	5	5	10	10	10
WHITE-----MALE----	69	-	-	3	5	4	3	9	8	6
FEMALE--	13	-	-	1	1	-	1	1	2	4
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-
SOUTH CAROLINA -----	449	-	4	24	39	33	45	49	54	40
WHITE-----MALE----	311	-	2	12	28	15	34	38	41	26
FEMALE--	72	-	1	2	2	10	6	7	7	11
ALL OTHER--MALE----	55	-	1	8	9	5	4	3	5	3
FEMALE--	11	-	-	2	-	3	1	1	1	-
BLACK---MALE----	54	-	1	8	9	5	4	3	5	3
FEMALE--	10	-	-	2	-	3	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,040

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	85	52	63	49	50	50	37	32	8	1	-	-
WHITE-----MALE----	65	42	55	41	43	43	32	25	6	1	-	-
FEMALE--	17	7	7	5	6	5	3	7	2	-	-	-
ALL OTHER--MALE----	1	3	1	3	1	2	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	-	3	1	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	22	26	17	16	22	29	19	6	3	-	-	-
WHITE-----MALE----	15	22	11	14	20	25	16	2	2	-	-	-
FEMALE--	7	4	5	1	2	2	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	44	30	25	17	23	31	23	16	1	1	-	-
WHITE-----MALE----	30	28	18	11	21	29	18	13	1	1	-	-
FEMALE--	12	2	6	4	2	2	4	3	-	-	-	-
ALL OTHER--MALE----	2	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	99	81	47	68	58	62	43	33	6	2	-	-
WHITE-----MALE----	79	59	36	53	46	54	37	30	6	2	-	-
FEMALE--	16	18	10	9	8	6	5	2	-	-	-	-
ALL OTHER--MALE----	3	3	1	4	3	2	1	1	-	-	-	-
FEMALE--	1	1	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	4	3	2	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
RHODE ISLAND -----	13	8	1	2	3	3	3	1	-	-	-	1
WHITE-----MALE----	11	6	1	2	3	3	3	1	-	-	-	1
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	35	25	22	17	21	18	11	6	5	-	-	1
WHITE-----MALE----	24	16	14	11	17	14	10	6	3	-	-	-
FEMALE--	6	7	4	5	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	5	2	4	-	3	1	-	-	1	-	-	1
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	5	2	4	-	3	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,041

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	115	-	1	10	17	10	11	17	6	6
WHITE-----MALE----	84	-	1	6	9	6	7	11	5	6
FEMALE--	12	-	-	1	2	-	-	4	1	-
ALL OTHER--MALE----	17	-	-	2	6	4	3	2	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	744	-	3	49	36	73	88	105	68	65
WHITE-----MALE----	557	-	1	37	27	53	63	76	47	50
FEMALE--	137	-	2	6	5	11	21	19	15	13
ALL OTHER--MALE----	37	-	-	4	4	9	2	7	3	2
FEMALE--	13	-	-	2	-	-	2	3	3	-
BLACK---MALE----	35	-	-	4	4	9	1	6	3	2
FEMALE--	12	-	-	2	-	-	2	3	3	-
TEXAS -----	2,133	-	25	148	197	209	185	237	228	204
WHITE-----MALE----	1,595	-	16	113	162	162	133	163	159	141
FEMALE--	395	-	7	21	17	24	30	59	55	51
ALL OTHER--MALE----	118	-	2	11	14	23	17	11	12	9
FEMALE--	25	-	-	3	4	-	5	4	2	3
BLACK---MALE----	95	-	-	11	12	20	15	9	10	7
FEMALE--	19	-	-	2	4	-	4	4	1	2
UTAH -----	336	-	7	31	39	41	33	29	36	32
WHITE-----MALE----	275	-	5	27	35	33	27	20	28	24
FEMALE--	51	-	2	3	2	4	6	7	8	7
ALL OTHER--MALE----	6	-	-	1	1	2	-	2	-	-
FEMALE--	4	-	-	-	1	2	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1
VERMONT -----	86	-	-	6	7	6	4	8	7	13
WHITE-----MALE----	73	-	-	6	5	6	3	5	7	8
FEMALE--	13	-	-	-	2	-	1	3	-	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	827	-	8	49	61	69	71	105	96	75
WHITE-----MALE----	581	-	5	34	41	47	48	66	66	55
FEMALE--	158	-	1	5	9	12	13	26	23	15
ALL OTHER--MALE----	70	-	2	9	8	7	10	11	6	2
FEMALE--	18	-	-	1	3	3	-	2	1	3
BLACK---MALE----	61	-	-	9	8	6	9	11	4	2
FEMALE--	12	-	-	-	2	2	-	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,041

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	6	8	5	1	7	4	3	2	-	1	-	-
WHITE-----MALE----	5	7	5	1	5	4	3	2	-	1	-	-
FEMALE--	1	1	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	52	47	41	21	32	25	22	12	3	2	-	-
WHITE-----MALE----	33	38	31	16	25	24	21	10	3	2	-	-
FEMALE--	14	7	10	4	7	1	-	2	-	-	-	-
ALL OTHER--MALE----	3	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	140	112	75	83	101	84	53	42	8	-	-	2
WHITE-----MALE----	106	84	56	58	81	72	47	35	5	-	-	2
FEMALE--	29	23	16	22	16	12	6	6	1	-	-	-
ALL OTHER--MALE----	3	5	3	2	4	-	-	-	2	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	3	2	1	2	-	-	-	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	17	17	17	6	8	11	9	1	1	-	-	1
WHITE-----MALE----	15	14	14	6	7	10	7	1	1	-	-	1
FEMALE--	2	3	3	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	5	3	1	3	5	4	-	2	-	-	-
WHITE-----MALE----	12	4	2	1	3	5	4	-	2	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	63	52	33	36	36	29	25	13	6	-	-	-
WHITE-----MALE----	36	40	26	27	26	27	21	10	6	-	-	-
FEMALE--	21	6	5	7	8	1	3	3	-	-	-	-
ALL OTHER--MALE----	4	5	2	2	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	3	4	2	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,043

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
UNITED STATES --	3,138	-	7	53	106	184	300	458	555	428
WHITE-----MALE----	1,451	-	1	21	52	80	159	229	266	210
FEMALE--	1,476	-	6	25	40	82	110	193	259	190
ALL OTHER--MALE----	110	-	-	2	9	13	14	19	19	17
FEMALE--	101	-	-	5	5	9	17	17	11	11
BLACK---MALE----	71	-	-	-	5	4	9	14	15	12
FEMALE--	64	-	-	4	3	4	10	13	7	9
ALABAMA -----	34	-	-	-	1	1	5	5	9	6
WHITE-----MALE----	14	-	-	-	1	-	3	-	2	4
FEMALE--	19	-	-	-	-	1	2	5	7	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALASKA -----	11	-	-	-	1	-	2	2	3	1
WHITE-----MALE----	5	-	-	-	1	-	1	2	1	-
FEMALE--	5	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	89	-	1	1	1	5	15	10	19	9
WHITE-----MALE----	39	-	-	1	-	2	7	7	8	2
FEMALE--	46	-	1	-	1	1	6	3	11	7
ALL OTHER--MALE----	2	-	-	-	-	2	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
ARKANSAS -----	25	-	-	1	-	2	4	3	2	2
WHITE-----MALE----	14	-	-	-	-	1	4	2	1	1
FEMALE--	8	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1
CALIFORNIA -----	494	-	1	6	12	22	33	78	96	51
WHITE-----MALE----	217	-	-	3	6	8	13	36	51	21
FEMALE--	232	-	1	2	3	8	18	33	40	24
ALL OTHER--MALE----	24	-	-	1	2	5	2	4	2	3
FEMALE--	21	-	-	-	1	1	-	5	3	3
BLACK---MALE----	12	-	-	-	1	-	1	3	2	1
FEMALE--	10	-	-	-	-	-	-	3	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,044

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
COLORADO -----	58	-	-	1	4	1	6	6	7	7
WHITE-----MALE----	18	-	-	-	1	1	3	3	-	2
FEMALE--	36	-	-	1	2	-	2	2	7	4
ALL OTHER--MALE----	3	-	-	-	1	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	23	-	-	1	-	-	3	2	4	3
WHITE-----MALE----	10	-	-	-	-	-	2	-	1	2
FEMALE--	12	-	-	1	-	-	1	2	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	-	-	2	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	-	-	-	1	-	3	-	-	-
WHITE-----MALE----	5	-	-	-	1	-	2	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	288	-	-	6	7	17	17	24	47	44
WHITE-----MALE----	134	-	-	3	3	8	11	14	26	23
FEMALE--	141	-	-	3	2	7	6	8	20	19
ALL OTHER--MALE----	7	-	-	-	1	1	-	2	1	1
FEMALE--	6	-	-	-	1	1	-	-	-	1
BLACK---MALE----	5	-	-	-	-	1	-	2	1	-
FEMALE--	4	-	-	-	1	1	-	-	-	1
GEORGIA -----	62	-	-	-	-	5	5	12	13	8
WHITE-----MALE----	26	-	-	-	-	2	1	7	5	4
FEMALE--	31	-	-	-	-	2	3	4	7	3
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,049

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
OHIO -----	81	-	-	2	4	6	6	8	21	8
WHITE-----MALE----	40	-	-	-	2	5	1	2	13	5
FEMALE--	36	-	-	2	1	1	2	6	8	2
ALL OTHER--MALE----	5	-	-	-	1	-	3	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	40	-	-	2	-	-	-	5	11	8
WHITE-----MALE----	25	-	-	1	-	-	-	3	7	7
FEMALE--	12	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
OREGON -----	50	-	-	-	2	6	3	10	8	7
WHITE-----MALE----	28	-	-	-	2	2	1	7	4	3
FEMALE--	20	-	-	-	-	4	2	1	4	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	139	-	-	2	3	8	16	22	19	20
WHITE-----MALE----	67	-	-	-	1	4	10	10	9	12
FEMALE--	65	-	-	2	1	3	6	10	9	8
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	1	1	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	1	1	-	1	-	-
RHODE ISLAND -----	7	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	4	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	22	-	-	2	-	3	1	1	4	4
WHITE-----MALE----	13	-	-	1	-	-	1	1	3	2
FEMALE--	8	-	-	-	-	3	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,050

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
SOUTH DAKOTA -----	7	-	-	-	1	-	2	2	1	1
WHITE-----MALE----	4	-	-	-	-	-	1	1	1	1
FEMALE--	2	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	70	-	1	1	3	7	10	12	14	6
WHITE-----MALE----	29	-	-	-	2	3	6	5	3	3
FEMALE--	34	-	1	1	1	4	3	5	7	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	2	3	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	2	3	-
TEXAS -----	208	-	1	5	14	12	20	27	37	43
WHITE-----MALE----	94	-	-	2	9	5	8	13	16	20
FEMALE--	99	-	1	3	3	6	10	11	20	20
ALL OTHER--MALE----	9	-	-	-	2	1	-	-	1	3
FEMALE--	6	-	-	-	-	-	2	3	-	-
BLACK---MALE----	7	-	-	-	1	1	-	-	1	3
FEMALE--	6	-	-	-	-	-	2	3	-	-
UTAH -----	38	-	-	1	1	6	5	2	8	6
WHITE-----MALE----	20	-	-	-	1	4	2	1	4	2
FEMALE--	16	-	-	1	-	1	3	1	4	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
VERMONT -----	11	-	-	-	-	-	-	2	1	4
WHITE-----MALE----	6	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	84	-	-	1	3	6	4	12	20	13
WHITE-----MALE----	34	-	-	-	1	2	3	5	11	2
FEMALE--	44	-	-	1	1	3	1	6	9	9
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	1
FEMALE--	3	-	-	-	-	1	-	-	-	1
BLACK---MALE----	3	-	-	-	-	1	-	1	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,070

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
UNITED STATES --	5,726	6	148	442	607	653	667	757	646	468
WHITE-----MALE----	4,086	5	95	311	433	473	489	560	482	349
FEMALE--	859	-	28	57	60	63	82	111	81	69
ALL OTHER--MALE----	627	1	19	53	97	100	82	72	65	42
FEMALE--	154	-	6	21	17	17	14	14	18	8
BLACK---MALE----	354	1	11	30	61	53	47	41	45	26
FEMALE--	55	-	3	7	11	6	7	7	5	2
ALABAMA -----	59	-	2	4	5	10	9	9	7	2
WHITE-----MALE----	38	-	1	4	1	6	8	7	5	2
FEMALE--	11	-	-	-	1	1	-	2	1	-
ALL OTHER--MALE----	9	-	1	-	2	3	1	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	-	1	-	1	3	1	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
ALASKA -----	22	-	-	8	10	2	1	-	-	-
WHITE-----MALE----	7	-	-	1	6	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	3	2	1	1	-	-	-
FEMALE--	7	-	-	4	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	107	1	3	6	10	14	8	20	12	6
WHITE-----MALE----	69	1	1	2	5	9	5	15	9	6
FEMALE--	20	-	-	1	2	2	1	2	1	-
ALL OTHER--MALE----	15	-	1	2	3	3	2	3	1	-
FEMALE--	3	-	1	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	41	-	2	3	3	8	5	9	1	5
WHITE-----MALE----	30	-	2	1	2	7	3	7	1	5
FEMALE--	7	-	-	2	-	-	2	1	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	712	-	11	42	72	82	78	98	69	60
WHITE-----MALE----	466	-	5	30	55	52	49	71	51	38
FEMALE--	128	-	3	5	8	17	12	15	7	10
ALL OTHER--MALE----	89	-	2	6	7	12	15	10	8	7
FEMALE--	29	-	1	1	2	1	2	2	3	5
BLACK---MALE----	27	-	1	-	4	5	7	2	3	1
FEMALE--	6	-	-	1	1	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,071

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
COLORADO -----	135	1	5	14	15	18	18	22	15	4
WHITE-----MALE----	113	1	3	10	13	16	17	20	15	3
FEMALE--	17	-	2	2	1	-	1	2	-	1
ALL OTHER--MALE----	4	-	-	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	80	-	1	9	7	7	12	10	10	5
WHITE-----MALE----	51	-	-	3	4	4	6	9	9	5
FEMALE--	18	-	1	1	1	1	4	1	1	-
ALL OTHER--MALE----	10	-	-	4	2	2	2	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	8	-	-	4	2	1	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
DELAWARE -----	17	-	-	2	2	-	4	5	-	2
WHITE-----MALE----	13	-	-	2	1	-	4	5	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	15	-	-	1	1	2	4	-	2	1
WHITE-----MALE----	4	-	-	-	1	2	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	7	-	-	1	-	-	3	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	1	-	-	3	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	348	-	5	11	25	41	29	47	53	26
WHITE-----MALE----	259	-	3	10	21	32	20	35	44	18
FEMALE--	67	-	1	1	1	4	8	8	6	6
ALL OTHER--MALE----	17	-	1	-	2	3	1	3	2	2
FEMALE--	5	-	-	-	1	2	-	1	1	-
BLACK---MALE----	13	-	1	-	2	1	-	3	1	2
FEMALE--	4	-	-	-	1	1	-	1	1	-
GEORGIA -----	99	1	1	9	10	17	11	14	13	8
WHITE-----MALE----	67	1	1	7	7	10	6	10	10	5
FEMALE--	17	-	-	2	1	4	1	3	2	1
ALL OTHER--MALE----	13	-	-	-	2	3	3	1	1	1
FEMALE--	2	-	-	-	-	-	1	-	-	1
BLACK---MALE----	13	-	-	-	2	3	3	1	1	1
FEMALE--	2	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,072

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
HAWAII -----	48	-	-	6	2	8	5	6	6	1
WHITE-----MALE----	9	-	-	-	-	2	-	1	3	-
FEMALE--	2	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	27	-	-	3	1	6	3	4	1	1
FEMALE--	10	-	-	3	-	-	2	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
IDAHO -----	35	-	3	4	4	4	3	7	4	3
WHITE-----MALE----	27	-	3	3	2	3	3	4	4	3
FEMALE--	4	-	-	-	-	-	-	3	-	-
ALL OTHER--MALE----	3	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	257	-	4	19	24	30	36	28	30	25
WHITE-----MALE----	176	-	2	13	16	20	25	23	17	19
FEMALE--	42	-	1	4	5	2	3	2	7	4
ALL OTHER--MALE----	33	-	1	2	2	7	7	2	6	2
FEMALE--	6	-	-	-	1	1	1	1	-	-
BLACK---MALE----	26	-	1	2	2	4	6	2	5	2
FEMALE--	2	-	-	-	1	-	-	-	-	-
INDIANA -----	128	-	1	9	16	17	20	18	9	14
WHITE-----MALE----	97	-	1	6	13	14	16	11	4	11
FEMALE--	21	-	-	1	1	3	2	4	5	3
ALL OTHER--MALE----	9	-	-	2	2	-	2	2	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	-	2	2	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
IOWA -----	91	-	2	5	3	12	17	8	12	4
WHITE-----MALE----	70	-	-	3	3	10	14	7	10	2
FEMALE--	17	-	1	2	-	-	2	1	2	2
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
KANSAS -----	47	-	4	11	4	2	6	4	9	2
WHITE-----MALE----	34	-	4	6	4	2	5	3	3	2
FEMALE--	7	-	-	1	-	-	1	1	4	-
ALL OTHER--MALE----	4	-	-	3	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	-	-	-	1	-
BLACK---MALE----	2	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,073

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
KENTUCKY -----	44	-	1	3	5	4	6	10	7	1
WHITE-----MALE----	33	-	1	3	4	3	5	7	4	1
FEMALE--	8	-	-	-	1	1	1	3	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	69	-	2	4	10	7	8	11	5	8
WHITE-----MALE----	47	-	-	1	5	5	5	9	3	8
FEMALE--	7	-	1	-	1	-	1	1	1	-
ALL OTHER--MALE----	12	-	1	2	3	2	2	1	1	-
FEMALE--	3	-	-	1	1	-	-	-	-	-
BLACK---MALE----	12	-	1	2	3	2	2	1	1	-
FEMALE--	3	-	-	1	1	-	-	-	-	-
MAINE -----	39	-	2	2	4	5	6	6	3	1
WHITE-----MALE----	34	-	1	2	3	5	4	6	3	1
FEMALE--	3	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	100	-	4	6	12	10	12	15	14	10
WHITE-----MALE----	57	-	3	6	6	6	7	10	5	5
FEMALE--	11	-	-	-	1	1	1	2	1	1
ALL OTHER--MALE----	24	-	-	-	3	2	3	3	8	3
FEMALE--	8	-	1	-	2	1	1	-	-	1
BLACK---MALE----	21	-	-	-	3	2	3	3	6	3
FEMALE--	7	-	1	-	2	1	1	-	-	1
MASSACHUSETTS -----	174	-	6	16	14	18	16	29	23	14
WHITE-----MALE----	131	-	6	13	10	16	14	21	17	11
FEMALE--	27	-	-	1	3	1	1	4	3	3
ALL OTHER--MALE----	13	-	-	2	1	-	1	4	2	-
FEMALE--	3	-	-	-	-	1	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
MICHIGAN -----	175	-	7	15	16	19	20	15	29	17
WHITE-----MALE----	129	-	3	10	13	15	13	10	24	14
FEMALE--	20	-	1	3	1	1	1	1	2	2
ALL OTHER--MALE----	20	-	2	1	1	3	5	3	2	1
FEMALE--	6	-	1	1	1	-	1	1	1	-
BLACK---MALE----	15	-	1	-	1	2	3	3	2	1
FEMALE--	4	-	1	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,077

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
SOUTH DAKOTA -----	21	-	1	-	4	3	3	5	1	1
WHITE-----MALE----	9	-	1	-	1	-	1	2	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	-	-	-	3	3	1	2	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	93	-	-	9	5	15	13	26	6	10
WHITE-----MALE----	76	-	-	8	4	12	11	23	5	8
FEMALE--	7	-	-	1	-	-	1	1	-	1
ALL OTHER--MALE----	9	-	-	-	1	3	1	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	1	3	-	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
TEXAS -----	372	-	10	42	44	53	45	49	44	24
WHITE-----MALE----	294	-	6	35	35	43	40	34	35	18
FEMALE--	43	-	4	4	3	3	4	9	4	4
ALL OTHER--MALE----	27	-	-	1	5	7	-	6	4	1
FEMALE--	8	-	-	2	1	-	1	-	1	1
BLACK---MALE----	21	-	-	1	4	5	-	5	4	1
FEMALE--	3	-	-	2	1	-	-	-	-	-
UTAH -----	56	-	5	9	7	10	5	6	6	3
WHITE-----MALE----	46	-	3	8	7	7	5	3	5	3
FEMALE--	8	-	2	1	-	2	-	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	13	-	-	1	2	1	1	1	-	2
WHITE-----MALE----	11	-	-	1	1	1	1	1	-	2
FEMALE--	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	114	-	2	11	15	13	14	17	11	7
WHITE-----MALE----	77	-	1	6	10	10	10	11	7	7
FEMALE--	19	-	-	2	1	1	3	4	2	-
ALL OTHER--MALE----	15	-	1	3	3	1	1	2	2	-
FEMALE--	3	-	-	-	1	1	-	-	-	-
BLACK---MALE----	11	-	-	3	3	-	1	2	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,079

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANDGUN (E955.0)												
UNITED STATES --	3,541	-	34	195	236	289	246	310	305	343
WHITE-----MALE----	2,728	-	23	142	154	202	172	225	240	236
FEMALE--	527	-	8	23	30	42	44	60	50	73
ALL OTHER--MALE----	234	-	2	27	48	40	23	18	12	21
FEMALE--	52	-	1	3	4	5	7	7	3	13
BLACK---MALE----	159	-	1	18	32	27	17	15	5	16
FEMALE--	28	-	-	2	2	2	3	3	1	9
ALABAMA -----	64	-	1	4	4	4	7	3	-	7
WHITE-----MALE----	44	-	-	3	2	3	5	3	-	4
FEMALE--	8	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	10	-	1	1	2	1	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	1	1	2	1	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1
ALASKA -----	5	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	180	-	1	15	6	12	14	16	10	25
WHITE-----MALE----	152	-	1	10	5	11	10	13	9	23
FEMALE--	20	-	-	2	-	1	1	3	1	2
ALL OTHER--MALE----	5	-	-	3	1	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	2	-	-	-
BLACK---MALE----	2	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	-	-	-	1	1	1	1	2	1
WHITE-----MALE----	7	-	-	-	1	-	1	-	2	1
FEMALE--	4	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	896	-	7	42	54	78	57	70	67	76
WHITE-----MALE----	683	-	4	29	30	50	43	49	52	49
FEMALE--	126	-	2	7	9	12	9	15	9	15
ALL OTHER--MALE----	68	-	-	5	15	13	4	4	5	6
FEMALE--	19	-	1	1	-	3	1	2	1	6
BLACK---MALE----	33	-	-	4	8	4	2	4	2	4
FEMALE--	7	-	-	-	-	1	1	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,085

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANDGUN (E955.0)												
OHIO -----	53	-	-	2	1	5	1	2	6	9
WHITE-----MALE----	41	-	-	2	1	3	-	2	5	6
FEMALE--	7	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
OREGON -----	195	-	2	6	14	19	9	21	19	21
WHITE-----MALE----	154	-	2	5	11	13	5	17	16	13
FEMALE--	34	-	-	1	2	6	3	3	2	7
ALL OTHER--MALE----	5	-	-	-	1	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	53	-	1	2	3	4	2	8	1	9
WHITE-----MALE----	47	-	1	2	3	3	2	7	1	8
FEMALE--	3	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	37	-	-	2	8	3	-	2	3	4
WHITE-----MALE----	22	-	-	2	4	-	-	2	3	2
FEMALE--	8	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	3	1	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	3	1	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,086

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANDGUN (E955.0)												
SOUTH DAKOTA -----	20	-	-	-	4	1	1	4	2	-
WHITE-----MALE----	18	-	-	-	3	1	1	4	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	24	-	1	-	1	-	3	2	5	3
WHITE-----MALE----	16	-	1	-	1	-	2	1	4	1
FEMALE--	7	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TEXAS -----	124	-	2	8	5	13	6	12	13	8
WHITE-----MALE----	97	-	1	6	5	11	4	8	10	5
FEMALE--	24	-	1	1	-	1	2	4	3	3
ALL OTHER--MALE----	3	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
UTAH -----	78	-	1	4	7	8	9	6	11	10
WHITE-----MALE----	65	-	1	3	4	8	7	4	10	8
FEMALE--	11	-	-	1	1	-	2	2	1	2
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	1	1	-	2	1	2	1
WHITE-----MALE----	10	-	-	1	1	-	1	1	2	1
FEMALE--	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	196	-	5	11	12	15	15	26	17	18
WHITE-----MALE----	144	-	3	9	9	11	9	14	13	13
FEMALE--	28	-	1	-	1	2	2	7	2	3
ALL OTHER--MALE----	17	-	1	2	1	1	4	4	1	-
FEMALE--	7	-	-	-	1	1	-	1	1	2
BLACK---MALE----	13	-	-	2	1	1	3	4	-	-
FEMALE--	5	-	-	-	1	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,088

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
UNITED STATES --	13,883	1	119	892	1,187	1,129	1,125	1,373	1,341	1,133
WHITE-----MALE----	11,108	-	79	647	897	831	834	1,072	1,051	902
FEMALE--	1,605	-	21	95	101	122	143	222	192	164
ALL OTHER--MALE----	1,034	1	13	133	171	153	135	70	84	57
FEMALE--	136	-	6	17	18	23	13	9	14	10
BLACK---MALE----	824	1	9	98	139	127	112	57	62	45
FEMALE--	99	-	4	13	14	16	10	7	10	6
ALABAMA -----	373	-	2	17	31	29	28	36	41	35
WHITE-----MALE----	270	-	2	14	21	19	17	24	26	33
FEMALE--	58	-	-	-	4	2	6	8	10	2
ALL OTHER--MALE----	40	-	-	3	6	8	4	4	3	-
FEMALE--	5	-	-	-	-	-	1	-	2	-
BLACK---MALE----	40	-	-	3	6	8	4	4	3	-
FEMALE--	5	-	-	-	-	-	1	-	2	-
ALASKA -----	78	-	-	10	13	9	6	7	5	9
WHITE-----MALE----	34	-	-	-	3	5	-	2	2	6
FEMALE--	5	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	34	-	-	10	8	4	4	4	2	-
FEMALE--	5	-	-	-	1	-	2	-	1	1
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	349	-	3	24	39	34	26	31	34	31
WHITE-----MALE----	280	-	3	19	33	27	21	23	27	19
FEMALE--	48	-	-	2	2	2	3	7	5	10
ALL OTHER--MALE----	19	-	-	3	3	4	2	1	2	2
FEMALE--	2	-	-	-	1	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	2	-	-	-	2
FEMALE--	2	-	-	-	1	1	-	-	-	-
ARKANSAS -----	239	1	4	19	23	16	22	26	25	16
WHITE-----MALE----	192	-	3	15	16	10	15	20	20	14
FEMALE--	29	-	-	3	2	2	5	5	3	2
ALL OTHER--MALE----	18	1	1	1	5	4	2	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	1	1	1	5	3	2	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	806	-	8	45	73	64	61	71	79	71
WHITE-----MALE----	647	-	6	33	55	49	46	58	61	54
FEMALE--	70	-	1	5	5	4	3	8	9	6
ALL OTHER--MALE----	78	-	-	7	13	8	11	5	9	9
FEMALE--	11	-	1	-	-	3	1	-	-	2
BLACK---MALE----	41	-	-	3	7	5	8	4	5	4
FEMALE--	4	-	-	-	-	1	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,089

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
COLORADO -----	276	-	2	22	25	18	15	29	29	33
WHITE-----MALE----	225	-	1	18	21	15	13	20	22	26
FEMALE--	38	-	1	4	2	3	-	6	6	7
ALL OTHER--MALE----	12	-	-	-	2	-	1	3	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	2	-	1	3	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	90	-	-	6	7	6	11	11	11	3
WHITE-----MALE----	71	-	-	2	5	6	9	9	8	1
FEMALE--	9	-	-	-	1	-	1	1	2	1
ALL OTHER--MALE----	10	-	-	4	1	-	1	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	3	1	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	34	-	-	-	1	1	3	4	2	5
WHITE-----MALE----	28	-	-	-	1	1	2	4	2	4
FEMALE--	4	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	-	-	3	-	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	3	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	3	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,062	-	3	55	58	67	71	82	96	91
WHITE-----MALE----	832	-	1	35	41	43	52	60	71	66
FEMALE--	173	-	1	12	8	15	13	20	20	18
ALL OTHER--MALE----	47	-	1	5	8	8	6	2	4	6
FEMALE--	10	-	-	3	1	1	-	-	1	1
BLACK---MALE----	44	-	1	5	8	7	6	2	3	6
FEMALE--	8	-	-	3	1	-	-	-	-	1
GEORGIA -----	563	-	4	33	43	68	51	54	51	61
WHITE-----MALE----	414	-	3	21	31	46	30	40	34	44
FEMALE--	74	-	-	3	4	5	8	9	10	13
ALL OTHER--MALE----	62	-	1	9	6	12	10	4	6	4
FEMALE--	13	-	-	-	2	5	3	1	1	-
BLACK---MALE----	57	-	1	6	6	11	9	4	6	4
FEMALE--	11	-	-	-	2	3	3	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,090

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
HAWAII -----	27	-	1	1	3	1	3	-	4	1
WHITE-----MALE----	9	-	-	-	-	-	2	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	2	1	1	-	2	1
FEMALE--	3	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
IDAHO -----	108	-	3	10	9	7	5	14	12	7
WHITE-----MALE----	94	-	3	8	8	7	4	12	10	5
FEMALE--	10	-	-	1	1	-	1	1	1	2
ALL OTHER--MALE----	4	-	-	1	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	394	-	3	28	37	27	40	39	26	29
WHITE-----MALE----	309	-	2	19	24	19	27	34	17	23
FEMALE--	38	-	1	3	4	3	5	3	4	4
ALL OTHER--MALE----	44	-	-	6	9	5	8	2	4	1
FEMALE--	3	-	-	-	-	-	-	-	1	1
BLACK---MALE----	42	-	-	6	9	4	8	2	4	1
FEMALE--	3	-	-	-	-	-	-	-	1	1
INDIANA -----	348	-	4	17	37	26	27	35	32	31
WHITE-----MALE----	291	-	2	12	24	21	22	27	27	26
FEMALE--	36	-	1	2	5	1	4	7	4	4
ALL OTHER--MALE----	18	-	1	3	7	3	1	-	1	1
FEMALE--	3	-	-	-	1	1	-	1	-	-
BLACK---MALE----	16	-	1	2	7	2	1	-	1	1
FEMALE--	3	-	-	-	1	1	-	1	-	-
IOWA -----	90	-	1	11	11	5	6	10	6	8
WHITE-----MALE----	83	-	1	9	11	4	5	9	6	8
FEMALE--	5	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
KANSAS -----	165	-	2	16	16	10	17	17	14	15
WHITE-----MALE----	145	-	2	12	15	10	15	14	13	15
FEMALE--	12	-	-	1	1	-	1	1	1	-
ALL OTHER--MALE----	7	-	-	3	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	3	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,091

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
KENTUCKY -----	331	-	3	18	22	23	30	31	35	20
WHITE-----MALE----	287	-	1	16	20	15	26	27	30	17
FEMALE--	36	-	2	-	2	6	2	4	4	3
ALL OTHER--MALE----	8	-	-	2	-	2	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	2	-	2	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	340	-	3	32	29	25	37	34	35	23
WHITE-----MALE----	229	-	1	21	16	18	22	20	22	15
FEMALE--	55	-	1	3	2	2	8	11	8	6
ALL OTHER--MALE----	52	-	1	7	11	5	7	3	5	2
FEMALE--	4	-	-	1	-	-	-	-	-	-
BLACK---MALE----	51	-	1	7	11	5	6	3	5	2
FEMALE--	4	-	-	1	-	-	-	-	-	-
MAINE -----	59	-	1	4	4	5	10	5	12	1
WHITE-----MALE----	55	-	1	3	4	4	10	5	10	1
FEMALE--	4	-	-	1	-	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	255	-	2	11	19	21	13	23	33	24
WHITE-----MALE----	178	-	1	7	10	8	9	15	28	20
FEMALE--	29	-	-	1	3	4	-	3	1	2
ALL OTHER--MALE----	45	-	1	3	6	9	3	4	4	2
FEMALE--	3	-	-	-	-	-	1	1	-	-
BLACK---MALE----	44	-	1	3	6	9	3	4	3	2
FEMALE--	2	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	136	-	-	7	13	9	11	17	11	9
WHITE-----MALE----	116	-	-	7	10	7	10	14	7	7
FEMALE--	14	-	-	-	2	-	1	3	3	2
ALL OTHER--MALE----	6	-	-	-	1	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	529	-	6	34	41	49	40	53	53	48
WHITE-----MALE----	431	-	4	26	33	41	25	43	43	40
FEMALE--	47	-	-	-	1	2	8	10	6	5
ALL OTHER--MALE----	39	-	1	6	6	4	6	-	2	1
FEMALE--	12	-	1	2	1	2	1	-	2	2
BLACK---MALE----	36	-	1	6	6	3	5	-	2	1
FEMALE--	9	-	1	2	1	1	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,092

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
MINNESOTA -----	231	-	3	19	31	21	18	28	21	21
WHITE-----MALE----	198	-	3	13	25	18	14	25	20	18
FEMALE--	18	-	-	2	3	2	1	2	1	1
ALL OTHER--MALE----	13	-	-	4	2	-	3	1	-	2
FEMALE--	2	-	-	-	1	1	-	-	-	-
BLACK---MALE----	6	-	-	4	-	-	1	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-
MISSISSIPPI -----	179	-	4	9	23	13	17	23	17	12
WHITE-----MALE----	133	-	3	7	21	9	8	17	14	7
FEMALE--	24	-	-	1	-	1	4	3	2	4
ALL OTHER--MALE----	20	-	1	1	2	2	5	3	-	1
FEMALE--	2	-	-	-	-	1	-	-	1	-
BLACK---MALE----	19	-	1	1	2	2	5	3	-	1
FEMALE--	2	-	-	-	-	1	-	-	1	-
MISSOURI -----	227	-	3	14	20	24	22	30	23	20
WHITE-----MALE----	188	-	1	12	14	19	14	26	18	18
FEMALE--	24	-	1	2	2	1	5	4	5	2
ALL OTHER--MALE----	13	-	-	-	4	3	3	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	13	-	-	-	4	3	3	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-
MONTANA -----	77	-	4	7	7	2	4	4	10	6
WHITE-----MALE----	67	-	3	6	5	1	4	4	9	5
FEMALE--	4	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	5	-	1	1	1	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	108	-	-	14	7	6	11	8	8	8
WHITE-----MALE----	97	-	-	11	6	5	10	7	7	7
FEMALE--	8	-	-	2	-	1	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
NEVADA -----	156	-	4	12	9	11	11	23	15	9
WHITE-----MALE----	126	-	2	9	7	8	8	20	13	7
FEMALE--	21	-	1	3	-	1	2	3	2	2
ALL OTHER--MALE----	8	-	-	-	2	2	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,094

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
OHIO -----	589	-	6	33	33	50	50	57	53	46
WHITE-----MALE----	477	-	3	21	29	36	39	42	39	37
FEMALE--	70	-	2	4	1	9	4	12	9	8
ALL OTHER--MALE----	37	-	-	7	2	5	7	3	4	1
FEMALE--	5	-	1	1	1	-	-	-	1	-
BLACK---MALE----	37	-	-	7	2	5	7	3	4	1
FEMALE--	5	-	1	1	1	-	-	-	1	-
OKLAHOMA -----	298	-	1	29	30	16	18	24	36	30
WHITE-----MALE----	229	-	1	20	20	12	13	19	23	28
FEMALE--	44	-	-	4	3	2	3	5	9	1
ALL OTHER--MALE----	24	-	-	5	7	2	2	-	4	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	2	6	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
OREGON -----	132	-	1	4	14	14	11	11	10	6
WHITE-----MALE----	119	-	1	4	12	14	9	9	9	6
FEMALE--	9	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	714	-	4	27	59	51	66	81	74	62
WHITE-----MALE----	593	-	1	18	43	35	53	70	62	50
FEMALE--	62	-	2	6	4	1	9	8	6	7
ALL OTHER--MALE----	51	-	1	2	9	12	4	2	6	5
FEMALE--	8	-	-	1	3	3	-	1	-	-
BLACK---MALE----	45	-	1	2	8	10	4	2	4	5
FEMALE--	7	-	-	1	2	3	-	1	-	-
RHODE ISLAND -----	26	-	-	1	1	3	2	3	2	2
WHITE-----MALE----	23	-	-	1	-	3	1	3	2	2
FEMALE--	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	288	-	3	18	26	18	32	31	28	19
WHITE-----MALE----	213	-	2	8	21	12	24	22	22	13
FEMALE--	41	-	1	2	1	5	5	5	4	5
ALL OTHER--MALE----	30	-	-	7	4	1	3	3	1	1
FEMALE--	4	-	-	1	-	-	-	1	1	-
BLACK---MALE----	30	-	-	7	4	1	3	3	1	1
FEMALE--	4	-	-	1	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,094

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
OHIO -----	38	26	44	32	32	35	28	21	4	1	-	-
WHITE-----MALE----	30	22	40	27	31	32	24	20	4	1	-	-
FEMALE--	6	1	4	4	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	1	3	-	1	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	-	1	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	10	17	12	13	18	24	13	6	1	-	-	-
WHITE-----MALE----	7	15	9	11	16	21	11	2	1	-	-	-
FEMALE--	3	2	2	1	2	1	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	7	8	5	5	8	9	12	7	-	-	-	-
WHITE-----MALE----	5	8	4	4	8	9	10	7	-	-	-	-
FEMALE--	2	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	44	47	29	43	35	38	27	21	5	1	-	-
WHITE-----MALE----	38	37	27	38	32	37	26	20	5	1	-	-
FEMALE--	5	8	1	2	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	3	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	3	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	3	-	1	2	3	1	-	-	-	-	-
WHITE-----MALE----	1	3	-	1	2	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	24	16	17	11	17	15	7	4	2	-	-	-
WHITE-----MALE----	19	10	12	9	13	13	7	4	2	-	-	-
FEMALE--	2	6	2	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	3	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	3	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,095

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
SOUTH DAKOTA -----	52	-	-	9	8	6	2	4	1	2
WHITE-----MALE----	43	-	-	5	5	5	2	3	1	2
FEMALE--	3	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	2	2	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	491	-	1	36	25	44	53	55	35	39
WHITE-----MALE----	395	-	-	27	18	33	41	42	30	33
FEMALE--	68	-	1	4	4	6	11	9	4	5
ALL OTHER--MALE----	23	-	-	3	3	5	-	4	1	1
FEMALE--	5	-	-	2	-	-	1	-	-	-
BLACK---MALE----	22	-	-	3	3	5	-	3	1	1
FEMALE--	5	-	-	2	-	-	1	-	-	-
TEXAS -----	1,241	-	12	86	119	118	96	120	112	98
WHITE-----MALE----	986	-	9	66	100	92	72	87	86	74
FEMALE--	179	-	1	11	9	12	9	29	19	19
ALL OTHER--MALE----	68	-	2	8	7	14	14	3	6	4
FEMALE--	8	-	-	1	3	-	1	1	1	1
BLACK---MALE----	56	-	-	8	7	13	12	2	4	3
FEMALE--	7	-	-	-	3	-	1	1	1	1
UTAH -----	121	-	1	13	20	12	11	9	7	8
WHITE-----MALE----	109	-	1	12	19	9	10	8	6	8
FEMALE--	8	-	-	-	1	1	1	-	1	-
ALL OTHER--MALE----	3	-	-	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
VERMONT -----	46	-	-	4	4	5	-	3	4	6
WHITE-----MALE----	42	-	-	4	3	5	-	2	4	4
FEMALE--	4	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	335	-	1	22	28	28	26	36	35	20
WHITE-----MALE----	268	-	1	16	19	20	21	28	27	19
FEMALE--	40	-	-	2	6	5	3	5	6	-
ALL OTHER--MALE----	24	-	-	4	3	2	2	3	2	1
FEMALE--	3	-	-	-	-	1	-	-	-	-
BLACK---MALE----	23	-	-	4	3	2	2	3	1	1
FEMALE--	2	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,095

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
SOUTH DAKOTA -----	1	4	4	-	4	3	2	1	-	1	-	-
WHITE-----MALE----	1	4	4	-	4	3	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	36	36	28	18	29	22	20	11	2	1	-	-
WHITE-----MALE----	26	30	23	15	24	21	19	10	2	1	-	-
FEMALE--	6	4	5	2	5	1	-	1	-	-	-	-
ALL OTHER--MALE----	3	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	89	69	49	54	76	59	44	34	5	-	-	1
WHITE-----MALE----	78	54	38	39	66	49	40	32	3	-	-	1
FEMALE--	11	11	10	14	7	10	4	2	1	-	-	-
ALL OTHER--MALE----	-	4	1	1	3	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	5	6	8	4	4	6	5	1	1	-	-	-
WHITE-----MALE----	5	6	6	4	3	6	4	1	1	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	3	2	-	2	5	3	-	-	-	-	-
WHITE-----MALE----	5	3	2	-	2	5	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	28	29	17	13	19	14	13	4	2	-	-	-
WHITE-----MALE----	19	24	14	13	16	13	12	4	2	-	-	-
FEMALE--	6	1	2	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,097

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
UNITED STATES --	2,353	-	8	105	171	206	221	285	275	261
WHITE-----MALE----	1,400	-	2	65	101	118	123	172	178	161
FEMALE--	560	-	5	19	32	30	39	69	54	61
ALL OTHER--MALE----	290	-	-	19	29	49	40	30	32	30
FEMALE--	103	-	1	2	9	9	19	14	11	9
BLACK---MALE----	201	-	-	14	24	25	31	25	23	24
FEMALE--	62	-	1	1	5	5	13	11	7	7
ALABAMA -----	21	-	-	-	1	2	1	3	4	1
WHITE-----MALE----	16	-	-	-	-	2	1	2	3	1
FEMALE--	3	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALASKA -----	5	-	-	1	-	1	-	-	-	1
WHITE-----MALE----	4	-	-	1	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	46	-	-	5	3	8	6	5	5	2
WHITE-----MALE----	28	-	-	3	1	5	1	5	3	1
FEMALE--	9	-	-	1	-	-	3	-	2	1
ALL OTHER--MALE----	6	-	-	1	2	2	1	-	-	-
FEMALE--	3	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	20	-	-	3	-	1	2	2	4	2
WHITE-----MALE----	8	-	-	2	-	1	-	-	1	2
FEMALE--	5	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	2	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	2	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	348	-	3	10	33	42	31	40	38	42
WHITE-----MALE----	212	-	1	9	19	19	22	27	26	26
FEMALE--	74	-	1	-	9	8	2	7	6	12
ALL OTHER--MALE----	44	-	-	1	2	15	3	4	5	2
FEMALE--	18	-	1	-	3	-	4	2	1	2
BLACK---MALE----	18	-	-	1	1	5	3	3	3	-
FEMALE--	7	-	1	-	1	-	1	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,098

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	5	-	1	1	1	1	1	1	-	-	-
WHITE-----MALE----	2	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	-	2	-	2	1	-	1	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	2	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	16	13	11	10	11	11	11	11	3	1	-	2
WHITE-----MALE----	9	9	8	6	7	8	6	8	2	1	-	2
FEMALE--	6	3	3	4	3	3	4	3	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	2	1	2	-	1	-	1	-	-	-	-
WHITE-----MALE----	2	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,100

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
KENTUCKY -----	31	-	-	1	2	1	1	7	6	4
WHITE-----MALE----	17	-	-	1	-	1	1	5	4	1
FEMALE--	11	-	-	-	1	-	-	2	2	2
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
LOUISIANA -----	27	-	-	1	5	1	3	1	7	1
WHITE-----MALE----	16	-	-	1	2	1	2	-	4	-
FEMALE--	3	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	5	-	-	-	1	-	1	1	-	1
FEMALE--	3	-	-	-	1	-	-	-	1	-
BLACK---MALE----	5	-	-	-	1	-	1	1	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-
MAINE -----	13	-	-	2	1	1	2	-	2	1
WHITE-----MALE----	7	-	-	-	-	-	1	-	2	1
FEMALE--	5	-	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	45	-	-	-	4	4	7	6	5	3
WHITE-----MALE----	23	-	-	-	1	1	3	3	2	2
FEMALE--	5	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	17	-	-	-	3	2	4	2	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	3	2	3	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	58	-	1	2	6	6	5	5	5	5
WHITE-----MALE----	38	-	-	1	6	5	3	4	4	3
FEMALE--	17	-	1	-	-	1	1	1	1	2
ALL OTHER--MALE----	3	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	66	-	-	2	6	5	11	10	8	4
WHITE-----MALE----	44	-	-	2	5	2	8	7	6	2
FEMALE--	11	-	-	-	1	1	1	2	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	2	-	1	1
FEMALE--	4	-	-	-	-	1	-	1	1	1
BLACK---MALE----	6	-	-	-	-	1	2	-	1	1
FEMALE--	3	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,103

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
OHIO -----	77	-	1	4	7	5	6	11	7	9
WHITE-----MALE----	50	-	-	4	4	5	6	5	3	6
FEMALE--	20	-	1	-	1	-	-	5	3	3
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	1	-
FEMALE--	3	-	-	-	1	-	-	1	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	1	-	-
OKLAHOMA -----	29	-	-	-	4	4	-	1	6	5
WHITE-----MALE----	20	-	-	-	3	3	-	1	4	2
FEMALE--	8	-	-	-	1	1	-	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
OREGON -----	39	-	-	1	1	3	1	4	4	9
WHITE-----MALE----	27	-	-	1	1	3	1	3	3	5
FEMALE--	8	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	105	-	1	7	5	8	10	16	9	7
WHITE-----MALE----	62	-	1	4	3	3	6	7	4	4
FEMALE--	25	-	-	2	1	1	2	5	3	2
ALL OTHER--MALE----	17	-	-	1	1	4	2	4	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	1	1	1	2	4	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	10	-	-	-	1	-	1	2	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	26	-	-	1	1	4	2	3	5	3
WHITE-----MALE----	15	-	-	-	1	1	-	3	3	3
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	1	-	1	1	-	2	-
FEMALE--	4	-	-	-	-	2	1	-	-	-
BLACK---MALE----	6	-	-	1	-	1	1	-	2	-
FEMALE--	4	-	-	-	-	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,103

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
OHIO -----	6	4	2	6	4	1	1	3	-	-	-	-
WHITE-----MALE----	4	3	1	5	1	-	1	2	-	-	-	-
FEMALE--	1	1	-	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	2	1	2	-	1	-	-	1	-	-	-
WHITE-----MALE----	1	2	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	7	1	2	1	2	1	1	1	-	-	-	-
WHITE-----MALE----	4	1	2	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	6	2	5	8	4	6	4	-	-	-	-
WHITE-----MALE----	5	5	1	4	5	2	5	3	-	-	-	-
FEMALE--	2	1	1	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	3	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	3	-	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,104
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
SOUTH DAKOTA -----	3	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	27	-	-	1	2	4	5	3	1	1
WHITE-----MALE----	18	-	-	1	2	3	2	1	1	1
FEMALE--	6	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
TEXAS -----	98	-	-	6	7	5	12	16	11	14
WHITE-----MALE----	64	-	-	3	5	5	6	12	8	11
FEMALE--	22	-	-	2	2	-	3	3	2	1
ALL OTHER--MALE----	9	-	-	1	-	-	2	1	1	1
FEMALE--	3	-	-	-	-	-	1	-	-	1
BLACK---MALE----	6	-	-	1	-	-	2	1	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	1
UTAH -----	13	-	-	2	-	2	1	2	2	2
WHITE-----MALE----	11	-	-	2	-	2	1	1	2	2
FEMALE--	2	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	55	-	-	2	3	4	6	7	7	9
WHITE-----MALE----	25	-	-	1	2	1	2	1	4	7
FEMALE--	22	-	-	-	-	1	4	4	2	2
ALL OTHER--MALE----	6	-	-	-	1	2	-	1	1	-
FEMALE--	2	-	-	1	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	1	2	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,106

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
UNITED STATES --	18,272	322	399	170	290	2,311	3,195	2,537	2,028	1,932	1,635	1,066
WHITE-----MALE----	6,707	102	104	44	98	815	1,043	836	758	737	651	445
FEMALE--	2,534	86	95	54	71	182	222	244	272	299	274	177
ALL OTHER--MALE----	7,316	70	119	40	75	1,156	1,706	1,222	795	665	546	336
FEMALE--	1,715	64	81	32	46	158	224	235	203	231	164	108
BLACK---MALE----	6,873	62	109	33	67	1,092	1,647	1,160	740	630	501	309
FEMALE--	1,547	61	78	25	38	146	210	209	187	208	147	92
ALABAMA -----	457	1	11	3	3	48	76	64	42	50	49	31
WHITE-----MALE----	119	1	4	-	-	9	15	10	9	12	19	8
FEMALE--	59	-	3	-	1	4	2	6	9	8	8	8
ALL OTHER--MALE----	210	-	2	3	2	33	48	39	15	19	15	10
FEMALE--	69	-	2	-	-	2	11	9	9	11	7	5
BLACK---MALE----	207	-	2	3	2	32	48	37	15	19	15	10
FEMALE--	69	-	2	-	-	2	11	9	9	11	7	5
ALASKA -----	49	-	2	1	-	2	5	6	6	7	6	6
WHITE-----MALE----	18	-	-	-	-	1	1	3	2	2	1	5
FEMALE--	11	-	1	-	-	-	-	1	2	2	2	-
ALL OTHER--MALE----	16	-	1	1	-	1	3	2	1	2	2	1
FEMALE--	4	-	-	-	-	-	1	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ARIZONA -----	444	5	7	4	9	51	97	64	58	37	46	26
WHITE-----MALE----	266	4	3	1	2	28	62	40	37	21	26	17
FEMALE--	76	-	2	3	4	9	11	9	10	5	8	2
ALL OTHER--MALE----	84	1	2	-	2	11	19	10	11	9	10	7
FEMALE--	18	-	-	-	1	3	5	5	-	2	2	-
BLACK---MALE----	41	1	-	-	1	5	12	4	3	8	5	2
FEMALE--	7	-	-	-	-	1	2	2	-	-	2	-
ARKANSAS -----	234	3	4	3	13	25	34	22	24	30	27	20
WHITE-----MALE----	80	2	1	2	2	5	6	6	12	12	10	8
FEMALE--	34	1	1	1	6	2	5	3	2	4	3	3
ALL OTHER--MALE----	93	-	2	-	4	15	23	10	7	10	9	7
FEMALE--	27	-	-	-	1	3	-	3	3	4	5	2
BLACK---MALE----	93	-	2	-	4	15	23	10	7	10	9	7
FEMALE--	26	-	-	-	1	2	-	3	3	4	5	2
CALIFORNIA -----	2,401	36	48	19	47	397	466	323	269	230	170	117
WHITE-----MALE----	1,330	15	18	5	23	254	280	196	151	112	76	64
FEMALE--	311	8	14	9	11	31	34	28	31	36	23	18
ALL OTHER--MALE----	623	8	11	2	12	96	131	87	72	65	54	27
FEMALE--	137	5	5	3	1	16	21	12	15	17	17	8
BLACK---MALE----	490	6	10	1	9	72	112	76	59	51	39	21
FEMALE--	102	5	4	3	1	15	15	10	12	14	11	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,106

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
UNITED STATES --	678	454	312	251	217	183	135	66	27	8	-	56
WHITE-----MALE----	314	215	149	114	93	75	48	22	6	2	-	36
FEMALE--	108	85	55	62	64	56	63	36	14	3	-	12
ALL OTHER--MALE----	216	129	85	58	39	36	8	4	3	2	-	6
FEMALE--	40	25	23	17	21	16	16	4	4	1	-	2
BLACK---MALE----	196	113	75	51	35	30	8	4	3	2	-	6
FEMALE--	34	23	18	13	17	16	14	4	4	1	-	2
ALABAMA -----	23	13	10	12	10	3	4	3	1	-	-	-
WHITE-----MALE----	12	5	7	4	1	2	-	1	-	-	-	-
FEMALE--	1	1	1	4	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	9	5	1	3	4	-	1	1	-	-	-	-
FEMALE--	1	2	1	1	4	1	1	1	1	-	-	-
BLACK---MALE----	9	5	1	3	4	-	1	1	-	-	-	-
FEMALE--	1	2	1	1	4	1	1	1	1	-	-	-
ALASKA -----	4	-	1	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	9	4	2	3	2	2	2	-	-	-	4
WHITE-----MALE----	8	5	3	1	2	1	1	1	-	-	-	3
FEMALE--	3	4	1	-	1	1	1	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	7	3	4	4	-	1	-	-	-	-	-
WHITE-----MALE----	4	3	2	2	3	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	4	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	1	-	-	-	-	-
CALIFORNIA -----	68	48	44	33	26	25	13	7	3	-	-	12
WHITE-----MALE----	32	28	25	16	9	10	4	2	1	-	-	9
FEMALE--	10	9	4	9	10	8	8	5	2	-	-	3
ALL OTHER--MALE----	19	10	12	7	4	6	-	-	-	-	-	-
FEMALE--	7	1	3	1	3	1	1	-	-	-	-	-
BLACK---MALE----	13	4	7	5	1	4	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,107
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
COLORADO -----	188	10	9	3	3	35	24	24	17	15	16	13
WHITE-----MALE----	101	5	4	1	-	22	16	14	8	7	9	4
FEMALE--	46	4	3	2	3	7	1	3	2	6	3	5
ALL OTHER--MALE----	28	-	1	-	-	5	5	6	6	1	1	2
FEMALE--	13	1	1	-	-	1	2	1	1	1	3	2
BLACK---MALE----	23	-	1	-	-	4	5	5	4	1	-	2
FEMALE--	10	1	1	-	-	1	2	-	1	1	1	2
CONNECTICUT -----	145	-	2	2	1	20	28	26	13	16	15	5
WHITE-----MALE----	54	-	-	1	-	9	11	7	3	4	8	3
FEMALE--	16	-	1	-	1	1	1	3	1	2	2	-
ALL OTHER--MALE----	56	-	-	1	-	8	12	11	8	6	4	1
FEMALE--	19	-	1	-	-	2	4	5	1	4	1	1
BLACK---MALE----	54	-	-	1	-	8	12	11	7	5	4	1
FEMALE--	18	-	1	-	-	2	4	5	1	4	1	-
DELAWARE -----	30	2	1	-	-	2	5	3	2	2	3	2
WHITE-----MALE----	10	-	1	-	-	-	-	1	1	-	1	1
FEMALE--	4	1	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	2	3	1	1	1	1	-
FEMALE--	5	1	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	11	-	-	-	-	2	3	1	1	1	1	-
FEMALE--	5	1	-	-	-	-	1	1	-	1	-	-
DISTRICT OF COLUMBIA ----	219	6	3	-	-	32	41	44	26	20	13	9
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	185	2	1	-	-	28	39	38	24	16	11	7
FEMALE--	28	4	2	-	-	4	1	6	2	2	-	2
BLACK---MALE----	185	2	1	-	-	28	39	38	24	16	11	7
FEMALE--	28	4	2	-	-	4	1	6	2	2	-	2
FLORIDA -----	1,083	9	25	14	13	83	141	143	132	119	119	92
WHITE-----MALE----	434	3	6	5	5	26	41	49	57	46	56	39
FEMALE--	181	2	5	5	3	11	8	16	23	24	22	15
ALL OTHER--MALE----	366	2	6	2	3	35	76	61	40	36	33	33
FEMALE--	102	2	8	2	2	11	16	17	12	13	8	5
BLACK---MALE----	354	2	6	2	3	35	76	58	39	34	31	31
FEMALE--	97	2	8	2	2	10	16	15	12	13	7	4
GEORGIA -----	669	14	11	2	8	65	106	103	89	67	71	47
WHITE-----MALE----	164	6	1	1	4	14	18	18	20	15	23	18
FEMALE--	74	2	-	-	-	8	6	6	10	6	12	10
ALL OTHER--MALE----	340	-	8	1	2	36	72	62	49	30	25	17
FEMALE--	91	6	2	-	2	7	10	17	10	16	11	2
BLACK---MALE----	336	-	8	1	2	35	72	61	48	30	25	16
FEMALE--	88	6	2	-	2	7	10	17	10	15	10	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,107

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
COLORADO -----	8	4	4	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	5	2	2	1	1	-	-	-	-	-	-	-
FEMALE--	3	1	2	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	1	5	2	1	2	-	-	-	-	-	-
WHITE-----MALE----	4	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	1	1	2	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	7	3	4	1	2	3	2	1	-	-	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	4	1	2	2	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	5	3	4	1	2	2	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	1	2	1	-	-	-	-
FLORIDA -----	56	33	23	26	18	15	8	5	1	-	-	8
WHITE-----MALE----	26	21	14	9	8	9	4	3	-	-	-	7
FEMALE--	9	6	4	9	6	5	4	2	1	-	-	1
ALL OTHER--MALE----	19	5	5	6	4	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	18	5	5	5	4	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	-	1	-	-	-	-	-	-
GEORGIA -----	32	17	9	9	5	6	4	3	-	-	-	1
WHITE-----MALE----	6	5	2	5	3	2	1	1	-	-	-	1
FEMALE--	5	3	2	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	19	7	3	3	2	2	-	2	-	-	-	-
FEMALE--	2	2	2	-	-	1	1	-	-	-	-	-
BLACK---MALE----	19	7	3	3	2	2	-	2	-	-	-	-
FEMALE--	1	2	2	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,108

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
HAWAII -----	28	2	-	-	-	2	3	1	6	3	4	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	13	1	-	-	-	2	2	1	2	1	3	-
FEMALE--	5	1	-	-	-	-	1	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
IDAHO -----	34	3	1	-	-	3	6	3	2	2	2	2
WHITE-----MALE----	19	2	-	-	-	2	4	2	1	2	1	1
FEMALE--	12	1	1	-	-	-	2	1	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,113	19	17	8	25	210	269	160	96	88	76	50
WHITE-----MALE----	324	4	4	4	7	63	83	37	24	27	18	17
FEMALE--	74	-	3	2	5	3	5	8	5	13	7	3
ALL OTHER--MALE----	589	6	6	2	6	134	167	99	53	32	36	21
FEMALE--	126	9	4	-	7	10	14	16	14	16	15	9
BLACK---MALE----	588	6	6	2	6	134	167	98	53	32	36	21
FEMALE--	125	9	4	-	7	10	14	15	14	16	15	9
INDIANA -----	410	6	5	1	7	59	81	48	35	42	40	25
WHITE-----MALE----	114	2	1	1	5	7	12	13	8	18	14	10
FEMALE--	75	2	3	-	2	6	5	2	9	10	12	4
ALL OTHER--MALE----	180	1	1	-	-	39	56	28	13	10	12	7
FEMALE--	41	1	-	-	-	7	8	5	5	4	2	4
BLACK---MALE----	180	1	1	-	-	39	56	28	13	10	12	7
FEMALE--	40	1	-	-	-	7	8	4	5	4	2	4
IOWA -----	67	1	3	3	-	6	7	10	7	2	6	10
WHITE-----MALE----	23	-	-	-	-	2	2	2	2	1	1	6
FEMALE--	31	1	3	3	-	3	4	3	3	1	1	4
ALL OTHER--MALE----	11	-	-	-	-	1	1	3	2	-	4	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	9	-	-	-	-	1	-	3	1	-	4	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	158	2	11	2	3	26	33	14	15	18	14	10
WHITE-----MALE----	63	1	4	1	-	7	12	3	5	10	6	6
FEMALE--	27	-	4	1	-	2	3	5	-	4	4	3
ALL OTHER--MALE----	53	1	1	-	1	14	15	5	9	4	2	-
FEMALE--	15	-	2	-	2	3	3	1	1	-	2	1
BLACK---MALE----	51	1	1	-	1	14	15	4	8	4	2	-
FEMALE--	14	-	2	-	1	3	3	1	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,109

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
KENTUCKY -----	253	4	4	1	3	20	27	31	30	33	28	30
WHITE-----MALE----	132	2	1	-	1	9	8	17	16	19	17	17
FEMALE--	55	1	-	-	2	3	7	6	9	3	6	5
ALL OTHER--MALE----	55	-	3	1	-	6	11	8	5	10	4	4
FEMALE--	11	1	-	-	-	2	1	-	-	1	1	4
BLACK---MALE----	53	-	3	1	-	6	11	8	5	9	4	4
FEMALE--	11	1	-	-	-	2	1	-	-	1	1	4
LOUISIANA -----	596	7	9	1	8	74	122	82	71	70	49	33
WHITE-----MALE----	104	-	-	-	2	6	12	13	13	11	13	9
FEMALE--	54	-	1	-	3	5	6	6	6	7	7	2
ALL OTHER--MALE----	370	1	5	1	1	61	89	53	44	41	26	18
FEMALE--	68	6	3	-	2	2	15	10	8	11	3	4
BLACK---MALE----	366	1	5	1	-	61	89	53	43	41	26	18
FEMALE--	66	6	3	-	2	2	15	10	6	11	3	4
MAINE -----	28	2	4	-	-	2	2	-	5	3	4	1
WHITE-----MALE----	11	1	2	-	-	1	-	-	1	2	2	-
FEMALE--	17	1	2	-	-	1	2	-	4	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	580	2	14	4	7	99	114	92	73	66	40	15
WHITE-----MALE----	68	1	2	-	1	8	10	6	9	10	5	1
FEMALE--	41	-	3	1	1	3	1	2	5	6	2	2
ALL OTHER--MALE----	402	1	3	3	5	78	91	75	50	39	28	11
FEMALE--	69	-	6	-	-	10	12	9	9	11	5	1
BLACK---MALE----	395	1	3	2	5	76	91	74	49	39	27	11
FEMALE--	67	-	6	-	-	9	12	8	9	11	5	1
MASSACHUSETTS -----	124	3	3	-	1	22	24	17	14	16	6	5
WHITE-----MALE----	66	2	1	-	-	12	14	8	6	8	3	5
FEMALE--	16	1	1	-	-	-	2	2	2	3	1	-
ALL OTHER--MALE----	38	-	1	-	1	10	7	7	5	3	2	-
FEMALE--	4	-	-	-	-	-	1	-	1	2	-	-
BLACK---MALE----	37	-	1	-	-	10	7	7	5	3	2	-
FEMALE--	4	-	-	-	-	-	1	-	1	2	-	-
MICHIGAN -----	774	18	23	13	14	85	129	127	81	66	62	45
WHITE-----MALE----	149	3	3	4	3	19	15	12	10	12	12	8
FEMALE--	86	4	4	3	4	5	7	9	10	5	6	7
ALL OTHER--MALE----	434	6	12	3	3	52	97	90	45	36	35	25
FEMALE--	105	5	4	3	4	9	10	16	16	13	9	5
BLACK---MALE----	426	6	12	3	3	52	97	90	45	35	32	23
FEMALE--	103	5	4	3	4	9	10	16	16	12	9	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,109

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
KENTUCKY -----	12	12	6	1	4	5	1	-	1	-	-	-
WHITE-----MALE----	8	7	4	-	2	2	1	-	1	-	-	-
FEMALE--	3	3	2	1	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	21	15	11	7	9	4	2	-	1	-	-	-
WHITE-----MALE----	7	5	2	5	3	-	2	-	1	-	-	-
FEMALE--	4	3	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	7	6	1	5	3	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	7	6	1	4	2	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	2	1	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	10	2	4	7	5	7	2	2	-	-	1
WHITE-----MALE----	3	5	-	1	1	-	4	1	-	-	-	-
FEMALE--	4	1	-	1	2	2	2	1	1	-	-	1
ALL OTHER--MALE----	6	4	1	2	2	2	-	-	1	-	-	-
FEMALE--	1	-	1	-	2	1	1	-	-	-	-	-
BLACK---MALE----	6	3	1	2	2	2	-	-	1	-	-	-
FEMALE--	1	-	1	-	2	1	1	-	-	-	-	-
MASSACHUSETTS -----	4	3	-	1	2	2	-	1	-	-	-	-
WHITE-----MALE----	1	3	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	32	18	16	10	11	8	8	5	-	1	-	2
WHITE-----MALE----	13	7	8	4	6	4	4	1	-	-	-	1
FEMALE--	6	1	3	2	3	-	2	4	-	1	-	-
ALL OTHER--MALE----	12	8	4	3	-	2	-	-	-	-	-	1
FEMALE--	1	2	1	1	2	2	2	-	-	-	-	-
BLACK---MALE----	12	7	3	3	-	2	-	-	-	-	-	1
FEMALE--	1	2	1	1	2	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,110
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
MINNESOTA -----	119	1	5	7	3	18	21	12	14	12	10	6
WHITE-----MALE----	35	-	2	2	-	5	6	1	4	5	4	3
FEMALE--	24	-	2	-	-	3	2	3	3	2	3	1
ALL OTHER--MALE----	50	1	1	2	2	10	12	8	5	3	3	1
FEMALE--	10	-	-	3	1	-	1	-	2	2	-	1
BLACK---MALE----	40	-	1	-	-	10	11	6	4	3	2	1
FEMALE--	5	-	-	-	-	-	1	-	2	1	-	1
MISSISSIPPI -----	358	6	8	2	6	23	61	50	31	43	38	25
WHITE-----MALE----	81	1	1	-	2	2	7	9	6	15	10	8
FEMALE--	36	2	1	1	-	3	2	4	-	5	3	4
ALL OTHER--MALE----	191	3	1	-	3	15	43	29	22	18	21	11
FEMALE--	50	-	5	1	1	3	9	8	3	5	4	2
BLACK---MALE----	186	3	1	-	3	15	43	28	22	18	20	9
FEMALE--	50	-	5	1	1	3	9	8	3	5	4	2
MISSOURI -----	428	12	10	6	11	55	53	70	44	37	50	24
WHITE-----MALE----	107	4	-	1	-	6	13	9	14	10	12	11
FEMALE--	67	4	-	2	5	4	5	8	3	10	10	1
ALL OTHER--MALE----	216	4	7	2	4	39	33	51	24	13	22	7
FEMALE--	38	-	3	1	2	6	2	2	3	4	6	5
BLACK---MALE----	212	4	7	2	4	39	31	50	23	13	22	7
FEMALE--	36	-	3	1	2	6	2	2	3	4	6	5
MONTANA -----	27	2	1	-	-	4	4	-	4	-	4	3
WHITE-----MALE----	13	-	1	-	-	1	2	-	1	-	3	3
FEMALE--	6	2	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	2	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	56	2	2	-	-	14	7	7	4	1	7	4
WHITE-----MALE----	23	-	1	-	-	7	2	3	2	-	4	1
FEMALE--	13	-	1	-	-	-	2	1	-	-	2	2
ALL OTHER--MALE----	16	-	-	-	-	7	2	2	2	1	1	1
FEMALE--	4	2	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	14	-	-	-	-	7	1	2	1	1	1	1
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
NEVADA -----	172	7	3	-	4	26	19	25	21	20	20	4
WHITE-----MALE----	88	4	1	-	3	12	11	9	14	11	13	2
FEMALE--	23	3	1	-	1	1	2	3	3	2	1	1
ALL OTHER--MALE----	49	-	1	-	-	11	6	8	4	7	6	-
FEMALE--	12	-	-	-	-	2	-	5	-	-	-	1
BLACK---MALE----	44	-	1	-	-	11	5	6	4	7	6	-
FEMALE--	10	-	-	-	-	2	-	5	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,110

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
MINNESOTA -----	2	1	1	1	1	1	3	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	13	10	11	6	7	10	2	2	1	3	-	-
WHITE-----MALE----	3	6	3	1	2	4	-	1	-	-	-	-
FEMALE--	-	1	3	2	1	-	2	1	-	1	-	-
ALL OTHER--MALE----	9	3	4	2	2	3	-	-	-	2	-	-
FEMALE--	1	-	1	1	2	3	-	-	1	-	-	-
BLACK---MALE----	9	3	4	2	2	2	-	-	-	2	-	-
FEMALE--	1	-	1	1	2	3	-	-	1	-	-	-
MISSOURI -----	20	8	11	6	4	3	-	2	1	-	-	1
WHITE-----MALE----	11	4	4	4	1	2	-	1	-	-	-	-
FEMALE--	1	3	4	2	3	-	-	1	1	-	-	-
ALL OTHER--MALE----	6	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MONTANA -----	3	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	3	1	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	5	3	4	2	3	2	-	2	-	1	-	1
WHITE-----MALE----	1	3	3	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	1	1	-	-	1	-	1	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,112
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
OHIO -----	446	17	13	6	8	53	74	51	46	60	44	18
WHITE-----MALE----	106	2	5	-	1	10	6	10	15	16	14	6
FEMALE--	89	9	3	4	1	7	6	5	12	13	9	4
ALL OTHER--MALE----	211	5	3	-	5	35	58	30	15	25	13	3
FEMALE--	40	1	2	2	1	1	4	6	4	6	8	5
BLACK---MALE----	210	5	3	-	5	35	58	30	15	25	13	3
FEMALE--	38	1	1	2	1	1	4	5	4	6	8	5
OKLAHOMA -----	232	2	6	3	6	23	29	33	29	30	18	17
WHITE-----MALE----	119	1	1	-	5	10	10	13	18	20	11	9
FEMALE--	35	-	3	-	-	3	2	6	3	4	3	4
ALL OTHER--MALE----	61	1	1	2	1	9	14	10	6	4	3	4
FEMALE--	17	-	1	1	-	1	3	4	2	2	1	-
BLACK---MALE----	43	-	1	1	1	7	11	7	5	1	2	2
FEMALE--	7	-	1	-	-	1	2	2	-	-	1	-
OREGON -----	146	1	2	2	3	13	18	25	15	20	16	8
WHITE-----MALE----	85	1	1	1	2	6	8	13	12	13	8	7
FEMALE--	44	-	1	1	1	1	6	8	2	7	7	1
ALL OTHER--MALE----	15	-	-	-	-	6	4	2	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	12	-	-	-	-	6	3	1	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
PENNSYLVANIA -----	637	9	15	10	11	72	153	71	67	62	42	37
WHITE-----MALE----	177	3	3	4	4	20	26	25	14	16	12	12
FEMALE--	93	1	3	3	-	4	15	7	12	8	10	6
ALL OTHER--MALE----	309	4	6	1	3	44	102	34	36	31	16	14
FEMALE--	58	1	3	2	4	4	10	5	5	7	4	5
BLACK---MALE----	301	4	5	1	3	41	99	33	36	31	16	14
FEMALE--	50	1	3	2	1	4	10	4	5	5	3	4
RHODE ISLAND -----	24	2	-	-	-	5	4	2	3	2	6	-
WHITE-----MALE----	9	-	-	-	-	2	2	-	2	1	2	-
FEMALE--	5	1	-	-	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	8	1	-	-	-	3	2	1	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	6	-	-	-	-	2	2	1	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
SOUTH CAROLINA -----	354	5	8	4	2	30	62	48	40	34	36	17
WHITE-----MALE----	96	2	1	-	1	2	14	13	13	9	9	3
FEMALE--	50	-	2	1	1	3	5	4	7	6	8	3
ALL OTHER--MALE----	164	2	4	1	-	21	38	26	15	10	14	10
FEMALE--	44	1	1	2	-	4	5	5	5	9	5	1
BLACK---MALE----	163	2	4	1	-	21	38	26	15	10	14	9
FEMALE--	44	1	1	2	-	4	5	5	5	9	5	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,112

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
OHIO -----	19	18	4	5	2	2	4	2	-	-	-	-
WHITE-----MALE----	9	4	2	1	-	1	3	1	-	-	-	-
FEMALE--	4	7	-	2	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	6	7	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	7	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	10	6	4	4	4	-	3	4	-	-	-	1
WHITE-----MALE----	7	3	4	2	2	-	1	1	-	-	-	1
FEMALE--	-	2	-	-	1	-	1	3	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	8	3	4	1	1	2	-	1	-	-	2
WHITE-----MALE----	-	5	3	1	-	-	2	-	-	-	-	2
FEMALE--	1	2	-	3	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	26	18	5	11	7	10	5	5	1	-	-	-
WHITE-----MALE----	11	8	2	4	4	5	3	1	-	-	-	-
FEMALE--	4	3	3	5	2	2	1	3	1	-	-	-
ALL OTHER--MALE----	8	5	-	2	-	2	-	1	-	-	-	-
FEMALE--	3	2	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	8	5	-	2	-	2	-	1	-	-	-	-
FEMALE--	3	2	-	-	1	1	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	27	12	9	4	7	3	6	-	-	-	-	-
WHITE-----MALE----	10	3	4	3	4	2	3	-	-	-	-	-
FEMALE--	2	3	2	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	13	3	3	1	1	-	2	-	-	-	-	-
FEMALE--	2	3	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	13	3	3	1	1	-	2	-	-	-	-	-
FEMALE--	2	3	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,113

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
SOUTH DAKOTA -----	10	-	-	-	-	3	1	-	1	-	1	2
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	492	4	6	4	3	51	88	63	58	49	53	36
WHITE-----MALE----	172	1	2	1	1	11	25	17	23	20	18	15
FEMALE--	62	-	1	1	-	1	6	5	7	7	11	6
ALL OTHER--MALE----	207	1	-	1	2	37	47	34	22	19	18	11
FEMALE--	51	2	3	1	-	2	10	7	6	3	6	4
BLACK---MALE----	205	1	-	1	2	37	47	34	21	19	18	11
FEMALE--	49	2	3	1	-	2	10	6	6	3	6	3
TEXAS -----	1,453	36	30	14	19	187	229	201	166	187	135	68
WHITE-----MALE----	785	17	9	5	11	96	122	106	103	105	78	34
FEMALE--	216	10	7	5	3	16	18	25	22	33	24	10
ALL OTHER--MALE----	355	4	8	2	4	62	74	56	30	38	23	22
FEMALE--	97	5	6	2	1	13	15	14	11	11	10	2
BLACK---MALE----	333	4	8	2	4	54	71	53	30	35	22	21
FEMALE--	88	4	5	2	1	11	14	14	10	11	9	1
UTAH -----	64	1	4	-	3	10	7	8	6	7	4	6
WHITE-----MALE----	33	-	1	-	1	5	4	6	1	6	2	2
FEMALE--	23	1	3	-	2	4	2	1	2	1	1	3
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
VERMONT -----	10	-	-	-	-	1	-	-	2	-	1	3
WHITE-----MALE----	6	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
VIRGINIA -----	446	11	9	3	4	50	62	68	49	55	48	25
WHITE-----MALE----	112	2	2	-	-	9	9	12	9	18	24	10
FEMALE--	64	4	-	-	1	1	3	8	7	8	8	5
ALL OTHER--MALE----	219	3	3	2	2	36	48	40	23	20	13	8
FEMALE--	51	2	4	1	1	4	2	8	10	9	3	2
BLACK---MALE----	215	3	3	1	2	36	48	40	22	19	13	8
FEMALE--	48	2	4	-	-	4	2	8	10	8	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,113

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
SOUTH DAKOTA -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21	18	17	4	4	4	4	2	-	-	-	3
WHITE-----MALE----	14	9	7	2	2	1	2	1	-	-	-	-
FEMALE--	-	5	3	2	1	1	2	1	-	-	-	2
ALL OTHER--MALE----	4	3	6	-	1	1	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	1
BLACK---MALE----	4	2	6	-	1	1	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	1
TEXAS -----	64	33	24	17	12	11	7	7	2	1	-	3
WHITE-----MALE----	36	16	14	11	8	5	2	3	-	1	-	3
FEMALE--	12	5	4	2	3	6	5	4	2	-	-	-
ALL OTHER--MALE----	15	11	4	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	3	-	-	-	-	-	-	-	-
BLACK---MALE----	13	10	4	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	3	-	-	-	-	-	-	-	-
UTAH -----	1	2	1	1	-	1	1	-	-	-	-	1
WHITE-----MALE----	1	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	6	9	7	7	5	2	-	1	-	-	-
WHITE-----MALE----	8	2	2	2	2	1	-	-	-	-	-	-
FEMALE--	8	-	3	3	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	8	3	3	1	1	3	1	-	1	-	-	-
FEMALE--	1	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	8	3	3	1	1	2	1	-	1	-	-	-
FEMALE--	1	1	1	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,115

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
UNITED STATES --	1,047	3	11	10	21	163	192	168	121	121	89	49
WHITE-----MALE----	405	2	4	1	10	63	60	56	53	54	30	26
FEMALE--	162	1	4	6	3	16	16	15	13	22	16	10
ALL OTHER--MALE----	416	-	3	1	6	74	108	84	48	33	37	10
FEMALE--	64	-	-	2	2	10	8	13	7	12	6	3
BLACK---MALE----	394	-	2	1	6	70	106	80	45	31	34	8
FEMALE--	56	-	-	2	2	9	6	12	5	11	5	3
ALABAMA -----	33	-	2	-	1	4	8	4	4	3	1	3
WHITE-----MALE----	8	-	1	-	-	-	2	1	1	-	-	1
FEMALE--	3	-	1	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	19	-	-	-	1	3	6	2	3	2	1	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	19	-	-	-	1	3	6	2	3	2	1	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	-	1	-	-	-	2	1	-	2	1	-
WHITE-----MALE----	4	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	321	1	2	4	5	63	68	49	45	28	12	15
WHITE-----MALE----	177	1	1	-	5	37	35	31	26	17	7	9
FEMALE--	46	-	1	3	-	7	5	1	4	5	2	2
ALL OTHER--MALE----	88	-	-	-	-	17	26	16	13	4	3	4
FEMALE--	10	-	-	1	-	2	2	1	2	2	-	-
BLACK---MALE----	76	-	-	-	-	14	26	13	11	3	3	2
FEMALE--	7	-	-	1	-	2	-	1	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,116

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
COLORADO -----	3	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	25	-	3	-	2	2	3	2	2	3	1	1
WHITE-----MALE----	10	-	-	-	1	-	1	-	-	2	-	1
FEMALE--	6	-	2	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	8	-	1	-	-	1	2	-	2	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	1	-	-	1	2	-	2	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	7	-	-	-	-	-	-	3	-	3	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,117

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
HAWAII -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	47	-	1	1	1	7	5	9	5	5	9	1
WHITE-----MALE----	11	-	1	-	-	3	1	-	2	2	1	-
FEMALE--	9	-	-	1	1	-	-	1	-	1	2	1
ALL OTHER--MALE----	22	-	-	-	-	4	4	7	3	1	3	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	3	-
BLACK---MALE----	22	-	-	-	-	4	4	7	3	1	3	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	3	-
INDIANA -----	13	-	-	-	1	-	5	1	1	1	1	1
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	4	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	4	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
IOWA -----	21	-	-	-	-	3	4	2	2	-	2	4
WHITE-----MALE----	8	-	-	-	-	-	2	1	1	-	-	2
FEMALE--	9	-	-	-	-	2	2	-	1	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	16	-	-	-	-	3	3	1	5	2	1	-
WHITE-----MALE----	7	-	-	-	-	1	1	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	2	1	1	3	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	2	1	1	3	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,119

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
MINNESOTA -----	2	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	57	-	-	1	1	6	11	8	10	10	6	3
WHITE-----MALE----	8	-	-	-	-	1	-	-	2	2	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	43	-	-	-	-	5	11	6	7	7	4	2
FEMALE--	6	-	-	1	1	-	-	2	1	1	-	-
BLACK---MALE----	43	-	-	-	-	5	11	6	7	7	4	2
FEMALE--	6	-	-	1	1	-	-	2	1	1	-	-
MISSOURI -----	90	-	1	1	1	10	17	21	7	9	9	8
WHITE-----MALE----	26	-	-	-	-	1	4	2	5	4	3	4
FEMALE--	11	-	-	-	-	1	2	1	-	2	1	1
ALL OTHER--MALE----	51	-	1	1	1	7	10	18	2	3	5	3
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	49	-	1	1	1	7	9	18	1	3	5	3
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
MONTANA -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	20	-	-	-	-	5	1	3	4	1	5	-
WHITE-----MALE----	8	-	-	-	-	3	1	-	3	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	1	3	-
FEMALE--	3	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	-	-	-	1	3	-
FEMALE--	3	-	-	-	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,121

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
OHIO -----	10	-	-	-	-	-	-	1	3	2	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	2	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	22	-	-	-	1	-	5	3	1	7	1	2
WHITE-----MALE----	14	-	-	-	1	-	2	1	1	5	1	2
FEMALE--	7	-	-	-	-	-	2	2	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	-	-	2	-	2	1	3	-	-	1	-
WHITE-----MALE----	3	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	-	-	-	-	3	1	2	-	2	1	1
WHITE-----MALE----	4	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	-	2	1	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	1	-	-	2	1	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,122

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
SOUTH DAKOTA -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	26	-	-	1	2	2	3	4	4	3	3	-
WHITE-----MALE----	15	-	-	-	1	1	-	3	4	2	3	-
FEMALE--	8	-	-	1	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	5	-	-	-	-	1	1	1	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	105	-	1	-	2	15	20	21	10	16	9	3
WHITE-----MALE----	18	-	1	-	-	-	-	2	3	5	2	1
FEMALE--	10	-	-	-	-	-	-	2	1	1	3	1
ALL OTHER--MALE----	67	-	-	-	2	15	19	15	5	6	3	-
FEMALE--	10	-	-	-	-	-	1	2	1	4	1	1
BLACK---MALE----	67	-	-	-	2	15	19	15	5	6	3	-
FEMALE--	10	-	-	-	-	-	1	2	1	4	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,124

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
UNITED STATES --	10,751	2	47	50	170	1,707	2,422	1,725	1,217	1,031	839	540
WHITE-----MALE----	3,812	-	13	14	66	568	745	548	441	376	359	222
FEMALE--	1,033	1	11	25	31	85	107	115	121	135	116	89
ALL OTHER--MALE----	5,138	-	14	7	47	957	1,421	940	562	428	298	186
FEMALE--	768	1	9	4	26	97	149	122	93	92	66	43
BLACK---MALE----	4,904	-	13	4	40	906	1,383	904	534	413	277	176
FEMALE--	699	1	9	4	20	90	142	114	85	82	61	36
ALABAMA -----	293	-	-	1	2	37	58	47	22	34	33	22
WHITE-----MALE----	72	-	-	-	-	6	11	7	6	8	13	5
FEMALE--	35	-	-	-	1	3	1	2	4	7	5	7
ALL OTHER--MALE----	153	-	-	1	1	28	37	32	8	14	11	7
FEMALE--	33	-	-	-	-	-	9	6	4	5	4	3
BLACK---MALE----	151	-	-	1	1	27	37	31	8	14	11	7
FEMALE--	33	-	-	-	-	-	9	6	4	5	4	3
ALASKA -----	28	-	-	1	-	2	3	3	4	2	4	4
WHITE-----MALE----	15	-	-	-	-	1	1	2	2	1	1	4
FEMALE--	6	-	-	-	-	-	-	-	2	1	2	-
ALL OTHER--MALE----	6	-	-	1	-	1	1	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	284	-	-	2	6	40	74	47	38	23	26	10
WHITE-----MALE----	182	-	-	-	1	23	53	31	25	14	16	7
FEMALE--	43	-	-	2	3	7	6	5	6	4	4	-
ALL OTHER--MALE----	50	-	-	-	2	7	12	9	7	5	5	3
FEMALE--	9	-	-	-	-	3	3	2	-	-	1	-
BLACK---MALE----	34	-	-	-	1	5	10	4	3	5	4	2
FEMALE--	5	-	-	-	-	1	2	1	-	-	1	-
ARKANSAS -----	154	-	1	2	11	22	28	14	14	21	18	10
WHITE-----MALE----	50	-	-	1	2	5	4	4	6	10	8	4
FEMALE--	26	-	1	1	6	2	4	1	2	2	3	2
ALL OTHER--MALE----	64	-	-	-	3	13	20	8	5	6	3	3
FEMALE--	14	-	-	-	-	2	-	1	1	3	4	1
BLACK---MALE----	64	-	-	-	3	13	20	8	5	6	3	3
FEMALE--	13	-	-	-	-	1	-	1	1	3	4	1
CALIFORNIA -----	1,252	-	6	3	25	263	309	182	142	105	82	39
WHITE-----MALE----	716	-	3	-	14	166	190	110	79	49	37	21
FEMALE--	102	-	3	3	3	15	16	11	10	12	6	6
ALL OTHER--MALE----	380	-	-	-	7	74	89	56	45	40	33	11
FEMALE--	54	-	-	-	1	8	14	5	8	4	6	1
BLACK---MALE----	302	-	-	-	4	53	74	52	39	33	22	10
FEMALE--	40	-	-	-	1	8	12	4	6	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,125

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
COLORADO -----	109	-	-	1	2	26	19	15	14	7	6	6
WHITE-----MALE----	66	-	-	-	-	17	13	9	6	3	6	3
FEMALE--	18	-	-	1	2	3	-	1	2	3	-	2
ALL OTHER--MALE----	20	-	-	-	-	5	5	4	5	1	-	-
FEMALE--	5	-	-	-	-	1	1	1	1	-	-	1
BLACK---MALE----	17	-	-	-	-	4	5	4	3	1	-	-
FEMALE--	4	-	-	-	-	1	1	-	1	-	-	1
CONNECTICUT -----	90	-	-	-	-	15	25	19	9	8	6	3
WHITE-----MALE----	31	-	-	-	-	4	10	6	1	2	3	2
FEMALE--	5	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	45	-	-	-	-	8	10	10	8	4	3	1
FEMALE--	9	-	-	-	-	2	4	2	-	1	-	-
BLACK---MALE----	44	-	-	-	-	8	10	10	7	4	3	1
FEMALE--	9	-	-	-	-	2	4	2	-	1	-	-
DELAWARE -----	15	-	-	-	-	2	3	3	-	1	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	2	3	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	2	3	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	147	-	1	-	-	26	36	37	16	12	8	2
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	130	-	-	-	-	24	35	31	15	9	8	1
FEMALE--	13	-	1	-	-	2	-	6	1	1	-	1
BLACK---MALE----	130	-	-	-	-	24	35	31	15	9	8	1
FEMALE--	13	-	1	-	-	2	-	6	1	1	-	1
FLORIDA -----	651	-	3	6	7	57	109	102	93	67	64	49
WHITE-----MALE----	250	-	2	2	3	17	27	35	39	24	31	20
FEMALE--	76	-	-	3	-	5	4	6	13	9	8	7
ALL OTHER--MALE----	275	-	1	-	3	28	70	53	32	28	22	19
FEMALE--	50	-	-	1	1	7	8	8	9	6	3	3
BLACK---MALE----	266	-	1	-	3	28	70	50	31	26	21	18
FEMALE--	48	-	-	1	1	7	8	7	9	6	3	2
GEORGIA -----	422	-	-	-	4	57	86	70	62	34	37	30
WHITE-----MALE----	100	-	-	-	3	12	13	14	14	7	13	12
FEMALE--	36	-	-	-	-	5	3	1	4	1	8	6
ALL OTHER--MALE----	248	-	-	-	-	35	64	48	39	19	12	12
FEMALE--	38	-	-	-	1	5	6	7	5	7	4	-
BLACK---MALE----	244	-	-	-	-	34	64	47	38	19	12	11
FEMALE--	36	-	-	-	1	5	6	7	5	6	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,126

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
HAWAII -----	7	-	-	-	-	1	1	-	1	-	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	16	-	-	-	-	3	4	1	-	1	1	2
WHITE-----MALE----	12	-	-	-	-	2	4	1	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	733	-	2	1	21	172	224	116	59	50	29	24
WHITE-----MALE----	213	-	1	1	6	51	63	28	16	15	8	10
FEMALE--	26	-	1	-	3	1	3	3	1	5	2	1
ALL OTHER--MALE----	446	-	-	-	6	112	146	78	39	25	17	10
FEMALE--	48	-	-	-	6	8	12	7	3	5	2	3
BLACK---MALE----	445	-	-	-	6	112	146	77	39	25	17	10
FEMALE--	48	-	-	-	6	8	12	7	3	5	2	3
INDIANA -----	280	-	2	1	4	49	67	37	23	27	24	14
WHITE-----MALE----	69	-	-	1	2	5	10	7	6	11	11	4
FEMALE--	39	-	2	-	2	3	2	1	4	6	7	4
ALL OTHER--MALE----	146	-	-	-	-	36	48	25	10	8	5	5
FEMALE--	26	-	-	-	-	5	7	4	3	2	1	1
BLACK---MALE----	146	-	-	-	-	36	48	25	10	8	5	5
FEMALE--	26	-	-	-	-	5	7	4	3	2	1	1
IOWA -----	18	-	-	2	-	1	1	6	1	1	3	1
WHITE-----MALE----	6	-	-	-	-	1	-	1	-	-	1	1
FEMALE--	5	-	-	2	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	2	1	-	2	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	2	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	92	-	3	2	3	17	27	7	7	9	9	6
WHITE-----MALE----	31	-	1	1	-	4	9	2	2	4	3	4
FEMALE--	13	-	2	1	-	2	2	1	-	1	3	1
ALL OTHER--MALE----	40	-	-	-	1	9	14	4	5	4	2	-
FEMALE--	8	-	-	-	2	2	2	-	-	-	1	1
BLACK---MALE----	38	-	-	-	1	9	14	3	4	4	2	-
FEMALE--	7	-	-	-	1	2	2	-	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,127

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
KENTUCKY -----	165	-	-	-	2	15	22	25	19	21	17	21
WHITE-----MALE----	90	-	-	-	-	6	6	12	12	13	12	14
FEMALE--	30	-	-	-	2	1	5	5	4	3	2	2
ALL OTHER--MALE----	40	-	-	-	-	6	10	8	3	5	2	4
FEMALE--	5	-	-	-	-	2	1	-	-	-	1	1
BLACK---MALE----	39	-	-	-	-	6	10	8	3	5	2	4
FEMALE--	5	-	-	-	-	2	1	-	-	-	1	1
LOUISIANA -----	440	-	2	-	6	65	108	70	53	49	34	19
WHITE-----MALE----	72	-	-	-	2	4	10	11	9	8	13	4
FEMALE--	34	-	-	-	1	4	5	5	2	6	4	1
ALL OTHER--MALE----	299	-	2	-	1	56	84	46	37	31	15	12
FEMALE--	35	-	-	-	2	1	9	8	5	4	2	2
BLACK---MALE----	296	-	2	-	-	56	84	46	36	31	15	12
FEMALE--	33	-	-	-	2	1	9	8	3	4	2	2
MAINE -----	6	-	2	-	-	-	-	-	1	2	-	-
WHITE-----MALE----	4	-	1	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	387	-	1	2	7	79	94	76	56	34	16	5
WHITE-----MALE----	31	-	-	-	1	5	7	4	5	4	1	1
FEMALE--	13	-	-	1	1	1	-	1	3	3	1	-
ALL OTHER--MALE----	315	-	-	1	5	69	81	66	42	24	12	4
FEMALE--	28	-	1	-	-	4	6	5	6	3	2	-
BLACK---MALE----	309	-	-	-	5	67	81	65	41	24	12	4
FEMALE--	26	-	1	-	-	3	6	4	6	3	2	-
MASSACHUSETTS -----	61	-	-	-	1	17	14	11	7	3	3	1
WHITE-----MALE----	26	-	-	-	-	7	6	4	4	2	1	1
FEMALE--	6	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	28	-	-	-	1	10	5	6	2	1	2	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	10	5	6	2	1	2	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	499	-	2	5	5	73	112	99	51	37	34	26
WHITE-----MALE----	83	-	-	2	2	15	13	10	4	4	7	5
FEMALE--	36	-	-	2	1	3	1	4	6	3	3	4
ALL OTHER--MALE----	336	-	1	1	-	49	90	76	35	27	21	15
FEMALE--	44	-	1	-	2	6	8	9	6	3	3	2
BLACK---MALE----	333	-	1	1	-	49	90	76	35	27	19	14
FEMALE--	44	-	1	-	2	6	8	9	6	3	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,127

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
KENTUCKY -----	7	6	5	-	1	3	-	-	1	-	-	-
WHITE-----MALE----	5	3	3	-	1	2	-	-	1	-	-	-
FEMALE--	1	2	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	14	7	5	3	3	1	-	-	1	-	-	-
WHITE-----MALE----	4	2	1	2	1	-	-	-	1	-	-	-
FEMALE--	2	2	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	3	3	-	2	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	3	3	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	5	1	-	3	-	1	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	4	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	20	11	9	4	4	5	-	1	-	-	-	1
WHITE-----MALE----	6	4	5	-	3	2	-	-	-	-	-	1
FEMALE--	3	1	2	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	11	4	2	3	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	11	4	2	3	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,128

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
MINNESOTA -----	53	-	-	-	1	11	14	9	8	3	5	1
WHITE-----MALE----	10	-	-	-	-	3	2	-	1	1	2	-
FEMALE--	5	-	-	-	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	34	-	-	-	1	8	10	6	4	1	3	1
FEMALE--	4	-	-	-	-	-	1	-	2	1	-	-
BLACK---MALE----	29	-	-	-	-	8	9	5	3	1	2	1
FEMALE--	4	-	-	-	-	-	1	-	2	1	-	-
MISSISSIPPI -----	170	-	1	1	3	15	33	27	17	20	17	12
WHITE-----MALE----	42	-	-	-	2	1	3	6	2	8	4	6
FEMALE--	15	-	-	1	-	2	2	2	-	3	1	1
ALL OTHER--MALE----	93	-	-	-	1	9	24	17	13	8	9	4
FEMALE--	20	-	1	-	-	3	4	2	2	1	3	1
BLACK---MALE----	91	-	-	-	1	9	24	16	13	8	9	3
FEMALE--	20	-	1	-	-	3	4	2	2	1	3	1
MISSOURI -----	191	-	3	2	4	30	32	34	22	12	24	9
WHITE-----MALE----	39	-	-	-	-	2	7	4	5	3	6	4
FEMALE--	20	-	-	1	2	-	2	2	1	4	3	-
ALL OTHER--MALE----	118	-	3	-	1	24	22	27	15	4	14	4
FEMALE--	14	-	-	1	1	4	1	1	1	1	1	1
BLACK---MALE----	116	-	3	-	1	24	21	26	15	4	14	4
FEMALE--	13	-	-	1	1	4	1	1	1	1	1	1
MONTANA -----	12	1	-	-	-	2	4	-	1	-	1	1
WHITE-----MALE----	6	-	-	-	-	1	2	-	-	-	1	1
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	33	-	-	-	-	13	4	5	1	1	5	1
WHITE-----MALE----	15	-	-	-	-	6	1	3	-	-	3	1
FEMALE--	5	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	7	1	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	7	1	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	97	-	-	-	4	17	17	17	14	14	7	-
WHITE-----MALE----	55	-	-	-	3	8	10	8	8	9	6	-
FEMALE--	7	-	-	-	1	-	2	1	2	1	-	-
ALL OTHER--MALE----	31	-	-	-	-	9	5	6	4	4	1	-
FEMALE--	4	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	30	-	-	-	-	9	5	6	4	4	1	-
FEMALE--	4	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,128

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
MINNESOTA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	7	4	6	3	1	3	-	-	-	-	-	-
WHITE-----MALE----	2	4	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	4	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
MISSOURI -----	7	4	4	3	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	2	2	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,130

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
OHIO -----	259	-	2	2	5	39	59	36	22	38	20	13
WHITE-----MALE----	49	-	1	-	1	7	2	6	7	7	4	5
FEMALE--	35	-	-	1	-	2	3	1	4	7	7	3
ALL OTHER--MALE----	155	-	1	-	4	29	51	26	10	19	7	1
FEMALE--	20	-	-	1	-	1	3	3	1	5	2	4
BLACK---MALE----	154	-	1	-	4	29	51	26	10	19	7	1
FEMALE--	20	-	-	1	-	1	3	3	1	5	2	4
OKLAHOMA -----	115	-	-	-	6	16	19	20	14	8	11	8
WHITE-----MALE----	58	-	-	-	5	7	7	7	9	5	7	4
FEMALE--	15	-	-	-	-	3	-	4	1	1	1	2
ALL OTHER--MALE----	32	-	-	-	1	6	9	6	3	2	2	2
FEMALE--	10	-	-	-	-	-	3	3	1	-	1	-
BLACK---MALE----	24	-	-	-	1	5	8	4	2	1	1	1
FEMALE--	5	-	-	-	-	-	2	2	-	-	1	-
OREGON -----	66	-	-	-	1	8	9	15	9	6	6	3
WHITE-----MALE----	40	-	-	-	1	4	5	8	7	4	2	2
FEMALE--	15	-	-	-	-	-	1	5	1	2	3	1
ALL OTHER--MALE----	10	-	-	-	-	4	3	1	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	-	-	-	4	2	1	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	427	-	5	2	8	60	128	51	44	45	28	21
WHITE-----MALE----	98	-	-	1	1	16	18	18	5	10	8	6
FEMALE--	33	-	1	1	-	2	5	2	5	4	5	4
ALL OTHER--MALE----	266	-	4	-	3	42	99	27	32	26	13	9
FEMALE--	30	-	-	-	4	-	6	4	2	5	2	2
BLACK---MALE----	259	-	3	-	3	39	96	27	32	26	13	9
FEMALE--	25	-	-	-	1	-	6	4	2	3	2	2
RHODE ISLAND -----	10	-	-	-	-	4	3	-	2	1	-	-
WHITE-----MALE----	5	-	-	-	-	1	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	3	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	222	-	-	1	2	24	49	37	30	20	16	11
WHITE-----MALE----	49	-	-	-	1	1	8	9	9	6	3	1
FEMALE--	31	-	-	-	1	3	4	3	5	4	5	3
ALL OTHER--MALE----	119	-	-	-	-	19	35	23	13	3	5	6
FEMALE--	23	-	-	1	-	1	2	2	3	7	3	1
BLACK---MALE----	118	-	-	-	-	19	35	23	13	3	5	5
FEMALE--	23	-	-	1	-	1	2	2	3	7	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,131

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
SOUTH DAKOTA -----	2	-	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	347	-	2	2	3	46	75	46	45	26	34	25
WHITE-----MALE----	120	-	1	1	1	10	20	12	19	10	13	10
FEMALE--	28	-	-	1	-	-	4	3	3	3	3	4
ALL OTHER--MALE----	169	-	-	-	2	35	42	27	17	12	15	9
FEMALE--	30	-	1	-	-	1	9	4	6	1	3	2
BLACK---MALE----	167	-	-	-	2	35	42	27	16	12	15	9
FEMALE--	29	-	1	-	-	1	9	3	6	1	3	2
TEXAS -----	921	1	3	6	11	150	182	149	110	105	76	38
WHITE-----MALE----	496	-	1	3	7	74	97	76	70	56	45	17
FEMALE--	96	-	-	2	1	8	6	18	11	14	11	7
ALL OTHER--MALE----	266	-	-	1	2	58	67	44	23	27	13	14
FEMALE--	63	1	2	-	1	10	12	11	6	8	7	-
BLACK---MALE----	251	-	-	1	2	50	65	42	23	25	13	14
FEMALE--	58	1	2	-	1	9	11	11	5	8	6	-
UTAH -----	28	-	-	-	2	9	3	5	1	1	1	1
WHITE-----MALE----	18	-	-	-	1	5	3	4	1	1	1	-
FEMALE--	8	-	-	-	1	3	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	190	-	2	1	1	24	31	30	19	22	18	15
WHITE-----MALE----	53	-	1	-	-	5	6	4	3	6	12	7
FEMALE--	25	-	-	-	-	-	2	4	2	6	1	3
ALL OTHER--MALE----	97	-	1	1	-	17	23	19	11	8	4	5
FEMALE--	15	-	-	-	1	2	-	3	3	2	1	-
BLACK---MALE----	94	-	1	-	-	17	23	19	10	7	4	5
FEMALE--	13	-	-	-	-	2	-	3	3	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,131

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	15	13	8	2	1	2	-	-	-	-	-	2
WHITE-----MALE----	10	7	4	1	-	1	-	-	-	-	-	-
FEMALE--	-	3	1	1	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	3	3	3	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	2	3	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	35	19	14	8	5	4	2	2	-	-	-	1
WHITE-----MALE----	22	10	7	4	3	-	1	2	-	-	-	1
FEMALE--	6	1	3	2	1	4	1	-	-	-	-	-
ALL OTHER--MALE----	7	7	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	6	7	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	-	-	-	-	-	-
UTAH -----	1	1	1	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	1	5	3	4	1	-	-	1	-	-	-
WHITE-----MALE----	5	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	4	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	2	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	2	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,133

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
UNITED STATES --	2,087	1	10	12	19	202	266	288	270	293	250	146
WHITE-----MALE----	795	-	3	3	4	91	114	100	99	111	69	55
FEMALE--	324	1	1	3	6	27	34	31	45	41	44	29
ALL OTHER--MALE----	720	-	3	5	6	65	90	115	96	105	98	45
FEMALE--	248	-	3	1	3	19	28	42	30	36	39	17
BLACK---MALE----	667	-	2	5	6	63	80	106	85	99	89	42
FEMALE--	227	-	2	1	3	19	27	35	28	35	33	16
ALABAMA -----	57	-	-	-	-	4	5	7	7	8	7	3
WHITE-----MALE----	19	-	-	-	-	3	2	1	-	2	2	2
FEMALE--	6	-	-	-	-	-	-	-	2	-	2	-
ALL OTHER--MALE----	18	-	-	-	-	-	2	4	3	2	2	1
FEMALE--	14	-	-	-	-	1	1	2	2	4	1	-
BLACK---MALE----	17	-	-	-	-	-	2	3	3	2	2	1
FEMALE--	14	-	-	-	-	1	1	2	2	4	1	-
ALASKA -----	5	-	1	-	-	-	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	-	-	-	-	5	5	5	2	2	2	2
WHITE-----MALE----	17	-	-	-	-	3	4	3	2	-	-	1
FEMALE--	4	-	-	-	-	1	-	1	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	1	1	1	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	31	-	-	1	2	3	2	5	3	4	5	1
WHITE-----MALE----	6	-	-	1	-	-	-	-	2	1	-	1
FEMALE--	3	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	16	-	-	-	1	2	2	2	-	2	4	-
FEMALE--	6	-	-	-	1	1	-	1	1	-	1	-
BLACK---MALE----	16	-	-	-	1	2	2	2	-	2	4	-
FEMALE--	6	-	-	-	1	1	-	1	1	-	1	-
CALIFORNIA -----	259	-	1	1	2	37	41	35	30	37	26	19
WHITE-----MALE----	158	-	1	1	-	30	29	25	17	19	8	12
FEMALE--	33	-	-	-	1	1	4	3	7	4	6	2
ALL OTHER--MALE----	43	-	-	-	1	3	5	4	5	10	7	2
FEMALE--	25	-	-	-	-	3	3	3	1	4	5	3
BLACK---MALE----	35	-	-	-	1	3	4	4	3	8	6	2
FEMALE--	21	-	-	-	-	3	2	2	1	4	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,133

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
UNITED STATES --	77	69	48	40	24	29	24	6	6	1	-	6
WHITE-----MALE----	32	29	26	18	11	10	10	3	2	-	-	5
FEMALE--	12	12	3	7	4	9	11	2	2	-	-	-
ALL OTHER--MALE----	26	26	15	11	4	6	1	1	-	1	-	1
FEMALE--	7	2	4	4	5	4	2	-	2	-	-	-
BLACK---MALE----	26	26	14	11	4	5	1	1	-	1	-	1
FEMALE--	6	2	4	3	5	4	2	-	2	-	-	-
ALABAMA -----	5	2	2	2	2	1	1	1	-	-	-	-
WHITE-----MALE----	3	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	1	-	-	-	1	-	-	-	1
WHITE-----MALE----	1	-	-	1	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	2	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	7	9	6	4	-	4	-	-	-	-	-	-
WHITE-----MALE----	2	7	5	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,134

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
COLORADO -----	26	-	-	1	-	7	2	5	2	1	2	4
WHITE-----MALE----	10	-	-	-	-	4	1	2	1	-	1	-
FEMALE--	9	-	-	1	-	3	1	1	-	1	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	2	1	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	16	-	-	-	-	3	-	3	3	3	2	-
WHITE-----MALE----	7	-	-	-	-	3	-	-	2	-	2	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	2	1	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	27	-	-	-	-	3	3	3	4	4	2	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	3	2	3	4	3	2	1
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	24	-	-	-	-	3	2	3	4	3	2	1
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
FLORIDA -----	96	-	-	-	-	5	5	19	9	12	13	11
WHITE-----MALE----	38	-	-	-	-	1	3	6	5	5	3	4
FEMALE--	23	-	-	-	-	1	1	5	-	2	5	2
ALL OTHER--MALE----	25	-	-	-	-	2	-	4	3	4	3	5
FEMALE--	10	-	-	-	-	1	1	4	1	1	2	-
BLACK---MALE----	25	-	-	-	-	2	-	4	3	4	3	5
FEMALE--	9	-	-	-	-	1	1	4	1	1	1	-
GEORGIA -----	89	-	-	-	-	4	13	15	10	14	14	6
WHITE-----MALE----	20	-	-	-	-	1	3	1	2	2	5	3
FEMALE--	11	-	-	-	-	1	1	2	1	2	1	2
ALL OTHER--MALE----	41	-	-	-	-	1	5	10	6	6	6	1
FEMALE--	17	-	-	-	-	1	4	2	1	4	2	-
BLACK---MALE----	41	-	-	-	-	1	5	10	6	6	6	1
FEMALE--	16	-	-	-	-	1	4	2	1	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,134

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
COLORADO -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	1	1	2	-	1	1	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	2	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	1	6	4	3	3	2	1	-	-	-	-	2
WHITE-----MALE----	-	3	2	1	1	1	1	-	-	-	-	2
FEMALE--	-	1	1	2	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	1	2	1	1	3	1	1	-	-	-	1
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,135

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
HAWAII -----	6	-	-	-	-	-	1	-	2	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	-	-	-	-	-	2	1	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	107	-	1	-	-	11	19	17	10	11	16	6
WHITE-----MALE----	35	-	-	-	-	1	9	5	3	5	5	1
FEMALE--	11	-	-	-	-	-	-	1	2	3	-	-
ALL OTHER--MALE----	45	-	-	-	-	9	9	8	4	2	6	3
FEMALE--	16	-	1	-	-	1	1	3	1	1	5	2
BLACK---MALE----	45	-	-	-	-	9	9	8	4	2	6	3
FEMALE--	16	-	1	-	-	1	1	3	1	1	5	2
INDIANA -----	37	-	-	-	1	1	5	6	4	5	6	1
WHITE-----MALE----	18	-	-	-	1	-	1	4	-	4	1	1
FEMALE--	8	-	-	-	-	1	2	-	2	1	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	2	2	1	-	4	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	2	2	1	-	4	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
IOWA -----	8	-	-	-	-	1	-	1	3	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	1	-	1	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	11	-	-	-	-	2	2	2	2	1	1	-
WHITE-----MALE----	7	-	-	-	-	-	2	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,136

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
KENTUCKY -----	32	-	-	-	-	3	3	3	6	4	7	2
WHITE-----MALE----	16	-	-	-	-	1	2	2	4	2	2	1
FEMALE--	11	-	-	-	-	2	1	1	2	-	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	64	-	-	-	-	3	6	9	12	15	6	4
WHITE-----MALE----	13	-	-	-	-	-	1	2	-	3	-	2
FEMALE--	8	-	-	-	-	1	1	-	3	1	-	1
ALL OTHER--MALE----	30	-	-	-	-	2	2	6	6	5	5	1
FEMALE--	13	-	-	-	-	-	2	1	3	6	1	-
BLACK---MALE----	30	-	-	-	-	2	2	6	6	5	5	1
FEMALE--	13	-	-	-	-	-	2	1	3	6	1	-
MAINE -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	70	-	-	-	-	14	8	7	6	15	9	2
WHITE-----MALE----	9	-	-	-	-	3	2	1	-	1	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	2	-	1
ALL OTHER--MALE----	39	-	-	-	-	6	5	5	4	10	7	1
FEMALE--	14	-	-	-	-	4	1	1	2	2	2	-
BLACK---MALE----	39	-	-	-	-	6	5	5	4	10	7	1
FEMALE--	14	-	-	-	-	4	1	1	2	2	2	-
MASSACHUSETTS -----	29	-	-	-	-	2	6	2	6	6	1	1
WHITE-----MALE----	16	-	-	-	-	2	5	1	2	3	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	1	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	62	-	-	-	1	4	6	9	7	8	11	4
WHITE-----MALE----	15	-	-	-	-	1	-	-	2	2	1	1
FEMALE--	8	-	-	-	-	-	3	2	-	1	1	-
ALL OTHER--MALE----	28	-	-	-	-	2	3	6	4	1	7	3
FEMALE--	11	-	-	-	1	1	-	1	1	4	2	-
BLACK---MALE----	27	-	-	-	-	2	3	6	4	1	6	3
FEMALE--	11	-	-	-	1	1	-	1	1	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,136

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
KENTUCKY -----	1	2	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	2	-	3	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	-	-	-	1	-	4	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MASSACHUSETTS -----	2	2	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	3	1	3	-	-	1	-	-	-	-	-
WHITE-----MALE----	2	2	-	3	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,137

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
MINNESOTA -----	19	-	-	-	-	4	4	2	2	5	-	1
WHITE-----MALE----	8	-	-	-	-	1	2	1	1	2	-	1
FEMALE--	3	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	2	1	1	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	2	1	1	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	55	-	-	-	2	1	10	11	3	5	11	3
WHITE-----MALE----	9	-	-	-	-	-	-	1	2	1	4	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	31	-	-	-	2	1	6	6	1	2	6	2
FEMALE--	11	-	-	-	-	-	4	3	-	2	-	-
BLACK---MALE----	30	-	-	-	2	1	6	6	1	2	5	2
FEMALE--	11	-	-	-	-	-	4	3	-	2	-	-
MISSOURI -----	43	-	1	-	1	7	1	5	5	6	6	2
WHITE-----MALE----	9	-	-	-	-	1	1	-	2	1	1	-
FEMALE--	10	-	-	-	1	1	-	3	-	1	3	-
ALL OTHER--MALE----	18	-	-	-	-	4	-	2	3	4	1	-
FEMALE--	6	-	1	-	-	1	-	-	-	-	1	2
BLACK---MALE----	18	-	-	-	-	4	-	2	3	4	1	-
FEMALE--	5	-	1	-	-	1	-	-	-	-	1	2
MONTANA -----	4	-	-	-	-	1	-	-	2	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	-	-	-	-	1	-	2	2	-	-	3
WHITE-----MALE----	3	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	12	-	-	-	-	-	1	2	-	2	2	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,139

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
OHIO -----	56	-	1	1	-	7	6	4	11	8	8	1
WHITE-----MALE----	15	-	-	-	-	1	1	1	5	4	1	-
FEMALE--	13	-	-	1	-	2	2	1	2	1	2	-
ALL OTHER--MALE----	21	-	-	-	-	4	3	1	3	3	1	1
FEMALE--	7	-	1	-	-	-	-	1	1	-	4	-
BLACK---MALE----	21	-	-	-	-	4	3	1	3	3	1	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	4	-
OKLAHOMA -----	18	-	-	1	-	-	1	-	3	3	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	3	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	1	-	-	1	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	19	-	-	1	-	2	2	4	2	3	3	-
WHITE-----MALE----	11	-	-	1	-	1	1	2	2	1	2	-
FEMALE--	5	-	-	-	-	-	1	-	-	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	58	-	1	2	2	5	11	9	7	6	2	5
WHITE-----MALE----	17	-	-	-	2	2	2	3	2	1	1	2
FEMALE--	11	-	-	-	-	1	4	1	2	-	1	-
ALL OTHER--MALE----	20	-	1	1	-	-	3	5	2	3	-	2
FEMALE--	10	-	-	1	-	2	2	-	1	2	-	1
BLACK---MALE----	19	-	1	1	-	-	3	4	2	3	-	2
FEMALE--	10	-	-	1	-	2	2	-	1	2	-	1
RHODE ISLAND -----	6	-	-	-	-	1	-	2	1	1	1	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	39	-	-	-	-	1	6	6	5	4	5	3
WHITE-----MALE----	12	-	-	-	-	-	3	2	1	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	1	2	2	4	4	3
FEMALE--	6	-	-	-	-	1	1	2	1	-	-	-
BLACK---MALE----	19	-	-	-	-	-	1	2	2	4	4	3
FEMALE--	6	-	-	-	-	1	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,139

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
OHIO -----	1	5	2	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	2	1	1	-	-	3	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	1	2	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,140

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
SOUTH DAKOTA -----	3	-	-	-	-	-	1	-	1	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	55	-	-	1	-	2	5	7	8	9	8	7
WHITE-----MALE----	19	-	-	-	-	-	2	2	3	5	-	3
FEMALE--	10	-	-	-	-	-	-	-	1	1	5	2
ALL OTHER--MALE----	20	-	-	1	-	2	3	3	4	3	2	-
FEMALE--	6	-	-	-	-	-	-	2	-	-	1	2
BLACK---MALE----	20	-	-	1	-	2	3	3	4	3	2	-
FEMALE--	5	-	-	-	-	-	-	2	-	-	1	1
TEXAS -----	145	-	1	-	1	13	19	16	20	28	15	9
WHITE-----MALE----	86	-	1	-	-	11	11	8	12	19	5	6
FEMALE--	25	-	-	-	1	1	3	-	6	3	4	2
ALL OTHER--MALE----	27	-	-	-	-	-	3	8	2	5	4	1
FEMALE--	7	-	-	-	-	1	2	-	-	1	2	-
BLACK---MALE----	26	-	-	-	-	-	3	8	2	5	4	-
FEMALE--	7	-	-	-	-	1	2	-	-	1	2	-
UTAH -----	6	-	-	-	1	-	1	-	1	2	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	57	1	1	1	-	7	6	9	8	5	8	3
WHITE-----MALE----	16	-	-	-	-	4	1	3	1	2	3	1
FEMALE--	8	1	-	-	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	24	-	1	1	-	3	3	3	3	2	3	1
FEMALE--	9	-	-	-	-	-	1	2	4	1	1	-
BLACK---MALE----	24	-	1	1	-	3	3	3	3	2	3	1
FEMALE--	9	-	-	-	-	-	1	2	4	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,142

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	4,008	316	331	98	77	211	268	302	356	429	397	298
WHITE-----MALE----	1,467	100	84	26	18	82	110	101	120	160	144	116
FEMALE--	1,010	83	79	20	30	54	65	83	93	99	98	49
ALL OTHER--MALE----	899	70	99	27	15	44	54	60	70	79	102	88
FEMALE--	632	63	69	25	14	31	39	58	73	91	53	45
BLACK---MALE----	784	62	92	23	14	38	49	49	59	71	93	77
FEMALE--	562	60	67	18	12	27	35	48	69	80	48	37
ALABAMA -----	70	1	9	2	-	3	4	4	9	4	8	3
WHITE-----MALE----	18	1	3	-	-	-	-	-	2	1	4	-
FEMALE--	15	-	2	-	-	1	1	3	3	-	1	1
ALL OTHER--MALE----	18	-	2	2	-	2	2	-	1	1	1	1
FEMALE--	19	-	2	-	-	-	1	1	3	2	2	1
BLACK---MALE----	18	-	2	2	-	2	2	-	1	1	1	1
FEMALE--	19	-	2	-	-	-	1	1	3	2	2	1
ALASKA -----	14	-	1	-	-	-	-	2	2	3	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ARIZONA -----	102	5	6	2	2	6	14	10	12	8	12	9
WHITE-----MALE----	43	4	3	1	1	2	3	4	4	5	5	4
FEMALE--	27	-	2	1	-	1	5	3	4	1	2	1
ALL OTHER--MALE----	24	1	1	-	-	3	4	-	4	1	4	4
FEMALE--	8	-	-	-	1	-	2	3	-	1	1	-
BLACK---MALE----	3	1	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
ARKANSAS -----	42	3	3	-	-	-	2	2	5	5	3	9
WHITE-----MALE----	19	2	1	-	-	-	1	1	3	1	1	3
FEMALE--	5	1	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	11	-	2	-	-	-	-	-	1	2	2	4
FEMALE--	7	-	-	-	-	-	-	1	1	1	-	1
BLACK---MALE----	11	-	2	-	-	-	-	-	1	2	2	4
FEMALE--	7	-	-	-	-	-	-	1	1	1	-	1
CALIFORNIA -----	512	35	39	11	14	29	36	44	43	57	44	40
WHITE-----MALE----	242	14	13	4	4	17	22	19	22	26	19	19
FEMALE--	129	8	10	3	7	8	9	13	10	14	9	8
ALL OTHER--MALE----	93	8	11	2	3	1	3	9	7	10	10	9
FEMALE--	48	5	5	2	-	3	2	3	4	7	6	4
BLACK---MALE----	64	6	10	1	3	1	2	7	5	6	8	6
FEMALE--	34	5	4	2	-	2	1	3	4	5	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,143

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	47	10	9	1	1	1	3	4	1	5	6	2
WHITE-----MALE----	21	5	4	1	-	-	2	3	1	2	1	1
FEMALE--	17	4	3	-	1	1	-	1	-	2	2	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	7	1	1	-	-	-	1	-	-	1	2	1
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	1	-	-	-	1	-	-	1	1	1
CONNECTICUT -----	36	-	2	2	1	2	2	3	1	5	6	2
WHITE-----MALE----	15	-	-	1	-	2	1	1	-	2	2	1
FEMALE--	9	-	1	-	1	-	-	1	1	-	2	-
ALL OTHER--MALE----	5	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	7	-	1	-	-	-	-	1	-	3	1	1
BLACK---MALE----	5	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	6	-	1	-	-	-	-	1	-	3	1	-
DELAWARE -----	10	2	1	-	-	-	2	-	2	1	1	-
WHITE-----MALE----	3	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	-	1	-	-
DISTRICT OF COLUMBIA ----	35	6	2	-	-	2	-	2	4	1	3	6
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	21	2	1	-	-	-	-	2	3	1	1	5
FEMALE--	12	4	1	-	-	2	-	-	1	-	-	1
BLACK---MALE----	21	2	1	-	-	-	-	2	3	1	1	5
FEMALE--	12	4	1	-	-	2	-	-	1	-	-	1
FLORIDA -----	289	9	19	8	4	16	22	15	25	35	39	28
WHITE-----MALE----	127	3	4	3	1	7	9	6	11	13	22	13
FEMALE--	75	2	3	2	2	4	3	3	10	13	9	6
ALL OTHER--MALE----	46	2	4	2	-	2	3	1	2	4	5	7
FEMALE--	41	2	8	1	1	3	7	5	2	5	3	2
BLACK---MALE----	44	2	4	2	-	2	3	1	2	4	5	6
FEMALE--	39	2	8	1	1	2	7	4	2	5	3	2
GEORGIA -----	146	14	11	2	4	4	7	15	17	15	18	10
WHITE-----MALE----	38	6	1	1	1	1	2	2	4	3	4	3
FEMALE--	26	2	-	-	-	2	2	3	5	2	3	2
ALL OTHER--MALE----	47	-	8	1	2	-	3	3	4	5	6	3
FEMALE--	35	6	2	-	1	1	-	7	4	5	5	2
BLACK---MALE----	47	-	8	1	2	-	3	3	4	5	6	3
FEMALE--	35	6	2	-	1	1	-	7	4	5	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,144

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	11	2	-	-	-	-	1	1	1	2	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
IDAHO -----	9	3	1	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	5	2	-	-	-	-	-	1	-	1	1	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	211	19	13	6	3	17	18	16	19	21	20	18
WHITE-----MALE----	61	4	2	3	1	8	10	4	2	4	2	6
FEMALE--	28	-	2	1	1	2	2	3	2	4	3	1
ALL OTHER--MALE----	65	6	6	2	-	6	5	4	5	4	10	7
FEMALE--	57	9	3	-	1	1	1	5	10	9	5	4
BLACK---MALE----	65	6	6	2	-	6	5	4	5	4	10	7
FEMALE--	56	9	3	-	1	1	1	4	10	9	5	4
INDIANA -----	74	6	3	-	1	7	4	3	7	8	8	9
WHITE-----MALE----	22	2	1	-	1	2	1	1	2	2	-	5
FEMALE--	24	2	1	-	-	2	1	1	2	3	4	-
ALL OTHER--MALE----	16	1	1	-	-	1	2	-	2	1	3	2
FEMALE--	12	1	-	-	-	2	-	1	1	2	1	2
BLACK---MALE----	16	1	1	-	-	1	2	-	2	1	3	2
FEMALE--	11	1	-	-	-	2	-	-	1	2	1	2
IOWA -----	18	1	3	1	-	1	2	1	1	-	1	3
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	12	1	3	1	-	-	2	-	1	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	37	2	8	-	-	3	1	4	1	5	3	4
WHITE-----MALE----	17	1	3	-	-	2	-	-	-	2	2	2
FEMALE--	13	-	2	-	-	-	1	3	-	3	1	2
ALL OTHER--MALE----	3	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	2	-	-	-	-	1	1	-	-	-
BLACK---MALE----	3	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	2	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,145

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	44	4	4	1	1	2	2	1	5	4	2	6
WHITE-----MALE----	17	2	1	-	1	2	-	1	-	2	2	1
FEMALE--	13	1	-	-	-	-	1	-	3	-	-	2
ALL OTHER--MALE----	8	-	3	1	-	-	1	-	2	1	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	8	-	3	1	-	-	1	-	2	1	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	1	-	3
LOUISIANA -----	86	7	7	1	2	5	6	3	4	5	9	10
WHITE-----MALE----	17	-	-	-	-	2	1	-	2	-	-	3
FEMALE--	12	-	1	-	2	-	-	1	1	-	3	-
ALL OTHER--MALE----	37	1	3	1	-	2	1	1	1	4	6	5
FEMALE--	20	6	3	-	-	1	4	1	-	1	-	2
BLACK---MALE----	36	1	3	1	-	2	1	1	1	4	6	5
FEMALE--	20	6	3	-	-	1	4	1	-	1	-	2
MAINE -----	14	2	2	-	-	2	1	-	3	1	-	-
WHITE-----MALE----	4	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	10	1	1	-	-	1	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	107	2	13	2	-	6	6	7	9	14	13	8
WHITE-----MALE----	23	1	2	-	-	-	-	1	3	4	2	-
FEMALE--	20	-	3	-	-	1	1	1	2	1	1	1
ALL OTHER--MALE----	38	1	3	2	-	3	-	2	3	3	9	6
FEMALE--	26	-	5	-	-	2	5	3	1	6	1	1
BLACK---MALE----	37	1	3	2	-	3	-	2	3	3	8	6
FEMALE--	26	-	5	-	-	2	5	3	1	6	1	1
MASSACHUSETTS -----	31	3	3	-	-	2	4	3	-	7	2	3
WHITE-----MALE----	22	2	1	-	-	2	3	2	-	3	2	3
FEMALE--	4	1	1	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	3	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
MICHIGAN -----	196	18	21	8	8	4	10	17	20	17	17	14
WHITE-----MALE----	43	3	3	2	1	1	2	2	2	4	4	2
FEMALE--	40	4	4	1	3	1	3	3	4	1	2	2
ALL OTHER--MALE----	63	6	11	2	3	-	3	6	5	6	7	7
FEMALE--	50	5	3	3	1	2	2	6	9	6	4	3
BLACK---MALE----	60	6	11	2	3	-	3	6	5	6	7	6
FEMALE--	48	5	3	3	1	2	2	6	9	5	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,145

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	2	1	1	3	1	1	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	5	7	4	4	3	3	1	-	-	-	-	-
WHITE-----MALE----	2	3	-	3	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	4	2	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	4	2	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	1	4	3	5	2	2	1	-	-	1
WHITE-----MALE----	1	4	-	1	1	-	2	1	-	-	-	-
FEMALE--	2	1	-	1	1	2	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	2	1	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	4	6	3	7	3	7	4	-	1	-	1
WHITE-----MALE----	3	1	3	1	3	2	3	1	-	-	-	-
FEMALE--	2	-	1	1	2	-	2	3	-	1	-	-
ALL OTHER--MALE----	-	3	2	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	1	2	-	2	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	1	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,146

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	45	1	5	7	2	3	3	-	4	4	5	4
WHITE-----MALE----	17	-	2	2	-	1	2	-	2	2	2	2
FEMALE--	15	-	2	-	-	2	-	-	2	1	3	1
ALL OTHER--MALE----	7	1	1	2	1	-	1	-	-	-	-	-
FEMALE--	6	-	-	3	1	-	-	-	-	1	-	1
BLACK---MALE----	3	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	73	6	7	-	-	1	6	4	1	7	4	6
WHITE-----MALE----	22	1	1	-	-	-	4	2	-	4	-	1
FEMALE--	17	2	1	-	-	1	-	1	-	2	1	2
ALL OTHER--MALE----	21	3	1	-	-	-	1	-	1	-	2	2
FEMALE--	13	-	4	-	-	-	1	1	-	1	1	1
BLACK---MALE----	20	3	1	-	-	-	1	-	1	-	2	2
FEMALE--	13	-	4	-	-	-	1	1	-	1	1	1
MISSOURI -----	98	12	5	3	5	8	2	9	9	9	10	5
WHITE-----MALE----	29	4	-	1	-	2	-	3	1	2	1	3
FEMALE--	26	4	-	1	2	2	1	2	2	3	3	-
ALL OTHER--MALE----	27	4	3	1	2	4	1	3	4	1	2	-
FEMALE--	16	-	2	-	1	-	-	1	2	3	4	2
BLACK---MALE----	27	4	3	1	2	4	1	3	4	1	2	-
FEMALE--	16	-	2	-	1	-	-	1	2	3	4	2
MONTANA -----	8	1	1	-	-	1	-	-	-	-	3	-
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	12	2	2	-	-	-	3	-	1	-	-	-
WHITE-----MALE----	4	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	5	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	39	7	3	-	-	4	-	3	2	3	4	3
WHITE-----MALE----	20	4	1	-	-	1	-	1	2	1	4	2
FEMALE--	9	3	1	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	6	-	1	-	-	1	-	1	-	1	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	5	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3,146

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	-	-	1	-	1	3	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	3	4	3	5	7	1	2	-	2	-	-
WHITE-----MALE----	1	1	1	1	1	3	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	3	1	1	1	2	2	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	3	1	1	1	2	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
MISSOURI -----	6	-	5	2	2	2	-	2	1	-	-	1
WHITE-----MALE----	5	-	2	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
MONTANA -----	-	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	3	1	1	1	-	2	-	-	-	1	-	1
WHITE-----MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,148

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	114	17	10	3	3	7	8	8	9	10	16	3
WHITE-----MALE----	38	2	4	-	-	2	3	3	2	3	9	-
FEMALE--	34	9	3	2	1	3	1	3	4	3	-	1
ALL OTHER--MALE----	29	5	2	-	1	2	3	-	1	3	5	1
FEMALE--	13	1	1	1	1	-	1	2	2	1	2	1
BLACK---MALE----	29	5	2	-	1	2	3	-	1	3	5	1
FEMALE--	13	1	1	1	1	-	1	2	2	1	2	1
OKLAHOMA -----	76	2	6	2	-	6	8	13	5	13	3	6
WHITE-----MALE----	34	1	1	-	-	3	3	6	1	8	-	3
FEMALE--	18	-	3	-	-	-	2	2	2	3	2	2
ALL OTHER--MALE----	17	1	1	1	-	2	3	4	1	-	1	1
FEMALE--	7	-	1	1	-	1	-	1	1	2	-	-
BLACK---MALE----	12	-	1	-	-	2	3	3	1	-	1	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
OREGON -----	29	1	2	1	1	2	2	2	1	4	4	1
WHITE-----MALE----	12	1	1	-	-	1	-	1	-	3	1	1
FEMALE--	17	-	1	1	1	1	2	1	1	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	136	9	9	4	1	4	13	8	13	10	11	10
WHITE-----MALE----	54	3	3	2	1	1	6	3	5	4	3	3
FEMALE--	46	1	2	1	-	1	5	3	5	4	4	2
ALL OTHER--MALE----	18	4	1	-	-	-	-	1	1	2	2	3
FEMALE--	18	1	3	1	-	2	2	1	2	-	2	2
BLACK---MALE----	18	4	1	-	-	-	-	1	1	2	2	3
FEMALE--	15	1	3	1	-	2	2	-	2	-	1	1
RHODE ISLAND -----	6	2	-	-	-	-	-	-	-	-	4	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	68	5	8	3	-	1	4	2	4	6	9	2
WHITE-----MALE----	23	2	1	-	-	-	1	-	2	2	2	1
FEMALE--	17	-	2	1	-	-	-	1	1	2	3	-
ALL OTHER--MALE----	15	2	4	1	-	-	1	1	-	-	2	1
FEMALE--	13	1	1	1	-	1	2	-	1	2	2	-
BLACK---MALE----	15	2	4	1	-	-	1	1	-	-	2	1
FEMALE--	13	1	1	1	-	1	2	-	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,149

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	4	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	86	4	4	1	-	3	8	8	5	12	11	4
WHITE-----MALE----	31	1	1	-	-	1	3	2	1	4	5	2
FEMALE--	24	-	1	-	-	1	2	2	3	3	3	-
ALL OTHER--MALE----	16	1	-	-	-	-	2	3	1	3	1	2
FEMALE--	15	2	2	1	-	1	1	1	-	2	2	-
BLACK---MALE----	16	1	-	-	-	-	2	3	1	3	1	2
FEMALE--	15	2	2	1	-	1	1	1	-	2	2	-
TEXAS -----	318	35	26	7	5	19	24	27	23	44	30	16
WHITE-----MALE----	155	17	7	2	3	8	13	15	10	23	16	7
FEMALE--	86	10	7	2	-	7	8	6	5	14	9	1
ALL OTHER--MALE----	52	4	8	1	2	3	3	3	3	5	4	6
FEMALE--	25	4	4	2	-	1	-	3	5	2	1	2
BLACK---MALE----	48	4	8	1	2	3	3	2	3	4	4	6
FEMALE--	21	3	3	2	-	-	-	3	5	2	1	1
UTAH -----	21	1	4	-	-	-	2	-	3	3	1	5
WHITE-----MALE----	8	-	1	-	-	-	1	-	-	2	-	2
FEMALE--	8	1	3	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
VERMONT -----	6	-	-	-	-	1	-	-	1	-	1	1
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
VIRGINIA -----	78	10	5	1	1	4	4	4	9	10	8	3
WHITE-----MALE----	18	2	-	-	-	-	2	2	2	4	3	-
FEMALE--	21	3	-	-	1	1	-	1	4	1	3	-
ALL OTHER--MALE----	22	3	1	-	-	1	2	-	1	3	2	2
FEMALE--	17	2	4	1	-	2	-	1	2	2	-	1
BLACK---MALE----	21	3	1	-	-	1	2	-	1	3	2	2
FEMALE--	16	2	4	-	-	2	-	1	2	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,169

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
UNITED STATES --	3,746	75	43	15	51	139	203	307	427	638	648	467
WHITE-----MALE----	1,988	35	15	6	31	85	122	173	234	349	345	241
FEMALE--	964	18	13	6	4	23	40	72	103	158	150	127
ALL OTHER--MALE----	609	18	12	3	13	27	37	41	61	103	124	73
FEMALE--	185	4	3	-	3	4	4	21	29	28	29	26
BLACK---MALE----	549	13	12	3	12	24	32	30	57	93	112	72
FEMALE--	159	3	3	-	2	4	2	17	25	23	29	24
ALABAMA -----	42	3	-	-	2	4	-	2	6	10	4	3
WHITE-----MALE----	24	1	-	-	2	1	-	1	3	8	3	1
FEMALE--	10	-	-	-	-	2	-	1	1	1	1	1
ALL OTHER--MALE----	5	1	-	-	-	1	-	-	-	1	-	1
FEMALE--	3	1	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	5	1	-	-	-	1	-	-	-	1	-	1
FEMALE--	3	1	-	-	-	-	-	-	2	-	-	-
ALASKA -----	3	-	1	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	80	1	-	-	2	3	4	7	6	10	12	11
WHITE-----MALE----	40	-	-	-	2	2	1	4	2	7	7	4
FEMALE--	31	1	-	-	-	-	1	2	2	2	5	6
ALL OTHER--MALE----	5	-	-	-	-	1	1	1	-	1	-	1
FEMALE--	4	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	69	2	1	1	1	8	2	7	5	16	12	4
WHITE-----MALE----	38	1	-	-	-	6	1	5	2	10	7	2
FEMALE--	17	1	1	1	-	-	-	1	1	5	1	2
ALL OTHER--MALE----	11	-	-	-	1	1	1	1	2	1	4	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	1	1	1	1	2	1	4	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	264	9	8	2	3	9	17	21	18	29	38	36
WHITE-----MALE----	124	4	1	1	-	5	13	13	9	13	18	21
FEMALE--	84	2	5	1	-	3	3	6	7	9	8	10
ALL OTHER--MALE----	36	2	2	-	2	1	1	-	1	3	9	2
FEMALE--	20	1	-	-	1	-	-	2	1	4	3	3
BLACK---MALE----	28	2	2	-	2	1	1	-	1	1	7	2
FEMALE--	13	-	-	-	1	-	-	1	1	2	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,170

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
COLORADO -----	88	3	1	-	1	3	2	4	13	12	18	17
WHITE-----MALE----	54	2	1	-	1	3	2	2	10	6	10	10
FEMALE--	26	-	-	-	-	-	-	2	2	3	5	7
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	3	-
CONNECTICUT -----	17	-	-	-	-	-	3	1	2	4	2	4
WHITE-----MALE----	8	-	-	-	-	-	1	1	1	1	2	1
FEMALE--	6	-	-	-	-	-	1	-	1	1	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	1	1	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	19	2	-	-	-	-	1	-	2	4	5	2
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	2	-	-	-	-	-	-	1	3	4	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	12	2	-	-	-	-	-	-	1	3	4	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	1
FLORIDA -----	113	7	1	1	1	3	6	2	7	14	18	12
WHITE-----MALE----	62	2	1	1	1	-	3	2	4	7	12	6
FEMALE--	44	3	-	-	-	2	3	-	3	7	5	5
ALL OTHER--MALE----	5	2	-	-	-	1	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	2	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	91	6	3	-	-	1	7	7	9	13	10	5
WHITE-----MALE----	49	3	2	-	-	1	3	3	5	7	7	1
FEMALE--	18	1	-	-	-	-	1	1	-	4	2	2
ALL OTHER--MALE----	18	2	1	-	-	-	3	2	2	1	1	2
FEMALE--	6	-	-	-	-	-	-	1	2	1	-	-
BLACK---MALE----	18	2	1	-	-	-	3	2	2	1	1	2
FEMALE--	6	-	-	-	-	-	-	1	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,172

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
KENTUCKY -----	27	2	1	-	1	-	-	1	1	4	5	1
WHITE-----MALE----	14	1	1	-	1	-	-	1	1	2	2	1
FEMALE--	9	1	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	67	1	-	-	-	2	6	7	8	19	7	5
WHITE-----MALE----	30	1	-	-	-	-	2	2	5	11	5	2
FEMALE--	13	-	-	-	-	1	1	2	-	4	1	-
ALL OTHER--MALE----	19	-	-	-	-	1	3	3	3	3	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	19	-	-	-	-	1	3	3	3	3	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	2
MAINE -----	4	-	-	-	-	-	-	-	2	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	505	3	1	-	1	9	26	41	72	112	107	74
WHITE-----MALE----	165	-	-	-	-	5	18	13	22	41	32	17
FEMALE--	57	2	1	-	-	1	-	11	9	14	6	6
ALL OTHER--MALE----	232	-	-	-	1	3	8	11	30	50	58	43
FEMALE--	51	1	-	-	-	-	-	6	11	7	11	8
BLACK---MALE----	230	-	-	-	1	3	8	11	29	50	58	42
FEMALE--	50	1	-	-	-	-	-	6	11	6	11	8
MASSACHUSETTS -----	458	2	1	-	1	7	21	49	67	106	102	61
WHITE-----MALE----	316	2	-	-	-	6	11	42	49	73	67	44
FEMALE--	118	-	-	-	-	1	9	4	13	29	30	15
ALL OTHER--MALE----	17	-	1	-	-	-	1	3	3	2	3	2
FEMALE--	7	-	-	-	1	-	-	-	2	2	2	-
BLACK---MALE----	16	-	1	-	-	-	1	2	3	2	3	2
FEMALE--	6	-	-	-	1	-	-	-	1	2	2	-
MICHIGAN -----	146	1	1	5	1	6	7	12	14	28	28	18
WHITE-----MALE----	60	1	1	3	-	1	4	4	6	9	13	9
FEMALE--	44	-	-	1	-	2	1	3	4	12	7	3
ALL OTHER--MALE----	28	-	-	1	1	2	2	3	2	4	6	2
FEMALE--	14	-	-	-	-	1	-	2	2	3	2	4
BLACK---MALE----	27	-	-	1	1	2	2	3	2	3	6	2
FEMALE--	14	-	-	-	-	1	-	2	2	3	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,176

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
SOUTH DAKOTA -----	6	-	-	-	-	-	-	-	1	-	3	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	65	2	-	-	-	3	4	6	12	10	8	7
WHITE-----MALE----	41	2	-	-	-	2	3	3	6	6	5	4
FEMALE--	15	-	-	-	-	-	1	1	5	3	2	2
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	2	1	1	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	2	1	1	-	-
TEXAS -----	165	7	5	1	1	14	9	12	14	26	21	21
WHITE-----MALE----	88	4	1	-	1	10	5	7	8	12	13	12
FEMALE--	48	1	3	1	-	3	2	3	5	5	5	6
ALL OTHER--MALE----	22	2	-	-	-	1	2	1	1	7	3	1
FEMALE--	7	-	1	-	-	-	-	1	-	2	-	2
BLACK---MALE----	21	2	-	-	-	1	2	1	1	6	3	1
FEMALE--	6	-	1	-	-	-	-	1	-	2	-	1
UTAH -----	149	4	-	-	-	2	8	21	22	34	33	18
WHITE-----MALE----	108	2	-	-	-	2	8	12	14	24	25	15
FEMALE--	36	2	-	-	-	-	-	7	8	7	8	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	2	2	-	-	3	1	1	4	2	5	4
WHITE-----MALE----	10	1	-	-	-	1	1	1	2	-	2	1
FEMALE--	9	-	1	-	-	-	-	-	1	2	2	2
ALL OTHER--MALE----	5	1	1	-	-	1	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	5	1	1	-	-	1	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,178

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
UNITED STATES --	2,298	4	5	1	2	47	110	207	315	468	491	354
WHITE-----MALE----	1,219	3	1	-	1	28	72	117	177	257	263	177
FEMALE--	644	-	1	1	1	14	25	54	77	119	124	104
ALL OTHER--MALE----	328	1	3	-	-	4	13	22	40	74	82	54
FEMALE--	107	-	-	-	-	1	-	14	21	18	22	19
BLACK---MALE----	310	1	3	-	-	3	12	18	38	72	76	53
FEMALE--	102	-	-	-	-	1	-	12	20	17	22	18
ALABAMA -----	18	-	-	-	-	2	-	-	4	4	4	1
WHITE-----MALE----	12	-	-	-	-	1	-	-	3	4	3	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	33	-	-	-	-	-	1	1	2	6	6	8
WHITE-----MALE----	14	-	-	-	-	-	1	-	1	4	3	2
FEMALE--	17	-	-	-	-	-	-	1	-	2	3	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	36	-	-	-	-	1	-	6	3	10	8	3
WHITE-----MALE----	22	-	-	-	-	1	-	5	1	7	5	1
FEMALE--	9	-	-	-	-	-	-	1	1	2	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	96	2	-	-	-	2	5	11	10	9	13	18
WHITE-----MALE----	43	2	-	-	-	1	3	6	4	4	7	9
FEMALE--	46	-	-	-	-	1	2	3	5	5	4	8
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	2	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,179

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
COLORADO -----	65	-	-	-	-	2	1	3	9	7	16	15
WHITE-----MALE----	37	-	-	-	-	2	1	1	7	4	8	8
FEMALE--	23	-	-	-	-	-	-	2	1	2	5	7
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	3	-
CONNECTICUT -----	13	-	-	-	-	-	2	1	2	3	2	2
WHITE-----MALE----	6	-	-	-	-	-	-	1	1	1	2	-
FEMALE--	5	-	-	-	-	-	1	-	1	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	10	-	-	-	-	-	1	-	1	3	4	1
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
FLORIDA -----	45	-	-	-	-	1	2	1	2	7	13	8
WHITE-----MALE----	20	-	-	-	-	-	-	1	1	2	8	3
FEMALE--	25	-	-	-	-	1	2	-	1	5	5	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	25	-	-	-	-	-	1	1	4	6	5	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	4	1	5	1
FEMALE--	8	-	-	-	-	-	-	1	-	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,181

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
KENTUCKY -----	8	-	-	-	-	-	-	-	-	3	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	37	-	-	-	-	2	6	3	3	14	4	3
WHITE-----MALE----	15	-	-	-	-	-	2	1	1	7	3	1
FEMALE--	10	-	-	-	-	1	1	1	-	4	1	-
ALL OTHER--MALE----	10	-	-	-	-	1	3	1	2	2	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	10	-	-	-	-	1	3	1	2	2	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
MAINE -----	2	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	465	-	-	-	-	6	21	41	69	107	104	69
WHITE-----MALE----	152	-	-	-	-	5	16	13	22	38	31	14
FEMALE--	49	-	-	-	-	1	-	11	9	13	6	6
ALL OTHER--MALE----	215	-	-	-	-	-	5	11	27	49	56	41
FEMALE--	49	-	-	-	-	-	-	6	11	7	11	8
BLACK---MALE----	213	-	-	-	-	-	5	11	26	49	56	40
FEMALE--	48	-	-	-	-	-	-	6	11	6	11	8
MASSACHUSETTS -----	410	1	1	-	-	5	19	45	61	97	94	61
WHITE-----MALE----	289	1	-	-	-	4	10	40	46	70	60	44
FEMALE--	101	-	-	-	-	1	8	3	11	23	29	15
ALL OTHER--MALE----	15	-	1	-	-	-	1	2	3	2	3	2
FEMALE--	5	-	-	-	-	-	-	-	1	2	2	-
BLACK---MALE----	14	-	1	-	-	-	1	1	3	2	3	2
FEMALE--	5	-	-	-	-	-	-	-	1	2	2	-
MICHIGAN -----	104	-	-	-	-	3	2	8	13	19	26	18
WHITE-----MALE----	42	-	-	-	-	1	2	3	5	6	12	9
FEMALE--	33	-	-	-	-	-	-	2	4	8	7	3
ALL OTHER--MALE----	16	-	-	-	-	1	-	1	2	3	5	2
FEMALE--	13	-	-	-	-	1	-	2	2	2	2	4
BLACK---MALE----	16	-	-	-	-	1	-	1	2	3	5	2
FEMALE--	13	-	-	-	-	1	-	2	2	2	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,203

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY HANDGUN (E985.0)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	5	-	-	-	-	2	1	-	1	-	-	-
WHITE-----MALE----	5	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	-	-	-	-	3	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,206

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)												
COLORADO -----	3	-	-	-	-	1	-	1	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	7	-	-	-	-	1	-	-	1	1	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	21	-	-	-	-	1	6	3	2	2	3	-
WHITE-----MALE----	10	-	-	-	-	1	3	1	-	1	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	2	2	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	2	2	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,214

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	1,079	71	37	13	31	37	55	67	80	127	129	83
WHITE-----MALE----	545	32	14	6	15	26	33	38	40	67	66	40
FEMALE--	257	18	11	5	3	6	8	12	19	26	21	20
ALL OTHER--MALE----	209	17	9	2	10	4	13	12	14	24	35	17
FEMALE--	68	4	3	-	3	1	1	5	7	10	7	6
BLACK---MALE----	175	12	9	2	9	4	10	7	13	16	30	17
FEMALE--	50	3	3	-	2	1	-	4	4	6	7	5
ALABAMA -----	11	3	-	-	-	-	-	1	2	3	-	1
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
ALASKA -----	2	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	1	-	-	-	1	-	3	1	2	3	2
WHITE-----MALE----	8	-	-	-	-	1	-	1	-	1	1	1
FEMALE--	10	1	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	17	2	1	1	-	2	2	-	-	3	2	1
WHITE-----MALE----	8	1	-	-	-	1	1	-	-	2	1	1
FEMALE--	5	1	1	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	144	7	7	2	3	2	8	8	7	18	23	14
WHITE-----MALE----	65	2	1	1	-	1	6	5	4	7	11	10
FEMALE--	33	2	4	1	-	1	1	3	2	4	3	1
ALL OTHER--MALE----	30	2	2	-	2	-	1	-	1	3	6	1
FEMALE--	16	1	-	-	1	-	-	-	-	4	3	2
BLACK---MALE----	24	2	2	-	2	-	1	-	1	1	5	1
FEMALE--	10	-	-	-	1	-	-	-	-	2	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,215

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	18	3	1	-	1	-	1	-	3	3	2	2
WHITE-----MALE----	13	2	1	-	1	-	1	-	2	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	2	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	2	-	-	-	-	-	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	59	7	1	1	1	1	4	1	4	6	4	2
WHITE-----MALE----	36	2	1	1	1	-	3	1	2	4	3	2
FEMALE--	18	3	-	-	-	-	1	-	2	2	-	-
ALL OTHER--MALE----	5	2	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	2	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	40	6	3	-	-	-	-	3	3	4	2	4
WHITE-----MALE----	22	3	2	-	-	-	-	2	1	4	1	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	7	2	1	-	-	-	-	-	1	-	-	2
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	7	2	1	-	-	-	-	-	1	-	-	2
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,217

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	17	2	1	-	-	-	-	1	1	1	4	-
WHITE-----MALE----	9	1	1	-	-	-	-	1	1	1	2	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	22	1	-	-	-	-	-	4	4	2	3	1
WHITE-----MALE----	8	1	-	-	-	-	-	1	3	1	2	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
MAINE -----	2	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	29	3	1	-	-	-	5	-	2	3	1	4
WHITE-----MALE----	11	-	-	-	-	-	2	-	-	2	1	2
FEMALE--	6	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	3	-	2	1	-	2
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	3	-	2	1	-	2
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	45	1	-	-	1	2	2	3	6	8	8	-
WHITE-----MALE----	25	1	-	-	-	2	1	1	3	3	7	-
FEMALE--	16	-	-	-	-	-	1	1	2	5	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	30	1	1	4	1	2	2	3	1	6	1	-
WHITE-----MALE----	13	1	1	3	-	-	1	1	1	2	-	-
FEMALE--	7	-	-	1	-	2	-	-	-	2	-	-
ALL OTHER--MALE----	9	-	-	-	1	-	1	2	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	1	-	1	2	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3,221

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	2	-	-	-	1	-	1	1	1	2	2
WHITE-----MALE----	8	2	-	-	-	1	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	62	6	4	-	-	4	3	3	4	12	6	4
WHITE-----MALE----	36	4	1	-	-	3	2	2	2	5	5	3
FEMALE--	15	1	2	-	-	1	1	1	2	2	1	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	4	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	1	-	-	-	-	-	-	-	3	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	-
UTAH -----	14	4	-	-	-	1	1	-	1	5	-	1
WHITE-----MALE----	10	2	-	-	-	1	1	-	1	3	-	1
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	2	2	-	-	-	1	-	3	-	1	1
WHITE-----MALE----	5	1	-	-	-	-	1	-	1	-	1	-
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

