









CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISORDERS OF ADRENAL GLANDS (255)										
TOTAL, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
TOTAL, MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.7	0.0	-	0.0	-	0.0	0.0	-	0.0
1979.....	0.1	0.5	0.0	0.0	0.0	-	0.0	0.0	0.1	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISORDERS OF ADRENAL GLANDS (255)										
WHITE MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	0.1	-	0.0	-	0.0	0.0	-	-
1979.....	0.1	0.6	0.0	0.0	0.0	-	0.0	0.0	0.1	0.1
WHITE FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.2	0.4	0.0	-	0.0	0.0	-	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISORDERS OF ADRENAL GLANDS (255)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.9	0.0	-	-	-	-	-	0.0	0.1
1979.....	0.1	0.2	0.0	-	-	-	-	-	0.0	0.1
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	1.6	-	-	-	-	-	-	-	0.1
1979.....	0.1	0.3	-	-	-	-	-	-	0.1	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISORDERS OF ADRENAL GLANDS (255)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	0.1	-	-	-	-	-	0.1	0.1
1979.....	0.1	-	0.1	-	-	-	-	-	-	0.1
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.9	0.1	-	-	-	-	-	0.1	0.1
1979.....	0.1	0.2	0.1	-	-	-	-	-	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISORDERS OF ADRENAL GLANDS (255)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	1.5	-	-	-	-	-	-	-	-
1979.....	0.1	0.4	-	-	-	-	-	-	0.1	0.2
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.4	0.1	-	-	-	-	-	0.1	0.1
1979.....	0.1	-	0.1	-	-	-	-	-	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CYSTIC FIBROSIS (277.0)										
TOTAL, BOTH SEXES										
1998.....	0.2	*	*	*	0.2	0.4	0.5	0.3	0.3	0.2
1997.....	0.2	*	*	*	0.2	0.4	0.5	0.3	0.2	0.2
1996.....	0.2	*	*	0.1	0.2	0.4	0.4	0.3	0.3	0.2
1995.....	0.2	*	*	0.1	0.2	0.4	0.5	0.4	0.2	0.1
1994.....	0.2	*	*	0.1	0.2	0.4	0.5	0.4	0.3	0.1
1993.....	0.2	*	*	*	0.2	0.3	0.5	0.4	0.2	0.1
1992.....	0.2	*	*	*	0.2	0.3	0.4	0.3	0.3	0.1
1991.....	0.2	*	*	0.2	0.2	0.4	0.4	0.3	0.2	0.2
1990.....	0.2	*	*	0.3	0.3	0.4	0.4	0.3	0.2	0.1
1989.....	0.2	*	*	0.2	0.3	0.4	0.4	0.4	0.1	0.1
1988.....	0.1	*	*	0.3	0.2	0.3	0.3	0.3	0.1	*
1987.....	0.2	*	*	0.3	0.2	0.4	0.3	0.2	0.2	0.2
1986.....	0.2	*	*	0.3	0.3	0.4	0.3	0.3	0.2	*
1985.....	0.2	*	0.2	0.3	0.4	0.4	0.4	0.3	0.2	*
1984.....	0.2	0.8	0.2	0.4	0.5	0.4	0.4	0.3	0.2	0.1
1983.....	0.2	0.8	0.3	0.5	0.5	0.6	0.4	0.2	0.1	*
1982.....	0.2	0.9	0.2	0.5	0.5	0.5	0.4	0.3	0.1	*
1981.....	0.2	0.6	0.3	0.5	0.6	0.5	0.4	0.2	0.2	*
1980.....	0.2	1.1	0.3	0.7	0.5	0.5	0.4	0.2	0.1	0.1
1979.....	0.2	1.1	0.3	0.5	0.5	0.5	0.4	0.3	0.1	0.0
TOTAL, MALE										
1998.....	0.2	*	*	*	*	0.3	0.5	0.4	0.3	0.2
1997.....	0.2	*	*	*	*	0.4	0.5	0.3	0.3	0.2
1996.....	0.2	*	*	*	*	0.3	0.4	0.4	0.3	0.2
1995.....	0.2	*	*	*	*	0.4	0.5	0.4	0.3	0.2
1994.....	0.2	*	*	*	*	0.4	0.5	0.5	0.3	*
1993.....	0.2	*	*	*	*	0.3	0.5	0.5	0.3	*
1992.....	0.2	*	*	*	*	0.3	0.4	0.4	0.3	*
1991.....	0.2	*	*	*	*	0.4	0.4	0.4	0.2	0.2
1990.....	0.2	*	*	0.2	*	0.4	0.4	0.2	*	*
1989.....	0.2	*	*	*	0.4	0.4	0.3	0.4	*	*
1988.....	0.1	*	*	*	*	0.3	0.3	0.3	*	*
1987.....	0.2	*	*	*	*	0.3	0.3	0.2	0.3	*
1986.....	0.2	*	*	*	0.3	0.3	0.4	0.3	0.2	*
1985.....	0.2	*	*	0.3	0.4	0.4	0.4	0.3	0.2	*
1984.....	0.2	*	*	0.3	0.4	0.3	0.4	0.3	*	*
1983.....	0.2	*	*	0.4	0.4	0.6	0.4	0.3	*	*
1982.....	0.2	*	*	0.4	0.3	0.5	0.4	0.4	*	*
1981.....	0.2	*	*	0.5	0.5	0.5	0.5	0.2	*	*
1980.....	0.2	1.2	0.2	0.5	0.5	0.3	0.4	0.2	0.1	0.1
1979.....	0.2	1.0	0.2	0.4	0.4	0.5	0.5	0.4	0.1	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CYSTIC FIBROSIS (277.0)										
TOTAL, FEMALE										
1998.....	0.2	*	*	*	*	0.4	0.5	0.3	0.2	0.2
1997.....	0.2	*	*	*	0.2	0.5	0.5	0.4	*	*
1996.....	0.2	*	*	*	0.3	0.4	0.4	0.3	0.2	*
1995.....	0.2	*	*	*	0.3	0.4	0.6	0.3	0.2	*
1994.....	0.2	*	*	*	0.3	0.4	0.4	0.4	0.3	*
1993.....	0.1	*	*	*	0.3	0.4	0.5	0.2	0.2	*
1992.....	0.2	*	*	*	0.3	0.3	0.4	0.3	0.3	*
1991.....	0.2	*	*	0.2	0.3	0.5	0.3	0.3	0.2	*
1990.....	0.2	*	*	0.3	0.4	0.5	0.4	0.3	*	*
1989.....	0.2	*	*	0.3	0.3	0.4	0.4	0.4	*	*
1988.....	0.2	*	*	0.5	0.3	0.4	0.4	0.3	*	*
1987.....	0.2	*	*	0.3	0.3	0.5	0.4	0.2	*	*
1986.....	0.2	*	*	0.4	0.3	0.5	0.3	0.2	*	*
1985.....	0.2	*	*	0.3	0.4	0.5	0.3	0.2	*	*
1984.....	0.2	*	*	0.5	0.6	0.5	0.4	0.3	*	*
1983.....	0.2	*	0.3	0.6	0.6	0.6	0.4	0.2	*	*
1982.....	0.2	1.3	*	0.6	0.6	0.5	0.5	*	*	*
1981.....	0.2	*	*	0.5	0.6	0.6	0.4	0.2	*	*
1980.....	0.3	1.1	0.3	0.8	0.6	0.7	0.4	0.2	0.0	0.1
1979.....	0.2	1.2	0.4	0.6	0.5	0.6	0.4	0.2	0.1	0.0
WHITE, BOTH SEXES										
1998.....	0.2	*	*	*	0.2	0.5	0.6	0.4	0.3	0.3
1997.....	0.2	*	*	*	0.2	0.5	0.6	0.4	0.2	0.2
1996.....	0.2	*	*	0.1	0.3	0.4	0.5	0.4	0.3	0.2
1995.....	0.2	*	*	0.1	0.3	0.5	0.6	0.4	0.3	0.2
1994.....	0.2	*	*	0.1	0.3	0.5	0.6	0.5	0.3	0.2
1993.....	0.2	*	*	*	0.3	0.4	0.6	0.5	0.3	0.2
1992.....	0.2	*	*	*	0.3	0.4	0.5	0.4	0.3	0.1
1991.....	0.2	*	*	0.2	0.3	0.5	0.4	0.4	0.2	0.2
1990.....	0.2	*	*	0.3	0.3	0.5	0.5	0.3	0.2	0.1
1989.....	0.2	*	*	0.3	0.4	0.5	0.4	0.4	0.2	0.2
1988.....	0.2	*	*	0.4	0.2	0.4	0.4	0.3	0.2	*
1987.....	0.2	*	*	0.3	0.3	0.4	0.4	0.2	0.2	0.2
1986.....	0.2	*	*	0.3	0.4	0.4	0.4	0.3	0.2	*
1985.....	0.2	*	0.2	0.4	0.5	0.5	0.4	0.3	0.2	*
1984.....	0.2	0.9	0.2	0.5	0.6	0.5	0.5	0.3	0.2	0.1
1983.....	0.3	0.8	0.3	0.6	0.6	0.7	0.5	0.3	0.2	*
1982.....	0.3	1.0	0.2	0.6	0.6	0.6	0.5	0.3	*	*
1981.....	0.3	0.7	0.3	0.6	0.7	0.6	0.5	0.3	0.2	*
1980.....	0.3	1.3	0.3	0.8	0.6	0.6	0.4	0.2	0.1	0.1
1979.....	0.3	1.2	0.3	0.6	0.6	0.6	0.5	0.3	0.1	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CYSTIC FIBROSIS (277.0)										
WHITE MALE										
1998.....	0.2	*	*	*	*	0.4	0.6	0.5	0.4	0.3
1997.....	0.2	*	*	*	*	0.4	0.6	0.4	0.3	0.2
1996.....	0.2	*	*	*	*	0.4	0.5	0.5	0.4	0.2
1995.....	0.2	*	*	*	*	0.5	0.5	0.4	0.3	*
1994.....	0.2	*	*	*	*	0.4	0.6	0.6	0.3	*
1993.....	0.2	*	*	*	*	0.3	0.5	0.6	0.3	*
1992.....	0.2	*	*	*	*	0.3	0.4	0.4	0.3	*
1991.....	0.2	*	*	*	*	0.4	0.5	0.4	0.2	0.2
1990.....	0.2	*	*	0.3	*	0.4	0.5	0.3	*	*
1989.....	0.2	*	*	*	0.4	0.4	0.4	0.5	*	*
1988.....	0.1	*	*	*	*	0.3	0.3	0.3	*	*
1987.....	0.2	*	*	*	*	0.3	0.4	0.2	0.3	*
1986.....	0.2	*	*	*	0.4	0.3	0.4	0.4	0.2	*
1985.....	0.2	*	*	0.3	0.4	0.5	0.5	0.4	0.3	*
1984.....	0.2	*	*	0.4	0.4	0.4	0.5	0.4	*	*
1983.....	0.3	*	*	0.5	0.5	0.7	0.5	0.3	*	*
1982.....	0.2	*	*	0.5	0.4	0.6	0.5	0.4	*	*
1981.....	0.3	*	*	0.6	0.6	0.5	0.6	0.3	*	*
1980.....	0.2	1.3	0.2	0.6	0.6	0.4	0.4	0.3	0.1	0.1
1979.....	0.3	1.0	0.2	0.4	0.5	0.5	0.5	0.4	0.1	-
WHITE FEMALE										
1998.....	0.2	*	*	*	*	0.5	0.6	0.3	*	0.3
1997.....	0.2	*	*	*	*	0.5	0.7	0.4	*	*
1996.....	0.2	*	*	*	0.4	0.5	0.5	0.4	0.3	*
1995.....	0.2	*	*	*	0.3	0.5	0.7	0.4	*	*
1994.....	0.2	*	*	*	0.3	0.5	0.5	0.5	0.4	*
1993.....	0.2	*	*	*	0.4	0.4	0.6	0.3	*	*
1992.....	0.2	*	*	*	0.4	0.4	0.5	0.4	0.3	*
1991.....	0.2	*	*	0.3	0.3	0.6	0.4	0.3	0.2	*
1990.....	0.2	*	*	0.3	0.5	0.6	0.5	0.3	*	*
1989.....	0.2	*	*	0.3	0.3	0.5	0.4	0.4	*	*
1988.....	0.2	*	*	0.6	*	0.5	0.4	0.3	*	*
1987.....	0.2	*	*	0.4	0.3	0.6	0.4	0.2	*	*
1986.....	0.2	*	*	0.4	0.4	0.6	0.4	0.2	*	*
1985.....	0.2	*	*	0.4	0.5	0.6	0.4	0.3	*	*
1984.....	0.3	*	*	0.6	0.7	0.6	0.5	0.3	*	*
1983.....	0.3	*	*	0.7	0.7	0.8	0.5	0.3	*	*
1982.....	0.3	1.4	*	0.7	0.8	0.6	0.6	*	*	*
1981.....	0.3	*	*	0.7	0.8	0.7	0.5	0.2	*	*
1980.....	0.3	1.3	0.4	1.0	0.7	0.8	0.5	0.2	0.0	0.0
1979.....	0.3	1.5	0.4	0.7	0.6	0.7	0.4	0.2	0.1	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CYSTIC FIBROSIS (277.0)										
ALL OTHER, BOTH SEXES										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.3	-	0.1	-	-	0.1	0.1	-	0.1
1979.....	0.0	0.5	0.2	-	-	0.1	0.1	0.0	-	0.1
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.3	-	0.1	-	-	0.1	0.1	-	-
1979.....	0.1	1.0	0.3	-	-	-	0.1	-	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CYSTIC FIBROSIS (277.0)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.3	-	0.1	-	-	0.1	0.1	-	0.1
1979.....	0.0	-	0.1	-	-	0.1	-	0.1	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.4	-	0.1	-	-	0.0	0.1	-	0.1
1979.....	0.0	0.4	0.2	-	-	0.1	0.1	0.0	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CYSTIC FIBROSIS (277.0)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.4	-	0.1	-	-	0.1	0.1	-	-
1979.....	0.1	0.8	0.3	-	-	-	0.2	-	-	0.2
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.4	-	0.2	-	-	-	0.1	-	0.1
1979.....	0.0	-	0.1	-	-	0.1	-	0.1	-	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OBESITY (278.0)										
TOTAL, BOTH SEXES										
1998.....	0.8	*	*	*	*	*	0.2	0.4	0.6	0.8
1997.....	0.8	*	*	*	*	*	0.1	0.3	0.5	0.6
1996.....	0.7	*	*	*	*	*	0.1	0.3	0.4	0.6
1995.....	0.7	*	*	*	*	*	0.2	0.3	0.4	0.6
1994.....	0.7	*	*	*	*	*	0.1	0.3	0.4	0.5
1993.....	0.6	*	*	*	*	*	0.1	0.2	0.4	0.5
1992.....	0.6	*	*	*	*	*	0.1	0.3	0.4	0.5
1991.....	0.6	*	*	*	*	*	*	0.2	0.3	0.5
1990.....	0.5	*	*	*	*	*	0.1	0.1	0.2	0.4
1989.....	0.5	*	*	*	*	*	*	0.1	0.3	0.4
1988.....	0.5	*	*	*	*	*	*	*	0.2	0.4
1987.....	0.4	*	*	*	*	*	*	0.1	0.2	0.4
1986.....	0.4	*	*	*	*	*	*	0.1	0.2	0.4
1985.....	0.4	*	*	*	*	*	*	0.1	0.3	0.4
1984.....	0.4	*	*	*	*	*	*	0.1	0.2	0.3
1983.....	0.4	*	*	*	*	*	*	0.1	0.2	0.3
1982.....	0.4	*	*	*	*	*	*	*	0.3	0.3
1981.....	0.4	*	*	*	*	*	*	0.2	0.3	0.5
1980.....	0.5	-	-	-	0.0	0.0	0.1	0.2	0.3	0.4
1979.....	0.5	-	0.0	-	0.0	0.0	0.1	0.2	0.3	0.4
TOTAL, MALE										
1998.....	0.8	*	*	*	*	*	*	0.4	0.6	0.8
1997.....	0.7	*	*	*	*	*	*	0.4	0.6	0.7
1996.....	0.7	*	*	*	*	*	*	0.3	0.4	0.6
1995.....	0.7	*	*	*	*	*	0.3	0.4	0.5	0.6
1994.....	0.6	*	*	*	*	*	*	0.3	0.5	0.6
1993.....	0.6	*	*	*	*	*	*	0.3	0.4	0.5
1992.....	0.6	*	*	*	*	*	*	0.2	0.4	0.7
1991.....	0.5	*	*	*	*	*	*	0.3	0.3	0.6
1990.....	0.5	*	*	*	*	*	*	*	0.3	0.5
1989.....	0.5	*	*	*	*	*	*	*	0.4	0.4
1988.....	0.4	*	*	*	*	*	*	*	0.3	0.5
1987.....	0.3	*	*	*	*	*	*	*	0.2	0.4
1986.....	0.4	*	*	*	*	*	*	*	0.3	0.3
1985.....	0.4	*	*	*	*	*	*	*	0.3	0.4
1984.....	0.3	*	*	*	*	*	*	*	0.2	0.2
1983.....	0.3	*	*	*	*	*	*	*	0.2	0.3
1982.....	0.3	*	*	*	*	*	*	*	0.2	0.3
1981.....	0.3	*	*	*	*	*	*	*	0.2	0.4
1980.....	0.4	-	-	-	-	0.0	0.1	0.1	0.3	0.4
1979.....	0.4	-	0.0	-	0.0	0.0	0.1	0.1	0.3	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OBESITY (278.0)										
TOTAL, FEMALE										
1998.....	0.9	*	*	*	*	*	*	0.3	0.5	0.7
1997.....	0.8	*	*	*	*	*	*	0.3	0.5	0.5
1996.....	0.8	*	*	*	*	*	*	0.2	0.3	0.6
1995.....	0.7	*	*	*	*	*	*	0.2	0.3	0.5
1994.....	0.7	*	*	*	*	*	*	0.2	0.4	0.4
1993.....	0.7	*	*	*	*	*	*	*	0.3	0.5
1992.....	0.6	*	*	*	*	*	*	0.3	0.3	0.4
1991.....	0.6	*	*	*	*	*	*	*	0.3	0.4
1990.....	0.6	*	*	*	*	*	*	*	*	0.3
1989.....	0.6	*	*	*	*	*	*	*	0.2	0.4
1988.....	0.5	*	*	*	*	*	*	*	*	0.4
1987.....	0.5	*	*	*	*	*	*	*	0.2	0.4
1986.....	0.5	*	*	*	*	*	*	*	*	0.5
1985.....	0.5	*	*	*	*	*	*	*	0.3	0.4
1984.....	0.5	*	*	*	*	*	*	0.2	*	0.3
1983.....	0.5	*	*	*	*	*	*	*	0.2	0.4
1982.....	0.5	*	*	*	*	*	*	*	0.3	0.3
1981.....	0.5	*	*	*	*	*	*	0.3	0.3	0.7
1980.....	0.6	-	-	-	0.0	0.0	0.1	0.3	0.4	0.5
1979.....	0.5	-	-	-	-	0.0	0.1	0.3	0.4	0.5
WHITE, BOTH SEXES										
1998.....	0.8	*	*	*	*	*	*	0.2	0.5	0.6
1997.....	0.7	*	*	*	*	*	*	0.2	0.4	0.5
1996.....	0.7	*	*	*	*	*	*	0.2	0.3	0.5
1995.....	0.7	*	*	*	*	*	*	0.2	0.3	0.5
1994.....	0.6	*	*	*	*	*	*	0.2	0.3	0.4
1993.....	0.6	*	*	*	*	*	*	0.1	0.3	0.4
1992.....	0.5	*	*	*	*	*	*	0.2	0.3	0.4
1991.....	0.5	*	*	*	*	*	*	0.2	0.2	0.4
1990.....	0.5	*	*	*	*	*	*	*	0.2	0.3
1989.....	0.5	*	*	*	*	*	*	*	0.2	0.3
1988.....	0.4	*	*	*	*	*	*	*	0.2	0.3
1987.....	0.4	*	*	*	*	*	*	0.1	0.2	0.3
1986.....	0.4	*	*	*	*	*	*	*	0.2	0.3
1985.....	0.4	*	*	*	*	*	*	0.1	0.2	0.3
1984.....	0.4	*	*	*	*	*	*	*	0.2	0.3
1983.....	0.4	*	*	*	*	*	*	*	0.2	0.3
1982.....	0.4	*	*	*	*	*	*	*	0.2	0.2
1981.....	0.4	*	*	*	*	*	*	0.2	0.2	0.5
1980.....	0.5	-	-	-	-	0.0	0.0	0.2	0.3	0.4
1979.....	0.4	-	0.0	-	0.0	0.0	0.1	0.2	0.3	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OBESITY (278.0)										
WHITE MALE										
1998.....	0.8	*	*	*	*	*	*	0.3	0.5	0.7
1997.....	0.7	*	*	*	*	*	*	0.3	0.4	0.7
1996.....	0.7	*	*	*	*	*	*	0.3	0.4	0.6
1995.....	0.7	*	*	*	*	*	*	0.3	0.5	0.6
1994.....	0.6	*	*	*	*	*	*	*	0.4	0.6
1993.....	0.6	*	*	*	*	*	*	*	0.4	0.5
1992.....	0.6	*	*	*	*	*	*	*	0.4	0.6
1991.....	0.5	*	*	*	*	*	*	0.2	0.3	0.5
1990.....	0.4	*	*	*	*	*	*	*	0.3	0.5
1989.....	0.5	*	*	*	*	*	*	*	0.3	0.3
1988.....	0.4	*	*	*	*	*	*	*	0.3	0.4
1987.....	0.3	*	*	*	*	*	*	*	0.2	0.3
1986.....	0.4	*	*	*	*	*	*	*	*	0.3
1985.....	0.4	*	*	*	*	*	*	*	0.3	0.4
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	0.3	0.4
1980.....	0.4	-	-	-	-	0.0	0.1	0.1	0.2	0.4
1979.....	0.4	-	0.0	-	0.0	0.0	0.0	0.1	0.2	0.4
WHITE FEMALE										
1998.....	0.8	*	*	*	*	*	*	*	0.4	0.6
1997.....	0.7	*	*	*	*	*	*	*	0.4	0.4
1996.....	0.7	*	*	*	*	*	*	*	0.3	0.5
1995.....	0.7	*	*	*	*	*	*	*	*	0.4
1994.....	0.6	*	*	*	*	*	*	*	0.2	0.2
1993.....	0.6	*	*	*	*	*	*	*	0.2	0.3
1992.....	0.5	*	*	*	*	*	*	*	0.2	0.2
1991.....	0.5	*	*	*	*	*	*	*	0.2	0.3
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	0.3
1988.....	0.4	*	*	*	*	*	*	*	*	0.2
1987.....	0.4	*	*	*	*	*	*	*	*	0.3
1986.....	0.4	*	*	*	*	*	*	*	*	0.3
1985.....	0.4	*	*	*	*	*	*	*	*	0.3
1984.....	0.4	*	*	*	*	*	*	*	*	0.3
1983.....	0.5	*	*	*	*	*	*	*	*	0.3
1982.....	0.4	*	*	*	*	*	*	*	0.3	*
1981.....	0.5	*	*	*	*	*	*	*	*	0.6
1980.....	0.5	-	-	-	-	0.0	0.0	0.2	0.3	0.4
1979.....	0.5	-	-	-	-	0.0	0.1	0.2	0.4	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OBESITY (278.0)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	*	*	*	*	*	*	0.9	1.1	1.3
1997.....	1.1	*	*	*	*	*	*	0.9	1.1	1.2
1996.....	1.0	*	*	*	*	*	*	*	0.6	1.1
1995.....	0.9	*	*	*	*	*	*	0.7	0.7	0.9
1994.....	0.9	*	*	*	*	*	*	0.6	0.8	1.0
1993.....	0.9	*	*	*	*	*	*	0.6	0.7	1.0
1992.....	0.9	*	*	*	*	*	*	0.7	0.5	1.0
1991.....	0.8	*	*	*	*	*	*	*	0.5	1.0
1990.....	0.7	*	*	*	*	*	*	*	*	0.8
1989.....	0.8	*	*	*	*	*	*	*	0.6	0.9
1988.....	0.7	*	*	*	*	*	*	*	*	1.0
1987.....	0.6	*	*	*	*	*	*	*	*	0.7
1986.....	0.7	*	*	*	*	*	*	*	*	0.8
1985.....	0.6	*	*	*	*	*	*	*	0.8	0.8
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.7	-	-	-	0.0	0.1	0.2	0.4	0.8	0.9
1979.....	0.6	-	-	-	-	0.1	0.2	0.4	0.7	0.9
ALL OTHER MALE										
1998.....	1.0	*	*	*	*	*	*	*	1.2	1.2
1997.....	0.8	*	*	*	*	*	*	*	1.5	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.1	0.2	0.8	0.6
1979.....	0.3	-	-	-	-	0.1	0.1	0.3	0.5	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OBESITY (278.0)										
ALL OTHER FEMALE										
1998.....	1.3	*	*	*	*	*	*	*	1.1	1.4
1997.....	1.3	*	*	*	*	*	*	*	*	1.4
1996.....	1.2	*	*	*	*	*	*	*	*	1.2
1995.....	1.1	*	*	*	*	*	*	*	*	1.1
1994.....	1.2	*	*	*	*	*	*	*	*	1.2
1993.....	1.2	*	*	*	*	*	*	*	*	1.2
1992.....	1.1	*	*	*	*	*	*	*	*	1.1
1991.....	1.0	*	*	*	*	*	*	*	*	1.2
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.1	-	-	-	0.1	0.1	0.3	0.6	0.9	1.2
1979.....	0.9	-	-	-	-	-	0.3	0.6	0.9	1.1
BLACK, BOTH SEXES										
1998.....	1.5	*	*	*	*	*	*	1.1	1.5	1.8
1997.....	1.4	*	*	*	*	*	*	1.1	1.4	1.5
1996.....	1.3	*	*	*	*	*	*	*	0.8	1.4
1995.....	1.2	*	*	*	*	*	*	0.9	0.9	1.2
1994.....	1.2	*	*	*	*	*	*	0.8	1.1	1.3
1993.....	1.2	*	*	*	*	*	*	*	0.9	1.3
1992.....	1.1	*	*	*	*	*	*	0.8	*	1.2
1991.....	1.0	*	*	*	*	*	*	*	*	1.3
1990.....	1.0	*	*	*	*	*	*	*	*	1.1
1989.....	1.0	*	*	*	*	*	*	*	0.8	1.2
1988.....	0.9	*	*	*	*	*	*	*	*	1.4
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	1.1
1985.....	0.8	*	*	*	*	*	*	*	1.0	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.9	-	-	-	0.0	0.1	0.1	0.5	1.1	1.2
1979.....	0.7	-	-	-	-	0.1	0.3	0.5	0.9	1.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OBESITY (278.0)										
BLACK MALE										
1998.....	1.2	*	*	*	*	*	*	*	1.6	1.6
1997.....	1.1	*	*	*	*	*	*	*	1.8	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	-	-	0.3	1.0	0.8
1979.....	0.3	-	-	-	-	0.1	0.2	0.4	0.6	0.9
BLACK FEMALE										
1998.....	1.7	*	*	*	*	*	*	*	1.4	1.9
1997.....	1.7	*	*	*	*	*	*	*	*	1.8
1996.....	1.6	*	*	*	*	*	*	*	*	1.5
1995.....	1.5	*	*	*	*	*	*	*	*	1.4
1994.....	1.6	*	*	*	*	*	*	*	*	1.6
1993.....	1.6	*	*	*	*	*	*	*	*	1.6
1992.....	1.4	*	*	*	*	*	*	*	*	1.5
1991.....	1.3	*	*	*	*	*	*	*	*	1.5
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.3	-	-	-	0.1	0.1	0.3	0.7	1.1	1.5
1979.....	1.1	-	-	-	-	-	0.4	0.7	1.1	1.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										

## TOTAL, BOTH SEXES

1998.....	5.4	7.0	0.6	0.2	0.2	0.2	0.3	0.5	0.6	1.0
1997.....	5.2	8.0	0.7	0.3	0.3	0.2	0.3	0.3	0.6	0.9
1996.....	5.0	7.3	0.8	0.2	0.2	0.1	0.2	0.5	0.9	1.2
1995.....	4.9	7.7	0.7	0.2	0.3	0.3	0.3	0.5	1.1	1.4
1994.....	4.7	7.1	0.7	0.3	0.2	0.3	0.3	0.6	1.1	1.4
1993.....	4.5	6.5	0.8	0.4	0.2	0.3	0.4	0.6	1.0	1.4
1992.....	4.3	7.4	0.9	0.3	0.2	0.2	0.3	0.6	1.0	1.2
1991.....	4.2	8.5	0.7	0.4	0.3	0.2	0.3	0.5	1.0	1.3
1990.....	3.9	7.9	0.8	0.3	0.3	0.2	0.2	0.5	0.8	1.1
1989.....	3.9	8.4	0.7	0.3	0.3	0.3	0.3	0.4	0.8	1.1
1988.....	3.8	9.0	0.9	0.3	0.2	0.2	0.3	0.4	0.7	1.1
1987.....	3.5	8.2	0.8	0.2	0.2	0.3	0.3	0.4	0.7	0.9
1986.....	5.8	8.8	1.0	0.3	0.3	0.3	1.1	3.8	7.3	7.8
1985.....	4.5	8.9	1.1	0.4	0.2	0.3	0.7	2.5	4.2	4.5
1984.....	3.6	9.6	0.8	0.3	0.2	0.3	0.5	1.3	2.1	2.5
1983.....	3.1	8.7	0.8	0.3	0.2	0.3	0.3	0.7	1.1	1.2
1982.....	2.8	9.3	0.8	0.3	0.2	0.2	0.2	0.3	0.5	0.6
1981.....	2.7	9.5	0.9	0.2	0.2	0.2	0.2	0.3	0.4	0.6
1980.....	2.7	9.4	0.9	0.3	0.2	0.2	0.2	0.2	0.4	0.5
1979.....	2.5	9.7	0.9	0.2	0.2	0.2	0.2	0.2	0.4	0.7

## TOTAL, MALE

1998.....	4.8	7.2	0.6	0.2	0.3	0.2	0.3	0.5	0.7	1.1
1997.....	4.7	8.4	0.7	0.3	0.3	0.3	0.3	0.3	0.7	1.3
1996.....	4.6	8.0	0.9	0.3	0.3	*	0.3	0.7	1.2	1.8
1995.....	4.5	8.6	0.8	0.3	0.3	0.4	0.3	0.6	1.6	1.9
1994.....	4.4	8.1	0.8	0.3	0.2	0.3	0.4	0.7	1.5	2.0
1993.....	4.3	6.1	0.9	0.4	0.3	0.3	0.5	0.9	1.5	2.0
1992.....	4.1	7.9	0.8	0.4	0.3	0.4	0.3	0.9	1.5	1.8
1991.....	4.1	8.9	0.7	0.4	0.3	*	0.4	0.7	1.5	2.0
1990.....	3.8	9.1	0.9	0.4	0.4	0.2	0.3	0.7	1.2	1.6
1989.....	3.8	8.5	0.7	0.3	0.4	0.4	0.4	0.6	1.2	1.6
1988.....	3.5	9.1	0.9	*	*	*	0.4	0.5	1.1	1.6
1987.....	3.4	9.1	0.7	0.2	*	0.4	0.4	0.6	1.1	1.4
1986.....	7.7	8.6	1.2	0.3	0.4	0.4	1.8	6.5	12.7	14.1
1985.....	5.5	9.7	1.2	0.2	0.3	0.3	1.0	4.2	7.2	8.1
1984.....	4.0	9.7	1.1	0.3	0.3	0.4	0.8	2.1	3.5	4.3
1983.....	3.2	9.4	1.0	0.3	0.2	0.3	0.3	1.1	1.7	1.8
1982.....	2.7	10.1	0.8	0.3	0.3	0.2	0.3	0.4	0.7	0.8
1981.....	2.6	10.1	0.9	0.3	0.2	0.2	0.2	0.4	0.4	0.6
1980.....	2.7	10.1	1.0	0.3	0.2	0.2	0.2	0.3	0.5	0.7
1979.....	2.5	10.4	1.1	0.2	0.3	0.2	0.2	0.2	0.4	0.7

CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39  
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

TOTAL, FEMALE										
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
1998	6.0	6.8	0.7	0.2	*	0.3	0.3	0.4	0.5	0.8
1997	5.7	7.6	0.6	0.2	*	*	0.3	0.4	0.5	0.6
1996	5.3	6.6	0.7	*	0.2	*	*	0.3	0.5	0.7
1995	5.2	6.7	0.7	*	0.4	*	0.3	0.4	0.6	0.8
1994	5.0	6.0	0.7	0.3	*	0.3	0.2	0.4	0.7	0.8
1993	4.8	7.0	0.7	0.3	*	*	0.3	0.3	0.5	0.8
1992	4.5	6.9	1.0	0.3	0.2	*	0.2	0.4	0.5	0.6
1991	4.3	8.0	0.7	0.3	*	*	0.3	0.3	0.4	0.7
1990	4.1	6.7	0.8	*	*	0.3	*	0.2	0.4	0.5
1989	4.1	8.3	0.7	0.3	*	0.2	0.3	0.3	0.4	0.5
1988	4.0	9.0	0.8	0.3	0.3	*	0.3	0.3	0.3	0.6
1987	3.5	7.3	0.8	0.2	*	*	0.2	0.3	0.3	0.5
1986	4.0	9.0	0.9	0.3	*	0.3	0.4	1.1	2.0	1.7
1985	3.6	8.1	1.0	0.5	*	0.3	0.4	0.8	1.2	1.0
1984	3.3	9.5	0.6	*	*	*	0.3	0.5	0.7	0.8
1983	3.0	8.0	0.6	0.3	*	*	0.3	0.3	0.4	0.5
1982	2.8	8.4	0.8	*	*	*	*	*	0.4	0.5
1981	2.7	9.0	0.9	*	*	*	0.2	*	0.4	0.5
1980	2.7	8.6	0.8	0.3	0.1	0.2	0.1	0.2	0.4	0.4
1979	2.5	9.0	0.7	0.3	0.2	0.2	0.3	0.2	0.3	0.7
WHITE, BOTH SEXES										
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
1998	5.7	6.1	0.5	0.2	0.2	0.3	0.2	0.4	0.5	0.8
1997	5.4	7.0	0.7	0.3	0.3	0.2	0.3	0.3	0.4	0.8
1996	5.1	6.5	0.7	0.2	0.3	0.1	0.2	0.4	0.6	1.0
1995	4.9	6.9	0.7	0.2	0.4	0.3	0.3	0.4	0.9	1.0
1994	4.7	6.2	0.7	0.3	0.2	0.3	0.3	0.4	0.8	1.0
1993	4.5	5.1	0.7	0.4	0.3	0.3	0.4	0.5	0.8	1.1
1992	4.3	6.4	0.9	0.3	0.2	0.2	0.2	0.5	0.8	1.0
1991	4.2	7.1	0.7	0.3	0.3	0.2	0.3	0.4	0.8	1.1
1990	3.9	6.8	0.7	0.3	0.3	0.2	0.2	0.3	0.7	0.9
1989	3.9	7.6	0.8	0.3	0.3	0.3	0.3	0.3	0.7	0.8
1988	3.7	7.5	0.8	0.3	0.2	0.2	0.3	0.3	0.5	0.8
1987	3.3	7.3	0.7	0.2	0.2	0.3	0.3	0.4	0.6	0.8
1986	5.3	7.5	0.8	0.3	0.3	0.3	0.8	3.1	5.6	6.5
1985	4.2	7.6	1.0	0.3	0.2	0.3	0.5	1.9	3.2	3.7
1984	3.4	7.3	0.7	0.3	0.2	0.3	0.4	1.0	1.6	2.1
1983	2.9	7.1	0.7	0.3	0.2	0.2	0.3	0.5	0.8	0.9
1982	2.7	8.2	0.8	0.2	0.2	0.2	0.2	0.3	0.5	0.6
1981	2.5	7.9	0.9	0.2	0.2	0.2	0.2	0.2	0.3	0.5
1980	2.6	8.0	0.9	0.3	0.2	0.2	0.2	0.2	0.4	0.4
1979	2.3	8.2	0.9	0.2	0.3	0.2	0.2	0.2	0.3	0.5



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										

## WHITE MALE

1998.....	4.9	5.9	0.5	0.3	*	*	*	0.4	0.7	1.0
1997.....	4.8	7.6	0.7	0.3	0.3	0.3	*	0.3	0.5	1.1
1996.....	4.6	7.4	0.9	0.3	0.3	*	*	0.6	0.9	1.4
1995.....	4.4	8.0	0.8	*	0.4	0.4	0.3	0.5	1.2	1.4
1994.....	4.3	7.2	0.8	0.3	*	0.3	0.3	0.6	1.1	1.5
1993.....	4.2	4.9	0.7	0.4	0.4	0.3	0.4	0.7	1.2	1.6
1992.....	4.0	7.1	0.8	0.4	0.3	0.4	*	0.7	1.2	1.6
1991.....	4.0	7.5	0.7	0.3	0.3	*	0.3	0.5	1.2	1.7
1990.....	3.6	7.7	0.8	0.4	0.4	*	0.3	0.5	1.0	1.3
1989.....	3.6	8.2	0.7	0.3	0.4	0.3	0.4	0.5	1.0	1.3
1988.....	3.4	7.9	0.9	*	*	*	0.3	0.4	0.8	1.3
1987.....	3.2	7.7	0.7	*	*	0.3	0.3	0.5	0.9	1.2
1986.....	6.9	7.0	0.9	0.4	0.4	0.3	1.3	5.4	10.2	12.0
1985.....	5.0	8.5	1.1	*	*	*	0.6	3.4	5.8	6.7
1984.....	3.7	7.4	0.9	0.3	0.3	0.3	0.7	1.7	2.7	3.5
1983.....	3.0	7.4	0.9	*	*	0.3	0.3	0.8	1.3	1.5
1982.....	2.6	8.9	0.8	0.3	*	*	0.2	0.4	0.6	0.7
1981.....	2.4	8.4	0.9	0.3	*	*	0.2	0.4	0.3	0.5
1980.....	2.5	8.1	1.0	0.3	0.2	0.2	0.2	0.3	0.4	0.5
1979.....	2.3	9.2	1.1	0.2	0.3	0.2	0.2	0.2	0.4	0.6

## WHITE FEMALE

1998.....	6.4	6.3	0.6	*	*	0.3	*	0.3	0.4	0.7
1997.....	6.0	6.5	0.6	*	*	*	0.3	0.3	0.3	0.5
1996.....	5.5	5.6	0.5	*	*	*	*	*	0.4	0.5
1995.....	5.5	5.8	0.6	*	0.4	*	0.3	0.3	0.5	0.5
1994.....	5.1	5.2	0.7	*	*	*	*	*	0.5	0.6
1993.....	4.9	5.3	0.7	0.3	*	*	0.3	*	0.3	0.6
1992.....	4.6	5.6	1.1	*	*	*	*	0.3	0.4	0.4
1991.....	4.3	6.7	0.7	0.3	*	*	0.3	0.2	0.3	0.6
1990.....	4.1	5.8	0.6	*	*	*	*	*	0.3	0.4
1989.....	4.1	6.9	0.8	0.3	*	*	*	*	0.3	0.3
1988.....	4.0	7.0	0.8	0.4	*	*	0.3	0.2	*	0.4
1987.....	3.4	6.9	0.7	*	*	*	*	0.3	0.2	0.4
1986.....	3.7	8.1	0.7	0.3	*	0.3	*	0.7	1.0	1.1
1985.....	3.4	6.5	0.8	0.4	*	0.3	0.3	0.4	0.7	0.6
1984.....	3.1	7.2	0.6	*	*	*	*	0.3	0.4	0.6
1983.....	2.9	6.7	0.5	0.3	*	*	0.2	*	0.4	0.4
1982.....	2.7	7.5	0.8	*	*	*	*	*	0.4	0.4
1981.....	2.6	7.4	0.8	*	*	*	0.3	*	0.3	0.4
1980.....	2.6	7.9	0.7	0.4	0.2	0.2	0.1	0.1	0.4	0.4
1979.....	2.3	7.2	0.7	0.3	0.2	0.2	0.3	0.2	0.2	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										
ALL OTHER, BOTH SEXES										
1998.....	4.3	10.5	0.9	*	*	*	*	0.8	1.1	1.5
1997.....	4.2	11.9	0.7	*	*	*	*	0.6	1.5	1.6
1996.....	4.4	10.5	1.2	*	*	*	*	1.1	2.0	2.6
1995.....	4.4	10.3	0.8	*	*	*	*	1.2	2.2	3.4
1994.....	4.6	10.1	0.7	*	*	*	*	1.3	2.3	3.2
1993.....	4.5	11.8	1.0	*	*	*	*	1.4	2.2	3.0
1992.....	4.3	11.4	0.9	*	*	*	*	1.1	2.2	2.2
1991.....	4.4	13.0	0.7	*	*	*	*	0.9	2.0	2.4
1990.....	4.3	12.2	1.2	*	*	*	*	1.1	1.5	2.2
1989.....	4.4	11.7	*	*	*	*	*	0.9	1.5	2.4
1988.....	4.2	15.4	1.0	*	*	*	*	0.8	1.4	2.4
1987.....	4.2	12.1	1.0	*	*	*	*	0.8	1.5	1.9
1986.....	8.7	14.0	2.0	*	*	*	2.7	7.7	16.3	15.7
1985.....	6.5	14.7	1.9	*	*	*	1.7	5.6	9.2	9.4
1984.....	4.9	19.8	1.4	*	*	*	1.0	2.7	5.1	5.3
1983.....	4.1	16.0	1.1	*	*	*	*	1.7	2.4	2.6
1982.....	3.4	14.1	*	*	*	*	*	*	*	1.2
1981.....	3.5	17.1	1.2	*	*	*	*	*	0.9	1.4
1980.....	3.6	15.6	1.1	0.3	0.1	0.2	0.2	0.5	0.7	1.3
1979.....	3.5	16.6	0.9	0.2	0.2	0.1	0.3	0.5	0.8	1.9
ALL OTHER MALE										
1998.....	4.3	12.1	*	*	*	*	*	*	1.1	1.8
1997.....	4.2	11.9	*	*	*	*	*	*	1.8	2.1
1996.....	4.6	10.5	*	*	*	*	*	1.3	3.0	3.7
1995.....	4.8	10.7	*	*	*	*	*	1.4	3.6	4.7
1994.....	5.0	11.4	*	*	*	*	*	1.3	3.1	4.7
1993.....	4.8	10.6	1.3	*	*	*	*	2.1	3.2	4.3
1992.....	4.6	11.0	*	*	*	*	*	1.6	3.2	3.0
1991.....	4.5	13.4	*	*	*	*	*	1.4	3.5	3.6
1990.....	4.5	14.5	*	*	*	*	*	1.7	2.2	3.4
1989.....	4.5	9.7	*	*	*	*	*	1.3	2.1	3.5
1988.....	4.2	14.0	*	*	*	*	*	*	2.4	3.5
1987.....	4.3	15.1	*	*	*	*	*	*	2.1	2.5
1986.....	12.5	15.2	2.3	*	*	*	4.4	12.8	27.1	27.6
1985.....	8.6	14.7	1.9	*	*	*	2.6	8.9	15.6	16.9
1984.....	5.8	20.3	1.9	*	*	*	1.6	4.2	8.2	9.7
1983.....	4.7	18.2	*	*	*	*	*	2.8	4.2	3.8
1982.....	3.5	15.7	*	*	*	*	*	*	*	*
1981.....	3.6	18.0	*	*	*	*	*	*	*	*
1980.....	3.9	19.1	1.0	0.4	0.3	0.2	0.3	0.4	0.9	1.8
1979.....	3.7	16.2	1.1	0.1	0.3	0.2	0.4	0.5	0.7	1.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										
ALL OTHER FEMALE										
1998.....	4.4	8.8	*	*	*	*	*	*	1.1	1.2
1997.....	4.3	11.8	*	*	*	*	*	*	1.2	1.1
1996.....	4.3	10.5	1.4	*	*	*	*	*	1.2	1.6
1995.....	4.1	10.0	*	*	*	*	*	1.1	*	2.2
1994.....	4.2	8.8	*	*	*	*	*	1.2	1.6	1.9
1993.....	4.2	12.9	*	*	*	*	*	*	1.3	1.9
1992.....	4.0	11.8	*	*	*	*	*	*	1.3	1.5
1991.....	4.3	12.5	*	*	*	*	*	*	*	1.3
1990.....	4.0	9.9	*	*	*	*	*	*	*	*
1989.....	4.2	13.7	*	*	*	*	*	*	*	1.4
1988.....	4.2	16.8	*	*	*	*	*	*	*	1.5
1987.....	4.0	9.0	*	*	*	*	*	*	*	1.3
1986.....	5.3	12.7	1.7	*	*	*	1.1	3.0	6.7	5.4
1985.....	4.6	14.7	2.0	*	*	*	*	2.5	3.5	2.9
1984.....	4.0	19.2	*	*	*	*	*	1.3	2.3	1.6
1983.....	3.6	13.8	*	*	*	*	*	*	*	*
1982.....	3.3	12.4	*	*	*	*	*	*	*	*
1981.....	3.3	16.1	*	*	*	*	*	*	*	*
1980.....	3.3	12.0	1.3	0.2	-	0.2	0.1	0.5	0.5	0.8
1979.....	3.3	17.1	0.7	0.3	0.2	0.1	0.2	0.5	0.9	2.1
BLACK, BOTH SEXES										
1998.....	5.3	12.5	0.9	*	*	*	*	1.0	1.4	1.9
1997.....	5.2	13.7	*	*	*	*	*	0.8	2.0	2.0
1996.....	5.5	12.3	1.3	*	*	*	*	1.4	2.7	3.5
1995.....	5.4	11.3	*	*	*	*	*	1.7	2.9	4.5
1994.....	5.7	12.0	0.8	*	*	*	*	1.5	3.0	4.4
1993.....	5.5	14.5	1.0	*	*	*	*	1.8	2.8	3.9
1992.....	5.3	13.2	1.1	*	*	*	*	1.5	2.9	3.0
1991.....	5.4	15.7	*	*	*	*	*	1.2	2.6	3.0
1990.....	5.2	14.1	1.3	*	*	*	*	1.4	2.0	2.8
1989.....	5.3	12.8	*	*	*	*	*	1.1	1.9	3.0
1988.....	5.1	16.5	1.1	*	*	*	*	0.9	1.9	3.2
1987.....	5.0	13.2	1.2	*	*	*	*	1.0	1.8	2.4
1986.....	10.7	16.2	2.4	*	*	*	3.3	9.7	21.2	20.6
1985.....	7.8	16.1	2.3	*	*	*	2.0	6.9	11.8	12.2
1984.....	5.7	21.5	1.6	*	*	*	1.3	3.4	6.4	6.7
1983.....	4.8	17.0	1.2	*	*	*	*	2.1	3.2	3.2
1982.....	3.9	15.3	*	*	*	*	*	*	*	1.3
1981.....	3.9	18.7	1.2	*	*	*	*	*	1.2	1.7
1980.....	4.0	16.8	1.2	0.3	0.1	0.2	0.2	0.5	0.8	1.6
1979.....	3.9	17.3	1.0	0.2	0.1	0.2	0.4	0.4	0.9	2.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										
BLACK MALE										
1998.....	5.2	14.4	*	*	*	*	*	*	*	2.4
1997.....	5.1	13.5	*	*	*	*	*	*	2.5	2.5
1996.....	5.7	12.6	*	*	*	*	*	1.8	4.1	5.0
1995.....	6.0	11.8	*	*	*	*	*	2.0	4.8	6.2
1994.....	6.1	13.1	*	*	*	*	*	1.6	4.1	6.5
1993.....	5.9	13.5	*	*	*	*	*	2.7	4.0	5.6
1992.....	5.8	12.4	*	*	*	*	*	2.2	4.2	4.1
1991.....	5.5	16.3	*	*	*	*	*	1.8	4.4	4.5
1990.....	5.5	16.4	*	*	*	*	*	2.2	2.9	4.5
1989.....	5.5	10.2	*	*	*	*	*	1.6	2.7	4.5
1988.....	5.1	14.8	*	*	*	*	*	*	3.2	4.5
1987.....	5.2	17.4	*	*	*	*	*	*	2.5	3.3
1986.....	15.5	16.4	2.7	*	*	*	5.4	16.3	35.5	36.7
1985.....	10.4	14.9	2.2	*	*	*	3.2	11.1	20.3	22.0
1984.....	7.0	23.6	2.1	*	*	*	2.0	5.3	10.5	12.5
1983.....	5.5	19.8	*	*	*	*	*	3.5	5.5	4.6
1982.....	4.1	17.2	*	*	*	*	*	*	*	*
1981.....	4.1	20.4	*	*	*	*	*	*	*	*
1980.....	4.4	20.4	1.0	0.4	0.3	0.2	0.3	0.5	1.0	2.3
1979.....	4.0	16.5	1.1	0.2	0.1	0.2	0.5	0.3	0.8	1.5
BLACK FEMALE										
1998.....	5.3	10.5	*	*	*	*	*	*	*	1.4
1997.....	5.3	13.9	*	*	*	*	*	*	1.6	1.5
1996.....	5.4	11.9	*	*	*	*	*	*	1.5	2.1
1995.....	4.9	10.8	*	*	*	*	*	1.5	*	3.0
1994.....	5.2	10.8	*	*	*	*	*	1.5	2.1	2.5
1993.....	5.1	15.5	*	*	*	*	*	*	1.7	2.5
1992.....	4.8	14.0	*	*	*	*	*	*	1.7	2.0
1991.....	5.2	15.0	*	*	*	*	*	*	*	1.7
1990.....	4.9	11.7	*	*	*	*	*	*	*	*
1989.....	5.2	15.5	*	*	*	*	*	*	*	1.7
1988.....	5.0	18.2	*	*	*	*	*	*	*	2.0
1987.....	4.8	8.9	*	*	*	*	*	*	*	*
1986.....	6.3	16.0	2.1	*	*	*	*	3.8	8.7	6.9
1985.....	5.4	17.3	2.3	*	*	*	*	3.1	4.5	3.9
1984.....	4.6	19.4	*	*	*	*	*	1.6	2.8	*
1983.....	4.2	14.2	*	*	*	*	*	*	*	*
1982.....	3.7	13.3	*	*	*	*	*	*	*	*
1981.....	3.8	16.9	*	*	*	*	*	*	*	*
1980.....	3.7	13.2	1.4	0.2	-	0.3	0.1	0.6	0.6	1.0
1979.....	3.7	18.0	0.9	0.3	0.1	0.1	0.3	0.5	1.0	2.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
TOTAL, BOTH SEXES										
1998.....	1.5	*	*	*	*	*	*	*	*	*
1997.....	1.5	*	*	*	*	*	*	*	*	*
1996.....	1.4	*	*	*	*	*	*	*	*	*
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.3	0.6	*	*	*	*	*	*	*	0.1
1992.....	1.2	0.5	*	*	*	*	*	*	*	*
1991.....	1.2	0.5	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	0.1
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.2	0.7	*	*	*	*	*	*	*	*
1987.....	1.2	0.7	*	*	*	*	*	*	*	*
1986.....	1.2	0.6	*	*	*	*	*	*	*	*
1985.....	1.2	0.8	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.1	0.9	*	*	*	*	*	*	*	*
1982.....	1.0	0.9	*	*	*	*	*	*	*	*
1981.....	1.0	0.8	*	*	*	*	*	*	*	*
1980.....	1.0	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	1.0	1.3	0.0	0.0	-	0.0	0.0	0.0	0.1	0.1
TOTAL, MALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.9	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
1979.....	0.8	1.9	0.0	0.0	-	0.0	0.0	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
TOTAL, FEMALE										
1998.....	2.0	*	*	*	*	*	*	*	*	*
1997.....	2.0	*	*	*	*	*	*	*	*	*
1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	1.8	*	*	*	*	*	*	*	*	*
1994.....	1.7	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	*
1989.....	1.5	*	*	*	*	*	*	*	*	*
1988.....	1.5	*	*	*	*	*	*	*	*	*
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986.....	1.4	*	*	*	*	*	*	*	*	*
1985.....	1.5	*	*	*	*	*	*	*	*	*
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.8	0.1	-	0.0	-	0.0	0.0	0.0	0.1
1979.....	1.1	0.7	0.0	-	-	-	0.0	0.0	0.1	0.1
WHITE, BOTH SEXES										
1998.....	1.6	*	*	*	*	*	*	*	*	*
1997.....	1.6	*	*	*	*	*	*	*	*	*
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.2	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.2	0.7	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.3	0.0	0.0	-	0.0	0.0	0.0	0.0	0.1
1979.....	1.0	0.7	0.0	-	-	-	0.0	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
WHITE MALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.8	0.3	0.0	0.0	-	0.0	0.1	0.1	0.1	0.0
1979.....	0.8	1.0	0.0	-	-	-	0.0	0.0	0.1	0.1
WHITE FEMALE										
1998.....	2.2	*	*	*	*	*	*	*	*	*
1997.....	2.2	*	*	*	*	*	*	*	*	*
1996.....	2.0	*	*	*	*	*	*	*	*	*
1995.....	1.9	*	*	*	*	*	*	*	*	*
1994.....	1.8	*	*	*	*	*	*	*	*	*
1993.....	1.8	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.5	*	*	*	*	*	*	*	*	*
1985.....	1.5	*	*	*	*	*	*	*	*	*
1984.....	1.4	*	*	*	*	*	*	*	*	*
1983.....	1.4	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.4	0.0	-	-	-	0.0	0.0	0.0	0.1
1979.....	1.1	0.4	0.0	-	-	-	0.1	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.2	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.1	3.1	0.2	-	0.1	-	0.1	0.1	0.1	0.2
1979.....	1.1	4.0	-	0.0	-	0.0	-	0.1	0.1	0.2
ALL OTHER MALE										
1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.2	3.8	-	-	0.1	-	0.1	0.1	0.1	0.2
1979.....	1.2	6.3	-	0.1	-	0.1	-	0.1	0.1	0.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
ALL OTHER FEMALE										
1998.....	1.3	*	*	*	*	*	*	*	*	*
1997.....	1.1	*	*	*	*	*	*	*	*	*
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.0	2.5	0.4	-	0.1	-	0.1	0.1	0.2	0.2
1979.....	1.1	1.7	-	-	-	-	-	0.1	0.1	0.1
BLACK, BOTH SEXES										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.3	*	*	*	*	*	*	*	*	*
1996.....	1.2	*	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.3	*	*	*	*	*	*	*	*	*
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	*	*
1990.....	1.4	*	*	*	*	*	*	*	*	*
1989.....	1.5	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.3	*	*	*	*	*	*	*	*	*
1986.....	1.4	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.3	3.7	0.3	-	0.0	-	0.1	0.1	0.2	0.3
1979.....	1.2	4.5	-	0.0	-	-	-	0.0	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
BLACK MALE										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	1.1	*	*	*	*	*	*	*	*	*
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.3	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986.....	1.4	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.4	4.5	-	-	0.1	-	0.1	0.1	0.1	0.3
1979.....	1.3	6.9	-	0.1	-	-	-	-	0.1	0.3
BLACK FEMALE										
1998.....	1.6	*	*	*	*	*	*	*	*	*
1997.....	1.4	*	*	*	*	*	*	*	*	*
1996.....	1.3	*	*	*	*	*	*	*	*	*
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.1	3.0	0.5	-	-	-	0.1	0.1	0.2	0.3
1979.....	1.2	2.0	-	-	-	-	-	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 NUTRITIONAL MARASMUS (261)										
TOTAL, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0
1979.....	0.1	0.3	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0
TOTAL, MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	-	0.0	-	-	0.0	0.0	0.0	0.0
1979.....	0.1	0.5	0.0	0.0	-	0.0	-	0.0	0.0	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 NUTRITIONAL MARASMUS (261)										
TOTAL, FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.0	-	0.0	-	0.0	-	-	0.1
1979.....	0.1	0.2	-	-	-	-	0.0	-	0.0	0.0
WHITE, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	-	0.0	-	-	0.0	0.0	0.0	0.0
1979.....	0.1	0.2	0.0	-	-	-	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 NUTRITIONAL MARASMUS (261)										
WHITE MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	-	0.0	-	-	0.0	0.0	0.0	0.0
1979.....	0.1	0.3	0.0	-	-	-	-	0.0	0.0	-
WHITE FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	-	-	-	-	-	-	-	0.0
1979.....	0.1	0.1	-	-	-	-	0.0	-	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 NUTRITIONAL MARASMUS (261)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	0.0	-	0.0	-	0.0	-	-	0.1
1979.....	0.2	1.0	-	0.0	-	0.0	-	-	-	-
ALL OTHER MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.9	-	-	-	-	-	-	-	-
1979.....	0.1	1.3	-	0.1	-	0.1	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 NUTRITIONAL MARASMUS (261)										
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	0.1	-	0.1	-	0.1	-	-	0.1
1979.....	0.2	0.7	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.7	0.1	-	-	-	0.0	-	-	0.1
1979.....	0.2	1.0	-	0.0	-	-	-	-	-	-





CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
TOTAL, BOTH SEXES										
1998.....	1.3	*	*	*	*	*	*	*	*	*
1997.....	1.2	*	*	*	*	*	*	*	*	*
1996.....	1.2	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	0.6	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.0	0.5	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	0.6	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.9	0.6	*	*	*	*	*	*	*	*
1980.....	0.9	0.5	0.1	-	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.8	0.9	0.0	-	-	-	0.0	0.0	0.0	0.1
TOTAL, MALE										
1998.....	0.8	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.4	0.0	-	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.7	1.4	-	-	-	-	0.0	0.0	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
TOTAL, FEMALE										
1998.....	1.8	*	*	*	*	*	*	*	*	*
1997.....	1.7	*	*	*	*	*	*	*	*	*
1996.....	1.6	*	*	*	*	*	*	*	*	*
1995.....	1.6	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.5	0.1	-	-	-	0.0	0.0	0.0	0.0
1979.....	0.9	0.5	0.0	-	-	-	0.0	0.0	0.0	0.0
WHITE, BOTH SEXES										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.3	*	*	*	*	*	*	*	*	*
1996.....	1.3	*	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.2	*	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.2	0.0	-	-	0.0	0.0	0.0	0.0	0.0
1979.....	0.8	0.5	0.0	-	-	-	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
WHITE MALE										
1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.1	0.0	-	-	0.0	0.0	-	0.0	0.0
1979.....	0.6	0.7	-	-	-	-	0.0	0.0	-	0.1
WHITE FEMALE										
1998.....	1.9	*	*	*	*	*	*	*	*	*
1997.....	1.9	*	*	*	*	*	*	*	*	*
1996.....	1.7	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	*	*
1994.....	1.6	*	*	*	*	*	*	*	*	*
1993.....	1.5	*	*	*	*	*	*	*	*	*
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.4	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.3	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.2	0.0	-	-	-	0.0	0.0	0.0	0.0
1979.....	0.9	0.4	0.0	-	-	-	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
ALL OTHER, BOTH SEXES										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.9	0.2	-	0.0	-	0.0	0.1	0.1	0.2
1979.....	0.9	2.8	-	-	-	-	-	0.0	0.0	0.2
ALL OTHER MALE										
1998.....	0.8	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.9	-	-	0.1	-	0.1	0.1	0.1	0.2
1979.....	1.0	4.6	-	-	-	-	-	0.1	-	0.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
BLACK MALE										
1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	1.0	2.2	-	-	0.1	-	0.1	0.1	0.1	0.3
1979.....	1.1	5.4	-	-	-	-	-	-	-	0.3
BLACK FEMALE										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.1	*	*	*	*	*	*	*	*	*
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.2	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	0.9	2.3	0.4	-	-	-	-	0.1	0.2	0.1
1979.....	0.9	1.2	-	-	-	-	-	-	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)										
TOTAL, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	-	-	-	-	0.0	0.0	-	-
1979.....	0.1	0.1	-	-	-	-	0.0	0.0	0.0	0.0
TOTAL, MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.2	-	-	-	-	0.0	0.0	-	-
1979.....	0.1	0.1	-	-	-	-	-	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)										
TOTAL, FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	-	-	-	-	-	-	-	-
1979.....	0.1	-	-	-	-	-	0.0	0.0	0.0	-
WHITE, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	0.0	0.0	-	-
1979.....	0.1	0.0	-	-	-	-	0.0	0.0	0.0	0.0



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)										
WHITE MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	0.0	0.0	-	-
1979.....	0.1	0.1	-	-	-	-	-	0.0	0.0	0.1
WHITE FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	-	-	-	-	-
1979.....	0.1	-	-	-	-	-	0.0	-	0.0	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	-	-	-	-	-	-	-	-
1979.....	0.0	-	-	-	-	-	-	0.1	-	-
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.7	-	-	-	-	-	-	-	-
1979.....	0.0	0.2	-	-	-	-	-	0.0	0.1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	1.1	-	-	-	-	-	-	-	-
1979.....	0.0	0.4	-	-	-	-	-	-	0.1	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.4	-	-	-	-	-	-	-	-
1979.....	0.0	-	-	-	-	-	-	0.1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
TOTAL, BOTH SEXES										
1998.....	3.9	2.5	0.4	0.2	0.2	0.3	0.6	0.6	0.7	0.9
1997.....	3.8	2.1	0.4	0.3	0.2	0.3	0.4	0.7	0.6	0.8
1996.....	3.8	2.1	0.4	0.2	0.2	0.3	0.6	0.5	0.8	0.9
1995.....	3.9	2.1	0.4	0.2	0.3	0.3	0.7	0.7	0.7	1.1
1994.....	3.7	1.8	0.5	0.3	0.2	0.4	0.6	0.7	0.9	1.0
1993.....	3.8	2.7	0.5	0.2	0.2	0.4	0.5	0.7	0.8	1.0
1992.....	3.7	2.8	0.6	0.2	0.3	0.4	0.6	0.7	0.8	1.0
1991.....	3.7	2.5	0.5	0.2	0.3	0.3	0.4	0.7	0.8	0.9
1990.....	3.6	2.1	0.5	0.2	0.2	0.4	0.6	0.6	0.8	1.1
1989.....	3.5	2.3	0.5	0.3	0.2	0.3	0.5	0.6	0.8	1.1
1988.....	3.4	2.0	0.4	0.2	0.2	0.4	0.5	0.5	0.7	0.9
1987.....	3.4	1.7	0.5	0.3	0.2	0.3	0.5	0.6	0.9	0.8
1986.....	3.2	1.8	0.6	0.3	0.2	0.4	0.5	0.5	0.7	0.9
1985.....	3.2	2.1	0.6	0.2	0.3	0.3	0.4	0.6	0.6	0.8
1984.....	3.1	2.4	0.6	0.3	0.3	0.4	0.5	0.5	0.5	0.7
1983.....	3.1	2.5	0.6	0.3	0.3	0.4	0.5	0.6	0.6	0.8
1982.....	2.8	2.4	0.7	0.3	0.2	0.4	0.4	0.5	0.5	0.7
1981.....	2.8	2.1	0.5	0.3	0.3	0.4	0.5	0.5	0.5	0.7
1980.....	2.8	2.7	0.7	0.4	0.2	0.3	0.6	0.6	0.7	0.8
1979.....	2.8	3.6	0.8	0.3	0.4	0.4	0.6	0.6	0.6	0.8
TOTAL, MALE										
1998.....	3.8	2.7	0.4	*	0.2	0.2	0.7	0.7	0.8	0.9
1997.....	3.6	2.1	0.4	0.2	0.2	0.2	0.4	0.7	0.7	0.9
1996.....	3.7	2.2	0.5	0.3	0.2	0.4	0.5	0.6	0.8	0.9
1995.....	3.7	1.9	0.4	0.2	0.3	0.3	0.8	0.8	0.7	1.1
1994.....	3.7	2.0	0.4	0.3	0.2	0.4	0.5	0.8	1.0	1.2
1993.....	3.7	3.1	0.6	*	0.3	0.4	0.6	1.0	0.9	1.1
1992.....	3.7	2.8	0.8	0.2	0.4	0.4	0.8	0.8	0.9	1.1
1991.....	3.6	2.8	0.5	*	0.4	0.4	0.5	0.8	0.9	1.1
1990.....	3.7	2.3	0.6	0.3	0.2	0.4	0.6	0.8	0.9	1.2
1989.....	3.5	2.6	0.7	*	0.2	0.4	0.6	0.6	1.0	1.2
1988.....	3.3	2.4	0.5	0.3	*	0.4	0.6	0.6	0.8	1.0
1987.....	3.3	1.6	0.6	0.3	*	0.4	0.4	0.7	1.0	1.0
1986.....	3.2	1.8	0.7	0.3	0.2	0.4	0.5	0.7	0.8	1.0
1985.....	3.2	2.6	0.6	0.2	0.3	0.4	0.4	0.6	0.8	0.9
1984.....	3.0	2.3	0.7	0.3	*	0.5	0.5	0.5	0.5	0.8
1983.....	3.0	2.7	0.7	0.4	0.4	0.3	0.6	0.6	0.7	0.9
1982.....	2.8	2.6	0.6	0.3	0.3	0.5	0.5	0.5	0.6	0.7
1981.....	2.8	2.4	0.6	0.3	0.4	0.4	0.5	0.5	0.6	0.7
1980.....	2.7	3.0	0.8	0.5	0.2	0.3	0.6	0.6	0.8	0.8
1979.....	2.8	4.1	0.9	0.3	0.4	0.5	0.6	0.6	0.6	0.9

CCAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
TOTAL, FEMALE										
1998.....	4.1	2.2	0.4	*	*	0.3	0.5	0.6	0.6	0.9
1997.....	4.0	2.2	0.4	0.3	*	0.3	0.4	0.6	0.5	0.8
1996.....	3.8	2.0	0.4	*	*	0.3	0.6	0.5	0.7	0.8
1995.....	4.0	2.2	0.4	0.2	0.3	0.4	0.6	0.6	0.6	1.0
1994.....	3.8	1.5	0.5	0.3	0.3	0.3	0.6	0.6	0.9	0.8
1993.....	3.9	2.2	0.4	*	0.2	0.3	0.5	0.5	0.8	1.0
1992.....	3.7	2.8	0.5	0.3	*	0.4	0.5	0.6	0.8	0.8
1991.....	3.7	2.1	0.5	0.3	0.2	*	0.4	0.6	0.8	0.7
1990.....	3.6	1.9	0.4	*	*	0.4	0.5	0.5	0.7	1.0
1989.....	3.5	2.1	0.4	0.3	*	0.3	0.5	0.6	0.7	1.0
1988.....	3.5	1.5	0.4	*	0.3	0.3	0.4	0.5	0.5	0.8
1987.....	3.4	1.8	0.3	0.3	*	0.3	0.5	0.4	0.8	0.6
1986.....	3.3	1.7	0.5	0.2	*	0.3	0.4	0.4	0.7	0.7
1985.....	3.3	1.6	0.5	*	0.3	0.3	0.4	0.5	0.5	0.7
1984.....	3.1	2.6	0.5	0.4	0.3	0.4	0.5	0.4	0.5	0.7
1983.....	3.1	2.2	0.5	0.3	0.3	0.4	0.3	0.7	0.5	0.6
1982.....	2.9	2.2	0.8	*	*	0.4	0.4	0.4	0.5	0.7
1981.....	2.8	1.8	0.5	*	0.2	0.3	0.4	0.5	0.4	0.8
1980.....	2.9	2.5	0.6	0.4	0.3	0.2	0.6	0.6	0.7	0.7
1979.....	2.7	3.0	0.7	0.2	0.3	0.3	0.5	0.6	0.7	0.7
WHITE, BOTH SEXES										
1998.....	4.0	1.8	0.3	*	0.2	0.2	0.3	0.2	0.3	0.5
1997.....	3.8	1.7	0.2	0.2	*	0.2	0.2	0.3	0.4	0.4
1996.....	3.8	1.7	0.2	0.2	0.2	0.2	0.3	0.2	0.4	0.4
1995.....	3.9	1.5	0.2	0.1	0.2	0.2	0.3	0.3	0.4	0.7
1994.....	3.7	1.3	0.3	0.2	0.2	0.2	0.3	0.3	0.5	0.6
1993.....	3.7	2.3	0.3	0.1	0.2	0.2	0.2	0.4	0.5	0.6
1992.....	3.7	2.2	0.4	0.2	0.2	0.3	0.3	0.3	0.4	0.6
1991.....	3.7	2.1	0.3	0.2	0.2	*	0.2	0.4	0.4	0.5
1990.....	3.6	1.6	0.3	0.2	*	0.2	0.3	0.3	0.4	0.6
1989.....	3.4	1.6	0.3	0.2	0.2	0.2	0.3	0.4	0.4	0.7
1988.....	3.4	1.6	0.2	*	0.2	0.2	0.2	0.3	0.4	0.5
1987.....	3.3	1.3	0.3	0.2	*	0.2	0.2	0.3	0.5	0.5
1986.....	3.2	0.9	0.4	0.2	0.2	0.2	0.3	0.2	0.3	0.6
1985.....	3.2	1.5	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.5
1984.....	3.1	2.1	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.4
1983.....	3.0	1.8	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.5
1982.....	2.8	1.7	0.4	0.2	0.2	0.3	0.2	0.2	0.3	0.4
1981.....	2.7	1.5	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.3
1980.....	2.7	2.0	0.4	0.4	0.2	0.2	0.4	0.3	0.4	0.4
1979.....	2.7	2.9	0.5	0.2	0.3	0.3	0.3	0.3	0.4	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
WHITE MALE										
1998.....	3.8	1.8	*	*	*	*	0.4	*	0.4	0.4
1997.....	3.6	1.9	*	*	*	*	*	0.3	0.5	0.4
1996.....	3.7	2.0	*	*	*	*	0.3	0.3	0.5	0.4
1995.....	3.7	1.4	*	*	*	*	0.4	0.3	0.4	0.8
1994.....	3.7	1.6	*	*	*	0.3	0.3	0.4	0.5	0.7
1993.....	3.6	2.5	0.3	*	*	*	0.3	0.6	0.6	0.6
1992.....	3.6	2.1	0.4	*	*	*	0.3	0.4	0.5	0.7
1991.....	3.6	2.4	0.3	*	0.3	*	*	0.4	0.5	0.6
1990.....	3.5	1.7	0.3	*	*	*	0.3	0.4	0.5	0.7
1989.....	3.4	1.7	0.4	*	*	0.3	0.3	0.3	0.5	0.8
1988.....	3.3	2.3	*	*	*	0.3	0.3	0.3	0.5	0.5
1987.....	3.2	*	0.4	*	*	0.3	*	0.3	0.5	0.5
1986.....	3.2	*	0.4	*	*	0.3	*	0.3	0.4	0.7
1985.....	3.1	1.8	*	*	*	*	*	0.4	0.4	0.6
1984.....	3.0	2.0	0.4	*	*	0.4	0.2	*	0.3	0.4
1983.....	3.0	1.8	0.4	*	0.3	*	0.3	0.3	0.4	0.6
1982.....	2.7	2.0	*	*	*	0.4	*	0.3	0.3	0.4
1981.....	2.7	2.0	0.4	*	0.3	0.3	0.3	*	0.3	*
1980.....	2.6	2.4	0.5	0.4	0.1	0.2	0.3	0.2	0.4	0.5
1979.....	2.7	3.3	0.5	0.2	0.3	0.4	0.3	0.4	0.4	0.5
WHITE FEMALE										
1998.....	4.1	1.8	0.3	*	*	*	*	*	0.3	0.5
1997.....	4.0	1.5	*	*	*	*	*	0.3	0.3	0.4
1996.....	3.9	1.4	*	*	*	*	0.3	*	0.4	0.4
1995.....	4.0	1.6	*	*	*	*	*	*	0.4	0.6
1994.....	3.7	*	*	*	*	*	*	0.3	0.4	0.4
1993.....	3.8	2.0	*	*	*	*	*	*	0.4	0.5
1992.....	3.7	2.2	0.4	*	*	*	*	0.2	0.3	0.4
1991.....	3.7	1.9	*	*	*	*	*	0.3	0.3	0.4
1990.....	3.6	1.4	*	*	*	*	0.3	0.3	0.3	0.5
1989.....	3.5	1.4	*	*	*	*	*	0.4	0.4	0.5
1988.....	3.5	*	*	*	*	*	*	0.3	0.3	0.4
1987.....	3.4	1.4	*	*	*	*	0.3	0.3	0.5	0.4
1986.....	3.2	*	*	*	*	*	0.3	*	0.2	0.4
1985.....	3.2	*	*	*	*	0.3	*	0.3	0.3	0.4
1984.....	3.1	2.1	*	*	*	0.3	0.3	0.3	*	0.4
1983.....	3.1	1.8	*	*	*	*	*	0.3	0.3	0.4
1982.....	2.9	1.5	0.6	*	*	*	*	*	0.3	0.4
1981.....	2.7	*	*	*	*	*	*	0.3	*	0.4
1980.....	2.8	1.7	0.3	0.4	0.2	0.2	0.4	0.3	0.3	0.4
1979.....	2.6	2.4	0.5	0.2	0.2	0.2	0.3	0.3	0.5	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
ALL OTHER, BOTH SEXES										
1998.....	3.9	5.0	0.8	*	*	0.6	1.6	2.2	2.3	2.9
1997.....	3.7	3.7	1.2	0.7	0.5	0.7	1.2	2.1	1.7	2.8
1996.....	3.7	3.7	1.2	*	*	0.9	1.4	1.9	2.4	3.1
1995.....	4.0	4.1	1.1	0.6	0.7	1.1	2.2	2.3	2.1	3.0
1994.....	3.9	3.4	1.1	0.6	0.5	0.9	1.6	2.2	3.1	3.1
1993.....	3.9	4.1	1.2	*	0.6	0.9	1.8	2.2	2.6	3.4
1992.....	3.9	5.2	1.6	0.5	0.7	0.9	2.1	2.4	2.8	3.1
1991.....	3.9	3.7	1.3	*	*	1.1	1.5	2.1	2.9	2.8
1990.....	4.0	4.0	1.4	*	0.6	1.2	1.7	2.2	3.1	3.8
1989.....	3.9	5.3	1.2	*	*	0.8	1.7	1.9	2.8	3.3
1988.....	3.5	3.7	1.5	*	*	1.0	1.6	1.5	2.0	3.2
1987.....	3.4	3.2	1.1	0.7	*	0.9	1.5	2.0	3.2	2.9
1986.....	3.4	5.3	1.6	0.7	*	1.0	1.6	2.1	2.9	2.6
1985.....	3.6	4.5	1.9	*	0.8	0.9	1.4	1.9	2.2	2.7
1984.....	3.3	4.1	1.8	0.7	*	1.0	1.7	1.6	2.1	2.7
1983.....	3.3	5.6	2.0	0.7	0.7	1.2	1.6	2.3	1.8	2.2
1982.....	3.2	5.4	2.0	*	*	1.2	1.7	1.9	1.8	2.7
1981.....	3.1	4.8	1.4	*	0.6	0.9	1.8	1.8	2.1	3.5
1980.....	3.4	6.0	2.0	0.6	0.6	0.7	1.9	2.5	2.8	2.9
1979.....	3.4	6.8	2.4	0.4	0.8	1.0	2.1	2.0	2.3	2.8
ALL OTHER MALE										
1998.....	3.8	6.3	*	*	*	*	1.9	2.4	2.6	2.9
1997.....	3.7	*	1.6	*	*	*	1.4	2.3	1.8	3.3
1996.....	3.8	*	1.3	*	*	*	1.2	2.1	2.6	3.4
1995.....	3.9	*	1.3	*	*	*	2.5	2.8	2.5	3.1
1994.....	3.9	*	*	*	*	*	1.5	2.5	3.2	3.9
1993.....	3.8	5.2	1.4	*	*	*	2.1	2.7	2.8	3.7
1992.....	3.9	5.4	2.1	*	*	*	2.7	2.8	2.9	3.2
1991.....	3.9	4.3	1.3	*	*	1.7	1.5	2.4	3.1	3.4
1990.....	4.4	*	1.8	*	*	1.4	2.0	2.6	3.4	4.4
1989.....	4.0	5.9	1.5	*	*	*	1.9	2.0	3.6	3.6
1988.....	3.5	*	1.8	*	*	*	1.7	1.8	2.6	3.6
1987.....	3.7	*	*	*	*	*	1.5	2.7	4.4	4.0
1986.....	3.4	*	1.8	*	*	*	2.0	2.8	2.8	2.8
1985.....	3.6	5.8	1.9	*	*	1.3	1.6	2.1	2.8	2.8
1984.....	3.4	*	2.2	*	*	*	1.9	2.1	2.2	3.0
1983.....	3.5	7.1	2.0	*	*	*	2.3	2.3	2.3	2.4
1982.....	3.2	*	2.1	*	*	1.3	2.1	2.0	2.2	2.8
1981.....	3.3	*	*	*	*	*	2.0	2.0	2.7	3.6
1980.....	3.6	5.9	2.3	0.9	0.5	0.8	2.5	2.7	3.3	3.1
1979.....	3.5	7.9	3.0	0.5	1.0	1.0	2.4	2.1	2.3	3.4



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
ALL OTHER FEMALE										
1998.....	3.9	*	*	*	*	*	1.4	2.0	2.0	2.9
1997.....	3.8	*	*	*	*	*	1.1	1.8	1.6	2.3
1996.....	3.7	*	*	*	*	*	1.6	1.6	2.3	2.9
1995.....	4.1	*	*	*	*	1.2	2.0	1.9	1.7	2.9
1994.....	3.9	*	1.3	*	*	*	1.8	1.9	3.1	2.4
1993.....	4.0	*	*	*	*	*	1.5	1.8	2.5	3.1
1992.....	3.8	5.1	*	*	*	*	1.5	1.9	2.8	3.0
1991.....	3.8	*	1.4	*	*	*	1.5	1.9	2.8	2.3
1990.....	3.6	*	*	*	*	*	1.4	1.8	2.8	3.3
1989.....	3.8	*	*	*	*	*	1.5	1.7	2.2	3.1
1988.....	3.5	*	*	*	*	1.2	1.5	1.2	1.4	2.8
1987.....	3.2	*	*	*	*	*	1.5	1.3	2.2	2.0
1986.....	3.4	*	*	*	*	*	1.2	1.5	3.0	2.5
1985.....	3.5	*	2.0	*	*	*	1.2	1.8	1.7	2.5
1984.....	3.2	*	*	*	*	*	1.5	1.2	2.1	2.4
1983.....	3.2	*	2.0	*	*	1.5	*	2.3	1.4	2.0
1982.....	3.2	*	1.8	*	*	*	1.4	1.9	1.4	2.7
1981.....	3.0	*	*	*	*	*	1.5	1.6	1.6	3.4
1980.....	3.3	6.0	1.7	0.3	0.6	0.6	1.4	2.2	2.5	2.7
1979.....	3.3	5.7	1.6	0.3	0.6	0.9	1.7	1.9	2.2	2.3
BLACK, BOTH SEXES										
1998.....	4.7	5.5	1.0	*	*	0.7	2.2	3.0	3.1	3.8
1997.....	4.6	4.0	1.5	0.9	*	0.8	1.6	2.8	2.3	3.7
1996.....	4.6	*	1.5	*	*	1.1	1.8	2.6	3.2	4.1
1995.....	4.9	3.7	1.5	0.7	1.0	1.4	2.9	3.2	2.7	4.0
1994.....	4.8	*	1.4	0.7	*	1.2	2.2	2.9	4.1	4.0
1993.....	4.8	4.0	1.4	*	0.7	1.1	2.3	3.0	3.5	4.5
1992.....	4.7	5.5	2.0	*	0.9	1.1	2.6	3.2	3.6	4.0
1991.....	4.6	4.1	1.6	*	*	1.2	1.8	2.7	3.8	3.6
1990.....	4.8	3.8	1.7	*	0.8	1.4	2.2	2.9	4.1	5.0
1989.....	4.6	5.3	1.4	*	*	1.0	2.1	2.4	3.7	4.3
1988.....	4.2	*	1.8	*	*	1.1	2.0	1.9	2.5	4.2
1987.....	4.0	*	1.4	0.9	*	1.0	1.8	2.3	4.2	3.8
1986.....	4.0	5.0	1.9	*	*	1.2	1.9	2.6	3.8	3.3
1985.....	4.1	4.9	2.4	*	1.0	1.0	1.7	2.3	2.7	3.4
1984.....	3.8	*	2.0	*	*	1.1	2.0	2.0	2.7	3.3
1983.....	3.9	5.5	2.4	0.9	0.7	1.4	2.0	2.8	2.3	2.9
1982.....	3.7	5.9	2.3	*	*	1.2	1.9	2.3	2.2	3.3
1981.....	3.6	5.0	1.7	*	*	0.9	2.0	2.1	2.6	4.3
1980.....	3.8	6.5	2.3	0.7	0.6	0.8	2.3	3.0	3.4	3.5
1979.....	3.7	6.6	2.8	0.4	0.8	1.1	2.4	2.3	2.7	3.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
BLACK MALE										
1998.....	4.6	7.0	*	*	*	*	2.5	3.3	3.5	3.8
1997.....	4.5	*	2.1	*	*	*	1.8	3.0	2.4	4.4
1996.....	4.6	*	1.7	*	*	*	*	3.0	3.3	4.4
1995.....	4.6	*	1.7	*	*	*	3.4	3.8	3.5	4.1
1994.....	4.8	*	*	*	*	*	2.1	3.4	4.4	5.1
1993.....	4.6	*	1.7	*	*	*	2.6	3.7	3.7	4.9
1992.....	4.9	6.2	2.7	*	*	*	3.4	3.9	3.7	4.3
1991.....	4.7	*	*	*	*	1.9	1.8	2.9	4.1	4.3
1990.....	5.3	*	2.0	*	*	1.8	2.5	3.5	4.6	5.8
1989.....	4.9	*	*	*	*	*	2.4	2.6	4.9	4.8
1988.....	4.1	*	2.0	*	*	*	2.2	2.3	3.3	4.8
1987.....	4.4	*	*	*	*	*	1.9	3.3	5.7	5.2
1986.....	4.0	*	2.0	*	*	*	2.5	3.5	3.8	3.5
1985.....	4.3	*	2.3	*	*	1.5	1.9	2.6	3.5	3.7
1984.....	3.9	*	2.4	*	*	*	2.2	2.5	2.5	3.8
1983.....	4.1	7.3	2.5	*	*	*	2.7	2.8	3.0	3.1
1982.....	3.6	*	2.6	*	*	*	2.4	2.3	2.8	3.6
1981.....	3.8	*	*	*	*	*	2.3	2.4	3.3	4.7
1980.....	4.0	6.7	2.6	1.1	0.6	0.9	2.9	3.3	3.8	3.8
1979.....	3.8	8.5	3.6	0.5	1.0	1.1	2.9	2.4	2.8	4.2
BLACK FEMALE										
1998.....	4.8	*	*	*	*	*	1.9	2.7	2.7	3.8
1997.....	4.6	*	*	*	*	*	*	2.5	2.3	3.0
1996.....	4.5	*	*	*	*	*	2.1	2.2	3.1	3.7
1995.....	5.1	*	*	*	*	1.6	2.5	2.6	2.1	3.8
1994.....	4.7	*	1.6	*	*	*	2.3	2.4	3.8	3.1
1993.....	4.9	*	*	*	*	*	1.9	2.4	3.3	4.2
1992.....	4.5	*	*	*	*	*	1.8	2.5	3.6	3.7
1991.....	4.6	*	*	*	*	*	1.9	2.4	3.6	3.0
1990.....	4.3	*	*	*	*	*	1.8	2.3	3.7	4.2
1989.....	4.4	*	*	*	*	*	1.8	2.2	2.7	3.9
1988.....	4.2	*	*	*	*	*	1.9	1.4	1.8	3.6
1987.....	3.7	*	*	*	*	*	1.6	1.4	2.9	2.6
1986.....	4.0	*	*	*	*	*	1.4	1.9	3.9	3.1
1985.....	4.0	*	2.4	*	*	*	1.4	2.2	2.1	3.1
1984.....	3.6	*	*	*	*	*	1.8	1.5	2.8	2.9
1983.....	3.7	*	2.3	*	*	1.8	*	2.8	1.8	2.6
1982.....	3.7	*	2.1	*	*	*	1.6	2.2	1.7	3.1
1981.....	3.4	*	*	*	*	*	1.7	1.9	1.9	4.0
1980.....	3.7	6.4	2.0	0.3	0.7	0.7	1.7	2.7	3.0	3.3
1979.....	3.7	4.7	1.9	0.4	0.7	1.0	2.0	2.2	2.7	2.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										
TOTAL, BOTH SEXES										
1998.....	1.7	0.6	0.2	0.1	0.1	0.2	0.4	0.5	0.4	0.5
1997.....	1.7	0.7	0.3	0.2	0.1	0.2	0.3	0.4	0.3	0.5
1996.....	1.6	0.8	0.3	0.1	0.1	0.2	0.3	0.4	0.4	0.4
1995.....	1.7	0.9	0.3	0.2	0.2	0.3	0.5	0.4	0.4	0.5
1994.....	1.7	0.7	0.3	0.2	0.1	0.2	0.3	0.5	0.6	0.5
1993.....	1.7	1.1	0.3	0.1	0.2	0.3	0.4	0.5	0.4	0.6
1992.....	1.7	1.2	0.4	0.2	0.2	0.2	0.4	0.4	0.5	0.5
1991.....	1.6	0.7	0.3	0.1	0.2	0.2	0.3	0.4	0.5	0.4
1990.....	1.6	0.7	0.3	0.2	0.1	0.3	0.4	0.4	0.5	0.6
1989.....	1.6	1.0	0.3	0.1	0.1	0.2	0.4	0.4	0.5	0.6
1988.....	1.6	0.7	0.3	0.2	0.2	0.2	0.4	0.3	0.4	0.4
1987.....	1.6	*	0.3	0.2	0.1	0.2	0.3	0.4	0.6	0.5
1986.....	1.5	0.6	0.4	0.2	0.1	0.2	0.4	0.3	0.5	0.4
1985.....	1.6	*	0.4	0.2	0.2	0.2	0.3	0.4	0.4	0.3
1984.....	1.5	0.9	0.5	0.2	0.2	0.3	0.3	0.3	0.3	0.4
1983.....	1.5	1.0	0.4	0.2	0.3	0.3	0.4	0.4	0.4	0.3
1982.....	1.4	1.0	0.5	0.2	0.2	0.3	0.3	0.4	0.3	0.4
1981.....	1.4	0.7	0.4	0.2	0.2	0.3	0.3	0.3	0.3	0.4
1980.....	1.4	0.7	0.5	0.3	0.2	0.2	0.4	0.4	0.4	0.4
1979.....	1.4	1.0	0.6	0.2	0.3	0.3	0.4	0.4	0.4	0.4
TOTAL, MALE										
1998.....	1.4	*	*	*	*	*	0.4	0.5	0.5	0.5
1997.....	1.4	*	0.3	*	*	*	0.3	0.4	0.3	0.5
1996.....	1.4	*	0.3	*	*	*	0.3	0.5	0.4	0.4
1995.....	1.4	*	0.3	*	*	*	0.6	0.5	0.4	0.5
1994.....	1.5	*	0.3	0.2	*	0.3	0.3	0.6	0.6	0.7
1993.....	1.4	1.4	0.3	*	*	0.3	0.4	0.5	0.5	0.6
1992.....	1.5	*	0.5	*	0.2	0.2	0.5	0.5	0.5	0.6
1991.....	1.4	*	0.3	*	*	0.4	0.3	0.4	0.5	0.5
1990.....	1.5	1.0	0.4	*	*	0.3	0.5	0.5	0.5	0.5
1989.....	1.4	1.1	0.4	*	*	0.3	0.4	0.4	0.5	0.6
1988.....	1.4	*	0.3	*	*	0.2	0.4	0.3	0.5	0.4
1987.....	1.4	*	0.4	*	*	0.2	0.3	0.5	0.7	0.6
1986.....	1.4	*	0.4	0.2	*	0.3	0.4	0.4	0.5	0.4
1985.....	1.4	*	0.4	*	0.2	0.3	0.3	0.4	0.5	0.3
1984.....	1.3	*	0.5	*	*	0.3	0.4	0.4	0.3	0.4
1983.....	1.4	*	0.4	0.2	0.3	0.2	0.5	0.4	0.4	0.4
1982.....	1.3	1.1	0.4	*	*	0.3	0.4	0.4	0.4	0.3
1981.....	1.4	*	0.4	*	0.3	0.3	0.3	0.3	0.4	0.4
1980.....	1.3	0.7	0.5	0.3	0.2	0.3	0.5	0.4	0.5	0.3
1979.....	1.4	1.4	0.6	0.2	0.3	0.3	0.4	0.4	0.3	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										
TOTAL, FEMALE										
1998.....	1.9	*	*	*	*	*	0.3	0.4	0.4	0.5
1997.....	2.0	*	*	*	*	*	0.3	0.4	0.3	0.4
1996.....	1.9	*	*	*	*	*	0.4	0.3	0.4	0.5
1995.....	2.0	*	0.3	*	0.3	0.3	0.4	0.4	0.3	0.5
1994.....	1.9	*	0.3	*	*	*	0.4	0.4	0.6	0.4
1993.....	1.9	*	0.3	*	*	0.2	0.4	0.4	0.4	0.6
1992.....	1.9	1.5	0.3	*	*	0.3	0.4	0.4	0.5	0.4
1991.....	1.8	*	0.3	*	*	*	0.2	0.5	0.5	0.4
1990.....	1.8	*	0.3	*	*	*	0.3	0.3	0.4	0.6
1989.....	1.8	*	0.3	*	*	*	0.3	0.3	0.4	0.5
1988.....	1.8	*	*	*	*	*	0.3	0.3	0.3	0.4
1987.....	1.7	*	*	0.3	*	0.3	0.3	0.2	0.5	0.4
1986.....	1.7	*	0.4	*	*	*	0.3	0.2	0.5	0.4
1985.....	1.7	*	0.4	*	0.2	0.2	0.2	0.3	0.3	0.3
1984.....	1.6	*	0.4	0.3	0.2	0.2	0.3	0.3	0.3	0.4
1983.....	1.6	1.1	0.4	*	*	0.3	0.3	0.4	0.3	0.3
1982.....	1.5	*	0.6	*	*	0.2	0.3	0.3	0.3	0.5
1981.....	1.5	*	0.3	*	*	0.2	0.3	0.3	0.3	0.5
1980.....	1.6	0.6	0.5	0.2	0.2	0.1	0.4	0.4	0.4	0.4
1979.....	1.5	0.7	0.5	0.2	0.2	0.2	0.4	0.3	0.4	0.3
WHITE, BOTH SEXES										
1998.....	1.6	*	*	*	*	*	*	*	*	0.1
1997.....	1.6	*	*	*	*	*	*	*	*	*
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.6	*	*	*	*	*	*	*	*	0.2
1994.....	1.5	*	*	*	*	*	*	0.2	0.2	0.2
1993.....	1.5	0.7	*	*	*	*	0.1	0.1	0.1	0.2
1992.....	1.5	0.6	0.2	*	*	*	0.1	*	0.1	0.2
1991.....	1.5	*	*	*	*	*	*	0.1	0.2	0.2
1990.....	1.5	*	*	*	*	*	0.1	*	0.1	0.2
1989.....	1.5	*	0.2	*	*	*	*	0.1	0.1	0.3
1988.....	1.5	*	*	*	*	*	0.1	0.1	0.1	0.1
1987.....	1.5	*	*	*	*	*	*	*	0.2	0.2
1986.....	1.4	*	0.2	*	*	*	0.1	*	0.1	0.2
1985.....	1.5	*	*	*	*	0.1	*	0.1	0.2	0.1
1984.....	1.4	*	0.2	0.2	0.1	*	0.1	0.1	*	0.2
1983.....	1.4	*	*	*	0.2	*	0.1	*	0.2	0.2
1982.....	1.3	*	0.2	*	*	0.1	0.1	0.1	*	0.2
1981.....	1.4	*	*	*	0.2	0.2	0.1	*	*	*
1980.....	1.3	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1
1979.....	1.3	0.7	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										
WHITE MALE										
1998.....	1.3	*	*	*	*	*	*	*	*	*
1997.....	1.2	*	*	*	*	*	*	*	*	*
1996.....	1.3	*	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	0.3
1993.....	1.3	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	0.3
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.3	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	0.2	*	*	*	*
1980.....	1.1	0.2	0.3	0.2	0.1	0.2	0.2	0.1	0.1	0.1
1979.....	1.2	1.0	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2
WHITE FEMALE										
1998.....	1.9	*	*	*	*	*	*	*	*	*
1997.....	1.9	*	*	*	*	*	*	*	*	*
1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	1.9	*	*	*	*	*	*	*	*	*
1994.....	1.7	*	*	*	*	*	*	*	*	*
1993.....	1.8	*	*	*	*	*	*	*	*	0.2
1992.....	1.7	*	*	*	*	*	*	*	*	*
1991.....	1.7	*	*	*	*	*	*	*	*	*
1990.....	1.7	*	*	*	*	*	*	*	*	*
1989.....	1.7	*	*	*	*	*	*	*	*	*
1988.....	1.7	*	*	*	*	*	*	*	*	*
1987.....	1.7	*	*	*	*	*	*	*	*	*
1986.....	1.6	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.6	*	*	*	*	*	*	*	*	*
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.5	*	*	*	*	*	*	*	*	*
1981.....	1.5	*	*	*	*	*	*	*	*	*
1980.....	1.5	0.3	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1
1979.....	1.4	0.4	0.3	0.1	0.2	0.1	0.2	0.1	0.2	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										
ALL OTHER, BOTH SEXES										
1998.....	2.2	*	*	*	*	0.5	1.4	1.9	1.8	2.1
1997.....	2.2	*	0.9	0.6	*	0.5	1.1	1.7	1.2	2.2
1996.....	2.2	*	0.9	*	*	0.7	1.2	1.7	1.8	2.0
1995.....	2.5	*	1.0	*	0.6	1.0	1.9	1.9	1.6	2.2
1994.....	2.4	*	1.0	*	*	0.8	1.4	2.0	2.5	2.3
1993.....	2.3	2.8	0.9	*	*	0.8	1.4	1.9	1.9	2.4
1992.....	2.4	3.3	1.2	*	*	0.8	1.8	1.9	2.3	2.3
1991.....	2.3	*	1.0	*	*	0.9	1.2	1.8	2.1	1.8
1990.....	2.4	*	1.1	*	*	1.0	1.5	1.8	2.3	2.6
1989.....	2.3	2.9	1.0	*	*	0.8	1.5	1.5	2.2	2.2
1988.....	2.0	*	1.2	*	*	0.7	1.3	1.2	1.6	2.0
1987.....	2.1	*	1.0	0.7	*	0.8	1.3	1.7	2.6	2.1
1986.....	2.1	*	1.4	0.6	*	0.7	1.4	1.8	2.4	1.7
1985.....	2.1	*	1.7	*	0.7	0.7	1.2	1.6	1.5	1.6
1984.....	1.9	*	1.6	*	*	0.9	1.3	1.4	1.5	1.7
1983.....	2.0	3.0	1.7	0.7	0.6	1.0	1.5	1.8	1.4	1.3
1982.....	2.0	*	1.8	*	*	0.9	1.4	1.6	1.6	1.8
1981.....	2.0	*	1.2	*	*	0.7	1.4	1.4	1.5	2.4
1980.....	2.2	2.7	1.6	0.5	0.5	0.6	1.6	2.1	2.3	1.9
1979.....	2.2	2.7	2.0	0.3	0.8	0.8	1.8	1.6	1.8	2.0
ALL OTHER MALE										
1998.....	2.1	*	*	*	*	*	1.6	2.1	2.2	2.1
1997.....	2.0	*	1.4	*	*	*	1.2	1.9	1.4	2.6
1996.....	2.1	*	*	*	*	*	*	1.9	2.0	2.1
1995.....	2.3	*	*	*	*	*	2.2	2.3	2.0	2.3
1994.....	2.3	*	*	*	*	*	1.3	2.3	2.7	2.8
1993.....	2.2	*	*	*	*	*	1.6	2.3	2.1	2.6
1992.....	2.4	*	1.5	*	*	*	2.3	2.3	2.3	2.8
1991.....	2.3	*	*	*	*	1.4	1.4	1.9	2.4	2.2
1990.....	2.6	*	1.5	*	*	1.3	1.8	2.3	2.6	2.5
1989.....	2.2	*	*	*	*	*	1.6	1.9	2.7	2.4
1988.....	2.0	*	*	*	*	*	1.4	1.6	2.1	2.2
1987.....	2.2	*	*	*	*	*	1.5	2.6	3.4	2.7
1986.....	2.1	*	1.6	*	*	*	1.9	2.5	2.3	1.7
1985.....	2.2	*	1.6	*	*	*	1.5	1.8	1.9	*
1984.....	2.0	*	1.9	*	*	*	1.7	1.9	1.6	2.0
1983.....	2.2	*	1.8	*	*	*	2.0	1.9	1.9	*
1982.....	2.0	*	1.8	*	*	1.1	1.9	1.7	2.0	*
1981.....	2.1	*	*	*	*	*	1.7	1.8	2.1	2.4
1980.....	2.2	3.1	1.6	0.8	0.4	0.8	2.2	2.3	2.7	2.0
1979.....	2.1	3.3	2.4	0.3	1.0	0.9	2.2	1.8	1.8	2.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										
ALL OTHER FEMALE										
1998.....	2.3	*	*	*	*	*	1.2	1.7	1.6	2.1
1997.....	2.3	*	*	*	*	*	*	1.5	1.0	1.8
1996.....	2.3	*	*	*	*	*	1.3	1.5	1.7	2.0
1995.....	2.6	*	*	*	*	1.1	1.6	1.6	1.2	2.1
1994.....	2.5	*	*	*	*	*	1.4	1.7	2.4	1.8
1993.....	2.5	*	*	*	*	*	1.3	1.5	1.7	2.2
1992.....	2.4	*	*	*	*	*	1.3	1.6	2.2	1.9
1991.....	2.3	*	*	*	*	*	1.1	1.7	1.8	1.4
1990.....	2.2	*	*	*	*	*	1.2	1.5	2.0	2.6
1989.....	2.4	*	*	*	*	*	1.3	1.2	1.7	2.1
1988.....	2.1	*	*	*	*	*	1.1	*	*	1.9
1987.....	2.0	*	*	*	*	*	*	*	1.9	1.6
1986.....	2.1	*	*	*	*	*	*	1.1	2.6	1.7
1985.....	2.1	*	1.9	*	*	*	*	1.4	1.2	1.5
1984.....	1.9	*	*	*	*	*	*	*	1.5	*
1983.....	1.9	*	1.7	*	*	1.2	*	1.8	*	*
1982.....	2.0	*	1.7	*	*	*	*	1.4	*	2.1
1981.....	1.8	*	*	*	*	*	1.2	*	*	2.5
1980.....	2.1	2.2	1.6	0.3	0.5	0.5	1.1	2.0	1.9	1.7
1979.....	2.2	2.0	1.6	0.3	0.6	0.8	1.5	1.4	1.8	1.6
BLACK, BOTH SEXES										
1998.....	2.8	*	*	*	*	0.7	1.8	2.7	2.5	2.9
1997.....	2.7	*	1.2	0.7	*	*	1.4	2.3	1.6	3.0
1996.....	2.8	*	1.2	*	*	0.9	1.5	2.3	2.5	2.7
1995.....	3.1	*	1.3	*	0.8	1.3	2.5	2.6	2.1	2.9
1994.....	3.0	*	1.3	*	*	1.0	1.9	2.7	3.4	3.1
1993.....	2.9	*	1.1	*	*	1.0	1.9	2.6	2.6	3.3
1992.....	3.0	3.3	1.6	*	*	0.9	2.3	2.5	3.0	3.1
1991.....	2.8	*	1.3	*	*	1.0	1.5	2.3	2.8	2.3
1990.....	2.9	*	1.3	*	*	1.2	2.0	2.4	3.0	3.3
1989.....	2.8	*	1.3	*	*	1.0	1.9	2.0	2.8	3.0
1988.....	2.5	*	1.6	*	*	0.8	1.6	1.5	2.0	2.7
1987.....	2.5	*	1.3	0.9	*	0.9	1.5	2.1	3.4	2.8
1986.....	2.4	*	1.7	*	*	0.8	1.8	2.2	3.2	2.1
1985.....	2.5	*	2.1	*	0.8	0.9	1.5	1.9	2.0	2.1
1984.....	2.3	*	1.8	*	*	1.1	1.6	1.7	1.9	2.2
1983.....	2.4	*	2.1	*	*	1.2	1.8	2.3	1.8	1.7
1982.....	2.3	*	2.1	*	*	0.9	1.7	1.9	2.0	2.3
1981.....	2.3	*	1.5	*	*	0.8	1.6	1.8	2.0	3.1
1980.....	2.5	2.8	1.9	0.6	0.5	0.7	1.9	2.6	2.8	2.3
1979.....	2.4	1.9	2.4	0.4	0.8	0.9	2.1	1.8	2.1	2.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										
BLACK MALE										
1998.....	2.6	*	*	*	*	*	2.1	3.0	3.0	2.9
1997.....	2.6	*	1.8	*	*	*	1.6	2.4	1.8	3.6
1996.....	2.6	*	*	*	*	*	*	2.7	2.7	2.9
1995.....	2.9	*	*	*	*	*	3.0	3.1	2.7	3.1
1994.....	3.0	*	*	*	*	*	1.8	3.2	3.6	3.8
1993.....	2.8	*	*	*	*	*	2.1	3.1	2.9	3.5
1992.....	3.0	*	2.0	*	*	*	2.9	3.1	3.1	3.8
1991.....	2.8	*	*	*	*	1.6	1.5	2.4	3.3	2.8
1990.....	3.2	*	*	*	*	1.6	2.4	2.9	3.5	3.4
1989.....	2.8	*	*	*	*	*	2.1	2.4	3.7	3.2
1988.....	2.4	*	*	*	*	*	1.8	2.0	2.8	2.9
1987.....	2.7	*	*	*	*	*	1.9	3.2	4.5	3.6
1986.....	2.4	*	2.0	*	*	*	2.3	3.1	3.1	2.1
1985.....	2.6	*	2.0	*	*	*	1.8	2.2	2.5	*
1984.....	2.4	*	2.1	*	*	*	2.0	2.3	1.9	2.7
1983.....	2.5	*	2.2	*	*	*	2.4	2.4	2.4	*
1982.....	2.3	*	2.2	*	*	*	2.2	2.1	2.6	*
1981.....	2.4	*	*	*	*	*	1.9	2.2	2.7	3.1
1980.....	2.6	3.3	1.9	1.0	0.5	0.9	2.6	2.8	3.3	2.6
1979.....	2.4	3.1	2.8	0.4	1.0	1.0	2.6	2.1	2.0	2.9
BLACK FEMALE										
1998.....	2.9	*	*	*	*	*	1.6	2.4	2.1	2.9
1997.....	2.8	*	*	*	*	*	*	2.1	1.4	2.4
1996.....	2.9	*	*	*	*	*	1.8	2.0	2.3	2.6
1995.....	3.2	*	*	*	*	1.4	2.1	2.1	1.5	2.8
1994.....	3.1	*	*	*	*	*	1.9	2.2	3.2	2.5
1993.....	3.1	*	*	*	*	*	1.6	2.1	2.3	3.0
1992.....	3.0	*	*	*	*	*	1.6	2.0	2.8	2.5
1991.....	2.8	*	*	*	*	*	1.5	2.2	2.4	1.9
1990.....	2.7	*	*	*	*	*	1.6	1.9	2.6	3.3
1989.....	2.8	*	*	*	*	*	1.7	1.6	2.1	2.8
1988.....	2.5	*	*	*	*	*	1.4	*	*	2.4
1987.....	2.3	*	*	*	*	*	*	*	2.4	2.2
1986.....	2.4	*	*	*	*	*	*	1.4	3.4	2.2
1985.....	2.5	*	2.3	*	*	*	*	1.7	1.6	1.9
1984.....	2.2	*	*	*	*	*	*	*	1.9	*
1983.....	2.3	*	2.0	*	*	1.5	*	2.2	*	*
1982.....	2.3	*	2.0	*	*	*	*	1.8	*	2.7
1981.....	2.1	*	*	*	*	*	1.4	*	*	3.0
1980.....	2.4	2.3	1.9	0.2	0.5	0.5	1.3	2.4	2.3	2.0
1979.....	2.4	0.8	1.9	0.3	0.7	0.9	1.7	1.6	2.2	1.9





CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DEFICIENCY ANEMIAS (280-281)										
TOTAL, FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	-	-	0.0	-	-	0.0	-	-
1979.....	0.2	-	-	-	-	-	0.0	0.0	-	-
WHITE, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	0.0	-	-	-	0.0	-
1979.....	0.2	0.1	-	-	-	-	-	0.0	-	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DEFICIENCY ANEMIAS (280-281)										
WHITE MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	0.0	-	-	-	0.0	-
1979.....	0.1	0.1	-	-	-	-	-	-	-	0.0
WHITE FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	0.0	-	-	-	-	-
1979.....	0.2	-	-	-	-	-	-	0.0	-	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DEFICIENCY ANEMIAS (280-281)										
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	-	-	-	-	-	0.2	-	-
1979.....	0.1	-	-	-	-	-	0.1	0.1	-	-
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	-	0.0	-	-	-	0.1	-	-
1979.....	0.1	-	-	-	-	-	0.0	0.0	0.1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DEFICIENCY ANEMIAS (280-281)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.4	-	0.1	-	-	-	-	-	-
1979.....	0.1	-	-	-	-	-	-	-	0.1	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	-	-	-	-	-	0.2	-	-
1979.....	0.1	-	-	-	-	-	0.1	0.1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
TOTAL, BOTH SEXES										
1998.....	0.3	*	0.2	*	*	0.1	0.3	0.4	0.4	0.4
1997.....	0.3	0.6	0.2	0.1	*	0.1	0.3	0.3	0.2	0.3
1996.....	0.3	*	0.2	*	*	0.1	0.2	0.3	0.3	0.3
1995.....	0.3	0.7	0.2	*	0.1	0.2	0.4	0.3	0.3	0.4
1994.....	0.3	0.5	0.2	0.1	*	0.1	0.3	0.4	0.5	0.3
1993.....	0.3	0.9	0.2	*	*	0.2	0.3	0.3	0.3	0.4
1992.....	0.4	0.9	0.4	*	*	0.2	0.3	0.3	0.4	0.4
1991.....	0.3	0.6	0.2	*	*	0.2	0.2	0.4	0.3	0.3
1990.....	0.3	0.6	0.3	*	*	0.2	0.3	0.3	0.3	0.3
1989.....	0.3	0.7	0.3	*	*	0.2	0.3	0.3	0.3	0.4
1988.....	0.3	0.6	0.3	*	*	0.1	0.2	0.2	0.2	0.3
1987.....	0.3	*	0.2	0.1	*	0.1	0.2	0.3	0.4	0.3
1986.....	0.3	*	0.3	*	*	0.1	0.3	0.3	0.4	0.3
1985.....	0.3	*	0.3	*	0.1	0.1	0.2	0.2	0.3	0.2
1984.....	0.3	*	0.3	*	*	0.1	0.2	0.2	0.2	0.2
1983.....	0.3	0.7	0.3	*	*	0.2	0.2	0.3	0.2	0.2
1982.....	0.3	0.5	0.4	*	*	0.1	0.2	0.3	0.2	0.2
1981.....	0.3	*	0.3	*	*	0.1	0.2	0.2	0.2	0.3
1980.....	0.3	0.5	0.4	0.1	0.1	0.1	0.3	0.3	0.3	0.2
1979.....	0.3	0.7	0.4	0.1	0.1	0.1	0.3	0.2	0.2	0.2
TOTAL, MALE										
1998.....	0.3	*	*	*	*	*	0.3	0.4	0.4	0.4
1997.....	0.3	*	0.3	*	*	*	0.3	0.3	0.2	0.4
1996.....	0.3	*	0.3	*	*	*	*	0.3	0.3	0.3
1995.....	0.3	*	*	*	*	*	0.5	0.4	0.3	0.4
1994.....	0.3	*	0.2	*	*	*	0.2	0.4	0.5	0.4
1993.....	0.3	1.0	0.3	*	*	*	0.3	0.4	0.4	0.4
1992.....	0.3	*	0.4	*	*	*	0.4	0.3	0.4	0.4
1991.....	0.3	*	0.3	*	*	0.2	*	0.3	0.3	0.3
1990.....	0.3	*	0.3	*	*	0.2	0.3	0.4	0.4	0.3
1989.....	0.3	*	0.3	*	*	*	0.3	0.3	0.4	0.3
1988.....	0.3	*	0.3	*	*	*	0.3	0.2	0.3	0.3
1987.....	0.3	*	*	*	*	*	0.2	0.4	0.5	0.3
1986.....	0.3	*	0.4	*	*	*	0.3	0.3	0.3	0.3
1985.....	0.3	*	0.3	*	*	*	0.3	0.3	0.3	*
1984.....	0.3	*	0.3	*	*	*	0.3	0.3	0.2	*
1983.....	0.3	*	0.3	*	*	*	0.3	0.3	0.3	0.3
1982.....	0.3	*	0.3	*	*	*	0.3	0.3	0.3	*
1981.....	0.3	*	*	*	*	*	0.3	0.2	0.3	*
1980.....	0.3	0.7	0.3	0.2	0.1	0.1	0.3	0.3	0.3	0.2
1979.....	0.3	0.8	0.4	0.1	0.1	0.2	0.3	0.3	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
TOTAL, FEMALE										
1998.....	0.3	*	*	*	*	*	0.3	0.4	0.3	0.4
1997.....	0.3	*	*	*	*	*	0.2	0.3	0.2	0.3
1996.....	0.4	*	*	*	*	*	0.3	0.3	0.3	0.3
1995.....	0.4	*	*	*	*	0.3	0.3	0.3	0.2	0.4
1994.....	0.4	*	*	*	*	*	0.3	0.3	0.5	0.3
1993.....	0.4	*	*	*	*	*	0.2	0.3	0.3	0.4
1992.....	0.4	1.1	0.3	*	*	*	0.3	0.3	0.3	0.3
1991.....	0.3	*	*	*	*	*	0.2	0.4	0.3	0.3
1990.....	0.3	*	*	*	*	*	0.2	0.3	0.3	0.4
1989.....	0.4	*	*	*	*	*	0.3	0.2	0.3	0.4
1988.....	0.3	*	*	*	*	*	*	*	0.2	0.3
1987.....	0.3	*	*	*	*	*	*	0.2	0.4	0.2
1986.....	0.3	*	0.3	*	*	*	0.2	*	0.4	0.3
1985.....	0.3	*	0.4	*	*	*	*	0.2	0.2	*
1984.....	0.3	*	*	*	*	*	0.2	*	*	*
1983.....	0.3	*	*	*	*	0.2	*	0.2	*	*
1982.....	0.3	*	0.4	*	*	*	0.2	0.2	*	0.3
1981.....	0.3	*	*	*	*	*	0.2	*	*	0.3
1980.....	0.3	0.3	0.4	0.1	0.1	0.1	0.2	0.3	0.3	0.2
1979.....	0.3	0.5	0.4	0.1	0.1	0.1	0.3	0.2	0.3	0.2
WHITE, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0
1979.....	0.2	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
WHITE MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	0.5	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1
WHITE FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.0
1979.....	0.2	0.2	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	*	*	*	*	*	1.3	1.7	1.7	1.9
1997.....	1.1	*	0.9	*	*	*	1.0	1.5	1.1	2.0
1996.....	1.2	*	0.9	*	*	0.7	1.0	1.5	1.7	1.8
1995.....	1.3	*	0.8	*	0.6	0.9	1.8	1.7	1.4	2.0
1994.....	1.3	*	0.9	*	*	0.7	1.3	1.8	2.3	1.8
1993.....	1.2	*	0.8	*	*	0.7	1.3	1.7	1.7	2.1
1992.....	1.3	2.9	1.2	*	*	0.7	1.6	1.6	2.0	1.9
1991.....	1.1	*	0.9	*	*	0.8	1.1	1.7	1.8	1.5
1990.....	1.2	*	1.0	*	*	0.8	1.4	1.7	1.9	2.0
1989.....	1.2	*	1.0	*	*	0.6	1.4	1.3	1.8	1.9
1988.....	1.0	*	1.2	*	*	0.7	1.1	1.1	1.2	1.8
1987.....	1.1	*	0.9	*	*	0.7	1.1	1.6	2.3	1.8
1986.....	1.1	*	1.3	*	*	*	1.4	1.5	2.3	1.4
1985.....	1.1	*	1.6	*	*	0.6	1.2	1.4	1.4	1.3
1984.....	1.0	*	1.3	*	*	0.7	1.1	1.3	1.2	1.4
1983.....	1.1	3.0	1.5	*	*	0.7	1.3	1.5	1.2	1.1
1982.....	1.0	*	1.6	*	*	0.7	1.3	1.4	1.4	1.5
1981.....	1.0	*	1.1	*	*	*	1.3	1.3	1.4	2.0
1980.....	1.1	2.2	1.4	0.4	0.3	0.3	1.4	1.9	1.9	1.5
1979.....	1.1	2.2	1.9	0.2	0.4	0.7	1.6	1.5	1.5	1.6
ALL OTHER MALE										
1998.....	1.2	*	*	*	*	*	1.5	2.0	2.0	1.9
1997.....	1.2	*	1.4	*	*	*	1.1	1.6	1.2	2.4
1996.....	1.2	*	*	*	*	*	*	1.6	1.8	1.9
1995.....	1.4	*	*	*	*	*	2.0	2.1	1.8	2.1
1994.....	1.3	*	*	*	*	*	1.2	2.3	2.4	2.2
1993.....	1.3	*	*	*	*	*	1.5	2.1	2.1	2.3
1992.....	1.5	*	1.5	*	*	*	2.1	1.9	2.2	2.2
1991.....	1.2	*	*	*	*	1.2	*	1.8	2.0	1.9
1990.....	1.3	*	*	*	*	1.1	1.7	2.1	2.2	1.8
1989.....	1.2	*	*	*	*	*	1.6	1.5	2.3	1.9
1988.....	1.1	*	*	*	*	*	1.3	1.5	1.6	2.1
1987.....	1.3	*	*	*	*	*	1.3	2.5	2.9	2.3
1986.....	1.2	*	1.6	*	*	*	1.8	2.2	2.1	*
1985.....	1.2	*	1.6	*	*	*	1.5	1.6	1.9	*
1984.....	1.1	*	*	*	*	*	1.5	1.8	*	*
1983.....	1.2	*	1.7	*	*	*	1.8	1.7	1.7	*
1982.....	1.2	*	1.8	*	*	*	1.8	1.7	2.0	*
1981.....	1.1	*	*	*	*	*	1.5	1.6	2.0	*
1980.....	1.3	2.8	1.2	0.7	0.3	0.3	2.0	2.0	2.3	1.8
1979.....	1.2	2.3	2.3	0.3	0.5	0.8	1.9	1.7	1.4	2.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
ALL OTHER FEMALE										
1998.....	1.1	*	*	*	*	*	*	1.5	1.5	1.9
1997.....	1.0	*	*	*	*	*	*	1.4	1.0	1.6
1996.....	1.1	*	*	*	*	*	1.2	1.4	1.6	1.7
1995.....	1.2	*	*	*	*	*	1.6	1.3	1.1	1.9
1994.....	1.2	*	*	*	*	*	1.4	1.3	2.2	1.5
1993.....	1.1	*	*	*	*	*	1.1	1.4	1.4	1.9
1992.....	1.1	*	*	*	*	*	1.2	1.3	1.8	1.6
1991.....	1.1	*	*	*	*	*	1.1	1.7	1.6	1.2
1990.....	1.1	*	*	*	*	*	1.2	1.4	1.6	2.1
1989.....	1.1	*	*	*	*	*	1.3	1.1	1.5	1.9
1988.....	0.9	*	*	*	*	*	*	*	*	1.4
1987.....	0.9	*	*	*	*	*	*	*	1.7	1.3
1986.....	0.9	*	*	*	*	*	*	*	2.4	1.4
1985.....	1.0	*	1.7	*	*	*	*	1.2	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	1.4	*	*
1982.....	0.9	*	*	*	*	*	*	1.2	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	2.1
1980.....	1.0	1.6	1.6	0.2	0.3	0.3	0.9	1.7	1.6	1.3
1979.....	1.0	2.0	1.4	0.2	0.4	0.5	1.3	1.2	1.7	1.2
BLACK, BOTH SEXES										
1998.....	1.5	*	*	*	*	*	1.7	2.4	2.3	2.6
1997.....	1.4	*	1.2	*	*	*	1.3	2.0	1.5	2.7
1996.....	1.5	*	1.1	*	*	0.9	1.4	2.1	2.3	2.4
1995.....	1.7	*	1.1	*	0.8	1.2	2.4	2.3	1.9	2.7
1994.....	1.6	*	1.2	*	*	0.9	1.8	2.4	3.2	2.5
1993.....	1.6	*	1.0	*	*	0.9	1.8	2.3	2.4	2.8
1992.....	1.7	*	1.6	*	*	0.9	2.1	2.1	2.6	2.5
1991.....	1.5	*	1.1	*	*	0.9	1.3	2.3	2.4	2.0
1990.....	1.5	*	1.2	*	*	1.0	1.8	2.3	2.5	2.6
1989.....	1.5	*	1.2	*	*	0.8	1.9	1.7	2.5	2.6
1988.....	1.2	*	1.5	*	*	0.8	1.4	1.4	1.6	2.4
1987.....	1.4	*	1.1	*	*	0.8	1.3	2.1	3.0	2.3
1986.....	1.3	*	1.6	*	*	*	1.7	1.9	3.0	1.8
1985.....	1.3	*	2.1	*	*	*	1.4	1.7	1.9	1.7
1984.....	1.2	*	1.6	*	*	0.9	1.4	1.6	1.5	1.9
1983.....	1.3	*	1.9	*	*	0.9	1.5	1.9	1.6	1.5
1982.....	1.2	*	1.9	*	*	0.7	1.5	1.8	1.8	1.9
1981.....	1.2	*	1.3	*	*	*	1.5	1.6	1.8	2.5
1980.....	1.3	2.2	1.7	0.5	0.3	0.4	1.7	2.3	2.4	1.9
1979.....	1.3	1.6	2.2	0.3	0.5	0.7	1.9	1.8	1.9	2.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
BLACK MALE										
1998.....	1.5	*	*	*	*	*	2.0	2.8	2.7	2.6
1997.....	1.5	*	1.8	*	*	*	*	2.2	1.7	3.3
1996.....	1.6	*	*	*	*	*	*	2.3	2.4	2.6
1995.....	1.8	*	*	*	*	*	2.8	2.8	2.6	2.8
1994.....	1.7	*	*	*	*	*	1.6	3.1	3.4	3.0
1993.....	1.7	*	*	*	*	*	2.0	2.8	2.9	3.1
1992.....	1.9	*	2.0	*	*	*	2.7	2.6	3.0	3.1
1991.....	1.6	*	*	*	*	1.5	*	2.4	2.8	2.4
1990.....	1.7	*	*	*	*	1.5	2.2	2.8	2.9	2.5
1989.....	1.5	*	*	*	*	*	2.1	2.0	3.0	2.5
1988.....	1.4	*	*	*	*	*	1.7	2.0	2.2	2.8
1987.....	1.7	*	*	*	*	*	1.6	3.1	3.9	3.1
1986.....	1.5	*	2.0	*	*	*	2.2	2.8	2.8	*
1985.....	1.5	*	2.0	*	*	*	1.8	2.0	2.4	*
1984.....	1.3	*	*	*	*	*	1.8	2.2	*	*
1983.....	1.4	*	2.1	*	*	*	2.1	2.1	2.2	*
1982.....	1.4	*	2.2	*	*	*	2.1	2.1	2.5	*
1981.....	1.3	*	*	*	*	*	1.8	2.0	2.5	*
1980.....	1.5	3.0	1.4	0.8	0.3	0.4	2.4	2.5	2.9	2.3
1979.....	1.4	2.3	2.7	0.3	0.6	0.9	2.3	2.1	1.7	2.6
BLACK FEMALE										
1998.....	1.4	*	*	*	*	*	*	2.0	2.0	2.6
1997.....	1.3	*	*	*	*	*	*	1.9	1.4	2.2
1996.....	1.5	*	*	*	*	*	1.6	1.9	2.2	2.3
1995.....	1.6	*	*	*	*	*	2.0	1.8	1.4	2.6
1994.....	1.6	*	*	*	*	*	1.9	1.8	3.0	2.1
1993.....	1.5	*	*	*	*	*	1.5	1.9	1.9	2.6
1992.....	1.4	*	*	*	*	*	1.5	1.7	2.4	2.0
1991.....	1.4	*	*	*	*	*	1.5	2.2	2.1	1.7
1990.....	1.4	*	*	*	*	*	1.5	1.9	2.1	2.8
1989.....	1.4	*	*	*	*	*	1.7	1.4	2.0	2.6
1988.....	1.1	*	*	*	*	*	*	*	*	1.9
1987.....	1.1	*	*	*	*	*	*	*	2.2	1.7
1986.....	1.1	*	*	*	*	*	*	*	3.1	*
1985.....	1.2	*	2.2	*	*	*	*	1.5	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	1.7	*	*
1982.....	1.1	*	*	*	*	*	*	1.5	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	2.6
1980.....	1.2	1.5	1.9	0.2	0.3	0.3	1.0	2.1	2.0	1.6
1979.....	1.2	0.8	1.6	0.2	0.4	0.6	1.6	1.5	2.1	1.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 APLASTIC ANEMIA (284)										
TOTAL, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	0.1	0.1
1993.....	0.5	*	*	*	*	*	*	*	*	0.1
1992.....	0.5	*	*	*	*	*	*	0.1	0.1	0.1
1991.....	0.5	*	*	*	0.1	*	*	*	0.1	*
1990.....	0.5	*	*	*	*	*	0.1	*	*	0.1
1989.....	0.5	*	*	*	*	*	*	*	*	0.1
1988.....	0.5	*	*	0.1	*	*	0.1	0.1	0.1	*
1987.....	0.5	*	*	*	*	*	*	*	0.1	0.1
1986.....	0.5	*	*	0.1	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	0.1	*	*
1984.....	0.5	*	*	0.2	0.1	0.1	0.1	*	*	*
1983.....	0.5	*	*	*	0.2	*	0.1	0.1	*	*
1982.....	0.5	*	*	*	*	0.2	*	*	*	*
1981.....	0.5	*	*	*	0.2	0.1	*	*	*	*
1980.....	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1979.....	0.5	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
TOTAL, MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	0.2	*	*	*	*	*
1980.....	0.5	-	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1
1979.....	0.5	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1





CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 APLASTIC ANEMIA (284)										
ALL OTHER, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.1	0.1	0.2	0.3	0.2	0.2	0.2	0.2
1979.....	0.3	0.2	0.1	0.1	0.3	0.1	0.2	0.1	0.2	0.1
ALL OTHER MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.2	0.1	0.2	0.5	0.1	0.3	0.3	-
1979.....	0.3	0.3	-	0.1	0.4	0.1	0.3	0.1	0.3	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 APLASTIC ANEMIA (284)										
ALL OTHER FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	0.1	0.2	0.1	0.2	0.1	0.1	0.3
1979.....	0.3	-	0.3	0.1	0.2	0.2	0.1	0.1	0.1	0.2
BLACK, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.1	0.1	0.2	0.3	0.2	0.2	0.2	0.1
1979.....	0.3	-	0.2	0.1	0.3	0.2	0.2	-	0.2	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 APLASTIC ANEMIA (284)										
BLACK MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.1	0.1	0.2	0.5	0.2	0.4	0.3	-
1979.....	0.3	-	-	0.1	0.4	0.1	0.3	-	0.2	-
BLACK FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	0.1	0.2	0.1	0.2	0.1	0.1	0.3
1979.....	0.3	-	0.3	0.1	0.2	0.2	0.1	-	0.1	0.3





CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)										
WHITE MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.0	-	-	-	0.0	-	0.0	-
1979.....	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHITE FEMALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.1	-	-	0.0	-	0.0	0.0	0.0	-
1979.....	0.5	0.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)										
ALL OTHER, BOTH SEXES										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.2	0.1	-	-	0.0	0.0	-	0.2	0.2
1979.....	0.6	0.3	0.0	-	0.1	0.0	-	-	-	0.2
ALL OTHER MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	0.3	-	-	-	0.1	-	0.1	0.2
1979.....	0.5	0.7	0.1	-	0.1	-	-	-	-	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)										
ALL OTHER FEMALE										
1998.....	0.8	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.3	-	-	-	0.1	-	-	0.2	0.1
1979.....	0.8	-	-	-	0.1	0.1	-	-	-	0.2
BLACK, BOTH SEXES										
1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.2	0.2	-	-	0.0	0.0	-	0.2	0.2
1979.....	0.7	0.4	0.1	-	-	0.0	-	-	-	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)										
BLACK MALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	0.3	-	-	-	0.1	-	0.1	0.3
1979.....	0.6	0.8	0.1	-	-	-	-	-	-	0.3
BLACK FEMALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.8	0.4	-	-	-	0.1	-	-	0.3	0.1
1979.....	0.8	-	-	-	-	0.1	-	-	-	0.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)										
TOTAL, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	0.1
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	0.1
1995.....	0.3	*	*	*	*	*	*	*	*	0.2
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	0.1	*
1992.....	0.3	*	*	*	*	*	*	*	*	0.1
1991.....	0.3	*	*	*	*	*	*	*	0.1	0.1
1990.....	0.3	*	*	*	*	*	*	*	0.1	0.1
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.6	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1
1979.....	0.3	0.8	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1
TOTAL, MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	0.1	0.0	-	0.0	0.0	0.0	0.1	0.1
1979.....	0.3	0.9	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)										
TOTAL, FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.6	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
1979.....	0.3	0.7	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1
WHITE, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	0.1
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
1979.....	0.3	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)										
ALL OTHER, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.9	0.1	0.1	0.0	-	0.0	0.1	0.3	0.2
1979.....	0.3	1.8	0.0	0.0	-	0.1	0.1	0.2	0.2	0.3
ALL OTHER MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.6	0.2	0.1	-	-	-	0.1	0.1	0.2
1979.....	0.2	1.7	0.1	-	-	-	-	0.1	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)										
ALL OTHER FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	1.3	0.1	0.1	0.1	-	0.1	0.1	0.5	0.1
1979.....	0.4	2.0	-	0.1	-	0.1	0.1	0.3	0.2	0.3
BLACK, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	1.1	0.1	0.1	0.0	-	0.0	0.1	0.4	0.2
1979.....	0.3	1.9	0.1	0.0	-	0.1	0.1	0.2	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)										
BLACK MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.7	0.1	0.1	-	-	-	0.1	0.1	0.3
1979.....	0.3	1.9	0.1	-	-	-	-	0.1	0.2	0.3
BLACK FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	1.5	0.1	0.1	0.1	-	0.1	0.2	0.6	0.1
1979.....	0.4	2.0	-	0.1	-	0.1	0.1	0.3	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)										
TOTAL, BOTH SEXES										
1998.....	1.9	1.5	0.2	*	*	*	0.2	0.1	0.2	0.3
1997.....	1.8	1.2	0.1	*	*	*	*	0.2	0.2	0.3
1996.....	1.8	1.1	0.1	*	*	0.1	0.2	0.1	0.3	0.3
1995.....	1.8	1.0	*	*	*	*	0.1	0.2	0.2	0.4
1994.....	1.7	1.0	0.1	*	*	*	0.2	0.1	0.3	0.4
1993.....	1.8	1.1	0.2	*	*	*	0.1	0.2	0.3	0.4
1992.....	1.7	1.3	0.2	*	*	0.1	0.1	0.2	0.3	0.3
1991.....	1.7	1.4	0.2	*	*	*	0.1	0.2	0.2	0.3
1990.....	1.7	1.1	0.1	*	*	0.1	0.1	0.2	0.3	0.5
1989.....	1.6	1.1	0.2	*	*	*	0.1	0.2	0.3	0.4
1988.....	1.6	1.1	*	*	*	*	*	0.2	0.2	0.4
1987.....	1.5	0.9	*	*	*	*	0.1	0.2	0.3	0.3
1986.....	1.4	0.8	*	*	*	0.1	*	0.2	0.2	0.4
1985.....	1.4	1.4	*	*	*	*	*	0.2	0.2	0.4
1984.....	1.3	1.2	*	*	*	0.1	0.1	0.1	0.2	0.3
1983.....	1.3	1.2	0.2	*	*	*	0.1	0.2	0.2	0.3
1982.....	1.1	1.2	0.2	*	*	0.1	*	0.1	0.2	0.3
1981.....	1.1	0.9	0.2	*	*	*	0.1	0.1	0.1	0.2
1980.....	1.1	1.5	0.1	0.1	0.0	0.1	0.1	0.1	0.2	0.3
1979.....	1.1	1.8	0.2	0.0	0.1	0.1	0.1	0.2	0.2	0.3
TOTAL, MALE										
1998.....	2.0	1.6	*	*	*	*	0.2	*	0.2	0.3
1997.....	2.0	1.2	*	*	*	*	*	0.2	0.3	0.3
1996.....	2.0	1.2	*	*	*	*	*	*	0.3	0.4
1995.....	2.0	*	*	*	*	*	*	0.3	0.2	0.5
1994.....	1.9	1.2	*	*	*	*	*	*	0.3	0.4
1993.....	1.9	1.2	0.3	*	*	*	*	0.3	0.3	0.4
1992.....	1.9	1.6	*	*	*	*	0.2	0.3	0.3	0.3
1991.....	1.9	1.4	*	*	*	*	*	0.3	0.2	0.5
1990.....	1.9	*	*	*	*	*	*	0.2	0.3	0.6
1989.....	1.7	1.3	*	*	*	*	*	*	0.4	0.5
1988.....	1.7	1.5	*	*	*	*	*	0.2	0.3	0.4
1987.....	1.6	*	*	*	*	*	*	*	0.3	0.4
1986.....	1.5	*	*	*	*	*	*	0.2	0.3	0.5
1985.....	1.5	1.6	*	*	*	*	*	*	0.3	0.5
1984.....	1.4	1.1	*	*	*	*	*	*	0.2	0.3
1983.....	1.4	1.4	*	*	*	*	*	0.2	*	0.4
1982.....	1.2	1.2	*	*	*	*	*	*	*	0.3
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.2	1.8	0.2	0.1	0.0	0.0	0.1	0.1	0.2	0.4
1979.....	1.2	1.9	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)										
TOTAL, FEMALE										
1998.....	1.8	1.4	*	*	*	*	*	*	0.2	0.3
1997.....	1.7	1.2	*	*	*	*	*	*	*	0.3
1996.....	1.7	*	*	*	*	*	*	*	0.3	0.3
1995.....	1.7	1.2	*	*	*	*	*	*	0.3	0.3
1994.....	1.6	*	*	*	*	*	*	*	0.2	0.3
1993.....	1.6	*	*	*	*	*	*	*	0.3	0.3
1992.....	1.5	1.0	*	*	*	*	*	*	0.3	0.3
1991.....	1.6	1.3	*	*	*	*	*	*	0.2	0.2
1990.....	1.5	1.2	*	*	*	*	*	*	0.2	0.3
1989.....	1.4	*	*	*	*	*	*	0.2	0.2	0.3
1988.....	1.4	*	*	*	*	*	*	*	*	0.3
1987.....	1.3	*	*	*	*	*	*	*	0.2	*
1986.....	1.3	*	*	*	*	*	*	*	*	0.3
1985.....	1.2	1.2	*	*	*	*	*	*	*	0.3
1984.....	1.2	1.3	*	*	*	*	*	*	*	0.3
1983.....	1.2	*	*	*	*	*	*	0.2	*	0.3
1982.....	1.0	1.2	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.2	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.3
1979.....	0.9	1.6	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.2
WHITE, BOTH SEXES										
1998.....	2.0	1.2	*	*	*	*	0.1	*	0.2	0.2
1997.....	2.0	1.1	*	*	*	*	*	0.2	0.2	0.3
1996.....	1.9	1.1	*	*	*	*	0.2	*	0.3	0.2
1995.....	1.9	0.7	*	*	*	*	*	0.2	0.2	0.4
1994.....	1.8	0.9	*	*	*	*	0.2	*	0.2	0.3
1993.....	1.9	1.1	0.2	*	*	*	*	0.2	0.3	0.3
1992.....	1.8	1.2	0.2	*	*	*	*	0.2	0.2	0.3
1991.....	1.8	1.3	*	*	*	*	*	0.2	0.2	0.3
1990.....	1.7	0.8	*	*	*	*	0.1	0.2	0.2	0.4
1989.....	1.6	0.9	*	*	*	*	0.1	0.2	0.2	0.4
1988.....	1.6	1.1	*	*	*	*	*	0.2	0.2	0.3
1987.....	1.5	0.8	*	*	*	*	*	0.1	0.2	0.2
1986.....	1.4	*	*	*	*	*	*	0.1	0.1	0.3
1985.....	1.4	1.1	*	*	*	*	*	0.1	0.2	0.3
1984.....	1.3	1.2	*	*	*	0.1	*	*	0.1	0.2
1983.....	1.3	1.0	*	*	*	*	*	0.2	0.1	0.3
1982.....	1.1	1.1	*	*	*	*	*	*	0.2	0.2
1981.....	1.1	0.7	*	*	*	*	*	0.1	*	*
1980.....	1.1	1.3	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.3
1979.....	1.1	1.6	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)										
WHITE MALE										
1998.....	2.2	*	*	*	*	*	*	*	0.3	0.2
1997.....	2.1	1.3	*	*	*	*	*	*	0.3	0.3
1996.....	2.1	1.4	*	*	*	*	*	*	0.3	0.3
1995.....	2.1	*	*	*	*	*	*	*	*	0.4
1994.....	2.0	*	*	*	*	*	*	*	0.3	0.4
1993.....	2.0	*	*	*	*	*	*	0.3	0.3	0.3
1992.....	2.0	1.5	*	*	*	*	*	0.3	0.2	0.4
1991.....	2.0	1.3	*	*	*	*	*	0.3	*	0.3
1990.....	2.0	*	*	*	*	*	*	0.2	0.3	0.4
1989.....	1.8	*	*	*	*	*	*	*	0.3	0.5
1988.....	1.8	1.6	*	*	*	*	*	0.2	0.3	0.3
1987.....	1.7	*	*	*	*	*	*	*	0.2	0.3
1986.....	1.6	*	*	*	*	*	*	*	*	0.5
1985.....	1.6	1.3	*	*	*	*	*	*	*	0.4
1984.....	1.5	*	*	*	*	*	*	*	*	*
1983.....	1.4	*	*	*	*	*	*	*	*	0.3
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.2	1.7	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.3
1979.....	1.2	1.7	0.1	0.0	0.1	0.1	0.1	0.2	0.2	0.2
WHITE FEMALE										
1998.....	1.9	*	*	*	*	*	*	*	*	0.2
1997.....	1.8	*	*	*	*	*	*	*	*	0.3
1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	0.2	0.3
1994.....	1.7	*	*	*	*	*	*	*	*	0.3
1993.....	1.7	*	*	*	*	*	*	*	0.2	0.2
1992.....	1.6	*	*	*	*	*	*	*	0.2	0.2
1991.....	1.6	1.3	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	0.3
1989.....	1.4	*	*	*	*	*	*	*	*	0.3
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.9	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.2
1979.....	1.0	1.6	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)										
ALL OTHER, BOTH SEXES										
1998.....	1.4	2.6	*	*	*	*	*	*	*	0.6
1997.....	1.3	*	*	*	*	*	*	*	*	*
1996.....	1.3	*	*	*	*	*	*	*	*	0.9
1995.....	1.3	*	*	*	*	*	*	*	*	0.6
1994.....	1.2	*	*	*	*	*	*	*	*	0.6
1993.....	1.3	*	*	*	*	*	*	*	0.5	0.7
1992.....	1.2	*	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	0.6	0.8
1990.....	1.3	*	*	*	*	*	*	*	0.7	1.0
1989.....	1.3	*	*	*	*	*	*	*	*	0.8
1988.....	1.3	*	*	*	*	*	*	*	*	0.8
1987.....	1.1	*	*	*	*	*	*	*	*	0.7
1986.....	1.1	*	*	*	*	*	*	*	*	0.8
1985.....	1.2	*	*	*	*	*	*	*	*	1.0
1984.....	1.1	*	*	*	*	*	*	*	*	0.9
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.0	2.4	0.3	0.0	0.1	0.1	0.3	0.2	0.3	0.9
1979.....	0.9	2.3	0.3	0.1	-	0.1	0.2	0.2	0.3	0.6
ALL OTHER MALE										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.3	*	*	*	*	*	*	*	*	*
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	1.7
1989.....	1.5	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.3	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.1	2.2	0.5	0.1	0.1	-	0.3	0.3	0.5	0.8
1979.....	1.1	3.0	0.5	0.2	-	0.1	0.3	0.2	0.4	0.8

CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39  
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER FEMALE										
1998.....	1.3	*	*	*	*	*	*	*	*	*
1997.....	1.3	*	*	*	*	*	*	*	*	*
1996.....	1.2	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.2	*	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.8	2.5	-	-	0.1	0.2	0.3	0.1	0.2	0.9
1979.....	0.8	1.7	-	-	-	-	0.1	0.2	0.3	0.4
BLACK, BOTH SEXES										
1998.....	1.6	*	*	*	*	*	*	*	*	0.7
1997.....	1.5	*	*	*	*	*	*	*	*	*
1996.....	1.5	*	*	*	*	*	*	*	*	1.0
1995.....	1.5	*	*	*	*	*	*	*	*	0.8
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.5	*	*	*	*	*	*	*	0.7	1.0
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	*	*	*	*	*	*	*	1.0
1990.....	1.5	*	*	*	*	*	*	*	1.0	1.3
1989.....	1.5	*	*	*	*	*	*	*	*	1.0
1988.....	1.4	*	*	*	*	*	*	*	*	1.0
1987.....	1.3	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	1.0
1985.....	1.4	*	*	*	*	*	*	*	*	1.2
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.1	2.6	0.3	0.0	0.1	0.1	0.3	0.3	0.2	1.0
1979.....	1.0	2.7	0.3	0.0	-	0.1	0.2	0.2	0.4	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---------------------------------------------	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

## BLACK MALE

1998.....	1.6	*	*	*	*	*	*	*	*	*
1997.....	1.5	*	*	*	*	*	*	*	*	*
1996.....	1.7	*	*	*	*	*	*	*	*	*
1995.....	1.6	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.6	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	*
1990.....	1.8	*	*	*	*	*	*	*	*	2.3
1989.....	1.7	*	*	*	*	*	*	*	*	*
1988.....	1.5	*	*	*	*	*	*	*	*	*
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.2	2.6	0.6	0.1	0.1	-	0.3	0.4	0.3	0.9
1979.....	1.1	3.5	0.6	0.1	-	0.1	0.3	0.2	0.5	0.9

## BLACK FEMALE

1998.....	1.6	*	*	*	*	*	*	*	*	*
1997.....	1.4	*	*	*	*	*	*	*	*	*
1996.....	1.3	*	*	*	*	*	*	*	*	*
1995.....	1.5	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.2	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.9	2.6	-	-	0.1	0.2	0.3	0.2	0.1	1.1
1979.....	0.8	2.0	-	-	-	-	0.1	0.2	0.3	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
V. MENTAL DISORDERS (290-319)										
TOTAL, BOTH SEXES										
1998.....	19.5	*	*	*	0.1	0.3	0.8	1.1	2.3	4.0
1997.....	17.7	*	*	*	*	0.3	0.7	1.2	2.4	3.9
1996.....	16.6	*	*	*	0.1	0.3	0.7	1.5	2.5	4.3
1995.....	15.5	*	*	*	0.1	0.3	0.6	1.2	2.6	4.2
1994.....	14.2	*	*	*	0.1	0.3	0.7	1.3	2.4	4.1
1993.....	13.0	*	*	0.1	0.2	0.3	0.7	1.3	2.6	4.3
1992.....	11.4	*	0.2	*	0.1	0.3	0.7	1.4	2.5	4.6
1991.....	10.8	*	*	0.1	0.2	0.3	0.7	1.4	2.4	4.3
1990.....	10.4	*	*	0.1	0.2	0.4	0.7	1.6	2.9	4.5
1989.....	10.2	*	0.2	0.2	0.2	0.4	0.7	1.7	3.4	5.2
1988.....	9.8	*	0.2	0.2	0.1	0.4	0.9	1.9	3.8	5.9
1987.....	8.8	*	0.2	0.1	0.2	0.4	0.8	1.9	4.0	5.6
1986.....	8.2	*	0.3	0.2	0.2	0.4	1.0	2.3	4.5	5.3
1985.....	7.8	*	0.2	0.2	0.2	0.4	0.9	2.2	4.4	4.8
1984.....	7.0	*	0.2	0.2	0.2	0.5	0.9	1.9	3.4	3.6
1983.....	6.8	*	0.3	0.2	0.2	0.5	1.0	2.2	3.3	3.6
1982.....	6.2	*	0.3	0.1	0.2	0.5	1.0	2.2	2.9	3.5
1981.....	6.4	0.6	0.3	0.2	0.3	0.5	1.0	2.2	3.0	3.6
1980.....	6.2	0.6	0.3	0.2	0.3	0.5	1.3	2.4	2.8	3.9
1979.....	5.7	0.5	0.3	0.3	0.2	0.6	1.2	2.2	2.7	3.4
TOTAL, MALE										
1998.....	15.3	*	*	*	*	0.4	1.2	1.6	3.3	5.9
1997.....	14.2	*	*	*	*	0.4	1.2	1.7	3.3	5.7
1996.....	13.7	*	*	*	*	0.4	1.0	2.1	3.6	6.0
1995.....	13.2	*	*	*	*	0.5	0.9	1.7	3.9	6.1
1994.....	12.4	*	*	*	*	0.5	0.9	1.9	3.5	6.2
1993.....	11.8	*	*	*	*	0.4	1.0	1.8	3.6	6.5
1992.....	10.7	*	*	*	*	0.4	0.8	2.1	3.6	7.1
1991.....	10.2	*	*	*	0.2	0.4	0.9	1.9	3.4	6.3
1990.....	10.1	*	*	*	*	0.6	1.0	2.2	4.0	6.8
1989.....	10.1	*	*	*	*	0.5	1.0	2.2	5.2	8.2
1988.....	10.1	*	*	*	*	0.6	1.4	2.5	5.7	9.3
1987.....	9.1	*	*	*	*	0.5	1.2	2.7	6.1	8.7
1986.....	8.7	*	*	*	*	0.5	1.5	3.2	7.0	8.5
1985.....	8.4	*	*	*	*	0.5	1.3	3.1	6.7	7.7
1984.....	7.5	*	*	*	0.3	0.7	1.3	2.6	5.1	5.4
1983.....	7.5	*	0.3	0.3	0.2	0.6	1.4	3.1	5.2	5.4
1982.....	7.1	*	0.3	*	*	0.7	1.4	3.4	4.6	5.4
1981.....	7.4	*	0.3	0.2	0.3	0.6	1.4	3.1	4.5	5.5
1980.....	7.4	0.7	0.4	0.1	0.3	0.7	1.9	3.8	4.3	6.0
1979.....	6.9	0.5	0.3	0.4	0.2	0.9	1.9	3.2	4.3	5.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
V. MENTAL DISORDERS (290-319)										
TOTAL, FEMALE										
1998.....	23.6	*	*	*	*	0.3	0.3	0.6	1.3	2.3
1997.....	21.1	*	*	*	*	*	0.3	0.7	1.5	2.2
1996.....	19.4	*	*	*	*	*	0.5	0.9	1.5	2.6
1995.....	17.7	*	*	*	*	*	0.3	0.7	1.3	2.3
1994.....	16.0	*	*	*	*	*	0.4	0.7	1.3	2.1
1993.....	14.2	*	*	*	*	*	0.4	0.9	1.7	2.2
1992.....	12.0	*	*	*	*	*	0.5	0.8	1.4	2.1
1991.....	11.3	*	*	*	*	*	0.4	0.8	1.4	2.3
1990.....	10.7	*	*	*	*	*	0.4	0.9	1.7	2.3
1989.....	10.3	*	*	*	*	*	0.4	1.2	1.7	2.2
1988.....	9.6	*	*	*	*	0.3	0.4	1.2	1.9	2.6
1987.....	8.6	*	*	*	*	0.3	0.5	1.2	2.0	2.6
1986.....	7.7	*	0.3	*	*	0.4	0.6	1.4	2.0	2.2
1985.....	7.3	*	*	*	*	0.3	0.5	1.2	2.2	1.9
1984.....	6.6	*	*	*	*	0.3	0.5	1.2	1.7	1.9
1983.....	6.1	*	*	*	*	0.4	0.7	1.3	1.4	1.8
1982.....	5.5	*	*	*	*	0.3	0.7	0.9	1.3	1.6
1981.....	5.4	*	*	*	*	0.4	0.6	1.2	1.5	1.8
1980.....	5.1	0.5	0.2	0.3	0.3	0.2	0.7	1.0	1.4	1.9
1979.....	4.5	0.5	0.3	0.3	0.2	0.3	0.5	1.2	1.3	1.8
WHITE, BOTH SEXES										
1998.....	21.4	*	*	*	*	0.4	0.8	1.2	2.1	3.8
1997.....	19.4	*	*	*	*	0.3	0.8	1.2	2.2	3.5
1996.....	17.9	*	*	*	*	0.3	0.7	1.4	2.3	3.8
1995.....	16.5	*	*	*	*	0.3	0.6	1.1	2.3	3.5
1994.....	15.1	*	*	*	*	0.3	0.7	1.2	2.1	3.6
1993.....	13.6	*	*	*	0.2	0.3	0.6	1.2	2.2	3.5
1992.....	11.8	*	*	*	0.1	0.3	0.7	1.3	2.2	3.8
1991.....	11.1	*	*	*	0.2	0.3	0.6	1.2	1.9	3.3
1990.....	10.5	*	*	*	0.2	0.4	0.7	1.3	2.2	3.4
1989.....	10.2	*	0.2	0.2	0.2	0.4	0.7	1.4	2.4	3.6
1988.....	9.6	*	*	0.2	*	0.4	0.8	1.5	2.7	3.8
1987.....	8.6	*	0.2	*	*	0.4	0.8	1.6	2.8	3.5
1986.....	7.9	*	0.2	*	0.2	0.4	0.9	1.8	3.0	3.5
1985.....	7.5	*	*	0.2	0.2	0.4	0.8	1.6	2.7	3.1
1984.....	6.7	*	0.3	*	0.2	0.5	0.8	1.4	2.1	2.2
1983.....	6.5	*	0.2	0.2	0.2	0.5	0.9	1.5	2.0	2.3
1982.....	5.9	*	0.3	*	0.2	0.5	0.9	1.4	1.7	2.1
1981.....	5.9	*	0.2	0.2	0.2	0.5	0.9	1.4	1.7	2.1
1980.....	5.7	0.6	0.3	0.2	0.2	0.4	1.0	1.6	1.8	2.1
1979.....	5.2	0.5	0.3	0.3	0.2	0.6	1.1	1.5	1.7	2.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
V. MENTAL DISORDERS (290-319)										
WHITE MALE										
1998.....	16.1	*	*	*	*	0.5	1.3	1.7	3.1	5.5
1997.....	14.8	*	*	*	*	0.5	1.3	1.7	3.1	5.2
1996.....	14.0	*	*	*	*	0.4	0.9	2.0	3.4	5.5
1995.....	13.3	*	*	*	*	0.5	0.8	1.6	3.4	5.2
1994.....	12.4	*	*	*	*	0.5	0.9	1.8	3.3	5.5
1993.....	11.7	*	*	*	*	0.4	0.9	1.7	3.1	5.3
1992.....	10.5	*	*	*	*	0.4	0.9	1.9	3.2	6.1
1991.....	9.9	*	*	*	*	0.4	0.9	1.7	2.9	5.0
1990.....	9.6	*	*	*	*	0.6	0.9	1.8	3.2	5.3
1989.....	9.4	*	*	*	*	0.5	1.0	2.0	3.8	5.7
1988.....	9.1	*	*	*	*	0.6	1.2	2.1	4.3	6.2
1987.....	8.3	*	*	*	*	0.5	1.1	2.3	4.4	5.8
1986.....	7.8	*	*	*	*	0.5	1.4	2.7	4.8	5.7
1985.....	7.4	*	*	*	*	0.4	1.1	2.4	4.1	5.1
1984.....	6.7	*	*	*	0.3	0.7	1.2	2.1	3.3	3.4
1983.....	6.7	*	*	*	*	0.6	1.3	2.2	3.3	3.6
1982.....	6.2	*	*	*	*	0.7	1.2	2.3	2.8	3.1
1981.....	6.5	*	*	*	0.3	0.6	1.1	2.0	2.6	3.3
1980.....	6.4	0.7	0.4	0.1	0.2	0.6	1.5	2.6	2.7	3.2
1979.....	6.0	0.6	0.3	0.3	0.2	0.9	1.7	2.3	2.7	3.0
WHITE FEMALE										
1998.....	26.6	*	*	*	*	0.3	0.3	0.6	1.1	2.0
1997.....	23.8	*	*	*	*	*	*	0.7	1.3	1.8
1996.....	21.7	*	*	*	*	*	0.5	0.8	1.2	2.1
1995.....	19.6	*	*	*	*	*	0.3	0.5	1.1	1.7
1994.....	17.6	*	*	*	*	*	0.4	0.6	1.0	1.6
1993.....	15.5	*	*	*	*	*	0.4	0.7	1.3	1.6
1992.....	13.0	*	*	*	*	*	0.5	0.6	1.1	1.5
1991.....	12.2	*	*	*	*	*	0.4	0.7	1.0	1.7
1990.....	11.4	*	*	*	*	*	0.4	0.8	1.2	1.4
1989.....	11.0	*	*	*	*	*	0.5	0.8	1.0	1.4
1988.....	10.1	*	*	*	*	0.3	0.4	0.9	1.2	1.5
1987.....	8.9	*	*	*	*	*	0.4	0.8	1.1	1.2
1986.....	8.0	*	*	*	*	0.3	0.5	0.9	1.2	1.3
1985.....	7.5	*	*	*	*	0.3	0.4	0.8	1.2	1.2
1984.....	6.7	*	*	*	*	*	0.4	0.7	0.9	1.1
1983.....	6.2	*	*	*	*	0.4	0.5	0.8	0.8	1.1
1982.....	5.5	*	*	*	*	0.3	0.6	0.5	0.6	1.0
1981.....	5.4	*	*	*	*	0.4	0.6	0.7	0.8	1.0
1980.....	5.0	0.5	0.2	0.3	0.2	0.2	0.5	0.5	0.8	1.0
1979.....	4.5	0.5	0.3	0.3	0.2	0.3	0.4	0.8	0.7	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
V. MENTAL DISORDERS (290-319)										
ALL OTHER, BOTH SEXES										
1998.....	10.7	*	*	*	*	*	0.6	0.9	3.3	5.3
1997.....	9.9	*	*	*	*	*	0.6	1.4	3.3	5.9
1996.....	10.2	*	*	*	*	*	0.7	1.7	3.5	6.6
1995.....	10.5	*	*	*	*	*	0.6	1.7	3.9	7.6
1994.....	10.0	*	*	*	*	*	0.7	1.8	3.7	6.6
1993.....	9.8	*	*	*	*	*	1.0	1.8	4.6	8.7
1992.....	9.3	*	*	*	*	*	0.7	2.2	4.2	8.5
1991.....	9.1	*	*	*	*	*	0.8	2.2	4.6	9.3
1990.....	9.7	*	*	*	*	*	0.9	2.9	6.1	10.6
1989.....	10.3	*	*	*	*	*	0.6	2.9	8.5	13.5
1988.....	10.8	*	*	*	*	*	1.5	3.6	9.5	17.4
1987.....	10.1	*	*	*	*	*	1.2	3.8	10.5	17.3
1986.....	9.8	*	*	*	*	*	1.4	4.9	12.4	15.7
1985.....	9.8	*	*	*	*	0.6	1.8	4.9	14.0	14.6
1984.....	8.9	*	*	*	*	0.6	1.5	4.6	10.3	12.0
1983.....	8.9	*	*	*	*	*	1.6	6.1	10.6	11.9
1982.....	8.5	*	*	*	*	*	1.7	6.2	10.2	12.6
1981.....	8.8	*	*	*	*	*	1.8	6.8	10.8	13.4
1980.....	9.5	0.3	0.4	0.2	0.5	0.6	2.8	7.1	9.5	15.9
1979.....	8.3	0.3	0.3	0.3	0.3	0.4	2.0	6.3	9.6	13.2
ALL OTHER MALE										
1998.....	11.4	*	*	*	*	*	*	1.4	4.3	7.5
1997.....	11.1	*	*	*	*	*	*	2.1	4.1	8.2
1996.....	11.8	*	*	*	*	*	*	2.5	4.7	8.7
1995.....	12.5	*	*	*	*	*	*	2.1	6.0	10.5
1994.....	12.0	*	*	*	*	*	*	2.6	4.7	9.6
1993.....	12.2	*	*	*	*	*	1.4	2.2	5.9	13.2
1992.....	11.7	*	*	*	*	*	*	2.9	5.9	12.6
1991.....	11.9	*	*	*	*	*	*	2.9	6.4	13.5
1990.....	12.9	*	*	*	*	*	1.5	4.4	8.3	15.4
1989.....	13.7	*	*	*	*	*	*	3.1	12.7	22.3
1988.....	15.2	*	*	*	*	*	2.4	4.8	13.9	27.8
1987.....	13.8	*	*	*	*	*	1.6	4.6	15.3	26.0
1986.....	13.9	*	*	*	*	*	2.1	6.5	19.9	26.3
1985.....	13.9	*	*	*	*	*	2.5	6.8	21.9	24.6
1984.....	12.3	*	*	*	*	*	2.0	5.9	15.8	18.7
1983.....	12.4	*	*	*	*	*	1.7	8.3	17.2	18.5
1982.....	12.2	*	*	*	*	*	2.2	9.7	16.3	21.3
1981.....	12.6	*	*	*	*	*	2.6	9.9	17.3	21.2
1980.....	13.5	0.3	0.6	0.2	0.4	1.0	3.9	10.9	14.9	25.8
1979.....	12.1	-	0.2	0.5	0.3	0.8	3.0	9.5	15.6	20.5



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
V. MENTAL DISORDERS (290-319)										
ALL OTHER FEMALE										
1998.....	10.0	*	*	*	*	*	*	*	2.4	3.3
1997.....	8.7	*	*	*	*	*	*	*	2.6	3.8
1996.....	8.6	*	*	*	*	*	*	1.1	2.4	4.8
1995.....	8.6	*	*	*	*	*	*	1.3	2.0	5.0
1994.....	8.1	*	*	*	*	*	*	1.2	2.8	4.0
1993.....	7.6	*	*	*	*	*	*	1.5	3.4	4.8
1992.....	7.1	*	*	*	*	*	*	1.5	2.7	4.7
1991.....	6.7	*	*	*	*	*	*	1.6	2.9	5.5
1990.....	6.8	*	*	*	*	*	*	1.5	4.1	6.5
1989.....	7.2	*	*	*	*	*	*	2.8	4.8	5.9
1988.....	6.8	*	*	*	*	*	*	2.5	5.6	8.4
1987.....	6.7	*	*	*	*	*	*	3.1	6.2	9.7
1986.....	6.1	*	*	*	*	*	*	3.5	5.9	6.7
1985.....	6.2	*	*	*	*	*	1.1	3.3	7.1	6.0
1984.....	5.9	*	*	*	*	*	*	3.3	5.6	6.4
1983.....	5.6	*	*	*	*	*	1.5	4.2	4.8	6.3
1982.....	5.2	*	*	*	*	*	1.2	3.1	4.9	5.3
1981.....	5.4	*	*	*	*	*	*	3.9	5.3	6.8
1980.....	5.8	0.3	0.3	0.2	0.5	0.2	1.7	3.7	4.9	7.5
1979.....	5.0	0.7	0.4	0.1	0.3	0.1	1.0	3.5	4.6	7.2
BLACK, BOTH SEXES										
1998.....	12.7	*	*	*	*	*	*	1.0	3.8	5.9
1997.....	11.8	*	*	*	*	*	*	1.6	3.4	6.4
1996.....	12.1	*	*	*	*	*	0.8	1.9	3.8	8.0
1995.....	12.6	*	*	*	*	*	0.8	2.0	4.5	9.0
1994.....	12.0	*	*	*	*	*	0.7	1.9	4.3	7.5
1993.....	11.7	*	*	*	*	*	1.0	2.0	5.5	10.6
1992.....	11.1	*	*	*	*	*	*	2.5	4.5	10.6
1991.....	11.1	*	*	*	*	*	0.8	2.3	5.5	11.1
1990.....	11.7	*	*	*	*	*	0.9	3.3	7.4	13.2
1989.....	12.3	*	*	*	*	*	*	3.4	10.2	16.7
1988.....	12.9	*	*	*	*	*	1.6	4.2	11.9	22.1
1987.....	12.0	*	*	*	*	*	1.3	4.5	13.0	21.9
1986.....	11.7	*	*	*	*	*	1.6	5.8	15.8	19.7
1985.....	11.5	*	*	*	*	*	2.0	5.6	17.5	18.7
1984.....	10.2	*	*	*	*	*	1.5	5.3	12.4	14.6
1983.....	10.1	*	*	*	*	*	1.6	7.0	13.1	14.5
1982.....	9.6	*	*	*	*	*	1.7	7.1	12.4	15.3
1981.....	9.8	*	*	*	*	*	1.7	7.8	12.9	15.6
1980.....	10.4	0.4	0.5	0.2	0.5	0.5	2.8	8.1	10.9	18.8
1979.....	8.9	0.4	0.3	0.3	0.3	0.3	1.9	6.7	10.7	14.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
V. MENTAL DISORDERS (290-319)										
BLACK MALE										
1998.....	13.6	*	*	*	*	*	*	*	5.2	8.5
1997.....	13.2	*	*	*	*	*	*	2.4	4.6	8.7
1996.....	14.2	*	*	*	*	*	*	2.7	5.1	10.5
1995.....	15.0	*	*	*	*	*	*	2.7	7.0	12.3
1994.....	14.5	*	*	*	*	*	*	2.5	5.5	11.2
1993.....	14.7	*	*	*	*	*	*	2.4	7.2	15.8
1992.....	14.1	*	*	*	*	*	*	3.3	6.3	15.8
1991.....	14.4	*	*	*	*	*	*	2.8	7.8	16.3
1990.....	15.7	*	*	*	*	*	*	5.0	10.1	19.2
1989.....	16.5	*	*	*	*	*	*	3.4	15.4	27.4
1988.....	18.3	*	*	*	*	*	2.7	5.7	17.6	35.6
1987.....	16.6	*	*	*	*	*	1.6	5.5	18.9	33.5
1986.....	16.7	*	*	*	*	*	2.3	7.5	25.4	33.4
1985.....	16.5	*	*	*	*	*	2.6	8.0	27.8	32.0
1984.....	14.2	*	*	*	*	*	1.9	6.9	19.0	23.0
1983.....	14.2	*	*	*	*	*	1.7	9.6	21.2	22.9
1982.....	13.8	*	*	*	*	*	1.9	11.0	19.8	25.9
1981.....	14.1	*	*	*	*	*	2.3	11.5	21.0	24.7
1980.....	14.9	0.4	0.6	0.2	0.5	0.8	3.9	12.6	17.0	31.2
1979.....	12.9	-	0.2	0.4	0.3	0.5	2.9	10.3	17.6	22.7
BLACK FEMALE										
1998.....	11.9	*	*	*	*	*	*	*	2.6	3.6
1997.....	10.5	*	*	*	*	*	*	*	2.4	4.4
1996.....	10.2	*	*	*	*	*	*	*	2.6	5.7
1995.....	10.4	*	*	*	*	*	*	*	2.3	6.0
1994.....	9.7	*	*	*	*	*	*	*	3.2	4.3
1993.....	9.0	*	*	*	*	*	*	1.6	4.0	5.9
1992.....	8.4	*	*	*	*	*	*	1.8	3.0	6.1
1991.....	8.1	*	*	*	*	*	*	1.9	3.5	6.6
1990.....	8.1	*	*	*	*	*	*	1.9	5.0	8.0
1989.....	8.4	*	*	*	*	*	*	3.4	5.7	7.5
1988.....	8.1	*	*	*	*	*	*	2.9	6.9	10.5
1987.....	7.8	*	*	*	*	*	*	3.6	8.0	12.1
1986.....	7.2	*	*	*	*	*	*	4.2	7.6	8.1
1985.....	7.1	*	*	*	*	*	1.4	3.5	8.6	7.4
1984.....	6.6	*	*	*	*	*	*	3.7	6.7	7.5
1983.....	6.4	*	*	*	*	*	1.5	4.6	6.0	7.5
1982.....	5.9	*	*	*	*	*	1.4	3.6	6.1	6.3
1981.....	6.1	*	*	*	*	*	*	4.5	6.0	7.9
1980.....	6.3	0.4	0.3	0.2	0.5	0.2	1.9	4.0	5.7	8.5
1979.....	5.3	0.8	0.3	0.2	0.4	0.1	1.0	3.6	4.7	8.1















CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALCOHOLIC PSYCHOSES (291)										
TOTAL, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	0.1
1994.....	0.2	*	*	*	*	*	*	*	*	0.1
1993.....	0.1	*	*	*	*	*	*	*	*	0.1
1992.....	0.2	*	*	*	*	*	*	*	*	0.1
1991.....	0.1	*	*	*	*	*	*	*	*	0.1
1990.....	0.2	*	*	*	*	*	*	*	*	0.1
1989.....	0.2	*	*	*	*	*	*	*	0.1	0.1
1988.....	0.2	*	*	*	*	*	*	*	*	0.1
1987.....	0.2	*	*	*	*	*	*	*	*	0.1
1986.....	0.1	*	*	*	*	*	*	*	*	0.1
1985.....	0.2	*	*	*	*	*	*	*	0.1	0.2
1984.....	0.1	*	*	*	*	*	*	*	*	0.1
1983.....	0.1	*	*	*	*	*	*	*	*	0.2
1982.....	0.2	*	*	*	*	*	*	*	*	0.1
1981.....	0.2	*	*	*	*	*	*	*	0.1	0.2
1980.....	0.2	-	-	-	-	-	0.0	0.0	0.1	0.3
1979.....	0.2	-	-	-	-	-	0.0	0.1	0.1	0.2
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	0.2
1992.....	0.3	*	*	*	*	*	*	*	*	0.2
1991.....	0.2	*	*	*	*	*	*	*	*	0.2
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	0.2
1988.....	0.3	*	*	*	*	*	*	*	*	0.3
1987.....	0.3	*	*	*	*	*	*	*	*	0.2
1986.....	0.3	*	*	*	*	*	*	*	*	0.3
1985.....	0.3	*	*	*	*	*	*	*	*	0.4
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	0.3
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	0.3
1980.....	0.3	-	-	-	-	-	0.1	0.1	0.1	0.4
1979.....	0.3	-	-	-	-	-	0.0	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALCOHOLIC PSYCHOSES (291)										
TOTAL, FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	-	0.0	0.0	0.1	0.1
1979.....	0.1	-	-	-	-	-	-	-	0.0	0.1
WHITE, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	-	0.0	0.0	0.0	0.1
1979.....	0.1	-	-	-	-	-	0.0	0.0	0.0	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALCOHOLIC PSYCHOSES (291)										
ALL OTHER, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	-	-	0.2	0.1	0.7	1.4
1979.....	0.4	-	-	-	-	-	0.1	0.3	0.5	1.2
ALL OTHER MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	-	-	-	0.3	0.2	0.7	2.0
1979.....	0.7	-	-	-	-	-	0.1	0.6	0.7	1.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALCOHOLIC PSYCHOSES (291)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	-	0.1	0.1	0.6	0.9
1979.....	0.1	-	-	-	-	-	-	-	0.3	0.5
BLACK, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	-	-	-	-	0.2	0.1	0.8	1.8
1979.....	0.5	-	-	-	-	-	0.1	0.3	0.5	1.2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER PSYCHOSES (292-299)										
TOTAL, BOTH SEXES										
1998.....	5.9	*	*	*	*	*	*	*	*	*
1997.....	4.9	*	*	*	*	*	*	*	*	*
1996.....	4.3	*	*	*	*	*	*	*	*	*
1995.....	3.7	*	*	*	*	*	*	*	*	0.1
1994.....	3.3	*	*	*	*	*	*	*	*	*
1993.....	2.8	*	*	*	*	*	*	*	*	*
1992.....	2.2	*	*	*	*	*	*	*	*	*
1991.....	1.9	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.5	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0
1979.....	0.3	-	-	-	-	-	0.0	0.0	0.1	0.0
TOTAL, MALE										
1998.....	3.8	*	*	*	*	*	*	*	*	*
1997.....	3.3	*	*	*	*	*	*	*	*	*
1996.....	2.8	*	*	*	*	*	*	*	*	*
1995.....	2.5	*	*	*	*	*	*	*	*	*
1994.....	2.2	*	*	*	*	*	*	*	*	*
1993.....	2.0	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.0	-	0.0	-	-	0.1	0.1	0.1
1979.....	0.3	-	-	-	-	-	0.0	0.1	0.1	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER PSYCHOSES (292-299)										
TOTAL, FEMALE										
1998.....	7.9	*	*	*	*	*	*	*	*	*
1997.....	6.5	*	*	*	*	*	*	*	*	*
1996.....	5.7	*	*	*	*	*	*	*	*	*
1995.....	4.8	*	*	*	*	*	*	*	*	*
1994.....	4.3	*	*	*	*	*	*	*	*	*
1993.....	3.5	*	*	*	*	*	*	*	*	*
1992.....	2.7	*	*	*	*	*	*	*	*	*
1991.....	2.4	*	*	*	*	*	*	*	*	*
1990.....	2.0	*	*	*	*	*	*	*	*	*
1989.....	1.8	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	1.3	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.1	-	0.0	-	-	0.0	0.0	0.0	0.0
1979.....	0.3	-	-	-	-	-	0.0	0.0	0.0	0.0
WHITE, BOTH SEXES										
1998.....	6.6	*	*	*	*	*	*	*	*	*
1997.....	5.5	*	*	*	*	*	*	*	*	*
1996.....	4.8	*	*	*	*	*	*	*	*	*
1995.....	4.1	*	*	*	*	*	*	*	*	*
1994.....	3.6	*	*	*	*	*	*	*	*	*
1993.....	3.0	*	*	*	*	*	*	*	*	*
1992.....	2.4	*	*	*	*	*	*	*	*	*
1991.....	2.0	*	*	*	*	*	*	*	*	*
1990.....	1.7	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0
1979.....	0.3	-	-	-	-	-	0.0	0.0	0.0	0.0



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER PSYCHOSES (292-299)										
WHITE MALE										
1998.....	4.2	*	*	*	*	*	*	*	*	*
1997.....	3.6	*	*	*	*	*	*	*	*	*
1996.....	3.1	*	*	*	*	*	*	*	*	*
1995.....	2.7	*	*	*	*	*	*	*	*	*
1994.....	2.4	*	*	*	*	*	*	*	*	*
1993.....	2.2	*	*	*	*	*	*	*	*	*
1992.....	1.7	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.0	-	0.0	-	-	0.1	0.1	0.1
1979.....	0.3	-	-	-	-	-	0.0	0.0	0.1	0.1
WHITE FEMALE										
1998.....	8.9	*	*	*	*	*	*	*	*	*
1997.....	7.4	*	*	*	*	*	*	*	*	*
1996.....	6.5	*	*	*	*	*	*	*	*	*
1995.....	5.5	*	*	*	*	*	*	*	*	*
1994.....	4.8	*	*	*	*	*	*	*	*	*
1993.....	3.8	*	*	*	*	*	*	*	*	*
1992.....	3.0	*	*	*	*	*	*	*	*	*
1991.....	2.6	*	*	*	*	*	*	*	*	*
1990.....	2.2	*	*	*	*	*	*	*	*	*
1989.....	2.0	*	*	*	*	*	*	*	*	*
1988.....	1.7	*	*	*	*	*	*	*	*	*
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.1	-	0.0	-	-	0.0	0.0	-	-
1979.....	0.3	-	-	-	-	-	0.0	-	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER PSYCHOSES (292-299)										
ALL OTHER, BOTH SEXES										
1998.....	2.6	*	*	*	*	*	*	*	*	*
1997.....	2.1	*	*	*	*	*	*	*	*	*
1996.....	1.9	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.2	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.1	0.1	0.1
1979.....	0.2	-	-	-	-	-	-	0.2	0.1	-
ALL OTHER MALE										
1998.....	2.0	*	*	*	*	*	*	*	*	*
1997.....	1.7	*	*	*	*	*	*	*	*	*
1996.....	1.6	*	*	*	*	*	*	*	*	*
1995.....	1.5	*	*	*	*	*	*	*	*	*
1994.....	1.2	*	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	-	0.1	0.1
1979.....	0.3	-	-	-	-	-	-	0.3	0.3	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER PSYCHOSES (292-299)										
ALL OTHER FEMALE										
1998.....	3.2	*	*	*	*	*	*	*	*	*
1997.....	2.4	*	*	*	*	*	*	*	*	*
1996.....	2.2	*	*	*	*	*	*	*	*	*
1995.....	1.9	*	*	*	*	*	*	*	*	*
1994.....	1.8	*	*	*	*	*	*	*	*	*
1993.....	1.6	*	*	*	*	*	*	*	*	*
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.1	0.1	0.1
1979.....	0.2	-	-	-	-	-	-	0.1	-	-
BLACK, BOTH SEXES										
1998.....	3.1	*	*	*	*	*	*	*	*	*
1997.....	2.6	*	*	*	*	*	*	*	*	*
1996.....	2.3	*	*	*	*	*	*	*	*	*
1995.....	2.0	*	*	*	*	*	*	*	*	*
1994.....	1.8	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.1	0.1	0.1
1979.....	0.3	-	-	-	-	-	-	0.2	0.2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER PSYCHOSES (292-299)										
BLACK MALE										
1998.....	2.3	*	*	*	*	*	*	*	*	*
1997.....	2.1	*	*	*	*	*	*	*	*	*
1996.....	1.9	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.2	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	-	0.1	-
1979.....	0.3	-	-	-	-	-	-	0.4	0.4	-
BLACK FEMALE										
1998.....	3.8	*	*	*	*	*	*	*	*	*
1997.....	3.0	*	*	*	*	*	*	*	*	*
1996.....	2.6	*	*	*	*	*	*	*	*	*
1995.....	2.3	*	*	*	*	*	*	*	*	*
1994.....	2.1	*	*	*	*	*	*	*	*	*
1993.....	1.9	*	*	*	*	*	*	*	*	*
1992.....	1.7	*	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.2	0.1	0.1
1979.....	0.2	-	-	-	-	-	-	0.1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALCOHOL DEPENDENCE SYNDROME (303)										
TOTAL, BOTH SEXES										
1998.....	1.9	*	*	*	*	*	*	0.2	0.7	1.8
1997.....	1.9	*	*	*	*	*	*	0.2	0.9	1.8
1996.....	2.0	*	*	*	*	*	*	0.4	0.8	1.9
1995.....	2.1	*	*	*	*	*	*	0.2	0.9	1.8
1994.....	2.1	*	*	*	*	*	*	0.3	0.8	2.0
1993.....	2.1	*	*	*	*	*	*	0.4	1.0	2.2
1992.....	2.0	*	*	*	*	*	*	0.4	1.0	2.3
1991.....	2.0	*	*	*	*	*	0.1	0.4	0.9	2.0
1990.....	2.1	*	*	*	*	*	0.1	0.5	1.2	2.3
1989.....	2.0	*	*	*	*	*	*	0.4	1.2	2.2
1988.....	1.9	*	*	*	*	*	*	0.4	1.0	2.2
1987.....	1.8	*	*	*	*	*	*	0.4	1.0	2.0
1986.....	1.7	*	*	*	*	*	0.1	0.4	1.0	1.8
1985.....	1.8	*	*	*	*	*	*	0.3	1.1	1.8
1984.....	1.7	*	*	*	*	*	0.1	0.4	0.8	1.5
1983.....	1.7	*	*	*	*	*	0.1	0.4	0.9	1.6
1982.....	1.7	*	*	*	*	*	0.1	0.3	0.7	1.5
1981.....	1.8	*	*	*	*	*	0.1	0.3	1.0	1.9
1980.....	1.9	-	-	-	0.0	0.0	0.2	0.5	0.9	2.1
1979.....	1.8	-	0.0	-	-	0.1	0.2	0.5	1.1	1.9
TOTAL, MALE										
1998.....	3.1	*	*	*	*	*	*	0.4	1.1	2.6
1997.....	3.1	*	*	*	*	*	*	0.4	1.2	2.6
1996.....	3.1	*	*	*	*	*	*	0.6	1.3	2.6
1995.....	3.4	*	*	*	*	*	*	0.3	1.3	2.6
1994.....	3.3	*	*	*	*	*	*	0.5	1.3	2.9
1993.....	3.3	*	*	*	*	*	*	0.6	1.3	3.3
1992.....	3.3	*	*	*	*	*	*	0.6	1.5	3.7
1991.....	3.2	*	*	*	*	*	*	0.5	1.4	3.2
1990.....	3.4	*	*	*	*	*	0.2	0.7	1.7	3.5
1989.....	3.2	*	*	*	*	*	*	0.5	1.8	3.4
1988.....	3.1	*	*	*	*	*	*	0.4	1.5	3.7
1987.....	2.8	*	*	*	*	*	*	0.6	1.6	3.2
1986.....	2.8	*	*	*	*	*	*	0.5	1.6	2.9
1985.....	2.8	*	*	*	*	*	*	0.5	1.6	2.9
1984.....	2.7	*	*	*	*	*	*	0.5	1.3	2.3
1983.....	2.7	*	*	*	*	*	0.2	0.5	1.5	2.4
1982.....	2.7	*	*	*	*	*	0.3	0.5	1.1	2.5
1981.....	2.9	*	*	*	*	*	0.2	0.5	1.5	2.8
1980.....	3.1	-	-	-	0.0	0.1	0.3	0.7	1.3	3.2
1979.....	2.9	-	-	-	-	0.1	0.3	0.7	1.6	2.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALCOHOL DEPENDENCE SYNDROME (303)										
TOTAL, FEMALE										
1998.....	0.9	*	*	*	*	*	*	*	0.4	1.0
1997.....	0.9	*	*	*	*	*	*	*	0.6	0.9
1996.....	0.9	*	*	*	*	*	*	*	0.4	1.1
1995.....	0.9	*	*	*	*	*	*	*	0.4	1.0
1994.....	0.9	*	*	*	*	*	*	*	0.4	1.0
1993.....	0.9	*	*	*	*	*	*	*	0.6	1.1
1992.....	0.9	*	*	*	*	*	*	0.2	0.5	1.0
1991.....	0.9	*	*	*	*	*	*	0.2	0.5	0.9
1990.....	0.9	*	*	*	*	*	*	0.3	0.7	1.0
1989.....	0.9	*	*	*	*	*	*	0.3	0.5	0.9
1988.....	0.8	*	*	*	*	*	*	0.3	0.5	0.8
1987.....	0.7	*	*	*	*	*	*	*	0.5	0.9
1986.....	0.7	*	*	*	*	*	*	0.2	0.4	0.7
1985.....	0.8	*	*	*	*	*	*	0.2	0.5	0.9
1984.....	0.8	*	*	*	*	*	*	0.3	0.4	0.8
1983.....	0.7	*	*	*	*	*	*	0.3	0.3	0.8
1982.....	0.7	*	*	*	*	*	*	*	0.4	0.6
1981.....	0.8	*	*	*	*	*	*	*	0.5	1.0
1980.....	0.8	-	-	-	-	0.0	0.1	0.2	0.4	1.0
1979.....	0.8	-	0.0	-	-	0.0	0.0	0.2	0.6	1.0
WHITE, BOTH SEXES										
1998.....	1.8	*	*	*	*	*	*	0.2	0.7	1.8
1997.....	1.8	*	*	*	*	*	*	0.2	0.8	1.6
1996.....	1.8	*	*	*	*	*	*	0.4	0.7	1.7
1995.....	1.8	*	*	*	*	*	*	0.2	0.8	1.5
1994.....	1.8	*	*	*	*	*	*	0.3	0.7	1.7
1993.....	1.8	*	*	*	*	*	*	0.3	0.8	1.7
1992.....	1.7	*	*	*	*	*	*	0.4	0.8	2.0
1991.....	1.7	*	*	*	*	*	*	0.3	0.8	1.6
1990.....	1.7	*	*	*	*	*	*	0.4	0.9	1.7
1989.....	1.6	*	*	*	*	*	*	0.3	0.8	1.5
1988.....	1.5	*	*	*	*	*	*	0.3	0.6	1.5
1987.....	1.4	*	*	*	*	*	*	0.2	0.7	1.3
1986.....	1.4	*	*	*	*	*	*	0.3	0.6	1.2
1985.....	1.4	*	*	*	*	*	*	0.2	0.7	1.3
1984.....	1.4	*	*	*	*	*	*	0.3	0.5	1.0
1983.....	1.4	*	*	*	*	*	*	0.3	0.6	1.0
1982.....	1.4	*	*	*	*	*	0.1	0.2	0.4	0.9
1981.....	1.5	*	*	*	*	*	*	0.2	0.6	1.1
1980.....	1.5	-	-	-	0.0	0.0	0.1	0.2	0.5	1.1
1979.....	1.4	-	-	-	-	0.1	0.1	0.2	0.5	1.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALCOHOL DEPENDENCE SYNDROME (303)										
WHITE MALE										
1998.....	2.9	*	*	*	*	*	*	0.3	1.1	2.6
1997.....	2.9	*	*	*	*	*	*	0.4	1.1	2.4
1996.....	2.8	*	*	*	*	*	*	0.6	1.2	2.4
1995.....	3.0	*	*	*	*	*	*	0.3	1.2	2.2
1994.....	2.9	*	*	*	*	*	*	0.5	1.2	2.7
1993.....	2.9	*	*	*	*	*	*	0.5	1.1	2.7
1992.....	2.8	*	*	*	*	*	*	0.6	1.3	3.3
1991.....	2.7	*	*	*	*	*	*	0.4	1.1	2.5
1990.....	2.8	*	*	*	*	*	*	0.5	1.3	2.9
1989.....	2.6	*	*	*	*	*	*	0.4	1.2	2.4
1988.....	2.5	*	*	*	*	*	*	0.3	1.0	2.5
1987.....	2.3	*	*	*	*	*	*	0.4	1.1	2.1
1986.....	2.2	*	*	*	*	*	*	0.4	0.9	2.0
1985.....	2.2	*	*	*	*	*	*	0.3	1.1	2.0
1984.....	2.2	*	*	*	*	*	*	0.4	0.9	1.5
1983.....	2.2	*	*	*	*	*	*	0.4	1.0	1.6
1982.....	2.2	*	*	*	*	*	0.2	0.4	0.6	1.5
1981.....	2.4	*	*	*	*	*	*	0.3	0.9	1.7
1980.....	2.4	-	-	-	0.0	0.0	0.2	0.4	0.8	1.7
1979.....	2.3	-	-	-	-	0.1	0.3	0.3	0.9	1.7
WHITE FEMALE										
1998.....	0.8	*	*	*	*	*	*	*	0.3	0.9
1997.....	0.8	*	*	*	*	*	*	*	0.5	0.8
1996.....	0.8	*	*	*	*	*	*	*	0.3	0.9
1995.....	0.7	*	*	*	*	*	*	*	0.4	0.7
1994.....	0.8	*	*	*	*	*	*	*	0.2	0.8
1993.....	0.8	*	*	*	*	*	*	*	0.5	0.8
1992.....	0.7	*	*	*	*	*	*	*	0.4	0.7
1991.....	0.7	*	*	*	*	*	*	*	0.4	0.7
1990.....	0.7	*	*	*	*	*	*	*	0.4	0.6
1989.....	0.7	*	*	*	*	*	*	*	0.3	0.7
1988.....	0.6	*	*	*	*	*	*	*	0.3	0.4
1987.....	0.6	*	*	*	*	*	*	*	0.3	0.5
1986.....	0.6	*	*	*	*	*	*	*	0.2	0.4
1985.....	0.6	*	*	*	*	*	*	*	0.3	0.5
1984.....	0.6	*	*	*	*	*	*	*	*	0.5
1983.....	0.6	*	*	*	*	*	*	*	*	0.4
1982.....	0.6	*	*	*	*	*	*	*	*	0.4
1981.....	0.6	*	*	*	*	*	*	*	*	0.5
1980.....	0.6	-	-	-	-	-	0.0	0.0	0.2	0.5
1979.....	0.6	-	-	-	-	0.0	0.0	0.1	0.1	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALCOHOL DEPENDENCE SYNDROME (303)										
ALL OTHER, BOTH SEXES										
1998.....	2.5	*	*	*	*	*	*	*	1.1	2.1
1997.....	2.5	*	*	*	*	*	*	*	1.2	2.5
1996.....	2.8	*	*	*	*	*	*	*	1.2	2.7
1995.....	3.2	*	*	*	*	*	*	*	1.3	3.4
1994.....	3.2	*	*	*	*	*	*	*	1.3	3.0
1993.....	3.4	*	*	*	*	*	*	*	1.7	4.6
1992.....	3.5	*	*	*	*	*	*	0.6	1.8	4.1
1991.....	3.5	*	*	*	*	*	*	0.8	1.9	4.3
1990.....	4.0	*	*	*	*	*	*	1.2	2.9	5.0
1989.....	4.0	*	*	*	*	*	*	0.8	3.1	5.4
1988.....	4.0	*	*	*	*	*	*	0.9	2.9	6.3
1987.....	3.6	*	*	*	*	*	*	1.1	2.7	6.1
1986.....	3.5	*	*	*	*	*	*	0.9	3.2	5.4
1985.....	3.7	*	*	*	*	*	*	1.0	3.0	5.2
1984.....	3.5	*	*	*	*	*	*	1.1	2.5	4.7
1983.....	3.6	*	*	*	*	*	*	1.4	2.6	5.4
1982.....	3.5	*	*	*	*	*	*	1.0	2.5	5.6
1981.....	4.0	*	*	*	*	*	*	1.1	3.4	6.9
1980.....	4.5	-	-	-	-	0.1	0.6	1.8	3.3	8.6
1979.....	4.3	-	0.0	-	-	0.1	0.3	2.0	5.0	7.8
ALL OTHER MALE										
1998.....	3.9	*	*	*	*	*	*	*	1.4	2.9
1997.....	4.1	*	*	*	*	*	*	*	1.3	3.5
1996.....	4.6	*	*	*	*	*	*	*	1.8	3.7
1995.....	5.2	*	*	*	*	*	*	*	2.0	4.6
1994.....	5.2	*	*	*	*	*	*	*	1.7	4.2
1993.....	5.4	*	*	*	*	*	*	*	2.2	6.7
1992.....	5.6	*	*	*	*	*	*	*	2.5	6.1
1991.....	5.7	*	*	*	*	*	*	*	2.8	6.9
1990.....	6.5	*	*	*	*	*	*	1.7	4.1	7.0
1989.....	6.6	*	*	*	*	*	*	*	5.0	9.1
1988.....	6.5	*	*	*	*	*	*	*	4.2	10.7
1987.....	5.9	*	*	*	*	*	*	1.5	4.0	9.4
1986.....	5.8	*	*	*	*	*	*	1.2	5.6	8.8
1985.....	6.0	*	*	*	*	*	*	1.2	4.6	8.1
1984.....	5.5	*	*	*	*	*	*	*	3.8	7.0
1983.....	5.7	*	*	*	*	*	*	1.6	4.5	8.1
1982.....	5.6	*	*	*	*	*	*	*	3.7	9.9
1981.....	6.3	*	*	*	*	*	*	1.5	5.0	10.3
1980.....	7.0	-	-	-	-	0.2	0.8	2.6	5.1	13.9
1979.....	6.8	-	-	-	-	0.2	0.6	3.1	6.9	12.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALCOHOL DEPENDENCE SYNDROME (303)										
ALL OTHER FEMALE										
1998.....	1.2	*	*	*	*	*	*	*	*	1.4
1997.....	1.0	*	*	*	*	*	*	*	1.0	1.6
1996.....	1.1	*	*	*	*	*	*	*	*	1.9
1995.....	1.5	*	*	*	*	*	*	*	*	2.3
1994.....	1.4	*	*	*	*	*	*	*	*	2.0
1993.....	1.6	*	*	*	*	*	*	*	1.2	2.7
1992.....	1.6	*	*	*	*	*	*	*	1.1	2.3
1991.....	1.5	*	*	*	*	*	*	*	1.1	2.0
1990.....	1.8	*	*	*	*	*	*	*	1.7	3.2
1989.....	1.7	*	*	*	*	*	*	*	1.4	2.2
1988.....	1.7	*	*	*	*	*	*	*	1.7	2.5
1987.....	1.6	*	*	*	*	*	*	*	1.5	3.2
1986.....	1.4	*	*	*	*	*	*	*	*	2.4
1985.....	1.6	*	*	*	*	*	*	*	1.6	2.8
1984.....	1.6	*	*	*	*	*	*	*	1.4	2.8
1983.....	1.6	*	*	*	*	*	*	1.2	*	3.2
1982.....	1.6	*	*	*	*	*	*	*	1.5	2.0
1981.....	1.8	*	*	*	*	*	*	*	2.1	4.0
1980.....	2.2	-	-	-	-	0.1	0.3	1.1	1.7	4.1
1979.....	2.1	-	0.1	-	-	-	0.1	1.0	3.3	4.1
BLACK, BOTH SEXES										
1998.....	2.9	*	*	*	*	*	*	*	0.9	2.1
1997.....	2.9	*	*	*	*	*	*	*	1.0	2.4
1996.....	3.3	*	*	*	*	*	*	*	1.2	3.1
1995.....	3.8	*	*	*	*	*	*	*	1.4	3.7
1994.....	3.8	*	*	*	*	*	*	*	1.4	3.0
1993.....	4.0	*	*	*	*	*	*	*	1.9	5.3
1992.....	4.2	*	*	*	*	*	*	0.7	1.9	5.1
1991.....	4.2	*	*	*	*	*	*	0.8	2.3	4.8
1990.....	4.8	*	*	*	*	*	*	1.4	3.3	6.0
1989.....	4.8	*	*	*	*	*	*	1.0	3.5	6.2
1988.....	4.7	*	*	*	*	*	*	0.9	3.5	7.7
1987.....	4.3	*	*	*	*	*	*	1.3	3.0	7.6
1986.....	4.1	*	*	*	*	*	*	0.9	3.8	6.5
1985.....	4.3	*	*	*	*	*	*	1.1	3.5	6.5
1984.....	3.9	*	*	*	*	*	*	1.0	2.8	5.6
1983.....	4.1	*	*	*	*	*	*	1.4	3.1	6.4
1982.....	3.9	*	*	*	*	*	*	1.0	2.9	6.6
1981.....	4.4	*	*	*	*	*	*	1.0	3.8	7.8
1980.....	4.9	-	-	-	-	0.1	0.4	1.8	3.3	10.0
1979.....	4.5	-	0.1	-	-	0.0	0.2	1.7	5.4	8.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALCOHOL DEPENDENCE SYNDROME (303)										
BLACK MALE										
1998.....	4.6	*	*	*	*	*	*	*	*	3.0
1997.....	4.9	*	*	*	*	*	*	*	*	3.3
1996.....	5.5	*	*	*	*	*	*	*	1.7	4.4
1995.....	6.2	*	*	*	*	*	*	*	2.2	5.0
1994.....	6.2	*	*	*	*	*	*	*	1.8	4.4
1993.....	6.5	*	*	*	*	*	*	*	2.4	7.6
1992.....	6.8	*	*	*	*	*	*	*	2.4	7.7
1991.....	6.9	*	*	*	*	*	*	*	3.5	8.0
1990.....	7.9	*	*	*	*	*	*	1.9	4.9	8.6
1989.....	7.9	*	*	*	*	*	*	*	5.7	10.3
1988.....	7.7	*	*	*	*	*	*	*	5.2	13.1
1987.....	7.1	*	*	*	*	*	*	1.7	4.3	11.9
1986.....	6.9	*	*	*	*	*	*	*	6.8	10.8
1985.....	7.1	*	*	*	*	*	*	*	5.4	10.3
1984.....	6.4	*	*	*	*	*	*	*	4.0	8.6
1983.....	6.6	*	*	*	*	*	*	*	5.4	9.6
1982.....	6.3	*	*	*	*	*	*	*	4.2	11.6
1981.....	7.0	*	*	*	*	*	*	*	5.7	11.7
1980.....	7.7	-	-	-	-	0.1	0.5	2.8	5.1	16.7
1979.....	7.2	-	-	-	-	0.1	0.4	2.9	7.9	13.3
BLACK FEMALE										
1998.....	1.3	*	*	*	*	*	*	*	*	1.3
1997.....	1.1	*	*	*	*	*	*	*	*	1.6
1996.....	1.3	*	*	*	*	*	*	*	*	2.0
1995.....	1.7	*	*	*	*	*	*	*	*	2.5
1994.....	1.6	*	*	*	*	*	*	*	*	1.9
1993.....	1.7	*	*	*	*	*	*	*	1.4	3.2
1992.....	1.9	*	*	*	*	*	*	*	1.4	2.8
1991.....	1.8	*	*	*	*	*	*	*	*	2.0
1990.....	2.1	*	*	*	*	*	*	*	1.9	3.7
1989.....	2.0	*	*	*	*	*	*	*	1.6	2.6
1988.....	2.0	*	*	*	*	*	*	*	1.9	3.0
1987.....	1.8	*	*	*	*	*	*	*	1.9	3.8
1986.....	1.6	*	*	*	*	*	*	*	*	2.8
1985.....	1.8	*	*	*	*	*	*	*	1.9	3.2
1984.....	1.7	*	*	*	*	*	*	*	1.7	3.1
1983.....	1.8	*	*	*	*	*	*	*	*	3.8
1982.....	1.8	*	*	*	*	*	*	*	1.7	2.4
1981.....	1.9	*	*	*	*	*	*	*	2.2	4.6
1980.....	2.3	-	-	-	-	0.1	0.2	0.9	1.8	4.4
1979.....	2.1	-	0.1	-	-	-	-	0.7	3.2	4.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
TOTAL, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	0.2	0.2
1997.....	0.1	*	*	*	*	*	*	0.1	0.2	0.2
1996.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3
1995.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3
1994.....	0.1	*	*	*	*	*	*	*	0.2	0.3
1993.....	0.1	*	*	*	*	*	*	0.1	0.3	0.3
1992.....	0.1	*	*	*	*	*	*	0.1	0.3	0.3
1991.....	0.1	*	*	*	*	*	*	0.2	0.3	0.3
1990.....	0.1	*	*	*	*	*	*	0.2	0.4	0.5
1989.....	0.2	*	*	*	*	*	*	0.3	0.5	0.8
1988.....	0.4	*	*	*	*	*	0.2	0.4	1.1	1.5
1987.....	0.4	*	*	*	*	*	0.2	0.6	1.3	1.7
1986.....	0.6	*	*	*	*	*	0.3	1.0	2.1	1.9
1985.....	0.5	*	*	*	*	*	0.3	0.9	1.9	1.6
1984.....	0.3	*	*	*	*	*	0.2	0.6	1.2	0.9
1983.....	0.3	*	*	*	*	*	0.3	0.8	1.3	0.8
1982.....	0.3	*	*	*	*	*	0.3	0.9	1.0	0.7
1981.....	0.3	*	*	*	*	*	0.2	0.9	0.9	0.7
1980.....	0.3	-	-	0.0	0.0	0.0	0.5	1.0	0.8	0.6
1979.....	0.2	-	-	-	-	0.1	0.4	0.8	0.7	0.4
TOTAL, MALE										
1998.....	0.1	*	*	*	*	*	*	*	0.2	0.3
1997.....	0.2	*	*	*	*	*	*	*	0.2	0.4
1996.....	0.2	*	*	*	*	*	*	0.2	0.3	0.5
1995.....	0.2	*	*	*	*	*	*	*	0.3	0.5
1994.....	0.2	*	*	*	*	*	*	*	0.3	0.5
1993.....	0.2	*	*	*	*	*	*	*	0.4	0.6
1992.....	0.2	*	*	*	*	*	*	*	0.4	0.5
1991.....	0.2	*	*	*	*	*	*	0.3	0.4	0.5
1990.....	0.2	*	*	*	*	*	*	0.3	0.6	0.7
1989.....	0.3	*	*	*	*	*	*	0.4	0.7	1.3
1988.....	0.6	*	*	*	*	*	0.3	0.6	1.7	2.3
1987.....	0.7	*	*	*	*	*	0.3	0.8	2.1	2.8
1986.....	1.0	*	*	*	*	*	0.4	1.5	3.3	3.2
1985.....	0.8	*	*	*	*	*	0.4	1.4	2.9	2.7
1984.....	0.5	*	*	*	*	*	0.4	0.9	1.8	1.5
1983.....	0.5	*	*	*	*	*	0.4	1.1	2.1	1.3
1982.....	0.5	*	*	*	*	*	0.4	1.4	1.7	1.1
1981.....	0.4	*	*	*	*	*	0.4	1.4	1.5	1.2
1980.....	0.5	-	-	-	0.0	0.1	0.7	1.7	1.4	1.0
1979.....	0.4	-	-	-	-	0.1	0.6	1.4	1.2	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
TOTAL, FEMALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	0.2
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	0.2
1989.....	0.1	*	*	*	*	*	*	*	0.3	0.3
1988.....	0.2	*	*	*	*	*	*	0.3	0.5	0.7
1987.....	0.2	*	*	*	*	*	*	0.4	0.6	0.7
1986.....	0.3	*	*	*	*	*	*	0.5	1.0	0.7
1985.....	0.2	*	*	*	*	*	*	0.5	0.9	0.6
1984.....	0.2	*	*	*	*	*	*	0.4	0.6	0.4
1983.....	0.2	*	*	*	*	*	0.2	0.5	0.5	0.4
1982.....	0.1	*	*	*	*	*	*	0.4	0.4	*
1981.....	0.1	*	*	*	*	*	*	0.3	0.3	*
1980.....	0.1	-	-	0.0	0.0	0.0	0.2	0.3	0.2	0.2
1979.....	0.1	-	-	-	-	-	0.2	0.3	0.2	0.2
WHITE, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	0.1	0.2
1997.....	0.1	*	*	*	*	*	*	*	0.2	0.2
1996.....	0.1	*	*	*	*	*	*	0.2	0.3	0.3
1995.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3
1994.....	0.1	*	*	*	*	*	*	*	0.2	0.3
1993.....	0.1	*	*	*	*	*	*	*	0.2	0.3
1992.....	0.1	*	*	*	*	*	*	*	0.3	0.3
1991.....	0.1	*	*	*	*	*	*	0.2	0.2	0.3
1990.....	0.1	*	*	*	*	*	*	0.2	0.3	0.4
1989.....	0.2	*	*	*	*	*	*	0.2	0.4	0.6
1988.....	0.3	*	*	*	*	*	0.2	0.4	0.8	0.9
1987.....	0.3	*	*	*	*	*	0.2	0.5	0.9	1.0
1986.....	0.4	*	*	*	*	*	0.3	0.8	1.4	1.2
1985.....	0.3	*	*	*	*	*	0.2	0.7	1.1	0.8
1984.....	0.2	*	*	*	*	*	0.2	0.5	0.7	0.4
1983.....	0.2	*	*	*	*	*	0.3	0.5	0.7	0.5
1982.....	0.2	*	*	*	*	*	0.3	0.6	0.6	0.3
1981.....	0.2	*	*	*	*	*	0.2	0.6	0.5	0.3
1980.....	0.2	-	-	-	0.0	0.0	0.3	0.6	0.5	0.3
1979.....	0.2	-	-	-	-	0.1	0.4	0.6	0.4	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DRUG DEPENDENCE (304)										
WHITE MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	0.3
1997.....	0.2	*	*	*	*	*	*	*	0.2	0.4
1996.....	0.2	*	*	*	*	*	*	0.3	0.4	0.4
1995.....	0.2	*	*	*	*	*	*	*	0.3	0.5
1994.....	0.2	*	*	*	*	*	*	*	0.3	0.5
1993.....	0.2	*	*	*	*	*	*	*	0.4	0.5
1992.....	0.2	*	*	*	*	*	*	*	0.4	0.4
1991.....	0.2	*	*	*	*	*	*	0.3	0.4	0.4
1990.....	0.2	*	*	*	*	*	*	0.3	0.6	0.6
1989.....	0.3	*	*	*	*	*	*	0.4	0.5	1.0
1988.....	0.4	*	*	*	*	*	0.3	0.5	1.3	1.4
1987.....	0.5	*	*	*	*	*	0.3	0.7	1.6	1.8
1986.....	0.6	*	*	*	*	*	0.4	1.3	2.2	2.0
1985.....	0.5	*	*	*	*	*	0.4	1.0	1.7	1.4
1984.....	0.3	*	*	*	*	*	0.3	0.7	1.1	0.7
1983.....	0.3	*	*	*	*	*	0.4	0.8	1.2	0.8
1982.....	0.3	*	*	*	*	*	0.4	0.9	1.0	0.5
1981.....	0.3	*	*	*	*	*	0.3	0.9	0.8	0.6
1980.....	0.3	-	-	-	0.0	0.1	0.5	1.2	0.8	0.5
1979.....	0.3	-	-	-	-	0.1	0.6	1.0	0.7	0.3
WHITE FEMALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	0.2
1995.....	0.0	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	0.3	0.3	0.3
1987.....	0.1	*	*	*	*	*	*	0.3	*	*
1986.....	0.2	*	*	*	*	*	*	0.4	0.5	0.4
1985.....	0.1	*	*	*	*	*	*	0.3	0.4	0.3
1984.....	0.1	*	*	*	*	*	*	0.2	0.3	*
1983.....	0.1	*	*	*	*	*	*	0.2	*	*
1982.....	0.1	*	*	*	*	*	*	0.2	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	0.0	0.0	0.2	0.1	0.1	0.1
1979.....	0.1	-	-	-	-	-	0.2	0.2	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DRUG DEPENDENCE (304)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	0.6
1991.....	0.2	*	*	*	*	*	*	*	*	0.7
1990.....	0.2	*	*	*	*	*	*	*	*	0.8
1989.....	0.5	*	*	*	*	*	*	*	1.3	1.9
1988.....	1.1	*	*	*	*	*	*	0.7	2.7	4.9
1987.....	1.3	*	*	*	*	*	*	1.0	3.6	5.8
1986.....	1.8	*	*	*	*	*	*	2.0	5.9	6.1
1985.....	1.6	*	*	*	*	*	*	2.3	6.3	6.2
1984.....	1.2	*	*	*	*	*	*	1.6	4.0	4.0
1983.....	1.1	*	*	*	*	*	*	2.5	4.6	3.2
1982.....	1.0	*	*	*	*	*	*	2.4	3.6	3.0
1981.....	1.0	*	*	*	*	*	*	2.7	3.3	3.1
1980.....	1.0	-	-	0.0	-	0.0	1.1	3.1	3.0	2.7
1979.....	0.7	-	-	-	-	0.0	0.7	2.2	2.5	1.7
ALL OTHER MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	1.7	3.1
1988.....	1.8	*	*	*	*	*	*	*	3.8	7.4
1987.....	2.0	*	*	*	*	*	*	*	5.1	8.6
1986.....	2.8	*	*	*	*	*	*	2.9	9.2	10.3
1985.....	2.6	*	*	*	*	*	*	3.4	9.6	10.8
1984.....	1.9	*	*	*	*	*	*	2.1	6.2	6.6
1983.....	1.7	*	*	*	*	*	*	3.3	7.3	4.8
1982.....	1.6	*	*	*	*	*	*	3.9	5.9	5.3
1981.....	1.6	*	*	*	*	*	*	4.5	5.6	5.4
1980.....	1.6	-	-	-	-	0.1	1.9	5.2	5.5	4.9
1979.....	1.1	-	-	-	-	0.1	0.9	3.4	4.7	2.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	1.7	2.6
1987.....	0.7	*	*	*	*	*	*	*	2.2	3.4
1986.....	0.8	*	*	*	*	*	*	1.2	3.1	2.5
1985.....	0.7	*	*	*	*	*	*	1.4	3.4	2.2
1984.....	0.6	*	*	*	*	*	*	1.2	2.2	1.9
1983.....	0.6	*	*	*	*	*	*	1.7	2.2	1.8
1982.....	0.4	*	*	*	*	*	*	*	1.7	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	0.1	-	-	0.5	1.3	0.9	0.8
1979.....	0.3	-	-	-	-	-	0.4	1.1	0.7	1.1
BLACK, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	0.9
1991.....	0.3	*	*	*	*	*	*	*	*	0.9
1990.....	0.3	*	*	*	*	*	*	*	*	0.9
1989.....	0.6	*	*	*	*	*	*	*	1.7	2.6
1988.....	1.4	*	*	*	*	*	*	0.9	3.6	6.5
1987.....	1.7	*	*	*	*	*	*	1.2	4.6	7.7
1986.....	2.2	*	*	*	*	*	*	2.5	7.8	8.0
1985.....	2.0	*	*	*	*	*	*	2.9	8.2	8.2
1984.....	1.5	*	*	*	*	*	*	2.0	5.2	5.3
1983.....	1.4	*	*	*	*	*	*	3.1	6.0	4.1
1982.....	1.2	*	*	*	*	*	*	3.0	4.7	3.8
1981.....	1.2	*	*	*	*	*	*	3.3	4.2	4.0
1980.....	1.1	-	-	0.0	-	0.0	1.3	3.8	3.7	3.3
1979.....	0.8	-	-	-	-	0.0	0.8	2.6	3.1	2.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BLACK MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	2.2	4.1
1988.....	2.3	*	*	*	*	*	*	*	5.2	9.9
1987.....	2.5	*	*	*	*	*	*	*	6.6	11.3
1986.....	3.6	*	*	*	*	*	*	3.5	12.1	13.7
1985.....	3.3	*	*	*	*	*	*	4.2	12.6	14.3
1984.....	2.3	*	*	*	*	*	*	2.6	8.1	8.7
1983.....	2.1	*	*	*	*	*	*	4.1	9.6	6.3
1982.....	2.0	*	*	*	*	*	*	4.8	7.6	6.9
1981.....	1.9	*	*	*	*	*	*	5.5	7.2	7.0
1980.....	1.9	-	-	-	-	0.1	2.1	6.2	6.8	6.2
1979.....	1.3	-	-	-	-	0.1	1.1	4.1	5.8	2.9
BLACK FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	2.2	3.5
1987.....	0.9	*	*	*	*	*	*	*	2.9	4.5
1986.....	1.0	*	*	*	*	*	*	1.5	4.0	3.2
1985.....	0.9	*	*	*	*	*	*	1.7	4.4	2.9
1984.....	0.7	*	*	*	*	*	*	1.5	2.8	2.4
1983.....	0.8	*	*	*	*	*	*	2.2	2.9	2.3
1982.....	0.5	*	*	*	*	*	*	*	2.2	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	0.1	-	-	0.6	1.6	1.1	1.0
1979.....	0.4	-	-	-	-	-	0.5	1.3	0.8	1.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)										
TOTAL, BOTH SEXES										
1998.....	2.2	*	*	*	*	0.2	0.5	0.6	1.2	1.7
1997.....	2.2	*	*	*	*	0.2	0.5	0.7	1.1	1.6
1996.....	2.4	*	*	*	*	0.2	0.4	0.8	1.3	1.8
1995.....	2.4	*	*	*	*	0.2	0.4	0.7	1.2	1.7
1994.....	2.4	*	*	*	*	0.2	0.4	0.7	1.2	1.5
1993.....	2.4	*	*	*	*	0.2	0.4	0.6	1.1	1.5
1992.....	2.4	*	*	*	*	0.2	0.4	0.7	1.0	1.5
1991.....	2.5	*	*	*	*	0.2	0.4	0.7	0.9	1.5
1990.....	2.6	*	*	*	*	0.2	0.3	0.7	1.1	1.6
1989.....	2.9	*	*	*	*	0.2	0.4	0.8	1.5	1.8
1988.....	3.1	*	*	*	*	0.2	0.4	0.9	1.5	1.8
1987.....	2.9	*	*	*	*	0.2	0.4	0.8	1.4	1.5
1986.....	2.9	*	*	*	*	0.2	0.4	0.7	1.2	1.3
1985.....	2.9	*	*	*	*	0.2	0.4	0.7	1.2	0.9
1984.....	2.8	*	*	*	*	0.2	0.3	0.7	1.1	0.9
1983.....	2.8	*	*	*	*	0.3	0.4	0.7	0.9	0.9
1982.....	2.6	*	*	*	*	0.2	0.4	0.8	1.0	0.9
1981.....	2.7	*	*	*	*	0.3	0.5	0.7	0.8	0.7
1980.....	2.6	0.3	0.1	0.1	0.1	0.2	0.4	0.7	0.8	0.9
1979.....	2.3	0.2	0.1	0.1	0.1	0.2	0.4	0.6	0.6	0.7
TOTAL, MALE										
1998.....	2.2	*	*	*	*	0.3	0.8	1.0	1.7	2.5
1997.....	2.1	*	*	*	*	0.3	0.8	1.0	1.6	2.4
1996.....	2.3	*	*	*	*	0.3	0.6	1.0	1.8	2.6
1995.....	2.3	*	*	*	*	0.3	0.6	1.0	1.8	2.5
1994.....	2.2	*	*	*	*	0.3	0.5	1.0	1.6	2.4
1993.....	2.2	*	*	*	*	0.2	0.5	0.9	1.6	2.2
1992.....	2.2	*	*	*	*	*	0.5	1.1	1.4	2.4
1991.....	2.2	*	*	*	*	0.3	0.6	1.0	1.3	2.0
1990.....	2.3	*	*	*	*	0.4	0.5	0.9	1.4	2.3
1989.....	2.6	*	*	*	*	0.3	0.6	1.1	2.3	2.9
1988.....	2.8	*	*	*	*	0.3	0.6	1.3	2.2	2.7
1987.....	2.6	*	*	*	*	0.3	0.7	1.1	2.1	2.3
1986.....	2.5	*	*	*	*	0.3	0.7	1.0	2.0	1.9
1985.....	2.6	*	*	*	*	0.3	0.5	1.0	1.9	1.6
1984.....	2.5	*	*	*	*	0.4	0.5	1.0	1.8	1.3
1983.....	2.6	*	*	*	*	0.3	0.6	1.1	1.4	1.3
1982.....	2.4	*	*	*	*	0.3	0.6	1.2	1.6	1.4
1981.....	2.5	*	*	*	*	0.4	0.6	0.9	1.2	1.0
1980.....	2.4	0.3	0.1	0.1	0.1	0.3	0.6	1.1	1.1	1.3
1979.....	2.3	0.2	0.1	0.1	0.1	0.4	0.6	0.8	1.0	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)										
TOTAL, FEMALE										
1998.....	2.3	*	*	*	*	*	0.2	0.3	0.7	0.9
1997.....	2.3	*	*	*	*	*	*	0.4	0.6	0.9
1996.....	2.4	*	*	*	*	*	0.3	0.5	0.8	1.1
1995.....	2.5	*	*	*	*	*	*	0.4	0.6	0.8
1994.....	2.6	*	*	*	*	*	0.3	0.3	0.7	0.7
1993.....	2.6	*	*	*	*	*	0.2	0.4	0.7	0.8
1992.....	2.6	*	*	*	*	*	0.3	0.4	0.6	0.7
1991.....	2.8	*	*	*	*	*	*	0.3	0.6	1.0
1990.....	2.9	*	*	*	*	*	*	0.4	0.7	0.8
1989.....	3.2	*	*	*	*	*	0.2	0.6	0.7	0.8
1988.....	3.4	*	*	*	*	*	*	0.5	0.7	0.9
1987.....	3.2	*	*	*	*	*	0.2	0.5	0.7	0.7
1986.....	3.2	*	*	*	*	*	*	0.5	0.5	0.6
1985.....	3.3	*	*	*	*	*	0.2	0.3	0.5	0.3
1984.....	3.1	*	*	*	*	*	*	0.4	0.5	0.4
1983.....	3.1	*	*	*	*	*	0.2	0.3	0.4	0.5
1982.....	2.8	*	*	*	*	*	0.3	0.3	0.4	0.5
1981.....	2.8	*	*	*	*	*	0.3	0.4	0.4	0.4
1980.....	2.7	0.4	0.0	0.1	0.1	0.1	0.2	0.3	0.5	0.5
1979.....	2.3	0.2	0.0	0.1	0.1	0.1	0.2	0.5	0.3	0.4
WHITE, BOTH SEXES										
1998.....	2.3	*	*	*	*	0.3	0.6	0.7	1.1	1.6
1997.....	2.3	*	*	*	*	0.2	0.5	0.7	1.0	1.4
1996.....	2.4	*	*	*	*	0.1	0.4	0.7	1.2	1.6
1995.....	2.4	*	*	*	*	0.2	0.4	0.6	1.0	1.3
1994.....	2.4	*	*	*	*	0.2	0.4	0.6	1.0	1.2
1993.....	2.5	*	*	*	*	0.1	0.4	0.6	0.9	1.2
1992.....	2.4	*	*	*	*	0.2	0.4	0.6	0.9	1.2
1991.....	2.5	*	*	*	*	0.2	0.4	0.6	0.7	1.1
1990.....	2.7	*	*	*	*	0.2	0.3	0.6	0.8	1.0
1989.....	2.9	*	*	*	*	0.2	0.4	0.7	1.1	1.1
1988.....	3.1	*	*	*	*	0.2	0.4	0.7	1.1	1.2
1987.....	3.0	*	*	*	*	0.2	0.4	0.7	1.0	0.9
1986.....	2.9	*	*	*	*	0.2	0.4	0.6	0.9	0.8
1985.....	3.0	*	*	*	*	0.2	0.3	0.6	0.7	0.7
1984.....	2.8	*	*	*	*	0.2	0.3	0.6	0.7	0.6
1983.....	2.9	*	*	*	*	0.3	0.4	0.6	0.5	0.6
1982.....	2.6	*	*	*	*	0.2	0.4	0.5	0.5	0.6
1981.....	2.7	*	*	*	*	0.2	0.4	0.4	0.4	0.5
1980.....	2.5	0.3	0.0	0.1	0.1	0.2	0.3	0.5	0.6	0.5
1979.....	2.3	0.2	0.1	0.1	0.1	0.2	0.3	0.5	0.5	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)										
WHITE MALE										
1998.....	2.1	*	*	*	*	0.3	0.9	1.0	1.6	2.3
1997.....	2.0	*	*	*	*	0.3	0.9	0.9	1.5	2.1
1996.....	2.2	*	*	*	*	*	0.6	0.9	1.7	2.3
1995.....	2.1	*	*	*	*	0.3	0.6	0.9	1.6	2.1
1994.....	2.1	*	*	*	*	0.3	0.5	0.9	1.5	1.9
1993.....	2.1	*	*	*	*	*	0.5	0.8	1.3	1.7
1992.....	2.1	*	*	*	*	*	0.5	1.0	1.2	1.9
1991.....	2.1	*	*	*	*	*	0.5	0.9	1.1	1.6
1990.....	2.2	*	*	*	*	0.4	0.5	0.8	1.2	1.5
1989.....	2.4	*	*	*	*	0.3	0.6	1.0	1.7	1.8
1988.....	2.5	*	*	*	*	0.4	0.5	1.0	1.7	1.8
1987.....	2.5	*	*	*	*	0.3	0.6	1.0	1.5	1.5
1986.....	2.4	*	*	*	*	0.3	0.7	0.8	1.5	1.3
1985.....	2.5	*	*	*	*	0.3	0.5	0.9	1.1	1.2
1984.....	2.4	*	*	*	*	0.4	0.4	0.8	1.2	0.9
1983.....	2.5	*	*	*	*	0.3	0.5	0.8	0.8	0.8
1982.....	2.2	*	*	*	*	0.3	0.5	0.8	0.9	0.9
1981.....	2.4	*	*	*	*	0.4	0.5	0.6	0.5	0.6
1980.....	2.3	0.3	0.1	0.1	0.1	0.3	0.6	0.8	0.8	0.8
1979.....	2.2	0.3	0.1	0.1	0.1	0.4	0.6	0.6	0.8	0.7
WHITE FEMALE										
1998.....	2.5	*	*	*	*	*	*	0.4	0.6	0.8
1997.....	2.5	*	*	*	*	*	*	0.4	0.5	0.7
1996.....	2.6	*	*	*	*	*	0.3	0.5	0.6	0.8
1995.....	2.6	*	*	*	*	*	*	0.3	0.5	0.5
1994.....	2.7	*	*	*	*	*	*	0.3	0.5	0.5
1993.....	2.8	*	*	*	*	*	*	0.3	0.5	0.6
1992.....	2.7	*	*	*	*	*	0.3	0.3	0.5	0.5
1991.....	3.0	*	*	*	*	*	*	0.3	0.4	0.7
1990.....	3.2	*	*	*	*	*	*	0.4	0.5	0.5
1989.....	3.4	*	*	*	*	*	*	0.4	0.4	0.4
1988.....	3.6	*	*	*	*	*	*	0.4	0.4	0.6
1987.....	3.4	*	*	*	*	*	*	0.3	0.4	0.3
1986.....	3.4	*	*	*	*	*	*	0.3	0.3	0.4
1985.....	3.5	*	*	*	*	*	*	0.3	0.3	0.3
1984.....	3.3	*	*	*	*	*	*	0.3	0.3	0.3
1983.....	3.3	*	*	*	*	*	*	0.3	*	0.4
1982.....	2.9	*	*	*	*	*	0.3	*	*	0.3
1981.....	2.9	*	*	*	*	*	0.3	*	0.2	*
1980.....	2.8	0.4	0.0	0.1	0.1	0.1	0.1	0.2	0.3	0.3
1979.....	2.4	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.3	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)										
ALL OTHER, BOTH SEXES										
1998.....	1.9	*	*	*	*	*	*	*	1.7	2.5
1997.....	2.0	*	*	*	*	*	*	0.9	1.6	2.7
1996.....	2.1	*	*	*	*	*	*	1.1	1.9	3.1
1995.....	2.3	*	*	*	*	*	*	1.0	1.9	3.3
1994.....	2.3	*	*	*	*	*	*	1.0	1.9	3.0
1993.....	2.2	*	*	*	*	*	*	1.0	2.3	3.1
1992.....	2.1	*	*	*	*	*	*	1.1	1.8	3.1
1991.....	2.2	*	*	*	*	*	*	1.0	2.0	3.6
1990.....	2.3	*	*	*	*	*	*	1.1	2.3	4.4
1989.....	2.9	*	*	*	*	*	*	1.4	3.5	5.3
1988.....	3.0	*	*	*	*	*	0.7	1.8	3.5	5.4
1987.....	2.8	*	*	*	*	*	0.6	1.5	3.9	4.6
1986.....	2.6	*	*	*	*	*	*	1.4	3.0	3.6
1985.....	2.7	*	*	*	*	*	*	1.2	3.9	2.3
1984.....	2.7	*	*	*	*	*	0.6	1.5	3.4	2.5
1983.....	2.6	*	*	*	*	*	0.6	1.7	2.9	2.5
1982.....	2.6	*	*	*	*	*	0.8	2.2	3.6	3.1
1981.....	2.6	*	*	*	*	*	1.0	2.3	3.4	2.3
1980.....	2.6	0.3	0.2	0.0	0.1	0.3	0.6	1.6	2.3	3.0
1979.....	2.2	0.2	0.0	0.1	-	0.2	0.7	1.6	1.3	2.4
ALL OTHER MALE										
1998.....	2.5	*	*	*	*	*	*	*	2.3	3.8
1997.....	2.5	*	*	*	*	*	*	1.3	2.1	3.8
1996.....	2.8	*	*	*	*	*	*	1.6	2.6	4.0
1995.....	3.0	*	*	*	*	*	*	1.4	2.8	4.7
1994.....	2.8	*	*	*	*	*	*	1.4	2.2	4.7
1993.....	2.8	*	*	*	*	*	*	1.2	3.0	4.6
1992.....	2.6	*	*	*	*	*	*	1.5	2.5	4.8
1991.....	2.7	*	*	*	*	*	*	1.3	2.8	4.6
1990.....	3.0	*	*	*	*	*	*	1.6	2.8	6.7
1989.....	3.4	*	*	*	*	*	*	1.4	5.2	8.7
1988.....	3.9	*	*	*	*	*	*	2.7	5.0	8.3
1987.....	3.4	*	*	*	*	*	*	1.6	5.8	7.0
1986.....	3.1	*	*	*	*	*	*	1.6	4.7	6.0
1985.....	3.3	*	*	*	*	*	*	1.6	6.5	4.1
1984.....	3.2	*	*	*	*	*	*	2.2	5.3	4.1
1983.....	3.1	*	*	*	*	*	*	2.8	4.9	4.5
1982.....	3.3	*	*	*	*	*	*	3.8	6.0	4.9
1981.....	3.2	*	*	*	*	*	1.4	3.2	5.7	3.6
1980.....	3.2	0.3	0.3	-	0.1	0.5	0.8	2.5	3.4	5.0
1979.....	2.6	-	0.1	0.1	-	0.3	1.1	1.9	2.4	3.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)										
ALL OTHER FEMALE										
1998.....	1.5	*	*	*	*	*	*	*	1.2	1.4
1997.....	1.5	*	*	*	*	*	*	*	1.1	1.7
1996.....	1.6	*	*	*	*	*	*	*	1.4	2.3
1995.....	1.8	*	*	*	*	*	*	*	1.0	2.0
1994.....	1.8	*	*	*	*	*	*	*	1.7	1.5
1993.....	1.7	*	*	*	*	*	*	*	1.7	1.8
1992.....	1.7	*	*	*	*	*	*	*	1.1	1.7
1991.....	1.8	*	*	*	*	*	*	*	1.3	2.8
1990.....	1.7	*	*	*	*	*	*	*	1.8	2.3
1989.....	2.4	*	*	*	*	*	*	1.4	2.0	2.4
1988.....	2.3	*	*	*	*	*	*	*	2.1	2.8
1987.....	2.2	*	*	*	*	*	*	1.4	2.2	2.5
1986.....	2.1	*	*	*	*	*	*	1.2	1.5	1.6
1985.....	2.2	*	*	*	*	*	*	*	1.6	*
1984.....	2.2	*	*	*	*	*	*	*	1.8	*
1983.....	2.2	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	1.5	*
1981.....	2.1	*	*	*	*	*	*	1.4	1.5	*
1980.....	2.0	0.3	0.1	0.1	0.1	-	0.5	0.8	1.3	1.4
1979.....	1.7	0.3	-	-	-	0.1	0.4	1.2	0.3	1.4
BLACK, BOTH SEXES										
1998.....	2.4	*	*	*	*	*	*	*	2.3	2.9
1997.....	2.4	*	*	*	*	*	*	1.0	1.8	3.1
1996.....	2.6	*	*	*	*	*	*	1.5	2.2	3.9
1995.....	2.9	*	*	*	*	*	*	1.2	2.3	4.1
1994.....	2.7	*	*	*	*	*	*	1.0	2.3	3.8
1993.....	2.7	*	*	*	*	*	*	1.1	2.9	3.9
1992.....	2.5	*	*	*	*	*	*	1.3	2.0	3.9
1991.....	2.7	*	*	*	*	*	*	1.1	2.4	4.5
1990.....	2.8	*	*	*	*	*	*	1.3	2.8	5.6
1989.....	3.5	*	*	*	*	*	*	1.7	4.3	6.8
1988.....	3.7	*	*	*	*	*	*	2.1	4.3	6.9
1987.....	3.3	*	*	*	*	*	*	1.8	5.0	5.8
1986.....	3.0	*	*	*	*	*	*	1.6	3.7	4.4
1985.....	3.2	*	*	*	*	*	*	1.3	4.8	2.9
1984.....	3.0	*	*	*	*	*	*	1.8	4.1	3.0
1983.....	2.9	*	*	*	*	*	*	1.9	3.5	3.1
1982.....	3.0	*	*	*	*	*	0.7	2.5	4.3	3.9
1981.....	2.8	*	*	*	*	*	0.9	2.6	4.1	2.3
1980.....	2.8	0.4	0.2	0.0	0.1	0.2	0.7	1.8	2.7	3.6
1979.....	2.3	0.2	0.1	-	-	0.2	0.6	1.7	1.2	2.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)										
BLACK MALE										
1998.....	3.1	*	*	*	*	*	*	*	3.0	4.5
1997.....	3.0	*	*	*	*	*	*	*	2.5	4.3
1996.....	3.4	*	*	*	*	*	*	2.1	3.0	5.0
1995.....	3.7	*	*	*	*	*	*	1.7	3.5	5.8
1994.....	3.4	*	*	*	*	*	*	*	2.7	5.9
1993.....	3.5	*	*	*	*	*	*	*	3.8	5.8
1992.....	3.1	*	*	*	*	*	*	1.5	2.8	5.9
1991.....	3.3	*	*	*	*	*	*	*	3.3	5.7
1990.....	3.7	*	*	*	*	*	*	1.9	3.3	8.6
1989.....	4.2	*	*	*	*	*	*	1.6	6.4	11.1
1988.....	4.7	*	*	*	*	*	*	3.1	6.2	10.9
1987.....	4.1	*	*	*	*	*	*	2.0	7.6	9.0
1986.....	3.7	*	*	*	*	*	*	1.9	5.9	7.4
1985.....	3.8	*	*	*	*	*	*	1.8	8.2	5.4
1984.....	3.6	*	*	*	*	*	*	2.6	6.5	4.9
1983.....	3.5	*	*	*	*	*	*	3.4	5.8	5.8
1982.....	3.7	*	*	*	*	*	*	4.3	7.3	6.2
1981.....	3.4	*	*	*	*	*	*	3.7	6.8	3.7
1980.....	3.5	0.4	0.3	-	0.1	0.3	0.8	2.8	4.0	5.9
1979.....	2.8	-	0.1	-	-	0.3	0.9	2.0	2.3	4.2
BLACK FEMALE										
1998.....	1.8	*	*	*	*	*	*	*	1.7	1.6
1997.....	1.8	*	*	*	*	*	*	*	*	2.0
1996.....	1.9	*	*	*	*	*	*	*	1.5	2.9
1995.....	2.2	*	*	*	*	*	*	*	*	2.6
1994.....	2.1	*	*	*	*	*	*	*	2.0	1.9
1993.....	2.0	*	*	*	*	*	*	*	2.1	2.3
1992.....	2.0	*	*	*	*	*	*	*	*	2.2
1991.....	2.1	*	*	*	*	*	*	*	1.6	3.6
1990.....	2.0	*	*	*	*	*	*	*	2.3	3.1
1989.....	2.8	*	*	*	*	*	*	1.8	2.4	3.1
1988.....	2.7	*	*	*	*	*	*	*	2.6	3.4
1987.....	2.6	*	*	*	*	*	*	1.7	2.8	3.1
1986.....	2.5	*	*	*	*	*	*	*	1.8	1.9
1985.....	2.5	*	*	*	*	*	*	*	2.0	*
1984.....	2.5	*	*	*	*	*	*	*	1.9	*
1983.....	2.5	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	1.8	*
1981.....	2.3	*	*	*	*	*	*	1.6	1.8	*
1980.....	2.2	0.4	0.1	0.1	0.1	-	0.6	0.9	1.7	1.8
1979.....	1.9	0.4	-	-	-	0.1	0.4	1.4	0.3	1.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENTAL RETARDATION (317-319)										
TOTAL, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	0.1	0.1	0.1
1997.....	0.2	*	*	*	*	*	0.1	0.1	0.1	0.1
1996.....	0.2	*	*	*	*	*	0.2	0.1	0.1	0.1
1995.....	0.2	*	*	*	*	*	*	0.1	0.2	0.2
1994.....	0.2	*	*	*	0.1	*	0.1	0.1	0.1	0.1
1993.....	0.2	*	*	*	0.1	0.1	0.1	0.2	0.1	0.1
1992.....	0.2	*	*	*	*	*	0.2	0.1	0.1	0.2
1991.....	0.2	*	*	*	0.1	*	0.1	0.1	0.2	0.2
1990.....	0.2	*	*	*	0.1	0.2	0.1	0.1	0.1	*
1989.....	0.2	*	0.1	0.1	0.2	*	0.2	0.1	0.1	0.2
1988.....	0.2	*	*	0.1	*	0.1	0.2	0.1	0.1	0.1
1987.....	0.1	*	0.2	*	*	0.1	0.1	0.1	0.1	0.2
1986.....	0.2	*	0.2	*	0.1	0.1	0.2	0.1	0.1	*
1985.....	0.2	*	*	0.2	0.2	0.1	0.2	0.2	0.2	0.1
1984.....	0.1	*	0.2	*	0.2	0.2	0.2	0.1	0.1	*
1983.....	0.2	*	0.2	0.2	0.1	0.1	0.2	0.2	0.1	*
1982.....	0.2	*	0.2	*	0.1	0.2	0.2	0.1	0.1	0.2
1981.....	0.2	*	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.2
1980.....	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.1
1979.....	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	0.2	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	0.2
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	0.2	0.2
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	0.2
1988.....	0.2	*	*	*	*	*	0.2	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	0.2	*	*	*
1985.....	0.2	*	*	*	*	*	0.2	*	*	*
1984.....	0.2	*	*	*	*	0.2	0.3	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	0.2	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	0.3	0.1	0.2	0.2	0.2	0.2	0.2	0.0
1979.....	0.2	0.2	0.2	0.3	0.1	0.3	0.3	0.2	0.2	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENTAL RETARDATION (317-319)										
TOTAL, FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	0.2	*	*	*	*
1981.....	0.2	*	*	*	*	0.2	*	*	*	*
1980.....	0.2	-	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.1
1979.....	0.1	0.4	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
WHITE, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	0.2	0.1
1997.....	0.2	*	*	*	*	*	*	*	0.1	0.1
1996.....	0.2	*	*	*	*	*	0.1	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	0.2	0.2
1994.....	0.2	*	*	*	*	*	0.1	*	*	0.1
1993.....	0.2	*	*	*	*	*	*	0.2	0.1	0.1
1992.....	0.2	*	*	*	*	*	0.1	*	0.1	0.2
1991.....	0.2	*	*	*	*	*	*	0.1	0.2	0.2
1990.....	0.2	*	*	*	*	0.2	0.1	*	0.1	*
1989.....	0.2	*	*	*	0.2	*	0.2	0.1	*	0.2
1988.....	0.2	*	*	*	*	*	0.2	0.1	0.1	0.1
1987.....	0.1	*	*	*	*	*	0.1	0.1	0.1	0.2
1986.....	0.1	*	*	*	*	*	0.1	0.1	0.1	*
1985.....	0.1	*	*	*	0.2	*	0.1	0.2	0.1	*
1984.....	0.1	*	0.2	*	0.2	0.2	0.2	0.1	*	*
1983.....	0.2	*	0.2	*	*	0.2	0.1	0.2	0.1	*
1982.....	0.2	*	0.2	*	0.2	0.2	0.2	*	*	0.2
1981.....	0.2	*	*	*	0.2	0.2	0.1	0.2	0.1	*
1980.....	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.1	0.2	0.1
1979.....	0.2	0.3	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENTAL RETARDATION (317-319)										
WHITE MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	0.2	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	0.2	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.5	0.3	0.0	0.1	0.2	0.3	0.1	0.2	0.0
1979.....	0.2	0.3	0.2	0.2	0.1	0.3	0.3	0.2	0.2	0.2
WHITE FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1
1979.....	0.1	0.4	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENTAL RETARDATION (317-319)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.3	0.1	0.4	0.2	0.3	0.4	0.2	0.1
1979.....	0.2	0.2	0.2	0.2	0.3	0.1	0.2	0.1	0.3	0.2
ALL OTHER MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.3	0.2	0.4	0.3	0.1	0.4	0.1	-
1979.....	0.2	-	0.1	0.3	0.3	0.2	0.3	0.2	0.5	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENTAL RETARDATION (317-319)										
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.2	0.1	0.4	0.1	0.4	0.3	0.3	0.1
1979.....	0.1	0.3	0.3	0.1	0.3	0.1	0.1	0.1	0.1	0.1
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.3	0.1	0.4	0.2	0.3	0.5	0.2	0.1
1979.....	0.2	0.2	0.2	0.3	0.3	0.1	0.2	0.2	0.3	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENTAL RETARDATION (317-319)										
BLACK MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.3	0.2	0.4	0.3	0.2	0.5	0.1	-
1979.....	0.3	-	0.1	0.4	0.3	0.1	0.4	0.3	0.6	0.5
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.2	-	0.4	0.1	0.5	0.4	0.3	0.1
1979.....	0.2	0.4	0.2	0.2	0.4	0.1	0.1	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
TOTAL, BOTH SEXES										
1998.....	21.4	11.8	2.6	1.4	1.4	1.9	1.9	2.0	2.3	2.8
1997.....	21.0	11.4	2.6	1.4	1.5	1.9	2.2	2.1	2.3	2.9
1996.....	20.3	12.6	2.7	1.4	1.3	2.0	2.0	2.0	2.2	3.0
1995.....	19.5	12.4	2.9	1.5	1.6	2.1	2.2	1.9	2.2	3.1
1994.....	18.4	12.8	2.8	1.5	1.5	2.1	2.0	2.0	2.4	3.1
1993.....	17.5	13.6	3.2	1.6	1.7	2.1	1.9	2.0	2.3	3.2
1992.....	15.9	13.2	2.8	1.5	1.5	2.0	2.0	2.0	2.2	3.3
1991.....	15.9	15.9	3.0	1.6	1.6	2.0	2.1	1.9	2.3	3.1
1990.....	15.8	16.7	3.3	1.6	1.6	2.1	1.8	2.0	2.4	3.2
1989.....	15.6	18.7	3.7	1.4	1.6	2.2	2.3	2.0	2.4	3.1
1988.....	15.1	17.5	3.7	1.5	1.6	2.0	1.9	2.0	2.5	3.2
1987.....	14.8	18.1	3.6	1.5	1.4	2.1	2.0	2.2	2.4	3.4
1986.....	13.7	17.3	3.9	1.4	1.6	2.0	2.2	2.0	2.4	3.0
1985.....	13.0	19.6	4.1	1.6	1.5	1.9	1.9	2.0	2.4	3.1
1984.....	12.0	20.1	4.2	1.7	1.6	2.0	2.2	1.9	2.5	3.2
1983.....	11.1	22.7	4.8	1.6	1.5	2.2	2.1	2.0	2.5	3.1
1982.....	9.9	21.5	4.7	1.8	1.6	2.3	2.2	2.2	2.6	3.2
1981.....	9.8	26.3	5.0	1.9	1.6	2.4	2.3	2.5	2.7	3.4
1980.....	9.6	27.7	5.4	2.0	1.9	2.4	2.6	2.2	2.8	3.7
1979.....	9.1	28.6	4.9	2.1	1.7	2.3	2.5	2.5	3.0	3.6
TOTAL, MALE										
1998.....	19.3	12.5	2.7	1.5	1.8	2.5	2.5	2.3	2.7	3.2
1997.....	19.0	11.5	2.8	1.4	1.9	2.5	2.6	2.6	2.8	3.3
1996.....	18.7	14.6	2.8	1.8	1.4	2.7	2.6	2.5	2.6	3.6
1995.....	18.1	13.0	3.1	1.5	1.8	2.7	3.0	2.2	2.6	3.7
1994.....	17.3	13.5	2.8	1.8	1.8	2.8	2.5	2.5	3.0	3.6
1993.....	16.6	15.1	3.3	1.9	2.0	2.8	2.6	2.3	2.8	3.6
1992.....	15.4	14.7	2.8	1.7	1.7	2.8	2.6	2.5	2.6	3.9
1991.....	15.4	17.7	3.2	1.6	1.9	2.7	2.7	2.5	2.8	3.5
1990.....	15.5	18.2	3.9	1.8	1.7	2.9	2.4	2.4	2.9	4.0
1989.....	15.5	20.4	4.3	1.5	1.8	2.9	2.9	2.6	3.1	3.7
1988.....	15.1	19.1	4.0	1.5	1.8	2.8	2.6	2.5	3.1	3.7
1987.....	15.0	19.5	4.0	1.6	1.6	2.9	2.7	2.7	3.0	3.9
1986.....	14.0	18.3	4.5	1.5	1.8	2.8	2.9	2.5	2.9	3.7
1985.....	13.5	21.5	4.4	1.7	2.1	2.7	2.5	2.5	2.9	3.6
1984.....	12.7	23.6	4.4	1.7	2.0	2.5	3.0	2.2	3.1	3.8
1983.....	11.9	24.7	5.2	1.9	1.5	3.0	3.0	2.5	2.8	3.5
1982.....	10.7	24.9	5.1	2.0	2.0	3.2	3.0	2.7	3.2	3.7
1981.....	10.7	30.2	5.5	2.0	1.7	3.2	3.1	3.1	3.1	4.0
1980.....	10.6	30.4	6.1	2.2	2.1	3.4	3.5	2.8	3.4	4.3
1979.....	10.1	33.1	5.2	2.1	1.9	3.4	3.1	3.0	3.3	4.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
TOTAL, FEMALE										
1998.....	23.3	11.1	2.5	1.2	1.0	1.3	1.3	1.7	1.9	2.3
1997.....	23.0	11.2	2.4	1.3	1.2	1.3	1.7	1.7	1.9	2.6
1996.....	21.8	10.4	2.5	1.1	1.2	1.3	1.4	1.4	1.7	2.4
1995.....	20.8	11.7	2.6	1.4	1.5	1.4	1.4	1.5	1.9	2.5
1994.....	19.4	12.0	2.7	1.1	1.2	1.2	1.4	1.4	1.8	2.7
1993.....	18.3	12.1	3.0	1.3	1.4	1.4	1.1	1.6	1.8	2.7
1992.....	16.3	11.7	2.7	1.4	1.3	1.2	1.3	1.5	1.9	2.7
1991.....	16.3	13.9	2.8	1.6	1.4	1.3	1.5	1.3	1.8	2.7
1990.....	16.2	15.1	2.7	1.3	1.4	1.3	1.2	1.5	1.9	2.5
1989.....	15.7	16.9	3.0	1.4	1.4	1.4	1.6	1.4	1.8	2.5
1988.....	15.1	15.9	3.4	1.5	1.4	1.2	1.2	1.6	1.9	2.6
1987.....	14.7	16.7	3.2	1.4	1.2	1.2	1.3	1.7	1.8	2.8
1986.....	13.4	16.3	3.3	1.2	1.4	1.3	1.4	1.5	1.9	2.3
1985.....	12.6	17.7	3.7	1.4	1.0	1.0	1.4	1.4	1.9	2.6
1984.....	11.3	16.4	4.0	1.7	1.3	1.4	1.5	1.6	1.9	2.6
1983.....	10.4	20.6	4.3	1.4	1.4	1.4	1.3	1.6	2.1	2.7
1982.....	9.2	18.0	4.3	1.6	1.2	1.5	1.5	1.8	2.0	2.6
1981.....	9.0	22.1	4.5	1.7	1.6	1.6	1.6	2.0	2.3	2.9
1980.....	8.7	24.9	4.8	1.9	1.7	1.3	1.7	1.7	2.2	3.0
1979.....	8.2	23.9	4.6	2.0	1.5	1.2	1.8	2.0	2.6	3.2
WHITE, BOTH SEXES										
1998.....	23.6	11.2	2.6	1.3	1.3	1.9	1.8	1.8	2.1	2.7
1997.....	23.2	10.5	2.4	1.2	1.4	1.8	2.0	1.9	2.2	2.8
1996.....	22.4	11.2	2.5	1.4	1.2	2.1	1.8	1.9	2.0	2.7
1995.....	21.4	11.1	2.6	1.4	1.6	2.1	2.1	1.8	2.1	2.8
1994.....	20.2	11.6	2.6	1.4	1.4	2.0	1.9	1.8	2.2	3.0
1993.....	19.1	12.6	2.8	1.5	1.6	2.0	1.8	1.9	2.1	2.9
1992.....	17.2	12.3	2.6	1.4	1.5	2.0	1.9	1.9	2.0	3.0
1991.....	17.2	14.6	2.7	1.5	1.5	1.9	2.0	1.7	2.1	2.7
1990.....	17.0	15.0	3.2	1.5	1.5	2.2	1.8	1.8	2.0	3.0
1989.....	16.7	16.0	3.4	1.4	1.5	2.1	2.2	1.9	2.1	2.8
1988.....	16.2	15.6	3.5	1.3	1.5	2.0	1.8	1.9	2.2	2.8
1987.....	15.8	15.8	3.5	1.4	1.4	2.0	1.9	2.0	2.1	2.9
1986.....	14.6	15.2	3.6	1.2	1.6	2.0	2.2	1.9	2.1	2.7
1985.....	13.7	16.8	3.7	1.5	1.5	1.9	1.8	1.8	2.1	2.8
1984.....	12.6	17.9	3.9	1.6	1.6	2.0	2.1	1.7	2.1	2.8
1983.....	11.6	20.4	4.5	1.6	1.4	2.2	2.0	1.8	2.3	2.7
1982.....	10.2	18.6	4.4	1.8	1.6	2.3	2.1	2.0	2.2	2.8
1981.....	10.0	22.8	4.8	1.8	1.6	2.4	2.3	2.3	2.4	2.9
1980.....	9.7	23.8	5.0	2.0	1.9	2.4	2.4	2.0	2.5	3.0
1979.....	9.2	23.8	4.2	2.0	1.7	2.3	2.3	2.3	2.7	3.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
WHITE MALE										
1998.....	21.1	11.5	2.7	1.4	1.7	2.5	2.3	2.1	2.4	3.1
1997.....	20.7	10.2	2.6	1.3	1.7	2.5	2.5	2.3	2.6	3.2
1996.....	20.5	13.5	2.7	1.7	1.4	2.9	2.5	2.5	2.4	3.2
1995.....	19.7	12.2	3.0	1.5	1.8	2.8	2.9	2.2	2.4	3.4
1994.....	18.8	12.1	2.8	1.7	1.6	2.8	2.6	2.4	2.8	3.4
1993.....	17.9	13.9	3.1	1.9	1.9	2.7	2.5	2.2	2.6	3.3
1992.....	16.5	13.7	2.7	1.5	1.7	3.0	2.5	2.4	2.4	3.5
1991.....	16.5	16.3	2.8	1.6	1.7	2.6	2.8	2.2	2.5	3.0
1990.....	16.4	17.2	3.7	1.8	1.7	3.0	2.3	2.3	2.4	3.7
1989.....	16.4	18.3	3.8	1.5	1.8	2.9	2.8	2.5	2.6	3.2
1988.....	16.0	16.9	3.7	1.3	1.7	2.8	2.6	2.3	2.7	3.3
1987.....	15.8	17.0	3.8	1.6	1.6	2.9	2.6	2.5	2.5	3.4
1986.....	14.7	16.3	4.2	1.4	1.8	2.8	3.0	2.3	2.5	3.4
1985.....	14.0	18.4	4.1	1.6	2.0	2.7	2.4	2.3	2.5	3.1
1984.....	13.2	21.5	4.2	1.7	1.9	2.6	2.9	2.0	2.5	3.3
1983.....	12.3	22.4	4.8	1.9	1.5	3.1	2.8	2.2	2.7	2.9
1982.....	10.9	21.7	4.8	2.0	1.9	3.2	2.9	2.4	2.7	3.2
1981.....	10.8	26.4	5.2	1.9	1.7	3.3	3.1	2.7	2.6	3.2
1980.....	10.5	26.5	5.4	2.0	2.0	3.5	3.2	2.5	2.9	3.4
1979.....	9.9	27.3	4.6	2.2	1.9	3.3	2.9	2.7	2.8	3.3
WHITE FEMALE										
1998.....	26.0	10.8	2.4	1.2	1.0	1.3	1.2	1.5	1.8	2.2
1997.....	25.7	10.9	2.2	1.2	1.1	1.1	1.6	1.4	1.8	2.4
1996.....	24.3	8.9	2.3	1.1	1.1	1.3	1.2	1.2	1.5	2.2
1995.....	23.1	10.0	2.3	1.2	1.4	1.4	1.2	1.4	1.7	2.3
1994.....	21.5	11.2	2.4	1.0	1.1	1.1	1.2	1.2	1.6	2.5
1993.....	20.2	11.4	2.6	1.2	1.3	1.4	1.0	1.4	1.6	2.5
1992.....	17.9	10.8	2.5	1.3	1.2	1.1	1.2	1.4	1.7	2.4
1991.....	17.9	12.8	2.6	1.4	1.3	1.1	1.3	1.1	1.6	2.4
1990.....	17.6	12.6	2.7	1.2	1.4	1.3	1.2	1.4	1.6	2.3
1989.....	16.9	13.7	3.0	1.2	1.3	1.2	1.5	1.3	1.5	2.3
1988.....	16.4	14.2	3.2	1.3	1.2	1.1	1.1	1.4	1.8	2.3
1987.....	15.9	14.5	3.0	1.3	1.2	1.1	1.1	1.6	1.6	2.4
1986.....	14.4	14.0	3.0	1.1	1.4	1.2	1.3	1.4	1.7	2.1
1985.....	13.5	15.1	3.4	1.3	0.9	1.0	1.2	1.2	1.8	2.5
1984.....	12.0	14.1	3.5	1.5	1.2	1.3	1.3	1.4	1.6	2.3
1983.....	10.9	18.3	4.2	1.3	1.2	1.3	1.2	1.4	1.9	2.5
1982.....	9.6	15.3	4.1	1.6	1.2	1.4	1.3	1.6	1.7	2.4
1981.....	9.3	19.0	4.4	1.8	1.5	1.5	1.4	1.9	2.1	2.6
1980.....	8.9	21.0	4.5	1.9	1.7	1.4	1.5	1.4	2.2	2.6
1979.....	8.4	20.1	3.9	1.9	1.5	1.2	1.7	1.9	2.5	2.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
ALL OTHER, BOTH SEXES										
1998.....	10.8	14.4	2.9	1.7	1.7	2.0	2.3	2.8	3.4	3.4
1997.....	10.6	14.6	3.3	1.8	1.8	2.4	2.7	3.1	3.0	3.6
1996.....	10.1	17.9	3.4	1.6	1.6	1.6	2.7	2.5	3.1	4.5
1995.....	10.2	16.9	3.8	1.8	1.6	1.8	2.8	2.1	2.9	4.5
1994.....	9.6	16.9	3.5	1.8	2.1	2.4	2.3	2.8	3.2	3.9
1993.....	9.5	17.3	4.3	1.7	2.1	2.4	2.2	2.6	3.0	4.5
1992.....	8.9	17.0	3.6	2.0	1.7	2.0	2.3	2.5	3.2	4.7
1991.....	9.0	20.2	4.2	1.8	2.0	2.5	2.2	2.9	3.3	5.0
1990.....	9.7	23.3	3.8	2.0	1.8	1.8	1.9	2.7	4.3	4.5
1989.....	10.0	28.8	4.7	1.7	1.9	2.5	2.5	2.5	4.2	4.7
1988.....	9.5	25.4	4.8	2.0	2.1	2.0	2.1	2.9	3.8	5.1
1987.....	9.3	28.1	4.3	1.8	1.5	2.2	2.7	2.9	4.2	5.9
1986.....	9.1	26.4	5.2	1.8	1.8	2.0	2.4	2.8	4.2	4.5
1985.....	8.9	32.0	5.5	2.1	1.8	2.0	2.5	2.8	3.9	5.0
1984.....	8.7	29.9	5.8	2.2	2.0	2.0	2.9	3.3	4.8	5.7
1983.....	8.7	32.7	6.0	1.7	2.0	2.1	2.8	3.4	3.4	5.3
1982.....	8.1	34.8	5.8	1.6	1.7	2.4	2.8	3.4	4.5	5.7
1981.....	8.6	42.2	6.0	2.1	1.9	2.2	2.7	4.1	4.8	6.8
1980.....	9.0	45.3	7.5	2.4	2.1	2.0	3.8	3.8	4.3	8.3
1979.....	9.0	51.4	8.1	2.2	1.8	2.4	3.4	4.1	5.0	7.2
ALL OTHER MALE										
1998.....	10.6	16.6	2.8	1.8	2.2	2.5	3.1	3.2	4.3	4.2
1997.....	10.6	16.5	3.5	1.7	2.3	2.8	3.4	3.6	3.6	3.8
1996.....	9.9	19.4	3.4	1.9	1.8	1.9	3.1	2.8	3.7	5.9
1995.....	10.3	15.9	3.8	1.8	1.6	2.2	3.6	2.5	3.2	5.6
1994.....	9.9	19.0	3.0	1.8	2.6	2.9	2.5	3.2	3.9	4.5
1993.....	10.1	19.8	3.9	1.9	2.3	3.2	2.7	2.7	3.6	5.3
1992.....	9.4	18.8	3.4	2.3	1.8	2.3	3.0	3.2	3.6	5.8
1991.....	9.5	22.6	4.5	1.5	2.4	3.0	2.2	3.8	4.0	5.9
1990.....	10.6	21.9	4.7	2.1	2.0	2.6	2.8	3.2	5.5	5.6
1989.....	10.9	28.7	6.1	1.4	2.2	2.9	3.1	3.3	5.6	6.1
1988.....	10.7	28.2	5.4	2.0	2.1	2.6	2.8	3.6	5.1	6.5
1987.....	10.5	30.2	4.7	1.9	1.7	3.0	3.0	3.9	5.7	7.2
1986.....	10.2	27.0	5.6	1.9	2.2	2.5	2.8	3.7	5.4	5.7
1985.....	10.3	35.2	5.9	2.3	2.3	2.6	2.7	3.5	5.1	7.2
1984.....	9.8	33.1	5.5	1.7	2.3	2.2	3.6	3.8	6.2	7.5
1983.....	9.9	35.0	7.1	1.7	1.6	2.5	3.6	4.5	3.4	7.3
1982.....	9.6	39.5	6.4	1.8	2.2	3.3	3.3	4.6	5.8	7.6
1981.....	10.1	48.2	7.0	2.4	1.7	2.6	2.9	5.5	6.6	9.4
1980.....	11.1	48.5	9.1	3.2	2.3	2.9	5.1	4.4	6.8	11.4
1979.....	11.1	61.1	8.3	2.0	1.7	3.5	4.4	5.5	6.9	9.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
ALL OTHER FEMALE										
1998.....	11.0	12.2	2.9	1.5	1.2	1.4	1.5	2.5	2.7	2.7
1997.....	10.5	12.6	3.1	1.9	1.3	1.9	2.1	2.5	2.6	3.4
1996.....	10.3	16.4	3.3	1.2	1.5	1.3	2.4	2.1	2.6	3.2
1995.....	10.1	18.0	3.9	1.8	1.6	1.4	2.1	1.6	2.7	3.5
1994.....	9.4	14.7	4.0	1.8	1.6	1.9	2.1	2.3	2.7	3.4
1993.....	8.9	14.6	4.8	1.6	1.9	1.6	1.7	2.4	2.5	3.7
1992.....	8.4	15.2	3.7	1.8	1.6	1.6	1.5	1.8	2.7	3.8
1991.....	8.6	17.9	3.9	2.0	1.5	2.1	2.3	2.0	2.6	4.2
1990.....	8.9	24.7	2.8	1.9	1.6	*	*	2.3	3.1	3.5
1989.....	9.2	28.9	3.1	2.0	1.6	2.0	1.9	1.8	2.9	3.6
1988.....	8.4	22.4	4.3	1.9	2.1	1.3	1.5	2.2	2.6	3.9
1987.....	8.3	25.9	3.9	1.7	1.3	1.4	2.3	2.0	2.8	4.7
1986.....	8.1	25.7	4.9	1.7	1.5	1.5	1.9	1.9	3.1	3.4
1985.....	7.6	28.8	5.2	1.9	1.3	1.4	2.3	2.3	2.8	3.2
1984.....	7.6	26.5	6.2	2.6	1.7	1.7	2.3	2.9	3.5	4.3
1983.....	7.5	30.3	4.8	1.6	2.3	1.7	2.0	2.5	3.4	3.7
1982.....	6.7	29.9	5.2	*	*	1.6	2.2	2.3	3.5	4.1
1981.....	7.3	36.2	5.0	1.7	2.1	1.8	2.6	2.8	3.2	4.6
1980.....	7.1	42.2	5.9	1.6	1.9	1.1	2.6	3.2	2.3	5.7
1979.....	7.1	41.6	7.9	2.5	1.9	1.4	2.5	3.0	3.3	5.6
BLACK, BOTH SEXES										
1998.....	12.8	18.4	3.3	2.0	1.8	2.3	2.6	3.5	4.3	4.1
1997.....	12.4	16.0	3.9	2.1	1.9	2.6	3.2	3.8	3.9	4.5
1996.....	11.9	21.8	3.7	1.8	1.9	1.8	3.0	3.0	3.9	5.4
1995.....	12.0	19.6	4.2	2.2	1.9	1.9	3.3	2.8	3.6	5.7
1994.....	11.4	20.2	4.1	2.0	2.4	2.7	2.9	3.4	4.1	4.8
1993.....	11.2	20.6	4.7	2.0	2.4	2.5	2.5	3.1	3.8	5.6
1992.....	10.5	17.9	4.1	2.2	1.8	2.2	2.7	3.1	3.9	6.3
1991.....	10.8	23.8	4.8	2.0	2.1	2.9	2.7	3.6	4.2	6.5
1990.....	11.4	25.9	4.3	2.2	1.9	2.0	2.2	3.3	5.3	5.8
1989.....	11.8	31.4	5.0	2.0	2.2	2.9	3.1	3.1	5.1	5.8
1988.....	11.1	28.3	5.5	2.2	2.5	2.4	2.5	3.4	4.8	6.4
1987.....	10.7	29.6	4.8	2.0	1.6	2.5	3.2	3.4	5.2	7.5
1986.....	10.4	29.5	6.1	2.0	2.1	2.3	2.6	3.3	5.2	5.8
1985.....	10.2	34.2	6.2	2.2	2.1	2.2	2.8	3.3	4.6	6.5
1984.....	9.8	29.6	6.5	2.5	2.1	2.1	3.5	3.9	6.1	7.3
1983.....	9.7	36.2	6.6	1.8	2.2	2.3	3.3	4.0	4.1	6.6
1982.....	9.1	36.8	6.3	1.6	2.0	2.5	3.1	3.9	5.4	6.8
1981.....	9.6	47.0	6.5	2.3	2.1	2.4	3.1	4.8	5.8	8.4
1980.....	10.0	49.7	8.1	2.6	2.2	2.1	4.3	4.5	5.0	10.0
1979.....	9.6	52.8	8.6	2.3	2.0	2.6	3.7	4.7	5.8	8.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
BLACK MALE										
1998.....	12.3	22.2	3.2	2.1	2.2	2.9	3.7	3.9	5.1	4.9
1997.....	12.3	18.5	4.1	2.0	2.3	3.2	3.7	4.4	4.5	4.5
1996.....	11.4	23.5	3.6	2.2	2.0	2.0	3.4	3.5	4.8	6.9
1995.....	12.0	19.4	4.0	2.3	1.8	2.2	4.2	3.5	3.8	7.1
1994.....	11.6	22.3	3.4	2.2	2.9	3.4	3.0	3.8	5.0	5.5
1993.....	11.7	22.9	4.3	2.2	2.8	3.3	3.2	3.1	4.6	6.6
1992.....	11.0	19.0	3.8	2.7	1.7	2.5	3.6	4.0	4.5	7.8
1991.....	11.3	27.1	5.1	1.8	2.4	3.4	2.6	4.7	5.1	7.7
1990.....	12.4	24.2	5.4	2.6	2.3	2.7	3.2	3.9	7.1	7.4
1989.....	12.9	31.1	6.4	1.6	2.5	3.3	3.9	4.1	7.0	7.5
1988.....	12.6	32.0	6.5	2.2	2.7	3.2	3.5	4.2	6.7	8.0
1987.....	12.0	31.7	5.4	1.9	1.9	3.2	3.6	4.5	7.1	9.4
1986.....	11.7	30.7	6.4	1.9	2.7	2.8	3.1	4.5	6.8	7.5
1985.....	11.8	38.0	6.6	2.3	2.6	2.9	3.0	4.2	6.3	9.2
1984.....	11.2	32.6	6.4	1.9	2.4	2.4	4.3	4.5	8.2	9.7
1983.....	11.1	39.2	8.0	1.8	1.8	2.7	4.2	5.2	4.3	9.0
1982.....	10.8	43.2	7.0	1.9	2.7	3.3	3.8	5.5	6.9	8.8
1981.....	11.3	52.6	7.7	2.7	1.8	2.8	3.3	6.5	8.1	11.7
1980.....	12.4	53.5	9.8	3.4	2.3	3.0	5.7	5.4	7.8	13.7
1979.....	11.9	62.3	8.8	2.0	1.8	3.6	4.8	6.3	8.0	10.8
BLACK FEMALE										
1998.....	13.2	14.5	3.3	1.8	*	1.7	1.5	3.2	3.6	3.4
1997.....	12.6	13.5	3.6	2.1	1.4	2.1	2.6	3.2	3.3	4.4
1996.....	12.3	20.0	3.8	1.4	1.9	1.7	2.5	2.4	3.2	4.0
1995.....	12.0	19.9	4.3	2.1	2.0	1.6	2.4	2.1	3.5	4.4
1994.....	11.2	18.0	4.8	1.8	1.8	2.1	2.8	2.9	3.3	4.2
1993.....	10.7	18.1	5.2	1.8	1.9	1.7	1.8	3.0	3.0	4.7
1992.....	10.0	16.9	4.4	1.7	1.8	1.9	1.8	2.3	3.3	5.1
1991.....	10.2	20.4	4.5	2.2	1.7	2.3	2.9	2.6	3.5	5.4
1990.....	10.5	27.6	3.3	1.9	1.6	*	*	2.7	3.8	4.4
1989.....	10.7	31.7	3.5	2.3	1.9	2.4	2.3	2.1	3.5	4.4
1988.....	9.8	24.4	4.5	2.2	2.3	1.6	1.6	2.7	3.1	5.0
1987.....	9.5	27.4	4.1	2.0	*	1.7	2.7	2.3	3.6	5.9
1986.....	9.3	28.4	5.8	2.0	*	1.7	2.1	2.2	3.8	4.4
1985.....	8.7	30.3	5.8	2.0	1.6	1.5	2.6	2.5	3.1	4.2
1984.....	8.6	26.6	6.6	3.0	1.8	1.9	2.7	3.4	4.2	5.4
1983.....	8.4	33.2	5.2	1.7	2.6	1.9	2.4	3.0	3.9	4.5
1982.....	7.6	30.4	5.5	*	*	1.7	2.5	2.5	4.2	5.1
1981.....	8.1	41.4	5.2	2.0	2.4	2.0	3.0	3.3	3.8	5.6
1980.....	7.9	45.9	6.4	1.7	2.1	1.3	3.0	3.6	2.6	7.0
1979.....	7.6	43.0	8.3	2.5	2.2	1.6	2.6	3.4	3.8	6.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
TOTAL, BOTH SEXES										
1998.....	21.3	11.7	2.6	1.4	1.4	1.9	1.9	2.0	2.3	2.8
1997.....	21.0	11.2	2.5	1.3	1.5	1.9	2.2	2.1	2.3	2.9
1996.....	20.3	12.3	2.6	1.4	1.3	2.0	2.0	2.0	2.2	3.0
1995.....	19.5	12.3	2.9	1.4	1.6	2.1	2.2	1.8	2.2	3.1
1994.....	18.4	12.6	2.7	1.4	1.5	2.1	2.0	2.0	2.4	3.1
1993.....	17.4	13.3	3.1	1.6	1.7	2.1	1.9	2.0	2.3	3.1
1992.....	15.8	13.0	2.8	1.5	1.5	2.0	1.9	2.0	2.2	3.2
1991.....	15.8	15.6	3.0	1.6	1.6	2.0	2.1	1.9	2.3	3.1
1990.....	15.8	16.3	3.3	1.6	1.6	2.1	1.8	2.0	2.4	3.2
1989.....	15.6	18.4	3.6	1.4	1.6	2.2	2.3	2.0	2.4	3.1
1988.....	15.1	17.3	3.7	1.5	1.6	2.0	1.9	2.0	2.5	3.1
1987.....	14.8	17.8	3.6	1.5	1.4	2.1	2.0	2.2	2.4	3.3
1986.....	13.7	16.9	3.9	1.4	1.6	2.0	2.2	2.0	2.4	3.0
1985.....	13.0	19.2	4.0	1.6	1.5	1.9	1.9	2.0	2.4	3.1
1984.....	12.0	19.9	4.2	1.7	1.6	1.9	2.2	1.9	2.5	3.2
1983.....	11.1	22.3	4.7	1.6	1.5	2.2	2.1	2.0	2.4	3.0
1982.....	9.8	21.2	4.6	1.8	1.6	2.3	2.2	2.2	2.6	3.2
1981.....	9.8	25.9	5.0	1.8	1.6	2.4	2.3	2.5	2.7	3.4
1980.....	9.5	27.4	5.4	2.0	1.9	2.3	2.6	2.2	2.7	3.7
1979.....	9.1	28.3	4.9	2.1	1.7	2.3	2.4	2.5	2.9	3.5
TOTAL, MALE										
1998.....	19.3	12.3	2.7	1.5	1.8	2.5	2.5	2.3	2.7	3.2
1997.....	18.9	11.2	2.7	1.4	1.8	2.5	2.6	2.6	2.8	3.3
1996.....	18.7	14.2	2.8	1.8	1.4	2.7	2.6	2.5	2.6	3.6
1995.....	18.1	12.8	3.1	1.5	1.8	2.7	3.0	2.2	2.6	3.7
1994.....	17.3	13.4	2.7	1.7	1.8	2.8	2.5	2.5	3.0	3.6
1993.....	16.6	14.9	3.2	1.9	2.0	2.8	2.6	2.3	2.8	3.6
1992.....	15.3	14.4	2.8	1.7	1.7	2.8	2.6	2.5	2.6	3.8
1991.....	15.3	17.3	3.2	1.6	1.9	2.7	2.7	2.5	2.8	3.5
1990.....	15.4	17.8	3.9	1.8	1.7	2.9	2.4	2.4	2.9	4.0
1989.....	15.5	20.2	4.3	1.5	1.8	2.9	2.9	2.6	3.1	3.7
1988.....	15.1	18.9	4.0	1.5	1.8	2.8	2.6	2.5	3.1	3.7
1987.....	14.9	19.0	3.9	1.6	1.6	2.9	2.7	2.7	3.0	3.9
1986.....	14.0	17.7	4.5	1.5	1.8	2.8	2.9	2.5	2.9	3.7
1985.....	13.4	20.8	4.4	1.7	2.1	2.7	2.5	2.5	2.9	3.6
1984.....	12.7	23.4	4.4	1.7	2.0	2.5	3.0	2.2	3.1	3.8
1983.....	11.9	24.2	5.2	1.8	1.5	3.0	2.9	2.5	2.8	3.4
1982.....	10.6	24.4	5.0	2.0	2.0	3.2	3.0	2.7	3.1	3.7
1981.....	10.6	30.1	5.5	1.9	1.7	3.2	3.1	3.0	3.1	3.9
1980.....	10.5	30.0	6.0	2.2	2.1	3.3	3.4	2.8	3.3	4.3
1979.....	10.0	32.7	5.2	2.1	1.8	3.3	3.1	3.0	3.3	3.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
TOTAL, FEMALE										
1998.....	23.3	10.9	2.5	1.2	1.0	1.3	1.3	1.7	1.9	2.3
1997.....	22.9	11.1	2.3	1.3	1.1	1.3	1.7	1.6	1.9	2.6
1996.....	21.8	10.3	2.5	1.1	1.2	1.3	1.4	1.4	1.7	2.3
1995.....	20.8	11.7	2.6	1.3	1.5	1.4	1.4	1.4	1.9	2.5
1994.....	19.4	11.7	2.7	1.1	1.2	1.2	1.4	1.4	1.8	2.6
1993.....	18.2	11.6	3.0	1.2	1.4	1.4	1.1	1.6	1.8	2.7
1992.....	16.3	11.5	2.7	1.4	1.3	1.2	1.3	1.5	1.9	2.6
1991.....	16.3	13.7	2.8	1.6	1.4	1.3	1.5	1.3	1.8	2.7
1990.....	16.1	14.7	2.7	1.3	1.4	1.3	1.2	1.5	1.9	2.5
1989.....	15.6	16.5	3.0	1.4	1.3	1.4	1.6	1.4	1.7	2.5
1988.....	15.1	15.6	3.4	1.5	1.4	1.2	1.2	1.6	1.9	2.6
1987.....	14.6	16.5	3.2	1.4	1.2	1.2	1.3	1.7	1.8	2.8
1986.....	13.4	16.1	3.3	1.2	1.4	1.2	1.4	1.5	1.9	2.3
1985.....	12.5	17.5	3.7	1.4	1.0	1.0	1.4	1.4	1.9	2.6
1984.....	11.3	16.3	3.9	1.7	1.3	1.4	1.4	1.6	1.9	2.6
1983.....	10.3	20.2	4.3	1.4	1.4	1.4	1.3	1.6	2.1	2.7
1982.....	9.1	17.9	4.3	1.5	1.2	1.4	1.5	1.7	2.0	2.6
1981.....	9.0	21.6	4.5	1.7	1.6	1.5	1.6	2.0	2.3	2.9
1980.....	8.6	24.7	4.7	1.9	1.7	1.3	1.7	1.7	2.2	3.0
1979.....	8.2	23.7	4.6	2.0	1.5	1.2	1.8	2.0	2.6	3.1
WHITE, BOTH SEXES										
1998.....	23.6	11.0	2.6	1.3	1.3	1.9	1.8	1.8	2.0	2.6
1997.....	23.2	10.3	2.4	1.2	1.4	1.8	2.0	1.9	2.2	2.8
1996.....	22.4	11.1	2.5	1.4	1.2	2.1	1.8	1.9	1.9	2.7
1995.....	21.4	11.0	2.6	1.4	1.6	2.1	2.0	1.8	2.1	2.8
1994.....	20.1	11.5	2.5	1.4	1.4	2.0	1.9	1.8	2.2	2.9
1993.....	19.0	12.3	2.8	1.5	1.6	2.0	1.8	1.8	2.1	2.9
1992.....	17.2	12.0	2.6	1.4	1.5	2.0	1.9	1.9	2.0	2.9
1991.....	17.2	14.3	2.7	1.5	1.5	1.9	2.0	1.7	2.1	2.7
1990.....	17.0	14.6	3.2	1.5	1.5	2.2	1.8	1.8	2.0	3.0
1989.....	16.6	15.8	3.4	1.4	1.5	2.1	2.2	1.9	2.1	2.7
1988.....	16.2	15.4	3.4	1.3	1.4	2.0	1.8	1.9	2.2	2.8
1987.....	15.8	15.5	3.4	1.4	1.4	2.0	1.8	2.0	2.0	2.9
1986.....	14.5	14.8	3.6	1.2	1.6	2.0	2.1	1.9	2.1	2.7
1985.....	13.7	16.4	3.7	1.5	1.5	1.9	1.8	1.8	2.1	2.8
1984.....	12.5	17.7	3.8	1.6	1.6	1.9	2.1	1.7	2.1	2.8
1983.....	11.5	20.1	4.5	1.6	1.4	2.2	2.0	1.8	2.3	2.7
1982.....	10.2	18.4	4.4	1.8	1.6	2.3	2.1	2.0	2.2	2.8
1981.....	10.0	22.4	4.8	1.8	1.6	2.4	2.3	2.3	2.4	2.9
1980.....	9.6	23.6	4.9	2.0	1.9	2.4	2.4	2.0	2.5	3.0
1979.....	9.1	23.5	4.2	2.0	1.7	2.3	2.3	2.3	2.6	3.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
WHITE MALE										
1998.....	21.1	11.3	2.7	1.4	1.7	2.5	2.3	2.1	2.3	3.0
1997.....	20.6	9.9	2.6	1.3	1.7	2.4	2.4	2.3	2.6	3.2
1996.....	20.4	13.3	2.7	1.7	1.4	2.9	2.5	2.5	2.4	3.2
1995.....	19.7	12.1	3.0	1.5	1.8	2.8	2.9	2.2	2.4	3.4
1994.....	18.8	11.9	2.7	1.7	1.6	2.8	2.6	2.3	2.8	3.4
1993.....	17.9	13.6	3.0	1.9	1.9	2.7	2.5	2.2	2.6	3.2
1992.....	16.5	13.3	2.7	1.5	1.7	3.0	2.5	2.4	2.4	3.5
1991.....	16.5	16.0	2.8	1.6	1.7	2.6	2.8	2.2	2.5	3.0
1990.....	16.3	16.9	3.7	1.8	1.7	3.0	2.3	2.3	2.4	3.7
1989.....	16.3	18.1	3.8	1.5	1.8	2.9	2.8	2.5	2.6	3.2
1988.....	15.9	16.7	3.7	1.3	1.7	2.8	2.6	2.3	2.7	3.3
1987.....	15.8	16.6	3.8	1.6	1.6	2.9	2.6	2.5	2.5	3.4
1986.....	14.7	15.7	4.2	1.4	1.8	2.8	3.0	2.3	2.5	3.4
1985.....	14.0	17.7	4.0	1.6	2.0	2.7	2.4	2.3	2.5	3.1
1984.....	13.2	21.2	4.2	1.7	1.9	2.6	2.9	1.9	2.5	3.3
1983.....	12.2	22.0	4.7	1.9	1.5	3.1	2.8	2.2	2.7	2.9
1982.....	10.8	21.4	4.7	2.0	1.9	3.1	2.9	2.4	2.7	3.2
1981.....	10.8	26.2	5.1	1.8	1.7	3.3	3.1	2.6	2.6	3.2
1980.....	10.4	26.1	5.4	2.0	2.0	3.4	3.2	2.5	2.8	3.4
1979.....	9.9	26.9	4.6	2.1	1.9	3.3	2.9	2.7	2.8	3.3
WHITE FEMALE										
1998.....	26.0	10.6	2.4	1.2	1.0	1.3	1.2	1.5	1.8	2.2
1997.....	25.6	10.7	2.1	1.1	1.1	1.1	1.6	1.4	1.7	2.4
1996.....	24.2	8.8	2.2	1.1	1.1	1.3	1.2	1.2	1.5	2.1
1995.....	23.0	10.0	2.3	1.2	1.4	1.4	1.2	1.4	1.7	2.3
1994.....	21.4	11.0	2.4	1.0	1.1	1.1	1.2	1.2	1.6	2.5
1993.....	20.1	10.9	2.6	1.2	1.3	1.4	1.0	1.4	1.6	2.5
1992.....	17.9	10.6	2.4	1.3	1.2	1.1	1.2	1.4	1.7	2.4
1991.....	17.9	12.6	2.5	1.4	1.3	1.1	1.3	1.1	1.6	2.4
1990.....	17.6	12.3	2.7	1.2	1.4	1.3	1.2	1.4	1.6	2.3
1989.....	16.9	13.3	2.9	1.2	1.3	1.2	1.5	1.3	1.5	2.3
1988.....	16.4	14.1	3.2	1.3	1.2	1.1	1.1	1.4	1.7	2.3
1987.....	15.8	14.3	3.0	1.3	1.2	1.1	1.1	1.6	1.6	2.4
1986.....	14.4	13.8	3.0	1.1	1.4	1.2	1.3	1.4	1.7	2.1
1985.....	13.4	15.0	3.4	1.3	0.9	1.0	1.2	1.2	1.8	2.5
1984.....	11.9	14.0	3.5	1.5	1.2	1.3	1.3	1.4	1.6	2.3
1983.....	10.8	18.0	4.2	1.3	1.2	1.3	1.2	1.4	1.9	2.5
1982.....	9.5	15.3	4.1	1.6	1.2	1.4	1.3	1.6	1.7	2.4
1981.....	9.2	18.4	4.3	1.7	1.5	1.5	1.4	1.9	2.1	2.6
1980.....	8.9	20.9	4.4	1.9	1.7	1.3	1.5	1.4	2.1	2.6
1979.....	8.4	20.0	3.9	1.9	1.5	1.2	1.7	1.9	2.5	2.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
ALL OTHER, BOTH SEXES										
1998.....	10.8	14.3	2.8	1.6	1.7	2.0	2.3	2.8	3.4	3.4
1997.....	10.6	14.6	3.2	1.8	1.8	2.4	2.7	3.1	3.0	3.6
1996.....	10.1	17.1	3.3	1.6	1.6	1.6	2.7	2.4	3.1	4.5
1995.....	10.2	16.8	3.8	1.8	1.6	1.8	2.8	2.1	2.9	4.5
1994.....	9.6	16.6	3.4	1.8	2.1	2.4	2.3	2.7	3.2	3.9
1993.....	9.4	16.9	4.3	1.7	2.1	2.4	2.2	2.6	3.0	4.5
1992.....	8.8	16.9	3.5	2.0	1.7	2.0	2.2	2.5	3.2	4.7
1991.....	9.0	19.7	4.2	1.8	2.0	2.5	2.2	2.9	3.3	5.0
1990.....	9.6	22.6	3.7	2.0	1.8	1.8	1.9	2.7	4.3	4.4
1989.....	9.9	28.3	4.7	1.7	1.8	2.5	2.5	2.5	4.1	4.7
1988.....	9.5	24.8	4.7	2.0	2.1	2.0	2.1	2.9	3.8	5.1
1987.....	9.3	27.2	4.3	1.8	1.5	2.2	2.7	2.9	4.1	5.8
1986.....	9.1	26.0	5.2	1.8	1.8	2.0	2.4	2.8	4.1	4.5
1985.....	8.9	31.3	5.5	2.1	1.8	2.0	2.5	2.8	3.9	5.0
1984.....	8.6	29.7	5.7	2.2	2.0	1.9	2.9	3.3	4.8	5.7
1983.....	8.6	31.9	5.9	1.7	2.0	2.1	2.8	3.4	3.4	5.3
1982.....	8.0	33.7	5.8	1.6	1.7	2.4	2.8	3.4	4.5	5.7
1981.....	8.5	42.1	6.0	2.0	1.9	2.2	2.7	4.1	4.8	6.7
1980.....	9.0	44.7	7.4	2.4	2.1	2.0	3.7	3.8	4.3	8.3
1979.....	8.9	50.6	8.0	2.2	1.8	2.4	3.3	4.1	5.0	7.0
ALL OTHER MALE										
1998.....	10.5	16.4	2.8	1.7	2.2	2.5	3.1	3.2	4.3	4.1
1997.....	10.6	16.5	3.4	1.7	2.3	2.8	3.4	3.6	3.6	3.7
1996.....	9.9	18.0	3.4	1.9	1.8	1.9	3.0	2.8	3.7	5.9
1995.....	10.2	15.6	3.8	1.8	1.6	2.2	3.6	2.5	3.2	5.6
1994.....	9.8	18.8	2.9	1.8	2.6	2.9	2.5	3.2	3.9	4.4
1993.....	10.1	19.6	3.9	1.9	2.3	3.2	2.6	2.7	3.6	5.3
1992.....	9.4	18.5	3.4	2.3	1.8	2.3	2.9	3.2	3.6	5.8
1991.....	9.5	22.1	4.5	1.5	2.4	3.0	2.2	3.8	4.0	5.9
1990.....	10.5	21.2	4.6	2.1	2.0	2.6	2.8	3.1	5.5	5.6
1989.....	10.9	28.2	6.1	1.4	2.1	2.9	3.1	3.3	5.6	6.1
1988.....	10.6	28.0	5.3	2.0	2.1	2.6	2.8	3.6	5.1	6.5
1987.....	10.4	29.1	4.6	1.9	1.7	3.0	3.0	3.9	5.6	7.1
1986.....	10.2	26.5	5.6	1.9	2.2	2.5	2.8	3.7	5.3	5.7
1985.....	10.3	34.6	5.9	2.3	2.3	2.6	2.6	3.5	5.1	7.2
1984.....	9.7	32.8	5.5	1.7	2.3	2.1	3.6	3.7	6.2	7.5
1983.....	9.8	34.1	7.0	1.7	1.6	2.5	3.6	4.4	3.4	7.2
1982.....	9.4	38.0	6.3	1.8	2.2	3.3	3.3	4.6	5.7	7.6
1981.....	10.0	48.2	7.0	2.4	1.7	2.6	2.9	5.5	6.5	9.2
1980.....	11.0	47.9	8.9	3.2	2.3	2.9	5.0	4.4	6.8	11.4
1979.....	11.0	60.4	8.2	2.0	1.7	3.4	4.4	5.3	6.9	9.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
ALL OTHER FEMALE										
1998.....	11.0	12.2	2.9	1.5	1.2	1.4	1.5	2.5	2.7	2.7
1997.....	10.5	12.6	3.1	1.9	1.3	1.9	2.1	2.5	2.6	3.4
1996.....	10.2	16.1	3.3	1.2	1.5	1.3	2.4	2.0	2.6	3.2
1995.....	10.1	18.0	3.9	1.8	1.6	1.4	2.1	1.6	2.7	3.5
1994.....	9.4	14.5	4.0	1.8	1.6	1.9	2.1	2.3	2.7	3.4
1993.....	8.9	14.1	4.8	1.6	1.9	1.6	1.7	2.4	2.5	3.7
1992.....	8.3	15.2	3.6	1.8	1.6	1.6	1.5	1.8	2.7	3.8
1991.....	8.5	17.2	3.8	2.0	1.5	2.1	2.3	2.0	2.6	4.2
1990.....	8.8	24.0	2.8	1.9	1.6	*	*	2.2	3.1	3.5
1989.....	9.1	28.4	3.1	1.9	1.6	2.0	1.9	1.8	2.8	3.6
1988.....	8.4	21.6	4.2	1.9	2.1	1.3	1.5	2.2	2.6	3.8
1987.....	8.2	25.4	3.9	1.7	1.3	1.4	2.3	2.0	2.7	4.7
1986.....	8.0	25.4	4.8	1.7	1.5	1.5	1.9	1.9	3.1	3.4
1985.....	7.6	27.9	5.2	1.9	1.3	1.4	2.3	2.2	2.8	3.2
1984.....	7.5	26.5	6.0	2.6	1.7	1.6	2.2	2.9	3.5	4.2
1983.....	7.5	29.7	4.8	1.6	2.3	1.7	2.0	2.5	3.4	3.7
1982.....	6.7	29.3	5.2	*	*	1.6	2.2	2.3	3.5	4.1
1981.....	7.2	35.9	5.0	1.7	2.1	1.8	2.6	2.8	3.2	4.5
1980.....	7.1	41.5	5.8	1.6	1.9	1.1	2.6	3.2	2.3	5.7
1979.....	7.0	40.6	7.8	2.5	1.9	1.4	2.3	3.0	3.3	5.4
BLACK, BOTH SEXES										
1998.....	12.7	18.2	3.2	1.9	1.8	2.3	2.6	3.5	4.3	4.1
1997.....	12.4	16.0	3.8	2.1	1.9	2.6	3.2	3.8	3.9	4.4
1996.....	11.9	20.7	3.7	1.8	1.9	1.8	2.9	3.0	3.9	5.4
1995.....	12.0	19.5	4.2	2.2	1.9	1.9	3.3	2.8	3.6	5.7
1994.....	11.3	20.0	4.0	2.0	2.4	2.7	2.9	3.4	4.1	4.8
1993.....	11.1	20.2	4.7	2.0	2.4	2.5	2.5	3.1	3.7	5.5
1992.....	10.4	17.8	4.0	2.2	1.8	2.2	2.6	3.1	3.9	6.3
1991.....	10.7	23.2	4.7	2.0	2.1	2.9	2.7	3.6	4.2	6.5
1990.....	11.3	24.9	4.3	2.2	1.9	2.0	2.2	3.2	5.3	5.7
1989.....	11.7	31.1	5.0	1.9	2.2	2.9	3.1	3.1	5.1	5.8
1988.....	11.1	27.6	5.5	2.2	2.5	2.4	2.5	3.4	4.8	6.4
1987.....	10.6	28.7	4.7	2.0	1.6	2.5	3.2	3.4	5.1	7.4
1986.....	10.4	29.0	6.1	2.0	2.1	2.3	2.6	3.3	5.2	5.8
1985.....	10.1	33.9	6.2	2.2	2.1	2.2	2.8	3.3	4.6	6.5
1984.....	9.7	29.4	6.4	2.5	2.1	2.0	3.4	3.9	6.1	7.3
1983.....	9.6	35.3	6.5	1.8	2.2	2.3	3.3	4.0	4.1	6.5
1982.....	9.0	35.5	6.2	1.6	2.0	2.5	3.1	3.9	5.4	6.8
1981.....	9.5	46.8	6.4	2.3	2.1	2.4	3.1	4.8	5.7	8.2
1980.....	9.9	49.0	8.0	2.6	2.2	2.1	4.2	4.5	5.0	10.0
1979.....	9.6	52.2	8.5	2.3	2.0	2.6	3.6	4.7	5.8	8.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
BLACK MALE										
1998.....	12.3	21.8	3.1	2.1	2.2	2.9	3.7	3.9	5.1	4.9
1997.....	12.3	18.5	4.1	2.0	2.3	3.2	3.7	4.4	4.5	4.5
1996.....	11.4	21.7	3.6	2.2	2.0	2.0	3.4	3.5	4.8	6.9
1995.....	11.9	19.1	4.0	2.3	1.8	2.2	4.2	3.5	3.8	7.1
1994.....	11.5	22.3	3.3	2.2	2.9	3.4	3.0	3.8	5.0	5.5
1993.....	11.7	22.6	4.2	2.2	2.8	3.3	3.1	3.1	4.5	6.5
1992.....	11.0	18.7	3.8	2.7	1.7	2.5	3.5	3.9	4.5	7.8
1991.....	11.3	26.8	5.1	1.8	2.4	3.4	2.6	4.7	5.1	7.7
1990.....	12.3	23.3	5.2	2.6	2.2	2.7	3.2	3.9	7.1	7.3
1989.....	12.9	31.1	6.4	1.6	2.5	3.3	3.9	4.1	7.0	7.5
1988.....	12.5	31.6	6.4	2.2	2.7	3.2	3.5	4.2	6.7	8.0
1987.....	11.9	30.7	5.2	1.9	1.9	3.2	3.6	4.5	7.0	9.2
1986.....	11.7	30.0	6.4	1.9	2.7	2.8	3.1	4.5	6.8	7.5
1985.....	11.8	37.7	6.6	2.3	2.6	2.9	2.9	4.2	6.3	9.2
1984.....	11.1	32.2	6.4	1.9	2.4	2.2	4.3	4.4	8.2	9.7
1983.....	11.0	38.1	8.0	1.8	1.8	2.7	4.2	5.1	4.3	8.9
1982.....	10.6	41.4	6.9	1.9	2.7	3.3	3.8	5.5	6.8	8.8
1981.....	11.2	52.6	7.6	2.6	1.8	2.8	3.3	6.5	8.0	11.4
1980.....	12.3	52.8	9.6	3.4	2.3	3.0	5.7	5.4	7.8	13.7
1979.....	11.8	61.9	8.7	2.0	1.8	3.6	4.7	6.2	8.0	10.6
BLACK FEMALE										
1998.....	13.2	14.5	3.3	1.8	*	1.7	1.5	3.2	3.6	3.4
1997.....	12.5	13.5	3.5	2.1	1.4	2.1	2.6	3.2	3.3	4.4
1996.....	12.3	19.7	3.7	1.4	1.9	1.7	2.5	2.4	3.2	4.0
1995.....	12.0	19.9	4.3	2.1	2.0	1.6	2.4	2.1	3.5	4.4
1994.....	11.2	17.7	4.8	1.8	1.8	2.1	2.8	2.9	3.3	4.2
1993.....	10.6	17.8	5.2	1.8	1.9	1.7	1.8	3.0	3.0	4.7
1992.....	10.0	16.9	4.3	1.7	1.8	1.9	1.8	2.3	3.3	5.0
1991.....	10.2	19.5	4.4	2.2	1.7	2.3	2.9	2.6	3.4	5.4
1990.....	10.4	26.6	3.3	1.9	1.6	*	*	2.6	3.8	4.3
1989.....	10.7	31.1	3.5	2.2	1.9	2.4	2.3	2.1	3.4	4.4
1988.....	9.8	23.4	4.5	2.2	2.3	1.6	1.6	2.7	3.1	5.0
1987.....	9.4	26.7	4.1	2.0	*	1.7	2.7	2.3	3.5	5.9
1986.....	9.2	28.0	5.7	2.0	*	1.7	2.1	2.2	3.8	4.4
1985.....	8.6	29.9	5.8	2.0	1.6	1.5	2.6	2.4	3.1	4.2
1984.....	8.5	26.6	6.4	3.0	1.8	1.9	2.6	3.4	4.2	5.3
1983.....	8.3	32.5	5.1	1.7	2.6	1.9	2.4	3.0	3.9	4.5
1982.....	7.5	29.6	5.5	*	*	1.7	2.5	2.5	4.2	5.1
1981.....	8.1	41.0	5.2	1.9	2.4	2.0	3.0	3.3	3.8	5.5
1980.....	7.8	45.1	6.3	1.7	2.0	1.3	2.9	3.6	2.6	7.0
1979.....	7.5	42.2	8.2	2.5	2.2	1.6	2.5	3.4	3.8	6.4



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MENINGITIS (320-322)										
TOTAL, BOTH SEXES										
1998.....	0.3	2.8	0.3	0.1	*	*	0.1	*	0.1	0.2
1997.....	0.3	2.6	0.3	*	*	*	*	0.1	0.1	0.2
1996.....	0.3	2.7	0.2	0.1	*	*	*	*	0.1	0.2
1995.....	0.3	3.1	0.2	*	*	*	0.1	0.1	0.1	0.2
1994.....	0.3	2.8	0.3	*	*	*	*	*	0.1	0.2
1993.....	0.3	2.7	0.2	*	*	*	*	0.2	0.1	0.1
1992.....	0.3	3.1	0.2	0.1	*	*	*	0.1	0.1	0.2
1991.....	0.4	3.2	0.3	*	*	*	*	*	0.2	0.2
1990.....	0.4	5.0	0.5	0.1	*	*	*	0.1	0.1	0.2
1989.....	0.4	5.9	0.7	*	*	*	*	0.1	0.2	0.2
1988.....	0.5	5.5	0.9	0.1	0.2	*	*	0.1	0.1	0.1
1987.....	0.5	5.8	1.0	0.1	*	*	*	0.2	0.2	0.3
1986.....	0.5	5.9	1.0	*	*	*	*	0.1	0.2	0.1
1985.....	0.5	7.0	1.1	0.1	0.1	*	*	0.1	0.2	0.1
1984.....	0.5	7.5	1.2	0.1	0.1	*	0.1	*	0.2	0.1
1983.....	0.6	8.7	1.4	0.1	*	*	0.1	0.1	0.1	0.2
1982.....	0.6	9.1	1.4	0.2	0.1	*	*	0.1	0.1	0.2
1981.....	0.6	11.7	1.2	0.2	*	0.1	*	0.2	0.2	0.2
1980.....	0.6	12.5	1.7	0.2	0.1	0.1	0.1	0.1	0.1	0.2
1979.....	0.6	12.9	1.4	0.2	0.1	0.1	0.1	0.1	0.2	0.2
TOTAL, MALE										
1998.....	0.3	3.2	0.4	*	*	*	*	*	*	0.2
1997.....	0.3	2.1	0.3	*	*	*	*	*	*	0.2
1996.....	0.3	3.2	0.3	*	*	*	*	*	*	0.2
1995.....	0.3	3.2	0.3	*	*	*	*	*	*	0.2
1994.....	0.3	3.1	0.4	*	*	*	*	*	*	0.2
1993.....	0.3	3.1	0.2	*	*	*	*	*	*	*
1992.....	0.3	3.0	*	*	*	*	*	*	*	0.2
1991.....	0.4	3.3	0.3	*	*	*	*	*	0.2	0.3
1990.....	0.4	5.4	0.7	*	*	*	*	*	0.2	0.4
1989.....	0.5	6.4	0.9	*	*	*	*	*	0.3	0.3
1988.....	0.5	5.7	1.0	*	*	*	*	0.2	0.2	*
1987.....	0.5	6.3	1.1	*	*	*	*	0.2	0.3	0.3
1986.....	0.5	6.5	1.4	*	*	*	*	*	0.2	*
1985.....	0.5	7.5	1.4	*	*	*	*	0.2	0.2	*
1984.....	0.6	8.5	1.5	*	*	*	*	*	0.3	*
1983.....	0.6	9.5	1.5	*	*	*	*	*	*	*
1982.....	0.6	10.4	1.6	*	*	*	*	*	*	0.3
1981.....	0.7	13.7	1.4	*	*	*	*	0.2	0.2	*
1980.....	0.7	13.9	2.2	0.2	0.1	0.1	0.2	0.1	0.1	0.2
1979.....	0.7	14.4	1.7	0.2	0.1	0.1	0.1	0.1	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MENINGITIS (320-322)										
TOTAL, FEMALE										
1998.....	0.2	2.5	*	*	*	*	*	*	*	*
1997.....	0.3	3.1	0.3	*	*	*	*	*	*	*
1996.....	0.2	2.3	*	*	*	*	*	*	*	*
1995.....	0.3	3.1	*	*	*	*	*	*	*	*
1994.....	0.3	2.4	*	*	*	*	*	*	*	*
1993.....	0.3	2.4	*	*	*	*	*	*	*	*
1992.....	0.3	3.3	*	*	*	*	*	*	*	*
1991.....	0.3	3.1	*	*	*	*	*	*	*	0.2
1990.....	0.4	4.6	0.4	*	*	*	*	*	*	*
1989.....	0.4	5.5	0.4	*	*	*	*	*	*	*
1988.....	0.4	5.2	0.8	*	*	*	*	*	*	*
1987.....	0.4	5.2	0.9	*	*	*	*	*	*	*
1986.....	0.4	5.4	0.6	*	*	*	*	*	*	*
1985.....	0.5	6.4	0.8	*	*	*	*	*	*	*
1984.....	0.4	6.5	1.0	*	*	*	*	*	*	*
1983.....	0.5	7.9	1.3	*	*	*	*	*	*	*
1982.....	0.5	7.7	1.1	*	*	*	*	*	*	*
1981.....	0.5	9.6	1.0	*	*	*	*	*	*	*
1980.....	0.5	11.1	1.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2
1979.....	0.5	11.3	1.2	0.2	0.1	0.0	0.0	0.1	0.2	0.2
WHITE, BOTH SEXES										
1998.....	0.2	2.2	0.3	*	*	*	*	*	*	0.1
1997.....	0.2	2.1	0.2	*	*	*	*	*	*	0.1
1996.....	0.2	1.9	0.2	*	*	*	*	*	*	*
1995.....	0.2	2.1	0.3	*	*	*	*	*	*	0.1
1994.....	0.3	1.9	0.2	*	*	*	*	*	*	0.1
1993.....	0.3	1.8	0.2	*	*	*	*	0.1	*	*
1992.....	0.3	2.5	0.2	*	*	*	*	*	*	0.1
1991.....	0.3	2.3	0.2	*	*	*	*	*	0.1	0.1
1990.....	0.3	3.5	0.5	0.1	*	*	*	*	0.1	0.2
1989.....	0.3	4.2	0.6	*	*	*	*	*	0.1	0.2
1988.....	0.4	4.5	0.8	0.1	*	*	*	0.1	0.1	*
1987.....	0.4	4.4	0.9	0.1	*	*	*	0.1	0.1	0.1
1986.....	0.4	4.5	0.9	*	*	*	*	0.1	0.1	*
1985.....	0.4	5.2	1.0	*	*	*	*	*	0.1	*
1984.....	0.4	5.9	1.1	*	*	*	*	*	0.2	*
1983.....	0.5	6.8	1.3	0.2	*	*	*	*	*	*
1982.....	0.5	7.0	1.3	0.2	*	*	*	*	*	*
1981.....	0.5	9.1	1.2	*	*	*	*	0.1	0.1	*
1980.....	0.5	10.1	1.6	0.2	0.1	0.1	0.1	0.1	0.1	0.1
1979.....	0.5	9.7	1.3	0.2	0.1	0.0	0.1	0.1	0.2	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MENINGITIS (320-322)										
WHITE MALE										
1998.....	0.3	2.3	0.4	*	*	*	*	*	*	*
1997.....	0.3	1.4	*	*	*	*	*	*	*	*
1996.....	0.3	2.4	*	*	*	*	*	*	*	*
1995.....	0.3	2.3	0.3	*	*	*	*	*	*	*
1994.....	0.3	2.2	0.3	*	*	*	*	*	*	*
1993.....	0.3	2.0	*	*	*	*	*	*	*	*
1992.....	0.3	2.7	*	*	*	*	*	*	*	*
1991.....	0.3	2.5	*	*	*	*	*	*	*	*
1990.....	0.4	4.1	0.6	*	*	*	*	*	*	0.3
1989.....	0.4	4.7	0.8	*	*	*	*	*	*	*
1988.....	0.4	4.8	0.8	*	*	*	*	*	*	*
1987.....	0.5	5.2	1.0	*	*	*	*	*	0.2	*
1986.....	0.4	5.0	1.3	*	*	*	*	*	*	*
1985.....	0.5	5.6	1.3	*	*	*	*	*	*	*
1984.....	0.5	7.2	1.4	*	*	*	*	*	0.2	*
1983.....	0.5	7.6	1.4	*	*	*	*	*	*	*
1982.....	0.5	8.2	1.6	*	*	*	*	*	*	*
1981.....	0.6	11.0	1.5	*	*	*	*	*	*	*
1980.....	0.6	11.5	2.0	0.2	0.1	0.1	0.2	0.1	0.1	0.1
1979.....	0.6	10.8	1.5	0.2	0.1	0.0	0.1	0.1	0.2	0.2
WHITE FEMALE										
1998.....	0.2	2.1	*	*	*	*	*	*	*	*
1997.....	0.2	2.8	*	*	*	*	*	*	*	*
1996.....	0.2	1.4	*	*	*	*	*	*	*	*
1995.....	0.2	1.8	*	*	*	*	*	*	*	*
1994.....	0.2	1.6	*	*	*	*	*	*	*	*
1993.....	0.2	1.7	*	*	*	*	*	*	*	*
1992.....	0.3	2.3	*	*	*	*	*	*	*	*
1991.....	0.3	2.1	*	*	*	*	*	*	*	*
1990.....	0.3	3.0	0.3	*	*	*	*	*	*	*
1989.....	0.3	3.6	0.4	*	*	*	*	*	*	*
1988.....	0.4	4.2	0.7	*	*	*	*	*	*	*
1987.....	0.3	3.6	0.9	*	*	*	*	*	*	*
1986.....	0.4	4.0	0.5	*	*	*	*	*	*	*
1985.....	0.4	4.7	0.7	*	*	*	*	*	*	*
1984.....	0.4	4.6	0.8	*	*	*	*	*	*	*
1983.....	0.4	6.0	1.2	*	*	*	*	*	*	*
1982.....	0.4	5.7	1.0	*	*	*	*	*	*	*
1981.....	0.4	7.2	1.0	*	*	*	*	*	*	*
1980.....	0.4	8.7	1.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
1979.....	0.4	8.4	1.0	0.1	0.1	0.0	0.0	0.1	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MENINGITIS (320-322)										
ALL OTHER, BOTH SEXES										
1998.....	0.5	5.2	*	*	*	*	*	*	*	*
1997.....	0.5	4.5	0.6	*	*	*	*	*	*	*
1996.....	0.5	6.1	*	*	*	*	*	*	*	*
1995.....	0.5	7.1	*	*	*	*	*	*	*	*
1994.....	0.5	6.0	*	*	*	*	*	*	*	*
1993.....	0.6	6.0	*	*	*	*	*	*	*	*
1992.....	0.5	5.5	*	*	*	*	*	*	*	*
1991.....	0.7	6.3	*	*	*	*	*	*	*	0.7
1990.....	0.8	10.5	0.8	*	*	*	*	*	*	*
1989.....	0.9	12.7	1.0	*	*	*	*	*	*	*
1988.....	0.9	9.3	1.4	*	*	*	*	*	*	*
1987.....	0.9	11.4	1.2	*	*	*	*	*	*	0.9
1986.....	0.9	12.1	1.5	*	*	*	*	*	*	*
1985.....	0.9	14.8	1.6	*	*	*	*	*	*	*
1984.....	1.0	14.5	1.9	*	*	*	*	*	*	*
1983.....	1.0	17.1	1.8	*	*	*	*	*	*	*
1982.....	1.1	18.6	1.6	*	*	*	*	*	*	*
1981.....	1.3	23.3	1.3	*	*	*	*	*	*	*
1980.....	1.2	23.5	2.3	0.2	0.1	0.3	0.2	0.1	0.3	0.5
1979.....	1.4	28.0	2.4	0.4	0.2	0.2	0.1	0.1	0.4	0.7
ALL OTHER MALE										
1998.....	0.6	6.3	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	6.3	*	*	*	*	*	*	*	*
1995.....	0.6	6.6	*	*	*	*	*	*	*	*
1994.....	0.6	6.4	*	*	*	*	*	*	*	*
1993.....	0.7	7.3	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.7	6.3	*	*	*	*	*	*	*	*
1990.....	0.9	10.4	*	*	*	*	*	*	*	*
1989.....	1.1	12.9	1.4	*	*	*	*	*	*	*
1988.....	1.1	9.5	1.9	*	*	*	*	*	*	*
1987.....	1.0	11.0	1.4	*	*	*	*	*	*	*
1986.....	1.0	13.0	1.7	*	*	*	*	*	*	*
1985.....	1.1	16.1	1.9	*	*	*	*	*	*	*
1984.....	1.1	14.3	1.9	*	*	*	*	*	*	*
1983.....	1.1	17.9	1.9	*	*	*	*	*	*	*
1982.....	1.3	20.5	1.9	*	*	*	*	*	*	*
1981.....	1.5	26.2	*	*	*	*	*	*	*	*
1980.....	1.5	25.0	3.1	0.2	0.1	0.3	0.3	0.1	0.3	0.7
1979.....	1.7	31.4	2.5	0.1	0.1	0.3	0.2	0.1	0.5	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MENINGITIS (320-322)										
ALL OTHER FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	5.9	*	*	*	*	*	*	*	*
1995.....	0.4	7.5	*	*	*	*	*	*	*	*
1994.....	0.4	5.6	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	7.0	*	*	*	*	*	*	*	*
1991.....	0.6	6.3	*	*	*	*	*	*	*	*
1990.....	0.7	10.6	*	*	*	*	*	*	*	*
1989.....	0.8	12.4	*	*	*	*	*	*	*	*
1988.....	0.7	9.2	*	*	*	*	*	*	*	*
1987.....	0.8	11.8	*	*	*	*	*	*	*	*
1986.....	0.8	11.3	*	*	*	*	*	*	*	*
1985.....	0.8	13.5	*	*	*	*	*	*	*	*
1984.....	0.9	14.6	1.9	*	*	*	*	*	*	*
1983.....	0.9	16.2	1.6	*	*	*	*	*	*	*
1982.....	0.9	16.6	*	*	*	*	*	*	*	*
1981.....	1.1	20.4	*	*	*	*	*	*	*	*
1980.....	1.1	21.9	1.5	0.1	0.1	0.2	0.1	0.2	0.2	0.4
1979.....	1.2	24.5	2.2	0.6	0.3	0.1	-	0.1	0.3	0.6
BLACK, BOTH SEXES										
1998.....	0.6	6.8	*	*	*	*	*	*	*	*
1997.....	0.6	4.9	*	*	*	*	*	*	*	*
1996.....	0.6	8.1	*	*	*	*	*	*	*	*
1995.....	0.6	8.5	*	*	*	*	*	*	*	*
1994.....	0.6	7.8	*	*	*	*	*	*	*	*
1993.....	0.7	7.8	*	*	*	*	*	*	*	*
1992.....	0.6	6.1	*	*	*	*	*	*	*	*
1991.....	0.8	7.2	*	*	*	*	*	*	*	0.9
1990.....	0.9	11.6	1.0	*	*	*	*	*	*	*
1989.....	1.1	13.9	1.1	*	*	*	*	*	*	*
1988.....	1.1	10.6	1.8	*	*	*	*	*	*	*
1987.....	1.1	12.1	1.4	*	*	*	*	*	*	1.2
1986.....	1.1	13.3	1.8	*	*	*	*	*	*	*
1985.....	1.1	15.9	1.8	*	*	*	*	*	*	*
1984.....	1.1	14.9	2.2	*	*	*	*	*	*	*
1983.....	1.2	19.6	2.1	*	*	*	*	*	*	*
1982.....	1.2	20.1	1.8	*	*	*	*	*	*	*
1981.....	1.4	26.1	1.4	*	*	*	*	*	*	*
1980.....	1.4	25.8	2.6	0.2	0.1	0.3	0.2	0.1	0.3	0.6
1979.....	1.5	29.3	2.5	0.4	0.2	0.3	0.1	0.1	0.4	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MENINGITIS (320-322)										
BLACK MALE										
1998.....	0.7	8.4	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.7	8.7	*	*	*	*	*	*	*	*
1995.....	0.7	8.3	*	*	*	*	*	*	*	*
1994.....	0.8	8.3	*	*	*	*	*	*	*	*
1993.....	0.8	9.4	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.8	7.9	*	*	*	*	*	*	*	*
1990.....	1.1	11.5	*	*	*	*	*	*	*	*
1989.....	1.3	14.0	*	*	*	*	*	*	*	*
1988.....	1.3	11.4	2.4	*	*	*	*	*	*	*
1987.....	1.2	11.8	*	*	*	*	*	*	*	*
1986.....	1.2	14.3	2.0	*	*	*	*	*	*	*
1985.....	1.2	17.0	2.1	*	*	*	*	*	*	*
1984.....	1.2	14.6	2.2	*	*	*	*	*	*	*
1983.....	1.3	20.5	2.4	*	*	*	*	*	*	*
1982.....	1.5	23.1	2.1	*	*	*	*	*	*	*
1981.....	1.6	29.3	*	*	*	*	*	*	*	*
1980.....	1.6	27.9	3.3	0.2	0.1	0.3	0.4	0.1	0.3	0.8
1979.....	1.8	31.5	2.7	0.2	0.1	0.4	0.2	0.1	0.5	1.1
BLACK FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	7.4	*	*	*	*	*	*	*	*
1995.....	0.5	8.8	*	*	*	*	*	*	*	*
1994.....	0.5	7.2	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	7.6	*	*	*	*	*	*	*	*
1991.....	0.7	6.6	*	*	*	*	*	*	*	*
1990.....	0.8	11.7	*	*	*	*	*	*	*	*
1989.....	0.9	13.9	*	*	*	*	*	*	*	*
1988.....	0.9	9.6	*	*	*	*	*	*	*	*
1987.....	1.0	12.5	*	*	*	*	*	*	*	*
1986.....	0.9	12.4	*	*	*	*	*	*	*	*
1985.....	0.9	14.8	*	*	*	*	*	*	*	*
1984.....	1.0	15.2	2.1	*	*	*	*	*	*	*
1983.....	1.1	18.7	*	*	*	*	*	*	*	*
1982.....	1.0	17.0	*	*	*	*	*	*	*	*
1981.....	1.2	22.9	*	*	*	*	*	*	*	*
1980.....	1.2	23.7	1.8	0.2	0.1	0.2	0.1	0.2	0.3	0.5
1979.....	1.3	27.0	2.4	0.7	0.3	0.1	-	0.1	0.3	0.8















CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
TOTAL, BOTH SEXES										
1998.....	11.2	4.0	0.8	0.3	0.3	0.2	0.3	0.2	0.4	0.6
1997.....	11.1	3.9	0.6	0.3	0.3	0.2	0.2	0.2	0.4	0.6
1996.....	10.8	4.1	0.8	0.3	0.2	0.3	0.2	0.2	0.4	0.6
1995.....	10.4	3.9	0.9	0.3	0.3	0.2	0.2	0.3	0.4	0.6
1994.....	9.7	4.0	0.8	0.3	0.3	0.2	0.2	0.2	0.4	0.5
1993.....	9.0	4.3	1.0	0.3	0.3	0.2	0.2	0.2	0.3	0.7
1992.....	8.2	4.6	0.9	0.3	0.3	0.2	0.2	0.3	0.4	0.6
1991.....	8.1	5.4	0.9	0.4	0.3	0.2	0.2	0.3	0.4	0.6
1990.....	8.0	4.3	0.9	0.4	0.4	0.2	0.2	0.2	0.4	0.6
1989.....	7.8	5.1	1.0	0.4	0.3	0.3	0.3	0.2	0.3	0.4
1988.....	7.5	5.0	0.9	0.3	0.3	0.3	0.3	0.3	0.4	0.5
1987.....	7.2	4.5	0.9	0.4	0.4	0.3	0.2	0.2	0.3	0.5
1986.....	6.4	4.9	1.0	0.4	0.4	0.2	0.2	0.2	0.3	0.6
1985.....	5.9	5.8	1.1	0.4	0.4	0.2	0.2	0.2	0.4	0.5
1984.....	5.1	5.7	1.0	0.5	0.4	0.3	0.2	0.2	0.3	0.5
1983.....	4.4	5.6	1.2	0.5	0.4	0.3	0.2	0.2	0.2	0.6
1982.....	3.5	5.5	1.3	0.6	0.4	0.3	0.2	0.2	0.4	0.4
1981.....	3.2	6.3	1.4	0.7	0.4	0.3	0.2	0.2	0.3	0.4
1980.....	3.1	7.1	1.4	0.7	0.6	0.2	0.3	0.3	0.3	0.5
1979.....	2.8	7.5	1.4	0.8	0.6	0.3	0.3	0.3	0.3	0.5
TOTAL, MALE										
1998.....	8.2	4.4	0.8	0.3	0.4	0.2	0.3	0.3	0.5	0.7
1997.....	8.2	4.0	0.6	0.3	0.4	0.2	*	0.3	0.6	0.9
1996.....	8.2	4.6	0.8	0.3	0.2	0.3	0.2	0.3	0.5	0.9
1995.....	8.1	4.0	0.9	0.4	0.3	*	0.2	0.3	0.5	0.8
1994.....	7.7	4.3	0.8	0.3	0.3	0.3	*	0.2	0.5	0.7
1993.....	7.3	4.8	0.9	0.4	0.3	0.2	0.3	0.3	0.4	0.8
1992.....	6.8	5.3	0.9	0.3	0.3	0.3	0.4	0.3	0.5	0.8
1991.....	6.8	6.1	0.9	0.4	0.4	*	0.3	0.3	0.5	0.8
1990.....	6.7	5.2	1.0	0.4	0.4	0.2	*	0.2	0.5	0.7
1989.....	6.8	5.6	1.1	0.5	0.4	0.3	0.3	0.3	0.4	0.6
1988.....	6.7	5.4	0.9	0.3	0.3	0.3	0.3	0.3	0.5	0.7
1987.....	6.5	4.5	0.8	0.5	0.4	0.3	0.3	0.3	0.4	0.6
1986.....	5.9	4.8	1.0	0.4	0.5	0.3	0.3	0.2	0.4	0.7
1985.....	5.6	6.0	1.0	0.5	0.4	0.3	0.2	0.2	0.4	0.6
1984.....	5.0	6.5	1.1	0.4	0.5	0.2	0.2	0.2	0.4	0.6
1983.....	4.5	5.4	1.3	0.6	0.4	0.3	0.2	0.3	0.3	0.6
1982.....	3.5	6.2	1.3	0.6	0.4	0.3	0.2	0.3	0.4	0.5
1981.....	3.4	7.5	1.5	0.7	0.4	0.3	0.2	0.3	0.4	0.6
1980.....	3.2	7.3	1.3	0.7	0.5	0.2	0.3	0.4	0.4	0.6
1979.....	3.0	8.7	1.3	0.8	0.5	0.3	0.3	0.4	0.3	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
TOTAL, FEMALE										
1998.....	14.0	3.6	0.8	0.2	0.2	0.2	0.3	*	0.3	0.5
1997.....	13.8	3.8	0.7	0.3	*	*	0.3	*	0.3	0.4
1996.....	13.3	3.6	0.9	0.3	0.2	0.3	*	*	0.3	0.4
1995.....	12.6	3.7	0.9	0.3	0.3	*	*	0.2	0.3	0.4
1994.....	11.6	3.8	0.8	0.3	0.2	*	0.2	*	0.3	0.4
1993.....	10.7	3.8	1.1	0.2	0.2	*	*	0.2	0.3	0.5
1992.....	9.5	3.8	0.9	0.3	*	*	*	0.3	0.3	0.4
1991.....	9.4	4.7	0.9	0.4	0.2	*	0.2	0.2	0.2	0.5
1990.....	9.3	3.4	0.9	0.3	0.3	*	*	0.3	0.3	0.4
1989.....	8.7	4.7	1.0	0.3	0.3	0.3	0.3	0.2	0.3	0.3
1988.....	8.3	4.6	1.0	0.3	0.3	0.3	*	0.2	0.3	0.3
1987.....	7.8	4.6	0.9	0.3	0.4	0.3	*	*	0.3	0.4
1986.....	6.9	5.0	1.0	0.4	0.3	*	*	*	0.2	0.5
1985.....	6.2	5.6	1.1	0.3	0.3	*	0.2	*	0.3	0.4
1984.....	5.2	5.0	1.0	0.5	0.3	0.3	*	0.2	0.2	0.3
1983.....	4.4	6.0	1.2	0.4	0.4	0.3	*	0.2	*	0.5
1982.....	3.5	4.8	1.3	0.7	0.3	0.3	*	*	0.3	0.3
1981.....	3.1	5.2	1.3	0.7	0.4	0.3	*	0.2	0.2	0.3
1980.....	2.9	6.9	1.5	0.7	0.7	0.3	0.2	0.2	0.2	0.4
1979.....	2.7	6.3	1.5	0.8	0.6	0.2	0.2	0.2	0.4	0.5
WHITE, BOTH SEXES										
1998.....	12.6	4.1	0.8	0.3	0.3	0.3	0.3	0.2	0.4	0.6
1997.....	12.5	4.1	0.6	0.3	0.3	0.2	0.2	0.2	0.4	0.7
1996.....	12.2	4.6	0.8	0.3	0.2	0.4	0.2	0.2	0.4	0.6
1995.....	11.7	3.9	0.9	0.3	0.3	0.2	0.2	0.3	0.4	0.6
1994.....	10.9	4.2	0.8	0.3	0.3	0.2	0.2	0.2	0.4	0.6
1993.....	10.1	4.9	1.0	0.4	0.3	0.2	0.2	0.2	0.3	0.7
1992.....	9.1	4.7	0.8	0.3	0.3	0.3	0.3	0.3	0.4	0.6
1991.....	9.1	5.9	0.8	0.4	0.3	0.2	0.3	0.3	0.4	0.6
1990.....	8.9	4.3	1.0	0.3	0.4	0.3	0.2	0.2	0.3	0.6
1989.....	8.7	5.1	1.0	0.4	0.3	0.3	0.3	0.3	0.4	0.5
1988.....	8.4	4.7	1.0	0.3	0.3	0.3	0.3	0.3	0.4	0.5
1987.....	8.0	4.4	0.8	0.4	0.4	0.3	0.2	0.2	0.3	0.5
1986.....	7.1	4.9	1.1	0.3	0.4	0.2	0.2	0.2	0.3	0.6
1985.....	6.5	5.5	1.0	0.4	0.4	0.2	0.2	0.2	0.4	0.5
1984.....	5.6	5.7	1.0	0.4	0.4	0.3	0.2	0.2	0.3	0.5
1983.....	4.8	5.7	1.2	0.5	0.4	0.3	0.2	0.2	0.2	0.5
1982.....	3.8	5.4	1.2	0.7	0.4	0.3	0.2	0.2	0.3	0.4
1981.....	3.5	6.1	1.3	0.7	0.4	0.3	0.2	0.2	0.3	0.5
1980.....	3.3	6.4	1.3	0.7	0.6	0.3	0.2	0.2	0.3	0.4
1979.....	3.0	6.9	1.2	0.9	0.6	0.3	0.2	0.3	0.4	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
WHITE MALE										
1998.....	9.2	4.4	0.9	0.3	0.4	0.3	0.3	0.3	0.5	0.7
1997.....	9.2	4.1	0.6	0.4	0.4	*	*	*	0.6	0.9
1996.....	9.2	5.2	0.8	0.3	*	0.4	*	0.3	0.5	0.9
1995.....	9.1	4.0	0.9	0.4	0.3	*	*	0.4	0.5	0.8
1994.....	8.6	4.2	0.9	0.3	0.4	0.3	*	*	0.5	0.7
1993.....	8.1	5.5	0.9	0.5	0.3	*	*	*	0.4	0.9
1992.....	7.5	5.3	0.8	0.3	0.4	0.3	0.4	0.3	0.5	0.8
1991.....	7.6	6.9	0.8	0.5	0.4	*	0.3	0.3	0.5	0.7
1990.....	7.4	5.5	1.0	0.4	0.5	*	*	*	0.4	0.7
1989.....	7.5	5.6	1.0	0.5	0.4	0.3	0.2	0.3	0.4	0.6
1988.....	7.4	4.9	1.0	0.3	0.4	0.3	0.3	0.3	0.5	0.8
1987.....	7.2	4.1	0.8	0.5	0.4	0.3	0.3	0.3	0.4	0.6
1986.....	6.5	4.6	1.1	0.4	0.5	0.3	0.3	0.2	0.4	0.7
1985.....	6.2	5.5	1.0	0.5	0.4	0.3	0.2	*	0.4	0.6
1984.....	5.5	6.6	1.1	0.4	0.4	0.3	*	*	0.4	0.6
1983.....	4.8	5.4	1.2	0.6	0.4	0.3	*	0.3	0.3	0.6
1982.....	3.8	6.1	1.2	0.6	0.4	0.3	*	0.3	0.4	0.5
1981.....	3.6	7.1	1.4	0.7	0.4	0.3	0.2	0.2	0.4	0.6
1980.....	3.4	6.7	1.2	0.7	0.5	0.2	0.3	0.3	0.4	0.5
1979.....	3.1	7.8	1.1	0.9	0.6	0.3	0.3	0.3	0.3	0.4
WHITE FEMALE										
1998.....	15.9	3.8	0.8	*	0.3	*	0.3	*	0.3	0.5
1997.....	15.8	4.1	0.7	0.3	*	*	*	*	0.3	0.4
1996.....	15.1	4.0	0.9	0.3	*	0.4	*	*	0.3	0.4
1995.....	14.3	3.7	0.9	0.3	0.3	*	*	*	0.3	0.3
1994.....	13.2	4.1	0.8	0.3	*	*	*	*	0.3	0.4
1993.....	12.1	4.2	1.1	*	*	*	*	*	0.3	0.5
1992.....	10.7	4.2	0.9	0.3	*	*	*	0.3	0.3	0.4
1991.....	10.6	4.8	0.8	0.4	*	*	*	*	*	0.5
1990.....	10.4	3.1	0.9	0.3	0.3	*	*	0.2	0.3	0.5
1989.....	9.8	4.6	1.0	0.3	*	0.3	0.4	0.2	0.3	0.4
1988.....	9.4	4.5	0.9	0.3	*	0.3	*	0.2	0.3	0.3
1987.....	8.8	4.8	0.8	0.3	0.4	0.3	*	*	0.3	0.4
1986.....	7.7	5.1	1.0	0.3	*	*	*	*	*	0.5
1985.....	6.9	5.6	1.0	0.3	0.3	*	*	*	0.3	0.4
1984.....	5.8	4.9	0.9	0.5	0.4	0.4	*	0.2	0.2	0.3
1983.....	4.8	6.1	1.2	0.4	0.4	0.3	*	*	*	0.4
1982.....	3.9	4.6	1.3	0.8	0.4	0.3	*	*	0.3	0.3
1981.....	3.3	5.0	1.2	0.8	0.4	0.3	*	*	0.3	0.4
1980.....	3.2	6.1	1.4	0.8	0.7	0.3	0.2	0.1	0.3	0.3
1979.....	2.9	6.0	1.3	0.9	0.7	0.2	0.2	0.2	0.4	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
ALL OTHER, BOTH SEXES										
1998.....	4.2	3.6	0.9	*	*	*	*	*	*	*
1997.....	4.1	3.2	0.6	*	*	*	*	*	*	*
1996.....	3.9	*	0.9	*	*	*	*	*	*	0.6
1995.....	4.1	3.8	1.0	*	*	*	*	*	0.6	0.6
1994.....	3.5	3.5	0.7	*	*	*	*	*	*	*
1993.....	3.5	*	1.2	*	*	*	*	*	*	0.6
1992.....	3.2	3.9	1.1	*	*	*	*	*	*	*
1991.....	3.1	3.9	1.2	*	*	*	*	*	*	0.7
1990.....	3.2	4.0	0.8	*	*	*	*	*	0.5	*
1989.....	3.1	5.3	1.1	*	*	*	*	*	*	*
1988.....	2.8	6.3	0.9	*	*	*	*	*	*	*
1987.....	2.8	5.0	1.1	*	*	*	*	*	*	*
1986.....	2.5	5.0	0.9	*	*	*	*	*	*	*
1985.....	2.4	6.7	1.4	*	*	*	*	*	*	*
1984.....	2.1	5.7	1.2	*	*	*	*	*	*	*
1983.....	2.0	5.2	1.3	*	*	*	*	*	*	*
1982.....	1.7	6.1	1.6	*	*	*	*	*	*	*
1981.....	1.8	7.5	1.8	*	*	*	*	*	*	*
1980.....	1.9	10.2	1.9	0.7	0.4	0.1	0.4	0.6	0.3	0.9
1979.....	1.9	10.5	2.4	0.6	0.4	0.4	0.4	0.4	0.1	0.6
ALL OTHER MALE										
1998.....	3.2	*	*	*	*	*	*	*	*	*
1997.....	3.4	*	*	*	*	*	*	*	*	*
1996.....	3.2	*	*	*	*	*	*	*	*	*
1995.....	3.4	*	*	*	*	*	*	*	*	*
1994.....	3.1	*	*	*	*	*	*	*	*	*
1993.....	3.2	*	*	*	*	*	*	*	*	*
1992.....	3.0	5.4	1.2	*	*	*	*	*	*	*
1991.....	2.9	*	1.3	*	*	*	*	*	*	*
1990.....	3.2	*	*	*	*	*	*	*	*	*
1989.....	3.0	5.4	1.4	*	*	*	*	*	*	*
1988.....	2.8	7.7	*	*	*	*	*	*	*	*
1987.....	2.9	6.3	*	*	*	*	*	*	*	*
1986.....	2.6	*	*	*	*	*	*	*	*	*
1985.....	2.5	7.8	*	*	*	*	*	*	*	*
1984.....	2.2	6.0	*	*	*	*	*	*	*	*
1983.....	2.1	*	*	*	*	*	*	*	*	*
1982.....	1.8	6.5	1.9	*	*	*	*	*	*	*
1981.....	2.0	9.1	1.9	*	*	*	*	*	*	*
1980.....	2.1	9.7	1.7	0.9	0.3	0.2	0.3	0.6	0.6	0.7
1979.....	2.4	13.2	2.2	0.6	0.4	0.7	0.5	0.6	-	0.6



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
ALL OTHER FEMALE										
1998.....	5.1	*	*	*	*	*	*	*	*	*
1997.....	4.6	*	*	*	*	*	*	*	*	*
1996.....	4.6	*	*	*	*	*	*	*	*	*
1995.....	4.6	*	*	*	*	*	*	*	*	*
1994.....	3.9	*	*	*	*	*	*	*	*	*
1993.....	3.7	*	1.3	*	*	*	*	*	*	*
1992.....	3.4	*	*	*	*	*	*	*	*	*
1991.....	3.2	*	*	*	*	*	*	*	*	*
1990.....	3.3	*	*	*	*	*	*	*	*	*
1989.....	3.2	5.1	*	*	*	*	*	*	*	*
1988.....	2.8	*	*	*	*	*	*	*	*	*
1987.....	2.7	*	*	*	*	*	*	*	*	*
1986.....	2.5	*	*	*	*	*	*	*	*	*
1985.....	2.4	*	1.7	*	*	*	*	*	*	*
1984.....	2.0	*	*	*	*	*	*	*	*	*
1983.....	1.8	*	*	*	*	*	*	*	*	*
1982.....	1.6	*	*	*	*	*	*	*	*	*
1981.....	1.6	*	1.7	*	*	*	*	*	*	*
1980.....	1.7	10.8	2.0	0.5	0.6	0.1	0.5	0.5	0.1	1.0
1979.....	1.5	7.7	2.5	0.6	0.3	0.1	0.2	0.1	0.3	0.6
BLACK, BOTH SEXES										
1998.....	5.0	4.8	1.1	*	*	*	*	*	*	*
1997.....	4.8	*	*	*	*	*	*	*	*	*
1996.....	4.7	*	0.9	*	*	*	*	*	*	*
1995.....	4.8	4.0	1.0	*	*	*	*	*	0.7	0.7
1994.....	4.1	3.6	0.8	*	*	*	*	*	*	*
1993.....	4.1	*	1.4	*	*	*	*	*	*	*
1992.....	3.9	3.5	1.2	*	*	*	*	*	*	*
1991.....	3.7	4.3	1.4	*	*	*	*	*	*	0.9
1990.....	3.8	4.5	*	*	*	*	*	*	*	*
1989.....	3.6	5.4	1.1	*	*	*	*	*	*	*
1988.....	3.2	6.5	1.0	*	*	*	*	*	*	*
1987.....	3.1	4.4	1.3	*	*	*	*	*	*	*
1986.....	2.9	5.8	1.0	*	*	*	*	*	*	*
1985.....	2.7	7.3	1.5	*	*	*	*	*	*	*
1984.....	2.3	4.7	1.3	*	*	*	*	*	*	*
1983.....	2.1	5.4	1.4	*	*	*	*	*	*	*
1982.....	1.9	6.4	1.7	*	*	*	*	*	*	*
1981.....	1.9	7.8	1.7	*	*	*	*	*	*	*
1980.....	2.1	11.0	1.9	0.7	0.4	0.1	0.5	0.7	0.4	1.0
1979.....	1.9	10.5	2.4	0.5	0.4	0.4	0.3	0.4	0.1	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
BLACK MALE										
1998.....	3.7	*	*	*	*	*	*	*	*	*
1997.....	4.0	*	*	*	*	*	*	*	*	*
1996.....	3.6	*	*	*	*	*	*	*	*	*
1995.....	4.0	*	*	*	*	*	*	*	*	*
1994.....	3.6	*	*	*	*	*	*	*	*	*
1993.....	3.7	*	*	*	*	*	*	*	*	*
1992.....	3.6	*	*	*	*	*	*	*	*	*
1991.....	3.5	*	*	*	*	*	*	*	*	*
1990.....	3.6	*	*	*	*	*	*	*	*	*
1989.....	3.5	6.3	*	*	*	*	*	*	*	*
1988.....	3.2	7.7	*	*	*	*	*	*	*	*
1987.....	3.2	*	*	*	*	*	*	*	*	*
1986.....	2.9	*	*	*	*	*	*	*	*	*
1985.....	2.7	8.7	*	*	*	*	*	*	*	*
1984.....	2.4	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*
1982.....	2.0	7.7	1.9	*	*	*	*	*	*	*
1981.....	2.1	8.9	*	*	*	*	*	*	*	*
1980.....	2.4	11.2	1.8	0.9	0.3	0.2	0.4	0.7	0.8	0.8
1979.....	2.4	13.8	2.3	0.5	0.4	0.7	0.4	0.8	-	0.8
BLACK FEMALE										
1998.....	6.1	*	*	*	*	*	*	*	*	*
1997.....	5.5	*	*	*	*	*	*	*	*	*
1996.....	5.6	*	*	*	*	*	*	*	*	*
1995.....	5.5	*	*	*	*	*	*	*	*	*
1994.....	4.6	*	*	*	*	*	*	*	*	*
1993.....	4.4	*	*	*	*	*	*	*	*	*
1992.....	4.1	*	*	*	*	*	*	*	*	*
1991.....	3.8	*	*	*	*	*	*	*	*	*
1990.....	4.0	*	*	*	*	*	*	*	*	*
1989.....	3.7	*	*	*	*	*	*	*	*	*
1988.....	3.3	*	*	*	*	*	*	*	*	*
1987.....	3.1	*	*	*	*	*	*	*	*	*
1986.....	2.8	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	2.0	*	*	*	*	*	*	*	*	*
1982.....	1.8	*	*	*	*	*	*	*	*	*
1981.....	1.7	*	*	*	*	*	*	*	*	*
1980.....	1.8	10.9	2.0	0.6	0.5	0.1	0.6	0.6	0.1	1.3
1979.....	1.5	7.0	2.5	0.5	0.4	0.1	0.3	0.2	0.2	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MULTIPLE SCLEROSIS (340)										
TOTAL, BOTH SEXES										
1998.....	0.9	*	*	*	*	*	*	0.1	0.2	0.4
1997.....	0.9	*	*	*	*	*	*	0.1	0.2	0.5
1996.....	0.9	*	*	*	*	*	*	0.1	0.2	0.4
1995.....	0.8	*	*	*	*	*	*	*	0.2	0.5
1994.....	0.8	*	*	*	*	*	*	0.1	0.2	0.5
1993.....	0.8	*	*	*	*	*	*	0.1	0.2	0.5
1992.....	0.7	*	*	*	*	*	*	*	0.3	0.5
1991.....	0.7	*	*	*	*	*	*	*	0.2	0.4
1990.....	0.7	*	*	*	*	*	*	*	0.2	0.5
1989.....	0.7	*	*	*	*	*	*	*	0.3	0.5
1988.....	0.7	*	*	*	*	*	*	0.1	0.3	0.5
1987.....	0.7	*	*	*	*	*	*	0.1	0.3	0.6
1986.....	0.6	*	*	*	*	*	*	0.1	0.3	0.5
1985.....	0.6	*	*	*	*	*	*	0.1	0.3	0.5
1984.....	0.6	*	*	*	*	*	*	0.1	0.3	0.6
1983.....	0.6	*	*	*	*	*	*	0.1	0.3	0.6
1982.....	0.6	*	*	*	*	*	*	0.1	0.3	0.6
1981.....	0.6	*	*	*	*	*	*	0.2	0.3	0.6
1980.....	0.6	-	-	0.0	-	0.0	0.1	0.2	0.3	0.6
1979.....	0.6	-	-	-	-	0.0	0.1	0.2	0.4	0.7
TOTAL, MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	0.2
1997.....	0.7	*	*	*	*	*	*	*	0.2	0.4
1996.....	0.6	*	*	*	*	*	*	*	*	0.3
1995.....	0.6	*	*	*	*	*	*	*	*	0.4
1994.....	0.6	*	*	*	*	*	*	*	*	0.3
1993.....	0.5	*	*	*	*	*	*	*	0.2	0.3
1992.....	0.6	*	*	*	*	*	*	*	*	0.4
1991.....	0.5	*	*	*	*	*	*	*	*	0.3
1990.....	0.5	*	*	*	*	*	*	*	*	0.4
1989.....	0.5	*	*	*	*	*	*	*	0.2	0.3
1988.....	0.5	*	*	*	*	*	*	*	0.3	0.4
1987.....	0.5	*	*	*	*	*	*	*	0.2	0.5
1986.....	0.5	*	*	*	*	*	*	*	*	0.5
1985.....	0.5	*	*	*	*	*	*	*	0.2	0.4
1984.....	0.5	*	*	*	*	*	*	*	*	0.5
1983.....	0.5	*	*	*	*	*	*	*	0.2	0.4
1982.....	0.5	*	*	*	*	*	*	*	*	0.6
1981.....	0.5	*	*	*	*	*	*	*	0.2	0.5
1980.....	0.5	-	-	-	-	0.0	0.0	0.1	0.2	0.6
1979.....	0.5	-	-	-	-	0.0	0.0	0.1	0.2	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MULTIPLE SCLEROSIS (340)										
TOTAL, FEMALE										
1998.....	1.2	*	*	*	*	*	*	*	0.3	0.6
1997.....	1.2	*	*	*	*	*	*	*	0.3	0.5
1996.....	1.1	*	*	*	*	*	*	*	0.2	0.6
1995.....	1.0	*	*	*	*	*	*	*	0.3	0.5
1994.....	1.0	*	*	*	*	*	*	*	0.3	0.7
1993.....	1.0	*	*	*	*	*	*	*	0.2	0.7
1992.....	0.9	*	*	*	*	*	*	*	0.4	0.7
1991.....	0.9	*	*	*	*	*	*	*	0.3	0.6
1990.....	0.8	*	*	*	*	*	*	*	0.3	0.6
1989.....	0.8	*	*	*	*	*	*	*	0.3	0.6
1988.....	0.8	*	*	*	*	*	*	0.2	0.3	0.6
1987.....	0.8	*	*	*	*	*	*	*	0.3	0.8
1986.....	0.7	*	*	*	*	*	*	*	0.4	0.6
1985.....	0.8	*	*	*	*	*	*	0.2	0.4	0.6
1984.....	0.7	*	*	*	*	*	*	0.2	0.3	0.8
1983.....	0.7	*	*	*	*	*	*	*	0.4	0.7
1982.....	0.7	*	*	*	*	*	*	*	0.4	0.7
1981.....	0.8	*	*	*	*	*	*	0.2	0.5	0.7
1980.....	0.8	-	-	0.0	-	0.0	0.1	0.3	0.4	0.7
1979.....	0.7	-	-	-	-	0.0	0.1	0.2	0.6	0.8
WHITE, BOTH SEXES										
1998.....	1.0	*	*	*	*	*	*	*	0.2	0.4
1997.....	1.0	*	*	*	*	*	*	*	0.2	0.5
1996.....	0.9	*	*	*	*	*	*	*	0.2	0.4
1995.....	0.9	*	*	*	*	*	*	*	0.2	0.5
1994.....	0.9	*	*	*	*	*	*	*	0.2	0.4
1993.....	0.8	*	*	*	*	*	*	*	0.2	0.5
1992.....	0.8	*	*	*	*	*	*	*	0.2	0.5
1991.....	0.8	*	*	*	*	*	*	*	0.2	0.4
1990.....	0.7	*	*	*	*	*	*	*	0.2	0.5
1989.....	0.7	*	*	*	*	*	*	*	0.2	0.4
1988.....	0.7	*	*	*	*	*	*	*	0.3	0.6
1987.....	0.7	*	*	*	*	*	*	0.1	0.2	0.6
1986.....	0.7	*	*	*	*	*	*	*	0.2	0.5
1985.....	0.7	*	*	*	*	*	*	*	0.3	0.5
1984.....	0.6	*	*	*	*	*	*	0.1	0.2	0.6
1983.....	0.6	*	*	*	*	*	*	*	0.3	0.6
1982.....	0.6	*	*	*	*	*	*	0.1	0.3	0.6
1981.....	0.7	*	*	*	*	*	*	0.2	0.4	0.6
1980.....	0.7	-	-	0.0	-	0.0	0.1	0.1	0.3	0.6
1979.....	0.6	-	-	-	-	0.0	0.1	0.1	0.4	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MULTIPLE SCLEROSIS (340)										
WHITE MALE										
1998.....	0.7	*	*	*	*	*	*	*	*	0.2
1997.....	0.7	*	*	*	*	*	*	*	*	0.4
1996.....	0.7	*	*	*	*	*	*	*	*	0.2
1995.....	0.7	*	*	*	*	*	*	*	*	0.4
1994.....	0.6	*	*	*	*	*	*	*	*	0.3
1993.....	0.6	*	*	*	*	*	*	*	*	0.2
1992.....	0.6	*	*	*	*	*	*	*	*	0.4
1991.....	0.6	*	*	*	*	*	*	*	*	0.3
1990.....	0.5	*	*	*	*	*	*	*	*	0.4
1989.....	0.6	*	*	*	*	*	*	*	*	0.3
1988.....	0.6	*	*	*	*	*	*	*	0.2	0.4
1987.....	0.6	*	*	*	*	*	*	*	*	0.5
1986.....	0.5	*	*	*	*	*	*	*	*	0.4
1985.....	0.5	*	*	*	*	*	*	*	*	0.4
1984.....	0.5	*	*	*	*	*	*	*	*	0.4
1983.....	0.5	*	*	*	*	*	*	*	*	0.4
1982.....	0.5	*	*	*	*	*	*	*	*	0.6
1981.....	0.5	*	*	*	*	*	*	*	*	0.4
1980.....	0.5	-	-	-	-	0.0	0.0	0.1	0.2	0.6
1979.....	0.5	-	-	-	-	0.0	0.0	0.1	0.2	0.6
WHITE FEMALE										
1998.....	1.3	*	*	*	*	*	*	*	*	0.6
1997.....	1.3	*	*	*	*	*	*	*	0.3	0.5
1996.....	1.2	*	*	*	*	*	*	*	*	0.6
1995.....	1.1	*	*	*	*	*	*	*	0.3	0.6
1994.....	1.1	*	*	*	*	*	*	*	*	0.6
1993.....	1.1	*	*	*	*	*	*	*	0.2	0.7
1992.....	1.0	*	*	*	*	*	*	*	0.3	0.7
1991.....	1.0	*	*	*	*	*	*	*	0.2	0.6
1990.....	0.9	*	*	*	*	*	*	*	0.3	0.6
1989.....	0.9	*	*	*	*	*	*	*	0.3	0.5
1988.....	0.9	*	*	*	*	*	*	*	0.3	0.7
1987.....	0.9	*	*	*	*	*	*	*	0.3	0.8
1986.....	0.8	*	*	*	*	*	*	*	0.3	0.6
1985.....	0.8	*	*	*	*	*	*	*	0.4	0.6
1984.....	0.8	*	*	*	*	*	*	*	0.3	0.7
1983.....	0.8	*	*	*	*	*	*	*	0.4	0.7
1982.....	0.8	*	*	*	*	*	*	*	0.4	0.7
1981.....	0.8	*	*	*	*	*	*	*	0.5	0.7
1980.....	0.8	-	-	0.0	-	0.0	0.1	0.2	0.4	0.7
1979.....	0.8	-	-	-	-	0.0	0.1	0.2	0.6	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MULTIPLE SCLEROSIS (340)										
ALL OTHER, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	0.6
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	0.7
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	0.7
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	1.0
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.0	0.1	0.4	0.3	0.8
1979.....	0.4	-	-	-	-	0.1	0.1	0.3	0.4	0.6
ALL OTHER MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.1	0.1	0.3	0.8
1979.....	0.3	-	-	-	-	0.2	0.1	0.3	0.1	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MULTIPLE SCLEROSIS (340)										
ALL OTHER FEMALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	-	0.1	0.1	0.7	0.2	0.7
1979.....	0.4	-	-	-	-	-	0.1	0.3	0.7	0.7
BLACK, BOTH SEXES										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	0.8
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	1.0
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	0.9
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	1.3
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.0	0.1	0.4	0.3	1.0
1979.....	0.4	-	-	-	-	0.1	0.1	0.4	0.5	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MULTIPLE SCLEROSIS (340)										
BLACK MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.2	0.1	0.3	1.1
1979.....	0.4	-	-	-	-	0.2	0.1	0.4	0.1	0.6
BLACK FEMALE										
1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	-	-	-	0.1	0.1	0.7	0.2	0.9
1979.....	0.4	-	-	-	-	-	0.1	0.4	0.8	0.9



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFANTILE CEREBRAL PALSY (343)										
TOTAL, BOTH SEXES										
1998.....	0.4	*	0.6	0.4	0.5	0.6	0.4	0.3	0.3	0.2
1997.....	0.4	0.6	0.6	0.5	0.6	0.6	0.5	0.3	0.3	0.2
1996.....	0.3	0.6	0.5	0.6	0.5	0.6	0.5	0.3	0.2	0.2
1995.....	0.4	0.7	0.6	0.6	0.7	0.6	0.5	0.3	0.2	0.2
1994.....	0.4	0.8	0.7	0.6	0.7	0.6	0.5	0.3	0.2	0.2
1993.....	0.4	0.7	0.7	0.7	0.7	0.6	0.4	0.2	0.2	0.1
1992.....	0.3	0.9	0.7	0.5	0.6	0.5	0.4	0.3	0.2	0.2
1991.....	0.3	1.3	0.6	0.6	0.6	0.5	0.3	0.2	0.2	0.2
1990.....	0.3	1.1	0.7	0.6	0.6	0.5	0.3	0.2	0.2	0.2
1989.....	0.3	1.3	0.7	0.5	0.5	0.5	0.3	0.3	0.2	0.2
1988.....	0.3	0.8	0.7	0.5	0.5	0.4	0.3	0.1	0.1	0.2
1987.....	0.3	1.3	0.7	0.5	0.4	0.3	0.3	0.2	0.1	0.1
1986.....	0.3	1.0	0.7	0.4	0.5	0.4	0.2	0.2	0.1	0.2
1985.....	0.2	1.0	0.6	0.4	0.4	0.3	0.2	0.1	*	0.2
1984.....	0.2	1.2	0.6	0.5	0.4	0.3	0.3	0.1	0.1	0.1
1983.....	0.2	1.6	0.8	0.4	0.3	0.3	0.1	0.2	*	0.1
1982.....	0.3	1.6	0.6	0.4	0.4	0.4	0.2	0.1	0.2	0.2
1981.....	0.3	2.2	0.8	0.4	0.3	0.4	0.2	0.2	0.1	*
1980.....	0.3	2.2	0.7	0.4	0.3	0.3	0.3	0.1	0.2	0.2
1979.....	0.3	2.5	0.8	0.4	0.3	0.2	0.2	0.2	0.1	0.2
TOTAL, MALE										
1998.....	0.4	*	0.6	0.5	0.6	0.8	0.4	0.3	0.3	0.3
1997.....	0.4	*	0.8	0.5	0.7	0.6	0.6	0.5	0.4	0.2
1996.....	0.4	*	0.5	0.7	0.6	0.7	0.6	0.4	*	0.3
1995.....	0.4	*	0.7	0.6	0.7	0.7	0.6	0.3	0.2	0.2
1994.....	0.4	*	0.7	0.7	0.8	0.6	0.6	0.4	0.3	0.2
1993.....	0.4	*	0.8	0.7	0.8	0.6	0.4	0.3	0.2	*
1992.....	0.4	*	0.6	0.6	0.6	0.6	0.4	0.3	0.2	*
1991.....	0.4	1.8	0.7	0.6	0.6	0.6	0.4	0.2	*	0.2
1990.....	0.4	1.0	0.9	0.7	0.5	0.6	0.3	*	0.2	*
1989.....	0.3	1.2	0.9	0.5	0.5	0.5	0.3	0.3	0.2	0.2
1988.....	0.3	*	0.7	0.4	0.6	0.4	0.3	*	0.2	0.2
1987.....	0.3	1.8	0.8	0.4	0.4	0.4	0.4	0.2	*	*
1986.....	0.3	1.3	0.7	0.5	0.5	0.4	0.3	0.2	0.2	0.3
1985.....	0.3	*	0.6	0.5	0.5	0.3	0.2	*	*	*
1984.....	0.3	1.4	0.6	0.5	0.4	0.3	0.3	*	*	*
1983.....	0.3	2.1	0.8	0.5	0.3	0.3	*	*	*	*
1982.....	0.3	1.6	0.7	0.6	0.4	0.3	0.2	0.2	0.2	*
1981.....	0.3	2.4	0.9	0.5	0.3	0.4	0.2	0.2	*	*
1980.....	0.3	2.6	0.9	0.5	0.3	0.3	0.4	0.2	0.2	0.2
1979.....	0.3	2.9	1.0	0.4	0.3	0.2	0.3	0.2	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFANTILE CEREBRAL PALSY (343)										
TOTAL, FEMALE										
1998.....	0.3	*	0.6	0.4	0.4	0.4	0.4	0.3	0.2	0.2
1997.....	0.3	*	0.5	0.5	0.5	0.6	0.5	*	0.2	0.2
1996.....	0.3	*	0.5	0.5	0.4	0.4	0.4	*	*	*
1995.....	0.3	*	0.5	0.5	0.7	0.6	0.3	0.2	0.2	*
1994.....	0.3	*	0.7	0.4	0.5	0.5	0.4	0.3	*	0.3
1993.....	0.3	*	0.7	0.6	0.7	0.6	0.3	*	0.2	*
1992.....	0.3	*	0.7	0.5	0.6	0.3	0.3	0.2	*	0.2
1991.....	0.3	*	0.6	0.6	0.5	0.4	0.3	*	*	*
1990.....	0.3	1.1	0.5	0.4	0.7	0.4	*	0.2	*	*
1989.....	0.3	1.4	0.5	0.6	0.6	0.4	0.2	0.2	*	*
1988.....	0.2	*	0.7	0.6	0.4	0.3	0.2	*	*	*
1987.....	0.2	*	0.6	0.6	0.4	0.3	*	0.3	*	*
1986.....	0.2	*	0.6	0.4	0.5	0.4	*	*	*	*
1985.....	0.2	*	0.5	0.4	*	0.2	*	*	*	*
1984.....	0.2	*	0.6	0.5	0.4	0.3	0.2	*	*	*
1983.....	0.2	*	0.7	0.4	0.4	0.3	*	*	*	*
1982.....	0.2	1.5	0.6	0.3	0.4	0.4	0.2	*	*	*
1981.....	0.2	1.9	0.7	0.4	0.3	0.3	0.2	0.2	*	*
1980.....	0.2	1.8	0.6	0.4	0.3	0.2	0.2	0.1	0.2	0.2
1979.....	0.2	2.0	0.6	0.4	0.3	0.2	0.2	0.2	0.1	0.1
WHITE, BOTH SEXES										
1998.....	0.3	*	0.5	0.4	0.5	0.5	0.4	0.3	0.2	0.2
1997.....	0.4	*	0.5	0.4	0.6	0.5	0.5	0.3	0.3	0.2
1996.....	0.3	*	0.5	0.6	0.5	0.5	0.4	0.2	0.2	0.2
1995.....	0.3	0.7	0.5	0.5	0.6	0.6	0.4	0.3	0.2	0.2
1994.....	0.3	0.8	0.6	0.5	0.5	0.5	0.4	0.3	0.2	0.2
1993.....	0.3	*	0.6	0.6	0.7	0.6	0.3	0.3	0.2	0.1
1992.....	0.3	0.8	0.6	0.4	0.6	0.5	0.3	0.2	0.2	0.2
1991.....	0.3	1.0	0.5	0.5	0.5	0.5	0.3	0.2	0.2	0.2
1990.....	0.3	1.0	0.6	0.5	0.5	0.5	0.3	0.2	0.2	0.2
1989.....	0.3	1.2	0.6	0.5	0.5	0.4	0.3	0.2	0.2	0.2
1988.....	0.2	0.7	0.7	0.4	0.4	0.3	0.2	0.1	0.1	0.1
1987.....	0.2	1.2	0.6	0.5	0.3	0.3	0.3	0.2	*	0.1
1986.....	0.2	0.9	0.5	0.4	0.5	0.3	0.2	0.2	0.1	0.2
1985.....	0.2	0.8	0.5	0.4	0.3	0.2	0.1	0.1	*	0.2
1984.....	0.2	1.1	0.5	0.5	0.4	0.3	0.2	0.1	0.2	0.1
1983.....	0.2	1.4	0.6	0.4	0.3	0.3	0.1	0.2	*	0.2
1982.....	0.3	1.4	0.6	0.5	0.4	0.4	0.2	0.1	0.2	0.2
1981.....	0.2	1.6	0.7	0.5	0.3	0.4	0.2	0.2	0.1	*
1980.....	0.2	1.8	0.6	0.4	0.3	0.3	0.3	0.1	0.2	0.1
1979.....	0.2	2.1	0.7	0.4	0.3	0.2	0.2	0.2	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFANTILE CEREBRAL PALSY (343)										
WHITE MALE										
1998.....	0.4	*	0.6	0.4	0.6	0.7	0.4	0.3	*	0.3
1997.....	0.4	*	0.7	0.4	0.7	0.6	0.5	0.4	0.3	*
1996.....	0.4	*	0.4	0.7	0.6	0.7	0.6	0.3	*	0.3
1995.....	0.4	*	0.6	0.6	0.7	0.7	0.6	0.3	0.2	*
1994.....	0.4	*	0.7	0.6	0.6	0.6	0.5	0.3	0.3	*
1993.....	0.4	*	0.7	0.7	0.7	0.6	0.3	0.4	*	*
1992.....	0.3	*	0.6	0.5	0.6	0.6	0.4	0.3	*	*
1991.....	0.4	1.3	0.6	0.5	0.6	0.6	0.4	*	*	*
1990.....	0.3	*	0.9	0.7	0.5	0.6	0.3	*	*	*
1989.....	0.3	*	0.7	0.5	0.5	0.5	0.3	0.3	*	*
1988.....	0.3	*	0.7	0.3	0.4	0.4	0.3	*	*	*
1987.....	0.3	1.7	0.7	0.4	0.3	0.3	0.4	*	*	*
1986.....	0.3	1.3	0.6	0.4	0.4	0.3	0.3	0.3	*	0.3
1985.....	0.2	*	0.5	0.4	0.5	*	*	*	*	*
1984.....	0.3	*	0.5	0.5	0.4	0.3	0.3	*	*	*
1983.....	0.3	2.0	0.6	0.5	0.3	0.3	*	*	*	*
1982.....	0.3	*	0.6	0.6	0.4	0.3	0.2	*	*	*
1981.....	0.3	1.8	0.8	0.5	0.3	0.4	0.2	*	*	*
1980.....	0.3	2.3	0.6	0.4	0.3	0.3	0.4	0.2	0.2	0.1
1979.....	0.3	2.5	0.9	0.4	0.3	0.2	0.3	0.2	0.1	0.2
WHITE FEMALE										
1998.....	0.3	*	0.5	0.4	0.4	0.4	0.4	*	*	*
1997.....	0.3	*	0.3	0.5	0.5	0.5	0.5	*	*	*
1996.....	0.2	*	0.5	0.4	0.4	0.4	*	*	*	*
1995.....	0.3	*	0.4	0.4	0.6	0.6	0.3	*	*	*
1994.....	0.3	*	0.6	0.3	0.4	0.4	0.3	0.3	*	0.3
1993.....	0.3	*	0.5	0.5	0.6	0.6	0.3	*	*	*
1992.....	0.3	*	0.5	0.4	0.5	*	*	*	*	*
1991.....	0.2	*	0.5	0.5	0.5	0.4	*	*	*	*
1990.....	0.2	*	0.4	0.4	0.6	0.4	*	*	*	*
1989.....	0.2	*	0.5	0.5	0.5	0.3	*	*	*	*
1988.....	0.2	*	0.6	0.5	0.4	*	*	*	*	*
1987.....	0.2	*	0.5	0.5	0.3	*	*	0.3	*	*
1986.....	0.2	*	0.4	0.3	0.5	0.3	*	*	*	*
1985.....	0.2	*	0.4	0.3	*	*	*	*	*	*
1984.....	0.2	*	0.5	0.4	0.3	0.3	*	*	*	*
1983.....	0.2	*	0.6	0.4	0.3	0.3	*	*	*	*
1982.....	0.2	1.7	0.6	*	0.3	0.4	*	*	*	*
1981.....	0.2	1.4	0.6	0.4	0.3	0.3	*	0.2	*	*
1980.....	0.2	1.3	0.6	0.4	0.2	0.2	0.2	0.1	0.2	0.2
1979.....	0.2	1.7	0.5	0.4	0.3	0.2	0.1	0.2	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFANTILE CEREBRAL PALSY (343)										
ALL OTHER, BOTH SEXES										
1998.....	0.5	*	0.9	0.7	0.7	1.0	*	*	*	*
1997.....	0.5	*	1.0	0.8	0.6	0.9	*	*	*	*
1996.....	0.5	*	0.8	0.7	0.6	0.7	0.8	*	*	*
1995.....	0.5	*	1.1	0.9	0.8	0.6	0.7	*	*	*
1994.....	0.5	*	1.1	0.8	1.3	0.8	0.6	*	*	*
1993.....	0.5	*	1.3	0.9	1.0	0.8	0.6	*	*	*
1992.....	0.4	*	1.0	0.9	0.7	*	*	*	*	*
1991.....	0.4	2.2	1.0	0.9	0.7	0.6	*	*	*	*
1990.....	0.4	*	0.9	0.7	0.7	*	*	*	*	*
1989.....	0.4	*	1.0	0.8	0.8	0.8	*	*	*	*
1988.....	0.4	*	0.9	0.9	1.0	*	*	*	*	*
1987.....	0.4	*	1.0	0.7	*	0.6	*	*	*	*
1986.....	0.4	*	1.3	0.7	0.7	*	*	*	*	*
1985.....	0.3	*	1.0	*	*	*	*	*	*	*
1984.....	0.3	*	0.8	*	0.7	*	*	*	*	*
1983.....	0.4	*	1.4	*	0.7	*	*	*	*	*
1982.....	0.3	*	0.8	*	*	*	*	*	*	*
1981.....	0.4	4.8	1.3	*	*	*	*	*	*	*
1980.....	0.4	4.1	1.4	0.7	0.6	0.3	0.3	0.2	0.2	0.3
1979.....	0.3	4.2	1.4	0.4	0.5	0.1	0.3	0.1	0.0	-
ALL OTHER MALE										
1998.....	0.6	*	*	*	*	1.2	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	1.5	*	*	*	*	*
1993.....	0.6	*	*	*	1.3	*	*	*	*	*
1992.....	0.4	*	*	1.1	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	1.4	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	1.2	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	1.8	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.6	4.1	2.0	1.0	0.6	0.3	0.4	0.2	0.2	0.5
1979.....	0.4	4.6	1.7	0.3	0.5	-	0.3	0.1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFANTILE CEREBRAL PALSY (343)										
ALL OTHER FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	1.4	*	*	*	*	*	*	*
1993.....	0.4	*	1.5	*	*	*	*	*	*	*
1992.....	0.4	*	1.3	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.3	4.1	0.7	0.3	0.6	0.2	0.3	0.1	0.2	0.2
1979.....	0.3	3.7	1.0	0.6	0.5	0.2	0.3	0.1	0.1	-
BLACK, BOTH SEXES										
1998.....	0.6	*	1.1	0.9	0.8	1.1	*	*	*	*
1997.....	0.6	*	1.2	1.0	*	0.9	*	*	*	*
1996.....	0.5	*	1.0	0.9	0.7	0.8	0.8	*	*	*
1995.....	0.6	*	1.4	1.1	1.0	*	0.9	*	*	*
1994.....	0.6	*	1.3	1.0	1.4	1.0	0.8	*	*	*
1993.....	0.6	*	1.5	1.0	1.3	0.9	*	*	*	*
1992.....	0.5	*	1.1	1.1	*	*	*	*	*	*
1991.....	0.5	3.0	1.2	1.1	0.8	0.8	*	*	*	*
1990.....	0.5	*	1.0	0.8	0.9	*	*	*	*	*
1989.....	0.5	*	1.2	0.9	0.9	1.0	*	*	*	*
1988.....	0.5	*	1.0	1.0	1.1	*	*	*	*	*
1987.....	0.4	*	0.9	0.8	*	*	*	*	*	*
1986.....	0.4	*	1.6	*	0.8	*	*	*	*	*
1985.....	0.4	*	1.2	*	*	*	*	*	*	*
1984.....	0.4	*	1.0	*	*	*	*	*	*	*
1983.....	0.4	*	1.5	*	0.8	*	*	*	*	*
1982.....	0.3	*	1.0	*	*	*	*	*	*	*
1981.....	0.5	5.6	1.4	*	*	*	*	*	*	*
1980.....	0.5	4.7	1.6	0.8	0.7	0.3	0.4	0.2	0.2	0.4
1979.....	0.4	3.5	1.4	0.5	0.6	0.1	0.3	0.1	0.1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFANTILE CEREBRAL PALSY (343)										
BLACK MALE										
1998.....	0.7	*	*	*	*	1.4	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	1.7	*	*	*	*	*
1993.....	0.7	*	*	*	1.6	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	1.6	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	2.0	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.7	4.5	2.3	1.2	0.7	0.3	0.5	0.3	0.2	0.6
1979.....	0.4	3.8	1.7	0.3	0.6	-	0.3	0.1	-	-
BLACK FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	1.6	*	*	*	*	*	*	*
1993.....	0.5	*	1.8	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	4.9	0.8	0.3	0.7	0.3	0.3	0.2	0.2	0.3
1979.....	0.4	3.1	1.2	0.7	0.5	0.3	0.4	0.1	0.1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EPILEPSY (345)										
TOTAL, BOTH SEXES										
1998.....	0.5	*	*	0.1	*	0.2	0.3	0.5	0.5	0.5
1997.....	0.5	*	*	*	*	0.2	0.4	0.5	0.5	0.5
1996.....	0.5	*	0.2	*	*	0.1	0.3	0.5	0.5	0.6
1995.....	0.5	*	0.1	0.1	0.1	0.2	0.4	0.4	0.5	0.6
1994.....	0.5	*	0.1	*	0.1	0.2	0.3	0.5	0.6	0.7
1993.....	0.5	*	0.2	*	0.1	0.2	0.3	0.4	0.5	0.7
1992.....	0.5	*	0.2	0.1	0.1	0.2	0.4	0.4	0.5	0.7
1991.....	0.6	*	0.2	*	*	0.2	0.5	0.5	0.7	0.7
1990.....	0.7	*	*	0.1	*	0.3	0.4	0.7	0.6	0.7
1989.....	0.6	*	0.2	*	0.1	0.3	0.5	0.5	0.7	0.7
1988.....	0.7	*	0.2	0.1	*	0.2	0.5	0.5	0.7	0.8
1987.....	0.7	*	*	*	*	0.2	0.5	0.6	0.6	0.7
1986.....	0.7	*	0.2	*	0.2	0.3	0.5	0.6	0.7	0.6
1985.....	0.7	*	0.2	0.2	0.1	0.2	0.5	0.6	0.7	0.9
1984.....	0.7	*	0.2	*	0.1	0.3	0.6	0.6	0.7	0.9
1983.....	0.7	*	0.3	*	0.2	0.4	0.6	0.7	0.9	0.8
1982.....	0.7	*	0.2	*	0.2	0.4	0.6	0.8	0.8	0.8
1981.....	0.8	0.6	0.2	0.1	0.2	0.3	0.7	0.8	1.1	1.0
1980.....	0.7	0.3	0.2	0.1	0.2	0.4	0.9	0.7	1.0	1.1
1979.....	0.7	0.4	0.2	0.1	0.1	0.4	0.7	0.9	1.1	1.0
TOTAL, MALE										
1998.....	0.6	*	*	*	*	*	0.4	0.6	0.6	0.6
1997.....	0.6	*	*	*	*	0.3	0.5	0.6	0.6	0.7
1996.....	0.6	*	*	*	*	*	0.3	0.6	0.6	0.8
1995.....	0.6	*	*	*	*	0.2	0.5	0.5	0.6	0.7
1994.....	0.6	*	*	*	*	0.3	0.3	0.7	0.8	0.9
1993.....	0.6	*	*	*	*	*	0.3	0.5	0.7	0.8
1992.....	0.6	*	*	*	*	0.2	0.5	0.5	0.6	1.0
1991.....	0.7	*	*	*	*	0.3	0.5	0.7	0.8	0.9
1990.....	0.7	*	*	*	*	0.2	0.5	0.8	0.7	0.9
1989.....	0.7	*	*	*	*	0.3	0.6	0.7	0.9	0.9
1988.....	0.8	*	*	*	*	0.3	0.6	0.6	0.9	0.9
1987.....	0.8	*	*	*	*	0.3	0.6	0.7	0.8	1.0
1986.....	0.8	*	*	*	*	0.3	0.6	0.8	0.9	0.8
1985.....	0.8	*	*	*	*	0.3	0.6	0.8	0.9	1.2
1984.....	0.8	*	*	*	*	0.4	0.8	0.8	1.0	1.1
1983.....	0.9	*	0.3	*	*	0.4	0.7	0.9	1.0	1.0
1982.....	0.8	*	0.3	*	*	0.4	0.7	0.9	1.2	1.1
1981.....	0.9	*	*	*	*	0.4	0.8	1.1	1.3	1.4
1980.....	1.0	0.3	0.2	0.2	0.2	0.5	1.1	0.9	1.3	1.5
1979.....	0.9	0.3	0.2	0.1	0.2	0.5	0.7	1.1	1.5	1.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EPILEPSY (345)										
TOTAL, FEMALE										
1998.....	0.4	*	*	*	*	0.2	0.3	0.4	0.4	0.4
1997.....	0.4	*	*	*	*	*	0.4	0.4	0.3	0.4
1996.....	0.4	*	*	*	*	*	0.3	0.4	0.3	0.4
1995.....	0.5	*	*	*	*	*	0.3	0.4	0.3	0.5
1994.....	0.4	*	*	*	*	*	0.4	0.3	0.4	0.5
1993.....	0.5	*	*	*	*	*	0.2	0.4	0.3	0.5
1992.....	0.5	*	*	*	*	*	0.3	0.3	0.4	0.5
1991.....	0.5	*	*	*	*	*	0.4	0.4	0.5	0.5
1990.....	0.6	*	*	*	*	0.3	0.3	0.5	0.5	0.4
1989.....	0.6	*	*	*	*	0.2	0.5	0.4	0.4	0.5
1988.....	0.6	*	*	*	*	*	0.4	0.4	0.5	0.6
1987.....	0.6	*	*	*	*	*	0.5	0.6	0.4	0.5
1986.....	0.6	*	*	*	*	0.4	0.4	0.4	0.5	0.5
1985.....	0.6	*	*	0.3	*	*	0.4	0.4	0.5	0.6
1984.....	0.5	*	*	*	*	0.3	0.5	0.5	0.5	0.6
1983.....	0.6	*	*	*	*	0.3	0.5	0.5	0.7	0.5
1982.....	0.5	*	*	*	*	0.3	0.6	0.7	0.5	0.5
1981.....	0.6	*	*	*	*	0.3	0.6	0.6	0.8	0.6
1980.....	0.6	0.2	0.2	0.1	0.2	0.3	0.7	0.6	0.6	0.7
1979.....	0.6	0.6	0.2	0.1	0.1	0.3	0.7	0.7	0.7	0.7
WHITE, BOTH SEXES										
1998.....	0.4	*	*	0.1	*	0.2	0.2	0.4	0.4	0.5
1997.....	0.5	*	*	*	*	0.2	0.4	0.4	0.4	0.5
1996.....	0.5	*	0.2	*	*	0.1	0.3	0.5	0.4	0.6
1995.....	0.5	*	*	*	*	0.2	0.3	0.4	0.5	0.6
1994.....	0.5	*	*	*	0.1	0.2	0.3	0.4	0.5	0.6
1993.....	0.5	*	*	*	0.1	0.2	0.2	0.4	0.4	0.6
1992.....	0.5	*	*	*	*	0.2	0.4	0.4	0.5	0.7
1991.....	0.5	*	0.2	*	*	0.2	0.4	0.5	0.6	0.6
1990.....	0.6	*	*	*	*	0.2	0.4	0.6	0.5	0.6
1989.....	0.5	*	*	*	*	0.2	0.5	0.5	0.6	0.6
1988.....	0.6	*	0.2	*	*	0.2	0.4	0.5	0.6	0.7
1987.....	0.6	*	*	*	*	0.2	0.4	0.6	0.5	0.6
1986.....	0.6	*	*	*	0.2	0.3	0.5	0.5	0.6	0.6
1985.....	0.6	*	0.2	0.2	*	0.2	0.5	0.5	0.6	0.7
1984.....	0.6	*	*	*	0.1	0.3	0.6	0.5	0.5	0.7
1983.....	0.6	*	0.3	*	0.2	0.3	0.5	0.5	0.8	0.6
1982.....	0.6	*	0.2	*	0.1	0.3	0.6	0.7	0.7	0.7
1981.....	0.6	*	0.2	*	0.1	0.3	0.7	0.7	0.8	0.8
1980.....	0.6	0.3	0.2	0.1	0.2	0.4	0.8	0.6	0.8	0.8
1979.....	0.6	0.4	0.2	0.1	0.1	0.4	0.6	0.8	0.8	0.7



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EPILEPSY (345)										
WHITE MALE										
1998.....	0.5	*	*	*	*	*	*	0.5	0.5	0.6
1997.....	0.5	*	*	*	*	*	0.4	0.5	0.6	0.6
1996.....	0.5	*	*	*	*	*	0.3	0.6	0.5	0.7
1995.....	0.5	*	*	*	*	*	0.4	0.4	0.6	0.7
1994.....	0.6	*	*	*	*	*	0.4	0.6	0.7	0.9
1993.....	0.5	*	*	*	*	*	0.3	0.4	0.6	0.7
1992.....	0.5	*	*	*	*	*	0.4	0.4	0.6	0.8
1991.....	0.6	*	*	*	*	*	0.5	0.5	0.7	0.8
1990.....	0.6	*	*	*	*	*	0.4	0.7	0.5	0.8
1989.....	0.6	*	*	*	*	*	0.5	0.6	0.8	0.6
1988.....	0.6	*	*	*	*	*	0.5	0.5	0.7	0.8
1987.....	0.6	*	*	*	*	*	0.5	0.6	0.6	0.7
1986.....	0.6	*	*	*	*	*	0.6	0.7	0.7	0.7
1985.....	0.7	*	*	*	*	*	0.5	0.7	0.7	0.8
1984.....	0.7	*	*	*	*	0.3	0.6	0.6	0.7	0.9
1983.....	0.7	*	*	*	*	0.4	0.6	0.7	1.0	0.7
1982.....	0.7	*	*	*	*	0.3	0.7	0.8	1.0	0.9
1981.....	0.7	*	*	*	*	0.3	0.7	0.9	0.9	1.1
1980.....	0.7	0.3	0.2	0.2	0.2	0.5	0.9	0.7	1.0	1.0
1979.....	0.7	0.3	0.2	0.1	0.2	0.5	0.6	0.9	1.0	0.9
WHITE FEMALE										
1998.....	0.4	*	*	*	*	*	*	0.4	0.3	0.4
1997.....	0.4	*	*	*	*	*	0.4	0.3	0.3	0.3
1996.....	0.4	*	*	*	*	*	*	0.3	0.3	0.4
1995.....	0.4	*	*	*	*	*	0.3	0.4	0.3	0.4
1994.....	0.4	*	*	*	*	*	0.3	*	0.3	0.4
1993.....	0.4	*	*	*	*	*	*	0.4	0.3	0.5
1992.....	0.4	*	*	*	*	*	0.3	0.4	0.4	0.6
1991.....	0.5	*	*	*	*	*	0.4	0.4	0.5	0.5
1990.....	0.5	*	*	*	*	*	0.3	0.4	0.5	0.4
1989.....	0.5	*	*	*	*	*	0.5	0.4	0.3	0.5
1988.....	0.5	*	*	*	*	*	0.3	0.4	0.5	0.5
1987.....	0.5	*	*	*	*	*	0.3	0.5	0.4	0.4
1986.....	0.6	*	*	*	*	0.4	0.4	0.4	0.4	0.5
1985.....	0.5	*	*	*	*	*	0.4	0.3	0.4	0.5
1984.....	0.5	*	*	*	*	0.3	0.5	0.4	0.3	0.5
1983.....	0.5	*	*	*	*	0.3	0.4	0.4	0.6	0.5
1982.....	0.5	*	*	*	*	0.3	0.5	0.7	0.4	0.5
1981.....	0.5	*	*	*	*	0.3	0.6	0.6	0.8	0.5
1980.....	0.5	0.2	0.1	0.1	0.2	0.3	0.6	0.5	0.6	0.6
1979.....	0.5	0.5	0.2	0.1	0.1	0.3	0.7	0.6	0.6	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EPILEPSY (345)										
ALL OTHER, BOTH SEXES										
1998.....	0.7	*	*	*	*	*	*	0.6	0.7	0.6
1997.....	0.8	*	*	*	*	*	0.6	0.8	0.6	0.7
1996.....	0.7	*	*	*	*	*	*	0.6	0.7	1.0
1995.....	0.8	*	*	*	*	*	0.6	*	0.6	0.8
1994.....	0.8	*	*	*	*	*	*	0.8	1.0	1.0
1993.....	0.8	*	*	*	*	*	*	0.6	0.8	0.9
1992.....	0.9	*	*	*	*	*	*	0.7	0.7	1.1
1991.....	0.9	*	*	*	*	*	0.6	0.8	1.1	1.2
1990.....	1.1	*	*	*	*	*	*	1.2	1.2	1.2
1989.....	1.2	*	*	*	*	*	0.7	0.7	1.0	1.4
1988.....	1.2	*	*	*	*	*	0.7	0.6	1.0	1.4
1987.....	1.1	*	*	*	*	*	1.0	0.8	1.0	1.6
1986.....	1.1	*	*	*	*	*	*	1.0	1.3	1.0
1985.....	1.3	*	*	*	*	*	0.6	0.8	1.3	2.0
1984.....	1.3	*	*	*	*	*	1.0	1.3	1.7	1.8
1983.....	1.4	*	*	*	*	*	1.0	1.3	1.2	1.6
1982.....	1.3	*	*	*	*	0.6	0.9	1.2	1.6	1.8
1981.....	1.5	*	*	*	*	*	1.0	1.5	2.5	2.4
1980.....	1.7	0.3	0.4	0.3	0.3	0.5	1.6	1.5	1.9	3.4
1979.....	1.6	0.7	0.2	0.2	0.3	0.4	1.1	1.8	2.8	3.2
ALL OTHER MALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	1.4
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	1.5	*
1993.....	1.0	*	*	*	*	*	*	*	1.2	1.3
1992.....	1.2	*	*	*	*	*	*	1.1	*	1.8
1991.....	1.1	*	*	*	*	*	*	1.2	1.4	1.6
1990.....	1.4	*	*	*	*	*	*	1.4	1.6	1.5
1989.....	1.5	*	*	*	*	*	*	*	1.7	2.1
1988.....	1.5	*	*	*	*	*	*	*	1.6	1.7
1987.....	1.5	*	*	*	*	*	*	*	1.4	2.4
1986.....	1.5	*	*	*	*	*	*	1.5	1.8	1.6
1985.....	1.9	*	*	*	*	*	*	*	1.7	3.2
1984.....	1.8	*	*	*	*	*	1.4	1.8	2.2	2.7
1983.....	1.9	*	*	*	*	*	1.5	1.9	*	2.6
1982.....	1.7	*	*	*	*	*	*	1.8	2.3	2.9
1981.....	2.1	*	*	*	*	*	*	2.3	3.7	3.6
1980.....	2.5	0.3	0.3	0.5	0.4	0.7	2.3	2.0	3.3	5.4
1979.....	2.3	0.3	0.2	0.3	0.2	0.6	1.4	2.4	4.5	4.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EPILEPSY (345)										
ALL OTHER FEMALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	1.3
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	1.3	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.3	0.4	0.1	0.3	0.4	1.0	1.1	0.8	1.7
1979.....	1.0	1.0	0.3	0.1	0.3	0.2	0.9	1.2	1.3	1.7
BLACK, BOTH SEXES										
1998.....	0.9	*	*	*	*	*	*	0.8	0.9	0.7
1997.....	1.0	*	*	*	*	*	*	1.0	0.8	0.8
1996.....	0.9	*	*	*	*	*	*	*	0.9	1.1
1995.....	1.0	*	*	*	*	*	*	*	0.8	1.0
1994.....	1.0	*	*	*	*	*	*	0.9	1.3	1.2
1993.....	1.0	*	*	*	*	*	*	*	1.0	1.1
1992.....	1.1	*	*	*	*	*	*	0.9	0.9	1.5
1991.....	1.1	*	*	*	*	*	*	1.0	1.3	1.5
1990.....	1.4	*	*	*	*	*	*	1.5	1.5	1.5
1989.....	1.4	*	*	*	*	*	0.7	0.9	1.3	1.7
1988.....	1.4	*	*	*	*	*	0.7	0.8	1.3	1.9
1987.....	1.4	*	*	*	*	*	1.2	1.0	1.1	2.1
1986.....	1.3	*	*	*	*	*	*	1.2	1.6	1.3
1985.....	1.6	*	*	*	*	*	*	1.0	1.6	2.6
1984.....	1.6	*	*	*	*	*	1.2	1.6	2.2	2.3
1983.....	1.6	*	*	*	*	*	1.2	1.5	1.4	2.0
1982.....	1.5	*	*	*	*	*	1.1	1.4	2.0	2.2
1981.....	1.8	*	*	*	*	*	1.1	1.8	3.1	2.9
1980.....	2.0	0.2	0.4	0.3	0.3	0.6	1.8	1.8	2.3	4.2
1979.....	1.8	0.8	0.3	0.2	0.3	0.4	1.2	2.1	3.3	3.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EPILEPSY (345)										
BLACK MALE										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	1.1	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	1.6
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	2.0	*
1993.....	1.3	*	*	*	*	*	*	*	1.5	*
1992.....	1.5	*	*	*	*	*	*	1.5	*	2.5
1991.....	1.4	*	*	*	*	*	*	1.5	1.7	2.2
1990.....	1.8	*	*	*	*	*	*	1.7	2.0	2.0
1989.....	1.9	*	*	*	*	*	*	*	2.0	2.4
1988.....	1.9	*	*	*	*	*	*	*	2.1	2.3
1987.....	1.8	*	*	*	*	*	*	*	*	3.2
1986.....	1.7	*	*	*	*	*	*	1.8	2.4	2.1
1985.....	2.3	*	*	*	*	*	*	*	2.3	4.1
1984.....	2.2	*	*	*	*	*	1.7	2.1	2.9	3.5
1983.....	2.3	*	*	*	*	*	1.8	2.0	*	3.1
1982.....	2.1	*	*	*	*	*	*	2.2	2.8	3.6
1981.....	2.5	*	*	*	*	*	*	2.8	4.8	4.4
1980.....	2.9	-	0.3	0.6	0.4	0.7	2.6	2.5	3.8	6.8
1979.....	2.6	0.4	0.2	0.3	0.2	0.6	1.6	2.8	5.3	5.9
BLACK FEMALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	1.7
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.4	0.5	0.1	0.3	0.5	1.0	1.3	1.0	2.0
1979.....	1.1	1.2	0.3	0.1	0.4	0.3	0.9	1.4	1.6	1.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
TOTAL, BOTH SEXES										
1998.....	3.2	4.0	0.7	0.4	0.4	0.8	0.8	0.8	0.9	0.9
1997.....	3.2	4.0	0.9	0.3	0.5	0.9	0.9	0.8	0.7	0.9
1996.....	3.0	4.7	0.8	0.3	0.4	0.9	0.9	0.8	0.8	0.9
1995.....	2.9	4.3	1.0	0.3	0.5	0.9	1.0	0.7	0.8	1.1
1994.....	2.9	4.8	0.8	0.4	0.4	0.9	0.8	0.7	0.9	1.0
1993.....	2.9	5.1	1.0	0.4	0.4	1.0	0.9	0.8	0.9	1.0
1992.....	2.7	4.2	0.9	0.4	0.5	1.0	0.8	0.8	0.7	1.0
1991.....	2.7	5.4	1.1	0.4	0.5	1.0	0.9	0.8	0.7	0.9
1990.....	2.8	5.5	1.0	0.4	0.4	1.0	0.9	0.7	0.8	1.1
1989.....	2.9	5.5	1.1	0.3	0.5	1.1	1.0	0.8	0.8	1.0
1988.....	2.9	5.6	0.9	0.4	0.5	1.0	0.8	0.8	0.9	1.0
1987.....	2.9	5.8	0.9	0.3	0.5	1.2	0.9	0.8	0.9	1.1
1986.....	2.9	4.7	1.0	0.4	0.5	1.1	1.1	0.8	0.8	0.9
1985.....	2.8	5.2	1.1	0.4	0.6	1.1	0.9	0.8	0.8	0.9
1984.....	2.7	5.2	1.2	0.5	0.5	0.9	1.0	0.7	0.8	0.9
1983.....	2.6	5.8	1.1	0.5	0.5	1.2	1.1	0.7	0.8	0.9
1982.....	2.5	4.8	1.1	0.4	0.5	1.2	1.0	0.8	0.7	1.0
1981.....	2.5	5.1	1.3	0.4	0.6	1.3	1.1	0.9	0.7	1.0
1980.....	2.5	5.2	1.3	0.5	0.7	1.3	0.9	0.8	0.8	1.1
1979.....	2.5	5.0	1.0	0.5	0.5	1.3	1.1	0.9	0.8	0.9
TOTAL, MALE										
1998.....	3.5	3.9	0.7	0.4	0.6	1.2	1.3	0.9	1.1	1.2
1997.....	3.3	4.2	1.0	0.3	0.6	1.4	1.3	1.0	0.9	1.0
1996.....	3.3	5.5	1.1	0.4	0.5	1.4	1.4	1.1	1.0	1.1
1995.....	3.2	4.5	1.1	0.3	0.6	1.5	1.5	0.9	0.9	1.5
1994.....	3.1	4.8	0.8	0.5	0.4	1.5	1.3	1.0	1.1	1.3
1993.....	3.2	5.8	1.1	0.5	0.6	1.6	1.5	1.0	1.2	1.3
1992.....	3.0	5.0	1.0	0.5	0.6	1.6	1.2	1.2	1.0	1.3
1991.....	3.0	5.9	1.1	0.5	0.7	1.6	1.4	1.1	0.9	1.0
1990.....	3.1	5.8	1.1	0.5	0.6	1.7	1.3	1.0	1.2	1.4
1989.....	3.3	6.5	1.2	0.4	0.7	1.7	1.7	1.2	1.1	1.4
1988.....	3.2	6.5	1.1	0.4	0.7	1.7	1.3	1.2	1.1	1.3
1987.....	3.2	6.0	1.1	0.4	0.6	1.9	1.3	1.2	1.2	1.4
1986.....	3.2	4.9	1.1	0.4	0.7	1.7	1.6	1.0	1.0	1.3
1985.....	3.2	6.1	1.2	0.6	0.9	1.7	1.4	1.1	1.0	1.2
1984.....	3.1	6.7	1.1	0.5	0.7	1.5	1.6	0.9	1.0	1.2
1983.....	3.0	6.9	1.2	0.6	0.6	1.9	1.7	0.9	0.9	1.0
1982.....	2.8	6.0	1.1	0.5	0.8	2.0	1.6	1.1	1.0	1.0
1981.....	2.8	5.7	1.4	0.4	0.7	2.0	1.6	1.1	0.9	1.2
1980.....	2.9	5.9	1.4	0.5	1.0	2.1	1.4	1.2	1.1	1.3
1979.....	2.9	6.4	1.0	0.6	0.7	2.2	1.6	1.1	1.0	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
TOTAL, FEMALE										
1998.....	3.0	4.2	0.7	0.3	0.3	0.3	*	0.7	0.7	0.6
1997.....	3.0	3.7	0.7	0.4	0.3	0.3	0.4	0.5	0.6	0.9
1996.....	2.8	3.8	0.6	0.2	0.3	0.4	0.5	0.4	0.6	0.7
1995.....	2.7	4.2	0.8	0.3	0.3	0.4	0.4	0.4	0.6	0.8
1994.....	2.6	4.7	0.8	0.4	0.3	0.3	0.3	0.4	0.6	0.8
1993.....	2.7	4.4	0.9	0.3	0.3	0.3	0.4	0.6	0.6	0.8
1992.....	2.3	3.3	0.7	0.3	0.4	0.4	0.4	0.5	0.5	0.7
1991.....	2.5	4.9	1.0	0.4	0.4	0.4	0.4	0.4	0.5	0.8
1990.....	2.5	5.2	0.8	0.4	0.3	0.3	0.4	0.4	0.5	0.7
1989.....	2.5	4.5	0.9	0.3	0.4	0.4	0.4	0.4	0.5	0.7
1988.....	2.6	4.8	0.7	0.3	0.3	0.3	0.3	0.5	0.6	0.8
1987.....	2.6	5.6	0.8	0.3	0.4	0.4	0.4	0.4	0.6	0.8
1986.....	2.6	4.6	0.9	0.4	0.3	0.4	0.5	0.5	0.6	0.6
1985.....	2.5	4.2	1.0	0.2	*	0.4	0.5	0.5	0.5	0.7
1984.....	2.3	3.6	1.2	0.4	0.3	0.3	0.5	0.5	0.6	0.7
1983.....	2.3	4.7	0.9	0.3	0.4	0.4	0.5	0.5	0.6	0.8
1982.....	2.1	3.7	1.1	0.4	0.3	0.4	0.4	0.5	0.4	0.9
1981.....	2.3	4.5	1.1	0.3	0.6	0.6	0.5	0.6	0.5	0.9
1980.....	2.2	4.6	1.1	0.5	0.4	0.4	0.5	0.4	0.6	0.9
1979.....	2.1	3.5	1.0	0.4	0.4	0.4	0.6	0.7	0.6	0.7
WHITE, BOTH SEXES										
1998.....	3.3	3.9	0.7	0.4	0.4	0.9	0.8	0.7	0.8	0.8
1997.....	3.2	3.7	0.8	0.3	0.4	0.9	0.8	0.7	0.7	0.8
1996.....	3.1	4.0	0.8	0.3	0.4	1.0	0.9	0.7	0.7	0.7
1995.....	3.0	4.3	0.8	0.3	0.5	1.0	1.0	0.7	0.7	1.0
1994.....	2.9	4.5	0.7	0.4	0.4	1.0	0.8	0.7	0.8	0.9
1993.....	3.0	4.7	0.9	0.4	0.5	1.0	1.0	0.8	0.8	0.9
1992.....	2.7	3.8	0.9	0.4	0.5	1.0	0.8	0.8	0.6	0.8
1991.....	2.7	4.9	1.0	0.4	0.5	0.9	0.9	0.7	0.7	0.7
1990.....	2.8	5.3	1.0	0.4	0.5	1.1	0.8	0.7	0.7	0.9
1989.....	2.8	4.9	1.0	0.3	0.5	1.1	1.1	0.8	0.6	0.9
1988.....	2.9	5.3	0.9	0.4	0.5	1.0	0.8	0.8	0.7	0.8
1987.....	2.9	5.1	0.9	0.3	0.5	1.2	0.9	0.8	0.7	0.9
1986.....	2.9	4.1	0.9	0.4	0.5	1.2	1.1	0.7	0.7	0.8
1985.....	2.8	4.6	1.0	0.3	0.6	1.1	0.9	0.7	0.7	0.8
1984.....	2.7	4.7	1.1	0.5	0.5	1.0	1.0	0.6	0.6	0.8
1983.....	2.6	5.6	1.0	0.4	0.5	1.2	1.1	0.6	0.7	0.7
1982.....	2.4	4.5	1.0	0.4	0.5	1.2	1.0	0.7	0.6	0.8
1981.....	2.5	5.1	1.2	0.4	0.6	1.3	1.1	0.8	0.6	0.8
1980.....	2.5	4.9	1.2	0.5	0.7	1.4	0.9	0.8	0.8	0.9
1979.....	2.4	4.5	0.9	0.4	0.6	1.4	1.1	0.8	0.8	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
WHITE MALE										
1998.....	3.5	3.7	0.7	0.4	0.5	1.4	1.3	0.9	0.9	1.1
1997.....	3.4	3.9	0.9	0.3	0.6	1.4	1.3	1.0	0.8	0.9
1996.....	3.3	5.0	1.0	0.4	0.5	1.6	1.3	1.1	1.0	0.9
1995.....	3.2	4.8	1.0	0.3	0.6	1.6	1.5	0.9	0.9	1.2
1994.....	3.2	4.6	0.7	0.6	0.4	1.6	1.3	1.0	1.1	1.1
1993.....	3.2	5.2	1.1	0.4	0.6	1.6	1.6	1.0	1.1	1.1
1992.....	3.1	4.5	1.0	0.5	0.6	1.7	1.2	1.2	0.9	1.1
1991.....	3.0	5.1	1.0	0.5	0.6	1.6	1.5	1.1	0.9	0.8
1990.....	3.1	5.9	1.1	0.4	0.6	1.9	1.3	1.0	1.0	1.3
1989.....	3.2	6.1	1.1	0.4	0.7	1.8	1.7	1.2	0.9	1.2
1988.....	3.2	6.0	1.0	0.4	0.7	1.7	1.3	1.1	1.0	0.9
1987.....	3.2	5.3	1.1	0.4	0.7	2.0	1.4	1.1	1.0	1.1
1986.....	3.2	4.5	1.0	0.5	0.7	1.9	1.7	0.9	0.9	1.2
1985.....	3.1	5.5	1.0	0.5	0.9	1.8	1.4	1.1	0.9	1.0
1984.....	3.0	6.0	1.1	0.5	0.7	1.6	1.6	0.9	0.7	1.0
1983.....	2.9	6.7	1.2	0.5	0.6	2.1	1.7	0.9	0.9	0.7
1982.....	2.7	5.8	1.0	0.4	0.7	2.0	1.7	0.9	0.9	0.8
1981.....	2.8	5.7	1.3	0.4	0.8	2.1	1.7	1.1	0.8	0.8
1980.....	2.8	5.2	1.3	0.5	1.0	2.3	1.4	1.1	0.9	1.0
1979.....	2.8	5.5	0.9	0.5	0.8	2.3	1.6	1.0	0.9	0.9
WHITE FEMALE										
1998.....	3.0	4.0	0.8	0.3	0.3	0.3	*	0.6	0.6	0.5
1997.....	3.0	3.4	0.7	0.3	0.3	0.3	0.3	0.5	0.6	0.8
1996.....	2.8	3.1	0.5	*	0.3	0.4	0.5	0.4	0.4	0.6
1995.....	2.7	3.7	0.7	0.4	0.4	0.4	0.4	0.4	0.5	0.7
1994.....	2.7	4.4	0.7	0.3	0.3	0.3	*	0.3	0.6	0.7
1993.....	2.7	4.1	0.8	0.3	0.3	*	0.3	0.5	0.6	0.7
1992.....	2.4	3.0	0.7	0.3	0.4	0.3	0.4	0.4	0.4	0.5
1991.....	2.5	4.6	1.0	0.3	0.4	*	0.3	0.3	0.5	0.6
1990.....	2.5	4.7	0.9	0.4	0.3	0.3	0.4	0.4	0.3	0.6
1989.....	2.5	3.7	0.8	0.3	0.4	0.3	0.4	0.4	0.3	0.6
1988.....	2.6	4.5	0.7	0.3	0.3	0.3	0.3	0.4	0.5	0.6
1987.....	2.6	4.8	0.7	*	0.4	0.4	0.4	0.4	0.4	0.7
1986.....	2.6	3.8	0.8	0.3	*	0.3	0.4	0.5	0.5	0.4
1985.....	2.5	3.6	1.0	*	*	0.3	0.4	0.4	0.4	0.6
1984.....	2.3	3.3	1.1	0.4	0.3	0.3	0.4	0.3	0.5	0.6
1983.....	2.3	4.5	0.9	*	0.4	0.4	0.4	0.4	0.5	0.7
1982.....	2.1	3.2	0.9	0.4	0.3	0.4	0.3	0.4	0.3	0.7
1981.....	2.2	4.4	1.2	0.3	0.5	0.6	0.4	0.6	0.4	0.7
1980.....	2.2	4.6	1.1	0.5	0.4	0.4	0.4	0.4	0.6	0.8
1979.....	2.1	3.4	0.8	0.4	0.3	0.4	0.5	0.6	0.6	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
ALL OTHER, BOTH SEXES										
1998.....	3.1	4.6	0.8	*	0.6	*	0.8	1.2	1.4	1.4
1997.....	3.1	5.0	0.9	*	0.7	0.8	1.0	1.0	0.9	1.4
1996.....	2.9	7.2	1.1	*	*	0.6	1.0	0.8	1.4	1.8
1995.....	2.8	4.4	1.4	*	*	0.6	1.0	0.6	1.1	2.0
1994.....	2.7	5.9	1.1	*	*	0.9	1.0	0.8	1.2	1.5
1993.....	2.8	6.8	1.2	*	*	1.1	0.8	1.0	1.2	1.8
1992.....	2.5	5.7	0.9	*	*	0.8	0.9	0.8	1.2	1.8
1991.....	2.7	7.3	1.4	*	0.7	1.2	0.8	1.0	1.0	1.7
1990.....	2.9	6.2	1.0	*	*	0.7	0.9	0.7	1.6	1.7
1989.....	3.1	7.8	1.3	*	*	0.9	1.0	1.0	1.9	1.6
1988.....	3.1	7.2	1.2	*	*	0.8	0.8	1.1	1.5	2.5
1987.....	2.9	8.9	1.0	*	*	0.8	0.9	1.1	1.6	2.1
1986.....	3.1	7.3	1.3	*	*	0.6	1.2	1.2	1.5	1.9
1985.....	2.9	7.9	1.4	0.8	*	0.8	1.1	1.0	1.3	1.6
1984.....	2.8	7.4	1.5	*	*	0.6	1.1	1.1	1.9	2.0
1983.....	2.9	6.5	1.2	*	0.6	1.0	1.2	1.1	1.1	1.7
1982.....	2.8	6.3	1.5	*	*	1.1	1.2	1.5	1.3	2.2
1981.....	2.8	5.2	1.4	*	*	1.1	1.0	1.2	1.4	2.5
1980.....	2.8	6.6	1.5	0.6	0.7	0.8	1.1	0.9	1.4	2.4
1979.....	2.8	7.3	1.7	0.6	0.5	1.2	1.3	1.4	1.2	1.8
ALL OTHER MALE										
1998.....	3.3	*	*	*	*	*	1.2	1.2	1.7	1.6
1997.....	3.3	5.1	*	*	*	1.2	1.3	1.2	1.1	1.5
1996.....	3.0	7.6	1.3	*	*	*	1.4	*	1.4	2.5
1995.....	3.1	*	1.4	*	*	1.1	1.4	*	*	2.9
1994.....	2.8	5.9	*	*	*	1.3	1.3	*	1.3	1.9
1993.....	3.1	8.0	*	*	*	1.6	*	1.2	1.5	2.2
1992.....	2.8	7.0	*	*	*	*	1.3	*	1.6	2.0
1991.....	3.0	8.7	1.6	*	*	1.4	*	*	*	2.0
1990.....	3.3	5.5	1.3	*	*	*	1.6	*	2.1	2.1
1989.....	3.5	7.9	1.7	*	*	1.3	1.5	1.3	2.5	2.1
1988.....	3.6	8.4	1.6	*	*	1.3	*	1.5	1.9	3.3
1987.....	3.4	8.8	*	*	*	1.2	1.2	1.5	2.0	2.9
1986.....	3.4	6.5	1.5	*	*	*	1.3	1.7	1.9	2.1
1985.....	3.5	8.9	1.7	*	*	1.2	1.3	*	1.7	2.4
1984.....	3.3	10.1	*	*	*	*	1.4	*	2.9	2.7
1983.....	3.3	7.4	1.5	*	*	1.4	1.5	1.4	*	2.6
1982.....	3.3	6.8	*	*	*	1.8	1.5	2.0	1.7	2.5
1981.....	3.2	*	2.0	*	*	1.5	*	1.5	1.6	3.5
1980.....	3.5	8.8	1.8	0.6	1.0	1.4	1.5	1.4	2.2	3.2
1979.....	3.4	10.9	1.5	0.7	0.5	1.6	1.9	1.8	1.9	2.0



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
ALL OTHER FEMALE										
1998.....	2.9	*	*	*	*	*	*	1.1	1.2	1.1
1997.....	3.0	*	*	*	*	*	*	*	*	1.4
1996.....	2.8	6.7	*	*	*	*	*	*	1.4	1.2
1995.....	2.6	5.6	1.4	*	*	*	*	*	1.2	1.2
1994.....	2.6	5.9	*	*	*	*	*	*	1.0	1.1
1993.....	2.5	5.6	1.2	*	*	*	*	*	*	1.5
1992.....	2.2	*	*	*	*	*	*	*	*	1.6
1991.....	2.5	5.8	*	*	*	*	*	*	*	1.4
1990.....	2.5	6.9	*	*	*	*	*	*	1.1	1.4
1989.....	2.6	7.6	*	*	*	*	*	*	1.4	*
1988.....	2.6	5.9	*	*	*	*	*	*	1.2	1.9
1987.....	2.6	9.0	*	*	*	*	*	*	1.3	1.4
1986.....	2.7	8.1	*	*	*	*	*	*	*	1.8
1985.....	2.4	6.8	*	*	*	*	*	*	*	*
1984.....	2.4	*	1.8	*	*	*	*	1.2	*	*
1983.....	2.5	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	1.6	*	*	*	*	*	*	1.9
1981.....	2.4	*	*	*	*	*	*	*	*	*
1980.....	2.2	4.4	1.1	0.5	0.3	0.2	0.7	0.5	0.8	1.7
1979.....	2.3	3.7	1.8	0.6	0.5	0.7	0.8	1.1	0.7	1.7
BLACK, BOTH SEXES										
1998.....	3.7	5.4	*	*	*	*	0.9	1.4	1.8	1.5
1997.....	3.8	5.8	1.1	*	*	0.9	1.1	1.1	1.0	1.7
1996.....	3.4	8.2	1.1	*	*	*	1.2	1.0	1.6	2.1
1995.....	3.4	5.6	1.5	*	*	*	1.1	0.8	1.3	2.6
1994.....	3.3	7.1	1.2	*	*	1.0	1.1	0.9	1.4	1.9
1993.....	3.3	7.8	1.2	*	*	1.1	0.8	1.2	1.4	2.2
1992.....	2.9	5.8	1.1	*	*	*	1.0	1.0	1.4	2.4
1991.....	3.3	8.6	1.4	*	*	1.2	1.0	1.2	1.2	2.2
1990.....	3.4	6.6	1.2	*	*	*	1.0	0.8	2.0	2.2
1989.....	3.6	8.8	1.2	*	*	0.9	1.3	1.1	2.4	2.0
1988.....	3.7	8.3	1.4	*	*	0.9	0.9	1.3	2.0	3.2
1987.....	3.4	10.0	1.1	*	*	0.8	1.1	1.3	2.0	2.8
1986.....	3.6	8.1	1.5	*	*	0.7	1.3	1.4	1.8	2.4
1985.....	3.3	8.6	1.6	0.8	*	0.8	1.3	1.2	1.6	2.0
1984.....	3.2	7.7	1.7	*	*	*	1.3	1.3	2.4	2.5
1983.....	3.2	6.8	1.2	*	*	1.0	1.4	1.3	1.4	2.1
1982.....	3.1	5.9	1.6	*	*	1.1	1.2	1.6	1.5	2.5
1981.....	3.1	5.8	1.5	*	*	1.1	1.1	1.4	1.5	3.1
1980.....	3.1	7.3	1.6	0.6	0.6	0.8	1.2	1.2	1.5	2.9
1979.....	3.1	8.2	1.9	0.7	0.6	1.2	1.4	1.6	1.4	2.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
BLACK MALE										
1998.....	3.9	*	*	*	*	*	*	*	2.0	1.7
1997.....	3.9	*	*	*	*	*	*	*	*	1.7
1996.....	3.6	8.3	*	*	*	*	1.7	*	1.7	2.8
1995.....	3.7	*	*	*	*	*	1.5	*	*	3.7
1994.....	3.4	7.0	*	*	*	1.5	*	*	1.6	2.4
1993.....	3.6	8.8	*	*	*	1.7	*	*	1.9	2.7
1992.....	3.2	6.2	*	*	*	*	1.5	*	1.9	2.7
1991.....	3.6	9.9	1.6	*	*	1.5	*	*	*	2.7
1990.....	3.9	*	*	*	*	*	1.7	*	2.7	2.8
1989.....	4.2	8.6	*	*	*	*	1.9	1.6	3.2	2.7
1988.....	4.3	9.8	*	*	*	1.7	*	1.7	2.5	4.0
1987.....	3.9	9.8	*	*	*	*	1.5	1.7	2.5	3.9
1986.....	4.0	7.5	*	*	*	*	1.5	2.2	2.4	2.6
1985.....	4.0	9.8	1.9	*	*	*	1.4	*	2.2	3.0
1984.....	3.8	10.9	*	*	*	*	1.5	*	3.9	3.3
1983.....	3.7	7.3	*	*	*	1.4	1.8	1.7	*	3.4
1982.....	3.7	*	*	*	*	1.7	1.5	2.3	*	*
1981.....	3.5	*	2.3	*	*	1.5	*	*	*	4.4
1980.....	3.9	9.3	2.0	0.6	0.9	1.5	1.7	1.7	2.3	3.8
1979.....	3.7	12.3	1.8	0.8	0.6	1.7	2.1	2.0	2.2	2.3
BLACK FEMALE										
1998.....	3.5	*	*	*	*	*	*	*	1.6	1.3
1997.....	3.6	*	*	*	*	*	*	*	*	1.8
1996.....	3.3	8.2	*	*	*	*	*	*	1.5	1.5
1995.....	3.1	7.2	*	*	*	*	*	*	1.5	1.6
1994.....	3.2	7.2	*	*	*	*	*	*	*	1.4
1993.....	3.0	6.8	*	*	*	*	*	*	*	1.8
1992.....	2.7	*	*	*	*	*	*	*	*	2.1
1991.....	3.0	7.2	*	*	*	*	*	*	*	1.8
1990.....	3.0	7.3	*	*	*	*	*	*	1.4	1.7
1989.....	3.1	9.1	*	*	*	*	*	*	1.7	*
1988.....	3.1	6.9	*	*	*	*	*	*	1.6	2.5
1987.....	3.0	10.3	*	*	*	*	*	*	1.6	1.8
1986.....	3.2	8.7	*	*	*	*	*	*	*	2.3
1985.....	2.7	7.4	*	*	*	*	*	*	*	*
1984.....	2.7	*	1.9	*	*	*	*	1.5	*	*
1983.....	2.8	*	*	*	*	*	*	*	*	*
1982.....	2.6	*	*	*	*	*	*	*	*	2.3
1981.....	2.7	*	*	*	*	*	*	*	*	*
1980.....	2.4	5.3	1.2	0.6	0.4	0.2	0.8	0.6	0.9	2.1
1979.....	2.5	3.9	1.9	0.6	0.6	0.8	0.9	1.2	0.7	2.1



















CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)										
WHITE MALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.4	0.0	-	-	0.0	0.0	0.0	0.0	-
1979.....	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHITE FEMALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.1	-	-	0.0	0.0	0.0	0.0	0.0
1979.....	0.0	0.1	-	0.0	-	0.0	0.0	-	0.0	0.0

CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39  
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.6	0.1	-	0.0	-	0.1	-	-	-
1979.....	0.1	0.8	0.1	-	-	0.0	0.1	0.1	-	0.2

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.6	0.2	-	-	-	0.1	-	-	-
1979.....	0.1	0.7	0.1	-	-	0.1	0.1	0.2	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---------------------------------------------	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.6	0.1	-	0.1	-	0.1	-	-	-
1979.....	0.1	1.0	0.1	-	-	-	0.1	-	-	0.2

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.7	0.2	-	0.0	-	0.1	-	-	-
1979.....	0.1	0.6	0.1	-	-	-	0.1	0.0	-	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---------------------------------------------	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

## BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.7	0.2	-	-	-	0.1	-	-	-
1979.....	0.1	0.4	0.1	-	-	-	0.1	0.1	-	0.2

## BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.8	0.1	-	0.1	-	0.1	-	-	-
1979.....	0.1	0.8	0.1	-	-	-	0.1	-	-	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
TOTAL, BOTH SEXES										
1998.....	349.6	26.3	1.9	1.0	1.2	2.6	4.7	7.9	13.8	27.1
1997.....	354.4	25.2	1.8	0.9	1.3	2.8	5.0	7.5	14.1	26.7
1996.....	359.8	25.1	1.8	0.9	1.4	2.7	4.2	7.5	14.0	27.3
1995.....	363.7	25.1	2.1	0.9	1.2	2.7	4.6	7.4	14.5	28.8
1994.....	362.9	24.6	2.3	0.9	1.4	2.6	4.5	7.9	14.3	28.7
1993.....	369.4	24.1	2.3	1.0	1.3	2.8	4.4	7.8	14.4	28.2
1992.....	359.9	23.6	2.3	0.9	1.1	2.5	4.4	7.5	13.9	27.1
1991.....	365.0	23.4	2.7	1.0	1.2	2.8	4.4	7.7	13.7	27.6
1990.....	370.0	25.8	2.3	0.9	1.4	2.5	4.2	7.3	13.9	27.0
1989.....	379.3	25.0	2.3	0.9	1.4	2.4	4.3	7.3	14.5	28.1
1988.....	398.4	28.5	2.9	1.1	1.4	2.8	4.8	7.9	14.9	30.0
1987.....	399.7	30.7	2.7	1.1	1.4	2.6	4.6	8.1	15.2	30.5
1986.....	405.2	31.2	3.0	1.1	1.4	2.8	4.7	8.1	15.7	31.3
1985.....	413.0	31.3	2.6	1.1	1.5	3.0	4.6	7.9	14.8	31.7
1984.....	414.8	31.8	3.0	1.4	1.4	2.8	4.8	7.8	15.0	31.5
1983.....	421.8	31.7	3.0	1.3	1.3	3.0	4.5	8.0	15.0	32.2
1982.....	419.8	26.4	2.8	1.4	1.5	2.8	4.6	8.2	15.0	32.9
1981.....	426.1	26.7	3.0	1.2	1.3	2.7	4.7	8.3	15.7	35.7
1980.....	438.5	29.5	3.2	1.2	1.4	3.2	5.3	8.4	15.7	35.9
1979.....	428.8	26.8	2.6	1.0	1.3	2.7	5.1	8.5	16.0	36.8
TOTAL, MALE										
1998.....	335.7	27.7	1.9	1.2	1.3	3.3	5.5	9.5	17.4	36.0
1997.....	341.7	27.5	2.1	0.9	1.5	3.3	5.8	8.8	17.9	35.8
1996.....	347.2	26.6	1.8	0.9	1.6	3.1	5.2	9.0	17.7	36.6
1995.....	352.6	26.4	2.3	1.0	1.3	3.3	5.5	9.0	18.9	39.0
1994.....	353.4	26.4	2.4	0.8	1.6	3.2	5.3	9.4	17.8	38.9
1993.....	361.2	26.1	2.5	0.9	1.4	3.5	5.0	10.0	18.3	38.0
1992.....	354.5	26.1	2.3	1.0	1.3	3.3	5.4	8.9	18.0	37.4
1991.....	360.8	25.7	2.8	1.0	1.3	3.4	5.2	9.5	17.3	38.3
1990.....	366.8	28.3	2.2	1.0	1.5	3.2	5.0	8.8	17.9	38.1
1989.....	376.7	27.4	2.6	1.0	1.4	2.8	5.1	9.0	19.2	39.8
1988.....	397.3	30.9	2.8	1.0	1.7	3.5	5.8	9.5	20.5	42.6
1987.....	400.5	34.6	2.8	1.3	1.4	3.2	5.6	9.6	20.1	43.5
1986.....	409.0	34.9	3.0	1.1	1.4	3.4	5.5	9.6	21.2	45.1
1985.....	421.2	35.5	2.7	1.0	1.4	3.6	5.4	10.0	19.8	45.5
1984.....	425.1	33.8	3.1	1.5	1.4	3.1	5.6	9.5	20.2	45.2
1983.....	435.4	35.2	3.3	1.3	1.4	3.6	5.1	10.0	20.5	46.4
1982.....	436.6	30.5	3.0	1.4	1.5	3.4	5.2	10.3	20.0	47.0
1981.....	445.4	28.8	3.0	1.3	1.4	3.0	5.6	10.2	20.4	50.6
1980.....	459.9	32.9	3.4	1.1	1.5	3.8	6.5	10.1	20.6	51.0
1979.....	455.1	30.5	2.7	1.0	1.4	3.2	6.0	10.6	21.0	51.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
TOTAL, FEMALE										
1998.....	362.9	24.8	1.8	0.8	1.1	1.9	3.8	6.3	10.3	18.3
1997.....	366.5	22.9	1.6	0.8	1.2	2.2	4.2	6.2	10.3	17.7
1996.....	371.8	23.5	1.8	1.0	1.2	2.2	3.2	5.9	10.2	18.1
1995.....	374.2	23.8	1.9	0.7	1.1	2.1	3.8	5.7	10.0	18.8
1994.....	371.9	22.7	2.1	0.9	1.2	2.0	3.6	6.5	10.8	18.7
1993.....	377.2	22.1	2.1	1.0	1.1	2.0	3.7	5.5	10.5	18.5
1992.....	365.0	21.0	2.3	0.8	1.0	1.8	3.4	6.1	9.8	16.9
1991.....	369.1	21.0	2.6	0.9	1.2	2.1	3.5	5.8	10.1	17.1
1990.....	373.0	23.2	2.4	0.9	1.4	1.8	3.4	5.7	9.9	16.1
1989.....	381.8	22.6	2.1	0.9	1.4	2.1	3.5	5.7	9.9	16.6
1988.....	399.4	25.9	2.9	1.1	1.1	2.0	3.8	6.3	9.5	17.7
1987.....	398.9	26.7	2.6	0.9	1.4	2.1	3.7	6.6	10.4	17.8
1986.....	401.5	27.2	2.9	1.1	1.3	2.1	3.8	6.5	10.3	17.8
1985.....	405.3	27.0	2.5	1.2	1.6	2.3	3.9	5.9	9.8	18.2
1984.....	405.0	29.7	2.8	1.3	1.5	2.4	3.9	6.0	9.8	18.3
1983.....	408.9	28.0	2.7	1.3	1.2	2.4	3.8	6.0	9.7	18.5
1982.....	403.9	22.1	2.5	1.5	1.5	2.1	4.0	6.1	10.1	19.2
1981.....	407.8	24.5	3.0	1.2	1.3	2.3	3.9	6.5	11.0	21.3
1980.....	418.2	25.8	3.1	1.3	1.4	2.7	4.1	6.7	10.9	21.3
1979.....	404.0	23.0	2.5	1.1	1.3	2.2	4.2	6.4	11.0	22.3
WHITE, BOTH SEXES										
1998.....	370.1	22.1	1.5	0.9	1.1	2.2	3.9	6.4	11.4	22.9
1997.....	375.4	22.2	1.5	0.7	1.2	2.5	4.0	6.1	12.0	22.3
1996.....	380.9	21.2	1.5	0.9	1.2	2.2	3.5	6.1	11.4	22.9
1995.....	384.2	22.2	1.6	0.8	1.0	2.2	3.5	6.0	12.0	24.2
1994.....	383.3	20.7	1.8	0.9	1.2	2.2	3.6	6.4	11.5	23.5
1993.....	389.4	20.5	1.9	0.8	1.2	2.4	3.5	6.1	11.8	23.1
1992.....	379.2	19.9	1.9	0.8	1.0	2.1	3.7	5.9	11.2	22.1
1991.....	383.9	19.9	2.1	0.9	1.1	2.5	3.6	6.2	11.0	22.1
1990.....	388.7	20.8	1.9	0.9	1.3	2.2	3.4	6.0	10.9	21.6
1989.....	397.2	21.1	1.9	0.8	1.2	2.1	3.6	6.0	11.6	22.6
1988.....	417.3	23.9	2.5	1.0	1.3	2.4	4.1	6.3	11.8	24.2
1987.....	418.7	26.9	2.3	1.0	1.3	2.3	3.8	6.6	12.0	24.8
1986.....	424.1	26.5	2.4	1.0	1.3	2.5	3.8	6.4	12.2	26.0
1985.....	432.2	26.7	2.1	1.0	1.3	2.5	3.9	6.4	11.7	26.4
1984.....	434.2	27.4	2.5	1.3	1.3	2.5	3.9	6.2	12.0	26.4
1983.....	440.9	26.5	2.7	1.2	1.2	2.6	3.7	6.5	12.1	27.3
1982.....	439.2	22.3	2.4	1.3	1.4	2.4	3.9	6.6	12.1	27.9
1981.....	444.6	22.9	2.6	1.2	1.1	2.3	3.9	6.4	12.8	30.2
1980.....	455.6	24.9	2.7	1.1	1.3	2.7	4.3	6.6	12.2	29.7
1979.....	445.4	21.5	2.2	1.0	1.2	2.4	4.3	6.5	13.0	30.8



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
WHITE MALE										
1998.....	352.7	23.8	1.4	1.1	1.2	2.7	4.5	7.8	14.7	31.2
1997.....	359.3	24.7	1.6	0.8	1.4	3.1	4.5	7.1	15.6	31.0
1996.....	365.1	22.6	1.6	0.9	1.3	2.6	4.2	7.8	15.0	32.1
1995.....	369.6	23.5	1.7	0.9	1.1	2.8	4.1	7.4	15.9	33.9
1994.....	370.9	22.8	1.9	0.8	1.3	2.8	4.3	7.6	14.9	32.9
1993.....	378.5	22.8	2.1	0.7	1.3	3.1	3.9	8.0	15.2	32.5
1992.....	371.3	22.4	1.9	0.9	1.0	2.7	4.5	7.0	15.1	31.5
1991.....	377.1	22.1	2.1	0.9	1.1	3.1	4.2	7.8	14.3	31.5
1990.....	383.3	22.6	1.7	1.0	1.4	2.9	4.1	7.3	14.6	31.5
1989.....	392.4	24.0	2.1	0.8	1.3	2.5	4.3	7.8	15.8	33.0
1988.....	413.8	26.5	2.4	0.9	1.7	3.1	4.9	7.7	16.4	35.6
1987.....	417.0	30.7	2.4	1.3	1.2	2.8	4.6	7.9	16.4	35.8
1986.....	425.9	30.2	2.5	1.0	1.3	3.1	4.6	7.7	16.9	39.0
1985.....	438.7	30.6	2.2	0.9	1.3	3.1	4.6	8.1	15.8	38.7
1984.....	443.0	29.2	2.6	1.3	1.2	2.8	4.6	7.6	16.5	39.0
1983.....	453.5	29.5	2.9	1.2	1.2	3.2	4.4	8.3	16.8	40.9
1982.....	454.8	26.8	2.6	1.2	1.4	3.1	4.5	8.5	16.6	40.9
1981.....	463.1	24.7	2.6	1.2	1.3	2.7	4.6	8.1	16.6	43.9
1980.....	476.1	28.7	2.7	1.1	1.3	3.2	5.3	8.1	16.3	43.3
1979.....	470.9	25.0	2.2	1.1	1.4	2.9	5.2	8.5	17.6	44.5
WHITE FEMALE										
1998.....	387.0	20.3	1.5	0.6	1.0	1.6	3.1	5.1	8.0	14.4
1997.....	391.0	19.6	1.5	0.6	1.1	1.9	3.4	5.0	8.4	13.5
1996.....	396.1	19.8	1.3	0.9	1.0	1.7	2.7	4.4	7.8	13.6
1995.....	398.2	20.9	1.5	0.7	0.9	1.6	2.9	4.5	8.1	14.4
1994.....	395.3	18.6	1.7	0.9	1.1	1.6	2.8	5.1	8.1	14.0
1993.....	400.0	18.2	1.7	0.9	1.0	1.8	3.0	4.2	8.3	13.6
1992.....	386.7	17.3	1.9	0.6	0.9	1.6	2.8	4.7	7.3	12.5
1991.....	390.5	17.6	2.2	0.9	1.0	1.8	2.8	4.6	7.7	12.8
1990.....	393.9	18.8	2.1	0.8	1.1	1.5	2.6	4.6	7.2	11.7
1989.....	401.8	18.1	1.7	0.8	1.1	1.6	2.8	4.2	7.5	12.1
1988.....	420.6	21.2	2.6	1.1	0.9	1.6	3.3	4.9	7.2	12.8
1987.....	420.4	23.0	2.2	0.7	1.3	1.8	2.9	5.2	7.6	13.7
1986.....	422.4	22.6	2.4	0.9	1.2	1.8	3.0	5.0	7.5	13.1
1985.....	426.0	22.7	2.0	1.1	1.3	1.9	3.1	4.6	7.5	14.2
1984.....	425.7	25.5	2.4	1.3	1.3	2.1	3.2	4.7	7.4	13.9
1983.....	429.0	23.4	2.5	1.2	1.1	2.0	3.0	4.6	7.3	13.9
1982.....	424.3	17.7	2.1	1.4	1.4	1.7	3.2	4.7	7.5	15.1
1981.....	427.0	21.1	2.6	1.2	1.0	2.0	3.2	4.8	8.9	16.8
1980.....	436.2	21.0	2.7	1.1	1.2	2.2	3.3	5.0	8.0	16.4
1979.....	421.1	17.9	2.1	1.0	1.1	2.0	3.4	4.5	8.3	17.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
ALL OTHER, BOTH SEXES										
1998.....	252.7	42.3	3.4	1.5	1.8	4.2	7.8	13.7	24.1	46.8
1997.....	253.6	37.1	2.9	1.3	1.7	3.7	9.2	13.4	23.2	47.6
1996.....	258.0	40.4	3.1	1.0	2.2	4.6	7.2	13.1	25.3	48.6
1995.....	263.7	35.8	3.8	1.1	2.0	4.8	9.2	13.5	25.6	51.6
1994.....	262.0	38.8	4.0	1.0	2.0	4.2	8.0	14.6	27.4	54.1
1993.....	269.2	37.4	3.7	1.6	1.7	4.0	8.1	14.9	26.7	53.5
1992.....	262.4	37.4	3.8	1.4	1.7	4.2	7.7	14.7	27.1	52.4
1991.....	268.3	35.4	4.8	1.4	1.8	4.0	8.1	14.5	26.8	55.7
1990.....	272.6	45.2	4.0	1.1	2.1	3.8	8.1	13.4	28.5	55.2
1989.....	284.6	40.0	4.1	1.4	2.3	4.1	7.8	13.8	29.0	57.1
1988.....	296.6	46.9	4.5	1.3	1.9	4.6	8.2	16.0	31.0	61.3
1987.....	295.8	46.4	4.7	1.5	2.0	4.1	8.5	15.8	31.9	62.4
1986.....	300.2	51.1	5.1	1.4	1.9	4.2	9.0	16.9	34.4	61.6
1985.....	305.2	51.4	4.8	1.5	2.3	5.1	8.3	16.2	31.8	63.1
1984.....	304.0	51.1	4.9	1.7	2.2	4.1	9.1	16.3	31.5	63.6
1983.....	310.8	54.4	4.4	1.8	2.0	4.8	8.5	16.4	31.8	63.7
1982.....	305.9	44.4	4.5	1.9	1.9	4.2	8.5	17.3	31.8	65.5
1981.....	314.9	43.9	4.7	1.3	2.2	4.4	9.4	19.2	33.3	71.0
1980.....	333.2	50.2	5.8	1.7	2.3	5.9	10.9	19.1	37.9	76.6
1979.....	324.9	51.7	4.7	1.1	1.9	4.3	9.9	20.2	36.0	78.0
ALL OTHER MALE										
1998.....	253.1	42.9	3.7	1.4	1.9	5.6	9.3	16.7	29.5	59.5
1997.....	254.9	38.6	4.0	1.0	1.8	4.1	11.2	16.0	29.0	59.8
1996.....	258.7	42.9	2.4	*	2.6	5.2	9.2	14.3	30.8	60.1
1995.....	267.5	37.2	4.3	1.3	2.2	5.4	11.5	16.4	33.7	65.6
1994.....	264.9	39.9	4.2	*	2.4	4.7	9.4	17.5	32.6	70.0
1993.....	272.4	38.5	3.8	1.7	1.8	5.0	9.8	19.0	33.9	66.8
1992.....	267.3	40.3	4.1	1.5	2.2	5.6	9.5	17.7	33.5	69.1
1991.....	275.0	38.4	5.5	1.5	1.9	4.7	9.7	17.7	32.8	75.9
1990.....	279.1	50.4	4.2	*	1.7	4.5	9.1	16.1	35.2	75.1
1989.....	291.6	40.3	4.7	1.5	1.9	4.1	8.9	15.4	37.4	78.4
1988.....	306.3	48.8	4.8	1.6	2.0	5.4	10.3	19.0	42.6	83.4
1987.....	308.0	51.1	4.8	1.2	2.4	4.8	10.1	18.8	40.8	89.4
1986.....	313.1	55.2	5.3	1.3	1.8	4.8	10.2	20.2	45.8	82.9
1985.....	319.9	57.3	4.7	1.4	1.9	6.1	9.1	20.2	43.2	89.7
1984.....	319.9	54.3	5.2	2.2	2.1	4.6	11.0	20.3	42.2	86.7
1983.....	328.1	60.9	5.0	1.7	2.3	5.7	9.4	20.2	42.9	84.8
1982.....	326.9	47.2	4.9	1.9	2.0	4.7	9.0	21.4	40.8	90.3
1981.....	336.2	47.9	5.0	1.5	1.9	4.7	11.6	23.1	45.2	97.2
1980.....	358.3	52.9	6.5	1.4	2.2	6.8	13.9	22.1	49.8	106.0
1979.....	353.5	57.1	5.0	0.8	1.8	4.9	10.9	24.0	46.0	106.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
ALL OTHER FEMALE										
1998.....	252.4	41.7	3.0	1.5	1.6	2.9	6.4	10.9	19.3	35.3
1997.....	252.5	35.6	1.8	1.6	1.7	3.4	7.3	11.0	18.1	36.6
1996.....	257.4	37.9	3.7	1.1	1.8	4.0	5.1	11.9	20.4	38.4
1995.....	260.2	34.3	3.3	*	1.8	4.2	7.0	10.7	18.4	39.1
1994.....	259.4	37.7	3.8	1.2	1.5	3.7	6.5	11.9	22.7	40.0
1993.....	266.2	36.3	3.7	1.4	1.6	3.0	6.4	11.1	20.3	41.6
1992.....	257.8	34.4	3.5	1.4	1.3	2.8	5.8	12.0	21.3	37.5
1991.....	262.1	32.4	4.1	1.2	1.7	3.2	6.5	11.5	21.4	37.9
1990.....	266.6	39.8	3.7	1.3	2.4	3.1	7.2	10.8	22.6	37.7
1989.....	278.1	39.6	3.5	1.3	2.8	4.0	6.7	12.4	21.5	38.5
1988.....	287.8	44.9	4.3	*	1.7	3.6	6.1	13.2	20.6	42.1
1987.....	284.6	41.7	4.6	1.7	1.7	3.4	7.0	13.2	24.0	39.0
1986.....	288.4	46.8	4.9	1.5	2.0	3.5	7.8	13.9	24.4	43.2
1985.....	291.8	45.3	4.9	1.5	2.6	4.1	7.5	12.6	21.8	40.4
1984.....	289.5	47.9	4.6	*	2.3	3.7	7.3	12.8	22.2	43.9
1983.....	295.0	47.7	3.9	1.8	1.7	3.9	7.7	13.0	22.1	45.7
1982.....	286.8	41.4	4.0	2.0	1.8	3.7	8.0	13.5	24.0	44.5
1981.....	295.6	39.9	4.5	*	2.4	4.1	7.4	15.7	23.0	48.7
1980.....	310.5	47.6	5.0	2.0	2.3	5.0	8.2	16.4	27.6	51.6
1979.....	298.9	46.3	4.4	1.4	2.1	3.7	9.0	16.9	27.6	54.0
BLACK, BOTH SEXES										
1998.....	302.6	50.8	3.9	1.7	2.1	5.1	9.3	17.7	31.0	58.7
1997.....	302.5	44.7	3.7	1.6	2.1	4.4	11.1	17.0	28.9	59.0
1996.....	308.2	48.5	3.5	1.2	2.5	5.6	8.9	16.9	31.9	60.5
1995.....	314.4	42.2	4.6	1.2	2.3	5.7	11.0	16.8	32.3	64.2
1994.....	311.7	46.1	4.8	1.1	2.3	4.9	9.4	18.4	34.2	67.5
1993.....	321.1	41.8	4.0	1.6	2.0	4.6	10.2	18.4	33.5	67.0
1992.....	312.5	45.0	4.5	1.5	2.0	5.0	9.2	18.2	33.6	66.2
1991.....	319.9	42.8	5.5	1.6	2.1	4.5	9.7	17.9	33.8	70.1
1990.....	323.9	50.5	4.5	1.2	2.3	4.5	9.8	16.0	35.4	68.9
1989.....	337.0	45.4	4.5	1.5	2.6	4.7	9.4	16.8	36.6	72.1
1988.....	350.4	52.8	5.0	1.5	2.1	5.6	9.8	19.3	38.7	77.4
1987.....	346.9	51.2	5.4	1.5	2.3	4.9	9.8	18.5	39.4	77.3
1986.....	351.1	58.6	5.7	1.5	2.1	4.6	10.2	19.9	42.6	76.4
1985.....	353.7	57.3	5.6	1.5	2.5	5.8	9.5	19.6	39.0	77.2
1984.....	350.4	58.3	5.2	1.9	2.4	4.8	10.0	19.2	38.0	78.2
1983.....	356.2	61.2	4.7	1.8	2.0	5.4	9.6	18.9	38.9	77.2
1982.....	348.2	46.0	5.0	2.1	2.0	4.4	9.8	20.0	37.9	79.6
1981.....	357.4	47.4	4.9	1.4	2.5	4.7	10.5	22.2	39.9	85.5
1980.....	372.5	54.8	6.1	1.8	2.3	6.4	11.9	22.0	45.4	89.8
1979.....	357.5	54.4	4.9	1.3	2.0	4.7	10.5	22.8	41.1	88.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
BLACK MALE										
1998.....	298.1	52.4	4.4	1.7	2.3	6.8	11.1	21.3	37.3	73.3
1997.....	299.5	46.8	5.2	1.4	2.4	5.0	13.5	20.3	35.4	73.9
1996.....	304.8	51.7	2.9	*	2.9	6.4	11.5	18.5	38.2	73.6
1995.....	315.0	44.5	5.4	1.3	2.7	6.4	13.4	20.5	42.4	80.5
1994.....	310.8	47.1	4.9	*	2.8	5.5	11.2	21.1	40.4	87.7
1993.....	321.0	41.1	4.0	1.7	2.2	5.8	12.3	23.3	42.2	82.9
1992.....	315.1	49.4	4.9	1.5	2.6	6.6	11.2	21.9	41.6	87.5
1991.....	325.1	45.2	6.4	1.8	2.2	5.3	11.7	22.3	41.2	95.4
1990.....	329.8	56.1	4.9	*	2.0	5.1	10.9	19.1	43.6	93.1
1989.....	342.6	44.8	5.2	1.8	2.1	4.9	10.9	19.0	47.4	99.9
1988.....	359.1	54.5	5.2	1.8	2.3	6.5	12.3	23.1	53.5	105.8
1987.....	357.7	55.1	5.8	*	2.8	5.7	11.6	21.4	50.4	110.2
1986.....	363.6	64.3	6.0	*	2.0	5.5	11.6	23.4	56.6	102.8
1985.....	368.5	63.4	5.4	*	2.1	7.2	10.4	24.2	53.0	110.6
1984.....	366.3	62.2	5.5	2.4	2.3	5.3	11.8	23.9	50.9	108.0
1983.....	373.7	67.4	5.3	1.9	2.4	6.3	10.7	22.8	52.1	102.6
1982.....	369.2	49.5	5.2	2.0	2.1	5.1	10.4	24.7	48.6	109.9
1981.....	379.4	51.5	5.2	1.7	2.2	5.2	12.9	26.6	54.4	117.7
1980.....	397.1	57.6	7.0	1.5	2.4	7.1	15.2	25.5	59.9	124.5
1979.....	385.9	59.2	5.3	0.9	2.0	5.4	11.3	27.4	51.9	121.1
BLACK FEMALE										
1998.....	306.8	49.2	3.3	1.7	1.9	3.3	7.5	14.5	25.4	45.8
1997.....	305.2	42.4	2.1	1.9	1.8	3.8	8.7	14.0	23.0	45.9
1996.....	311.2	45.3	4.1	1.4	2.1	4.8	6.3	15.5	26.3	48.9
1995.....	313.9	39.8	3.7	*	2.0	5.0	8.7	13.4	23.4	49.8
1994.....	312.6	44.9	4.7	*	1.8	4.4	7.7	15.9	28.8	49.8
1993.....	321.2	42.4	4.1	1.6	1.8	3.5	8.1	13.9	25.9	53.0
1992.....	310.2	40.5	4.0	1.6	*	3.4	7.2	14.9	26.6	47.5
1991.....	315.2	40.4	4.7	1.5	1.9	3.7	7.8	13.9	27.2	48.2
1990.....	318.6	44.7	4.1	*	2.6	3.9	8.7	13.2	28.3	47.9
1989.....	332.0	46.0	3.8	*	3.1	4.5	8.0	14.8	27.2	48.2
1988.....	342.7	50.9	4.9	*	1.8	4.6	7.3	16.0	25.8	53.0
1987.....	337.2	47.3	5.0	1.8	1.8	4.1	8.0	16.0	29.9	49.3
1986.....	339.9	52.7	5.3	1.6	2.3	3.8	8.8	16.8	30.5	53.9
1985.....	340.5	50.9	5.7	1.7	2.8	4.4	8.7	15.5	26.9	48.9
1984.....	336.1	54.4	4.9	*	2.5	4.4	8.3	15.0	26.9	53.3
1983.....	340.5	54.9	4.1	1.7	1.6	4.5	8.5	15.4	27.5	55.9
1982.....	329.3	42.6	4.7	2.2	2.0	3.8	9.2	15.8	28.7	54.1
1981.....	337.6	43.2	4.5	*	2.7	4.3	8.2	18.3	27.4	58.7
1980.....	350.4	51.9	5.2	2.1	2.1	5.6	8.9	18.9	32.9	60.9
1979.....	332.0	49.2	4.6	1.6	2.1	3.9	9.7	18.8	31.8	62.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										
TOTAL, BOTH SEXES										
1998.....	1.8	*	*	*	*	*	0.1	0.2	0.2	0.3
1997.....	1.9	*	*	*	*	*	0.2	0.2	0.3	0.4
1996.....	1.9	*	*	*	*	*	*	0.2	0.2	0.4
1995.....	2.0	*	*	*	*	*	*	0.1	0.3	0.5
1994.....	2.1	*	*	*	*	*	0.1	0.2	0.3	0.4
1993.....	2.2	*	*	*	*	*	*	0.2	0.3	0.5
1992.....	2.2	*	*	*	*	*	0.1	0.2	0.3	0.4
1991.....	2.4	*	*	*	*	*	*	0.2	0.3	0.4
1990.....	2.4	*	*	*	*	*	*	0.2	0.3	0.5
1989.....	2.5	*	*	*	*	*	0.1	0.2	0.3	0.5
1988.....	2.6	*	*	*	*	*	0.2	0.2	0.3	0.6
1987.....	2.6	*	*	*	*	*	0.2	0.3	0.4	0.6
1986.....	2.7	*	*	*	*	*	0.2	0.2	0.4	0.6
1985.....	2.8	*	*	*	*	*	0.2	0.3	0.4	0.6
1984.....	2.9	*	*	*	*	0.1	0.2	0.2	0.5	0.6
1983.....	2.9	*	*	*	*	0.1	0.1	0.4	0.4	0.7
1982.....	3.0	*	*	*	*	0.1	0.2	0.3	0.4	0.6
1981.....	3.2	*	*	*	*	*	0.2	0.3	0.5	0.9
1980.....	3.5	0.1	0.0	0.0	0.1	0.1	0.3	0.3	0.5	1.0
1979.....	3.5	0.1	0.0	0.0	0.0	0.1	0.3	0.4	0.5	1.0
TOTAL, MALE										
1998.....	1.1	*	*	*	*	*	*	*	*	0.3
1997.....	1.2	*	*	*	*	*	*	*	0.3	0.3
1996.....	1.1	*	*	*	*	*	*	*	*	0.3
1995.....	1.2	*	*	*	*	*	*	*	0.3	0.4
1994.....	1.3	*	*	*	*	*	*	*	0.3	0.3
1993.....	1.4	*	*	*	*	*	*	*	0.3	0.4
1992.....	1.4	*	*	*	*	*	*	*	0.2	0.4
1991.....	1.5	*	*	*	*	*	*	*	0.2	0.3
1990.....	1.5	*	*	*	*	*	*	*	0.3	0.6
1989.....	1.6	*	*	*	*	*	*	*	0.3	0.3
1988.....	1.6	*	*	*	*	*	0.2	*	0.3	0.4
1987.....	1.6	*	*	*	*	*	*	0.2	0.4	0.6
1986.....	1.8	*	*	*	*	*	*	0.2	0.4	0.6
1985.....	1.9	*	*	*	*	*	0.2	0.3	0.4	0.5
1984.....	2.0	*	*	*	*	*	0.2	*	0.5	0.6
1983.....	1.9	*	*	*	*	*	*	0.4	0.4	0.6
1982.....	2.1	*	*	*	*	*	*	0.3	0.4	0.6
1981.....	2.2	*	*	*	*	*	0.2	0.3	0.4	0.7
1980.....	2.4	0.1	0.0	0.0	0.1	0.2	0.3	0.2	0.5	0.8
1979.....	2.4	0.2	0.0	0.0	0.1	0.2	0.3	0.3	0.5	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										
TOTAL, FEMALE										
1998.....	2.4	*	*	*	*	*	*	0.2	0.3	0.4
1997.....	2.5	*	*	*	*	*	*	*	0.3	0.6
1996.....	2.6	*	*	*	*	*	*	0.2	0.3	0.5
1995.....	2.7	*	*	*	*	*	*	*	0.3	0.5
1994.....	2.8	*	*	*	*	*	*	*	0.4	0.4
1993.....	3.0	*	*	*	*	*	*	*	0.3	0.5
1992.....	3.1	*	*	*	*	*	*	0.2	0.3	0.5
1991.....	3.2	*	*	*	*	*	*	0.3	0.4	0.5
1990.....	3.3	*	*	*	*	*	*	0.2	0.3	0.5
1989.....	3.3	*	*	*	*	*	*	0.2	0.3	0.6
1988.....	3.6	*	*	*	*	*	*	0.2	0.4	0.7
1987.....	3.6	*	*	*	*	*	0.2	0.4	0.5	0.6
1986.....	3.6	*	*	*	*	*	0.2	0.3	0.4	0.6
1985.....	3.6	*	*	*	*	*	0.2	0.4	0.4	0.7
1984.....	3.8	*	*	*	*	*	0.3	0.3	0.4	0.6
1983.....	3.9	*	*	*	*	*	*	0.3	0.4	0.8
1982.....	4.0	*	*	*	*	*	0.2	0.3	0.4	0.7
1981.....	4.2	*	*	*	*	*	*	0.4	0.6	1.1
1980.....	4.4	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.5	1.1
1979.....	4.5	0.1	0.0	0.0	0.0	0.1	0.2	0.4	0.5	1.0
WHITE, BOTH SEXES										
1998.....	1.9	*	*	*	*	*	0.1	0.2	0.2	0.3
1997.....	2.1	*	*	*	*	*	*	*	0.3	0.3
1996.....	2.1	*	*	*	*	*	*	0.2	0.2	0.3
1995.....	2.1	*	*	*	*	*	*	*	0.2	0.4
1994.....	2.3	*	*	*	*	*	*	0.1	0.3	0.3
1993.....	2.4	*	*	*	*	*	*	0.1	0.2	0.4
1992.....	2.4	*	*	*	*	*	*	0.2	0.3	0.3
1991.....	2.6	*	*	*	*	*	*	0.2	0.3	0.3
1990.....	2.6	*	*	*	*	*	*	0.1	0.3	0.4
1989.....	2.7	*	*	*	*	*	*	0.2	0.3	0.4
1988.....	2.8	*	*	*	*	*	0.2	0.2	0.3	0.4
1987.....	2.9	*	*	*	*	*	*	0.2	0.3	0.5
1986.....	2.9	*	*	*	*	*	*	0.2	0.3	0.4
1985.....	3.0	*	*	*	*	*	0.2	0.3	0.3	0.5
1984.....	3.2	*	*	*	*	*	0.2	0.1	0.4	0.5
1983.....	3.2	*	*	*	*	*	*	0.2	0.3	0.6
1982.....	3.3	*	*	*	*	*	0.1	0.2	0.3	0.6
1981.....	3.5	*	*	*	*	*	0.1	0.3	0.4	0.8
1980.....	3.7	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.4	0.9
1979.....	3.7	0.2	0.0	0.0	0.0	0.1	0.2	0.2	0.4	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										
WHITE MALE										
1998.....	1.2	*	*	*	*	*	*	*	*	0.3
1997.....	1.3	*	*	*	*	*	*	*	0.4	*
1996.....	1.2	*	*	*	*	*	*	*	*	0.3
1995.....	1.3	*	*	*	*	*	*	*	*	0.3
1994.....	1.4	*	*	*	*	*	*	*	*	0.3
1993.....	1.5	*	*	*	*	*	*	*	*	0.4
1992.....	1.5	*	*	*	*	*	*	*	0.2	0.3
1991.....	1.6	*	*	*	*	*	*	*	*	0.3
1990.....	1.6	*	*	*	*	*	*	*	0.3	0.5
1989.....	1.6	*	*	*	*	*	*	*	0.2	*
1988.....	1.7	*	*	*	*	*	*	*	*	0.3
1987.....	1.8	*	*	*	*	*	*	*	0.3	0.5
1986.....	1.9	*	*	*	*	*	*	*	0.3	0.4
1985.....	2.0	*	*	*	*	*	*	0.3	0.3	0.4
1984.....	2.1	*	*	*	*	*	*	*	0.4	0.5
1983.....	2.1	*	*	*	*	*	*	0.3	0.3	0.5
1982.....	2.2	*	*	*	*	*	*	0.2	0.3	0.5
1981.....	2.4	*	*	*	*	*	*	*	0.4	0.6
1980.....	2.6	0.1	0.0	0.0	0.1	0.1	0.2	0.1	0.5	0.8
1979.....	2.6	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.4	0.6
WHITE FEMALE										
1998.....	2.7	*	*	*	*	*	*	*	*	0.3
1997.....	2.8	*	*	*	*	*	*	*	0.2	0.5
1996.....	2.9	*	*	*	*	*	*	*	0.3	0.3
1995.....	3.0	*	*	*	*	*	*	*	*	0.4
1994.....	3.1	*	*	*	*	*	*	*	0.3	0.4
1993.....	3.3	*	*	*	*	*	*	*	0.3	0.4
1992.....	3.3	*	*	*	*	*	*	*	0.3	0.3
1991.....	3.5	*	*	*	*	*	*	*	0.4	0.4
1990.....	3.6	*	*	*	*	*	*	*	0.2	0.4
1989.....	3.6	*	*	*	*	*	*	*	0.3	0.5
1988.....	3.9	*	*	*	*	*	*	*	0.3	0.5
1987.....	3.9	*	*	*	*	*	*	0.3	0.4	0.5
1986.....	3.9	*	*	*	*	*	*	*	0.4	0.4
1985.....	4.0	*	*	*	*	*	*	0.3	0.3	0.6
1984.....	4.2	*	*	*	*	*	*	*	0.4	0.5
1983.....	4.3	*	*	*	*	*	*	*	0.3	0.7
1982.....	4.3	*	*	*	*	*	*	*	0.3	0.6
1981.....	4.5	*	*	*	*	*	*	0.3	0.5	0.9
1980.....	4.8	0.1	0.1	0.0	-	0.1	0.1	0.3	0.3	1.0
1979.....	4.8	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.5	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										
ALL OTHER, BOTH SEXES										
1998.....	1.0	*	*	*	*	*	*	*	*	0.6
1997.....	1.0	*	*	*	*	*	*	*	*	0.9
1996.....	1.0	*	*	*	*	*	*	*	*	1.0
1995.....	1.1	*	*	*	*	*	*	*	0.6	0.8
1994.....	1.1	*	*	*	*	*	*	*	0.6	0.8
1993.....	1.2	*	*	*	*	*	*	*	0.7	0.9
1992.....	1.3	*	*	*	*	*	*	*	*	0.8
1991.....	1.3	*	*	*	*	*	*	*	*	0.9
1990.....	1.3	*	*	*	*	*	*	*	*	1.2
1989.....	1.4	*	*	*	*	*	*	*	0.7	1.1
1988.....	1.4	*	*	*	*	*	*	*	0.7	1.5
1987.....	1.4	*	*	*	*	*	*	0.6	0.9	1.3
1986.....	1.6	*	*	*	*	*	0.6	0.6	0.9	1.4
1985.....	1.6	*	*	*	*	*	*	0.7	0.9	1.4
1984.....	1.6	*	*	*	*	*	*	0.9	0.9	1.4
1983.....	1.6	*	*	*	*	*	*	0.9	0.8	1.1
1982.....	1.6	*	*	*	*	*	*	0.8	1.0	1.1
1981.....	1.8	*	*	*	*	*	*	0.9	1.0	1.5
1980.....	2.0	0.2	0.0	0.1	0.4	0.5	0.8	1.0	1.4	1.7
1979.....	1.9	-	-	0.1	0.1	0.4	0.6	1.2	1.0	1.8
ALL OTHER MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.4	*	*	*	*	*	*	*	*	*
1980.....	1.6	-	-	-	0.3	0.5	1.2	0.9	0.9	1.3
1979.....	1.6	-	-	-	0.1	0.5	0.7	1.0	1.2	2.5



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---------------------------------------------	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

## ALL OTHER FEMALE

1998.....	1.3	*	*	*	*	*	*	*	*	*
1997.....	1.3	*	*	*	*	*	*	*	*	1.0
1996.....	1.4	*	*	*	*	*	*	*	*	1.6
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.5	*	*	*	*	*	*	*	*	1.2
1992.....	1.7	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	1.3
1990.....	1.7	*	*	*	*	*	*	*	*	1.2
1989.....	1.8	*	*	*	*	*	*	*	*	*
1988.....	1.7	*	*	*	*	*	*	*	*	1.9
1987.....	1.8	*	*	*	*	*	*	*	*	1.3
1986.....	1.9	*	*	*	*	*	*	*	*	1.4
1985.....	1.9	*	*	*	*	*	*	*	*	1.6
1984.....	2.0	*	*	*	*	*	*	*	*	*
1983.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.4	0.3	0.1	0.1	0.4	0.4	0.5	1.1	1.8	2.0
1979.....	2.2	-	-	0.1	-	0.3	0.6	1.4	0.9	1.3

## BLACK, BOTH SEXES

1998.....	1.0	*	*	*	*	*	*	*	*	0.7
1997.....	1.0	*	*	*	*	*	*	*	*	0.9
1996.....	1.1	*	*	*	*	*	*	*	*	1.2
1995.....	1.1	*	*	*	*	*	*	*	0.7	1.0
1994.....	1.1	*	*	*	*	*	*	*	*	0.8
1993.....	1.3	*	*	*	*	*	*	*	0.9	0.9
1992.....	1.4	*	*	*	*	*	*	*	*	0.9
1991.....	1.3	*	*	*	*	*	*	*	*	1.1
1990.....	1.4	*	*	*	*	*	*	*	*	1.4
1989.....	1.5	*	*	*	*	*	*	*	0.7	1.2
1988.....	1.4	*	*	*	*	*	*	*	*	1.7
1987.....	1.4	*	*	*	*	*	*	0.8	1.1	1.6
1986.....	1.6	*	*	*	*	*	*	*	0.9	1.6
1985.....	1.7	*	*	*	*	*	*	0.8	1.0	1.7
1984.....	1.6	*	*	*	*	*	*	1.0	1.1	1.5
1983.....	1.7	*	*	*	*	*	*	0.9	0.9	*
1982.....	1.7	*	*	*	*	*	*	0.8	1.0	*
1981.....	1.8	*	*	*	*	*	*	0.9	1.1	1.5
1980.....	2.1	0.2	0.1	0.1	0.3	0.5	0.8	1.0	1.4	1.8
1979.....	2.0	-	-	0.0	0.1	0.5	0.6	1.2	1.1	1.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR      UNDER 1      1-4      5-9      10-14      15-19      20-24      25-29      30-34      35-39  
 RACE, SEX, AND YEAR      TOTAL      YEAR      YEARS      YEARS      YEARS      YEARS      YEARS      YEARS      YEARS

RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

BLACK MALE

1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.6	-	-	-	0.1	0.5	1.3	1.0	1.0	1.7
1979.....	1.7	-	-	-	0.1	0.6	0.6	1.0	1.1	2.6

BLACK FEMALE

1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.3	*	*	*	*	*	*	*	*	*
1996.....	1.4	*	*	*	*	*	*	*	*	1.8
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.6	*	*	*	*	*	*	*	*	*
1992.....	1.8	*	*	*	*	*	*	*	*	*
1991.....	1.7	*	*	*	*	*	*	*	*	1.6
1990.....	1.8	*	*	*	*	*	*	*	*	1.6
1989.....	1.8	*	*	*	*	*	*	*	*	*
1988.....	1.7	*	*	*	*	*	*	*	*	1.8
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.9	*	*	*	*	*	*	*	*	*
1985.....	2.0	*	*	*	*	*	*	*	*	1.9
1984.....	2.0	*	*	*	*	*	*	*	*	*
1983.....	2.0	*	*	*	*	*	*	*	*	*
1982.....	2.1	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.5	0.4	0.1	0.2	0.5	0.4	0.3	1.0	1.8	2.0
1979.....	2.3	-	-	0.1	-	0.3	0.6	1.4	1.0	1.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE RHEUMATIC FEVER (390-392)										
TOTAL, BOTH SEXES										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.1	0.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0
TOTAL, MALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.0	-	0.0	0.0	0.0	-	0.0	0.0
1979.....	0.1	-	-	0.0	-	0.0	0.0	-	0.0	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE RHEUMATIC FEVER (390-392)										
TOTAL, FEMALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	0.0	-	-	0.0	0.0	-
1979.....	0.0	0.1	-	-	-	-	-	0.0	-	0.0
WHITE, BOTH SEXES										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
1979.....	0.1	0.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE RHEUMATIC FEVER (390-392)										
WHITE MALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.0	-	0.0	-	0.0	-	0.1	-
1979.....	0.1	-	-	0.0	-	0.0	0.0	-	0.0	-
WHITE FEMALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	-	-	0.0	-
1979.....	0.1	0.1	-	-	-	-	-	0.0	-	0.0



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE RHEUMATIC FEVER (390-392)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	0.1	-	-	0.1	-	-
1979.....	0.0	-	-	-	-	-	-	0.1	-	0.1
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	0.0	0.0	0.0	0.0	-	0.1
1979.....	0.1	-	-	-	-	-	-	0.0	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE RHEUMATIC FEVER (390-392)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	0.1	0.1	-	-	0.2
1979.....	0.1	-	-	-	-	-	-	-	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	0.1	-	-	0.1	-	-
1979.....	0.0	-	-	-	-	-	-	0.1	-	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
TOTAL, BOTH SEXES										
1998.....	1.7	*	*	*	*	*	0.1	0.2	0.2	0.3
1997.....	1.8	*	*	*	*	*	0.1	0.2	0.3	0.4
1996.....	1.8	*	*	*	*	*	*	0.2	0.2	0.4
1995.....	1.9	*	*	*	*	*	*	0.1	0.3	0.4
1994.....	2.0	*	*	*	*	*	*	0.2	0.3	0.4
1993.....	2.2	*	*	*	*	*	*	0.2	0.3	0.4
1992.....	2.2	*	*	*	*	*	0.1	0.2	0.3	0.4
1991.....	2.3	*	*	*	*	*	*	0.2	0.3	0.4
1990.....	2.4	*	*	*	*	*	*	0.2	0.3	0.5
1989.....	2.4	*	*	*	*	*	0.1	0.2	0.3	0.4
1988.....	2.6	*	*	*	*	*	0.2	0.2	0.3	0.6
1987.....	2.6	*	*	*	*	*	0.2	0.3	0.4	0.6
1986.....	2.7	*	*	*	*	*	0.2	0.2	0.4	0.5
1985.....	2.7	*	*	*	*	*	0.2	0.3	0.4	0.6
1984.....	2.9	*	*	*	*	0.1	0.2	0.2	0.5	0.6
1983.....	2.9	*	*	*	*	*	0.1	0.3	0.4	0.7
1982.....	3.0	*	*	*	*	0.1	0.2	0.3	0.4	0.6
1981.....	3.2	*	*	*	*	*	0.2	0.3	0.5	0.8
1980.....	3.4	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.5	1.0
1979.....	3.4	0.1	0.0	0.0	0.0	0.1	0.2	0.4	0.5	0.9
TOTAL, MALE										
1998.....	1.0	*	*	*	*	*	*	*	*	0.3
1997.....	1.2	*	*	*	*	*	*	*	0.3	0.3
1996.....	1.1	*	*	*	*	*	*	*	*	0.3
1995.....	1.1	*	*	*	*	*	*	*	0.3	0.4
1994.....	1.2	*	*	*	*	*	*	*	0.3	0.3
1993.....	1.4	*	*	*	*	*	*	*	0.3	0.4
1992.....	1.3	*	*	*	*	*	*	*	0.2	0.4
1991.....	1.4	*	*	*	*	*	*	*	0.2	0.3
1990.....	1.5	*	*	*	*	*	*	*	0.3	0.5
1989.....	1.5	*	*	*	*	*	*	*	0.3	0.3
1988.....	1.6	*	*	*	*	*	0.2	*	0.3	0.4
1987.....	1.6	*	*	*	*	*	*	0.2	0.4	0.6
1986.....	1.7	*	*	*	*	*	*	0.2	0.4	0.5
1985.....	1.8	*	*	*	*	*	0.2	0.3	0.4	0.5
1984.....	2.0	*	*	*	*	*	0.2	*	0.5	0.6
1983.....	1.9	*	*	*	*	*	*	0.4	0.3	0.6
1982.....	2.0	*	*	*	*	*	*	0.3	0.4	0.6
1981.....	2.2	*	*	*	*	*	0.2	0.2	0.4	0.7
1980.....	2.4	0.1	-	0.0	0.1	0.2	0.3	0.2	0.5	0.8
1979.....	2.4	0.2	0.0	-	0.1	0.2	0.3	0.3	0.4	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
TOTAL, FEMALE										
1998.....	2.4	*	*	*	*	*	*	0.2	0.2	0.4
1997.....	2.5	*	*	*	*	*	*	*	0.3	0.6
1996.....	2.6	*	*	*	*	*	*	0.2	0.3	0.5
1995.....	2.6	*	*	*	*	*	*	*	0.3	0.5
1994.....	2.7	*	*	*	*	*	*	*	0.3	0.4
1993.....	2.9	*	*	*	*	*	*	*	0.3	0.5
1992.....	3.0	*	*	*	*	*	*	0.2	0.3	0.5
1991.....	3.2	*	*	*	*	*	*	0.3	0.4	0.5
1990.....	3.3	*	*	*	*	*	*	0.2	0.3	0.5
1989.....	3.3	*	*	*	*	*	*	0.2	0.3	0.6
1988.....	3.5	*	*	*	*	*	*	0.2	0.4	0.7
1987.....	3.6	*	*	*	*	*	0.2	0.4	0.5	0.6
1986.....	3.5	*	*	*	*	*	*	0.2	0.4	0.6
1985.....	3.6	*	*	*	*	*	0.2	0.4	0.4	0.7
1984.....	3.8	*	*	*	*	*	0.3	0.3	0.4	0.6
1983.....	3.9	*	*	*	*	*	*	0.3	0.4	0.8
1982.....	3.9	*	*	*	*	*	*	0.3	0.4	0.7
1981.....	4.1	*	*	*	*	*	*	0.4	0.6	1.0
1980.....	4.4	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.5	1.1
1979.....	4.4	0.1	0.0	0.0	0.0	0.1	0.2	0.4	0.5	1.0
WHITE, BOTH SEXES										
1998.....	1.9	*	*	*	*	*	0.1	0.2	0.2	0.3
1997.....	2.0	*	*	*	*	*	*	*	0.3	0.3
1996.....	2.0	*	*	*	*	*	*	0.2	0.2	0.3
1995.....	2.1	*	*	*	*	*	*	*	0.2	0.4
1994.....	2.2	*	*	*	*	*	*	0.1	0.3	0.3
1993.....	2.4	*	*	*	*	*	*	0.1	0.2	0.3
1992.....	2.4	*	*	*	*	*	*	0.2	0.3	0.3
1991.....	2.5	*	*	*	*	*	*	0.2	0.3	0.3
1990.....	2.6	*	*	*	*	*	*	0.1	0.3	0.4
1989.....	2.6	*	*	*	*	*	*	0.1	0.2	0.3
1988.....	2.8	*	*	*	*	*	0.2	0.2	0.3	0.4
1987.....	2.9	*	*	*	*	*	*	0.2	0.3	0.5
1986.....	2.9	*	*	*	*	*	*	0.2	0.3	0.4
1985.....	3.0	*	*	*	*	*	0.2	0.3	0.3	0.5
1984.....	3.1	*	*	*	*	*	0.2	0.1	0.4	0.5
1983.....	3.1	*	*	*	*	*	*	0.2	0.3	0.6
1982.....	3.2	*	*	*	*	*	0.1	0.2	0.3	0.5
1981.....	3.4	*	*	*	*	*	0.1	0.2	0.4	0.8
1980.....	3.7	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.4	0.9
1979.....	3.7	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.4	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
WHITE MALE										
1998.....	1.1	*	*	*	*	*	*	*	*	0.3
1997.....	1.2	*	*	*	*	*	*	*	0.3	*
1996.....	1.2	*	*	*	*	*	*	*	*	0.3
1995.....	1.2	*	*	*	*	*	*	*	*	0.3
1994.....	1.4	*	*	*	*	*	*	*	*	0.3
1993.....	1.5	*	*	*	*	*	*	*	*	0.4
1992.....	1.4	*	*	*	*	*	*	*	0.2	0.3
1991.....	1.5	*	*	*	*	*	*	*	*	0.3
1990.....	1.6	*	*	*	*	*	*	*	0.3	0.5
1989.....	1.6	*	*	*	*	*	*	*	0.2	*
1988.....	1.7	*	*	*	*	*	*	*	*	0.3
1987.....	1.7	*	*	*	*	*	*	*	0.3	0.5
1986.....	1.8	*	*	*	*	*	*	*	0.3	0.4
1985.....	1.9	*	*	*	*	*	*	0.2	0.3	0.4
1984.....	2.1	*	*	*	*	*	*	*	0.4	0.5
1983.....	2.0	*	*	*	*	*	*	0.3	0.2	0.5
1982.....	2.2	*	*	*	*	*	*	0.2	0.3	0.5
1981.....	2.3	*	*	*	*	*	*	*	0.4	0.6
1980.....	2.5	0.1	-	0.0	0.1	0.1	0.2	0.1	0.4	0.8
1979.....	2.5	0.2	0.0	-	0.1	0.1	0.2	0.2	0.3	0.6
WHITE FEMALE										
1998.....	2.6	*	*	*	*	*	*	*	*	0.3
1997.....	2.8	*	*	*	*	*	*	*	0.2	0.5
1996.....	2.8	*	*	*	*	*	*	*	0.3	0.3
1995.....	2.9	*	*	*	*	*	*	*	*	0.4
1994.....	3.0	*	*	*	*	*	*	*	0.3	0.4
1993.....	3.2	*	*	*	*	*	*	*	0.3	0.3
1992.....	3.3	*	*	*	*	*	*	*	0.3	0.3
1991.....	3.5	*	*	*	*	*	*	*	0.4	0.4
1990.....	3.6	*	*	*	*	*	*	*	0.2	0.4
1989.....	3.6	*	*	*	*	*	*	*	0.3	0.5
1988.....	3.9	*	*	*	*	*	*	*	0.3	0.5
1987.....	3.9	*	*	*	*	*	*	0.3	0.4	0.5
1986.....	3.8	*	*	*	*	*	*	*	0.4	0.4
1985.....	3.9	*	*	*	*	*	*	0.3	0.3	0.5
1984.....	4.1	*	*	*	*	*	*	*	0.4	0.5
1983.....	4.2	*	*	*	*	*	*	*	0.3	0.7
1982.....	4.3	*	*	*	*	*	*	*	0.3	0.6
1981.....	4.5	*	*	*	*	*	*	0.3	0.5	0.9
1980.....	4.7	0.1	0.1	0.0	-	0.1	0.1	0.3	0.3	1.0
1979.....	4.8	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.5	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
ALL OTHER, BOTH SEXES										
1998.....	0.9	*	*	*	*	*	*	*	*	0.6
1997.....	1.0	*	*	*	*	*	*	*	*	0.9
1996.....	1.0	*	*	*	*	*	*	*	*	1.0
1995.....	1.0	*	*	*	*	*	*	*	0.5	0.8
1994.....	1.1	*	*	*	*	*	*	*	0.5	0.7
1993.....	1.1	*	*	*	*	*	*	*	0.7	0.9
1992.....	1.2	*	*	*	*	*	*	*	*	0.8
1991.....	1.2	*	*	*	*	*	*	*	*	0.8
1990.....	1.3	*	*	*	*	*	*	*	*	1.1
1989.....	1.4	*	*	*	*	*	*	*	0.7	1.0
1988.....	1.4	*	*	*	*	*	*	*	0.7	1.5
1987.....	1.4	*	*	*	*	*	*	0.6	0.9	1.3
1986.....	1.5	*	*	*	*	*	*	0.6	0.9	1.4
1985.....	1.6	*	*	*	*	*	*	0.7	0.9	1.4
1984.....	1.6	*	*	*	*	*	*	0.8	0.9	1.4
1983.....	1.6	*	*	*	*	*	*	0.9	0.8	1.1
1982.....	1.6	*	*	*	*	*	*	0.8	1.0	1.1
1981.....	1.7	*	*	*	*	*	*	0.9	1.0	1.5
1980.....	1.9	0.2	0.0	0.1	0.3	0.4	0.8	0.9	1.4	1.6
1979.....	1.9	-	-	0.1	0.1	0.4	0.6	1.2	1.0	1.8
ALL OTHER MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.5	-	-	-	0.2	0.5	1.2	0.9	0.9	1.2
1979.....	1.6	-	-	-	0.1	0.5	0.7	1.0	1.2	2.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
ALL OTHER FEMALE										
1998.....	1.3	*	*	*	*	*	*	*	*	*
1997.....	1.2	*	*	*	*	*	*	*	*	1.0
1996.....	1.3	*	*	*	*	*	*	*	*	1.5
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.5	*	*	*	*	*	*	*	*	1.1
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	1.3
1990.....	1.7	*	*	*	*	*	*	*	*	*
1989.....	1.7	*	*	*	*	*	*	*	*	*
1988.....	1.7	*	*	*	*	*	*	*	*	1.8
1987.....	1.8	*	*	*	*	*	*	*	*	1.3
1986.....	1.8	*	*	*	*	*	*	*	*	1.4
1985.....	1.9	*	*	*	*	*	*	*	*	1.6
1984.....	2.0	*	*	*	*	*	*	*	*	*
1983.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	1.9	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.4	0.3	0.1	0.1	0.4	0.4	0.5	1.0	1.8	2.0
1979.....	2.2	-	-	0.1	-	0.3	0.6	1.3	0.9	1.2
BLACK, BOTH SEXES										
1998.....	1.0	*	*	*	*	*	*	*	*	0.7
1997.....	1.0	*	*	*	*	*	*	*	*	0.9
1996.....	1.0	*	*	*	*	*	*	*	*	1.1
1995.....	1.0	*	*	*	*	*	*	*	0.7	1.0
1994.....	1.1	*	*	*	*	*	*	*	*	0.8
1993.....	1.2	*	*	*	*	*	*	*	0.9	0.9
1992.....	1.3	*	*	*	*	*	*	*	*	0.9
1991.....	1.3	*	*	*	*	*	*	*	*	1.0
1990.....	1.4	*	*	*	*	*	*	*	*	1.4
1989.....	1.5	*	*	*	*	*	*	*	0.7	1.1
1988.....	1.4	*	*	*	*	*	*	*	*	1.6
1987.....	1.4	*	*	*	*	*	*	0.8	1.1	1.6
1986.....	1.6	*	*	*	*	*	*	*	0.9	1.5
1985.....	1.6	*	*	*	*	*	*	0.7	1.0	1.7
1984.....	1.6	*	*	*	*	*	*	0.9	1.1	1.5
1983.....	1.6	*	*	*	*	*	*	0.9	*	*
1982.....	1.6	*	*	*	*	*	*	0.8	1.0	*
1981.....	1.7	*	*	*	*	*	*	0.9	1.1	1.5
1980.....	2.0	0.2	0.1	0.1	0.3	0.4	0.8	0.9	1.4	1.8
1979.....	2.0	-	-	0.0	0.1	0.5	0.6	1.2	1.1	1.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
BLACK MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.5	-	-	-	0.1	0.5	1.2	1.0	1.0	1.5
1979.....	1.6	-	-	-	0.1	0.6	0.6	1.0	1.1	2.6
BLACK FEMALE										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.2	*	*	*	*	*	*	*	*	*
1996.....	1.4	*	*	*	*	*	*	*	*	1.7
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.6	*	*	*	*	*	*	*	*	*
1992.....	1.8	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	1.5
1990.....	1.8	*	*	*	*	*	*	*	*	*
1989.....	1.7	*	*	*	*	*	*	*	*	*
1988.....	1.7	*	*	*	*	*	*	*	*	1.8
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.9	*	*	*	*	*	*	*	*	*
1985.....	1.9	*	*	*	*	*	*	*	*	1.9
1984.....	2.0	*	*	*	*	*	*	*	*	*
1983.....	2.0	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.5	0.4	0.1	0.2	0.4	0.4	0.3	0.9	1.8	2.0
1979.....	2.3	-	-	0.1	-	0.3	0.6	1.3	1.0	1.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL VALVE (394)										
TOTAL, BOTH SEXES										
1998.....	0.9	*	*	*	*	*	0.1	0.2	0.2	0.2
1997.....	0.9	*	*	*	*	*	*	0.1	0.2	0.3
1996.....	0.9	*	*	*	*	*	*	0.1	0.2	0.3
1995.....	0.9	*	*	*	*	*	*	0.1	0.2	0.3
1994.....	1.0	*	*	*	*	*	*	*	0.2	0.3
1993.....	1.0	*	*	*	*	*	*	0.1	0.2	0.3
1992.....	1.0	*	*	*	*	*	*	0.2	0.2	0.3
1991.....	1.1	*	*	*	*	*	*	0.1	0.2	0.2
1990.....	1.1	*	*	*	*	*	*	0.1	0.2	0.3
1989.....	1.1	*	*	*	*	*	*	*	0.2	0.2
1988.....	1.2	*	*	*	*	*	*	0.1	0.2	0.3
1987.....	1.2	*	*	*	*	*	0.1	0.2	0.3	0.3
1986.....	1.2	*	*	*	*	*	0.1	0.1	0.2	0.3
1985.....	1.2	*	*	*	*	*	0.1	0.2	0.2	0.3
1984.....	1.3	*	*	*	*	*	0.1	0.1	0.2	0.3
1983.....	1.3	*	*	*	*	*	*	0.2	0.2	0.3
1982.....	1.3	*	*	*	*	*	0.1	0.1	0.2	0.3
1981.....	1.3	*	*	*	*	*	*	0.2	0.3	0.4
1980.....	1.4	0.0	-	0.0	0.0	0.1	0.1	0.1	0.2	0.4
1979.....	1.3	0.1	-	0.0	0.0	0.0	0.1	0.2	0.2	0.4
TOTAL, MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	0.2
1997.....	0.6	*	*	*	*	*	*	*	0.2	*
1996.....	0.5	*	*	*	*	*	*	*	*	0.2
1995.....	0.5	*	*	*	*	*	*	*	*	0.2
1994.....	0.6	*	*	*	*	*	*	*	*	0.2
1993.....	0.6	*	*	*	*	*	*	*	*	0.2
1992.....	0.6	*	*	*	*	*	*	*	*	0.2
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	0.2	0.3
1989.....	0.7	*	*	*	*	*	*	*	0.2	*
1988.....	0.7	*	*	*	*	*	*	*	*	0.2
1987.....	0.7	*	*	*	*	*	*	*	*	0.3
1986.....	0.7	*	*	*	*	*	*	*	*	0.3
1985.....	0.8	*	*	*	*	*	*	*	*	0.2
1984.....	0.8	*	*	*	*	*	*	*	0.2	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	0.0	0.0	0.1	0.1	0.0	0.2	0.3
1979.....	0.8	0.1	-	-	0.0	0.0	0.0	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL VALVE (394)										
TOTAL, FEMALE										
1998.....	1.3	*	*	*	*	*	*	*	0.2	0.3
1997.....	1.3	*	*	*	*	*	*	*	0.2	0.4
1996.....	1.2	*	*	*	*	*	*	*	0.2	0.3
1995.....	1.3	*	*	*	*	*	*	*	0.2	0.4
1994.....	1.3	*	*	*	*	*	*	*	0.3	0.3
1993.....	1.4	*	*	*	*	*	*	*	0.3	0.3
1992.....	1.5	*	*	*	*	*	*	0.2	0.2	0.3
1991.....	1.5	*	*	*	*	*	*	0.2	0.3	0.3
1990.....	1.5	*	*	*	*	*	*	*	*	0.3
1989.....	1.5	*	*	*	*	*	*	*	0.2	0.4
1988.....	1.7	*	*	*	*	*	*	*	0.3	0.3
1987.....	1.7	*	*	*	*	*	*	0.2	0.4	0.3
1986.....	1.7	*	*	*	*	*	*	*	0.3	0.3
1985.....	1.7	*	*	*	*	*	*	0.2	0.2	0.4
1984.....	1.7	*	*	*	*	*	0.2	0.2	0.2	0.3
1983.....	1.8	*	*	*	*	*	*	0.2	0.2	0.4
1982.....	1.7	*	*	*	*	*	*	0.2	0.2	0.4
1981.....	1.8	*	*	*	*	*	*	0.2	0.3	0.6
1980.....	1.9	0.1	-	0.0	0.0	0.1	0.1	0.1	0.3	0.5
1979.....	1.8	0.1	-	0.0	-	0.1	0.1	0.2	0.3	0.4
WHITE, BOTH SEXES										
1998.....	1.0	*	*	*	*	*	*	0.2	0.1	0.2
1997.....	1.0	*	*	*	*	*	*	*	0.2	0.3
1996.....	1.0	*	*	*	*	*	*	0.1	0.2	0.2
1995.....	1.0	*	*	*	*	*	*	*	0.2	0.3
1994.....	1.1	*	*	*	*	*	*	*	0.2	0.3
1993.....	1.1	*	*	*	*	*	*	*	0.2	0.2
1992.....	1.1	*	*	*	*	*	*	0.1	0.2	0.2
1991.....	1.2	*	*	*	*	*	*	0.1	0.2	0.2
1990.....	1.2	*	*	*	*	*	*	*	0.2	0.2
1989.....	1.2	*	*	*	*	*	*	*	0.2	0.2
1988.....	1.3	*	*	*	*	*	*	0.1	0.2	0.2
1987.....	1.3	*	*	*	*	*	*	0.1	0.2	0.2
1986.....	1.3	*	*	*	*	*	*	0.1	0.2	0.2
1985.....	1.3	*	*	*	*	*	0.1	0.2	0.2	0.2
1984.....	1.4	*	*	*	*	*	0.1	*	0.2	0.2
1983.....	1.4	*	*	*	*	*	*	0.1	0.2	0.3
1982.....	1.4	*	*	*	*	*	*	0.1	0.2	0.2
1981.....	1.4	*	*	*	*	*	*	0.1	0.2	0.3
1980.....	1.5	0.0	-	0.0	0.0	0.0	0.1	0.1	0.2	0.4
1979.....	1.4	0.1	-	0.0	0.0	0.0	0.1	0.1	0.2	0.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL VALVE (394)										
WHITE MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	0.3	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	0.2
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.9	-	-	0.0	0.0	0.0	0.1	0.0	0.2	0.2
1979.....	0.8	0.1	-	-	0.0	0.0	0.0	0.0	0.1	0.3
WHITE FEMALE										
1998.....	1.4	*	*	*	*	*	*	*	*	0.2
1997.....	1.4	*	*	*	*	*	*	*	*	0.4
1996.....	1.4	*	*	*	*	*	*	*	0.2	0.2
1995.....	1.4	*	*	*	*	*	*	*	*	0.3
1994.....	1.5	*	*	*	*	*	*	*	0.3	0.3
1993.....	1.6	*	*	*	*	*	*	*	0.2	*
1992.....	1.6	*	*	*	*	*	*	*	0.2	0.3
1991.....	1.6	*	*	*	*	*	*	*	0.3	0.2
1990.....	1.7	*	*	*	*	*	*	*	*	0.3
1989.....	1.7	*	*	*	*	*	*	*	0.2	0.3
1988.....	1.9	*	*	*	*	*	*	*	0.3	0.3
1987.....	1.9	*	*	*	*	*	*	*	0.3	0.3
1986.....	1.8	*	*	*	*	*	*	*	0.2	0.3
1985.....	1.8	*	*	*	*	*	*	0.2	*	0.3
1984.....	1.9	*	*	*	*	*	*	*	*	*
1983.....	1.9	*	*	*	*	*	*	*	0.3	0.4
1982.....	1.9	*	*	*	*	*	*	*	*	0.3
1981.....	1.9	*	*	*	*	*	*	*	0.3	0.5
1980.....	2.0	0.1	-	0.0	-	0.0	0.1	0.1	0.2	0.5
1979.....	2.0	0.1	-	0.0	-	0.0	0.1	0.2	0.3	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL VALVE (394)										
ALL OTHER, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.7	-	-	-	0.2	0.2	0.3	0.3	0.5	0.8
1979.....	0.7	-	-	0.1	0.0	0.2	0.1	0.4	0.2	0.7
ALL OTHER MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	0.1	0.2	0.4	0.1	0.2	0.7
1979.....	0.5	-	-	-	0.1	0.2	0.1	0.3	0.1	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL VALVE (394)										
ALL OTHER FEMALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.9	-	-	-	0.3	0.3	0.2	0.4	0.9	0.8
1979.....	0.8	-	-	0.1	-	0.2	0.1	0.6	0.3	0.4
BLACK, BOTH SEXES										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.7	-	-	-	0.2	0.2	0.3	0.3	0.6	0.9
1979.....	0.7	-	-	0.0	0.0	0.2	0.1	0.4	0.2	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL VALVE (394)										
BLACK MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	0.1	0.1	0.4	0.2	0.2	0.9
1979.....	0.6	-	-	-	0.1	0.2	0.1	0.3	-	1.1
BLACK FEMALE										
1998.....	0.8	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.9	-	-	-	0.3	0.3	0.2	0.3	0.9	0.9
1979.....	0.8	-	-	0.1	-	0.2	0.1	0.6	0.3	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF AORTIC VALVE (395)										
TOTAL, BOTH SEXES										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	0.0	0.0	0.0	0.1	0.0
1979.....	0.2	-	-	-	0.0	0.0	0.0	0.0	0.0	0.1
TOTAL, MALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	0.0	0.0	0.1	0.1	0.1
1979.....	0.2	-	-	-	0.0	0.0	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF AORTIC VALVE (395)										
TOTAL, FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	0.0	-	0.0	0.0	0.0
1979.....	0.2	-	-	-	-	-	-	-	0.0	0.0
WHITE, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	0.0	0.0	0.0	0.1	0.0
1979.....	0.2	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF AORTIC VALVE (395)										
WHITE MALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	0.0	0.0	0.0	0.1	0.1
1979.....	0.2	-	-	-	0.0	0.0	0.0	0.0	0.0	0.1
WHITE FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	0.0	-	0.0	0.0	0.0
1979.....	0.2	-	-	-	-	-	-	-	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF AORTIC VALVE (395)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	0.0	-	0.1	0.0	0.1
1979.....	0.1	-	-	-	-	-	0.0	-	-	0.1
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	0.1	-	0.1	-	-
1979.....	0.1	-	-	-	-	-	0.1	-	-	0.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF AORTIC VALVE (395)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	-	-	0.1	0.1	0.1
1979.....	0.1	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	0.0	-	0.0	0.1	0.1
1979.....	0.1	-	-	-	-	-	0.0	-	-	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
TOTAL, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	0.1
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.2
1979.....	0.4	-	0.0	-	-	0.0	0.0	0.0	0.1	0.1
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	0.0	0.0	0.0	0.1	0.1	0.1
1979.....	0.4	-	0.0	-	-	0.0	0.0	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
TOTAL, FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	0.0	-	-	-	0.0	0.0	0.0	0.2
1979.....	0.5	-	0.0	-	-	-	0.0	0.0	0.1	0.2
WHITE, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.2
1979.....	0.5	-	0.0	-	-	0.0	0.0	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
WHITE MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	0.0	0.0	0.0	0.0	0.0	0.2
1979.....	0.4	-	0.0	-	-	0.0	0.0	0.0	0.1	0.1
WHITE FEMALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	0.0	-	-	-	-	0.0	-	0.2
1979.....	0.5	-	0.0	-	-	-	0.0	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	0.1	0.0	0.2	0.1	0.1	0.2
1979.....	0.3	-	-	-	-	0.1	0.2	0.1	0.2	0.2
ALL OTHER MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	0.1	0.1	0.3	0.2	0.2	-
1979.....	0.2	-	-	-	-	0.1	0.1	0.1	0.3	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
ALL OTHER FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.1	-	0.1	0.3
1979.....	0.3	-	-	-	-	-	0.2	0.1	0.2	0.3
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	0.0	0.0	0.1	0.1	0.1	0.2
1979.....	0.3	-	-	-	-	0.1	0.2	0.0	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	0.1	0.1	0.3	0.3	0.2	-
1979.....	0.2	-	-	-	-	0.1	0.2	-	0.4	0.2
BLACK FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	-	-	0.4
1979.....	0.3	-	-	-	-	-	0.3	0.1	0.1	0.4



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
TOTAL, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	0.1
1995.....	0.6	*	*	*	*	*	*	*	*	0.1
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	0.1
1990.....	0.8	*	*	*	*	*	*	*	*	0.2
1989.....	0.8	*	*	*	*	*	*	*	0.1	0.1
1988.....	0.9	*	*	*	*	*	*	*	*	0.2
1987.....	0.9	*	*	*	*	*	*	0.1	0.1	0.2
1986.....	0.9	*	*	*	*	*	*	*	0.1	0.1
1985.....	1.0	*	*	*	*	*	*	*	0.1	0.2
1984.....	1.1	*	*	*	*	*	*	*	0.2	0.2
1983.....	1.1	*	*	*	*	*	*	0.1	0.1	0.2
1982.....	1.2	*	*	*	*	*	*	*	0.2	0.2
1981.....	1.3	*	*	*	*	*	*	0.1	0.2	0.3
1980.....	1.4	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.3
1979.....	1.5	0.1	-	-	0.0	0.1	0.1	0.2	0.2	0.4
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	0.2
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	0.2
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	0.3
1981.....	0.9	*	*	*	*	*	*	*	*	0.3
1980.....	0.9	0.1	-	-	0.0	0.1	0.1	0.1	0.1	0.3
1979.....	1.0	0.1	-	-	0.0	0.1	0.1	0.2	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
TOTAL, FEMALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	0.3
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.4	*	*	*	*	*	*	*	*	*
1984.....	1.4	*	*	*	*	*	*	*	*	*
1983.....	1.4	*	*	*	*	*	*	*	*	*
1982.....	1.6	*	*	*	*	*	*	*	*	*
1981.....	1.7	*	*	*	*	*	*	*	0.2	0.3
1980.....	1.9	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.4
1979.....	1.9	-	-	-	0.0	0.0	0.1	0.1	0.2	0.4
WHITE, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	0.1
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	0.1
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	0.1
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	0.2
1982.....	1.3	*	*	*	*	*	*	*	*	0.2
1981.....	1.4	*	*	*	*	*	*	*	*	0.3
1980.....	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3
1979.....	1.6	0.1	-	-	0.0	0.0	0.1	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
WHITE MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.1	-	-	0.0	0.0	0.0	0.0	0.1	0.3
1979.....	1.0	0.1	-	-	0.0	0.0	0.1	0.1	0.1	0.2
WHITE FEMALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.3	*	*	*	*	*	*	*	*	*
1986.....	1.4	*	*	*	*	*	*	*	*	*
1985.....	1.5	*	*	*	*	*	*	*	*	*
1984.....	1.6	*	*	*	*	*	*	*	*	*
1983.....	1.6	*	*	*	*	*	*	*	*	*
1982.....	1.7	*	*	*	*	*	*	*	*	*
1981.....	1.8	*	*	*	*	*	*	*	*	*
1980.....	2.0	-	0.0	0.0	-	0.0	0.0	0.1	0.1	0.3
1979.....	2.1	-	-	-	0.0	0.0	0.1	0.0	0.1	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
ALL OTHER, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.2	0.0	0.1	0.1	0.1	0.3	0.5	0.7	0.7
1979.....	0.8	-	-	-	0.0	0.2	0.3	0.7	0.6	0.7
ALL OTHER MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	-	-	-	0.2	0.5	0.4	0.5	0.5
1979.....	0.7	-	-	-	0.1	0.2	0.4	0.6	0.8	1.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
ALL OTHER FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.1	0.3	0.1	0.1	0.1	0.1	0.2	0.5	0.8	0.8
1979.....	0.9	-	-	-	-	0.2	0.2	0.7	0.5	0.4
BLACK, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.2	0.1	0.1	0.1	0.2	0.3	0.5	0.7	0.6
1979.....	0.8	-	-	-	0.0	0.2	0.3	0.7	0.7	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
BLACK MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.7	-	-	-	-	0.2	0.5	0.5	0.6	0.6
1979.....	0.7	-	-	-	0.1	0.3	0.3	0.8	0.7	1.2
BLACK FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.4	0.1	0.2	0.1	0.1	0.1	0.6	0.8	0.6
1979.....	1.0	-	-	-	-	0.1	0.2	0.7	0.6	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HYPERTENSIVE DISEASE (401-404)										
TOTAL, BOTH SEXES										
1998.....	16.4	*	*	*	*	*	0.1	0.5	0.9	2.0
1997.....	15.9	*	*	*	*	*	0.2	0.4	0.9	2.0
1996.....	15.7	*	*	*	*	*	0.2	0.4	0.9	1.7
1995.....	15.2	*	*	*	*	*	0.2	0.4	0.8	1.8
1994.....	14.7	*	*	*	*	*	0.2	0.5	1.0	1.9
1993.....	14.3	*	*	*	*	*	0.2	0.4	0.8	1.8
1992.....	13.6	*	*	*	*	*	0.2	0.3	0.8	1.5
1991.....	13.2	*	*	*	*	*	0.1	0.4	0.7	1.6
1990.....	13.1	*	*	*	*	*	0.1	0.3	0.7	1.5
1989.....	13.0	*	*	*	*	*	0.1	0.3	0.7	1.5
1988.....	13.0	*	*	*	*	*	0.2	0.3	0.7	1.5
1987.....	12.9	*	*	*	*	*	0.1	0.3	0.5	1.6
1986.....	12.9	*	*	*	*	*	0.1	0.3	0.7	1.4
1985.....	13.2	*	*	*	*	*	0.1	0.3	0.6	1.5
1984.....	13.3	*	*	*	*	*	*	0.3	0.6	1.3
1983.....	13.6	*	*	*	*	*	*	0.3	0.7	1.5
1982.....	13.5	*	*	*	*	*	0.1	0.3	0.7	1.4
1981.....	13.8	*	*	*	*	*	0.1	0.4	0.8	1.4
1980.....	14.4	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.7	1.7
1979.....	14.2	0.1	0.0	0.0	0.0	0.0	0.1	0.4	0.8	1.7
TOTAL, MALE										
1998.....	14.0	*	*	*	*	*	0.2	0.7	1.2	2.8
1997.....	13.6	*	*	*	*	*	0.2	0.5	1.1	2.9
1996.....	13.3	*	*	*	*	*	0.3	0.5	1.2	2.4
1995.....	13.0	*	*	*	*	*	0.2	0.5	1.2	2.4
1994.....	12.5	*	*	*	*	*	*	0.6	1.2	2.6
1993.....	12.2	*	*	*	*	*	0.2	0.5	1.1	2.4
1992.....	11.7	*	*	*	*	*	*	0.4	1.1	2.0
1991.....	11.3	*	*	*	*	*	0.2	0.5	0.8	2.1
1990.....	11.2	*	*	*	*	*	*	0.4	1.0	2.1
1989.....	11.3	*	*	*	*	*	*	0.5	1.1	2.1
1988.....	11.3	*	*	*	*	*	0.2	0.4	1.0	2.1
1987.....	11.3	*	*	*	*	*	*	0.4	0.7	2.3
1986.....	11.2	*	*	*	*	*	0.2	0.3	1.1	1.8
1985.....	11.7	*	*	*	*	*	*	0.4	0.9	2.0
1984.....	11.8	*	*	*	*	*	*	0.4	0.9	1.8
1983.....	12.1	*	*	*	*	*	*	0.4	1.1	2.1
1982.....	12.0	*	*	*	*	*	*	0.5	1.0	1.9
1981.....	12.4	*	*	*	*	*	*	0.4	1.1	1.7
1980.....	12.7	0.2	0.0	0.0	0.0	0.1	0.1	0.4	0.9	2.2
1979.....	12.6	0.2	0.0	0.0	0.0	0.0	0.2	0.5	0.9	2.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HYPERTENSIVE DISEASE (401-404)										
TOTAL, FEMALE										
1998.....	18.8	*	*	*	*	*	*	0.4	0.6	1.3
1997.....	18.1	*	*	*	*	*	*	0.3	0.7	1.0
1996.....	18.0	*	*	*	*	*	*	0.3	0.5	1.1
1995.....	17.3	*	*	*	*	*	*	0.2	0.5	1.2
1994.....	16.7	*	*	*	*	*	*	0.3	0.7	1.2
1993.....	16.2	*	*	*	*	*	*	0.3	0.5	1.2
1992.....	15.4	*	*	*	*	*	*	0.2	0.5	0.9
1991.....	15.0	*	*	*	*	*	*	0.3	0.5	1.1
1990.....	14.9	*	*	*	*	*	*	0.2	0.4	0.9
1989.....	14.6	*	*	*	*	*	*	*	0.4	1.0
1988.....	14.6	*	*	*	*	*	*	0.2	0.5	1.0
1987.....	14.4	*	*	*	*	*	*	0.2	0.4	0.9
1986.....	14.6	*	*	*	*	*	*	0.2	0.3	1.0
1985.....	14.7	*	*	*	*	*	*	*	0.3	0.9
1984.....	14.7	*	*	*	*	*	*	*	0.3	0.9
1983.....	15.0	*	*	*	*	*	*	*	0.3	0.9
1982.....	15.0	*	*	*	*	*	*	0.2	0.4	0.9
1981.....	15.2	*	*	*	*	*	*	0.3	0.4	1.1
1980.....	16.0	0.1	0.0	0.0	0.0	0.0	0.2	0.3	0.5	1.3
1979.....	15.7	0.1	0.0	0.0	0.1	0.0	0.1	0.3	0.7	1.2
WHITE, BOTH SEXES										
1998.....	14.6	*	*	*	*	*	*	0.2	0.4	1.1
1997.....	14.2	*	*	*	*	*	*	0.2	0.5	1.2
1996.....	14.0	*	*	*	*	*	*	0.2	0.5	1.0
1995.....	13.5	*	*	*	*	*	*	0.2	0.4	1.0
1994.....	13.0	*	*	*	*	*	*	0.3	0.5	0.9
1993.....	12.5	*	*	*	*	*	*	0.2	0.4	0.9
1992.....	11.8	*	*	*	*	*	*	0.2	0.3	0.8
1991.....	11.5	*	*	*	*	*	*	0.2	0.3	0.7
1990.....	11.4	*	*	*	*	*	*	0.1	0.3	0.6
1989.....	11.3	*	*	*	*	*	*	0.2	0.4	0.7
1988.....	11.2	*	*	*	*	*	*	0.1	0.3	0.7
1987.....	11.3	*	*	*	*	*	*	0.2	0.3	0.7
1986.....	11.3	*	*	*	*	*	*	0.1	0.4	0.6
1985.....	11.5	*	*	*	*	*	*	0.1	0.3	0.7
1984.....	11.7	*	*	*	*	*	*	0.2	0.3	0.6
1983.....	12.0	*	*	*	*	*	*	0.1	0.4	0.7
1982.....	12.0	*	*	*	*	*	*	0.1	0.3	0.7
1981.....	12.2	*	*	*	*	*	*	0.2	0.4	0.6
1980.....	12.7	0.2	-	0.0	0.0	0.0	0.1	0.2	0.3	0.7
1979.....	12.4	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.8



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HYPERTENSIVE DISEASE (401-404)										
WHITE MALE										
1998.....	11.9	*	*	*	*	*	*	0.3	0.6	1.8
1997.....	11.7	*	*	*	*	*	*	*	0.8	1.9
1996.....	11.3	*	*	*	*	*	*	0.3	0.7	1.5
1995.....	11.0	*	*	*	*	*	*	0.3	0.7	1.4
1994.....	10.6	*	*	*	*	*	*	0.4	0.8	1.4
1993.....	10.3	*	*	*	*	*	*	0.3	0.7	1.5
1992.....	9.8	*	*	*	*	*	*	0.3	0.5	1.2
1991.....	9.5	*	*	*	*	*	*	0.3	0.5	1.1
1990.....	9.4	*	*	*	*	*	*	*	0.5	1.0
1989.....	9.4	*	*	*	*	*	*	0.3	0.6	1.1
1988.....	9.5	*	*	*	*	*	*	*	0.5	1.0
1987.....	9.6	*	*	*	*	*	*	0.2	0.4	1.2
1986.....	9.5	*	*	*	*	*	*	*	0.6	0.9
1985.....	9.9	*	*	*	*	*	*	0.2	0.4	1.0
1984.....	10.0	*	*	*	*	*	*	0.3	0.5	0.8
1983.....	10.4	*	*	*	*	*	*	0.2	0.6	1.2
1982.....	10.4	*	*	*	*	*	*	*	0.5	0.9
1981.....	10.7	*	*	*	*	*	*	0.3	0.6	0.8
1980.....	10.9	0.3	-	0.0	0.0	0.0	0.1	0.3	0.4	1.0
1979.....	10.7	0.1	-	0.0	0.0	0.0	0.1	0.2	0.4	1.1
WHITE FEMALE										
1998.....	17.2	*	*	*	*	*	*	*	*	0.5
1997.....	16.7	*	*	*	*	*	*	*	0.2	0.5
1996.....	16.6	*	*	*	*	*	*	*	0.2	0.5
1995.....	15.9	*	*	*	*	*	*	*	*	0.5
1994.....	15.2	*	*	*	*	*	*	*	0.3	0.5
1993.....	14.6	*	*	*	*	*	*	*	*	0.4
1992.....	13.8	*	*	*	*	*	*	*	*	0.3
1991.....	13.4	*	*	*	*	*	*	*	*	0.4
1990.....	13.3	*	*	*	*	*	*	*	*	0.2
1989.....	13.0	*	*	*	*	*	*	*	*	0.3
1988.....	12.9	*	*	*	*	*	*	*	*	0.5
1987.....	13.0	*	*	*	*	*	*	*	*	0.3
1986.....	13.1	*	*	*	*	*	*	*	*	0.4
1985.....	13.1	*	*	*	*	*	*	*	*	0.4
1984.....	13.2	*	*	*	*	*	*	*	*	0.3
1983.....	13.5	*	*	*	*	*	*	*	*	0.3
1982.....	13.5	*	*	*	*	*	*	*	*	0.4
1981.....	13.7	*	*	*	*	*	*	*	*	0.4
1980.....	14.4	0.1	-	0.0	0.0	0.0	0.1	0.1	0.2	0.4
1979.....	14.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HYPERTENSIVE DISEASE (401-404)										
ALL OTHER, BOTH SEXES										
1998.....	25.2	*	*	*	*	*	*	1.8	2.9	6.1
1997.....	24.0	*	*	*	*	*	0.7	1.2	2.6	5.7
1996.....	23.8	*	*	*	*	*	0.7	1.5	2.7	5.3
1995.....	23.7	*	*	*	*	*	0.7	1.0	2.8	5.8
1994.....	23.1	*	*	*	*	*	*	1.4	3.0	6.7
1993.....	23.1	*	*	*	*	*	0.6	1.3	2.7	6.0
1992.....	22.4	*	*	*	*	*	*	1.1	3.1	5.0
1991.....	21.9	*	*	*	*	*	*	1.2	2.2	6.0
1990.....	22.1	*	*	*	*	*	0.6	1.1	2.5	6.1
1989.....	22.3	*	*	*	*	*	*	1.0	2.5	6.0
1988.....	22.4	*	*	*	*	*	0.6	1.1	2.8	5.8
1987.....	21.7	*	*	*	*	*	*	0.9	2.0	6.3
1986.....	21.8	*	*	*	*	*	*	1.1	2.3	5.8
1985.....	22.6	*	*	*	*	*	*	1.1	2.2	6.1
1984.....	22.6	*	*	*	*	*	*	0.7	2.2	6.0
1983.....	22.9	*	*	*	*	*	*	1.1	2.6	6.2
1982.....	22.7	*	*	*	*	*	*	1.5	3.1	6.3
1981.....	23.5	*	*	*	*	*	*	1.3	3.1	6.4
1980.....	24.9	-	0.1	0.0	0.1	0.1	0.5	1.3	3.2	8.2
1979.....	25.3	0.3	0.1	-	0.0	0.1	0.3	2.0	3.8	8.2
ALL OTHER MALE										
1998.....	24.2	*	*	*	*	*	*	2.3	3.9	7.6
1997.....	23.3	*	*	*	*	*	*	1.6	2.9	8.3
1996.....	23.3	*	*	*	*	*	1.1	1.8	3.7	6.9
1995.....	22.9	*	*	*	*	*	*	1.3	3.6	7.2
1994.....	22.1	*	*	*	*	*	*	1.9	3.4	8.9
1993.....	21.8	*	*	*	*	*	*	1.6	3.5	7.3
1992.....	21.2	*	*	*	*	*	*	1.2	4.0	6.6
1991.....	20.8	*	*	*	*	*	*	1.6	2.5	7.6
1990.....	21.1	*	*	*	*	*	*	1.2	3.3	8.4
1989.....	21.8	*	*	*	*	*	*	1.5	3.4	7.8
1988.....	21.0	*	*	*	*	*	*	1.6	3.7	8.3
1987.....	21.0	*	*	*	*	*	*	1.3	2.3	9.0
1986.....	20.8	*	*	*	*	*	*	1.3	3.6	7.4
1985.....	21.8	*	*	*	*	*	*	1.5	3.6	8.9
1984.....	22.0	*	*	*	*	*	*	*	3.4	8.2
1983.....	22.6	*	*	*	*	*	*	1.6	4.2	8.4
1982.....	22.0	*	*	*	*	*	*	1.9	4.6	8.7
1981.....	22.9	*	*	*	*	*	*	1.5	4.6	8.0
1980.....	23.7	-	0.1	-	0.1	0.2	0.5	1.2	4.2	10.5
1979.....	24.8	0.3	0.2	-	-	0.1	0.5	2.6	4.3	10.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HYPERTENSIVE DISEASE (401-404)										
ALL OTHER FEMALE										
1998.....	26.1	*	*	*	*	*	*	1.3	2.0	4.8
1997.....	24.5	*	*	*	*	*	*	*	2.4	3.3
1996.....	24.2	*	*	*	*	*	*	1.2	1.8	3.8
1995.....	24.5	*	*	*	*	*	*	*	2.1	4.4
1994.....	24.1	*	*	*	*	*	*	*	2.6	4.6
1993.....	24.4	*	*	*	*	*	*	1.1	1.9	4.8
1992.....	23.4	*	*	*	*	*	*	*	2.2	3.6
1991.....	22.9	*	*	*	*	*	*	*	1.9	4.6
1990.....	23.0	*	*	*	*	*	*	*	1.8	4.2
1989.....	22.7	*	*	*	*	*	*	*	1.6	4.4
1988.....	23.6	*	*	*	*	*	*	*	1.9	3.7
1987.....	22.3	*	*	*	*	*	*	*	1.6	3.9
1986.....	22.8	*	*	*	*	*	*	*	*	4.4
1985.....	23.3	*	*	*	*	*	*	*	*	3.8
1984.....	23.2	*	*	*	*	*	*	*	1.3	4.0
1983.....	23.2	*	*	*	*	*	*	*	*	4.3
1982.....	23.3	*	*	*	*	*	*	*	1.8	4.2
1981.....	24.0	*	*	*	*	*	*	*	1.7	5.1
1980.....	26.1	-	0.1	0.1	0.1	0.1	0.6	1.3	2.3	6.2
1979.....	25.8	0.3	0.1	-	0.1	0.1	0.2	1.5	3.4	6.4
BLACK, BOTH SEXES										
1998.....	32.1	*	*	*	*	*	*	2.3	3.7	8.0
1997.....	30.3	*	*	*	*	*	0.9	1.6	3.6	7.4
1996.....	30.1	*	*	*	*	*	0.9	2.0	3.5	6.8
1995.....	29.8	*	*	*	*	*	0.9	1.4	3.6	7.5
1994.....	29.1	*	*	*	*	*	*	1.8	4.0	8.6
1993.....	29.1	*	*	*	*	*	0.9	1.7	3.4	8.0
1992.....	28.1	*	*	*	*	*	*	1.4	4.0	6.7
1991.....	27.5	*	*	*	*	*	*	1.6	2.9	8.0
1990.....	27.7	*	*	*	*	*	0.8	1.4	3.2	8.0
1989.....	27.6	*	*	*	*	*	*	1.2	3.2	8.0
1988.....	27.6	*	*	*	*	*	*	1.5	3.6	7.7
1987.....	26.4	*	*	*	*	*	*	1.2	2.5	8.2
1986.....	26.5	*	*	*	*	*	*	1.3	2.9	7.4
1985.....	27.2	*	*	*	*	*	*	1.4	2.8	7.8
1984.....	27.1	*	*	*	*	*	*	0.9	2.9	7.8
1983.....	27.3	*	*	*	*	*	*	1.4	3.3	7.8
1982.....	26.7	*	*	*	*	*	*	1.9	3.9	7.6
1981.....	27.6	*	*	*	*	*	*	1.6	3.9	8.1
1980.....	28.7	-	0.1	-	0.1	0.2	0.6	1.5	3.9	10.1
1979.....	28.8	0.4	0.1	-	0.0	0.1	0.3	2.4	4.6	9.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HYPERTENSIVE DISEASE (401-404)										
BLACK MALE										
1998.....	30.8	*	*	*	*	*	*	2.9	4.8	9.8
1997.....	29.4	*	*	*	*	*	*	2.2	4.1	10.7
1996.....	29.5	*	*	*	*	*	*	2.4	4.8	9.0
1995.....	28.8	*	*	*	*	*	*	1.8	4.7	9.4
1994.....	27.7	*	*	*	*	*	*	2.6	4.7	11.6
1993.....	27.4	*	*	*	*	*	*	2.0	4.5	9.7
1992.....	26.6	*	*	*	*	*	*	1.6	5.3	8.8
1991.....	26.3	*	*	*	*	*	*	2.1	3.4	10.1
1990.....	26.5	*	*	*	*	*	*	1.6	4.3	11.0
1989.....	27.1	*	*	*	*	*	*	1.9	4.5	10.7
1988.....	25.8	*	*	*	*	*	*	2.0	4.9	11.1
1987.....	25.7	*	*	*	*	*	*	1.7	3.1	11.7
1986.....	25.3	*	*	*	*	*	*	1.5	4.7	9.3
1985.....	26.3	*	*	*	*	*	*	1.9	4.6	11.4
1984.....	26.3	*	*	*	*	*	*	*	4.3	10.9
1983.....	27.0	*	*	*	*	*	*	1.9	5.4	10.6
1982.....	25.9	*	*	*	*	*	*	2.4	5.9	10.5
1981.....	26.9	*	*	*	*	*	*	1.9	5.8	10.2
1980.....	27.2	-	0.1	-	0.1	0.2	0.5	1.4	5.4	13.1
1979.....	28.2	0.4	0.1	-	-	0.1	0.4	3.0	5.3	12.0
BLACK FEMALE										
1998.....	33.2	*	*	*	*	*	*	1.8	2.8	6.4
1997.....	31.1	*	*	*	*	*	*	*	3.1	4.4
1996.....	30.7	*	*	*	*	*	*	1.7	2.3	4.9
1995.....	30.7	*	*	*	*	*	*	*	2.7	5.8
1994.....	30.2	*	*	*	*	*	*	*	3.5	6.0
1993.....	30.6	*	*	*	*	*	*	*	2.5	6.5
1992.....	29.4	*	*	*	*	*	*	*	2.9	4.8
1991.....	28.5	*	*	*	*	*	*	*	2.5	6.2
1990.....	28.8	*	*	*	*	*	*	*	2.3	5.5
1989.....	28.2	*	*	*	*	*	*	*	2.0	5.8
1988.....	29.2	*	*	*	*	*	*	*	2.4	4.9
1987.....	27.1	*	*	*	*	*	*	*	2.0	5.1
1986.....	27.6	*	*	*	*	*	*	*	*	5.8
1985.....	28.0	*	*	*	*	*	*	*	*	4.9
1984.....	27.8	*	*	*	*	*	*	*	1.6	5.3
1983.....	27.6	*	*	*	*	*	*	*	*	5.4
1982.....	27.4	*	*	*	*	*	*	*	2.3	5.2
1981.....	28.1	*	*	*	*	*	*	*	2.2	6.3
1980.....	30.0	-	0.1	-	0.1	0.1	0.7	1.6	2.7	7.6
1979.....	29.3	0.4	0.1	-	0.1	0.1	0.1	1.8	4.1	7.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ESSENTIAL HYPERTENSION (401)										
TOTAL, BOTH SEXES										
1998.....	3.1	*	*	*	*	*	*	*	*	0.3
1997.....	2.9	*	*	*	*	*	*	*	*	0.2
1996.....	2.8	*	*	*	*	*	*	*	*	0.2
1995.....	2.7	*	*	*	*	*	*	*	*	0.2
1994.....	2.5	*	*	*	*	*	*	*	*	0.2
1993.....	2.4	*	*	*	*	*	*	*	0.1	0.2
1992.....	2.1	*	*	*	*	*	*	*	*	0.2
1991.....	2.0	*	*	*	*	*	*	*	*	0.2
1990.....	1.9	*	*	*	*	*	*	*	*	0.2
1989.....	1.8	*	*	*	*	*	*	*	*	0.2
1988.....	1.8	*	*	*	*	*	*	*	*	0.2
1987.....	1.7	*	*	*	*	*	*	*	*	0.2
1986.....	1.6	*	*	*	*	*	*	*	*	0.2
1985.....	1.5	*	*	*	*	*	*	*	*	0.2
1984.....	1.5	*	*	*	*	*	*	*	*	0.1
1983.....	1.4	*	*	*	*	*	*	*	*	0.2
1982.....	1.3	*	*	*	*	*	*	*	*	0.1
1981.....	1.3	*	*	*	*	*	*	*	*	0.1
1980.....	1.3	0.1	-	0.0	0.0	0.0	0.0	0.1	0.1	0.2
1979.....	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2
TOTAL, MALE										
1998.....	2.2	*	*	*	*	*	*	*	*	0.4
1997.....	2.2	*	*	*	*	*	*	*	*	0.3
1996.....	2.1	*	*	*	*	*	*	*	*	*
1995.....	2.0	*	*	*	*	*	*	*	*	0.2
1994.....	1.9	*	*	*	*	*	*	*	*	0.2
1993.....	1.9	*	*	*	*	*	*	*	*	0.3
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	0.2
1989.....	1.5	*	*	*	*	*	*	*	*	0.2
1988.....	1.5	*	*	*	*	*	*	*	*	0.3
1987.....	1.4	*	*	*	*	*	*	*	*	0.3
1986.....	1.4	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	0.3
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.1	0.2	-	0.0	0.0	0.0	0.0	0.1	0.1	0.2
1979.....	1.0	0.1	0.0	-	-	-	0.0	0.1	0.1	0.2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ESSENTIAL HYPERTENSION (401)										
WHITE MALE										
1998.....	2.0	*	*	*	*	*	*	*	*	0.3
1997.....	2.0	*	*	*	*	*	*	*	*	*
1996.....	1.9	*	*	*	*	*	*	*	*	*
1995.....	1.8	*	*	*	*	*	*	*	*	*
1994.....	1.7	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	0.2
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.3	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.2	-	0.0	0.0	0.0	0.0	0.1	0.1	0.2
1979.....	0.9	0.1	-	-	-	-	0.0	0.0	0.0	0.1
WHITE FEMALE										
1998.....	3.8	*	*	*	*	*	*	*	*	*
1997.....	3.5	*	*	*	*	*	*	*	*	*
1996.....	3.3	*	*	*	*	*	*	*	*	*
1995.....	3.2	*	*	*	*	*	*	*	*	*
1994.....	2.9	*	*	*	*	*	*	*	*	*
1993.....	2.8	*	*	*	*	*	*	*	*	*
1992.....	2.3	*	*	*	*	*	*	*	*	*
1991.....	2.2	*	*	*	*	*	*	*	*	*
1990.....	2.1	*	*	*	*	*	*	*	*	*
1989.....	2.0	*	*	*	*	*	*	*	*	*
1988.....	1.9	*	*	*	*	*	*	*	*	*
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.5	*	*	*	*	*	*	*	*	*
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.4	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.2	-	-	-	0.0	-	0.0	0.0	0.1	0.1
1979.....	1.2	-	0.0	0.0	0.0	0.0	-	-	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ESSENTIAL HYPERTENSION (401)										
ALL OTHER, BOTH SEXES										
1998.....	3.7	*	*	*	*	*	*	*	*	0.6
1997.....	3.5	*	*	*	*	*	*	*	*	0.6
1996.....	3.4	*	*	*	*	*	*	*	*	*
1995.....	3.4	*	*	*	*	*	*	*	*	*
1994.....	3.3	*	*	*	*	*	*	*	*	0.7
1993.....	3.1	*	*	*	*	*	*	*	*	0.6
1992.....	2.7	*	*	*	*	*	*	*	*	*
1991.....	2.7	*	*	*	*	*	*	*	*	*
1990.....	2.5	*	*	*	*	*	*	*	*	*
1989.....	2.6	*	*	*	*	*	*	*	*	*
1988.....	2.5	*	*	*	*	*	*	*	*	*
1987.....	2.4	*	*	*	*	*	*	*	*	*
1986.....	2.3	*	*	*	*	*	*	*	*	0.7
1985.....	2.4	*	*	*	*	*	*	*	*	0.9
1984.....	2.3	*	*	*	*	*	*	*	*	*
1983.....	2.0	*	*	*	*	*	*	*	*	*
1982.....	1.8	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.1	-	-	-	0.1	-	0.1	0.2	0.3	0.9
1979.....	1.8	0.3	0.1	-	-	-	-	0.3	0.3	0.9
ALL OTHER MALE										
1998.....	3.1	*	*	*	*	*	*	*	*	*
1997.....	3.2	*	*	*	*	*	*	*	*	*
1996.....	3.0	*	*	*	*	*	*	*	*	*
1995.....	3.1	*	*	*	*	*	*	*	*	*
1994.....	3.1	*	*	*	*	*	*	*	*	*
1993.....	2.8	*	*	*	*	*	*	*	*	*
1992.....	2.2	*	*	*	*	*	*	*	*	*
1991.....	2.4	*	*	*	*	*	*	*	*	*
1990.....	2.4	*	*	*	*	*	*	*	*	*
1989.....	2.4	*	*	*	*	*	*	*	*	*
1988.....	2.1	*	*	*	*	*	*	*	*	*
1987.....	2.2	*	*	*	*	*	*	*	*	*
1986.....	2.0	*	*	*	*	*	*	*	*	*
1985.....	2.2	*	*	*	*	*	*	*	*	*
1984.....	2.1	*	*	*	*	*	*	*	*	*
1983.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	1.6	*	*	*	*	*	*	*	*	*
1981.....	1.9	*	*	*	*	*	*	*	*	*
1980.....	1.8	-	-	-	0.1	-	0.1	0.1	0.4	0.8
1979.....	1.7	0.3	0.1	-	-	-	-	0.6	0.4	1.0



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ESSENTIAL HYPERTENSION (401)										
ALL OTHER FEMALE										
1998.....	4.2	*	*	*	*	*	*	*	*	*
1997.....	3.8	*	*	*	*	*	*	*	*	*
1996.....	3.8	*	*	*	*	*	*	*	*	*
1995.....	3.6	*	*	*	*	*	*	*	*	*
1994.....	3.4	*	*	*	*	*	*	*	*	*
1993.....	3.4	*	*	*	*	*	*	*	*	*
1992.....	3.2	*	*	*	*	*	*	*	*	*
1991.....	2.9	*	*	*	*	*	*	*	*	*
1990.....	2.7	*	*	*	*	*	*	*	*	*
1989.....	2.7	*	*	*	*	*	*	*	*	*
1988.....	2.8	*	*	*	*	*	*	*	*	*
1987.....	2.6	*	*	*	*	*	*	*	*	*
1986.....	2.6	*	*	*	*	*	*	*	*	*
1985.....	2.5	*	*	*	*	*	*	*	*	*
1984.....	2.5	*	*	*	*	*	*	*	*	*
1983.....	2.1	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.3	*	*	*	*	*	*	*	*	*
1980.....	2.3	-	-	-	0.1	-	-	0.2	0.2	0.9
1979.....	1.8	0.3	0.1	-	-	-	-	0.1	0.2	0.8
BLACK, BOTH SEXES										
1998.....	4.6	*	*	*	*	*	*	*	*	0.8
1997.....	4.4	*	*	*	*	*	*	*	*	0.8
1996.....	4.3	*	*	*	*	*	*	*	*	*
1995.....	4.2	*	*	*	*	*	*	*	*	*
1994.....	4.1	*	*	*	*	*	*	*	*	0.9
1993.....	3.9	*	*	*	*	*	*	*	*	*
1992.....	3.4	*	*	*	*	*	*	*	*	*
1991.....	3.3	*	*	*	*	*	*	*	*	*
1990.....	3.2	*	*	*	*	*	*	*	*	*
1989.....	3.2	*	*	*	*	*	*	*	*	*
1988.....	3.0	*	*	*	*	*	*	*	*	*
1987.....	2.9	*	*	*	*	*	*	*	*	*
1986.....	2.8	*	*	*	*	*	*	*	*	1.0
1985.....	2.9	*	*	*	*	*	*	*	*	1.2
1984.....	2.8	*	*	*	*	*	*	*	*	*
1983.....	2.4	*	*	*	*	*	*	*	*	*
1982.....	2.1	*	*	*	*	*	*	*	*	*
1981.....	2.5	*	*	*	*	*	*	*	*	*
1980.....	2.4	-	-	-	0.1	-	0.1	0.2	0.3	1.0
1979.....	2.0	0.4	0.1	-	-	-	-	0.4	0.3	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ESSENTIAL HYPERTENSION (401)										
BLACK MALE										
1998.....	3.9	*	*	*	*	*	*	*	*	*
1997.....	4.0	*	*	*	*	*	*	*	*	*
1996.....	3.7	*	*	*	*	*	*	*	*	*
1995.....	3.9	*	*	*	*	*	*	*	*	*
1994.....	3.9	*	*	*	*	*	*	*	*	*
1993.....	3.5	*	*	*	*	*	*	*	*	*
1992.....	2.8	*	*	*	*	*	*	*	*	*
1991.....	3.0	*	*	*	*	*	*	*	*	*
1990.....	3.0	*	*	*	*	*	*	*	*	*
1989.....	2.9	*	*	*	*	*	*	*	*	*
1988.....	2.5	*	*	*	*	*	*	*	*	*
1987.....	2.7	*	*	*	*	*	*	*	*	*
1986.....	2.4	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.5	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*
1982.....	1.8	*	*	*	*	*	*	*	*	*
1981.....	2.2	*	*	*	*	*	*	*	*	*
1980.....	2.1	-	-	-	0.1	-	0.2	0.2	0.5	1.1
1979.....	1.9	0.4	-	-	-	-	-	0.8	0.5	1.1
BLACK FEMALE										
1998.....	5.3	*	*	*	*	*	*	*	*	*
1997.....	4.7	*	*	*	*	*	*	*	*	*
1996.....	4.8	*	*	*	*	*	*	*	*	*
1995.....	4.5	*	*	*	*	*	*	*	*	*
1994.....	4.2	*	*	*	*	*	*	*	*	*
1993.....	4.3	*	*	*	*	*	*	*	*	*
1992.....	3.9	*	*	*	*	*	*	*	*	*
1991.....	3.7	*	*	*	*	*	*	*	*	*
1990.....	3.4	*	*	*	*	*	*	*	*	*
1989.....	3.3	*	*	*	*	*	*	*	*	*
1988.....	3.5	*	*	*	*	*	*	*	*	*
1987.....	3.1	*	*	*	*	*	*	*	*	*
1986.....	3.2	*	*	*	*	*	*	*	*	*
1985.....	3.0	*	*	*	*	*	*	*	*	*
1984.....	3.0	*	*	*	*	*	*	*	*	*
1983.....	2.4	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	*	*
1981.....	2.7	*	*	*	*	*	*	*	*	*
1980.....	2.6	-	-	-	0.1	-	-	0.2	0.2	1.0
1979.....	2.0	0.4	0.1	-	-	-	-	0.1	0.2	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
TOTAL, BOTH SEXES										
1998.....	10.3	*	*	*	*	*	*	0.4	0.7	1.5
1997.....	9.9	*	*	*	*	*	0.1	0.2	0.7	1.5
1996.....	9.9	*	*	*	*	*	0.1	0.3	0.7	1.3
1995.....	9.5	*	*	*	*	*	*	0.2	0.6	1.3
1994.....	9.2	*	*	*	*	*	*	0.3	0.7	1.4
1993.....	8.9	*	*	*	*	*	*	0.2	0.6	1.2
1992.....	8.6	*	*	*	*	*	*	0.2	0.5	1.1
1991.....	8.5	*	*	*	*	*	*	0.2	0.4	1.1
1990.....	8.5	*	*	*	*	*	*	0.2	0.5	1.0
1989.....	8.5	*	*	*	*	*	*	0.2	0.5	1.1
1988.....	8.5	*	*	*	*	*	0.1	0.2	0.5	1.0
1987.....	8.5	*	*	*	*	*	*	0.2	0.3	1.1
1986.....	8.5	*	*	*	*	*	*	0.1	0.4	1.0
1985.....	8.8	*	*	*	*	*	*	0.2	0.4	1.0
1984.....	8.8	*	*	*	*	*	*	0.2	0.4	1.0
1983.....	9.0	*	*	*	*	*	*	0.2	0.5	1.1
1982.....	9.0	*	*	*	*	*	*	0.2	0.5	1.0
1981.....	9.1	*	*	*	*	*	*	0.2	0.5	1.0
1980.....	9.3	0.0	-	0.0	-	0.0	0.1	0.2	0.5	1.2
1979.....	9.3	0.0	-	-	0.0	0.0	0.0	0.3	0.5	1.2
TOTAL, MALE										
1998.....	9.0	*	*	*	*	*	*	0.5	1.0	2.2
1997.....	8.7	*	*	*	*	*	*	0.3	0.9	2.3
1996.....	8.6	*	*	*	*	*	0.2	0.4	0.9	1.9
1995.....	8.3	*	*	*	*	*	*	0.3	0.8	1.8
1994.....	7.9	*	*	*	*	*	*	0.5	0.9	2.0
1993.....	7.8	*	*	*	*	*	*	0.3	0.8	1.7
1992.....	7.4	*	*	*	*	*	*	0.3	0.7	1.6
1991.....	7.3	*	*	*	*	*	*	0.3	0.6	1.5
1990.....	7.3	*	*	*	*	*	*	0.3	0.7	1.4
1989.....	7.4	*	*	*	*	*	*	0.2	0.7	1.5
1988.....	7.4	*	*	*	*	*	*	0.2	0.7	1.4
1987.....	7.5	*	*	*	*	*	*	0.3	0.4	1.6
1986.....	7.4	*	*	*	*	*	*	*	0.7	1.3
1985.....	7.8	*	*	*	*	*	*	0.3	0.7	1.5
1984.....	7.8	*	*	*	*	*	*	0.2	0.6	1.4
1983.....	8.0	*	*	*	*	*	*	0.3	0.8	1.6
1982.....	7.9	*	*	*	*	*	*	0.3	0.6	1.3
1981.....	8.1	*	*	*	*	*	*	0.2	0.8	1.3
1980.....	8.1	0.1	-	-	-	0.0	0.1	0.2	0.6	1.6
1979.....	8.2	-	-	-	-	0.0	0.1	0.3	0.6	1.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
TOTAL, FEMALE										
1998.....	11.4	*	*	*	*	*	*	0.2	0.4	0.9
1997.....	11.1	*	*	*	*	*	*	*	0.5	0.8
1996.....	11.1	*	*	*	*	*	*	*	0.4	0.8
1995.....	10.7	*	*	*	*	*	*	*	0.4	0.8
1994.....	10.4	*	*	*	*	*	*	*	0.4	0.9
1993.....	10.1	*	*	*	*	*	*	*	0.3	0.7
1992.....	9.7	*	*	*	*	*	*	*	0.3	0.6
1991.....	9.6	*	*	*	*	*	*	*	0.3	0.8
1990.....	9.6	*	*	*	*	*	*	*	0.3	0.7
1989.....	9.5	*	*	*	*	*	*	*	0.3	0.7
1988.....	9.5	*	*	*	*	*	*	*	0.3	0.6
1987.....	9.5	*	*	*	*	*	*	*	0.2	0.6
1986.....	9.6	*	*	*	*	*	*	*	*	0.7
1985.....	9.7	*	*	*	*	*	*	*	*	0.6
1984.....	9.8	*	*	*	*	*	*	*	*	0.6
1983.....	9.9	*	*	*	*	*	*	*	*	0.7
1982.....	10.0	*	*	*	*	*	*	*	0.3	0.7
1981.....	10.0	*	*	*	*	*	*	*	0.2	0.8
1980.....	10.5	-	-	0.0	-	0.0	0.1	0.1	0.3	0.8
1979.....	10.5	0.1	-	-	0.0	0.0	0.0	0.2	0.5	0.8
WHITE, BOTH SEXES										
1998.....	9.0	*	*	*	*	*	*	0.2	0.3	0.9
1997.....	8.8	*	*	*	*	*	*	*	0.4	1.0
1996.....	8.7	*	*	*	*	*	*	0.1	0.4	0.8
1995.....	8.3	*	*	*	*	*	*	*	0.3	0.7
1994.....	8.0	*	*	*	*	*	*	0.2	0.4	0.8
1993.....	7.7	*	*	*	*	*	*	0.1	0.3	0.7
1992.....	7.4	*	*	*	*	*	*	0.1	0.2	0.6
1991.....	7.3	*	*	*	*	*	*	0.1	0.2	0.5
1990.....	7.3	*	*	*	*	*	*	*	0.2	0.5
1989.....	7.2	*	*	*	*	*	*	*	0.3	0.5
1988.....	7.2	*	*	*	*	*	*	*	0.3	0.5
1987.....	7.4	*	*	*	*	*	*	*	0.2	0.5
1986.....	7.4	*	*	*	*	*	*	*	0.3	0.5
1985.....	7.6	*	*	*	*	*	*	0.1	0.2	0.5
1984.....	7.6	*	*	*	*	*	*	0.1	0.2	0.4
1983.....	7.8	*	*	*	*	*	*	*	0.2	0.6
1982.....	7.8	*	*	*	*	*	*	*	0.2	0.4
1981.....	7.9	*	*	*	*	*	*	*	0.3	0.5
1980.....	8.0	0.0	-	-	-	-	0.0	0.1	0.2	0.5
1979.....	8.0	0.0	-	-	0.0	0.0	0.0	0.1	0.2	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
WHITE MALE										
1998.....	7.5	*	*	*	*	*	*	0.3	0.5	1.4
1997.....	7.3	*	*	*	*	*	*	*	0.6	1.6
1996.....	7.2	*	*	*	*	*	*	*	0.6	1.2
1995.....	6.9	*	*	*	*	*	*	*	0.5	1.1
1994.....	6.6	*	*	*	*	*	*	0.3	0.7	1.2
1993.....	6.4	*	*	*	*	*	*	*	0.5	1.1
1992.....	6.0	*	*	*	*	*	*	*	0.4	1.0
1991.....	6.0	*	*	*	*	*	*	*	0.4	0.8
1990.....	5.9	*	*	*	*	*	*	*	0.4	0.7
1989.....	6.0	*	*	*	*	*	*	*	0.4	0.8
1988.....	6.1	*	*	*	*	*	*	*	0.4	0.7
1987.....	6.2	*	*	*	*	*	*	*	0.3	0.8
1986.....	6.1	*	*	*	*	*	*	*	0.4	0.7
1985.....	6.4	*	*	*	*	*	*	*	0.4	0.8
1984.....	6.4	*	*	*	*	*	*	*	0.4	0.7
1983.....	6.6	*	*	*	*	*	*	*	0.4	0.9
1982.....	6.6	*	*	*	*	*	*	*	0.3	0.6
1981.....	6.7	*	*	*	*	*	*	*	0.4	0.6
1980.....	6.7	0.1	-	-	-	-	0.0	0.1	0.3	0.7
1979.....	6.7	-	-	-	-	0.0	0.0	0.1	0.3	0.8
WHITE FEMALE										
1998.....	10.4	*	*	*	*	*	*	*	*	0.3
1997.....	10.2	*	*	*	*	*	*	*	*	0.4
1996.....	10.3	*	*	*	*	*	*	*	*	0.4
1995.....	9.7	*	*	*	*	*	*	*	*	0.3
1994.....	9.4	*	*	*	*	*	*	*	*	0.3
1993.....	9.0	*	*	*	*	*	*	*	*	0.2
1992.....	8.6	*	*	*	*	*	*	*	*	*
1991.....	8.5	*	*	*	*	*	*	*	*	*
1990.....	8.5	*	*	*	*	*	*	*	*	*
1989.....	8.4	*	*	*	*	*	*	*	*	*
1988.....	8.4	*	*	*	*	*	*	*	*	*
1987.....	8.5	*	*	*	*	*	*	*	*	*
1986.....	8.6	*	*	*	*	*	*	*	*	0.3
1985.....	8.7	*	*	*	*	*	*	*	*	*
1984.....	8.7	*	*	*	*	*	*	*	*	*
1983.....	8.8	*	*	*	*	*	*	*	*	*
1982.....	8.9	*	*	*	*	*	*	*	*	*
1981.....	8.9	*	*	*	*	*	*	*	*	*
1980.....	9.3	-	-	-	-	-	0.0	0.0	0.1	0.3
1979.....	9.3	0.1	-	-	0.0	-	0.0	0.1	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
ALL OTHER, BOTH SEXES										
1998.....	16.2	*	*	*	*	*	*	1.2	2.2	4.7
1997.....	15.6	*	*	*	*	*	*	0.6	1.8	4.1
1996.....	15.4	*	*	*	*	*	*	0.9	1.9	3.9
1995.....	15.3	*	*	*	*	*	*	0.7	2.0	4.2
1994.....	14.9	*	*	*	*	*	*	0.9	2.1	4.9
1993.....	14.9	*	*	*	*	*	*	0.7	1.7	3.9
1992.....	14.6	*	*	*	*	*	*	0.6	2.0	3.7
1991.....	14.4	*	*	*	*	*	*	0.7	1.4	4.2
1990.....	14.8	*	*	*	*	*	*	0.7	1.7	4.0
1989.....	15.2	*	*	*	*	*	*	*	1.6	4.3
1988.....	15.3	*	*	*	*	*	*	0.7	1.8	4.0
1987.....	14.8	*	*	*	*	*	*	0.7	1.2	4.4
1986.....	15.1	*	*	*	*	*	*	0.6	1.3	4.1
1985.....	15.5	*	*	*	*	*	*	0.7	1.4	4.3
1984.....	15.6	*	*	*	*	*	*	*	1.4	4.5
1983.....	16.1	*	*	*	*	*	*	0.7	2.0	4.6
1982.....	16.0	*	*	*	*	*	*	1.0	2.0	4.7
1981.....	16.2	*	*	*	*	*	*	0.8	1.9	4.7
1980.....	17.1	-	-	0.0	-	0.1	0.3	0.8	2.3	6.0
1979.....	17.8	-	-	-	-	0.1	0.2	1.3	2.7	5.8
ALL OTHER MALE										
1998.....	16.5	*	*	*	*	*	*	1.5	3.1	5.8
1997.....	15.7	*	*	*	*	*	*	*	2.0	5.9
1996.....	15.6	*	*	*	*	*	*	1.1	2.6	5.1
1995.....	15.3	*	*	*	*	*	*	*	2.5	5.1
1994.....	14.6	*	*	*	*	*	*	1.4	2.3	6.3
1993.....	14.8	*	*	*	*	*	*	*	2.4	5.2
1992.....	14.4	*	*	*	*	*	*	*	2.6	5.2
1991.....	14.1	*	*	*	*	*	*	*	1.4	5.0
1990.....	14.4	*	*	*	*	*	*	*	2.3	5.2
1989.....	15.2	*	*	*	*	*	*	*	2.3	5.8
1988.....	15.0	*	*	*	*	*	*	*	2.4	5.7
1987.....	14.6	*	*	*	*	*	*	*	1.5	6.4
1986.....	14.7	*	*	*	*	*	*	*	2.1	5.4
1985.....	15.5	*	*	*	*	*	*	*	2.6	6.1
1984.....	15.5	*	*	*	*	*	*	*	2.0	6.3
1983.....	16.2	*	*	*	*	*	*	*	3.3	6.1
1982.....	16.0	*	*	*	*	*	*	1.3	2.8	6.3
1981.....	16.2	*	*	*	*	*	*	*	3.0	6.1
1980.....	16.5	-	-	-	-	0.1	0.3	0.9	3.1	8.2
1979.....	17.6	-	-	-	-	0.1	0.3	1.5	2.7	7.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
ALL OTHER FEMALE										
1998.....	16.0	*	*	*	*	*	*	*	1.4	3.7
1997.....	15.6	*	*	*	*	*	*	*	1.7	2.5
1996.....	15.1	*	*	*	*	*	*	*	1.3	2.8
1995.....	15.3	*	*	*	*	*	*	*	1.6	3.3
1994.....	15.2	*	*	*	*	*	*	*	1.9	3.6
1993.....	15.1	*	*	*	*	*	*	*	1.1	2.8
1992.....	14.9	*	*	*	*	*	*	*	1.4	2.4
1991.....	14.7	*	*	*	*	*	*	*	1.5	3.5
1990.....	15.1	*	*	*	*	*	*	*	1.1	3.0
1989.....	15.1	*	*	*	*	*	*	*	1.1	3.0
1988.....	15.6	*	*	*	*	*	*	*	1.3	2.6
1987.....	15.0	*	*	*	*	*	*	*	*	2.7
1986.....	15.4	*	*	*	*	*	*	*	*	2.9
1985.....	15.6	*	*	*	*	*	*	*	*	2.7
1984.....	15.7	*	*	*	*	*	*	*	*	3.1
1983.....	15.9	*	*	*	*	*	*	*	*	3.4
1982.....	16.1	*	*	*	*	*	*	*	1.4	3.2
1981.....	16.2	*	*	*	*	*	*	*	*	3.5
1980.....	17.6	-	-	0.1	-	0.1	0.3	0.7	1.6	4.2
1979.....	17.9	-	-	-	-	0.1	0.2	1.1	2.6	4.3
BLACK, BOTH SEXES										
1998.....	20.8	*	*	*	*	*	*	1.6	2.8	6.2
1997.....	19.8	*	*	*	*	*	*	0.9	2.5	5.4
1996.....	19.6	*	*	*	*	*	*	1.3	2.5	5.1
1995.....	19.3	*	*	*	*	*	*	0.9	2.6	5.4
1994.....	18.9	*	*	*	*	*	*	1.2	2.8	6.2
1993.....	18.8	*	*	*	*	*	*	0.8	2.2	5.3
1992.....	18.5	*	*	*	*	*	*	0.8	2.6	4.9
1991.....	18.1	*	*	*	*	*	*	0.9	1.9	5.6
1990.....	18.5	*	*	*	*	*	*	0.9	2.2	5.3
1989.....	18.8	*	*	*	*	*	*	*	2.1	5.8
1988.....	18.9	*	*	*	*	*	*	1.0	2.4	5.3
1987.....	18.0	*	*	*	*	*	*	0.9	1.5	5.7
1986.....	18.4	*	*	*	*	*	*	*	1.8	5.3
1985.....	18.7	*	*	*	*	*	*	0.9	1.8	5.5
1984.....	18.7	*	*	*	*	*	*	*	1.8	6.0
1983.....	19.2	*	*	*	*	*	*	0.8	2.6	5.8
1982.....	18.9	*	*	*	*	*	*	1.2	2.6	5.7
1981.....	19.0	*	*	*	*	*	*	1.0	2.3	5.9
1980.....	19.6	-	-	-	-	0.1	0.3	0.9	2.7	7.4
1979.....	20.2	-	-	-	-	0.1	0.2	1.5	3.2	6.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
BLACK MALE										
1998.....	21.2	*	*	*	*	*	*	1.8	3.8	7.5
1997.....	19.8	*	*	*	*	*	*	*	2.8	7.6
1996.....	19.9	*	*	*	*	*	*	1.6	3.3	6.8
1995.....	19.3	*	*	*	*	*	*	*	3.2	6.7
1994.....	18.4	*	*	*	*	*	*	1.9	3.2	8.1
1993.....	18.6	*	*	*	*	*	*	*	3.1	7.0
1992.....	18.2	*	*	*	*	*	*	*	3.4	6.8
1991.....	17.9	*	*	*	*	*	*	*	1.9	6.6
1990.....	18.1	*	*	*	*	*	*	*	3.0	6.9
1989.....	18.9	*	*	*	*	*	*	*	2.9	7.8
1988.....	18.5	*	*	*	*	*	*	*	3.2	7.5
1987.....	17.8	*	*	*	*	*	*	*	1.9	8.3
1986.....	18.0	*	*	*	*	*	*	*	2.8	6.9
1985.....	18.6	*	*	*	*	*	*	*	3.4	7.8
1984.....	18.6	*	*	*	*	*	*	*	2.5	8.3
1983.....	19.3	*	*	*	*	*	*	*	4.3	7.6
1982.....	18.8	*	*	*	*	*	*	1.7	3.6	7.9
1981.....	19.1	*	*	*	*	*	*	*	3.8	7.7
1980.....	19.0	-	-	-	-	0.1	0.3	1.0	3.9	10.1
1979.....	19.9	-	-	-	-	0.1	0.2	1.7	3.4	8.8
BLACK FEMALE										
1998.....	20.4	*	*	*	*	*	*	*	1.9	5.0
1997.....	19.7	*	*	*	*	*	*	*	2.2	3.4
1996.....	19.3	*	*	*	*	*	*	*	1.7	3.6
1995.....	19.3	*	*	*	*	*	*	*	2.1	4.3
1994.....	19.2	*	*	*	*	*	*	*	2.5	4.5
1993.....	19.0	*	*	*	*	*	*	*	1.4	3.8
1992.....	18.8	*	*	*	*	*	*	*	2.0	3.2
1991.....	18.3	*	*	*	*	*	*	*	1.9	4.7
1990.....	18.9	*	*	*	*	*	*	*	1.5	3.9
1989.....	18.8	*	*	*	*	*	*	*	1.4	4.1
1988.....	19.3	*	*	*	*	*	*	*	1.6	3.4
1987.....	18.2	*	*	*	*	*	*	*	*	3.6
1986.....	18.7	*	*	*	*	*	*	*	*	3.9
1985.....	18.8	*	*	*	*	*	*	*	*	3.5
1984.....	18.8	*	*	*	*	*	*	*	*	4.0
1983.....	19.0	*	*	*	*	*	*	*	*	4.3
1982.....	18.9	*	*	*	*	*	*	*	1.7	3.9
1981.....	19.0	*	*	*	*	*	*	*	*	4.3
1980.....	20.2	-	-	-	-	0.1	0.3	0.8	1.8	5.3
1979.....	20.4	-	-	-	-	0.1	0.1	1.3	3.1	5.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
TOTAL, BOTH SEXES										
1998.....	2.2	*	*	*	*	*	*	*	*	0.2
1997.....	2.2	*	*	*	*	*	*	*	*	0.1
1996.....	2.1	*	*	*	*	*	*	*	0.1	0.2
1995.....	2.1	*	*	*	*	*	*	*	0.1	0.2
1994.....	2.1	*	*	*	*	*	*	*	0.1	0.2
1993.....	2.0	*	*	*	*	*	*	*	*	0.3
1992.....	2.0	*	*	*	*	*	*	*	0.2	0.2
1991.....	1.8	*	*	*	*	*	*	*	*	0.2
1990.....	1.8	*	*	*	*	*	*	*	*	0.2
1989.....	1.8	*	*	*	*	*	*	*	0.1	0.2
1988.....	1.7	*	*	*	*	*	*	*	0.1	0.2
1987.....	1.7	*	*	*	*	*	*	*	*	0.1
1986.....	1.7	*	*	*	*	*	*	*	*	0.1
1985.....	1.7	*	*	*	*	*	*	*	*	0.1
1984.....	1.8	*	*	*	*	*	*	*	0.1	0.1
1983.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	0.1	0.2
1981.....	2.0	*	*	*	*	*	*	*	0.1	0.2
1980.....	2.2	0.0	0.0	0.0	-	0.0	0.0	0.1	0.1	0.2
1979.....	2.1	0.0	0.0	0.0	0.0	-	0.0	0.1	0.1	0.2
TOTAL, MALE										
1998.....	2.0	*	*	*	*	*	*	*	*	0.2
1997.....	1.9	*	*	*	*	*	*	*	*	0.2
1996.....	1.9	*	*	*	*	*	*	*	*	0.3
1995.....	1.9	*	*	*	*	*	*	*	*	0.2
1994.....	1.8	*	*	*	*	*	*	*	*	0.2
1993.....	1.7	*	*	*	*	*	*	*	*	0.3
1992.....	1.8	*	*	*	*	*	*	*	0.2	0.2
1991.....	1.6	*	*	*	*	*	*	*	*	0.2
1990.....	1.7	*	*	*	*	*	*	*	*	0.3
1989.....	1.7	*	*	*	*	*	*	*	0.2	0.3
1988.....	1.5	*	*	*	*	*	*	*	*	*
1987.....	1.6	*	*	*	*	*	*	*	*	*
1986.....	1.5	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.7	*	*	*	*	*	*	*	*	*
1983.....	1.8	*	*	*	*	*	*	*	*	*
1982.....	1.9	*	*	*	*	*	*	*	*	0.3
1981.....	2.0	*	*	*	*	*	*	*	*	*
1980.....	2.1	-	-	-	-	0.0	0.0	0.1	0.1	0.2
1979.....	2.1	0.1	0.0	0.0	-	-	0.0	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
TOTAL, FEMALE										
1998.....	2.5	*	*	*	*	*	*	*	*	*
1997.....	2.4	*	*	*	*	*	*	*	*	*
1996.....	2.4	*	*	*	*	*	*	*	*	*
1995.....	2.3	*	*	*	*	*	*	*	*	*
1994.....	2.3	*	*	*	*	*	*	*	*	*
1993.....	2.2	*	*	*	*	*	*	*	*	0.2
1992.....	2.1	*	*	*	*	*	*	*	*	*
1991.....	2.0	*	*	*	*	*	*	*	*	*
1990.....	2.0	*	*	*	*	*	*	*	*	*
1989.....	1.9	*	*	*	*	*	*	*	*	*
1988.....	1.9	*	*	*	*	*	*	*	*	*
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	1.8	*	*	*	*	*	*	*	*	*
1984.....	1.9	*	*	*	*	*	*	*	*	*
1983.....	2.0	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.0	*	*	*	*	*	*	*	*	*
1980.....	2.3	0.1	0.0	0.0	-	0.0	0.1	0.1	0.1	0.2
1979.....	2.1	-	0.0	-	0.0	-	0.0	0.0	0.1	0.2
WHITE, BOTH SEXES										
1998.....	1.9	*	*	*	*	*	*	*	*	*
1997.....	1.9	*	*	*	*	*	*	*	*	*
1996.....	1.9	*	*	*	*	*	*	*	*	*
1995.....	1.8	*	*	*	*	*	*	*	*	*
1994.....	1.8	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	1.7	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.5	*	*	*	*	*	*	*	*	*
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.5	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.7	*	*	*	*	*	*	*	*	*
1983.....	1.8	*	*	*	*	*	*	*	*	*
1982.....	1.8	*	*	*	*	*	*	*	*	*
1981.....	1.8	*	*	*	*	*	*	*	*	*
1980.....	2.0	0.0	-	0.0	-	0.0	0.0	0.1	0.0	0.1
1979.....	1.9	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
WHITE MALE										
1998.....	1.7	*	*	*	*	*	*	*	*	*
1997.....	1.7	*	*	*	*	*	*	*	*	*
1996.....	1.6	*	*	*	*	*	*	*	*	*
1995.....	1.6	*	*	*	*	*	*	*	*	*
1994.....	1.6	*	*	*	*	*	*	*	*	*
1993.....	1.5	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	*
1989.....	1.5	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986.....	1.4	*	*	*	*	*	*	*	*	*
1985.....	1.5	*	*	*	*	*	*	*	*	*
1984.....	1.6	*	*	*	*	*	*	*	*	*
1983.....	1.7	*	*	*	*	*	*	*	*	*
1982.....	1.8	*	*	*	*	*	*	*	*	*
1981.....	1.9	*	*	*	*	*	*	*	*	*
1980.....	2.0	-	-	-	-	0.0	0.0	0.1	0.0	0.1
1979.....	1.9	0.1	-	0.0	-	-	0.0	0.0	0.0	0.2
WHITE FEMALE										
1998.....	2.1	*	*	*	*	*	*	*	*	*
1997.....	2.1	*	*	*	*	*	*	*	*	*
1996.....	2.1	*	*	*	*	*	*	*	*	*
1995.....	2.0	*	*	*	*	*	*	*	*	*
1994.....	2.0	*	*	*	*	*	*	*	*	*
1993.....	1.9	*	*	*	*	*	*	*	*	*
1992.....	1.9	*	*	*	*	*	*	*	*	*
1991.....	1.7	*	*	*	*	*	*	*	*	*
1990.....	1.7	*	*	*	*	*	*	*	*	*
1989.....	1.7	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	1.6	*	*	*	*	*	*	*	*	*
1986.....	1.6	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.7	*	*	*	*	*	*	*	*	*
1983.....	1.8	*	*	*	*	*	*	*	*	*
1982.....	1.8	*	*	*	*	*	*	*	*	*
1981.....	1.8	*	*	*	*	*	*	*	*	*
1980.....	2.1	0.1	-	0.0	-	0.0	0.0	0.0	0.0	0.1
1979.....	1.9	-	0.0	-	0.0	-	0.0	-	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
ALL OTHER, BOTH SEXES										
1998.....	3.7	*	*	*	*	*	*	*	*	0.6
1997.....	3.3	*	*	*	*	*	*	*	*	0.5
1996.....	3.4	*	*	*	*	*	*	*	*	0.6
1995.....	3.4	*	*	*	*	*	*	*	*	0.7
1994.....	3.3	*	*	*	*	*	*	*	*	0.8
1993.....	3.4	*	*	*	*	*	*	*	*	1.0
1992.....	3.2	*	*	*	*	*	*	*	0.6	0.6
1991.....	3.0	*	*	*	*	*	*	*	*	0.9
1990.....	3.0	*	*	*	*	*	*	*	*	1.0
1989.....	2.8	*	*	*	*	*	*	*	*	1.0
1988.....	2.8	*	*	*	*	*	*	*	*	*
1987.....	2.6	*	*	*	*	*	*	*	*	*
1986.....	2.6	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.8	*	*	*	*	*	*	*	*	*
1983.....	2.8	*	*	*	*	*	*	*	*	*
1982.....	2.8	*	*	*	*	*	*	*	*	*
1981.....	3.1	*	*	*	*	*	*	*	*	*
1980.....	3.3	-	0.0	-	-	0.0	0.2	0.3	0.5	1.0
1979.....	3.3	-	0.0	-	-	-	0.1	0.3	0.6	1.0
ALL OTHER MALE										
1998.....	3.2	*	*	*	*	*	*	*	*	*
1997.....	3.1	*	*	*	*	*	*	*	*	*
1996.....	3.2	*	*	*	*	*	*	*	*	*
1995.....	3.1	*	*	*	*	*	*	*	*	1.2
1994.....	2.9	*	*	*	*	*	*	*	*	*
1993.....	2.8	*	*	*	*	*	*	*	*	*
1992.....	3.0	*	*	*	*	*	*	*	*	*
1991.....	2.7	*	*	*	*	*	*	*	*	*
1990.....	2.7	*	*	*	*	*	*	*	*	1.5
1989.....	2.7	*	*	*	*	*	*	*	*	*
1988.....	2.3	*	*	*	*	*	*	*	*	*
1987.....	2.5	*	*	*	*	*	*	*	*	*
1986.....	2.4	*	*	*	*	*	*	*	*	*
1985.....	2.5	*	*	*	*	*	*	*	*	*
1984.....	2.6	*	*	*	*	*	*	*	*	*
1983.....	2.7	*	*	*	*	*	*	*	*	*
1982.....	2.7	*	*	*	*	*	*	*	*	*
1981.....	3.0	*	*	*	*	*	*	*	*	*
1980.....	3.3	-	-	-	-	-	0.1	0.1	0.6	1.1
1979.....	3.3	-	0.1	-	-	-	0.1	0.3	0.8	1.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
ALL OTHER FEMALE										
1998.....	4.1	*	*	*	*	*	*	*	*	*
1997.....	3.6	*	*	*	*	*	*	*	*	*
1996.....	3.5	*	*	*	*	*	*	*	*	*
1995.....	3.7	*	*	*	*	*	*	*	*	*
1994.....	3.7	*	*	*	*	*	*	*	*	*
1993.....	4.0	*	*	*	*	*	*	*	*	*
1992.....	3.5	*	*	*	*	*	*	*	*	*
1991.....	3.3	*	*	*	*	*	*	*	*	*
1990.....	3.2	*	*	*	*	*	*	*	*	*
1989.....	3.0	*	*	*	*	*	*	*	*	*
1988.....	3.2	*	*	*	*	*	*	*	*	*
1987.....	2.8	*	*	*	*	*	*	*	*	*
1986.....	2.8	*	*	*	*	*	*	*	*	*
1985.....	3.0	*	*	*	*	*	*	*	*	*
1984.....	2.9	*	*	*	*	*	*	*	*	*
1983.....	2.9	*	*	*	*	*	*	*	*	*
1982.....	3.0	*	*	*	*	*	*	*	*	*
1981.....	3.1	*	*	*	*	*	*	*	*	*
1980.....	3.3	-	0.1	-	-	0.1	0.2	0.4	0.3	1.0
1979.....	3.3	-	-	-	-	-	-	0.3	0.4	0.7
BLACK, BOTH SEXES										
1998.....	4.6	*	*	*	*	*	*	*	*	0.7
1997.....	4.2	*	*	*	*	*	*	*	*	0.7
1996.....	4.2	*	*	*	*	*	*	*	*	0.7
1995.....	4.2	*	*	*	*	*	*	*	*	0.9
1994.....	4.1	*	*	*	*	*	*	*	*	1.0
1993.....	4.3	*	*	*	*	*	*	*	*	1.4
1992.....	4.0	*	*	*	*	*	*	*	0.8	0.8
1991.....	3.8	*	*	*	*	*	*	*	*	1.2
1990.....	3.7	*	*	*	*	*	*	*	*	1.3
1989.....	3.5	*	*	*	*	*	*	*	*	1.3
1988.....	3.5	*	*	*	*	*	*	*	*	*
1987.....	3.2	*	*	*	*	*	*	*	*	*
1986.....	3.2	*	*	*	*	*	*	*	*	*
1985.....	3.3	*	*	*	*	*	*	*	*	*
1984.....	3.3	*	*	*	*	*	*	*	*	*
1983.....	3.3	*	*	*	*	*	*	*	*	*
1982.....	3.3	*	*	*	*	*	*	*	*	*
1981.....	3.6	*	*	*	*	*	*	*	*	*
1980.....	3.7	-	0.1	-	-	0.0	0.2	0.3	0.6	1.3
1979.....	3.8	-	0.1	-	-	-	0.1	0.4	0.7	1.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
BLACK MALE										
1998.....	4.0	*	*	*	*	*	*	*	*	*
1997.....	3.8	*	*	*	*	*	*	*	*	*
1996.....	4.0	*	*	*	*	*	*	*	*	*
1995.....	3.8	*	*	*	*	*	*	*	*	*
1994.....	3.5	*	*	*	*	*	*	*	*	*
1993.....	3.5	*	*	*	*	*	*	*	*	*
1992.....	3.7	*	*	*	*	*	*	*	*	*
1991.....	3.4	*	*	*	*	*	*	*	*	*
1990.....	3.4	*	*	*	*	*	*	*	*	1.9
1989.....	3.3	*	*	*	*	*	*	*	*	*
1988.....	2.8	*	*	*	*	*	*	*	*	*
1987.....	3.0	*	*	*	*	*	*	*	*	*
1986.....	2.8	*	*	*	*	*	*	*	*	*
1985.....	2.9	*	*	*	*	*	*	*	*	*
1984.....	3.1	*	*	*	*	*	*	*	*	*
1983.....	3.2	*	*	*	*	*	*	*	*	*
1982.....	3.2	*	*	*	*	*	*	*	*	*
1981.....	3.5	*	*	*	*	*	*	*	*	*
1980.....	3.7	-	-	-	-	-	0.1	0.2	0.8	1.4
1979.....	3.8	-	0.1	-	-	-	0.2	0.4	1.0	1.5
BLACK FEMALE										
1998.....	5.2	*	*	*	*	*	*	*	*	*
1997.....	4.6	*	*	*	*	*	*	*	*	*
1996.....	4.4	*	*	*	*	*	*	*	*	*
1995.....	4.6	*	*	*	*	*	*	*	*	*
1994.....	4.6	*	*	*	*	*	*	*	*	*
1993.....	4.9	*	*	*	*	*	*	*	*	*
1992.....	4.3	*	*	*	*	*	*	*	*	*
1991.....	4.1	*	*	*	*	*	*	*	*	*
1990.....	4.0	*	*	*	*	*	*	*	*	*
1989.....	3.6	*	*	*	*	*	*	*	*	*
1988.....	4.0	*	*	*	*	*	*	*	*	*
1987.....	3.4	*	*	*	*	*	*	*	*	*
1986.....	3.5	*	*	*	*	*	*	*	*	*
1985.....	3.6	*	*	*	*	*	*	*	*	*
1984.....	3.4	*	*	*	*	*	*	*	*	*
1983.....	3.4	*	*	*	*	*	*	*	*	*
1982.....	3.4	*	*	*	*	*	*	*	*	*
1981.....	3.6	*	*	*	*	*	*	*	*	*
1980.....	3.8	-	0.1	-	-	0.1	0.3	0.5	0.4	1.3
1979.....	3.8	-	-	-	-	-	-	0.3	0.5	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
TOTAL, BOTH SEXES										
1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	0.1
1996.....	0.9	*	*	*	*	*	*	*	*	0.1
1995.....	0.9	*	*	*	*	*	*	*	*	0.1
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	0.1
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	0.1
1987.....	1.0	*	*	*	*	*	*	*	*	0.2
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.5	*	*	*	*	*	*	*	*	*
1980.....	1.6	-	0.0	-	-	0.0	0.0	0.0	0.0	0.1
1979.....	1.6	-	-	-	0.0	0.0	0.0	0.0	0.1	0.1
TOTAL, MALE										
1998.....	0.8	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	0.2
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.4	-	0.0	-	-	0.0	-	0.0	0.0	0.1
1979.....	1.4	-	-	-	0.0	-	0.0	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
TOTAL, FEMALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.4	*	*	*	*	*	*	*	*	*
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.5	*	*	*	*	*	*	*	*	*
1981.....	1.7	*	*	*	*	*	*	*	*	*
1980.....	1.9	-	-	-	-	-	0.0	0.0	0.1	0.0
1979.....	1.9	-	-	-	0.0	0.0	-	0.0	0.1	0.1
WHITE, BOTH SEXES										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.5	-	-	-	-	-	-	0.0	0.0	0.0
1979.....	1.5	-	-	-	0.0	-	0.0	0.0	0.0	0.0



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
WHITE MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.2	-	-	-	-	-	-	0.0	-	0.0
1979.....	1.2	-	-	-	0.0	-	0.0	0.0	0.0	0.0
WHITE FEMALE										
1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.4	*	*	*	*	*	*	*	*	*
1982.....	1.4	*	*	*	*	*	*	*	*	*
1981.....	1.6	*	*	*	*	*	*	*	*	*
1980.....	1.7	-	-	-	-	-	-	0.0	0.0	0.0
1979.....	1.7	-	-	-	-	-	-	-	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
ALL OTHER, BOTH SEXES										
1998.....	1.6	*	*	*	*	*	*	*	*	*
1997.....	1.5	*	*	*	*	*	*	*	*	*
1996.....	1.7	*	*	*	*	*	*	*	*	*
1995.....	1.6	*	*	*	*	*	*	*	*	*
1994.....	1.7	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	1.8	*	*	*	*	*	*	*	*	*
1991.....	1.8	*	*	*	*	*	*	*	*	*
1990.....	1.8	*	*	*	*	*	*	*	*	*
1989.....	1.8	*	*	*	*	*	*	*	*	*
1988.....	1.8	*	*	*	*	*	*	*	*	0.7
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	2.0	*	*	*	*	*	*	*	*	*
1984.....	2.0	*	*	*	*	*	*	*	*	*
1983.....	2.1	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.5	-	0.0	-	-	0.0	0.0	0.0	0.3	0.3
1979.....	2.5	-	-	-	0.0	0.0	0.0	0.1	0.3	0.5
ALL OTHER MALE										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.4	*	*	*	*	*	*	*	*	*
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	1.7	*	*	*	*	*	*	*	*	*
1986.....	1.7	*	*	*	*	*	*	*	*	*
1985.....	1.7	*	*	*	*	*	*	*	*	*
1984.....	1.8	*	*	*	*	*	*	*	*	*
1983.....	1.8	*	*	*	*	*	*	*	*	*
1982.....	1.7	*	*	*	*	*	*	*	*	*
1981.....	1.9	*	*	*	*	*	*	*	*	*
1980.....	2.1	-	0.1	-	-	0.1	-	-	0.2	0.5
1979.....	2.2	-	-	-	-	-	0.1	0.2	0.4	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
ALL OTHER FEMALE										
1998.....	1.8	*	*	*	*	*	*	*	*	*
1997.....	1.6	*	*	*	*	*	*	*	*	*
1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	1.8	*	*	*	*	*	*	*	*	*
1994.....	1.8	*	*	*	*	*	*	*	*	*
1993.....	1.9	*	*	*	*	*	*	*	*	*
1992.....	1.9	*	*	*	*	*	*	*	*	*
1991.....	1.9	*	*	*	*	*	*	*	*	*
1990.....	2.0	*	*	*	*	*	*	*	*	*
1989.....	1.9	*	*	*	*	*	*	*	*	*
1988.....	1.9	*	*	*	*	*	*	*	*	*
1987.....	1.9	*	*	*	*	*	*	*	*	*
1986.....	1.9	*	*	*	*	*	*	*	*	*
1985.....	2.2	*	*	*	*	*	*	*	*	*
1984.....	2.1	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	*	*
1981.....	2.4	*	*	*	*	*	*	*	*	*
1980.....	2.9	-	-	-	-	-	0.1	0.1	0.3	0.1
1979.....	2.7	-	-	-	0.1	0.1	-	0.1	0.3	0.4
BLACK, BOTH SEXES										
1998.....	2.0	*	*	*	*	*	*	*	*	*
1997.....	1.9	*	*	*	*	*	*	*	*	*
1996.....	2.1	*	*	*	*	*	*	*	*	*
1995.....	2.0	*	*	*	*	*	*	*	*	*
1994.....	2.1	*	*	*	*	*	*	*	*	*
1993.....	2.1	*	*	*	*	*	*	*	*	*
1992.....	2.2	*	*	*	*	*	*	*	*	*
1991.....	2.2	*	*	*	*	*	*	*	*	*
1990.....	2.3	*	*	*	*	*	*	*	*	*
1989.....	2.2	*	*	*	*	*	*	*	*	*
1988.....	2.2	*	*	*	*	*	*	*	*	1.0
1987.....	2.3	*	*	*	*	*	*	*	*	*
1986.....	2.2	*	*	*	*	*	*	*	*	*
1985.....	2.4	*	*	*	*	*	*	*	*	*
1984.....	2.4	*	*	*	*	*	*	*	*	*
1983.....	2.5	*	*	*	*	*	*	*	*	*
1982.....	2.4	*	*	*	*	*	*	*	*	*
1981.....	2.5	*	*	*	*	*	*	*	*	*
1980.....	2.9	-	0.1	-	-	0.0	0.0	0.0	0.3	0.3
1979.....	2.8	-	-	-	0.0	0.0	-	0.1	0.4	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
BLACK MALE										
1998.....	1.8	*	*	*	*	*	*	*	*	*
1997.....	1.8	*	*	*	*	*	*	*	*	*
1996.....	1.9	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	*	*
1994.....	1.9	*	*	*	*	*	*	*	*	*
1993.....	1.8	*	*	*	*	*	*	*	*	*
1992.....	2.0	*	*	*	*	*	*	*	*	*
1991.....	2.0	*	*	*	*	*	*	*	*	*
1990.....	2.1	*	*	*	*	*	*	*	*	*
1989.....	2.0	*	*	*	*	*	*	*	*	*
1988.....	2.0	*	*	*	*	*	*	*	*	*
1987.....	2.2	*	*	*	*	*	*	*	*	*
1986.....	2.0	*	*	*	*	*	*	*	*	*
1985.....	2.0	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	2.2	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.2	*	*	*	*	*	*	*	*	*
1980.....	2.4	-	0.1	-	-	0.1	-	-	0.2	0.6
1979.....	2.6	-	-	-	-	-	-	0.2	0.5	0.6
BLACK FEMALE										
1998.....	2.2	*	*	*	*	*	*	*	*	*
1997.....	2.1	*	*	*	*	*	*	*	*	*
1996.....	2.2	*	*	*	*	*	*	*	*	*
1995.....	2.3	*	*	*	*	*	*	*	*	*
1994.....	2.2	*	*	*	*	*	*	*	*	*
1993.....	2.4	*	*	*	*	*	*	*	*	*
1992.....	2.5	*	*	*	*	*	*	*	*	*
1991.....	2.4	*	*	*	*	*	*	*	*	*
1990.....	2.5	*	*	*	*	*	*	*	*	*
1989.....	2.4	*	*	*	*	*	*	*	*	*
1988.....	2.4	*	*	*	*	*	*	*	*	*
1987.....	2.3	*	*	*	*	*	*	*	*	*
1986.....	2.3	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.5	*	*	*	*	*	*	*	*	*
1983.....	2.7	*	*	*	*	*	*	*	*	*
1982.....	2.7	*	*	*	*	*	*	*	*	*
1981.....	2.8	*	*	*	*	*	*	*	*	*
1980.....	3.4	-	-	-	-	-	0.1	0.1	0.4	0.1
1979.....	3.1	-	-	-	0.1	0.1	-	0.1	0.3	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ISCHEMIC HEART DISEASE (410-414)										
TOTAL, BOTH SEXES										
1998.....	170.1	*	*	*	*	0.2	0.4	1.3	3.5	9.1
1997.....	174.2	0.6	*	*	*	0.2	0.5	1.3	3.6	9.0
1996.....	179.5	0.6	*	*	*	0.2	0.4	1.2	3.8	9.9
1995.....	183.2	0.5	*	*	*	0.2	0.5	1.4	3.7	10.1
1994.....	184.9	0.7	*	*	*	0.1	0.5	1.3	3.6	10.1
1993.....	190.1	0.7	*	*	*	0.2	0.5	1.3	3.9	9.8
1992.....	188.2	0.5	*	*	*	0.1	0.4	1.4	3.7	9.8
1991.....	192.5	0.5	*	*	*	0.2	0.5	1.4	3.6	10.2
1990.....	196.7	0.7	*	*	*	0.1	0.5	1.3	3.6	10.0
1989.....	201.8	0.9	*	*	*	0.2	0.4	1.3	4.0	10.3
1988.....	208.4	0.8	*	*	*	0.1	0.5	1.4	4.0	11.5
1987.....	211.4	0.7	*	*	*	0.2	0.5	1.4	4.3	12.1
1986.....	216.9	0.6	*	*	*	0.2	0.4	1.5	4.6	13.2
1985.....	225.6	0.6	*	*	*	0.2	0.5	1.6	4.6	13.8
1984.....	229.5	0.9	*	0.2	*	0.2	0.5	1.4	4.4	14.1
1983.....	236.3	1.0	0.2	0.2	*	0.2	0.4	1.5	4.9	14.4
1982.....	238.6	0.8	0.2	0.2	*	0.2	0.5	1.9	4.9	15.4
1981.....	241.9	0.7	*	0.2	*	0.2	0.5	1.6	4.9	16.6
1980.....	249.7	0.8	0.1	0.1	0.0	0.2	0.5	1.5	5.2	16.5
1979.....	245.5	0.7	0.1	0.0	0.0	0.2	0.5	1.6	5.8	17.7
TOTAL, MALE										
1998.....	176.7	*	*	*	*	0.3	0.5	1.8	4.9	14.1
1997.....	181.1	*	*	*	*	0.3	0.7	1.8	5.4	13.8
1996.....	186.5	*	*	*	*	0.3	0.6	1.8	5.6	15.1
1995.....	190.8	*	*	*	*	0.3	0.6	1.9	5.6	15.5
1994.....	193.1	*	*	*	*	*	0.6	1.9	5.3	16.0
1993.....	199.0	*	*	*	*	0.3	0.6	2.0	5.7	15.3
1992.....	198.4	*	*	*	*	*	0.6	1.9	5.6	15.6
1991.....	203.1	*	*	*	*	0.3	0.6	2.2	5.4	16.4
1990.....	208.3	*	*	*	*	*	0.6	1.9	5.6	16.3
1989.....	214.1	*	*	*	*	*	0.6	1.9	6.1	17.0
1988.....	222.1	*	*	*	*	0.2	0.8	2.0	6.4	19.0
1987.....	227.0	*	*	*	*	0.2	0.7	2.1	6.8	20.0
1986.....	234.6	*	*	*	*	0.2	0.5	2.3	7.3	22.0
1985.....	247.3	*	*	*	*	0.2	0.7	2.4	7.4	23.0
1984.....	252.4	*	*	0.3	*	0.2	0.7	2.2	7.2	23.4
1983.....	261.8	1.5	*	*	*	0.3	0.5	2.3	8.0	24.4
1982.....	267.2	*	*	*	*	0.2	0.7	3.0	8.1	25.6
1981.....	272.6	*	*	0.2	*	*	0.7	2.5	8.0	28.0
1980.....	282.4	0.9	0.2	0.0	0.0	0.3	0.8	2.4	8.5	28.0
1979.....	281.6	0.8	0.1	0.0	0.1	0.2	0.7	2.7	9.4	29.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ISCHEMIC HEART DISEASE (410-414)										
TOTAL, FEMALE										
1998.....	163.8	*	*	*	*	*	0.3	0.7	2.1	4.2
1997.....	167.5	*	*	*	*	*	0.3	0.8	1.9	4.3
1996.....	172.8	*	*	*	*	*	0.2	0.7	1.9	4.7
1995.....	175.9	*	*	*	*	*	0.3	0.9	1.9	4.7
1994.....	177.2	*	*	*	*	*	0.3	0.8	1.9	4.3
1993.....	181.6	*	*	*	*	*	0.3	0.7	2.0	4.4
1992.....	178.5	*	*	*	*	*	0.3	0.8	1.8	4.1
1991.....	182.4	*	*	*	*	*	0.3	0.6	1.9	4.1
1990.....	185.6	*	*	*	*	*	0.3	0.6	1.6	3.9
1989.....	190.1	*	*	*	*	*	0.3	0.6	1.9	3.7
1988.....	195.4	*	*	*	*	*	0.2	0.8	1.6	4.1
1987.....	196.6	*	*	*	*	*	0.3	0.7	1.8	4.4
1986.....	200.0	*	*	*	*	*	0.3	0.7	2.0	4.6
1985.....	205.1	*	*	*	*	*	0.3	0.8	1.9	4.8
1984.....	207.9	*	*	*	*	*	0.3	0.7	1.6	5.0
1983.....	212.2	*	*	*	*	*	0.3	0.7	1.7	4.7
1982.....	211.6	*	*	*	*	*	0.2	0.7	1.7	5.5
1981.....	213.0	*	*	*	*	*	0.3	0.7	1.9	5.6
1980.....	218.9	0.7	0.1	0.1	0.0	0.1	0.2	0.7	1.9	5.4
1979.....	211.4	0.5	0.1	0.0	0.0	0.1	0.4	0.6	2.2	6.5
WHITE, BOTH SEXES										
1998.....	184.9	*	*	*	*	0.2	0.3	1.2	3.3	8.7
1997.....	189.1	*	*	*	*	0.2	0.5	1.2	3.5	8.5
1996.....	195.0	*	*	*	*	0.2	0.4	1.1	3.6	9.4
1995.....	198.7	*	*	*	*	0.2	0.4	1.3	3.6	9.6
1994.....	200.7	*	*	*	*	*	0.4	1.2	3.4	9.5
1993.....	205.9	0.8	*	*	*	0.2	0.4	1.3	3.6	9.1
1992.....	203.9	*	*	*	*	*	0.4	1.2	3.4	9.2
1991.....	208.2	*	*	*	*	0.2	0.4	1.3	3.3	9.4
1990.....	212.7	*	*	*	*	*	0.4	1.2	3.3	9.3
1989.....	217.7	*	*	*	*	*	0.3	1.2	3.7	9.6
1988.....	224.9	0.7	*	*	*	*	0.4	1.2	3.7	10.8
1987.....	227.9	0.7	*	*	*	*	0.5	1.2	3.9	11.4
1986.....	233.7	*	*	*	*	*	0.4	1.3	4.1	12.7
1985.....	242.8	*	*	*	*	0.1	0.4	1.4	4.2	12.9
1984.....	246.9	0.7	*	0.2	*	0.2	0.5	1.3	4.0	13.3
1983.....	253.7	0.9	0.2	0.2	*	0.2	0.4	1.3	4.4	13.9
1982.....	256.1	0.7	*	0.2	*	0.1	0.4	1.6	4.4	14.5
1981.....	259.0	*	*	0.2	*	0.1	0.4	1.3	4.4	15.8
1980.....	266.4	0.9	0.1	0.1	0.0	0.1	0.4	1.3	4.5	15.5
1979.....	261.7	0.6	0.0	0.0	0.0	0.2	0.4	1.4	5.1	16.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ISCHEMIC HEART DISEASE (410-414)										
WHITE MALE										
1998.....	191.9	*	*	*	*	0.3	0.5	1.8	4.7	13.6
1997.....	196.5	*	*	*	*	0.3	0.6	1.6	5.2	13.3
1996.....	202.5	*	*	*	*	0.3	0.5	1.6	5.4	14.6
1995.....	206.6	*	*	*	*	0.3	0.5	1.8	5.3	15.1
1994.....	209.3	*	*	*	*	*	0.6	1.6	5.1	15.3
1993.....	215.4	*	*	*	*	0.3	0.5	1.9	5.3	14.5
1992.....	214.8	*	*	*	*	*	0.5	1.7	5.2	15.0
1991.....	219.5	*	*	*	*	*	0.5	2.0	5.0	15.3
1990.....	225.1	*	*	*	*	*	0.5	1.7	5.2	15.4
1989.....	230.8	*	*	*	*	*	0.5	1.8	5.7	16.1
1988.....	239.4	*	*	*	*	*	0.6	1.7	5.9	18.2
1987.....	244.3	*	*	*	*	*	0.6	1.8	6.3	19.0
1986.....	252.7	*	*	*	*	*	0.5	2.1	6.7	21.5
1985.....	265.8	*	*	*	*	*	0.5	2.1	6.9	21.8
1984.....	271.1	*	*	0.3	*	*	0.6	1.9	6.6	22.6
1983.....	280.9	*	*	*	*	*	0.5	2.1	7.4	24.1
1982.....	286.4	*	*	*	*	*	0.5	2.7	7.4	24.6
1981.....	291.6	*	*	*	*	*	0.6	2.1	7.2	26.7
1980.....	300.9	1.0	0.1	0.0	0.0	0.2	0.6	2.0	7.6	26.7
1979.....	299.7	0.7	0.0	0.0	0.1	0.2	0.6	2.4	8.6	28.0
WHITE FEMALE										
1998.....	178.2	*	*	*	*	*	*	0.6	2.0	3.7
1997.....	182.0	*	*	*	*	*	*	0.7	1.9	3.5
1996.....	187.7	*	*	*	*	*	*	0.6	1.7	4.2
1995.....	191.1	*	*	*	*	*	0.3	0.8	1.8	4.0
1994.....	192.4	*	*	*	*	*	*	0.7	1.7	3.7
1993.....	196.8	*	*	*	*	*	*	0.6	1.8	3.7
1992.....	193.4	*	*	*	*	*	0.3	0.7	1.5	3.4
1991.....	197.4	*	*	*	*	*	0.3	0.5	1.6	3.5
1990.....	200.8	*	*	*	*	*	0.3	0.6	1.4	3.2
1989.....	205.1	*	*	*	*	*	*	0.5	1.5	3.1
1988.....	211.1	*	*	*	*	*	*	0.7	1.5	3.3
1987.....	212.3	*	*	*	*	*	0.3	0.6	1.6	3.8
1986.....	215.5	*	*	*	*	*	0.3	0.6	1.5	3.9
1985.....	220.9	*	*	*	*	*	0.3	0.7	1.5	4.1
1984.....	223.7	*	*	*	*	*	0.3	0.6	1.4	4.1
1983.....	227.8	*	*	*	*	*	0.2	0.5	1.4	3.8
1982.....	227.3	*	*	*	*	*	0.2	0.5	1.4	4.6
1981.....	228.1	*	*	*	*	*	0.3	0.5	1.7	4.9
1980.....	233.7	0.8	0.1	0.1	0.0	0.1	0.2	0.6	1.4	4.4
1979.....	225.4	0.4	0.1	0.0	0.0	0.1	0.3	0.4	1.6	5.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ISCHEMIC HEART DISEASE (410-414)										
ALL OTHER, BOTH SEXES										
1998.....	100.4	*	*	*	*	*	0.6	1.6	4.1	11.2
1997.....	102.7	*	*	*	*	*	0.6	2.0	4.1	11.7
1996.....	104.7	*	*	*	*	*	0.6	1.7	4.5	12.1
1995.....	107.4	*	*	*	*	*	0.9	1.8	4.5	12.5
1994.....	107.3	*	*	*	*	*	0.8	2.2	4.4	13.1
1993.....	111.0	*	*	*	*	*	1.0	1.7	5.3	13.4
1992.....	109.1	*	*	*	*	*	0.6	1.9	5.1	12.8
1991.....	112.1	*	*	*	*	*	0.8	2.1	5.3	14.2
1990.....	113.3	*	*	*	*	*	0.7	1.8	5.2	13.8
1989.....	117.7	*	*	*	*	*	0.8	1.7	5.8	14.1
1988.....	119.7	*	*	*	*	*	0.9	2.3	5.6	15.5
1987.....	121.1	*	*	*	*	*	0.7	2.2	6.3	16.2
1986.....	123.5	*	*	*	*	*	0.6	2.1	7.3	16.4
1985.....	129.0	*	*	*	*	*	0.9	2.8	6.7	18.9
1984.....	130.5	*	*	*	*	*	0.8	2.3	6.8	18.5
1983.....	135.5	*	*	*	*	*	*	2.4	7.2	17.5
1982.....	135.6	*	*	*	*	*	0.9	3.1	7.6	21.1
1981.....	139.5	*	*	*	*	*	1.0	3.0	7.7	22.3
1980.....	147.1	0.5	0.2	0.1	0.0	0.3	0.9	2.8	9.2	23.4
1979.....	144.1	1.2	0.2	0.0	0.1	0.2	1.0	3.1	10.1	24.8
ALL OTHER MALE										
1998.....	103.4	*	*	*	*	*	*	2.0	5.8	16.5
1997.....	105.8	*	*	*	*	*	*	2.8	6.3	16.6
1996.....	106.7	*	*	*	*	*	*	2.4	6.8	17.7
1995.....	111.4	*	*	*	*	*	1.4	2.5	6.9	17.7
1994.....	110.8	*	*	*	*	*	*	2.9	6.2	19.7
1993.....	114.8	*	*	*	*	*	1.3	2.6	7.9	19.7
1992.....	113.2	*	*	*	*	*	*	2.9	7.7	19.0
1991.....	116.9	*	*	*	*	*	1.2	3.0	7.5	22.3
1990.....	118.7	*	*	*	*	*	1.2	2.7	8.0	21.0
1989.....	123.6	*	*	*	*	*	*	2.5	8.4	22.1
1988.....	126.9	*	*	*	*	*	1.4	3.4	9.3	23.7
1987.....	130.2	*	*	*	*	*	*	3.3	10.0	25.7
1986.....	131.9	*	*	*	*	*	*	3.5	10.8	25.8
1985.....	140.6	*	*	*	*	*	1.5	4.2	10.4	30.7
1984.....	142.7	*	*	*	*	*	*	4.0	11.0	28.4
1983.....	148.4	*	*	*	*	*	*	3.0	11.4	26.5
1982.....	151.4	*	*	*	*	*	1.3	5.0	12.0	33.2
1981.....	155.8	*	*	*	*	*	1.5	4.6	12.7	37.1
1980.....	165.8	0.6	0.3	-	-	0.6	1.7	4.4	14.8	36.8
1979.....	164.6	1.3	0.2	0.1	0.1	0.2	1.1	4.9	15.5	39.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ISCHEMIC HEART DISEASE (410-414)										
ALL OTHER FEMALE										
1998.....	97.7	*	*	*	*	*	*	1.2	2.6	6.4
1997.....	99.9	*	*	*	*	*	*	1.2	2.2	7.4
1996.....	102.8	*	*	*	*	*	*	1.1	2.5	7.1
1995.....	103.7	*	*	*	*	*	*	1.1	2.3	7.8
1994.....	104.0	*	*	*	*	*	*	1.5	2.7	7.3
1993.....	107.6	*	*	*	*	*	*	*	3.0	7.7
1992.....	105.2	*	*	*	*	*	*	1.1	2.7	7.3
1991.....	107.7	*	*	*	*	*	*	1.2	3.3	7.1
1990.....	108.3	*	*	*	*	*	*	1.0	2.6	7.5
1989.....	112.3	*	*	*	*	*	*	1.0	3.4	7.1
1988.....	113.1	*	*	*	*	*	*	1.2	2.4	8.4
1987.....	112.8	*	*	*	*	*	*	1.1	3.1	7.9
1986.....	115.9	*	*	*	*	*	*	*	4.1	8.3
1985.....	118.3	*	*	*	*	*	*	1.5	3.6	8.8
1984.....	119.4	*	*	*	*	*	*	*	3.0	10.2
1983.....	123.7	*	*	*	*	*	*	1.7	3.5	9.7
1982.....	121.3	*	*	*	*	*	*	1.4	3.7	10.9
1981.....	124.8	*	*	*	*	*	*	1.6	3.4	9.7
1980.....	130.2	0.3	0.1	0.1	0.1	0.1	0.2	1.3	4.4	12.0
1979.....	125.5	1.0	0.2	-	-	0.2	0.8	1.6	5.5	12.6
BLACK, BOTH SEXES										
1998.....	117.9	*	*	*	*	*	0.8	2.1	5.4	13.7
1997.....	120.7	*	*	*	*	*	0.8	2.4	5.0	14.5
1996.....	123.2	*	*	*	*	*	*	2.2	5.6	14.5
1995.....	126.3	*	*	*	*	*	0.9	2.1	5.4	15.2
1994.....	125.8	*	*	*	*	*	1.0	2.7	5.1	15.9
1993.....	130.7	*	*	*	*	*	1.3	2.0	6.5	16.4
1992.....	127.6	*	*	*	*	*	*	2.4	6.0	16.0
1991.....	132.1	*	*	*	*	*	0.8	2.6	6.5	17.5
1990.....	133.1	*	*	*	*	*	0.9	2.2	6.3	16.8
1989.....	137.3	*	*	*	*	*	1.0	2.3	7.3	17.3
1988.....	139.3	*	*	*	*	*	1.1	2.5	7.0	19.5
1987.....	140.1	*	*	*	*	*	0.8	2.5	7.5	19.3
1986.....	142.4	*	*	*	*	*	*	2.3	8.8	20.2
1985.....	147.6	*	*	*	*	*	1.1	3.4	8.2	22.6
1984.....	148.4	*	*	*	*	*	0.9	2.8	8.0	22.9
1983.....	153.4	*	*	*	*	*	*	2.8	8.6	20.5
1982.....	152.4	*	*	*	*	*	1.0	3.4	8.6	25.6
1981.....	156.6	*	*	*	*	*	1.0	3.4	9.0	26.1
1980.....	162.8	0.4	0.2	0.0	0.0	0.4	1.0	3.3	10.9	26.8
1979.....	156.7	1.2	0.1	0.0	0.1	0.3	1.0	3.6	11.0	28.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ISCHEMIC HEART DISEASE (410-414)										
BLACK MALE										
1998.....	118.2	*	*	*	*	*	*	2.6	7.5	19.6
1997.....	120.9	*	*	*	*	*	*	3.3	7.3	20.5
1996.....	122.5	*	*	*	*	*	*	3.1	8.3	20.7
1995.....	128.0	*	*	*	*	*	*	2.9	8.3	21.0
1994.....	127.0	*	*	*	*	*	*	3.4	7.2	23.2
1993.....	132.0	*	*	*	*	*	1.8	3.1	9.5	23.9
1992.....	130.0	*	*	*	*	*	*	3.6	8.9	23.5
1991.....	135.3	*	*	*	*	*	*	4.0	9.0	27.4
1990.....	137.7	*	*	*	*	*	*	3.2	9.7	25.8
1989.....	142.0	*	*	*	*	*	*	3.2	10.5	27.0
1988.....	145.3	*	*	*	*	*	1.8	3.7	11.5	29.7
1987.....	148.0	*	*	*	*	*	*	3.6	12.0	30.4
1986.....	149.8	*	*	*	*	*	*	3.7	12.8	31.4
1985.....	158.6	*	*	*	*	*	1.7	5.1	12.4	36.6
1984.....	160.3	*	*	*	*	*	*	4.7	12.9	35.1
1983.....	166.4	*	*	*	*	*	*	3.5	13.5	31.0
1982.....	167.7	*	*	*	*	*	1.6	5.5	13.7	40.3
1981.....	173.0	*	*	*	*	*	1.7	5.2	14.6	43.3
1980.....	180.9	0.4	0.2	-	-	0.6	1.8	5.2	17.5	41.6
1979.....	176.6	1.2	0.1	0.1	0.1	0.3	1.2	5.6	16.6	44.8
BLACK FEMALE										
1998.....	117.7	*	*	*	*	*	*	1.7	3.5	8.5
1997.....	120.6	*	*	*	*	*	*	1.7	2.9	9.1
1996.....	123.9	*	*	*	*	*	*	*	3.2	9.0
1995.....	124.7	*	*	*	*	*	*	*	2.9	10.1
1994.....	124.6	*	*	*	*	*	*	2.0	3.3	9.4
1993.....	129.5	*	*	*	*	*	*	*	3.9	9.8
1992.....	125.4	*	*	*	*	*	*	*	3.4	9.5
1991.....	129.1	*	*	*	*	*	*	1.4	4.3	8.9
1990.....	128.9	*	*	*	*	*	*	1.4	3.4	9.1
1989.....	133.0	*	*	*	*	*	*	1.4	4.5	8.9
1988.....	134.0	*	*	*	*	*	*	1.5	3.0	10.8
1987.....	133.0	*	*	*	*	*	*	1.4	3.7	9.8
1986.....	135.7	*	*	*	*	*	*	*	5.3	10.7
1985.....	137.7	*	*	*	*	*	*	1.9	4.5	10.8
1984.....	137.7	*	*	*	*	*	*	*	3.8	12.6
1983.....	141.8	*	*	*	*	*	*	2.1	4.4	11.7
1982.....	138.6	*	*	*	*	*	*	1.6	4.2	13.3
1981.....	141.8	*	*	*	*	*	*	1.8	4.1	11.8
1980.....	146.7	0.4	0.1	0.1	0.1	0.1	0.3	1.6	5.3	14.4
1979.....	138.9	1.2	0.1	-	-	0.3	0.9	1.8	6.3	14.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
TOTAL, BOTH SEXES										
1998.....	75.3	*	*	*	*	0.1	0.2	0.7	1.8	4.6
1997.....	77.0	*	*	*	*	*	0.3	0.7	1.8	4.8
1996.....	80.5	*	*	*	*	0.1	0.2	0.6	2.1	5.1
1995.....	83.1	*	*	*	*	*	0.3	0.7	2.0	5.3
1994.....	85.4	*	*	*	*	*	0.3	0.8	2.0	5.6
1993.....	88.2	*	*	*	*	*	0.2	0.7	2.0	5.5
1992.....	89.9	*	*	*	*	*	0.2	0.8	2.1	5.5
1991.....	93.3	*	*	*	*	*	0.3	0.7	2.1	5.6
1990.....	96.1	*	*	*	*	*	0.3	0.8	2.0	5.8
1989.....	100.1	*	*	*	*	*	0.3	0.7	2.3	5.8
1988.....	101.4	*	*	*	*	*	0.3	0.8	2.3	6.6
1987.....	104.6	*	*	*	*	*	0.3	0.9	2.5	7.2
1986.....	108.7	*	*	*	*	*	0.2	0.9	2.7	7.8
1985.....	115.2	*	*	*	*	0.1	0.3	1.0	2.8	8.5
1984.....	118.4	0.6	*	*	*	*	0.3	0.8	2.8	8.4
1983.....	122.5	0.7	*	*	*	0.1	0.2	1.0	3.0	9.2
1982.....	125.6	0.5	*	*	*	0.1	0.3	1.2	3.1	9.9
1981.....	127.5	*	*	*	*	0.1	0.4	1.0	3.3	11.0
1980.....	132.2	0.6	0.1	0.0	0.0	0.1	0.3	1.0	3.3	10.9
1979.....	133.8	0.4	0.0	0.0	0.0	0.1	0.4	1.2	3.9	12.5
TOTAL, MALE										
1998.....	81.0	*	*	*	*	*	0.3	1.0	2.4	7.1
1997.....	83.3	*	*	*	*	*	0.3	0.9	2.7	7.2
1996.....	86.8	*	*	*	*	*	0.2	0.8	3.0	7.7
1995.....	90.4	*	*	*	*	*	0.4	0.9	2.8	8.3
1994.....	93.1	*	*	*	*	*	0.3	1.1	2.9	8.8
1993.....	96.8	*	*	*	*	*	0.3	1.0	2.8	8.5
1992.....	98.9	*	*	*	*	*	0.3	1.1	3.2	8.6
1991.....	102.6	*	*	*	*	*	0.4	1.1	3.0	8.8
1990.....	106.8	*	*	*	*	*	0.3	1.1	3.1	9.0
1989.....	111.7	*	*	*	*	*	0.4	1.0	3.5	9.7
1988.....	114.1	*	*	*	*	*	0.5	1.0	3.6	10.9
1987.....	118.9	*	*	*	*	*	0.4	1.2	3.8	11.7
1986.....	124.8	*	*	*	*	*	0.3	1.3	4.3	13.1
1985.....	134.7	*	*	*	*	*	0.4	1.5	4.5	14.1
1984.....	139.5	*	*	*	*	*	0.4	1.3	4.5	14.1
1983.....	145.8	*	*	*	*	*	0.3	1.4	5.0	15.5
1982.....	151.3	*	*	*	*	*	0.5	1.9	5.0	16.5
1981.....	155.1	*	*	*	*	*	0.6	1.5	5.4	18.6
1980.....	162.2	0.7	0.2	0.0	0.0	0.2	0.6	1.5	5.4	18.7
1979.....	165.9	0.3	0.0	0.0	0.1	0.1	0.5	1.9	6.4	20.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
TOTAL, FEMALE										
1998.....	69.8	*	*	*	*	*	*	0.4	1.2	2.0
1997.....	71.0	*	*	*	*	*	*	0.5	1.0	2.4
1996.....	74.4	*	*	*	*	*	*	0.4	1.2	2.5
1995.....	76.0	*	*	*	*	*	*	0.5	1.1	2.4
1994.....	78.1	*	*	*	*	*	0.2	0.5	1.1	2.5
1993.....	80.1	*	*	*	*	*	*	0.4	1.2	2.5
1992.....	81.4	*	*	*	*	*	*	0.5	1.0	2.4
1991.....	84.5	*	*	*	*	*	*	0.3	1.2	2.4
1990.....	85.9	*	*	*	*	*	0.2	0.4	1.0	2.6
1989.....	89.0	*	*	*	*	*	*	0.3	1.1	2.0
1988.....	89.4	*	*	*	*	*	*	0.5	1.0	2.4
1987.....	91.1	*	*	*	*	*	0.2	0.5	1.2	2.7
1986.....	93.5	*	*	*	*	*	*	0.4	1.2	2.6
1985.....	96.8	*	*	*	*	*	0.2	0.5	1.1	3.0
1984.....	98.4	*	*	*	*	*	0.2	0.4	1.1	2.9
1983.....	100.4	*	*	*	*	*	0.2	0.5	1.1	3.0
1982.....	101.3	*	*	*	*	*	0.2	0.4	1.2	3.6
1981.....	101.4	*	*	*	*	*	0.2	0.5	1.3	3.6
1980.....	104.0	0.5	0.0	0.1	0.0	0.0	0.1	0.5	1.3	3.4
1979.....	103.4	0.4	0.0	0.0	-	0.1	0.2	0.4	1.4	4.5
WHITE, BOTH SEXES										
1998.....	81.3	*	*	*	*	*	0.2	0.6	1.7	4.4
1997.....	83.2	*	*	*	*	*	0.3	0.6	1.8	4.5
1996.....	87.0	*	*	*	*	*	0.2	0.5	1.9	5.0
1995.....	89.7	*	*	*	*	*	0.2	0.7	2.0	5.1
1994.....	92.3	*	*	*	*	*	0.2	0.7	1.9	5.4
1993.....	95.2	*	*	*	*	*	0.2	0.6	1.8	5.1
1992.....	97.0	*	*	*	*	*	0.2	0.7	1.9	5.1
1991.....	100.5	*	*	*	*	*	0.2	0.7	1.9	5.1
1990.....	103.6	*	*	*	*	*	0.3	0.7	1.9	5.4
1989.....	107.6	*	*	*	*	*	0.2	0.6	2.1	5.5
1988.....	109.3	*	*	*	*	*	0.3	0.7	2.1	6.2
1987.....	112.7	*	*	*	*	*	0.3	0.7	2.3	6.8
1986.....	117.1	*	*	*	*	*	0.2	0.8	2.5	7.6
1985.....	124.0	*	*	*	*	*	0.3	0.9	2.7	8.1
1984.....	127.3	*	*	*	*	*	0.3	0.7	2.5	8.2
1983.....	131.7	*	*	*	*	*	0.2	0.8	2.8	9.0
1982.....	135.3	*	*	*	*	*	0.3	1.0	2.8	9.5
1981.....	137.0	*	*	*	*	*	0.3	0.8	3.1	10.6
1980.....	141.7	0.7	0.1	0.0	0.0	0.1	0.3	0.9	3.0	10.5
1979.....	143.0	0.3	0.0	0.0	0.0	0.1	0.3	1.0	3.5	12.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
WHITE MALE										
1998.....	87.6	*	*	*	*	*	*	1.0	2.3	7.0
1997.....	90.2	*	*	*	*	*	0.3	0.8	2.5	6.9
1996.....	94.1	*	*	*	*	*	*	0.7	2.8	7.6
1995.....	97.9	*	*	*	*	*	*	0.9	2.8	8.1
1994.....	100.8	*	*	*	*	*	0.3	0.9	2.8	8.6
1993.....	104.6	*	*	*	*	*	0.3	1.0	2.6	8.1
1992.....	106.9	*	*	*	*	*	0.3	0.9	2.9	8.2
1991.....	110.8	*	*	*	*	*	0.3	1.1	2.8	8.1
1990.....	115.4	*	*	*	*	*	0.3	1.0	2.9	8.7
1989.....	120.4	*	*	*	*	*	0.3	0.9	3.4	9.2
1988.....	123.3	*	*	*	*	*	0.4	0.9	3.3	10.5
1987.....	128.3	*	*	*	*	*	0.4	1.1	3.5	11.2
1986.....	134.8	*	*	*	*	*	0.3	1.2	3.9	12.9
1985.....	145.3	*	*	*	*	*	0.3	1.4	4.3	13.7
1984.....	150.3	*	*	*	*	*	0.3	1.0	4.1	13.9
1983.....	157.2	*	*	*	*	*	0.3	1.3	4.7	15.5
1982.....	163.3	*	*	*	*	*	0.3	1.7	4.7	16.2
1981.....	167.0	*	*	*	*	*	0.4	1.3	5.0	18.1
1980.....	174.2	0.7	0.1	0.0	0.0	0.1	0.5	1.4	4.9	18.3
1979.....	177.7	0.3	0.0	0.0	0.1	0.1	0.4	1.7	5.8	20.5
WHITE FEMALE										
1998.....	75.2	*	*	*	*	*	*	0.3	1.0	1.7
1997.....	76.4	*	*	*	*	*	*	0.4	1.0	2.0
1996.....	80.2	*	*	*	*	*	*	0.3	1.1	2.3
1995.....	81.9	*	*	*	*	*	*	0.5	1.1	2.0
1994.....	84.2	*	*	*	*	*	*	0.4	1.0	2.2
1993.....	86.1	*	*	*	*	*	*	0.3	1.0	2.1
1992.....	87.6	*	*	*	*	*	*	0.4	0.9	2.0
1991.....	90.7	*	*	*	*	*	*	0.3	0.9	2.1
1990.....	92.3	*	*	*	*	*	*	0.4	0.8	2.2
1989.....	95.3	*	*	*	*	*	*	0.3	0.8	1.7
1988.....	95.9	*	*	*	*	*	*	0.5	0.9	1.9
1987.....	97.8	*	*	*	*	*	*	0.4	1.0	2.4
1986.....	100.2	*	*	*	*	*	*	0.4	1.0	2.4
1985.....	103.7	*	*	*	*	*	*	0.4	1.0	2.6
1984.....	105.3	*	*	*	*	*	0.2	0.4	0.9	2.5
1983.....	107.4	*	*	*	*	*	*	0.4	0.9	2.5
1982.....	108.6	*	*	*	*	*	*	0.3	1.0	2.9
1981.....	108.5	*	*	*	*	*	*	0.4	1.1	3.3
1980.....	110.7	0.6	0.1	0.0	0.0	0.0	0.1	0.4	1.0	2.7
1979.....	110.0	0.3	0.0	0.0	-	0.1	0.2	0.3	1.1	3.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
ALL OTHER, BOTH SEXES										
1998.....	47.0	*	*	*	*	*	*	0.9	2.2	5.6
1997.....	47.7	*	*	*	*	*	*	1.1	2.3	6.2
1996.....	49.0	*	*	*	*	*	*	0.9	2.7	5.8
1995.....	50.4	*	*	*	*	*	*	0.8	2.1	6.6
1994.....	51.4	*	*	*	*	*	*	1.3	2.5	6.7
1993.....	53.7	*	*	*	*	*	*	0.9	3.0	7.3
1992.....	54.0	*	*	*	*	*	*	1.2	2.9	7.1
1991.....	56.2	*	*	*	*	*	*	1.0	3.1	7.9
1990.....	56.9	*	*	*	*	*	*	1.2	2.8	7.6
1989.....	60.4	*	*	*	*	*	0.6	0.9	3.1	7.8
1988.....	59.1	*	*	*	*	*	*	1.3	3.0	8.8
1987.....	60.6	*	*	*	*	*	*	1.4	3.3	9.0
1986.....	62.1	*	*	*	*	*	*	1.2	4.2	8.7
1985.....	66.0	*	*	*	*	*	0.6	1.9	3.6	10.6
1984.....	67.3	*	*	*	*	*	0.6	1.6	4.1	10.0
1983.....	69.1	*	*	*	*	*	*	1.7	4.3	10.4
1982.....	68.6	*	*	*	*	*	0.7	2.0	4.4	12.5
1981.....	70.4	*	*	*	*	*	0.8	1.7	4.5	13.0
1980.....	74.5	0.2	0.1	0.1	0.0	0.2	0.6	1.7	5.6	14.1
1979.....	75.9	0.8	0.1	0.0	0.1	0.1	0.8	2.2	6.7	15.7
ALL OTHER MALE										
1998.....	49.1	*	*	*	*	*	*	1.2	2.8	7.9
1997.....	49.4	*	*	*	*	*	*	1.4	3.5	8.5
1996.....	50.7	*	*	*	*	*	*	1.1	3.8	8.4
1995.....	52.9	*	*	*	*	*	*	*	3.2	9.3
1994.....	54.2	*	*	*	*	*	*	1.6	3.7	9.7
1993.....	56.5	*	*	*	*	*	*	1.3	4.0	10.9
1992.....	57.6	*	*	*	*	*	*	1.7	4.3	10.6
1991.....	59.4	*	*	*	*	*	*	1.5	4.0	12.2
1990.....	60.9	*	*	*	*	*	*	1.8	4.2	10.9
1989.....	64.4	*	*	*	*	*	*	1.5	4.3	12.4
1988.....	63.4	*	*	*	*	*	*	1.8	4.8	13.3
1987.....	66.1	*	*	*	*	*	*	2.0	5.1	14.5
1986.....	67.7	*	*	*	*	*	*	2.0	6.4	14.3
1985.....	73.4	*	*	*	*	*	*	2.6	5.8	16.9
1984.....	75.8	*	*	*	*	*	*	2.9	6.7	15.3
1983.....	78.1	*	*	*	*	*	*	2.3	6.4	15.5
1982.....	78.9	*	*	*	*	*	*	3.2	7.0	18.6
1981.....	82.0	*	*	*	*	*	1.2	2.4	7.5	21.6
1980.....	86.3	0.3	0.3	-	-	0.4	1.2	2.5	8.5	21.5
1979.....	89.9	0.7	0.1	0.1	0.1	0.2	1.1	3.3	10.8	24.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
ALL OTHER FEMALE										
1998.....	45.2	*	*	*	*	*	*	*	1.7	3.5
1997.....	46.1	*	*	*	*	*	*	*	1.1	4.1
1996.....	47.3	*	*	*	*	*	*	*	1.7	3.4
1995.....	48.1	*	*	*	*	*	*	*	1.1	4.2
1994.....	48.8	*	*	*	*	*	*	*	1.5	4.0
1993.....	51.0	*	*	*	*	*	*	*	2.1	4.1
1992.....	50.7	*	*	*	*	*	*	*	1.5	4.0
1991.....	53.3	*	*	*	*	*	*	*	2.3	4.0
1990.....	53.2	*	*	*	*	*	*	*	1.6	4.7
1989.....	56.7	*	*	*	*	*	*	*	2.1	3.7
1988.....	55.2	*	*	*	*	*	*	*	1.5	4.9
1987.....	55.6	*	*	*	*	*	*	*	1.8	4.3
1986.....	57.0	*	*	*	*	*	*	*	2.3	3.9
1985.....	59.2	*	*	*	*	*	*	1.2	1.6	5.2
1984.....	59.5	*	*	*	*	*	*	*	1.9	5.5
1983.....	60.9	*	*	*	*	*	*	1.2	2.4	6.1
1982.....	59.2	*	*	*	*	*	*	*	2.2	7.4
1981.....	59.9	*	*	*	*	*	*	*	2.0	5.7
1980.....	63.7	-	-	0.1	0.1	0.1	0.1	0.9	3.2	7.9
1979.....	63.2	1.0	0.1	-	-	0.1	0.4	1.2	3.2	8.7
BLACK, BOTH SEXES										
1998.....	55.8	*	*	*	*	*	*	1.3	2.9	7.0
1997.....	56.7	*	*	*	*	*	*	1.3	2.8	7.6
1996.....	58.2	*	*	*	*	*	*	1.2	3.3	6.9
1995.....	59.6	*	*	*	*	*	*	0.9	2.7	8.1
1994.....	60.6	*	*	*	*	*	*	1.6	3.0	8.2
1993.....	63.4	*	*	*	*	*	*	1.0	3.7	9.2
1992.....	63.5	*	*	*	*	*	*	1.4	3.5	9.0
1991.....	66.3	*	*	*	*	*	*	1.3	3.8	9.8
1990.....	67.0	*	*	*	*	*	*	1.5	3.6	9.2
1989.....	70.3	*	*	*	*	*	0.8	1.1	4.0	9.4
1988.....	68.6	*	*	*	*	*	*	1.4	3.7	11.1
1987.....	69.7	*	*	*	*	*	*	1.6	4.0	11.0
1986.....	71.5	*	*	*	*	*	*	1.3	5.3	10.9
1985.....	75.1	*	*	*	*	*	0.7	2.3	4.3	12.5
1984.....	76.2	*	*	*	*	*	0.7	1.9	4.8	12.3
1983.....	78.1	*	*	*	*	*	*	2.1	5.2	12.3
1982.....	76.7	*	*	*	*	*	0.8	2.2	4.9	15.3
1981.....	78.7	*	*	*	*	*	0.9	1.9	5.4	15.0
1980.....	82.2	0.2	0.1	0.0	0.0	0.2	0.6	2.1	6.7	16.4
1979.....	82.5	0.8	0.1	0.0	0.1	0.2	0.8	2.5	7.4	17.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
BLACK MALE										
1998.....	56.7	*	*	*	*	*	*	1.7	3.6	9.7
1997.....	57.2	*	*	*	*	*	*	1.6	4.2	10.7
1996.....	58.8	*	*	*	*	*	*	1.6	4.6	9.8
1995.....	61.0	*	*	*	*	*	*	*	4.1	11.1
1994.....	62.8	*	*	*	*	*	*	2.0	4.4	11.7
1993.....	65.1	*	*	*	*	*	*	1.6	4.8	13.6
1992.....	66.5	*	*	*	*	*	*	2.1	5.2	13.3
1991.....	68.9	*	*	*	*	*	*	2.0	4.8	15.3
1990.....	71.1	*	*	*	*	*	*	2.3	5.4	13.6
1989.....	74.0	*	*	*	*	*	*	2.0	5.3	14.8
1988.....	72.5	*	*	*	*	*	*	2.0	5.9	16.7
1987.....	74.6	*	*	*	*	*	*	2.2	6.1	17.7
1986.....	76.9	*	*	*	*	*	*	2.1	8.0	17.8
1985.....	82.2	*	*	*	*	*	*	3.2	7.0	19.6
1984.....	84.9	*	*	*	*	*	*	3.5	7.7	18.8
1983.....	87.5	*	*	*	*	*	*	2.7	7.8	18.3
1982.....	87.3	*	*	*	*	*	*	3.5	7.9	22.9
1981.....	90.7	*	*	*	*	*	*	2.7	8.9	24.9
1980.....	94.0	0.4	0.2	-	-	0.4	1.1	3.1	10.0	25.1
1979.....	96.5	0.4	0.1	0.1	0.1	0.2	1.2	3.9	12.0	27.8
BLACK FEMALE										
1998.....	54.9	*	*	*	*	*	*	*	2.2	4.6
1997.....	56.3	*	*	*	*	*	*	*	1.6	4.8
1996.....	57.6	*	*	*	*	*	*	*	2.1	4.4
1995.....	58.4	*	*	*	*	*	*	*	1.5	5.5
1994.....	58.6	*	*	*	*	*	*	*	1.8	5.1
1993.....	61.8	*	*	*	*	*	*	*	2.7	5.4
1992.....	60.9	*	*	*	*	*	*	*	2.1	5.3
1991.....	64.0	*	*	*	*	*	*	*	3.0	5.1
1990.....	63.4	*	*	*	*	*	*	*	2.0	5.5
1989.....	67.1	*	*	*	*	*	*	*	2.8	4.7
1988.....	65.1	*	*	*	*	*	*	*	1.8	6.3
1987.....	65.4	*	*	*	*	*	*	*	2.2	5.3
1986.....	66.6	*	*	*	*	*	*	*	2.9	5.1
1985.....	68.7	*	*	*	*	*	*	1.5	2.0	6.4
1984.....	68.4	*	*	*	*	*	*	*	2.4	6.8
1983.....	69.7	*	*	*	*	*	*	1.5	2.9	7.2
1982.....	67.2	*	*	*	*	*	*	*	2.4	9.0
1981.....	68.0	*	*	*	*	*	*	*	2.4	6.7
1980.....	71.6	-	-	0.1	0.1	0.1	0.1	1.1	3.8	9.3
1979.....	70.0	1.2	0.1	-	-	0.1	0.5	1.3	3.5	9.6



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
TOTAL, BOTH SEXES										
1998.....	1.1	*	*	*	*	*	*	*	*	0.2
1997.....	1.1	*	*	*	*	*	*	*	*	0.2
1996.....	1.1	*	*	*	*	*	*	*	*	0.2
1995.....	1.0	*	*	*	*	*	*	*	*	0.1
1994.....	1.1	*	*	*	*	*	*	*	*	0.2
1993.....	1.2	*	*	*	*	*	*	*	*	0.2
1992.....	1.2	*	*	*	*	*	*	*	*	0.2
1991.....	1.3	*	*	*	*	*	*	*	0.1	0.2
1990.....	1.3	*	*	*	*	*	*	*	*	0.2
1989.....	1.4	*	*	*	*	*	*	*	*	0.1
1988.....	1.4	*	*	*	*	*	*	*	*	0.2
1987.....	1.5	*	*	*	*	*	*	*	0.1	0.1
1986.....	1.6	*	*	*	*	*	*	*	0.1	0.3
1985.....	1.7	*	*	*	*	*	*	*	*	0.2
1984.....	1.7	*	*	*	*	*	*	*	*	0.3
1983.....	1.7	*	*	*	*	*	*	*	*	0.2
1982.....	1.8	*	*	*	*	*	*	*	*	0.3
1981.....	2.0	*	*	*	*	*	*	*	*	0.4
1980.....	2.1	-	-	-	-	0.0	0.0	0.1	0.1	0.3
1979.....	2.1	0.1	-	-	-	0.0	0.0	0.0	0.1	0.3
TOTAL, MALE										
1998.....	1.2	*	*	*	*	*	*	*	*	0.3
1997.....	1.3	*	*	*	*	*	*	*	*	0.2
1996.....	1.2	*	*	*	*	*	*	*	*	0.3
1995.....	1.2	*	*	*	*	*	*	*	*	0.2
1994.....	1.2	*	*	*	*	*	*	*	*	0.2
1993.....	1.3	*	*	*	*	*	*	*	*	0.3
1992.....	1.4	*	*	*	*	*	*	*	*	0.4
1991.....	1.6	*	*	*	*	*	*	*	*	0.4
1990.....	1.6	*	*	*	*	*	*	*	*	0.2
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	0.4
1987.....	1.8	*	*	*	*	*	*	*	*	0.2
1986.....	2.0	*	*	*	*	*	*	*	*	0.5
1985.....	2.1	*	*	*	*	*	*	*	*	0.3
1984.....	2.1	*	*	*	*	*	*	*	*	0.4
1983.....	2.2	*	*	*	*	*	*	*	*	0.3
1982.....	2.3	*	*	*	*	*	*	*	*	0.5
1981.....	2.5	*	*	*	*	*	*	*	*	0.7
1980.....	2.7	-	-	-	-	0.0	0.0	0.1	0.2	0.6
1979.....	2.7	0.2	-	-	-	0.0	0.0	0.1	0.3	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
TOTAL, FEMALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.5	*	*	*	*	*	*	*	*	*
1980.....	1.5	-	-	-	-	-	0.0	0.1	0.0	0.0
1979.....	1.5	-	-	-	-	0.0	0.0	0.0	0.0	0.1
WHITE, BOTH SEXES										
1998.....	1.1	*	*	*	*	*	*	*	*	0.2
1997.....	1.2	*	*	*	*	*	*	*	*	0.1
1996.....	1.1	*	*	*	*	*	*	*	*	0.1
1995.....	1.1	*	*	*	*	*	*	*	*	0.1
1994.....	1.1	*	*	*	*	*	*	*	*	0.2
1993.....	1.2	*	*	*	*	*	*	*	*	0.2
1992.....	1.3	*	*	*	*	*	*	*	*	0.2
1991.....	1.3	*	*	*	*	*	*	*	*	0.2
1990.....	1.3	*	*	*	*	*	*	*	*	0.2
1989.....	1.4	*	*	*	*	*	*	*	*	0.1
1988.....	1.4	*	*	*	*	*	*	*	*	0.2
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.6	*	*	*	*	*	*	*	*	0.3
1985.....	1.7	*	*	*	*	*	*	*	*	*
1984.....	1.7	*	*	*	*	*	*	*	*	0.2
1983.....	1.7	*	*	*	*	*	*	*	*	0.2
1982.....	1.8	*	*	*	*	*	*	*	*	0.3
1981.....	2.0	*	*	*	*	*	*	*	*	0.4
1980.....	2.1	-	-	-	-	0.0	0.0	0.0	0.1	0.3
1979.....	2.1	0.1	-	-	-	0.0	0.0	0.0	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
WHITE MALE										
1998.....	1.2	*	*	*	*	*	*	*	*	0.2
1997.....	1.3	*	*	*	*	*	*	*	*	*
1996.....	1.2	*	*	*	*	*	*	*	*	0.2
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	0.3
1993.....	1.3	*	*	*	*	*	*	*	*	0.3
1992.....	1.4	*	*	*	*	*	*	*	*	0.3
1991.....	1.6	*	*	*	*	*	*	*	*	0.3
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	0.3
1987.....	1.7	*	*	*	*	*	*	*	*	*
1986.....	2.0	*	*	*	*	*	*	*	*	0.5
1985.....	2.1	*	*	*	*	*	*	*	*	*
1984.....	2.1	*	*	*	*	*	*	*	*	0.3
1983.....	2.2	*	*	*	*	*	*	*	*	0.3
1982.....	2.3	*	*	*	*	*	*	*	*	0.5
1981.....	2.5	*	*	*	*	*	*	*	*	0.6
1980.....	2.7	-	-	-	-	0.0	0.0	0.0	0.2	0.6
1979.....	2.7	0.2	-	-	-	0.0	0.0	0.0	0.2	0.4
WHITE FEMALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.4	*	*	*	*	*	*	*	*	*
1980.....	1.5	-	-	-	-	-	0.0	0.0	0.0	0.0
1979.....	1.5	-	-	-	-	0.0	0.0	-	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
ALL OTHER, BOTH SEXES										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.4	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986.....	1.5	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.8	*	*	*	*	*	*	*	*	*
1983.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	1.9	*	*	*	*	*	*	*	*	*
1981.....	2.2	*	*	*	*	*	*	*	*	*
1980.....	2.3	-	-	-	-	-	-	0.1	0.5	0.4
1979.....	2.4	-	-	-	-	-	0.0	0.1	0.4	0.7
ALL OTHER MALE										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	1.1	*	*	*	*	*	*	*	*	*
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.9	*	*	*	*	*	*	*	*	*
1985.....	1.9	*	*	*	*	*	*	*	*	*
1984.....	2.3	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*
1982.....	2.4	*	*	*	*	*	*	*	*	*
1981.....	2.7	*	*	*	*	*	*	*	*	*
1980.....	3.0	-	-	-	-	-	-	0.2	0.8	0.8
1979.....	3.1	-	-	-	-	-	-	0.2	0.6	1.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
ALL OTHER FEMALE										
1998.....	0.8	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.4	*	*	*	*	*	*	*	*	*
1984.....	1.5	*	*	*	*	*	*	*	*	*
1983.....	1.6	*	*	*	*	*	*	*	*	*
1982.....	1.4	*	*	*	*	*	*	*	*	*
1981.....	1.7	*	*	*	*	*	*	*	*	*
1980.....	1.6	-	-	-	-	-	-	0.1	0.2	-
1979.....	1.7	-	-	-	-	-	0.1	0.1	0.2	0.2
BLACK, BOTH SEXES										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	1.2	*	*	*	*	*	*	*	*	*
1996.....	1.2	*	*	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	1.6	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	1.9	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	2.2	*	*	*	*	*	*	*	*	*
1982.....	2.2	*	*	*	*	*	*	*	*	*
1981.....	2.5	*	*	*	*	*	*	*	*	*
1980.....	2.6	-	-	-	-	-	-	0.2	0.6	0.4
1979.....	2.7	-	-	-	-	-	0.0	0.2	0.4	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
BLACK MALE										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.3	*	*	*	*	*	*	*	*	*
1996.....	1.4	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.8	*	*	*	*	*	*	*	*	*
1990.....	1.9	*	*	*	*	*	*	*	*	*
1989.....	1.9	*	*	*	*	*	*	*	*	*
1988.....	1.9	*	*	*	*	*	*	*	*	*
1987.....	2.1	*	*	*	*	*	*	*	*	*
1986.....	2.2	*	*	*	*	*	*	*	*	*
1985.....	2.3	*	*	*	*	*	*	*	*	*
1984.....	2.7	*	*	*	*	*	*	*	*	*
1983.....	2.7	*	*	*	*	*	*	*	*	*
1982.....	2.7	*	*	*	*	*	*	*	*	*
1981.....	3.1	*	*	*	*	*	*	*	*	*
1980.....	3.3	-	-	-	-	-	-	0.3	1.0	0.9
1979.....	3.5	-	-	-	-	-	-	0.3	0.6	1.4
BLACK FEMALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.4	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.4	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.8	*	*	*	*	*	*	*	*	*
1983.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	1.7	*	*	*	*	*	*	*	*	*
1981.....	1.9	*	*	*	*	*	*	*	*	*
1980.....	1.9	-	-	-	-	-	-	0.1	0.2	-
1979.....	2.0	-	-	-	-	-	-	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ANGINA PECTORIS (413)										
TOTAL, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	-	-	0.0	0.0	0.0
1979.....	0.2	0.0	-	-	-	-	0.0	0.0	0.0	0.0
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.0	0.0	0.1
1979.....	0.2	0.1	-	-	-	-	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ANGINA PECTORIS (413)										
TOTAL, FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	-	-	-	-	0.0
1979.....	0.2	-	-	-	-	-	-	-	0.0	0.0
WHITE, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.0	0.0	0.0
1979.....	0.2	0.0	-	-	-	-	0.0	0.0	0.0	0.0











CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
TOTAL, BOTH SEXES										
1998.....	93.5	*	*	*	*	*	0.2	0.5	1.6	4.4
1997.....	95.7	*	*	*	*	*	0.2	0.6	1.7	4.1
1996.....	97.6	*	*	*	*	0.1	0.2	0.6	1.6	4.6
1995.....	98.8	*	*	*	*	*	0.2	0.7	1.7	4.6
1994.....	98.1	*	*	*	*	*	0.2	0.6	1.5	4.3
1993.....	100.3	*	*	*	*	*	0.2	0.6	1.7	4.1
1992.....	96.6	*	*	*	*	*	0.2	0.6	1.5	4.1
1991.....	97.5	*	*	*	*	*	0.2	0.6	1.5	4.4
1990.....	98.8	*	*	*	*	*	0.1	0.5	1.5	4.1
1989.....	99.9	*	*	*	*	*	0.1	0.6	1.6	4.3
1988.....	105.2	*	*	*	*	*	0.1	0.6	1.7	4.7
1987.....	104.8	*	*	*	*	*	0.2	0.5	1.8	4.8
1986.....	106.1	*	*	*	*	*	0.2	0.6	1.8	5.1
1985.....	108.3	*	*	*	*	*	0.2	0.5	1.7	5.1
1984.....	109.1	*	*	*	*	*	0.2	0.6	1.6	5.4
1983.....	111.8	*	*	*	*	*	0.1	0.5	1.7	5.0
1982.....	110.9	*	*	*	*	*	0.1	0.6	1.7	5.1
1981.....	112.2	*	*	*	*	*	0.1	0.6	1.5	5.2
1980.....	115.1	0.3	0.0	0.0	0.0	0.1	0.2	0.5	1.7	5.2
1979.....	109.4	0.2	0.0	0.0	0.0	0.1	0.1	0.4	1.7	4.8
TOTAL, MALE										
1998.....	94.3	*	*	*	*	*	0.2	0.8	2.4	6.7
1997.....	96.3	*	*	*	*	*	0.3	0.9	2.6	6.4
1996.....	98.1	*	*	*	*	*	0.3	0.9	2.6	7.0
1995.....	99.0	*	*	*	*	*	0.3	1.0	2.6	7.0
1994.....	98.4	*	*	*	*	*	0.3	0.8	2.2	7.0
1993.....	100.6	*	*	*	*	*	0.3	0.9	2.7	6.5
1992.....	97.7	*	*	*	*	*	0.3	0.8	2.4	6.6
1991.....	98.6	*	*	*	*	*	0.2	1.0	2.2	7.2
1990.....	99.6	*	*	*	*	*	0.3	0.8	2.4	7.0
1989.....	100.5	*	*	*	*	*	*	0.8	2.5	7.0
1988.....	106.0	*	*	*	*	*	0.3	0.9	2.7	7.7
1987.....	105.9	*	*	*	*	*	0.3	0.8	2.9	8.0
1986.....	107.5	*	*	*	*	*	0.2	0.9	2.9	8.4
1985.....	110.2	*	*	*	*	*	0.2	0.8	2.7	8.6
1984.....	110.4	*	*	*	*	*	0.3	0.9	2.6	8.8
1983.....	113.5	*	*	*	*	*	0.2	0.8	2.9	8.5
1982.....	113.3	*	*	*	*	*	*	1.0	2.9	8.5
1981.....	114.7	*	*	*	*	*	*	1.0	2.5	8.8
1980.....	117.2	0.3	0.0	0.0	0.0	0.1	0.2	0.8	2.8	8.6
1979.....	112.7	0.2	0.0	0.0	-	0.1	0.1	0.7	2.8	7.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
TOTAL, FEMALE										
1998.....	92.7	*	*	*	*	*	*	0.3	0.9	2.0
1997.....	95.1	*	*	*	*	*	*	0.3	0.9	1.8
1996.....	97.1	*	*	*	*	*	*	0.3	0.7	2.1
1995.....	98.6	*	*	*	*	*	*	0.3	0.8	2.2
1994.....	97.7	*	*	*	*	*	*	0.3	0.8	1.7
1993.....	100.1	*	*	*	*	*	*	0.3	0.8	1.8
1992.....	95.6	*	*	*	*	*	*	0.3	0.7	1.6
1991.....	96.4	*	*	*	*	*	*	0.3	0.7	1.6
1990.....	98.1	*	*	*	*	*	*	0.2	0.6	1.2
1989.....	99.4	*	*	*	*	*	*	0.3	0.8	1.6
1988.....	104.5	*	*	*	*	*	*	0.3	0.6	1.7
1987.....	103.8	*	*	*	*	*	*	0.3	0.6	1.6
1986.....	104.9	*	*	*	*	*	*	0.2	0.7	1.8
1985.....	106.6	*	*	*	*	*	*	0.3	0.7	1.7
1984.....	107.8	*	*	*	*	*	*	0.3	0.5	2.0
1983.....	110.2	*	*	*	*	*	*	0.2	0.6	1.5
1982.....	108.7	*	*	*	*	*	*	0.2	0.5	1.8
1981.....	109.9	*	*	*	*	*	*	*	0.6	1.8
1980.....	113.2	0.2	0.0	0.0	-	0.0	0.1	0.2	0.5	1.9
1979.....	106.3	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.7	1.9
WHITE, BOTH SEXES										
1998.....	102.3	*	*	*	*	*	0.2	0.5	1.6	4.1
1997.....	104.4	*	*	*	*	*	0.2	0.5	1.7	3.8
1996.....	106.5	*	*	*	*	*	*	0.5	1.6	4.2
1995.....	107.5	*	*	*	*	*	0.1	0.6	1.6	4.4
1994.....	106.8	*	*	*	*	*	0.2	0.5	1.4	3.9
1993.....	109.2	*	*	*	*	*	0.2	0.6	1.7	3.8
1992.....	105.1	*	*	*	*	*	0.2	0.5	1.4	3.8
1991.....	105.9	*	*	*	*	*	0.2	0.6	1.3	4.1
1990.....	107.3	*	*	*	*	*	0.1	0.5	1.4	3.7
1989.....	108.3	*	*	*	*	*	*	0.5	1.5	3.9
1988.....	113.8	*	*	*	*	*	*	0.5	1.5	4.4
1987.....	113.3	*	*	*	*	*	0.2	0.5	1.6	4.4
1986.....	114.5	*	*	*	*	*	0.2	0.5	1.6	4.7
1985.....	116.7	*	*	*	*	*	0.1	0.5	1.5	4.6
1984.....	117.5	*	*	*	*	*	0.2	0.5	1.4	5.0
1983.....	120.0	*	*	*	*	*	0.1	0.5	1.5	4.7
1982.....	118.7	*	*	*	*	*	*	0.5	1.5	4.7
1981.....	119.8	*	*	*	*	*	0.1	0.4	1.3	4.7
1980.....	122.4	0.2	0.0	0.0	0.0	0.0	0.1	0.4	1.4	4.6
1979.....	116.3	0.1	0.0	0.0	0.0	0.1	0.1	0.4	1.5	4.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
WHITE MALE										
1998.....	102.8	*	*	*	*	*	*	0.8	2.3	6.4
1997.....	104.7	*	*	*	*	*	0.3	0.8	2.5	6.2
1996.....	106.8	*	*	*	*	*	*	0.8	2.5	6.7
1995.....	107.2	*	*	*	*	*	*	0.8	2.5	6.7
1994.....	106.9	*	*	*	*	*	*	0.7	2.2	6.4
1993.....	109.1	*	*	*	*	*	*	0.9	2.5	6.1
1992.....	106.1	*	*	*	*	*	*	0.8	2.3	6.4
1991.....	106.7	*	*	*	*	*	*	0.9	2.0	6.8
1990.....	107.7	*	*	*	*	*	*	0.7	2.2	6.4
1989.....	108.4	*	*	*	*	*	*	0.8	2.3	6.6
1988.....	114.0	*	*	*	*	*	*	0.8	2.4	7.4
1987.....	113.8	*	*	*	*	*	0.3	0.7	2.6	7.5
1986.....	115.5	*	*	*	*	*	*	0.8	2.6	8.0
1985.....	118.0	*	*	*	*	*	*	0.7	2.5	7.8
1984.....	118.3	*	*	*	*	*	0.3	0.8	2.4	8.4
1983.....	121.2	*	*	*	*	*	*	0.8	2.6	8.2
1982.....	120.4	*	*	*	*	*	*	0.9	2.6	7.8
1981.....	121.9	*	*	*	*	*	*	0.8	2.1	8.0
1980.....	123.7	0.3	0.0	0.0	0.0	0.0	0.2	0.6	2.5	7.8
1979.....	119.1	0.1	0.0	0.0	-	0.1	0.2	0.6	2.6	7.1
WHITE FEMALE										
1998.....	101.7	*	*	*	*	*	*	0.3	0.9	1.9
1997.....	104.2	*	*	*	*	*	*	0.3	0.9	1.5
1996.....	106.2	*	*	*	*	*	*	*	0.7	1.8
1995.....	107.8	*	*	*	*	*	*	0.3	0.7	1.9
1994.....	106.7	*	*	*	*	*	*	0.3	0.7	1.4
1993.....	109.2	*	*	*	*	*	*	0.3	0.8	1.5
1992.....	104.2	*	*	*	*	*	*	0.3	0.6	1.3
1991.....	105.1	*	*	*	*	*	*	*	0.6	1.3
1990.....	106.8	*	*	*	*	*	*	*	0.6	1.0
1989.....	108.2	*	*	*	*	*	*	0.2	0.7	1.3
1988.....	113.6	*	*	*	*	*	*	0.2	0.6	1.3
1987.....	112.8	*	*	*	*	*	*	0.3	0.5	1.2
1986.....	113.7	*	*	*	*	*	*	*	0.5	1.4
1985.....	115.5	*	*	*	*	*	*	0.3	0.5	1.5
1984.....	116.7	*	*	*	*	*	*	0.2	0.4	1.6
1983.....	118.9	*	*	*	*	*	*	*	0.5	1.2
1982.....	117.1	*	*	*	*	*	*	*	0.4	1.6
1981.....	117.9	*	*	*	*	*	*	*	0.5	1.5
1980.....	121.2	0.2	0.0	0.0	-	0.0	0.1	0.2	0.4	1.6
1979.....	113.7	0.1	0.0	0.0	0.0	-	0.1	0.1	0.5	1.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
ALL OTHER, BOTH SEXES										
1998.....	52.2	*	*	*	*	*	*	0.6	1.9	5.3
1997.....	53.9	*	*	*	*	*	*	0.9	1.8	5.3
1996.....	54.6	*	*	*	*	*	*	0.8	1.8	6.1
1995.....	56.0	*	*	*	*	*	*	1.0	2.2	5.7
1994.....	54.7	*	*	*	*	*	*	0.8	1.8	6.4
1993.....	56.1	*	*	*	*	*	*	0.7	2.2	5.8
1992.....	53.7	*	*	*	*	*	*	0.7	2.1	5.3
1991.....	54.5	*	*	*	*	*	*	1.1	2.1	6.0
1990.....	54.8	*	*	*	*	*	*	0.6	2.2	5.9
1989.....	55.6	*	*	*	*	*	*	0.8	2.5	6.2
1988.....	59.0	*	*	*	*	*	*	0.9	2.4	6.3
1987.....	58.8	*	*	*	*	*	*	0.7	2.8	6.9
1986.....	59.6	*	*	*	*	*	*	0.9	2.9	7.2
1985.....	61.2	*	*	*	*	*	*	0.8	3.0	7.8
1984.....	61.2	*	*	*	*	*	*	0.7	2.4	7.8
1983.....	64.2	*	*	*	*	*	*	*	2.8	6.7
1982.....	65.1	*	*	*	*	*	*	1.1	2.9	8.2
1981.....	66.8	*	*	*	*	*	*	1.3	3.1	8.6
1980.....	70.2	0.3	0.0	-	-	0.1	0.3	0.9	3.1	8.9
1979.....	65.7	0.3	0.1	-	-	0.1	0.2	0.8	3.0	8.3
ALL OTHER MALE										
1998.....	52.9	*	*	*	*	*	*	*	2.9	8.2
1997.....	55.1	*	*	*	*	*	*	1.4	2.7	7.7
1996.....	54.7	*	*	*	*	*	*	1.2	2.9	8.7
1995.....	57.4	*	*	*	*	*	*	1.5	3.5	8.2
1994.....	55.4	*	*	*	*	*	*	1.2	2.4	9.9
1993.....	56.9	*	*	*	*	*	*	1.3	3.7	8.5
1992.....	54.1	*	*	*	*	*	*	1.2	3.2	7.8
1991.....	55.9	*	*	*	*	*	*	1.5	3.3	9.6
1990.....	55.9	*	*	*	*	*	*	*	3.6	9.8
1989.....	57.3	*	*	*	*	*	*	*	3.8	9.6
1988.....	61.6	*	*	*	*	*	*	1.5	4.2	9.6
1987.....	62.1	*	*	*	*	*	*	*	4.6	10.8
1986.....	62.1	*	*	*	*	*	*	1.4	4.2	11.0
1985.....	65.2	*	*	*	*	*	*	1.4	4.3	13.1
1984.....	64.4	*	*	*	*	*	*	*	3.9	12.1
1983.....	67.8	*	*	*	*	*	*	*	4.8	10.6
1982.....	70.0	*	*	*	*	*	*	1.8	4.5	13.9
1981.....	71.0	*	*	*	*	*	*	2.2	5.1	14.4
1980.....	76.4	0.3	-	-	-	0.2	0.5	1.6	5.5	14.4
1979.....	71.5	0.7	0.1	-	-	0.1	-	1.3	4.1	13.8



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
ALL OTHER FEMALE										
1998.....	51.6	*	*	*	*	*	*	*	*	2.8
1997.....	52.8	*	*	*	*	*	*	*	1.0	3.2
1996.....	54.5	*	*	*	*	*	*	*	*	3.7
1995.....	54.7	*	*	*	*	*	*	*	1.0	3.4
1994.....	54.2	*	*	*	*	*	*	*	1.2	3.3
1993.....	55.5	*	*	*	*	*	*	*	*	3.4
1992.....	53.4	*	*	*	*	*	*	*	1.0	3.1
1991.....	53.2	*	*	*	*	*	*	*	1.0	2.9
1990.....	53.8	*	*	*	*	*	*	*	*	2.5
1989.....	54.1	*	*	*	*	*	*	*	1.3	3.3
1988.....	56.6	*	*	*	*	*	*	*	*	3.4
1987.....	55.9	*	*	*	*	*	*	*	1.2	3.5
1986.....	57.4	*	*	*	*	*	*	*	1.7	3.9
1985.....	57.5	*	*	*	*	*	*	*	1.9	3.3
1984.....	58.2	*	*	*	*	*	*	*	*	4.2
1983.....	61.0	*	*	*	*	*	*	*	*	3.4
1982.....	60.6	*	*	*	*	*	*	*	1.5	3.4
1981.....	63.0	*	*	*	*	*	*	*	1.4	3.7
1980.....	64.7	0.3	0.1	-	-	0.1	0.1	0.3	1.1	4.1
1979.....	60.4	-	0.1	-	-	0.1	0.3	0.3	2.1	3.7
BLACK, BOTH SEXES										
1998.....	60.8	*	*	*	*	*	*	0.8	2.4	6.3
1997.....	62.7	*	*	*	*	*	*	1.1	2.1	6.6
1996.....	63.6	*	*	*	*	*	*	1.0	2.2	7.2
1995.....	65.3	*	*	*	*	*	*	1.2	2.5	6.8
1994.....	63.8	*	*	*	*	*	*	1.0	2.1	7.5
1993.....	65.8	*	*	*	*	*	*	0.9	2.6	6.8
1992.....	62.5	*	*	*	*	*	*	0.9	2.3	6.7
1991.....	64.0	*	*	*	*	*	*	1.3	2.6	7.3
1990.....	64.1	*	*	*	*	*	*	*	2.5	7.3
1989.....	65.0	*	*	*	*	*	*	1.0	3.2	7.8
1988.....	68.9	*	*	*	*	*	*	1.0	3.1	7.9
1987.....	68.3	*	*	*	*	*	*	0.8	3.3	7.9
1986.....	68.8	*	*	*	*	*	*	0.9	3.3	8.7
1985.....	70.3	*	*	*	*	*	*	1.0	3.6	9.6
1984.....	69.7	*	*	*	*	*	*	0.8	3.0	9.7
1983.....	72.8	*	*	*	*	*	*	*	3.3	7.9
1982.....	73.3	*	*	*	*	*	*	1.1	3.4	9.8
1981.....	75.2	*	*	*	*	*	*	1.4	3.5	10.3
1980.....	77.9	0.2	0.1	-	-	0.1	0.4	1.1	3.6	9.9
1979.....	71.3	0.4	-	-	-	0.1	0.2	0.9	3.2	9.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
BLACK MALE										
1998.....	59.8	*	*	*	*	*	*	*	3.8	9.3
1997.....	62.3	*	*	*	*	*	*	1.7	2.9	9.4
1996.....	62.0	*	*	*	*	*	*	*	3.6	10.1
1995.....	65.6	*	*	*	*	*	*	1.8	4.1	9.6
1994.....	62.7	*	*	*	*	*	*	*	2.8	11.3
1993.....	65.2	*	*	*	*	*	*	*	4.4	9.9
1992.....	61.8	*	*	*	*	*	*	1.5	3.6	9.7
1991.....	64.5	*	*	*	*	*	*	1.9	4.0	11.6
1990.....	64.3	*	*	*	*	*	*	*	3.9	11.9
1989.....	65.8	*	*	*	*	*	*	*	4.9	12.1
1988.....	70.6	*	*	*	*	*	*	1.7	5.3	12.0
1987.....	71.0	*	*	*	*	*	*	*	5.6	12.2
1986.....	70.3	*	*	*	*	*	*	*	4.6	13.0
1985.....	73.9	*	*	*	*	*	*	1.7	5.0	16.2
1984.....	72.5	*	*	*	*	*	*	*	4.8	15.1
1983.....	75.9	*	*	*	*	*	*	*	5.5	12.2
1982.....	77.6	*	*	*	*	*	*	1.9	5.2	16.6
1981.....	78.9	*	*	*	*	*	*	2.4	5.5	17.1
1980.....	83.3	-	-	-	-	0.2	0.6	1.8	6.4	15.6
1979.....	76.4	0.8	-	-	-	0.1	-	1.4	4.0	15.4
BLACK FEMALE										
1998.....	61.7	*	*	*	*	*	*	*	*	3.7
1997.....	63.1	*	*	*	*	*	*	*	1.4	4.2
1996.....	65.1	*	*	*	*	*	*	*	*	4.7
1995.....	65.1	*	*	*	*	*	*	*	*	4.4
1994.....	64.7	*	*	*	*	*	*	*	1.5	4.2
1993.....	66.4	*	*	*	*	*	*	*	*	4.1
1992.....	63.2	*	*	*	*	*	*	*	*	4.1
1991.....	63.6	*	*	*	*	*	*	*	1.4	3.6
1990.....	64.0	*	*	*	*	*	*	*	*	3.3
1989.....	64.2	*	*	*	*	*	*	*	1.7	4.1
1988.....	67.4	*	*	*	*	*	*	*	*	4.4
1987.....	65.9	*	*	*	*	*	*	*	*	4.3
1986.....	67.4	*	*	*	*	*	*	*	2.2	5.1
1985.....	67.0	*	*	*	*	*	*	*	2.4	4.1
1984.....	67.3	*	*	*	*	*	*	*	*	5.3
1983.....	70.0	*	*	*	*	*	*	*	*	4.3
1982.....	69.5	*	*	*	*	*	*	*	1.7	4.2
1981.....	71.8	*	*	*	*	*	*	*	*	4.6
1980.....	73.0	0.4	0.1	-	-	0.1	0.1	0.4	1.3	5.1
1979.....	66.7	-	-	-	-	0.1	0.4	0.4	2.6	4.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)										
TOTAL, BOTH SEXES										
1998.....	4.7	4.8	0.1	*	0.1	0.3	0.4	0.7	1.0	1.4
1997.....	4.5	4.9	*	*	*	0.3	0.6	0.7	1.0	1.3
1996.....	4.6	5.3	0.2	*	*	0.3	0.4	0.6	0.9	1.2
1995.....	4.6	5.4	0.2	*	*	0.3	0.6	0.7	1.0	1.4
1994.....	4.4	4.9	0.2	*	*	0.2	0.4	0.7	0.9	1.4
1993.....	4.5	4.5	0.2	*	0.1	0.2	0.4	0.6	1.0	1.4
1992.....	4.7	4.5	0.2	*	*	0.2	0.5	0.7	0.9	1.2
1991.....	4.7	4.4	0.2	*	*	0.2	0.4	0.6	0.8	1.3
1990.....	4.8	4.6	0.2	*	0.1	0.2	0.4	0.5	0.8	1.3
1989.....	4.8	4.4	0.1	*	*	0.2	0.4	0.6	0.8	1.2
1988.....	5.3	4.0	0.2	*	*	0.2	0.4	0.6	0.8	1.4
1987.....	5.2	4.0	*	*	*	0.2	0.4	0.6	1.0	1.2
1986.....	5.3	4.6	0.2	*	*	0.2	0.4	0.6	1.0	1.2
1985.....	5.2	4.1	*	*	*	0.3	0.4	0.6	0.9	1.4
1984.....	5.1	3.9	0.2	*	*	0.3	0.4	0.6	0.8	1.2
1983.....	5.1	3.2	0.2	*	*	0.2	0.3	0.5	0.9	1.3
1982.....	5.0	2.1	0.2	*	*	0.2	0.5	0.6	0.9	1.1
1981.....	5.0	2.4	0.2	*	*	0.2	0.3	0.6	0.9	1.3
1980.....	5.3	1.8	0.2	0.1	0.1	0.3	0.4	0.6	0.8	1.3
1979.....	5.1	1.9	0.2	0.1	0.1	0.2	0.5	0.6	0.8	1.2
TOTAL, MALE										
1998.....	3.9	4.3	*	*	*	0.2	0.3	0.4	0.9	1.3
1997.....	3.8	5.6	*	*	*	*	0.4	0.6	0.9	1.2
1996.....	3.9	5.6	*	*	*	*	0.3	0.5	0.7	1.1
1995.....	4.1	5.4	*	*	*	0.2	0.5	0.6	1.0	1.4
1994.....	3.9	5.0	*	*	*	*	0.3	0.5	0.8	1.4
1993.....	4.1	4.6	*	*	*	*	0.3	0.4	1.0	1.1
1992.....	4.2	4.4	*	*	*	*	0.3	0.5	0.7	1.3
1991.....	4.3	3.8	*	*	*	*	0.2	0.6	0.7	1.3
1990.....	4.4	4.9	*	*	*	0.2	0.3	0.4	0.7	1.3
1989.....	4.5	4.7	*	*	*	*	0.3	0.6	0.8	1.0
1988.....	5.1	4.5	*	*	*	*	0.3	0.4	0.8	1.3
1987.....	4.9	4.7	*	*	*	*	0.4	0.6	0.9	1.2
1986.....	5.0	4.9	*	*	*	*	0.2	0.5	0.9	1.3
1985.....	5.1	4.6	*	*	*	*	0.3	0.6	0.8	1.4
1984.....	4.9	4.6	*	*	*	*	0.3	0.5	0.9	1.2
1983.....	5.0	3.4	*	*	*	*	0.2	0.4	0.7	1.3
1982.....	4.9	2.4	0.3	*	*	*	0.3	0.5	0.8	0.9
1981.....	5.0	2.8	*	*	*	*	0.2	0.5	0.9	1.3
1980.....	5.2	1.9	0.2	0.1	0.0	0.2	0.3	0.5	0.8	1.1
1979.....	5.1	2.1	0.1	0.0	0.1	0.1	0.3	0.5	0.6	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---------------------------------------------	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

## DISEASES OF PULMONARY CIRCULATION (415-417)

TOTAL, FEMALE										
1998.....	5.4	5.5	*	*	*	0.3	0.5	1.0	1.2	1.5
1997.....	5.1	4.2	*	*	*	0.4	0.8	0.8	1.1	1.4
1996.....	5.2	4.9	*	*	*	0.3	0.6	0.7	1.1	1.3
1995.....	5.0	5.4	*	*	*	0.3	0.7	0.9	1.0	1.5
1994.....	4.8	4.8	0.3	*	*	0.3	0.6	1.0	1.0	1.5
1993.....	5.0	4.4	*	*	*	0.3	0.6	0.7	1.1	1.6
1992.....	5.1	4.5	*	*	*	*	0.6	0.8	1.0	1.2
1991.....	5.1	5.1	*	*	*	0.3	0.6	0.6	0.9	1.3
1990.....	5.1	4.3	*	*	*	0.3	0.6	0.6	0.9	1.3
1989.....	5.2	4.0	*	*	*	0.3	0.6	0.7	0.7	1.4
1988.....	5.5	3.5	*	*	*	0.3	0.5	0.8	0.8	1.4
1987.....	5.5	3.2	*	*	*	0.3	0.5	0.6	1.0	1.2
1986.....	5.5	4.3	*	*	*	0.2	0.6	0.7	1.0	1.2
1985.....	5.3	3.5	*	*	*	0.3	0.4	0.6	1.0	1.4
1984.....	5.2	3.2	*	*	*	0.4	0.6	0.7	0.8	1.2
1983.....	5.2	2.9	*	*	*	0.3	0.4	0.6	1.0	1.3
1982.....	5.1	1.9	*	*	*	0.2	0.6	0.8	0.9	1.3
1981.....	5.1	1.9	*	*	*	0.3	0.4	0.7	1.0	1.3
1980.....	5.4	1.7	0.1	0.1	0.1	0.3	0.5	0.7	0.8	1.5
1979.....	5.1	1.6	0.2	0.1	0.1	0.2	0.6	0.7	0.9	1.5
WHITE, BOTH SEXES										
1998.....	4.6	4.3	*	*	0.1	0.2	0.3	0.6	0.8	1.1
1997.....	4.4	4.5	*	*	*	0.2	0.4	0.5	0.8	1.0
1996.....	4.5	4.4	*	*	*	0.2	0.3	0.5	0.6	0.9
1995.....	4.5	5.0	0.2	*	*	0.2	0.4	0.6	0.7	1.1
1994.....	4.3	4.4	0.2	*	*	0.2	0.4	0.6	0.7	1.2
1993.....	4.5	3.6	0.2	*	*	0.2	0.3	0.4	0.8	1.1
1992.....	4.6	4.1	0.2	*	*	0.2	0.4	0.5	0.7	0.9
1991.....	4.6	3.8	0.2	*	*	0.1	0.3	0.5	0.6	1.0
1990.....	4.7	4.1	*	*	*	0.2	0.3	0.4	0.6	1.1
1989.....	4.8	3.5	*	*	*	0.2	0.4	0.5	0.6	0.9
1988.....	5.2	3.1	0.2	*	*	0.2	0.3	0.4	0.6	1.0
1987.....	5.1	3.4	*	*	*	0.2	0.3	0.5	0.7	1.0
1986.....	5.2	4.2	*	*	*	0.2	0.3	0.5	0.8	1.1
1985.....	5.1	3.9	*	*	*	0.2	0.3	0.5	0.6	1.1
1984.....	4.9	3.5	*	*	*	0.2	0.3	0.4	0.7	0.9
1983.....	5.0	2.8	0.2	*	*	0.2	0.2	0.4	0.7	1.0
1982.....	4.9	1.8	*	*	*	0.1	0.4	0.5	0.7	0.8
1981.....	4.9	2.2	*	*	*	0.2	0.2	0.5	0.7	1.0
1980.....	5.2	1.7	0.2	0.1	0.1	0.2	0.3	0.4	0.7	1.0
1979.....	4.9	1.6	0.1	0.1	0.1	0.2	0.4	0.4	0.5	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)										
WHITE MALE										
1998.....	3.9	4.2	*	*	*	*	*	0.4	0.7	1.0
1997.....	3.8	5.2	*	*	*	*	*	0.4	0.6	1.0
1996.....	3.8	4.5	*	*	*	*	*	0.5	0.4	0.9
1995.....	4.0	5.4	*	*	*	*	0.4	0.4	0.7	0.9
1994.....	3.9	4.4	*	*	*	*	*	0.3	0.6	1.2
1993.....	4.0	3.9	*	*	*	*	*	0.3	0.8	1.0
1992.....	4.1	4.3	*	*	*	*	*	0.3	0.6	1.0
1991.....	4.2	3.3	*	*	*	*	*	0.4	0.5	1.1
1990.....	4.3	4.3	*	*	*	*	*	0.3	0.6	1.0
1989.....	4.4	4.0	*	*	*	*	*	0.5	0.6	0.8
1988.....	4.9	3.3	*	*	*	*	0.3	0.3	0.6	1.1
1987.....	4.8	3.9	*	*	*	*	0.3	0.5	0.7	1.1
1986.....	4.9	4.7	*	*	*	*	*	0.4	0.8	1.2
1985.....	4.9	4.5	*	*	*	*	0.3	0.4	0.5	1.1
1984.....	4.8	4.2	*	*	*	*	0.2	0.4	0.7	1.0
1983.....	4.9	2.9	*	*	*	*	*	0.4	0.6	1.0
1982.....	4.7	1.9	*	*	*	*	0.3	0.3	0.7	0.8
1981.....	4.8	2.6	*	*	*	*	*	0.4	0.7	1.0
1980.....	5.1	1.9	0.2	0.0	0.0	0.2	0.2	0.4	0.7	0.8
1979.....	4.9	1.9	0.1	0.0	0.1	0.1	0.2	0.4	0.4	0.8
WHITE FEMALE										
1998.....	5.4	4.5	*	*	*	*	0.5	0.9	0.9	1.1
1997.....	5.1	3.7	*	*	*	0.3	0.6	0.5	0.9	1.1
1996.....	5.2	4.4	*	*	*	*	0.5	0.6	0.8	0.9
1995.....	4.9	4.7	*	*	*	*	0.5	0.8	0.7	1.2
1994.....	4.8	4.4	*	*	*	*	0.5	0.8	0.7	1.2
1993.....	4.9	3.3	*	*	*	*	0.5	0.6	0.9	1.3
1992.....	5.0	4.0	*	*	*	*	0.6	0.6	0.8	0.9
1991.....	5.0	4.3	*	*	*	*	0.4	0.5	0.8	0.9
1990.....	5.0	3.9	*	*	*	*	0.4	0.5	0.7	1.1
1989.....	5.1	2.9	*	*	*	*	0.5	0.5	0.5	1.0
1988.....	5.4	2.9	*	*	*	*	0.4	0.6	0.6	1.0
1987.....	5.4	2.9	*	*	*	*	0.4	0.5	0.7	1.0
1986.....	5.4	3.7	*	*	*	*	0.5	0.6	0.7	0.9
1985.....	5.2	3.4	*	*	*	*	0.3	0.5	0.7	1.0
1984.....	5.1	2.7	*	*	*	0.3	0.4	0.5	0.7	0.9
1983.....	5.1	2.6	*	*	*	*	0.3	0.5	0.8	1.0
1982.....	5.1	1.8	*	*	*	*	0.5	0.7	0.7	0.8
1981.....	4.9	1.9	*	*	*	0.3	0.3	0.6	0.7	1.0
1980.....	5.3	1.4	0.1	0.1	0.1	0.3	0.4	0.4	0.7	1.2
1979.....	4.9	1.3	0.1	0.1	0.1	0.2	0.5	0.5	0.7	1.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)										
ALL OTHER, BOTH SEXES										
1998.....	4.8	6.8	*	*	*	0.6	0.6	1.0	1.9	2.9
1997.....	4.7	6.4	*	*	*	*	1.1	1.6	1.9	2.7
1996.....	4.9	8.6	*	*	*	*	0.9	1.1	2.1	2.7
1995.....	5.1	6.7	*	*	*	*	1.2	1.3	2.2	3.2
1994.....	4.7	6.8	*	*	*	*	0.8	1.5	1.9	2.7
1993.....	4.9	7.9	*	*	*	*	0.8	1.2	1.8	2.7
1992.....	5.1	5.7	*	*	*	*	0.8	1.4	1.8	2.8
1991.....	5.3	6.7	*	*	*	*	0.9	1.1	1.7	2.8
1990.....	5.2	6.6	*	*	*	*	1.0	1.2	1.8	2.8
1989.....	5.3	7.8	*	*	*	*	0.7	1.2	1.7	2.5
1988.....	5.9	7.6	*	*	*	*	0.7	1.3	1.9	3.0
1987.....	5.9	6.3	*	*	*	*	0.8	1.2	2.2	2.3
1986.....	5.7	6.3	*	*	*	*	1.1	1.4	2.0	2.2
1985.....	6.0	4.7	*	*	*	*	0.7	1.2	2.2	3.3
1984.....	5.7	5.9	*	*	*	*	0.9	1.3	1.4	2.9
1983.....	5.8	4.9	*	*	*	0.6	0.6	1.1	1.9	3.2
1982.....	5.5	3.4	*	*	*	*	1.0	1.3	2.0	3.0
1981.....	5.9	*	*	*	*	*	0.8	1.4	2.2	3.3
1980.....	6.2	2.7	0.3	0.1	0.1	0.5	1.0	1.6	1.5	3.5
1979.....	6.1	3.0	0.3	0.1	0.1	0.3	1.1	1.4	2.3	3.1
ALL OTHER MALE										
1998.....	4.1	*	*	*	*	*	*	*	1.7	2.6
1997.....	4.2	7.1	*	*	*	*	*	1.3	1.9	2.3
1996.....	4.4	10.2	*	*	*	*	*	*	1.8	2.3
1995.....	4.6	5.4	*	*	*	*	*	1.2	2.3	3.5
1994.....	4.3	7.1	*	*	*	*	*	1.2	1.5	2.3
1993.....	4.4	7.1	*	*	*	*	*	*	1.7	1.9
1992.....	4.7	4.9	*	*	*	*	*	1.2	1.3	3.1
1991.....	5.0	5.9	*	*	*	*	*	1.4	1.7	2.5
1990.....	4.9	7.2	*	*	*	*	*	1.3	1.3	3.1
1989.....	5.0	7.2	*	*	*	*	*	*	1.8	1.8
1988.....	5.9	9.2	*	*	*	*	*	1.3	1.8	2.8
1987.....	5.8	8.0	*	*	*	*	*	*	2.1	2.1
1986.....	5.6	5.9	*	*	*	*	*	1.4	1.9	2.1
1985.....	6.2	*	*	*	*	*	*	1.3	2.1	3.4
1984.....	5.9	6.6	*	*	*	*	*	1.4	1.9	2.5
1983.....	5.9	*	*	*	*	*	*	*	1.6	3.3
1982.....	5.9	*	*	*	*	*	*	1.3	1.7	*
1981.....	5.9	*	*	*	*	*	*	*	2.3	3.4
1980.....	6.3	2.2	0.3	0.2	0.1	0.3	0.7	1.0	1.5	3.7
1979.....	6.1	3.0	0.2	0.1	0.1	0.2	0.7	0.9	2.0	2.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)										
ALL OTHER FEMALE										
1998.....	5.5	9.1	*	*	*	*	*	1.5	2.1	3.1
1997.....	5.2	5.8	*	*	*	*	1.3	1.8	2.0	3.0
1996.....	5.4	7.0	*	*	*	*	*	1.4	2.4	3.0
1995.....	5.5	8.0	*	*	*	*	1.5	1.4	2.1	2.8
1994.....	5.2	6.4	*	*	*	*	1.1	1.8	2.3	3.0
1993.....	5.3	8.8	*	*	*	*	1.1	1.3	2.0	3.3
1992.....	5.5	6.5	*	*	*	*	*	1.5	2.1	2.5
1991.....	5.5	7.6	*	*	*	*	1.2	*	1.6	3.1
1990.....	5.3	5.9	*	*	*	*	1.2	1.1	2.2	2.6
1989.....	5.5	8.4	*	*	*	*	*	1.5	1.5	3.0
1988.....	5.9	5.9	*	*	*	*	*	1.4	2.1	3.3
1987.....	5.9	*	*	*	*	*	*	1.3	2.2	2.4
1986.....	5.8	6.6	*	*	*	*	1.4	1.4	2.0	2.4
1985.....	5.9	*	*	*	*	*	*	1.2	2.4	3.2
1984.....	5.5	*	*	*	*	*	1.3	1.2	*	3.3
1983.....	5.8	*	*	*	*	*	*	1.2	2.2	3.1
1982.....	5.2	*	*	*	*	*	1.4	1.2	2.2	4.0
1981.....	5.8	*	*	*	*	*	1.2	1.6	2.2	3.3
1980.....	6.0	3.2	0.3	0.1	0.1	0.7	1.2	2.2	1.4	3.4
1979.....	6.1	3.0	0.5	-	-	0.5	1.6	1.8	2.6	3.7
BLACK, BOTH SEXES										
1998.....	6.2	8.2	*	*	*	0.7	0.8	1.3	2.6	3.7
1997.....	6.1	8.1	*	*	*	*	1.4	2.1	2.4	3.6
1996.....	6.3	9.7	*	*	*	*	1.1	1.5	2.8	3.4
1995.....	6.4	7.1	*	*	*	*	1.4	1.7	2.9	4.1
1994.....	6.0	7.1	*	*	*	*	1.0	2.0	2.5	3.3
1993.....	6.1	9.1	*	*	*	*	1.0	1.5	2.4	3.5
1992.....	6.4	6.0	*	*	*	*	0.7	1.8	2.2	3.5
1991.....	6.6	8.3	*	*	*	*	1.1	1.5	2.1	3.6
1990.....	6.4	7.1	*	*	*	*	1.2	1.4	2.4	3.6
1989.....	6.5	9.1	*	*	*	*	0.9	1.5	2.1	3.1
1988.....	7.3	8.3	*	*	*	*	0.8	1.7	2.4	3.8
1987.....	7.2	7.0	*	*	*	*	0.9	1.5	2.7	3.0
1986.....	6.9	7.0	*	*	*	*	1.4	1.7	2.5	2.9
1985.....	7.3	4.8	*	*	*	*	0.8	1.5	2.7	4.1
1984.....	6.8	6.2	*	*	*	*	1.2	1.6	1.8	3.7
1983.....	6.9	5.9	*	*	*	0.7	*	1.1	2.4	4.0
1982.....	6.5	*	*	*	*	*	1.2	1.6	2.5	3.6
1981.....	6.9	*	*	*	*	*	1.0	1.6	2.7	4.1
1980.....	7.1	3.2	0.3	0.1	0.1	0.6	1.1	1.9	1.7	4.4
1979.....	6.8	3.1	0.4	0.1	0.1	0.4	1.2	1.6	2.6	3.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)										
BLACK MALE										
1998.....	5.4	*	*	*	*	*	*	*	2.3	3.5
1997.....	5.4	8.9	*	*	*	*	*	1.9	2.2	3.1
1996.....	5.6	12.3	*	*	*	*	*	*	2.5	2.9
1995.....	6.0	6.7	*	*	*	*	*	*	3.1	4.5
1994.....	5.4	8.0	*	*	*	*	*	1.6	2.0	3.2
1993.....	5.6	7.2	*	*	*	*	*	*	2.3	2.4
1992.....	5.9	*	*	*	*	*	*	1.6	1.7	4.1
1991.....	6.3	7.3	*	*	*	*	*	1.8	2.3	3.1
1990.....	6.2	8.1	*	*	*	*	*	1.5	1.7	3.8
1989.....	6.2	7.9	*	*	*	*	*	*	2.4	2.2
1988.....	7.3	9.8	*	*	*	*	*	1.7	2.2	3.3
1987.....	7.2	9.1	*	*	*	*	*	*	2.7	2.8
1986.....	6.9	*	*	*	*	*	*	1.8	2.5	2.6
1985.....	7.5	*	*	*	*	*	*	1.6	2.7	4.5
1984.....	7.1	*	*	*	*	*	*	1.7	2.4	3.3
1983.....	7.0	*	*	*	*	*	*	*	*	4.2
1982.....	7.0	*	*	*	*	*	*	1.7	2.2	*
1981.....	6.9	*	*	*	*	*	*	*	2.9	4.1
1980.....	7.3	2.6	0.3	0.2	0.1	0.3	0.8	1.2	1.7	4.7
1979.....	6.8	2.7	0.2	0.2	0.1	0.2	0.6	1.0	2.0	2.5
BLACK FEMALE										
1998.....	7.0	10.9	*	*	*	*	*	1.9	2.8	4.0
1997.....	6.7	7.3	*	*	*	*	1.6	2.3	2.5	4.0
1996.....	6.9	*	*	*	*	*	*	1.8	3.1	3.9
1995.....	6.8	7.5	*	*	*	*	1.8	1.8	2.7	3.7
1994.....	6.5	*	*	*	*	*	*	2.4	3.1	3.4
1993.....	6.7	11.0	*	*	*	*	*	1.6	2.5	4.4
1992.....	6.8	6.4	*	*	*	*	*	2.0	2.7	2.9
1991.....	6.9	9.3	*	*	*	*	1.5	*	2.0	4.1
1990.....	6.6	*	*	*	*	*	1.5	*	3.0	3.4
1989.....	6.9	10.4	*	*	*	*	*	1.9	1.8	3.8
1988.....	7.3	6.9	*	*	*	*	*	1.8	2.6	4.1
1987.....	7.3	*	*	*	*	*	*	1.6	2.7	3.2
1986.....	7.0	7.6	*	*	*	*	1.7	1.7	2.6	3.1
1985.....	7.1	*	*	*	*	*	*	1.5	2.7	3.7
1984.....	6.6	*	*	*	*	*	1.6	1.5	*	4.0
1983.....	6.8	*	*	*	*	*	*	*	2.9	3.8
1982.....	6.1	*	*	*	*	*	1.6	1.5	2.8	4.7
1981.....	6.8	*	*	*	*	*	1.4	1.9	2.6	4.0
1980.....	6.9	3.8	0.3	0.1	-	0.9	1.3	2.6	1.7	4.1
1979.....	6.8	3.5	0.5	-	-	0.5	1.8	2.0	3.1	4.4



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER FORMS OF HEART DISEASE (420-429)										
TOTAL, BOTH SEXES										
1998.....	80.5	10.7	1.2	0.7	0.7	1.6	2.6	3.3	5.0	8.3
1997.....	80.3	10.8	1.2	0.5	0.8	1.6	2.5	3.3	5.0	8.2
1996.....	79.7	10.4	1.2	0.6	0.9	1.6	2.1	3.2	5.1	8.1
1995.....	80.6	11.0	1.3	0.6	0.8	1.7	2.3	3.1	5.3	8.7
1994.....	79.8	11.9	1.5	0.6	0.9	1.7	2.2	3.5	5.1	8.9
1993.....	81.6	11.5	1.5	0.6	0.8	1.6	2.2	3.4	5.0	8.6
1992.....	76.7	12.8	1.5	0.6	0.7	1.5	2.2	3.1	4.9	8.0
1991.....	76.8	12.4	1.9	0.6	0.7	1.6	2.2	3.1	5.0	8.0
1990.....	76.2	14.6	1.7	0.6	0.8	1.4	1.9	2.9	4.8	7.4
1989.....	78.8	14.7	1.7	0.6	0.9	1.5	2.0	3.0	5.1	8.3
1988.....	87.1	18.2	2.1	0.7	0.9	1.7	2.3	3.3	5.3	8.5
1987.....	85.0	20.8	2.0	0.7	0.9	1.7	2.2	3.3	5.3	8.2
1986.....	84.4	21.2	2.3	0.8	0.8	1.6	2.3	3.3	5.3	8.2
1985.....	80.6	20.1	2.0	0.7	0.9	1.7	2.1	3.0	4.7	7.8
1984.....	76.9	21.7	2.1	0.7	0.8	1.4	2.2	2.9	4.9	7.6
1983.....	74.8	21.8	2.1	0.6	0.8	1.6	2.2	2.9	4.7	7.3
1982.....	69.2	17.9	1.9	0.7	0.9	1.5	2.1	2.8	4.1	7.4
1981.....	67.9	17.9	2.3	0.6	0.8	1.4	2.1	3.0	4.3	7.6
1980.....	66.5	20.0	2.3	0.7	0.8	1.7	2.2	3.0	4.3	7.7
1979.....	61.5	17.5	1.9	0.6	0.7	1.3	2.1	2.8	3.9	7.1
TOTAL, MALE										
1998.....	76.5	11.2	1.3	0.8	0.8	2.1	3.4	4.5	6.8	11.2
1997.....	76.5	11.8	1.3	0.6	1.0	2.1	3.2	4.2	6.8	11.3
1996.....	76.5	11.0	1.2	0.6	1.1	2.0	2.9	4.3	6.9	11.4
1995.....	77.5	11.4	1.4	0.7	0.8	2.1	3.1	4.1	7.4	12.4
1994.....	77.2	12.8	1.6	0.5	1.0	2.4	3.0	4.5	6.7	12.2
1993.....	79.0	12.8	1.7	0.5	0.8	2.1	2.9	4.5	6.7	12.1
1992.....	75.0	13.6	1.6	0.6	0.8	2.3	2.9	4.0	6.9	11.4
1991.....	75.6	14.9	1.9	0.6	0.8	2.2	3.0	4.2	6.8	11.4
1990.....	75.2	16.2	1.7	0.6	1.0	2.0	2.5	3.9	6.5	10.9
1989.....	77.7	15.8	1.9	0.6	0.8	1.9	2.8	4.0	7.0	12.0
1988.....	86.6	19.8	2.1	0.8	1.2	2.3	2.9	4.3	7.6	12.3
1987.....	84.7	23.2	2.1	0.8	1.0	2.1	2.9	4.1	7.4	12.0
1986.....	84.9	23.8	2.4	0.8	0.9	2.2	3.1	4.1	7.3	11.9
1985.....	81.1	22.5	1.9	0.7	0.9	2.2	2.8	4.0	6.5	11.3
1984.....	78.2	23.0	2.2	0.7	0.8	1.8	2.9	3.9	6.9	10.8
1983.....	76.5	23.7	2.2	0.6	0.9	2.1	2.8	4.0	6.3	10.4
1982.....	70.9	20.7	2.0	0.7	0.9	2.0	2.7	3.6	5.5	10.5
1981.....	70.2	18.6	2.3	0.6	0.9	1.8	2.8	4.0	5.6	10.5
1980.....	69.2	22.4	2.4	0.7	1.0	2.1	3.1	4.0	5.4	10.9
1979.....	64.6	20.1	1.9	0.6	0.7	1.7	2.9	3.7	5.0	9.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER FORMS OF HEART DISEASE (420-429)										
TOTAL, FEMALE										
1998.....	84.3	10.2	1.1	0.5	0.5	1.1	1.8	2.1	3.3	5.5
1997.....	83.9	9.8	1.1	0.5	0.6	1.1	1.8	2.4	3.2	5.2
1996.....	82.7	9.8	1.1	0.6	0.8	1.2	1.3	2.2	3.3	4.8
1995.....	83.5	10.5	1.2	0.5	0.7	1.1	1.5	2.1	3.2	5.0
1994.....	82.2	11.1	1.4	0.6	0.7	0.9	1.4	2.4	3.5	5.6
1993.....	84.1	10.2	1.4	0.6	0.7	1.0	1.5	2.2	3.4	5.2
1992.....	78.3	12.0	1.5	0.5	0.6	0.8	1.5	2.2	3.0	4.7
1991.....	78.0	9.9	1.9	0.6	0.7	1.0	1.4	2.1	3.2	4.5
1990.....	77.2	13.1	1.6	0.5	0.7	0.8	1.3	2.0	3.0	4.1
1989.....	79.8	13.6	1.5	0.5	0.9	1.0	1.2	2.1	3.2	4.6
1988.....	87.6	16.5	2.2	0.7	0.6	1.0	1.7	2.3	3.0	4.8
1987.....	85.4	18.3	1.9	0.6	0.8	1.2	1.4	2.5	3.2	4.6
1986.....	84.0	18.4	2.3	0.7	0.7	1.0	1.5	2.4	3.3	4.7
1985.....	80.0	17.7	2.1	0.8	0.9	1.1	1.4	2.0	2.9	4.5
1984.....	75.7	20.4	2.0	0.7	0.8	0.9	1.4	2.0	3.1	4.5
1983.....	73.3	19.8	1.9	0.6	0.7	1.1	1.6	1.9	3.1	4.4
1982.....	67.6	14.9	1.8	0.7	0.9	1.0	1.5	1.9	2.8	4.5
1981.....	65.7	17.1	2.3	0.6	0.7	1.0	1.5	1.9	3.1	4.8
1980.....	63.9	17.5	2.2	0.7	0.7	1.2	1.4	2.0	3.2	4.5
1979.....	58.5	14.8	1.8	0.6	0.7	0.9	1.4	2.0	2.7	4.6
WHITE, BOTH SEXES										
1998.....	83.8	8.8	0.9	0.6	0.5	1.3	2.1	2.6	4.1	6.8
1997.....	83.7	9.5	1.0	0.5	0.7	1.4	2.0	2.7	4.2	6.8
1996.....	82.7	8.6	0.9	0.5	0.7	1.2	1.7	2.6	4.0	6.7
1995.....	83.2	9.3	1.0	0.5	0.6	1.3	1.7	2.4	4.3	7.0
1994.....	82.3	9.4	1.1	0.5	0.7	1.4	1.7	2.7	3.9	7.1
1993.....	83.7	9.4	1.2	0.5	0.7	1.3	1.8	2.5	4.0	6.7
1992.....	78.4	10.4	1.2	0.5	0.6	1.2	1.7	2.3	3.8	6.2
1991.....	78.4	10.6	1.5	0.5	0.6	1.5	1.8	2.5	3.9	6.0
1990.....	77.3	11.1	1.3	0.5	0.7	1.3	1.5	2.3	3.6	5.6
1989.....	79.5	12.7	1.3	0.5	0.7	1.3	1.7	2.4	3.9	6.3
1988.....	88.1	15.7	1.8	0.7	0.9	1.4	1.9	2.5	4.1	6.5
1987.....	85.9	18.3	1.6	0.7	0.7	1.4	1.8	2.6	3.9	6.1
1986.....	84.9	18.1	1.9	0.6	0.7	1.5	1.9	2.6	3.7	6.2
1985.....	81.2	16.8	1.5	0.6	0.7	1.4	1.8	2.3	3.5	6.1
1984.....	77.4	18.7	1.8	0.7	0.7	1.2	1.8	2.2	3.7	5.8
1983.....	75.0	18.0	1.7	0.6	0.7	1.3	1.8	2.3	3.6	5.7
1982.....	69.5	15.5	1.6	0.6	0.8	1.3	1.8	2.2	3.2	5.9
1981.....	67.9	15.5	2.0	0.6	0.6	1.2	1.7	2.2	3.5	5.9
1980.....	65.9	16.5	1.8	0.6	0.8	1.4	1.8	2.3	3.1	5.6
1979.....	60.9	13.8	1.5	0.6	0.6	1.2	1.8	2.3	3.2	5.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER FORMS OF HEART DISEASE (420-429)										
WHITE MALE										
1998.....	78.1	9.4	1.0	0.8	0.6	1.7	2.7	3.4	5.7	9.2
1997.....	78.3	10.8	1.0	0.5	0.9	1.9	2.5	3.4	5.6	9.6
1996.....	77.9	9.0	1.0	0.5	0.8	1.6	2.3	3.6	5.7	9.9
1995.....	78.4	9.4	1.1	0.5	0.6	1.7	2.3	3.3	6.0	10.4
1994.....	78.2	10.4	1.2	0.5	0.8	2.0	2.4	3.5	5.2	9.8
1993.....	79.5	10.9	1.4	0.4	0.8	1.8	2.3	3.4	5.3	9.7
1992.....	75.2	11.3	1.2	0.6	0.6	1.7	2.3	3.0	5.5	9.1
1991.....	75.7	12.8	1.4	0.5	0.7	2.0	2.4	3.4	5.3	8.5
1990.....	75.0	12.4	1.3	0.6	0.9	1.8	2.1	3.1	4.9	8.4
1989.....	76.9	14.2	1.4	0.5	0.7	1.7	2.3	3.3	5.3	9.3
1988.....	86.1	17.8	1.7	0.7	1.1	2.1	2.4	3.5	5.9	9.6
1987.....	84.1	20.5	1.6	0.8	0.8	1.8	2.4	3.3	5.5	8.7
1986.....	83.9	20.8	1.9	0.7	0.8	2.0	2.6	3.3	5.2	9.2
1985.....	80.4	18.9	1.5	0.6	0.7	1.8	2.4	3.1	4.7	8.9
1984.....	77.5	20.0	1.8	0.6	0.7	1.6	2.3	2.9	5.3	8.4
1983.....	75.6	20.0	1.8	0.6	0.8	1.7	2.3	3.1	4.8	8.2
1982.....	70.1	18.7	1.7	0.6	0.8	1.8	2.4	3.0	4.2	8.4
1981.....	69.2	15.8	2.0	0.6	0.8	1.6	2.3	2.9	4.4	8.3
1980.....	67.5	19.4	1.8	0.7	0.9	1.7	2.5	3.0	3.8	7.9
1979.....	63.1	16.3	1.6	0.7	0.7	1.5	2.5	2.9	4.2	7.6
WHITE FEMALE										
1998.....	89.3	8.2	0.9	0.4	0.5	0.9	1.5	1.7	2.4	4.4
1997.....	88.9	8.2	1.0	0.4	0.5	0.9	1.5	1.9	2.7	3.9
1996.....	87.3	8.2	0.7	0.5	0.7	0.9	1.0	1.6	2.3	3.4
1995.....	87.8	9.1	1.0	0.5	0.6	0.8	1.1	1.5	2.5	3.6
1994.....	86.3	8.3	1.0	0.5	0.7	0.7	1.1	1.9	2.6	4.3
1993.....	87.8	7.9	1.0	0.5	0.6	0.8	1.2	1.6	2.6	3.7
1992.....	81.5	9.5	1.2	0.4	0.6	0.7	1.1	1.6	2.1	3.2
1991.....	81.0	8.2	1.5	0.5	0.6	0.9	1.2	1.6	2.3	3.5
1990.....	79.6	9.8	1.4	0.5	0.5	0.7	0.9	1.5	2.2	2.9
1989.....	81.9	11.1	1.2	0.5	0.6	0.8	1.0	1.4	2.4	3.4
1988.....	90.1	13.5	1.9	0.7	0.6	0.8	1.3	1.6	2.3	3.3
1987.....	87.6	16.0	1.5	0.5	0.7	1.0	1.2	2.0	2.2	3.4
1986.....	85.9	15.2	1.9	0.6	0.7	0.9	1.2	1.8	2.2	3.2
1985.....	81.9	14.6	1.5	0.7	0.7	0.9	1.1	1.5	2.2	3.4
1984.....	77.3	17.3	1.7	0.7	0.7	0.8	1.2	1.5	2.2	3.3
1983.....	74.5	16.0	1.7	0.5	0.7	0.9	1.2	1.5	2.4	3.1
1982.....	68.9	12.0	1.4	0.6	0.8	0.8	1.2	1.5	2.1	3.5
1981.....	66.7	15.2	2.0	0.7	0.5	0.8	1.2	1.5	2.5	3.5
1980.....	64.3	13.4	1.8	0.5	0.6	1.0	1.1	1.6	2.3	3.3
1979.....	58.9	11.2	1.5	0.5	0.6	0.9	1.1	1.6	2.2	3.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER FORMS OF HEART DISEASE (420-429)										
ALL OTHER, BOTH SEXES										
1998.....	64.8	17.9	2.3	1.0	1.1	2.6	4.4	6.1	9.1	15.4
1997.....	63.9	15.9	2.1	0.9	1.0	2.4	4.6	5.9	8.7	15.0
1996.....	65.3	17.8	2.2	0.7	1.7	2.9	3.9	6.0	10.0	15.0
1995.....	67.6	17.3	2.5	0.9	1.3	3.2	4.8	6.2	10.0	16.8
1994.....	67.1	21.3	3.1	0.8	1.3	2.7	4.2	6.6	10.9	17.7
1993.....	71.2	19.3	2.9	1.0	1.0	2.6	4.1	7.0	10.0	17.9
1992.....	68.0	21.7	2.9	1.0	1.3	2.8	4.3	6.6	10.3	17.3
1991.....	68.8	18.8	3.6	0.9	1.2	2.2	4.1	6.2	10.5	18.0
1990.....	70.4	28.1	3.1	0.7	1.3	2.1	3.7	5.7	10.7	16.9
1989.....	75.1	22.7	3.4	0.9	1.6	2.3	3.8	6.2	11.0	18.5
1988.....	81.7	28.2	3.7	1.0	1.2	2.6	4.2	7.0	11.2	19.6
1987.....	80.5	31.1	3.7	1.0	1.5	2.6	4.1	6.6	12.5	20.3
1986.....	81.6	34.4	4.2	1.3	1.2	2.2	4.2	7.1	13.6	19.9
1985.....	77.2	34.8	4.1	1.0	1.6	2.8	3.9	6.6	11.4	18.2
1984.....	74.2	34.8	3.4	0.9	1.3	2.1	4.2	6.6	11.6	18.7
1983.....	73.7	38.2	3.6	1.0	1.2	2.7	4.3	6.6	10.9	18.0
1982.....	67.4	28.6	3.3	1.1	1.2	2.2	3.8	5.6	9.5	17.3
1981.....	67.3	28.7	3.7	0.7	1.4	2.4	4.2	7.2	9.7	18.8
1980.....	70.1	36.1	4.4	1.0	1.1	3.2	4.5	7.0	12.0	21.5
1979.....	64.7	34.8	3.4	0.5	1.2	1.9	3.9	6.2	8.4	19.2
ALL OTHER MALE										
1998.....	68.8	18.1	2.6	*	1.4	3.5	6.1	9.0	12.1	21.0
1997.....	67.9	15.8	2.7	*	1.2	2.8	6.2	7.3	12.2	19.4
1996.....	69.6	19.1	1.8	*	2.2	3.6	5.4	7.5	12.4	19.4
1995.....	72.8	18.9	2.7	1.1	1.5	3.9	6.5	8.1	14.4	22.9
1994.....	72.1	21.6	3.2	*	1.6	3.7	5.8	8.8	14.4	24.6
1993.....	76.6	19.8	3.0	*	*	3.3	5.3	9.7	13.6	24.6
1992.....	74.1	22.3	3.4	*	1.5	4.4	5.4	8.8	13.9	24.0
1991.....	75.4	22.1	4.0	*	1.3	3.0	5.7	8.2	14.3	27.7
1990.....	76.4	30.6	3.4	*	1.3	3.0	4.4	7.8	14.8	24.8
1989.....	82.0	22.0	3.8	1.1	1.2	2.8	5.2	7.4	15.8	27.5
1988.....	89.3	28.2	3.9	1.2	1.5	3.6	5.3	8.6	16.7	28.1
1987.....	88.0	34.6	4.0	*	1.8	3.2	5.4	8.2	17.6	31.4
1986.....	90.4	36.9	4.5	*	1.4	2.8	5.7	8.7	19.2	28.6
1985.....	85.4	38.3	3.7	*	1.6	3.8	4.8	8.8	17.4	26.9
1984.....	82.0	36.1	3.6	*	*	2.9	6.1	9.2	16.2	27.1
1983.....	81.9	40.3	4.3	*	1.4	3.8	5.3	9.2	15.5	25.3
1982.....	75.4	29.4	3.4	*	1.2	2.8	4.4	7.2	13.1	25.0
1981.....	76.0	31.7	3.8	*	1.5	2.8	5.7	10.2	13.7	26.0
1980.....	79.5	36.3	5.1	0.7	1.1	4.1	6.3	9.7	16.1	32.8
1979.....	74.0	38.0	3.7	0.2	1.0	2.7	5.4	8.4	11.2	25.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER FORMS OF HEART DISEASE (420-429)										
ALL OTHER FEMALE										
1998.....	61.1	17.6	2.0	1.1	*	1.8	2.7	3.4	6.5	10.3
1997.....	60.3	16.0	1.4	1.1	*	2.0	3.1	4.5	5.5	11.1
1996.....	61.3	16.4	2.6	*	1.1	2.2	2.4	4.6	7.8	11.0
1995.....	62.9	15.6	2.3	*	1.2	2.5	3.1	4.5	6.0	11.4
1994.....	62.6	21.1	2.9	*	*	1.7	2.7	4.6	7.8	11.5
1993.....	66.3	18.8	2.7	*	1.1	1.8	2.8	4.6	6.8	11.9
1992.....	62.4	21.2	2.3	1.2	*	*	3.1	4.5	7.0	11.3
1991.....	62.7	15.4	3.2	*	*	1.5	2.6	4.2	7.1	9.5
1990.....	64.8	25.5	2.7	*	1.3	1.2	2.9	3.9	7.1	10.0
1989.....	68.9	23.4	2.9	*	2.0	1.8	2.3	5.1	6.7	10.7
1988.....	74.7	28.1	3.4	*	*	1.7	3.2	5.5	6.2	12.2
1987.....	73.8	27.6	3.5	1.2	*	2.0	2.7	5.1	8.1	10.6
1986.....	73.5	31.8	3.9	1.4	*	1.5	2.8	5.6	8.6	12.5
1985.....	69.8	31.2	4.5	*	1.7	1.8	3.0	4.6	6.1	10.7
1984.....	67.0	33.5	3.3	*	1.4	1.3	2.5	4.2	7.6	11.5
1983.....	66.3	36.0	3.0	*	*	1.6	3.4	4.2	7.0	11.8
1982.....	60.2	27.8	3.1	*	*	1.6	3.2	4.1	6.4	10.8
1981.....	59.5	25.7	3.5	*	1.3	2.0	2.8	4.4	6.3	12.6
1980.....	61.5	35.8	3.7	1.4	1.0	2.2	2.8	4.6	8.5	11.9
1979.....	56.2	31.5	3.2	0.9	1.4	1.2	2.6	4.4	6.0	13.8
BLACK, BOTH SEXES										
1998.....	79.4	19.8	2.6	1.1	1.3	3.2	5.0	7.7	12.0	19.2
1997.....	77.8	18.7	2.5	1.1	1.2	2.8	5.5	7.5	10.8	18.5
1996.....	79.5	22.0	2.4	0.8	1.9	3.5	4.9	7.8	12.6	18.9
1995.....	82.2	20.6	3.0	1.0	1.6	3.9	5.9	7.7	12.8	20.9
1994.....	81.4	25.7	3.8	0.8	1.4	3.2	5.0	8.3	13.7	22.5
1993.....	86.5	21.7	3.0	1.1	1.2	3.0	5.0	8.6	12.5	22.9
1992.....	82.8	26.6	3.4	1.1	1.5	3.3	5.2	8.2	12.8	21.8
1991.....	83.6	22.7	4.3	1.0	1.4	2.5	5.0	7.6	13.2	22.7
1990.....	84.7	31.7	3.5	0.8	1.4	2.5	4.4	7.0	13.5	21.1
1989.....	90.6	25.3	3.8	1.0	1.7	2.7	4.7	7.4	14.1	23.8
1988.....	98.1	32.2	4.1	1.1	1.3	3.2	5.1	8.7	14.0	24.8
1987.....	96.2	33.5	4.2	0.9	1.7	3.1	4.8	7.6	15.8	25.1
1986.....	97.1	39.6	4.7	1.3	1.4	2.5	4.9	8.5	16.9	25.0
1985.....	90.8	38.8	4.7	1.1	1.8	3.2	4.5	7.9	14.0	22.4
1984.....	86.9	40.6	3.8	1.1	1.4	2.5	4.6	7.7	14.0	23.1
1983.....	85.6	43.3	4.0	1.0	1.2	3.0	4.9	7.6	13.4	22.4
1982.....	78.0	31.1	3.7	1.2	1.3	2.3	4.4	6.4	11.4	21.4
1981.....	77.5	31.5	3.8	0.9	1.6	2.7	4.9	8.5	11.6	22.8
1980.....	79.4	39.5	4.8	1.2	1.1	3.4	4.9	7.8	14.7	25.2
1979.....	72.1	36.1	3.7	0.6	1.3	2.1	4.2	6.9	9.7	21.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER FORMS OF HEART DISEASE (420-429)										
BLACK MALE										
1998.....	83.4	20.8	3.1	*	1.6	4.3	7.0	11.2	15.7	25.8
1997.....	82.2	18.8	3.5	*	1.5	3.4	7.2	9.3	14.9	23.3
1996.....	84.3	23.5	2.1	*	2.4	4.3	6.9	9.6	15.3	24.3
1995.....	88.4	22.3	3.3	*	1.8	4.8	7.8	10.1	18.6	28.5
1994.....	86.8	25.2	3.8	*	1.9	4.4	6.7	10.6	18.0	31.8
1993.....	92.6	21.0	3.1	*	*	3.8	6.6	11.7	16.9	31.3
1992.....	90.0	28.0	4.1	*	1.8	5.2	6.5	10.8	17.6	30.7
1991.....	91.4	25.7	4.7	*	1.5	3.4	7.0	10.2	18.0	35.0
1990.....	91.8	34.4	4.0	*	1.6	3.4	5.3	9.4	18.7	30.5
1989.....	98.6	23.8	4.5	*	*	3.3	6.5	9.1	20.4	35.8
1988.....	107.3	32.3	4.4	1.5	1.8	4.2	6.5	10.9	21.1	35.7
1987.....	104.7	36.2	4.8	*	2.2	3.8	6.6	9.1	22.0	38.8
1986.....	107.5	43.6	5.0	*	1.6	3.3	6.4	10.4	23.9	36.0
1985.....	100.5	42.4	4.2	*	1.8	4.4	5.5	10.3	21.4	33.6
1984.....	96.0	41.9	4.0	*	*	3.4	6.5	10.7	19.2	33.9
1983.....	94.8	45.8	4.7	*	*	4.2	6.1	10.5	18.8	31.3
1982.....	87.2	32.2	3.7	*	*	3.1	5.1	8.3	15.8	30.9
1981.....	87.5	35.6	4.1	*	1.7	3.2	6.6	12.0	16.5	32.0
1980.....	89.8	39.8	5.7	0.8	1.3	4.3	6.8	10.8	19.9	38.2
1979.....	82.6	38.8	4.0	0.2	1.1	2.9	5.8	9.4	13.1	28.5
BLACK FEMALE										
1998.....	75.8	18.8	2.1	*	*	2.2	3.1	4.5	8.6	13.3
1997.....	73.8	18.6	*	1.4	*	2.3	3.7	5.8	7.1	14.2
1996.....	75.3	20.4	2.7	*	1.4	2.7	2.8	6.2	10.2	14.2
1995.....	76.6	18.9	2.7	*	*	3.1	4.1	5.5	7.6	14.3
1994.....	76.5	26.2	3.7	*	*	2.0	3.4	6.2	9.8	14.4
1993.....	81.0	22.3	3.0	*	*	2.2	3.5	5.7	8.7	15.5
1992.....	76.2	25.2	2.6	*	*	*	4.0	5.8	8.5	14.0
1991.....	76.6	19.8	3.8	*	*	1.7	3.1	5.1	9.1	12.0
1990.....	78.3	28.8	3.0	*	*	1.5	3.5	4.9	9.0	12.9
1989.....	83.3	26.9	3.2	*	2.1	2.0	3.0	5.9	8.5	13.5
1988.....	89.9	32.0	3.9	*	*	2.1	3.8	6.6	7.8	15.5
1987.....	88.5	30.6	3.7	*	*	2.5	3.2	6.2	10.3	13.5
1986.....	87.7	35.6	4.5	*	*	1.6	3.4	6.7	10.8	15.5
1985.....	82.1	35.1	5.3	*	1.9	2.0	3.6	5.7	7.6	12.8
1984.....	78.7	39.2	3.6	*	1.5	1.5	2.8	5.0	9.4	14.0
1983.....	77.4	40.7	3.2	*	*	1.9	3.8	5.1	8.7	14.9
1982.....	69.7	30.0	3.6	*	*	1.5	3.7	4.8	7.5	13.5
1981.....	68.6	27.4	3.5	*	1.5	2.1	3.3	5.4	7.4	15.1
1980.....	70.1	39.1	3.9	1.5	0.9	2.5	3.1	5.1	10.4	14.4
1979.....	62.6	33.2	3.3	1.0	1.4	1.3	2.8	4.7	6.9	16.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
TOTAL, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	0.1	0.2
1997.....	0.4	*	*	*	*	*	*	*	0.1	0.2
1996.....	0.3	*	*	*	*	*	*	*	*	0.2
1995.....	0.4	*	*	*	*	*	*	*	0.1	0.2
1994.....	0.3	*	*	*	*	*	*	*	0.1	0.3
1993.....	0.3	*	*	*	*	*	*	*	0.1	0.2
1992.....	0.3	*	*	*	*	*	*	*	0.2	0.2
1991.....	0.3	*	*	*	*	*	*	*	0.1	0.2
1990.....	0.4	*	*	*	*	*	*	0.1	0.2	0.2
1989.....	0.4	*	*	*	*	*	*	0.1	0.3	0.4
1988.....	0.4	*	*	*	*	*	*	0.1	0.2	0.3
1987.....	0.4	*	*	*	*	*	*	0.1	0.2	0.3
1986.....	0.4	*	*	*	*	*	*	0.1	0.3	0.2
1985.....	0.4	*	*	*	*	*	*	0.1	0.2	0.3
1984.....	0.4	*	*	*	*	*	*	0.1	0.2	0.2
1983.....	0.3	*	*	*	*	*	*	0.1	0.2	0.2
1982.....	0.4	*	*	*	*	*	*	0.2	0.2	0.2
1981.....	0.3	*	*	*	*	*	0.1	0.1	0.2	0.2
1980.....	0.3	0.1	0.0	-	0.0	0.1	0.1	0.1	0.2	0.2
1979.....	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.3
TOTAL, MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	0.3
1997.....	0.4	*	*	*	*	*	*	*	*	0.3
1996.....	0.4	*	*	*	*	*	*	*	*	0.2
1995.....	0.4	*	*	*	*	*	*	*	0.2	0.3
1994.....	0.4	*	*	*	*	*	*	*	*	0.3
1993.....	0.4	*	*	*	*	*	*	*	*	0.3
1992.....	0.4	*	*	*	*	*	*	*	0.2	0.3
1991.....	0.4	*	*	*	*	*	*	*	*	0.3
1990.....	0.4	*	*	*	*	*	*	*	0.2	0.3
1989.....	0.4	*	*	*	*	*	*	*	0.3	0.5
1988.....	0.5	*	*	*	*	*	*	*	0.3	0.5
1987.....	0.4	*	*	*	*	*	*	*	0.3	0.4
1986.....	0.5	*	*	*	*	*	*	*	0.4	0.3
1985.....	0.5	*	*	*	*	*	*	*	0.4	0.4
1984.....	0.4	*	*	*	*	*	*	*	0.3	0.3
1983.....	0.4	*	*	*	*	*	*	0.2	0.3	0.3
1982.....	0.5	*	*	*	*	*	*	0.2	0.3	0.3
1981.....	0.4	*	*	*	*	*	*	0.2	0.2	0.3
1980.....	0.4	0.1	0.1	-	0.0	0.1	0.1	0.1	0.2	0.2
1979.....	0.4	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
TOTAL, FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	0.3
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	0.2	0.3
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.1	0.0	-	0.0	0.0	0.1	0.1	0.2	0.2
1979.....	0.2	-	0.0	-	-	0.0	0.1	0.1	0.1	0.2
WHITE, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	0.1	0.2
1997.....	0.4	*	*	*	*	*	*	*	*	0.2
1996.....	0.3	*	*	*	*	*	*	*	*	0.1
1995.....	0.4	*	*	*	*	*	*	*	0.1	0.2
1994.....	0.3	*	*	*	*	*	*	*	*	0.2
1993.....	0.3	*	*	*	*	*	*	*	0.1	*
1992.....	0.3	*	*	*	*	*	*	*	0.1	0.2
1991.....	0.3	*	*	*	*	*	*	*	*	0.1
1990.....	0.3	*	*	*	*	*	*	0.1	0.1	*
1989.....	0.3	*	*	*	*	*	*	*	0.2	0.2
1988.....	0.4	*	*	*	*	*	*	*	0.1	0.2
1987.....	0.3	*	*	*	*	*	*	0.1	0.1	0.2
1986.....	0.3	*	*	*	*	*	*	*	0.2	0.1
1985.....	0.4	*	*	*	*	*	*	*	*	0.2
1984.....	0.4	*	*	*	*	*	*	*	0.1	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	0.1	0.2	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.0	0.0	-	0.0	0.1	0.0	0.1	0.1	0.2
1979.....	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
WHITE MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	0.2
1997.....	0.4	*	*	*	*	*	*	*	*	0.2
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	0.2
1994.....	0.3	*	*	*	*	*	*	*	*	0.2
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	0.2
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	0.3	0.2
1988.....	0.4	*	*	*	*	*	*	*	*	0.3
1987.....	0.4	*	*	*	*	*	*	*	*	0.3
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	0.3
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.1	-	0.0	0.1	0.1	0.0	0.2	0.2
1979.....	0.4	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2
WHITE FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.1	0.0	-	0.0	0.0	0.0	0.1	0.1	0.1
1979.....	0.2	-	0.0	-	-	0.0	0.1	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
ALL OTHER, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	0.7
1993.....	0.4	*	*	*	*	*	*	*	*	0.7
1992.....	0.4	*	*	*	*	*	*	*	*	0.6
1991.....	0.4	*	*	*	*	*	*	*	*	0.7
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	0.7	1.4
1988.....	0.6	*	*	*	*	*	*	*	0.8	0.8
1987.....	0.5	*	*	*	*	*	*	*	*	0.8
1986.....	0.5	*	*	*	*	*	*	*	0.8	*
1985.....	0.5	*	*	*	*	*	*	*	0.9	*
1984.....	0.5	*	*	*	*	*	*	*	0.7	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.2	0.0	-	-	-	0.2	0.4	0.5	0.5
1979.....	0.5	0.2	0.0	-	-	0.0	0.2	0.5	0.4	0.9
ALL OTHER MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	1.8
1988.....	0.8	*	*	*	*	*	*	*	1.2	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	1.4	*
1985.....	0.7	*	*	*	*	*	*	*	1.5	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.3	0.1	-	-	-	0.2	0.5	0.4	0.6
1979.....	0.7	0.3	0.1	-	-	-	0.2	0.7	0.6	1.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
ALL OTHER FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	-	0.2	0.3	0.5	0.4
1979.....	0.3	-	-	-	-	0.1	0.2	0.3	0.3	0.4
BLACK, BOTH SEXES										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	0.8
1993.....	0.5	*	*	*	*	*	*	*	*	0.9
1992.....	0.6	*	*	*	*	*	*	*	*	0.9
1991.....	0.5	*	*	*	*	*	*	*	*	0.9
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	0.9	1.8
1988.....	0.7	*	*	*	*	*	*	*	1.0	1.1
1987.....	0.6	*	*	*	*	*	*	*	*	1.0
1986.....	0.6	*	*	*	*	*	*	*	1.0	*
1985.....	0.6	*	*	*	*	*	*	*	1.1	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.1	-	-	-	0.2	0.4	0.6	0.6
1979.....	0.5	-	0.1	-	-	0.0	0.2	0.6	0.4	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
BLACK MALE										
1998.....	0.8	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	2.5
1988.....	1.0	*	*	*	*	*	*	*	1.6	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	1.9	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	0.1	-	-	-	0.2	0.5	0.5	0.8
1979.....	0.7	-	0.1	-	-	-	0.2	0.9	0.6	1.4
BLACK FEMALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.3	0.4	0.7	0.5
1979.....	0.3	-	-	-	-	0.1	0.2	0.3	0.3	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.9	0.2	*	*	0.1	0.1	0.1	0.1	0.2
1997.....	0.3	0.8	*	*	*	*	0.1	0.2	0.2	0.2
1996.....	0.3	0.6	*	*	*	*	*	*	0.1	0.2
1995.....	0.3	0.9	0.2	*	*	*	*	0.1	0.2	0.2
1994.....	0.3	1.2	0.2	*	*	*	0.1	0.2	0.2	0.2
1993.....	0.3	0.7	*	0.1	*	*	0.1	0.2	0.2	0.2
1992.....	0.3	1.0	0.2	*	*	*	*	*	0.2	0.3
1991.....	0.3	0.9	0.2	*	*	*	*	0.1	0.2	0.2
1990.....	0.3	1.2	0.2	*	*	*	0.1	0.1	0.2	0.2
1989.....	0.3	1.0	0.1	*	*	0.1	*	0.1	0.2	0.2
1988.....	0.3	1.0	0.2	*	*	*	0.1	0.1	0.2	0.2
1987.....	0.4	1.3	0.2	*	*	0.1	0.1	0.2	0.2	0.1
1986.....	0.4	1.2	0.2	*	*	0.1	0.1	0.2	0.2	0.2
1985.....	0.4	1.0	0.2	*	*	*	0.1	0.2	0.2	0.2
1984.....	0.4	1.1	0.2	*	*	*	0.1	0.2	0.2	0.2
1983.....	0.3	0.8	0.2	*	*	*	0.1	0.1	0.2	0.2
1982.....	0.3	0.9	0.2	*	*	0.1	0.1	0.2	0.2	0.2
1981.....	0.4	1.4	0.2	*	*	0.1	0.1	0.1	0.2	0.2
1980.....	0.4	1.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3
1979.....	0.3	1.0	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.3
TOTAL, MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	0.2
1996.....	0.3	*	*	*	*	*	*	*	*	0.2
1995.....	0.3	*	*	*	*	*	*	*	0.2	0.2
1994.....	0.3	1.0	*	*	*	*	*	*	0.2	0.2
1993.....	0.3	*	*	*	*	*	*	0.2	0.2	0.2
1992.....	0.4	*	*	*	*	*	*	*	0.3	0.4
1991.....	0.3	1.3	*	*	*	*	*	*	*	0.2
1990.....	0.4	1.2	*	*	*	*	*	*	0.2	0.2
1989.....	0.4	*	*	*	*	*	*	*	0.2	0.2
1988.....	0.4	*	*	*	*	*	*	*	0.3	0.2
1987.....	0.4	1.4	*	*	*	*	*	0.2	0.2	*
1986.....	0.4	*	*	*	*	*	*	0.2	0.3	0.3
1985.....	0.4	1.1	*	*	*	*	0.2	*	0.3	0.2
1984.....	0.4	*	*	*	*	*	*	0.3	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	0.3
1982.....	0.4	*	*	*	*	*	*	0.2	0.2	*
1981.....	0.4	1.4	*	*	*	*	*	*	0.2	*
1980.....	0.4	1.0	0.2	0.0	0.1	0.2	0.2	0.2	0.2	0.2
1979.....	0.4	1.4	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)										
TOTAL, FEMALE										
1998.....	0.3	1.1	*	*	*	*	*	*	*	0.2
1997.....	0.3	*	*	*	*	*	*	*	*	0.2
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	1.3	*	*	*	*	*	*	*	*
1994.....	0.3	1.3	*	*	*	*	*	*	0.2	*
1993.....	0.3	*	*	*	*	*	*	*	0.2	*
1992.....	0.3	1.0	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	0.2	*
1990.....	0.3	1.1	*	*	*	*	*	*	0.2	*
1989.....	0.3	1.2	*	*	*	*	*	*	*	*
1988.....	0.3	1.2	*	*	*	*	*	*	*	*
1987.....	0.3	1.2	*	*	*	*	*	*	*	*
1986.....	0.4	1.6	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.4	1.4	*	*	*	*	*	0.2	0.3	0.2
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	1.4	*	*	*	*	*	*	*	*
1980.....	0.3	1.3	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3
1979.....	0.3	0.7	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2
WHITE, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	0.1	0.2
1997.....	0.3	*	*	*	*	*	*	0.1	0.1	0.2
1996.....	0.3	*	*	*	*	*	*	*	*	0.2
1995.....	0.3	*	*	*	*	*	*	*	0.1	0.2
1994.....	0.3	*	*	*	*	*	*	0.1	0.2	0.2
1993.....	0.3	*	*	*	*	*	*	0.2	0.1	0.1
1992.....	0.3	0.7	*	*	*	*	*	*	0.2	0.2
1991.....	0.3	*	*	*	*	*	*	*	0.2	0.2
1990.....	0.3	0.7	*	*	*	*	*	0.1	0.2	0.2
1989.....	0.3	0.7	*	*	*	*	*	*	0.1	0.2
1988.....	0.3	0.9	0.2	*	*	*	*	0.1	0.2	0.2
1987.....	0.4	1.0	*	*	*	0.1	*	0.1	0.2	*
1986.....	0.4	0.7	*	*	*	*	*	0.1	0.2	0.2
1985.....	0.3	*	*	*	*	*	0.1	*	0.1	0.2
1984.....	0.4	0.8	*	*	*	*	*	0.2	0.2	0.2
1983.....	0.3	*	*	*	*	*	*	0.1	*	*
1982.....	0.3	0.7	0.2	*	*	*	0.1	0.1	0.2	*
1981.....	0.4	1.1	0.2	*	*	*	*	*	0.2	0.2
1980.....	0.3	0.8	0.1	0.1	0.0	0.1	0.1	0.2	0.2	0.2
1979.....	0.3	0.8	0.2	0.1	0.0	0.1	0.1	0.1	0.2	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)										
WHITE MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	0.2
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	0.3
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	0.2
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	0.3	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	0.3
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.8	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2
1979.....	0.3	1.1	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.2
WHITE FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	0.2
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.8	0.1	0.1	0.0	0.1	0.1	0.1	0.2	0.3
1979.....	0.3	0.5	0.2	0.1	0.1	0.0	0.1	0.1	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)										
ALL OTHER, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	3.1	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	0.6
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.4	2.8	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.6	3.4	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	0.7	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.6	2.5	0.5	0.1	0.2	0.2	0.3	0.4	0.4	0.5
1979.....	0.5	2.0	0.4	-	0.1	0.2	0.1	0.3	0.2	0.5
ALL OTHER MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.8	1.9	0.4	-	0.1	0.3	0.5	0.6	0.5	0.7
1979.....	0.6	2.6	0.4	-	0.1	0.2	0.1	0.5	0.4	0.9



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)										
ALL OTHER FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.5	3.2	0.6	0.2	0.2	0.1	0.1	0.3	0.3	0.4
1979.....	0.4	1.3	0.5	-	0.1	0.3	0.1	0.2	0.1	0.2
BLACK, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.4	3.9	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.7	4.1	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	0.7	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.7	3.0	0.5	0.1	0.2	0.2	0.3	0.5	0.5	0.6
1979.....	0.5	2.1	0.5	-	0.1	0.3	0.1	0.4	0.2	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)										
BLACK MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.9	2.2	0.4	-	0.1	0.3	0.5	0.7	0.6	0.9
1979.....	0.7	3.1	0.4	-	0.1	0.2	0.2	0.5	0.4	1.1
BLACK FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	3.8	0.5	0.2	0.2	0.1	0.1	0.3	0.4	0.4
1979.....	0.4	1.2	0.5	-	0.1	0.3	0.1	0.2	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
TOTAL, BOTH SEXES										
1998.....	6.9	*	*	*	*	*	0.1	0.2	0.3	0.5
1997.....	6.6	*	*	*	*	*	0.2	0.2	0.4	0.5
1996.....	6.5	*	*	*	*	*	*	0.2	0.3	0.5
1995.....	6.2	*	*	*	*	*	0.1	0.2	0.3	0.6
1994.....	5.9	*	*	*	*	*	0.2	0.1	0.3	0.6
1993.....	5.9	*	*	*	*	*	*	0.2	0.4	0.6
1992.....	5.6	*	*	*	*	*	0.1	0.2	0.2	0.5
1991.....	5.4	0.5	*	*	*	*	0.2	0.2	0.3	0.6
1990.....	5.2	*	*	*	*	*	0.1	0.2	0.4	0.4
1989.....	4.9	*	*	*	*	*	0.1	0.3	0.5	0.6
1988.....	4.8	*	*	*	*	*	*	0.2	0.4	0.6
1987.....	4.5	*	*	*	*	*	0.1	0.3	0.3	0.6
1986.....	4.2	*	*	*	*	*	0.1	0.2	0.3	0.5
1985.....	4.0	0.7	*	*	*	*	0.2	0.3	0.4	0.6
1984.....	3.7	*	*	*	*	0.1	0.1	0.2	0.3	0.5
1983.....	3.6	0.7	*	*	*	*	0.1	0.2	0.3	0.4
1982.....	3.4	*	*	*	*	*	0.1	0.2	0.3	0.5
1981.....	3.2	*	*	*	*	*	0.1	0.2	0.3	0.4
1980.....	3.2	0.2	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.5
1979.....	2.9	0.4	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.4
TOTAL, MALE										
1998.....	5.5	*	*	*	*	*	*	*	0.3	0.6
1997.....	5.4	*	*	*	*	*	*	*	0.4	0.7
1996.....	5.3	*	*	*	*	*	*	0.2	0.3	0.7
1995.....	5.1	*	*	*	*	*	*	0.2	0.3	0.8
1994.....	4.9	*	*	*	*	*	*	*	0.4	0.8
1993.....	4.9	*	*	*	*	*	*	0.3	0.4	0.8
1992.....	4.9	*	*	*	*	*	*	*	0.4	0.6
1991.....	4.7	*	*	*	*	*	*	0.3	0.5	0.7
1990.....	4.5	*	*	*	*	*	*	0.2	0.5	0.6
1989.....	4.4	*	*	*	*	*	*	0.3	0.6	0.9
1988.....	4.4	*	*	*	*	*	*	0.3	0.4	0.7
1987.....	4.2	*	*	*	*	*	*	0.3	0.5	0.8
1986.....	3.9	*	*	*	*	*	*	0.2	0.5	0.6
1985.....	3.8	*	*	*	*	*	*	0.4	0.5	0.7
1984.....	3.6	*	*	*	*	*	*	0.3	0.5	0.7
1983.....	3.6	*	*	*	*	*	*	0.2	0.4	0.5
1982.....	3.3	*	*	*	*	*	*	0.3	0.4	0.6
1981.....	3.3	*	*	*	*	*	*	0.3	0.4	0.5
1980.....	3.4	0.3	0.0	0.1	0.1	0.2	0.2	0.3	0.4	0.7
1979.....	3.1	0.6	0.0	0.1	0.0	0.1	0.2	0.3	0.3	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
TOTAL, FEMALE										
1998.....	8.1	*	*	*	*	*	*	*	0.3	0.5
1997.....	7.8	*	*	*	*	*	*	*	0.3	0.4
1996.....	7.6	*	*	*	*	*	*	*	0.3	0.4
1995.....	7.2	*	*	*	*	*	*	*	0.3	0.4
1994.....	6.9	*	*	*	*	*	*	*	0.2	0.4
1993.....	6.8	*	*	*	*	*	*	*	0.3	0.4
1992.....	6.4	*	*	*	*	*	*	*	*	0.3
1991.....	6.1	*	*	*	*	*	*	0.2	0.2	0.4
1990.....	5.9	*	*	*	*	*	*	*	0.3	0.3
1989.....	5.4	*	*	*	*	*	*	0.2	0.3	0.3
1988.....	5.2	*	*	*	*	*	*	0.2	0.3	0.4
1987.....	4.8	*	*	*	*	*	*	0.3	*	0.4
1986.....	4.5	*	*	*	*	*	*	0.3	*	0.4
1985.....	4.2	*	*	*	*	*	*	*	0.3	0.4
1984.....	3.8	*	*	*	*	*	*	*	*	0.2
1983.....	3.6	*	*	*	*	*	*	*	*	0.4
1982.....	3.4	*	*	*	*	*	*	*	*	0.3
1981.....	3.1	*	*	*	*	*	*	*	0.2	0.4
1980.....	3.0	0.2	0.0	0.0	-	0.1	0.2	0.2	0.2	0.3
1979.....	2.7	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.3
WHITE, BOTH SEXES										
1998.....	7.7	*	*	*	*	*	0.1	0.2	0.2	0.4
1997.....	7.4	*	*	*	*	*	0.2	0.2	0.3	0.5
1996.....	7.2	*	*	*	*	*	*	0.2	0.3	0.4
1995.....	6.9	*	*	*	*	*	*	0.2	0.3	0.5
1994.....	6.6	*	*	*	*	*	0.1	*	0.3	0.5
1993.....	6.5	*	*	*	*	*	*	0.2	0.3	0.5
1992.....	6.2	*	*	*	*	*	*	0.1	0.2	0.3
1991.....	6.0	*	*	*	*	*	0.1	0.2	0.3	0.5
1990.....	5.7	*	*	*	*	*	*	0.2	0.3	0.3
1989.....	5.4	*	*	*	*	*	0.1	0.2	0.4	0.6
1988.....	5.2	*	*	*	*	*	*	0.2	0.3	0.4
1987.....	4.9	*	*	*	*	*	0.1	0.2	0.3	0.4
1986.....	4.6	*	*	*	*	*	*	0.2	0.2	0.3
1985.....	4.3	0.7	*	*	*	*	0.1	0.2	0.3	0.4
1984.....	3.9	*	*	*	*	*	*	0.2	0.3	0.4
1983.....	3.8	0.7	*	*	*	*	*	0.2	0.2	0.4
1982.....	3.6	*	*	*	*	*	0.1	0.2	0.2	0.5
1981.....	3.4	*	*	*	*	*	*	0.2	0.2	0.4
1980.....	3.3	0.3	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.4
1979.....	3.0	0.4	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
WHITE MALE										
1998.....	6.1	*	*	*	*	*	*	*	*	0.4
1997.....	5.9	*	*	*	*	*	*	*	0.4	0.6
1996.....	5.8	*	*	*	*	*	*	*	0.3	0.6
1995.....	5.6	*	*	*	*	*	*	*	0.3	0.7
1994.....	5.4	*	*	*	*	*	*	*	0.4	0.6
1993.....	5.4	*	*	*	*	*	*	0.3	0.4	0.7
1992.....	5.3	*	*	*	*	*	*	*	0.3	0.5
1991.....	5.2	*	*	*	*	*	*	0.3	0.4	0.5
1990.....	4.9	*	*	*	*	*	*	*	0.4	0.4
1989.....	4.8	*	*	*	*	*	*	0.3	0.5	0.8
1988.....	4.6	*	*	*	*	*	*	0.2	0.3	0.5
1987.....	4.5	*	*	*	*	*	*	0.2	0.4	0.5
1986.....	4.2	*	*	*	*	*	*	*	0.4	0.4
1985.....	4.0	*	*	*	*	*	*	0.3	0.4	0.6
1984.....	3.8	*	*	*	*	*	*	0.3	0.5	0.6
1983.....	3.8	*	*	*	*	*	*	*	0.3	0.5
1982.....	3.5	*	*	*	*	*	*	0.2	0.3	0.6
1981.....	3.4	*	*	*	*	*	*	*	0.3	0.5
1980.....	3.5	0.3	0.0	0.1	0.1	0.1	0.2	0.3	0.3	0.6
1979.....	3.2	0.6	0.0	0.1	0.0	0.1	0.2	0.3	0.3	0.5
WHITE FEMALE										
1998.....	9.2	*	*	*	*	*	*	*	0.3	0.4
1997.....	8.8	*	*	*	*	*	*	*	0.3	0.3
1996.....	8.6	*	*	*	*	*	*	*	*	0.2
1995.....	8.1	*	*	*	*	*	*	*	*	0.4
1994.....	7.7	*	*	*	*	*	*	*	*	0.3
1993.....	7.6	*	*	*	*	*	*	*	0.2	0.3
1992.....	7.1	*	*	*	*	*	*	*	*	*
1991.....	6.9	*	*	*	*	*	*	*	*	0.4
1990.....	6.5	*	*	*	*	*	*	*	0.2	*
1989.....	6.0	*	*	*	*	*	*	*	0.3	0.3
1988.....	5.7	*	*	*	*	*	*	*	0.2	0.2
1987.....	5.2	*	*	*	*	*	*	0.2	*	0.3
1986.....	4.9	*	*	*	*	*	*	*	*	0.3
1985.....	4.5	*	*	*	*	*	*	*	*	0.3
1984.....	4.1	*	*	*	*	*	*	*	*	*
1983.....	3.9	*	*	*	*	*	*	*	*	0.3
1982.....	3.6	*	*	*	*	*	*	*	*	0.3
1981.....	3.3	*	*	*	*	*	*	*	*	0.3
1980.....	3.2	0.2	0.0	0.0	-	0.1	0.1	0.1	0.2	0.3
1979.....	2.8	0.1	0.0	-	0.0	0.0	0.1	0.1	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
ALL OTHER, BOTH SEXES										
1998.....	3.0	*	*	*	*	*	*	*	0.6	1.1
1997.....	2.9	*	*	*	*	*	*	*	*	0.8
1996.....	2.8	*	*	*	*	*	*	*	*	1.2
1995.....	2.8	*	*	*	*	*	*	*	*	0.8
1994.....	2.6	*	*	*	*	*	*	*	0.5	1.1
1993.....	2.8	*	*	*	*	*	*	*	0.6	1.1
1992.....	2.6	*	*	*	*	*	*	*	*	1.0
1991.....	2.4	*	*	*	*	*	*	*	0.6	1.0
1990.....	2.6	*	*	*	*	*	*	*	0.7	0.9
1989.....	2.5	*	*	*	*	*	*	*	0.8	1.0
1988.....	2.7	*	*	*	*	*	*	*	0.6	1.5
1987.....	2.6	*	*	*	*	*	*	*	0.6	1.5
1986.....	2.3	*	*	*	*	*	*	*	0.7	1.2
1985.....	2.4	*	*	*	*	*	*	0.6	1.0	1.2
1984.....	2.3	*	*	*	*	*	*	*	*	0.9
1983.....	2.0	*	*	*	*	*	*	*	*	*
1982.....	2.2	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.1	-	-	-	-	0.3	0.3	0.7	0.4	0.9
1979.....	2.1	0.3	0.1	0.0	0.1	0.1	0.3	0.4	0.4	0.9
ALL OTHER MALE										
1998.....	2.8	*	*	*	*	*	*	*	*	1.3
1997.....	2.6	*	*	*	*	*	*	*	*	*
1996.....	2.6	*	*	*	*	*	*	*	*	1.1
1995.....	2.5	*	*	*	*	*	*	*	*	1.2
1994.....	2.6	*	*	*	*	*	*	*	*	1.8
1993.....	2.4	*	*	*	*	*	*	*	*	1.4
1992.....	2.7	*	*	*	*	*	*	*	*	1.2
1991.....	2.4	*	*	*	*	*	*	*	*	1.6
1990.....	2.5	*	*	*	*	*	*	*	*	1.4
1989.....	2.5	*	*	*	*	*	*	*	1.2	1.4
1988.....	2.8	*	*	*	*	*	*	*	*	2.0
1987.....	2.6	*	*	*	*	*	*	*	*	2.4
1986.....	2.3	*	*	*	*	*	*	*	*	*
1985.....	2.6	*	*	*	*	*	*	*	*	*
1984.....	2.4	*	*	*	*	*	*	*	*	*
1983.....	2.1	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	*	*
1981.....	2.3	*	*	*	*	*	*	*	*	*
1980.....	2.4	-	-	-	-	0.4	0.3	0.7	0.8	1.1
1979.....	2.3	0.7	0.1	-	0.1	0.1	0.7	0.6	0.5	1.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
ALL OTHER FEMALE										
1998.....	3.1	*	*	*	*	*	*	*	*	*
1997.....	3.1	*	*	*	*	*	*	*	*	*
1996.....	3.0	*	*	*	*	*	*	*	*	1.2
1995.....	3.0	*	*	*	*	*	*	*	*	*
1994.....	2.6	*	*	*	*	*	*	*	*	*
1993.....	3.1	*	*	*	*	*	*	*	*	*
1992.....	2.6	*	*	*	*	*	*	*	*	*
1991.....	2.4	*	*	*	*	*	*	*	*	*
1990.....	2.8	*	*	*	*	*	*	*	*	*
1989.....	2.5	*	*	*	*	*	*	*	*	*
1988.....	2.7	*	*	*	*	*	*	*	*	*
1987.....	2.6	*	*	*	*	*	*	*	*	*
1986.....	2.3	*	*	*	*	*	*	*	*	*
1985.....	2.3	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	2.1	*	*	*	*	*	*	*	*	*
1981.....	1.9	*	*	*	*	*	*	*	*	*
1980.....	1.8	-	-	-	-	0.2	0.4	0.7	0.1	0.8
1979.....	1.9	-	0.2	0.1	0.1	0.1	-	0.2	0.3	0.5
BLACK, BOTH SEXES										
1998.....	3.3	*	*	*	*	*	*	*	*	1.2
1997.....	3.3	*	*	*	*	*	*	*	*	0.9
1996.....	3.2	*	*	*	*	*	*	*	*	1.5
1995.....	3.1	*	*	*	*	*	*	*	*	1.0
1994.....	2.9	*	*	*	*	*	*	*	*	1.4
1993.....	3.1	*	*	*	*	*	*	*	0.7	1.4
1992.....	3.1	*	*	*	*	*	*	*	*	1.2
1991.....	2.8	*	*	*	*	*	*	*	0.7	1.3
1990.....	3.0	*	*	*	*	*	*	*	0.8	1.2
1989.....	2.9	*	*	*	*	*	*	*	1.0	1.1
1988.....	3.0	*	*	*	*	*	*	*	0.8	1.9
1987.....	3.0	*	*	*	*	*	*	*	0.8	2.0
1986.....	2.6	*	*	*	*	*	*	*	*	1.4
1985.....	2.8	*	*	*	*	*	*	*	1.2	1.5
1984.....	2.5	*	*	*	*	*	*	*	*	1.1
1983.....	2.2	*	*	*	*	*	*	*	*	*
1982.....	2.4	*	*	*	*	*	*	*	*	*
1981.....	2.3	*	*	*	*	*	*	*	*	*
1980.....	2.2	-	-	-	-	0.3	0.3	0.6	0.5	1.2
1979.....	2.2	0.4	0.2	0.0	0.1	0.1	0.3	0.4	0.4	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
BLACK MALE										
1998.....	3.0	*	*	*	*	*	*	*	*	*
1997.....	2.9	*	*	*	*	*	*	*	*	*
1996.....	3.0	*	*	*	*	*	*	*	*	*
1995.....	2.8	*	*	*	*	*	*	*	*	*
1994.....	2.8	*	*	*	*	*	*	*	*	2.3
1993.....	2.6	*	*	*	*	*	*	*	*	1.8
1992.....	3.1	*	*	*	*	*	*	*	*	*
1991.....	2.7	*	*	*	*	*	*	*	*	1.9
1990.....	2.9	*	*	*	*	*	*	*	*	1.8
1989.....	2.8	*	*	*	*	*	*	*	1.6	*
1988.....	3.0	*	*	*	*	*	*	*	*	2.5
1987.....	3.0	*	*	*	*	*	*	*	*	3.1
1986.....	2.6	*	*	*	*	*	*	*	*	*
1985.....	2.9	*	*	*	*	*	*	*	*	*
1984.....	2.6	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*
1982.....	2.5	*	*	*	*	*	*	*	*	*
1981.....	2.5	*	*	*	*	*	*	*	*	*
1980.....	2.5	-	-	-	-	0.4	0.3	0.6	1.0	1.4
1979.....	2.4	0.8	0.1	-	0.1	0.1	0.5	0.7	0.6	1.2
BLACK FEMALE										
1998.....	3.6	*	*	*	*	*	*	*	*	*
1997.....	3.6	*	*	*	*	*	*	*	*	*
1996.....	3.5	*	*	*	*	*	*	*	*	1.6
1995.....	3.4	*	*	*	*	*	*	*	*	*
1994.....	3.0	*	*	*	*	*	*	*	*	*
1993.....	3.6	*	*	*	*	*	*	*	*	*
1992.....	3.1	*	*	*	*	*	*	*	*	*
1991.....	2.8	*	*	*	*	*	*	*	*	*
1990.....	3.2	*	*	*	*	*	*	*	*	*
1989.....	2.9	*	*	*	*	*	*	*	*	*
1988.....	3.0	*	*	*	*	*	*	*	*	*
1987.....	3.1	*	*	*	*	*	*	*	*	*
1986.....	2.6	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.4	*	*	*	*	*	*	*	*	*
1983.....	2.1	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.0	-	-	-	-	0.2	0.3	0.6	0.1	1.0
1979.....	2.1	-	0.2	0.1	0.1	0.1	-	0.2	0.3	0.6



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MITRAL VALVE DISORDERS (424.0)										
TOTAL, BOTH SEXES										
1998.....	0.9	*	*	*	*	*	*	*	*	0.1
1997.....	0.9	*	*	*	*	*	*	*	*	0.1
1996.....	0.9	*	*	*	*	*	*	*	*	0.1
1995.....	0.9	*	*	*	*	*	*	*	*	0.1
1994.....	0.8	*	*	*	*	*	*	*	*	0.1
1993.....	0.9	*	*	*	*	*	*	*	0.1	0.1
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	0.1
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	0.0	-	0.0	0.1	0.1	0.1	0.1
1979.....	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
TOTAL, MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.0	0.1	0.0	0.1	0.2
1979.....	0.4	0.2	-	0.0	-	0.0	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MITRAL VALVE DISORDERS (424.0)										
TOTAL, FEMALE										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	1.2	*	*	*	*	*	*	*	*	*
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	-	0.0	-	0.0	0.1	0.1	0.1	0.1
1979.....	0.6	-	0.0	-	0.0	0.0	0.0	0.0	0.1	0.2
WHITE, BOTH SEXES										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	0.1
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	*	0.1
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	-	0.0	-	0.0	0.1	0.1	0.1	0.1
1979.....	0.5	0.1	0.0	0.0	-	0.0	0.0	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MITRAL VALVE DISORDERS (424.0)										
WHITE MALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.0	0.1	0.0	0.1	0.1
1979.....	0.4	0.1	-	0.0	-	0.0	0.0	0.0	0.1	0.0
WHITE FEMALE										
1998.....	1.3	*	*	*	*	*	*	*	*	*
1997.....	1.3	*	*	*	*	*	*	*	*	*
1996.....	1.2	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.2	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.7	-	-	0.0	-	0.0	0.1	0.1	0.1	0.1
1979.....	0.6	-	0.0	-	-	0.0	0.0	0.0	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MITRAL VALVE DISORDERS (424.0)										
ALL OTHER, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.1	0.2	0.1	0.1	0.2
1979.....	0.4	0.2	-	-	0.0	-	0.1	0.1	0.0	0.2
ALL OTHER MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.1	0.1	-	0.2	0.4
1979.....	0.3	0.3	-	-	-	-	0.2	0.2	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MITRAL VALVE DISORDERS (424.0)										
ALL OTHER FEMALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.1	0.2	0.3	-	0.1
1979.....	0.5	-	-	-	0.1	-	-	0.1	0.1	0.4
BLACK, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.1	0.1	0.2	0.1	0.3
1979.....	0.4	0.2	-	-	0.0	-	0.1	0.2	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MITRAL VALVE DISORDERS (424.0)										
BLACK MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	0.1	0.1	-	0.2	0.5
1979.....	0.3	0.4	-	-	-	-	0.2	0.2	-	-
BLACK FEMALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.1	0.2	0.3	-	0.1
1979.....	0.5	-	-	-	0.1	-	-	0.2	0.1	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC VALVE DISORDERS (424.1)										
TOTAL, BOTH SEXES										
1998.....	4.3	*	*	*	*	*	*	*	*	0.2
1997.....	4.2	*	*	*	*	*	*	*	0.2	0.2
1996.....	4.1	*	*	*	*	*	*	*	0.1	0.2
1995.....	3.9	*	*	*	*	*	*	*	0.1	0.3
1994.....	3.7	*	*	*	*	*	*	*	0.1	0.3
1993.....	3.7	*	*	*	*	*	*	*	0.1	0.2
1992.....	3.5	*	*	*	*	*	*	*	0.1	0.2
1991.....	3.4	*	*	*	*	*	*	0.1	0.2	0.2
1990.....	3.2	*	*	*	*	*	*	*	0.1	0.2
1989.....	3.1	*	*	*	*	*	*	*	0.2	0.3
1988.....	3.0	*	*	*	*	*	*	0.1	0.2	0.2
1987.....	2.9	*	*	*	*	*	*	0.1	0.1	0.3
1986.....	2.7	*	*	*	*	*	*	0.1	0.2	0.2
1985.....	2.6	*	*	*	*	*	*	0.1	0.2	0.3
1984.....	2.4	*	*	*	*	*	*	0.1	0.1	0.3
1983.....	2.3	*	*	*	*	*	*	*	0.2	0.3
1982.....	2.2	*	*	*	*	*	0.1	0.1	0.2	0.3
1981.....	2.1	*	*	*	*	*	*	0.1	0.2	0.3
1980.....	2.1	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2
1979.....	1.9	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.3
TOTAL, MALE										
1998.....	3.6	*	*	*	*	*	*	*	*	0.2
1997.....	3.5	*	*	*	*	*	*	*	0.2	0.3
1996.....	3.5	*	*	*	*	*	*	*	*	0.3
1995.....	3.3	*	*	*	*	*	*	*	*	0.4
1994.....	3.2	*	*	*	*	*	*	*	0.2	0.4
1993.....	3.3	*	*	*	*	*	*	*	0.2	0.3
1992.....	3.2	*	*	*	*	*	*	*	*	0.3
1991.....	3.1	*	*	*	*	*	*	*	0.3	0.4
1990.....	3.0	*	*	*	*	*	*	*	0.2	0.3
1989.....	3.0	*	*	*	*	*	*	*	0.3	0.5
1988.....	2.9	*	*	*	*	*	*	*	0.2	0.3
1987.....	2.9	*	*	*	*	*	*	*	0.2	0.3
1986.....	2.7	*	*	*	*	*	*	*	0.2	0.3
1985.....	2.6	*	*	*	*	*	*	0.2	0.3	0.4
1984.....	2.5	*	*	*	*	*	*	0.2	0.2	0.4
1983.....	2.5	*	*	*	*	*	*	*	0.3	0.4
1982.....	2.4	*	*	*	*	*	*	*	0.2	0.5
1981.....	2.3	*	*	*	*	*	*	*	0.3	0.4
1980.....	2.4	0.3	0.0	0.1	0.0	0.1	0.1	0.2	0.2	0.4
1979.....	2.2	0.3	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC VALVE DISORDERS (424.1)										
TOTAL, FEMALE										
1998.....	4.9	*	*	*	*	*	*	*	*	*
1997.....	4.8	*	*	*	*	*	*	*	*	*
1996.....	4.7	*	*	*	*	*	*	*	*	*
1995.....	4.5	*	*	*	*	*	*	*	*	*
1994.....	4.2	*	*	*	*	*	*	*	*	*
1993.....	4.1	*	*	*	*	*	*	*	*	*
1992.....	3.8	*	*	*	*	*	*	*	*	*
1991.....	3.6	*	*	*	*	*	*	*	*	*
1990.....	3.4	*	*	*	*	*	*	*	*	*
1989.....	3.2	*	*	*	*	*	*	*	*	*
1988.....	3.1	*	*	*	*	*	*	*	*	*
1987.....	2.8	*	*	*	*	*	*	*	*	*
1986.....	2.7	*	*	*	*	*	*	*	*	*
1985.....	2.5	*	*	*	*	*	*	*	*	*
1984.....	2.3	*	*	*	*	*	*	*	*	*
1983.....	2.1	*	*	*	*	*	*	*	*	*
1982.....	2.1	*	*	*	*	*	*	*	*	*
1981.....	1.8	*	*	*	*	*	*	*	*	*
1980.....	1.8	0.1	-	-	-	0.0	0.0	0.0	0.0	0.1
1979.....	1.6	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.1
WHITE, BOTH SEXES										
1998.....	4.9	*	*	*	*	*	*	*	*	0.1
1997.....	4.7	*	*	*	*	*	*	*	0.1	0.2
1996.....	4.6	*	*	*	*	*	*	*	*	0.2
1995.....	4.4	*	*	*	*	*	*	*	*	0.3
1994.....	4.2	*	*	*	*	*	*	*	0.1	0.2
1993.....	4.1	*	*	*	*	*	*	*	0.1	0.2
1992.....	3.9	*	*	*	*	*	*	*	*	0.2
1991.....	3.8	*	*	*	*	*	*	*	0.2	0.2
1990.....	3.5	*	*	*	*	*	*	*	*	0.2
1989.....	3.4	*	*	*	*	*	*	*	0.2	0.3
1988.....	3.3	*	*	*	*	*	*	0.1	0.2	0.2
1987.....	3.1	*	*	*	*	*	*	0.1	0.1	0.2
1986.....	2.9	*	*	*	*	*	*	*	0.2	0.2
1985.....	2.8	*	*	*	*	*	*	*	0.2	0.3
1984.....	2.6	*	*	*	*	*	*	*	0.1	0.2
1983.....	2.5	*	*	*	*	*	*	*	0.1	0.3
1982.....	2.3	*	*	*	*	*	*	*	0.1	0.3
1981.....	2.2	*	*	*	*	*	*	*	0.1	0.2
1980.....	2.2	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2
1979.....	2.0	0.2	-	0.0	0.0	0.0	0.1	0.1	0.1	0.2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC VALVE DISORDERS (424.1)										
WHITE MALE										
1998.....	4.1	*	*	*	*	*	*	*	*	*
1997.....	3.9	*	*	*	*	*	*	*	*	0.3
1996.....	3.9	*	*	*	*	*	*	*	*	0.3
1995.....	3.7	*	*	*	*	*	*	*	*	0.4
1994.....	3.6	*	*	*	*	*	*	*	0.2	0.3
1993.....	3.6	*	*	*	*	*	*	*	*	0.3
1992.....	3.5	*	*	*	*	*	*	*	*	0.3
1991.....	3.5	*	*	*	*	*	*	*	0.3	0.3
1990.....	3.2	*	*	*	*	*	*	*	*	0.3
1989.....	3.2	*	*	*	*	*	*	*	0.3	0.5
1988.....	3.1	*	*	*	*	*	*	*	*	0.3
1987.....	3.1	*	*	*	*	*	*	*	*	0.3
1986.....	2.9	*	*	*	*	*	*	*	0.2	0.3
1985.....	2.8	*	*	*	*	*	*	*	0.3	0.4
1984.....	2.7	*	*	*	*	*	*	*	0.3	0.4
1983.....	2.7	*	*	*	*	*	*	*	*	0.4
1982.....	2.5	*	*	*	*	*	*	*	*	0.5
1981.....	2.5	*	*	*	*	*	*	*	*	0.3
1980.....	2.6	0.3	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.4
1979.....	2.3	0.3	-	0.0	0.0	0.1	0.1	0.2	0.2	0.3
WHITE FEMALE										
1998.....	5.7	*	*	*	*	*	*	*	*	*
1997.....	5.5	*	*	*	*	*	*	*	*	*
1996.....	5.3	*	*	*	*	*	*	*	*	*
1995.....	5.0	*	*	*	*	*	*	*	*	*
1994.....	4.8	*	*	*	*	*	*	*	*	*
1993.....	4.6	*	*	*	*	*	*	*	*	*
1992.....	4.3	*	*	*	*	*	*	*	*	*
1991.....	4.1	*	*	*	*	*	*	*	*	*
1990.....	3.8	*	*	*	*	*	*	*	*	*
1989.....	3.6	*	*	*	*	*	*	*	*	*
1988.....	3.4	*	*	*	*	*	*	*	*	*
1987.....	3.1	*	*	*	*	*	*	*	*	*
1986.....	2.9	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.5	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*
1982.....	2.2	*	*	*	*	*	*	*	*	*
1981.....	2.0	*	*	*	*	*	*	*	*	*
1980.....	1.9	0.1	-	-	-	0.0	0.0	0.0	0.0	0.0
1979.....	1.7	-	-	-	-	-	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC VALVE DISORDERS (424.1)										
ALL OTHER, BOTH SEXES										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.5	*	*	*	*	*	*	*	*	*
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.5	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.5	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.4	*	*	*	*	*	*	*	*	*
1989.....	1.4	*	*	*	*	*	*	*	*	*
1988.....	1.5	*	*	*	*	*	*	*	*	*
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.4	*	*	*	*	*	*	*	*	*
1984.....	1.4	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.4	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.2	-	-	-	-	0.1	0.1	0.2	0.2	0.3
1979.....	1.3	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.5
ALL OTHER MALE										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.4	*	*	*	*	*	*	*	*	*
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	*
1989.....	1.5	*	*	*	*	*	*	*	*	*
1988.....	1.7	*	*	*	*	*	*	*	*	*
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.4	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.6	*	*	*	*	*	*	*	*	*
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.6	*	*	*	*	*	*	*	*	*
1981.....	1.6	*	*	*	*	*	*	*	*	*
1980.....	1.5	-	-	-	-	0.2	0.2	0.4	0.5	0.4
1979.....	1.5	0.3	0.1	-	0.1	0.1	0.2	0.1	0.4	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC VALVE DISORDERS (424.1)										
ALL OTHER FEMALE										
1998.....	1.5	*	*	*	*	*	*	*	*	*
1997.....	1.6	*	*	*	*	*	*	*	*	*
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.0	-	-	-	-	-	-	0.1	-	0.3
1979.....	1.1	-	0.1	0.1	-	0.1	-	0.1	0.1	0.1
BLACK, BOTH SEXES										
1998.....	1.6	*	*	*	*	*	*	*	*	*
1997.....	1.7	*	*	*	*	*	*	*	*	*
1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	1.7	*	*	*	*	*	*	*	*	*
1986.....	1.5	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.5	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.5	*	*	*	*	*	*	*	*	*
1981.....	1.4	*	*	*	*	*	*	*	*	*
1980.....	1.3	-	-	-	-	0.1	0.1	0.2	0.3	0.4
1979.....	1.4	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC VALVE DISORDERS (424.1)										
BLACK MALE										
1998.....	1.5	*	*	*	*	*	*	*	*	*
1997.....	1.5	*	*	*	*	*	*	*	*	*
1996.....	1.7	*	*	*	*	*	*	*	*	*
1995.....	1.5	*	*	*	*	*	*	*	*	*
1994.....	1.6	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.7	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.7	*	*	*	*	*	*	*	*	*
1989.....	1.7	*	*	*	*	*	*	*	*	*
1988.....	1.9	*	*	*	*	*	*	*	*	*
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.5	*	*	*	*	*	*	*	*	*
1985.....	1.8	*	*	*	*	*	*	*	*	*
1984.....	1.8	*	*	*	*	*	*	*	*	*
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.7	*	*	*	*	*	*	*	*	*
1981.....	1.7	*	*	*	*	*	*	*	*	*
1980.....	1.6	-	-	-	-	0.2	0.2	0.5	0.6	0.5
1979.....	1.6	0.4	0.1	-	0.1	-	0.2	0.1	0.5	1.1
BLACK FEMALE										
1998.....	1.7	*	*	*	*	*	*	*	*	*
1997.....	1.9	*	*	*	*	*	*	*	*	*
1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	1.9	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.9	*	*	*	*	*	*	*	*	*
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.5	*	*	*	*	*	*	*	*	*
1988.....	1.5	*	*	*	*	*	*	*	*	*
1987.....	1.6	*	*	*	*	*	*	*	*	*
1986.....	1.5	*	*	*	*	*	*	*	*	*
1985.....	1.5	*	*	*	*	*	*	*	*	*
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.1	-	-	-	-	-	-	-	-	0.4
1979.....	1.1	-	0.1	0.1	-	0.1	-	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
TOTAL, BOTH SEXES										
1998.....	1.6	*	*	*	*	*	*	*	0.1	0.3
1997.....	1.5	*	*	*	*	*	*	*	0.1	0.2
1996.....	1.5	*	*	*	*	*	*	*	0.1	0.2
1995.....	1.4	*	*	*	*	*	*	*	0.1	0.2
1994.....	1.4	*	*	*	*	*	*	*	0.1	0.2
1993.....	1.3	*	*	*	*	*	*	*	0.1	0.3
1992.....	1.3	*	*	*	*	*	*	*	0.1	0.2
1991.....	1.2	*	*	*	*	*	*	0.1	0.1	0.3
1990.....	1.2	*	*	*	*	*	*	*	0.2	0.2
1989.....	1.1	*	*	*	*	*	*	0.1	0.2	0.2
1988.....	1.1	*	*	*	*	*	*	0.1	0.1	0.2
1987.....	0.9	*	*	*	*	*	*	*	0.1	0.2
1986.....	0.8	*	*	*	*	*	*	0.1	0.1	0.1
1985.....	0.8	*	*	*	*	*	*	*	0.1	0.2
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.0	0.0	-	0.0	0.0	0.0	0.1	0.1	0.1
1979.....	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1
TOTAL, MALE										
1998.....	1.3	*	*	*	*	*	*	*	*	0.3
1997.....	1.2	*	*	*	*	*	*	*	*	0.2
1996.....	1.2	*	*	*	*	*	*	*	*	0.3
1995.....	1.1	*	*	*	*	*	*	*	*	0.2
1994.....	1.0	*	*	*	*	*	*	*	*	0.2
1993.....	1.0	*	*	*	*	*	*	*	*	0.4
1992.....	1.0	*	*	*	*	*	*	*	*	0.2
1991.....	1.0	*	*	*	*	*	*	*	*	0.3
1990.....	1.0	*	*	*	*	*	*	*	*	0.2
1989.....	0.9	*	*	*	*	*	*	*	0.2	0.4
1988.....	0.9	*	*	*	*	*	*	*	*	0.3
1987.....	0.8	*	*	*	*	*	*	*	*	0.3
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	0.2
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	0.0	0.0	-	0.1	0.1	0.1
1979.....	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
TOTAL, FEMALE										
1998.....	2.0	*	*	*	*	*	*	*	*	0.3
1997.....	1.8	*	*	*	*	*	*	*	*	0.2
1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	1.6	*	*	*	*	*	*	*	*	*
1994.....	1.7	*	*	*	*	*	*	*	*	*
1993.....	1.6	*	*	*	*	*	*	*	*	0.2
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	0.2
1990.....	1.4	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.1	0.0	-	-	0.0	0.0	0.1	0.1	0.2
1979.....	0.5	0.1	0.0	-	0.0	-	0.0	0.0	0.1	0.0
WHITE, BOTH SEXES										
1998.....	1.8	*	*	*	*	*	*	*	*	0.2
1997.....	1.6	*	*	*	*	*	*	*	0.1	0.2
1996.....	1.6	*	*	*	*	*	*	*	0.1	0.1
1995.....	1.5	*	*	*	*	*	*	*	*	0.2
1994.....	1.5	*	*	*	*	*	*	*	*	0.1
1993.....	1.4	*	*	*	*	*	*	*	0.1	0.2
1992.....	1.4	*	*	*	*	*	*	*	*	0.1
1991.....	1.3	*	*	*	*	*	*	*	*	0.2
1990.....	1.3	*	*	*	*	*	*	*	0.1	*
1989.....	1.1	*	*	*	*	*	*	*	0.1	0.2
1988.....	1.1	*	*	*	*	*	*	*	*	0.1
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.0	0.0	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
WHITE MALE										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.2	*	*	*	*	*	*	*	*	0.2
1996.....	1.3	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	0.3
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	0.2
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	0.0	0.0	-	0.1	0.1	0.1
1979.....	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1
WHITE FEMALE										
1998.....	2.1	*	*	*	*	*	*	*	*	*
1997.....	2.0	*	*	*	*	*	*	*	*	*
1996.....	2.0	*	*	*	*	*	*	*	*	*
1995.....	1.8	*	*	*	*	*	*	*	*	*
1994.....	1.8	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	*
1989.....	1.4	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.1
1979.....	0.6	0.1	-	-	0.0	-	0.0	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	*	*	*	*	*	*	*	*	0.7
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	0.6
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	0.6
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	0.6
1990.....	0.8	*	*	*	*	*	*	*	*	0.7
1989.....	0.7	*	*	*	*	*	*	*	*	0.6
1988.....	0.8	*	*	*	*	*	*	*	*	0.8
1987.....	0.8	*	*	*	*	*	*	*	*	0.8
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	-	0.1	0.1	0.3	0.1	0.4
1979.....	0.4	-	0.0	-	-	0.0	0.1	0.1	0.1	0.1
ALL OTHER MALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	-	0.1	-	0.2	0.2	0.4
1979.....	0.5	-	-	-	-	0.1	0.3	0.3	0.1	0.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
ALL OTHER FEMALE										
1998.....	1.1	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	-	0.1	0.1	0.3	0.1	0.4
1979.....	0.4	-	0.1	-	-	-	-	-	0.2	-
BLACK, BOTH SEXES										
1998.....	1.2	*	*	*	*	*	*	*	*	0.7
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	0.7
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	0.8
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	0.9
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	1.0
1987.....	0.9	*	*	*	*	*	*	*	*	0.9
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	-	0.1	0.1	0.2	0.2	0.5
1979.....	0.5	-	0.1	-	-	0.0	0.1	0.2	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
BLACK MALE										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	-	-	-	0.1	-	0.2	0.2	0.5
1979.....	0.5	-	-	-	-	0.1	0.2	0.4	0.1	0.2
BLACK FEMALE										
1998.....	1.3	*	*	*	*	*	*	*	*	*
1997.....	1.1	*	*	*	*	*	*	*	*	*
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.2	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	-	0.1	0.1	0.2	0.1	0.5
1979.....	0.4	-	0.1	-	-	-	-	-	0.1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEART FAILURE (428)										
TOTAL, BOTH SEXES										
1998.....	18.6	0.6	*	*	*	*	*	*	0.2	0.3
1997.....	18.3	0.9	*	*	*	*	*	0.1	0.2	0.4
1996.....	17.8	0.8	*	*	*	*	*	0.2	0.3	0.4
1995.....	17.7	0.7	*	*	*	*	*	0.1	0.2	0.3
1994.....	17.3	0.8	*	*	*	*	*	0.2	0.3	0.4
1993.....	17.7	0.8	0.1	*	*	*	*	0.1	0.2	0.4
1992.....	15.7	0.7	*	*	*	*	0.1	0.1	0.2	0.4
1991.....	15.5	1.1	0.2	*	*	*	*	0.2	0.2	0.4
1990.....	15.2	1.0	*	*	*	*	*	0.1	0.2	0.4
1989.....	15.7	1.1	0.1	*	*	*	*	0.1	0.2	0.4
1988.....	17.6	1.1	*	*	*	*	0.1	0.2	0.3	0.5
1987.....	17.0	1.3	0.1	*	*	*	0.1	0.2	0.3	0.5
1986.....	16.8	1.4	*	*	*	*	*	0.2	0.2	0.5
1985.....	15.9	1.7	*	*	*	*	*	0.2	0.3	0.5
1984.....	15.0	2.2	*	*	*	*	*	0.2	0.2	0.5
1983.....	14.2	1.7	*	*	*	*	0.1	0.2	0.3	0.5
1982.....	13.2	1.6	0.2	*	*	*	0.1	0.1	0.2	0.6
1981.....	12.6	1.6	0.2	*	*	*	0.1	0.2	0.3	0.7
1980.....	12.1	2.0	0.2	0.0	0.1	0.1	0.1	0.2	0.3	0.6
1979.....	11.2	1.8	0.2	0.0	0.0	0.1	0.1	0.2	0.3	0.5
TOTAL, MALE										
1998.....	14.4	*	*	*	*	*	*	*	0.3	0.4
1997.....	14.2	*	*	*	*	*	*	*	0.3	0.4
1996.....	14.0	*	*	*	*	*	*	*	0.3	0.5
1995.....	13.8	*	*	*	*	*	*	*	0.3	0.4
1994.....	13.6	1.0	*	*	*	*	*	0.3	0.2	0.6
1993.....	14.0	*	*	*	*	*	*	*	0.3	0.5
1992.....	12.6	*	*	*	*	*	*	*	0.3	0.4
1991.....	12.5	*	*	*	*	*	*	0.2	0.2	0.5
1990.....	12.4	1.3	*	*	*	*	*	*	0.2	0.5
1989.....	12.9	1.1	*	*	*	*	*	*	0.2	0.5
1988.....	14.8	1.5	*	*	*	*	*	0.2	0.4	0.7
1987.....	14.4	1.6	*	*	*	*	*	*	0.4	0.7
1986.....	14.5	1.5	*	*	*	*	*	0.2	0.3	0.6
1985.....	13.7	1.8	*	*	*	*	*	0.3	0.4	0.6
1984.....	13.3	1.5	*	*	*	*	*	0.3	0.3	0.7
1983.....	12.8	1.8	*	*	*	*	*	*	0.3	0.7
1982.....	12.1	1.7	*	*	*	*	*	*	0.3	0.7
1981.....	11.7	1.6	*	*	*	*	0.2	0.3	0.4	0.8
1980.....	11.4	2.4	0.3	0.0	0.1	0.1	0.1	0.3	0.4	0.8
1979.....	10.7	2.1	0.1	0.0	0.1	0.1	0.1	0.3	0.4	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEART FAILURE (428)										
TOTAL, FEMALE										
1998.....	22.5	*	*	*	*	*	*	*	*	0.3
1997.....	22.2	*	*	*	*	*	*	*	*	0.3
1996.....	21.4	*	*	*	*	*	*	*	0.3	0.2
1995.....	21.4	*	*	*	*	*	*	*	*	0.3
1994.....	20.9	*	*	*	*	*	*	*	0.3	0.2
1993.....	21.2	*	*	*	*	*	*	*	0.2	0.3
1992.....	18.7	*	*	*	*	*	*	*	*	0.3
1991.....	18.5	1.4	*	*	*	*	*	*	0.2	0.2
1990.....	17.9	*	*	*	*	*	*	*	*	0.3
1989.....	18.4	1.1	*	*	*	*	*	*	*	0.3
1988.....	20.2	*	*	*	*	*	*	*	*	0.4
1987.....	19.5	*	*	*	*	*	*	0.2	*	0.3
1986.....	19.0	1.4	*	*	*	*	*	*	*	0.3
1985.....	17.9	1.6	*	*	*	*	*	*	*	0.3
1984.....	16.6	2.9	*	*	*	*	*	*	*	0.3
1983.....	15.6	1.7	*	*	*	*	*	*	0.2	0.4
1982.....	14.3	1.5	*	*	*	*	*	*	*	0.4
1981.....	13.5	1.6	*	*	*	*	*	*	*	0.5
1980.....	12.7	1.6	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.4
1979.....	11.6	1.4	0.2	0.0	0.0	0.0	0.1	0.2	0.2	0.4
WHITE, BOTH SEXES										
1998.....	20.3	*	*	*	*	*	*	*	0.1	0.3
1997.....	19.9	0.9	*	*	*	*	*	*	0.2	0.3
1996.....	19.4	0.7	*	*	*	*	*	0.1	0.2	0.3
1995.....	19.2	*	*	*	*	*	*	*	0.2	0.2
1994.....	18.8	*	*	*	*	*	*	0.1	0.2	0.3
1993.....	19.1	0.7	*	*	*	*	*	*	0.2	0.3
1992.....	16.9	*	*	*	*	*	*	*	0.1	0.3
1991.....	16.6	1.1	*	*	*	*	*	*	0.2	0.3
1990.....	16.2	0.7	*	*	*	*	*	*	0.1	0.3
1989.....	16.6	0.9	*	*	*	*	*	*	0.1	0.3
1988.....	18.6	1.1	*	*	*	*	*	0.1	0.2	0.4
1987.....	17.9	1.2	*	*	*	*	*	0.2	0.2	0.4
1986.....	17.6	1.2	*	*	*	*	*	0.1	0.2	0.3
1985.....	16.5	1.6	*	*	*	*	*	0.1	0.2	0.4
1984.....	15.6	1.9	*	*	*	*	*	0.1	0.2	0.4
1983.....	14.8	1.4	*	*	*	*	*	0.1	0.2	0.4
1982.....	13.7	1.4	0.2	*	*	*	*	0.1	0.2	0.4
1981.....	13.0	1.6	*	*	*	*	*	0.2	0.2	0.4
1980.....	12.3	1.7	0.2	0.0	0.1	0.1	0.1	0.2	0.2	0.4
1979.....	11.3	1.6	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEART FAILURE (428)										
WHITE MALE										
1998.....	15.6	*	*	*	*	*	*	*	*	0.3
1997.....	15.3	*	*	*	*	*	*	*	0.3	0.3
1996.....	15.1	*	*	*	*	*	*	*	*	0.5
1995.....	14.8	*	*	*	*	*	*	*	0.2	0.3
1994.....	14.6	*	*	*	*	*	*	*	*	0.4
1993.....	14.9	*	*	*	*	*	*	*	*	0.4
1992.....	13.3	*	*	*	*	*	*	*	*	0.3
1991.....	13.2	*	*	*	*	*	*	*	*	0.4
1990.....	13.0	*	*	*	*	*	*	*	*	0.4
1989.....	13.5	*	*	*	*	*	*	*	*	0.4
1988.....	15.4	1.7	*	*	*	*	*	*	0.3	0.5
1987.....	14.9	1.4	*	*	*	*	*	*	0.3	0.6
1986.....	15.0	*	*	*	*	*	*	*	0.2	0.5
1985.....	14.1	1.8	*	*	*	*	*	*	0.3	0.6
1984.....	13.7	1.4	*	*	*	*	*	0.2	*	0.6
1983.....	13.1	1.4	*	*	*	*	*	*	0.2	0.5
1982.....	12.4	1.6	*	*	*	*	*	*	0.3	0.5
1981.....	11.9	1.8	*	*	*	*	*	0.3	0.3	0.6
1980.....	11.5	2.1	0.2	0.0	0.1	0.1	0.1	0.3	0.3	0.6
1979.....	10.8	2.0	0.1	0.0	0.1	0.1	0.1	0.2	0.3	0.6
WHITE FEMALE										
1998.....	24.9	*	*	*	*	*	*	*	*	0.2
1997.....	24.4	*	*	*	*	*	*	*	*	*
1996.....	23.5	*	*	*	*	*	*	*	*	*
1995.....	23.4	*	*	*	*	*	*	*	*	*
1994.....	22.9	*	*	*	*	*	*	*	0.3	*
1993.....	23.1	*	*	*	*	*	*	*	*	*
1992.....	20.3	*	*	*	*	*	*	*	*	0.2
1991.....	19.9	*	*	*	*	*	*	*	*	*
1990.....	19.2	*	*	*	*	*	*	*	*	*
1989.....	19.6	*	*	*	*	*	*	*	*	*
1988.....	21.5	*	*	*	*	*	*	*	*	0.3
1987.....	20.8	*	*	*	*	*	*	*	*	*
1986.....	20.0	*	*	*	*	*	*	*	*	*
1985.....	18.8	1.4	*	*	*	*	*	*	*	0.3
1984.....	17.4	2.4	*	*	*	*	*	*	*	*
1983.....	16.3	1.5	*	*	*	*	*	*	*	*
1982.....	15.0	*	*	*	*	*	*	*	*	0.3
1981.....	14.0	1.4	*	*	*	*	*	*	*	*
1980.....	13.1	1.3	0.2	0.0	-	0.1	0.1	0.1	0.1	0.3
1979.....	11.9	1.2	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEART FAILURE (428)										
ALL OTHER, BOTH SEXES										
1998.....	10.5	*	*	*	*	*	*	*	*	0.7
1997.....	10.3	*	*	*	*	*	*	*	*	0.8
1996.....	10.2	*	*	*	*	*	*	*	0.6	0.5
1995.....	10.2	*	*	*	*	*	*	*	*	0.8
1994.....	10.1	*	*	*	*	*	*	*	*	1.0
1993.....	10.8	*	*	*	*	*	*	*	*	1.0
1992.....	9.8	*	*	*	*	*	*	*	*	0.9
1991.....	10.1	*	*	*	*	*	*	*	*	0.8
1990.....	10.3	*	*	*	*	*	*	*	*	0.8
1989.....	11.2	*	*	*	*	*	*	*	*	1.0
1988.....	12.3	*	*	*	*	*	*	*	*	1.3
1987.....	11.9	*	*	*	*	*	*	*	0.7	1.1
1986.....	12.6	*	*	*	*	*	*	*	0.7	1.1
1985.....	12.1	*	*	*	*	*	*	*	0.7	*
1984.....	11.5	3.5	*	*	*	*	*	*	*	1.1
1983.....	11.1	3.1	*	*	*	*	*	*	*	1.6
1982.....	10.4	*	*	*	*	*	*	*	*	1.5
1981.....	10.3	*	*	*	*	*	*	*	*	2.2
1980.....	10.7	3.6	0.5	0.0	0.1	0.1	0.2	0.4	0.9	1.9
1979.....	10.1	2.5	0.3	-	0.1	0.2	0.3	0.5	0.7	1.3
ALL OTHER MALE										
1998.....	9.0	*	*	*	*	*	*	*	*	*
1997.....	8.6	*	*	*	*	*	*	*	*	*
1996.....	8.8	*	*	*	*	*	*	*	*	*
1995.....	8.8	*	*	*	*	*	*	*	*	*
1994.....	8.8	*	*	*	*	*	*	*	*	1.5
1993.....	9.4	*	*	*	*	*	*	*	*	*
1992.....	8.6	*	*	*	*	*	*	*	*	*
1991.....	8.8	*	*	*	*	*	*	*	*	*
1990.....	9.3	*	*	*	*	*	*	*	*	*
1989.....	10.0	*	*	*	*	*	*	*	*	*
1988.....	11.2	*	*	*	*	*	*	*	*	1.9
1987.....	11.1	*	*	*	*	*	*	*	*	1.5
1986.....	11.6	*	*	*	*	*	*	*	*	1.7
1985.....	11.4	*	*	*	*	*	*	*	*	*
1984.....	11.0	*	*	*	*	*	*	*	*	*
1983.....	10.8	*	*	*	*	*	*	*	*	2.1
1982.....	10.1	*	*	*	*	*	*	*	*	2.3
1981.....	10.2	*	*	*	*	*	*	*	*	2.8
1980.....	10.8	4.1	0.7	0.1	0.1	0.1	0.3	0.4	1.0	2.6
1979.....	10.1	2.3	0.3	-	0.1	0.2	0.3	0.7	0.8	1.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEART FAILURE (428)										
ALL OTHER FEMALE										
1998.....	11.8	*	*	*	*	*	*	*	*	*
1997.....	11.9	*	*	*	*	*	*	*	*	*
1996.....	11.6	*	*	*	*	*	*	*	*	*
1995.....	11.6	*	*	*	*	*	*	*	*	*
1994.....	11.3	*	*	*	*	*	*	*	*	*
1993.....	12.1	*	*	*	*	*	*	*	*	*
1992.....	11.0	*	*	*	*	*	*	*	*	*
1991.....	11.2	*	*	*	*	*	*	*	*	*
1990.....	11.2	*	*	*	*	*	*	*	*	*
1989.....	12.3	*	*	*	*	*	*	*	*	*
1988.....	13.3	*	*	*	*	*	*	*	*	*
1987.....	12.6	*	*	*	*	*	*	*	*	*
1986.....	13.5	*	*	*	*	*	*	*	*	*
1985.....	12.8	*	*	*	*	*	*	*	*	*
1984.....	12.0	*	*	*	*	*	*	*	*	*
1983.....	11.3	*	*	*	*	*	*	*	*	*
1982.....	10.6	*	*	*	*	*	*	*	*	*
1981.....	10.3	*	*	*	*	*	*	*	*	*
1980.....	10.6	3.2	0.3	-	0.1	-	0.1	0.3	0.8	1.3
1979.....	10.2	2.7	0.3	-	0.1	0.1	0.2	0.3	0.7	1.1
BLACK, BOTH SEXES										
1998.....	13.0	*	*	*	*	*	*	*	*	1.0
1997.....	12.6	*	*	*	*	*	*	*	*	1.0
1996.....	12.6	*	*	*	*	*	*	*	0.9	0.7
1995.....	12.5	*	*	*	*	*	*	*	*	1.0
1994.....	12.3	*	*	*	*	*	*	*	*	1.3
1993.....	13.2	*	*	*	*	*	*	*	*	1.3
1992.....	12.0	*	*	*	*	*	*	*	*	1.1
1991.....	12.2	*	*	*	*	*	*	*	*	1.0
1990.....	12.5	*	*	*	*	*	*	*	*	0.9
1989.....	13.5	*	*	*	*	*	*	*	*	1.3
1988.....	14.7	*	*	*	*	*	*	*	*	1.7
1987.....	14.2	*	*	*	*	*	*	*	0.9	1.3
1986.....	14.9	*	*	*	*	*	*	*	0.9	1.3
1985.....	14.3	*	*	*	*	*	*	*	0.9	*
1984.....	13.5	4.2	*	*	*	*	*	*	*	1.3
1983.....	12.8	*	*	*	*	*	*	*	*	2.0
1982.....	11.9	*	*	*	*	*	*	*	*	1.9
1981.....	11.7	*	*	*	*	*	*	*	*	2.7
1980.....	12.1	4.3	0.6	0.0	0.1	0.1	0.2	0.4	1.1	2.1
1979.....	11.2	2.5	0.3	-	0.1	0.2	0.3	0.6	0.8	1.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HEART FAILURE (428)										
BLACK MALE										
1998.....	11.1	*	*	*	*	*	*	*	*	*
1997.....	10.5	*	*	*	*	*	*	*	*	*
1996.....	10.7	*	*	*	*	*	*	*	*	*
1995.....	10.8	*	*	*	*	*	*	*	*	*
1994.....	10.7	*	*	*	*	*	*	*	*	2.0
1993.....	11.3	*	*	*	*	*	*	*	*	*
1992.....	10.4	*	*	*	*	*	*	*	*	*
1991.....	10.6	*	*	*	*	*	*	*	*	*
1990.....	11.3	*	*	*	*	*	*	*	*	*
1989.....	12.0	*	*	*	*	*	*	*	*	*
1988.....	13.4	*	*	*	*	*	*	*	*	2.5
1987.....	13.2	*	*	*	*	*	*	*	*	*
1986.....	13.7	*	*	*	*	*	*	*	*	2.1
1985.....	13.5	*	*	*	*	*	*	*	*	*
1984.....	12.8	*	*	*	*	*	*	*	*	*
1983.....	12.5	*	*	*	*	*	*	*	*	2.6
1982.....	11.6	*	*	*	*	*	*	*	*	3.0
1981.....	11.7	*	*	*	*	*	*	*	*	3.4
1980.....	12.1	4.8	0.8	0.1	0.1	0.1	0.3	0.5	1.3	2.9
1979.....	11.2	2.7	0.2	-	0.1	0.3	0.4	0.9	1.0	1.9
BLACK FEMALE										
1998.....	14.8	*	*	*	*	*	*	*	*	*
1997.....	14.6	*	*	*	*	*	*	*	*	*
1996.....	14.3	*	*	*	*	*	*	*	*	*
1995.....	14.1	*	*	*	*	*	*	*	*	*
1994.....	13.7	*	*	*	*	*	*	*	*	*
1993.....	14.9	*	*	*	*	*	*	*	*	*
1992.....	13.4	*	*	*	*	*	*	*	*	*
1991.....	13.6	*	*	*	*	*	*	*	*	*
1990.....	13.5	*	*	*	*	*	*	*	*	*
1989.....	14.9	*	*	*	*	*	*	*	*	*
1988.....	15.8	*	*	*	*	*	*	*	*	*
1987.....	15.1	*	*	*	*	*	*	*	*	*
1986.....	16.1	*	*	*	*	*	*	*	*	*
1985.....	14.9	*	*	*	*	*	*	*	*	*
1984.....	14.1	*	*	*	*	*	*	*	*	*
1983.....	13.0	*	*	*	*	*	*	*	*	*
1982.....	12.2	*	*	*	*	*	*	*	*	*
1981.....	11.8	*	*	*	*	*	*	*	*	*
1980.....	12.1	3.8	0.3	-	0.1	-	0.1	0.3	0.9	1.5
1979.....	11.2	2.3	0.3	-	0.1	0.1	0.1	0.3	0.7	1.2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.7	0.2	*	*	0.1	0.2	0.2	0.2	0.2
1997.....	0.3	0.6	*	*	*	*	0.1	0.2	0.2	0.3
1996.....	0.3	0.5	0.1	*	*	0.1	*	0.2	0.1	0.2
1995.....	0.3	0.6	0.2	*	*	*	0.1	0.2	0.2	0.2
1994.....	0.3	0.6	0.2	*	*	0.2	0.1	0.2	0.2	0.3
1993.....	0.3	0.8	0.2	*	*	*	*	0.2	0.2	0.2
1992.....	0.3	0.8	0.1	*	*	0.1	0.1	0.2	0.2	0.2
1991.....	0.4	0.5	0.2	*	*	0.1	0.1	0.1	0.3	0.2
1990.....	0.4	0.8	0.1	*	*	*	0.1	0.1	0.2	0.2
1989.....	0.5	0.7	0.2	*	*	*	*	0.2	0.2	0.3
1988.....	0.6	0.9	0.2	*	*	0.1	0.2	0.1	0.2	0.2
1987.....	0.6	0.8	0.2	*	*	*	0.1	0.1	0.2	0.3
1986.....	0.7	0.7	0.2	*	*	0.1	0.2	0.1	0.2	0.3
1985.....	0.7	0.9	0.1	*	*	0.1	0.1	0.2	0.2	0.3
1984.....	0.8	0.7	0.2	*	*	0.1	0.1	0.1	0.2	0.2
1983.....	0.9	0.7	*	*	*	0.1	0.1	0.2	0.2	0.3
1982.....	0.9	0.7	*	*	*	0.1	0.2	0.2	0.1	0.2
1981.....	1.0	0.7	*	*	*	0.1	0.1	0.1	0.2	0.3
1980.....	1.1	0.9	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3
1979.....	1.2	0.6	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3
TOTAL, MALE										
1998.....	0.3	*	*	*	*	*	0.3	0.3	0.2	*
1997.....	0.3	*	*	*	*	*	*	*	0.2	0.3
1996.....	0.3	*	*	*	*	*	*	*	*	0.2
1995.....	0.3	*	*	*	*	*	*	*	0.3	0.2
1994.....	0.4	*	*	*	*	*	*	0.3	0.2	0.3
1993.....	0.3	*	*	*	*	*	*	*	0.2	0.2
1992.....	0.3	*	*	*	*	*	*	0.2	0.2	*
1991.....	0.4	*	*	*	*	*	*	*	0.3	0.2
1990.....	0.4	*	*	*	*	*	*	*	0.2	0.3
1989.....	0.6	*	*	*	*	*	*	0.2	0.3	0.3
1988.....	0.6	*	*	*	*	*	0.2	*	0.3	0.3
1987.....	0.6	*	*	*	*	*	*	*	0.2	0.3
1986.....	0.7	*	*	*	*	*	0.2	*	0.3	0.4
1985.....	0.7	*	*	*	*	*	*	0.3	*	0.3
1984.....	0.8	*	*	*	*	*	*	0.2	0.3	*
1983.....	0.8	*	*	*	*	*	*	0.2	*	0.4
1982.....	0.8	*	*	*	*	*	0.3	0.2	*	0.3
1981.....	0.9	*	*	*	*	*	*	*	0.3	0.3
1980.....	1.1	0.9	0.2	0.1	0.1	0.1	0.2	0.3	0.3	0.3
1979.....	1.1	0.5	0.1	0.1	0.0	0.1	0.3	0.2	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)										
TOTAL, FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	0.2	0.2
1997.....	0.3	*	*	*	*	*	*	*	*	0.3
1996.....	0.3	*	*	*	*	*	*	*	*	0.2
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	0.2	0.2
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	0.2	0.2
1990.....	0.4	1.0	*	*	*	*	*	*	0.2	0.2
1989.....	0.5	*	*	*	*	*	*	*	*	0.3
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	0.2
1986.....	0.7	*	*	*	*	*	*	*	*	0.2
1985.....	0.8	1.1	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	0.2
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	0.2	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.9	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.3
1979.....	1.2	0.7	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2
WHITE, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	0.2	0.1	0.2	0.2
1997.....	0.3	*	*	*	*	*	*	0.2	0.2	0.2
1996.....	0.3	*	*	*	*	*	*	*	*	0.2
1995.....	0.3	*	*	*	*	*	*	0.1	0.2	0.1
1994.....	0.3	*	*	*	*	0.2	*	0.2	0.2	0.2
1993.....	0.3	*	*	*	*	*	*	*	0.1	0.2
1992.....	0.3	*	*	*	*	*	*	0.1	0.2	0.1
1991.....	0.4	*	0.2	*	*	*	*	*	0.2	0.2
1990.....	0.4	*	*	*	*	*	0.1	*	0.1	0.2
1989.....	0.5	*	*	*	*	*	*	0.1	0.2	0.3
1988.....	0.6	*	*	*	*	*	0.1	0.1	0.2	0.2
1987.....	0.6	*	*	*	*	*	0.1	0.1	0.1	0.2
1986.....	0.7	*	*	*	*	*	0.2	0.1	0.1	0.2
1985.....	0.7	0.7	*	*	*	*	0.1	0.2	0.1	0.2
1984.....	0.8	*	*	*	*	*	*	*	0.2	0.2
1983.....	0.9	*	*	*	*	*	0.1	0.2	*	0.2
1982.....	0.9	*	*	*	*	*	0.2	0.2	*	0.2
1981.....	1.0	*	*	*	*	*	0.1	0.1	0.2	0.3
1980.....	1.2	0.8	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.2
1979.....	1.2	0.4	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)										
ALL OTHER, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	0.5	0.6
1993.....	0.4	2.6	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.6	2.7	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.7	2.8	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.4	0.3	0.2	0.1	0.3	0.2	0.3	0.8	1.0
1979.....	1.0	1.8	0.2	0.1	0.2	0.2	0.2	0.3	0.4	0.7
ALL OTHER MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.3	0.5	-	-	0.3	0.3	0.7	1.0	1.3
1979.....	1.1	1.0	0.1	0.1	-	0.3	0.1	0.3	0.6	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)										
ALL OTHER FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.8	1.6	0.1	0.4	0.1	0.2	0.1	-	0.5	0.8
1979.....	0.9	2.7	0.3	0.1	0.4	0.1	0.2	0.3	0.2	0.5
BLACK, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	0.7
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.7	3.3	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.5	0.4	0.2	0.1	0.3	0.2	0.2	0.9	1.1
1979.....	1.0	1.7	0.1	0.1	0.2	0.2	0.2	0.3	0.4	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)										
BLACK MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.5	0.6	-	-	0.4	0.3	0.5	1.1	1.2
1979.....	1.1	0.8	0.1	0.2	-	0.3	0.2	0.3	0.6	0.9
BLACK FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.5	0.1	0.4	0.1	0.1	0.1	-	0.7	1.0
1979.....	1.0	2.7	0.1	0.1	0.4	0.1	0.3	0.3	0.2	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
TOTAL, BOTH SEXES										
1998.....	54.1	7.9	0.8	0.5	0.5	1.2	2.0	2.6	4.0	6.9
1997.....	54.4	8.3	0.8	0.4	0.6	1.2	2.0	2.6	3.9	6.6
1996.....	54.5	8.1	0.7	0.4	0.7	1.3	1.8	2.6	4.2	6.6
1995.....	55.7	8.4	0.9	0.4	0.6	1.3	1.9	2.5	4.2	7.2
1994.....	55.5	9.1	1.0	0.4	0.7	1.3	1.7	2.7	4.0	7.2
1993.....	57.0	8.7	1.1	0.4	0.6	1.2	1.7	2.6	4.0	7.0
1992.....	54.4	10.0	1.0	0.4	0.5	1.1	1.7	2.5	4.0	6.5
1991.....	54.8	9.3	1.2	0.4	0.5	1.3	1.8	2.5	3.9	6.4
1990.....	54.6	11.0	1.2	0.4	0.6	1.1	1.4	2.2	3.6	6.0
1989.....	56.8	11.3	1.2	0.4	0.6	1.1	1.6	2.3	3.8	6.4
1988.....	63.4	14.6	1.6	0.5	0.7	1.3	1.8	2.5	4.0	6.7
1987.....	62.1	16.9	1.4	0.5	0.6	1.3	1.6	2.4	4.1	6.5
1986.....	61.9	17.4	1.7	0.5	0.6	1.2	1.7	2.4	4.0	6.6
1985.....	59.2	15.9	1.5	0.5	0.7	1.3	1.5	2.0	3.4	6.1
1984.....	56.7	17.0	1.5	0.5	0.6	1.0	1.7	2.0	3.7	6.0
1983.....	55.5	17.7	1.6	0.5	0.6	1.2	1.6	2.2	3.6	5.7
1982.....	51.0	14.1	1.2	0.5	0.7	1.1	1.5	1.8	3.0	5.8
1981.....	50.3	13.8	1.7	0.5	0.5	1.0	1.5	2.2	3.2	5.8
1980.....	49.4	15.6	1.6	0.4	0.5	1.2	1.6	2.0	3.1	5.8
1979.....	45.5	13.7	1.3	0.4	0.5	0.9	1.4	1.9	2.8	5.3
TOTAL, MALE										
1998.....	55.4	8.5	0.9	0.6	0.6	1.6	2.6	3.7	5.7	9.7
1997.....	55.9	9.3	1.0	0.4	0.7	1.7	2.7	3.4	5.6	9.4
1996.....	56.3	8.7	0.8	0.4	0.9	1.6	2.5	3.5	5.9	9.6
1995.....	57.5	9.0	1.0	0.4	0.6	1.8	2.6	3.4	6.1	10.6
1994.....	57.6	9.7	1.2	0.4	0.8	1.8	2.4	3.6	5.6	10.0
1993.....	59.1	10.3	1.3	0.3	0.7	1.7	2.3	3.6	5.5	10.1
1992.....	56.5	10.8	1.1	0.5	0.6	1.7	2.3	3.3	5.6	9.6
1991.....	57.3	11.7	1.3	0.5	0.6	1.7	2.4	3.4	5.5	9.5
1990.....	57.0	12.4	1.2	0.5	0.7	1.6	1.9	3.1	5.2	9.1
1989.....	59.0	12.4	1.3	0.5	0.6	1.5	2.3	3.1	5.3	9.6
1988.....	65.9	16.0	1.5	0.6	1.0	1.8	2.3	3.4	5.9	9.8
1987.....	64.6	18.8	1.4	0.6	0.7	1.6	2.3	3.1	5.8	9.6
1986.....	64.8	20.3	1.9	0.6	0.7	1.7	2.4	3.2	5.6	9.7
1985.....	62.0	18.1	1.4	0.5	0.7	1.7	2.2	2.7	4.8	8.9
1984.....	59.7	19.1	1.6	0.5	0.6	1.4	2.3	2.6	5.3	8.7
1983.....	58.5	19.3	1.7	0.5	0.7	1.5	2.2	3.0	5.0	8.2
1982.....	53.8	16.5	1.4	0.5	0.6	1.5	1.9	2.5	4.0	8.4
1981.....	53.5	14.8	1.7	0.5	0.6	1.3	2.1	2.9	4.1	8.3
1980.....	52.4	17.7	1.7	0.5	0.6	1.5	2.3	2.7	4.0	8.6
1979.....	48.8	15.3	1.5	0.4	0.5	1.2	2.0	2.4	3.7	7.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
TOTAL, FEMALE										
1998.....	52.7	7.2	0.7	0.3	0.4	0.8	1.3	1.6	2.3	4.2
1997.....	53.0	7.2	0.7	0.4	0.4	0.8	1.3	1.8	2.3	3.8
1996.....	52.9	7.6	0.6	0.4	0.6	0.9	1.0	1.6	2.5	3.6
1995.....	54.0	7.9	0.8	0.4	0.5	0.8	1.1	1.5	2.4	3.9
1994.....	53.6	8.4	0.9	0.4	0.6	0.7	1.0	1.9	2.5	4.4
1993.....	55.1	7.0	0.9	0.4	0.4	0.7	1.1	1.5	2.5	4.0
1992.....	52.3	9.3	1.0	0.3	0.5	0.5	1.1	1.6	2.4	3.5
1991.....	52.5	6.7	1.1	0.4	0.5	0.8	1.1	1.5	2.3	3.4
1990.....	52.4	9.6	1.1	0.3	0.4	0.6	0.9	1.4	2.1	3.1
1989.....	54.8	10.1	1.1	0.4	0.6	0.7	0.8	1.4	2.2	3.2
1988.....	61.0	13.2	1.6	0.5	0.4	0.7	1.2	1.6	2.1	3.6
1987.....	59.8	14.8	1.3	0.5	0.6	0.9	1.0	1.7	2.5	3.5
1986.....	59.2	14.3	1.6	0.5	0.5	0.6	1.0	1.6	2.5	3.5
1985.....	56.6	13.6	1.6	0.6	0.7	0.8	0.9	1.4	2.0	3.3
1984.....	53.8	14.9	1.4	0.6	0.6	0.6	1.0	1.4	2.1	3.4
1983.....	52.6	16.1	1.4	0.5	0.5	0.8	1.1	1.4	2.3	3.3
1982.....	48.4	11.6	1.1	0.5	0.7	0.6	1.0	1.2	2.0	3.4
1981.....	47.3	12.8	1.8	0.4	0.5	0.7	1.0	1.5	2.3	3.5
1980.....	46.4	13.5	1.5	0.4	0.4	0.9	0.9	1.3	2.3	3.0
1979.....	42.4	11.9	1.1	0.4	0.5	0.6	0.9	1.4	1.9	3.4
WHITE, BOTH SEXES										
1998.....	54.9	6.7	0.7	0.4	0.4	1.0	1.6	2.0	3.2	5.7
1997.....	55.4	7.5	0.7	0.3	0.5	1.0	1.6	2.1	3.2	5.4
1996.....	55.2	6.7	0.5	0.4	0.6	1.0	1.3	2.1	3.3	5.4
1995.....	56.2	7.4	0.7	0.4	0.4	1.0	1.4	1.8	3.4	5.8
1994.....	56.0	7.6	0.7	0.4	0.6	1.0	1.3	2.1	3.0	5.8
1993.....	57.2	7.3	0.9	0.3	0.5	1.0	1.4	1.9	3.1	5.5
1992.....	54.4	8.5	0.8	0.3	0.4	0.9	1.3	1.8	3.0	5.1
1991.....	54.8	8.1	1.0	0.4	0.4	1.2	1.4	1.9	2.9	4.8
1990.....	54.4	8.7	1.0	0.4	0.5	1.0	1.1	1.8	2.7	4.5
1989.....	56.3	10.0	0.9	0.4	0.5	1.0	1.2	1.8	2.9	4.8
1988.....	63.1	12.7	1.3	0.5	0.6	1.1	1.4	1.9	3.1	5.1
1987.....	61.7	15.2	1.1	0.5	0.5	1.1	1.3	1.9	3.0	4.8
1986.....	61.4	15.4	1.4	0.5	0.5	1.0	1.4	1.9	2.9	5.0
1985.....	58.9	13.2	1.2	0.5	0.6	1.1	1.3	1.6	2.6	4.7
1984.....	56.4	15.0	1.3	0.5	0.5	0.8	1.4	1.5	2.8	4.6
1983.....	54.9	14.6	1.2	0.5	0.5	1.0	1.3	1.7	2.8	4.4
1982.....	50.6	12.1	1.0	0.5	0.6	1.0	1.2	1.5	2.3	4.6
1981.....	49.8	11.9	1.5	0.4	0.4	0.9	1.3	1.6	2.5	4.5
1980.....	48.4	12.9	1.3	0.4	0.5	0.9	1.3	1.5	2.2	4.1
1979.....	44.7	10.6	1.1	0.4	0.5	0.9	1.2	1.5	2.2	3.9



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
WHITE MALE										
1998.....	55.4	7.4	0.7	0.6	0.4	1.3	2.0	2.8	4.8	8.1
1997.....	56.0	8.8	0.7	0.4	0.6	1.5	2.1	2.8	4.6	8.0
1996.....	56.1	7.2	0.7	0.4	0.7	1.3	1.8	3.0	4.9	8.3
1995.....	57.0	7.6	0.8	0.4	0.4	1.4	1.9	2.6	4.9	8.8
1994.....	57.2	8.5	0.9	0.4	0.7	1.5	1.8	2.7	4.3	8.1
1993.....	58.3	8.8	1.0	*	0.6	1.5	1.9	2.6	4.3	8.1
1992.....	55.6	9.3	0.9	0.4	0.5	1.3	1.9	2.4	4.4	7.7
1991.....	56.2	10.7	1.0	0.4	0.5	1.6	1.8	2.7	4.2	7.1
1990.....	55.9	9.7	1.0	0.5	0.6	1.4	1.6	2.4	3.9	7.0
1989.....	57.4	11.0	1.0	0.4	0.6	1.3	1.8	2.6	4.0	7.3
1988.....	64.6	13.9	1.2	0.5	0.9	1.6	1.9	2.7	4.5	7.8
1987.....	63.2	17.0	1.2	0.6	0.6	1.4	1.8	2.5	4.2	7.0
1986.....	63.2	18.3	1.5	0.5	0.6	1.5	2.0	2.6	4.0	7.6
1985.....	60.7	15.2	1.2	0.4	0.5	1.4	1.9	2.1	3.5	6.9
1984.....	58.5	17.0	1.4	0.5	0.5	1.2	1.8	2.0	4.1	6.8
1983.....	57.1	16.3	1.3	0.5	0.6	1.2	1.8	2.3	3.8	6.5
1982.....	52.6	14.8	1.1	0.5	0.6	1.4	1.6	2.0	3.1	6.7
1981.....	52.2	12.3	1.3	0.4	0.5	1.2	1.7	2.0	3.2	6.4
1980.....	50.6	15.3	1.4	0.4	0.6	1.2	1.8	2.1	2.7	6.1
1979.....	47.2	12.1	1.2	0.4	0.5	1.1	1.7	1.9	3.0	5.6
WHITE FEMALE										
1998.....	54.4	6.0	0.6	*	0.4	0.7	1.1	1.2	1.6	3.3
1997.....	54.9	6.0	0.6	*	0.4	0.6	1.0	1.3	1.8	2.8
1996.....	54.4	6.2	0.3	0.4	0.5	0.7	0.7	1.1	1.7	2.6
1995.....	55.4	7.2	0.6	0.4	0.4	0.6	0.8	1.0	1.9	2.7
1994.....	54.8	6.7	0.6	0.4	0.6	0.6	0.8	1.4	1.7	3.4
1993.....	56.1	5.8	0.7	0.3	0.4	0.5	0.9	1.1	1.9	2.9
1992.....	53.3	7.5	0.8	*	0.4	0.4	0.8	1.2	1.6	2.4
1991.....	53.4	5.4	1.0	0.4	0.4	0.7	0.9	1.2	1.6	2.5
1990.....	52.9	7.7	1.0	0.3	0.3	0.5	0.6	1.1	1.5	2.1
1989.....	55.2	8.9	0.9	0.3	0.4	0.5	0.6	1.0	1.7	2.3
1988.....	61.7	11.5	1.4	0.4	0.4	0.6	0.9	1.1	1.6	2.4
1987.....	60.3	13.3	1.1	0.4	0.5	0.8	0.8	1.2	1.7	2.6
1986.....	59.7	12.5	1.3	0.4	0.4	0.5	0.8	1.2	1.7	2.4
1985.....	57.2	11.0	1.1	0.6	0.6	0.7	0.7	1.1	1.6	2.5
1984.....	54.3	12.9	1.2	0.5	0.5	0.5	0.9	1.0	1.4	2.5
1983.....	52.8	12.8	1.1	0.4	0.5	0.7	0.9	1.0	1.8	2.3
1982.....	48.8	9.3	1.0	0.4	0.7	0.6	0.8	0.9	1.4	2.5
1981.....	47.6	11.5	1.6	0.5	0.4	0.5	0.8	1.1	1.8	2.5
1980.....	46.3	10.3	1.2	0.3	0.4	0.7	0.7	1.0	1.6	2.2
1979.....	42.4	9.1	0.9	0.3	0.4	0.7	0.7	1.2	1.5	2.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
ALL OTHER, BOTH SEXES										
1998.....	50.1	12.3	1.2	0.7	0.9	1.9	3.6	5.1	7.4	12.6
1997.....	49.7	11.3	1.4	0.7	0.8	2.0	3.7	4.8	7.1	12.4
1996.....	51.2	13.8	1.6	*	1.3	2.4	3.6	4.8	8.3	12.2
1995.....	53.4	12.2	1.5	0.6	1.1	2.6	3.8	5.2	8.1	14.1
1994.....	53.2	14.5	2.2	*	0.9	2.4	3.4	5.5	8.9	14.1
1993.....	56.4	13.7	2.0	0.8	0.8	2.0	3.2	5.8	8.0	14.4
1992.....	54.2	16.0	1.8	0.7	0.9	2.1	3.3	5.4	8.5	13.9
1991.....	55.1	13.2	2.3	0.7	0.8	1.7	3.5	4.9	8.6	14.7
1990.....	55.9	19.9	1.9	*	0.8	1.6	2.8	4.4	8.4	13.8
1989.....	59.7	16.2	2.3	0.6	1.0	1.7	3.2	4.6	8.3	14.4
1988.....	65.0	22.4	2.7	0.8	1.0	2.1	3.3	5.4	8.8	15.1
1987.....	64.3	23.8	2.4	0.7	1.1	2.0	3.0	5.1	10.0	15.9
1986.....	64.9	25.8	3.1	0.9	0.9	1.7	3.0	5.2	10.4	15.8
1985.....	60.9	27.8	3.0	0.7	1.3	2.2	2.7	4.3	7.8	14.5
1984.....	58.5	26.1	2.3	0.7	1.0	1.7	3.3	4.6	8.9	14.8
1983.....	59.1	31.6	2.9	0.8	0.7	2.1	3.3	5.1	8.0	14.1
1982.....	53.2	23.1	2.1	0.7	0.7	1.5	2.8	3.9	7.3	13.7
1981.....	53.2	22.6	3.0	*	0.9	1.7	3.0	5.7	7.4	14.8
1980.....	55.3	28.3	3.1	0.7	0.7	2.3	3.3	4.8	9.1	16.6
1979.....	50.5	28.0	2.4	0.4	0.8	1.2	2.8	4.2	6.3	15.0
ALL OTHER MALE										
1998.....	55.6	12.9	1.6	*	1.2	2.6	5.0	7.4	10.0	17.9
1997.....	55.5	10.9	1.9	*	1.1	2.6	5.1	6.2	10.2	16.8
1996.....	57.1	14.4	1.5	*	1.8	2.9	5.1	6.0	10.8	16.5
1995.....	60.0	14.2	1.5	*	1.3	3.5	5.4	7.0	12.1	19.6
1994.....	59.4	14.5	2.4	*	1.3	3.3	4.9	7.5	12.3	19.6
1993.....	63.4	15.8	2.3	*	*	2.7	4.2	8.2	11.5	20.3
1992.....	61.4	16.2	2.0	*	1.1	3.4	4.3	7.6	11.8	19.7
1991.....	62.8	15.2	2.8	*	*	2.3	4.9	6.8	12.0	22.8
1990.....	63.0	22.9	2.1	*	*	2.3	3.6	6.4	12.1	20.5
1989.....	67.5	17.6	2.7	*	*	2.2	4.6	5.7	12.2	22.1
1988.....	73.3	24.5	2.8	*	1.3	2.7	4.2	7.0	13.4	21.8
1987.....	72.3	26.4	2.4	*	1.3	2.5	4.4	6.8	14.3	25.1
1986.....	74.4	29.3	3.4	*	*	2.3	4.3	7.0	14.9	22.9
1985.....	69.3	30.8	2.6	*	1.3	3.1	3.7	5.7	12.5	22.2
1984.....	66.5	28.7	2.4	*	*	2.5	5.1	6.1	12.8	21.8
1983.....	67.1	32.9	3.5	*	*	2.9	4.2	7.2	11.7	20.0
1982.....	61.1	24.3	2.5	*	*	2.1	3.5	5.1	9.9	19.9
1981.....	61.4	26.8	3.3	*	*	1.9	4.2	8.1	10.4	21.2
1980.....	64.0	28.8	3.4	0.6	0.9	2.9	4.8	6.8	12.4	26.5
1979.....	59.2	31.0	2.8	0.1	0.8	1.9	3.9	5.6	8.3	19.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
ALL OTHER FEMALE										
1998.....	45.1	11.7	*	*	*	1.1	2.2	3.0	5.0	7.8
1997.....	44.3	11.8	*	*	*	1.4	2.4	3.5	4.4	8.3
1996.....	45.7	13.2	1.8	*	*	1.8	2.1	3.7	6.0	8.4
1995.....	47.4	10.2	1.4	*	*	1.8	2.2	3.4	4.5	9.2
1994.....	47.6	14.5	2.1	*	*	1.5	2.0	3.7	5.9	9.1
1993.....	50.0	11.5	1.7	*	*	1.3	2.1	3.5	4.9	9.1
1992.....	47.7	15.9	1.5	*	*	*	2.2	3.4	5.6	8.6
1991.....	48.0	11.2	1.7	*	*	*	2.1	3.2	5.5	7.5
1990.....	49.4	16.8	1.8	*	*	*	2.0	2.7	5.1	7.9
1989.....	52.5	14.7	1.9	*	1.3	1.2	1.8	3.5	4.8	7.7
1988.....	57.5	20.3	2.7	*	*	1.4	2.4	4.0	4.7	9.3
1987.....	57.1	21.1	2.4	*	*	1.5	1.7	3.6	6.2	8.1
1986.....	56.2	22.3	2.8	*	*	*	1.7	3.7	6.4	9.8
1985.....	53.2	24.7	3.4	*	1.3	1.2	1.8	2.9	3.7	8.0
1984.....	51.3	23.5	2.2	*	*	*	1.7	3.2	5.5	8.7
1983.....	51.7	30.3	2.3	*	*	1.2	2.4	3.2	4.8	9.1
1982.....	46.1	21.8	1.7	*	*	*	2.1	2.8	5.1	8.5
1981.....	45.8	18.3	2.8	*	*	1.5	2.0	3.5	4.8	9.3
1980.....	47.5	27.9	2.7	0.7	0.6	1.7	1.9	3.0	6.2	8.2
1979.....	42.5	24.8	2.0	0.8	0.8	0.5	1.8	3.0	4.5	11.0
BLACK, BOTH SEXES										
1998.....	61.5	13.4	1.4	0.8	1.1	2.3	4.1	6.4	9.6	15.7
1997.....	60.6	13.3	1.7	0.8	1.0	2.4	4.3	6.0	8.8	15.3
1996.....	62.5	17.2	1.8	*	1.5	2.9	4.5	6.3	10.3	15.4
1995.....	65.1	14.7	1.8	*	1.4	3.3	4.7	6.5	10.3	17.7
1994.....	64.8	17.1	2.6	*	1.1	2.9	4.2	7.0	11.4	18.0
1993.....	68.7	15.1	2.2	0.9	0.9	2.3	4.1	7.2	10.0	18.5
1992.....	66.1	19.7	2.1	0.8	1.0	2.4	4.1	6.9	10.7	17.6
1991.....	67.1	15.5	2.7	0.8	0.9	2.0	4.3	6.1	10.8	18.4
1990.....	67.4	22.4	2.3	*	0.8	1.9	3.3	5.4	10.6	17.3
1989.....	72.1	17.9	2.5	*	1.0	2.0	3.9	5.5	10.7	18.6
1988.....	78.4	25.7	3.1	1.0	1.1	2.5	4.0	6.7	11.1	19.0
1987.....	77.0	25.4	2.6	*	1.3	2.5	3.6	5.8	12.5	19.8
1986.....	77.5	29.2	3.6	0.9	1.1	1.9	3.5	6.4	13.1	20.0
1985.....	71.8	30.8	3.6	*	1.5	2.5	3.1	5.1	9.7	18.0
1984.....	68.7	30.4	2.5	0.8	1.2	2.0	3.5	5.5	10.5	18.4
1983.....	68.8	35.7	3.3	*	0.7	2.4	3.8	5.9	9.8	17.6
1982.....	61.9	25.6	2.2	0.8	0.8	1.6	3.2	4.5	8.9	16.8
1981.....	61.5	24.6	3.1	*	1.0	1.9	3.6	6.7	8.7	17.8
1980.....	63.1	30.7	3.3	0.8	0.7	2.5	3.6	5.6	11.2	19.6
1979.....	56.6	29.3	2.6	0.5	0.8	1.3	3.2	4.6	7.4	17.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
BLACK MALE										
1998.....	67.5	15.1	1.9	*	1.4	3.4	5.8	9.2	13.1	22.0
1997.....	67.4	12.4	2.4	*	1.4	3.1	5.8	7.7	12.3	20.3
1996.....	69.3	18.1	1.7	*	2.0	3.6	6.6	7.7	13.1	20.6
1995.....	73.1	17.5	2.0	*	1.6	4.3	6.5	8.8	15.5	24.5
1994.....	71.7	16.9	2.7	*	1.5	3.9	5.9	9.1	15.6	25.4
1993.....	77.1	16.6	2.4	*	*	3.0	5.5	10.3	14.2	26.0
1992.....	74.7	20.2	2.4	*	*	3.8	5.2	9.6	14.8	25.4
1991.....	76.3	16.9	3.3	*	*	2.6	6.0	8.6	15.1	28.8
1990.....	75.7	26.1	2.6	*	*	2.7	4.2	7.7	15.2	25.5
1989.....	81.4	19.4	3.1	*	*	2.7	5.6	7.1	15.9	28.7
1988.....	88.3	27.6	3.1	*	*	3.1	5.2	8.8	16.9	27.7
1987.....	86.2	27.9	2.8	*	1.7	3.0	5.2	7.4	17.8	31.1
1986.....	88.9	33.9	3.7	*	*	2.7	5.0	8.5	18.7	29.0
1985.....	81.7	34.1	3.1	*	1.5	3.7	4.2	6.7	15.6	28.0
1984.....	77.9	33.3	2.5	*	*	2.9	5.2	7.1	15.0	27.4
1983.....	77.9	37.4	4.0	*	*	3.4	4.8	8.2	14.2	24.6
1982.....	71.0	27.5	2.5	*	*	2.4	4.0	5.9	12.1	24.3
1981.....	71.0	30.4	3.4	*	*	2.2	5.1	9.5	12.3	26.0
1980.....	72.8	31.2	3.7	0.7	1.0	3.0	5.3	8.0	15.4	31.1
1979.....	66.4	31.5	3.0	0.1	0.9	2.1	4.4	6.3	10.0	22.1
BLACK FEMALE										
1998.....	56.1	11.6	*	*	*	*	2.5	3.9	6.6	10.1
1997.....	54.5	14.3	*	*	*	1.7	2.8	4.4	5.7	10.8
1996.....	56.4	16.3	1.9	*	*	2.2	2.5	5.0	7.8	10.8
1995.....	57.9	11.7	*	*	*	2.2	2.8	4.4	5.7	11.7
1994.....	58.6	17.4	2.6	*	*	1.8	2.6	5.0	7.6	11.5
1993.....	61.1	13.6	1.9	*	*	1.6	2.7	4.4	6.3	11.8
1992.....	58.4	19.1	1.8	*	*	*	2.9	4.4	7.0	10.7
1991.....	58.8	14.1	2.1	*	*	*	2.6	3.8	7.1	9.5
1990.....	59.9	18.7	1.9	*	*	*	2.4	3.4	6.6	10.1
1989.....	63.7	16.5	2.0	*	*	*	2.3	4.0	6.2	9.9
1988.....	69.5	23.7	3.2	*	*	1.8	2.9	4.8	6.1	11.6
1987.....	68.8	22.8	2.4	*	*	1.9	2.0	4.4	8.0	10.2
1986.....	67.2	24.4	3.4	*	*	*	2.1	4.5	8.2	12.4
1985.....	62.8	27.3	4.0	*	*	*	2.2	3.7	4.6	9.6
1984.....	60.5	27.4	2.4	*	*	*	1.9	4.0	6.7	10.8
1983.....	60.7	34.0	2.6	*	*	1.4	2.9	3.9	6.0	11.6
1982.....	53.7	23.7	2.0	*	*	*	2.5	3.1	6.1	10.5
1981.....	53.0	18.8	2.8	*	*	1.5	2.3	4.2	5.6	11.0
1980.....	54.4	30.1	2.9	0.9	0.4	2.0	2.2	3.5	7.6	10.0
1979.....	47.7	27.0	2.1	0.9	0.8	0.5	2.1	3.2	5.2	12.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CEREBROVASCULAR DISEASES (430-438)										
TOTAL, BOTH SEXES										
1998.....	58.6	7.8	0.4	0.2	0.2	0.3	0.6	1.3	2.2	4.3
1997.....	59.7	7.0	0.4	0.1	0.3	0.4	0.7	1.1	2.3	4.3
1996.....	60.3	6.2	0.3	0.2	0.2	0.3	0.6	1.2	2.3	4.6
1995.....	60.1	5.8	0.4	0.1	0.2	0.3	0.7	1.1	2.4	4.9
1994.....	58.9	5.1	0.3	0.1	0.2	0.4	0.7	1.2	2.6	4.6
1993.....	58.2	5.5	0.3	0.2	0.2	0.4	0.7	1.3	2.5	4.6
1992.....	56.4	4.1	0.3	0.1	0.2	0.4	0.7	1.3	2.4	4.7
1991.....	56.9	4.0	0.4	0.2	0.3	0.5	0.7	1.3	2.4	4.8
1990.....	57.9	3.8	0.3	0.2	0.2	0.4	0.8	1.6	2.8	4.8
1989.....	59.0	3.3	0.3	0.2	0.3	0.4	0.9	1.4	2.8	4.9
1988.....	61.6	4.0	0.4	0.2	0.2	0.4	1.0	1.6	2.9	5.1
1987.....	61.8	3.4	0.4	0.2	0.3	0.4	0.8	1.7	2.9	5.3
1986.....	62.3	2.9	0.3	0.1	0.3	0.4	0.9	1.7	2.9	5.3
1985.....	64.3	3.7	0.3	0.2	0.3	0.5	1.0	1.5	2.9	5.1
1984.....	65.4	3.1	0.4	0.3	0.3	0.6	1.0	1.7	2.9	5.3
1983.....	66.6	3.9	0.4	0.3	0.2	0.6	1.0	1.7	2.7	5.5
1982.....	68.1	3.6	0.3	0.3	0.4	0.5	0.9	1.7	3.1	5.6
1981.....	71.3	3.7	0.3	0.3	0.3	0.6	1.2	1.9	3.3	6.4
1980.....	75.1	4.4	0.5	0.3	0.3	0.7	1.3	2.0	3.3	6.2
1979.....	75.5	4.6	0.3	0.3	0.3	0.6	1.2	1.9	3.4	6.5
TOTAL, MALE										
1998.....	46.3	9.0	0.3	*	0.3	0.4	0.7	1.2	2.2	4.3
1997.....	47.8	7.6	0.5	*	0.3	0.4	0.7	1.1	2.2	4.4
1996.....	48.1	6.5	0.3	0.3	0.2	0.3	0.7	1.1	2.3	4.6
1995.....	48.0	6.3	0.4	*	0.3	0.4	0.7	1.2	2.4	5.1
1994.....	47.4	5.8	0.4	*	0.3	0.3	0.7	1.2	2.4	4.7
1993.....	46.9	5.9	0.3	0.2	0.3	0.4	0.6	1.5	2.5	5.0
1992.....	45.5	5.3	0.3	*	0.2	0.4	0.8	1.3	2.4	5.0
1991.....	46.1	4.1	0.4	*	0.3	0.4	0.7	1.2	2.4	5.3
1990.....	46.8	4.4	0.3	*	*	0.5	0.9	1.4	2.8	5.1
1989.....	47.7	3.6	*	*	0.4	0.3	0.8	1.5	2.8	5.5
1988.....	50.2	4.3	0.4	*	0.2	0.5	1.0	1.6	3.3	5.6
1987.....	50.1	4.0	0.4	0.2	0.2	0.4	0.8	1.6	3.0	5.8
1986.....	50.6	3.4	0.3	*	0.3	0.4	0.9	1.6	3.1	5.8
1985.....	52.5	4.6	0.4	*	0.3	0.6	0.9	1.6	3.0	5.5
1984.....	53.8	3.6	0.4	0.3	0.3	0.6	1.1	1.7	2.9	5.6
1983.....	55.3	4.7	0.4	0.3	*	0.6	1.1	1.8	3.0	5.8
1982.....	56.7	4.4	0.3	0.2	0.4	0.6	0.8	1.9	3.1	5.7
1981.....	59.6	4.4	0.3	0.3	0.2	0.5	1.2	1.9	3.4	6.6
1980.....	63.6	5.0	0.4	0.3	0.3	0.7	1.5	1.9	3.4	6.1
1979.....	64.5	4.9	0.4	0.3	0.4	0.6	1.3	2.1	3.4	6.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CEREBROVASCULAR DISEASES (430-438)										
TOTAL, FEMALE										
1998.....	70.4	6.6	0.4	*	*	0.2	0.6	1.3	2.1	4.3
1997.....	71.2	6.3	0.3	*	0.3	0.3	0.6	1.1	2.3	4.3
1996.....	71.9	5.9	0.3	*	0.2	0.3	0.5	1.2	2.4	4.5
1995.....	71.7	5.2	0.3	*	*	0.2	0.6	0.9	2.3	4.8
1994.....	69.8	4.3	*	*	*	0.4	0.6	1.3	2.7	4.6
1993.....	69.0	5.0	0.3	*	*	0.4	0.8	1.0	2.5	4.2
1992.....	66.7	2.9	0.4	*	*	0.4	0.5	1.2	2.4	4.5
1991.....	67.2	3.8	0.3	*	0.3	0.5	0.8	1.4	2.5	4.3
1990.....	68.6	3.1	0.3	*	0.3	0.3	0.8	1.7	2.8	4.5
1989.....	69.7	3.0	0.3	*	*	0.4	0.9	1.4	2.8	4.2
1988.....	72.4	3.8	0.4	0.3	0.2	0.4	0.9	1.6	2.6	4.6
1987.....	73.0	2.9	0.3	*	0.3	0.4	0.9	1.7	2.8	4.8
1986.....	73.4	2.5	*	*	0.3	0.4	0.8	1.7	2.8	4.8
1985.....	75.5	2.7	0.3	*	0.3	0.4	1.1	1.5	2.7	4.8
1984.....	76.5	2.6	0.4	0.3	0.3	0.6	0.9	1.6	2.9	5.1
1983.....	77.2	3.2	*	0.3	0.3	0.6	1.0	1.6	2.4	5.3
1982.....	78.8	2.9	*	0.3	0.3	0.4	0.9	1.6	3.1	5.4
1981.....	82.3	2.9	0.3	*	0.3	0.6	1.1	1.9	3.2	6.2
1980.....	86.1	3.8	0.5	0.3	0.3	0.6	1.1	2.0	3.2	6.2
1979.....	85.8	4.2	0.3	0.2	0.3	0.6	1.2	1.8	3.4	6.2
WHITE, BOTH SEXES										
1998.....	61.4	6.6	0.3	0.2	0.2	0.3	0.6	1.1	1.7	3.6
1997.....	62.5	5.9	0.3	*	0.2	0.4	0.5	1.0	1.9	3.4
1996.....	62.9	5.3	0.3	0.2	0.2	0.3	0.6	1.0	1.9	3.5
1995.....	62.6	5.3	0.3	0.2	0.2	0.3	0.6	0.9	2.0	3.8
1994.....	61.2	4.6	0.3	0.2	0.2	0.3	0.6	1.0	2.0	3.4
1993.....	60.5	5.0	0.3	0.1	0.2	0.4	0.7	1.1	2.1	3.6
1992.....	58.4	3.3	0.3	0.1	0.2	0.4	0.6	1.0	1.9	3.4
1991.....	58.7	3.3	0.3	0.2	0.3	0.4	0.7	1.1	1.9	3.5
1990.....	59.7	2.8	0.3	0.2	0.2	0.4	0.7	1.4	2.1	3.5
1989.....	60.5	2.7	0.2	0.2	0.3	0.3	0.7	1.2	2.1	3.5
1988.....	63.1	3.1	0.3	0.2	0.2	0.4	0.9	1.3	2.1	3.7
1987.....	63.5	2.9	0.4	0.2	0.3	0.4	0.7	1.4	2.2	3.9
1986.....	63.9	2.2	0.2	0.1	0.3	0.4	0.8	1.3	2.2	4.0
1985.....	65.8	3.0	0.3	0.2	0.3	0.4	0.9	1.3	2.2	3.9
1984.....	67.0	2.6	0.3	0.3	0.3	0.6	0.8	1.4	2.1	4.1
1983.....	68.0	3.3	0.4	0.3	0.2	0.6	0.9	1.5	2.1	4.2
1982.....	69.5	2.8	0.3	0.3	0.4	0.5	0.8	1.4	2.4	4.3
1981.....	72.6	2.8	0.3	0.3	0.3	0.5	1.0	1.5	2.7	5.0
1980.....	76.3	3.6	0.4	0.3	0.2	0.6	1.1	1.6	2.4	4.8
1979.....	76.6	3.4	0.3	0.3	0.3	0.5	1.1	1.6	2.7	4.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CEREBROVASCULAR DISEASES (430-438)										
WHITE MALE										
1998.....	47.3	7.6	*	*	0.3	0.4	0.7	1.1	1.8	3.5
1997.....	48.8	6.4	0.3	*	*	0.4	0.6	0.9	2.0	3.5
1996.....	49.1	5.8	*	0.3	0.3	0.4	0.7	1.1	1.9	3.5
1995.....	48.6	6.0	0.3	*	0.3	0.3	0.6	1.1	2.1	3.9
1994.....	48.1	5.5	0.4	*	0.3	0.3	0.7	1.0	2.0	3.5
1993.....	47.7	5.3	0.3	*	*	0.4	0.5	1.3	2.2	4.1
1992.....	46.1	4.1	*	*	*	0.4	0.8	1.1	2.1	3.6
1991.....	46.3	3.5	*	*	0.3	0.4	0.7	1.0	1.9	3.8
1990.....	47.0	3.1	*	*	*	0.5	0.8	1.3	2.2	3.7
1989.....	47.8	2.9	*	*	0.4	0.3	0.8	1.3	2.2	3.8
1988.....	50.3	3.2	0.3	*	*	0.5	1.0	1.4	2.3	3.9
1987.....	50.2	3.7	0.5	*	*	0.4	0.7	1.3	2.4	4.0
1986.....	50.7	2.5	*	*	*	0.4	0.8	1.3	2.4	4.4
1985.....	52.7	3.7	*	*	0.3	0.5	0.7	1.4	2.3	4.1
1984.....	53.9	2.7	*	*	*	0.6	0.9	1.5	2.2	4.2
1983.....	55.5	4.1	0.5	0.3	*	0.7	0.9	1.5	2.3	4.3
1982.....	56.7	3.5	*	*	0.4	0.6	0.7	1.5	2.6	4.2
1981.....	59.4	3.4	*	0.3	*	0.5	1.0	1.6	2.7	5.0
1980.....	63.3	3.8	0.4	0.3	0.2	0.7	1.2	1.6	2.5	4.5
1979.....	64.2	3.6	0.3	0.3	0.4	0.5	1.2	1.8	2.6	4.7
WHITE FEMALE										
1998.....	75.0	5.5	0.4	*	*	*	0.4	1.1	1.6	3.6
1997.....	75.7	5.4	*	*	*	0.3	0.5	1.0	1.9	3.2
1996.....	76.3	4.8	*	*	*	0.3	0.5	0.9	2.0	3.5
1995.....	76.0	4.6	*	*	*	*	0.5	0.7	1.9	3.7
1994.....	73.9	3.6	*	*	*	0.3	0.5	1.1	2.0	3.2
1993.....	72.8	4.7	*	*	*	0.4	0.9	0.7	1.9	3.1
1992.....	70.3	2.4	*	*	*	0.3	0.5	0.9	1.8	3.3
1991.....	70.5	3.2	*	*	*	0.4	0.6	1.1	1.9	3.2
1990.....	71.8	2.6	0.3	*	*	0.3	0.7	1.5	1.9	3.2
1989.....	72.6	2.6	*	*	*	0.3	0.7	1.1	2.1	3.2
1988.....	75.4	2.9	*	*	*	0.3	0.9	1.3	1.9	3.4
1987.....	76.2	2.1	*	*	*	0.4	0.7	1.4	2.0	3.8
1986.....	76.5	1.8	*	*	*	0.4	0.7	1.3	2.1	3.6
1985.....	78.4	2.3	*	*	0.3	0.3	1.0	1.2	2.0	3.8
1984.....	79.4	2.6	*	0.3	*	0.5	0.7	1.2	2.1	4.0
1983.....	79.9	2.6	*	*	*	0.5	0.8	1.4	1.8	4.0
1982.....	81.7	2.1	*	*	0.3	0.3	0.8	1.2	2.3	4.5
1981.....	85.1	2.2	*	*	0.3	0.5	1.0	1.4	2.6	5.1
1980.....	88.8	3.3	0.4	0.3	0.3	0.5	0.9	1.6	2.4	5.1
1979.....	88.5	3.3	0.3	0.2	0.3	0.5	1.0	1.3	2.7	4.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CEREBROVASCULAR DISEASES (430-438)										
ALL OTHER, BOTH SEXES										
1998.....	45.7	12.5	0.7	*	*	*	0.9	1.9	4.0	7.9
1997.....	46.4	11.0	0.6	*	*	*	1.2	1.6	4.0	8.9
1996.....	47.5	9.7	*	*	*	*	0.6	1.6	4.3	9.6
1995.....	48.2	7.4	0.7	*	*	*	1.1	1.7	4.1	10.5
1994.....	47.4	6.9	*	*	*	*	0.9	2.1	5.0	10.9
1993.....	46.8	7.2	*	*	*	*	0.9	2.2	4.5	9.8
1992.....	46.0	7.4	*	*	*	*	0.9	2.3	4.9	11.1
1991.....	47.9	6.2	0.6	*	*	*	1.1	2.6	5.1	11.4
1990.....	48.9	7.2	*	*	*	*	1.3	2.4	6.3	11.9
1989.....	51.0	5.4	*	*	*	0.6	1.4	2.7	6.1	12.2
1988.....	53.3	7.9	*	*	*	0.6	1.1	2.8	7.3	12.8
1987.....	52.7	5.7	*	*	*	*	1.5	3.2	6.5	13.2
1986.....	53.5	6.1	*	*	*	*	1.5	3.6	6.5	12.8
1985.....	55.8	6.6	*	*	*	0.9	1.6	2.8	6.7	12.5
1984.....	56.7	5.1	*	*	0.6	0.7	2.0	3.4	7.0	13.1
1983.....	58.2	6.7	*	*	*	0.7	1.9	3.2	6.1	14.2
1982.....	59.7	7.3	*	*	*	0.8	1.4	3.8	7.1	13.7
1981.....	63.2	7.5	*	*	*	0.8	2.1	4.4	7.5	15.0
1980.....	67.7	8.2	0.7	0.3	0.5	0.9	2.6	4.3	8.5	15.1
1979.....	68.3	9.8	0.4	0.3	0.3	0.7	2.2	4.3	8.3	18.2
ALL OTHER MALE										
1998.....	41.6	14.4	*	*	*	*	*	1.6	3.8	8.1
1997.....	42.5	12.2	*	*	*	*	1.3	1.9	3.6	8.8
1996.....	43.5	9.4	*	*	*	*	*	*	4.3	10.1
1995.....	44.6	7.6	*	*	*	*	1.2	1.8	4.1	11.3
1994.....	44.0	6.9	*	*	*	*	*	1.8	4.3	10.9
1993.....	43.0	8.3	*	*	*	*	*	2.1	4.0	10.3
1992.....	42.6	9.8	*	*	*	*	1.2	2.0	4.4	12.7
1991.....	45.0	6.3	*	*	*	*	*	2.3	4.9	13.2
1990.....	45.4	9.4	*	*	*	*	1.3	2.1	5.7	13.0
1989.....	46.7	6.4	*	*	*	*	1.3	2.4	5.8	15.1
1988.....	49.5	8.7	*	*	*	*	*	2.8	8.7	15.5
1987.....	49.3	*	*	*	*	*	1.3	3.3	6.3	16.5
1986.....	50.3	7.0	*	*	*	*	1.5	3.4	7.0	14.5
1985.....	51.6	8.6	*	*	*	*	1.4	2.8	6.9	15.1
1984.....	53.0	7.5	*	*	*	*	2.2	2.9	7.0	15.2
1983.....	54.3	7.4	*	*	*	*	2.0	3.4	6.7	15.5
1982.....	57.1	8.3	*	*	*	*	1.3	4.1	6.7	16.7
1981.....	60.4	9.1	*	*	*	*	2.3	4.0	8.5	17.4
1980.....	65.5	10.3	0.6	0.3	0.6	0.9	3.1	4.0	9.6	17.4
1979.....	67.1	11.2	0.4	0.3	0.3	0.8	2.0	4.2	9.0	22.9



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CEREBROVASCULAR DISEASES (430-438)										
ALL OTHER FEMALE										
1998.....	49.4	10.6	*	*	*	*	1.2	2.3	4.1	7.7
1997.....	49.9	9.7	*	*	*	*	*	1.2	4.3	8.9
1996.....	51.3	9.9	*	*	*	*	*	2.2	4.2	9.1
1995.....	51.4	7.3	*	*	*	*	*	1.7	4.0	9.7
1994.....	50.6	6.9	*	*	*	*	*	2.3	5.7	10.8
1993.....	50.2	6.1	*	*	*	*	*	2.2	4.9	9.3
1992.....	49.2	4.8	*	*	*	*	*	2.5	5.4	9.7
1991.....	50.5	6.0	*	*	*	*	1.5	2.8	5.3	9.8
1990.....	52.1	4.9	*	*	*	*	1.4	2.6	6.8	11.0
1989.....	54.9	*	*	*	*	*	1.6	2.9	6.3	9.6
1988.....	56.7	7.0	*	*	*	*	*	2.9	6.0	10.4
1987.....	55.9	6.2	*	*	*	*	1.6	3.0	6.6	10.3
1986.....	56.4	*	*	*	*	*	1.5	3.8	6.1	11.4
1985.....	59.6	*	*	*	*	*	1.7	2.8	6.5	10.3
1984.....	60.1	*	*	*	*	*	1.8	3.8	6.9	11.3
1983.....	61.7	6.0	*	*	*	*	1.9	3.0	5.5	13.1
1982.....	62.0	6.3	*	*	*	*	1.5	3.5	7.4	11.2
1981.....	65.7	*	*	*	*	*	1.9	4.7	6.6	12.9
1980.....	69.7	6.0	0.7	0.3	0.3	0.9	2.2	4.6	7.6	13.1
1979.....	69.5	8.4	0.4	0.3	0.4	0.7	2.3	4.4	7.7	14.3
BLACK, BOTH SEXES										
1998.....	53.0	16.1	0.9	*	*	*	1.0	2.6	4.8	9.8
1997.....	53.4	13.1	*	*	*	*	1.3	1.9	4.8	10.6
1996.....	55.2	11.5	*	*	*	*	*	1.9	5.4	11.8
1995.....	55.9	9.2	0.8	*	*	*	1.2	2.2	4.9	12.9
1994.....	55.2	8.6	*	*	*	*	1.0	2.5	6.3	13.4
1993.....	54.6	7.7	*	*	*	*	1.0	2.8	5.5	11.9
1992.....	53.8	9.3	*	*	*	*	1.1	2.7	6.2	13.9
1991.....	55.7	7.2	*	*	*	*	1.2	3.0	6.5	14.1
1990.....	57.1	8.1	*	*	*	*	1.6	2.7	7.6	15.0
1989.....	59.6	6.1	*	*	*	0.7	1.6	3.3	7.6	15.1
1988.....	62.2	8.9	*	*	*	0.8	1.2	3.4	9.0	16.0
1987.....	61.1	6.9	*	*	*	*	1.5	3.7	7.9	16.5
1986.....	62.0	6.8	*	*	*	*	1.6	4.2	8.3	15.8
1985.....	64.2	7.9	*	*	*	1.0	1.7	3.4	8.3	15.3
1984.....	65.1	6.0	*	*	*	0.8	2.1	3.9	8.3	15.7
1983.....	66.6	7.6	*	*	*	0.8	2.1	3.7	7.6	17.2
1982.....	68.0	7.7	*	*	*	0.9	1.7	4.5	8.7	16.6
1981.....	71.6	8.4	*	*	*	0.8	2.4	5.1	9.0	18.3
1980.....	75.6	8.8	0.6	0.3	0.5	1.0	3.0	5.1	10.1	17.9
1979.....	75.4	10.9	0.5	0.4	0.4	0.7	2.3	4.9	9.5	20.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CEREBROVASCULAR DISEASES (430-438)										
BLACK MALE										
1998.....	47.5	17.9	*	*	*	*	*	2.1	4.3	9.9
1997.....	48.3	14.6	*	*	*	*	*	2.4	4.4	10.6
1996.....	50.1	10.8	*	*	*	*	*	*	5.3	12.2
1995.....	51.0	9.5	*	*	*	*	*	2.3	4.8	13.6
1994.....	50.5	8.9	*	*	*	*	*	1.9	5.3	13.4
1993.....	49.8	9.4	*	*	*	*	*	2.7	4.8	12.2
1992.....	49.5	12.1	*	*	*	*	*	2.5	5.5	15.5
1991.....	52.1	7.3	*	*	*	*	*	2.7	6.3	16.3
1990.....	53.1	10.2	*	*	*	*	1.5	2.3	7.0	16.3
1989.....	54.3	7.6	*	*	*	*	1.5	2.9	7.1	19.2
1988.....	57.6	9.4	*	*	*	*	*	3.2	10.8	19.5
1987.....	56.6	*	*	*	*	*	*	3.6	7.6	20.9
1986.....	58.0	8.2	*	*	*	*	1.6	3.8	8.9	17.9
1985.....	59.2	10.1	*	*	*	*	1.6	3.4	8.5	18.8
1984.....	60.7	8.6	*	*	*	*	2.0	3.4	8.7	18.5
1983.....	61.8	7.7	*	*	*	*	2.3	3.9	8.3	18.7
1982.....	64.7	8.4	*	*	*	*	1.6	4.8	8.3	20.1
1981.....	68.3	10.0	*	*	*	*	2.5	4.6	10.3	21.9
1980.....	73.1	11.2	0.6	0.3	0.7	0.9	3.4	4.8	11.3	21.2
1979.....	73.8	12.7	0.5	0.4	0.3	0.8	2.1	4.9	10.2	26.7
BLACK FEMALE										
1998.....	57.9	14.1	*	*	*	*	*	3.0	5.2	9.7
1997.....	58.0	11.7	*	*	*	*	*	*	5.2	10.7
1996.....	59.7	12.2	*	*	*	*	*	2.6	5.4	11.4
1995.....	60.4	8.8	*	*	*	*	*	2.2	5.1	12.4
1994.....	59.3	8.2	*	*	*	*	*	3.0	7.2	13.4
1993.....	58.8	*	*	*	*	*	*	2.9	6.1	11.6
1992.....	57.8	6.4	*	*	*	*	*	2.8	6.7	12.4
1991.....	59.0	7.2	*	*	*	*	1.8	3.3	6.7	12.2
1990.....	60.7	*	*	*	*	*	1.6	3.0	8.1	13.8
1989.....	64.5	*	*	*	*	*	1.7	3.6	8.0	11.6
1988.....	66.3	8.2	*	*	*	*	*	3.5	7.4	13.0
1987.....	65.1	7.8	*	*	*	*	1.7	3.7	8.2	12.7
1986.....	65.6	*	*	*	*	*	1.5	4.6	7.8	14.0
1985.....	68.6	*	*	*	*	*	1.9	3.5	8.2	12.2
1984.....	69.1	*	*	*	*	*	2.2	4.4	8.0	13.3
1983.....	70.9	7.5	*	*	*	*	2.0	3.6	7.0	15.9
1982.....	70.9	*	*	*	*	*	1.8	4.3	9.1	13.6
1981.....	74.5	*	*	*	*	*	2.2	5.5	7.9	15.2
1980.....	77.9	6.4	0.5	0.2	0.3	1.0	2.5	5.3	9.1	15.1
1979.....	76.8	9.0	0.4	0.3	0.4	0.7	2.5	4.8	8.8	16.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
TOTAL, BOTH SEXES										
1998.....	2.5	*	*	*	*	*	0.3	0.5	0.9	1.7
1997.....	2.6	*	*	*	*	*	0.3	0.4	0.8	1.6
1996.....	2.6	*	*	*	*	0.1	0.2	0.5	0.9	1.7
1995.....	2.7	*	*	*	*	*	0.2	0.4	1.0	2.0
1994.....	2.6	*	*	*	*	*	0.2	0.5	1.1	1.8
1993.....	2.6	*	*	*	*	0.2	0.3	0.5	1.2	1.8
1992.....	2.7	*	*	*	*	0.2	0.3	0.6	1.0	1.9
1991.....	2.7	*	*	*	*	0.1	0.3	0.6	1.2	1.8
1990.....	2.7	*	*	*	*	0.1	0.4	0.8	1.3	2.0
1989.....	2.8	*	*	*	*	*	0.4	0.7	1.3	1.9
1988.....	2.8	*	*	*	*	0.2	0.5	0.7	1.2	2.0
1987.....	2.8	*	*	*	*	0.2	0.4	0.8	1.3	2.2
1986.....	2.8	*	*	*	*	0.2	0.3	0.8	1.3	2.2
1985.....	2.7	*	*	*	*	0.2	0.4	0.8	1.2	2.2
1984.....	2.8	*	*	*	*	0.2	0.4	0.9	1.3	2.3
1983.....	2.7	*	*	*	*	0.2	0.4	0.8	1.1	2.3
1982.....	2.8	*	*	*	0.1	0.2	0.4	0.8	1.3	2.4
1981.....	2.9	*	*	*	*	0.2	0.5	1.0	1.6	2.8
1980.....	2.9	0.5	0.1	0.1	0.1	0.2	0.6	1.0	1.6	2.6
1979.....	3.1	0.3	0.0	0.1	0.1	0.2	0.6	0.9	1.6	2.8
TOTAL, MALE										
1998.....	1.8	*	*	*	*	*	0.4	0.4	0.7	1.5
1997.....	1.8	*	*	*	*	*	0.2	0.4	0.7	1.3
1996.....	1.8	*	*	*	*	*	0.3	0.4	0.8	1.4
1995.....	1.9	*	*	*	*	*	0.3	0.4	0.9	2.0
1994.....	1.9	*	*	*	*	*	0.3	0.5	0.9	1.4
1993.....	1.9	*	*	*	*	*	0.2	0.6	1.1	1.6
1992.....	2.0	*	*	*	*	*	0.3	0.6	0.9	1.7
1991.....	1.9	*	*	*	*	*	0.3	0.5	1.1	1.6
1990.....	2.0	*	*	*	*	*	0.4	0.6	1.2	1.6
1989.....	2.0	*	*	*	*	*	0.3	0.6	1.2	1.7
1988.....	2.1	*	*	*	*	*	0.5	0.7	1.1	2.0
1987.....	2.0	*	*	*	*	*	0.4	0.7	1.2	2.0
1986.....	2.0	*	*	*	*	*	0.4	0.8	1.2	2.0
1985.....	2.0	*	*	*	*	0.3	0.4	0.7	1.1	1.9
1984.....	2.0	*	*	*	*	0.3	0.4	0.9	1.1	1.9
1983.....	2.1	*	*	*	*	0.3	0.5	0.8	1.1	2.2
1982.....	2.1	*	*	*	*	0.2	0.3	0.8	1.2	2.0
1981.....	2.2	*	*	*	*	0.2	0.5	0.9	1.4	2.6
1980.....	2.3	0.7	0.1	0.1	0.1	0.2	0.7	0.9	1.6	2.1
1979.....	2.4	0.3	0.0	0.1	0.1	0.2	0.6	1.1	1.6	2.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
TOTAL, FEMALE										
1998.....	3.3	*	*	*	*	*	*	0.6	1.0	1.9
1997.....	3.3	*	*	*	*	*	0.3	0.4	0.9	1.9
1996.....	3.3	*	*	*	*	*	*	0.6	1.1	2.1
1995.....	3.4	*	*	*	*	*	*	0.4	1.0	2.1
1994.....	3.4	*	*	*	*	*	*	0.6	1.3	2.1
1993.....	3.3	*	*	*	*	*	0.4	0.5	1.2	1.9
1992.....	3.4	*	*	*	*	*	0.2	0.6	1.1	2.1
1991.....	3.4	*	*	*	*	*	0.2	0.7	1.3	2.0
1990.....	3.5	*	*	*	*	*	0.3	0.9	1.5	2.3
1989.....	3.5	*	*	*	*	*	0.4	0.7	1.5	2.2
1988.....	3.4	*	*	*	*	*	0.5	0.7	1.3	2.1
1987.....	3.5	*	*	*	*	*	0.4	0.9	1.5	2.4
1986.....	3.5	*	*	*	*	*	0.3	0.8	1.4	2.4
1985.....	3.4	*	*	*	*	*	0.5	0.8	1.2	2.4
1984.....	3.5	*	*	*	*	*	0.4	0.9	1.4	2.6
1983.....	3.3	*	*	*	*	0.2	0.3	0.8	1.1	2.4
1982.....	3.4	*	*	*	*	0.2	0.4	0.8	1.5	2.8
1981.....	3.5	*	*	*	*	*	0.5	1.0	1.8	3.0
1980.....	3.6	0.2	0.1	0.1	0.1	0.2	0.6	1.0	1.6	3.1
1979.....	3.7	0.2	0.0	0.0	0.1	0.2	0.5	0.8	1.6	3.1
WHITE, BOTH SEXES										
1998.....	2.5	*	*	*	*	*	0.3	0.4	0.8	1.6
1997.....	2.6	*	*	*	*	*	0.2	0.4	0.7	1.4
1996.....	2.6	*	*	*	*	*	0.2	0.4	0.9	1.5
1995.....	2.6	*	*	*	*	*	0.1	0.4	0.8	1.8
1994.....	2.5	*	*	*	*	*	0.3	0.5	0.9	1.5
1993.....	2.6	*	*	*	*	*	0.3	0.4	1.1	1.5
1992.....	2.7	*	*	*	*	0.2	0.2	0.5	0.9	1.5
1991.....	2.6	*	*	*	*	*	0.3	0.5	1.0	1.6
1990.....	2.7	*	*	*	*	*	0.4	0.7	1.0	1.6
1989.....	2.7	*	*	*	*	*	0.3	0.6	1.1	1.6
1988.....	2.7	*	*	*	*	*	0.5	0.6	1.0	1.7
1987.....	2.7	*	*	*	*	0.2	0.3	0.7	1.1	2.0
1986.....	2.7	*	*	*	*	0.2	0.3	0.7	1.1	1.9
1985.....	2.7	*	*	*	*	0.2	0.4	0.7	1.0	1.9
1984.....	2.7	*	*	*	*	0.2	0.3	0.8	1.0	2.0
1983.....	2.7	*	*	*	*	0.2	0.3	0.7	0.9	2.0
1982.....	2.7	*	*	*	*	0.2	0.3	0.7	1.1	2.1
1981.....	2.8	*	*	*	*	0.2	0.5	0.8	1.4	2.5
1980.....	2.9	0.3	0.1	0.1	0.1	0.2	0.6	0.8	1.3	2.4
1979.....	3.0	0.2	0.0	0.0	0.1	0.2	0.5	0.9	1.4	2.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
WHITE MALE										
1998.....	1.8	*	*	*	*	*	0.4	0.4	0.8	1.4
1997.....	1.8	*	*	*	*	*	*	0.4	0.7	1.2
1996.....	1.8	*	*	*	*	*	0.3	0.5	0.7	1.3
1995.....	1.9	*	*	*	*	*	*	0.4	0.8	1.8
1994.....	1.8	*	*	*	*	*	0.3	0.5	0.8	1.3
1993.....	1.9	*	*	*	*	*	*	0.5	1.1	1.5
1992.....	1.9	*	*	*	*	*	0.3	0.5	0.9	1.4
1991.....	1.9	*	*	*	*	*	0.4	0.5	0.9	1.4
1990.....	1.9	*	*	*	*	*	0.4	0.6	1.0	1.5
1989.....	1.9	*	*	*	*	*	0.3	0.6	1.2	1.5
1988.....	2.1	*	*	*	*	*	0.5	0.6	1.0	1.7
1987.....	2.0	*	*	*	*	*	0.3	0.6	1.1	1.7
1986.....	2.0	*	*	*	*	*	0.3	0.6	1.1	1.8
1985.....	2.0	*	*	*	*	0.3	0.3	0.6	1.0	1.8
1984.....	2.0	*	*	*	*	0.3	0.4	0.9	1.0	1.7
1983.....	2.1	*	*	*	*	0.3	0.4	0.7	1.0	1.9
1982.....	2.0	*	*	*	*	*	0.3	0.7	1.1	1.7
1981.....	2.1	*	*	*	*	*	0.5	0.8	1.3	2.3
1980.....	2.2	0.3	0.1	0.1	0.1	0.2	0.7	0.8	1.3	2.0
1979.....	2.4	0.1	0.0	0.1	0.1	0.3	0.6	1.0	1.4	2.2
WHITE FEMALE										
1998.....	3.2	*	*	*	*	*	*	0.5	0.8	1.7
1997.....	3.3	*	*	*	*	*	*	0.4	0.7	1.6
1996.....	3.3	*	*	*	*	*	*	0.4	1.0	1.8
1995.....	3.3	*	*	*	*	*	*	0.4	0.8	1.9
1994.....	3.2	*	*	*	*	*	*	0.5	1.0	1.7
1993.....	3.2	*	*	*	*	*	0.3	0.4	1.1	1.5
1992.....	3.4	*	*	*	*	*	*	0.5	0.8	1.7
1991.....	3.4	*	*	*	*	*	*	0.6	1.1	1.7
1990.....	3.4	*	*	*	*	*	0.3	0.8	1.0	1.6
1989.....	3.4	*	*	*	*	*	0.4	0.6	1.1	1.8
1988.....	3.4	*	*	*	*	*	0.5	0.6	1.0	1.7
1987.....	3.4	*	*	*	*	*	0.3	0.7	1.2	2.2
1986.....	3.4	*	*	*	*	*	0.2	0.7	1.0	2.0
1985.....	3.4	*	*	*	*	*	0.5	0.7	1.0	2.0
1984.....	3.4	*	*	*	*	*	0.3	0.7	1.0	2.2
1983.....	3.2	*	*	*	*	*	0.3	0.6	0.8	2.1
1982.....	3.4	*	*	*	*	*	0.3	0.7	1.1	2.5
1981.....	3.5	*	*	*	*	*	0.5	0.7	1.5	2.7
1980.....	3.5	0.3	0.1	0.1	0.1	0.2	0.4	0.8	1.3	2.7
1979.....	3.6	0.2	0.0	0.0	0.1	0.2	0.4	0.7	1.4	2.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
ALL OTHER, BOTH SEXES										
1998.....	2.6	*	*	*	*	*	*	0.6	1.1	2.2
1997.....	2.7	*	*	*	*	*	*	*	1.4	2.5
1996.....	2.6	*	*	*	*	*	*	0.8	1.4	2.8
1995.....	2.8	*	*	*	*	*	*	0.6	1.7	3.0
1994.....	3.0	*	*	*	*	*	*	0.8	2.0	3.0
1993.....	2.7	*	*	*	*	*	*	0.9	1.5	3.1
1992.....	2.9	*	*	*	*	*	*	0.9	1.9	3.9
1991.....	2.9	*	*	*	*	*	*	0.8	2.1	3.2
1990.....	3.1	*	*	*	*	*	*	0.9	2.9	4.2
1989.....	3.2	*	*	*	*	*	0.6	1.3	2.4	3.7
1988.....	3.0	*	*	*	*	*	0.6	1.3	2.4	3.7
1987.....	3.1	*	*	*	*	*	0.7	1.5	2.5	3.6
1986.....	3.1	*	*	*	*	*	0.6	1.3	2.6	4.4
1985.....	3.0	*	*	*	*	*	0.7	1.2	2.3	3.9
1984.....	3.0	*	*	*	*	*	0.8	1.5	2.8	4.3
1983.....	3.0	*	*	*	*	*	0.7	1.6	2.2	4.2
1982.....	3.1	*	*	*	*	*	0.7	1.5	2.6	4.1
1981.....	3.2	*	*	*	*	*	0.7	2.0	2.7	4.7
1980.....	3.3	1.3	0.1	0.1	0.1	0.4	1.1	1.8	3.3	4.4
1979.....	3.3	0.7	0.0	0.1	0.1	0.3	0.9	1.3	2.9	5.4
ALL OTHER MALE										
1998.....	1.7	*	*	*	*	*	*	*	*	2.0
1997.....	1.8	*	*	*	*	*	*	*	*	1.7
1996.....	1.8	*	*	*	*	*	*	*	1.2	2.1
1995.....	2.0	*	*	*	*	*	*	*	1.6	3.0
1994.....	2.1	*	*	*	*	*	*	*	1.4	2.0
1993.....	2.0	*	*	*	*	*	*	*	1.3	2.5
1992.....	2.1	*	*	*	*	*	*	*	*	3.6
1991.....	2.1	*	*	*	*	*	*	*	1.9	2.9
1990.....	2.1	*	*	*	*	*	*	*	2.0	2.5
1989.....	2.0	*	*	*	*	*	*	*	1.4	3.3
1988.....	2.2	*	*	*	*	*	*	1.2	2.0	3.8
1987.....	2.2	*	*	*	*	*	*	1.2	1.8	3.7
1986.....	2.3	*	*	*	*	*	*	1.4	2.2	3.7
1985.....	2.2	*	*	*	*	*	*	*	2.1	3.0
1984.....	2.2	*	*	*	*	*	*	1.3	2.2	3.3
1983.....	2.1	*	*	*	*	*	*	1.4	1.8	4.0
1982.....	2.3	*	*	*	*	*	*	*	1.6	3.7
1981.....	2.4	*	*	*	*	*	*	*	2.0	4.8
1980.....	2.6	2.5	0.1	0.1	0.1	0.3	0.9	1.6	3.1	3.1
1979.....	2.8	1.0	-	0.1	0.1	0.2	0.7	1.6	2.9	4.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
ALL OTHER FEMALE										
1998.....	3.5	*	*	*	*	*	*	*	1.5	2.4
1997.....	3.6	*	*	*	*	*	*	*	1.9	3.3
1996.....	3.4	*	*	*	*	*	*	1.2	1.5	3.4
1995.....	3.5	*	*	*	*	*	*	*	1.7	3.0
1994.....	3.9	*	*	*	*	*	*	1.1	2.6	4.0
1993.....	3.5	*	*	*	*	*	*	*	1.7	3.7
1992.....	3.7	*	*	*	*	*	*	*	2.7	4.2
1991.....	3.8	*	*	*	*	*	*	1.1	2.3	3.5
1990.....	4.1	*	*	*	*	*	*	1.3	3.7	5.6
1989.....	4.3	*	*	*	*	*	*	1.6	3.2	4.0
1988.....	3.8	*	*	*	*	*	*	1.4	2.8	3.7
1987.....	4.0	*	*	*	*	*	*	1.7	3.0	3.5
1986.....	3.8	*	*	*	*	*	*	1.2	3.0	5.0
1985.....	3.7	*	*	*	*	*	*	1.5	2.5	4.6
1984.....	3.8	*	*	*	*	*	*	1.7	3.4	5.2
1983.....	3.8	*	*	*	*	*	*	1.7	2.5	4.3
1982.....	3.8	*	*	*	*	*	*	1.7	3.5	4.4
1981.....	3.9	*	*	*	*	*	*	2.7	3.3	4.7
1980.....	4.0	-	0.1	0.1	-	0.4	1.2	2.0	3.4	5.5
1979.....	3.8	0.3	0.1	0.1	0.1	0.3	1.0	1.1	2.8	6.0
BLACK, BOTH SEXES										
1998.....	2.8	*	*	*	*	*	*	*	1.3	2.8
1997.....	2.9	*	*	*	*	*	*	*	1.6	2.9
1996.....	2.8	*	*	*	*	*	*	0.8	1.6	3.3
1995.....	3.0	*	*	*	*	*	*	*	2.0	3.7
1994.....	3.2	*	*	*	*	*	*	1.1	2.6	3.7
1993.....	3.0	*	*	*	*	*	*	1.2	1.7	3.6
1992.....	3.2	*	*	*	*	*	*	1.1	2.4	4.8
1991.....	3.2	*	*	*	*	*	*	0.9	2.6	3.9
1990.....	3.4	*	*	*	*	*	*	1.1	3.5	5.0
1989.....	3.5	*	*	*	*	*	*	1.5	2.9	4.5
1988.....	3.3	*	*	*	*	*	*	1.5	2.9	4.3
1987.....	3.3	*	*	*	*	*	*	1.7	2.9	4.5
1986.....	3.4	*	*	*	*	*	0.7	1.5	3.3	5.2
1985.....	3.2	*	*	*	*	*	0.7	1.5	2.9	4.6
1984.....	3.2	*	*	*	*	*	0.8	1.8	3.3	5.0
1983.....	3.3	*	*	*	*	*	0.7	1.9	2.8	4.8
1982.....	3.3	*	*	*	*	*	0.8	1.8	3.3	4.7
1981.....	3.5	*	*	*	*	*	0.8	2.4	3.2	5.6
1980.....	3.6	1.5	-	0.1	0.1	0.4	1.2	2.1	3.8	5.1
1979.....	3.5	0.8	0.1	0.2	0.1	0.3	0.9	1.5	3.1	6.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
BLACK MALE										
1998.....	1.9	*	*	*	*	*	*	*	*	2.5
1997.....	1.9	*	*	*	*	*	*	*	*	1.9
1996.....	1.9	*	*	*	*	*	*	*	*	2.6
1995.....	2.1	*	*	*	*	*	*	*	1.8	3.4
1994.....	2.2	*	*	*	*	*	*	*	1.9	2.4
1993.....	2.1	*	*	*	*	*	*	*	*	2.8
1992.....	2.3	*	*	*	*	*	*	*	*	4.3
1991.....	2.2	*	*	*	*	*	*	*	2.5	3.3
1990.....	2.4	*	*	*	*	*	*	*	2.5	2.7
1989.....	2.2	*	*	*	*	*	*	*	1.6	4.1
1988.....	2.4	*	*	*	*	*	*	*	2.5	4.0
1987.....	2.2	*	*	*	*	*	*	*	2.1	4.6
1986.....	2.6	*	*	*	*	*	*	1.5	2.8	4.3
1985.....	2.4	*	*	*	*	*	*	*	2.5	3.8
1984.....	2.2	*	*	*	*	*	*	*	2.6	3.8
1983.....	2.3	*	*	*	*	*	*	*	2.3	4.5
1982.....	2.4	*	*	*	*	*	*	*	*	3.9
1981.....	2.7	*	*	*	*	*	*	*	2.4	6.0
1980.....	2.9	3.0	-	0.1	0.1	0.4	1.0	1.8	3.5	3.9
1979.....	3.0	1.2	-	0.2	0.1	0.2	0.7	1.8	3.0	5.4
BLACK FEMALE										
1998.....	3.7	*	*	*	*	*	*	*	1.7	3.1
1997.....	3.7	*	*	*	*	*	*	*	2.3	3.8
1996.....	3.6	*	*	*	*	*	*	*	1.8	4.0
1995.....	3.8	*	*	*	*	*	*	*	2.2	3.8
1994.....	4.2	*	*	*	*	*	*	1.5	3.2	4.9
1993.....	3.8	*	*	*	*	*	*	*	2.0	4.4
1992.....	3.9	*	*	*	*	*	*	*	3.3	5.2
1991.....	4.1	*	*	*	*	*	*	1.5	2.7	4.4
1990.....	4.3	*	*	*	*	*	*	1.4	4.4	7.0
1989.....	4.6	*	*	*	*	*	*	1.8	4.1	4.7
1988.....	4.1	*	*	*	*	*	*	1.5	3.4	4.6
1987.....	4.3	*	*	*	*	*	*	2.1	3.7	4.4
1986.....	4.1	*	*	*	*	*	*	1.5	3.8	5.9
1985.....	3.9	*	*	*	*	*	*	1.9	3.2	5.2
1984.....	4.1	*	*	*	*	*	*	2.0	3.9	6.0
1983.....	4.2	*	*	*	*	*	*	2.2	3.1	5.2
1982.....	4.1	*	*	*	*	*	*	2.2	4.4	5.3
1981.....	4.2	*	*	*	*	*	*	3.2	3.9	5.2
1980.....	4.2	-	-	0.1	-	0.5	1.3	2.3	4.0	6.1
1979.....	4.0	0.4	0.1	0.2	0.1	0.3	1.1	1.2	3.2	6.5



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
TOTAL, BOTH SEXES										
1998.....	9.7	1.0	*	*	*	0.1	0.2	0.5	0.8	1.6
1997.....	9.7	0.8	*	*	*	0.2	0.2	0.4	0.9	1.7
1996.....	8.9	1.0	*	0.1	*	0.1	0.2	0.4	0.8	1.7
1995.....	8.6	1.0	*	*	*	0.1	0.3	0.3	0.9	1.8
1994.....	8.4	1.3	*	*	0.1	0.1	0.2	0.3	0.9	1.9
1993.....	8.3	1.5	*	*	0.1	0.2	0.2	0.4	0.8	1.7
1992.....	8.3	1.0	*	*	*	0.2	0.2	0.5	0.8	1.8
1991.....	8.2	1.0	*	*	0.1	0.2	0.3	0.5	0.7	1.9
1990.....	8.3	1.5	*	*	*	0.2	0.3	0.6	0.9	1.7
1989.....	8.4	1.3	*	*	0.1	0.2	0.3	0.5	1.0	1.9
1988.....	8.7	1.4	*	*	*	0.2	0.3	0.6	1.0	1.9
1987.....	8.5	1.4	0.1	*	0.1	0.1	0.3	0.5	1.0	2.0
1986.....	8.5	1.4	*	*	0.1	0.2	0.3	0.6	1.0	2.0
1985.....	8.7	1.8	*	*	0.1	0.2	0.3	0.5	1.0	2.0
1984.....	8.6	1.9	*	*	0.2	0.2	0.4	0.5	1.0	1.9
1983.....	8.3	2.6	*	*	*	0.2	0.4	0.6	1.0	1.9
1982.....	8.6	2.4	*	*	0.2	0.2	0.3	0.6	1.1	1.9
1981.....	8.8	2.4	*	0.1	0.1	0.2	0.4	0.7	1.1	2.2
1980.....	9.2	2.6	0.2	0.1	0.2	0.3	0.4	0.6	1.0	2.1
1979.....	9.7	3.2	0.1	0.1	0.1	0.2	0.4	0.6	1.1	2.2
TOTAL, MALE										
1998.....	9.1	1.3	*	*	*	*	0.2	0.5	0.9	1.8
1997.....	9.1	*	*	*	*	*	0.3	0.4	1.0	2.0
1996.....	8.3	1.1	*	*	*	*	0.3	0.4	0.9	2.0
1995.....	8.1	1.1	*	*	*	*	0.3	0.5	0.9	2.0
1994.....	7.9	1.4	*	*	*	*	0.2	0.4	1.0	2.3
1993.....	7.9	1.8	*	*	*	*	*	0.5	1.0	2.2
1992.....	7.7	1.5	*	*	*	*	0.3	0.5	1.0	2.1
1991.....	7.7	1.3	*	*	*	*	*	0.5	0.8	2.4
1990.....	7.6	1.8	*	*	*	0.2	0.2	0.6	1.0	2.2
1989.....	7.9	1.4	*	*	*	*	0.3	0.6	1.1	2.5
1988.....	8.2	1.5	*	*	*	0.2	0.4	0.7	1.3	2.4
1987.....	8.0	1.5	*	*	*	*	0.3	0.5	1.1	2.5
1986.....	7.8	1.6	*	*	*	0.2	0.3	0.6	1.1	2.5
1985.....	8.1	2.5	*	*	*	*	0.3	0.6	1.2	2.4
1984.....	7.9	2.1	*	*	*	*	0.4	0.5	1.1	2.3
1983.....	7.7	3.1	*	*	*	0.2	0.4	0.7	1.2	2.1
1982.....	8.1	2.9	*	*	0.2	0.3	0.3	0.8	1.3	2.4
1981.....	8.1	2.5	*	*	*	0.2	0.5	0.8	1.2	2.4
1980.....	8.6	2.8	0.2	0.1	0.2	0.3	0.5	0.6	1.2	2.3
1979.....	9.1	3.4	0.1	0.1	0.1	0.2	0.5	0.6	1.1	2.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
TOTAL, FEMALE										
1998.....	10.3	*	*	*	*	*	0.2	0.4	0.7	1.4
1997.....	10.2	*	*	*	*	*	*	0.4	0.9	1.4
1996.....	9.4	*	*	*	*	*	*	0.3	0.7	1.3
1995.....	9.1	*	*	*	*	*	0.3	0.2	0.8	1.5
1994.....	8.8	1.2	*	*	*	*	*	0.3	0.8	1.5
1993.....	8.7	1.1	*	*	*	*	*	0.3	0.7	1.3
1992.....	8.8	*	*	*	*	0.2	*	0.4	0.7	1.5
1991.....	8.7	*	*	*	*	*	0.3	0.5	0.7	1.4
1990.....	8.9	1.2	*	*	*	*	0.3	0.5	0.8	1.3
1989.....	8.9	1.2	*	*	*	*	0.3	0.4	0.8	1.3
1988.....	9.2	1.3	*	*	*	*	0.2	0.4	0.8	1.5
1987.....	9.1	1.2	*	*	*	*	0.3	0.5	0.8	1.4
1986.....	9.2	1.2	*	*	*	*	0.3	0.5	0.8	1.5
1985.....	9.3	1.2	*	*	*	0.2	0.3	0.4	0.8	1.6
1984.....	9.2	1.7	*	*	0.2	*	0.3	0.5	1.0	1.5
1983.....	8.9	2.0	*	*	*	0.2	0.4	0.5	0.8	1.8
1982.....	9.1	1.8	*	*	*	*	0.3	0.5	0.9	1.5
1981.....	9.5	2.3	*	*	*	0.3	0.4	0.6	0.9	2.0
1980.....	9.7	2.4	0.1	0.1	0.2	0.2	0.3	0.6	0.8	1.8
1979.....	10.2	3.0	0.1	0.1	0.1	0.2	0.4	0.5	1.0	1.6
WHITE, BOTH SEXES										
1998.....	9.7	*	*	*	*	*	0.2	0.4	0.6	1.1
1997.....	9.6	*	*	*	*	0.2	0.2	0.3	0.7	1.1
1996.....	8.8	0.7	*	*	*	0.1	0.2	0.3	0.7	1.1
1995.....	8.5	0.7	*	*	*	*	0.2	0.3	0.7	1.1
1994.....	8.2	1.1	*	*	*	*	0.2	0.3	0.7	1.1
1993.....	8.2	1.5	*	*	*	0.2	0.2	0.4	0.6	1.2
1992.....	8.1	*	*	*	*	0.2	0.2	0.4	0.6	1.2
1991.....	8.0	0.7	*	*	*	0.2	0.2	0.3	0.5	1.1
1990.....	8.0	1.0	*	*	*	0.2	0.2	0.4	0.6	1.1
1989.....	8.1	0.9	*	*	*	0.1	0.2	0.4	0.7	1.2
1988.....	8.4	0.9	*	*	*	0.2	0.3	0.5	0.7	1.2
1987.....	8.3	1.0	*	*	*	*	0.3	0.4	0.6	1.2
1986.....	8.3	0.9	*	*	*	0.2	0.3	0.4	0.7	1.3
1985.....	8.4	1.3	*	*	0.1	0.1	0.3	0.4	0.7	1.3
1984.....	8.3	1.5	*	*	0.2	0.2	0.3	0.4	0.7	1.2
1983.....	8.0	2.2	*	*	*	0.3	0.3	0.6	0.7	1.3
1982.....	8.3	1.7	*	*	0.2	0.2	0.3	0.5	0.8	1.3
1981.....	8.6	1.7	*	*	*	0.2	0.3	0.5	0.7	1.6
1980.....	8.8	2.2	0.2	0.1	0.1	0.3	0.3	0.5	0.6	1.4
1979.....	9.3	2.4	0.1	0.1	0.1	0.2	0.4	0.4	0.7	1.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
WHITE MALE										
1998.....	8.9	*	*	*	*	*	*	0.4	0.7	1.3
1997.....	8.7	*	*	*	*	*	*	0.3	0.8	1.4
1996.....	7.9	*	*	*	*	*	*	0.4	0.8	1.3
1995.....	7.7	*	*	*	*	*	*	0.4	0.8	1.2
1994.....	7.5	1.3	*	*	*	*	*	0.4	0.8	1.5
1993.....	7.5	1.8	*	*	*	*	*	0.5	0.7	1.6
1992.....	7.4	*	*	*	*	*	0.3	0.4	0.8	1.4
1991.....	7.2	*	*	*	*	*	*	0.4	0.6	1.4
1990.....	7.1	*	*	*	*	0.3	*	0.4	0.7	1.4
1989.....	7.4	*	*	*	*	*	*	0.5	0.7	1.5
1988.....	7.6	*	*	*	*	*	0.4	0.6	0.8	1.4
1987.....	7.4	*	*	*	*	*	0.3	0.5	0.8	1.4
1986.....	7.3	*	*	*	*	*	0.3	0.5	0.7	1.6
1985.....	7.6	1.8	*	*	*	*	0.3	0.5	0.8	1.4
1984.....	7.4	1.4	*	*	*	*	0.3	0.4	0.8	1.4
1983.....	7.2	2.7	*	*	*	0.3	0.3	0.7	0.8	1.3
1982.....	7.6	2.2	*	*	*	0.3	0.3	0.6	0.9	1.4
1981.....	7.6	1.7	*	*	*	*	0.4	0.5	0.8	1.6
1980.....	8.0	2.4	0.2	0.1	0.1	0.3	0.3	0.5	0.7	1.4
1979.....	8.5	2.6	0.2	0.1	0.1	0.2	0.4	0.4	0.7	1.6
WHITE FEMALE										
1998.....	10.4	*	*	*	*	*	*	0.3	0.4	1.0
1997.....	10.4	*	*	*	*	*	*	0.3	0.7	0.9
1996.....	9.5	*	*	*	*	*	*	0.3	0.5	0.9
1995.....	9.2	*	*	*	*	*	*	*	0.6	1.0
1994.....	8.8	*	*	*	*	*	*	*	0.6	0.8
1993.....	8.8	*	*	*	*	*	*	*	0.4	0.8
1992.....	8.9	*	*	*	*	*	*	0.3	0.5	1.0
1991.....	8.7	*	*	*	*	*	*	0.3	0.5	0.9
1990.....	8.9	*	*	*	*	*	*	0.4	0.5	0.9
1989.....	8.8	*	*	*	*	*	*	0.3	0.6	0.9
1988.....	9.1	*	*	*	*	*	*	0.4	0.6	1.0
1987.....	9.1	*	*	*	*	*	*	0.4	0.5	1.0
1986.....	9.2	*	*	*	*	*	0.2	0.3	0.6	1.0
1985.....	9.3	*	*	*	*	*	0.3	0.3	0.5	1.1
1984.....	9.2	1.6	*	*	*	*	0.3	0.3	0.7	1.1
1983.....	8.8	1.6	*	*	*	*	0.3	0.5	0.6	1.2
1982.....	9.1	*	*	*	*	*	0.3	0.3	0.7	1.1
1981.....	9.5	1.6	*	*	*	0.3	0.3	0.4	0.7	1.5
1980.....	9.6	2.1	0.1	0.1	0.2	0.2	0.3	0.4	0.5	1.4
1979.....	10.1	2.3	0.1	0.2	0.1	0.2	0.3	0.3	0.7	1.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
ALL OTHER, BOTH SEXES										
1998.....	9.9	2.7	*	*	*	*	*	0.9	1.7	3.7
1997.....	10.1	*	*	*	*	*	*	0.7	1.8	4.2
1996.....	9.5	*	*	*	*	*	*	*	1.6	4.3
1995.....	9.4	*	*	*	*	*	*	0.7	1.5	5.0
1994.....	9.4	*	*	*	*	*	*	0.6	2.0	5.5
1993.....	9.1	*	*	*	*	*	*	0.6	2.1	4.5
1992.....	9.0	2.7	*	*	*	*	*	0.8	1.8	4.8
1991.....	9.5	*	*	*	*	*	*	1.3	1.8	5.8
1990.....	9.5	3.5	*	*	*	*	0.6	1.1	2.2	4.7
1989.....	9.8	2.8	*	*	*	*	0.6	1.0	2.5	5.7
1988.....	10.3	3.6	*	*	*	*	*	1.1	2.8	5.8
1987.....	10.0	2.8	*	*	*	*	*	0.9	2.7	6.4
1986.....	10.0	3.6	*	*	*	*	*	1.5	2.5	5.8
1985.....	10.3	4.1	*	*	*	*	0.6	1.2	2.7	6.2
1984.....	10.0	3.6	*	*	*	*	0.8	1.2	2.8	6.2
1983.....	9.9	4.5	*	*	*	*	0.7	0.8	2.6	6.1
1982.....	10.0	5.1	*	*	*	*	*	1.6	2.7	6.3
1981.....	10.2	5.7	*	*	*	*	0.9	1.9	3.1	6.2
1980.....	11.4	4.4	0.1	0.1	0.3	0.3	1.0	1.7	3.3	6.4
1979.....	11.9	6.8	0.0	0.1	0.2	0.4	0.8	1.7	3.3	7.4
ALL OTHER MALE										
1998.....	10.4	*	*	*	*	*	*	*	1.8	3.9
1997.....	11.0	*	*	*	*	*	*	*	2.0	4.8
1996.....	10.2	*	*	*	*	*	*	*	1.7	5.6
1995.....	10.2	*	*	*	*	*	*	*	1.5	6.0
1994.....	10.1	*	*	*	*	*	*	*	2.1	6.6
1993.....	10.0	*	*	*	*	*	*	*	2.1	5.4
1992.....	9.7	*	*	*	*	*	*	*	2.2	6.1
1991.....	10.2	*	*	*	*	*	*	1.3	1.8	7.5
1990.....	10.3	5.1	*	*	*	*	*	1.2	2.7	6.6
1989.....	10.6	*	*	*	*	*	*	*	3.3	8.0
1988.....	11.2	*	*	*	*	*	*	1.3	3.8	8.0
1987.....	10.9	*	*	*	*	*	*	*	3.0	9.1
1986.....	10.5	*	*	*	*	*	*	1.5	3.2	7.8
1985.....	11.0	5.8	*	*	*	*	*	1.3	3.1	8.6
1984.....	10.5	*	*	*	*	*	*	*	3.0	8.5
1983.....	10.4	*	*	*	*	*	*	*	3.4	7.3
1982.....	10.9	5.9	*	*	*	*	*	1.9	3.6	9.2
1981.....	11.2	6.1	*	*	*	*	*	2.3	4.2	8.1
1980.....	12.2	5.0	0.1	0.1	0.4	0.3	1.2	1.6	4.6	9.0
1979.....	13.0	7.3	-	0.1	0.2	0.6	0.9	1.5	3.9	11.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
ALL OTHER FEMALE										
1998.....	9.4	*	*	*	*	*	*	*	1.7	3.5
1997.....	9.2	*	*	*	*	*	*	*	1.6	3.6
1996.....	8.8	*	*	*	*	*	*	*	1.5	3.2
1995.....	8.7	*	*	*	*	*	*	*	1.6	4.1
1994.....	8.7	*	*	*	*	*	*	*	2.0	4.5
1993.....	8.2	*	*	*	*	*	*	*	2.1	3.6
1992.....	8.3	*	*	*	*	*	*	*	1.4	3.7
1991.....	8.8	*	*	*	*	*	*	1.3	1.8	4.3
1990.....	8.7	*	*	*	*	*	*	*	1.8	3.1
1989.....	9.1	*	*	*	*	*	*	*	1.8	3.6
1988.....	9.5	*	*	*	*	*	*	*	1.8	3.8
1987.....	9.1	*	*	*	*	*	*	*	2.4	4.0
1986.....	9.5	*	*	*	*	*	*	1.6	1.9	4.1
1985.....	9.6	*	*	*	*	*	*	*	2.4	4.1
1984.....	9.6	*	*	*	*	*	*	1.2	2.6	4.3
1983.....	9.5	*	*	*	*	*	*	*	2.0	5.2
1982.....	9.2	*	*	*	*	*	*	1.4	1.9	3.9
1981.....	9.4	*	*	*	*	*	*	1.5	2.2	4.5
1980.....	10.6	3.8	0.2	0.1	0.3	0.3	0.7	1.8	2.3	4.1
1979.....	10.9	6.4	0.1	-	0.2	0.2	0.6	1.8	2.8	3.7
BLACK, BOTH SEXES										
1998.....	10.7	*	*	*	*	*	*	1.1	2.0	4.5
1997.....	10.9	*	*	*	*	*	*	*	2.2	5.0
1996.....	10.4	*	*	*	*	*	*	*	2.0	5.3
1995.....	10.2	*	*	*	*	*	*	0.9	1.9	6.3
1994.....	10.4	*	*	*	*	*	*	*	2.5	6.7
1993.....	10.1	*	*	*	*	*	*	0.9	2.6	5.5
1992.....	9.9	3.5	*	*	*	*	*	0.9	2.3	6.0
1991.....	10.4	*	*	*	*	*	*	1.4	2.2	7.3
1990.....	10.6	4.1	*	*	*	*	*	1.2	2.6	5.9
1989.....	11.0	*	*	*	*	*	*	1.3	3.1	7.2
1988.....	11.6	4.1	*	*	*	*	*	1.3	3.4	7.5
1987.....	11.0	3.5	*	*	*	*	*	1.0	3.4	7.9
1986.....	11.1	4.0	*	*	*	*	*	1.9	3.1	7.4
1985.....	11.4	4.9	*	*	*	*	*	1.4	3.4	7.7
1984.....	11.2	4.3	*	*	*	*	0.8	1.3	3.4	7.6
1983.....	11.0	5.0	*	*	*	*	0.8	1.0	3.2	7.6
1982.....	11.2	5.9	*	*	*	*	*	1.9	3.2	8.0
1981.....	11.3	6.3	*	*	*	*	1.1	2.2	3.9	7.8
1980.....	12.4	5.0	0.2	0.2	0.3	0.3	1.1	2.0	3.9	7.6
1979.....	12.9	8.0	0.1	0.1	0.2	0.4	0.9	2.0	3.9	8.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
BLACK MALE										
1998.....	11.4	*	*	*	*	*	*	*	1.9	4.6
1997.....	12.0	*	*	*	*	*	*	*	2.5	5.6
1996.....	11.3	*	*	*	*	*	*	*	2.1	6.6
1995.....	11.0	*	*	*	*	*	*	*	1.7	7.4
1994.....	11.1	*	*	*	*	*	*	*	2.4	8.0
1993.....	11.1	*	*	*	*	*	*	*	2.6	6.6
1992.....	10.8	*	*	*	*	*	*	*	2.7	7.4
1991.....	11.2	*	*	*	*	*	*	1.6	2.1	9.5
1990.....	11.5	*	*	*	*	*	*	*	3.2	8.4
1989.....	12.0	*	*	*	*	*	*	*	4.0	10.1
1988.....	12.7	*	*	*	*	*	*	1.5	4.7	10.5
1987.....	12.1	*	*	*	*	*	*	*	3.8	11.6
1986.....	11.6	*	*	*	*	*	*	1.8	3.9	9.7
1985.....	12.3	*	*	*	*	*	*	1.6	3.8	10.8
1984.....	11.7	*	*	*	*	*	*	*	3.7	10.5
1983.....	11.5	*	*	*	*	*	*	*	3.9	8.9
1982.....	12.1	*	*	*	*	*	*	2.3	4.4	11.7
1981.....	12.3	*	*	*	*	*	*	2.7	5.3	10.5
1980.....	13.4	5.6	0.1	0.2	0.4	0.3	1.5	1.9	5.4	10.8
1979.....	14.2	8.5	-	0.2	0.2	0.6	1.1	1.8	4.6	13.7
BLACK FEMALE										
1998.....	10.1	*	*	*	*	*	*	*	2.1	4.5
1997.....	10.0	*	*	*	*	*	*	*	1.9	4.4
1996.....	9.6	*	*	*	*	*	*	*	1.9	4.1
1995.....	9.5	*	*	*	*	*	*	*	2.1	5.3
1994.....	9.7	*	*	*	*	*	*	*	2.5	5.6
1993.....	9.1	*	*	*	*	*	*	*	2.5	4.5
1992.....	9.1	*	*	*	*	*	*	*	1.8	4.8
1991.....	9.7	*	*	*	*	*	*	*	2.4	5.4
1990.....	9.7	*	*	*	*	*	*	*	2.1	3.8
1989.....	10.1	*	*	*	*	*	*	*	2.4	4.6
1988.....	10.6	*	*	*	*	*	*	*	2.4	4.9
1987.....	10.1	*	*	*	*	*	*	*	3.0	4.8
1986.....	10.7	*	*	*	*	*	*	1.9	2.4	5.3
1985.....	10.6	*	*	*	*	*	*	*	3.1	5.1
1984.....	10.7	*	*	*	*	*	*	*	3.1	5.2
1983.....	10.6	*	*	*	*	*	*	*	2.5	6.5
1982.....	10.4	*	*	*	*	*	*	1.6	2.2	5.0
1981.....	10.3	*	*	*	*	*	*	1.8	2.6	5.5
1980.....	11.6	4.5	0.2	0.2	0.2	0.3	0.8	2.1	2.7	5.0
1979.....	11.8	7.4	0.1	-	0.2	0.2	0.6	2.1	3.4	4.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)										
TOTAL, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	0.0	-	0.0	0.0	0.0	0.0	0.1
1979.....	0.8	-	-	-	0.0	0.0	0.0	0.0	0.0	0.1
TOTAL, MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	-	-	-	0.0	0.0	0.0	0.1
1979.....	0.9	-	-	-	0.0	0.0	-	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)										
TOTAL, FEMALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.7	-	-	0.0	-	0.0	0.0	0.0	0.0	0.1
1979.....	0.7	-	-	-	0.0	0.0	0.0	0.0	0.1	0.1
WHITE, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	0.0	-	0.0	0.0	0.0	0.0	0.1
1979.....	0.9	-	-	-	0.0	0.0	0.0	0.0	0.0	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)										
WHITE MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	0.9	-	-	-	-	-	0.0	0.0	0.0	0.1
1979.....	1.0	-	-	-	0.0	0.0	-	0.0	0.0	0.1
WHITE FEMALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0
1979.....	0.8	-	-	-	0.0	0.0	0.0	0.0	0.1	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)										
ALL OTHER FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	-	-	-	0.1	0.2
1979.....	0.5	-	-	-	-	0.1	0.1	0.1	0.1	0.2
BLACK, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	-	-	-	-	0.1	0.3
1979.....	0.5	-	-	-	-	0.0	0.1	0.0	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)										
BLACK MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	-	-	-	-	-	-	-	0.3
1979.....	0.6	-	-	-	-	-	-	-	-	0.3
BLACK FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.5	-	-	-	-	-	-	-	0.1	0.3
1979.....	0.5	-	-	-	-	0.1	0.1	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
TOTAL, BOTH SEXES										
1998.....	4.1	0.7	*	*	*	*	*	*	*	0.2
1997.....	4.5	0.7	*	*	*	*	*	*	0.1	0.3
1996.....	4.9	*	*	*	*	*	*	*	0.1	0.2
1995.....	5.3	0.6	*	*	*	*	*	*	0.1	0.2
1994.....	5.6	0.7	*	*	*	*	*	*	0.1	0.2
1993.....	5.9	0.6	*	*	*	*	*	*	0.1	0.2
1992.....	6.1	0.5	*	*	*	*	*	*	0.1	0.2
1991.....	6.6	0.5	*	*	*	*	*	*	0.1	0.3
1990.....	7.3	*	*	*	*	*	*	*	0.1	0.3
1989.....	8.0	*	*	*	*	*	*	*	0.1	0.3
1988.....	8.7	0.8	*	*	*	*	*	*	0.2	0.3
1987.....	9.2	*	*	*	*	*	*	*	0.2	0.3
1986.....	9.8	*	*	*	*	*	*	0.1	0.2	0.3
1985.....	10.3	*	*	*	*	*	*	*	0.2	0.3
1984.....	10.7	*	*	*	*	*	*	*	0.2	0.3
1983.....	11.3	*	*	*	*	*	*	*	0.2	0.4
1982.....	12.2	*	*	*	*	*	*	*	0.2	0.3
1981.....	13.5	*	*	*	*	*	*	*	0.2	0.4
1980.....	15.0	0.4	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.4
1979.....	15.9	0.3	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.4
TOTAL, MALE										
1998.....	3.2	*	*	*	*	*	*	*	*	0.2
1997.....	3.5	*	*	*	*	*	*	*	*	0.3
1996.....	3.9	*	*	*	*	*	*	*	*	0.2
1995.....	4.1	*	*	*	*	*	*	*	*	0.2
1994.....	4.5	*	*	*	*	*	*	*	*	*
1993.....	4.8	*	*	*	*	*	*	*	*	0.3
1992.....	4.9	*	*	*	*	*	*	*	*	0.2
1991.....	5.3	*	*	*	*	*	*	*	*	0.4
1990.....	5.8	*	*	*	*	*	*	*	0.2	0.3
1989.....	6.4	*	*	*	*	*	*	*	*	0.4
1988.....	7.0	*	*	*	*	*	*	*	0.3	0.4
1987.....	7.4	*	*	*	*	*	*	*	0.2	0.3
1986.....	7.9	*	*	*	*	*	*	*	0.2	0.3
1985.....	8.2	*	*	*	*	*	*	*	*	0.3
1984.....	8.8	*	*	*	*	*	*	*	*	0.4
1983.....	9.3	*	*	*	*	*	*	*	0.2	0.4
1982.....	10.0	*	*	*	*	*	*	*	*	*
1981.....	11.1	*	*	*	*	*	*	*	*	0.4
1980.....	12.5	0.6	0.1	0.0	-	0.1	0.1	0.1	0.3	0.4
1979.....	13.3	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
TOTAL, FEMALE										
1998.....	4.9	*	*	*	*	*	*	*	*	0.2
1997.....	5.4	*	*	*	*	*	*	*	*	0.2
1996.....	5.9	*	*	*	*	*	*	*	*	0.2
1995.....	6.4	*	*	*	*	*	*	*	*	0.2
1994.....	6.7	*	*	*	*	*	*	*	*	0.2
1993.....	7.0	*	*	*	*	*	*	*	*	0.2
1992.....	7.3	*	*	*	*	*	*	*	*	0.2
1991.....	7.8	*	*	*	*	*	*	*	*	*
1990.....	8.8	*	*	*	*	*	*	*	*	0.3
1989.....	9.6	*	*	*	*	*	*	*	*	*
1988.....	10.3	*	*	*	*	*	*	*	*	*
1987.....	11.0	*	*	*	*	*	*	*	*	0.3
1986.....	11.6	*	*	*	*	*	*	*	*	*
1985.....	12.3	*	*	*	*	*	*	*	*	0.2
1984.....	12.5	*	*	*	*	*	*	*	*	*
1983.....	13.2	*	*	*	*	*	*	*	*	0.4
1982.....	14.3	*	*	*	*	*	*	*	0.2	0.3
1981.....	15.8	*	*	*	*	*	*	*	*	0.3
1980.....	17.4	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.3
1979.....	18.3	0.4	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.4
WHITE, BOTH SEXES										
1998.....	4.3	0.7	*	*	*	*	*	*	*	0.2
1997.....	4.7	*	*	*	*	*	*	*	*	0.2
1996.....	5.2	*	*	*	*	*	*	*	*	0.2
1995.....	5.5	*	*	*	*	*	*	*	0.1	0.2
1994.....	5.9	0.8	*	*	*	*	*	*	*	0.2
1993.....	6.2	*	*	*	*	*	*	*	*	0.2
1992.....	6.4	*	*	*	*	*	*	*	*	0.2
1991.....	6.9	*	*	*	*	*	*	*	*	0.2
1990.....	7.7	*	*	*	*	*	*	*	0.1	0.2
1989.....	8.4	*	*	*	*	*	*	*	*	0.2
1988.....	9.1	0.7	*	*	*	*	*	*	0.1	0.2
1987.....	9.8	*	*	*	*	*	*	*	0.2	0.2
1986.....	10.3	*	*	*	*	*	*	*	0.1	0.2
1985.....	10.8	*	*	*	*	*	*	*	0.2	0.2
1984.....	11.3	*	*	*	*	*	*	*	0.2	0.3
1983.....	11.8	*	*	*	*	*	*	*	0.1	0.3
1982.....	12.8	*	*	*	*	*	*	*	0.2	0.2
1981.....	14.1	*	*	*	*	*	*	*	0.1	0.3
1980.....	15.6	0.3	0.1	0.0	-	0.0	0.1	0.1	0.2	0.3
1979.....	16.5	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
WHITE MALE										
1998.....	3.2	*	*	*	*	*	*	*	*	*
1997.....	3.6	*	*	*	*	*	*	*	*	0.2
1996.....	4.0	*	*	*	*	*	*	*	*	0.2
1995.....	4.2	*	*	*	*	*	*	*	*	*
1994.....	4.6	*	*	*	*	*	*	*	*	*
1993.....	4.9	*	*	*	*	*	*	*	*	0.2
1992.....	5.0	*	*	*	*	*	*	*	*	*
1991.....	5.5	*	*	*	*	*	*	*	*	0.3
1990.....	6.0	*	*	*	*	*	*	*	*	0.3
1989.....	6.6	*	*	*	*	*	*	*	*	0.3
1988.....	7.2	*	*	*	*	*	*	*	*	*
1987.....	7.6	*	*	*	*	*	*	*	0.2	*
1986.....	8.1	*	*	*	*	*	*	*	*	0.3
1985.....	8.5	*	*	*	*	*	*	*	*	*
1984.....	9.1	*	*	*	*	*	*	*	*	0.4
1983.....	9.6	*	*	*	*	*	*	*	*	0.3
1982.....	10.3	*	*	*	*	*	*	*	*	*
1981.....	11.4	*	*	*	*	*	*	*	*	*
1980.....	12.8	0.5	0.0	-	-	0.1	0.1	0.1	0.2	0.3
1979.....	13.6	0.2	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.2
WHITE FEMALE										
1998.....	5.3	*	*	*	*	*	*	*	*	*
1997.....	5.8	*	*	*	*	*	*	*	*	*
1996.....	6.3	*	*	*	*	*	*	*	*	*
1995.....	6.8	*	*	*	*	*	*	*	*	*
1994.....	7.2	*	*	*	*	*	*	*	*	*
1993.....	7.5	*	*	*	*	*	*	*	*	*
1992.....	7.8	*	*	*	*	*	*	*	*	*
1991.....	8.4	*	*	*	*	*	*	*	*	*
1990.....	9.4	*	*	*	*	*	*	*	*	*
1989.....	10.2	*	*	*	*	*	*	*	*	*
1988.....	11.0	*	*	*	*	*	*	*	*	*
1987.....	11.8	*	*	*	*	*	*	*	*	0.3
1986.....	12.3	*	*	*	*	*	*	*	*	*
1985.....	13.0	*	*	*	*	*	*	*	*	*
1984.....	13.4	*	*	*	*	*	*	*	*	*
1983.....	13.9	*	*	*	*	*	*	*	*	0.3
1982.....	15.2	*	*	*	*	*	*	*	*	*
1981.....	16.8	*	*	*	*	*	*	*	*	*
1980.....	18.3	0.2	0.1	0.0	-	0.0	0.0	0.1	0.1	0.3
1979.....	19.4	0.4	0.1	-	0.0	0.0	0.0	0.1	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
ALL OTHER, BOTH SEXES										
1998.....	3.1	*	*	*	*	*	*	*	*	*
1997.....	3.3	*	*	*	*	*	*	*	*	0.5
1996.....	3.6	*	*	*	*	*	*	*	*	*
1995.....	4.1	*	*	*	*	*	*	*	*	*
1994.....	4.3	*	*	*	*	*	*	*	*	*
1993.....	4.4	*	*	*	*	*	*	*	*	*
1992.....	4.7	*	*	*	*	*	*	*	*	0.6
1991.....	4.9	*	*	*	*	*	*	*	*	0.6
1990.....	5.5	*	*	*	*	*	*	*	*	0.7
1989.....	5.9	*	*	*	*	*	*	*	*	*
1988.....	6.4	*	*	*	*	*	*	*	0.7	0.8
1987.....	6.5	*	*	*	*	*	*	*	*	0.7
1986.....	7.1	*	*	*	*	*	*	*	*	*
1985.....	7.6	*	*	*	*	*	*	*	*	*
1984.....	7.6	*	*	*	*	*	*	*	*	*
1983.....	8.4	*	*	*	*	*	*	*	*	1.1
1982.....	8.7	*	*	*	*	*	*	*	*	*
1981.....	9.8	*	*	*	*	*	*	*	*	1.0
1980.....	11.5	0.8	0.3	0.0	0.0	0.1	0.2	0.2	0.5	0.8
1979.....	11.9	0.5	0.1	0.0	-	-	0.2	0.4	0.2	1.1
ALL OTHER MALE										
1998.....	2.7	*	*	*	*	*	*	*	*	*
1997.....	3.0	*	*	*	*	*	*	*	*	*
1996.....	3.3	*	*	*	*	*	*	*	*	*
1995.....	3.6	*	*	*	*	*	*	*	*	*
1994.....	4.1	*	*	*	*	*	*	*	*	*
1993.....	3.9	*	*	*	*	*	*	*	*	*
1992.....	4.3	*	*	*	*	*	*	*	*	*
1991.....	4.8	*	*	*	*	*	*	*	*	*
1990.....	4.9	*	*	*	*	*	*	*	*	*
1989.....	5.2	*	*	*	*	*	*	*	*	*
1988.....	5.8	*	*	*	*	*	*	*	*	*
1987.....	6.2	*	*	*	*	*	*	*	*	*
1986.....	6.4	*	*	*	*	*	*	*	*	*
1985.....	6.9	*	*	*	*	*	*	*	*	*
1984.....	7.3	*	*	*	*	*	*	*	*	*
1983.....	7.8	*	*	*	*	*	*	*	*	*
1982.....	8.3	*	*	*	*	*	*	*	*	*
1981.....	9.2	*	*	*	*	*	*	*	*	*
1980.....	10.8	1.3	0.2	0.1	-	0.2	0.2	0.2	0.5	1.3
1979.....	11.8	0.3	0.2	-	-	-	0.1	0.3	0.1	1.5



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
ALL OTHER FEMALE										
1998.....	3.4	*	*	*	*	*	*	*	*	*
1997.....	3.7	*	*	*	*	*	*	*	*	*
1996.....	3.8	*	*	*	*	*	*	*	*	*
1995.....	4.5	*	*	*	*	*	*	*	*	*
1994.....	4.5	*	*	*	*	*	*	*	*	*
1993.....	4.8	*	*	*	*	*	*	*	*	*
1992.....	5.0	*	*	*	*	*	*	*	*	*
1991.....	5.1	*	*	*	*	*	*	*	*	*
1990.....	5.9	*	*	*	*	*	*	*	*	*
1989.....	6.4	*	*	*	*	*	*	*	*	*
1988.....	6.8	*	*	*	*	*	*	*	*	*
1987.....	6.7	*	*	*	*	*	*	*	*	*
1986.....	7.6	*	*	*	*	*	*	*	*	*
1985.....	8.3	*	*	*	*	*	*	*	*	*
1984.....	7.9	*	*	*	*	*	*	*	*	*
1983.....	9.0	*	*	*	*	*	*	*	*	*
1982.....	9.1	*	*	*	*	*	*	*	*	*
1981.....	10.3	*	*	*	*	*	*	*	*	*
1980.....	12.1	0.3	0.4	-	0.1	-	0.1	0.2	0.5	0.4
1979.....	12.0	0.7	0.1	0.1	-	-	0.2	0.5	0.3	0.7
BLACK, BOTH SEXES										
1998.....	3.7	*	*	*	*	*	*	*	*	*
1997.....	4.0	*	*	*	*	*	*	*	*	*
1996.....	4.2	*	*	*	*	*	*	*	*	*
1995.....	4.8	*	*	*	*	*	*	*	*	*
1994.....	5.1	*	*	*	*	*	*	*	*	*
1993.....	5.2	*	*	*	*	*	*	*	*	*
1992.....	5.6	*	*	*	*	*	*	*	*	0.8
1991.....	5.9	*	*	*	*	*	*	*	*	*
1990.....	6.5	*	*	*	*	*	*	*	*	1.0
1989.....	7.0	*	*	*	*	*	*	*	*	*
1988.....	7.5	*	*	*	*	*	*	*	0.8	1.1
1987.....	7.6	*	*	*	*	*	*	*	*	1.0
1986.....	8.2	*	*	*	*	*	*	*	*	*
1985.....	8.9	*	*	*	*	*	*	*	*	*
1984.....	8.9	*	*	*	*	*	*	*	*	*
1983.....	9.7	*	*	*	*	*	*	*	*	1.3
1982.....	9.9	*	*	*	*	*	*	*	*	*
1981.....	11.1	*	*	*	*	*	*	*	*	*
1980.....	12.9	0.6	0.3	0.0	0.0	0.1	0.1	0.3	0.6	1.0
1979.....	13.1	0.4	0.2	0.0	-	-	0.2	0.4	0.2	1.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
BLACK MALE										
1998.....	3.2	*	*	*	*	*	*	*	*	*
1997.....	3.6	*	*	*	*	*	*	*	*	*
1996.....	3.8	*	*	*	*	*	*	*	*	*
1995.....	4.2	*	*	*	*	*	*	*	*	*
1994.....	4.8	*	*	*	*	*	*	*	*	*
1993.....	4.6	*	*	*	*	*	*	*	*	*
1992.....	5.0	*	*	*	*	*	*	*	*	*
1991.....	5.6	*	*	*	*	*	*	*	*	*
1990.....	5.9	*	*	*	*	*	*	*	*	*
1989.....	6.2	*	*	*	*	*	*	*	*	*
1988.....	6.9	*	*	*	*	*	*	*	*	*
1987.....	7.2	*	*	*	*	*	*	*	*	*
1986.....	7.5	*	*	*	*	*	*	*	*	*
1985.....	8.0	*	*	*	*	*	*	*	*	*
1984.....	8.4	*	*	*	*	*	*	*	*	*
1983.....	8.9	*	*	*	*	*	*	*	*	*
1982.....	9.5	*	*	*	*	*	*	*	*	*
1981.....	10.4	*	*	*	*	*	*	*	*	*
1980.....	12.1	0.7	0.2	0.1	-	0.1	0.2	0.3	0.7	1.7
1979.....	13.0	0.4	0.2	-	-	-	0.2	0.4	0.1	1.7
BLACK FEMALE										
1998.....	4.0	*	*	*	*	*	*	*	*	*
1997.....	4.4	*	*	*	*	*	*	*	*	*
1996.....	4.5	*	*	*	*	*	*	*	*	*
1995.....	5.4	*	*	*	*	*	*	*	*	*
1994.....	5.3	*	*	*	*	*	*	*	*	*
1993.....	5.7	*	*	*	*	*	*	*	*	*
1992.....	6.0	*	*	*	*	*	*	*	*	*
1991.....	6.2	*	*	*	*	*	*	*	*	*
1990.....	7.0	*	*	*	*	*	*	*	*	*
1989.....	7.7	*	*	*	*	*	*	*	*	*
1988.....	8.1	*	*	*	*	*	*	*	*	*
1987.....	8.0	*	*	*	*	*	*	*	*	*
1986.....	8.9	*	*	*	*	*	*	*	*	*
1985.....	9.7	*	*	*	*	*	*	*	*	*
1984.....	9.3	*	*	*	*	*	*	*	*	*
1983.....	10.5	*	*	*	*	*	*	*	*	*
1982.....	10.3	*	*	*	*	*	*	*	*	*
1981.....	11.8	*	*	*	*	*	*	*	*	*
1980.....	13.5	0.4	0.3	-	0.1	-	0.1	0.2	0.6	0.5
1979.....	13.2	0.4	0.1	0.1	-	-	0.2	0.5	0.3	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL EMBOLISM (434.1)										
TOTAL, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.0	-	-	0.0	0.0	-	0.0	0.0	0.0
1979.....	0.4	-	-	-	-	0.0	0.0	0.0	0.0	0.0
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	0.0	-	0.0	0.0	0.0
1979.....	0.3	-	-	-	-	0.0	-	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL EMBOLISM (434.1)										
TOTAL, FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.1	-	-	0.0	0.0	-	0.0	0.1	0.0
1979.....	0.5	-	-	-	-	-	0.0	-	0.0	0.0
WHITE, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	0.0	0.0	-	0.0	0.0	0.0
1979.....	0.4	-	-	-	-	0.0	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL EMBOLISM (434.1)										
WHITE MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	0.0	-	-	0.0	-
1979.....	0.3	-	-	-	-	0.0	-	0.0	0.1	0.1
WHITE FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	0.0	0.0	-	0.0	0.1	0.0
1979.....	0.5	-	-	-	-	-	0.0	-	0.0	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL EMBOLISM (434.1)										
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	-	-	-	-	-	-	0.1	0.1
1979.....	0.2	-	-	-	-	-	0.1	-	-	-
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.0	-	0.1
1979.....	0.3	-	-	-	-	-	0.0	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL EMBOLISM (434.1)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.1	-	0.3
1979.....	0.2	-	-	-	-	-	-	-	-	-
BLACK FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	-	-	-
1979.....	0.3	-	-	-	-	-	0.1	-	-	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
TOTAL, BOTH SEXES										
1998.....	33.3	*	*	*	*	*	*	0.1	0.3	0.5
1997.....	34.0	*	*	*	*	*	*	*	0.2	0.5
1996.....	34.9	*	*	*	*	*	*	0.1	0.3	0.6
1995.....	34.8	*	*	*	*	*	*	0.1	0.3	0.6
1994.....	33.9	*	*	*	*	*	*	0.2	0.3	0.5
1993.....	33.4	*	*	*	*	*	*	0.2	0.2	0.6
1992.....	31.9	*	*	*	*	*	*	*	0.3	0.5
1991.....	32.1	*	*	*	*	*	*	0.1	0.2	0.5
1990.....	32.5	*	*	*	*	*	*	*	0.3	0.6
1989.....	32.4	*	*	*	*	*	*	0.1	0.2	0.5
1988.....	33.7	*	*	*	*	*	*	0.1	0.3	0.6
1987.....	33.6	*	*	*	*	*	*	0.1	0.2	0.5
1986.....	33.5	*	*	*	*	*	*	0.1	0.3	0.6
1985.....	34.3	*	*	*	*	*	*	*	0.3	0.5
1984.....	34.7	*	*	*	*	*	*	0.1	0.3	0.6
1983.....	35.0	*	*	*	*	*	0.1	0.1	0.3	0.6
1982.....	35.1	*	*	*	*	*	*	0.1	0.3	0.6
1981.....	36.0	*	*	*	*	*	*	*	0.3	0.7
1980.....	37.3	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.7
1979.....	36.2	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.8
TOTAL, MALE										
1998.....	25.1	*	*	*	*	*	*	*	0.3	0.5
1997.....	26.1	*	*	*	*	*	*	*	0.3	0.5
1996.....	26.7	*	*	*	*	*	*	*	0.3	0.7
1995.....	26.8	*	*	*	*	*	*	*	0.3	0.6
1994.....	26.3	*	*	*	*	*	*	*	0.3	0.5
1993.....	26.0	*	*	*	*	*	*	*	*	0.7
1992.....	25.0	*	*	*	*	*	*	*	0.2	0.6
1991.....	25.4	*	*	*	*	*	*	*	0.3	0.6
1990.....	25.6	*	*	*	*	*	*	*	0.2	0.7
1989.....	25.6	*	*	*	*	*	*	*	0.2	0.7
1988.....	26.9	*	*	*	*	*	*	*	0.4	0.6
1987.....	26.7	*	*	*	*	*	*	*	0.2	0.6
1986.....	26.7	*	*	*	*	*	*	*	0.3	0.7
1985.....	27.6	*	*	*	*	*	*	*	0.3	0.6
1984.....	28.1	*	*	*	*	*	*	*	0.3	0.7
1983.....	28.7	*	*	*	*	*	*	*	0.3	0.7
1982.....	29.1	*	*	*	*	*	*	*	0.3	0.7
1981.....	30.0	*	*	*	*	*	*	*	0.3	0.8
1980.....	31.5	-	0.1	-	0.0	0.0	0.1	0.2	0.2	0.7
1979.....	31.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
TOTAL, FEMALE										
1998.....	41.2	*	*	*	*	*	*	*	0.3	0.5
1997.....	41.6	*	*	*	*	*	*	*	0.2	0.5
1996.....	42.8	*	*	*	*	*	*	*	0.3	0.6
1995.....	42.5	*	*	*	*	*	*	*	0.3	0.6
1994.....	41.0	*	*	*	*	*	*	0.2	0.3	0.5
1993.....	40.5	*	*	*	*	*	*	*	0.3	0.5
1992.....	38.5	*	*	*	*	*	*	*	0.3	0.4
1991.....	38.6	*	*	*	*	*	*	*	*	0.4
1990.....	39.0	*	*	*	*	*	*	*	0.3	0.4
1989.....	38.9	*	*	*	*	*	*	*	0.2	0.3
1988.....	40.2	*	*	*	*	*	*	*	0.2	0.6
1987.....	40.2	*	*	*	*	*	*	*	*	0.4
1986.....	39.9	*	*	*	*	*	*	*	0.3	0.4
1985.....	40.7	*	*	*	*	*	*	*	0.3	0.4
1984.....	40.9	*	*	*	*	*	*	*	*	0.5
1983.....	41.0	*	*	*	*	*	*	*	0.2	0.5
1982.....	40.8	*	*	*	*	*	*	*	0.3	0.6
1981.....	41.6	*	*	*	*	*	*	*	0.3	0.6
1980.....	42.7	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.6
1979.....	41.2	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.8
WHITE, BOTH SEXES										
1998.....	35.4	*	*	*	*	*	*	*	0.2	0.4
1997.....	36.1	*	*	*	*	*	*	*	0.2	0.4
1996.....	36.9	*	*	*	*	*	*	*	0.2	0.4
1995.....	36.8	*	*	*	*	*	*	*	0.2	0.4
1994.....	35.7	*	*	*	*	*	*	*	0.2	0.3
1993.....	35.1	*	*	*	*	*	*	*	0.1	0.4
1992.....	33.5	*	*	*	*	*	*	*	0.2	0.3
1991.....	33.5	*	*	*	*	*	*	*	0.1	0.3
1990.....	33.7	*	*	*	*	*	*	*	0.2	0.3
1989.....	33.5	*	*	*	*	*	*	*	0.1	0.3
1988.....	34.8	*	*	*	*	*	*	*	0.2	0.3
1987.....	34.7	*	*	*	*	*	*	*	0.1	0.3
1986.....	34.5	*	*	*	*	*	*	*	0.2	0.4
1985.....	35.3	*	*	*	*	*	*	*	0.2	0.4
1984.....	35.5	*	*	*	*	*	*	*	0.2	0.4
1983.....	35.7	*	*	*	*	*	*	*	0.2	0.3
1982.....	35.7	*	*	*	*	*	*	*	0.2	0.4
1981.....	36.4	*	*	*	*	*	*	*	0.2	0.5
1980.....	37.7	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4
1979.....	36.5	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
WHITE MALE										
1998.....	25.9	*	*	*	*	*	*	*	*	0.4
1997.....	27.1	*	*	*	*	*	*	*	0.2	0.4
1996.....	27.6	*	*	*	*	*	*	*	*	0.4
1995.....	27.6	*	*	*	*	*	*	*	*	0.5
1994.....	27.1	*	*	*	*	*	*	*	*	0.3
1993.....	26.8	*	*	*	*	*	*	*	*	0.5
1992.....	25.7	*	*	*	*	*	*	*	*	0.4
1991.....	25.8	*	*	*	*	*	*	*	*	0.5
1990.....	26.1	*	*	*	*	*	*	*	*	0.3
1989.....	25.9	*	*	*	*	*	*	*	*	0.4
1988.....	27.3	*	*	*	*	*	*	*	*	0.3
1987.....	26.9	*	*	*	*	*	*	*	*	0.4
1986.....	26.9	*	*	*	*	*	*	*	*	0.5
1985.....	27.9	*	*	*	*	*	*	*	*	0.4
1984.....	28.2	*	*	*	*	*	*	*	*	0.5
1983.....	28.8	*	*	*	*	*	*	*	*	0.4
1982.....	28.9	*	*	*	*	*	*	*	*	0.5
1981.....	29.8	*	*	*	*	*	*	*	0.2	0.6
1980.....	31.3	-	0.1	-	0.0	0.0	0.1	0.1	0.1	0.5
1979.....	30.6	-	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.3
WHITE FEMALE										
1998.....	44.5	*	*	*	*	*	*	*	*	0.5
1997.....	44.9	*	*	*	*	*	*	*	*	0.3
1996.....	45.8	*	*	*	*	*	*	*	0.2	0.4
1995.....	45.6	*	*	*	*	*	*	*	0.3	0.4
1994.....	44.0	*	*	*	*	*	*	*	*	0.3
1993.....	43.2	*	*	*	*	*	*	*	*	0.3
1992.....	41.0	*	*	*	*	*	*	*	0.2	0.3
1991.....	40.8	*	*	*	*	*	*	*	*	0.2
1990.....	41.1	*	*	*	*	*	*	*	*	0.3
1989.....	40.8	*	*	*	*	*	*	*	*	*
1988.....	42.0	*	*	*	*	*	*	*	*	0.3
1987.....	42.2	*	*	*	*	*	*	*	*	*
1986.....	41.8	*	*	*	*	*	*	*	*	0.3
1985.....	42.3	*	*	*	*	*	*	*	*	0.3
1984.....	42.4	*	*	*	*	*	*	*	*	0.3
1983.....	42.4	*	*	*	*	*	*	*	*	*
1982.....	42.1	*	*	*	*	*	*	*	*	0.3
1981.....	42.7	*	*	*	*	*	*	*	*	0.4
1980.....	43.9	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4
1979.....	42.1	0.1	-	0.0	0.0	0.0	0.1	0.1	0.1	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
ALL OTHER, BOTH SEXES										
1998.....	23.6	*	*	*	*	*	*	*	0.8	1.0
1997.....	23.9	*	*	*	*	*	*	*	*	1.1
1996.....	25.4	*	*	*	*	*	*	*	0.6	1.6
1995.....	25.4	*	*	*	*	*	*	*	0.5	1.5
1994.....	24.7	*	*	*	*	*	*	*	0.6	1.6
1993.....	24.8	*	*	*	*	*	*	*	*	1.3
1992.....	23.8	*	*	*	*	*	*	*	0.5	1.3
1991.....	25.1	*	*	*	*	*	*	*	0.6	1.4
1990.....	25.8	*	*	*	*	*	*	*	*	1.8
1989.....	26.8	*	*	*	*	*	*	*	0.7	1.6
1988.....	27.9	*	*	*	*	*	*	*	0.9	1.8
1987.....	27.6	*	*	*	*	*	*	*	0.7	1.6
1986.....	27.9	*	*	*	*	*	*	*	0.7	1.4
1985.....	29.2	*	*	*	*	*	*	*	0.9	1.2
1984.....	30.0	*	*	*	*	*	*	*	0.7	1.5
1983.....	30.6	*	*	*	*	*	*	*	*	2.4
1982.....	31.9	*	*	*	*	*	*	*	1.0	2.1
1981.....	33.4	*	*	*	*	*	*	*	*	2.0
1980.....	34.4	-	0.1	-	0.1	-	0.2	0.4	1.0	2.1
1979.....	34.6	0.7	0.1	0.0	0.0	-	0.0	0.5	1.4	3.4
ALL OTHER MALE										
1998.....	20.8	*	*	*	*	*	*	*	*	1.3
1997.....	21.0	*	*	*	*	*	*	*	*	1.1
1996.....	22.3	*	*	*	*	*	*	*	*	1.9
1995.....	22.8	*	*	*	*	*	*	*	*	1.3
1994.....	22.4	*	*	*	*	*	*	*	*	1.8
1993.....	21.9	*	*	*	*	*	*	*	*	1.4
1992.....	21.3	*	*	*	*	*	*	*	*	1.7
1991.....	22.8	*	*	*	*	*	*	*	*	1.5
1990.....	23.3	*	*	*	*	*	*	*	*	2.4
1989.....	23.8	*	*	*	*	*	*	*	*	2.5
1988.....	25.0	*	*	*	*	*	*	*	1.5	1.8
1987.....	25.2	*	*	*	*	*	*	*	*	1.9
1986.....	25.7	*	*	*	*	*	*	*	*	1.8
1985.....	26.3	*	*	*	*	*	*	*	*	1.9
1984.....	27.9	*	*	*	*	*	*	*	*	*
1983.....	28.2	*	*	*	*	*	*	*	*	2.7
1982.....	30.2	*	*	*	*	*	*	*	*	2.3
1981.....	31.3	*	*	*	*	*	*	*	*	2.6
1980.....	33.2	-	0.1	-	0.1	-	0.3	0.4	0.8	2.2
1979.....	33.5	0.3	0.1	0.1	-	-	-	0.5	1.7	3.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
ALL OTHER FEMALE										
1998.....	26.2	*	*	*	*	*	*	*	*	*
1997.....	26.5	*	*	*	*	*	*	*	*	1.2
1996.....	28.3	*	*	*	*	*	*	*	*	1.4
1995.....	27.7	*	*	*	*	*	*	*	*	1.6
1994.....	26.9	*	*	*	*	*	*	*	*	1.4
1993.....	27.5	*	*	*	*	*	*	*	*	1.2
1992.....	26.1	*	*	*	*	*	*	*	*	*
1991.....	27.1	*	*	*	*	*	*	*	*	1.2
1990.....	28.1	*	*	*	*	*	*	*	*	1.2
1989.....	29.4	*	*	*	*	*	*	*	*	*
1988.....	30.6	*	*	*	*	*	*	*	*	1.8
1987.....	29.8	*	*	*	*	*	*	*	*	1.4
1986.....	29.9	*	*	*	*	*	*	*	*	*
1985.....	31.9	*	*	*	*	*	*	*	*	*
1984.....	32.0	*	*	*	*	*	*	*	*	*
1983.....	32.8	*	*	*	*	*	*	*	*	2.1
1982.....	33.4	*	*	*	*	*	*	*	*	2.0
1981.....	35.3	*	*	*	*	*	*	*	*	*
1980.....	35.6	-	0.1	-	-	-	0.2	0.4	1.1	2.0
1979.....	35.6	1.0	0.1	-	0.1	-	0.1	0.6	1.2	3.0
BLACK, BOTH SEXES										
1998.....	28.1	*	*	*	*	*	*	*	1.0	1.3
1997.....	28.4	*	*	*	*	*	*	*	*	1.4
1996.....	30.4	*	*	*	*	*	*	*	0.8	2.1
1995.....	30.3	*	*	*	*	*	*	*	*	1.9
1994.....	29.5	*	*	*	*	*	*	*	0.8	2.0
1993.....	29.7	*	*	*	*	*	*	*	*	1.5
1992.....	28.7	*	*	*	*	*	*	*	*	1.6
1991.....	29.8	*	*	*	*	*	*	*	0.8	1.8
1990.....	30.9	*	*	*	*	*	*	*	*	2.3
1989.....	31.9	*	*	*	*	*	*	*	0.9	1.9
1988.....	33.2	*	*	*	*	*	*	*	1.2	2.3
1987.....	32.6	*	*	*	*	*	*	*	0.8	2.0
1986.....	33.0	*	*	*	*	*	*	*	1.0	1.8
1985.....	34.2	*	*	*	*	*	*	*	1.1	1.6
1984.....	34.9	*	*	*	*	*	*	*	0.9	1.8
1983.....	35.5	*	*	*	*	*	*	*	*	3.0
1982.....	36.7	*	*	*	*	*	*	*	1.3	2.6
1981.....	38.3	*	*	*	*	*	*	*	*	2.5
1980.....	38.8	-	0.1	-	0.1	-	0.3	0.5	1.2	2.5
1979.....	38.6	0.4	0.1	0.0	0.0	-	0.0	0.6	1.6	4.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
BLACK MALE										
1998.....	24.1	*	*	*	*	*	*	*	*	1.7
1997.....	24.5	*	*	*	*	*	*	*	*	*
1996.....	26.5	*	*	*	*	*	*	*	*	2.3
1995.....	26.8	*	*	*	*	*	*	*	*	1.7
1994.....	26.5	*	*	*	*	*	*	*	*	2.3
1993.....	26.0	*	*	*	*	*	*	*	*	*
1992.....	25.5	*	*	*	*	*	*	*	*	2.0
1991.....	26.9	*	*	*	*	*	*	*	*	1.9
1990.....	27.8	*	*	*	*	*	*	*	*	3.1
1989.....	28.2	*	*	*	*	*	*	*	*	3.1
1988.....	29.5	*	*	*	*	*	*	*	1.9	2.4
1987.....	29.5	*	*	*	*	*	*	*	*	2.3
1986.....	30.1	*	*	*	*	*	*	*	*	2.4
1985.....	30.7	*	*	*	*	*	*	*	*	2.5
1984.....	32.3	*	*	*	*	*	*	*	*	*
1983.....	32.6	*	*	*	*	*	*	*	*	3.3
1982.....	34.6	*	*	*	*	*	*	*	*	2.9
1981.....	35.8	*	*	*	*	*	*	*	*	3.1
1980.....	37.4	-	0.1	-	0.1	-	0.4	0.5	1.0	2.7
1979.....	37.1	-	0.1	0.1	-	-	-	0.6	2.0	4.6
BLACK FEMALE										
1998.....	31.7	*	*	*	*	*	*	*	*	*
1997.....	31.9	*	*	*	*	*	*	*	*	1.4
1996.....	33.9	*	*	*	*	*	*	*	*	1.9
1995.....	33.5	*	*	*	*	*	*	*	*	2.0
1994.....	32.3	*	*	*	*	*	*	*	*	1.7
1993.....	32.9	*	*	*	*	*	*	*	*	1.6
1992.....	31.6	*	*	*	*	*	*	*	*	*
1991.....	32.4	*	*	*	*	*	*	*	*	1.7
1990.....	33.6	*	*	*	*	*	*	*	*	1.6
1989.....	35.3	*	*	*	*	*	*	*	*	*
1988.....	36.6	*	*	*	*	*	*	*	*	2.2
1987.....	35.3	*	*	*	*	*	*	*	*	1.7
1986.....	35.5	*	*	*	*	*	*	*	*	*
1985.....	37.3	*	*	*	*	*	*	*	*	*
1984.....	37.3	*	*	*	*	*	*	*	*	*
1983.....	38.2	*	*	*	*	*	*	*	*	2.7
1982.....	38.5	*	*	*	*	*	*	*	*	2.4
1981.....	40.5	*	*	*	*	*	*	*	*	*
1980.....	40.1	-	-	-	-	-	0.2	0.5	1.4	2.4
1979.....	39.9	0.8	0.1	-	0.1	-	0.1	0.6	1.2	3.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
TOTAL, BOTH SEXES										
1998.....	8.3	6.0	0.2	*	*	*	*	*	*	0.3
1997.....	8.2	5.4	0.2	*	*	*	*	*	0.1	0.2
1996.....	8.2	4.6	0.2	*	*	*	*	0.1	0.1	0.2
1995.....	8.0	4.1	0.2	*	*	*	*	*	0.1	0.2
1994.....	7.6	2.8	0.2	*	*	*	*	*	0.1	0.2
1993.....	7.3	3.2	*	*	*	*	*	*	0.1	0.2
1992.....	6.6	2.3	*	*	*	*	*	*	0.1	0.2
1991.....	6.5	2.2	0.2	*	*	*	*	*	0.1	0.2
1990.....	6.3	1.5	*	*	*	*	*	*	0.1	0.2
1989.....	6.6	1.1	*	*	*	*	*	*	0.1	0.2
1988.....	6.9	1.4	*	*	*	*	*	*	0.1	0.2
1987.....	6.8	1.2	0.1	*	*	*	*	0.1	0.1	0.2
1986.....	6.9	0.9	*	*	*	*	*	*	0.2	0.2
1985.....	7.3	1.0	*	*	*	*	*	*	0.1	0.2
1984.....	7.7	*	*	*	*	*	*	*	0.1	0.2
1983.....	8.2	0.8	*	*	*	*	*	0.1	0.1	0.2
1982.....	8.3	0.5	*	*	*	*	*	0.1	0.1	0.3
1981.....	9.0	*	*	*	*	*	*	*	0.1	0.2
1980.....	9.6	0.8	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.3
1979.....	9.4	0.6	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.3
TOTAL, MALE										
1998.....	6.5	6.7	*	*	*	*	*	*	*	0.2
1997.....	6.5	5.8	0.3	*	*	*	*	*	*	0.2
1996.....	6.5	4.9	*	*	*	*	*	*	*	0.2
1995.....	6.3	4.7	*	*	*	*	*	*	*	0.3
1994.....	6.0	3.2	*	*	*	*	*	*	*	0.2
1993.....	5.7	3.3	*	*	*	*	*	*	*	0.2
1992.....	5.2	3.0	*	*	*	*	*	*	*	0.2
1991.....	5.1	2.2	*	*	*	*	*	*	*	*
1990.....	5.0	1.7	*	*	*	*	*	*	*	0.2
1989.....	5.1	1.2	*	*	*	*	*	*	*	*
1988.....	5.2	1.6	*	*	*	*	*	*	*	*
1987.....	5.2	1.4	*	*	*	*	*	*	*	*
1986.....	5.4	*	*	*	*	*	*	*	0.2	*
1985.....	5.6	1.1	*	*	*	*	*	*	*	*
1984.....	6.0	*	*	*	*	*	*	*	*	*
1983.....	6.6	*	*	*	*	*	*	*	*	0.3
1982.....	6.4	*	*	*	*	*	*	*	*	0.3
1981.....	7.0	*	*	*	*	*	*	*	*	*
1980.....	7.6	0.9	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3
1979.....	7.5	1.0	0.1	0.1	0.0	0.0	0.1	0.2	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
TOTAL, FEMALE										
1998.....	10.0	5.3	*	*	*	*	*	*	*	0.3
1997.....	9.8	4.9	*	*	*	*	*	*	*	0.3
1996.....	9.8	4.3	*	*	*	*	*	*	*	0.3
1995.....	9.6	3.4	*	*	*	*	*	*	*	*
1994.....	9.2	2.4	*	*	*	*	*	*	*	0.2
1993.....	8.8	3.1	*	*	*	*	*	*	*	*
1992.....	8.0	1.7	*	*	*	*	*	*	*	0.2
1991.....	7.9	2.2	*	*	*	*	*	*	*	0.2
1990.....	7.7	1.3	*	*	*	*	*	*	*	*
1989.....	8.0	1.1	*	*	*	*	*	*	*	0.3
1988.....	8.4	1.2	*	*	*	*	*	*	*	0.2
1987.....	8.3	*	*	*	*	*	*	*	*	*
1986.....	8.3	*	*	*	*	*	*	*	*	*
1985.....	8.9	*	*	*	*	*	*	*	*	*
1984.....	9.4	*	*	*	*	*	*	*	*	*
1983.....	9.8	*	*	*	*	*	*	*	*	*
1982.....	10.1	*	*	*	*	*	*	*	*	*
1981.....	10.8	*	*	*	*	*	*	*	*	*
1980.....	11.5	0.7	0.1	0.0	-	0.1	0.1	0.1	0.2	0.3
1979.....	11.2	0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.2
WHITE, BOTH SEXES										
1998.....	8.8	5.3	0.2	*	*	*	*	*	*	0.2
1997.....	8.7	4.7	0.2	*	*	*	*	*	0.1	0.2
1996.....	8.6	4.3	*	*	*	*	*	*	*	0.2
1995.....	8.3	3.9	*	*	*	*	*	*	*	0.2
1994.....	8.0	2.6	*	*	*	*	*	*	0.1	0.2
1993.....	7.6	2.8	*	*	*	*	*	*	0.1	0.2
1992.....	6.9	2.0	*	*	*	*	*	*	*	0.2
1991.....	6.8	2.0	*	*	*	*	*	*	*	0.2
1990.....	6.7	1.3	*	*	*	*	*	*	*	0.1
1989.....	6.9	1.0	*	*	*	*	*	*	*	0.2
1988.....	7.2	1.2	*	*	*	*	*	*	*	0.2
1987.....	7.1	1.1	*	*	*	*	*	*	*	*
1986.....	7.3	0.8	*	*	*	*	*	*	0.2	*
1985.....	7.6	0.9	*	*	*	*	*	*	*	*
1984.....	8.1	*	*	*	*	*	*	*	*	*
1983.....	8.7	0.7	*	*	*	*	*	*	*	0.2
1982.....	8.8	*	*	*	*	*	*	*	0.1	0.2
1981.....	9.5	*	*	*	*	*	*	*	*	0.2
1980.....	10.1	0.6	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2
1979.....	10.0	0.5	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
WHITE MALE										
1998.....	6.7	6.1	*	*	*	*	*	*	*	*
1997.....	6.8	4.8	*	*	*	*	*	*	*	*
1996.....	6.8	4.9	*	*	*	*	*	*	*	*
1995.....	6.4	4.7	*	*	*	*	*	*	*	0.2
1994.....	6.1	3.0	*	*	*	*	*	*	*	0.2
1993.....	5.8	2.7	*	*	*	*	*	*	*	*
1992.....	5.3	2.5	*	*	*	*	*	*	*	*
1991.....	5.2	2.0	*	*	*	*	*	*	*	*
1990.....	5.1	1.4	*	*	*	*	*	*	*	*
1989.....	5.2	*	*	*	*	*	*	*	*	*
1988.....	5.3	*	*	*	*	*	*	*	*	*
1987.....	5.4	1.4	*	*	*	*	*	*	*	*
1986.....	5.5	*	*	*	*	*	*	*	0.2	*
1985.....	5.7	*	*	*	*	*	*	*	*	*
1984.....	6.2	*	*	*	*	*	*	*	*	*
1983.....	6.8	*	*	*	*	*	*	*	*	*
1982.....	6.7	*	*	*	*	*	*	*	*	*
1981.....	7.3	*	*	*	*	*	*	*	*	*
1980.....	7.9	0.7	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2
1979.....	7.9	0.7	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.3
WHITE FEMALE										
1998.....	10.8	4.6	*	*	*	*	*	*	*	0.2
1997.....	10.5	4.6	*	*	*	*	*	*	*	*
1996.....	10.5	3.7	*	*	*	*	*	*	*	*
1995.....	10.2	3.2	*	*	*	*	*	*	*	*
1994.....	9.8	2.2	*	*	*	*	*	*	*	*
1993.....	9.4	2.8	*	*	*	*	*	*	*	*
1992.....	8.5	1.5	*	*	*	*	*	*	*	*
1991.....	8.4	1.9	*	*	*	*	*	*	*	*
1990.....	8.2	*	*	*	*	*	*	*	*	*
1989.....	8.6	*	*	*	*	*	*	*	*	*
1988.....	9.0	*	*	*	*	*	*	*	*	*
1987.....	8.8	*	*	*	*	*	*	*	*	*
1986.....	8.9	*	*	*	*	*	*	*	*	*
1985.....	9.5	*	*	*	*	*	*	*	*	*
1984.....	9.9	*	*	*	*	*	*	*	*	*
1983.....	10.5	*	*	*	*	*	*	*	*	*
1982.....	10.9	*	*	*	*	*	*	*	*	*
1981.....	11.6	*	*	*	*	*	*	*	*	*
1980.....	12.3	0.5	0.1	0.0	-	0.0	0.1	0.1	0.1	0.2
1979.....	12.0	0.3	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
ALL OTHER, BOTH SEXES										
1998.....	6.0	8.7	*	*	*	*	*	*	*	0.6
1997.....	5.9	8.0	*	*	*	*	*	*	*	0.5
1996.....	6.0	6.1	*	*	*	*	*	*	*	*
1995.....	6.1	4.4	*	*	*	*	*	*	*	*
1994.....	5.6	3.6	*	*	*	*	*	*	*	*
1993.....	5.4	4.9	*	*	*	*	*	*	*	*
1992.....	5.2	3.6	*	*	*	*	*	*	*	*
1991.....	5.0	3.1	*	*	*	*	*	*	*	*
1990.....	4.6	*	*	*	*	*	*	*	*	*
1989.....	4.9	*	*	*	*	*	*	*	*	0.6
1988.....	5.2	*	*	*	*	*	*	*	*	*
1987.....	5.0	*	*	*	*	*	*	*	*	*
1986.....	4.9	*	*	*	*	*	*	*	*	*
1985.....	5.2	*	*	*	*	*	*	*	*	*
1984.....	5.5	*	*	*	*	*	*	*	*	*
1983.....	5.7	*	*	*	*	*	*	*	*	*
1982.....	5.5	*	*	*	*	*	*	*	*	*
1981.....	5.8	*	*	*	*	*	*	*	*	*
1980.....	6.4	1.6	0.1	0.0	-	0.1	0.2	0.2	0.4	1.0
1979.....	5.9	1.2	0.1	0.0	0.0	0.0	0.2	0.3	0.5	0.7
ALL OTHER MALE										
1998.....	5.5	9.3	*	*	*	*	*	*	*	*
1997.....	5.3	9.9	*	*	*	*	*	*	*	*
1996.....	5.4	5.2	*	*	*	*	*	*	*	*
1995.....	5.6	4.7	*	*	*	*	*	*	*	*
1994.....	5.0	*	*	*	*	*	*	*	*	*
1993.....	4.9	5.7	*	*	*	*	*	*	*	*
1992.....	4.7	4.7	*	*	*	*	*	*	*	*
1991.....	4.8	*	*	*	*	*	*	*	*	*
1990.....	4.3	*	*	*	*	*	*	*	*	*
1989.....	4.5	*	*	*	*	*	*	*	*	*
1988.....	4.8	*	*	*	*	*	*	*	*	*
1987.....	4.2	*	*	*	*	*	*	*	*	*
1986.....	4.7	*	*	*	*	*	*	*	*	*
1985.....	4.6	*	*	*	*	*	*	*	*	*
1984.....	4.7	*	*	*	*	*	*	*	*	*
1983.....	5.2	*	*	*	*	*	*	*	*	*
1982.....	5.0	*	*	*	*	*	*	*	*	*
1981.....	5.5	*	*	*	*	*	*	*	*	*
1980.....	5.9	1.6	0.2	-	-	0.1	0.5	0.1	0.5	1.3
1979.....	5.2	2.3	0.2	-	-	-	0.2	0.3	0.4	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
ALL OTHER FEMALE										
1998.....	6.6	8.0	*	*	*	*	*	*	*	*
1997.....	6.5	6.0	*	*	*	*	*	*	*	*
1996.....	6.5	7.0	*	*	*	*	*	*	*	*
1995.....	6.6	*	*	*	*	*	*	*	*	*
1994.....	6.1	*	*	*	*	*	*	*	*	*
1993.....	5.9	*	*	*	*	*	*	*	*	*
1992.....	5.5	*	*	*	*	*	*	*	*	*
1991.....	5.3	*	*	*	*	*	*	*	*	*
1990.....	4.9	*	*	*	*	*	*	*	*	*
1989.....	5.2	*	*	*	*	*	*	*	*	*
1988.....	5.5	*	*	*	*	*	*	*	*	*
1987.....	5.7	*	*	*	*	*	*	*	*	*
1986.....	5.0	*	*	*	*	*	*	*	*	*
1985.....	5.7	*	*	*	*	*	*	*	*	*
1984.....	6.2	*	*	*	*	*	*	*	*	*
1983.....	6.1	*	*	*	*	*	*	*	*	*
1982.....	5.9	*	*	*	*	*	*	*	*	*
1981.....	6.2	*	*	*	*	*	*	*	*	*
1980.....	6.9	1.6	-	0.1	-	0.2	-	0.2	0.2	0.7
1979.....	6.5	-	-	0.1	0.1	0.1	0.2	0.3	0.5	0.6
BLACK, BOTH SEXES										
1998.....	7.2	11.4	*	*	*	*	*	*	*	*
1997.....	6.9	9.7	*	*	*	*	*	*	*	0.7
1996.....	6.9	7.1	*	*	*	*	*	*	*	*
1995.....	7.1	5.5	*	*	*	*	*	*	*	*
1994.....	6.5	4.5	*	*	*	*	*	*	*	*
1993.....	6.3	5.1	*	*	*	*	*	*	*	*
1992.....	6.0	4.4	*	*	*	*	*	*	*	*
1991.....	5.9	3.8	*	*	*	*	*	*	*	*
1990.....	5.3	*	*	*	*	*	*	*	*	*
1989.....	5.7	*	*	*	*	*	*	*	*	*
1988.....	6.0	*	*	*	*	*	*	*	*	*
1987.....	5.9	*	*	*	*	*	*	*	*	*
1986.....	5.6	*	*	*	*	*	*	*	*	*
1985.....	6.0	*	*	*	*	*	*	*	*	*
1984.....	6.3	*	*	*	*	*	*	*	*	*
1983.....	6.5	*	*	*	*	*	*	*	*	*
1982.....	6.3	*	*	*	*	*	*	*	*	*
1981.....	6.6	*	*	*	*	*	*	*	*	*
1980.....	7.1	1.7	0.1	-	-	0.1	0.2	0.2	0.5	1.2
1979.....	6.5	1.4	0.1	0.0	0.0	0.0	0.2	0.4	0.6	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
BLACK MALE										
1998.....	6.4	12.0	*	*	*	*	*	*	*	*
1997.....	6.0	12.1	*	*	*	*	*	*	*	*
1996.....	6.1	*	*	*	*	*	*	*	*	*
1995.....	6.3	*	*	*	*	*	*	*	*	*
1994.....	5.6	*	*	*	*	*	*	*	*	*
1993.....	5.6	6.3	*	*	*	*	*	*	*	*
1992.....	5.4	*	*	*	*	*	*	*	*	*
1991.....	5.7	*	*	*	*	*	*	*	*	*
1990.....	5.0	*	*	*	*	*	*	*	*	*
1989.....	5.1	*	*	*	*	*	*	*	*	*
1988.....	5.5	*	*	*	*	*	*	*	*	*
1987.....	4.8	*	*	*	*	*	*	*	*	*
1986.....	5.5	*	*	*	*	*	*	*	*	*
1985.....	5.3	*	*	*	*	*	*	*	*	*
1984.....	5.4	*	*	*	*	*	*	*	*	*
1983.....	5.9	*	*	*	*	*	*	*	*	*
1982.....	5.7	*	*	*	*	*	*	*	*	*
1981.....	6.2	*	*	*	*	*	*	*	*	*
1980.....	6.4	1.9	0.2	-	-	0.1	0.5	0.2	0.7	1.5
1979.....	5.8	2.7	0.2	-	-	-	0.2	0.4	0.5	0.9
BLACK FEMALE										
1998.....	7.9	10.9	*	*	*	*	*	*	*	*
1997.....	7.6	7.3	*	*	*	*	*	*	*	*
1996.....	7.6	8.5	*	*	*	*	*	*	*	*
1995.....	7.8	*	*	*	*	*	*	*	*	*
1994.....	7.4	*	*	*	*	*	*	*	*	*
1993.....	6.9	*	*	*	*	*	*	*	*	*
1992.....	6.5	*	*	*	*	*	*	*	*	*
1991.....	6.1	*	*	*	*	*	*	*	*	*
1990.....	5.7	*	*	*	*	*	*	*	*	*
1989.....	6.1	*	*	*	*	*	*	*	*	*
1988.....	6.4	*	*	*	*	*	*	*	*	*
1987.....	6.8	*	*	*	*	*	*	*	*	*
1986.....	5.8	*	*	*	*	*	*	*	*	*
1985.....	6.6	*	*	*	*	*	*	*	*	*
1984.....	7.1	*	*	*	*	*	*	*	*	*
1983.....	7.0	*	*	*	*	*	*	*	*	*
1982.....	6.8	*	*	*	*	*	*	*	*	*
1981.....	7.0	*	*	*	*	*	*	*	*	*
1980.....	7.7	1.5	-	-	-	0.2	-	0.2	0.3	0.9
1979.....	7.1	-	-	0.1	0.1	0.1	0.3	0.4	0.6	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
TOTAL, BOTH SEXES										
1998.....	15.9	*	*	*	*	*	0.3	0.5	0.7	1.1
1997.....	16.4	*	*	*	*	0.2	0.3	0.4	0.7	1.0
1996.....	16.6	*	*	*	*	0.1	0.2	0.4	0.6	1.0
1995.....	16.5	*	*	*	*	0.2	0.2	0.4	0.7	1.0
1994.....	16.6	*	*	*	*	*	0.3	0.4	0.6	0.9
1993.....	16.8	*	*	*	*	0.1	0.2	0.4	0.6	1.0
1992.....	16.5	*	*	*	*	0.1	0.3	0.4	0.6	0.9
1991.....	16.8	*	*	*	*	0.1	0.2	0.4	0.6	0.8
1990.....	17.2	*	*	*	*	*	0.2	0.4	0.6	0.8
1989.....	17.7	*	*	*	*	0.1	0.2	0.4	0.6	1.0
1988.....	18.5	*	*	*	*	0.2	0.2	0.4	0.5	0.9
1987.....	18.7	*	*	*	*	*	0.3	0.4	0.6	0.9
1986.....	18.8	0.5	*	*	*	0.2	0.3	0.3	0.5	0.9
1985.....	19.3	0.7	*	*	*	0.2	0.2	0.3	0.5	0.9
1984.....	19.6	*	*	*	*	0.1	0.2	0.4	0.5	0.9
1983.....	20.2	*	*	*	*	0.2	0.2	0.4	0.5	0.9
1982.....	20.3	*	*	*	*	0.1	0.2	0.3	0.5	0.8
1981.....	20.9	*	*	*	*	0.1	0.2	0.4	0.5	0.9
1980.....	21.8	0.5	0.1	0.0	0.1	0.1	0.3	0.3	0.6	0.9
1979.....	21.5	0.6	0.1	0.1	0.1	0.2	0.3	0.4	0.6	0.9
TOTAL, MALE										
1998.....	15.7	*	*	*	*	*	0.2	0.5	0.9	1.4
1997.....	16.1	*	*	*	*	*	0.3	0.4	0.8	1.4
1996.....	16.3	*	*	*	*	*	0.3	0.4	0.6	1.2
1995.....	16.5	*	*	*	*	*	0.2	0.4	0.8	1.3
1994.....	16.5	*	*	*	*	*	0.3	0.5	0.8	1.1
1993.....	17.0	*	*	*	*	*	0.3	0.5	0.7	1.0
1992.....	16.7	*	*	*	*	*	0.3	0.4	0.7	1.1
1991.....	17.2	*	*	*	*	*	0.2	0.5	0.7	1.0
1990.....	17.7	*	*	*	*	*	0.3	0.4	0.6	1.2
1989.....	18.0	*	*	*	*	*	0.2	0.4	0.8	1.4
1988.....	18.6	*	*	*	*	*	0.3	0.4	0.7	1.2
1987.....	18.9	*	*	*	*	*	0.4	0.4	0.7	1.0
1986.....	18.9	*	*	*	*	*	0.2	0.3	0.7	1.1
1985.....	19.6	*	*	*	*	*	0.2	0.4	0.5	1.2
1984.....	19.9	*	*	*	*	*	0.3	0.4	0.5	1.1
1983.....	20.5	*	*	*	*	0.3	0.2	0.5	0.6	1.1
1982.....	20.7	*	*	*	*	*	0.2	0.3	0.7	1.0
1981.....	21.3	*	*	*	*	*	0.2	0.4	0.5	1.1
1980.....	22.3	0.7	0.1	0.0	0.1	0.1	0.3	0.4	0.7	1.0
1979.....	22.0	0.7	0.1	0.1	0.0	0.2	0.2	0.4	0.8	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
TOTAL, FEMALE										
1998.....	16.1	*	*	*	*	*	0.3	0.4	0.5	0.8
1997.....	16.6	*	*	*	*	*	0.3	0.4	0.5	0.7
1996.....	16.8	*	*	*	*	*	*	0.3	0.5	0.8
1995.....	16.5	*	*	*	*	*	0.3	0.3	0.6	0.7
1994.....	16.7	*	*	*	*	*	0.3	0.3	0.5	0.7
1993.....	16.6	*	*	*	*	*	*	0.3	0.4	0.9
1992.....	16.3	*	*	*	*	*	0.2	0.4	0.5	0.7
1991.....	16.5	*	*	*	*	*	*	0.4	0.5	0.7
1990.....	16.7	*	*	*	*	*	*	0.3	0.5	0.5
1989.....	17.3	*	*	*	*	*	*	0.4	0.4	0.7
1988.....	18.4	*	*	*	*	*	*	0.4	0.4	0.6
1987.....	18.5	*	*	*	*	*	*	0.3	0.4	0.8
1986.....	18.7	*	*	*	*	*	0.3	0.3	0.3	0.7
1985.....	19.0	*	*	*	*	*	*	0.3	0.5	0.7
1984.....	19.3	*	*	*	*	*	0.2	0.4	0.4	0.7
1983.....	20.0	*	*	*	*	*	0.2	0.3	0.4	0.6
1982.....	19.9	*	*	*	*	*	0.2	0.3	0.4	0.6
1981.....	20.6	*	*	*	*	*	0.2	0.3	0.5	0.8
1980.....	21.4	0.3	0.1	0.0	0.1	0.2	0.3	0.3	0.5	0.7
1979.....	21.0	0.4	0.1	0.0	0.1	0.2	0.3	0.4	0.4	0.8
WHITE, BOTH SEXES										
1998.....	17.3	*	*	*	*	*	0.2	0.4	0.6	1.0
1997.....	17.9	*	*	*	*	0.2	0.3	0.4	0.7	0.9
1996.....	18.1	*	*	*	*	*	0.2	0.3	0.5	0.8
1995.....	18.0	*	*	*	*	0.1	0.2	0.3	0.6	1.0
1994.....	18.0	*	*	*	*	*	0.3	0.4	0.6	0.8
1993.....	18.3	*	*	*	*	0.2	0.2	0.4	0.5	0.8
1992.....	18.0	*	*	*	*	*	0.3	0.4	0.6	0.8
1991.....	18.3	*	*	*	*	*	0.2	0.4	0.5	0.8
1990.....	18.6	*	*	*	*	*	0.2	0.3	0.5	0.7
1989.....	19.2	*	*	*	*	*	0.2	0.3	0.5	0.9
1988.....	20.1	*	*	*	*	0.2	0.2	0.3	0.5	0.8
1987.....	20.2	*	*	*	*	*	0.2	0.3	0.5	0.7
1986.....	20.3	*	*	*	*	0.1	0.2	0.3	0.4	0.7
1985.....	20.8	*	*	*	*	0.2	0.2	0.3	0.4	0.9
1984.....	21.2	*	*	*	*	*	0.2	0.4	0.4	0.8
1983.....	21.9	*	*	*	*	0.2	0.2	0.4	0.4	0.7
1982.....	21.9	*	*	*	*	0.2	0.2	0.3	0.5	0.7
1981.....	22.5	*	*	*	*	0.1	0.2	0.3	0.4	0.7
1980.....	23.3	0.6	0.1	0.0	0.1	0.1	0.3	0.3	0.5	0.7
1979.....	23.0	0.6	0.1	0.1	0.0	0.2	0.2	0.3	0.5	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
WHITE MALE										
1998.....	17.1	*	*	*	*	*	*	0.5	0.8	1.2
1997.....	17.6	*	*	*	*	*	*	0.4	0.8	1.2
1996.....	17.7	*	*	*	*	*	0.3	0.4	0.5	1.0
1995.....	18.1	*	*	*	*	*	*	0.4	0.7	1.3
1994.....	17.9	*	*	*	*	*	*	0.5	0.7	1.0
1993.....	18.5	*	*	*	*	*	*	0.5	0.6	0.9
1992.....	18.2	*	*	*	*	*	0.3	0.3	0.7	1.0
1991.....	18.8	*	*	*	*	*	*	0.5	0.6	0.9
1990.....	19.2	*	*	*	*	*	0.3	0.5	0.6	1.0
1989.....	19.6	*	*	*	*	*	0.3	0.4	0.8	1.2
1988.....	20.1	*	*	*	*	*	*	0.4	0.6	1.0
1987.....	20.4	*	*	*	*	*	0.3	0.4	0.6	0.8
1986.....	20.4	*	*	*	*	*	*	0.3	0.6	1.0
1985.....	21.1	*	*	*	*	*	0.2	0.4	0.4	1.1
1984.....	21.4	*	*	*	*	*	0.2	0.4	0.5	0.9
1983.....	22.1	*	*	*	*	0.3	0.2	0.5	0.5	0.9
1982.....	22.3	*	*	*	*	*	0.2	0.3	0.7	0.9
1981.....	22.9	*	*	*	*	*	0.2	0.4	0.4	0.9
1980.....	23.7	0.9	0.1	0.0	0.1	0.1	0.3	0.4	0.5	1.0
1979.....	23.5	0.7	0.1	0.1	0.0	0.2	0.2	0.3	0.7	0.9
WHITE FEMALE										
1998.....	17.5	*	*	*	*	*	*	0.4	0.4	0.7
1997.....	18.1	*	*	*	*	*	*	0.3	0.5	0.5
1996.....	18.4	*	*	*	*	*	*	0.3	0.4	0.6
1995.....	18.0	*	*	*	*	*	*	0.3	0.5	0.6
1994.....	18.1	*	*	*	*	*	*	0.3	0.4	0.6
1993.....	18.1	*	*	*	*	*	*	0.3	0.4	0.7
1992.....	17.8	*	*	*	*	*	*	0.4	0.4	0.7
1991.....	17.9	*	*	*	*	*	*	0.3	0.3	0.6
1990.....	18.1	*	*	*	*	*	*	*	0.5	0.4
1989.....	18.7	*	*	*	*	*	*	0.3	0.3	0.5
1988.....	20.0	*	*	*	*	*	*	0.3	0.3	0.5
1987.....	20.1	*	*	*	*	*	*	0.2	0.4	0.6
1986.....	20.2	*	*	*	*	*	0.2	0.3	0.3	0.5
1985.....	20.5	*	*	*	*	*	*	*	0.4	0.6
1984.....	20.9	*	*	*	*	*	*	0.3	0.4	0.6
1983.....	21.7	*	*	*	*	*	*	0.2	0.3	0.5
1982.....	21.5	*	*	*	*	*	*	0.3	0.4	0.5
1981.....	22.1	*	*	*	*	*	*	*	0.4	0.6
1980.....	22.8	0.3	0.1	0.0	0.1	0.1	0.3	0.2	0.4	0.5
1979.....	22.5	0.4	0.1	0.0	0.0	0.1	0.2	0.2	0.3	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
ALL OTHER, BOTH SEXES										
1998.....	9.2	*	*	*	*	*	0.6	0.6	1.1	1.7
1997.....	9.3	*	*	*	*	*	*	*	0.8	1.8
1996.....	9.3	*	*	*	*	*	*	*	1.0	2.0
1995.....	9.0	*	*	*	*	*	*	0.7	1.1	1.3
1994.....	9.6	*	*	*	*	*	*	*	0.8	1.4
1993.....	9.4	*	*	*	*	*	*	0.7	0.9	1.9
1992.....	9.0	*	*	*	*	*	*	*	0.9	1.5
1991.....	9.3	*	*	*	*	*	*	0.7	1.2	1.2
1990.....	9.6	*	*	*	*	*	*	0.5	0.9	1.6
1989.....	9.9	*	*	*	*	*	*	*	0.8	1.9
1988.....	10.3	*	*	*	*	*	*	0.6	0.8	1.5
1987.....	10.2	*	*	*	*	*	*	0.7	0.8	1.6
1986.....	10.5	*	*	*	*	*	*	*	0.8	1.7
1985.....	10.8	*	*	*	*	*	*	*	0.9	1.4
1984.....	10.6	*	*	*	*	*	*	*	0.7	1.5
1983.....	10.7	*	*	*	*	*	*	*	1.0	1.9
1982.....	11.1	*	*	*	*	*	*	*	0.7	1.6
1981.....	11.6	*	*	*	*	*	*	*	1.2	2.2
1980.....	12.9	0.3	0.1	0.0	0.1	0.2	0.3	0.6	1.3	1.6
1979.....	12.1	0.5	0.1	0.1	0.1	0.4	0.5	1.1	1.2	1.4
ALL OTHER MALE										
1998.....	8.9	*	*	*	*	*	*	*	1.4	2.2
1997.....	8.9	*	*	*	*	*	*	*	*	2.4
1996.....	9.0	*	*	*	*	*	*	*	*	2.3
1995.....	8.7	*	*	*	*	*	*	*	1.4	1.3
1994.....	9.1	*	*	*	*	*	*	*	*	1.7
1993.....	9.4	*	*	*	*	*	*	*	1.3	1.5
1992.....	9.0	*	*	*	*	*	*	*	*	1.8
1991.....	9.2	*	*	*	*	*	*	*	1.2	*
1990.....	9.7	*	*	*	*	*	*	*	*	2.3
1989.....	9.4	*	*	*	*	*	*	*	*	2.1
1988.....	10.3	*	*	*	*	*	*	*	*	1.9
1987.....	10.4	*	*	*	*	*	*	*	*	1.8
1986.....	10.6	*	*	*	*	*	*	*	*	1.7
1985.....	10.7	*	*	*	*	*	*	*	*	1.9
1984.....	10.8	*	*	*	*	*	*	*	*	1.8
1983.....	11.1	*	*	*	*	*	*	*	*	2.5
1982.....	11.3	*	*	*	*	*	*	*	*	*
1981.....	11.5	*	*	*	*	*	*	*	*	2.4
1980.....	13.3	-	0.1	0.1	-	0.2	0.3	0.5	1.6	1.4
1979.....	12.6	1.0	0.3	0.1	0.1	0.3	0.5	0.9	1.7	1.5



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
ALL OTHER FEMALE										
1998.....	9.4	*	*	*	*	*	*	*	*	1.2
1997.....	9.7	*	*	*	*	*	*	*	*	1.4
1996.....	9.5	*	*	*	*	*	*	*	1.0	1.8
1995.....	9.3	*	*	*	*	*	*	*	*	1.2
1994.....	10.0	*	*	*	*	*	*	*	*	1.1
1993.....	9.4	*	*	*	*	*	*	*	*	2.2
1992.....	8.9	*	*	*	*	*	*	*	*	1.2
1991.....	9.5	*	*	*	*	*	*	*	1.3	1.2
1990.....	9.6	*	*	*	*	*	*	*	*	*
1989.....	10.3	*	*	*	*	*	*	*	*	1.8
1988.....	10.3	*	*	*	*	*	*	*	*	*
1987.....	10.1	*	*	*	*	*	*	*	*	1.4
1986.....	10.4	*	*	*	*	*	*	*	*	1.7
1985.....	10.8	*	*	*	*	*	*	*	*	*
1984.....	10.4	*	*	*	*	*	*	*	*	*
1983.....	10.4	*	*	*	*	*	*	*	*	*
1982.....	10.8	*	*	*	*	*	*	*	*	*
1981.....	11.7	*	*	*	*	*	*	*	*	2.0
1980.....	12.5	0.6	0.1	-	0.2	0.2	0.2	0.7	0.9	1.7
1979.....	11.7	-	-	0.1	0.2	0.5	0.6	1.2	0.8	1.3
BLACK, BOTH SEXES										
1998.....	10.9	*	*	*	*	*	*	0.8	1.3	2.1
1997.....	11.1	*	*	*	*	*	*	*	1.0	2.4
1996.....	10.9	*	*	*	*	*	*	*	1.1	2.5
1995.....	10.7	*	*	*	*	*	*	0.8	1.3	1.5
1994.....	11.2	*	*	*	*	*	*	*	1.0	1.7
1993.....	11.0	*	*	*	*	*	*	0.8	1.1	2.3
1992.....	10.5	*	*	*	*	*	*	*	1.1	1.9
1991.....	11.0	*	*	*	*	*	*	0.8	1.4	1.7
1990.....	11.3	*	*	*	*	*	*	*	1.0	1.9
1989.....	11.6	*	*	*	*	*	*	*	0.9	2.4
1988.....	12.0	*	*	*	*	*	*	*	1.1	1.9
1987.....	11.8	*	*	*	*	*	*	0.8	1.0	1.9
1986.....	12.0	*	*	*	*	*	*	*	0.9	2.0
1985.....	12.3	*	*	*	*	*	*	*	1.1	1.7
1984.....	12.0	*	*	*	*	*	*	*	*	1.8
1983.....	12.1	*	*	*	*	*	*	*	1.2	2.2
1982.....	12.4	*	*	*	*	*	*	*	*	1.9
1981.....	13.1	*	*	*	*	*	*	*	1.5	2.8
1980.....	14.2	0.4	0.1	0.0	0.1	0.3	0.3	0.7	1.5	1.8
1979.....	13.1	0.4	0.1	0.1	0.1	0.5	0.5	1.3	1.4	1.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
BLACK MALE										
1998.....	10.3	*	*	*	*	*	*	*	1.6	2.8
1997.....	10.4	*	*	*	*	*	*	*	*	3.1
1996.....	10.3	*	*	*	*	*	*	*	*	2.9
1995.....	10.0	*	*	*	*	*	*	*	1.6	1.5
1994.....	10.4	*	*	*	*	*	*	*	*	2.2
1993.....	10.7	*	*	*	*	*	*	*	1.5	1.8
1992.....	10.2	*	*	*	*	*	*	*	*	2.4
1991.....	10.6	*	*	*	*	*	*	*	*	*
1990.....	11.1	*	*	*	*	*	*	*	*	2.7
1989.....	10.9	*	*	*	*	*	*	*	*	2.5
1988.....	11.8	*	*	*	*	*	*	*	*	2.4
1987.....	11.7	*	*	*	*	*	*	*	*	2.0
1986.....	12.0	*	*	*	*	*	*	*	*	*
1985.....	12.1	*	*	*	*	*	*	*	*	2.3
1984.....	12.1	*	*	*	*	*	*	*	*	*
1983.....	12.5	*	*	*	*	*	*	*	*	3.0
1982.....	12.6	*	*	*	*	*	*	*	*	*
1981.....	12.8	*	*	*	*	*	*	*	*	3.1
1980.....	14.4	-	0.1	0.1	-	0.3	0.4	0.6	1.9	1.7
1979.....	13.3	0.8	0.2	0.1	0.1	0.4	0.5	1.0	2.0	1.5
BLACK FEMALE										
1998.....	11.4	*	*	*	*	*	*	*	*	1.6
1997.....	11.7	*	*	*	*	*	*	*	*	1.8
1996.....	11.4	*	*	*	*	*	*	*	*	2.2
1995.....	11.3	*	*	*	*	*	*	*	*	1.5
1994.....	11.9	*	*	*	*	*	*	*	*	*
1993.....	11.3	*	*	*	*	*	*	*	*	2.7
1992.....	10.7	*	*	*	*	*	*	*	*	1.5
1991.....	11.4	*	*	*	*	*	*	*	1.5	1.7
1990.....	11.5	*	*	*	*	*	*	*	*	*
1989.....	12.2	*	*	*	*	*	*	*	*	2.4
1988.....	12.1	*	*	*	*	*	*	*	*	*
1987.....	11.9	*	*	*	*	*	*	*	*	1.8
1986.....	12.1	*	*	*	*	*	*	*	*	2.0
1985.....	12.5	*	*	*	*	*	*	*	*	*
1984.....	11.9	*	*	*	*	*	*	*	*	*
1983.....	11.7	*	*	*	*	*	*	*	*	*
1982.....	12.3	*	*	*	*	*	*	*	*	*
1981.....	13.3	*	*	*	*	*	*	*	*	2.6
1980.....	14.0	0.8	0.1	-	0.1	0.3	0.3	0.8	1.2	1.9
1979.....	12.9	-	-	0.1	0.1	0.5	0.5	1.5	0.9	1.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ATHEROSCLEROSIS (440)										
TOTAL, BOTH SEXES										
1998.....	5.7	*	*	*	*	*	*	*	*	*
1997.....	6.0	*	*	*	*	*	*	*	*	*
1996.....	6.3	*	*	*	*	*	*	*	*	*
1995.....	6.4	*	*	*	*	*	*	*	*	*
1994.....	6.6	*	*	*	*	*	*	*	*	0.1
1993.....	6.7	*	*	*	*	*	*	*	*	*
1992.....	6.6	*	*	*	*	*	*	*	*	*
1991.....	6.9	*	*	*	*	*	*	*	*	*
1990.....	7.3	*	*	*	*	*	*	*	*	*
1989.....	7.8	*	*	*	*	*	*	*	*	*
1988.....	9.0	*	*	*	*	*	*	*	*	0.1
1987.....	9.3	*	*	*	*	*	*	*	*	*
1986.....	9.5	*	*	*	*	*	*	*	*	*
1985.....	10.1	*	*	*	*	*	*	*	*	*
1984.....	10.4	*	*	*	*	*	*	*	*	*
1983.....	11.3	*	*	*	*	*	*	*	*	*
1982.....	11.6	*	*	*	*	*	*	*	*	*
1981.....	12.2	*	*	*	*	*	*	*	*	*
1980.....	13.0	0.1	-	-	-	0.0	0.0	0.0	0.0	0.1
1979.....	12.8	0.1	-	-	-	0.0	-	0.0	0.0	0.1
TOTAL, MALE										
1998.....	4.3	*	*	*	*	*	*	*	*	*
1997.....	4.6	*	*	*	*	*	*	*	*	*
1996.....	4.8	*	*	*	*	*	*	*	*	*
1995.....	5.0	*	*	*	*	*	*	*	*	*
1994.....	5.1	*	*	*	*	*	*	*	*	*
1993.....	5.1	*	*	*	*	*	*	*	*	*
1992.....	5.1	*	*	*	*	*	*	*	*	*
1991.....	5.4	*	*	*	*	*	*	*	*	*
1990.....	5.7	*	*	*	*	*	*	*	*	*
1989.....	6.0	*	*	*	*	*	*	*	*	*
1988.....	7.0	*	*	*	*	*	*	*	*	*
1987.....	7.1	*	*	*	*	*	*	*	*	*
1986.....	7.3	*	*	*	*	*	*	*	*	*
1985.....	7.8	*	*	*	*	*	*	*	*	*
1984.....	8.1	*	*	*	*	*	*	*	*	*
1983.....	8.8	*	*	*	*	*	*	*	*	*
1982.....	9.4	*	*	*	*	*	*	*	*	*
1981.....	9.8	*	*	*	*	*	*	*	*	*
1980.....	10.5	0.1	-	-	-	0.0	0.0	0.0	0.1	0.1
1979.....	10.5	0.1	-	-	-	-	-	-	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ATHEROSCLEROSIS (440)										
TOTAL, FEMALE										
1998.....	6.9	*	*	*	*	*	*	*	*	*
1997.....	7.3	*	*	*	*	*	*	*	*	*
1996.....	7.7	*	*	*	*	*	*	*	*	*
1995.....	7.7	*	*	*	*	*	*	*	*	*
1994.....	8.0	*	*	*	*	*	*	*	*	*
1993.....	8.2	*	*	*	*	*	*	*	*	*
1992.....	8.0	*	*	*	*	*	*	*	*	*
1991.....	8.3	*	*	*	*	*	*	*	*	*
1990.....	8.8	*	*	*	*	*	*	*	*	*
1989.....	9.6	*	*	*	*	*	*	*	*	*
1988.....	11.0	*	*	*	*	*	*	*	*	*
1987.....	11.3	*	*	*	*	*	*	*	*	*
1986.....	11.5	*	*	*	*	*	*	*	*	*
1985.....	12.2	*	*	*	*	*	*	*	*	*
1984.....	12.6	*	*	*	*	*	*	*	*	*
1983.....	13.6	*	*	*	*	*	*	*	*	*
1982.....	13.6	*	*	*	*	*	*	*	*	*
1981.....	14.4	*	*	*	*	*	*	*	*	*
1980.....	15.3	0.1	-	-	-	-	-	-	0.0	0.1
1979.....	15.1	0.1	-	-	-	0.0	-	0.0	-	0.0
WHITE, BOTH SEXES										
1998.....	6.3	*	*	*	*	*	*	*	*	*
1997.....	6.7	*	*	*	*	*	*	*	*	*
1996.....	7.0	*	*	*	*	*	*	*	*	*
1995.....	7.1	*	*	*	*	*	*	*	*	*
1994.....	7.2	*	*	*	*	*	*	*	*	0.1
1993.....	7.4	*	*	*	*	*	*	*	*	*
1992.....	7.3	*	*	*	*	*	*	*	*	*
1991.....	7.6	*	*	*	*	*	*	*	*	*
1990.....	7.9	*	*	*	*	*	*	*	*	*
1989.....	8.6	*	*	*	*	*	*	*	*	*
1988.....	9.8	*	*	*	*	*	*	*	*	*
1987.....	10.1	*	*	*	*	*	*	*	*	*
1986.....	10.3	*	*	*	*	*	*	*	*	*
1985.....	10.9	*	*	*	*	*	*	*	*	*
1984.....	11.3	*	*	*	*	*	*	*	*	*
1983.....	12.3	*	*	*	*	*	*	*	*	*
1982.....	12.5	*	*	*	*	*	*	*	*	*
1981.....	13.1	*	*	*	*	*	*	*	*	*
1980.....	13.9	0.1	-	-	-	0.0	0.0	0.0	0.0	0.1
1979.....	13.7	0.1	-	-	-	-	-	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ATHEROSCLEROSIS (440)										
WHITE MALE										
1998.....	4.8	*	*	*	*	*	*	*	*	*
1997.....	5.1	*	*	*	*	*	*	*	*	*
1996.....	5.3	*	*	*	*	*	*	*	*	*
1995.....	5.5	*	*	*	*	*	*	*	*	*
1994.....	5.5	*	*	*	*	*	*	*	*	*
1993.....	5.6	*	*	*	*	*	*	*	*	*
1992.....	5.5	*	*	*	*	*	*	*	*	*
1991.....	5.8	*	*	*	*	*	*	*	*	*
1990.....	6.1	*	*	*	*	*	*	*	*	*
1989.....	6.6	*	*	*	*	*	*	*	*	*
1988.....	7.5	*	*	*	*	*	*	*	*	*
1987.....	7.7	*	*	*	*	*	*	*	*	*
1986.....	7.8	*	*	*	*	*	*	*	*	*
1985.....	8.4	*	*	*	*	*	*	*	*	*
1984.....	8.6	*	*	*	*	*	*	*	*	*
1983.....	9.4	*	*	*	*	*	*	*	*	*
1982.....	10.0	*	*	*	*	*	*	*	*	*
1981.....	10.5	*	*	*	*	*	*	*	*	*
1980.....	11.1	0.1	-	-	-	0.0	0.0	0.0	0.1	0.1
1979.....	11.1	0.1	-	-	-	-	-	-	0.0	0.1
WHITE FEMALE										
1998.....	7.8	*	*	*	*	*	*	*	*	*
1997.....	8.2	*	*	*	*	*	*	*	*	*
1996.....	8.6	*	*	*	*	*	*	*	*	*
1995.....	8.6	*	*	*	*	*	*	*	*	*
1994.....	8.9	*	*	*	*	*	*	*	*	*
1993.....	9.2	*	*	*	*	*	*	*	*	*
1992.....	9.0	*	*	*	*	*	*	*	*	*
1991.....	9.2	*	*	*	*	*	*	*	*	*
1990.....	9.7	*	*	*	*	*	*	*	*	*
1989.....	10.5	*	*	*	*	*	*	*	*	*
1988.....	12.1	*	*	*	*	*	*	*	*	*
1987.....	12.5	*	*	*	*	*	*	*	*	*
1986.....	12.6	*	*	*	*	*	*	*	*	*
1985.....	13.3	*	*	*	*	*	*	*	*	*
1984.....	13.8	*	*	*	*	*	*	*	*	*
1983.....	15.0	*	*	*	*	*	*	*	*	*
1982.....	14.9	*	*	*	*	*	*	*	*	*
1981.....	15.7	*	*	*	*	*	*	*	*	*
1980.....	16.6	0.1	-	-	-	-	-	-	0.0	0.1
1979.....	16.3	0.1	-	-	-	-	-	0.0	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ATHEROSCLEROSIS (440)										
ALL OTHER, BOTH SEXES										
1998.....	2.6	*	*	*	*	*	*	*	*	*
1997.....	2.8	*	*	*	*	*	*	*	*	*
1996.....	3.0	*	*	*	*	*	*	*	*	*
1995.....	3.0	*	*	*	*	*	*	*	*	*
1994.....	3.3	*	*	*	*	*	*	*	*	*
1993.....	3.2	*	*	*	*	*	*	*	*	*
1992.....	3.2	*	*	*	*	*	*	*	*	*
1991.....	3.5	*	*	*	*	*	*	*	*	*
1990.....	3.7	*	*	*	*	*	*	*	*	*
1989.....	4.0	*	*	*	*	*	*	*	*	*
1988.....	4.8	*	*	*	*	*	*	*	*	*
1987.....	4.7	*	*	*	*	*	*	*	*	*
1986.....	5.0	*	*	*	*	*	*	*	*	*
1985.....	5.3	*	*	*	*	*	*	*	*	*
1984.....	5.2	*	*	*	*	*	*	*	*	*
1983.....	5.6	*	*	*	*	*	*	*	*	*
1982.....	6.0	*	*	*	*	*	*	*	*	*
1981.....	6.6	*	*	*	*	*	*	*	*	*
1980.....	7.5	-	-	-	-	-	-	-	0.1	0.2
1979.....	7.1	-	-	-	-	0.0	-	-	0.0	0.1
ALL OTHER MALE										
1998.....	2.2	*	*	*	*	*	*	*	*	*
1997.....	2.3	*	*	*	*	*	*	*	*	*
1996.....	2.5	*	*	*	*	*	*	*	*	*
1995.....	2.6	*	*	*	*	*	*	*	*	*
1994.....	2.8	*	*	*	*	*	*	*	*	*
1993.....	2.7	*	*	*	*	*	*	*	*	*
1992.....	2.8	*	*	*	*	*	*	*	*	*
1991.....	3.1	*	*	*	*	*	*	*	*	*
1990.....	3.3	*	*	*	*	*	*	*	*	*
1989.....	3.2	*	*	*	*	*	*	*	*	*
1988.....	4.4	*	*	*	*	*	*	*	*	*
1987.....	4.1	*	*	*	*	*	*	*	*	*
1986.....	4.7	*	*	*	*	*	*	*	*	*
1985.....	4.7	*	*	*	*	*	*	*	*	*
1984.....	4.7	*	*	*	*	*	*	*	*	*
1983.....	5.4	*	*	*	*	*	*	*	*	*
1982.....	5.6	*	*	*	*	*	*	*	*	*
1981.....	6.0	*	*	*	*	*	*	*	*	*
1980.....	7.0	-	-	-	-	-	-	-	0.1	0.1
1979.....	6.6	-	-	-	-	-	-	-	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ATHEROSCLEROSIS (440)										
ALL OTHER FEMALE										
1998.....	2.9	*	*	*	*	*	*	*	*	*
1997.....	3.3	*	*	*	*	*	*	*	*	*
1996.....	3.5	*	*	*	*	*	*	*	*	*
1995.....	3.3	*	*	*	*	*	*	*	*	*
1994.....	3.8	*	*	*	*	*	*	*	*	*
1993.....	3.6	*	*	*	*	*	*	*	*	*
1992.....	3.5	*	*	*	*	*	*	*	*	*
1991.....	3.9	*	*	*	*	*	*	*	*	*
1990.....	4.2	*	*	*	*	*	*	*	*	*
1989.....	4.7	*	*	*	*	*	*	*	*	*
1988.....	5.1	*	*	*	*	*	*	*	*	*
1987.....	5.1	*	*	*	*	*	*	*	*	*
1986.....	5.4	*	*	*	*	*	*	*	*	*
1985.....	5.8	*	*	*	*	*	*	*	*	*
1984.....	5.6	*	*	*	*	*	*	*	*	*
1983.....	5.8	*	*	*	*	*	*	*	*	*
1982.....	6.5	*	*	*	*	*	*	*	*	*
1981.....	7.2	*	*	*	*	*	*	*	*	*
1980.....	7.9	-	-	-	-	-	-	-	0.2	0.2
1979.....	7.6	-	-	-	-	0.1	-	-	-	-
BLACK, BOTH SEXES										
1998.....	3.1	*	*	*	*	*	*	*	*	*
1997.....	3.4	*	*	*	*	*	*	*	*	*
1996.....	3.6	*	*	*	*	*	*	*	*	*
1995.....	3.6	*	*	*	*	*	*	*	*	*
1994.....	4.0	*	*	*	*	*	*	*	*	*
1993.....	3.8	*	*	*	*	*	*	*	*	*
1992.....	3.8	*	*	*	*	*	*	*	*	*
1991.....	4.2	*	*	*	*	*	*	*	*	*
1990.....	4.5	*	*	*	*	*	*	*	*	*
1989.....	4.8	*	*	*	*	*	*	*	*	*
1988.....	5.7	*	*	*	*	*	*	*	*	*
1987.....	5.5	*	*	*	*	*	*	*	*	*
1986.....	5.9	*	*	*	*	*	*	*	*	*
1985.....	6.2	*	*	*	*	*	*	*	*	*
1984.....	6.0	*	*	*	*	*	*	*	*	*
1983.....	6.5	*	*	*	*	*	*	*	*	*
1982.....	6.9	*	*	*	*	*	*	*	*	*
1981.....	7.6	*	*	*	*	*	*	*	*	*
1980.....	8.5	-	-	-	-	-	-	-	0.2	0.2
1979.....	7.8	-	-	-	-	-	-	-	0.1	0.1





CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC ANEURYSM (441)										
TOTAL, BOTH SEXES										
1998.....	6.0	*	*	*	*	*	*	0.2	0.4	0.5
1997.....	6.2	*	*	*	*	*	0.1	0.2	0.4	0.5
1996.....	6.2	*	*	*	*	*	*	0.2	0.2	0.5
1995.....	6.3	*	*	*	*	*	*	0.2	0.4	0.6
1994.....	6.2	*	*	*	*	*	0.1	0.2	0.4	0.4
1993.....	6.4	*	*	*	*	*	0.1	0.2	0.3	0.5
1992.....	6.4	*	*	*	*	*	*	0.2	0.3	0.5
1991.....	6.6	*	*	*	*	*	*	0.2	0.3	0.4
1990.....	6.6	*	*	*	*	*	*	0.2	0.3	0.4
1989.....	6.6	*	*	*	*	*	*	0.1	0.3	0.5
1988.....	6.4	*	*	*	*	*	*	0.2	0.3	0.5
1987.....	6.5	*	*	*	*	*	0.1	0.2	0.3	0.4
1986.....	6.4	*	*	*	*	*	0.1	0.1	0.3	0.4
1985.....	6.4	*	*	*	*	*	0.1	0.1	0.2	0.5
1984.....	6.4	*	*	*	*	*	*	0.2	0.2	0.5
1983.....	6.2	*	*	*	*	*	*	0.2	0.2	0.4
1982.....	6.1	*	*	*	*	*	*	0.1	0.2	0.4
1981.....	6.1	*	*	*	*	*	0.1	0.2	0.2	0.3
1980.....	6.3	-	-	-	0.0	0.0	0.1	0.1	0.3	0.4
1979.....	6.2	0.1	0.0	-	0.0	0.1	0.1	0.2	0.2	0.4
TOTAL, MALE										
1998.....	7.6	*	*	*	*	*	*	0.3	0.6	0.9
1997.....	7.9	*	*	*	*	*	*	0.3	0.6	0.9
1996.....	7.8	*	*	*	*	*	*	0.2	0.3	0.7
1995.....	8.0	*	*	*	*	*	*	0.3	0.5	0.9
1994.....	8.0	*	*	*	*	*	*	0.3	0.6	0.6
1993.....	8.5	*	*	*	*	*	*	0.3	0.4	0.6
1992.....	8.4	*	*	*	*	*	*	0.2	0.4	0.7
1991.....	8.8	*	*	*	*	*	*	0.2	0.4	0.6
1990.....	8.9	*	*	*	*	*	*	0.3	0.4	0.7
1989.....	8.9	*	*	*	*	*	*	0.2	0.5	0.8
1988.....	8.8	*	*	*	*	*	*	0.3	0.5	0.7
1987.....	8.8	*	*	*	*	*	0.2	0.2	0.5	0.6
1986.....	8.7	*	*	*	*	*	*	0.2	0.4	0.6
1985.....	8.8	*	*	*	*	*	*	0.2	0.2	0.7
1984.....	9.0	*	*	*	*	*	*	0.3	0.3	0.7
1983.....	8.8	*	*	*	*	*	*	0.2	0.3	0.6
1982.....	8.6	*	*	*	*	*	*	*	0.3	0.6
1981.....	8.8	*	*	*	*	*	*	0.3	0.3	0.5
1980.....	9.1	-	-	-	0.0	0.0	0.1	0.2	0.4	0.6
1979.....	9.0	0.1	0.0	-	0.0	0.1	0.1	0.2	0.4	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC ANEURYSM (441)										
TOTAL, FEMALE										
1998.....	4.5	*	*	*	*	*	*	*	*	0.2
1997.....	4.7	*	*	*	*	*	*	*	*	0.2
1996.....	4.6	*	*	*	*	*	*	*	0.2	0.2
1995.....	4.5	*	*	*	*	*	*	*	0.3	0.3
1994.....	4.5	*	*	*	*	*	*	*	*	0.2
1993.....	4.4	*	*	*	*	*	*	*	*	0.3
1992.....	4.5	*	*	*	*	*	*	*	0.2	0.2
1991.....	4.6	*	*	*	*	*	*	*	0.2	0.2
1990.....	4.4	*	*	*	*	*	*	*	*	*
1989.....	4.4	*	*	*	*	*	*	*	*	0.2
1988.....	4.2	*	*	*	*	*	*	*	*	*
1987.....	4.2	*	*	*	*	*	*	*	*	0.3
1986.....	4.1	*	*	*	*	*	*	*	*	0.3
1985.....	4.0	*	*	*	*	*	*	*	*	0.3
1984.....	4.0	*	*	*	*	*	*	*	*	0.2
1983.....	3.8	*	*	*	*	*	*	*	*	*
1982.....	3.7	*	*	*	*	*	*	*	*	*
1981.....	3.6	*	*	*	*	*	*	*	*	*
1980.....	3.6	-	-	-	0.0	0.0	0.1	0.0	0.1	0.2
1979.....	3.7	0.1	0.0	-	0.0	0.0	0.1	0.1	0.1	0.2
WHITE, BOTH SEXES										
1998.....	6.6	*	*	*	*	*	*	0.2	0.3	0.5
1997.....	6.9	*	*	*	*	*	0.1	0.2	0.4	0.5
1996.....	6.8	*	*	*	*	*	*	0.2	0.2	0.4
1995.....	6.9	*	*	*	*	*	*	0.2	0.4	0.6
1994.....	6.8	*	*	*	*	*	*	0.2	0.4	0.4
1993.....	7.0	*	*	*	*	*	*	0.2	0.2	0.5
1992.....	7.0	*	*	*	*	*	*	0.2	0.3	0.4
1991.....	7.3	*	*	*	*	*	*	0.2	0.3	0.4
1990.....	7.2	*	*	*	*	*	*	0.2	0.2	0.4
1989.....	7.2	*	*	*	*	*	*	0.2	0.3	0.5
1988.....	7.0	*	*	*	*	*	*	0.2	0.3	0.4
1987.....	7.1	*	*	*	*	*	0.1	0.2	0.3	0.4
1986.....	7.0	*	*	*	*	*	0.1	0.1	0.2	0.4
1985.....	6.9	*	*	*	*	*	*	0.1	0.2	0.4
1984.....	7.0	*	*	*	*	*	*	0.2	0.2	0.4
1983.....	6.8	*	*	*	*	*	*	0.2	0.2	0.3
1982.....	6.6	*	*	*	*	*	*	0.1	0.2	0.3
1981.....	6.7	*	*	*	*	*	*	0.2	0.2	0.3
1980.....	6.8	-	-	-	0.0	0.0	0.1	0.1	0.2	0.4
1979.....	6.8	0.1	0.0	-	0.0	0.1	0.1	0.1	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC ANEURYSM (441)										
WHITE MALE										
1998.....	8.4	*	*	*	*	*	*	0.3	0.5	0.8
1997.....	8.7	*	*	*	*	*	*	0.3	0.6	0.7
1996.....	8.6	*	*	*	*	*	*	*	0.3	0.6
1995.....	8.9	*	*	*	*	*	*	0.3	0.5	0.9
1994.....	8.9	*	*	*	*	*	*	0.3	0.6	0.5
1993.....	9.4	*	*	*	*	*	*	0.3	0.4	0.6
1992.....	9.3	*	*	*	*	*	*	*	0.4	0.6
1991.....	9.7	*	*	*	*	*	*	0.2	0.4	0.6
1990.....	9.9	*	*	*	*	*	*	0.3	0.3	0.6
1989.....	9.8	*	*	*	*	*	*	0.2	0.5	0.7
1988.....	9.7	*	*	*	*	*	*	0.3	0.5	0.7
1987.....	9.7	*	*	*	*	*	*	0.2	0.5	0.5
1986.....	9.6	*	*	*	*	*	*	*	0.4	0.6
1985.....	9.7	*	*	*	*	*	*	0.2	0.2	0.6
1984.....	9.9	*	*	*	*	*	*	0.3	0.3	0.6
1983.....	9.7	*	*	*	*	*	*	0.3	0.3	0.4
1982.....	9.4	*	*	*	*	*	*	*	0.3	0.5
1981.....	9.6	*	*	*	*	*	*	0.3	*	0.5
1980.....	9.9	-	-	-	0.1	0.0	0.2	0.2	0.4	0.5
1979.....	9.7	0.1	-	-	0.0	0.1	0.1	0.2	0.4	0.5
WHITE FEMALE										
1998.....	4.9	*	*	*	*	*	*	*	*	*
1997.....	5.1	*	*	*	*	*	*	*	*	*
1996.....	5.0	*	*	*	*	*	*	*	*	*
1995.....	5.0	*	*	*	*	*	*	*	0.3	0.3
1994.....	4.9	*	*	*	*	*	*	*	*	*
1993.....	4.8	*	*	*	*	*	*	*	*	0.3
1992.....	4.9	*	*	*	*	*	*	*	*	*
1991.....	5.0	*	*	*	*	*	*	*	*	*
1990.....	4.7	*	*	*	*	*	*	*	*	*
1989.....	4.7	*	*	*	*	*	*	*	*	*
1988.....	4.5	*	*	*	*	*	*	*	*	*
1987.....	4.5	*	*	*	*	*	*	*	*	0.3
1986.....	4.4	*	*	*	*	*	*	*	*	*
1985.....	4.3	*	*	*	*	*	*	*	*	*
1984.....	4.2	*	*	*	*	*	*	*	*	*
1983.....	4.0	*	*	*	*	*	*	*	*	*
1982.....	4.0	*	*	*	*	*	*	*	*	*
1981.....	3.8	*	*	*	*	*	*	*	*	*
1980.....	3.8	-	-	-	0.0	0.0	0.1	0.0	0.1	0.2
1979.....	3.9	0.1	0.0	-	-	0.0	0.1	0.1	0.0	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC ANEURYSM (441)										
ALL OTHER, BOTH SEXES										
1998.....	3.1	*	*	*	*	*	*	*	*	0.7
1997.....	3.1	*	*	*	*	*	*	*	*	0.8
1996.....	3.1	*	*	*	*	*	*	*	*	0.9
1995.....	3.1	*	*	*	*	*	*	*	*	0.6
1994.....	3.0	*	*	*	*	*	*	*	*	0.6
1993.....	3.1	*	*	*	*	*	*	*	*	*
1992.....	3.0	*	*	*	*	*	*	*	*	0.7
1991.....	3.2	*	*	*	*	*	*	*	*	*
1990.....	3.2	*	*	*	*	*	*	*	*	0.8
1989.....	3.2	*	*	*	*	*	*	*	*	0.8
1988.....	3.1	*	*	*	*	*	*	*	*	*
1987.....	3.1	*	*	*	*	*	*	*	*	*
1986.....	3.0	*	*	*	*	*	*	*	*	*
1985.....	3.1	*	*	*	*	*	*	*	*	0.9
1984.....	3.1	*	*	*	*	*	*	*	*	*
1983.....	2.9	*	*	*	*	*	*	*	*	*
1982.....	2.9	*	*	*	*	*	*	*	*	*
1981.....	3.0	*	*	*	*	*	*	*	*	*
1980.....	3.2	-	-	-	-	0.0	-	0.2	0.4	0.5
1979.....	3.1	0.2	0.0	-	0.1	0.1	0.1	0.3	0.5	0.7
ALL OTHER MALE										
1998.....	3.6	*	*	*	*	*	*	*	*	*
1997.....	3.6	*	*	*	*	*	*	*	*	1.5
1996.....	3.7	*	*	*	*	*	*	*	*	1.2
1995.....	3.6	*	*	*	*	*	*	*	*	*
1994.....	3.5	*	*	*	*	*	*	*	*	*
1993.....	3.8	*	*	*	*	*	*	*	*	*
1992.....	3.6	*	*	*	*	*	*	*	*	*
1991.....	3.8	*	*	*	*	*	*	*	*	*
1990.....	3.9	*	*	*	*	*	*	*	*	1.5
1989.....	3.8	*	*	*	*	*	*	*	*	*
1988.....	3.7	*	*	*	*	*	*	*	*	*
1987.....	3.7	*	*	*	*	*	*	*	*	*
1986.....	3.5	*	*	*	*	*	*	*	*	*
1985.....	3.7	*	*	*	*	*	*	*	*	*
1984.....	3.9	*	*	*	*	*	*	*	*	*
1983.....	3.5	*	*	*	*	*	*	*	*	*
1982.....	3.5	*	*	*	*	*	*	*	*	*
1981.....	3.5	*	*	*	*	*	*	*	*	*
1980.....	3.9	-	-	-	-	0.1	-	0.3	0.7	0.7
1979.....	3.9	0.3	0.1	-	-	0.1	-	0.3	0.8	1.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC ANEURYSM (441)										
ALL OTHER FEMALE										
1998.....	2.7	*	*	*	*	*	*	*	*	*
1997.....	2.7	*	*	*	*	*	*	*	*	*
1996.....	2.6	*	*	*	*	*	*	*	*	*
1995.....	2.6	*	*	*	*	*	*	*	*	*
1994.....	2.6	*	*	*	*	*	*	*	*	*
1993.....	2.6	*	*	*	*	*	*	*	*	*
1992.....	2.4	*	*	*	*	*	*	*	*	*
1991.....	2.6	*	*	*	*	*	*	*	*	*
1990.....	2.6	*	*	*	*	*	*	*	*	*
1989.....	2.7	*	*	*	*	*	*	*	*	*
1988.....	2.6	*	*	*	*	*	*	*	*	*
1987.....	2.6	*	*	*	*	*	*	*	*	*
1986.....	2.5	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.5	*	*	*	*	*	*	*	*	*
1983.....	2.4	*	*	*	*	*	*	*	*	*
1982.....	2.2	*	*	*	*	*	*	*	*	*
1981.....	2.5	*	*	*	*	*	*	*	*	*
1980.....	2.6	-	-	-	-	-	-	0.1	0.2	0.4
1979.....	2.3	-	-	-	0.1	0.1	0.1	0.2	0.3	0.3
BLACK, BOTH SEXES										
1998.....	3.4	*	*	*	*	*	*	*	*	0.8
1997.....	3.5	*	*	*	*	*	*	*	*	1.0
1996.....	3.4	*	*	*	*	*	*	*	*	1.1
1995.....	3.5	*	*	*	*	*	*	*	*	*
1994.....	3.3	*	*	*	*	*	*	*	*	0.8
1993.....	3.4	*	*	*	*	*	*	*	*	*
1992.....	3.3	*	*	*	*	*	*	*	*	0.9
1991.....	3.5	*	*	*	*	*	*	*	*	*
1990.....	3.5	*	*	*	*	*	*	*	*	1.0
1989.....	3.6	*	*	*	*	*	*	*	*	1.0
1988.....	3.4	*	*	*	*	*	*	*	*	*
1987.....	3.4	*	*	*	*	*	*	*	*	*
1986.....	3.2	*	*	*	*	*	*	*	*	*
1985.....	3.3	*	*	*	*	*	*	*	*	1.1
1984.....	3.4	*	*	*	*	*	*	*	*	*
1983.....	3.1	*	*	*	*	*	*	*	*	*
1982.....	3.1	*	*	*	*	*	*	*	*	*
1981.....	3.2	*	*	*	*	*	*	*	*	*
1980.....	3.3	-	-	-	-	0.0	-	0.2	0.5	0.6
1979.....	3.1	0.2	0.1	-	0.0	0.1	0.0	0.3	0.6	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 AORTIC ANEURYSM (441)										
BLACK MALE										
1998.....	3.8	*	*	*	*	*	*	*	*	*
1997.....	3.9	*	*	*	*	*	*	*	*	1.9
1996.....	3.9	*	*	*	*	*	*	*	*	*
1995.....	3.9	*	*	*	*	*	*	*	*	*
1994.....	3.7	*	*	*	*	*	*	*	*	*
1993.....	4.0	*	*	*	*	*	*	*	*	*
1992.....	3.8	*	*	*	*	*	*	*	*	*
1991.....	4.0	*	*	*	*	*	*	*	*	*
1990.....	4.1	*	*	*	*	*	*	*	*	*
1989.....	4.2	*	*	*	*	*	*	*	*	*
1988.....	3.9	*	*	*	*	*	*	*	*	*
1987.....	3.8	*	*	*	*	*	*	*	*	*
1986.....	3.6	*	*	*	*	*	*	*	*	*
1985.....	3.7	*	*	*	*	*	*	*	*	*
1984.....	4.1	*	*	*	*	*	*	*	*	*
1983.....	3.6	*	*	*	*	*	*	*	*	*
1982.....	3.8	*	*	*	*	*	*	*	*	*
1981.....	3.7	*	*	*	*	*	*	*	*	*
1980.....	3.9	-	-	-	-	0.1	-	0.4	0.8	0.8
1979.....	3.8	0.4	0.1	-	-	0.1	-	0.3	1.0	1.2
BLACK FEMALE										
1998.....	3.1	*	*	*	*	*	*	*	*	*
1997.....	3.1	*	*	*	*	*	*	*	*	*
1996.....	3.0	*	*	*	*	*	*	*	*	*
1995.....	3.1	*	*	*	*	*	*	*	*	*
1994.....	3.0	*	*	*	*	*	*	*	*	*
1993.....	2.9	*	*	*	*	*	*	*	*	*
1992.....	2.8	*	*	*	*	*	*	*	*	*
1991.....	3.1	*	*	*	*	*	*	*	*	*
1990.....	3.0	*	*	*	*	*	*	*	*	*
1989.....	3.1	*	*	*	*	*	*	*	*	*
1988.....	2.9	*	*	*	*	*	*	*	*	*
1987.....	3.0	*	*	*	*	*	*	*	*	*
1986.....	2.8	*	*	*	*	*	*	*	*	*
1985.....	3.0	*	*	*	*	*	*	*	*	*
1984.....	2.7	*	*	*	*	*	*	*	*	*
1983.....	2.6	*	*	*	*	*	*	*	*	*
1982.....	2.5	*	*	*	*	*	*	*	*	*
1981.....	2.8	*	*	*	*	*	*	*	*	*
1980.....	2.8	-	-	-	-	-	-	0.1	0.2	0.5
1979.....	2.5	-	-	-	0.1	0.1	0.1	0.2	0.3	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										
TOTAL, BOTH SEXES										
1998.....	4.2	*	*	*	*	*	0.2	0.2	0.3	0.5
1997.....	4.1	*	*	*	*	*	0.2	0.2	0.3	0.4
1996.....	4.1	*	*	*	*	*	0.1	0.2	0.3	0.4
1995.....	3.9	*	*	*	*	*	0.2	0.2	0.3	0.4
1994.....	3.8	*	*	*	*	*	0.1	0.2	0.2	0.4
1993.....	3.7	*	*	*	*	*	*	0.2	0.3	0.4
1992.....	3.6	*	*	*	*	*	0.2	0.2	0.3	0.4
1991.....	3.3	*	*	*	*	*	0.1	0.3	0.3	0.4
1990.....	3.3	*	*	*	*	*	0.2	0.2	0.3	0.3
1989.....	3.3	*	*	*	*	*	0.1	0.2	0.3	0.5
1988.....	3.1	*	*	*	*	*	0.1	0.2	0.2	0.3
1987.....	3.0	*	*	*	*	*	0.1	0.2	0.2	0.4
1986.....	3.0	*	*	*	*	0.1	0.1	0.1	0.2	0.4
1985.....	2.9	0.5	*	*	*	*	*	0.2	0.3	0.4
1984.....	2.8	*	*	*	*	*	0.1	0.2	0.2	0.4
1983.....	2.7	*	*	*	*	0.1	0.1	0.2	0.3	0.4
1982.....	2.6	*	*	*	*	*	0.1	0.2	0.3	0.3
1981.....	2.6	*	*	*	*	*	0.1	0.2	0.3	0.5
1980.....	2.6	0.5	0.1	0.0	0.1	0.1	0.2	0.2	0.3	0.4
1979.....	2.4	0.4	0.1	0.1	0.0	0.1	0.2	0.2	0.3	0.4
TOTAL, MALE										
1998.....	3.8	*	*	*	*	*	*	*	0.3	0.5
1997.....	3.7	*	*	*	*	*	*	*	0.2	0.4
1996.....	3.7	*	*	*	*	*	*	*	0.3	0.4
1995.....	3.5	*	*	*	*	*	*	*	0.3	0.4
1994.....	3.4	*	*	*	*	*	*	*	*	0.4
1993.....	3.4	*	*	*	*	*	*	*	0.2	0.3
1992.....	3.3	*	*	*	*	*	*	*	0.3	0.3
1991.....	3.1	*	*	*	*	*	*	0.2	0.3	0.3
1990.....	3.1	*	*	*	*	*	*	*	0.2	0.4
1989.....	3.1	*	*	*	*	*	*	*	0.3	0.5
1988.....	2.8	*	*	*	*	*	*	*	0.2	0.3
1987.....	2.9	*	*	*	*	*	*	*	*	0.3
1986.....	2.9	*	*	*	*	*	*	*	0.2	0.4
1985.....	2.9	*	*	*	*	*	*	*	*	0.3
1984.....	2.8	*	*	*	*	*	*	*	*	0.3
1983.....	2.8	*	*	*	*	*	*	0.2	0.3	0.4
1982.....	2.7	*	*	*	*	*	*	*	0.3	0.3
1981.....	2.7	*	*	*	*	*	*	*	0.2	0.4
1980.....	2.7	0.7	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.4
1979.....	2.6	0.5	0.1	0.1	0.0	0.1	0.2	0.2	0.4	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										
TOTAL, FEMALE										
1998.....	4.7	*	*	*	*	*	0.2	0.3	0.3	0.5
1997.....	4.6	*	*	*	*	*	*	0.3	0.4	0.5
1996.....	4.5	*	*	*	*	*	*	*	0.3	0.5
1995.....	4.3	*	*	*	*	*	0.2	*	0.3	0.4
1994.....	4.2	*	*	*	*	*	*	*	0.3	0.4
1993.....	4.0	*	*	*	*	*	*	0.2	0.3	0.6
1992.....	3.8	*	*	*	*	*	*	0.2	0.3	0.4
1991.....	3.5	*	*	*	*	*	*	0.3	0.3	0.4
1990.....	3.5	*	*	*	*	*	*	0.2	0.4	0.3
1989.....	3.4	*	*	*	*	*	*	0.3	0.3	0.5
1988.....	3.3	*	*	*	*	*	*	0.2	0.3	0.4
1987.....	3.0	*	*	*	*	*	*	*	0.2	0.5
1986.....	3.1	*	*	*	*	*	*	0.2	0.2	0.4
1985.....	2.8	*	*	*	*	*	*	0.2	0.3	0.4
1984.....	2.8	*	*	*	*	*	*	0.3	0.3	0.4
1983.....	2.6	*	*	*	*	*	*	0.2	0.2	0.4
1982.....	2.5	*	*	*	*	*	*	0.2	0.3	0.3
1981.....	2.5	*	*	*	*	*	*	0.2	0.3	0.5
1980.....	2.4	0.3	0.1	0.0	0.1	0.1	0.2	0.2	0.4	0.4
1979.....	2.3	0.2	0.0	0.0	0.0	0.1	0.2	0.3	0.3	0.5
WHITE, BOTH SEXES										
1998.....	4.4	*	*	*	*	*	*	0.2	0.2	0.4
1997.....	4.3	*	*	*	*	*	*	0.1	0.3	0.3
1996.....	4.3	*	*	*	*	*	*	0.2	0.2	0.3
1995.....	4.1	*	*	*	*	*	0.1	*	0.2	0.3
1994.....	4.0	*	*	*	*	*	0.1	0.2	0.2	0.3
1993.....	3.8	*	*	*	*	*	*	0.1	0.2	0.3
1992.....	3.7	*	*	*	*	*	0.2	0.2	0.2	0.3
1991.....	3.4	*	*	*	*	*	*	0.2	0.2	0.3
1990.....	3.4	*	*	*	*	*	*	0.1	0.2	0.3
1989.....	3.4	*	*	*	*	*	*	0.2	0.2	0.3
1988.....	3.2	*	*	*	*	*	*	0.1	0.2	0.2
1987.....	3.1	*	*	*	*	*	*	*	0.2	0.3
1986.....	3.1	*	*	*	*	*	*	*	0.2	0.3
1985.....	3.0	*	*	*	*	*	*	0.1	0.2	0.4
1984.....	2.9	*	*	*	*	*	*	0.2	0.2	0.3
1983.....	2.8	*	*	*	*	*	0.1	0.2	0.2	0.3
1982.....	2.7	*	*	*	*	*	0.1	0.1	0.3	0.3
1981.....	2.7	*	*	*	*	*	*	0.1	0.2	0.4
1980.....	2.6	0.5	0.1	0.0	0.0	0.1	0.2	0.2	0.2	0.3
1979.....	2.5	0.4	0.1	0.1	0.0	0.1	0.1	0.1	0.3	0.4



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										
WHITE MALE										
1998.....	3.9	*	*	*	*	*	*	*	*	0.3
1997.....	3.8	*	*	*	*	*	*	*	*	0.3
1996.....	3.8	*	*	*	*	*	*	*	*	0.3
1995.....	3.7	*	*	*	*	*	*	*	*	0.3
1994.....	3.6	*	*	*	*	*	*	*	*	0.3
1993.....	3.5	*	*	*	*	*	*	*	*	*
1992.....	3.4	*	*	*	*	*	*	*	0.2	0.3
1991.....	3.2	*	*	*	*	*	*	*	0.2	0.2
1990.....	3.2	*	*	*	*	*	*	*	*	0.3
1989.....	3.2	*	*	*	*	*	*	*	0.2	0.4
1988.....	3.0	*	*	*	*	*	*	*	*	*
1987.....	3.0	*	*	*	*	*	*	*	*	*
1986.....	3.0	*	*	*	*	*	*	*	*	0.3
1985.....	3.1	*	*	*	*	*	*	*	*	0.3
1984.....	2.9	*	*	*	*	*	*	*	*	0.3
1983.....	2.9	*	*	*	*	*	*	*	0.2	0.3
1982.....	2.8	*	*	*	*	*	*	*	0.3	*
1981.....	2.8	*	*	*	*	*	*	*	*	*
1980.....	2.7	0.8	0.1	0.0	0.0	0.1	0.1	0.2	0.1	0.4
1979.....	2.7	0.5	0.1	0.1	0.0	0.1	0.1	0.1	0.3	0.4
WHITE FEMALE										
1998.....	4.9	*	*	*	*	*	*	*	*	0.5
1997.....	4.8	*	*	*	*	*	*	*	0.3	0.4
1996.....	4.7	*	*	*	*	*	*	*	*	0.4
1995.....	4.4	*	*	*	*	*	*	*	0.3	0.3
1994.....	4.3	*	*	*	*	*	*	*	0.3	0.3
1993.....	4.1	*	*	*	*	*	*	*	0.2	0.3
1992.....	4.0	*	*	*	*	*	*	*	0.3	0.4
1991.....	3.7	*	*	*	*	*	*	*	*	0.4
1990.....	3.7	*	*	*	*	*	*	*	0.3	0.2
1989.....	3.5	*	*	*	*	*	*	*	*	0.3
1988.....	3.4	*	*	*	*	*	*	*	0.2	0.3
1987.....	3.1	*	*	*	*	*	*	*	0.2	0.4
1986.....	3.2	*	*	*	*	*	*	*	*	*
1985.....	2.9	*	*	*	*	*	*	*	0.2	0.4
1984.....	2.9	*	*	*	*	*	*	*	0.2	0.4
1983.....	2.7	*	*	*	*	*	*	*	*	0.3
1982.....	2.6	*	*	*	*	*	*	*	0.3	*
1981.....	2.5	*	*	*	*	*	*	*	*	0.4
1980.....	2.5	0.2	0.1	0.0	0.1	0.1	0.2	0.2	0.3	0.2
1979.....	2.3	0.3	0.1	0.0	0.0	0.1	0.1	0.1	0.3	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										
ALL OTHER, BOTH SEXES										
1998.....	3.5	*	*	*	*	*	*	*	0.6	0.9
1997.....	3.4	*	*	*	*	*	*	*	*	0.9
1996.....	3.2	*	*	*	*	*	*	*	0.6	1.0
1995.....	2.9	*	*	*	*	*	*	*	0.7	0.7
1994.....	3.2	*	*	*	*	*	*	*	*	0.8
1993.....	3.1	*	*	*	*	*	*	*	0.5	1.3
1992.....	2.8	*	*	*	*	*	*	*	*	0.7
1991.....	2.7	*	*	*	*	*	*	0.5	0.7	0.7
1990.....	2.7	*	*	*	*	*	*	*	*	0.7
1989.....	2.6	*	*	*	*	*	*	*	0.6	1.1
1988.....	2.4	*	*	*	*	*	*	*	0.6	0.9
1987.....	2.4	*	*	*	*	*	*	*	*	0.9
1986.....	2.5	*	*	*	*	*	*	*	*	0.9
1985.....	2.3	*	*	*	*	*	*	*	0.7	*
1984.....	2.3	*	*	*	*	*	*	*	*	*
1983.....	2.2	*	*	*	*	*	*	*	*	1.0
1982.....	2.2	*	*	*	*	*	*	*	*	*
1981.....	2.0	*	*	*	*	*	*	*	0.9	1.1
1980.....	2.2	0.3	0.1	0.0	0.1	0.2	0.3	0.4	0.7	0.9
1979.....	1.9	0.3	0.1	0.1	0.1	0.3	0.4	0.8	0.6	0.6
ALL OTHER MALE										
1998.....	3.1	*	*	*	*	*	*	*	*	*
1997.....	3.0	*	*	*	*	*	*	*	*	*
1996.....	2.9	*	*	*	*	*	*	*	*	*
1995.....	2.4	*	*	*	*	*	*	*	*	*
1994.....	2.8	*	*	*	*	*	*	*	*	*
1993.....	2.9	*	*	*	*	*	*	*	*	*
1992.....	2.5	*	*	*	*	*	*	*	*	*
1991.....	2.4	*	*	*	*	*	*	*	*	*
1990.....	2.5	*	*	*	*	*	*	*	*	*
1989.....	2.4	*	*	*	*	*	*	*	*	*
1988.....	2.2	*	*	*	*	*	*	*	*	*
1987.....	2.5	*	*	*	*	*	*	*	*	*
1986.....	2.4	*	*	*	*	*	*	*	*	*
1985.....	2.3	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*
1982.....	2.2	*	*	*	*	*	*	*	*	*
1981.....	2.0	*	*	*	*	*	*	*	*	*
1980.....	2.3	-	0.1	0.1	-	0.2	0.3	0.2	0.8	0.6
1979.....	2.1	0.7	0.2	0.1	0.1	0.2	0.5	0.6	0.8	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										
ALL OTHER FEMALE										
1998.....	3.8	*	*	*	*	*	*	*	*	*
1997.....	3.7	*	*	*	*	*	*	*	*	1.0
1996.....	3.4	*	*	*	*	*	*	*	*	*
1995.....	3.4	*	*	*	*	*	*	*	*	*
1994.....	3.6	*	*	*	*	*	*	*	*	*
1993.....	3.2	*	*	*	*	*	*	*	*	1.8
1992.....	3.0	*	*	*	*	*	*	*	*	*
1991.....	2.9	*	*	*	*	*	*	*	*	*
1990.....	2.8	*	*	*	*	*	*	*	*	*
1989.....	2.8	*	*	*	*	*	*	*	*	1.3
1988.....	2.6	*	*	*	*	*	*	*	*	*
1987.....	2.4	*	*	*	*	*	*	*	*	*
1986.....	2.5	*	*	*	*	*	*	*	*	*
1985.....	2.4	*	*	*	*	*	*	*	*	*
1984.....	2.3	*	*	*	*	*	*	*	*	*
1983.....	2.1	*	*	*	*	*	*	*	*	*
1982.....	2.1	*	*	*	*	*	*	*	*	*
1981.....	2.0	*	*	*	*	*	*	*	*	*
1980.....	2.0	0.6	0.1	-	0.2	0.2	0.2	0.6	0.6	1.1
1979.....	1.7	-	-	0.1	0.1	0.4	0.4	1.0	0.5	1.0
BLACK, BOTH SEXES										
1998.....	4.3	*	*	*	*	*	*	*	0.8	1.2
1997.....	4.1	*	*	*	*	*	*	*	*	1.2
1996.....	3.9	*	*	*	*	*	*	*	0.7	1.2
1995.....	3.6	*	*	*	*	*	*	*	0.9	0.9
1994.....	3.9	*	*	*	*	*	*	*	*	0.9
1993.....	3.7	*	*	*	*	*	*	*	*	1.7
1992.....	3.4	*	*	*	*	*	*	*	*	0.9
1991.....	3.3	*	*	*	*	*	*	*	0.8	0.9
1990.....	3.3	*	*	*	*	*	*	*	*	*
1989.....	3.2	*	*	*	*	*	*	*	*	1.4
1988.....	2.9	*	*	*	*	*	*	*	*	1.1
1987.....	2.9	*	*	*	*	*	*	*	*	1.1
1986.....	2.9	*	*	*	*	*	*	*	*	1.0
1985.....	2.7	*	*	*	*	*	*	*	0.9	*
1984.....	2.6	*	*	*	*	*	*	*	*	*
1983.....	2.5	*	*	*	*	*	*	*	*	*
1982.....	2.5	*	*	*	*	*	*	*	*	*
1981.....	2.3	*	*	*	*	*	*	*	1.1	1.4
1980.....	2.4	0.4	0.1	0.0	0.1	0.2	0.3	0.5	0.9	1.0
1979.....	2.1	0.2	0.1	0.1	0.1	0.4	0.4	1.0	0.8	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										
BLACK MALE										
1998.....	3.9	*	*	*	*	*	*	*	*	*
1997.....	3.7	*	*	*	*	*	*	*	*	*
1996.....	3.6	*	*	*	*	*	*	*	*	*
1995.....	3.0	*	*	*	*	*	*	*	*	*
1994.....	3.4	*	*	*	*	*	*	*	*	*
1993.....	3.5	*	*	*	*	*	*	*	*	*
1992.....	3.1	*	*	*	*	*	*	*	*	*
1991.....	2.9	*	*	*	*	*	*	*	*	*
1990.....	3.1	*	*	*	*	*	*	*	*	*
1989.....	2.9	*	*	*	*	*	*	*	*	*
1988.....	2.7	*	*	*	*	*	*	*	*	*
1987.....	3.0	*	*	*	*	*	*	*	*	*
1986.....	2.9	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.6	*	*	*	*	*	*	*	*	*
1983.....	2.6	*	*	*	*	*	*	*	*	*
1982.....	2.5	*	*	*	*	*	*	*	*	*
1981.....	2.3	*	*	*	*	*	*	*	*	*
1980.....	2.7	-	0.1	0.1	-	0.2	0.4	0.3	1.0	0.8
1979.....	2.3	0.4	0.1	0.1	0.1	0.3	0.5	0.8	1.0	0.2
BLACK FEMALE										
1998.....	4.7	*	*	*	*	*	*	*	*	*
1997.....	4.5	*	*	*	*	*	*	*	*	1.3
1996.....	4.2	*	*	*	*	*	*	*	*	*
1995.....	4.2	*	*	*	*	*	*	*	*	*
1994.....	4.3	*	*	*	*	*	*	*	*	*
1993.....	3.9	*	*	*	*	*	*	*	*	2.3
1992.....	3.7	*	*	*	*	*	*	*	*	*
1991.....	3.7	*	*	*	*	*	*	*	*	*
1990.....	3.4	*	*	*	*	*	*	*	*	*
1989.....	3.5	*	*	*	*	*	*	*	*	1.6
1988.....	3.1	*	*	*	*	*	*	*	*	*
1987.....	2.9	*	*	*	*	*	*	*	*	*
1986.....	3.0	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.7	*	*	*	*	*	*	*	*	*
1983.....	2.4	*	*	*	*	*	*	*	*	*
1982.....	2.4	*	*	*	*	*	*	*	*	*
1981.....	2.3	*	*	*	*	*	*	*	*	*
1980.....	2.2	0.8	0.1	-	0.1	0.3	0.3	0.7	0.8	1.1
1979.....	2.0	-	-	0.1	0.1	0.5	0.4	1.2	0.6	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)										
TOTAL, BOTH SEXES										
1998.....	1.6	1.6	*	*	*	*	*	0.2	0.3	0.5
1997.....	1.6	1.4	*	*	*	*	0.1	0.2	0.3	0.4
1996.....	1.6	1.7	*	*	*	*	*	0.2	0.2	0.5
1995.....	1.6	1.7	*	*	*	*	0.1	0.2	0.3	0.5
1994.....	1.6	1.3	*	*	*	*	*	0.2	0.3	0.4
1993.....	1.6	1.3	*	*	*	*	*	0.2	0.3	0.5
1992.....	1.6	1.2	*	*	*	*	0.1	0.2	0.3	0.5
1991.....	1.6	1.4	*	*	*	*	0.1	0.2	0.3	0.5
1990.....	1.7	1.4	*	*	*	*	0.1	0.2	0.3	0.4
1989.....	1.7	1.1	*	*	*	*	0.1	0.1	0.3	0.4
1988.....	1.9	1.0	*	*	*	*	0.1	0.2	0.3	0.6
1987.....	2.0	1.2	*	*	*	*	0.1	0.2	0.3	0.6
1986.....	1.9	1.0	*	*	*	*	0.1	0.2	0.3	0.5
1985.....	2.0	1.8	*	*	*	*	0.1	0.2	0.3	0.5
1984.....	2.0	1.5	*	*	*	*	0.1	0.2	0.4	0.5
1983.....	2.2	1.0	*	*	*	*	0.1	0.3	0.4	0.6
1982.....	2.0	1.1	*	*	*	*	0.1	0.2	0.4	0.5
1981.....	2.0	1.3	*	*	*	*	0.1	0.2	0.4	0.6
1980.....	2.1	1.6	0.1	0.0	0.0	0.1	0.2	0.3	0.3	0.7
1979.....	2.1	1.4	0.1	0.0	0.0	0.1	0.2	0.3	0.3	0.6
TOTAL, MALE										
1998.....	1.5	1.8	*	*	*	*	*	*	0.3	0.6
1997.....	1.5	1.5	*	*	*	*	*	*	0.4	0.5
1996.....	1.5	2.1	*	*	*	*	*	*	0.2	0.5
1995.....	1.5	1.9	*	*	*	*	*	*	0.2	0.5
1994.....	1.5	1.5	*	*	*	*	*	*	0.3	0.5
1993.....	1.5	1.3	*	*	*	*	*	0.3	0.4	0.6
1992.....	1.5	1.6	*	*	*	*	*	0.2	0.4	0.6
1991.....	1.6	1.7	*	*	*	*	*	*	0.3	0.5
1990.....	1.7	1.5	*	*	*	*	*	0.2	0.3	0.7
1989.....	1.7	1.5	*	*	*	*	*	*	0.3	0.6
1988.....	1.9	*	*	*	*	*	*	*	0.5	0.7
1987.....	2.0	1.4	*	*	*	*	*	0.2	0.3	0.7
1986.....	2.0	1.2	*	*	*	*	*	0.2	0.4	0.6
1985.....	2.1	2.0	*	*	*	*	*	0.2	0.4	0.6
1984.....	2.1	1.1	*	*	*	*	*	0.3	0.4	0.7
1983.....	2.2	1.2	*	*	*	*	*	0.3	0.4	0.8
1982.....	2.1	*	*	*	*	*	*	0.2	0.4	0.8
1981.....	2.1	1.2	*	*	*	*	*	0.2	0.5	0.8
1980.....	2.2	1.6	0.1	0.1	0.0	0.1	0.2	0.2	0.4	0.8
1979.....	2.2	1.5	0.1	-	0.1	0.1	0.2	0.3	0.4	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---------------------------------------------	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

TOTAL, FEMALE										
1998.....	1.8	1.5	*	*	*	*	*	*	0.3	0.4
1997.....	1.7	1.4	*	*	*	*	*	0.3	0.2	0.3
1996.....	1.7	1.3	*	*	*	*	*	0.3	0.2	0.4
1995.....	1.7	1.5	*	*	*	*	*	*	0.3	0.4
1994.....	1.7	1.1	*	*	*	*	*	*	0.2	0.3
1993.....	1.7	1.4	*	*	*	*	*	*	0.2	0.5
1992.....	1.6	*	*	*	*	*	*	*	0.2	0.4
1991.....	1.7	1.2	*	*	*	*	*	0.2	0.3	0.5
1990.....	1.7	1.3	*	*	*	*	*	*	0.3	0.2
1989.....	1.8	*	*	*	*	*	*	*	0.2	0.3
1988.....	1.8	*	*	*	*	*	*	0.2	0.2	0.4
1987.....	2.0	*	*	*	*	*	*	0.2	0.3	0.5
1986.....	1.9	*	*	*	*	*	*	0.3	0.3	0.4
1985.....	2.0	1.7	*	*	*	*	*	0.2	0.2	0.4
1984.....	1.9	1.8	*	*	*	*	*	0.2	0.3	0.4
1983.....	2.1	*	*	*	*	*	*	0.3	0.3	0.5
1982.....	1.9	1.1	*	*	*	*	*	0.3	0.3	0.3
1981.....	2.0	1.5	*	*	*	*	*	*	0.3	0.4
1980.....	2.1	1.6	0.0	0.0	0.0	0.1	0.2	0.3	0.3	0.7
1979.....	2.0	1.2	0.1	0.0	-	0.1	0.1	0.3	0.2	0.5
WHITE, BOTH SEXES										
1998.....	1.6	1.4	*	*	*	*	*	*	0.2	0.4
1997.....	1.6	1.3	*	*	*	*	*	0.2	0.2	0.3
1996.....	1.6	1.5	*	*	*	*	*	0.1	0.2	0.3
1995.....	1.6	1.6	*	*	*	*	*	*	0.2	0.4
1994.....	1.6	1.1	*	*	*	*	*	0.2	0.2	0.3
1993.....	1.6	1.0	*	*	*	*	*	0.1	0.2	0.4
1992.....	1.6	1.2	*	*	*	*	*	*	0.2	0.4
1991.....	1.6	1.4	*	*	*	*	*	0.2	0.2	0.4
1990.....	1.7	1.4	*	*	*	*	*	0.1	0.2	0.4
1989.....	1.7	0.9	*	*	*	*	*	*	0.2	0.4
1988.....	1.8	0.8	*	*	*	*	*	0.1	0.3	0.4
1987.....	1.9	0.9	*	*	*	*	*	0.2	0.2	0.5
1986.....	1.9	0.7	*	*	*	*	*	0.2	0.2	0.4
1985.....	2.0	1.6	*	*	*	*	*	0.2	0.2	0.4
1984.....	2.0	1.3	*	*	*	*	*	0.2	0.3	0.4
1983.....	2.1	0.9	*	*	*	*	0.1	0.2	0.2	0.5
1982.....	2.0	0.9	*	*	*	*	*	0.2	0.3	0.4
1981.....	2.0	1.0	*	*	*	*	*	0.2	0.3	0.5
1980.....	2.1	1.4	0.1	0.0	0.0	0.1	0.2	0.2	0.3	0.6
1979.....	2.1	1.2	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)										
WHITE MALE										
1998.....	1.5	1.6	*	*	*	*	*	*	*	0.5
1997.....	1.5	1.4	*	*	*	*	*	*	0.3	0.3
1996.....	1.5	1.8	*	*	*	*	*	*	*	0.4
1995.....	1.5	1.8	*	*	*	*	*	*	*	0.5
1994.....	1.4	1.3	*	*	*	*	*	*	*	0.4
1993.....	1.5	*	*	*	*	*	*	*	0.2	0.5
1992.....	1.5	1.5	*	*	*	*	*	*	0.3	0.5
1991.....	1.6	1.6	*	*	*	*	*	*	0.2	0.4
1990.....	1.6	1.5	*	*	*	*	*	*	0.3	0.5
1989.....	1.7	1.3	*	*	*	*	*	*	0.3	0.5
1988.....	1.8	*	*	*	*	*	*	*	0.4	0.5
1987.....	1.9	*	*	*	*	*	*	*	*	0.6
1986.....	2.0	*	*	*	*	*	*	*	0.3	0.5
1985.....	2.0	1.7	*	*	*	*	*	0.2	0.3	0.5
1984.....	2.1	*	*	*	*	*	*	*	0.3	0.5
1983.....	2.1	*	*	*	*	*	*	*	0.3	0.6
1982.....	2.1	*	*	*	*	*	*	*	0.3	0.6
1981.....	2.1	*	*	*	*	*	*	*	0.3	0.6
1980.....	2.1	1.2	0.1	0.0	0.0	0.1	0.2	0.2	0.3	0.6
1979.....	2.2	1.4	0.1	-	0.1	0.1	0.2	0.2	0.3	0.6
WHITE FEMALE										
1998.....	1.7	*	*	*	*	*	*	*	*	0.2
1997.....	1.7	*	*	*	*	*	*	*	*	0.2
1996.....	1.8	*	*	*	*	*	*	*	*	0.3
1995.....	1.7	*	*	*	*	*	*	*	*	0.3
1994.....	1.7	*	*	*	*	*	*	*	*	0.2
1993.....	1.7	*	*	*	*	*	*	*	*	0.4
1992.....	1.6	*	*	*	*	*	*	*	*	0.3
1991.....	1.7	*	*	*	*	*	*	*	*	0.4
1990.....	1.8	*	*	*	*	*	*	*	*	*
1989.....	1.8	*	*	*	*	*	*	*	*	*
1988.....	1.8	*	*	*	*	*	*	*	*	0.3
1987.....	2.0	*	*	*	*	*	*	*	*	0.4
1986.....	1.9	*	*	*	*	*	*	0.2	*	0.3
1985.....	2.0	1.4	*	*	*	*	*	*	*	0.3
1984.....	1.9	1.6	*	*	*	*	*	*	0.3	*
1983.....	2.1	*	*	*	*	*	*	*	*	0.4
1982.....	1.9	*	*	*	*	*	*	*	0.3	*
1981.....	2.0	*	*	*	*	*	*	*	0.3	*
1980.....	2.1	1.7	0.0	0.0	0.0	0.1	0.2	0.2	0.2	0.6
1979.....	2.0	1.0	0.1	0.0	-	0.1	0.1	0.2	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---------------------------------------------	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

## ALL OTHER, BOTH SEXES

1998.....	1.7	*	*	*	*	*	*	*	0.7	1.1
1997.....	1.6	*	*	*	*	*	*	*	0.8	0.9
1996.....	1.5	2.7	*	*	*	*	*	*	*	1.0
1995.....	1.7	*	*	*	*	*	*	*	*	0.8
1994.....	1.7	*	*	*	*	*	*	*	0.7	0.9
1993.....	1.6	2.4	*	*	*	*	*	*	0.8	1.0
1992.....	1.6	*	*	*	*	*	*	0.6	0.7	1.1
1991.....	1.7	*	*	*	*	*	*	*	0.5	1.1
1990.....	1.8	*	*	*	*	*	*	*	0.7	0.9
1989.....	1.9	*	*	*	*	*	*	*	0.6	0.8
1988.....	2.0	*	*	*	*	*	*	*	0.7	1.5
1987.....	2.2	*	*	*	*	*	*	*	0.7	1.4
1986.....	2.1	*	*	*	*	*	*	*	1.1	1.2
1985.....	2.3	3.1	*	*	*	*	*	*	0.8	1.3
1984.....	2.1	*	*	*	*	*	*	*	0.9	1.5
1983.....	2.3	*	*	*	*	*	*	0.6	1.2	1.6
1982.....	2.2	*	*	*	*	*	*	0.7	0.9	1.5
1981.....	2.1	*	*	*	*	*	*	*	0.9	1.5
1980.....	2.3	2.4	-	0.1	0.0	0.2	0.2	0.6	0.8	1.6
1979.....	2.3	2.2	0.1	0.0	0.0	0.1	0.3	0.8	0.9	1.3

## ALL OTHER MALE

1998.....	1.5	*	*	*	*	*	*	*	*	*
1997.....	1.7	*	*	*	*	*	*	*	*	1.3
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	*	*
1994.....	1.7	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	1.2	*
1992.....	1.7	*	*	*	*	*	*	*	*	1.3
1991.....	1.7	*	*	*	*	*	*	*	*	*
1990.....	2.0	*	*	*	*	*	*	*	*	1.5
1989.....	2.0	*	*	*	*	*	*	*	*	*
1988.....	2.2	*	*	*	*	*	*	*	*	2.0
1987.....	2.4	*	*	*	*	*	*	*	*	1.6
1986.....	2.3	*	*	*	*	*	*	*	*	*
1985.....	2.4	*	*	*	*	*	*	*	*	*
1984.....	2.3	*	*	*	*	*	*	*	*	2.0
1983.....	2.6	*	*	*	*	*	*	*	*	2.2
1982.....	2.5	*	*	*	*	*	*	*	*	*
1981.....	2.3	*	*	*	*	*	*	*	*	*
1980.....	2.6	3.4	-	0.2	-	0.1	0.1	0.4	1.0	2.0
1979.....	2.7	2.3	0.1	-	0.1	0.1	0.2	1.1	1.3	2.0



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)										
ALL OTHER FEMALE										
1998.....	1.9	*	*	*	*	*	*	*	*	1.1
1997.....	1.6	*	*	*	*	*	*	*	*	*
1996.....	1.5	*	*	*	*	*	*	*	*	1.1
1995.....	1.6	*	*	*	*	*	*	*	*	*
1994.....	1.6	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	1.1
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.7	*	*	*	*	*	*	*	*	1.2
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.8	*	*	*	*	*	*	*	*	*
1988.....	1.9	*	*	*	*	*	*	*	*	*
1987.....	2.1	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	2.1	*	*	*	*	*	*	*	*	*
1984.....	1.9	*	*	*	*	*	*	*	*	*
1983.....	2.0	*	*	*	*	*	*	*	*	*
1982.....	2.1	*	*	*	*	*	*	*	*	*
1981.....	2.0	*	*	*	*	*	*	*	*	*
1980.....	2.0	1.3	-	-	0.1	0.3	0.4	0.7	0.7	1.2
1979.....	2.0	2.0	0.1	0.1	-	0.2	0.4	0.6	0.6	0.7
BLACK, BOTH SEXES										
1998.....	2.2	*	*	*	*	*	*	*	0.9	1.4
1997.....	2.0	*	*	*	*	*	*	*	1.0	1.2
1996.....	1.9	*	*	*	*	*	*	*	*	1.3
1995.....	2.0	*	*	*	*	*	*	*	*	1.1
1994.....	2.0	*	*	*	*	*	*	*	0.8	1.2
1993.....	1.9	*	*	*	*	*	*	*	1.1	1.2
1992.....	2.0	*	*	*	*	*	*	0.7	1.0	1.5
1991.....	2.1	*	*	*	*	*	*	*	*	1.5
1990.....	2.2	*	*	*	*	*	*	*	0.8	1.1
1989.....	2.3	*	*	*	*	*	*	*	0.7	1.1
1988.....	2.5	*	*	*	*	*	*	*	1.0	2.0
1987.....	2.7	*	*	*	*	*	*	*	0.9	1.7
1986.....	2.5	*	*	*	*	*	*	*	1.4	1.5
1985.....	2.6	*	*	*	*	*	*	*	1.0	1.6
1984.....	2.4	*	*	*	*	*	*	*	1.1	1.8
1983.....	2.7	*	*	*	*	*	*	*	1.5	2.0
1982.....	2.6	*	*	*	*	*	*	*	0.9	1.9
1981.....	2.5	*	*	*	*	*	*	*	1.1	1.8
1980.....	2.6	2.4	-	0.1	0.0	0.2	0.3	0.7	1.1	1.9
1979.....	2.6	2.3	0.1	0.0	0.0	0.1	0.3	1.0	1.1	1.6

CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39  
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

BLACK MALE

1998.....	1.9	*	*	*	*	*	*	*	*	*	*
1997.....	2.1	*	*	*	*	*	*	*	*	*	1.9
1996.....	1.8	*	*	*	*	*	*	*	*	*	*
1995.....	2.1	*	*	*	*	*	*	*	*	*	*
1994.....	2.1	*	*	*	*	*	*	*	*	*	*
1993.....	2.1	*	*	*	*	*	*	*	1.7	*	*
1992.....	2.0	*	*	*	*	*	*	*	*	*	1.8
1991.....	2.1	*	*	*	*	*	*	*	*	*	*
1990.....	2.4	*	*	*	*	*	*	*	*	*	1.8
1989.....	2.4	*	*	*	*	*	*	*	*	*	*
1988.....	2.7	*	*	*	*	*	*	*	*	*	2.6
1987.....	2.9	*	*	*	*	*	*	*	*	*	*
1986.....	2.8	*	*	*	*	*	*	*	*	*	*
1985.....	2.9	*	*	*	*	*	*	*	*	*	*
1984.....	2.7	*	*	*	*	*	*	*	*	*	2.4
1983.....	3.0	*	*	*	*	*	*	*	*	*	2.9
1982.....	2.8	*	*	*	*	*	*	*	*	*	*
1981.....	2.6	*	*	*	*	*	*	*	*	*	*
1980.....	2.9	3.7	-	0.2	-	0.1	0.2	0.5	1.3	2.6	2.6
1979.....	3.0	2.7	0.1	-	0.1	0.1	0.2	1.2	1.6	2.5	2.5

BLACK FEMALE

1998.....	2.4	*	*	*	*	*	*	*	*	*	1.5
1997.....	2.0	*	*	*	*	*	*	*	*	*	*
1996.....	1.9	*	*	*	*	*	*	*	*	*	1.5
1995.....	2.0	*	*	*	*	*	*	*	*	*	*
1994.....	2.0	*	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*	*
1992.....	2.0	*	*	*	*	*	*	*	*	*	*
1991.....	2.1	*	*	*	*	*	*	*	*	*	1.5
1990.....	2.0	*	*	*	*	*	*	*	*	*	*
1989.....	2.2	*	*	*	*	*	*	*	*	*	*
1988.....	2.2	*	*	*	*	*	*	*	*	*	*
1987.....	2.5	*	*	*	*	*	*	*	*	*	*
1986.....	2.2	*	*	*	*	*	*	*	*	*	*
1985.....	2.4	*	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	*	*	*
1981.....	2.3	*	*	*	*	*	*	*	*	*	*
1980.....	2.3	1.1	-	-	0.1	0.3	0.4	0.9	0.9	1.4	1.4
1979.....	2.3	2.0	0.1	0.1	-	0.2	0.5	0.7	0.7	0.9	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)										
TOTAL, BOTH SEXES										
1998.....	0.6	*	*	*	*	*	*	*	0.2	0.3
1997.....	0.6	*	*	*	*	*	0.1	0.2	0.2	0.2
1996.....	0.6	*	*	*	*	*	*	0.1	0.2	0.3
1995.....	0.7	*	*	*	*	*	*	0.2	0.2	0.3
1994.....	0.6	*	*	*	*	*	*	0.1	0.2	0.2
1993.....	0.7	*	*	*	*	*	*	0.1	0.2	0.3
1992.....	0.7	*	*	*	*	*	*	0.1	0.2	0.2
1991.....	0.7	*	*	*	*	*	0.1	0.1	0.2	0.3
1990.....	0.7	*	*	*	*	*	*	*	0.1	0.2
1989.....	0.8	*	*	*	*	*	*	*	0.2	0.2
1988.....	0.8	*	*	*	*	*	*	0.1	0.2	0.2
1987.....	0.8	*	*	*	*	*	*	0.1	0.1	0.3
1986.....	0.8	*	*	*	*	*	0.1	0.2	0.2	0.2
1985.....	0.9	*	*	*	*	*	*	0.2	0.2	0.2
1984.....	0.9	*	*	*	*	*	*	0.1	0.2	0.3
1983.....	1.0	*	*	*	*	*	*	0.2	0.2	0.4
1982.....	1.0	*	*	*	*	*	0.1	0.2	0.2	0.3
1981.....	1.0	*	*	*	*	*	*	0.1	0.2	0.2
1980.....	1.1	0.1	-	-	0.0	0.1	0.1	0.2	0.2	0.4
1979.....	1.2	0.2	-	0.0	0.0	0.1	0.1	0.2	0.2	0.4
TOTAL, MALE										
1998.....	0.5	*	*	*	*	*	*	*	0.2	0.3
1997.....	0.6	*	*	*	*	*	*	*	0.3	0.3
1996.....	0.6	*	*	*	*	*	*	*	0.2	0.3
1995.....	0.6	*	*	*	*	*	*	*	*	0.3
1994.....	0.5	*	*	*	*	*	*	*	0.2	0.2
1993.....	0.6	*	*	*	*	*	*	*	0.2	0.2
1992.....	0.6	*	*	*	*	*	*	*	0.3	0.3
1991.....	0.6	*	*	*	*	*	*	*	0.2	0.2
1990.....	0.7	*	*	*	*	*	*	*	*	0.3
1989.....	0.7	*	*	*	*	*	*	*	0.2	0.2
1988.....	0.7	*	*	*	*	*	*	*	0.2	0.3
1987.....	0.8	*	*	*	*	*	*	*	*	0.4
1986.....	0.8	*	*	*	*	*	*	*	*	0.3
1985.....	0.8	*	*	*	*	*	*	*	0.2	0.2
1984.....	0.9	*	*	*	*	*	*	*	*	0.4
1983.....	0.9	*	*	*	*	*	*	*	0.3	0.4
1982.....	0.9	*	*	*	*	*	*	*	*	0.4
1981.....	0.9	*	*	*	*	*	*	*	*	0.3
1980.....	1.1	0.1	-	-	-	0.0	0.1	0.1	0.2	0.5
1979.....	1.2	0.3	-	-	0.0	0.1	0.1	0.2	0.2	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)										
TOTAL, FEMALE										
1998.....	0.7	*	*	*	*	*	*	*	*	0.3
1997.....	0.7	*	*	*	*	*	*	*	*	0.2
1996.....	0.7	*	*	*	*	*	*	0.2	*	0.3
1995.....	0.7	*	*	*	*	*	*	*	0.2	0.3
1994.....	0.7	*	*	*	*	*	*	*	*	0.2
1993.....	0.7	*	*	*	*	*	*	*	*	0.3
1992.....	0.7	*	*	*	*	*	*	*	*	0.2
1991.....	0.7	*	*	*	*	*	*	*	*	0.3
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	0.2
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	0.3
1986.....	0.9	*	*	*	*	*	*	0.2	0.2	*
1985.....	1.0	*	*	*	*	*	*	*	*	0.2
1984.....	0.9	*	*	*	*	*	*	*	0.2	*
1983.....	1.1	*	*	*	*	*	*	0.2	*	0.3
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.2	-	-	0.0	0.1	0.2	0.2	0.2	0.4
1979.....	1.2	0.1	-	0.0	-	0.1	0.1	0.2	0.2	0.3
WHITE, BOTH SEXES										
1998.....	0.6	*	*	*	*	*	*	*	0.1	0.2
1997.....	0.6	*	*	*	*	*	*	*	0.1	0.2
1996.....	0.6	*	*	*	*	*	*	*	0.1	0.2
1995.....	0.7	*	*	*	*	*	*	*	0.1	0.2
1994.....	0.6	*	*	*	*	*	*	*	0.1	0.2
1993.....	0.7	*	*	*	*	*	*	*	0.1	0.2
1992.....	0.7	*	*	*	*	*	*	*	0.1	0.2
1991.....	0.7	*	*	*	*	*	*	*	0.2	0.2
1990.....	0.7	*	*	*	*	*	*	*	*	0.1
1989.....	0.8	*	*	*	*	*	*	*	0.2	0.2
1988.....	0.8	*	*	*	*	*	*	*	0.2	0.2
1987.....	0.8	*	*	*	*	*	*	0.1	*	0.3
1986.....	0.8	*	*	*	*	*	*	0.1	0.1	0.2
1985.....	0.9	*	*	*	*	*	*	0.1	*	0.2
1984.....	0.9	*	*	*	*	*	*	*	0.1	0.2
1983.....	1.0	*	*	*	*	*	*	0.1	0.1	0.3
1982.....	1.0	*	*	*	*	*	*	*	0.1	0.2
1981.....	1.0	*	*	*	*	*	*	*	0.2	0.2
1980.....	1.1	0.1	-	-	0.0	0.1	0.1	0.1	0.2	0.4
1979.....	1.2	0.2	-	0.0	0.0	0.1	0.1	0.2	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)										
WHITE MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	0.2
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	0.2
1995.....	0.5	*	*	*	*	*	*	*	*	0.2
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	0.2
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	0.2
1987.....	0.7	*	*	*	*	*	*	*	*	0.3
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	0.3
1983.....	0.9	*	*	*	*	*	*	*	*	0.3
1982.....	0.9	*	*	*	*	*	*	*	*	0.3
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.1	-	-	-	-	0.1	0.1	0.1	0.2	0.4
1979.....	1.2	0.3	-	-	0.0	0.1	0.1	0.2	0.1	0.4
WHITE FEMALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	0.2
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	0.2
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	0.2
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	0.3
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.2	-	-	0.0	0.0	0.1	0.2	0.1	0.4
1979.....	1.2	0.1	-	0.0	-	0.1	0.0	0.2	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)										
ALL OTHER, BOTH SEXES										
1998.....	0.6	*	*	*	*	*	*	*	*	0.7
1997.....	0.7	*	*	*	*	*	*	*	0.5	0.6
1996.....	0.6	*	*	*	*	*	*	*	*	0.7
1995.....	0.7	*	*	*	*	*	*	*	*	0.5
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	0.6
1992.....	0.7	*	*	*	*	*	*	*	0.6	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	0.8
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	0.6	*
1984.....	0.9	*	*	*	*	*	*	*	*	0.9
1983.....	1.0	*	*	*	*	*	*	*	0.8	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.3	-	-	-	0.1	0.1	0.4	0.3	0.8
1979.....	1.2	0.3	-	0.0	0.0	0.1	0.2	0.5	0.5	0.7
ALL OTHER MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.3	-	-	-	-	-	0.1	0.2	0.8
1979.....	1.3	0.3	-	-	0.1	-	0.1	0.7	0.7	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)										
ALL OTHER FEMALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.3	-	-	-	0.2	0.2	0.5	0.4	0.7
1979.....	1.0	0.3	-	0.1	-	0.2	0.2	0.3	0.4	0.5
BLACK, BOTH SEXES										
1998.....	0.8	*	*	*	*	*	*	*	*	0.9
1997.....	0.9	*	*	*	*	*	*	*	0.7	0.8
1996.....	0.8	*	*	*	*	*	*	*	*	0.9
1995.....	0.9	*	*	*	*	*	*	*	*	0.7
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	0.8	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	1.0
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	0.8	*
1984.....	1.1	*	*	*	*	*	*	*	*	1.1
1983.....	1.2	*	*	*	*	*	*	*	1.0	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.4	-	-	-	0.1	0.1	0.4	0.4	0.9
1979.....	1.3	0.4	-	0.0	0.0	0.1	0.1	0.6	0.7	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR      UNDER 1      1-4      5-9      10-14      15-19      20-24      25-29      30-34      35-39  
 RACE, SEX, AND YEAR      TOTAL      YEAR      YEARS      YEARS      YEARS      YEARS      YEARS      YEARS      YEARS

0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

BLACK MALE

1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.4	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.4	-	-	-	-	0.2	0.2	1.1	
1979.....	1.5	0.4	-	-	0.1	-	0.1	0.8	0.8	1.2

BLACK FEMALE

1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.4	-	-	-	0.2	0.3	0.6	0.5	0.8
1979.....	1.2	0.4	-	0.1	-	0.2	0.2	0.4	0.5	0.6



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
TOTAL, BOTH SEXES										
1998.....	1.0	1.5	*	*	*	*	*	*	*	0.2
1997.....	0.9	1.3	*	*	*	*	*	*	0.1	0.2
1996.....	1.0	1.5	*	*	*	*	*	*	*	0.2
1995.....	0.9	1.5	*	*	*	*	*	*	0.1	0.2
1994.....	0.9	1.1	*	*	*	*	*	*	*	0.2
1993.....	0.9	1.1	*	*	*	*	*	*	0.1	0.3
1992.....	0.9	0.9	*	*	*	*	*	*	0.1	0.3
1991.....	1.0	1.3	*	*	*	*	*	*	0.1	0.3
1990.....	1.0	1.2	*	*	*	*	*	*	0.2	0.2
1989.....	1.0	0.9	*	*	*	*	*	*	0.1	0.2
1988.....	1.1	0.9	*	*	*	*	*	*	0.2	0.3
1987.....	1.2	1.1	*	*	*	*	*	*	0.1	0.3
1986.....	1.1	0.9	*	*	*	*	*	*	0.2	0.3
1985.....	1.2	1.6	*	*	*	*	*	0.1	0.1	0.3
1984.....	1.1	1.3	*	*	*	*	*	0.1	0.2	0.2
1983.....	1.1	0.9	*	*	*	*	*	*	0.1	0.2
1982.....	1.1	0.9	*	*	*	*	*	*	0.2	0.3
1981.....	1.0	1.1	*	*	*	*	*	*	0.2	0.3
1980.....	1.0	1.5	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.3
1979.....	0.9	1.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.3
TOTAL, MALE										
1998.....	1.0	1.8	*	*	*	*	*	*	*	0.3
1997.....	1.0	1.3	*	*	*	*	*	*	*	0.2
1996.....	0.9	1.8	*	*	*	*	*	*	*	0.2
1995.....	0.9	1.6	*	*	*	*	*	*	*	0.3
1994.....	0.9	1.4	*	*	*	*	*	*	*	0.3
1993.....	0.9	1.0	*	*	*	*	*	*	*	0.3
1992.....	0.9	1.3	*	*	*	*	*	*	*	0.3
1991.....	1.0	1.4	*	*	*	*	*	*	*	0.3
1990.....	1.0	1.2	*	*	*	*	*	*	0.2	0.4
1989.....	1.0	1.3	*	*	*	*	*	*	*	0.3
1988.....	1.2	*	*	*	*	*	*	*	0.2	0.4
1987.....	1.3	1.2	*	*	*	*	*	*	*	0.3
1986.....	1.2	1.1	*	*	*	*	*	*	0.2	0.4
1985.....	1.2	1.6	*	*	*	*	*	*	*	0.4
1984.....	1.2	*	*	*	*	*	*	*	0.2	0.3
1983.....	1.3	1.1	*	*	*	*	*	*	*	0.4
1982.....	1.2	*	*	*	*	*	*	*	*	0.4
1981.....	1.2	*	*	*	*	*	*	*	0.3	0.5
1980.....	1.1	1.6	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.3
1979.....	1.0	1.2	0.1	-	0.0	0.0	0.1	0.1	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
TOTAL, FEMALE										
1998.....	1.1	1.2	*	*	*	*	*	*	*	*
1997.....	0.9	1.3	*	*	*	*	*	*	*	*
1996.....	1.0	1.1	*	*	*	*	*	*	*	*
1995.....	0.9	1.4	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.9	1.2	*	*	*	*	*	*	*	0.2
1992.....	0.9	*	*	*	*	*	*	*	*	0.2
1991.....	0.9	1.1	*	*	*	*	*	*	*	0.2
1990.....	1.0	1.2	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	0.2
1987.....	1.1	*	*	*	*	*	*	*	*	0.2
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.1	1.6	*	*	*	*	*	*	*	*
1984.....	1.0	1.5	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	0.9	1.1	*	*	*	*	*	*	*	*
1981.....	0.9	1.2	*	*	*	*	*	*	*	*
1980.....	0.9	1.4	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.3
1979.....	0.8	1.1	0.1	0.0	-	0.1	0.1	0.1	0.1	0.2
WHITE, BOTH SEXES										
1998.....	1.0	1.3	*	*	*	*	*	*	*	0.2
1997.....	0.9	1.2	*	*	*	*	*	*	*	0.1
1996.....	1.0	1.3	*	*	*	*	*	*	*	0.1
1995.....	0.9	1.3	*	*	*	*	*	*	*	0.2
1994.....	0.9	1.0	*	*	*	*	*	*	*	0.1
1993.....	0.9	0.9	*	*	*	*	*	*	*	0.2
1992.....	0.9	0.9	*	*	*	*	*	*	*	0.2
1991.....	0.9	1.2	*	*	*	*	*	*	*	0.2
1990.....	1.0	1.2	*	*	*	*	*	*	0.1	0.2
1989.....	1.0	0.8	*	*	*	*	*	*	*	0.2
1988.....	1.1	0.7	*	*	*	*	*	*	0.1	0.2
1987.....	1.1	0.9	*	*	*	*	*	*	*	0.2
1986.....	1.1	0.7	*	*	*	*	*	*	*	0.2
1985.....	1.1	1.3	*	*	*	*	*	*	0.1	0.2
1984.....	1.1	1.1	*	*	*	*	*	*	0.1	0.2
1983.....	1.1	0.9	*	*	*	*	*	*	*	0.2
1982.....	1.0	0.7	*	*	*	*	*	*	0.2	0.2
1981.....	1.0	0.8	*	*	*	*	*	*	0.1	0.2
1980.....	0.9	1.3	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2
1979.....	0.9	1.0	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
WHITE MALE										
1998.....	1.0	1.6	*	*	*	*	*	*	*	0.3
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	0.9	1.5	*	*	*	*	*	*	*	*
1995.....	0.9	1.4	*	*	*	*	*	*	*	0.2
1994.....	0.9	*	*	*	*	*	*	*	*	0.2
1993.....	0.9	*	*	*	*	*	*	*	*	0.3
1992.....	0.9	1.2	*	*	*	*	*	*	*	0.2
1991.....	1.0	1.4	*	*	*	*	*	*	*	*
1990.....	1.0	1.2	*	*	*	*	*	*	*	0.3
1989.....	1.0	*	*	*	*	*	*	*	*	0.3
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	0.3
1986.....	1.2	*	*	*	*	*	*	*	*	0.3
1985.....	1.2	1.4	*	*	*	*	*	*	*	0.3
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	0.3
1981.....	1.2	*	*	*	*	*	*	*	*	0.4
1980.....	1.1	1.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2
1979.....	1.0	1.0	0.1	-	0.1	0.0	0.1	0.1	0.2	0.2
WHITE FEMALE										
1998.....	1.1	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.8	1.5	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2
1979.....	0.8	0.9	0.1	0.0	-	0.1	0.0	0.0	0.0	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	0.5
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	0.6
1991.....	1.1	*	*	*	*	*	*	*	*	0.7
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	1.2
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	0.7
1985.....	1.4	*	*	*	*	*	*	*	*	0.9
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	1.0
1980.....	1.2	2.0	-	0.1	0.0	0.1	0.1	0.2	0.5	0.8
1979.....	1.2	1.8	0.1	-	-	0.0	0.2	0.3	0.4	0.6
ALL OTHER MALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.5	*	*	*	*	*	*	*	*	1.6
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.5	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.4	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.5	3.1	-	0.2	-	0.1	0.1	0.2	0.8	1.2
1979.....	1.4	2.0	0.1	-	-	0.1	0.1	0.4	0.6	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
ALL OTHER FEMALE										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.0	-	-	0.1	0.1	0.1	0.2	0.3	0.5
1979.....	1.0	1.7	0.1	-	-	-	0.2	0.3	0.2	0.2
BLACK, BOTH SEXES										
1998.....	1.3	*	*	*	*	*	*	*	*	*
1997.....	1.2	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.2	*	*	*	*	*	*	*	*	0.7
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	0.8
1991.....	1.3	*	*	*	*	*	*	*	*	0.9
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	1.6
1987.....	1.7	*	*	*	*	*	*	*	*	*
1986.....	1.5	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	1.1
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.4	*	*	*	*	*	*	*	*	*
1982.....	1.4	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.4	2.1	-	0.1	0.0	0.1	0.1	0.3	0.7	1.0
1979.....	1.3	1.9	0.1	-	-	0.0	0.2	0.4	0.4	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
BLACK MALE										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	1.1	*	*	*	*	*	*	*	*	*
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	*	*
1990.....	1.4	*	*	*	*	*	*	*	*	*
1989.....	1.4	*	*	*	*	*	*	*	*	*
1988.....	1.8	*	*	*	*	*	*	*	*	2.2
1987.....	1.9	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	1.8	*	*	*	*	*	*	*	*	*
1984.....	1.5	*	*	*	*	*	*	*	*	*
1983.....	1.7	*	*	*	*	*	*	*	*	*
1982.....	1.5	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.7	3.3	-	0.2	-	0.1	0.2	0.3	1.0	1.5
1979.....	1.5	2.3	0.1	-	-	0.1	0.1	0.5	0.7	1.2
BLACK FEMALE										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	1.2	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.4	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.1	0.8	-	-	0.1	0.1	0.1	0.2	0.4	0.6
1979.....	1.1	1.6	0.1	-	-	-	0.3	0.3	0.2	0.3

R RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
TOTAL, BOTH SEXES										
1998.....	88.4	21.7	2.1	0.9	1.0	1.2	2.0	2.4	3.3	5.0
1997.....	85.2	21.4	2.2	0.9	1.0	1.3	1.8	2.5	3.4	5.1
1996.....	83.1	23.1	2.3	0.9	1.2	1.4	1.8	2.5	3.4	5.1
1995.....	81.9	22.8	2.1	0.8	1.1	1.5	1.9	2.5	3.8	5.5
1994.....	81.2	25.5	2.3	0.8	1.0	1.5	1.8	2.5	3.9	5.7
1993.....	82.2	26.9	2.4	0.9	1.2	1.5	2.0	2.5	3.7	5.7
1992.....	76.2	27.9	2.5	0.8	1.0	1.5	1.7	2.3	3.6	5.6
1991.....	77.5	28.0	2.7	0.9	1.1	1.5	1.9	2.7	4.0	6.1
1990.....	77.3	29.7	2.6	0.9	1.2	1.2	1.8	2.7	4.0	5.9
1989.....	75.8	30.0	3.0	0.9	1.1	1.5	2.0	2.9	4.6	6.3
1988.....	76.5	32.4	2.8	0.9	1.1	1.3	2.0	2.8	4.5	6.2
1987.....	71.3	33.3	3.0	0.9	1.1	1.5	1.9	2.6	4.2	6.0
1986.....	71.2	35.1	2.8	0.9	1.2	1.6	1.8	2.5	4.1	5.9
1985.....	69.8	36.4	3.3	1.0	1.0	1.3	1.9	2.3	3.8	5.2
1984.....	63.5	37.0	3.2	1.1	1.1	1.4	1.7	2.4	3.8	4.9
1983.....	61.1	39.9	3.6	0.9	1.0	1.6	1.7	2.5	3.5	4.9
1982.....	55.1	38.2	3.6	1.0	1.0	1.6	1.9	2.3	3.5	4.6
1981.....	57.2	42.0	3.8	1.1	1.1	1.4	2.0	2.7	3.3	5.5
1980.....	56.9	48.8	4.0	1.1	1.1	1.5	2.0	2.7	3.5	5.4
1979.....	49.7	55.1	4.6	1.3	1.0	1.5	1.9	2.6	3.1	5.4
TOTAL, MALE										
1998.....	87.5	24.2	2.3	0.8	1.2	1.2	2.3	2.7	3.8	5.5
1997.....	85.4	25.8	2.4	0.9	1.0	1.6	1.9	2.6	3.9	5.6
1996.....	83.3	27.1	2.5	1.0	1.2	1.5	1.9	2.6	3.7	5.9
1995.....	83.3	25.6	2.0	0.8	1.2	1.7	2.0	2.7	4.4	6.4
1994.....	83.3	30.8	2.6	1.0	1.1	1.6	2.0	2.8	4.6	6.3
1993.....	85.0	31.0	2.6	1.0	1.3	1.6	2.2	2.8	4.2	6.9
1992.....	80.3	33.3	2.6	0.9	1.0	1.6	1.9	2.8	4.3	6.6
1991.....	82.1	30.9	3.1	1.0	1.3	1.6	2.0	3.1	4.8	7.5
1990.....	82.5	34.0	2.8	1.0	1.2	1.2	1.8	3.0	4.9	7.3
1989.....	81.3	35.9	3.1	1.1	1.2	1.6	2.1	3.1	5.3	7.9
1988.....	84.0	37.3	2.9	1.0	1.2	1.5	2.2	3.1	5.4	7.7
1987.....	79.9	36.9	3.2	0.9	1.2	1.5	2.0	3.1	5.4	7.6
1986.....	81.2	42.1	3.1	0.8	1.3	1.8	2.0	2.8	5.1	7.5
1985.....	80.4	41.3	3.4	1.1	1.0	1.5	2.2	2.8	4.5	6.6
1984.....	74.8	42.1	3.2	1.1	1.2	1.6	2.0	2.8	4.6	6.0
1983.....	73.0	45.0	4.0	0.9	1.1	1.7	2.0	2.9	4.3	5.8
1982.....	67.7	43.4	3.9	1.0	1.1	1.8	2.3	2.6	4.3	5.5
1981.....	70.0	48.5	4.4	1.2	1.1	1.7	2.2	3.1	3.7	6.5
1980.....	70.1	56.0	4.5	1.1	1.2	1.5	2.3	3.3	4.1	6.3
1979.....	63.4	60.6	4.9	1.3	1.1	1.6	2.1	3.0	4.0	6.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
TOTAL, FEMALE										
1998.....	89.3	19.0	1.8	1.0	0.8	1.1	1.8	2.1	2.8	4.5
1997.....	84.9	16.8	2.0	0.8	1.0	1.0	1.7	2.3	2.9	4.5
1996.....	82.8	18.8	2.2	0.8	1.1	1.3	1.7	2.4	3.1	4.4
1995.....	80.5	19.8	2.2	0.7	1.0	1.4	1.8	2.3	3.2	4.7
1994.....	79.3	20.0	1.8	0.6	0.8	1.4	1.5	2.2	3.1	5.0
1993.....	79.6	22.6	2.1	0.9	1.0	1.3	1.8	2.3	3.2	4.6
1992.....	72.2	22.3	2.5	0.7	0.9	1.4	1.6	1.8	2.9	4.5
1991.....	73.2	24.9	2.3	0.8	0.9	1.3	1.8	2.3	3.1	4.6
1990.....	72.3	25.2	2.5	0.8	1.1	1.3	1.7	2.4	3.1	4.4
1989.....	70.5	23.8	2.8	0.8	0.9	1.4	1.8	2.6	3.9	4.7
1988.....	69.4	27.4	2.7	0.7	1.0	1.1	1.8	2.4	3.6	4.7
1987.....	63.2	29.4	2.8	0.8	0.9	1.4	1.8	2.1	3.0	4.5
1986.....	61.7	27.7	2.5	1.0	1.0	1.3	1.5	2.2	3.2	4.2
1985.....	59.8	31.3	3.2	1.0	1.1	1.1	1.6	1.8	3.1	3.9
1984.....	52.8	31.6	3.2	1.1	1.0	1.1	1.4	2.1	3.0	3.9
1983.....	49.8	34.6	3.1	0.9	0.8	1.5	1.5	2.1	2.7	4.1
1982.....	43.3	32.8	3.3	1.0	0.9	1.4	1.6	2.0	2.8	3.6
1981.....	45.2	35.1	3.3	1.0	1.2	1.1	1.7	2.2	2.9	4.5
1980.....	44.3	41.3	3.5	1.2	1.1	1.6	1.8	2.2	3.0	4.5
1979.....	36.7	49.4	4.3	1.2	0.9	1.4	1.6	2.1	2.3	4.4
WHITE, BOTH SEXES										
1998.....	97.0	16.8	1.6	0.7	0.8	0.9	1.6	1.8	2.5	4.0
1997.....	93.3	16.9	1.9	0.7	0.8	1.1	1.5	1.9	2.7	3.9
1996.....	90.6	17.9	1.9	0.8	0.9	1.1	1.4	2.0	2.6	4.0
1995.....	89.2	18.5	1.6	0.6	0.8	1.3	1.5	2.0	3.0	4.4
1994.....	88.5	20.5	1.7	0.7	0.7	1.2	1.5	1.8	3.1	4.3
1993.....	89.5	20.8	1.8	0.8	1.0	1.3	1.6	2.0	2.9	4.5
1992.....	82.7	21.5	2.0	0.7	0.8	1.2	1.4	1.9	2.8	4.2
1991.....	83.8	22.4	2.1	0.8	0.9	1.3	1.5	2.1	3.0	4.4
1990.....	83.2	23.0	2.1	0.8	1.0	1.1	1.4	2.0	2.8	4.3
1989.....	81.1	23.3	2.3	0.8	0.9	1.3	1.5	2.3	3.3	4.4
1988.....	82.1	24.8	2.5	0.7	0.9	1.1	1.7	2.2	3.2	4.4
1987.....	76.4	26.0	2.6	0.8	0.8	1.2	1.5	2.2	2.9	4.3
1986.....	76.1	27.6	2.4	0.8	1.1	1.3	1.5	2.0	3.1	4.2
1985.....	74.6	28.6	2.8	0.8	0.8	1.1	1.6	1.8	2.7	3.9
1984.....	67.6	29.5	2.7	1.1	1.0	1.2	1.5	1.8	2.7	3.5
1983.....	65.1	31.5	3.1	0.8	0.8	1.3	1.5	2.0	2.5	3.7
1982.....	58.5	29.0	2.9	0.9	0.8	1.4	1.5	1.8	2.5	3.4
1981.....	60.6	32.7	3.3	1.1	1.0	1.3	1.7	2.1	2.5	3.9
1980.....	59.7	36.8	3.6	1.0	1.0	1.4	1.6	2.2	2.6	4.0
1979.....	52.0	42.4	4.0	1.2	1.0	1.4	1.6	2.0	2.2	3.7



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
WHITE MALE										
1998.....	94.6	18.5	1.8	0.7	0.9	0.9	1.9	2.1	2.9	4.4
1997.....	92.2	20.6	1.9	0.8	0.8	1.5	1.6	2.1	3.2	4.3
1996.....	89.4	21.4	1.9	0.8	0.9	1.1	1.5	2.0	2.7	4.5
1995.....	89.4	21.1	1.6	0.6	0.8	1.4	1.6	2.1	3.4	5.1
1994.....	89.4	24.7	2.0	0.8	0.8	1.2	1.7	1.9	3.8	4.9
1993.....	91.0	24.2	2.1	0.9	1.0	1.4	1.7	2.3	3.4	5.4
1992.....	85.9	26.3	2.1	0.8	0.7	1.3	1.5	2.2	3.3	5.0
1991.....	87.5	25.3	2.3	0.9	1.1	1.4	1.5	2.5	3.6	5.5
1990.....	87.4	26.1	2.2	0.9	1.0	1.0	1.5	2.2	3.4	5.4
1989.....	85.6	28.4	2.4	0.9	1.1	1.5	1.6	2.4	4.0	5.3
1988.....	88.7	29.0	2.6	0.9	1.0	1.3	1.8	2.4	3.8	5.4
1987.....	84.4	29.2	2.6	0.8	0.9	1.3	1.7	2.5	3.7	5.2
1986.....	85.5	33.6	2.7	0.7	1.2	1.6	1.7	2.3	4.0	5.3
1985.....	84.8	32.4	2.8	0.9	0.7	1.4	1.9	2.2	3.2	4.8
1984.....	78.6	34.0	2.8	1.0	1.1	1.5	1.8	2.2	3.4	4.1
1983.....	76.7	34.9	3.4	0.8	0.9	1.4	1.9	2.3	3.0	4.2
1982.....	71.1	33.8	3.1	0.9	0.9	1.6	1.9	2.0	3.1	3.9
1981.....	73.2	37.9	3.7	1.1	1.0	1.4	2.0	2.5	2.7	4.3
1980.....	72.9	42.8	4.1	1.0	1.0	1.4	1.8	2.6	2.9	4.3
1979.....	65.9	47.6	4.3	1.2	1.0	1.5	1.9	2.5	2.7	4.0
WHITE FEMALE										
1998.....	99.3	14.9	1.4	0.8	0.7	0.9	1.3	1.6	2.2	3.7
1997.....	94.4	13.0	1.8	0.6	0.8	0.8	1.5	1.7	2.2	3.6
1996.....	91.8	14.2	1.8	0.7	0.8	1.0	1.3	2.0	2.5	3.5
1995.....	89.1	15.7	1.7	0.6	0.9	1.2	1.3	1.9	2.7	3.6
1994.....	87.7	16.1	1.4	0.5	0.6	1.2	1.3	1.6	2.4	3.8
1993.....	88.0	17.2	1.6	0.8	1.0	1.2	1.5	1.7	2.4	3.5
1992.....	79.7	16.4	1.9	0.6	0.9	1.1	1.3	1.5	2.2	3.3
1991.....	80.4	19.4	1.9	0.7	0.7	1.2	1.4	1.7	2.3	3.3
1990.....	79.1	19.8	2.0	0.8	1.0	1.1	1.3	1.8	2.2	3.2
1989.....	76.8	17.9	2.2	0.7	0.7	1.2	1.5	2.1	2.6	3.5
1988.....	75.9	20.3	2.4	0.5	0.8	1.0	1.5	2.0	2.6	3.4
1987.....	68.8	22.6	2.5	0.8	0.7	1.1	1.3	1.8	2.1	3.4
1986.....	67.1	21.3	2.2	0.8	0.9	1.0	1.3	1.7	2.3	3.1
1985.....	64.9	24.6	2.8	0.8	0.9	0.9	1.4	1.4	2.2	3.0
1984.....	57.1	24.8	2.7	1.1	1.0	0.8	1.2	1.5	2.1	2.9
1983.....	53.9	27.8	2.7	0.8	0.7	1.3	1.2	1.6	2.1	3.3
1982.....	46.5	23.9	2.7	0.9	0.8	1.2	1.2	1.5	2.0	2.8
1981.....	48.5	27.2	2.8	1.1	1.1	1.1	1.4	1.7	2.3	3.5
1980.....	47.2	30.5	3.0	1.0	1.0	1.4	1.4	1.8	2.2	3.8
1979.....	38.8	36.8	3.8	1.2	0.9	1.3	1.3	1.5	1.7	3.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
ALL OTHER, BOTH SEXES										
1998.....	47.9	40.4	3.8	1.5	1.8	2.2	3.6	4.7	6.5	9.6
1997.....	46.4	38.9	3.7	1.5	1.7	2.0	2.9	4.7	6.5	10.4
1996.....	46.6	43.6	4.0	1.4	2.3	2.7	3.3	4.9	6.8	10.5
1995.....	45.9	38.2	4.0	1.4	2.1	2.4	3.6	4.4	7.2	11.2
1994.....	45.2	43.9	4.3	1.3	1.9	2.7	2.8	5.5	7.3	12.3
1993.....	46.3	49.5	4.4	1.4	1.7	2.1	3.7	4.9	7.7	12.0
1992.....	43.3	52.0	4.7	1.3	1.5	2.5	3.2	4.4	7.6	12.5
1991.....	45.0	47.0	5.0	1.2	1.7	2.3	3.6	5.3	9.0	14.8
1990.....	46.4	55.1	4.6	1.4	2.0	2.0	3.6	5.8	10.0	14.0
1989.....	47.5	55.6	5.7	1.4	1.7	2.2	3.8	5.9	11.0	16.4
1988.....	46.1	63.2	4.0	1.4	1.9	2.2	3.9	5.8	11.2	15.7
1987.....	43.7	63.5	4.8	1.2	2.1	2.6	3.7	4.9	10.8	15.8
1986.....	44.0	67.0	4.6	1.5	1.6	2.8	3.2	5.2	9.5	15.6
1985.....	43.2	70.3	5.4	1.8	2.0	2.1	3.3	4.8	9.7	13.4
1984.....	39.9	69.7	5.4	1.3	1.5	2.4	2.8	5.7	9.6	13.4
1983.....	38.1	77.1	5.8	1.3	1.7	2.6	2.7	5.5	9.1	12.3
1982.....	35.6	79.6	6.6	1.5	1.9	2.4	4.2	5.4	9.1	12.4
1981.....	37.3	84.2	6.3	1.3	1.7	2.1	3.4	5.9	8.3	15.7
1980.....	39.4	103.8	6.1	2.0	1.7	2.3	4.5	5.9	9.6	14.2
1979.....	35.0	115.1	7.5	1.5	1.2	2.2	3.4	6.1	9.3	16.9
ALL OTHER MALE										
1998.....	53.3	46.1	4.0	1.3	2.3	2.2	3.8	5.5	7.9	11.0
1997.....	52.3	46.2	4.4	1.6	1.6	2.4	3.3	5.0	7.3	12.5
1996.....	53.1	50.2	4.7	1.7	2.3	2.9	3.5	5.4	8.1	13.0
1995.....	52.6	42.1	3.7	1.6	2.6	2.8	3.6	5.3	9.1	13.1
1994.....	52.5	53.4	5.1	1.6	2.3	3.2	3.4	6.6	8.9	13.9
1993.....	54.4	56.4	4.7	1.3	2.4	2.4	4.2	5.0	8.4	14.9
1992.....	51.6	59.8	4.7	1.5	2.0	2.4	3.7	5.8	9.4	15.2
1991.....	53.7	50.5	6.1	1.3	2.1	2.5	4.1	6.1	11.6	19.0
1990.....	56.5	64.4	4.8	1.6	2.3	2.0	3.6	6.8	12.6	18.0
1989.....	58.3	64.9	6.0	1.8	1.8	2.2	4.5	6.9	12.3	22.8
1988.....	57.9	70.7	4.2	1.5	1.9	2.6	4.4	7.0	14.4	21.2
1987.....	55.3	69.8	5.5	1.7	2.7	2.6	3.6	6.4	14.8	22.2
1986.....	56.6	78.9	5.1	1.5	2.1	2.7	3.8	5.9	11.6	21.6
1985.....	55.4	80.4	6.0	1.8	2.1	2.2	4.1	6.2	12.0	18.7
1984.....	51.9	78.2	5.2	1.3	2.0	2.2	3.1	6.4	11.7	18.3
1983.....	50.8	90.0	6.7	1.5	1.9	3.1	2.4	6.4	12.3	16.9
1982.....	47.1	86.9	7.2	1.6	2.1	2.8	4.9	6.2	11.8	17.1
1981.....	50.3	97.6	7.3	1.6	1.7	2.9	3.8	6.9	10.3	22.1
1980.....	53.0	117.3	6.6	2.0	1.8	2.1	5.4	7.5	12.3	20.0
1979.....	47.8	122.8	7.9	1.8	1.5	2.3	3.6	6.6	12.9	24.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
ALL OTHER FEMALE										
1998.....	43.0	34.4	3.6	1.7	1.3	2.2	3.5	3.9	5.4	8.4
1997.....	41.0	31.4	3.0	1.4	1.9	1.7	2.6	4.5	5.8	8.5
1996.....	40.6	36.8	3.4	1.1	2.4	2.4	3.1	4.4	5.7	8.4
1995.....	39.7	34.1	4.2	1.2	1.5	2.1	3.6	3.6	5.5	9.5
1994.....	38.6	34.1	3.6	*	1.4	2.2	2.3	4.5	5.9	10.9
1993.....	38.9	42.4	4.1	1.5	1.1	1.8	3.2	4.7	7.1	9.4
1992.....	35.6	44.1	4.7	1.2	*	2.5	2.7	3.0	6.0	10.1
1991.....	37.1	43.3	3.9	*	1.4	2.1	3.1	4.5	6.7	11.1
1990.....	37.3	45.5	4.4	*	1.7	2.0	3.7	4.9	7.7	10.5
1989.....	37.7	46.2	5.5	*	1.5	2.2	3.1	5.0	9.8	10.8
1988.....	35.4	55.4	3.8	1.4	1.8	1.7	3.3	4.7	8.4	10.9
1987.....	33.2	57.2	4.0	*	1.5	2.6	3.7	3.6	7.3	10.4
1986.....	32.6	54.9	4.0	1.5	*	2.8	2.6	4.5	7.7	10.5
1985.....	32.1	60.0	4.8	1.9	1.9	2.0	2.6	3.5	7.7	8.8
1984.....	29.0	61.0	5.5	*	*	2.5	2.5	5.0	7.8	9.3
1983.....	26.6	64.0	4.8	*	1.4	2.1	3.0	4.7	6.3	8.5
1982.....	25.2	71.9	5.9	*	1.7	2.0	3.6	4.7	6.8	8.4
1981.....	25.6	70.6	5.3	*	1.6	1.3	3.1	5.0	6.6	10.3
1980.....	27.1	90.0	5.7	2.0	1.5	2.6	3.6	4.5	7.3	9.3
1979.....	23.5	107.4	7.0	1.2	1.0	2.1	3.2	5.6	6.3	10.9
BLACK, BOTH SEXES										
1998.....	54.7	46.2	4.7	1.8	2.0	2.6	4.4	5.8	7.9	12.3
1997.....	52.8	48.3	4.5	1.7	2.2	2.1	3.6	5.9	8.3	13.2
1996.....	53.4	52.5	4.8	1.6	2.7	3.3	4.0	6.1	8.4	13.2
1995.....	52.3	44.8	4.5	1.8	2.5	2.8	4.6	5.8	9.0	14.1
1994.....	51.8	51.2	4.8	1.6	2.2	3.1	3.1	6.8	9.0	15.8
1993.....	52.8	58.2	5.1	1.6	2.1	2.5	4.7	5.8	10.0	15.0
1992.....	49.8	62.2	5.1	1.6	1.8	3.1	3.9	5.4	9.8	15.7
1991.....	51.6	57.6	5.9	1.5	2.2	2.8	4.3	6.7	11.2	18.9
1990.....	53.1	63.9	4.9	1.6	2.3	2.2	4.6	7.2	12.7	17.8
1989.....	54.4	62.5	6.4	1.5	2.0	2.7	4.6	7.4	14.1	20.7
1988.....	52.9	70.2	4.6	1.6	2.0	2.5	4.5	7.1	14.5	20.4
1987.....	49.5	70.2	5.3	1.3	2.5	3.0	4.3	5.8	13.9	20.3
1986.....	49.9	76.6	5.1	1.7	2.0	3.0	3.8	6.3	11.9	19.6
1985.....	48.5	80.8	6.1	2.0	2.3	2.5	3.9	5.6	12.0	16.9
1984.....	44.3	79.2	6.0	1.5	1.6	2.6	3.2	6.8	12.0	16.5
1983.....	42.2	86.9	6.3	1.4	1.8	2.9	2.9	6.5	11.3	15.1
1982.....	39.3	89.0	7.2	1.4	2.0	2.5	4.6	6.5	11.0	15.1
1981.....	41.1	93.5	6.4	1.4	1.8	2.3	3.6	7.0	9.8	19.2
1980.....	42.6	115.6	6.5	2.1	1.9	2.4	4.7	6.7	11.2	16.9
1979.....	37.4	125.2	8.1	1.6	1.3	2.3	3.6	6.7	10.6	19.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
BLACK MALE										
1998.....	60.5	54.2	4.9	1.6	2.6	2.7	4.8	6.8	9.5	14.2
1997.....	59.1	55.4	5.4	1.9	2.1	2.5	4.0	6.1	9.3	15.9
1996.....	60.6	60.4	5.4	1.9	2.7	3.7	4.2	6.5	10.2	16.4
1995.....	59.8	48.7	4.1	2.1	3.2	3.0	4.5	6.9	11.8	16.4
1994.....	59.8	62.7	5.5	2.0	2.9	3.5	3.8	8.3	11.1	17.5
1993.....	61.9	66.3	5.4	1.4	2.8	3.0	5.3	6.3	11.1	19.0
1992.....	59.4	71.5	5.2	1.8	2.3	3.1	4.5	7.3	12.1	19.0
1991.....	61.8	61.2	7.3	1.6	2.6	3.1	4.8	7.9	14.5	24.4
1990.....	64.9	73.8	5.2	2.0	2.7	2.3	4.7	8.7	16.3	23.4
1989.....	66.6	72.7	6.6	2.0	2.1	2.7	5.4	8.7	16.2	28.8
1988.....	66.9	78.8	5.0	1.7	2.0	3.1	5.1	8.7	18.9	28.1
1987.....	63.1	77.4	5.9	1.8	3.1	3.0	4.3	7.6	19.1	28.8
1986.....	64.4	89.6	5.9	1.7	2.7	3.0	4.5	7.1	14.3	26.9
1985.....	62.7	91.3	6.7	1.9	2.4	2.5	4.8	7.3	14.8	23.9
1984.....	57.9	88.8	6.1	1.6	2.2	2.4	3.5	7.9	14.6	23.1
1983.....	56.7	102.2	7.5	1.6	2.2	3.4	2.6	7.7	15.6	20.8
1982.....	52.3	98.2	7.8	1.6	2.3	3.1	5.4	7.3	14.3	21.7
1981.....	55.7	106.7	7.5	1.6	1.7	3.2	4.0	8.2	12.2	27.3
1980.....	57.6	129.7	7.1	2.0	2.1	2.2	5.6	8.4	14.3	23.6
1979.....	51.4	133.1	8.9	1.9	1.5	2.2	4.0	7.2	14.9	27.9
BLACK FEMALE										
1998.....	49.5	38.0	4.5	1.9	1.4	2.6	4.0	4.9	6.5	10.7
1997.....	47.2	40.9	3.5	1.5	2.4	1.7	3.2	5.7	7.4	10.8
1996.....	46.9	44.5	4.1	*	2.7	2.9	3.9	5.7	6.9	10.4
1995.....	45.6	40.8	5.0	1.4	1.9	2.6	4.7	4.9	6.4	12.0
1994.....	44.5	39.4	4.1	*	1.4	2.7	2.4	5.4	7.2	14.4
1993.....	44.7	49.9	4.9	1.8	*	2.1	4.1	5.4	9.1	11.4
1992.....	41.2	52.6	4.9	*	*	3.1	3.3	3.7	7.7	12.8
1991.....	42.4	53.9	4.4	*	1.8	2.6	3.8	5.7	8.4	14.2
1990.....	42.4	53.8	4.6	*	1.9	2.1	4.4	5.8	9.5	13.0
1989.....	43.3	52.1	6.2	*	1.9	2.7	3.9	6.2	12.2	13.7
1988.....	40.4	61.2	4.3	1.5	2.0	1.9	3.9	5.7	10.7	13.7
1987.....	37.3	63.0	4.6	*	1.9	3.1	4.3	4.2	9.4	13.1
1986.....	37.0	63.3	4.4	1.7	*	3.1	3.2	5.6	9.8	13.4
1985.....	35.9	69.7	5.4	2.2	2.2	2.4	3.1	4.2	9.6	11.1
1984.....	32.1	69.6	5.9	*	*	2.8	2.8	5.8	9.7	10.9
1983.....	29.2	71.3	5.1	*	1.5	2.3	3.2	5.5	7.6	10.3
1982.....	27.6	79.6	6.7	*	1.8	2.0	3.9	5.7	8.1	9.6
1981.....	28.0	80.1	5.3	*	1.9	1.5	3.3	5.9	7.8	12.4
1980.....	29.3	101.2	5.9	2.3	1.8	2.7	3.9	5.2	8.5	11.3
1979.....	24.9	116.8	7.2	1.3	1.2	2.3	3.2	6.2	6.9	12.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)										
TOTAL, BOTH SEXES										
1998.....	0.2	*	0.1	*	*	*	*	*	*	*
1997.....	0.2	*	0.2	*	*	*	*	*	*	*
1996.....	0.2	0.6	0.1	*	*	*	*	*	*	*
1995.....	0.2	0.6	*	*	*	*	*	*	*	*
1994.....	0.2	0.5	*	*	*	*	*	*	*	*
1993.....	0.2	1.5	0.1	*	*	*	*	*	*	*
1992.....	0.2	1.7	0.2	*	*	*	*	*	*	*
1991.....	0.2	1.2	0.1	*	*	*	*	*	*	*
1990.....	0.2	1.1	0.2	*	*	*	*	*	*	*
1989.....	0.2	1.1	0.2	*	*	*	*	*	*	*
1988.....	0.3	1.4	0.2	*	*	*	*	*	0.1	*
1987.....	0.3	1.0	0.3	*	*	*	*	*	*	*
1986.....	0.3	1.6	0.2	*	*	*	*	*	*	0.1
1985.....	0.3	1.8	0.5	*	*	*	*	*	*	*
1984.....	0.3	2.1	0.5	*	*	*	*	*	*	*
1983.....	0.3	2.0	0.5	*	*	*	*	*	*	*
1982.....	0.3	1.6	0.4	*	*	*	*	*	*	0.1
1981.....	0.3	2.2	0.7	0.1	*	*	*	*	0.1	*
1980.....	0.3	2.7	0.6	0.1	0.0	0.1	0.1	0.1	0.1	0.2
1979.....	0.4	3.4	0.8	0.1	0.1	0.0	0.1	0.1	0.1	0.1
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	1.9	*	*	*	*	*	*	*	*
1992.....	0.3	2.2	*	*	*	*	*	*	*	*
1991.....	0.3	1.4	*	*	*	*	*	*	*	*
1990.....	0.2	1.2	*	*	*	*	*	*	*	*
1989.....	0.3	1.6	0.3	*	*	*	*	*	*	*
1988.....	0.3	1.6	0.3	*	*	*	*	*	*	*
1987.....	0.3	1.2	0.3	*	*	*	*	*	*	*
1986.....	0.3	2.0	*	*	*	*	*	*	*	*
1985.....	0.3	2.1	0.5	*	*	*	*	*	*	*
1984.....	0.3	2.7	0.6	*	*	*	*	*	*	*
1983.....	0.3	2.4	0.6	*	*	*	*	*	*	*
1982.....	0.3	1.7	0.5	*	*	*	*	*	*	*
1981.....	0.4	3.1	0.7	*	*	*	*	*	*	*
1980.....	0.4	2.7	0.7	0.1	0.1	0.1	0.1	0.1	0.1	0.2
1979.....	0.4	4.1	1.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR      UNDER 1      1-4      5-9      10-14      15-19      20-24      25-29      30-34      35-39  
 RACE, SEX, AND YEAR      TOTAL      YEAR      YEARS      YEARS      YEARS      YEARS      YEARS      YEARS      YEARS

DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

TOTAL, FEMALE										
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
1998	0.2	*	*	*	*	*	*	*	*	*
1997	0.2	*	*	*	*	*	*	*	*	*
1996	0.2	*	*	*	*	*	*	*	*	*
1995	0.2	*	*	*	*	*	*	*	*	*
1994	0.2	*	*	*	*	*	*	*	*	*
1993	0.2	1.0	*	*	*	*	*	*	*	*
1992	0.2	1.2	*	*	*	*	*	*	*	*
1991	0.2	*	*	*	*	*	*	*	*	*
1990	0.2	*	*	*	*	*	*	*	*	*
1989	0.2	*	*	*	*	*	*	*	*	*
1988	0.3	1.3	*	*	*	*	*	*	*	*
1987	0.2	*	0.3	*	*	*	*	*	*	*
1986	0.2	1.3	*	*	*	*	*	*	*	*
1985	0.3	1.6	0.4	*	*	*	*	*	*	*
1984	0.3	1.4	0.3	*	*	*	*	*	*	*
1983	0.2	1.6	0.4	*	*	*	*	*	*	*
1982	0.2	1.5	0.4	*	*	*	*	*	*	*
1981	0.3	1.2	0.6	*	*	*	*	*	*	*
1980	0.3	2.7	0.5	0.1	0.0	0.1	0.0	0.0	0.1	0.1
1979	0.3	2.7	0.6	0.1	0.0	0.0	0.1	0.1	0.0	0.1
WHITE, BOTH SEXES										
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
1998	0.2	*	*	*	*	*	*	*	*	*
1997	0.2	*	0.2	*	*	*	*	*	*	*
1996	0.2	*	*	*	*	*	*	*	*	*
1995	0.2	*	*	*	*	*	*	*	*	*
1994	0.2	*	*	*	*	*	*	*	*	*
1993	0.2	1.4	*	*	*	*	*	*	*	*
1992	0.2	1.5	0.2	*	*	*	*	*	*	*
1991	0.2	1.1	*	*	*	*	*	*	*	*
1990	0.2	1.1	0.2	*	*	*	*	*	*	*
1989	0.2	1.0	*	*	*	*	*	*	*	*
1988	0.3	0.9	0.2	*	*	*	*	*	*	*
1987	0.3	0.7	0.3	*	*	*	*	*	*	*
1986	0.2	1.4	0.2	*	*	*	*	*	*	*
1985	0.3	1.3	0.4	*	*	*	*	*	*	*
1984	0.3	1.5	0.4	*	*	*	*	*	*	*
1983	0.3	1.8	0.5	*	*	*	*	*	*	*
1982	0.2	1.1	0.4	*	*	*	*	*	*	*
1981	0.3	1.7	0.7	*	*	*	*	*	*	*
1980	0.3	1.8	0.6	0.1	0.0	0.1	0.0	0.1	0.1	0.1
1979	0.3	2.5	0.8	0.2	0.1	0.0	0.1	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39  
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

WHITE MALE

1998.....	0.2	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	1.8	*	*	*	*	*	*	*	*	*
1992.....	0.2	2.0	*	*	*	*	*	*	*	*	*
1991.....	0.3	1.3	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	1.5	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	1.7	*	*	*	*	*	*	*	*	*
1985.....	0.3	1.4	0.5	*	*	*	*	*	*	*	*
1984.....	0.3	2.1	0.6	*	*	*	*	*	*	*	*
1983.....	0.3	2.0	0.7	*	*	*	*	*	*	*	*
1982.....	0.3	*	0.5	*	*	*	*	*	*	*	*
1981.....	0.4	2.3	0.8	*	*	*	*	*	*	*	*
1980.....	0.3	1.9	0.7	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.2
1979.....	0.4	3.2	1.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WHITE FEMALE

1998.....	0.2	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	0.4	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	1.5	0.4	*	*	*	*	*	*	*	*
1982.....	0.2	*	0.4	*	*	*	*	*	*	*	*
1981.....	0.3	*	0.6	*	*	*	*	*	*	*	*
1980.....	0.3	1.8	0.4	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0
1979.....	0.3	1.9	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)										
ALL OTHER, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	2.4	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	3.5	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	2.9	*	*	*	*	*	*	*	*
1985.....	0.4	4.1	*	*	*	*	*	*	*	*
1984.....	0.4	4.5	*	*	*	*	*	*	*	*
1983.....	0.3	3.0	*	*	*	*	*	*	*	*
1982.....	0.4	3.9	*	*	*	*	*	*	*	*
1981.....	0.4	4.6	*	*	*	*	*	*	*	*
1980.....	0.5	6.5	0.6	0.2	0.1	0.1	0.1	0.2	0.0	0.4
1979.....	0.6	7.5	0.8	0.1	0.1	0.1	0.2	0.2	0.3	0.4
ALL OTHER MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	6.7	*	*	*	*	*	*	*	*
1980.....	0.6	6.3	0.4	0.2	0.1	0.1	0.2	0.1	0.1	0.5
1979.....	0.7	8.3	1.2	0.3	0.2	0.1	0.2	0.2	0.4	0.4



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---------------------------------------------	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

ALL OTHER FEMALE

1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	6.7	0.7	0.2	-	0.1	0.1	0.2	-	0.3
1979.....	0.5	6.7	0.5	-	-	0.1	0.1	0.2	0.2	0.4

BLACK, BOTH SEXES

1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	3.1	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	3.7	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.4	4.9	*	*	*	*	*	*	*	*
1984.....	0.4	5.3	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	4.1	*	*	*	*	*	*	*	*
1981.....	0.4	5.0	*	*	*	*	*	*	*	*
1980.....	0.6	7.1	0.6	0.2	0.1	0.1	0.1	0.2	0.1	0.5
1979.....	0.6	8.5	0.8	0.1	0.1	0.1	0.2	0.2	0.3	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR      UNDER 1      1-4      5-9      10-14      15-19      20-24      25-29      30-34      35-39  
 RACE, SEX, AND YEAR      TOTAL      YEAR      YEARS      YEARS      YEARS      YEARS      YEARS      YEARS      YEARS

DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

BLACK MALE

1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.7	6.7	0.4	0.2	0.1	0.1	0.2	0.2	0.1	0.6
1979.....	0.7	9.2	1.3	0.2	0.2	0.1	0.2	0.3	0.5	0.5

BLACK FEMALE

1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.5	7.5	0.7	0.2	-	0.1	-	0.2	-	0.4
1979.....	0.5	7.8	0.4	-	-	0.1	0.1	0.2	0.1	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)										
TOTAL, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	0.1	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	1.3	*	*	*	*	*	*	*	*
1992.....	0.1	1.5	*	*	*	*	*	*	*	*
1991.....	0.1	1.1	*	*	*	*	*	*	*	*
1990.....	0.1	0.8	*	*	*	*	*	*	*	*
1989.....	0.1	0.9	0.2	*	*	*	*	*	*	*
1988.....	0.1	1.1	0.2	*	*	*	*	*	*	*
1987.....	0.1	0.8	0.3	*	*	*	*	*	*	*
1986.....	0.1	1.2	0.2	*	*	*	*	*	*	*
1985.....	0.1	1.5	0.4	*	*	*	*	*	*	*
1984.....	0.1	1.6	0.4	*	*	*	*	*	*	*
1983.....	0.2	1.7	0.4	*	*	*	*	*	*	*
1982.....	0.1	1.4	0.4	*	*	*	*	*	*	*
1981.....	0.2	1.8	0.5	*	*	*	*	*	*	*
1980.....	0.2	2.2	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.2	2.7	0.7	0.1	0.0	0.0	0.0	0.1	0.0	0.1
TOTAL, MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	1.6	*	*	*	*	*	*	*	*
1992.....	0.1	2.0	*	*	*	*	*	*	*	*
1991.....	0.1	1.3	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	1.3	*	*	*	*	*	*	*	*
1988.....	0.1	1.3	*	*	*	*	*	*	*	*
1987.....	0.1	*	0.3	*	*	*	*	*	*	*
1986.....	0.1	1.6	*	*	*	*	*	*	*	*
1985.....	0.1	1.6	0.4	*	*	*	*	*	*	*
1984.....	0.2	2.0	0.5	*	*	*	*	*	*	*
1983.....	0.2	1.9	0.5	*	*	*	*	*	*	*
1982.....	0.1	1.6	0.4	*	*	*	*	*	*	*
1981.....	0.2	2.5	0.6	*	*	*	*	*	*	*
1980.....	0.2	2.1	0.5	0.1	0.0	0.0	0.0	0.1	0.0	0.1
1979.....	0.2	3.3	0.9	0.2	0.0	0.0	0.0	0.1	-	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)										
TOTAL, FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	1.0	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.2	1.4	0.3	*	*	*	*	*	*	*
1984.....	0.1	1.1	*	*	*	*	*	*	*	*
1983.....	0.1	1.5	0.3	*	*	*	*	*	*	*
1982.....	0.1	1.3	0.3	*	*	*	*	*	*	*
1981.....	0.2	*	0.4	*	*	*	*	*	*	*
1980.....	0.2	2.3	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	2.2	0.5	0.1	0.0	-	0.0	0.0	0.0	0.1
WHITE, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	1.3	*	*	*	*	*	*	*	*
1992.....	0.1	1.4	*	*	*	*	*	*	*	*
1991.....	0.1	1.1	*	*	*	*	*	*	*	*
1990.....	0.1	0.9	*	*	*	*	*	*	*	*
1989.....	0.1	0.9	*	*	*	*	*	*	*	*
1988.....	0.1	0.8	0.2	*	*	*	*	*	*	*
1987.....	0.1	*	0.3	*	*	*	*	*	*	*
1986.....	0.1	1.0	0.2	*	*	*	*	*	*	*
1985.....	0.1	1.1	0.4	*	*	*	*	*	*	*
1984.....	0.1	1.2	0.3	*	*	*	*	*	*	*
1983.....	0.2	1.5	0.5	*	*	*	*	*	*	*
1982.....	0.1	0.9	0.4	*	*	*	*	*	*	*
1981.....	0.2	1.3	0.5	*	*	*	*	*	*	*
1980.....	0.2	1.5	0.4	0.1	0.0	0.0	-	0.0	0.0	0.1
1979.....	0.2	2.1	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)										
WHITE MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	1.7	*	*	*	*	*	*	*	*
1992.....	0.1	1.9	*	*	*	*	*	*	*	*
1991.....	0.1	1.3	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	1.3	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	1.4	*	*	*	*	*	*	*	*
1985.....	0.1	*	0.4	*	*	*	*	*	*	*
1984.....	0.1	1.7	0.5	*	*	*	*	*	*	*
1983.....	0.2	1.7	0.6	*	*	*	*	*	*	*
1982.....	0.1	*	0.4	*	*	*	*	*	*	*
1981.....	0.2	1.8	0.6	*	*	*	*	*	*	*
1980.....	0.2	1.3	0.5	0.1	0.0	0.0	-	0.0	0.0	0.1
1979.....	0.2	2.6	0.9	0.1	0.1	0.0	0.0	0.1	-	0.0
WHITE FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	1.4	0.4	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	0.4	*	*	*	*	*	*	*
1980.....	0.2	1.6	0.4	0.1	0.0	0.0	-	0.0	0.0	0.0
1979.....	0.1	1.5	0.6	0.1	0.0	-	0.0	-	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	3.5	*	*	*	*	*	*	*	*
1984.....	0.2	3.2	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	3.6	*	*	*	*	*	*	*	*
1981.....	0.2	4.0	*	*	*	*	*	*	*	*
1980.....	0.2	5.5	0.3	0.1	-	-	0.1	0.1	-	0.2
1979.....	0.3	6.0	0.6	0.1	-	-	0.0	0.1	-	0.2
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	5.6	0.1	0.1	-	-	0.1	0.1	-	0.4
1979.....	0.3	6.6	0.8	0.3	-	-	0.1	0.2	-	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	5.4	0.4	0.1	-	-	0.1	0.1	-	0.1
1979.....	0.2	5.4	0.4	-	-	-	-	0.1	-	0.2
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	4.2	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	3.7	*	*	*	*	*	*	*	*
1981.....	0.2	4.3	*	*	*	*	*	*	*	*
1980.....	0.3	6.0	0.3	0.2	-	-	0.1	0.1	-	0.3
1979.....	0.3	7.0	0.6	0.1	-	-	0.0	0.1	-	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	5.9	0.1	0.2	-	-	0.2	0.1	-	0.5
1979.....	0.4	7.7	0.8	0.2	-	-	0.1	0.3	-	0.3
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	6.0	0.5	0.2	-	-	-	0.1	-	0.1
1979.....	0.2	6.3	0.3	-	-	-	-	-	-	0.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)										
TOTAL, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	0.2	*	*	*	*	*	*	*
1980.....	0.2	0.5	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.1
1979.....	0.2	0.7	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1
TOTAL, MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.1
1979.....	0.2	0.8	0.2	0.0	0.0	0.1	0.1	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)										
TOTAL, FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1
1979.....	0.2	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
WHITE, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1
1979.....	0.2	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.9	0.3	0.1	0.1	0.1	0.0	0.1	0.0	0.2
1979.....	0.3	1.5	0.2	-	0.1	0.1	0.1	0.1	0.3	0.2
ALL OTHER MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.6	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1979.....	0.4	1.7	0.4	-	0.2	0.1	0.1	-	0.4	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)										
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	1.3	0.3	0.1	-	0.1	-	0.1	-	0.2
1979.....	0.3	1.3	0.1	-	-	0.1	0.1	0.1	0.2	0.2
BLACK, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	1.1	0.3	0.1	0.1	0.1	0.0	0.1	0.1	0.2
1979.....	0.3	1.6	0.3	-	0.1	0.1	0.1	0.1	0.3	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)										
BLACK MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.7	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2
1979.....	0.4	1.5	0.4	-	0.2	0.1	0.2	-	0.5	0.2
BLACK FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	1.5	0.2	0.1	-	0.1	-	0.2	-	0.3
1979.....	0.3	1.6	0.1	-	-	0.1	0.1	0.2	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
TOTAL, BOTH SEXES										
1998.....	88.2	21.3	1.9	0.9	1.0	1.1	2.0	2.4	3.2	5.0
1997.....	85.0	21.1	2.1	0.9	1.0	1.3	1.8	2.4	3.4	5.0
1996.....	82.9	22.4	2.2	0.8	1.2	1.3	1.8	2.5	3.3	5.0
1995.....	81.6	22.1	2.0	0.7	1.1	1.5	1.9	2.4	3.7	5.5
1994.....	81.1	25.0	2.1	0.7	0.9	1.5	1.7	2.4	3.8	5.6
1993.....	82.0	25.4	2.2	0.9	1.1	1.4	1.9	2.5	3.7	5.7
1992.....	75.9	26.2	2.3	0.8	0.9	1.4	1.7	2.3	3.5	5.5
1991.....	77.3	26.8	2.6	0.9	1.0	1.5	1.8	2.6	3.9	6.0
1990.....	77.0	28.6	2.5	0.9	1.1	1.2	1.7	2.6	3.9	5.8
1989.....	75.5	28.9	2.8	0.9	1.0	1.5	1.9	2.8	4.5	6.2
1988.....	76.2	31.0	2.5	0.8	1.1	1.3	2.0	2.7	4.4	6.1
1987.....	71.1	32.2	2.7	0.8	1.0	1.5	1.9	2.6	4.1	6.0
1986.....	70.9	33.4	2.6	0.9	1.1	1.5	1.7	2.4	4.1	5.7
1985.....	69.6	34.5	2.8	0.9	1.0	1.3	1.9	2.2	3.8	5.2
1984.....	63.2	34.9	2.8	1.0	1.1	1.3	1.7	2.4	3.7	4.8
1983.....	60.8	37.9	3.1	0.8	0.9	1.5	1.6	2.5	3.4	4.8
1982.....	54.9	36.6	3.2	0.9	1.0	1.6	1.9	2.3	3.5	4.4
1981.....	56.9	39.8	3.2	1.0	1.1	1.4	1.9	2.6	3.2	5.4
1980.....	56.5	46.2	3.4	1.0	1.1	1.5	2.0	2.6	3.4	5.2
1979.....	49.3	51.7	3.8	1.1	0.9	1.5	1.8	2.5	3.1	5.2
TOTAL, MALE										
1998.....	87.3	23.8	2.2	0.8	1.2	1.2	2.2	2.7	3.7	5.4
1997.....	85.2	25.4	2.2	0.9	0.9	1.6	1.9	2.6	3.8	5.5
1996.....	83.1	26.2	2.3	0.9	1.2	1.4	1.8	2.6	3.6	5.8
1995.....	83.1	24.8	1.9	0.8	1.1	1.6	1.9	2.6	4.3	6.3
1994.....	83.1	30.2	2.5	0.9	1.0	1.6	2.0	2.7	4.6	6.2
1993.....	84.8	29.0	2.4	0.9	1.2	1.6	2.1	2.8	4.1	6.8
1992.....	80.1	31.1	2.4	0.9	1.0	1.5	1.8	2.7	4.2	6.5
1991.....	81.8	29.5	3.0	1.0	1.2	1.6	1.9	3.0	4.8	7.4
1990.....	82.3	32.8	2.6	1.0	1.2	1.2	1.8	2.9	4.8	7.2
1989.....	81.1	34.3	2.8	1.0	1.2	1.6	2.0	3.0	5.3	7.8
1988.....	83.7	35.7	2.6	0.9	1.1	1.4	2.2	3.0	5.3	7.6
1987.....	79.7	35.7	2.8	0.8	1.2	1.5	1.9	3.1	5.3	7.5
1986.....	80.9	40.1	2.9	0.8	1.3	1.7	2.0	2.8	5.0	7.3
1985.....	80.1	39.2	2.9	1.0	1.0	1.5	2.1	2.7	4.4	6.5
1984.....	74.4	39.3	2.6	1.0	1.2	1.6	1.9	2.7	4.5	5.9
1983.....	72.7	42.6	3.3	0.9	1.0	1.6	1.9	2.9	4.2	5.7
1982.....	67.4	41.7	3.4	0.9	1.0	1.8	2.3	2.5	4.2	5.4
1981.....	69.6	45.4	3.6	1.0	1.0	1.6	2.2	3.0	3.6	6.4
1980.....	69.8	53.4	3.8	1.0	1.1	1.4	2.3	3.2	4.0	6.0
1979.....	63.0	56.5	3.8	1.1	1.0	1.5	2.0	2.9	3.9	6.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
TOTAL, FEMALE										
1998.....	89.0	18.6	1.7	1.0	0.8	1.1	1.7	2.0	2.8	4.5
1997.....	84.7	16.6	1.9	0.8	1.0	1.0	1.7	2.3	2.9	4.4
1996.....	82.6	18.4	2.0	0.8	1.1	1.3	1.7	2.4	3.1	4.3
1995.....	80.3	19.3	2.1	0.7	1.0	1.4	1.8	2.3	3.2	4.6
1994.....	79.1	19.5	1.8	0.6	0.8	1.4	1.5	2.2	3.0	5.0
1993.....	79.4	21.5	2.0	0.9	1.0	1.2	1.8	2.3	3.2	4.5
1992.....	72.0	21.1	2.3	0.7	0.9	1.3	1.6	1.8	2.8	4.5
1991.....	72.9	23.9	2.2	0.8	0.8	1.3	1.8	2.2	3.0	4.6
1990.....	72.0	24.2	2.3	0.8	1.1	1.2	1.7	2.4	3.1	4.4
1989.....	70.2	23.2	2.7	0.7	0.8	1.4	1.8	2.6	3.8	4.6
1988.....	69.1	26.1	2.5	0.6	1.0	1.1	1.8	2.4	3.6	4.6
1987.....	62.9	28.6	2.5	0.7	0.9	1.4	1.8	2.1	2.9	4.4
1986.....	61.5	26.5	2.4	1.0	0.9	1.3	1.5	2.1	3.1	4.2
1985.....	59.6	29.7	2.8	0.9	1.1	1.1	1.6	1.7	3.1	3.8
1984.....	52.5	30.2	2.9	1.1	0.9	1.1	1.4	2.1	3.0	3.7
1983.....	49.6	33.0	2.8	0.8	0.8	1.4	1.4	2.1	2.7	4.0
1982.....	43.1	31.3	2.9	0.9	0.9	1.4	1.6	2.0	2.7	3.5
1981.....	44.9	33.9	2.7	1.0	1.1	1.1	1.6	2.2	2.8	4.4
1980.....	44.0	38.7	3.0	1.1	1.1	1.5	1.7	2.1	2.9	4.4
1979.....	36.3	46.7	3.7	1.1	0.9	1.4	1.6	2.1	2.3	4.2
WHITE, BOTH SEXES										
1998.....	96.8	16.3	1.5	0.7	0.8	0.8	1.6	1.8	2.5	4.0
1997.....	93.1	16.6	1.7	0.7	0.8	1.1	1.5	1.9	2.6	3.9
1996.....	90.4	17.4	1.7	0.7	0.8	1.0	1.4	1.9	2.6	3.9
1995.....	89.0	17.9	1.5	0.6	0.8	1.3	1.4	2.0	3.0	4.3
1994.....	88.3	20.1	1.6	0.6	0.7	1.2	1.5	1.8	3.1	4.3
1993.....	89.2	19.4	1.7	0.8	1.0	1.3	1.6	2.0	2.8	4.4
1992.....	82.5	19.9	1.8	0.6	0.8	1.2	1.3	1.8	2.7	4.1
1991.....	83.6	21.3	2.0	0.8	0.9	1.3	1.4	2.0	2.9	4.3
1990.....	83.0	21.9	2.0	0.8	0.9	1.0	1.4	2.0	2.7	4.2
1989.....	80.9	22.2	2.2	0.8	0.9	1.3	1.5	2.2	3.3	4.3
1988.....	81.9	23.9	2.3	0.7	0.9	1.1	1.6	2.1	3.1	4.3
1987.....	76.1	25.2	2.3	0.7	0.8	1.2	1.5	2.1	2.8	4.2
1986.....	75.8	26.2	2.2	0.7	1.0	1.3	1.4	2.0	3.1	4.1
1985.....	74.3	27.3	2.3	0.7	0.8	1.1	1.6	1.8	2.7	3.8
1984.....	67.3	28.0	2.3	1.0	1.0	1.1	1.4	1.8	2.7	3.4
1983.....	64.8	29.7	2.5	0.7	0.8	1.3	1.5	1.9	2.5	3.7
1982.....	58.2	27.9	2.5	0.8	0.8	1.4	1.5	1.7	2.5	3.3
1981.....	60.2	31.0	2.6	1.0	1.0	1.2	1.6	2.0	2.4	3.8
1980.....	59.4	35.0	3.0	0.9	1.0	1.3	1.6	2.1	2.5	3.9
1979.....	51.7	39.8	3.2	1.1	0.9	1.3	1.6	1.9	2.2	3.6



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
WHITE MALE										
1998.....	94.4	18.1	1.7	0.6	0.9	0.9	1.9	2.0	2.8	4.3
1997.....	92.0	20.2	1.7	0.8	0.8	1.4	1.6	2.0	3.0	4.2
1996.....	89.2	20.7	1.8	0.7	0.9	1.1	1.4	1.9	2.7	4.4
1995.....	89.2	20.3	1.5	0.6	0.8	1.3	1.6	2.0	3.4	5.1
1994.....	89.2	24.2	1.9	0.8	0.7	1.2	1.6	1.9	3.8	4.8
1993.....	90.8	22.4	2.0	0.8	1.0	1.4	1.6	2.3	3.3	5.3
1992.....	85.6	24.3	1.9	0.7	0.7	1.3	1.4	2.1	3.2	4.9
1991.....	87.2	23.9	2.3	0.9	1.0	1.4	1.4	2.4	3.5	5.3
1990.....	87.2	24.9	2.1	0.8	0.9	1.0	1.4	2.2	3.4	5.3
1989.....	85.4	27.0	2.2	0.8	1.0	1.4	1.5	2.3	4.0	5.2
1988.....	88.5	28.0	2.4	0.8	0.9	1.2	1.7	2.3	3.7	5.3
1987.....	84.1	28.1	2.3	0.7	0.9	1.3	1.6	2.5	3.6	5.1
1986.....	85.2	31.9	2.5	0.6	1.1	1.6	1.6	2.2	3.9	5.1
1985.....	84.5	31.0	2.3	0.8	0.7	1.4	1.8	2.2	3.2	4.7
1984.....	78.3	31.8	2.2	1.0	1.0	1.4	1.7	2.1	3.4	4.1
1983.....	76.4	32.9	2.7	0.7	0.9	1.3	1.9	2.3	2.9	4.1
1982.....	70.8	32.5	2.7	0.8	0.8	1.6	1.8	1.9	3.1	3.8
1981.....	72.8	35.6	2.9	1.0	0.9	1.4	1.9	2.3	2.6	4.2
1980.....	72.5	41.0	3.4	0.9	1.0	1.3	1.8	2.5	2.8	4.1
1979.....	65.5	44.4	3.2	1.0	1.0	1.4	1.8	2.3	2.7	3.9
WHITE FEMALE										
1998.....	99.1	14.4	1.2	0.8	0.7	0.8	1.3	1.5	2.1	3.7
1997.....	94.2	12.8	1.6	0.6	0.7	0.8	1.5	1.7	2.2	3.6
1996.....	91.6	13.9	1.7	0.7	0.8	1.0	1.3	1.9	2.5	3.4
1995.....	88.8	15.5	1.6	0.5	0.8	1.2	1.3	1.9	2.6	3.6
1994.....	87.5	15.7	1.3	0.5	0.6	1.2	1.3	1.6	2.4	3.7
1993.....	87.7	16.2	1.5	0.8	1.0	1.1	1.5	1.7	2.4	3.5
1992.....	79.4	15.4	1.7	0.6	0.9	1.1	1.3	1.5	2.1	3.3
1991.....	80.1	18.5	1.8	0.7	0.7	1.1	1.4	1.7	2.3	3.3
1990.....	78.9	18.7	1.9	0.7	0.9	1.1	1.3	1.8	2.1	3.1
1989.....	76.6	17.3	2.1	0.7	0.7	1.2	1.5	2.0	2.6	3.4
1988.....	75.6	19.5	2.2	0.5	0.8	0.9	1.5	1.9	2.6	3.4
1987.....	68.5	22.2	2.2	0.7	0.7	1.1	1.3	1.8	2.0	3.3
1986.....	66.9	20.3	2.0	0.8	0.9	1.0	1.2	1.7	2.2	3.0
1985.....	64.6	23.3	2.4	0.7	0.9	0.9	1.4	1.4	2.2	2.9
1984.....	56.8	23.9	2.4	1.1	1.0	0.8	1.2	1.5	2.0	2.8
1983.....	53.7	26.3	2.3	0.7	0.7	1.3	1.1	1.5	2.1	3.3
1982.....	46.2	23.0	2.3	0.8	0.7	1.2	1.2	1.5	2.0	2.8
1981.....	48.2	26.2	2.2	1.0	1.0	1.1	1.4	1.6	2.2	3.4
1980.....	46.9	28.7	2.6	0.9	0.9	1.3	1.4	1.7	2.1	3.7
1979.....	38.5	35.0	3.1	1.1	0.8	1.3	1.3	1.5	1.7	3.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
ALL OTHER, BOTH SEXES										
1998.....	47.7	40.1	3.5	1.5	1.7	2.2	3.5	4.6	6.4	9.6
1997.....	46.2	38.5	3.5	1.5	1.7	2.0	2.8	4.7	6.5	10.3
1996.....	46.4	42.6	3.8	1.3	2.3	2.6	3.3	4.8	6.8	10.3
1995.....	45.7	37.2	3.8	1.4	2.0	2.4	3.5	4.4	7.2	11.1
1994.....	45.1	43.1	4.2	1.2	1.7	2.7	2.8	5.4	7.2	12.2
1993.....	46.0	47.5	4.2	1.3	1.7	2.1	3.6	4.8	7.6	11.8
1992.....	43.0	49.7	4.5	1.3	1.5	2.3	3.2	4.3	7.5	12.3
1991.....	44.8	45.7	4.7	1.1	1.7	2.3	3.6	5.2	8.9	14.6
1990.....	46.2	54.2	4.4	1.4	1.9	2.0	3.4	5.8	9.9	13.8
1989.....	47.3	54.3	5.3	1.2	1.6	2.2	3.8	5.8	10.9	16.2
1988.....	45.8	59.7	3.6	1.3	1.9	2.1	3.8	5.6	11.0	15.4
1987.....	43.4	61.3	4.4	1.1	2.1	2.5	3.6	4.9	10.8	15.6
1986.....	43.7	64.2	4.2	1.4	1.6	2.6	3.1	4.9	9.3	15.5
1985.....	42.8	66.2	4.9	1.7	2.0	2.0	3.1	4.6	9.6	13.2
1984.....	39.5	65.2	4.7	1.2	1.4	2.3	2.8	5.6	9.5	13.1
1983.....	37.8	74.1	5.4	1.3	1.6	2.4	2.5	5.5	8.9	12.2
1982.....	35.2	75.7	6.1	1.4	1.9	2.3	4.0	5.2	8.9	12.1
1981.....	36.9	79.6	5.8	1.1	1.6	2.1	3.3	5.8	8.1	15.5
1980.....	38.9	97.3	5.6	1.8	1.6	2.2	4.4	5.7	9.6	13.8
1979.....	34.4	107.7	6.6	1.3	1.2	2.2	3.2	5.8	9.1	16.5
ALL OTHER MALE										
1998.....	53.0	45.9	3.8	1.3	2.2	2.2	3.7	5.4	7.7	10.9
1997.....	52.0	45.7	4.1	1.6	1.5	2.3	3.1	5.0	7.3	12.3
1996.....	52.9	48.6	4.4	1.5	2.3	2.8	3.5	5.3	8.1	12.6
1995.....	52.4	41.4	3.5	1.6	2.5	2.7	3.5	5.2	9.0	12.9
1994.....	52.3	52.5	4.8	1.5	2.2	3.1	3.3	6.4	8.8	13.7
1993.....	54.1	53.8	4.3	1.2	2.3	2.4	4.1	5.0	8.3	14.6
1992.....	51.3	56.7	4.4	1.5	1.9	2.3	3.7	5.8	9.2	14.9
1991.....	53.5	48.8	5.8	1.3	1.9	2.5	4.0	6.0	11.4	18.8
1990.....	56.2	63.2	4.6	1.6	2.3	2.0	3.3	6.7	12.5	17.8
1989.....	58.0	62.9	5.3	1.6	1.7	2.1	4.5	6.7	12.3	22.4
1988.....	57.5	67.0	3.7	1.4	1.9	2.5	4.3	6.7	14.0	20.9
1987.....	55.0	67.9	5.1	1.5	2.7	2.6	3.5	6.4	14.8	21.8
1986.....	56.2	75.5	4.6	1.3	2.1	2.5	3.7	5.6	11.3	21.4
1985.....	55.0	75.5	5.3	1.6	2.1	2.1	3.9	6.0	11.8	18.4
1984.....	51.4	72.8	4.5	*	1.8	2.2	3.0	6.3	11.4	17.9
1983.....	50.4	86.2	6.2	1.4	1.8	2.9	2.3	6.3	12.0	16.7
1982.....	46.7	83.1	6.7	1.5	2.1	2.7	4.7	6.0	11.5	16.6
1981.....	49.8	90.9	6.9	*	1.5	2.9	3.6	6.7	10.1	21.8
1980.....	52.4	111.0	6.2	1.8	1.6	2.0	5.2	7.3	12.2	19.5
1979.....	47.1	114.5	6.7	1.5	1.3	2.3	3.4	6.3	12.5	23.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
ALL OTHER FEMALE										
1998.....	42.8	34.2	3.2	1.6	1.2	2.2	3.4	3.9	5.3	8.3
1997.....	40.9	31.1	2.9	1.4	1.9	1.7	2.5	4.5	5.7	8.4
1996.....	40.4	36.3	3.2	1.1	2.4	2.4	3.1	4.3	5.6	8.3
1995.....	39.6	32.9	4.1	1.2	1.5	2.1	3.6	3.6	5.5	9.5
1994.....	38.4	33.3	3.5	*	1.3	2.2	2.3	4.5	5.9	10.8
1993.....	38.6	41.0	4.1	1.5	1.1	1.8	3.1	4.6	7.0	9.3
1992.....	35.5	42.4	4.5	*	*	2.4	2.7	3.0	5.9	10.0
1991.....	36.9	42.4	3.7	*	1.4	2.1	3.1	4.3	6.6	10.9
1990.....	37.0	45.0	4.1	*	1.6	1.9	3.6	4.9	7.7	10.4
1989.....	37.5	45.4	5.2	*	1.4	2.2	3.1	5.0	9.7	10.8
1988.....	35.2	52.2	3.6	1.2	1.8	1.7	3.3	4.6	8.3	10.7
1987.....	32.9	54.6	3.7	*	1.5	2.5	3.7	3.6	7.3	10.2
1986.....	32.3	52.6	3.9	1.5	*	2.8	2.6	4.3	7.5	10.4
1985.....	31.8	56.8	4.5	1.7	1.9	2.0	2.4	3.4	7.6	8.8
1984.....	28.7	57.3	4.9	*	*	2.4	2.5	5.0	7.8	9.0
1983.....	26.3	61.9	4.5	*	1.3	2.0	2.7	4.7	6.2	8.4
1982.....	24.9	68.0	5.4	*	1.6	2.0	3.5	4.6	6.8	8.3
1981.....	25.2	68.1	4.8	*	1.6	1.3	2.9	5.0	6.3	10.2
1980.....	26.6	83.4	4.9	1.8	1.5	2.5	3.6	4.3	7.3	9.0
1979.....	23.0	100.7	6.6	1.2	1.0	2.0	3.1	5.4	6.1	10.5
BLACK, BOTH SEXES										
1998.....	54.5	45.8	4.5	1.7	1.9	2.6	4.3	5.7	7.7	12.3
1997.....	52.6	47.7	4.2	1.7	2.2	2.0	3.4	5.9	8.3	13.1
1996.....	53.2	51.1	4.6	1.5	2.7	3.2	4.0	6.0	8.3	12.9
1995.....	52.1	44.0	4.3	1.8	2.5	2.8	4.5	5.7	9.0	13.9
1994.....	51.6	50.4	4.6	1.5	2.1	3.1	3.0	6.7	8.9	15.6
1993.....	52.5	55.8	4.8	1.5	2.1	2.5	4.5	5.8	9.9	14.7
1992.....	49.5	59.0	4.8	1.5	1.7	3.0	3.8	5.4	9.7	15.5
1991.....	51.3	56.0	5.5	1.4	2.1	2.8	4.3	6.5	11.0	18.7
1990.....	52.8	63.2	4.7	1.6	2.2	2.1	4.3	7.1	12.6	17.6
1989.....	54.0	61.1	5.9	1.3	1.9	2.6	4.5	7.2	14.1	20.5
1988.....	52.5	66.4	4.2	1.4	2.0	2.4	4.4	6.9	14.2	20.0
1987.....	49.2	67.8	4.8	1.2	2.5	2.9	4.3	5.8	13.9	20.0
1986.....	49.6	73.5	4.7	1.6	2.0	2.9	3.7	6.0	11.6	19.4
1985.....	48.1	75.8	5.5	1.9	2.2	2.4	3.7	5.5	11.9	16.7
1984.....	43.9	74.0	5.2	1.4	1.4	2.6	3.1	6.7	11.8	16.1
1983.....	41.8	83.4	5.9	1.3	1.7	2.7	2.7	6.5	11.1	14.9
1982.....	38.9	84.9	6.7	1.3	2.0	2.4	4.5	6.3	10.8	14.7
1981.....	40.7	88.4	5.9	1.2	1.7	2.3	3.5	6.9	9.5	19.0
1980.....	42.1	108.5	5.9	1.9	1.9	2.3	4.6	6.5	11.1	16.4
1979.....	36.8	116.7	7.2	1.5	1.2	2.2	3.4	6.5	10.3	18.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
BLACK MALE										
1998.....	60.2	53.8	4.7	1.6	2.5	2.6	4.7	6.7	9.3	14.1
1997.....	58.8	54.7	5.1	1.9	2.0	2.3	3.7	6.1	9.3	15.7
1996.....	60.4	58.2	5.2	1.7	2.7	3.5	4.2	6.3	10.2	15.9
1995.....	59.6	48.3	3.8	2.1	3.2	2.9	4.3	6.8	11.8	16.0
1994.....	59.6	61.8	5.2	1.9	2.7	3.5	3.7	8.2	11.0	17.2
1993.....	61.5	63.1	4.8	*	2.8	3.0	5.1	6.3	11.0	18.7
1992.....	59.0	67.5	4.9	1.8	2.1	2.9	4.4	7.2	12.0	18.7
1991.....	61.5	59.2	6.9	1.5	2.5	3.1	4.7	7.7	14.3	24.2
1990.....	64.7	72.3	5.0	2.0	2.7	2.3	4.3	8.5	16.1	23.1
1989.....	66.3	70.8	5.9	1.8	2.0	2.5	5.3	8.4	16.2	28.3
1988.....	66.4	74.4	4.4	1.6	2.0	2.9	5.0	8.4	18.4	27.6
1987.....	62.8	75.3	5.4	1.6	3.1	2.9	4.3	7.6	19.1	28.3
1986.....	63.9	85.7	5.3	*	2.6	2.7	4.4	6.6	13.9	26.7
1985.....	62.1	85.5	6.1	1.7	2.3	2.4	4.5	7.1	14.6	23.4
1984.....	57.4	82.4	5.1	*	2.0	2.4	3.4	7.6	14.2	22.6
1983.....	56.2	97.4	7.0	*	2.0	3.2	2.5	7.6	15.2	20.5
1982.....	51.8	94.1	7.2	*	2.3	2.9	5.2	7.0	14.0	21.0
1981.....	55.2	99.6	7.0	*	1.6	3.2	3.9	7.9	12.0	27.0
1980.....	56.9	123.1	6.7	1.7	1.9	2.1	5.3	8.2	14.2	23.0
1979.....	50.6	123.8	7.7	1.6	1.2	2.1	3.7	6.9	14.4	27.5
BLACK FEMALE										
1998.....	49.3	37.6	4.2	1.8	1.4	2.6	3.9	4.8	6.4	10.7
1997.....	47.0	40.6	3.4	1.5	2.4	1.7	3.1	5.7	7.4	10.7
1996.....	46.7	43.8	4.0	*	2.7	2.9	3.9	5.6	6.7	10.3
1995.....	45.4	39.5	4.8	1.4	1.8	2.6	4.6	4.8	6.4	12.0
1994.....	44.3	38.7	4.0	*	1.4	2.7	2.4	5.3	7.1	14.2
1993.....	44.4	48.2	4.9	1.8	*	2.1	3.9	5.4	8.9	11.2
1992.....	41.0	50.4	4.7	*	*	3.1	3.3	3.7	7.6	12.6
1991.....	42.1	52.7	4.2	*	1.8	2.6	3.8	5.5	8.2	14.0
1990.....	42.2	53.8	4.4	*	1.8	2.0	4.3	5.8	9.5	12.8
1989.....	43.1	51.1	5.9	*	1.7	2.7	3.8	6.2	12.2	13.7
1988.....	40.1	58.1	4.0	*	2.0	1.9	3.9	5.6	10.5	13.4
1987.....	37.0	60.1	4.2	*	1.9	2.9	4.3	4.2	9.4	13.0
1986.....	36.7	61.1	4.2	1.7	*	3.0	3.1	5.4	9.6	13.3
1985.....	35.5	65.7	5.0	2.1	2.1	2.3	2.9	4.0	9.5	11.1
1984.....	31.8	65.4	5.2	*	*	2.7	2.8	5.8	9.7	10.5
1983.....	28.9	69.0	4.8	*	*	2.2	2.9	5.5	7.6	10.2
1982.....	27.3	75.6	6.1	*	1.7	1.9	3.8	5.6	8.1	9.5
1981.....	27.6	77.1	4.7	*	1.9	1.5	3.1	5.9	7.4	12.3
1980.....	28.8	93.7	5.2	2.0	1.8	2.5	3.9	5.0	8.5	10.9
1979.....	24.3	109.0	6.7	1.3	1.2	2.3	3.1	6.1	6.8	11.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
TOTAL, BOTH SEXES										
1998.....	0.2	1.2	*	*	*	*	*	*	*	*
1997.....	0.2	1.8	0.1	*	*	*	*	*	*	*
1996.....	0.2	1.7	0.2	*	*	*	*	*	*	*
1995.....	0.2	1.8	0.2	*	*	*	*	*	*	*
1994.....	0.2	2.2	0.2	*	*	*	*	*	*	*
1993.....	0.3	1.9	*	*	*	*	*	*	*	*
1992.....	0.2	2.3	*	*	*	*	*	*	*	*
1991.....	0.3	1.7	*	*	*	*	*	*	*	*
1990.....	0.3	1.9	*	*	*	*	*	*	*	*
1989.....	0.3	1.9	0.1	*	*	*	*	*	*	*
1988.....	0.3	1.9	0.2	*	*	*	*	*	*	*
1987.....	0.2	1.7	0.1	*	*	*	*	*	*	*
1986.....	0.2	1.6	*	*	*	*	*	*	*	*
1985.....	0.3	1.7	*	*	*	*	*	*	*	*
1984.....	0.2	1.6	0.2	*	*	*	*	*	*	*
1983.....	0.2	2.4	*	*	*	*	*	*	*	*
1982.....	0.2	2.0	0.2	*	*	*	*	*	*	*
1981.....	0.2	2.4	0.2	*	*	*	*	*	*	*
1980.....	0.3	2.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	2.7	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0
TOTAL, MALE										
1998.....	0.1	1.5	*	*	*	*	*	*	*	*
1997.....	0.1	2.1	*	*	*	*	*	*	*	*
1996.....	0.2	2.1	*	*	*	*	*	*	*	*
1995.....	0.2	2.0	*	*	*	*	*	*	*	*
1994.....	0.2	2.7	*	*	*	*	*	*	*	*
1993.....	0.2	2.2	*	*	*	*	*	*	*	*
1992.....	0.2	3.0	*	*	*	*	*	*	*	*
1991.....	0.2	2.2	*	*	*	*	*	*	*	*
1990.....	0.2	2.2	*	*	*	*	*	*	*	*
1989.....	0.2	2.4	*	*	*	*	*	*	*	*
1988.....	0.2	2.4	*	*	*	*	*	*	*	*
1987.....	0.2	2.1	*	*	*	*	*	*	*	*
1986.....	0.2	2.0	*	*	*	*	*	*	*	*
1985.....	0.3	2.3	*	*	*	*	*	*	*	*
1984.....	0.2	1.9	*	*	*	*	*	*	*	*
1983.....	0.2	3.1	*	*	*	*	*	*	*	*
1982.....	0.2	2.5	*	*	*	*	*	*	*	*
1981.....	0.2	2.8	*	*	*	*	*	*	*	*
1980.....	0.3	2.9	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.0
1979.....	0.3	3.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
TOTAL, FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	1.5	*	*	*	*	*	*	*	*
1996.....	0.2	1.4	*	*	*	*	*	*	*	*
1995.....	0.2	1.7	*	*	*	*	*	*	*	*
1994.....	0.3	1.6	*	*	*	*	*	*	*	*
1993.....	0.3	1.6	*	*	*	*	*	*	*	*
1992.....	0.2	1.6	*	*	*	*	*	*	*	*
1991.....	0.3	1.2	*	*	*	*	*	*	*	*
1990.....	0.3	1.6	*	*	*	*	*	*	*	*
1989.....	0.3	1.3	*	*	*	*	*	*	*	*
1988.....	0.3	1.4	*	*	*	*	*	*	*	*
1987.....	0.2	1.3	*	*	*	*	*	*	*	*
1986.....	0.2	1.2	*	*	*	*	*	*	*	*
1985.....	0.2	1.1	*	*	*	*	*	*	*	*
1984.....	0.2	1.3	*	*	*	*	*	*	*	*
1983.....	0.2	1.7	*	*	*	*	*	*	*	*
1982.....	0.2	1.5	*	*	*	*	*	*	*	*
1981.....	0.3	1.9	*	*	*	*	*	*	*	*
1980.....	0.3	2.0	0.2	0.0	-	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	2.2	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0
WHITE, BOTH SEXES										
1998.....	0.2	0.9	*	*	*	*	*	*	*	*
1997.....	0.2	1.5	*	*	*	*	*	*	*	*
1996.....	0.2	1.3	*	*	*	*	*	*	*	*
1995.....	0.2	1.5	*	*	*	*	*	*	*	*
1994.....	0.2	1.6	*	*	*	*	*	*	*	*
1993.....	0.3	1.6	*	*	*	*	*	*	*	*
1992.....	0.2	1.8	*	*	*	*	*	*	*	*
1991.....	0.3	1.7	*	*	*	*	*	*	*	*
1990.....	0.3	1.2	*	*	*	*	*	*	*	*
1989.....	0.3	1.2	*	*	*	*	*	*	*	*
1988.....	0.3	1.5	*	*	*	*	*	*	*	*
1987.....	0.2	1.2	*	*	*	*	*	*	*	*
1986.....	0.3	1.4	*	*	*	*	*	*	*	*
1985.....	0.3	1.6	*	*	*	*	*	*	*	*
1984.....	0.2	1.2	*	*	*	*	*	*	*	*
1983.....	0.2	1.9	*	*	*	*	*	*	*	*
1982.....	0.2	1.6	*	*	*	*	*	*	*	*
1981.....	0.3	1.9	*	*	*	*	*	*	*	*
1980.....	0.3	2.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0
1979.....	0.2	2.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
WHITE MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	1.8	*	*	*	*	*	*	*	*
1996.....	0.2	1.7	*	*	*	*	*	*	*	*
1995.....	0.2	1.7	*	*	*	*	*	*	*	*
1994.....	0.2	2.0	*	*	*	*	*	*	*	*
1993.....	0.2	2.0	*	*	*	*	*	*	*	*
1992.....	0.2	2.4	*	*	*	*	*	*	*	*
1991.....	0.2	2.2	*	*	*	*	*	*	*	*
1990.....	0.2	1.3	*	*	*	*	*	*	*	*
1989.....	0.2	1.5	*	*	*	*	*	*	*	*
1988.....	0.2	1.9	*	*	*	*	*	*	*	*
1987.....	0.2	1.7	*	*	*	*	*	*	*	*
1986.....	0.3	1.8	*	*	*	*	*	*	*	*
1985.....	0.3	2.1	*	*	*	*	*	*	*	*
1984.....	0.2	1.7	*	*	*	*	*	*	*	*
1983.....	0.2	2.5	*	*	*	*	*	*	*	*
1982.....	0.2	1.9	*	*	*	*	*	*	*	*
1981.....	0.3	2.2	*	*	*	*	*	*	*	*
1980.....	0.3	2.5	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0
1979.....	0.3	2.8	0.2	0.0	0.0	0.0	0.0	0.1	0.0	-
WHITE FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	1.4	*	*	*	*	*	*	*	*
1981.....	0.3	1.6	*	*	*	*	*	*	*	*
1980.....	0.3	1.9	0.1	0.0	-	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	1.7	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	2.7	*	*	*	*	*	*	*	*
1996.....	0.1	3.6	*	*	*	*	*	*	*	*
1995.....	0.1	3.2	*	*	*	*	*	*	*	*
1994.....	0.2	4.3	*	*	*	*	*	*	*	*
1993.....	0.2	3.1	*	*	*	*	*	*	*	*
1992.....	0.2	4.0	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	4.4	*	*	*	*	*	*	*	*
1989.....	0.2	4.5	*	*	*	*	*	*	*	*
1988.....	0.2	3.7	*	*	*	*	*	*	*	*
1987.....	0.2	3.6	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	3.3	*	*	*	*	*	*	*	*
1983.....	0.2	4.6	*	*	*	*	*	*	*	*
1982.....	0.2	3.7	*	*	*	*	*	*	*	*
1981.....	0.2	4.5	*	*	*	*	*	*	*	*
1980.....	0.2	3.6	0.5	0.1	-	0.0	-	-	0.1	-
1979.....	0.2	5.2	0.5	0.0	-	0.0	-	0.0	0.1	-
ALL OTHER MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	5.2	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	5.2	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	5.5	*	*	*	*	*	*	*	*
1989.....	0.3	5.9	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	4.7	0.6	0.1	-	0.1	-	-	0.1	-
1979.....	0.3	5.6	0.4	0.1	-	0.1	-	0.1	0.1	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	2.5	0.4	0.1	-	-	-	-	0.1	-
1979.....	0.2	4.7	0.5	-	-	-	-	-	0.2	-
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	4.0	*	*	*	*	*	*	*	*
1995.....	0.1	4.0	*	*	*	*	*	*	*	*
1994.....	0.2	5.2	*	*	*	*	*	*	*	*
1993.....	0.2	4.0	*	*	*	*	*	*	*	*
1992.....	0.2	5.0	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	5.0	*	*	*	*	*	*	*	*
1989.....	0.3	4.8	*	*	*	*	*	*	*	*
1988.....	0.2	3.9	*	*	*	*	*	*	*	*
1987.....	0.2	3.9	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	4.2	*	*	*	*	*	*	*	*
1983.....	0.2	4.6	*	*	*	*	*	*	*	*
1982.....	0.2	3.9	*	*	*	*	*	*	*	*
1981.....	0.2	4.7	*	*	*	*	*	*	*	*
1980.....	0.2	3.9	0.5	0.1	-	0.0	-	-	-	-
1979.....	0.3	5.8	0.5	0.0	-	0.0	-	0.0	0.2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
BLACK MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	6.5	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	6.2	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	4.8	0.6	0.1	-	0.1	-	-	-	-
1979.....	0.3	6.5	0.5	0.1	-	0.1	-	0.1	0.1	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	3.0	0.4	0.1	-	-	-	-	-	-
1979.....	0.2	5.1	0.4	-	-	-	-	-	0.2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
TOTAL, BOTH SEXES										
1998.....	33.4	11.5	0.9	0.3	0.2	0.4	0.8	1.0	1.7	2.3
1997.....	32.0	10.8	1.1	0.4	0.3	0.5	0.7	1.1	1.6	2.5
1996.....	31.3	12.8	1.1	0.3	0.3	0.4	0.6	1.1	1.7	2.6
1995.....	31.3	12.6	0.9	0.3	0.3	0.4	0.7	1.1	1.9	2.9
1994.....	30.8	14.3	1.1	0.3	0.2	0.5	0.7	1.0	2.0	3.1
1993.....	31.7	13.3	1.1	0.4	0.3	0.5	0.8	1.3	2.1	3.1
1992.....	29.3	14.8	1.2	0.3	0.3	0.5	0.7	1.1	1.9	2.8
1991.....	30.4	14.7	1.3	0.4	0.3	0.5	0.8	1.3	2.1	3.4
1990.....	31.1	15.9	1.1	0.4	0.3	0.5	0.8	1.3	2.2	3.4
1989.....	30.4	16.2	1.5	0.3	0.3	0.5	0.8	1.5	2.5	3.4
1988.....	31.0	16.9	1.2	0.4	0.4	0.5	0.9	1.3	2.5	3.4
1987.....	28.3	18.0	1.3	0.3	0.3	0.5	0.8	1.3	2.2	3.1
1986.....	28.3	17.7	1.3	0.4	0.4	0.6	0.8	1.2	2.2	3.0
1985.....	27.6	19.0	1.5	0.4	0.3	0.5	0.7	1.0	2.0	2.8
1984.....	24.5	19.0	1.5	0.6	0.4	0.5	0.7	1.2	2.0	2.5
1983.....	23.3	20.9	1.6	0.4	0.3	0.6	0.7	1.1	1.7	2.3
1982.....	20.8	20.5	1.7	0.4	0.4	0.6	0.8	1.1	1.7	2.2
1981.....	22.1	22.1	1.7	0.5	0.4	0.6	0.9	1.2	1.6	2.7
1980.....	22.9	28.3	2.0	0.6	0.5	0.6	1.0	1.3	1.7	2.8
1979.....	19.8	32.7	2.0	0.7	0.5	0.7	0.9	1.2	1.7	2.7
TOTAL, MALE										
1998.....	30.6	12.3	0.9	0.3	0.3	0.4	0.8	1.1	2.0	2.7
1997.....	29.8	12.9	1.1	0.3	0.3	0.5	0.7	1.2	1.9	3.1
1996.....	29.1	15.0	1.1	0.3	0.3	0.5	0.6	1.2	1.9	3.3
1995.....	29.3	14.0	0.8	0.3	0.2	0.6	0.7	1.2	2.4	3.7
1994.....	29.0	16.9	1.2	0.4	0.2	0.5	0.8	1.3	2.6	3.7
1993.....	29.9	15.2	1.1	0.4	0.3	0.5	0.8	1.4	2.5	4.0
1992.....	28.2	17.1	1.2	0.3	0.2	0.5	0.8	1.4	2.4	3.6
1991.....	29.1	15.4	1.5	0.4	0.3	0.6	0.9	1.7	2.8	4.5
1990.....	29.8	17.8	1.1	0.4	0.3	0.4	0.8	1.5	3.0	4.6
1989.....	29.2	19.1	1.6	0.3	0.3	0.6	0.9	1.7	3.1	4.5
1988.....	30.4	19.7	1.1	0.4	0.4	0.5	0.9	1.6	3.2	4.6
1987.....	28.2	19.7	1.5	0.3	0.3	0.6	0.9	1.6	3.0	4.3
1986.....	28.7	20.2	1.4	0.3	0.4	0.7	0.9	1.3	2.9	4.2
1985.....	28.0	21.7	1.5	0.4	0.3	0.5	0.9	1.3	2.5	3.8
1984.....	25.3	21.8	1.4	0.6	0.3	0.6	0.7	1.4	2.6	3.3
1983.....	24.2	23.5	1.7	0.4	0.4	0.5	0.9	1.4	2.2	2.9
1982.....	22.2	22.6	1.8	0.5	0.4	0.7	1.0	1.3	2.2	2.7
1981.....	23.3	24.9	2.0	0.5	0.4	0.7	1.0	1.4	1.9	3.6
1980.....	24.2	32.7	2.1	0.6	0.4	0.5	1.0	1.6	2.0	3.5
1979.....	21.5	35.6	2.1	0.7	0.5	0.8	1.0	1.4	2.2	3.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
TOTAL, FEMALE										
1998.....	36.0	10.7	1.0	0.4	*	0.3	0.8	0.8	1.4	2.0
1997.....	34.2	8.6	1.1	0.4	0.3	0.4	0.7	0.9	1.3	1.9
1996.....	33.4	10.4	1.0	0.4	0.3	0.4	0.6	1.0	1.4	1.9
1995.....	33.3	11.2	1.1	0.4	0.3	0.3	0.6	0.9	1.4	2.2
1994.....	32.5	11.5	1.0	0.2	0.3	0.5	0.7	0.8	1.4	2.4
1993.....	33.5	11.3	1.1	0.3	0.3	0.5	0.8	1.1	1.7	2.2
1992.....	30.3	12.4	1.2	0.2	0.3	0.5	0.6	0.8	1.4	2.1
1991.....	31.7	14.0	1.0	0.3	0.4	0.4	0.7	1.0	1.5	2.3
1990.....	32.4	13.9	1.0	0.4	0.3	0.5	0.7	1.1	1.4	2.2
1989.....	31.5	13.1	1.4	0.3	0.3	0.5	0.7	1.2	2.0	2.3
1988.....	31.5	14.0	1.3	0.3	0.3	0.4	0.8	1.1	1.9	2.2
1987.....	28.4	16.2	1.2	0.3	*	0.5	0.7	1.0	1.4	1.9
1986.....	27.9	15.2	1.2	0.5	0.3	0.5	0.6	1.1	1.5	1.9
1985.....	27.1	16.1	1.5	0.5	0.3	0.4	0.6	0.7	1.5	1.8
1984.....	23.7	16.1	1.5	0.5	0.5	0.4	0.6	1.0	1.4	1.7
1983.....	22.4	18.2	1.5	0.5	0.3	0.6	0.5	0.9	1.2	1.6
1982.....	19.4	18.3	1.5	0.3	0.4	0.5	0.7	0.9	1.1	1.7
1981.....	21.0	19.1	1.5	0.5	0.4	0.5	0.7	1.0	1.2	2.0
1980.....	21.7	23.7	1.9	0.6	0.5	0.7	0.9	1.0	1.4	2.1
1979.....	18.1	29.6	1.9	0.7	0.5	0.6	0.8	1.0	1.2	1.8
WHITE, BOTH SEXES										
1998.....	35.9	8.4	0.8	0.3	0.2	0.3	0.6	0.8	1.4	1.9
1997.....	34.4	8.4	0.9	0.3	0.3	0.4	0.6	0.8	1.2	2.0
1996.....	33.4	9.9	0.9	0.3	0.3	0.4	0.5	0.9	1.4	2.0
1995.....	33.5	9.9	0.7	0.3	0.3	0.4	0.6	0.8	1.6	2.3
1994.....	33.0	11.1	0.9	0.3	0.2	0.4	0.6	0.8	1.6	2.3
1993.....	33.9	10.3	0.8	0.4	0.3	0.5	0.6	1.1	1.6	2.4
1992.....	31.2	11.1	0.9	0.3	0.2	0.4	0.6	0.8	1.4	2.1
1991.....	32.3	10.8	1.0	0.4	0.3	0.4	0.7	1.1	1.6	2.4
1990.....	33.0	11.8	0.9	0.4	0.3	0.4	0.6	1.0	1.5	2.4
1989.....	32.0	12.6	1.1	0.3	0.3	0.5	0.6	1.1	1.7	2.2
1988.....	32.8	12.8	1.1	0.3	0.3	0.4	0.7	1.0	1.8	2.4
1987.....	29.9	13.6	1.1	0.3	0.2	0.5	0.6	1.0	1.5	2.1
1986.....	29.8	13.8	1.1	0.4	0.4	0.6	0.6	1.0	1.7	2.0
1985.....	29.0	14.7	1.3	0.4	0.3	0.4	0.7	0.8	1.4	1.9
1984.....	25.6	15.1	1.1	0.5	0.4	0.4	0.6	0.8	1.4	1.7
1983.....	24.4	15.5	1.4	0.4	0.3	0.6	0.7	0.9	1.2	1.7
1982.....	21.6	15.2	1.3	0.3	0.4	0.6	0.7	0.8	1.2	1.6
1981.....	22.9	16.8	1.5	0.5	0.4	0.6	0.8	1.0	1.2	1.8
1980.....	23.5	20.2	1.7	0.5	0.5	0.6	0.8	1.0	1.3	2.1
1979.....	20.3	24.7	1.6	0.6	0.5	0.7	0.7	0.9	1.2	1.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
WHITE MALE										
1998.....	32.2	8.9	0.8	*	*	0.3	0.7	0.9	1.6	2.1
1997.....	31.3	10.5	0.8	0.3	0.3	0.5	0.6	1.0	1.5	2.4
1996.....	30.2	11.9	0.8	0.3	0.3	0.4	0.5	0.9	1.5	2.4
1995.....	30.6	10.9	0.6	0.3	*	0.6	0.7	0.9	1.9	3.0
1994.....	30.4	12.9	1.0	0.3	*	0.4	0.7	1.0	2.2	2.8
1993.....	31.1	11.5	0.9	0.4	0.3	0.5	0.6	1.2	2.0	3.1
1992.....	29.4	13.1	0.9	0.3	*	0.5	0.7	1.0	1.8	2.7
1991.....	30.2	11.8	1.1	0.5	0.3	0.6	0.8	1.3	2.1	3.3
1990.....	30.7	13.0	1.0	0.3	0.3	0.4	0.6	1.1	2.0	3.3
1989.....	29.9	15.4	1.1	0.3	*	0.5	0.7	1.3	2.3	2.8
1988.....	31.4	15.4	1.0	0.4	0.4	0.4	0.7	1.2	2.3	3.2
1987.....	29.0	15.1	1.2	*	*	0.5	0.8	1.3	2.1	2.8
1986.....	29.4	16.0	1.2	0.3	0.5	0.7	0.7	1.1	2.2	2.7
1985.....	28.7	16.6	1.2	0.3	*	0.5	0.9	1.0	1.7	2.6
1984.....	25.8	17.0	1.2	0.6	0.4	0.6	0.6	1.0	1.8	2.1
1983.....	24.6	16.8	1.4	0.3	0.3	0.5	0.9	1.0	1.4	2.0
1982.....	22.6	17.0	1.5	0.4	0.4	0.6	0.9	0.9	1.5	1.7
1981.....	23.5	19.1	1.6	0.5	0.4	0.7	0.9	1.2	1.4	2.1
1980.....	24.1	23.3	1.9	0.5	0.4	0.5	0.8	1.1	1.4	2.5
1979.....	21.5	27.0	1.6	0.7	0.5	0.8	0.8	1.2	1.5	2.2
WHITE FEMALE										
1998.....	39.4	7.8	0.8	0.4	*	*	0.5	0.7	1.1	1.7
1997.....	37.4	6.3	1.0	0.3	0.3	0.4	0.6	0.7	0.9	1.6
1996.....	36.5	7.9	0.9	0.4	0.3	0.3	0.5	0.8	1.3	1.6
1995.....	36.3	8.9	0.7	0.3	0.3	*	0.5	0.8	1.2	1.7
1994.....	35.5	9.3	0.8	*	*	0.5	0.6	0.5	1.0	1.9
1993.....	36.5	9.0	0.8	0.3	0.3	0.5	0.6	0.9	1.2	1.6
1992.....	33.0	9.0	1.0	*	0.3	0.4	0.5	0.6	1.0	1.6
1991.....	34.4	9.7	0.9	0.3	0.3	0.3	0.7	0.8	1.1	1.6
1990.....	35.2	10.4	0.9	0.4	*	0.4	0.5	0.8	1.0	1.6
1989.....	33.9	9.7	1.1	0.3	*	0.4	0.6	0.9	1.2	1.5
1988.....	34.3	10.0	1.2	*	*	0.4	0.7	0.8	1.3	1.6
1987.....	30.7	12.1	1.0	0.4	*	0.5	0.5	0.8	0.9	1.4
1986.....	30.1	11.6	1.0	0.5	0.3	0.4	0.6	0.8	1.1	1.3
1985.....	29.2	12.6	1.3	0.4	*	0.3	0.6	0.6	1.1	1.2
1984.....	25.5	13.1	1.1	0.5	0.5	0.3	0.5	0.6	0.9	1.3
1983.....	24.2	14.1	1.3	0.5	0.3	0.6	0.4	0.7	0.9	1.4
1982.....	20.7	13.3	1.2	*	0.3	0.5	0.5	0.7	0.8	1.4
1981.....	22.4	14.5	1.4	0.5	0.4	0.5	0.7	0.8	1.0	1.5
1980.....	23.0	17.0	1.6	0.6	0.5	0.7	0.8	0.9	1.2	1.7
1979.....	19.1	22.3	1.5	0.6	0.5	0.6	0.6	0.7	0.8	1.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
ALL OTHER, BOTH SEXES										
1998.....	21.5	23.5	1.5	0.5	*	0.7	1.3	1.7	3.3	4.5
1997.....	20.6	20.0	1.8	0.5	*	0.6	1.2	2.0	3.1	4.6
1996.....	20.8	24.0	1.8	*	*	0.7	1.1	1.9	3.1	5.5
1995.....	20.7	22.3	2.0	0.6	*	*	1.0	2.0	3.5	5.9
1994.....	20.1	25.8	1.8	*	*	0.6	1.0	2.2	4.0	6.7
1993.....	21.0	24.3	1.9	*	*	0.7	1.5	2.2	4.5	6.7
1992.....	19.5	28.8	2.2	*	*	0.6	1.2	2.3	4.2	6.3
1991.....	20.6	28.3	2.2	*	*	0.7	1.3	2.4	4.7	8.3
1990.....	21.5	31.6	1.7	*	*	0.6	1.6	2.9	5.8	8.5
1989.....	21.9	29.8	3.1	*	*	0.9	1.6	3.2	6.6	9.6
1988.....	20.9	33.5	1.7	*	*	0.8	1.5	2.8	6.5	8.7
1987.....	19.7	36.0	2.3	*	*	0.6	1.5	2.7	6.2	8.4
1986.....	20.2	34.4	2.3	0.6	*	0.6	1.3	2.6	5.2	9.0
1985.....	19.5	37.7	2.5	0.7	*	0.6	0.8	2.2	5.3	8.1
1984.....	18.0	36.3	2.8	*	*	0.9	1.1	3.0	5.4	7.2
1983.....	16.9	45.0	2.7	*	*	0.7	0.9	2.8	4.8	6.0
1982.....	15.9	44.2	3.2	*	*	1.0	1.5	2.9	4.6	6.2
1981.....	17.2	45.8	2.9	*	*	0.6	1.4	2.6	3.8	9.1
1980.....	19.4	65.2	3.1	0.8	0.5	0.9	2.0	3.1	4.3	7.2
1979.....	16.8	70.0	3.9	0.7	0.6	0.8	1.7	2.8	5.2	8.6
ALL OTHER MALE										
1998.....	22.9	25.2	1.3	*	*	*	*	2.0	4.1	5.7
1997.....	22.0	22.4	1.9	*	*	*	*	2.2	3.7	6.1
1996.....	23.2	27.7	2.2	*	*	*	1.1	2.4	4.1	7.9
1995.....	22.6	25.3	1.7	*	*	*	*	2.6	4.7	7.5
1994.....	22.3	31.8	1.9	*	*	*	*	2.7	4.9	8.5
1993.....	23.5	28.8	1.9	*	*	*	1.5	2.3	5.2	9.2
1992.....	22.3	32.4	2.4	*	*	*	1.3	3.0	5.4	8.6
1991.....	23.3	28.0	2.8	*	*	*	1.5	3.2	6.4	11.4
1990.....	24.9	36.4	1.7	*	*	*	1.4	3.4	8.3	12.1
1989.....	25.5	33.7	3.3	*	*	*	1.9	3.6	7.7	13.9
1988.....	24.8	37.2	1.6	*	*	*	1.7	3.5	8.4	12.6
1987.....	23.8	39.3	2.6	*	*	*	1.6	3.5	8.5	13.0
1986.....	24.5	38.3	2.3	*	*	*	1.8	2.7	7.0	13.5
1985.....	23.8	44.4	2.7	*	*	*	*	3.0	7.1	11.6
1984.....	22.3	43.6	2.4	*	*	*	*	3.4	7.0	11.1
1983.....	21.5	53.8	2.8	*	*	*	*	3.5	7.3	9.3
1982.....	20.0	48.1	3.3	*	*	*	1.8	3.6	6.4	9.3
1981.....	22.1	51.5	3.5	*	*	*	1.5	3.0	5.2	14.0
1980.....	24.7	76.6	3.1	0.9	0.4	0.7	2.3	4.3	6.1	10.5
1979.....	21.5	76.6	4.0	0.7	0.6	0.8	1.7	2.7	7.2	14.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
ALL OTHER FEMALE										
1998.....	20.2	21.7	1.7	*	*	*	1.7	1.5	2.5	3.4
1997.....	19.3	17.5	1.7	*	*	*	1.3	1.9	2.6	3.3
1996.....	18.7	20.2	1.4	*	*	*	*	1.5	2.2	3.3
1995.....	18.9	19.2	2.4	*	*	*	1.2	1.5	2.4	4.4
1994.....	18.1	19.6	1.7	*	*	*	1.1	1.7	3.1	5.1
1993.....	18.8	19.7	2.0	*	*	*	1.6	2.0	3.9	4.6
1992.....	16.9	25.1	2.0	*	*	*	1.1	1.7	3.0	4.2
1991.....	18.2	28.6	1.6	*	*	*	*	1.7	3.2	5.5
1990.....	18.5	26.7	1.8	*	*	*	1.7	2.4	3.5	5.5
1989.....	18.7	25.9	2.9	*	*	*	1.3	2.7	5.5	5.8
1988.....	17.3	29.7	1.9	*	*	*	1.4	2.2	4.9	5.3
1987.....	15.9	32.7	2.1	*	*	*	1.5	1.9	4.1	4.5
1986.....	16.3	30.3	2.4	*	*	*	*	2.4	3.7	5.2
1985.....	15.6	30.9	2.4	*	*	*	*	1.4	3.7	5.1
1984.....	14.1	29.0	3.2	*	*	*	1.1	2.6	4.0	3.9
1983.....	12.7	36.0	2.6	*	*	*	*	2.1	2.6	3.1
1982.....	12.1	40.2	3.0	*	*	*	1.3	2.3	3.0	3.5
1981.....	12.7	39.9	2.3	*	*	*	1.2	2.3	2.6	4.9
1980.....	14.5	53.6	3.1	0.7	0.7	1.0	1.8	1.9	2.8	4.4
1979.....	12.5	63.4	3.7	0.8	0.6	0.8	1.7	3.0	3.5	4.0
BLACK, BOTH SEXES										
1998.....	24.1	26.2	1.9	*	*	0.7	1.4	2.1	3.9	5.7
1997.....	23.3	25.0	2.1	*	*	*	1.4	2.5	4.0	5.9
1996.....	23.7	28.6	2.2	*	*	0.9	1.4	2.4	3.9	6.7
1995.....	23.5	26.2	2.3	0.7	*	*	1.4	2.7	4.3	7.5
1994.....	22.8	30.1	1.9	*	*	0.7	1.0	2.7	4.8	8.4
1993.....	23.9	27.6	2.1	*	*	0.8	1.9	2.4	6.0	8.6
1992.....	22.2	34.0	2.3	*	*	0.8	1.3	2.9	5.4	7.9
1991.....	23.5	34.0	2.8	*	*	0.8	1.6	3.2	5.9	10.9
1990.....	24.5	36.8	1.7	*	*	*	2.0	3.5	7.2	10.9
1989.....	25.0	33.3	3.3	*	*	1.0	1.9	4.0	8.6	12.3
1988.....	24.0	37.8	1.9	*	*	0.9	1.8	3.7	8.5	11.3
1987.....	22.3	39.8	2.4	*	*	*	1.8	3.2	8.0	10.9
1986.....	22.9	40.0	2.6	*	*	0.7	1.6	3.1	6.6	11.5
1985.....	21.9	43.0	2.9	0.8	*	0.7	1.0	2.6	6.5	10.0
1984.....	19.9	41.1	3.1	*	*	0.9	1.3	3.7	6.8	9.1
1983.....	18.6	51.4	2.9	*	*	0.8	1.0	3.2	6.0	7.3
1982.....	17.3	49.0	3.5	*	*	0.9	1.7	3.4	5.6	7.5
1981.....	18.9	50.7	2.9	*	*	*	1.5	3.2	4.6	11.2
1980.....	20.9	72.2	3.3	0.9	0.6	1.0	2.1	3.4	4.9	8.5
1979.....	17.9	75.9	4.4	0.8	0.6	0.8	1.7	3.0	6.0	9.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
BLACK MALE										
1998.....	25.5	28.8	*	*	*	*	*	2.3	4.8	7.2
1997.....	24.6	26.3	2.2	*	*	*	*	2.6	4.6	8.0
1996.....	26.1	31.8	2.8	*	*	*	*	2.7	5.2	9.9
1995.....	25.5	29.9	1.8	*	*	*	*	3.5	6.0	9.6
1994.....	25.1	37.3	2.1	*	*	*	*	3.4	5.9	10.3
1993.....	26.4	32.3	2.1	*	*	*	1.8	2.8	7.0	12.0
1992.....	25.4	38.5	2.5	*	*	*	*	3.8	7.0	10.9
1991.....	26.5	33.2	3.4	*	*	*	1.8	4.3	8.1	15.0
1990.....	28.5	42.2	*	*	*	*	1.8	4.2	10.6	15.6
1989.....	29.0	38.1	3.4	*	*	*	2.4	4.8	10.2	17.9
1988.....	28.6	41.4	1.8	*	*	*	2.2	4.6	11.1	16.7
1987.....	27.3	43.9	2.7	*	*	*	1.9	4.2	11.1	16.9
1986.....	27.9	43.9	2.7	*	*	*	2.1	3.3	8.6	16.9
1985.....	26.8	50.7	3.1	*	*	*	*	3.6	8.6	14.4
1984.....	24.9	49.1	2.8	*	*	*	*	4.3	8.8	14.2
1983.....	24.1	62.6	2.9	*	*	*	*	4.2	9.3	11.4
1982.....	22.1	54.2	3.6	*	*	*	1.8	4.1	7.9	12.0
1981.....	24.5	57.0	3.6	*	*	*	1.6	3.6	6.5	17.5
1980.....	26.6	84.8	3.5	1.0	0.4	0.9	2.3	4.9	6.8	12.2
1979.....	23.0	83.1	4.6	0.8	0.6	0.8	1.8	2.8	8.4	16.4
BLACK FEMALE										
1998.....	22.8	23.5	2.1	*	*	*	1.9	1.9	3.1	4.2
1997.....	22.0	23.8	1.9	*	*	*	1.7	2.3	3.4	4.1
1996.....	21.4	25.2	*	*	*	*	*	2.1	2.7	3.9
1995.....	21.6	22.5	2.9	*	*	*	1.6	2.1	2.7	5.7
1994.....	20.7	22.6	1.8	*	*	*	*	2.0	3.8	6.7
1993.....	21.6	22.7	2.1	*	*	*	2.1	2.1	5.0	5.7
1992.....	19.4	29.3	2.1	*	*	*	*	2.0	3.9	5.2
1991.....	20.7	34.7	2.1	*	*	*	*	2.1	4.0	7.3
1990.....	20.9	31.4	*	*	*	*	2.1	2.8	4.4	6.8
1989.....	21.3	28.5	3.2	*	*	*	1.5	3.4	7.1	7.5
1988.....	19.8	34.0	2.0	*	*	*	1.5	2.8	6.3	6.6
1987.....	17.8	35.6	2.2	*	*	*	1.7	2.3	5.3	5.7
1986.....	18.5	36.0	2.5	*	*	*	*	3.0	4.8	6.8
1985.....	17.5	35.1	2.7	*	*	*	*	1.6	4.6	6.2
1984.....	15.5	33.1	3.4	*	*	*	*	3.1	5.0	4.7
1983.....	13.8	39.9	2.8	*	*	*	*	2.3	3.1	3.8
1982.....	13.1	43.7	3.4	*	*	*	1.5	2.8	3.6	3.7
1981.....	13.9	44.4	2.3	*	*	*	1.4	2.8	3.0	5.9
1980.....	15.7	59.4	3.1	0.9	0.8	1.2	2.0	2.2	3.3	5.4
1979.....	13.2	68.4	4.2	0.9	0.7	0.9	1.6	3.2	4.0	4.2





CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VIRAL PNEUMONIA (480)										
TOTAL, FEMALE										
1998.....	0.2	2.6	*	*	*	*	*	*	*	*
1997.....	0.2	1.7	0.3	*	*	*	*	*	*	*
1996.....	0.2	2.5	*	*	*	*	*	*	*	*
1995.....	0.2	2.0	*	*	*	*	*	*	*	*
1994.....	0.2	2.5	*	*	*	*	*	*	*	*
1993.....	0.2	2.5	*	*	*	*	*	*	*	*
1992.....	0.2	3.0	*	*	*	*	*	*	*	*
1991.....	0.3	2.9	*	*	*	*	*	*	*	*
1990.....	0.3	2.0	*	*	*	*	*	*	*	*
1989.....	0.3	2.5	*	*	*	*	*	*	*	*
1988.....	0.3	2.0	*	*	*	*	*	*	*	*
1987.....	0.2	2.5	*	*	*	*	*	*	*	*
1986.....	0.3	2.2	*	*	*	*	*	*	*	*
1985.....	0.3	1.9	*	*	*	*	*	*	*	*
1984.....	0.3	1.6	*	*	*	*	*	*	*	*
1983.....	0.3	2.6	*	*	*	*	*	*	*	*
1982.....	0.2	2.3	*	*	*	*	*	*	*	*
1981.....	0.4	2.1	*	*	*	*	*	*	*	*
1980.....	0.5	3.4	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2
1979.....	0.3	3.3	0.2	0.0	0.1	0.0	0.1	0.1	0.1	0.1
WHITE, BOTH SEXES										
1998.....	0.2	1.8	0.2	*	*	*	*	*	*	*
1997.....	0.2	1.9	0.2	*	*	*	*	*	*	*
1996.....	0.2	2.1	0.2	*	*	*	*	*	*	*
1995.....	0.2	1.9	*	*	*	*	*	*	*	*
1994.....	0.2	2.9	0.2	*	*	*	*	*	*	*
1993.....	0.2	2.1	*	*	*	*	*	*	*	*
1992.....	0.2	2.8	*	*	*	*	*	*	*	*
1991.....	0.3	2.6	0.2	*	*	*	*	*	*	*
1990.....	0.3	2.2	*	*	*	*	*	*	*	*
1989.....	0.3	2.9	*	*	*	*	*	*	*	*
1988.....	0.3	2.1	*	*	*	*	*	*	*	*
1987.....	0.2	2.2	*	*	*	*	*	*	*	*
1986.....	0.3	1.8	*	*	*	*	*	*	*	*
1985.....	0.3	2.0	*	*	*	*	*	*	*	*
1984.....	0.2	1.5	*	*	*	*	*	*	*	*
1983.....	0.3	2.6	*	*	*	*	*	*	*	*
1982.....	0.3	2.3	*	*	*	*	*	*	*	*
1981.....	0.4	2.1	*	*	*	*	*	*	*	*
1980.....	0.4	3.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.1
1979.....	0.3	3.4	0.2	0.0	0.1	0.0	0.1	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VIRAL PNEUMONIA (480)										
WHITE MALE										
1998.....	0.2	1.6	*	*	*	*	*	*	*	*
1997.....	0.2	2.3	*	*	*	*	*	*	*	*
1996.....	0.2	2.1	*	*	*	*	*	*	*	*
1995.....	0.2	1.9	*	*	*	*	*	*	*	*
1994.....	0.2	3.5	*	*	*	*	*	*	*	*
1993.....	0.2	2.3	*	*	*	*	*	*	*	*
1992.....	0.2	2.9	*	*	*	*	*	*	*	*
1991.....	0.2	3.1	*	*	*	*	*	*	*	*
1990.....	0.3	2.6	*	*	*	*	*	*	*	*
1989.....	0.2	3.5	*	*	*	*	*	*	*	*
1988.....	0.3	2.5	*	*	*	*	*	*	*	*
1987.....	0.2	2.4	*	*	*	*	*	*	*	*
1986.....	0.2	2.0	*	*	*	*	*	*	*	*
1985.....	0.3	2.1	*	*	*	*	*	*	*	*
1984.....	0.2	1.5	*	*	*	*	*	*	*	*
1983.....	0.3	3.1	*	*	*	*	*	*	*	*
1982.....	0.2	2.2	*	*	*	*	*	*	*	*
1981.....	0.3	2.4	*	*	*	*	*	*	*	*
1980.....	0.4	3.4	0.1	0.0	-	0.0	0.0	0.0	0.1	0.1
1979.....	0.3	3.7	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.1
WHITE FEMALE										
1998.....	0.2	2.1	*	*	*	*	*	*	*	*
1997.....	0.2	1.4	*	*	*	*	*	*	*	*
1996.....	0.2	2.0	*	*	*	*	*	*	*	*
1995.....	0.2	2.0	*	*	*	*	*	*	*	*
1994.....	0.2	2.2	*	*	*	*	*	*	*	*
1993.....	0.2	1.9	*	*	*	*	*	*	*	*
1992.....	0.2	2.7	*	*	*	*	*	*	*	*
1991.....	0.3	2.1	*	*	*	*	*	*	*	*
1990.....	0.3	1.8	*	*	*	*	*	*	*	*
1989.....	0.3	2.3	*	*	*	*	*	*	*	*
1988.....	0.3	1.6	*	*	*	*	*	*	*	*
1987.....	0.2	2.0	*	*	*	*	*	*	*	*
1986.....	0.3	1.6	*	*	*	*	*	*	*	*
1985.....	0.3	1.9	*	*	*	*	*	*	*	*
1984.....	0.3	1.6	*	*	*	*	*	*	*	*
1983.....	0.3	2.1	*	*	*	*	*	*	*	*
1982.....	0.3	2.3	*	*	*	*	*	*	*	*
1981.....	0.4	1.8	*	*	*	*	*	*	*	*
1980.....	0.5	2.8	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2
1979.....	0.3	3.0	0.2	0.0	0.1	0.0	0.1	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VIRAL PNEUMONIA (480)										
ALL OTHER, BOTH SEXES										
1998.....	0.2	4.3	*	*	*	*	*	*	*	*
1997.....	0.1	3.7	*	*	*	*	*	*	*	*
1996.....	0.2	4.4	*	*	*	*	*	*	*	*
1995.....	0.2	3.2	*	*	*	*	*	*	*	*
1994.....	0.2	5.7	*	*	*	*	*	*	*	*
1993.....	0.2	6.4	*	*	*	*	*	*	*	*
1992.....	0.2	4.9	*	*	*	*	*	*	*	*
1991.....	0.3	5.2	*	*	*	*	*	*	*	*
1990.....	0.2	4.5	*	*	*	*	*	*	*	*
1989.....	0.2	4.3	*	*	*	*	*	*	*	*
1988.....	0.2	5.5	*	*	*	*	*	*	*	*
1987.....	0.2	6.3	*	*	*	*	*	*	*	*
1986.....	0.3	4.9	*	*	*	*	*	*	*	*
1985.....	0.2	3.3	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	5.2	*	*	*	*	*	*	*	*
1982.....	0.2	3.7	*	*	*	*	*	*	*	*
1981.....	0.2	3.7	*	*	*	*	*	*	*	*
1980.....	0.4	7.1	0.2	0.1	0.0	-	0.2	0.1	0.2	0.3
1979.....	0.3	6.2	0.5	0.0	-	0.1	0.1	0.1	0.1	0.2
ALL OTHER MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	7.8	*	*	*	*	*	*	*	*
1993.....	0.2	8.3	*	*	*	*	*	*	*	*
1992.....	0.2	5.6	*	*	*	*	*	*	*	*
1991.....	0.2	5.0	*	*	*	*	*	*	*	*
1990.....	0.2	6.0	*	*	*	*	*	*	*	*
1989.....	0.3	5.2	*	*	*	*	*	*	*	*
1988.....	0.2	7.7	*	*	*	*	*	*	*	*
1987.....	0.3	7.7	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.5	8.1	0.3	0.2	0.1	-	0.1	0.1	0.3	0.4
1979.....	0.3	7.3	0.9	-	-	0.1	-	-	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VIRAL PNEUMONIA (480)										
ALL OTHER FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	5.4	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	6.0	0.1	0.1	-	-	0.2	0.2	0.1	0.2
1979.....	0.3	5.0	0.2	0.1	-	0.1	0.2	0.1	0.2	0.3
BLACK, BOTH SEXES										
1998.....	0.1	4.3	*	*	*	*	*	*	*	*
1997.....	0.2	5.0	*	*	*	*	*	*	*	*
1996.....	0.2	5.3	*	*	*	*	*	*	*	*
1995.....	0.2	3.5	*	*	*	*	*	*	*	*
1994.....	0.2	6.1	*	*	*	*	*	*	*	*
1993.....	0.2	7.2	*	*	*	*	*	*	*	*
1992.....	0.2	5.5	*	*	*	*	*	*	*	*
1991.....	0.3	5.9	*	*	*	*	*	*	*	*
1990.....	0.2	5.3	*	*	*	*	*	*	*	*
1989.....	0.2	4.0	*	*	*	*	*	*	*	*
1988.....	0.2	5.8	*	*	*	*	*	*	*	*
1987.....	0.2	6.2	*	*	*	*	*	*	*	*
1986.....	0.3	5.2	*	*	*	*	*	*	*	*
1985.....	0.2	4.2	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	5.5	*	*	*	*	*	*	*	*
1982.....	0.2	4.2	*	*	*	*	*	*	*	*
1981.....	0.3	3.7	*	*	*	*	*	*	*	*
1980.....	0.4	7.3	0.2	0.2	0.0	-	0.2	0.2	0.2	0.3
1979.....	0.3	6.4	0.6	0.0	-	0.1	0.1	0.0	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 VIRAL PNEUMONIA (480)										
BLACK MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	8.3	*	*	*	*	*	*	*	*
1993.....	0.3	9.7	*	*	*	*	*	*	*	*
1992.....	0.2	6.2	*	*	*	*	*	*	*	*
1991.....	0.3	5.8	*	*	*	*	*	*	*	*
1990.....	0.3	6.8	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	7.7	*	*	*	*	*	*	*	*
1987.....	0.3	8.0	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.5	8.6	0.3	0.2	0.1	-	0.1	0.1	0.2	0.3
1979.....	0.3	7.3	1.1	-	-	0.1	-	-	-	0.2
BLACK FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	6.0	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	6.0	0.1	0.1	-	-	0.3	0.2	0.1	0.3
1979.....	0.3	5.5	0.1	0.1	-	0.1	0.2	0.1	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
TOTAL, BOTH SEXES										
1998.....	2.2	1.5	0.1	*	*	*	*	0.2	0.3	0.6
1997.....	2.1	1.3	0.2	*	*	*	*	0.2	0.3	0.5
1996.....	2.1	1.4	0.1	*	*	*	0.1	0.2	0.3	0.5
1995.....	2.2	1.7	0.1	*	*	*	0.1	0.2	0.4	0.7
1994.....	2.2	1.8	0.1	*	*	*	*	0.2	0.3	0.5
1993.....	2.4	1.5	0.1	*	*	*	*	0.2	0.4	0.6
1992.....	2.2	1.3	0.2	*	*	*	0.1	0.2	0.4	0.6
1991.....	2.4	1.3	0.2	*	*	*	0.1	0.2	0.4	0.7
1990.....	2.5	1.8	*	*	*	*	*	0.2	0.4	0.7
1989.....	2.5	1.5	0.2	*	*	*	*	0.3	0.4	0.7
1988.....	2.5	1.8	*	*	*	*	0.1	0.2	0.4	0.6
1987.....	2.4	2.0	*	*	*	*	0.1	0.2	0.4	0.5
1986.....	2.5	2.0	*	*	*	*	0.1	0.2	0.4	0.6
1985.....	2.5	2.5	0.2	*	*	*	*	0.1	0.3	0.5
1984.....	2.3	2.1	*	*	*	*	*	0.2	0.3	0.5
1983.....	2.1	2.0	*	*	*	*	*	0.2	0.2	0.4
1982.....	2.0	1.6	0.2	*	*	*	0.1	0.2	0.3	0.4
1981.....	2.3	2.1	0.2	*	*	*	0.1	0.2	0.3	0.5
1980.....	2.5	3.3	0.2	0.1	0.0	0.1	0.1	0.2	0.3	0.5
1979.....	2.1	3.4	0.3	0.1	0.1	0.1	0.1	0.2	0.3	0.5
TOTAL, MALE										
1998.....	2.4	1.7	*	*	*	*	*	*	0.3	0.7
1997.....	2.2	1.8	*	*	*	*	*	*	0.3	0.6
1996.....	2.2	1.8	*	*	*	*	*	0.2	0.4	0.6
1995.....	2.3	2.0	*	*	*	*	*	*	0.4	0.9
1994.....	2.3	2.0	*	*	*	*	*	0.2	0.3	0.6
1993.....	2.5	1.5	*	*	*	*	*	*	0.5	0.8
1992.....	2.3	1.1	*	*	*	*	*	*	0.5	0.8
1991.....	2.5	1.7	*	*	*	*	*	0.2	0.4	1.0
1990.....	2.7	2.3	*	*	*	*	*	0.2	0.6	1.0
1989.....	2.6	1.8	*	*	*	*	*	0.3	0.5	0.9
1988.....	2.7	2.0	*	*	*	*	*	0.2	0.4	0.8
1987.....	2.6	2.0	*	*	*	*	*	0.2	0.5	0.6
1986.....	2.9	2.4	*	*	*	*	*	*	0.5	0.8
1985.....	2.8	3.0	*	*	*	*	*	0.2	0.4	0.6
1984.....	2.6	2.5	*	*	*	*	*	0.2	0.4	0.6
1983.....	2.4	1.9	*	*	*	*	*	0.2	0.3	0.5
1982.....	2.3	1.9	*	*	*	*	*	0.2	0.4	0.6
1981.....	2.7	2.3	*	*	*	*	0.2	0.2	0.4	0.7
1980.....	2.9	4.2	0.2	0.1	0.0	0.1	0.2	0.3	0.3	0.7
1979.....	2.5	3.4	0.3	0.1	0.1	0.1	0.2	0.2	0.4	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
TOTAL, FEMALE										
1998.....	2.0	1.2	*	*	*	*	*	*	0.3	0.4
1997.....	2.0	*	*	*	*	*	*	0.3	0.2	0.4
1996.....	2.1	*	*	*	*	*	*	*	0.3	0.4
1995.....	2.1	1.3	*	*	*	*	*	*	0.3	0.5
1994.....	2.1	1.5	*	*	*	*	*	*	0.2	0.5
1993.....	2.3	1.4	*	*	*	*	*	0.3	0.2	0.5
1992.....	2.1	1.6	*	*	*	*	*	*	0.3	0.4
1991.....	2.2	*	*	*	*	*	*	0.2	0.3	0.4
1990.....	2.4	1.3	*	*	*	*	*	0.2	0.3	0.4
1989.....	2.3	1.2	*	*	*	*	*	0.2	0.4	0.6
1988.....	2.3	1.5	*	*	*	*	*	*	0.4	0.5
1987.....	2.2	2.0	*	*	*	*	*	*	0.3	0.4
1986.....	2.2	1.6	*	*	*	*	*	0.2	0.3	0.4
1985.....	2.2	1.9	*	*	*	*	*	*	0.2	0.4
1984.....	2.0	1.7	*	*	*	*	*	0.2	0.2	0.4
1983.....	1.9	2.0	*	*	*	*	*	0.2	*	0.3
1982.....	1.7	1.4	*	*	*	*	*	*	*	*
1981.....	1.9	1.8	*	*	*	*	*	*	*	0.4
1980.....	2.1	2.3	0.2	0.1	0.0	0.1	0.1	0.1	0.2	0.3
1979.....	1.7	3.5	0.3	0.1	0.1	0.1	0.1	0.2	0.2	0.3
WHITE, BOTH SEXES										
1998.....	2.2	1.3	*	*	*	*	*	0.1	0.3	0.5
1997.....	2.2	1.2	0.2	*	*	*	*	0.1	0.2	0.4
1996.....	2.2	1.0	*	*	*	*	*	*	0.2	0.4
1995.....	2.2	1.3	*	*	*	*	*	0.1	0.3	0.5
1994.....	2.2	1.6	*	*	*	*	*	0.1	0.2	0.4
1993.....	2.4	1.1	*	*	*	*	*	0.2	0.3	0.5
1992.....	2.2	0.8	*	*	*	*	0.1	*	0.3	0.4
1991.....	2.4	1.1	0.2	*	*	*	*	0.2	0.3	0.5
1990.....	2.5	1.2	*	*	*	*	*	0.2	0.3	0.5
1989.....	2.4	1.2	*	*	*	*	*	0.2	0.3	0.5
1988.....	2.5	1.3	*	*	*	*	0.1	*	0.3	0.4
1987.....	2.4	1.6	*	*	*	*	*	0.1	0.2	0.3
1986.....	2.6	1.8	*	*	*	*	*	0.1	0.3	0.4
1985.....	2.5	2.1	*	*	*	*	*	0.1	0.2	0.3
1984.....	2.3	1.7	*	*	*	*	*	0.2	0.2	0.3
1983.....	2.1	1.6	*	*	*	*	*	0.2	0.1	0.2
1982.....	2.0	1.2	*	*	*	*	*	0.1	0.2	0.3
1981.....	2.2	1.7	*	*	*	*	*	0.1	0.2	0.2
1980.....	2.4	2.4	0.2	0.1	0.0	0.1	0.1	0.1	0.2	0.3
1979.....	2.1	2.7	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.3





CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
ALL OTHER, BOTH SEXES										
1998.....	2.0	*	*	*	*	*	*	*	*	0.9
1997.....	2.0	*	*	*	*	*	*	*	0.6	0.8
1996.....	2.1	3.0	*	*	*	*	*	*	0.7	1.0
1995.....	2.1	2.9	*	*	*	*	*	*	0.6	1.3
1994.....	2.1	2.5	*	*	*	*	*	*	0.6	1.2
1993.....	2.5	2.6	*	*	*	*	*	*	0.7	1.5
1992.....	2.2	3.4	*	*	*	*	*	*	0.9	1.4
1991.....	2.4	*	*	*	*	*	*	*	0.9	1.9
1990.....	2.5	4.3	*	*	*	*	*	*	1.2	2.1
1989.....	2.5	2.8	*	*	*	*	*	0.6	0.9	2.2
1988.....	2.5	3.6	*	*	*	*	*	0.7	1.1	1.7
1987.....	2.4	3.6	*	*	*	*	*	*	1.0	1.7
1986.....	2.5	3.1	*	*	*	*	*	*	0.8	1.5
1985.....	2.4	4.2	*	*	*	*	*	*	1.1	1.6
1984.....	2.3	3.6	*	*	*	*	*	*	0.8	1.6
1983.....	2.2	3.7	*	*	*	*	*	*	0.8	1.3
1982.....	2.0	3.6	*	*	*	*	*	*	0.8	1.3
1981.....	2.4	3.8	*	*	*	*	*	*	0.8	2.2
1980.....	3.0	7.2	0.3	0.1	-	0.2	0.3	0.9	0.9	1.9
1979.....	2.5	7.0	0.5	0.1	0.1	0.1	0.4	0.7	1.1	2.0
ALL OTHER MALE										
1998.....	2.3	*	*	*	*	*	*	*	*	1.3
1997.....	2.2	*	*	*	*	*	*	*	*	*
1996.....	2.5	*	*	*	*	*	*	*	*	1.4
1995.....	2.4	*	*	*	*	*	*	*	*	1.6
1994.....	2.5	*	*	*	*	*	*	*	*	1.4
1993.....	2.9	*	*	*	*	*	*	*	*	2.1
1992.....	2.5	*	*	*	*	*	*	*	1.2	2.1
1991.....	2.8	*	*	*	*	*	*	*	*	3.0
1990.....	3.0	5.3	*	*	*	*	*	*	2.0	3.1
1989.....	3.2	*	*	*	*	*	*	*	*	3.1
1988.....	3.2	*	*	*	*	*	*	*	1.3	2.1
1987.....	3.0	*	*	*	*	*	*	*	1.3	2.3
1986.....	3.3	*	*	*	*	*	*	*	1.4	2.2
1985.....	3.0	*	*	*	*	*	*	*	1.5	2.4
1984.....	3.0	*	*	*	*	*	*	*	*	2.4
1983.....	2.9	*	*	*	*	*	*	*	*	2.3
1982.....	2.8	*	*	*	*	*	*	*	*	2.4
1981.....	3.2	*	*	*	*	*	*	*	*	3.3
1980.....	4.1	10.0	0.3	0.1	-	0.1	0.5	1.4	1.2	3.0
1979.....	3.3	6.6	0.4	0.1	0.1	0.1	0.5	0.7	1.8	3.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
ALL OTHER FEMALE										
1998.....	1.7	*	*	*	*	*	*	*	*	*
1997.....	1.8	*	*	*	*	*	*	*	*	*
1996.....	1.7	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	*	1.0
1994.....	1.6	*	*	*	*	*	*	*	*	1.0
1993.....	2.0	*	*	*	*	*	*	*	*	*
1992.....	1.9	*	*	*	*	*	*	*	*	*
1991.....	2.0	*	*	*	*	*	*	*	*	*
1990.....	2.1	*	*	*	*	*	*	*	*	1.2
1989.....	1.9	*	*	*	*	*	*	*	1.1	1.5
1988.....	1.9	*	*	*	*	*	*	*	*	1.4
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	1.9	*	*	*	*	*	*	*	*	*
1984.....	1.7	*	*	*	*	*	*	*	*	*
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.4	*	*	*	*	*	*	*	*	*
1981.....	1.6	*	*	*	*	*	*	*	*	*
1980.....	2.1	4.4	0.3	0.1	-	0.3	0.2	0.5	0.7	0.9
1979.....	1.8	7.4	0.6	0.1	0.1	0.2	0.4	0.6	0.5	1.1
BLACK, BOTH SEXES										
1998.....	2.3	*	*	*	*	*	*	*	*	1.1
1997.....	2.3	*	*	*	*	*	*	*	0.7	1.0
1996.....	2.4	4.0	*	*	*	*	*	*	0.9	1.3
1995.....	2.3	*	*	*	*	*	*	*	0.7	1.5
1994.....	2.4	3.2	*	*	*	*	*	*	0.9	1.5
1993.....	2.9	*	*	*	*	*	*	*	0.9	1.9
1992.....	2.5	3.8	*	*	*	*	*	*	1.1	1.8
1991.....	2.7	*	*	*	*	*	*	*	1.0	2.5
1990.....	3.0	5.0	*	*	*	*	*	*	1.5	2.8
1989.....	2.9	*	*	*	*	*	*	0.8	1.2	2.8
1988.....	2.9	3.9	*	*	*	*	*	0.9	1.4	2.1
1987.....	2.7	4.2	*	*	*	*	*	*	1.2	2.1
1986.....	2.8	*	*	*	*	*	*	*	1.0	1.9
1985.....	2.8	4.8	*	*	*	*	*	*	1.3	2.1
1984.....	2.5	*	*	*	*	*	*	*	1.0	2.1
1983.....	2.4	4.3	*	*	*	*	*	*	0.9	1.6
1982.....	2.2	4.1	*	*	*	*	*	*	0.9	1.6
1981.....	2.6	4.5	*	*	*	*	*	*	1.0	2.7
1980.....	3.3	8.2	0.3	0.1	-	0.2	0.3	0.9	1.0	2.2
1979.....	2.7	8.0	0.6	0.1	0.1	0.2	0.4	0.8	1.2	2.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
BLACK MALE										
1998.....	2.5	*	*	*	*	*	*	*	*	*
1997.....	2.6	*	*	*	*	*	*	*	*	*
1996.....	2.8	*	*	*	*	*	*	*	*	1.8
1995.....	2.7	*	*	*	*	*	*	*	*	1.8
1994.....	2.9	*	*	*	*	*	*	*	*	1.7
1993.....	3.5	*	*	*	*	*	*	*	*	2.8
1992.....	2.9	*	*	*	*	*	*	*	1.6	2.8
1991.....	3.3	*	*	*	*	*	*	*	*	3.9
1990.....	3.6	6.2	*	*	*	*	*	*	2.4	4.2
1989.....	3.7	*	*	*	*	*	*	*	*	3.9
1988.....	3.7	*	*	*	*	*	*	*	1.7	2.7
1987.....	3.4	*	*	*	*	*	*	*	1.8	2.9
1986.....	3.7	*	*	*	*	*	*	*	*	2.5
1985.....	3.5	*	*	*	*	*	*	*	1.8	3.1
1984.....	3.3	*	*	*	*	*	*	*	*	3.2
1983.....	3.2	*	*	*	*	*	*	*	*	2.6
1982.....	3.0	*	*	*	*	*	*	*	*	3.0
1981.....	3.6	*	*	*	*	*	*	*	*	4.1
1980.....	4.4	11.2	0.3	0.1	-	0.1	0.5	1.4	1.3	3.5
1979.....	3.6	7.7	0.4	0.1	0.1	0.1	0.4	0.9	2.0	3.7
BLACK FEMALE										
1998.....	2.1	*	*	*	*	*	*	*	*	*
1997.....	2.0	*	*	*	*	*	*	*	*	*
1996.....	2.1	*	*	*	*	*	*	*	*	*
1995.....	2.0	*	*	*	*	*	*	*	*	1.4
1994.....	2.0	*	*	*	*	*	*	*	*	*
1993.....	2.4	*	*	*	*	*	*	*	*	*
1992.....	2.2	*	*	*	*	*	*	*	*	*
1991.....	2.3	*	*	*	*	*	*	*	*	*
1990.....	2.4	*	*	*	*	*	*	*	*	1.6
1989.....	2.2	*	*	*	*	*	*	*	*	1.9
1988.....	2.1	*	*	*	*	*	*	*	*	*
1987.....	2.1	*	*	*	*	*	*	*	*	*
1986.....	2.0	*	*	*	*	*	*	*	*	*
1985.....	2.2	*	*	*	*	*	*	*	*	*
1984.....	1.8	*	*	*	*	*	*	*	*	*
1983.....	1.6	*	*	*	*	*	*	*	*	*
1982.....	1.5	*	*	*	*	*	*	*	*	*
1981.....	1.8	*	*	*	*	*	*	*	*	*
1980.....	2.3	5.3	0.3	0.2	-	0.3	0.1	0.5	0.8	1.1
1979.....	1.9	8.2	0.7	0.2	0.1	0.2	0.4	0.7	0.5	1.2

TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,  
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
TOTAL, BOTH SEXES										
1998.....	1.3	3.2	0.2	*	*	*	*	0.1	0.2	0.3
1997.....	1.4	2.7	0.1	*	*	*	*	0.1	0.2	0.3
1996.....	1.5	4.1	0.2	*	*	*	*	0.2	0.3	0.4
1995.....	1.6	3.6	0.3	*	*	*	*	0.1	0.2	0.3
1994.....	1.7	4.2	0.2	*	*	*	*	0.1	0.3	0.4
1993.....	2.0	3.5	0.3	*	*	*	*	0.2	0.3	0.5
1992.....	2.0	4.8	0.3	*	*	*	0.1	0.1	0.3	0.4
1991.....	2.3	4.7	0.3	*	*	*	0.1	0.2	0.3	0.5
1990.....	2.6	4.9	0.3	*	*	*	0.2	0.2	0.3	0.6
1989.....	2.8	4.9	0.4	*	*	*	0.1	0.3	0.5	0.5
1988.....	3.2	5.4	0.3	*	*	*	0.2	0.2	0.7	0.8
1987.....	3.2	5.2	0.3	*	*	*	0.1	0.3	0.6	0.7
1986.....	3.7	5.5	0.4	*	*	0.1	0.2	0.3	0.6	0.7
1985.....	4.1	5.8	0.4	*	*	0.1	0.2	0.4	0.6	0.8
1984.....	4.1	6.2	0.4	0.1	*	0.2	0.2	0.3	0.6	0.8
1983.....	4.2	6.6	0.5	*	*	0.1	0.2	0.4	0.6	0.8
1982.....	4.2	6.8	0.6	0.1	0.1	0.2	0.2	0.4	0.7	0.7
1981.....	4.8	7.2	0.4	*	*	0.1	0.3	0.4	0.5	0.9
1980.....	5.6	8.1	0.7	0.2	0.2	0.2	0.3	0.4	0.6	0.9
1979.....	5.4	10.1	0.6	0.2	0.1	0.2	0.3	0.4	0.6	0.9
TOTAL, MALE										
1998.....	1.2	3.5	*	*	*	*	*	*	0.2	0.4
1997.....	1.3	3.3	*	*	*	*	*	*	0.3	0.4
1996.....	1.4	5.0	0.3	*	*	*	*	*	0.3	0.4
1995.....	1.5	3.8	*	*	*	*	*	*	0.3	0.4
1994.....	1.6	5.0	0.3	*	*	*	*	*	0.4	0.4
1993.....	1.9	4.4	*	*	*	*	*	0.2	0.3	0.6
1992.....	2.0	5.8	0.3	*	*	*	*	*	0.3	0.5
1991.....	2.2	5.2	0.5	*	*	*	*	0.3	0.4	0.6
1990.....	2.5	5.4	0.3	*	*	*	0.2	0.3	0.5	0.8
1989.....	2.8	5.8	0.5	*	*	*	*	0.3	0.5	0.7
1988.....	3.2	7.0	0.3	*	*	*	*	*	0.8	1.1
1987.....	3.3	6.5	0.4	*	*	*	*	0.4	0.9	1.0
1986.....	3.7	6.3	0.4	*	*	*	*	0.4	0.8	1.0
1985.....	4.2	6.3	0.4	*	*	*	*	0.5	0.8	1.1
1984.....	4.2	7.5	0.4	*	*	*	0.2	0.4	0.9	1.1
1983.....	4.4	7.2	0.6	*	*	*	0.3	0.5	0.9	0.9
1982.....	4.4	6.9	0.6	*	*	*	0.2	0.5	0.9	0.9
1981.....	5.1	8.4	0.5	*	*	*	0.3	0.5	0.6	1.3
1980.....	6.0	9.6	0.7	0.2	0.1	0.2	0.3	0.6	0.7	1.2
1979.....	5.9	11.2	0.6	0.2	0.2	0.2	0.3	0.5	0.9	1.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
TOTAL, FEMALE										
1998.....	1.4	2.9	*	*	*	*	*	*	0.2	0.2
1997.....	1.4	2.1	*	*	*	*	*	*	*	0.3
1996.....	1.6	3.0	*	*	*	*	*	*	0.2	0.3
1995.....	1.7	3.5	0.3	*	*	*	*	*	*	0.3
1994.....	1.8	3.4	*	*	*	*	*	*	0.2	0.3
1993.....	2.0	2.6	0.3	*	*	*	*	*	0.2	0.4
1992.....	2.0	3.8	0.3	*	*	*	*	*	0.2	0.3
1991.....	2.3	4.1	*	*	*	*	*	*	*	0.4
1990.....	2.6	4.4	*	*	*	*	*	*	*	0.4
1989.....	2.8	3.9	0.3	*	*	*	*	0.3	0.4	0.3
1988.....	3.2	3.7	0.4	*	*	*	*	0.2	0.5	0.5
1987.....	3.1	3.8	*	*	*	*	*	0.2	0.3	0.4
1986.....	3.7	4.7	0.4	*	*	*	*	0.3	0.5	0.5
1985.....	4.1	5.3	0.4	*	*	*	*	0.2	0.5	0.5
1984.....	3.9	4.9	0.4	*	*	*	0.2	0.2	0.4	0.4
1983.....	4.1	6.0	0.5	*	*	*	*	0.3	0.3	0.6
1982.....	4.0	6.6	0.5	*	*	*	*	0.3	0.4	0.5
1981.....	4.6	6.0	0.4	*	*	*	0.2	0.2	0.4	0.5
1980.....	5.3	6.4	0.7	0.1	0.2	0.2	0.3	0.3	0.4	0.5
1979.....	4.9	9.0	0.7	0.2	0.1	0.2	0.2	0.3	0.4	0.6
WHITE, BOTH SEXES										
1998.....	1.3	2.0	*	*	*	*	*	*	0.2	0.2
1997.....	1.4	1.8	*	*	*	*	*	*	0.2	0.3
1996.....	1.5	3.2	0.2	*	*	*	*	*	0.2	0.3
1995.....	1.7	2.6	*	*	*	*	*	*	0.2	0.2
1994.....	1.8	2.9	0.2	*	*	*	*	*	0.3	0.3
1993.....	2.1	2.7	0.2	*	*	*	*	0.2	0.2	0.4
1992.....	2.1	3.2	0.2	*	*	*	*	*	0.2	0.3
1991.....	2.3	3.1	0.2	*	*	*	*	0.2	0.2	0.4
1990.....	2.7	3.2	0.2	*	*	*	0.1	0.1	0.2	0.4
1989.....	2.9	3.3	0.2	*	*	*	*	0.2	0.3	0.3
1988.....	3.3	3.9	0.3	*	*	*	0.1	0.2	0.4	0.5
1987.....	3.3	4.1	0.2	*	*	*	*	0.2	0.3	0.5
1986.....	3.8	4.3	0.3	*	*	*	*	0.3	0.4	0.5
1985.....	4.3	4.3	0.3	*	*	*	0.1	0.3	0.4	0.5
1984.....	4.2	4.6	0.3	*	*	0.1	0.2	0.2	0.3	0.4
1983.....	4.4	4.2	0.4	*	*	*	0.2	0.3	0.3	0.6
1982.....	4.4	4.5	0.5	*	*	0.1	0.2	0.3	0.5	0.4
1981.....	5.0	5.2	0.3	*	*	0.1	0.2	0.3	0.4	0.5
1980.....	5.8	5.5	0.6	0.1	0.1	0.2	0.3	0.3	0.4	0.6
1979.....	5.5	7.0	0.6	0.2	0.1	0.2	0.2	0.3	0.4	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
WHITE MALE										
1998.....	1.2	2.2	*	*	*	*	*	*	*	0.3
1997.....	1.3	2.3	*	*	*	*	*	*	0.2	0.3
1996.....	1.4	4.1	*	*	*	*	*	*	0.2	0.3
1995.....	1.5	2.8	*	*	*	*	*	*	*	0.3
1994.....	1.6	3.1	*	*	*	*	*	*	0.4	0.3
1993.....	1.9	3.2	*	*	*	*	*	*	0.2	0.5
1992.....	2.0	4.3	*	*	*	*	*	*	0.2	0.4
1991.....	2.2	3.7	*	*	*	*	*	0.2	0.3	0.5
1990.....	2.5	3.6	*	*	*	*	*	*	0.3	0.6
1989.....	2.7	4.0	0.3	*	*	*	*	0.2	0.3	0.5
1988.....	3.1	5.3	*	*	*	*	*	*	0.5	0.7
1987.....	3.2	5.0	0.4	*	*	*	*	0.3	0.5	0.7
1986.....	3.7	5.4	0.4	*	*	*	*	0.3	0.5	0.6
1985.....	4.2	4.7	*	*	*	*	*	0.3	0.4	0.8
1984.....	4.2	5.4	0.4	*	*	*	*	0.3	0.5	0.6
1983.....	4.4	4.4	0.4	*	*	*	0.3	0.4	0.5	0.7
1982.....	4.5	5.1	0.5	*	*	*	0.3	0.4	0.6	0.5
1981.....	5.1	6.4	*	*	*	*	0.2	0.3	0.5	0.7
1980.....	5.9	6.7	0.7	0.2	0.1	0.1	0.3	0.4	0.5	0.9
1979.....	5.9	7.4	0.5	0.2	0.2	0.2	0.3	0.4	0.5	0.7
WHITE FEMALE										
1998.....	1.5	1.9	*	*	*	*	*	*	*	*
1997.....	1.5	*	*	*	*	*	*	*	*	0.2
1996.....	1.7	2.1	*	*	*	*	*	*	*	0.2
1995.....	1.8	2.4	*	*	*	*	*	*	*	*
1994.....	2.0	2.6	*	*	*	*	*	*	*	0.3
1993.....	2.2	2.1	*	*	*	*	*	*	*	0.3
1992.....	2.2	2.1	*	*	*	*	*	*	*	*
1991.....	2.5	2.5	*	*	*	*	*	*	*	0.3
1990.....	2.8	2.8	*	*	*	*	*	*	*	0.3
1989.....	3.0	2.7	*	*	*	*	*	*	*	*
1988.....	3.4	2.3	*	*	*	*	*	*	0.3	0.4
1987.....	3.4	3.0	*	*	*	*	*	*	*	0.3
1986.....	3.9	3.2	*	*	*	*	*	*	0.3	0.3
1985.....	4.4	3.8	*	*	*	*	*	*	0.3	*
1984.....	4.2	3.8	*	*	*	*	*	*	*	0.3
1983.....	4.4	4.0	0.4	*	*	*	*	0.2	*	0.5
1982.....	4.2	3.9	0.4	*	*	*	*	0.2	0.3	0.4
1981.....	4.9	3.9	*	*	*	*	*	*	0.3	0.4
1980.....	5.7	4.1	0.6	0.1	0.1	0.2	0.3	0.3	0.3	0.4
1979.....	5.2	6.5	0.6	0.2	0.1	0.2	0.2	0.2	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	7.8	*	*	*	*	*	*	*	0.6
1997.....	1.1	6.3	*	*	*	*	*	*	*	0.7
1996.....	1.2	7.7	*	*	*	*	*	*	0.5	0.8
1995.....	1.4	7.3	0.6	*	*	*	*	*	*	0.8
1994.....	1.3	9.0	*	*	*	*	*	*	*	0.8
1993.....	1.5	6.5	*	*	*	*	*	*	0.6	1.0
1992.....	1.7	10.9	0.7	*	*	*	*	*	0.6	1.0
1991.....	1.8	9.9	1.0	*	*	*	*	*	0.6	1.3
1990.....	2.1	11.2	*	*	*	*	*	*	1.0	1.4
1989.....	2.3	10.8	1.1	*	*	*	*	0.7	1.4	1.5
1988.....	2.6	11.5	*	*	*	*	*	*	1.9	2.3
1987.....	2.7	10.0	0.8	*	*	*	*	0.6	2.1	1.7
1986.....	3.0	10.8	0.8	*	*	*	*	0.6	1.8	2.2
1985.....	3.3	12.5	0.8	*	*	*	*	0.9	2.0	2.7
1984.....	3.4	13.1	0.9	*	*	*	*	0.9	2.2	2.8
1983.....	3.3	17.1	1.2	*	*	*	*	0.9	2.2	1.7
1982.....	3.3	16.9	1.1	*	*	*	*	1.0	1.8	2.4
1981.....	4.0	16.6	1.1	*	*	*	0.6	1.0	1.1	3.1
1980.....	4.7	20.0	1.2	0.3	0.3	0.4	0.5	1.0	1.6	2.3
1979.....	4.6	24.8	1.1	0.3	0.2	0.3	0.6	0.8	2.3	2.8
ALL OTHER MALE										
1998.....	1.3	8.8	*	*	*	*	*	*	*	*
1997.....	1.3	7.1	*	*	*	*	*	*	*	*
1996.....	1.5	8.6	*	*	*	*	*	*	*	*
1995.....	1.6	7.3	*	*	*	*	*	*	*	*
1994.....	1.7	11.9	*	*	*	*	*	*	*	1.3
1993.....	1.9	8.7	*	*	*	*	*	*	*	1.2
1992.....	2.1	11.7	*	*	*	*	*	*	*	*
1991.....	2.3	10.4	1.5	*	*	*	*	*	*	1.6
1990.....	2.6	12.3	*	*	*	*	*	*	1.7	2.1
1989.....	2.8	13.1	1.4	*	*	*	*	*	1.6	1.9
1988.....	3.3	14.0	*	*	*	*	*	*	2.2	3.8
1987.....	3.5	12.9	*	*	*	*	*	*	3.0	2.7
1986.....	3.5	10.4	*	*	*	*	*	*	2.2	3.3
1985.....	4.2	13.5	*	*	*	*	*	1.2	2.7	3.4
1984.....	4.5	16.7	*	*	*	*	*	1.4	2.9	4.8
1983.....	4.4	19.7	*	*	*	*	*	*	3.5	2.5
1982.....	4.1	15.1	*	*	*	*	*	*	2.6	3.7
1981.....	5.2	17.7	*	*	*	*	*	*	*	5.1
1980.....	6.2	23.1	1.0	0.3	0.1	0.3	0.5	1.6	2.3	3.4
1979.....	5.9	29.0	1.0	0.2	0.2	0.3	0.7	0.7	3.4	4.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
ALL OTHER FEMALE										
1998.....	0.9	6.7	*	*	*	*	*	*	*	*
1997.....	0.9	5.5	*	*	*	*	*	*	*	*
1996.....	1.0	6.7	*	*	*	*	*	*	*	*
1995.....	1.3	7.3	*	*	*	*	*	*	*	*
1994.....	0.9	6.1	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.3	10.1	*	*	*	*	*	*	*	*
1991.....	1.3	9.4	*	*	*	*	*	*	*	*
1990.....	1.6	10.1	*	*	*	*	*	*	*	*
1989.....	1.8	8.4	*	*	*	*	*	*	1.3	*
1988.....	1.9	8.9	*	*	*	*	*	*	1.6	*
1987.....	1.9	7.0	*	*	*	*	*	*	1.2	*
1986.....	2.4	11.3	*	*	*	*	*	*	1.3	*
1985.....	2.5	11.5	*	*	*	*	*	*	1.4	2.1
1984.....	2.4	9.5	*	*	*	*	*	*	1.6	*
1983.....	2.3	14.4	*	*	*	*	*	*	*	*
1982.....	2.5	18.7	*	*	*	*	*	*	*	*
1981.....	2.8	15.5	*	*	*	*	*	*	*	*
1980.....	3.4	16.8	1.3	0.4	0.4	0.5	0.5	0.5	1.0	1.4
1979.....	3.4	20.5	1.2	0.3	0.1	0.2	0.5	0.9	1.4	1.5
BLACK, BOTH SEXES										
1998.....	1.3	10.0	*	*	*	*	*	*	*	0.7
1997.....	1.3	7.9	*	*	*	*	*	*	*	0.9
1996.....	1.5	9.0	*	*	*	*	*	*	*	0.9
1995.....	1.7	9.2	0.8	*	*	*	*	*	*	1.0
1994.....	1.5	10.8	*	*	*	*	*	*	*	1.1
1993.....	1.8	7.5	*	*	*	*	*	*	0.8	1.3
1992.....	2.0	13.1	0.9	*	*	*	*	*	0.8	1.2
1991.....	2.1	12.3	1.3	*	*	*	*	*	0.8	1.7
1990.....	2.4	12.9	*	*	*	*	*	*	1.3	1.8
1989.....	2.7	12.8	1.2	*	*	*	*	0.9	1.8	1.8
1988.....	3.1	14.0	*	*	*	*	*	*	2.5	3.1
1987.....	3.1	11.3	*	*	*	*	*	*	2.7	2.3
1986.....	3.4	12.8	*	*	*	*	*	0.8	2.3	2.8
1985.....	3.7	14.3	*	*	*	*	*	1.1	2.4	3.3
1984.....	3.9	15.1	1.0	*	*	*	*	1.1	2.7	3.5
1983.....	3.7	19.6	1.2	*	*	*	*	1.1	2.7	2.2
1982.....	3.7	18.8	1.3	*	*	*	*	1.3	2.3	3.0
1981.....	4.4	19.0	1.1	*	*	*	*	1.3	1.3	3.7
1980.....	5.2	22.6	1.2	0.4	0.3	0.5	0.5	1.2	1.9	2.9
1979.....	5.0	27.2	1.2	0.3	0.1	0.3	0.6	0.9	2.8	3.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
BLACK MALE										
1998.....	1.6	10.9	*	*	*	*	*	*	*	*
1997.....	1.5	8.2	*	*	*	*	*	*	*	*
1996.....	1.8	9.4	*	*	*	*	*	*	*	*
1995.....	1.9	8.9	*	*	*	*	*	*	*	*
1994.....	2.0	14.0	*	*	*	*	*	*	*	1.6
1993.....	2.2	10.0	*	*	*	*	*	*	*	*
1992.....	2.5	14.6	*	*	*	*	*	*	*	*
1991.....	2.7	12.5	2.0	*	*	*	*	*	*	2.2
1990.....	3.1	14.3	*	*	*	*	*	*	2.2	2.7
1989.....	3.3	16.2	*	*	*	*	*	*	2.1	2.4
1988.....	4.0	16.8	*	*	*	*	*	*	2.9	5.2
1987.....	4.2	14.6	*	*	*	*	*	*	4.0	3.6
1986.....	4.1	12.1	*	*	*	*	*	*	2.9	4.2
1985.....	4.8	15.2	*	*	*	*	*	*	3.2	4.1
1984.....	5.2	18.7	*	*	*	*	*	1.7	3.7	6.1
1983.....	5.0	22.7	*	*	*	*	*	*	4.5	3.3
1982.....	4.7	17.2	*	*	*	*	*	*	3.3	4.8
1981.....	5.8	21.1	*	*	*	*	*	*	*	6.3
1980.....	6.7	26.0	1.0	0.3	0.1	0.4	0.5	2.0	2.9	4.2
1979.....	6.5	31.9	1.2	0.2	0.1	0.3	0.7	0.8	4.0	5.1
BLACK FEMALE										
1998.....	1.1	9.0	*	*	*	*	*	*	*	*
1997.....	1.0	7.7	*	*	*	*	*	*	*	*
1996.....	1.2	8.5	*	*	*	*	*	*	*	*
1995.....	1.5	9.5	*	*	*	*	*	*	*	*
1994.....	1.1	7.5	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.6	11.5	*	*	*	*	*	*	*	*
1991.....	1.6	12.0	*	*	*	*	*	*	*	*
1990.....	1.7	11.4	*	*	*	*	*	*	*	*
1989.....	2.1	9.4	*	*	*	*	*	*	1.6	*
1988.....	2.2	11.0	*	*	*	*	*	*	2.1	*
1987.....	2.1	7.8	*	*	*	*	*	*	1.5	*
1986.....	2.9	13.5	*	*	*	*	*	*	1.8	*
1985.....	2.8	13.3	*	*	*	*	*	*	1.8	2.5
1984.....	2.7	11.4	*	*	*	*	*	*	1.9	*
1983.....	2.6	16.4	*	*	*	*	*	*	*	*
1982.....	2.8	20.4	*	*	*	*	*	*	*	*
1981.....	3.1	16.9	*	*	*	*	*	*	*	*
1980.....	3.8	19.2	1.4	0.5	0.4	0.6	0.6	0.6	1.2	1.8
1979.....	3.6	22.3	1.3	0.3	0.1	0.3	0.4	1.1	1.7	1.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
TOTAL, BOTH SEXES										
1998.....	29.7	4.5	0.4	0.2	0.1	0.3	0.6	0.7	1.2	1.4
1997.....	28.4	4.5	0.6	0.2	0.2	0.3	0.5	0.7	1.0	1.6
1996.....	27.5	4.7	0.5	0.3	0.2	0.3	0.4	0.7	1.1	1.7
1995.....	27.4	5.1	0.4	0.3	0.2	0.3	0.4	0.7	1.3	1.9
1994.....	26.7	4.8	0.5	0.2	0.2	0.4	0.5	0.7	1.4	2.1
1993.....	27.2	5.3	0.5	0.2	0.2	0.4	0.6	0.8	1.4	2.0
1992.....	24.9	5.3	0.5	0.2	0.2	0.3	0.5	0.8	1.2	1.8
1991.....	25.5	5.5	0.5	0.2	0.2	0.3	0.6	0.9	1.4	2.1
1990.....	25.8	6.5	0.5	0.3	0.2	0.3	0.5	0.9	1.4	2.1
1989.....	24.8	6.6	0.7	0.2	0.2	0.4	0.6	0.8	1.6	2.1
1988.....	25.0	7.0	0.6	0.2	0.2	0.3	0.5	0.9	1.4	1.9
1987.....	22.5	7.8	0.8	0.2	0.2	0.4	0.5	0.8	1.2	1.9
1986.....	21.8	7.8	0.6	0.3	0.2	0.4	0.5	0.6	1.2	1.7
1985.....	20.7	8.4	0.8	0.3	0.1	0.3	0.4	0.5	1.0	1.4
1984.....	17.9	9.0	0.8	0.3	0.3	0.3	0.3	0.6	1.0	1.2
1983.....	16.6	9.3	0.8	0.3	0.2	0.3	0.3	0.5	0.8	1.1
1982.....	14.3	9.5	0.8	0.2	0.3	0.4	0.5	0.4	0.7	1.0
1981.....	14.6	10.4	1.0	0.3	0.2	0.3	0.4	0.6	0.7	1.3
1980.....	14.4	13.2	0.9	0.3	0.3	0.3	0.5	0.6	0.7	1.2
1979.....	12.0	15.3	0.8	0.4	0.2	0.4	0.4	0.6	0.7	1.2
TOTAL, MALE										
1998.....	26.8	5.0	0.3	*	*	0.3	0.6	0.7	1.4	1.6
1997.....	26.1	5.0	0.5	0.2	*	0.4	0.6	0.8	1.2	2.0
1996.....	25.3	5.6	0.5	0.2	0.3	0.3	0.4	0.8	1.2	2.3
1995.....	25.3	5.7	0.3	0.2	0.2	0.4	0.5	0.8	1.7	2.4
1994.....	24.9	5.5	0.6	0.3	*	0.3	0.5	0.9	1.8	2.7
1993.....	25.3	5.7	0.5	0.2	0.2	0.4	0.6	1.0	1.7	2.6
1992.....	23.7	6.8	0.5	*	*	0.3	0.6	1.0	1.6	2.3
1991.....	24.1	4.9	0.6	0.2	0.3	0.4	0.7	1.1	1.9	2.7
1990.....	24.3	6.8	0.5	0.2	0.3	0.3	0.4	1.0	1.8	2.8
1989.....	23.6	7.6	0.7	0.2	*	0.4	0.7	1.0	2.1	2.9
1988.....	24.2	7.1	0.5	0.3	0.3	0.4	0.5	1.2	2.0	2.7
1987.....	22.1	7.9	0.7	*	*	0.4	0.6	1.0	1.6	2.6
1986.....	21.9	8.8	0.7	*	0.2	0.4	0.6	0.8	1.6	2.3
1985.....	20.8	9.8	0.7	0.2	*	0.3	0.6	0.6	1.3	2.0
1984.....	18.2	9.9	0.7	0.3	0.2	0.3	0.4	0.7	1.2	1.5
1983.....	17.1	10.9	0.8	0.3	0.3	0.3	0.4	0.6	1.0	1.5
1982.....	15.2	11.1	0.9	0.3	0.3	0.5	0.6	0.5	0.9	1.2
1981.....	15.2	11.5	1.1	0.3	0.2	0.4	0.4	0.7	0.9	1.5
1980.....	14.9	14.6	1.0	0.3	0.2	0.2	0.5	0.6	0.9	1.5
1979.....	12.9	16.7	0.9	0.4	0.2	0.5	0.4	0.7	0.9	1.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
TOTAL, FEMALE										
1998.....	32.4	4.0	0.5	0.3	*	0.2	0.6	0.6	0.9	1.3
1997.....	30.6	3.9	0.6	0.3	*	0.3	0.5	0.6	0.9	1.2
1996.....	29.6	3.9	0.5	0.3	*	*	0.4	0.7	0.9	1.2
1995.....	29.3	4.5	0.5	0.3	0.2	*	0.4	0.7	0.9	1.4
1994.....	28.3	4.1	0.5	*	*	0.4	0.4	0.6	0.9	1.6
1993.....	29.0	4.9	0.5	0.2	0.3	0.4	0.6	0.6	1.2	1.3
1992.....	26.0	3.9	0.6	*	*	0.3	0.4	0.6	0.8	1.3
1991.....	26.9	6.1	0.5	*	0.2	0.3	0.4	0.6	0.9	1.5
1990.....	27.1	6.1	0.6	0.3	*	0.4	0.5	0.7	1.0	1.3
1989.....	26.0	5.5	0.8	*	*	0.4	0.4	0.7	1.1	1.3
1988.....	25.8	6.9	0.7	*	*	0.3	0.5	0.6	0.9	1.2
1987.....	22.8	7.8	0.8	*	*	0.3	0.4	0.6	0.8	1.1
1986.....	21.7	6.7	0.5	0.3	*	0.3	0.4	0.5	0.7	1.1
1985.....	20.5	7.0	0.8	0.3	*	*	0.3	0.4	0.8	0.9
1984.....	17.5	8.0	0.8	0.3	0.3	*	0.3	0.5	0.7	0.9
1983.....	16.1	7.6	0.8	0.3	*	0.4	0.3	0.3	0.6	0.7
1982.....	13.5	8.0	0.7	*	0.2	0.3	0.4	0.4	0.5	0.9
1981.....	14.1	9.2	0.9	0.3	0.3	0.3	0.3	0.6	0.6	1.0
1980.....	13.8	11.6	0.8	0.3	0.3	0.3	0.4	0.5	0.6	1.0
1979.....	11.1	13.7	0.8	0.3	0.3	0.3	0.3	0.5	0.5	0.7
WHITE, BOTH SEXES										
1998.....	32.1	3.3	0.3	0.2	0.2	0.2	0.5	0.5	0.9	1.1
1997.....	30.7	3.6	0.5	0.2	0.2	0.3	0.5	0.6	0.8	1.3
1996.....	29.6	3.7	0.4	0.3	0.2	0.2	0.3	0.6	0.9	1.3
1995.....	29.5	4.1	0.3	0.2	0.2	0.3	0.4	0.6	1.1	1.5
1994.....	28.7	3.8	0.5	0.2	0.2	0.3	0.4	0.5	1.1	1.6
1993.....	29.2	4.3	0.4	0.2	0.2	0.4	0.5	0.7	1.1	1.5
1992.....	26.7	4.2	0.4	0.2	0.1	0.3	0.4	0.6	0.9	1.4
1991.....	27.4	3.9	0.5	0.2	0.2	0.3	0.5	0.7	1.0	1.5
1990.....	27.5	5.1	0.5	0.2	0.2	0.3	0.3	0.6	1.0	1.5
1989.....	26.3	5.2	0.6	0.2	0.2	0.4	0.5	0.6	1.1	1.4
1988.....	26.8	5.5	0.6	0.2	0.2	0.3	0.4	0.7	1.1	1.4
1987.....	23.9	5.8	0.7	0.2	*	0.4	0.4	0.6	0.8	1.3
1986.....	23.1	5.9	0.6	0.3	0.2	0.3	0.4	0.5	0.9	1.1
1985.....	21.9	6.3	0.7	0.2	*	0.3	0.5	0.4	0.8	1.0
1984.....	18.9	7.2	0.6	0.3	0.3	0.2	0.3	0.4	0.7	0.9
1983.....	17.5	7.1	0.8	0.3	0.2	0.3	0.3	0.3	0.6	0.8
1982.....	15.0	7.2	0.7	0.2	0.2	0.3	0.4	0.3	0.5	0.8
1981.....	15.3	7.9	0.9	0.3	0.3	0.3	0.4	0.5	0.6	0.9
1980.....	14.9	9.3	0.8	0.3	0.3	0.3	0.3	0.5	0.6	1.0
1979.....	12.4	11.7	0.6	0.4	0.2	0.4	0.3	0.5	0.6	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
WHITE MALE										
1998.....	28.4	3.7	*	*	*	*	0.6	0.6	1.0	1.2
1997.....	27.6	4.2	0.4	*	*	0.3	0.5	0.7	1.0	1.6
1996.....	26.6	4.3	0.4	*	*	0.3	0.3	0.6	1.0	1.7
1995.....	26.7	4.8	*	*	*	0.5	0.4	0.5	1.4	1.9
1994.....	26.3	4.6	0.5	*	*	*	0.5	0.7	1.5	2.1
1993.....	26.6	4.7	0.4	*	*	0.4	0.5	0.8	1.3	2.0
1992.....	24.9	5.3	0.4	*	*	0.3	0.5	0.8	1.2	1.8
1991.....	25.3	3.4	0.5	0.3	0.3	0.4	0.6	0.9	1.4	2.0
1990.....	25.3	5.2	0.4	*	*	0.3	0.3	0.8	1.3	2.0
1989.....	24.4	6.4	0.6	*	*	0.5	0.5	0.9	1.5	1.8
1988.....	25.4	6.0	0.5	*	*	0.3	0.4	1.0	1.4	2.0
1987.....	23.0	6.1	0.6	*	*	0.4	0.5	0.8	1.2	1.7
1986.....	22.7	6.6	0.7	*	*	0.4	0.5	0.6	1.3	1.4
1985.....	21.5	7.2	0.6	*	*	0.3	0.6	0.5	1.0	1.4
1984.....	18.8	8.0	0.6	*	0.3	0.3	0.4	0.6	1.0	1.1
1983.....	17.6	8.1	0.8	*	0.3	0.3	0.4	0.4	0.8	1.1
1982.....	15.6	8.4	0.8	*	*	0.4	0.5	0.4	0.7	0.9
1981.....	15.5	8.4	0.9	*	*	0.4	0.4	0.6	0.6	1.0
1980.....	15.1	10.2	0.9	0.3	0.2	0.2	0.4	0.6	0.6	1.2
1979.....	13.0	13.2	0.7	0.4	0.2	0.5	0.4	0.6	0.7	1.0
WHITE FEMALE										
1998.....	35.6	2.8	0.4	*	*	*	0.5	0.4	0.7	1.1
1997.....	33.6	2.9	0.5	*	*	0.3	0.5	0.5	0.6	1.0
1996.....	32.5	3.1	0.5	0.3	*	*	0.3	0.6	0.8	1.0
1995.....	32.2	3.3	*	0.3	*	*	0.4	0.6	0.8	1.1
1994.....	31.0	3.0	0.5	*	*	0.4	0.4	0.4	0.6	1.1
1993.....	31.8	3.9	0.3	*	0.3	0.4	0.5	0.5	0.8	1.0
1992.....	28.5	3.2	0.5	*	*	*	0.3	0.5	0.6	1.0
1991.....	29.4	4.4	0.4	*	*	*	0.4	0.5	0.7	1.1
1990.....	29.6	5.0	0.5	0.3	*	0.3	0.4	0.5	0.7	0.9
1989.....	28.2	3.8	0.6	*	*	0.3	0.4	0.4	0.6	0.9
1988.....	28.2	5.1	0.7	*	*	*	0.4	0.5	0.7	0.9
1987.....	24.8	5.6	0.7	*	*	0.3	0.4	0.5	0.5	0.8
1986.....	23.6	5.3	0.4	0.3	*	0.3	0.4	0.4	0.5	0.8
1985.....	22.2	5.4	0.8	*	*	*	0.3	0.3	0.6	0.7
1984.....	18.9	6.3	0.6	0.3	0.3	*	0.3	0.2	0.5	0.7
1983.....	17.5	5.9	0.7	*	*	0.4	0.2	0.2	0.5	0.6
1982.....	14.5	6.0	0.5	*	*	0.3	0.4	0.3	0.4	0.8
1981.....	15.1	7.4	0.8	0.3	*	0.3	0.3	0.4	0.5	0.8
1980.....	14.7	8.4	0.7	0.3	0.3	0.3	0.3	0.4	0.6	0.8
1979.....	11.8	10.1	0.6	0.3	0.2	0.3	0.3	0.3	0.4	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
ALL OTHER, BOTH SEXES										
1998.....	18.3	9.2	0.7	*	*	0.6	1.0	1.2	2.4	2.9
1997.....	17.4	7.9	0.9	*	*	*	0.8	1.2	2.1	3.1
1996.....	17.3	8.9	0.7	*	*	*	0.7	1.1	1.8	3.6
1995.....	17.0	8.9	0.8	*	*	*	0.6	1.6	2.4	3.8
1994.....	16.5	8.6	0.7	*	*	*	0.7	1.5	2.8	4.6
1993.....	16.9	8.9	1.0	*	*	*	1.2	1.5	3.1	4.2
1992.....	15.4	9.5	0.9	*	*	*	0.9	1.6	2.6	3.9
1991.....	16.2	11.1	0.7	*	*	*	0.9	1.6	3.2	5.0
1990.....	16.7	11.6	0.8	*	*	*	1.1	1.9	3.4	5.0
1989.....	16.9	12.0	1.3	*	*	*	1.0	1.8	4.0	5.8
1988.....	15.6	13.0	0.8	*	*	*	1.0	1.7	3.4	4.6
1987.....	14.4	16.1	1.2	*	*	*	0.8	1.6	3.1	5.1
1986.....	14.4	15.5	1.0	*	*	*	0.6	1.3	2.5	5.1
1985.....	13.6	17.6	1.0	*	*	*	*	0.9	2.2	3.7
1984.....	12.1	16.7	1.4	*	*	*	*	1.5	2.3	2.8
1983.....	11.2	19.0	1.1	*	*	*	*	1.3	1.8	2.9
1982.....	10.3	19.9	1.6	*	*	0.6	0.9	1.1	1.9	2.5
1981.....	10.6	21.7	1.4	*	*	*	*	1.2	1.8	3.6
1980.....	11.2	30.9	1.5	0.2	0.3	0.3	1.1	1.0	1.6	2.8
1979.....	9.4	32.1	1.8	0.3	0.4	0.3	0.6	1.3	1.7	3.6
ALL OTHER MALE										
1998.....	19.2	9.8	*	*	*	*	*	1.2	3.3	3.7
1997.....	18.4	8.1	*	*	*	*	*	1.6	2.3	4.0
1996.....	19.0	10.7	*	*	*	*	*	1.4	2.3	5.3
1995.....	18.4	9.2	*	*	*	*	*	2.0	3.4	5.1
1994.....	17.8	9.0	*	*	*	*	*	1.7	3.4	5.8
1993.....	18.5	9.2	*	*	*	*	1.3	1.7	3.7	5.8
1992.....	17.5	12.4	*	*	*	*	*	2.0	3.3	5.3
1991.....	18.0	10.2	*	*	*	*	1.1	2.1	4.4	6.6
1990.....	19.0	12.8	*	*	*	*	*	2.1	4.5	6.9
1989.....	19.1	12.1	*	*	*	*	1.3	1.9	5.2	8.7
1988.....	18.1	11.6	*	*	*	*	*	2.2	4.8	6.7
1987.....	17.0	15.4	*	*	*	*	*	2.3	4.0	8.0
1986.....	17.4	18.3	*	*	*	*	1.1	1.6	3.3	7.7
1985.....	16.5	21.3	*	*	*	*	*	1.4	2.9	5.7
1984.....	14.6	18.2	*	*	*	*	*	1.3	2.9	3.9
1983.....	14.0	23.2	*	*	*	*	*	1.9	2.5	4.6
1982.....	12.9	23.1	*	*	*	*	*	*	2.4	3.2
1981.....	13.4	25.9	1.7	*	*	*	*	*	2.5	5.3
1980.....	14.0	35.3	1.6	0.3	0.2	0.3	1.3	1.2	2.3	3.8
1979.....	11.9	33.7	1.8	0.4	0.4	0.3	0.6	1.3	2.1	6.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
ALL OTHER FEMALE										
1998.....	17.4	8.5	*	*	*	*	1.2	1.2	1.7	2.2
1997.....	16.5	7.6	*	*	*	*	*	*	1.9	2.3
1996.....	15.8	7.0	*	*	*	*	*	*	1.4	2.1
1995.....	15.8	8.5	1.2	*	*	*	*	1.1	1.5	2.6
1994.....	15.4	8.1	*	*	*	*	*	1.4	2.2	3.7
1993.....	15.4	8.5	*	*	*	*	1.2	1.3	2.6	2.8
1992.....	13.5	6.5	*	*	*	*	*	1.3	1.9	2.6
1991.....	14.6	12.1	*	*	*	*	*	1.0	2.2	3.5
1990.....	14.7	10.4	*	*	*	*	1.2	1.7	2.4	3.3
1989.....	14.8	11.9	1.6	*	*	*	*	1.7	3.0	3.1
1988.....	13.3	14.3	*	*	*	*	*	1.3	2.1	2.9
1987.....	11.9	16.9	*	*	*	*	*	*	2.3	2.5
1986.....	11.8	12.7	*	*	*	*	*	1.1	1.9	2.9
1985.....	11.0	13.8	*	*	*	*	*	*	1.5	1.9
1984.....	9.8	15.2	*	*	*	*	*	1.6	1.8	1.8
1983.....	8.6	14.7	*	*	*	*	*	*	*	*
1982.....	8.0	16.6	1.6	*	*	*	*	*	1.4	2.0
1981.....	8.0	17.3	*	*	*	*	*	*	*	2.1
1980.....	8.7	26.3	1.4	0.1	0.3	0.2	0.9	0.8	1.0	1.9
1979.....	7.1	30.5	1.7	0.3	0.4	0.3	0.6	1.3	1.4	1.2
BLACK, BOTH SEXES										
1998.....	20.4	9.6	*	*	*	*	1.1	1.5	2.9	3.8
1997.....	19.5	9.5	1.0	*	*	*	0.9	1.5	2.7	4.0
1996.....	19.6	10.3	0.9	*	*	*	0.9	1.5	2.3	4.4
1995.....	19.3	10.5	0.9	*	*	*	0.8	2.1	3.0	5.0
1994.....	18.6	9.9	*	*	*	*	0.8	1.9	3.2	5.8
1993.....	19.0	10.0	1.0	*	*	*	1.6	1.6	4.1	5.4
1992.....	17.5	11.6	0.8	*	*	*	1.0	2.0	3.3	4.8
1991.....	18.4	13.7	*	*	*	*	1.0	2.0	4.2	6.6
1990.....	18.9	13.6	*	*	*	*	1.4	2.3	4.4	6.3
1989.....	19.1	13.5	1.4	*	*	*	1.2	2.3	5.3	7.5
1988.....	17.8	14.1	1.0	*	*	*	1.2	2.2	4.5	6.1
1987.....	16.3	18.1	1.2	*	*	*	1.0	2.0	4.1	6.6
1986.....	16.4	18.9	1.0	*	*	*	0.8	1.7	3.2	6.6
1985.....	15.1	19.8	1.2	*	*	*	*	1.1	2.7	4.6
1984.....	13.3	19.1	1.4	*	*	*	*	1.8	2.9	3.4
1983.....	12.3	22.0	1.1	*	*	*	*	1.5	2.3	3.5
1982.....	11.2	21.9	1.6	*	*	*	1.0	1.3	2.3	2.9
1981.....	11.6	23.5	1.4	*	*	*	*	1.4	2.2	4.5
1980.....	12.0	34.0	1.6	0.2	0.3	0.3	1.1	1.1	1.8	3.1
1979.....	9.9	34.4	2.0	0.4	0.4	0.3	0.7	1.3	1.9	4.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
BLACK MALE										
1998.....	21.3	10.9	*	*	*	*	*	*	3.9	4.9
1997.....	20.2	8.5	*	*	*	*	*	1.9	2.9	5.4
1996.....	21.3	12.3	*	*	*	*	*	1.7	3.0	6.6
1995.....	20.7	11.4	*	*	*	*	*	2.7	4.4	6.7
1994.....	19.9	10.8	*	*	*	*	*	2.2	4.0	7.0
1993.....	20.4	10.0	*	*	*	*	1.7	2.0	5.1	7.6
1992.....	19.7	14.6	*	*	*	*	*	2.5	4.3	6.6
1991.....	20.3	12.2	*	*	*	*	*	2.8	5.7	8.7
1990.....	21.6	14.9	*	*	*	*	*	2.7	6.0	8.7
1989.....	21.8	14.3	*	*	*	*	1.6	2.6	6.9	11.4
1988.....	20.7	12.8	*	*	*	*	*	2.9	6.5	8.8
1987.....	19.5	17.4	*	*	*	*	*	2.8	5.3	10.5
1986.....	19.9	22.1	*	*	*	*	1.4	2.0	4.0	10.0
1985.....	18.3	23.9	*	*	*	*	*	1.7	3.6	7.2
1984.....	16.1	21.0	*	*	*	*	*	1.7	3.5	4.9
1983.....	15.6	26.7	*	*	*	*	*	2.2	3.1	5.5
1982.....	14.1	25.3	*	*	*	*	*	*	3.0	4.1
1981.....	14.8	27.8	*	*	*	*	*	*	3.1	6.7
1980.....	15.0	39.0	1.9	0.3	0.2	0.3	1.3	1.4	2.5	4.2
1979.....	12.6	36.2	2.0	0.5	0.4	0.3	0.7	1.1	2.4	7.4
BLACK FEMALE										
1998.....	19.6	8.3	*	*	*	*	*	1.6	2.1	2.7
1997.....	18.8	10.6	*	*	*	*	*	*	2.5	2.8
1996.....	18.0	8.2	*	*	*	*	*	*	1.6	2.5
1995.....	18.0	9.5	*	*	*	*	*	1.6	1.7	3.4
1994.....	17.4	8.9	*	*	*	*	*	1.6	2.5	4.8
1993.....	17.6	10.0	*	*	*	*	1.5	*	3.3	3.5
1992.....	15.5	8.6	*	*	*	*	*	1.5	2.5	3.3
1991.....	16.6	15.3	*	*	*	*	*	*	2.8	4.8
1990.....	16.6	12.4	*	*	*	*	1.5	2.0	3.0	4.2
1989.....	16.7	12.6	*	*	*	*	*	2.1	3.9	4.1
1988.....	15.3	15.5	*	*	*	*	*	1.6	2.8	3.7
1987.....	13.5	18.9	*	*	*	*	*	*	3.0	3.2
1986.....	13.2	15.6	*	*	*	*	*	1.4	2.4	3.8
1985.....	12.3	15.5	*	*	*	*	*	*	1.9	2.4
1984.....	10.8	17.1	*	*	*	*	*	2.0	2.4	2.2
1983.....	9.4	17.2	*	*	*	*	*	*	*	*
1982.....	8.6	18.5	*	*	*	*	*	*	*	*
1981.....	8.8	19.2	*	*	*	*	*	*	*	2.6
1980.....	9.3	29.0	1.3	0.2	0.4	0.3	1.0	0.9	1.3	2.3
1979.....	7.4	32.4	2.0	0.3	0.4	0.3	0.6	1.4	1.5	1.4



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFLUENZA (487)										
TOTAL, BOTH SEXES										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL, MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.4	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1
1979.....	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFLUENZA (487)										
TOTAL, FEMALE										
1998.....	0.8	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	1.6	*	*	*	*	*	*	*	*	*
1980.....	1.5	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.3	0.3	0.0	-	0.0	0.0	0.0	-	0.0	0.0
WHITE, BOTH SEXES										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	1.4	*	*	*	*	*	*	*	*	*
1980.....	1.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFLUENZA (487)										
WHITE MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1
1979.....	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-
WHITE FEMALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	1.8	*	*	*	*	*	*	*	*	*
1980.....	1.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.3	0.1	0.1	-	0.0	0.0	0.0	-	0.0	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFLUENZA (487)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.8	0.0	0.0	-	0.1	0.1	0.0	-	0.1
1979.....	0.2	0.8	-	0.0	-	-	-	0.0	-	0.2
ALL OTHER MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.9	-	-	-	0.1	0.3	0.1	-	-
1979.....	0.2	0.7	-	0.1	-	-	-	0.1	-	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFLUENZA (487)										
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.6	0.1	0.1	-	-	-	-	-	0.1
1979.....	0.2	1.0	-	-	-	-	-	-	-	0.1
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.9	0.1	0.0	-	0.0	0.1	0.0	-	0.1
1979.....	0.2	0.8	-	0.0	-	-	-	0.0	-	0.2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
TOTAL, BOTH SEXES										
1998.....	41.7	1.0	0.3	0.3	0.5	0.5	0.8	0.8	0.9	1.5
1997.....	40.7	1.3	0.3	0.3	0.4	0.5	0.6	0.8	1.0	1.4
1996.....	40.0	1.0	0.3	0.3	0.6	0.6	0.7	0.9	0.9	1.4
1995.....	39.2	1.1	0.2	0.2	0.6	0.7	0.6	0.7	1.1	1.4
1994.....	39.0	1.4	0.3	0.2	0.5	0.7	0.6	0.8	0.9	1.4
1993.....	39.2	1.4	0.3	0.2	0.5	0.5	0.6	0.6	0.8	1.3
1992.....	36.0	1.1	0.4	0.2	0.3	0.5	0.5	0.5	0.8	1.3
1991.....	35.9	1.5	0.3	0.2	0.4	0.6	0.6	0.7	0.9	1.2
1990.....	34.9	1.4	0.4	0.2	0.5	0.5	0.5	0.6	0.8	1.1
1989.....	34.2	1.2	0.4	0.2	0.4	0.5	0.5	0.6	0.9	1.2
1988.....	33.9	1.5	0.3	0.2	0.4	0.4	0.5	0.6	0.8	1.2
1987.....	32.3	1.4	0.3	0.2	0.5	0.6	0.5	0.5	0.7	1.3
1986.....	31.9	1.6	0.2	0.2	0.5	0.5	0.5	0.5	0.6	1.1
1985.....	31.4	1.4	0.3	0.2	0.5	0.4	0.5	0.5	0.7	1.1
1984.....	29.3	1.6	0.3	0.2	0.3	0.3	0.4	0.5	0.6	1.1
1983.....	28.3	1.4	0.4	0.2	0.3	0.5	0.4	0.5	0.6	1.1
1982.....	25.8	1.7	0.4	0.2	0.3	0.5	0.5	0.5	0.7	1.1
1981.....	25.6	1.7	0.3	0.2	0.3	0.3	0.4	0.5	0.6	1.2
1980.....	24.7	1.6	0.4	0.1	0.3	0.3	0.4	0.5	0.6	1.0
1979.....	22.2	1.9	0.5	0.1	0.2	0.3	0.3	0.5	0.5	1.1
TOTAL, MALE										
1998.....	43.2	1.2	0.4	0.3	0.6	0.6	1.0	0.9	0.9	1.5
1997.....	42.7	1.6	0.3	0.3	0.4	0.7	0.8	0.8	1.1	1.3
1996.....	42.0	1.3	0.4	0.4	0.6	0.7	0.7	0.8	0.8	1.3
1995.....	42.0	1.4	0.2	0.3	0.7	0.7	0.7	0.8	1.1	1.4
1994.....	42.3	1.7	0.3	0.3	0.6	0.8	0.7	0.9	1.0	1.4
1993.....	43.2	1.5	0.4	0.2	0.6	0.6	0.8	0.6	0.7	1.2
1992.....	40.5	1.7	0.4	0.2	0.4	0.6	0.6	0.6	0.9	1.3
1991.....	41.1	1.6	0.4	0.2	0.6	0.7	0.6	0.7	0.9	1.2
1990.....	40.8	1.6	0.5	0.3	0.5	0.5	0.5	0.7	0.8	1.2
1989.....	40.1	1.8	0.4	0.3	0.5	0.5	0.5	0.6	0.9	1.3
1988.....	41.1	1.7	0.3	0.3	0.5	0.4	0.6	0.6	0.8	1.3
1987.....	39.9	1.8	0.3	*	0.7	0.6	0.6	0.5	0.8	1.4
1986.....	40.3	2.3	*	*	0.5	0.6	0.5	0.6	0.5	1.2
1985.....	40.3	2.0	*	0.3	0.4	0.4	0.5	0.5	0.7	1.2
1984.....	38.4	1.9	*	*	0.5	0.4	0.5	0.5	0.5	1.1
1983.....	37.9	1.8	0.6	*	0.4	0.5	0.4	0.5	0.6	1.2
1982.....	35.3	2.1	0.4	*	0.2	0.5	0.6	0.5	0.8	1.2
1981.....	35.7	2.1	0.5	0.3	0.4	0.4	0.4	0.6	0.6	1.0
1980.....	35.1	1.9	0.5	0.1	0.3	0.3	0.4	0.5	0.7	1.0
1979.....	32.3	2.3	0.5	0.1	0.2	0.3	0.4	0.5	0.6	1.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
TOTAL, FEMALE										
1998.....	40.2	*	*	0.3	0.4	0.4	0.6	0.7	0.8	1.5
1997.....	38.8	*	*	0.2	0.4	0.3	0.4	0.8	0.9	1.5
1996.....	38.0	*	*	*	0.5	0.5	0.7	0.9	1.0	1.4
1995.....	36.4	*	*	*	0.4	0.7	0.6	0.7	1.1	1.4
1994.....	35.9	1.1	*	*	0.3	0.5	0.5	0.8	0.9	1.4
1993.....	35.4	1.2	*	0.2	0.4	0.4	0.5	0.7	0.9	1.4
1992.....	31.8	*	0.4	*	0.3	0.5	0.5	0.4	0.7	1.3
1991.....	31.1	1.4	*	0.2	0.3	0.5	0.5	0.6	0.9	1.2
1990.....	29.2	1.2	*	*	0.4	0.4	0.5	0.6	0.7	1.0
1989.....	28.6	*	0.4	*	0.3	0.4	0.5	0.6	0.8	1.2
1988.....	27.0	1.2	*	*	0.4	0.4	0.5	0.6	0.7	1.2
1987.....	25.2	*	0.3	*	0.4	0.5	0.4	0.4	0.7	1.2
1986.....	23.9	*	*	*	0.4	0.4	0.4	0.5	0.7	1.0
1985.....	23.0	*	*	*	0.5	0.4	0.5	0.4	0.7	1.1
1984.....	20.7	1.2	0.4	*	*	0.3	0.4	0.5	0.7	1.0
1983.....	19.2	*	*	*	0.3	0.5	0.4	0.5	0.7	1.1
1982.....	16.9	1.2	0.5	*	0.3	0.4	0.4	0.4	0.6	1.0
1981.....	16.2	1.3	*	*	0.3	0.2	0.3	0.4	0.6	1.3
1980.....	15.0	1.3	0.3	0.2	0.3	0.3	0.3	0.4	0.6	1.0
1979.....	12.7	1.6	0.5	0.1	0.1	0.3	0.3	0.5	0.5	1.1
WHITE, BOTH SEXES										
1998.....	46.7	0.7	0.2	0.2	0.3	0.3	0.6	0.6	0.5	1.1
1997.....	45.5	1.0	*	0.1	0.3	0.4	0.5	0.6	0.7	1.0
1996.....	44.5	*	0.2	0.2	0.3	0.4	0.5	0.6	0.6	1.1
1995.....	43.6	1.0	0.2	*	0.3	0.5	0.4	0.5	0.8	1.0
1994.....	43.5	1.2	0.2	0.1	0.3	0.4	0.5	0.5	0.7	1.0
1993.....	43.6	1.1	0.2	0.1	0.3	0.4	0.4	0.4	0.6	1.0
1992.....	40.0	0.7	0.3	*	0.2	0.4	0.3	0.4	0.6	1.0
1991.....	39.8	1.1	0.2	0.1	0.3	0.4	0.4	0.5	0.6	0.8
1990.....	38.4	1.2	0.3	*	0.3	0.4	0.4	0.5	0.5	0.8
1989.....	37.5	1.1	0.3	0.1	0.3	0.4	0.3	0.4	0.7	0.9
1988.....	37.2	1.2	0.2	*	0.3	0.3	0.4	0.5	0.5	0.8
1987.....	35.5	1.3	0.3	*	0.3	0.4	0.3	0.4	0.5	1.0
1986.....	35.0	1.3	0.2	*	0.3	0.3	0.3	0.4	0.5	0.8
1985.....	34.4	1.2	0.2	*	0.3	0.3	0.3	0.3	0.5	0.9
1984.....	32.0	1.1	0.3	0.2	0.2	0.2	0.4	0.3	0.5	0.8
1983.....	30.9	1.3	0.3	*	0.2	0.3	0.3	0.4	0.4	0.9
1982.....	28.2	1.3	0.3	0.2	0.2	0.4	0.4	0.3	0.5	0.8
1981.....	28.0	1.5	0.2	0.2	0.3	0.2	0.3	0.4	0.4	0.9
1980.....	26.9	1.2	0.2	0.1	0.2	0.2	0.2	0.3	0.4	0.7
1979.....	24.1	1.8	0.5	0.1	0.2	0.2	0.3	0.3	0.4	0.8



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
WHITE MALE										
1998.....	47.7	*	*	*	0.4	0.4	0.7	0.6	0.5	1.2
1997.....	47.0	*	*	*	0.3	0.5	0.6	0.5	0.7	0.9
1996.....	46.1	*	*	*	0.4	0.4	0.5	0.6	0.5	1.0
1995.....	46.1	1.3	*	*	0.4	0.5	0.4	0.5	0.8	1.0
1994.....	46.4	1.3	*	*	0.3	0.5	0.5	0.4	0.6	1.1
1993.....	47.3	1.3	*	*	0.3	0.4	0.5	0.4	0.5	1.0
1992.....	44.4	*	0.3	*	*	0.4	0.3	0.4	0.6	1.0
1991.....	44.9	*	*	*	0.4	0.5	0.3	0.5	0.6	0.8
1990.....	44.3	1.3	0.3	*	0.3	0.3	0.3	0.5	0.5	0.9
1989.....	43.4	1.6	*	*	0.4	0.4	0.3	0.4	0.7	0.9
1988.....	44.5	1.5	*	*	0.3	0.3	0.3	0.4	0.5	0.9
1987.....	43.3	1.6	*	*	0.4	0.4	0.4	0.4	0.5	0.9
1986.....	43.6	1.8	*	*	0.3	0.4	0.4	0.5	0.4	0.9
1985.....	43.7	2.0	*	*	*	*	0.3	0.3	0.4	0.9
1984.....	41.6	1.3	*	*	0.3	*	0.4	0.4	0.4	0.8
1983.....	41.1	1.4	0.4	*	*	0.3	0.3	0.4	0.4	0.9
1982.....	38.3	1.8	*	*	*	0.4	0.4	0.4	0.6	0.9
1981.....	38.6	1.9	*	*	0.3	*	0.3	0.5	0.4	0.8
1980.....	37.9	1.3	0.3	0.1	0.2	0.2	0.3	0.4	0.5	0.6
1979.....	34.9	2.0	0.5	0.1	0.2	0.2	0.3	0.3	0.4	0.7
WHITE FEMALE										
1998.....	45.7	*	*	*	0.3	0.3	0.4	0.5	0.5	1.1
1997.....	44.1	*	*	*	*	*	0.4	0.6	0.6	1.2
1996.....	43.0	*	*	*	*	0.4	0.5	0.7	0.7	1.2
1995.....	41.2	*	*	*	0.3	0.6	0.4	0.6	0.9	1.0
1994.....	40.6	*	*	*	*	0.4	0.4	0.5	0.8	1.0
1993.....	40.0	*	*	*	0.4	0.3	0.4	0.5	0.6	1.1
1992.....	35.8	*	*	*	*	0.4	0.4	0.4	0.5	0.9
1991.....	35.0	*	*	*	*	0.4	0.4	0.4	0.6	0.9
1990.....	32.8	*	*	*	0.3	0.4	0.4	0.4	0.5	0.7
1989.....	31.9	*	*	*	*	0.4	0.4	0.4	0.6	0.9
1988.....	30.2	*	*	*	*	0.3	0.4	0.5	0.5	0.8
1987.....	28.1	*	*	*	*	0.4	0.3	0.4	0.5	1.0
1986.....	26.7	*	*	*	0.4	*	0.3	0.4	0.5	0.8
1985.....	25.5	*	*	*	0.4	0.3	0.4	0.4	0.5	0.9
1984.....	22.9	*	0.4	*	*	*	0.3	0.3	0.5	0.7
1983.....	21.3	*	*	*	*	0.4	0.3	0.4	0.4	0.9
1982.....	18.6	*	*	*	*	0.3	0.3	0.3	0.5	0.7
1981.....	17.9	*	*	*	*	*	0.3	0.3	0.5	1.0
1980.....	16.4	1.1	0.2	0.1	0.3	0.2	0.2	0.3	0.4	0.8
1979.....	13.9	1.5	0.4	0.1	0.1	0.2	0.2	0.3	0.3	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
ALL OTHER, BOTH SEXES										
1998.....	18.0	*	0.8	0.6	1.2	1.2	1.7	2.0	2.3	3.3
1997.....	17.8	2.7	0.8	0.7	1.0	1.0	1.0	1.9	2.2	3.2
1996.....	17.9	*	0.9	0.7	1.5	1.4	1.7	1.8	2.2	2.8
1995.....	17.5	*	*	0.6	1.4	1.5	1.5	1.6	2.2	3.2
1994.....	17.2	*	0.7	0.5	1.1	1.6	1.2	2.3	2.0	3.1
1993.....	17.4	*	0.8	0.6	1.2	1.1	1.3	1.6	1.8	2.8
1992.....	15.9	2.7	1.0	0.6	0.8	1.0	1.3	1.1	1.8	2.9
1991.....	16.2	2.8	0.8	0.7	0.9	1.2	1.3	1.5	2.1	3.1
1990.....	16.2	*	0.8	*	1.2	0.9	1.1	1.4	2.0	2.7
1989.....	16.5	*	*	0.6	0.9	0.8	1.1	1.6	2.0	3.1
1988.....	16.1	2.7	*	*	1.1	0.9	1.3	1.4	2.1	3.4
1987.....	15.2	*	*	*	1.4	1.3	1.2	1.1	1.9	3.2
1986.....	14.8	3.1	*	*	1.0	1.4	1.0	1.1	1.6	2.6
1985.....	14.6	*	*	*	1.2	1.0	1.3	1.1	1.8	2.4
1984.....	13.7	3.8	*	*	0.8	0.9	0.8	1.3	1.5	2.8
1983.....	13.2	*	1.0	*	1.0	1.2	0.8	1.3	2.1	2.9
1982.....	11.8	3.3	1.0	*	0.7	1.0	1.3	1.0	1.7	2.9
1981.....	11.7	*	*	*	0.7	0.8	0.8	1.3	1.5	3.0
1980.....	11.6	3.3	0.9	0.4	0.8	0.7	1.0	1.3	2.0	3.0
1979.....	10.5	2.7	0.6	0.2	0.3	0.7	0.8	1.3	1.6	3.2
ALL OTHER MALE										
1998.....	21.5	*	*	*	1.6	1.3	2.5	2.4	2.5	3.2
1997.....	21.7	*	*	*	*	1.2	1.5	2.1	2.7	3.6
1996.....	21.4	*	1.2	*	1.5	1.8	1.9	1.9	2.2	2.7
1995.....	21.7	*	*	*	2.1	1.8	1.9	1.9	2.6	3.4
1994.....	21.5	*	*	*	1.5	2.0	1.7	2.8	2.6	2.8
1993.....	22.2	*	*	*	1.7	1.4	1.8	1.8	1.4	2.7
1992.....	20.4	*	*	*	*	1.3	1.7	1.6	2.1	2.7
1991.....	21.2	*	*	*	1.2	1.5	1.8	1.7	2.2	3.4
1990.....	21.9	*	*	*	1.6	1.2	1.2	1.6	2.1	2.8
1989.....	22.0	*	*	*	*	*	1.3	2.0	2.4	3.6
1988.....	22.5	*	*	*	*	1.2	1.7	1.8	2.6	3.8
1987.....	21.0	*	*	*	2.0	1.4	1.3	1.6	2.1	4.0
1986.....	21.2	*	*	*	1.4	1.6	1.2	1.3	1.5	2.9
1985.....	20.6	*	*	*	1.3	*	1.7	1.5	2.1	3.1
1984.....	19.6	*	*	*	1.2	*	*	1.4	*	3.0
1983.....	19.2	*	1.5	*	1.2	1.3	*	1.4	2.3	3.3
1982.....	17.1	*	*	*	*	1.2	1.6	*	2.3	3.4
1981.....	17.8	*	*	*	*	1.3	*	1.4	2.0	2.7
1980.....	17.6	4.4	1.1	0.3	1.0	0.8	1.2	1.3	2.0	3.9
1979.....	16.1	3.6	0.5	0.3	0.3	0.5	0.8	1.3	1.7	3.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
ALL OTHER FEMALE										
1998.....	14.9	*	*	*	*	1.1	*	1.5	2.0	3.3
1997.....	14.3	*	*	*	1.1	*	*	1.6	1.8	2.8
1996.....	14.6	*	*	*	1.6	1.1	1.5	1.7	2.3	2.8
1995.....	13.7	*	*	*	*	1.1	1.1	1.3	1.8	3.0
1994.....	13.3	*	*	*	*	1.2	*	1.8	1.4	3.3
1993.....	12.9	*	*	*	*	*	*	1.4	2.1	3.0
1992.....	11.8	*	*	*	*	*	*	*	1.6	3.1
1991.....	11.7	*	*	*	*	*	*	1.3	2.0	2.9
1990.....	11.1	*	*	*	*	*	*	1.3	1.9	2.5
1989.....	11.4	*	*	*	*	*	*	1.3	1.6	2.7
1988.....	10.3	*	*	*	*	*	*	1.1	1.7	3.0
1987.....	10.0	*	*	*	*	1.2	*	*	1.8	2.5
1986.....	9.0	*	*	*	*	*	*	*	1.7	2.4
1985.....	9.1	*	*	*	*	*	*	*	1.6	1.8
1984.....	8.4	*	*	*	*	*	*	1.2	1.9	2.8
1983.....	7.7	*	*	*	*	*	*	1.2	1.9	2.5
1982.....	7.1	*	*	*	*	*	*	*	*	2.5
1981.....	6.2	*	*	*	*	*	*	*	*	3.2
1980.....	6.2	2.2	0.7	0.4	0.6	0.6	0.9	1.3	1.9	2.2
1979.....	5.5	1.7	0.6	0.2	0.2	0.8	0.7	1.3	1.6	2.9
BLACK, BOTH SEXES										
1998.....	20.9	*	1.1	0.7	1.4	1.6	2.2	2.6	2.7	4.4
1997.....	20.3	*	0.9	0.9	1.3	1.1	1.2	2.4	2.9	4.0
1996.....	20.7	*	1.0	0.8	1.8	1.8	2.0	2.3	2.7	3.6
1995.....	20.1	*	*	0.7	1.8	1.9	1.9	2.1	2.8	3.7
1994.....	19.9	*	0.8	0.7	1.4	1.9	1.4	2.9	2.5	4.1
1993.....	20.0	*	0.9	0.7	1.4	1.4	1.7	2.0	2.2	3.5
1992.....	18.5	3.3	1.1	0.8	0.9	1.3	1.7	1.4	2.3	3.6
1991.....	18.7	3.7	1.0	0.8	1.2	1.5	1.6	1.9	2.6	3.9
1990.....	18.6	*	1.0	*	1.4	1.0	1.4	1.8	2.5	3.4
1989.....	18.8	*	*	*	1.0	0.9	1.3	1.9	2.5	3.9
1988.....	18.4	*	*	*	1.2	1.1	1.5	1.6	2.7	4.4
1987.....	17.2	*	*	*	1.7	1.5	1.4	1.4	2.5	4.0
1986.....	16.8	*	*	*	1.3	1.4	1.3	1.4	1.9	3.1
1985.....	16.3	*	*	*	1.4	1.1	1.6	1.3	2.3	3.2
1984.....	15.2	4.3	*	*	1.0	1.1	0.9	1.4	1.9	3.4
1983.....	14.6	*	1.2	*	1.0	1.4	0.9	1.6	2.5	3.6
1982.....	13.2	3.9	1.2	*	0.9	1.1	1.4	1.3	2.1	3.6
1981.....	13.0	*	*	*	0.8	0.9	0.9	1.6	1.7	3.6
1980.....	12.7	3.7	0.9	0.4	0.9	0.7	1.2	1.5	2.3	3.5
1979.....	11.2	2.7	0.6	0.3	0.3	0.7	0.8	1.5	1.9	3.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
BLACK MALE										
1998.....	24.7	*	*	*	1.8	1.7	3.3	3.2	3.1	4.2
1997.....	24.6	*	*	*	*	*	1.9	2.7	3.4	4.5
1996.....	24.7	*	*	*	1.8	2.3	2.2	2.3	2.7	3.5
1995.....	24.9	*	*	*	2.6	2.3	2.4	2.5	3.5	3.9
1994.....	24.9	*	*	*	1.9	2.2	2.0	3.6	3.5	3.8
1993.....	25.7	*	*	*	2.1	1.8	2.3	2.3	1.8	3.4
1992.....	23.8	*	*	*	*	1.6	2.2	2.1	2.6	3.3
1991.....	24.5	*	*	*	1.5	1.8	1.9	2.1	2.8	4.1
1990.....	25.2	*	*	*	2.0	*	1.5	2.0	2.8	3.8
1989.....	25.2	*	*	*	*	*	1.6	2.4	3.1	4.4
1988.....	25.9	*	*	*	*	1.4	1.8	2.0	3.3	5.1
1987.....	23.9	*	*	*	2.4	1.7	1.7	2.0	2.7	4.9
1986.....	24.1	*	*	*	1.7	1.7	1.5	1.6	1.8	3.5
1985.....	23.4	*	*	*	1.5	*	2.1	1.6	2.7	4.1
1984.....	21.9	*	*	*	*	*	*	*	*	3.8
1983.....	21.4	*	*	*	*	1.5	*	1.7	2.9	4.2
1982.....	19.1	*	*	*	*	1.4	2.0	*	2.8	4.3
1981.....	19.8	*	*	*	*	1.3	*	1.7	2.1	3.2
1980.....	19.3	4.8	1.1	0.4	1.2	0.9	1.3	1.5	2.5	4.5
1979.....	17.4	3.8	0.6	0.3	0.4	0.5	0.9	1.5	2.0	4.2
BLACK FEMALE										
1998.....	17.5	*	*	*	*	1.4	*	2.0	2.4	4.5
1997.....	16.5	*	*	*	1.4	*	*	2.1	2.5	3.5
1996.....	17.0	*	*	*	1.9	*	1.8	2.3	2.8	3.7
1995.....	15.8	*	*	*	*	1.4	1.5	1.7	2.2	3.6
1994.....	15.4	*	*	*	*	1.6	*	2.3	1.7	4.4
1993.....	14.9	*	*	*	*	*	*	1.7	2.6	3.5
1992.....	13.7	*	*	*	*	*	*	*	2.0	3.8
1991.....	13.4	*	*	*	*	*	*	1.6	2.5	3.6
1990.....	12.6	*	*	*	*	*	*	1.5	2.3	3.0
1989.....	13.1	*	*	*	*	*	*	1.5	2.0	3.4
1988.....	11.7	*	*	*	*	*	*	*	2.1	3.8
1987.....	11.2	*	*	*	*	*	*	*	2.4	3.2
1986.....	10.2	*	*	*	*	*	*	*	2.0	2.8
1985.....	10.0	*	*	*	*	*	*	*	2.0	2.3
1984.....	9.2	*	*	*	*	*	*	*	2.4	3.0
1983.....	8.5	*	*	*	*	*	*	1.5	2.2	3.1
1982.....	7.9	*	*	*	*	*	*	*	*	3.0
1981.....	6.8	*	*	*	*	*	*	*	*	3.9
1980.....	6.8	2.6	0.7	0.5	0.7	0.6	1.0	1.5	2.2	2.8
1979.....	5.7	1.6	0.5	0.2	0.2	0.9	0.8	1.5	1.7	3.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
TOTAL, BOTH SEXES										
1998.....	9.6	0.9	0.3	0.2	0.5	0.5	0.8	0.8	0.8	1.1
1997.....	9.7	1.2	0.3	0.2	0.4	0.5	0.6	0.8	0.8	1.1
1996.....	9.8	1.0	0.3	0.3	0.6	0.6	0.7	0.8	0.8	1.1
1995.....	9.9	1.0	0.2	0.2	0.5	0.7	0.6	0.7	0.9	1.2
1994.....	10.1	1.2	0.3	0.2	0.5	0.7	0.6	0.8	0.8	1.1
1993.....	10.3	1.2	0.3	0.2	0.5	0.5	0.6	0.6	0.7	1.0
1992.....	9.8	1.1	0.4	0.2	0.3	0.5	0.5	0.5	0.7	1.0
1991.....	10.0	1.3	0.3	0.2	0.4	0.6	0.5	0.6	0.8	0.9
1990.....	9.7	1.3	0.3	0.2	0.5	0.4	0.5	0.6	0.7	0.9
1989.....	9.8	1.1	0.4	0.2	0.4	0.4	0.4	0.6	0.7	0.9
1988.....	9.7	1.4	0.3	0.2	0.4	0.4	0.5	0.6	0.7	1.0
1987.....	9.3	1.3	0.3	0.2	0.5	0.6	0.5	0.4	0.6	1.0
1986.....	9.2	1.5	0.2	0.1	0.4	0.5	0.4	0.5	0.6	0.9
1985.....	9.1	1.3	0.2	0.2	0.4	0.4	0.5	0.4	0.6	0.9
1984.....	8.6	1.5	0.2	0.2	0.3	0.3	0.4	0.4	0.5	0.8
1983.....	8.7	1.3	0.4	0.1	0.3	0.4	0.4	0.5	0.6	0.9
1982.....	8.4	1.4	0.4	0.2	0.3	0.4	0.5	0.4	0.6	0.7
1981.....	8.8	1.4	0.3	0.2	0.3	0.3	0.3	0.5	0.5	0.9
1980.....	9.0	1.5	0.3	0.1	0.3	0.2	0.3	0.4	0.5	0.7
1979.....	8.8	1.9	0.5	0.1	0.2	0.3	0.3	0.4	0.4	0.8
TOTAL, MALE										
1998.....	9.7	1.2	0.4	0.2	0.6	0.5	1.0	0.9	0.8	1.1
1997.....	9.9	1.6	0.3	0.3	0.4	0.7	0.7	0.8	0.9	1.0
1996.....	10.1	1.3	0.4	0.4	0.6	0.6	0.7	0.8	0.7	0.9
1995.....	10.2	1.4	0.2	0.3	0.7	0.7	0.7	0.7	0.9	1.1
1994.....	10.6	1.6	0.3	0.3	0.6	0.8	0.7	0.8	0.9	1.1
1993.....	10.9	1.3	0.3	0.2	0.6	0.6	0.7	0.5	0.6	0.9
1992.....	10.5	1.6	0.4	0.2	0.4	0.6	0.5	0.6	0.8	0.9
1991.....	10.9	1.4	0.4	0.2	0.6	0.6	0.5	0.7	0.8	0.8
1990.....	10.9	1.5	0.4	0.2	0.5	0.4	0.5	0.6	0.7	0.9
1989.....	10.9	1.6	0.4	0.3	0.5	0.5	0.5	0.6	0.8	0.9
1988.....	11.3	1.7	0.3	0.2	0.4	0.4	0.6	0.6	0.7	1.0
1987.....	10.8	1.6	0.3	*	0.7	0.6	0.5	0.5	0.6	1.0
1986.....	11.2	2.1	*	*	0.5	0.6	0.5	0.5	0.5	0.9
1985.....	11.2	1.8	*	0.2	0.4	0.3	0.5	0.4	0.6	0.9
1984.....	10.8	1.8	*	*	0.5	0.3	0.5	0.4	0.4	0.8
1983.....	11.3	1.6	0.5	*	0.4	0.4	0.3	0.5	0.6	0.8
1982.....	11.1	1.7	0.4	*	0.2	0.5	0.5	0.4	0.7	0.8
1981.....	11.9	1.7	0.4	*	0.4	0.4	0.3	0.5	0.4	0.7
1980.....	12.5	1.8	0.4	0.1	0.3	0.3	0.4	0.4	0.5	0.6
1979.....	12.6	2.2	0.5	0.1	0.2	0.2	0.3	0.4	0.5	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
TOTAL, FEMALE										
1998.....	9.6	*	*	0.3	0.3	0.4	0.5	0.7	0.8	1.2
1997.....	9.6	*	*	*	0.4	0.3	0.4	0.8	0.8	1.2
1996.....	9.6	*	*	*	0.5	0.5	0.6	0.9	0.9	1.2
1995.....	9.5	*	*	*	0.4	0.7	0.6	0.7	0.9	1.2
1994.....	9.6	*	*	*	0.3	0.5	0.5	0.8	0.7	1.2
1993.....	9.7	1.1	*	*	0.4	0.4	0.5	0.7	0.8	1.2
1992.....	9.1	*	0.3	*	0.3	0.4	0.4	0.4	0.6	1.0
1991.....	9.2	1.2	*	0.2	0.3	0.5	0.5	0.6	0.8	1.0
1990.....	8.6	1.1	*	*	0.4	0.4	0.5	0.6	0.6	0.9
1989.....	8.7	*	0.4	*	0.3	0.4	0.4	0.5	0.7	0.9
1988.....	8.2	1.1	*	*	0.4	0.3	0.4	0.6	0.6	1.0
1987.....	7.7	*	0.3	*	0.4	0.5	0.4	0.4	0.6	1.0
1986.....	7.4	*	*	*	0.4	0.4	0.4	0.4	0.7	0.8
1985.....	7.1	*	*	*	0.5	0.4	0.5	0.4	0.6	0.9
1984.....	6.6	1.2	0.3	*	*	0.3	0.4	0.4	0.7	0.8
1983.....	6.4	*	*	*	0.3	0.4	0.4	0.5	0.6	0.9
1982.....	5.8	*	0.4	*	0.3	0.4	0.4	0.4	0.5	0.7
1981.....	5.8	*	*	*	0.3	0.2	0.3	0.4	0.5	1.0
1980.....	5.7	1.2	0.2	0.1	0.3	0.2	0.3	0.4	0.5	0.7
1979.....	5.3	1.6	0.4	0.1	0.1	0.3	0.3	0.4	0.4	0.9
WHITE, BOTH SEXES										
1998.....	10.4	*	0.2	0.2	0.3	0.3	0.5	0.5	0.5	0.8
1997.....	10.5	0.9	*	*	0.3	0.3	0.4	0.5	0.6	0.8
1996.....	10.6	*	*	0.2	0.3	0.4	0.4	0.6	0.5	0.8
1995.....	10.6	0.9	0.2	*	0.3	0.5	0.4	0.5	0.7	0.9
1994.....	10.9	1.1	*	*	0.3	0.4	0.4	0.4	0.6	0.8
1993.....	11.1	1.0	*	0.1	0.3	0.4	0.4	0.4	0.5	0.7
1992.....	10.6	0.7	0.2	*	0.2	0.4	0.3	0.3	0.5	0.7
1991.....	10.9	1.0	0.2	*	0.3	0.4	0.4	0.4	0.5	0.6
1990.....	10.5	1.1	0.2	*	0.3	0.3	0.3	0.4	0.4	0.6
1989.....	10.5	1.0	0.3	0.1	0.3	0.4	0.3	0.4	0.5	0.7
1988.....	10.5	1.1	0.2	*	0.3	0.3	0.3	0.4	0.4	0.7
1987.....	9.9	1.2	0.2	*	0.3	0.4	0.3	0.3	0.4	0.7
1986.....	10.0	1.2	0.2	*	0.3	0.3	0.3	0.4	0.4	0.6
1985.....	9.8	1.1	0.2	*	0.3	0.2	0.3	0.3	0.4	0.7
1984.....	9.3	1.0	0.2	*	0.2	0.2	0.3	0.3	0.4	0.5
1983.....	9.4	1.1	0.2	*	0.2	0.3	0.3	0.3	0.3	0.6
1982.....	9.0	1.1	0.2	*	0.2	0.3	0.3	0.3	0.4	0.5
1981.....	9.5	1.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.6
1980.....	9.8	1.2	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.5
1979.....	9.5	1.7	0.5	0.1	0.2	0.2	0.2	0.3	0.3	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
WHITE MALE										
1998.....	10.4	*	*	*	0.4	0.4	0.6	0.5	0.5	0.7
1997.....	10.6	*	*	*	0.3	0.5	0.5	0.5	0.6	0.6
1996.....	10.7	*	*	*	0.4	0.3	0.4	0.5	0.4	0.6
1995.....	10.9	*	*	*	0.3	0.4	0.4	0.5	0.6	0.8
1994.....	11.4	*	*	*	0.3	0.5	0.5	0.4	0.5	0.8
1993.....	11.7	*	*	*	0.3	0.4	0.5	0.3	0.4	0.6
1992.....	11.3	*	0.3	*	*	0.4	0.3	0.3	0.6	0.8
1991.....	11.7	*	*	*	0.4	0.4	0.3	0.5	0.5	0.5
1990.....	11.6	*	*	*	*	0.3	0.3	0.4	0.5	0.7
1989.....	11.7	1.5	*	*	0.4	0.4	0.3	0.3	0.6	0.6
1988.....	12.0	1.4	*	*	0.3	0.3	0.3	0.4	0.4	0.6
1987.....	11.6	1.5	*	*	0.4	0.4	0.4	0.3	0.5	0.7
1986.....	12.0	1.7	*	*	*	0.3	0.3	0.4	0.3	0.6
1985.....	12.0	1.8	*	*	*	*	0.2	*	0.4	0.6
1984.....	11.6	*	*	*	0.3	*	0.4	0.3	0.3	0.5
1983.....	12.1	1.3	*	*	*	0.3	0.3	0.3	0.3	0.6
1982.....	11.9	1.4	*	*	*	0.4	0.3	0.3	0.4	0.5
1981.....	12.7	1.6	*	*	0.3	*	0.2	0.4	0.3	0.5
1980.....	13.5	1.3	0.3	0.1	0.2	0.2	0.3	0.3	0.3	0.4
1979.....	13.5	1.9	0.5	0.1	0.2	0.2	0.2	0.3	0.4	0.5
WHITE FEMALE										
1998.....	10.5	*	*	*	*	*	0.4	0.4	0.5	0.8
1997.....	10.5	*	*	*	*	*	0.4	0.6	0.5	0.9
1996.....	10.4	*	*	*	*	0.4	0.4	0.7	0.6	0.9
1995.....	10.4	*	*	*	0.3	0.6	0.4	0.6	0.8	0.9
1994.....	10.5	*	*	*	*	0.3	0.4	0.5	0.6	0.8
1993.....	10.6	*	*	*	0.4	0.3	0.4	0.5	0.5	0.8
1992.....	10.0	*	*	*	*	0.3	0.3	0.3	0.4	0.7
1991.....	10.1	*	*	*	*	0.4	0.4	0.4	0.6	0.7
1990.....	9.4	*	*	*	0.3	0.4	0.4	0.4	0.4	0.6
1989.....	9.5	*	*	*	*	0.4	0.3	0.4	0.5	0.7
1988.....	9.0	*	*	*	*	*	0.3	0.5	0.4	0.7
1987.....	8.4	*	*	*	*	0.4	0.3	0.4	0.4	0.8
1986.....	8.0	*	*	*	0.3	*	0.3	0.3	0.5	0.6
1985.....	7.7	*	*	*	0.4	*	0.4	0.3	0.5	0.7
1984.....	7.1	*	*	*	*	*	0.3	0.3	0.4	0.5
1983.....	6.8	*	*	*	*	0.3	0.3	0.4	0.3	0.7
1982.....	6.3	*	*	*	*	0.3	0.3	0.3	0.4	0.5
1981.....	6.4	*	*	*	*	*	0.3	0.3	0.4	0.7
1980.....	6.2	1.1	0.2	0.1	0.3	0.2	0.2	0.2	0.3	0.6
1979.....	5.7	1.5	0.4	0.1	0.1	0.2	0.2	0.2	0.2	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
ALL OTHER, BOTH SEXES										
1998.....	5.8	*	0.8	0.5	1.1	1.2	1.7	1.9	2.1	2.8
1997.....	5.8	*	0.7	0.7	1.0	1.0	1.0	1.8	2.1	2.7
1996.....	6.3	*	0.8	0.7	1.5	1.4	1.6	1.7	2.1	2.5
1995.....	6.1	*	*	0.6	1.3	1.5	1.5	1.5	1.9	2.6
1994.....	5.9	*	0.6	0.5	1.1	1.6	1.2	2.3	1.8	2.7
1993.....	6.0	*	0.8	0.6	1.1	1.1	1.3	1.6	1.7	2.6
1992.....	5.6	2.5	0.9	0.6	0.8	1.0	1.2	1.0	1.8	2.3
1991.....	5.7	2.4	0.8	0.6	0.9	1.2	1.3	1.5	2.0	2.6
1990.....	5.6	*	0.7	*	1.1	0.8	1.1	1.4	1.8	2.3
1989.....	5.7	*	*	0.6	0.8	0.7	1.0	1.4	1.7	2.4
1988.....	5.9	*	*	*	1.1	0.9	1.3	1.3	2.0	2.8
1987.....	5.5	*	*	*	1.4	1.3	1.2	1.1	1.7	2.6
1986.....	5.2	3.0	*	*	1.0	1.4	1.0	1.0	1.4	2.2
1985.....	5.2	*	*	*	1.1	0.9	1.3	1.0	1.7	2.3
1984.....	4.8	3.6	*	*	0.8	0.9	0.8	1.1	1.3	2.3
1983.....	5.0	*	1.0	*	0.9	1.1	0.8	1.2	2.0	2.3
1982.....	4.5	*	0.9	*	0.7	0.9	1.3	1.0	1.6	2.2
1981.....	4.6	*	*	*	0.7	0.8	0.7	1.2	1.4	2.6
1980.....	4.7	2.8	0.9	0.3	0.7	0.6	1.0	1.1	1.8	1.7
1979.....	4.5	2.7	0.5	0.2	0.3	0.6	0.7	1.2	1.3	2.2
ALL OTHER MALE										
1998.....	6.2	*	*	*	1.6	1.3	2.4	2.4	2.3	2.7
1997.....	6.4	*	*	*	*	1.2	1.5	2.1	2.5	2.9
1996.....	6.7	*	*	*	1.5	1.8	1.9	1.8	2.0	2.5
1995.....	6.9	*	*	*	2.0	1.8	1.9	1.8	2.3	2.7
1994.....	6.8	*	*	*	1.5	1.9	1.7	2.8	2.4	2.6
1993.....	6.9	*	*	*	1.6	1.4	1.8	1.7	1.4	2.5
1992.....	6.5	*	*	*	*	1.3	1.6	1.5	2.1	1.8
1991.....	6.7	*	*	*	1.2	1.5	1.6	1.7	2.0	2.6
1990.....	6.9	*	*	*	1.6	1.1	1.2	1.5	1.9	2.3
1989.....	6.7	*	*	*	*	*	1.3	1.8	2.0	2.7
1988.....	7.6	*	*	*	*	1.2	1.7	1.7	2.5	3.1
1987.....	6.8	*	*	*	2.0	1.4	1.3	1.5	1.6	3.3
1986.....	6.7	*	*	*	1.4	1.6	1.1	1.2	*	2.2
1985.....	6.6	*	*	*	1.2	*	1.7	1.2	2.1	2.8
1984.....	6.2	*	*	*	1.2	*	*	*	*	2.3
1983.....	6.5	*	1.5	*	*	1.2	*	1.4	2.2	2.5
1982.....	5.9	*	*	*	*	1.1	1.6	*	2.2	2.3
1981.....	6.6	*	*	*	*	1.3	*	*	1.6	2.5
1980.....	6.5	3.8	1.1	0.3	1.0	0.7	1.1	0.9	1.7	2.1
1979.....	6.2	3.6	0.4	0.3	0.3	0.5	0.7	1.3	1.2	2.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
ALL OTHER FEMALE										
1998.....	5.4	*	*	*	*	1.1	*	1.5	1.9	2.8
1997.....	5.2	*	*	*	1.0	*	*	1.5	1.6	2.5
1996.....	5.8	*	*	*	1.5	*	1.3	1.6	2.2	2.5
1995.....	5.3	*	*	*	*	1.1	1.1	1.2	1.5	2.5
1994.....	5.1	*	*	*	*	1.2	*	1.8	1.3	2.7
1993.....	5.2	*	*	*	*	*	*	1.4	2.0	2.7
1992.....	4.8	*	*	*	*	*	*	*	1.5	2.6
1991.....	4.8	*	*	*	*	*	*	1.3	2.0	2.7
1990.....	4.4	*	*	*	*	*	*	1.3	1.8	2.2
1989.....	4.7	*	*	*	*	*	*	1.2	1.5	2.1
1988.....	4.4	*	*	*	*	*	*	*	1.5	2.6
1987.....	4.3	*	*	*	*	*	*	*	1.7	2.1
1986.....	3.9	*	*	*	*	*	*	*	1.6	2.2
1985.....	3.8	*	*	*	*	*	*	*	1.4	1.8
1984.....	3.5	*	*	*	*	*	*	*	1.7	2.2
1983.....	3.7	*	*	*	*	*	*	*	1.8	2.2
1982.....	3.3	*	*	*	*	*	*	*	*	2.1
1981.....	2.8	*	*	*	*	*	*	*	*	2.7
1980.....	3.1	1.9	0.6	0.4	0.4	0.5	0.8	1.2	1.9	1.4
1979.....	2.9	1.7	0.5	0.2	0.2	0.8	0.7	1.2	1.3	2.2
BLACK, BOTH SEXES										
1998.....	6.8	*	1.0	0.7	1.3	1.6	2.1	2.5	2.6	3.7
1997.....	6.6	*	0.9	0.9	1.2	1.1	1.2	2.4	2.6	3.3
1996.....	7.2	*	1.0	0.8	1.8	1.8	1.9	2.1	2.6	3.3
1995.....	7.0	*	*	0.7	1.7	1.9	1.9	2.0	2.5	3.2
1994.....	6.9	*	*	0.7	1.4	1.9	1.4	2.9	2.4	3.5
1993.....	6.9	*	0.9	0.7	1.4	1.4	1.6	1.9	2.2	3.2
1992.....	6.5	*	1.1	0.8	0.9	1.3	1.6	1.3	2.3	2.8
1991.....	6.5	3.2	0.9	0.8	1.2	1.5	1.6	1.8	2.6	3.2
1990.....	6.4	*	0.9	*	1.3	1.0	1.4	1.7	2.4	2.8
1989.....	6.5	*	*	*	1.0	0.8	1.2	1.8	2.2	3.0
1988.....	6.8	*	*	*	1.2	1.0	1.4	1.5	2.5	3.7
1987.....	6.2	*	*	*	1.7	1.5	1.4	1.3	2.2	3.3
1986.....	5.9	*	*	*	1.3	1.4	1.2	1.3	1.7	2.7
1985.....	5.7	*	*	*	1.3	1.1	1.6	1.2	2.1	2.9
1984.....	5.3	4.2	*	*	1.0	1.0	0.9	1.2	1.7	2.7
1983.....	5.5	*	1.1	*	1.0	1.3	0.8	1.5	2.5	2.9
1982.....	5.0	*	1.1	*	0.9	1.0	1.4	1.3	1.9	2.7
1981.....	5.1	*	*	*	0.8	0.8	0.8	1.5	1.4	3.1
1980.....	5.2	3.2	0.9	0.4	0.9	0.7	1.1	1.2	2.1	2.1
1979.....	4.8	2.7	0.5	0.3	0.3	0.7	0.7	1.4	1.5	2.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
BLACK MALE										
1998.....	7.2	*	*	*	1.8	1.7	3.2	3.1	2.9	3.6
1997.....	7.2	*	*	*	*	*	1.9	2.7	3.2	3.6
1996.....	7.7	*	*	*	1.8	2.3	2.2	2.1	2.5	3.2
1995.....	7.9	*	*	*	2.5	2.3	2.4	2.4	3.2	3.4
1994.....	7.8	*	*	*	1.9	2.2	2.0	3.6	3.4	3.4
1993.....	7.8	*	*	*	2.0	1.8	2.3	2.2	1.8	3.1
1992.....	7.6	*	*	*	*	1.6	2.0	1.9	2.6	2.3
1991.....	7.7	*	*	*	1.5	1.8	1.9	2.1	2.6	3.0
1990.....	7.9	*	*	*	2.0	*	1.5	1.9	2.4	3.2
1989.....	7.7	*	*	*	*	*	1.6	2.2	2.6	3.4
1988.....	8.7	*	*	*	*	1.4	1.8	2.0	3.1	4.1
1987.....	7.7	*	*	*	2.4	1.7	1.7	1.9	2.1	4.0
1986.....	7.6	*	*	*	1.7	1.7	1.4	1.5	*	2.8
1985.....	7.3	*	*	*	*	*	2.1	*	2.6	3.8
1984.....	6.7	*	*	*	*	*	*	*	*	2.9
1983.....	7.1	*	*	*	*	1.4	*	1.6	2.8	3.3
1982.....	6.6	*	*	*	*	1.4	1.9	*	2.6	3.0
1981.....	7.4	*	*	*	*	1.3	*	*	*	2.9
1980.....	7.2	4.1	1.1	0.3	1.2	0.9	1.2	1.0	2.2	2.6
1979.....	6.7	3.8	0.5	0.3	0.4	0.5	0.8	1.5	1.4	2.6
BLACK FEMALE										
1998.....	6.5	*	*	*	*	1.4	*	2.0	2.3	3.9
1997.....	6.0	*	*	*	*	*	*	2.1	2.2	3.1
1996.....	6.8	*	*	*	1.8	*	1.7	2.1	2.6	3.3
1995.....	6.2	*	*	*	*	1.4	1.5	1.7	1.8	3.0
1994.....	6.1	*	*	*	*	1.6	*	2.3	1.6	3.6
1993.....	6.1	*	*	*	*	*	*	1.7	2.5	3.2
1992.....	5.6	*	*	*	*	*	*	*	2.0	3.3
1991.....	5.5	*	*	*	*	*	*	1.5	2.5	3.5
1990.....	5.0	*	*	*	*	*	*	1.5	2.3	2.5
1989.....	5.4	*	*	*	*	*	*	1.4	1.8	2.7
1988.....	5.1	*	*	*	*	*	*	*	2.0	3.3
1987.....	4.8	*	*	*	*	*	*	*	2.2	2.8
1986.....	4.5	*	*	*	*	*	*	*	1.9	2.6
1985.....	4.3	*	*	*	*	*	*	*	1.7	2.2
1984.....	4.0	*	*	*	*	*	*	*	2.1	2.5
1983.....	4.1	*	*	*	*	*	*	*	2.2	2.6
1982.....	3.7	*	*	*	*	*	*	*	*	2.4
1981.....	3.2	*	*	*	*	*	*	*	*	3.3
1980.....	3.4	2.3	0.7	0.5	0.5	0.5	1.0	1.4	2.1	1.8
1979.....	3.1	1.6	0.5	0.2	0.2	0.9	0.7	1.3	1.6	2.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)										
TOTAL, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	0.5	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	0.6	*	*	*	*	*	*	*	*
1993.....	0.3	0.8	*	*	*	*	*	*	*	*
1992.....	0.2	0.5	*	*	*	*	*	*	*	*
1991.....	0.3	0.8	*	*	*	*	*	*	*	*
1990.....	0.2	0.5	*	*	*	*	*	*	*	*
1989.....	0.3	0.6	*	*	*	*	*	*	*	*
1988.....	0.3	0.8	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	0.6	*	*	*	*	*	*	*	*
1985.....	0.2	0.7	*	*	*	*	*	*	*	*
1984.....	0.2	0.6	*	*	*	*	*	*	*	*
1983.....	0.2	0.7	*	*	*	*	*	*	*	*
1982.....	0.2	0.7	*	*	*	*	*	*	*	*
1981.....	0.2	0.6	*	*	*	*	*	*	*	*
1980.....	0.2	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	1.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)										
TOTAL, FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	0.1	0.0	-	0.0	0.0	0.0	0.0	-
1979.....	0.2	0.9	0.1	0.0	0.0	-	0.0	0.0	-	0.1
WHITE, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	0.8	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	1.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)										
WHITE MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	0.1	0.1	0.0	-	0.0	0.0	0.0	0.0
1979.....	0.2	1.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0
WHITE FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.5	0.1	0.0	-	0.0	0.0	0.0	0.0	-
1979.....	0.2	0.9	0.1	0.1	0.0	-	0.0	0.0	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	1.6	0.2	-	-	0.0	-	-	-	-
1979.....	0.1	1.3	0.2	0.0	-	-	0.0	0.0	-	0.1
ALL OTHER MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	1.9	0.3	-	-	0.1	-	-	-	-
1979.....	0.2	2.0	0.2	0.1	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)										
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	1.3	0.2	-	-	-	-	-	-	-
1979.....	0.1	0.7	0.2	-	-	-	0.1	0.1	-	0.1
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.1	1.9	0.2	-	-	0.0	-	-	-	-
1979.....	0.1	1.2	0.2	0.0	-	-	0.0	-	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)										
BLACK MALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	2.2	0.2	-	-	0.1	-	-	-	-
1979.....	0.2	1.9	0.2	0.1	-	-	-	-	-	-
BLACK FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	1.5	0.2	-	-	-	-	-	-	-
1979.....	0.1	0.4	0.1	-	-	-	0.1	-	-	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC BRONCHITIS (491)										
TOTAL, BOTH SEXES										
1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.2	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.3	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.4	0.6	*	*	*	*	*	*	*	*
1980.....	1.4	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	1.5	0.6	0.1	0.0	-	0.0	0.0	0.0	0.0	0.0
TOTAL, MALE										
1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.2	*	*	*	*	*	*	*	*	*
1993.....	1.3	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.4	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986.....	1.6	*	*	*	*	*	*	*	*	*
1985.....	1.5	*	*	*	*	*	*	*	*	*
1984.....	1.6	*	*	*	*	*	*	*	*	*
1983.....	1.7	*	*	*	*	*	*	*	*	*
1982.....	1.7	*	*	*	*	*	*	*	*	*
1981.....	1.9	*	*	*	*	*	*	*	*	*
1980.....	2.0	0.6	0.1	0.0	0.0	0.0	0.0	-	0.0	0.1
1979.....	2.0	0.6	0.1	0.0	-	0.0	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC BRONCHITIS (491)										
TOTAL, FEMALE										
1998.....	0.9	*	*	*	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.9	0.5	0.1	-	-	0.0	0.0	0.0	0.0	0.0
WHITE, BOTH SEXES										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.3	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.4	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986.....	1.4	*	*	*	*	*	*	*	*	*
1985.....	1.4	*	*	*	*	*	*	*	*	*
1984.....	1.4	*	*	*	*	*	*	*	*	*
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.5	*	*	*	*	*	*	*	*	*
1981.....	1.5	*	*	*	*	*	*	*	*	*
1980.....	1.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	1.6	0.4	0.1	0.0	-	0.0	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC BRONCHITIS (491)										
WHITE MALE										
1998.....	1.1	*	*	*	*	*	*	*	*	*
1997.....	1.0	*	*	*	*	*	*	*	*	*
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	*
1989.....	1.5	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.7	*	*	*	*	*	*	*	*	*
1985.....	1.7	*	*	*	*	*	*	*	*	*
1984.....	1.7	*	*	*	*	*	*	*	*	*
1983.....	1.8	*	*	*	*	*	*	*	*	*
1982.....	1.9	*	*	*	*	*	*	*	*	*
1981.....	2.0	*	*	*	*	*	*	*	*	*
1980.....	2.1	0.5	0.1	0.0	0.0	0.0	0.0	-	0.0	0.1
1979.....	2.2	0.4	0.1	0.0	-	0.0	0.0	0.0	0.0	0.0
WHITE FEMALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.1	*	*	*	*	*	*	*	*	*
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.2	*	*	*	*	*	*	*	*	*
1993.....	1.3	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.1	0.3	-	-	0.0	0.0	-	0.0	0.0	0.0
1979.....	1.0	0.4	0.1	-	-	0.0	0.0	0.0	-	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC BRONCHITIS (491)										
ALL OTHER, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.8	0.2	0.0	-	-	0.0	0.0	0.0	0.2
1979.....	0.5	1.3	0.1	-	-	-	-	-	0.0	0.1
ALL OTHER MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.8	0.9	0.3	-	-	-	-	-	0.1	0.4
1979.....	0.7	1.7	0.1	-	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC BRONCHITIS (491)										
ALL OTHER FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.6	0.1	0.1	-	-	0.1	0.1	-	-
1979.....	0.3	1.0	0.2	-	-	-	-	-	0.1	0.1
BLACK, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.7	0.2	0.0	-	-	0.0	0.0	0.1	0.2
1979.....	0.5	1.6	0.2	-	-	-	-	-	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC BRONCHITIS (491)										
BLACK MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.7	0.3	-	-	-	-	-	0.1	0.5
1979.....	0.8	1.9	0.1	-	-	-	-	-	-	-
BLACK FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.8	0.1	0.1	-	-	0.1	0.1	-	-
1979.....	0.3	1.2	0.2	-	-	-	-	-	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										
TOTAL, BOTH SEXES										
1998.....	6.5	*	*	*	*	*	*	*	*	0.1
1997.....	6.5	*	*	*	*	*	*	*	*	0.1
1996.....	6.5	*	*	*	*	*	*	*	*	*
1995.....	6.4	*	*	*	*	*	*	*	*	*
1994.....	6.6	*	*	*	*	*	*	*	*	0.1
1993.....	6.8	*	*	*	*	*	*	*	*	*
1992.....	6.4	*	*	*	*	*	*	*	*	0.1
1991.....	6.5	*	*	*	*	*	*	*	*	0.1
1990.....	6.3	*	*	*	*	*	*	*	*	*
1989.....	6.3	*	*	*	*	*	*	*	*	*
1988.....	6.3	*	*	*	*	*	*	*	*	0.1
1987.....	6.0	*	*	*	*	*	*	*	*	0.1
1986.....	6.0	*	*	*	*	*	*	*	*	*
1985.....	5.9	*	*	*	*	*	*	*	*	0.1
1984.....	5.6	*	*	*	*	*	*	*	*	*
1983.....	5.7	*	*	*	*	*	*	*	*	0.2
1982.....	5.5	*	*	*	*	*	*	*	*	*
1981.....	5.8	*	*	*	*	*	*	*	*	0.1
1980.....	6.1	0.1	-	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	6.0	0.1	0.0	-	0.0	0.0	0.0	0.0	0.1	0.2
TOTAL, MALE										
1998.....	7.1	*	*	*	*	*	*	*	*	*
1997.....	7.2	*	*	*	*	*	*	*	*	*
1996.....	7.3	*	*	*	*	*	*	*	*	*
1995.....	7.3	*	*	*	*	*	*	*	*	*
1994.....	7.6	*	*	*	*	*	*	*	*	*
1993.....	7.9	*	*	*	*	*	*	*	*	*
1992.....	7.6	*	*	*	*	*	*	*	*	*
1991.....	7.8	*	*	*	*	*	*	*	*	*
1990.....	7.8	*	*	*	*	*	*	*	*	*
1989.....	7.7	*	*	*	*	*	*	*	*	*
1988.....	8.1	*	*	*	*	*	*	*	*	*
1987.....	7.8	*	*	*	*	*	*	*	*	*
1986.....	8.0	*	*	*	*	*	*	*	*	*
1985.....	8.1	*	*	*	*	*	*	*	*	*
1984.....	7.8	*	*	*	*	*	*	*	*	*
1983.....	8.1	*	*	*	*	*	*	*	*	*
1982.....	8.0	*	*	*	*	*	*	*	*	*
1981.....	8.6	*	*	*	*	*	*	*	*	*
1980.....	9.2	0.1	-	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	9.3	-	0.0	-	0.0	-	0.0	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										
TOTAL, FEMALE										
1998.....	5.9	*	*	*	*	*	*	*	*	*
1997.....	5.9	*	*	*	*	*	*	*	*	*
1996.....	5.8	*	*	*	*	*	*	*	*	*
1995.....	5.6	*	*	*	*	*	*	*	*	*
1994.....	5.7	*	*	*	*	*	*	*	*	*
1993.....	5.8	*	*	*	*	*	*	*	*	*
1992.....	5.3	*	*	*	*	*	*	*	*	*
1991.....	5.3	*	*	*	*	*	*	*	*	*
1990.....	4.9	*	*	*	*	*	*	*	*	*
1989.....	4.9	*	*	*	*	*	*	*	*	*
1988.....	4.6	*	*	*	*	*	*	*	*	*
1987.....	4.3	*	*	*	*	*	*	*	*	*
1986.....	4.1	*	*	*	*	*	*	*	*	*
1985.....	3.9	*	*	*	*	*	*	*	*	*
1984.....	3.6	*	*	*	*	*	*	*	*	*
1983.....	3.4	*	*	*	*	*	*	*	*	*
1982.....	3.2	*	*	*	*	*	*	*	*	*
1981.....	3.2	*	*	*	*	*	*	*	*	*
1980.....	3.2	0.1	-	-	-	0.0	-	0.0	0.0	0.1
1979.....	2.9	0.1	0.0	-	-	0.0	0.0	0.0	0.0	0.1
WHITE, BOTH SEXES										
1998.....	7.4	*	*	*	*	*	*	*	*	*
1997.....	7.5	*	*	*	*	*	*	*	*	*
1996.....	7.4	*	*	*	*	*	*	*	*	*
1995.....	7.3	*	*	*	*	*	*	*	*	*
1994.....	7.5	*	*	*	*	*	*	*	*	*
1993.....	7.7	*	*	*	*	*	*	*	*	*
1992.....	7.2	*	*	*	*	*	*	*	*	*
1991.....	7.4	*	*	*	*	*	*	*	*	*
1990.....	7.1	*	*	*	*	*	*	*	*	*
1989.....	7.0	*	*	*	*	*	*	*	*	*
1988.....	7.1	*	*	*	*	*	*	*	*	*
1987.....	6.7	*	*	*	*	*	*	*	*	*
1986.....	6.7	*	*	*	*	*	*	*	*	*
1985.....	6.6	*	*	*	*	*	*	*	*	*
1984.....	6.3	*	*	*	*	*	*	*	*	*
1983.....	6.3	*	*	*	*	*	*	*	*	*
1982.....	6.1	*	*	*	*	*	*	*	*	*
1981.....	6.5	*	*	*	*	*	*	*	*	*
1980.....	6.8	0.1	-	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	6.7	0.1	0.0	-	-	-	0.0	0.0	0.1	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										
WHITE MALE										
1998.....	7.9	*	*	*	*	*	*	*	*	*
1997.....	8.1	*	*	*	*	*	*	*	*	*
1996.....	8.1	*	*	*	*	*	*	*	*	*
1995.....	8.1	*	*	*	*	*	*	*	*	*
1994.....	8.4	*	*	*	*	*	*	*	*	*
1993.....	8.7	*	*	*	*	*	*	*	*	*
1992.....	8.4	*	*	*	*	*	*	*	*	*
1991.....	8.6	*	*	*	*	*	*	*	*	*
1990.....	8.6	*	*	*	*	*	*	*	*	*
1989.....	8.5	*	*	*	*	*	*	*	*	*
1988.....	8.9	*	*	*	*	*	*	*	*	*
1987.....	8.6	*	*	*	*	*	*	*	*	*
1986.....	8.8	*	*	*	*	*	*	*	*	*
1985.....	8.9	*	*	*	*	*	*	*	*	*
1984.....	8.5	*	*	*	*	*	*	*	*	*
1983.....	8.9	*	*	*	*	*	*	*	*	*
1982.....	8.8	*	*	*	*	*	*	*	*	*
1981.....	9.4	*	*	*	*	*	*	*	*	*
1980.....	10.1	0.1	-	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	10.2	-	0.0	-	-	-	0.0	0.1	0.1	0.2
WHITE FEMALE										
1998.....	6.9	*	*	*	*	*	*	*	*	*
1997.....	6.8	*	*	*	*	*	*	*	*	*
1996.....	6.7	*	*	*	*	*	*	*	*	*
1995.....	6.5	*	*	*	*	*	*	*	*	*
1994.....	6.6	*	*	*	*	*	*	*	*	*
1993.....	6.7	*	*	*	*	*	*	*	*	*
1992.....	6.1	*	*	*	*	*	*	*	*	*
1991.....	6.2	*	*	*	*	*	*	*	*	*
1990.....	5.7	*	*	*	*	*	*	*	*	*
1989.....	5.6	*	*	*	*	*	*	*	*	*
1988.....	5.4	*	*	*	*	*	*	*	*	*
1987.....	4.9	*	*	*	*	*	*	*	*	*
1986.....	4.7	*	*	*	*	*	*	*	*	*
1985.....	4.4	*	*	*	*	*	*	*	*	*
1984.....	4.1	*	*	*	*	*	*	*	*	*
1983.....	3.9	*	*	*	*	*	*	*	*	*
1982.....	3.6	*	*	*	*	*	*	*	*	*
1981.....	3.6	*	*	*	*	*	*	*	*	*
1980.....	3.6	0.1	-	-	-	0.0	-	-	0.0	0.1
1979.....	3.3	0.1	0.0	-	-	-	0.0	-	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										
ALL OTHER, BOTH SEXES										
1998.....	2.2	*	*	*	*	*	*	*	*	*
1997.....	2.2	*	*	*	*	*	*	*	*	*
1996.....	2.3	*	*	*	*	*	*	*	*	*
1995.....	2.2	*	*	*	*	*	*	*	*	*
1994.....	2.3	*	*	*	*	*	*	*	*	*
1993.....	2.4	*	*	*	*	*	*	*	*	*
1992.....	2.3	*	*	*	*	*	*	*	*	*
1991.....	2.2	*	*	*	*	*	*	*	*	*
1990.....	2.2	*	*	*	*	*	*	*	*	*
1989.....	2.2	*	*	*	*	*	*	*	*	*
1988.....	2.4	*	*	*	*	*	*	*	*	*
1987.....	2.2	*	*	*	*	*	*	*	*	*
1986.....	2.1	*	*	*	*	*	*	*	*	*
1985.....	2.2	*	*	*	*	*	*	*	*	*
1984.....	2.0	*	*	*	*	*	*	*	*	*
1983.....	2.1	*	*	*	*	*	*	*	*	*
1982.....	1.9	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.2	-	-	-	0.0	0.0	-	0.1	0.3	0.4
1979.....	2.2	-	-	-	0.0	0.0	-	0.0	0.1	0.5
ALL OTHER MALE										
1998.....	2.9	*	*	*	*	*	*	*	*	*
1997.....	3.0	*	*	*	*	*	*	*	*	*
1996.....	3.1	*	*	*	*	*	*	*	*	*
1995.....	3.2	*	*	*	*	*	*	*	*	*
1994.....	3.2	*	*	*	*	*	*	*	*	*
1993.....	3.5	*	*	*	*	*	*	*	*	*
1992.....	3.4	*	*	*	*	*	*	*	*	*
1991.....	3.2	*	*	*	*	*	*	*	*	*
1990.....	3.3	*	*	*	*	*	*	*	*	*
1989.....	3.4	*	*	*	*	*	*	*	*	*
1988.....	4.0	*	*	*	*	*	*	*	*	*
1987.....	3.4	*	*	*	*	*	*	*	*	*
1986.....	3.5	*	*	*	*	*	*	*	*	*
1985.....	3.6	*	*	*	*	*	*	*	*	*
1984.....	3.3	*	*	*	*	*	*	*	*	*
1983.....	3.4	*	*	*	*	*	*	*	*	*
1982.....	3.2	*	*	*	*	*	*	*	*	*
1981.....	3.6	*	*	*	*	*	*	*	*	*
1980.....	3.6	-	-	-	0.1	0.1	-	-	0.5	0.7
1979.....	3.7	-	-	-	0.1	-	-	-	0.2	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										
ALL OTHER FEMALE										
1998.....	1.6	*	*	*	*	*	*	*	*	*
1997.....	1.4	*	*	*	*	*	*	*	*	*
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.5	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	-	-	-	-	0.1	-	0.1
1979.....	0.8	-	-	-	-	0.1	-	0.1	0.1	0.1
BLACK, BOTH SEXES										
1998.....	2.6	*	*	*	*	*	*	*	*	*
1997.....	2.5	*	*	*	*	*	*	*	*	*
1996.....	2.6	*	*	*	*	*	*	*	*	*
1995.....	2.6	*	*	*	*	*	*	*	*	*
1994.....	2.6	*	*	*	*	*	*	*	*	*
1993.....	2.8	*	*	*	*	*	*	*	*	*
1992.....	2.6	*	*	*	*	*	*	*	*	*
1991.....	2.5	*	*	*	*	*	*	*	*	*
1990.....	2.5	*	*	*	*	*	*	*	*	*
1989.....	2.5	*	*	*	*	*	*	*	*	*
1988.....	2.7	*	*	*	*	*	*	*	*	*
1987.....	2.5	*	*	*	*	*	*	*	*	*
1986.....	2.4	*	*	*	*	*	*	*	*	*
1985.....	2.4	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	2.2	*	*	*	*	*	*	*	*	*
1982.....	2.1	*	*	*	*	*	*	*	*	*
1981.....	2.4	*	*	*	*	*	*	*	*	*
1980.....	2.3	-	-	-	0.0	0.0	-	0.1	0.3	0.5
1979.....	2.4	-	-	-	0.0	0.0	-	0.0	0.2	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										
BLACK MALE										
1998.....	3.3	*	*	*	*	*	*	*	*	*
1997.....	3.5	*	*	*	*	*	*	*	*	*
1996.....	3.6	*	*	*	*	*	*	*	*	*
1995.....	3.7	*	*	*	*	*	*	*	*	*
1994.....	3.7	*	*	*	*	*	*	*	*	*
1993.....	3.9	*	*	*	*	*	*	*	*	*
1992.....	3.9	*	*	*	*	*	*	*	*	*
1991.....	3.6	*	*	*	*	*	*	*	*	*
1990.....	3.8	*	*	*	*	*	*	*	*	*
1989.....	3.8	*	*	*	*	*	*	*	*	*
1988.....	4.6	*	*	*	*	*	*	*	*	*
1987.....	3.9	*	*	*	*	*	*	*	*	*
1986.....	4.0	*	*	*	*	*	*	*	*	*
1985.....	3.9	*	*	*	*	*	*	*	*	*
1984.....	3.6	*	*	*	*	*	*	*	*	*
1983.....	3.7	*	*	*	*	*	*	*	*	*
1982.....	3.5	*	*	*	*	*	*	*	*	*
1981.....	4.1	*	*	*	*	*	*	*	*	*
1980.....	4.0	-	-	-	0.1	0.1	-	-	0.7	0.9
1979.....	4.1	-	-	-	0.1	-	-	-	0.2	1.2
BLACK FEMALE										
1998.....	1.9	*	*	*	*	*	*	*	*	*
1997.....	1.6	*	*	*	*	*	*	*	*	*
1996.....	1.7	*	*	*	*	*	*	*	*	*
1995.....	1.6	*	*	*	*	*	*	*	*	*
1994.....	1.7	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.4	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.9	-	-	-	-	-	-	0.2	-	0.1
1979.....	0.9	-	-	-	-	0.1	-	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
TOTAL, BOTH SEXES										
1998.....	2.0	*	0.2	0.2	0.5	0.5	0.7	0.7	0.7	0.9
1997.....	2.0	*	0.2	0.2	0.4	0.4	0.5	0.7	0.8	0.9
1996.....	2.1	*	0.2	0.2	0.5	0.5	0.6	0.7	0.7	0.9
1995.....	2.1	*	0.1	0.2	0.5	0.7	0.6	0.6	0.8	1.0
1994.....	2.1	*	0.2	0.2	0.4	0.6	0.6	0.7	0.7	0.9
1993.....	2.0	*	0.2	0.2	0.5	0.5	0.5	0.5	0.6	0.9
1992.....	1.9	*	0.2	0.2	0.3	0.5	0.5	0.5	0.6	0.8
1991.....	2.0	*	0.2	0.2	0.4	0.5	0.5	0.6	0.7	0.8
1990.....	1.9	*	0.2	0.2	0.4	0.4	0.4	0.5	0.6	0.8
1989.....	2.0	*	0.2	0.2	0.3	0.4	0.4	0.5	0.7	0.8
1988.....	1.9	*	*	0.1	0.4	0.4	0.5	0.5	0.6	0.8
1987.....	1.8	*	*	*	0.5	0.5	0.4	0.4	0.5	0.8
1986.....	1.6	*	*	0.1	0.4	0.4	0.4	0.4	0.5	0.7
1985.....	1.6	*	0.1	0.2	0.4	0.3	0.5	0.3	0.5	0.7
1984.....	1.5	*	*	0.2	0.3	0.3	0.4	0.3	0.4	0.6
1983.....	1.5	*	0.2	0.1	0.3	0.4	0.3	0.4	0.5	0.6
1982.....	1.4	*	0.2	0.2	0.3	0.4	0.4	0.4	0.5	0.5
1981.....	1.3	*	*	0.2	0.3	0.3	0.3	0.4	0.4	0.6
1980.....	1.3	0.2	0.2	0.1	0.3	0.2	0.3	0.3	0.4	0.4
1979.....	1.2	0.1	0.2	0.1	0.1	0.2	0.2	0.3	0.3	0.5
TOTAL, MALE										
1998.....	1.5	*	0.3	0.2	0.6	0.5	0.9	0.8	0.7	0.9
1997.....	1.5	*	0.3	0.3	0.4	0.6	0.7	0.7	0.9	0.8
1996.....	1.6	*	0.3	0.3	0.6	0.6	0.7	0.7	0.6	0.8
1995.....	1.6	*	*	0.3	0.7	0.6	0.6	0.6	0.8	0.9
1994.....	1.7	*	*	0.2	0.5	0.8	0.7	0.7	0.8	0.9
1993.....	1.5	*	0.2	*	0.5	0.6	0.7	0.5	0.5	0.7
1992.....	1.5	*	*	*	0.3	0.5	0.5	0.5	0.7	0.7
1991.....	1.6	*	*	*	0.5	0.6	0.5	0.6	0.7	0.7
1990.....	1.6	*	*	0.2	0.5	0.4	0.4	0.5	0.6	0.8
1989.....	1.5	*	*	0.2	0.4	0.5	0.4	0.5	0.7	0.7
1988.....	1.5	*	*	*	0.4	0.4	0.5	0.5	0.6	0.8
1987.....	1.5	*	*	*	0.6	0.6	0.5	0.4	0.5	0.8
1986.....	1.4	*	*	*	0.5	0.5	0.4	0.5	0.4	0.6
1985.....	1.3	*	*	*	0.4	0.3	0.4	0.3	0.5	0.7
1984.....	1.3	*	*	*	0.4	0.3	0.4	0.3	0.3	0.5
1983.....	1.3	*	0.3	*	0.4	0.4	0.3	0.4	0.5	0.6
1982.....	1.2	*	*	*	0.2	0.4	0.4	0.3	0.6	0.5
1981.....	1.2	*	*	*	0.3	0.3	0.3	0.4	0.4	0.4
1980.....	1.2	0.3	0.2	0.1	0.2	0.2	0.3	0.3	0.3	0.3
1979.....	1.0	0.2	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
TOTAL, FEMALE										
1998.....	2.5	*	*	0.2	0.3	0.4	0.5	0.6	0.7	1.0
1997.....	2.5	*	*	*	0.4	0.2	0.4	0.7	0.7	1.0
1996.....	2.7	*	*	*	0.5	0.5	0.6	0.8	0.8	1.1
1995.....	2.6	*	*	*	0.3	0.7	0.5	0.6	0.8	1.1
1994.....	2.5	*	*	*	0.3	0.5	0.5	0.7	0.7	1.0
1993.....	2.5	*	*	*	0.4	0.4	0.4	0.6	0.7	1.0
1992.....	2.4	*	*	*	0.3	0.4	0.4	0.4	0.6	0.9
1991.....	2.5	*	*	*	0.3	0.5	0.4	0.5	0.8	0.9
1990.....	2.3	*	*	*	0.4	0.4	0.4	0.5	0.6	0.8
1989.....	2.4	*	*	*	0.3	0.4	0.3	0.5	0.7	0.9
1988.....	2.2	*	*	*	0.4	0.3	0.4	0.5	0.5	0.8
1987.....	2.1	*	*	*	0.4	0.5	0.4	0.4	0.6	0.9
1986.....	1.9	*	*	*	0.4	0.4	0.4	0.4	0.6	0.8
1985.....	1.9	*	*	*	0.4	0.3	0.5	0.4	0.5	0.7
1984.....	1.7	*	*	*	*	0.3	0.3	0.4	0.6	0.7
1983.....	1.8	*	*	*	0.3	0.4	0.3	0.5	0.5	0.7
1982.....	1.5	*	*	*	0.3	0.3	0.4	0.4	0.4	0.5
1981.....	1.5	*	*	*	0.2	*	0.3	0.4	0.5	0.8
1980.....	1.4	0.1	0.1	0.1	0.3	0.2	0.3	0.3	0.4	0.6
1979.....	1.3	0.1	0.2	0.1	0.1	0.3	0.2	0.3	0.3	0.7
WHITE, BOTH SEXES										
1998.....	1.8	*	*	0.1	0.3	0.3	0.4	0.4	0.4	0.6
1997.....	1.8	*	*	*	0.2	0.3	0.4	0.5	0.5	0.6
1996.....	1.9	*	*	0.1	0.3	0.3	0.4	0.5	0.4	0.6
1995.....	1.9	*	*	*	0.3	0.5	0.4	0.5	0.6	0.8
1994.....	1.9	*	*	*	0.2	0.4	0.4	0.4	0.5	0.7
1993.....	1.8	*	*	*	0.3	0.3	0.4	0.3	0.4	0.6
1992.....	1.8	*	*	*	0.2	0.3	0.3	0.3	0.4	0.6
1991.....	1.9	*	*	*	0.3	0.4	0.3	0.4	0.5	0.5
1990.....	1.8	*	*	*	0.3	0.3	0.3	0.4	0.4	0.5
1989.....	1.8	*	*	*	0.3	0.3	0.3	0.3	0.5	0.5
1988.....	1.7	*	*	*	0.3	0.3	0.3	0.4	0.3	0.5
1987.....	1.6	*	*	*	0.3	0.4	0.3	0.3	0.4	0.6
1986.....	1.5	*	*	*	0.3	0.3	0.3	0.3	0.4	0.5
1985.....	1.5	*	*	*	0.2	0.2	0.3	0.2	0.4	0.5
1984.....	1.4	*	*	*	0.2	0.2	0.3	0.2	0.3	0.4
1983.....	1.4	*	*	*	0.2	0.3	0.2	0.3	0.3	0.4
1982.....	1.2	*	*	*	0.1	0.3	0.2	0.3	0.3	0.3
1981.....	1.2	*	*	*	0.2	0.2	0.2	0.3	0.3	0.4
1980.....	1.2	0.2	0.1	0.0	0.2	0.1	0.2	0.2	0.2	0.3
1979.....	1.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
WHITE MALE										
1998.....	1.2	*	*	*	0.3	0.4	0.5	0.5	0.4	0.6
1997.....	1.3	*	*	*	0.3	0.5	0.5	0.4	0.5	0.5
1996.....	1.3	*	*	*	0.4	0.3	0.4	0.4	0.3	0.5
1995.....	1.4	*	*	*	0.3	0.4	0.3	0.5	0.5	0.7
1994.....	1.4	*	*	*	0.3	0.5	0.4	0.3	0.5	0.6
1993.....	1.3	*	*	*	0.3	0.4	0.4	0.2	0.3	0.5
1992.....	1.3	*	*	*	*	0.4	0.3	0.3	0.4	0.6
1991.....	1.3	*	*	*	0.4	0.4	0.2	0.4	0.5	0.4
1990.....	1.3	*	*	*	*	0.3	0.3	0.3	0.4	0.5
1989.....	1.3	*	*	*	0.4	0.3	*	0.3	0.5	0.4
1988.....	1.3	*	*	*	0.3	0.3	0.3	0.3	0.3	0.5
1987.....	1.2	*	*	*	0.3	0.4	0.3	0.2	0.3	0.5
1986.....	1.2	*	*	*	*	0.3	0.3	0.4	0.3	0.5
1985.....	1.2	*	*	*	*	*	*	*	0.3	0.4
1984.....	1.1	*	*	*	0.3	*	0.3	*	0.2	0.3
1983.....	1.1	*	*	*	*	*	*	0.2	0.3	0.4
1982.....	1.0	*	*	*	*	0.3	0.3	0.2	0.3	0.3
1981.....	1.0	*	*	*	*	*	*	0.3	*	*
1980.....	1.1	0.2	0.1	0.0	0.1	0.1	0.2	0.3	0.2	0.2
1979.....	1.0	0.3	0.1	0.0	0.2	0.2	0.2	0.1	0.2	0.2
WHITE FEMALE										
1998.....	2.3	*	*	*	*	*	0.4	0.4	0.4	0.6
1997.....	2.3	*	*	*	*	*	0.4	0.5	0.5	0.8
1996.....	2.4	*	*	*	*	0.3	0.4	0.6	0.5	0.8
1995.....	2.5	*	*	*	0.3	0.6	0.4	0.5	0.7	0.8
1994.....	2.4	*	*	*	*	*	0.4	0.5	0.6	0.7
1993.....	2.3	*	*	*	0.3	0.3	0.4	0.4	0.5	0.7
1992.....	2.2	*	*	*	*	*	0.3	0.3	0.4	0.6
1991.....	2.3	*	*	*	*	0.3	0.3	0.4	0.5	0.5
1990.....	2.2	*	*	*	0.3	0.4	0.3	0.4	0.3	0.5
1989.....	2.3	*	*	*	*	0.4	0.3	0.4	0.5	0.6
1988.....	2.1	*	*	*	*	*	0.3	0.4	0.4	0.5
1987.....	2.0	*	*	*	*	0.4	*	0.3	0.4	0.7
1986.....	1.8	*	*	*	0.3	*	0.3	0.3	0.4	0.5
1985.....	1.8	*	*	*	0.3	*	0.4	0.3	0.4	0.6
1984.....	1.6	*	*	*	*	*	0.3	0.3	0.3	0.4
1983.....	1.6	*	*	*	*	0.3	0.3	0.4	0.3	0.5
1982.....	1.4	*	*	*	*	0.3	0.2	0.3	0.3	0.3
1981.....	1.4	*	*	*	*	*	0.2	0.2	0.3	0.6
1980.....	1.3	0.1	0.1	0.0	0.2	0.1	0.2	0.2	0.2	0.5
1979.....	1.2	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
ALL OTHER, BOTH SEXES										
1998.....	3.2	*	0.6	0.5	1.1	1.2	1.6	1.8	2.0	2.5
1997.....	3.1	*	0.6	0.7	0.9	0.9	1.0	1.8	1.9	2.3
1996.....	3.4	*	0.7	0.6	1.4	1.4	1.5	1.6	1.9	2.2
1995.....	3.2	*	*	0.6	1.3	1.4	1.5	1.3	1.8	2.2
1994.....	3.1	*	*	0.5	1.1	1.5	1.2	2.1	1.7	2.3
1993.....	2.9	*	0.6	*	1.1	1.1	1.2	1.5	1.5	2.3
1992.....	2.8	*	0.7	0.6	0.7	1.0	1.2	1.0	1.7	1.9
1991.....	2.9	*	*	0.6	0.8	1.2	1.3	1.3	1.9	2.3
1990.....	2.8	*	*	*	1.0	0.8	1.1	1.2	1.8	2.1
1989.....	2.8	*	*	0.6	0.7	0.7	0.9	1.4	1.6	2.2
1988.....	2.9	*	*	*	1.0	0.9	1.2	1.2	1.6	2.3
1987.....	2.8	*	*	*	1.4	1.2	1.1	0.9	1.5	2.3
1986.....	2.5	*	*	*	0.9	1.3	1.0	1.0	1.3	1.9
1985.....	2.4	*	*	*	1.1	0.9	1.3	0.9	1.5	2.0
1984.....	2.2	*	*	*	0.8	0.9	0.7	0.9	1.3	2.0
1983.....	2.4	*	*	*	0.9	1.0	0.8	1.1	1.7	1.7
1982.....	2.1	*	*	*	0.7	0.8	1.2	1.0	1.6	1.7
1981.....	1.9	*	*	*	0.6	0.7	0.6	1.1	1.3	1.9
1980.....	1.9	0.5	0.5	0.3	0.7	0.5	0.9	0.9	1.5	1.2
1979.....	1.6	-	0.2	0.2	0.2	0.6	0.7	1.1	1.1	1.6
ALL OTHER MALE										
1998.....	2.8	*	*	*	1.6	1.3	2.4	2.2	2.2	2.3
1997.....	2.7	*	*	*	*	1.1	1.4	2.1	2.4	2.6
1996.....	3.0	*	*	*	1.5	1.8	1.8	1.7	1.9	2.2
1995.....	2.9	*	*	*	2.0	1.7	1.9	1.4	2.1	2.2
1994.....	2.9	*	*	*	1.5	1.9	1.7	2.4	2.4	2.1
1993.....	2.7	*	*	*	1.5	1.4	1.7	1.5	1.2	2.1
1992.....	2.5	*	*	*	*	1.3	1.5	1.5	1.9	1.5
1991.....	2.7	*	*	*	1.1	1.4	1.6	1.5	1.9	2.2
1990.....	2.8	*	*	*	1.5	*	1.2	1.2	1.7	2.1
1989.....	2.6	*	*	*	*	*	1.2	1.8	1.8	2.3
1988.....	2.9	*	*	*	*	1.2	1.6	1.6	1.9	2.4
1987.....	2.7	*	*	*	1.9	1.4	1.3	1.3	1.5	2.5
1986.....	2.3	*	*	*	1.2	1.6	1.1	1.2	*	1.6
1985.....	2.4	*	*	*	1.2	*	1.7	*	1.9	2.6
1984.....	2.2	*	*	*	*	*	*	*	*	1.8
1983.....	2.3	*	*	*	*	1.2	*	*	1.8	*
1982.....	2.1	*	*	*	*	*	1.5	*	2.1	*
1981.....	2.0	*	*	*	*	*	*	*	*	*
1980.....	1.9	0.9	0.6	0.3	0.9	0.6	1.1	0.9	1.1	1.1
1979.....	1.6	-	0.2	0.2	0.3	0.5	0.7	1.3	1.0	1.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
ALL OTHER FEMALE										
1998.....	3.5	*	*	*	*	1.1	*	1.5	1.8	2.7
1997.....	3.4	*	*	*	*	*	*	1.5	1.4	2.1
1996.....	3.8	*	*	*	1.4	*	1.3	1.5	1.9	2.2
1995.....	3.4	*	*	*	*	*	1.1	1.2	1.4	2.3
1994.....	3.2	*	*	*	*	1.2	*	1.7	1.1	2.4
1993.....	3.2	*	*	*	*	*	*	1.4	1.9	2.4
1992.....	3.0	*	*	*	*	*	*	*	1.5	2.3
1991.....	3.0	*	*	*	*	*	*	1.2	1.9	2.5
1990.....	2.9	*	*	*	*	*	*	1.1	1.8	2.1
1989.....	3.0	*	*	*	*	*	*	*	1.5	2.1
1988.....	3.0	*	*	*	*	*	*	*	1.4	2.3
1987.....	2.8	*	*	*	*	*	*	*	1.6	2.1
1986.....	2.7	*	*	*	*	*	*	*	1.6	2.2
1985.....	2.4	*	*	*	*	*	*	*	1.3	1.5
1984.....	2.3	*	*	*	*	*	*	*	1.7	2.1
1983.....	2.4	*	*	*	*	*	*	*	1.6	1.7
1982.....	2.1	*	*	*	*	*	*	*	*	*
1981.....	1.8	*	*	*	*	*	*	*	*	2.3
1980.....	1.9	-	0.4	0.3	0.4	0.5	0.8	1.0	1.9	1.3
1979.....	1.7	-	0.2	0.2	0.2	0.8	0.6	1.0	1.2	1.9
BLACK, BOTH SEXES										
1998.....	3.7	*	*	0.7	1.3	1.5	2.1	2.4	2.4	3.4
1997.....	3.5	*	*	0.8	1.2	1.0	1.2	2.4	2.4	3.0
1996.....	4.0	*	0.8	0.7	1.8	1.8	1.9	2.0	2.3	2.9
1995.....	3.8	*	*	0.7	1.7	1.7	1.9	1.8	2.3	2.7
1994.....	3.6	*	*	*	1.4	1.9	1.4	2.6	2.3	3.0
1993.....	3.5	*	*	*	1.3	1.3	1.6	1.8	1.9	2.8
1992.....	3.3	*	0.9	0.8	0.9	1.3	1.6	1.2	2.1	2.3
1991.....	3.3	*	*	0.8	1.0	1.4	1.5	1.6	2.4	2.9
1990.....	3.2	*	*	*	1.3	1.0	1.3	1.4	2.2	2.6
1989.....	3.3	*	*	*	0.8	0.8	1.1	1.6	2.0	2.8
1988.....	3.4	*	*	*	1.2	1.0	1.4	1.4	2.1	3.0
1987.....	3.1	*	*	*	1.6	1.4	1.3	1.2	2.0	2.9
1986.....	2.9	*	*	*	1.2	1.4	1.2	1.2	1.6	2.3
1985.....	2.7	*	*	*	1.3	0.9	1.5	1.0	1.9	2.6
1984.....	2.5	*	*	*	0.9	1.0	0.9	1.0	1.6	2.3
1983.....	2.6	*	*	*	1.0	1.2	0.8	1.4	2.2	2.1
1982.....	2.4	*	*	*	0.9	0.9	1.3	1.3	1.9	2.1
1981.....	2.1	*	*	*	*	0.8	0.7	1.3	1.4	2.3
1980.....	2.1	0.6	0.5	0.4	0.8	0.6	1.1	1.1	1.7	1.4
1979.....	1.8	-	0.2	0.2	0.3	0.7	0.7	1.4	1.3	1.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
BLACK MALE										
1998.....	3.3	*	*	*	1.8	1.7	3.2	2.9	2.8	3.2
1997.....	3.1	*	*	*	*	*	1.8	2.7	3.0	3.4
1996.....	3.4	*	*	*	1.8	2.3	2.1	2.0	2.3	2.9
1995.....	3.4	*	*	*	2.5	2.2	2.4	2.0	2.9	2.7
1994.....	3.4	*	*	*	1.9	2.2	2.0	3.2	3.3	2.7
1993.....	3.0	*	*	*	1.9	1.7	2.2	2.0	1.5	2.6
1992.....	2.9	*	*	*	*	1.6	2.0	1.9	2.4	1.8
1991.....	3.2	*	*	*	*	1.7	1.8	1.8	2.5	2.6
1990.....	3.2	*	*	*	1.8	*	1.5	1.6	2.2	2.9
1989.....	3.0	*	*	*	*	*	*	2.2	2.3	2.9
1988.....	3.3	*	*	*	*	1.4	1.7	1.9	2.4	3.2
1987.....	3.1	*	*	*	2.2	1.6	1.6	1.7	1.9	3.1
1986.....	2.6	*	*	*	1.6	1.7	1.4	1.5	*	*
1985.....	2.7	*	*	*	*	*	2.0	*	2.4	3.4
1984.....	2.3	*	*	*	*	*	*	*	*	*
1983.....	2.6	*	*	*	*	1.4	*	*	2.3	*
1982.....	2.3	*	*	*	*	*	1.8	*	2.5	*
1981.....	2.2	*	*	*	*	*	*	*	*	*
1980.....	2.1	1.1	0.6	0.3	1.1	0.7	1.2	1.0	1.4	1.2
1979.....	1.7	-	0.2	0.2	0.3	0.5	0.8	1.5	1.2	1.4
BLACK FEMALE										
1998.....	4.2	*	*	*	*	1.3	*	2.0	2.1	3.6
1997.....	3.9	*	*	*	*	*	*	2.1	1.9	2.6
1996.....	4.5	*	*	*	1.7	*	1.6	2.1	2.3	2.9
1995.....	4.1	*	*	*	*	*	1.5	1.6	1.7	2.7
1994.....	3.8	*	*	*	*	1.6	*	2.1	1.5	3.2
1993.....	3.8	*	*	*	*	*	*	1.6	2.3	3.0
1992.....	3.6	*	*	*	*	*	*	*	1.9	2.8
1991.....	3.5	*	*	*	*	*	*	1.5	2.4	3.2
1990.....	3.3	*	*	*	*	*	*	*	2.3	2.4
1989.....	3.5	*	*	*	*	*	*	*	1.8	2.7
1988.....	3.5	*	*	*	*	*	*	*	1.9	2.9
1987.....	3.2	*	*	*	*	*	*	*	2.1	2.8
1986.....	3.1	*	*	*	*	*	*	*	1.9	2.6
1985.....	2.7	*	*	*	*	*	*	*	1.6	*
1984.....	2.6	*	*	*	*	*	*	*	2.1	2.4
1983.....	2.7	*	*	*	*	*	*	*	2.0	*
1982.....	2.4	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	2.8
1980.....	2.1	-	0.4	0.4	0.5	0.5	0.9	1.1	2.1	1.6
1979.....	1.8	-	0.2	0.2	0.2	0.9	0.6	1.2	1.4	2.3

TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,  
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
TOTAL, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
TOTAL, MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.3	-	-	-	0.0	0.0	0.0	0.0	0.1	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
TOTAL, FEMALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.3	-	0.0	0.0	-	-	0.0	0.0	0.0	0.1
WHITE, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.3	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
WHITE MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.3	-	-	-	0.0	0.0	-	-	0.0	0.1
WHITE FEMALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	0.0	-	0.0	0.0	-	0.1	0.1
1979.....	0.3	-	-	0.0	-	-	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
ALL OTHER, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.0	-	0.1	0.1	0.1	0.1	0.0	0.3
1979.....	0.2	-	0.0	-	-	0.0	0.1	0.1	0.2	0.1
ALL OTHER MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.1	0.1	0.1	0.5
1979.....	0.3	-	-	-	-	0.1	0.1	0.1	0.2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
ALL OTHER FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.1	-	0.1	0.1	0.1	0.1	-	0.1
1979.....	0.1	-	0.1	-	-	-	0.1	0.1	0.2	0.2
BLACK, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	0.1	0.1	0.1	0.1	0.1	0.2
1979.....	0.2	-	-	-	-	-	0.1	0.0	0.2	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.1	0.2	0.1	0.3
1979.....	0.3	-	-	-	-	-	0.1	-	0.2	-
BLACK FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	0.1	0.1	0.1	0.1	-	0.1
1979.....	0.1	-	-	-	-	-	0.1	0.1	0.1	0.3



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
TOTAL, BOTH SEXES										
1998.....	31.6	*	*	*	*	*	*	*	*	0.3
1997.....	30.6	*	*	*	*	*	*	*	0.1	0.3
1996.....	29.7	*	*	*	*	*	*	*	*	0.3
1995.....	28.9	*	*	*	*	*	*	*	0.1	0.2
1994.....	28.5	*	*	*	*	*	*	*	0.1	0.2
1993.....	28.5	*	*	*	*	*	*	*	*	0.3
1992.....	25.9	*	*	*	*	*	*	*	*	0.2
1991.....	25.6	*	*	*	*	*	*	*	*	0.2
1990.....	24.8	*	*	*	*	*	*	*	*	0.2
1989.....	24.0	*	*	*	*	*	*	*	0.1	0.3
1988.....	23.8	*	*	*	*	*	*	*	*	0.2
1987.....	22.7	*	*	*	*	*	*	*	*	0.2
1986.....	22.3	*	*	*	*	*	*	*	*	0.2
1985.....	21.9	*	*	*	*	*	*	*	*	0.2
1984.....	20.3	*	*	*	*	*	*	*	*	0.2
1983.....	19.3	*	*	*	*	*	*	*	*	0.2
1982.....	17.1	*	*	*	*	*	*	*	*	0.3
1981.....	16.5	*	*	*	*	*	*	*	*	0.2
1980.....	15.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3
1979.....	13.1	0.1	0.0	-	0.0	0.0	0.0	0.0	0.1	0.3
TOTAL, MALE										
1998.....	33.2	*	*	*	*	*	*	*	*	0.4
1997.....	32.6	*	*	*	*	*	*	*	*	0.3
1996.....	31.6	*	*	*	*	*	*	*	*	0.3
1995.....	31.5	*	*	*	*	*	*	*	*	0.3
1994.....	31.4	*	*	*	*	*	*	*	*	0.3
1993.....	32.0	*	*	*	*	*	*	*	*	0.3
1992.....	29.7	*	*	*	*	*	*	*	*	0.3
1991.....	29.8	*	*	*	*	*	*	*	*	0.3
1990.....	29.6	*	*	*	*	*	*	*	*	0.3
1989.....	28.9	*	*	*	*	*	*	*	*	0.3
1988.....	29.5	*	*	*	*	*	*	*	*	0.3
1987.....	28.7	*	*	*	*	*	*	*	*	0.3
1986.....	28.8	*	*	*	*	*	*	*	*	0.2
1985.....	28.8	*	*	*	*	*	*	*	*	0.3
1984.....	27.3	*	*	*	*	*	*	*	*	0.3
1983.....	26.4	*	*	*	*	*	*	*	*	0.3
1982.....	23.9	*	*	*	*	*	*	*	*	0.4
1981.....	23.5	*	*	*	*	*	*	*	*	0.3
1980.....	22.2	0.1	0.0	0.0	0.0	0.0	-	0.1	0.1	0.3
1979.....	19.5	0.1	0.0	-	0.0	0.0	0.0	0.0	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
TOTAL, FEMALE										
1998.....	30.1	*	*	*	*	*	*	*	*	0.2
1997.....	28.7	*	*	*	*	*	*	*	*	0.2
1996.....	27.8	*	*	*	*	*	*	*	*	0.2
1995.....	26.4	*	*	*	*	*	*	*	*	*
1994.....	25.8	*	*	*	*	*	*	*	*	0.2
1993.....	25.2	*	*	*	*	*	*	*	*	0.2
1992.....	22.2	*	*	*	*	*	*	*	*	0.2
1991.....	21.5	*	*	*	*	*	*	*	*	*
1990.....	20.2	*	*	*	*	*	*	*	*	*
1989.....	19.4	*	*	*	*	*	*	*	*	0.2
1988.....	18.4	*	*	*	*	*	*	*	*	*
1987.....	17.0	*	*	*	*	*	*	*	*	*
1986.....	16.1	*	*	*	*	*	*	*	*	*
1985.....	15.4	*	*	*	*	*	*	*	*	*
1984.....	13.7	*	*	*	*	*	*	*	*	*
1983.....	12.5	*	*	*	*	*	*	*	*	*
1982.....	10.7	*	*	*	*	*	*	*	*	*
1981.....	9.9	*	*	*	*	*	*	*	*	*
1980.....	8.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2
1979.....	7.1	-	0.0	-	-	0.0	0.0	0.0	0.1	0.2
WHITE, BOTH SEXES										
1998.....	35.7	*	*	*	*	*	*	*	*	0.3
1997.....	34.5	*	*	*	*	*	*	*	*	0.2
1996.....	33.5	*	*	*	*	*	*	*	*	0.3
1995.....	32.5	*	*	*	*	*	*	*	0.1	0.2
1994.....	32.0	*	*	*	*	*	*	*	*	0.2
1993.....	32.0	*	*	*	*	*	*	*	*	0.3
1992.....	29.0	*	*	*	*	*	*	*	*	0.2
1991.....	28.5	*	*	*	*	*	*	*	*	0.2
1990.....	27.5	*	*	*	*	*	*	*	*	0.2
1989.....	26.6	*	*	*	*	*	*	*	*	0.2
1988.....	26.3	*	*	*	*	*	*	*	*	0.2
1987.....	25.1	*	*	*	*	*	*	*	*	0.2
1986.....	24.6	*	*	*	*	*	*	*	*	0.2
1985.....	24.2	*	*	*	*	*	*	*	*	0.2
1984.....	22.3	*	*	*	*	*	*	*	*	0.2
1983.....	21.2	*	*	*	*	*	*	*	*	0.2
1982.....	18.8	*	*	*	*	*	*	*	*	0.2
1981.....	18.1	*	*	*	*	*	*	*	*	0.2
1980.....	16.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2
1979.....	14.3	0.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
WHITE MALE										
1998.....	36.9	*	*	*	*	*	*	*	*	0.4
1997.....	36.1	*	*	*	*	*	*	*	*	0.3
1996.....	35.1	*	*	*	*	*	*	*	*	0.3
1995.....	34.9	*	*	*	*	*	*	*	*	0.2
1994.....	34.7	*	*	*	*	*	*	*	*	0.3
1993.....	35.3	*	*	*	*	*	*	*	*	0.3
1992.....	32.8	*	*	*	*	*	*	*	*	*
1991.....	32.8	*	*	*	*	*	*	*	*	0.3
1990.....	32.4	*	*	*	*	*	*	*	*	*
1989.....	31.4	*	*	*	*	*	*	*	*	0.2
1988.....	32.2	*	*	*	*	*	*	*	*	*
1987.....	31.4	*	*	*	*	*	*	*	*	*
1986.....	31.3	*	*	*	*	*	*	*	*	*
1985.....	31.4	*	*	*	*	*	*	*	*	0.3
1984.....	29.6	*	*	*	*	*	*	*	*	0.3
1983.....	28.7	*	*	*	*	*	*	*	*	*
1982.....	26.1	*	*	*	*	*	*	*	*	0.3
1981.....	25.6	*	*	*	*	*	*	*	*	*
1980.....	24.0	-	0.0	-	0.0	0.0	-	0.0	0.1	0.2
1979.....	21.0	0.1	-	-	0.0	0.0	0.0	0.0	0.0	0.2
WHITE FEMALE										
1998.....	34.6	*	*	*	*	*	*	*	*	*
1997.....	33.0	*	*	*	*	*	*	*	*	0.2
1996.....	31.9	*	*	*	*	*	*	*	*	*
1995.....	30.2	*	*	*	*	*	*	*	*	*
1994.....	29.5	*	*	*	*	*	*	*	*	*
1993.....	28.8	*	*	*	*	*	*	*	*	*
1992.....	25.3	*	*	*	*	*	*	*	*	*
1991.....	24.4	*	*	*	*	*	*	*	*	*
1990.....	22.8	*	*	*	*	*	*	*	*	*
1989.....	21.9	*	*	*	*	*	*	*	*	*
1988.....	20.8	*	*	*	*	*	*	*	*	*
1987.....	19.2	*	*	*	*	*	*	*	*	*
1986.....	18.2	*	*	*	*	*	*	*	*	*
1985.....	17.3	*	*	*	*	*	*	*	*	*
1984.....	15.4	*	*	*	*	*	*	*	*	*
1983.....	14.0	*	*	*	*	*	*	*	*	*
1982.....	12.0	*	*	*	*	*	*	*	*	*
1981.....	11.1	*	*	*	*	*	*	*	*	*
1980.....	9.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	7.8	-	0.0	-	-	0.0	0.0	0.0	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
ALL OTHER, BOTH SEXES										
1998.....	12.0	*	*	*	*	*	*	*	*	*
1997.....	11.9	*	*	*	*	*	*	*	*	*
1996.....	11.4	*	*	*	*	*	*	*	*	*
1995.....	11.2	*	*	*	*	*	*	*	*	0.5
1994.....	11.1	*	*	*	*	*	*	*	*	*
1993.....	11.2	*	*	*	*	*	*	*	*	*
1992.....	10.1	*	*	*	*	*	*	*	*	0.6
1991.....	10.3	*	*	*	*	*	*	*	*	*
1990.....	10.5	*	*	*	*	*	*	*	*	*
1989.....	10.6	*	*	*	*	*	*	*	*	0.6
1988.....	10.0	*	*	*	*	*	*	*	*	*
1987.....	9.5	*	*	*	*	*	*	*	*	*
1986.....	9.4	*	*	*	*	*	*	*	*	*
1985.....	9.2	*	*	*	*	*	*	*	*	*
1984.....	8.7	*	*	*	*	*	*	*	*	*
1983.....	8.0	*	*	*	*	*	*	*	*	*
1982.....	7.2	*	*	*	*	*	*	*	*	*
1981.....	6.9	*	*	*	*	*	*	*	*	*
1980.....	6.6	0.5	-	0.0	-	0.0	-	0.2	0.1	1.0
1979.....	5.8	-	0.0	-	-	-	-	0.0	0.2	0.8
ALL OTHER MALE										
1998.....	15.1	*	*	*	*	*	*	*	*	*
1997.....	15.1	*	*	*	*	*	*	*	*	*
1996.....	14.6	*	*	*	*	*	*	*	*	*
1995.....	14.5	*	*	*	*	*	*	*	*	*
1994.....	14.5	*	*	*	*	*	*	*	*	*
1993.....	15.2	*	*	*	*	*	*	*	*	*
1992.....	13.7	*	*	*	*	*	*	*	*	*
1991.....	14.2	*	*	*	*	*	*	*	*	*
1990.....	14.8	*	*	*	*	*	*	*	*	*
1989.....	15.1	*	*	*	*	*	*	*	*	*
1988.....	14.6	*	*	*	*	*	*	*	*	*
1987.....	13.9	*	*	*	*	*	*	*	*	*
1986.....	14.3	*	*	*	*	*	*	*	*	*
1985.....	13.9	*	*	*	*	*	*	*	*	*
1984.....	13.2	*	*	*	*	*	*	*	*	*
1983.....	12.5	*	*	*	*	*	*	*	*	*
1982.....	10.9	*	*	*	*	*	*	*	*	*
1981.....	11.0	*	*	*	*	*	*	*	*	*
1980.....	10.8	0.6	-	0.1	-	0.1	-	0.3	0.2	1.3
1979.....	9.6	-	0.1	-	-	-	-	-	0.3	1.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
ALL OTHER FEMALE										
1998.....	9.2	*	*	*	*	*	*	*	*	*
1997.....	8.9	*	*	*	*	*	*	*	*	*
1996.....	8.6	*	*	*	*	*	*	*	*	*
1995.....	8.2	*	*	*	*	*	*	*	*	*
1994.....	8.0	*	*	*	*	*	*	*	*	*
1993.....	7.5	*	*	*	*	*	*	*	*	*
1992.....	6.9	*	*	*	*	*	*	*	*	*
1991.....	6.8	*	*	*	*	*	*	*	*	*
1990.....	6.6	*	*	*	*	*	*	*	*	*
1989.....	6.6	*	*	*	*	*	*	*	*	*
1988.....	5.7	*	*	*	*	*	*	*	*	*
1987.....	5.6	*	*	*	*	*	*	*	*	*
1986.....	4.9	*	*	*	*	*	*	*	*	*
1985.....	5.1	*	*	*	*	*	*	*	*	*
1984.....	4.7	*	*	*	*	*	*	*	*	*
1983.....	3.9	*	*	*	*	*	*	*	*	*
1982.....	3.7	*	*	*	*	*	*	*	*	*
1981.....	3.2	*	*	*	*	*	*	*	*	*
1980.....	2.9	0.3	-	-	-	-	-	0.1	0.1	0.7
1979.....	2.4	-	-	-	-	-	-	0.1	0.1	0.4
BLACK, BOTH SEXES										
1998.....	14.0	*	*	*	*	*	*	*	*	*
1997.....	13.6	*	*	*	*	*	*	*	*	*
1996.....	13.3	*	*	*	*	*	*	*	*	*
1995.....	13.0	*	*	*	*	*	*	*	*	*
1994.....	12.9	*	*	*	*	*	*	*	*	*
1993.....	13.0	*	*	*	*	*	*	*	*	*
1992.....	11.8	*	*	*	*	*	*	*	*	*
1991.....	12.0	*	*	*	*	*	*	*	*	*
1990.....	12.1	*	*	*	*	*	*	*	*	*
1989.....	12.2	*	*	*	*	*	*	*	*	*
1988.....	11.5	*	*	*	*	*	*	*	*	*
1987.....	10.9	*	*	*	*	*	*	*	*	*
1986.....	10.7	*	*	*	*	*	*	*	*	*
1985.....	10.5	*	*	*	*	*	*	*	*	*
1984.....	9.8	*	*	*	*	*	*	*	*	*
1983.....	8.9	*	*	*	*	*	*	*	*	*
1982.....	8.0	*	*	*	*	*	*	*	*	*
1981.....	7.7	*	*	*	*	*	*	*	*	*
1980.....	7.3	0.6	-	0.0	-	-	-	0.2	0.2	1.2
1979.....	6.2	-	0.1	-	-	-	-	0.0	0.2	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
BLACK MALE										
1998.....	17.4	*	*	*	*	*	*	*	*	*
1997.....	17.2	*	*	*	*	*	*	*	*	*
1996.....	16.9	*	*	*	*	*	*	*	*	*
1995.....	16.9	*	*	*	*	*	*	*	*	*
1994.....	16.9	*	*	*	*	*	*	*	*	*
1993.....	17.7	*	*	*	*	*	*	*	*	*
1992.....	16.1	*	*	*	*	*	*	*	*	*
1991.....	16.6	*	*	*	*	*	*	*	*	*
1990.....	17.1	*	*	*	*	*	*	*	*	*
1989.....	17.3	*	*	*	*	*	*	*	*	*
1988.....	17.0	*	*	*	*	*	*	*	*	*
1987.....	16.0	*	*	*	*	*	*	*	*	*
1986.....	16.4	*	*	*	*	*	*	*	*	*
1985.....	15.9	*	*	*	*	*	*	*	*	*
1984.....	15.0	*	*	*	*	*	*	*	*	*
1983.....	14.0	*	*	*	*	*	*	*	*	*
1982.....	12.4	*	*	*	*	*	*	*	*	*
1981.....	12.3	*	*	*	*	*	*	*	*	*
1980.....	11.9	0.7	-	0.1	-	-	-	0.3	0.2	1.7
1979.....	10.4	-	0.1	-	-	-	-	-	0.4	1.5
BLACK FEMALE										
1998.....	10.9	*	*	*	*	*	*	*	*	*
1997.....	10.4	*	*	*	*	*	*	*	*	*
1996.....	10.1	*	*	*	*	*	*	*	*	*
1995.....	9.4	*	*	*	*	*	*	*	*	*
1994.....	9.3	*	*	*	*	*	*	*	*	*
1993.....	8.7	*	*	*	*	*	*	*	*	*
1992.....	8.0	*	*	*	*	*	*	*	*	*
1991.....	7.8	*	*	*	*	*	*	*	*	*
1990.....	7.5	*	*	*	*	*	*	*	*	*
1989.....	7.6	*	*	*	*	*	*	*	*	*
1988.....	6.5	*	*	*	*	*	*	*	*	*
1987.....	6.3	*	*	*	*	*	*	*	*	*
1986.....	5.7	*	*	*	*	*	*	*	*	*
1985.....	5.6	*	*	*	*	*	*	*	*	*
1984.....	5.1	*	*	*	*	*	*	*	*	*
1983.....	4.3	*	*	*	*	*	*	*	*	*
1982.....	4.1	*	*	*	*	*	*	*	*	*
1981.....	3.5	*	*	*	*	*	*	*	*	*
1980.....	3.2	0.4	-	-	-	-	-	0.1	0.1	0.9
1979.....	2.5	-	-	-	-	-	-	0.1	-	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
TOTAL, BOTH SEXES										
1998.....	5.1	*	*	*	*	*	*	0.1	0.1	0.2
1997.....	4.7	0.6	*	*	*	*	*	*	0.1	0.2
1996.....	4.3	*	*	*	*	*	0.1	0.1	0.2	0.2
1995.....	4.1	*	*	*	*	*	*	0.2	0.1	0.2
1994.....	3.9	*	*	*	*	*	0.1	0.2	0.2	0.2
1993.....	3.8	0.7	0.1	*	*	*	*	0.1	0.1	0.2
1992.....	3.7	0.5	*	*	*	*	*	0.1	0.1	0.3
1991.....	3.7	0.8	0.1	*	*	*	*	0.1	0.2	0.2
1990.....	3.7	0.5	0.1	*	*	*	*	0.1	0.1	0.2
1989.....	3.7	0.6	*	*	*	*	0.1	0.1	0.1	0.2
1988.....	3.7	1.0	*	*	*	*	*	0.1	0.2	0.2
1987.....	3.6	0.8	*	*	*	*	*	0.1	0.2	0.2
1986.....	3.4	1.0	0.1	*	*	*	*	0.1	0.1	0.2
1985.....	3.2	1.1	0.1	*	*	*	*	0.1	0.1	0.2
1984.....	2.9	1.3	0.2	*	*	*	*	0.1	0.1	0.2
1983.....	2.6	1.1	0.1	*	*	*	*	0.1	0.2	0.2
1982.....	2.4	1.2	0.2	*	*	*	*	*	0.2	0.2
1981.....	2.3	1.4	0.2	*	*	0.1	0.1	0.1	0.1	0.2
1980.....	2.2	1.6	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.3
1979.....	2.0	2.0	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.3
TOTAL, MALE										
1998.....	5.5	*	*	*	*	*	*	*	*	0.2
1997.....	5.1	*	*	*	*	*	*	*	*	0.3
1996.....	4.7	*	*	*	*	*	*	*	*	0.3
1995.....	4.6	*	*	*	*	*	*	*	*	0.2
1994.....	4.4	*	*	*	*	*	*	*	0.2	0.2
1993.....	4.3	*	*	*	*	*	*	*	0.2	0.3
1992.....	4.2	*	*	*	*	*	*	*	*	0.4
1991.....	4.3	*	*	*	*	*	*	*	0.2	*
1990.....	4.2	*	*	*	*	*	*	*	*	0.2
1989.....	4.3	*	*	*	*	*	*	*	*	0.3
1988.....	4.3	1.1	*	*	*	*	*	*	0.2	0.3
1987.....	4.3	*	*	*	*	*	*	*	0.2	0.2
1986.....	4.2	1.4	*	*	*	*	*	*	*	0.3
1985.....	4.0	*	*	*	*	*	*	*	*	0.3
1984.....	3.8	1.6	*	*	*	*	*	*	*	*
1983.....	3.5	*	*	*	*	*	*	*	0.3	0.3
1982.....	3.3	1.3	*	*	*	*	*	*	*	0.3
1981.....	3.4	1.6	*	*	*	*	*	*	*	*
1980.....	3.2	1.4	0.2	0.0	0.0	0.0	0.1	0.2	0.2	0.3
1979.....	3.0	2.3	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
TOTAL, FEMALE										
1998.....	4.7	*	*	*	*	*	*	*	*	0.2
1997.....	4.3	*	*	*	*	*	*	*	*	0.2
1996.....	4.0	*	*	*	*	*	*	*	*	*
1995.....	3.6	*	*	*	*	*	*	*	*	*
1994.....	3.4	*	*	*	*	*	*	*	*	*
1993.....	3.4	*	*	*	*	*	*	*	*	*
1992.....	3.2	*	*	*	*	*	*	*	*	0.2
1991.....	3.2	*	*	*	*	*	*	*	*	*
1990.....	3.1	*	*	*	*	*	*	*	*	*
1989.....	3.1	*	*	*	*	*	*	*	*	*
1988.....	3.1	*	*	*	*	*	*	*	*	*
1987.....	2.9	1.1	*	*	*	*	*	*	*	*
1986.....	2.6	*	*	*	*	*	*	*	*	*
1985.....	2.5	1.2	*	*	*	*	*	*	*	*
1984.....	2.1	*	*	*	*	*	*	*	*	*
1983.....	1.7	1.1	*	*	*	*	*	*	*	*
1982.....	1.5	*	*	*	*	*	*	*	*	*
1981.....	1.3	1.1	*	*	*	*	*	*	*	*
1980.....	1.3	1.9	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.3
1979.....	1.0	1.6	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.2
WHITE, BOTH SEXES										
1998.....	5.5	*	*	*	*	*	*	*	0.1	0.2
1997.....	5.1	*	*	*	*	*	*	*	0.1	0.2
1996.....	4.6	*	*	*	*	*	*	*	0.1	0.2
1995.....	4.4	*	*	*	*	*	*	0.2	*	0.2
1994.....	4.1	*	*	*	*	*	*	0.1	0.2	0.2
1993.....	4.1	*	*	*	*	*	*	*	*	0.2
1992.....	3.9	*	*	*	*	*	*	*	0.1	0.2
1991.....	3.9	*	*	*	*	*	*	*	0.1	0.1
1990.....	3.8	*	*	*	*	*	*	*	0.1	0.2
1989.....	3.8	*	*	*	*	*	*	*	0.1	0.2
1988.....	3.8	0.7	*	*	*	*	*	0.1	0.1	0.1
1987.....	3.7	0.8	*	*	*	*	*	*	0.1	0.1
1986.....	3.5	0.9	*	*	*	*	*	*	*	0.1
1985.....	3.3	1.1	*	*	*	*	*	0.1	0.1	0.2
1984.....	3.0	1.0	0.2	*	*	*	*	*	*	0.2
1983.....	2.6	1.0	*	*	*	*	*	0.1	0.2	0.2
1982.....	2.4	0.8	*	*	*	*	*	*	0.2	*
1981.....	2.4	1.2	0.2	*	*	*	*	*	*	0.2
1980.....	2.2	1.3	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.2
1979.....	2.0	1.3	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.2



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
WHITE MALE										
1998.....	5.9	*	*	*	*	*	*	*	*	0.2
1997.....	5.5	*	*	*	*	*	*	*	*	*
1996.....	5.0	*	*	*	*	*	*	*	*	0.2
1995.....	4.9	*	*	*	*	*	*	*	*	*
1994.....	4.7	*	*	*	*	*	*	*	*	*
1993.....	4.6	*	*	*	*	*	*	*	*	0.2
1992.....	4.4	*	*	*	*	*	*	*	*	0.3
1991.....	4.5	*	*	*	*	*	*	*	*	*
1990.....	4.4	*	*	*	*	*	*	*	*	*
1989.....	4.4	*	*	*	*	*	*	*	*	*
1988.....	4.5	*	*	*	*	*	*	*	*	*
1987.....	4.4	*	*	*	*	*	*	*	*	*
1986.....	4.3	*	*	*	*	*	*	*	*	*
1985.....	4.1	*	*	*	*	*	*	*	*	*
1984.....	3.9	*	*	*	*	*	*	*	*	*
1983.....	3.5	*	*	*	*	*	*	*	0.3	*
1982.....	3.3	*	*	*	*	*	*	*	*	*
1981.....	3.5	*	*	*	*	*	*	*	*	*
1980.....	3.2	1.3	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.2
1979.....	3.0	1.6	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2
WHITE FEMALE										
1998.....	5.1	*	*	*	*	*	*	*	*	*
1997.....	4.6	*	*	*	*	*	*	*	*	*
1996.....	4.3	*	*	*	*	*	*	*	*	*
1995.....	3.8	*	*	*	*	*	*	*	*	*
1994.....	3.6	*	*	*	*	*	*	*	*	*
1993.....	3.6	*	*	*	*	*	*	*	*	*
1992.....	3.4	*	*	*	*	*	*	*	*	*
1991.....	3.4	*	*	*	*	*	*	*	*	*
1990.....	3.3	*	*	*	*	*	*	*	*	*
1989.....	3.2	*	*	*	*	*	*	*	*	*
1988.....	3.2	*	*	*	*	*	*	*	*	*
1987.....	3.1	*	*	*	*	*	*	*	*	*
1986.....	2.7	*	*	*	*	*	*	*	*	*
1985.....	2.6	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	1.8	*	*	*	*	*	*	*	*	*
1982.....	1.5	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.3	1.3	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.3
1979.....	1.0	1.0	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
ALL OTHER, BOTH SEXES										
1998.....	3.3	*	*	*	*	*	*	*	*	*
1997.....	3.0	*	*	*	*	*	*	*	*	0.5
1996.....	2.8	*	*	*	*	*	*	*	*	*
1995.....	2.8	*	*	*	*	*	*	*	*	*
1994.....	2.7	*	*	*	*	*	*	*	*	*
1993.....	2.6	*	*	*	*	*	*	*	*	*
1992.....	2.6	*	*	*	*	*	*	*	*	0.6
1991.....	2.7	*	*	*	*	*	*	*	*	*
1990.....	2.8	*	*	*	*	*	*	*	*	*
1989.....	2.9	*	*	*	*	*	*	*	*	*
1988.....	2.9	*	*	*	*	*	*	*	*	*
1987.....	2.9	*	*	*	*	*	*	*	*	*
1986.....	2.9	*	*	*	*	*	*	*	*	*
1985.....	2.6	*	*	*	*	*	*	*	*	*
1984.....	2.4	*	*	*	*	*	*	*	*	*
1983.....	2.2	*	*	*	*	*	*	*	*	*
1982.....	2.1	3.0	*	*	*	*	*	*	*	*
1981.....	2.0	*	*	*	*	*	*	*	*	*
1980.....	2.1	3.1	0.3	0.1	0.1	0.1	0.2	0.1	0.6	0.7
1979.....	1.8	5.2	0.3	0.1	-	0.1	0.2	0.4	0.4	0.7
ALL OTHER MALE										
1998.....	3.5	*	*	*	*	*	*	*	*	*
1997.....	3.3	*	*	*	*	*	*	*	*	*
1996.....	3.2	*	*	*	*	*	*	*	*	*
1995.....	3.2	*	*	*	*	*	*	*	*	*
1994.....	3.2	*	*	*	*	*	*	*	*	*
1993.....	3.0	*	*	*	*	*	*	*	*	*
1992.....	3.0	*	*	*	*	*	*	*	*	*
1991.....	3.2	*	*	*	*	*	*	*	*	*
1990.....	3.3	*	*	*	*	*	*	*	*	*
1989.....	3.6	*	*	*	*	*	*	*	*	*
1988.....	3.5	*	*	*	*	*	*	*	*	*
1987.....	3.6	*	*	*	*	*	*	*	*	*
1986.....	3.6	*	*	*	*	*	*	*	*	*
1985.....	3.3	*	*	*	*	*	*	*	*	*
1984.....	3.2	*	*	*	*	*	*	*	*	*
1983.....	3.1	*	*	*	*	*	*	*	*	*
1982.....	2.9	*	*	*	*	*	*	*	*	*
1981.....	2.8	*	*	*	*	*	*	*	*	*
1980.....	2.8	1.9	0.3	0.1	0.2	0.1	0.1	0.1	0.8	0.8
1979.....	2.6	5.9	0.3	0.1	-	0.1	0.2	0.5	0.6	1.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
ALL OTHER FEMALE										
1998.....	3.0	*	*	*	*	*	*	*	*	*
1997.....	2.7	*	*	*	*	*	*	*	*	*
1996.....	2.5	*	*	*	*	*	*	*	*	*
1995.....	2.4	*	*	*	*	*	*	*	*	*
1994.....	2.4	*	*	*	*	*	*	*	*	*
1993.....	2.2	*	*	*	*	*	*	*	*	*
1992.....	2.2	*	*	*	*	*	*	*	*	*
1991.....	2.2	*	*	*	*	*	*	*	*	*
1990.....	2.3	*	*	*	*	*	*	*	*	*
1989.....	2.3	*	*	*	*	*	*	*	*	*
1988.....	2.3	*	*	*	*	*	*	*	*	*
1987.....	2.3	*	*	*	*	*	*	*	*	*
1986.....	2.2	*	*	*	*	*	*	*	*	*
1985.....	1.9	*	*	*	*	*	*	*	*	*
1984.....	1.7	*	*	*	*	*	*	*	*	*
1983.....	1.4	*	*	*	*	*	*	*	*	*
1982.....	1.4	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.4	4.4	0.2	0.1	-	0.2	0.2	-	0.4	0.6
1979.....	1.1	4.4	0.3	0.1	-	0.1	0.1	0.3	0.2	0.5
BLACK, BOTH SEXES										
1998.....	4.0	*	*	*	*	*	*	*	*	*
1997.....	3.6	*	*	*	*	*	*	*	*	*
1996.....	3.4	*	*	*	*	*	*	*	*	*
1995.....	3.3	*	*	*	*	*	*	*	*	*
1994.....	3.3	*	*	*	*	*	*	*	*	*
1993.....	3.0	*	*	*	*	*	*	*	*	*
1992.....	3.1	*	*	*	*	*	*	*	*	0.9
1991.....	3.1	*	*	*	*	*	*	*	*	*
1990.....	3.3	*	*	*	*	*	*	*	*	*
1989.....	3.4	*	*	*	*	*	*	*	*	*
1988.....	3.4	*	*	*	*	*	*	*	*	*
1987.....	3.3	*	*	*	*	*	*	*	*	*
1986.....	3.3	*	*	*	*	*	*	*	*	*
1985.....	3.0	*	*	*	*	*	*	*	*	*
1984.....	2.7	*	*	*	*	*	*	*	*	*
1983.....	2.5	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	*	*
1981.....	2.2	*	*	*	*	*	*	*	*	*
1980.....	2.3	3.7	0.3	0.1	0.1	0.1	0.1	0.0	0.7	0.9
1979.....	2.0	5.6	0.3	0.2	-	0.1	0.1	0.4	0.3	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
BLACK MALE										
1998.....	4.3	*	*	*	*	*	*	*	*	*
1997.....	3.9	*	*	*	*	*	*	*	*	*
1996.....	3.8	*	*	*	*	*	*	*	*	*
1995.....	3.7	*	*	*	*	*	*	*	*	*
1994.....	3.8	*	*	*	*	*	*	*	*	*
1993.....	3.5	*	*	*	*	*	*	*	*	*
1992.....	3.6	*	*	*	*	*	*	*	*	*
1991.....	3.8	*	*	*	*	*	*	*	*	*
1990.....	4.0	*	*	*	*	*	*	*	*	*
1989.....	4.2	*	*	*	*	*	*	*	*	*
1988.....	4.2	*	*	*	*	*	*	*	*	*
1987.....	4.2	*	*	*	*	*	*	*	*	*
1986.....	4.0	*	*	*	*	*	*	*	*	*
1985.....	3.9	*	*	*	*	*	*	*	*	*
1984.....	3.6	*	*	*	*	*	*	*	*	*
1983.....	3.6	*	*	*	*	*	*	*	*	*
1982.....	3.2	*	*	*	*	*	*	*	*	*
1981.....	3.1	*	*	*	*	*	*	*	*	*
1980.....	3.2	2.2	0.4	0.1	0.2	0.1	-	0.1	1.0	1.1
1979.....	2.9	6.2	0.3	0.2	-	0.1	0.2	0.6	0.6	1.2
BLACK FEMALE										
1998.....	3.7	*	*	*	*	*	*	*	*	*
1997.....	3.3	*	*	*	*	*	*	*	*	*
1996.....	3.0	*	*	*	*	*	*	*	*	*
1995.....	3.0	*	*	*	*	*	*	*	*	*
1994.....	2.9	*	*	*	*	*	*	*	*	*
1993.....	2.6	*	*	*	*	*	*	*	*	*
1992.....	2.6	*	*	*	*	*	*	*	*	*
1991.....	2.6	*	*	*	*	*	*	*	*	*
1990.....	2.7	*	*	*	*	*	*	*	*	*
1989.....	2.7	*	*	*	*	*	*	*	*	*
1988.....	2.6	*	*	*	*	*	*	*	*	*
1987.....	2.6	*	*	*	*	*	*	*	*	*
1986.....	2.6	*	*	*	*	*	*	*	*	*
1985.....	2.3	*	*	*	*	*	*	*	*	*
1984.....	1.9	*	*	*	*	*	*	*	*	*
1983.....	1.6	*	*	*	*	*	*	*	*	*
1982.....	1.5	*	*	*	*	*	*	*	*	*
1981.....	1.5	*	*	*	*	*	*	*	*	*
1980.....	1.5	5.3	0.2	0.1	-	0.2	0.1	-	0.5	0.8
1979.....	1.2	5.1	0.3	0.2	-	0.1	0.1	0.3	0.1	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)										
TOTAL, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	0.1
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	0.1
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	0.1
1991.....	0.3	*	*	*	*	*	*	*	*	0.1
1990.....	0.3	*	*	*	*	*	*	*	0.1	0.1
1989.....	0.4	*	*	*	*	*	*	*	0.1	0.2
1988.....	0.4	*	*	*	*	*	*	0.1	*	0.2
1987.....	0.5	*	*	*	*	*	*	*	0.1	0.2
1986.....	0.4	*	*	*	*	*	*	*	0.1	0.2
1985.....	0.5	*	*	*	*	*	*	*	0.1	0.1
1984.....	0.5	*	*	*	*	*	0.1	*	0.1	0.2
1983.....	0.5	*	*	*	*	*	*	*	*	0.2
1982.....	0.5	*	*	*	*	*	*	*	0.1	0.2
1981.....	0.5	*	*	*	*	*	*	0.1	0.1	0.2
1980.....	0.5	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2
1979.....	0.5	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2
TOTAL, MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	0.2
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	0.2
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	0.3
1988.....	0.6	*	*	*	*	*	*	*	*	0.3
1987.....	0.6	*	*	*	*	*	*	*	*	0.3
1986.....	0.6	*	*	*	*	*	*	*	*	0.3
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	0.3
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	0.3
1980.....	0.8	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3
1979.....	0.7	0.2	0.0	-	0.0	0.0	0.1	0.2	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)										
TOTAL, FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.1	-	-	-	0.1	0.0	0.1	0.1	0.1
1979.....	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1
WHITE, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	0.1
1988.....	0.4	*	*	*	*	*	*	*	*	0.1
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	0.1
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.1	0.0	-	0.0	0.1	0.1	0.1	0.1	0.1
1979.....	0.4	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)										
WHITE MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.1	0.0	-	0.0	0.1	0.1	0.1	0.1	0.1
1979.....	0.6	0.1	0.1	-	0.0	0.0	0.1	0.1	0.0	0.1
WHITE FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.1	-	-	-	0.1	0.0	0.0	0.1	0.1
1979.....	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)										
ALL OTHER, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	0.7
1987.....	0.6	*	*	*	*	*	*	*	*	0.9
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.3	-	0.0	-	0.1	0.2	0.3	0.4	0.7
1979.....	1.0	0.3	0.1	-	0.1	0.0	0.1	0.2	0.5	1.1
ALL OTHER MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.4	*	*	*	*	*	*	*	*	*
1980.....	1.5	0.3	-	0.1	-	0.1	0.3	0.4	0.7	1.4
1979.....	1.6	0.7	-	-	0.1	0.1	0.3	0.5	0.9	1.8



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)										
ALL OTHER FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.3	-	-	-	0.1	0.1	0.2	0.2	-
1979.....	0.4	-	0.2	-	-	-	-	-	0.2	0.5
BLACK, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	1.0
1987.....	0.8	*	*	*	*	*	*	*	*	1.2
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.4	-	-	-	0.1	0.1	0.3	0.5	0.8
1979.....	1.1	0.4	0.1	-	0.0	0.0	0.1	0.3	0.6	1.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)										
BLACK MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.2	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.4	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.4	*	*	*	*	*	*	*	*	*
1982.....	1.6	*	*	*	*	*	*	*	*	*
1981.....	1.5	*	*	*	*	*	*	*	*	*
1980.....	1.7	0.4	-	-	-	0.1	0.2	0.5	0.9	1.8
1979.....	1.8	0.8	-	-	0.1	0.1	0.3	0.6	1.1	2.2
BLACK FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.4	-	-	-	0.1	0.1	0.2	0.2	-
1979.....	0.5	-	0.2	-	-	-	-	-	0.1	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PLEURISY (511)										
TOTAL, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	0.2	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL, MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	0.3	-	-	0.0	-	-	-	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PLEURISY (511)										
TOTAL, FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	-	-	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.0
WHITE, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	0.2	0.0	-	-	0.0	0.0	0.0	0.0	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PLEURISY (511)										
WHITE MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	0.2	-	-	-	-	-	-	0.0	0.1
WHITE FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	-	-	-	-	0.0	0.0	0.0	-
1979.....	0.2	0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PLEURISY (511)										
ALL OTHER, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	-	-	0.0	0.0	0.0	-	-	0.1
1979.....	0.3	0.3	-	-	0.0	-	0.0	0.0	0.1	0.1
ALL OTHER MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.1	-	-	0.1
1979.....	0.3	0.7	-	-	0.1	-	-	-	-	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PLEURISY (511)										
ALL OTHER FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	-	-	0.1	0.1	-	-	-	0.1
1979.....	0.2	-	-	-	-	-	0.1	0.1	0.2	-
BLACK, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	-	-	0.0	0.0	0.0	-	-	0.1
1979.....	0.3	0.4	-	-	0.0	-	0.0	0.0	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PLEURISY (511)										
BLACK MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.1	-	-	0.2
1979.....	0.4	0.8	-	-	0.1	-	-	-	-	0.3
BLACK FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.8	-	-	0.1	0.1	-	-	-	0.1
1979.....	0.3	-	-	-	-	-	0.1	0.1	0.2	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
TOTAL, BOTH SEXES										
1998.....	6.7	6.9	0.4	0.2	0.1	0.1	0.3	0.3	0.4	0.7
1997.....	6.5	6.0	0.4	0.2	0.1	0.2	0.4	0.4	0.6	0.7
1996.....	6.3	5.8	0.5	0.1	0.2	0.2	0.3	0.4	0.5	0.8
1995.....	6.1	5.8	0.5	0.1	0.2	0.2	0.4	0.4	0.5	0.8
1994.....	6.1	6.3	0.5	0.2	0.1	0.2	0.2	0.4	0.6	0.8
1993.....	6.0	7.5	0.5	0.2	0.2	0.2	0.3	0.4	0.5	0.9
1992.....	5.7	7.0	0.5	0.2	0.3	0.3	0.3	0.5	0.5	0.9
1991.....	5.8	7.5	0.6	0.2	0.1	0.3	0.3	0.4	0.6	1.0
1990.....	5.6	8.5	0.6	0.2	0.2	0.2	0.3	0.5	0.7	0.8
1989.....	5.7	8.4	0.6	0.2	0.2	0.3	0.4	0.5	0.8	1.0
1988.....	5.8	9.2	0.7	0.2	0.2	0.3	0.4	0.5	0.8	0.9
1987.....	5.5	9.7	0.7	0.2	0.2	0.2	0.4	0.6	0.8	1.0
1986.....	5.5	11.0	0.7	0.2	0.1	0.3	0.4	0.5	0.8	1.1
1985.....	5.5	10.9	0.7	0.2	0.2	0.3	0.4	0.5	0.7	0.8
1984.....	5.0	10.9	0.5	0.2	0.2	0.3	0.3	0.5	0.8	0.8
1983.....	5.0	11.4	0.7	0.1	0.2	0.3	0.4	0.5	0.8	0.9
1982.....	4.6	10.6	0.6	0.2	0.2	0.4	0.4	0.5	0.7	0.7
1981.....	4.5	11.5	0.6	0.2	0.2	0.3	0.4	0.5	0.7	0.9
1980.....	4.4	11.6	0.6	0.2	0.2	0.3	0.4	0.6	0.8	0.8
1979.....	4.1	11.7	0.8	0.2	0.2	0.3	0.4	0.4	0.5	0.9
TOTAL, MALE										
1998.....	6.8	8.2	0.5	0.2	*	*	0.3	0.4	0.4	0.7
1997.....	6.6	7.3	0.5	*	*	0.3	0.3	0.4	0.6	0.7
1996.....	6.4	6.5	0.5	*	*	0.2	0.3	0.4	0.6	0.8
1995.....	6.2	6.7	0.5	*	*	*	0.3	0.4	0.6	0.8
1994.....	6.2	7.9	0.6	0.2	*	0.2	0.3	0.3	0.7	0.7
1993.....	6.2	8.6	0.6	0.2	*	0.3	0.3	0.4	0.6	1.0
1992.....	6.0	8.1	0.5	0.2	0.3	0.3	0.3	0.5	0.6	0.9
1991.....	6.1	8.7	0.6	0.2	0.2	*	0.3	0.4	0.7	1.2
1990.....	5.9	10.2	0.6	*	*	*	0.3	0.5	0.7	0.9
1989.....	6.0	9.6	0.6	*	0.3	0.3	0.4	0.4	0.8	1.2
1988.....	6.2	10.2	0.7	*	*	0.3	0.5	0.5	0.8	1.0
1987.....	5.9	10.9	0.7	0.2	*	0.2	0.3	0.6	1.1	1.1
1986.....	6.0	13.6	0.9	*	*	0.3	0.4	0.6	1.1	1.3
1985.....	6.0	11.8	0.7	*	*	0.3	0.5	0.6	0.8	1.0
1984.....	5.5	11.8	0.5	*	*	0.4	0.4	0.6	1.0	0.9
1983.....	5.4	12.7	0.7	*	*	0.4	0.5	0.6	0.8	0.9
1982.....	5.2	12.6	0.6	*	0.2	0.4	0.5	0.5	0.7	0.8
1981.....	5.1	13.2	0.7	*	*	0.3	0.5	0.5	0.7	1.1
1980.....	5.1	14.0	0.6	0.2	0.2	0.3	0.5	0.7	0.9	0.7
1979.....	4.8	12.3	0.7	0.2	0.2	0.3	0.5	0.6	0.7	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
TOTAL, FEMALE										
1998.....	6.6	5.4	0.4	*	*	*	*	0.3	0.4	0.7
1997.....	6.4	4.5	0.3	*	*	*	0.4	0.4	0.6	0.7
1996.....	6.1	5.1	0.5	*	*	0.2	0.3	0.4	0.4	0.7
1995.....	5.9	4.9	0.5	*	*	*	0.4	0.4	0.5	0.8
1994.....	5.9	4.6	0.4	*	*	0.3	0.2	0.4	0.5	0.8
1993.....	5.8	6.4	0.5	*	*	0.2	0.4	0.4	0.5	0.7
1992.....	5.4	5.9	0.5	*	0.2	0.3	0.4	0.4	0.5	0.8
1991.....	5.5	6.3	0.7	*	*	0.3	0.4	0.4	0.5	0.9
1990.....	5.4	6.7	0.6	*	*	*	0.4	0.5	0.8	0.7
1989.....	5.4	7.1	0.6	*	*	0.4	0.3	0.6	0.7	0.8
1988.....	5.5	8.2	0.7	*	0.3	0.2	0.4	0.5	0.7	0.8
1987.....	5.2	8.6	0.6	*	*	0.2	0.5	0.5	0.6	0.9
1986.....	5.2	8.2	0.6	*	*	0.3	0.4	0.4	0.6	0.9
1985.....	5.0	9.9	0.7	*	*	0.2	0.3	0.4	0.6	0.6
1984.....	4.6	10.0	0.5	*	0.3	0.3	0.3	0.5	0.5	0.7
1983.....	4.6	9.9	0.7	*	*	*	0.3	0.4	0.7	0.8
1982.....	4.1	8.5	0.6	*	*	0.3	0.4	0.4	0.7	0.6
1981.....	4.0	9.7	0.4	*	*	0.2	0.3	0.5	0.6	0.8
1980.....	3.7	9.2	0.5	0.2	0.1	0.3	0.3	0.4	0.6	0.8
1979.....	3.4	11.1	0.8	0.2	0.2	0.4	0.3	0.3	0.4	0.9
WHITE, BOTH SEXES										
1998.....	7.2	5.8	0.4	0.2	*	0.1	0.2	0.3	0.4	0.6
1997.....	7.0	4.8	0.3	0.1	*	0.2	0.3	0.4	0.5	0.5
1996.....	6.7	4.7	0.4	0.1	0.1	0.2	0.2	0.3	0.4	0.6
1995.....	6.5	5.0	0.4	*	0.2	0.2	0.3	0.3	0.4	0.7
1994.....	6.4	5.3	0.3	0.2	*	0.2	0.2	0.3	0.5	0.6
1993.....	6.4	5.4	0.4	0.2	0.2	0.2	0.3	0.3	0.4	0.7
1992.....	6.0	5.5	0.4	0.2	0.3	0.3	0.2	0.4	0.4	0.6
1991.....	6.1	6.5	0.5	0.2	*	0.3	0.2	0.3	0.4	0.8
1990.....	5.9	7.0	0.5	0.2	0.2	0.1	0.3	0.4	0.5	0.6
1989.....	5.9	6.4	0.5	0.2	0.2	0.3	0.3	0.4	0.6	0.8
1988.....	6.1	7.4	0.7	0.1	0.2	0.3	0.4	0.4	0.6	0.7
1987.....	5.7	7.8	0.6	0.2	0.2	0.2	0.3	0.5	0.6	0.8
1986.....	5.7	8.4	0.6	0.2	*	0.3	0.3	0.4	0.7	0.8
1985.....	5.6	8.2	0.6	0.2	0.2	0.3	0.4	0.4	0.5	0.6
1984.....	5.2	9.2	0.5	0.2	0.2	0.3	0.3	0.4	0.6	0.6
1983.....	5.2	9.4	0.6	*	0.2	0.2	0.4	0.4	0.6	0.7
1982.....	4.7	8.5	0.5	0.2	0.2	0.4	0.3	0.4	0.5	0.5
1981.....	4.6	8.8	0.5	*	0.2	0.2	0.3	0.4	0.5	0.8
1980.....	4.4	9.7	0.5	0.2	0.2	0.3	0.3	0.5	0.5	0.6
1979.....	4.1	9.3	0.6	0.2	0.2	0.3	0.4	0.4	0.5	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
WHITE MALE										
1998.....	7.3	6.6	0.4	*	*	*	0.3	0.3	0.4	0.6
1997.....	7.1	5.8	0.4	*	*	0.3	*	0.4	0.5	0.6
1996.....	6.9	5.2	0.4	*	*	*	*	0.4	0.5	0.7
1995.....	6.6	5.9	0.5	*	*	*	0.3	0.3	0.5	0.7
1994.....	6.6	7.1	0.4	*	*	*	*	0.3	0.6	0.7
1993.....	6.5	6.5	0.5	*	*	0.3	0.3	0.4	0.5	0.9
1992.....	6.3	6.3	0.5	*	*	0.3	*	0.5	0.5	0.7
1991.....	6.4	7.4	0.5	*	*	*	*	0.3	0.4	0.9
1990.....	6.1	8.5	0.5	*	*	*	0.3	0.4	0.6	0.7
1989.....	6.2	7.3	0.5	*	*	0.3	0.3	0.4	0.7	0.9
1988.....	6.4	8.0	0.7	*	*	0.4	0.4	0.5	0.6	0.7
1987.....	6.1	8.7	0.6	*	*	*	0.3	0.6	0.8	0.8
1986.....	6.1	10.5	0.8	*	*	0.3	0.4	0.5	0.9	1.0
1985.....	6.1	8.9	0.6	*	*	0.3	0.5	0.6	0.6	0.8
1984.....	5.6	10.4	0.5	*	*	0.4	0.4	0.5	0.7	0.7
1983.....	5.6	10.7	0.6	*	*	0.3	0.5	0.6	0.7	0.7
1982.....	5.3	10.3	0.5	*	*	0.4	0.4	0.4	0.6	0.7
1981.....	5.1	10.3	0.6	*	*	0.2	0.4	0.4	0.6	0.9
1980.....	5.1	12.2	0.5	0.2	0.2	0.4	0.4	0.6	0.7	0.4
1979.....	4.8	10.6	0.6	0.2	0.2	0.2	0.5	0.5	0.5	0.6
WHITE FEMALE										
1998.....	7.1	5.0	*	*	*	*	*	*	0.3	0.6
1997.....	6.9	3.7	*	*	*	*	0.3	0.3	0.5	0.5
1996.....	6.6	4.1	0.5	*	*	*	*	0.3	0.3	0.5
1995.....	6.4	4.0	0.4	*	*	*	*	0.3	0.4	0.6
1994.....	6.3	3.5	*	*	*	*	*	0.3	0.5	0.6
1993.....	6.2	4.3	0.3	*	*	*	0.3	0.3	0.4	0.6
1992.....	5.8	4.7	0.4	*	0.3	*	0.3	0.3	0.4	0.6
1991.....	5.9	5.6	0.6	*	*	*	0.3	0.3	0.4	0.6
1990.....	5.6	5.4	0.5	*	*	*	0.3	0.4	0.5	0.5
1989.....	5.7	5.4	0.5	*	*	0.3	0.3	0.5	0.5	0.6
1988.....	5.7	6.8	0.7	*	*	*	0.3	0.4	0.6	0.6
1987.....	5.4	6.9	0.6	*	*	*	0.4	0.4	0.4	0.7
1986.....	5.4	6.2	0.5	*	*	*	0.3	0.3	0.4	0.6
1985.....	5.1	7.5	0.6	*	*	*	0.3	0.2	0.4	0.4
1984.....	4.8	8.0	0.5	*	*	*	*	0.4	0.4	0.5
1983.....	4.8	8.1	0.6	*	*	*	0.2	0.3	0.6	0.6
1982.....	4.2	6.5	0.5	*	*	0.3	0.3	0.3	0.5	0.4
1981.....	4.0	7.3	*	*	*	0.2	0.3	0.4	0.4	0.6
1980.....	3.8	7.0	0.5	0.1	0.1	0.3	0.2	0.4	0.4	0.7
1979.....	3.5	7.9	0.7	0.2	0.2	0.4	0.3	0.3	0.4	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
ALL OTHER, BOTH SEXES										
1998.....	4.2	10.9	0.8	*	*	*	*	0.6	0.5	1.2
1997.....	4.1	10.4	*	*	*	*	0.6	0.6	0.9	1.4
1996.....	4.0	10.3	0.6	*	*	*	*	0.7	1.1	1.4
1995.....	3.9	8.9	0.9	*	*	*	0.7	0.6	1.0	1.6
1994.....	4.1	9.8	1.1	*	*	*	*	0.6	1.0	1.5
1993.....	4.1	15.2	1.0	*	*	*	*	0.6	1.0	1.6
1992.....	4.2	12.7	0.7	*	*	*	0.6	0.6	1.0	2.0
1991.....	4.2	10.8	1.0	*	*	*	0.6	0.8	1.3	2.4
1990.....	4.4	14.2	1.3	*	*	*	*	1.1	1.7	1.7
1989.....	4.7	16.2	0.9	*	*	*	0.8	0.7	1.5	2.1
1988.....	4.6	16.7	0.9	*	*	*	0.7	0.9	1.6	2.1
1987.....	4.5	17.8	0.8	*	*	*	0.8	0.8	1.9	2.3
1986.....	4.5	22.0	1.1	*	*	*	0.6	0.9	1.8	2.6
1985.....	4.6	22.6	1.2	*	*	*	0.7	1.0	1.6	1.7
1984.....	4.1	18.6	0.8	*	*	*	0.6	1.0	1.9	2.0
1983.....	4.1	20.1	1.2	*	*	*	*	0.9	1.5	2.0
1982.....	4.0	20.2	1.0	*	*	*	0.9	0.9	1.7	1.8
1981.....	4.2	23.5	1.0	*	*	*	0.6	1.2	1.7	2.0
1980.....	4.1	20.6	0.7	0.4	0.1	0.3	0.8	0.9	2.2	2.1
1979.....	3.7	23.1	1.4	0.1	0.2	0.5	0.5	1.0	1.1	2.6
ALL OTHER MALE										
1998.....	4.3	14.6	*	*	*	*	*	*	*	1.2
1997.....	4.1	13.2	*	*	*	*	*	*	*	1.3
1996.....	4.2	11.5	*	*	*	*	*	*	1.4	1.2
1995.....	4.1	9.7	*	*	*	*	*	*	1.1	1.5
1994.....	4.3	10.9	*	*	*	*	*	*	*	1.1
1993.....	4.3	16.3	*	*	*	*	*	*	*	1.8
1992.....	4.5	15.0	*	*	*	*	*	*	1.1	2.1
1991.....	4.5	13.0	*	*	*	*	*	*	1.8	2.7
1990.....	4.6	16.4	*	*	*	*	*	1.2	1.5	1.8
1989.....	5.3	18.8	*	*	*	*	*	*	1.4	3.1
1988.....	5.1	19.3	*	*	*	*	*	*	2.0	2.5
1987.....	5.1	20.1	*	*	*	*	*	*	2.7	2.6
1986.....	5.3	27.3	1.5	*	*	*	*	1.2	2.0	3.1
1985.....	5.1	24.8	*	*	*	*	*	*	1.6	2.2
1984.....	4.7	18.2	*	*	*	*	*	*	2.5	2.4
1983.....	4.7	22.1	*	*	*	*	*	*	1.6	2.0
1982.....	4.7	22.8	*	*	*	*	*	*	1.6	*
1981.....	4.8	26.5	*	*	*	*	*	*	*	2.6
1980.....	5.0	22.2	1.0	0.3	0.1	0.1	1.0	1.0	2.5	2.7
1979.....	4.5	20.8	1.4	0.3	0.1	0.7	0.5	1.2	2.1	2.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
ALL OTHER FEMALE										
1998.....	4.0	7.0	*	*	*	*	*	*	*	1.2
1997.....	4.0	7.6	*	*	*	*	*	*	*	1.5
1996.....	3.9	9.1	*	*	*	*	*	*	*	1.6
1995.....	3.8	8.0	*	*	*	*	*	*	*	1.6
1994.....	3.9	8.6	*	*	*	*	*	*	*	1.8
1993.....	4.0	14.1	*	*	*	*	*	*	*	1.5
1992.....	3.9	10.4	*	*	*	*	*	*	*	1.9
1991.....	3.8	8.5	*	*	*	*	*	*	*	2.0
1990.....	4.2	11.9	1.4	*	*	*	*	*	1.9	1.6
1989.....	4.1	13.5	*	*	*	*	*	*	1.6	1.3
1988.....	4.1	14.1	*	*	*	*	*	*	1.4	1.6
1987.....	3.9	15.5	*	*	*	*	*	*	1.3	2.1
1986.....	3.8	16.5	*	*	*	*	*	*	1.5	2.2
1985.....	4.1	20.3	*	*	*	*	*	*	1.6	*
1984.....	3.6	18.9	*	*	*	*	*	*	1.3	1.7
1983.....	3.6	18.0	*	*	*	*	*	*	1.4	2.0
1982.....	3.5	17.5	*	*	*	*	*	*	1.7	*
1981.....	3.6	20.4	*	*	*	*	*	*	1.9	*
1980.....	3.4	19.0	0.5	0.4	0.2	0.5	0.7	0.9	1.9	1.5
1979.....	2.9	25.5	1.3	-	0.3	0.3	0.5	0.8	0.3	2.4
BLACK, BOTH SEXES										
1998.....	4.6	13.2	1.0	*	*	*	*	*	*	1.6
1997.....	4.5	12.6	*	*	*	*	*	*	1.1	1.8
1996.....	4.6	13.0	*	*	*	*	*	0.8	1.4	1.7
1995.....	4.3	10.3	1.0	*	*	*	0.9	*	1.2	2.0
1994.....	4.5	11.6	1.2	*	*	*	*	*	1.2	1.9
1993.....	4.6	18.7	1.2	*	*	*	*	0.9	1.2	1.9
1992.....	4.7	15.1	*	*	*	*	*	0.7	1.4	2.6
1991.....	4.8	13.9	1.2	*	*	*	0.7	1.1	1.6	3.0
1990.....	5.0	16.9	1.4	*	*	*	*	1.4	2.2	2.2
1989.....	5.3	18.6	1.2	*	*	*	0.9	0.9	1.9	2.6
1988.....	5.2	18.6	1.0	*	*	*	0.8	1.0	2.0	2.7
1987.....	4.9	20.4	*	*	*	*	0.9	0.9	2.4	3.0
1986.....	5.1	24.3	1.3	*	*	*	0.8	1.1	2.2	3.3
1985.....	5.1	26.0	1.3	*	*	*	0.8	1.1	2.0	2.2
1984.....	4.6	21.1	*	*	*	*	*	1.2	2.2	2.3
1983.....	4.6	22.6	1.3	*	*	*	*	1.0	1.9	2.3
1982.....	4.4	23.6	1.2	*	*	*	0.9	1.1	2.1	2.4
1981.....	4.6	26.5	1.0	*	*	*	*	1.4	2.0	2.5
1980.....	4.4	23.2	0.8	0.3	0.1	0.2	0.9	1.2	2.6	2.5
1979.....	3.9	25.0	1.3	0.1	0.2	0.5	0.5	1.1	1.2	2.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
BLACK MALE										
1998.....	4.7	17.9	*	*	*	*	*	*	*	1.6
1997.....	4.7	16.3	*	*	*	*	*	*	*	1.6
1996.....	4.7	14.8	*	*	*	*	*	*	1.7	*
1995.....	4.5	10.5	*	*	*	*	*	*	*	2.0
1994.....	4.7	13.1	*	*	*	*	*	*	*	1.6
1993.....	4.8	20.1	*	*	*	*	*	*	*	2.1
1992.....	5.0	17.1	*	*	*	*	*	*	1.5	2.6
1991.....	5.2	16.6	*	*	*	*	*	*	2.3	3.7
1990.....	5.2	19.2	*	*	*	*	*	1.6	2.0	2.4
1989.....	6.0	21.3	*	*	*	*	*	*	1.9	3.7
1988.....	5.9	21.5	*	*	*	*	*	*	2.5	3.2
1987.....	5.6	23.3	*	*	*	*	*	*	3.4	3.5
1986.....	6.0	30.7	*	*	*	*	*	*	2.5	3.9
1985.....	5.7	27.9	*	*	*	*	*	*	2.0	2.9
1984.....	5.2	20.2	*	*	*	*	*	*	3.1	2.7
1983.....	5.1	25.3	*	*	*	*	*	*	2.0	*
1982.....	5.1	27.1	*	*	*	*	*	*	2.0	*
1981.....	5.3	28.9	*	*	*	*	*	*	*	3.2
1980.....	5.3	24.9	1.0	0.2	0.1	0.1	1.1	1.3	2.9	3.3
1979.....	4.7	21.9	1.6	0.2	0.1	0.6	0.5	1.3	2.2	2.9
BLACK FEMALE										
1998.....	4.6	8.3	*	*	*	*	*	*	*	1.5
1997.....	4.4	8.8	*	*	*	*	*	*	*	2.0
1996.....	4.5	11.1	*	*	*	*	*	*	*	1.9
1995.....	4.2	10.1	*	*	*	*	*	*	*	2.1
1994.....	4.4	10.2	*	*	*	*	*	*	*	2.3
1993.....	4.4	17.2	*	*	*	*	*	*	*	1.7
1992.....	4.4	13.1	*	*	*	*	*	*	*	2.6
1991.....	4.4	11.1	*	*	*	*	*	*	*	2.5
1990.....	4.8	14.6	*	*	*	*	*	*	2.3	2.1
1989.....	4.7	15.9	*	*	*	*	*	*	2.0	1.7
1988.....	4.6	15.5	*	*	*	*	*	*	1.6	2.2
1987.....	4.3	17.4	*	*	*	*	*	*	1.5	2.6
1986.....	4.3	17.8	*	*	*	*	*	*	2.0	2.8
1985.....	4.6	24.0	*	*	*	*	*	*	2.0	*
1984.....	4.0	22.1	*	*	*	*	*	*	*	2.1
1983.....	4.1	19.8	*	*	*	*	*	*	1.8	2.4
1982.....	3.8	20.0	*	*	*	*	*	*	2.1	*
1981.....	4.0	24.1	*	*	*	*	*	*	2.3	*
1980.....	3.6	21.4	0.6	0.4	0.2	0.4	0.7	1.0	2.3	1.8
1979.....	3.1	28.1	1.1	-	0.3	0.4	0.5	0.9	0.4	2.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
TOTAL, BOTH SEXES										
1998.....	29.4	8.7	0.9	0.3	0.3	0.4	0.8	1.6	3.7	7.9
1997.....	29.5	9.0	0.8	0.3	0.3	0.5	0.8	1.4	3.7	8.5
1996.....	29.2	9.4	1.0	0.4	0.3	0.4	0.8	1.7	3.8	8.8
1995.....	29.3	8.5	0.9	0.3	0.4	0.5	0.8	1.8	3.8	9.4
1994.....	29.7	9.3	1.0	0.3	0.4	0.5	0.8	1.8	4.6	9.6
1993.....	29.8	8.8	1.1	0.3	0.4	0.5	0.7	1.9	4.3	10.3
1992.....	29.8	9.4	1.0	0.3	0.3	0.6	0.8	2.0	4.6	10.5
1991.....	30.0	9.7	1.1	0.3	0.3	0.5	0.8	2.1	5.0	10.7
1990.....	30.2	10.1	1.0	0.4	0.2	0.4	0.9	2.1	5.1	11.4
1989.....	30.8	9.3	1.0	0.3	0.4	0.5	0.9	2.2	5.6	11.7
1988.....	31.2	10.1	1.0	0.3	0.3	0.5	0.9	2.5	5.8	12.1
1987.....	31.1	10.4	1.1	0.4	0.2	0.5	1.0	2.4	6.5	11.9
1986.....	31.0	10.7	1.0	0.4	0.3	0.6	0.9	2.4	6.8	11.3
1985.....	31.4	11.1	1.1	0.3	0.2	0.6	1.0	2.5	7.0	11.9
1984.....	31.3	12.1	1.1	0.4	0.4	0.6	1.0	2.7	6.6	11.4
1983.....	31.1	12.6	1.2	0.3	0.3	0.6	1.0	2.8	6.8	11.0
1982.....	31.4	13.4	1.3	0.5	0.4	0.5	1.1	3.1	6.4	11.8
1981.....	32.3	13.4	1.2	0.5	0.4	0.6	1.3	3.3	6.6	13.6
1980.....	33.2	16.0	1.2	0.4	0.4	0.8	1.4	3.5	8.0	14.7
1979.....	32.1	19.1	1.3	0.4	0.4	0.6	1.3	3.8	7.5	14.8
TOTAL, MALE										
1998.....	29.9	9.6	0.9	0.3	0.3	0.5	0.8	1.9	4.6	10.1
1997.....	30.0	11.0	0.9	0.3	0.3	0.5	0.9	1.6	4.7	10.9
1996.....	29.9	10.5	1.1	0.5	0.3	0.5	0.9	2.1	4.7	11.6
1995.....	30.4	9.4	1.1	0.5	0.4	0.6	0.9	2.2	5.1	12.7
1994.....	30.9	10.6	1.1	0.3	0.4	0.5	0.8	2.2	6.0	13.1
1993.....	30.8	10.6	1.2	0.3	0.4	0.6	0.8	2.4	5.4	13.8
1992.....	30.9	10.4	1.2	0.4	0.3	0.6	0.8	2.4	6.0	14.5
1991.....	31.2	11.8	1.0	0.3	0.3	0.6	0.8	2.7	6.4	14.8
1990.....	31.5	11.8	1.2	0.4	0.2	0.5	0.9	2.5	6.6	16.1
1989.....	32.6	11.2	1.1	0.3	0.4	0.5	1.1	2.7	7.6	17.0
1988.....	33.3	11.2	1.1	0.4	0.4	0.5	1.0	2.8	8.0	17.6
1987.....	33.2	11.6	1.3	0.4	0.3	0.7	1.2	2.8	8.5	16.8
1986.....	33.1	12.8	1.0	0.3	0.3	0.7	1.1	2.9	9.0	16.4
1985.....	34.0	12.1	1.1	0.4	0.2	0.5	1.2	3.0	9.4	16.4
1984.....	34.0	14.9	1.0	0.5	0.3	0.7	1.1	3.3	9.1	16.3
1983.....	34.2	13.2	1.3	0.4	0.3	0.6	1.1	3.5	9.2	15.0
1982.....	34.5	15.8	1.3	0.5	0.5	0.5	1.3	3.9	8.9	16.4
1981.....	35.8	15.3	1.3	0.5	0.4	0.6	1.4	4.0	8.9	18.5
1980.....	37.3	18.4	1.2	0.4	0.5	0.8	1.4	4.5	10.4	19.5
1979.....	36.4	21.9	1.5	0.3	0.4	0.5	1.5	4.8	10.1	19.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
TOTAL, FEMALE										
1998.....	28.9	7.9	0.8	*	0.3	0.3	0.7	1.2	2.9	5.8
1997.....	29.1	6.8	0.8	0.2	0.2	0.5	0.7	1.1	2.7	6.0
1996.....	28.5	8.1	0.9	0.4	*	0.3	0.8	1.3	3.0	6.0
1995.....	28.2	7.5	0.8	*	0.4	0.3	0.6	1.3	2.5	6.1
1994.....	28.6	7.9	0.9	0.2	0.3	0.5	0.8	1.3	3.2	6.1
1993.....	28.8	6.9	1.0	0.3	0.4	0.4	0.7	1.5	3.2	6.7
1992.....	28.7	8.3	0.9	*	0.2	0.5	0.7	1.5	3.1	6.5
1991.....	28.8	7.5	1.1	0.2	0.3	0.3	0.8	1.6	3.7	6.7
1990.....	29.0	8.2	0.7	0.3	0.3	0.4	0.8	1.7	3.6	6.8
1989.....	29.1	7.4	0.9	0.4	0.3	0.5	0.8	1.8	3.6	6.4
1988.....	29.3	9.0	0.9	0.3	0.2	0.4	0.8	2.2	3.7	6.7
1987.....	29.2	9.1	0.9	0.4	*	0.4	0.9	1.9	4.5	7.0
1986.....	29.0	8.5	1.0	0.4	0.3	0.5	0.8	1.9	4.5	6.4
1985.....	29.0	10.1	1.0	*	0.3	0.6	0.8	1.9	4.7	7.6
1984.....	28.8	9.1	1.1	0.3	0.4	0.5	0.9	2.1	4.0	6.7
1983.....	28.1	12.0	1.0	0.3	0.3	0.6	0.8	2.2	4.4	7.0
1982.....	28.4	10.8	1.3	0.5	0.2	0.5	1.0	2.4	4.0	7.4
1981.....	29.0	11.5	1.0	0.4	0.5	0.6	1.1	2.5	4.3	8.8
1980.....	29.3	13.5	1.1	0.4	0.3	0.8	1.3	2.6	5.7	9.9
1979.....	28.1	16.1	1.2	0.4	0.4	0.7	1.2	2.8	4.9	9.9
WHITE, BOTH SEXES										
1998.....	30.9	7.0	0.7	0.3	0.3	0.3	0.7	1.4	3.5	7.4
1997.....	31.0	7.5	0.8	0.3	0.3	0.4	0.7	1.2	3.4	7.9
1996.....	30.5	7.9	0.9	0.4	0.3	0.4	0.7	1.5	3.6	7.9
1995.....	30.5	7.1	0.9	0.3	0.4	0.4	0.6	1.6	3.4	8.4
1994.....	30.9	7.5	0.8	0.2	0.3	0.5	0.6	1.4	4.0	8.6
1993.....	30.8	7.2	0.9	0.3	0.3	0.4	0.6	1.7	3.8	8.9
1992.....	30.7	7.3	0.9	0.2	0.3	0.5	0.6	1.6	3.9	9.2
1991.....	30.8	7.8	0.9	0.2	0.3	0.4	0.6	1.8	4.1	9.3
1990.....	30.9	8.3	0.9	0.3	0.2	0.4	0.7	1.7	4.1	9.3
1989.....	31.4	6.6	0.9	0.2	0.3	0.4	0.8	1.7	4.4	9.4
1988.....	31.8	8.0	0.9	0.2	0.3	0.4	0.7	2.0	4.6	9.7
1987.....	31.7	7.5	1.0	0.4	0.2	0.5	0.8	2.0	4.9	9.4
1986.....	31.4	8.6	0.9	0.4	0.2	0.5	0.8	1.8	5.1	8.9
1985.....	31.8	8.7	0.9	0.3	0.2	0.5	0.9	1.8	5.2	9.1
1984.....	31.8	9.5	0.9	0.4	0.3	0.6	0.9	2.0	5.0	8.8
1983.....	31.5	10.4	1.1	0.3	0.3	0.5	0.8	2.3	4.9	8.4
1982.....	31.8	10.5	1.2	0.5	0.4	0.4	0.9	2.2	4.9	9.1
1981.....	32.4	10.5	1.0	0.4	0.4	0.5	1.0	2.5	4.6	10.1
1980.....	33.1	12.4	1.0	0.3	0.4	0.7	1.1	2.5	5.6	11.0
1979.....	31.9	15.2	1.2	0.3	0.3	0.6	1.1	2.7	5.1	10.9



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
WHITE MALE										
1998.....	31.0	8.1	0.7	0.4	*	0.4	0.8	1.7	4.4	9.6
1997.....	31.0	9.1	0.8	0.3	0.3	0.4	0.7	1.5	4.4	10.4
1996.....	30.7	8.9	1.0	0.4	0.3	0.4	0.8	1.8	4.4	10.5
1995.....	31.1	7.7	1.0	0.4	0.4	0.6	0.7	2.0	4.6	11.4
1994.....	31.6	8.5	0.9	0.3	0.4	0.5	0.7	2.0	5.5	12.1
1993.....	31.3	8.7	1.0	*	0.3	0.5	0.6	2.1	4.9	12.5
1992.....	31.3	8.2	1.0	0.3	0.3	0.6	0.7	2.1	5.2	13.1
1991.....	31.6	9.2	0.9	*	0.3	0.5	0.6	2.3	5.5	13.4
1990.....	31.6	9.6	1.1	0.4	*	0.4	0.8	2.0	5.4	13.4
1989.....	32.7	8.1	1.0	*	0.4	0.4	0.9	2.2	6.3	13.9
1988.....	33.3	8.7	1.0	0.3	0.4	0.5	0.7	2.4	6.4	14.4
1987.....	33.2	7.9	1.2	0.3	*	0.7	1.0	2.4	6.6	13.4
1986.....	33.0	10.2	1.0	0.4	*	0.6	1.0	2.3	6.9	13.1
1985.....	33.8	9.2	0.9	0.4	*	0.5	1.0	2.3	7.2	12.9
1984.....	34.0	11.9	1.0	0.5	*	0.7	1.0	2.5	7.2	12.6
1983.....	34.2	11.1	1.2	0.4	0.3	0.5	0.9	2.9	6.9	11.7
1982.....	34.4	12.0	1.2	0.4	0.5	0.5	1.1	2.9	6.9	12.9
1981.....	35.4	12.0	1.1	0.4	0.3	0.6	1.2	3.2	6.5	14.2
1980.....	36.7	14.5	1.1	0.4	0.5	0.8	1.2	3.4	7.4	14.7
1979.....	35.6	17.9	1.4	0.3	0.3	0.5	1.2	3.5	6.9	14.9
WHITE FEMALE										
1998.....	30.9	6.0	0.7	*	0.3	0.3	0.6	1.1	2.5	5.2
1997.....	31.0	5.9	0.7	*	*	0.5	0.6	0.9	2.3	5.2
1996.....	30.2	6.9	0.7	0.3	*	0.3	0.6	1.2	2.7	5.1
1995.....	29.9	6.4	0.7	*	0.4	0.3	0.5	1.2	2.2	5.3
1994.....	30.2	6.3	0.7	*	0.3	0.5	0.6	0.9	2.6	5.0
1993.....	30.4	5.6	0.9	0.3	0.3	0.4	0.6	1.2	2.6	5.3
1992.....	30.2	6.4	0.8	*	*	0.5	0.6	1.2	2.5	5.3
1991.....	30.1	6.4	1.0	*	0.3	*	0.6	1.3	2.7	5.2
1990.....	30.2	6.8	0.6	*	*	0.3	0.6	1.3	2.7	5.2
1989.....	30.2	5.0	0.7	0.3	*	0.4	0.6	1.2	2.4	4.8
1988.....	30.3	7.3	0.8	*	*	0.3	0.6	1.5	2.8	5.0
1987.....	30.2	7.2	0.9	0.4	*	0.4	0.6	1.5	3.2	5.3
1986.....	29.9	7.0	0.9	0.4	*	0.5	0.6	1.4	3.2	4.7
1985.....	29.8	8.2	0.9	*	*	0.6	0.7	1.3	3.2	5.4
1984.....	29.7	6.9	0.9	*	0.3	0.4	0.7	1.5	2.7	5.0
1983.....	28.9	9.6	1.1	*	*	0.4	0.6	1.6	2.9	5.1
1982.....	29.3	9.0	1.2	0.5	*	0.4	0.8	1.5	2.9	5.3
1981.....	29.5	8.8	0.8	0.4	0.4	0.5	0.9	1.9	2.7	6.1
1980.....	29.6	10.1	0.9	0.3	0.3	0.7	1.0	1.6	3.8	7.4
1979.....	28.4	12.3	1.0	0.3	0.3	0.6	1.0	1.9	3.3	6.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
ALL OTHER, BOTH SEXES										
1998.....	22.0	15.2	1.4	*	*	0.7	1.1	2.1	4.9	10.5
1997.....	22.5	14.4	1.2	*	*	0.7	1.3	2.1	5.3	11.3
1996.....	23.0	15.2	1.5	0.6	*	0.6	1.4	2.4	5.1	13.3
1995.....	23.2	13.7	1.1	0.5	*	0.6	1.4	2.3	5.5	14.2
1994.....	24.1	15.8	1.7	*	*	0.6	1.5	3.2	7.3	14.7
1993.....	24.4	14.6	1.7	*	0.7	0.6	1.4	3.1	6.8	16.9
1992.....	25.0	17.1	1.5	0.5	*	0.7	1.3	3.6	8.1	16.8
1991.....	25.5	16.3	1.7	*	*	0.8	1.6	3.7	9.5	17.8
1990.....	26.6	17.1	1.3	*	*	*	1.5	4.0	10.2	22.4
1989.....	27.9	19.8	1.4	0.7	*	1.0	1.8	4.6	11.6	23.8
1988.....	28.4	18.7	1.4	0.8	*	0.9	1.9	5.0	12.0	25.1
1987.....	28.3	22.2	1.5	0.6	*	*	2.2	4.4	14.8	25.7
1986.....	28.4	19.4	1.2	*	*	0.9	1.6	5.5	16.0	25.5
1985.....	29.6	21.7	1.8	*	*	0.7	1.6	5.9	16.8	28.4
1984.....	28.6	23.7	1.6	*	0.7	0.7	1.5	6.3	15.5	27.9
1983.....	28.5	22.3	1.4	*	*	1.1	2.0	6.0	17.4	27.3
1982.....	28.7	26.2	1.5	*	*	0.8	2.1	8.3	15.5	29.8
1981.....	31.7	27.0	2.1	*	0.7	0.9	2.5	7.6	18.5	35.7
1980.....	34.1	32.7	1.9	0.7	0.5	1.4	3.1	9.6	23.2	38.8
1979.....	33.4	37.4	1.9	0.6	0.7	0.9	2.7	10.4	23.1	41.3
ALL OTHER MALE										
1998.....	24.6	15.4	1.7	*	*	*	*	2.8	5.6	12.5
1997.....	25.2	18.3	*	*	*	*	1.6	2.2	6.4	13.3
1996.....	25.9	17.3	1.5	*	*	*	1.3	3.3	6.1	17.0
1995.....	26.7	15.9	1.4	*	*	*	1.9	2.8	7.2	19.5
1994.....	27.7	18.0	2.0	*	*	*	1.6	3.3	9.0	18.6
1993.....	28.2	17.7	1.7	*	*	*	1.4	3.5	7.9	21.0
1992.....	28.8	19.0	1.7	*	*	*	1.5	4.1	10.1	22.1
1991.....	29.0	21.0	1.6	*	*	1.1	1.8	4.7	11.1	22.7
1990.....	31.0	20.5	1.4	*	*	*	1.4	5.0	12.9	31.2
1989.....	32.4	23.0	1.4	*	*	*	2.0	5.0	14.6	34.5
1988.....	33.4	21.6	*	*	*	*	2.0	5.0	16.7	36.3
1987.....	33.5	27.2	2.0	*	*	*	2.4	5.1	19.5	37.1
1986.....	33.5	23.9	*	*	*	1.2	1.6	6.6	21.1	37.4
1985.....	35.4	25.1	2.1	*	*	*	2.1	7.3	21.9	39.0
1984.....	34.0	28.4	*	*	*	*	1.3	7.5	20.7	41.2
1983.....	34.0	22.4	1.8	*	*	*	2.4	6.7	22.9	37.9
1982.....	34.7	33.2	1.7	*	*	*	2.3	9.5	21.6	41.4
1981.....	38.2	30.5	2.0	*	*	*	2.6	9.4	24.5	48.6
1980.....	41.7	36.6	1.8	0.7	0.5	1.3	3.0	11.2	30.7	54.1
1979.....	41.3	41.3	2.0	0.5	0.4	0.7	3.3	13.0	33.0	56.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
ALL OTHER FEMALE										
1998.....	19.6	15.0	*	*	*	*	1.3	1.5	4.3	8.7
1997.....	20.0	10.5	*	*	*	*	*	1.9	4.3	9.5
1996.....	20.4	13.2	1.6	*	*	*	1.6	1.6	4.2	10.0
1995.....	19.9	11.4	*	*	*	*	*	1.9	3.9	9.4
1994.....	20.8	13.5	1.4	*	*	*	1.3	3.1	5.8	11.2
1993.....	21.0	11.5	1.7	*	*	*	1.3	2.8	5.8	13.3
1992.....	21.6	15.2	1.3	*	*	*	1.1	3.1	6.2	12.0
1991.....	22.2	11.4	1.7	*	*	*	1.4	2.8	8.0	13.5
1990.....	22.6	13.6	*	*	*	*	1.5	3.1	7.8	14.6
1989.....	23.7	16.5	1.4	*	*	*	1.6	4.1	8.9	14.5
1988.....	23.8	15.7	*	*	*	*	1.9	5.0	7.9	15.3
1987.....	23.5	17.2	*	*	*	*	1.9	3.7	10.7	15.9
1986.....	23.7	14.7	*	*	*	*	1.7	4.4	11.5	15.3
1985.....	24.3	18.2	1.5	*	*	*	1.2	4.7	12.4	19.3
1984.....	23.6	18.9	1.8	*	*	*	1.8	5.2	10.9	16.6
1983.....	23.4	22.2	*	*	*	1.4	1.7	5.3	12.5	18.4
1982.....	23.2	19.0	*	*	*	*	1.9	7.2	10.3	20.1
1981.....	25.8	23.5	2.2	*	*	*	2.4	5.9	13.4	24.7
1980.....	27.1	28.9	1.9	0.7	0.4	1.5	3.2	8.2	16.7	25.8
1979.....	26.3	33.6	1.9	0.7	1.0	1.2	2.1	8.2	14.7	28.6
BLACK, BOTH SEXES										
1998.....	25.3	18.9	1.7	*	*	0.9	1.2	2.4	5.2	11.8
1997.....	25.9	17.6	1.3	*	*	0.8	1.5	2.4	5.4	12.7
1996.....	26.7	18.5	1.5	*	*	0.8	1.8	2.7	5.6	15.2
1995.....	26.6	15.8	1.3	0.7	*	0.7	1.6	2.6	6.1	16.1
1994.....	27.7	17.9	1.8	*	*	*	1.8	3.7	7.8	16.9
1993.....	28.1	18.0	2.0	*	0.8	*	1.5	3.6	7.8	19.4
1992.....	28.8	20.8	1.7	*	*	0.8	1.4	3.9	9.1	19.7
1991.....	29.6	20.7	1.7	*	*	1.0	2.0	4.2	11.3	21.6
1990.....	30.8	20.1	1.6	*	*	*	1.6	4.6	12.0	27.4
1989.....	32.0	23.6	1.5	0.7	*	1.0	2.2	5.4	13.5	28.8
1988.....	32.4	22.1	1.4	0.9	*	1.0	2.3	5.7	14.7	30.4
1987.....	32.4	25.5	1.6	*	*	*	2.3	5.1	18.3	32.3
1986.....	32.3	21.4	1.4	*	*	1.0	1.9	6.4	19.3	30.8
1985.....	33.5	23.6	1.9	*	*	*	1.8	6.8	20.0	34.4
1984.....	31.9	26.2	1.7	*	*	0.8	1.7	6.9	18.2	33.1
1983.....	31.6	24.6	1.4	*	*	1.2	2.3	6.6	20.2	33.1
1982.....	31.7	29.7	1.5	*	*	1.0	2.3	9.3	18.0	35.2
1981.....	34.8	28.9	2.3	*	0.8	0.8	2.6	8.3	21.4	41.4
1980.....	36.7	34.4	1.9	0.8	0.5	1.5	3.4	10.8	25.9	43.6
1979.....	35.5	38.3	1.9	0.6	0.7	0.9	2.9	11.1	25.0	46.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
BLACK MALE										
1998.....	28.2	19.3	2.2	*	*	*	*	3.3	5.5	13.9
1997.....	29.0	22.4	*	*	*	*	1.9	2.6	6.8	14.8
1996.....	30.2	20.2	*	*	*	*	1.7	3.9	6.2	19.8
1995.....	30.8	18.1	1.7	*	*	*	2.1	3.1	7.9	22.1
1994.....	32.0	20.7	2.1	*	*	*	2.1	4.1	10.1	21.8
1993.....	32.7	22.0	2.1	*	*	*	1.7	3.9	9.1	24.4
1992.....	33.3	22.1	1.9	*	*	*	1.8	4.5	11.8	25.9
1991.....	33.9	26.8	1.8	*	*	1.5	2.3	5.3	13.4	27.9
1990.....	36.1	23.9	*	*	*	*	1.6	6.0	15.8	38.4
1989.....	37.4	27.6	*	*	*	*	2.4	6.1	17.4	42.4
1988.....	38.3	25.6	*	*	*	*	2.5	5.9	20.9	44.7
1987.....	38.8	30.7	2.2	*	*	*	2.7	5.9	24.1	46.8
1986.....	38.4	27.1	*	*	*	*	1.7	7.5	26.1	45.7
1985.....	40.2	27.5	2.2	*	*	*	2.4	8.3	26.5	48.2
1984.....	38.0	30.7	*	*	*	*	*	8.0	24.7	50.1
1983.....	37.9	24.5	*	*	*	*	2.8	7.3	26.6	46.7
1982.....	38.6	38.5	*	*	*	*	2.4	10.6	25.0	49.5
1981.....	42.3	32.6	2.4	*	*	*	3.0	10.9	28.3	57.3
1980.....	45.2	40.9	1.9	0.7	0.5	1.3	3.3	12.4	35.3	62.0
1979.....	44.0	42.3	2.0	0.5	0.4	0.7	3.6	13.9	36.9	64.7
BLACK FEMALE										
1998.....	22.7	18.4	*	*	*	*	1.5	1.5	5.0	9.9
1997.....	23.0	12.8	*	*	*	*	*	2.3	4.2	10.8
1996.....	23.5	16.7	*	*	*	*	1.8	1.6	5.0	11.2
1995.....	22.8	13.4	*	*	*	*	*	2.1	4.5	10.9
1994.....	23.8	15.1	*	*	*	*	*	3.3	5.8	12.6
1993.....	23.9	13.9	1.9	*	*	*	*	3.2	6.7	15.0
1992.....	24.8	19.4	*	*	*	*	*	3.3	6.8	14.2
1991.....	25.8	14.4	1.7	*	*	*	1.8	3.2	9.5	16.2
1990.....	26.0	16.2	*	*	*	*	1.6	3.4	8.7	17.9
1989.....	27.2	19.4	*	*	*	*	2.0	4.8	10.0	17.1
1988.....	27.2	18.6	*	*	*	*	2.1	5.5	9.2	18.1
1987.....	26.7	20.3	*	*	*	*	1.9	4.4	13.2	19.9
1986.....	26.9	15.6	*	*	*	*	2.0	5.3	13.3	18.1
1985.....	27.5	19.6	*	*	*	*	*	5.4	14.4	22.7
1984.....	26.4	21.7	*	*	*	*	2.1	5.9	12.7	18.9
1983.....	26.0	24.6	*	*	*	1.4	1.8	6.0	14.6	21.7
1982.....	25.5	20.7	*	*	*	*	2.1	8.0	12.0	23.2
1981.....	28.1	25.2	2.2	*	*	*	2.2	5.9	15.6	28.2
1980.....	29.1	27.8	2.0	0.8	0.5	1.7	3.5	9.4	17.9	28.3
1979.....	27.9	34.0	1.7	0.7	1.1	1.1	2.3	8.7	14.8	31.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR      UNDER 1      1-4      5-9      10-14      15-19      20-24      25-29      30-34      35-39  
 DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

TOTAL, BOTH SEXES	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	-	-	-	-	0.0	0.0	0.0	0.0
1979.....	0.0	0.0	0.0	0.0	-	0.0	-	0.0	0.0	-
TOTAL, MALE										
1998.....	0.0	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	-	-	-	-	0.0	0.0	-	-
1979.....	0.0	0.1	0.0	-	-	0.0	-	0.0	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR      TOTAL      UNDER 1      1-4      5-9      10-14      15-19      20-24      25-29      30-34      35-39  
 DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
TOTAL, FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	0.0	-	0.0	0.0
1979.....	0.0	-	-	0.0	-	-	-	-	0.0	-
WHITE, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	0.0	0.0	0.0	0.0
1979.....	0.0	0.0	0.0	-	-	-	-	0.0	0.0	-



CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39  
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.2	-	-	-	-	0.0	0.0	0.0	-	-
1979.....	0.1	-	0.0	0.0	-	0.0	-	-	-	-	-

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.3	-	-	-	-	0.1	0.1	-	-	-
1979.....	0.1	-	0.1	-	-	0.1	-	-	-	-	-



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR      UNDER 1      1-4      5-9      10-14      15-19      20-24      25-29      30-34      35-39  
 DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	-	-	0.1	-
1979.....	0.1	-	-	0.1	-	-	-	-	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.2	-	-	-	-	0.0	0.0	0.1	-
1979.....	0.1	-	0.1	0.0	-	0.0	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR      UNDER 1      1-4      5-9      10-14      15-19      20-24      25-29      30-34      35-39  
 DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)      TOTAL      YEAR      YEARS      YEARS      YEARS      YEARS      YEARS      YEARS      YEARS

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.4	-	-	-	-	0.1	0.1	-	-
1979.....	0.1	-	0.1	-	-	0.1	-	-	-	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	-	-	0.1	-
1979.....	0.1	-	-	0.1	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
TOTAL, BOTH SEXES										
1998.....	29.3	8.7	0.9	0.3	0.3	0.4	0.8	1.6	3.7	7.9
1997.....	29.5	8.9	0.8	0.3	0.3	0.5	0.8	1.4	3.7	8.4
1996.....	29.2	9.4	1.0	0.4	0.3	0.4	0.8	1.7	3.8	8.8
1995.....	29.2	8.4	0.9	0.3	0.4	0.5	0.7	1.8	3.8	9.4
1994.....	29.7	9.2	1.0	0.3	0.4	0.5	0.8	1.8	4.6	9.6
1993.....	29.7	8.7	1.1	0.3	0.4	0.5	0.7	1.9	4.3	10.3
1992.....	29.8	9.3	1.0	0.3	0.3	0.6	0.8	2.0	4.6	10.4
1991.....	29.9	9.7	1.1	0.3	0.3	0.5	0.8	2.1	5.0	10.7
1990.....	30.2	10.1	1.0	0.4	0.2	0.4	0.8	2.1	5.1	11.4
1989.....	30.8	9.3	1.0	0.3	0.4	0.5	0.9	2.2	5.5	11.7
1988.....	31.2	10.1	1.0	0.3	0.3	0.5	0.9	2.5	5.8	12.1
1987.....	31.1	10.3	1.1	0.4	0.2	0.5	1.0	2.4	6.5	11.8
1986.....	30.9	10.6	1.0	0.4	0.3	0.6	0.9	2.4	6.8	11.3
1985.....	31.4	11.1	1.1	0.3	0.2	0.6	1.0	2.5	7.0	11.9
1984.....	31.3	12.1	1.1	0.4	0.4	0.6	1.0	2.7	6.6	11.4
1983.....	31.0	12.6	1.2	0.3	0.3	0.6	1.0	2.8	6.8	10.9
1982.....	31.3	13.3	1.3	0.5	0.4	0.5	1.1	3.1	6.4	11.8
1981.....	32.3	13.4	1.2	0.4	0.4	0.6	1.3	3.3	6.6	13.5
1980.....	33.2	16.0	1.2	0.4	0.4	0.8	1.4	3.5	8.0	14.7
1979.....	32.1	19.0	1.3	0.3	0.4	0.6	1.3	3.8	7.5	14.8
TOTAL, MALE										
1998.....	29.8	9.6	0.9	0.3	0.3	0.5	0.8	1.9	4.6	10.1
1997.....	30.0	11.0	0.9	0.3	0.3	0.5	0.9	1.6	4.7	10.9
1996.....	29.9	10.5	1.1	0.5	0.3	0.5	0.9	2.1	4.7	11.6
1995.....	30.4	9.4	1.1	0.5	0.4	0.6	0.9	2.2	5.1	12.7
1994.....	30.9	10.5	1.1	0.3	0.4	0.5	0.8	2.2	6.0	13.1
1993.....	30.7	10.6	1.2	0.3	0.4	0.6	0.8	2.4	5.4	13.8
1992.....	30.9	10.3	1.2	0.4	0.3	0.6	0.8	2.4	6.0	14.5
1991.....	31.2	11.8	1.0	0.3	0.3	0.6	0.8	2.7	6.4	14.8
1990.....	31.5	11.8	1.2	0.4	0.2	0.5	0.9	2.5	6.6	16.1
1989.....	32.6	11.2	1.1	0.3	0.4	0.5	1.1	2.7	7.5	17.0
1988.....	33.3	11.2	1.1	0.4	0.4	0.5	1.0	2.8	7.9	17.6
1987.....	33.2	11.6	1.3	0.4	0.3	0.7	1.2	2.8	8.5	16.8
1986.....	33.0	12.7	1.0	0.3	0.3	0.7	1.1	2.9	9.0	16.4
1985.....	34.0	12.0	1.1	0.4	0.2	0.5	1.2	3.0	9.4	16.3
1984.....	34.0	14.9	1.0	0.5	0.3	0.7	1.1	3.3	9.1	16.3
1983.....	34.2	13.1	1.3	0.4	0.3	0.6	1.1	3.5	9.1	15.0
1982.....	34.4	15.8	1.3	0.5	0.5	0.5	1.3	3.8	8.9	16.4
1981.....	35.7	15.1	1.3	0.5	0.4	0.6	1.4	4.0	8.9	18.5
1980.....	37.3	18.4	1.2	0.4	0.5	0.8	1.4	4.4	10.4	19.5
1979.....	36.3	21.8	1.5	0.3	0.4	0.5	1.5	4.8	10.1	19.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
TOTAL, FEMALE										
1998.....	28.8	7.9	0.8	*	0.3	0.3	0.7	1.2	2.8	5.8
1997.....	29.0	6.8	0.8	0.2	0.2	0.5	0.7	1.1	2.7	6.0
1996.....	28.5	8.1	0.9	0.4	*	0.3	0.8	1.3	3.0	6.0
1995.....	28.1	7.4	0.7	*	0.4	0.3	0.6	1.3	2.5	6.0
1994.....	28.6	7.8	0.9	0.2	0.3	0.5	0.8	1.3	3.2	6.1
1993.....	28.8	6.7	1.0	0.3	0.4	0.4	0.7	1.5	3.2	6.7
1992.....	28.7	8.3	0.9	*	0.2	0.5	0.7	1.5	3.1	6.5
1991.....	28.8	7.5	1.1	0.2	0.3	0.3	0.8	1.6	3.6	6.6
1990.....	29.0	8.2	0.7	0.3	0.3	0.4	0.8	1.7	3.6	6.8
1989.....	29.1	7.4	0.9	0.4	0.3	0.5	0.8	1.7	3.6	6.4
1988.....	29.2	8.9	0.9	0.3	0.2	0.4	0.8	2.2	3.7	6.7
1987.....	29.1	9.1	0.9	0.4	*	0.4	0.9	1.9	4.5	7.0
1986.....	28.9	8.5	1.0	0.4	0.3	0.5	0.8	1.9	4.5	6.4
1985.....	28.9	10.1	1.0	*	0.3	0.6	0.8	1.9	4.7	7.5
1984.....	28.7	9.1	1.1	0.3	0.4	0.5	0.9	2.1	4.0	6.7
1983.....	28.0	12.0	1.0	0.3	0.3	0.6	0.8	2.2	4.4	7.0
1982.....	28.4	10.7	1.3	0.5	0.2	0.5	1.0	2.4	4.0	7.3
1981.....	29.0	11.5	1.0	0.4	0.5	0.6	1.1	2.5	4.3	8.8
1980.....	29.2	13.5	1.1	0.4	0.3	0.8	1.3	2.6	5.6	9.9
1979.....	28.1	16.1	1.2	0.4	0.4	0.7	1.2	2.8	4.9	9.9
WHITE, BOTH SEXES										
1998.....	30.9	7.0	0.7	0.2	0.3	0.3	0.7	1.4	3.5	7.4
1997.....	31.0	7.5	0.8	0.3	0.3	0.4	0.7	1.2	3.4	7.9
1996.....	30.4	7.9	0.8	0.4	0.3	0.4	0.7	1.5	3.6	7.8
1995.....	30.5	7.1	0.9	0.3	0.4	0.4	0.6	1.6	3.4	8.4
1994.....	30.9	7.4	0.8	0.2	0.3	0.5	0.6	1.4	4.0	8.5
1993.....	30.8	7.2	0.9	0.3	0.3	0.4	0.6	1.7	3.8	8.9
1992.....	30.7	7.3	0.9	0.2	0.3	0.5	0.6	1.6	3.8	9.2
1991.....	30.8	7.8	0.9	0.2	0.3	0.4	0.6	1.8	4.1	9.3
1990.....	30.9	8.2	0.9	0.3	0.2	0.4	0.7	1.6	4.1	9.3
1989.....	31.4	6.6	0.9	0.2	0.3	0.4	0.8	1.7	4.3	9.4
1988.....	31.7	7.9	0.9	0.2	0.3	0.4	0.7	2.0	4.6	9.6
1987.....	31.6	7.5	1.0	0.4	0.2	0.5	0.8	2.0	4.9	9.4
1986.....	31.4	8.6	0.9	0.4	0.2	0.5	0.8	1.8	5.0	8.9
1985.....	31.7	8.7	0.9	0.3	0.2	0.5	0.9	1.8	5.2	9.1
1984.....	31.7	9.5	0.9	0.4	0.3	0.6	0.9	2.0	4.9	8.8
1983.....	31.5	10.3	1.1	0.3	0.3	0.5	0.7	2.3	4.9	8.4
1982.....	31.8	10.5	1.2	0.5	0.4	0.4	0.9	2.2	4.9	9.1
1981.....	32.4	10.4	1.0	0.4	0.4	0.5	1.0	2.5	4.6	10.1
1980.....	33.0	12.4	1.0	0.3	0.4	0.7	1.1	2.5	5.6	11.0
1979.....	31.9	15.1	1.2	0.3	0.3	0.6	1.1	2.7	5.1	10.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
WHITE MALE										
1998.....	30.9	8.1	0.7	0.4	*	0.4	0.8	1.7	4.4	9.6
1997.....	31.0	9.1	0.8	0.3	0.3	0.4	0.7	1.5	4.4	10.4
1996.....	30.7	8.9	1.0	0.4	0.3	0.4	0.8	1.8	4.4	10.5
1995.....	31.1	7.7	1.0	0.4	0.4	0.6	0.7	2.0	4.6	11.4
1994.....	31.5	8.5	0.9	0.3	0.4	0.5	0.6	2.0	5.4	12.1
1993.....	31.2	8.7	1.0	*	0.3	0.5	0.6	2.1	4.9	12.5
1992.....	31.3	8.0	1.0	0.3	0.3	0.6	0.7	2.1	5.2	13.1
1991.....	31.6	9.1	0.9	*	0.3	0.5	0.6	2.3	5.5	13.4
1990.....	31.6	9.5	1.1	0.4	*	0.4	0.8	1.9	5.4	13.4
1989.....	32.7	8.1	1.0	*	0.4	0.4	0.9	2.2	6.2	13.9
1988.....	33.2	8.6	1.0	0.3	0.4	0.5	0.7	2.4	6.4	14.3
1987.....	33.1	7.8	1.2	0.3	*	0.7	1.0	2.4	6.5	13.4
1986.....	33.0	10.2	1.0	0.4	*	0.6	1.0	2.2	6.9	13.1
1985.....	33.7	9.1	0.9	0.4	*	0.5	1.0	2.3	7.2	12.8
1984.....	34.0	11.9	1.0	0.5	*	0.7	1.0	2.5	7.2	12.6
1983.....	34.2	11.1	1.2	0.4	0.3	0.5	0.9	2.9	6.9	11.7
1982.....	34.4	11.9	1.2	0.4	0.5	0.5	1.1	2.9	6.9	12.9
1981.....	35.4	11.9	1.1	0.4	0.3	0.6	1.1	3.1	6.5	14.2
1980.....	36.6	14.5	1.1	0.4	0.5	0.8	1.2	3.4	7.4	14.7
1979.....	35.6	17.8	1.4	0.3	0.3	0.5	1.2	3.5	6.9	14.9
WHITE FEMALE										
1998.....	30.8	6.0	0.7	*	0.3	0.3	0.6	1.1	2.5	5.2
1997.....	31.0	5.8	0.7	*	*	0.5	0.6	0.9	2.3	5.2
1996.....	30.2	6.9	0.7	0.3	*	0.3	0.6	1.2	2.7	5.1
1995.....	29.9	6.4	0.7	*	0.4	0.3	0.5	1.2	2.2	5.3
1994.....	30.2	6.3	0.7	*	0.3	0.5	0.6	0.9	2.6	5.0
1993.....	30.4	5.5	0.9	0.3	0.3	0.4	0.6	1.2	2.6	5.3
1992.....	30.1	6.4	0.7	*	*	0.5	0.6	1.2	2.5	5.3
1991.....	30.1	6.4	1.0	*	0.3	*	0.6	1.3	2.7	5.2
1990.....	30.2	6.8	0.6	*	*	0.3	0.6	1.3	2.7	5.2
1989.....	30.1	5.0	0.7	0.3	*	0.4	0.6	1.2	2.4	4.8
1988.....	30.3	7.2	0.8	*	*	0.3	0.6	1.5	2.8	4.9
1987.....	30.2	7.1	0.8	0.4	*	0.4	0.6	1.5	3.2	5.3
1986.....	29.9	7.0	0.9	0.4	*	0.5	0.6	1.4	3.2	4.7
1985.....	29.8	8.2	0.9	*	*	0.6	0.7	1.3	3.2	5.4
1984.....	29.6	6.9	0.9	*	0.3	0.4	0.7	1.5	2.7	5.0
1983.....	28.9	9.6	1.0	*	*	0.4	0.6	1.6	2.9	5.1
1982.....	29.3	8.9	1.2	0.5	*	0.4	0.8	1.5	2.9	5.3
1981.....	29.5	8.8	0.8	0.4	0.4	0.5	0.9	1.9	2.7	6.1
1980.....	29.6	10.1	0.9	0.3	0.3	0.7	1.0	1.6	3.8	7.3
1979.....	28.4	12.3	1.0	0.3	0.3	0.6	1.0	1.9	3.3	6.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
ALL OTHER, BOTH SEXES										
1998.....	22.0	15.2	1.4	*	*	0.7	1.1	2.1	4.9	10.5
1997.....	22.5	14.4	1.2	*	*	0.7	1.3	2.1	5.3	11.3
1996.....	23.0	15.2	1.5	0.6	*	0.6	1.4	2.4	5.1	13.3
1995.....	23.1	13.4	1.1	0.5	*	0.6	1.3	2.3	5.5	14.2
1994.....	24.1	15.8	1.7	*	*	0.6	1.5	3.2	7.3	14.6
1993.....	24.4	14.4	1.7	*	0.7	0.6	1.3	3.1	6.8	16.8
1992.....	25.0	17.1	1.5	0.5	*	0.7	1.3	3.6	8.1	16.7
1991.....	25.5	16.3	1.7	*	*	0.8	1.6	3.6	9.5	17.8
1990.....	26.6	17.1	1.3	*	*	*	1.4	4.0	10.2	22.4
1989.....	27.8	19.8	1.4	0.7	*	1.0	1.8	4.6	11.6	23.8
1988.....	28.3	18.6	1.4	0.8	*	0.9	1.9	4.9	12.0	25.1
1987.....	28.2	22.2	1.5	0.6	*	*	2.1	4.4	14.8	25.6
1986.....	28.3	19.3	1.2	*	*	0.9	1.6	5.5	16.0	25.4
1985.....	29.6	21.5	1.8	*	*	0.7	1.6	5.9	16.8	28.3
1984.....	28.5	23.7	1.6	*	0.7	0.7	1.5	6.2	15.5	27.8
1983.....	28.5	22.3	1.4	*	*	1.1	2.0	6.0	17.3	27.3
1982.....	28.6	26.1	1.5	*	*	0.8	2.1	8.2	15.5	29.8
1981.....	31.7	26.9	2.1	*	0.7	0.9	2.5	7.5	18.5	35.6
1980.....	34.0	32.6	1.9	0.7	0.5	1.4	3.1	9.5	23.1	38.8
1979.....	33.3	37.4	1.9	0.5	0.7	0.9	2.7	10.4	23.1	41.3
ALL OTHER MALE										
1998.....	24.5	15.4	1.7	*	*	*	*	2.8	5.6	12.5
1997.....	25.2	18.3	*	*	*	*	1.6	2.2	6.3	13.3
1996.....	25.8	17.3	1.5	*	*	*	1.3	3.3	6.1	17.0
1995.....	26.7	15.9	1.4	*	*	*	1.8	2.8	7.2	19.5
1994.....	27.6	18.0	2.0	*	*	*	1.6	3.2	9.0	18.5
1993.....	28.2	17.5	1.7	*	*	*	1.4	3.5	7.9	20.9
1992.....	28.7	19.0	1.7	*	*	*	1.5	4.1	10.1	22.1
1991.....	29.0	21.0	1.6	*	*	1.1	1.8	4.6	11.1	22.7
1990.....	30.9	20.5	1.4	*	*	*	1.3	5.0	12.8	31.2
1989.....	32.4	23.0	1.4	*	*	*	2.0	5.0	14.6	34.5
1988.....	33.3	21.6	*	*	*	*	2.0	4.8	16.7	36.3
1987.....	33.5	27.2	2.0	*	*	*	2.4	5.1	19.5	36.8
1986.....	33.4	23.7	*	*	*	1.2	1.6	6.6	21.1	37.2
1985.....	35.3	24.8	2.1	*	*	*	2.1	7.3	21.9	38.9
1984.....	34.0	28.4	*	*	*	*	1.3	7.4	20.6	41.1
1983.....	34.0	22.4	1.8	*	*	*	2.4	6.7	22.9	37.9
1982.....	34.7	33.2	1.7	*	*	*	2.3	9.5	21.6	41.4
1981.....	38.1	30.2	2.0	*	*	*	2.6	9.2	24.5	48.4
1980.....	41.7	36.3	1.8	0.7	0.5	1.3	2.9	11.1	30.7	54.1
1979.....	41.2	41.3	1.9	0.5	0.4	0.6	3.3	13.0	33.0	56.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
ALL OTHER FEMALE										
1998.....	19.6	15.0	*	*	*	*	1.3	1.5	4.3	8.6
1997.....	20.0	10.5	*	*	*	*	*	1.9	4.3	9.5
1996.....	20.4	13.2	1.6	*	*	*	1.6	1.6	4.2	10.0
1995.....	19.9	11.0	*	*	*	*	*	1.9	3.9	9.4
1994.....	20.8	13.5	1.4	*	*	*	1.3	3.1	5.8	11.2
1993.....	20.9	11.2	1.7	*	*	*	1.2	2.8	5.8	13.3
1992.....	21.6	15.2	1.3	*	*	*	1.1	3.1	6.2	12.0
1991.....	22.2	11.4	1.7	*	*	*	1.4	2.7	8.0	13.5
1990.....	22.6	13.6	*	*	*	*	1.5	3.1	7.8	14.6
1989.....	23.7	16.5	1.4	*	*	*	1.6	4.1	8.9	14.5
1988.....	23.8	15.4	*	*	*	*	1.9	5.0	7.9	15.3
1987.....	23.5	17.2	*	*	*	*	1.8	3.7	10.7	15.9
1986.....	23.7	14.7	*	*	*	*	1.7	4.4	11.5	15.3
1985.....	24.3	18.2	1.5	*	*	*	1.2	4.7	12.4	19.3
1984.....	23.6	18.9	1.8	*	*	*	1.8	5.2	10.9	16.5
1983.....	23.4	22.2	*	*	*	1.4	1.7	5.3	12.5	18.4
1982.....	23.2	18.7	*	*	*	*	1.9	7.1	10.3	20.1
1981.....	25.8	23.5	2.2	*	*	*	2.4	5.9	13.4	24.7
1980.....	27.1	28.9	1.9	0.7	0.4	1.5	3.2	8.2	16.6	25.8
1979.....	26.2	33.6	1.9	0.6	1.0	1.2	2.1	8.2	14.7	28.6
BLACK, BOTH SEXES										
1998.....	25.3	18.9	1.7	*	*	0.9	1.2	2.4	5.2	11.7
1997.....	25.8	17.6	1.3	*	*	0.8	1.5	2.4	5.4	12.7
1996.....	26.6	18.5	1.5	*	*	0.8	1.8	2.7	5.6	15.2
1995.....	26.5	15.5	1.3	0.7	*	0.7	1.6	2.6	6.1	16.1
1994.....	27.7	17.9	1.8	*	*	*	1.8	3.6	7.8	16.9
1993.....	28.0	17.7	2.0	*	0.8	*	1.5	3.6	7.8	19.4
1992.....	28.8	20.8	1.7	*	*	0.8	1.4	3.9	9.1	19.7
1991.....	29.6	20.7	1.7	*	*	1.0	2.0	4.1	11.3	21.6
1990.....	30.7	20.1	1.6	*	*	*	1.6	4.6	12.0	27.4
1989.....	31.9	23.6	1.5	0.7	*	1.0	2.2	5.4	13.4	28.8
1988.....	32.3	22.0	1.4	0.9	*	1.0	2.3	5.5	14.7	30.3
1987.....	32.4	25.5	1.6	*	*	*	2.2	5.1	18.3	32.2
1986.....	32.3	21.3	1.4	*	*	1.0	1.9	6.4	19.3	30.7
1985.....	33.4	23.4	1.9	*	*	*	1.8	6.8	20.0	34.4
1984.....	31.8	26.2	1.7	*	*	0.8	1.7	6.9	18.2	33.0
1983.....	31.6	24.6	1.4	*	*	1.2	2.3	6.6	20.1	33.1
1982.....	31.7	29.7	1.5	*	*	1.0	2.3	9.1	18.0	35.2
1981.....	34.7	28.7	2.3	*	0.8	0.8	2.6	8.1	21.4	41.3
1980.....	36.7	34.2	1.9	0.8	0.5	1.5	3.4	10.7	25.9	43.6
1979.....	35.5	38.3	1.8	0.6	0.7	0.9	2.9	11.1	25.0	46.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
BLACK MALE										
1998.....	28.1	19.3	2.2	*	*	*	*	3.3	5.5	13.8
1997.....	29.0	22.4	*	*	*	*	1.9	2.6	6.7	14.8
1996.....	30.1	20.2	*	*	*	*	1.7	3.9	6.2	19.8
1995.....	30.7	18.1	1.7	*	*	*	2.0	3.1	7.8	22.1
1994.....	31.9	20.7	2.1	*	*	*	2.1	4.0	10.0	21.7
1993.....	32.6	21.7	2.1	*	*	*	1.7	3.9	9.1	24.3
1992.....	33.3	22.1	1.9	*	*	*	1.8	4.5	11.8	25.9
1991.....	33.8	26.8	1.8	*	*	1.5	2.3	5.3	13.4	27.8
1990.....	36.0	23.9	*	*	*	*	1.5	6.0	15.7	38.4
1989.....	37.3	27.6	*	*	*	*	2.4	6.1	17.3	42.4
1988.....	38.2	25.6	*	*	*	*	2.5	5.7	20.9	44.6
1987.....	38.7	30.7	2.2	*	*	*	2.7	5.9	24.1	46.5
1986.....	38.4	26.8	*	*	*	*	1.7	7.5	26.1	45.4
1985.....	40.1	27.2	2.2	*	*	*	2.4	8.3	26.5	48.1
1984.....	37.9	30.7	*	*	*	*	*	7.9	24.6	49.9
1983.....	37.8	24.5	*	*	*	*	2.8	7.3	26.5	46.7
1982.....	38.6	38.5	*	*	*	*	2.4	10.5	25.0	49.5
1981.....	42.2	32.2	2.4	*	*	*	3.0	10.6	28.3	57.0
1980.....	45.1	40.5	1.9	0.7	0.5	1.3	3.2	12.3	35.3	62.0
1979.....	43.9	42.3	1.9	0.5	0.4	0.7	3.6	13.9	36.9	64.7
BLACK FEMALE										
1998.....	22.7	18.4	*	*	*	*	1.5	1.5	4.9	9.8
1997.....	23.0	12.8	*	*	*	*	*	2.3	4.2	10.8
1996.....	23.5	16.7	*	*	*	*	1.8	1.6	5.0	11.2
1995.....	22.7	12.7	*	*	*	*	*	2.1	4.5	10.9
1994.....	23.8	15.1	*	*	*	*	*	3.3	5.8	12.6
1993.....	23.9	13.6	1.9	*	*	*	*	3.2	6.7	15.0
1992.....	24.8	19.4	*	*	*	*	*	3.3	6.8	14.2
1991.....	25.8	14.4	1.7	*	*	*	1.8	3.1	9.5	16.2
1990.....	26.0	16.2	*	*	*	*	1.6	3.4	8.7	17.9
1989.....	27.1	19.4	*	*	*	*	2.0	4.8	10.0	17.1
1988.....	27.1	18.2	*	*	*	*	2.1	5.5	9.2	18.1
1987.....	26.7	20.3	*	*	*	*	1.8	4.4	13.2	19.9
1986.....	26.9	15.6	*	*	*	*	2.0	5.3	13.3	18.1
1985.....	27.5	19.6	*	*	*	*	*	5.4	14.4	22.7
1984.....	26.4	21.7	*	*	*	*	2.1	5.9	12.7	18.8
1983.....	26.0	24.6	*	*	*	1.4	1.8	6.0	14.6	21.7
1982.....	25.5	20.7	*	*	*	*	2.1	7.9	12.0	23.2
1981.....	28.1	25.2	2.2	*	*	*	2.2	5.9	15.6	28.2
1980.....	29.1	27.8	2.0	0.8	0.5	1.7	3.5	9.4	17.8	28.3
1979.....	27.9	34.0	1.7	0.6	1.1	1.1	2.3	8.7	14.8	31.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
TOTAL, BOTH SEXES										
1998.....	1.7	*	*	*	*	*	*	*	0.1	0.1
1997.....	1.9	*	*	*	*	*	*	*	*	0.2
1996.....	1.9	*	*	*	*	*	*	*	0.1	0.2
1995.....	2.1	*	*	*	*	*	*	*	0.1	0.2
1994.....	2.3	*	*	*	*	*	*	0.1	0.1	0.3
1993.....	2.3	*	*	*	*	*	*	*	0.1	0.3
1992.....	2.4	*	*	*	*	*	*	*	0.2	0.3
1991.....	2.4	*	*	*	*	*	*	*	0.1	0.3
1990.....	2.5	*	*	*	*	*	*	0.1	0.2	0.3
1989.....	2.6	*	*	*	*	*	*	*	0.1	0.3
1988.....	2.6	*	*	*	*	*	*	*	0.1	0.3
1987.....	2.6	*	*	*	*	*	*	0.1	0.2	0.3
1986.....	2.7	*	*	*	*	*	*	*	0.2	0.4
1985.....	2.8	*	*	*	*	*	*	*	0.1	0.3
1984.....	2.8	*	*	*	*	*	*	*	0.2	0.3
1983.....	2.7	*	*	*	*	*	*	*	0.2	0.3
1982.....	2.9	*	*	*	*	*	*	0.1	0.2	0.3
1981.....	2.8	*	*	*	*	*	*	0.1	0.2	0.4
1980.....	2.7	0.3	0.1	0.0	0.0	0.1	0.1	0.1	0.3	0.4
1979.....	2.6	0.5	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.4
TOTAL, MALE										
1998.....	1.7	*	*	*	*	*	*	*	*	*
1997.....	1.8	*	*	*	*	*	*	*	*	0.3
1996.....	1.9	*	*	*	*	*	*	*	*	0.3
1995.....	2.0	*	*	*	*	*	*	*	*	0.3
1994.....	2.3	*	*	*	*	*	*	*	0.2	0.4
1993.....	2.2	*	*	*	*	*	*	*	*	0.4
1992.....	2.3	*	*	*	*	*	*	*	0.3	0.4
1991.....	2.4	*	*	*	*	*	*	*	*	0.4
1990.....	2.5	*	*	*	*	*	*	*	0.2	0.4
1989.....	2.6	*	*	*	*	*	*	*	*	0.4
1988.....	2.7	*	*	*	*	*	*	*	0.2	0.5
1987.....	2.7	*	*	*	*	*	*	*	0.2	0.4
1986.....	2.7	*	*	*	*	*	*	*	0.2	0.6
1985.....	2.9	*	*	*	*	*	*	*	*	0.5
1984.....	2.8	*	*	*	*	*	*	*	0.3	0.4
1983.....	2.9	*	*	*	*	*	*	*	*	0.4
1982.....	3.0	*	*	*	*	*	*	*	0.2	0.4
1981.....	3.1	*	*	*	*	*	*	*	0.3	0.6
1980.....	3.1	0.4	0.1	0.0	0.1	0.1	0.1	0.1	0.3	0.6
1979.....	3.0	0.6	0.0	-	0.0	0.0	0.1	0.1	0.3	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
TOTAL, FEMALE										
1998.....	1.8	*	*	*	*	*	*	*	*	*
1997.....	2.0	*	*	*	*	*	*	*	*	*
1996.....	2.0	*	*	*	*	*	*	*	*	*
1995.....	2.1	*	*	*	*	*	*	*	*	0.2
1994.....	2.4	*	*	*	*	*	*	*	*	*
1993.....	2.4	*	*	*	*	*	*	*	*	*
1992.....	2.5	*	*	*	*	*	*	*	*	0.2
1991.....	2.5	*	*	*	*	*	*	*	*	*
1990.....	2.5	*	*	*	*	*	*	*	*	*
1989.....	2.6	*	*	*	*	*	*	*	*	*
1988.....	2.6	*	*	*	*	*	*	*	*	*
1987.....	2.5	*	*	*	*	*	*	*	*	*
1986.....	2.7	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.8	*	*	*	*	*	*	*	*	*
1983.....	2.6	*	*	*	*	*	*	*	*	*
1982.....	2.8	*	*	*	*	*	*	*	*	*
1981.....	2.6	*	*	*	*	*	*	*	*	*
1980.....	2.3	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.2
1979.....	2.3	0.4	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.3
WHITE, BOTH SEXES										
1998.....	1.9	*	*	*	*	*	*	*	*	0.1
1997.....	2.0	*	*	*	*	*	*	*	*	0.1
1996.....	2.0	*	*	*	*	*	*	*	*	0.2
1995.....	2.2	*	*	*	*	*	*	*	*	0.2
1994.....	2.5	*	*	*	*	*	*	*	*	0.2
1993.....	2.5	*	*	*	*	*	*	*	*	0.2
1992.....	2.6	*	*	*	*	*	*	*	0.1	0.2
1991.....	2.6	*	*	*	*	*	*	*	*	0.2
1990.....	2.6	*	*	*	*	*	*	*	*	0.2
1989.....	2.7	*	*	*	*	*	*	*	*	0.3
1988.....	2.8	*	*	*	*	*	*	*	*	0.3
1987.....	2.8	*	*	*	*	*	*	*	0.1	0.2
1986.....	2.8	*	*	*	*	*	*	*	0.1	0.3
1985.....	3.0	*	*	*	*	*	*	*	*	0.3
1984.....	3.0	*	*	*	*	*	*	*	0.1	0.2
1983.....	2.9	*	*	*	*	*	*	*	*	0.3
1982.....	3.1	*	*	*	*	*	*	0.1	0.2	0.3
1981.....	3.0	*	*	*	*	*	*	*	0.1	0.4
1980.....	2.8	0.2	0.1	0.0	0.0	0.1	0.0	0.1	0.2	0.3
1979.....	2.8	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
WHITE MALE										
1998.....	1.8	*	*	*	*	*	*	*	*	*
1997.....	1.9	*	*	*	*	*	*	*	*	0.2
1996.....	1.9	*	*	*	*	*	*	*	*	0.2
1995.....	2.1	*	*	*	*	*	*	*	*	*
1994.....	2.4	*	*	*	*	*	*	*	*	0.2
1993.....	2.3	*	*	*	*	*	*	*	*	0.3
1992.....	2.4	*	*	*	*	*	*	*	*	0.2
1991.....	2.5	*	*	*	*	*	*	*	*	0.3
1990.....	2.5	*	*	*	*	*	*	*	*	0.3
1989.....	2.7	*	*	*	*	*	*	*	*	0.3
1988.....	2.8	*	*	*	*	*	*	*	*	0.3
1987.....	2.8	*	*	*	*	*	*	*	*	0.3
1986.....	2.7	*	*	*	*	*	*	*	*	0.4
1985.....	3.0	*	*	*	*	*	*	*	*	0.4
1984.....	2.9	*	*	*	*	*	*	*	*	0.3
1983.....	3.0	*	*	*	*	*	*	*	*	0.3
1982.....	3.1	*	*	*	*	*	*	*	*	0.3
1981.....	3.2	*	*	*	*	*	*	*	*	0.5
1980.....	3.2	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.2	0.5
1979.....	3.1	0.4	0.0	-	0.0	0.0	0.1	0.1	0.2	0.4
WHITE FEMALE										
1998.....	1.9	*	*	*	*	*	*	*	*	*
1997.....	2.2	*	*	*	*	*	*	*	*	*
1996.....	2.2	*	*	*	*	*	*	*	*	*
1995.....	2.3	*	*	*	*	*	*	*	*	*
1994.....	2.6	*	*	*	*	*	*	*	*	*
1993.....	2.6	*	*	*	*	*	*	*	*	*
1992.....	2.7	*	*	*	*	*	*	*	*	*
1991.....	2.7	*	*	*	*	*	*	*	*	*
1990.....	2.7	*	*	*	*	*	*	*	*	*
1989.....	2.8	*	*	*	*	*	*	*	*	*
1988.....	2.8	*	*	*	*	*	*	*	*	*
1987.....	2.8	*	*	*	*	*	*	*	*	*
1986.....	2.9	*	*	*	*	*	*	*	*	*
1985.....	2.9	*	*	*	*	*	*	*	*	*
1984.....	3.0	*	*	*	*	*	*	*	*	*
1983.....	2.8	*	*	*	*	*	*	*	*	*
1982.....	3.0	*	*	*	*	*	*	*	*	*
1981.....	2.8	*	*	*	*	*	*	*	*	*
1980.....	2.5	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.2
1979.....	2.5	0.1	0.0	0.0	-	0.0	0.1	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	*	*	*	*	*	*	*	*	*
1997.....	1.4	*	*	*	*	*	*	*	*	*
1996.....	1.4	*	*	*	*	*	*	*	*	0.6
1995.....	1.4	*	*	*	*	*	*	*	*	0.6
1994.....	1.6	*	*	*	*	*	*	*	*	0.7
1993.....	1.6	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	0.7
1991.....	1.6	*	*	*	*	*	*	*	*	*
1990.....	1.7	*	*	*	*	*	*	*	*	*
1989.....	2.0	*	*	*	*	*	*	*	*	*
1988.....	1.7	*	*	*	*	*	*	*	*	0.8
1987.....	1.6	*	*	*	*	*	*	*	*	*
1986.....	1.9	*	*	*	*	*	*	*	*	0.8
1985.....	1.8	*	*	*	*	*	*	*	*	*
1984.....	1.8	*	*	*	*	*	*	*	*	*
1983.....	1.8	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.0	*	*	*	*	*	*	*	*	*
1980.....	1.8	0.9	0.0	-	0.1	0.1	0.1	0.2	0.5	1.0
1979.....	1.9	1.5	-	-	0.0	0.1	0.2	0.3	0.7	1.0
ALL OTHER MALE										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	1.6	*	*	*	*	*	*	*	*	*
1996.....	1.6	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	*	*
1994.....	1.9	*	*	*	*	*	*	*	*	*
1993.....	1.9	*	*	*	*	*	*	*	*	*
1992.....	1.9	*	*	*	*	*	*	*	*	*
1991.....	1.9	*	*	*	*	*	*	*	*	*
1990.....	2.0	*	*	*	*	*	*	*	*	*
1989.....	2.4	*	*	*	*	*	*	*	*	*
1988.....	2.0	*	*	*	*	*	*	*	*	1.6
1987.....	2.0	*	*	*	*	*	*	*	*	*
1986.....	2.2	*	*	*	*	*	*	*	*	*
1985.....	2.2	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*
1982.....	2.4	*	*	*	*	*	*	*	*	*
1981.....	2.5	*	*	*	*	*	*	*	*	*
1980.....	2.4	1.6	-	-	0.1	0.1	0.1	0.2	0.8	1.8
1979.....	2.5	1.3	-	-	-	0.1	0.2	0.4	1.3	2.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
ALL OTHER FEMALE										
1998.....	1.0	*	*	*	*	*	*	*	*	*
1997.....	1.1	*	*	*	*	*	*	*	*	*
1996.....	1.2	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.3	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	*	*
1990.....	1.4	*	*	*	*	*	*	*	*	*
1989.....	1.7	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.3	*	*	*	*	*	*	*	*	*
1986.....	1.6	*	*	*	*	*	*	*	*	*
1985.....	1.5	*	*	*	*	*	*	*	*	*
1984.....	1.5	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.6	*	*	*	*	*	*	*	*	*
1981.....	1.5	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.3	0.1	-	-	0.1	0.1	0.2	0.3	0.4
1979.....	1.3	1.7	-	-	0.1	0.1	0.2	0.1	0.2	0.2
BLACK, BOTH SEXES										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	1.4	*	*	*	*	*	*	*	*	*
1996.....	1.6	*	*	*	*	*	*	*	*	0.7
1995.....	1.6	*	*	*	*	*	*	*	*	0.7
1994.....	1.8	*	*	*	*	*	*	*	*	1.0
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	1.8	*	*	*	*	*	*	*	*	1.0
1991.....	1.8	*	*	*	*	*	*	*	*	*
1990.....	1.9	*	*	*	*	*	*	*	*	*
1989.....	2.2	*	*	*	*	*	*	*	*	*
1988.....	1.9	*	*	*	*	*	*	*	*	1.0
1987.....	1.9	*	*	*	*	*	*	*	*	*
1986.....	2.1	*	*	*	*	*	*	*	*	1.0
1985.....	2.0	*	*	*	*	*	*	*	*	*
1984.....	2.0	*	*	*	*	*	*	*	*	*
1983.....	2.0	*	*	*	*	*	*	*	*	*
1982.....	2.2	*	*	*	*	*	*	*	*	*
1981.....	2.2	*	*	*	*	*	*	*	*	*
1980.....	1.9	0.9	0.1	-	0.0	0.1	0.1	0.3	0.6	1.3
1979.....	1.9	1.6	-	-	0.0	0.1	0.2	0.3	0.7	1.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
BLACK MALE										
1998.....	1.2	*	*	*	*	*	*	*	*	*
1997.....	1.7	*	*	*	*	*	*	*	*	*
1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	1.8	*	*	*	*	*	*	*	*	*
1994.....	2.0	*	*	*	*	*	*	*	*	*
1993.....	2.1	*	*	*	*	*	*	*	*	*
1992.....	2.2	*	*	*	*	*	*	*	*	*
1991.....	2.0	*	*	*	*	*	*	*	*	*
1990.....	2.3	*	*	*	*	*	*	*	*	*
1989.....	2.5	*	*	*	*	*	*	*	*	*
1988.....	2.3	*	*	*	*	*	*	*	*	2.0
1987.....	2.3	*	*	*	*	*	*	*	*	*
1986.....	2.4	*	*	*	*	*	*	*	*	*
1985.....	2.4	*	*	*	*	*	*	*	*	*
1984.....	2.3	*	*	*	*	*	*	*	*	*
1983.....	2.5	*	*	*	*	*	*	*	*	*
1982.....	2.6	*	*	*	*	*	*	*	*	*
1981.....	2.8	*	*	*	*	*	*	*	*	*
1980.....	2.6	1.5	-	-	0.1	0.1	0.1	0.3	1.0	2.3
1979.....	2.5	1.2	-	-	-	0.1	0.2	0.5	1.4	2.2
BLACK FEMALE										
1998.....	1.1	*	*	*	*	*	*	*	*	*
1997.....	1.2	*	*	*	*	*	*	*	*	*
1996.....	1.4	*	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.9	*	*	*	*	*	*	*	*	*
1988.....	1.5	*	*	*	*	*	*	*	*	*
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.7	*	*	*	*	*	*	*	*	*
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.8	*	*	*	*	*	*	*	*	*
1981.....	1.6	*	*	*	*	*	*	*	*	*
1980.....	1.3	0.4	0.1	-	-	0.1	0.1	0.2	0.3	0.5
1979.....	1.4	2.0	-	-	0.1	0.1	0.2	0.2	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRIC ULCER (531)										
TOTAL, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	0.1
1995.....	0.6	*	*	*	*	*	*	*	*	0.1
1994.....	0.7	*	*	*	*	*	*	*	*	0.1
1993.....	0.7	*	*	*	*	*	*	*	*	0.1
1992.....	0.7	*	*	*	*	*	*	*	*	0.1
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	0.1
1988.....	0.8	*	*	*	*	*	*	*	*	0.1
1987.....	0.8	*	*	*	*	*	*	*	*	0.1
1986.....	0.9	*	*	*	*	*	*	*	0.1	0.1
1985.....	0.9	*	*	*	*	*	*	*	*	0.1
1984.....	1.0	*	*	*	*	*	*	*	*	0.1
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	0.1
1980.....	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2
1979.....	0.9	0.3	0.0	0.0	-	0.0	0.0	0.1	0.1	0.2
TOTAL, MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.2
1979.....	1.0	0.2	0.0	-	-	0.0	0.0	0.0	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRIC ULCER (531)										
TOTAL, FEMALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
1979.....	0.9	0.3	-	0.0	-	0.0	0.0	0.1	0.1	0.1
WHITE, BOTH SEXES										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	0.1
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	0.9	0.0	0.0	0.0	-	0.0	0.0	0.1	0.1	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRIC ULCER (531)										
WHITE MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	-	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1
1979.....	1.0	0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.2
WHITE FEMALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.1	0.1	0.0	0.0	-	0.0	0.0	0.1	0.1
1979.....	0.9	-	-	0.0	-	0.0	0.0	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRIC ULCER (531)										
ALL OTHER, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.8	-	-	0.0	0.1	0.0	0.1	0.1	0.5
1979.....	0.8	1.3	-	-	-	-	0.1	0.0	0.3	0.4
ALL OTHER MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.3	-	-	0.1	0.1	-	0.1	0.2	0.9
1979.....	1.0	1.0	-	-	-	-	0.1	0.1	0.5	0.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRIC ULCER (531)										
ALL OTHER FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.3	-	-	-	0.1	0.1	0.1	0.1	0.2
1979.....	0.5	1.7	-	-	-	-	0.1	-	0.1	0.1
BLACK, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.9	-	-	-	0.1	0.0	0.1	0.1	0.7
1979.....	0.7	1.6	-	-	-	-	0.0	0.0	0.3	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRIC ULCER (531)										
BLACK MALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.5	-	-	-	0.1	-	0.1	0.2	1.2
1979.....	1.0	1.2	-	-	-	-	-	0.1	0.5	0.8
BLACK FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.4	-	-	-	0.1	0.1	0.2	-	0.3
1979.....	0.5	2.0	-	-	-	-	0.1	-	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DUODENAL ULCER (532)										
TOTAL, BOTH SEXES										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	0.1
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	0.1
1992.....	0.8	*	*	*	*	*	*	*	*	0.1
1991.....	0.8	*	*	*	*	*	*	*	*	0.1
1990.....	0.8	*	*	*	*	*	*	*	*	0.1
1989.....	0.9	*	*	*	*	*	*	*	*	0.1
1988.....	0.9	*	*	*	*	*	*	*	*	0.1
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	0.2
1985.....	1.0	*	*	*	*	*	*	*	*	0.1
1984.....	1.0	*	*	*	*	*	*	*	*	0.1
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	0.2
1980.....	0.9	0.1	0.0	-	0.0	0.0	0.0	0.0	0.1	0.2
1979.....	0.9	0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.2
TOTAL, MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	0.2
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	0.3
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	0.3
1980.....	1.2	0.1	0.0	-	0.0	0.0	0.0	0.0	0.1	0.3
1979.....	1.1	0.2	0.0	-	-	0.0	0.0	0.1	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DUODENAL ULCER (532)										
TOTAL, FEMALE										
1998.....	0.5	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.1	0.0	-	0.0	0.0	-	0.0	0.1	0.1
1979.....	0.8	0.1	0.0	-	-	0.0	0.0	0.0	0.0	0.1
WHITE, BOTH SEXES										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	0.1
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	0.1
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.1	0.0	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	1.0	0.1	0.0	-	-	-	0.0	0.0	0.0	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DUODENAL ULCER (532)										
WHITE MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.1	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.1	0.0	-	0.0	0.0	0.0	-	0.1	0.2
1979.....	1.2	0.2	0.0	-	-	-	0.0	0.0	0.1	0.2
WHITE FEMALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.8	0.1	0.0	-	0.0	-	-	0.0	0.1	0.0
1979.....	0.8	0.1	0.0	-	-	-	0.0	-	0.0	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DUODENAL ULCER (532)										
ALL OTHER, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	-	-	0.0	0.0	0.0	0.1	0.2	0.3
1979.....	0.6	0.2	-	-	-	0.1	0.1	0.1	0.2	0.3
ALL OTHER MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	-	0.1	-	0.1	0.1	0.4	0.5
1979.....	0.8	0.3	-	-	-	0.1	0.1	0.2	0.4	0.6



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DUODENAL ULCER (532)										
ALL OTHER FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.1	-	-	0.1	0.1
1979.....	0.4	-	-	-	-	0.1	0.1	0.1	-	-
BLACK, BOTH SEXES										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	-	-	0.0	0.0	0.0	0.1	0.3	0.3
1979.....	0.6	-	-	-	-	0.1	0.1	0.2	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DUODENAL ULCER (532)										
BLACK MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	-	0.1	-	0.1	0.2	0.5	0.6
1979.....	0.8	-	-	-	-	0.1	0.2	0.3	0.5	0.8
BLACK FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.1	-	-	0.1	0.1
1979.....	0.4	-	-	-	-	0.1	0.1	0.1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
TOTAL, BOTH SEXES										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	0.1
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.8	0.0	0.0	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	0.8	0.1	-	-	0.0	-	0.0	0.0	0.1	0.1
TOTAL, MALE										
1998.....	0.6	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.1	-	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	0.9	0.1	-	-	0.0	-	0.0	0.0	0.1	0.2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
TOTAL, FEMALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.7	-	0.0	-	-	0.0	0.0	0.0	0.0	0.0
1979.....	0.7	-	-	-	0.0	-	0.0	0.0	0.0	0.1
WHITE, BOTH SEXES										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.9	-	-	-	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	0.8	0.1	-	-	0.0	-	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
WHITE MALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	-	-	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	0.9	0.1	-	-	0.0	-	0.0	0.0	0.1	0.1
WHITE FEMALE										
1998.....	0.7	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	-	-	0.0	-	0.0	0.0	0.0
1979.....	0.7	-	-	-	-	-	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
ALL OTHER, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.2	0.0	-	-	0.0	0.0	0.0	0.2	0.2
1979.....	0.5	-	-	-	0.0	-	0.0	0.1	0.2	0.3
ALL OTHER MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.3	-	-	-	0.1	-	-	0.3	0.4
1979.....	0.7	-	-	-	-	-	-	0.1	0.4	0.6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
ALL OTHER FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.1	-	-	-	0.1	0.1	0.2	0.1
1979.....	0.4	-	-	-	0.1	-	0.1	0.1	0.1	0.1
BLACK, BOTH SEXES										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	0.1	-	-	0.0	0.0	0.0	0.3	0.3
1979.....	0.6	-	-	-	0.0	-	0.0	0.1	0.2	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
BLACK MALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	-	-	0.1	-	-	0.3	0.5
1979.....	0.7	-	-	-	-	-	-	0.1	0.5	0.6
BLACK FEMALE										
1998.....	0.4	*	*	*	*	*	*	*	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	*
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.1	-	-	-	0.1	0.1	0.2	0.1
1979.....	0.4	-	-	-	0.1	-	0.1	0.1	-	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRITIS AND DUODENITIS (535)										
TOTAL, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	0.1
1986.....	0.3	*	*	*	*	*	*	*	*	0.1
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	0.1
1982.....	0.3	*	*	*	*	*	*	*	*	0.2
1981.....	0.3	*	*	*	*	*	*	*	*	0.2
1980.....	0.3	0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.1
1979.....	0.3	0.1	-	0.0	0.0	0.0	0.0	0.0	0.1	0.2
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	0.2
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	0.3
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.2	-	-	-	0.0	0.0	0.1	0.1	0.2
1979.....	0.4	-	-	-	0.0	0.0	0.0	0.0	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRITIS AND DUODENITIS (535)										
TOTAL, FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.0
1979.....	0.2	0.1	-	0.0	-	0.0	0.0	-	0.0	0.1
WHITE, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.1
1979.....	0.3	-	-	-	0.0	0.0	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRITIS AND DUODENITIS (535)										
WHITE MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.1	-	-	-	0.0	0.0	0.0	0.1	0.2
1979.....	0.4	-	-	-	0.0	0.0	0.0	0.0	0.1	0.2
WHITE FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.0	-	-	0.0	0.0	0.0	0.1	0.0
1979.....	0.2	-	-	-	-	0.0	0.0	-	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRITIS AND DUODENITIS (535)										
ALL OTHER, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	0.0	-	-	-	0.0	0.1	0.2	0.2
1979.....	0.3	0.3	-	0.0	-	0.0	-	0.0	0.1	0.5
ALL OTHER MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.3	-	-	-	-	-	0.2	0.3	0.2
1979.....	0.4	-	-	-	-	0.1	-	0.1	0.3	0.9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRITIS AND DUODENITIS (535)										
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	0.1	-	-	-	0.1	0.1	0.2	0.1
1979.....	0.2	0.7	-	0.1	-	-	-	-	-	0.2
BLACK, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.4	0.1	-	-	-	0.0	0.1	0.2	0.1
1979.....	0.3	0.4	-	0.0	-	0.0	-	-	0.1	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 GASTRITIS AND DUODENITIS (535)										
BLACK MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.4	-	-	-	-	-	0.2	0.3	0.2
1979.....	0.4	-	-	-	-	0.1	-	-	0.2	0.9
BLACK FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	0.1	-	-	-	0.1	-	0.1	-
1979.....	0.2	0.8	-	0.1	-	-	-	-	-	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 APPENDICITIS (540-543)										
TOTAL, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1
1979.....	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1
1979.....	0.3	0.2	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 APPENDICITIS (540-543)										
TOTAL, FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1
1979.....	0.3	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.1
WHITE, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1
1979.....	0.3	0.2	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.1



CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 APPENDICITIS (540-543)										
WHITE MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1
1979.....	0.3	0.2	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.1
WHITE FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1
1979.....	0.2	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 APPENDICITIS (540-543)										
ALL OTHER, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.5	0.0	0.1	0.1	0.2	0.1	0.1	0.0	0.2
1979.....	0.5	0.2	0.1	0.1	0.1	0.0	0.2	0.1	0.2	0.1
ALL OTHER MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.3	-	0.1	0.1	0.2	0.1	0.1	0.1	0.2
1979.....	0.6	0.3	0.1	0.1	-	-	0.3	0.2	0.3	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 APPENDICITIS (540-543)										
ALL OTHER FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.6	0.1	0.1	0.1	0.2	0.1	0.1	-	0.1
1979.....	0.4	-	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1
BLACK, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.6	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2
1979.....	0.5	0.2	0.1	0.1	0.1	0.0	0.3	0.1	0.2	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 APPENDICITIS (540-543)										
BLACK MALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.4	-	0.2	0.1	0.1	0.1	0.1	0.1	0.3
1979.....	0.6	0.4	-	0.1	-	-	0.4	0.1	0.4	0.2
BLACK FEMALE										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.8	0.1	0.1	0.1	0.3	0.1	0.2	-	0.1
1979.....	0.4	-	0.1	0.1	0.3	0.1	0.1	0.2	0.1	0.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)										
TOTAL, BOTH SEXES										
1998.....	2.5	1.8	0.1	*	*	*	*	*	*	0.2
1997.....	2.4	2.0	*	*	*	*	*	*	0.1	0.2
1996.....	2.4	1.8	0.2	*	*	*	*	0.1	0.1	0.2
1995.....	2.4	1.9	0.2	*	*	*	*	0.1	0.1	0.2
1994.....	2.4	1.6	0.1	*	*	*	*	*	0.1	0.2
1993.....	2.3	1.8	0.2	*	*	*	*	*	0.1	0.2
1992.....	2.4	1.9	0.1	*	*	*	*	0.1	0.1	0.2
1991.....	2.4	2.2	0.2	*	*	*	*	0.1	0.1	0.2
1990.....	2.3	2.2	0.2	*	*	*	*	*	*	0.2
1989.....	2.2	2.3	0.2	*	*	*	*	0.1	0.1	0.3
1988.....	2.3	2.0	0.2	*	*	*	*	*	0.1	0.2
1987.....	2.3	2.5	0.2	*	*	*	*	0.1	0.2	0.2
1986.....	2.3	2.8	0.2	*	*	*	*	*	0.1	0.1
1985.....	2.3	2.2	0.2	*	*	*	*	0.1	0.1	0.2
1984.....	2.2	2.9	0.1	*	*	*	0.1	*	0.1	0.2
1983.....	2.2	2.9	0.2	*	*	*	*	*	0.1	0.2
1982.....	2.2	3.6	0.2	*	*	*	0.1	*	0.1	0.2
1981.....	2.3	3.5	0.2	*	*	*	0.1	0.1	*	0.2
1980.....	2.4	3.7	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.3
1979.....	2.4	5.0	0.2	0.1	0.0	0.1	0.2	0.1	0.2	0.3
TOTAL, MALE										
1998.....	1.8	2.1	*	*	*	*	*	*	*	0.2
1997.....	1.8	2.5	*	*	*	*	*	*	*	0.2
1996.....	1.8	1.9	*	*	*	*	*	*	*	*
1995.....	1.8	2.0	*	*	*	*	*	*	*	0.3
1994.....	1.8	1.9	*	*	*	*	*	*	0.2	0.2
1993.....	1.7	2.3	*	*	*	*	*	*	*	*
1992.....	1.8	2.0	*	*	*	*	*	*	*	0.3
1991.....	1.8	3.0	0.3	*	*	*	*	*	*	0.2
1990.....	1.8	2.9	*	*	*	*	*	*	*	0.2
1989.....	1.7	2.9	*	*	*	*	*	*	*	0.2
1988.....	1.7	1.9	*	*	*	*	*	*	*	0.2
1987.....	1.8	3.1	0.3	*	*	*	*	*	*	0.3
1986.....	1.8	3.4	0.3	*	*	*	*	*	*	*
1985.....	1.8	2.3	*	*	*	*	*	*	*	0.3
1984.....	1.8	3.9	*	*	*	*	*	*	*	0.2
1983.....	1.8	3.3	0.3	*	*	*	*	*	*	0.3
1982.....	1.7	4.4	0.3	*	*	*	*	*	*	0.3
1981.....	1.9	4.3	*	*	*	*	*	*	*	*
1980.....	2.0	4.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3
1979.....	2.0	5.9	0.2	0.1	0.1	0.0	0.2	0.2	0.3	0.3