

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	235.8	346.8	515.5	811.2	1,295.9	1,978.2	3,058.5	4,564.5	7,439.5	15,111.7
1997.....	239.7	352.4	526.2	834.6	1,331.2	1,995.1	3,084.9	4,612.5	7,425.9	15,345.2
1996.....	257.2	363.6	554.8	851.3	1,370.1	2,022.4	3,119.8	4,674.0	7,505.6	15,327.2
1995.....	275.9	376.1	567.7	871.8	1,382.3	2,058.3	3,131.4	4,722.4	7,542.1	15,469.5
1994.....	272.8	374.8	571.4	876.9	1,400.7	2,090.1	3,149.2	4,720.8	7,581.9	15,296.7
1993.....	269.3	372.1	570.0	902.0	1,418.1	2,129.1	3,184.6	4,831.6	7,658.7	15,481.7
1992.....	261.6	368.0	568.2	902.1	1,402.2	2,114.8	3,146.8	4,705.9	7,429.1	14,972.9
1991.....	253.6	380.5	575.8	926.3	1,431.9	2,136.8	3,205.1	4,806.8	7,575.4	15,107.6
1990.....	252.8	377.3	590.0	933.2	1,457.2	2,159.1	3,266.0	4,933.9	7,682.8	15,327.4
1989.....	253.9	378.9	601.2	963.3	1,481.1	2,199.3	3,317.2	4,997.9	7,794.4	15,409.6
1988.....	252.3	383.5	616.5	982.7	1,523.4	2,255.4	3,421.4	5,121.5	8,081.4	15,934.5
1987.....	247.1	387.3	632.4	980.9	1,537.1	2,261.0	3,458.5	5,131.7	8,002.8	15,559.6
1986.....	256.3	390.8	637.7	990.8	1,553.6	2,291.0	3,514.9	5,198.7	8,085.8	15,589.8
1985.....	251.1	398.5	648.4	1,025.8	1,570.6	2,319.9	3,538.2	5,264.9	8,248.0	15,712.4
1984.....	251.6	400.1	652.5	1,030.4	1,577.2	2,330.5	3,532.6	5,245.5	8,196.8	15,393.7
1983.....	249.7	406.5	666.6	1,045.5	1,587.6	2,354.7	3,560.6	5,300.6	8,259.0	15,463.2
1982.....	256.5	421.5	671.8	1,045.4	1,582.1	2,370.6	3,533.0	5,260.4	8,172.5	15,048.3
1981.....	270.9	441.9	695.9	1,070.6	1,605.5	2,403.8	3,586.4	5,276.9	8,367.0	15,432.1
1980.....	280.8	448.9	712.0	1,084.9	1,647.2	2,462.6	3,682.5	5,499.1	8,642.0	15,980.3
1979.....	283.1	452.9	720.6	1,067.4	1,655.6	2,390.0	3,644.0	5,330.7	8,412.3	14,962.4
TOTAL, MALE										
1998.....	305.3	450.8	654.1	1,022.4	1,634.0	2,508.6	3,867.0	5,719.7	9,226.6	16,763.3
1997.....	312.0	456.8	665.6	1,048.3	1,679.6	2,550.6	3,941.9	5,824.6	9,313.5	17,461.9
1996.....	344.3	475.2	705.6	1,081.1	1,744.8	2,588.3	3,995.1	5,934.2	9,477.2	17,547.7
1995.....	378.3	497.8	729.6	1,106.7	1,765.3	2,650.2	4,029.6	6,042.2	9,633.6	17,978.9
1994.....	377.4	491.7	736.9	1,119.2	1,803.9	2,711.4	4,069.5	6,079.4	9,773.2	17,972.3
1993.....	371.5	487.3	733.3	1,154.9	1,826.0	2,782.5	4,135.3	6,304.4	9,986.4	18,257.2
1992.....	359.1	485.7	728.1	1,156.5	1,815.2	2,775.4	4,109.3	6,202.4	9,726.0	17,740.4
1991.....	345.8	497.5	736.7	1,189.9	1,862.4	2,814.1	4,233.2	6,376.6	10,005.8	17,800.6
1990.....	344.2	491.1	756.5	1,208.5	1,902.7	2,847.6	4,345.4	6,608.6	10,143.8	18,056.6
1989.....	342.0	497.4	773.6	1,251.9	1,943.4	2,907.5	4,424.0	6,670.5	10,247.9	18,018.7
1988.....	338.8	497.8	793.4	1,275.1	2,003.1	2,994.3	4,599.6	6,898.3	10,646.2	18,711.0
1987.....	329.6	500.5	816.5	1,284.3	2,030.2	3,000.5	4,683.6	6,943.4	10,601.6	18,211.9
1986.....	337.7	505.4	823.8	1,307.3	2,052.0	3,052.4	4,769.5	7,061.1	10,730.1	18,350.8
1985.....	331.6	514.5	841.7	1,355.8	2,086.0	3,116.4	4,837.0	7,170.0	10,939.2	18,614.1
1984.....	327.2	516.0	850.7	1,363.6	2,102.5	3,141.5	4,825.4	7,146.2	10,813.2	18,313.1
1983.....	324.1	525.1	867.7	1,390.0	2,116.0	3,201.0	4,887.4	7,275.2	10,877.9	18,394.9
1982.....	332.2	546.6	884.8	1,395.3	2,118.4	3,241.4	4,854.5	7,190.5	10,681.2	17,930.8
1981.....	354.0	574.6	916.8	1,433.8	2,160.2	3,293.5	4,952.6	7,222.4	10,925.6	18,241.7
1980.....	364.2	584.0	943.0	1,460.7	2,231.0	3,393.8	5,078.3	7,480.2	11,239.6	18,801.1
1979.....	368.0	594.4	957.6	1,440.3	2,264.7	3,324.7	5,065.3	7,244.5	10,966.5	17,604.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, FEMALE										
1998.....	167.7	246.7	384.4	616.2	993.4	1,530.2	2,427.8	3,744.2	6,377.9	14,427.4
1997.....	168.6	251.6	394.0	637.3	1,019.9	1,527.7	2,422.8	3,760.6	6,321.6	14,492.3
1996.....	171.7	255.7	411.9	639.1	1,036.3	1,548.6	2,446.1	3,796.8	6,369.8	14,444.7
1995.....	175.9	258.9	414.7	655.3	1,042.0	1,566.4	2,441.6	3,815.9	6,363.0	14,492.4
1994.....	170.7	262.3	415.1	653.7	1,043.1	1,579.1	2,444.7	3,800.1	6,369.1	14,265.3
1993.....	169.7	261.1	415.6	669.1	1,057.3	1,594.8	2,459.8	3,845.5	6,386.5	14,416.9
1992.....	166.5	254.6	417.1	668.2	1,038.2	1,577.7	2,419.9	3,716.8	6,186.1	13,901.0
1991.....	163.7	268.0	423.8	684.5	1,054.3	1,588.3	2,434.1	3,780.7	6,275.6	14,066.6
1990.....	163.9	267.8	432.9	681.5	1,069.1	1,600.8	2,465.0	3,856.7	6,376.0	14,274.3
1989.....	168.2	265.1	438.6	699.5	1,080.3	1,623.9	2,499.3	3,925.2	6,498.6	14,395.1
1988.....	168.4	273.7	449.9	716.2	1,109.0	1,654.2	2,556.6	3,988.9	6,727.4	14,746.9
1987.....	167.2	278.7	459.3	704.9	1,112.2	1,658.7	2,564.8	3,982.6	6,638.9	14,514.4
1986.....	177.6	281.0	463.0	704.0	1,124.4	1,672.1	2,603.1	4,024.2	6,699.4	14,494.1
1985.....	173.5	287.7	467.8	728.0	1,125.0	1,675.1	2,596.9	4,065.6	6,835.6	14,553.9
1984.....	178.8	289.4	467.2	731.6	1,122.3	1,676.6	2,597.0	4,051.9	6,821.2	14,213.6
1983.....	178.2	293.5	479.2	737.8	1,129.7	1,674.2	2,601.9	4,061.7	6,878.1	14,261.6
1982.....	183.8	302.5	473.7	733.9	1,116.8	1,672.8	2,576.7	4,050.4	6,849.9	13,846.7
1981.....	191.2	316.0	491.2	747.0	1,125.0	1,691.6	2,599.1	4,056.8	7,010.0	14,228.3
1980.....	200.8	321.3	498.7	749.0	1,144.0	1,717.7	2,672.8	4,256.6	7,260.1	14,746.9
1979.....	201.7	319.3	502.3	733.4	1,130.3	1,643.9	2,616.7	4,127.3	7,041.7	13,788.2
WHITE, BOTH SEXES										
1998.....	209.3	307.8	470.7	754.8	1,228.4	1,927.3	2,990.4	4,512.7	7,413.9	15,326.3
1997.....	211.1	311.7	482.0	776.9	1,260.4	1,942.3	3,008.6	4,565.0	7,407.2	15,559.7
1996.....	222.2	321.2	507.3	793.7	1,302.0	1,965.9	3,040.2	4,619.4	7,471.9	15,552.0
1995.....	237.0	331.6	516.1	810.4	1,310.2	1,994.2	3,047.5	4,667.0	7,484.9	15,616.4
1994.....	233.4	331.2	520.0	814.8	1,338.6	2,025.2	3,070.3	4,665.2	7,533.7	15,459.0
1993.....	230.9	330.1	518.0	837.8	1,352.1	2,059.5	3,105.3	4,773.1	7,604.3	15,625.4
1992.....	226.3	328.6	518.6	835.1	1,334.9	2,042.6	3,073.0	4,662.2	7,391.0	15,104.2
1991.....	219.9	340.6	523.9	864.6	1,365.5	2,059.3	3,130.2	4,751.1	7,527.8	15,239.0
1990.....	220.5	336.4	537.4	867.3	1,384.8	2,077.8	3,192.0	4,876.2	7,645.1	15,465.0
1989.....	220.8	337.2	544.2	896.9	1,403.9	2,110.5	3,238.4	4,921.5	7,763.9	15,548.3
1988.....	220.8	341.9	560.6	919.5	1,445.1	2,171.3	3,350.8	5,051.9	8,044.7	16,128.4
1987.....	216.1	347.5	577.0	922.6	1,463.3	2,182.3	3,386.1	5,079.1	7,958.0	15,743.4
1986.....	225.4	351.5	582.1	932.2	1,477.5	2,218.5	3,445.4	5,141.7	8,052.3	15,763.6
1985.....	221.5	358.8	596.2	963.0	1,494.8	2,248.0	3,457.9	5,216.8	8,193.3	15,937.5
1984.....	221.8	359.8	602.7	968.2	1,502.3	2,267.4	3,451.9	5,215.9	8,132.5	15,658.3
1983.....	221.0	365.9	616.3	981.6	1,510.4	2,293.1	3,477.7	5,267.7	8,209.3	15,732.0
1982.....	228.1	379.5	622.0	984.2	1,509.6	2,312.9	3,464.1	5,239.6	8,142.6	15,317.4
1981.....	237.3	397.4	643.2	1,006.3	1,534.6	2,341.6	3,516.5	5,258.5	8,331.0	15,685.9
1980.....	244.2	401.0	653.8	1,018.2	1,572.6	2,386.8	3,606.4	5,446.2	8,624.7	16,220.0
1979.....	246.9	407.2	662.3	1,003.2	1,586.1	2,320.3	3,572.7	5,289.1	8,461.8	15,223.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
WHITE MALE										
1998.....	274.1	401.4	594.3	948.5	1,542.4	2,445.9	3,793.4	5,660.9	9,219.8	17,048.3
1997.....	276.7	403.6	607.0	970.4	1,585.5	2,485.2	3,856.7	5,767.1	9,312.8	17,767.1
1996.....	299.2	418.9	643.3	1,003.5	1,651.6	2,519.3	3,899.8	5,865.7	9,459.2	17,870.5
1995.....	325.9	437.2	659.3	1,025.7	1,670.8	2,569.3	3,925.4	5,972.9	9,586.3	18,152.9
1994.....	323.9	432.7	666.5	1,039.4	1,720.8	2,631.5	3,967.1	6,016.1	9,727.5	18,196.4
1993.....	318.1	430.6	664.0	1,069.5	1,737.7	2,696.0	4,035.7	6,240.7	9,941.4	18,443.2
1992.....	312.2	432.5	663.4	1,071.5	1,729.7	2,688.5	4,012.4	6,148.8	9,700.5	17,956.2
1991.....	300.1	442.9	668.6	1,106.9	1,778.3	2,717.6	4,145.4	6,320.1	9,971.8	18,020.9
1990.....	299.3	435.6	687.3	1,122.9	1,811.2	2,748.3	4,251.2	6,544.8	10,129.3	18,268.3
1989.....	295.8	440.4	695.3	1,162.2	1,845.4	2,795.8	4,326.1	6,594.6	10,253.7	18,241.7
1988.....	295.7	441.1	719.7	1,193.5	1,903.9	2,887.8	4,516.8	6,827.0	10,651.9	19,020.8
1987.....	287.1	447.2	745.0	1,209.4	1,937.8	2,899.9	4,600.7	6,895.8	10,586.3	18,486.0
1986.....	295.3	453.7	751.7	1,231.3	1,956.2	2,960.7	4,691.3	7,012.9	10,726.4	18,628.8
1985.....	290.3	460.7	773.3	1,277.6	1,988.9	3,029.3	4,749.6	7,148.2	10,915.6	18,980.1
1984.....	288.1	462.7	784.9	1,284.6	2,006.0	3,066.4	4,738.0	7,157.5	10,790.7	18,971.6
1983.....	285.3	471.8	803.7	1,309.9	2,017.9	3,132.5	4,802.0	7,285.3	10,853.8	18,805.0
1982.....	293.8	490.6	820.4	1,319.0	2,028.3	3,175.2	4,788.0	7,214.0	10,697.1	18,318.3
1981.....	308.6	514.2	847.2	1,353.0	2,074.0	3,225.3	4,893.1	7,256.2	10,933.4	18,598.9
1980.....	316.1	521.7	866.8	1,375.6	2,140.6	3,312.1	5,022.8	7,468.5	11,267.0	19,097.3
1979.....	317.5	534.4	880.7	1,355.9	2,184.5	3,254.7	5,020.8	7,256.4	11,073.1	17,924.0
WHITE FEMALE										
1998.....	144.3	215.6	351.3	572.0	941.0	1,481.1	2,356.1	3,691.2	6,336.5	14,620.4
1997.....	145.2	220.8	360.8	594.2	963.2	1,477.2	2,345.4	3,713.2	6,288.0	14,681.4
1996.....	144.9	224.5	376.0	595.9	983.3	1,494.9	2,370.9	3,744.9	6,323.9	14,642.9
1995.....	148.1	227.8	378.0	607.8	982.7	1,509.1	2,365.6	3,763.1	6,297.1	14,639.1
1994.....	143.0	231.3	378.8	603.6	992.0	1,519.5	2,376.2	3,742.3	6,318.7	14,416.1
1993.....	143.9	231.4	377.4	620.2	1,003.8	1,532.0	2,389.1	3,782.5	6,329.3	14,558.2
1992.....	140.6	226.5	379.3	613.4	979.7	1,511.0	2,356.4	3,672.7	6,146.1	14,015.9
1991.....	140.1	240.4	384.7	638.2	996.5	1,520.4	2,361.9	3,720.1	6,227.4	14,188.1
1990.....	142.1	239.4	393.4	629.2	1,006.6	1,528.0	2,398.5	3,798.8	6,333.7	14,400.6
1989.....	146.4	236.2	399.0	649.7	1,014.7	1,548.1	2,427.9	3,845.6	6,455.3	14,526.1
1988.....	146.7	245.0	408.1	665.3	1,043.2	1,582.2	2,488.4	3,920.7	6,683.0	15,019.1
1987.....	146.1	250.2	416.2	657.4	1,049.1	1,591.8	2,493.9	3,927.9	6,589.7	14,681.4
1986.....	156.5	252.0	420.1	656.9	1,059.7	1,609.5	2,534.1	3,963.2	6,661.6	14,647.4
1985.....	153.9	259.6	427.5	675.1	1,062.5	1,610.3	2,517.6	4,006.3	6,777.3	14,745.4
1984.....	156.9	259.7	429.3	680.9	1,061.1	1,618.0	2,517.0	4,003.8	6,749.0	14,445.7
1983.....	157.9	263.1	438.3	684.9	1,065.9	1,613.0	2,517.7	4,010.5	6,828.6	14,495.0
1982.....	163.8	271.9	434.1	682.9	1,055.2	1,616.9	2,506.8	4,010.4	6,806.7	14,088.3
1981.....	167.6	284.4	450.6	694.7	1,063.5	1,629.7	2,524.1	4,015.4	6,967.0	14,466.7
1980.....	174.1	284.8	453.8	695.9	1,079.2	1,642.9	2,585.1	4,188.7	7,236.4	14,979.6
1979.....	177.9	284.9	457.9	684.6	1,066.5	1,571.6	2,532.3	4,063.9	7,078.5	14,027.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL CAUSES										
ALL OTHER, BOTH SEXES										
1998.....	365.6	550.7	783.6	1,158.4	1,718.0	2,317.4	3,601.7	5,024.6	7,698.9	13,083.5
1997.....	382.6	570.6	799.5	1,184.6	1,779.0	2,359.5	3,709.4	5,045.3	7,614.9	13,297.5
1996.....	434.5	601.1	840.8	1,202.5	1,807.7	2,422.7	3,788.6	5,175.6	7,849.9	13,171.8
1995.....	476.3	631.0	885.6	1,251.7	1,857.5	2,523.3	3,859.2	5,242.8	8,132.9	13,976.5
1994.....	477.3	630.8	889.5	1,268.0	1,817.0	2,574.5	3,834.9	5,250.1	8,073.1	13,630.0
1993.....	472.2	624.4	892.1	1,310.1	1,872.4	2,664.8	3,878.4	5,392.0	8,216.1	13,999.2
1992.....	451.6	612.0	869.7	1,332.3	1,881.4	2,681.3	3,800.1	5,117.9	7,823.1	13,593.6
1991.....	443.3	622.0	894.3	1,329.0	1,918.5	2,757.1	3,869.8	5,334.3	8,087.1	13,724.1
1990.....	440.3	629.3	917.2	1,376.2	2,003.0	2,834.6	3,940.9	5,478.9	8,075.5	13,868.8
1989.....	450.2	637.7	961.4	1,417.1	2,073.2	2,941.0	4,038.9	5,719.9	8,137.8	13,941.0
1988.....	444.5	641.2	973.9	1,425.6	2,137.0	2,969.5	4,069.8	5,780.2	8,469.4	13,827.6
1987.....	442.0	629.9	990.5	1,402.7	2,126.6	2,943.2	4,116.9	5,631.0	8,480.8	13,581.7
1986.....	447.8	631.9	1,003.2	1,425.6	2,176.8	2,922.3	4,152.5	5,743.7	8,445.8	13,700.4
1985.....	436.9	645.7	1,000.7	1,502.2	2,208.3	2,945.4	4,274.0	5,726.3	8,813.0	13,186.6
1984.....	440.2	656.2	994.9	1,513.1	2,216.9	2,884.2	4,280.7	5,530.0	8,906.2	12,494.0
1983.....	432.6	668.9	1,021.9	1,551.8	2,256.4	2,897.8	4,331.2	5,618.5	8,814.9	12,417.7
1982.....	435.0	697.0	1,034.8	1,537.3	2,224.2	2,874.9	4,171.6	5,462.4	8,545.0	12,098.5
1981.....	485.1	740.4	1,090.8	1,599.6	2,240.5	2,951.0	4,246.3	5,456.6	8,783.0	12,547.9
1980.....	518.4	782.4	1,159.4	1,653.9	2,319.1	3,135.7	4,409.7	6,019.1	8,846.3	13,227.1
1979.....	524.5	777.1	1,184.4	1,616.7	2,301.0	3,003.3	4,342.1	5,735.9	7,827.2	11,931.6
ALL OTHER MALE										
1998.....	467.4	729.0	1,041.0	1,515.7	2,261.4	2,960.3	4,494.5	6,265.4	9,297.9	14,267.0
1997.....	500.4	764.9	1,056.1	1,559.8	2,332.8	3,037.5	4,685.2	6,376.1	9,320.9	14,801.2
1996.....	589.3	815.8	1,110.9	1,594.0	2,401.6	3,114.9	4,848.4	6,596.0	9,664.3	14,741.3
1995.....	667.8	873.4	1,195.7	1,648.8	2,448.3	3,280.7	4,992.8	6,727.1	10,130.1	16,350.5
1994.....	676.1	864.9	1,204.9	1,663.9	2,414.6	3,348.5	5,017.8	6,713.7	10,240.3	15,872.2
1993.....	674.7	854.9	1,194.4	1,743.1	2,491.9	3,492.0	5,057.4	6,945.0	10,442.0	16,521.1
1992.....	630.3	838.8	1,149.7	1,747.5	2,481.3	3,498.3	5,016.6	6,730.1	9,982.1	15,724.4
1991.....	623.2	851.2	1,183.2	1,777.9	2,535.7	3,635.8	5,063.0	6,930.0	10,342.6	15,764.0
1990.....	623.4	857.1	1,215.6	1,832.8	2,652.6	3,721.5	5,252.7	7,225.9	10,289.1	16,080.9
1989.....	636.4	874.1	1,300.0	1,913.7	2,759.7	3,896.9	5,367.1	7,399.5	10,190.9	15,953.1
1988.....	621.2	873.1	1,296.5	1,893.3	2,841.8	3,958.5	5,413.9	7,576.7	10,590.6	15,844.3
1987.....	616.6	847.6	1,311.7	1,869.6	2,823.5	3,921.9	5,476.5	7,392.1	10,755.4	15,645.5
1986.....	620.0	844.2	1,333.2	1,911.2	2,883.9	3,894.8	5,513.8	7,513.8	10,767.6	15,741.3
1985.....	608.8	871.3	1,336.3	1,989.9	2,953.2	3,914.8	5,669.3	7,373.3	11,073.3	15,164.4
1984.....	593.2	878.2	1,338.3	2,017.9	2,975.2	3,831.2	5,638.4	7,041.6	11,042.6	14,520.8
1983.....	588.4	892.1	1,357.4	2,061.6	3,008.4	3,841.0	5,693.5	7,181.7	11,127.8	14,248.6
1982.....	590.3	940.6	1,393.9	2,040.5	2,959.4	3,839.0	5,478.2	6,935.4	10,514.9	14,171.6
1981.....	663.5	1,010.6	1,479.1	2,133.2	2,976.2	3,915.1	5,510.2	6,909.1	10,842.9	14,685.9
1980.....	699.8	1,053.7	1,576.3	2,220.0	3,082.2	4,139.2	5,598.6	7,589.1	10,946.4	15,774.9
1979.....	732.7	1,056.5	1,616.2	2,194.2	3,038.7	3,956.8	5,486.7	7,096.7	9,829.1	14,262.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	275.4	398.7	569.0	869.4	1,297.2	1,837.5	2,973.3	4,200.7	6,789.0	12,542.3
1997.....	278.6	405.2	584.9	880.3	1,351.9	1,854.8	3,027.2	4,178.3	6,656.8	12,616.5
1996.....	298.6	418.3	614.6	884.6	1,351.3	1,907.4	3,049.7	4,258.6	6,831.9	12,464.6
1995.....	309.8	425.3	626.2	929.3	1,403.9	1,959.8	3,070.6	4,296.7	7,035.6	12,948.4
1994.....	304.9	431.7	624.9	947.8	1,359.7	2,001.0	3,013.5	4,331.8	6,881.2	12,658.6
1993.....	297.0	427.9	637.4	959.3	1,398.9	2,053.7	3,054.4	4,427.9	6,977.7	12,899.3
1992.....	296.7	417.5	633.0	996.7	1,424.1	2,076.9	2,958.8	4,120.1	6,606.6	12,633.7
1991.....	287.7	425.2	649.9	966.8	1,448.5	2,109.1	3,057.9	4,342.4	6,781.2	12,723.3
1990.....	282.0	432.9	664.1	1,009.6	1,509.0	2,178.5	3,047.7	4,395.0	6,826.5	12,863.1
1989.....	289.5	433.8	674.7	1,015.8	1,552.8	2,231.1	3,130.5	4,669.6	6,966.0	13,009.7
1988.....	292.2	441.8	701.7	1,048.5	1,595.9	2,235.2	3,163.1	4,643.1	7,211.3	12,950.9
1987.....	291.4	442.5	722.0	1,027.5	1,588.9	2,213.9	3,189.3	4,504.2	7,181.1	12,606.7
1986.....	300.0	449.3	728.0	1,032.2	1,627.1	2,195.6	3,218.3	4,600.0	7,156.9	12,719.2
1985.....	289.1	452.2	721.5	1,107.6	1,624.9	2,219.7	3,311.7	4,645.9	7,494.4	12,312.0
1984.....	308.8	466.5	711.4	1,104.2	1,620.2	2,169.0	3,324.2	4,525.7	7,607.5	11,487.6
1983.....	299.0	478.0	749.0	1,138.6	1,657.0	2,196.4	3,377.5	4,571.1	7,455.2	11,495.7
1982.....	301.8	490.7	742.4	1,125.6	1,639.2	2,149.5	3,229.9	4,450.9	7,365.6	10,963.2
1981.....	332.3	513.8	773.7	1,162.6	1,653.5	2,221.9	3,311.1	4,474.2	7,533.3	11,461.9
1980.....	364.0	557.6	821.2	1,184.7	1,707.1	2,367.6	3,522.9	4,949.6	7,555.9	11,922.3
1979.....	349.5	546.3	832.8	1,135.2	1,704.0	2,272.7	3,471.2	4,776.0	6,627.7	10,829.8
BLACK, BOTH SEXES										
1998.....	454.6	689.3	971.3	1,408.5	2,063.4	2,689.0	4,170.9	5,678.5	8,553.3	14,155.8
1997.....	471.5	709.6	991.5	1,427.8	2,130.1	2,705.4	4,292.8	5,610.4	8,347.8	14,398.7
1996.....	545.5	751.7	1,044.7	1,458.0	2,160.9	2,793.2	4,372.6	5,748.6	8,579.2	14,157.6
1995.....	596.6	792.8	1,080.0	1,500.7	2,194.4	2,910.4	4,437.1	5,771.9	8,736.9	14,413.3
1994.....	602.4	790.5	1,083.7	1,517.4	2,144.3	2,960.8	4,386.9	5,759.7	8,650.5	14,060.8
1993.....	590.6	781.1	1,092.8	1,565.3	2,198.4	3,072.0	4,418.2	5,905.8	8,772.5	14,418.1
1992.....	570.7	762.4	1,054.9	1,579.0	2,204.1	3,075.9	4,278.6	5,596.3	8,400.8	14,278.6
1991.....	555.1	773.9	1,084.6	1,574.9	2,238.2	3,159.0	4,352.9	5,823.1	8,655.6	14,271.6
1990.....	550.4	772.7	1,099.9	1,619.0	2,327.8	3,218.0	4,391.6	5,931.5	8,587.4	14,394.6
1989.....	561.6	775.6	1,147.1	1,656.2	2,395.7	3,347.3	4,489.3	6,224.4	8,583.3	14,420.5
1988.....	553.6	772.4	1,153.6	1,655.6	2,455.5	3,355.3	4,511.4	6,262.6	8,970.2	14,427.6
1987.....	542.1	752.5	1,165.7	1,605.1	2,444.4	3,313.2	4,540.1	6,086.6	9,006.5	14,049.0
1986.....	547.2	751.8	1,167.8	1,641.0	2,485.8	3,280.4	4,579.8	6,200.0	8,900.4	14,187.6
1985.....	526.1	760.6	1,163.0	1,709.9	2,499.4	3,266.7	4,670.9	6,135.0	9,315.1	13,679.5
1984.....	521.4	765.3	1,141.1	1,710.1	2,496.9	3,174.7	4,681.2	5,930.9	9,405.9	12,862.6
1983.....	505.9	772.4	1,165.3	1,747.2	2,526.9	3,176.6	4,702.8	6,016.1	9,324.2	12,789.7
1982.....	508.0	796.6	1,169.1	1,725.5	2,467.7	3,136.1	4,519.2	5,805.8	9,041.3	12,429.0
1981.....	557.4	843.4	1,227.6	1,787.4	2,471.8	3,202.7	4,579.7	5,796.0	9,367.9	12,995.8
1980.....	589.9	885.8	1,292.2	1,823.8	2,531.1	3,368.9	4,710.8	6,366.9	9,350.9	13,610.8
1979.....	586.2	869.9	1,306.2	1,762.0	2,478.5	3,185.8	4,609.1	5,923.5	8,018.4	12,143.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BLACK MALE										
1998.....	582.2	919.1	1,308.7	1,876.2	2,758.0	3,428.5	5,198.3	7,107.5	10,625.4	15,540.9
1997.....	622.3	960.4	1,331.0	1,904.8	2,831.0	3,476.2	5,429.9	7,143.8	10,462.5	16,083.5
1996.....	744.3	1,034.3	1,415.6	1,972.0	2,900.5	3,578.4	5,622.1	7,385.3	10,897.2	16,006.3
1995.....	840.4	1,111.8	1,493.2	2,017.9	2,930.4	3,775.2	5,782.0	7,473.9	11,143.3	16,728.7
1994.....	859.7	1,094.6	1,495.5	2,032.0	2,872.5	3,834.3	5,789.1	7,462.7	11,234.0	16,266.9
1993.....	850.5	1,084.2	1,497.5	2,131.6	2,952.0	4,031.0	5,822.9	7,690.5	11,322.5	17,033.0
1992.....	803.2	1,065.7	1,419.3	2,103.6	2,924.3	4,029.1	5,724.9	7,502.0	10,969.8	16,717.1
1991.....	789.8	1,081.5	1,469.9	2,136.9	2,970.4	4,185.8	5,775.0	7,714.9	11,339.6	16,663.8
1990.....	785.5	1,074.8	1,487.5	2,185.9	3,094.1	4,256.2	5,929.6	7,966.1	11,243.4	16,954.9
1989.....	800.9	1,081.5	1,590.2	2,261.0	3,183.8	4,490.5	6,035.3	8,177.0	10,973.2	16,751.5
1988.....	781.7	1,074.6	1,564.2	2,206.0	3,284.0	4,502.8	6,055.6	8,367.8	11,501.1	16,643.3
1987.....	768.3	1,031.5	1,569.3	2,148.1	3,259.0	4,459.7	6,095.2	8,094.3	11,521.7	16,415.6
1986.....	770.2	1,025.5	1,570.1	2,211.4	3,312.8	4,394.8	6,147.6	8,225.0	11,327.8	16,471.4
1985.....	745.8	1,044.2	1,574.9	2,265.1	3,365.1	4,378.2	6,287.8	7,960.6	11,805.7	15,774.2
1984.....	713.3	1,045.4	1,541.9	2,280.9	3,378.7	4,247.8	6,253.9	7,628.1	11,796.4	15,123.0
1983.....	698.7	1,055.5	1,551.4	2,324.8	3,387.1	4,220.3	6,254.5	7,760.0	11,796.3	14,863.3
1982.....	701.1	1,093.4	1,582.4	2,303.4	3,295.2	4,218.0	6,028.9	7,436.6	11,101.3	14,596.6
1981.....	778.1	1,165.8	1,671.4	2,391.3	3,293.9	4,291.3	6,013.8	7,413.3	11,590.9	15,121.4
1980.....	810.4	1,201.4	1,764.7	2,457.2	3,377.1	4,484.0	6,047.7	8,092.2	11,554.2	16,098.8
1979.....	827.7	1,187.0	1,785.6	2,401.9	3,293.8	4,238.8	5,931.0	7,314.3	9,945.5	14,465.4
BLACK FEMALE										
1998.....	342.5	495.9	697.1	1,044.3	1,544.2	2,137.3	3,456.3	4,763.6	7,466.8	13,580.5
1997.....	339.5	498.5	715.6	1,055.8	1,604.8	2,129.7	3,511.8	4,643.8	7,252.3	13,701.7
1996.....	372.5	514.0	743.6	1,056.8	1,604.9	2,206.2	3,523.8	4,727.1	7,384.1	13,398.5
1995.....	385.7	525.1	743.5	1,095.9	1,638.6	2,265.0	3,531.0	4,723.0	7,512.2	13,472.2
1994.....	380.4	535.6	747.7	1,115.2	1,593.8	2,311.7	3,446.1	4,732.1	7,334.0	13,165.5
1993.....	366.7	527.3	762.0	1,119.9	1,628.1	2,367.0	3,469.5	4,849.4	7,461.4	13,351.1
1992.....	370.7	508.0	757.0	1,165.4	1,659.5	2,378.8	3,315.3	4,482.7	7,070.5	13,264.1
1991.....	353.8	516.5	771.6	1,129.9	1,683.5	2,414.2	3,412.0	4,711.4	7,272.4	13,258.9
1990.....	349.1	519.1	782.3	1,170.1	1,749.1	2,467.7	3,381.4	4,738.9	7,212.1	13,309.5
1989.....	357.1	519.0	784.4	1,174.5	1,797.5	2,519.5	3,481.2	5,069.8	7,330.3	13,509.2
1988.....	359.2	519.6	815.2	1,216.4	1,825.8	2,522.5	3,483.7	5,003.7	7,633.7	13,461.1
1987.....	351.2	520.0	834.9	1,172.4	1,822.3	2,477.5	3,503.7	4,870.9	7,653.2	12,997.2
1986.....	359.3	524.6	838.9	1,181.4	1,856.0	2,463.7	3,533.5	4,960.5	7,576.4	13,144.9
1985.....	341.5	525.4	826.4	1,259.9	1,831.0	2,451.1	3,601.6	4,998.2	7,943.7	12,703.0
1984.....	359.7	533.8	811.4	1,243.5	1,814.2	2,383.4	3,631.3	4,865.4	8,084.9	11,793.8
1983.....	344.6	538.2	851.5	1,277.3	1,861.3	2,408.1	3,664.2	4,881.9	7,926.2	11,786.3
1982.....	347.0	552.5	834.0	1,254.7	1,819.7	2,338.4	3,481.3	4,782.9	7,847.1	11,363.6
1981.....	373.9	575.9	868.2	1,295.9	1,823.3	2,406.0	3,577.5	4,748.8	8,071.2	11,827.4
1980.....	407.5	626.7	910.5	1,305.8	1,860.7	2,538.4	3,759.6	5,243.8	8,030.1	12,367.2
1979.....	385.6	608.2	914.9	1,236.5	1,830.3	2,398.5	3,657.6	4,949.6	6,821.8	10,982.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
I. INFECTIOUS AND PARASITIC DISEASES (001-139)										
TOTAL, BOTH SEXES										
1998.....	19.7	20.2	18.1	19.9	24.5	33.5	47.3	68.3	110.0	212.0
1997.....	21.9	21.3	17.9	19.5	24.1	31.0	45.7	68.0	108.6	212.0
1996.....	37.1	30.7	24.7	23.2	26.5	32.1	45.5	67.3	103.5	207.3
1995.....	49.1	38.9	29.7	26.3	27.7	32.0	45.3	67.0	104.6	208.1
1994.....	49.0	37.2	29.2	25.9	26.8	31.4	43.4	65.6	103.7	210.3
1993.....	42.7	33.3	26.8	23.4	24.7	31.5	43.7	66.8	107.1	222.0
1992.....	39.0	30.7	24.2	22.3	24.7	29.9	42.8	63.7	103.1	213.6
1991.....	34.1	28.0	23.1	21.7	23.9	29.3	42.1	64.6	106.4	217.3
1990.....	30.0	24.6	20.3	19.9	22.6	29.3	42.9	66.1	106.3	218.6
1989.....	26.5	22.2	19.2	18.9	22.1	29.5	42.5	68.2	110.2	227.6
1988.....	20.5	17.2	17.3	17.4	22.6	30.5	47.1	72.4	122.0	241.4
1987.....	17.0	15.4	14.3	16.9	21.9	30.2	46.4	68.8	111.7	224.2
1986.....	7.7	8.3	9.9	13.7	19.2	28.8	42.0	67.7	108.4	218.9
1985.....	5.8	6.9	8.7	12.7	18.6	27.1	40.5	64.3	103.6	195.3
1984.....	4.9	6.4	7.8	11.7	17.3	24.2	38.1	54.8	92.3	174.4
1983.....	3.6	5.1	7.6	11.0	16.2	23.0	35.0	54.5	84.1	156.5
1982.....	3.5	4.4	7.0	10.4	15.0	21.3	32.3	48.6	73.9	138.1
1981.....	3.4	5.3	7.1	10.1	14.9	20.8	29.2	43.7	74.6	127.0
1980.....	3.0	4.4	7.1	10.1	13.3	20.2	29.9	42.5	70.7	122.1
1979.....	3.1	4.7	6.2	9.2	12.6	18.2	26.6	38.3	58.1	98.0
TOTAL, MALE										
1998.....	29.3	30.5	25.7	25.4	29.5	38.6	54.8	79.4	127.0	223.8
1997.....	33.4	32.0	25.1	24.8	30.2	37.3	53.8	81.3	122.7	226.2
1996.....	60.1	49.6	38.2	33.4	34.9	39.1	53.7	78.4	120.5	219.1
1995.....	82.3	65.0	48.3	39.5	37.6	40.3	53.8	79.0	123.7	228.3
1994.....	84.0	63.4	48.1	39.2	36.4	40.4	53.1	78.3	118.3	231.7
1993.....	73.9	57.5	44.3	35.4	33.6	40.2	53.3	80.6	134.5	240.0
1992.....	68.1	53.0	41.2	33.2	33.9	38.9	53.3	78.5	121.3	235.5
1991.....	60.4	48.8	38.0	32.2	33.4	37.8	51.9	80.9	128.4	243.6
1990.....	53.5	43.1	33.1	29.6	30.3	38.0	53.9	82.5	131.9	242.6
1989.....	46.9	38.6	31.1	28.0	30.1	38.0	54.0	85.2	133.6	253.1
1988.....	35.8	29.0	27.3	24.6	29.3	38.6	60.6	90.7	145.6	261.2
1987.....	29.5	26.4	21.5	24.2	29.0	37.6	59.9	86.1	136.9	259.6
1986.....	11.6	12.2	13.6	18.2	24.8	36.3	54.3	88.5	139.1	259.2
1985.....	8.8	9.7	11.5	16.1	23.6	34.0	53.7	81.1	130.0	229.3
1984.....	6.8	8.4	10.0	15.0	21.9	30.6	48.4	70.2	113.8	216.9
1983.....	4.9	6.3	9.3	13.8	20.3	29.9	44.4	71.4	110.9	191.4
1982.....	4.0	5.1	8.7	12.7	19.2	25.9	41.5	62.7	95.1	178.4
1981.....	4.1	6.5	8.8	12.7	18.6	26.7	37.2	57.0	97.5	162.9
1980.....	3.2	5.3	8.6	12.8	17.2	26.6	40.5	54.3	94.3	155.7
1979.....	3.7	5.8	7.7	10.7	16.1	24.0	35.1	52.3	81.5	129.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
I. INFECTIOUS AND PARASITIC DISEASES (001-139)										
TOTAL, FEMALE										
1998.....	10.2	10.3	10.9	14.8	20.1	29.1	41.5	60.5	99.9	207.1
1997.....	10.6	11.0	11.0	14.5	18.6	25.8	39.4	58.6	100.3	206.3
1996.....	14.4	12.5	11.8	13.8	18.9	26.2	39.2	59.6	93.7	202.6
1995.....	16.8	13.7	12.1	14.2	18.9	25.0	38.8	58.8	93.9	200.2
1994.....	14.9	11.9	11.4	13.7	18.2	24.1	36.0	56.9	95.6	202.1
1993.....	12.4	10.0	10.3	12.3	16.9	24.3	36.4	57.6	92.1	215.1
1992.....	10.6	9.2	8.2	12.3	16.6	22.5	34.8	53.9	93.3	205.2
1991.....	8.6	7.9	9.0	12.0	15.6	22.5	34.8	53.9	94.6	207.2
1990.....	7.2	6.8	8.1	11.1	15.9	22.3	34.8	55.5	92.8	209.4
1989.....	6.7	6.4	7.9	10.6	15.2	22.5	34.1	57.2	97.8	217.6
1988.....	5.6	5.7	7.9	10.9	16.8	24.0	37.2	60.7	109.5	233.7
1987.....	5.0	4.8	7.6	10.3	15.8	24.2	36.5	57.8	98.4	210.2
1986.....	3.8	4.7	6.4	9.7	14.4	22.7	33.1	54.6	92.3	203.0
1985.....	3.0	4.2	6.2	9.6	14.3	21.6	30.9	53.8	89.8	181.7
1984.....	3.0	4.6	5.8	8.7	13.3	19.1	30.6	45.0	81.0	157.3
1983.....	2.4	3.9	6.1	8.6	12.7	17.4	28.2	43.9	70.0	142.2
1982.....	3.1	3.7	5.4	8.3	11.4	17.6	25.7	39.8	62.7	121.3
1981.....	2.7	4.1	5.5	7.7	11.8	16.0	23.5	35.4	62.4	111.6
1980.....	2.8	3.6	5.6	7.6	10.0	15.2	22.2	35.0	58.1	107.5
1979.....	2.5	3.6	4.9	7.9	9.6	13.6	20.4	29.5	45.5	84.2
WHITE, BOTH SEXES										
1998.....	12.7	13.2	12.9	14.6	19.6	29.3	42.6	62.9	102.4	201.5
1997.....	13.8	13.7	12.5	14.3	18.7	26.7	40.2	62.2	102.5	201.0
1996.....	24.1	20.8	17.3	16.8	21.0	28.1	40.3	62.0	97.4	196.8
1995.....	34.2	27.8	22.2	20.0	21.9	27.6	40.4	61.8	98.1	197.9
1994.....	35.5	27.6	21.9	19.9	21.1	27.2	38.2	61.0	95.9	201.9
1993.....	31.4	25.4	20.9	18.6	20.6	27.2	39.9	61.3	99.4	211.5
1992.....	29.6	24.4	19.6	17.2	20.4	25.4	38.4	59.2	96.3	203.4
1991.....	26.8	22.5	18.2	17.7	20.2	25.5	38.1	59.8	99.7	207.8
1990.....	24.4	20.3	16.7	16.3	19.1	25.9	38.6	60.9	99.1	208.6
1989.....	21.0	18.3	15.5	15.7	19.2	25.7	38.4	62.4	103.8	216.9
1988.....	16.3	13.8	14.0	14.3	19.5	26.8	42.9	66.4	114.9	230.7
1987.....	13.9	12.3	11.4	14.3	19.0	26.4	42.2	63.4	102.8	211.1
1986.....	6.0	6.7	7.7	11.6	16.1	25.8	38.2	62.3	101.0	207.8
1985.....	4.8	5.1	7.0	10.5	16.0	23.7	36.7	58.9	95.0	185.7
1984.....	3.4	4.8	5.9	9.6	14.9	21.4	33.5	50.2	84.5	166.0
1983.....	2.5	3.6	5.9	9.2	13.9	20.3	30.7	50.3	77.3	149.0
1982.....	2.5	3.1	5.7	8.3	12.9	19.1	28.9	44.3	68.3	131.1
1981.....	2.1	3.9	5.7	8.4	12.9	18.3	26.2	40.6	69.2	118.7
1980.....	1.9	3.0	5.3	8.3	11.6	17.4	26.4	38.2	65.2	115.8
1979.....	2.0	3.7	4.5	7.5	10.7	16.1	23.6	34.5	54.6	93.2



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
I. INFECTIOUS AND PARASITIC DISEASES (001-139)										
WHITE MALE										
1998.....	20.1	20.5	18.1	18.1	23.6	33.8	49.8	72.7	119.4	213.3
1997.....	22.2	21.3	17.3	18.2	23.1	31.3	47.5	74.9	116.3	214.9
1996.....	41.1	34.6	27.2	23.8	26.9	33.6	47.3	73.2	111.2	208.8
1995.....	60.0	48.2	36.5	30.2	29.7	34.8	47.7	72.0	116.9	213.7
1994.....	63.7	48.5	37.0	30.6	28.5	34.5	46.7	72.4	109.1	224.5
1993.....	56.2	45.1	35.2	27.9	28.1	35.0	48.4	73.0	125.9	224.3
1992.....	53.7	43.2	33.5	25.8	28.2	33.2	47.6	73.4	111.5	224.0
1991.....	49.0	40.3	30.9	26.5	28.3	32.7	46.4	75.2	119.8	233.8
1990.....	45.1	36.6	27.9	24.4	25.8	33.8	48.2	75.8	122.7	231.9
1989.....	38.2	32.8	25.9	23.3	26.1	33.1	49.1	78.9	125.0	239.3
1988.....	29.4	24.1	22.5	20.2	25.4	33.7	55.2	84.0	137.0	247.7
1987.....	24.7	21.8	17.5	20.5	25.3	33.4	54.6	80.0	127.1	245.2
1986.....	9.5	10.1	10.6	15.2	21.0	32.7	48.8	81.2	130.3	245.5
1985.....	7.4	7.4	9.3	13.1	20.4	30.0	49.2	73.7	118.8	218.5
1984.....	4.9	6.3	7.6	12.6	19.4	27.3	42.9	64.2	104.7	204.6
1983.....	3.3	4.5	7.2	11.7	17.6	26.4	39.5	65.7	101.5	181.3
1982.....	2.7	3.5	7.2	10.4	16.4	23.4	36.8	57.5	88.4	168.0
1981.....	2.5	4.9	7.3	10.7	16.1	23.6	33.1	52.9	91.8	149.1
1980.....	2.1	3.6	6.5	10.5	14.9	22.6	36.3	48.5	87.9	146.1
1979.....	2.3	4.6	5.8	8.7	13.4	21.5	30.8	47.5	76.6	123.2
WHITE FEMALE										
1998.....	5.3	6.0	7.9	11.2	16.0	25.4	36.8	55.9	92.3	196.7
1997.....	5.4	6.1	7.9	10.7	14.7	22.7	34.5	53.3	94.4	195.4
1996.....	7.0	7.1	7.8	10.2	15.5	23.4	35.0	54.1	89.4	192.1
1995.....	8.5	7.7	8.4	10.4	14.9	21.5	34.6	54.8	87.5	191.8
1994.....	7.3	7.0	7.4	9.9	14.5	21.2	31.6	53.2	88.6	193.3
1993.....	6.7	6.0	7.2	9.9	13.8	20.7	33.3	53.5	84.9	206.7
1992.....	5.5	5.9	6.2	9.0	13.4	18.9	31.3	49.8	88.1	195.6
1991.....	4.7	5.0	6.1	9.4	13.0	19.5	31.9	49.6	89.0	198.0
1990.....	3.9	4.3	5.9	8.7	13.2	19.4	31.4	51.3	86.6	199.7
1989.....	3.9	4.2	5.6	8.7	13.1	19.6	30.5	51.8	92.6	208.5
1988.....	3.4	3.8	5.9	8.8	14.4	21.2	33.9	55.1	103.3	224.2
1987.....	3.2	3.1	5.5	8.6	13.4	20.6	33.0	52.8	90.2	198.0
1986.....	2.6	3.5	4.9	8.3	11.8	20.2	30.5	50.4	85.8	193.1
1985.....	2.3	2.9	4.8	8.1	12.2	18.6	27.6	49.6	82.6	172.8
1984.....	1.9	3.3	4.3	6.9	11.0	16.6	26.8	41.5	74.0	150.7
1983.....	1.7	2.6	4.7	7.0	10.6	15.3	24.4	40.7	64.7	135.9
1982.....	2.2	2.8	4.3	6.4	9.9	15.6	23.2	36.0	57.8	116.0
1981.....	1.7	3.0	4.3	6.4	10.2	14.0	21.2	32.9	57.4	105.9
1980.....	1.7	2.4	4.2	6.2	8.7	13.2	19.3	31.8	53.2	102.8
1979.....	1.6	2.8	3.3	6.5	8.3	11.7	18.4	26.4	43.0	80.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
I. INFECTIOUS AND PARASITIC DISEASES (001-139)										
ALL OTHER, BOTH SEXES										
1998.....	53.9	56.7	49.2	52.4	55.0	61.6	85.2	116.6	186.2	311.0
1997.....	62.4	62.3	51.1	50.7	58.1	61.0	90.8	120.4	170.5	317.4
1996.....	102.7	86.3	68.8	62.5	61.8	60.6	88.7	115.9	165.8	307.9
1995.....	125.8	102.3	75.9	65.6	65.8	64.0	88.3	115.3	171.6	312.1
1994.....	119.2	93.3	74.5	63.8	64.4	62.8	88.4	108.7	182.6	296.9
1993.....	102.4	80.7	63.3	53.5	53.3	64.2	76.9	119.3	185.6	330.2
1992.....	89.7	69.8	52.6	55.4	55.1	65.3	81.9	105.6	174.2	320.9
1991.....	75.5	61.2	52.9	47.7	51.1	60.3	78.0	110.3	175.4	317.2
1990.....	62.7	51.2	42.6	44.4	48.6	58.0	82.4	115.0	181.8	325.6
1989.....	59.2	46.3	42.1	40.4	44.7	61.1	79.9	122.5	177.8	340.2
1988.....	45.8	37.7	38.2	39.3	46.9	62.0	85.5	129.6	197.2	355.2
1987.....	37.1	34.1	33.4	35.9	45.7	63.5	84.8	120.5	205.8	364.2
1986.....	17.7	18.3	24.6	29.4	44.8	54.2	76.7	120.0	187.9	339.8
1985.....	12.3	18.1	20.6	29.4	40.6	56.9	75.5	116.3	197.5	299.1
1984.....	14.5	16.9	20.8	27.5	37.9	49.0	80.1	98.2	178.0	266.8
1983.....	10.8	14.8	19.9	25.3	36.5	46.6	75.0	95.3	160.7	239.2
1982.....	10.2	12.8	16.3	27.4	33.5	40.8	64.5	90.8	137.5	217.6
1981.....	11.3	14.4	17.4	23.5	32.9	42.6	58.3	74.4	136.1	221.6
1980.....	10.0	14.4	20.7	25.7	29.2	45.9	63.2	84.1	136.1	194.5
1979.....	10.6	11.8	20.1	23.4	30.4	37.1	56.3	75.2	99.1	154.6
ALL OTHER MALE										
1998.....	77.4	86.5	75.3	73.9	69.9	73.6	97.1	141.4	205.3	316.4
1997.....	93.2	93.8	77.6	68.6	79.7	81.8	109.6	142.8	189.6	324.3
1996.....	163.2	140.1	110.1	97.1	91.1	81.6	111.1	127.7	216.6	309.0
1995.....	205.4	168.6	126.4	102.1	95.0	83.9	110.0	147.5	194.4	365.7
1994.....	197.2	157.4	121.7	98.0	95.0	87.3	111.8	137.7	211.7	298.4
1993.....	173.9	137.5	104.7	86.5	75.5	82.7	98.5	157.3	221.1	386.5
1992.....	151.1	118.2	91.0	84.4	77.7	86.8	107.1	129.2	219.3	342.6
1991.....	129.4	104.0	84.5	72.2	74.1	80.7	104.4	137.0	214.0	333.7
1990.....	105.9	85.6	68.1	67.0	67.0	75.0	108.6	147.4	223.2	342.7
1989.....	102.1	77.3	66.4	62.7	63.4	81.9	100.6	145.5	219.0	380.2
1988.....	77.4	61.6	60.4	57.7	62.2	82.3	113.2	154.8	230.8	386.1
1987.....	62.3	56.6	49.2	53.0	60.2	76.0	110.1	143.3	234.8	394.8
1986.....	25.7	25.9	35.4	41.7	57.4	68.8	106.3	157.6	228.7	388.0
1985.....	18.1	25.4	27.4	40.3	52.1	70.6	96.3	150.5	241.9	331.5
1984.....	20.0	22.3	28.0	34.8	44.7	60.6	100.7	126.2	206.9	331.9
1983.....	15.5	18.5	26.0	31.4	44.9	62.1	91.5	124.4	208.2	284.3
1982.....	12.8	16.5	20.9	32.9	45.1	48.9	86.2	110.4	164.9	279.1
1981.....	14.7	18.0	21.2	30.1	41.6	55.2	76.0	95.2	157.1	300.0
1980.....	11.0	17.9	26.3	33.5	38.8	63.3	80.3	107.7	162.8	253.5
1979.....	13.4	15.3	23.8	28.3	42.2	46.8	76.5	95.1	133.7	191.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
I. INFECTIOUS AND PARASITIC DISEASES (001-139)										
ALL OTHER FEMALE										
1998.....	33.0	31.3	27.4	35.0	43.5	52.6	76.9	100.2	175.4	308.5
1997.....	35.2	35.6	29.0	36.1	41.6	45.5	77.7	105.8	159.7	314.3
1996.....	49.6	40.5	34.2	34.4	39.4	45.0	73.1	108.3	137.3	307.4
1995.....	56.6	46.1	33.6	35.9	43.4	49.2	73.2	94.8	159.0	288.9
1994.....	51.6	38.7	34.8	36.1	41.0	44.6	72.2	90.6	166.7	296.2
1993.....	40.6	32.3	28.3	26.8	36.4	50.5	61.9	95.8	165.9	305.7
1992.....	36.6	28.3	20.2	32.0	37.8	49.4	64.4	91.0	148.8	311.2
1991.....	28.8	24.4	26.1	27.9	33.6	45.3	60.0	93.8	152.8	307.9
1990.....	25.3	21.6	21.0	26.3	34.7	45.3	64.6	94.8	158.4	317.8
1989.....	22.2	19.6	21.4	22.5	30.5	45.6	65.8	108.2	154.2	321.7
1988.....	18.6	17.1	19.6	24.5	35.1	47.0	66.8	113.6	177.0	340.8
1987.....	15.4	14.7	20.1	22.2	34.5	54.1	67.6	106.0	189.3	349.7
1986.....	10.8	11.7	15.6	19.4	34.9	43.2	56.4	95.7	165.4	316.7
1985.....	7.3	11.8	15.0	20.5	31.5	46.6	61.1	93.9	171.7	285.3
1984.....	9.8	12.2	15.0	21.5	32.5	40.3	65.5	79.6	160.1	234.5
1983.....	6.8	11.7	15.0	20.4	29.9	35.0	63.5	75.9	132.7	216.5
1982.....	8.0	9.8	12.6	22.9	24.3	34.7	48.9	77.2	121.0	185.0
1981.....	8.4	11.5	14.3	18.1	26.1	33.1	45.2	60.4	123.3	181.7
1980.....	9.2	11.4	16.1	19.2	21.5	32.6	50.4	68.1	119.7	164.4
1979.....	8.2	9.0	17.0	19.4	20.9	29.7	40.9	61.2	78.1	136.8
BLACK, BOTH SEXES										
1998.....	71.8	76.8	64.9	64.9	66.4	73.2	99.5	135.1	213.5	357.3
1997.....	83.3	82.9	68.2	62.5	69.7	69.9	106.3	135.7	196.7	362.4
1996.....	137.8	116.1	91.4	79.2	74.2	69.2	104.5	131.6	188.4	348.9
1995.....	167.2	137.0	99.4	81.6	79.2	74.5	102.5	129.4	186.1	335.0
1994.....	159.8	124.9	95.8	79.0	76.4	71.7	100.3	121.4	199.5	325.4
1993.....	136.5	106.7	80.5	64.0	63.1	73.8	87.4	130.8	204.7	356.4
1992.....	120.1	92.4	67.0	67.9	64.6	74.9	90.9	117.8	193.9	352.2
1991.....	100.2	80.6	66.9	57.4	60.5	67.5	89.0	118.0	186.9	335.8
1990.....	83.2	65.8	51.8	52.2	56.3	65.5	92.2	126.4	197.7	345.0
1989.....	77.4	58.4	51.8	46.7	51.3	70.2	90.6	132.8	191.8	366.8
1988.....	60.3	47.4	46.1	45.7	53.9	69.5	94.9	141.4	210.7	376.2
1987.....	47.5	41.8	38.8	41.9	52.0	71.9	92.3	131.3	218.3	391.3
1986.....	22.7	21.9	29.0	32.8	50.2	60.3	83.6	128.3	199.2	353.2
1985.....	15.0	20.5	24.3	33.6	45.7	61.8	81.2	127.5	207.3	321.5
1984.....	16.8	20.0	23.5	30.9	42.5	53.8	87.4	106.9	188.1	286.8
1983.....	13.2	17.5	22.4	28.0	40.8	50.1	80.7	101.4	170.5	250.5
1982.....	11.8	14.5	17.7	29.4	37.2	44.1	68.4	93.9	143.6	225.0
1981.....	13.1	16.3	19.2	26.2	36.0	45.0	61.8	78.9	144.0	232.7
1980.....	11.5	15.9	22.8	27.7	31.7	49.8	67.1	88.9	141.4	205.0
1979.....	11.8	12.6	21.4	24.8	32.4	38.6	58.5	75.8	103.0	159.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
I. INFECTIOUS AND PARASITIC DISEASES (001-139)										
BLACK MALE										
1998.....	103.8	118.1	101.0	94.0	88.7	88.0	114.3	162.8	239.2	370.6
1997.....	124.1	126.7	105.4	87.4	100.4	95.3	131.6	164.3	219.2	370.3
1996.....	219.3	189.5	150.0	125.9	112.4	93.1	132.3	150.4	248.0	354.0
1995.....	272.8	227.7	169.8	130.7	117.3	98.1	131.2	169.2	214.3	382.6
1994.....	264.2	212.5	160.9	124.4	115.2	101.8	130.3	158.7	236.0	331.3
1993.....	231.4	183.8	137.0	108.3	90.7	96.3	113.3	174.5	245.7	423.4
1992.....	203.3	158.6	119.1	106.6	93.5	102.2	120.5	150.8	249.6	383.3
1991.....	172.0	138.9	110.3	88.4	89.3	92.4	119.7	149.7	230.7	356.5
1990.....	141.3	110.6	84.1	79.6	78.9	83.7	120.2	162.3	255.2	365.2
1989.....	134.3	99.1	83.7	74.0	72.1	95.5	114.7	156.7	239.2	421.2
1988.....	102.7	79.6	74.9	67.4	73.2	91.8	128.0	168.4	259.6	403.1
1987.....	80.6	70.3	59.0	62.6	70.0	87.6	120.5	157.7	253.3	431.3
1986.....	33.3	31.6	42.4	47.8	63.9	76.1	116.1	169.2	237.8	404.8
1985.....	22.7	29.8	32.3	47.8	58.4	76.4	105.3	170.0	251.7	362.9
1984.....	23.8	26.8	31.4	38.7	50.5	66.5	112.2	140.1	216.7	355.7
1983.....	19.6	22.2	29.4	34.2	50.6	67.8	98.0	135.2	218.3	298.3
1982.....	14.5	18.7	22.7	36.4	51.1	52.7	94.6	115.5	171.3	289.7
1981.....	17.1	20.8	23.3	33.5	45.4	59.8	80.3	101.9	166.2	308.9
1980.....	13.2	20.5	29.8	37.0	43.3	68.9	86.5	114.4	173.3	269.8
1979.....	14.9	16.4	25.6	30.4	45.4	49.4	79.6	95.0	133.8	194.2
BLACK FEMALE										
1998.....	43.7	42.1	35.5	42.3	49.8	62.1	89.2	117.3	200.0	351.8
1997.....	47.6	46.1	37.9	43.0	46.7	50.8	88.9	117.8	185.1	359.1
1996.....	66.9	54.5	43.7	42.7	45.4	51.3	85.6	119.8	157.7	346.9
1995.....	75.8	61.0	42.2	43.1	50.4	56.9	83.1	104.9	171.7	315.6
1994.....	69.7	51.4	42.7	43.5	47.1	49.3	80.2	99.0	180.9	323.1
1993.....	54.7	42.1	34.3	29.1	42.3	57.2	70.0	104.9	183.6	329.1
1992.....	48.5	36.8	24.5	37.3	42.7	55.0	71.2	98.6	165.1	339.2
1991.....	38.7	31.9	31.5	32.9	38.6	49.4	68.7	99.4	164.3	327.0
1990.....	33.5	28.2	25.3	30.5	39.2	52.3	73.7	105.3	168.0	336.4
1989.....	28.7	24.3	25.7	25.0	35.5	51.9	74.9	118.6	167.0	345.8
1988.....	24.2	20.4	22.5	28.4	39.3	53.4	72.9	125.3	184.8	364.4
1987.....	19.5	18.1	22.2	25.4	38.3	60.5	73.5	115.2	199.4	373.6
1986.....	13.8	13.9	18.1	20.8	39.7	48.7	62.0	103.2	178.2	329.7
1985.....	8.6	12.8	17.8	22.2	35.9	51.1	65.3	101.1	182.9	302.3
1984.....	10.9	14.3	16.9	24.6	36.2	44.4	70.8	86.1	172.4	254.3
1983.....	7.9	13.6	16.8	22.9	33.3	37.1	69.2	79.5	143.4	227.4
1982.....	9.5	11.1	13.6	23.7	26.2	37.7	50.3	80.5	127.5	193.2
1981.....	9.7	12.6	16.0	20.3	28.6	34.1	48.8	63.9	131.1	192.9
1980.....	10.2	12.2	17.1	20.1	22.6	35.6	53.4	72.4	122.2	172.6
1979.....	9.3	9.4	18.0	20.1	22.0	30.5	43.3	62.3	83.9	141.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
INTESTINAL INFECTIOUS DISEASES (001-009)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	0.2	0.3	0.6	0.9	1.9	3.6	7.7
1997.....	*	*	0.1	*	0.3	0.6	1.0	2.0	3.9	6.9
1996.....	*	*	*	*	0.5	0.5	0.7	1.3	2.5	6.3
1995.....	*	*	*	*	0.2	0.4	0.8	1.4	2.6	6.5
1994.....	*	*	*	*	0.3	0.5	0.7	1.3	2.0	5.4
1993.....	*	*	*	*	0.2	0.4	0.8	1.3	2.3	4.7
1992.....	*	*	*	*	*	0.3	0.5	0.9	1.8	4.7
1991.....	*	*	*	*	*	0.3	0.5	0.6	1.5	4.4
1990.....	*	*	*	*	0.2	0.2	0.6	1.0	1.6	3.7
1989.....	*	*	*	*	0.2	0.4	0.4	0.9	1.2	3.1
1988.....	*	*	*	*	*	*	0.4	0.8	1.1	2.9
1987.....	*	*	*	*	0.2	0.3	0.5	0.8	0.9	2.9
1986.....	*	*	*	*	*	0.3	0.4	0.8	0.9	3.1
1985.....	*	*	*	*	*	0.3	0.5	0.8	1.3	2.8
1984.....	*	*	*	*	0.2	*	0.5	0.7	1.0	2.9
1983.....	*	*	*	*	*	0.2	0.5	0.8	1.5	3.0
1982.....	*	*	*	*	0.2	0.3	0.4	0.8	1.0	2.6
1981.....	*	*	*	*	*	0.3	0.6	0.8	1.8	3.5
1980.....	0.0	0.1	0.1	0.1	0.3	0.3	0.6	0.9	1.7	3.4
1979.....	0.0	0.1	0.1	0.1	0.2	0.2	0.5	0.8	1.4	2.7
TOTAL, MALE										
1998.....	*	*	*	*	*	0.7	0.9	1.9	4.0	8.2
1997.....	*	*	*	*	*	0.6	1.1	2.2	4.0	6.2
1996.....	*	*	*	*	0.4	0.5	0.8	1.5	2.0	5.4
1995.....	*	*	*	*	*	0.5	0.9	1.7	2.4	6.0
1994.....	*	*	*	*	0.4	0.5	0.8	1.5	2.5	5.0
1993.....	*	*	*	*	*	*	1.0	1.2	2.3	6.2
1992.....	*	*	*	*	*	0.4	0.6	1.0	2.1	5.7
1991.....	*	*	*	*	*	*	0.6	0.8	1.4	4.8
1990.....	*	*	*	*	*	*	*	1.1	1.5	4.4
1989.....	*	*	*	*	*	0.5	*	1.1	*	3.6
1988.....	*	*	*	*	*	*	*	1.0	*	2.6
1987.....	*	*	*	*	*	*	0.6	*	*	3.1
1986.....	*	*	*	*	*	*	*	1.0	*	4.0
1985.....	*	*	*	*	*	*	0.8	*	*	3.2
1984.....	*	*	*	*	*	*	*	*	*	3.5
1983.....	*	*	*	*	*	*	*	*	1.8	2.7
1982.....	*	*	*	*	*	*	*	1.0	*	3.2
1981.....	*	*	*	*	*	*	0.9	1.5	*	*
1980.....	0.0	0.1	0.1	0.1	0.3	0.4	0.6	1.0	1.7	3.4
1979.....	0.0	0.1	0.1	0.1	0.4	0.4	0.5	0.7	1.7	3.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

## INTESTINAL INFECTIOUS DISEASES (001-009)

TOTAL, FEMALE										
1998.....	*	*	*	*	*	0.5	0.9	1.8	3.4	7.6
1997.....	*	*	*	*	*	0.6	0.9	1.8	3.9	7.2
1996.....	*	*	*	*	0.5	0.4	0.6	1.1	2.8	6.7
1995.....	*	*	*	*	*	*	0.7	1.2	2.7	6.7
1994.....	*	*	*	*	*	0.4	0.5	1.2	1.7	5.6
1993.....	*	*	*	*	*	0.4	0.6	1.4	2.3	4.2
1992.....	*	*	*	*	*	*	0.5	0.9	1.6	4.3
1991.....	*	*	*	*	*	*	*	*	1.6	4.2
1990.....	*	*	*	*	*	*	0.5	1.0	1.6	3.5
1989.....	*	*	*	*	*	*	*	0.7	1.4	2.9
1988.....	*	*	*	*	*	*	*	0.7	1.1	3.1
1987.....	*	*	*	*	*	*	0.5	0.8	*	2.9
1986.....	*	*	*	*	*	*	*	0.7	*	2.7
1985.....	*	*	*	*	*	*	*	0.7	1.3	2.6
1984.....	*	*	*	*	*	*	0.6	0.7	*	2.6
1983.....	*	*	*	*	*	*	0.5	0.8	1.4	3.1
1982.....	*	*	*	*	*	*	*	0.7	1.1	2.3
1981.....	*	*	*	*	*	*	*	*	1.8	3.9
1980.....	0.0	0.1	0.0	0.1	0.3	0.2	0.6	0.7	1.8	3.5
1979.....	0.0	0.1	0.1	0.1	0.1	0.1	0.5	0.8	1.2	2.6
WHITE, BOTH SEXES										
1998.....	*	*	*	0.2	0.2	0.6	0.9	2.0	3.7	8.0
1997.....	*	*	*	*	0.2	0.6	1.0	2.1	4.1	7.3
1996.....	*	*	*	*	0.5	0.5	0.7	1.3	2.7	6.5
1995.....	*	*	*	*	*	0.4	0.8	1.5	2.6	6.8
1994.....	*	*	*	*	*	0.4	0.7	1.4	2.1	5.8
1993.....	*	*	*	*	*	0.4	0.7	1.2	2.4	5.0
1992.....	*	*	*	*	*	0.3	0.6	1.0	1.9	4.9
1991.....	*	*	*	*	*	0.3	0.4	0.5	1.6	4.3
1990.....	*	*	*	*	*	*	0.5	1.0	1.6	3.8
1989.....	*	*	*	*	*	0.4	0.4	0.8	1.3	3.1
1988.....	*	*	*	*	*	*	0.4	0.7	1.2	3.0
1987.....	*	*	*	*	0.2	0.3	0.5	0.8	0.9	3.2
1986.....	*	*	*	*	*	0.3	0.4	0.8	0.9	3.0
1985.....	*	*	*	*	*	0.3	0.5	0.8	1.4	2.8
1984.....	*	*	*	*	*	*	0.5	0.7	1.0	3.0
1983.....	*	*	*	*	*	*	0.5	0.9	1.4	3.0
1982.....	*	*	*	*	0.2	*	0.3	0.9	0.9	2.6
1981.....	*	*	*	*	*	0.3	0.6	0.9	1.8	3.5
1980.....	0.0	0.0	0.1	0.1	0.3	0.3	0.6	0.8	1.7	3.7
1979.....	0.0	0.1	0.1	0.1	0.2	0.2	0.5	0.7	1.4	2.8

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
INTESTINAL INFECTIOUS DISEASES (001-009)

WHITE MALE

1998.....	*	*	*	*	*	0.6	0.9	1.9	4.2	8.6
1997.....	*	*	*	*	*	0.6	1.1	2.3	4.0	6.3
1996.....	*	*	*	*	*	0.5	0.8	1.6	2.1	5.7
1995.....	*	*	*	*	*	0.5	1.0	1.7	2.4	6.2
1994.....	*	*	*	*	*	*	0.7	1.5	2.4	5.2
1993.....	*	*	*	*	*	*	0.9	1.0	2.4	6.8
1992.....	*	*	*	*	*	*	0.7	1.0	2.3	6.0
1991.....	*	*	*	*	*	*	*	*	1.6	4.5
1990.....	*	*	*	*	*	*	*	1.1	*	4.6
1989.....	*	*	*	*	*	0.5	*	1.0	*	3.7
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	3.5
1986.....	*	*	*	*	*	*	*	1.1	*	3.8
1985.....	*	*	*	*	*	*	*	*	*	3.3
1984.....	*	*	*	*	*	*	*	*	*	3.6
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	3.4
1981.....	*	*	*	*	*	*	0.9	1.6	*	*
1980.....	0.0	0.0	0.2	0.1	0.3	0.4	0.5	1.0	1.7	3.5
1979.....	0.0	0.1	0.1	0.1	0.4	0.3	0.5	0.7	1.7	2.8

WHITE FEMALE

1998.....	*	*	*	*	*	0.5	0.9	2.0	3.4	7.8
1997.....	*	*	*	*	*	0.6	0.8	1.9	4.1	7.7
1996.....	*	*	*	*	0.6	0.5	0.7	1.1	3.0	6.8
1995.....	*	*	*	*	*	*	0.7	1.3	2.7	7.1
1994.....	*	*	*	*	*	*	0.6	1.3	1.9	6.0
1993.....	*	*	*	*	*	0.5	0.6	1.4	2.3	4.3
1992.....	*	*	*	*	*	*	0.5	0.9	1.7	4.5
1991.....	*	*	*	*	*	*	*	*	1.6	4.3
1990.....	*	*	*	*	*	*	0.6	1.0	1.7	3.5
1989.....	*	*	*	*	*	*	*	0.7	1.4	2.8
1988.....	*	*	*	*	*	*	*	*	1.1	3.2
1987.....	*	*	*	*	*	*	*	0.8	*	3.1
1986.....	*	*	*	*	*	*	*	0.7	*	2.7
1985.....	*	*	*	*	*	*	*	0.8	1.4	2.6
1984.....	*	*	*	*	*	*	*	0.8	*	2.8
1983.....	*	*	*	*	*	*	*	0.8	1.1	3.2
1982.....	*	*	*	*	*	*	*	0.7	1.1	2.3
1981.....	*	*	*	*	*	*	*	*	1.9	4.0
1980.....	0.0	0.0	0.0	0.1	0.3	0.1	0.6	0.7	1.7	3.8
1979.....	0.0	0.1	0.1	0.1	0.1	0.1	0.5	0.7	1.3	2.8

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
INTESTINAL INFECTIOUS DISEASES (001-009)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*	5.2
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	0.1	0.2	0.3	0.8	1.1	1.4	1.7	0.6	
1979.....	-	0.1	0.2	0.3	0.3	0.4	0.5	1.4	0.9	2.3	

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.5	-	0.5	0.4	0.8	0.7	1.7	1.1	1.6	
1979.....	-	0.2	0.2	0.4	0.2	0.8	0.8	0.5	1.2	5.1	



CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
INTESTINAL INFECTIOUS DISEASES (001-009)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.1	-	0.2	0.8	1.4	1.1	2.1	-
1979.....	-	0.1	0.1	0.3	0.4	0.2	0.3	1.9	0.7	0.9
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	-	0.3	0.3	0.9	1.1	1.3	2.0	-
1979.....	-	0.2	0.2	0.3	0.2	0.4	0.4	1.0	1.0	2.6

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
INTESTINAL INFECTIOUS DISEASES (001-009)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.6	-	0.6	0.5	0.9	0.4	2.0	1.3	-	-
1979.....	-	0.2	0.2	0.4	0.3	0.6	0.4	0.6	1.3	5.8	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	-	-	0.2	0.9	1.5	0.9	2.4	-	-
1979.....	-	0.2	0.2	0.2	0.2	0.2	0.3	1.3	0.8	1.0	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHOLERA AND TYPHOID AND PARATYPHOID FEVERS (001-002)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	-	0.0	-	-	-	-
1979.....	-	-	0.0	-	0.0	0.0	0.0	-	-	-
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	-	0.0	-	-	-	-
1979.....	-	-	0.0	-	0.0	0.0	0.0	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHOLERA AND TYPHOID AND PARATYPHOID FEVERS (001-002)										
TOTAL, FEMALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	-	0.0	-	-	-	-
1979.....	-	-	0.0	-	0.0	-	-	-	-	-
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	-	0.0	-	-	-	-
1979.....	-	-	0.0	-	0.0	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHOLERA AND TYPHOID AND PARATYPHOID FEVERS (001-002)										
WHITE FEMALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
ALL OTHER, BOTH SEXES										
1996.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	-	-	0.1	0.2	-	-	-
ALL OTHER MALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	-	-	0.3	0.4	-	-	-
ALL OTHER FEMALE										
1987.....	*	*	*	*	*	*	*	*	*	*
BLACK, BOTH SEXES										
1996.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	-	-	0.1	-	-	-	-



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SHIGELLOSIS (004)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	0.0	0.0	0.0
1979.....	-	-	-	0.0	0.0	-	0.0	0.0	-	0.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	0.1	0.1	0.1
1979.....	-	-	-	-	-	-	0.0	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SHIGELLOSIS (004)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	0.0	-	-
1979.....	-	-	-	0.0	0.0	-	-	0.1	-	0.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	0.0	0.0	-
1979.....	-	-	-	-	-	-	0.0	0.0	-	0.1



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SHIGELLOSIS (004)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	0.1	0.1	-
1979.....	-	-	-	-	-	-	0.0	-	-	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	0.0	-	-
1979.....	-	-	-	-	-	-	-	0.1	-	0.1







CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	1.0
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	1.0
1980.....	-	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.5	0.4
1979.....	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.3	0.5
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	0.1	0.1	0.2	0.3	0.3	0.5	0.4
1979.....	-	0.0	0.0	0.0	0.2	0.1	0.2	0.2	0.2	0.6

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)

TOTAL, FEMALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	-	-	0.0	0.0	0.1	0.1	0.1	0.2	0.5	0.3
1979	0.0	-	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.4
WHITE, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	1.0
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	-	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.4	0.4
1979	0.0	-	0.0	0.0	0.1	0.1	0.2	0.2	0.3	0.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	0.0	0.1	0.1	0.3	0.3	0.4	0.5
1979.....	-	-	0.0	0.0	0.2	0.1	0.2	0.2	0.2	0.3
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	0.0	0.1	0.0	0.1	0.2	0.5	0.3
1979.....	0.0	-	0.0	0.0	-	0.0	0.2	0.2	0.3	0.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	0.1	0.4	0.3	0.5	1.3	-
1979.....	-	0.1	0.1	0.1	0.1	0.1	-	0.2	0.4	1.1
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.4	0.2	0.5	0.4	0.6	1.1	-
1979.....	-	0.2	-	-	-	0.3	-	-	-	3.4



CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.4	0.3	0.4	1.4	-
1979.....	-	-	0.1	0.2	0.2	-	-	0.4	0.7	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	0.1	0.5	0.4	0.5	1.5	-
1979.....	-	0.1	0.1	0.1	0.1	-	-	0.3	0.5	1.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.4	0.3	0.6	0.4	0.7	1.3	-
1979.....	-	0.2	-	-	-	-	-	-	-	3.8

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.4	0.3	0.4	1.6	-
1979.....	-	-	0.2	0.2	0.2	-	-	0.4	0.8	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AMEBIASIS (006)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.1	-
1979.....	-	0.0	0.0	-	0.0	0.0	0.0	-	-	0.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	-	0.0	0.0	0.0	-	-	-
1979.....	-	0.1	0.1	-	0.0	0.0	0.0	-	-	0.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AMEBIASIS (006)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	0.0	0.0	-	0.1	0.0	0.1	-
1979.....	-	-	-	-	-	0.0	0.0	-	-	-
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.1	-
1979.....	-	0.0	0.0	-	0.0	0.0	0.0	-	-	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AMEBIASIS (006)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.0	0.0	0.0	-	-	-
1979.....	-	0.1	0.0	-	0.0	0.0	0.0	-	-	0.3
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	0.0	0.0	-	0.0	0.0	0.1	-
1979.....	-	-	-	-	-	0.0	0.0	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AMEBIASIS (006)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	-	-	-	-	0.2	-	-	-
1979.....	-	-	0.1	-	-	0.1	-	-	-	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	-	-	-	-	-	-	-	-
1979.....	-	-	0.2	-	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AMEBIASIS (006)										
ALL OTHER FEMALE										
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	0.3	-	-	-
1979.....	-	-	-	-	-	0.2	-	-	-	-
BLACK, BOTH SEXES										
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	-	-	-	-	0.2	-	-	-
1979.....	-	-	0.1	-	-	0.1	-	-	-	-
BLACK MALE										
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	-	-	-	-	-	-	-	-
1979.....	-	-	0.2	-	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AMEBIASIS (006)										
BLACK FEMALE										
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	0.3	-	-	-
1979.....	-	-	-	-	-	0.2	-	-	-	-



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTestinal Infections due to other specified organisms (007-008)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	0.2	0.4	0.7	1.4	3.1	6.7
1997.....	*	*	*	*	*	0.4	0.8	1.5	3.0	6.0
1996.....	*	*	*	*	0.3	0.3	0.5	1.0	2.0	5.2
1995.....	*	*	*	*	*	0.2	0.5	1.0	1.9	5.3
1994.....	*	*	*	*	*	0.3	0.5	1.0	1.5	4.1
1993.....	*	*	*	*	*	0.2	0.5	1.0	1.7	3.9
1992.....	*	*	*	*	*	0.2	0.3	0.7	1.3	3.5
1991.....	*	*	*	*	*	0.2	0.3	*	1.0	3.3
1990.....	*	*	*	*	*	*	*	0.5	0.9	2.6
1989.....	*	*	*	*	*	*	*	0.3	0.6	1.9
1988.....	*	*	*	*	*	*	*	0.4	0.6	1.8
1987.....	*	*	*	*	*	*	*	*	*	1.7
1986.....	*	*	*	*	*	*	*	0.4	*	1.7
1985.....	*	*	*	*	*	*	*	*	*	1.6
1984.....	*	*	*	*	*	*	*	*	*	1.7
1983.....	*	*	*	*	*	*	*	*	0.7	2.3
1982.....	*	*	*	*	*	*	*	*	*	1.4
1981.....	*	*	*	*	*	*	*	*	0.9	2.1
1980.....	-	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.7	2.4
1979.....	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.8	1.5
TOTAL, MALE										
1998.....	*	*	*	*	*	0.5	0.7	1.5	3.6	7.2
1997.....	*	*	*	*	*	*	0.9	1.6	2.9	5.1
1996.....	*	*	*	*	*	*	0.5	1.2	1.8	4.3
1995.....	*	*	*	*	*	*	0.6	1.2	1.8	4.7
1994.....	*	*	*	*	*	*	0.5	1.2	1.7	3.9
1993.....	*	*	*	*	*	*	0.5	1.0	1.6	5.2
1992.....	*	*	*	*	*	*	*	0.9	1.5	4.3
1991.....	*	*	*	*	*	*	*	*	*	3.5
1990.....	*	*	*	*	*	*	*	*	*	3.3
1989.....	*	*	*	*	*	*	*	*	*	2.4
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	-	0.1	0.1	0.1	0.3	0.5	2.3
1979.....	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	1.1	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTestinal Infections due to other specified organisms (007-008)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	0.8	1.4	2.8	6.5
1997.....	*	*	*	*	*	0.4	0.6	1.5	3.1	6.4
1996.....	*	*	*	*	*	*	0.5	0.8	2.2	5.6
1995.....	*	*	*	*	*	*	*	1.0	1.9	5.6
1994.....	*	*	*	*	*	*	0.4	0.9	1.3	4.2
1993.....	*	*	*	*	*	*	0.4	1.0	1.7	3.4
1992.....	*	*	*	*	*	*	*	0.6	1.2	3.2
1991.....	*	*	*	*	*	*	*	*	1.1	3.2
1990.....	*	*	*	*	*	*	*	0.6	1.0	2.4
1989.....	*	*	*	*	*	*	*	*	*	1.7
1988.....	*	*	*	*	*	*	*	*	*	1.8
1987.....	*	*	*	*	*	*	*	*	*	1.5
1986.....	*	*	*	*	*	*	*	*	*	1.6
1985.....	*	*	*	*	*	*	*	*	*	1.6
1984.....	*	*	*	*	*	*	*	*	*	1.6
1983.....	*	*	*	*	*	*	*	*	*	2.6
1982.....	*	*	*	*	*	*	*	*	*	1.3
1981.....	*	*	*	*	*	*	*	*	*	2.5
1980.....	-	0.0	-	0.1	0.1	0.1	0.2	0.3	0.9	2.4
1979.....	-	0.0	0.0	0.1	0.0	0.0	0.1	0.3	0.6	1.6
WHITE, BOTH SEXES										
1998.....	*	*	*	*	0.2	0.4	0.8	1.5	3.2	7.0
1997.....	*	*	*	*	*	0.4	0.8	1.6	3.1	6.3
1996.....	*	*	*	*	0.3	0.3	0.5	1.0	2.2	5.4
1995.....	*	*	*	*	*	*	0.5	1.1	1.9	5.6
1994.....	*	*	*	*	*	0.3	0.5	1.1	1.6	4.4
1993.....	*	*	*	*	*	*	0.5	0.9	1.7	4.2
1992.....	*	*	*	*	*	*	0.3	0.8	1.3	3.7
1991.....	*	*	*	*	*	*	*	*	1.1	3.4
1990.....	*	*	*	*	*	*	*	0.5	0.9	2.8
1989.....	*	*	*	*	*	*	*	*	0.7	1.9
1988.....	*	*	*	*	*	*	*	*	0.7	1.8
1987.....	*	*	*	*	*	*	*	*	*	1.8
1986.....	*	*	*	*	*	*	*	0.4	*	1.7
1985.....	*	*	*	*	*	*	*	*	*	1.7
1984.....	*	*	*	*	*	*	*	*	*	1.8
1983.....	*	*	*	*	*	*	*	*	0.7	2.4
1982.....	*	*	*	*	*	*	*	*	*	1.4
1981.....	*	*	*	*	*	*	*	*	0.8	2.3
1980.....	-	-	0.0	0.0	0.1	0.1	0.2	0.3	0.8	2.6
1979.....	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.8	1.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)										
WHITE MALE										
1998.....	*	*	*	*	*	*	0.7	1.5	3.9	7.5
1997.....	*	*	*	*	*	*	0.9	1.7	2.9	5.2
1996.....	*	*	*	*	*	*	*	1.3	2.0	4.6
1995.....	*	*	*	*	*	*	*	1.2	1.9	5.0
1994.....	*	*	*	*	*	*	*	1.2	1.9	4.1
1993.....	*	*	*	*	*	*	*	1.0	1.7	5.6
1992.....	*	*	*	*	*	*	*	0.9	1.6	4.6
1991.....	*	*	*	*	*	*	*	*	*	3.5
1990.....	*	*	*	*	*	*	*	*	*	3.6
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	0.1	0.1	0.1	0.2	0.5	2.6
1979.....	0.0	0.0	0.0	-	0.0	0.1	0.1	0.2	1.1	1.3
WHITE FEMALE										
1998.....	*	*	*	*	*	*	0.8	1.5	2.7	6.7
1997.....	*	*	*	*	*	*	0.6	1.6	3.3	6.7
1996.....	*	*	*	*	*	*	0.5	0.9	2.4	5.8
1995.....	*	*	*	*	*	*	*	1.0	1.9	5.9
1994.....	*	*	*	*	*	*	0.5	1.0	1.5	4.5
1993.....	*	*	*	*	*	*	0.5	0.9	1.7	3.6
1992.....	*	*	*	*	*	*	*	0.7	1.2	3.4
1991.....	*	*	*	*	*	*	*	*	1.2	3.3
1990.....	*	*	*	*	*	*	*	0.6	1.1	2.5
1989.....	*	*	*	*	*	*	*	*	*	1.7
1988.....	*	*	*	*	*	*	*	*	*	1.9
1987.....	*	*	*	*	*	*	*	*	*	1.7
1986.....	*	*	*	*	*	*	*	*	*	1.7
1985.....	*	*	*	*	*	*	*	*	*	1.6
1984.....	*	*	*	*	*	*	*	*	*	1.7
1983.....	*	*	*	*	*	*	*	*	*	2.7
1982.....	*	*	*	*	*	*	*	*	*	1.3
1981.....	*	*	*	*	*	*	*	*	*	2.7
1980.....	-	-	-	0.1	0.2	0.0	0.2	0.3	0.9	2.6
1979.....	-	0.0	0.0	0.1	0.0	0.0	0.1	0.3	0.6	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	-	-	0.1	0.3	0.3	0.5	0.4	-
1979.....	-	-	-	0.1	-	-	0.2	0.5	0.4	1.1

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	-	-	0.2	0.3	0.4	0.6	-	-
1979.....	-	-	-	0.2	-	-	-	-	1.2	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 INTestinal Infections due to other specified organisms (007-008)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	-	-	-	0.4	0.3	0.4	0.7	-
1979.....	-	-	-	-	-	-	0.3	0.8	-	0.9

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	-	-	0.1	0.4	0.2	0.3	0.5	-
1979.....	-	-	-	0.1	-	-	0.2	0.3	0.5	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 INTestinal Infections due to other specified organisms (007-008)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.4	-	-	0.3	0.3	-	0.7	-	-
1979.....	-	-	-	0.2	-	-	-	-	1.3	1.9

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	-	-	-	0.4	0.3	-	0.8	-
1979.....	-	-	-	-	-	-	0.3	0.4	-	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ILL-DEFINED INTESTINAL INFECTIONS (009)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.3	*	0.8
1997.....	*	*	*	*	*	*	*	0.3	0.6	0.7
1996.....	*	*	*	*	*	*	*	*	*	0.7
1995.....	*	*	*	*	*	*	*	*	0.4	0.9
1994.....	*	*	*	*	*	*	*	*	*	1.0
1993.....	*	*	*	*	*	*	*	*	*	0.6
1992.....	*	*	*	*	*	*	*	*	*	0.7
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	0.7
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	0.9
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	0.1	0.0	0.1	0.2	0.3	0.4	0.6
1979.....	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.5
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.1	0.1	0.1	0.1	0.1	0.4	0.6	0.4
1979.....	0.0	-	0.0	0.1	0.1	0.1	0.1	0.3	0.4	0.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ILL-DEFINED INTESTINAL INFECTIONS (009)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	0.8
1997.....	*	*	*	*	*	*	*	*	*	0.8
1996.....	*	*	*	*	*	*	*	*	*	0.8
1995.....	*	*	*	*	*	*	*	*	*	1.0
1994.....	*	*	*	*	*	*	*	*	*	1.1
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.3	0.7
1979.....	-	0.1	-	0.0	0.0	0.0	0.1	0.2	0.3	0.5
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.4	*	0.8
1997.....	*	*	*	*	*	*	*	0.4	0.6	0.7
1996.....	*	*	*	*	*	*	*	*	*	0.7
1995.....	*	*	*	*	*	*	*	*	*	1.0
1994.....	*	*	*	*	*	*	*	*	*	1.1
1993.....	*	*	*	*	*	*	*	*	*	0.7
1992.....	*	*	*	*	*	*	*	*	*	0.7
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	0.9
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.3	0.4	0.7
1979.....	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.4	0.6



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ILL-DEFINED INTESTINAL INFECTIONS (009)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.1	0.1	0.1	0.1	0.1	0.4	0.6	0.5
1979.....	0.0	-	0.0	0.0	0.1	0.1	0.1	0.2	0.4	0.8
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	0.8
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	1.0
1994.....	*	*	*	*	*	*	*	*	*	1.2
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.3	0.8
1979.....	-	0.0	-	0.0	0.0	0.0	0.1	0.2	0.3	0.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ILL-DEFINED INTESTINAL INFECTIONS (009)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	0.1	0.1	-	0.3	0.5	-	-
1979.....	-	0.1	-	0.1	0.1	0.1	0.2	0.7	-	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	-	-	-	0.6	-	-
1979.....	-	-	-	0.2	0.2	0.3	0.4	0.5	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 ILL-DEFINED INTESTINAL INFECTIONS (009)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	-	0.2	-	0.5	0.4	-	-
1979.....	-	0.1	-	-	-	-	-	0.8	-	-

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.1	0.1	-	0.4	0.5	-	-
1979.....	-	0.1	-	0.1	0.1	0.1	0.2	0.5	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ILL-DEFINED INTESTINAL INFECTIONS (009)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	-	-	-	0.7	-	-
1979.....	-	-	-	0.2	0.3	0.3	0.4	0.6	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.2	-	0.6	0.4	-	-
1979.....	-	0.2	-	-	-	-	-	0.4	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TUBERCULOSIS (010-018)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.3	0.4	0.5	0.9	1.0	1.5	1.9	3.1	4.4
1997.....	0.2	0.3	0.4	0.6	0.8	0.9	1.6	2.3	4.1	4.2
1996.....	0.2	0.4	0.4	0.6	1.0	1.0	1.7	2.2	3.5	5.1
1995.....	0.3	0.4	0.5	0.6	0.9	1.4	1.8	2.6	4.2	5.2
1994.....	0.4	0.5	0.5	0.9	1.1	1.5	1.9	2.9	3.9	6.3
1993.....	0.5	0.5	0.8	0.9	1.1	1.7	2.1	3.2	4.9	5.8
1992.....	0.5	0.6	0.6	1.0	1.3	1.5	2.7	3.1	4.4	6.6
1991.....	0.5	0.6	0.8	1.1	1.4	1.6	2.1	3.2	5.3	6.3
1990.....	0.5	0.7	0.8	1.1	1.4	1.8	2.5	3.4	5.0	6.9
1989.....	0.6	0.8	0.8	1.2	1.4	2.1	2.8	3.9	6.0	8.2
1988.....	0.6	0.8	0.9	1.2	1.4	1.9	2.8	4.0	5.9	8.9
1987.....	0.5	0.7	0.8	1.0	1.6	1.8	2.7	3.6	5.6	6.9
1986.....	0.6	0.6	1.0	1.0	1.5	1.9	2.5	4.1	5.3	7.7
1985.....	0.5	0.7	0.9	1.2	1.5	2.0	2.7	4.0	6.1	7.5
1984.....	0.6	0.7	0.9	1.3	1.4	2.1	2.9	3.8	6.1	6.8
1983.....	0.5	0.8	1.0	1.3	1.4	2.2	3.3	4.2	6.1	8.4
1982.....	0.5	0.6	1.0	1.4	1.6	2.3	3.2	5.2	5.6	9.5
1981.....	0.6	0.8	1.1	1.5	1.9	2.6	3.5	4.3	7.7	8.6
1980.....	0.6	0.8	1.3	1.5	1.9	2.8	4.3	4.9	6.8	9.6
1979.....	0.7	1.0	1.3	1.7	1.8	2.9	3.7	5.3	6.6	9.9
TOTAL, MALE										
1998.....	0.4	0.4	0.5	0.7	1.2	1.3	2.0	2.8	4.8	7.1
1997.....	0.3	0.4	0.6	0.9	1.2	1.2	1.9	2.6	5.7	7.7
1996.....	0.3	0.5	0.6	1.0	1.4	1.5	2.4	3.1	5.7	8.1
1995.....	0.5	0.7	0.7	0.9	1.4	2.1	2.4	3.5	6.5	9.1
1994.....	0.6	0.7	0.7	1.2	1.6	2.2	2.5	4.0	5.7	11.2
1993.....	0.7	0.9	1.3	1.3	1.6	2.5	3.0	4.6	7.6	9.5
1992.....	0.7	1.0	1.0	1.6	2.1	2.0	4.0	4.7	6.8	10.3
1991.....	0.8	0.9	1.2	1.7	2.0	2.1	2.7	4.6	8.3	11.4
1990.....	0.8	1.1	1.2	1.6	2.0	2.6	3.6	5.5	8.6	12.6
1989.....	1.1	1.3	1.2	1.9	1.9	3.2	4.1	6.0	9.1	15.8
1988.....	0.9	1.3	1.4	1.8	2.2	2.8	4.4	6.2	8.6	15.2
1987.....	0.8	1.1	1.3	1.7	2.5	2.6	4.3	6.1	9.9	13.7
1986.....	1.0	1.0	1.7	1.6	2.0	2.8	3.7	6.2	9.2	13.7
1985.....	0.8	1.2	1.5	1.9	2.4	2.8	3.5	5.9	10.8	15.2
1984.....	0.9	1.1	1.5	2.0	2.2	3.1	4.6	6.0	10.0	13.5
1983.....	0.7	1.3	1.6	2.1	2.2	3.4	5.2	6.4	10.6	16.3
1982.....	0.8	1.0	1.6	2.3	2.4	3.4	5.1	8.6	9.8	15.8
1981.....	1.0	1.3	1.6	2.3	3.0	4.1	5.9	7.3	13.5	15.5
1980.....	0.7	1.1	2.0	2.4	3.1	4.6	6.8	7.6	13.0	19.2
1979.....	1.0	1.5	1.9	2.4	2.8	4.8	6.5	9.8	11.4	18.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TUBERCULOSIS (010-018)										
TOTAL, FEMALE										
1998.....	0.2	*	*	0.3	0.6	0.7	1.2	1.2	2.1	3.2
1997.....	*	0.3	0.3	0.4	0.5	0.7	1.4	2.1	3.1	2.7
1996.....	*	0.2	*	*	0.6	0.6	1.1	1.5	2.2	3.9
1995.....	0.2	*	0.3	0.4	0.4	0.9	1.3	1.9	2.9	3.6
1994.....	*	0.4	0.3	0.5	0.6	0.9	1.4	2.1	2.9	4.4
1993.....	0.3	*	0.4	0.6	0.6	1.0	1.4	2.3	3.4	4.3
1992.....	0.2	*	*	0.4	0.7	1.1	1.6	2.0	3.2	5.2
1991.....	0.3	*	0.5	0.4	0.8	1.2	1.6	2.3	3.6	4.3
1990.....	0.2	0.3	0.4	0.7	0.9	1.2	1.7	2.1	3.1	4.7
1989.....	*	0.4	0.5	0.5	0.9	1.2	1.8	2.6	4.4	5.2
1988.....	0.3	0.3	*	0.6	0.7	1.1	1.7	2.5	4.5	6.4
1987.....	0.3	0.4	0.4	0.5	0.8	1.2	1.6	2.1	3.4	4.2
1986.....	*	*	*	0.5	1.1	1.3	1.6	2.7	3.3	5.3
1985.....	*	*	0.4	0.5	0.8	1.4	2.2	2.9	3.7	4.4
1984.....	0.3	*	0.4	0.6	0.8	1.3	1.7	2.5	4.0	4.1
1983.....	*	*	0.5	0.6	0.8	1.2	1.9	2.9	3.8	5.2
1982.....	*	*	0.4	0.6	0.8	1.4	1.8	3.1	3.4	6.9
1981.....	0.3	0.4	0.7	0.8	1.0	1.4	1.7	2.4	4.6	5.7
1980.....	0.5	0.5	0.7	0.7	0.9	1.4	2.5	3.2	3.5	5.3
1979.....	0.3	0.6	0.7	1.1	0.9	1.3	1.6	2.4	4.0	6.2
WHITE, BOTH SEXES										
1998.....	0.1	0.1	0.2	0.4	0.6	0.7	1.0	1.5	2.5	3.4
1997.....	*	0.1	0.2	0.4	0.5	0.6	1.2	1.8	3.3	3.2
1996.....	*	0.2	0.2	0.4	0.5	0.7	1.3	1.6	2.7	4.3
1995.....	0.1	0.2	0.3	0.4	0.6	1.0	1.3	2.0	3.4	3.9
1994.....	0.2	0.3	0.2	0.4	0.7	1.0	1.4	2.2	3.0	5.2
1993.....	0.2	0.2	0.5	0.5	0.6	1.2	1.6	2.5	4.2	4.4
1992.....	0.2	0.3	0.3	0.6	0.9	0.9	2.0	2.4	3.6	5.4
1991.....	0.2	0.2	0.4	0.6	0.8	1.1	1.6	2.5	4.2	4.9
1990.....	0.2	0.3	0.5	0.6	1.0	1.3	1.9	2.5	4.0	5.5
1989.....	0.3	0.3	0.4	0.6	1.0	1.4	2.0	2.9	5.1	6.8
1988.....	0.3	0.4	0.5	0.8	1.0	1.3	2.3	3.2	4.8	7.1
1987.....	0.3	0.3	0.6	0.7	1.2	1.4	2.1	2.7	4.3	5.7
1986.....	0.3	0.4	0.5	0.7	1.0	1.3	1.9	3.3	4.1	6.4
1985.....	0.3	0.3	0.6	0.8	1.1	1.5	2.1	3.3	5.0	5.9
1984.....	0.2	0.3	0.5	0.8	1.0	1.5	2.2	3.2	5.0	5.7
1983.....	*	0.4	0.6	0.9	1.0	1.8	2.4	3.5	5.0	6.8
1982.....	0.2	0.2	0.7	0.8	1.0	1.7	2.4	4.2	4.6	7.9
1981.....	0.2	0.4	0.6	1.0	1.4	1.8	2.8	3.4	6.4	7.3
1980.....	0.2	0.4	0.7	0.9	1.4	2.2	3.2	4.1	5.2	8.4
1979.....	0.3	0.6	0.6	1.1	1.2	2.3	3.0	4.3	5.7	8.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TUBERCULOSIS (010-018)										
WHITE MALE										
1998.....	*	*	0.3	0.6	0.9	0.9	1.2	2.0	3.9	4.5
1997.....	*	*	*	0.5	0.8	0.7	1.3	2.0	4.3	5.8
1996.....	*	0.3	0.4	0.8	0.7	1.1	1.8	2.3	3.7	6.6
1995.....	*	0.3	0.4	0.5	1.1	1.3	1.6	2.8	5.3	6.7
1994.....	0.3	0.3	*	0.5	1.0	1.6	1.9	2.9	4.0	9.8
1993.....	0.3	0.4	0.7	0.8	1.1	1.8	2.5	3.3	6.2	6.6
1992.....	0.3	0.4	0.5	1.1	1.4	1.1	3.1	3.2	5.3	8.9
1991.....	0.3	0.4	0.6	1.0	1.3	1.5	1.9	3.4	6.4	8.9
1990.....	0.3	0.4	0.8	0.9	1.3	1.7	2.8	3.7	6.6	9.5
1989.....	0.5	0.5	0.6	1.0	1.4	2.2	3.0	4.3	7.3	13.2
1988.....	0.4	0.6	0.8	1.2	1.7	1.9	3.3	4.9	7.1	11.8
1987.....	0.4	0.5	0.9	1.1	1.8	1.9	3.4	4.5	7.8	11.9
1986.....	0.5	0.5	0.8	1.1	1.4	1.9	3.1	4.9	6.9	11.9
1985.....	0.4	0.5	0.9	1.2	1.9	2.1	2.6	4.8	9.3	11.8
1984.....	*	0.6	0.7	1.3	1.5	2.2	3.5	4.9	8.3	11.6
1983.....	*	0.6	0.9	1.4	1.5	2.8	3.8	5.2	8.2	13.3
1982.....	*	*	1.1	1.3	1.6	2.7	3.7	7.1	8.0	13.4
1981.....	*	0.6	1.0	1.5	2.2	2.8	4.6	5.6	11.2	12.6
1980.....	0.3	0.5	1.1	1.6	2.3	3.7	5.1	6.4	10.1	17.4
1979.....	0.5	0.9	1.0	1.6	1.9	3.9	5.4	8.4	10.3	16.0
WHITE FEMALE										
1998.....	*	*	*	*	*	0.5	0.9	1.1	1.7	2.9
1997.....	*	*	*	*	*	0.4	1.1	1.6	2.7	2.1
1996.....	*	*	*	*	*	*	0.9	1.1	2.1	3.4
1995.....	*	*	*	*	*	0.6	1.0	1.5	2.4	2.8
1994.....	*	*	*	*	*	0.6	0.9	1.7	2.5	3.5
1993.....	*	*	*	*	*	0.6	1.0	1.9	3.1	3.5
1992.....	*	*	*	*	0.5	0.7	1.2	1.8	2.7	4.1
1991.....	*	*	*	*	*	0.8	1.3	1.9	3.0	3.3
1990.....	*	*	*	*	0.7	0.9	1.3	1.7	2.6	3.9
1989.....	*	*	*	*	0.7	0.8	1.3	2.0	3.9	4.4
1988.....	*	*	*	*	0.5	0.7	1.5	2.1	3.7	5.3
1987.....	*	*	*	*	0.6	0.9	1.1	1.6	2.4	3.3
1986.....	*	*	*	*	0.7	0.8	1.1	2.3	2.7	4.2
1985.....	*	*	*	*	0.5	1.1	1.8	2.4	2.8	3.6
1984.....	*	*	*	0.4	0.5	0.9	1.2	2.1	3.2	3.3
1983.....	*	*	*	0.4	0.6	1.0	1.4	2.4	3.4	4.1
1982.....	*	*	*	*	0.5	0.9	1.5	2.4	2.8	5.6
1981.....	*	*	*	0.5	0.7	1.1	1.4	2.0	3.8	5.1
1980.....	0.1	0.2	0.4	0.3	0.7	1.1	1.8	2.7	2.7	4.5
1979.....	0.1	0.3	0.2	0.6	0.7	1.0	1.3	1.8	3.2	5.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TUBERCULOSIS (010-018)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	1.2	1.2	1.2	2.5	3.2	5.3	5.3	8.9	13.7
1997.....	0.7	1.5	1.7	2.0	2.7	3.4	5.3	7.3	12.5	13.6
1996.....	0.7	1.3	1.8	1.8	4.0	3.0	4.9	7.6	11.8	13.2
1995.....	1.5	1.8	1.8	2.1	2.5	4.9	6.4	7.6	11.9	18.2
1994.....	1.4	2.0	2.3	3.7	3.9	4.8	6.5	9.1	12.9	17.0
1993.....	1.8	2.2	2.9	3.4	3.9	5.6	6.3	10.6	11.9	20.2
1992.....	1.8	2.4	2.5	3.3	4.5	6.5	8.4	9.7	13.1	19.1
1991.....	2.3	2.6	3.1	4.1	5.5	5.2	6.6	9.5	16.0	20.8
1990.....	2.2	3.3	2.7	4.6	5.0	6.2	7.7	12.3	16.0	22.3
1989.....	2.6	3.9	3.7	5.0	4.0	7.4	9.5	14.0	15.6	22.3
1988.....	2.2	3.4	3.4	3.8	4.5	6.7	7.8	11.2	17.2	27.8
1987.....	2.3	3.2	2.4	3.5	4.6	5.8	8.9	12.5	20.1	20.0
1986.....	2.7	2.3	4.4	3.2	5.5	7.3	7.5	11.8	18.2	22.1
1985.....	2.0	3.0	3.5	4.5	4.7	5.9	8.2	10.8	17.9	24.6
1984.....	3.1	2.9	3.9	4.9	5.5	7.2	9.6	10.1	18.3	18.9
1983.....	2.3	3.4	3.9	4.8	5.2	5.7	11.2	11.6	18.7	26.8
1982.....	2.5	2.7	3.3	6.0	6.3	7.3	10.3	14.9	17.9	27.6
1981.....	3.2	3.9	4.7	5.8	6.7	9.5	10.2	13.2	22.8	23.7
1980.....	3.1	3.9	5.7	6.1	6.3	8.1	15.2	13.1	25.3	22.9
1979.....	3.1	4.2	6.4	7.1	7.0	7.9	10.6	14.3	17.4	24.7
ALL OTHER MALE										
1998.....	1.4	1.8	*	*	3.4	4.7	8.2	9.6	14.9	29.6
1997.....	1.3	1.8	2.4	3.4	3.7	4.5	7.7	9.1	20.7	24.5
1996.....	*	2.1	2.5	*	6.2	4.6	7.3	10.6	26.6	21.7
1995.....	2.1	3.1	3.0	3.6	4.0	7.8	9.3	11.2	19.3	31.6
1994.....	2.3	2.9	3.7	6.0	6.3	7.4	8.1	15.3	23.2	24.3
1993.....	2.7	4.0	4.8	4.9	5.9	7.8	8.0	17.5	21.5	37.1
1992.....	2.8	4.5	4.2	5.1	7.6	9.6	13.1	19.1	22.0	23.9
1991.....	3.4	3.9	5.2	7.1	7.5	7.0	9.5	15.7	27.1	33.7
1990.....	3.7	5.3	4.0	7.0	8.0	9.8	11.6	22.8	29.1	41.8
1989.....	4.6	6.6	5.3	8.8	6.2	11.9	14.6	22.5	26.4	39.5
1988.....	3.6	5.5	5.9	5.7	6.6	10.7	14.5	19.2	23.9	46.8
1987.....	3.3	5.0	4.2	5.9	7.8	8.4	12.4	21.4	30.4	29.9
1986.....	4.6	4.0	8.3	4.9	7.2	10.7	9.5	19.0	32.4	30.7
1985.....	2.9	5.4	5.7	7.9	6.9	9.2	12.0	16.0	26.7	47.9
1984.....	4.7	4.5	7.2	8.3	7.8	11.1	14.8	16.3	26.7	31.9
1983.....	3.8	5.8	6.8	8.3	8.2	9.5	18.4	17.8	36.1	44.3
1982.....	4.6	4.9	5.8	10.3	10.1	9.4	18.0	22.9	28.7	38.8
1981.....	5.2	6.5	6.0	9.0	10.6	16.4	17.7	23.1	38.5	45.3
1980.....	3.8	5.5	9.4	9.0	10.7	13.2	22.5	19.5	43.6	37.9
1979.....	5.1	5.9	9.2	9.8	11.9	12.4	17.4	22.5	22.1	39.0



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

## TUBERCULOSIS (010-018)

## ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	3.6	6.2	7.9	8.7
1996.....	*	*	*	*	*	*	*	5.6	*	9.4
1995.....	*	*	*	*	*	*	4.3	5.4	7.9	12.4
1994.....	*	*	*	*	*	*	5.5	5.2	*	13.8
1993.....	*	*	*	*	*	4.1	5.2	6.3	*	12.9
1992.....	*	*	*	*	*	4.2	5.1	*	*	16.9
1991.....	*	*	*	*	4.0	3.9	4.7	5.7	9.6	14.8
1990.....	*	*	*	2.8	*	3.5	5.1	5.8	*	13.4
1989.....	*	*	2.4	*	*	4.1	6.1	8.7	9.4	14.3
1988.....	*	*	*	*	2.9	3.7	*	6.1	13.2	18.9
1987.....	*	*	*	*	*	3.8	6.4	6.8	14.3	15.3
1986.....	*	*	*	*	4.2	4.8	6.1	7.1	*	17.9
1985.....	*	*	*	*	3.1	*	5.5	7.3	12.8	13.3
1984.....	*	*	*	*	3.6	4.3	5.9	*	13.3	*
1983.....	*	*	*	*	*	*	6.0	7.5	*	18.0
1982.....	*	*	*	*	3.4	5.7	*	9.5	*	21.8
1981.....	*	*	3.6	3.2	3.6	4.3	*	*	13.3	*
1980.....	2.5	2.6	2.7	3.6	2.7	4.2	9.8	8.7	14.1	15.2
1979.....	1.5	2.8	4.2	4.8	3.0	4.4	5.5	8.5	14.6	17.5

## BLACK, BOTH SEXES

1998.....	1.2	1.5	1.3	*	3.1	3.2	5.5	4.7	8.6	13.1
1997.....	0.9	1.5	2.1	2.1	2.7	3.1	5.0	5.8	10.2	10.9
1996.....	0.9	1.6	2.1	1.9	4.1	2.8	4.7	6.8	9.7	11.9
1995.....	1.6	2.4	2.3	1.9	2.9	5.0	5.7	6.5	10.7	15.3
1994.....	1.8	2.2	2.7	4.0	4.2	4.9	6.6	8.4	11.4	14.7
1993.....	2.2	2.8	3.4	3.6	4.2	6.2	6.1	10.3	9.7	19.1
1992.....	2.3	2.9	3.1	3.8	5.1	6.1	8.5	9.2	13.6	19.0
1991.....	2.9	3.4	3.8	4.3	5.9	5.4	6.8	8.2	12.1	16.4
1990.....	2.9	4.2	2.7	5.3	5.1	6.3	7.4	11.6	16.0	21.6
1989.....	3.3	4.5	4.6	5.2	3.9	8.0	9.8	13.2	14.2	22.3
1988.....	2.8	4.1	3.7	4.0	4.6	7.3	8.1	9.5	15.8	25.2
1987.....	3.1	3.9	2.6	4.1	5.1	5.7	8.0	12.5	16.3	18.8
1986.....	3.3	3.0	5.2	3.2	5.6	8.4	7.9	10.8	16.1	20.9
1985.....	2.2	3.6	4.4	5.4	5.4	6.4	8.3	10.2	15.9	23.6
1984.....	3.7	3.4	4.7	5.6	5.9	7.8	10.1	9.9	17.8	16.8
1983.....	2.7	4.2	4.5	5.0	5.6	5.7	10.7	10.9	16.7	26.6
1982.....	2.8	3.0	3.5	6.7	7.2	7.4	10.6	13.8	14.2	26.1
1981.....	3.8	4.7	5.4	6.5	7.2	9.2	10.5	13.2	22.0	23.8
1980.....	3.7	4.4	6.4	6.4	6.9	8.5	15.4	12.4	26.0	20.7
1979.....	3.6	4.7	6.8	7.7	7.4	7.7	10.0	13.6	15.9	23.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TUBERCULOSIS (010-018)										
BLACK MALE										
1998.....	1.6	2.3	*	*	*	*	8.7	*	*	28.9
1997.....	*	*	3.1	*	*	*	7.9	*	*	*
1996.....	*	2.7	3.2	*	6.1	*	7.4	11.4	22.0	*
1995.....	2.3	4.1	4.0	*	4.7	8.4	8.6	*	20.5	*
1994.....	3.0	3.4	4.7	6.4	7.1	7.8	8.6	14.9	22.5	*
1993.....	3.2	5.1	6.3	5.9	6.6	8.2	8.3	16.9	*	36.3
1992.....	3.6	5.5	5.5	6.0	9.0	9.7	14.3	19.1	25.3	*
1991.....	4.5	5.3	6.8	7.8	9.0	7.6	9.1	14.9	20.8	*
1990.....	5.1	6.8	4.1	8.3	8.8	9.4	10.7	22.4	29.5	42.3
1989.....	6.1	7.7	6.7	9.7	5.5	13.2	15.5	20.2	24.7	43.9
1988.....	4.7	7.0	6.6	6.2	7.4	12.2	16.0	16.4	21.3	40.0
1987.....	4.5	6.3	4.8	6.8	9.4	8.9	12.9	21.1	23.9	*
1986.....	5.8	5.2	10.4	5.5	7.2	12.8	9.7	17.4	27.8	31.7
1985.....	3.6	6.9	7.2	9.5	7.7	10.3	11.8	15.9	24.1	50.0
1984.....	6.0	5.4	8.7	9.5	8.8	12.5	16.3	16.2	27.4	*
1983.....	4.6	7.4	7.7	8.6	9.2	10.1	18.0	18.8	32.9	43.3
1982.....	5.6	5.5	6.5	11.8	11.6	9.3	19.8	22.4	25.0	37.9
1981.....	6.3	7.8	6.9	10.0	11.5	17.1	18.8	23.4	37.7	44.6
1980.....	4.7	6.8	11.3	10.3	11.9	14.1	24.3	17.7	48.0	35.8
1979.....	6.2	7.1	10.2	11.0	13.2	13.0	16.4	21.7	18.2	32.7
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	12.3
1994.....	*	*	*	*	*	*	5.3	*	*	11.2
1993.....	*	*	*	*	*	4.7	*	6.5	*	12.1
1992.....	*	*	*	*	*	*	*	*	*	16.7
1991.....	*	*	*	*	3.6	*	5.3	*	*	12.3
1990.....	*	*	*	*	*	4.0	5.2	*	*	12.8
1989.....	*	*	*	*	*	4.3	6.0	9.0	*	13.1
1988.....	*	*	*	*	*	*	*	*	12.9	18.8
1987.....	*	*	*	*	*	*	*	7.3	12.3	13.9
1986.....	*	*	*	*	4.4	5.1	6.6	*	*	15.9
1985.....	*	*	*	*	*	*	5.9	*	*	*
1984.....	*	*	*	*	*	4.4	6.0	*	*	*
1983.....	*	*	*	*	*	*	5.8	*	*	18.5
1982.....	*	*	*	*	*	6.0	*	8.4	*	20.3
1981.....	*	*	4.2	3.6	*	*	*	*	*	*
1980.....	2.8	2.4	2.4	3.3	2.9	4.3	9.1	8.9	12.8	13.2
1979.....	1.5	2.8	4.1	5.0	2.8	3.8	5.4	8.1	14.5	19.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.2	0.3	0.7	0.7	1.1	1.4	2.4	3.6
1997.....	0.1	0.2	0.3	0.4	0.6	0.6	1.3	1.8	3.3	3.5
1996.....	0.1	0.2	0.3	0.5	0.7	0.8	1.2	1.8	2.7	4.3
1995.....	0.2	0.3	0.3	0.5	0.7	1.2	1.4	2.1	3.4	4.5
1994.....	0.3	0.4	0.3	0.5	0.8	1.1	1.4	2.4	3.1	5.5
1993.....	0.4	0.4	0.7	0.7	0.8	1.4	1.8	2.4	3.9	5.0
1992.....	0.4	0.4	0.5	0.8	1.1	1.1	2.2	2.5	3.8	5.3
1991.....	0.3	0.4	0.7	0.8	1.1	1.2	1.7	2.4	4.2	5.1
1990.....	0.4	0.5	0.5	0.8	1.1	1.5	2.0	2.9	4.1	5.8
1989.....	0.5	0.6	0.6	0.9	1.0	1.7	2.2	3.1	5.0	7.1
1988.....	0.4	0.6	0.6	0.9	1.1	1.5	2.3	3.0	5.1	7.5
1987.....	0.3	0.5	0.7	0.8	1.3	1.5	2.2	3.0	4.7	5.9
1986.....	0.5	0.5	0.8	0.8	1.2	1.6	2.0	3.4	4.4	6.6
1985.....	0.3	0.5	0.8	1.0	1.2	1.6	2.1	3.2	5.1	6.3
1984.....	0.4	0.6	0.7	1.0	1.1	1.7	2.2	3.1	4.8	5.7
1983.....	0.3	0.6	0.9	1.0	1.2	1.8	2.6	3.4	5.0	7.0
1982.....	0.4	0.5	0.8	1.1	1.3	2.0	2.6	4.3	4.5	8.1
1981.....	0.5	0.6	0.9	1.3	1.6	2.3	2.8	3.6	6.3	7.2
1980.....	0.5	0.6	1.1	1.3	1.6	2.4	3.6	4.2	5.7	8.3
1979.....	0.6	0.8	1.0	1.5	1.5	2.4	3.1	4.6	5.3	8.1
TOTAL, MALE										
1998.....	0.3	0.4	0.4	0.5	1.0	1.0	1.5	2.2	4.3	6.1
1997.....	0.3	0.3	0.4	0.7	1.0	0.9	1.7	2.1	5.0	7.0
1996.....	0.2	0.3	0.5	0.9	1.1	1.2	1.8	2.7	4.7	7.4
1995.....	0.4	0.5	0.6	0.8	1.3	1.8	2.0	3.0	5.7	8.4
1994.....	0.5	0.5	0.5	0.8	1.4	1.7	2.1	3.5	4.7	10.2
1993.....	0.5	0.7	1.1	1.1	1.4	2.1	2.6	3.8	6.3	8.2
1992.....	0.5	0.8	0.9	1.3	1.8	1.6	3.5	3.9	5.9	8.5
1991.....	0.5	0.7	1.0	1.3	1.7	1.7	2.3	3.5	7.0	9.6
1990.....	0.6	0.8	0.8	1.1	1.6	2.1	3.0	4.8	7.2	10.9
1989.....	0.8	1.0	0.9	1.6	1.5	2.7	3.3	5.0	7.8	14.1
1988.....	0.7	1.1	1.1	1.6	1.9	2.4	3.5	5.0	7.7	12.6
1987.....	0.5	0.8	1.1	1.4	2.2	2.2	3.7	5.3	8.7	12.3
1986.....	0.8	0.8	1.4	1.3	1.8	2.4	3.2	5.5	7.7	11.4
1985.....	0.5	0.9	1.2	1.6	2.1	2.3	2.8	4.9	9.5	13.0
1984.....	0.6	0.9	1.2	1.7	1.8	2.7	3.9	5.2	8.7	11.1
1983.....	0.6	1.0	1.5	1.7	1.9	2.9	4.3	5.5	8.9	14.1
1982.....	0.7	0.8	1.4	2.0	2.1	3.0	4.3	7.2	7.7	14.2
1981.....	0.8	1.0	1.4	2.0	2.6	3.8	5.1	6.2	12.0	13.4
1980.....	0.6	1.0	1.7	2.0	2.7	4.0	5.7	6.8	12.0	16.7
1979.....	1.0	1.3	1.6	2.2	2.6	4.1	5.8	8.8	10.0	15.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	0.5	0.8	0.9	1.3	2.5
1997.....	*	*	*	*	*	0.5	1.0	1.5	2.3	2.1
1996.....	*	*	*	*	*	0.4	0.7	1.1	1.6	3.0
1995.....	*	*	*	*	*	0.6	0.9	1.4	2.0	2.9
1994.....	*	*	*	*	0.4	0.6	0.9	1.7	2.3	3.7
1993.....	*	*	*	0.4	*	0.8	1.1	1.5	2.5	3.8
1992.....	*	*	*	*	0.6	0.7	1.2	1.6	2.7	4.0
1991.....	*	*	*	*	0.6	0.7	1.2	1.6	2.7	3.3
1990.....	*	*	*	0.4	0.6	0.9	1.3	1.7	2.4	3.8
1989.....	*	*	*	*	0.6	0.9	1.4	1.8	3.6	4.4
1988.....	*	*	*	*	0.4	0.7	1.4	1.7	3.7	5.4
1987.....	*	*	*	*	0.6	1.0	1.2	1.5	2.5	3.4
1986.....	*	*	*	0.4	0.8	0.9	1.1	2.0	2.6	4.7
1985.....	*	*	*	0.4	0.5	1.0	1.6	2.1	2.8	3.7
1984.....	*	*	*	0.5	0.6	0.9	1.0	1.8	2.8	3.5
1983.....	*	*	0.4	0.3	0.6	1.0	1.3	2.1	3.0	4.1
1982.....	*	*	*	*	0.6	1.2	1.4	2.5	2.8	5.6
1981.....	*	*	0.5	0.6	0.8	1.1	1.1	2.0	3.3	4.5
1980.....	0.4	0.3	0.5	0.6	0.7	1.0	2.1	2.5	2.3	4.6
1979.....	0.2	0.4	0.5	0.8	0.6	1.0	1.2	1.9	2.8	4.7
WHITE, BOTH SEXES										
1998.....	*	*	0.1	0.2	0.5	0.5	0.7	1.2	1.9	2.8
1997.....	*	*	*	0.3	0.4	0.4	1.0	1.4	2.7	2.8
1996.....	*	0.1	*	0.4	0.3	0.5	0.9	1.3	2.0	3.5
1995.....	*	*	0.2	0.3	0.6	0.7	1.0	1.7	2.9	3.3
1994.....	0.2	0.2	*	0.3	0.5	0.8	1.0	1.8	2.4	4.6
1993.....	0.2	0.2	0.4	0.4	0.5	0.9	1.3	1.9	3.4	3.9
1992.....	0.2	0.2	0.2	0.5	0.8	0.6	1.7	2.0	3.1	4.3
1991.....	0.1	0.2	0.3	0.5	0.7	0.9	1.2	1.9	3.4	4.0
1990.....	0.2	0.2	0.4	0.4	0.7	1.0	1.6	2.1	3.3	4.7
1989.....	0.2	0.2	0.3	0.5	0.8	1.2	1.7	2.3	4.3	6.0
1988.....	0.2	0.3	0.3	0.7	0.9	1.0	1.9	2.6	4.3	6.0
1987.....	*	0.2	0.5	0.6	1.1	1.1	1.7	2.3	3.8	4.8
1986.....	0.2	0.3	0.4	0.6	0.9	1.1	1.6	2.7	3.4	5.4
1985.....	*	0.3	0.5	0.6	0.9	1.3	1.7	2.7	4.0	5.2
1984.....	*	0.3	0.3	0.7	0.8	1.2	1.7	2.6	3.8	4.9
1983.....	*	0.3	0.5	0.7	0.9	1.5	2.0	2.8	4.2	5.8
1982.....	0.2	0.2	0.6	0.7	0.9	1.5	2.1	3.5	3.7	6.8
1981.....	*	0.3	0.5	0.8	1.2	1.7	2.2	2.9	5.3	6.2
1980.....	0.1	0.3	0.6	0.8	1.2	1.9	2.7	3.5	4.5	7.2
1979.....	0.3	0.5	0.5	1.0	1.1	2.0	2.6	3.8	4.6	7.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
WHITE MALE										
1998.....	*	*	*	*	0.8	0.7	0.9	1.6	3.3	4.0
1997.....	*	*	*	0.4	0.6	0.5	1.1	1.6	3.8	5.4
1996.....	*	*	*	0.7	0.5	0.9	1.5	2.0	3.0	6.0
1995.....	*	*	*	0.4	1.0	1.1	1.4	2.4	4.7	6.0
1994.....	0.2	*	*	*	0.8	1.3	1.6	2.6	3.3	8.9
1993.....	0.3	0.3	0.6	0.7	0.9	1.5	2.1	2.8	5.3	5.5
1992.....	0.3	0.4	0.4	0.9	1.2	0.9	2.6	2.6	4.7	7.3
1991.....	*	*	0.4	0.8	1.1	1.3	1.6	2.8	5.5	7.5
1990.....	0.3	*	0.6	0.7	1.0	1.5	2.3	3.2	5.7	8.6
1989.....	0.3	0.4	0.5	0.8	1.2	1.9	2.6	3.6	6.4	11.6
1988.....	0.3	0.5	0.6	1.2	1.4	1.7	2.7	4.0	6.5	9.8
1987.....	*	*	0.8	1.0	1.7	1.7	3.0	3.9	7.5	10.5
1986.....	0.3	0.4	0.7	1.0	1.2	1.7	2.7	4.3	5.9	9.7
1985.....	*	0.5	0.8	1.0	1.6	1.7	2.2	4.2	7.8	10.2
1984.....	*	0.5	0.6	1.0	1.3	1.9	3.0	4.3	7.2	9.8
1983.....	*	0.5	0.8	1.2	1.4	2.4	3.3	4.4	6.8	11.5
1982.....	*	*	0.9	1.2	1.5	2.5	3.3	5.9	6.3	12.3
1981.....	*	0.5	1.0	1.3	2.0	2.7	4.0	4.9	10.0	11.3
1980.....	0.2	0.5	0.9	1.4	2.0	3.2	4.5	5.8	9.7	15.0
1979.....	0.5	0.8	0.9	1.5	1.7	3.5	5.0	7.6	8.9	13.9
WHITE FEMALE										
1998.....	*	*	*	*	*	*	0.6	0.8	1.1	2.3
1997.....	*	*	*	*	*	*	0.8	1.2	2.0	1.8
1996.....	*	*	*	*	*	*	0.5	0.8	1.5	2.5
1995.....	*	*	*	*	*	*	0.7	1.3	1.9	2.3
1994.....	*	*	*	*	*	0.4	0.6	1.3	2.0	3.0
1993.....	*	*	*	*	*	0.5	0.8	1.3	2.3	3.2
1992.....	*	*	*	*	*	0.4	1.0	1.5	2.3	3.2
1991.....	*	*	*	*	*	0.6	0.9	1.3	2.3	2.7
1990.....	*	*	*	*	0.4	0.6	1.0	1.4	2.1	3.2
1989.....	*	*	*	*	0.5	0.6	1.0	1.5	3.1	3.8
1988.....	*	*	*	*	*	0.5	1.3	1.6	3.2	4.6
1987.....	*	*	*	*	0.6	0.7	0.8	1.2	1.9	2.6
1986.....	*	*	*	*	0.5	0.7	0.9	1.7	2.1	3.7
1985.....	*	*	*	*	*	0.9	1.3	1.7	2.1	3.2
1984.....	*	*	*	*	*	0.6	0.8	1.6	2.1	3.0
1983.....	*	*	*	*	0.5	0.8	1.0	1.9	2.8	3.5
1982.....	*	*	*	*	0.4	0.8	1.2	2.0	2.3	4.6
1981.....	*	*	*	*	0.6	0.9	1.0	1.7	2.8	4.1
1980.....	0.1	0.1	0.4	0.3	0.6	0.9	1.5	2.1	1.9	3.9
1979.....	0.1	0.2	0.2	0.5	0.5	0.9	0.9	1.5	2.3	4.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
ALL OTHER, BOTH SEXES										
1998.....	0.6	1.1	*	*	1.8	2.0	4.3	4.0	7.3	10.8
1997.....	0.6	1.1	1.2	1.4	2.1	2.4	4.0	5.4	9.4	10.1
1996.....	*	0.9	1.5	1.4	2.9	2.3	3.5	5.8	9.8	11.5
1995.....	1.1	1.4	1.4	1.7	1.9	4.3	4.5	5.3	7.9	16.3
1994.....	1.1	1.5	1.7	2.0	3.2	3.0	4.8	8.2	10.3	14.7
1993.....	1.4	1.9	2.2	2.5	3.2	4.9	5.5	7.3	9.3	17.2
1992.....	1.4	1.8	1.9	2.6	3.8	4.7	6.9	7.8	10.9	15.2
1991.....	1.5	2.1	2.8	3.0	4.5	3.6	5.7	6.5	12.6	16.4
1990.....	1.7	2.3	1.5	3.0	3.5	4.9	6.2	10.3	12.0	17.3
1989.....	2.1	2.8	2.6	4.0	2.8	5.6	6.9	10.1	12.9	18.8
1988.....	1.7	2.7	2.6	2.6	3.0	5.0	6.1	7.1	13.4	22.6
1987.....	1.6	2.3	1.8	2.4	3.3	4.7	7.1	9.8	13.6	17.5
1986.....	2.2	1.8	3.4	2.7	4.4	5.6	5.5	10.1	14.8	19.9
1985.....	1.2	2.1	2.7	3.6	3.8	4.5	6.1	8.1	16.8	19.2
1984.....	1.9	2.4	3.3	4.1	4.2	6.2	6.9	7.7	15.8	14.3
1983.....	1.8	2.6	3.5	3.2	4.3	4.5	7.9	8.8	14.9	20.6
1982.....	1.9	2.1	2.6	4.7	4.9	5.9	7.2	12.0	13.9	22.6
1981.....	2.9	2.8	3.7	5.0	5.0	7.8	8.2	10.4	18.7	18.4
1980.....	2.7	3.1	4.7	5.1	5.2	6.5	11.8	10.6	19.2	20.1
1979.....	2.7	3.2	5.0	5.8	5.6	5.5	8.2	11.6	13.8	19.0
ALL OTHER MALE										
1998.....	*	1.6	*	*	*	*	6.7	7.9	14.2	24.7
1997.....	*	*	*	*	3.3	*	6.6	7.6	16.7	21.0
1996.....	*	*	2.3	*	5.1	*	*	9.1	23.2	19.0
1995.....	1.7	2.4	2.5	3.0	3.5	7.0	7.7	8.8	16.4	30.6
1994.....	2.0	2.3	3.0	3.7	5.6	4.8	6.8	13.3	19.6	22.2
1993.....	2.2	3.4	4.1	4.0	5.3	6.9	7.4	13.6	16.3	33.8
1992.....	2.2	3.8	3.7	4.3	6.3	7.3	11.6	16.2	18.2	*
1991.....	2.2	3.5	4.9	5.0	6.6	5.7	8.6	10.4	22.5	29.1
1990.....	3.0	4.1	*	4.6	6.1	7.2	9.4	19.7	22.6	33.2
1989.....	3.8	5.1	4.1	7.7	4.7	9.5	10.8	18.0	21.5	37.0
1988.....	2.8	4.6	4.6	4.7	5.7	9.1	11.9	13.7	19.7	38.0
1987.....	2.5	3.9	3.2	4.7	6.3	6.7	10.7	17.7	21.4	28.6
1986.....	3.9	3.0	7.0	4.1	6.4	8.8	8.2	17.1	25.9	28.0
1985.....	*	3.6	4.7	6.7	6.3	7.5	9.3	11.2	25.7	39.7
1984.....	2.7	3.9	6.2	7.4	6.2	9.7	12.1	12.9	23.8	*
1983.....	3.2	4.6	6.4	6.3	7.2	7.8	13.3	16.2	30.9	38.6
1982.....	3.5	4.0	4.9	9.5	8.4	7.8	13.5	19.3	22.3	32.8
1981.....	4.6	4.8	4.9	7.6	8.7	14.6	15.9	18.3	33.0	34.4
1980.....	3.6	5.1	8.3	7.6	9.4	11.7	17.1	16.2	36.7	34.6
1979.....	4.5	4.8	7.7	8.9	11.0	10.3	14.0	19.8	20.9	33.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	8.2
1995.....	*	*	*	*	*	*	*	*	*	10.1
1994.....	*	*	*	*	*	*	*	*	*	11.5
1993.....	*	*	*	*	*	3.3	4.2	*	*	10.0
1992.....	*	*	*	*	*	*	*	*	*	13.3
1991.....	*	*	*	*	2.9	*	*	*	*	10.6
1990.....	*	*	*	*	*	3.2	*	*	*	*
1989.....	*	*	*	*	*	*	4.3	*	*	*
1988.....	*	*	*	*	*	*	*	*	9.8	15.4
1987.....	*	*	*	*	*	*	4.7	*	*	12.3
1986.....	*	*	*	*	*	*	*	*	*	16.0
1985.....	*	*	*	*	*	*	*	*	11.7	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	4.4	*	7.0	*	17.3
1981.....	*	*	2.7	2.9	*	*	*	*	*	*
1980.....	1.9	1.4	1.9	3.0	1.8	2.6	7.9	6.8	8.5	12.6
1979.....	1.1	1.8	2.9	3.2	1.3	1.8	3.7	5.8	9.5	11.4
BLACK, BOTH SEXES										
1998.....	*	1.3	*	*	2.2	2.1	4.1	3.8	6.7	10.5
1997.....	*	1.1	1.5	*	2.1	2.4	3.6	4.6	7.7	7.5
1996.....	*	1.2	1.8	*	3.0	2.2	3.3	5.7	7.5	10.8
1995.....	1.2	1.9	1.8	*	2.1	4.3	3.9	4.1	7.2	13.1
1994.....	1.5	1.7	2.1	2.2	3.6	3.2	4.6	7.6	8.9	12.5
1993.....	1.8	2.3	2.8	3.0	3.3	5.3	5.1	6.5	6.5	15.6
1992.....	1.8	2.4	2.3	2.9	4.3	4.9	6.9	7.4	11.0	14.8
1991.....	1.9	2.8	3.6	3.1	5.1	3.7	5.9	5.3	9.1	12.1
1990.....	2.2	2.9	1.7	3.6	3.7	5.0	6.1	9.9	11.4	17.1
1989.....	2.7	3.5	3.4	4.2	2.8	6.2	7.1	8.8	11.7	20.0
1988.....	2.2	3.3	2.9	2.6	3.2	5.5	6.5	6.6	11.8	19.6
1987.....	2.1	2.8	2.0	2.7	3.8	4.9	6.4	9.9	10.3	16.3
1986.....	2.7	2.3	4.2	2.6	4.6	6.4	5.8	9.1	13.7	18.9
1985.....	1.4	2.5	3.4	4.2	4.2	5.1	5.8	8.1	15.1	17.9
1984.....	2.3	2.8	4.0	4.6	4.4	6.5	7.4	7.6	14.8	12.6
1983.....	2.2	3.3	4.1	3.2	4.7	4.3	7.6	8.5	14.1	19.6
1982.....	2.2	2.2	2.9	5.2	5.5	6.1	7.6	10.7	10.6	22.7
1981.....	3.5	3.5	4.1	5.6	5.3	7.6	8.6	10.2	18.7	18.5
1980.....	3.2	3.5	5.4	5.4	5.7	6.9	11.9	10.1	19.5	18.2
1979.....	3.2	3.5	5.7	6.4	6.0	5.6	8.0	11.1	12.4	17.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
BLACK MALE										
1998.....	*	2.0	*	*	*	*	6.7	*	*	24.5
1997.....	*	*	*	*	*	*	6.9	*	*	*
1996.....	*	*	*	*	5.2	*	*	*	18.4	*
1995.....	1.9	3.3	3.4	*	*	7.6	7.1	*	*	*
1994.....	2.6	2.8	4.0	4.1	6.1	5.2	7.2	13.3	18.7	*
1993.....	2.8	4.3	5.5	4.8	6.1	7.4	7.6	12.5	*	32.3
1992.....	2.9	5.1	4.8	4.9	7.6	8.1	12.5	16.3	20.5	*
1991.....	2.8	4.7	6.6	5.6	8.3	6.3	8.3	*	*	*
1990.....	4.1	5.1	*	5.9	6.9	6.9	9.1	20.1	22.4	34.7
1989.....	5.0	6.3	5.5	8.9	*	10.6	10.7	15.2	20.6	40.9
1988.....	3.6	5.7	5.3	4.9	6.2	10.2	13.2	12.4	*	30.8
1987.....	3.4	5.0	*	5.3	7.7	7.5	11.2	17.7	*	*
1986.....	4.8	3.8	8.8	4.4	6.7	10.5	8.5	15.1	23.3	*
1985.....	*	4.8	6.0	8.0	7.0	8.6	8.5	11.8	24.1	40.3
1984.....	3.5	4.7	7.6	8.4	6.9	10.7	13.1	13.2	23.8	*
1983.....	4.1	5.9	7.3	6.3	7.9	8.1	12.7	17.6	30.5	36.7
1982.....	4.2	4.3	5.5	10.7	9.8	8.1	14.5	18.0	*	*
1981.....	5.8	5.9	5.5	8.3	9.2	15.3	17.2	18.4	32.5	*
1980.....	4.6	6.2	9.9	8.8	10.6	12.6	18.3	14.4	40.0	34.0
1979.....	5.5	5.7	8.8	10.1	12.1	10.7	13.7	19.3	16.9	28.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	13.1
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	14.8
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	14.5
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	4.6	*	*	*	17.8
1981.....	*	*	*	3.4	*	*	*	*	*	*
1980.....	2.0	1.3	1.8	2.6	1.8	2.7	7.3	7.2	7.2	10.4
1979.....	1.3	1.7	3.1	3.3	1.1	1.8	3.8	5.5	9.7	12.5



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER TUBERCULOSIS (013-018)										
TOTAL, BOTH SEXES										
1998.....	0.1	*	0.1	0.2	0.2	0.3	0.4	0.4	0.7	0.8
1997.....	*	0.1	*	0.2	0.2	0.3	0.4	0.6	0.8	0.6
1996.....	*	0.1	*	*	0.3	0.2	0.5	0.4	0.8	0.8
1995.....	0.1	0.1	0.1	*	*	0.3	0.4	0.5	0.8	0.7
1994.....	*	0.1	0.2	0.3	0.2	0.4	0.5	0.4	0.7	0.8
1993.....	*	*	0.2	0.2	0.2	0.3	0.3	0.8	1.0	0.7
1992.....	0.1	0.1	*	0.2	0.2	0.4	0.5	0.6	0.6	1.4
1991.....	0.2	*	*	0.3	0.2	0.4	0.4	0.8	1.0	1.2
1990.....	0.1	0.2	0.3	0.4	0.4	0.4	0.5	0.6	0.9	1.2
1989.....	0.2	0.2	0.2	0.2	0.3	0.4	0.6	0.9	1.0	1.1
1988.....	0.2	*	0.2	0.3	0.3	0.4	0.6	1.0	0.8	1.4
1987.....	0.2	0.2	*	0.2	0.2	0.3	0.5	0.7	0.9	1.0
1986.....	*	*	0.2	0.2	0.3	0.4	0.5	0.7	1.0	1.1
1985.....	0.2	0.2	0.2	0.2	0.3	0.4	0.6	0.9	1.0	1.1
1984.....	0.2	*	0.2	0.2	0.3	0.4	0.7	0.7	1.3	1.1
1983.....	*	0.2	*	0.3	0.2	0.3	0.7	0.8	1.1	1.4
1982.....	*	*	0.2	0.3	0.3	0.3	0.6	0.9	1.1	1.4
1981.....	*	0.2	0.2	0.2	0.3	0.3	0.7	0.7	1.3	1.4
1980.....	0.1	0.2	0.2	0.2	0.3	0.5	0.7	0.7	1.1	1.3
1979.....	0.1	0.2	0.2	0.2	0.3	0.5	0.5	0.7	1.3	1.8
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	0.6	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	0.5	*	*	*	*
1993.....	*	*	*	*	*	*	*	0.8	*	*
1992.....	*	*	*	*	*	0.4	0.5	0.8	*	*
1991.....	0.3	*	*	0.5	*	*	*	1.0	*	*
1990.....	*	*	0.4	0.5	0.4	0.5	0.6	*	*	*
1989.....	0.3	*	*	*	*	0.5	0.8	1.0	*	*
1988.....	*	*	*	*	*	*	0.8	1.3	*	2.6
1987.....	0.3	*	*	*	*	*	*	0.9	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	0.5	*	1.0	*	*
1984.....	0.3	*	*	0.4	*	*	0.7	*	*	*
1983.....	*	*	*	0.4	*	0.5	0.9	*	*	*
1982.....	*	*	*	*	*	*	0.8	1.4	2.0	*
1981.....	*	*	*	*	0.4	*	0.7	1.1	*	*
1980.....	0.1	0.1	0.3	0.3	0.4	0.6	1.1	0.8	1.0	2.5
1979.....	0.1	0.2	0.2	0.2	0.2	0.6	0.7	1.0	1.4	2.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER TUBERCULOSIS (013-018)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	0.7	0.7
1997.....	*	*	*	*	*	*	0.4	0.6	0.9	*
1996.....	*	*	*	*	*	*	0.4	*	*	0.9
1995.....	*	*	*	*	*	*	0.4	*	0.8	*
1994.....	*	*	*	*	*	*	0.5	*	*	*
1993.....	*	*	*	*	*	*	*	0.8	0.9	*
1992.....	*	*	*	*	*	0.4	*	*	*	1.2
1991.....	*	*	*	*	*	0.5	*	0.7	0.9	1.0
1990.....	*	*	*	*	*	*	*	*	*	1.0
1989.....	*	*	*	*	*	*	*	0.8	0.8	*
1988.....	*	*	*	*	*	0.4	*	0.8	*	1.0
1987.....	*	*	*	*	*	*	0.4	*	0.8	*
1986.....	*	*	*	*	*	*	*	0.7	*	*
1985.....	*	*	*	*	*	*	0.6	0.7	*	*
1984.....	*	*	*	*	*	*	0.7	0.6	1.3	*
1983.....	*	*	*	*	*	*	0.5	0.8	*	1.1
1982.....	*	*	*	*	*	*	*	*	*	1.3
1981.....	*	*	*	*	*	*	0.6	*	1.2	*
1980.....	0.1	0.2	0.1	0.1	0.2	0.4	0.5	0.7	1.2	0.8
1979.....	0.1	0.2	0.2	0.3	0.3	0.4	0.4	0.6	1.2	1.6
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	0.3	0.3	0.6	0.6
1997.....	*	*	*	*	*	*	*	0.4	0.6	*
1996.....	*	*	*	*	*	*	0.4	*	0.7	0.7
1995.....	*	*	*	*	*	*	*	*	0.5	*
1994.....	*	*	*	*	*	*	0.3	0.4	0.6	0.6
1993.....	*	*	*	*	*	*	0.3	0.6	0.9	*
1992.....	*	*	*	*	*	0.3	0.3	0.4	*	1.1
1991.....	*	*	*	*	*	0.3	0.3	0.6	0.8	0.9
1990.....	*	*	*	*	0.2	0.3	0.4	0.4	0.6	0.8
1989.....	*	*	*	*	0.2	0.2	0.3	0.6	0.8	0.8
1988.....	*	*	*	*	*	0.2	0.4	0.6	*	1.1
1987.....	*	*	*	*	*	0.2	0.3	0.5	*	0.9
1986.....	*	*	*	*	*	*	0.3	0.6	0.8	1.0
1985.....	*	*	*	*	0.2	0.3	0.4	0.7	1.0	*
1984.....	*	*	*	*	*	0.3	0.5	0.5	1.2	*
1983.....	*	*	*	*	*	*	0.4	0.6	0.9	1.0
1982.....	*	*	*	*	*	*	0.3	0.7	0.9	1.0
1981.....	*	*	*	*	*	*	0.5	0.5	1.1	1.1
1980.....	0.0	0.1	0.1	0.1	0.2	0.3	0.5	0.6	0.7	1.2
1979.....	0.0	0.1	0.1	0.1	0.2	0.3	0.4	0.5	1.1	1.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER TUBERCULOSIS (013-018)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	0.7	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	1.1	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.0	0.2	0.2	0.3	0.5	0.7	0.5	0.4	2.4
1979.....	0.0	0.1	0.1	0.1	0.2	0.5	0.4	0.8	1.4	2.1
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	0.8
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	0.6	0.8	*
1992.....	*	*	*	*	*	*	*	*	*	0.9
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	0.7	*	*
1984.....	*	*	*	*	*	*	*	*	1.2	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.0	0.0	0.1	0.2	0.3	0.6	0.8	0.6
1979.....	0.0	0.1	0.0	0.1	0.2	0.1	0.3	0.3	0.9	1.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER TUBERCULOSIS (013-018)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	1.7	*	1.8	*	*	*	*
1993.....	*	*	*	*	*	*	*	3.3	*	*
1992.....	*	*	*	*	*	1.8	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	1.6	*	*	*	*	*	*
1989.....	*	*	*	*	*	1.9	2.6	4.0	*	*
1988.....	*	*	*	*	*	*	*	4.1	*	*
1987.....	*	*	*	*	*	*	*	*	6.5	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	1.6	*	*	3.2	*	*	*
1982.....	*	*	*	*	*	*	3.0	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.9	1.0	1.0	1.1	1.6	3.4	2.5	6.1	2.8
1979.....	0.5	1.0	1.4	1.3	1.4	2.4	2.5	2.7	3.6	5.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	1.2	1.4	1.3	1.6	5.4	3.3	6.9	3.3
1979.....	0.6	1.1	1.5	0.9	0.9	2.1	3.4	2.7	1.2	5.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER TUBERCULOSIS (013-018)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	1.2	0.8	0.6	0.9	1.6	1.9	1.9	5.6	2.5
1979.....	0.4	0.9	1.2	1.7	1.7	2.6	1.7	2.7	5.1	6.1
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	1.8	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	4.4	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	1.4	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.9	1.0	1.1	1.1	1.5	3.5	2.3	6.5	2.5
1979.....	0.4	1.2	1.2	1.3	1.4	2.2	2.0	2.5	3.5	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER TUBERCULOSIS (013-018)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	1.4	1.5	1.3	1.5	6.0	3.3	8.0	1.9
1979.....	0.7	1.3	1.4	0.8	1.1	2.4	2.7	2.5	1.3	3.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.1	0.6	0.7	1.0	1.6	1.8	1.7	5.6	2.8
1979.....	0.1	1.1	1.0	1.7	1.7	2.0	1.6	2.5	4.8	6.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)										
TOTAL, BOTH SEXES										
1998.....	2.1	3.1	4.8	7.8	12.2	20.1	31.7	50.0	87.2	180.7
1997.....	1.9	3.2	4.6	7.2	11.5	18.3	30.3	48.7	84.1	182.6
1996.....	2.1	2.9	4.5	6.6	11.5	17.7	29.0	48.6	81.8	177.5
1995.....	2.1	3.0	4.0	6.5	11.4	16.7	28.9	48.5	82.6	177.9
1994.....	2.1	2.9	4.3	6.7	10.9	16.6	27.5	47.0	82.4	180.3
1993.....	2.0	2.7	3.9	6.6	10.3	17.5	28.7	48.4	85.2	191.9
1992.....	2.1	3.0	4.2	6.3	10.6	17.0	28.4	46.9	82.8	183.0
1991.....	2.2	2.5	4.2	6.5	10.5	17.0	28.3	49.1	86.1	187.5
1990.....	2.1	2.8	4.1	6.6	10.6	16.8	29.0	48.8	84.2	188.5
1989.....	2.2	2.8	4.3	6.4	11.0	16.7	27.9	50.0	87.6	195.0
1988.....	2.1	2.8	4.5	7.0	12.3	19.4	32.8	54.6	100.1	207.7
1987.....	2.0	2.4	4.9	7.2	12.5	19.8	32.8	53.2	92.1	195.8
1986.....	2.2	3.0	4.5	7.4	12.1	19.0	30.6	52.2	89.4	188.5
1985.....	1.8	2.6	4.2	7.2	11.9	18.2	29.1	49.6	85.6	166.4
1984.....	1.7	2.7	4.0	6.5	11.2	15.9	27.3	41.5	73.6	147.3
1983.....	1.4	2.2	4.0	6.3	10.2	15.1	23.9	40.5	66.2	130.3
1982.....	1.5	2.0	3.6	5.9	9.1	13.2	21.9	33.9	58.2	110.3
1981.....	1.4	2.4	3.3	5.6	8.5	12.6	19.1	30.6	54.7	98.9
1980.....	1.2	1.8	3.5	5.5	7.5	11.9	18.4	28.8	51.6	91.4
1979.....	1.2	1.9	3.0	4.4	6.6	10.7	16.8	25.4	41.3	73.5
TOTAL, MALE										
1998.....	2.4	3.6	5.3	8.8	13.5	22.2	36.1	57.4	97.4	186.4
1997.....	2.1	3.6	5.3	7.2	13.2	21.1	36.0	58.0	92.7	190.2
1996.....	2.6	3.6	5.2	7.8	13.6	20.4	33.0	55.3	93.6	182.0
1995.....	2.5	3.6	4.5	7.7	13.1	19.1	33.4	55.8	94.5	188.4
1994.....	2.7	3.6	5.2	7.7	12.5	19.8	32.7	55.6	91.9	191.2
1993.....	2.6	3.3	4.4	7.7	11.4	21.0	33.8	57.9	103.9	199.4
1992.....	2.8	3.7	5.1	6.9	12.0	20.5	34.2	56.2	93.7	192.9
1991.....	3.0	3.1	5.3	7.3	12.6	20.8	33.5	60.2	98.2	203.5
1990.....	2.8	3.4	4.9	7.7	12.8	20.9	36.1	58.9	100.7	201.1
1989.....	2.8	3.4	5.1	7.3	13.2	20.3	34.8	59.8	103.3	206.9
1988.....	2.5	3.3	5.2	7.9	14.8	23.0	41.3	66.7	115.6	216.0
1987.....	2.6	3.0	5.5	8.5	14.9	23.9	41.7	64.4	108.2	220.1
1986.....	2.7	3.7	5.5	9.1	15.4	23.8	39.0	66.7	112.0	220.9
1985.....	2.3	3.2	5.0	8.7	15.0	22.2	39.3	61.5	104.0	187.9
1984.....	2.0	3.0	4.6	7.9	13.9	20.0	34.0	52.2	88.2	179.5
1983.....	1.8	2.4	4.7	7.7	13.0	19.4	29.5	51.8	84.8	152.3
1982.....	1.5	2.1	4.3	7.0	11.7	15.8	27.8	41.1	72.7	140.0
1981.....	1.5	2.9	4.0	6.9	10.2	15.8	23.4	37.6	68.4	123.4
1980.....	1.2	2.2	4.1	6.9	9.7	15.0	24.9	36.0	65.2	110.8
1979.....	1.3	2.4	3.6	5.0	8.2	13.2	20.6	32.7	55.0	93.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)										
TOTAL, FEMALE										
1998.....	1.8	2.7	4.3	6.9	11.0	18.3	28.3	44.7	81.2	178.3
1997.....	1.8	2.7	4.1	7.1	9.9	15.9	25.8	42.1	79.0	179.5
1996.....	1.7	2.3	3.8	5.5	9.7	15.4	26.0	43.9	75.0	175.7
1995.....	1.8	2.5	3.5	5.5	9.9	14.6	25.4	43.6	75.9	173.8
1994.....	1.5	2.3	3.4	5.7	9.4	13.9	23.5	41.1	77.1	176.1
1993.....	1.4	2.2	3.4	5.6	9.3	14.6	24.8	42.1	75.0	189.0
1992.....	1.4	2.3	3.3	5.6	9.4	14.3	24.1	40.7	77.0	179.2
1991.....	1.5	2.0	3.2	5.8	8.6	13.9	24.3	41.8	79.7	181.3
1990.....	1.4	2.3	3.4	5.6	8.7	13.5	23.7	42.3	75.5	183.6
1989.....	1.7	2.3	3.5	5.5	9.1	13.8	22.8	43.7	79.4	190.5
1988.....	1.8	2.3	3.9	6.1	10.1	16.5	26.5	46.8	91.8	204.4
1987.....	1.5	2.0	4.3	5.9	10.4	16.5	26.3	46.0	83.7	186.2
1986.....	1.8	2.4	3.6	5.9	9.3	15.2	24.4	43.1	77.5	175.7
1985.....	1.3	2.0	3.5	5.8	9.2	15.0	21.7	42.2	75.9	157.8
1984.....	1.4	2.3	3.5	5.3	8.9	12.5	22.5	34.8	65.9	134.3
1983.....	1.0	1.9	3.3	5.0	7.8	11.6	19.9	33.4	56.4	121.3
1982.....	1.4	1.9	2.9	4.9	7.0	11.0	17.7	29.4	50.6	98.0
1981.....	1.3	2.0	2.7	4.4	7.0	10.1	16.0	26.2	47.4	88.4
1980.....	1.1	1.5	2.8	4.3	5.5	9.4	13.7	24.2	44.3	82.9
1979.....	1.2	1.4	2.4	3.9	5.3	8.7	14.1	20.8	34.0	64.4
WHITE, BOTH SEXES										
1998.....	1.7	2.3	3.9	6.2	10.0	17.7	28.5	45.4	80.7	170.7
1997.....	1.4	2.4	3.7	5.7	9.5	16.0	26.6	44.5	79.0	172.6
1996.....	1.5	2.2	3.5	5.1	9.7	15.8	25.8	44.8	77.0	168.3
1995.....	1.6	2.3	3.3	5.2	9.7	14.7	25.5	44.5	77.3	168.6
1994.....	1.5	2.2	3.4	5.8	9.0	14.8	24.4	43.7	76.1	172.5
1993.....	1.4	2.1	3.1	5.5	8.8	15.3	26.4	44.7	78.3	183.0
1992.....	1.4	2.3	3.3	5.0	9.0	14.6	25.4	43.3	77.1	174.4
1991.....	1.6	1.9	3.3	5.3	9.0	14.8	25.4	45.2	80.7	179.8
1990.....	1.5	2.1	3.2	5.4	9.1	14.9	25.8	45.0	78.4	180.1
1989.....	1.7	2.1	3.2	5.3	9.4	14.4	25.1	45.9	82.2	185.8
1988.....	1.4	2.0	3.5	5.6	10.3	16.8	29.6	49.9	94.1	198.6
1987.....	1.5	1.7	3.7	6.0	10.5	17.1	29.6	49.0	85.1	184.0
1986.....	1.6	2.4	3.4	6.0	9.9	17.0	27.7	48.0	83.3	179.1
1985.....	1.5	1.8	3.4	5.9	10.0	15.7	26.2	44.9	78.0	158.2
1984.....	1.1	1.9	3.1	5.4	9.7	14.0	24.0	37.8	67.2	139.7
1983.....	1.0	1.5	3.1	5.2	8.4	13.1	20.7	37.3	61.0	124.5
1982.....	1.0	1.4	2.9	4.6	7.8	11.9	19.4	30.8	54.2	104.6
1981.....	0.9	1.9	2.8	4.7	7.2	11.2	16.8	28.6	51.1	92.1
1980.....	0.9	1.4	2.6	4.5	6.5	9.9	16.3	25.9	48.1	86.1
1979.....	0.9	1.6	2.2	3.7	5.6	9.3	14.9	22.8	39.0	69.8



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)										
WHITE MALE										
1998.....	2.0	2.7	4.2	6.8	11.2	20.0	33.1	52.4	91.0	177.9
1997.....	1.5	2.8	4.0	5.8	11.1	18.1	31.9	53.5	87.5	181.3
1996.....	1.8	2.5	3.9	5.8	11.1	18.1	29.5	51.9	86.7	174.4
1995.....	1.8	2.7	3.6	5.9	11.1	17.0	29.4	51.0	89.1	176.1
1994.....	1.9	2.7	4.1	6.9	10.1	17.6	29.1	51.3	85.8	185.3
1993.....	1.8	2.4	3.4	6.2	9.9	18.8	31.0	53.2	96.8	186.0
1992.....	1.9	2.8	3.7	5.6	10.1	17.8	30.5	52.5	86.2	183.3
1991.....	2.2	2.2	4.2	5.8	10.8	18.2	29.7	56.0	91.9	197.4
1990.....	2.1	2.4	3.6	6.1	11.1	18.8	32.4	54.7	93.7	194.3
1989.....	2.0	2.6	3.9	5.8	11.3	17.5	31.3	56.2	97.1	195.9
1988.....	1.7	2.3	3.9	6.4	12.3	19.7	37.3	62.0	108.6	207.1
1987.....	1.8	2.0	4.0	7.1	12.8	20.7	37.6	60.1	101.4	207.5
1986.....	1.9	2.9	4.1	7.2	12.7	21.4	34.9	61.1	106.1	210.1
1985.....	1.9	2.2	4.0	6.9	12.6	19.5	36.0	55.1	94.7	180.7
1984.....	1.3	2.1	3.6	6.7	12.5	17.9	30.0	47.9	81.4	169.6
1983.....	1.2	1.7	3.7	6.6	11.0	17.1	26.4	47.4	78.6	146.3
1982.....	1.2	1.4	3.6	5.6	9.9	14.5	24.6	37.8	68.5	132.3
1981.....	1.0	2.2	3.4	5.9	8.6	14.3	20.6	35.2	65.7	113.3
1980.....	0.9	1.6	3.2	5.6	8.5	12.4	22.6	32.4	62.0	103.7
1979.....	1.0	2.0	2.8	4.0	6.7	11.7	17.9	29.7	52.0	90.4
WHITE FEMALE										
1998.....	1.3	1.9	3.6	5.6	8.9	15.7	24.8	40.3	74.5	167.8
1997.....	1.3	2.1	3.4	5.5	8.0	14.1	22.5	38.1	74.0	169.1
1996.....	1.2	1.8	3.1	4.4	8.4	13.9	23.0	39.8	71.3	165.9
1995.....	1.4	1.9	3.0	4.5	8.4	12.8	22.6	39.9	70.7	165.7
1994.....	1.1	1.8	2.8	4.9	7.9	12.5	20.7	38.6	70.7	167.5
1993.....	1.1	1.7	2.9	4.9	7.8	12.5	22.8	38.9	68.2	181.8
1992.....	1.0	1.8	2.8	4.4	7.9	11.9	21.5	37.2	72.2	170.9
1991.....	1.0	1.7	2.5	4.8	7.4	11.9	22.1	38.1	74.8	173.2
1990.....	0.9	1.7	2.7	4.7	7.3	11.7	20.9	38.7	70.3	174.8
1989.....	1.3	1.7	2.6	4.7	7.6	12.0	20.5	39.2	74.4	182.1
1988.....	1.2	1.7	3.0	4.9	8.5	14.4	24.0	42.3	86.5	195.3
1987.....	1.2	1.4	3.3	5.0	8.6	14.1	23.7	42.0	76.6	174.9
1986.....	1.4	1.9	2.7	5.0	7.5	13.5	22.5	39.7	71.5	167.0
1985.....	1.1	1.5	2.8	5.0	7.7	12.7	19.0	38.5	69.3	149.4
1984.....	1.0	1.7	2.7	4.2	7.3	10.7	19.6	31.5	59.8	127.8
1983.....	0.7	1.3	2.6	3.9	6.2	9.9	16.6	31.1	51.8	115.7
1982.....	0.9	1.5	2.2	3.7	5.9	9.8	15.6	26.5	46.7	93.3
1981.....	0.8	1.5	2.2	3.6	5.9	8.7	14.1	24.5	43.4	83.2
1980.....	0.9	1.2	2.1	3.5	4.7	7.9	11.8	21.8	40.8	78.5
1979.....	0.9	1.2	1.7	3.4	4.7	7.5	12.6	18.5	32.2	60.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)										
ALL OTHER, BOTH SEXES										
1998.....	4.2	7.5	10.3	17.6	25.7	35.9	57.6	90.6	153.4	274.6
1997.....	4.4	7.2	10.6	16.3	24.0	34.2	60.2	86.8	135.9	277.9
1996.....	5.5	7.3	10.4	16.0	23.2	31.0	56.0	83.5	131.4	265.4
1995.....	5.0	7.3	8.3	14.9	22.6	30.7	58.2	86.9	137.1	272.4
1994.....	5.1	7.0	9.4	11.9	23.5	29.4	54.9	77.7	146.6	261.0
1993.....	4.9	6.9	8.7	13.6	20.8	34.3	49.2	84.4	156.7	283.5
1992.....	5.8	7.3	9.6	14.4	22.2	36.3	55.3	80.8	141.6	273.9
1991.....	5.9	6.2	9.9	14.4	21.1	34.6	54.2	85.8	141.7	268.6
1990.....	5.4	7.3	10.1	14.8	22.3	33.1	57.7	85.0	145.0	276.8
1989.....	5.5	7.1	11.1	13.9	23.5	35.5	53.6	88.9	144.4	292.6
1988.....	6.1	7.7	11.4	16.2	27.4	41.8	61.7	98.4	162.8	304.0
1987.....	5.4	6.9	12.8	15.7	27.7	43.7	62.4	92.4	167.2	322.9
1986.....	5.9	7.2	12.1	17.8	29.8	36.6	56.5	92.5	154.2	291.8
1985.....	3.9	7.2	9.8	17.0	27.8	39.8	55.9	95.4	168.1	254.5
1984.....	5.1	7.5	10.4	15.3	24.0	32.8	58.7	77.1	144.3	230.4
1983.....	3.9	6.5	9.8	15.3	25.3	32.5	53.2	70.9	124.0	194.3
1982.....	4.0	5.6	8.6	15.8	20.9	24.1	45.7	63.9	104.8	175.4
1981.....	4.3	6.2	7.4	13.0	20.3	25.4	40.5	50.5	96.3	175.8
1980.....	3.2	5.0	9.9	14.8	16.3	29.2	38.3	57.7	92.9	152.2
1979.....	3.5	3.8	8.9	10.8	16.2	22.9	36.0	50.5	68.3	115.5
ALL OTHER MALE										
1998.....	4.4	8.8	12.6	22.3	29.3	37.9	62.0	103.6	163.8	261.3
1997.....	5.1	8.6	13.6	16.6	27.8	43.6	71.8	101.3	147.5	268.3
1996.....	7.2	10.2	13.4	20.9	30.6	38.5	64.2	88.4	166.0	248.3
1995.....	6.5	9.3	10.3	19.8	27.2	35.9	70.8	103.2	151.5	303.6
1994.....	6.9	9.2	12.5	13.3	29.6	37.5	66.3	98.7	154.4	245.5
1993.....	7.0	9.4	10.9	18.5	23.1	39.8	59.7	104.4	176.5	324.2
1992.....	8.3	9.8	13.6	16.3	26.2	42.3	68.7	92.7	168.4	282.2
1991.....	8.3	8.7	12.4	17.9	26.8	42.2	69.8	102.2	159.7	260.5
1990.....	7.1	9.5	13.8	18.9	26.8	39.6	71.7	99.6	169.8	265.4
1989.....	7.4	8.3	13.7	18.2	28.5	45.0	68.7	94.6	164.5	308.6
1988.....	7.4	10.0	14.5	19.5	35.2	53.1	80.0	111.9	185.5	298.7
1987.....	7.8	9.1	15.8	19.9	32.7	53.7	80.8	105.1	176.8	337.7
1986.....	7.6	9.1	15.8	24.4	38.5	46.2	78.0	119.0	171.3	322.7
1985.....	5.2	9.6	12.3	23.6	36.3	46.7	70.3	121.4	197.1	256.2
1984.....	6.6	9.4	12.2	18.1	26.3	39.4	71.7	92.6	158.4	272.2
1983.....	5.6	7.7	11.9	17.2	31.1	40.7	58.4	92.9	149.5	207.1
1982.....	3.8	6.9	9.9	18.2	27.6	27.8	57.1	71.4	117.0	214.9
1981.....	5.0	7.8	8.8	15.6	25.1	28.9	49.1	60.2	96.7	223.4
1980.....	3.9	6.3	11.9	18.8	20.7	38.1	46.5	70.3	99.7	182.7
1979.....	3.4	4.8	10.2	13.4	22.1	26.9	45.5	59.3	87.2	130.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)										
ALL OTHER FEMALE										
1998.....	4.0	6.4	8.5	13.8	22.9	34.4	54.4	82.0	147.4	280.7
1997.....	3.9	6.1	8.0	16.1	21.2	27.2	52.2	77.4	129.3	282.3
1996.....	3.9	4.9	7.9	12.0	17.5	25.4	50.4	80.3	111.9	273.1
1995.....	3.7	5.5	6.8	10.9	19.1	26.8	49.4	76.5	129.2	259.0
1994.....	3.6	5.0	6.8	10.7	18.9	23.3	47.0	64.5	142.3	267.8
1993.....	3.0	4.7	6.8	9.7	19.0	30.3	41.9	72.0	145.7	265.7
1992.....	3.7	5.1	6.2	12.8	19.0	31.9	46.0	73.4	126.5	270.2
1991.....	3.8	4.1	7.7	11.5	16.8	29.1	43.5	75.7	131.0	270.9
1990.....	4.0	5.4	7.1	11.6	18.8	28.3	48.2	76.0	131.0	282.0
1989.....	3.8	6.1	8.9	10.5	19.7	28.4	43.3	85.4	133.0	285.1
1988.....	5.0	5.7	8.7	13.6	21.5	33.5	49.5	89.9	149.0	306.5
1987.....	3.3	4.9	10.3	12.3	23.9	36.2	49.8	84.2	161.7	316.0
1986.....	4.5	5.5	9.0	12.4	23.0	29.4	41.8	75.4	145.2	276.9
1985.....	2.7	5.2	7.8	11.8	21.1	34.6	46.0	78.3	151.1	255.3
1984.....	3.8	6.0	8.8	13.0	22.2	27.8	49.5	66.8	135.3	209.7
1983.....	2.5	5.4	8.0	13.9	20.6	26.4	49.8	56.1	109.1	187.8
1982.....	4.2	4.6	7.5	13.9	15.6	21.3	37.4	58.6	97.5	154.1
1981.....	3.7	4.9	6.2	10.8	16.4	22.8	34.1	44.0	96.0	151.6
1980.....	2.5	3.8	8.2	11.6	12.7	22.4	32.2	49.1	88.8	136.5
1979.....	3.6	3.0	7.9	8.6	11.3	20.0	28.8	44.2	56.9	108.8
BLACK, BOTH SEXES										
1998.....	5.6	9.8	13.5	22.0	32.5	45.0	69.6	110.7	181.4	320.7
1997.....	5.8	9.3	14.2	20.5	29.7	42.6	74.2	102.9	163.2	323.1
1996.....	7.2	9.6	13.5	20.1	28.6	37.6	69.4	99.6	155.6	307.4
1995.....	6.5	9.3	10.5	18.9	27.5	36.4	69.5	102.0	153.1	298.8
1994.....	6.8	9.0	11.6	14.6	29.4	35.0	64.6	90.6	166.0	292.2
1993.....	6.4	8.7	10.6	16.4	25.3	40.8	58.4	95.7	177.2	310.9
1992.....	7.3	9.3	12.2	17.5	26.0	43.8	63.5	94.0	160.6	305.8
1991.....	7.8	7.9	12.4	17.8	25.8	40.3	64.1	95.3	157.6	291.8
1990.....	7.1	9.2	12.2	17.4	26.7	39.3	67.2	97.0	160.3	297.8
1989.....	7.1	8.9	13.7	16.5	28.4	42.1	62.8	99.0	160.3	317.7
1988.....	8.0	9.9	13.5	19.5	33.2	48.0	71.2	109.9	178.3	328.5
1987.....	6.9	8.5	14.9	18.7	32.5	51.6	70.6	103.0	183.7	351.0
1986.....	7.6	8.4	14.8	20.3	35.4	41.2	63.4	103.5	167.1	309.5
1985.....	5.0	8.2	11.8	20.0	32.0	44.6	62.8	107.4	180.8	277.9
1984.....	6.0	9.2	12.0	18.0	28.1	36.5	66.0	87.1	155.9	253.2
1983.....	4.7	7.5	10.9	17.8	28.7	35.8	59.5	77.8	135.7	208.2
1982.....	4.8	6.5	10.0	17.5	23.2	26.8	49.2	68.8	114.7	185.8
1981.....	5.3	7.1	8.4	14.4	22.7	28.2	43.4	55.5	106.2	189.3
1980.....	3.6	5.7	11.1	16.6	17.9	32.2	41.8	63.2	98.9	165.3
1979.....	3.9	3.8	9.9	11.8	17.5	24.8	38.3	52.8	74.1	121.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)										
BLACK MALE										
1998.....	6.1	11.4	16.7	28.7	38.0	47.7	74.5	127.7	202.7	317.2
1997.....	6.6	11.2	18.4	21.2	35.8	54.3	89.5	123.0	180.4	321.3
1996.....	9.6	13.5	18.3	26.9	38.2	46.0	79.3	107.9	202.0	295.2
1995.....	8.2	12.4	13.4	26.6	33.2	41.9	87.4	123.9	170.5	328.3
1994.....	9.2	12.2	15.8	16.6	37.3	45.6	79.7	118.2	178.9	280.2
1993.....	9.1	11.9	13.4	23.5	28.3	47.4	71.6	122.2	200.9	362.9
1992.....	10.6	13.1	17.7	20.3	31.2	52.0	80.1	112.7	195.0	327.3
1991.....	11.1	11.2	16.2	22.6	32.2	49.9	83.3	114.4	181.2	292.8
1990.....	9.2	11.9	17.0	21.7	32.5	47.1	84.2	114.7	198.3	291.2
1989.....	9.6	10.9	17.6	22.1	34.8	53.8	80.6	105.1	187.6	343.9
1988.....	9.9	13.3	17.9	23.4	42.6	60.5	94.0	124.9	214.9	321.5
1987.....	10.3	11.2	19.0	24.0	38.6	64.6	91.6	118.9	202.2	376.6
1986.....	9.9	11.0	19.1	28.1	46.3	51.3	88.7	135.5	185.6	344.4
1985.....	7.0	10.7	14.8	28.4	42.1	52.5	80.9	141.2	211.5	283.9
1984.....	8.1	11.8	13.7	21.0	31.4	43.9	82.9	106.6	170.2	301.6
1983.....	7.1	8.9	13.5	20.2	35.2	45.1	65.2	103.6	164.6	226.7
1982.....	4.1	8.3	11.5	20.8	31.2	31.1	63.6	78.9	128.8	231.0
1981.....	6.1	9.0	10.3	17.6	28.6	32.7	52.7	66.5	109.1	237.5
1980.....	4.7	7.1	13.4	21.4	23.1	42.1	50.7	79.1	106.6	203.7
1979.....	3.5	4.6	11.4	15.2	23.9	29.6	48.7	60.9	93.5	142.3
BLACK FEMALE										
1998.....	5.1	8.5	10.8	16.8	28.4	42.9	66.2	99.8	170.2	322.2
1997.....	5.2	7.7	10.8	20.0	25.1	33.8	63.6	90.2	154.2	323.8
1996.....	5.0	6.4	9.6	14.8	21.5	31.2	62.7	94.5	131.6	312.4
1995.....	5.1	6.6	8.1	12.8	23.3	32.3	57.4	88.4	144.2	286.9
1994.....	4.7	6.2	8.1	13.0	23.4	27.1	54.4	73.9	159.4	297.0
1993.....	4.0	6.0	8.4	10.7	23.0	36.0	49.6	80.1	165.0	289.6
1992.....	4.5	6.1	7.7	15.2	22.2	37.9	52.4	83.0	142.9	296.8
1991.....	5.1	5.1	9.3	14.0	21.0	33.4	51.4	84.1	145.4	291.4
1990.....	5.3	6.9	8.3	13.9	22.2	33.7	56.1	86.6	140.6	300.6
1989.....	5.0	7.3	10.5	12.1	23.6	33.7	51.3	95.3	145.9	308.5
1988.....	6.4	7.0	9.9	16.4	26.0	39.0	56.1	101.0	159.0	331.5
1987.....	4.1	6.3	11.5	14.5	27.8	42.2	56.6	93.4	173.7	339.6
1986.....	5.7	6.2	11.2	14.0	27.2	33.8	46.5	84.0	157.0	293.5
1985.....	3.3	6.1	9.3	13.1	24.1	38.7	50.8	86.4	163.9	275.2
1984.....	4.1	7.2	10.6	15.5	25.6	31.1	54.8	74.8	148.0	230.2
1983.....	2.6	6.4	8.9	15.9	23.6	29.0	55.8	61.0	119.3	199.2
1982.....	5.3	5.0	8.8	14.8	17.0	23.6	39.2	62.5	106.5	163.6
1981.....	4.6	5.5	6.9	11.9	18.1	24.8	36.8	48.4	104.5	163.7
1980.....	2.6	4.4	9.3	12.8	13.8	24.9	35.5	52.8	94.3	146.2
1979.....	4.3	3.1	8.6	9.0	12.4	21.2	30.9	47.0	62.1	111.5



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BRUCELLOSIS (023)										
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	0.0	-	-	-	-	-	-
WHITE MALE										
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	0.0	-	-	-	-	-	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
ALL OTHER, BOTH SEXES										
1997.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	0.1	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BRUCELLOSIS (023)										
ALL OTHER MALE										
1982.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	0.2	-	-	-	-	-	-
ALL OTHER FEMALE										
1997.....	*	*	*	*	*	*	*	*	*	*
BLACK, BOTH SEXES										
1982.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	0.1	-	-	-	-	-	-
BLACK MALE										
1982.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	0.2	-	-	-	-	-	-

















CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	0.0	0.0	0.0	-	0.0	0.1	0.1
1979.....	0.0	0.0	-	-	-	0.0	0.0	0.0	0.1	0.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	-	0.0	-	-	0.1	0.1
1979.....	0.1	0.0	-	-	-	-	0.0	0.1	0.1	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	0.0	-	-	0.0	0.1	0.1
1979.....	0.0	-	-	-	-	0.0	0.0	-	0.1	0.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	0.0	0.0	-	0.0	0.1	0.1
1979.....	0.0	0.0	-	-	-	0.0	0.0	0.0	0.1	0.1



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.0	-	-	0.1	0.2
1979.....	0.0	0.0	-	-	-	-	0.0	0.1	0.1	0.2
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	0.0	-	-	0.0	0.1	0.1
1979.....	0.0	-	-	-	-	0.0	0.0	-	0.1	0.1





CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGOCOCCAL INFECTION (036)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.3
1979.....	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.3
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	-
1979.....	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGOCOCCAL INFECTION (036)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.3	0.4
1979.....	0.1	0.1	0.1	0.2	0.2	0.1	0.3	0.0	0.2	0.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2
1979.....	0.0	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGOCOCCAL INFECTION (036)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	-
1979.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.6
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.3	0.3
1979.....	0.0	0.0	0.0	0.2	0.1	0.1	0.2	0.0	0.2	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGOCOCCAL INFECTION (036)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	0.1	0.2	-	0.6	-	-	-	0.6
1979.....	0.3	0.2	0.2	0.3	0.3	0.2	0.5	0.2	-	0.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	-	0.2	-	0.8	-	-	-	-
1979.....	0.1	-	-	0.4	0.2	0.3	0.4	0.5	-	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGOCOCCAL INFECTION (036)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.1	0.3	-	0.4	-	-	-	0.8
1979.....	0.4	0.4	0.3	0.3	0.4	0.2	0.6	-	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	0.1	0.2	-	0.6	-	-	-	0.6
1979.....	0.2	0.2	-	0.4	0.4	0.1	0.6	-	-	0.6



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGOCOCCAL INFECTION (036)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	-	0.2	-	0.9	-	-	-	-
1979.....	-	-	-	0.4	0.3	0.3	0.4	-	-	1.9
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.2	0.2	-	0.4	-	-	-	0.9
1979.....	0.4	0.3	-	0.3	0.4	-	0.6	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TETANUS (037)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
1979.....	0.0	-	0.0	-	0.1	0.1	0.1	0.1	0.1	0.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	-	0.1	0.2	0.2	0.3	0.1
1979.....	0.0	-	0.0	-	0.1	0.1	0.0	0.2	0.1	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TETANUS (037)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	0.0	0.0	-	0.1	0.1	-	0.1
1979.....	-	-	-	-	0.1	0.1	0.1	0.0	0.2	0.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	-	0.0	0.1	0.1	0.1	0.1
1979.....	-	-	-	-	0.0	0.1	0.1	0.0	0.1	0.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TETANUS (037)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.1	0.2	0.1	0.3	0.2
1979.....	-	-	-	-	0.0	0.1	0.0	0.1	0.1	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	-	-	0.1	0.0	-	0.1
1979.....	-	-	-	-	0.0	0.0	0.1	-	0.1	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TETANUS (037)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.1	-	0.1	-	0.2	0.7	-	0.6
1979.....	0.1	-	0.1	-	0.4	0.2	0.2	0.5	0.4	0.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	-	-	0.4	0.6	-	-
1979.....	0.1	-	0.2	-	0.5	-	-	0.5	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TETANUS (037)										
ALL OTHER FEMALE										
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.1	-	0.2	-	-	0.8	-	0.8
1979.....	-	-	-	-	0.4	0.4	0.3	0.4	0.7	0.9
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.2	-	0.1	-	0.2	0.8	-	0.6
1979.....	0.1	-	0.1	-	0.4	0.3	0.2	0.5	0.5	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TETANUS (037)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	-	-	0.4	0.7	-	-
1979.....	0.2	-	0.2	-	0.5	-	-	0.6	-	-
BLACK FEMALE										
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.2	-	0.2	-	-	0.9	-	0.9
1979.....	-	-	-	-	0.2	0.4	0.3	0.4	0.8	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SEPTICEMIA (038)										
TOTAL, BOTH SEXES										
1998.....	1.8	2.8	4.5	7.2	11.6	19.0	30.2	47.9	83.9	175.3
1997.....	1.7	2.9	4.3	6.7	10.6	17.3	28.5	46.6	80.4	177.6
1996.....	1.8	2.6	4.1	6.0	10.7	16.6	27.5	46.4	78.8	172.7
1995.....	1.8	2.7	3.6	6.1	10.6	15.7	27.5	46.1	79.6	173.1
1994.....	1.8	2.5	3.8	6.1	10.1	15.7	26.1	44.9	79.4	175.6
1993.....	1.7	2.4	3.6	6.0	9.4	16.5	27.2	46.2	82.4	186.3
1992.....	1.8	2.6	3.7	5.8	9.8	16.0	27.1	44.6	80.1	178.5
1991.....	1.9	2.3	3.8	6.1	9.8	15.8	26.7	47.0	83.1	183.3
1990.....	1.7	2.4	3.9	6.0	10.0	15.7	27.5	46.6	81.4	183.7
1989.....	1.9	2.6	3.8	5.9	10.0	15.5	26.8	47.7	84.7	190.4
1988.....	1.9	2.5	4.1	6.6	11.6	18.6	31.5	53.0	97.2	203.2
1987.....	1.8	2.2	4.5	6.8	11.7	19.0	31.5	51.4	89.3	191.8
1986.....	1.8	2.5	4.1	6.9	11.2	18.0	28.9	50.2	86.7	184.1
1985.....	1.5	2.2	3.8	6.7	11.1	17.0	27.5	47.8	82.7	162.0
1984.....	1.5	2.3	3.6	5.9	10.3	14.9	26.0	39.4	70.9	143.7
1983.....	1.2	1.9	3.5	5.7	9.6	14.0	22.7	38.4	63.7	126.9
1982.....	1.2	1.8	3.2	5.4	8.3	12.1	20.5	32.5	55.9	106.9
1981.....	1.1	2.1	2.9	5.0	7.8	11.7	17.8	29.1	52.1	95.4
1980.....	1.0	1.6	3.0	4.9	6.8	10.9	17.3	26.8	49.6	87.8
1979.....	1.1	1.6	2.8	3.9	6.1	9.8	15.7	24.1	38.9	70.3
TOTAL, MALE										
1998.....	2.1	3.3	5.0	8.1	12.8	20.8	34.3	55.0	93.6	181.0
1997.....	1.8	3.4	4.8	6.7	12.1	20.0	34.1	55.6	88.4	184.1
1996.....	2.3	3.2	4.7	7.1	12.5	19.2	31.4	52.9	89.6	174.6
1995.....	2.1	3.2	4.1	7.2	12.1	17.9	31.5	52.7	91.0	181.7
1994.....	2.3	3.1	4.6	7.0	11.7	18.7	31.1	52.8	88.3	184.9
1993.....	2.1	3.0	4.1	7.0	10.4	19.6	31.9	55.3	100.1	192.3
1992.....	2.2	3.2	4.6	6.3	11.2	19.1	32.4	53.5	90.2	188.4
1991.....	2.4	2.7	4.7	6.9	11.7	19.2	31.4	57.3	93.5	197.7
1990.....	2.2	2.8	4.6	6.8	11.9	19.5	34.1	56.4	96.8	195.1
1989.....	2.3	3.1	4.6	6.7	12.0	18.8	33.2	56.8	98.9	201.9
1988.....	2.2	3.0	4.6	7.4	13.8	21.8	39.4	64.6	112.1	211.7
1987.....	2.3	2.5	4.9	8.0	13.9	23.0	40.1	62.2	104.7	214.9
1986.....	1.9	3.0	5.0	8.3	14.2	22.4	36.8	64.2	108.4	213.2
1985.....	1.8	2.7	4.4	8.0	14.0	20.6	37.3	59.0	100.0	183.4
1984.....	1.6	2.6	4.2	7.2	12.7	18.8	32.4	49.8	84.3	174.3
1983.....	1.5	2.2	4.2	7.1	12.0	18.2	27.9	49.2	80.5	148.0
1982.....	1.2	1.9	3.8	6.4	10.7	14.4	26.0	39.3	69.4	134.4
1981.....	1.3	2.6	3.5	6.2	9.4	14.5	21.9	35.8	65.3	119.3
1980.....	1.1	1.8	3.6	6.1	8.9	13.8	23.3	33.4	62.5	106.8
1979.....	1.0	2.0	3.3	4.3	7.5	12.2	19.4	31.0	51.5	89.6



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SEPTICEMIA (038)										
TOTAL, FEMALE										
1998.....	1.6	2.3	4.0	6.4	10.6	17.4	26.9	42.9	78.1	173.0
1997.....	1.6	2.5	3.8	6.7	9.2	15.0	24.2	40.3	75.7	174.9
1996.....	1.4	1.9	3.5	5.0	9.1	14.4	24.6	41.9	72.6	172.0
1995.....	1.6	2.3	3.2	5.0	9.3	13.8	24.4	41.5	73.2	169.8
1994.....	1.3	2.0	3.0	5.4	8.7	13.2	22.3	39.6	74.4	172.0
1993.....	1.3	1.9	3.1	5.1	8.6	13.9	23.7	40.1	72.7	184.0
1992.....	1.3	2.1	2.9	5.3	8.6	13.6	23.1	38.6	74.6	174.6
1991.....	1.3	1.9	2.9	5.4	8.0	13.1	23.1	40.3	77.6	177.8
1990.....	1.2	2.0	3.2	5.3	8.3	12.7	22.6	40.3	73.2	179.3
1989.....	1.5	2.2	3.1	5.2	8.3	12.9	22.0	41.9	77.2	185.9
1988.....	1.6	2.1	3.6	5.8	9.6	15.9	25.7	45.6	89.3	199.9
1987.....	1.3	1.8	4.1	5.6	9.8	15.7	25.3	44.6	81.2	182.7
1986.....	1.6	2.1	3.3	5.5	8.7	14.5	23.1	41.5	75.3	172.6
1985.....	1.2	1.7	3.2	5.5	8.6	14.0	20.4	40.7	73.7	153.5
1984.....	1.3	2.1	3.1	4.8	8.3	11.8	21.5	32.9	63.9	131.4
1983.....	0.8	1.7	2.8	4.5	7.4	10.7	18.9	31.7	54.8	118.3
1982.....	1.1	1.6	2.6	4.5	6.3	10.1	16.6	28.2	48.8	95.5
1981.....	1.0	1.7	2.3	3.9	6.3	9.4	14.8	24.8	45.1	85.2
1980.....	1.0	1.3	2.5	3.9	5.1	8.7	12.9	22.7	42.7	79.5
1979.....	1.1	1.2	2.3	3.5	4.9	8.0	13.1	19.7	32.1	61.7
WHITE, BOTH SEXES										
1998.....	1.5	2.0	3.6	5.7	9.5	16.5	27.1	43.5	77.4	165.5
1997.....	1.2	2.2	3.4	5.2	8.6	15.0	25.0	42.4	75.4	167.7
1996.....	1.2	1.8	3.1	4.6	9.0	14.8	24.4	42.7	73.9	163.7
1995.....	1.3	2.0	3.0	4.7	8.9	13.8	24.2	42.0	74.4	163.8
1994.....	1.3	1.9	3.0	5.3	8.3	13.9	23.2	41.7	73.2	167.8
1993.....	1.2	1.8	2.8	5.0	8.0	14.3	24.9	42.5	75.6	177.5
1992.....	1.1	2.0	2.8	4.5	8.3	13.6	24.2	41.0	74.5	169.9
1991.....	1.3	1.7	2.9	4.9	8.4	13.7	23.8	43.2	77.9	175.5
1990.....	1.2	1.7	3.0	4.8	8.5	13.7	24.4	42.9	75.6	175.6
1989.....	1.4	1.9	2.8	4.8	8.4	13.3	24.0	43.6	79.5	181.1
1988.....	1.3	1.8	3.1	5.3	9.7	15.9	28.5	48.4	91.3	194.2
1987.....	1.3	1.5	3.3	5.6	9.8	16.3	28.4	47.3	82.3	180.0
1986.....	1.2	1.9	3.0	5.6	9.2	16.1	26.1	46.0	80.7	174.6
1985.....	1.2	1.5	3.0	5.5	9.3	14.6	24.7	43.1	75.2	153.9
1984.....	1.0	1.6	2.8	4.8	8.8	13.0	22.7	36.0	64.8	136.2
1983.....	0.8	1.3	2.7	4.7	7.9	12.1	19.6	35.3	58.5	121.1
1982.....	0.8	1.3	2.5	4.2	7.1	10.8	18.1	29.5	52.0	101.3
1981.....	0.7	1.6	2.3	4.1	6.6	10.3	15.5	27.0	48.6	88.7
1980.....	0.7	1.2	2.3	3.9	5.9	9.1	15.2	24.1	46.0	82.7
1979.....	0.8	1.3	2.0	3.2	5.1	8.5	13.8	21.5	36.7	66.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SEPTICEMIA (038)										
WHITE MALE										
1998.....	1.7	2.4	3.9	6.3	10.5	18.6	31.5	50.1	87.3	172.4
1997.....	1.3	2.5	3.6	5.2	10.1	17.0	30.2	51.1	83.1	175.3
1996.....	1.6	2.2	3.5	5.3	10.2	16.9	27.9	49.6	82.9	167.2
1995.....	1.4	2.2	3.3	5.4	10.2	15.8	27.5	48.0	85.6	169.6
1994.....	1.6	2.3	3.6	6.2	9.4	16.5	27.6	48.4	82.5	179.5
1993.....	1.4	2.1	3.1	5.5	8.9	17.3	29.2	50.8	93.3	179.1
1992.....	1.4	2.4	3.3	4.9	9.6	16.5	29.0	49.7	82.8	179.2
1991.....	1.7	1.8	3.6	5.3	10.1	16.7	27.6	53.2	87.5	191.4
1990.....	1.5	1.9	3.4	5.4	10.3	17.3	30.6	52.3	89.8	188.3
1989.....	1.6	2.3	3.4	5.2	10.2	16.1	29.9	53.2	93.0	190.9
1988.....	1.5	2.1	3.3	5.9	11.4	18.5	35.7	59.9	105.0	203.1
1987.....	1.5	1.7	3.6	6.5	11.9	19.9	36.1	57.9	97.8	202.4
1986.....	1.2	2.2	3.6	6.5	11.8	20.0	32.7	58.5	102.6	202.3
1985.....	1.3	1.8	3.4	6.2	11.6	18.0	34.1	52.7	90.7	175.9
1984.....	1.0	1.8	3.3	5.9	11.3	16.7	28.4	45.7	78.0	164.6
1983.....	1.1	1.5	3.3	6.2	10.1	16.0	25.0	45.0	74.1	141.8
1982.....	1.0	1.3	3.1	5.2	9.1	13.2	23.0	36.2	65.4	127.2
1981.....	0.8	1.9	2.9	5.2	8.0	13.2	19.2	33.4	62.6	109.7
1980.....	0.7	1.4	2.8	4.8	7.7	11.4	21.0	30.0	59.2	99.9
1979.....	0.8	1.6	2.5	3.4	6.1	10.6	16.8	28.1	48.6	86.1
WHITE FEMALE										
1998.....	1.2	1.6	3.3	5.2	8.6	14.8	23.6	38.7	71.5	162.7
1997.....	1.2	1.9	3.1	5.2	7.3	13.2	20.9	36.3	70.9	164.6
1996.....	0.9	1.5	2.7	3.9	7.9	13.0	21.7	37.8	68.8	162.3
1995.....	1.3	1.7	2.7	4.1	7.8	12.1	21.6	37.9	68.1	161.5
1994.....	1.0	1.5	2.4	4.5	7.2	11.8	19.7	37.1	68.0	163.3
1993.....	1.0	1.5	2.6	4.5	7.2	11.8	21.6	36.8	66.0	176.9
1992.....	0.9	1.6	2.4	4.1	7.2	11.2	20.5	35.2	70.1	166.3
1991.....	0.9	1.6	2.2	4.5	6.9	11.2	21.0	36.7	72.8	169.6
1990.....	0.8	1.5	2.5	4.3	6.9	10.8	19.9	36.7	68.0	170.8
1989.....	1.2	1.5	2.2	4.4	6.8	11.1	19.7	37.5	72.4	177.5
1988.....	1.1	1.5	2.9	4.7	8.1	13.8	23.1	41.1	84.2	190.8
1987.....	1.1	1.3	3.1	4.7	8.0	13.3	22.7	40.6	74.2	171.4
1986.....	1.2	1.6	2.4	4.6	6.9	12.8	21.2	38.1	69.3	163.8
1985.....	1.0	1.2	2.6	4.7	7.2	11.8	17.7	37.0	67.0	145.3
1984.....	0.9	1.5	2.3	3.8	6.6	9.9	18.6	29.9	58.0	124.9
1983.....	0.6	1.1	2.2	3.4	5.9	9.0	15.7	29.3	50.3	112.8
1982.....	0.7	1.3	2.0	3.3	5.4	9.0	14.5	25.4	44.9	90.7
1981.....	0.6	1.3	1.8	3.2	5.3	8.0	12.9	23.1	41.2	80.0
1980.....	0.7	1.0	1.8	3.0	4.3	7.2	11.0	20.4	39.1	75.3
1979.....	0.7	1.0	1.6	2.9	4.2	6.8	11.7	17.4	30.4	58.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SEPTICEMIA (038)										
ALL OTHER, BOTH SEXES										
1998.....	3.8	6.8	9.9	16.6	24.9	35.1	54.7	87.8	149.4	268.2
1997.....	4.1	6.8	9.9	15.7	23.1	33.0	57.8	84.8	130.6	271.9
1996.....	4.9	6.7	9.9	15.1	21.9	29.2	54.2	80.8	128.4	259.7
1995.....	4.5	7.0	7.8	14.2	21.8	29.4	56.2	84.4	133.1	268.1
1994.....	4.3	6.3	8.7	11.3	22.3	28.7	52.1	76.0	142.5	256.2
1993.....	4.2	6.3	8.0	12.6	19.5	33.0	47.6	81.8	151.7	277.2
1992.....	5.1	6.5	9.0	14.0	20.6	35.2	52.7	78.3	137.3	269.0
1991.....	5.1	5.9	9.2	14.0	19.9	33.0	52.2	83.0	137.8	265.3
1990.....	5.1	6.5	9.6	14.0	21.2	32.1	55.3	81.8	141.8	269.9
1989.....	4.9	6.9	10.4	13.5	22.5	34.1	51.9	86.1	139.9	288.3
1988.....	5.7	6.9	10.7	15.7	26.6	41.1	59.5	96.6	159.4	298.4
1987.....	4.9	6.3	12.2	15.3	26.5	42.3	60.4	90.6	164.6	318.3
1986.....	5.0	6.3	11.5	16.6	28.2	35.2	54.9	91.0	151.5	288.3
1985.....	3.7	6.4	9.2	16.4	26.9	37.6	53.9	92.9	164.9	250.0
1984.....	4.6	6.8	9.5	14.9	23.4	32.2	56.8	72.7	138.1	226.7
1983.....	3.2	6.1	8.8	13.8	24.1	30.8	51.3	68.6	121.4	190.4
1982.....	3.4	5.0	7.9	15.3	19.1	22.7	43.3	60.9	100.8	170.4
1981.....	3.9	5.7	6.8	11.8	18.3	24.0	38.9	48.8	92.9	171.1
1980.....	2.9	4.1	9.1	13.9	15.6	27.4	37.4	53.8	91.6	146.6
1979.....	2.9	3.6	8.5	10.1	15.0	21.7	34.0	48.9	64.7	110.9
ALL OTHER MALE										
1998.....	4.1	8.1	12.2	20.6	28.7	36.8	58.3	100.5	159.3	256.4
1997.....	4.5	8.2	12.6	16.0	26.4	41.9	68.5	98.4	142.9	260.5
1996.....	6.3	9.3	12.5	19.5	28.9	36.4	62.8	84.7	159.2	239.2
1995.....	5.8	9.0	9.7	19.2	26.3	34.3	68.9	100.0	147.2	295.4
1994.....	6.1	8.3	11.5	12.2	28.5	36.1	63.3	96.7	147.2	236.0
1993.....	5.8	8.7	10.3	16.8	21.5	38.0	56.7	101.0	169.9	315.5
1992.....	6.9	8.4	12.9	15.8	24.1	40.6	64.2	91.0	163.9	274.3
1991.....	6.9	8.1	11.8	17.6	25.1	40.3	68.0	98.3	152.7	255.8
1990.....	6.7	8.4	12.6	17.2	25.1	38.7	68.2	96.1	166.6	258.0
1989.....	6.7	7.9	12.8	17.7	27.2	43.0	65.2	91.4	157.9	303.7
1988.....	6.9	8.9	13.7	19.1	33.8	51.7	75.8	109.6	182.9	291.1
1987.....	7.3	8.0	14.5	19.2	31.2	51.4	78.2	103.3	174.1	332.5
1986.....	6.2	8.1	14.8	22.5	35.6	44.5	75.7	117.6	167.6	316.0
1985.....	4.8	8.6	11.6	22.7	35.6	44.5	67.7	117.5	192.4	254.8
1984.....	5.7	8.2	11.1	17.8	25.3	38.1	69.7	88.1	148.5	265.3
1983.....	4.4	7.2	10.9	14.8	29.1	38.7	55.6	88.8	146.4	204.3
1982.....	3.0	6.1	9.2	17.2	25.1	26.1	54.0	67.7	110.6	204.5
1981.....	4.6	7.4	8.2	14.7	22.5	27.1	47.3	58.1	93.4	214.1
1980.....	3.5	5.4	10.6	17.6	19.8	35.3	45.1	65.9	97.4	177.7
1979.....	2.8	4.8	9.9	12.3	20.7	25.8	43.9	56.6	82.6	127.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SEPTICEMIA (038)										
ALL OTHER FEMALE										
1998.....	3.5	5.7	8.1	13.3	22.1	33.9	52.2	79.3	143.7	273.6
1997.....	3.7	5.6	7.6	15.4	20.5	26.4	50.4	76.0	123.7	277.1
1996.....	3.6	4.4	7.7	11.4	16.5	23.9	48.2	78.3	111.2	269.0
1995.....	3.5	5.4	6.3	10.1	18.4	25.7	47.4	74.4	125.3	256.3
1994.....	2.8	4.6	6.3	10.5	17.5	23.2	44.4	63.0	139.9	265.0
1993.....	2.7	4.3	6.1	9.2	17.9	29.4	41.3	69.8	141.6	260.4
1992.....	3.5	5.0	5.6	12.5	18.0	31.1	44.8	70.5	122.3	266.6
1991.....	3.6	4.0	7.0	11.1	16.0	27.7	41.5	73.5	128.8	268.3
1990.....	3.7	4.9	7.0	11.4	18.2	27.2	46.5	72.9	127.8	275.3
1989.....	3.4	6.0	8.3	10.1	19.0	27.4	42.9	82.8	129.7	281.1
1988.....	4.6	5.3	8.2	12.9	21.0	33.2	48.6	88.4	145.1	301.8
1987.....	2.8	4.8	10.2	12.2	22.9	35.5	48.2	82.4	159.2	311.7
1986.....	4.0	4.8	8.6	11.7	22.4	28.3	40.6	73.8	143.1	275.0
1985.....	2.7	4.5	7.2	11.2	20.2	32.4	44.4	76.8	148.9	249.3
1984.....	3.7	5.6	8.1	12.6	21.9	27.6	47.7	62.5	131.2	207.6
1983.....	2.3	5.0	7.1	13.0	20.1	24.9	48.3	55.1	106.7	183.5
1982.....	3.8	4.1	6.9	13.8	14.4	20.2	35.7	56.1	94.9	151.9
1981.....	3.2	4.3	5.7	9.5	15.0	21.7	32.6	42.5	92.7	149.2
1980.....	2.4	3.0	7.8	10.8	12.2	21.4	31.7	45.6	88.0	130.6
1979.....	3.1	2.6	7.5	8.2	10.4	18.6	26.5	43.4	54.0	103.5
BLACK, BOTH SEXES										
1998.....	5.0	9.0	13.0	20.9	31.6	44.0	66.2	107.3	178.0	314.5
1997.....	5.3	8.8	13.3	19.7	28.8	41.0	71.2	100.8	157.6	316.6
1996.....	6.4	8.7	13.0	18.9	27.3	35.8	67.0	96.4	152.8	301.8
1995.....	5.9	8.9	9.8	18.1	26.6	35.0	67.7	99.4	148.3	295.2
1994.....	5.7	8.2	10.7	13.8	28.1	34.1	62.0	88.8	162.2	286.9
1993.....	5.4	8.1	9.9	15.3	23.5	39.5	56.8	92.7	171.4	303.5
1992.....	6.5	8.2	11.5	17.0	24.5	42.4	60.2	90.9	156.3	301.1
1991.....	6.8	7.5	11.6	17.3	24.4	39.2	62.0	92.0	152.9	289.2
1990.....	6.7	8.2	11.6	16.5	25.4	38.2	64.7	93.5	157.1	292.0
1989.....	6.4	8.6	13.0	16.0	27.2	40.4	60.8	96.5	156.7	312.7
1988.....	7.5	8.9	12.7	19.0	32.2	47.2	69.0	107.8	174.6	322.4
1987.....	6.3	7.8	14.2	18.4	31.2	49.9	68.5	100.9	180.6	346.2
1986.....	6.4	7.3	14.1	19.1	34.0	40.1	61.6	101.8	164.3	305.5
1985.....	4.7	7.3	11.1	19.2	30.9	42.4	60.5	105.0	177.6	273.3
1984.....	5.5	8.3	11.1	17.5	27.5	35.9	63.9	82.4	149.6	248.9
1983.....	3.9	7.0	10.0	16.0	27.5	33.9	57.4	75.2	132.6	204.3
1982.....	4.1	5.8	9.3	16.8	21.5	25.2	46.5	66.8	110.1	181.3
1981.....	4.7	6.4	7.9	13.2	20.8	26.6	42.0	53.5	102.9	185.1
1980.....	3.3	4.6	10.4	15.7	17.1	30.4	40.7	59.5	97.4	159.1
1979.....	3.4	3.6	9.6	11.1	16.3	23.5	36.7	51.5	70.1	117.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SEPTICEMIA (038)										
BLACK MALE										
1998.....	5.6	10.7	16.3	26.5	37.1	46.2	69.5	124.0	197.4	311.6
1997.....	5.8	10.7	17.1	20.4	34.4	52.0	85.4	120.1	175.9	313.1
1996.....	8.4	12.2	17.4	24.9	36.1	43.8	77.6	102.9	195.6	288.0
1995.....	7.3	11.9	12.7	25.8	32.0	40.4	85.6	119.8	164.9	321.9
1994.....	8.0	11.2	14.4	15.2	36.1	43.8	76.8	115.5	172.3	269.7
1993.....	7.6	11.2	12.7	21.4	26.1	45.5	68.7	118.3	193.3	352.2
1992.....	9.0	11.1	17.0	19.7	28.8	49.9	74.2	110.5	192.0	321.5
1991.....	9.1	10.4	15.3	22.2	30.3	48.2	81.8	109.9	172.3	289.9
1990.....	8.6	10.7	15.8	20.0	30.4	46.3	80.6	110.8	194.2	288.2
1989.....	8.6	10.4	16.6	21.6	33.2	51.3	76.2	102.8	183.5	337.9
1988.....	9.2	11.8	16.7	23.0	41.1	59.1	89.6	122.0	211.7	312.3
1987.....	9.8	9.8	17.6	23.4	36.9	61.7	89.2	116.6	198.9	370.3
1986.....	8.0	9.8	18.1	26.4	43.4	50.1	86.3	133.7	182.2	336.5
1985.....	6.4	9.7	14.0	27.4	41.2	50.1	77.6	137.1	206.9	282.3
1984.....	7.1	10.3	12.7	20.6	30.4	42.7	80.8	102.4	160.7	293.4
1983.....	5.7	8.3	12.7	17.4	33.0	43.0	62.3	98.8	161.0	225.0
1982.....	3.3	7.6	10.9	19.6	28.2	29.0	59.9	77.0	121.3	220.7
1981.....	5.6	8.4	9.5	16.5	25.8	30.9	51.5	63.9	105.2	230.4
1980.....	4.2	6.0	12.4	20.1	22.0	39.4	49.0	75.2	104.0	198.1
1979.....	3.0	4.6	11.0	14.2	22.3	28.4	48.2	58.4	88.3	138.5
BLACK FEMALE										
1998.....	4.4	7.6	10.3	16.5	27.5	42.3	63.9	96.6	167.8	315.7
1997.....	4.9	7.1	10.3	19.2	24.6	32.7	61.5	88.7	148.1	318.0
1996.....	4.7	5.8	9.5	14.2	20.8	29.9	59.9	92.3	130.7	307.4
1995.....	4.8	6.4	7.5	12.1	22.6	30.9	55.7	86.8	139.9	284.3
1994.....	3.7	5.6	7.6	12.7	22.1	26.9	52.0	72.6	157.0	293.8
1993.....	3.6	5.5	7.6	10.4	21.6	35.0	48.8	77.5	160.1	283.6
1992.....	4.4	5.8	6.9	14.9	21.3	36.9	50.9	79.5	137.8	292.6
1991.....	4.9	5.1	8.6	13.5	19.9	32.6	48.9	81.5	142.9	289.0
1990.....	5.0	6.1	8.2	13.8	21.7	32.3	54.3	83.3	137.9	293.5
1989.....	4.6	7.1	10.0	11.6	22.6	32.5	50.8	92.7	142.7	303.9
1988.....	6.0	6.5	9.4	15.8	25.5	38.6	55.3	99.3	155.1	326.8
1987.....	3.4	6.1	11.4	14.3	26.7	41.4	54.8	91.3	170.8	335.4
1986.....	5.0	5.3	10.7	13.1	26.8	32.7	45.2	82.2	154.5	291.3
1985.....	3.3	5.3	8.8	12.6	23.0	36.8	49.2	85.0	161.4	269.2
1984.....	4.1	6.7	9.8	15.0	25.2	30.9	52.6	69.9	143.4	227.9
1983.....	*	6.0	7.7	14.9	23.2	27.3	54.2	59.8	116.6	194.4
1982.....	4.8	4.4	8.0	14.6	16.2	22.3	37.2	60.6	103.6	161.9
1981.....	3.9	4.7	6.5	10.5	16.9	23.5	35.4	46.7	101.5	161.1
1980.....	2.5	3.5	8.8	12.1	13.1	23.8	34.9	49.4	93.5	139.6
1979.....	3.7	2.8	8.4	8.5	11.5	19.9	28.3	46.6	58.9	106.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.3	0.5	0.5	1.0	1.5	1.9	3.3	5.0
1997.....	0.1	0.2	0.3	0.4	0.8	0.9	1.6	2.0	3.5	4.5
1996.....	0.2	0.3	0.3	0.5	0.7	1.1	1.4	2.0	2.9	4.5
1995.....	0.2	0.2	0.3	0.4	0.7	0.9	1.3	2.3	2.8	4.3
1994.....	0.2	0.3	0.4	0.5	0.7	0.8	1.3	1.9	2.8	4.3
1993.....	0.3	0.3	0.3	0.5	0.8	1.0	1.4	2.1	2.7	5.0
1992.....	0.3	0.3	0.4	0.4	0.7	1.0	1.3	2.2	2.6	4.1
1991.....	0.3	0.2	0.4	0.4	0.6	1.1	1.5	1.9	2.9	3.7
1990.....	0.3	0.4	0.2	0.5	0.6	1.1	1.4	2.0	2.8	4.4
1989.....	0.2	*	0.4	0.4	0.8	1.0	1.0	2.1	2.7	4.2
1988.....	0.2	0.2	0.3	0.4	0.6	0.8	1.1	1.4	2.5	4.1
1987.....	0.2	0.2	0.3	0.3	0.6	0.8	1.2	1.6	2.6	3.7
1986.....	0.4	0.4	0.4	0.5	0.7	0.9	1.5	1.8	2.3	4.0
1985.....	0.3	0.3	0.4	0.4	0.7	1.1	1.4	1.7	2.6	3.9
1984.....	0.2	0.2	0.3	0.4	0.8	0.8	1.1	1.9	2.4	3.2
1983.....	0.2	*	0.4	0.5	0.5	1.0	1.1	1.8	2.3	3.0
1982.....	0.2	*	0.3	0.4	0.6	0.9	1.2	1.1	2.1	2.9
1981.....	*	*	0.3	0.5	0.6	0.8	1.0	1.3	1.8	3.1
1980.....	0.1	0.2	0.3	0.5	0.5	0.7	0.9	1.6	1.6	3.0
1979.....	0.1	0.2	0.1	0.3	0.3	0.7	0.8	1.1	2.0	2.6
TOTAL, MALE										
1998.....	0.2	0.3	*	0.6	0.7	1.3	1.8	2.3	3.7	5.2
1997.....	0.2	0.2	0.4	0.5	0.9	1.1	1.8	2.3	4.3	5.8
1996.....	0.3	0.4	0.4	0.6	1.0	1.2	1.5	2.3	4.0	7.2
1995.....	0.4	0.4	0.3	0.5	0.8	1.2	1.8	3.0	3.5	6.6
1994.....	0.3	0.4	0.5	0.7	0.8	1.1	1.5	2.6	3.5	6.0
1993.....	0.4	0.3	0.3	0.6	1.0	1.4	1.9	2.4	3.8	6.7
1992.....	0.5	0.5	0.5	0.6	0.7	1.4	1.7	2.6	3.4	4.4
1991.....	0.6	0.4	0.5	0.5	0.7	1.5	2.0	2.8	4.6	5.4
1990.....	0.5	0.5	*	0.7	0.8	1.4	1.9	2.3	3.7	5.7
1989.....	0.4	*	0.4	0.6	1.1	1.3	1.4	3.0	4.2	4.6
1988.....	*	*	0.5	0.5	0.8	1.2	1.8	2.0	3.2	3.8
1987.....	0.3	0.4	0.5	0.5	0.9	0.9	1.5	2.1	3.3	4.8
1986.....	0.7	0.6	0.5	0.7	1.0	1.2	2.1	2.5	3.1	7.2
1985.....	0.5	0.4	0.5	0.6	0.8	1.5	1.7	2.3	3.9	4.3
1984.....	*	*	0.4	0.7	1.1	1.0	1.5	2.3	3.6	4.8
1983.....	*	*	0.4	0.5	0.8	1.1	1.4	2.4	4.0	4.1
1982.....	*	*	0.4	0.5	0.9	1.2	1.6	1.5	3.1	4.9
1981.....	*	*	0.4	0.6	0.7	1.1	1.4	1.5	2.6	3.6
1980.....	0.1	0.2	0.4	0.7	0.7	0.9	1.4	2.2	2.2	3.7
1979.....	0.1	0.2	0.2	0.5	0.4	0.9	1.0	1.3	3.1	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)										
TOTAL, FEMALE										
1998.....	0.2	0.2	0.3	0.4	0.4	0.8	1.3	1.6	3.0	5.0
1997.....	*	*	*	0.4	0.7	0.8	1.5	1.7	3.0	4.0
1996.....	*	0.3	*	0.4	0.4	0.9	1.3	1.8	2.3	3.4
1995.....	*	*	*	0.4	0.6	0.8	0.9	1.9	2.4	3.4
1994.....	*	*	0.3	*	0.6	0.6	1.1	1.5	2.4	3.7
1993.....	*	*	*	*	0.6	0.6	1.0	1.8	2.1	4.4
1992.....	*	*	*	*	0.7	0.6	1.0	1.9	2.2	4.0
1991.....	*	*	*	*	0.5	0.7	1.1	1.4	2.0	3.1
1990.....	*	*	*	*	0.4	0.8	1.0	1.9	2.3	3.9
1989.....	*	*	*	*	0.6	0.8	0.7	1.6	1.9	4.1
1988.....	*	*	*	*	0.3	0.5	0.7	1.1	2.1	4.2
1987.....	*	*	*	*	0.4	0.7	0.9	1.2	2.3	3.3
1986.....	*	*	*	*	0.5	0.6	1.1	1.4	1.8	2.8
1985.....	*	*	*	*	0.5	0.9	1.1	1.3	1.9	3.7
1984.....	*	*	*	*	0.4	0.7	0.9	1.7	1.8	2.5
1983.....	*	*	0.3	0.4	*	0.8	0.9	1.4	1.3	2.6
1982.....	*	*	*	*	0.4	0.7	1.0	0.9	1.6	2.0
1981.....	*	*	*	0.4	0.5	0.5	0.8	1.1	1.4	2.9
1980.....	0.1	0.1	0.2	0.3	0.3	0.5	0.6	1.3	1.3	2.8
1979.....	0.1	0.1	0.1	0.2	0.2	0.5	0.7	1.0	1.4	2.3
WHITE, BOTH SEXES										
1998.....	0.2	0.2	0.2	0.5	0.5	1.0	1.4	1.8	3.2	4.9
1997.....	0.1	0.2	0.2	0.4	0.8	0.9	1.6	2.0	3.3	4.4
1996.....	0.2	0.3	0.3	0.4	0.6	1.0	1.3	1.9	2.9	4.4
1995.....	0.2	0.2	0.3	0.4	0.7	0.9	1.3	2.3	2.7	4.3
1994.....	0.2	0.3	0.4	0.5	0.6	0.8	1.1	2.0	2.7	4.3
1993.....	0.2	0.2	0.3	0.4	0.7	1.0	1.4	2.0	2.5	4.9
1992.....	0.2	0.2	0.3	0.5	0.6	0.9	1.2	2.1	2.4	4.2
1991.....	0.3	0.2	0.4	0.4	0.6	1.0	1.5	1.9	2.8	3.8
1990.....	0.3	0.3	*	0.5	0.6	1.1	1.3	1.9	2.7	4.2
1989.....	0.2	*	0.4	0.4	0.8	1.0	1.0	2.1	2.6	4.2
1988.....	*	*	0.3	0.4	0.5	0.8	1.0	1.4	2.4	4.0
1987.....	0.2	*	0.3	0.3	0.6	0.7	1.1	1.6	2.7	3.7
1986.....	0.4	0.4	0.4	0.4	0.6	0.9	1.5	1.9	2.3	4.1
1985.....	0.3	0.3	0.4	0.4	0.6	1.1	1.3	1.6	2.6	3.8
1984.....	*	*	0.3	0.5	0.8	0.9	1.1	1.7	2.1	3.2
1983.....	*	*	0.3	0.3	0.5	0.9	1.1	1.7	2.3	3.0
1982.....	*	*	0.3	0.3	0.5	0.9	1.1	1.0	2.0	2.7
1981.....	*	*	0.3	0.4	0.5	0.7	1.0	1.2	1.8	3.0
1980.....	0.1	0.1	0.3	0.5	0.5	0.6	0.9	1.5	1.6	2.9
1979.....	0.1	0.2	0.1	0.3	0.3	0.7	0.8	1.1	1.9	2.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)										
WHITE MALE										
1998.....	*	0.3	*	0.5	0.7	1.3	1.6	2.3	3.6	5.4
1997.....	*	*	*	0.5	0.9	1.0	1.7	2.3	4.3	5.6
1996.....	*	0.3	*	0.5	0.9	1.1	1.6	2.2	3.8	7.0
1995.....	0.3	0.4	0.3	0.5	0.8	1.2	1.8	3.0	3.4	6.4
1994.....	0.3	0.4	0.4	0.6	0.7	1.0	1.3	2.7	3.1	5.6
1993.....	0.3	*	*	0.5	0.9	1.4	1.8	2.4	3.5	6.4
1992.....	0.4	0.4	0.4	0.7	0.6	1.4	1.4	2.7	3.2	4.1
1991.....	0.4	0.4	0.5	0.5	0.7	1.4	2.1	2.7	4.4	5.5
1990.....	0.5	0.5	*	0.6	0.8	1.5	1.7	2.3	3.7	5.5
1989.....	0.3	*	*	0.6	1.0	1.2	1.2	3.0	4.0	4.5
1988.....	*	*	0.5	0.6	0.8	1.1	1.5	2.0	3.3	3.4
1987.....	*	*	*	0.4	0.9	0.8	1.4	2.2	3.5	4.7
1986.....	0.7	0.5	*	0.6	0.8	1.2	2.0	2.6	3.1	7.2
1985.....	0.5	*	0.5	0.6	0.9	1.4	1.7	2.1	3.9	4.7
1984.....	*	*	*	0.7	1.2	1.0	1.5	2.1	3.1	4.7
1983.....	*	*	*	*	0.7	1.0	1.4	2.2	4.1	4.2
1982.....	*	*	0.4	0.4	0.8	1.2	1.5	1.3	2.9	4.3
1981.....	*	*	*	0.6	0.5	1.0	1.3	1.4	2.7	3.1
1980.....	0.1	0.1	0.3	0.7	0.7	0.8	1.4	2.0	2.1	3.5
1979.....	0.1	0.2	0.2	0.4	0.4	0.9	1.0	1.3	2.9	3.6
WHITE FEMALE										
1998.....	*	*	*	0.5	*	0.8	1.2	1.5	2.9	4.7
1997.....	*	*	*	*	0.7	0.8	1.5	1.7	2.8	3.9
1996.....	*	0.3	*	*	*	0.9	1.2	1.8	2.5	3.4
1995.....	*	*	*	*	0.6	0.7	0.8	1.9	2.3	3.4
1994.....	*	*	*	*	0.6	0.6	1.0	1.4	2.4	3.8
1993.....	*	*	*	*	0.5	0.6	1.1	1.8	1.9	4.4
1992.....	*	*	*	*	0.6	0.6	1.0	1.8	2.0	4.2
1991.....	*	*	*	*	0.5	0.7	1.0	1.3	2.0	3.1
1990.....	*	*	*	*	*	0.8	0.9	1.7	2.2	3.6
1989.....	*	*	*	*	0.6	0.7	0.8	1.5	1.9	4.1
1988.....	*	*	*	*	*	0.5	0.7	1.0	2.0	4.2
1987.....	*	*	*	*	0.4	0.7	0.9	1.2	2.3	3.3
1986.....	*	*	*	*	0.5	0.6	1.2	1.5	1.9	2.9
1985.....	*	*	*	*	0.5	0.8	1.0	1.3	1.9	3.5
1984.....	*	*	*	*	0.4	0.7	0.8	1.5	1.6	2.6
1983.....	*	*	*	*	*	0.8	0.8	1.4	1.3	2.5
1982.....	*	*	*	*	*	0.6	0.9	0.8	1.5	2.0
1981.....	*	*	*	*	0.4	0.5	0.7	1.1	1.3	3.0
1980.....	0.0	0.1	0.2	0.3	0.2	0.5	0.6	1.2	1.3	2.6
1979.....	0.1	0.2	0.1	0.3	0.3	0.5	0.6	1.1	1.4	2.1



CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	2.8	2.7	*	5.9
1997.....	*	*	*	*	*	*	2.2	*	5.3	5.7
1996.....	*	*	*	*	*	1.7	*	*	*	5.6
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	2.7	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.5	0.6	0.7	0.6	1.2	0.8	3.2	1.3	4.5
1979.....	0.1	-	0.2	0.3	0.4	0.8	1.3	0.9	3.1	3.4

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	1.2	0.9	0.9	2.1	1.1	3.9	2.3	4.9
1979.....	0.1	-	0.2	0.5	0.7	0.8	1.1	1.6	4.7	1.7

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	0.1	0.5	0.4	0.6	0.5	2.7	0.7	4.2
1979.....	0.1	-	0.1	0.2	0.2	0.8	1.4	0.4	2.2	4.4
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	3.3	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	0.4	0.7	0.7	1.2	0.9	2.8	1.5	5.0
1979.....	0.2	-	0.2	0.3	0.5	0.9	0.9	0.8	3.5	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.6	0.8	0.9	1.0	1.8	1.3	3.3	2.7	5.7
1979.....	0.2	-	0.2	0.4	0.8	0.9	-	1.9	5.2	1.9

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.6	0.2	0.5	0.4	0.7	0.6	2.6	0.8	4.7
1979.....	0.1	-	0.2	0.2	0.2	0.9	1.6	-	2.4	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VIRAL DISEASES (*042-*044,045-079)										
TOTAL, BOTH SEXES										
1998.....	16.0	15.2	10.8	8.7	7.9	7.3	7.7	8.0	8.5	10.2
1997.....	18.4	16.1	10.6	9.1	8.1	7.4	7.6	7.6	8.9	9.3
1996.....	33.3	25.6	17.8	13.2	10.3	8.5	8.2	8.2	7.7	9.1
1995.....	45.1	33.6	22.7	16.5	12.2	9.3	8.4	7.4	8.0	9.7
1994.....	44.8	31.7	22.4	15.8	11.0	8.8	7.6	8.2	7.5	8.9
1993.....	38.7	28.2	19.8	13.3	10.0	7.8	6.6	7.1	6.9	9.1
1992.....	34.8	25.2	17.5	12.4	9.3	7.0	5.9	6.2	6.7	8.2
1991.....	29.8	22.9	16.1	11.1	8.6	6.2	6.0	5.9	6.1	8.4
1990.....	25.8	19.2	13.1	9.8	6.6	5.8	5.5	5.6	7.2	9.7
1989.....	21.8	16.6	11.9	8.5	6.2	5.4	5.2	5.3	6.4	10.2
1988.....	16.2	11.9	9.7	6.7	5.4	4.7	5.0	5.4	5.9	10.6
1987.....	13.0	10.7	6.8	6.1	4.5	4.1	4.9	4.8	5.1	8.5
1986.....	0.9	1.1	1.4	1.6	1.8	2.6	3.3	3.8	5.2	9.0
1985.....	0.9	1.0	1.0	1.4	2.0	2.4	3.1	3.7	4.6	9.4
1984.....	0.7	0.9	0.9	1.3	1.8	2.3	2.9	3.2	5.0	8.7
1983.....	0.6	0.7	1.0	1.4	1.9	2.4	3.1	3.6	4.6	8.0
1982.....	0.6	0.7	1.1	1.3	1.9	2.6	2.9	3.7	4.0	8.0
1981.....	0.6	0.9	1.1	1.4	1.9	2.5	2.8	3.6	5.0	8.4
1980.....	0.4	0.8	1.0	1.3	1.8	2.4	3.0	3.7	4.9	10.7
1979.....	0.5	0.8	0.9	1.3	1.8	2.0	2.3	2.8	4.1	6.4
TOTAL, MALE										
1998.....	25.2	24.7	17.4	13.0	11.1	9.5	9.3	9.1	10.8	11.7
1997.....	29.5	26.0	17.1	14.3	11.7	10.1	8.8	9.1	10.3	11.0
1996.....	55.4	43.3	30.5	21.9	15.9	11.7	10.9	10.0	9.2	11.5
1995.....	77.3	58.5	40.4	28.0	19.8	13.6	10.6	8.9	10.1	11.5
1994.....	78.4	56.5	39.9	27.1	18.0	13.0	10.3	10.2	9.2	11.4
1993.....	68.5	51.1	35.9	23.3	16.5	11.6	9.1	9.3	9.5	10.6
1992.....	62.5	46.2	32.7	21.6	16.0	11.1	8.0	8.6	8.5	10.7
1991.....	54.4	42.2	29.3	19.5	14.5	9.4	8.4	7.1	9.0	9.8
1990.....	47.7	36.2	24.4	17.7	11.0	8.7	6.7	7.2	8.8	9.6
1989.....	40.6	31.4	22.2	15.3	10.9	8.1	7.4	7.0	7.9	11.7
1988.....	30.1	22.6	17.8	11.7	8.5	7.0	6.9	7.0	8.5	12.7
1987.....	24.5	20.3	12.5	10.7	7.6	6.1	6.7	6.0	6.8	9.1
1986.....	1.5	1.7	1.9	2.2	2.4	3.2	4.3	5.0	5.9	8.5
1985.....	1.3	1.4	1.2	1.6	2.3	2.9	3.8	4.6	5.3	10.0
1984.....	1.0	1.1	1.1	1.6	2.3	2.6	3.5	3.5	5.5	7.5
1983.....	0.7	0.8	1.2	1.4	2.3	3.0	3.9	4.3	5.3	8.5
1982.....	0.6	0.7	1.4	1.4	2.2	2.9	3.2	4.8	4.7	10.0
1981.....	0.7	1.0	1.3	1.7	2.2	2.9	2.8	4.1	6.0	9.3
1980.....	0.5	0.9	1.0	1.4	2.0	2.7	3.3	4.0	5.6	9.7
1979.....	0.5	0.9	1.0	1.3	2.0	2.5	2.6	3.2	5.7	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

VIRAL DISEASES (\*042-\*044,045-079)

## TOTAL, FEMALE

1998.....	7.0	6.1	4.5	4.8	5.0	5.5	6.4	7.1	7.2	9.5
1997.....	7.5	6.5	4.5	4.3	4.8	5.2	6.7	6.6	8.1	8.7
1996.....	11.7	8.4	5.7	5.2	5.4	5.9	6.1	6.9	6.7	8.2
1995.....	13.6	9.7	6.0	5.8	5.4	5.8	6.7	6.4	6.8	9.0
1994.....	12.0	7.9	5.9	5.4	4.9	5.3	5.5	6.8	6.5	8.0
1993.....	9.6	6.1	4.6	4.0	4.2	4.6	4.7	5.6	5.4	8.6
1992.....	7.8	5.0	3.1	3.9	3.4	3.7	4.3	4.6	5.7	7.3
1991.....	5.8	4.3	3.6	3.4	3.4	3.7	4.2	5.1	4.5	7.8
1990.....	4.5	2.8	2.3	2.6	2.8	3.5	4.5	4.6	6.3	9.7
1989.....	3.6	2.4	2.3	2.2	2.2	3.3	3.6	4.2	5.6	9.6
1988.....	2.7	1.7	2.0	2.1	2.8	2.9	3.6	4.3	4.6	9.8
1987.....	1.9	1.5	1.3	1.9	1.9	2.4	3.6	4.1	4.2	8.2
1986.....	0.4	0.5	0.9	1.1	1.3	2.1	2.6	3.0	4.8	9.3
1985.....	0.4	0.7	0.7	1.2	1.6	1.9	2.7	3.2	4.2	9.1
1984.....	0.4	0.6	0.6	1.0	1.4	2.0	2.5	3.0	4.7	9.1
1983.....	0.4	0.6	0.9	1.4	1.5	1.9	2.6	3.1	4.3	7.8
1982.....	0.6	0.7	0.9	1.3	1.7	2.3	2.6	3.1	3.6	7.2
1981.....	0.5	0.8	0.9	1.1	1.7	2.1	2.8	3.2	4.5	8.1
1980.....	0.4	0.6	0.9	1.3	1.7	2.2	2.7	3.5	4.5	11.1
1979.....	0.5	0.7	0.8	1.2	1.6	1.6	2.0	2.6	3.3	6.6

## WHITE, BOTH SEXES

1998.....	10.1	9.8	7.2	5.7	6.1	6.2	6.9	7.7	8.2	10.6
1997.....	11.5	10.0	6.9	6.2	5.6	6.1	6.7	7.0	8.8	9.3
1996.....	21.7	17.2	12.2	9.1	7.6	6.9	6.9	7.7	7.3	9.2
1995.....	31.6	24.1	16.8	12.3	8.9	7.6	7.6	7.0	7.9	9.9
1994.....	32.6	23.5	16.8	11.5	8.4	7.1	6.5	7.8	7.4	9.4
1993.....	28.7	21.9	15.7	10.5	8.3	6.5	6.1	6.7	7.0	9.4
1992.....	26.9	20.6	14.5	9.6	7.7	6.0	5.4	6.2	6.5	8.3
1991.....	23.9	19.0	13.0	9.5	7.4	5.4	5.8	5.7	6.0	8.6
1990.....	21.6	16.7	11.4	8.3	5.7	5.3	5.2	5.7	7.0	9.9
1989.....	17.8	14.5	10.3	7.5	5.6	5.0	5.1	5.3	6.4	10.5
1988.....	13.5	10.4	8.4	5.8	5.0	4.5	4.9	5.2	6.2	11.3
1987.....	11.1	9.2	6.0	5.6	4.1	3.9	5.0	4.8	5.1	8.7
1986.....	1.0	1.0	1.3	1.6	1.8	2.6	3.3	3.9	5.3	9.3
1985.....	0.9	0.9	0.9	1.4	2.0	2.4	3.2	3.9	4.7	9.9
1984.....	0.6	0.8	0.9	1.2	1.8	2.4	2.9	3.3	5.1	9.2
1983.....	0.5	0.7	0.9	1.4	1.9	2.4	3.1	3.6	4.8	8.4
1982.....	0.5	0.7	1.1	1.3	1.9	2.6	2.9	3.9	4.1	8.3
1981.....	0.5	0.8	1.0	1.3	1.9	2.5	2.9	3.7	5.1	8.6
1980.....	0.3	0.7	0.9	1.3	1.8	2.4	3.1	3.8	5.0	10.8
1979.....	0.4	0.7	0.8	1.2	1.8	2.0	2.3	2.9	4.1	6.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VIRAL DISEASES (*042-*044,045-079)										
WHITE MALE										
1998.....	16.9	16.4	11.6	8.3	8.2	7.6	8.1	8.6	10.3	12.0
1997.....	19.4	17.0	11.0	9.8	7.8	7.9	7.6	8.4	10.6	10.9
1996.....	38.0	30.2	21.4	14.9	11.5	9.2	8.8	9.5	8.8	11.4
1995.....	56.8	43.7	30.4	21.3	14.5	11.2	9.5	7.9	10.3	11.5
1994.....	59.7	43.4	30.7	20.6	13.6	10.6	8.7	10.1	9.0	12.0
1993.....	52.7	40.9	28.9	18.6	13.5	9.6	8.2	8.6	10.0	11.1
1992.....	50.0	38.5	27.3	16.9	13.3	9.3	7.2	8.7	8.5	10.6
1991.....	45.0	35.8	24.4	16.9	12.6	7.8	8.0	6.9	8.8	10.1
1990.....	41.0	32.0	21.7	15.1	9.4	8.0	6.3	7.1	8.8	9.9
1989.....	34.0	27.8	19.3	13.5	9.6	7.4	7.3	7.0	8.0	12.3
1988.....	25.8	19.9	15.6	10.0	7.9	6.6	6.8	6.9	8.9	13.3
1987.....	21.2	17.8	11.0	9.7	6.9	6.0	6.8	6.1	6.7	9.3
1986.....	1.6	1.6	1.8	2.0	2.3	3.3	4.2	5.2	5.9	8.4
1985.....	1.3	1.3	1.1	1.6	2.3	2.9	3.9	4.9	5.2	10.8
1984.....	0.9	1.0	1.1	1.6	2.3	2.8	3.5	3.7	5.4	8.0
1983.....	0.7	0.8	1.0	1.4	2.4	2.9	3.8	4.5	5.7	8.6
1982.....	0.5	0.7	1.3	1.4	2.1	2.9	3.4	4.9	5.0	9.8
1981.....	0.6	1.0	1.2	1.7	2.3	2.9	3.0	4.5	6.3	9.1
1980.....	0.5	0.8	0.9	1.5	2.0	2.6	3.5	4.1	5.6	9.5
1979.....	0.4	0.7	1.0	1.3	2.1	2.6	2.6	3.2	5.3	6.2
WHITE FEMALE										
1998.....	3.3	3.3	2.9	3.2	4.0	5.0	5.9	7.0	7.0	10.0
1997.....	3.4	3.1	2.9	2.9	3.6	4.5	6.1	6.1	7.8	8.7
1996.....	5.3	4.3	3.3	3.6	4.0	5.0	5.5	6.5	6.4	8.3
1995.....	6.4	4.9	3.8	3.7	3.7	4.5	6.1	6.4	6.6	9.2
1994.....	5.5	4.0	3.4	3.0	3.7	4.2	4.8	6.3	6.5	8.4
1993.....	4.9	3.2	2.9	2.9	3.6	4.0	4.5	5.5	5.4	8.8
1992.....	3.8	3.0	2.2	2.7	2.6	3.3	4.0	4.6	5.5	7.4
1991.....	3.0	2.5	2.1	2.5	2.7	3.4	4.2	4.9	4.5	8.1
1990.....	2.4	1.6	1.5	2.0	2.5	3.1	4.4	4.8	6.1	9.9
1989.....	1.8	1.5	1.7	1.8	2.0	3.1	3.4	4.1	5.6	9.9
1988.....	1.4	1.1	1.4	1.8	2.5	2.7	3.4	4.1	4.8	10.5
1987.....	1.1	0.9	1.2	1.7	1.7	2.2	3.6	4.0	4.3	8.5
1986.....	0.4	0.4	0.9	1.1	1.3	2.1	2.6	3.0	5.1	9.7
1985.....	0.4	0.5	0.6	1.2	1.7	2.0	2.7	3.3	4.4	9.6
1984.....	*	0.6	0.7	0.9	1.4	2.0	2.5	3.1	5.0	9.6
1983.....	0.4	0.5	0.8	1.3	1.6	2.0	2.6	3.1	4.4	8.3
1982.....	0.5	0.7	0.9	1.2	1.8	2.3	2.6	3.2	3.7	7.7
1981.....	0.5	0.7	0.8	1.1	1.6	2.2	2.8	3.2	4.5	8.4
1980.....	0.2	0.5	0.8	1.2	1.7	2.3	2.8	3.6	4.6	11.4
1979.....	0.5	0.6	0.6	1.1	1.6	1.6	2.0	2.7	3.4	7.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VIRAL DISEASES (*042-*044,045-079)										
ALL OTHER, BOTH SEXES										
1998.....	44.8	43.6	32.3	27.3	19.5	15.1	14.1	10.7	11.7	6.2
1997.....	53.2	48.6	33.9	26.5	23.4	16.9	15.0	13.2	9.6	9.3
1996.....	92.3	72.4	51.2	38.3	27.9	19.7	19.0	12.0	11.5	8.4
1995.....	114.7	88.1	58.6	42.4	34.0	22.3	15.2	11.4	8.4	8.3
1994.....	108.4	79.8	57.0	42.8	28.9	21.2	17.0	12.0	8.5	*
1993.....	91.2	66.2	45.6	30.7	21.5	17.4	11.5	10.3	*	*
1992.....	77.5	53.8	35.5	30.5	20.8	14.8	10.6	5.8	8.5	7.4
1991.....	62.8	46.7	35.0	21.9	17.5	12.9	7.7	7.5	7.0	*
1990.....	50.2	34.8	23.4	19.8	13.5	10.3	7.6	5.1	8.5	*
1989.....	45.3	29.9	22.3	15.5	11.2	8.7	6.4	6.1	*	*
1988.....	32.5	21.6	18.1	13.1	8.6	6.8	6.0	7.3	*	*
1987.....	25.4	19.7	11.8	9.8	8.0	5.4	4.6	5.1	*	*
1986.....	*	1.4	1.4	1.9	2.2	2.6	3.3	*	*	*
1985.....	*	1.6	1.7	*	1.9	2.2	2.9	*	*	*
1984.....	1.2	1.4	*	1.8	1.8	*	3.0	*	*	*
1983.....	*	*	1.7	*	*	2.7	3.7	*	*	*
1982.....	*	*	*	*	2.0	2.7	*	*	*	*
1981.....	*	*	2.0	*	*	2.3	*	*	*	*
1980.....	1.1	1.5	1.7	1.2	1.8	2.2	1.7	2.9	3.9	8.9
1979.....	1.1	1.3	1.4	1.4	1.5	1.6	2.5	2.3	4.9	2.3
ALL OTHER MALE										
1998.....	68.0	71.5	54.8	43.8	30.8	23.3	19.5	13.7	15.5	*
1997.....	83.0	78.1	57.6	43.7	38.8	26.7	19.7	16.0	*	*
1996.....	149.8	122.4	89.2	67.8	46.8	30.4	30.0	14.7	13.7	*
1995.....	191.0	150.5	106.5	73.0	58.3	32.8	21.1	18.4	*	*
1994.....	182.9	139.7	100.8	71.9	50.6	32.7	25.2	11.6	*	*
1993.....	158.3	117.4	82.7	55.6	39.1	28.6	18.2	16.6	*	*
1992.....	134.5	97.5	67.7	54.4	36.9	26.4	15.9	*	*	*
1991.....	111.7	84.2	61.5	38.0	29.7	22.2	12.1	8.7	*	*
1990.....	89.5	63.8	42.5	36.4	24.0	15.7	10.6	*	*	*
1989.....	82.2	55.6	41.5	28.8	22.0	14.3	8.2	*	*	*
1988.....	58.7	40.3	32.9	24.5	13.6	10.7	7.4	*	*	*
1987.....	46.9	37.0	23.0	18.5	13.6	7.0	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.7	1.8	0.7	1.8	3.4	1.8	2.8	5.7	11.5
1979.....	1.6	1.9	1.0	1.3	1.2	1.8	3.0	3.8	9.3	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

VIRAL DISEASES (\*042-\*044,045-079)

## ALL OTHER FEMALE

1998.....	24.2	19.7	13.5	13.9	10.8	8.9	10.3	8.7	9.6	*
1997.....	26.9	23.5	14.1	12.5	11.5	9.6	11.8	11.4	11.2	8.3
1996.....	41.8	29.8	19.5	14.3	13.4	11.7	11.3	10.2	10.4	*
1995.....	48.4	35.2	18.6	17.6	15.4	14.5	11.1	6.9	9.0	*
1994.....	43.8	28.8	20.2	19.3	12.3	12.7	11.3	12.2	*	*
1993.....	33.0	22.4	14.3	10.6	8.0	9.2	6.9	6.3	*	*
1992.....	28.0	16.3	8.2	11.1	8.5	6.2	6.9	*	*	*
1991.....	20.4	14.6	12.6	9.0	8.2	5.9	4.7	6.8	*	*
1990.....	16.3	9.7	7.2	6.4	5.5	6.3	5.5	*	*	*
1989.....	13.6	7.7	6.0	4.8	3.0	4.6	5.2	*	*	*
1988.....	9.8	5.4	5.7	3.9	4.8	3.9	5.1	6.6	*	*
1987.....	6.8	4.8	*	2.7	3.7	4.2	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.2	1.3	1.6	1.7	1.8	1.4	1.6	3.0	2.8	7.6
1979.....	0.6	0.8	1.7	1.5	1.7	1.4	2.0	1.2	2.2	2.6

## BLACK, BOTH SEXES

1998.....	60.2	59.5	43.1	33.5	22.2	16.7	14.8	10.1	10.1	6.5
1997.....	71.3	65.6	45.4	32.7	28.0	17.1	15.6	13.0	9.9	9.9
1996.....	124.3	98.0	68.9	49.0	33.5	21.1	20.6	10.6	12.5	8.4
1995.....	153.2	118.6	77.9	53.3	40.9	26.3	17.4	10.6	8.5	7.3
1994.....	145.6	107.7	74.2	53.5	33.8	23.4	18.0	12.8	7.6	*
1993.....	121.7	88.0	58.6	37.7	25.4	19.3	12.8	10.1	*	*
1992.....	104.3	72.1	45.5	37.9	25.0	16.9	10.9	4.8	9.0	*
1991.....	83.4	61.8	44.5	26.4	20.4	14.2	7.7	6.5	*	*
1990.....	66.8	44.8	29.0	23.4	15.2	10.8	7.5	4.5	8.3	*
1989.....	59.5	38.0	27.6	18.1	12.3	9.4	6.8	5.8	*	*
1988.....	42.9	27.3	22.5	15.0	9.3	6.8	5.6	7.4	*	*
1987.....	32.2	24.0	13.6	11.2	8.2	5.1	3.8	4.7	*	*
1986.....	*	*	*	1.9	*	2.7	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	2.7	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.2	1.6	1.2	1.6	2.3	1.4	2.8	3.5	8.2
1979.....	0.7	1.1	1.2	1.1	1.3	1.5	2.6	2.3	4.5	2.6



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

VIRAL DISEASES (\*042-\*044,045-079)

## BLACK MALE

1998.....	91.2	98.5	74.2	55.0	38.7	26.5	22.4	13.4	*	*
1997.....	111.1	106.6	78.6	56.7	50.2	29.0	23.1	17.3	*	*
1996.....	201.9	166.1	122.1	89.0	59.3	34.2	34.4	14.8	*	*
1995.....	254.6	203.5	143.9	93.7	72.9	39.2	25.7	20.1	*	*
1994.....	245.3	189.5	134.0	92.2	61.4	38.1	27.3	13.8	*	*
1993.....	211.2	158.1	109.1	70.5	47.6	33.9	21.6	16.9	*	*
1992.....	181.7	132.0	89.0	69.8	45.6	31.5	16.9	*	*	*
1991.....	148.4	112.6	80.3	46.8	35.8	25.6	11.7	*	*	*
1990.....	119.4	82.7	53.6	44.6	27.7	17.5	9.9	*	*	*
1989.....	108.4	71.5	52.4	34.4	24.6	16.5	8.3	*	*	*
1988.....	78.0	51.9	41.6	28.3	15.6	10.8	*	*	*	*
1987.....	60.3	45.8	27.5	21.9	14.9	6.9	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.4	1.4	0.6	1.8	3.6	1.3	2.0	5.3	9.4
1979.....	1.1	1.5	0.4	0.4	0.5	1.5	3.1	3.7	7.8	1.9

## BLACK FEMALE

1998.....	32.9	26.8	17.8	16.8	9.9	9.3	9.5	8.0	*	*
1997.....	36.3	31.0	18.4	14.0	11.3	8.2	10.4	10.3	12.2	*
1996.....	56.8	40.7	25.6	17.8	14.1	11.3	11.2	8.0	11.4	*
1995.....	65.5	47.3	24.2	21.6	16.7	16.7	11.8	*	*	*
1994.....	59.6	39.2	25.4	23.3	13.0	12.5	11.8	12.2	*	*
1993.....	44.6	29.3	17.4	11.9	8.6	8.6	6.8	*	*	*
1992.....	37.7	21.9	10.0	12.8	9.5	6.1	6.9	*	*	*
1991.....	27.6	19.4	15.3	10.2	8.8	5.9	5.0	*	*	*
1990.....	21.8	13.0	9.0	6.7	5.8	6.0	6.0	*	*	*
1989.....	17.7	9.9	7.4	5.2	*	4.3	5.8	*	*	*
1988.....	12.9	6.6	6.7	4.3	4.5	*	*	*	*	*
1987.....	8.5	5.8	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.2	1.1	1.8	1.7	1.4	1.3	1.5	3.4	2.4	7.5
1979.....	0.4	0.8	1.8	1.7	1.9	1.5	2.2	1.3	2.4	2.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE POLIOMYELITIS (045)										
TOTAL, BOTH SEXES										
1995.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	-	0.0	0.0	-	0.0	-	-
1979.....	-	-	0.0	-	0.0	-	-	-	-	-
TOTAL, MALE										
1991.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	-	0.0	0.0	-	0.1	-	-
1979.....	-	-	0.0	-	0.0	-	-	-	-	-
TOTAL, FEMALE										
1995.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.0	-	-	-	-
WHITE, BOTH SEXES										
1995.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	-	0.0	0.0	-	0.0	-	-
1979.....	-	-	0.0	-	0.0	-	-	-	-	-



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MEASLES (055)										
TOTAL, BOTH SEXES										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	0.0	0.0	-	-	-	-	-	-
TOTAL, MALE										
1995.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	0.0	-	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MEASLES (055)										
TOTAL, FEMALE										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	0.0	-	-	-	-	-	-
WHITE, BOTH SEXES										
1997.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	0.0	-	-	-	-	-	-	-



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MEASLES (055)										
ALL OTHER, BOTH SEXES										
1996.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	0.1	-	-	-	-	-	-
ALL OTHER MALE										
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
ALL OTHER FEMALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	0.2	-	-	-	-	-	-
BLACK, BOTH SEXES										
1996.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	0.1	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MEASLES (055)										
BLACK MALE										
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	0.2	-	-	-	-	-	-















CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ARTHROPOD-BORNE ENCEPHALITIS (062-064)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	0.0	-	0.0	-	-	-
1979.....	-	-	-	-	-	-	-	-	-	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	0.0	-	-







CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL HEPATITIS (070)										
TOTAL, BOTH SEXES										
1998.....	2.8	4.2	3.4	3.0	3.6	4.5	4.8	5.7	5.2	3.8
1997.....	2.3	3.1	2.5	2.9	3.0	4.0	4.8	5.0	5.6	4.1
1996.....	2.2	2.5	2.3	2.6	3.0	4.1	4.6	5.5	4.7	3.7
1995.....	1.8	2.1	2.0	2.5	2.9	3.6	4.5	4.8	5.0	3.3
1994.....	1.8	1.7	1.6	2.0	2.5	3.4	3.9	4.9	4.7	3.0
1993.....	1.2	1.3	1.5	1.8	2.3	2.7	3.3	4.1	3.6	2.3
1992.....	1.0	1.0	1.1	1.3	1.8	2.3	2.6	3.4	3.4	2.5
1991.....	0.8	1.0	1.0	1.5	1.7	2.1	2.8	2.8	2.9	2.1
1990.....	0.7	0.7	0.8	1.0	1.4	2.0	2.4	2.9	2.9	2.2
1989.....	0.6	0.7	0.8	1.0	1.3	1.9	2.2	2.3	3.0	2.4
1988.....	0.4	0.5	0.8	1.0	1.4	1.5	2.0	2.1	2.3	2.0
1987.....	0.5	0.5	0.6	1.0	0.9	1.2	1.9	2.0	1.9	1.4
1986.....	0.4	0.4	0.6	0.7	0.8	1.2	1.5	1.7	1.6	1.5
1985.....	0.4	0.6	0.4	0.6	0.9	1.3	1.4	1.4	1.2	1.2
1984.....	0.3	0.4	0.5	0.7	0.8	1.0	1.1	1.0	1.2	1.6
1983.....	0.3	0.4	0.5	0.7	0.8	1.0	1.3	1.2	1.2	1.3
1982.....	0.2	0.4	0.6	0.7	0.7	1.0	1.0	1.5	1.0	1.5
1981.....	0.4	0.5	0.6	0.6	0.9	1.0	1.0	1.1	1.4	1.4
1980.....	0.2	0.5	0.5	0.6	0.7	0.8	1.2	1.5	1.4	1.6
1979.....	0.2	0.4	0.3	0.6	0.8	0.8	1.0	1.0	1.4	1.4
TOTAL, MALE										
1998.....	4.4	6.5	5.0	3.8	4.3	5.1	5.0	6.2	6.7	6.1
1997.....	3.6	4.8	3.5	3.8	3.4	4.2	5.0	5.7	6.8	5.6
1996.....	3.5	3.9	3.2	3.4	3.4	4.4	5.1	6.5	5.4	5.3
1995.....	2.9	3.3	2.9	3.3	3.6	4.0	5.1	5.2	6.7	4.9
1994.....	2.9	2.5	2.1	2.7	2.7	4.1	4.7	6.0	6.3	4.7
1993.....	2.0	2.0	2.3	2.5	2.7	3.2	4.0	5.1	4.9	3.2
1992.....	1.5	1.5	1.7	1.8	2.3	2.9	3.4	4.4	4.4	3.4
1991.....	1.4	1.6	1.3	2.0	1.9	2.4	3.7	3.0	4.6	2.8
1990.....	1.1	1.1	1.2	1.2	1.7	2.4	2.7	3.9	3.5	2.4
1989.....	0.9	1.0	1.2	1.4	1.8	2.3	2.9	3.0	3.9	2.9
1988.....	0.5	0.8	1.1	1.2	1.7	2.0	2.8	2.7	3.5	2.7
1987.....	0.7	0.8	0.9	1.4	1.3	1.6	2.7	2.4	2.6	*
1986.....	0.6	0.6	0.7	1.1	1.3	1.5	2.2	2.3	2.0	2.7
1985.....	0.5	0.8	0.6	0.7	1.2	1.7	1.8	1.8	*	*
1984.....	0.5	0.5	0.7	0.9	1.0	1.2	1.4	1.2	*	*
1983.....	0.4	0.4	0.7	0.7	1.2	1.4	1.6	1.5	*	*
1982.....	*	0.4	0.7	0.8	0.8	1.2	1.3	2.2	*	*
1981.....	0.4	0.6	0.7	0.8	1.0	1.0	1.1	1.6	*	*
1980.....	0.3	0.6	0.4	0.8	0.8	0.7	1.4	2.2	2.0	2.1
1979.....	0.3	0.5	0.4	0.7	1.0	1.2	0.9	1.2	2.4	1.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL HEPATITIS (070)										
TOTAL, FEMALE										
1998.....	1.3	2.0	2.0	2.2	2.9	4.0	4.6	5.3	4.3	2.8
1997.....	1.0	1.5	1.5	2.0	2.6	3.8	4.7	4.6	5.0	3.6
1996.....	0.9	1.1	1.4	1.8	2.6	3.8	4.2	4.8	4.4	3.0
1995.....	0.8	1.0	1.2	1.8	2.3	3.2	4.0	4.5	4.1	2.7
1994.....	0.6	0.8	1.0	1.5	2.3	2.9	3.3	4.1	3.8	2.3
1993.....	0.5	0.6	0.8	1.2	2.0	2.3	2.8	3.4	2.8	2.0
1992.....	0.5	0.5	0.5	0.9	1.3	1.8	2.0	2.7	2.8	2.1
1991.....	0.3	0.4	0.7	1.1	1.5	1.8	2.1	2.7	2.0	1.8
1990.....	0.3	0.3	0.5	0.7	1.1	1.7	2.1	2.3	2.7	2.1
1989.....	0.3	0.4	0.5	0.7	0.8	1.6	1.6	1.8	2.6	2.2
1988.....	*	*	0.6	0.8	1.1	1.1	1.4	1.8	1.7	1.7
1987.....	*	0.3	*	0.7	0.6	0.9	1.3	1.7	1.6	1.0
1986.....	*	*	0.4	0.4	0.5	1.0	1.0	1.3	1.4	*
1985.....	*	0.4	*	0.6	0.6	0.9	1.1	1.1	1.1	1.0
1984.....	*	*	*	0.5	0.7	0.8	0.9	0.8	1.1	1.5
1983.....	*	*	0.4	0.6	0.4	0.7	1.1	1.0	1.1	*
1982.....	*	0.4	0.4	0.7	0.7	0.9	0.8	1.0	*	*
1981.....	*	0.4	0.4	0.4	0.8	0.9	0.9	0.8	1.1	1.4
1980.....	0.2	0.4	0.5	0.5	0.7	0.8	1.1	1.2	1.0	1.3
1979.....	0.2	0.3	0.3	0.5	0.6	0.6	1.0	1.0	0.8	1.3
WHITE, BOTH SEXES										
1998.....	2.7	3.9	3.1	2.5	3.2	4.2	4.6	5.5	5.0	3.8
1997.....	2.2	2.8	2.2	2.5	2.6	3.6	4.7	4.8	5.7	3.9
1996.....	2.1	2.3	2.0	2.3	2.8	3.7	4.4	5.5	4.5	3.8
1995.....	1.7	1.9	1.9	2.2	2.6	3.4	4.6	4.8	5.1	3.2
1994.....	1.7	1.5	1.4	1.6	2.1	3.1	3.8	4.8	4.6	3.1
1993.....	1.1	1.1	1.4	1.6	2.1	2.6	3.3	4.0	3.6	2.2
1992.....	0.9	0.8	1.0	1.1	1.6	2.2	2.5	3.4	3.4	2.5
1991.....	0.7	0.9	0.8	1.4	1.6	2.0	2.8	2.7	2.9	2.1
1990.....	0.6	0.6	0.7	0.8	1.3	1.9	2.3	2.9	2.9	2.1
1989.....	0.5	0.6	0.7	0.9	1.1	1.8	2.1	2.3	3.1	2.4
1988.....	0.3	0.4	0.7	0.9	1.4	1.5	1.9	2.1	2.4	1.9
1987.....	0.4	0.4	0.5	1.0	0.8	1.2	1.8	1.8	1.9	1.5
1986.....	0.4	0.4	0.5	0.7	0.8	1.2	1.4	1.7	1.6	1.4
1985.....	0.3	0.5	0.3	0.6	0.8	1.2	1.4	1.5	1.2	1.2
1984.....	0.2	0.3	0.5	0.6	0.8	1.0	1.1	0.9	1.2	1.7
1983.....	0.3	0.4	0.4	0.7	0.8	0.9	1.1	1.2	1.2	1.3
1982.....	*	0.3	0.5	0.7	0.7	0.9	1.0	1.5	0.9	1.4
1981.....	0.3	0.5	0.5	0.5	0.9	0.9	1.0	1.1	1.3	1.3
1980.....	0.2	0.4	0.4	0.6	0.7	0.8	1.3	1.6	1.4	1.6
1979.....	0.2	0.3	0.3	0.6	0.8	0.8	1.0	1.0	1.3	1.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL HEPATITIS (070)										
WHITE MALE										
1998.....	4.2	6.0	4.5	3.1	3.9	4.7	4.9	6.0	6.6	6.2
1997.....	3.5	4.3	3.1	3.4	3.1	3.9	4.8	5.6	7.2	5.2
1996.....	3.3	3.6	2.8	3.1	3.3	4.1	5.0	6.8	5.5	5.5
1995.....	2.7	3.1	2.7	2.9	3.3	4.0	5.2	5.1	7.1	5.0
1994.....	2.8	2.4	2.0	2.3	2.4	4.0	4.6	6.4	6.3	4.7
1993.....	1.8	1.8	2.1	2.2	2.4	3.2	4.0	4.9	5.1	3.2
1992.....	1.4	1.3	1.6	1.4	2.1	2.8	3.4	4.4	4.4	3.2
1991.....	1.2	1.5	1.1	1.9	1.9	2.3	3.8	3.1	4.7	2.9
1990.....	1.1	0.9	1.0	1.1	1.6	2.4	2.6	3.8	3.7	*
1989.....	0.8	0.9	1.0	1.2	1.5	2.3	3.0	3.0	3.9	3.1
1988.....	0.4	0.7	1.0	1.1	1.7	1.9	2.8	2.6	3.5	2.7
1987.....	0.6	0.7	0.7	1.4	1.2	1.6	2.5	2.3	2.5	*
1986.....	0.6	0.5	0.7	1.1	1.2	1.5	2.0	2.4	1.9	*
1985.....	0.4	0.7	0.5	0.7	1.1	1.6	1.7	2.0	*	*
1984.....	0.4	0.4	0.7	0.8	1.0	1.3	1.4	1.1	*	*
1983.....	0.4	0.4	0.5	0.8	1.1	1.3	1.4	1.6	*	*
1982.....	*	*	0.6	0.8	0.8	1.1	1.3	2.3	*	*
1981.....	0.4	0.6	0.6	0.7	1.1	1.0	1.2	1.7	*	*
1980.....	0.2	0.5	0.3	0.8	0.9	0.7	1.5	2.2	1.8	2.3
1979.....	0.2	0.4	0.4	0.6	1.0	1.2	0.9	1.1	2.2	1.6
WHITE FEMALE										
1998.....	1.2	1.8	1.8	1.9	2.6	3.8	4.4	5.2	4.1	2.8
1997.....	1.0	1.3	1.4	1.6	2.1	3.4	4.5	4.2	4.7	3.4
1996.....	0.9	1.0	1.3	1.6	2.3	3.3	3.9	4.6	4.0	3.1
1995.....	0.7	0.8	1.1	1.6	1.9	2.9	4.1	4.5	4.0	2.6
1994.....	0.6	0.7	0.8	1.1	1.9	2.4	3.1	3.8	3.7	2.5
1993.....	0.4	0.4	0.6	1.0	1.9	2.1	2.7	3.4	2.8	1.9
1992.....	0.4	0.4	0.5	0.7	1.2	1.7	1.9	2.7	2.8	2.2
1991.....	*	*	0.4	1.0	1.3	1.8	2.0	2.5	1.9	1.9
1990.....	*	*	*	0.6	1.1	1.6	2.1	2.4	2.5	1.9
1989.....	0.3	0.4	0.5	0.6	0.8	1.4	1.5	1.8	2.7	2.2
1988.....	*	*	0.4	0.7	1.0	1.1	1.3	1.7	1.8	1.6
1987.....	*	*	*	0.7	0.5	0.8	1.3	1.5	1.6	1.1
1986.....	*	*	*	*	0.4	0.9	0.9	1.3	1.4	*
1985.....	*	*	*	0.6	0.6	0.8	1.1	1.1	1.1	*
1984.....	*	*	*	0.4	0.7	0.8	0.8	0.8	1.0	1.6
1983.....	*	*	*	0.6	0.4	0.7	0.9	1.0	*	*
1982.....	*	*	0.4	0.6	0.6	0.7	0.7	1.0	*	*
1981.....	*	*	*	0.4	0.8	0.9	0.9	0.8	1.1	1.3
1980.....	0.1	0.2	0.4	0.4	0.6	0.8	1.1	1.2	1.1	1.3
1979.....	0.1	0.3	0.2	0.5	0.6	0.5	1.1	0.9	0.9	1.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL HEPATITIS (070)										
ALL OTHER, BOTH SEXES										
1998.....	3.5	6.0	5.2	6.0	5.9	6.5	6.2	7.5	7.3	*
1997.....	2.4	4.9	3.9	5.3	5.4	6.6	6.3	7.3	5.5	6.0
1996.....	2.7	3.4	4.0	4.3	4.3	6.9	6.7	5.3	6.9	*
1995.....	2.3	3.5	2.9	4.4	5.1	5.0	3.8	5.3	*	*
1994.....	2.2	2.6	2.5	4.5	5.0	5.8	5.4	5.4	5.4	*
1993.....	1.7	2.5	2.4	3.4	3.5	3.7	3.4	4.7	*	*
1992.....	1.5	1.8	1.7	2.8	2.8	3.3	3.6	*	*	*
1991.....	1.5	1.8	2.3	2.5	2.4	2.6	2.8	3.7	*	*
1990.....	1.1	1.4	1.7	1.8	1.8	3.1	3.3	*	*	*
1989.....	1.0	*	1.4	1.8	2.4	2.7	2.6	*	*	*
1988.....	*	*	1.5	*	1.7	*	2.6	*	*	*
1987.....	*	*	*	*	1.7	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	2.8	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.8	1.2	1.1	0.6	0.9	0.6	0.6	1.1	1.3	1.7
1979.....	0.7	0.9	1.0	0.9	0.7	1.1	0.8	1.4	1.8	1.1
ALL OTHER MALE										
1998.....	5.4	9.5	7.9	8.5	7.3	8.0	5.9	8.6	*	*
1997.....	3.9	7.5	5.9	6.3	5.7	7.0	6.1	*	*	*
1996.....	4.6	5.6	6.0	6.0	4.1	6.7	6.8	*	*	*
1995.....	3.8	5.0	4.4	6.4	5.7	4.3	*	*	*	*
1994.....	3.5	3.7	3.1	5.5	5.1	5.0	6.0	*	*	*
1993.....	3.0	3.5	3.2	4.6	5.0	*	*	*	*	*
1992.....	2.2	2.8	2.8	4.0	3.8	4.2	*	*	*	*
1991.....	2.7	2.5	*	*	*	*	*	*	*	*
1990.....	1.7	2.4	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	3.9	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	1.4	1.2	0.2	0.4	0.5	0.7	1.7	3.4	-
1979.....	1.3	1.4	0.7	1.1	0.7	1.3	1.1	1.6	4.7	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL HEPATITIS (070)										
ALL OTHER FEMALE										
1998.....	1.8	2.9	3.0	4.0	4.8	5.4	6.4	6.8	*	*
1997.....	1.1	2.6	2.3	4.6	5.2	6.3	6.4	8.3	*	*
1996.....	1.1	1.6	2.3	2.8	4.5	7.0	6.7	6.6	8.1	*
1995.....	*	2.1	*	2.8	4.7	5.5	3.9	5.1	*	*
1994.....	*	1.7	2.0	3.7	4.9	6.4	5.1	7.3	*	*
1993.....	*	*	*	2.5	*	3.8	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.1	1.1	0.9	1.3	0.6	0.5	0.8	-	2.5
1979.....	0.2	0.4	1.2	0.8	0.8	1.0	0.6	1.2	-	0.9
BLACK, BOTH SEXES										
1998.....	3.9	7.4	5.5	5.3	4.2	5.6	4.7	6.5	*	*
1997.....	2.6	5.1	4.2	4.5	4.0	4.0	4.3	5.9	*	*
1996.....	2.9	4.1	4.2	3.2	2.6	4.4	5.5	*	6.6	*
1995.....	2.7	3.5	2.7	3.4	3.2	4.2	3.0	*	*	*
1994.....	2.4	2.8	1.9	3.3	3.2	4.1	4.0	4.8	*	*
1993.....	1.8	2.5	1.7	2.3	2.1	2.5	*	*	*	*
1992.....	1.7	1.8	*	1.9	2.0	2.5	*	*	*	*
1991.....	1.4	1.8	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	2.4	*	*	*	*
1989.....	*	*	*	*	*	2.6	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	1.0	1.0	0.7	0.8	0.5	0.4	0.8	1.0	1.3
1979.....	0.5	0.8	0.8	0.6	0.5	1.0	0.7	1.5	1.5	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL HEPATITIS (070)										
BLACK MALE										
1998.....	5.8	12.0	8.3	6.9	6.4	6.7	*	*	*	*
1997.....	4.1	8.0	6.5	5.5	5.1	*	*	*	*	*
1996.....	4.7	6.8	6.6	4.1	*	*	*	*	*	*
1995.....	4.4	4.8	4.0	4.6	*	*	*	*	*	*
1994.....	4.0	3.8	*	*	*	*	*	*	*	*
1993.....	3.1	3.6	*	*	*	*	*	*	*	*
1992.....	2.5	3.0	*	*	*	*	*	*	*	*
1991.....	2.4	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	1.2	0.8	0.2	0.5	0.6	-	0.7	2.7	-
1979.....	0.7	1.1	0.2	0.2	-	0.9	0.9	1.9	3.9	1.9
BLACK FEMALE										
1998.....	2.2	3.5	3.3	4.0	*	4.7	5.1	6.5	*	*
1997.....	*	2.6	*	3.7	*	4.1	*	6.7	*	*
1996.....	*	*	*	*	*	5.1	5.5	*	*	*
1995.....	*	2.3	*	*	*	5.1	*	*	*	*
1994.....	*	*	*	*	3.6	4.8	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.0	1.1	1.0	1.0	0.4	0.6	0.9	-	1.9
1979.....	0.3	0.5	1.3	0.9	0.9	1.1	0.6	1.3	-	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)										
TOTAL, BOTH SEXES										
1998.....	13.2	11.0	7.3	5.7	4.3	2.8	2.9	2.3	3.3	6.4
1997.....	16.2	12.9	8.2	6.2	5.1	3.5	2.8	2.6	3.3	5.2
1996.....	31.1	23.1	15.4	10.6	7.3	4.5	3.6	2.6	2.9	5.4
1995.....	43.3	31.5	20.7	13.9	9.2	5.8	3.9	2.6	2.9	6.4
1994.....	43.1	30.0	20.8	13.8	8.5	5.3	3.7	3.3	2.8	6.0
1993.....	37.5	26.9	18.3	11.4	7.7	5.1	3.3	3.0	3.3	6.8
1992.....	33.8	24.2	16.4	11.1	7.5	4.7	3.3	2.8	3.3	5.8
1991.....	28.9	21.9	15.1	9.6	6.9	4.1	3.2	3.0	3.2	6.2
1990.....	25.1	18.5	12.2	8.8	5.2	3.8	3.1	2.7	4.1	7.4
1989.....	21.2	16.0	11.1	7.5	5.0	3.5	3.0	3.0	3.3	7.7
1988.....	15.8	11.4	8.9	5.7	4.0	3.2	3.0	3.3	3.6	8.7
1987.....	12.6	10.2	6.2	5.0	3.6	2.8	3.0	2.9	3.1	7.1
1986.....	0.6	0.7	0.8	0.9	0.9	1.4	1.8	2.1	3.6	7.6
1985.....	0.5	0.5	0.6	0.7	1.1	1.1	1.8	2.3	3.3	8.1
1984.....	0.4	0.5	0.4	0.6	1.0	1.3	1.8	2.2	3.8	7.1
1983.....	0.3	0.3	0.5	0.7	1.1	1.4	1.8	2.4	3.4	6.7
1982.....	0.3	0.3	0.6	0.6	1.2	1.6	1.8	2.3	3.0	6.5
1981.....	0.2	0.4	0.5	0.8	1.0	1.5	1.8	2.5	3.7	7.1
1980.....	0.2	0.3	0.5	0.7	1.1	1.6	1.7	2.1	3.5	9.1
1979.....	0.3	0.4	0.5	0.6	1.0	1.1	1.3	1.8	2.8	5.0
TOTAL, MALE										
1998.....	20.8	18.2	12.4	9.1	6.8	4.4	4.4	2.9	4.0	5.6
1997.....	25.9	21.2	13.6	10.4	8.3	5.9	3.9	3.4	3.4	5.4
1996.....	51.9	39.4	27.2	18.4	12.5	7.3	5.8	3.5	3.8	6.2
1995.....	74.5	55.2	37.4	24.7	16.2	9.6	5.6	3.6	3.3	6.6
1994.....	75.5	54.0	37.7	24.4	15.3	8.9	5.6	4.2	3.0	6.7
1993.....	66.5	49.1	33.6	20.8	13.8	8.4	5.1	4.2	4.7	7.4
1992.....	61.0	44.7	31.0	19.9	13.7	8.2	4.6	4.2	4.1	7.3
1991.....	53.0	40.6	28.0	17.5	12.5	6.9	4.7	4.1	4.4	6.9
1990.....	46.5	35.1	23.2	16.4	9.3	6.3	4.0	3.3	5.1	7.0
1989.....	39.7	30.5	21.0	13.9	9.1	5.8	4.5	4.0	4.0	8.8
1988.....	29.6	21.8	16.7	10.6	6.8	5.1	4.1	4.4	4.9	10.0
1987.....	23.8	19.6	11.6	9.3	6.3	4.5	4.0	3.6	4.2	6.9
1986.....	0.9	1.0	1.2	1.0	1.1	1.7	2.1	2.7	3.9	5.8
1985.....	0.8	0.6	0.7	0.8	1.1	1.2	2.0	2.8	3.9	8.3
1984.....	0.5	0.6	0.4	0.7	1.2	1.4	2.1	2.3	4.0	5.6
1983.....	0.3	0.4	0.5	0.6	1.1	1.6	2.3	2.8	3.7	6.7
1982.....	0.3	*	0.7	0.6	1.3	1.7	1.9	2.6	3.6	7.7
1981.....	*	0.4	0.6	0.9	1.1	1.9	1.7	2.6	4.2	8.0
1980.....	0.3	0.3	0.6	0.6	1.1	2.0	1.9	1.8	3.6	7.6
1979.....	0.2	0.4	0.5	0.7	1.0	1.3	1.7	2.1	3.3	4.1



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)										
TOTAL, FEMALE										
1998.....	5.7	4.1	2.6	2.6	2.1	1.4	1.8	1.8	2.9	6.7
1997.....	6.6	4.9	3.0	2.3	2.2	1.4	2.0	2.0	3.1	5.1
1996.....	10.7	7.3	4.3	3.4	2.7	2.1	1.9	2.0	2.4	5.1
1995.....	12.8	8.7	4.8	4.0	3.0	2.6	2.6	1.9	2.7	6.3
1994.....	11.4	7.0	4.9	3.9	2.6	2.4	2.2	2.7	2.7	5.7
1993.....	9.2	5.5	3.8	2.8	2.2	2.3	2.0	2.2	2.5	6.6
1992.....	7.3	4.5	2.5	3.0	2.1	1.9	2.3	1.9	2.9	5.2
1991.....	5.5	3.9	3.0	2.3	1.9	1.9	2.1	2.3	2.5	6.0
1990.....	4.3	2.5	1.9	1.8	1.7	1.7	2.4	2.3	3.6	7.6
1989.....	3.2	2.0	1.8	1.6	1.3	1.7	2.0	2.4	3.0	7.3
1988.....	2.5	1.5	1.5	1.3	1.7	1.7	2.1	2.5	2.9	8.1
1987.....	1.7	1.2	1.0	1.1	1.3	1.5	2.3	2.4	2.5	7.2
1986.....	0.3	*	0.5	0.7	0.8	1.1	1.5	1.6	3.4	8.3
1985.....	*	*	0.4	0.6	1.0	1.0	1.6	2.1	3.0	8.1
1984.....	*	0.4	*	0.6	0.7	1.1	1.6	2.2	3.7	7.6
1983.....	*	*	0.5	0.7	1.1	1.2	1.5	2.1	3.3	6.7
1982.....	0.3	*	0.5	0.6	1.1	1.5	1.8	2.1	2.7	6.0
1981.....	*	0.4	0.5	0.6	0.8	1.2	1.9	2.4	3.4	6.7
1980.....	0.1	0.3	0.4	0.8	1.0	1.4	1.6	2.3	3.4	9.8
1979.....	0.3	0.3	0.5	0.6	0.9	1.0	1.0	1.6	2.5	5.3
WHITE, BOTH SEXES										
1998.....	7.4	5.9	4.1	3.2	2.9	2.0	2.3	2.2	3.2	6.8
1997.....	9.2	7.2	4.7	3.7	3.1	2.5	2.1	2.3	3.2	5.4
1996.....	19.6	14.9	10.2	6.7	4.8	3.3	2.6	2.2	2.7	5.4
1995.....	29.9	22.2	15.0	10.1	6.3	4.2	3.0	2.2	2.8	6.6
1994.....	30.9	22.0	15.4	9.9	6.3	4.0	2.8	3.0	2.8	6.3
1993.....	27.6	20.8	14.3	8.9	6.2	3.9	2.8	2.7	3.4	7.2
1992.....	26.0	19.7	13.5	8.5	6.1	3.8	2.8	2.8	3.1	5.9
1991.....	23.2	18.1	12.3	8.1	5.7	3.4	3.0	3.0	3.1	6.4
1990.....	21.0	16.1	10.7	7.5	4.4	3.4	2.9	2.7	4.1	7.7
1989.....	17.3	13.9	9.6	6.5	4.4	3.2	2.9	3.0	3.3	8.1
1988.....	13.2	9.9	7.7	4.9	3.7	3.0	2.9	3.1	3.8	9.3
1987.....	10.7	8.8	5.5	4.5	3.3	2.7	3.1	3.0	3.2	7.2
1986.....	0.6	0.7	0.8	0.9	1.0	1.4	1.9	2.2	3.7	7.9
1985.....	0.5	0.5	0.6	0.7	1.1	1.2	1.8	2.5	3.4	8.7
1984.....	0.3	0.5	0.4	0.6	1.0	1.3	1.9	2.4	3.9	7.5
1983.....	0.3	0.3	0.5	0.7	1.2	1.4	1.9	2.4	3.6	7.1
1982.....	0.4	0.3	0.6	0.6	1.2	1.7	1.9	2.4	3.2	6.8
1981.....	0.2	0.4	0.5	0.8	1.0	1.6	1.9	2.6	3.8	7.4
1980.....	0.2	0.3	0.5	0.7	1.1	1.6	1.8	2.2	3.6	9.3
1979.....	0.3	0.4	0.5	0.7	1.0	1.2	1.3	1.9	2.8	5.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)										
WHITE MALE										
1998.....	12.7	10.4	7.1	5.2	4.4	2.9	3.3	2.7	3.7	5.8
1997.....	15.9	12.7	7.9	6.3	4.7	4.0	2.8	2.7	3.4	5.7
1996.....	34.6	26.6	18.6	11.8	8.2	5.1	3.9	2.7	3.4	5.8
1995.....	54.1	40.6	27.7	18.5	11.2	7.2	4.3	2.7	3.3	6.5
1994.....	56.9	41.0	28.7	18.3	11.2	6.6	4.1	3.7	2.7	7.2
1993.....	50.8	39.1	26.7	16.4	11.1	6.4	4.1	3.7	4.8	8.0
1992.....	48.6	37.2	25.8	15.5	11.2	6.5	3.7	4.3	4.1	7.4
1991.....	43.7	34.3	23.3	15.0	10.6	5.5	4.2	3.8	4.2	7.2
1990.....	39.9	31.1	20.7	14.0	7.8	5.6	3.7	3.2	5.0	7.2
1989.....	33.2	26.9	18.3	12.3	8.0	5.1	4.3	3.9	4.1	9.2
1988.....	25.3	19.2	14.6	9.0	6.2	4.7	4.0	4.3	5.3	10.5
1987.....	20.5	17.1	10.3	8.3	5.7	4.4	4.2	3.7	4.2	6.9
1986.....	0.9	1.1	1.1	1.0	1.0	1.8	2.2	2.8	3.9	5.8
1985.....	0.9	0.6	0.6	0.8	1.2	1.3	2.1	2.9	3.8	9.0
1984.....	0.5	0.6	0.4	0.7	1.3	1.5	2.1	2.6	3.8	6.1
1983.....	*	0.4	0.5	0.6	1.2	1.6	2.3	2.9	4.0	6.8
1982.....	*	*	0.7	0.6	1.3	1.7	2.1	2.6	3.9	7.8
1981.....	*	*	0.5	0.9	1.2	1.9	1.8	2.7	4.5	8.0
1980.....	0.2	0.3	0.6	0.6	1.1	1.9	2.0	1.9	3.8	7.2
1979.....	0.2	0.4	0.6	0.7	1.0	1.4	1.7	2.1	3.2	4.5
WHITE FEMALE										
1998.....	2.1	1.5	1.1	1.3	1.4	1.1	1.5	1.8	2.9	7.2
1997.....	2.5	1.7	1.5	1.3	1.5	1.1	1.6	1.9	3.0	5.3
1996.....	4.4	3.3	2.0	2.0	1.7	1.7	1.6	1.9	2.4	5.3
1995.....	5.7	4.1	2.7	2.1	1.8	1.6	2.1	1.9	2.5	6.7
1994.....	4.9	3.3	2.5	1.9	1.8	1.8	1.7	2.5	2.8	5.9
1993.....	4.5	2.8	2.3	1.9	1.7	1.9	1.8	2.1	2.6	6.9
1992.....	3.4	2.6	1.7	2.0	1.4	1.6	2.2	1.9	2.6	5.3
1991.....	2.7	2.2	1.7	1.6	1.4	1.6	2.2	2.4	2.5	6.2
1990.....	2.1	1.4	1.1	1.4	1.4	1.5	2.3	2.4	3.6	7.9
1989.....	1.5	1.1	1.2	1.2	1.3	1.7	1.9	2.4	2.9	7.7
1988.....	1.3	0.9	1.0	1.1	1.5	1.7	2.1	2.3	3.0	8.9
1987.....	0.9	0.7	0.9	1.1	1.2	1.4	2.3	2.5	2.6	7.4
1986.....	*	*	0.5	0.8	0.9	1.1	1.6	1.8	3.6	8.7
1985.....	*	*	0.5	0.6	1.0	1.1	1.6	2.2	3.2	8.5
1984.....	*	0.4	*	0.6	0.7	1.2	1.7	2.3	3.9	8.0
1983.....	*	*	0.5	0.7	1.1	1.3	1.7	2.1	3.4	7.2
1982.....	0.4	*	0.5	0.6	1.2	1.6	1.8	2.2	2.9	6.4
1981.....	*	*	0.5	0.7	0.8	1.3	2.0	2.5	3.4	7.1
1980.....	0.1	0.3	0.4	0.8	1.1	1.4	1.7	2.3	3.5	10.1
1979.....	0.3	0.3	0.5	0.6	0.9	1.1	1.0	1.8	2.5	5.6

RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)  
 CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

ALL OTHER, BOTH SEXES

1998.....	41.3	37.6	27.0	21.3	13.6	8.5	7.9	3.1	*	*
1997.....	50.8	43.7	29.9	21.1	18.0	10.3	8.7	5.9	*	*
1996.....	89.6	69.0	47.2	34.0	23.6	12.8	12.2	6.7	*	*
1995.....	112.4	84.7	55.7	38.0	28.9	17.2	11.3	6.1	*	*
1994.....	106.3	77.1	54.5	38.3	23.8	15.4	11.5	6.6	*	*
1993.....	89.5	63.7	43.2	27.3	17.9	13.7	8.1	5.4	*	*
1992.....	75.9	52.0	33.8	27.7	18.0	11.5	7.0	*	*	*
1991.....	61.3	45.0	32.7	19.4	15.1	10.2	4.8	3.7	*	*
1990.....	49.2	33.4	21.7	17.9	11.6	7.1	4.2	*	*	*
1989.....	44.3	28.8	20.9	13.8	8.8	6.0	3.9	3.6	*	*
1988.....	31.7	20.7	16.6	11.7	6.9	4.9	3.4	4.8	*	*
1987.....	24.5	18.6	10.6	8.6	6.3	3.5	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	0.6	0.7	0.9	1.6	1.1	1.8	2.6	7.2
1979.....	0.3	0.4	0.4	0.4	0.7	0.4	1.6	0.9	3.1	1.1

ALL OTHER MALE

1998.....	62.6	62.0	46.9	35.3	23.5	15.3	13.6	*	*	*
1997.....	79.1	70.6	51.6	37.4	33.1	19.7	13.5	10.2	*	*
1996.....	145.3	116.8	83.2	61.7	42.7	23.7	23.2	11.3	*	*
1995.....	187.2	145.5	102.0	66.6	52.6	28.3	17.4	12.8	*	*
1994.....	179.4	135.9	97.7	66.4	45.5	27.7	19.2	9.1	*	*
1993.....	155.4	113.9	79.5	51.0	34.1	24.9	14.3	8.9	*	*
1992.....	132.3	94.6	64.9	50.5	33.1	22.3	12.5	*	*	*
1991.....	109.0	81.7	59.0	34.9	27.5	18.6	9.5	*	*	*
1990.....	87.8	61.5	40.0	34.4	21.8	12.4	6.6	*	*	*
1989.....	80.7	53.9	39.1	26.2	18.0	12.1	*	*	*	*
1988.....	57.6	39.0	31.3	22.7	11.9	8.6	*	*	*	*
1987.....	45.7	35.5	21.2	17.2	11.5	4.9	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.3	0.7	0.5	1.3	2.6	1.1	1.1	2.3	11.5
1979.....	0.3	0.5	0.3	0.2	0.5	0.5	1.9	2.2	4.7	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)										
ALL OTHER FEMALE										
1998.....	22.4	16.8	10.5	9.9	6.0	3.5	3.8	*	*	*
1997.....	25.8	20.8	11.8	7.9	6.3	3.2	5.4	*	*	*
1996.....	40.7	28.2	17.2	11.4	8.9	4.7	4.5	*	*	*
1995.....	47.3	33.0	16.9	14.8	10.7	9.0	7.1	*	*	*
1994.....	42.8	27.2	18.2	15.6	7.3	6.4	6.2	*	*	*
1993.....	32.4	20.9	12.6	8.1	5.6	5.4	3.8	*	*	*
1992.....	27.1	15.4	7.5	9.2	6.4	3.5	*	*	*	*
1991.....	20.0	13.5	10.4	6.9	5.7	3.9	*	*	*	*
1990.....	15.7	9.1	6.1	4.7	3.8	3.2	*	*	*	*
1989.....	12.9	7.2	5.4	3.8	*	*	*	*	*	*
1988.....	9.3	4.9	4.2	2.8	3.0	*	*	*	*	*
1987.....	6.3	4.1	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	0.5	0.8	0.5	0.8	1.1	2.3	2.8	5.1
1979.....	0.4	0.4	0.4	0.6	0.9	0.4	1.4	-	2.2	1.8
BLACK, BOTH SEXES										
1998.....	56.2	52.1	37.5	28.3	18.0	11.1	10.1	3.6	*	*
1997.....	68.7	60.5	41.2	28.2	24.0	13.2	11.2	7.1	*	*
1996.....	121.4	93.9	64.7	45.7	30.9	16.7	15.1	7.8	*	*
1995.....	150.5	115.1	75.2	49.8	37.6	21.9	14.2	7.3	*	*
1994.....	143.2	104.9	72.3	50.2	30.6	19.3	14.0	8.0	*	*
1993.....	119.8	85.6	56.9	35.4	23.2	16.8	10.0	6.3	*	*
1992.....	102.6	70.3	44.3	36.1	23.0	14.3	8.4	*	*	*
1991.....	82.0	60.0	42.9	24.8	19.0	12.6	5.4	*	*	*
1990.....	65.7	43.5	27.9	22.5	14.0	8.3	4.5	*	*	*
1989.....	58.5	37.1	26.8	16.8	10.7	6.8	4.4	*	*	*
1988.....	41.8	26.5	21.0	14.0	8.1	5.6	3.8	5.3	*	*
1987.....	31.7	23.1	13.2	10.4	7.4	3.3	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.2	0.6	0.6	0.8	1.7	1.1	2.1	2.5	6.9
1979.....	0.2	0.3	0.4	0.5	0.8	0.5	1.9	0.8	3.0	1.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

BLACK MALE

1998.....	85.4	86.5	65.9	48.1	32.3	19.7	18.4	*	*	*
1997.....	107.0	98.6	72.1	51.2	45.1	25.3	18.3	12.5	*	*
1996.....	197.2	159.3	115.5	84.7	56.5	30.7	28.8	13.4	*	*
1995.....	250.2	198.6	139.7	89.1	69.4	35.8	22.8	15.9	*	*
1994.....	241.3	185.6	131.4	88.3	58.8	35.0	23.3	11.2	*	*
1993.....	208.1	154.5	106.3	67.2	44.3	31.5	18.3	10.9	*	*
1992.....	179.2	129.0	86.9	67.0	42.5	28.6	15.1	*	*	*
1991.....	145.9	110.1	78.9	44.8	34.8	23.2	10.6	*	*	*
1990.....	117.8	80.8	52.2	43.7	26.5	14.4	*	*	*	*
1989.....	106.9	70.0	51.1	32.7	22.2	14.3	*	*	*	*
1988.....	76.6	51.0	40.3	27.3	14.1	9.9	*	*	*	*
1987.....	59.4	44.8	26.5	21.1	13.9	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.2	0.6	0.4	1.3	2.7	1.3	1.3	2.7	9.4
1979.....	0.4	0.4	0.2	0.2	0.5	0.6	2.2	1.9	3.9	-

BLACK FEMALE

1998.....	30.6	23.3	14.5	12.8	7.3	4.7	*	*	*	*
1997.....	35.1	28.5	16.1	10.3	8.2	4.1	6.4	*	*	*
1996.....	55.5	38.9	23.5	15.3	11.6	6.2	5.7	*	*	*
1995.....	64.3	45.0	22.6	19.1	13.7	11.6	8.4	*	*	*
1994.....	58.6	37.3	24.0	20.4	9.3	7.7	7.7	*	*	*
1993.....	43.8	27.9	16.5	10.4	7.3	6.0	*	*	*	*
1992.....	36.8	21.1	9.6	11.6	8.2	3.9	*	*	*	*
1991.....	27.1	18.1	13.7	8.9	7.0	4.9	*	*	*	*
1990.....	21.1	12.2	8.0	5.7	4.5	*	*	*	*	*
1989.....	17.2	9.4	6.9	4.1	*	*	*	*	*	*
1988.....	12.3	6.1	5.1	3.4	*	*	*	*	*	*
1987.....	8.3	5.0	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	0.6	0.7	0.4	0.9	0.9	2.6	2.4	5.7
1979.....	0.1	0.3	0.5	0.7	1.1	0.4	1.6	-	2.4	1.9

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)

TOTAL, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.1	-
1979	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL, MALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	-	0.0	-	0.0	0.0	0.0	-	0.1	0.1	-
1979	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	-



CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)

WHITE MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	0.0	0.0	0.0	-	0.1	0.1	-	-
1979.....	0.0	0.0	-	0.1	0.0	0.0	0.0	0.1	0.1	-	-

WHITE FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	-	0.0	-	0.0	0.1	-	-
1979.....	-	0.0	0.0	0.0	-	-	-	0.0	-	0.1	-



CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)

ALL OTHER, BOTH SEXES

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*
1980	-	-	0.1	0.1	-	-	-	-	-	-	-
1979	0.1	-	0.1	-	0.1	-	-	-	-	-	-

ALL OTHER MALE

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*
1980	-	-	-	-	-	-	-	-	-	-	-
1979	0.1	-	0.2	-	0.2	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	0.2	-	-	-	-	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.1	-	-	-	-	-	-
1979.....	0.1	-	-	-	0.1	-	-	-	-	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-	-
1979.....	0.2	-	-	-	0.3	-	-	-	-	-	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	-	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 TYPHUS AND OTHER RICKETTSIOSES (080-083)

TOTAL, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-
1979	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
TOTAL, MALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	-	0.0	-	0.0	0.0	0.0	-	0.1	0.1	-
1979	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	-



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TYPHUS AND OTHER RICKETTSIOSES (080-083)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	0.0	0.0	0.0	-	0.1	0.1	-
1979.....	-	0.0	-	0.1	0.0	0.0	0.0	0.1	0.1	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	-	-	-	0.0	-	-
1979.....	-	0.0	0.0	-	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TYPHUS AND OTHER RICKETTSIOSES (080-083)										
ALL OTHER, BOTH SEXES										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	0.1	-	-	-	-	-	-
1979.....	0.1	-	0.1	-	0.1	-	-	-	-	-
ALL OTHER MALE										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	0.1	-	0.2	-	0.2	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TYPHUS AND OTHER RICKETTSIOSES (080-083)										
ALL OTHER FEMALE										
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	0.2	-	-	-	-	-	-
BLACK, BOTH SEXES										
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.1	-	-	-	-	-	-
1979.....	0.1	-	-	-	0.1	-	-	-	-	-



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 TYPHUS AND OTHER RICKETTSIOSES (080-083)										
BLACK MALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	0.2	-	-	-	0.3	-	-	-	-	-
BLACK FEMALE										
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	-	-	-	-	-	-



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALARIA (084)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	0.0	-	-	-	0.0	-	-
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1979.....	0.0	-	-	0.0	-	-	-	0.0	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALARIA (084)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1979.....	0.0	-	-	-	-	-	-	-	-	-
WHITE FEMALE										
1997.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	0.0	-	-	-	0.0	-	-



















TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,  
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
SYPHILIS AND OTHER VENEREAL DISEASES (090-099)

TOTAL, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	0.5
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	0.4	*	*
1983	*	*	*	*	*	*	0.3	0.5	*	*
1982	*	*	*	*	*	*	*	0.4	*	*
1981	*	*	*	*	*	*	0.4	0.6	*	*
1980	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.7	0.6	1.0
1979	0.0	0.0	0.0	0.1	0.2	0.3	0.5	0.6	0.6	1.1
TOTAL, MALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.1	0.0	0.0	0.1	0.1	0.3	0.5	1.2	1.3	2.2
1979	0.0	0.0	0.0	0.1	0.4	0.4	0.9	0.8	1.3	1.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
SYPHILIS AND OTHER VENEREAL DISEASES (090-099)

TOTAL, FEMALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.4	0.3	0.5
1979	0.0	-	0.1	0.0	0.1	0.2	0.2	0.6	0.3	1.1
WHITE, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.4	0.4	0.7
1979	-	0.0	0.0	0.0	0.1	0.2	0.3	0.4	0.3	0.7

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
SYPHILIS AND OTHER VENEREAL DISEASES (090-099)

WHITE MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.0	-	0.0	0.0	0.1	0.3	0.5	1.2	1.1
1979.....	-	0.0	0.0	0.0	0.2	0.2	0.6	0.6	0.8	0.6

WHITE FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.3	-	0.6
1979.....	-	-	0.0	0.0	0.0	0.2	0.1	0.3	0.1	0.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

SYPHILIS AND OTHER VENEREAL DISEASES (090-099)

## ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	0.2	0.4	1.3	1.4	4.1	3.5	4.5
1979.....	0.1	0.1	0.2	0.3	1.5	0.9	2.5	2.5	4.0	5.7

## ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.3	0.2	0.7	1.8	2.2	7.8	2.3	13.2
1979.....	0.1	0.2	-	0.4	2.1	1.6	4.2	2.2	7.0	8.5



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

SYPHILIS AND OTHER VENEREAL DISEASES (090-099)

## ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	0.2	0.2	1.0	0.8	1.5	4.2	-
1979.....	0.1	-	0.4	0.3	0.9	0.4	1.2	2.7	2.2	4.4

## BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.3	0.2	0.5	1.5	1.6	4.6	3.0	5.0
1979.....	0.2	0.1	0.2	0.4	1.7	1.0	2.8	2.8	4.5	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

SYPHILIS AND OTHER VENEREAL DISEASES (090-099)

## BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.4	0.2	0.8	2.1	2.6	9.2	1.3	15.1
1979.....	0.2	0.2	-	0.4	2.4	1.8	4.9	2.5	7.8	7.7

## BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	0.2	0.2	1.1	0.9	1.7	4.0	-
1979.....	0.1	-	0.3	0.3	1.1	0.4	1.3	3.0	2.4	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SYPHILIS (090-097)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	0.3	0.5	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	0.4	0.6	*	*
1980.....	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.7	0.6	1.0
1979.....	0.0	0.0	0.0	0.1	0.2	0.3	0.5	0.6	0.6	1.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.1	0.1	0.3	0.5	1.2	1.3	2.1
1979.....	0.0	0.0	0.0	0.1	0.4	0.4	0.9	0.8	1.3	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SYPHILIS (090-097)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.4	0.3	0.5
1979.....	0.0	-	0.1	0.0	0.1	0.2	0.2	0.5	0.3	1.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.4	0.4	0.7
1979.....	-	0.0	0.0	0.0	0.1	0.2	0.3	0.4	0.3	0.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SYPHILIS (090-097)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	0.0	0.1	0.3	0.5	1.2	1.1
1979.....	-	0.0	0.0	0.0	0.2	0.2	0.6	0.6	0.8	0.6
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	-	0.1	0.1	0.4	0.3	-	0.6
1979.....	-	-	0.0	0.0	0.0	0.2	0.1	0.3	0.1	0.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SYPHILIS (090-097)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	0.2	0.3	1.2	1.2	4.1	3.1	3.9
1979.....	0.1	0.1	0.2	0.3	1.5	0.9	2.5	2.3	4.0	5.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.3	0.2	0.4	1.6	2.2	7.8	2.3	11.5
1979.....	0.1	0.2	-	0.4	2.1	1.6	4.2	2.2	7.0	8.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SYPHILIS (090-097)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	0.2	1.0	0.5	1.5	3.5	-
1979.....	0.1	-	0.4	0.3	0.9	0.4	1.2	2.3	2.2	4.4
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	0.2	0.3	1.4	1.4	4.6	2.5	4.4
1979.....	0.2	0.1	0.2	0.4	1.7	1.0	2.8	2.5	4.5	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 SYPHILIS (090-097)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.4	0.2	0.5	1.8	2.6	9.2	1.3	13.2
1979.....	0.2	0.2	-	0.4	2.4	1.8	4.9	2.5	7.8	7.7

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	0.2	1.1	0.6	1.7	3.2	-
1979.....	0.1	-	0.3	0.3	1.1	0.4	1.3	2.5	2.4	4.8



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CARDIOVASCULAR SYPHILIS (093)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	0.0	0.1	0.2	0.3	0.3	0.5
1979.....	-	-	0.0	0.0	0.1	0.1	0.3	0.4	0.3	0.6
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	0.1	0.1	0.4	0.6	0.7	1.3
1979.....	-	-	0.0	0.0	0.1	0.2	0.5	0.4	0.7	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 CARDIOVASCULAR SYPHILIS (093)

TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	-	0.1	0.2	0.1	0.1	0.2
1979.....	-	-	0.0	0.0	0.1	0.1	0.1	0.4	0.2	0.5
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	0.0	0.0	0.2	0.1	0.2	0.3
1979.....	-	-	0.0	0.0	0.0	0.1	0.1	0.3	0.2	0.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CARDIOVASCULAR SYPHILIS (093)										
WHITE MALE										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.0	0.0	0.3	0.2	0.5	0.5
1979.....	-	-	0.0	0.0	0.1	0.1	0.2	0.4	0.2	0.5
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	0.0	0.2	0.0	-	0.2
1979.....	-	-	-	0.0	-	0.1	0.1	0.2	0.1	0.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CARDIOVASCULAR SYPHILIS (093)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	0.1	0.8	0.5	2.5	1.7	3.3
1979.....	-	-	0.1	-	0.6	0.6	1.8	1.6	2.7	4.0
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	0.2	1.0	1.1	4.5	2.3	9.9
1979.....	-	-	-	-	0.7	0.8	3.0	1.1	5.8	6.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CARDIOVASCULAR SYPHILIS (093)										
ALL OTHER FEMALE										
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	-	0.6	-	1.1	1.4	-
1979.....	-	-	0.1	-	0.6	0.4	0.9	1.9	0.7	2.6
BLACK, BOTH SEXES										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	0.1	0.9	0.5	2.8	1.5	3.8
1979.....	-	-	-	-	0.7	0.6	2.0	1.8	3.0	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CARDIOVASCULAR SYPHILIS (093)										
BLACK MALE										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	0.3	1.2	1.3	5.2	1.3	11.3
1979.....	-	-	-	-	0.8	0.9	3.5	1.2	6.5	5.8
BLACK FEMALE										
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	-	0.7	-	1.3	1.6	-
1979.....	-	-	-	-	0.6	0.4	1.0	2.1	0.8	2.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEUROSYPHILIS (094)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.2	0.4
1979.....	-	0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.4
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	-	0.2	0.1	0.4	0.5	0.6
1979.....	-	0.0	-	0.0	0.2	0.2	0.3	0.1	0.5	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
NEUROSYPHILIS (094)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	-	0.0	0.1	0.1	0.2	0.1	0.3
1979.....	-	-	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.5
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	-	0.0	0.0	0.1	0.1	0.2	0.2	0.3
1979.....	-	0.0	0.0	-	0.0	0.1	0.1	0.1	0.2	0.3



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEUROSYPHILIS (094)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	-	0.1	0.0	0.2	0.5	0.5
1979.....	-	0.0	-	-	0.0	0.1	0.2	0.1	0.4	0.2
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	-	0.0	0.1	0.1	0.1	-	0.3
1979.....	-	-	0.0	-	0.0	0.0	0.1	0.1	-	0.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEUROSYPHILIS (094)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	-	-	0.2	0.6	0.9	0.9	0.6
1979.....	-	0.1	0.1	0.3	0.7	0.2	0.7	0.5	1.3	1.1
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.3	-	-	0.5	0.7	1.7	-	1.6
1979.....	-	0.2	-	0.4	1.2	0.5	1.1	0.5	1.2	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
NEUROSYPHILIS (094)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	0.5	0.4	1.4	-
1979.....	-	-	0.1	0.3	0.4	-	0.3	0.4	1.5	1.8
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	-	0.3	0.7	1.0	0.5	0.6
1979.....	-	0.1	0.1	0.4	0.8	0.3	0.7	0.5	1.5	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEUROSYPHILIS (094)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.4	-	-	0.6	0.9	2.0	-	1.9
1979.....	-	0.2	-	0.4	1.3	0.6	1.3	0.6	1.3	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	0.6	0.4	0.8	-
1979.....	-	-	0.2	0.3	0.4	-	0.3	0.4	1.6	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER SYPHILIS (090-091,095-097)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
1979.....	0.0	-	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	0.0	-	0.0	0.2	0.1	0.1
1979.....	0.0	-	-	0.0	0.1	0.0	0.1	0.2	0.1	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER SYPHILIS (090-091,095-097)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	-	0.0	0.1	0.1	0.1	0.1	0.1
1979.....	0.0	-	0.0	-	-	0.1	-	-	-	0.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1
1979.....	-	-	-	0.0	0.0	0.0	0.1	0.1	0.0	0.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER SYPHILIS (090-091,095-097)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	-	-	-	0.1	0.1	0.2
1979.....	-	-	-	0.0	0.0	-	0.1	0.2	0.1	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	-	0.0	0.0	0.1	0.1	-	0.1
1979.....	-	-	-	-	-	0.1	-	-	-	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER SYPHILIS (090-091,095-097)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.2	0.2	0.2	0.7	0.4	-
1979.....	0.1	-	0.1	-	0.1	0.1	-	0.2	-	0.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.2	-	0.4	1.7	-	-
1979.....	0.1	-	-	-	0.2	0.3	-	0.5	-	1.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER SYPHILIS (090-091,095-097)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.2	0.4	-	-	0.7	-
1979.....	0.1	-	0.1	-	-	-	-	-	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.2	0.3	0.2	0.8	0.5	-
1979.....	0.2	-	0.1	-	0.1	0.1	-	0.3	-	0.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER SYPHILIS (090-091,095-097)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.3	-	0.4	2.0	-	-
1979.....	0.2	-	-	-	0.3	0.3	-	0.6	-	1.9
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.2	0.4	-	-	0.8	-
1979.....	0.1	-	0.2	-	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GONOCOCCAL INFECTIONS (098)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0
1979.....	-	-	-	-	-	-	-	-	-	-
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.0	-	-	-	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GONOCOCCAL INFECTIONS (098)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	0.0	-	-	-	-	0.1	-
1979.....	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GONOCOCCAL INFECTIONS (098)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GONOCOCCAL INFECTIONS (098)										
ALL OTHER, BOTH SEXES										
1997.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	-	-	0.1	-	-	0.4	0.6
1979.....	-	-	-	-	-	-	-	-	-	-
ALL OTHER MALE										
1997.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.3	-	-	-	1.6







CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER VENEREAL DISEASES (099)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	-	-	0.0	-	0.0	-	-	-
1979.....	-	-	-	-	-	-	-	0.0	-	-
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	-	-	0.0	-	-	-	-	-





CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER VENEREAL DISEASES (099)										
ALL OTHER, BOTH SEXES										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.1	-	0.2	-	-	-
1979.....	-	-	-	-	-	-	-	0.2	-	-
ALL OTHER MALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.2	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER VENEREAL DISEASES (099)										
ALL OTHER FEMALE										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	0.3	-	-	-
1979.....	-	-	-	-	-	-	-	0.4	-	-
BLACK, BOTH SEXES										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.1	-	0.2	-	-	-
1979.....	-	-	-	-	-	-	-	0.3	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER VENEREAL DISEASES (099)										
BLACK MALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.3	-	-	-	-	-
BLACK FEMALE										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	0.3	-	-	-
1979.....	-	-	-	-	-	-	-	0.4	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)										
TOTAL, BOTH SEXES										
1998.....	1.2	1.5	2.0	2.6	3.2	4.4	5.4	6.6	7.4	8.7
1997.....	1.3	1.6	2.0	2.4	3.4	3.7	5.0	7.2	7.3	8.8
1996.....	1.4	1.7	1.9	2.6	3.1	4.3	5.7	6.9	7.9	8.7
1995.....	1.5	1.6	2.4	2.6	3.0	4.0	5.2	6.9	6.9	8.5
1994.....	1.6	1.9	1.9	2.4	3.4	4.1	5.5	6.0	7.6	9.1
1993.....	1.5	1.7	2.1	2.4	3.1	4.0	5.4	6.6	7.5	10.3
1992.....	1.5	1.9	1.9	2.6	3.2	3.9	5.0	6.4	7.2	10.5
1991.....	1.5	1.8	1.8	2.8	3.3	4.2	5.2	5.8	7.0	10.3
1990.....	1.6	1.8	2.1	2.3	3.6	4.5	5.4	7.0	8.0	9.4
1989.....	1.8	1.8	2.0	2.7	3.3	4.8	6.0	7.8	8.6	10.6
1988.....	1.6	1.6	2.1	2.5	3.3	4.2	6.0	7.4	8.7	10.8
1987.....	1.4	1.4	1.8	2.5	3.1	4.1	5.1	6.0	7.4	9.7
1986.....	3.7	3.4	2.9	3.5	3.6	4.8	5.1	6.6	7.1	10.1
1985.....	2.6	2.5	2.4	2.7	3.1	4.1	4.9	5.8	5.6	8.7
1984.....	1.9	2.0	1.9	2.4	2.5	3.6	4.1	5.1	6.1	8.2
1983.....	1.1	1.3	1.5	1.8	2.5	2.8	3.9	4.9	5.2	6.1
1982.....	0.8	1.0	1.2	1.6	2.0	2.8	3.6	4.5	4.4	6.9
1981.....	0.7	0.9	1.3	1.4	2.3	2.5	2.9	3.8	5.0	6.9
1980.....	0.7	0.9	1.2	1.5	1.7	2.6	3.2	3.4	5.0	6.1
1979.....	0.6	0.9	1.0	1.6	1.9	2.1	2.8	3.3	4.0	4.4
TOTAL, MALE										
1998.....	1.3	1.6	2.4	2.7	3.3	4.8	6.4	8.0	9.9	10.0
1997.....	1.5	1.8	2.0	2.2	3.7	4.1	5.8	9.1	9.5	10.8
1996.....	1.8	2.0	1.8	2.5	3.5	4.9	6.4	8.0	9.6	11.0
1995.....	1.9	2.0	2.5	2.7	3.0	4.8	6.2	8.9	9.8	12.9
1994.....	2.2	2.5	2.1	3.0	3.9	4.7	6.3	6.8	8.3	12.6
1993.....	2.0	2.0	2.5	2.7	3.6	4.6	6.3	7.4	10.5	13.8
1992.....	1.9	2.0	2.3	2.9	3.5	4.8	6.2	7.8	9.8	15.2
1991.....	2.1	2.4	2.0	3.3	3.9	5.1	6.6	8.1	10.9	13.6
1990.....	2.1	2.3	2.4	2.4	4.1	5.5	6.9	9.6	11.7	14.1
1989.....	2.4	2.4	2.5	3.1	3.9	5.8	7.0	10.7	12.0	14.1
1988.....	2.2	1.7	2.6	3.0	3.7	5.3	7.6	9.3	11.2	13.8
1987.....	1.6	1.9	2.1	3.1	3.7	4.6	6.4	8.2	9.8	13.3
1986.....	6.2	5.6	4.4	5.2	4.8	5.9	6.5	9.1	10.1	11.4
1985.....	4.3	3.8	3.5	3.6	3.8	5.7	6.2	7.9	8.0	11.8
1984.....	2.9	3.0	2.6	3.2	3.2	4.2	5.6	7.0	7.9	11.6
1983.....	1.5	1.6	1.7	2.3	2.7	3.4	4.9	7.4	7.8	10.2
1982.....	0.9	1.2	1.3	1.8	2.6	3.3	4.7	6.3	6.1	8.2
1981.....	0.8	1.0	1.6	1.6	2.9	3.2	3.7	5.7	7.1	11.1
1980.....	0.6	1.0	1.3	1.9	1.9	3.5	4.4	4.3	7.5	10.4
1979.....	0.7	1.0	1.1	1.7	2.4	2.7	3.9	5.0	6.4	7.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)										
TOTAL, FEMALE										
1998.....	1.1	1.3	1.7	2.6	3.2	4.0	4.7	5.6	5.9	8.2
1997.....	1.2	1.5	2.0	2.6	3.1	3.4	4.4	5.9	6.0	8.0
1996.....	1.0	1.5	1.9	2.8	2.8	3.8	5.2	6.1	6.8	7.8
1995.....	1.1	1.3	2.3	2.5	3.0	3.4	4.5	5.6	5.3	6.8
1994.....	1.1	1.4	1.7	2.0	3.0	3.6	4.9	5.4	7.1	7.8
1993.....	1.0	1.4	1.8	2.1	2.6	3.5	4.7	6.1	5.9	8.9
1992.....	1.1	1.7	1.5	2.2	3.0	3.2	4.1	5.5	5.8	8.7
1991.....	1.0	1.2	1.7	2.3	2.7	3.4	4.2	4.3	5.0	9.0
1990.....	1.0	1.3	1.8	2.2	3.2	3.7	4.3	5.3	6.1	7.6
1989.....	1.2	1.3	1.6	2.2	2.8	3.9	5.3	5.9	6.8	9.2
1988.....	0.9	1.4	1.6	2.0	3.0	3.4	4.8	6.2	7.5	9.7
1987.....	1.1	1.0	1.6	1.9	2.5	3.7	4.2	4.6	6.2	8.3
1986.....	1.3	1.3	1.5	2.0	2.6	3.9	4.0	5.0	5.6	9.6
1985.....	0.9	1.1	1.4	1.9	2.5	2.9	4.0	4.6	4.4	7.5
1984.....	0.8	1.2	1.2	1.6	1.9	3.2	3.0	3.9	5.2	6.9
1983.....	0.7	1.0	1.2	1.4	2.3	2.4	3.1	3.3	3.8	4.4
1982.....	0.7	0.9	1.1	1.4	1.5	2.4	2.9	3.3	3.4	6.4
1981.....	0.6	0.8	1.1	1.2	1.9	1.9	2.3	2.7	3.9	5.0
1980.....	0.8	0.8	1.1	1.2	1.6	1.8	2.3	2.9	3.7	4.2
1979.....	0.5	0.8	0.8	1.4	1.5	1.6	1.9	2.2	2.7	3.2
WHITE, BOTH SEXES										
1998.....	0.7	0.9	1.5	2.0	2.6	4.1	5.2	6.4	7.2	8.5
1997.....	0.8	1.0	1.6	1.9	2.8	3.4	4.6	6.8	7.1	8.4
1996.....	0.8	1.1	1.3	2.0	2.7	4.0	5.5	6.5	7.7	8.2
1995.....	1.0	1.1	1.7	2.0	2.5	3.9	5.0	6.8	6.5	8.4
1994.....	1.1	1.5	1.3	2.0	2.9	3.8	5.1	5.7	7.1	8.9
1993.....	0.9	1.1	1.5	1.9	2.6	3.7	5.0	6.2	7.3	9.6
1992.....	0.9	1.2	1.4	1.9	2.7	3.5	4.8	6.2	7.0	10.1
1991.....	1.0	1.2	1.4	2.1	2.8	3.8	4.9	5.7	6.9	9.8
1990.....	1.0	1.2	1.4	1.9	3.1	4.2	5.1	6.6	7.9	9.0
1989.....	1.1	1.3	1.6	2.2	3.1	4.3	5.7	7.4	8.5	10.3
1988.....	1.0	1.0	1.6	2.0	3.0	4.0	5.7	7.2	8.4	10.5
1987.....	1.0	1.0	1.2	1.9	2.8	3.7	4.9	5.8	7.1	9.4
1986.....	3.0	2.8	2.3	3.2	3.2	4.5	4.7	6.1	6.9	9.8
1985.....	2.1	2.0	2.0	2.3	2.8	3.7	4.7	5.7	5.5	8.5
1984.....	1.4	1.6	1.4	2.0	2.2	3.3	3.9	5.1	5.9	8.2
1983.....	0.7	0.9	1.1	1.6	2.3	2.7	3.7	4.6	4.8	5.8
1982.....	0.5	0.7	0.9	1.3	1.8	2.5	3.5	4.2	4.0	7.1
1981.....	0.4	0.7	1.1	1.3	2.2	2.3	2.8	3.6	4.7	6.6
1980.....	0.4	0.5	1.0	1.3	1.5	2.4	2.9	3.3	4.7	6.1
1979.....	0.3	0.7	0.7	1.4	1.7	1.9	2.6	3.2	4.0	4.4



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)										
WHITE MALE										
1998.....	0.9	1.1	1.8	2.1	2.9	4.6	6.4	7.6	9.9	9.8
1997.....	1.0	1.2	1.8	1.9	3.0	3.8	5.4	8.6	9.4	10.4
1996.....	1.2	1.5	1.3	2.0	3.1	4.6	6.3	7.6	9.8	10.0
1995.....	1.3	1.5	1.9	2.3	2.7	4.6	6.1	8.5	9.4	12.6
1994.....	1.7	2.0	1.7	2.5	3.5	4.3	6.0	6.5	7.4	12.0
1993.....	1.4	1.4	2.0	2.1	3.3	4.5	5.8	6.7	10.1	13.6
1992.....	1.4	1.4	1.8	2.2	3.2	4.5	6.0	7.7	9.2	15.0
1991.....	1.4	1.8	1.6	2.6	3.3	4.7	6.1	8.0	10.5	12.7
1990.....	1.6	1.6	1.6	2.1	3.7	5.1	6.3	9.2	11.9	13.3
1989.....	1.5	1.8	2.0	2.7	3.6	5.4	6.8	10.0	11.4	13.6
1988.....	1.5	1.2	2.0	2.4	3.3	5.0	7.3	9.0	10.9	12.6
1987.....	1.2	1.4	1.6	2.5	3.5	4.4	6.0	8.2	9.2	12.8
1986.....	5.4	4.9	3.7	4.7	4.4	5.7	6.1	8.6	9.7	10.8
1985.....	3.7	3.2	3.0	3.2	3.5	5.1	6.0	7.7	7.7	10.9
1984.....	2.3	2.5	2.0	2.9	2.9	4.0	5.3	6.8	7.4	11.4
1983.....	1.0	1.3	1.3	2.1	2.6	3.2	4.7	7.1	7.1	9.5
1982.....	0.6	0.9	1.1	1.7	2.4	2.9	4.4	6.0	5.6	8.3
1981.....	0.5	0.9	1.3	1.4	2.8	3.1	3.6	5.6	6.6	11.1
1980.....	0.4	0.6	1.2	1.7	1.7	3.3	4.2	4.1	7.2	10.8
1979.....	0.4	0.8	0.9	1.6	2.2	2.7	3.8	4.9	6.3	7.1
WHITE FEMALE										
1998.....	0.5	0.7	1.2	1.9	2.4	3.6	4.3	5.5	5.6	8.0
1997.....	0.6	0.8	1.4	1.9	2.5	3.1	3.9	5.5	5.7	7.6
1996.....	0.5	0.8	1.3	2.0	2.3	3.5	4.9	5.7	6.5	7.4
1995.....	0.7	0.7	1.5	1.8	2.3	3.2	4.2	5.6	4.9	6.8
1994.....	0.5	1.0	0.9	1.6	2.4	3.4	4.5	5.2	7.0	7.7
1993.....	0.5	0.8	1.1	1.7	2.0	3.1	4.4	5.8	5.8	8.2
1992.....	0.5	1.0	0.9	1.6	2.3	2.8	4.0	5.3	5.9	8.2
1991.....	0.5	0.6	1.2	1.7	2.4	3.1	3.9	4.2	5.0	8.7
1990.....	0.5	0.7	1.3	1.7	2.6	3.4	4.2	5.0	5.7	7.4
1989.....	0.7	0.8	1.2	1.8	2.5	3.5	4.9	5.7	7.0	9.0
1988.....	0.6	0.9	1.2	1.6	2.7	3.1	4.4	6.0	7.1	9.7
1987.....	0.7	0.6	0.8	1.4	2.2	3.0	4.1	4.2	6.0	8.1
1986.....	0.7	0.8	1.0	1.7	2.2	3.6	3.8	4.6	5.5	9.4
1985.....	0.6	0.7	1.1	1.4	2.2	2.5	3.7	4.4	4.4	7.5
1984.....	0.4	0.7	0.7	1.2	1.6	2.8	2.8	3.9	5.1	6.9
1983.....	0.3	0.6	0.9	1.2	2.0	2.2	3.0	3.0	3.6	4.3
1982.....	0.4	0.5	0.8	1.0	1.3	2.1	2.9	3.0	3.1	6.6
1981.....	*	0.5	0.9	1.1	1.7	1.7	2.2	2.5	3.7	4.7
1980.....	0.4	0.4	0.8	1.0	1.3	1.6	2.0	2.7	3.3	4.1
1979.....	0.2	0.6	0.6	1.2	1.3	1.4	1.8	2.2	2.8	3.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)										
ALL OTHER, BOTH SEXES										
1998.....	3.7	4.3	5.3	6.2	6.9	6.4	7.1	8.4	8.9	10.6
1997.....	4.0	4.9	4.7	5.5	7.4	5.7	8.5	11.2	9.4	12.5
1996.....	4.0	5.2	5.1	6.3	6.2	6.4	7.6	10.8	9.6	14.1
1995.....	4.3	4.9	6.7	6.0	6.3	5.4	7.0	8.1	10.9	9.2
1994.....	4.2	4.4	5.6	5.1	7.0	6.4	8.5	8.5	12.1	11.5
1993.....	4.5	5.2	5.8	5.4	6.5	6.1	8.5	10.6	9.8	16.6
1992.....	4.6	6.1	4.8	6.9	7.0	7.0	6.9	8.1	8.8	14.8
1991.....	4.5	5.4	4.7	6.9	6.5	6.9	8.2	6.7	8.4	15.3
1990.....	4.6	5.6	6.3	4.8	7.4	7.5	8.0	10.3	9.6	13.8
1989.....	5.6	5.3	4.5	5.7	5.5	8.4	9.3	11.6	9.9	14.1
1988.....	4.8	4.8	5.0	6.1	5.7	6.3	9.0	9.2	12.8	14.9
1987.....	3.8	4.1	6.1	6.8	5.0	7.9	7.0	8.5	10.7	13.8
1986.....	8.0	7.0	6.4	6.3	6.7	7.1	7.9	11.2	9.1	13.4
1985.....	5.4	5.7	5.0	6.0	5.3	8.3	7.2	7.5	*	11.6
1984.....	5.0	4.9	5.5	5.3	5.6	6.6	6.2	5.7	8.8	9.2
1983.....	3.8	3.9	4.0	3.5	4.3	4.3	5.2	7.3	9.9	9.6
1982.....	2.7	3.1	3.1	3.5	3.6	5.4	4.6	7.6	8.8	*
1981.....	2.7	2.7	3.1	2.9	3.8	4.1	4.2	5.6	8.3	*
1980.....	2.7	3.7	3.0	3.0	4.2	4.2	5.4	5.0	8.7	5.6
1979.....	2.7	2.3	2.9	3.5	4.0	3.4	4.3	4.3	3.6	4.0
ALL OTHER MALE										
1998.....	3.5	4.4	6.2	6.1	6.0	6.4	6.4	11.7	*	*
1997.....	3.7	5.0	3.9	4.6	8.5	6.1	8.7	14.2	*	*
1996.....	5.0	5.3	4.7	5.4	6.7	7.1	7.6	11.3	*	19.9
1995.....	5.2	5.2	6.5	5.3	5.2	6.4	6.9	12.4	14.3	*
1994.....	5.0	5.4	4.5	6.1	7.0	8.2	9.5	10.4	18.1	*
1993.....	5.8	6.1	5.8	6.8	6.6	5.5	10.5	14.1	14.8	*
1992.....	5.3	6.1	5.1	8.2	5.8	7.3	8.5	8.5	15.2	*
1991.....	5.8	6.8	4.8	8.7	8.9	8.9	11.2	9.1	*	*
1990.....	5.3	6.4	7.6	4.1	7.4	8.9	12.5	13.4	*	*
1989.....	7.6	6.4	5.4	6.2	6.2	9.5	8.5	18.0	18.2	*
1988.....	7.2	5.4	6.5	7.9	6.6	7.7	10.3	11.4	*	25.3
1987.....	4.0	5.0	5.6	8.4	5.9	6.3	9.4	*	*	*
1986.....	11.8	10.4	8.7	8.8	7.7	8.3	11.2	13.8	*	*
1985.....	8.5	8.1	6.8	6.5	5.9	10.9	8.0	*	*	*
1984.....	7.0	6.1	6.8	6.2	6.6	6.7	8.4	*	*	*
1983.....	5.0	4.0	4.3	4.2	*	5.0	*	10.2	*	*
1982.....	3.2	3.1	*	*	*	6.8	7.6	*	*	*
1981.....	2.9	*	3.8	*	*	*	*	*	*	*
1980.....	2.4	3.8	2.8	4.2	4.5	6.0	6.5	5.6	10.3	6.6
1979.....	3.1	2.4	3.1	3.1	4.4	3.4	5.7	6.6	7.0	6.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)										
ALL OTHER FEMALE										
1998.....	3.8	4.2	4.6	6.3	7.5	6.4	7.7	6.2	8.8	9.8
1997.....	4.2	4.8	5.4	6.3	6.5	5.4	8.4	9.2	9.0	11.9
1996.....	3.2	5.1	5.6	7.0	5.9	5.8	7.6	10.5	10.7	11.4
1995.....	3.4	4.6	6.9	6.5	7.1	4.6	7.1	5.4	9.0	*
1994.....	3.5	3.5	6.4	4.2	7.0	5.0	7.9	7.3	8.8	*
1993.....	3.4	4.3	5.8	4.2	6.4	6.5	7.1	8.5	*	16.7
1992.....	3.9	6.1	4.4	5.9	7.9	6.8	5.7	7.9	*	13.8
1991.....	3.3	4.2	4.5	5.5	4.6	5.5	6.1	*	*	12.2
1990.....	4.0	4.9	5.2	5.3	7.4	6.4	4.9	8.3	10.0	*
1989.....	4.0	4.3	3.7	5.2	5.0	7.5	9.7	7.6	*	12.0
1988.....	2.8	4.3	3.8	4.6	5.1	5.2	8.1	7.8	11.8	*
1987.....	3.7	3.3	6.5	5.4	4.3	9.2	5.3	8.3	*	*
1986.....	4.8	4.1	4.5	4.2	5.9	6.2	5.6	9.5	*	*
1985.....	2.8	3.6	3.5	5.5	4.8	6.4	6.7	6.4	*	*
1984.....	3.3	3.8	4.5	4.6	4.7	6.5	4.7	*	*	*
1983.....	2.8	3.7	3.7	3.0	4.7	3.8	*	*	*	*
1982.....	2.3	3.0	3.0	4.0	3.4	4.4	*	*	*	*
1981.....	2.5	3.0	*	*	3.6	*	*	*	*	*
1980.....	3.0	3.5	3.2	2.1	3.9	2.8	4.6	4.6	7.7	5.1
1979.....	2.5	2.2	2.8	3.8	3.6	3.4	3.2	2.7	1.5	2.6
BLACK, BOTH SEXES										
1998.....	4.8	5.8	6.9	7.6	8.4	7.5	8.5	7.8	10.1	10.8
1997.....	5.3	6.3	6.2	6.9	8.7	6.1	9.4	12.1	9.5	13.7
1996.....	5.2	6.9	6.5	7.9	7.2	7.1	8.4	12.2	9.4	14.0
1995.....	5.4	6.5	8.3	7.2	7.4	6.2	8.2	8.8	11.0	9.5
1994.....	5.5	5.8	7.2	6.6	7.7	7.0	9.8	7.8	11.4	11.0
1993.....	6.1	6.9	7.5	5.9	7.7	6.7	8.7	10.7	10.0	17.1
1992.....	6.0	7.8	6.1	8.3	7.6	7.1	7.5	8.4	8.3	15.6
1991.....	6.0	7.2	5.9	8.6	7.7	6.9	8.7	7.0	8.8	15.1
1990.....	6.2	7.3	7.7	5.5	8.8	8.0	8.5	11.0	10.1	13.0
1989.....	7.3	6.8	5.3	6.5	6.3	9.4	9.9	12.7	9.9	15.5
1988.....	6.3	5.9	6.2	7.0	6.2	7.0	9.1	10.6	13.2	15.0
1987.....	4.9	5.2	7.3	7.7	5.7	8.6	7.7	8.8	10.6	13.5
1986.....	10.4	8.7	7.4	7.2	6.9	7.4	7.5	10.6	10.2	10.9
1985.....	6.9	6.8	6.1	6.6	5.6	8.1	6.5	7.2	*	11.8
1984.....	6.1	6.0	6.1	5.5	6.0	7.3	6.4	5.1	8.5	*
1983.....	4.9	4.6	4.6	3.7	4.8	4.7	5.5	7.3	9.7	*
1982.....	3.3	3.8	3.4	3.6	4.0	6.0	4.5	6.8	*	*
1981.....	3.4	3.3	3.5	3.2	3.9	4.1	4.1	5.0	*	*
1980.....	3.3	4.4	3.4	2.8	4.6	4.4	5.8	4.6	8.0	5.7
1979.....	3.3	2.7	3.2	3.4	4.2	3.2	4.4	3.3	3.0	2.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)										

## BLACK MALE

1998.....	4.8	5.8	8.1	7.9	7.5	8.0	7.7	10.2	*	*
1997.....	4.7	6.4	5.2	5.7	9.8	6.3	8.6	14.4	*	*
1996.....	6.3	7.0	6.0	6.7	7.7	7.0	8.8	12.9	*	*
1995.....	6.9	7.1	8.1	6.4	6.1	7.4	7.8	12.9	*	*
1994.....	6.6	7.1	6.3	8.4	7.6	8.3	11.8	*	*	*
1993.....	7.8	8.1	7.7	7.6	7.8	5.6	9.7	13.6	*	*
1992.....	7.1	7.7	6.7	10.1	6.1	7.3	8.5	*	*	*
1991.....	7.8	9.4	6.4	10.6	10.9	8.7	13.3	*	*	*
1990.....	7.4	8.4	9.2	*	9.1	8.6	12.6	14.5	*	*
1989.....	9.9	8.4	6.5	7.1	6.7	10.6	9.9	21.3	*	*
1988.....	9.5	7.0	8.2	9.2	7.4	8.2	9.6	13.6	*	*
1987.....	5.1	6.5	6.9	9.6	7.0	6.3	10.4	*	*	*
1986.....	15.3	12.9	10.2	10.6	7.5	8.2	10.1	11.6	*	*
1985.....	10.9	9.9	8.2	7.6	6.1	10.3	*	*	*	*
1984.....	8.4	7.8	7.8	5.9	6.9	7.4	8.2	*	*	*
1983.....	6.5	5.0	5.4	*	*	*	*	*	*	*
1982.....	3.9	3.8	*	*	*	7.2	*	*	*	*
1981.....	3.7	*	4.1	*	*	*	*	*	*	*
1980.....	2.8	4.6	3.4	3.8	5.2	6.0	7.2	4.6	10.7	5.7
1979.....	3.7	2.9	3.4	3.0	4.8	3.0	6.2	5.6	5.2	3.8

## BLACK FEMALE

1998.....	4.8	5.7	5.9	7.4	9.0	7.1	9.1	6.2	10.3	10.2
1997.....	5.7	6.1	7.0	7.8	7.8	6.0	9.9	10.6	*	13.5
1996.....	4.2	6.8	6.9	8.9	6.9	7.1	8.1	11.7	10.9	11.3
1995.....	4.2	6.0	8.5	7.8	8.3	5.3	8.4	6.3	9.5	*
1994.....	4.5	4.8	8.0	5.1	7.9	6.0	8.4	6.7	*	*
1993.....	4.7	5.9	7.4	4.6	7.7	7.6	8.0	9.0	*	17.6
1992.....	5.1	8.0	5.5	6.9	8.8	6.9	6.9	7.3	*	14.3
1991.....	4.5	5.4	5.4	7.0	5.2	5.5	5.8	*	*	12.9
1990.....	5.2	6.4	6.5	6.5	8.7	7.6	5.7	8.9	10.5	*
1989.....	5.1	5.4	4.4	6.0	6.0	8.5	9.9	7.6	*	13.7
1988.....	3.5	5.0	4.6	5.3	5.3	6.2	8.7	8.8	11.2	*
1987.....	4.8	4.2	7.6	6.1	4.8	10.3	5.8	8.0	*	*
1986.....	6.3	5.2	5.2	4.4	6.5	6.8	5.9	10.0	*	*
1985.....	3.6	4.2	4.4	5.8	5.2	6.5	6.2	*	*	*
1984.....	4.1	4.5	4.7	5.1	5.3	7.2	*	*	*	*
1983.....	3.6	4.3	4.0	3.4	5.2	*	*	*	*	*
1982.....	2.9	3.8	3.4	4.5	*	5.1	*	*	*	*
1981.....	3.1	3.5	*	*	4.0	*	*	*	*	*
1980.....	3.6	4.1	3.5	1.9	4.1	3.1	4.9	4.7	6.4	5.7
1979.....	2.9	2.5	3.1	3.8	3.6	3.3	3.2	1.7	1.6	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYCOSES (110-118)										
TOTAL, BOTH SEXES										
1998.....	0.6	0.7	1.0	1.5	1.8	2.6	3.1	4.1	4.0	3.7
1997.....	0.7	0.9	1.1	1.2	2.0	2.4	2.9	4.4	4.0	3.9
1996.....	0.7	0.9	1.0	1.4	1.9	2.6	3.3	4.0	4.2	4.7
1995.....	0.8	0.8	1.2	1.4	1.8	2.3	3.1	4.1	3.9	4.1
1994.....	0.8	1.0	1.0	1.2	2.2	2.5	3.2	3.4	4.1	4.6
1993.....	0.7	0.7	1.0	1.3	1.7	2.5	3.2	3.9	4.2	4.9
1992.....	0.6	0.9	0.9	1.4	2.0	2.2	3.1	3.9	4.0	5.7
1991.....	0.7	0.8	0.9	1.2	1.9	2.4	3.0	3.5	4.1	5.2
1990.....	0.7	0.7	1.0	1.3	2.0	2.6	3.1	4.3	4.4	5.2
1989.....	0.7	0.8	0.9	1.4	2.0	2.8	3.8	5.0	5.4	5.6
1988.....	0.6	0.6	1.0	1.2	1.9	2.5	3.8	4.7	5.3	5.3
1987.....	0.6	0.5	0.9	1.2	1.7	2.5	3.3	3.4	4.5	4.8
1986.....	0.7	0.9	1.0	1.5	1.8	2.4	3.0	4.0	3.8	4.3
1985.....	0.5	0.6	0.9	1.1	1.6	2.3	2.8	3.2	2.8	3.7
1984.....	0.5	0.7	0.6	1.0	1.1	2.0	2.1	2.5	2.9	3.2
1983.....	0.3	0.4	0.6	0.8	1.2	1.6	1.9	2.3	2.3	2.0
1982.....	0.2	0.4	0.5	0.8	0.9	1.3	1.6	1.9	1.5	1.8
1981.....	0.2	0.3	0.6	0.6	1.1	1.3	1.3	1.6	1.9	1.9
1980.....	0.3	0.3	0.5	0.6	0.6	1.0	1.1	1.1	1.7	1.7
1979.....	0.2	0.3	0.4	0.5	0.8	0.8	1.1	1.2	1.0	1.0
TOTAL, MALE										
1998.....	0.7	1.0	1.3	1.7	2.1	2.9	3.9	5.4	5.2	5.1
1997.....	0.9	1.1	1.3	1.3	2.4	2.8	3.7	5.8	5.5	6.1
1996.....	1.0	1.3	1.1	1.5	2.1	3.0	3.9	4.8	5.5	6.5
1995.....	1.1	1.1	1.4	1.6	1.9	3.0	3.7	5.7	6.2	5.4
1994.....	1.2	1.5	1.2	1.6	2.4	3.0	4.2	3.9	5.4	7.1
1993.....	1.0	0.9	1.4	1.6	2.2	3.0	3.8	4.9	6.5	7.5
1992.....	0.9	1.1	1.1	1.8	2.2	3.1	4.2	5.2	6.1	9.0
1991.....	1.0	1.1	1.0	1.4	2.3	3.0	4.2	5.5	7.1	8.1
1990.....	0.9	0.9	1.2	1.2	2.3	3.4	4.3	6.2	6.6	8.1
1989.....	0.8	1.0	1.0	1.7	2.3	3.6	4.6	7.0	8.2	8.7
1988.....	0.9	0.6	1.3	1.6	2.2	3.3	5.1	6.6	6.9	6.7
1987.....	0.7	0.7	1.1	1.6	2.1	3.0	4.0	5.1	6.1	6.6
1986.....	1.1	1.4	1.4	1.9	2.3	3.3	4.1	6.0	5.3	5.6
1985.....	0.8	0.9	1.2	1.5	2.1	3.4	3.8	4.7	4.9	6.0
1984.....	0.7	0.9	0.8	1.4	1.5	2.5	2.9	3.9	3.8	5.4
1983.....	0.4	0.6	0.6	1.1	1.4	2.2	2.9	4.0	4.0	4.1
1982.....	*	0.6	0.6	1.0	1.3	1.8	2.5	3.1	3.0	2.9
1981.....	*	0.4	0.8	0.7	1.4	1.7	1.9	2.5	3.6	3.3
1980.....	0.3	0.4	0.6	0.8	0.7	1.6	2.0	1.8	2.9	3.8
1979.....	0.3	0.4	0.5	0.6	1.0	1.1	1.8	2.1	2.1	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYCOSES (110-118)										
TOTAL, FEMALE										
1998.....	0.5	0.5	0.8	1.3	1.5	2.2	2.5	3.2	3.3	3.1
1997.....	0.5	0.6	1.0	1.1	1.6	2.0	2.3	3.4	3.2	3.0
1996.....	0.4	0.6	1.0	1.2	1.6	2.3	2.9	3.4	3.5	3.9
1995.....	0.5	0.6	1.1	1.2	1.6	1.8	2.7	3.0	2.7	3.6
1994.....	0.5	0.5	0.8	0.8	1.9	2.0	2.4	3.0	3.4	3.7
1993.....	0.4	0.6	0.7	1.1	1.3	2.1	2.8	3.2	2.9	3.9
1992.....	0.3	0.7	0.7	1.1	1.7	1.5	2.3	3.0	2.8	4.3
1991.....	0.3	0.5	0.8	1.0	1.5	1.9	2.2	2.3	2.5	4.1
1990.....	0.5	0.6	0.8	1.4	1.7	1.9	2.2	3.1	3.2	4.0
1989.....	0.5	0.6	0.8	1.1	1.7	2.1	3.2	3.7	4.0	4.4
1988.....	0.3	0.6	0.8	0.9	1.7	1.8	2.9	3.5	4.4	4.8
1987.....	0.4	0.3	0.6	0.8	1.2	2.2	2.7	2.4	3.6	4.1
1986.....	0.4	0.4	0.7	1.1	1.4	1.7	2.2	2.8	3.0	3.7
1985.....	*	0.3	0.6	0.9	1.1	1.4	2.1	2.2	1.6	2.8
1984.....	*	0.5	0.5	0.7	0.7	1.6	1.5	1.7	2.4	2.3
1983.....	*	*	0.6	0.5	1.0	1.2	1.2	1.3	1.5	1.1
1982.....	*	*	0.4	0.6	0.6	0.9	1.0	1.1	*	1.3
1981.....	*	*	0.3	0.5	0.9	1.0	1.0	1.0	1.0	1.3
1980.....	0.2	0.2	0.3	0.5	0.6	0.6	0.5	0.7	1.0	0.7
1979.....	0.1	0.2	0.2	0.4	0.6	0.5	0.6	0.6	0.4	0.6
WHITE, BOTH SEXES										
1998.....	0.4	0.6	0.9	1.2	1.7	2.4	3.0	4.0	3.8	3.4
1997.....	0.6	0.7	1.1	1.1	1.8	2.2	2.7	4.1	3.8	3.6
1996.....	0.6	0.8	0.9	1.1	1.7	2.5	3.2	3.6	4.0	4.2
1995.....	0.6	0.7	1.0	1.3	1.6	2.2	3.1	3.9	3.6	3.9
1994.....	0.7	0.9	0.8	1.1	1.9	2.4	3.0	3.2	3.7	4.2
1993.....	0.5	0.6	0.9	1.2	1.6	2.4	3.0	3.6	4.0	4.4
1992.....	0.5	0.7	0.7	1.2	1.8	2.1	3.0	3.8	3.7	5.2
1991.....	0.5	0.6	0.8	1.0	1.7	2.2	2.8	3.5	4.0	4.8
1990.....	0.6	0.6	0.8	1.1	1.7	2.4	2.9	4.1	4.3	4.8
1989.....	0.5	0.6	0.8	1.3	1.9	2.6	3.6	4.6	5.2	5.4
1988.....	0.4	0.5	0.9	1.0	1.8	2.4	3.6	4.5	4.9	4.9
1987.....	0.4	0.4	0.7	0.9	1.5	2.3	3.1	3.3	4.2	4.5
1986.....	0.6	0.8	0.9	1.3	1.7	2.3	2.8	3.7	3.5	4.0
1985.....	0.5	0.5	0.8	1.0	1.4	2.0	2.7	3.1	2.8	3.4
1984.....	0.4	0.6	0.5	0.9	1.0	1.8	2.1	2.5	2.8	3.2
1983.....	0.2	0.3	0.5	0.8	1.1	1.6	1.9	2.3	2.2	1.9
1982.....	*	0.3	0.4	0.7	0.8	1.2	1.5	1.8	1.4	1.9
1981.....	*	0.3	0.5	0.6	1.1	1.2	1.3	1.6	1.7	1.8
1980.....	0.2	0.2	0.4	0.6	0.6	1.0	1.0	1.2	1.6	1.7
1979.....	0.2	0.3	0.3	0.5	0.7	0.7	1.1	1.1	1.1	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYCOSES (110-118)										
WHITE MALE										
1998.....	0.6	0.7	1.1	1.5	1.9	2.9	3.8	5.1	5.0	5.0
1997.....	0.7	0.9	1.2	1.2	2.0	2.7	3.4	5.5	5.4	5.8
1996.....	0.8	1.0	0.9	1.2	2.0	2.9	3.8	4.5	5.7	5.7
1995.....	0.9	0.9	1.2	1.5	1.8	2.8	3.7	5.3	5.7	5.2
1994.....	1.1	1.3	1.0	1.6	2.2	2.8	3.9	3.6	4.7	6.3
1993.....	0.8	0.7	1.2	1.4	2.0	2.9	3.5	4.6	6.1	7.3
1992.....	0.8	0.9	0.9	1.5	2.1	3.0	4.1	5.1	5.5	8.4
1991.....	0.8	0.9	1.0	1.2	2.0	2.7	3.7	5.4	7.0	7.4
1990.....	0.8	0.8	0.9	1.1	2.1	3.2	3.8	6.1	6.7	7.4
1989.....	0.6	0.8	0.9	1.6	2.2	3.3	4.5	6.4	7.7	8.7
1988.....	0.6	0.5	1.0	1.3	2.1	3.2	4.8	6.3	6.8	5.6
1987.....	0.5	0.6	0.9	1.3	2.0	2.8	3.8	5.1	5.7	6.5
1986.....	0.9	1.2	1.3	1.8	2.2	3.2	3.8	5.5	5.0	5.5
1985.....	0.7	0.7	1.0	1.3	1.9	3.1	3.7	4.7	5.0	4.9
1984.....	0.6	0.8	0.6	1.3	1.4	2.4	2.9	3.7	3.7	5.3
1983.....	*	0.4	0.6	1.1	1.3	2.2	2.9	4.1	3.6	3.9
1982.....	*	0.5	0.5	0.9	1.2	1.6	2.3	3.2	2.8	3.2
1981.....	*	*	0.7	0.7	1.5	1.6	1.9	2.4	3.3	3.3
1980.....	0.3	0.3	0.6	0.7	0.7	1.5	1.8	2.0	3.0	4.0
1979.....	0.2	0.4	0.4	0.6	0.9	1.1	1.8	2.1	2.3	1.9
WHITE FEMALE										
1998.....	0.3	0.4	0.7	1.0	1.4	2.1	2.4	3.3	3.0	2.7
1997.....	0.4	0.5	0.9	1.0	1.5	1.9	2.1	3.1	2.9	2.7
1996.....	0.3	0.5	0.8	1.1	1.4	2.2	2.7	3.0	3.1	3.6
1995.....	0.4	0.5	0.8	1.1	1.4	1.8	2.6	3.0	2.4	3.4
1994.....	0.4	0.5	0.6	0.7	1.6	2.0	2.2	2.8	3.1	3.4
1993.....	0.3	0.5	0.6	1.0	1.2	2.0	2.6	2.9	2.9	3.3
1992.....	0.3	0.6	0.5	0.9	1.5	1.4	2.2	2.9	2.7	4.0
1991.....	0.3	0.3	0.7	0.9	1.5	1.8	2.2	2.2	2.5	3.8
1990.....	0.3	0.5	0.7	1.2	1.4	1.8	2.2	2.9	3.0	3.8
1989.....	0.4	0.4	0.7	0.9	1.6	2.0	2.9	3.5	4.0	4.1
1988.....	*	0.4	0.7	0.8	1.6	1.8	2.7	3.3	4.0	4.7
1987.....	0.4	*	0.5	0.6	1.1	1.9	2.6	2.2	3.5	3.7
1986.....	*	*	0.6	0.9	1.3	1.6	2.1	2.6	2.8	3.4
1985.....	*	*	0.7	0.7	1.0	1.1	2.0	2.1	1.6	2.7
1984.....	*	*	*	0.6	0.6	1.3	1.4	1.7	2.3	2.3
1983.....	*	*	0.4	0.5	0.9	1.2	1.1	1.1	1.4	*
1982.....	*	*	*	0.5	0.5	0.9	1.0	1.0	*	1.4
1981.....	*	*	*	0.5	0.8	0.9	0.9	1.0	*	*
1980.....	0.1	0.2	0.3	0.4	0.5	0.6	0.5	0.7	0.8	0.8
1979.....	0.1	0.2	0.2	0.3	0.5	0.4	0.5	0.6	0.5	0.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYCOSES (110-118)										
ALL OTHER, BOTH SEXES										
1998.....	1.3	1.6	1.8	2.7	2.9	3.4	3.9	5.2	6.3	6.7
1997.....	1.3	1.9	1.4	1.8	3.3	3.4	4.6	6.9	6.5	7.4
1996.....	1.4	2.0	2.0	2.8	3.0	3.0	4.2	7.1	6.1	9.0
1995.....	1.6	1.5	2.8	1.8	3.0	2.9	3.5	5.1	7.3	*
1994.....	1.3	1.5	2.1	1.8	4.0	3.1	5.1	5.4	8.2	9.0
1993.....	1.4	1.5	2.1	2.0	2.8	2.9	5.3	6.9	5.6	9.6
1992.....	1.2	1.9	1.9	2.8	3.3	3.0	4.1	4.9	6.8	10.6
1991.....	1.5	1.9	1.4	2.5	3.1	4.3	5.1	4.3	*	9.1
1990.....	1.6	1.4	2.1	2.5	4.0	3.7	4.9	6.0	5.8	8.8
1989.....	1.7	1.8	1.3	2.4	2.7	4.6	5.5	8.3	7.2	7.8
1988.....	1.5	1.2	2.1	2.5	3.0	3.2	5.7	6.5	8.8	9.7
1987.....	1.4	*	2.3	3.2	2.5	4.6	4.2	4.7	6.8	8.8
1986.....	1.7	1.4	1.5	2.6	3.0	3.7	4.8	7.1	6.7	*
1985.....	1.0	1.4	*	2.4	2.9	5.2	3.8	*	*	*
1984.....	1.1	1.4	1.7	1.9	2.0	3.8	*	*	*	*
1983.....	*	*	*	*	2.0	*	*	*	*	*
1982.....	*	*	*	*	*	2.4	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.7	0.7	1.3	1.4	1.1	2.0	0.9	2.6	0.6
1979.....	0.5	0.7	1.1	0.9	1.8	1.1	1.5	1.4	-	0.6
ALL OTHER MALE										
1998.....	1.4	2.3	2.6	3.0	3.6	*	*	8.9	*	*
1997.....	1.6	2.6	*	*	4.5	4.0	5.6	8.4	*	*
1996.....	2.1	2.9	2.5	3.5	3.4	3.8	*	*	*	*
1995.....	2.4	1.9	2.5	*	*	4.3	*	9.2	*	*
1994.....	1.8	2.6	*	*	3.7	4.6	6.8	*	*	*
1993.....	2.3	2.1	2.7	*	3.7	*	6.3	*	*	*
1992.....	1.9	2.3	*	3.5	3.6	*	*	*	*	*
1991.....	2.7	2.5	*	3.4	5.3	6.1	8.6	*	*	*
1990.....	1.9	*	3.1	*	3.7	4.8	8.8	*	*	*
1989.....	2.5	2.4	*	*	*	6.2	*	13.1	*	*
1988.....	2.8	*	3.1	3.7	3.8	4.8	7.7	9.1	*	*
1987.....	2.0	*	3.0	4.6	*	*	*	*	*	*
1986.....	2.6	*	*	*	4.1	*	6.9	10.5	*	*
1985.....	*	*	*	*	4.1	7.1	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	1.0	0.8	2.0	1.3	1.8	3.3	0.6	2.3	1.6
1979.....	1.0	1.0	1.4	1.1	2.1	0.8	1.9	2.2	-	1.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYCOSES (110-118)										
ALL OTHER FEMALE										
1998.....	1.2	*	*	2.5	*	3.2	*	*	*	*
1997.....	1.1	*	*	*	*	3.0	3.9	5.9	*	*
1996.....	*	*	*	2.3	2.6	*	4.0	7.1	*	*
1995.....	*	*	3.0	*	2.9	*	*	*	*	*
1994.....	*	*	2.0	*	4.2	*	3.9	*	*	*
1993.....	*	*	*	*	*	*	4.6	6.1	*	9.5
1992.....	*	*	*	*	3.2	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	4.2	*	*	*	*	*
1989.....	*	*	*	*	*	3.4	5.8	*	*	*
1988.....	*	*	*	*	*	*	4.4	*	*	*
1987.....	*	*	*	*	*	4.7	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	3.8	*	*	*	*
1984.....	*	*	*	*	*	3.9	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.5	0.5	0.8	1.4	0.6	1.1	1.1	2.8	-
1979.....	0.1	0.4	0.8	0.8	1.5	1.4	1.2	0.8	-	-
BLACK, BOTH SEXES										
1998.....	1.6	2.0	2.1	2.9	3.2	3.6	4.4	5.1	7.3	7.2
1997.....	1.7	2.2	1.7	2.1	3.4	3.4	5.0	7.2	6.5	7.5
1996.....	1.7	2.5	2.3	3.3	3.0	3.3	4.3	8.0	*	9.4
1995.....	1.8	1.9	3.3	1.8	3.1	3.0	4.0	5.9	7.5	*
1994.....	1.5	2.0	2.5	2.3	4.1	3.2	5.9	4.8	8.2	8.7
1993.....	1.8	1.7	2.5	1.9	2.9	3.0	5.4	6.5	*	10.1
1992.....	1.4	2.3	2.2	3.1	3.3	2.8	4.4	4.6	6.7	11.4
1991.....	2.0	2.3	1.7	2.8	3.8	4.2	5.4	4.9	*	9.5
1990.....	2.1	1.6	2.5	2.5	4.7	3.8	5.2	6.4	*	*
1989.....	2.1	2.2	*	2.6	3.1	5.2	5.8	9.2	7.1	9.1
1988.....	1.9	*	2.5	2.8	3.0	3.5	5.9	7.4	9.2	9.8
1987.....	1.6	*	2.5	3.4	2.9	4.9	5.0	5.0	*	*
1986.....	2.3	1.8	*	2.8	2.9	3.7	5.0	7.1	*	*
1985.....	1.4	*	*	2.7	3.3	5.2	3.4	*	*	*
1984.....	*	1.6	*	*	2.2	4.3	*	*	*	*
1983.....	*	*	*	*	2.2	*	*	*	*	*
1982.....	*	*	*	*	*	2.5	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.8	0.8	0.8	1.3	1.6	1.0	2.3	1.0	3.0	-
1979.....	0.6	0.7	1.1	0.9	1.9	0.9	1.5	1.0	-	0.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYCOSES (110-118)										
BLACK MALE										
1998.....	1.8	2.9	3.2	*	4.5	*	*	*	*	*
1997.....	2.0	3.2	*	*	4.6	*	*	*	*	*
1996.....	2.6	3.7	3.2	3.9	*	*	*	*	*	*
1995.....	2.9	2.6	*	*	*	*	*	10.3	*	*
1994.....	2.2	3.3	*	*	*	*	8.3	*	*	*
1993.....	2.9	*	3.4	*	*	*	*	*	*	*
1992.....	2.3	2.8	*	*	*	*	*	*	*	*
1991.....	3.5	3.3	*	*	6.4	5.7	9.8	*	*	*
1990.....	2.7	*	3.8	*	*	*	8.7	*	*	*
1989.....	3.2	*	*	*	*	7.3	*	15.2	*	*
1988.....	3.5	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	4.9	*	*	*	*	*	*
1986.....	3.5	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	7.1	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.2	1.0	1.9	1.6	1.5	3.8	0.7	2.7	-
1979.....	1.2	1.1	1.4	1.1	2.2	0.6	2.2	1.2	-	1.9
BLACK FEMALE										
1998.....	1.4	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	4.7	6.7	*	*
1996.....	*	*	*	*	*	*	*	7.4	*	*
1995.....	*	*	3.4	*	*	*	*	*	*	*
1994.....	*	*	*	*	4.5	*	*	*	*	*
1993.....	*	*	*	*	*	*	5.1	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	5.1	*	*	*	*	*
1989.....	*	*	*	*	*	*	5.8	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	5.3	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.5	0.6	0.9	1.6	0.7	1.2	1.3	3.2	-
1979.....	0.1	0.3	0.8	0.7	1.7	1.1	1.0	0.8	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HELMINTHIASES (120-129)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	0.0	0.0	-	0.0	0.1	0.1	0.1
1979.....	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.1	0.0
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.1	0.1	0.0	-	0.1	0.1	0.2	0.3
1979.....	-	0.0	-	0.0	0.1	0.1	0.1	0.1	0.3	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HELMINTHIASES (120-129)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.0	-	-	-	0.1	0.1	0.1
1979.....	-	-	-	-	-	0.0	-	0.0	0.1	0.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	0.0	0.0	-	0.0	0.1	0.1	0.1
1979.....	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.1	0.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HELMINTHIASES (120-129)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	0.0	0.0	-	0.1	0.1	0.2	0.3
1979.....	-	0.0	-	0.0	0.1	0.0	0.0	0.1	0.2	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	0.0	-	-	-	0.1	-	0.1
1979.....	-	-	-	-	-	0.0	-	0.0	0.1	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HELMINTHIASES (120-129)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	-	0.2	-	-	-	-	0.4	-
1979.....	-	-	-	-	-	0.1	0.2	-	0.4	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	-	0.2	-	-	-	-	-	-
1979.....	-	-	-	-	-	0.3	0.4	-	1.2	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HELMINTHIASES (120-129)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	0.2	-	-	-	-	0.7	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	-	0.1	-	-	-	-	-	-
1979.....	-	-	-	-	-	0.1	0.2	-	-	-





CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LATE EFFECTS OF TUBERCULOSIS (137)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	0.2	0.3	0.5	*
1997.....	*	*	*	*	*	*	*	0.3	0.6	*
1996.....	*	*	*	*	*	*	0.3	0.6	0.6	0.8
1995.....	*	*	*	*	*	*	0.2	0.5	0.5	0.7
1994.....	*	*	*	*	*	*	0.2	0.5	0.9	*
1993.....	*	*	*	*	*	*	0.3	0.6	0.7	0.8
1992.....	*	*	*	*	*	0.2	0.3	0.4	0.7	*
1991.....	*	*	*	*	*	0.2	0.4	0.6	0.7	0.9
1990.....	*	*	*	*	*	0.3	0.5	0.7	1.0	0.9
1989.....	*	*	*	*	*	0.2	0.5	0.7	0.9	0.9
1988.....	*	*	*	*	0.2	0.3	0.5	0.7	1.0	1.1
1987.....	*	*	*	*	*	0.3	0.5	0.7	0.8	0.9
1986.....	*	*	*	*	0.2	0.4	0.5	0.6	1.1	1.1
1985.....	*	*	*	*	*	0.3	0.7	0.8	0.8	1.1
1984.....	*	*	*	*	0.3	0.3	0.6	0.8	1.0	1.0
1983.....	*	*	*	0.2	0.3	0.4	0.7	1.0	1.2	1.0
1982.....	*	*	*	*	0.3	0.6	0.9	1.1	0.8	1.3
1981.....	*	*	*	0.2	0.4	0.4	0.4	1.1	0.8	1.9
1980.....	0.0	0.1	0.2	0.3	0.4	0.6	0.9	0.9	1.6	1.6
1979.....	0.0	0.1	0.1	0.4	0.5	0.6	0.8	1.1	1.3	1.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	0.6	1.0	*	*
1989.....	*	*	*	*	*	*	*	0.9	*	*
1988.....	*	*	*	*	*	*	0.6	*	*	*
1987.....	*	*	*	*	*	*	0.7	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	0.6	1.1	*	*
1983.....	*	*	*	*	*	*	*	1.7	2.1	*
1982.....	*	*	*	*	*	0.6	0.9	1.2	*	*
1981.....	*	*	*	*	0.6	0.6	0.8	1.7	*	3.3
1980.....	0.0	0.2	0.2	0.4	0.5	0.8	1.0	1.1	2.3	2.8
1979.....	0.0	0.1	0.1	0.5	0.6	0.8	1.3	1.6	2.1	2.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LATE EFFECTS OF TUBERCULOSIS (137)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	0.6	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	1.0	*
1993.....	*	*	*	*	*	*	*	0.7	0.8	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	0.5	0.6	*	*
1990.....	*	*	*	*	*	*	0.5	*	0.8	*
1989.....	*	*	*	*	*	*	0.6	0.7	*	*
1988.....	*	*	*	*	*	*	*	0.9	0.9	*
1987.....	*	*	*	*	*	*	*	0.7	*	*
1986.....	*	*	*	*	*	*	0.5	*	0.9	*
1985.....	*	*	*	*	*	*	0.7	0.7	*	*
1984.....	*	*	*	*	*	*	0.7	0.7	*	*
1983.....	*	*	*	*	*	0.4	0.7	0.6	*	*
1982.....	*	*	*	*	*	0.5	0.8	1.0	*	*
1981.....	*	*	*	*	*	*	*	0.7	*	1.3
1980.....	0.0	0.1	0.1	0.2	0.3	0.3	0.9	0.7	1.3	1.1
1979.....	0.0	0.1	0.1	0.2	0.4	0.5	0.5	0.8	0.8	0.4
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	0.6	*
1997.....	*	*	*	*	*	*	*	*	0.6	*
1996.....	*	*	*	*	*	*	0.3	0.5	0.7	0.7
1995.....	*	*	*	*	*	*	*	0.4	0.5	0.7
1994.....	*	*	*	*	*	*	*	0.5	0.8	*
1993.....	*	*	*	*	*	*	0.3	0.5	0.7	0.8
1992.....	*	*	*	*	*	*	0.3	0.4	0.8	*
1991.....	*	*	*	*	*	*	0.4	0.6	0.6	0.9
1990.....	*	*	*	*	*	0.2	0.5	0.6	1.0	0.9
1989.....	*	*	*	*	*	*	0.5	0.7	0.9	0.9
1988.....	*	*	*	*	*	0.3	0.5	0.7	1.0	1.0
1987.....	*	*	*	*	*	0.3	0.5	0.7	0.8	0.9
1986.....	*	*	*	*	*	0.3	0.5	0.6	1.1	1.0
1985.....	*	*	*	*	*	0.3	0.6	0.7	0.8	1.2
1984.....	*	*	*	*	0.3	0.3	0.6	0.8	0.9	*
1983.....	*	*	*	*	0.3	0.3	0.7	0.9	1.2	*
1982.....	*	*	*	*	0.3	0.5	0.8	0.9	0.7	1.3
1981.....	*	*	*	*	0.3	0.4	0.4	1.0	0.8	1.8
1980.....	0.0	0.1	0.1	0.3	0.3	0.5	0.9	0.8	1.5	1.6
1979.....	-	0.1	0.1	0.3	0.4	0.5	0.8	1.0	1.3	1.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LATE EFFECTS OF TUBERCULOSIS (137)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	1.1	*	*
1983.....	*	*	*	*	*	*	*	1.4	2.0	*
1982.....	*	*	*	*	*	0.6	0.7	*	*	*
1981.....	*	*	*	*	*	0.6	*	1.7	*	3.1
1980.....	0.0	0.1	0.1	0.4	0.4	0.8	0.9	0.9	2.0	2.9
1979.....	-	0.1	0.1	0.4	0.6	0.7	1.2	1.5	2.1	2.6
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	0.5	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	0.9	*
1993.....	*	*	*	*	*	*	*	0.8	0.8	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	0.6	*	*
1990.....	*	*	*	*	*	*	0.5	*	*	*
1989.....	*	*	*	*	*	*	0.6	0.7	*	*
1988.....	*	*	*	*	*	*	*	1.0	1.0	*
1987.....	*	*	*	*	*	*	*	0.6	*	*
1986.....	*	*	*	*	*	*	0.5	*	1.0	*
1985.....	*	*	*	*	*	*	0.7	0.7	*	*
1984.....	*	*	*	*	*	*	0.6	*	*	*
1983.....	*	*	*	*	*	*	0.7	*	*	*
1982.....	*	*	*	*	*	0.4	0.9	0.8	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.1	0.2	0.2	0.3	0.9	0.7	1.2	1.0
1979.....	-	0.1	0.1	0.2	0.3	0.5	0.5	0.8	0.9	0.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LATE EFFECTS OF TUBERCULOSIS (137)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.6	0.7	0.5	1.1	0.7	1.1	1.8	3.1	1.7
1979.....	0.1	0.1	0.5	0.9	1.0	1.1	1.0	1.6	0.9	1.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	1.3	1.2	0.9	1.8	1.0	1.8	3.3	4.6	1.6
1979.....	0.1	0.2	0.7	1.5	1.4	1.8	1.9	2.7	2.3	5.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LATE EFFECTS OF TUBERCULOSIS (137)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.4	0.2	0.5	0.4	0.5	0.8	2.1	1.7
1979.....	0.1	0.1	0.4	0.5	0.8	0.6	0.3	0.8	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.8	0.7	0.4	1.0	0.6	1.1	1.0	2.5	1.9
1979.....	0.2	0.2	0.6	0.7	1.1	1.0	0.9	1.3	0.5	0.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LATE EFFECTS OF TUBERCULOSIS (137)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	1.5	1.4	0.6	2.1	0.9	2.1	2.0	4.0	1.9
1979.....	0.2	0.2	0.8	1.3	1.6	1.5	1.8	2.5	1.3	1.9
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.2	0.2	0.2	0.4	0.3	0.4	1.6	1.9
1979.....	0.1	0.2	0.5	0.2	0.6	0.7	0.3	0.4	-	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)

TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	0.3	0.5	0.4	0.7	1.0
1997.....	*	*	*	*	*	0.3	0.4	0.5	0.6	1.0
1996.....	*	*	*	0.2	*	0.4	0.4	0.5	0.8	*
1995.....	*	*	*	*	*	0.3	0.3	0.6	0.7	0.6
1994.....	*	0.1	*	*	*	0.3	0.5	0.5	0.6	0.7
1993.....	*	*	*	*	*	0.3	0.4	*	0.5	0.7
1992.....	*	*	*	*	*	0.3	0.3	0.4	0.5	*
1991.....	*	*	*	*	*	0.3	0.4	*	*	*
1990.....	*	*	*	*	0.2	0.2	0.3	0.3	0.6	*
1989.....	*	*	*	*	0.2	0.2	0.3	0.3	*	*
1988.....	*	*	*	*	*	0.2	*	*	*	*
1987.....	*	*	*	*	0.2	*	*	*	*	*
1986.....	*	*	*	*	*	0.2	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.3
1979.....	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	-
TOTAL, MALE										
1998.....	*	*	*	*	*	*	0.7	*	1.1	*
1997.....	*	*	*	*	*	*	*	0.8	*	*
1996.....	*	*	*	*	*	*	0.6	0.8	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	0.5	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.2	-	0.1
1979.....	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)

TOTAL, FEMALE										
1998	*	*	*	*	*	*	*	*	*	1.0
1997	*	*	*	*	*	*	0.4	*	*	0.9
1996	*	*	*	*	*	0.4	*	*	0.8	*
1995	*	*	*	*	*	*	*	0.6	*	*
1994	*	*	*	*	*	*	0.5	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.3
1979	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	-	-
WHITE, BOTH SEXES										
1998	*	*	*	*	*	0.3	0.5	0.5	0.8	1.1
1997	*	*	*	*	*	0.3	0.5	0.6	0.6	1.0
1996	*	*	*	0.2	*	0.4	0.4	0.6	0.9	*
1995	*	*	*	*	*	0.3	0.3	0.7	0.8	0.6
1994	*	*	*	*	*	0.3	0.6	0.6	0.6	0.8
1993	*	*	*	*	*	0.3	0.4	*	0.6	0.8
1992	*	*	*	*	*	0.3	0.4	0.4	0.5	*
1991	*	*	*	*	*	0.3	0.4	*	*	*
1990	*	*	*	*	0.2	0.2	0.3	*	0.6	*
1989	*	*	*	*	0.2	0.3	0.4	0.4	*	*
1988	*	*	*	*	*	0.2	*	*	*	*
1987	*	*	*	*	0.2	*	*	*	*	*
1986	*	*	*	*	*	0.2	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.3
1979	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	-



CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)

WHITE MALE

1998.....	*	*	*	*	*	*	0.7	*	1.2	*
1997.....	*	*	*	*	*	*	*	0.8	*	*
1996.....	*	*	*	*	*	*	0.6	0.8	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	0.6	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.2	-	0.2
1979.....	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	-

WHITE FEMALE

1998.....	*	*	*	*	*	*	*	*	*	1.0
1997.....	*	*	*	*	*	*	0.5	*	*	1.0
1996.....	*	*	*	*	*	*	0.4	*	0.8	*
1995.....	*	*	*	*	*	*	*	0.7	*	*
1994.....	*	*	*	*	*	*	0.6	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.3
1979.....	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.1	0.2	-	-	-
1979.....	-	-	-	-	-	0.1	-	-	-	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	0.4	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.2	-	-	-	-
1979.....	-	-	-	-	-	0.2	-	-	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.1	0.2	-	-	-
1979.....	-	-	-	-	-	0.1	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	0.4	-	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.2	-	-	-	-
1979.....	-	-	-	-	-	0.2	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)										
TOTAL, BOTH SEXES										
1998.....	0.6	0.7	0.9	1.0	1.2	1.4	1.6	1.6	2.1	3.6
1997.....	0.6	0.7	0.8	1.0	1.2	0.9	1.4	1.9	2.0	3.5
1996.....	0.7	0.7	0.7	1.0	1.1	1.2	1.6	1.8	2.1	2.7
1995.....	0.7	0.7	1.0	1.0	1.0	1.3	1.6	1.8	1.7	3.1
1994.....	0.8	0.8	0.8	1.0	1.0	1.2	1.5	1.6	2.0	3.2
1993.....	0.8	0.8	1.0	0.8	1.1	1.0	1.4	1.8	2.1	3.7
1992.....	0.8	0.9	0.8	0.9	1.0	1.2	1.2	1.7	2.0	3.7
1991.....	0.8	0.9	0.8	1.3	1.0	1.1	1.3	1.4	1.8	3.7
1990.....	0.8	1.0	1.0	0.7	1.3	1.4	1.4	1.6	2.0	3.0
1989.....	1.0	1.0	0.9	1.0	1.0	1.5	1.4	1.7	1.7	3.6
1988.....	0.9	0.9	0.9	1.0	1.0	1.2	1.4	1.6	2.1	4.0
1987.....	0.7	0.8	0.8	0.9	1.0	1.1	1.1	1.7	1.8	3.6
1986.....	2.9	2.5	1.8	1.8	1.5	1.7	1.3	1.7	2.1	4.5
1985.....	2.0	1.7	1.3	1.3	1.1	1.3	1.2	1.7	1.9	3.7
1984.....	1.3	1.2	1.1	1.0	1.0	1.1	1.2	1.6	2.0	4.0
1983.....	0.8	0.8	0.6	0.7	0.8	0.7	1.1	1.4	1.6	3.0
1982.....	0.5	0.5	0.5	0.6	0.7	0.8	1.0	1.4	1.9	3.7
1981.....	0.4	0.4	0.5	0.5	0.7	0.7	1.0	0.9	2.0	2.9
1980.....	0.3	0.4	0.4	0.4	0.6	0.9	1.0	1.3	1.6	2.4
1979.....	0.4	0.4	0.4	0.6	0.5	0.6	0.8	1.0	1.6	2.2
TOTAL, MALE										
1998.....	0.5	0.6	0.9	0.9	0.9	1.4	1.6	1.8	2.6	3.4
1997.....	0.5	0.6	0.7	0.8	1.1	0.9	1.5	2.1	2.5	3.2
1996.....	0.7	0.6	0.6	0.7	1.1	1.3	1.6	1.8	2.5	2.3
1995.....	0.7	0.8	1.0	0.8	0.8	1.4	1.6	2.1	1.9	4.9
1994.....	0.9	0.9	0.8	1.1	1.1	1.2	1.4	1.6	1.4	3.6
1993.....	0.9	0.9	1.0	0.9	1.2	1.0	1.6	1.9	2.9	4.2
1992.....	1.0	0.9	1.0	1.0	0.9	1.1	1.3	1.8	2.3	4.6
1991.....	0.9	1.2	0.8	1.6	1.2	1.3	1.7	1.7	2.5	3.7
1990.....	1.1	1.2	1.1	0.8	1.5	1.4	1.5	1.9	2.7	4.0
1989.....	1.4	1.3	1.3	1.0	1.2	1.4	1.4	2.4	1.7	3.2
1988.....	1.3	1.0	1.1	1.1	1.0	1.4	1.4	1.9	2.7	4.3
1987.....	0.8	1.0	0.7	1.1	1.1	1.0	1.3	2.0	1.6	4.4
1986.....	5.0	4.1	2.9	2.9	2.1	1.9	1.7	2.0	3.1	3.9
1985.....	3.4	2.8	2.1	1.8	1.3	1.6	1.4	2.1	2.0	3.7
1984.....	2.0	1.9	1.6	1.4	1.1	1.1	1.9	1.8	2.2	4.4
1983.....	1.1	1.0	0.9	0.7	0.8	0.7	1.0	1.5	*	4.4
1982.....	0.6	0.4	0.4	0.6	0.8	0.6	1.2	1.8	2.0	3.5
1981.....	0.4	0.4	0.5	0.6	0.6	0.8	0.9	*	2.0	4.3
1980.....	0.2	0.3	0.4	0.4	0.5	1.0	1.3	1.1	2.1	3.4
1979.....	0.4	0.3	0.4	0.5	0.6	0.7	0.7	1.3	1.8	2.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)										

TOTAL, FEMALE										
1998.....	0.6	0.7	0.9	1.0	1.5	1.3	1.6	1.6	1.8	3.7
1997.....	0.7	0.8	0.9	1.2	1.3	1.0	1.3	1.8	1.8	3.6
1996.....	0.6	0.8	0.9	1.3	1.0	1.1	1.6	1.8	1.9	2.8
1995.....	0.6	0.6	1.0	1.2	1.2	1.2	1.5	1.6	1.5	2.4
1994.....	0.6	0.7	0.8	0.9	0.9	1.2	1.7	1.5	2.3	3.0
1993.....	0.6	0.7	1.0	0.8	1.1	1.1	1.2	1.8	1.7	3.5
1992.....	0.7	1.0	0.7	0.9	1.2	1.2	1.2	1.6	1.8	3.3
1991.....	0.6	0.6	0.7	1.1	0.9	1.0	1.0	1.2	1.4	3.6
1990.....	0.5	0.7	0.9	0.6	1.0	1.3	1.3	1.4	1.6	2.6
1989.....	0.7	0.7	0.6	1.0	0.9	1.5	1.3	1.3	1.7	3.8
1988.....	0.6	0.7	0.7	0.8	0.9	1.0	1.3	1.5	1.8	3.8
1987.....	0.6	0.6	0.8	0.8	1.0	1.2	1.0	1.4	1.8	3.3
1986.....	0.8	0.9	0.8	0.8	0.9	1.6	1.0	1.4	1.6	4.7
1985.....	0.6	0.7	0.6	0.8	1.0	1.1	1.1	1.5	1.9	3.8
1984.....	0.6	0.6	0.6	0.7	0.8	1.0	0.7	1.4	1.9	3.8
1983.....	0.4	0.6	0.4	0.6	0.9	0.7	1.1	1.2	1.6	2.5
1982.....	0.4	0.5	0.6	0.6	0.6	0.8	0.9	1.1	1.8	3.8
1981.....	0.4	0.5	0.4	0.5	0.7	0.6	1.1	0.9	2.0	2.3
1980.....	0.4	0.5	0.5	0.4	0.6	0.7	0.8	1.4	1.3	2.0
1979.....	0.4	0.5	0.4	0.8	0.5	0.5	0.8	0.8	1.4	2.2
WHITE, BOTH SEXES										
1998.....	0.2	0.3	0.5	0.6	0.8	1.1	1.5	1.6	2.1	3.7
1997.....	0.2	0.3	0.4	0.6	0.8	0.8	1.2	1.8	2.0	3.5
1996.....	0.3	0.3	0.3	0.6	0.7	1.0	1.5	1.7	2.0	2.7
1995.....	0.3	0.3	0.5	0.5	0.7	1.2	1.4	1.8	1.5	3.2
1994.....	0.3	0.5	0.4	0.7	0.7	0.9	1.4	1.5	2.0	3.3
1993.....	0.3	0.3	0.5	0.5	0.8	0.8	1.3	1.7	1.9	3.6
1992.....	0.4	0.4	0.5	0.5	0.7	0.9	1.1	1.6	2.1	3.6
1991.....	0.4	0.5	0.4	0.9	0.8	1.1	1.2	1.3	1.7	3.6
1990.....	0.4	0.5	0.5	0.5	1.0	1.2	1.3	1.5	1.9	3.0
1989.....	0.6	0.6	0.6	0.7	0.8	1.3	1.2	1.7	1.7	3.5
1988.....	0.6	0.5	0.6	0.7	0.8	1.0	1.2	1.6	2.1	4.1
1987.....	0.5	0.4	0.4	0.7	0.9	0.9	1.0	1.5	1.7	3.6
1986.....	2.3	2.0	1.3	1.5	1.3	1.6	1.2	1.5	2.2	4.5
1985.....	1.6	1.3	1.1	1.0	1.0	1.2	1.0	1.6	1.8	3.8
1984.....	0.9	0.9	0.8	0.8	0.8	0.9	1.0	1.6	1.9	4.1
1983.....	0.4	0.5	0.3	0.6	0.7	0.6	1.0	1.3	1.3	3.0
1982.....	0.3	0.3	0.4	0.5	0.6	0.6	1.0	1.3	1.8	3.8
1981.....	*	0.3	0.3	0.4	0.6	0.6	0.9	0.9	1.9	2.8
1980.....	0.1	0.1	0.3	0.4	0.4	0.7	0.9	1.1	1.5	2.3
1979.....	0.1	0.2	0.3	0.5	0.4	0.6	0.7	1.0	1.5	2.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

WHITE MALE

1998.....	0.3	0.3	0.5	0.6	0.7	1.2	1.7	1.8	2.7	3.3
1997.....	0.3	0.3	0.4	0.6	0.7	0.7	1.4	1.9	2.4	3.0
1996.....	0.4	0.4	0.3	0.5	0.8	1.2	1.5	1.8	2.5	2.3
1995.....	0.3	0.5	0.6	0.5	0.7	1.3	1.6	2.1	1.8	5.0
1994.....	0.5	0.6	0.6	0.7	0.8	1.0	1.3	1.6	1.4	3.7
1993.....	0.5	0.5	0.7	0.5	1.0	0.8	1.6	1.7	2.7	4.3
1992.....	0.6	0.5	0.7	0.5	0.8	0.9	1.2	1.7	2.4	4.9
1991.....	0.6	0.7	0.6	1.2	0.9	1.2	1.6	1.6	2.4	3.9
1990.....	0.7	0.8	0.6	0.8	1.3	1.3	1.3	1.8	2.8	4.1
1989.....	0.8	0.9	0.9	0.7	1.1	1.3	1.3	2.3	1.7	2.8
1988.....	0.9	0.6	0.8	0.9	1.0	1.3	1.4	1.9	2.6	4.2
1987.....	0.7	0.7	0.5	0.9	0.9	1.1	1.2	2.0	*	4.0
1986.....	4.4	3.6	2.4	2.6	2.0	1.9	1.6	2.0	3.2	3.6
1985.....	2.9	2.4	1.9	1.6	1.3	1.5	1.2	2.0	*	3.6
1984.....	1.7	1.6	1.2	1.2	0.9	1.1	1.7	1.8	2.0	4.6
1983.....	0.7	0.8	0.5	0.7	0.8	0.6	1.0	1.4	*	4.5
1982.....	0.4	*	*	0.6	0.7	0.6	1.1	1.7	*	3.4
1981.....	*	*	*	0.4	0.6	0.7	0.8	*	*	4.4
1980.....	0.0	0.2	0.3	0.3	0.4	0.8	1.3	1.0	1.9	3.4
1979.....	0.2	0.2	0.3	0.5	0.6	0.8	0.6	1.2	1.6	2.6

WHITE FEMALE

1998.....	*	*	0.5	0.6	0.8	1.1	1.4	1.5	1.7	3.9
1997.....	*	0.3	0.4	0.6	0.9	0.8	1.1	1.7	1.8	3.6
1996.....	*	*	0.3	0.7	0.7	0.8	1.5	1.7	1.8	2.9
1995.....	*	*	0.5	0.6	0.7	1.0	1.3	1.6	1.4	2.5
1994.....	*	0.4	*	0.6	0.6	0.9	1.4	1.5	2.4	3.1
1993.....	*	*	0.4	0.5	0.6	0.7	1.1	1.7	1.5	3.3
1992.....	*	0.4	*	0.5	0.6	0.9	1.1	1.5	1.9	3.2
1991.....	*	*	*	0.6	0.7	0.9	0.9	1.1	1.4	3.5
1990.....	*	*	0.5	*	0.8	1.1	1.2	1.3	1.5	2.5
1989.....	0.3	*	*	0.7	0.6	1.2	1.1	1.2	1.7	3.8
1988.....	0.3	*	*	0.5	0.7	0.8	1.1	1.4	1.8	4.0
1987.....	*	*	*	0.5	0.9	0.8	0.9	1.2	1.7	3.4
1986.....	0.3	0.4	*	0.6	0.6	1.4	0.9	1.1	1.6	4.9
1985.....	*	*	*	0.5	0.8	1.0	0.9	1.3	1.8	3.8
1984.....	*	*	*	0.4	0.6	0.9	0.5	1.5	1.8	3.9
1983.....	*	*	*	0.4	0.6	0.6	1.0	1.2	1.4	2.4
1982.....	*	*	*	0.4	0.5	0.7	0.9	1.1	1.7	3.9
1981.....	*	*	*	0.4	0.6	*	0.9	0.8	2.0	2.2
1980.....	0.2	0.1	0.3	0.4	0.5	0.6	0.6	1.2	1.2	1.9
1979.....	0.1	0.3	0.3	0.6	0.4	0.4	0.7	0.8	1.4	2.1

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

ALL OTHER, BOTH SEXES

1998.....	2.3	2.6	3.5	3.3	3.7	2.8	2.6	*	*	*
1997.....	2.6	2.9	3.2	3.7	3.8	1.9	3.2	3.3	*	*
1996.....	2.7	3.2	3.1	3.4	3.3	2.6	2.7	*	*	*
1995.....	2.7	3.3	3.7	3.9	3.0	2.2	3.0	*	*	*
1994.....	2.9	2.6	3.5	3.1	2.6	3.1	3.0	*	*	*
1993.....	3.1	3.7	3.7	2.9	3.5	2.9	*	*	*	*
1992.....	3.3	4.1	2.7	4.0	3.2	3.3	*	*	*	*
1991.....	2.8	3.5	3.0	4.0	2.9	1.9	*	*	*	*
1990.....	2.9	4.0	4.0	2.1	2.9	2.9	2.5	*	*	*
1989.....	3.8	3.4	3.0	3.0	2.5	3.0	2.8	*	*	*
1988.....	3.1	3.5	2.8	3.0	2.1	2.9	2.6	*	*	*
1987.....	2.4	3.1	3.4	2.9	2.2	2.5	*	*	*	*
1986.....	6.2	5.4	4.8	3.5	3.1	2.5	*	*	*	*
1985.....	4.3	4.2	3.1	3.1	1.9	*	*	*	*	*
1984.....	3.6	3.3	3.5	2.6	2.5	2.1	*	*	*	*
1983.....	3.0	2.7	2.7	1.6	1.8	*	*	*	*	*
1982.....	1.8	2.1	1.7	1.8	*	*	*	*	*	*
1981.....	2.0	1.8	1.5	*	*	*	*	*	*	*
1980.....	1.9	2.2	1.6	1.1	1.7	2.2	2.2	2.3	2.6	3.3
1979.....	2.1	1.5	1.3	1.7	1.1	0.9	1.6	1.4	2.2	1.7

ALL OTHER MALE

1998.....	1.9	2.0	3.4	3.0	*	*	*	*	*	*
1997.....	1.9	2.1	2.3	*	3.7	*	*	*	*	*
1996.....	2.9	2.3	*	*	*	*	*	*	*	*
1995.....	2.9	3.1	3.7	3.0	*	*	*	*	*	*
1994.....	3.2	2.5	2.4	3.4	*	*	*	*	*	*
1993.....	3.5	4.0	3.1	3.4	*	*	*	*	*	*
1992.....	3.3	3.5	2.6	4.4	*	*	*	*	*	*
1991.....	3.0	4.1	2.8	4.5	*	*	*	*	*	*
1990.....	3.3	4.2	4.4	*	*	*	*	*	*	*
1989.....	4.9	3.7	3.7	*	*	*	*	*	*	*
1988.....	4.1	4.1	3.2	*	*	*	*	*	*	*
1987.....	*	3.4	*	*	*	*	*	*	*	*
1986.....	9.1	7.5	6.3	5.3	*	*	*	*	*	*
1985.....	6.6	5.5	3.9	3.4	*	*	*	*	*	*
1984.....	4.7	3.9	4.5	*	*	*	*	*	*	*
1983.....	4.0	*	3.7	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.7	1.4	0.8	1.1	1.3	3.1	1.1	1.7	3.4	3.3
1979.....	1.9	1.3	1.0	0.5	0.9	0.5	1.5	1.6	3.5	-



RACE, AND SEX:		UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)								
CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)										
ALL OTHER FEMALE										
1998.....	2.6	3.1	3.5	3.6	5.1	2.8	3.5	*	*	*
1997.....	3.2	3.5	3.9	4.7	3.9	*	3.6	*	*	*
1996.....	2.5	3.9	4.0	4.6	3.3	3.0	*	*	*	*
1995.....	2.5	3.4	3.7	4.6	4.0	*	*	*	*	*
1994.....	2.6	2.6	4.4	2.8	*	*	*	*	*	*
1993.....	2.7	3.4	4.3	2.5	4.2	3.3	*	*	*	*
1992.....	3.4	4.5	2.8	3.6	4.5	3.7	*	*	*	*
1991.....	2.7	2.9	3.2	3.7	2.8	*	*	*	*	*
1990.....	2.5	3.9	3.7	2.8	*	*	*	*	*	*
1989.....	2.9	3.1	2.4	2.8	*	3.6	*	*	*	*
1988.....	2.3	3.0	2.5	3.0	*	*	*	*	*	*
1987.....	2.8	2.8	4.6	3.0	*	4.0	*	*	*	*
1986.....	3.8	3.6	3.5	*	3.2	*	*	*	*	*
1985.....	2.4	3.0	*	2.8	*	*	*	*	*	*
1984.....	2.7	2.7	2.8	*	*	*	*	*	*	*
1983.....	2.1	3.1	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	2.0	2.9	2.3	1.1	2.0	1.6	3.0	2.7	2.1	3.4
1979.....	2.2	1.7	1.5	2.6	1.3	1.2	1.7	1.2	1.5	2.6
BLACK, BOTH SEXES										
1998.....	3.1	3.6	4.7	4.6	5.0	3.6	3.4	*	*	*
1997.....	3.5	3.9	4.3	4.7	5.1	2.6	3.8	4.1	*	*
1996.....	3.5	4.5	4.2	4.6	4.2	3.2	3.6	*	*	*
1995.....	3.6	4.6	4.9	5.1	4.0	2.9	3.6	*	*	*
1994.....	3.9	3.4	4.8	4.1	3.2	3.4	3.6	*	*	*
1993.....	4.2	5.2	5.0	3.7	4.6	3.6	*	*	*	*
1992.....	4.5	5.5	3.7	5.0	4.2	3.8	*	*	*	*
1991.....	3.9	4.8	3.9	5.2	3.6	*	*	*	*	*
1990.....	4.0	5.4	5.1	2.8	3.5	3.3	*	*	*	*
1989.....	5.1	4.5	3.8	3.6	2.9	3.8	3.3	*	*	*
1988.....	4.2	4.5	3.7	3.7	2.5	3.3	*	*	*	*
1987.....	3.2	3.9	4.3	3.7	2.5	2.9	*	*	*	*
1986.....	8.0	6.6	5.8	4.1	3.7	3.0	*	*	*	*
1985.....	5.5	5.2	3.9	3.6	*	*	*	*	*	*
1984.....	4.7	4.2	4.2	2.9	2.9	*	*	*	*	*
1983.....	3.8	3.3	3.2	1.9	2.2	*	*	*	*	*
1982.....	2.3	2.6	2.0	2.0	*	*	*	*	*	*
1981.....	2.5	2.2	1.8	*	*	*	*	*	*	*
1980.....	2.3	2.7	1.9	1.0	1.9	2.6	2.3	2.6	2.5	3.8
1979.....	2.5	1.8	1.5	1.9	1.2	1.0	1.9	1.0	2.5	1.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

BLACK MALE

1998.....	2.7	2.8	4.8	4.2	*	*	*	*	*	*
1997.....	2.6	3.0	3.1	*	4.9	*	*	*	*	*
1996.....	3.6	3.3	*	*	*	*	*	*	*	*
1995.....	4.0	4.4	4.7	4.0	*	*	*	*	*	*
1994.....	4.3	3.4	3.3	4.7	*	*	*	*	*	*
1993.....	4.8	5.7	4.3	4.4	*	*	*	*	*	*
1992.....	4.5	4.7	3.5	5.6	*	*	*	*	*	*
1991.....	4.1	5.7	3.9	5.8	*	*	*	*	*	*
1990.....	4.6	5.7	5.5	*	*	*	*	*	*	*
1989.....	6.4	5.0	4.8	*	*	*	*	*	*	*
1988.....	5.5	5.3	4.3	*	*	*	*	*	*	*
1987.....	*	4.3	*	*	*	*	*	*	*	*
1986.....	11.7	9.3	7.8	6.6	*	*	*	*	*	*
1985.....	8.3	6.9	5.0	*	*	*	*	*	*	*
1984.....	6.1	5.1	5.4	*	*	*	*	*	*	*
1983.....	5.2	*	4.6	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	2.1	1.7	1.0	1.1	1.6	3.6	0.9	2.0	4.0	3.8
1979.....	2.3	1.5	1.2	0.6	1.1	0.6	1.8	1.9	3.9	-

BLACK FEMALE

1998.....	3.4	4.2	4.7	4.8	6.8	3.7	4.6	*	*	*
1997.....	4.4	4.8	5.2	6.0	5.2	*	*	*	*	*
1996.....	3.3	5.4	5.4	6.1	4.4	3.9	*	*	*	*
1995.....	3.3	4.8	5.0	6.0	5.3	*	*	*	*	*
1994.....	3.5	3.5	6.0	3.5	*	*	*	*	*	*
1993.....	3.8	4.7	5.6	*	5.5	4.3	*	*	*	*
1992.....	4.5	6.2	3.8	4.6	5.9	4.3	*	*	*	*
1991.....	3.7	3.9	3.9	4.8	*	*	*	*	*	*
1990.....	3.5	5.1	4.8	3.6	*	*	*	*	*	*
1989.....	3.9	4.0	*	3.4	*	4.5	*	*	*	*
1988.....	3.1	3.8	3.2	3.6	*	*	*	*	*	*
1987.....	3.7	3.6	5.7	3.8	*	4.6	*	*	*	*
1986.....	4.9	4.4	4.2	*	3.9	*	*	*	*	*
1985.....	3.1	3.8	*	*	*	*	*	*	*	*
1984.....	3.5	3.4	3.3	*	*	*	*	*	*	*
1983.....	2.6	3.7	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	2.5	3.5	2.7	0.9	2.3	1.8	3.3	3.0	1.6	3.8
1979.....	2.7	2.0	1.8	3.0	1.3	1.3	1.9	0.4	1.6	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
II. NEOPLASMS (140-239)										
TOTAL, BOTH SEXES										
1998.....	51.5	97.5	177.3	303.9	487.8	714.1	997.2	1,227.3	1,527.0	1,797.3
1997.....	52.5	99.2	182.0	312.8	499.8	724.1	1,002.4	1,237.3	1,534.8	1,849.8
1996.....	53.4	101.2	190.0	318.5	514.3	737.5	1,018.8	1,250.5	1,555.1	1,842.7
1995.....	54.3	104.4	194.2	328.1	520.9	748.7	1,020.8	1,268.9	1,559.9	1,869.8
1994.....	55.1	106.5	199.6	331.1	533.5	763.6	1,019.9	1,266.8	1,570.7	1,834.6
1993.....	56.1	108.7	200.7	340.0	538.4	767.4	1,020.9	1,279.6	1,552.0	1,852.7
1992.....	57.4	110.4	204.8	344.3	538.9	772.6	1,010.5	1,261.0	1,540.0	1,830.0
1991.....	57.7	114.9	207.1	357.0	546.0	769.2	1,015.5	1,265.2	1,537.9	1,816.2
1990.....	58.9	116.2	214.4	355.1	549.9	767.7	1,023.4	1,274.9	1,514.6	1,793.1
1989.....	59.1	116.1	213.8	360.2	550.9	761.9	1,020.9	1,250.5	1,497.4	1,743.7
1988.....	60.4	117.5	217.9	362.8	552.3	753.0	1,005.0	1,221.9	1,480.3	1,714.2
1987.....	59.4	119.7	221.2	362.0	552.3	753.8	1,005.2	1,219.0	1,452.7	1,680.6
1986.....	64.1	121.5	220.9	360.3	548.9	752.2	1,008.2	1,204.8	1,451.9	1,670.1
1985.....	64.1	124.0	223.3	368.4	552.1	745.5	992.1	1,199.7	1,443.6	1,654.3
1984.....	65.2	122.7	225.4	372.2	543.7	747.0	978.6	1,191.6	1,441.6	1,658.6
1983.....	63.8	124.5	224.5	368.3	537.4	738.3	975.0	1,185.0	1,414.7	1,651.5
1982.....	64.6	127.4	226.6	364.6	534.8	742.3	952.1	1,180.3	1,405.5	1,632.2
1981.....	66.2	128.1	229.0	363.5	524.8	730.9	945.8	1,155.2	1,394.4	1,612.4
1980.....	68.0	130.5	231.4	362.1	531.8	731.2	952.9	1,159.2	1,403.7	1,625.8
1979.....	67.7	131.0	233.8	353.0	529.6	712.4	939.7	1,126.7	1,388.7	1,552.2
TOTAL, MALE										
1998.....	47.6	97.7	187.3	341.6	571.5	878.6	1,255.4	1,590.2	2,068.2	2,611.4
1997.....	47.6	97.8	191.0	347.9	587.2	895.0	1,269.3	1,610.9	2,102.1	2,758.0
1996.....	49.0	99.6	199.5	358.1	607.1	911.0	1,300.6	1,631.5	2,152.7	2,781.0
1995.....	50.7	100.9	203.2	366.2	618.0	928.0	1,300.9	1,669.3	2,194.4	2,887.2
1994.....	51.0	102.7	211.8	372.7	639.8	949.3	1,304.7	1,679.7	2,236.1	2,854.9
1993.....	52.5	106.0	211.2	386.7	645.0	961.9	1,318.4	1,719.7	2,234.5	2,882.4
1992.....	52.5	109.0	215.6	390.6	648.0	973.9	1,301.2	1,721.2	2,227.2	2,851.4
1991.....	52.6	112.3	220.0	403.6	657.5	972.3	1,331.2	1,727.3	2,264.3	2,798.2
1990.....	52.8	112.7	227.2	407.9	667.2	967.9	1,350.6	1,770.0	2,229.2	2,784.9
1989.....	52.8	115.5	226.8	413.3	667.7	956.8	1,351.5	1,734.8	2,214.6	2,669.1
1988.....	56.0	115.3	233.4	414.8	668.1	952.1	1,332.5	1,722.7	2,182.8	2,620.0
1987.....	54.5	116.8	234.9	417.6	669.5	958.5	1,350.1	1,719.5	2,167.6	2,540.7
1986.....	58.6	119.3	234.8	415.4	662.7	953.1	1,347.3	1,711.8	2,165.1	2,527.6
1985.....	60.4	121.4	237.8	424.5	664.9	950.5	1,335.3	1,711.6	2,139.5	2,495.9
1984.....	59.8	120.6	241.4	431.5	656.3	951.2	1,329.4	1,699.6	2,123.8	2,495.3
1983.....	58.6	124.8	240.0	425.1	650.1	949.3	1,324.3	1,714.2	2,097.9	2,483.2
1982.....	59.3	126.4	244.7	419.5	649.0	959.3	1,300.4	1,693.3	2,075.4	2,470.7
1981.....	61.8	129.0	246.4	419.3	640.4	949.0	1,303.1	1,647.3	2,042.6	2,399.9
1980.....	63.0	130.1	249.3	419.1	651.8	957.0	1,306.0	1,676.1	2,065.0	2,403.6
1979.....	62.2	131.6	252.5	406.6	654.6	935.5	1,310.2	1,622.4	2,042.5	2,300.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
II. NEOPLASMS (140-239)										
TOTAL, FEMALE										
1998.....	55.3	97.3	167.8	269.1	412.8	575.1	795.8	969.6	1,205.5	1,460.1
1997.....	57.2	100.7	173.5	280.4	421.8	580.3	796.3	974.7	1,202.9	1,483.9
1996.....	57.6	102.7	181.0	282.0	431.7	592.3	801.9	985.3	1,210.9	1,469.9
1995.....	57.8	107.9	185.6	293.0	434.6	599.7	805.7	993.8	1,202.1	1,473.6
1994.....	59.0	110.2	188.0	292.8	439.3	610.8	802.0	987.0	1,202.4	1,441.3
1993.....	59.7	111.3	190.7	296.9	444.2	608.4	794.1	984.9	1,179.0	1,457.6
1992.....	62.1	111.7	194.6	301.7	442.8	608.9	790.9	956.8	1,168.1	1,434.5
1991.....	62.7	117.3	194.9	314.2	448.2	604.7	778.8	963.2	1,149.5	1,436.6
1990.....	64.9	119.6	202.3	307.0	447.7	605.4	780.6	956.5	1,135.2	1,410.4
1989.....	65.3	116.7	201.5	311.6	449.6	603.6	776.6	939.9	1,118.2	1,383.9
1988.....	64.7	119.6	203.4	315.4	452.3	590.9	764.6	902.7	1,109.8	1,386.6
1987.....	64.1	122.5	208.2	311.4	451.4	587.1	753.5	901.6	1,077.5	1,341.7
1986.....	69.5	123.5	207.8	310.4	450.9	588.9	761.7	885.0	1,078.0	1,329.9
1985.....	67.6	126.4	209.8	317.8	454.5	579.5	743.3	877.5	1,078.3	1,318.3
1984.....	70.4	124.8	210.4	319.1	446.2	582.3	724.7	872.6	1,082.8	1,320.3
1983.....	68.9	124.1	210.1	317.4	439.8	568.6	722.6	853.0	1,054.5	1,310.7
1982.....	69.7	128.4	209.8	315.7	435.6	568.3	700.1	858.8	1,052.0	1,282.6
1981.....	70.3	127.3	212.8	313.8	424.6	556.4	687.5	846.6	1,050.7	1,276.7
1980.....	72.8	130.8	215.0	311.1	428.3	550.6	697.6	835.0	1,051.9	1,285.6
1979.....	72.9	130.6	216.7	305.0	421.8	534.2	671.9	815.0	1,037.8	1,219.5
WHITE, BOTH SEXES										
1998.....	48.4	90.9	167.9	293.4	475.6	710.4	986.7	1,219.9	1,519.2	1,795.1
1997.....	49.2	93.2	174.2	302.0	486.9	717.8	987.8	1,227.3	1,525.2	1,840.2
1996.....	50.1	95.0	182.4	308.1	503.5	729.3	1,004.7	1,238.9	1,541.0	1,840.0
1995.....	50.9	98.9	184.8	318.2	506.2	739.7	1,005.0	1,259.7	1,542.4	1,856.5
1994.....	51.3	100.2	190.6	318.5	522.3	753.3	1,004.9	1,257.4	1,553.9	1,824.0
1993.....	52.8	102.0	190.1	327.8	526.8	755.1	1,005.0	1,267.5	1,534.8	1,838.6
1992.....	53.7	104.5	194.4	329.3	526.3	759.5	996.4	1,254.2	1,527.6	1,818.8
1991.....	54.1	108.8	196.5	343.9	534.3	754.7	1,001.4	1,254.9	1,519.3	1,803.8
1990.....	55.6	109.3	203.5	339.7	534.6	751.7	1,009.9	1,264.3	1,501.7	1,782.9
1989.....	55.9	109.4	202.9	346.7	537.8	744.2	1,007.0	1,237.9	1,489.2	1,734.7
1988.....	57.3	111.5	206.7	349.9	538.8	735.9	995.2	1,210.2	1,470.6	1,706.1
1987.....	55.6	113.6	209.8	350.1	537.9	739.7	994.2	1,210.1	1,437.6	1,673.6
1986.....	60.4	114.4	209.5	349.6	532.7	738.9	996.6	1,197.1	1,441.9	1,663.9
1985.....	60.4	117.8	211.9	354.3	536.3	734.4	977.2	1,193.6	1,427.0	1,652.6
1984.....	60.9	115.1	214.8	357.2	525.7	736.3	965.2	1,185.8	1,423.9	1,663.0
1983.....	60.1	116.6	213.9	354.4	521.2	728.1	959.3	1,178.0	1,401.3	1,661.4
1982.....	61.2	120.0	215.7	350.4	518.2	732.9	939.3	1,177.6	1,391.8	1,642.5
1981.....	61.7	121.1	218.6	350.1	509.8	720.3	933.8	1,152.9	1,381.6	1,621.3
1980.....	63.8	122.7	219.9	348.0	517.0	719.2	942.0	1,155.7	1,394.7	1,632.4
1979.....	63.6	123.0	222.6	339.9	515.0	701.1	930.3	1,123.4	1,389.3	1,566.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
II. NEOPLASMS (140-239)										
WHITE MALE										
1998.....	45.0	89.7	173.7	325.7	548.8	866.1	1,232.9	1,566.4	2,043.2	2,604.5
1997.....	44.5	90.3	179.1	328.4	563.0	880.0	1,240.2	1,583.7	2,080.3	2,742.4
1996.....	45.8	92.0	188.2	339.1	584.1	890.5	1,269.9	1,599.6	2,117.8	2,773.3
1995.....	46.9	94.3	189.5	349.8	591.6	906.8	1,266.9	1,640.6	2,157.3	2,853.7
1994.....	47.1	94.4	197.3	352.0	617.7	924.9	1,269.8	1,652.5	2,197.2	2,830.8
1993.....	48.9	96.8	195.8	366.1	621.2	935.9	1,283.0	1,688.3	2,192.5	2,847.8
1992.....	48.6	101.4	200.1	367.1	624.5	948.0	1,267.1	1,695.1	2,193.3	2,833.6
1991.....	48.7	103.4	203.0	380.6	636.9	942.2	1,301.5	1,698.5	2,226.5	2,777.9
1990.....	49.0	103.0	210.6	384.5	639.3	935.6	1,317.6	1,737.4	2,200.3	2,762.5
1989.....	48.6	106.2	208.9	388.2	643.2	923.9	1,315.9	1,701.0	2,190.4	2,651.2
1988.....	52.2	106.4	215.6	394.4	643.2	918.9	1,305.8	1,690.8	2,166.8	2,606.3
1987.....	50.6	108.6	218.2	398.0	643.9	927.0	1,322.0	1,692.6	2,135.6	2,523.3
1986.....	53.9	109.8	218.3	397.5	633.5	923.7	1,317.5	1,689.0	2,143.3	2,516.3
1985.....	55.7	112.2	219.3	401.3	636.8	924.1	1,301.9	1,694.5	2,104.5	2,495.1
1984.....	55.1	109.8	225.1	406.4	623.7	926.2	1,298.0	1,682.8	2,093.2	2,502.8
1983.....	54.1	113.8	224.3	402.3	619.3	925.9	1,292.5	1,699.4	2,065.7	2,506.8
1982.....	54.8	116.0	227.3	396.4	619.9	936.5	1,273.4	1,686.2	2,050.0	2,482.9
1981.....	56.7	118.0	230.2	398.3	612.9	923.3	1,278.5	1,639.2	2,019.3	2,413.8
1980.....	58.1	120.2	231.8	396.1	626.9	930.3	1,287.6	1,668.5	2,045.1	2,410.7
1979.....	56.7	121.2	235.5	384.5	630.3	913.4	1,294.7	1,619.6	2,037.0	2,319.1
WHITE FEMALE										
1998.....	51.8	92.1	162.4	263.0	408.6	576.4	792.1	972.0	1,206.5	1,463.3
1997.....	54.0	96.1	169.3	277.1	417.2	578.8	790.5	974.7	1,199.2	1,481.2
1996.....	54.5	98.1	176.8	278.8	429.9	592.1	798.2	985.7	1,207.8	1,474.0
1995.....	54.8	103.3	180.3	288.5	428.5	598.7	801.5	996.0	1,194.9	1,472.3
1994.....	55.6	106.0	184.2	287.1	435.8	610.3	799.8	987.5	1,197.6	1,440.3
1993.....	56.7	107.0	184.6	291.9	441.6	605.4	791.0	983.6	1,176.0	1,456.4
1992.....	58.7	107.6	188.9	293.8	437.9	604.4	790.0	960.9	1,168.7	1,431.5
1991.....	59.5	114.2	190.2	309.6	442.6	601.3	774.3	963.4	1,142.9	1,434.1
1990.....	62.3	115.4	196.7	298.0	441.8	600.9	779.5	958.8	1,132.9	1,410.9
1989.....	63.2	112.6	197.1	308.2	445.0	596.7	776.7	940.1	1,120.7	1,385.1
1988.....	62.4	116.5	198.1	308.6	447.4	585.5	765.5	903.8	1,107.0	1,360.9
1987.....	60.5	118.4	201.7	305.8	445.4	585.6	753.5	904.4	1,074.2	1,344.6
1986.....	66.7	118.8	201.1	305.5	444.6	587.2	761.9	887.4	1,077.1	1,331.8
1985.....	65.0	123.2	204.9	311.2	448.4	579.5	740.9	879.7	1,074.7	1,322.6
1984.....	66.7	120.2	205.1	312.6	439.8	581.9	723.3	875.5	1,075.5	1,330.1
1983.....	65.9	119.3	204.1	311.1	435.3	567.8	717.7	853.1	1,054.4	1,321.1
1982.....	67.4	123.9	204.8	309.0	429.0	568.5	697.7	861.0	1,047.6	1,298.2
1981.....	66.5	124.0	207.5	306.8	419.7	556.7	685.3	850.3	1,047.4	1,289.6
1980.....	69.2	125.2	208.7	304.8	421.5	549.4	692.7	836.9	1,053.0	1,296.8
1979.....	70.3	124.8	210.5	299.5	414.9	531.0	668.5	814.4	1,046.2	1,236.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
II. NEOPLASMS (140-239)										
ALL OTHER, BOTH SEXES										
1998.....	66.4	132.0	233.2	368.7	563.7	738.7	1,081.0	1,292.3	1,606.4	1,818.2
1997.....	68.6	131.6	230.6	378.2	581.9	767.6	1,121.9	1,328.4	1,632.0	1,942.1
1996.....	69.7	135.7	235.7	382.4	584.0	796.2	1,136.7	1,357.6	1,699.2	1,869.2
1995.....	71.8	136.5	251.6	389.6	617.8	813.7	1,157.8	1,355.3	1,739.8	2,004.6
1994.....	74.3	143.7	254.8	410.5	608.7	840.0	1,151.1	1,355.8	1,742.0	1,944.0
1993.....	73.7	148.9	266.1	417.1	618.6	862.1	1,159.6	1,395.2	1,728.4	1,997.8
1992.....	77.2	146.7	268.1	440.7	628.8	875.2	1,135.2	1,324.6	1,668.6	1,948.1
1991.....	78.1	151.5	272.2	442.4	631.6	884.3	1,140.6	1,362.5	1,734.7	1,946.7
1990.....	78.0	158.6	282.0	458.9	664.9	901.1	1,146.1	1,375.7	1,649.5	1,901.6
1989.....	78.1	157.4	282.3	452.1	650.5	909.7	1,148.5	1,369.2	1,587.1	1,838.7
1988.....	79.3	154.4	290.0	453.4	657.8	897.5	1,095.0	1,333.1	1,583.1	1,799.6
1987.....	83.0	157.4	294.7	448.6	667.6	876.4	1,103.8	1,303.6	1,613.3	1,756.3
1986.....	87.5	165.2	295.4	439.9	681.6	868.5	1,114.9	1,278.1	1,559.9	1,738.1
1985.....	87.2	162.6	299.9	475.5	684.9	841.9	1,127.9	1,258.3	1,617.9	1,665.2
1984.....	92.0	171.3	298.0	488.7	697.4	841.1	1,102.8	1,247.2	1,636.6	1,610.6
1983.....	87.5	175.0	299.2	477.9	678.0	827.7	1,121.5	1,253.0	1,565.3	1,534.4
1982.....	86.0	176.0	305.7	478.5	681.6	823.8	1,070.7	1,207.1	1,567.3	1,524.6
1981.....	94.7	175.5	307.2	473.5	658.9	824.7	1,058.6	1,177.7	1,541.9	1,511.1
1980.....	95.8	184.4	320.3	482.0	665.0	838.0	1,057.6	1,193.2	1,510.5	1,549.6
1979.....	95.1	188.1	323.5	465.5	665.2	811.0	1,031.8	1,158.6	1,380.8	1,381.0
ALL OTHER MALE										
1998.....	60.8	142.8	275.3	447.9	727.2	969.1	1,446.9	1,810.6	2,328.0	2,671.6
1997.....	64.1	140.9	270.1	476.1	754.9	1,007.0	1,522.9	1,872.6	2,329.7	2,894.9
1996.....	66.5	146.2	272.8	483.6	768.8	1,067.8	1,574.8	1,938.8	2,515.2	2,847.7
1995.....	71.8	141.3	293.8	476.4	808.4	1,092.7	1,615.0	1,952.9	2,584.4	3,200.6
1994.....	72.9	155.8	308.4	514.1	802.2	1,144.4	1,628.2	1,951.7	2,634.6	3,080.7
1993.....	72.4	165.1	313.1	529.0	824.8	1,175.0	1,645.2	2,035.8	2,660.0	3,205.3
1992.....	75.2	159.4	316.3	554.1	830.9	1,189.8	1,621.1	1,978.4	2,567.6	3,017.0
1991.....	76.0	170.1	331.3	566.7	822.2	1,228.6	1,612.1	2,008.7	2,638.0	2,986.0
1990.....	76.6	176.3	337.2	578.3	895.9	1,252.4	1,668.7	2,085.9	2,516.9	2,993.8
1989.....	79.6	176.9	346.9	599.3	872.0	1,247.7	1,693.7	2,059.5	2,454.5	2,834.6
1988.....	80.6	174.1	355.1	569.3	878.6	1,252.4	1,595.2	2,026.0	2,341.0	2,746.8
1987.....	80.5	170.2	350.9	571.3	888.9	1,247.0	1,619.5	1,973.5	2,488.4	2,703.9
1986.....	89.5	181.9	351.3	557.1	915.9	1,222.9	1,631.3	1,926.2	2,385.2	2,633.3
1985.....	92.0	182.6	371.4	612.3	916.3	1,192.0	1,654.0	1,871.4	2,471.4	2,504.1
1984.....	91.7	193.6	362.5	639.3	950.9	1,181.2	1,622.9	1,855.0	2,435.6	2,425.0
1983.....	88.7	200.6	360.0	616.3	929.9	1,167.3	1,624.2	1,850.8	2,432.0	2,224.3
1982.....	89.7	200.1	382.4	614.4	920.6	1,165.1	1,553.3	1,750.0	2,340.4	2,352.2
1981.....	96.4	208.1	377.2	600.7	900.2	1,183.1	1,533.6	1,722.0	2,286.8	2,260.9
1980.....	97.0	204.9	394.5	624.8	886.5	1,200.0	1,477.6	1,746.4	2,277.8	2,330.4
1979.....	102.2	211.7	398.3	603.8	889.3	1,135.1	1,456.8	1,637.9	2,101.2	2,110.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
II. NEOPLASMS (140-239)										
ALL OTHER FEMALE										
1998.....	71.4	122.8	198.1	304.6	437.2	566.8	823.5	948.1	1,195.8	1,427.9
1997.....	72.6	123.7	197.6	298.8	448.5	589.4	841.6	973.9	1,240.2	1,510.7
1996.....	72.6	126.9	204.6	300.2	442.0	594.0	831.2	982.5	1,241.4	1,428.3
1995.....	71.7	132.4	216.3	319.2	471.5	606.1	839.8	974.4	1,275.8	1,486.7
1994.....	75.5	133.4	209.9	326.6	460.6	614.5	819.9	981.9	1,251.1	1,451.6
1993.....	74.9	135.1	226.6	326.5	461.0	630.9	820.1	997.4	1,210.1	1,471.2
1992.....	79.0	135.8	227.3	349.1	474.8	642.5	799.2	919.9	1,162.0	1,466.6
1991.....	79.9	135.4	222.3	342.1	486.4	630.3	818.9	960.8	1,218.3	1,463.5
1990.....	79.3	143.4	235.2	363.0	489.2	641.3	790.3	935.0	1,160.0	1,405.1
1989.....	76.8	140.6	227.6	333.1	482.5	658.7	775.5	937.5	1,092.0	1,377.7
1988.....	78.3	137.6	235.1	359.8	488.2	634.0	756.7	894.5	1,140.7	1,356.8
1987.....	85.1	146.3	247.8	350.0	496.9	600.2	752.0	875.0	1,113.3	1,308.6
1986.....	85.8	150.8	248.8	344.8	499.4	603.7	760.5	859.4	1,094.1	1,307.7
1985.....	83.1	145.5	240.4	364.7	503.7	579.8	765.1	856.1	1,120.0	1,268.0
1984.....	92.3	152.3	244.8	366.8	497.8	584.6	737.6	843.4	1,160.7	1,260.2
1983.....	86.5	153.1	249.9	365.8	477.3	574.8	768.4	852.4	1,055.8	1,187.1
1982.....	82.8	155.5	243.3	367.3	491.5	567.0	722.9	837.2	1,104.5	1,096.2
1981.....	93.3	148.2	249.9	369.5	466.3	553.6	708.5	809.5	1,090.0	1,130.2
1980.....	94.7	167.3	260.1	363.6	487.4	561.0	744.3	816.4	1,039.0	1,149.7
1979.....	89.1	168.6	262.6	350.2	483.8	562.3	708.4	820.5	938.7	1,015.8
BLACK, BOTH SEXES										
1998.....	78.2	157.8	282.1	440.8	671.0	845.8	1,248.4	1,458.3	1,802.6	2,006.4
1997.....	79.7	155.8	279.7	451.9	690.4	878.7	1,301.6	1,493.2	1,799.5	2,140.9
1996.....	82.2	160.7	285.8	458.0	691.5	918.1	1,306.3	1,512.2	1,857.9	2,040.5
1995.....	84.6	163.1	299.4	463.0	723.8	936.4	1,334.0	1,492.3	1,875.7	2,076.9
1994.....	87.9	172.7	304.2	488.1	712.4	959.7	1,322.4	1,480.7	1,886.0	2,028.1
1993.....	86.0	179.8	321.2	489.0	722.7	990.1	1,319.2	1,529.7	1,862.4	2,077.5
1992.....	93.1	176.9	319.1	521.0	728.2	1,002.0	1,281.2	1,451.5	1,805.5	2,067.4
1991.....	92.4	181.7	323.5	518.6	733.7	1,012.7	1,279.2	1,488.3	1,879.5	2,051.7
1990.....	93.6	189.6	333.1	539.2	772.1	1,021.4	1,274.9	1,488.8	1,766.7	2,003.3
1989.....	92.3	187.6	334.2	526.3	744.2	1,031.3	1,263.9	1,487.3	1,680.9	1,918.2
1988.....	95.6	180.0	338.3	517.0	751.7	1,015.2	1,211.3	1,447.1	1,669.1	1,879.0
1987.....	98.0	183.6	346.9	511.4	769.3	980.7	1,218.2	1,408.6	1,708.7	1,835.6
1986.....	102.9	194.1	341.8	502.7	773.4	973.0	1,227.8	1,381.9	1,641.2	1,814.4
1985.....	102.5	188.9	345.3	539.3	769.3	932.6	1,227.7	1,344.2	1,703.3	1,742.1
1984.....	106.7	199.8	338.6	551.2	780.4	924.3	1,198.7	1,339.0	1,726.3	1,664.2
1983.....	100.1	199.5	337.6	536.3	757.8	909.0	1,220.2	1,345.2	1,650.2	1,581.5
1982.....	99.3	199.4	342.6	536.9	753.2	896.2	1,166.0	1,291.8	1,661.5	1,577.8
1981.....	106.7	198.7	343.3	530.3	722.4	894.3	1,140.1	1,246.8	1,631.6	1,566.7
1980.....	108.1	207.5	355.6	531.8	724.2	897.2	1,133.3	1,262.1	1,591.0	1,595.7
1979.....	105.4	209.8	355.0	506.9	715.2	862.0	1,094.8	1,191.9	1,413.4	1,420.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
II. NEOPLASMS (140-239)										
BLACK MALE										
1998.....	71.7	173.4	341.8	554.1	886.3	1,110.7	1,682.1	2,081.1	2,738.4	3,086.2
1997.....	76.1	168.1	335.1	579.2	914.9	1,160.2	1,789.4	2,141.1	2,678.5	3,337.7
1996.....	79.3	177.4	344.3	597.7	927.2	1,232.6	1,830.4	2,208.1	2,897.4	3,245.7
1995.....	85.2	173.3	362.3	584.0	968.0	1,261.5	1,890.7	2,191.3	2,916.8	3,403.8
1994.....	87.4	191.1	379.2	628.5	952.7	1,310.9	1,901.9	2,194.6	2,979.4	3,308.6
1993.....	85.3	202.7	388.2	639.6	981.6	1,363.9	1,908.9	2,293.9	2,975.6	3,433.2
1992.....	92.1	198.8	386.1	669.2	974.1	1,374.6	1,870.3	2,229.6	2,900.1	3,333.1
1991.....	91.9	212.0	408.1	683.0	968.0	1,420.7	1,850.4	2,261.3	2,996.0	3,279.7
1990.....	93.0	219.4	410.3	695.7	1,049.6	1,436.6	1,901.0	2,318.5	2,828.6	3,262.4
1989.....	93.8	216.7	424.7	711.0	997.4	1,443.4	1,904.4	2,311.8	2,725.8	3,087.9
1988.....	97.8	210.5	426.7	659.2	1,016.7	1,435.8	1,798.0	2,264.4	2,592.6	2,975.4
1987.....	97.2	202.2	421.4	661.7	1,036.9	1,422.2	1,828.5	2,192.6	2,702.2	2,910.9
1986.....	106.4	221.7	412.9	646.7	1,054.2	1,384.5	1,832.7	2,139.0	2,530.0	2,828.6
1985.....	110.6	216.0	437.3	695.2	1,041.9	1,339.5	1,841.9	2,040.0	2,673.6	2,651.6
1984.....	109.5	231.1	417.1	724.6	1,081.4	1,319.3	1,802.9	2,038.9	2,660.7	2,591.8
1983.....	103.9	236.2	410.5	696.4	1,048.1	1,297.6	1,801.6	2,023.0	2,614.6	2,358.3
1982.....	106.4	233.8	433.8	696.4	1,025.7	1,284.7	1,732.2	1,920.5	2,508.8	2,493.1
1981.....	110.7	239.7	426.6	676.1	993.4	1,302.4	1,690.0	1,872.8	2,463.6	2,362.5
1980.....	112.7	233.7	443.1	694.8	974.8	1,305.4	1,615.6	1,883.6	2,408.4	2,414.6
1979.....	116.3	239.7	441.2	665.1	968.5	1,226.6	1,587.6	1,707.5	2,139.0	2,205.8
BLACK FEMALE										
1998.....	84.0	144.6	233.5	352.6	510.2	648.1	946.7	1,059.5	1,311.9	1,557.9
1997.....	82.9	145.4	234.6	352.7	522.1	668.3	966.5	1,084.8	1,344.1	1,645.8
1996.....	84.8	146.6	238.3	348.9	514.3	683.1	950.2	1,077.9	1,321.9	1,545.6
1995.....	84.0	154.6	248.1	368.3	539.3	693.9	958.9	1,061.4	1,345.9	1,537.5
1994.....	88.4	157.3	242.9	378.4	530.7	698.8	933.5	1,049.9	1,328.8	1,508.5
1993.....	86.6	160.7	266.6	370.5	526.7	715.3	920.9	1,077.3	1,290.0	1,524.4
1992.....	94.1	158.5	264.2	404.2	542.2	729.5	888.8	996.9	1,238.7	1,540.8
1991.....	92.9	156.5	255.0	388.4	556.2	716.8	901.3	1,034.1	1,304.1	1,531.9
1990.....	94.2	164.6	269.8	415.2	562.5	721.4	863.6	1,002.5	1,216.8	1,469.7
1989.....	90.9	163.2	260.1	379.1	552.0	732.9	844.8	999.7	1,133.0	1,426.1
1988.....	93.7	154.5	265.4	403.6	550.2	709.9	822.1	958.4	1,181.5	1,400.7
1987.....	98.7	168.2	285.9	391.8	564.8	658.8	813.0	933.9	1,174.3	1,357.6
1986.....	99.9	171.2	283.6	386.7	559.3	671.4	825.5	918.5	1,156.4	1,351.4
1985.....	95.7	166.4	270.1	413.0	558.9	634.0	821.5	911.0	1,169.0	1,318.0
1984.....	104.2	173.8	273.8	409.4	547.4	633.0	795.4	899.6	1,209.9	1,225.6
1983.....	96.8	169.1	278.4	406.0	532.9	622.9	829.4	908.1	1,104.8	1,205.6
1982.....	93.5	171.3	268.6	406.9	539.8	609.7	776.7	893.6	1,170.3	1,128.0
1981.....	103.4	164.6	275.9	411.7	508.7	594.9	755.8	841.4	1,146.2	1,158.4
1980.....	104.2	186.0	284.9	398.5	525.5	593.1	790.1	857.6	1,101.0	1,186.3
1979.....	96.3	185.2	284.4	376.9	513.9	589.4	740.1	835.2	962.9	1,027.9



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
TOTAL, BOTH SEXES										
1998.....	50.5	96.3	175.4	301.2	483.6	707.9	986.6	1,212.1	1,500.4	1,749.4
1997.....	51.6	98.0	180.2	310.0	495.9	717.5	992.5	1,221.0	1,508.9	1,805.0
1996.....	52.4	99.8	188.2	315.6	509.7	731.4	1,008.4	1,233.9	1,529.0	1,798.3
1995.....	53.4	103.2	192.1	325.3	516.0	741.7	1,010.4	1,252.4	1,533.0	1,823.8
1994.....	54.0	105.1	197.5	328.2	529.2	757.2	1,010.2	1,250.2	1,544.6	1,789.0
1993.....	55.3	107.3	198.6	337.1	533.9	760.4	1,010.8	1,263.1	1,525.1	1,807.7
1992.....	56.4	109.1	202.9	341.5	534.4	765.8	999.9	1,244.8	1,515.0	1,787.3
1991.....	57.0	113.6	205.3	354.0	541.4	762.2	1,004.7	1,249.2	1,510.8	1,773.9
1990.....	58.1	114.9	212.4	352.4	545.5	761.0	1,012.7	1,258.0	1,489.8	1,752.9
1989.....	58.1	114.8	211.7	357.3	546.2	755.1	1,009.9	1,234.2	1,470.7	1,703.7
1988.....	59.6	116.0	215.9	359.8	547.5	746.0	993.8	1,205.2	1,453.8	1,674.7
1987.....	58.5	118.4	219.3	359.1	547.5	745.9	993.8	1,202.0	1,426.3	1,643.2
1986.....	63.2	119.9	218.5	357.0	543.8	745.3	996.6	1,186.8	1,424.9	1,632.0
1985.....	63.1	122.5	221.0	365.0	546.9	737.9	979.4	1,182.7	1,417.0	1,615.4
1984.....	64.2	121.3	223.6	368.8	538.6	739.1	966.5	1,173.5	1,415.8	1,621.9
1983.....	62.7	122.9	222.0	364.9	532.0	730.2	963.6	1,166.6	1,388.6	1,614.2
1982.....	63.6	125.6	224.1	360.8	528.8	733.7	939.6	1,162.3	1,381.2	1,598.6
1981.....	64.9	126.5	226.3	360.2	518.9	722.6	933.2	1,136.8	1,369.9	1,580.6
1980.....	66.7	128.3	228.9	358.1	525.8	722.7	940.9	1,142.6	1,378.7	1,594.6
1979.....	66.4	129.1	231.4	348.8	524.0	703.9	927.5	1,110.2	1,367.5	1,522.9
TOTAL, MALE										
1998.....	46.6	96.4	185.0	338.4	567.2	871.7	1,243.4	1,572.4	2,039.9	2,562.6
1997.....	46.7	96.4	189.1	344.7	582.7	887.8	1,258.3	1,592.1	2,073.3	2,712.5
1996.....	47.9	98.1	197.6	354.6	601.7	904.1	1,289.6	1,612.8	2,124.4	2,733.1
1995.....	49.7	99.5	200.8	363.0	612.7	919.8	1,289.6	1,651.0	2,165.7	2,837.3
1994.....	49.8	101.3	209.5	369.2	634.9	941.6	1,293.6	1,661.8	2,206.6	2,805.8
1993.....	51.5	104.4	209.1	383.5	639.3	953.7	1,306.2	1,700.7	2,204.9	2,830.7
1992.....	51.4	107.5	213.4	387.6	642.5	965.9	1,289.2	1,702.0	2,199.5	2,802.7
1991.....	51.7	110.8	217.9	400.3	652.2	964.4	1,318.8	1,709.1	2,232.6	2,753.3
1990.....	51.9	111.5	225.2	405.1	662.3	959.9	1,337.5	1,752.1	2,200.5	2,739.9
1989.....	51.9	114.1	224.3	410.2	662.7	949.1	1,339.0	1,716.6	2,181.9	2,621.9
1988.....	55.0	113.7	231.1	411.6	662.9	943.9	1,320.5	1,703.6	2,153.1	2,574.7
1987.....	53.7	115.3	232.8	414.4	663.8	949.2	1,335.8	1,699.5	2,135.5	2,499.6
1986.....	57.6	117.5	232.1	411.8	656.8	946.2	1,333.9	1,690.4	2,133.3	2,481.6
1985.....	59.3	119.9	235.0	420.7	659.4	942.1	1,321.5	1,691.9	2,110.1	2,451.8
1984.....	58.6	119.1	239.4	427.9	650.6	942.8	1,315.6	1,678.6	2,094.7	2,453.1
1983.....	57.4	123.2	237.5	421.3	643.9	940.2	1,311.5	1,693.2	2,066.7	2,441.3
1982.....	58.3	124.7	242.0	415.2	642.6	949.9	1,286.5	1,672.8	2,046.0	2,429.8
1981.....	60.5	127.3	243.6	415.7	633.9	939.2	1,288.3	1,625.4	2,013.8	2,364.3
1980.....	61.6	128.1	246.7	414.8	645.2	947.5	1,292.5	1,656.2	2,033.9	2,369.5
1979.....	61.0	129.6	250.1	402.0	648.5	926.1	1,296.4	1,603.6	2,017.2	2,268.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
TOTAL, FEMALE										
1998.....	54.4	96.3	166.2	266.8	408.7	569.6	786.3	956.2	1,179.8	1,412.5
1997.....	56.4	99.5	171.8	277.9	418.3	574.2	787.1	960.1	1,178.8	1,439.2
1996.....	56.7	101.5	179.3	279.6	427.8	586.8	792.0	970.1	1,185.9	1,426.8
1995.....	57.0	106.7	183.9	290.5	430.1	593.7	795.9	978.7	1,176.4	1,429.1
1994.....	58.1	108.8	186.2	290.5	435.5	605.5	793.3	971.2	1,178.2	1,397.1
1993.....	58.9	110.1	188.6	294.3	440.7	602.3	785.5	970.0	1,153.6	1,415.3
1992.....	61.2	110.6	192.9	299.2	439.2	603.2	781.4	942.6	1,144.7	1,394.1
1991.....	62.1	116.3	193.4	311.6	444.3	598.6	769.1	948.6	1,124.8	1,395.2
1990.....	64.1	118.3	200.3	304.3	443.7	599.7	771.7	940.2	1,112.4	1,372.1
1989.....	64.2	115.4	199.8	308.9	445.2	597.4	766.8	924.9	1,094.8	1,346.7
1988.....	64.0	118.2	201.5	312.5	447.8	584.9	753.9	887.4	1,084.9	1,323.3
1987.....	63.1	121.3	206.5	308.8	447.3	580.3	744.3	886.5	1,054.2	1,305.7
1986.....	68.7	122.2	205.7	307.4	446.5	582.1	751.3	869.0	1,053.4	1,294.8
1985.....	66.7	124.9	207.9	314.7	449.6	572.6	731.4	862.2	1,053.2	1,281.4
1984.....	69.5	123.4	208.8	315.9	441.7	574.9	713.8	856.3	1,058.9	1,285.9
1983.....	67.9	122.6	207.7	314.6	435.0	561.3	712.2	836.2	1,031.1	1,275.2
1982.....	68.7	126.5	207.6	312.4	430.1	560.5	688.6	842.2	1,030.3	1,252.1
1981.....	69.2	125.7	210.4	310.8	419.2	549.3	676.5	830.4	1,028.3	1,246.5
1980.....	71.6	128.5	212.4	307.5	423.0	542.9	686.5	820.5	1,030.2	1,255.7
1979.....	71.5	128.7	214.1	301.0	416.5	526.5	660.8	799.9	1,018.8	1,191.6
WHITE, BOTH SEXES										
1998.....	47.6	89.8	166.1	290.7	471.5	704.3	976.4	1,204.7	1,492.2	1,746.3
1997.....	48.4	92.0	172.5	299.2	483.1	711.4	978.0	1,211.0	1,499.5	1,794.4
1996.....	49.2	93.8	180.6	305.1	499.0	723.1	994.6	1,222.5	1,515.3	1,794.5
1995.....	50.1	97.6	182.8	315.4	501.4	733.0	994.8	1,243.0	1,515.6	1,811.2
1994.....	50.4	98.9	188.6	315.7	518.2	747.0	995.1	1,240.9	1,527.9	1,777.6
1993.....	52.0	100.8	188.1	325.0	522.4	748.2	995.0	1,251.1	1,508.0	1,792.7
1992.....	52.7	103.2	192.6	326.7	521.9	753.0	986.1	1,238.2	1,502.9	1,775.5
1991.....	53.4	107.7	194.8	341.1	529.9	748.1	990.7	1,239.0	1,492.1	1,760.7
1990.....	54.8	108.2	201.7	337.2	530.3	745.2	999.4	1,247.5	1,477.2	1,741.9
1989.....	55.0	108.1	201.0	344.0	533.2	737.6	996.3	1,221.8	1,462.2	1,695.0
1988.....	56.5	110.2	204.7	347.0	534.3	729.3	984.2	1,193.9	1,444.1	1,666.3
1987.....	54.8	112.2	207.9	347.3	533.3	731.9	982.9	1,193.3	1,411.2	1,636.0
1986.....	59.5	112.9	207.4	346.4	527.9	732.2	985.2	1,179.4	1,414.7	1,625.2
1985.....	59.5	116.4	209.8	351.1	531.3	727.1	965.0	1,176.6	1,400.5	1,613.0
1984.....	60.0	113.8	213.2	353.9	520.9	728.6	953.5	1,167.7	1,398.4	1,626.2
1983.....	59.0	115.1	211.6	351.3	515.8	720.2	948.3	1,159.5	1,375.0	1,623.2
1982.....	60.3	118.3	213.5	346.9	512.6	724.6	927.0	1,159.6	1,367.3	1,608.0
1981.....	60.4	119.5	216.0	346.9	504.2	712.0	921.6	1,134.2	1,357.0	1,589.4
1980.....	62.5	120.8	217.6	344.2	511.5	711.4	930.1	1,139.1	1,369.9	1,600.8
1979.....	62.4	121.3	220.3	335.8	509.6	692.8	918.1	1,106.7	1,367.8	1,536.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
WHITE MALE										
1998.....	44.2	88.5	171.6	322.6	544.5	859.2	1,220.9	1,548.5	2,014.7	2,554.3
1997.....	43.6	89.0	177.3	325.2	558.9	873.1	1,229.4	1,565.1	2,051.6	2,695.5
1996.....	44.7	90.5	186.4	335.7	578.9	883.5	1,259.0	1,581.0	2,090.6	2,723.9
1995.....	46.1	93.0	187.1	346.5	586.5	898.8	1,255.9	1,621.7	2,128.8	2,805.2
1994.....	45.9	93.0	195.1	348.6	613.0	917.1	1,258.6	1,634.3	2,167.8	2,780.3
1993.....	48.0	95.5	193.9	362.9	615.6	927.9	1,270.9	1,669.5	2,162.8	2,794.4
1992.....	47.5	100.0	198.1	364.2	619.0	940.3	1,255.3	1,676.0	2,166.2	2,783.6
1991.....	47.9	102.1	201.1	377.4	631.8	934.5	1,289.1	1,680.1	2,194.9	2,733.0
1990.....	48.2	101.8	208.8	381.9	634.5	927.9	1,304.6	1,719.3	2,171.3	2,715.1
1989.....	47.7	104.8	206.6	385.3	638.2	916.5	1,303.6	1,682.9	2,156.4	2,603.7
1988.....	51.2	104.9	213.4	391.3	638.3	911.0	1,293.7	1,672.5	2,136.3	2,560.7
1987.....	49.9	107.1	216.2	394.9	638.5	917.9	1,307.8	1,672.9	2,103.6	2,482.4
1986.....	52.9	108.1	215.9	393.9	627.9	917.0	1,304.4	1,667.5	2,111.0	2,469.3
1985.....	54.7	110.9	216.7	397.6	631.4	916.1	1,288.5	1,675.1	2,074.8	2,449.1
1984.....	54.0	108.4	223.3	402.7	618.4	918.0	1,284.4	1,661.8	2,063.5	2,460.3
1983.....	53.0	112.2	222.0	398.6	613.2	916.9	1,280.3	1,677.8	2,034.5	2,463.7
1982.....	53.9	114.3	224.7	392.5	613.8	927.4	1,259.3	1,665.5	2,020.6	2,439.4
1981.....	55.4	116.4	227.6	394.7	606.6	913.4	1,263.9	1,617.2	1,989.9	2,377.2
1980.....	56.8	118.4	229.5	391.9	620.7	921.5	1,274.3	1,648.5	2,014.5	2,375.6
1979.....	55.8	119.3	233.1	380.1	624.6	904.0	1,280.7	1,600.1	2,010.9	2,285.1
WHITE FEMALE										
1998.....	51.0	91.1	160.9	260.6	404.7	570.9	783.2	958.7	1,180.5	1,415.1
1997.....	53.2	95.0	167.8	274.7	413.8	573.0	781.5	960.1	1,175.2	1,435.8
1996.....	53.7	97.0	175.0	276.3	426.2	586.6	788.7	970.9	1,183.1	1,430.1
1995.....	54.2	102.2	178.7	286.1	424.1	593.1	792.0	980.9	1,169.1	1,428.2
1994.....	54.8	104.7	182.5	284.8	432.3	605.0	791.2	972.1	1,173.5	1,395.6
1993.....	55.9	106.0	182.5	289.4	438.3	599.3	782.6	968.7	1,150.7	1,413.4
1992.....	57.9	106.4	187.3	291.4	434.5	598.9	780.7	946.9	1,145.3	1,390.9
1991.....	58.9	113.1	188.7	307.2	438.9	595.6	764.8	949.1	1,118.2	1,391.7
1990.....	61.4	114.4	194.9	295.5	437.9	595.4	770.8	942.9	1,110.8	1,372.3
1989.....	62.2	111.3	195.5	305.5	440.6	590.9	767.3	925.3	1,097.3	1,348.3
1988.....	61.6	115.3	196.3	305.9	443.2	579.9	755.2	888.9	1,082.5	1,323.2
1987.....	59.5	117.2	200.0	303.3	441.4	578.9	744.3	889.4	1,050.7	1,308.3
1986.....	66.0	117.6	199.2	302.7	440.7	580.5	751.6	872.0	1,052.5	1,296.4
1985.....	64.2	121.8	203.2	308.5	443.8	572.9	729.6	864.1	1,049.8	1,285.4
1984.....	65.8	118.9	203.5	309.6	435.4	574.6	712.9	859.2	1,052.2	1,295.7
1983.....	65.0	118.0	201.7	308.5	430.6	560.8	707.7	836.5	1,030.6	1,284.9
1982.....	66.5	122.1	202.8	305.9	423.8	560.8	686.7	844.7	1,025.7	1,267.4
1981.....	65.4	122.6	205.1	304.0	414.7	549.7	674.9	833.7	1,025.2	1,259.7
1980.....	68.1	123.1	206.4	301.1	416.6	542.4	681.9	822.3	1,031.3	1,266.8
1979.....	68.9	123.2	208.3	295.7	409.8	523.6	657.6	799.4	1,027.2	1,207.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
ALL OTHER, BOTH SEXES										
1998.....	65.0	130.4	230.7	365.5	559.1	732.5	1,067.9	1,277.5	1,583.4	1,779.2
1997.....	67.4	130.1	228.3	375.2	576.9	759.1	1,110.8	1,311.6	1,604.7	1,906.2
1996.....	68.3	133.7	233.9	379.5	578.6	790.4	1,124.7	1,338.5	1,667.8	1,834.3
1995.....	70.3	134.9	249.1	386.6	612.2	804.6	1,145.2	1,340.8	1,712.4	1,952.3
1994.....	72.8	141.5	252.4	406.9	603.0	833.2	1,141.3	1,338.5	1,715.0	1,906.0
1993.....	72.5	146.8	263.7	413.6	613.0	853.8	1,148.7	1,378.0	1,700.8	1,962.3
1992.....	76.2	145.2	265.5	436.9	623.8	866.1	1,122.5	1,306.5	1,641.0	1,911.3
1991.....	77.0	149.6	270.1	438.4	625.7	875.0	1,128.4	1,346.3	1,707.6	1,912.4
1990.....	76.7	156.7	278.7	455.1	660.0	891.8	1,134.5	1,357.2	1,620.6	1,870.1
1989.....	76.9	155.8	279.6	447.8	645.7	900.6	1,135.0	1,351.8	1,564.3	1,795.7
1988.....	78.5	152.4	287.4	449.5	650.9	887.4	1,081.9	1,311.7	1,556.3	1,763.7
1987.....	81.8	156.1	292.5	444.6	661.4	866.9	1,091.9	1,285.1	1,588.0	1,720.4
1986.....	86.5	162.8	291.8	435.8	673.8	859.9	1,101.1	1,257.0	1,534.3	1,705.2
1985.....	85.3	160.2	296.7	470.4	677.7	831.4	1,110.3	1,241.2	1,591.2	1,633.9
1984.....	90.9	169.0	295.1	484.9	690.6	832.1	1,087.1	1,229.4	1,608.1	1,574.7
1983.....	86.2	173.1	296.0	473.4	672.0	818.0	1,105.8	1,235.0	1,540.8	1,506.7
1982.....	84.7	173.6	302.1	472.4	672.9	813.5	1,056.1	1,188.0	1,544.6	1,501.5
1981.....	93.5	173.1	303.6	469.4	650.5	816.4	1,042.0	1,162.3	1,519.1	1,480.5
1980.....	94.3	180.7	315.9	477.4	655.2	823.1	1,043.6	1,177.4	1,482.5	1,523.4
1979.....	92.7	184.8	319.3	459.9	657.2	800.8	1,019.1	1,144.5	1,363.4	1,361.5
ALL OTHER MALE										
1998.....	59.4	140.9	271.9	444.0	723.1	961.4	1,435.0	1,794.4	2,303.4	2,635.5
1997.....	63.0	139.4	267.9	472.4	748.2	997.3	1,510.6	1,851.1	2,299.7	2,860.8
1996.....	65.4	144.0	270.3	479.6	761.9	1,061.5	1,563.9	1,919.9	2,474.8	2,813.3
1995.....	69.9	139.6	291.4	473.5	802.5	1,083.1	1,601.1	1,940.1	2,552.9	3,137.5
1994.....	71.5	154.0	305.3	509.5	795.9	1,136.4	1,617.1	1,937.2	2,603.4	3,044.7
1993.....	71.0	162.6	310.2	524.6	817.9	1,165.6	1,633.1	2,015.4	2,631.8	3,170.4
1992.....	74.4	157.3	313.1	550.2	825.5	1,178.5	1,606.6	1,958.0	2,533.5	2,981.7
1991.....	75.1	167.6	328.6	562.7	815.1	1,218.4	1,599.4	1,992.6	2,606.2	2,941.9
1990.....	74.9	174.9	333.6	574.6	890.9	1,241.3	1,655.2	2,069.4	2,491.8	2,971.7
1989.....	78.9	175.2	343.8	593.8	866.6	1,238.2	1,679.1	2,040.5	2,434.7	2,790.1
1988.....	79.9	172.1	352.0	565.4	871.5	1,241.5	1,583.2	1,999.5	2,319.7	2,703.8
1987.....	79.2	168.9	348.2	566.9	881.3	1,235.8	1,603.9	1,949.8	2,455.4	2,661.0
1986.....	88.5	179.3	346.7	554.1	907.5	1,213.8	1,614.8	1,906.2	2,358.3	2,597.3
1985.....	89.5	179.9	367.8	608.2	909.4	1,180.5	1,636.3	1,848.5	2,446.7	2,476.7
1984.....	90.1	191.6	358.5	636.0	941.7	1,171.0	1,606.7	1,834.7	2,412.9	2,386.1
1983.....	87.3	199.1	356.3	611.5	923.2	1,156.8	1,606.1	1,835.0	2,400.0	2,194.3
1982.....	88.2	197.9	378.5	607.0	911.6	1,153.7	1,540.8	1,731.3	2,310.6	2,337.3
1981.....	95.2	206.5	372.6	596.6	892.0	1,174.4	1,516.6	1,702.2	2,265.9	2,235.9
1980.....	95.2	201.5	390.5	619.1	875.6	1,184.4	1,462.7	1,728.0	2,241.1	2,307.4
1979.....	98.8	209.1	395.2	598.0	879.7	1,125.8	1,445.5	1,625.8	2,084.9	2,093.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
ALL OTHER FEMALE										
1998.....	70.0	121.4	196.3	302.0	432.1	561.6	809.6	934.2	1,173.7	1,387.7
1997.....	71.4	122.1	195.1	296.4	444.8	581.7	831.3	960.1	1,214.3	1,473.8
1996.....	70.9	124.9	203.3	298.2	437.7	588.5	818.4	963.2	1,214.9	1,393.2
1995.....	70.6	131.0	213.8	316.0	466.2	597.4	828.1	958.9	1,250.7	1,439.0
1994.....	73.9	130.9	208.0	323.9	455.3	608.5	810.9	962.9	1,226.4	1,412.6
1993.....	73.8	133.4	224.5	323.6	456.3	623.5	810.1	982.4	1,182.8	1,435.5
1992.....	77.8	134.8	225.2	345.4	470.1	635.0	787.6	903.3	1,138.1	1,429.2
1991.....	78.7	134.2	220.6	338.1	481.4	621.7	807.1	944.6	1,193.9	1,433.9
1990.....	78.3	141.0	232.0	359.2	484.3	633.3	779.9	915.3	1,129.0	1,369.4
1989.....	75.1	139.1	225.3	329.8	478.1	649.8	762.8	921.1	1,067.5	1,335.4
1988.....	77.4	135.5	232.8	355.9	481.6	624.6	742.6	876.3	1,110.8	1,324.3
1987.....	83.9	145.1	246.2	346.2	491.9	592.0	742.7	859.8	1,092.3	1,276.1
1986.....	84.7	148.7	246.0	339.9	492.0	595.4	748.5	837.5	1,069.1	1,276.3
1985.....	81.7	143.3	237.5	358.9	496.3	569.9	747.6	842.7	1,092.2	1,234.7
1984.....	91.5	149.6	242.8	362.4	492.9	576.4	722.3	827.3	1,128.9	1,171.7
1983.....	85.2	150.6	247.2	361.5	471.9	565.5	754.3	833.0	1,035.8	1,160.4
1982.....	81.7	153.1	239.9	362.3	482.9	557.5	706.7	817.9	1,086.0	1,069.2
1981.....	92.1	145.1	247.1	365.4	457.9	545.6	692.2	797.1	1,066.0	1,096.8
1980.....	93.5	163.4	255.3	359.9	478.5	546.5	731.0	802.3	1,016.4	1,121.9
1979.....	87.5	164.6	257.5	344.8	477.2	551.3	694.8	805.0	920.4	994.7
BLACK, BOTH SEXES										
1998.....	76.6	155.7	279.3	437.0	665.4	838.7	1,233.0	1,441.5	1,776.9	1,964.6
1997.....	78.3	153.8	276.9	448.1	684.0	868.8	1,288.6	1,473.5	1,769.3	2,100.9
1996.....	80.5	158.1	283.3	454.7	684.6	911.4	1,292.7	1,492.3	1,824.7	2,002.8
1995.....	82.9	161.3	296.5	459.4	717.2	925.7	1,319.6	1,475.6	1,845.9	2,024.3
1994.....	86.0	170.3	301.0	484.0	705.3	951.8	1,310.9	1,461.5	1,857.5	1,990.3
1993.....	84.4	177.3	318.6	485.3	715.9	980.3	1,306.4	1,511.2	1,832.0	2,041.3
1992.....	92.0	175.1	316.0	516.3	722.8	991.8	1,266.7	1,430.8	1,776.6	2,028.2
1991.....	91.1	179.5	320.9	513.8	726.5	1,001.5	1,265.2	1,471.0	1,850.5	2,015.5
1990.....	91.9	187.4	329.3	535.0	766.5	1,010.6	1,261.8	1,470.0	1,735.1	1,969.2
1989.....	90.9	185.7	331.1	521.0	738.7	1,021.2	1,249.4	1,468.5	1,656.7	1,874.1
1988.....	94.7	177.6	335.2	512.5	743.6	1,003.3	1,196.0	1,424.5	1,640.8	1,840.7
1987.....	96.5	182.1	344.3	506.8	762.2	970.5	1,205.3	1,388.6	1,681.0	1,800.5
1986.....	101.6	191.2	337.7	497.9	764.7	962.9	1,213.2	1,358.3	1,614.5	1,778.6
1985.....	100.3	186.0	341.5	533.4	761.2	920.7	1,209.2	1,326.0	1,676.3	1,711.8
1984.....	105.3	197.0	335.1	546.7	773.3	914.4	1,182.7	1,321.0	1,696.6	1,627.9
1983.....	98.4	197.2	334.1	531.4	751.2	898.1	1,203.6	1,325.8	1,624.7	1,553.8
1982.....	97.8	196.9	338.6	530.0	743.6	884.9	1,149.5	1,270.9	1,636.2	1,554.5
1981.....	105.2	195.9	339.3	525.9	713.5	885.6	1,122.9	1,229.6	1,608.6	1,536.3
1980.....	106.5	203.1	350.5	526.8	713.4	881.0	1,119.1	1,244.6	1,561.6	1,571.1
1979.....	102.7	206.2	350.4	500.7	706.9	851.4	1,081.5	1,177.5	1,396.5	1,399.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
BLACK MALE										
1998.....	70.1	170.9	337.9	549.3	881.5	1,102.5	1,668.4	2,063.1	2,709.9	3,050.5
1997.....	74.6	166.3	332.7	574.7	906.3	1,148.7	1,775.3	2,114.7	2,643.4	3,306.2
1996.....	77.8	174.7	340.8	593.0	918.3	1,225.5	1,818.8	2,188.3	2,855.2	3,209.7
1995.....	83.1	171.1	359.4	580.0	961.2	1,250.0	1,873.6	2,175.4	2,882.3	3,338.2
1994.....	85.5	189.3	375.0	623.2	944.7	1,301.6	1,889.0	2,178.6	2,944.8	3,274.6
1993.....	83.4	199.7	385.3	634.7	972.9	1,352.5	1,894.2	2,271.0	2,945.1	3,400.9
1992.....	91.2	196.4	382.2	664.2	968.5	1,362.7	1,852.7	2,206.2	2,865.0	3,292.9
1991.....	90.8	208.6	404.6	678.0	959.0	1,408.7	1,835.2	2,244.8	2,959.4	3,233.3
1990.....	90.8	217.7	405.8	691.7	1,043.4	1,423.8	1,884.8	2,301.7	2,799.2	3,238.3
1989.....	92.9	214.8	421.0	704.1	990.9	1,432.2	1,889.3	2,291.0	2,704.1	3,040.9
1988.....	96.9	208.3	422.8	654.7	1,008.4	1,422.7	1,784.0	2,237.3	2,571.3	3,292.2
1987.....	95.7	200.5	418.0	656.8	1,028.1	1,410.7	1,811.2	2,165.7	2,666.3	2,867.2
1986.....	105.1	218.6	407.8	643.1	1,045.3	1,373.8	1,814.1	2,115.7	2,504.4	2,787.3
1985.....	107.7	212.7	432.9	690.3	1,034.4	1,326.5	1,823.2	2,014.7	2,649.4	2,629.0
1984.....	107.5	228.9	412.1	720.8	1,071.6	1,308.0	1,786.5	2,019.8	2,636.9	2,552.5
1983.....	102.2	234.6	406.2	691.4	1,040.7	1,286.0	1,782.4	2,006.1	2,580.5	2,330.0
1982.....	104.7	231.6	429.4	687.8	1,016.1	1,272.2	1,717.8	1,900.0	2,475.0	2,477.6
1981.....	109.2	237.8	421.3	671.8	984.9	1,293.4	1,672.8	1,850.0	2,444.2	2,341.1
1980.....	110.5	229.7	438.5	688.8	962.4	1,287.7	1,600.7	1,862.7	2,369.8	2,393.9
1979.....	112.6	237.0	437.6	658.8	958.6	1,216.9	1,574.8	1,694.4	2,123.4	2,186.5
BLACK FEMALE										
1998.....	82.2	142.8	231.7	349.6	503.9	641.8	930.2	1,043.5	1,287.7	1,513.5
1997.....	81.5	143.3	231.6	349.4	517.4	659.7	954.2	1,069.4	1,316.5	1,602.3
1996.....	82.8	144.2	236.6	346.8	509.0	676.7	935.2	1,057.9	1,293.5	1,507.2
1995.....	82.8	153.0	245.4	364.9	532.9	683.6	946.4	1,044.3	1,318.4	1,490.3
1994.....	86.5	154.3	240.5	375.1	524.4	691.9	922.9	1,028.7	1,303.5	1,469.2
1993.....	85.3	158.4	264.0	367.7	521.3	706.7	909.5	1,061.5	1,259.6	1,486.5
1992.....	92.6	157.2	261.9	399.6	537.0	720.5	876.3	977.8	1,213.0	1,502.0
1991.....	91.3	155.2	253.0	383.8	550.3	706.1	888.0	1,016.2	1,279.1	1,500.0
1990.....	92.9	162.0	266.7	410.9	557.4	712.0	852.5	982.5	1,184.1	1,431.3
1989.....	89.0	161.2	257.4	375.2	547.3	723.5	830.6	982.1	1,107.6	1,383.0
1988.....	92.8	152.0	262.8	399.0	542.4	699.0	806.1	938.5	1,149.4	1,365.8
1987.....	97.2	166.8	283.9	387.4	559.2	649.6	802.9	918.0	1,150.9	1,326.4
1986.....	98.6	168.5	280.5	380.9	550.8	661.8	813.6	894.7	1,129.1	1,318.1
1985.....	94.0	163.8	266.7	406.1	550.3	622.9	803.2	897.1	1,140.5	1,284.2
1984.....	103.2	170.6	271.5	404.4	542.3	624.1	779.6	882.3	1,177.0	1,190.7
1983.....	95.2	166.2	275.5	401.2	527.1	612.5	814.7	887.3	1,084.1	1,178.2
1982.....	92.0	168.6	264.9	401.4	530.2	599.3	758.8	872.5	1,150.0	1,100.8
1981.....	102.0	161.1	272.8	407.1	499.4	586.5	738.6	827.9	1,121.2	1,123.9
1980.....	103.2	181.3	279.5	394.4	516.1	578.1	776.5	842.3	1,077.1	1,159.9
1979.....	94.4	180.8	279.1	370.8	506.8	578.1	726.4	819.9	945.2	1,005.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										
TOTAL, BOTH SEXES										
1998.....	1.0	2.4	3.8	7.0	8.6	10.8	12.6	13.4	16.9	21.7
1997.....	1.0	2.4	4.1	6.1	9.2	11.7	13.3	13.2	16.3	20.3
1996.....	1.1	2.3	3.9	7.0	9.7	11.5	12.8	13.8	16.0	20.1
1995.....	1.0	2.2	4.7	7.1	9.5	12.2	13.4	14.2	16.8	22.3
1994.....	1.1	2.5	4.6	7.1	10.0	12.3	12.5	15.1	16.3	19.9
1993.....	1.2	2.7	5.1	7.4	10.7	12.8	13.4	14.9	17.2	20.8
1992.....	1.2	2.5	4.7	7.8	10.8	12.4	14.4	15.3	16.2	21.3
1991.....	1.1	2.7	5.1	8.1	11.3	12.6	14.4	16.5	17.1	21.2
1990.....	1.2	2.6	5.0	8.4	11.9	13.0	15.4	16.3	18.1	23.1
1989.....	1.2	2.8	5.0	9.2	11.5	12.7	14.8	15.1	16.2	20.1
1988.....	1.2	2.8	5.9	8.6	11.4	13.1	15.3	16.0	17.3	20.0
1987.....	1.2	3.0	5.3	8.7	11.3	13.3	15.0	15.0	16.4	20.8
1986.....	1.3	3.3	5.4	8.6	12.2	14.0	15.7	15.6	17.3	23.1
1985.....	1.5	3.3	5.4	9.0	11.8	14.7	16.2	16.2	16.7	20.8
1984.....	1.5	3.1	6.3	9.5	12.9	14.6	16.0	15.8	18.3	21.6
1983.....	1.5	3.4	5.8	9.8	12.8	15.0	15.9	17.1	16.7	23.0
1982.....	1.5	3.3	6.4	9.7	13.0	15.6	15.5	17.1	20.0	23.1
1981.....	1.5	3.3	6.6	10.1	13.3	15.6	17.6	16.2	17.0	23.7
1980.....	1.8	3.5	7.0	10.3	13.1	15.7	16.4	16.9	21.1	23.3
1979.....	1.7	3.6	7.4	10.0	14.0	15.6	17.2	17.4	19.1	23.7
TOTAL, MALE										
1998.....	1.5	3.9	5.9	11.1	13.4	16.8	19.5	20.2	24.4	29.9
1997.....	1.5	3.7	6.6	9.7	14.2	17.9	20.7	19.2	22.8	29.1
1996.....	1.6	3.8	6.3	10.9	15.0	18.3	19.9	20.2	22.7	29.6
1995.....	1.6	3.5	7.7	10.9	14.6	18.6	20.0	21.7	25.7	34.1
1994.....	1.7	4.0	7.6	11.3	15.8	18.2	17.9	22.5	25.2	30.0
1993.....	1.9	4.4	8.1	11.8	16.8	19.7	20.6	22.8	27.7	31.1
1992.....	1.8	3.9	7.5	12.7	16.9	18.8	22.1	22.7	24.4	32.8
1991.....	1.7	4.5	8.1	12.7	16.7	19.6	21.8	25.6	25.8	31.9
1990.....	1.9	4.4	7.8	13.2	19.2	20.3	23.0	24.4	29.1	37.4
1989.....	1.8	4.5	7.7	13.9	18.0	19.5	22.6	23.1	25.9	29.4
1988.....	1.8	4.5	9.2	13.7	17.7	20.3	23.1	24.6	28.7	33.6
1987.....	1.8	4.6	7.9	13.5	17.7	21.0	23.2	23.7	26.0	31.5
1986.....	2.1	5.2	8.1	13.1	18.4	21.3	24.4	24.3	30.3	37.4
1985.....	2.2	5.2	8.5	14.1	18.0	22.2	26.7	27.3	28.1	32.7
1984.....	2.2	4.7	9.9	15.0	19.5	22.2	26.7	25.6	32.7	36.3
1983.....	2.4	5.4	8.8	15.2	19.2	24.0	26.1	29.0	27.9	38.7
1982.....	2.4	4.9	9.8	15.3	19.7	25.0	25.5	28.2	35.0	40.4
1981.....	2.2	5.3	10.0	15.7	19.6	24.9	29.5	27.6	28.9	37.8
1980.....	2.9	5.4	10.8	16.3	19.9	24.4	26.8	29.7	34.5	40.2
1979.....	2.4	5.6	11.3	15.1	21.2	24.7	29.2	28.5	31.9	38.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										
TOTAL, FEMALE										
1998.....	0.5	0.9	1.8	3.2	4.3	5.7	7.2	8.5	12.5	18.2
1997.....	0.5	1.1	1.7	2.8	4.7	6.5	7.5	8.9	12.5	16.7
1996.....	0.6	0.8	1.6	3.4	4.9	5.9	7.4	9.4	12.1	16.3
1995.....	0.5	0.9	1.8	3.6	5.0	6.8	8.2	9.2	11.8	17.7
1994.....	0.5	1.1	1.7	3.3	4.8	7.5	8.3	10.1	11.3	16.0
1993.....	0.5	1.2	2.3	3.3	5.4	7.2	7.9	9.7	11.5	16.8
1992.....	0.6	1.2	2.1	3.3	5.4	7.1	8.5	10.4	11.8	16.9
1991.....	0.5	1.1	2.3	3.9	6.6	6.9	8.8	10.5	12.4	17.1
1990.....	0.5	1.0	2.3	4.0	5.4	7.1	9.8	11.1	12.2	17.5
1989.....	0.6	1.2	2.5	4.9	5.9	7.2	9.0	9.9	11.1	16.6
1988.....	0.6	1.2	2.7	4.0	6.0	7.3	9.6	10.4	11.3	14.7
1987.....	0.6	1.4	2.8	4.4	5.8	7.0	9.0	9.5	11.4	16.6
1986.....	0.4	1.4	2.9	4.5	6.9	8.0	9.4	10.2	10.4	17.5
1985.....	0.8	1.6	2.5	4.3	6.5	8.5	8.6	9.3	10.7	16.0
1984.....	0.9	1.6	2.9	4.6	7.2	8.5	8.3	9.6	10.8	15.6
1983.....	0.7	1.6	2.9	5.0	7.4	7.7	8.6	9.7	10.8	16.5
1982.....	0.7	1.9	3.2	4.8	7.1	8.0	8.2	10.2	12.0	15.9
1981.....	0.7	1.4	3.4	5.2	7.7	8.2	9.0	9.1	10.7	17.6
1980.....	0.7	1.7	3.4	4.9	7.3	8.8	8.8	8.9	13.9	16.0
1979.....	1.1	1.7	3.9	5.4	7.9	8.3	8.4	10.4	12.3	17.0
WHITE, BOTH SEXES										
1998.....	0.8	1.9	3.3	6.3	8.1	10.3	12.3	13.3	17.0	22.2
1997.....	0.8	1.9	3.3	5.3	8.3	11.3	12.9	13.1	16.7	20.6
1996.....	0.8	1.8	3.2	5.9	9.0	11.1	12.3	13.6	16.2	20.8
1995.....	0.7	1.7	3.7	6.1	8.3	11.7	13.0	13.9	16.7	23.0
1994.....	0.8	1.8	3.8	6.1	9.2	11.6	12.1	15.1	16.5	20.2
1993.....	0.8	2.3	3.9	6.3	9.9	12.1	13.2	14.9	17.1	21.0
1992.....	0.8	2.0	3.8	6.7	9.7	11.8	14.1	15.3	16.4	22.3
1991.....	0.8	2.0	4.2	6.9	10.5	12.0	14.1	16.4	17.4	21.9
1990.....	0.8	1.9	4.1	7.2	10.8	12.1	15.1	16.6	17.9	23.5
1989.....	0.9	2.0	4.0	8.0	10.7	12.0	14.7	15.1	16.6	20.7
1988.....	0.8	2.0	4.7	7.7	10.7	12.6	15.2	16.2	17.3	20.6
1987.....	0.8	2.2	4.3	7.6	10.6	13.1	14.9	15.0	16.7	21.4
1986.....	0.8	2.4	4.1	7.8	11.3	13.6	15.5	15.5	17.4	23.0
1985.....	1.0	2.5	4.4	8.0	11.0	14.3	16.3	16.1	16.7	21.6
1984.....	1.0	2.2	5.2	8.4	12.0	14.5	15.6	15.9	18.4	22.3
1983.....	1.0	2.4	4.5	8.7	12.1	14.8	15.7	17.2	16.9	23.6
1982.....	0.9	2.4	5.2	8.6	12.2	15.5	15.4	17.2	20.0	23.9
1981.....	0.9	2.4	5.5	9.0	12.6	15.6	17.6	16.3	16.8	24.1
1980.....	1.2	2.5	5.6	9.3	12.3	15.4	16.3	17.2	21.2	23.8
1979.....	1.1	2.7	6.1	8.8	13.7	15.6	17.4	17.7	19.4	24.4



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										
WHITE MALE										
1998.....	1.2	3.0	5.0	9.7	12.2	16.2	18.5	20.1	24.1	30.1
1997.....	1.2	2.8	5.2	8.4	12.7	17.2	19.8	18.7	23.2	29.4
1996.....	1.2	2.9	5.1	9.1	13.7	17.0	18.7	19.7	22.8	30.3
1995.....	1.1	2.7	6.0	9.3	12.6	17.7	19.4	20.8	25.2	34.8
1994.....	1.3	2.8	6.1	9.5	14.3	16.8	17.1	22.2	25.4	31.1
1993.....	1.2	3.6	6.0	10.0	15.1	18.1	20.0	22.4	26.9	31.7
1992.....	1.2	2.9	5.9	10.6	14.7	17.5	21.3	22.4	24.2	34.5
1991.....	1.1	3.1	6.3	10.7	15.4	18.6	21.2	25.0	26.2	33.6
1990.....	1.3	3.1	6.2	11.0	17.3	18.5	22.4	24.2	28.2	38.3
1989.....	1.3	3.2	6.0	11.6	16.5	18.0	21.9	22.8	26.1	30.1
1988.....	1.3	3.1	7.1	12.2	16.2	19.1	22.6	24.5	28.2	34.7
1987.....	1.2	3.3	6.3	11.6	16.4	20.3	22.5	23.3	26.0	33.0
1986.....	1.3	3.8	5.9	11.7	16.5	20.3	24.0	24.2	30.3	36.8
1985.....	1.3	3.8	6.7	12.4	16.1	21.3	26.7	26.8	28.0	34.0
1984.....	1.4	3.2	8.0	13.0	17.5	21.4	25.4	25.6	32.2	38.1
1983.....	1.6	3.8	6.8	13.0	17.6	23.3	25.5	28.9	28.0	39.7
1982.....	1.4	3.4	7.6	13.3	18.4	24.5	24.9	28.7	35.5	42.0
1981.....	1.4	3.8	8.2	13.6	18.3	24.4	29.3	27.5	28.7	38.3
1980.....	1.9	3.8	8.7	14.0	18.3	23.4	26.3	30.1	34.4	40.8
1979.....	1.3	4.1	9.1	13.2	20.4	24.6	29.3	29.0	32.4	39.1
WHITE FEMALE										
1998.....	0.4	0.7	1.5	3.1	4.3	5.3	7.3	8.5	12.8	19.0
1997.....	0.4	1.0	1.5	2.5	4.4	6.3	7.5	9.1	12.9	17.2
1996.....	0.5	0.6	1.4	2.9	4.7	6.0	7.3	9.4	12.4	17.0
1995.....	0.4	0.7	1.6	3.1	4.4	6.7	8.0	9.2	11.9	18.5
1994.....	0.4	0.9	1.5	2.9	4.5	7.3	8.3	10.2	11.5	16.1
1993.....	0.4	1.0	1.8	2.9	5.2	7.2	8.1	9.8	11.8	17.0
1992.....	0.4	1.0	1.8	3.1	5.1	7.0	8.7	10.7	12.2	17.7
1991.....	0.4	0.9	2.1	3.5	6.1	6.7	8.7	10.7	12.7	17.5
1990.....	0.4	0.6	2.1	3.5	5.1	6.9	9.7	11.7	12.5	17.9
1989.....	0.5	0.9	2.1	4.7	5.6	7.0	9.4	10.1	11.5	17.1
1988.....	0.4	0.8	2.5	3.6	5.9	7.2	9.7	10.9	11.7	15.1
1987.....	0.4	1.2	2.4	4.0	5.5	7.2	9.2	9.8	11.9	17.0
1986.....	*	1.0	2.4	4.2	6.7	8.0	9.3	10.1	10.6	17.7
1985.....	0.6	1.3	2.2	4.0	6.5	8.5	8.8	9.5	10.8	16.7
1984.....	0.7	1.3	2.6	4.3	7.2	8.8	8.5	9.9	11.3	16.1
1983.....	0.5	1.1	2.3	4.8	7.3	8.0	8.6	9.8	11.1	17.1
1982.....	0.5	1.4	2.9	4.3	6.8	8.2	8.5	10.0	12.0	16.4
1981.....	0.4	1.1	3.0	4.9	7.5	8.5	9.2	9.2	10.6	18.2
1980.....	0.5	1.4	2.8	5.0	7.2	9.0	9.0	9.2	14.3	16.5
1979.....	0.8	1.4	3.3	4.9	7.9	8.4	8.8	10.8	12.5	18.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										
ALL OTHER, BOTH SEXES										
1998.....	2.0	5.0	6.8	11.0	11.9	13.7	15.4	13.4	16.2	16.5
1997.....	1.8	5.1	8.7	10.6	14.4	14.7	16.4	14.2	12.5	16.6
1996.....	2.2	5.2	8.1	13.6	13.8	14.9	17.4	15.4	13.5	14.1
1995.....	2.5	5.0	10.4	13.3	17.7	15.5	16.5	17.1	17.5	15.1
1994.....	2.4	6.4	9.6	13.7	15.4	18.1	15.3	15.2	14.1	16.6
1993.....	3.1	5.7	12.7	14.1	16.5	17.9	14.8	15.3	18.6	17.9
1992.....	3.3	6.0	10.3	14.9	18.9	17.3	16.4	14.5	14.5	11.3
1991.....	3.1	7.4	10.7	15.8	17.5	16.7	17.1	17.5	14.0	13.5
1990.....	3.1	7.5	10.6	16.6	19.8	20.2	17.8	13.3	19.5	18.4
1989.....	3.3	7.7	11.6	17.0	17.8	19.3	15.4	15.1	12.9	14.5
1988.....	3.3	8.1	13.2	14.9	16.9	17.9	16.8	14.0	17.5	14.1
1987.....	3.7	7.6	11.5	16.6	17.0	14.9	16.1	14.3	13.3	13.8
1986.....	4.2	8.5	13.8	14.5	20.0	17.5	17.8	16.6	16.2	24.2
1985.....	4.7	8.4	12.2	16.4	19.0	18.1	15.4	17.1	17.2	11.6
1984.....	4.6	8.8	13.4	17.7	20.8	15.9	19.9	14.2	17.2	13.4
1983.....	4.7	10.0	14.6	18.9	19.2	16.5	18.1	16.9	14.5	15.8
1982.....	5.4	9.5	15.0	18.8	19.6	16.4	16.2	16.4	19.1	14.6
1981.....	5.0	9.3	14.6	19.3	19.5	15.9	17.2	15.6	19.1	18.4
1980.....	5.7	10.3	17.2	19.0	19.7	18.7	17.4	13.8	19.6	18.4
1979.....	6.0	9.8	17.9	19.6	17.3	15.5	15.2	14.3	16.5	14.9
ALL OTHER MALE										
1998.....	2.8	9.1	11.3	20.0	22.0	20.7	28.2	20.9	27.8	27.9
1997.....	2.9	9.0	15.6	18.1	24.6	23.3	29.1	24.0	19.4	27.1
1996.....	3.8	9.0	14.4	23.0	23.9	28.1	30.8	25.3	21.2	23.6
1995.....	4.2	8.4	19.1	21.8	29.1	25.9	26.2	29.6	30.7	27.5
1994.....	3.9	11.5	18.0	24.0	27.5	29.7	24.6	25.3	23.2	*
1993.....	5.6	9.6	21.9	24.5	29.5	32.3	26.4	26.4	36.3	25.1
1992.....	5.4	10.1	18.1	27.5	34.0	30.0	29.5	25.5	27.3	*
1991.....	5.4	13.3	19.5	27.3	27.1	28.4	27.8	31.3	21.7	*
1990.....	5.6	12.6	18.5	28.8	35.3	35.9	29.1	25.9	38.0	29.5
1989.....	5.1	13.2	19.1	30.3	30.6	33.1	29.7	25.7	24.0	*
1988.....	5.5	13.6	23.5	25.0	30.2	31.7	28.4	25.6	34.2	*
1987.....	6.6	13.5	19.1	28.5	28.7	27.2	29.0	27.4	25.9	*
1986.....	7.7	14.3	23.5	24.4	35.0	30.5	28.3	25.2	30.6	42.7
1985.....	7.7	14.5	21.7	28.2	35.6	30.9	27.0	32.0	28.6	*
1984.....	7.6	15.1	23.4	31.4	37.3	29.7	38.7	25.7	37.6	*
1983.....	7.6	16.6	24.1	33.3	33.6	30.4	32.1	30.5	26.8	28.6
1982.....	9.2	15.3	27.0	31.7	32.2	29.4	31.5	23.4	29.8	*
1981.....	7.8	16.7	24.5	34.0	31.6	29.4	30.7	28.0	30.8	32.8
1980.....	10.2	18.1	28.3	36.7	34.6	33.5	30.9	25.7	35.5	34.6
1979.....	9.9	16.8	30.1	32.1	28.9	25.8	28.4	24.7	26.7	35.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										
ALL OTHER FEMALE										
1998.....	1.3	1.5	3.0	3.8	4.0	8.4	6.4	8.4	9.6	11.3
1997.....	*	1.7	3.0	4.5	6.5	8.3	7.5	7.8	8.6	11.9
1996.....	*	1.9	2.9	5.9	6.0	5.0	8.0	9.0	9.2	9.8
1995.....	*	2.1	3.2	6.5	9.0	7.7	9.8	9.2	10.2	9.7
1994.....	*	2.1	2.6	5.3	6.1	9.5	8.8	8.8	9.2	15.1
1993.....	*	2.4	4.9	5.6	6.7	7.2	6.7	8.5	8.7	14.8
1992.....	1.4	2.5	3.8	4.6	7.4	7.9	7.3	7.6	*	*
1991.....	*	2.2	3.3	6.5	10.1	8.1	9.8	8.9	9.6	12.2
1990.....	*	3.0	4.0	6.8	7.9	8.5	10.0	5.5	9.1	13.4
1989.....	1.7	2.9	5.3	6.3	8.0	9.0	5.6	8.5	*	*
1988.....	*	3.4	4.5	6.7	6.7	7.6	9.0	6.6	*	*
1987.....	*	2.6	5.1	7.0	8.0	5.7	7.3	6.0	*	12.3
1986.....	*	3.5	5.8	6.4	8.3	7.8	10.6	11.1	*	15.4
1985.....	2.1	3.1	4.3	6.9	6.0	8.6	7.4	7.3	*	*
1984.....	2.0	3.5	5.1	6.7	7.9	5.6	6.8	6.6	*	*
1983.....	2.2	4.4	6.8	7.2	7.8	6.0	8.2	7.8	*	*
1982.....	2.2	4.6	5.1	8.3	9.5	6.7	5.2	11.6	12.7	*
1981.....	2.5	3.1	6.5	7.2	9.8	5.6	7.2	7.3	*	*
1980.....	1.8	3.8	8.2	4.4	7.9	7.3	7.3	5.7	9.9	10.1
1979.....	2.7	4.1	7.9	9.2	7.9	7.6	5.2	7.0	10.2	4.4
BLACK, BOTH SEXES										
1998.....	2.4	6.1	8.3	13.1	14.5	16.2	18.0	15.9	15.9	17.3
1997.....	2.0	5.5	10.5	13.2	16.7	16.5	19.1	15.6	12.3	17.8
1996.....	2.6	5.9	10.4	16.5	15.8	17.8	19.3	16.2	12.5	14.3
1995.....	2.7	5.8	12.5	16.2	20.9	18.3	18.4	18.0	18.9	14.6
1994.....	2.9	7.9	11.9	16.8	18.1	20.5	17.2	15.6	13.6	16.6
1993.....	3.6	6.6	15.6	16.7	19.1	19.8	16.4	17.0	19.4	15.6
1992.....	3.5	7.5	12.3	18.2	22.2	19.2	19.2	15.9	11.6	11.8
1991.....	3.7	9.0	12.6	18.9	20.4	18.9	19.3	18.8	14.1	13.4
1990.....	3.8	8.9	12.9	19.8	22.9	22.4	19.0	13.6	19.1	18.0
1989.....	3.7	9.6	14.1	19.8	20.5	21.5	16.7	15.9	11.7	14.5
1988.....	3.9	9.7	15.5	17.5	20.4	19.8	17.8	15.2	16.5	14.0
1987.....	4.4	8.6	14.1	19.1	20.0	15.9	17.7	14.9	13.7	13.9
1986.....	5.3	10.5	16.5	17.1	22.6	19.1	18.6	17.4	15.7	25.9
1985.....	5.7	10.3	14.8	19.2	21.5	20.3	16.2	17.6	15.1	10.8
1984.....	5.3	10.4	15.1	20.3	22.6	17.6	20.8	14.8	17.8	13.2
1983.....	5.1	11.7	16.5	21.1	21.9	17.7	19.3	17.3	15.4	16.3
1982.....	6.5	10.5	17.4	21.4	22.2	17.7	17.0	16.2	19.3	13.1
1981.....	5.5	10.6	16.6	21.6	20.9	16.8	17.2	15.9	19.1	17.9
1980.....	6.6	11.8	19.3	21.0	21.8	19.9	19.3	14.4	20.0	17.6
1979.....	6.7	10.8	19.8	21.7	18.8	17.1	15.7	14.4	14.9	16.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										
BLACK MALE										
1998.....	3.2	11.4	14.6	24.3	28.4	24.2	33.4	25.4	25.8	30.0
1997.....	3.2	10.0	19.0	23.2	29.1	26.0	34.4	26.9	18.9	31.5
1996.....	4.2	10.3	19.3	29.0	27.9	34.0	33.7	30.2	22.0	24.0
1995.....	4.6	9.8	23.2	26.8	35.3	30.3	31.0	32.9	35.4	25.3
1994.....	4.6	14.5	22.6	31.0	32.3	33.9	28.7	26.6	25.3	*
1993.....	6.3	11.7	27.6	30.2	34.2	36.5	28.8	30.0	39.0	*
1992.....	5.8	13.2	22.3	34.0	39.7	33.2	34.9	29.4	22.4	*
1991.....	6.4	16.3	23.2	33.0	32.9	32.2	33.3	33.1	22.8	*
1990.....	6.9	15.8	22.8	35.7	40.9	40.2	31.6	28.5	40.7	30.2
1989.....	6.1	16.6	23.1	35.3	35.6	38.9	33.3	28.1	24.7	*
1988.....	6.6	16.3	28.2	29.6	36.4	36.4	30.8	30.5	36.2	*
1987.....	7.9	15.2	23.8	32.3	33.8	28.5	32.5	30.3	28.3	*
1986.....	10.2	18.4	28.5	29.6	39.5	32.7	30.2	27.3	32.2	47.6
1985.....	9.5	18.1	26.5	33.3	41.4	35.4	28.9	33.5	24.1	*
1984.....	9.4	18.6	26.4	35.7	41.4	33.2	41.6	28.1	40.5	*
1983.....	8.7	20.1	28.0	37.6	39.0	34.0	34.8	32.7	30.5	*
1982.....	11.1	17.2	31.4	36.2	37.0	32.9	33.9	22.4	32.5	*
1981.....	9.0	19.1	27.6	38.6	34.4	31.2	32.6	30.4	31.2	*
1980.....	11.9	21.1	32.2	41.0	39.1	35.8	34.9	26.8	36.0	30.2
1979.....	11.2	18.3	33.2	35.7	31.7	29.3	30.1	24.2	22.1	38.5
BLACK FEMALE										
1998.....	1.6	1.7	3.2	4.4	4.1	10.3	7.2	9.8	10.7	12.0
1997.....	*	1.8	3.6	5.3	7.5	9.3	8.5	8.5	*	12.1
1996.....	*	2.1	3.2	6.7	6.7	5.6	9.5	7.4	*	10.3
1995.....	*	2.4	3.7	7.8	10.1	9.3	9.8	8.9	10.4	10.3
1994.....	*	2.3	3.1	5.8	7.3	10.6	9.4	9.0	*	14.9
1993.....	*	2.4	5.9	6.1	7.7	7.6	8.0	9.4	*	12.1
1992.....	*	2.7	4.1	5.7	8.9	9.1	8.8	8.0	*	*
1991.....	*	2.8	3.9	7.7	11.0	9.3	10.0	10.4	*	*
1990.....	*	3.1	4.8	7.2	9.4	9.6	10.6	*	*	12.8
1989.....	*	3.7	6.7	7.4	9.1	8.9	5.8	8.6	*	*
1988.....	*	4.2	5.1	7.9	8.2	7.8	9.2	*	*	*
1987.....	*	3.1	6.2	8.5	9.5	6.7	7.9	*	*	*
1986.....	*	3.9	6.7	7.0	9.6	9.2	10.9	11.4	*	15.9
1985.....	*	3.8	5.2	7.8	6.2	9.3	7.8	7.7	*	*
1984.....	*	3.6	5.9	7.7	8.0	6.1	6.8	*	*	*
1983.....	*	4.7	7.1	7.7	8.7	5.7	8.9	*	*	*
1982.....	*	5.0	6.1	9.3	10.7	6.4	*	12.4	*	*
1981.....	*	3.6	7.7	7.8	10.3	6.2	6.4	*	*	*
1980.....	2.2	4.3	8.9	4.5	8.0	8.1	8.2	6.4	10.4	11.3
1979.....	2.9	4.6	8.9	10.2	8.5	8.0	5.4	7.6	10.5	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LIP (140)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	0.5
1997.....	*	*	*	*	*	*	*	*	*	0.6
1996.....	*	*	*	*	*	*	*	*	*	0.6
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	0.8
1993.....	*	*	*	*	*	*	*	*	*	0.6
1992.....	*	*	*	*	*	*	*	*	*	0.6
1991.....	*	*	*	*	*	*	0.3	*	*	0.7
1990.....	*	*	*	*	*	*	*	0.3	*	*
1989.....	*	*	*	*	*	*	*	0.3	*	0.7
1988.....	*	*	*	*	*	*	*	*	0.5	0.8
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	0.9
1985.....	*	*	*	*	*	*	*	*	0.7	0.8
1984.....	*	*	*	*	*	*	*	0.4	0.6	0.8
1983.....	*	*	*	*	*	*	*	*	0.7	1.2
1982.....	*	*	*	*	*	*	*	*	*	0.8
1981.....	*	*	*	*	*	*	0.4	0.5	*	1.3
1980.....	-	0.0	0.1	0.1	0.1	0.2	0.3	0.4	0.6	1.7
1979.....	0.0	0.0	0.1	0.0	0.1	0.2	0.3	0.5	0.6	1.2
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	0.6	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	2.9
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	0.8	*	*	3.1
1980.....	-	0.0	0.1	0.3	0.3	0.4	0.7	0.9	1.4	4.4
1979.....	0.0	0.1	0.1	0.1	0.2	0.4	0.7	1.2	1.4	3.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LIP (140)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	0.0	0.1	0.1	0.0	0.2	0.5
1979.....	-	-	-	0.0	0.0	0.1	0.1	0.1	0.2	0.5
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	0.6
1997.....	*	*	*	*	*	*	*	*	*	0.6
1996.....	*	*	*	*	*	*	*	*	*	0.7
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	0.9
1993.....	*	*	*	*	*	*	*	*	*	0.7
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	0.3	*	*	0.7
1990.....	*	*	*	*	*	*	*	0.4	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	0.9
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	1.0
1985.....	*	*	*	*	*	*	*	*	0.7	0.9
1984.....	*	*	*	*	*	*	*	0.4	0.7	0.9
1983.....	*	*	*	*	*	*	*	*	0.8	1.2
1982.....	*	*	*	*	*	*	*	*	*	0.9
1981.....	*	*	*	*	*	*	0.4	0.6	*	1.4
1980.....	-	0.0	0.1	0.1	0.2	0.2	0.4	0.4	0.6	1.8
1979.....	0.0	0.0	0.1	0.0	0.1	0.2	0.4	0.5	0.6	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LIP (140)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	0.7	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	3.2
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	0.8	*	*	3.5
1980.....	-	0.0	0.1	0.3	0.3	0.4	0.7	1.0	1.5	4.7
1979.....	0.0	0.1	0.1	0.1	0.2	0.4	0.8	1.2	1.5	3.2
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	0.0	0.1	0.1	0.0	0.2	0.6
1979.....	-	-	-	0.0	-	0.0	0.1	0.1	0.1	0.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LIP (140)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.1	-	-	-	-	-	0.6
1979.....	-	-	-	-	0.1	0.2	-	0.2	0.4	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	-	-	-	-	-	1.6
1979.....	-	-	-	-	-	-	-	0.5	-	-



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LIP (140)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	-	0.2	0.4	-	-	0.7	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.1	-	-	-	-	-	0.6
1979.....	-	-	-	-	0.1	0.3	-	0.3	0.5	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LIP (140)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	-	-	-	-	-	1.9
1979.....	-	-	-	-	-	-	-	0.6	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	-	0.2	0.4	-	-	0.8	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF TONGUE (141)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	0.2	0.6	0.8	1.8	2.0	2.3	2.8	2.9	3.1	4.2
1997.....	0.3	0.5	0.9	1.3	2.2	2.8	3.0	2.9	3.8	4.6
1996.....	0.3	0.6	0.9	1.5	2.3	2.7	2.7	3.1	3.2	3.6
1995.....	0.2	0.5	1.0	1.7	2.0	2.8	3.1	2.9	4.0	4.5
1994.....	0.2	0.6	1.1	1.8	2.0	2.9	2.5	3.5	3.7	3.6
1993.....	0.3	0.7	1.2	1.6	2.3	2.9	2.9	3.2	3.6	4.3
1992.....	0.3	0.6	1.0	1.9	2.4	3.0	3.2	3.1	3.3	4.2
1991.....	0.3	0.8	1.2	1.9	2.5	2.9	3.2	3.7	3.6	3.6
1990.....	0.2	0.6	1.2	1.9	2.6	3.0	3.3	3.8	3.8	4.9
1989.....	0.3	0.8	1.3	2.1	2.9	2.7	3.3	3.7	3.5	4.6
1988.....	0.3	0.6	1.3	1.9	2.9	3.0	3.2	3.7	3.9	4.2
1987.....	0.3	0.7	1.3	2.0	2.8	2.8	3.4	3.1	3.4	4.6
1986.....	0.3	1.0	1.2	1.9	3.0	3.3	3.3	3.5	3.7	4.5
1985.....	0.4	0.7	1.3	2.1	2.5	3.3	3.5	4.2	3.1	4.5
1984.....	0.5	0.6	1.4	2.2	3.1	3.6	3.6	3.4	4.3	4.7
1983.....	0.3	0.8	1.3	2.2	2.9	3.5	3.6	3.8	3.4	5.2
1982.....	0.4	0.7	1.5	2.3	3.0	3.6	3.8	3.6	4.1	5.3
1981.....	0.3	0.7	1.4	2.2	2.9	3.7	4.0	4.0	3.7	4.9
1980.....	0.4	0.7	1.3	2.3	2.6	3.6	4.4	3.3	4.7	4.7
1979.....	0.4	0.8	1.5	2.5	3.2	3.7	4.1	3.7	4.8	5.3
TOTAL, MALE										
1998.....	0.3	0.9	1.3	2.8	3.3	3.4	4.0	4.0	4.4	4.8
1997.....	0.4	0.8	1.4	2.1	3.5	4.3	4.6	4.1	5.5	6.2
1996.....	0.4	0.9	1.4	2.3	3.5	4.1	4.1	4.4	4.1	4.8
1995.....	0.3	0.9	1.8	2.7	3.2	4.2	4.9	4.5	5.5	6.5
1994.....	0.3	0.9	1.8	2.8	3.2	4.1	4.1	5.2	5.4	4.1
1993.....	0.4	1.1	1.8	2.6	3.5	4.2	4.6	4.9	5.7	5.8
1992.....	0.5	0.9	1.6	3.0	3.6	4.6	4.7	4.5	4.4	5.6
1991.....	0.5	1.3	2.0	2.8	3.6	4.4	5.0	5.6	4.8	4.3
1990.....	0.4	0.9	1.9	3.2	4.3	4.7	4.9	5.7	5.0	7.0
1989.....	0.5	1.2	1.8	3.1	4.5	4.2	4.9	5.6	4.9	6.0
1988.....	0.5	1.0	2.1	2.9	4.3	4.8	4.9	5.6	5.6	6.2
1987.....	0.6	1.1	2.0	2.9	4.5	4.4	5.1	4.9	4.3	5.3
1986.....	0.5	1.5	1.8	3.0	4.5	5.2	4.9	5.7	6.5	6.5
1985.....	0.6	1.0	2.0	3.3	3.8	4.8	6.2	7.5	4.2	7.8
1984.....	0.7	1.0	2.2	3.5	4.4	5.6	6.1	5.4	7.5	7.2
1983.....	0.5	1.2	1.9	3.3	4.3	5.8	5.5	6.3	5.6	8.7
1982.....	0.6	1.0	2.3	3.5	4.5	5.6	5.9	5.6	7.0	7.5
1981.....	0.5	1.2	2.0	3.3	4.3	6.0	7.2	6.4	6.4	6.3
1980.....	0.6	1.2	2.1	3.7	4.1	5.4	6.9	6.0	7.3	7.3
1979.....	0.6	1.3	2.4	3.7	5.1	6.0	6.9	6.2	7.3	8.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF TONGUE (141)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, FEMALE										
1998.....	*	0.2	0.4	0.9	0.8	1.4	1.9	2.1	2.4	3.9
1997.....	0.2	0.3	0.4	0.5	1.0	1.6	1.7	2.1	2.8	4.0
1996.....	0.2	0.3	0.4	0.8	1.3	1.6	1.6	2.2	2.6	3.2
1995.....	*	*	0.3	0.7	1.0	1.5	1.7	1.9	3.1	3.7
1994.....	*	0.3	0.5	0.9	1.0	1.9	1.3	2.2	2.7	3.5
1993.....	*	0.3	0.6	0.7	1.3	1.9	1.6	2.1	2.4	3.8
1992.....	*	0.3	0.5	0.8	1.4	1.6	2.1	2.2	2.7	3.7
1991.....	*	*	0.5	1.0	1.6	1.8	1.9	2.5	3.0	3.3
1990.....	*	*	0.5	0.8	1.1	1.7	2.1	2.7	3.2	4.0
1989.....	*	0.4	0.7	1.2	1.4	1.5	2.2	2.6	2.8	4.0
1988.....	*	0.3	0.6	1.1	1.6	1.5	2.0	2.5	3.0	3.4
1987.....	*	0.3	0.6	1.3	1.4	1.4	2.1	2.0	2.9	4.3
1986.....	*	0.5	0.7	0.9	1.7	1.8	2.2	2.2	2.2	3.7
1985.....	*	0.4	0.6	1.1	1.5	2.1	1.5	2.1	2.6	3.2
1984.....	*	*	0.7	1.1	1.9	1.9	1.8	2.2	2.6	3.6
1983.....	*	0.4	0.7	1.2	1.6	1.7	2.2	2.3	2.3	3.8
1982.....	*	0.4	0.7	1.2	1.7	1.9	2.2	2.4	2.5	4.4
1981.....	*	*	0.8	1.1	1.8	1.8	1.8	2.6	2.2	4.2
1980.....	0.3	0.3	0.6	1.1	1.3	2.2	2.6	1.6	3.4	3.5
1979.....	0.2	0.4	0.8	1.5	1.5	1.8	2.0	2.1	3.5	4.1
WHITE, BOTH SEXES										
1998.....	0.2	0.4	0.7	1.7	1.9	2.3	2.9	2.9	3.2	4.3
1997.....	0.2	0.4	0.8	1.1	2.0	2.8	2.9	3.0	3.9	4.7
1996.....	0.3	0.5	0.8	1.4	2.2	2.6	2.6	3.1	3.3	3.7
1995.....	0.2	0.5	0.9	1.5	1.8	2.8	3.2	3.0	4.0	4.6
1994.....	0.2	0.4	1.0	1.5	1.9	2.9	2.5	3.4	3.8	3.8
1993.....	0.2	0.6	1.0	1.4	2.1	2.8	2.9	3.1	3.5	4.4
1992.....	0.2	0.5	0.8	1.7	2.2	2.8	3.2	3.1	3.4	4.4
1991.....	0.2	0.5	1.0	1.6	2.3	2.8	3.1	3.7	3.6	3.8
1990.....	0.2	0.4	0.9	1.6	2.5	2.8	3.5	3.9	3.9	5.0
1989.....	0.2	0.6	1.0	1.8	2.6	2.5	3.4	3.7	3.6	4.9
1988.....	0.2	0.4	1.1	1.7	2.8	3.0	3.3	3.9	4.0	4.4
1987.....	0.2	0.5	1.1	1.8	2.7	2.8	3.5	3.1	3.5	4.8
1986.....	0.2	0.7	1.0	1.8	2.7	3.3	3.3	3.5	3.8	4.4
1985.....	0.3	0.6	1.0	1.9	2.5	3.2	3.6	4.2	3.3	4.5
1984.....	0.3	0.4	1.1	2.0	2.9	3.7	3.7	3.4	4.2	4.8
1983.....	0.2	0.6	1.0	2.0	2.6	3.5	3.6	4.0	3.4	5.4
1982.....	0.3	0.5	1.2	2.1	2.8	3.6	3.8	3.7	4.1	5.4
1981.....	0.2	0.6	1.1	2.0	2.8	3.8	4.0	4.1	3.6	4.9
1980.....	0.3	0.5	1.1	2.0	2.4	3.6	4.5	3.3	4.9	4.8
1979.....	0.3	0.6	1.3	2.3	3.1	3.7	4.0	3.9	4.8	5.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF TONGUE (141)										
WHITE MALE										
1998.....	0.3	0.6	1.1	2.5	3.1	3.4	4.0	3.9	4.4	4.8
1997.....	0.3	0.6	1.2	1.9	3.3	4.1	4.3	4.1	5.3	6.2
1996.....	0.4	0.7	1.3	2.0	3.3	3.9	3.9	4.4	4.1	4.7
1995.....	0.3	0.7	1.4	2.4	2.8	4.2	5.1	4.6	5.4	6.5
1994.....	0.3	0.6	1.6	2.3	3.0	4.1	3.9	5.1	5.3	4.3
1993.....	0.3	0.9	1.4	2.2	3.2	3.8	4.5	4.7	5.6	5.8
1992.....	0.3	0.7	1.2	2.6	3.2	4.4	4.6	4.4	4.5	5.6
1991.....	0.3	0.8	1.5	2.4	3.3	4.1	4.9	5.4	4.9	4.5
1990.....	0.3	0.7	1.5	2.6	3.9	4.4	5.1	5.7	4.9	7.0
1989.....	0.3	0.9	1.5	2.5	4.1	3.8	4.9	5.5	5.0	6.5
1988.....	0.4	0.6	1.5	2.6	4.1	4.7	4.9	5.8	5.3	6.6
1987.....	0.4	0.9	1.7	2.5	4.3	4.4	5.3	4.9	4.4	5.5
1986.....	*	1.1	1.4	2.8	3.9	5.1	5.0	5.5	6.7	6.1
1985.....	0.4	0.9	1.6	2.8	3.5	4.6	6.4	7.3	4.5	7.6
1984.....	0.5	0.6	1.6	3.0	4.1	5.9	6.1	5.1	7.1	7.3
1983.....	*	0.9	1.4	2.9	3.7	5.7	5.5	6.6	5.4	8.9
1982.....	*	0.7	1.7	3.1	3.9	5.7	5.8	5.9	6.8	7.8
1981.....	*	0.8	1.6	3.1	4.0	6.2	6.9	6.4	6.4	6.3
1980.....	0.4	0.8	1.7	3.2	3.7	5.2	7.0	5.9	7.5	7.6
1979.....	0.3	0.9	1.9	3.3	5.0	6.1	6.7	6.5	7.3	7.9
WHITE FEMALE										
1998.....	*	*	0.4	0.9	0.8	1.4	2.0	2.2	2.4	4.1
1997.....	*	0.3	0.4	0.4	0.9	1.7	1.9	2.2	3.0	4.1
1996.....	*	*	0.3	0.7	1.2	1.5	1.6	2.2	2.8	3.3
1995.....	*	*	0.3	0.6	0.9	1.5	1.7	2.0	3.3	3.9
1994.....	*	*	0.4	0.8	1.0	1.9	1.4	2.2	2.9	3.6
1993.....	*	*	0.6	0.6	1.2	2.0	1.6	2.1	2.4	3.9
1992.....	*	*	0.5	0.8	1.3	1.5	2.1	2.2	2.8	3.9
1991.....	*	*	0.4	0.9	1.4	1.7	1.8	2.5	3.0	3.5
1990.....	*	*	0.4	0.6	1.1	1.6	2.2	2.7	3.3	4.2
1989.....	*	*	0.6	1.1	1.3	1.4	2.3	2.6	2.9	4.3
1988.....	*	*	0.6	0.9	1.7	1.5	2.1	2.7	3.2	3.6
1987.....	*	*	0.5	1.2	1.3	1.5	2.2	2.0	3.0	4.5
1986.....	*	*	0.6	0.9	1.6	1.8	2.1	2.3	2.3	3.7
1985.....	*	*	0.5	1.0	1.6	2.1	1.6	2.2	2.7	3.4
1984.....	*	*	0.6	1.0	1.8	2.0	1.9	2.4	2.7	3.8
1983.....	*	*	0.6	1.2	1.6	1.7	2.2	2.3	2.3	3.9
1982.....	*	*	0.6	1.1	1.8	1.9	2.3	2.4	2.6	4.4
1981.....	*	*	0.7	1.0	1.8	1.9	1.8	2.7	2.1	4.3
1980.....	0.2	0.2	0.5	1.0	1.2	2.3	2.7	1.6	3.6	3.5
1979.....	0.2	0.3	0.7	1.4	1.6	1.8	2.1	2.3	3.5	4.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF TONGUE (141)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER, BOTH SEXES										
1998.....	*	1.2	1.4	2.7	2.5	2.2	2.3	3.3	*	*
1997.....	*	1.0	1.5	2.2	3.1	3.2	3.5	*	*	*
1996.....	*	1.4	1.5	2.4	3.2	3.2	3.2	3.3	*	*
1995.....	*	1.0	2.2	2.7	3.6	2.7	2.6	*	*	*
1994.....	*	1.6	2.2	3.5	2.6	3.1	3.2	4.2	*	*
1993.....	*	1.3	2.7	3.2	3.5	3.8	3.2	3.9	*	*
1992.....	0.8	1.3	2.2	3.3	3.7	4.3	3.5	3.4	*	*
1991.....	0.8	2.3	2.8	3.3	3.9	4.2	3.9	4.2	*	*
1990.....	*	1.6	2.8	4.4	3.7	4.7	*	*	*	*
1989.....	*	1.9	2.7	4.2	5.2	4.4	2.7	3.8	*	*
1988.....	0.9	1.9	3.0	3.1	3.4	3.2	2.9	*	*	*
1987.....	1.1	1.6	2.4	3.8	3.6	2.7	*	*	*	*
1986.....	*	2.6	2.7	2.6	5.6	3.7	3.2	3.7	*	*
1985.....	1.3	*	2.9	4.1	3.3	4.4	*	4.0	*	*
1984.....	1.2	1.9	3.9	4.4	4.5	2.1	3.2	*	*	*
1983.....	*	2.1	3.5	3.8	4.9	3.4	3.5	*	*	*
1982.....	1.3	2.3	3.8	3.9	4.8	3.2	3.9	*	*	*
1981.....	*	1.9	3.3	3.8	3.8	2.4	4.9	*	*	*
1980.....	1.4	2.7	3.0	4.7	4.6	3.9	3.3	3.6	2.6	3.9
1979.....	1.4	2.4	3.7	4.5	3.5	3.5	4.3	1.8	4.5	4.0
ALL OTHER MALE										
1998.....	*	2.2	2.6	4.5	4.5	*	*	*	*	*
1997.....	*	1.6	2.7	3.6	5.0	5.9	7.2	*	*	*
1996.....	*	2.0	2.4	3.8	5.1	5.2	5.7	*	*	*
1995.....	*	1.8	4.3	4.0	5.9	4.3	*	*	*	*
1994.....	*	2.4	3.6	6.0	4.6	4.4	6.5	*	*	*
1993.....	*	2.4	4.6	5.4	6.0	6.9	5.8	*	*	*
1992.....	*	2.2	4.0	5.7	6.3	6.9	6.0	*	*	*
1991.....	*	4.0	4.9	5.5	5.3	7.0	5.9	*	*	*
1990.....	*	2.5	5.1	7.4	7.1	7.6	*	*	*	*
1989.....	*	3.4	4.0	7.7	8.6	7.7	*	*	*	*
1988.....	*	3.5	5.7	4.7	6.2	5.4	*	*	*	*
1987.....	*	2.5	4.2	6.1	6.1	4.9	*	*	*	*
1986.....	*	4.3	4.9	4.7	9.9	6.0	*	*	*	*
1985.....	*	*	4.7	7.5	6.3	7.3	*	*	*	*
1984.....	*	3.6	6.5	7.4	7.4	*	*	*	*	*
1983.....	*	3.3	5.9	6.8	9.2	6.5	*	*	*	*
1982.....	2.5	3.3	6.6	6.7	9.3	*	6.9	*	*	*
1981.....	*	3.7	5.5	5.9	6.5	*	9.5	*	*	*
1980.....	2.1	4.8	5.8	8.5	7.6	6.7	5.8	6.7	4.6	4.9
1979.....	2.8	4.2	6.6	7.6	6.1	5.7	8.7	3.8	7.0	8.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF TONGUE (141)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	2.9	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.9	0.7	1.5	2.1	1.8	1.4	1.5	1.4	3.4
1979.....	0.2	0.9	1.4	2.0	1.5	1.8	0.9	0.4	2.9	1.8
BLACK, BOTH SEXES										
1998.....	*	1.5	1.8	3.1	3.3	2.8	3.0	3.6	*	*
1997.....	*	1.3	1.9	2.9	4.2	3.6	4.2	*	*	*
1996.....	*	1.8	1.9	3.2	3.7	3.7	3.7	*	*	*
1995.....	*	1.2	2.9	3.2	4.5	3.0	3.0	*	*	*
1994.....	*	2.2	2.7	4.4	2.8	3.6	4.0	4.4	*	*
1993.....	*	1.8	3.6	4.1	4.4	4.4	3.6	4.9	*	*
1992.....	0.9	1.8	2.8	4.2	4.4	4.8	4.3	*	*	*
1991.....	1.0	3.0	3.4	4.2	4.5	4.9	4.4	4.9	*	*
1990.....	*	2.0	3.4	5.6	4.5	5.6	*	*	*	*
1989.....	*	2.6	3.6	5.3	6.0	5.2	*	4.2	*	*
1988.....	1.2	2.4	3.9	3.6	4.0	3.8	3.2	*	*	*
1987.....	1.3	2.0	3.1	4.6	4.0	2.8	*	*	*	*
1986.....	*	3.4	3.4	3.1	6.6	4.1	3.4	*	*	*
1985.....	1.7	*	3.5	4.9	3.8	5.0	*	*	*	*
1984.....	1.5	2.3	4.7	5.3	4.9	*	3.6	*	*	*
1983.....	*	2.5	4.4	4.3	5.5	3.5	4.0	*	*	*
1982.....	1.6	2.7	4.6	4.5	5.5	3.4	4.0	*	*	*
1981.....	*	2.2	3.9	4.2	4.0	2.7	5.0	*	*	*
1980.....	1.6	3.1	3.4	5.3	5.0	4.4	3.7	4.1	3.0	3.8
1979.....	1.7	2.8	4.0	5.1	4.0	3.9	4.4	1.0	4.5	4.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF TONGUE (141)										
BLACK MALE										
1998.....	*	2.9	3.5	5.3	6.4	*	*	*	*	*
1997.....	*	*	3.3	4.9	6.7	7.3	9.0	*	*	*
1996.....	*	2.5	3.5	5.3	6.1	6.3	*	*	*	*
1995.....	*	2.4	5.8	4.8	7.8	*	*	*	*	*
1994.....	*	3.4	4.5	8.0	5.2	5.2	8.3	*	*	*
1993.....	*	3.4	6.3	6.9	7.8	7.9	*	*	*	*
1992.....	*	3.1	5.5	7.3	7.3	7.3	7.7	*	*	*
1991.....	*	5.6	6.1	7.1	6.9	8.4	7.6	*	*	*
1990.....	*	3.3	6.4	9.6	8.8	8.9	*	*	*	*
1989.....	*	4.6	5.4	9.5	10.0	9.2	*	*	*	*
1988.....	*	4.4	7.6	5.8	7.7	6.5	*	*	*	*
1987.....	*	*	5.5	7.4	7.0	*	*	*	*	*
1986.....	*	5.7	6.4	5.7	11.6	6.4	*	*	*	*
1985.....	*	*	5.8	9.1	7.3	8.6	*	*	*	*
1984.....	*	4.5	7.8	8.8	8.6	*	*	*	*	*
1983.....	*	4.3	7.3	7.6	10.4	7.2	*	*	*	*
1982.....	3.3	4.2	8.1	8.0	10.8	*	*	*	*	*
1981.....	*	4.4	6.5	6.4	6.9	*	10.5	*	*	*
1980.....	2.5	5.6	6.9	9.8	8.5	7.5	6.8	7.8	5.3	3.8
1979.....	3.4	5.0	7.0	8.7	7.0	6.5	9.3	1.9	6.5	9.6
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.1	0.6	1.6	2.3	2.0	1.5	1.7	1.6	3.8
1979.....	0.3	1.1	1.6	2.3	1.7	2.0	1.0	0.4	3.2	1.9



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF PHARYNX (146-149.0)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	0.5	1.3	2.2	3.6	4.6	5.6	6.3	6.2	7.4	6.9
1997.....	0.5	1.3	2.2	3.2	4.8	6.0	6.7	6.0	6.2	6.1
1996.....	0.6	1.2	2.2	3.8	5.0	6.2	6.3	6.4	6.1	6.5
1995.....	0.6	1.1	2.5	3.7	5.1	6.4	6.6	6.4	6.7	6.8
1994.....	0.6	1.4	2.4	3.6	5.4	6.2	6.2	6.6	6.5	6.4
1993.....	0.6	1.4	2.8	3.8	5.7	6.2	6.6	6.6	7.0	5.9
1992.....	0.6	1.3	2.7	4.1	5.7	6.0	6.7	7.0	6.4	6.1
1991.....	0.6	1.3	2.5	4.2	6.2	6.3	7.0	7.3	7.0	6.5
1990.....	0.6	1.4	2.4	4.4	6.3	6.5	7.7	7.1	7.4	7.0
1989.....	0.6	1.4	2.6	4.9	5.8	6.7	7.2	6.2	6.5	5.6
1988.....	0.6	1.5	3.1	4.4	5.9	6.5	7.7	7.0	6.8	6.0
1987.....	0.6	1.6	2.6	4.5	5.7	6.5	7.2	6.7	6.5	5.6
1986.....	0.6	1.4	2.7	4.5	5.8	6.6	7.7	6.6	6.4	6.9
1985.....	0.7	1.7	2.7	4.5	6.1	7.5	7.5	6.4	6.4	5.4
1984.....	0.7	1.6	3.3	4.6	6.6	7.0	7.8	6.7	6.7	5.7
1983.....	0.8	1.8	3.0	5.0	6.4	7.2	7.4	7.2	6.3	6.8
1982.....	0.7	1.6	3.3	4.8	6.4	7.3	7.0	7.1	7.3	6.3
1981.....	0.7	1.6	3.3	5.3	6.6	7.4	7.8	6.0	5.7	6.4
1980.....	0.9	1.7	3.6	5.0	6.4	7.3	6.5	7.5	8.0	5.8
1979.....	0.7	1.9	3.7	4.9	7.1	7.3	8.0	7.0	6.2	5.9
TOTAL, MALE										
1998.....	0.8	2.2	3.4	6.0	7.2	9.1	10.4	10.0	11.6	12.5
1997.....	0.8	2.2	3.6	5.3	7.4	9.5	10.8	9.6	9.1	11.0
1996.....	0.9	2.0	3.6	6.1	7.8	10.2	10.0	9.7	10.1	10.8
1995.....	1.0	1.7	4.2	5.6	7.8	10.1	10.2	10.5	11.2	12.8
1994.....	1.1	2.3	4.2	5.7	8.6	9.7	9.0	10.3	10.6	12.6
1993.....	1.1	2.3	4.5	5.9	9.0	10.0	10.5	11.1	12.7	11.3
1992.....	1.0	2.1	4.3	6.8	9.2	9.7	10.9	11.1	11.1	11.6
1991.....	1.0	2.2	4.1	6.7	9.4	10.1	10.7	12.3	12.1	13.2
1990.....	0.9	2.3	3.8	7.0	10.4	10.5	12.2	11.4	13.4	12.7
1989.....	0.9	2.3	4.2	7.4	9.2	10.6	11.4	10.1	11.9	10.3
1988.....	0.9	2.4	4.9	7.4	9.6	10.2	11.7	12.1	13.6	13.1
1987.....	0.9	2.5	3.9	7.2	8.8	10.4	11.3	11.2	11.7	11.0
1986.....	1.0	2.2	4.0	6.9	9.0	9.8	12.8	10.5	12.4	12.8
1985.....	1.0	2.8	4.1	7.1	9.7	11.6	13.0	11.1	13.0	10.6
1984.....	0.9	2.5	5.3	7.6	10.4	10.7	13.2	12.0	14.1	11.2
1983.....	1.2	2.9	4.8	7.8	9.6	11.7	12.9	13.1	12.5	13.7
1982.....	1.1	2.4	5.2	7.6	10.0	12.2	12.2	13.2	14.0	14.1
1981.....	1.0	2.6	5.0	8.0	9.7	11.8	13.3	10.3	10.0	12.4
1980.....	1.5	2.6	5.6	8.0	9.8	11.7	11.2	14.0	15.3	12.5
1979.....	1.0	3.0	5.8	7.7	10.9	12.2	14.2	12.3	12.5	11.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PHARYNX (146-149.0)										
TOTAL, FEMALE										
1998.....	*	0.3	1.0	1.4	2.3	2.6	3.0	3.5	5.0	4.6
1997.....	*	0.5	0.8	1.4	2.4	3.1	3.4	3.4	4.4	4.1
1996.....	0.2	0.3	0.8	1.7	2.4	2.8	3.4	4.1	3.7	4.8
1995.....	*	0.5	0.9	1.9	2.7	3.4	3.8	3.6	4.2	4.4
1994.....	0.2	0.5	0.7	1.5	2.6	3.3	4.0	4.0	4.2	4.1
1993.....	0.2	0.6	1.1	1.7	2.7	3.1	3.5	3.7	3.9	3.8
1992.....	0.3	0.6	1.2	1.6	2.6	3.0	3.5	4.3	3.8	4.0
1991.....	*	0.5	1.0	1.9	3.4	3.2	4.2	4.1	4.3	3.9
1990.....	*	0.5	1.1	2.1	2.7	3.3	4.3	4.3	4.2	4.8
1989.....	0.2	0.5	1.2	2.6	3.0	3.5	4.0	3.7	3.6	3.8
1988.....	0.3	0.6	1.4	1.8	2.8	3.5	4.8	3.8	3.2	3.2
1987.....	0.3	0.7	1.4	2.0	3.0	3.3	4.3	3.9	3.7	3.5
1986.....	*	0.6	1.4	2.3	3.1	3.9	3.9	4.1	3.2	4.6
1985.....	0.3	0.8	1.3	2.2	2.9	4.1	3.6	3.4	2.9	3.4
1984.....	0.4	0.8	1.5	1.9	3.3	4.0	3.9	3.4	2.8	3.4
1983.....	0.3	0.8	1.4	2.5	3.6	3.6	3.3	3.5	3.0	4.0
1982.....	0.3	0.9	1.6	2.3	3.4	3.3	3.2	3.3	3.7	3.0
1981.....	0.3	0.6	1.7	2.8	3.9	3.8	3.7	3.4	3.4	3.8
1980.....	0.3	0.9	1.9	2.4	3.5	3.7	3.0	3.5	4.2	2.8
1979.....	0.5	0.9	1.8	2.4	3.8	3.4	3.4	3.7	2.8	3.3
WHITE, BOTH SEXES										
1998.....	0.3	0.9	1.8	3.2	4.2	5.2	5.8	6.2	7.2	6.8
1997.....	0.3	1.0	1.6	2.7	4.2	5.7	6.3	5.8	6.2	6.1
1996.....	0.4	0.8	1.7	3.0	4.5	5.9	5.9	6.3	6.1	6.5
1995.....	0.4	0.7	1.8	3.1	4.2	6.0	6.2	6.0	6.6	6.8
1994.....	0.4	1.0	1.8	2.9	4.9	5.6	5.9	6.6	6.3	6.4
1993.....	0.4	1.1	1.9	3.2	5.1	5.8	6.4	6.6	6.7	5.8
1992.....	0.4	0.9	2.0	3.3	4.9	5.6	6.4	7.0	6.1	6.4
1991.....	0.4	0.9	2.0	3.5	5.7	5.9	6.7	7.2	7.0	6.5
1990.....	0.3	0.9	1.9	3.7	5.5	6.0	7.3	7.2	7.1	7.0
1989.....	0.4	0.9	2.0	4.2	5.4	6.2	6.9	6.2	6.6	5.5
1988.....	0.4	1.0	2.4	3.8	5.4	6.1	7.5	6.9	6.6	6.0
1987.....	0.3	1.0	1.9	3.8	5.2	6.2	6.9	6.7	6.4	5.5
1986.....	0.3	1.0	2.0	4.0	5.5	6.3	7.4	6.4	6.2	6.7
1985.....	0.4	1.2	2.1	3.8	5.5	7.2	7.4	6.2	6.0	5.8
1984.....	0.4	1.2	2.8	4.0	6.1	6.7	7.4	6.6	6.6	5.9
1983.....	0.5	1.2	2.3	4.3	6.0	7.0	7.2	7.1	6.3	7.0
1982.....	0.4	1.1	2.7	4.1	6.0	7.1	7.0	7.2	7.1	6.4
1981.....	0.4	1.1	2.7	4.4	6.2	7.3	7.7	5.9	5.5	6.5
1980.....	0.6	1.2	2.8	4.4	6.1	7.0	6.4	7.7	7.9	5.5
1979.....	0.5	1.5	3.0	4.3	6.8	7.3	8.0	7.0	6.1	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PHARYNX (146-149.0)										
WHITE MALE										
1998.....	0.6	1.6	2.9	5.1	6.3	8.5	9.4	10.0	11.0	12.2
1997.....	0.6	1.6	2.6	4.4	6.3	9.0	10.1	9.1	9.3	11.2
1996.....	0.6	1.5	2.7	4.7	6.9	9.3	9.0	9.2	10.1	11.0
1995.....	0.6	1.1	3.0	4.6	6.5	9.3	9.5	9.6	11.0	12.5
1994.....	0.7	1.6	3.2	4.6	7.5	8.5	8.5	10.4	10.3	12.8
1993.....	0.6	1.8	3.0	4.9	7.9	9.0	10.0	10.9	11.6	11.1
1992.....	0.6	1.5	3.2	5.2	7.7	8.7	10.2	10.7	10.6	12.2
1991.....	0.6	1.4	3.1	5.3	8.5	9.4	10.2	12.0	12.0	13.6
1990.....	0.5	1.6	3.0	5.8	9.0	9.3	11.3	11.2	12.8	12.6
1989.....	0.6	1.5	3.0	6.1	8.3	9.5	10.5	9.8	12.1	10.1
1988.....	0.6	1.7	3.7	6.2	8.5	9.3	11.0	11.6	12.9	13.4
1987.....	0.4	1.4	2.8	6.1	7.9	9.7	10.5	10.8	11.2	11.0
1986.....	0.5	1.6	2.8	6.0	8.2	9.3	12.3	10.3	12.0	12.5
1985.....	0.6	1.8	3.1	5.9	8.5	11.0	12.6	10.5	12.0	11.3
1984.....	0.5	1.7	4.3	6.5	9.3	9.8	12.3	11.9	13.7	11.7
1983.....	0.7	1.9	3.8	6.5	8.8	11.1	12.4	12.8	12.7	14.0
1982.....	0.6	1.5	4.0	6.5	9.2	11.7	11.9	13.4	13.8	14.2
1981.....	0.6	1.7	4.1	6.5	8.9	11.4	13.1	10.0	9.6	12.6
1980.....	1.0	1.8	4.3	6.6	9.0	11.2	11.0	14.2	15.1	11.8
1979.....	0.7	2.2	4.6	6.8	10.1	12.0	14.1	12.0	12.5	11.0
WHITE FEMALE										
1998.....	*	0.3	0.8	1.4	2.3	2.3	3.0	3.4	4.9	4.5
1997.....	*	0.4	0.6	1.2	2.3	2.9	3.4	3.5	4.4	4.1
1996.....	0.2	*	0.6	1.5	2.3	2.9	3.4	4.2	3.8	4.8
1995.....	*	0.3	0.7	1.7	2.2	3.2	3.6	3.6	4.2	4.6
1994.....	*	0.4	0.6	1.3	2.5	3.1	3.9	4.1	4.0	4.0
1993.....	*	0.4	0.8	1.5	2.6	3.1	3.5	3.7	4.0	3.9
1992.....	*	0.4	0.9	1.5	2.3	3.0	3.6	4.5	3.7	4.2
1991.....	*	0.4	0.9	1.7	3.1	3.1	4.1	4.1	4.4	3.8
1990.....	*	*	0.9	1.8	2.4	3.3	4.2	4.6	4.1	4.8
1989.....	*	0.4	1.0	2.4	2.8	3.5	4.2	3.9	3.7	3.7
1988.....	*	0.4	1.2	1.6	2.7	3.5	4.8	3.9	3.4	3.1
1987.....	*	0.6	1.1	1.8	2.8	3.4	4.3	4.2	3.8	3.4
1986.....	*	0.4	1.2	2.1	3.1	3.9	3.9	3.9	3.1	4.4
1985.....	*	0.6	1.2	1.9	2.9	4.1	3.7	3.5	2.8	3.6
1984.....	*	0.6	1.3	1.8	3.2	4.2	3.9	3.3	2.9	3.6
1983.....	*	0.5	1.0	2.3	3.6	3.7	3.4	3.5	3.0	4.1
1982.....	*	0.7	1.5	2.0	3.2	3.4	3.4	3.3	3.7	3.2
1981.....	*	0.5	1.5	2.6	3.8	4.0	3.8	3.4	3.4	3.9
1980.....	0.3	0.7	1.4	2.5	3.6	3.7	3.2	3.6	4.2	2.8
1979.....	0.3	0.7	1.5	2.1	3.9	3.4	3.5	3.9	2.8	3.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PHARYNX (146-149.0)										
ALL OTHER, BOTH SEXES										
1998.....	1.3	2.9	4.3	6.5	7.2	8.4	9.9	6.7	9.9	8.0
1997.....	1.1	3.1	5.4	6.4	8.4	8.1	9.5	7.5	5.3	6.0
1996.....	1.4	3.0	5.1	8.5	8.2	8.5	9.9	7.7	5.4	5.6
1995.....	1.6	3.0	6.6	7.4	10.9	9.6	10.4	10.1	7.9	6.5
1994.....	1.9	3.6	5.8	7.5	9.0	10.9	8.5	5.9	8.5	6.4
1993.....	2.0	3.5	8.3	7.6	9.5	9.5	8.4	6.5	9.5	*
1992.....	2.0	3.8	6.5	9.1	11.1	9.4	9.1	7.5	8.8	*
1991.....	1.8	4.1	6.1	9.1	10.2	8.8	9.3	8.2	7.0	*
1990.....	1.9	4.2	5.4	9.1	12.1	11.1	11.7	6.3	10.5	7.7
1989.....	1.7	4.0	6.7	9.2	9.6	10.6	9.9	6.6	*	*
1988.....	1.7	4.7	7.5	8.7	10.0	9.9	9.7	8.1	8.4	*
1987.....	2.1	5.1	6.8	9.0	9.8	8.6	10.0	6.7	7.5	*
1986.....	2.3	3.8	7.6	8.4	8.9	8.5	9.8	8.4	8.4	10.0
1985.....	2.2	5.2	6.3	9.6	11.0	9.5	8.4	8.3	10.9	*
1984.....	2.3	4.4	7.0	9.3	11.2	9.3	11.1	7.7	7.3	*
1983.....	2.7	6.0	7.9	10.7	9.9	8.9	9.3	8.4	*	*
1982.....	2.8	4.9	7.8	9.8	10.4	9.0	7.2	6.5	8.8	*
1981.....	2.6	5.0	7.2	12.1	10.7	7.8	8.2	6.9	*	*
1980.....	2.8	5.2	10.0	10.2	9.1	9.6	7.0	6.3	9.2	8.4
1979.....	2.5	5.1	9.7	10.0	10.1	7.6	8.0	7.5	7.1	7.5
ALL OTHER MALE										
1998.....	2.1	5.5	6.8	12.5	13.3	13.4	18.8	10.3	17.5	*
1997.....	1.8	5.7	10.3	11.1	15.1	13.1	17.6	14.2	*	*
1996.....	2.7	5.4	9.2	15.1	14.7	17.2	18.8	14.4	*	*
1995.....	2.9	5.0	11.8	12.3	17.4	16.6	17.1	19.6	14.3	*
1994.....	3.2	6.7	11.2	13.3	16.6	18.9	13.8	9.5	*	*
1993.....	3.7	5.9	14.7	13.2	17.2	17.6	15.4	12.4	23.0	*
1992.....	3.2	6.4	11.3	17.3	20.3	17.9	17.6	15.3	16.7	*
1991.....	3.1	7.6	11.2	16.3	16.9	15.7	16.0	15.2	*	*
1990.....	3.3	7.3	9.3	15.7	22.3	21.5	21.0	13.8	19.4	*
1989.....	2.9	7.3	11.9	16.5	16.5	19.6	20.3	14.0	*	*
1988.....	2.9	7.4	12.9	16.1	18.5	18.1	18.1	16.4	20.5	*
1987.....	3.7	9.5	10.9	16.2	16.4	16.7	19.2	14.4	*	*
1986.....	4.2	6.4	13.1	14.1	16.2	14.8	17.8	11.9	*	*
1985.....	3.8	9.3	11.2	16.4	20.4	17.0	16.3	16.5	22.9	*
1984.....	3.6	7.4	12.6	17.2	20.8	19.1	22.6	13.4	*	*
1983.....	4.5	10.0	12.7	18.9	17.0	16.8	18.1	15.7	*	*
1982.....	4.4	8.2	14.6	16.3	17.1	17.2	14.9	12.0	*	*
1981.....	4.0	9.4	12.4	21.5	17.3	15.6	15.5	12.9	*	*
1980.....	5.3	8.9	16.2	20.5	16.9	16.9	13.8	12.3	17.2	19.7
1979.....	3.8	8.8	16.0	16.5	18.2	13.4	15.2	14.8	12.8	20.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PHARYNX (146-149.0)										
ALL OTHER FEMALE										
1998.....	*	*	2.2	*	2.5	4.6	3.7	*	*	*
1997.....	*	*	*	2.5	3.2	4.4	3.8	*	*	*
1996.....	*	*	*	3.2	3.3	*	3.6	*	*	*
1995.....	*	*	2.2	3.4	5.9	4.5	5.8	*	*	*
1994.....	*	*	*	2.9	3.2	4.9	4.9	*	*	*
1993.....	*	*	2.9	3.0	3.7	3.5	*	*	*	*
1992.....	*	*	2.5	*	4.1	3.1	*	*	*	*
1991.....	*	*	*	3.3	5.0	3.8	4.7	*	*	*
1990.....	*	*	*	3.9	4.4	3.4	5.3	*	*	*
1989.....	*	*	*	3.4	4.3	3.9	*	*	*	*
1988.....	*	2.3	2.9	2.8	3.5	3.7	*	*	*	*
1987.....	*	*	3.4	3.3	4.7	*	*	*	*	*
1986.....	*	*	3.0	3.8	3.2	3.7	*	6.2	*	*
1985.....	*	*	*	4.1	3.5	3.8	*	*	*	*
1984.....	*	*	*	2.8	3.6	*	*	*	*	*
1983.....	*	2.6	3.9	4.0	4.2	*	*	*	*	*
1982.....	*	*	*	4.4	5.2	*	*	*	*	*
1981.....	*	*	3.1	4.4	5.4	*	*	*	*	*
1980.....	0.6	2.1	5.0	1.7	2.9	4.0	1.9	2.3	4.2	2.5
1979.....	1.3	2.0	4.6	4.5	3.6	3.2	2.6	2.3	3.6	0.9
BLACK, BOTH SEXES										
1998.....	1.4	3.4	5.1	7.8	8.3	9.6	11.4	8.1	8.9	8.8
1997.....	1.0	3.0	6.3	7.7	9.4	8.6	11.2	8.2	*	*
1996.....	1.5	3.0	6.4	10.1	9.2	10.5	11.1	8.7	*	*
1995.....	1.7	3.2	7.4	8.9	12.7	11.6	11.5	10.8	8.8	*
1994.....	2.2	4.0	7.0	9.0	10.6	12.3	9.5	5.8	7.6	*
1993.....	2.0	3.7	9.9	8.6	10.7	10.3	9.0	6.9	9.7	*
1992.....	1.9	4.5	7.4	10.8	12.9	10.1	10.3	8.4	7.0	*
1991.....	1.9	4.5	6.8	10.7	11.7	10.1	10.4	7.8	7.4	*
1990.....	2.2	4.7	6.2	10.4	13.8	11.9	12.2	6.0	10.4	*
1989.....	1.7	4.6	7.7	10.2	10.8	11.8	10.4	6.9	*	*
1988.....	1.9	5.4	8.2	10.1	11.9	10.8	9.5	8.9	8.5	*
1987.....	2.5	5.5	8.1	9.6	11.7	9.1	10.9	6.7	8.0	*
1986.....	2.9	4.5	8.9	10.0	9.7	8.9	9.6	8.8	*	10.0
1985.....	2.5	6.3	7.5	11.0	12.1	10.2	9.1	8.4	10.6	*
1984.....	2.4	5.1	7.5	10.3	11.7	10.5	11.1	7.9	*	*
1983.....	2.7	6.7	8.4	11.7	11.4	9.7	10.1	8.5	*	*
1982.....	3.3	5.0	8.8	10.8	11.6	9.3	7.7	6.1	*	*
1981.....	2.5	5.5	7.9	13.5	11.0	7.8	8.3	6.7	*	*
1980.....	3.1	5.8	10.9	11.2	10.0	9.9	7.4	5.9	8.5	7.5
1979.....	2.4	5.2	10.6	10.9	10.8	8.4	8.1	7.8	5.5	7.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PHARYNX (146-149.0)										
BLACK MALE										
1998.....	2.2	6.5	8.6	15.2	16.4	15.2	22.0	13.0	*	*
1997.....	1.7	5.9	12.0	14.0	17.4	13.8	21.4	15.4	*	*
1996.....	2.8	5.7	12.0	18.6	16.6	21.1	20.7	17.8	*	*
1995.....	3.2	5.3	13.4	15.0	20.7	20.1	20.3	21.1	*	*
1994.....	3.6	7.9	13.6	16.6	19.4	21.2	15.4	*	*	*
1993.....	3.8	6.6	17.6	15.5	19.3	19.6	16.2	13.6	24.8	*
1992.....	2.9	8.1	13.1	20.8	23.6	19.4	19.8	18.5	*	*
1991.....	3.4	8.5	12.9	19.2	19.9	17.4	18.6	13.8	*	*
1990.....	3.9	8.7	10.9	18.9	25.1	23.3	22.5	14.0	21.4	*
1989.....	3.2	8.5	13.8	17.7	18.6	22.7	22.2	15.2	*	*
1988.....	3.4	8.6	14.6	18.7	21.8	20.5	19.2	19.2	21.3	*
1987.....	4.4	10.2	13.1	17.0	19.7	17.3	21.3	14.9	*	*
1986.....	5.5	7.9	15.7	17.1	18.1	14.9	18.1	12.8	*	*
1985.....	4.3	11.4	13.4	19.2	23.7	18.9	17.9	17.6	23.0	*
1984.....	4.1	8.9	13.5	18.9	22.1	21.4	23.3	13.8	*	*
1983.....	4.9	11.6	14.1	21.4	19.9	19.1	20.1	17.0	*	*
1982.....	5.1	8.3	16.2	17.9	19.1	18.6	16.1	*	*	*
1981.....	4.1	10.1	13.4	24.4	18.4	15.3	16.3	13.3	*	*
1980.....	6.0	10.2	17.8	22.7	18.9	17.4	14.9	11.1	14.7	17.0
1979.....	3.7	8.8	17.4	18.2	19.6	15.1	15.9	15.5	9.1	21.2
BLACK FEMALE										
1998.....	*	*	2.3	*	*	5.4	*	*	*	*
1997.....	*	*	*	*	*	4.7	*	*	*	*
1996.....	*	*	*	3.5	3.7	*	*	*	*	*
1995.....	*	*	*	4.1	6.7	5.3	5.5	*	*	*
1994.....	*	*	*	*	3.9	5.6	5.5	*	*	*
1993.....	*	*	3.5	*	4.1	*	*	*	*	*
1992.....	*	*	*	*	4.8	*	*	*	*	*
1991.....	*	*	*	3.9	5.6	4.7	5.0	*	*	*
1990.....	*	*	*	3.6	5.2	*	5.5	*	*	*
1989.....	*	*	*	4.1	4.9	*	*	*	*	*
1988.....	*	2.7	*	*	4.4	*	*	*	*	*
1987.....	*	*	4.1	3.8	5.7	*	*	*	*	*
1986.....	*	*	3.3	4.3	*	4.5	*	*	*	*
1985.....	*	*	*	4.4	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	3.7	3.8	4.8	*	*	*	*	*
1982.....	*	*	*	5.0	5.7	*	*	*	*	*
1981.....	*	*	3.5	4.7	5.2	*	*	*	*	*
1980.....	0.7	2.2	5.3	1.7	2.9	4.3	2.1	2.6	4.8	2.8
1979.....	1.3	2.2	5.0	4.9	3.8	3.3	2.5	2.5	3.2	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.6	0.8	1.5	1.9	2.8	3.3	3.9	6.2	10.1
1997.....	0.2	0.5	1.0	1.5	2.1	2.7	3.5	4.1	6.0	8.9
1996.....	0.2	0.5	0.9	1.7	2.3	2.6	3.8	4.1	6.5	9.4
1995.....	0.2	0.5	1.1	1.7	2.3	2.9	3.5	4.7	5.7	10.6
1994.....	0.2	0.5	1.0	1.8	2.4	3.1	3.6	4.9	5.9	9.1
1993.....	0.3	0.6	1.1	2.0	2.7	3.5	3.8	4.9	6.5	9.9
1992.....	0.2	0.6	1.0	1.8	2.7	3.3	4.3	4.9	6.1	10.4
1991.....	0.2	0.6	1.3	2.0	2.6	3.2	3.9	5.2	6.1	10.4
1990.....	0.3	0.7	1.4	2.0	2.9	3.3	4.3	5.0	6.7	10.6
1989.....	0.4	0.7	1.1	2.2	2.7	3.3	4.1	4.8	5.9	9.3
1988.....	0.3	0.6	1.4	2.2	2.5	3.5	4.3	5.0	6.1	9.0
1987.....	0.3	0.7	1.4	2.2	2.7	3.9	4.3	4.9	6.4	10.1
1986.....	0.4	0.9	1.4	2.2	3.3	3.9	4.6	5.3	6.8	10.8
1985.....	0.4	0.9	1.5	2.3	3.2	3.8	4.9	5.4	6.5	10.0
1984.....	0.4	0.9	1.5	2.6	3.2	3.9	4.4	5.3	6.8	10.4
1983.....	0.4	0.8	1.4	2.5	3.5	4.2	4.7	5.8	6.3	9.8
1982.....	0.4	1.0	1.5	2.6	3.5	4.6	4.5	6.0	8.0	10.7
1981.....	0.5	0.9	1.9	2.6	3.6	4.4	5.4	5.6	7.2	11.1
1980.....	0.5	1.0	2.0	2.9	3.9	4.6	5.2	5.7	7.7	11.2
1979.....	0.5	0.8	2.1	2.5	3.7	4.4	4.8	6.1	7.5	11.2
TOTAL, MALE										
1998.....	0.4	0.8	1.2	2.2	2.9	4.1	4.7	5.6	8.2	11.7
1997.....	0.3	0.8	1.5	2.2	3.2	3.9	5.3	5.2	7.7	11.0
1996.....	0.3	0.8	1.3	2.5	3.5	3.9	5.6	5.7	8.1	12.6
1995.....	0.4	0.9	1.7	2.6	3.4	4.2	4.6	6.4	8.0	13.9
1994.....	0.3	0.9	1.5	2.8	3.9	4.2	4.5	6.6	8.6	11.4
1993.....	0.3	0.9	1.6	3.2	4.0	5.2	5.3	6.5	8.9	12.5
1992.....	0.4	0.8	1.6	2.9	4.0	4.3	6.2	6.6	8.2	14.6
1991.....	0.3	1.0	1.9	3.2	3.7	4.9	5.6	7.2	8.0	13.2
1990.....	0.5	1.1	2.0	3.0	4.4	4.9	5.7	6.6	10.3	16.6
1989.....	0.4	1.0	1.6	3.2	4.1	4.6	5.9	6.6	8.4	12.2
1988.....	0.4	1.1	2.2	3.3	3.7	5.1	6.3	6.6	8.5	13.0
1987.....	0.4	1.0	2.1	3.3	4.2	5.9	6.5	7.1	9.5	14.0
1986.....	0.7	1.5	2.1	3.2	4.7	6.0	6.5	7.6	10.7	15.5
1985.....	0.5	1.4	2.4	3.6	4.5	5.5	7.0	8.2	9.8	12.6
1984.....	0.6	1.3	2.3	3.8	4.5	5.6	6.8	7.5	9.9	15.8
1983.....	0.6	1.2	2.0	3.8	5.1	6.3	7.1	9.0	8.3	13.4
1982.....	0.6	1.4	2.2	4.1	5.1	6.9	7.0	8.7	12.7	16.7
1981.....	0.7	1.5	2.8	4.1	5.4	6.8	8.2	9.9	11.5	16.0
1980.....	0.8	1.6	3.0	4.4	5.7	6.9	8.0	8.8	10.6	16.0
1979.....	0.7	1.3	3.0	3.6	5.1	6.2	7.4	8.8	10.7	16.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)										
TOTAL, FEMALE										
1998.....	0.2	0.3	0.4	0.9	1.1	1.7	2.3	2.7	5.0	9.4
1997.....	*	0.3	0.5	0.9	1.2	1.8	2.2	3.3	5.1	8.1
1996.....	*	*	0.5	0.9	1.2	1.5	2.3	3.0	5.6	8.1
1995.....	*	0.2	0.6	0.9	1.3	1.9	2.6	3.6	4.4	9.3
1994.....	*	*	0.5	0.8	1.1	2.2	2.9	3.8	4.3	8.1
1993.....	*	0.3	0.5	0.8	1.4	2.2	2.8	3.7	5.1	8.9
1992.....	*	0.4	0.4	0.8	1.5	2.4	2.8	3.8	5.1	8.8
1991.....	*	0.3	0.8	1.0	1.6	1.9	2.7	3.9	5.1	9.4
1990.....	*	*	0.8	1.1	1.6	2.1	3.3	4.0	4.7	8.3
1989.....	0.3	0.4	0.6	1.2	1.5	2.2	2.8	3.6	4.5	8.1
1988.....	*	*	0.7	1.1	1.5	2.2	2.8	4.1	4.8	7.5
1987.....	*	0.4	0.8	1.1	1.4	2.3	2.7	3.5	4.8	8.6
1986.....	*	*	0.8	1.2	2.2	2.2	3.2	3.9	4.7	8.9
1985.....	*	0.4	0.6	1.1	2.0	2.4	3.4	3.6	4.8	9.0
1984.....	*	0.5	0.7	1.5	2.1	2.5	2.6	3.9	5.2	8.2
1983.....	*	0.4	0.8	1.3	2.1	2.5	3.1	3.9	5.2	8.3
1982.....	*	0.5	0.9	1.3	2.0	2.7	2.7	4.3	5.6	8.2
1981.....	*	0.4	0.9	1.2	2.0	2.5	3.4	2.9	4.9	9.0
1980.....	0.1	0.5	1.0	1.5	2.4	2.8	3.1	3.7	6.2	9.1
1979.....	0.4	0.4	1.2	1.5	2.5	3.0	2.9	4.5	5.8	9.1
WHITE, BOTH SEXES										
1998.....	0.3	0.5	0.7	1.5	1.9	2.8	3.4	4.0	6.5	10.6
1997.....	0.2	0.4	0.9	1.5	2.0	2.6	3.6	4.1	6.2	9.2
1996.....	0.2	0.4	0.8	1.5	2.3	2.5	3.7	4.1	6.5	9.8
1995.....	0.2	0.5	1.0	1.5	2.2	2.9	3.5	4.7	5.7	11.0
1994.....	0.2	0.4	0.9	1.6	2.3	3.0	3.6	4.9	6.1	9.2
1993.....	0.2	0.6	1.0	1.8	2.5	3.4	3.9	4.9	6.6	10.1
1992.....	0.2	0.6	0.9	1.7	2.5	3.2	4.3	5.1	6.4	10.9
1991.....	0.2	0.6	1.2	1.8	2.5	3.2	3.9	5.2	6.4	10.9
1990.....	0.3	0.5	1.2	1.8	2.8	3.2	4.3	5.2	6.7	10.9
1989.....	0.3	0.5	0.9	1.9	2.7	3.1	4.3	4.9	5.9	9.7
1988.....	0.2	0.5	1.2	2.1	2.4	3.3	4.3	5.2	6.1	9.3
1987.....	0.2	0.7	1.3	1.9	2.6	4.0	4.3	5.0	6.6	10.6
1986.....	0.3	0.7	1.1	2.0	3.1	3.7	4.6	5.4	6.9	11.0
1985.....	0.2	0.7	1.2	2.3	3.0	3.7	5.0	5.4	6.7	10.4
1984.....	0.3	0.6	1.4	2.4	3.0	3.9	4.3	5.5	7.0	10.8
1983.....	0.3	0.6	1.2	2.3	3.4	4.2	4.7	5.8	6.4	10.0
1982.....	0.3	0.8	1.3	2.3	3.4	4.6	4.5	6.0	8.2	11.2
1981.....	0.3	0.7	1.6	2.5	3.4	4.3	5.6	5.6	7.2	11.3
1980.....	0.3	0.8	1.7	2.7	3.7	4.6	5.0	5.9	7.7	11.7
1979.....	0.3	0.6	1.8	2.2	3.7	4.4	5.0	6.3	7.8	11.9



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)										
WHITE MALE										
1998.....	0.4	0.7	1.0	2.1	2.7	4.1	4.7	5.7	8.4	12.1
1997.....	0.3	0.6	1.4	2.0	3.0	3.8	5.4	5.2	7.9	10.9
1996.....	0.2	0.7	1.1	2.3	3.4	3.6	5.6	5.6	8.2	12.9
1995.....	0.2	0.7	1.5	2.2	3.1	4.1	4.6	6.4	8.0	14.7
1994.....	0.3	0.6	1.3	2.5	3.6	4.0	4.5	6.4	9.1	11.9
1993.....	*	0.9	1.5	2.8	3.7	4.9	5.3	6.4	9.1	13.1
1992.....	0.3	0.7	1.5	2.7	3.6	4.2	6.3	6.8	8.3	15.6
1991.....	*	0.9	1.7	2.8	3.5	4.9	5.5	7.0	8.4	14.1
1990.....	0.4	0.9	1.7	2.6	4.3	4.7	5.7	6.6	10.1	17.5
1989.....	0.3	0.7	1.4	2.8	3.9	4.5	6.1	6.8	8.2	12.7
1988.....	0.3	0.9	1.8	3.2	3.4	4.8	6.4	6.7	8.8	13.3
1987.....	0.3	1.0	1.8	3.0	4.0	5.9	6.4	7.0	9.8	15.3
1986.....	0.5	1.1	1.6	2.9	4.2	5.6	6.6	7.8	10.8	15.5
1985.....	*	1.1	2.0	3.6	4.0	5.4	7.1	8.3	10.3	13.2
1984.....	0.4	0.8	2.1	3.4	4.0	5.4	6.5	7.8	10.1	16.9
1983.....	0.4	0.9	1.6	3.4	4.9	6.2	7.0	8.7	8.3	13.6
1982.....	*	1.1	1.8	3.6	5.1	6.8	6.8	8.8	13.4	17.7
1981.....	0.5	1.1	2.4	3.8	5.2	6.5	8.5	10.0	11.6	16.0
1980.....	0.5	1.2	2.6	4.0	5.2	6.6	7.6	9.0	10.3	16.8
1979.....	0.3	1.0	2.5	3.1	5.1	6.1	7.7	9.2	11.0	16.9
WHITE FEMALE										
1998.....	*	0.3	0.4	0.9	1.1	1.6	2.3	2.8	5.3	9.9
1997.....	*	0.3	0.4	0.9	1.2	1.6	2.2	3.3	5.2	8.5
1996.....	*	*	0.5	0.8	1.2	1.5	2.3	3.0	5.5	8.6
1995.....	*	*	0.6	0.8	1.3	1.9	2.7	3.5	4.4	9.6
1994.....	*	*	0.6	0.8	1.0	2.2	2.9	3.9	4.5	8.1
1993.....	*	0.3	0.4	0.8	1.5	2.1	2.9	3.8	5.2	9.0
1992.....	*	0.4	0.4	0.8	1.5	2.4	2.9	3.9	5.4	9.1
1991.....	*	*	0.8	0.9	1.5	1.8	2.7	4.0	5.3	9.7
1990.....	*	*	0.7	1.1	1.5	2.0	3.2	4.3	5.0	8.4
1989.....	*	*	0.5	1.1	1.6	2.0	2.9	3.6	4.7	8.5
1988.....	*	*	0.7	1.0	1.5	2.2	2.8	4.3	4.8	7.7
1987.....	*	*	0.8	1.0	1.4	2.3	2.7	3.7	5.0	8.8
1986.....	*	*	0.6	1.1	2.1	2.2	3.2	4.0	4.8	9.2
1985.....	*	*	0.6	1.1	2.1	2.3	3.4	3.6	4.8	9.3
1984.....	*	*	0.7	1.4	2.1	2.6	2.6	4.1	5.4	8.4
1983.....	*	*	0.8	1.2	2.1	2.5	3.1	4.0	5.4	8.6
1982.....	*	0.4	0.8	1.2	1.9	2.8	2.8	4.2	5.5	8.5
1981.....	*	*	0.8	1.3	1.9	2.5	3.5	2.9	4.9	9.3
1980.....	0.0	0.5	0.7	1.5	2.3	2.9	3.0	3.9	6.4	9.5
1979.....	0.2	0.3	1.2	1.4	2.5	3.1	3.0	4.5	6.1	9.7

TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,  
 RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)  
 CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74  
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

ALL OTHER, BOTH SEXES

Year	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +
1998	*	0.9	1.1	1.7	2.2	3.0	3.1	3.4	*	5.4
1997	*	1.0	1.8	2.0	2.8	3.5	3.5	4.3	*	6.3
1996	*	0.8	1.5	2.7	2.4	3.2	4.2	4.4	6.1	*
1995	*	0.9	1.7	3.3	3.1	3.1	3.5	4.8	5.6	*
1994	*	1.3	1.6	2.7	3.7	4.2	3.5	5.1	*	8.0
1993	*	0.9	1.7	3.2	3.4	4.6	3.3	4.7	5.3	8.0
1992	*	1.0	1.6	2.5	4.0	3.6	3.8	3.6	*	*
1991	*	1.1	1.9	3.4	3.4	3.6	4.0	5.0	*	*
1990	*	1.7	2.5	3.0	3.9	4.3	4.2	3.8	5.8	*
1989	0.9	1.8	2.2	3.6	3.0	4.2	2.8	4.3	*	*
1988	*	1.6	2.7	3.0	3.4	4.8	4.3	3.5	*	*
1987	*	*	2.2	3.8	3.6	3.6	4.2	4.5	*	*
1986	*	2.0	3.4	3.5	5.5	5.3	4.8	4.3	*	8.7
1985	1.2	2.1	3.1	2.8	4.7	4.3	4.5	4.8	*	*
1984	1.1	2.4	2.5	4.0	5.1	4.5	5.7	*	*	*
1983	1.1	2.0	3.2	4.4	4.4	4.1	4.9	6.1	*	*
1982	1.3	2.3	3.4	5.2	4.3	4.2	4.6	6.5	*	*
1981	1.5	2.4	4.0	3.4	5.0	5.5	4.0	5.6	*	*
1980	1.5	2.4	4.2	4.1	6.1	5.2	7.1	3.8	7.9	5.6
1979	2.1	2.4	4.4	5.1	3.5	4.2	2.9	4.8	4.5	3.4

ALL OTHER MALE

Year	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +
1998	*	1.4	*	2.8	4.2	3.9	4.9	*	*	*
1997	*	1.6	2.6	3.4	4.5	4.4	*	*	*	*
1996	*	1.6	2.8	4.2	4.1	5.7	6.0	*	*	*
1995	*	*	3.0	5.5	5.7	5.1	5.3	*	*	*
1994	*	2.4	3.2	4.8	6.3	6.4	*	8.7	*	*
1993	*	*	2.6	5.7	6.2	7.8	*	*	*	*
1992	*	*	2.8	4.6	7.4	5.2	6.0	*	*	*
1991	*	*	3.3	5.5	4.9	5.5	5.9	8.7	*	*
1990	*	2.8	4.0	5.6	5.8	6.7	*	*	*	*
1989	*	2.5	3.1	6.2	5.4	5.7	*	*	*	*
1988	*	2.6	4.8	4.0	5.5	8.2	*	*	*	*
1987	*	*	3.9	6.2	6.1	5.6	7.5	*	*	*
1986	*	3.6	5.3	5.6	8.9	9.8	*	*	*	*
1985	*	3.4	5.8	4.3	8.8	6.6	*	*	*	*
1984	*	4.1	4.3	6.6	9.0	7.4	9.8	*	*	*
1983	*	3.3	5.5	7.5	7.4	7.0	7.5	11.2	*	*
1982	*	3.7	5.8	8.8	5.9	7.6	8.7	*	*	*
1981	*	3.7	6.5	6.7	7.8	9.7	*	*	*	*
1980	2.8	4.4	6.3	7.6	10.0	9.9	11.3	6.7	13.8	8.2
1979	3.4	3.8	7.5	8.0	4.7	6.7	4.5	5.5	7.0	6.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)										

## ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	2.8	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.8	2.6	1.2	2.9	1.6	4.1	1.9	4.2	4.2
1979.....	1.1	1.2	1.9	2.7	2.6	2.2	1.7	4.3	2.9	1.8

## BLACK, BOTH SEXES

1998.....	*	1.2	1.4	2.2	2.9	3.8	3.4	4.2	*	6.5
1997.....	*	1.2	2.3	2.6	3.1	4.3	3.6	4.8	*	7.5
1996.....	*	1.1	2.1	3.2	2.8	3.6	4.5	4.4	*	*
1995.....	*	1.3	2.1	4.1	3.6	3.6	3.9	4.9	*	*
1994.....	*	1.7	2.2	3.4	4.6	4.6	3.6	5.4	*	8.7
1993.....	*	*	2.2	4.1	4.0	5.2	3.8	5.1	*	*
1992.....	*	*	2.1	3.3	4.9	4.3	4.7	4.2	*	*
1991.....	*	1.4	2.4	4.0	4.2	3.9	4.5	5.9	*	*
1990.....	*	2.3	3.3	3.8	4.5	5.0	4.5	4.3	*	*
1989.....	*	2.4	2.8	4.3	3.7	4.6	3.3	4.6	*	*
1988.....	*	2.0	3.3	3.7	4.3	5.3	5.1	*	*	*
1987.....	*	*	2.9	4.8	4.3	4.0	4.8	5.0	*	*
1986.....	*	2.7	4.1	4.0	6.3	6.0	5.6	4.6	*	*
1985.....	1.5	2.6	3.9	3.3	5.6	5.1	4.7	5.2	*	*
1984.....	1.4	3.0	3.0	4.6	6.0	4.8	6.0	*	*	*
1983.....	1.4	2.5	3.7	5.0	5.0	4.4	5.0	6.4	*	*
1982.....	1.6	2.8	4.1	6.0	5.0	5.0	4.7	6.5	*	*
1981.....	1.9	2.8	4.8	3.9	5.8	6.2	4.0	6.0	*	*
1980.....	1.9	2.9	5.0	4.4	6.8	5.7	8.1	4.4	8.5	5.7
1979.....	2.6	2.8	5.2	5.7	3.8	4.6	3.1	5.3	4.5	3.8

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

BLACK MALE

1998.....	*	*	*	3.7	5.7	5.0	*	*	*	*
1997.....	*	2.1	3.7	4.3	4.9	5.0	*	*	*	*
1996.....	*	*	3.8	5.1	5.2	6.5	*	*	*	*
1995.....	*	*	3.9	7.0	6.8	5.8	*	*	*	*
1994.....	*	3.2	4.5	6.4	7.8	7.5	*	*	*	*
1993.....	*	*	3.6	7.8	7.1	9.0	*	*	*	*
1992.....	*	*	3.7	6.0	8.7	6.5	7.3	*	*	*
1991.....	*	*	4.2	6.7	6.2	6.3	*	*	*	*
1990.....	*	3.9	5.5	7.2	6.7	8.0	*	*	*	*
1989.....	*	3.5	4.0	8.0	6.9	7.0	*	*	*	*
1988.....	*	3.4	6.0	4.9	6.9	9.4	*	*	*	*
1987.....	*	*	5.1	7.9	7.2	6.1	8.4	*	*	*
1986.....	*	4.8	6.2	6.8	9.9	11.4	*	*	*	*
1985.....	*	4.4	7.4	5.1	10.4	8.0	*	*	*	*
1984.....	*	5.2	5.2	7.8	10.8	8.0	11.0	*	*	*
1983.....	*	4.3	6.5	8.4	8.7	7.8	*	*	*	*
1982.....	*	4.7	7.1	10.3	7.1	9.0	9.1	*	*	*
1981.....	*	4.6	7.7	7.8	9.2	11.4	*	*	*	*
1980.....	3.5	5.2	7.5	8.3	11.7	10.8	13.2	7.8	16.0	7.5
1979.....	4.1	4.6	8.8	8.9	5.1	7.7	4.9	6.2	6.5	7.7

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	3.7	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	1.0	3.0	1.2	2.9	1.8	4.5	2.1	4.0	4.7
1979.....	1.3	1.3	2.3	3.1	2.8	2.2	1.9	4.7	3.2	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
TOTAL, BOTH SEXES										
1998.....	9.8	21.6	39.9	67.0	108.3	162.2	223.8	290.5	383.9	507.7
1997.....	9.8	21.1	38.8	68.8	110.0	160.0	226.1	291.8	388.5	521.0
1996.....	9.9	20.8	38.0	67.9	113.1	162.9	231.6	296.8	392.1	525.4
1995.....	10.3	20.7	39.6	70.5	115.8	165.1	234.0	301.8	398.7	531.6
1994.....	10.2	21.0	41.0	70.5	115.1	167.7	234.6	303.0	403.2	528.5
1993.....	10.3	20.1	41.0	71.5	116.6	168.0	236.0	312.6	398.3	537.3
1992.....	10.3	20.5	40.7	72.7	116.0	171.0	232.1	307.8	409.2	547.9
1991.....	10.3	20.8	41.1	75.8	116.3	170.5	234.3	315.6	408.2	549.3
1990.....	9.9	22.1	43.3	72.8	117.0	173.0	241.1	321.7	416.3	553.8
1989.....	9.6	20.8	42.2	74.8	117.6	173.3	246.9	319.6	417.4	550.4
1988.....	10.4	21.0	42.8	75.5	119.6	173.5	241.9	319.5	408.6	544.0
1987.....	10.1	21.7	44.3	77.0	121.5	174.9	248.5	325.2	416.1	537.0
1986.....	10.5	22.4	44.1	76.7	122.1	177.5	254.8	323.8	421.3	540.5
1985.....	10.6	23.5	44.4	79.8	123.4	178.2	255.8	331.3	435.0	546.0
1984.....	10.9	22.6	46.1	80.1	125.9	184.3	255.9	337.8	441.9	558.3
1983.....	11.0	23.3	45.5	79.8	123.0	179.9	258.3	337.6	437.0	554.0
1982.....	11.2	23.6	45.4	79.7	124.7	184.5	257.0	339.1	442.1	550.3
1981.....	11.3	24.5	45.7	81.1	123.7	183.7	261.6	342.0	447.8	554.5
1980.....	11.7	24.3	46.6	81.7	126.7	188.4	264.3	349.6	454.6	565.6
1979.....	11.6	23.9	48.1	81.2	130.5	187.6	267.4	348.2	455.1	547.8
TOTAL, MALE										
1998.....	12.0	28.1	53.0	88.1	142.4	215.0	291.8	373.5	477.8	598.8
1997.....	11.9	27.6	51.6	90.2	145.3	213.9	297.5	371.8	490.4	628.2
1996.....	12.5	27.1	49.3	88.7	149.9	215.4	301.7	373.0	496.1	644.0
1995.....	13.3	26.7	51.0	91.8	153.6	217.0	303.9	383.9	509.7	667.2
1994.....	12.7	27.1	53.5	92.4	150.6	223.9	304.7	390.1	517.8	661.4
1993.....	13.2	26.0	52.3	92.5	153.4	218.6	309.3	403.6	507.5	668.5
1992.....	13.0	26.6	51.8	94.2	154.2	229.2	305.7	401.0	519.4	683.8
1991.....	12.9	25.7	53.4	97.0	154.1	229.4	304.8	412.4	527.8	688.2
1990.....	12.3	27.7	56.0	95.3	153.0	229.1	318.1	426.0	542.0	699.5
1989.....	12.0	27.0	53.9	98.2	156.1	228.0	327.8	413.8	543.8	685.4
1988.....	13.1	26.6	55.3	97.8	159.0	226.5	316.6	418.5	527.9	670.2
1987.....	12.4	26.9	55.8	98.5	158.3	229.5	324.5	426.3	544.7	666.0
1986.....	13.1	27.4	54.6	98.8	159.3	231.2	333.1	423.1	543.5	671.0
1985.....	13.2	29.3	55.5	102.9	160.1	232.9	336.8	431.0	558.6	667.1
1984.....	13.1	27.7	57.3	103.0	160.3	238.0	333.0	439.1	565.9	686.3
1983.....	13.0	29.2	56.8	102.8	159.4	232.8	333.1	442.1	565.5	688.1
1982.....	13.1	29.2	56.1	101.5	158.0	236.7	334.5	438.3	565.5	710.0
1981.....	13.7	30.4	56.0	102.6	159.6	239.2	343.5	441.2	561.6	687.6
1980.....	14.2	29.8	58.2	102.3	161.1	244.7	338.0	454.8	572.4	705.8
1979.....	13.7	28.3	60.8	100.9	166.5	241.2	349.5	444.8	581.2	677.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
TOTAL, FEMALE										
1998.....	7.6	15.3	27.5	47.4	77.7	117.6	170.8	231.5	328.2	469.9
1997.....	7.8	14.7	26.6	48.9	78.5	114.7	171.0	235.6	328.9	477.9
1996.....	7.4	14.7	27.3	48.7	80.3	119.0	177.7	243.7	332.1	478.3
1995.....	7.3	14.8	28.9	50.9	82.2	122.0	180.2	245.4	336.2	478.8
1994.....	7.7	15.1	29.2	50.3	83.5	121.4	181.0	244.0	339.8	477.2
1993.....	7.4	14.5	30.3	52.1	84.2	126.6	180.1	251.6	338.6	487.0
1992.....	7.7	14.7	30.2	53.0	82.4	123.7	176.5	246.3	349.6	495.2
1991.....	7.7	16.2	29.6	56.3	83.3	122.9	181.3	252.4	344.3	495.6
1990.....	7.6	16.7	31.3	52.2	85.7	127.6	183.9	254.6	349.6	497.6
1989.....	7.3	14.8	31.1	53.4	84.3	128.8	187.1	259.2	350.7	497.9
1988.....	7.7	15.6	30.9	55.2	85.6	130.4	187.1	256.4	345.6	494.7
1987.....	7.8	16.7	33.4	57.4	89.9	130.5	193.0	261.1	348.6	486.2
1986.....	8.1	17.7	34.4	56.7	90.1	133.8	197.8	261.1	357.3	488.7
1985.....	8.0	18.1	34.1	58.9	91.7	133.9	197.2	268.5	370.2	497.6
1984.....	8.7	17.8	35.6	59.5	96.1	141.0	200.1	274.2	376.8	506.5
1983.....	9.1	17.6	35.0	59.3	91.5	137.4	204.2	271.9	369.2	499.0
1982.....	9.4	18.2	35.5	60.3	95.8	142.7	200.9	277.0	377.1	483.7
1981.....	9.1	19.0	36.1	62.0	92.7	139.3	202.4	279.8	387.4	497.6
1980.....	9.3	19.1	35.9	63.2	97.0	143.4	210.9	283.6	392.0	504.3
1979.....	9.5	19.7	36.4	63.6	99.5	144.8	208.1	287.5	387.5	490.3
WHITE, BOTH SEXES										
1998.....	8.8	19.4	35.8	62.5	101.0	156.3	215.7	282.8	376.3	500.6
1997.....	8.8	18.7	35.7	63.4	103.0	153.4	217.2	283.5	379.1	511.7
1996.....	9.0	18.4	34.5	62.1	106.4	156.2	223.6	288.3	381.6	519.7
1995.....	8.9	18.7	35.8	65.8	108.9	157.8	224.9	293.1	388.7	523.4
1994.....	8.7	18.5	37.0	64.6	108.7	160.0	226.0	294.8	392.5	522.2
1993.....	9.2	17.9	37.0	65.5	109.8	160.3	227.8	303.9	389.3	529.6
1992.....	8.9	18.3	36.9	66.6	109.4	163.1	223.3	300.2	401.0	540.6
1991.....	9.2	18.7	37.1	69.8	110.1	163.3	226.1	308.4	398.0	541.0
1990.....	8.9	19.6	38.5	66.6	110.3	165.2	232.2	312.9	408.2	547.5
1989.....	8.6	18.6	37.9	68.6	110.9	164.4	238.4	311.2	410.7	544.6
1988.....	9.3	19.1	38.5	69.6	112.7	164.8	235.2	312.4	404.0	539.5
1987.....	8.8	19.6	40.1	71.6	114.1	167.6	242.4	318.9	408.5	534.9
1986.....	9.3	19.9	40.2	72.2	115.3	170.3	247.5	317.3	413.6	537.6
1985.....	9.4	20.9	40.3	74.0	116.0	172.2	247.8	326.4	428.9	544.2
1984.....	9.8	19.7	42.1	73.6	118.9	178.1	248.0	334.2	433.6	560.0
1983.....	9.6	20.8	41.6	74.2	115.9	173.4	250.0	333.2	431.7	556.2
1982.....	9.8	20.9	41.4	73.6	117.4	179.2	249.7	335.4	438.0	552.7
1981.....	10.1	22.0	41.4	75.4	117.8	178.3	254.5	337.6	445.1	559.7
1980.....	10.3	22.0	42.3	76.0	120.3	182.4	257.3	346.1	450.9	569.9
1979.....	10.4	21.7	43.4	75.8	124.2	181.6	261.3	343.9	456.1	555.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
WHITE MALE										
1998.....	10.8	24.8	47.3	82.0	132.0	207.6	282.9	364.7	469.9	595.8
1997.....	10.6	24.3	47.2	81.6	135.3	205.8	286.9	362.0	481.5	624.2
1996.....	11.1	23.9	44.8	80.5	141.5	206.8	290.8	362.2	485.9	640.6
1995.....	11.4	24.1	45.5	85.7	143.9	207.5	291.7	372.3	499.1	660.4
1994.....	10.8	23.6	48.2	83.8	141.5	213.5	292.6	379.3	505.5	656.6
1993.....	11.8	22.7	47.0	83.8	143.9	209.4	299.1	392.7	495.2	661.5
1992.....	11.3	23.6	46.3	86.2	145.4	218.6	294.5	389.6	508.9	679.4
1991.....	11.4	22.6	47.0	88.7	145.7	219.2	295.2	405.0	516.4	677.7
1990.....	11.1	24.1	49.0	87.3	143.6	218.9	306.6	412.7	532.3	690.6
1989.....	10.5	23.6	47.2	89.3	146.8	216.8	315.0	402.3	536.6	678.9
1988.....	11.7	23.9	48.5	89.3	148.6	215.0	305.4	409.0	523.9	667.9
1987.....	10.7	24.2	49.7	91.0	148.8	219.2	315.7	417.2	534.9	664.8
1986.....	11.4	24.0	49.3	92.3	149.1	220.7	322.5	413.3	536.1	666.1
1985.....	11.6	25.5	49.8	95.2	149.8	223.9	325.1	425.7	551.5	670.9
1984.....	11.7	23.5	51.3	94.3	150.3	228.8	321.9	434.6	554.0	690.4
1983.....	11.1	25.5	51.2	94.6	148.6	223.7	322.1	436.8	556.1	695.5
1982.....	11.2	25.2	50.3	93.4	147.1	228.0	324.1	432.3	557.8	712.0
1981.....	12.1	26.4	50.1	95.0	151.0	230.1	333.2	435.7	557.7	697.8
1980.....	12.5	26.5	52.2	94.0	152.1	236.0	329.8	448.4	566.7	709.3
1979.....	12.2	25.3	54.5	93.1	157.7	232.6	341.5	441.1	580.6	685.9
WHITE FEMALE										
1998.....	6.8	13.9	24.7	44.0	72.6	112.2	162.7	224.1	320.4	461.6
1997.....	7.1	13.2	24.5	46.2	73.6	108.5	162.7	227.8	319.0	466.9
1996.....	6.9	13.0	24.5	44.9	74.4	113.2	171.3	236.5	321.4	472.3
1995.....	6.4	13.4	26.4	47.0	77.2	115.9	173.0	238.3	326.2	470.7
1994.....	6.6	13.5	26.1	46.5	78.9	115.4	174.4	237.1	329.9	471.1
1993.....	6.7	13.2	27.3	48.3	79.1	119.6	172.8	244.0	331.5	479.6
1992.....	6.6	13.1	27.8	48.1	77.0	117.4	169.0	240.7	342.8	487.6
1991.....	6.9	14.9	27.5	52.2	78.3	117.6	173.9	245.0	335.0	489.2
1990.....	6.7	15.1	28.4	47.3	80.7	121.2	176.4	248.5	342.6	493.2
1989.....	6.7	13.7	29.1	49.4	79.2	121.4	181.3	252.6	344.5	493.5
1988.....	7.0	14.4	28.8	51.2	81.4	123.6	183.2	250.8	341.3	490.3
1987.....	7.0	15.0	30.9	53.6	83.9	125.1	188.4	256.7	342.6	484.6
1986.....	7.2	15.9	31.5	53.8	85.8	128.9	192.6	256.9	349.9	487.5
1985.....	7.2	16.5	31.3	54.6	86.5	130.1	191.5	264.1	365.1	494.5
1984.....	7.9	16.1	33.3	54.9	91.4	136.9	194.2	271.5	371.0	508.3
1983.....	8.1	16.3	32.4	55.8	87.2	132.6	197.8	268.7	366.8	500.1
1982.....	8.5	16.7	32.9	55.8	91.5	139.7	195.9	275.2	375.3	487.5
1981.....	8.1	17.8	33.2	57.8	88.7	136.5	197.8	276.6	386.1	502.0
1980.....	8.2	17.6	33.1	59.8	92.7	139.4	205.1	282.5	390.1	509.8
1979.....	8.7	18.2	33.0	60.2	95.1	140.7	203.7	283.3	390.1	497.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
ALL OTHER, BOTH SEXES										
1998.....	14.7	33.2	64.4	94.6	153.8	201.5	288.4	359.2	461.3	574.3
1997.....	14.6	33.5	57.9	101.1	154.0	205.7	299.5	368.0	483.3	610.3
1996.....	14.6	34.0	59.5	103.0	155.9	210.4	299.0	374.1	498.5	580.0
1995.....	17.3	32.1	63.0	99.9	161.2	218.0	312.7	382.9	502.6	615.0
1994.....	17.8	35.8	65.8	107.6	157.7	224.8	309.8	381.1	512.9	592.5
1993.....	15.7	33.6	65.9	109.4	163.5	227.5	307.9	395.4	490.8	617.3
1992.....	17.9	34.2	63.9	112.3	163.6	232.9	309.8	379.7	494.4	624.2
1991.....	16.4	33.6	66.1	114.5	161.9	228.1	306.3	383.8	515.1	637.2
1990.....	15.7	37.8	72.6	114.6	167.9	237.8	322.2	404.4	501.2	620.0
1989.....	15.8	34.6	68.9	116.7	169.6	247.5	324.8	399.0	489.2	612.1
1988.....	16.7	32.9	70.4	117.4	173.6	247.3	304.0	386.9	457.5	591.5
1987.....	17.8	34.7	71.1	116.1	180.5	238.8	304.1	384.9	497.7	559.6
1986.....	18.4	37.9	70.1	109.6	177.7	240.1	321.6	385.0	504.4	571.9
1985.....	17.9	39.8	72.3	123.9	185.2	230.2	330.1	378.1	500.4	563.4
1984.....	17.6	41.1	73.8	129.9	185.3	238.2	329.6	372.3	533.3	539.2
1983.....	20.1	39.2	73.3	123.9	185.2	237.7	334.6	379.2	495.4	527.3
1982.....	20.3	41.0	75.2	128.8	189.0	231.3	324.5	374.8	490.8	525.6
1981.....	19.1	41.3	77.8	128.0	177.2	231.7	328.6	384.8	478.8	495.3
1980.....	20.6	40.4	79.6	130.1	183.7	241.3	330.7	383.6	498.7	516.7
1979.....	19.1	39.6	85.6	127.5	189.2	240.7	327.5	390.5	443.8	460.3
ALL OTHER MALE										
1998.....	18.7	46.6	90.3	129.0	213.7	268.2	368.1	455.6	559.5	624.6
1997.....	18.5	46.8	80.9	146.8	214.8	273.7	390.9	465.3	583.4	663.4
1996.....	19.9	46.3	78.9	143.3	209.1	281.0	400.0	478.1	602.0	673.2
1995.....	23.5	43.1	86.8	132.4	223.9	290.4	417.0	498.2	620.4	731.4
1994.....	23.5	49.4	88.5	150.9	217.6	307.2	416.3	497.8	644.5	706.9
1993.....	21.1	47.6	87.5	152.3	224.9	294.0	403.2	513.1	632.7	733.6
1992.....	23.2	46.0	87.7	149.6	223.3	316.7	410.7	513.4	624.4	724.9
1991.....	21.8	45.6	95.2	156.1	220.8	316.1	396.2	484.8	641.1	784.9
1990.....	19.4	51.2	101.8	154.1	230.3	318.3	428.8	554.4	638.9	782.5
1989.....	21.5	49.7	99.3	163.8	233.8	327.8	450.9	524.3	614.9	745.7
1988.....	22.5	44.5	102.2	162.1	247.6	330.2	425.8	508.2	567.5	692.4
1987.....	23.6	44.4	97.9	157.2	239.8	323.5	408.5	513.0	642.9	677.9
1986.....	24.3	49.5	92.0	150.0	247.8	327.9	434.2	515.2	617.6	717.3
1985.....	23.7	54.5	97.2	166.0	252.1	315.6	448.7	480.6	624.8	631.5
1984.....	22.8	56.3	101.6	175.2	250.3	322.0	437.7	480.2	687.1	648.6
1983.....	26.2	54.6	100.0	171.4	257.6	317.1	436.9	491.9	662.9	608.6
1982.....	26.3	57.6	102.1	170.6	260.4	315.9	431.5	491.7	646.8	691.0
1981.....	24.0	59.0	104.2	168.4	240.0	321.7	440.3	493.0	603.3	585.9
1980.....	25.9	54.5	108.2	177.0	245.7	324.0	414.9	514.1	632.8	669.8
1979.....	24.5	51.9	115.3	170.4	251.3	318.9	425.0	475.3	587.2	586.4



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
ALL OTHER FEMALE										
1998.....	11.3	21.7	42.7	66.8	107.4	151.7	232.3	295.2	405.4	551.2
1997.....	11.1	22.1	38.7	64.0	107.1	155.1	235.6	304.6	427.0	586.3
1996.....	10.0	23.5	43.3	70.2	115.0	157.9	228.6	306.9	440.5	538.0
1995.....	11.9	22.8	43.1	73.6	113.2	164.1	240.1	309.4	437.8	564.7
1994.....	12.7	24.1	46.7	72.6	111.9	163.8	235.9	307.9	440.6	542.9
1993.....	11.1	21.7	47.6	74.7	116.5	178.4	241.3	322.2	411.9	566.6
1992.....	13.3	24.1	43.8	82.3	118.1	170.8	240.0	297.0	421.1	578.8
1991.....	11.8	23.3	41.5	81.0	117.1	163.1	245.1	321.1	441.9	566.7
1990.....	12.5	26.2	47.8	82.9	120.5	178.3	249.6	311.3	423.5	546.2
1989.....	10.8	21.6	43.1	78.7	120.9	187.9	238.5	320.6	417.5	550.3
1988.....	11.7	22.9	43.6	81.4	116.8	185.9	221.8	310.1	392.2	544.4
1987.....	12.9	26.2	48.7	83.1	134.8	175.7	232.9	303.0	414.8	503.7
1986.....	13.3	28.0	51.9	76.9	123.2	174.6	244.2	300.9	442.0	501.9
1985.....	12.9	27.1	51.6	89.8	132.8	166.3	248.3	310.8	427.8	534.0
1984.....	13.1	28.2	50.8	93.3	134.1	175.0	253.5	300.7	440.5	484.8
1983.....	14.9	26.0	51.6	85.4	127.6	178.7	263.0	303.7	397.0	486.3
1982.....	15.2	27.0	53.4	94.6	132.2	167.6	247.4	294.7	397.5	438.3
1981.....	14.9	26.5	56.2	94.9	127.1	163.6	246.0	311.6	403.3	449.2
1980.....	16.1	28.7	56.5	91.2	133.9	178.1	268.0	294.7	416.3	438.3
1979.....	14.6	29.4	61.4	91.7	138.9	180.8	253.3	330.6	356.9	399.1
BLACK, BOTH SEXES										
1998.....	16.2	37.0	74.5	107.7	173.3	219.5	319.3	393.8	500.7	616.0
1997.....	15.8	37.3	66.0	115.5	174.7	225.3	326.6	393.3	513.5	657.8
1996.....	15.6	38.1	68.5	117.1	174.0	230.9	335.2	399.8	519.2	621.7
1995.....	18.9	37.0	71.5	114.3	180.2	238.8	342.7	400.4	526.5	626.5
1994.....	19.8	41.0	74.6	122.4	176.7	243.4	339.3	401.3	536.9	601.7
1993.....	17.2	39.0	77.2	123.3	181.4	251.4	338.3	421.0	516.0	629.1
1992.....	20.3	38.9	71.2	125.5	177.9	258.2	336.3	404.3	527.8	645.3
1991.....	18.6	39.1	75.4	130.7	181.7	251.1	330.3	406.1	548.1	663.8
1990.....	17.8	43.9	80.9	128.7	186.8	260.7	346.0	427.1	524.8	645.9
1989.....	17.3	38.7	79.3	132.6	188.2	273.3	344.3	423.4	510.3	617.3
1988.....	19.1	37.2	78.2	128.6	191.1	270.7	325.8	412.9	470.2	600.5
1987.....	20.0	36.9	80.9	127.6	201.3	261.7	326.8	405.0	517.5	575.5
1986.....	20.4	41.8	77.3	121.4	197.4	259.6	346.4	412.8	517.6	587.1
1985.....	19.7	43.8	81.1	135.2	201.3	245.6	350.2	397.5	520.4	580.5
1984.....	19.5	45.6	82.5	142.7	202.1	257.2	351.0	398.2	545.8	533.7
1983.....	22.0	42.3	79.4	136.7	202.4	257.1	355.4	399.8	512.3	528.3
1982.....	22.3	44.8	81.9	140.1	203.4	243.1	350.2	393.7	508.3	539.8
1981.....	20.8	45.6	84.9	140.5	188.6	246.9	348.0	399.3	495.2	506.0
1980.....	21.9	44.2	87.3	141.2	197.2	251.3	350.2	398.0	511.0	514.3
1979.....	20.4	43.3	91.2	136.8	200.8	250.0	342.2	391.2	449.8	462.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
BLACK MALE										
1998.....	20.4	52.7	105.2	147.9	242.4	291.2	405.2	496.3	625.0	673.3
1997.....	20.1	51.7	94.3	168.1	244.3	302.5	429.8	488.5	626.1	720.8
1996.....	21.6	53.8	93.2	166.5	235.0	305.6	447.9	509.1	639.2	728.3
1995.....	25.9	50.4	100.5	154.5	252.8	316.8	455.3	515.8	654.2	747.4
1994.....	26.4	58.1	101.5	171.2	245.0	329.2	456.2	529.7	682.8	714.9
1993.....	23.3	55.6	104.4	175.3	254.0	325.0	444.6	554.1	677.0	740.7
1992.....	27.6	53.6	99.6	166.0	247.3	349.4	448.3	547.6	685.3	760.8
1991.....	24.9	54.6	110.8	182.3	248.6	349.6	433.7	508.3	702.0	834.8
1990.....	21.7	60.5	115.8	175.4	253.5	348.8	462.1	588.7	687.3	813.3
1989.....	23.7	57.4	117.6	189.2	255.4	363.3	475.0	566.9	652.6	769.7
1988.....	25.7	52.1	116.7	179.6	275.4	359.4	458.0	546.3	601.1	704.6
1987.....	27.4	47.2	113.9	172.8	269.1	357.9	440.6	536.0	669.6	698.4
1986.....	27.2	57.4	102.4	167.7	278.8	354.8	471.8	554.1	620.0	747.6
1985.....	26.7	59.5	109.8	179.2	277.2	338.3	480.9	502.4	654.0	648.4
1984.....	26.1	63.1	115.5	191.8	272.1	351.3	473.1	519.2	719.0	659.0
1983.....	29.2	60.4	109.5	186.6	282.4	342.1	465.2	522.4	676.8	611.7
1982.....	30.2	64.7	112.3	186.5	280.1	334.1	471.1	523.6	665.0	715.5
1981.....	26.8	66.8	112.8	184.7	253.8	345.6	473.6	520.3	626.0	594.6
1980.....	28.4	60.5	119.3	194.0	264.0	338.5	445.3	535.5	631.8	660.3
1979.....	26.4	57.8	124.8	184.1	269.4	333.1	449.6	474.5	581.8	592.3
BLACK FEMALE										
1998.....	12.5	23.9	49.6	76.4	121.7	166.0	259.6	328.2	435.4	592.2
1997.....	12.0	25.1	43.1	74.5	122.5	167.6	255.7	333.3	455.2	631.7
1996.....	10.3	24.8	48.5	78.5	128.2	175.0	258.5	331.6	457.4	577.9
1995.....	12.8	25.7	47.8	82.9	125.4	180.6	266.9	329.3	461.5	577.3
1994.....	14.0	26.6	52.7	84.2	125.1	179.7	260.8	323.8	462.5	555.8
1993.....	12.0	25.1	54.9	82.4	126.4	197.3	266.5	342.2	433.3	583.6
1992.....	14.0	26.6	47.9	93.7	125.4	191.4	261.7	320.6	446.2	597.2
1991.....	13.2	26.1	46.5	89.8	131.1	179.6	261.9	346.1	468.9	591.4
1990.....	14.4	30.1	52.4	91.8	136.4	197.0	269.8	332.3	440.7	574.9
1989.....	11.7	23.0	47.9	87.6	137.1	208.1	258.9	338.5	435.7	555.6
1988.....	13.4	24.8	46.4	87.8	127.1	206.4	237.9	333.1	401.1	555.0
1987.....	13.7	28.3	53.9	91.6	149.6	191.6	251.1	325.6	435.7	520.8
1986.....	14.6	28.9	56.8	84.2	135.3	189.7	262.8	326.3	461.8	513.8
1985.....	13.9	30.8	57.7	99.7	142.6	177.5	263.7	332.2	446.8	548.9
1984.....	13.9	31.1	55.4	102.6	148.0	187.7	269.5	322.2	450.0	474.4
1983.....	16.0	27.2	54.8	96.1	140.4	194.5	281.9	320.1	419.3	487.9
1982.....	15.7	28.4	57.4	102.2	143.4	175.9	267.0	312.0	417.4	453.4
1981.....	15.8	28.0	62.3	104.5	137.2	174.5	260.2	320.9	418.9	457.5
1980.....	16.6	30.8	61.4	98.0	144.3	186.4	282.6	308.6	438.7	441.3
1979.....	15.3	31.3	63.8	97.9	146.4	187.8	265.0	332.6	367.7	397.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF ESOPHAGUS (150)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	0.9	2.6	5.1	8.6	13.4	17.9	22.8	24.9	25.1	25.6
1997.....	0.8	2.3	4.9	9.3	13.6	17.9	22.0	23.4	23.8	24.5
1996.....	1.0	2.5	5.0	8.7	14.2	18.0	21.9	23.6	25.1	24.2
1995.....	1.1	2.3	5.0	8.9	13.5	18.1	21.6	23.1	25.7	22.5
1994.....	0.9	2.7	5.2	8.5	14.1	18.0	21.8	21.8	24.8	24.1
1993.....	1.0	2.4	5.1	9.1	14.4	17.3	20.3	22.3	22.5	22.9
1992.....	1.1	2.4	5.2	8.9	13.9	17.9	20.6	21.2	22.5	22.5
1991.....	0.9	2.1	5.2	9.9	13.9	18.0	19.4	21.0	21.1	23.1
1990.....	1.0	2.5	5.5	9.0	13.7	17.4	19.8	20.8	21.1	22.8
1989.....	1.1	2.6	5.3	9.4	13.1	17.8	19.4	21.0	21.2	21.0
1988.....	0.9	2.4	5.7	9.3	13.4	16.9	18.6	20.4	20.5	22.6
1987.....	0.9	2.5	5.5	9.5	13.7	16.7	19.0	19.5	18.9	20.1
1986.....	1.0	2.7	5.3	9.7	13.9	16.2	19.3	18.3	19.0	19.3
1985.....	1.0	2.6	5.2	9.6	13.5	15.6	18.1	17.8	19.7	19.7
1984.....	1.0	2.5	5.5	9.7	13.5	16.1	17.9	18.2	20.3	21.5
1983.....	1.0	2.7	5.6	9.7	12.8	15.9	17.4	17.9	19.0	20.0
1982.....	1.0	2.8	5.4	9.6	12.7	16.4	17.0	18.1	19.0	19.6
1981.....	0.9	2.6	5.7	9.5	12.9	15.7	17.5	16.6	20.5	19.2
1980.....	1.0	2.9	5.7	9.5	13.1	15.4	16.8	18.3	18.6	20.9
1979.....	1.0	2.6	6.2	9.2	12.8	14.9	16.3	17.1	17.8	20.5
TOTAL, MALE										
1998.....	1.6	4.5	8.8	14.8	23.3	30.9	40.4	43.8	43.8	45.4
1997.....	1.4	4.2	8.8	15.9	22.9	31.4	39.2	40.4	42.8	44.8
1996.....	1.7	4.3	8.6	15.1	24.8	31.1	37.1	40.7	44.1	44.4
1995.....	1.9	4.0	8.6	15.5	23.3	31.8	38.9	42.0	46.7	40.3
1994.....	1.5	4.7	9.0	14.9	24.1	31.2	38.8	39.8	44.3	45.8
1993.....	1.7	4.2	8.9	15.5	24.4	30.4	35.5	39.6	40.7	41.1
1992.....	1.8	4.1	8.9	15.0	23.3	31.4	36.9	38.4	41.8	38.2
1991.....	1.5	3.5	9.2	16.7	22.8	31.9	34.2	37.3	38.4	43.7
1990.....	1.7	4.4	9.4	15.0	22.7	30.0	34.9	37.1	39.2	42.1
1989.....	1.9	4.5	9.1	16.4	22.7	30.5	33.6	36.5	38.8	37.2
1988.....	1.7	4.1	10.0	15.8	23.0	28.6	32.8	37.3	37.2	37.9
1987.....	1.5	4.1	9.2	15.7	23.1	28.5	32.7	36.1	36.1	35.8
1986.....	1.7	4.4	8.7	15.7	23.5	28.0	32.7	31.7	34.7	36.1
1985.....	1.7	4.3	8.6	16.4	22.7	26.4	32.4	32.7	37.1	34.2
1984.....	1.8	4.1	8.9	16.1	21.9	27.6	30.9	32.5	36.3	38.7
1983.....	1.6	4.6	9.2	15.9	21.0	27.3	30.0	32.8	36.8	35.0
1982.....	1.7	4.8	8.7	15.5	20.4	27.6	29.2	33.0	34.9	33.6
1981.....	1.5	4.3	9.1	15.7	21.4	27.2	30.8	29.8	37.6	35.0
1980.....	1.7	4.7	9.3	15.4	21.3	26.4	28.8	33.7	33.1	39.9
1979.....	1.6	4.3	10.3	14.8	21.0	25.0	29.3	30.5	33.1	33.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF ESOPHAGUS (150)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, FEMALE										
1998.....	0.2	0.8	1.6	2.9	4.5	7.0	9.1	11.5	14.0	17.4
1997.....	0.3	0.5	1.2	3.2	5.2	6.5	8.8	11.4	12.6	16.3
1996.....	0.2	0.7	1.6	2.8	4.7	6.9	10.1	11.7	14.1	16.2
1995.....	0.3	0.7	1.6	2.8	4.8	6.8	8.3	10.2	13.8	15.6
1994.....	0.3	0.8	1.6	2.6	5.3	7.0	8.8	9.6	14.0	15.7
1993.....	0.3	0.7	1.6	3.2	5.6	6.7	8.7	10.7	12.5	16.0
1992.....	0.3	0.7	1.8	3.3	5.6	7.0	8.3	9.8	12.1	16.5
1991.....	0.3	0.7	1.4	3.6	6.2	6.7	8.4	10.4	11.8	15.1
1990.....	0.2	0.6	1.8	3.5	5.9	7.2	8.6	10.3	11.4	15.4
1989.....	0.3	0.8	1.8	3.1	4.8	7.4	9.0	11.0	11.9	14.7
1988.....	*	0.8	1.8	3.4	5.2	7.3	8.2	9.6	11.7	16.6
1987.....	0.3	1.0	2.0	3.8	5.5	7.1	9.1	9.1	10.0	13.9
1986.....	0.3	1.1	2.1	4.2	5.5	6.5	9.6	9.8	10.8	12.7
1985.....	*	1.0	2.1	3.5	5.6	6.8	7.7	8.4	10.6	14.0
1984.....	*	0.9	2.4	3.9	6.2	6.9	8.5	9.2	11.8	14.5
1983.....	0.4	1.0	2.3	4.1	5.6	6.8	8.3	8.6	9.6	13.8
1982.....	0.4	0.9	2.3	4.3	5.9	7.5	8.2	8.7	10.5	13.8
1981.....	0.4	1.0	2.5	4.0	5.6	6.4	8.0	8.4	11.4	12.6
1980.....	0.3	1.2	2.4	4.2	6.1	6.5	8.1	8.7	11.0	12.6
1979.....	0.5	1.1	2.3	4.1	5.6	6.7	6.9	8.7	9.6	14.8
WHITE, BOTH SEXES										
1998.....	0.8	2.3	4.5	7.6	12.0	17.2	22.1	24.3	25.0	25.5
1997.....	0.8	2.1	4.2	8.1	12.2	16.6	21.1	23.0	23.3	24.5
1996.....	0.9	2.2	4.1	7.4	12.9	16.4	20.8	23.1	24.5	24.6
1995.....	0.9	1.9	4.0	7.4	12.0	16.8	20.4	22.6	25.2	22.8
1994.....	0.7	2.2	4.1	6.9	12.3	16.3	20.2	21.1	24.1	24.2
1993.....	0.8	1.8	4.0	7.2	12.3	15.4	19.1	21.5	21.8	22.8
1992.....	0.9	1.8	3.9	7.2	12.0	16.3	19.3	20.4	22.1	22.4
1991.....	0.7	1.6	3.8	7.7	11.9	16.0	17.9	20.4	20.6	22.5
1990.....	0.7	1.7	4.0	6.9	11.6	15.4	18.1	19.7	20.0	22.6
1989.....	0.8	1.8	3.8	7.3	11.0	15.1	17.8	19.6	20.9	20.8
1988.....	0.6	1.6	3.9	7.1	11.2	14.6	16.9	19.2	20.0	22.4
1987.....	0.5	1.6	3.8	7.6	11.1	14.7	17.9	18.4	17.9	19.3
1986.....	0.6	1.7	3.6	7.4	11.2	13.9	17.5	17.3	18.3	19.0
1985.....	0.6	1.6	3.5	7.1	10.9	13.6	16.2	16.8	19.1	19.3
1984.....	0.5	1.4	3.6	7.0	10.8	14.0	16.0	17.5	18.5	21.5
1983.....	0.5	1.6	3.7	7.1	10.1	14.1	15.7	16.8	18.3	19.8
1982.....	0.5	1.5	3.6	6.9	10.0	14.3	15.1	17.1	18.1	19.0
1981.....	0.5	1.5	3.6	6.9	10.1	13.8	15.8	15.6	20.1	18.6
1980.....	0.6	1.7	3.6	6.8	10.6	13.6	15.1	16.8	17.6	20.4
1979.....	0.6	1.7	3.8	6.7	10.2	12.9	14.9	16.1	17.0	19.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF ESOPHAGUS (150)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
WHITE MALE										
1998.....	1.5	4.0	7.9	13.1	21.0	30.1	39.7	43.1	44.0	44.9
1997.....	1.3	3.9	7.6	14.0	20.7	29.6	37.8	39.7	42.2	45.2
1996.....	1.6	4.0	7.1	13.0	22.7	28.7	35.7	39.8	42.4	45.5
1995.....	1.6	3.4	6.9	13.0	20.8	29.5	36.7	41.0	46.1	40.7
1994.....	1.2	4.0	7.2	12.2	21.4	28.4	36.5	38.0	42.8	46.2
1993.....	1.4	3.1	7.0	12.4	21.3	27.3	33.4	38.0	39.2	40.8
1992.....	1.7	3.2	6.6	12.6	20.3	28.7	34.5	37.3	40.9	37.3
1991.....	1.3	2.7	6.8	13.3	19.8	28.4	31.7	36.2	37.5	41.4
1990.....	1.4	3.1	6.9	11.9	19.4	27.1	32.0	34.9	37.7	42.0
1989.....	1.5	3.3	6.6	12.6	19.3	26.4	30.3	34.2	38.1	36.9
1988.....	1.1	2.7	6.6	12.2	19.2	25.2	29.2	34.7	36.0	36.9
1987.....	1.0	2.8	6.5	12.8	19.2	25.1	30.0	33.6	33.7	34.3
1986.....	1.1	2.9	6.1	12.2	19.1	24.1	29.1	29.8	33.0	35.8
1985.....	1.2	2.8	5.9	12.3	18.6	23.0	28.9	30.6	35.4	33.1
1984.....	1.0	2.5	6.0	12.1	17.6	23.7	27.6	30.8	32.0	38.1
1983.....	0.9	2.8	6.5	11.8	16.5	24.2	26.8	30.1	35.2	34.4
1982.....	0.8	2.7	6.0	11.3	16.0	23.6	25.8	31.0	32.2	31.5
1981.....	0.8	2.5	5.7	11.8	16.7	23.6	27.4	27.4	36.4	33.0
1980.....	1.0	2.9	6.0	11.3	17.4	23.1	25.9	30.4	30.7	38.5
1979.....	0.9	2.7	6.6	10.9	16.4	21.4	26.1	28.6	30.9	31.1
WHITE FEMALE										
1998.....	*	0.6	1.2	2.4	3.7	6.1	8.2	10.9	13.7	17.6
1997.....	0.2	0.3	0.9	2.6	4.5	5.5	8.0	11.1	12.2	16.2
1996.....	*	0.5	1.1	2.1	4.0	5.9	9.2	11.4	14.1	16.4
1995.....	*	0.4	1.1	2.1	4.1	6.2	7.6	9.8	13.4	15.9
1994.....	*	0.5	1.0	1.9	4.1	6.2	7.7	9.5	13.7	15.8
1993.....	*	0.4	1.0	2.4	4.2	5.5	8.1	10.4	12.4	16.0
1992.....	*	0.4	1.2	2.1	4.5	6.1	7.8	9.2	11.9	16.7
1991.....	*	0.5	0.9	2.5	4.8	5.8	7.5	10.0	11.5	15.4
1990.....	*	0.4	1.2	2.3	4.7	5.9	7.7	9.9	10.7	15.2
1989.....	*	0.4	1.1	2.4	3.7	5.9	8.5	10.2	11.8	14.7
1988.....	*	0.5	1.3	2.4	4.3	5.9	7.8	9.2	11.6	16.8
1987.....	*	0.5	1.2	2.7	3.9	6.1	9.0	8.8	9.7	13.5
1986.....	*	0.6	1.3	3.0	4.4	5.4	9.0	9.4	10.6	12.4
1985.....	*	0.5	1.2	2.4	4.2	5.9	7.0	8.1	10.6	13.9
1984.....	*	0.4	1.4	2.4	4.9	6.0	7.5	9.1	11.5	14.9
1983.....	*	0.5	1.2	2.8	4.6	5.9	7.7	8.5	9.4	14.0
1982.....	*	*	1.4	2.9	4.7	6.8	7.3	8.5	10.7	13.9
1981.....	*	0.5	1.5	2.5	4.4	5.9	7.5	8.2	11.6	12.6
1980.....	0.2	0.5	1.4	2.7	4.8	5.9	7.4	8.4	10.7	12.6
1979.....	0.2	0.7	1.2	2.9	4.7	6.1	6.9	8.3	9.6	15.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF ESOPHAGUS (150)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER, BOTH SEXES										
1998.....	1.3	4.4	8.7	15.0	22.0	22.9	28.3	29.8	25.6	26.0
1997.....	1.1	3.5	9.2	16.5	22.1	26.3	29.9	27.1	28.3	24.5
1996.....	1.3	3.8	10.7	16.8	22.5	29.3	30.9	27.7	31.2	20.5
1995.....	2.1	4.7	11.6	18.1	23.4	27.5	32.3	28.6	29.9	20.3
1994.....	1.9	5.5	12.1	18.5	26.1	30.4	35.2	28.8	32.2	22.7
1993.....	2.3	6.1	12.5	21.0	29.1	32.4	31.1	29.5	28.9	24.2
1992.....	1.8	6.1	13.6	20.0	27.4	30.9	32.3	28.6	27.6	24.4
1991.....	2.1	5.5	14.0	23.8	29.1	33.5	32.9	27.2	26.6	28.8
1990.....	2.3	7.1	14.7	22.6	29.4	33.9	34.9	30.8	31.8	25.0
1989.....	2.6	7.5	15.0	23.8	29.1	39.9	34.3	34.0	24.9	22.7
1988.....	2.8	7.7	17.6	25.1	30.8	36.0	34.1	31.7	26.3	24.6
1987.....	3.1	7.7	16.2	23.1	34.2	34.0	29.7	30.1	30.2	29.2
1986.....	3.3	8.7	16.0	26.1	35.5	36.3	36.0	27.7	27.3	23.4
1985.....	3.1	8.5	17.0	28.2	35.5	32.7	35.0	27.5	26.3	24.1
1984.....	4.0	9.1	18.5	30.2	36.4	35.4	35.7	25.5	39.6	21.2
1983.....	3.8	9.6	18.6	30.3	35.6	32.4	33.2	28.5	27.1	21.5
1982.....	4.4	11.0	18.1	31.5	36.0	34.7	34.9	27.5	28.7	26.6
1981.....	3.6	10.2	21.7	31.0	38.0	32.2	33.6	27.1	25.3	26.3
1980.....	3.7	11.8	22.0	32.6	35.4	31.4	32.4	33.0	31.4	26.2
1979.....	4.1	9.6	24.6	30.1	36.8	32.3	29.5	27.0	26.8	27.0
ALL OTHER MALE										
1998.....	2.2	7.5	14.6	26.1	38.5	37.2	46.0	49.8	41.4	49.3
1997.....	1.7	5.9	16.6	28.2	38.2	44.5	51.4	47.2	49.4	41.1
1996.....	2.1	6.3	18.1	28.7	39.8	50.0	50.1	49.1	61.5	34.4
1995.....	3.7	7.7	19.9	31.7	41.8	49.9	58.5	52.0	52.9	36.7
1994.....	3.2	9.1	20.8	33.0	43.5	54.2	60.1	58.1	59.4	42.3
1993.....	3.5	10.9	21.3	36.9	48.0	55.3	55.8	55.0	56.4	43.7
1992.....	2.8	10.2	23.6	32.0	46.0	53.7	59.9	49.3	50.8	46.7
1991.....	3.3	9.2	24.9	41.0	47.2	61.2	57.7	48.3	47.3	65.1
1990.....	3.7	12.9	26.0	37.6	49.7	55.9	62.6	58.5	54.2	43.0
1989.....	4.5	12.5	25.9	43.8	51.0	66.9	64.9	58.6	45.5	39.5
1988.....	5.3	13.8	32.9	43.3	54.8	59.0	67.7	61.6	49.6	46.8
1987.....	5.1	12.2	27.3	38.3	56.4	59.8	58.6	59.1	59.8	50.6
1986.....	5.6	14.2	27.2	43.4	62.3	64.3	66.8	49.0	51.9	38.7
1985.....	5.4	14.1	28.3	49.2	59.5	57.4	65.7	52.4	53.3	43.8
1984.....	7.3	15.2	30.4	49.1	61.1	63.4	62.6	48.5	80.2	44.4
1983.....	6.1	16.3	29.9	50.3	62.5	55.3	60.1	57.4	53.6	40.0
1982.....	7.8	19.3	30.1	51.3	61.1	63.3	60.9	51.0	62.8	53.7
1981.....	6.4	17.8	36.4	49.1	66.5	60.1	62.9	51.6	50.5	54.7
1980.....	6.4	18.7	36.8	51.8	58.4	56.8	55.9	64.2	58.5	54.3
1979.....	6.1	16.3	42.0	50.1	65.3	57.6	59.1	46.7	55.8	55.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF ESOPHAGUS (150)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	1.7	3.9	6.2	9.3	12.3	15.8	16.6	16.6	15.4
1997.....	*	1.4	3.0	7.1	9.7	12.7	14.8	14.0	16.5	17.0
1996.....	*	1.6	4.5	7.0	9.2	14.0	17.5	13.9	14.2	14.3
1995.....	*	2.2	4.5	7.2	9.4	10.7	14.1	13.8	17.3	13.2
1994.....	*	2.4	4.9	6.9	12.8	12.7	17.9	10.4	17.1	14.2
1993.....	*	2.0	5.1	8.1	14.7	15.4	13.8	13.8	13.6	15.7
1992.....	*	2.5	5.1	10.4	13.2	14.0	13.2	15.8	14.5	14.4
1991.....	*	2.2	4.8	9.9	15.3	13.1	15.9	14.1	14.8	12.2
1990.....	*	2.0	5.1	10.5	14.0	17.7	16.0	13.6	19.2	16.8
1989.....	*	3.1	5.8	7.6	12.4	19.8	13.4	18.6	13.2	14.9
1988.....	*	2.5	4.7	10.5	12.3	19.0	11.2	12.7	12.7	14.2
1987.....	*	3.8	6.9	10.8	17.1	14.7	10.0	11.6	13.3	19.0
1986.....	*	3.9	6.7	12.2	14.7	15.3	14.9	13.8	13.3	16.0
1985.....	*	3.7	7.6	11.2	16.6	14.2	13.8	11.1	*	14.7
1984.....	*	3.8	8.8	14.9	16.9	14.3	16.9	10.2	15.6	*
1983.....	*	3.9	9.3	14.0	14.3	15.3	14.3	9.2	*	*
1982.....	*	3.9	8.3	15.3	16.1	13.1	16.2	11.6	*	*
1981.....	*	3.7	9.7	16.2	15.4	11.0	12.1	10.5	*	*
1980.....	1.3	6.2	10.1	16.8	17.0	11.9	14.9	11.8	14.8	11.8
1979.....	2.3	4.1	10.4	13.5	13.8	12.8	6.9	13.2	8.8	12.3
BLACK, BOTH SEXES										
1998.....	1.6	5.5	11.9	19.2	27.3	27.2	34.0	34.1	28.1	27.1
1997.....	1.5	4.6	12.1	21.3	27.7	31.8	35.3	31.2	30.5	25.3
1996.....	1.7	5.1	14.4	21.9	28.4	35.3	37.6	31.6	34.4	22.4
1995.....	2.6	6.5	15.2	23.5	29.3	32.6	38.6	32.6	33.9	19.7
1994.....	2.3	7.4	15.7	23.7	33.0	36.3	41.1	33.5	34.8	22.3
1993.....	2.9	8.2	16.5	26.6	35.6	40.0	36.8	34.7	32.0	25.3
1992.....	2.4	8.2	17.3	25.7	33.3	37.5	37.8	31.7	28.6	22.8
1991.....	2.9	7.2	18.1	30.1	36.3	39.6	38.9	30.5	29.6	30.2
1990.....	3.0	9.3	18.9	28.2	35.4	40.2	39.0	32.9	32.3	24.7
1989.....	3.4	9.7	19.4	29.3	35.2	47.9	38.4	38.0	25.9	21.8
1988.....	3.6	10.2	22.2	31.0	37.0	41.7	39.3	35.7	27.6	25.2
1987.....	4.1	9.8	20.6	28.1	40.6	39.5	33.9	33.0	31.6	29.3
1986.....	4.4	11.2	20.1	31.2	42.8	42.3	41.4	31.3	29.0	24.9
1985.....	4.1	10.8	20.6	33.6	41.8	38.1	39.2	28.9	28.6	24.6
1984.....	5.2	11.5	22.6	35.6	42.8	40.4	39.7	28.6	40.3	21.1
1983.....	4.8	11.7	22.6	35.7	41.2	36.8	36.2	31.0	29.1	21.7
1982.....	5.4	13.2	21.5	36.6	40.9	39.0	38.6	29.8	28.9	26.7
1981.....	4.4	12.3	25.5	36.1	42.7	36.1	36.0	28.1	27.8	27.4
1980.....	4.5	13.8	25.8	37.6	39.6	34.4	35.3	35.1	32.0	24.5
1979.....	4.8	11.3	28.6	34.1	40.2	35.6	32.0	27.5	27.4	28.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF ESOPHAGUS (150)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BLACK MALE										
1998.....	2.8	9.3	20.1	34.0	48.4	44.5	55.8	57.8	46.2	50.1
1997.....	2.2	7.7	21.9	36.8	48.6	54.3	60.6	56.2	57.7	45.6
1996.....	2.9	8.7	24.6	38.2	51.1	59.4	60.0	56.4	71.6	37.2
1995.....	4.7	10.6	26.5	42.2	52.9	59.2	70.2	60.7	60.6	34.1
1994.....	4.0	12.2	27.1	42.5	54.8	64.5	70.3	68.1	65.6	43.2
1993.....	4.6	14.7	28.4	47.2	58.9	68.8	66.9	66.0	64.7	48.4
1992.....	3.7	13.9	30.3	41.5	55.7	65.2	70.9	55.0	53.6	45.9
1991.....	4.4	12.3	33.1	52.2	58.8	72.5	70.8	54.7	55.4	72.5
1990.....	4.6	17.5	33.8	47.6	58.8	66.8	70.4	62.1	59.0	42.3
1989.....	5.8	16.4	34.4	54.3	61.3	80.4	74.6	66.9	49.5	36.4
1988.....	7.0	18.4	42.2	53.4	67.7	68.5	79.6	71.2	55.3	49.2
1987.....	6.9	15.7	35.0	46.2	67.4	70.0	68.3	65.7	64.1	53.1
1986.....	7.4	18.6	34.3	52.2	76.1	75.8	79.0	56.4	56.7	39.7
1985.....	7.2	18.1	34.7	58.3	71.4	67.8	75.6	54.7	58.6	45.2
1984.....	9.7	19.5	37.2	57.6	72.8	72.7	71.8	56.3	85.7	44.3
1983.....	7.7	20.3	36.7	59.0	73.0	62.7	66.8	63.6	58.5	38.3
1982.....	9.6	23.6	35.6	59.6	69.5	71.9	69.0	56.5	62.5	53.4
1981.....	7.8	21.9	42.6	57.0	75.0	68.2	69.0	55.1	55.8	60.7
1980.....	7.9	21.8	42.8	60.7	65.8	62.6	61.8	69.3	58.6	50.9
1979.....	7.4	19.1	49.0	57.3	72.0	64.8	66.4	47.8	55.8	61.5
BLACK FEMALE										
1998.....	*	2.3	5.3	7.7	11.6	14.4	18.8	19.0	18.6	17.6
1997.....	*	2.0	4.1	9.1	12.0	15.0	18.0	15.4	16.4	16.9
1996.....	*	2.0	6.2	9.2	11.4	17.3	22.4	16.1	15.2	16.3
1995.....	*	3.1	6.0	8.8	11.5	12.7	17.3	15.2	20.4	13.9
1994.....	*	3.3	6.5	9.0	16.6	15.4	21.4	12.5	19.1	13.8
1993.....	*	2.7	6.7	10.4	18.0	18.9	16.5	16.1	15.2	15.9
1992.....	*	3.3	6.7	13.2	16.3	17.2	15.7	18.1	15.6	13.1
1991.....	*	2.9	5.9	12.6	19.2	15.8	17.8	16.2	16.3	12.3
1990.....	*	*	6.6	12.9	17.7	21.0	18.4	15.7	18.4	17.3
1989.....	*	4.1	7.2	9.3	15.4	24.3	14.7	20.9	13.5	15.7
1988.....	*	3.2	5.7	13.0	13.6	22.3	12.6	14.5	12.9	14.8
1987.....	*	4.9	8.8	13.7	20.1	17.2	11.1	13.1	14.0	18.8
1986.....	*	5.0	8.5	14.3	17.4	17.7	16.5	16.0	13.9	18.1
1985.....	*	4.7	9.1	13.7	18.9	16.2	15.1	12.8	*	15.0
1984.....	*	4.8	10.7	17.7	19.5	16.6	18.3	11.3	15.1	*
1983.....	*	4.6	11.1	16.8	16.4	17.8	15.6	10.0	*	*
1982.....	*	4.5	10.1	17.8	18.5	14.8	17.6	12.7	*	*
1981.....	*	4.4	11.7	19.1	17.3	12.4	12.9	10.7	*	*
1980.....	1.6	7.3	12.0	18.7	18.9	13.4	16.4	12.8	16.0	11.3
1979.....	2.7	4.9	12.0	15.1	15.0	13.7	7.3	13.6	9.7	11.5



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF STOMACH (151)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	1.3	2.6	4.1	6.4	9.8	15.2	21.5	28.8	39.1	52.4
1997.....	1.5	2.2	3.9	6.9	10.4	15.4	21.5	30.6	40.6	54.6
1996.....	1.4	2.4	4.1	7.1	10.9	15.7	23.6	31.2	41.6	57.7
1995.....	1.4	2.8	4.6	7.6	11.7	16.3	23.9	31.5	43.4	59.0
1994.....	1.5	2.5	4.6	7.2	12.1	16.5	24.5	33.8	42.5	58.7
1993.....	1.5	2.5	4.9	7.9	12.6	17.6	25.1	33.6	44.6	60.9
1992.....	1.4	2.5	4.8	8.0	11.9	18.3	25.2	33.0	43.8	63.6
1991.....	1.6	2.9	5.3	8.7	13.4	18.9	25.9	36.4	47.0	63.9
1990.....	1.7	3.1	5.6	8.5	12.9	18.6	27.5	37.6	45.8	66.3
1989.....	1.4	3.0	5.5	8.8	13.4	19.4	28.4	36.4	49.8	67.0
1988.....	1.7	2.7	5.2	9.0	13.4	19.2	26.7	36.3	48.9	64.7
1987.....	1.6	2.8	5.1	8.7	13.6	20.2	28.1	38.2	48.7	63.4
1986.....	1.8	3.3	5.4	9.4	13.6	20.0	28.7	38.8	49.1	65.1
1985.....	1.7	3.1	6.1	9.5	14.1	20.5	29.8	37.7	51.9	67.6
1984.....	1.7	3.5	6.1	9.4	14.3	21.3	30.8	39.0	57.3	70.7
1983.....	1.6	3.3	5.8	9.7	14.3	21.8	31.2	42.2	56.9	68.3
1982.....	1.8	3.4	5.8	9.7	15.5	22.3	32.6	41.7	56.1	73.7
1981.....	1.9	3.6	6.0	10.2	15.0	22.8	33.3	43.9	59.5	75.8
1980.....	1.8	3.5	5.9	9.6	16.1	23.1	33.6	45.8	61.3	80.2
1979.....	1.6	3.2	6.2	10.4	16.4	24.3	35.6	45.9	62.3	78.5
TOTAL, MALE										
1998.....	1.6	3.2	5.5	8.9	14.0	22.3	31.2	41.1	56.7	72.6
1997.....	1.9	3.2	5.8	9.9	14.9	22.9	31.3	44.6	60.5	77.5
1996.....	1.7	2.9	5.5	10.4	16.2	22.4	34.5	45.8	60.3	85.3
1995.....	1.7	3.7	6.6	10.7	17.3	23.8	34.9	46.0	62.0	86.8
1994.....	2.1	3.4	6.3	10.7	17.6	24.9	35.4	47.3	64.3	87.7
1993.....	2.2	3.5	6.7	11.0	18.4	26.0	38.3	48.6	66.8	88.3
1992.....	1.8	3.7	6.6	11.4	17.1	27.1	37.8	47.8	64.3	90.3
1991.....	2.3	4.0	7.7	12.5	20.6	29.2	37.7	55.2	68.7	93.8
1990.....	2.3	4.1	8.0	12.5	18.1	27.8	41.2	55.6	69.2	97.0
1989.....	1.8	4.2	8.1	13.3	20.0	29.0	42.8	54.9	75.3	96.4
1988.....	2.2	3.7	7.6	13.2	20.3	28.7	39.6	54.3	71.0	88.3
1987.....	2.4	3.7	7.2	12.9	20.2	29.8	42.4	58.6	69.8	94.2
1986.....	2.3	4.6	7.9	13.8	19.8	30.7	43.9	60.5	69.9	97.0
1985.....	2.3	4.0	8.7	13.6	20.4	30.7	45.7	56.3	77.3	97.8
1984.....	2.0	4.6	8.3	13.6	21.2	32.0	45.7	58.3	86.8	103.1
1983.....	2.0	4.3	8.0	14.3	21.0	31.4	45.4	64.0	81.8	102.2
1982.....	2.0	4.7	8.0	13.7	22.8	32.3	49.1	60.7	83.3	115.3
1981.....	2.6	5.1	8.2	14.9	21.7	34.3	48.4	67.6	87.2	109.1
1980.....	2.3	4.6	8.3	13.3	24.0	35.0	48.9	67.8	90.0	109.0
1979.....	2.0	4.6	8.8	15.0	23.8	34.8	52.0	68.4	91.0	117.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF STOMACH (151)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, FEMALE										
1998.....	1.0	1.9	2.7	4.0	6.1	9.3	13.9	20.2	28.6	44.0
1997.....	1.2	1.3	2.2	4.0	6.3	9.2	13.9	20.7	28.9	45.4
1996.....	1.0	1.8	2.8	4.0	6.2	10.0	15.2	21.0	30.7	46.7
1995.....	1.0	1.9	2.8	4.7	6.8	10.1	15.4	21.6	32.9	48.1
1994.....	1.0	1.6	3.0	3.9	7.3	9.5	16.1	24.6	30.4	47.6
1993.....	0.9	1.5	3.2	5.0	7.4	10.7	15.0	23.6	32.5	50.4
1992.....	1.1	1.5	3.0	4.9	7.3	11.2	15.7	23.2	32.7	53.2
1991.....	0.9	1.9	3.0	5.2	7.1	10.6	17.0	24.2	35.4	52.4
1990.....	1.1	2.1	3.4	4.8	8.4	11.2	17.3	25.9	33.4	54.4
1989.....	1.0	1.7	3.1	4.7	7.6	11.7	17.7	24.5	36.3	55.5
1988.....	1.1	1.8	3.0	5.2	7.4	11.4	17.3	24.8	37.2	55.5
1987.....	0.9	1.9	3.1	4.9	8.0	12.3	17.6	25.3	37.7	51.3
1986.....	1.2	2.0	3.0	5.4	8.2	11.3	17.6	25.1	38.2	52.4
1985.....	1.2	2.2	3.7	5.8	8.6	12.3	18.3	26.0	38.6	55.6
1984.....	1.3	2.5	4.1	5.6	8.4	12.6	20.1	26.9	41.7	57.6
1983.....	1.3	2.4	3.8	5.6	8.5	14.1	21.0	28.5	43.7	54.5
1982.....	1.6	2.3	3.8	6.1	9.2	14.4	20.7	29.7	41.8	56.3
1981.....	1.3	2.2	4.0	6.1	9.1	13.6	22.3	29.1	44.8	61.6
1980.....	1.2	2.4	3.6	6.3	9.3	13.5	22.5	32.0	46.0	67.6
1979.....	1.2	2.0	3.8	6.3	9.9	16.0	23.7	31.7	46.9	61.3
WHITE, BOTH SEXES										
1998.....	1.1	2.2	3.4	5.5	8.3	13.3	19.1	25.9	35.8	48.0
1997.....	1.3	1.9	3.4	5.9	8.9	13.6	19.0	26.9	36.8	49.4
1996.....	1.1	1.8	3.7	6.1	9.4	14.2	21.0	27.9	37.3	52.1
1995.....	1.2	2.3	4.0	6.6	9.8	14.6	20.9	28.4	39.3	53.7
1994.....	1.3	2.1	4.0	6.2	10.5	14.5	21.6	31.1	37.9	54.3
1993.....	1.3	2.2	4.4	6.8	11.1	16.0	22.4	30.3	40.5	55.4
1992.....	1.1	2.3	4.1	6.7	10.2	16.5	22.6	29.9	40.1	58.5
1991.....	1.4	2.4	4.6	7.5	11.8	16.6	23.6	33.5	43.4	58.5
1990.....	1.5	2.5	4.8	7.4	11.5	16.9	24.7	34.0	42.8	60.8
1989.....	1.1	2.5	4.7	7.9	11.9	17.2	25.1	33.6	46.6	62.6
1988.....	1.5	2.4	4.7	7.8	11.9	17.1	24.4	33.0	45.4	60.3
1987.....	1.4	2.4	4.3	7.8	12.2	18.1	25.4	35.7	44.1	60.3
1986.....	1.5	2.8	4.6	8.6	12.3	17.8	25.7	36.0	45.4	61.1
1985.....	1.5	2.8	5.5	8.6	12.7	18.5	27.3	35.1	48.1	63.7
1984.....	1.5	3.1	5.6	8.4	13.1	19.3	28.0	36.1	53.1	67.1
1983.....	1.3	2.9	5.1	8.6	12.7	19.6	28.2	39.7	52.9	64.8
1982.....	1.5	3.0	5.2	8.6	13.5	20.6	29.9	39.2	53.0	70.8
1981.....	1.7	3.1	5.3	9.0	13.6	20.9	30.0	41.5	55.8	73.0
1980.....	1.4	3.2	5.2	8.5	14.9	21.1	30.7	42.8	58.1	78.6
1979.....	1.3	2.9	5.4	9.1	14.8	22.0	32.7	42.6	59.7	77.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF STOMACH (151)										
WHITE MALE										
1998.....	1.3	2.7	4.7	7.9	11.8	19.3	28.0	36.6	52.4	68.2
1997.....	1.6	2.7	4.9	8.4	12.5	20.4	27.9	39.9	54.1	71.4
1996.....	1.5	2.3	5.0	8.9	13.9	20.5	30.4	40.7	54.4	78.7
1995.....	1.5	3.1	5.6	9.4	14.5	21.5	30.7	41.7	56.5	81.3
1994.....	1.8	2.9	5.6	9.2	15.0	21.9	31.3	43.8	58.0	81.7
1993.....	1.9	3.1	6.1	9.4	16.2	23.5	34.1	43.4	60.0	82.2
1992.....	1.5	3.3	5.5	9.7	14.9	24.4	33.6	43.6	58.7	85.5
1991.....	2.1	3.3	6.6	10.9	18.4	25.5	34.2	50.1	64.3	86.8
1990.....	2.1	3.2	6.8	11.1	16.1	25.5	36.8	50.0	64.1	89.4
1989.....	1.5	3.5	6.9	11.6	17.8	25.6	37.4	50.2	71.1	91.2
1988.....	2.1	3.3	6.7	11.3	17.9	25.2	35.6	48.8	65.5	81.8
1987.....	2.1	3.4	6.0	11.6	18.2	26.9	38.4	54.6	62.6	90.4
1986.....	1.9	4.0	6.9	12.8	17.9	27.4	39.4	56.1	64.2	90.9
1985.....	2.0	3.4	7.7	12.4	18.3	27.5	42.0	52.4	72.2	93.0
1984.....	2.0	4.1	7.6	12.1	19.2	28.7	41.5	54.1	80.1	97.8
1983.....	1.6	3.5	7.1	12.7	18.7	28.5	40.3	60.5	74.1	98.0
1982.....	1.6	4.1	7.0	12.2	19.8	29.5	44.6	56.3	77.8	109.2
1981.....	2.3	4.5	7.3	13.1	20.1	31.3	43.5	63.9	81.9	106.6
1980.....	1.9	4.2	7.4	11.7	22.1	32.1	44.9	62.5	84.4	105.4
1979.....	1.7	4.0	7.8	12.9	21.6	31.2	47.7	63.5	87.8	114.9
WHITE FEMALE										
1998.....	0.8	1.8	2.2	3.3	5.2	8.1	12.0	18.3	25.9	39.7
1997.....	1.0	1.1	1.9	3.5	5.5	7.9	12.0	17.7	26.6	40.6
1996.....	0.8	1.4	2.4	3.5	5.3	8.9	13.7	18.9	27.4	41.6
1995.....	0.8	1.5	2.4	3.8	5.6	8.7	13.2	19.3	29.5	43.1
1994.....	0.7	1.3	2.5	3.3	6.4	8.3	14.2	22.4	26.7	43.9
1993.....	0.7	1.3	2.7	4.3	6.6	9.7	13.3	21.4	30.0	45.3
1992.....	0.7	1.2	2.7	3.8	6.0	10.1	14.2	20.9	30.0	48.2
1991.....	0.7	1.6	2.7	4.3	5.9	9.4	15.7	22.5	32.3	47.8
1990.....	0.9	1.8	2.9	4.0	7.5	9.9	15.6	23.6	31.5	49.9
1989.....	0.8	1.6	2.6	4.4	6.7	10.4	15.9	22.9	33.7	51.7
1988.....	1.0	1.5	2.8	4.5	6.6	10.5	16.1	22.9	34.9	52.0
1987.....	0.7	1.5	2.7	4.3	7.0	10.9	15.8	23.6	34.5	48.6
1986.....	1.0	1.6	2.5	4.7	7.4	10.0	15.7	23.3	35.6	49.5
1985.....	0.9	2.1	3.3	5.2	7.8	11.2	16.6	24.2	35.6	52.2
1984.....	1.1	2.2	3.7	4.9	7.7	11.6	18.2	24.9	39.1	54.9
1983.....	1.1	2.2	3.3	4.8	7.5	12.5	19.4	26.7	41.9	51.5
1982.....	1.3	1.9	3.5	5.4	7.9	13.4	19.2	28.6	40.0	55.0
1981.....	1.0	1.8	3.4	5.4	8.0	12.4	20.3	27.5	42.2	59.0
1980.....	0.8	2.2	3.1	5.7	8.7	12.3	20.4	30.5	44.3	67.0
1979.....	1.0	1.7	3.3	5.7	9.0	14.6	21.9	29.7	44.8	60.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF STOMACH (151)										
ALL OTHER, BOTH SEXES										
1998.....	2.6	4.1	8.1	11.5	19.0	28.2	40.6	54.9	71.9	93.9
1997.....	2.7	4.1	7.5	12.8	20.0	28.0	42.3	63.8	79.2	104.4
1996.....	2.4	5.5	6.7	12.8	20.6	26.1	45.1	61.2	84.7	111.7
1995.....	2.4	5.4	8.6	14.1	24.3	29.3	49.9	60.7	85.9	112.4
1994.....	3.0	5.1	8.1	13.5	22.9	31.2	49.3	59.5	89.0	104.0
1993.....	2.6	4.4	8.4	15.0	22.4	30.3	48.7	65.5	86.7	117.4
1992.....	3.1	4.3	9.2	16.4	23.6	32.3	48.8	61.6	82.6	117.3
1991.....	2.8	5.6	9.4	16.4	25.4	37.1	45.7	64.5	83.8	120.8
1990.....	2.8	6.4	10.8	16.0	23.1	32.9	52.9	71.5	77.3	124.8
1989.....	3.0	5.6	10.4	15.3	24.5	37.6	58.2	62.4	82.9	113.3
1988.....	2.5	5.1	8.7	17.3	25.1	36.6	48.2	67.4	85.6	112.1
1987.....	2.9	5.0	10.0	14.8	24.6	38.2	52.4	62.6	98.1	97.5
1986.....	3.5	6.3	10.4	15.4	24.1	39.0	55.6	65.8	88.9	108.2
1985.....	3.4	5.0	10.5	16.3	25.8	38.0	52.8	63.5	93.3	109.8
1984.....	2.6	6.0	9.8	17.3	25.3	38.7	56.6	66.8	102.6	110.1
1983.....	3.3	5.9	10.4	18.8	27.8	41.0	59.7	66.4	100.8	106.7
1982.....	3.9	6.2	10.2	18.1	33.4	37.7	58.4	65.8	92.0	106.5
1981.....	3.8	6.9	11.4	20.1	26.8	39.8	63.8	67.7	101.7	107.4
1980.....	4.6	5.6	11.2	18.9	27.0	40.3	61.5	75.5	98.6	98.7
1979.....	3.3	5.9	12.4	21.4	30.7	44.7	64.0	77.3	93.3	96.0
ALL OTHER MALE										
1998.....	3.4	6.1	10.9	16.1	29.3	43.5	58.3	82.7	102.3	110.9
1997.....	3.3	5.9	11.5	19.7	31.6	41.5	61.1	89.7	126.8	131.1
1996.....	3.0	7.0	8.7	20.0	32.1	37.3	70.7	95.2	121.6	143.2
1995.....	2.7	7.1	12.8	19.4	37.4	42.1	73.7	88.8	120.1	138.5
1994.....	3.6	7.1	11.3	21.2	36.3	48.8	73.9	82.5	129.0	143.9
1993.....	3.7	6.3	10.9	21.7	34.6	46.3	77.0	100.6	136.5	145.2
1992.....	3.3	6.2	14.0	22.9	34.0	49.8	77.8	89.7	120.6	135.4
1991.....	4.0	8.2	14.3	23.7	38.3	60.6	70.7	104.8	112.4	158.1
1990.....	3.6	9.6	16.4	23.3	34.2	47.8	83.6	110.3	119.7	168.3
1989.....	3.6	8.9	16.1	25.5	37.9	58.5	94.3	99.5	116.5	144.4
1988.....	3.2	6.2	13.7	27.3	40.3	60.3	77.7	106.8	125.6	148.1
1987.....	4.1	5.9	15.0	22.6	36.7	57.0	80.5	96.3	142.0	129.9
1986.....	4.6	8.6	15.5	21.9	36.2	61.2	87.2	102.9	126.9	154.7
1985.....	4.5	7.5	15.7	24.1	39.3	60.3	80.7	93.2	127.6	142.5
1984.....	2.4	8.2	13.2	25.5	39.7	62.1	84.8	97.0	155.4	152.8
1983.....	4.2	9.2	14.6	27.8	42.0	58.8	93.9	95.9	160.8	140.0
1982.....	4.2	8.7	16.0	26.6	50.5	58.0	91.3	101.6	141.5	174.6
1981.....	4.5	9.8	15.5	30.5	37.0	61.6	94.3	101.6	142.9	134.4
1980.....	5.3	7.9	15.7	27.1	42.4	62.0	86.1	117.2	149.0	146.5
1979.....	4.2	8.9	18.0	33.2	45.5	67.2	93.2	112.6	125.6	139.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF STOMACH (151)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	1.9	2.4	5.8	7.8	11.0	16.7	28.2	36.4	54.5	86.1
1997.....	2.2	2.5	4.2	7.2	11.0	17.9	29.1	46.9	52.5	92.2
1996.....	1.9	4.2	5.0	6.9	11.7	17.7	27.3	39.3	64.0	97.6
1995.....	2.2	4.1	5.1	9.7	14.2	19.7	33.4	42.8	67.1	101.0
1994.....	2.5	3.3	5.4	7.4	12.7	18.2	32.1	45.0	67.0	86.7
1993.....	1.8	2.8	6.4	9.5	13.0	18.4	28.8	43.7	59.0	105.2
1992.....	2.8	2.7	5.2	11.1	15.6	19.4	28.7	44.2	61.1	109.2
1991.....	1.8	3.3	5.2	10.4	15.5	19.8	28.7	39.5	67.2	103.2
1990.....	2.1	3.7	6.0	10.1	14.7	21.9	32.0	47.4	53.4	105.0
1989.....	2.4	2.7	5.7	7.1	14.3	22.1	33.5	39.2	63.7	98.9
1988.....	2.0	4.1	4.6	9.3	13.5	19.0	28.1	42.5	62.3	95.3
1987.....	1.9	4.2	5.7	8.5	15.2	24.3	33.3	41.1	73.0	82.2
1986.....	2.5	4.3	6.2	10.2	14.7	22.4	33.9	41.8	67.6	85.9
1985.....	2.4	2.9	6.3	10.0	15.2	21.3	33.6	43.9	73.3	94.7
1984.....	2.7	4.2	7.1	10.6	14.0	21.2	36.9	46.7	71.1	89.0
1983.....	2.5	3.1	7.0	11.5	16.6	27.7	35.7	46.6	65.5	89.9
1982.....	3.6	4.2	5.4	11.2	19.8	22.5	34.7	41.4	62.4	71.4
1981.....	3.2	4.5	8.1	11.5	18.7	23.2	41.3	44.7	76.7	93.7
1980.....	3.9	3.7	7.5	12.0	14.7	23.6	43.1	47.1	67.6	74.2
1979.....	2.6	3.4	7.9	11.5	18.7	27.3	41.8	52.3	73.7	74.6
BLACK, BOTH SEXES										
1998.....	2.7	4.5	8.4	12.0	19.0	29.4	41.5	57.2	73.7	98.6
1997.....	2.7	4.0	8.3	12.9	19.6	28.7	41.9	64.1	77.6	106.7
1996.....	2.1	6.0	7.3	13.1	21.6	26.4	46.9	60.8	79.7	116.7
1995.....	2.6	5.3	9.0	14.1	25.5	29.7	51.5	56.3	82.3	112.4
1994.....	2.9	5.2	7.9	14.1	23.7	32.0	50.9	57.3	89.2	100.2
1993.....	2.7	4.8	8.9	15.3	23.6	31.2	49.7	64.5	85.7	116.5
1992.....	3.3	4.5	9.2	16.5	23.7	32.6	49.7	60.6	82.8	116.0
1991.....	3.1	6.3	9.8	17.8	28.0	38.5	48.0	66.7	89.9	115.5
1990.....	2.9	7.0	11.2	17.0	24.5	34.4	52.8	69.1	79.4	123.1
1989.....	3.0	5.5	10.7	17.5	26.3	39.4	58.0	63.0	83.7	108.2
1988.....	2.6	5.2	9.3	16.7	25.5	36.8	47.9	70.0	84.9	107.5
1987.....	2.9	5.0	10.0	15.1	25.2	40.1	54.0	62.5	99.2	100.5
1986.....	3.5	5.8	10.3	15.3	24.9	39.2	55.9	69.3	85.9	101.5
1985.....	3.3	4.9	11.2	16.9	26.4	37.6	53.6	63.9	97.1	110.8
1984.....	2.6	6.5	9.9	18.3	26.1	39.8	56.7	69.7	98.3	105.3
1983.....	3.0	5.6	10.7	19.4	29.5	42.8	63.5	66.2	98.2	103.3
1982.....	3.6	6.2	10.2	17.9	34.3	36.7	61.1	68.0	95.4	105.1
1981.....	3.4	6.6	11.8	20.6	27.3	40.6	65.4	66.4	100.0	106.0
1980.....	4.3	5.5	11.4	19.2	27.9	40.6	64.0	75.5	93.9	92.4
1979.....	3.1	6.5	12.0	22.0	31.5	44.7	65.7	74.2	90.0	94.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF STOMACH (151)										
BLACK MALE										
1998.....	3.8	7.2	11.7	17.0	29.8	46.0	61.8	88.4	109.4	115.7
1997.....	3.6	6.2	13.2	20.4	33.2	44.8	64.1	87.4	129.0	137.9
1996.....	3.1	8.3	9.8	21.2	35.6	38.7	72.7	94.0	117.5	158.4
1995.....	3.2	8.0	14.5	21.6	41.4	43.2	73.8	83.8	112.8	135.1
1994.....	3.6	7.9	12.0	22.4	39.4	50.0	77.2	81.5	127.4	141.4
1993.....	4.2	6.7	12.3	25.0	39.1	47.4	79.9	101.4	135.2	145.2
1992.....	4.2	7.0	15.2	21.8	36.4	50.1	80.5	87.1	124.8	134.9
1991.....	4.4	9.5	16.0	27.8	42.9	64.3	76.1	107.7	130.7	150.7
1990.....	4.0	10.9	18.3	26.3	35.6	51.9	84.6	105.2	125.1	164.5
1989.....	4.4	9.3	17.8	30.1	41.5	60.2	92.9	105.1	120.6	145.5
1988.....	3.5	7.3	15.0	28.1	41.6	63.6	76.4	113.6	124.5	138.5
1987.....	4.5	5.7	17.0	22.8	39.3	62.8	83.5	99.4	144.6	139.1
1986.....	4.8	8.8	16.1	22.4	38.6	63.0	90.3	108.1	124.4	147.6
1985.....	4.8	7.7	17.8	25.1	40.4	60.2	83.3	94.1	139.1	141.9
1984.....	*	9.0	14.1	27.7	41.4	65.3	85.3	104.2	158.3	152.5
1983.....	4.3	9.8	16.1	28.2	45.4	63.6	100.8	98.2	152.4	138.3
1982.....	4.6	9.1	17.6	26.9	52.1	57.5	99.2	108.1	147.5	182.8
1981.....	4.4	10.3	16.6	31.8	38.3	64.6	97.9	101.3	139.0	133.9
1980.....	5.6	8.1	16.6	27.6	43.8	62.9	90.8	122.9	139.9	139.6
1979.....	4.1	9.7	17.8	34.7	48.1	67.2	98.7	105.6	119.5	136.5
BLACK FEMALE										
1998.....	1.8	2.2	5.7	8.1	10.9	17.0	27.4	37.3	55.0	91.5
1997.....	2.0	2.2	4.2	7.1	9.4	16.6	26.7	49.4	50.9	93.8
1996.....	*	4.1	5.3	6.7	11.1	17.1	29.3	40.1	60.1	99.5
1995.....	2.0	3.1	4.5	8.1	13.5	19.5	36.5	39.3	66.9	103.2
1994.....	2.2	2.9	4.6	7.7	11.8	18.7	33.2	42.7	69.7	83.4
1993.....	*	3.3	6.0	7.8	11.9	19.3	29.4	42.6	60.2	104.8
1992.....	2.5	2.4	4.2	12.3	14.1	19.7	29.1	45.2	61.1	108.1
1991.....	2.0	3.7	4.8	9.9	16.7	19.8	29.3	42.5	68.9	100.6
1990.....	*	3.8	5.4	9.6	16.1	21.8	31.9	47.9	55.8	105.5
1989.....	*	*	4.9	7.4	14.7	24.3	35.1	38.2	64.3	92.8
1988.....	*	3.5	4.6	7.5	13.3	17.3	28.9	43.9	64.0	94.0
1987.....	*	4.4	4.2	9.0	14.5	23.5	34.4	40.1	74.9	83.3
1986.....	*	3.3	5.5	9.5	14.4	21.8	33.0	45.6	64.8	80.4
1985.....	*	*	5.9	10.2	15.5	21.0	33.9	45.1	74.1	96.2
1984.....	2.6	4.5	6.5	10.6	14.2	21.0	37.6	48.1	65.1	82.9
1983.....	*	*	6.3	12.3	17.2	27.5	38.3	45.6	67.6	86.3
1982.....	2.9	3.8	4.2	10.5	20.3	21.4	34.9	42.6	65.2	66.9
1981.....	*	3.5	8.0	11.6	18.7	23.1	42.7	43.9	77.3	91.2
1980.....	3.2	3.3	7.2	12.4	15.4	24.0	44.9	44.7	66.3	68.8
1979.....	2.2	3.8	7.3	11.6	18.4	27.9	42.0	52.5	71.8	73.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.3	0.4	0.7	1.0	1.4	1.7	2.1	2.7	3.2
1997.....	0.1	0.3	0.4	0.6	0.8	1.3	2.0	2.5	3.3	3.8
1996.....	0.2	0.3	0.4	0.6	0.8	1.3	2.0	2.4	2.7	2.9
1995.....	0.2	0.2	0.5	0.7	1.0	1.5	2.0	2.5	2.7	3.2
1994.....	0.2	0.2	0.4	0.7	1.0	1.3	2.2	2.3	2.7	3.1
1993.....	0.1	0.3	0.4	0.7	0.9	1.3	2.0	2.4	2.9	3.3
1992.....	0.1	0.3	0.5	0.6	0.8	1.4	1.9	2.0	3.1	3.2
1991.....	0.2	0.3	0.4	0.7	0.9	1.8	2.0	2.2	2.8	3.4
1990.....	0.1	0.3	0.5	0.6	0.9	1.4	1.9	2.3	2.6	3.1
1989.....	0.1	0.3	0.4	0.7	1.0	1.2	1.9	1.9	2.8	3.1
1988.....	0.1	0.2	0.4	0.6	0.9	1.5	1.6	2.3	2.9	3.1
1987.....	0.2	0.2	0.5	0.7	1.0	1.3	1.9	2.1	2.6	2.8
1986.....	*	0.2	0.5	0.8	0.9	1.2	1.8	2.2	3.0	3.0
1985.....	0.1	0.3	0.5	0.8	0.8	1.0	1.7	2.1	2.9	2.8
1984.....	0.2	0.3	0.3	0.7	1.0	1.4	1.7	2.1	3.0	2.3
1983.....	0.2	0.3	0.6	0.6	0.9	1.4	1.5	2.1	2.9	3.0
1982.....	0.2	0.2	0.5	0.7	0.9	1.5	1.9	1.9	3.0	2.1
1981.....	0.2	0.3	0.4	0.8	0.9	1.4	1.7	2.0	1.9	3.0
1980.....	0.1	0.4	0.5	0.6	0.8	1.3	1.4	2.2	2.3	2.2
1979.....	0.2	0.3	0.5	0.9	1.1	1.2	1.4	2.0	2.4	2.9
TOTAL, MALE										
1998.....	*	0.4	0.6	0.7	1.1	1.9	2.3	2.6	4.1	4.1
1997.....	*	0.4	0.6	0.7	1.1	1.5	2.5	3.3	4.1	5.0
1996.....	0.3	0.4	0.5	0.8	0.9	1.7	2.3	2.9	3.8	3.1
1995.....	0.3	0.3	0.6	0.7	1.2	2.0	2.8	3.6	3.7	4.6
1994.....	0.2	0.3	0.5	1.0	1.1	1.5	2.8	3.4	3.5	3.8
1993.....	*	0.3	0.5	1.0	1.1	1.3	2.6	2.9	3.3	4.4
1992.....	*	0.4	0.6	0.8	1.0	1.8	2.0	2.9	3.3	3.1
1991.....	0.2	0.4	0.5	0.8	1.4	1.9	2.3	3.2	4.3	4.7
1990.....	*	0.4	0.7	0.8	1.2	1.4	2.5	3.2	3.5	3.2
1989.....	*	0.5	0.6	0.9	1.4	1.3	2.5	2.6	3.3	4.5
1988.....	*	*	0.4	0.7	1.2	1.7	2.0	3.3	3.8	4.1
1987.....	*	*	0.6	0.8	1.2	1.6	2.5	2.7	3.4	3.1
1986.....	*	*	0.6	1.0	1.3	1.4	2.2	3.2	4.2	4.0
1985.....	*	0.4	0.7	1.0	1.1	1.4	2.2	3.1	4.4	4.2
1984.....	*	*	*	0.8	1.3	1.7	1.9	2.6	3.9	3.1
1983.....	*	*	0.7	0.9	1.0	1.7	1.7	2.8	3.8	4.0
1982.....	0.3	0.4	0.6	0.8	1.2	1.9	2.3	2.3	3.4	*
1981.....	*	*	0.4	0.9	1.0	1.5	2.1	2.2	2.0	3.4
1980.....	0.2	0.4	0.5	0.7	0.9	1.7	1.9	3.0	2.2	2.8
1979.....	0.3	0.4	0.7	0.9	1.5	1.3	1.9	2.5	2.6	2.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)										
TOTAL, FEMALE										
1998.....	*	0.2	*	0.6	1.0	1.0	1.4	1.8	1.8	2.8
1997.....	*	*	0.3	0.5	0.6	1.1	1.7	2.0	2.8	3.3
1996.....	*	0.2	0.3	0.4	0.7	1.0	1.8	2.0	2.1	2.9
1995.....	*	*	0.4	0.6	0.9	1.1	1.3	1.7	2.1	2.6
1994.....	*	*	0.4	0.5	0.9	1.2	1.6	1.5	2.2	2.8
1993.....	*	*	0.4	0.5	0.7	1.3	1.6	2.1	2.7	2.8
1992.....	*	*	0.3	0.5	0.7	1.1	1.7	1.4	2.9	3.3
1991.....	*	*	*	0.6	0.5	1.6	1.8	1.6	2.0	2.9
1990.....	*	*	*	0.5	0.7	1.4	1.5	1.6	2.2	3.0
1989.....	*	*	0.3	0.5	0.6	1.1	1.5	1.5	2.6	2.6
1988.....	*	*	0.5	0.4	0.7	1.3	1.3	1.7	2.5	2.7
1987.....	*	*	0.4	0.6	0.9	1.0	1.5	1.8	2.2	2.7
1986.....	*	*	0.4	0.6	0.7	1.0	1.5	1.6	2.5	2.6
1985.....	*	*	0.4	0.7	0.6	0.8	1.4	1.5	2.2	2.3
1984.....	*	*	0.4	0.5	0.8	1.1	1.5	1.8	2.6	1.9
1983.....	*	*	0.5	0.4	0.8	1.0	1.4	1.6	2.4	2.6
1982.....	*	*	0.4	0.6	0.7	1.2	1.5	1.6	2.8	1.9
1981.....	*	*	0.4	0.6	0.8	1.3	1.4	1.8	1.8	2.8
1980.....	0.1	0.4	0.4	0.6	0.6	1.1	1.0	1.7	2.4	2.0
1979.....	0.1	0.2	0.4	0.8	0.8	1.1	1.1	1.7	2.3	3.0
WHITE, BOTH SEXES										
1998.....	*	0.3	0.4	0.6	1.0	1.4	1.7	2.0	2.7	3.2
1997.....	0.1	0.2	0.4	0.5	0.8	1.2	2.0	2.4	3.4	3.8
1996.....	0.2	0.3	0.4	0.5	0.8	1.3	1.9	2.3	2.6	3.0
1995.....	0.2	0.2	0.4	0.7	0.9	1.5	2.0	2.5	2.6	3.2
1994.....	0.2	0.2	0.4	0.7	1.0	1.3	2.1	2.2	2.7	3.0
1993.....	0.2	0.2	0.4	0.7	0.9	1.2	2.0	2.3	2.9	3.1
1992.....	*	0.3	0.5	0.6	0.8	1.3	1.8	1.9	2.9	3.0
1991.....	0.2	0.3	0.4	0.7	0.9	1.6	2.0	2.2	2.6	3.4
1990.....	*	0.3	0.4	0.6	0.9	1.4	1.8	2.1	2.6	2.9
1989.....	*	0.3	0.5	0.6	0.9	1.1	1.9	1.8	2.7	3.3
1988.....	0.1	*	0.4	0.5	0.9	1.4	1.6	2.4	2.8	3.1
1987.....	0.2	0.2	0.4	0.7	0.9	1.2	1.8	2.2	2.6	2.8
1986.....	*	0.2	0.5	0.8	0.9	1.1	1.7	2.2	3.0	2.8
1985.....	*	0.3	0.5	0.7	0.9	1.0	1.7	1.9	2.7	2.7
1984.....	0.2	0.2	0.3	0.7	0.9	1.4	1.6	2.0	2.8	2.1
1983.....	0.2	0.2	0.6	0.6	0.8	1.4	1.5	2.1	2.9	3.2
1982.....	0.2	0.2	0.4	0.7	0.9	1.5	1.9	1.9	2.9	2.0
1981.....	*	0.3	0.4	0.7	0.8	1.5	1.7	2.0	1.9	3.0
1980.....	0.1	0.4	0.4	0.6	0.8	1.3	1.4	2.3	2.3	2.3
1979.....	0.2	0.3	0.5	0.9	1.1	1.2	1.4	2.1	2.5	3.0



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)										
WHITE MALE										
1998.....	*	0.4	0.6	0.7	1.1	1.9	2.2	2.6	4.3	4.1
1997.....	*	0.3	0.5	0.7	1.0	1.4	2.5	3.1	4.2	5.2
1996.....	0.2	0.4	0.5	0.7	0.8	1.7	2.2	2.9	3.7	3.2
1995.....	0.3	*	0.5	0.7	1.2	2.1	2.8	3.4	3.7	4.9
1994.....	*	*	0.4	1.0	1.0	1.5	2.7	3.2	3.4	4.0
1993.....	*	0.3	0.4	0.9	1.1	1.3	2.6	2.8	3.4	4.2
1992.....	*	0.4	0.6	0.7	0.9	1.6	2.0	2.8	3.0	2.8
1991.....	*	0.4	0.5	0.7	1.3	1.8	2.3	3.2	4.1	4.8
1990.....	*	0.3	0.7	0.7	1.2	1.5	2.3	2.8	3.2	2.8
1989.....	*	0.4	0.6	0.8	1.4	1.3	2.6	2.5	3.2	4.8
1988.....	*	*	*	0.6	1.2	1.6	1.9	3.4	3.5	4.2
1987.....	*	*	0.5	0.8	1.1	1.6	2.3	2.8	3.6	3.1
1986.....	*	*	0.5	0.9	1.2	1.3	2.1	3.1	3.9	3.3
1985.....	*	*	0.7	0.9	1.1	1.4	2.1	2.9	4.1	3.8
1984.....	*	*	*	0.8	1.1	1.8	1.7	2.6	3.7	3.1
1983.....	*	*	0.7	0.9	1.0	1.7	1.5	2.9	4.0	4.4
1982.....	0.4	*	0.5	0.8	1.1	1.8	2.4	2.4	3.1	*
1981.....	*	*	*	0.8	1.0	1.6	2.1	2.3	*	3.5
1980.....	0.1	0.4	0.5	0.7	1.0	1.7	1.9	3.2	2.3	2.7
1979.....	0.3	0.4	0.7	0.9	1.4	1.3	1.9	2.6	2.6	2.4
WHITE FEMALE										
1998.....	*	*	*	0.5	0.9	1.0	1.2	1.7	1.8	2.8
1997.....	*	*	*	0.4	0.6	1.0	1.5	1.9	2.9	3.2
1996.....	*	*	*	*	0.7	1.0	1.8	1.9	1.9	2.9
1995.....	*	*	*	0.7	0.7	1.0	1.3	1.8	2.0	2.6
1994.....	*	*	*	0.5	0.9	1.2	1.6	1.5	2.3	2.6
1993.....	*	*	0.4	0.5	0.7	1.1	1.6	2.0	2.7	2.7
1992.....	*	*	*	0.4	0.7	1.1	1.7	1.4	2.9	3.1
1991.....	*	*	*	0.6	0.5	1.5	1.8	1.5	1.8	2.8
1990.....	*	*	*	0.5	0.6	1.3	1.5	1.6	2.2	2.9
1989.....	*	*	*	0.5	0.5	1.0	1.4	1.3	2.4	2.8
1988.....	*	*	0.5	*	0.7	1.3	1.3	1.8	2.4	2.6
1987.....	*	*	*	0.6	0.7	0.8	1.5	1.8	2.1	2.7
1986.....	*	*	0.5	0.6	0.6	0.9	1.4	1.6	2.5	2.6
1985.....	*	*	*	0.6	0.6	0.7	1.5	1.3	2.1	2.3
1984.....	*	*	*	0.5	0.8	1.0	1.5	1.6	2.4	1.8
1983.....	*	*	0.5	0.4	0.7	1.1	1.5	1.5	2.4	2.7
1982.....	*	*	*	0.6	0.7	1.2	1.6	1.6	2.8	1.9
1981.....	*	*	0.4	0.6	0.7	1.4	1.4	1.8	1.9	2.8
1980.....	0.1	0.4	0.4	0.6	0.6	0.9	1.0	1.8	2.3	2.1
1979.....	0.1	0.2	0.3	0.9	0.8	1.1	1.1	1.7	2.5	3.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.4	2.7	*	*
1997.....	*	*	*	*	*	2.1	2.6	3.7	*	*
1996.....	*	*	*	*	*	*	2.7	3.3	*	*
1995.....	*	*	*	*	1.7	1.8	*	*	*	*
1994.....	*	*	*	*	*	*	2.8	*	*	*
1993.....	*	*	*	*	*	2.2	*	3.3	*	*
1992.....	*	*	*	*	*	2.5	*	*	*	*
1991.....	*	*	*	*	*	2.8	*	*	*	*
1990.....	*	*	*	*	*	*	2.7	3.9	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	1.7	2.0	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	0.8	0.7	0.9	1.8	1.6	0.9	3.1	1.7
1979.....	0.3	0.2	0.7	0.7	1.5	1.3	1.5	1.1	0.9	1.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	1.0	0.7	0.7	1.0	1.8	1.1	1.1	3.3
1979.....	0.3	0.2	0.9	0.9	2.3	2.1	2.3	1.1	2.3	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)										

## ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	0.7	0.6	1.1	2.4	1.4	0.8	4.2	0.8
1979.....	0.2	0.3	0.6	0.5	0.8	0.8	0.9	1.2	-	0.9

## BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	2.7	*	*	*
1997.....	*	*	*	*	*	2.4	2.9	3.9	*	*
1996.....	*	*	*	*	*	*	3.3	4.2	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	3.3	*	*	*
1993.....	*	*	*	*	*	2.5	*	*	*	*
1992.....	*	*	*	*	*	2.8	*	*	*	*
1991.....	*	*	*	*	*	3.6	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	2.4	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	1.0	0.7	0.9	1.5	1.8	0.8	3.5	1.9
1979.....	0.3	0.3	0.7	0.7	1.4	1.3	1.5	1.3	1.0	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)										

## BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.4	1.2	0.9	0.5	0.6	2.1	1.3	1.3	3.8
1979.....	0.4	0.2	0.8	1.1	2.4	2.1	2.2	1.2	2.6	3.8

## BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	0.8	0.5	1.2	2.2	1.5	0.4	4.8	0.9
1979.....	0.3	0.3	0.6	0.3	0.6	0.7	1.0	1.3	-	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF COLON (153)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	3.0	6.0	12.4	21.7	35.8	56.6	81.0	110.2	156.4	236.1
1997.....	2.9	6.8	12.1	22.0	37.4	55.8	81.8	112.1	161.8	243.4
1996.....	3.0	6.4	11.9	22.2	38.5	57.7	84.3	113.6	163.1	243.3
1995.....	3.3	6.5	12.8	24.0	39.1	59.0	87.0	120.4	170.4	246.4
1994.....	3.3	6.7	13.8	24.1	39.7	60.6	88.0	119.5	173.2	247.1
1993.....	3.2	6.5	13.8	24.2	40.6	60.9	90.2	125.3	171.7	254.5
1992.....	3.6	6.7	13.7	25.2	40.3	61.7	88.5	125.5	180.4	256.2
1991.....	3.2	6.9	14.0	26.7	42.2	62.2	90.1	129.2	178.2	257.2
1990.....	3.4	7.4	14.8	25.6	42.6	66.0	94.8	135.1	185.0	261.0
1989.....	3.3	6.8	14.6	26.4	43.6	65.9	99.7	136.1	186.1	259.5
1988.....	3.6	7.4	15.0	27.0	44.6	68.0	100.4	135.1	181.5	257.3
1987.....	3.5	8.1	16.2	28.4	45.7	67.6	101.5	140.7	187.2	251.9
1986.....	3.5	7.8	15.8	27.9	45.5	69.8	104.6	138.2	190.7	254.5
1985.....	3.9	8.1	15.4	28.9	47.4	71.3	104.7	145.5	193.9	259.5
1984.....	3.9	7.6	16.0	29.5	47.2	73.4	106.5	146.4	195.6	261.5
1983.....	3.8	8.2	15.7	28.7	46.7	70.3	105.3	143.9	192.9	253.2
1982.....	4.0	8.0	15.7	28.7	46.0	71.4	103.6	145.3	192.7	253.3
1981.....	3.9	8.6	15.8	29.3	45.3	70.9	104.0	146.0	196.6	249.9
1980.....	4.4	8.2	16.2	29.2	46.0	73.2	106.9	147.3	200.0	251.2
1979.....	4.4	8.4	16.7	28.9	47.4	71.1	108.9	144.5	196.6	240.4
TOTAL, MALE										
1998.....	3.2	6.4	14.5	25.8	43.2	70.0	99.6	135.3	184.4	265.6
1997.....	3.1	7.4	14.0	25.2	45.9	70.8	101.6	138.6	194.7	276.3
1996.....	3.0	7.1	13.5	25.8	47.4	72.0	106.0	135.5	198.7	285.0
1995.....	3.5	7.2	14.1	28.0	48.1	73.2	106.4	145.1	208.8	298.7
1994.....	3.5	7.1	16.3	28.2	47.5	75.7	108.7	148.0	216.8	299.7
1993.....	3.3	7.4	15.5	28.8	49.0	74.7	111.8	156.6	210.5	306.0
1992.....	3.8	7.4	14.9	29.2	49.0	77.6	110.0	158.0	226.2	316.5
1991.....	3.2	7.5	15.8	30.2	51.8	78.4	111.5	162.6	225.2	310.2
1990.....	3.5	7.7	16.5	30.0	51.7	82.7	118.3	172.5	235.7	322.4
1989.....	3.4	7.6	16.1	31.6	53.0	80.7	125.6	168.0	233.1	312.8
1988.....	4.0	8.0	16.3	30.3	54.2	82.2	126.7	170.1	230.6	306.5
1987.....	3.9	8.5	17.7	32.5	54.7	83.4	126.4	177.6	239.0	309.6
1986.....	3.8	8.3	16.7	32.2	53.5	83.7	132.2	173.5	238.5	301.0
1985.....	4.4	8.8	17.0	33.5	56.6	87.5	131.2	180.1	236.5	301.3
1984.....	4.2	7.8	17.4	33.9	55.5	87.6	130.4	181.6	239.0	303.9
1983.....	4.1	9.0	17.3	32.3	54.8	84.7	130.3	180.2	240.0	303.8
1982.....	4.2	8.4	16.9	32.8	53.3	84.8	125.9	177.4	231.5	309.6
1981.....	4.0	8.9	16.8	32.3	53.2	85.5	129.2	173.6	230.9	299.4
1980.....	4.7	8.7	17.1	32.5	52.1	88.1	127.1	181.6	237.3	305.2
1979.....	4.6	8.2	17.9	31.5	53.2	82.7	132.3	171.3	237.3	279.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF COLON (153)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, FEMALE										
1998.....	2.9	5.7	10.5	18.0	29.3	45.2	66.4	92.3	139.8	223.8
1997.....	2.8	6.1	10.3	19.0	29.9	43.1	66.4	93.6	142.6	230.1
1996.....	2.9	5.7	10.4	18.8	30.6	45.7	67.7	98.3	142.6	226.7
1995.....	3.2	5.8	11.5	20.2	31.0	47.3	72.1	103.5	148.7	226.1
1994.....	3.2	6.4	11.4	20.4	32.8	48.3	72.2	100.2	149.1	226.9
1993.....	3.0	5.8	12.1	19.9	33.3	49.6	73.7	104.3	150.5	234.8
1992.....	3.4	6.0	12.5	21.5	32.6	48.8	72.2	104.1	155.6	232.8
1991.....	3.1	6.4	12.3	23.5	33.7	49.1	74.0	107.4	153.0	236.6
1990.....	3.2	7.0	13.1	21.5	34.7	52.5	77.3	111.1	158.0	237.4
1989.....	3.1	6.1	13.1	21.7	35.5	53.9	80.6	115.6	161.3	238.7
1988.....	3.3	6.8	13.8	24.1	36.3	56.4	81.2	112.8	155.6	238.1
1987.....	3.2	7.7	14.8	24.6	38.0	54.7	83.2	117.3	160.0	229.2
1986.....	3.3	7.4	14.9	24.0	38.6	58.5	84.5	116.0	165.6	236.1
1985.....	3.4	7.5	13.9	24.7	39.5	58.3	85.5	123.6	171.6	242.8
1984.....	3.7	7.4	14.6	25.6	40.0	62.0	89.2	124.2	172.8	244.3
1983.....	3.6	7.5	14.2	25.5	39.6	58.7	87.3	121.1	168.0	232.5
1982.....	3.9	7.6	14.6	25.1	39.7	60.7	87.5	125.2	172.3	229.8
1981.....	3.9	8.2	14.9	26.6	38.5	59.2	85.9	128.7	178.3	228.7
1980.....	4.1	7.7	15.3	26.2	40.8	61.3	92.2	125.8	180.1	227.6
1979.....	4.2	8.7	15.5	26.6	42.4	61.8	92.0	127.7	174.8	223.3
WHITE, BOTH SEXES										
1998.....	2.8	5.5	11.3	20.7	33.9	55.1	78.9	108.4	154.0	235.4
1997.....	2.7	6.1	11.5	20.9	35.8	54.7	79.1	110.8	158.9	242.8
1996.....	2.8	5.9	11.0	20.7	37.1	56.4	82.2	112.0	160.8	244.8
1995.....	3.0	5.9	12.1	23.3	37.8	57.0	84.9	118.2	168.5	245.3
1994.....	3.0	6.2	12.8	23.0	38.5	59.0	86.6	118.2	171.2	247.3
1993.....	3.0	6.0	12.9	23.1	39.5	59.6	88.3	123.4	170.6	253.9
1992.....	3.3	6.3	13.0	24.4	39.3	60.1	87.0	124.6	179.7	256.5
1991.....	3.0	6.5	13.2	25.7	41.3	61.3	88.7	128.3	176.0	256.2
1990.....	3.1	6.9	13.8	24.5	41.6	64.3	93.8	133.1	183.7	261.6
1989.....	3.0	6.6	13.8	25.6	42.7	64.4	98.6	134.4	185.7	260.1
1988.....	3.4	7.3	14.5	26.2	43.6	66.5	100.3	135.0	182.0	257.6
1987.....	3.4	7.8	15.5	27.5	44.4	66.4	101.1	140.0	186.9	255.2
1986.....	3.4	7.5	15.4	27.7	44.6	69.2	104.0	137.3	190.2	256.6
1985.....	3.7	7.7	14.9	28.2	46.4	70.6	103.2	145.3	194.0	261.9
1984.....	3.8	7.1	15.6	28.6	46.4	73.4	106.1	147.4	195.0	265.1
1983.....	3.6	8.0	15.4	28.4	46.0	69.6	104.9	144.9	194.0	257.6
1982.....	3.8	7.7	15.3	28.0	45.2	71.7	102.8	146.6	193.5	257.0
1981.....	3.8	8.3	15.4	28.6	45.1	70.7	104.3	146.6	196.9	254.5
1980.....	4.2	8.1	15.7	29.0	45.7	73.3	106.7	148.7	201.5	255.4
1979.....	4.2	8.1	16.2	28.5	46.7	71.2	108.7	145.3	199.4	246.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF COLON (153)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
WHITE MALE										
1998.....	2.9	6.0	13.3	24.8	41.0	68.8	97.6	134.0	181.6	267.5
1997.....	2.9	6.7	13.3	23.5	44.1	69.9	99.1	136.9	192.7	277.7
1996.....	2.7	6.6	12.8	24.3	46.1	71.2	103.2	133.9	197.8	289.2
1995.....	3.1	6.8	13.4	27.6	46.6	71.4	103.8	142.6	206.5	298.1
1994.....	3.1	6.6	15.5	26.9	46.2	74.2	106.8	146.5	216.7	301.6
1993.....	3.2	6.7	14.9	27.6	47.6	73.8	110.8	155.7	209.5	305.1
1992.....	3.4	7.2	14.1	28.7	48.2	76.1	109.0	156.0	226.3	318.4
1991.....	3.1	7.1	14.9	29.1	50.8	78.1	111.1	163.0	224.7	309.2
1990.....	3.4	7.4	15.9	29.0	50.6	80.9	117.7	170.5	235.8	323.5
1989.....	3.2	7.4	15.0	31.0	52.7	79.6	124.7	165.6	233.7	314.0
1988.....	3.9	8.0	15.8	29.3	53.1	81.2	126.5	171.5	233.5	309.3
1987.....	3.6	8.4	17.1	31.7	53.5	82.9	126.9	177.4	240.5	314.6
1986.....	3.7	8.1	16.5	32.1	52.7	83.4	132.2	172.4	240.4	303.7
1985.....	4.2	8.5	16.5	33.1	55.8	86.7	129.9	181.9	237.6	308.1
1984.....	4.1	7.3	16.7	33.1	54.9	87.8	129.9	184.6	239.8	309.6
1983.....	3.9	8.9	17.0	32.0	54.1	84.2	131.1	183.0	243.1	312.2
1982.....	4.1	8.0	16.7	32.6	52.5	85.3	125.9	179.2	231.7	315.2
1981.....	3.9	8.3	16.6	32.2	53.2	85.7	131.1	174.8	232.8	308.0
1980.....	4.6	8.6	16.8	32.1	51.6	88.6	127.9	184.2	240.9	311.1
1979.....	4.4	7.9	17.5	31.3	53.0	83.8	133.5	174.8	241.0	286.7
WHITE FEMALE										
1998.....	2.7	5.1	9.5	16.8	27.4	43.2	64.1	90.1	137.6	222.2
1997.....	2.5	5.6	9.6	18.4	28.2	41.7	63.4	92.4	139.0	228.9
1996.....	2.8	5.1	9.3	17.4	28.9	43.8	65.8	96.6	139.4	227.4
1995.....	2.8	5.1	10.8	19.2	29.8	44.9	70.3	101.2	147.0	224.9
1994.....	2.9	5.8	10.2	19.4	31.6	46.3	71.1	98.9	146.0	226.6
1993.....	2.8	5.3	11.0	18.8	32.3	47.7	71.0	101.6	149.3	234.4
1992.....	3.1	5.5	11.8	20.4	31.4	46.9	70.2	103.8	154.6	232.9
1991.....	3.0	6.0	11.7	22.4	32.9	47.6	71.7	105.5	150.1	236.1
1990.....	2.8	6.4	11.9	20.2	33.7	50.6	75.8	109.0	156.2	238.1
1989.....	2.9	5.9	12.7	20.6	33.8	51.9	79.1	114.3	160.5	239.6
1988.....	2.8	6.5	13.2	23.4	35.2	54.4	81.0	111.7	155.1	237.8
1987.....	3.1	7.2	14.0	23.7	36.5	52.8	82.1	116.2	159.0	232.3
1986.....	3.1	6.9	14.4	23.7	37.4	57.6	83.3	115.2	164.2	238.3
1985.....	3.2	7.0	13.3	23.7	38.1	57.5	83.9	122.4	171.4	243.8
1984.....	3.6	7.0	14.5	24.5	38.9	61.6	88.8	124.3	171.8	247.4
1983.....	3.4	7.2	13.9	25.2	38.9	57.7	86.0	121.1	168.4	235.6
1982.....	3.6	7.4	14.0	23.9	38.7	60.8	86.0	126.3	173.5	233.1
1981.....	3.7	8.3	14.3	25.5	38.0	58.7	85.0	129.0	178.1	232.1
1980.....	3.7	7.5	14.6	26.1	40.6	60.9	91.4	126.6	180.8	231.3
1979.....	4.0	8.3	14.9	26.0	41.3	61.2	90.9	127.0	177.3	228.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF COLON (153)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER, BOTH SEXES										
1998.....	4.1	8.6	18.9	28.1	48.2	66.6	97.9	126.0	180.1	242.4
1997.....	4.2	10.2	15.9	28.8	47.5	63.2	103.8	124.1	191.8	248.8
1996.....	3.9	9.6	17.3	30.9	47.7	66.6	102.4	128.0	186.4	229.1
1995.....	5.2	9.5	17.2	28.3	47.2	73.7	105.1	141.3	190.1	258.0
1994.....	5.2	9.9	19.9	31.1	47.4	73.0	99.9	131.5	193.7	245.4
1993.....	4.2	9.8	19.1	31.1	48.3	70.9	107.0	143.5	183.0	261.6
1992.....	5.2	8.8	17.8	30.1	47.0	74.3	101.8	133.9	187.6	253.1
1991.....	3.9	9.3	18.8	33.5	48.4	69.8	102.6	137.5	200.6	267.5
1990.....	4.6	10.3	20.6	33.1	50.1	80.3	104.4	154.3	198.4	254.9
1989.....	4.6	7.8	19.2	32.0	50.7	78.6	110.4	152.3	191.0	253.1
1988.....	5.3	8.2	18.3	32.5	52.9	80.1	101.3	136.1	176.3	254.4
1987.....	4.5	10.0	20.7	34.6	56.2	77.7	104.9	147.5	190.3	216.3
1986.....	4.6	10.1	18.2	29.3	53.3	74.9	109.9	146.7	195.6	231.6
1985.....	5.0	10.8	18.9	34.5	56.2	77.8	117.7	147.1	191.9	232.1
1984.....	4.5	10.6	18.7	36.5	53.9	74.2	110.2	136.0	202.2	222.1
1983.....	5.2	9.6	17.8	30.7	52.7	76.7	108.8	134.0	180.5	203.3
1982.....	5.4	9.9	19.0	34.6	53.6	68.8	111.0	132.4	184.9	212.6
1981.....	5.0	10.6	18.9	34.7	47.2	72.5	101.6	140.8	192.1	197.4
1980.....	5.8	9.3	20.2	30.8	48.8	72.8	108.5	133.9	182.4	204.0
1979.....	5.5	10.5	20.8	32.3	53.4	69.4	110.8	136.8	163.8	171.8
ALL OTHER MALE										
1998.....	4.3	8.5	22.3	32.4	58.4	78.8	117.4	147.2	213.1	249.0
1997.....	4.2	11.7	18.3	36.5	57.9	77.5	123.2	154.7	215.6	264.0
1996.....	4.5	10.1	18.4	36.3	56.9	77.7	130.4	150.8	208.4	248.3
1995.....	5.6	9.8	19.0	31.1	58.8	87.4	131.1	169.1	233.0	303.6
1994.....	5.5	10.7	21.7	37.1	56.7	87.7	126.1	163.0	218.2	282.6
1993.....	4.4	11.4	19.5	36.6	59.7	81.5	121.3	166.6	220.3	314.4
1992.....	5.6	8.7	19.7	32.6	54.8	90.2	119.0	177.2	225.3	299.3
1991.....	3.7	10.4	21.9	38.1	60.1	81.8	115.1	158.3	230.2	319.8
1990.....	4.3	10.1	21.0	37.4	60.4	98.3	124.3	192.1	234.5	312.0
1989.....	5.3	8.6	23.5	36.0	55.0	90.3	134.5	190.5	227.3	301.2
1988.....	4.7	8.3	19.8	37.6	63.7	90.9	129.0	156.6	201.7	281.0
1987.....	5.6	9.1	22.3	39.1	64.8	87.4	121.8	179.1	224.1	263.6
1986.....	4.6	9.5	18.2	32.5	59.8	86.9	131.9	183.8	219.4	276.0
1985.....	5.4	11.0	20.0	36.9	63.3	94.6	143.3	164.1	222.9	237.0
1984.....	4.9	11.3	22.3	40.2	60.9	86.1	134.3	154.5	230.7	250.0
1983.....	5.7	10.1	19.8	34.5	61.3	89.2	122.5	153.8	208.2	220.0
1982.....	5.2	11.1	18.8	35.0	60.8	80.0	125.3	159.4	228.7	255.2
1981.....	4.8	13.7	18.3	33.5	53.2	83.4	111.3	162.4	211.0	214.1
1980.....	5.5	9.5	19.9	35.5	56.6	83.5	120.3	157.4	199.5	245.2
1979.....	5.5	10.1	21.6	32.8	55.0	72.9	121.6	139.0	197.7	198.3



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF COLON (153)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	4.0	8.6	16.0	24.7	40.4	57.4	84.2	111.9	161.4	239.4
1997.....	4.2	8.9	14.0	22.5	39.5	52.6	90.2	104.1	178.5	241.9
1996.....	3.4	9.1	16.4	26.5	40.7	58.3	82.9	113.2	174.1	220.4
1995.....	4.9	9.1	15.6	26.1	38.2	63.5	87.1	123.6	166.5	238.2
1994.....	5.0	9.2	18.4	26.3	40.2	62.0	81.8	111.6	180.2	229.2
1993.....	4.0	8.4	18.6	26.6	39.5	63.2	97.1	129.1	162.2	238.5
1992.....	4.7	9.0	16.1	28.0	41.0	62.5	90.0	107.1	166.3	232.2
1991.....	4.2	8.3	16.2	29.7	39.5	60.9	94.3	124.6	183.0	242.3
1990.....	4.9	10.5	20.3	29.6	42.2	67.1	90.8	130.8	178.0	229.0
1989.....	4.0	7.1	15.5	28.8	47.5	69.8	93.9	128.5	170.3	230.9
1988.....	5.7	8.2	17.1	28.4	44.6	72.1	82.6	123.1	160.8	242.0
1987.....	3.7	10.8	19.5	31.0	49.6	70.4	93.3	127.4	170.9	193.9
1986.....	4.7	10.6	18.2	26.6	48.3	66.0	94.8	122.8	183.0	210.3
1985.....	4.6	10.5	18.0	32.5	50.6	65.2	100.0	136.0	173.9	231.3
1984.....	4.2	9.9	15.7	33.5	48.4	65.1	93.2	123.7	184.4	208.3
1983.....	4.8	9.2	16.3	27.6	45.8	67.4	99.3	120.7	164.2	195.0
1982.....	5.5	8.9	19.1	34.2	47.9	60.4	100.7	113.7	158.6	189.5
1981.....	5.2	8.0	19.4	35.8	42.3	64.2	94.3	126.2	180.7	188.9
1980.....	6.1	9.1	20.4	26.9	42.6	64.5	99.7	117.9	171.9	182.9
1979.....	5.4	10.9	20.1	31.8	52.1	66.9	102.6	135.3	143.8	159.6
BLACK, BOTH SEXES										
1998.....	4.8	10.0	22.8	33.4	57.8	76.2	114.4	145.5	204.6	269.5
1997.....	4.8	12.4	18.8	34.8	57.7	73.4	122.0	141.3	216.7	281.7
1996.....	4.8	11.5	20.9	37.6	54.6	76.5	120.9	142.4	207.1	256.0
1995.....	6.0	11.4	20.6	34.4	55.8	85.2	122.7	158.6	211.5	271.5
1994.....	6.3	12.0	24.0	38.5	55.8	83.8	112.3	145.7	210.9	261.2
1993.....	4.9	11.8	23.4	35.9	55.4	82.1	122.2	161.8	200.5	277.4
1992.....	6.4	10.2	21.0	35.1	52.7	84.8	116.2	150.4	211.5	274.6
1991.....	4.6	11.4	22.4	39.7	55.8	79.4	114.3	152.8	222.9	290.9
1990.....	5.5	12.7	24.1	38.5	58.2	90.6	116.8	171.9	215.4	275.8
1989.....	5.7	8.8	23.2	37.1	57.2	89.9	120.8	166.2	204.3	267.7
1988.....	6.5	9.3	21.0	37.0	59.3	92.0	112.1	152.0	187.9	266.8
1987.....	5.2	10.9	24.3	39.6	63.6	87.8	115.7	159.5	205.7	226.0
1986.....	5.5	11.6	21.1	32.9	59.4	82.5	121.8	160.7	211.0	251.2
1985.....	5.6	12.8	21.5	38.5	63.2	84.4	128.3	160.5	204.5	250.8
1984.....	5.3	12.4	21.2	40.6	59.6	80.1	121.6	147.8	215.7	226.8
1983.....	6.1	11.0	19.8	34.3	58.0	85.7	119.0	146.6	193.0	206.0
1982.....	6.2	11.5	21.1	38.8	58.8	74.6	120.7	143.6	195.0	221.6
1981.....	6.1	12.3	20.5	37.9	49.8	78.7	111.2	151.7	202.4	210.7
1980.....	6.7	10.6	21.9	33.1	53.3	76.5	117.3	141.0	193.8	215.6
1979.....	6.4	11.1	21.6	35.0	56.7	72.8	118.5	142.9	171.1	171.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF COLON (153)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BLACK MALE										
1998.....	5.1	10.1	27.1	39.5	70.0	90.5	135.0	165.1	246.3	292.7
1997.....	4.8	14.6	22.3	45.1	70.7	89.8	147.1	174.8	247.2	310.8
1996.....	5.6	12.3	23.4	45.3	65.4	87.8	153.4	170.2	239.7	283.2
1995.....	6.3	11.9	22.8	37.8	68.7	100.7	151.9	192.3	264.7	334.6
1994.....	6.7	12.9	26.4	46.0	65.6	101.3	142.9	178.9	249.1	302.5
1993.....	5.4	14.0	24.5	42.8	69.7	95.0	139.2	192.0	246.6	336.1
1992.....	7.4	10.0	23.9	37.9	62.8	103.5	137.4	200.9	266.1	335.9
1991.....	4.4	13.5	26.1	46.3	68.5	93.5	126.5	175.7	261.4	359.4
1990.....	5.3	12.6	25.3	45.0	69.4	111.2	141.1	216.6	265.4	341.0
1989.....	6.4	10.3	29.8	42.2	59.9	103.6	146.4	209.0	244.3	328.8
1988.....	6.0	9.1	23.3	42.9	71.3	102.6	143.2	175.1	226.6	300.0
1987.....	6.5	10.5	26.3	44.9	73.1	99.1	135.3	189.1	242.4	276.6
1986.....	5.5	12.1	21.1	36.2	66.0	94.5	145.6	202.9	231.1	301.6
1985.....	6.1	13.0	21.8	40.4	71.4	100.9	157.3	177.6	232.2	258.1
1984.....	5.8	13.7	25.0	44.7	65.9	93.5	151.4	168.3	251.2	260.7
1983.....	6.8	12.0	21.4	38.0	66.5	100.0	134.0	168.5	222.0	225.0
1982.....	6.4	13.0	20.9	39.4	66.0	85.3	136.8	175.2	245.0	267.2
1981.....	5.9	16.4	19.5	36.2	55.1	89.2	122.2	178.5	227.3	226.8
1980.....	6.3	11.0	21.7	38.0	62.2	86.9	130.8	164.1	203.9	262.2
1979.....	6.6	10.9	22.6	36.2	58.3	74.9	129.6	145.3	203.9	196.2
BLACK FEMALE										
1998.....	4.5	10.0	19.3	28.6	48.6	65.5	100.2	133.0	182.8	259.8
1997.....	4.9	10.5	15.9	26.8	47.9	61.1	104.8	120.2	201.0	269.7
1996.....	4.1	10.9	18.9	31.7	46.5	68.1	98.7	125.1	190.3	244.9
1995.....	5.8	11.0	18.8	31.6	46.2	73.6	103.0	137.9	184.5	245.8
1994.....	6.0	11.3	22.1	32.6	48.4	70.8	91.8	125.6	191.4	244.4
1993.....	4.4	9.9	22.5	30.4	44.6	72.6	110.8	144.0	176.7	253.4
1992.....	5.6	10.4	18.7	32.9	45.0	71.2	102.1	120.9	183.2	249.0
1991.....	4.8	9.7	19.4	34.5	46.1	69.2	106.3	139.3	203.1	262.0
1990.....	5.6	12.8	23.2	33.4	49.9	75.7	100.8	145.7	189.5	248.1
1989.....	5.1	7.7	17.8	33.1	55.1	79.9	104.2	140.9	183.2	243.1
1988.....	6.9	9.5	19.0	32.2	50.2	84.3	91.3	138.2	167.4	252.3
1987.....	4.2	11.3	22.6	35.5	56.2	79.6	102.4	141.5	186.0	203.5
1986.....	5.4	11.3	21.0	30.3	54.3	73.7	105.9	134.9	200.0	228.3
1985.....	5.1	12.7	21.2	36.9	56.8	72.3	109.1	149.8	189.2	247.4
1984.....	4.8	11.4	18.0	37.2	54.6	70.2	101.6	135.0	196.1	210.9
1983.....	5.5	10.2	18.4	31.3	51.5	75.2	109.2	132.0	176.6	196.8
1982.....	6.0	10.3	21.2	38.3	53.3	66.7	109.7	123.9	165.9	199.2
1981.....	6.2	8.8	21.2	39.3	45.7	71.2	103.5	134.4	187.9	200.9
1980.....	7.0	10.3	22.0	29.0	46.2	68.8	107.6	126.0	187.8	192.4
1979.....	6.2	11.3	20.8	34.0	55.3	71.2	110.5	140.7	150.8	159.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	0.2	*	0.5	0.9
1997.....	*	*	*	*	*	*	0.3	0.4	0.5	1.2
1996.....	*	*	*	*	*	0.2	0.3	0.4	*	1.0
1995.....	*	*	*	*	*	0.3	0.4	0.4	0.6	1.2
1994.....	*	*	*	*	*	*	0.4	0.7	0.8	1.4
1993.....	*	*	*	*	*	0.2	0.3	0.6	0.7	1.2
1992.....	*	*	*	*	*	*	0.4	0.5	1.3	1.5
1991.....	*	*	*	*	*	0.2	0.4	0.7	0.9	1.5
1990.....	*	*	*	*	0.2	0.3	0.4	0.7	0.9	2.2
1989.....	*	*	*	*	0.2	0.4	0.5	0.8	1.4	2.3
1988.....	*	*	*	*	*	0.3	0.6	0.8	1.2	2.6
1987.....	*	*	*	0.2	0.3	0.4	0.6	1.0	1.4	2.9
1986.....	*	*	*	0.2	0.2	0.5	0.8	1.4	2.0	3.1
1985.....	*	*	0.2	0.2	0.3	0.5	0.6	1.7	2.0	4.0
1984.....	*	*	*	0.3	0.4	0.7	1.2	1.7	2.6	4.2
1983.....	*	*	*	0.3	0.3	0.8	1.2	1.8	2.4	4.9
1982.....	*	*	*	0.3	0.6	1.0	1.3	2.1	2.8	4.6
1981.....	*	*	0.2	0.4	0.6	1.0	1.6	2.3	3.6	4.8
1980.....	0.0	0.1	0.3	0.4	0.7	1.2	1.5	2.9	3.4	6.1
1979.....	0.1	0.1	0.2	0.4	0.8	1.2	2.0	2.6	4.4	6.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	0.9	1.5	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	0.5	*	1.5	2.2
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	0.9	*	2.6
1989.....	*	*	*	*	*	*	*	*	2.0	2.4
1988.....	*	*	*	*	*	0.5	0.6	0.9	1.6	3.6
1987.....	*	*	*	*	*	0.5	*	0.9	*	3.9
1986.....	*	*	*	*	*	0.6	1.0	1.5	2.7	4.1
1985.....	*	*	*	*	*	0.5	0.9	2.0	2.5	4.2
1984.....	*	*	*	0.4	0.4	0.8	1.7	2.4	3.5	5.6
1983.....	*	*	*	*	0.4	1.1	1.3	2.6	3.2	6.0
1982.....	*	*	*	*	0.4	1.0	1.4	2.1	2.1	5.0
1981.....	*	*	*	0.4	0.5	1.0	1.7	2.9	3.1	5.8
1980.....	0.0	0.2	0.2	0.4	0.8	1.5	1.8	3.4	3.8	7.2
1979.....	0.1	0.2	0.2	0.5	1.0	1.5	2.2	2.9	4.7	5.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	0.8
1997.....	*	*	*	*	*	*	*	*	*	1.1
1996.....	*	*	*	*	*	*	*	*	*	1.0
1995.....	*	*	*	*	*	*	*	*	*	1.2
1994.....	*	*	*	*	*	*	*	*	*	1.3
1993.....	*	*	*	*	*	*	*	0.6	*	1.2
1992.....	*	*	*	*	*	*	*	*	1.2	1.2
1991.....	*	*	*	*	*	*	*	0.7	0.8	1.7
1990.....	*	*	*	*	*	*	*	0.6	*	2.0
1989.....	*	*	*	*	*	*	0.5	0.8	1.1	2.2
1988.....	*	*	*	*	*	*	0.6	0.8	1.0	2.2
1987.....	*	*	*	*	*	*	0.6	1.0	1.4	2.6
1986.....	*	*	*	*	*	*	0.7	1.3	1.7	2.8
1985.....	*	*	*	*	*	0.5	*	1.5	1.8	3.9
1984.....	*	*	*	*	0.4	0.5	0.9	1.3	2.1	3.6
1983.....	*	*	*	*	*	0.6	1.1	1.3	2.0	4.5
1982.....	*	*	*	0.3	0.7	0.9	1.2	2.0	3.1	4.4
1981.....	*	*	*	0.3	0.6	1.0	1.6	2.0	3.8	4.4
1980.....	0.1	0.1	0.3	0.4	0.7	0.9	1.3	2.5	3.1	5.6
1979.....	0.1	0.1	0.2	0.4	0.6	1.1	1.9	2.3	4.3	6.3
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	0.6	0.9
1997.....	*	*	*	*	*	*	0.3	0.4	0.5	1.1
1996.....	*	*	*	*	*	*	0.3	0.4	*	1.1
1995.....	*	*	*	*	*	0.3	0.4	0.4	0.5	1.3
1994.....	*	*	*	*	*	*	0.4	0.7	0.8	1.4
1993.....	*	*	*	*	*	0.2	0.3	0.6	0.6	1.3
1992.....	*	*	*	*	*	*	0.3	0.5	1.4	1.5
1991.....	*	*	*	*	*	0.2	0.4	0.8	1.0	1.6
1990.....	*	*	*	*	0.2	0.2	0.4	0.7	0.8	2.0
1989.....	*	*	*	*	*	0.3	0.5	0.8	1.4	2.4
1988.....	*	*	*	*	*	0.3	0.6	0.8	1.3	2.6
1987.....	*	*	*	*	0.2	0.4	0.6	1.0	1.4	3.0
1986.....	*	*	*	0.2	0.2	0.5	0.8	1.4	2.1	3.1
1985.....	*	*	*	*	0.3	0.5	0.7	1.6	2.0	4.0
1984.....	*	*	*	0.3	0.4	0.6	1.3	1.6	2.7	4.1
1983.....	*	*	*	0.3	0.4	0.7	1.2	1.9	2.4	4.8
1982.....	*	*	*	0.3	0.5	0.9	1.2	2.1	2.8	4.6
1981.....	*	*	0.2	0.3	0.6	1.0	1.6	2.4	3.6	4.8
1980.....	0.0	0.1	0.2	0.4	0.7	1.2	1.5	2.9	3.5	6.2
1979.....	0.0	0.1	0.3	0.4	0.7	1.2	2.0	2.5	4.2	6.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	0.9	1.6	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	1.7	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	2.0	*
1988.....	*	*	*	*	*	*	*	*	1.7	3.4
1987.....	*	*	*	*	*	0.5	*	*	*	3.9
1986.....	*	*	*	*	*	0.6	1.1	1.5	2.8	4.1
1985.....	*	*	*	*	*	0.5	1.0	1.9	2.5	4.5
1984.....	*	*	*	*	*	0.7	1.7	2.3	3.5	5.3
1983.....	*	*	*	*	*	1.0	1.3	2.6	3.0	6.0
1982.....	*	*	*	*	*	1.0	1.3	2.2	2.1	5.1
1981.....	*	*	*	*	0.5	1.0	1.7	3.0	3.1	5.7
1980.....	0.0	0.1	0.2	0.4	0.8	1.5	1.8	3.5	4.0	7.4
1979.....	0.0	0.1	0.3	0.4	0.9	1.4	2.2	2.9	4.6	6.2
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	0.8
1997.....	*	*	*	*	*	*	*	*	*	1.0
1996.....	*	*	*	*	*	*	*	*	*	1.1
1995.....	*	*	*	*	*	*	*	*	*	1.3
1994.....	*	*	*	*	*	*	*	*	*	1.3
1993.....	*	*	*	*	*	*	*	0.6	*	1.3
1992.....	*	*	*	*	*	*	*	*	1.2	1.2
1991.....	*	*	*	*	*	*	*	0.8	0.9	1.8
1990.....	*	*	*	*	*	*	*	*	*	1.8
1989.....	*	*	*	*	*	*	0.5	0.8	1.1	2.3
1988.....	*	*	*	*	*	*	0.6	0.8	1.1	2.3
1987.....	*	*	*	*	*	*	0.7	1.0	1.4	2.7
1986.....	*	*	*	*	*	*	0.7	1.3	1.7	2.8
1985.....	*	*	*	*	*	0.5	*	1.5	1.8	3.8
1984.....	*	*	*	*	0.5	0.5	1.0	1.2	2.2	3.6
1983.....	*	*	*	*	*	0.6	1.2	1.4	2.1	4.4
1982.....	*	*	*	*	0.7	0.9	1.2	2.0	3.1	4.4
1981.....	*	*	*	*	0.6	1.0	1.6	2.1	3.8	4.4
1980.....	0.1	0.1	0.2	0.4	0.7	0.9	1.3	2.5	3.3	5.7
1979.....	0.1	0.1	0.3	0.4	0.6	1.0	1.9	2.2	4.0	6.6

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.4	0.4	0.6	1.3	1.6	2.5	1.7	4.5
1979.....	0.1	0.1	-	0.4	1.3	1.7	2.3	3.4	6.7	1.7

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	-	0.5	0.4	1.6	1.8	2.2	2.3	4.9
1979.....	0.1	0.3	-	0.5	2.3	1.8	2.3	3.3	5.8	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.7	0.3	0.7	1.2	1.4	2.7	1.4	4.2
1979.....	0.1	-	-	0.3	0.4	1.6	2.3	3.5	7.3	2.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	0.4	0.5	0.7	1.4	1.8	2.8	2.0	5.0
1979.....	0.1	0.2	-	0.5	1.3	1.8	2.6	3.5	7.5	1.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.4	-	0.6	0.5	1.5	2.1	2.6	2.7	5.7
1979.....	0.2	0.4	-	0.6	2.4	2.1	2.7	3.1	6.5	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.8	0.3	0.8	1.3	1.5	3.0	1.6	4.7
1979.....	-	-	-	0.3	0.4	1.5	2.5	3.8	8.1	1.9



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DESCENDING COLON (153.2)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.4	0.5	*
1997.....	*	*	*	*	*	0.2	*	0.5	0.5	0.9
1996.....	*	*	*	*	*	*	0.3	0.4	0.6	0.8
1995.....	*	*	*	*	*	0.3	0.5	0.7	0.7	1.0
1994.....	*	*	*	*	*	0.3	0.4	0.4	0.7	1.1
1993.....	*	*	*	*	*	*	0.3	0.5	0.6	1.0
1992.....	*	*	*	*	0.2	0.3	0.3	0.5	0.8	1.0
1991.....	*	*	*	*	*	0.4	0.3	0.9	0.8	0.8
1990.....	*	*	*	*	*	0.4	0.5	0.6	1.0	1.5
1989.....	*	*	*	*	0.2	0.2	0.5	0.7	1.0	1.5
1988.....	*	*	*	*	*	0.3	0.4	0.8	1.1	1.4
1987.....	*	*	*	*	0.2	0.4	0.7	1.1	1.6	2.2
1986.....	*	*	*	*	0.3	0.5	0.7	1.0	1.1	1.9
1985.....	*	*	*	0.2	0.3	0.7	1.0	1.2	1.7	2.5
1984.....	*	*	0.2	0.2	0.5	0.8	0.6	1.4	2.2	3.0
1983.....	*	*	0.2	0.2	0.5	0.6	1.3	1.3	2.5	2.7
1982.....	*	*	*	0.4	0.6	0.8	1.2	1.9	2.5	3.3
1981.....	*	*	0.2	0.4	0.6	0.9	1.5	1.9	2.7	3.6
1980.....	0.1	0.2	0.1	0.3	0.7	1.0	1.4	2.4	3.4	3.5
1979.....	0.0	0.2	0.2	0.3	0.8	1.0	2.0	2.2	3.3	3.7
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	0.7	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	0.5	0.8	0.9	*	*
1994.....	*	*	*	*	*	0.4	0.5	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	0.5	*	*	*	*
1991.....	*	*	*	*	*	*	*	1.2	*	*
1990.....	*	*	*	*	*	0.5	0.7	*	1.5	*
1989.....	*	*	*	*	*	*	0.7	*	1.6	*
1988.....	*	*	*	*	*	*	*	1.1	*	*
1987.....	*	*	*	*	*	0.5	1.0	1.4	2.7	3.5
1986.....	*	*	*	*	*	0.6	0.9	1.2	*	*
1985.....	*	*	*	*	*	1.0	1.5	1.6	2.1	3.3
1984.....	*	*	*	*	0.5	1.1	1.0	2.0	2.6	3.9
1983.....	*	*	*	*	0.7	0.7	1.6	1.8	3.5	*
1982.....	*	*	*	0.5	0.7	0.8	1.8	2.4	2.6	4.3
1981.....	*	*	*	*	0.9	1.0	1.8	2.7	3.9	4.9
1980.....	0.0	0.2	0.2	0.4	0.7	1.4	1.9	3.2	3.9	3.4
1979.....	0.0	0.2	0.2	0.3	0.8	1.2	2.4	3.0	5.2	4.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DESCENDING COLON (153.2)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	0.8
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	0.5	*	1.0
1994.....	*	*	*	*	*	*	*	*	*	1.1
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	0.4	*	0.7	*	*
1990.....	*	*	*	*	*	*	*	*	*	1.3
1989.....	*	*	*	*	*	*	*	0.7	*	1.3
1988.....	*	*	*	*	*	*	*	0.6	1.1	1.1
1987.....	*	*	*	*	*	*	0.5	0.8	1.1	1.7
1986.....	*	*	*	*	0.4	0.5	0.5	0.9	0.9	1.9
1985.....	*	*	*	*	*	0.6	0.6	1.0	1.4	2.2
1984.....	*	*	*	*	0.5	0.5	*	1.1	2.0	2.7
1983.....	*	*	*	*	*	0.5	1.1	0.9	1.9	2.9
1982.....	*	*	*	*	0.5	0.8	0.8	1.6	2.5	2.8
1981.....	*	*	*	0.4	*	0.8	1.2	1.4	2.1	3.1
1980.....	0.1	0.1	0.1	0.3	0.7	0.7	1.0	1.8	3.1	3.5
1979.....	0.0	0.2	0.3	0.3	0.9	0.9	1.6	1.7	2.4	3.2
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.3	0.5	*
1997.....	*	*	*	*	*	*	*	0.5	0.5	0.9
1996.....	*	*	*	*	*	*	0.3	0.4	0.6	0.8
1995.....	*	*	*	*	*	0.3	0.5	0.7	0.6	0.9
1994.....	*	*	*	*	*	0.3	0.3	0.4	0.6	1.1
1993.....	*	*	*	*	*	*	0.3	0.4	0.5	0.9
1992.....	*	*	*	*	*	0.3	0.3	0.4	0.7	1.1
1991.....	*	*	*	*	*	0.4	0.3	0.8	0.8	0.7
1990.....	*	*	*	*	*	0.4	0.5	0.5	1.0	1.4
1989.....	*	*	*	*	*	0.3	0.6	0.6	1.1	1.4
1988.....	*	*	*	*	*	0.3	0.4	0.8	1.0	1.3
1987.....	*	*	*	*	*	0.3	0.6	1.1	1.5	2.2
1986.....	*	*	*	*	0.4	0.5	0.7	1.0	1.1	1.8
1985.....	*	*	*	*	0.3	0.8	1.0	1.3	1.6	2.5
1984.....	*	*	*	0.2	0.5	0.8	0.6	1.5	2.2	3.1
1983.....	*	*	*	*	0.4	0.6	1.3	1.2	2.5	2.9
1982.....	*	*	*	0.4	0.5	0.8	1.2	1.8	2.6	3.4
1981.....	*	*	0.2	0.4	0.6	0.9	1.5	1.9	2.7	3.6
1980.....	0.0	0.2	0.1	0.4	0.7	1.0	1.3	2.3	3.3	3.5
1979.....	0.0	0.2	0.2	0.3	0.8	1.0	2.1	2.1	3.4	4.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DESCENDING COLON (153.2)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	0.8	0.9	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	0.5	*	*	*	*
1991.....	*	*	*	*	*	*	*	1.2	*	*
1990.....	*	*	*	*	*	*	0.7	*	1.6	*
1989.....	*	*	*	*	*	*	0.8	*	1.7	*
1988.....	*	*	*	*	*	*	*	1.0	*	*
1987.....	*	*	*	*	*	*	0.8	1.5	2.6	3.1
1986.....	*	*	*	*	*	0.5	1.0	1.2	*	*
1985.....	*	*	*	*	*	1.0	1.4	1.6	*	3.5
1984.....	*	*	*	*	0.5	1.1	0.9	2.0	2.5	4.0
1983.....	*	*	*	*	0.6	0.8	1.6	1.9	3.5	*
1982.....	*	*	*	0.5	0.6	0.7	1.6	2.4	2.8	4.5
1981.....	*	*	*	*	0.9	1.0	1.7	2.8	3.9	5.0
1980.....	0.0	0.2	0.2	0.4	0.7	1.4	1.9	3.1	4.0	3.5
1979.....	0.0	0.1	0.2	0.3	0.7	1.2	2.5	2.7	5.2	5.2
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	0.8
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	0.6	*	0.9
1994.....	*	*	*	*	*	*	*	*	*	1.2
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	1.1
1989.....	*	*	*	*	*	*	*	0.6	*	1.3
1988.....	*	*	*	*	*	*	*	0.6	1.0	*
1987.....	*	*	*	*	*	*	0.5	0.8	0.9	1.8
1986.....	*	*	*	*	0.4	0.5	0.5	0.9	*	1.9
1985.....	*	*	*	*	*	0.6	0.7	1.1	1.5	2.1
1984.....	*	*	*	*	0.5	0.5	*	1.1	2.1	2.8
1983.....	*	*	*	*	*	*	1.1	0.8	1.9	3.0
1982.....	*	*	*	*	0.5	0.9	0.9	1.4	2.5	3.0
1981.....	*	*	*	0.4	*	0.8	1.3	1.4	2.1	3.0
1980.....	0.1	0.2	0.1	0.3	0.7	0.7	0.9	1.9	2.9	3.5
1979.....	0.0	0.2	0.3	0.3	0.9	0.9	1.8	1.7	2.5	3.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DESCENDING COLON (153.2)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.3	0.2	0.9	1.1	1.7	2.5	4.8	2.8
1979.....	-	0.1	0.2	0.7	0.8	1.1	1.0	2.7	2.2	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.5	0.5	1.6	1.3	1.8	4.5	3.4	1.6
1979.....	-	0.3	0.2	0.5	0.9	1.6	1.9	4.9	4.7	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 DESCENDING COLON (153.2)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.1	-	0.4	1.0	1.6	1.1	5.6	3.4
1979.....	-	-	0.3	0.9	0.8	0.8	0.3	1.2	0.7	-

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.3	0.2	0.9	1.0	1.9	2.8	4.5	3.1
1979.....	-	0.1	0.3	0.9	0.7	1.0	1.1	2.8	2.0	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DESCENDING COLON (153.2)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.4	0.4	1.6	0.9	2.1	5.2	4.0	1.9
1979.....	-	0.2	0.2	0.6	0.5	1.5	2.2	5.0	5.2	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.2	-	0.4	1.1	1.8	1.3	4.8	3.8
1979.....	-	-	0.3	1.0	0.9	0.7	0.3	1.3	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SIGMOID COLON (153.3)										
TOTAL, BOTH SEXES										
1998.....	*	*	0.2	0.3	0.5	0.8	1.1	1.6	1.8	3.7
1997.....	*	*	0.3	0.5	0.6	0.9	1.3	2.2	3.1	3.7
1996.....	*	*	0.2	0.3	0.8	1.0	1.2	1.8	2.6	4.2
1995.....	*	0.1	0.2	0.4	0.6	1.1	1.6	2.5	3.1	4.9
1994.....	*	*	0.2	0.4	0.8	1.1	1.8	2.3	3.3	5.4
1993.....	*	*	0.2	0.4	0.8	1.1	1.7	2.4	3.2	5.2
1992.....	*	*	0.3	0.4	0.8	1.3	1.9	2.3	4.2	5.3
1991.....	*	*	0.3	0.5	0.9	1.3	1.9	3.0	4.1	6.7
1990.....	*	0.2	0.3	0.5	0.8	1.4	1.9	3.0	4.6	6.7
1989.....	*	*	0.3	0.6	0.9	1.4	2.6	3.6	5.2	7.5
1988.....	*	0.2	0.4	0.6	1.1	1.9	2.9	3.7	5.5	8.1
1987.....	*	0.3	0.6	0.8	1.2	1.9	3.2	4.7	6.7	9.1
1986.....	*	0.2	0.4	0.9	1.3	2.2	3.2	4.6	7.1	9.8
1985.....	*	0.2	0.6	0.9	1.6	2.5	3.6	5.5	7.6	11.5
1984.....	*	*	0.5	1.0	1.6	2.7	4.1	6.7	9.1	12.7
1983.....	*	0.2	0.6	1.1	1.8	2.7	4.7	7.1	9.5	13.3
1982.....	0.2	0.3	0.6	1.2	2.3	3.0	5.0	8.0	10.0	15.5
1981.....	*	0.5	0.9	1.5	2.3	4.0	5.6	8.2	12.7	16.4
1980.....	0.3	0.5	0.9	1.6	2.6	4.5	6.3	9.8	13.1	16.1
1979.....	0.3	0.5	1.0	1.9	3.0	4.4	7.7	11.0	13.7	19.1
TOTAL, MALE										
1998.....	*	*	*	0.4	0.6	1.0	1.5	2.1	2.3	3.8
1997.....	*	*	0.3	0.5	0.9	1.4	1.7	2.8	3.9	4.9
1996.....	*	*	*	0.4	1.0	1.1	1.8	2.1	3.3	5.1
1995.....	*	*	*	0.5	0.8	1.5	1.9	3.1	3.9	6.0
1994.....	*	*	*	0.4	0.8	1.5	2.2	2.6	3.8	7.1
1993.....	*	*	*	0.5	1.1	1.4	2.1	2.9	4.6	7.3
1992.....	*	*	*	0.4	0.9	1.8	2.3	2.8	5.4	6.6
1991.....	*	*	*	0.5	1.1	1.8	2.3	3.4	5.0	8.6
1990.....	*	*	*	0.5	1.2	1.8	2.6	4.4	5.4	9.2
1989.....	*	*	0.4	0.7	1.1	1.8	3.5	4.7	6.2	8.7
1988.....	*	*	*	0.7	1.3	2.2	4.0	4.3	7.0	10.4
1987.....	*	*	0.6	0.9	1.6	2.3	4.0	6.0	8.8	12.0
1986.....	*	*	0.4	1.2	1.6	2.6	3.8	6.1	9.8	12.2
1985.....	*	*	0.7	1.2	2.0	3.3	5.1	7.0	10.6	13.5
1984.....	*	*	0.4	1.0	1.7	3.7	4.7	8.5	11.4	15.0
1983.....	*	*	0.6	1.2	2.2	3.2	6.8	9.1	12.3	18.2
1982.....	*	*	0.7	1.4	2.9	3.7	5.8	11.0	11.5	19.8
1981.....	*	0.4	0.9	1.5	2.6	4.6	6.9	10.7	14.8	22.7
1980.....	0.3	0.4	1.0	1.7	3.3	5.8	7.5	12.3	17.4	17.3
1979.....	0.2	0.5	1.2	2.0	3.4	5.6	9.3	13.9	17.6	24.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SIGMOID COLON (153.3)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	0.6	0.7	1.2	1.4	3.6
1997.....	*	*	0.3	0.4	0.4	0.5	1.0	1.8	2.6	3.3
1996.....	*	*	*	*	0.6	0.9	0.7	1.7	2.2	3.8
1995.....	*	*	*	*	0.5	0.7	1.4	2.0	2.7	4.4
1994.....	*	*	*	0.4	0.7	0.8	1.6	2.0	3.0	4.7
1993.....	*	*	*	*	0.6	0.9	1.5	2.1	2.4	4.5
1992.....	*	*	0.3	0.4	0.6	0.9	1.7	1.9	3.5	4.8
1991.....	*	*	0.4	0.4	0.7	1.0	1.5	2.7	3.6	5.9
1990.....	*	*	*	0.4	0.5	1.1	1.4	2.2	4.1	5.7
1989.....	*	*	*	0.5	0.7	1.1	1.9	2.9	4.7	7.1
1988.....	*	*	0.4	0.4	1.0	1.6	2.2	3.4	4.7	7.2
1987.....	*	*	0.6	0.7	0.9	1.6	2.7	3.9	5.6	8.0
1986.....	*	*	0.4	0.7	1.1	1.8	2.7	3.6	5.7	8.9
1985.....	*	*	0.4	0.7	1.4	2.0	2.4	4.6	6.1	10.8
1984.....	*	*	0.5	1.0	1.5	1.9	3.7	5.6	7.9	11.8
1983.....	*	*	0.6	1.0	1.5	2.3	3.2	5.8	8.0	11.3
1982.....	*	0.4	0.5	1.0	1.9	2.4	4.4	6.1	9.3	13.7
1981.....	*	0.5	0.9	1.4	2.0	3.5	4.7	6.6	11.5	13.7
1980.....	0.2	0.5	0.9	1.4	2.1	3.5	5.3	8.2	10.9	15.5
1979.....	0.3	0.5	0.9	1.8	2.7	3.5	6.6	9.2	11.6	16.9
WHITE, BOTH SEXES										
1998.....	*	*	0.1	0.3	0.5	0.7	1.0	1.5	1.9	3.5
1997.....	*	*	0.3	0.4	0.6	0.9	1.4	2.2	3.1	3.7
1996.....	*	*	0.2	0.3	0.8	0.9	1.2	1.7	2.6	4.3
1995.....	*	0.1	0.2	0.3	0.6	1.1	1.6	2.5	3.1	4.9
1994.....	*	*	0.2	0.4	0.7	1.1	1.9	2.3	3.2	5.4
1993.....	*	*	0.2	0.4	0.8	1.1	1.8	2.5	3.1	5.3
1992.....	*	*	0.3	0.4	0.8	1.3	1.8	2.3	4.3	5.3
1991.....	*	*	0.3	0.5	0.9	1.4	1.8	2.9	4.1	6.7
1990.....	*	0.2	0.3	0.5	0.8	1.4	1.8	3.1	4.5	6.8
1989.....	*	*	0.3	0.5	0.9	1.4	2.5	3.7	5.2	7.7
1988.....	*	0.2	0.4	0.6	1.1	1.9	3.0	3.9	5.5	8.0
1987.....	*	0.2	0.6	0.8	1.3	2.0	3.3	4.8	6.7	9.3
1986.....	*	0.2	0.4	0.9	1.3	2.2	3.1	4.7	7.2	9.9
1985.....	*	0.2	0.5	0.9	1.6	2.6	3.5	5.5	7.8	11.8
1984.....	*	*	0.4	1.0	1.6	2.7	4.1	6.8	9.0	13.2
1983.....	*	*	0.6	1.1	1.9	2.8	4.9	7.3	9.8	13.6
1982.....	*	0.3	0.6	1.2	2.4	3.1	5.0	8.2	10.2	15.4
1981.....	*	0.4	0.9	1.4	2.4	4.0	5.7	8.3	12.9	16.7
1980.....	0.3	0.5	0.9	1.6	2.8	4.8	6.3	10.1	13.3	16.3
1979.....	0.3	0.5	1.0	1.9	3.1	4.4	7.7	11.5	14.0	19.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SIGMOID COLON (153.3)										
WHITE MALE										
1998.....	*	*	*	*	0.6	0.9	1.5	2.1	2.4	3.8
1997.....	*	*	0.3	0.5	0.9	1.4	1.8	2.7	3.8	4.8
1996.....	*	*	*	0.4	1.0	1.0	1.7	1.9	3.5	5.2
1995.....	*	*	*	0.5	0.7	1.5	1.9	3.1	3.8	6.2
1994.....	*	*	*	*	0.7	1.6	2.3	2.5	3.8	7.1
1993.....	*	*	*	0.5	1.0	1.4	2.2	3.0	4.8	7.4
1992.....	*	*	*	*	0.9	1.7	2.2	2.8	5.4	6.3
1991.....	*	*	*	0.5	1.2	1.9	2.3	3.2	5.2	8.4
1990.....	*	*	*	0.5	1.2	1.8	2.5	4.6	5.4	9.3
1989.....	*	*	*	0.6	1.1	1.7	3.3	4.7	6.0	8.8
1988.....	*	*	*	0.8	1.3	2.2	4.1	4.6	7.1	10.4
1987.....	*	*	0.5	0.9	1.6	2.4	4.1	6.3	8.6	12.5
1986.....	*	*	*	1.2	1.6	2.7	3.9	6.2	10.0	12.1
1985.....	*	*	0.7	1.2	1.9	3.3	5.0	7.2	10.8	14.0
1984.....	*	*	*	1.0	1.7	3.8	4.7	8.8	11.5	15.4
1983.....	*	*	0.6	1.3	2.2	3.4	7.0	9.3	12.8	18.6
1982.....	*	*	0.7	1.4	3.0	3.8	5.8	11.2	11.6	19.5
1981.....	*	*	0.9	1.5	2.7	4.6	7.1	10.7	14.7	23.5
1980.....	0.3	0.4	0.9	1.8	3.4	6.3	7.6	12.8	17.4	17.2
1979.....	0.2	0.4	1.2	1.9	3.5	5.8	9.4	14.6	17.9	24.8
WHITE FEMALE										
1998.....	*	*	*	*	*	0.6	0.6	1.1	1.6	3.3
1997.....	*	*	*	0.4	*	0.5	1.0	1.8	2.7	3.2
1996.....	*	*	*	*	0.6	0.9	0.7	1.6	2.1	3.9
1995.....	*	*	*	*	0.5	0.7	1.3	2.0	2.7	4.4
1994.....	*	*	*	*	0.7	0.8	1.6	2.1	2.9	4.7
1993.....	*	*	*	*	0.6	0.8	1.4	2.1	2.2	4.5
1992.....	*	*	*	*	0.6	0.9	1.6	1.9	3.7	4.9
1991.....	*	*	*	0.5	0.7	1.0	1.4	2.6	3.5	6.0
1990.....	*	*	*	0.4	0.5	1.0	1.3	2.1	4.1	5.8
1989.....	*	*	*	0.5	0.7	1.1	1.9	3.0	4.8	7.2
1988.....	*	*	0.4	0.5	1.0	1.6	2.2	3.4	4.7	7.1
1987.....	*	*	0.6	0.7	1.0	1.6	2.8	3.9	5.7	8.1
1986.....	*	*	*	0.7	1.0	1.9	2.6	3.8	5.7	9.1
1985.....	*	*	*	0.7	1.4	2.0	2.4	4.5	6.3	10.9
1984.....	*	*	0.5	1.0	1.5	1.9	3.7	5.6	7.7	12.3
1983.....	*	*	0.6	1.0	1.6	2.3	3.3	6.1	8.3	11.7
1982.....	*	0.4	0.4	1.0	1.9	2.5	4.5	6.3	9.4	13.7
1981.....	*	0.5	0.9	1.4	2.1	3.4	4.7	6.8	12.0	13.9
1980.....	0.2	0.5	0.8	1.4	2.2	3.7	5.5	8.3	11.2	15.9
1979.....	0.3	0.5	0.9	1.9	2.8	3.3	6.6	9.5	12.0	17.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SIGMOID COLON (153.3)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	5.4
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	3.0	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	3.0	*	*	*
1991.....	*	*	*	*	*	*	*	3.8	*	*
1990.....	*	*	*	*	*	*	2.7	*	*	*
1989.....	*	*	*	*	*	2.0	3.1	*	*	*
1988.....	*	*	*	*	*	2.1	*	*	*	8.9
1987.....	*	*	*	*	*	*	2.6	3.6	6.8	*
1986.....	*	*	*	*	1.9	*	3.3	*	6.7	8.7
1985.....	*	*	*	*	1.8	2.2	3.9	5.4	*	8.9
1984.....	*	*	*	*	1.8	2.9	3.9	5.5	10.3	*
1983.....	*	*	*	*	*	*	3.4	5.1	*	9.6
1982.....	*	*	*	*	*	*	4.8	6.3	8.4	16.6
1981.....	*	*	*	1.6	*	4.1	4.6	6.9	9.5	12.6
1980.....	0.3	0.2	1.5	1.4	1.5	2.0	5.6	7.0	10.5	13.4
1979.....	0.3	0.7	1.1	1.5	2.2	4.5	7.5	6.6	9.8	11.5
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	1.3	1.4	2.2	1.3	7.3	7.3	17.2	18.1
1979.....	0.3	1.0	1.2	2.4	2.6	4.4	8.3	7.1	15.1	15.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SIGMOID COLON (153.3)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	3.9	*	*	*	*
1980.....	0.2	0.1	1.6	1.4	0.9	2.6	4.3	6.8	6.3	11.0
1979.....	0.2	0.5	1.0	0.8	1.9	4.6	6.9	6.2	6.6	9.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	3.1	*	*	*
1991.....	*	*	*	*	*	*	*	4.1	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	2.4	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	2.2	*	4.0	*	*	*
1985.....	*	*	*	*	*	2.5	3.9	4.5	*	10.3
1984.....	*	*	*	*	*	3.0	4.4	5.3	10.2	*
1983.....	*	*	*	*	*	*	3.8	4.7	*	*
1982.....	*	*	*	*	*	*	5.1	6.5	*	16.5
1981.....	*	*	*	*	*	4.5	5.2	7.5	10.0	*
1980.....	0.3	0.3	1.8	1.3	1.5	2.2	6.0	7.0	9.5	13.8
1979.....	0.3	0.8	0.9	1.6	2.4	4.7	7.4	6.6	8.5	11.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 SIGMOID COLON (153.3)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.4	1.6	1.3	2.3	1.2	7.7	6.5	14.7	20.8
1979.....	0.4	1.0	1.0	2.5	3.0	4.1	7.5	7.5	11.7	15.4

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	1.9	1.4	0.8	2.9	4.9	7.2	6.4	10.4
1979.....	0.3	0.6	0.8	0.9	1.9	5.1	7.3	5.9	6.5	9.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.2	0.2	0.6	0.8	1.2	2.0	2.8	4.0	7.0
1997.....	0.2	0.2	0.4	0.6	1.2	1.3	1.8	3.0	5.4	8.8
1996.....	0.1	0.2	0.4	0.5	1.2	1.6	2.5	3.0	4.6	8.7
1995.....	0.1	0.2	0.3	0.8	1.0	1.7	2.5	3.7	5.1	10.3
1994.....	0.1	0.2	0.4	0.8	1.1	1.6	2.7	3.6	5.3	10.2
1993.....	*	0.2	0.4	0.6	0.9	1.6	2.6	3.6	5.9	10.4
1992.....	0.2	0.3	0.5	0.7	1.1	1.6	2.4	3.9	6.2	10.8
1991.....	0.1	0.3	0.3	0.8	0.9	1.6	2.6	3.8	7.2	12.1
1990.....	0.2	0.3	0.5	0.7	1.1	1.8	3.1	4.9	7.2	14.0
1989.....	*	0.3	0.4	0.7	1.3	2.0	3.4	5.5	7.9	13.7
1988.....	0.1	0.2	0.3	0.8	1.4	2.4	3.4	5.9	8.2	15.7
1987.....	0.2	0.3	0.6	0.8	1.6	2.3	4.3	5.9	10.1	15.5
1986.....	*	0.2	0.7	0.8	1.6	2.8	4.4	6.3	10.8	18.3
1985.....	0.2	0.3	0.7	1.1	2.0	3.0	5.1	8.2	13.1	19.3
1984.....	0.2	0.2	0.5	1.3	1.9	3.8	5.4	8.7	14.0	20.8
1983.....	0.2	0.3	0.5	1.4	2.3	3.5	5.8	9.1	14.4	23.6
1982.....	0.2	0.5	0.8	1.5	2.2	4.0	6.4	9.8	15.5	25.6
1981.....	*	0.4	0.8	1.4	2.4	4.5	7.1	10.6	17.3	25.5
1980.....	0.3	0.5	0.8	1.9	2.9	4.6	7.9	11.7	19.6	28.9
1979.....	0.3	0.5	1.1	1.7	3.2	5.1	8.7	12.5	19.7	29.9
TOTAL, MALE										
1998.....	*	*	0.3	0.6	1.1	1.5	2.1	3.1	4.5	6.7
1997.....	0.2	0.2	0.4	0.7	1.5	1.5	2.0	3.1	6.1	8.8
1996.....	*	0.3	0.5	0.7	1.4	1.6	3.0	3.1	4.8	9.2
1995.....	*	0.3	0.3	1.0	1.1	1.8	2.9	4.6	6.3	11.6
1994.....	*	*	0.4	0.8	1.2	1.5	2.7	4.2	6.3	10.4
1993.....	*	*	0.5	0.6	1.0	1.6	3.0	4.2	7.2	11.2
1992.....	*	*	0.6	0.6	1.2	1.9	2.7	4.0	7.6	12.7
1991.....	*	0.3	*	0.9	1.0	1.8	2.8	4.6	8.3	11.7
1990.....	*	0.3	0.4	0.9	1.2	2.2	3.4	6.0	8.3	15.7
1989.....	*	0.3	0.4	0.9	1.5	2.3	3.7	5.9	9.3	14.2
1988.....	*	*	*	0.9	1.6	2.8	3.6	6.5	10.3	16.4
1987.....	*	*	0.7	1.2	1.8	2.2	4.9	6.3	10.6	16.7
1986.....	*	*	0.8	0.9	1.8	3.2	5.2	7.0	12.3	19.8
1985.....	*	0.4	0.8	1.4	2.5	3.8	5.4	9.6	14.4	23.0
1984.....	*	*	0.7	1.4	2.1	4.3	6.0	9.8	13.8	19.1
1983.....	*	0.4	0.6	1.6	2.3	4.3	6.7	10.9	16.8	23.6
1982.....	*	0.6	0.8	1.8	2.5	4.7	7.0	10.6	16.1	27.2
1981.....	*	0.5	0.8	1.7	2.8	5.2	7.4	10.5	15.9	29.2
1980.....	0.3	0.6	0.9	2.1	2.7	5.0	8.5	13.1	19.5	31.0
1979.....	0.4	0.6	1.2	2.2	3.8	5.6	9.7	12.9	21.0	30.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)										
TOTAL, FEMALE										
1998.....	*	*	*	0.6	0.5	1.0	2.0	2.6	3.7	7.2
1997.....	*	0.3	0.3	0.6	1.0	1.2	1.7	3.0	5.0	8.8
1996.....	*	*	0.4	0.4	1.0	1.6	2.1	2.9	4.5	8.5
1995.....	*	*	0.3	0.6	0.9	1.6	2.2	3.1	4.5	9.8
1994.....	*	*	0.5	0.8	1.0	1.7	2.7	3.1	4.7	10.2
1993.....	*	*	0.4	0.5	0.8	1.6	2.3	3.2	5.2	10.1
1992.....	*	0.3	0.5	0.8	0.9	1.4	2.2	3.9	5.4	10.1
1991.....	*	*	0.4	0.7	0.8	1.5	2.5	3.2	6.6	12.3
1990.....	*	0.3	0.5	0.6	1.1	1.6	2.9	4.3	6.6	13.3
1989.....	*	*	0.4	0.6	1.2	1.7	3.2	5.3	7.2	13.5
1988.....	*	*	*	0.7	1.2	2.0	3.2	5.5	7.1	15.4
1987.....	*	*	0.6	0.5	1.5	2.3	3.8	5.6	9.8	15.0
1986.....	*	*	0.6	0.8	1.4	2.5	3.8	5.9	10.1	17.7
1985.....	*	*	0.6	0.8	1.6	2.4	5.0	7.4	12.4	17.9
1984.....	*	*	0.4	1.2	1.7	3.4	5.0	8.1	14.1	21.5
1983.....	*	*	0.5	1.2	2.3	2.8	5.2	8.0	13.1	23.5
1982.....	*	0.4	0.9	1.2	2.0	3.5	6.0	9.4	15.2	24.9
1981.....	*	*	0.7	1.2	2.1	3.9	6.8	10.7	18.0	23.8
1980.....	0.2	0.5	0.7	1.7	3.1	4.4	7.5	10.8	19.6	28.0
1979.....	0.2	0.4	0.9	1.3	2.7	4.7	8.0	12.3	18.9	29.6
WHITE, BOTH SEXES										
1998.....	0.1	0.2	0.2	0.6	0.7	1.3	2.0	2.7	4.0	7.2
1997.....	0.2	0.3	0.4	0.5	1.2	1.3	1.8	3.0	5.3	8.8
1996.....	0.1	0.2	0.4	0.6	1.2	1.6	2.5	3.0	4.7	9.0
1995.....	0.1	0.2	0.3	0.8	1.0	1.7	2.4	3.7	5.2	10.2
1994.....	0.1	0.2	0.4	0.8	1.1	1.6	2.7	3.5	5.3	10.3
1993.....	*	0.2	0.4	0.5	0.9	1.6	2.5	3.5	5.8	10.5
1992.....	0.1	0.2	0.5	0.7	1.1	1.6	2.4	4.0	6.1	10.8
1991.....	0.1	0.3	0.3	0.7	0.9	1.6	2.5	3.8	7.0	12.6
1990.....	0.2	0.3	0.4	0.7	1.1	1.8	3.1	4.7	7.0	13.9
1989.....	*	0.2	0.3	0.7	1.3	2.0	3.4	5.6	8.1	14.2
1988.....	*	0.3	0.3	0.8	1.3	2.3	3.4	6.0	8.3	15.7
1987.....	0.2	0.2	0.6	0.8	1.7	2.2	4.2	5.8	10.0	15.9
1986.....	*	0.2	0.7	0.8	1.6	2.9	4.2	6.5	11.0	18.4
1985.....	0.2	0.3	0.7	1.0	2.0	3.1	5.0	8.3	13.1	19.7
1984.....	*	0.2	0.5	1.2	1.8	3.9	5.4	8.8	14.1	21.2
1983.....	0.2	0.4	0.5	1.3	2.3	3.4	5.9	9.2	14.6	24.3
1982.....	*	0.5	0.8	1.5	2.1	3.9	6.5	10.0	16.0	26.0
1981.....	*	0.4	0.8	1.3	2.5	4.5	7.1	10.7	17.5	26.3
1980.....	0.2	0.6	0.8	1.9	2.8	4.6	8.1	12.2	19.4	29.8
1979.....	0.3	0.5	1.0	1.6	3.1	5.2	8.5	12.8	20.2	31.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)										
WHITE MALE										
1998.....	*	*	*	0.6	1.0	1.6	2.0	3.2	4.5	7.0
1997.....	*	0.3	0.5	0.5	1.4	1.5	2.0	3.0	6.1	8.7
1996.....	*	0.3	0.5	0.7	1.5	1.7	2.9	3.1	4.9	9.5
1995.....	*	0.3	*	1.0	1.1	1.9	2.6	4.5	6.2	11.6
1994.....	*	*	0.4	0.8	1.1	1.6	2.7	4.1	6.4	10.5
1993.....	*	*	0.4	0.6	1.0	1.6	2.8	4.0	7.2	12.1
1992.....	*	*	0.6	0.7	1.2	1.8	2.6	4.0	7.4	13.0
1991.....	*	0.4	*	0.8	1.0	1.9	2.6	4.6	8.2	12.3
1990.....	*	0.3	0.4	0.8	1.1	2.2	3.4	5.7	8.1	15.3
1989.....	*	*	*	0.9	1.5	2.3	3.8	5.7	9.5	14.7
1988.....	*	*	*	0.9	1.5	2.8	3.7	6.4	10.6	16.8
1987.....	*	*	0.6	1.2	1.9	2.2	4.8	6.2	10.7	17.5
1986.....	*	*	0.8	0.8	1.7	3.3	4.9	7.2	12.2	20.5
1985.....	*	*	0.8	1.4	2.5	3.7	5.0	9.7	14.3	24.6
1984.....	*	*	0.7	1.3	2.1	4.4	5.9	9.8	14.1	20.0
1983.....	*	*	0.5	1.5	2.2	4.2	6.7	11.0	17.1	25.2
1982.....	*	0.6	0.8	1.7	2.4	4.7	7.4	11.0	16.9	27.8
1981.....	*	0.5	0.8	1.6	2.7	5.2	7.5	10.4	16.1	30.5
1980.....	0.3	0.7	0.9	2.0	2.6	4.9	9.0	13.8	19.5	32.1
1979.....	0.4	0.5	1.1	2.1	3.7	5.8	9.6	13.3	20.9	31.6
WHITE FEMALE										
1998.....	*	*	*	0.7	0.5	1.0	2.0	2.4	3.7	7.3
1997.....	*	*	0.3	0.5	1.0	1.2	1.7	3.0	4.8	8.9
1996.....	*	*	0.4	0.4	1.0	1.5	2.3	3.0	4.5	8.9
1995.....	*	*	0.4	0.6	0.8	1.5	2.2	3.1	4.6	9.7
1994.....	*	*	0.4	0.8	1.0	1.6	2.7	3.2	4.7	10.3
1993.....	*	*	0.4	0.4	0.8	1.6	2.2	3.1	5.0	9.9
1992.....	*	*	0.5	0.7	1.0	1.4	2.2	4.1	5.3	10.0
1991.....	*	*	*	0.7	0.8	1.4	2.5	3.2	6.3	12.7
1990.....	*	*	0.4	0.6	1.1	1.5	2.9	4.0	6.5	13.3
1989.....	*	*	*	0.6	1.1	1.7	3.1	5.5	7.3	14.1
1988.....	*	*	*	0.7	1.1	1.9	3.1	5.7	7.1	15.3
1987.....	*	*	0.5	0.5	1.5	2.3	3.8	5.6	9.6	15.3
1986.....	*	*	0.6	0.8	1.5	2.6	3.7	6.0	10.4	17.5
1985.....	*	*	0.6	0.7	1.5	2.5	5.0	7.4	12.4	17.8
1984.....	*	*	*	1.1	1.6	3.5	5.0	8.2	14.1	21.7
1983.....	*	*	0.6	1.1	2.3	2.8	5.3	8.1	13.4	23.9
1982.....	*	*	0.9	1.3	1.8	3.3	5.8	9.3	15.5	25.3
1981.....	*	*	0.7	1.1	2.2	3.9	6.9	11.0	18.2	24.5
1980.....	0.2	0.5	0.7	1.7	3.0	4.4	7.6	11.2	19.4	28.9
1979.....	0.2	0.4	0.9	1.3	2.6	4.8	7.6	12.5	19.8	30.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.3	3.4	*	5.2
1997.....	*	*	*	1.3	*	*	*	3.4	6.5	8.4
1996.....	*	*	*	*	*	1.6	2.5	*	*	*
1995.....	*	*	*	*	*	1.9	3.5	4.5	*	11.1
1994.....	*	*	*	*	*	1.9	2.2	3.7	5.1	9.0
1993.....	*	*	*	*	*	*	3.5	4.4	7.2	9.6
1992.....	*	*	*	*	*	1.9	2.4	*	7.7	11.0
1991.....	*	*	*	*	*	*	3.0	3.8	9.2	7.3
1990.....	*	*	*	*	1.6	2.0	3.0	7.5	8.8	15.0
1989.....	*	*	*	*	*	2.3	3.7	5.4	6.3	8.2
1988.....	*	*	*	*	2.1	3.1	3.5	5.1	7.8	14.9
1987.....	*	*	*	*	*	2.5	4.6	6.5	11.4	10.8
1986.....	*	*	*	*	*	2.3	5.5	5.0	8.8	17.3
1985.....	*	*	*	*	2.5	2.9	6.5	7.9	13.0	15.2
1984.....	*	*	*	1.5	2.1	3.4	5.8	8.1	12.5	16.6
1983.....	*	*	*	2.1	2.8	3.8	5.4	8.1	11.5	15.3
1982.....	*	*	*	1.6	3.5	4.7	5.8	8.8	10.0	21.1
1981.....	*	*	*	1.9	2.1	4.7	6.6	9.1	14.9	16.3
1980.....	0.4	0.3	1.0	2.1	3.4	4.9	5.9	6.6	21.4	17.8
1979.....	0.1	0.5	1.5	2.0	3.5	4.2	10.8	10.0	13.4	17.2
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	5.3	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	9.4	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	7.6	*	*	*
1985.....	*	*	*	*	*	*	9.0	*	*	*
1984.....	*	*	*	*	*	*	7.1	9.9	*	*
1983.....	*	*	*	*	*	5.5	*	10.7	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	5.6	*	11.3	*	*
1980.....	0.3	0.2	1.2	2.5	3.1	6.0	4.4	6.7	19.5	19.7
1979.....	0.1	0.8	1.9	2.9	4.0	4.1	9.8	8.8	22.1	20.3



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	7.9
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	11.0
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	12.4
1992.....	*	*	*	*	*	*	*	*	*	11.8
1991.....	*	*	*	*	*	*	*	*	9.6	*
1990.....	*	*	*	*	*	*	*	6.4	*	12.8
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	16.0
1987.....	*	*	*	*	*	*	*	*	12.2	*
1986.....	*	*	*	*	*	*	*	*	*	19.2
1985.....	*	*	*	*	*	*	4.8	7.3	11.7	18.7
1984.....	*	*	*	*	*	*	4.9	6.9	13.3	19.3
1983.....	*	*	*	*	*	*	*	*	*	18.7
1982.....	*	*	*	*	3.7	4.8	7.7	10.2	*	21.1
1981.....	*	*	*	*	*	4.1	6.5	7.6	15.3	15.9
1980.....	0.5	0.4	0.8	1.7	3.6	4.2	7.0	6.5	22.5	16.9
1979.....	0.1	0.3	1.1	1.2	3.2	4.2	11.5	10.9	8.0	15.8
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	3.6	*	*
1997.....	*	*	*	*	*	*	*	*	6.8	9.9
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	3.3	4.3	*	12.0
1994.....	*	*	*	*	*	*	*	*	*	8.7
1993.....	*	*	*	*	*	*	3.3	4.3	6.8	9.3
1992.....	*	*	*	*	*	*	2.9	*	8.0	10.1
1991.....	*	*	*	*	*	*	3.5	*	10.1	*
1990.....	*	*	*	*	*	*	3.3	7.7	9.0	15.7
1989.....	*	*	*	*	*	2.5	4.1	5.6	7.4	*
1988.....	*	*	*	*	*	3.3	3.8	5.9	8.1	15.4
1987.....	*	*	*	*	*	2.7	4.6	6.9	12.2	11.1
1986.....	*	*	*	*	*	2.7	5.9	5.5	9.4	19.4
1985.....	*	*	*	*	2.8	3.5	7.1	7.9	14.3	16.4
1984.....	*	*	*	*	2.4	3.4	6.2	8.8	13.1	15.3
1983.....	*	*	*	2.5	3.0	4.3	5.8	9.0	11.9	15.8
1982.....	*	*	*	*	3.5	5.5	6.6	9.2	11.0	22.7
1981.....	*	*	*	*	*	5.4	7.4	10.4	15.3	16.7
1980.....	0.4	0.3	0.9	2.3	3.7	4.8	6.7	5.9	22.5	20.1
1979.....	0.2	0.4	1.6	2.3	3.8	4.4	12.0	10.4	14.4	16.7

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	8.1	*	*	*	*
1985.....	*	*	*	*	*	*	9.8	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	6.3	*	12.1	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	6.3	*	13.3	*	*	*
1980.....	0.4	0.2	1.0	3.0	3.4	5.4	5.1	5.2	20.0	22.6	
1979.....	0.2	0.6	2.2	3.4	4.3	4.1	11.1	9.9	23.4	17.3	

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	12.3	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	12.1	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	10.2	*	*
1990.....	*	*	*	*	*	*	*	6.6	*	13.4	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	16.8	*
1987.....	*	*	*	*	*	*	*	*	12.9	*	*
1986.....	*	*	*	*	*	*	*	*	*	21.7	*
1985.....	*	*	*	*	*	*	5.4	7.7	13.3	21.1	*
1984.....	*	*	*	*	*	*	*	*	13.2	18.6	*
1983.....	*	*	*	*	*	*	*	*	*	19.4	*
1982.....	*	*	*	*	4.1	5.5	8.5	10.4	*	22.9	*
1981.....	*	*	*	*	*	4.7	7.0	8.6	15.2	*	*
1980.....	0.4	0.5	0.8	1.7	3.9	4.3	7.9	6.4	24.0	18.9	
1979.....	0.1	0.3	1.1	1.4	3.4	4.6	12.7	10.6	8.9	16.3	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)										
TOTAL, BOTH SEXES										
1998.....	2.9	5.7	12.0	20.7	34.4	54.2	77.4	105.2	149.5	224.0
1997.....	2.7	6.4	11.3	20.8	35.2	53.2	78.0	106.0	152.3	228.8
1996.....	2.8	6.1	11.2	21.2	36.2	54.7	80.1	108.0	154.9	228.6
1995.....	3.1	6.0	12.2	22.7	37.1	55.7	82.0	113.1	160.9	229.0
1994.....	3.1	6.4	13.0	22.8	37.5	57.4	82.7	112.6	163.1	229.1
1993.....	3.0	6.2	13.0	23.1	38.7	57.7	85.3	118.1	161.3	236.7
1992.....	3.4	6.3	12.7	23.9	38.1	58.3	83.4	118.3	167.9	237.5
1991.....	2.9	6.5	13.3	25.3	40.2	58.7	85.0	120.9	165.1	236.1
1990.....	3.1	6.9	13.9	24.2	40.3	62.1	88.8	125.9	171.4	236.8
1989.....	3.1	6.3	13.7	24.9	41.0	61.9	92.7	125.5	170.6	234.5
1988.....	3.4	6.8	14.1	25.4	41.8	63.0	93.0	123.8	165.5	229.6
1987.....	3.3	7.5	14.8	26.4	42.4	62.6	92.7	128.0	167.3	222.1
1986.....	3.3	7.3	14.6	25.8	42.0	63.8	95.6	124.9	169.6	221.4
1985.....	3.5	7.5	13.8	26.5	43.1	64.5	94.3	128.8	169.5	222.1
1984.....	3.6	7.1	14.6	26.8	42.8	65.4	95.1	127.7	167.7	220.7
1983.....	3.4	7.4	14.2	25.7	41.7	62.7	92.3	124.6	164.1	208.7
1982.....	3.6	7.1	14.0	25.4	40.3	62.7	89.7	123.5	161.9	204.3
1981.....	3.6	7.5	13.7	25.7	39.4	60.5	88.3	123.0	160.3	199.6
1980.....	3.8	7.0	14.0	25.0	39.1	61.9	89.8	120.7	160.5	196.7
1979.....	3.7	7.2	14.1	24.6	39.6	59.3	88.5	116.3	155.5	181.7
TOTAL, MALE										
1998.....	3.0	6.1	14.0	24.7	41.2	67.0	95.6	129.5	176.2	253.7
1997.....	2.8	7.1	13.2	23.9	43.1	67.4	97.2	131.5	183.4	260.1
1996.....	2.9	6.7	12.7	24.7	44.6	68.7	100.5	129.7	189.4	268.7
1995.....	3.3	6.7	13.5	26.4	45.8	69.1	100.4	135.9	196.9	278.8
1994.....	3.2	6.7	15.5	26.7	45.1	72.0	102.8	139.7	204.2	279.7
1993.....	3.2	6.9	14.8	27.4	46.6	71.3	105.8	148.3	197.1	284.6
1992.....	3.5	7.1	13.9	28.0	46.4	73.3	104.0	149.9	210.7	293.3
1991.....	2.9	7.0	15.2	28.6	49.4	74.2	105.6	152.7	209.6	288.0
1990.....	3.3	7.2	15.7	28.4	48.9	78.0	111.1	160.5	219.3	293.0
1989.....	3.3	7.0	15.2	29.7	49.9	75.9	117.1	156.0	214.1	285.6
1988.....	3.7	7.5	15.4	28.5	50.9	76.4	117.9	157.4	210.6	273.8
1987.....	3.6	8.0	16.3	30.0	50.7	77.8	116.0	163.0	215.5	273.6
1986.....	3.5	7.7	15.4	29.7	49.5	76.8	121.3	157.7	212.1	263.3
1985.....	3.9	8.1	15.1	30.7	51.4	79.0	118.3	160.0	207.0	257.3
1984.....	3.9	7.2	16.0	30.9	50.8	77.7	117.0	159.0	207.7	260.2
1983.....	3.7	8.2	15.7	29.0	49.2	75.4	113.9	155.7	204.2	253.6
1982.....	3.8	7.5	15.2	28.9	46.8	74.6	109.9	151.2	199.1	253.3
1981.....	3.6	7.9	14.6	28.4	46.4	73.6	111.4	146.9	193.1	236.8
1980.....	4.0	7.4	14.8	27.9	44.6	74.5	107.4	149.5	192.7	246.4
1979.....	3.9	6.8	15.1	26.6	44.3	68.8	108.7	138.7	188.7	214.1

RACE, AND SEX:		UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)									
CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)											
TOTAL, FEMALE											
1998.....	2.8	5.4	10.1	17.0	28.3	43.4	63.3	87.9	133.7	211.7	
1997.....	2.6	5.7	9.6	17.9	28.2	41.2	63.2	88.1	134.2	216.1	
1996.....	2.8	5.5	9.7	18.0	28.7	43.0	64.4	92.9	134.9	212.7	
1995.....	3.0	5.4	10.9	19.2	29.4	44.6	67.9	97.4	140.5	209.7	
1994.....	3.0	6.1	10.7	19.1	30.8	45.4	67.3	94.2	140.4	209.5	
1993.....	2.8	5.5	11.4	19.1	31.6	46.7	69.6	97.9	141.8	218.3	
1992.....	3.2	5.5	11.6	20.1	30.7	46.1	67.9	97.4	144.7	215.9	
1991.....	2.9	6.1	11.5	22.2	32.0	46.2	69.5	100.1	141.3	216.1	
1990.....	2.9	6.6	12.3	20.4	32.8	49.3	72.3	103.6	145.9	215.1	
1989.....	3.0	5.7	12.3	20.4	33.3	50.5	74.6	105.9	147.7	214.6	
1988.....	3.1	6.2	12.8	22.6	33.9	52.2	74.8	102.4	141.7	212.3	
1987.....	3.0	7.1	13.4	23.1	35.3	50.3	75.6	105.8	142.0	201.9	
1986.....	3.1	6.9	13.8	22.3	35.5	53.2	76.8	104.2	147.3	204.8	
1985.....	3.2	6.9	12.5	22.8	36.0	52.8	77.0	109.2	149.9	208.0	
1984.....	3.2	6.9	13.4	23.0	35.9	55.6	79.3	108.1	146.7	204.8	
1983.....	3.2	6.7	12.9	22.9	35.1	52.6	76.6	105.0	143.0	190.3	
1982.....	3.4	6.6	12.9	22.2	34.6	53.1	75.0	106.1	142.3	183.9	
1981.....	3.6	7.2	12.8	23.3	33.4	50.1	71.6	108.0	142.8	183.7	
1980.....	3.5	6.6	13.3	22.4	34.3	51.8	77.0	102.5	143.4	175.0	
1979.....	3.5	7.5	13.2	22.8	35.5	51.6	73.9	102.2	137.6	167.3	
WHITE, BOTH SEXES											
1998.....	2.6	5.2	10.9	19.8	32.5	52.8	75.4	103.6	147.1	223.3	
1997.....	2.5	5.7	10.7	19.8	33.7	52.1	75.4	104.8	149.5	228.3	
1996.....	2.6	5.5	10.3	19.7	34.8	53.5	78.0	106.5	152.5	229.6	
1995.....	2.8	5.5	11.5	22.0	36.0	53.7	80.1	110.9	159.0	228.0	
1994.....	2.7	5.8	12.1	21.7	36.4	55.8	81.3	111.3	161.2	229.1	
1993.....	2.8	5.7	12.2	22.1	37.6	56.5	83.5	116.4	160.5	235.9	
1992.....	3.1	6.0	12.0	23.2	37.1	56.8	82.1	117.4	167.3	237.8	
1991.....	2.8	6.1	12.6	24.2	39.3	57.7	83.6	120.1	163.1	234.7	
1990.....	2.9	6.4	13.1	23.2	39.4	60.5	87.9	124.2	170.3	237.6	
1989.....	2.9	6.2	13.1	24.1	40.1	60.4	91.5	123.7	170.0	234.3	
1988.....	3.1	6.7	13.5	24.7	40.8	61.7	92.9	123.5	165.8	229.9	
1987.....	3.1	7.2	14.1	25.6	41.1	61.5	92.3	127.2	167.3	224.9	
1986.....	3.2	7.0	14.2	25.6	41.1	63.1	95.0	123.8	168.9	223.4	
1985.....	3.4	7.1	13.4	25.8	42.2	63.7	93.1	128.6	169.5	223.9	
1984.....	3.5	6.6	14.3	25.8	42.0	65.4	94.8	128.7	167.1	223.5	
1983.....	3.3	7.2	14.0	25.6	41.1	62.0	91.7	125.3	164.6	211.9	
1982.....	3.4	6.8	13.6	24.6	39.6	62.9	88.9	124.7	161.9	207.6	
1981.....	3.4	7.3	13.3	25.1	39.1	60.4	88.4	123.2	160.2	203.2	
1980.....	3.6	6.7	13.6	24.8	38.7	61.7	89.4	121.2	161.9	199.5	
1979.....	3.5	6.9	13.6	24.2	38.9	59.4	88.4	116.5	157.5	185.1	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)										
WHITE MALE										
1998.....	2.7	5.7	12.8	23.9	39.1	65.7	93.6	128.3	173.2	255.0
1997.....	2.6	6.3	12.5	22.4	41.4	66.6	94.7	130.1	181.5	261.7
1996.....	2.6	6.2	12.0	23.0	43.3	68.0	98.1	128.3	188.1	272.4
1995.....	2.9	6.3	12.8	26.0	44.4	67.2	98.0	133.7	195.0	278.0
1994.....	2.8	6.2	14.7	25.5	44.1	70.4	101.0	138.5	204.2	281.4
1993.....	3.0	6.4	14.1	26.3	45.3	70.5	105.0	147.6	196.0	283.0
1992.....	3.2	6.9	13.2	27.5	45.6	71.9	103.3	148.0	211.1	295.0
1991.....	2.9	6.5	14.3	27.5	48.4	73.6	105.3	153.3	208.9	286.4
1990.....	3.1	6.8	15.1	27.5	48.0	76.2	110.6	158.7	219.6	294.5
1989.....	3.0	7.0	14.3	29.3	49.6	74.8	116.2	153.8	214.5	286.3
1988.....	3.6	7.4	14.9	27.6	49.9	75.5	117.6	158.7	213.1	276.6
1987.....	3.3	7.9	15.7	29.2	49.5	77.4	116.7	162.5	217.3	277.7
1986.....	3.4	7.5	15.1	29.6	48.9	76.2	121.4	156.4	213.8	265.6
1985.....	3.8	7.8	14.9	30.3	50.7	78.2	117.5	161.6	208.2	261.6
1984.....	3.8	6.7	15.4	30.2	50.2	77.8	116.7	161.6	208.3	264.9
1983.....	3.5	8.0	15.5	28.8	48.6	74.9	114.5	158.2	206.7	259.7
1982.....	3.7	7.1	14.9	28.6	46.0	75.0	109.8	152.5	198.3	258.3
1981.....	3.5	7.4	14.4	28.4	46.4	73.9	113.0	148.0	195.0	243.3
1980.....	3.9	7.2	14.5	27.6	44.1	74.6	107.7	150.9	196.0	250.8
1979.....	3.7	6.7	14.8	26.6	44.2	69.7	109.8	141.2	192.4	219.0
WHITE FEMALE										
1998.....	2.5	4.8	9.1	15.9	26.4	41.6	61.1	86.0	131.5	210.3
1997.....	2.3	5.2	9.0	17.4	26.6	39.7	60.2	86.9	130.7	215.0
1996.....	2.7	4.9	8.6	16.6	27.2	41.2	62.3	91.1	132.0	212.8
1995.....	2.6	4.8	10.2	18.2	28.3	42.3	66.2	95.2	138.7	208.7
1994.....	2.6	5.5	9.5	18.1	29.5	43.6	66.1	92.7	137.4	209.2
1993.....	2.7	5.0	10.3	18.0	30.7	44.9	66.9	95.3	141.1	218.0
1992.....	3.0	5.1	11.0	19.1	29.5	44.4	65.9	97.0	143.7	216.0
1991.....	2.7	5.8	10.9	21.2	31.2	44.7	67.3	98.4	138.7	215.1
1990.....	2.6	6.0	11.1	19.1	31.8	47.6	70.9	101.9	144.3	216.0
1989.....	2.8	5.5	11.9	19.3	31.7	48.7	73.2	104.4	146.6	214.6
1988.....	2.7	6.0	12.3	22.0	32.8	50.4	74.6	101.1	141.2	212.0
1987.....	2.9	6.6	12.7	22.2	33.7	48.4	74.4	104.8	141.3	204.4
1986.....	2.9	6.5	13.3	21.9	34.3	52.3	75.8	103.3	145.5	207.0
1985.....	2.9	6.4	11.9	21.7	34.7	51.9	75.4	108.0	149.4	209.1
1984.....	3.1	6.5	13.2	21.9	34.9	55.2	78.8	108.1	145.6	207.0
1983.....	3.0	6.5	12.5	22.7	34.5	51.6	75.1	104.8	142.7	192.7
1982.....	3.2	6.5	12.4	21.0	33.9	53.2	73.7	107.4	142.9	186.8
1981.....	3.4	7.2	12.3	22.2	32.8	49.5	70.6	107.8	142.0	186.4
1980.....	3.3	6.3	12.8	22.3	34.0	51.3	76.2	102.7	144.0	177.3
1979.....	3.3	7.1	12.6	22.2	34.4	51.2	73.1	101.1	139.0	170.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)										
ALL OTHER, BOTH SEXES										
1998.....	4.0	8.4	18.2	26.4	46.3	63.9	93.4	118.8	174.5	231.3
1997.....	4.0	9.9	15.2	26.7	45.2	60.4	99.8	117.1	181.3	233.2
1996.....	3.8	9.2	16.5	30.1	45.1	63.0	98.0	121.9	178.5	219.5
1995.....	5.0	8.9	16.6	26.8	44.9	70.0	98.6	133.1	179.7	239.8
1994.....	5.0	9.5	18.8	29.7	44.8	69.5	94.7	124.7	182.4	229.0
1993.....	4.0	9.2	18.3	29.4	45.9	67.4	101.0	135.0	170.0	244.7
1992.....	4.9	8.1	16.7	28.7	44.6	69.9	95.2	126.9	174.2	234.3
1991.....	3.9	8.9	17.6	31.8	46.6	66.5	96.9	127.8	186.3	251.8
1990.....	4.4	9.8	19.5	31.4	47.1	75.8	97.4	142.0	182.3	228.1
1989.....	4.3	7.1	17.7	30.0	48.4	73.7	102.8	141.8	177.8	235.9
1988.....	5.0	7.7	17.4	30.7	49.4	74.3	94.4	126.5	161.9	225.8
1987.....	4.3	9.1	19.0	32.5	53.0	72.2	95.6	135.4	167.2	192.9
1986.....	4.2	9.3	16.9	27.3	49.2	70.0	100.3	135.3	177.4	200.0
1985.....	4.6	9.8	16.7	31.7	51.4	71.5	105.7	130.8	168.8	201.3
1984.....	4.1	9.9	17.0	34.0	49.3	66.0	98.8	118.8	175.1	190.8
1983.....	4.5	8.7	16.2	26.9	47.0	69.2	98.0	117.3	158.0	171.8
1982.....	4.7	8.6	16.8	31.1	46.6	60.2	97.0	112.2	162.2	168.3
1981.....	4.6	9.0	16.6	30.5	42.1	61.9	87.4	121.0	160.6	158.9
1980.....	5.0	8.5	17.1	26.7	42.5	63.3	93.7	115.3	144.0	165.5
1979.....	4.9	9.0	18.0	27.6	45.6	57.9	89.2	114.1	131.7	141.4
ALL OTHER MALE										
1998.....	4.2	8.3	21.4	30.2	55.8	76.0	111.9	141.0	207.2	242.4
1997.....	3.9	11.5	17.7	33.9	54.6	73.3	118.3	145.3	202.9	246.5
1996.....	4.4	9.7	17.3	35.3	54.0	73.9	122.6	142.5	202.9	236.5
1995.....	5.2	9.2	18.2	29.2	55.9	83.3	122.5	157.9	216.6	286.2
1994.....	5.2	10.2	20.8	35.5	53.0	84.7	120.2	151.8	204.4	264.6
1993.....	4.2	10.4	18.9	34.6	56.5	77.8	113.9	156.0	207.7	299.1
1992.....	5.4	8.2	18.6	31.8	52.1	84.7	110.2	167.9	206.4	277.7
1991.....	3.5	10.0	21.1	36.0	58.1	79.4	108.3	147.0	216.3	302.3
1990.....	4.3	9.8	20.0	35.3	56.5	93.9	116.4	177.8	215.9	278.9
1989.....	4.9	7.5	21.2	32.8	52.9	85.2	125.3	177.0	209.9	279.0
1988.....	4.5	7.8	18.9	35.6	59.7	84.6	121.3	144.7	186.3	248.1
1987.....	5.2	8.5	20.2	36.3	60.4	80.9	109.4	167.0	197.3	235.1
1986.....	4.1	8.8	17.2	29.8	54.7	82.1	120.7	169.5	195.4	241.3
1985.....	4.7	10.0	17.0	33.7	58.0	86.4	126.0	145.6	192.4	216.4
1984.....	4.4	10.5	20.5	37.2	56.5	76.0	119.2	134.7	202.0	216.7
1983.....	5.1	9.1	17.5	30.6	54.9	80.2	108.2	132.5	178.4	191.4
1982.....	4.7	10.2	17.3	31.0	53.9	70.6	111.1	139.1	207.4	204.5
1981.....	4.4	11.5	16.6	28.5	46.5	70.8	96.1	136.6	173.6	171.9
1980.....	4.9	8.6	16.9	30.4	49.3	73.4	105.0	136.7	157.0	200.8
1979.....	5.0	7.7	18.4	26.5	45.2	61.0	99.2	114.8	150.0	162.7

RACE, AND SEX:		UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)									
CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)											
ALL OTHER FEMALE											
1998.....	3.8	8.4	15.5	23.4	39.0	54.9	80.3	104.1	155.9	226.2	
1997.....	4.1	8.5	13.2	20.8	37.9	50.8	86.8	98.7	169.1	227.2	
1996.....	3.3	8.8	15.8	25.8	38.2	54.9	80.9	108.6	164.9	211.9	
1995.....	4.8	8.7	15.2	24.9	36.5	60.2	81.9	117.2	159.4	219.7	
1994.....	4.8	9.0	17.2	25.0	38.4	58.2	77.1	107.7	170.2	213.7	
1993.....	3.8	8.2	17.7	25.2	37.7	59.7	92.1	122.0	149.0	220.9	
1992.....	4.4	8.0	15.1	26.2	38.9	59.0	84.9	101.5	156.0	214.8	
1991.....	4.2	7.9	14.7	28.4	37.9	57.0	89.2	115.9	168.6	227.5	
1990.....	4.5	9.8	19.1	28.3	39.9	62.4	84.4	119.7	163.4	205.0	
1989.....	3.7	6.7	14.8	27.7	45.1	65.1	87.4	119.7	159.4	216.0	
1988.....	5.4	7.6	16.1	26.8	41.5	66.7	76.3	115.0	147.1	215.4	
1987.....	3.5	9.7	18.1	29.4	47.3	65.7	86.2	115.2	150.0	173.0	
1986.....	4.4	9.7	16.6	25.1	44.8	60.9	86.2	113.2	168.1	180.1	
1985.....	4.5	9.7	16.4	30.0	46.3	60.3	91.7	121.0	155.0	195.3	
1984.....	3.8	9.4	14.2	31.3	43.7	58.4	84.3	108.2	158.4	177.9	
1983.....	4.1	8.4	15.1	23.9	40.6	61.2	91.1	107.1	146.1	161.9	
1982.....	4.8	7.4	16.5	31.2	40.9	52.4	86.8	93.7	135.0	148.9	
1981.....	4.9	7.0	16.6	32.1	38.5	55.1	80.9	110.5	152.7	152.4	
1980.....	5.1	8.4	17.2	23.6	37.0	55.6	85.4	100.8	135.9	147.5	
1979.....	4.9	10.2	17.7	28.6	45.8	55.7	81.6	113.6	121.2	131.6	
BLACK, BOTH SEXES											
1998.....	4.6	9.8	22.3	31.9	55.5	73.8	110.6	139.0	198.8	260.0	
1997.....	4.6	12.1	18.1	32.7	55.0	70.4	118.2	134.3	206.9	265.6	
1996.....	4.6	11.1	20.0	36.8	51.9	73.1	116.2	137.5	199.9	246.2	
1995.....	5.8	10.8	19.9	32.7	53.1	82.1	116.8	150.2	201.8	253.2	
1994.....	6.1	11.8	22.8	36.8	53.4	80.3	107.5	139.7	199.8	246.1	
1993.....	4.7	11.3	22.5	34.1	52.8	78.6	116.4	153.7	187.9	261.8	
1992.....	6.2	9.4	19.8	33.3	50.6	80.7	108.7	143.3	197.9	257.3	
1991.....	4.6	10.9	21.2	37.8	53.6	75.5	108.0	142.5	207.4	275.0	
1990.....	5.3	12.0	23.0	36.6	55.1	86.0	109.1	159.5	199.5	247.0	
1989.....	5.4	8.1	21.8	35.0	54.7	84.7	113.4	155.7	189.4	250.0	
1988.....	6.2	8.8	19.8	35.2	56.0	85.7	104.9	141.2	173.9	236.9	
1987.....	4.9	10.2	22.4	37.5	60.2	82.1	106.1	147.4	181.0	203.4	
1986.....	5.1	10.7	19.7	30.6	55.0	77.1	111.2	148.3	192.5	217.4	
1985.....	5.1	11.8	19.0	35.2	58.0	77.0	115.9	144.7	179.6	216.9	
1984.....	4.7	11.7	19.5	37.9	54.8	71.5	109.0	130.3	187.3	198.4	
1983.....	5.3	9.9	17.9	30.1	52.0	77.2	107.4	129.6	170.0	176.6	
1982.....	5.4	10.0	18.8	35.2	51.8	65.1	105.4	123.0	170.6	175.6	
1981.....	5.6	10.4	18.0	33.6	44.4	67.0	95.2	129.9	169.4	172.6	
1980.....	5.8	9.7	18.5	28.7	46.5	67.2	100.8	122.4	155.4	173.5	
1979.....	5.8	9.7	18.8	29.7	48.5	60.9	95.4	119.7	138.8	142.3	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)										
BLACK MALE										
1998.....	5.0	9.9	26.6	37.7	67.3	87.7	129.6	161.0	239.2	284.9
1997.....	4.5	14.5	21.7	42.5	66.5	85.1	142.2	166.2	237.3	290.9
1996.....	5.5	11.7	22.1	44.1	62.3	84.3	145.0	162.8	236.9	271.2
1995.....	6.0	11.1	21.9	35.6	64.9	96.6	144.8	181.5	248.8	316.9
1994.....	6.5	12.6	25.1	44.3	61.6	98.1	136.7	169.8	234.2	284.1
1993.....	5.2	13.1	23.6	40.7	66.2	91.3	132.4	182.2	234.2	322.6
1992.....	7.1	9.4	22.5	36.8	60.5	98.1	126.8	192.1	246.6	315.8
1991.....	4.3	12.9	25.4	44.2	66.1	90.7	118.9	164.6	246.5	340.6
1990.....	5.3	12.1	24.1	42.6	65.3	107.0	132.0	203.1	247.1	304.8
1989.....	6.2	9.0	27.3	38.5	58.0	98.0	138.1	196.1	224.7	306.1
1988.....	5.7	8.6	22.2	41.0	67.5	96.0	135.2	162.1	211.7	264.6
1987.....	5.9	9.8	23.8	41.9	68.8	92.5	122.9	176.6	213.0	250.0
1986.....	5.0	11.2	20.1	32.8	60.2	89.2	133.5	187.8	210.0	265.1
1985.....	5.2	12.0	18.4	36.8	65.9	91.4	139.4	161.2	200.0	237.1
1984.....	5.2	12.7	23.3	41.2	61.5	82.2	134.7	148.5	220.2	231.1
1983.....	6.2	10.7	19.0	33.8	60.0	89.6	118.0	147.3	192.7	198.3
1982.....	5.7	11.9	19.4	34.9	59.2	75.4	121.5	154.0	221.3	213.8
1981.....	5.4	13.7	17.9	30.9	48.2	75.4	104.2	150.0	188.3	185.7
1980.....	5.6	9.9	18.8	32.7	54.4	77.9	113.8	144.5	162.6	211.3
1979.....	5.9	8.8	19.2	29.0	48.1	63.0	106.2	119.9	157.1	163.5
BLACK FEMALE										
1998.....	4.3	9.8	18.8	27.3	46.7	63.4	97.4	125.0	177.6	249.6
1997.....	4.6	10.1	15.1	25.0	46.3	59.4	101.7	114.1	191.1	255.2
1996.....	3.9	10.5	18.3	31.1	44.0	64.7	96.6	121.7	180.9	236.0
1995.....	5.6	10.6	18.3	30.4	44.2	71.3	98.0	130.9	177.8	227.3
1994.....	5.7	11.1	21.0	31.0	47.1	67.0	87.9	121.4	182.3	230.6
1993.....	4.3	9.8	21.5	28.9	42.6	69.3	105.7	136.9	164.0	237.0
1992.....	5.4	9.4	17.7	30.6	43.1	68.0	96.7	114.8	172.6	232.9
1991.....	4.8	9.2	17.9	32.8	44.2	64.4	100.8	129.5	187.2	247.2
1990.....	5.2	12.0	22.1	31.8	47.3	70.7	94.0	133.8	174.8	222.6
1989.....	4.8	7.3	17.2	32.2	52.2	75.1	97.4	131.9	170.8	227.5
1988.....	6.6	8.9	17.9	30.7	47.3	78.1	84.7	128.7	153.9	224.8
1987.....	4.0	10.4	21.3	34.0	53.7	74.6	94.7	129.8	163.7	182.6
1986.....	5.2	10.3	19.4	28.8	51.0	68.2	96.3	124.2	183.0	195.7
1985.....	5.0	11.7	19.6	34.0	52.0	66.5	100.3	134.4	168.4	207.5
1984.....	4.2	10.9	16.4	35.2	49.5	63.7	91.8	118.8	169.1	182.9
1983.....	4.6	9.2	16.9	27.0	45.8	68.1	100.6	117.8	157.2	166.1
1982.....	5.2	8.4	18.4	35.3	46.0	57.4	94.3	103.6	141.3	156.8
1981.....	5.8	7.7	18.1	35.7	41.4	61.0	88.9	116.8	158.3	164.6
1980.....	6.0	9.5	18.3	25.5	40.2	59.2	91.6	108.1	151.0	154.6
1979.....	5.7	10.4	18.5	30.4	48.7	59.3	87.6	119.1	127.4	131.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	0.9	1.7	3.0	4.9	8.0	10.6	14.0	17.5	24.4	32.5
1997.....	0.9	1.8	3.0	4.9	7.3	10.6	14.7	17.2	23.2	34.0
1996.....	0.8	1.8	2.7	5.1	8.3	10.9	14.9	18.4	24.7	35.3
1995.....	0.9	1.6	2.8	5.2	8.2	11.5	15.2	18.2	24.1	35.1
1994.....	0.8	1.7	3.1	5.0	7.7	11.6	14.1	19.0	25.3	35.7
1993.....	0.9	1.5	2.9	5.2	7.8	11.2	15.4	18.8	23.6	36.7
1992.....	0.8	1.5	3.0	4.9	8.0	11.9	14.6	19.0	24.8	38.6
1991.....	0.9	1.4	3.0	5.2	7.7	11.4	14.9	19.5	25.4	37.9
1990.....	0.7	1.4	3.1	4.7	7.7	11.1	14.9	19.5	26.0	39.9
1989.....	0.7	1.4	2.9	4.7	7.7	10.5	14.6	20.2	25.7	39.6
1988.....	0.9	1.6	2.7	4.7	8.0	10.9	15.2	20.0	25.8	40.8
1987.....	0.8	1.5	2.8	5.2	8.7	11.6	16.5	19.8	27.6	41.5
1986.....	0.7	1.6	3.1	5.0	8.1	12.1	16.9	20.6	28.6	42.9
1985.....	0.6	1.7	2.9	5.5	8.7	11.8	17.8	22.2	30.8	45.3
1984.....	0.8	1.6	3.6	6.0	9.1	12.8	17.2	22.6	30.8	48.1
1983.....	0.8	1.5	3.3	6.0	9.0	12.9	18.6	23.9	32.6	50.5
1982.....	0.8	1.6	3.2	6.1	9.3	13.5	18.6	25.0	36.3	49.0
1981.....	0.8	1.8	3.4	5.8	9.4	13.7	19.7	26.0	36.1	54.1
1980.....	0.9	1.8	3.4	6.5	10.0	15.1	20.7	28.2	37.8	57.8
1979.....	0.9	1.9	3.5	6.6	10.3	15.3	21.0	28.4	41.3	55.6
TOTAL, MALE										
1998.....	0.9	2.2	3.8	6.4	10.7	14.1	17.8	22.6	30.7	37.1
1997.....	1.0	1.9	3.9	6.3	9.9	14.4	19.5	22.6	31.2	39.9
1996.....	1.0	2.2	3.4	6.4	11.0	14.6	20.1	22.2	33.0	42.4
1995.....	1.1	2.0	3.8	6.8	10.9	15.7	19.9	23.6	31.4	42.7
1994.....	0.9	2.2	4.0	6.3	10.1	15.6	19.6	25.2	32.8	41.0
1993.....	1.0	1.8	3.7	6.4	10.3	14.4	20.8	25.5	29.6	43.2
1992.....	1.0	1.9	3.9	6.2	11.3	16.2	19.3	25.2	31.1	49.1
1991.....	1.1	1.6	3.8	6.6	9.5	15.4	19.6	25.5	33.4	51.0
1990.....	0.7	1.8	4.0	6.4	10.4	14.9	20.1	27.9	35.0	52.2
1989.....	0.8	1.7	3.7	6.0	10.5	14.4	20.1	27.7	33.9	49.1
1988.....	1.1	2.0	3.4	6.2	10.7	14.2	20.3	27.3	35.9	51.4
1987.....	0.9	1.9	3.6	6.6	11.7	15.4	21.9	25.9	35.1	51.9
1986.....	0.7	2.0	4.0	6.4	11.2	16.4	22.9	27.6	41.2	56.5
1985.....	0.6	2.0	3.6	6.7	10.9	15.4	23.7	29.7	41.1	56.9
1984.....	0.9	1.8	4.4	7.4	11.4	16.8	24.0	30.7	42.8	63.1
1983.....	0.9	1.9	4.0	7.5	12.0	16.5	24.9	31.9	46.9	63.8
1982.....	1.1	1.5	3.7	7.6	12.0	18.2	25.6	32.6	50.2	63.3
1981.....	0.8	2.1	4.1	6.8	11.9	17.8	26.8	35.6	51.4	67.2
1980.....	0.9	2.3	4.0	7.9	12.8	20.8	27.8	39.6	51.0	73.4
1979.....	1.1	2.1	4.2	8.2	13.2	20.9	29.2	38.9	57.5	76.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)										
TOTAL, FEMALE										
1998.....	0.8	1.2	2.3	3.5	5.6	7.6	11.0	13.8	20.7	30.6
1997.....	0.8	1.7	2.2	3.6	5.0	7.5	11.0	13.3	18.6	31.6
1996.....	0.6	1.4	2.1	3.9	5.9	7.9	10.9	15.8	20.0	32.4
1995.....	0.7	1.1	2.0	3.7	5.8	8.0	11.7	14.5	20.0	32.2
1994.....	0.7	1.4	2.3	3.8	5.7	8.4	9.9	14.8	21.1	33.7
1993.....	0.8	1.3	2.2	4.1	5.6	8.6	11.3	14.4	20.4	34.1
1992.....	0.6	1.1	2.1	3.8	5.1	8.4	11.0	14.9	21.3	34.6
1991.....	0.7	1.2	2.2	4.0	6.1	8.2	11.3	15.5	21.1	32.9
1990.....	0.7	1.0	2.2	3.2	5.3	8.0	11.1	14.2	21.3	35.1
1989.....	0.6	1.2	2.1	3.4	5.3	7.4	10.5	15.4	21.3	35.9
1988.....	0.7	1.2	2.1	3.3	5.7	8.3	11.4	15.4	20.5	36.7
1987.....	0.7	1.1	2.1	3.8	6.1	8.6	12.7	16.0	23.7	37.4
1986.....	0.7	1.3	2.3	3.7	5.5	8.6	12.6	16.2	22.0	37.5
1985.....	0.6	1.3	2.2	4.3	6.7	8.9	13.5	17.5	25.5	40.7
1984.....	0.7	1.3	2.8	4.7	7.1	9.6	12.2	17.5	24.5	42.1
1983.....	0.7	1.2	2.7	4.6	6.4	10.0	14.1	18.9	25.0	45.1
1982.....	0.6	1.7	2.8	4.7	6.9	9.7	13.5	20.2	29.0	43.0
1981.....	0.7	1.5	2.6	4.9	7.1	10.5	14.6	20.0	28.0	48.5
1980.....	0.8	1.4	2.8	5.2	7.5	10.5	15.5	21.1	30.7	50.9
1979.....	0.7	1.7	2.8	5.3	7.8	10.9	15.1	21.8	32.6	46.2
WHITE, BOTH SEXES										
1998.....	0.8	1.7	2.8	5.0	8.0	10.7	13.6	17.4	24.5	33.0
1997.....	0.8	1.7	3.0	4.7	7.2	10.4	14.4	17.1	23.3	33.3
1996.....	0.8	1.7	2.6	5.0	8.3	11.0	14.9	18.1	24.6	35.0
1995.....	0.8	1.4	2.7	5.0	8.1	11.5	14.9	18.2	24.2	35.4
1994.....	0.7	1.6	3.1	4.9	7.7	11.8	14.0	19.0	25.2	36.2
1993.....	0.9	1.4	2.8	5.0	7.7	11.0	15.1	18.7	23.5	36.9
1992.....	0.7	1.4	2.9	4.7	8.0	11.7	14.2	19.0	24.6	38.6
1991.....	0.9	1.3	2.9	5.0	7.6	11.3	14.6	19.4	25.4	38.0
1990.....	0.7	1.3	2.9	4.7	7.7	10.9	14.9	19.9	26.2	40.0
1989.....	0.7	1.3	2.8	4.5	7.8	10.5	14.7	19.9	25.6	39.7
1988.....	0.8	1.5	2.6	4.6	8.0	10.8	15.1	20.1	26.1	41.4
1987.....	0.8	1.4	2.8	5.1	8.5	11.5	16.7	19.9	27.6	42.2
1986.....	0.6	1.6	2.9	4.9	8.1	12.0	17.0	20.7	28.6	43.1
1985.....	0.5	1.6	2.8	5.5	8.6	11.9	17.6	22.8	30.8	45.5
1984.....	0.7	1.5	3.5	5.9	9.0	12.9	17.2	23.2	30.8	48.9
1983.....	0.7	1.5	3.3	6.0	9.0	12.9	18.7	23.9	32.3	51.3
1982.....	0.7	1.5	3.1	5.9	9.4	13.6	18.8	24.9	36.4	50.1
1981.....	0.7	1.7	3.3	5.8	9.3	14.0	19.7	25.7	36.4	55.5
1980.....	0.8	1.8	3.3	6.3	9.8	14.9	20.8	28.7	37.7	58.6
1979.....	0.9	1.9	3.3	6.6	10.4	15.5	21.2	28.2	42.2	57.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)										
WHITE MALE										
1998.....	0.9	2.1	3.5	6.5	10.8	14.3	17.7	22.5	30.9	38.3
1997.....	0.8	1.8	3.8	5.9	9.5	14.1	19.2	22.7	32.2	39.4
1996.....	1.0	2.1	3.3	6.1	10.9	14.6	20.4	22.3	32.6	42.4
1995.....	1.0	1.8	3.5	6.7	10.5	15.7	19.6	23.6	32.0	43.2
1994.....	0.8	2.0	3.8	6.1	10.1	15.9	19.1	25.3	32.4	42.1
1993.....	0.9	1.7	3.5	6.1	10.2	14.2	20.4	25.3	30.0	43.3
1992.....	0.9	1.8	3.9	5.9	11.3	15.8	19.0	25.1	31.1	49.0
1991.....	1.1	1.5	3.6	6.4	9.5	15.2	19.4	25.6	33.2	51.3
1990.....	0.7	1.7	3.6	6.5	10.4	14.8	20.2	28.1	35.1	52.1
1989.....	0.8	1.5	3.5	5.8	10.5	14.5	20.0	27.4	34.0	49.2
1988.....	1.0	2.0	3.2	6.2	10.6	14.2	20.4	27.3	36.6	52.3
1987.....	0.8	1.7	3.5	6.6	11.4	15.0	22.0	26.2	35.3	53.1
1986.....	0.7	1.9	3.8	6.3	11.2	16.2	23.0	27.6	41.6	56.5
1985.....	0.6	1.9	3.5	6.9	10.7	15.8	23.6	30.7	41.6	58.6
1984.....	0.9	1.7	4.2	7.4	11.2	17.1	24.3	31.4	43.3	64.7
1983.....	0.7	1.9	4.0	7.6	12.0	16.7	25.3	31.9	47.0	65.3
1982.....	1.0	1.4	3.6	7.4	12.0	18.2	26.1	33.2	50.9	66.2
1981.....	0.8	2.0	4.1	6.7	11.9	17.9	26.9	35.3	51.4	69.1
1980.....	0.8	2.3	3.9	7.7	12.8	20.8	28.2	40.3	50.3	75.1
1979.....	1.1	2.2	4.1	8.1	13.3	21.1	29.9	39.1	58.4	78.8
WHITE FEMALE										
1998.....	0.7	1.2	2.2	3.7	5.6	7.6	10.4	13.7	20.6	30.9
1997.....	0.8	1.7	2.3	3.5	5.1	7.3	10.7	13.1	18.1	30.8
1996.....	0.6	1.3	2.0	4.0	5.8	8.0	10.6	15.2	20.1	32.1
1995.....	0.6	1.1	1.8	3.5	5.9	7.9	11.2	14.5	19.8	32.4
1994.....	0.7	1.3	2.4	3.7	5.6	8.4	10.0	14.7	21.1	33.9
1993.....	0.8	1.2	2.1	4.0	5.4	8.4	11.1	14.3	19.9	34.5
1992.....	0.5	1.0	2.0	3.5	5.1	8.3	10.5	14.9	21.0	34.6
1991.....	0.7	1.2	2.3	3.8	6.0	8.1	11.0	15.3	21.3	33.0
1990.....	0.7	0.9	2.2	2.9	5.2	7.8	11.0	14.6	21.5	35.4
1989.....	0.6	1.1	2.1	3.3	5.4	7.3	10.7	15.1	21.2	36.1
1988.....	0.7	1.1	2.0	3.1	5.8	8.0	11.3	15.5	20.6	37.3
1987.....	0.7	1.1	2.1	3.6	6.0	8.6	12.8	16.0	23.6	37.9
1986.....	0.6	1.2	2.2	3.6	5.4	8.6	12.7	16.4	21.8	37.9
1985.....	0.5	1.2	2.2	4.3	6.8	8.7	13.3	17.8	25.1	40.4
1984.....	0.6	1.4	2.8	4.4	7.1	9.4	12.1	18.0	24.3	42.7
1983.....	0.6	1.2	2.6	4.6	6.3	9.9	14.0	18.9	24.6	45.7
1982.....	0.5	1.6	2.7	4.5	7.1	9.9	13.5	19.8	28.8	43.5
1981.....	0.7	1.4	2.6	4.9	7.0	10.8	14.4	19.8	28.6	49.9
1980.....	0.8	1.4	2.7	5.0	7.1	10.2	15.4	21.4	31.1	51.5
1979.....	0.7	1.6	2.6	5.3	7.8	11.0	14.9	21.4	33.6	48.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	1.9	4.1	4.3	7.8	9.4	16.9	18.3	24.0	27.1
1997.....	1.1	2.2	3.0	6.1	8.5	11.9	17.2	17.8	22.6	40.9
1996.....	1.1	2.2	3.2	5.6	8.5	10.5	14.9	21.2	25.5	37.4
1995.....	1.2	2.2	4.0	6.2	8.8	11.8	18.4	17.9	22.6	32.6
1994.....	1.2	2.4	3.6	5.6	7.8	10.0	15.4	18.4	26.8	31.0
1993.....	1.1	2.1	3.7	6.5	8.6	12.7	17.9	19.9	25.2	33.8
1992.....	1.3	2.2	3.2	6.7	7.9	13.5	18.0	19.2	26.8	39.2
1991.....	1.1	2.0	3.1	6.4	8.6	12.6	17.2	19.8	25.2	36.9
1990.....	0.8	2.0	4.2	5.2	7.7	12.5	14.6	16.1	24.5	38.4
1989.....	*	2.4	3.5	5.7	7.1	10.7	14.0	22.7	26.4	38.7
1988.....	1.2	1.7	3.5	5.3	8.2	12.3	15.3	19.3	22.5	34.3
1987.....	1.0	2.1	2.7	5.9	10.1	13.1	15.2	19.1	27.6	34.6
1986.....	*	1.9	4.3	5.8	8.3	12.4	15.9	20.0	29.0	40.3
1985.....	1.1	2.2	3.3	5.1	9.1	10.6	19.6	16.7	31.6	42.9
1984.....	1.1	1.7	4.0	6.8	9.9	12.2	16.5	17.4	31.5	39.2
1983.....	1.7	1.7	3.2	5.6	9.4	12.4	17.5	24.0	35.9	41.1
1982.....	1.4	2.3	3.9	7.4	8.4	12.2	16.4	25.8	36.3	36.2
1981.....	1.2	2.4	3.6	6.3	9.8	11.5	20.0	28.4	32.4	37.9
1980.....	1.4	1.9	4.0	8.2	11.8	16.1	19.6	24.0	38.4	47.9
1979.....	0.9	2.2	5.0	6.5	9.5	13.8	19.3	30.9	30.8	34.5
ALL OTHER MALE										
1998.....	1.4	2.7	5.7	6.3	10.7	12.3	19.0	23.3	28.5	26.3
1997.....	1.6	2.5	4.4	9.1	13.1	16.1	22.5	21.4	20.0	44.6
1996.....	1.5	2.7	3.9	8.1	11.4	15.1	17.7	21.9	36.9	42.6
1995.....	1.5	3.3	5.4	7.8	13.1	15.8	22.7	24.0	25.0	37.7
1994.....	1.6	3.1	5.5	7.5	10.4	13.0	23.8	23.6	37.0	30.7
1993.....	1.6	2.4	4.7	8.8	10.5	15.9	23.9	26.8	25.2	42.6
1992.....	1.6	2.8	3.8	8.7	12.0	19.4	21.6	26.4	31.1	50.1
1991.....	*	2.7	4.8	8.2	10.2	16.7	21.9	24.8	34.9	47.7
1990.....	*	2.7	6.4	6.0	10.4	15.9	18.8	25.5	34.0	52.8
1989.....	*	3.1	4.8	7.8	9.9	13.9	21.2	30.6	33.1	48.1
1988.....	*	*	4.7	6.2	12.1	14.3	19.7	26.9	29.1	43.0
1987.....	*	3.0	3.8	7.1	14.5	19.8	20.8	23.3	33.0	40.3
1986.....	*	*	5.9	7.5	11.6	17.4	22.4	27.6	38.0	56.0
1985.....	*	*	3.9	5.6	13.2	11.2	25.0	20.9	35.2	41.1
1984.....	*	2.8	5.2	7.4	13.2	14.4	21.5	23.8	37.6	47.2
1983.....	*	*	3.4	6.9	12.3	15.3	21.2	32.0	46.4	48.6
1982.....	*	*	4.7	9.3	11.8	17.2	20.8	27.1	42.6	35.8
1981.....	*	*	4.1	8.0	12.1	16.6	25.4	38.2	51.6	48.4
1980.....	2.0	2.5	5.1	9.4	13.2	20.5	23.6	32.4	58.5	56.0
1979.....	1.0	1.6	5.4	8.3	11.9	18.9	22.7	37.4	47.7	55.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)										
ALL OTHER FEMALE										
1998.....	*	*	2.8	2.6	5.5	7.3	15.5	15.0	21.4	27.4
1997.....	*	1.8	1.8	3.7	4.9	8.7	13.6	15.4	24.0	39.2
1996.....	*	1.8	2.6	3.6	6.3	7.1	12.9	20.7	19.2	35.1
1995.....	*	*	2.9	4.8	5.5	8.8	15.4	14.0	21.2	30.4
1994.....	*	1.8	2.0	4.1	5.8	7.8	9.6	15.1	21.1	31.2
1993.....	*	1.9	2.9	4.6	7.2	10.3	13.6	15.6	25.2	30.0
1992.....	*	*	2.7	5.0	4.7	9.2	15.5	14.7	24.4	34.3
1991.....	*	*	*	5.0	7.4	9.5	14.0	16.8	19.7	31.7
1990.....	*	*	2.4	4.7	5.7	10.0	11.7	10.3	19.2	31.8
1989.....	*	*	2.4	4.0	5.0	8.4	9.1	17.7	22.6	34.3
1988.....	*	*	2.5	4.6	5.2	10.8	12.3	14.5	18.6	30.2
1987.....	*	*	*	4.9	6.6	8.1	11.3	16.4	24.5	31.9
1986.....	*	*	3.0	4.5	5.7	8.7	11.5	15.1	23.9	32.7
1985.....	*	*	2.7	4.7	6.0	10.2	15.9	14.0	29.4	44.0
1984.....	*	*	3.0	6.3	7.3	10.6	12.9	13.2	27.7	35.2
1983.....	*	*	3.0	4.5	7.1	10.2	15.0	18.7	29.7	37.4
1982.....	*	*	3.3	5.9	5.7	8.4	13.2	24.9	32.5	36.1
1981.....	*	*	3.2	5.0	7.9	7.5	16.0	21.8	20.7	32.5
1980.....	0.8	1.4	3.1	7.2	10.7	12.7	16.5	18.3	26.1	43.8
1979.....	0.9	2.6	4.6	5.0	7.5	10.0	16.7	26.4	20.4	23.7
BLACK, BOTH SEXES										
1998.....	1.2	2.2	5.0	5.0	9.0	9.8	19.3	20.9	23.9	30.0
1997.....	1.3	2.1	3.6	7.0	9.6	12.2	19.1	18.8	22.5	43.4
1996.....	1.2	2.4	3.5	6.6	10.1	11.5	16.8	23.4	27.8	39.1
1995.....	1.3	2.6	4.4	7.0	9.6	12.4	19.8	18.4	25.1	32.5
1994.....	1.4	2.5	4.0	5.9	7.9	11.3	17.0	20.4	27.2	33.3
1993.....	1.3	2.2	4.7	7.2	9.7	13.7	19.4	20.1	27.8	32.7
1992.....	1.2	2.5	3.6	7.6	8.5	14.6	17.5	20.3	29.9	42.6
1991.....	1.3	2.1	3.6	7.4	9.0	14.0	18.4	21.7	25.6	38.4
1990.....	*	2.4	4.8	6.1	7.7	13.5	16.0	17.4	24.6	39.5
1989.....	*	2.7	4.0	6.7	7.5	10.7	14.3	23.0	27.0	37.7
1988.....	1.6	1.7	3.5	5.7	9.1	13.9	15.7	19.5	22.8	34.6
1987.....	*	2.1	3.1	6.3	11.3	14.1	16.1	19.6	28.9	36.5
1986.....	*	2.3	4.8	6.2	8.6	13.7	17.0	19.0	31.4	39.8
1985.....	*	2.2	3.7	5.6	9.3	11.0	19.6	17.6	31.4	42.6
1984.....	*	1.8	4.2	6.9	10.4	13.4	17.8	19.4	33.9	40.0
1983.....	1.9	1.9	3.4	6.5	10.4	13.3	17.9	25.3	37.4	41.3
1982.....	1.7	2.4	4.2	7.9	9.3	12.3	17.7	25.2	38.5	38.6
1981.....	*	2.8	3.7	6.9	9.9	12.0	20.8	29.1	32.5	36.3
1980.....	1.5	2.0	4.3	9.0	12.1	17.2	21.1	25.3	41.0	47.2
1979.....	1.0	2.3	5.1	6.3	10.2	14.4	19.1	30.6	32.3	34.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)										
BLACK MALE										
1998.....	*	3.1	6.9	7.3	13.2	12.2	21.7	27.3	27.6	31.2
1997.....	2.0	2.3	5.5	10.4	14.4	16.5	25.1	21.6	18.0	44.4
1996.....	*	3.4	4.4	10.4	13.4	16.6	20.4	22.8	40.4	44.4
1995.....	*	4.0	6.0	9.2	13.9	15.8	25.0	23.7	30.8	37.9
1994.....	2.0	3.8	6.3	7.8	11.3	14.8	26.6	27.7	38.4	35.4
1993.....	*	2.8	6.0	10.1	11.1	16.9	25.5	27.3	28.6	40.3
1992.....	*	3.3	4.1	10.3	13.0	19.9	19.8	26.7	35.1	57.4
1991.....	*	*	5.5	9.3	10.4	18.8	23.9	27.1	36.6	53.6
1990.....	*	3.1	7.5	6.5	11.0	16.4	19.8	27.4	36.6	54.3
1989.....	*	3.5	5.5	9.7	9.3	14.3	20.2	31.5	34.0	45.5
1988.....	*	*	4.9	6.9	12.9	15.9	19.6	26.6	30.9	40.0
1987.....	*	*	4.4	7.7	16.5	21.6	22.1	22.9	34.8	40.6
1986.....	*	*	6.8	7.8	12.3	19.2	23.4	25.0	41.1	60.3
1985.....	*	*	4.6	6.3	14.0	11.5	24.0	20.6	33.3	41.9
1984.....	*	*	5.8	7.1	13.7	16.0	24.1	26.9	40.5	49.2
1983.....	*	*	*	8.2	13.4	15.8	22.5	33.3	46.3	48.3
1982.....	*	*	4.5	9.1	13.1	17.7	21.9	24.8	42.5	39.7
1981.....	*	*	*	9.1	11.7	17.1	28.0	38.6	49.4	44.6
1980.....	2.3	2.9	5.7	10.5	13.7	22.3	25.6	34.0	61.3	52.8
1979.....	1.1	1.7	5.4	7.8	12.6	19.8	20.4	36.6	49.4	53.8
BLACK FEMALE										
1998.....	*	*	3.4	3.3	5.9	8.0	17.7	16.9	21.9	29.6
1997.....	*	2.0	*	4.4	5.9	9.0	14.9	17.0	24.8	43.0
1996.....	*	*	2.7	3.7	7.6	7.7	14.3	23.8	21.3	37.0
1995.....	*	*	3.2	5.3	6.4	9.9	16.3	15.2	22.3	30.3
1994.....	*	*	*	4.5	5.4	8.7	10.6	16.1	21.5	32.4
1993.....	*	*	3.6	5.0	8.7	11.3	15.3	15.8	27.4	29.6
1992.....	*	*	3.2	5.4	5.2	10.6	15.9	16.5	27.3	36.4
1991.....	*	*	*	6.0	7.9	10.5	14.8	18.5	19.9	31.9
1990.....	*	*	*	5.7	5.2	11.4	13.5	11.5	18.4	33.3
1989.....	*	*	*	4.3	6.2	8.1	10.5	17.9	23.2	34.6
1988.....	*	*	*	4.8	6.2	12.4	13.2	15.2	18.5	32.2
1987.....	*	*	*	5.3	7.3	8.6	12.2	17.6	25.7	34.7
1986.....	*	*	3.3	4.9	5.7	9.6	12.8	15.3	26.1	30.4
1985.....	*	*	*	4.9	5.6	10.6	16.7	15.8	30.4	42.9
1984.....	*	*	*	6.7	7.8	11.4	13.6	14.7	30.3	35.7
1983.....	*	*	3.4	5.1	8.1	11.4	14.7	20.1	32.4	37.9
1982.....	*	*	4.0	7.0	6.3	8.4	14.8	25.5	36.2	38.1
1981.....	*	*	3.7	5.2	8.5	8.2	15.8	23.0	22.7	31.9
1980.....	0.9	1.3	3.2	7.9	10.9	13.4	17.9	19.6	28.8	44.3
1979.....	0.9	2.8	4.9	5.0	8.3	10.4	18.2	26.3	21.8	25.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)										
TOTAL, BOTH SEXES										
1998.....	1.4	3.4	5.1	7.1	11.5	16.6	21.8	27.2	32.1	32.1
1997.....	1.3	3.0	4.7	7.3	11.2	16.6	21.6	27.0	31.0	32.6
1996.....	1.5	2.6	4.4	6.9	11.2	16.7	22.1	25.2	30.0	34.2
1995.....	1.4	2.5	3.9	6.9	12.2	15.5	21.7	25.8	30.1	32.2
1994.....	1.3	2.3	3.9	6.6	11.0	14.7	19.7	24.5	28.9	30.4
1993.....	1.2	2.1	3.8	6.5	10.4	14.9	19.6	23.7	28.2	30.9
1992.....	1.2	2.1	3.6	6.2	10.6	14.0	18.2	23.3	27.5	29.2
1991.....	1.1	2.0	3.2	5.7	9.5	13.1	17.4	22.3	26.1	28.8
1990.....	1.1	1.9	3.6	5.7	9.4	12.8	17.6	21.2	25.1	27.7
1989.....	0.8	1.7	3.2	5.6	8.8	12.5	16.5	20.0	24.4	26.1
1988.....	0.9	1.5	2.9	6.0	8.5	12.1	15.4	18.9	23.4	25.0
1987.....	0.8	1.7	3.0	5.2	7.5	11.6	15.8	19.0	22.4	23.1
1986.....	1.0	1.5	3.3	4.9	7.7	11.1	15.1	19.5	22.0	22.1
1985.....	0.9	1.9	3.1	4.8	7.5	11.1	15.6	18.1	21.0	21.9
1984.....	0.9	1.4	3.2	4.7	7.6	11.0	13.8	17.5	21.4	21.3
1983.....	0.9	1.9	2.9	4.7	7.4	10.3	14.0	17.0	18.7	20.9
1982.....	0.8	1.4	2.7	4.6	7.1	10.8	13.9	17.5	20.7	22.0
1981.....	0.7	1.7	2.8	4.6	6.7	10.0	14.3	17.1	19.4	22.2
1980.....	0.8	1.6	2.5	4.5	6.9	10.0	13.5	15.7	19.4	21.4
1979.....	0.7	1.5	2.7	4.6	7.4	10.7	13.8	15.7	18.2	20.9
TOTAL, MALE										
1998.....	2.1	5.5	8.1	10.6	17.3	24.4	31.7	39.1	45.9	42.4
1997.....	1.9	4.7	6.9	11.1	16.2	23.8	31.6	37.4	42.1	48.4
1996.....	2.4	4.1	6.4	10.3	17.0	23.8	32.9	34.6	42.0	49.1
1995.....	2.2	3.8	5.5	9.9	18.2	21.7	31.5	36.0	45.5	46.9
1994.....	1.9	3.5	5.5	9.7	16.3	21.9	26.8	36.4	42.9	44.0
1993.....	1.8	3.0	5.5	9.1	15.0	22.0	28.3	33.7	40.0	45.3
1992.....	1.8	3.0	5.2	9.2	15.8	20.8	27.0	34.0	38.7	42.8
1991.....	1.6	2.5	4.5	8.3	13.8	19.6	25.3	32.3	37.1	42.6
1990.....	1.5	2.6	5.2	8.4	13.6	18.3	25.6	31.6	37.8	41.6
1989.....	1.1	2.4	4.2	8.2	13.2	18.5	25.6	29.7	36.5	35.6
1988.....	1.1	2.0	4.0	9.3	12.5	18.7	22.2	27.7	32.9	38.5
1987.....	1.0	2.4	4.1	7.3	11.1	17.3	23.2	27.7	32.0	29.7
1986.....	1.3	1.9	4.7	7.5	11.5	16.5	21.1	27.8	34.0	29.9
1985.....	1.2	2.7	3.9	7.0	10.4	15.8	22.5	26.7	31.9	28.9
1984.....	1.2	2.0	4.2	7.2	11.0	15.8	20.4	25.9	32.9	29.3
1983.....	1.1	2.5	3.9	6.8	11.0	15.5	20.5	26.1	26.6	27.9
1982.....	1.0	1.9	3.5	6.6	9.9	15.7	20.1	26.4	31.0	30.5
1981.....	0.9	2.3	3.7	6.6	9.7	14.8	21.7	26.6	25.5	31.2
1980.....	1.1	1.9	3.6	6.2	9.5	14.1	19.2	23.3	27.3	29.1
1979.....	0.8	1.8	3.8	6.3	10.6	16.0	20.1	23.1	24.6	24.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)										
TOTAL, FEMALE										
1998.....	0.7	1.4	2.2	3.8	6.4	10.1	14.0	18.7	23.9	27.9
1997.....	0.8	1.3	2.6	3.8	6.8	10.6	13.8	19.7	24.6	26.2
1996.....	0.6	1.2	2.5	3.8	6.1	10.7	13.8	18.7	23.1	28.3
1995.....	0.6	1.2	2.4	4.2	6.9	10.3	14.1	18.8	21.3	26.4
1994.....	0.8	1.2	2.3	3.7	6.4	8.7	14.3	16.4	21.2	25.1
1993.....	0.6	1.3	2.1	4.1	6.3	9.2	13.0	17.0	21.7	25.4
1992.....	0.6	1.3	2.1	3.5	5.9	8.4	11.5	16.3	21.4	24.0
1991.....	0.6	1.4	2.0	3.4	5.8	7.8	11.5	15.8	20.3	23.5
1990.....	0.7	1.2	2.1	3.3	5.7	8.3	11.6	14.5	18.4	22.3
1989.....	0.5	1.0	2.3	3.2	5.0	7.6	9.7	13.7	17.9	22.4
1988.....	0.7	1.0	1.9	2.9	5.2	6.6	10.4	13.2	18.4	19.8
1987.....	0.7	0.9	1.9	3.3	4.3	7.0	10.4	13.6	17.3	20.5
1986.....	0.7	1.1	1.9	2.6	4.4	6.7	10.7	14.2	15.7	19.0
1985.....	0.5	1.1	2.3	2.9	5.0	7.3	10.6	12.7	15.3	19.0
1984.....	0.6	0.9	2.2	2.5	4.7	7.2	9.0	12.2	15.3	18.1
1983.....	0.7	1.3	1.9	2.8	4.2	6.1	9.3	11.3	14.5	18.0
1982.....	0.6	0.9	2.0	2.8	4.6	6.8	9.4	11.9	15.3	18.4
1981.....	0.6	1.1	2.0	2.8	4.2	6.2	9.0	11.2	16.2	18.4
1980.....	0.5	1.2	1.4	3.0	4.7	6.7	9.4	11.0	15.2	18.1
1979.....	0.7	1.2	1.7	3.1	4.7	6.5	9.3	11.1	14.8	19.3
WHITE, BOTH SEXES										
1998.....	1.1	2.7	3.9	6.1	10.3	15.4	20.7	26.1	31.1	31.0
1997.....	1.0	2.3	3.9	6.2	9.8	15.4	20.3	25.7	30.1	31.6
1996.....	1.2	2.1	3.6	6.0	9.9	15.5	21.5	24.1	29.2	33.1
1995.....	1.0	2.1	3.1	6.0	11.1	14.1	20.3	24.4	28.8	30.8
1994.....	1.0	1.7	3.1	5.7	10.2	13.4	18.6	23.3	27.8	29.2
1993.....	0.9	1.7	3.1	5.5	9.3	13.9	18.8	22.8	27.0	30.3
1992.....	0.8	1.6	3.0	5.3	9.3	13.1	16.9	22.1	26.3	29.0
1991.....	0.7	1.5	2.5	4.9	8.5	12.2	16.2	21.4	25.0	27.9
1990.....	0.8	1.5	2.8	4.9	8.0	11.9	16.5	20.5	23.7	26.6
1989.....	0.6	1.3	2.6	4.7	7.8	11.6	15.3	18.8	23.8	25.3
1988.....	0.7	1.1	2.3	5.2	7.8	10.9	14.6	18.0	22.9	24.4
1987.....	0.6	1.3	2.3	4.4	7.0	11.0	14.9	18.0	21.2	22.6
1986.....	0.7	1.1	2.7	4.5	6.8	10.3	14.3	18.7	20.9	21.3
1985.....	0.7	1.4	2.6	4.0	6.6	10.3	14.6	17.5	20.9	21.4
1984.....	0.7	1.0	2.7	4.1	6.9	10.3	12.4	16.6	20.7	20.9
1983.....	0.7	1.5	2.2	4.1	6.7	9.5	12.6	16.4	17.7	20.1
1982.....	0.6	1.0	2.2	4.1	6.4	9.8	13.1	16.4	19.8	21.8
1981.....	0.6	1.4	2.3	4.0	5.9	9.1	13.2	16.5	19.3	22.6
1980.....	0.6	1.2	2.1	3.9	6.2	9.1	12.8	15.2	18.6	21.4
1979.....	0.5	1.2	2.3	4.1	6.8	9.7	13.2	15.1	17.4	20.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)										
WHITE MALE										
1998.....	1.6	4.3	6.0	9.0	15.2	22.3	30.1	37.6	44.4	41.1
1997.....	1.4	3.5	5.6	9.0	14.0	22.0	29.7	36.0	41.6	47.2
1996.....	1.8	3.1	5.0	8.7	15.1	21.6	31.7	33.1	41.1	47.1
1995.....	1.5	2.9	4.2	8.6	16.5	20.0	29.8	33.7	43.8	44.5
1994.....	1.2	2.5	4.3	8.0	14.7	19.8	25.5	34.5	41.4	41.8
1993.....	1.4	2.2	4.2	7.2	13.0	20.5	27.2	32.9	39.0	45.0
1992.....	1.2	2.2	4.3	7.7	13.9	19.3	24.9	32.4	36.9	42.6
1991.....	1.0	1.8	3.3	7.2	12.4	18.4	23.3	31.4	35.2	40.6
1990.....	1.1	1.9	3.9	6.9	11.5	16.9	24.3	30.3	35.8	40.5
1989.....	0.8	1.8	3.2	6.7	11.3	17.2	23.9	28.4	35.3	34.3
1988.....	0.7	1.4	3.0	8.2	11.1	16.8	20.6	26.8	32.2	38.0
1987.....	0.6	1.8	3.0	6.0	10.3	16.1	22.1	26.3	30.2	29.1
1986.....	0.8	1.3	3.8	6.6	9.8	14.9	19.9	26.6	32.8	28.7
1985.....	0.8	1.8	3.0	5.7	9.1	14.6	20.9	25.4	31.1	27.6
1984.....	0.9	1.2	3.3	6.0	9.7	14.2	18.1	23.9	31.6	28.3
1983.....	0.7	1.9	2.8	5.7	9.7	14.1	18.1	25.0	25.3	27.0
1982.....	0.7	1.3	2.8	5.7	8.8	14.3	19.2	24.3	29.1	30.2
1981.....	0.7	1.9	2.8	5.6	8.4	13.4	19.5	25.7	25.3	32.2
1980.....	0.9	1.3	2.8	5.2	8.3	12.5	17.6	22.2	27.0	29.2
1979.....	0.5	1.3	3.1	5.4	9.7	14.4	19.0	22.0	22.7	24.0
WHITE FEMALE										
1998.....	0.6	1.1	1.9	3.4	5.8	9.5	13.2	17.8	23.2	26.8
1997.....	0.6	1.1	2.2	3.6	6.0	9.7	13.0	18.4	23.3	25.3
1996.....	0.5	1.1	2.2	3.4	5.1	10.3	13.5	17.8	22.3	27.6
1995.....	0.5	1.2	2.1	3.5	6.2	9.2	12.9	17.9	20.4	25.5
1994.....	0.7	1.0	1.9	3.4	6.2	8.0	13.4	15.6	20.3	24.4
1993.....	0.4	1.1	2.0	3.8	6.0	8.4	12.2	16.0	20.4	24.7
1992.....	0.4	1.1	1.8	3.1	5.2	8.0	10.9	15.3	20.6	23.7
1991.....	0.4	1.2	1.8	2.8	5.1	7.2	10.9	14.8	19.6	23.1
1990.....	0.5	1.1	1.8	2.9	5.0	7.8	10.7	14.2	17.3	21.3
1989.....	0.5	0.9	2.1	2.9	4.7	6.9	8.9	12.7	17.8	21.9
1988.....	0.7	0.9	1.7	2.4	4.9	6.0	10.2	12.5	18.0	19.2
1987.....	0.5	0.9	1.6	2.8	4.0	6.7	9.6	12.8	16.6	20.0
1986.....	0.5	1.0	1.7	2.5	4.2	6.5	10.2	13.7	14.6	18.4
1985.....	0.5	1.0	2.2	2.5	4.5	6.8	10.1	12.5	15.6	19.0
1984.....	0.6	0.7	2.2	2.3	4.4	7.0	8.3	12.1	15.1	18.0
1983.....	0.6	1.1	1.6	2.6	4.0	5.8	8.5	11.1	13.8	17.4
1982.....	0.5	0.8	1.7	2.6	4.2	6.2	8.7	11.4	14.9	18.4
1981.....	0.6	1.0	1.8	2.6	3.7	5.7	8.7	10.8	16.1	18.6
1980.....	0.4	1.2	1.4	2.8	4.4	6.3	9.3	10.9	14.2	18.1
1979.....	0.6	1.1	1.6	2.9	4.2	5.9	9.0	10.8	14.7	19.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)										
ALL OTHER, BOTH SEXES										
1998.....	2.6	7.3	11.9	12.9	19.3	24.8	30.6	37.0	41.8	43.1
1997.....	2.9	6.5	9.6	13.4	20.1	25.1	31.9	38.8	40.8	42.2
1996.....	2.9	5.9	9.4	12.5	19.8	25.4	27.5	35.7	38.6	45.0
1995.....	3.6	5.0	8.9	12.7	19.7	25.0	33.6	38.9	42.8	46.2
1994.....	3.2	5.7	8.5	12.5	16.6	24.1	29.0	35.8	40.4	42.5
1993.....	2.6	4.8	8.1	13.2	17.7	22.9	27.4	32.8	41.1	37.1
1992.....	3.3	5.2	7.4	12.1	19.3	20.7	28.9	34.6	39.6	32.2
1991.....	3.1	4.8	7.5	11.0	16.7	19.8	28.0	31.2	37.8	38.3
1990.....	2.7	4.3	8.1	11.6	19.6	20.2	27.0	27.7	40.3	39.2
1989.....	2.2	3.8	6.7	11.9	16.4	20.2	26.9	30.5	29.7	34.4
1988.....	2.2	3.4	6.8	11.6	14.3	22.0	22.8	26.5	29.4	31.5
1987.....	2.5	3.6	7.3	11.1	11.6	17.2	23.9	28.9	34.4	29.2
1986.....	2.8	3.6	6.7	8.5	15.0	17.8	22.1	26.9	33.7	30.7
1985.....	2.2	5.1	6.6	10.9	14.8	18.2	24.5	24.0	22.1	26.8
1984.....	2.0	4.1	6.2	9.9	14.2	18.0	26.2	25.7	28.6	25.8
1983.....	2.4	4.5	7.7	9.7	13.2	17.3	27.5	22.6	29.4	29.2
1982.....	2.0	3.9	6.1	8.7	13.5	19.1	21.4	28.8	31.5	24.1
1981.....	1.3	3.3	6.7	9.3	13.9	17.5	25.1	23.0	21.6	17.9
1980.....	2.0	3.7	5.6	9.4	13.3	18.1	20.6	21.0	28.8	21.7
1979.....	2.0	3.4	5.4	8.6	13.7	19.7	19.8	22.3	27.2	23.0
ALL OTHER MALE										
1998.....	4.4	12.3	21.7	21.0	31.6	39.2	45.5	53.5	61.5	53.4
1997.....	4.5	11.7	15.3	24.5	31.5	37.1	49.1	50.1	46.7	58.6
1996.....	5.2	10.4	15.3	20.7	30.6	40.8	44.1	48.8	51.2	66.1
1995.....	6.1	9.3	14.4	18.4	30.5	35.1	47.8	58.4	64.3	69.3
1994.....	5.5	9.4	13.5	21.3	27.7	38.5	39.2	56.0	58.7	64.6
1993.....	4.1	8.0	14.1	21.7	30.4	33.9	38.2	42.6	50.4	48.0
1992.....	5.6	8.7	11.4	19.5	30.7	33.5	46.6	49.7	56.1	44.4
1991.....	5.2	7.3	12.4	16.2	25.1	29.0	44.4	41.3	55.0	60.5
1990.....	3.8	6.9	13.5	19.4	30.9	30.9	38.5	44.2	58.2	51.6
1989.....	3.6	6.5	10.8	19.7	29.3	30.0	42.1	42.3	48.8	48.1
1988.....	3.9	5.6	11.0	18.1	23.8	36.1	38.4	36.5	40.2	43.0
1987.....	3.6	6.2	11.5	17.0	18.4	28.1	32.9	40.9	50.0	35.1
1986.....	4.5	5.7	11.1	14.7	26.1	30.7	32.6	38.6	45.4	41.3
1985.....	3.8	9.0	11.2	17.4	21.6	26.8	38.3	38.3	40.0	41.1
1984.....	3.1	6.8	10.7	16.4	22.8	30.2	42.4	44.1	46.5	38.9
1983.....	4.0	7.1	12.2	15.8	22.5	29.1	43.3	36.0	40.2	35.7
1982.....	3.2	6.3	9.1	14.0	20.2	28.1	29.4	46.4	51.1	34.3
1981.....	*	5.4	10.9	14.9	21.2	27.1	42.8	34.9	27.5	*
1980.....	2.9	6.0	10.6	15.4	20.7	28.3	34.2	33.5	29.8	28.0
1979.....	2.9	5.0	9.2	13.8	19.1	31.0	29.9	33.0	45.3	28.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)										
ALL OTHER FEMALE										
1998.....	1.0	2.9	3.8	6.3	9.8	14.1	20.2	26.0	30.6	38.3
1997.....	1.4	2.0	4.9	4.5	11.4	16.1	19.8	31.5	37.5	34.8
1996.....	*	2.1	4.5	5.9	11.6	14.0	16.0	27.3	31.4	35.5
1995.....	1.3	*	4.3	8.1	11.4	17.4	23.8	26.5	31.0	36.2
1994.....	1.2	2.6	4.4	5.4	8.1	13.4	21.8	23.2	30.3	33.0
1993.....	1.3	2.2	3.0	6.2	8.0	14.8	19.8	26.7	35.9	32.4
1992.....	1.4	2.2	4.0	6.1	10.6	11.2	16.7	25.3	30.4	26.7
1991.....	1.3	2.6	3.4	6.8	10.3	13.0	16.9	24.9	27.9	28.0
1990.....	1.7	2.1	3.5	5.4	11.0	12.4	19.2	17.5	30.1	33.5
1989.....	*	*	3.1	5.6	6.6	13.0	16.5	23.1	18.9	28.0
1988.....	*	*	3.2	6.3	7.0	11.6	12.3	20.2	23.0	26.0
1987.....	*	*	3.8	6.4	6.3	9.0	17.8	21.1	25.5	26.4
1986.....	*	*	3.1	3.4	6.3	8.2	14.9	19.4	27.1	25.6
1985.....	*	*	2.9	5.7	9.5	11.8	14.9	14.6	11.7	20.0
1984.....	*	*	*	4.6	7.4	8.9	14.8	13.5	17.9	19.3
1983.....	*	*	3.9	4.7	5.8	8.5	16.4	13.6	23.0	25.9
1982.....	*	*	3.7	4.3	8.2	12.4	15.7	16.8	19.7	18.8
1981.....	*	*	3.2	4.7	8.1	10.3	12.1	14.9	18.0	15.9
1980.....	1.2	1.8	1.6	4.5	7.3	10.3	10.6	12.5	28.2	18.5
1979.....	1.2	2.1	2.4	4.2	9.2	11.0	12.1	14.7	16.1	20.2
BLACK, BOTH SEXES										
1998.....	2.3	6.5	11.3	11.3	16.0	20.8	26.3	32.9	37.9	38.9
1997.....	2.5	5.7	8.1	11.2	16.8	21.3	24.5	31.4	36.6	36.6
1996.....	2.4	5.1	7.9	9.8	15.9	21.5	25.0	31.4	33.4	40.9
1995.....	3.1	4.5	7.6	11.6	16.5	22.9	28.7	32.0	34.6	42.3
1994.....	2.8	5.0	7.1	10.1	14.3	18.4	25.8	31.1	36.0	37.0
1993.....	2.0	4.2	6.5	11.6	14.5	19.4	24.5	28.8	36.2	30.0
1992.....	3.0	4.6	5.6	8.6	17.0	18.3	26.9	28.9	33.9	26.6
1991.....	2.7	4.2	5.9	8.1	14.2	17.4	24.7	27.2	32.7	37.1
1990.....	2.5	3.4	5.0	8.6	16.7	18.1	25.7	26.5	34.0	36.8
1989.....	1.2	3.5	5.4	10.4	14.2	18.1	25.2	28.6	27.3	30.5
1988.....	1.6	3.0	4.5	9.2	13.3	20.4	21.3	24.7	27.6	29.0
1987.....	2.5	2.2	6.5	9.6	11.2	16.0	22.2	24.1	30.8	28.4
1986.....	2.0	2.7	5.2	7.7	15.2	16.3	21.0	27.2	28.2	27.9
1985.....	2.0	3.5	6.2	8.7	13.8	16.7	23.5	22.6	18.8	23.1
1984.....	1.5	3.0	5.7	8.4	13.4	18.5	25.8	24.9	25.8	23.7
1983.....	1.9	3.1	6.6	9.0	12.5	16.3	26.9	21.0	28.2	23.9
1982.....	1.8	3.4	5.5	8.4	11.8	18.4	21.5	27.6	28.4	22.2
1981.....	*	2.8	5.9	9.3	13.5	17.8	25.0	22.9	19.1	17.9
1980.....	1.5	3.5	5.6	9.8	12.8	17.3	19.7	20.9	29.5	20.1
1979.....	1.5	3.2	5.4	8.1	13.3	19.5	18.9	18.9	24.9	21.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)										
BLACK MALE										
1998.....	3.7	11.7	20.7	18.7	27.3	33.0	39.1	46.7	64.9	43.4
1997.....	3.8	10.4	13.1	20.2	26.5	32.5	37.5	35.1	40.6	49.1
1996.....	4.2	9.4	12.8	16.1	24.1	33.5	40.0	44.0	43.2	56.4
1995.....	5.6	8.4	11.9	15.6	26.6	32.0	39.9	45.3	51.3	63.1
1994.....	4.8	8.6	11.1	17.0	24.5	29.0	32.3	50.6	52.5	53.7
1993.....	3.0	6.5	11.8	18.7	25.7	29.1	34.9	37.6	42.8	36.3
1992.....	5.4	8.0	8.7	13.9	26.9	29.1	44.5	43.5	47.8	35.9
1991.....	4.5	6.7	9.4	12.9	21.1	25.1	39.8	34.8	45.5	60.9
1990.....	3.2	5.3	8.1	13.9	25.6	25.2	35.2	43.6	47.8	49.8
1989.....	*	6.3	8.4	17.1	24.6	28.9	37.7	39.3	49.5	40.9
1988.....	2.9	4.9	6.8	13.9	22.2	32.7	35.6	33.9	37.2	41.5
1987.....	3.3	*	10.1	14.3	17.5	25.9	30.9	33.1	44.6	32.8
1986.....	3.4	4.3	8.6	14.0	26.3	27.7	30.6	38.4	35.6	38.1
1985.....	3.4	6.0	10.2	13.1	19.9	25.1	38.2	36.5	34.5	33.9
1984.....	*	4.3	10.1	13.4	20.8	30.9	42.0	43.1	42.9	41.0
1983.....	3.2	4.4	10.3	13.4	20.8	26.6	41.8	33.3	36.6	*
1982.....	*	5.9	8.7	13.9	17.4	26.9	28.9	45.3	43.8	*
1981.....	*	4.2	9.3	14.2	19.6	28.5	43.1	32.9	*	*
1980.....	1.9	5.4	10.7	15.8	19.4	26.2	32.8	33.3	30.7	26.4
1979.....	2.0	4.8	9.0	12.5	18.8	30.5	29.6	28.6	39.0	28.8
BLACK FEMALE										
1998.....	*	2.1	3.8	5.6	7.6	11.8	17.4	24.0	23.8	37.0
1997.....	*	1.8	4.1	4.1	9.6	12.9	15.6	29.1	34.6	31.4
1996.....	*	*	3.8	4.9	9.7	12.6	14.8	23.5	28.4	34.5
1995.....	*	*	4.1	8.5	8.9	16.1	21.1	23.8	26.1	33.9
1994.....	*	*	3.8	4.7	6.6	10.6	21.4	19.3	27.7	30.3
1993.....	*	2.3	*	5.9	6.1	12.3	17.5	23.6	32.8	27.4
1992.....	*	*	3.0	4.4	9.5	10.4	15.2	20.4	26.8	22.7
1991.....	*	*	3.2	4.3	9.0	11.9	14.8	22.7	26.0	27.0
1990.....	*	*	*	4.3	9.9	13.0	19.5	16.4	26.9	31.3
1989.....	*	*	*	5.0	6.3	10.3	17.0	22.3	15.7	26.1
1988.....	*	*	*	5.5	6.5	11.5	11.8	19.3	22.5	23.5
1987.....	*	*	3.6	5.8	6.4	8.8	16.4	18.7	23.4	26.4
1986.....	*	*	*	*	6.7	7.9	14.6	20.3	24.2	23.2
1985.....	*	*	*	5.1	9.2	10.6	13.7	13.9	*	18.0
1984.....	*	*	*	4.3	7.6	9.4	15.0	13.5	16.4	15.5
1983.....	*	*	3.5	5.3	6.0	8.8	16.9	13.1	23.4	21.8
1982.....	*	*	*	3.9	7.5	12.1	16.5	16.3	19.6	17.8
1981.....	*	*	3.2	5.3	8.7	10.0	12.3	16.4	17.4	*
1980.....	1.2	1.9	1.6	4.9	7.6	10.8	10.3	12.8	28.8	17.0
1979.....	1.2	1.9	2.4	4.5	9.0	11.3	11.1	12.3	16.1	18.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LIVER, PRIMARY (155.0)										
TOTAL, BOTH SEXES										
1998.....	0.8	2.0	2.8	3.7	6.2	8.5	10.1	11.3	11.7	8.4
1997.....	0.7	1.7	2.6	4.0	5.8	8.1	10.3	11.8	12.0	9.2
1996.....	0.9	1.6	2.3	3.5	5.9	7.8	10.3	10.9	10.8	8.9
1995.....	0.8	1.3	2.0	3.4	6.1	8.0	9.4	11.1	11.2	8.4
1994.....	0.7	1.3	2.0	3.3	5.4	7.2	8.9	10.0	10.3	8.3
1993.....	0.7	1.1	2.0	3.2	4.9	7.5	8.7	10.1	9.4	8.8
1992.....	0.7	1.1	2.0	3.5	5.7	7.2	8.6	9.7	10.5	8.4
1991.....	0.6	1.1	1.8	3.0	4.8	6.5	8.2	9.5	9.1	8.2
1990.....	0.6	1.0	1.9	3.3	5.1	6.7	8.4	10.0	9.8	8.2
1989.....	0.5	0.9	1.6	3.0	4.4	6.1	8.0	8.5	9.2	7.4
1988.....	0.5	0.7	1.8	3.4	4.1	6.1	6.8	7.8	7.9	6.6
1987.....	0.5	0.8	1.6	2.6	3.7	5.7	7.1	7.9	8.0	5.5
1986.....	0.6	0.7	1.5	2.5	3.9	5.2	6.4	8.3	7.0	5.2
1985.....	0.4	1.1	1.5	2.6	3.6	5.6	7.1	7.7	7.5	6.3
1984.....	0.5	0.7	1.6	2.6	3.9	5.5	6.5	7.4	7.6	5.5
1983.....	0.5	1.1	1.5	2.3	3.7	4.9	6.3	7.1	6.2	5.3
1982.....	0.4	0.8	1.2	2.2	3.2	5.0	5.9	6.7	6.8	5.9
1981.....	0.4	0.7	1.4	2.2	3.4	4.5	6.2	7.0	5.9	6.0
1980.....	0.4	0.8	1.2	2.2	3.3	4.4	5.4	6.5	6.2	5.4
1979.....	0.4	0.7	1.2	2.2	3.5	4.8	6.0	6.5	5.9	5.9
TOTAL, MALE										
1998.....	1.4	3.6	4.8	6.2	10.1	13.5	16.1	18.3	19.2	12.9
1997.....	1.1	3.1	4.3	6.5	9.3	12.8	16.3	18.6	19.6	15.2
1996.....	1.5	2.8	3.7	5.7	9.6	12.2	17.1	16.8	17.4	16.0
1995.....	1.4	2.3	3.3	5.2	9.9	12.3	15.1	17.1	19.7	15.5
1994.....	1.2	2.0	3.0	5.3	9.1	12.0	13.7	16.9	17.9	15.6
1993.....	1.1	1.7	3.2	5.1	7.8	12.0	14.1	16.2	15.7	16.0
1992.....	1.2	1.8	3.0	5.3	9.3	11.6	13.8	16.0	16.5	15.3
1991.....	1.1	1.6	2.8	4.6	7.6	10.7	13.0	15.8	14.2	14.3
1990.....	0.9	1.4	3.0	5.2	8.0	10.5	14.2	16.3	18.0	14.0
1989.....	0.7	1.3	2.4	4.8	7.1	9.8	13.5	14.6	16.7	11.0
1988.....	0.6	1.1	2.7	5.9	6.4	10.4	11.1	13.3	13.5	11.4
1987.....	0.7	1.3	2.4	4.0	6.1	9.5	11.8	12.3	14.0	10.0
1986.....	0.8	1.1	2.3	4.0	6.4	8.7	10.2	13.6	12.8	8.9
1985.....	0.7	1.7	2.1	3.9	5.7	8.9	11.5	12.7	12.8	11.0
1984.....	0.6	1.1	2.4	4.5	6.4	8.7	10.8	12.4	13.6	8.8
1983.....	0.7	1.6	2.4	3.5	5.9	8.2	10.2	12.2	10.9	9.2
1982.....	0.6	1.1	1.8	3.4	4.9	8.0	9.8	11.5	12.3	10.7
1981.....	0.4	1.1	2.1	3.4	5.5	7.3	10.3	11.7	9.5	10.3
1980.....	0.5	1.0	1.9	3.3	4.8	6.5	8.0	10.7	9.8	7.8
1979.....	0.4	0.9	1.7	3.4	5.6	8.2	9.5	11.1	9.1	7.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LIVER, PRIMARY (155.0)										
TOTAL, FEMALE										
1998.....	0.3	0.5	0.8	1.5	2.7	4.2	5.4	6.4	7.2	6.6
1997.....	0.4	0.4	1.0	1.7	2.7	4.2	5.7	7.0	7.6	6.8
1996.....	0.2	0.5	1.0	1.4	2.5	4.2	5.0	6.7	6.9	6.1
1995.....	0.3	0.4	0.9	1.7	2.8	4.4	5.1	7.0	6.4	5.7
1994.....	0.3	0.5	1.0	1.4	2.2	3.2	5.2	5.3	6.0	5.4
1993.....	0.2	0.4	0.8	1.5	2.4	3.8	4.5	6.1	6.0	6.1
1992.....	0.2	0.5	1.0	1.8	2.5	3.6	4.6	5.6	7.3	5.7
1991.....	*	0.6	0.9	1.5	2.5	3.2	4.6	5.4	6.4	5.8
1990.....	0.4	0.6	0.8	1.6	2.6	3.7	4.2	6.0	5.4	5.9
1989.....	0.3	0.4	0.8	1.4	2.0	3.1	4.0	4.6	5.2	6.0
1988.....	0.3	0.4	0.9	1.2	2.2	2.5	3.6	4.3	5.0	4.8
1987.....	0.4	0.3	0.8	1.3	1.7	2.6	3.6	5.1	4.9	3.7
1986.....	0.3	0.4	0.8	1.2	1.7	2.5	3.5	4.9	4.0	3.7
1985.....	*	0.5	0.9	1.4	1.8	3.0	3.9	4.6	4.8	4.5
1984.....	0.3	0.4	0.9	1.0	1.7	3.0	3.4	4.2	4.4	4.2
1983.....	0.4	0.6	0.7	1.3	1.9	2.2	3.5	3.8	3.7	3.8
1982.....	*	0.5	0.7	1.1	1.8	2.5	3.1	3.7	3.9	3.8
1981.....	*	*	0.8	1.1	1.7	2.3	3.2	4.0	3.9	4.1
1980.....	0.3	0.7	0.5	1.2	2.0	2.7	3.4	3.8	4.3	4.4
1979.....	0.4	0.6	0.8	1.1	1.7	2.1	3.4	3.7	4.3	5.1
WHITE, BOTH SEXES										
1998.....	0.6	1.6	2.0	3.2	5.3	7.8	9.6	10.9	11.2	8.1
1997.....	0.5	1.3	2.0	3.3	4.8	7.4	9.6	11.1	11.5	8.6
1996.....	0.6	1.1	1.7	2.8	4.9	7.0	9.9	10.0	10.4	8.1
1995.....	0.5	1.0	1.5	2.8	5.3	7.3	8.6	10.5	10.1	7.9
1994.....	0.4	0.8	1.5	2.7	4.8	6.2	8.3	9.1	9.7	7.6
1993.....	0.5	0.8	1.5	2.6	4.2	6.9	8.1	9.5	8.9	8.5
1992.....	0.5	0.8	1.5	2.7	4.7	6.7	7.6	9.2	9.9	8.0
1991.....	0.3	0.8	1.3	2.4	4.2	6.1	7.5	9.0	8.7	8.1
1990.....	0.4	0.8	1.4	2.7	4.2	6.0	8.0	9.7	9.1	7.9
1989.....	0.3	0.7	1.3	2.4	3.7	5.6	7.4	7.9	8.8	7.1
1988.....	0.3	0.5	1.2	2.8	3.7	5.3	6.4	7.3	7.7	6.3
1987.....	0.3	0.6	1.2	2.0	3.4	5.3	6.5	7.5	7.4	5.3
1986.....	0.3	0.5	1.2	2.2	3.3	4.7	6.0	8.0	6.6	4.9
1985.....	0.3	0.6	1.2	2.0	3.1	5.2	6.4	7.2	7.5	6.0
1984.....	0.3	0.4	1.3	2.2	3.4	5.0	5.7	6.8	7.1	5.2
1983.....	0.4	0.8	1.0	1.9	3.2	4.3	5.4	6.8	5.9	4.9
1982.....	0.3	0.6	0.9	1.9	2.8	4.4	5.5	6.1	6.5	5.5
1981.....	0.3	0.5	1.1	1.8	2.8	4.1	5.3	6.6	5.4	6.1
1980.....	0.3	0.6	1.0	1.8	2.8	3.7	4.9	6.3	5.9	5.4
1979.....	0.3	0.5	1.0	1.9	3.1	4.3	5.6	6.0	5.4	5.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LIVER, PRIMARY (155.0)										
WHITE MALE										
1998.....	1.0	2.7	3.4	5.3	8.6	12.5	15.3	17.6	18.6	12.4
1997.....	0.8	2.3	3.4	5.0	7.6	11.9	15.3	17.8	19.2	14.9
1996.....	1.1	1.9	2.7	4.5	8.2	10.8	16.5	15.6	17.4	14.4
1995.....	0.8	1.7	2.5	4.3	8.6	11.5	14.0	15.8	18.0	14.7
1994.....	0.6	1.4	2.1	4.3	7.9	10.5	12.9	15.7	17.1	14.3
1993.....	0.8	1.2	2.3	3.8	6.4	11.2	13.5	15.5	14.9	15.9
1992.....	0.8	1.2	2.3	4.2	7.9	10.7	12.5	15.3	15.9	14.9
1991.....	0.6	1.1	1.8	3.9	6.6	10.1	11.9	15.1	13.7	14.2
1990.....	0.5	0.9	2.0	4.1	6.5	9.4	13.6	15.8	17.0	13.3
1989.....	0.4	0.9	1.9	3.7	5.9	9.2	12.3	14.2	16.3	10.4
1988.....	0.3	0.7	1.8	5.0	5.5	9.3	10.1	12.5	13.1	10.7
1987.....	0.4	0.9	1.7	3.2	5.6	8.8	10.9	12.0	12.7	9.4
1986.....	0.4	0.7	1.8	3.5	5.4	7.8	9.5	13.0	12.6	8.8
1985.....	0.3	0.9	1.5	2.9	4.7	8.2	10.2	11.8	12.5	11.0
1984.....	0.5	0.6	1.8	3.7	5.5	7.7	9.4	11.3	12.4	8.4
1983.....	0.4	1.1	1.5	2.8	5.0	7.2	8.8	11.6	10.3	8.7
1982.....	*	0.8	1.3	2.8	4.2	7.1	9.3	10.3	11.7	10.2
1981.....	*	0.9	1.6	2.7	4.5	6.5	8.6	11.2	8.8	10.4
1980.....	0.4	0.6	1.5	2.6	4.0	5.3	7.0	10.4	9.3	7.7
1979.....	0.2	0.6	1.3	2.9	5.0	7.2	8.9	10.3	7.7	7.1
WHITE FEMALE										
1998.....	0.3	0.5	0.7	1.2	2.2	3.7	5.0	6.1	6.7	6.3
1997.....	0.3	0.4	0.7	1.6	2.3	3.6	5.1	6.3	7.0	6.1
1996.....	*	0.4	0.8	1.2	1.9	3.8	4.8	6.0	6.4	5.7
1995.....	*	0.4	0.6	1.3	2.2	3.9	4.5	6.8	5.6	5.3
1994.....	0.2	0.3	0.8	1.3	2.0	2.6	4.7	4.7	5.6	5.1
1993.....	*	0.4	0.7	1.4	2.3	3.4	4.0	5.5	5.6	5.7
1992.....	*	0.4	0.7	1.4	1.9	3.4	4.0	5.2	6.6	5.4
1991.....	*	0.4	0.8	1.1	2.1	2.8	4.1	5.1	6.1	5.8
1990.....	0.3	0.6	0.8	1.4	2.2	3.3	3.8	5.8	4.9	5.9
1989.....	*	0.4	0.7	1.2	1.8	2.7	3.7	3.8	4.9	5.9
1988.....	0.3	*	0.7	0.8	2.1	2.0	3.6	4.0	4.8	4.6
1987.....	*	*	0.7	1.0	1.5	2.3	3.2	4.7	4.6	3.7
1986.....	*	0.4	0.6	1.1	1.6	2.3	3.4	4.9	3.4	3.4
1985.....	*	0.4	0.8	1.1	1.6	2.7	3.7	4.3	5.0	4.0
1984.....	*	*	0.8	0.8	1.6	2.7	2.9	4.0	4.3	3.9
1983.....	0.4	0.5	0.5	1.1	1.6	2.0	3.0	3.9	3.6	3.3
1982.....	*	*	0.6	1.0	1.6	2.1	2.8	3.6	3.8	3.7
1981.....	*	*	0.6	1.0	1.4	2.1	2.9	3.7	3.6	4.3
1980.....	0.2	0.5	0.5	1.2	1.9	2.4	3.4	3.8	4.1	4.4
1979.....	0.3	0.5	0.8	1.1	1.4	2.0	3.3	3.3	4.2	5.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LIVER, PRIMARY (155.0)										
ALL OTHER, BOTH SEXES										
1998.....	1.7	4.5	7.2	7.1	11.9	12.9	14.7	15.5	16.7	11.6
1997.....	1.7	4.0	6.0	8.5	11.8	12.9	16.6	18.3	16.8	14.4
1996.....	2.0	4.4	5.8	7.7	11.9	13.4	13.1	19.0	14.2	16.3
1995.....	2.6	3.0	5.3	7.2	11.6	12.6	16.4	17.4	22.3	13.9
1994.....	2.3	3.8	5.0	6.6	9.7	14.6	14.1	18.6	15.7	14.7
1993.....	1.9	2.8	5.0	7.4	9.5	11.7	13.5	16.0	15.4	11.9
1992.....	2.0	3.4	4.8	8.2	12.5	10.9	16.7	14.6	17.5	12.0
1991.....	2.2	2.8	5.1	6.6	9.4	10.2	14.6	13.8	13.2	9.1
1990.....	1.8	2.6	4.9	7.4	11.5	12.4	12.6	13.2	16.6	10.8
1989.....	1.5	2.1	3.1	7.2	9.7	10.3	14.1	14.7	12.6	10.2
1988.....	1.1	2.2	5.2	7.4	7.6	12.5	10.8	12.6	10.9	10.1
1987.....	1.7	2.3	3.9	6.7	6.2	9.3	12.5	11.8	14.9	*
1986.....	2.1	2.0	3.6	4.7	8.5	9.6	9.9	10.8	12.1	*
1985.....	1.5	3.7	3.5	7.3	8.3	9.7	13.1	12.9	7.7	9.8
1984.....	1.2	2.6	3.7	6.1	8.0	10.2	14.4	13.0	12.8	*
1983.....	1.5	3.0	5.5	5.4	8.5	9.8	14.8	9.4	9.2	10.0
1982.....	1.4	2.3	3.3	5.0	7.0	10.3	9.6	12.0	10.0	*
1981.....	*	1.6	4.2	5.0	8.7	8.6	14.2	10.6	11.2	*
1980.....	1.2	2.7	3.0	5.3	7.5	10.2	9.5	8.1	10.5	5.0
1979.....	1.3	2.1	2.8	4.2	7.4	9.3	9.3	11.8	12.1	8.6
ALL OTHER MALE										
1998.....	3.1	8.8	13.8	12.5	20.2	21.1	23.2	24.7	25.3	17.3
1997.....	2.6	7.7	10.3	16.6	20.6	19.7	25.6	26.5	23.4	17.5
1996.....	3.9	8.1	10.2	13.8	19.8	22.8	22.4	27.6	17.8	29.9
1995.....	4.7	6.0	8.9	11.1	19.0	18.9	25.9	30.4	37.2	23.4
1994.....	4.1	6.3	8.5	11.8	17.6	23.9	21.4	29.9	26.8	27.5
1993.....	2.9	5.3	9.3	13.4	18.1	18.0	20.1	23.0	23.0	*
1992.....	3.7	5.9	7.3	13.1	20.3	19.2	26.4	23.4	22.8	*
1991.....	4.2	4.7	9.2	9.7	15.5	15.5	23.1	22.6	19.4	*
1990.....	2.8	4.6	9.6	12.9	20.1	20.0	20.0	21.9	27.5	*
1989.....	2.8	3.9	5.7	12.3	17.6	15.2	24.7	18.5	20.7	*
1988.....	2.3	3.7	8.5	12.2	14.0	20.2	20.6	21.0	17.1	*
1987.....	2.6	4.1	6.7	10.6	10.1	15.6	20.5	15.3	26.8	*
1986.....	3.6	3.6	5.9	8.3	15.5	16.9	17.4	19.5	*	*
1985.....	3.1	7.1	6.0	12.3	14.5	15.3	24.3	21.4	*	*
1984.....	*	4.7	6.8	10.9	14.8	17.1	23.6	22.8	25.7	*
1983.....	2.8	5.1	9.0	9.2	13.9	17.6	24.2	18.3	*	*
1982.....	*	3.7	5.7	8.6	10.7	15.9	14.2	22.4	*	*
1981.....	*	*	6.7	9.2	14.9	15.1	26.1	16.1	*	*
1980.....	1.7	4.0	6.0	9.6	12.3	17.1	17.4	14.0	14.9	8.2
1979.....	2.0	3.2	4.9	7.6	11.2	17.6	15.9	18.1	23.3	13.6



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LIVER, PRIMARY (155.0)										
ALL OTHER FEMALE										
1998.....	*	*	1.6	2.7	5.5	6.8	8.7	9.3	11.8	9.0
1997.....	*	*	2.4	*	5.0	7.8	10.4	13.0	13.1	13.1
1996.....	*	*	2.0	2.7	5.8	6.4	6.5	13.4	12.3	10.2
1995.....	*	*	2.3	4.0	6.0	8.0	9.8	9.2	14.1	9.7
1994.....	*	1.8	2.1	2.4	3.6	7.7	9.0	11.5	9.6	9.2
1993.....	*	*	*	2.6	3.0	7.1	8.8	11.6	11.1	10.0
1992.....	*	*	2.6	4.2	6.6	4.8	10.0	9.2	14.5	*
1991.....	*	*	*	4.0	4.7	6.3	8.7	8.4	9.6	*
1990.....	*	*	*	3.1	5.0	6.8	7.5	7.8	10.5	*
1989.....	*	*	*	3.1	3.6	6.7	6.9	12.4	*	*
1988.....	*	*	2.5	3.5	*	6.7	*	7.2	*	*
1987.....	*	*	*	3.5	3.2	4.7	7.1	9.5	*	*
1986.....	*	*	*	*	3.0	4.1	4.7	*	10.6	*
1985.....	*	*	*	3.3	3.4	5.5	5.3	7.3	*	*
1984.....	*	*	*	*	*	5.0	8.0	6.6	*	*
1983.....	*	*	2.6	*	4.2	4.0	8.2	*	*	*
1982.....	*	*	*	*	4.0	6.1	6.2	*	*	*
1981.....	*	*	*	*	3.8	*	5.4	*	*	*
1980.....	0.8	1.6	0.7	1.8	3.8	5.0	3.5	4.2	7.7	3.4
1979.....	0.6	1.2	1.1	1.4	4.3	3.0	4.3	7.4	5.1	6.1
BLACK, BOTH SEXES										
1998.....	1.5	3.9	6.4	5.8	9.1	9.4	10.8	11.9	14.1	9.1
1997.....	1.4	3.6	4.5	6.6	9.4	10.3	11.9	12.1	13.5	11.3
1996.....	1.6	3.9	4.2	5.7	7.9	10.7	10.7	14.6	12.8	10.8
1995.....	2.1	2.4	4.6	5.9	8.9	10.6	12.5	13.1	17.9	12.8
1994.....	1.7	3.0	4.0	4.6	7.6	10.6	12.0	15.8	13.9	11.3
1993.....	1.4	2.2	3.3	6.0	6.6	8.7	11.3	12.6	12.0	9.7
1992.....	1.9	2.9	3.3	5.1	10.3	8.4	14.5	11.0	13.3	9.3
1991.....	1.9	2.3	3.7	4.3	6.8	8.2	11.9	10.4	10.8	*
1990.....	1.6	2.0	2.1	4.8	9.3	10.2	10.5	11.4	13.9	10.3
1989.....	*	1.9	2.2	6.0	7.3	8.9	13.2	12.3	11.3	*
1988.....	*	1.8	3.1	5.3	6.7	10.9	9.2	11.2	9.2	*
1987.....	1.6	*	3.0	5.1	5.5	8.0	11.2	9.7	12.5	*
1986.....	*	*	2.1	3.7	8.5	7.6	8.5	9.9	9.8	*
1985.....	1.4	1.9	3.0	5.2	7.1	8.1	12.3	11.5	*	*
1984.....	*	1.6	3.3	4.6	7.1	9.7	13.7	12.7	11.0	*
1983.....	*	1.8	4.2	4.6	7.2	8.4	14.2	7.8	8.8	*
1982.....	*	1.7	2.9	4.7	5.3	9.3	9.3	9.9	*	*
1981.....	*	*	3.3	4.4	7.9	8.3	14.1	9.7	10.5	*
1980.....	0.9	2.3	2.8	5.2	7.3	9.1	8.7	7.7	10.5	4.4
1979.....	0.9	1.7	2.6	3.4	7.4	9.0	8.0	9.3	10.0	7.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LIVER, PRIMARY (155.0)										
BLACK MALE										
1998.....	2.6	8.0	12.8	10.6	16.8	15.5	18.0	19.9	24.0	*
1997.....	2.2	6.7	8.0	12.8	16.5	17.0	18.9	15.8	18.9	*
1996.....	2.9	7.6	7.6	10.6	12.9	18.1	18.6	21.8	19.3	*
1995.....	4.1	4.7	7.4	8.8	15.8	16.5	19.6	22.6	28.9	*
1994.....	3.2	5.2	7.0	8.2	14.6	17.6	15.8	26.6	23.4	*
1993.....	2.0	3.9	6.5	11.1	13.4	14.6	17.6	18.0	*	*
1992.....	3.5	5.3	4.6	7.9	16.3	14.6	23.5	19.1	*	*
1991.....	3.8	3.8	6.6	6.7	10.9	12.0	19.3	16.6	*	*
1990.....	2.4	3.4	4.7	8.3	16.7	15.0	15.8	20.1	22.4	*
1989.....	*	3.6	4.0	10.4	12.6	14.0	22.2	14.6	20.6	*
1988.....	*	*	4.5	9.0	12.4	16.8	16.8	18.6	*	*
1987.....	*	*	5.0	7.9	8.4	13.3	18.5	13.1	25.0	*
1986.....	*	*	*	6.8	14.9	13.4	15.3	18.0	*	*
1985.....	3.0	3.9	4.8	8.2	12.3	13.6	24.8	20.0	*	*
1984.....	*	*	6.4	8.2	13.2	16.0	22.9	22.2	*	*
1983.....	*	*	6.9	7.1	11.2	14.3	22.5	15.2	*	*
1982.....	*	*	5.3	8.0	7.3	14.1	13.2	19.3	*	*
1981.....	*	*	4.9	7.8	13.0	15.6	26.4	13.3	*	*
1980.....	0.9	3.1	5.5	9.2	11.9	14.7	15.8	13.1	16.0	7.5
1979.....	1.4	2.9	4.6	5.9	11.3	16.6	13.7	14.9	18.2	13.5
BLACK FEMALE										
1998.....	*	*	*	*	3.4	4.8	5.8	6.8	*	*
1997.....	*	*	*	*	4.0	5.2	7.1	9.7	10.7	10.2
1996.....	*	*	*	*	4.2	5.1	5.2	10.2	9.5	*
1995.....	*	*	*	3.6	3.7	6.3	7.7	7.3	12.3	*
1994.....	*	*	*	*	*	5.4	9.4	9.3	*	*
1993.....	*	*	*	*	*	4.5	7.0	9.4	*	*
1992.....	*	*	*	*	5.7	3.9	8.6	6.4	12.1	*
1991.....	*	*	*	*	3.8	5.5	7.0	6.8	10.7	*
1990.....	*	*	*	*	3.6	6.8	7.0	*	*	*
1989.....	*	*	*	*	*	5.3	7.3	11.0	*	*
1988.....	*	*	*	*	*	6.6	*	6.8	*	*
1987.....	*	*	*	*	*	4.2	6.3	7.6	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	5.0	7.6	*	*	*
1983.....	*	*	*	*	4.1	*	8.6	*	*	*
1982.....	*	*	*	*	*	5.7	6.5	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.6	0.6	1.9	3.7	4.9	3.6	4.3	7.2	2.8
1979.....	0.4	0.8	1.0	1.4	4.3	3.3	3.8	5.5	4.8	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.5	0.7	1.2	2.0	3.3	4.4	5.7	7.8	8.4
1997.....	0.2	0.4	0.8	1.2	2.1	3.2	4.1	5.6	6.5	8.2
1996.....	0.2	0.4	0.8	1.2	2.0	3.1	4.4	4.9	7.3	8.9
1995.....	0.2	0.4	0.8	1.4	2.0	2.7	4.2	5.2	6.2	7.1
1994.....	0.2	0.4	0.7	1.2	2.0	2.5	3.9	5.1	6.5	7.3
1993.....	0.2	0.4	0.7	1.1	1.9	2.4	3.6	4.5	6.0	7.4
1992.....	0.2	0.4	0.6	0.8	1.5	2.3	3.3	4.4	4.8	6.0
1991.....	0.2	0.3	0.5	0.9	1.6	2.2	2.8	3.8	4.9	5.2
1990.....	0.1	0.3	0.6	0.9	1.3	2.0	2.8	3.4	4.2	5.0
1989.....	0.1	0.3	0.5	0.8	1.3	1.8	2.5	3.1	4.1	4.3
1988.....	0.2	0.2	0.3	0.8	1.2	1.9	2.5	2.7	4.1	4.1
1987.....	*	0.3	0.4	0.6	1.3	1.6	2.4	3.3	3.5	3.6
1986.....	*	0.3	0.5	0.7	1.0	1.8	2.3	2.3	3.4	2.9
1985.....	*	0.2	0.4	0.6	1.0	1.3	2.1	2.2	2.7	2.8
1984.....	*	*	0.4	0.7	1.1	1.2	1.2	1.9	2.4	2.7
1983.....	*	0.2	0.4	0.6	1.0	1.1	1.5	1.9	1.8	2.2
1982.....	*	*	0.3	0.6	0.9	1.0	1.3	1.8	1.7	2.2
1981.....	*	0.3	0.3	0.5	0.5	1.0	1.3	1.3	1.2	1.7
1980.....	0.1	0.2	0.3	0.3	0.7	0.9	1.2	1.0	1.2	1.1
1979.....	0.1	0.1	0.2	0.4	0.5	0.9	1.0	1.0	0.8	0.7
TOTAL, MALE										
1998.....	*	0.6	0.8	1.4	2.2	4.0	5.2	7.1	8.4	10.4
1997.....	0.3	0.5	0.8	1.4	2.4	3.5	5.1	6.0	7.1	11.2
1996.....	0.3	0.4	0.8	1.4	2.6	3.5	5.5	5.5	8.9	11.7
1995.....	0.2	0.5	0.7	1.7	2.4	3.0	4.8	6.6	9.2	9.2
1994.....	*	0.5	0.8	1.2	2.3	3.2	4.0	6.3	8.1	8.7
1993.....	0.2	0.4	0.9	1.3	2.3	2.7	4.4	5.7	7.7	10.0
1992.....	*	0.4	0.8	1.1	1.9	2.8	3.9	5.1	5.4	7.7
1991.....	0.2	*	0.6	1.1	1.9	2.7	3.4	4.7	6.8	6.0
1990.....	*	0.3	0.8	1.0	1.7	2.2	3.4	4.1	5.8	7.6
1989.....	*	0.5	0.6	0.9	1.5	2.2	3.8	3.5	4.2	5.3
1988.....	*	*	*	1.0	1.4	2.2	2.7	3.5	3.9	6.0
1987.....	*	0.3	0.4	0.6	1.4	1.8	2.6	4.5	3.5	4.9
1986.....	*	*	0.7	0.9	1.1	2.1	2.7	2.7	4.5	3.5
1985.....	*	*	0.4	0.6	1.1	1.3	2.5	3.1	3.6	3.0
1984.....	*	*	*	0.8	1.3	1.3	1.3	2.4	3.1	2.7
1983.....	*	*	0.4	0.7	1.3	1.4	1.7	2.5	2.3	*
1982.....	*	*	0.4	0.8	0.9	1.2	1.5	1.7	2.1	2.9
1981.....	*	*	*	0.7	0.5	1.2	1.5	1.7	*	*
1980.....	0.1	0.1	0.4	0.3	0.8	1.0	1.5	1.2	1.4	1.2
1979.....	0.1	0.2	0.3	0.5	0.6	1.2	1.2	1.0	0.5	0.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)										
TOTAL, FEMALE										
1998.....	0.3	0.5	0.6	1.0	1.8	2.7	3.7	4.7	7.4	7.6
1997.....	0.2	0.4	0.7	1.0	1.8	2.9	3.2	5.3	6.2	7.1
1996.....	*	0.3	0.9	0.9	1.6	2.7	3.5	4.5	6.3	7.7
1995.....	*	0.4	0.8	1.1	1.6	2.4	3.7	4.3	4.6	6.2
1994.....	0.2	0.4	0.5	1.1	1.6	2.0	3.7	4.3	5.6	6.8
1993.....	*	0.4	0.6	1.0	1.5	2.2	2.9	3.8	5.1	6.4
1992.....	*	0.4	0.5	0.6	1.2	1.8	2.9	3.9	4.5	5.4
1991.....	*	0.4	0.4	0.8	1.4	1.8	2.4	3.2	4.0	4.9
1990.....	*	*	0.4	0.9	1.0	1.8	2.4	3.0	3.4	4.0
1989.....	*	*	0.5	0.7	1.1	1.5	1.6	2.9	4.0	4.0
1988.....	*	*	0.4	0.7	0.9	1.6	2.3	2.1	4.2	3.3
1987.....	*	*	0.4	0.6	1.1	1.4	2.2	2.4	3.4	3.2
1986.....	*	*	*	0.5	1.0	1.6	2.0	2.1	2.9	2.6
1985.....	*	*	0.4	0.6	1.0	1.3	1.8	1.7	2.3	2.7
1984.....	*	*	0.4	0.5	1.0	1.1	1.2	1.6	2.0	2.7
1983.....	*	*	0.5	0.5	0.8	0.9	1.3	1.6	1.6	2.0
1982.....	*	*	*	0.4	0.8	0.8	1.3	1.8	1.5	1.9
1981.....	*	*	*	0.4	0.5	0.7	1.2	1.0	1.1	1.6
1980.....	0.1	0.2	0.2	0.4	0.6	0.7	1.0	0.8	1.1	1.0
1979.....	0.1	0.1	0.1	0.3	0.3	0.6	0.9	0.9	0.9	0.6
WHITE, BOTH SEXES										
1998.....	0.2	0.5	0.7	1.1	2.0	3.2	4.3	5.6	7.8	8.4
1997.....	0.2	0.4	0.7	1.2	2.0	3.2	3.9	5.6	6.5	8.2
1996.....	0.2	0.4	0.8	1.2	2.0	3.0	4.4	4.9	7.2	9.0
1995.....	0.2	0.5	0.7	1.4	2.0	2.5	4.1	5.1	6.4	7.1
1994.....	0.2	0.4	0.6	1.1	2.0	2.5	3.9	5.2	6.4	7.2
1993.....	0.2	0.4	0.7	1.1	1.9	2.4	3.5	4.7	5.9	7.4
1992.....	0.2	0.3	0.6	0.8	1.6	2.2	3.4	4.4	4.9	6.3
1991.....	0.2	0.3	0.5	0.9	1.6	2.2	2.8	3.8	4.9	5.2
1990.....	0.1	0.3	0.6	0.9	1.3	1.9	2.8	3.4	4.2	5.0
1989.....	0.1	0.4	0.5	0.7	1.3	1.9	2.5	3.2	4.1	4.3
1988.....	*	0.2	0.3	0.8	1.1	1.9	2.5	2.8	4.1	4.1
1987.....	*	0.3	0.4	0.6	1.3	1.6	2.4	3.1	3.4	3.7
1986.....	*	0.2	0.5	0.7	1.1	1.8	2.2	2.3	3.5	2.9
1985.....	*	0.3	0.4	0.6	1.0	1.2	2.1	2.2	2.9	2.8
1984.....	*	*	0.4	0.6	1.1	1.2	1.2	1.9	2.3	2.6
1983.....	*	0.3	0.4	0.5	1.0	1.1	1.4	1.9	1.9	2.2
1982.....	*	*	0.3	0.5	0.8	1.0	1.4	1.8	1.7	2.2
1981.....	*	0.3	0.2	0.5	0.5	0.9	1.3	1.4	1.3	1.8
1980.....	0.1	0.2	0.3	0.3	0.7	0.8	1.2	1.0	1.2	1.0
1979.....	0.1	0.1	0.2	0.4	0.5	0.9	1.1	1.0	0.8	0.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)										
WHITE MALE										
1998.....	*	0.5	0.8	1.3	2.2	3.8	5.0	6.9	8.3	10.1
1997.....	0.2	0.4	0.7	1.4	2.4	3.4	4.8	6.0	7.0	10.7
1996.....	0.3	0.4	0.9	1.4	2.6	3.3	5.4	5.4	8.7	12.3
1995.....	*	0.4	0.7	1.7	2.4	2.8	4.7	6.2	9.5	9.1
1994.....	*	0.5	0.7	1.2	2.3	3.0	4.0	6.4	8.2	8.2
1993.....	*	0.4	0.8	1.2	2.3	2.7	4.3	6.0	7.6	9.9
1992.....	*	0.3	0.8	1.0	1.9	2.7	3.9	5.4	5.3	7.9
1991.....	*	*	0.6	1.1	2.0	2.8	3.2	4.7	6.6	6.2
1990.....	*	0.3	0.7	0.9	1.7	2.1	3.3	4.1	5.6	7.9
1989.....	*	0.5	0.6	0.9	1.5	2.3	3.8	3.4	3.8	5.1
1988.....	*	*	*	1.0	1.4	2.1	2.7	3.7	3.9	6.2
1987.....	*	*	*	0.7	1.5	1.8	2.7	4.2	3.3	4.7
1986.....	*	*	0.6	0.9	1.2	2.0	2.7	2.7	4.8	3.3
1985.....	*	*	*	0.6	1.1	1.2	2.5	3.0	3.8	*
1984.....	*	*	*	0.8	1.2	1.2	1.2	2.1	3.2	*
1983.....	*	*	*	0.7	1.3	1.4	1.6	2.6	2.2	*
1982.....	*	*	*	0.7	0.9	1.2	1.5	1.7	2.0	3.2
1981.....	*	*	*	0.7	0.5	1.2	1.5	1.8	*	*
1980.....	0.1	0.1	0.4	0.3	0.8	1.0	1.6	1.2	1.3	1.1
1979.....	0.1	0.2	0.3	0.4	0.6	1.2	1.3	1.1	0.5	1.0
WHITE FEMALE										
1998.....	0.2	0.4	0.7	0.9	1.8	2.7	3.8	4.7	7.5	7.7
1997.....	*	0.4	0.7	1.0	1.6	3.0	3.2	5.3	6.2	7.2
1996.....	*	0.3	0.8	1.0	1.5	2.8	3.7	4.6	6.3	7.7
1995.....	*	0.5	0.7	1.1	1.6	2.3	3.7	4.3	4.6	6.3
1994.....	*	0.3	0.5	1.1	1.7	2.0	3.7	4.4	5.5	6.8
1993.....	*	0.4	0.7	0.9	1.5	2.2	2.9	3.8	5.0	6.4
1992.....	*	0.4	0.5	0.6	1.3	1.8	3.0	3.8	4.6	5.7
1991.....	*	0.4	*	0.7	1.3	1.7	2.5	3.2	4.1	4.8
1990.....	*	*	0.4	0.8	1.0	1.8	2.4	3.0	3.4	3.9
1989.....	*	*	0.5	0.6	1.2	1.6	1.6	3.1	4.3	4.0
1988.....	*	*	*	0.6	0.9	1.7	2.3	2.2	4.3	3.3
1987.....	*	*	*	0.6	1.2	1.5	2.2	2.4	3.4	3.3
1986.....	*	*	*	0.5	1.0	1.6	1.8	2.1	2.8	2.7
1985.....	*	*	0.4	0.6	0.9	1.3	1.7	1.8	2.4	2.8
1984.....	*	*	0.4	0.5	1.0	1.1	1.2	1.7	1.9	2.7
1983.....	*	*	0.5	0.4	0.8	0.9	1.2	1.5	1.7	2.0
1982.....	*	*	*	0.4	0.8	0.8	1.3	1.8	1.5	1.8
1981.....	*	*	*	*	0.5	0.7	1.2	1.1	1.2	1.6
1980.....	0.1	0.2	0.2	0.3	0.7	0.7	1.0	0.9	1.2	0.9
1979.....	0.1	0.1	0.1	0.3	0.3	0.6	0.9	1.0	1.0	0.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)										
ALL OTHER, BOTH SEXES										
1998.....	*	0.9	*	1.7	1.9	3.5	4.7	6.6	7.3	9.0
1997.....	*	*	1.1	*	2.6	3.0	5.0	6.0	6.5	8.4
1996.....	*	*	*	*	2.2	3.5	4.2	5.0	8.6	7.3
1995.....	*	*	1.1	1.4	1.8	3.6	4.4	6.8	*	6.5
1994.....	*	*	1.2	1.5	1.8	2.9	3.8	4.6	6.9	8.0
1993.....	*	*	*	1.4	2.0	2.7	3.8	*	6.6	7.6
1992.....	*	*	*	*	*	2.8	2.8	4.4	*	*
1991.....	*	*	*	*	*	2.4	3.4	3.8	*	*
1990.....	*	*	*	*	1.6	2.3	2.9	3.4	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	2.9	*	*	*
1987.....	*	*	*	*	*	*	*	4.4	*	*
1986.....	*	*	*	*	*	*	3.1	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.4	0.6	0.3	1.1	1.4	0.7	1.3	2.2
1979.....	0.1	0.1	0.2	0.5	0.5	1.1	0.5	0.5	-	1.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	4.9	6.7	8.9	*	*
1997.....	*	*	*	*	*	*	7.9	*	*	*
1996.....	*	*	*	*	*	5.2	7.0	*	*	*
1995.....	*	*	*	*	*	4.7	*	10.4	*	*
1994.....	*	*	*	*	*	4.6	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	0.7	0.5	0.7	1.3	1.1	1.1	2.3	1.6
1979.....	0.1	0.2	-	0.7	0.7	1.3	0.8	0.5	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	5.0	*	*
1997.....	*	*	*	*	2.7	*	*	5.9	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	3.9	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	5.3	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.1	0.6	-	1.0	1.6	0.4	0.7	2.5
1979.....	-	-	0.3	0.3	0.4	1.0	0.3	0.4	-	2.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	3.1	3.3	6.3	*	*
1997.....	*	*	*	*	2.2	2.7	3.5	5.4	*	6.8
1996.....	*	*	*	*	2.0	2.2	4.0	4.2	*	*
1995.....	*	*	*	*	*	3.6	3.0	4.1	*	*
1994.....	*	*	*	*	*	2.3	3.3	4.0	*	7.9
1993.....	*	*	*	*	*	2.5	3.5	*	*	*
1992.....	*	*	*	*	*	2.3	*	*	*	*
1991.....	*	*	*	*	*	*	3.0	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	3.2	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.4	0.6	0.2	1.2	1.1	0.8	1.5	2.5
1979.....	-	-	0.2	0.6	0.6	1.1	0.6	0.5	-	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	7.0	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.6	0.6	0.5	1.2	0.4	1.3	2.7	1.9
1979.....	-	-	-	0.8	0.8	1.5	0.9	0.6	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	6.4	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.2	0.5	-	1.1	1.5	0.4	0.8	2.8
1979.....	-	-	0.3	0.3	0.4	0.9	0.3	0.4	-	1.9



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)										
TOTAL, BOTH SEXES										
1998.....	0.4	0.9	1.6	2.1	3.3	4.9	7.3	10.1	12.7	15.3
1997.....	0.4	0.8	1.4	2.1	3.4	5.3	7.2	9.6	12.5	15.1
1996.....	0.4	0.7	1.2	2.3	3.3	5.8	7.4	9.5	12.0	16.5
1995.....	0.4	0.7	1.1	2.1	4.1	4.8	8.1	9.4	12.7	16.7
1994.....	0.4	0.6	1.2	2.2	3.7	5.0	7.0	9.3	12.2	14.8
1993.....	0.3	0.6	1.0	2.2	3.6	5.0	7.4	9.1	12.8	14.7
1992.....	0.3	0.6	1.0	2.0	3.3	4.5	6.3	9.2	12.1	14.8
1991.....	0.2	0.6	1.0	1.9	3.0	4.3	6.4	9.0	12.1	15.4
1990.....	0.3	0.6	1.1	1.5	3.0	4.1	6.3	7.8	11.2	14.5
1989.....	0.2	0.5	1.1	1.8	3.1	4.6	5.9	8.3	11.1	14.4
1988.....	0.3	0.5	0.8	1.7	3.2	4.2	6.1	8.4	11.4	14.4
1987.....	0.2	0.6	1.0	2.0	2.5	4.3	6.3	7.9	10.9	14.0
1986.....	0.3	0.5	1.3	1.7	2.7	4.0	6.4	8.9	11.5	14.0
1985.....	0.3	0.6	1.2	1.6	2.9	4.2	6.4	8.2	10.7	12.7
1984.....	0.3	0.5	1.2	1.4	2.6	4.3	6.0	8.2	11.4	13.1
1983.....	0.3	0.6	0.9	1.8	2.6	4.3	6.2	8.0	10.7	13.4
1982.....	0.3	0.5	1.1	1.8	3.0	4.8	6.6	9.0	12.2	13.9
1981.....	0.3	0.7	1.1	1.9	2.8	4.5	6.8	8.9	12.4	14.5
1980.....	0.3	0.6	0.9	2.0	2.9	4.7	6.9	8.3	11.9	15.0
1979.....	0.3	0.7	1.2	2.0	3.5	5.0	6.8	8.2	11.5	14.3
TOTAL, MALE										
1998.....	0.6	1.4	2.5	3.0	4.9	6.9	10.4	13.7	18.3	19.0
1997.....	0.5	1.2	1.8	3.1	4.6	7.5	10.2	12.8	15.4	22.0
1996.....	0.6	0.9	1.9	3.2	4.8	8.1	10.3	12.4	15.6	21.4
1995.....	0.6	1.0	1.5	3.0	5.9	6.4	11.6	12.2	16.7	22.1
1994.....	0.5	0.9	1.7	3.2	4.9	6.8	9.1	13.1	16.8	19.7
1993.....	0.4	0.8	1.4	2.7	5.0	7.3	9.8	11.9	16.7	19.3
1992.....	0.4	0.9	1.4	2.8	4.6	6.4	9.3	12.9	16.8	19.8
1991.....	0.3	0.7	1.1	2.6	4.3	6.1	9.0	11.9	16.1	22.2
1990.....	0.4	0.8	1.4	2.3	3.9	5.7	8.1	11.2	14.1	20.0
1989.....	0.3	0.6	1.2	2.6	4.6	6.5	8.4	11.6	15.6	19.4
1988.....	0.4	0.7	1.0	2.4	4.6	6.2	8.4	10.9	15.6	21.1
1987.....	0.3	0.8	1.3	2.6	3.7	5.9	8.8	10.8	14.6	14.8
1986.....	0.4	0.6	1.8	2.6	3.9	5.7	8.2	11.5	16.7	17.6
1985.....	0.4	0.8	1.4	2.4	3.6	5.6	8.5	10.9	15.5	14.8
1984.....	0.4	0.6	1.5	1.8	3.3	5.8	8.3	11.0	16.2	17.8
1983.....	0.3	0.7	1.1	2.6	3.9	5.9	8.6	11.3	13.4	16.1
1982.....	*	0.6	1.3	2.4	4.1	6.4	8.9	13.2	16.6	16.9
1981.....	0.3	0.9	1.2	2.4	3.7	6.2	9.9	13.2	14.5	18.8
1980.....	0.5	0.7	1.3	2.6	3.9	6.6	9.6	11.4	16.1	20.1
1979.....	0.2	0.7	1.8	2.4	4.4	6.6	9.3	10.9	15.0	15.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR		40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)											
TOTAL, FEMALE											
1998.....	*	0.4	0.7	1.3	1.9	3.2	4.8	7.6	9.3	13.7	
1997.....	0.2	0.5	0.9	1.1	2.3	3.5	4.8	7.4	10.8	12.4	
1996.....	0.2	0.4	0.7	1.4	2.0	3.8	5.2	7.5	9.9	14.5	
1995.....	*	0.4	0.8	1.4	2.5	3.5	5.3	7.5	10.4	14.6	
1994.....	0.3	0.3	0.7	1.2	2.6	3.5	5.4	6.7	9.6	12.9	
1993.....	0.2	0.4	0.7	1.6	2.4	3.1	5.6	7.2	10.6	12.9	
1992.....	0.2	0.4	0.6	1.2	2.2	3.0	4.0	6.8	9.6	12.9	
1991.....	0.2	0.4	0.8	1.1	1.9	2.8	4.5	7.2	10.0	12.8	
1990.....	0.2	0.4	0.8	0.8	2.1	2.8	5.0	5.5	9.6	12.4	
1989.....	*	0.3	1.1	1.1	1.8	2.9	4.0	6.2	8.7	12.4	
1988.....	*	0.3	0.7	1.1	2.1	2.5	4.5	6.8	9.2	11.7	
1987.....	*	0.4	0.7	1.3	1.5	3.0	4.5	6.0	9.0	13.7	
1986.....	*	0.4	0.8	0.9	1.7	2.7	5.2	7.2	8.8	12.6	
1985.....	*	0.4	1.0	0.9	2.3	3.0	4.9	6.5	8.2	11.9	
1984.....	*	0.4	0.9	1.1	2.1	3.1	4.3	6.4	8.9	11.2	
1983.....	*	0.4	0.7	1.1	1.6	3.0	4.5	6.0	9.2	12.3	
1982.....	*	0.4	1.0	1.3	2.1	3.5	5.0	6.4	9.8	12.7	
1981.....	*	0.6	1.0	1.4	2.0	3.2	4.6	6.2	11.3	12.7	
1980.....	0.2	0.4	0.7	1.4	2.1	3.3	5.0	6.4	9.7	12.7	
1979.....	0.3	0.6	0.7	1.7	2.7	3.7	5.0	6.5	9.6	13.6	
WHITE, BOTH SEXES											
1998.....	0.3	0.7	1.2	1.8	3.0	4.4	6.8	9.6	12.2	14.5	
1997.....	0.3	0.6	1.2	1.8	3.0	4.8	6.8	9.0	12.0	14.7	
1996.....	0.4	0.6	1.0	2.0	3.0	5.4	7.1	9.2	11.6	16.0	
1995.....	0.3	0.6	0.9	1.8	3.8	4.3	7.5	8.9	12.4	15.8	
1994.....	0.3	0.5	1.0	1.8	3.5	4.8	6.5	9.0	11.6	14.3	
1993.....	0.3	0.5	0.9	1.8	3.2	4.5	7.1	8.6	12.1	14.4	
1992.....	0.2	0.5	0.8	1.8	3.0	4.2	5.9	8.5	11.6	14.6	
1991.....	0.2	0.4	0.8	1.6	2.7	4.0	6.0	8.6	11.3	14.7	
1990.....	0.2	0.5	0.9	1.3	2.5	3.9	5.7	7.4	10.4	13.6	
1989.....	0.2	0.3	0.8	1.6	2.8	4.1	5.4	7.8	10.9	13.9	
1988.....	0.2	0.4	0.7	1.6	3.0	3.7	5.8	8.0	11.1	14.0	
1987.....	0.1	0.5	0.7	1.7	2.2	4.1	6.0	7.3	10.5	13.6	
1986.....	0.3	0.4	1.1	1.6	2.4	3.8	6.1	8.4	10.9	13.5	
1985.....	0.3	0.5	1.0	1.5	2.6	3.9	6.1	8.1	10.5	12.6	
1984.....	0.2	0.4	1.1	1.2	2.4	4.1	5.6	7.9	11.3	13.1	
1983.....	0.2	0.5	0.8	1.6	2.5	4.1	5.8	7.7	9.9	13.1	
1982.....	0.2	0.4	1.0	1.7	2.7	4.5	6.2	8.5	11.6	14.0	
1981.....	0.3	0.6	1.0	1.7	2.6	4.1	6.5	8.6	12.6	14.7	
1980.....	0.3	0.5	0.8	1.8	2.7	4.5	6.6	7.9	11.5	15.0	
1979.....	0.2	0.6	1.1	1.8	3.2	4.5	6.5	8.0	11.2	14.4	

TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,  
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)										
WHITE MALE										
1998.....	0.5	1.1	1.8	2.4	4.3	6.0	9.8	13.0	17.5	18.6
1997.....	0.4	0.9	1.6	2.6	4.0	6.7	9.6	12.3	15.4	21.6
1996.....	0.5	0.8	1.5	2.8	4.3	7.5	9.8	12.1	15.0	20.4
1995.....	0.5	0.8	1.1	2.6	5.4	5.7	11.1	11.7	16.2	20.7
1994.....	0.4	0.7	1.5	2.6	4.5	6.4	8.5	12.4	16.1	19.2
1993.....	0.3	0.6	1.1	2.2	4.3	6.6	9.4	11.4	16.5	19.2
1992.....	*	0.7	1.1	2.6	4.1	5.9	8.6	11.8	15.8	19.9
1991.....	*	0.5	0.9	2.2	3.8	5.6	8.2	11.7	15.0	20.3
1990.....	0.3	0.7	1.2	2.0	3.3	5.4	7.4	10.5	13.1	19.3
1989.....	*	0.4	0.7	2.1	4.0	5.8	7.8	10.8	15.1	18.8
1988.....	*	0.5	0.8	2.2	4.2	5.4	7.8	10.6	15.2	21.2
1987.....	*	0.6	0.9	2.2	3.2	5.4	8.6	10.0	14.2	15.0
1986.....	*	0.4	1.5	2.3	3.2	5.1	7.7	10.9	15.5	16.6
1985.....	*	0.6	1.1	2.2	3.3	5.3	8.2	10.7	14.8	14.0
1984.....	*	0.5	1.3	1.5	3.1	5.3	7.4	10.4	15.9	17.5
1983.....	*	0.5	0.9	2.2	3.5	5.5	7.8	10.8	12.7	15.7
1982.....	*	0.4	1.1	2.2	3.7	6.0	8.4	12.2	15.3	16.8
1981.....	*	0.7	0.9	2.2	3.5	5.7	9.4	12.6	14.9	19.5
1980.....	0.4	0.6	0.9	2.3	3.5	6.2	9.0	10.6	16.4	20.3
1979.....	0.2	0.6	1.5	2.1	4.1	6.0	8.9	10.5	14.4	15.9
WHITE FEMALE										
1998.....	*	0.3	0.6	1.3	1.8	3.0	4.4	7.1	9.0	12.8
1997.....	*	0.4	0.8	1.0	2.1	3.1	4.6	6.8	10.0	12.0
1996.....	0.2	0.4	0.5	1.3	1.7	3.6	5.0	7.2	9.6	14.2
1995.....	*	0.3	0.8	1.1	2.3	3.0	4.8	6.9	10.2	13.9
1994.....	0.2	0.3	0.6	1.1	2.5	3.4	5.0	6.6	9.2	12.4
1993.....	*	0.3	0.6	1.5	2.2	2.8	5.3	6.7	9.8	12.6
1992.....	*	0.4	0.5	1.1	2.1	2.8	3.9	6.4	9.3	12.6
1991.....	*	0.4	0.7	1.0	1.6	2.6	4.3	6.5	9.4	12.5
1990.....	*	*	0.6	0.7	1.8	2.7	4.5	5.4	8.9	11.4
1989.....	*	*	0.9	1.1	1.8	2.7	3.6	5.8	8.7	12.0
1988.....	*	*	0.7	1.0	1.9	2.3	4.4	6.3	8.9	11.3
1987.....	*	0.4	0.5	1.2	1.3	2.9	4.1	5.7	8.6	13.1
1986.....	*	*	0.7	0.9	1.6	2.7	5.0	6.7	8.4	12.3
1985.....	*	*	0.9	0.8	2.0	2.8	4.6	6.5	8.2	12.1
1984.....	*	0.4	0.9	0.9	1.8	3.2	4.2	6.4	8.9	11.3
1983.....	*	*	0.7	1.0	1.6	2.9	4.4	5.7	8.5	12.0
1982.....	*	*	0.9	1.3	1.9	3.3	4.6	6.1	9.6	12.9
1981.....	*	0.5	1.0	1.2	1.8	2.9	4.5	6.1	11.3	12.7
1980.....	0.2	0.4	0.6	1.3	1.9	3.2	4.9	6.3	8.9	12.7
1979.....	0.2	0.6	0.7	1.6	2.5	3.3	4.8	6.5	9.5	13.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)										
ALL OTHER, BOTH SEXES										
1998.....	0.6	1.9	4.0	4.1	5.4	8.4	11.2	14.9	17.8	22.4
1997.....	0.9	2.0	2.5	3.8	5.7	9.2	10.2	14.5	17.5	19.3
1996.....	0.8	1.0	2.8	3.8	5.7	8.5	10.3	11.7	15.7	21.4
1995.....	0.8	1.6	2.5	4.1	6.2	8.7	12.8	14.6	15.7	25.9
1994.....	0.8	1.4	2.3	4.5	5.1	6.6	11.1	12.6	17.7	19.8
1993.....	*	1.5	2.1	4.3	6.2	8.5	10.1	13.7	19.1	17.6
1992.....	1.0	1.4	2.0	2.8	5.6	7.0	9.4	15.6	17.5	17.0
1991.....	*	1.4	2.0	3.5	5.8	7.2	10.1	13.5	19.9	23.7
1990.....	*	1.4	2.4	2.9	6.5	5.5	11.5	11.1	19.3	23.8
1989.....	*	1.5	3.1	3.7	5.5	8.6	10.3	13.3	13.5	19.5
1988.....	*	1.2	*	2.8	5.2	7.8	9.1	12.4	15.0	17.7
1987.....	*	*	2.6	4.1	4.5	6.7	9.4	12.7	15.3	18.3
1986.....	*	*	2.5	2.8	5.8	6.5	9.1	13.6	18.2	19.9
1985.....	*	1.4	2.6	2.8	5.2	6.8	9.0	9.2	13.3	14.3
1984.....	*	*	1.8	3.0	4.6	6.2	10.1	10.3	12.5	13.4
1983.....	*	*	1.7	3.4	4.0	6.8	10.3	11.2	18.7	16.7
1982.....	*	*	2.2	2.5	5.5	7.6	10.9	14.7	19.1	12.6
1981.....	*	1.5	2.0	3.7	4.3	7.7	9.6	12.1	10.4	12.6
1980.....	0.6	0.9	2.2	3.5	5.5	6.7	9.8	12.2	17.0	14.5
1979.....	0.7	1.2	2.4	3.9	5.7	9.2	10.0	10.0	15.2	12.6
ALL OTHER MALE										
1998.....	1.1	2.9	6.6	6.8	9.2	13.3	15.6	19.9	27.2	23.0
1997.....	1.3	3.4	3.7	6.6	8.4	13.8	15.6	17.4	15.4	26.2
1996.....	1.2	1.8	4.5	5.4	8.2	12.8	14.6	14.7	21.9	29.9
1995.....	*	2.8	4.6	5.5	9.2	11.5	16.8	17.6	21.4	35.7
1994.....	*	2.5	3.2	7.8	7.4	10.0	13.8	20.3	24.6	24.3
1993.....	*	2.0	3.2	6.5	9.9	12.9	12.9	17.0	19.3	*
1992.....	1.5	2.2	3.3	4.6	9.0	10.6	16.2	23.4	26.6	*
1991.....	*	2.2	2.9	5.7	8.2	11.0	16.0	13.9	27.1	40.7
1990.....	*	*	2.8	4.8	8.7	7.8	15.0	18.3	23.5	25.8
1989.....	*	*	4.6	6.5	9.6	13.0	14.2	19.4	20.7	24.7
1988.....	*	*	*	4.4	7.9	13.2	14.8	14.2	18.8	*
1987.....	*	*	3.8	6.4	7.3	10.7	11.1	18.1	17.9	*
1986.....	*	*	4.0	5.1	9.7	11.4	12.2	16.7	28.7	26.7
1985.....	*	*	4.1	4.4	6.1	9.2	12.0	13.1	21.9	*
1984.....	*	*	*	4.3	5.4	10.9	16.8	16.8	*	*
1983.....	*	*	*	5.9	7.6	10.6	16.0	15.7	20.6	*
1982.....	*	*	*	4.2	8.0	10.6	13.8	22.4	29.8	*
1981.....	*	*	3.6	5.0	5.0	10.7	15.2	18.3	*	*
1980.....	1.3	1.7	4.0	5.2	7.8	9.9	15.6	18.4	12.6	18.1
1979.....	0.7	1.6	4.3	5.4	7.2	12.1	13.3	14.3	22.1	15.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)										
ALL OTHER FEMALE										
1998.....	*	*	1.7	*	2.5	4.7	8.2	11.6	12.5	22.2
1997.....	*	*	*	*	3.6	5.8	6.4	12.5	18.7	16.2
1996.....	*	*	*	2.4	3.8	5.3	7.3	9.8	12.3	17.6
1995.....	*	*	*	3.1	3.9	6.7	10.0	12.7	12.6	21.6
1994.....	*	*	*	*	3.4	4.1	9.2	7.8	14.0	17.9
1993.....	*	*	*	2.5	3.3	5.3	8.1	11.6	19.0	16.2
1992.....	*	*	*	*	3.0	4.3	4.7	10.8	12.4	15.9
1991.....	*	*	*	*	4.0	4.4	6.1	13.2	15.7	15.9
1990.....	*	*	*	*	4.8	3.9	9.2	6.7	16.9	22.9
1989.....	*	*	*	*	*	5.2	7.6	9.6	9.4	17.1
1988.....	*	*	*	*	3.0	3.9	5.3	11.3	12.7	16.6
1987.....	*	*	*	*	*	3.6	8.2	9.2	13.8	20.9
1986.....	*	*	*	*	*	*	7.0	11.7	12.2	16.7
1985.....	*	*	*	*	4.5	4.9	6.9	6.7	*	*
1984.....	*	*	*	*	3.9	*	5.4	*	*	*
1983.....	*	*	*	*	*	4.0	6.3	8.2	17.6	15.1
1982.....	*	*	*	*	3.5	5.3	8.7	9.5	12.7	*
1981.....	*	*	*	*	3.8	5.4	5.4	8.0	*	*
1980.....	0.1	0.3	0.8	2.1	3.6	4.4	5.4	8.0	19.7	12.6
1979.....	0.6	0.9	1.0	2.6	4.5	7.0	7.5	7.0	10.9	11.4
BLACK, BOTH SEXES										
1998.....	*	2.0	4.1	4.2	5.3	8.3	12.2	14.6	19.3	23.5
1997.....	1.0	1.8	2.7	3.7	5.3	8.3	9.1	13.9	17.5	18.5
1996.....	*	*	3.1	3.4	5.9	8.7	10.4	12.5	14.7	23.4
1995.....	*	1.7	2.3	4.4	6.2	8.7	13.2	14.7	12.9	24.8
1994.....	0.9	1.4	2.2	4.3	5.1	5.5	10.5	11.2	16.1	17.8
1993.....	*	1.5	2.3	4.3	6.7	8.2	9.7	13.6	19.1	16.8
1992.....	1.0	1.4	1.9	2.7	5.6	7.6	10.1	14.5	17.6	16.0
1991.....	*	*	1.7	3.3	6.4	7.2	9.8	13.3	18.2	23.7
1990.....	*	*	2.3	2.6	6.1	5.8	12.4	12.0	17.3	22.5
1989.....	*	*	2.9	3.5	5.7	8.0	10.4	14.4	12.8	20.5
1988.....	*	*	*	2.5	5.0	8.2	9.5	12.7	14.7	18.2
1987.....	*	*	2.9	4.0	4.9	7.0	9.6	10.8	14.1	18.8
1986.....	*	*	2.5	3.1	6.0	6.9	9.3	14.8	16.1	20.4
1985.....	*	1.6	2.9	2.8	5.6	7.2	8.6	9.9	12.2	12.3
1984.....	*	*	*	3.0	4.7	6.9	10.5	9.7	12.3	13.7
1983.....	*	*	2.0	3.6	4.6	7.2	10.2	11.3	18.1	14.7
1982.....	*	*	2.1	2.6	5.4	8.0	11.6	15.7	17.9	11.9
1981.....	*	*	2.1	4.2	4.6	8.3	9.5	12.9	*	13.7
1980.....	0.6	1.1	2.5	4.0	5.3	7.1	9.9	12.4	17.5	13.2
1979.....	0.6	1.5	2.6	4.1	5.4	9.4	10.4	9.1	14.9	13.5

RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)  
 CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
 0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)

BLACK MALE

1998.....	*	3.1	6.7	6.9	9.1	13.2	17.0	19.4	34.7	24.5
1997.....	*	3.2	4.2	6.4	7.7	12.5	13.1	15.4	*	*
1996.....	*	*	4.9	4.5	8.4	12.8	14.4	16.8	18.4	32.4
1995.....	*	3.0	4.2	5.6	9.2	11.4	16.8	17.0	*	31.6
1994.....	*	2.8	*	7.6	7.3	7.8	12.9	18.1	24.4	*
1993.....	*	*	3.8	6.3	10.8	11.9	12.2	18.0	19.0	*
1992.....	*	*	3.5	4.3	9.4	11.9	18.0	21.8	28.3	*
1991.....	*	*	*	5.6	9.2	11.2	15.5	13.8	29.7	42.0
1990.....	*	*	*	*	7.2	8.0	16.6	21.3	21.4	*
1989.....	*	*	4.0	5.8	10.0	13.2	13.9	21.3	20.6	*
1988.....	*	*	*	*	7.4	13.9	16.0	14.7	*	*
1987.....	*	*	4.6	6.4	8.2	11.0	11.6	14.3	*	*
1986.....	*	*	4.2	5.7	10.1	12.0	12.5	18.0	26.7	*
1985.....	*	*	4.6	4.2	6.3	10.0	11.8	14.1	*	*
1984.....	*	*	*	4.2	5.1	12.5	17.6	16.2	*	*
1983.....	*	*	*	6.1	8.7	11.0	16.0	16.4	*	*
1982.....	*	*	*	4.6	8.3	11.1	14.9	24.2	26.3	*
1981.....	*	*	*	5.5	5.1	11.7	15.5	19.0	*	*
1980.....	1.1	2.1	4.5	6.0	7.0	10.2	16.6	19.0	12.0	17.0
1979.....	0.5	1.9	4.4	5.7	6.7	12.4	15.0	13.0	20.8	15.4

BLACK FEMALE

1998.....	*	*	*	*	*	4.7	8.8	11.6	11.2	23.1
1997.....	*	*	*	*	3.5	5.2	6.4	13.0	18.2	16.9
1996.....	*	*	*	*	4.0	5.6	7.6	9.9	12.8	19.7
1995.....	*	*	*	3.4	3.9	6.6	10.8	13.3	10.9	22.1
1994.....	*	*	*	*	*	3.8	8.9	7.1	11.9	15.9
1993.....	*	*	*	*	3.6	5.4	8.0	11.0	19.1	15.9
1992.....	*	*	*	*	*	4.5	4.9	10.2	12.1	16.1
1991.....	*	*	*	*	4.3	4.3	6.0	13.0	12.2	16.0
1990.....	*	*	*	*	5.2	4.2	9.6	6.6	15.3	21.7
1989.....	*	*	*	*	*	4.3	8.1	10.3	*	18.3
1988.....	*	*	*	*	*	4.1	5.3	11.5	14.0	17.4
1987.....	*	*	*	*	*	4.2	8.2	8.7	13.5	20.8
1986.....	*	*	*	*	*	*	7.2	12.8	*	17.4
1985.....	*	*	*	*	5.0	5.2	6.5	7.3	*	*
1984.....	*	*	*	*	4.4	*	5.7	*	*	*
1983.....	*	*	*	*	*	4.4	6.4	8.1	17.2	*
1982.....	*	*	*	*	*	5.7	9.4	10.4	*	*
1981.....	*	*	*	*	4.2	5.8	*	9.0	*	*
1980.....	0.1	0.3	0.8	2.4	3.9	4.7	5.2	8.1	20.8	11.3
1979.....	0.7	1.1	1.1	2.8	4.3	7.1	7.0	6.4	11.3	12.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.4	0.8	1.3	2.6	4.3	6.0	8.8	12.0	16.3
1997.....	0.2	0.4	0.9	1.7	2.7	4.0	7.0	8.6	13.1	17.9
1996.....	0.2	0.5	0.8	1.4	3.0	4.3	6.8	9.4	13.9	16.6
1995.....	0.2	0.4	0.9	1.7	2.8	4.8	6.7	9.9	14.0	19.7
1994.....	0.2	0.5	0.9	1.8	2.7	4.9	7.5	9.7	13.7	19.2
1993.....	0.2	0.5	0.9	1.7	3.0	4.8	7.0	10.4	14.2	20.1
1992.....	0.2	0.5	0.9	1.9	3.1	4.9	7.5	10.9	15.5	21.2
1991.....	0.3	0.5	1.1	1.9	2.8	4.9	8.1	11.0	14.2	22.4
1990.....	0.2	0.5	1.1	1.9	2.9	5.0	7.9	11.9	15.0	21.5
1989.....	0.3	0.6	1.1	2.3	2.9	5.6	7.8	11.9	16.8	21.9
1988.....	0.2	0.5	1.1	1.9	3.6	5.1	7.8	12.6	16.5	21.8
1987.....	0.2	0.5	1.2	2.2	3.4	5.7	9.1	12.3	17.7	22.6
1986.....	0.3	0.6	1.3	1.9	4.1	5.5	9.3	13.1	19.5	22.9
1985.....	0.3	0.7	1.3	2.2	3.9	6.3	9.7	13.6	19.6	22.2
1984.....	0.3	0.7	1.2	2.1	3.6	6.4	9.1	14.8	18.6	25.0
1983.....	0.4	0.5	1.4	2.5	3.6	6.5	9.9	14.2	20.5	26.5
1982.....	0.3	0.9	1.3	2.3	4.4	6.5	10.2	14.5	20.6	26.3
1981.....	0.3	0.6	1.4	2.6	4.4	6.8	10.8	15.4	20.1	23.7
1980.....	0.3	0.7	1.5	2.6	4.3	6.8	11.8	15.8	22.2	23.6
1979.....	0.3	0.5	1.6	2.8	4.6	6.9	11.2	16.7	19.9	22.6
TOTAL, MALE										
1998.....	*	0.4	0.5	1.1	2.0	4.1	5.1	8.6	11.6	16.3
1997.....	*	0.3	0.7	1.3	2.2	3.5	6.7	7.6	13.5	17.8
1996.....	*	0.3	0.6	1.0	2.3	3.6	6.5	9.1	13.4	17.3
1995.....	*	0.3	0.6	1.4	2.5	4.1	5.5	9.9	13.4	21.6
1994.....	*	0.5	0.6	1.5	2.2	4.2	7.2	8.3	11.9	19.2
1993.....	*	0.4	0.6	1.3	2.7	4.1	6.9	10.7	12.6	18.3
1992.....	*	0.4	0.6	1.5	2.8	4.6	7.4	10.4	13.1	20.5
1991.....	0.2	0.4	0.6	1.5	2.5	4.5	7.4	11.0	13.9	21.9
1990.....	*	0.3	1.0	1.4	2.4	4.7	7.6	11.3	14.6	20.0
1989.....	0.3	0.5	0.9	1.8	2.3	5.1	7.9	11.9	16.4	22.3
1988.....	0.3	0.4	0.8	1.4	3.3	4.5	7.0	12.0	16.7	21.0
1987.....	*	0.3	1.1	2.0	3.0	5.4	9.3	10.8	18.2	21.7
1986.....	*	0.5	0.7	1.4	3.7	4.8	8.8	13.0	18.3	21.7
1985.....	*	0.5	1.0	1.9	3.6	6.2	9.2	13.4	17.5	19.4
1984.....	*	0.5	0.9	1.6	2.8	6.2	8.1	13.9	16.5	24.6
1983.....	*	0.5	1.2	2.1	3.1	6.1	9.0	14.2	19.0	26.2
1982.....	*	0.7	0.9	1.6	3.7	5.8	9.3	14.3	17.7	24.4
1981.....	*	0.6	1.2	2.5	4.3	5.9	10.1	12.5	17.8	20.5
1980.....	0.3	0.8	1.2	2.4	3.7	5.9	9.8	14.2	17.4	22.0
1979.....	0.4	0.5	1.3	2.4	4.5	6.2	9.7	14.7	17.8	20.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)										
TOTAL, FEMALE										
1998.....	0.3	0.4	1.0	1.5	3.1	4.5	6.7	9.0	12.2	16.3
1997.....	0.2	0.5	1.0	2.1	3.1	4.4	7.3	9.2	12.8	18.0
1996.....	0.3	0.6	1.0	1.7	3.6	4.9	7.1	9.6	14.2	16.3
1995.....	0.3	0.6	1.2	1.9	3.1	5.3	7.6	9.9	14.3	18.9
1994.....	*	0.6	1.1	2.1	3.3	5.4	7.7	10.7	14.7	19.2
1993.....	0.3	0.6	1.1	2.0	3.3	5.4	7.0	10.2	15.1	20.8
1992.....	0.3	0.6	1.1	2.2	3.4	5.2	7.6	11.3	16.8	21.5
1991.....	0.3	0.6	1.6	2.2	3.0	5.3	8.6	11.1	14.4	22.6
1990.....	0.3	0.7	1.2	2.3	3.3	5.3	8.1	12.3	15.3	22.2
1989.....	0.3	0.8	1.3	2.8	3.3	6.0	7.8	12.0	17.0	21.8
1988.....	0.2	0.6	1.4	2.4	3.9	5.7	8.4	13.0	16.4	22.1
1987.....	0.3	0.7	1.3	2.5	3.7	5.9	8.9	13.2	17.5	23.0
1986.....	0.3	0.8	1.9	2.4	4.5	6.0	9.6	13.2	20.1	23.4
1985.....	0.3	0.8	1.6	2.4	4.1	6.5	10.0	13.7	20.6	23.3
1984.....	0.3	0.8	1.4	2.6	4.3	6.5	9.8	15.4	19.6	25.1
1983.....	0.5	0.5	1.6	2.8	4.0	6.7	10.5	14.1	21.3	26.6
1982.....	0.4	1.0	1.7	3.0	4.9	7.0	10.8	14.7	22.2	27.0
1981.....	*	0.6	1.6	2.7	4.5	7.5	11.3	17.2	21.4	25.0
1980.....	0.3	0.7	1.8	2.8	4.9	7.5	13.3	16.9	24.8	24.3
1979.....	0.3	0.6	1.8	3.2	4.7	7.5	12.4	17.9	21.0	23.5
WHITE, BOTH SEXES										
1998.....	0.2	0.4	0.7	1.3	2.6	4.4	5.8	8.9	12.2	16.4
1997.....	0.2	0.4	0.9	1.6	2.7	3.9	7.0	8.4	13.3	18.1
1996.....	0.2	0.4	0.8	1.2	2.8	4.3	6.9	9.1	13.8	16.5
1995.....	0.2	0.4	0.9	1.7	2.7	4.8	6.6	9.8	14.1	19.8
1994.....	0.2	0.5	0.9	1.7	2.7	4.8	7.4	9.6	13.7	19.4
1993.....	0.2	0.4	0.8	1.7	3.0	4.8	7.2	10.5	14.4	20.2
1992.....	0.2	0.5	0.9	1.9	3.0	4.8	7.4	11.1	15.7	21.3
1991.....	0.3	0.4	1.0	1.8	2.8	5.0	8.1	11.0	14.2	22.8
1990.....	0.2	0.5	1.1	1.8	2.8	5.0	7.8	12.1	15.4	22.1
1989.....	0.3	0.6	1.1	2.3	2.9	5.5	7.8	12.1	16.9	22.2
1988.....	0.3	0.6	1.1	1.9	3.4	5.1	7.8	12.5	16.6	21.9
1987.....	0.2	0.5	1.1	2.2	3.4	5.6	9.3	12.3	18.3	23.2
1986.....	0.3	0.6	1.2	2.0	4.1	5.6	9.4	13.3	19.9	23.6
1985.....	0.3	0.6	1.3	2.1	3.8	6.5	9.9	13.6	20.1	23.0
1984.....	0.3	0.6	1.3	2.0	3.6	6.5	9.2	15.2	18.8	25.5
1983.....	0.4	0.5	1.4	2.4	3.6	6.5	10.0	14.5	21.0	27.3
1982.....	0.3	0.9	1.2	2.3	4.4	6.5	10.4	14.9	21.6	27.4
1981.....	0.3	0.6	1.3	2.5	4.3	6.8	11.2	15.5	20.7	24.3
1980.....	0.3	0.7	1.5	2.6	4.4	6.8	11.9	16.2	22.7	24.0
1979.....	0.3	0.5	1.5	2.8	4.6	7.0	11.4	17.4	20.4	23.2



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)										
WHITE MALE										
1998.....	*	0.4	0.5	1.1	1.9	4.2	4.9	8.9	12.3	16.0
1997.....	*	0.3	0.7	1.2	2.1	3.5	6.6	7.5	13.9	18.4
1996.....	*	0.3	0.6	0.9	2.3	3.6	6.3	8.7	13.7	17.2
1995.....	*	0.3	0.7	1.4	2.4	4.1	5.4	9.8	13.8	22.0
1994.....	*	0.4	0.7	1.4	2.1	4.1	7.0	8.4	12.2	20.3
1993.....	*	0.3	0.7	1.5	2.7	4.2	7.0	10.7	13.2	18.7
1992.....	*	0.4	0.6	1.5	2.8	4.6	7.3	10.4	13.4	20.7
1991.....	*	0.4	0.6	1.5	2.5	4.5	7.4	11.0	13.7	22.8
1990.....	*	*	1.0	1.4	2.3	4.5	7.4	11.5	15.2	21.1
1989.....	0.3	0.4	0.8	1.8	2.3	5.0	7.8	12.0	16.6	22.5
1988.....	*	0.4	0.8	1.4	3.2	4.5	7.1	11.9	17.0	20.9
1987.....	*	*	1.0	1.9	3.0	5.2	9.5	10.4	18.6	22.5
1986.....	*	0.5	0.7	1.5	3.7	5.0	9.0	13.1	18.5	22.4
1985.....	*	0.5	1.0	1.9	3.6	6.3	9.4	13.5	18.4	20.6
1984.....	*	0.5	1.0	1.6	2.8	6.5	8.3	14.2	17.4	25.3
1983.....	*	0.5	1.1	2.1	3.1	6.2	9.3	14.7	19.7	27.1
1982.....	*	0.7	0.9	1.5	3.8	5.7	9.2	14.1	18.7	25.4
1981.....	*	0.6	1.1	2.5	4.3	5.9	10.6	13.1	18.5	20.7
1980.....	0.3	0.8	1.1	2.4	3.7	5.9	9.9	14.5	17.5	21.6
1979.....	0.3	0.5	1.3	2.4	4.3	6.3	10.0	15.6	18.1	21.4
WHITE FEMALE										
1998.....	0.2	0.4	0.9	1.5	3.2	4.5	6.6	9.0	12.2	16.5
1997.....	0.2	0.4	1.0	2.0	3.2	4.3	7.4	9.1	13.0	18.0
1996.....	0.2	0.5	1.1	1.5	3.3	4.9	7.3	9.4	13.8	16.2
1995.....	0.2	0.5	1.2	1.9	3.0	5.4	7.6	9.8	14.2	19.0
1994.....	*	0.6	1.1	2.0	3.2	5.3	7.7	10.5	14.5	19.1
1993.....	*	0.5	1.0	2.0	3.3	5.3	7.3	10.4	15.1	20.7
1992.....	0.3	0.6	1.1	2.3	3.2	4.9	7.5	11.5	17.0	21.5
1991.....	0.3	0.5	1.5	2.2	3.1	5.4	8.6	11.0	14.5	22.8
1990.....	0.3	0.7	1.2	2.2	3.3	5.4	8.1	12.5	15.5	22.5
1989.....	0.3	0.8	1.4	2.7	3.4	5.9	7.7	12.2	17.1	22.0
1988.....	*	0.7	1.3	2.3	3.6	5.6	8.3	12.9	16.4	22.3
1987.....	*	0.7	1.3	2.5	3.7	5.9	9.1	13.5	18.1	23.5
1986.....	*	0.8	1.7	2.4	4.5	6.1	9.8	13.5	20.6	24.0
1985.....	0.3	0.7	1.5	2.4	4.0	6.7	10.2	13.6	21.0	24.0
1984.....	*	0.7	1.6	2.4	4.3	6.4	9.8	15.8	19.6	25.5
1983.....	0.4	0.5	1.6	2.7	4.1	6.8	10.6	14.4	21.7	27.3
1982.....	0.4	1.1	1.6	2.9	4.9	7.2	11.3	15.4	23.1	28.2
1981.....	*	0.7	1.5	2.6	4.3	7.5	11.7	17.0	21.9	25.8
1980.....	0.3	0.6	1.9	2.8	4.9	7.6	13.4	17.3	25.4	25.0
1979.....	0.3	0.6	1.7	3.2	4.9	7.6	12.3	18.5	21.6	24.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)										
ALL OTHER, BOTH SEXES										
1998.....	*	0.7	*	1.6	2.9	3.8	7.3	7.7	9.6	15.5
1997.....	*	0.7	*	2.4	2.8	4.5	7.0	9.7	10.3	16.3
1996.....	*	0.8	1.0	2.3	4.2	4.5	6.4	12.0	15.2	17.7
1995.....	*	*	*	1.6	3.3	4.7	7.2	10.4	13.2	18.5
1994.....	*	*	*	2.3	3.4	5.6	8.0	10.9	13.9	16.6
1993.....	*	0.9	*	1.4	3.2	4.9	5.1	9.0	11.9	18.9
1992.....	*	*	*	1.8	3.7	6.0	8.2	9.9	12.9	20.1
1991.....	*	*	1.5	2.1	2.4	4.3	8.2	11.5	14.6	18.6
1990.....	*	*	1.3	2.6	3.3	4.7	8.6	9.9	11.7	15.7
1989.....	*	*	*	2.8	2.8	6.0	8.2	10.2	15.6	19.5
1988.....	*	*	1.5	2.0	5.1	5.5	7.7	13.8	16.3	20.6
1987.....	*	*	*	2.3	3.8	6.5	7.3	11.8	11.7	16.7
1986.....	*	*	1.7	1.7	4.3	4.3	7.8	10.8	15.2	16.0
1985.....	*	*	1.4	2.4	4.6	4.9	7.9	13.5	13.7	12.9
1984.....	*	*	*	3.0	3.5	5.5	8.4	11.1	15.4	19.4
1983.....	*	*	1.7	3.0	3.4	5.9	8.3	10.6	14.9	17.7
1982.....	*	*	1.9	2.8	4.3	6.2	8.1	10.9	10.0	13.6
1981.....	*	*	1.7	3.0	4.9	6.5	7.0	14.1	13.3	16.8
1980.....	0.3	1.1	1.6	3.0	4.2	6.5	11.3	12.0	17.0	19.5
1979.....	0.3	0.7	1.7	3.0	4.6	6.0	9.8	10.0	13.8	15.5
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	7.2	*	*	18.1
1997.....	*	*	*	*	*	3.8	7.7	8.4	*	*
1996.....	*	*	*	*	*	*	7.8	13.2	*	18.1
1995.....	*	*	*	*	*	4.7	6.4	10.0	*	*
1994.....	*	*	*	*	*	5.0	8.9	*	*	*
1993.....	*	*	*	*	*	*	6.1	11.1	*	*
1992.....	*	*	*	*	*	4.4	8.2	11.1	*	*
1991.....	*	*	*	*	*	4.4	7.1	11.3	15.5	*
1990.....	*	*	*	*	*	5.9	9.4	8.9	*	*
1989.....	*	*	*	*	*	5.3	8.2	11.3	*	*
1988.....	*	*	*	*	4.3	4.8	*	12.8	*	*
1987.....	*	*	*	*	*	7.0	7.2	14.4	*	*
1986.....	*	*	*	*	*	*	7.6	11.9	*	*
1985.....	*	*	*	*	*	4.9	7.3	12.1	*	*
1984.....	*	*	*	*	*	*	*	10.9	*	*
1983.....	*	*	*	*	*	5.3	*	*	*	*
1982.....	*	*	*	*	*	6.6	10.0	15.6	*	*
1981.....	*	*	*	*	*	5.4	*	*	*	*
1980.....	0.3	0.8	2.0	2.7	3.3	6.5	9.4	11.2	16.0	26.3
1979.....	0.4	0.6	1.4	2.5	6.3	5.9	6.1	7.1	15.1	11.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	2.9	4.3	7.5	8.9	12.9	14.3
1997.....	*	*	*	2.9	2.8	5.1	6.6	10.6	10.5	18.2
1996.....	*	*	*	2.9	5.4	5.3	5.5	11.2	18.0	17.6
1995.....	*	*	*	*	3.6	4.6	7.8	10.7	15.3	18.5
1994.....	*	*	*	2.7	3.6	6.1	7.3	12.8	16.3	20.2
1993.....	*	*	*	*	3.5	6.0	4.4	7.7	14.9	20.9
1992.....	*	*	*	*	4.5	7.2	8.2	9.2	14.1	21.0
1991.....	*	*	*	*	*	4.2	8.9	11.6	14.0	20.6
1990.....	*	*	*	3.5	3.4	3.9	8.1	10.5	13.2	18.4
1989.....	*	*	*	3.2	3.0	6.6	8.2	9.6	16.5	19.4
1988.....	*	*	*	*	5.7	6.1	9.2	14.5	17.2	20.1
1987.....	*	*	*	*	4.0	6.1	7.3	10.1	10.2	17.8
1986.....	*	*	2.7	*	4.8	4.8	7.9	10.2	14.9	16.7
1985.....	*	*	*	2.9	5.2	4.9	8.3	14.3	16.7	15.3
1984.....	*	*	*	4.1	4.1	6.9	9.9	11.2	19.7	20.0
1983.....	*	*	*	3.5	3.2	6.4	10.1	11.2	17.0	18.0
1982.....	*	*	*	3.4	5.0	5.9	6.7	7.7	*	*
1981.....	*	*	*	3.2	5.7	7.4	7.8	18.9	14.7	15.9
1980.....	0.4	1.3	1.3	3.2	4.8	6.6	12.7	12.5	17.6	16.0
1979.....	0.1	0.8	1.9	3.3	3.2	6.0	12.7	12.0	13.1	17.5
BLACK, BOTH SEXES										
1998.....	*	*	*	*	2.5	3.5	7.5	6.0	9.8	15.4
1997.....	*	*	*	2.5	2.7	4.5	6.9	9.5	8.9	15.0
1996.....	*	*	*	2.1	4.5	4.5	6.2	11.4	13.4	15.0
1995.....	*	*	*	*	3.1	4.5	5.7	11.0	12.3	14.6
1994.....	*	*	*	1.9	3.3	4.5	7.1	8.6	11.4	15.1
1993.....	*	*	*	*	2.5	4.6	4.6	6.9	10.3	16.8
1992.....	*	*	*	*	3.2	6.0	6.8	9.0	10.6	16.9
1991.....	*	*	*	2.1	2.0	4.4	6.9	9.6	14.1	18.1
1990.....	*	*	*	2.5	3.8	3.7	7.7	9.1	10.8	15.3
1989.....	*	*	*	2.9	2.6	6.1	8.2	9.4	13.1	18.6
1988.....	*	*	*	*	5.0	5.0	7.2	12.5	15.4	18.7
1987.....	*	*	*	2.2	4.0	5.8	6.9	11.6	8.0	15.9
1986.....	*	*	*	*	4.2	4.3	7.5	8.4	12.2	13.4
1985.....	*	*	*	2.1	3.4	4.6	6.8	11.7	11.0	11.8
1984.....	*	*	*	3.0	3.3	4.8	6.9	9.2	11.9	16.3
1983.....	*	*	*	2.6	2.8	4.9	7.8	9.9	12.8	16.3
1982.....	*	*	*	2.2	4.1	5.7	8.1	9.2	9.6	14.8
1981.....	*	*	2.0	2.9	4.5	5.2	6.7	13.2	12.0	14.3
1980.....	0.3	0.8	1.5	3.0	4.0	5.8	9.7	11.3	15.5	16.3
1979.....	0.3	0.9	1.6	3.1	4.8	5.4	9.8	9.1	12.4	16.0

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

BLACK MALE

1998.....	*	*	*	*	*	*	7.7	*	*	*
1997.....	*	*	*	*	*	*	6.9	*	*	*
1996.....	*	*	*	*	*	*	7.4	12.4	*	*
1995.....	*	*	*	*	*	*	*	11.3	*	*
1994.....	*	*	*	*	*	*	8.3	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	8.7	*	*	*
1989.....	*	*	*	*	*	*	7.9	11.2	*	*
1988.....	*	*	*	*	*	*	*	11.3	*	*
1987.....	*	*	*	*	*	6.3	*	13.7	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	10.3	13.7	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.6	1.8	2.8	3.4	6.0	7.2	8.5	14.7	20.8
1979.....	0.5	0.8	1.4	3.0	6.7	6.2	5.8	7.5	11.7	11.5

BLACK FEMALE

1998.....	*	*	*	*	*	*	7.4	7.1	12.6	14.8
1997.....	*	*	*	3.2	*	4.7	6.9	10.0	*	16.4
1996.....	*	*	*	*	6.2	4.9	5.5	10.8	16.6	16.3
1995.....	*	*	*	*	*	4.6	6.5	10.8	13.8	15.4
1994.....	*	*	*	*	3.6	5.2	6.3	11.2	15.3	18.6
1993.....	*	*	*	*	*	5.6	*	*	12.2	19.7
1992.....	*	*	*	*	3.8	7.5	6.9	8.9	13.1	19.7
1991.....	*	*	*	*	*	4.5	7.5	9.7	13.3	18.4
1990.....	*	*	*	*	3.8	*	7.0	9.2	12.6	18.5
1989.....	*	*	*	*	*	7.1	8.4	8.3	14.1	19.0
1988.....	*	*	*	*	5.3	4.7	8.4	13.2	15.7	18.8
1987.....	*	*	*	*	4.6	5.5	7.7	10.4	*	18.8
1986.....	*	*	*	*	4.6	4.7	8.0	7.8	12.1	14.5
1985.....	*	*	*	*	*	4.3	7.0	12.8	13.3	*
1984.....	*	*	*	3.9	*	6.1	8.2	9.4	15.8	16.3
1983.....	*	*	*	*	*	5.1	9.2	10.8	14.5	*
1982.....	*	*	*	*	5.1	5.7	6.5	*	*	*
1981.....	*	*	*	*	5.4	6.7	7.3	17.2	*	*
1980.....	0.3	1.0	1.3	3.1	4.5	5.6	11.5	13.2	16.0	14.1
1979.....	0.1	0.9	1.8	3.1	3.2	4.9	12.7	10.2	12.9	18.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF PANCREAS (157)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	1.8	4.2	8.6	15.3	24.5	37.4	51.8	67.3	85.8	100.6
1997.....	1.8	4.1	8.4	15.4	25.2	36.3	52.3	66.3	85.9	100.7
1996.....	1.8	4.1	8.2	15.1	24.7	36.1	52.8	68.7	84.7	100.9
1995.....	1.7	4.2	8.5	14.9	25.8	36.2	52.9	66.6	82.0	102.1
1994.....	1.8	4.0	8.5	15.8	25.1	38.1	53.8	68.5	85.5	98.9
1993.....	2.0	4.0	8.7	15.4	25.4	38.0	52.9	71.3	83.8	97.1
1992.....	1.8	4.2	8.5	16.1	25.9	38.6	52.0	68.1	84.6	100.9
1991.....	1.9	4.4	8.5	16.1	24.3	37.8	52.8	69.3	85.9	98.7
1990.....	1.7	4.7	8.5	15.9	25.3	38.5	52.9	68.0	87.0	97.8
1989.....	1.8	4.1	8.6	15.7	25.6	37.9	54.2	66.8	83.3	96.4
1988.....	1.8	4.3	9.1	15.9	25.4	37.0	52.0	67.8	80.6	93.1
1987.....	1.8	4.1	9.5	16.1	26.1	37.3	52.2	66.7	81.4	95.8
1986.....	2.0	4.2	8.7	15.8	26.4	38.9	54.3	66.5	78.7	94.2
1985.....	1.9	4.8	9.0	17.2	25.5	37.2	53.3	66.5	84.5	88.6
1984.....	1.9	4.7	9.4	16.8	27.3	38.2	53.6	69.4	83.0	88.8
1983.....	2.1	4.4	9.5	16.5	26.3	37.6	53.7	67.9	81.6	91.4
1982.....	1.9	4.8	9.7	16.6	26.4	38.6	53.0	66.8	80.4	85.4
1981.....	2.3	5.0	9.4	16.6	26.5	38.6	54.1	66.3	80.4	88.2
1980.....	2.1	4.7	9.8	17.3	26.7	39.1	53.3	66.6	79.8	86.8
1979.....	2.2	4.9	9.8	16.2	27.8	38.5	53.0	67.8	81.0	86.3
TOTAL, MALE										
1998.....	2.2	5.2	10.8	18.9	29.5	45.2	61.0	76.9	95.1	106.7
1997.....	2.2	5.3	10.7	19.2	31.1	43.5	62.0	72.8	95.2	108.9
1996.....	2.2	5.4	10.5	18.1	29.0	43.6	59.1	77.5	94.6	107.1
1995.....	2.4	5.2	10.6	18.1	30.5	42.4	60.9	74.3	91.3	114.8
1994.....	2.4	5.1	10.6	19.2	30.3	46.8	61.9	77.6	93.3	107.3
1993.....	2.6	5.1	10.5	18.5	31.0	43.6	61.1	80.5	96.8	109.6
1992.....	2.4	5.3	10.4	19.9	32.1	46.8	61.4	78.8	93.2	112.3
1991.....	2.5	5.4	10.8	19.5	29.8	46.1	62.7	79.3	98.9	106.7
1990.....	2.2	5.9	10.4	19.7	31.1	46.5	63.3	80.7	96.7	105.6
1989.....	2.4	5.3	10.7	18.9	31.2	45.8	64.4	76.8	97.9	111.1
1988.....	2.4	5.5	12.1	19.5	31.6	44.6	60.8	79.4	89.7	107.5
1987.....	2.2	5.5	11.9	19.6	31.3	44.5	60.5	79.1	99.2	103.0
1986.....	2.7	5.1	10.4	19.3	32.7	46.2	63.6	76.9	89.2	105.5
1985.....	2.3	6.0	11.1	21.3	32.0	45.3	63.5	80.0	100.2	105.5
1984.....	2.3	6.1	12.1	21.1	32.7	45.7	65.1	83.9	94.3	102.5
1983.....	2.5	5.4	11.7	21.4	32.8	45.9	63.9	80.4	95.8	103.1
1982.....	2.2	6.3	12.5	21.3	32.0	46.5	65.1	81.5	97.9	106.8
1981.....	3.1	6.2	11.7	20.8	33.1	47.8	67.2	83.2	95.3	102.6
1980.....	2.6	6.0	13.0	21.7	33.2	47.5	67.2	80.1	99.6	102.0
1979.....	2.9	6.0	12.6	20.0	35.4	48.7	67.9	84.9	98.1	101.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PANCREAS (157)										
TOTAL, FEMALE										
1998.....	1.4	3.3	6.5	12.0	20.1	30.9	44.6	60.5	80.3	98.0
1997.....	1.5	2.9	6.2	11.8	20.0	30.2	44.9	61.8	80.4	97.4
1996.....	1.4	2.8	6.1	12.4	20.9	29.8	48.0	62.6	78.9	98.5
1995.....	1.1	3.1	6.4	11.9	21.5	31.0	46.8	61.4	76.8	97.2
1994.....	1.3	2.9	6.6	12.5	20.5	31.0	47.6	62.3	81.2	95.7
1993.....	1.3	2.9	7.1	12.6	20.6	33.3	46.6	65.1	76.7	92.3
1992.....	1.3	3.1	6.7	12.7	20.5	32.0	45.0	61.0	79.9	96.5
1991.....	1.4	3.5	6.3	13.0	19.4	31.2	45.4	62.7	79.0	95.6
1990.....	1.2	3.6	6.8	12.4	20.4	31.9	45.1	59.7	81.9	94.9
1989.....	1.3	2.9	6.5	12.9	20.7	31.5	46.7	60.3	75.6	90.7
1988.....	1.2	3.1	6.2	12.5	19.9	30.9	45.6	60.4	75.7	87.5
1987.....	1.4	2.9	7.3	12.9	21.7	31.4	46.1	58.9	72.1	92.9
1986.....	1.4	3.3	7.2	12.6	20.9	33.0	47.6	60.0	73.1	89.7
1985.....	1.5	3.7	7.1	13.6	19.8	30.6	45.9	58.0	76.3	81.8
1984.....	1.5	3.5	6.9	13.0	22.5	32.2	45.2	60.2	77.1	83.3
1983.....	1.7	3.4	7.5	12.2	20.6	31.0	46.3	60.1	74.1	86.6
1982.....	1.6	3.3	7.1	12.5	21.6	32.3	44.2	57.6	71.1	76.5
1981.....	1.6	3.8	7.3	12.8	20.7	31.3	44.7	55.7	72.5	82.0
1980.....	1.7	3.4	6.9	13.4	21.1	32.4	43.2	58.1	69.3	80.1
1979.....	1.5	3.8	7.3	12.7	21.2	30.4	42.2	57.1	71.8	79.4
WHITE, BOTH SEXES										
1998.....	1.7	4.0	8.2	14.6	23.3	36.7	50.6	65.9	84.3	98.7
1997.....	1.8	3.8	8.0	14.7	24.3	35.2	51.2	64.9	84.3	98.6
1996.....	1.7	3.9	7.9	14.3	23.8	34.8	51.4	67.3	82.5	100.0
1995.....	1.6	4.2	8.2	14.4	25.0	35.4	51.8	65.5	79.5	100.7
1994.....	1.6	3.7	8.1	14.7	24.2	36.9	52.2	66.4	83.4	97.2
1993.....	1.9	3.8	8.2	14.7	24.4	36.5	51.5	69.6	81.6	95.7
1992.....	1.7	3.9	8.1	15.1	25.1	37.1	50.5	66.4	82.4	99.0
1991.....	1.8	4.3	8.1	15.5	23.6	36.8	51.5	67.7	83.0	97.5
1990.....	1.6	4.4	8.1	14.9	24.5	37.2	50.6	66.1	85.2	97.1
1989.....	1.7	3.8	8.0	14.7	24.2	36.5	52.9	65.5	81.1	94.6
1988.....	1.7	4.1	8.4	15.1	24.2	35.5	50.2	65.9	79.7	92.2
1987.....	1.6	3.9	9.2	15.3	24.9	36.1	50.8	65.5	80.0	93.8
1986.....	1.9	3.9	8.4	15.2	25.5	37.5	52.8	65.0	76.5	93.2
1985.....	1.8	4.6	8.5	16.4	24.1	36.4	51.8	65.6	82.3	88.1
1984.....	1.8	4.2	8.8	15.8	25.9	36.9	51.9	68.1	81.6	88.9
1983.....	2.1	4.1	9.1	15.6	24.7	36.5	51.8	66.2	80.3	91.1
1982.....	1.8	4.6	9.2	15.8	25.4	37.7	51.4	65.9	79.4	84.7
1981.....	2.2	4.7	9.0	16.1	25.8	37.6	52.6	65.4	80.7	89.2
1980.....	2.1	4.4	9.4	16.5	25.4	37.9	51.8	65.8	79.1	87.1
1979.....	2.1	4.6	9.3	15.4	26.9	37.4	51.6	67.1	81.6	86.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PANCREAS (157)										
WHITE MALE										
1998.....	2.2	4.8	10.4	18.1	28.0	44.5	60.2	75.8	94.2	106.7
1997.....	2.1	5.0	10.2	18.3	30.2	42.7	60.9	71.6	94.3	109.7
1996.....	2.0	5.0	10.1	17.0	28.4	42.4	57.8	76.0	94.2	106.6
1995.....	2.2	5.2	10.3	17.5	29.8	41.3	59.8	73.0	89.9	114.6
1994.....	2.1	4.7	10.1	18.1	29.4	45.6	60.3	75.5	90.9	105.7
1993.....	2.5	4.8	9.7	17.7	30.1	42.4	59.7	78.3	93.4	109.6
1992.....	2.1	4.9	10.0	18.4	31.3	45.3	60.4	76.7	90.8	111.6
1991.....	2.3	5.2	10.2	18.7	29.2	44.8	61.6	78.6	95.2	106.7
1990.....	2.1	5.6	9.7	18.7	30.2	45.1	61.2	78.5	95.0	103.6
1989.....	2.2	4.8	9.9	17.9	29.6	44.6	62.9	76.2	95.9	109.1
1988.....	2.2	5.2	11.3	18.7	30.3	43.0	59.0	77.4	89.4	108.2
1987.....	2.0	5.3	11.5	18.4	30.1	42.9	58.6	77.5	98.0	101.5
1986.....	2.6	4.7	10.2	18.4	31.4	44.8	62.2	75.3	87.9	105.4
1985.....	2.2	5.7	10.4	20.5	30.2	44.1	61.7	79.1	98.2	106.4
1984.....	2.2	5.4	11.4	19.7	31.3	44.5	63.7	83.0	92.3	104.3
1983.....	2.4	5.1	11.1	20.1	31.0	44.6	62.2	78.5	92.3	103.0
1982.....	2.0	6.0	11.7	20.3	30.3	45.6	63.2	81.4	98.4	106.6
1981.....	2.9	5.9	11.2	20.2	32.2	46.3	65.0	82.3	95.3	105.0
1980.....	2.5	5.7	12.5	20.5	31.9	46.1	66.4	79.4	98.5	103.1
1979.....	2.7	5.6	12.2	19.3	34.7	47.6	66.3	84.8	100.0	103.9
WHITE FEMALE										
1998.....	1.3	3.3	6.1	11.4	19.1	29.9	43.0	58.8	78.3	95.5
1997.....	1.5	2.7	5.9	11.3	19.0	28.8	43.5	60.2	78.4	94.1
1996.....	1.3	2.8	5.8	11.7	19.6	28.3	46.4	61.2	75.8	97.4
1995.....	1.0	3.1	6.1	11.4	20.5	30.4	45.7	60.3	73.7	95.4
1994.....	1.1	2.7	6.2	11.6	19.5	29.7	46.0	60.1	79.3	94.0
1993.....	1.3	2.9	6.7	11.9	19.3	31.7	45.1	63.7	75.2	90.4
1992.....	1.2	2.8	6.4	11.9	19.6	30.4	43.1	59.5	77.9	94.2
1991.....	1.4	3.4	6.1	12.5	18.7	30.3	43.9	60.5	76.5	94.0
1990.....	1.1	3.3	6.5	11.4	19.4	30.7	42.6	58.1	79.9	94.7
1989.....	1.2	2.8	6.2	11.7	19.5	29.9	45.4	58.6	73.3	89.1
1988.....	1.1	2.9	5.7	11.8	18.9	29.3	43.7	58.5	74.6	86.1
1987.....	1.2	2.7	7.0	12.3	20.3	30.5	45.1	57.9	70.7	90.8
1986.....	1.3	3.2	6.7	12.2	20.4	31.5	46.0	58.5	70.6	88.4
1985.....	1.4	3.5	6.6	12.7	18.8	30.0	44.6	57.1	74.0	81.0
1984.....	1.4	3.1	6.3	12.3	21.2	30.8	43.3	58.9	76.0	82.9
1983.....	1.7	3.1	7.2	11.5	19.2	30.0	44.3	58.5	74.1	86.3
1982.....	1.5	3.2	6.8	11.8	21.1	31.3	42.9	56.3	69.5	75.7
1981.....	1.4	3.6	6.9	12.3	20.2	30.7	43.6	54.8	73.1	82.6
1980.....	1.6	3.2	6.5	12.8	19.7	31.2	41.2	57.3	68.9	80.2
1979.....	1.5	3.6	6.6	11.9	20.1	29.3	41.0	56.1	71.9	79.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF PANCREAS (157)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER, BOTH SEXES										
1998.....	2.2	5.4	10.6	19.4	31.9	42.6	61.3	79.8	101.5	117.6
1997.....	2.2	5.4	10.6	19.4	30.8	43.4	62.0	79.2	102.3	121.5
1996.....	2.3	5.3	10.3	20.3	30.4	45.0	64.5	81.5	106.3	110.3
1995.....	2.3	4.2	10.3	17.9	31.1	42.3	62.3	77.4	108.0	116.4
1994.....	2.8	5.8	11.2	22.3	31.1	47.1	67.7	88.8	107.0	116.1
1993.....	2.5	5.0	12.2	19.8	32.6	48.8	65.3	88.0	106.3	111.1
1992.....	2.7	6.3	10.7	22.9	31.9	50.3	65.0	84.2	106.6	121.2
1991.....	2.6	5.2	10.8	19.9	29.1	45.9	64.7	84.5	116.2	111.7
1990.....	2.0	6.5	11.5	22.0	32.0	49.0	73.7	85.2	106.2	105.2
1989.....	2.2	5.8	11.9	23.2	35.8	49.9	66.7	78.9	106.6	116.0
1988.....	2.3	5.7	13.1	21.0	34.2	50.3	68.7	86.4	90.3	102.4
1987.....	3.0	5.3	11.4	22.3	36.3	47.6	64.2	78.4	96.1	117.5
1986.....	2.7	5.9	11.2	20.6	33.4	50.9	67.7	80.6	101.7	104.8
1985.....	2.4	6.5	12.8	23.3	36.6	44.4	67.3	75.6	108.4	92.9
1984.....	2.5	7.9	13.7	24.5	38.6	49.6	69.3	81.0	98.5	87.6
1983.....	2.5	6.2	12.7	24.2	39.4	47.3	70.8	84.7	95.4	94.7
1982.....	2.6	6.0	13.6	23.3	35.7	46.7	67.7	75.2	91.2	94.0
1981.....	3.1	6.9	12.7	21.0	32.5	47.1	69.1	75.5	77.2	76.3
1980.....	2.6	6.2	13.0	24.8	38.5	49.6	68.1	74.9	87.7	83.1
1979.....	2.6	6.8	14.0	22.5	36.2	48.3	66.8	75.0	73.7	79.9
ALL OTHER MALE										
1998.....	2.3	7.5	13.4	24.1	39.8	49.9	68.2	86.8	104.9	106.8
1997.....	2.7	7.3	13.4	25.2	37.3	49.4	70.8	84.6	105.5	102.3
1996.....	2.9	7.9	13.0	25.7	33.0	52.6	70.4	91.8	99.1	111.4
1995.....	3.3	5.1	12.8	21.8	35.7	51.5	71.6	87.2	106.5	116.1
1994.....	3.8	8.2	14.0	27.1	37.0	56.4	76.6	98.3	118.2	121.7
1993.....	3.3	6.9	15.6	23.7	37.5	53.3	74.3	103.1	131.3	109.2
1992.....	3.8	8.2	13.5	30.2	38.5	59.1	70.7	99.9	117.6	119.5
1991.....	3.5	6.5	14.7	25.2	34.8	57.0	73.4	87.0	134.9	107.0
1990.....	2.7	7.7	15.0	26.7	38.1	59.1	83.3	102.3	113.2	124.1
1989.....	3.1	8.2	16.2	26.3	44.1	57.0	78.5	82.0	117.4	129.6
1988.....	3.1	7.2	17.8	25.7	43.1	59.2	78.4	98.6	93.2	101.3
1987.....	3.6	6.7	14.4	28.7	41.9	59.5	77.9	94.0	110.7	116.9
1986.....	3.5	7.7	11.9	26.3	43.9	59.0	77.0	91.4	102.8	106.7
1985.....	3.0	8.3	16.0	27.5	47.7	56.4	81.0	88.3	119.0	97.3
1984.....	2.9	10.6	17.0	32.6	45.3	56.9	78.1	92.6	113.9	86.1
1983.....	3.3	7.8	16.6	32.1	49.2	58.0	80.2	98.0	132.0	102.9
1982.....	3.5	8.1	18.8	29.9	47.8	55.2	83.4	81.3	92.6	109.0
1981.....	4.0	8.8	16.2	26.1	42.0	61.4	87.3	91.4	95.6	78.1
1980.....	2.9	8.1	16.6	32.4	45.7	59.4	75.2	86.5	111.2	90.5
1979.....	3.6	8.9	16.0	26.5	42.2	58.7	82.6	85.2	77.9	79.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PANCREAS (157)										
ALL OTHER FEMALE										
1998.....	2.1	3.6	8.2	15.6	25.8	37.1	56.5	75.2	99.5	122.5
1997.....	1.7	3.8	8.2	14.7	25.7	38.9	55.9	75.7	100.5	130.2
1996.....	1.8	3.0	8.1	16.0	28.5	39.3	60.4	74.9	110.4	109.8
1995.....	1.5	3.4	8.3	14.7	27.5	35.5	55.9	71.1	108.8	116.5
1994.....	2.0	3.8	8.9	18.3	26.6	40.2	61.5	82.8	100.9	113.7
1993.....	1.8	3.3	9.3	16.7	28.9	45.5	59.0	78.6	92.4	111.9
1992.....	1.8	4.7	8.3	17.0	26.9	43.8	61.1	74.4	100.5	122.0
1991.....	1.8	4.0	7.5	15.6	24.7	37.7	58.9	83.0	105.2	113.2
1990.....	1.5	5.4	8.5	18.2	27.3	41.5	67.1	74.6	102.2	96.6
1989.....	*	3.8	8.3	20.6	29.6	44.6	58.7	76.9	100.5	109.7
1988.....	1.6	4.3	9.2	17.2	27.3	43.8	62.2	78.6	88.2	103.0
1987.....	2.5	4.0	8.9	17.2	32.0	38.6	54.9	68.5	87.8	117.8
1986.....	2.0	4.4	10.7	16.0	25.3	44.8	61.4	73.5	101.6	103.8
1985.....	1.9	4.8	10.2	19.9	27.8	35.3	57.9	67.2	102.2	91.3
1984.....	2.2	5.6	10.9	18.0	33.3	44.0	62.9	73.4	89.0	88.3
1983.....	*	4.8	9.6	17.8	31.7	39.4	64.3	75.9	73.9	90.6
1982.....	*	4.3	9.4	17.9	26.1	40.4	56.4	70.9	90.4	85.7
1981.....	2.3	5.3	9.8	16.8	24.9	36.4	55.6	64.7	66.0	75.4
1980.....	2.3	4.7	10.1	18.5	32.7	42.1	62.9	66.9	73.3	79.2
1979.....	1.7	5.0	12.5	19.2	31.3	40.3	54.8	67.8	71.5	80.7
BLACK, BOTH SEXES										
1998.....	2.7	6.5	12.9	23.1	38.4	49.1	69.6	90.3	114.7	127.7
1997.....	2.5	6.4	12.8	23.6	37.8	49.6	70.5	89.5	112.4	136.4
1996.....	2.7	6.1	12.6	23.6	36.4	51.9	72.9	90.7	110.3	122.6
1995.....	2.8	5.2	12.2	20.9	36.2	47.7	71.5	83.5	116.0	122.2
1994.....	3.6	7.2	13.1	26.3	35.7	53.3	78.6	96.0	115.4	119.8
1993.....	3.0	6.4	14.9	23.6	38.1	55.4	74.5	96.5	114.8	116.1
1992.....	3.2	7.6	12.5	27.8	36.5	58.6	73.9	94.2	117.7	129.5
1991.....	3.1	6.3	12.7	23.7	33.8	51.7	71.8	89.8	121.9	118.1
1990.....	2.5	7.7	13.8	26.0	37.0	55.7	81.2	90.8	116.2	113.6
1989.....	2.4	6.6	14.0	26.3	41.4	56.4	72.4	85.6	116.7	116.4
1988.....	2.8	6.9	15.0	24.0	38.0	56.0	75.8	91.8	92.6	105.6
1987.....	3.7	5.8	13.3	24.3	41.2	52.9	70.8	87.7	102.7	120.2
1986.....	3.2	6.6	12.8	24.2	38.0	56.0	74.2	89.8	106.3	110.4
1985.....	2.7	7.7	14.8	26.6	40.5	49.3	73.5	82.2	115.5	93.8
1984.....	3.1	8.9	15.8	27.9	42.9	55.0	75.7	88.9	103.8	86.8
1983.....	3.0	7.2	13.8	27.4	43.9	51.6	75.0	90.8	101.8	101.6
1982.....	2.9	6.2	14.9	25.9	40.0	49.9	75.4	81.6	95.4	97.7
1981.....	3.3	7.6	14.1	23.7	36.0	51.2	74.7	79.4	86.1	78.6
1980.....	2.8	7.1	14.6	26.8	42.4	52.8	74.1	78.9	89.9	81.7
1979.....	2.8	7.6	15.2	24.8	39.4	51.0	70.6	76.5	76.6	82.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PANCREAS (157)										
BLACK MALE										
1998.....	3.0	9.0	16.7	28.3	48.2	57.5	76.5	99.5	120.9	112.4
1997.....	3.2	8.4	16.7	31.2	45.6	56.0	81.6	96.5	113.7	111.0
1996.....	3.4	9.3	16.4	30.2	39.6	60.9	82.5	100.4	102.9	126.0
1995.....	3.9	6.4	16.1	25.4	41.6	57.2	83.8	90.5	115.6	119.9
1994.....	5.0	10.6	16.3	31.8	43.0	63.2	89.4	109.1	127.4	120.5
1993.....	3.9	9.0	19.3	27.9	45.5	59.8	84.9	113.4	145.7	108.9
1992.....	4.4	10.1	15.6	37.0	45.4	69.0	80.5	113.2	137.5	130.6
1991.....	4.5	8.5	17.8	30.6	41.7	64.6	84.1	90.1	143.6	107.2
1990.....	3.1	9.5	18.5	31.5	45.2	68.5	92.9	110.8	127.1	128.3
1989.....	3.4	9.5	19.3	30.1	51.1	65.3	86.9	92.1	129.9	136.4
1988.....	3.8	9.1	21.6	30.0	48.1	64.8	88.4	104.5	97.9	107.7
1987.....	4.4	7.7	17.0	32.6	48.0	66.6	84.7	105.7	118.5	120.3
1986.....	4.1	9.0	13.3	30.9	50.6	65.0	85.9	103.5	101.1	114.3
1985.....	3.4	9.9	18.6	30.9	52.5	63.7	87.8	97.1	129.9	98.4
1984.....	3.5	12.3	19.7	36.6	49.5	64.4	86.1	101.8	120.2	85.2
1983.....	4.1	9.2	18.5	36.1	55.1	61.8	83.2	107.3	140.2	110.0
1982.....	3.9	8.5	20.4	33.5	54.2	60.5	93.8	90.1	96.3	112.1
1981.....	4.1	9.9	17.8	29.9	45.9	68.2	97.5	100.6	109.1	80.4
1980.....	3.3	9.5	18.2	35.5	50.0	64.7	85.2	89.6	110.6	84.9
1979.....	4.3	10.3	17.8	29.2	46.2	63.0	89.4	87.6	79.2	84.6
BLACK FEMALE										
1998.....	2.5	4.4	9.8	18.9	31.1	42.9	64.8	84.4	111.4	134.1
1997.....	1.8	4.7	9.7	17.7	32.1	44.9	62.9	85.1	111.7	146.9
1996.....	2.2	3.3	9.5	18.4	34.0	45.1	66.3	84.6	114.1	121.2
1995.....	1.8	4.2	9.1	17.4	32.1	40.6	63.2	79.2	116.2	123.2
1994.....	2.4	4.4	10.4	22.0	30.2	46.0	71.3	88.0	109.3	119.6
1993.....	2.3	4.2	11.2	20.2	32.4	52.1	67.5	86.5	98.9	119.0
1992.....	2.1	5.5	10.0	20.6	29.8	51.1	69.5	83.0	107.5	129.0
1991.....	1.8	4.6	8.6	18.3	27.8	42.3	63.7	89.6	110.7	122.7
1990.....	2.0	6.2	9.9	21.7	30.9	46.5	73.5	79.1	110.6	107.4
1989.....	*	4.2	9.7	23.3	34.1	49.9	63.1	81.7	109.7	108.5
1988.....	*	5.0	9.6	19.2	30.4	49.7	67.4	84.1	89.9	104.7
1987.....	3.0	4.2	10.2	17.7	36.1	42.9	61.4	76.8	94.2	120.1
1986.....	2.5	4.7	12.4	18.9	28.5	49.4	66.2	81.5	109.1	108.7
1985.....	*	5.8	11.7	23.0	31.2	38.7	64.0	72.9	107.6	91.7
1984.....	2.7	6.1	12.5	20.8	37.8	48.1	68.7	80.8	94.7	87.6
1983.....	*	5.5	10.0	20.3	35.2	44.2	69.7	79.9	80.0	97.6
1982.....	*	4.4	10.4	19.7	29.0	42.2	62.8	76.5	94.9	90.7
1981.....	*	5.7	11.2	18.6	28.2	38.8	58.8	65.6	72.7	77.0
1980.....	2.3	5.1	11.8	19.7	36.3	43.9	66.1	71.9	77.5	80.2
1979.....	1.6	5.4	13.0	21.2	34.0	42.0	57.0	68.6	75.0	81.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.2	0.5	1.0	1.6	2.1	3.2	3.7	6.4	9.0
1997.....	0.1	0.2	0.5	0.7	1.3	2.2	3.1	4.1	5.8	9.6
1996.....	0.1	0.2	0.5	0.9	1.4	2.3	3.2	4.3	6.3	10.2
1995.....	0.1	0.2	0.5	0.7	1.5	2.1	3.0	3.7	6.4	11.4
1994.....	*	0.3	0.6	0.8	1.5	2.0	3.1	4.0	6.7	11.3
1993.....	0.1	0.3	0.5	0.8	1.5	2.0	3.5	4.6	6.7	11.0
1992.....	0.1	0.3	0.6	0.8	1.6	2.2	3.6	4.8	7.1	12.4
1991.....	0.2	0.3	0.5	0.9	1.5	2.4	3.6	4.7	7.4	13.9
1990.....	0.1	0.3	0.5	0.9	1.6	2.2	3.8	5.4	8.7	13.6
1989.....	0.2	0.3	0.6	1.0	1.6	2.4	4.4	5.4	7.4	15.8
1988.....	0.2	0.4	0.5	1.2	1.7	2.9	4.2	6.2	8.4	15.6
1987.....	0.2	0.3	0.6	1.1	1.9	3.0	4.4	6.8	9.5	15.7
1986.....	0.2	0.4	0.8	1.2	1.9	2.8	4.9	6.5	10.8	16.4
1985.....	0.2	0.4	0.8	1.3	2.0	3.3	5.2	7.7	10.7	18.4
1984.....	0.2	0.4	0.8	1.3	2.3	3.6	5.4	7.9	11.9	19.2
1983.....	0.3	0.4	0.7	1.4	2.2	3.3	6.6	8.5	12.0	20.1
1982.....	0.3	0.4	1.1	1.4	2.4	3.5	6.3	8.3	13.3	19.1
1981.....	0.2	0.4	0.8	1.7	2.7	3.8	6.1	8.7	13.3	18.4
1980.....	0.3	0.5	1.1	1.8	2.7	4.5	6.3	9.5	13.3	21.5
1979.....	0.3	0.4	1.0	1.7	2.7	4.7	6.2	10.0	15.7	20.2
TOTAL, MALE										
1998.....	*	0.3	0.4	0.9	1.4	2.1	2.6	3.7	5.4	8.7
1997.....	0.2	0.2	0.4	0.6	1.2	2.1	3.2	4.5	6.2	9.5
1996.....	*	0.3	0.5	0.8	1.3	2.6	3.3	4.8	6.2	10.2
1995.....	*	0.2	0.5	0.7	1.7	2.2	3.0	3.6	6.7	10.8
1994.....	*	0.3	0.6	0.9	1.5	2.1	3.5	4.0	7.9	13.0
1993.....	*	0.3	0.5	1.0	1.6	2.1	4.0	5.5	7.2	12.2
1992.....	*	0.3	0.6	1.0	1.9	2.8	3.9	5.3	7.6	11.0
1991.....	*	0.4	0.5	0.9	1.8	2.5	4.2	5.9	8.0	13.7
1990.....	*	0.5	0.7	1.1	1.9	2.9	4.5	5.9	10.3	15.5
1989.....	*	0.4	0.6	1.2	1.9	2.8	5.3	5.7	8.5	16.6
1988.....	*	0.6	0.8	1.4	2.2	3.3	5.3	7.0	9.9	15.1
1987.....	*	*	0.6	1.2	2.0	3.5	5.8	7.9	12.0	16.9
1986.....	*	0.4	0.9	1.4	2.2	3.6	5.7	8.9	13.5	19.3
1985.....	*	0.5	0.9	1.5	2.4	4.3	6.4	9.0	12.6	18.9
1984.....	*	0.5	0.9	1.4	2.5	4.5	6.5	9.7	13.4	18.1
1983.....	0.3	0.6	1.0	1.7	2.7	3.6	7.5	9.8	14.8	22.1
1982.....	0.4	0.4	1.3	1.6	2.8	4.1	7.9	10.0	15.7	24.0
1981.....	*	0.5	0.8	2.0	3.2	4.4	7.2	10.2	13.8	19.1
1980.....	0.3	0.4	1.1	2.2	3.4	5.2	7.3	11.6	14.6	22.4
1979.....	0.2	0.5	1.1	1.9	3.3	5.5	7.1	10.5	19.2	21.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)										
TOTAL, FEMALE										
1998.....	*	0.2	0.6	1.1	1.8	2.0	3.7	3.8	7.0	9.2
1997.....	*	0.2	0.5	0.8	1.4	2.2	3.1	3.9	5.5	9.6
1996.....	*	*	0.5	0.9	1.6	2.0	3.1	4.0	6.4	10.3
1995.....	*	0.2	0.5	0.8	1.4	2.1	2.9	3.8	6.3	11.6
1994.....	*	0.2	0.6	0.7	1.4	1.9	2.8	4.0	6.0	10.7
1993.....	*	*	0.4	0.7	1.3	1.9	3.1	4.1	6.5	10.5
1992.....	*	0.3	0.6	0.7	1.3	1.8	3.4	4.4	6.8	12.9
1991.....	0.2	0.3	0.4	0.9	1.4	2.3	3.2	3.9	7.2	13.9
1990.....	*	*	0.4	0.7	1.4	1.7	3.3	5.0	7.8	12.9
1989.....	*	*	0.6	0.9	1.4	2.2	3.7	5.2	6.8	15.5
1988.....	*	*	*	1.0	1.3	2.5	3.3	5.6	7.6	15.8
1987.....	*	0.4	0.6	1.0	1.7	2.6	3.4	6.0	8.2	15.2
1986.....	*	0.4	0.6	1.1	1.7	2.3	4.4	5.0	9.3	15.3
1985.....	*	*	0.8	1.0	1.7	2.6	4.3	7.0	9.7	18.2
1984.....	*	*	0.7	1.1	2.1	2.9	4.6	6.8	11.2	19.6
1983.....	*	*	0.5	1.2	1.7	3.0	5.9	7.7	10.5	19.3
1982.....	*	*	0.9	1.2	2.1	3.0	5.2	7.1	12.0	17.0
1981.....	*	*	0.8	1.5	2.3	3.4	5.3	7.7	13.0	18.1
1980.....	0.2	0.5	1.1	1.5	2.0	3.9	5.6	8.2	12.5	21.0
1979.....	0.3	0.4	0.9	1.5	2.3	4.0	5.6	9.7	13.7	19.5
WHITE, BOTH SEXES										
1998.....	0.1	0.2	0.5	1.0	1.7	2.1	3.3	3.8	6.6	9.4
1997.....	0.1	0.2	0.5	0.8	1.4	2.3	3.1	4.2	5.8	9.8
1996.....	0.1	0.2	0.5	0.8	1.5	2.4	3.0	4.4	6.3	10.7
1995.....	*	0.2	0.4	0.8	1.5	2.2	3.1	3.6	6.4	11.7
1994.....	*	0.3	0.5	0.8	1.5	2.0	3.1	3.9	6.6	11.5
1993.....	0.1	0.3	0.5	0.8	1.6	1.9	3.5	4.7	6.9	11.2
1992.....	0.2	0.3	0.6	0.8	1.5	2.2	3.5	4.7	7.2	12.5
1991.....	0.2	0.3	0.4	1.0	1.6	2.4	3.5	4.6	7.6	14.2
1990.....	*	0.4	0.5	0.9	1.6	2.2	3.8	5.4	8.8	13.8
1989.....	*	0.3	0.5	1.1	1.6	2.4	4.4	5.5	7.4	16.0
1988.....	0.2	0.4	0.5	1.2	1.6	2.9	4.2	6.4	8.5	16.2
1987.....	0.2	0.3	0.5	1.1	1.8	3.0	4.5	7.0	9.7	15.6
1986.....	0.2	0.4	0.7	1.3	1.9	2.8	5.0	6.8	10.9	16.9
1985.....	0.2	0.4	0.8	1.2	2.0	3.4	5.4	7.9	10.9	18.4
1984.....	0.2	0.4	0.7	1.3	2.3	3.7	5.5	8.1	12.1	20.0
1983.....	0.2	0.4	0.7	1.4	2.1	3.2	6.6	8.7	12.2	20.9
1982.....	0.4	0.3	1.0	1.4	2.3	3.4	6.4	8.4	13.3	19.9
1981.....	0.2	0.4	0.8	1.8	2.7	3.8	6.0	9.0	13.2	18.9
1980.....	0.3	0.5	1.1	1.8	2.5	4.4	6.3	9.7	13.4	22.1
1979.....	0.3	0.5	1.0	1.6	2.7	4.6	6.2	10.0	15.8	21.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)										

## WHITE MALE

1998.....	*	*	0.4	0.9	1.3	2.1	2.5	3.7	5.8	8.9
1997.....	*	*	0.5	0.6	1.2	2.2	3.2	4.6	6.3	9.9
1996.....	*	*	0.5	0.8	1.3	2.7	3.1	4.9	6.1	10.5
1995.....	*	*	0.4	0.7	1.6	2.2	3.1	3.5	6.9	11.0
1994.....	*	*	0.5	0.9	1.6	2.1	3.5	4.1	7.8	13.2
1993.....	*	0.3	0.5	0.9	1.7	2.1	4.0	5.6	7.5	12.4
1992.....	*	0.4	0.7	1.0	1.8	2.8	3.8	5.2	7.8	11.6
1991.....	*	0.4	0.5	0.9	1.9	2.5	4.3	5.9	8.4	14.2
1990.....	*	0.5	0.6	1.1	1.8	2.8	4.5	6.1	10.4	15.7
1989.....	*	0.4	0.6	1.2	1.8	2.6	5.3	5.8	8.6	16.9
1988.....	*	0.7	0.8	1.4	1.9	3.3	5.1	7.2	10.2	16.1
1987.....	*	*	0.5	1.2	2.0	3.5	5.8	8.3	12.4	16.2
1986.....	*	0.4	0.9	1.4	2.2	3.6	5.7	9.2	13.8	19.3
1985.....	*	0.4	1.0	1.5	2.4	4.5	6.6	9.2	12.8	19.6
1984.....	*	0.5	0.8	1.4	2.5	4.5	6.7	10.0	13.8	19.1
1983.....	*	0.5	1.0	1.8	2.6	3.5	7.5	10.0	15.4	24.0
1982.....	0.4	0.4	1.2	1.6	2.8	4.0	7.9	10.3	15.9	25.4
1981.....	*	0.6	0.8	2.0	3.2	4.3	7.1	10.8	14.1	19.8
1980.....	0.3	0.3	1.2	2.3	3.3	5.1	7.2	11.7	15.1	22.7
1979.....	0.2	0.5	1.2	1.8	3.2	5.6	7.1	10.2	19.2	22.7

## WHITE FEMALE

1998.....	*	*	0.6	1.1	1.9	2.1	3.9	3.9	7.0	9.6
1997.....	*	*	0.5	0.9	1.5	2.4	3.1	3.9	5.6	9.7
1996.....	*	*	0.5	0.9	1.7	2.1	3.0	4.1	6.5	10.7
1995.....	*	*	0.5	0.8	1.4	2.2	3.1	3.6	6.1	12.0
1994.....	*	*	0.6	0.7	1.4	1.9	2.9	3.8	5.9	10.8
1993.....	*	*	0.4	0.7	1.4	1.8	3.1	4.1	6.6	10.8
1992.....	*	*	0.5	0.6	1.3	1.8	3.3	4.4	6.8	12.9
1991.....	*	*	0.4	1.0	1.3	2.4	3.0	3.8	7.3	14.2
1990.....	*	*	0.5	0.8	1.4	1.7	3.3	5.0	7.9	13.1
1989.....	*	*	0.5	0.9	1.4	2.2	3.7	5.3	6.7	15.7
1988.....	*	*	*	0.9	1.3	2.6	3.5	5.9	7.7	16.2
1987.....	*	0.4	0.6	1.0	1.7	2.7	3.5	6.2	8.3	15.4
1986.....	*	0.4	0.6	1.1	1.6	2.2	4.5	5.2	9.4	15.9
1985.....	*	*	0.7	0.9	1.7	2.6	4.4	7.0	9.9	17.9
1984.....	*	*	0.6	1.2	2.2	3.0	4.6	6.9	11.3	20.3
1983.....	*	*	0.5	1.2	1.7	3.0	5.8	7.9	10.5	19.7
1982.....	*	*	0.8	1.2	2.0	3.0	5.4	7.3	12.0	17.7
1981.....	*	*	0.8	1.5	2.2	3.5	5.2	7.8	12.8	18.6
1980.....	0.3	0.6	1.1	1.5	1.9	3.9	5.6	8.3	12.5	21.9
1979.....	0.4	0.4	0.8	1.4	2.3	3.8	5.6	9.9	14.1	20.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	2.1	3.0	3.0	4.7	5.7
1997.....	*	*	*	*	*	*	2.8	3.7	5.0	7.6
1996.....	*	*	*	*	*	1.6	4.6	3.4	6.1	5.9
1995.....	*	*	*	*	1.9	1.9	*	5.1	6.8	7.7
1994.....	*	*	*	*	*	2.0	2.7	4.5	7.5	9.9
1993.....	*	*	*	*	*	2.4	3.3	3.9	*	8.0
1992.....	*	*	*	*	1.7	2.3	4.5	5.2	6.3	11.0
1991.....	*	*	*	*	*	2.2	4.6	5.2	*	10.6
1990.....	*	*	*	*	1.8	2.6	3.6	5.0	7.6	11.9
1989.....	*	*	*	*	1.9	2.8	4.2	4.7	7.8	13.3
1988.....	*	*	*	*	2.4	2.8	4.0	3.9	6.9	8.9
1987.....	*	*	*	*	2.0	2.7	4.0	4.7	7.1	16.3
1986.....	*	*	*	*	2.3	2.7	4.3	4.3	9.4	11.7
1985.....	*	*	*	1.7	2.0	2.2	3.5	6.5	8.1	17.9
1984.....	*	*	1.4	*	1.8	3.0	4.6	6.1	9.5	10.1
1983.....	*	*	*	*	2.4	3.5	6.8	5.9	9.2	11.5
1982.....	*	*	1.6	*	2.9	4.0	5.2	6.7	12.7	*
1981.....	*	*	*	*	3.0	3.7	6.9	6.1	14.1	12.6
1980.....	0.1	0.4	1.1	1.8	3.8	4.8	7.1	8.4	11.3	13.9
1979.....	0.2	0.2	1.0	2.5	2.9	5.3	6.1	10.0	13.4	10.9

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	5.5	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	4.3	*	7.1	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	6.8	*	*	*
1982.....	*	*	*	*	*	*	8.3	*	*	*
1981.....	*	*	*	*	*	*	7.8	*	*	*
1980.....	0.3	0.6	0.5	2.0	4.7	6.0	8.4	10.6	9.2	19.7
1979.....	0.3	0.3	0.9	2.2	3.7	4.7	7.6	13.2	19.8	13.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)										

## ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	8.3
1996.....	*	*	*	*	*	*	4.0	*	*	*
1995.....	*	*	*	*	*	*	*	5.9	7.9	*
1994.....	*	*	*	*	*	*	*	5.2	*	9.6
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	4.5	*	*	13.3
1991.....	*	*	*	*	*	*	5.1	*	*	11.1
1990.....	*	*	*	*	*	*	*	*	*	11.2
1989.....	*	*	*	*	*	*	*	*	*	13.1
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	12.9
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	6.4	*	20.7
1984.....	*	*	*	*	*	*	4.7	*	*	*
1983.....	*	*	*	*	*	*	6.8	*	*	15.1
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	6.2	7.3	16.0	*
1980.....	-	0.3	1.6	1.7	3.0	4.0	6.2	6.8	12.7	11.0
1979.....	0.1	0.1	1.1	2.7	2.3	5.8	4.9	7.8	9.5	9.6

## BLACK, BOTH SEXES

1998.....	*	*	*	*	*	2.4	3.8	3.8	*	*
1997.....	*	*	*	*	*	*	3.4	3.7	*	8.2
1996.....	*	*	*	*	*	*	5.7	4.0	7.5	7.0
1995.....	*	*	*	*	2.1	*	*	5.7	7.5	8.4
1994.....	*	*	*	*	*	*	3.3	5.4	8.9	8.3
1993.....	*	*	*	*	*	2.6	4.1	4.3	*	8.6
1992.....	*	*	*	*	2.0	2.8	5.1	6.2	7.6	10.5
1991.....	*	*	*	*	*	2.6	4.8	5.3	*	11.2
1990.....	*	*	*	*	2.2	2.6	4.2	5.6	8.0	11.7
1989.....	*	*	*	*	2.5	3.1	4.7	5.6	7.4	15.0
1988.....	*	*	*	*	3.0	3.0	4.3	4.7	7.7	10.3
1987.....	*	*	*	*	2.2	3.0	4.3	5.0	8.0	16.3
1986.....	*	*	*	*	2.6	3.2	4.8	4.6	9.8	12.4
1985.....	*	*	*	*	2.3	*	3.9	6.8	9.0	18.5
1984.....	*	*	*	*	2.1	3.3	4.7	6.5	10.2	10.5
1983.....	*	*	*	*	2.7	4.2	6.9	6.1	9.3	13.0
1982.....	*	*	1.9	*	2.9	4.3	5.6	6.8	12.8	*
1981.....	*	*	*	*	3.5	4.1	7.2	6.5	13.9	12.5
1980.....	0.2	0.5	1.1	2.0	4.1	5.1	7.4	9.3	12.0	14.5
1979.....	0.2	0.2	1.0	2.8	3.2	5.3	6.1	10.1	13.9	10.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)										

## BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	7.0	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	5.5	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	8.7	*	*	*
1981.....	*	*	*	*	*	*	8.4	*	*	*
1980.....	0.4	0.8	0.6	2.4	5.2	6.3	8.9	12.4	10.7	18.9
1979.....	0.2	0.4	1.0	2.5	4.0	4.7	7.5	14.3	20.8	15.4

## BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	4.8	*	*	*
1995.....	*	*	*	*	*	*	*	6.7	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	4.9	*	*	13.1
1991.....	*	*	*	*	*	*	5.5	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	14.4
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	13.9
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	21.1
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	6.9	*	*	16.9
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	6.4	*	15.9	*
1980.....	-	0.3	1.6	1.7	3.3	4.3	6.4	7.2	12.8	12.3
1979.....	0.1	-	1.0	3.0	2.6	5.8	5.1	7.2	9.7	8.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
TOTAL, BOTH SEXES										
1998.....	9.8	22.2	50.3	102.0	177.6	262.5	352.3	374.7	384.2	299.2
1997.....	9.9	22.3	53.0	104.8	180.6	266.0	347.3	377.6	381.4	308.2
1996.....	9.6	23.7	58.2	108.1	185.4	269.9	344.8	370.8	381.5	290.9
1995.....	9.5	24.9	58.8	111.9	188.3	271.6	345.0	373.6	371.2	294.0
1994.....	9.6	25.3	60.7	114.9	195.3	277.6	338.1	367.2	367.8	278.7
1993.....	10.0	27.7	61.9	120.8	198.5	278.3	338.4	366.5	358.4	280.8
1992.....	10.7	28.6	65.4	121.9	197.9	278.2	332.0	361.4	350.2	268.2
1991.....	10.6	30.8	66.4	126.2	199.7	275.4	329.9	357.4	345.9	265.3
1990.....	11.0	31.6	69.8	128.1	204.5	270.7	332.6	355.3	326.6	252.9
1989.....	11.3	31.7	70.2	128.8	200.6	265.1	326.2	343.1	318.2	238.0
1988.....	12.1	32.7	71.3	128.9	200.0	259.4	315.8	327.9	310.4	233.4
1987.....	12.4	33.5	73.1	128.3	197.0	257.3	313.1	322.1	292.7	225.2
1986.....	13.4	33.2	72.8	127.6	192.2	251.4	304.1	312.1	284.5	217.6
1985.....	13.3	34.5	72.9	128.8	191.7	249.3	296.4	302.7	275.6	205.0
1984.....	13.1	35.6	73.4	129.5	186.3	245.4	288.1	293.9	269.9	201.5
1983.....	14.3	35.7	73.8	126.4	180.9	241.0	284.1	284.7	265.6	195.3
1982.....	14.1	37.0	74.2	123.5	181.6	238.8	274.4	275.7	247.1	196.0
1981.....	14.8	37.6	74.5	121.7	173.3	231.8	262.9	263.0	237.2	188.4
1980.....	15.4	37.9	74.2	118.5	174.1	227.7	262.9	262.7	232.9	184.5
1979.....	15.6	37.9	73.3	113.7	172.8	216.9	249.7	243.3	229.6	170.3
TOTAL, MALE										
1998.....	11.6	27.4	63.2	131.8	231.1	353.4	488.1	535.5	583.1	532.5
1997.....	11.6	27.8	66.6	134.5	240.0	362.1	485.1	545.4	592.8	568.8
1996.....	11.7	29.7	73.7	141.7	247.4	371.0	487.9	543.0	607.4	543.2
1995.....	11.7	30.5	75.0	145.8	252.7	379.6	494.5	554.4	605.6	567.6
1994.....	12.1	31.2	78.3	150.5	269.1	389.6	487.7	552.6	618.1	556.1
1993.....	12.5	34.2	80.4	161.9	273.6	398.2	493.1	565.2	618.7	559.7
1992.....	13.2	36.2	85.3	162.7	272.7	402.0	486.2	569.8	618.6	545.5
1991.....	13.1	39.4	86.6	170.6	281.9	403.0	500.7	571.7	633.1	552.1
1990.....	14.1	40.1	91.1	176.0	289.9	399.1	511.1	588.1	605.6	538.0
1989.....	14.0	41.1	92.9	177.8	285.9	391.0	505.6	573.8	600.2	512.2
1988.....	15.4	41.2	95.7	179.5	288.7	390.3	502.2	571.3	598.0	502.0
1987.....	15.1	43.6	98.4	181.9	289.3	390.6	510.9	566.2	584.8	494.1
1986.....	17.1	43.3	99.0	181.2	286.1	385.8	496.0	565.9	573.0	477.2
1985.....	17.5	45.2	98.9	185.4	284.4	387.6	492.2	559.3	558.1	457.3
1984.....	17.1	46.5	101.5	188.7	281.0	386.4	493.6	552.3	555.4	447.5
1983.....	18.0	47.3	102.2	183.1	273.1	385.4	489.8	544.2	547.3	431.7
1982.....	17.9	49.8	105.1	182.2	277.8	389.7	483.9	536.5	515.5	436.3
1981.....	19.9	51.4	107.8	181.6	269.6	384.1	470.0	515.9	501.2	415.8
1980.....	20.3	52.0	106.5	179.7	275.6	382.3	476.4	517.7	500.3	386.3
1979.....	20.9	52.3	107.5	174.0	278.4	372.5	462.0	488.1	488.5	374.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
TOTAL, FEMALE										
1998.....	8.1	17.1	38.1	74.5	129.7	185.7	246.4	260.4	266.0	202.5
1997.....	8.2	17.0	40.1	77.3	127.6	185.1	240.9	259.7	257.8	203.2
1996.....	7.6	17.8	43.6	77.2	130.3	185.3	234.8	251.0	251.3	190.6
1995.....	7.2	19.5	43.5	80.5	131.1	181.9	230.1	249.5	239.0	187.5
1994.....	7.1	19.6	44.0	82.1	129.9	185.5	223.6	241.5	229.3	171.8
1993.....	7.5	21.3	44.5	83.0	132.1	180.2	220.5	233.5	216.1	173.9
1992.....	8.2	21.3	46.7	84.5	132.0	177.6	215.5	223.7	205.0	160.8
1991.....	8.1	22.6	47.2	85.5	127.7	172.1	201.9	217.3	192.3	154.4
1990.....	8.0	23.4	49.7	84.2	130.2	166.5	200.2	205.7	178.4	142.8
1989.....	8.6	22.8	48.8	83.9	126.7	162.8	193.6	195.2	169.1	131.4
1988.....	8.8	24.5	48.2	82.7	123.5	152.8	178.9	172.8	158.8	128.6
1987.....	9.8	23.8	49.5	79.5	117.5	148.8	168.8	167.3	139.4	119.3
1986.....	9.8	23.6	48.3	79.0	111.4	142.1	164.7	151.9	133.2	114.6
1985.....	9.3	24.3	48.7	77.7	111.5	137.4	154.6	141.2	127.3	104.2
1984.....	9.2	25.3	47.1	76.5	104.4	131.6	139.4	131.6	119.8	102.1
1983.....	10.7	24.5	47.3	75.7	101.1	124.8	135.3	121.8	117.1	98.4
1982.....	10.5	24.8	45.4	71.2	98.1	117.9	122.8	112.3	105.3	95.9
1981.....	10.0	24.5	43.7	68.4	89.8	109.8	113.2	104.5	97.2	91.6
1980.....	10.8	24.6	44.4	63.7	86.6	104.1	108.5	102.7	90.6	96.3
1979.....	10.6	24.3	41.8	59.7	81.8	92.7	96.2	89.2	90.7	79.6
WHITE, BOTH SEXES										
1998.....	9.1	20.3	47.8	99.3	176.4	265.1	352.9	377.0	387.2	301.6
1997.....	9.0	20.7	50.9	102.2	179.1	268.5	346.6	379.5	384.0	310.1
1996.....	8.8	22.0	56.5	105.9	183.3	270.8	345.1	372.0	384.4	293.0
1995.....	8.6	23.4	56.3	109.5	185.8	271.5	344.1	375.8	373.5	293.2
1994.....	8.8	23.6	58.0	111.7	194.0	277.6	337.0	368.9	368.9	277.8
1993.....	9.1	25.3	59.2	118.0	197.1	278.1	336.7	368.8	359.1	279.9
1992.....	9.7	26.9	62.2	117.6	195.5	276.7	331.4	364.4	352.2	268.1
1991.....	9.7	28.7	62.8	122.9	197.6	273.1	329.9	359.9	346.1	264.9
1990.....	10.0	29.6	66.7	123.4	200.7	268.1	332.5	357.8	329.2	252.5
1989.....	10.3	29.6	66.7	125.0	197.4	261.9	325.6	343.7	320.3	238.3
1988.....	11.3	31.0	67.9	125.7	196.9	255.9	316.2	329.0	311.2	231.9
1987.....	11.5	31.9	69.1	124.8	193.2	254.0	313.0	324.5	293.3	224.6
1986.....	12.3	31.2	69.2	124.4	187.8	248.8	304.9	314.4	285.7	216.9
1985.....	12.3	33.0	69.2	124.1	187.3	248.8	295.5	305.9	276.6	204.7
1984.....	12.0	33.7	70.1	124.9	180.4	243.9	289.3	295.8	270.2	202.0
1983.....	13.2	33.0	70.4	122.0	176.5	240.3	283.5	288.0	265.1	197.5
1982.....	13.2	35.0	70.9	119.0	176.7	238.4	274.8	279.3	246.5	197.0
1981.....	13.5	35.0	70.9	117.1	168.7	230.8	263.7	266.5	236.7	190.0
1980.....	14.4	35.2	70.7	114.1	170.5	226.3	263.8	265.0	233.3	185.6
1979.....	14.4	35.2	70.0	109.3	169.4	216.2	251.6	246.8	229.8	172.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
WHITE MALE										
1998.....	10.6	24.3	58.0	125.0	223.7	350.7	482.7	531.0	581.2	537.5
1997.....	10.2	24.9	61.9	126.9	232.4	359.5	477.2	540.6	590.4	573.6
1996.....	10.3	26.6	69.2	134.2	237.7	365.8	481.0	537.1	605.8	547.5
1995.....	10.2	27.7	69.4	138.8	243.2	373.7	486.5	548.7	603.6	565.3
1994.....	10.7	28.0	72.0	142.6	261.6	382.9	478.5	547.5	613.5	552.3
1993.....	11.0	30.1	74.0	154.6	265.3	391.1	481.7	559.7	614.0	559.8
1992.....	11.6	32.9	78.6	152.7	263.9	393.6	477.8	567.6	615.6	549.2
1991.....	11.6	35.1	79.5	161.2	274.3	392.2	493.5	569.5	629.8	556.6
1990.....	12.3	36.0	84.6	165.7	279.3	388.6	503.5	585.1	608.6	540.4
1989.....	12.2	37.1	85.4	167.6	276.0	379.5	496.9	568.4	602.2	517.7
1988.....	13.7	37.7	88.7	171.7	279.6	377.8	496.4	566.5	600.6	499.3
1987.....	13.7	40.2	90.9	174.4	279.0	379.1	503.3	565.5	586.2	496.8
1986.....	14.9	39.4	91.2	174.0	274.3	375.0	490.9	566.7	576.5	478.8
1985.....	15.6	41.9	90.9	175.1	273.5	379.9	485.0	562.7	559.8	463.8
1984.....	15.0	42.5	94.7	178.1	267.1	377.7	489.7	554.9	557.3	450.8
1983.....	16.1	42.3	95.4	173.9	261.8	378.8	484.8	549.9	549.8	444.5
1982.....	16.4	45.8	97.8	172.5	266.1	383.8	479.6	543.6	518.6	443.8
1981.....	17.6	46.7	100.8	172.3	258.5	377.3	468.2	523.5	502.4	423.9
1980.....	18.1	47.6	99.6	170.8	266.7	375.5	477.0	522.3	505.0	391.5
1979.....	18.6	47.4	100.8	164.4	269.5	367.0	465.3	497.4	493.2	381.2
WHITE FEMALE										
1998.....	7.6	16.4	37.9	75.1	133.2	191.4	250.4	266.8	271.4	205.0
1997.....	7.7	16.5	40.1	79.0	130.3	190.6	244.4	265.3	262.7	205.2
1996.....	7.2	17.4	44.2	79.2	133.8	190.0	239.3	256.1	256.5	193.1
1995.....	6.9	19.2	43.8	81.9	133.6	185.3	233.6	256.2	243.4	188.4
1994.....	6.9	19.3	44.5	82.8	132.8	189.9	227.5	246.9	233.4	173.2
1993.....	7.2	20.7	44.8	83.7	135.4	184.5	225.1	239.9	220.1	173.9
1992.....	7.7	21.0	46.4	84.6	133.9	180.4	219.8	229.2	210.2	160.9
1991.....	7.7	22.4	46.7	87.1	129.0	175.5	206.0	222.1	195.2	154.1
1990.....	7.7	23.3	49.4	83.9	130.9	169.4	204.5	211.1	181.7	143.2
1989.....	8.4	22.4	48.7	85.3	128.2	165.4	198.0	199.2	172.1	131.5
1988.....	8.9	24.4	47.9	82.9	124.4	155.6	182.9	177.6	160.0	129.3
1987.....	9.4	23.7	48.3	79.0	118.3	151.1	173.2	171.8	140.8	119.2
1986.....	9.6	23.1	48.2	78.6	112.3	145.2	168.9	155.5	134.4	114.9
1985.....	8.9	24.4	48.7	77.5	111.8	141.7	157.5	144.9	129.4	103.2
1984.....	9.0	25.2	46.6	76.5	104.5	135.2	143.7	134.0	120.7	103.4
1983.....	10.3	24.0	46.6	75.1	101.8	128.0	137.6	124.8	116.5	98.1
1982.....	10.0	24.7	45.3	70.9	98.4	120.9	126.7	114.8	104.2	95.9
1981.....	9.5	23.8	42.6	67.6	90.2	112.7	116.1	106.6	97.4	92.2
1980.....	10.8	23.3	43.7	62.9	87.0	106.4	110.1	105.0	90.5	96.8
1979.....	10.3	23.4	41.2	59.5	82.5	95.3	98.0	90.6	90.2	80.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
ALL OTHER, BOTH SEXES										
1998.....	13.5	31.9	65.2	118.4	185.0	245.3	347.8	353.8	354.2	275.9
1997.....	14.4	31.2	66.1	120.3	190.3	248.6	353.7	360.3	355.8	290.5
1996.....	13.9	33.2	68.5	122.0	198.9	263.7	342.7	359.7	351.7	271.0
1995.....	14.1	33.4	73.8	126.6	204.9	272.4	352.1	353.0	347.2	302.3
1994.....	13.7	35.1	77.4	134.8	204.1	277.3	347.3	350.9	357.3	288.2
1993.....	14.6	41.7	79.0	138.5	208.5	279.8	353.6	344.8	350.6	290.8
1992.....	16.0	38.9	85.1	149.8	215.2	290.6	337.0	333.1	330.1	269.3
1991.....	15.7	43.8	88.2	147.5	215.2	294.0	329.8	334.2	344.3	269.0
1990.....	16.9	44.0	89.1	159.8	233.5	291.6	333.7	331.9	299.3	256.5
1989.....	16.9	44.8	92.4	154.5	224.9	291.4	331.0	338.0	297.6	235.5
1988.....	16.7	43.2	92.7	151.2	224.7	289.2	312.0	317.7	302.2	250.0
1987.....	17.9	43.3	99.0	153.1	227.1	286.2	313.5	299.1	286.4	231.7
1986.....	20.3	46.0	96.8	151.3	228.7	274.1	296.8	290.1	271.4	224.7
1985.....	19.9	44.1	97.8	164.0	228.9	254.0	304.6	272.1	262.8	206.7
1984.....	20.1	47.8	96.5	165.9	237.3	257.9	276.7	275.5	267.4	196.3
1983.....	21.1	52.8	97.8	160.7	219.1	247.3	289.1	252.5	271.4	169.9
1982.....	20.2	49.7	98.2	159.6	225.0	242.5	270.0	240.8	255.4	185.9
1981.....	23.0	54.5	101.9	159.3	214.7	240.4	255.5	229.3	243.2	169.5
1980.....	22.1	56.6	100.7	155.9	206.3	240.7	254.4	239.5	227.7	172.8
1979.....	23.9	57.4	99.8	151.7	205.0	223.1	230.9	209.5	228.1	146.6
ALL OTHER MALE										
1998.....	17.3	45.3	96.8	176.9	282.3	373.0	534.7	577.4	602.2	489.0
1997.....	18.9	44.9	97.8	184.9	292.4	381.4	554.5	590.6	618.1	527.1
1996.....	18.9	48.6	102.6	191.3	315.7	410.6	549.7	599.4	623.8	505.6
1995.....	19.9	47.8	112.0	192.9	321.2	425.3	568.7	611.0	626.1	589.8
1994.....	20.2	51.5	120.5	204.3	324.4	443.5	572.8	604.0	665.5	591.6
1993.....	21.1	61.4	122.7	212.3	336.3	456.7	598.4	620.1	666.1	559.0
1992.....	22.6	57.8	128.6	231.7	341.4	472.0	565.2	591.6	648.0	511.0
1991.....	22.0	67.0	133.4	236.8	342.1	494.5	568.6	592.6	665.1	510.5
1990.....	25.4	67.1	133.9	251.6	376.1	492.0	584.7	616.5	575.8	516.0
1989.....	25.5	67.8	143.4	253.2	368.5	493.2	588.9	626.1	581.0	460.5
1988.....	26.3	64.1	143.6	238.8	365.6	503.4	560.3	616.9	571.8	526.6
1987.....	24.3	65.8	150.2	240.8	377.2	495.8	583.4	572.6	570.5	468.8
1986.....	31.4	68.7	154.1	238.0	387.8	485.0	543.8	558.6	538.0	461.3
1985.....	29.8	67.6	156.9	269.1	381.9	457.9	561.0	527.2	536.2	395.9
1984.....	31.3	73.2	152.0	276.4	407.0	466.3	529.0	527.7	536.6	416.7
1983.....	30.8	81.8	154.0	259.5	375.6	447.0	536.9	490.9	521.6	304.3
1982.....	27.7	78.4	162.8	265.0	387.4	442.0	524.6	467.7	484.0	362.7
1981.....	35.3	85.3	163.8	262.1	375.1	446.0	486.6	445.7	489.0	335.9
1980.....	35.2	85.5	164.0	258.8	359.9	444.6	470.8	474.4	449.4	334.1
1979.....	37.8	89.9	165.0	259.9	364.8	421.7	431.1	401.1	438.4	303.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
ALL OTHER FEMALE										
1998.....	10.2	20.4	38.8	71.0	109.6	150.0	216.3	205.3	213.0	178.5
1997.....	10.3	19.5	39.7	67.9	111.6	149.7	213.3	210.2	208.4	183.3
1996.....	9.5	20.2	40.1	65.7	109.1	154.3	198.4	204.9	199.0	165.3
1995.....	9.0	21.1	41.8	72.8	115.6	158.6	201.5	188.6	194.0	177.8
1994.....	8.0	21.2	41.3	78.5	112.0	154.2	190.8	192.1	187.8	156.8
1993.....	9.0	24.8	42.2	78.7	110.8	149.1	182.4	173.8	175.0	173.8
1992.....	10.3	22.6	48.3	83.5	119.1	156.4	179.1	173.1	150.9	160.5
1991.....	10.2	24.0	50.0	75.5	118.6	146.1	166.5	173.5	162.0	157.7
1990.....	9.6	24.0	51.0	86.1	125.0	143.4	162.8	155.2	143.3	138.5
1989.....	9.4	25.0	49.3	74.9	115.7	141.6	154.5	157.7	135.8	131.4
1988.....	8.5	25.2	49.8	80.8	116.5	130.1	143.5	128.3	146.1	120.7
1987.....	12.4	23.9	56.2	82.7	111.4	130.0	129.3	124.1	124.0	119.6
1986.....	10.9	26.5	49.0	81.3	105.0	116.5	127.3	116.6	119.7	110.9
1985.....	11.4	23.9	48.7	79.0	109.1	101.3	127.8	104.8	103.3	116.0
1984.....	10.4	26.1	50.8	76.4	103.8	101.1	100.2	107.9	108.7	86.9
1983.....	12.8	28.1	51.9	80.5	94.8	98.1	114.5	92.9	124.2	102.2
1982.....	13.8	25.3	45.6	73.4	95.8	92.4	86.5	87.0	118.5	95.5
1981.....	12.5	28.7	51.5	74.9	86.7	84.9	85.8	82.9	94.0	84.9
1980.....	10.8	32.7	49.3	70.7	83.1	84.6	92.9	79.5	91.6	90.2
1979.....	12.3	30.6	46.8	61.4	75.7	70.1	78.7	74.4	97.8	66.7
BLACK, BOTH SEXES										
1998.....	16.6	40.1	83.0	147.8	226.2	284.7	403.3	398.9	385.4	290.0
1997.....	17.4	39.1	84.6	149.3	230.9	290.2	414.2	406.9	383.6	307.4
1996.....	17.6	41.8	88.0	152.0	241.8	310.3	397.7	397.5	376.4	283.3
1995.....	17.7	42.2	92.5	156.7	248.2	319.6	406.3	383.8	367.4	297.4
1994.....	17.4	44.2	96.4	165.6	245.6	321.7	401.4	379.9	386.4	291.8
1993.....	18.3	52.6	99.3	167.9	248.6	325.5	404.7	375.4	370.5	293.3
1992.....	20.2	49.2	107.1	183.0	256.2	337.2	383.9	361.6	346.9	274.1
1991.....	19.5	55.8	109.8	178.8	255.9	338.7	370.7	361.3	362.0	274.1
1990.....	21.5	55.5	110.4	192.9	277.8	335.0	373.9	353.6	314.6	256.5
1989.....	20.7	55.1	112.8	184.4	262.9	337.4	368.2	363.7	310.6	244.1
1988.....	20.8	52.2	111.9	178.5	262.3	332.5	346.9	342.3	312.9	250.9
1987.....	22.3	52.7	118.2	179.9	264.5	323.0	347.0	320.5	294.7	233.2
1986.....	25.2	56.6	115.3	177.5	262.3	311.8	325.4	309.7	281.2	225.9
1985.....	24.7	52.6	117.0	191.4	262.3	283.6	331.6	288.3	271.8	210.3
1984.....	24.1	57.6	112.0	191.8	271.2	285.3	300.2	290.8	273.7	201.1
1983.....	25.1	62.4	114.1	184.1	248.6	273.3	314.4	268.1	274.9	173.9
1982.....	24.6	59.1	113.5	183.9	252.2	268.1	294.3	256.4	265.6	180.7
1981.....	27.0	63.1	118.1	181.4	239.7	262.5	273.8	239.8	247.4	170.2
1980.....	26.0	65.6	114.1	175.2	225.9	260.3	268.7	251.6	227.3	172.9
1979.....	27.5	65.9	111.7	167.2	221.3	237.8	243.1	213.4	220.9	146.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
BLACK MALE										
1998.....	22.0	57.9	126.0	228.0	354.0	431.2	624.7	666.1	685.5	549.8
1997.....	23.5	57.2	127.3	233.8	364.0	446.9	655.0	683.5	711.8	588.8
1996.....	24.3	62.6	135.5	244.0	390.7	480.9	646.3	681.8	711.7	566.3
1995.....	25.6	60.7	145.1	246.2	396.0	502.6	673.9	685.5	712.9	607.3
1994.....	26.1	66.6	153.8	258.6	395.4	515.4	672.3	677.2	762.4	623.2
1993.....	26.6	79.2	157.2	264.6	405.7	538.5	702.9	697.0	736.0	596.8
1992.....	28.9	74.7	164.9	289.9	408.6	555.3	660.7	664.6	717.5	552.6
1991.....	28.1	87.6	170.8	290.7	411.1	574.4	654.5	664.1	747.5	546.4
1990.....	33.1	86.8	171.4	308.5	453.4	570.9	674.0	683.8	644.6	535.7
1989.....	31.4	85.3	179.7	305.8	430.1	582.1	680.6	707.3	643.3	507.6
1988.....	33.3	79.8	177.6	283.7	430.9	590.1	638.4	685.9	630.9	569.2
1987.....	30.6	82.2	182.8	287.0	444.6	572.3	664.7	642.3	613.0	495.3
1986.....	39.0	86.4	185.9	282.0	451.6	560.1	609.7	624.4	572.2	485.7
1985.....	38.0	83.3	189.6	314.1	440.2	520.9	630.1	580.6	575.9	409.7
1984.....	39.0	90.6	178.9	320.6	473.5	525.8	590.2	574.9	579.8	437.7
1983.....	37.6	98.9	181.0	299.2	429.3	503.9	599.2	532.7	545.1	325.0
1982.....	34.2	95.3	189.7	306.9	439.3	493.7	589.7	514.9	518.8	372.4
1981.....	41.9	100.0	189.7	300.0	422.4	496.4	541.0	484.8	514.3	337.5
1980.....	42.7	99.7	186.8	292.8	397.9	490.4	512.3	516.5	465.2	337.7
1979.....	44.9	103.6	184.4	289.4	400.0	463.0	470.4	415.5	435.1	303.8
BLACK FEMALE										
1998.....	11.9	25.1	48.0	85.3	130.7	175.3	249.3	227.8	228.0	182.1
1997.....	12.1	23.8	50.0	83.4	131.2	173.3	248.8	232.5	213.6	190.9
1996.....	11.7	24.3	49.5	80.2	129.8	182.8	228.7	220.2	203.6	167.0
1995.....	10.8	26.6	49.8	86.6	136.6	183.1	226.0	197.8	191.6	171.4
1994.....	9.8	25.5	49.6	92.9	132.4	177.8	219.7	200.5	194.7	157.3
1993.....	11.1	30.3	52.1	91.8	129.8	168.9	203.3	185.0	182.6	169.5
1992.....	12.8	27.9	59.8	98.8	141.0	177.6	199.5	184.5	155.0	158.3
1991.....	12.0	29.1	60.2	90.1	138.2	167.8	183.0	183.4	163.3	158.9
1990.....	11.6	29.2	60.4	101.4	145.2	164.5	176.8	160.1	143.7	138.1
1989.....	11.5	29.8	58.1	87.6	136.1	160.2	163.1	160.5	136.2	132.0
1988.....	10.2	29.2	57.9	94.5	134.2	145.6	154.2	136.8	144.9	112.1
1987.....	15.2	28.1	65.3	94.4	126.9	141.2	136.8	125.6	123.4	116.7
1986.....	13.7	31.9	57.7	93.2	117.6	129.9	137.0	117.1	122.4	107.2
1985.....	13.5	27.2	57.6	92.0	125.0	109.5	134.1	106.2	104.4	117.3
1984.....	11.6	30.3	57.1	86.9	114.6	107.9	106.5	112.4	104.6	89.1
1983.....	14.7	32.3	59.8	90.4	108.3	103.5	122.2	98.5	122.1	100.8
1982.....	16.6	29.4	51.6	83.7	105.7	101.8	91.2	91.6	118.8	86.4
1981.....	14.6	32.6	60.1	84.8	95.6	90.5	87.1	81.1	91.7	85.8
1980.....	12.2	37.6	55.3	79.0	89.5	89.0	95.5	79.2	84.7	90.5
1979.....	13.1	34.8	52.4	66.8	79.3	69.5	79.6	74.6	87.9	68.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LARYNX (161)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	0.3	0.8	1.8	3.2	4.9	6.4	7.4	7.6	8.0	6.0
1997.....	0.3	0.8	1.6	3.4	5.6	6.2	7.1	7.7	7.6	6.7
1996.....	0.3	0.9	2.0	3.6	5.8	6.6	7.5	7.6	7.4	6.4
1995.....	0.3	0.9	2.0	3.3	5.3	6.9	7.3	8.3	8.0	6.3
1994.....	0.3	0.8	1.9	3.6	5.7	7.0	8.0	7.3	8.3	7.1
1993.....	0.3	0.9	2.1	3.8	5.2	7.2	8.1	8.2	8.0	7.6
1992.....	0.4	0.9	2.2	3.7	5.7	7.4	7.9	8.4	7.8	6.7
1991.....	0.4	1.1	2.4	4.1	5.5	7.3	7.9	7.7	8.7	6.7
1990.....	0.3	0.8	2.4	3.5	5.8	7.0	7.8	7.8	7.2	6.2
1989.....	0.4	1.0	2.1	4.0	5.6	6.5	7.5	8.1	8.1	6.4
1988.....	0.4	1.0	2.2	4.1	5.6	6.9	7.4	7.7	7.1	7.0
1987.....	0.3	0.8	2.4	4.1	5.7	6.8	7.7	7.8	6.8	7.6
1986.....	0.4	1.0	2.1	4.3	5.8	6.8	7.1	7.9	7.9	6.3
1985.....	0.3	1.1	2.3	4.1	5.5	7.1	7.0	7.7	6.8	6.5
1984.....	0.3	1.0	2.6	4.4	6.0	7.3	7.0	7.4	8.2	6.0
1983.....	0.4	1.3	2.4	4.0	6.0	7.5	7.8	7.7	7.3	6.1
1982.....	0.4	0.9	2.7	4.3	5.9	7.8	8.4	7.5	6.9	5.9
1981.....	0.4	1.0	2.5	4.4	5.8	7.0	7.6	7.7	8.0	7.2
1980.....	0.3	1.2	2.3	4.5	5.5	7.6	7.5	7.2	7.9	5.1
1979.....	0.4	1.3	2.7	3.7	6.1	7.5	7.9	7.2	7.6	6.4
TOTAL, MALE										
1998.....	0.5	1.4	3.0	5.5	8.1	11.1	13.1	13.5	15.5	15.2
1997.....	0.3	1.3	2.8	5.8	9.4	10.5	13.1	14.6	16.0	18.6
1996.....	0.5	1.4	3.3	6.3	9.8	11.2	13.3	14.4	15.5	17.4
1995.....	0.5	1.6	3.4	5.6	8.9	12.2	12.6	15.8	17.8	17.8
1994.....	0.5	1.4	3.3	6.0	9.8	12.1	14.3	13.6	19.4	20.8
1993.....	0.5	1.4	3.7	6.6	8.8	12.9	14.9	15.5	17.5	20.8
1992.....	0.6	1.5	3.6	6.0	9.6	12.7	14.5	15.8	18.3	19.1
1991.....	0.6	1.6	4.0	6.5	9.5	12.7	14.6	15.1	20.4	18.6
1990.....	0.5	1.4	4.1	6.0	9.7	12.2	14.7	15.4	17.4	18.4
1989.....	0.6	1.7	3.4	6.7	9.6	11.2	14.2	16.1	19.7	18.3
1988.....	0.6	1.8	3.6	6.8	9.5	12.4	14.5	16.2	16.2	19.8
1987.....	0.6	1.4	4.0	7.0	9.8	12.2	15.0	16.3	16.7	21.7
1986.....	0.7	1.5	3.7	7.2	9.9	12.1	13.5	16.9	18.4	18.6
1985.....	0.5	1.7	3.8	6.9	9.7	13.1	13.1	16.1	16.5	18.4
1984.....	0.6	1.7	4.3	7.7	10.6	13.2	13.4	15.8	20.3	17.1
1983.....	0.6	2.0	3.9	6.8	10.5	13.6	15.5	16.4	18.1	17.1
1982.....	0.6	1.6	4.5	7.7	9.9	14.1	16.7	16.3	16.1	17.6
1981.....	0.7	1.7	4.3	7.3	9.8	13.0	15.2	17.3	20.5	20.5
1980.....	0.6	1.9	4.0	7.6	9.7	14.6	14.9	16.0	21.1	13.4
1979.....	0.7	2.1	4.7	6.5	11.1	14.1	16.2	15.9	19.8	18.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LARYNX (161)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, FEMALE										
1998.....	*	0.3	0.6	1.1	2.0	2.5	3.0	3.3	3.6	2.2
1997.....	0.2	0.3	0.6	1.1	2.2	2.7	2.6	2.9	2.7	1.8
1996.....	*	0.3	0.7	1.1	2.2	2.7	2.9	2.9	2.7	2.0
1995.....	*	0.3	0.6	1.1	2.0	2.5	3.1	3.2	2.5	1.8
1994.....	*	0.3	0.7	1.3	2.1	2.8	3.2	3.0	2.2	1.8
1993.....	*	0.3	0.6	1.3	2.1	2.5	2.9	3.3	2.8	2.6
1992.....	*	*	1.0	1.5	2.3	3.1	2.9	3.5	2.2	1.9
1991.....	*	0.6	0.9	1.9	2.0	3.0	2.9	2.9	2.5	2.2
1990.....	*	*	0.8	1.3	2.3	2.7	2.8	2.8	1.7	1.4
1989.....	*	0.4	0.9	1.6	2.2	2.7	2.6	2.9	2.0	1.7
1988.....	*	*	0.8	1.5	2.2	2.5	2.2	2.3	2.3	2.0
1987.....	*	0.3	0.9	1.4	2.1	2.4	2.4	2.5	1.7	2.1
1986.....	*	0.5	0.7	1.7	2.3	2.5	2.5	2.1	2.4	1.4
1985.....	*	0.5	0.8	1.4	1.9	2.2	2.5	2.3	1.7	1.8
1984.....	*	0.4	0.9	1.5	2.1	2.5	2.4	2.0	1.8	1.5
1983.....	*	0.5	1.0	1.5	2.1	2.5	2.2	2.2	1.6	1.6
1982.....	*	*	1.1	1.2	2.5	2.7	2.4	1.9	2.0	*
1981.....	*	0.4	0.9	1.7	2.3	2.1	2.1	1.8	1.4	1.5
1980.....	0.1	0.6	0.8	1.7	1.8	2.0	2.1	1.7	0.9	1.5
1979.....	0.1	0.5	0.9	1.3	1.8	2.2	1.9	1.7	1.1	1.2
WHITE, BOTH SEXES										
1998.....	0.2	0.6	1.5	2.7	4.3	5.9	7.0	7.3	8.1	6.1
1997.....	0.2	0.6	1.4	2.9	4.9	5.8	6.6	7.4	7.3	6.4
1996.....	0.2	0.6	1.6	3.1	5.1	6.0	6.9	7.3	7.3	6.5
1995.....	0.3	0.7	1.6	2.8	4.7	6.4	6.9	7.7	7.9	6.0
1994.....	0.2	0.6	1.6	3.0	5.0	6.6	7.6	7.0	8.1	6.7
1993.....	0.3	0.6	1.6	3.2	4.7	6.9	7.6	7.8	8.0	7.6
1992.....	0.2	0.6	1.7	3.0	5.3	6.8	7.6	8.2	7.7	6.7
1991.....	0.3	0.7	1.8	3.6	5.1	6.7	7.7	7.8	8.7	6.4
1990.....	0.2	0.6	1.8	3.1	5.3	6.6	7.5	7.5	7.2	5.9
1989.....	0.2	0.7	1.7	3.4	5.1	6.1	7.3	7.9	7.9	6.3
1988.....	0.3	0.8	1.7	3.6	5.0	6.3	7.1	7.2	7.1	6.8
1987.....	0.2	0.6	2.0	3.7	5.2	6.5	7.5	7.7	6.6	7.6
1986.....	0.2	0.7	1.7	3.9	5.2	6.4	6.9	7.6	7.5	6.3
1985.....	0.2	0.8	1.8	3.5	5.0	6.9	6.7	7.6	6.7	6.2
1984.....	0.2	0.8	2.1	3.9	5.4	6.8	6.8	7.3	8.2	6.0
1983.....	0.2	0.9	2.0	3.6	5.6	7.3	7.7	7.8	7.2	6.0
1982.....	0.3	0.7	2.3	3.9	5.5	7.6	8.3	7.4	6.8	5.7
1981.....	0.3	0.7	2.1	3.9	5.3	6.9	7.5	7.7	8.1	7.2
1980.....	0.2	1.0	1.9	4.0	5.2	7.2	7.4	7.0	8.1	4.8
1979.....	0.3	1.0	2.3	3.4	5.8	7.3	7.9	7.4	7.5	6.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LARYNX (161)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
WHITE MALE										
1998.....	0.4	0.9	2.5	4.4	7.1	10.1	12.1	12.7	15.7	15.5
1997.....	0.2	1.0	2.3	4.9	8.0	9.8	11.8	13.6	15.3	17.9
1996.....	0.3	1.1	2.7	5.3	8.2	10.2	12.1	13.5	14.9	17.5
1995.....	0.5	1.2	2.7	4.8	7.7	11.5	12.0	14.5	17.6	16.9
1994.....	0.3	1.1	2.6	4.9	8.5	11.2	13.7	12.8	18.8	19.5
1993.....	0.5	1.0	2.7	5.6	7.9	12.1	13.9	14.5	17.6	20.8
1992.....	0.4	1.1	2.7	4.9	8.8	11.5	13.8	15.1	18.1	19.4
1991.....	0.4	1.1	3.0	5.7	8.7	11.6	13.9	15.0	20.4	17.5
1990.....	0.3	1.0	3.2	5.3	8.8	11.5	14.0	15.1	17.5	17.8
1989.....	0.3	1.1	2.6	5.5	8.7	10.2	13.6	15.6	18.8	18.1
1988.....	0.5	1.4	2.7	5.9	8.3	11.0	13.7	14.8	16.3	19.4
1987.....	0.3	1.0	3.2	6.4	8.8	11.5	14.5	15.9	16.1	21.8
1986.....	0.4	1.2	2.8	6.5	9.0	11.4	13.0	16.1	17.2	18.8
1985.....	*	1.2	2.9	5.9	8.8	12.5	12.6	16.3	16.2	18.0
1984.....	0.4	1.3	3.3	6.7	9.4	12.1	12.8	15.8	20.5	17.0
1983.....	0.4	1.7	3.3	6.0	9.7	13.2	15.2	16.7	17.9	17.0
1982.....	0.4	1.3	3.8	7.0	9.1	13.7	16.4	16.4	16.0	17.1
1981.....	0.5	1.1	3.6	6.6	8.9	12.7	14.7	17.2	20.8	21.0
1980.....	0.4	1.6	3.3	6.8	9.1	13.7	14.5	15.2	21.5	12.4
1979.....	0.5	1.8	3.9	5.9	10.5	13.4	16.1	16.4	19.8	18.8
WHITE FEMALE										
1998.....	*	*	0.6	1.1	1.8	2.3	3.0	3.5	3.6	2.2
1997.....	*	*	0.5	0.9	2.1	2.3	2.6	3.0	2.6	1.8
1996.....	*	*	0.6	1.0	2.1	2.4	2.9	3.0	2.9	2.1
1995.....	*	*	0.5	0.9	2.0	2.2	2.9	3.1	2.5	1.8
1994.....	*	*	0.6	1.1	1.9	2.7	3.0	3.1	2.2	1.8
1993.....	*	*	0.5	0.9	1.9	2.6	2.7	3.3	2.8	2.6
1992.....	*	*	0.7	1.3	2.2	3.0	2.9	3.6	2.1	1.9
1991.....	*	0.4	0.7	1.6	1.8	2.7	3.0	3.0	2.5	2.2
1990.....	*	*	0.5	1.0	2.2	2.6	2.7	2.6	1.8	1.4
1989.....	*	*	0.7	1.5	2.0	2.7	2.6	3.0	2.1	1.7
1988.....	*	*	0.7	1.5	2.0	2.4	2.3	2.4	2.3	2.0
1987.....	*	*	0.8	1.2	2.0	2.3	2.4	2.5	1.6	2.1
1986.....	*	*	0.6	1.5	1.9	2.4	2.5	2.2	2.4	1.4
1985.....	*	*	0.7	1.3	1.7	2.3	2.4	2.2	1.7	1.6
1984.....	*	0.4	0.8	1.4	1.8	2.6	2.4	2.0	1.8	1.6
1983.....	*	*	0.8	1.4	2.0	2.6	2.3	2.3	1.6	1.5
1982.....	*	*	1.0	1.2	2.4	2.7	2.4	1.9	2.0	*
1981.....	*	*	0.6	1.5	2.1	2.1	2.3	1.8	1.4	1.4
1980.....	0.1	0.4	0.6	1.5	1.7	1.9	2.2	1.9	1.0	1.5
1979.....	0.2	0.3	0.8	1.2	1.8	2.3	2.0	1.7	1.0	1.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LARYNX (161)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER, BOTH SEXES										
1998.....	0.5	2.3	3.4	6.6	8.3	10.0	10.9	9.4	7.8	5.2
1997.....	*	2.0	3.2	6.4	9.6	9.4	11.4	11.0	11.0	9.5
1996.....	0.6	2.1	3.9	6.9	10.5	10.6	11.9	10.4	8.6	5.9
1995.....	*	2.2	4.4	6.2	8.8	9.9	10.5	13.7	8.9	9.9
1994.....	0.9	2.2	4.1	7.3	10.2	10.2	11.4	10.1	11.1	11.2
1993.....	*	2.4	5.4	7.7	8.5	9.6	13.0	11.8	8.2	7.6
1992.....	1.1	2.3	5.3	8.0	8.7	11.9	10.2	10.6	9.0	*
1991.....	1.0	3.3	6.2	7.4	8.7	12.3	10.0	7.3	9.2	10.2
1990.....	1.0	2.2	5.7	6.7	9.3	9.9	10.5	10.3	6.4	8.4
1989.....	1.1	3.2	5.0	7.9	9.5	10.3	9.1	9.4	11.1	*
1988.....	*	2.4	5.4	7.2	10.5	12.2	9.9	12.4	6.9	8.5
1987.....	1.0	2.3	5.2	7.0	9.5	9.8	9.2	9.3	9.4	*
1986.....	1.3	2.3	5.0	7.3	10.6	9.6	8.6	10.7	11.8	*
1985.....	1.1	3.1	5.6	8.0	9.4	9.3	9.3	7.9	8.1	9.8
1984.....	1.1	2.2	6.0	8.6	11.7	11.0	9.1	7.5	8.1	*
1983.....	1.4	3.3	5.0	6.8	9.3	8.6	8.5	6.9	8.4	*
1982.....	1.5	2.1	5.5	7.2	9.5	8.8	9.1	7.8	*	*
1981.....	1.5	3.5	5.9	8.2	10.5	7.9	8.4	8.2	*	*
1980.....	1.2	2.9	5.4	8.8	8.0	11.7	8.2	9.7	6.5	8.9
1979.....	1.0	3.0	6.2	6.5	9.1	9.6	8.0	5.0	8.5	3.4
ALL OTHER MALE										
1998.....	*	4.1	6.3	13.0	15.4	18.3	21.2	20.6	14.2	*
1997.....	*	3.4	6.1	11.9	18.7	15.3	23.8	24.7	23.4	24.5
1996.....	*	3.6	6.8	13.1	20.7	19.1	23.7	22.7	21.2	*
1995.....	*	4.0	8.3	11.1	17.6	17.6	18.2	28.8	20.7	26.5
1994.....	1.6	3.8	7.9	13.3	19.0	19.3	20.3	21.6	25.4	32.8
1993.....	*	4.4	10.3	13.2	15.5	19.4	24.2	26.0	16.3	*
1992.....	1.9	4.2	9.1	13.9	15.8	22.9	21.0	23.4	19.7	*
1991.....	1.9	5.3	11.2	12.1	15.5	21.6	20.4	16.1	20.9	29.1
1990.....	1.7	4.3	9.7	11.3	17.3	18.5	21.0	19.2	16.2	24.6
1989.....	2.3	6.0	8.7	15.2	16.9	20.5	19.6	21.2	28.1	*
1988.....	*	4.6	10.0	13.8	20.0	24.5	22.6	29.7	*	*
1987.....	2.1	3.7	9.4	12.0	18.5	19.3	18.9	19.5	22.3	*
1986.....	2.6	3.8	9.7	12.7	17.6	18.1	17.4	24.8	29.6	*
1985.....	*	5.0	10.4	15.2	17.3	19.0	18.0	14.1	19.0	*
1984.....	*	4.5	11.4	16.6	21.0	22.8	19.2	15.8	*	*
1983.....	*	4.8	8.5	12.7	17.4	17.6	17.7	14.2	*	*
1982.....	*	3.6	9.9	14.0	17.3	17.2	19.4	16.1	*	*
1981.....	*	5.7	9.8	13.7	17.7	15.6	19.4	17.7	*	*
1980.....	2.1	4.1	9.4	15.0	15.4	23.1	18.5	23.4	17.2	23.0
1979.....	2.2	4.8	11.7	11.8	17.5	20.2	16.7	11.0	19.8	10.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LARYNX (161)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	2.8	3.8	3.7	*	*	*
1997.....	*	*	*	*	2.6	4.9	*	*	*	*
1996.....	*	*	*	*	2.6	4.3	3.6	*	*	*
1995.....	*	*	*	*	*	4.2	5.2	*	*	*
1994.....	*	*	*	2.4	3.5	3.4	5.3	*	*	*
1993.....	*	*	*	3.2	3.3	*	5.2	*	*	*
1992.....	*	*	2.2	3.2	3.3	3.7	*	*	*	*
1991.....	*	*	*	3.5	3.5	5.5	*	*	*	*
1990.....	*	*	*	3.1	3.3	3.5	*	*	*	*
1989.....	*	*	*	*	3.9	*	*	*	*	*
1988.....	*	*	*	*	3.2	*	*	*	*	*
1987.....	*	*	*	3.0	*	*	*	*	*	*
1986.....	*	*	*	3.0	5.1	*	*	*	*	*
1985.....	*	*	*	*	3.2	*	*	*	*	*
1984.....	*	*	*	*	4.4	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	3.4	*	*	*	*	*
1981.....	*	*	2.7	3.8	4.7	*	*	*	*	*
1980.....	0.4	2.0	2.2	3.6	2.1	3.0	0.5	0.4	-	1.7
1979.....	-	1.5	1.7	2.1	2.3	1.4	1.4	0.8	1.5	-
BLACK, BOTH SEXES										
1998.....	0.7	3.1	4.4	8.9	10.8	12.7	13.8	10.7	8.9	*
1997.....	*	2.6	4.3	8.4	12.4	11.7	13.9	13.0	12.6	10.6
1996.....	0.8	2.8	5.2	9.4	13.8	13.4	15.5	12.0	10.6	*
1995.....	*	3.0	5.9	7.8	11.3	12.6	12.9	15.1	9.7	10.2
1994.....	1.1	3.0	5.6	9.3	12.8	12.4	13.7	11.8	12.6	11.7
1993.....	*	3.3	7.2	10.2	11.1	11.8	15.5	13.8	8.7	9.0
1992.....	1.4	3.2	7.2	10.7	11.2	14.6	12.5	12.2	9.3	*
1991.....	1.4	4.4	8.3	9.5	11.0	14.8	12.1	7.8	10.4	11.2
1990.....	1.3	3.0	7.5	8.4	11.1	12.0	11.9	11.2	7.3	9.4
1989.....	1.6	4.2	6.5	9.7	11.6	12.4	10.9	10.4	11.0	*
1988.....	*	3.1	7.0	9.0	12.7	14.3	11.9	12.9	7.7	9.3
1987.....	1.3	2.8	6.6	8.3	11.3	11.4	10.1	10.3	10.6	*
1986.....	1.7	3.0	6.2	9.0	12.4	11.3	9.5	12.4	12.9	*
1985.....	1.4	3.9	6.7	9.5	11.0	10.0	10.8	8.6	9.4	*
1984.....	1.4	2.8	7.3	10.6	13.8	12.6	9.8	7.9	8.5	*
1983.....	1.8	3.9	6.1	7.8	11.1	9.6	9.1	6.6	8.8	*
1982.....	1.9	2.6	6.4	8.6	10.7	10.3	10.3	8.7	*	*
1981.....	1.8	4.2	7.1	9.8	12.1	8.8	9.5	8.2	*	*
1980.....	1.4	3.5	6.3	9.7	9.2	12.7	9.0	10.8	7.0	8.8
1979.....	1.2	3.5	7.3	7.4	10.1	10.4	8.7	5.3	9.0	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF LARYNX (161)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BLACK MALE										
1998.....	*	5.5	8.4	17.7	20.5	23.2	27.1	23.6	17.8	*
1997.....	*	4.6	8.3	16.1	25.1	19.3	29.3	30.7	27.1	29.2
1996.....	*	4.8	9.2	18.2	27.6	23.9	31.2	26.2	27.6	*
1995.....	*	5.3	11.3	14.4	22.6	22.4	22.8	31.9	23.3	29.0
1994.....	2.0	5.2	10.8	17.2	23.6	23.6	24.4	26.1	31.8	36.7
1993.....	*	6.1	13.9	17.8	20.0	24.1	29.1	31.6	*	*
1992.....	2.6	5.8	12.4	18.8	20.6	28.8	26.5	28.3	21.4	*
1991.....	2.6	7.3	15.3	15.7	20.1	25.9	25.0	18.2	24.8	33.3
1990.....	*	5.9	13.0	13.9	20.8	22.5	24.1	20.7	*	*
1989.....	3.2	8.2	11.5	18.6	21.2	25.5	24.2	24.2	29.9	*
1988.....	*	6.0	13.0	17.2	24.6	29.0	27.6	31.6	*	*
1987.....	2.9	4.7	12.3	14.5	22.3	22.5	21.3	23.4	26.1	*
1986.....	3.4	5.0	12.2	15.6	21.0	21.6	19.8	29.7	33.3	*
1985.....	*	6.3	12.4	17.9	20.1	20.9	21.5	16.5	23.0	*
1984.....	*	5.8	13.9	20.2	25.2	26.1	20.8	16.8	*	*
1983.....	*	5.7	10.5	14.7	20.8	20.6	19.7	13.9	*	*
1982.....	*	4.5	11.3	16.8	19.6	20.4	22.3	18.6	*	*
1981.....	*	6.9	11.8	16.3	20.7	18.0	22.6	19.0	*	*
1980.....	2.6	5.0	10.9	16.7	17.6	25.3	20.9	26.8	18.7	22.6
1979.....	2.7	5.5	13.8	13.5	19.6	22.5	18.6	11.8	20.8	11.5
BLACK FEMALE										
1998.....	*	*	*	*	3.6	4.8	4.6	*	*	*
1997.....	*	*	*	*	*	6.0	*	*	*	*
1996.....	*	*	*	*	*	5.6	4.8	*	*	*
1995.....	*	*	*	*	*	5.3	6.2	*	*	*
1994.....	*	*	*	*	4.6	4.0	6.5	*	*	*
1993.....	*	*	*	4.1	4.3	*	6.3	*	*	*
1992.....	*	*	2.9	4.2	4.1	4.1	*	*	*	*
1991.....	*	*	*	4.6	4.1	6.7	*	*	*	*
1990.....	*	*	*	4.0	3.8	4.4	*	*	*	*
1989.....	*	*	*	*	4.3	*	*	*	*	*
1988.....	*	*	*	*	3.6	*	*	*	*	*
1987.....	*	*	*	3.4	*	*	*	*	*	*
1986.....	*	*	*	3.6	5.9	*	*	*	*	*
1985.....	*	*	*	*	3.9	*	*	*	*	*
1984.....	*	*	*	*	4.9	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	3.2	4.5	5.4	*	*	*	*	*
1980.....	0.4	2.2	2.6	4.0	2.5	3.4	0.6	0.4	-	1.9
1979.....	-	1.7	1.9	2.4	2.6	1.3	1.6	0.8	1.6	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)										
TOTAL, BOTH SEXES										
1998.....	9.4	21.0	47.9	97.9	171.7	254.6	342.6	364.2	373.1	289.9
1997.....	9.4	21.3	50.9	100.7	173.7	258.1	337.8	367.0	370.7	297.6
1996.....	9.2	22.5	55.7	103.8	178.4	261.6	334.9	360.2	370.9	280.9
1995.....	9.0	23.7	56.4	107.7	181.8	263.1	335.2	362.4	360.0	284.0
1994.....	9.1	24.1	58.1	110.5	188.2	268.9	327.9	357.2	356.1	268.6
1993.....	9.4	26.4	59.2	116.2	192.1	269.2	327.7	355.5	347.2	269.6
1992.....	10.0	27.3	62.5	117.4	190.8	268.8	322.0	350.2	339.2	257.4
1991.....	9.9	29.4	63.4	121.3	192.7	265.9	319.3	346.9	334.0	254.4
1990.....	10.5	30.4	66.8	123.7	197.1	261.6	322.2	344.4	315.8	242.5
1989.....	10.6	30.3	67.4	123.7	193.5	256.3	316.1	331.9	306.5	228.1
1988.....	11.5	31.3	68.5	123.7	193.0	250.6	305.6	317.0	300.0	223.3
1987.....	11.8	32.1	70.0	123.2	189.8	248.8	302.7	311.6	282.4	214.2
1986.....	12.7	31.8	70.0	122.2	184.9	242.7	294.4	301.6	272.6	208.1
1985.....	12.7	33.0	69.9	123.6	184.8	240.5	287.0	292.1	265.5	195.2
1984.....	12.5	34.2	70.2	123.9	178.5	236.0	278.8	283.0	258.5	192.6
1983.....	13.6	33.9	70.6	121.2	173.4	231.5	273.9	273.7	254.5	186.1
1982.....	13.3	35.6	70.6	118.0	174.2	228.9	263.3	264.9	237.0	186.3
1981.....	14.1	36.1	71.1	116.3	166.0	222.9	253.1	252.3	225.7	177.9
1980.....	14.7	36.2	71.0	113.0	167.3	218.1	253.0	252.2	221.4	176.0
1979.....	15.0	36.2	69.9	108.8	165.0	207.4	238.9	233.1	218.4	160.0
TOTAL, MALE										
1998.....	10.9	25.5	59.4	125.1	221.5	340.2	471.6	518.0	563.1	512.4
1997.....	11.0	26.2	63.1	127.6	228.6	349.2	468.3	526.2	571.5	543.8
1996.....	10.9	27.9	69.7	134.4	235.9	357.3	470.8	523.6	587.1	520.7
1995.....	10.9	28.6	70.9	138.9	241.9	364.8	478.3	534.2	582.4	543.8
1994.....	11.4	29.3	74.3	143.5	257.3	375.0	470.4	535.0	593.8	531.2
1993.....	11.7	32.3	75.9	154.2	263.2	382.5	474.1	545.5	595.9	532.0
1992.....	12.2	34.2	80.9	155.5	261.2	386.2	468.6	549.3	594.6	519.2
1991.....	12.1	37.3	81.8	163.0	270.2	387.0	482.0	552.7	607.1	526.9
1990.....	13.3	38.2	86.2	168.9	277.7	383.7	492.3	567.7	582.1	513.2
1989.....	13.0	38.8	88.6	169.6	274.2	376.5	487.2	552.3	574.9	488.6
1988.....	14.5	38.9	91.3	171.1	277.1	375.1	483.1	550.0	575.8	477.7
1987.....	14.1	41.7	93.4	173.5	277.1	375.4	491.8	545.5	562.5	466.8
1986.....	16.2	41.3	94.5	172.5	273.8	370.7	478.5	544.8	548.4	452.6
1985.....	16.6	42.9	94.1	176.9	272.7	371.7	475.2	538.5	536.1	433.2
1984.....	16.2	44.3	96.3	179.2	267.9	370.0	476.4	530.4	528.8	426.2
1983.....	17.0	44.6	97.1	174.5	260.1	368.6	470.4	522.4	523.6	409.6
1982.....	16.8	47.7	99.5	172.8	265.9	372.2	463.4	515.2	494.4	412.4
1981.....	18.8	48.9	102.2	172.8	257.6	368.2	451.4	493.5	475.1	389.9
1980.....	19.3	49.6	101.3	170.8	263.9	364.5	457.7	497.1	473.8	368.1
1979.....	19.8	49.6	102.0	165.9	264.9	355.0	441.1	466.8	463.7	350.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)										
TOTAL, FEMALE										
1998.....	7.9	16.7	37.1	72.8	127.2	182.3	241.9	255.0	260.3	197.8
1997.....	7.9	16.6	39.2	75.8	124.6	181.4	237.0	255.2	253.1	198.4
1996.....	7.4	17.3	42.5	75.5	127.2	181.5	230.3	246.4	246.3	185.6
1995.....	7.1	18.9	42.6	78.9	128.3	178.7	225.4	244.4	234.6	182.8
1994.....	6.8	19.1	42.9	80.2	127.0	181.7	218.9	236.6	224.5	167.4
1993.....	7.2	20.7	43.4	81.2	129.2	176.6	216.1	228.3	211.3	168.9
1992.....	7.8	20.7	45.1	82.3	128.8	173.4	211.4	218.6	201.0	156.0
1991.....	7.8	21.8	46.1	83.0	124.7	167.9	197.3	212.4	187.9	149.1
1990.....	7.8	22.9	48.5	82.4	126.9	162.5	195.9	200.8	174.4	138.1
1989.....	8.3	22.2	47.5	81.8	123.5	158.7	189.7	190.6	164.5	126.9
1988.....	8.6	24.0	46.9	80.6	120.5	149.4	175.2	168.5	154.7	124.0
1987.....	9.5	23.0	48.0	77.5	114.6	145.6	164.8	163.3	135.3	114.7
1986.....	9.4	22.8	47.1	76.7	108.2	138.7	160.5	148.1	128.0	111.1
1985.....	9.0	23.6	47.4	75.5	108.9	134.3	150.6	137.0	123.4	100.2
1984.....	8.9	24.7	45.9	74.3	101.1	127.9	135.8	127.7	116.4	98.2
1983.....	10.3	23.6	45.9	73.5	98.2	121.3	131.8	117.6	112.6	94.6
1982.....	10.0	24.2	43.7	69.2	94.7	114.1	118.6	108.0	101.0	92.1
1981.....	9.6	23.9	42.3	66.0	86.7	106.6	109.8	101.0	93.5	87.7
1980.....	10.4	23.7	43.1	61.3	84.0	100.9	104.9	98.7	87.1	91.9
1979.....	10.3	23.6	40.4	57.7	78.8	89.5	92.8	85.9	86.8	75.4
WHITE, BOTH SEXES										
1998.....	8.7	19.5	45.7	95.8	171.1	257.6	343.5	366.7	376.1	292.3
1997.....	8.6	19.9	49.0	98.6	172.8	261.1	337.5	369.3	373.5	299.7
1996.....	8.4	21.0	54.3	102.0	177.0	263.1	335.6	361.7	373.8	282.9
1995.....	8.1	22.4	54.4	105.7	179.8	263.4	334.8	365.2	362.5	283.7
1994.....	8.4	22.7	55.8	108.0	187.6	269.4	327.3	359.1	357.3	268.1
1993.....	8.6	24.4	57.0	114.0	191.1	269.3	326.5	358.1	348.0	268.6
1992.....	9.2	25.9	59.9	113.7	188.8	267.8	321.7	353.5	341.1	257.2
1991.....	9.2	27.6	60.5	118.6	191.0	264.2	319.4	349.3	334.2	254.4
1990.....	9.6	28.7	64.2	119.5	193.7	259.4	322.4	347.1	318.3	242.3
1989.....	9.8	28.7	64.3	120.6	190.8	253.6	315.8	332.8	308.7	228.5
1988.....	10.8	29.8	65.7	121.0	190.5	247.8	306.3	318.8	300.8	221.8
1987.....	11.0	30.8	66.5	120.3	186.6	245.8	302.7	314.0	283.3	213.7
1986.....	11.8	30.0	66.8	119.4	181.0	240.5	295.5	304.2	274.1	207.4
1985.....	11.8	31.9	66.8	119.5	180.9	240.2	286.4	295.3	266.6	195.2
1984.....	11.5	32.5	67.4	119.8	173.3	235.0	280.4	284.9	258.6	193.0
1983.....	12.7	31.6	67.6	117.2	169.4	230.9	273.4	276.9	254.2	188.3
1982.....	12.6	33.9	67.7	113.9	169.8	228.6	263.9	268.5	236.3	187.5
1981.....	13.0	33.9	67.9	112.3	162.0	222.1	254.0	255.7	225.1	179.5
1980.....	13.9	33.8	68.0	109.1	164.0	217.1	254.0	254.7	221.4	177.3
1979.....	13.8	33.7	67.0	104.7	162.0	206.9	240.8	236.3	218.7	161.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)										
WHITE MALE										
1998.....	9.9	22.9	54.7	119.5	215.2	338.4	467.1	514.1	561.2	516.6
1997.....	9.7	23.6	59.0	120.8	222.4	347.4	461.5	522.6	569.6	549.1
1996.....	9.8	25.1	65.9	128.0	227.7	353.1	465.0	518.6	585.9	524.5
1995.....	9.5	26.2	66.1	132.7	233.6	359.6	470.9	529.9	580.6	542.4
1994.....	10.1	26.6	68.6	136.8	251.2	369.1	461.8	530.7	589.5	528.5
1993.....	10.2	28.7	70.5	147.8	255.7	376.2	463.6	540.9	591.4	531.8
1992.....	10.9	31.4	75.2	146.8	253.3	378.9	460.7	547.9	591.5	522.5
1991.....	10.8	33.5	75.9	154.6	263.4	377.3	475.3	550.5	603.5	532.2
1990.....	11.6	34.6	80.5	159.3	268.1	373.9	485.5	565.0	584.8	516.3
1989.....	11.5	35.6	81.8	160.6	265.2	366.1	479.2	547.6	577.2	494.7
1988.....	13.0	35.8	85.3	164.2	269.2	364.1	478.1	547.0	578.6	475.2
1987.....	13.0	38.7	86.8	166.7	267.9	364.7	484.5	544.8	564.7	469.5
1986.....	14.3	37.8	87.5	166.0	263.0	360.6	474.1	546.4	552.6	454.1
1985.....	15.0	40.1	87.0	167.6	262.8	364.7	468.7	541.5	538.0	440.0
1984.....	14.3	40.8	90.5	169.8	255.3	362.4	473.1	533.1	530.0	429.3
1983.....	15.3	40.1	91.0	166.2	249.6	362.3	465.8	528.0	526.2	422.2
1982.....	15.7	43.9	93.0	163.8	255.1	366.8	459.4	522.3	497.6	420.5
1981.....	16.7	44.8	96.0	164.4	247.4	361.7	450.0	501.0	475.7	397.3
1980.....	17.3	45.4	95.1	162.7	255.6	358.7	458.6	502.4	477.7	374.1
1979.....	17.7	45.1	96.1	156.9	256.7	350.2	444.3	475.7	468.4	355.8
WHITE FEMALE										
1998.....	7.4	16.2	37.0	73.5	130.8	188.1	245.9	261.3	265.7	200.3
1997.....	7.5	16.2	39.3	77.6	127.4	187.2	240.6	260.7	258.3	200.5
1996.....	7.0	17.0	43.2	77.6	130.9	186.5	234.9	251.5	251.3	188.2
1995.....	6.7	18.7	43.1	80.4	130.9	182.2	229.1	251.2	239.2	184.0
1994.....	6.7	18.8	43.4	81.0	130.0	186.2	223.1	241.9	228.7	168.9
1993.....	7.0	20.2	44.0	82.3	132.7	180.8	221.0	234.6	215.3	168.9
1992.....	7.4	20.6	45.2	82.7	130.9	176.3	215.7	224.1	206.2	156.0
1991.....	7.5	21.8	45.8	84.9	126.3	171.6	201.4	217.2	190.9	148.9
1990.....	7.5	22.9	48.5	82.4	127.8	165.5	200.2	206.4	177.6	138.3
1989.....	8.2	21.9	47.6	83.3	125.2	161.3	194.0	194.7	167.6	126.8
1988.....	8.6	24.0	46.8	80.9	121.5	152.2	179.2	173.2	155.8	124.7
1987.....	9.0	23.2	47.1	77.3	115.5	148.0	169.2	167.8	136.7	114.7
1986.....	9.3	22.4	47.0	76.6	109.4	141.9	164.8	151.6	129.3	111.3
1985.....	8.7	23.9	47.5	75.5	109.3	138.6	153.6	140.9	125.4	99.3
1984.....	8.7	24.5	45.4	74.4	101.5	131.5	140.2	130.0	117.3	99.3
1983.....	10.1	23.3	45.4	73.0	99.1	124.4	134.0	120.4	112.2	94.2
1982.....	9.5	24.2	43.8	69.0	95.1	117.1	122.5	110.5	99.7	92.1
1981.....	9.4	23.4	41.4	65.4	87.4	109.6	112.6	103.1	93.8	88.4
1980.....	10.4	22.7	42.5	60.7	84.5	103.2	106.4	100.7	86.8	92.4
1979.....	10.0	22.8	39.8	57.6	79.7	92.0	94.5	87.2	86.4	76.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)										
ALL OTHER, BOTH SEXES										
1998.....	12.6	29.0	61.0	110.9	175.5	234.4	335.2	342.0	342.9	267.7
1997.....	13.5	28.9	62.4	113.4	179.2	237.4	340.0	346.5	341.9	277.4
1996.....	13.0	30.7	64.1	114.4	187.1	251.4	328.8	346.3	340.9	261.7
1995.....	13.3	30.8	68.6	119.7	194.9	261.3	338.8	335.9	334.5	287.2
1994.....	12.7	32.5	72.5	126.3	192.2	265.4	333.8	338.9	343.4	273.8
1993.....	13.8	38.6	72.8	129.7	198.8	268.4	337.9	331.0	338.4	279.5
1992.....	14.6	36.1	78.6	141.0	205.0	277.0	324.9	319.3	319.1	259.4
1991.....	14.4	40.3	81.1	138.9	204.9	279.8	318.1	323.7	332.2	254.7
1990.....	15.7	41.0	82.9	152.1	222.6	279.6	320.4	319.2	290.0	244.6
1989.....	15.3	40.8	86.9	145.3	214.0	278.6	319.3	323.4	284.7	224.2
1988.....	15.6	40.4	86.4	143.1	212.9	274.9	299.0	300.4	291.6	239.1
1987.....	16.7	40.2	92.3	144.8	215.9	274.3	302.1	288.7	272.7	219.6
1986.....	18.8	43.0	91.3	142.9	216.5	262.3	284.6	276.8	256.2	215.6
1985.....	18.2	40.3	91.3	154.7	217.8	242.7	292.2	261.7	252.3	194.6
1984.....	18.8	45.1	89.6	156.0	223.1	244.4	264.5	264.8	257.5	188.5
1983.....	19.5	48.6	91.8	152.3	208.3	236.9	278.1	242.6	258.0	161.2
1982.....	18.1	47.1	91.6	151.2	213.6	231.4	258.0	230.3	245.4	173.9
1981.....	21.2	50.7	95.1	149.8	201.8	230.5	244.8	218.4	232.8	159.5
1980.....	20.5	53.0	94.5	146.4	196.5	226.8	243.7	227.7	220.3	161.1
1979.....	22.8	54.0	92.9	143.8	193.4	211.4	220.5	201.6	215.6	141.4
ALL OTHER MALE										
1998.....	15.9	40.4	89.3	162.5	265.0	353.6	510.4	553.8	582.2	475.0
1997.....	17.6	41.0	90.8	172.1	271.3	363.1	527.1	561.6	591.4	498.2
1996.....	17.3	44.5	94.7	176.9	293.8	389.4	523.1	571.8	599.2	487.5
1995.....	18.6	43.4	102.7	180.6	302.0	405.2	546.8	576.6	601.1	557.2
1994.....	18.3	46.9	111.6	189.0	302.2	421.4	549.8	579.1	637.3	556.7
1993.....	20.1	55.8	111.3	197.8	319.1	434.3	571.2	591.5	640.9	533.9
1992.....	20.2	52.8	118.2	216.5	323.4	446.4	542.2	563.1	625.2	488.2
1991.....	20.1	61.3	120.6	222.3	325.0	469.9	545.0	574.3	642.6	477.9
1990.....	23.4	61.9	123.5	238.9	356.5	469.8	558.7	593.7	554.8	484.0
1989.....	22.9	60.5	134.0	235.7	349.2	468.7	564.9	597.7	552.1	432.1
1988.....	24.3	59.1	132.3	223.5	343.3	475.1	532.9	577.6	548.7	500.0
1987.....	21.6	61.2	138.6	227.0	356.4	473.7	561.9	551.2	540.2	441.6
1986.....	28.4	64.0	143.3	223.9	367.5	463.3	520.7	529.0	506.5	438.7
1985.....	27.0	61.5	145.4	252.5	361.3	435.3	537.0	509.7	512.4	369.9
1984.....	29.1	67.7	139.3	257.9	382.0	440.3	505.7	505.0	516.8	397.2
1983.....	28.5	75.7	143.7	244.1	355.5	426.9	514.7	470.6	496.9	284.3
1982.....	24.2	74.3	151.3	248.9	367.4	421.3	501.4	447.4	461.7	334.3
1981.....	32.9	79.0	152.5	246.3	353.9	427.4	465.0	423.7	469.2	315.6
1980.....	32.6	80.8	153.3	242.7	341.6	417.4	450.1	447.6	432.2	307.8
1979.....	35.3	84.5	152.0	246.6	344.5	398.2	410.6	384.1	414.0	293.2



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)										
ALL OTHER FEMALE										
1998.....	9.8	19.3	37.4	69.2	106.3	145.4	211.8	201.4	206.7	172.9
1997.....	9.9	18.6	38.7	65.8	108.1	143.9	209.2	206.4	201.7	177.4
1996.....	9.1	19.0	38.5	63.7	105.0	148.6	193.3	200.8	195.9	160.0
1995.....	8.8	20.1	40.1	70.3	112.6	154.2	194.1	182.5	188.1	170.3
1994.....	7.7	20.2	39.7	75.5	108.1	149.8	183.8	188.2	181.8	151.3
1993.....	8.3	23.9	40.4	74.6	106.9	145.8	174.7	169.3	170.0	168.5
1992.....	9.7	21.7	45.1	80.0	114.8	151.6	174.6	168.3	146.6	156.4
1991.....	9.6	22.2	47.6	71.6	113.5	139.5	162.8	167.8	155.9	151.9
1990.....	9.0	22.9	48.4	82.5	120.7	138.9	158.2	148.9	140.6	135.7
1989.....	8.8	23.8	47.0	72.4	111.3	137.4	151.3	151.8	132.1	128.0
1988.....	8.2	24.3	47.7	78.5	112.8	126.3	140.2	124.9	142.6	117.2
1987.....	12.4	22.2	53.6	78.7	107.5	125.6	124.9	120.8	119.9	114.7
1986.....	10.5	24.9	47.9	77.5	99.1	112.1	122.6	113.8	113.8	108.3
1985.....	10.6	22.2	46.4	75.7	105.4	98.5	123.4	99.0	100.6	110.7
1984.....	9.9	25.8	48.7	73.5	98.1	97.0	95.8	105.3	104.6	84.8
1983.....	11.9	25.5	49.5	77.7	91.2	94.9	111.4	89.8	117.6	99.3
1982.....	12.8	24.1	43.1	71.3	91.3	88.6	82.5	83.2	115.9	91.7
1981.....	11.2	26.9	48.3	70.5	80.5	81.6	83.2	79.6	89.3	80.2
1980.....	10.2	30.1	46.8	66.6	80.1	81.0	89.7	77.9	90.2	86.0
1979.....	12.3	28.8	44.7	58.1	71.1	67.5	75.8	72.9	92.7	64.0
BLACK, BOTH SEXES										
1998.....	15.5	36.4	77.8	137.9	213.9	270.9	387.8	386.2	372.2	281.2
1997.....	16.4	36.1	79.6	140.3	216.4	276.8	398.0	391.3	368.5	292.3
1996.....	16.5	38.6	82.4	141.7	226.5	295.2	379.9	382.7	363.0	273.5
1995.....	16.8	38.7	85.7	148.1	235.3	305.5	390.6	365.1	353.6	282.0
1994.....	16.1	40.6	89.9	155.0	230.8	307.0	385.3	366.1	370.6	276.7
1993.....	17.2	48.7	91.2	156.5	236.4	311.5	386.1	359.8	357.6	280.1
1992.....	18.3	45.5	98.5	171.7	243.2	320.5	369.3	346.1	335.9	264.9
1991.....	17.8	50.9	100.5	167.7	243.1	321.6	356.7	350.9	348.8	258.6
1990.....	20.0	51.5	102.4	183.9	264.8	320.5	358.9	340.0	304.2	243.5
1989.....	18.7	49.9	105.7	173.1	249.7	322.2	354.6	348.6	297.5	231.8
1988.....	19.4	48.6	103.9	168.5	248.0	315.7	331.3	324.9	301.5	238.8
1987.....	20.8	48.9	109.7	170.1	251.2	309.6	334.8	308.8	280.2	220.2
1986.....	23.4	52.7	108.7	167.2	248.2	298.4	311.6	294.9	264.3	215.9
1985.....	22.7	48.0	109.2	180.5	249.3	271.7	317.5	277.2	260.4	199.5
1984.....	22.4	54.2	103.8	180.1	254.9	270.3	286.9	279.4	263.1	193.2
1983.....	23.1	57.3	106.9	174.3	235.8	261.6	302.6	258.2	260.8	165.2
1982.....	21.9	55.9	105.9	173.9	239.5	255.1	280.8	244.8	254.6	168.8
1981.....	24.8	58.5	110.0	170.1	224.7	251.6	261.8	228.9	236.4	159.5
1980.....	24.1	61.3	106.9	164.6	214.9	245.2	257.2	238.5	219.3	160.9
1979.....	26.2	61.9	103.6	158.5	208.7	225.3	231.7	204.8	208.0	141.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)										
BLACK MALE										
1998.....	20.2	51.5	116.6	208.7	331.0	407.0	595.0	640.7	660.6	533.1
1997.....	21.9	52.1	117.9	216.8	335.7	424.6	622.6	648.4	682.0	553.8
1996.....	22.4	57.3	125.6	224.1	362.2	455.5	611.9	650.6	679.6	544.7
1995.....	24.0	54.8	132.3	230.6	371.3	476.9	647.5	647.5	684.9	573.2
1994.....	23.8	60.4	141.5	239.1	367.8	488.2	645.0	647.4	726.8	584.0
1993.....	25.3	71.8	141.9	245.0	384.0	510.7	670.1	662.6	708.4	565.9
1992.....	25.7	68.0	150.9	270.2	385.5	523.2	631.6	631.4	694.1	529.7
1991.....	25.5	79.9	153.9	272.2	388.9	545.0	626.1	643.6	721.8	510.1
1990.....	30.6	79.7	157.6	293.9	429.8	544.0	644.4	659.2	620.2	499.5
1989.....	28.0	75.7	167.5	284.6	406.2	552.1	651.6	677.0	612.4	475.8
1988.....	30.8	73.1	163.0	264.8	403.3	556.5	604.8	645.8	604.3	538.5
1987.....	27.4	76.3	167.9	270.2	419.4	547.3	640.6	616.6	580.4	464.1
1986.....	35.5	80.2	172.7	264.7	427.5	535.3	583.1	590.1	536.7	460.3
1985.....	34.4	75.5	175.8	294.7	416.0	495.9	602.0	560.6	548.3	382.3
1984.....	36.0	83.5	163.8	298.9	443.9	496.7	564.5	550.3	556.0	418.0
1983.....	34.6	91.5	168.5	281.1	405.5	480.3	575.0	512.1	518.3	303.3
1982.....	29.7	90.0	176.5	287.6	416.6	469.2	563.2	491.9	493.8	344.8
1981.....	39.0	92.4	176.3	281.1	397.7	474.8	515.9	461.4	492.2	314.3
1980.....	39.3	93.9	174.6	274.8	377.2	460.3	489.2	485.8	446.5	311.3
1979.....	42.0	97.5	169.2	274.4	377.4	437.3	447.3	396.9	409.1	292.3
BLACK FEMALE										
1998.....	11.4	23.8	46.3	82.9	126.3	169.4	243.8	223.3	221.0	176.6
1997.....	11.5	22.7	48.6	80.6	127.0	166.3	243.6	229.2	206.1	184.2
1996.....	11.4	22.8	47.3	77.4	124.5	175.4	222.3	215.5	199.8	162.1
1995.....	10.5	25.2	47.7	83.5	132.6	177.6	217.6	191.1	185.0	163.7
1994.....	9.4	24.1	47.9	89.2	127.2	172.4	211.0	196.3	189.0	152.0
1993.....	10.2	29.3	49.7	86.9	124.6	165.0	194.3	180.5	177.2	163.5
1992.....	12.0	26.7	55.6	94.0	135.6	172.1	194.6	179.4	150.4	154.7
1991.....	11.2	26.7	57.1	85.0	132.7	159.7	178.4	178.9	156.6	152.1
1990.....	10.9	27.8	57.2	96.7	140.2	158.9	171.4	152.9	140.6	134.9
1989.....	10.8	28.2	55.1	84.3	131.0	155.8	159.7	154.5	132.4	128.1
1988.....	9.7	28.1	55.3	91.6	130.0	140.8	150.5	133.1	141.6	108.1
1987.....	15.2	26.1	62.0	90.1	122.7	136.3	132.5	122.5	118.7	111.8
1986.....	13.2	29.9	56.4	88.6	111.1	124.8	131.6	114.2	115.8	104.3
1985.....	12.8	25.1	54.8	87.9	120.6	107.1	129.3	100.7	101.9	114.3
1984.....	10.9	29.9	54.6	83.3	108.5	103.3	101.6	109.4	101.3	86.8
1983.....	13.5	29.1	56.9	87.4	104.1	100.7	118.9	95.4	115.2	98.4
1982.....	15.4	27.8	48.7	81.3	100.8	97.4	86.6	87.3	115.9	82.2
1981.....	13.1	30.4	56.2	79.7	88.3	87.4	84.2	78.3	87.1	81.4
1980.....	11.5	34.6	52.3	74.4	86.2	84.9	92.2	77.5	83.1	85.8
1979.....	13.1	32.6	50.2	63.4	74.6	66.8	76.4	72.9	83.1	65.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.6	0.8	1.0	1.5	2.3	2.9	3.0	3.3
1997.....	0.2	0.2	0.5	0.7	1.4	1.6	2.4	2.8	3.1	4.0
1996.....	0.2	0.3	0.5	0.7	1.3	1.8	2.5	3.0	3.2	3.6
1995.....	0.2	0.3	0.5	0.9	1.3	1.6	2.5	2.9	3.2	3.7
1994.....	0.2	0.4	0.6	0.8	1.4	1.7	2.1	2.7	3.4	3.0
1993.....	0.3	0.4	0.6	0.8	1.2	1.9	2.6	2.8	3.2	3.6
1992.....	0.3	0.4	0.7	0.9	1.4	2.0	2.1	2.8	3.2	4.1
1991.....	0.3	0.4	0.5	0.8	1.5	2.1	2.7	2.8	3.2	4.1
1990.....	0.2	0.4	0.6	0.8	1.7	2.1	2.6	3.2	3.6	4.2
1989.....	0.3	0.4	0.7	1.0	1.5	2.3	2.5	3.2	3.6	3.5
1988.....	0.2	0.4	0.6	1.1	1.4	1.8	2.8	3.1	3.3	3.2
1987.....	0.3	0.5	0.7	1.0	1.5	1.8	2.7	2.6	3.5	3.4
1986.....	0.3	0.4	0.7	1.0	1.6	1.9	2.7	2.7	4.0	3.2
1985.....	0.3	0.4	0.7	1.1	1.4	1.7	2.5	2.9	3.3	3.3
1984.....	0.2	0.4	0.6	1.2	1.8	2.1	2.3	3.5	3.2	3.0
1983.....	0.3	0.5	0.7	1.2	1.5	2.0	2.4	3.3	3.9	3.1
1982.....	0.4	0.4	0.8	1.2	1.5	2.1	2.6	3.3	3.3	3.8
1981.....	0.3	0.4	0.9	1.0	1.5	1.9	2.2	3.0	3.4	3.3
1980.....	0.3	0.5	0.8	1.0	1.3	2.1	2.5	3.2	3.6	3.5
1979.....	0.3	0.4	0.6	1.2	1.7	2.1	2.9	3.1	3.6	3.9
TOTAL, MALE										
1998.....	0.3	0.5	0.8	1.1	1.5	2.1	3.4	4.1	4.5	5.0
1997.....	0.3	0.3	0.7	1.2	2.0	2.4	3.8	4.5	5.2	6.4
1996.....	0.3	0.4	0.6	1.0	1.7	2.5	3.8	5.0	4.8	5.1
1995.....	0.3	0.3	0.6	1.3	1.9	2.6	3.5	4.5	5.3	6.0
1994.....	0.3	0.5	0.8	1.0	2.1	2.6	3.0	4.0	5.0	4.1
1993.....	0.3	0.5	0.8	1.1	1.7	2.8	4.1	4.2	5.4	6.9
1992.....	0.4	0.5	0.8	1.1	1.9	3.1	3.1	4.6	5.7	7.2
1991.....	0.3	0.5	0.8	1.1	2.1	3.3	4.1	3.9	5.5	6.6
1990.....	0.3	0.5	0.8	1.1	2.4	3.2	4.1	4.9	6.1	6.4
1989.....	0.4	0.5	0.9	1.6	2.2	3.4	4.1	5.4	5.7	5.3
1988.....	*	0.5	0.8	1.6	2.1	2.9	4.6	5.1	5.9	4.6
1987.....	0.4	0.6	1.0	1.4	2.3	2.9	4.1	4.5	5.7	5.6
1986.....	*	0.5	0.9	1.5	2.4	3.1	4.0	4.2	6.3	5.9
1985.....	0.4	0.6	1.0	1.5	2.1	2.8	3.9	4.7	5.5	5.7
1984.....	0.3	0.5	0.9	1.7	2.5	3.2	3.9	6.1	6.3	4.1
1983.....	0.4	0.7	1.1	1.8	2.5	3.2	3.9	5.3	5.6	5.1
1982.....	0.5	0.6	1.1	1.7	2.0	3.4	3.8	4.9	5.0	6.3
1981.....	0.4	0.7	1.2	1.4	2.3	3.0	3.4	5.1	5.6	5.4
1980.....	0.4	0.6	1.2	1.3	2.0	3.2	3.7	4.6	5.4	4.8
1979.....	0.4	0.6	0.8	1.7	2.4	3.3	4.7	5.4	5.0	6.1

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

TOTAL, FEMALE										
Year	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +
1998	*	*	0.4	0.5	0.6	0.9	1.5	2.1	2.2	2.5
1997	*	*	0.3	0.4	0.8	1.0	1.3	1.6	1.9	3.0
1996	*	0.2	0.4	0.5	0.9	1.1	1.5	1.7	2.2	2.9
1995	*	0.2	*	0.6	0.8	0.8	1.6	1.9	1.9	2.9
1994	*	0.3	0.4	0.6	0.8	1.0	1.5	1.8	2.5	2.6
1993	0.2	0.3	0.4	0.6	0.8	1.1	1.5	1.9	2.0	2.4
1992	0.2	0.3	0.6	0.6	0.9	1.1	1.3	1.6	1.9	2.9
1991	*	*	*	0.5	1.0	1.2	1.6	2.1	1.9	3.1
1990	*	*	0.4	0.6	1.0	1.3	1.6	2.0	2.2	3.3
1989	*	*	0.4	0.5	0.9	1.4	1.3	1.7	2.5	2.9
1988	*	*	0.5	0.6	0.9	0.9	1.5	1.9	1.9	2.6
1987	*	0.4	0.5	0.6	0.8	0.9	1.6	1.5	2.4	2.5
1986	*	0.4	0.4	0.6	0.9	0.9	1.7	1.7	2.8	2.1
1985	*	*	0.4	0.8	0.8	0.8	1.4	1.8	2.2	2.3
1984	*	*	0.4	0.7	1.2	1.2	1.1	1.9	1.6	2.5
1983	*	0.4	0.4	0.7	0.7	1.0	1.3	2.0	2.9	2.3
1982	*	*	0.6	0.7	1.0	1.1	1.8	2.3	2.3	2.7
1981	*	*	0.6	0.7	0.9	1.1	1.4	1.7	2.3	2.4
1980	0.3	0.4	0.5	0.7	0.8	1.2	1.6	2.3	2.6	2.9
1979	0.2	0.3	0.5	0.8	1.1	1.0	1.5	1.6	2.8	2.9
WHITE, BOTH SEXES										
Year	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +
1998	0.2	0.3	0.5	0.8	1.0	1.5	2.4	3.0	3.0	3.3
1997	0.2	0.2	0.5	0.8	1.3	1.6	2.4	2.8	3.2	4.0
1996	0.2	0.3	0.5	0.7	1.2	1.8	2.5	3.0	3.3	3.6
1995	0.2	0.3	0.4	0.9	1.3	1.7	2.4	2.9	3.1	3.6
1994	0.2	0.4	0.6	0.7	1.4	1.7	2.1	2.8	3.5	3.0
1993	0.2	0.4	0.6	0.8	1.3	1.9	2.6	2.9	3.1	3.6
1992	0.3	0.4	0.6	0.9	1.3	2.1	2.1	2.7	3.3	4.2
1991	0.3	0.4	0.5	0.7	1.5	2.2	2.8	2.7	3.2	4.1
1990	0.2	0.3	0.6	0.8	1.7	2.1	2.6	3.2	3.6	4.2
1989	0.3	0.3	0.7	1.0	1.5	2.3	2.5	2.9	3.8	3.5
1988	0.2	0.3	0.6	1.1	1.4	1.8	2.8	3.0	3.3	3.2
1987	0.3	0.4	0.6	0.9	1.5	1.8	2.8	2.8	3.4	3.3
1986	0.3	0.4	0.7	1.0	1.6	1.8	2.6	2.7	4.0	3.2
1985	0.2	0.4	0.7	1.1	1.3	1.7	2.4	3.0	3.4	3.4
1984	0.3	0.4	0.6	1.2	1.7	2.1	2.2	3.6	3.4	3.1
1983	0.3	0.5	0.7	1.2	1.5	2.0	2.4	3.3	3.8	3.2
1982	0.3	0.4	0.8	1.2	1.4	2.1	2.6	3.4	3.3	3.8
1981	0.3	0.4	0.9	1.0	1.4	1.9	2.2	3.1	3.5	3.3
1980	0.3	0.4	0.8	1.0	1.3	2.1	2.5	3.3	3.8	3.5
1979	0.3	0.4	0.6	1.2	1.6	2.0	2.9	3.1	3.5	4.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)										
WHITE MALE										
1998.....	0.2	0.4	0.7	1.1	1.4	2.3	3.4	4.2	4.3	5.3
1997.....	0.3	0.3	0.7	1.2	2.0	2.4	3.8	4.5	5.4	6.6
1996.....	0.2	0.4	0.6	0.9	1.8	2.6	3.9	5.0	4.9	5.5
1995.....	0.2	0.3	0.6	1.3	1.9	2.7	3.5	4.4	5.4	6.0
1994.....	0.3	0.4	0.7	0.8	1.9	2.6	3.0	4.1	5.2	4.3
1993.....	0.3	0.4	0.8	1.1	1.7	2.8	4.2	4.3	5.1	7.1
1992.....	0.4	0.4	0.7	1.1	1.9	3.2	3.2	4.6	6.0	7.3
1991.....	0.4	0.5	0.7	0.9	2.2	3.4	4.2	4.0	6.0	6.9
1990.....	0.3	0.5	0.8	1.1	2.5	3.1	4.0	5.1	6.2	6.3
1989.....	0.4	0.4	0.9	1.4	2.1	3.3	4.1	5.2	6.2	4.9
1988.....	*	0.5	0.7	1.6	2.1	2.7	4.5	4.6	5.8	4.7
1987.....	0.4	0.5	0.9	1.4	2.3	2.9	4.3	4.7	5.4	5.5
1986.....	*	0.5	0.9	1.5	2.4	3.0	3.8	4.2	6.7	6.0
1985.....	*	0.5	1.0	1.5	1.9	2.7	3.7	4.8	5.6	5.8
1984.....	*	0.5	0.9	1.7	2.3	3.2	3.8	6.0	6.8	4.4
1983.....	0.4	0.6	1.0	1.7	2.4	3.3	3.8	5.3	5.7	5.3
1982.....	0.4	0.6	1.0	1.7	1.9	3.4	3.8	5.0	5.0	6.3
1981.....	0.4	0.7	1.2	1.3	2.2	2.9	3.5	5.2	6.0	5.5
1980.....	0.4	0.6	1.1	1.4	1.9	3.1	3.9	4.7	5.9	5.0
1979.....	0.4	0.5	0.7	1.7	2.3	3.3	4.8	5.3	5.0	6.6
WHITE FEMALE										
1998.....	*	*	0.3	0.5	0.6	0.9	1.6	2.1	2.1	2.4
1997.....	*	*	*	0.4	0.8	1.0	1.3	1.6	1.9	3.0
1996.....	*	*	0.4	0.6	0.8	1.1	1.5	1.6	2.3	2.8
1995.....	*	*	*	0.6	0.7	0.9	1.6	1.8	1.8	2.7
1994.....	*	0.3	0.4	0.6	0.8	1.0	1.4	1.9	2.5	2.5
1993.....	*	0.3	0.4	0.5	0.9	1.2	1.4	2.0	2.0	2.3
1992.....	*	0.3	0.5	0.6	0.9	1.2	1.2	1.5	1.9	3.0
1991.....	*	*	*	0.5	0.9	1.2	1.7	1.9	1.8	3.0
1990.....	*	*	*	0.6	0.9	1.3	1.6	2.1	2.2	3.4
1989.....	*	*	0.4	0.5	1.0	1.4	1.3	1.5	2.5	3.0
1988.....	*	*	0.5	0.6	0.9	1.0	1.4	1.9	1.9	2.7
1987.....	*	*	*	0.5	0.7	0.8	1.6	1.6	2.4	2.5
1986.....	*	*	0.5	0.6	1.0	0.9	1.6	1.8	2.7	2.1
1985.....	*	*	0.4	0.7	0.8	0.8	1.5	1.8	2.3	2.4
1984.....	*	*	*	0.7	1.2	1.2	1.0	2.0	1.6	2.5
1983.....	*	*	0.4	0.7	0.7	1.0	1.3	2.1	2.8	2.4
1982.....	*	*	0.6	0.8	1.0	1.1	1.7	2.4	2.4	2.7
1981.....	*	*	0.6	0.7	0.8	1.0	1.3	1.8	2.2	2.4
1980.....	0.3	0.3	0.5	0.7	0.8	1.3	1.5	2.4	2.7	2.9
1979.....	0.2	0.3	0.5	0.7	1.0	1.0	1.5	1.7	2.8	2.9

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

ALL OTHER, BOTH SEXES

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	1.5	1.8	2.3	*	*	*	*
1996	*	*	*	*	*	1.7	*	3.0	*	*	*
1995	*	*	*	*	*	*	2.8	3.4	*	*	*
1994	*	*	*	*	1.6	1.8	*	*	*	*	*
1993	*	*	*	*	*	1.8	2.7	*	*	*	*
1992	*	*	1.2	*	*	1.8	*	3.2	*	*	*
1991	*	*	*	*	1.7	1.9	*	*	*	*	*
1990	*	*	*	*	1.6	2.1	2.8	*	*	*	*
1989	*	*	*	*	*	2.6	2.6	5.2	*	*	*
1988	*	*	*	*	*	2.1	3.1	5.0	*	*	*
1987	*	*	1.5	*	1.7	2.1	*	*	*	*	*
1986	*	*	*	*	*	2.2	3.6	*	*	*	*
1985	*	*	*	*	1.7	*	3.1	*	*	*	*
1984	*	*	*	*	2.5	2.4	3.0	*	*	*	*
1983	*	*	*	1.7	*	*	*	*	*	*	*
1982	*	*	*	*	1.9	2.3	2.9	*	*	*	*
1981	*	*	*	*	2.4	*	*	*	*	*	*
1980	0.4	0.6	0.8	0.7	1.8	2.1	2.5	2.0	0.9	2.8	
1979	0.1	0.5	0.8	1.3	2.5	2.1	2.5	3.0	4.0	1.7	

ALL OTHER MALE

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	9.6	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	4.0	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*
1980	0.6	0.6	1.3	1.1	2.9	4.2	2.2	3.3	-	3.3	
1979	0.3	0.6	1.2	1.5	2.8	3.4	3.8	6.0	4.7	-	

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.7	0.4	0.5	0.9	0.6	2.7	1.1	1.4	2.5
1979.....	-	0.4	0.4	1.2	2.3	1.2	1.4	0.8	3.6	2.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	2.1	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	2.0	2.3	*	*	*	*
1993.....	*	*	*	*	*	2.2	3.0	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	2.3	*	*	*	*
1990.....	*	*	*	*	*	2.6	3.1	*	*	*
1989.....	*	*	*	*	*	2.8	*	4.6	*	*
1988.....	*	*	*	*	*	2.5	3.7	4.4	*	*
1987.....	*	*	1.9	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	4.3	*	*	*
1985.....	*	*	*	*	2.1	*	3.2	*	*	*
1984.....	*	*	*	*	2.6	*	3.4	*	*	*
1983.....	*	*	*	2.0	*	*	*	*	*	*
1982.....	*	*	*	*	*	2.7	*	*	*	*
1981.....	*	*	*	*	2.8	*	*	*	*	*
1980.....	0.5	0.8	0.9	0.9	1.8	2.4	2.5	2.3	1.0	3.1
1979.....	0.1	0.5	0.8	1.2	2.5	2.2	2.8	3.3	4.0	1.9

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.8	1.4	1.3	3.1	4.8	2.1	3.9	-	3.8
1979.....	0.2	0.6	1.4	1.5	3.0	3.3	4.4	6.8	5.2	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.8	0.5	0.5	0.8	0.7	2.7	1.3	1.6	2.8
1979.....	-	0.5	0.3	1.0	2.1	1.3	1.6	0.8	3.2	2.9



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

TOTAL, BOTH SEXES										
1998.....	11.8	19.4	29.4	38.5	48.8	61.0	80.0	96.1	124.4	179.3
1997.....	12.4	20.5	30.4	40.3	50.2	62.0	79.4	97.2	126.0	183.6
1996.....	13.1	21.5	31.4	41.3	51.2	64.6	83.6	101.1	131.2	189.6
1995.....	13.3	22.6	32.7	42.4	53.5	67.0	83.6	104.2	131.5	187.9
1994.....	13.8	22.5	33.3	40.8	54.5	68.6	86.1	105.1	134.6	182.4
1993.....	14.2	22.8	32.9	43.5	55.5	70.2	85.6	108.4	132.6	187.7
1992.....	14.4	23.2	33.6	43.1	56.3	71.7	87.1	103.6	130.2	181.4
1991.....	15.0	24.5	33.7	46.4	58.9	72.4	86.8	105.8	131.8	181.8
1990.....	16.1	24.3	35.2	46.5	59.0	73.3	88.9	107.4	129.9	183.2
1989.....	15.7	24.3	35.7	46.9	59.5	72.3	87.9	107.5	128.6	175.2
1988.....	15.2	24.3	35.9	48.4	60.6	70.9	87.3	102.2	131.2	172.1
1987.....	15.1	24.3	35.4	47.3	62.3	71.0	86.7	100.9	125.0	162.8
1986.....	16.7	24.5	35.6	46.7	60.6	70.9	86.6	99.1	122.8	164.3
1985.....	15.9	25.3	36.4	49.1	61.6	69.1	84.5	99.3	123.9	163.7
1984.....	16.4	23.5	35.9	48.9	59.0	70.5	84.0	99.1	121.6	164.0
1983.....	15.3	23.6	35.3	48.7	59.8	68.3	81.5	95.3	118.0	163.7
1982.....	15.5	24.0	36.1	49.0	57.1	68.1	79.6	97.5	116.4	158.6
1981.....	15.6	24.4	36.8	47.7	55.9	68.9	79.8	92.7	115.3	156.4
1980.....	15.7	24.2	36.9	48.2	57.1	66.8	76.7	92.4	115.7	153.3
1979.....	15.9	25.0	37.2	46.1	55.8	64.5	77.7	88.4	115.1	146.5
TOTAL, MALE										
1998.....	4.1	6.1	8.5	12.1	16.7	23.8	30.3	37.0	50.6	69.1
1997.....	4.0	5.9	8.5	12.6	17.1	22.9	29.0	38.7	49.0	67.2
1996.....	4.1	5.9	9.1	12.4	16.4	22.7	30.2	36.6	49.6	72.4
1995.....	4.3	6.6	8.9	12.9	17.5	22.2	26.8	37.6	49.0	70.1
1994.....	4.3	6.3	9.4	11.7	17.7	21.1	29.8	35.7	47.5	68.1
1993.....	4.6	6.4	8.4	12.9	17.6	22.9	29.8	36.3	47.5	64.0
1992.....	4.5	6.5	8.9	12.5	17.4	22.5	27.0	38.2	46.1	67.9
1991.....	4.3	7.1	8.8	13.8	17.2	22.8	30.3	34.4	44.7	62.1
1990.....	4.8	6.8	8.7	13.7	17.5	20.8	27.9	34.4	41.5	68.6
1989.....	4.2	6.6	10.2	12.3	17.9	21.0	26.8	35.0	41.1	62.2
1988.....	4.9	6.4	9.4	12.8	16.3	20.8	26.3	34.5	43.3	63.1
1987.....	4.8	6.2	9.2	13.2	18.5	21.8	26.5	33.2	44.6	55.3
1986.....	5.5	7.0	9.7	11.9	15.1	19.2	25.4	30.7	38.6	54.8
1985.....	5.2	6.6	9.9	12.2	15.8	18.3	25.0	29.7	40.6	58.0
1984.....	5.2	6.0	9.0	12.5	14.4	19.1	24.3	30.6	37.5	52.9
1983.....	5.0	6.4	8.1	12.1	15.4	19.2	23.4	31.4	35.0	56.3
1982.....	4.8	6.1	8.9	12.0	14.5	18.1	23.3	29.7	36.4	51.2
1981.....	4.7	6.1	8.4	11.2	13.1	18.3	22.6	26.0	35.7	57.6
1980.....	4.4	5.7	8.8	10.9	14.6	17.6	21.7	28.5	35.1	56.2
1979.....	4.3	6.6	8.4	10.8	13.6	16.1	23.3	27.3	39.2	49.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)										
TOTAL, FEMALE										
1998.....	19.4	32.3	49.2	62.8	77.5	92.5	118.8	138.0	168.3	224.9
1997.....	20.7	34.7	51.2	65.9	79.7	95.0	118.3	138.4	171.1	230.5
1996.....	21.9	36.6	52.4	68.0	82.3	99.6	124.6	145.9	178.1	236.1
1995.....	22.0	38.0	55.2	69.6	85.6	104.3	127.1	150.0	178.0	233.7
1994.....	23.0	38.1	55.8	67.6	87.3	107.6	129.2	152.2	182.8	226.5
1993.....	23.6	38.5	56.0	71.7	89.1	108.8	128.1	156.7	179.1	235.1
1992.....	24.2	39.3	56.8	71.3	90.7	111.8	132.5	146.8	175.6	225.4
1991.....	25.4	41.2	57.3	76.3	95.6	112.6	129.1	152.4	178.4	228.1
1990.....	27.1	41.1	60.3	76.6	95.2	115.9	134.1	154.4	176.8	227.5
1989.....	26.9	41.4	59.8	78.4	95.5	114.0	133.0	154.1	174.9	219.2
1988.....	25.2	41.4	60.9	80.9	98.9	111.7	132.1	145.4	177.4	214.7
1987.....	25.0	41.6	60.0	78.3	100.0	111.1	130.5	143.9	167.2	205.2
1986.....	27.5	41.2	59.9	78.3	99.8	112.8	131.2	142.4	166.9	207.8
1985.....	26.2	43.2	61.1	82.3	101.1	110.2	127.6	143.1	167.6	205.9
1984.....	27.2	40.2	61.0	81.6	97.6	111.9	127.2	142.0	165.9	208.9
1983.....	25.3	40.1	60.6	81.5	98.2	107.8	123.5	135.5	161.7	207.7
1982.....	25.8	41.0	61.4	81.9	94.0	108.2	120.3	140.0	158.7	203.4
1981.....	26.1	41.8	63.2	80.1	92.9	109.4	121.1	134.5	157.5	198.3
1980.....	26.5	41.7	62.8	81.5	93.7	106.1	116.5	132.4	158.6	195.8
1979.....	27.0	42.4	63.8	77.7	92.1	103.1	117.1	126.9	155.8	189.5
WHITE, BOTH SEXES										
1998.....	11.3	18.6	28.5	37.5	48.8	62.1	81.3	97.7	125.8	183.4
1997.....	11.9	19.6	29.8	39.7	49.7	62.3	79.8	98.5	127.1	187.6
1996.....	12.4	20.8	30.6	41.0	51.9	65.5	84.3	102.2	133.0	194.2
1995.....	12.8	21.6	31.8	41.9	53.3	68.1	84.0	106.0	132.8	192.0
1994.....	13.3	22.0	32.7	40.3	54.5	69.5	87.3	106.7	136.8	184.9
1993.....	13.7	22.3	32.1	43.4	55.9	71.1	86.5	109.1	134.6	191.3
1992.....	14.1	22.8	32.8	42.7	56.7	72.8	88.4	105.8	133.0	185.7
1991.....	14.6	24.0	33.3	46.3	58.9	73.5	87.8	107.3	133.9	184.9
1990.....	16.0	24.0	34.7	46.1	59.4	74.2	90.8	109.6	132.0	186.3
1989.....	15.7	23.6	35.6	46.7	60.4	73.2	89.4	110.3	131.9	179.5
1988.....	14.9	24.0	35.4	48.2	61.1	71.9	89.4	104.4	133.8	175.1
1987.....	14.5	23.6	34.9	47.3	62.8	72.7	88.0	103.9	127.2	166.6
1986.....	16.4	24.2	35.2	47.2	61.2	72.1	88.7	101.7	126.5	168.3
1985.....	15.7	25.2	36.5	49.2	62.3	70.3	86.1	101.5	126.6	167.8
1984.....	15.8	23.2	35.9	49.1	59.0	71.5	86.0	101.9	123.1	168.4
1983.....	15.2	23.4	35.2	49.1	60.5	69.7	83.5	97.6	120.4	168.5
1982.....	15.7	23.5	35.9	49.4	57.9	69.8	80.9	99.8	118.0	163.8
1981.....	15.5	24.2	37.4	48.1	56.7	70.7	81.8	95.6	116.2	159.7
1980.....	15.3	24.2	36.8	48.4	57.8	68.5	78.7	94.6	118.3	156.8
1979.....	15.9	24.6	37.4	46.9	56.4	66.3	79.9	90.9	118.4	150.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)										
WHITE MALE										
1998.....	4.5	6.6	9.0	12.7	18.0	25.4	32.1	39.3	53.5	74.3
1997.....	4.3	6.3	8.9	13.5	18.2	24.3	31.0	41.1	51.8	72.6
1996.....	4.4	6.3	9.8	13.1	17.6	23.8	31.7	38.4	52.0	78.3
1995.....	4.7	7.0	9.6	13.5	18.5	23.5	28.3	39.3	51.1	74.6
1994.....	4.6	6.8	9.9	12.3	18.8	22.2	31.6	37.5	50.6	72.5
1993.....	4.9	6.8	8.9	13.5	18.6	24.3	30.9	38.0	50.1	67.4
1992.....	4.9	6.9	9.6	13.0	18.1	24.0	27.8	40.2	48.2	73.4
1991.....	4.7	7.4	9.2	14.4	17.7	23.7	31.8	35.9	46.8	66.0
1990.....	5.2	7.2	8.8	14.2	18.2	21.4	29.3	36.1	42.9	72.9
1989.....	4.5	6.8	10.9	12.5	18.9	21.8	27.6	37.3	43.0	66.1
1988.....	5.1	6.7	9.6	13.4	17.2	21.7	27.7	36.1	45.7	65.3
1987.....	5.2	6.5	9.6	13.7	19.1	22.8	27.8	35.2	46.3	58.4
1986.....	5.9	7.7	10.1	12.6	15.5	19.5	26.6	31.8	40.4	58.4
1985.....	5.5	7.0	10.4	12.8	16.6	18.7	26.2	30.8	42.0	61.0
1984.....	5.6	6.4	9.4	13.0	14.7	20.0	25.4	32.4	40.0	55.6
1983.....	5.5	6.7	8.6	12.5	15.8	20.2	24.7	32.5	36.3	60.0
1982.....	5.1	6.5	9.2	12.6	15.4	19.3	24.3	31.4	37.2	54.3
1981.....	5.1	6.6	8.8	11.7	13.7	19.2	23.5	27.3	36.8	61.5
1980.....	4.6	5.9	9.1	11.2	15.1	18.5	22.7	30.0	36.6	59.1
1979.....	4.6	6.9	8.7	11.3	14.3	16.9	24.5	28.5	41.4	51.9
WHITE FEMALE										
1998.....	18.2	30.4	47.4	60.9	77.0	93.7	120.2	139.5	168.9	228.1
1997.....	19.6	32.8	50.1	64.4	78.4	94.9	117.9	139.2	171.4	233.3
1996.....	20.5	35.1	50.6	67.3	83.2	100.9	125.3	146.9	179.8	239.7
1995.....	21.0	36.1	53.2	68.5	84.8	105.6	127.4	152.2	178.9	237.2
1994.....	21.9	36.9	54.7	66.6	86.9	109.0	130.5	153.9	184.4	227.7
1993.....	22.5	37.5	54.5	71.4	89.7	109.9	129.3	157.2	180.6	238.2
1992.....	23.2	38.4	55.1	70.6	91.4	113.0	134.7	149.6	178.7	228.6
1991.....	24.4	40.3	56.5	76.1	95.8	114.3	130.1	154.2	180.3	230.2
1990.....	26.8	40.4	59.5	75.7	96.0	117.5	136.8	157.0	179.1	229.3
1989.....	26.8	40.1	59.4	78.5	97.0	115.5	135.4	157.2	178.6	222.9
1988.....	24.5	41.0	60.1	80.5	99.7	113.3	134.9	148.0	179.8	217.3
1987.....	23.7	40.4	59.2	78.4	101.1	113.8	132.2	147.3	169.4	208.5
1986.....	26.8	40.3	59.2	79.1	101.0	115.1	134.1	145.7	171.2	211.1
1985.....	25.6	42.8	61.3	82.5	102.3	112.5	129.8	145.9	170.6	209.6
1984.....	25.8	39.6	61.0	81.9	97.7	113.3	130.0	145.3	166.4	213.2
1983.....	24.7	39.5	60.6	82.2	99.7	109.8	126.1	138.1	164.3	212.1
1982.....	26.0	40.0	61.2	82.6	95.1	110.5	121.8	142.4	160.2	208.6
1981.....	25.6	41.3	64.4	80.9	94.4	112.1	123.8	138.2	157.9	200.9
1980.....	25.6	41.8	62.8	81.9	95.0	108.8	119.2	134.8	161.2	198.9
1979.....	26.9	41.6	64.2	79.0	92.9	106.0	119.7	129.7	159.2	193.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)										
ALL OTHER, BOTH SEXES										
1998.....	14.2	24.0	34.7	44.3	48.8	54.0	69.7	81.0	110.4	140.0
1997.....	14.8	25.3	34.2	44.1	53.5	60.0	75.9	85.7	114.3	145.5
1996.....	16.3	25.7	36.2	43.2	46.9	58.1	77.3	90.9	112.7	144.9
1995.....	15.5	28.1	38.5	45.7	55.3	59.7	79.5	87.6	118.4	146.2
1994.....	16.6	25.8	36.5	44.1	54.8	61.8	75.7	90.4	112.7	157.4
1993.....	16.8	25.8	37.5	44.6	52.6	62.7	77.2	101.2	112.4	150.5
1992.....	16.4	25.7	38.2	45.8	53.9	63.3	75.2	82.4	101.2	136.4
1991.....	17.5	27.3	36.4	47.0	59.1	63.7	77.9	91.5	110.4	149.3
1990.....	16.6	26.2	38.6	49.6	56.0	66.3	71.4	87.4	107.4	150.9
1989.....	16.1	28.9	36.1	48.1	52.4	64.8	74.0	81.8	94.6	130.5
1988.....	17.3	25.8	39.3	49.9	56.7	62.1	68.4	81.8	103.8	139.9
1987.....	18.5	28.1	38.5	46.8	57.8	56.3	74.6	73.1	101.0	122.5
1986.....	18.1	26.3	38.5	43.1	55.8	60.4	67.6	74.6	83.2	121.6
1985.....	17.3	26.2	35.7	48.2	55.4	58.2	69.3	77.5	93.7	118.3
1984.....	19.7	25.2	35.9	47.5	59.2	61.5	65.9	71.3	105.1	115.7
1983.....	16.2	25.4	35.6	45.6	53.4	56.1	63.0	73.7	90.8	110.0
1982.....	14.4	27.0	37.5	45.6	50.1	53.6	67.7	75.0	98.4	101.5
1981.....	16.6	25.8	32.7	43.9	48.6	53.5	61.0	64.0	104.1	118.4
1980.....	18.6	24.3	37.7	46.4	50.3	51.4	57.6	70.3	85.5	113.2
1979.....	15.6	27.7	36.0	39.2	50.2	48.0	56.5	64.1	75.9	101.1
ALL OTHER MALE										
1998.....	2.0	3.3	5.6	8.1	8.3	12.3	15.3	15.1	20.1	23.0
1997.....	2.4	3.7	5.9	6.7	9.7	12.3	11.5	16.0	19.4	20.1
1996.....	2.6	3.3	5.1	7.8	7.9	14.5	17.2	19.7	25.3	21.7
1995.....	2.4	4.2	4.6	8.7	9.7	11.9	13.9	20.4	27.2	28.5
1994.....	2.8	3.2	5.8	7.9	9.0	12.8	13.0	17.0	15.2	26.5
1993.....	2.8	4.2	4.9	8.9	9.8	11.2	19.5	19.2	20.8	32.8
1992.....	2.0	3.7	4.9	8.5	11.9	9.4	19.0	19.1	25.8	*
1991.....	2.3	4.9	5.9	9.4	12.9	15.0	16.0	20.4	24.0	25.6
1990.....	2.0	3.8	7.5	9.6	11.7	15.7	15.0	17.9	26.7	28.3
1989.....	2.8	5.4	5.1	11.0	9.9	14.6	18.7	12.6	22.3	25.9
1988.....	3.0	4.4	7.8	8.2	9.3	12.5	12.9	19.6	19.7	43.0
1987.....	2.3	4.6	7.0	8.8	13.4	12.6	14.7	14.4	27.7	26.0
1986.....	2.8	3.0	7.1	6.3	11.4	16.0	13.5	20.0	21.3	*
1985.....	2.8	3.6	6.6	7.9	8.8	14.6	13.7	19.9	25.7	28.8
1984.....	*	3.4	5.7	8.3	11.4	10.6	14.1	13.4	*	27.8
1983.....	*	4.2	4.8	8.5	11.9	10.1	11.6	20.3	21.6	*
1982.....	*	3.0	7.1	7.7	6.5	6.3	13.5	14.6	27.7	*
1981.....	*	*	4.9	7.1	8.4	9.7	13.8	14.0	24.2	*
1980.....	3.1	3.8	6.1	8.7	10.3	9.9	13.1	15.1	19.5	26.3
1979.....	1.7	3.7	5.1	6.4	7.5	9.0	11.4	15.9	16.3	27.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)										
ALL OTHER FEMALE										
1998.....	25.1	41.7	59.0	73.6	80.2	85.2	108.0	124.8	161.8	193.5
1997.....	25.7	43.7	57.9	74.4	87.2	95.4	120.9	131.1	167.6	202.3
1996.....	28.3	44.8	62.2	71.9	76.9	90.5	119.3	136.9	161.8	200.4
1995.....	26.9	48.5	66.9	75.7	90.3	95.3	125.2	130.5	168.5	197.2
1994.....	28.6	44.9	62.3	73.4	89.8	98.1	119.2	136.4	166.3	214.1
1993.....	28.9	44.2	64.9	73.6	85.3	100.7	117.5	152.1	163.4	201.9
1992.....	28.9	44.5	66.4	75.9	85.9	103.2	114.1	121.5	143.6	190.7
1991.....	30.6	46.6	62.2	77.3	94.3	99.5	120.5	135.7	158.5	204.8
1990.....	29.3	45.5	64.9	81.7	89.7	103.7	109.8	130.6	152.9	206.6
1989.....	27.6	49.2	62.4	77.9	84.8	102.1	111.9	125.1	135.8	178.9
1988.....	29.7	44.2	65.9	83.3	93.2	99.0	106.4	121.1	151.5	185.2
1987.....	32.4	48.4	65.0	77.4	92.0	88.9	115.6	110.7	142.9	168.1
1986.....	31.3	46.3	64.7	72.8	90.2	93.6	104.7	109.8	119.1	169.9
1985.....	29.8	45.5	59.8	80.8	91.8	90.9	107.6	115.3	133.3	162.7
1984.....	35.1	43.9	60.9	79.2	96.8	99.4	101.9	109.9	159.0	159.3
1983.....	28.4	43.5	60.8	75.8	86.2	90.8	99.5	109.5	131.5	155.4
1982.....	24.6	47.3	62.3	76.6	84.8	89.1	106.7	115.4	140.8	141.4
1981.....	29.1	45.0	55.3	74.3	80.7	86.7	95.3	97.8	152.7	169.0
1980.....	31.8	41.2	63.3	77.7	82.4	83.2	90.8	108.0	126.1	157.6
1979.....	27.3	47.5	61.1	66.6	84.7	78.2	90.8	98.1	113.9	140.4
BLACK, BOTH SEXES										
1998.....	17.4	28.8	42.1	50.9	58.4	63.1	84.0	94.6	132.1	165.6
1997.....	17.5	30.5	41.7	52.9	64.6	69.4	93.1	101.2	134.2	168.9
1996.....	20.0	31.6	43.2	53.0	57.3	67.1	90.5	104.6	130.6	168.7
1995.....	18.9	33.4	45.7	53.3	64.3	69.0	95.4	103.1	135.8	159.5
1994.....	20.2	31.7	42.8	52.3	65.0	71.8	90.1	102.4	126.8	171.6
1993.....	20.1	31.7	45.0	53.1	62.5	72.9	90.2	115.6	125.5	167.9
1992.....	20.6	30.9	45.6	54.2	63.4	74.1	87.6	92.8	114.1	151.4
1991.....	21.1	32.2	43.1	55.1	68.5	74.5	90.3	101.8	125.3	161.2
1990.....	20.2	30.7	45.4	58.2	65.9	76.2	81.7	98.0	119.3	166.2
1989.....	19.7	34.5	42.6	54.4	61.0	73.1	83.5	89.8	103.9	143.6
1988.....	21.8	30.8	46.9	57.0	64.6	71.1	76.0	90.5	115.8	157.0
1987.....	22.0	32.9	46.1	53.5	66.9	63.1	83.1	80.6	114.1	134.6
1986.....	22.0	31.4	45.0	49.2	63.0	69.1	76.1	81.9	90.6	131.3
1985.....	20.9	31.0	40.0	54.7	61.7	65.3	77.0	85.1	101.6	127.2
1984.....	23.3	29.8	41.5	52.4	66.1	68.1	74.3	79.2	117.8	123.2
1983.....	19.0	29.5	40.0	50.9	59.9	62.4	68.3	82.0	100.4	116.3
1982.....	16.9	30.3	41.8	50.9	55.1	58.6	74.6	83.8	110.1	109.1
1981.....	19.1	29.5	35.8	49.3	53.0	58.3	67.3	70.1	114.8	126.8
1980.....	21.2	27.3	41.1	51.0	55.1	55.9	64.0	76.8	95.9	120.7
1979.....	17.0	30.9	39.0	43.0	54.0	51.6	61.3	67.9	83.1	109.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)										
BLACK MALE										
1998.....	2.6	4.1	6.3	9.9	9.1	14.7	16.4	15.3	21.3	26.7
1997.....	2.9	4.5	7.3	8.5	11.6	13.3	13.8	17.3	20.7	23.4
1996.....	3.2	4.1	5.5	10.0	9.6	16.4	19.7	19.8	26.6	25.2
1995.....	2.8	5.1	5.8	10.0	10.6	13.5	14.6	25.2	28.0	*
1994.....	3.6	4.2	7.5	9.0	11.1	14.5	14.7	18.1	*	28.8
1993.....	3.5	4.6	6.0	11.3	12.0	12.2	21.2	19.6	19.0	33.6
1992.....	2.5	4.6	6.0	10.7	13.7	10.5	21.7	22.3	25.3	*
1991.....	2.5	6.5	7.7	11.4	15.4	17.7	18.9	22.7	24.8	*
1990.....	2.8	4.7	8.5	12.4	13.4	18.0	16.6	19.6	24.4	30.2
1989.....	3.2	6.5	6.7	13.2	11.7	16.2	21.0	12.9	22.7	*
1988.....	3.8	5.5	9.9	9.9	10.0	13.6	13.6	22.0	23.4	49.2
1987.....	2.8	6.2	8.3	10.9	15.3	14.1	15.3	16.0	31.5	*
1986.....	3.5	3.4	8.4	7.4	12.8	18.7	15.3	21.5	23.3	*
1985.....	*	3.9	7.8	8.6	9.7	14.7	15.0	21.8	26.4	*
1984.....	*	4.2	7.0	8.4	11.3	11.6	15.9	16.2	*	*
1983.....	*	5.4	5.4	9.9	12.4	11.3	12.7	21.8	*	*
1982.....	*	*	7.9	8.4	7.1	7.2	14.5	14.9	32.5	*
1981.....	*	*	5.7	7.8	9.4	10.2	15.5	15.2	27.3	*
1980.....	3.5	4.4	6.9	9.8	11.4	9.6	14.5	15.7	22.7	24.5
1979.....	2.0	4.2	5.4	6.6	8.3	8.9	11.5	18.0	16.9	26.9
BLACK FEMALE										
1998.....	30.4	49.7	71.3	82.9	95.3	99.2	131.1	145.4	190.2	223.3
1997.....	30.3	52.3	69.6	87.5	104.3	111.4	147.6	154.1	193.0	229.1
1996.....	34.6	54.8	73.7	86.6	93.1	105.1	138.6	157.5	184.2	227.6
1995.....	32.8	57.1	78.2	87.3	104.9	110.4	149.9	151.2	190.7	215.5
1994.....	34.5	54.7	71.6	86.2	105.8	114.3	140.7	153.2	183.3	229.5
1993.....	34.4	54.5	77.0	85.9	100.7	117.5	136.8	172.4	180.2	222.7
1992.....	36.2	52.9	78.0	88.5	100.9	120.7	131.4	133.9	160.0	209.6
1991.....	37.1	53.7	72.1	89.8	108.8	115.6	137.6	148.4	177.0	217.8
1990.....	35.2	52.6	75.7	94.5	105.5	118.2	124.4	144.0	168.5	223.8
1989.....	33.7	58.1	72.0	87.2	98.4	114.2	124.9	135.2	146.5	195.4
1988.....	37.0	52.0	77.2	94.7	106.0	112.8	116.8	131.4	164.6	204.0
1987.....	38.3	55.1	77.1	87.9	106.2	98.7	127.5	119.7	158.5	183.3
1986.....	37.5	54.6	74.9	82.8	101.7	106.0	116.0	118.9	127.3	181.2
1985.....	36.2	53.4	66.4	92.0	101.9	102.4	118.0	124.5	143.0	172.9
1984.....	40.8	51.0	69.8	88.1	108.5	109.8	113.4	118.8	175.0	168.2
1983.....	32.9	49.4	68.2	84.3	97.1	100.0	106.1	120.1	144.1	162.9
1982.....	28.9	52.5	69.2	85.4	92.7	96.5	115.9	128.3	155.1	152.5
1981.....	33.0	51.0	60.2	83.1	87.3	94.0	103.5	105.7	165.9	180.5
1980.....	35.9	46.0	68.7	84.6	89.7	90.3	99.1	116.6	139.8	168.8
1979.....	29.5	52.9	66.2	72.9	90.4	83.6	97.1	101.7	124.2	151.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.2	0.6	0.7	1.1	1.3	1.9	2.2	2.7
1997.....	0.2	0.2	0.3	0.6	0.7	0.9	1.2	1.7	1.9	2.9
1996.....	0.2	0.3	0.4	0.5	0.8	1.1	1.4	2.1	2.2	2.8
1995.....	0.2	0.3	0.4	0.7	0.7	0.9	1.3	2.2	2.3	2.9
1994.....	0.2	0.3	0.3	0.5	0.9	0.9	1.4	1.9	2.5	2.8
1993.....	0.2	0.2	0.3	0.7	0.7	1.1	1.6	1.9	3.0	2.8
1992.....	0.2	0.2	0.3	0.6	0.7	1.0	1.6	1.7	2.7	3.3
1991.....	0.2	0.3	0.4	0.5	0.8	1.1	1.4	1.8	2.4	3.1
1990.....	0.2	0.3	0.4	0.5	0.8	1.0	1.7	1.5	2.2	2.8
1989.....	0.2	0.2	0.4	0.6	0.7	0.9	1.3	1.8	2.4	2.7
1988.....	0.1	0.3	0.5	0.5	0.6	1.0	1.3	1.7	2.4	2.8
1987.....	0.2	0.2	0.3	0.4	0.8	0.9	1.3	1.7	2.3	2.8
1986.....	0.2	0.2	0.4	0.5	0.9	1.0	1.4	2.1	1.9	2.2
1985.....	0.3	0.3	0.5	0.5	0.8	0.9	1.4	1.7	2.7	2.5
1984.....	0.2	0.2	0.3	0.4	0.7	1.1	1.1	1.7	2.1	2.1
1983.....	0.2	0.3	0.4	0.6	0.8	1.1	1.3	1.8	2.3	2.9
1982.....	0.2	0.4	0.4	0.5	0.7	0.8	1.4	1.7	2.8	2.2
1981.....	0.2	0.3	0.4	0.7	0.9	1.0	1.5	1.9	3.0	2.8
1980.....	0.3	0.4	0.5	0.7	0.9	1.2	1.4	2.3	2.8	3.5
1979.....	0.1	0.3	0.6	0.7	1.1	1.1	1.6	2.4	2.7	2.3
TOTAL, MALE										
1998.....	0.2	0.4	0.3	0.8	0.9	1.3	1.7	2.0	2.6	5.0
1997.....	0.4	0.3	0.5	0.6	0.8	1.2	1.5	2.2	2.6	4.1
1996.....	0.3	0.3	0.4	0.7	1.0	1.5	1.8	2.6	2.6	3.9
1995.....	0.3	0.4	0.5	1.0	0.9	1.2	1.6	2.4	3.5	3.7
1994.....	0.3	0.4	0.4	0.8	1.1	1.0	2.2	2.3	3.3	3.8
1993.....	*	*	0.4	0.7	0.8	1.4	2.0	2.6	4.3	4.0
1992.....	0.2	0.4	0.3	0.8	0.8	1.1	1.9	2.7	3.6	3.7
1991.....	0.2	0.4	0.6	0.7	1.0	1.4	2.0	2.1	3.1	4.0
1990.....	*	0.4	0.6	0.7	0.9	1.2	2.1	2.1	2.3	3.9
1989.....	*	*	0.6	0.8	1.0	1.1	1.7	2.4	2.9	4.6
1988.....	*	0.5	0.5	0.6	0.7	1.2	1.8	2.3	3.7	3.7
1987.....	*	*	*	0.5	1.0	1.3	1.7	2.0	2.9	3.9
1986.....	*	*	0.4	0.5	1.2	1.2	1.5	2.7	2.4	*
1985.....	0.4	0.4	0.6	0.5	1.1	1.1	1.6	2.3	3.8	4.3
1984.....	*	*	0.4	0.4	0.9	1.2	1.3	2.2	2.7	3.2
1983.....	*	0.4	0.5	0.7	1.1	1.2	1.8	2.5	3.0	3.3
1982.....	0.4	0.5	0.7	0.7	0.9	1.1	1.8	2.5	3.4	3.1
1981.....	*	0.4	0.4	0.9	1.2	1.4	2.0	2.5	4.1	4.4
1980.....	0.3	0.5	0.9	0.9	1.3	1.5	2.1	2.5	3.8	5.4
1979.....	0.2	0.4	0.7	0.9	1.3	1.3	2.0	3.3	3.9	3.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)										
TOTAL, FEMALE										
1998.....	*	0.3	*	0.4	0.6	0.8	1.0	1.8	2.0	1.7
1997.....	*	*	*	0.5	0.7	0.6	1.0	1.4	1.5	2.4
1996.....	0.2	0.3	0.3	*	0.6	0.7	1.1	1.8	1.9	2.3
1995.....	*	0.3	*	0.4	0.5	0.6	1.0	2.1	1.6	2.5
1994.....	*	*	*	0.4	0.6	0.8	0.9	1.6	2.0	2.5
1993.....	*	*	*	0.7	0.6	0.9	1.3	1.4	2.3	2.3
1992.....	*	*	*	0.5	0.6	1.0	1.3	1.0	2.2	3.2
1991.....	*	*	*	*	0.6	0.8	1.0	1.5	2.0	2.8
1990.....	*	*	*	*	0.8	0.8	1.4	1.2	2.1	2.4
1989.....	*	*	*	0.4	0.5	0.8	1.1	1.5	2.2	2.0
1988.....	*	*	0.5	0.5	0.5	0.9	1.0	1.4	1.7	2.5
1987.....	*	*	*	0.4	0.6	0.6	1.0	1.5	2.0	2.3
1986.....	*	*	*	0.5	0.7	0.8	1.3	1.7	1.6	2.1
1985.....	*	*	0.4	0.4	0.6	0.7	1.1	1.4	2.1	1.7
1984.....	*	*	*	0.4	0.5	1.1	0.9	1.4	1.8	1.7
1983.....	*	*	*	0.5	0.5	1.0	1.0	1.3	2.0	2.8
1982.....	*	*	*	0.4	0.5	0.5	1.1	1.1	2.5	1.8
1981.....	*	*	0.3	0.5	0.6	0.7	1.1	1.5	2.4	2.1
1980.....	0.2	0.4	0.2	0.5	0.6	0.9	1.0	2.2	2.2	2.6
1979.....	0.1	0.2	0.5	0.6	0.8	0.9	1.3	1.8	2.1	1.9
WHITE, BOTH SEXES										
1998.....	0.2	0.3	0.2	0.6	0.7	1.2	1.4	1.9	2.3	2.8
1997.....	0.2	0.2	0.3	0.5	0.7	0.8	1.3	1.7	2.0	2.9
1996.....	0.2	0.2	0.4	0.5	0.9	1.0	1.3	2.0	2.0	2.8
1995.....	0.2	0.3	0.3	0.6	0.6	0.9	1.3	2.2	2.3	2.8
1994.....	0.2	0.3	0.3	0.5	0.8	0.9	1.5	1.9	2.4	2.7
1993.....	0.1	0.2	0.4	0.7	0.7	1.1	1.5	1.8	2.9	2.8
1992.....	0.2	0.2	0.3	0.6	0.6	1.1	1.5	1.8	2.7	3.4
1991.....	0.2	0.3	0.4	0.5	0.7	1.1	1.4	1.7	2.4	3.1
1990.....	0.1	0.3	0.4	0.5	0.8	1.0	1.6	1.5	2.2	2.7
1989.....	0.2	0.2	0.4	0.5	0.7	1.0	1.3	1.8	2.5	2.8
1988.....	*	0.3	0.4	0.5	0.6	1.1	1.3	1.7	2.4	2.5
1987.....	0.2	*	0.3	0.4	0.8	0.9	1.3	1.7	2.3	2.7
1986.....	0.2	0.2	0.4	0.5	0.9	0.9	1.4	2.1	2.0	2.2
1985.....	0.3	0.3	0.5	0.5	0.8	0.9	1.3	1.7	2.7	2.5
1984.....	0.2	*	0.3	0.4	0.7	1.1	1.1	1.7	2.2	2.1
1983.....	0.2	0.3	0.4	0.6	0.8	1.1	1.4	1.8	2.4	3.0
1982.....	0.2	0.3	0.4	0.5	0.7	0.8	1.5	1.6	2.9	2.3
1981.....	0.2	0.3	0.3	0.7	0.9	1.0	1.5	1.8	2.9	2.8
1980.....	0.3	0.4	0.6	0.6	0.9	1.2	1.4	2.4	2.8	3.4
1979.....	0.1	0.3	0.6	0.7	1.1	1.1	1.6	2.4	2.8	2.3



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)										
WHITE MALE										
1998.....	0.2	0.4	*	0.8	0.9	1.5	1.7	2.1	2.7	5.1
1997.....	0.4	0.3	0.5	0.5	0.8	1.1	1.6	2.2	2.6	4.2
1996.....	0.3	0.3	0.4	0.7	1.1	1.4	1.7	2.4	2.5	4.2
1995.....	*	0.4	0.5	0.8	0.8	1.3	1.6	2.3	3.5	3.7
1994.....	0.3	0.4	*	0.7	1.1	0.9	2.2	2.4	3.1	3.5
1993.....	*	*	0.4	0.7	0.8	1.5	1.8	2.6	4.1	3.9
1992.....	0.3	0.4	*	0.8	0.6	1.1	1.7	2.8	3.5	3.9
1991.....	0.3	0.4	0.6	0.8	0.9	1.4	2.1	2.0	3.1	4.0
1990.....	*	0.4	0.5	0.7	0.8	1.2	1.9	1.9	2.2	3.7
1989.....	*	*	0.5	0.7	1.0	1.1	1.7	2.3	2.8	4.7
1988.....	*	0.4	0.4	0.6	0.7	1.2	1.8	2.3	3.5	3.1
1987.....	*	*	*	0.5	1.1	1.2	1.6	2.1	2.8	3.6
1986.....	*	*	*	0.6	1.2	1.1	1.4	2.8	2.6	*
1985.....	0.4	*	0.5	0.5	1.1	1.1	1.4	2.3	3.7	4.4
1984.....	*	*	*	0.5	0.8	1.1	1.3	2.1	2.9	3.3
1983.....	*	0.4	0.5	0.7	1.1	1.2	1.9	2.5	2.9	3.5
1982.....	0.4	*	0.7	0.6	0.9	1.2	1.9	2.5	3.6	3.4
1981.....	*	*	*	1.0	1.3	1.4	2.0	2.4	4.1	4.6
1980.....	0.3	0.5	0.9	0.8	1.4	1.6	2.1	2.6	3.8	5.6
1979.....	0.2	0.4	0.6	0.9	1.4	1.2	2.1	3.3	4.0	3.1
WHITE FEMALE										
1998.....	*	0.3	*	0.4	0.5	0.9	1.1	1.7	2.0	1.8
1997.....	*	*	*	0.6	0.6	0.6	1.0	1.4	1.6	2.4
1996.....	*	*	*	*	0.6	0.7	1.0	1.7	1.8	2.2
1995.....	*	0.3	*	*	0.5	0.6	1.0	2.2	1.6	2.5
1994.....	*	*	*	*	0.5	0.8	0.9	1.6	2.0	2.4
1993.....	*	*	*	0.6	0.7	0.8	1.2	1.3	2.3	2.4
1992.....	*	*	*	0.5	0.6	1.0	1.2	1.1	2.3	3.2
1991.....	*	*	*	*	0.6	0.8	1.0	1.5	2.1	2.7
1990.....	*	*	*	*	0.7	0.9	1.4	1.2	2.2	2.3
1989.....	*	*	*	*	0.5	0.9	1.0	1.5	2.4	2.0
1988.....	*	*	0.4	0.5	0.5	0.9	1.0	1.3	1.8	2.3
1987.....	*	*	*	*	0.6	0.6	1.1	1.5	1.9	2.4
1986.....	*	*	*	0.5	0.6	0.7	1.3	1.7	1.7	2.2
1985.....	*	*	*	0.4	0.6	0.7	1.3	1.3	2.2	1.8
1984.....	*	*	*	0.4	0.5	1.1	1.0	1.4	1.9	1.7
1983.....	*	*	*	0.5	0.5	1.0	1.1	1.4	2.1	2.9
1982.....	*	*	*	0.4	0.5	0.6	1.2	1.0	2.6	1.9
1981.....	*	*	*	0.4	0.5	0.7	1.1	1.4	2.4	2.0
1980.....	0.2	0.3	0.3	0.5	0.6	0.9	1.0	2.3	2.3	2.5
1979.....	0.1	0.1	0.5	0.5	0.8	0.9	1.3	1.7	2.1	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	2.2	3.0	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	2.5	*	*	*
1992.....	*	*	*	*	*	*	2.6	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.4	0.4	1.1	0.9	0.7	1.7	1.6	2.6	3.9
1979.....	0.1	0.4	0.9	0.8	1.0	1.1	1.6	2.5	2.2	2.3
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	0.8	1.8	0.9	0.8	2.5	2.2	4.6	3.3
1979.....	0.3	0.5	1.4	0.5	0.9	2.1	1.1	3.3	2.3	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	0.1	0.5	0.9	0.6	1.1	1.1	1.4	4.2
1979.....	-	0.4	0.6	1.1	1.1	0.4	2.0	1.9	2.2	1.8
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	3.8	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	2.9	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	0.5	1.1	1.0	0.6	1.8	1.3	3.0	3.1
1979.....	0.2	0.5	0.8	0.9	1.0	1.3	1.9	2.3	2.0	2.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.6	1.0	1.9	1.0	0.9	2.6	1.3	5.3	1.9
1979.....	0.4	0.6	1.4	0.4	1.1	2.4	1.3	3.7	2.6	3.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	0.2	0.3	1.0	0.4	1.2	1.3	1.6	3.8
1979.....	-	0.5	0.3	1.2	0.9	0.4	2.2	1.3	1.6	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)										
TOTAL, BOTH SEXES										
1998.....	0.9	1.4	1.8	2.5	3.2	4.0	5.7	6.4	7.4	8.2
1997.....	0.8	1.2	1.8	2.6	3.6	4.5	5.3	7.4	8.4	8.4
1996.....	0.9	1.4	2.0	2.6	3.1	4.2	5.2	6.3	7.7	8.8
1995.....	0.9	1.4	1.8	2.6	3.1	4.4	5.1	7.0	7.5	8.1
1994.....	0.9	1.3	1.9	2.2	3.3	4.3	5.3	6.2	7.5	8.2
1993.....	0.8	1.3	1.6	2.4	3.4	3.9	5.6	6.9	8.0	7.3
1992.....	0.8	1.2	1.8	2.3	2.8	3.6	5.1	6.0	7.2	8.1
1991.....	0.8	1.3	1.7	2.4	2.8	4.2	5.1	6.1	6.4	7.0
1990.....	0.9	1.1	1.5	2.1	2.8	3.8	4.8	5.5	6.8	8.1
1989.....	0.8	1.2	1.6	1.8	3.0	3.4	5.0	5.2	6.6	6.1
1988.....	0.8	1.0	1.4	2.3	2.5	3.6	4.4	5.5	6.5	7.1
1987.....	0.8	1.0	1.7	2.2	3.1	4.0	4.6	5.6	6.3	6.3
1986.....	0.9	1.1	1.5	2.0	2.5	3.5	4.4	5.7	6.5	6.2
1985.....	0.9	1.1	1.8	1.9	3.0	3.5	4.6	4.9	6.7	7.2
1984.....	0.7	1.2	1.5	2.4	2.9	3.4	4.6	4.9	6.0	6.3
1983.....	0.8	1.1	1.5	2.0	3.0	3.2	4.0	5.3	5.6	6.8
1982.....	0.8	1.1	1.4	2.0	2.8	3.2	3.9	5.3	5.2	6.5
1981.....	0.7	1.3	1.6	2.1	2.5	3.2	4.3	5.0	5.9	6.2
1980.....	0.7	1.1	1.6	2.0	2.7	3.4	3.8	5.0	5.5	6.9
1979.....	0.8	1.2	1.4	2.1	2.6	3.0	4.2	4.7	6.1	6.0
TOTAL, MALE										
1998.....	1.1	1.4	1.6	2.5	3.2	4.4	6.5	7.1	8.8	9.5
1997.....	1.0	1.2	1.7	2.4	3.8	4.9	5.7	8.9	9.7	10.5
1996.....	0.9	1.3	1.7	2.4	3.1	4.7	6.4	7.4	8.7	12.1
1995.....	1.0	1.4	1.7	2.6	3.2	4.9	5.5	8.0	9.7	13.2
1994.....	1.0	1.2	1.8	2.2	3.3	4.1	5.8	6.7	8.1	11.7
1993.....	0.9	1.3	1.5	2.3	3.3	4.2	6.8	7.2	9.0	8.9
1992.....	0.9	1.0	1.8	2.2	2.7	4.0	5.0	7.8	9.3	11.8
1991.....	0.8	1.4	1.5	2.5	2.9	4.6	6.1	6.9	8.0	9.6
1990.....	0.9	1.2	1.4	2.5	2.7	4.0	5.1	6.7	8.4	10.9
1989.....	0.7	1.3	1.8	1.9	3.1	3.6	5.3	6.4	7.9	7.9
1988.....	1.1	1.0	1.6	2.5	2.6	3.9	5.2	6.4	8.7	11.9
1987.....	0.9	1.1	1.8	2.0	3.5	4.5	4.8	5.8	8.0	7.4
1986.....	0.9	1.2	1.6	1.9	2.3	3.7	5.4	7.1	7.1	7.7
1985.....	0.8	1.0	1.8	1.6	2.9	4.0	5.2	5.6	7.9	10.9
1984.....	0.7	1.2	1.5	2.5	3.1	3.7	5.1	5.5	6.5	7.8
1983.....	0.8	1.3	1.6	2.0	3.3	3.7	4.6	6.9	6.2	7.9
1982.....	0.8	1.2	1.7	2.1	2.9	3.6	4.5	5.8	5.1	8.6
1981.....	0.6	1.3	1.6	2.2	2.4	3.4	5.1	5.7	7.1	9.3
1980.....	0.9	1.1	1.4	1.9	2.8	3.8	4.5	6.4	7.1	9.0
1979.....	0.9	1.3	1.3	2.1	2.5	3.3	5.0	5.3	8.1	7.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)										
TOTAL, FEMALE										
1998.....	0.7	1.3	2.0	2.6	3.1	3.6	5.1	6.0	6.5	7.6
1997.....	0.6	1.2	1.9	2.9	3.4	4.1	4.9	6.4	7.6	7.5
1996.....	0.9	1.4	2.3	2.7	3.1	3.9	4.3	5.6	7.1	7.5
1995.....	0.8	1.4	1.9	2.7	3.1	4.0	4.8	6.3	6.3	6.2
1994.....	0.9	1.4	2.0	2.1	3.3	4.4	4.9	5.9	7.1	6.8
1993.....	0.8	1.4	1.7	2.4	3.5	3.7	4.7	6.7	7.4	6.7
1992.....	0.7	1.4	1.8	2.4	3.0	3.3	5.2	4.8	6.1	6.7
1991.....	0.7	1.1	1.9	2.2	2.8	3.8	4.4	5.6	5.5	6.0
1990.....	0.8	1.0	1.5	1.8	2.9	3.6	4.5	4.8	5.9	7.1
1989.....	0.8	1.1	1.5	1.8	2.9	3.1	4.7	4.5	5.9	5.4
1988.....	0.6	1.0	1.3	2.1	2.4	3.4	3.8	4.9	5.4	5.2
1987.....	0.6	1.0	1.6	2.3	2.9	3.6	4.4	5.4	5.4	5.9
1986.....	0.8	1.0	1.4	2.1	2.7	3.3	3.7	4.8	6.2	5.6
1985.....	0.9	1.3	1.9	2.2	3.1	3.0	4.2	4.4	6.0	5.7
1984.....	0.6	1.2	1.5	2.3	2.8	3.1	4.2	4.6	5.8	5.7
1983.....	0.7	0.9	1.5	2.0	2.8	2.8	3.5	4.3	5.4	6.3
1982.....	0.7	1.1	1.1	1.9	2.7	2.8	3.5	5.0	5.2	5.6
1981.....	0.7	1.2	1.6	1.9	2.6	3.1	3.6	4.5	5.3	4.9
1980.....	0.6	1.1	1.8	2.0	2.6	3.0	3.3	4.1	4.6	6.0
1979.....	0.7	1.1	1.5	2.2	2.7	2.8	3.7	4.2	5.1	5.2
WHITE, BOTH SEXES										
1998.....	0.9	1.3	1.7	2.4	3.2	3.9	5.7	6.4	7.3	8.3
1997.....	0.8	1.1	1.7	2.6	3.6	4.4	5.3	7.5	8.5	8.6
1996.....	0.8	1.3	1.9	2.4	3.1	4.2	4.9	6.2	7.8	9.0
1995.....	0.9	1.3	1.7	2.5	3.1	4.3	5.0	7.0	7.3	8.5
1994.....	0.9	1.3	1.8	2.1	3.2	4.1	5.4	6.3	7.7	8.4
1993.....	0.8	1.2	1.5	2.3	3.4	3.8	5.5	6.7	7.9	7.3
1992.....	0.8	1.2	1.8	2.2	2.7	3.5	5.0	6.1	7.3	8.4
1991.....	0.7	1.3	1.6	2.2	2.7	4.0	5.1	5.9	6.4	6.8
1990.....	0.9	1.2	1.4	2.2	2.7	3.6	4.9	5.4	6.6	8.1
1989.....	0.7	1.2	1.6	1.7	2.9	3.2	4.9	5.5	6.7	6.5
1988.....	0.8	1.0	1.4	2.2	2.4	3.5	4.4	5.7	6.7	7.2
1987.....	0.8	1.0	1.6	2.1	3.2	4.0	4.6	5.6	6.3	6.3
1986.....	0.9	1.1	1.4	2.0	2.4	3.4	4.4	5.6	6.6	6.1
1985.....	0.8	1.1	1.7	1.8	2.9	3.3	4.6	4.8	6.5	7.2
1984.....	0.7	1.1	1.4	2.2	2.8	3.2	4.6	5.0	6.0	6.3
1983.....	0.8	1.0	1.6	1.9	3.0	3.3	4.1	5.4	5.5	7.1
1982.....	0.7	1.1	1.3	2.0	2.8	3.2	3.7	5.2	5.0	6.8
1981.....	0.7	1.3	1.6	2.0	2.5	3.2	4.3	5.0	6.0	6.3
1980.....	0.7	1.0	1.4	1.9	2.5	3.3	3.8	5.1	5.6	6.7
1979.....	0.7	1.2	1.3	2.0	2.4	3.1	4.3	4.7	6.3	6.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)										
WHITE MALE										
1998.....	1.1	1.4	1.4	2.4	3.3	4.4	6.5	7.3	8.9	9.9
1997.....	1.0	1.1	1.5	2.5	3.9	4.9	5.9	9.1	10.2	10.7
1996.....	0.9	1.2	1.7	2.3	3.2	4.6	6.2	7.4	9.1	12.9
1995.....	1.0	1.3	1.7	2.6	3.3	4.9	5.4	8.2	9.9	13.8
1994.....	0.9	1.2	1.7	2.2	3.5	4.1	6.1	6.9	8.7	12.5
1993.....	0.8	1.2	1.5	2.3	3.6	4.2	6.9	7.3	9.0	8.9
1992.....	0.9	1.1	1.9	2.1	2.7	4.2	4.9	8.2	9.4	12.7
1991.....	0.8	1.4	1.4	2.5	2.8	4.6	6.1	6.8	8.2	9.7
1990.....	1.0	1.3	1.3	2.7	2.7	3.8	5.2	6.6	8.4	11.3
1989.....	0.7	1.3	1.8	1.8	3.0	3.5	5.3	6.9	8.0	8.3
1988.....	1.1	1.0	1.6	2.5	2.6	3.9	5.3	6.7	9.1	12.3
1987.....	0.9	1.0	1.8	2.0	3.5	4.6	4.9	5.9	8.1	7.2
1986.....	1.0	1.2	1.4	1.9	2.2	3.7	5.4	7.3	7.1	8.1
1985.....	0.8	1.0	1.8	1.5	3.0	3.9	5.3	5.6	7.6	10.8
1984.....	0.7	1.2	1.4	2.4	3.0	3.7	5.2	5.7	6.7	7.6
1983.....	0.8	1.2	1.6	1.9	3.3	3.9	4.8	6.9	6.0	8.4
1982.....	0.8	1.1	1.6	2.1	2.9	3.8	4.4	5.8	4.7	8.9
1981.....	0.7	1.3	1.7	2.2	2.3	3.5	5.2	5.7	7.1	9.6
1980.....	0.9	1.1	1.3	1.9	2.6	3.8	4.6	6.7	7.3	9.0
1979.....	0.8	1.2	1.3	2.0	2.4	3.4	5.1	5.4	8.5	7.9
WHITE FEMALE										
1998.....	0.6	1.3	2.0	2.3	3.0	3.5	5.0	5.7	6.4	7.7
1997.....	0.5	1.1	1.9	2.8	3.3	3.9	4.8	6.3	7.4	7.8
1996.....	0.8	1.3	2.2	2.4	3.0	3.8	3.9	5.3	7.1	7.5
1995.....	0.8	1.3	1.8	2.4	2.9	3.8	4.7	6.2	5.9	6.5
1994.....	0.9	1.4	1.8	1.9	3.0	4.0	4.8	5.8	7.2	6.9
1993.....	0.8	1.3	1.5	2.3	3.2	3.4	4.5	6.3	7.3	6.7
1992.....	0.7	1.3	1.6	2.2	2.8	3.0	5.0	4.7	6.1	6.8
1991.....	0.7	1.2	1.8	2.0	2.7	3.5	4.3	5.3	5.5	5.7
1990.....	0.8	1.0	1.6	1.8	2.7	3.4	4.6	4.6	5.7	6.9
1989.....	0.8	1.1	1.4	1.6	2.7	3.0	4.6	4.6	6.1	5.9
1988.....	0.6	0.9	1.2	2.0	2.2	3.2	3.8	5.0	5.4	5.3
1987.....	0.6	0.9	1.4	2.2	2.9	3.5	4.3	5.4	5.4	5.9
1986.....	0.7	0.9	1.4	2.0	2.5	3.3	3.6	4.5	6.3	5.4
1985.....	0.8	1.3	1.7	2.1	2.9	2.8	4.0	4.4	5.9	5.9
1984.....	0.6	1.1	1.3	2.1	2.7	2.7	4.1	4.5	5.6	5.8
1983.....	0.8	0.8	1.5	1.9	2.7	2.8	3.5	4.4	5.3	6.5
1982.....	0.6	1.1	1.0	1.9	2.7	2.7	3.3	4.8	5.1	6.0
1981.....	0.7	1.3	1.6	1.9	2.6	2.9	3.6	4.5	5.4	4.9
1980.....	0.5	0.9	1.6	1.8	2.5	2.8	3.3	4.1	4.7	5.8
1979.....	0.7	1.1	1.4	2.0	2.5	2.8	3.7	4.2	5.2	5.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	1.5	2.6	3.6	3.2	4.4	5.7	7.3	7.8	6.7
1997.....	1.1	1.5	2.4	2.8	3.6	5.2	5.3	6.6	7.7	6.3
1996.....	1.3	1.9	2.1	3.6	3.1	4.7	7.5	7.6	6.6	6.2
1995.....	1.0	1.8	1.9	3.3	3.6	5.2	6.0	6.7	9.4	*
1994.....	1.3	1.4	2.8	2.8	4.1	5.6	4.7	5.9	*	*
1993.....	1.2	1.9	2.1	2.7	4.0	5.0	6.0	8.7	8.5	7.3
1992.....	0.8	1.3	2.1	2.9	3.7	4.4	6.2	5.7	6.6	*
1991.....	0.9	1.3	2.2	3.0	3.5	5.6	5.1	8.2	5.9	8.8
1990.....	*	*	1.9	1.8	3.6	5.4	3.9	6.7	7.9	8.1
1989.....	0.9	1.7	1.8	2.8	4.2	4.7	5.8	*	*	*
1988.....	*	1.3	1.7	2.8	3.1	4.7	4.2	3.7	*	*
1987.....	*	1.3	2.5	2.7	2.9	4.1	4.9	5.8	*	*
1986.....	*	1.3	1.9	2.5	3.4	4.0	4.7	6.4	*	*
1985.....	1.3	*	2.5	2.5	3.7	4.9	5.3	5.2	8.4	*
1984.....	*	1.6	2.3	3.5	4.0	4.8	4.6	4.7	*	*
1983.....	*	1.5	*	3.0	3.4	2.8	3.1	4.9	*	*
1982.....	*	*	2.0	2.2	2.3	2.4	5.8	5.9	*	*
1981.....	*	*	1.5	2.2	2.4	3.4	4.3	5.0	*	*
1980.....	1.1	1.9	3.0	3.0	4.0	4.3	3.6	4.3	3.9	8.4
1979.....	1.0	1.6	1.8	3.3	3.8	2.4	3.9	4.3	3.6	4.0
ALL OTHER MALE										
1998.....	1.2	1.4	2.8	3.2	*	4.3	6.4	*	*	*
1997.....	1.3	*	2.8	*	*	4.9	*	*	*	*
1996.....	1.2	2.0	*	3.1	*	5.2	7.6	*	*	*
1995.....	*	1.9	*	*	*	4.9	5.9	*	*	*
1994.....	1.6	*	*	*	*	4.2	*	*	*	*
1993.....	*	*	*	*	*	4.1	5.8	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	3.6	4.7	*	*	*	*
1990.....	*	*	*	*	*	6.3	*	*	*	*
1989.....	*	*	*	*	4.1	5.1	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	5.1	*	*	*	*
1984.....	*	*	*	3.4	4.2	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.1	1.6	2.5	2.4	4.5	3.9	3.6	4.5	4.6	8.2
1979.....	1.3	2.2	1.7	3.1	2.6	2.3	3.8	4.4	3.5	5.1



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)										
ALL OTHER FEMALE										
1998.....	1.0	1.6	2.4	4.0	3.4	4.5	5.2	8.4	7.4	*
1997.....	*	1.7	2.1	3.7	3.9	5.4	6.1	6.6	9.7	*
1996.....	1.3	1.9	2.6	4.0	3.7	4.3	7.5	8.1	7.7	*
1995.....	*	1.7	2.4	3.9	4.4	5.5	6.1	7.1	10.2	*
1994.....	*	1.6	3.3	3.4	5.4	6.6	5.8	6.5	*	*
1993.....	1.2	2.0	2.6	3.0	5.8	5.7	6.2	10.1	8.3	*
1992.....	*	*	2.9	3.2	4.2	5.7	6.9	6.3	*	*
1991.....	*	*	2.4	3.5	3.5	6.3	4.7	8.4	*	*
1990.....	*	*	*	*	4.2	4.7	*	6.4	*	*
1989.....	*	*	*	2.7	4.3	4.4	5.8	*	*	*
1988.....	*	*	*	3.2	4.1	5.1	*	*	*	*
1987.....	*	*	2.8	3.3	*	4.3	5.8	6.0	*	*
1986.....	*	*	*	3.0	3.6	3.7	4.5	7.1	*	*
1985.....	*	*	3.3	*	4.9	4.7	6.2	*	*	*
1984.....	*	*	*	3.6	3.8	5.8	5.2	*	*	*
1983.....	*	*	*	3.0	3.4	*	*	*	*	*
1982.....	*	*	*	*	*	*	6.0	*	*	*
1981.....	*	*	*	*	*	4.3	*	*	*	*
1980.....	1.1	2.2	3.5	3.5	3.6	4.6	3.5	4.2	3.5	8.4
1979.....	0.7	1.1	1.9	3.5	4.7	2.4	4.0	4.3	3.6	3.5
BLACK, BOTH SEXES										
1998.....	1.4	1.7	2.6	4.3	3.2	4.9	6.3	7.8	8.3	7.8
1997.....	1.2	1.8	2.7	3.2	4.3	5.6	6.2	6.9	7.7	6.8
1996.....	1.7	2.4	2.5	4.5	3.6	5.4	7.7	6.8	6.6	7.0
1995.....	1.2	2.1	2.4	3.6	4.1	5.9	6.9	8.0	9.7	*
1994.....	1.6	1.9	3.5	3.0	4.8	6.6	4.9	7.0	*	*
1993.....	1.4	2.1	2.8	3.4	4.5	5.3	6.1	10.1	7.8	*
1992.....	1.1	1.6	2.4	3.4	4.4	5.0	7.2	6.4	*	*
1991.....	1.0	1.5	2.5	3.7	3.8	6.4	5.7	8.0	*	9.5
1990.....	*	*	2.4	2.1	4.2	6.2	4.2	7.2	7.6	*
1989.....	*	1.9	1.9	3.5	4.9	5.2	6.3	*	*	*
1988.....	*	1.5	2.0	3.2	3.1	5.3	4.6	4.2	*	*
1987.....	*	1.6	2.9	2.9	3.1	4.5	4.6	6.5	*	*
1986.....	*	*	2.2	2.7	3.8	4.6	5.3	7.3	*	*
1985.....	*	*	3.0	2.9	4.2	5.0	6.1	5.9	9.4	*
1984.....	*	2.0	2.8	3.3	4.1	4.9	4.9	5.1	*	*
1983.....	*	1.8	*	3.4	3.5	3.2	*	4.7	*	*
1982.....	*	*	2.0	2.2	2.5	2.5	6.4	6.5	*	*
1981.....	*	*	*	2.4	2.6	3.6	4.8	5.5	*	*
1980.....	1.4	2.3	3.3	3.5	4.4	4.2	4.1	4.4	4.5	9.4
1979.....	1.0	1.6	2.0	3.4	4.2	2.3	4.1	4.3	3.5	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)										
BLACK MALE										
1998.....	*	*	*	3.8	*	5.2	6.7	*	*	*
1997.....	*	*	3.1	*	*	*	*	*	*	*
1996.....	*	2.5	*	4.1	*	5.5	8.1	*	*	*
1995.....	*	*	*	*	*	5.8	*	*	*	*
1994.....	2.1	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	5.4	*	*	*	*
1990.....	*	*	*	*	*	6.9	*	*	*	*
1989.....	*	*	*	*	4.8	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.4	1.7	2.6	2.8	4.7	3.0	4.3	4.6	5.3	9.4
1979.....	1.4	2.5	1.8	3.0	2.7	2.4	3.5	5.0	2.6	3.8
BLACK FEMALE										
1998.....	*	1.9	2.6	4.7	3.4	4.7	6.0	9.2	*	*
1997.....	*	2.0	*	4.1	4.4	6.4	7.1	7.0	10.3	*
1996.....	1.7	2.3	3.1	4.7	4.4	5.3	7.4	8.3	*	*
1995.....	*	2.0	3.3	4.4	5.5	5.9	7.7	8.2	10.9	*
1994.....	*	2.1	4.1	4.0	6.1	8.5	5.8	8.0	*	*
1993.....	*	2.6	3.4	3.8	6.6	6.0	6.6	11.9	*	*
1992.....	*	*	3.2	3.9	5.0	6.9	8.1	7.0	*	*
1991.....	*	*	*	4.1	3.6	7.1	5.0	8.4	*	*
1990.....	*	*	*	*	5.2	5.6	*	6.9	*	*
1989.....	*	*	*	*	5.1	5.1	6.3	*	*	*
1988.....	*	*	*	3.8	4.4	6.0	*	*	*	*
1987.....	*	*	3.2	3.4	*	4.6	5.3	6.9	*	*
1986.....	*	*	*	*	3.7	*	*	7.8	*	*
1985.....	*	*	3.8	*	5.8	4.8	7.3	*	*	*
1984.....	*	*	*	*	4.4	6.1	5.4	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	6.8	*	*	*
1981.....	*	*	*	*	*	4.7	*	*	*	*
1980.....	1.3	2.7	3.8	4.0	4.1	5.2	3.9	4.3	4.0	9.4
1979.....	0.7	0.9	2.1	3.8	5.3	2.2	4.5	3.8	4.0	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MELANOMA OF SKIN (172)										
TOTAL, BOTH SEXES										
1998.....	1.8	2.7	3.7	4.7	6.5	8.6	10.6	12.6	15.6	18.1
1997.....	1.8	2.8	3.8	4.9	6.4	7.8	10.5	12.8	15.1	17.8
1996.....	2.1	2.9	4.0	4.9	6.0	8.1	10.9	11.9	15.8	18.4
1995.....	2.0	2.9	3.6	5.0	6.6	7.8	9.5	11.9	14.4	16.6
1994.....	2.2	2.9	4.0	4.4	6.2	7.5	10.1	11.8	14.0	15.7
1993.....	2.3	3.0	3.7	5.2	6.4	8.1	9.6	11.5	13.4	15.5
1992.....	2.2	2.9	3.9	4.9	6.7	7.9	8.9	11.7	12.9	15.4
1991.....	2.2	3.2	3.6	5.1	6.5	7.7	9.6	11.0	12.7	15.7
1990.....	2.4	3.2	3.9	5.2	6.5	7.5	9.8	10.9	12.5	16.3
1989.....	2.2	3.2	4.4	5.1	6.2	7.6	8.1	10.3	11.9	15.8
1988.....	2.3	3.3	4.1	4.7	6.2	7.1	8.9	10.7	12.0	14.1
1987.....	2.3	3.2	3.8	5.3	6.2	7.4	8.7	10.5	12.7	11.9
1986.....	2.4	3.1	4.1	4.8	5.7	6.4	8.6	9.4	12.2	13.3
1985.....	2.4	3.2	4.0	5.0	5.8	6.2	8.1	9.1	11.1	12.8
1984.....	2.7	2.9	4.1	4.9	5.1	6.3	8.3	8.9	11.1	12.6
1983.....	2.6	3.1	3.6	5.0	5.4	6.5	7.5	8.2	10.4	12.2
1982.....	2.4	3.1	3.8	4.8	5.6	6.2	7.9	8.6	9.6	11.4
1981.....	2.6	3.1	4.1	4.3	5.3	6.3	7.2	8.1	9.3	12.2
1980.....	2.3	2.7	3.8	4.5	5.1	5.9	6.7	7.8	10.6	11.8
1979.....	2.5	3.4	4.0	4.4	5.5	5.7	7.3	8.1	9.4	11.2
TOTAL, MALE										
1998.....	2.4	3.5	5.1	6.6	9.3	13.1	16.1	19.2	26.0	30.5
1997.....	2.3	3.6	4.7	7.1	9.0	11.3	15.6	19.5	24.0	29.5
1996.....	2.4	3.5	5.4	6.9	8.7	11.9	15.7	18.1	25.3	32.2
1995.....	2.6	4.0	4.9	6.9	9.7	11.4	14.4	18.0	22.2	26.9
1994.....	2.5	3.7	5.5	6.3	8.7	10.8	14.9	18.2	22.0	26.3
1993.....	2.9	3.9	4.9	7.0	9.0	11.9	14.3	17.3	20.5	25.5
1992.....	2.8	3.9	5.0	6.9	9.8	11.6	13.0	18.5	18.5	24.5
1991.....	2.6	4.2	4.9	7.4	9.4	11.2	14.8	16.9	19.6	24.4
1990.....	3.1	4.0	4.9	7.0	9.4	10.4	13.9	16.8	18.1	25.4
1989.....	2.8	4.0	5.9	6.5	8.9	11.3	12.6	15.8	17.3	22.7
1988.....	2.9	3.9	5.1	6.4	8.8	10.1	12.9	16.2	17.9	23.2
1987.....	3.1	4.0	5.2	7.3	8.8	10.6	12.8	16.1	19.2	19.3
1986.....	3.0	4.0	5.4	6.7	7.9	9.0	12.0	13.2	18.4	21.2
1985.....	2.8	3.9	5.3	6.9	7.9	8.3	12.4	13.2	15.5	17.7
1984.....	3.4	3.5	5.5	6.7	7.0	9.3	11.7	13.6	15.4	16.9
1983.....	3.3	3.6	4.4	6.6	7.1	9.5	10.4	12.4	12.9	17.1
1982.....	3.0	3.7	5.1	6.7	7.3	8.6	11.4	12.1	14.2	15.5
1981.....	3.4	3.9	5.0	5.8	6.5	8.9	9.4	10.3	11.5	17.1
1980.....	2.8	3.2	5.2	6.0	6.8	8.1	9.6	10.7	13.4	17.3
1979.....	3.0	4.2	5.2	5.9	7.1	7.6	9.9	10.6	13.0	15.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MELANOMA OF SKIN (172)										
TOTAL, FEMALE										
1998.....	1.2	1.9	2.4	3.0	4.0	4.8	6.4	7.9	9.5	12.9
1997.....	1.4	2.1	2.9	2.9	4.1	4.8	6.6	8.1	9.9	13.2
1996.....	1.7	2.3	2.6	3.2	3.5	4.9	7.3	7.6	10.3	12.9
1995.....	1.5	1.9	2.4	3.3	3.8	4.9	5.8	7.7	10.1	12.6
1994.....	1.8	2.0	2.6	2.8	3.9	4.8	6.5	7.5	9.6	11.6
1993.....	1.6	2.1	2.5	3.5	4.1	5.0	6.1	7.5	9.5	11.7
1992.....	1.6	2.0	2.8	3.0	4.0	5.0	5.9	7.3	9.8	11.9
1991.....	1.8	2.3	2.3	2.9	3.9	4.8	5.8	7.2	9.1	12.3
1990.....	1.8	2.4	2.9	3.6	4.1	5.1	6.8	7.1	9.5	12.8
1989.....	1.6	2.4	2.9	3.8	3.8	4.7	4.8	6.9	9.0	13.1
1988.....	1.6	2.6	3.2	3.0	3.9	4.6	6.0	7.2	8.8	10.6
1987.....	1.6	2.4	2.6	3.4	4.0	4.7	5.7	6.9	9.3	9.0
1986.....	1.9	2.2	2.9	3.1	3.9	4.3	6.2	7.0	9.0	10.2
1985.....	1.9	2.6	2.7	3.2	3.9	4.5	5.0	6.6	8.8	10.8
1984.....	2.1	2.3	2.9	3.2	3.4	4.0	5.8	5.9	8.8	10.9
1983.....	1.8	2.5	2.9	3.6	3.8	4.0	5.4	5.6	9.1	10.2
1982.....	1.8	2.5	2.7	3.1	4.2	4.3	5.3	6.4	7.2	9.7
1981.....	1.9	2.4	3.2	2.9	4.2	4.2	5.6	6.7	8.1	10.1
1980.....	1.8	2.1	2.6	3.1	3.6	4.2	4.6	6.0	9.0	9.4
1979.....	2.0	2.6	2.9	3.1	4.0	4.2	5.5	6.5	7.4	9.3
WHITE, BOTH SEXES										
1998.....	2.1	3.1	4.3	5.4	7.4	9.7	11.7	13.7	16.7	19.5
1997.....	2.2	3.3	4.3	5.6	7.2	8.7	11.6	13.9	16.2	19.1
1996.....	2.4	3.4	4.5	5.6	6.8	9.1	12.0	13.0	17.0	19.9
1995.....	2.4	3.4	4.2	5.7	7.4	8.7	10.5	12.9	15.5	17.8
1994.....	2.5	3.3	4.6	5.0	7.0	8.4	11.1	12.7	15.1	16.7
1993.....	2.6	3.4	4.2	5.9	7.2	9.0	10.5	12.2	14.4	16.6
1992.....	2.6	3.4	4.4	5.6	7.5	8.7	9.6	12.6	13.8	16.5
1991.....	2.6	3.7	4.1	5.7	7.2	8.4	10.5	11.8	13.4	16.6
1990.....	2.8	3.7	4.4	5.9	7.2	8.1	10.7	11.8	13.3	17.4
1989.....	2.5	3.7	5.0	5.7	6.9	8.4	8.7	11.2	12.6	16.7
1988.....	2.6	3.8	4.7	5.3	6.8	7.7	9.6	11.6	12.9	15.1
1987.....	2.7	3.7	4.3	5.9	6.8	8.1	9.3	11.4	13.3	12.7
1986.....	2.8	3.6	4.6	5.4	6.3	6.9	9.4	10.0	13.0	14.3
1985.....	2.7	3.7	4.5	5.6	6.3	6.8	8.8	9.7	11.8	13.8
1984.....	3.1	3.4	4.7	5.4	5.5	6.9	8.9	9.5	11.8	13.3
1983.....	2.9	3.5	4.0	5.5	5.9	7.0	8.1	8.8	11.2	13.0
1982.....	2.7	3.5	4.2	5.3	6.1	6.8	8.4	9.3	10.3	12.1
1981.....	3.0	3.6	4.5	4.7	5.7	6.8	7.8	8.8	9.6	12.6
1980.....	2.6	3.0	4.3	4.9	5.4	6.3	7.2	8.5	11.2	12.5
1979.....	2.8	3.8	4.5	4.8	5.9	6.2	7.8	8.8	9.8	11.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MELANOMA OF SKIN (172)										
WHITE MALE										
1998.....	2.8	4.1	5.8	7.5	10.5	14.7	17.7	21.0	28.0	33.6
1997.....	2.6	4.1	5.3	8.1	10.1	12.7	17.2	21.2	26.0	32.4
1996.....	2.9	4.1	6.1	7.8	9.8	13.3	17.2	19.8	27.0	35.3
1995.....	3.1	4.6	5.6	7.8	10.9	12.6	15.7	19.4	24.0	29.5
1994.....	3.0	4.2	6.2	7.1	9.7	11.9	16.3	19.7	24.1	28.7
1993.....	3.4	4.4	5.6	8.0	10.1	13.2	15.7	18.5	22.4	28.0
1992.....	3.3	4.4	5.7	7.8	10.8	12.7	14.1	19.8	19.9	26.8
1991.....	3.0	4.7	5.6	8.3	10.3	12.4	16.1	18.2	20.9	26.4
1990.....	3.5	4.5	5.6	7.8	10.4	11.4	15.1	18.2	19.4	27.2
1989.....	3.2	4.6	6.7	7.3	9.8	12.4	13.6	17.1	18.6	24.7
1988.....	3.3	4.5	5.8	7.2	9.8	11.1	14.0	17.4	19.6	25.2
1987.....	3.5	4.6	5.9	8.2	9.7	11.6	13.7	17.6	20.4	20.8
1986.....	3.4	4.6	6.1	7.4	8.6	9.6	13.1	14.1	19.7	23.0
1985.....	3.2	4.4	5.9	7.8	8.6	9.1	13.6	14.0	16.5	19.5
1984.....	3.8	4.1	6.2	7.5	7.6	10.2	12.7	14.8	16.8	18.2
1983.....	3.8	4.1	4.9	7.3	7.8	10.3	11.3	13.4	13.7	18.6
1982.....	3.4	4.1	5.6	7.4	8.0	9.3	12.3	13.1	15.1	16.8
1981.....	3.9	4.4	5.5	6.4	7.1	9.6	10.2	11.3	12.1	18.4
1980.....	3.1	3.6	5.7	6.5	7.3	8.8	10.4	11.6	14.4	18.2
1979.....	3.4	4.8	5.7	6.5	7.8	8.2	10.7	11.6	13.7	16.2
WHITE FEMALE										
1998.....	1.4	2.2	2.8	3.4	4.5	5.4	7.0	8.5	9.9	13.7
1997.....	1.7	2.4	3.3	3.2	4.6	5.3	7.2	8.6	10.4	13.8
1996.....	2.0	2.7	3.0	3.6	4.0	5.6	7.9	8.2	11.1	13.8
1995.....	1.7	2.2	2.8	3.7	4.3	5.4	6.4	8.3	10.8	13.3
1994.....	2.1	2.4	3.1	3.1	4.5	5.4	7.1	8.0	10.1	12.2
1993.....	1.9	2.4	2.9	4.0	4.6	5.5	6.5	7.9	10.0	12.3
1992.....	1.9	2.3	3.2	3.4	4.5	5.4	6.2	7.8	10.6	12.5
1991.....	2.1	2.7	2.7	3.3	4.4	5.1	6.3	7.6	9.4	12.9
1990.....	2.1	2.8	3.3	4.0	4.5	5.5	7.4	7.7	10.2	13.7
1989.....	1.9	2.8	3.4	4.2	4.2	5.1	5.1	7.4	9.4	13.7
1988.....	1.9	3.0	3.6	3.5	4.3	4.9	6.4	7.9	9.4	11.2
1987.....	1.8	2.8	2.9	3.8	4.4	5.2	6.0	7.4	9.7	9.5
1986.....	2.1	2.6	3.3	3.6	4.3	4.7	6.8	7.4	9.5	11.0
1985.....	2.2	3.0	3.1	3.6	4.3	4.9	5.4	7.0	9.4	11.6
1984.....	2.4	2.7	3.2	3.5	3.7	4.2	6.2	6.2	9.1	11.4
1983.....	2.1	2.9	3.3	3.9	4.2	4.3	5.9	5.8	9.8	10.7
1982.....	2.1	2.9	3.0	3.4	4.5	4.7	5.6	6.8	7.7	10.2
1981.....	2.2	2.7	3.5	3.3	4.5	4.6	6.1	7.3	8.3	10.2
1980.....	2.0	2.4	2.9	3.3	3.8	4.3	4.9	6.5	9.5	10.1
1979.....	2.3	2.9	3.3	3.4	4.2	4.5	5.7	7.0	7.7	9.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MELANOMA OF SKIN (172)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.0	*	4.7	*
1997.....	*	*	*	*	*	*	*	3.0	*	5.7
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	3.1	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	4.7	*	*
1992.....	*	*	*	*	*	1.9	2.9	3.4	*	*
1991.....	*	*	*	*	*	1.8	*	3.7	5.9	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	2.6	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	3.3	*	*	*
1986.....	*	*	*	*	*	2.0	*	*	*	*
1985.....	*	*	*	*	*	*	*	4.0	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	3.0	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.3	0.4	1.0	1.7	2.4	2.0	1.4	3.5	3.3
1979.....	-	0.4	0.3	0.8	1.6	1.5	2.8	1.1	4.0	5.2
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	0.5	0.9	1.6	2.1	1.8	2.2	3.4	8.2
1979.....	-	0.3	0.3	0.9	1.2	2.3	3.0	1.1	5.8	8.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MELANOMA OF SKIN (172)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.3	0.4	1.1	1.8	2.6	2.2	0.8	3.5	0.8
1979.....	-	0.4	0.3	0.8	1.9	0.8	2.6	1.2	2.9	3.5
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	4.5	*	*
1992.....	*	*	*	*	*	*	3.5	*	*	*
1991.....	*	*	*	*	*	*	*	4.3	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	3.5	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	3.5	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.3	0.4	1.0	1.9	2.6	2.1	1.5	4.0	2.5
1979.....	-	0.4	0.4	1.0	1.8	1.3	3.0	1.3	4.5	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MELANOMA OF SKIN (172)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.4	0.6	0.9	1.8	2.4	1.7	2.6	4.0	5.7
1979.....	-	0.4	0.4	1.1	1.3	1.8	3.1	1.2	6.5	9.6
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.3	0.3	1.0	2.1	2.7	2.4	0.9	4.0	0.9
1979.....	-	0.5	0.3	0.9	2.1	0.9	2.9	1.3	3.2	3.8



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.7	1.1	1.7	2.6	2.9	3.8	5.8	11.5
1997.....	0.2	0.5	0.8	1.2	1.7	2.5	2.9	3.7	5.8	12.0
1996.....	0.2	0.3	0.8	1.2	1.8	2.5	2.9	3.8	6.1	11.8
1995.....	0.2	0.4	0.9	1.1	1.7	2.4	2.6	4.3	6.2	12.5
1994.....	0.3	0.5	0.9	1.3	2.2	2.4	3.0	4.1	6.0	12.1
1993.....	0.3	0.5	0.9	1.4	2.1	2.7	3.2	4.1	6.0	11.8
1992.....	0.3	0.6	0.9	1.4	2.2	2.8	3.5	4.4	6.4	12.4
1991.....	0.3	0.6	1.0	1.6	2.0	2.5	3.8	4.3	6.2	12.1
1990.....	0.3	0.6	0.9	1.7	2.2	2.6	3.3	4.1	5.7	13.2
1989.....	0.3	0.6	1.1	1.7	2.4	2.6	3.4	4.6	6.1	12.2
1988.....	0.3	0.5	1.1	1.9	2.3	2.7	3.1	4.5	6.0	11.5
1987.....	0.3	0.5	1.0	1.9	2.4	2.6	3.3	4.0	5.9	12.0
1986.....	0.6	0.8	1.2	1.5	2.0	2.5	3.2	3.9	5.3	11.1
1985.....	0.5	0.6	1.1	1.6	1.9	2.1	2.8	3.8	5.6	12.6
1984.....	0.4	0.5	0.8	1.5	1.8	2.4	3.1	4.1	6.2	12.4
1983.....	0.3	0.6	0.9	1.4	1.9	2.2	2.7	4.0	6.1	14.5
1982.....	0.3	0.4	0.8	1.3	1.9	2.4	2.5	3.9	5.3	12.4
1981.....	0.2	0.4	0.7	1.2	1.5	2.3	2.7	3.4	5.9	13.1
1980.....	0.2	0.4	0.8	1.0	1.7	2.0	2.7	3.8	5.5	12.6
1979.....	0.1	0.3	0.7	0.9	1.4	1.9	2.9	4.1	5.9	12.9
TOTAL, MALE										
1998.....	0.2	0.6	1.2	1.8	2.7	4.1	5.0	6.5	9.9	20.1
1997.....	0.3	0.8	1.3	1.9	2.7	4.3	4.9	6.1	10.3	19.7
1996.....	0.4	0.6	1.3	2.0	2.8	3.7	4.8	6.3	10.6	20.1
1995.....	0.4	0.7	1.4	1.9	2.7	3.7	4.2	6.8	11.2	22.0
1994.....	0.4	0.9	1.5	2.0	3.6	4.0	5.1	6.8	11.5	22.4
1993.....	0.6	0.8	1.4	2.3	3.7	4.3	5.4	7.2	11.0	20.6
1992.....	0.4	1.0	1.5	2.2	3.5	4.7	5.9	7.4	12.5	23.4
1991.....	0.6	1.1	1.6	2.9	3.4	4.4	6.3	7.4	11.5	20.0
1990.....	0.5	1.0	1.4	3.1	3.7	4.2	5.6	7.4	10.9	25.9
1989.....	0.5	0.9	1.7	2.7	4.2	4.2	5.6	8.3	10.8	22.7
1988.....	0.6	0.8	1.8	3.1	3.7	4.6	5.0	7.5	10.3	20.2
1987.....	0.5	0.9	1.7	2.9	4.1	4.3	5.9	7.3	11.2	21.2
1986.....	1.2	1.4	2.0	2.4	3.1	4.2	5.4	6.0	8.8	20.4
1985.....	1.1	1.1	1.9	2.6	3.3	3.9	4.6	6.7	10.5	21.0
1984.....	0.8	0.8	1.3	2.4	2.8	3.9	5.0	7.7	10.6	22.0
1983.....	0.6	1.0	1.4	2.3	3.1	3.8	4.7	7.8	11.0	25.0
1982.....	0.5	0.7	1.3	2.1	2.9	3.8	4.1	7.2	9.9	20.9
1981.....	*	0.4	1.0	1.9	2.2	3.7	4.6	5.7	10.5	22.8
1980.....	0.4	0.6	1.1	1.7	2.7	3.2	4.4	6.6	9.0	21.9
1979.....	0.2	0.5	1.0	1.5	2.0	3.0	5.0	6.7	10.6	20.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)										
TOTAL, FEMALE										
1998.....	*	*	0.2	0.4	0.7	1.3	1.2	1.9	3.3	7.9
1997.....	*	*	0.3	0.5	0.8	0.9	1.3	2.0	3.2	8.9
1996.....	*	*	0.3	0.5	0.9	1.4	1.5	2.1	3.5	8.5
1995.....	*	*	0.4	0.4	0.9	1.3	1.3	2.6	3.4	8.7
1994.....	*	*	0.3	0.6	1.0	1.1	1.5	2.2	3.0	8.1
1993.....	*	*	0.5	0.6	0.7	1.3	1.5	2.0	3.2	8.5
1992.....	*	*	*	0.6	1.0	1.2	1.7	2.4	3.1	8.2
1991.....	*	*	0.4	0.5	0.9	0.9	1.8	2.2	3.4	9.1
1990.....	*	*	0.4	0.5	0.9	1.3	1.7	2.0	3.0	8.3
1989.....	*	*	0.5	0.7	0.9	1.3	1.8	2.3	3.6	8.1
1988.....	*	*	0.4	0.9	1.1	1.1	1.8	2.6	3.8	8.1
1987.....	*	*	0.4	0.9	0.9	1.2	1.4	1.8	3.1	8.3
1986.....	*	*	0.5	0.7	1.1	1.1	1.6	2.5	3.4	7.4
1985.....	*	*	0.4	0.7	0.7	0.7	1.6	1.9	3.0	9.2
1984.....	*	*	0.4	0.6	0.8	1.1	1.8	1.9	3.8	8.5
1983.....	*	*	0.4	0.7	0.9	0.9	1.3	1.6	3.5	10.2
1982.....	*	*	0.4	0.6	1.0	1.3	1.4	1.8	2.9	8.9
1981.....	*	*	0.3	0.5	0.8	1.1	1.3	2.0	3.4	9.0
1980.....	0.1	0.2	0.5	0.4	0.8	1.1	1.5	2.1	3.5	8.5
1979.....	0.1	0.2	0.4	0.3	0.8	0.9	1.4	2.5	3.4	9.3
WHITE, BOTH SEXES										
1998.....	0.1	0.3	0.7	1.0	1.7	2.5	3.0	4.0	6.1	12.5
1997.....	0.1	0.4	0.7	1.1	1.7	2.6	3.0	4.0	6.0	12.9
1996.....	0.2	0.3	0.8	1.1	1.8	2.5	3.1	4.1	6.5	12.7
1995.....	0.2	0.4	0.8	1.1	1.7	2.4	2.7	4.6	6.6	13.1
1994.....	0.2	0.5	0.8	1.1	2.2	2.5	3.2	4.2	6.2	12.7
1993.....	0.3	0.4	0.8	1.2	2.1	2.7	3.3	4.2	6.4	12.6
1992.....	0.3	0.5	0.8	1.2	2.1	2.9	3.6	4.5	6.7	13.2
1991.....	0.3	0.5	0.9	1.5	1.9	2.5	3.9	4.4	6.4	12.8
1990.....	0.2	0.5	0.8	1.5	2.1	2.6	3.5	4.3	5.9	13.8
1989.....	0.3	0.4	1.0	1.5	2.4	2.6	3.5	4.9	6.3	13.0
1988.....	0.3	0.4	1.0	1.8	2.2	2.7	3.2	4.6	6.4	12.2
1987.....	0.3	0.4	0.9	1.8	2.2	2.6	3.5	4.2	6.1	13.0
1986.....	0.6	0.8	1.1	1.4	2.0	2.5	3.4	3.9	5.3	11.9
1985.....	0.6	0.6	1.0	1.6	1.9	2.1	2.9	3.8	5.9	13.3
1984.....	0.4	0.5	0.7	1.4	1.8	2.4	3.2	4.4	6.4	13.0
1983.....	0.3	0.5	0.8	1.4	1.8	2.2	2.8	4.1	6.4	15.3
1982.....	0.2	0.4	0.7	1.2	2.0	2.5	2.6	4.1	5.4	13.1
1981.....	*	0.3	0.6	1.1	1.5	2.4	2.8	3.6	6.1	13.9
1980.....	0.2	0.4	0.7	0.9	1.7	2.0	2.8	3.9	5.6	13.3
1979.....	0.1	0.3	0.7	0.9	1.4	2.0	3.1	4.4	6.2	13.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)										
WHITE MALE										
1998.....	0.2	0.5	1.1	1.6	2.7	3.9	5.2	6.8	10.6	22.0
1997.....	*	0.7	1.2	1.8	2.7	4.5	5.1	6.5	10.9	21.9
1996.....	0.3	0.6	1.3	1.8	2.9	3.7	5.0	6.7	11.1	21.9
1995.....	0.3	0.6	1.3	1.8	2.6	3.8	4.4	7.2	11.9	23.5
1994.....	0.4	0.8	1.3	1.8	3.7	4.2	5.4	7.0	12.0	24.1
1993.....	0.5	0.7	1.2	2.0	3.5	4.4	5.5	7.6	11.9	22.1
1992.....	0.4	0.9	1.4	1.9	3.4	5.0	5.9	7.6	13.3	25.5
1991.....	0.5	0.9	1.4	2.6	3.2	4.3	6.5	7.6	12.1	21.8
1990.....	0.5	0.9	1.2	2.7	3.5	4.2	5.9	7.8	11.4	28.3
1989.....	0.4	0.6	1.5	2.3	4.2	4.1	5.6	8.7	11.6	24.3
1988.....	0.5	0.7	1.5	2.9	3.5	4.6	5.2	7.9	11.0	21.8
1987.....	0.4	0.7	1.4	2.7	3.8	4.4	6.1	7.7	11.6	23.0
1986.....	1.1	1.4	1.9	2.3	2.9	4.2	5.7	6.1	9.0	22.0
1985.....	1.1	1.1	1.8	2.4	3.3	3.6	4.7	7.0	11.2	22.8
1984.....	0.8	0.8	1.2	2.2	2.8	4.1	5.1	8.2	11.4	23.3
1983.....	0.6	0.9	1.3	2.2	2.9	3.8	5.0	8.1	11.5	26.8
1982.....	0.4	0.7	1.1	1.9	3.1	4.0	4.2	7.7	10.4	22.6
1981.....	*	*	0.9	1.8	2.2	3.9	4.9	6.0	11.1	24.6
1980.....	0.3	0.6	0.9	1.6	2.7	3.2	4.5	6.9	9.4	23.7
1979.....	0.2	0.5	1.0	1.5	2.0	3.3	5.4	7.1	11.4	22.4
WHITE FEMALE										
1998.....	*	*	0.3	0.5	0.7	1.3	1.3	2.0	3.4	8.5
1997.....	*	*	*	0.5	0.8	1.0	1.3	2.2	3.2	9.4
1996.....	*	*	*	0.5	0.8	1.5	1.6	2.3	3.8	9.0
1995.....	*	*	0.3	0.4	0.9	1.3	1.3	2.7	3.5	9.1
1994.....	*	*	*	0.5	0.8	1.2	1.5	2.3	3.0	8.4
1993.....	*	*	0.5	0.5	0.8	1.3	1.5	1.9	3.4	9.0
1992.....	*	*	*	0.6	0.9	1.2	1.7	2.4	3.2	8.5
1991.....	*	*	0.5	0.4	0.9	1.0	1.9	2.2	3.4	9.3
1990.....	*	*	*	0.4	0.9	1.3	1.8	2.1	3.1	8.3
1989.....	*	*	0.4	0.7	0.8	1.3	2.0	2.4	3.6	8.7
1988.....	*	*	*	0.9	1.1	1.1	1.8	2.5	4.0	8.6
1987.....	*	*	0.5	0.9	0.8	1.2	1.6	1.9	3.2	9.1
1986.....	*	*	*	0.7	1.1	1.1	1.7	2.5	3.4	8.0
1985.....	*	*	*	0.8	0.8	0.8	1.6	1.8	3.2	9.5
1984.....	*	*	*	0.6	0.9	1.0	1.9	1.9	3.8	8.9
1983.....	*	*	*	0.6	0.9	0.9	1.2	1.5	3.7	10.7
1982.....	*	*	*	0.5	1.0	1.3	1.4	1.8	2.8	9.1
1981.....	*	*	*	0.5	0.9	1.2	1.4	2.1	3.5	9.4
1980.....	0.1	0.2	0.4	0.3	0.8	0.9	1.5	2.0	3.6	8.9
1979.....	0.1	0.1	0.4	0.3	0.9	1.0	1.5	2.7	3.5	9.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	1.6	1.6	3.2	*	*	*	*
1997.....	*	0.7	1.0	1.6	1.7	*	*	*	*	*
1996.....	*	*	*	1.6	1.8	2.3	*	*	*	*
1995.....	*	*	1.1	1.6	2.0	1.9	*	*	*	*
1994.....	*	*	1.5	2.3	2.1	*	*	*	*	*
1993.....	*	0.9	1.5	2.6	2.4	2.3	2.8	*	*	*
1992.....	*	*	1.3	2.4	2.8	1.9	3.3	3.4	*	*
1991.....	*	1.3	1.3	2.6	2.6	2.7	2.6	*	*	*
1990.....	*	1.1	1.8	2.9	3.0	2.6	*	*	*	*
1989.....	*	1.2	1.7	3.0	2.5	2.5	2.7	*	*	*
1988.....	*	*	1.9	2.7	3.0	2.5	*	3.5	*	*
1987.....	*	1.2	1.9	2.7	3.5	2.4	*	*	*	*
1986.....	*	*	2.0	2.0	2.4	2.4	*	3.7	*	*
1985.....	*	*	1.8	2.1	*	2.6	*	*	*	*
1984.....	*	*	1.4	2.0	1.8	2.1	*	*	*	*
1983.....	*	*	*	1.7	2.4	*	*	*	*	*
1982.....	*	*	1.9	2.0	*	*	*	*	*	*
1981.....	*	*	*	1.7	*	*	*	*	*	*
1980.....	0.6	0.6	1.6	1.7	1.5	2.4	2.0	3.2	3.5	3.9
1979.....	0.1	0.4	0.8	1.0	1.4	0.6	1.1	2.0	2.2	4.6
ALL OTHER MALE										
1998.....	*	*	*	3.0	*	5.6	*	*	*	*
1997.....	*	*	*	2.8	*	*	*	*	*	*
1996.....	*	*	*	2.8	*	4.0	*	*	*	*
1995.....	*	*	*	*	3.8	*	*	*	*	*
1994.....	*	*	2.5	3.9	*	*	*	*	*	*
1993.....	*	*	2.5	4.8	5.2	*	*	*	*	*
1992.....	*	*	*	4.0	4.7	*	5.7	*	*	*
1991.....	*	2.4	2.8	5.0	4.9	5.7	*	*	*	*
1990.....	*	*	2.9	5.6	5.4	4.8	*	*	*	*
1989.....	*	2.3	*	5.7	4.3	5.1	*	*	*	*
1988.....	*	*	3.4	4.5	5.3	*	*	*	*	*
1987.....	*	*	3.6	4.6	6.3	*	*	*	*	*
1986.....	*	*	*	*	4.1	*	*	*	*	*
1985.....	*	*	3.1	3.9	*	5.8	*	*	*	*
1984.....	*	*	*	3.4	*	*	*	*	*	*
1983.....	*	*	*	*	4.7	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.4	1.1	2.2	2.7	2.5	2.6	3.3	3.9	4.6	3.3
1979.....	0.1	0.3	1.4	1.5	2.3	0.8	1.1	3.3	1.2	5.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	1.1	0.9	0.7	2.2	1.1	2.7	2.8	4.2
1979.....	0.1	0.5	0.4	0.6	0.6	0.4	1.2	1.2	2.9	4.4
BLACK, BOTH SEXES										
1998.....	*	*	*	1.9	1.9	4.0	*	*	*	*
1997.....	*	1.0	1.4	2.0	2.1	*	*	*	*	*
1996.....	*	*	*	1.9	2.3	2.7	*	*	*	*
1995.....	*	*	*	2.0	2.3	2.3	*	*	*	*
1994.....	*	*	2.0	2.8	2.4	*	*	*	*	*
1993.....	*	1.2	1.8	3.1	3.0	2.6	3.2	*	*	*
1992.....	*	*	1.7	3.2	3.5	2.4	3.7	*	*	*
1991.....	*	1.7	1.8	3.2	3.3	3.3	3.0	*	*	*
1990.....	*	1.5	1.9	3.7	3.7	3.0	*	*	*	*
1989.....	*	1.5	2.2	3.6	3.1	2.7	*	*	*	*
1988.....	*	*	2.5	3.3	3.5	2.7	*	*	*	*
1987.....	*	*	2.2	3.3	3.9	2.7	*	*	*	*
1986.....	*	*	2.4	2.5	2.7	2.8	*	*	*	*
1985.....	*	*	2.1	2.3	*	2.7	*	*	*	*
1984.....	*	*	1.8	2.1	*	*	*	*	*	*
1983.....	*	*	*	2.0	2.6	*	*	*	*	*
1982.....	*	*	2.1	2.4	*	*	*	*	*	*
1981.....	*	*	*	2.0	*	*	*	*	*	*
1980.....	0.7	0.7	1.9	1.9	1.7	2.4	2.3	3.6	4.0	4.4
1979.....	0.1	0.4	0.8	1.1	1.5	0.6	0.9	2.3	2.5	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)										
BLACK MALE										
1998.....	*	*	*	3.7	*	7.0	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	3.5	5.1	*	*	*	*	*	*
1993.....	*	*	*	6.1	6.6	*	*	*	*	*
1992.....	*	*	*	5.4	5.7	*	*	*	*	*
1991.....	*	3.2	3.9	6.3	6.4	7.4	*	*	*	*
1990.....	*	*	*	7.4	6.7	5.5	*	*	*	*
1989.....	*	*	*	6.9	5.3	5.6	*	*	*	*
1988.....	*	*	4.5	5.8	6.2	*	*	*	*	*
1987.....	*	*	4.4	5.7	7.2	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	4.2	*	6.2	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	5.2	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.6	1.4	2.6	3.2	2.8	2.7	3.8	4.6	5.3	3.8
1979.....	0.2	0.4	1.4	1.7	2.7	0.9	0.9	3.7	1.3	3.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	1.3	0.9	0.8	2.2	1.2	3.0	3.2	4.7
1979.....	-	0.5	0.3	0.7	0.6	0.4	1.0	1.3	3.2	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF FEMALE BREAST (174)										
TOTAL, BOTH SEXES										
1998.....	8.7	14.7	22.7	29.3	36.5	44.4	59.1	70.4	92.3	137.7
1997.....	9.3	15.8	23.6	30.7	37.4	45.9	58.9	70.8	93.9	141.5
1996.....	9.6	16.6	24.1	31.9	39.2	48.3	62.4	75.9	98.5	146.6
1995.....	9.9	17.5	25.9	32.7	41.0	51.0	64.5	77.9	100.2	146.6
1994.....	10.2	17.5	26.0	32.1	41.5	53.0	65.4	80.5	103.7	142.6
1993.....	10.6	17.7	26.3	33.6	42.5	53.9	65.0	83.3	101.3	148.9
1992.....	10.9	18.2	26.6	33.8	43.7	55.9	67.4	79.1	100.2	140.9
1991.....	11.5	19.1	27.0	36.7	46.6	56.5	66.4	82.2	103.2	142.7
1990.....	12.3	19.0	28.4	36.7	46.3	58.0	68.7	84.8	102.1	142.0
1989.....	12.3	19.1	28.0	37.5	46.8	57.4	69.4	84.6	100.8	137.2
1988.....	11.6	19.1	28.6	38.9	48.8	56.1	68.9	79.0	103.4	135.4
1987.....	11.4	19.3	28.4	37.3	49.3	55.7	68.2	78.5	96.7	128.9
1986.....	12.5	19.2	28.3	37.6	49.1	57.0	68.5	77.5	96.2	130.6
1985.....	11.8	19.9	28.8	39.8	49.7	56.0	67.0	79.0	96.8	127.6
1984.....	12.3	18.6	29.0	39.6	48.3	56.8	66.4	78.7	95.5	129.7
1983.....	11.5	18.5	28.8	39.4	48.3	54.9	65.2	75.3	92.8	126.4
1982.....	11.8	19.0	29.5	40.1	45.9	55.2	63.2	77.2	92.2	125.2
1981.....	11.9	19.4	30.0	39.2	45.5	55.7	63.5	73.6	90.3	120.9
1980.....	12.1	19.5	30.0	39.8	46.3	53.9	61.6	72.6	90.9	117.8
1979.....	12.3	19.7	30.5	37.7	45.0	52.5	61.0	68.6	89.7	113.4
TOTAL, FEMALE										
1998.....	17.3	28.8	44.2	56.4	69.1	82.0	105.2	120.4	147.1	194.7
1997.....	18.5	31.1	45.9	59.0	70.7	84.5	104.5	120.5	148.8	198.5
1996.....	19.0	32.6	46.9	61.3	74.1	88.7	110.5	128.8	155.3	204.9
1995.....	19.5	34.3	50.4	62.8	77.4	93.4	114.1	131.3	156.7	203.7
1994.....	20.1	34.3	50.7	61.7	78.4	96.5	115.5	135.1	161.1	197.5
1993.....	20.9	34.6	51.1	64.5	80.1	97.9	114.5	139.1	156.7	206.0
1992.....	21.5	35.7	51.7	64.8	82.2	101.3	118.4	131.3	154.4	195.5
1991.....	22.7	37.5	52.5	70.3	87.5	102.2	116.2	135.9	158.4	197.9
1990.....	24.4	37.3	55.1	70.3	86.6	105.1	119.7	139.4	156.4	196.8
1989.....	24.2	37.5	54.5	71.8	87.4	104.1	120.6	138.9	154.2	190.5
1988.....	22.9	37.4	55.6	74.4	91.0	101.8	119.5	129.4	157.8	188.2
1987.....	22.5	37.8	55.1	71.3	91.7	101.0	117.9	128.2	147.4	179.7
1986.....	24.7	37.6	54.8	71.8	91.5	103.3	118.3	126.4	146.7	182.5
1985.....	23.1	38.9	55.7	75.7	92.8	101.3	115.6	128.7	147.6	178.5
1984.....	24.1	36.3	56.0	75.1	90.1	102.7	114.5	128.2	145.7	182.1
1983.....	22.5	36.2	55.6	74.7	90.2	99.1	112.3	122.6	141.7	178.2
1982.....	23.2	37.1	57.0	75.9	85.7	99.4	108.9	125.7	141.0	177.4
1981.....	23.3	37.7	57.8	74.2	84.8	100.3	109.5	119.8	138.2	172.2
1980.....	23.8	37.9	57.6	75.4	86.1	97.0	106.1	118.1	139.3	169.3
1979.....	24.1	38.3	58.5	71.5	83.8	94.4	105.1	111.9	137.8	163.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF FEMALE BREAST (174)										
WHITE, BOTH SEXES										
1998.....	8.0	13.4	21.5	27.9	35.6	44.4	59.2	70.9	92.1	139.3
1997.....	8.6	14.6	22.6	29.5	36.1	45.3	58.2	70.6	93.7	143.0
1996.....	8.7	15.5	22.8	31.1	39.1	48.3	62.3	76.1	98.9	148.8
1995.....	9.2	16.2	24.5	31.8	40.0	51.2	64.1	78.5	100.4	148.6
1994.....	9.4	16.5	25.2	31.3	40.9	53.2	65.5	80.9	104.3	143.3
1993.....	9.8	16.9	25.1	33.0	42.2	54.1	65.3	83.5	102.0	150.7
1992.....	10.2	17.4	25.4	33.0	43.5	56.1	68.3	80.2	101.6	143.0
1991.....	10.7	18.2	26.2	36.2	46.1	57.1	66.4	83.0	104.4	144.5
1990.....	11.9	18.3	27.5	35.8	46.3	58.4	69.5	86.0	103.4	143.5
1989.....	11.9	18.1	27.4	37.1	47.1	57.8	70.4	86.0	103.0	139.3
1988.....	11.0	18.5	27.8	38.3	48.9	56.6	70.1	80.2	104.6	137.3
1987.....	10.6	18.4	27.7	37.0	49.3	56.7	68.8	80.3	98.1	130.9
1986.....	12.0	18.5	27.5	37.7	49.4	57.9	69.7	79.6	98.9	132.8
1985.....	11.3	19.4	28.6	39.5	50.0	56.9	68.0	80.7	98.6	130.0
1984.....	11.4	18.0	28.6	39.5	48.0	57.5	67.6	80.8	96.0	132.7
1983.....	11.0	18.0	28.3	39.5	48.7	55.7	66.3	76.9	94.2	129.3
1982.....	11.7	18.1	29.1	40.2	46.0	56.0	64.0	78.8	93.2	128.7
1981.....	11.4	18.7	30.2	39.4	45.8	56.8	64.8	75.7	90.8	122.9
1980.....	11.5	19.3	29.7	39.9	46.8	55.3	63.1	73.9	92.6	120.0
1979.....	12.0	19.0	30.3	38.3	45.3	53.7	62.6	70.3	92.0	116.0
WHITE FEMALE										
1998.....	15.9	26.6	42.2	54.3	68.3	82.6	105.9	121.6	147.1	196.4
1997.....	17.2	29.1	44.4	57.3	69.1	84.1	103.7	120.6	148.8	199.9
1996.....	17.4	30.8	44.8	60.4	74.7	89.4	110.9	129.4	156.0	207.1
1995.....	18.3	32.1	48.1	61.6	76.3	94.5	113.9	132.8	157.1	205.9
1994.....	18.7	32.8	49.4	60.7	78.0	97.5	116.2	136.2	162.1	197.8
1993.....	19.7	33.5	49.3	63.9	80.3	98.8	115.5	139.8	157.6	207.8
1992.....	20.3	34.5	49.9	63.9	82.6	102.3	120.5	133.6	156.4	197.6
1991.....	21.4	36.1	51.3	70.1	87.3	103.9	116.7	137.6	159.9	199.5
1990.....	23.7	36.2	54.0	69.2	87.3	106.3	121.6	141.5	157.9	198.0
1989.....	23.8	35.9	53.8	71.7	88.7	105.2	122.8	141.3	157.1	192.7
1988.....	21.9	36.6	54.4	73.8	91.7	103.1	122.0	131.4	159.3	189.9
1987.....	21.0	36.3	54.2	71.2	92.4	103.3	119.3	131.2	149.1	181.6
1986.....	23.8	36.5	53.7	72.3	92.4	105.3	120.7	129.7	150.3	184.6
1985.....	22.4	38.2	55.8	75.6	93.7	103.4	117.5	131.4	149.9	180.9
1984.....	22.5	35.4	55.9	75.3	90.0	104.3	116.8	131.3	145.9	185.3
1983.....	21.7	35.4	55.2	75.3	91.3	100.8	114.4	124.9	143.4	181.4
1982.....	23.2	35.7	56.7	76.4	86.3	101.2	110.3	127.9	141.9	181.4
1981.....	22.5	36.9	58.7	74.8	85.8	102.6	111.6	122.9	138.4	174.3
1980.....	22.8	37.8	57.6	75.9	87.4	99.8	108.5	119.9	141.2	171.7
1979.....	23.7	37.3	58.6	72.8	84.6	96.7	107.6	114.1	140.7	166.8



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF FEMALE BREAST (174)										
ALL OTHER, BOTH SEXES										
1998.....	12.6	21.2	30.3	37.8	41.7	44.5	58.6	66.1	93.5	122.5
1997.....	13.0	22.3	29.8	37.8	45.2	50.1	65.2	72.2	95.3	127.0
1996.....	14.2	22.7	31.9	36.6	39.9	48.1	63.1	74.7	94.8	126.1
1995.....	13.6	25.0	34.4	38.5	47.6	49.4	68.2	72.2	98.6	126.2
1994.....	14.4	23.1	31.6	37.4	46.0	51.4	65.1	76.6	97.5	135.6
1993.....	14.4	22.1	33.2	37.7	44.5	52.3	62.2	81.6	94.7	129.6
1992.....	14.7	22.9	33.8	39.1	45.0	53.8	59.4	68.4	84.8	118.8
1991.....	15.7	24.3	31.9	39.9	50.3	51.4	66.5	74.2	91.6	124.5
1990.....	15.1	23.6	33.4	43.0	46.5	55.1	60.9	73.9	89.3	125.9
1989.....	14.2	25.1	31.8	40.1	44.2	54.8	60.2	71.9	78.4	114.8
1988.....	15.3	22.7	33.9	43.4	48.5	52.1	57.7	68.0	90.0	115.3
1987.....	16.7	24.9	33.0	39.8	48.8	46.9	62.7	61.0	81.5	106.7
1986.....	15.9	23.6	33.4	37.5	47.2	49.3	57.4	57.8	67.7	106.9
1985.....	14.8	23.2	29.9	42.4	47.8	47.7	58.1	62.1	76.8	100.4
1984.....	18.1	22.5	31.2	40.7	50.9	50.8	55.0	58.7	90.1	96.3
1983.....	14.7	22.3	31.9	38.7	45.3	48.1	54.5	59.9	76.7	93.8
1982.....	12.3	24.6	32.2	39.6	44.7	47.9	55.5	61.8	81.3	86.9
1981.....	14.9	23.5	28.4	38.1	42.2	45.9	51.6	52.7	84.6	97.9
1980.....	16.1	20.9	32.1	39.3	41.9	41.5	47.5	59.0	71.1	92.5
1979.....	14.4	24.7	31.9	33.1	42.2	41.8	46.0	52.5	62.5	83.3
ALL OTHER FEMALE										
1998.....	23.8	39.3	55.6	68.3	73.9	77.8	99.8	110.0	146.7	178.5
1997.....	24.4	41.2	54.6	68.5	80.0	87.4	110.8	119.3	148.8	184.5
1996.....	26.7	42.1	58.6	66.4	70.6	83.9	107.1	123.0	148.0	182.9
1995.....	25.4	46.2	63.3	69.7	84.2	86.2	115.7	118.3	152.8	180.9
1994.....	26.8	42.8	58.1	67.7	81.1	89.5	110.3	124.7	151.1	194.4
1993.....	26.9	41.0	61.3	68.2	78.5	90.9	105.7	132.3	147.3	186.2
1992.....	27.4	42.6	62.3	70.6	79.3	93.7	100.6	110.7	132.5	172.2
1991.....	29.3	45.1	58.9	72.1	88.6	89.4	112.4	120.3	142.8	180.4
1990.....	28.1	44.0	61.7	77.6	81.9	95.8	102.3	119.7	139.6	183.2
1989.....	26.4	46.9	58.8	72.3	78.0	95.6	101.3	116.9	123.1	168.0
1988.....	28.5	42.3	62.5	78.2	85.8	90.7	97.1	111.0	141.2	169.2
1987.....	31.1	46.3	60.7	71.8	86.4	81.8	105.6	100.0	128.1	157.1
1986.....	29.6	43.8	61.2	67.8	83.9	86.1	96.8	95.1	106.9	158.3
1985.....	27.4	43.2	54.7	76.6	85.2	83.4	98.2	102.9	121.7	150.0
1984.....	33.7	41.8	57.0	73.6	91.0	88.9	93.2	97.7	142.2	144.1
1983.....	27.2	41.3	58.0	70.3	81.2	84.2	93.2	100.0	121.8	141.0
1982.....	22.9	45.4	58.4	72.1	80.2	84.0	95.5	103.2	129.9	130.1
1981.....	27.7	43.2	51.5	69.5	75.8	80.7	89.1	88.4	136.0	147.6
1980.....	29.8	38.2	58.2	71.9	75.5	73.3	82.9	99.2	114.8	139.9
1979.....	26.5	45.1	57.9	60.7	76.4	74.3	81.0	89.5	102.2	127.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF FEMALE BREAST (174)										
BLACK, BOTH SEXES										
1998.....	15.3	25.4	37.4	43.2	50.6	52.3	71.8	79.1	113.5	146.0
1997.....	15.5	26.8	36.5	45.5	55.2	58.8	80.9	86.9	113.9	149.4
1996.....	17.5	28.0	38.4	45.1	49.0	55.6	75.0	87.6	111.5	146.7
1995.....	16.6	29.7	40.4	45.3	55.7	57.6	82.8	84.9	114.7	141.2
1994.....	17.6	28.3	36.5	44.7	54.9	59.4	78.7	87.2	110.7	149.3
1993.....	17.3	27.6	39.9	44.6	52.9	61.6	73.9	94.1	107.3	147.6
1992.....	18.6	27.6	40.6	46.0	52.9	63.3	69.3	77.9	97.8	133.3
1991.....	19.3	28.3	37.7	46.8	58.6	60.4	77.4	83.0	106.4	135.8
1990.....	18.2	27.7	39.5	50.1	55.0	63.3	70.2	83.3	101.3	141.5
1989.....	17.4	30.3	37.5	44.8	51.4	62.1	68.5	79.3	87.9	128.2
1988.....	19.4	27.0	40.3	49.5	55.6	59.9	64.7	75.5	100.7	130.4
1987.....	19.9	28.9	39.7	45.4	56.8	53.0	70.9	67.0	92.4	118.8
1986.....	19.6	28.2	39.0	42.7	53.6	56.4	65.0	64.5	74.5	116.9
1985.....	18.1	27.7	33.6	48.0	53.2	54.7	64.9	68.2	83.7	108.7
1984.....	21.3	26.5	35.9	45.9	57.4	57.1	62.3	65.1	102.1	104.7
1983.....	17.2	25.7	35.9	43.0	51.4	53.8	59.2	67.6	85.5	100.5
1982.....	14.6	27.5	35.9	44.3	49.4	52.4	61.1	70.0	91.3	94.9
1981.....	17.3	27.1	31.2	42.8	46.2	50.2	57.0	58.2	93.8	105.4
1980.....	18.3	23.3	34.9	43.1	45.6	45.7	52.8	65.0	79.4	100.0
1979.....	15.7	27.7	34.9	36.4	45.4	45.6	50.4	56.1	69.2	91.7
BLACK FEMALE										
1998.....	28.8	46.8	67.7	76.9	88.4	91.4	121.8	129.7	173.0	206.6
1997.....	29.1	49.3	66.1	81.0	96.5	102.8	136.5	141.7	172.9	211.2
1996.....	32.7	51.5	69.5	80.3	85.7	97.2	125.9	142.3	169.0	206.9
1995.....	31.0	54.5	73.3	80.8	97.8	100.6	138.6	137.2	173.1	198.6
1994.....	32.8	52.0	66.3	79.6	96.4	103.5	131.5	139.8	167.1	209.9
1993.....	32.3	50.6	72.5	79.6	92.9	106.8	123.9	149.8	162.5	207.9
1992.....	34.5	50.8	73.8	82.2	92.9	109.6	115.5	123.4	148.4	188.7
1991.....	35.8	51.9	68.6	83.8	103.1	104.2	128.6	131.8	161.2	193.3
1990.....	33.8	50.9	71.8	89.9	96.5	109.0	116.3	132.2	153.7	201.5
1989.....	32.2	55.7	68.2	80.5	90.4	107.1	113.9	126.2	134.1	184.3
1988.....	35.8	49.7	73.2	89.0	97.8	103.3	107.1	120.6	153.9	187.2
1987.....	36.6	53.1	72.2	81.9	100.2	91.6	117.5	107.6	142.1	171.5
1986.....	36.0	51.6	70.8	77.2	94.8	97.6	107.7	103.9	115.2	170.3
1985.....	33.3	50.7	61.0	86.9	94.2	94.8	107.8	110.6	129.7	159.4
1984.....	39.1	48.4	65.2	83.1	101.9	99.1	103.8	106.0	158.6	154.3
1983.....	31.6	46.9	65.0	77.9	91.5	93.4	99.4	110.4	133.8	149.2
1982.....	26.8	50.3	65.1	80.4	88.2	90.9	103.1	115.1	144.2	141.5
1981.....	31.7	49.4	56.4	77.6	82.7	87.4	96.8	95.9	148.5	156.6
1980.....	33.4	42.3	63.2	78.3	81.7	79.8	90.4	107.3	127.0	149.9
1979.....	28.7	50.6	63.1	66.3	81.4	79.6	86.6	94.1	112.1	137.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF MALE BREAST (175)										
TOTAL, BOTH SEXES										
1998.....	*	*	0.1	0.2	0.3	0.4	0.4	0.9	1.2	1.2
1997.....	*	*	0.2	0.3	0.4	0.5	0.5	0.8	0.8	1.0
1996.....	*	*	*	0.2	0.3	0.4	0.7	0.9	0.9	1.2
1995.....	*	*	0.2	0.2	0.4	0.5	0.5	1.0	0.9	1.2
1994.....	*	*	*	0.2	0.4	0.5	0.8	0.7	0.9	1.1
1993.....	*	*	*	0.3	0.4	0.5	0.6	0.8	1.0	1.4
1992.....	*	*	*	0.2	0.3	0.5	0.5	0.7	0.8	1.2
1991.....	*	*	*	*	0.3	0.5	0.5	0.5	0.9	1.1
1990.....	*	*	*	0.2	0.4	0.4	0.5	0.6	0.6	0.7
1989.....	*	*	*	0.2	0.3	0.4	0.7	0.8	0.8	1.2
1988.....	*	*	0.2	*	0.3	0.4	0.6	0.8	0.9	1.1
1987.....	*	*	*	0.2	0.5	0.5	0.6	0.8	1.2	1.0
1986.....	*	*	*	0.2	0.3	0.5	0.5	0.7	0.7	0.9
1985.....	*	*	*	0.2	0.3	0.4	0.5	0.7	1.0	1.1
1984.....	*	*	*	0.2	0.2	0.4	0.5	0.7	0.8	0.9
1983.....	*	*	*	0.2	0.4	0.4	0.8	0.6	0.7	0.9
1982.....	*	*	*	0.2	0.3	0.4	0.6	0.8	1.3	0.9
1981.....	*	*	*	0.2	0.4	0.4	0.6	0.7	0.9	1.2
1980.....	0.0	0.1	0.1	0.2	0.5	0.4	0.5	0.9	0.6	0.8
1979.....	0.0	0.0	0.1	0.2	0.3	0.4	0.6	0.5	1.3	0.8
TOTAL, MALE										
1998.....	*	*	0.3	0.4	0.6	0.8	1.0	2.1	3.2	4.0
1997.....	*	*	0.4	0.6	0.9	1.2	1.3	2.0	2.3	3.3
1996.....	*	*	*	0.5	0.7	0.9	1.6	2.2	2.4	4.2
1995.....	*	*	0.4	0.5	0.9	1.1	1.2	2.4	2.4	4.2
1994.....	*	*	*	0.5	0.9	1.2	1.7	1.7	2.6	3.9
1993.....	*	*	*	0.6	0.8	1.1	1.4	2.0	2.8	5.1
1992.....	*	*	*	0.4	0.6	1.1	1.2	1.9	2.2	4.4
1991.....	*	*	*	*	0.6	1.2	1.1	1.2	2.6	4.1
1990.....	*	*	*	0.5	0.8	1.0	1.3	1.5	1.8	2.4
1989.....	*	*	*	0.5	0.7	0.8	1.6	2.2	2.2	4.2
1988.....	*	*	0.4	*	0.6	0.9	1.4	2.0	2.7	4.1
1987.....	*	*	*	0.4	1.1	1.0	1.4	2.0	3.4	3.5
1986.....	*	*	*	0.4	0.6	1.1	1.1	1.7	2.0	3.1
1985.....	*	*	*	0.5	0.7	0.9	1.2	1.9	2.9	3.9
1984.....	*	*	*	0.5	0.5	1.0	1.2	1.7	2.2	3.1
1983.....	*	*	*	0.5	0.8	1.0	1.9	1.7	2.0	3.0
1982.....	*	*	*	0.5	0.6	1.0	1.5	2.1	3.8	3.1
1981.....	*	*	*	0.4	0.8	0.8	1.4	1.8	2.6	4.0
1980.....	0.1	0.2	0.3	0.5	1.0	1.0	1.2	2.2	1.8	2.6
1979.....	0.0	0.1	0.2	0.4	0.7	0.9	1.4	1.3	3.7	2.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF MALE BREAST (175)										
WHITE, BOTH SEXES										
1998.....	*	*	*	0.2	0.3	0.4	0.4	0.9	1.2	1.1
1997.....	*	*	0.2	0.3	0.3	0.5	0.5	0.8	0.8	1.0
1996.....	*	*	*	0.2	0.3	0.4	0.7	0.9	0.8	1.1
1995.....	*	*	0.2	0.2	0.4	0.5	0.5	0.9	0.7	1.1
1994.....	*	*	*	0.2	0.4	0.5	0.7	0.6	1.0	1.0
1993.....	*	*	*	0.3	0.3	0.5	0.5	0.8	1.0	1.3
1992.....	*	*	*	*	0.3	0.5	0.5	0.7	0.7	1.3
1991.....	*	*	*	*	0.3	0.5	0.4	0.5	0.8	1.1
1990.....	*	*	*	*	0.3	0.4	0.5	0.6	0.6	*
1989.....	*	*	*	*	0.4	0.3	0.6	0.9	0.7	1.2
1988.....	*	*	*	*	0.3	0.4	0.6	0.7	0.8	0.8
1987.....	*	*	*	*	0.5	0.4	0.6	0.8	1.2	1.0
1986.....	*	*	*	0.2	0.3	0.5	0.4	0.6	0.7	0.8
1985.....	*	*	*	0.2	0.3	0.4	0.5	0.7	1.0	1.0
1984.....	*	*	*	0.2	0.2	0.4	0.5	0.6	0.8	0.9
1983.....	*	*	*	0.2	0.3	0.4	0.7	0.6	0.8	*
1982.....	*	*	*	0.2	0.3	0.4	0.7	0.8	1.2	*
1981.....	*	*	*	*	0.4	0.3	0.5	0.7	0.8	1.3
1980.....	0.0	0.1	0.2	0.2	0.5	0.5	0.5	0.9	0.6	0.8
1979.....	0.0	0.0	0.1	0.2	0.3	0.3	0.5	0.4	1.3	0.7
WHITE MALE										
1998.....	*	*	*	0.4	0.5	0.9	0.9	2.1	3.2	3.8
1997.....	*	*	0.3	0.6	0.7	1.0	1.2	2.0	2.1	3.4
1996.....	*	*	*	0.5	0.6	0.8	1.5	2.1	2.2	4.0
1995.....	*	*	0.4	0.5	0.9	1.0	1.1	2.2	1.9	4.0
1994.....	*	*	*	0.5	0.9	1.1	1.6	1.5	2.7	3.7
1993.....	*	*	*	0.5	0.7	1.0	1.1	1.9	2.8	4.6
1992.....	*	*	*	*	0.6	1.1	1.1	1.9	2.0	4.6
1991.....	*	*	*	*	0.6	1.1	1.0	1.2	2.4	4.2
1990.....	*	*	*	*	0.7	0.9	1.2	1.6	1.6	*
1989.....	*	*	*	*	0.8	0.7	1.5	2.3	2.1	4.3
1988.....	*	*	*	*	0.6	0.8	1.5	1.8	2.3	2.9
1987.....	*	*	*	*	1.0	1.0	1.4	2.0	3.4	3.7
1986.....	*	*	*	0.4	0.6	1.0	1.0	1.5	2.0	3.0
1985.....	*	*	*	0.5	0.7	1.0	1.2	1.9	2.9	3.6
1984.....	*	*	*	0.5	0.4	0.9	1.1	1.6	2.2	3.3
1983.....	*	*	*	0.5	0.7	0.9	1.8	1.6	2.2	*
1982.....	*	*	*	0.4	0.6	1.0	1.6	2.1	3.5	*
1981.....	*	*	*	*	0.8	0.8	1.3	1.9	2.4	4.4
1980.....	0.1	0.1	0.3	0.4	1.1	1.1	1.1	2.2	1.7	2.6
1979.....	0.0	0.0	0.1	0.4	0.7	0.8	1.3	1.0	3.7	2.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF MALE BREAST (175)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.4	0.4	0.2	0.8	0.9	0.9	1.1
1979.....	-	0.1	0.2	0.2	0.2	0.7	1.0	1.6	1.3	1.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	0.2	0.9	0.9	0.5	1.8	2.2	2.3	3.3
1979.....	-	0.3	0.3	0.4	0.5	1.6	2.3	3.8	3.5	5.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF MALE BREAST (175)										
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.1	0.5	0.5	0.3	0.9	1.0	1.0	1.3
1979.....	-	0.2	0.2	0.2	0.2	0.6	1.1	1.8	1.5	1.9
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	0.2	1.1	1.0	0.6	2.1	2.6	2.7	3.8
1979.....	-	0.4	0.4	0.4	0.5	1.5	2.7	4.3	3.9	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
TOTAL, BOTH SEXES										
1998.....	4.4	7.3	12.7	21.2	36.1	60.0	95.8	145.2	214.1	287.6
1997.....	4.4	8.0	12.6	21.7	36.9	61.0	102.2	149.3	215.8	304.0
1996.....	4.5	7.4	13.0	21.8	39.4	64.6	107.1	155.5	226.8	304.6
1995.....	4.7	7.8	13.4	22.8	39.4	66.0	108.4	159.6	231.9	317.0
1994.....	4.5	8.1	14.0	23.2	41.3	69.0	113.0	164.8	239.2	312.0
1993.....	4.7	8.2	13.4	23.2	40.9	69.4	112.8	167.3	241.0	316.2
1992.....	5.0	7.8	14.4	24.0	42.5	73.8	115.9	168.5	236.7	309.1
1991.....	4.7	8.2	14.3	24.4	43.2	73.4	116.8	167.8	240.1	302.7
1990.....	5.0	8.5	14.8	25.1	43.4	74.6	118.5	169.6	231.5	292.2
1989.....	4.9	8.2	14.3	24.2	43.9	74.3	112.2	161.9	222.2	280.9
1988.....	4.9	8.3	14.4	24.7	43.6	72.2	114.0	159.0	220.8	268.4
1987.....	4.5	9.1	14.5	24.2	42.4	72.6	110.9	157.5	215.2	263.0
1986.....	5.3	9.2	14.7	24.8	44.8	72.7	113.6	153.7	214.4	261.4
1985.....	5.2	8.9	15.6	25.3	43.9	70.5	110.3	156.2	211.8	251.2
1984.....	5.5	9.3	15.0	26.1	43.7	70.3	108.2	153.8	210.4	264.0
1983.....	5.0	9.2	15.7	26.3	45.3	72.1	110.3	156.8	208.8	261.3
1982.....	5.2	10.0	15.8	27.2	44.5	72.4	106.0	156.5	210.3	257.7
1981.....	5.7	10.0	17.0	27.3	45.7	71.5	107.0	153.3	209.7	259.1
1980.....	6.0	10.4	17.6	27.1	46.0	72.6	108.6	156.6	210.8	267.0
1979.....	6.1	10.6	18.3	27.7	44.9	71.8	110.2	153.5	213.2	252.0
TOTAL, MALE										
1998.....	0.8	1.3	4.2	12.0	30.0	63.8	125.3	226.7	401.7	705.0
1997.....	0.6	1.5	4.1	12.8	29.6	67.8	134.9	236.3	411.9	767.4
1996.....	0.6	1.5	4.8	13.0	32.8	72.2	149.8	254.2	435.8	775.2
1995.....	0.7	1.3	4.3	13.2	35.2	75.6	150.4	260.9	457.2	821.5
1994.....	0.7	1.5	4.7	13.4	35.8	78.7	158.4	274.3	481.4	822.5
1993.....	0.8	1.4	4.3	13.9	36.7	82.7	160.4	282.2	485.4	842.2
1992.....	0.7	1.4	4.4	14.2	39.3	87.6	164.2	285.8	478.2	808.3
1991.....	0.6	1.4	5.1	14.0	39.6	84.9	169.5	288.7	495.7	781.0
1990.....	0.6	1.1	5.0	15.9	40.0	87.8	170.9	290.5	478.4	750.0
1989.....	0.8	1.3	4.8	15.6	39.6	84.5	161.6	276.9	457.2	714.0
1988.....	0.6	1.5	5.0	14.3	37.1	81.3	160.5	271.5	447.7	675.9
1987.....	0.6	1.6	4.5	13.7	36.4	82.0	157.5	264.9	435.1	659.8
1986.....	0.6	1.4	4.7	14.2	37.5	81.8	159.7	265.2	433.1	643.3
1985.....	0.8	1.3	5.1	14.3	35.4	78.0	153.0	263.7	426.7	614.6
1984.....	0.7	1.5	4.6	14.4	35.7	77.1	150.4	261.7	414.3	649.7
1983.....	0.7	1.7	4.8	14.1	35.9	77.9	153.1	266.2	415.6	623.4
1982.....	0.7	1.6	4.9	14.3	34.9	78.5	145.6	260.8	415.7	613.9
1981.....	0.6	1.8	5.1	13.1	34.9	77.2	148.4	254.7	411.7	612.7
1980.....	0.7	1.7	4.9	13.6	35.1	79.0	146.7	260.4	415.0	612.3
1979.....	0.8	1.8	4.8	13.7	34.0	75.2	152.1	258.6	414.0	583.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
TOTAL, FEMALE										
1998.....	7.9	13.2	20.7	29.7	41.6	56.8	72.8	87.4	102.6	114.6
1997.....	8.0	14.3	20.6	29.9	43.3	55.2	76.8	88.1	101.1	117.3
1996.....	8.3	13.0	20.8	29.8	45.3	58.1	74.3	86.7	106.4	117.5
1995.....	8.6	14.1	22.0	31.6	43.2	58.1	76.1	90.1	104.9	120.5
1994.....	8.1	14.4	22.7	32.3	46.2	61.0	78.2	90.6	105.2	115.3
1993.....	8.5	14.7	21.9	31.8	44.6	58.5	76.6	90.3	107.4	114.4
1992.....	9.2	13.9	23.7	32.9	45.4	62.7	79.4	91.0	106.1	115.8
1991.....	8.8	14.7	23.0	33.9	46.4	64.2	77.3	88.8	103.5	117.8
1990.....	9.3	15.6	24.0	33.5	46.4	64.0	79.6	91.8	100.4	115.6
1989.....	8.9	14.8	23.3	32.2	47.6	66.0	75.6	88.2	97.8	112.5
1988.....	9.0	14.9	23.2	34.1	49.3	64.8	79.8	87.3	101.3	109.3
1987.....	8.3	16.2	23.9	33.7	47.6	64.8	77.0	89.4	99.9	106.6
1986.....	9.9	16.8	24.2	34.4	51.1	65.3	80.2	83.4	99.6	109.9
1985.....	9.4	16.1	25.3	35.2	51.2	64.3	79.4	88.6	99.1	106.1
1984.....	10.1	16.8	24.8	36.6	50.6	64.8	77.7	86.0	103.2	108.2
1983.....	9.2	16.4	25.9	37.2	53.5	67.5	79.4	88.1	99.8	112.9
1982.....	9.5	17.9	26.0	38.7	52.8	67.4	77.4	91.1	101.7	109.2
1981.....	10.6	17.7	28.0	39.9	55.0	66.9	77.2	89.7	102.5	108.7
1980.....	11.1	18.6	29.2	39.2	55.4	67.5	81.1	91.4	102.2	115.9
1979.....	11.2	18.9	30.7	40.2	54.3	69.0	80.0	87.3	105.4	104.8
WHITE, BOTH SEXES										
1998.....	4.2	7.0	12.2	20.2	33.0	56.0	89.3	136.5	203.6	275.4
1997.....	4.0	7.7	12.0	20.4	34.4	56.4	94.7	140.6	206.4	289.2
1996.....	4.3	7.1	12.4	20.5	36.6	59.6	99.5	145.9	214.4	291.7
1995.....	4.5	7.5	13.0	21.9	36.2	61.7	100.9	151.5	218.4	302.9
1994.....	4.2	7.8	13.7	21.8	38.5	64.0	104.7	155.8	226.8	300.0
1993.....	4.5	7.8	12.6	21.9	37.8	64.2	105.1	158.4	226.8	299.9
1992.....	4.8	7.3	13.5	22.3	39.2	68.6	108.5	160.1	224.6	293.9
1991.....	4.4	7.8	13.4	22.9	40.4	68.1	109.4	159.0	227.0	289.9
1990.....	4.7	8.2	14.2	23.3	40.4	69.8	111.6	160.2	218.2	277.5
1989.....	4.5	7.9	13.4	22.8	41.4	69.3	105.3	151.9	211.3	269.7
1988.....	4.6	7.9	13.5	23.2	40.7	67.2	107.8	149.2	209.6	257.1
1987.....	4.2	8.5	13.7	22.9	39.8	67.6	104.6	148.1	203.6	251.4
1986.....	5.1	8.5	13.7	23.5	41.9	67.9	105.7	145.3	203.9	250.7
1985.....	5.0	8.5	14.2	23.8	41.0	66.0	103.1	147.1	199.5	239.6
1984.....	5.0	8.6	14.0	24.7	41.1	66.0	100.6	145.0	197.4	253.2
1983.....	4.6	8.4	15.0	24.4	42.5	68.2	102.8	146.9	197.0	254.2
1982.....	5.0	9.5	14.7	25.7	41.8	67.8	98.7	148.3	199.1	248.6
1981.....	5.2	9.7	15.9	25.7	42.7	66.7	99.6	145.6	198.6	249.9
1980.....	5.5	9.5	16.6	25.5	42.9	67.2	100.9	148.8	200.2	256.5
1979.....	5.6	9.6	17.6	26.0	41.5	66.3	102.9	145.8	204.8	246.6



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
WHITE MALE										
1998.....	0.8	1.2	3.4	10.5	24.8	56.9	111.7	206.4	373.4	668.4
1997.....	0.6	1.3	3.5	10.8	25.1	59.7	119.8	215.9	387.9	725.7
1996.....	0.7	1.4	4.0	11.2	28.0	63.4	134.5	230.6	403.3	738.3
1995.....	0.7	1.1	4.0	11.6	29.7	67.0	133.7	242.0	423.0	780.0
1994.....	0.7	1.4	4.1	11.4	31.4	69.0	141.4	253.0	449.6	785.6
1993.....	0.8	1.2	3.8	12.0	31.6	73.1	145.4	262.1	448.9	794.1
1992.....	0.7	1.2	3.7	11.9	34.4	78.4	148.4	265.6	448.7	764.6
1991.....	0.6	1.4	4.2	12.0	35.3	75.7	154.4	267.5	463.2	747.9
1990.....	0.6	1.1	4.6	13.5	35.4	78.9	156.3	268.0	446.3	709.2
1989.....	0.9	1.2	4.1	13.3	35.9	75.8	147.4	254.9	430.5	685.6
1988.....	0.6	1.3	4.3	12.6	32.7	72.7	148.0	250.1	421.6	645.7
1987.....	0.7	1.5	4.0	11.7	32.4	72.8	144.0	243.9	406.6	630.8
1986.....	0.6	1.1	4.0	12.7	33.5	73.4	143.6	245.5	407.0	617.0
1985.....	0.9	1.1	4.1	12.2	31.4	70.0	138.2	243.4	396.6	583.7
1984.....	0.7	1.3	4.1	12.7	31.4	69.7	134.4	242.1	384.8	625.9
1983.....	0.7	1.4	4.2	12.1	31.6	69.9	138.5	246.0	385.8	607.7
1982.....	0.7	1.4	4.3	12.4	30.8	70.5	131.8	243.7	389.4	592.9
1981.....	0.6	1.6	4.3	11.4	30.2	67.8	133.6	236.9	387.1	589.0
1980.....	0.7	1.6	4.2	11.8	31.1	69.3	132.9	244.3	389.3	588.0
1979.....	0.7	1.5	4.2	11.9	29.6	66.2	138.4	241.6	392.9	569.2
WHITE FEMALE										
1998.....	7.5	12.7	20.6	29.3	40.5	55.3	71.7	86.5	102.3	114.2
1997.....	7.4	14.1	20.2	29.4	43.0	53.5	75.2	87.3	99.8	115.5
1996.....	7.9	12.7	20.4	29.2	44.5	56.3	72.2	86.4	105.3	116.6
1995.....	8.4	13.7	21.7	31.5	42.0	57.3	75.5	88.9	102.8	119.1
1994.....	7.7	14.1	22.8	31.6	44.9	59.8	76.4	89.4	103.4	114.9
1993.....	8.2	14.3	21.1	31.2	43.5	56.8	74.0	88.4	105.6	112.7
1992.....	8.8	13.2	23.0	32.0	43.6	60.5	78.0	89.8	103.8	114.2
1991.....	8.1	14.1	22.3	33.2	45.0	61.8	75.4	87.7	101.4	115.8
1990.....	8.8	15.1	23.5	32.6	44.8	62.3	78.1	90.7	97.7	113.6
1989.....	8.1	14.5	22.3	31.6	46.4	64.0	73.9	85.7	96.1	110.8
1988.....	8.6	14.4	22.3	33.1	47.7	62.7	78.1	84.9	98.9	108.1
1987.....	7.7	15.3	23.0	33.2	46.3	63.2	75.7	87.4	98.0	104.5
1986.....	9.4	15.7	22.9	33.4	49.2	63.3	77.9	82.3	98.3	108.0
1985.....	9.1	15.8	23.9	34.5	49.4	62.8	77.6	86.7	97.0	104.8
1984.....	9.2	15.8	23.5	35.6	49.6	62.9	76.0	84.4	99.9	105.5
1983.....	8.3	15.1	25.3	35.6	52.0	66.9	77.0	85.1	98.5	112.0
1982.....	9.2	17.4	24.6	37.5	51.5	65.6	74.8	89.0	99.6	107.6
1981.....	9.6	17.5	26.9	38.6	53.5	65.8	75.1	88.7	99.7	108.0
1980.....	10.2	17.0	28.3	37.8	53.2	65.6	77.8	89.5	100.8	113.5
1979.....	10.4	17.3	30.0	38.7	51.8	66.4	77.3	86.2	105.1	104.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
ALL OTHER, BOTH SEXES										
1998.....	5.3	9.2	15.9	27.5	55.8	86.5	147.7	222.6	320.3	403.0
1997.....	6.3	9.6	16.1	29.7	52.3	92.4	162.8	228.3	311.1	445.2
1996.....	5.4	9.1	16.9	29.6	57.3	99.9	171.6	243.7	353.9	427.8
1995.....	5.5	9.6	15.8	28.2	61.1	97.2	172.7	235.8	371.0	459.9
1994.....	5.9	9.8	15.9	32.0	60.2	106.5	184.5	251.1	365.8	436.0
1993.....	5.8	10.8	18.1	31.7	61.8	109.6	180.9	252.2	387.2	484.4
1992.....	6.5	10.9	19.5	34.9	65.9	115.1	181.7	247.9	362.3	469.4
1991.....	6.8	10.5	19.4	34.0	63.7	116.5	182.6	251.5	375.6	438.0
1990.....	6.8	10.7	18.2	36.9	66.3	115.0	180.9	257.8	370.5	448.4
1989.....	7.3	10.0	20.3	34.2	62.7	116.2	175.2	256.3	336.3	399.6
1988.....	6.4	10.9	20.2	34.9	66.9	114.2	170.4	251.7	339.7	388.3
1987.....	6.5	12.4	19.6	33.3	62.6	115.7	168.6	246.6	339.3	387.5
1986.....	7.1	13.7	21.7	34.7	68.8	114.4	186.7	233.6	326.3	377.5
1985.....	6.6	11.1	24.6	35.9	67.8	109.2	176.3	243.7	345.3	376.8
1984.....	8.7	13.8	22.1	37.0	66.3	108.4	178.8	238.1	353.5	382.9
1983.....	8.1	14.8	20.9	41.0	70.0	107.0	179.7	252.3	340.8	338.3
1982.....	6.7	12.9	24.2	39.6	68.0	112.4	174.2	235.5	338.2	361.3
1981.....	9.1	12.0	24.7	40.2	72.5	113.4	177.1	229.1	337.8	363.7
1980.....	9.4	16.9	24.9	40.9	74.1	120.6	182.5	232.5	336.4	387.4
1979.....	9.3	17.6	24.2	42.2	77.0	119.9	182.2	227.5	312.9	315.5
ALL OTHER MALE										
1998.....	*	2.2	9.2	21.9	66.0	113.8	241.1	415.2	696.8	1,025.6
1997.....	*	2.8	8.2	25.9	61.3	128.0	267.3	431.5	662.2	1,131.0
1996.....	*	2.1	9.4	24.8	66.6	139.6	286.9	482.2	773.5	1,096.3
1995.....	*	2.1	6.6	23.7	74.9	142.9	304.6	447.8	816.2	1,210.2
1994.....	*	2.5	8.4	26.7	68.4	155.7	316.7	487.8	806.9	1,168.4
1993.....	*	3.3	8.2	27.2	74.8	162.1	300.0	484.6	855.3	1,290.4
1992.....	*	2.9	9.2	30.2	77.1	163.7	312.4	484.1	774.7	1,216.6
1991.....	*	*	10.4	28.4	74.1	163.1	312.1	496.5	817.1	1,087.2
1990.....	*	*	7.9	33.4	78.1	166.3	311.1	508.4	798.2	1,130.2
1989.....	*	2.4	9.5	32.0	70.5	161.8	298.7	487.8	722.3	976.5
1988.....	*	2.8	9.8	27.3	74.3	158.3	281.6	474.9	706.8	955.7
1987.....	*	2.5	8.3	29.2	70.2	166.0	287.0	462.8	721.4	931.2
1986.....	*	3.1	9.6	26.3	72.1	158.6	312.5	450.5	697.2	889.3
1985.....	*	2.8	12.7	31.3	71.3	151.8	293.3	452.9	725.7	905.5
1984.....	*	2.9	8.4	28.4	74.9	145.0	301.7	443.1	715.8	872.2
1983.....	*	3.8	9.5	30.6	75.0	152.5	291.1	452.3	724.7	762.9
1982.....	*	*	10.2	29.6	73.1	151.6	274.7	418.2	690.4	817.9
1981.....	*	3.7	11.1	27.8	78.8	163.2	286.6	419.9	670.3	848.4
1980.....	0.6	2.5	11.1	29.3	72.7	167.8	276.1	410.2	690.1	860.7
1979.....	1.2	4.0	9.5	29.2	76.5	157.1	281.1	410.4	639.5	730.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
ALL OTHER FEMALE										
1998.....	9.5	15.2	21.4	32.0	47.9	66.1	81.9	94.8	106.1	118.4
1997.....	11.0	15.5	22.8	32.7	45.4	65.8	89.7	95.8	114.0	134.6
1996.....	9.8	15.0	23.1	33.5	50.1	70.4	91.3	89.8	118.5	126.5
1995.....	9.4	16.0	23.4	31.9	50.5	63.3	81.0	100.7	126.4	135.0
1994.....	10.3	16.0	22.2	36.3	53.9	70.0	92.7	102.5	123.2	118.8
1993.....	10.4	17.1	26.6	35.3	51.9	70.9	97.7	107.9	126.7	132.8
1992.....	11.5	17.8	28.2	38.6	57.4	79.2	91.3	101.8	130.0	132.8
1991.....	12.2	18.1	27.0	38.5	55.8	82.2	93.9	99.2	125.3	140.2
1990.....	12.3	18.8	26.9	39.6	57.3	77.0	92.3	102.3	129.1	138.5
1989.....	13.2	16.6	29.4	35.9	56.8	82.3	90.7	111.5	116.0	132.6
1988.....	11.4	17.9	28.9	40.9	61.2	81.5	94.9	110.4	127.5	123.1
1987.....	11.9	21.0	29.0	36.6	56.8	78.2	87.8	108.3	120.9	130.7
1986.....	12.7	22.8	31.8	41.5	66.2	81.3	100.5	93.5	114.9	131.4
1985.....	11.7	18.2	34.4	39.7	65.1	77.2	95.6	106.4	123.3	122.0
1984.....	15.3	23.0	33.5	43.9	59.5	80.7	92.7	102.0	139.9	140.0
1983.....	14.4	24.3	30.2	49.6	65.9	73.1	101.2	118.4	115.2	124.5
1982.....	11.6	21.4	35.6	47.9	64.0	82.9	101.7	111.6	127.4	128.6
1981.....	16.3	18.9	35.7	50.5	67.5	75.8	96.6	100.0	136.0	117.5
1980.....	16.9	28.7	36.0	50.6	75.3	84.4	112.7	111.4	119.0	145.0
1979.....	16.2	28.9	36.1	53.0	77.4	91.4	106.9	98.4	110.2	103.5
BLACK, BOTH SEXES										
1998.....	6.2	10.7	18.5	32.5	69.8	106.7	184.1	270.0	387.5	470.7
1997.....	7.0	10.9	19.6	36.2	64.8	112.2	203.2	276.9	359.9	512.2
1996.....	6.0	9.7	19.1	33.5	69.9	121.9	209.5	294.1	418.0	483.7
1995.....	6.4	10.5	17.9	33.5	74.0	117.3	213.8	278.4	419.9	498.1
1994.....	6.5	11.1	19.0	37.6	72.1	128.6	225.4	291.5	418.0	478.9
1993.....	6.4	12.4	20.5	36.7	74.7	133.3	218.7	293.2	435.8	527.5
1992.....	7.5	12.5	23.0	41.7	79.6	137.3	213.3	286.7	415.0	520.9
1991.....	7.2	12.3	21.9	38.9	75.7	141.2	214.6	293.9	426.3	474.6
1990.....	7.8	12.1	20.9	44.2	77.8	134.5	209.8	292.8	415.6	493.6
1989.....	8.5	12.0	23.6	39.8	72.9	136.0	203.3	291.2	370.9	434.1
1988.....	7.7	11.3	23.1	39.4	78.0	133.2	197.8	285.0	377.9	420.1
1987.....	7.8	14.8	22.6	37.6	74.4	133.5	194.2	280.2	371.5	423.1
1986.....	8.2	15.6	24.6	38.7	79.4	134.0	214.3	263.1	358.0	404.0
1985.....	7.1	12.8	27.6	41.3	78.1	125.1	201.0	271.6	378.8	407.2
1984.....	9.9	16.3	24.8	41.7	75.3	123.0	201.1	262.8	388.6	418.9
1983.....	9.1	16.2	23.5	45.9	79.8	121.1	203.3	281.1	377.5	365.2
1982.....	7.4	14.0	26.2	44.7	76.1	127.1	194.8	260.5	371.1	389.2
1981.....	10.1	12.8	26.7	45.3	81.6	127.6	197.1	253.2	371.3	388.7
1980.....	10.5	18.3	26.6	45.9	82.7	133.4	201.6	255.7	369.7	415.6
1979.....	10.1	18.9	25.7	45.6	85.1	130.6	200.2	244.2	333.3	335.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
BLACK MALE										
1998.....	*	3.0	12.5	29.3	87.1	146.0	310.0	521.3	898.0	1,285.4
1997.....	*	3.9	11.3	34.6	81.6	158.1	343.7	542.7	813.8	1,384.4
1996.....	*	2.7	12.3	32.6	86.4	175.3	360.2	600.1	974.4	1,323.5
1995.....	*	2.7	8.9	30.8	97.1	174.9	387.2	543.6	973.8	1,372.4
1994.....	*	3.5	11.5	35.3	86.9	191.6	400.6	589.9	976.9	1,335.5
1993.....	*	4.3	10.1	35.5	94.7	203.2	374.5	581.4	1,009.3	1,467.9
1992.....	*	4.1	11.9	39.4	98.7	203.5	381.4	582.4	935.8	1,421.1
1991.....	*	*	13.6	36.4	91.7	204.4	378.8	606.6	979.2	1,236.2
1990.....	*	*	9.6	42.8	96.4	201.6	375.9	599.3	944.6	1,308.3
1989.....	*	3.2	12.4	39.2	86.9	198.9	357.1	574.7	841.2	1,110.6
1988.....	*	3.6	12.6	33.0	90.7	191.5	335.2	561.0	833.0	1,080.0
1987.....	*	*	10.5	35.7	86.8	197.4	339.4	544.6	823.9	1,064.1
1986.....	*	4.0	12.0	31.3	86.5	189.8	371.0	525.0	791.1	987.3
1985.....	*	3.5	15.4	37.5	85.7	178.5	345.1	520.6	828.7	998.4
1984.....	*	3.8	10.3	33.0	90.0	169.7	351.4	507.2	815.5	985.2
1983.....	*	4.8	11.1	36.6	88.8	177.0	339.3	520.0	830.5	846.7
1982.....	*	*	12.1	34.5	84.4	175.1	316.5	482.0	770.0	900.0
1981.....	*	4.6	13.2	32.8	90.8	188.6	326.8	477.8	759.7	926.8
1980.....	0.7	2.7	12.4	33.6	83.4	190.7	313.7	466.8	769.0	947.0
1979.....	1.2	4.8	11.2	33.6	87.1	173.7	320.8	449.1	679.2	794.2
BLACK FEMALE										
1998.....	11.0	17.1	23.3	35.0	56.9	77.4	96.4	109.0	119.8	132.2
1997.....	12.3	16.8	26.3	37.4	52.3	77.9	106.7	109.3	124.8	151.3
1996.....	10.9	15.6	24.6	34.3	57.4	82.0	107.1	103.1	131.1	138.9
1995.....	10.8	17.1	25.2	35.6	56.5	74.4	97.0	115.0	138.0	142.7
1994.....	11.3	17.4	25.1	39.5	61.0	81.8	107.9	111.5	133.2	131.2
1993.....	11.2	19.2	29.0	37.7	59.5	81.9	113.4	122.7	141.0	143.7
1992.....	13.1	19.4	32.1	43.6	65.2	88.9	101.3	113.9	145.4	146.3
1991.....	13.1	20.9	28.7	40.8	63.6	95.5	106.0	110.1	141.3	152.1
1990.....	14.1	20.8	30.1	45.3	63.8	86.0	100.8	113.2	141.6	148.4
1989.....	15.2	19.4	32.7	40.3	62.3	90.5	102.4	123.6	124.3	145.1
1988.....	13.5	17.9	31.6	44.5	68.4	90.9	106.8	119.9	137.6	132.2
1987.....	14.2	24.9	32.5	39.1	64.8	87.0	98.1	120.1	128.1	138.2
1986.....	14.6	25.2	34.9	44.6	74.1	93.2	110.4	102.8	121.8	137.7
1985.....	12.5	20.4	37.7	44.4	72.1	85.9	105.6	116.5	131.0	131.6
1984.....	17.2	26.6	36.6	48.6	63.9	88.6	100.8	109.4	152.6	151.2
1983.....	16.1	25.7	33.5	53.5	72.9	80.0	111.7	127.8	121.4	132.3
1982.....	12.4	22.7	37.7	53.0	69.6	91.6	111.1	119.5	139.9	138.1
1981.....	17.9	19.5	37.7	55.5	74.2	82.9	106.4	107.8	144.7	118.6
1980.....	18.6	31.1	38.1	55.9	82.1	90.8	121.9	118.3	130.2	149.9
1979.....	17.4	30.6	37.5	55.4	83.5	98.5	113.4	103.4	118.5	106.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF CERVIX UTERI (180)										
TOTAL, BOTH SEXES										
1998.....	2.0	2.7	3.0	2.9	3.2	3.7	3.8	4.7	5.7	7.9
1997.....	2.0	2.8	3.0	3.3	4.0	4.1	4.0	4.6	5.6	8.5
1996.....	2.2	2.3	3.1	3.3	4.0	4.4	4.5	4.8	5.9	9.0
1995.....	2.3	2.7	3.2	3.3	3.5	3.8	4.5	5.3	7.3	9.4
1994.....	2.0	2.9	3.3	3.6	3.9	4.6	5.0	5.3	7.1	7.5
1993.....	2.1	2.9	3.3	3.4	3.9	4.2	5.2	6.0	7.1	9.3
1992.....	2.3	2.8	3.4	3.8	3.7	4.4	5.1	5.7	8.3	9.3
1991.....	2.2	2.9	3.1	3.8	4.2	4.5	4.9	6.0	7.1	9.9
1990.....	2.4	3.0	3.7	3.8	4.2	4.5	5.3	5.6	8.7	9.9
1989.....	2.3	2.8	3.4	3.8	4.1	4.9	5.1	6.3	7.2	11.1
1988.....	2.3	3.0	3.5	3.5	4.4	4.8	5.4	6.2	8.1	10.4
1987.....	2.1	3.2	3.4	3.5	4.2	5.2	5.5	6.1	8.6	9.7
1986.....	2.2	3.2	3.7	4.0	4.8	5.1	5.3	6.6	8.4	11.3
1985.....	2.2	2.9	3.7	3.8	4.3	5.2	6.1	7.2	8.7	12.3
1984.....	2.6	3.1	3.6	4.4	4.7	5.1	6.0	7.0	9.2	11.4
1983.....	2.4	3.1	3.4	4.4	5.2	5.8	6.1	7.4	9.1	12.6
1982.....	2.4	3.2	3.9	4.6	4.9	5.6	6.4	7.8	9.6	12.1
1981.....	2.5	3.3	4.1	4.9	5.8	5.6	6.7	8.0	10.0	13.5
1980.....	2.5	3.7	3.9	4.7	5.7	6.1	7.6	8.8	10.1	12.2
1979.....	2.5	3.6	4.2	5.3	5.6	6.6	7.6	8.5	11.0	13.3
TOTAL, FEMALE										
1998.....	3.9	5.2	5.8	5.5	6.1	6.7	6.8	8.0	9.0	11.1
1997.....	4.1	5.6	5.8	6.4	7.5	7.5	7.2	7.8	8.9	11.9
1996.....	4.3	4.6	6.1	6.3	7.6	8.1	7.9	8.2	9.3	12.6
1995.....	4.4	5.3	6.2	6.3	6.6	7.0	7.9	9.0	11.4	13.1
1994.....	4.0	5.7	6.4	6.9	7.3	8.4	8.9	8.9	11.1	10.4
1993.....	4.2	5.6	6.4	6.6	7.3	7.6	9.2	10.0	11.0	12.8
1992.....	4.6	5.4	6.6	7.2	6.9	8.0	9.0	9.5	12.7	12.9
1991.....	4.3	5.6	6.1	7.4	7.9	8.1	8.6	9.9	10.9	13.7
1990.....	4.8	5.9	7.2	7.2	7.9	8.1	9.2	9.1	13.4	13.8
1989.....	4.5	5.5	6.5	7.3	7.6	8.9	8.9	10.3	11.0	15.4
1988.....	4.6	5.8	6.7	6.7	8.2	8.8	9.4	10.1	12.4	14.5
1987.....	4.1	6.2	6.6	6.7	7.9	9.4	9.5	9.9	13.1	13.6
1986.....	4.4	6.3	7.2	7.7	8.9	9.3	9.2	10.7	12.9	15.7
1985.....	4.4	5.7	7.2	7.3	8.0	9.3	10.5	11.7	13.3	17.2
1984.....	5.1	6.1	6.9	8.3	8.8	9.3	10.3	11.4	14.0	16.0
1983.....	4.7	6.0	6.7	8.4	9.8	10.4	10.5	12.0	14.0	17.8
1982.....	4.7	6.2	7.5	8.7	9.2	10.1	11.0	12.8	14.7	17.1
1981.....	4.9	6.4	7.9	9.2	10.9	10.1	11.6	13.0	15.2	19.2
1980.....	4.9	7.2	7.5	9.0	10.6	11.0	13.2	14.3	15.5	17.5
1979.....	4.8	7.0	8.2	10.0	10.4	11.8	13.1	13.9	16.8	19.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF CERVIX UTERI (180)										
WHITE, BOTH SEXES										
1998.....	1.8	2.4	2.7	2.5	2.8	2.9	3.3	4.0	4.6	6.5
1997.....	1.7	2.5	2.6	2.7	3.6	3.6	3.5	3.8	4.8	7.1
1996.....	2.0	2.0	2.8	2.8	3.3	3.8	3.8	4.5	5.3	7.9
1995.....	2.0	2.3	2.7	2.9	2.9	3.3	3.8	4.4	6.3	7.8
1994.....	1.7	2.5	3.0	3.1	3.4	4.0	4.4	4.5	6.1	6.6
1993.....	1.9	2.4	2.8	3.0	3.2	3.4	4.5	5.0	6.0	8.0
1992.....	2.0	2.3	2.8	3.2	2.9	3.6	4.4	4.8	7.1	8.1
1991.....	1.9	2.5	2.6	3.2	3.5	3.7	4.2	5.3	6.0	8.9
1990.....	2.1	2.5	3.2	3.2	3.4	3.8	4.5	4.8	7.7	9.1
1989.....	2.0	2.4	2.8	3.2	3.2	4.0	4.4	5.2	6.0	9.6
1988.....	2.1	2.7	2.7	2.9	3.7	4.2	4.7	4.9	6.9	9.2
1987.....	1.8	2.7	2.8	3.0	3.6	4.3	4.8	5.3	7.6	8.7
1986.....	1.9	2.5	3.1	3.4	3.9	4.3	4.5	5.6	7.6	10.0
1985.....	2.0	2.5	2.8	3.2	3.7	4.6	5.1	6.1	7.5	10.8
1984.....	2.1	2.5	2.7	3.8	4.1	4.4	5.2	6.1	8.1	9.9
1983.....	2.0	2.5	2.9	3.6	4.4	5.0	5.1	5.9	8.1	11.5
1982.....	2.1	2.7	3.1	3.8	4.3	4.9	5.3	6.6	8.4	10.8
1981.....	2.0	2.9	3.4	4.1	5.1	5.0	5.8	7.0	8.8	12.0
1980.....	2.1	2.8	3.2	4.1	4.9	5.3	6.5	7.5	9.2	10.5
1979.....	2.1	2.9	3.7	4.6	4.7	5.5	6.9	7.4	10.0	12.2
WHITE FEMALE										
1998.....	3.6	4.7	5.3	4.9	5.3	5.5	5.9	6.9	7.4	9.1
1997.....	3.5	5.0	5.2	5.3	6.8	6.7	6.2	6.5	7.6	9.9
1996.....	4.0	4.1	5.4	5.5	6.3	7.0	6.8	7.6	8.3	11.0
1995.....	4.1	4.6	5.3	5.5	5.5	6.0	6.8	7.5	9.8	10.8
1994.....	3.5	5.0	5.9	6.0	6.5	7.4	7.8	7.6	9.5	9.2
1993.....	3.7	4.8	5.4	5.8	6.0	6.3	8.0	8.3	9.2	11.0
1992.....	4.0	4.6	5.4	6.2	5.5	6.5	7.8	8.0	10.9	11.2
1991.....	3.8	4.9	5.1	6.3	6.6	6.7	7.4	8.7	9.2	12.3
1990.....	4.2	4.9	6.2	6.3	6.5	6.9	8.0	7.9	11.8	12.5
1989.....	3.9	4.7	5.5	6.1	6.1	7.2	7.6	8.5	9.1	13.2
1988.....	4.1	5.2	5.3	5.6	7.0	7.6	8.2	8.0	10.6	12.7
1987.....	3.5	5.3	5.4	5.8	6.7	7.9	8.4	8.7	11.6	12.1
1986.....	3.7	4.9	6.0	6.4	7.4	7.9	7.8	9.1	11.5	13.8
1985.....	3.9	4.9	5.6	6.2	6.9	8.3	8.9	9.9	11.4	15.0
1984.....	4.1	5.0	5.3	7.2	7.7	8.0	9.0	10.0	12.3	13.9
1983.....	4.0	4.9	5.6	6.8	8.2	9.1	8.8	9.6	12.4	16.1
1982.....	4.1	5.3	6.1	7.2	8.1	8.9	9.1	10.7	12.9	15.2
1981.....	3.9	5.8	6.5	7.8	9.5	9.0	10.0	11.4	13.4	17.0
1980.....	4.1	5.6	6.3	7.8	9.1	9.5	11.2	12.2	14.0	15.0
1979.....	4.1	5.6	7.2	8.8	8.9	10.0	11.8	11.9	15.2	17.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF CERVIX UTERI (180)										
ALL OTHER, BOTH SEXES										
1998.....	2.9	4.3	4.7	4.8	5.9	8.5	7.8	10.4	16.0	21.1
1997.....	3.6	4.6	5.1	6.8	6.6	7.5	8.6	11.9	14.4	21.5
1996.....	3.2	3.8	5.3	6.0	8.7	9.1	9.9	8.3	12.8	19.1
1995.....	3.3	4.7	5.9	6.0	7.5	7.9	10.3	13.9	17.2	25.6
1994.....	3.4	5.0	5.2	6.7	7.0	9.1	10.5	12.5	18.0	16.3
1993.....	3.7	5.5	6.4	6.3	8.8	9.8	11.2	15.5	19.1	22.5
1992.....	4.1	5.3	7.1	7.4	9.0	11.2	11.3	14.1	20.2	21.2
1991.....	4.0	5.2	6.4	7.8	9.7	11.0	11.3	12.8	18.2	20.4
1990.....	4.3	6.2	7.3	7.3	9.9	10.0	11.9	12.5	19.0	19.2
1989.....	4.4	5.5	6.9	8.4	10.5	12.7	12.0	16.8	19.8	27.7
1988.....	4.0	4.9	8.3	7.7	9.6	10.6	12.1	18.2	20.3	23.8
1987.....	4.0	6.4	7.4	7.3	9.5	12.7	11.2	13.4	19.2	20.8
1986.....	4.3	7.8	8.2	8.9	11.6	12.0	12.7	16.3	17.5	25.5
1985.....	3.9	5.5	9.7	8.2	9.3	10.2	14.7	17.7	21.8	28.6
1984.....	5.9	6.8	9.5	9.0	10.2	11.4	13.3	15.0	21.2	27.6
1983.....	4.8	7.0	7.6	10.9	12.6	12.7	15.4	21.0	20.6	25.4
1982.....	4.4	6.5	9.7	10.7	10.2	11.7	17.1	20.2	22.7	26.6
1981.....	5.9	5.6	9.9	11.2	12.5	10.8	15.2	17.6	23.7	30.0
1980.....	5.5	9.8	9.1	9.9	13.3	13.6	18.3	20.8	20.9	31.8
1979.....	5.1	8.8	8.6	11.1	13.6	15.6	14.9	20.0	22.8	26.4
ALL OTHER FEMALE										
1998.....	5.4	8.0	8.6	8.8	10.5	14.8	13.2	17.3	25.1	30.8
1997.....	6.8	8.5	9.4	12.4	11.7	13.1	14.6	19.6	22.5	31.3
1996.....	6.0	7.1	9.7	10.9	15.4	15.8	16.7	13.7	19.9	27.8
1995.....	6.2	8.8	10.9	10.8	13.2	13.8	17.5	22.7	26.7	36.6
1994.....	6.4	9.3	9.6	12.1	12.4	15.8	17.9	20.3	27.9	23.4
1993.....	6.8	10.2	11.9	11.5	15.5	17.0	19.0	25.1	29.7	32.4
1992.....	7.6	9.9	13.1	13.4	15.9	19.6	19.1	22.9	31.6	30.8
1991.....	7.4	9.6	11.9	14.1	17.1	19.1	19.1	20.8	28.4	29.6
1990.....	8.1	11.6	13.4	13.2	17.4	17.4	20.0	20.2	29.7	27.9
1989.....	8.1	10.2	12.8	15.1	18.6	22.1	20.1	27.3	31.1	40.6
1988.....	7.5	9.1	15.2	13.9	17.0	18.5	20.4	29.8	31.9	34.9
1987.....	7.5	11.9	13.6	13.1	16.8	22.2	18.9	22.0	30.1	30.7
1986.....	8.1	14.4	15.1	16.1	20.6	21.0	21.4	26.8	27.7	37.8
1985.....	7.2	10.3	17.7	14.8	16.6	17.9	24.8	29.3	34.4	42.7
1984.....	10.9	12.5	17.3	16.3	18.1	19.9	22.5	25.0	33.5	41.4
1983.....	8.9	12.9	13.8	19.8	22.6	22.2	26.3	35.0	32.7	38.1
1982.....	8.1	11.9	17.5	19.5	18.3	20.6	29.4	33.7	36.3	39.8
1981.....	10.9	10.3	17.9	20.4	22.5	19.0	26.4	29.5	38.0	45.2
1980.....	10.1	18.0	16.4	18.2	24.0	24.0	32.0	35.0	33.8	48.0
1979.....	9.3	16.1	15.7	20.3	24.5	27.7	26.2	34.1	37.2	40.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF CERVIX UTERI (180)										
BLACK, BOTH SEXES										
1998.....	3.4	5.2	5.5	5.6	7.3	9.5	9.0	10.7	18.4	22.5
1997.....	4.5	5.3	5.8	8.0	7.5	8.8	10.2	12.6	16.3	25.0
1996.....	3.8	4.6	6.2	6.1	9.9	9.8	11.6	10.3	14.4	22.0
1995.....	4.1	5.3	6.9	7.2	8.0	8.9	12.2	15.1	18.9	27.4
1994.....	3.8	5.7	6.3	7.4	7.8	10.5	12.5	13.0	20.2	18.1
1993.....	4.2	6.6	7.6	7.4	9.9	11.1	13.0	18.0	22.3	24.5
1992.....	4.8	6.5	8.4	8.7	10.7	12.8	12.8	14.9	23.9	23.2
1991.....	4.4	6.3	7.3	8.6	10.9	12.4	12.2	14.9	20.2	22.0
1990.....	5.2	7.0	8.2	8.3	10.7	11.1	13.3	13.4	20.8	20.2
1989.....	5.2	6.4	8.0	9.6	12.0	14.1	13.9	18.8	22.0	31.4
1988.....	4.9	4.9	9.1	8.1	11.0	11.9	13.7	20.9	22.4	25.2
1987.....	4.9	7.9	8.5	8.1	10.6	13.6	13.1	15.5	19.8	22.1
1986.....	5.5	8.8	9.4	10.1	13.3	14.2	14.0	18.3	17.6	26.9
1985.....	4.5	6.2	11.0	9.3	10.4	11.1	16.7	19.6	23.3	31.3
1984.....	6.9	8.0	10.7	10.1	11.0	12.2	13.9	16.6	24.6	30.5
1983.....	5.6	7.9	8.8	11.5	13.9	13.9	17.0	22.7	22.5	27.2
1982.....	4.9	7.6	10.8	12.3	11.1	13.0	18.5	21.5	24.8	28.4
1981.....	6.5	6.6	10.6	12.4	14.1	12.2	16.9	19.4	24.4	31.5
1980.....	6.0	10.5	9.9	11.2	14.8	14.8	19.5	22.2	24.0	31.4
1979.....	5.6	9.4	9.4	11.5	14.9	17.2	15.9	21.5	24.4	26.9
BLACK FEMALE										
1998.....	6.4	9.5	9.9	10.0	12.7	16.6	15.3	17.5	28.0	31.9
1997.....	8.4	9.8	10.5	14.3	13.1	15.3	17.3	20.6	24.8	35.3
1996.....	7.1	8.5	11.2	10.9	17.3	17.1	19.6	16.7	21.8	31.0
1995.....	7.6	9.7	12.5	12.8	14.0	15.6	20.4	24.4	28.5	38.5
1994.....	7.1	10.5	11.4	13.2	13.7	18.3	21.0	20.9	30.5	25.5
1993.....	7.8	12.1	13.9	13.2	17.5	19.3	21.9	28.7	33.8	34.6
1992.....	8.9	11.9	15.2	15.5	18.8	22.1	21.3	23.5	36.3	32.8
1991.....	8.2	11.5	13.4	15.4	19.2	21.3	20.3	23.7	30.6	31.3
1990.....	9.6	12.9	15.0	14.8	18.8	19.0	22.1	21.3	31.6	28.8
1989.....	9.5	11.8	14.6	17.2	21.2	24.3	23.0	29.9	33.5	45.1
1988.....	9.1	9.1	16.6	14.6	19.3	20.6	22.6	33.4	34.3	36.2
1987.....	9.0	14.4	15.4	14.7	18.7	23.5	21.7	24.9	30.4	31.9
1986.....	10.2	16.2	17.1	18.2	23.5	24.6	23.1	29.5	27.3	39.1
1985.....	8.3	11.4	20.1	16.9	18.5	19.3	27.7	31.9	36.1	45.9
1984.....	12.7	14.6	19.3	18.3	19.5	21.2	23.2	27.1	38.2	45.0
1983.....	10.3	14.4	16.0	20.9	24.8	24.2	28.6	37.1	35.2	40.3
1982.....	9.0	13.9	19.6	22.3	19.7	22.5	31.3	35.5	39.1	42.4
1981.....	12.0	12.0	19.2	22.4	25.2	21.3	28.7	32.0	38.6	46.9
1980.....	11.0	19.0	17.9	20.3	26.5	25.8	33.4	36.6	38.4	47.1
1979.....	10.3	17.2	17.0	21.0	26.7	30.1	27.4	36.0	39.5	40.4



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER PARTS OF UTERUS (179,181-182)										
TOTAL, BOTH SEXES										
1998.....	0.4	0.9	1.7	3.3	5.5	8.5	12.0	15.0	19.0	25.3
1997.....	0.3	0.8	1.5	3.3	5.7	7.7	12.1	14.4	18.3	26.5
1996.....	0.4	0.8	1.7	2.9	6.0	8.6	11.9	14.4	20.6	26.9
1995.....	0.4	1.0	1.8	2.9	5.7	8.5	11.9	15.4	19.4	27.3
1994.....	0.4	0.8	1.8	3.0	5.9	8.6	13.0	15.3	19.1	26.3
1993.....	0.4	0.9	1.7	3.1	5.8	8.5	12.5	16.2	19.9	25.2
1992.....	0.5	0.7	1.8	3.0	5.5	9.5	12.5	15.9	20.3	25.3
1991.....	0.5	0.8	1.6	2.9	5.8	9.5	12.8	15.3	19.2	25.9
1990.....	0.5	0.9	1.9	3.3	5.6	9.6	13.4	16.9	19.5	25.7
1989.....	0.5	1.0	1.7	3.0	5.8	10.0	12.7	16.0	19.1	25.7
1988.....	0.4	0.8	1.6	3.2	6.5	9.7	13.8	16.1	20.7	24.0
1987.....	0.4	0.9	1.7	3.2	6.0	10.1	13.9	17.2	20.2	24.4
1986.....	0.5	0.9	1.7	3.2	6.6	10.5	13.9	15.4	20.9	25.4
1985.....	0.5	1.0	1.9	3.8	7.1	10.5	14.1	16.8	19.9	25.5
1984.....	0.4	1.0	1.9	3.6	7.2	11.0	14.7	16.3	21.1	26.0
1983.....	0.4	1.0	1.8	4.0	7.5	10.8	14.6	17.4	21.7	27.4
1982.....	0.5	1.2	2.2	3.7	7.3	11.7	14.2	17.4	21.5	26.2
1981.....	0.6	1.0	2.2	4.1	7.6	11.6	13.9	17.2	21.5	27.0
1980.....	0.7	1.1	2.4	4.4	7.9	11.6	15.0	17.6	22.1	29.3
1979.....	0.6	1.0	2.5	4.2	8.1	11.3	14.6	17.1	22.1	25.0
TOTAL, FEMALE										
1998.....	0.7	1.7	3.3	6.3	10.5	15.7	21.3	25.6	30.3	35.8
1997.....	0.7	1.6	3.0	6.4	10.7	14.2	21.4	24.5	29.0	37.1
1996.....	0.8	1.6	3.4	5.6	11.3	15.8	21.1	24.5	32.5	37.6
1995.....	0.8	2.0	3.4	5.7	10.8	15.6	21.0	25.9	30.4	38.0
1994.....	0.8	1.5	3.4	5.8	11.1	15.7	23.0	25.6	29.6	36.4
1993.....	0.8	1.7	3.2	6.0	10.9	15.5	22.0	27.0	30.8	34.9
1992.....	1.0	1.3	3.5	5.7	10.4	17.2	22.0	26.3	31.3	35.1
1991.....	1.0	1.6	3.2	5.5	10.9	17.1	22.3	25.3	29.5	35.9
1990.....	1.0	1.7	3.7	6.4	10.5	17.4	23.3	27.8	29.9	35.6
1989.....	0.9	1.9	3.3	5.7	10.9	18.1	22.1	26.3	29.2	35.7
1988.....	0.8	1.6	3.2	6.2	12.1	17.5	23.9	26.4	31.5	33.3
1987.....	0.8	1.8	3.4	6.2	11.3	18.3	24.0	28.1	30.8	34.1
1986.....	0.9	1.7	3.3	6.1	12.3	19.0	24.0	25.2	31.8	35.5
1985.....	1.0	1.9	3.8	7.2	13.2	19.0	24.3	27.4	30.3	35.6
1984.....	0.8	2.0	3.7	6.8	13.4	19.9	25.3	26.6	32.2	36.5
1983.....	0.9	2.0	3.4	7.5	14.1	19.5	25.2	28.3	33.1	38.6
1982.....	1.0	2.3	4.2	7.0	13.7	21.1	24.4	28.3	32.8	37.2
1981.....	1.2	2.0	4.2	7.7	14.2	20.8	24.0	28.0	32.8	38.4
1980.....	1.4	2.1	4.5	8.4	14.8	20.9	25.9	28.6	33.9	42.2
1979.....	1.2	1.9	4.9	8.0	15.2	20.4	25.2	28.0	33.9	36.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER PARTS OF UTERUS (179,181-182)										
WHITE, BOTH SEXES										
1998.....	0.3	0.8	1.6	3.0	4.9	7.7	11.1	14.1	18.5	24.9
1997.....	0.3	0.8	1.4	3.1	5.1	6.9	11.1	13.8	17.4	25.8
1996.....	0.4	0.8	1.6	2.7	5.3	7.8	10.9	13.3	19.7	26.2
1995.....	0.4	1.0	1.8	2.7	5.1	7.8	11.2	14.9	18.9	26.8
1994.....	0.4	0.8	1.6	2.8	5.1	7.8	12.1	14.6	18.2	26.0
1993.....	0.4	0.8	1.5	2.9	5.2	7.7	11.2	15.4	19.2	24.8
1992.....	0.5	0.7	1.7	2.7	5.0	8.6	11.8	14.9	19.5	25.0
1991.....	0.5	0.8	1.6	2.5	5.2	8.5	11.8	14.7	18.3	25.2
1990.....	0.4	0.8	1.8	3.0	5.0	9.0	12.5	16.0	18.8	24.7
1989.....	0.4	1.0	1.5	2.8	5.3	9.2	11.7	14.9	18.3	25.3
1988.....	0.4	0.8	1.5	3.0	5.8	8.8	13.0	15.3	19.9	23.2
1987.....	0.4	0.9	1.6	3.0	5.6	9.5	13.3	16.2	19.3	23.6
1986.....	0.4	0.8	1.5	2.9	6.1	9.7	12.9	14.8	20.4	25.2
1985.....	0.5	0.9	1.8	3.6	6.5	9.8	13.3	16.1	19.1	25.0
1984.....	0.4	0.8	1.7	3.4	6.8	10.2	14.0	15.6	19.9	25.3
1983.....	0.4	0.9	1.7	3.6	7.2	10.4	13.7	16.6	21.2	27.4
1982.....	0.5	1.1	2.0	3.3	6.9	10.8	13.5	16.9	20.8	25.6
1981.....	0.5	1.0	2.0	3.8	7.1	10.9	13.2	16.9	21.1	27.0
1980.....	0.6	1.0	2.2	4.1	7.3	11.0	14.0	17.0	21.6	28.6
1979.....	0.5	0.9	2.4	3.9	7.4	10.6	13.7	16.6	21.4	25.2
WHITE FEMALE										
1998.....	0.7	1.6	3.1	5.9	9.4	14.4	19.8	24.1	29.5	35.2
1997.....	0.6	1.7	2.8	6.0	9.8	12.8	19.9	23.5	27.7	36.0
1996.....	0.9	1.5	3.2	5.3	10.2	14.4	19.3	22.7	31.1	36.5
1995.....	0.8	1.9	3.5	5.3	9.7	14.3	19.9	25.2	29.7	37.1
1994.....	0.7	1.6	3.2	5.4	9.7	14.4	21.4	24.5	28.3	35.9
1993.....	0.7	1.7	3.0	5.5	10.0	14.1	19.9	25.8	29.6	34.2
1992.....	0.9	1.3	3.4	5.2	9.5	15.7	20.8	24.8	30.1	34.6
1991.....	0.9	1.5	3.1	4.8	9.8	15.5	20.7	24.4	28.0	34.7
1990.....	0.9	1.6	3.5	5.8	9.4	16.3	21.9	26.4	28.7	34.0
1989.....	0.8	1.9	3.0	5.5	9.9	16.8	20.4	24.5	27.9	35.0
1988.....	0.8	1.5	3.0	5.8	10.8	16.1	22.7	25.0	30.3	32.1
1987.....	0.7	1.7	3.2	5.7	10.4	17.3	23.1	26.5	29.3	32.8
1986.....	0.8	1.6	3.0	5.7	11.4	17.7	22.4	24.1	31.0	35.0
1985.....	1.0	1.9	3.6	6.9	12.2	17.8	23.0	26.2	29.1	34.8
1984.....	0.7	1.6	3.4	6.6	12.7	18.4	24.2	25.3	30.3	35.3
1983.....	0.7	1.8	3.4	6.9	13.5	18.8	23.6	26.9	32.3	38.4
1982.....	1.0	2.2	3.9	6.3	12.9	19.6	23.3	27.5	31.8	36.1
1981.....	1.1	2.0	3.8	7.2	13.3	19.7	22.7	27.3	32.1	38.3
1980.....	1.2	1.9	4.2	7.7	13.6	19.9	24.2	27.5	33.0	41.0
1979.....	1.0	1.7	4.7	7.5	13.7	19.1	23.6	27.0	32.8	36.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER PARTS OF UTERUS (179,181-182)										
ALL OTHER, BOTH SEXES										
1998.....	*	1.2	2.3	4.7	9.3	13.7	19.1	23.0	24.4	28.6
1997.....	*	0.8	2.2	4.9	9.1	13.3	19.5	20.1	27.1	33.0
1996.....	*	1.1	2.4	4.1	9.9	14.7	20.8	24.3	30.0	33.5
1995.....	*	1.1	1.7	4.2	10.1	14.0	17.9	19.9	24.3	32.9
1994.....	0.7	*	2.5	4.7	10.9	14.3	21.4	22.2	27.8	29.4
1993.....	*	1.1	2.4	5.0	9.5	14.9	23.4	23.7	27.8	29.5
1992.....	*	*	2.2	5.1	9.2	16.0	18.7	25.0	28.2	28.3
1991.....	0.7	*	2.0	5.6	10.5	16.8	21.4	20.5	28.6	33.9
1990.....	*	1.1	2.6	5.7	10.6	15.0	21.0	25.3	27.1	36.9
1989.....	*	*	2.7	4.1	10.3	16.2	21.6	26.7	27.9	29.7
1988.....	*	1.1	2.3	5.0	12.2	16.7	20.5	24.4	28.4	32.3
1987.....	*	1.2	2.6	5.2	10.0	15.4	19.2	26.3	30.2	33.3
1986.....	*	1.2	2.7	5.1	10.8	17.1	23.2	21.7	26.3	28.1
1985.....	*	*	2.6	5.0	11.7	16.6	21.2	23.7	27.7	30.4
1984.....	*	2.2	3.1	4.7	10.3	18.4	20.8	23.7	34.4	33.2
1983.....	*	1.7	2.1	6.5	10.5	14.4	23.2	25.5	27.1	26.8
1982.....	*	1.4	3.6	6.5	11.5	19.3	20.6	22.1	28.7	33.2
1981.....	*	*	3.7	6.3	12.2	17.3	20.8	20.4	25.7	26.8
1980.....	1.5	1.7	3.7	7.5	13.6	16.8	24.4	24.0	27.9	37.3
1979.....	1.0	1.8	3.4	6.8	15.4	17.9	23.4	22.0	29.5	23.0
ALL OTHER FEMALE										
1998.....	*	2.3	4.2	8.4	16.5	23.8	32.5	38.3	38.3	41.7
1997.....	*	1.4	4.0	8.8	16.1	23.3	33.1	33.1	42.4	47.9
1996.....	*	2.1	4.5	7.5	17.6	25.7	35.3	40.0	46.8	48.6
1995.....	*	2.1	3.1	7.6	17.9	24.4	30.3	32.6	37.7	47.2
1994.....	1.2	*	4.6	8.4	19.3	25.0	36.3	36.2	43.1	42.2
1993.....	*	2.0	4.5	9.0	16.7	25.9	39.8	38.4	43.3	42.4
1992.....	*	*	4.0	9.2	16.2	27.9	31.6	40.5	44.0	41.0
1991.....	1.4	*	3.7	10.0	18.4	29.2	36.2	33.2	44.5	49.2
1990.....	*	2.0	4.7	10.4	18.7	26.1	35.4	41.0	42.4	53.6
1989.....	*	*	5.1	7.4	18.2	28.2	36.4	43.4	43.9	43.4
1988.....	*	2.1	4.2	9.0	21.5	29.1	34.5	39.9	44.6	47.3
1987.....	*	2.2	4.8	9.3	17.7	26.9	32.2	43.2	47.4	49.1
1986.....	*	2.2	5.0	9.2	19.2	29.9	39.1	35.7	41.5	41.7
1985.....	*	*	4.8	9.1	20.9	29.0	35.9	39.2	43.9	45.3
1984.....	*	4.1	5.6	8.5	18.5	32.1	35.2	39.5	54.3	49.7
1983.....	*	3.2	3.8	11.7	18.8	25.2	39.6	42.5	43.0	40.3
1982.....	*	2.7	6.6	11.9	20.6	33.9	35.4	36.8	45.9	49.6
1981.....	*	*	6.6	11.5	21.9	30.4	35.9	34.2	41.3	40.5
1980.....	2.9	3.2	6.7	13.7	24.5	29.6	42.5	40.3	45.1	56.5
1979.....	1.8	3.3	6.2	12.6	27.9	31.7	41.2	37.6	48.2	35.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER PARTS OF UTERUS (179,181-182)										
BLACK, BOTH SEXES										
1998.....	*	1.3	2.3	5.4	11.8	17.2	23.7	27.8	29.1	34.3
1997.....	*	*	2.6	5.7	11.4	17.0	23.8	24.9	31.1	38.6
1996.....	*	1.1	2.8	4.6	12.0	18.2	25.4	28.7	34.1	38.8
1995.....	*	1.2	2.0	4.9	11.8	16.7	22.4	24.3	28.6	36.5
1994.....	*	*	2.9	5.7	13.5	17.8	25.9	25.8	31.9	32.5
1993.....	*	1.2	2.8	5.6	11.7	18.1	28.0	28.0	33.0	33.5
1992.....	*	*	2.7	5.9	11.3	18.4	21.7	29.7	33.3	31.6
1991.....	*	*	2.1	6.3	12.3	20.7	25.5	23.3	33.7	38.8
1990.....	*	*	3.0	6.7	12.5	17.4	24.0	29.6	31.2	42.2
1989.....	*	*	3.0	5.0	11.9	18.4	24.9	30.5	31.6	33.6
1988.....	*	*	2.6	5.5	14.3	19.8	24.3	27.1	31.6	36.9
1987.....	*	*	2.9	5.5	11.8	17.7	21.7	30.6	34.6	38.0
1986.....	*	*	3.1	5.2	12.3	20.2	26.8	24.7	29.4	31.3
1985.....	*	*	2.8	5.8	13.6	19.2	23.8	27.3	31.4	33.8
1984.....	*	2.5	3.4	5.3	11.2	20.9	23.9	26.3	38.1	37.4
1983.....	*	1.8	2.3	7.0	11.9	16.3	26.6	28.4	29.5	29.9
1982.....	*	*	3.6	7.2	12.8	21.7	22.9	24.2	33.0	36.4
1981.....	*	*	4.3	7.0	13.4	19.4	23.8	22.6	28.7	28.0
1980.....	1.8	1.9	4.1	8.4	15.2	18.5	27.3	26.0	31.0	40.2
1979.....	1.1	2.0	3.6	7.1	16.9	19.4	25.6	23.5	32.3	25.0
BLACK FEMALE										
1998.....	*	2.5	4.1	9.7	20.6	30.0	40.2	45.6	44.3	48.5
1997.....	*	*	4.7	10.2	19.9	29.7	40.2	40.6	47.2	54.6
1996.....	*	1.9	5.1	8.3	21.0	31.8	42.7	46.6	51.6	54.7
1995.....	*	2.2	3.7	8.8	20.8	29.2	37.5	39.3	43.2	51.3
1994.....	*	*	5.3	10.1	23.7	31.0	43.4	41.4	48.2	45.7
1993.....	*	2.3	5.2	10.1	20.5	31.3	46.9	44.6	49.9	47.2
1992.....	*	*	4.9	10.5	19.8	31.9	36.2	47.1	50.5	44.8
1991.....	*	*	3.8	11.3	21.5	35.8	42.4	37.0	51.0	55.2
1990.....	*	*	5.4	12.1	21.9	30.1	39.7	46.9	47.4	60.1
1989.....	*	*	5.5	9.0	21.0	31.6	41.4	48.5	48.1	48.4
1988.....	*	*	4.8	9.9	25.1	34.2	40.3	43.2	48.3	53.0
1987.....	*	*	5.4	9.9	20.9	30.7	36.0	49.1	53.2	54.9
1986.....	*	*	5.7	9.4	21.8	35.0	44.4	39.9	45.5	45.7
1985.....	*	*	5.1	10.6	24.1	33.3	39.5	44.3	48.7	49.6
1984.....	*	4.6	6.2	9.6	19.9	36.3	39.8	42.9	59.2	55.0
1983.....	*	3.4	4.2	12.6	21.3	28.4	44.7	46.3	46.2	44.4
1982.....	*	*	6.6	13.0	22.9	37.7	38.6	39.8	52.2	54.2
1981.....	*	*	7.8	12.8	23.9	33.7	40.4	37.3	45.5	41.6
1980.....	3.3	3.5	7.5	15.2	27.3	32.3	46.7	43.0	49.5	60.4
1979.....	2.1	3.6	6.5	13.0	30.3	33.8	43.9	39.4	52.4	37.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OVARY AND OTHER UTERINE ADNEXA (183)										
TOTAL, BOTH SEXES										
1998.....	1.5	2.9	5.6	8.8	12.5	17.4	23.5	29.1	35.4	39.4
1997.....	1.6	3.4	5.8	8.6	12.7	17.2	25.5	30.3	35.7	40.7
1996.....	1.5	3.4	5.6	8.9	13.3	17.5	23.9	29.4	36.7	39.2
1995.....	1.6	3.3	6.0	9.8	13.1	18.3	24.7	30.5	35.8	40.4
1994.....	1.6	3.5	6.4	9.8	14.0	19.4	24.7	30.8	36.9	40.6
1993.....	1.7	3.6	6.1	9.5	13.3	18.2	23.9	29.1	37.7	39.1
1992.....	1.8	3.5	6.6	10.0	14.3	19.5	25.8	30.8	35.2	40.2
1991.....	1.7	3.6	6.7	10.6	14.3	20.5	25.0	29.8	36.3	39.9
1990.....	1.7	4.0	6.4	9.8	14.2	20.0	25.4	30.4	33.1	38.4
1989.....	1.7	3.6	6.7	9.6	14.9	20.2	24.1	28.5	33.9	35.2
1988.....	1.8	3.7	6.6	10.6	14.9	20.1	25.0	28.1	33.4	35.1
1987.....	1.7	3.9	6.9	10.6	14.6	19.5	23.7	28.7	32.4	32.9
1986.....	2.3	4.3	6.6	10.4	15.3	19.2	25.2	26.2	31.6	34.0
1985.....	1.9	4.2	7.1	10.4	15.3	18.7	23.9	27.3	31.8	28.8
1984.....	2.1	4.4	7.1	10.9	14.6	18.7	22.8	26.6	32.3	30.8
1983.....	1.8	4.1	7.9	10.8	15.1	19.5	23.4	26.7	30.2	31.4
1982.....	1.9	4.7	7.2	11.6	15.3	19.1	22.5	27.5	30.5	30.2
1981.....	2.2	4.6	7.8	11.7	15.4	18.6	22.2	26.8	30.2	27.3
1980.....	2.3	4.6	8.5	11.0	15.4	18.4	22.5	26.8	29.8	30.8
1979.....	2.5	4.9	8.9	11.1	14.6	19.3	22.4	24.9	30.5	26.6
TOTAL, FEMALE										
1998.....	3.1	5.8	11.0	17.0	23.7	32.1	41.8	49.8	56.4	55.7
1997.....	3.1	6.7	11.2	16.5	24.0	31.6	45.1	51.5	56.5	57.1
1996.....	3.0	6.7	10.8	17.1	25.2	32.1	42.3	49.9	57.9	54.7
1995.....	3.1	6.5	11.7	18.8	24.8	33.5	43.7	51.4	55.9	56.1
1994.....	3.2	6.8	12.5	18.9	26.5	35.3	43.6	51.7	57.3	56.3
1993.....	3.4	7.1	11.8	18.2	25.1	33.1	42.1	48.6	58.3	54.2
1992.....	3.5	6.9	12.9	19.1	26.9	35.4	45.4	51.1	54.3	55.8
1991.....	3.3	7.1	13.0	20.2	26.8	37.1	43.7	49.3	55.8	55.4
1990.....	3.4	7.8	12.4	18.7	26.6	36.3	44.2	50.0	50.7	53.2
1989.....	3.3	7.1	12.9	18.5	27.9	36.6	42.0	46.8	51.9	48.9
1988.....	3.5	7.3	12.8	20.3	27.8	36.5	43.4	46.1	51.0	48.8
1987.....	3.3	7.7	13.5	20.2	27.2	35.3	41.0	46.9	49.4	45.9
1986.....	4.4	8.4	12.8	19.9	28.4	34.8	43.5	42.7	48.1	47.5
1985.....	3.8	8.3	13.7	19.8	28.4	33.9	41.2	44.4	48.5	40.3
1984.....	4.1	8.5	13.8	20.7	27.2	33.7	39.3	43.3	49.2	43.3
1983.....	3.5	8.1	15.3	20.4	28.2	35.1	40.3	43.4	46.2	44.3
1982.....	3.7	9.2	13.9	21.9	28.6	34.4	38.8	44.7	46.6	42.7
1981.....	4.3	9.0	15.1	22.1	28.8	33.5	38.3	43.6	46.3	38.9
1980.....	4.5	8.9	16.4	20.9	28.7	33.1	38.8	43.7	45.7	44.3
1979.....	4.9	9.5	17.2	21.1	27.3	34.6	38.6	40.5	46.8	38.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OVARY AND OTHER UTERINE ADNEXA (183)										
WHITE, BOTH SEXES										
1998.....	1.5	3.0	5.9	9.1	12.8	17.9	24.0	29.9	36.4	40.9
1997.....	1.6	3.5	5.9	9.0	13.2	17.3	25.8	30.9	36.4	41.5
1996.....	1.5	3.5	5.7	9.1	14.0	17.8	24.2	30.4	37.4	40.4
1995.....	1.6	3.5	6.2	10.2	13.6	19.0	25.6	31.0	35.8	41.6
1994.....	1.7	3.6	6.8	10.1	14.4	19.9	25.1	31.3	37.7	41.5
1993.....	1.8	3.8	6.2	9.8	13.7	18.7	24.2	29.6	38.4	39.6
1992.....	1.9	3.6	6.9	10.3	14.4	19.9	26.4	31.8	35.7	40.6
1991.....	1.7	3.7	6.9	11.0	14.7	20.7	25.4	30.4	37.2	40.2
1990.....	1.8	4.2	6.7	10.1	14.7	20.3	25.9	31.3	33.3	38.9
1989.....	1.7	3.9	6.9	10.0	15.5	20.6	24.8	29.2	34.9	35.8
1988.....	1.8	3.7	6.9	10.8	15.3	20.5	25.4	28.9	33.8	36.4
1987.....	1.7	4.1	7.2	11.0	15.0	20.0	24.1	29.4	33.2	33.5
1986.....	2.3	4.5	6.8	10.7	15.5	19.6	25.7	27.3	32.3	34.7
1985.....	2.0	4.5	7.3	10.8	15.4	19.0	24.5	28.1	32.6	30.0
1984.....	2.1	4.6	7.4	11.1	14.9	19.1	23.3	27.2	32.7	31.5
1983.....	1.8	4.1	8.1	11.0	15.4	20.2	23.9	27.2	31.0	31.9
1982.....	2.0	4.9	7.3	12.0	15.6	19.5	22.8	28.2	31.3	31.2
1981.....	2.2	4.8	8.1	12.0	15.8	19.2	22.7	27.6	30.1	28.3
1980.....	2.4	4.7	8.8	11.2	15.6	18.7	22.7	27.8	30.6	31.5
1979.....	2.5	4.9	9.1	11.3	14.8	19.7	22.6	26.0	32.0	27.5
WHITE FEMALE										
1998.....	3.1	6.0	11.6	17.6	24.5	33.3	43.0	51.3	58.2	57.6
1997.....	3.1	7.0	11.6	17.5	25.3	32.2	46.0	52.8	57.8	58.0
1996.....	2.9	6.9	11.3	17.7	26.8	32.9	43.1	51.7	59.1	56.2
1995.....	3.2	6.9	12.2	19.8	25.9	34.9	45.5	52.5	56.0	57.6
1994.....	3.3	7.2	13.3	19.6	27.4	36.5	44.5	52.7	58.6	57.4
1993.....	3.5	7.5	12.2	18.9	26.1	34.2	42.9	49.6	59.3	54.6
1992.....	3.7	7.1	13.5	19.9	27.3	36.2	46.6	52.9	54.9	56.1
1991.....	3.3	7.2	13.6	21.4	27.9	37.7	44.6	50.3	57.0	55.6
1990.....	3.6	8.3	13.2	19.5	27.7	37.0	45.3	51.5	50.8	53.7
1989.....	3.3	7.7	13.4	19.4	29.2	37.6	43.2	48.0	53.3	49.5
1988.....	3.6	7.4	13.5	20.9	28.6	37.3	44.2	47.3	51.5	50.4
1987.....	3.4	8.0	14.1	21.3	28.2	36.5	41.8	48.1	50.4	46.5
1986.....	4.7	8.9	13.2	20.6	29.0	35.6	44.5	44.5	49.1	48.3
1985.....	3.9	8.8	14.2	20.6	28.9	34.6	42.4	45.6	49.6	41.8
1984.....	4.2	9.0	14.4	21.2	28.0	34.6	40.2	44.2	49.7	44.0
1983.....	3.5	8.1	15.8	21.0	28.9	36.6	41.2	44.2	47.2	44.8
1982.....	3.9	9.6	14.3	22.8	29.3	35.3	39.3	45.7	47.6	44.0
1981.....	4.4	9.4	15.8	22.7	29.6	34.6	39.2	44.8	45.8	40.1
1980.....	4.7	9.1	17.1	21.3	29.2	33.8	39.1	45.0	46.7	45.1
1979.....	5.0	9.6	17.7	21.5	27.7	35.4	38.9	42.2	48.9	39.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OVARY AND OTHER UTERINE ADNEXA (183)										
ALL OTHER, BOTH SEXES										
1998.....	1.6	2.5	4.2	7.4	10.7	14.5	19.0	22.0	24.9	25.5
1997.....	1.6	2.8	4.8	6.1	9.3	16.0	22.4	24.6	27.8	33.2
1996.....	1.6	3.0	4.4	7.5	9.0	15.4	21.2	20.8	29.5	27.6
1995.....	1.2	2.5	4.7	7.1	10.0	13.5	17.0	24.9	35.2	28.3
1994.....	1.4	2.6	4.2	8.3	11.8	15.4	21.4	26.2	28.8	31.4
1993.....	1.4	2.5	5.2	7.6	10.3	14.7	21.0	24.8	30.2	34.5
1992.....	1.3	3.2	5.1	8.1	13.6	17.0	20.9	21.4	30.1	35.7
1991.....	1.7	3.4	5.4	7.4	10.8	18.5	21.3	24.8	27.5	36.9
1990.....	1.4	2.8	4.4	7.9	10.5	17.3	20.5	22.1	31.5	32.3
1989.....	1.7	2.2	5.4	6.9	10.7	16.8	18.4	21.8	23.1	28.9
1988.....	1.3	3.6	4.6	9.2	12.0	17.3	21.8	21.1	29.4	21.4
1987.....	1.4	3.2	5.2	7.4	11.5	14.6	20.3	21.8	24.0	27.1
1986.....	1.6	3.1	5.7	8.0	13.3	16.1	20.5	15.5	23.6	26.4
1985.....	1.6	2.8	5.8	7.9	14.0	16.0	18.5	19.6	22.8	15.6
1984.....	1.7	3.2	5.3	9.5	11.5	14.8	18.3	20.6	27.8	23.5
1983.....	1.9	4.1	6.4	8.8	12.3	12.9	18.2	21.2	21.4	25.4
1982.....	1.2	3.4	6.0	8.3	12.7	15.0	19.9	20.8	21.9	18.6
1981.....	1.7	3.4	5.6	9.6	12.2	13.7	17.2	18.4	32.0	16.3
1980.....	1.7	3.9	6.2	9.4	13.7	15.4	20.3	17.9	20.5	22.9
1979.....	2.4	4.9	7.4	9.7	12.8	15.7	20.3	13.6	12.9	15.5
ALL OTHER FEMALE										
1998.....	2.9	4.6	7.7	13.3	18.9	25.2	32.3	36.7	39.1	37.2
1997.....	3.0	5.2	8.9	11.0	16.4	27.9	38.1	40.7	43.5	48.3
1996.....	3.0	5.6	8.2	13.6	15.9	26.9	36.0	34.2	46.0	40.0
1995.....	2.3	4.6	8.6	12.9	17.6	23.5	28.8	40.8	54.6	40.6
1994.....	2.6	4.7	7.7	15.0	20.9	26.9	36.3	42.7	44.7	44.9
1993.....	2.6	4.7	9.6	13.8	18.2	25.5	35.8	40.2	47.0	49.5
1992.....	2.4	5.9	9.4	14.6	24.0	29.6	35.4	34.7	47.0	51.8
1991.....	3.2	6.3	10.0	13.3	19.0	32.2	36.0	40.3	42.8	53.4
1990.....	2.7	5.1	8.1	14.2	18.5	30.1	34.5	35.8	49.3	46.9
1989.....	3.2	4.1	10.0	12.5	18.9	29.3	31.0	35.5	36.3	42.3
1988.....	2.5	6.6	8.6	16.6	21.2	30.1	36.7	34.4	46.1	31.4
1987.....	2.5	6.0	9.5	13.4	20.4	25.5	34.2	35.7	37.8	39.9
1986.....	3.1	5.7	10.4	14.5	23.6	28.1	34.5	25.5	37.2	39.1
1985.....	3.0	5.2	10.5	14.2	24.9	28.1	31.3	32.5	36.1	23.3
1984.....	3.1	5.8	9.7	17.2	20.5	25.8	31.0	34.2	43.9	35.2
1983.....	3.5	7.6	11.7	16.0	22.1	22.6	31.2	35.4	33.9	38.1
1982.....	2.2	6.2	10.9	15.0	22.8	26.3	34.2	34.7	35.0	27.8
1981.....	3.2	6.3	10.2	17.5	21.9	24.0	29.7	30.9	51.3	24.6
1980.....	3.2	7.1	11.3	17.3	24.7	27.2	35.5	30.0	33.1	34.6
1979.....	4.4	9.0	13.4	17.7	23.2	27.9	35.7	23.3	21.2	23.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OVARY AND OTHER UTERINE ADNEXA (183)										
BLACK, BOTH SEXES										
1998.....	1.8	2.6	4.7	7.8	12.3	15.9	21.7	26.2	28.4	29.7
1997.....	1.4	3.0	5.7	7.0	10.3	17.8	26.2	27.7	30.2	37.9
1996.....	1.5	2.6	4.2	7.5	10.1	17.4	24.7	23.2	33.4	30.4
1995.....	1.2	2.4	4.6	7.5	11.1	15.8	20.4	28.2	38.3	29.9
1994.....	1.4	2.5	4.4	8.5	12.7	16.9	24.6	28.5	30.4	35.9
1993.....	1.4	2.4	5.0	7.6	11.2	16.4	24.5	28.2	33.0	38.6
1992.....	1.4	3.1	5.4	8.8	14.2	18.7	22.3	24.5	33.3	41.3
1991.....	1.7	3.5	5.4	7.3	12.1	21.0	24.3	27.8	32.3	39.7
1990.....	1.6	3.0	4.9	9.1	11.6	18.8	22.1	24.8	35.7	33.7
1989.....	1.9	2.7	5.9	7.2	10.8	18.5	20.8	24.8	24.5	30.9
1988.....	1.4	3.8	5.0	10.1	12.6	18.4	24.2	22.6	32.4	22.4
1987.....	1.5	3.7	5.7	7.6	13.1	16.4	22.8	23.9	25.5	27.9
1986.....	1.4	3.4	6.0	8.3	14.4	17.8	22.3	16.8	25.9	27.9
1985.....	1.4	3.2	6.1	8.4	14.9	17.7	20.6	21.0	23.7	17.4
1984.....	1.8	3.6	5.6	10.3	12.3	16.1	19.9	22.2	29.7	24.2
1983.....	2.2	4.0	6.8	9.6	13.5	13.9	20.0	23.6	21.6	26.6
1982.....	*	3.2	6.0	8.9	13.6	16.8	22.6	22.8	23.9	19.9
1981.....	1.9	2.9	5.3	10.6	13.3	14.4	18.9	20.1	34.9	15.5
1980.....	2.0	4.4	6.0	10.4	14.5	16.6	22.7	19.3	23.0	24.5
1979.....	2.4	5.0	7.2	10.2	13.8	17.2	22.2	14.4	14.4	16.7
BLACK FEMALE										
1998.....	3.4	4.8	8.5	13.8	21.4	27.8	36.7	42.9	43.4	42.1
1997.....	2.7	5.5	10.4	12.4	17.9	31.0	44.2	45.1	45.8	53.7
1996.....	2.9	4.8	7.6	13.3	17.6	30.5	41.5	37.7	50.7	42.9
1995.....	2.3	4.4	8.3	13.3	19.5	27.5	34.1	45.6	57.9	42.1
1994.....	2.7	4.6	8.0	15.1	22.3	29.4	41.2	45.6	45.8	50.5
1993.....	2.6	4.4	9.1	13.5	19.6	28.4	41.1	44.9	49.9	54.3
1992.....	2.6	5.7	9.8	15.7	25.0	32.3	37.2	38.8	50.5	58.5
1991.....	3.1	6.5	9.8	13.1	21.2	36.2	40.4	44.2	49.0	56.4
1990.....	3.0	5.6	9.0	16.4	20.4	32.5	36.6	39.4	54.2	48.0
1989.....	3.5	4.9	10.8	12.9	19.0	31.8	34.6	39.5	37.3	44.4
1988.....	2.7	6.9	9.1	18.2	22.2	31.8	40.0	36.1	49.4	32.2
1987.....	2.8	6.8	10.4	13.7	23.1	28.4	37.8	38.4	39.2	40.3
1986.....	2.6	6.2	10.9	15.0	25.5	30.8	37.0	27.0	40.0	40.6
1985.....	2.6	5.8	11.1	15.2	26.4	30.7	34.1	34.1	36.7	25.6
1984.....	3.2	6.6	10.2	18.6	21.8	28.0	33.2	36.1	46.1	35.7
1983.....	4.0	7.3	12.3	17.4	24.0	24.2	33.6	38.6	33.8	39.5
1982.....	*	5.8	10.9	16.1	24.3	29.1	38.1	37.5	37.7	29.7
1981.....	3.5	5.4	9.6	19.1	23.7	25.1	32.2	33.2	55.3	23.0
1980.....	3.6	7.9	10.8	18.9	26.1	28.9	38.8	31.9	36.8	36.8
1979.....	4.4	9.1	13.0	18.6	24.8	30.1	38.2	24.2	23.4	25.0



TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,  
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.2	0.3	0.5	0.7	1.2	1.7	2.3	4.3	8.5
1997.....	0.1	0.2	0.3	0.3	0.6	1.0	1.8	2.5	4.2	7.9
1996.....	*	*	0.3	0.4	0.6	1.1	1.7	2.5	4.2	9.1
1995.....	0.1	0.1	0.4	0.4	0.5	1.1	1.9	2.3	4.7	9.6
1994.....	*	0.2	0.2	0.3	0.7	0.9	1.5	2.6	4.6	8.8
1993.....	0.1	0.2	0.2	0.5	0.7	1.3	1.8	2.8	4.7	9.1
1992.....	*	*	0.4	0.4	0.6	1.1	1.8	2.4	5.0	8.7
1991.....	*	0.2	0.3	0.4	0.5	1.0	1.6	2.6	4.8	9.2
1990.....	*	*	0.3	0.6	0.7	1.2	1.7	3.0	4.2	9.4
1989.....	*	*	0.3	0.3	0.7	1.3	1.5	2.9	3.8	9.0
1988.....	*	*	0.3	0.5	0.7	1.1	1.8	2.9	4.2	9.2
1987.....	*	0.2	0.2	0.3	0.6	1.0	1.4	2.7	4.3	9.4
1986.....	*	*	0.4	0.4	0.8	1.2	2.0	2.9	4.5	8.0
1985.....	*	*	0.3	0.5	0.8	1.2	1.9	3.1	4.6	9.3
1984.....	*	*	0.2	0.4	0.7	1.1	1.6	2.9	5.0	8.8
1983.....	*	*	0.3	0.5	0.8	1.4	2.0	2.7	4.3	8.7
1982.....	*	*	0.2	0.6	0.7	1.1	1.8	3.2	5.0	8.7
1981.....	*	*	0.4	0.5	0.6	1.4	1.9	3.2	5.3	8.5
1980.....	0.1	0.2	0.4	0.5	0.7	1.4	1.9	3.0	4.6	8.3
1979.....	0.2	0.2	0.3	0.6	0.8	1.2	1.8	3.0	5.1	7.6
TOTAL, FEMALE										
1998.....	0.2	0.4	0.7	0.9	1.4	2.2	3.0	4.0	6.8	12.0
1997.....	0.2	0.4	0.5	0.6	1.1	1.8	3.2	4.2	6.6	11.1
1996.....	*	*	0.6	0.9	1.2	2.1	3.0	4.2	6.7	12.7
1995.....	0.3	0.3	0.7	0.8	1.0	2.0	3.4	3.8	7.3	13.3
1994.....	*	0.4	0.4	0.7	1.3	1.7	2.7	4.4	7.1	12.2
1993.....	0.2	0.3	0.5	0.9	1.4	2.3	3.2	4.7	7.3	12.5
1992.....	*	*	0.8	0.8	1.2	2.0	3.1	4.0	7.8	12.0
1991.....	*	0.4	0.6	0.8	0.9	1.9	2.7	4.3	7.3	12.8
1990.....	*	*	0.6	1.2	1.4	2.2	2.9	4.9	6.5	13.1
1989.....	*	*	0.6	0.6	1.3	2.4	2.7	4.8	5.8	12.4
1988.....	*	*	0.5	1.0	1.2	2.0	3.1	4.7	6.4	12.7
1987.....	*	0.4	0.4	0.5	1.2	1.8	2.4	4.4	6.6	13.0
1986.....	*	*	0.8	0.8	1.6	2.1	3.4	4.7	6.9	11.1
1985.....	*	*	0.6	0.9	1.6	2.1	3.4	5.0	7.0	13.0
1984.....	*	*	0.4	0.8	1.3	2.0	2.7	4.8	7.7	12.4
1983.....	*	*	0.6	1.0	1.5	2.5	3.4	4.4	6.6	12.3
1982.....	*	*	0.4	1.2	1.3	1.9	3.1	5.3	7.6	12.3
1981.....	*	*	0.8	0.9	1.2	2.5	3.3	5.2	8.1	12.1
1980.....	0.3	0.4	0.8	1.0	1.3	2.5	3.3	4.9	7.0	12.0
1979.....	0.3	0.4	0.5	1.1	1.5	2.2	3.1	4.9	7.9	11.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)										
WHITE, BOTH SEXES										
1998.....	*	0.2	0.3	0.4	0.7	1.2	1.6	2.4	4.5	8.8
1997.....	*	0.2	0.3	0.3	0.6	1.0	1.7	2.6	4.2	8.2
1996.....	*	*	0.3	0.4	0.6	1.1	1.6	2.6	4.3	9.3
1995.....	0.1	*	0.3	0.4	0.5	1.1	1.9	2.2	4.6	9.8
1994.....	*	0.2	0.2	0.3	0.7	0.9	1.5	2.7	4.6	9.1
1993.....	*	0.1	0.2	0.5	0.7	1.3	1.8	2.8	4.8	9.4
1992.....	*	*	0.3	0.4	0.6	1.1	1.6	2.4	5.1	8.9
1991.....	*	0.2	0.2	0.4	0.4	1.1	1.6	2.6	4.7	9.6
1990.....	*	*	0.3	0.5	0.6	1.1	1.7	2.9	4.2	9.7
1989.....	*	*	0.2	0.3	0.7	1.3	1.5	2.9	3.8	9.4
1988.....	*	*	0.3	0.5	0.6	1.0	1.8	2.8	4.3	9.4
1987.....	*	*	*	0.3	0.6	0.9	1.4	2.5	4.4	9.5
1986.....	*	*	0.4	0.4	0.8	1.2	1.8	2.9	4.4	7.9
1985.....	*	*	0.3	0.4	0.8	1.1	1.9	3.1	4.5	9.5
1984.....	*	*	*	0.4	0.6	1.0	1.5	3.0	5.0	8.8
1983.....	*	*	0.3	0.5	0.8	1.3	1.9	2.7	4.4	9.0
1982.....	*	*	*	0.6	0.6	1.0	1.8	3.2	4.8	8.8
1981.....	*	*	0.4	0.5	0.6	1.4	1.8	3.2	5.5	8.8
1980.....	0.1	0.2	0.3	0.5	0.7	1.3	2.0	2.9	4.6	8.7
1979.....	0.1	0.2	0.2	0.5	0.8	1.1	1.8	3.1	5.4	8.1
WHITE FEMALE										
1998.....	*	0.4	0.6	0.8	1.3	2.2	2.9	4.2	7.2	12.3
1997.....	*	0.4	0.5	0.6	1.1	1.9	3.1	4.5	6.7	11.5
1996.....	*	*	0.5	0.7	1.2	2.1	2.9	4.4	6.8	13.0
1995.....	0.3	*	0.7	0.9	0.9	2.0	3.3	3.8	7.3	13.6
1994.....	*	0.4	0.4	0.6	1.3	1.6	2.7	4.6	7.1	12.5
1993.....	*	0.3	0.4	0.9	1.4	2.3	3.2	4.7	7.3	12.9
1992.....	*	*	0.7	0.7	1.2	2.0	2.8	4.1	7.8	12.3
1991.....	*	0.4	0.5	0.8	0.8	1.9	2.7	4.3	7.1	13.2
1990.....	*	*	0.6	1.1	1.2	2.0	3.0	4.8	6.4	13.3
1989.....	*	*	0.4	0.6	1.3	2.4	2.6	4.7	5.9	13.0
1988.....	*	*	0.5	0.9	1.2	1.8	3.1	4.5	6.5	13.0
1987.....	*	*	*	0.5	1.1	1.6	2.4	4.1	6.7	13.2
1986.....	*	*	0.7	0.7	1.4	2.1	3.2	4.7	6.7	11.0
1985.....	*	*	0.5	0.8	1.4	2.1	3.3	5.0	6.8	13.2
1984.....	*	*	*	0.7	1.1	1.9	2.6	4.9	7.6	12.3
1983.....	*	*	0.5	0.9	1.4	2.4	3.3	4.3	6.6	12.6
1982.....	*	*	*	1.1	1.2	1.9	3.2	5.2	7.4	12.4
1981.....	*	*	0.8	0.9	1.1	2.5	3.2	5.2	8.4	12.5
1980.....	0.2	0.4	0.7	0.9	1.3	2.4	3.4	4.7	7.0	12.5
1979.....	0.3	0.4	0.5	1.0	1.4	2.0	3.0	5.0	8.2	11.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.2	*	*	5.9
1997.....	*	*	*	*	*	*	2.3	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	7.0
1995.....	*	*	*	*	*	*	2.6	*	*	7.4
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	3.1	*	*	*
1991.....	*	*	*	*	*	*	*	*	6.2	*
1990.....	*	*	*	*	*	2.0	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	2.1	*	3.9	*	*
1987.....	*	*	*	*	*	2.1	*	4.5	*	*
1986.....	*	*	*	*	*	*	3.2	*	*	8.7
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	9.2
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.3	0.9	0.8	1.2	2.0	1.6	3.6	4.4	3.9
1979.....	0.3	0.3	0.5	1.3	0.9	2.2	2.1	2.0	2.2	2.9
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	3.8	*	*	8.6
1997.....	*	*	*	*	*	*	3.9	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	10.2
1995.....	*	*	*	*	*	*	4.5	*	*	10.6
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	5.3	*	*	*
1991.....	*	*	*	*	*	*	*	*	9.6	*
1990.....	*	*	*	*	*	3.5	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	3.7	*	6.4	*	*
1987.....	*	*	*	*	*	3.6	*	7.4	*	*
1986.....	*	*	*	*	*	*	5.4	*	*	12.8
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	13.8
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.5	1.6	1.5	2.1	3.6	2.7	6.1	7.0	5.9
1979.....	0.6	0.5	0.8	2.4	1.7	4.0	3.7	3.5	3.6	4.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)										
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	6.9
1997.....	*	*	*	*	*	*	2.9	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	7.3
1995.....	*	*	*	*	*	*	3.0	*	*	7.7
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	4.0	*	*	*
1991.....	*	*	*	*	*	*	*	*	7.1	*
1990.....	*	*	*	*	*	2.6	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	2.5	*	4.4	*	*
1987.....	*	*	*	*	*	2.6	*	4.7	*	*
1986.....	*	*	*	*	*	*	3.5	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	10.5
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	1.1	0.9	1.3	2.2	1.8	4.1	3.5	3.8
1979.....	0.3	0.3	0.5	1.5	1.0	2.5	2.2	2.3	2.0	2.6
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	9.7
1997.....	*	*	*	*	*	*	5.0	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	10.3
1995.....	*	*	*	*	*	*	5.0	*	*	10.8
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	6.6	*	*	*
1991.....	*	*	*	*	*	*	*	*	10.7	*
1990.....	*	*	*	*	*	4.4	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	4.3	*	7.1	*	*
1987.....	*	*	*	*	*	4.4	*	7.6	*	*
1986.....	*	*	*	*	*	*	5.9	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	15.5
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.6	1.9	1.6	2.3	3.8	3.0	6.8	5.6	5.7
1979.....	0.6	0.6	1.0	2.8	1.7	4.4	3.8	3.8	3.2	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF PROSTATE (185)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	0.2	0.4	1.9	5.4	13.9	28.9	54.5	93.5	148.9	205.3
1997.....	0.1	0.5	1.8	5.9	13.6	30.6	58.2	96.8	151.3	219.2
1996.....	0.1	0.5	2.1	6.0	15.0	32.6	64.7	103.9	158.5	219.5
1995.....	0.1	0.4	1.8	6.1	16.2	33.8	64.8	105.7	164.2	229.5
1994.....	0.1	0.6	2.1	6.1	16.5	35.1	68.3	110.3	170.8	228.1
1993.....	0.1	0.5	1.9	6.5	16.9	36.9	68.8	112.7	170.6	232.2
1992.....	0.1	0.5	1.9	6.5	18.1	38.9	70.2	113.2	167.0	224.3
1991.....	0.1	0.4	2.2	6.5	18.1	37.5	72.2	113.4	172.0	216.7
1990.....	*	0.3	2.3	7.3	18.4	39.0	72.3	113.0	165.1	207.7
1989.....	0.1	0.5	2.1	7.2	18.0	37.4	68.2	107.5	157.4	198.6
1988.....	*	0.5	2.2	6.6	16.9	36.2	67.3	104.7	153.4	188.3
1987.....	*	0.6	2.0	6.2	16.3	36.3	65.9	102.1	148.9	185.7
1986.....	*	0.5	2.1	6.4	17.0	36.0	66.6	101.9	148.2	181.4
1985.....	*	0.5	2.2	6.5	16.0	34.4	63.9	101.2	145.5	173.9
1984.....	*	0.5	1.9	6.5	16.2	34.0	62.5	100.2	141.8	185.6
1983.....	0.2	0.6	2.1	6.3	16.3	34.2	63.6	101.9	142.1	179.7
1982.....	*	0.5	2.1	6.4	15.8	34.4	60.5	99.9	142.7	178.8
1981.....	*	0.6	2.1	5.9	15.9	33.9	61.6	97.4	141.5	181.6
1980.....	0.1	0.6	2.1	6.1	15.8	34.6	60.7	99.4	142.3	184.6
1979.....	0.0	0.5	2.0	6.0	15.4	32.8	63.1	98.9	143.5	177.5
TOTAL, MALE										
1998.....	0.3	0.9	3.8	11.3	29.5	63.0	124.3	225.2	399.6	700.9
1997.....	0.3	1.0	3.7	12.3	28.8	67.0	133.5	234.5	410.1	763.1
1996.....	0.3	1.0	4.3	12.5	31.8	71.6	148.7	253.1	433.5	771.9
1995.....	0.3	0.9	3.8	12.6	34.4	74.5	149.2	259.7	455.4	819.0
1994.....	0.2	1.2	4.3	12.6	35.2	77.7	157.4	273.0	479.3	819.9
1993.....	0.3	1.0	3.9	13.5	36.0	82.0	159.2	281.0	482.7	837.5
1992.....	0.2	1.0	4.0	13.6	38.6	86.8	163.1	284.4	475.7	803.4
1991.....	0.2	0.9	4.5	13.6	38.7	83.9	168.5	286.9	493.6	777.2
1990.....	*	0.7	4.7	15.4	39.5	87.2	169.7	288.6	475.9	746.1
1989.....	0.3	1.0	4.3	15.0	38.7	83.5	160.6	275.0	455.0	709.4
1988.....	*	1.0	4.6	13.8	36.4	80.8	159.0	269.0	444.6	670.7
1987.....	*	1.1	4.1	13.0	35.3	81.0	156.3	263.1	432.6	656.9
1986.....	*	1.0	4.3	13.5	36.8	80.4	158.3	263.2	430.9	638.5
1985.....	*	1.0	4.5	13.6	34.5	76.9	152.0	261.9	422.8	609.6
1984.....	*	1.0	4.0	13.7	34.8	76.1	148.9	259.7	411.5	644.8
1983.....	0.3	1.3	4.3	13.4	35.1	76.8	151.6	264.3	411.6	618.2
1982.....	*	1.0	4.3	13.5	34.0	77.3	144.2	259.3	412.8	607.8
1981.....	*	1.3	4.4	12.6	34.2	76.2	146.9	252.6	408.4	608.6
1980.....	0.2	1.2	4.3	13.0	34.2	77.8	144.7	258.0	409.9	606.7
1979.....	0.1	1.0	4.1	12.8	33.2	74.0	150.3	256.1	410.9	576.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF PROSTATE (185)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
WHITE, BOTH SEXES										
1998.....	0.1	0.4	1.5	4.8	11.6	25.9	48.9	85.5	138.8	193.2
1997.....	*	0.4	1.5	5.0	11.6	27.2	52.0	88.8	142.8	205.3
1996.....	0.1	0.4	1.8	5.2	12.9	28.8	58.4	94.7	146.9	206.9
1995.....	*	0.4	1.7	5.3	13.8	30.1	57.9	98.5	152.1	216.3
1994.....	*	0.5	1.8	5.2	14.6	30.9	61.2	102.2	159.5	216.0
1993.....	*	0.3	1.6	5.6	14.7	32.7	62.7	105.2	157.5	216.9
1992.....	*	0.4	1.6	5.5	16.0	35.0	63.7	105.6	156.3	210.0
1991.....	*	0.4	1.8	5.6	16.2	33.7	66.1	105.4	160.3	204.9
1990.....	*	0.3	2.1	6.3	16.4	35.3	66.5	104.5	153.4	194.1
1989.....	0.1	0.4	1.7	6.2	16.4	33.7	62.5	99.0	147.6	188.4
1988.....	*	0.4	1.9	5.8	15.0	32.6	62.3	96.5	143.7	177.6
1987.....	*	0.5	1.7	5.3	14.7	32.4	60.4	94.0	138.3	175.3
1986.....	*	0.4	1.8	5.8	15.3	32.5	60.1	94.1	138.5	171.7
1985.....	*	0.4	1.7	5.6	14.2	31.0	57.9	93.1	134.5	163.0
1984.....	*	0.4	1.7	5.7	14.3	30.8	56.0	92.3	130.8	176.3
1983.....	*	0.5	1.8	5.4	14.4	30.8	57.6	93.8	131.1	172.9
1982.....	*	0.4	1.8	5.6	13.9	31.0	54.8	92.9	132.7	170.4
1981.....	*	0.5	1.8	5.1	13.8	29.8	55.4	90.1	132.0	172.5
1980.....	0.1	0.5	1.7	5.3	14.0	30.4	54.9	92.8	132.6	175.7
1979.....	0.0	0.3	1.7	5.3	13.4	29.0	57.3	91.8	135.2	171.7
WHITE MALE										
1998.....	0.3	0.7	3.0	9.8	24.3	56.1	110.7	204.9	371.5	664.6
1997.....	*	0.9	3.1	10.3	24.3	58.9	118.4	214.1	386.0	721.4
1996.....	0.2	0.9	3.6	10.7	27.0	62.7	133.4	229.5	401.2	734.6
1995.....	*	0.8	3.4	11.0	29.0	65.9	132.4	240.9	421.3	777.7
1994.....	*	1.0	3.7	10.7	30.7	68.0	140.3	251.7	447.4	783.0
1993.....	*	0.7	3.3	11.6	31.1	72.3	144.2	261.1	446.2	789.7
1992.....	*	0.8	3.2	11.3	33.7	77.6	147.2	264.3	446.4	760.4
1991.....	*	0.8	3.7	11.5	34.4	74.7	153.4	265.9	461.7	743.9
1990.....	*	0.6	4.2	13.0	34.9	78.2	155.3	266.3	444.1	705.4
1989.....	0.3	0.8	3.5	12.9	34.9	74.7	146.4	253.1	428.4	681.3
1988.....	*	0.9	3.9	12.0	32.1	72.3	146.5	247.7	418.8	640.6
1987.....	*	1.1	3.5	11.0	31.4	71.9	142.7	242.3	404.0	628.2
1986.....	*	0.7	3.6	12.1	32.9	72.2	142.4	243.5	404.8	612.4
1985.....	*	0.8	3.4	11.6	30.5	68.9	137.3	241.7	393.0	578.9
1984.....	*	0.8	3.5	12.0	30.6	68.8	133.1	240.1	382.1	621.2
1983.....	*	1.0	3.7	11.4	30.9	68.8	137.1	244.2	382.3	602.4
1982.....	*	0.8	3.7	11.7	29.8	69.4	130.5	242.2	386.3	586.5
1981.....	*	1.0	3.7	10.8	29.5	66.8	132.2	234.9	383.8	584.8
1980.....	0.2	1.1	3.5	11.2	30.2	68.1	131.0	242.0	384.9	583.3
1979.....	0.0	0.6	3.5	11.2	28.8	65.1	136.9	239.3	390.4	563.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF PROSTATE (185)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER, BOTH SEXES										
1998.....	*	0.8	4.0	9.6	28.2	48.4	99.3	165.1	251.3	319.7
1997.....	*	0.8	3.5	11.3	26.4	54.1	109.2	170.0	237.7	351.2
1996.....	*	0.8	4.1	11.0	28.6	59.5	117.5	188.6	276.3	340.2
1995.....	*	0.8	3.0	10.4	32.0	60.6	124.6	173.6	288.7	364.2
1994.....	*	1.1	3.6	11.5	29.4	65.7	129.6	187.4	285.8	352.5
1993.....	*	1.3	3.6	12.0	31.9	68.6	122.5	184.5	304.7	389.9
1992.....	*	1.1	4.1	13.4	33.3	69.2	127.4	184.4	277.8	374.3
1991.....	*	*	4.5	12.6	31.5	68.7	126.6	189.2	292.4	340.5
1990.....	*	*	3.5	14.7	33.5	70.5	125.0	193.0	285.9	351.7
1989.....	*	*	4.2	13.8	30.2	68.7	121.0	187.0	261.3	306.6
1988.....	*	*	4.4	12.1	31.9	67.1	113.3	183.0	256.3	302.4
1987.....	*	*	3.7	12.8	29.8	70.1	116.2	179.3	261.7	297.1
1986.....	*	1.3	4.1	11.4	31.2	66.6	126.1	176.1	252.5	287.0
1985.....	*	*	5.6	13.3	31.1	64.3	119.2	178.7	264.9	292.9
1984.....	*	*	3.5	12.2	32.3	61.5	123.0	176.1	263.0	287.6
1983.....	*	1.4	4.0	13.5	32.5	64.5	119.5	180.7	264.9	254.1
1982.....	*	*	3.9	12.7	32.1	64.2	114.3	167.6	257.8	274.4
1981.....	*	*	4.6	12.5	34.7	69.4	120.5	168.3	251.9	284.7
1980.....	0.1	1.0	4.7	12.8	32.0	71.7	116.7	164.9	257.9	286.5
1979.....	0.2	1.7	4.0	12.2	33.7	66.9	119.8	168.2	241.5	244.8
ALL OTHER MALE										
1998.....	*	1.8	8.9	21.4	64.6	113.2	240.4	413.8	692.9	1,019.0
1997.....	*	1.8	7.8	25.3	60.6	126.9	265.5	430.8	660.9	1,126.6
1996.....	*	1.6	9.0	24.6	65.8	139.4	286.1	480.7	768.7	1,095.4
1995.....	*	1.8	6.6	23.3	73.6	142.2	303.8	445.8	814.0	1,205.1
1994.....	*	2.4	8.0	25.8	67.8	154.5	316.2	486.2	805.5	1,166.2
1993.....	*	2.8	7.8	26.8	73.5	161.5	297.8	481.6	852.3	1,283.9
1992.....	*	2.4	8.8	30.1	76.9	162.6	311.5	482.4	770.9	1,205.2
1991.....	*	*	9.8	28.1	72.9	161.9	311.2	493.5	809.3	1,084.9
1990.....	*	*	7.6	32.9	77.6	165.9	308.6	503.9	792.6	1,125.3
1989.....	*	*	9.1	31.0	69.8	161.1	297.8	486.0	719.0	969.1
1988.....	*	*	9.5	27.2	73.3	157.4	280.0	472.1	700.9	949.4
1987.....	*	*	8.2	28.8	68.5	164.2	286.6	459.5	719.6	926.0
1986.....	*	2.9	9.0	25.4	71.4	155.7	309.9	448.6	694.4	884.0
1985.....	*	*	12.3	29.7	70.7	150.1	292.0	451.0	719.0	898.6
1984.....	*	*	7.6	27.2	73.3	143.3	299.0	441.1	710.9	866.7
1983.....	*	3.0	9.0	30.0	73.4	150.8	288.7	450.3	715.5	758.6
1982.....	*	*	8.7	28.2	72.4	149.6	273.0	415.6	688.3	814.9
1981.....	*	*	10.3	27.7	78.1	161.1	284.8	417.2	667.0	845.3
1980.....	0.3	2.2	10.4	28.2	71.8	165.5	273.2	406.9	677.5	845.9
1979.....	0.4	3.7	9.0	26.9	75.3	153.7	277.3	406.6	629.1	722.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF PROSTATE (185)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BLACK, BOTH SEXES										
1998.....	*	1.1	5.5	12.6	36.5	62.1	126.8	203.0	307.1	375.0
1997.....	*	1.2	4.8	14.9	34.7	67.2	139.1	209.5	277.1	403.4
1996.....	*	1.0	5.4	14.1	36.6	74.9	145.4	230.0	329.3	385.3
1995.....	*	1.1	4.0	13.3	41.1	74.4	155.4	206.3	328.1	394.8
1994.....	*	1.6	4.9	15.0	37.3	81.0	160.7	221.2	329.5	384.8
1993.....	*	1.7	4.4	15.3	40.1	85.8	149.9	215.0	341.8	423.5
1992.....	*	1.6	5.2	17.3	42.4	85.4	152.1	214.0	317.6	413.3
1991.....	*	*	5.8	15.9	38.9	85.2	150.4	223.3	330.0	366.8
1990.....	*	*	4.2	18.7	41.2	84.3	147.9	219.8	319.8	388.5
1989.....	*	*	5.3	16.9	37.2	83.2	141.3	212.7	287.9	330.9
1988.....	*	*	5.5	14.6	38.8	80.0	132.6	208.9	285.7	325.7
1987.....	*	*	4.6	15.7	36.7	82.3	134.8	203.9	287.5	325.5
1986.....	*	1.7	5.0	13.5	37.1	78.8	146.4	198.5	278.0	308.0
1985.....	*	*	6.6	16.0	37.0	74.7	136.7	199.1	291.4	314.9
1984.....	*	*	4.3	14.3	38.4	71.2	139.4	194.7	289.0	314.2
1983.....	*	1.8	4.8	16.1	38.0	74.2	135.7	202.1	296.0	274.5
1982.....	*	*	4.7	14.8	36.7	73.3	128.1	186.7	281.7	295.5
1981.....	*	*	5.5	14.6	39.7	79.0	133.6	186.6	278.5	307.7
1980.....	0.2	1.1	5.4	14.5	36.4	80.3	129.0	182.8	282.7	310.0
1979.....	0.2	2.0	4.8	14.0	38.0	72.7	132.6	181.1	256.7	261.5
BLACK MALE										
1998.....	*	2.4	12.2	28.9	85.3	145.2	309.0	519.9	892.6	1,277.6
1997.....	*	2.5	10.7	34.0	80.9	157.1	341.6	541.8	812.0	1,378.6
1996.....	*	2.2	12.0	32.2	85.3	175.1	359.5	598.7	967.9	1,323.5
1995.....	*	2.5	8.9	30.2	95.5	174.1	386.1	541.0	972.9	1,366.1
1994.....	*	3.4	11.0	34.3	86.6	190.1	400.2	587.8	976.0	1,332.9
1993.....	*	3.6	9.8	34.9	93.1	202.4	371.9	578.1	1,006.5	1,461.2
1992.....	*	3.4	11.5	39.2	98.5	202.2	380.3	580.3	931.0	1,406.7
1991.....	*	*	12.9	36.0	90.3	202.7	377.7	603.3	970.3	1,233.3
1990.....	*	*	9.4	42.4	95.7	201.0	373.2	594.9	937.5	1,305.3
1989.....	*	*	11.9	38.1	86.2	198.0	356.0	572.5	837.1	1,103.0
1988.....	*	*	12.3	32.8	90.0	190.3	333.6	558.2	826.6	1,072.3
1987.....	*	*	10.3	35.3	84.7	195.1	339.0	540.6	821.7	1,057.8
1986.....	*	3.8	11.2	30.2	85.5	186.3	367.7	522.7	787.8	982.5
1985.....	*	*	14.8	35.8	85.0	176.4	343.5	518.8	820.7	990.3
1984.....	*	*	9.5	31.9	88.0	167.7	348.2	504.8	811.9	978.7
1983.....	*	3.9	10.7	35.9	86.8	174.9	336.5	518.2	819.5	841.7
1982.....	*	*	10.5	33.1	83.6	172.8	314.5	478.9	767.5	896.6
1981.....	*	*	12.2	32.6	90.1	186.2	324.7	474.7	755.8	923.2
1980.....	0.4	2.5	12.0	32.3	82.4	188.0	310.2	463.6	754.4	930.0
1979.....	0.5	4.4	10.6	31.1	85.8	169.8	316.8	445.3	670.1	784.6



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF TESTIS (186)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	0.2	0.1	*	0.2	*	*	*	*	*	*
1997.....	0.2	0.2	*	*	*	*	*	*	*	*
1996.....	0.2	0.2	*	*	*	*	*	*	*	*
1995.....	0.2	0.1	*	*	*	*	*	*	*	*
1994.....	0.2	0.1	*	*	*	*	*	*	*	*
1993.....	0.2	0.2	*	*	*	*	*	*	*	*
1992.....	0.2	0.1	*	*	*	*	*	*	*	*
1991.....	0.1	0.2	*	*	*	*	*	*	*	*
1990.....	0.2	0.2	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	0.2	*	*	*	*	*	*	*	*
1987.....	0.2	0.2	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	0.2	*	*	*	*	*	*	*
1984.....	0.2	*	*	0.2	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	0.2	*	0.2	0.2	*	*	*	*	*
1981.....	*	0.2	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	0.2	0.1	0.2	0.2	0.3	0.2	0.6	0.2
1979.....	0.3	0.2	0.3	0.2	0.2	0.1	0.2	0.3	0.3	0.5
TOTAL, MALE										
1998.....	0.5	0.3	*	0.4	*	*	*	*	*	*
1997.....	0.3	0.3	*	*	*	*	*	*	*	*
1996.....	0.3	0.3	*	*	*	*	*	*	*	*
1995.....	0.4	0.3	*	*	*	*	*	*	*	*
1994.....	0.5	0.3	*	*	*	*	*	*	*	*
1993.....	0.4	0.4	*	*	*	*	*	*	*	*
1992.....	0.4	0.3	*	*	*	*	*	*	*	*
1991.....	0.3	0.3	*	*	*	*	*	*	*	*
1990.....	0.4	0.4	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*
1988.....	0.4	0.4	*	*	*	*	*	*	*	*
1987.....	0.4	0.4	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	0.4	*	*	*	*	*	*	*
1984.....	0.4	*	*	0.4	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.4	0.4	*	0.4	0.4	*	*	*	*	*
1981.....	*	0.4	*	*	*	*	*	*	*	*
1980.....	0.4	0.3	0.4	0.2	0.3	0.4	0.6	0.5	1.8	0.6
1979.....	0.6	0.4	0.6	0.5	0.5	0.3	0.5	0.9	0.8	1.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF TESTIS (186)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
WHITE, BOTH SEXES										
1998.....	0.3	0.2	*	0.2	*	*	*	*	*	*
1997.....	0.2	0.1	*	*	*	*	*	*	*	*
1996.....	0.2	0.2	*	*	*	*	*	*	*	*
1995.....	0.2	0.1	*	*	*	*	*	*	*	*
1994.....	0.2	0.1	*	*	*	*	*	*	*	*
1993.....	0.3	0.2	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	0.2	*	*	*	*	*	*	*	*
1990.....	0.2	0.2	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	0.2	*	*	*	*	*	*	*	*
1987.....	0.2	0.2	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	0.2	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	0.2	0.2	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	0.2	0.1	0.2	0.2	0.3	0.2	0.6	0.2
1979.....	0.3	0.2	0.3	0.2	0.2	0.1	0.2	0.3	0.3	0.5
WHITE MALE										
1998.....	0.5	0.3	*	0.4	*	*	*	*	*	*
1997.....	0.4	0.3	*	*	*	*	*	*	*	*
1996.....	0.4	0.4	*	*	*	*	*	*	*	*
1995.....	0.4	0.3	*	*	*	*	*	*	*	*
1994.....	0.5	0.3	*	*	*	*	*	*	*	*
1993.....	0.5	0.4	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.3	0.4	*	*	*	*	*	*	*	*
1990.....	0.4	0.4	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	0.4	*	*	*	*	*	*	*	*
1987.....	0.5	0.4	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	0.5	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	0.4	0.5	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.3	0.4	0.2	0.4	0.4	0.6	0.6	1.7	0.6
1979.....	0.6	0.5	0.6	0.5	0.4	0.3	0.4	0.9	0.8	1.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF TESTIS (186)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	-	-	0.1	0.2	-	0.9	-
1979.....	0.2	0.1	0.1	0.1	0.3	0.3	0.3	0.5	0.4	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	0.2	-	-	0.3	0.4	-	2.3	-
1979.....	0.4	0.3	0.2	0.2	0.7	0.8	0.8	1.1	1.2	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF TESTIS (186)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	-	-	-	0.1	0.2	-	1.0	-
1979.....	0.2	0.2	0.1	0.1	0.4	0.4	0.4	0.5	0.5	-
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	-	-	-	0.3	0.4	-	2.7	-
1979.....	0.5	0.4	0.2	0.2	0.8	0.9	0.9	1.2	1.3	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	0.2	0.4	0.4	0.6	1.0
1997.....	*	*	*	*	0.3	0.3	0.5	0.6	0.6	1.1
1996.....	*	*	*	*	0.3	0.2	0.3	0.4	0.7	0.8
1995.....	*	*	*	0.2	0.3	0.3	0.4	0.4	0.5	0.7
1994.....	*	*	*	0.2	0.2	0.4	0.3	0.5	0.6	0.6
1993.....	*	*	*	*	0.2	0.2	0.4	0.4	0.7	1.0
1992.....	*	*	*	*	0.2	0.3	0.3	0.5	0.7	1.1
1991.....	*	*	*	*	0.3	0.3	0.4	0.6	0.6	0.9
1990.....	*	*	*	*	*	0.2	0.4	0.7	0.6	1.0
1989.....	*	*	*	*	0.3	0.3	0.3	0.6	0.6	1.0
1988.....	*	*	*	*	0.2	*	0.4	0.6	0.8	1.1
1987.....	*	*	*	0.2	0.3	0.3	0.4	0.5	0.8	0.7
1986.....	*	*	*	*	0.2	0.5	0.4	0.6	*	1.1
1985.....	*	*	*	0.2	0.2	0.4	0.4	0.5	1.0	1.1
1984.....	*	*	*	*	0.3	0.4	0.5	0.6	0.7	1.1
1983.....	*	*	*	0.2	0.2	0.4	0.5	0.6	1.0	1.0
1982.....	*	*	*	*	0.2	0.4	0.4	0.5	0.9	1.4
1981.....	*	*	*	*	0.2	0.3	0.4	0.7	1.0	0.9
1980.....	0.0	0.1	0.1	0.2	0.3	0.4	0.6	0.7	1.2	1.5
1979.....	0.1	0.2	0.1	0.2	0.2	0.4	0.5	0.6	0.8	1.5
TOTAL, MALE										
1998.....	*	*	*	*	*	0.5	0.8	1.0	1.6	3.5
1997.....	*	*	*	*	0.6	0.8	1.1	1.4	1.5	3.8
1996.....	*	*	*	*	0.6	0.5	0.8	0.9	1.9	2.8
1995.....	*	*	*	0.4	0.6	0.8	0.9	1.0	1.5	2.5
1994.....	*	*	*	0.4	0.5	0.8	0.8	1.1	1.7	2.2
1993.....	*	*	*	*	0.4	0.5	0.9	1.0	1.9	3.6
1992.....	*	*	*	*	0.4	0.6	0.8	1.2	2.0	4.0
1991.....	*	*	*	*	0.6	0.7	0.8	1.4	1.8	3.3
1990.....	*	*	*	*	*	0.5	1.0	1.7	1.8	3.6
1989.....	*	*	*	*	0.6	0.6	0.8	1.5	1.8	3.5
1988.....	*	*	*	*	0.4	*	1.1	1.7	2.2	4.0
1987.....	*	*	*	0.4	0.7	0.6	0.9	1.4	2.3	2.6
1986.....	*	*	*	*	0.5	1.1	1.1	1.6	*	3.9
1985.....	*	*	*	0.4	0.5	0.8	0.9	1.4	3.0	3.9
1984.....	*	*	*	*	0.7	0.8	1.2	1.6	1.9	3.7
1983.....	*	*	*	0.4	0.5	0.8	1.2	1.4	2.8	3.6
1982.....	*	*	*	*	0.5	0.9	1.0	1.3	2.6	4.7
1981.....	*	*	*	*	0.5	0.8	0.9	1.7	2.8	3.1
1980.....	0.1	0.1	0.3	0.5	0.6	0.9	1.4	1.8	3.3	5.0
1979.....	0.1	0.3	0.1	0.4	0.4	1.0	1.3	1.6	2.4	4.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)										
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	0.4	0.4	0.6	1.0
1997.....	*	*	*	*	0.3	0.3	0.4	0.6	0.6	1.1
1996.....	*	*	*	*	0.3	0.3	0.4	0.3	0.6	0.9
1995.....	*	*	*	*	0.3	0.4	0.4	0.4	0.6	0.6
1994.....	*	*	*	*	0.2	0.4	0.4	0.4	0.6	0.6
1993.....	*	*	*	*	*	*	0.3	0.3	0.6	0.9
1992.....	*	*	*	*	0.2	0.3	0.3	0.4	0.7	0.9
1991.....	*	*	*	*	0.2	0.3	0.4	0.5	*	0.9
1990.....	*	*	*	*	*	0.2	0.4	0.5	0.6	0.9
1989.....	*	*	*	*	0.3	0.3	0.3	0.6	0.6	0.9
1988.....	*	*	*	*	*	*	0.4	0.6	0.7	1.1
1987.....	*	*	*	0.2	0.3	0.3	0.4	0.5	0.8	*
1986.....	*	*	*	*	0.2	0.4	0.4	0.6	*	1.1
1985.....	*	*	*	*	0.2	0.3	0.3	0.5	0.9	1.1
1984.....	*	*	*	*	0.3	0.3	0.5	0.6	*	1.0
1983.....	*	*	*	*	*	0.3	0.5	0.5	0.8	1.0
1982.....	*	*	*	*	0.2	0.3	0.4	0.4	0.9	1.4
1981.....	*	*	*	*	0.2	0.3	0.3	0.7	0.9	0.9
1980.....	0.0	0.1	0.1	0.2	0.2	0.3	0.5	0.6	0.9	1.2
1979.....	0.0	0.2	0.1	0.1	0.2	0.3	0.5	0.6	0.6	1.4
WHITE MALE										
1998.....	*	*	*	*	*	*	0.9	1.0	1.5	3.4
1997.....	*	*	*	*	0.6	0.7	1.0	1.4	1.5	3.7
1996.....	*	*	*	*	0.6	0.6	0.8	0.8	1.6	3.0
1995.....	*	*	*	*	0.6	0.8	1.0	0.9	1.6	2.2
1994.....	*	*	*	*	0.5	0.8	0.8	1.1	1.8	2.3
1993.....	*	*	*	*	*	*	0.8	0.8	1.8	3.4
1992.....	*	*	*	*	0.5	0.6	0.8	1.1	1.9	3.2
1991.....	*	*	*	*	0.5	0.6	0.8	1.3	*	3.4
1990.....	*	*	*	*	*	0.5	0.8	1.4	1.6	3.4
1989.....	*	*	*	*	0.6	0.7	0.8	1.5	1.7	3.3
1988.....	*	*	*	*	*	*	1.0	1.6	1.9	3.8
1987.....	*	*	*	0.4	0.6	0.6	1.0	1.3	2.3	*
1986.....	*	*	*	*	0.4	0.9	0.9	1.6	*	3.8
1985.....	*	*	*	*	0.5	0.8	0.8	1.4	2.6	3.8
1984.....	*	*	*	*	0.6	0.8	1.1	1.6	*	3.6
1983.....	*	*	*	*	*	0.8	1.1	1.4	2.4	3.6
1982.....	*	*	*	*	0.5	0.7	0.9	1.1	2.7	4.9
1981.....	*	*	*	*	0.5	0.7	0.8	1.7	2.7	3.1
1980.....	0.1	0.2	0.2	0.4	0.5	0.8	1.3	1.7	2.7	4.0
1979.....	0.1	0.4	0.1	0.2	0.4	0.8	1.1	1.5	1.7	4.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.2	0.5	0.4	0.9	1.1	1.4	3.9	5.0
1979.....	0.1	-	0.2	1.0	0.2	1.1	1.3	1.1	3.6	2.9
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.5	1.1	0.9	2.1	2.5	3.3	10.3	14.8
1979.....	0.3	-	0.3	2.2	0.5	2.6	3.0	2.7	9.3	8.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)

	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.2	0.6	0.5	1.0	1.2	1.3	4.5	5.7
1979.....	0.1	-	0.2	1.0	0.2	1.3	1.3	1.0	3.0	3.2
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.4	1.3	1.0	2.4	3.0	3.3	12.0	17.0
1979.....	0.2	-	0.4	2.3	0.5	3.0	3.1	2.5	7.8	9.6



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										
TOTAL, BOTH SEXES										
1998.....	1.5	3.3	6.7	11.7	18.6	27.6	41.5	55.9	76.3	102.6
1997.....	1.6	3.4	6.8	11.5	18.8	28.6	40.3	55.8	77.9	103.9
1996.....	1.5	3.3	6.8	11.5	19.1	28.2	41.7	55.0	77.3	103.0
1995.....	1.5	3.5	6.7	11.9	18.8	27.8	40.2	57.3	76.5	103.1
1994.....	1.5	3.5	6.7	12.1	18.8	29.4	40.8	56.6	78.0	101.3
1993.....	1.5	3.5	7.2	11.0	19.2	28.8	41.0	54.6	75.7	99.3
1992.....	1.5	3.8	6.7	12.1	19.4	27.7	40.4	56.4	77.0	104.0
1991.....	1.6	3.3	7.1	12.1	19.9	28.3	41.4	54.8	75.8	100.8
1990.....	1.6	3.3	7.0	11.9	19.4	28.0	40.0	57.5	74.9	101.3
1989.....	1.4	3.8	6.5	12.1	19.2	27.6	41.2	55.7	75.5	96.6
1988.....	1.6	3.5	6.6	11.0	18.6	27.5	41.5	53.1	73.6	94.9
1987.....	1.6	3.5	7.1	12.0	18.9	27.0	40.8	55.2	74.5	95.6
1986.....	1.5	3.6	7.0	12.0	18.7	26.6	40.8	55.0	77.3	95.1
1985.....	1.8	3.5	7.0	11.5	18.8	27.5	41.6	54.6	74.7	98.1
1984.....	1.6	3.5	7.2	11.6	18.1	27.1	41.5	56.6	75.3	98.9
1983.....	1.5	3.6	6.6	12.0	19.1	28.2	42.3	56.3	75.1	100.0
1982.....	1.6	4.0	7.1	12.1	18.5	29.7	41.9	56.7	75.8	100.7
1981.....	1.6	3.4	6.9	11.8	18.6	28.4	41.7	58.8	76.2	100.5
1980.....	1.6	3.7	6.7	11.6	19.9	29.6	43.9	56.9	78.6	98.2
1979.....	1.6	4.0	7.3	11.8	19.0	28.7	42.5	57.8	78.5	97.0
TOTAL, MALE										
1998.....	2.2	5.0	9.8	17.2	27.3	42.3	63.5	87.5	124.8	186.4
1997.....	2.0	4.8	9.7	16.7	27.5	42.6	62.1	88.4	126.4	186.0
1996.....	2.1	4.6	10.1	17.1	27.8	43.0	64.1	86.4	125.8	192.8
1995.....	2.1	4.9	9.8	16.8	27.6	41.8	61.6	92.6	127.0	192.2
1994.....	2.0	4.9	9.9	17.8	27.7	43.9	61.8	90.7	130.4	189.6
1993.....	2.1	4.9	10.5	16.2	28.9	44.0	64.6	87.4	131.0	190.3
1992.....	2.0	5.6	9.7	17.9	28.4	42.2	62.1	89.2	131.3	192.9
1991.....	2.3	4.6	10.1	16.7	29.7	42.8	65.5	87.5	131.7	186.2
1990.....	2.2	4.7	10.3	17.7	29.4	41.6	62.8	95.0	129.4	186.3
1989.....	2.0	5.4	9.1	17.8	28.6	41.2	66.1	93.7	130.6	178.1
1988.....	2.1	4.8	9.7	15.9	27.9	41.3	65.2	88.9	127.5	168.0
1987.....	2.2	4.7	10.0	17.9	28.6	41.3	63.6	92.5	133.1	170.4
1986.....	2.0	4.8	10.3	17.5	26.9	41.2	63.6	88.0	138.5	176.4
1985.....	2.3	5.2	10.0	17.2	28.0	42.5	64.5	92.6	130.9	185.5
1984.....	2.3	5.2	10.3	17.2	27.2	41.9	67.4	93.2	132.9	184.5
1983.....	1.9	4.9	9.4	17.5	28.9	43.9	67.1	93.9	134.3	186.1
1982.....	2.3	5.7	10.6	18.2	27.4	46.6	66.9	98.7	133.0	183.5
1981.....	2.3	4.7	10.2	17.4	28.9	42.9	67.6	98.4	131.6	182.7
1980.....	2.2	5.1	9.7	17.5	29.4	45.5	72.4	97.5	139.3	177.0
1979.....	2.1	5.9	10.7	17.4	28.4	45.6	70.3	98.5	136.8	174.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										
TOTAL, FEMALE										
1998.....	0.9	1.6	3.7	6.6	10.8	15.2	24.4	33.5	47.4	67.8
1997.....	1.1	2.1	4.1	6.6	11.1	16.8	23.4	32.9	49.5	70.8
1996.....	0.8	2.0	3.8	6.3	11.3	15.8	24.5	33.1	49.4	67.4
1995.....	1.0	2.0	3.9	7.4	11.0	16.2	23.7	33.1	48.0	68.4
1994.....	1.1	2.1	3.8	6.8	10.9	17.5	24.7	33.4	49.0	67.3
1993.....	0.9	2.2	4.0	6.2	10.6	16.4	23.0	32.6	45.5	64.5
1992.....	1.0	2.0	3.9	6.7	11.4	16.0	24.1	34.8	47.6	69.6
1991.....	0.9	2.0	4.2	8.0	11.2	16.6	23.3	33.4	45.9	67.7
1990.....	0.9	2.0	3.9	6.7	10.8	17.0	23.1	33.3	45.9	68.5
1989.....	0.9	2.3	4.1	6.9	11.1	16.6	22.9	31.4	46.3	65.0
1988.....	1.1	2.3	3.7	6.6	10.6	16.2	24.1	30.3	45.2	66.3
1987.....	0.9	2.4	4.3	6.7	10.6	15.3	24.2	31.5	43.8	66.1
1986.....	0.9	2.5	3.9	7.1	11.6	14.7	24.3	34.2	45.3	62.8
1985.....	1.2	2.0	4.2	6.4	10.8	15.4	24.9	30.7	45.3	63.2
1984.....	1.0	1.8	4.3	6.7	10.3	15.3	22.7	33.5	45.0	64.3
1983.....	1.0	2.3	3.9	7.1	10.6	15.6	24.3	32.7	43.9	64.7
1982.....	0.9	2.4	3.9	6.7	10.8	16.1	23.8	30.4	45.6	66.2
1981.....	1.0	2.1	3.7	6.8	9.7	16.7	23.1	33.9	46.8	65.4
1980.....	0.9	2.5	4.0	6.3	11.8	16.8	23.2	31.5	46.3	63.8
1979.....	1.1	2.2	4.1	6.8	10.9	15.2	22.4	32.2	47.2	62.9
WHITE, BOTH SEXES										
1998.....	1.5	3.3	6.6	11.9	19.2	28.7	42.5	56.9	78.4	105.2
1997.....	1.6	3.5	7.0	11.6	19.2	29.4	41.1	56.7	79.4	106.2
1996.....	1.4	3.3	6.9	11.8	19.6	29.1	42.3	56.1	78.7	105.0
1995.....	1.5	3.5	6.8	12.2	18.9	28.6	41.0	58.7	77.5	104.1
1994.....	1.5	3.4	6.8	12.2	19.4	30.1	41.4	57.3	79.4	102.5
1993.....	1.5	3.5	7.1	11.2	19.8	29.3	41.6	55.3	76.4	102.2
1992.....	1.5	3.8	6.8	12.3	20.0	28.4	41.0	57.9	77.6	105.5
1991.....	1.5	3.4	7.1	12.2	20.4	28.9	41.3	55.4	76.8	102.8
1990.....	1.5	3.2	7.1	12.0	19.5	28.3	40.4	58.1	76.8	103.7
1989.....	1.4	3.8	6.5	12.3	19.6	27.7	41.6	56.6	76.7	97.3
1988.....	1.6	3.6	6.5	11.0	19.1	27.9	42.3	53.9	74.6	96.8
1987.....	1.5	3.6	7.0	12.2	19.2	27.5	41.3	56.0	75.3	98.1
1986.....	1.4	3.6	7.1	12.0	19.0	27.1	41.4	56.0	79.3	97.3
1985.....	1.7	3.5	7.1	11.7	18.9	27.6	42.2	55.4	75.3	100.7
1984.....	1.5	3.4	7.3	11.8	17.9	27.5	42.0	57.4	76.7	101.3
1983.....	1.5	3.6	6.6	12.0	19.1	28.7	42.8	57.8	76.4	102.7
1982.....	1.6	3.9	7.2	12.1	18.5	29.6	42.1	58.1	77.3	103.8
1981.....	1.6	3.4	6.8	11.8	18.5	28.5	42.0	60.4	77.4	103.9
1980.....	1.6	3.7	6.7	11.5	20.1	30.1	44.5	58.5	80.2	101.1
1979.....	1.5	3.9	7.2	11.7	19.1	29.1	43.4	58.5	80.6	100.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										
WHITE MALE										
1998.....	2.1	5.1	9.6	17.5	28.3	44.2	65.1	89.8	129.0	195.7
1997.....	2.0	4.9	9.9	16.8	28.2	43.7	63.6	90.6	130.8	192.9
1996.....	2.1	4.6	10.1	17.5	28.8	44.4	65.5	89.1	129.4	202.0
1995.....	2.1	5.0	10.0	17.0	27.8	43.3	63.5	96.0	131.2	197.8
1994.....	1.9	4.7	10.0	18.3	28.4	45.0	62.9	92.5	134.0	196.1
1993.....	2.1	5.1	10.5	16.6	29.7	45.6	65.8	88.6	134.3	198.5
1992.....	2.0	5.6	9.8	18.2	29.3	43.4	62.9	92.0	133.4	199.5
1991.....	2.1	4.8	10.2	16.9	30.5	43.9	66.0	88.7	135.9	194.6
1990.....	2.2	4.6	10.5	17.8	29.7	42.1	63.5	96.6	134.6	194.9
1989.....	1.9	5.6	9.0	18.1	29.6	41.5	66.8	95.3	134.2	182.9
1988.....	2.1	5.0	9.8	16.1	28.8	42.2	66.7	90.7	130.9	175.4
1987.....	2.2	4.8	10.2	18.3	28.9	41.9	65.0	95.2	135.8	176.7
1986.....	1.9	4.7	10.6	17.8	27.5	42.6	65.1	89.9	144.4	185.1
1985.....	2.3	5.2	10.0	17.6	28.3	42.9	65.6	94.8	132.8	193.3
1984.....	2.2	5.3	10.5	17.4	27.0	42.4	68.9	95.0	137.6	193.8
1983.....	1.8	5.0	9.5	17.8	28.9	44.9	68.3	97.6	137.9	193.8
1982.....	2.3	5.6	10.9	18.5	27.9	46.6	67.8	102.3	138.8	192.3
1981.....	2.3	4.8	10.2	17.6	28.6	43.5	69.0	102.1	135.7	191.4
1980.....	2.3	5.1	9.5	17.3	29.9	46.6	74.6	102.2	145.0	186.5
1979.....	2.1	5.7	10.8	17.5	28.7	46.4	72.2	101.8	142.9	181.0
WHITE FEMALE										
1998.....	0.8	1.6	3.6	6.7	10.9	15.4	24.7	33.4	48.2	68.1
1997.....	1.2	2.2	4.1	6.7	11.0	17.1	23.4	32.7	49.2	71.8
1996.....	0.8	2.1	3.8	6.5	11.3	16.1	24.3	33.0	49.5	66.9
1995.....	0.9	2.0	3.8	7.7	10.8	16.2	23.5	32.9	47.2	68.1
1994.....	1.0	2.2	3.7	6.5	11.2	17.6	24.8	33.2	49.1	66.9
1993.....	0.9	2.0	3.8	6.2	10.8	15.9	23.0	32.8	44.9	65.8
1992.....	0.9	2.1	4.0	6.7	11.6	16.0	24.3	35.1	47.5	69.7
1991.....	0.9	2.0	4.1	7.8	11.5	16.6	22.6	33.6	45.4	67.9
1990.....	0.8	1.9	3.8	6.7	10.5	16.9	23.1	33.2	46.4	69.0
1989.....	0.8	2.1	4.1	6.8	10.8	16.4	22.8	31.7	46.5	64.6
1988.....	1.1	2.3	3.4	6.3	10.6	16.1	24.3	30.4	45.2	66.7
1987.....	0.9	2.4	4.0	6.5	10.8	15.6	24.0	31.2	43.8	67.6
1986.....	0.9	2.5	3.7	6.7	11.6	14.4	24.1	34.7	45.5	63.1
1985.....	1.2	1.9	4.4	6.3	10.8	15.2	25.1	30.6	45.4	64.4
1984.....	0.9	1.6	4.2	6.7	9.9	15.3	22.5	33.8	45.0	64.6
1983.....	1.1	2.2	3.9	6.8	10.5	15.5	24.3	33.0	44.3	66.1
1982.....	0.9	2.3	3.8	6.3	10.3	15.9	23.5	30.7	45.1	67.6
1981.....	1.0	2.1	3.5	6.6	9.7	16.5	22.5	34.5	46.8	67.3
1980.....	1.0	2.3	4.1	6.4	11.6	16.8	22.8	31.3	46.2	64.3
1979.....	0.9	2.2	3.9	6.6	10.7	15.2	22.8	31.6	47.6	64.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										
ALL OTHER, BOTH SEXES										
1998.....	1.7	3.0	7.2	10.1	14.8	20.1	33.7	46.8	55.0	77.9
1997.....	1.4	2.8	6.0	10.9	16.2	23.4	33.7	47.6	62.4	81.7
1996.....	1.6	3.1	6.3	9.6	15.4	22.2	36.6	44.9	62.4	84.1
1995.....	1.8	3.1	6.2	10.0	18.5	22.1	33.4	44.2	65.4	92.0
1994.....	1.9	3.5	6.5	11.3	14.7	24.4	35.8	49.9	63.8	88.9
1993.....	1.6	3.4	7.7	9.4	15.2	24.5	36.0	47.8	68.4	69.6
1992.....	1.6	3.5	5.9	10.6	15.0	22.8	35.2	42.9	70.8	88.0
1991.....	2.0	2.9	6.9	11.8	15.7	23.7	42.4	48.3	66.1	79.6
1990.....	1.9	3.9	6.9	11.3	19.0	26.2	36.4	51.8	54.6	76.0
1989.....	1.7	3.5	6.8	11.1	16.6	26.9	37.9	47.5	62.8	89.8
1988.....	1.6	3.0	7.1	11.3	14.7	24.3	33.9	45.7	63.1	74.2
1987.....	1.7	3.3	7.2	11.2	16.6	22.9	35.7	47.0	66.6	69.2
1986.....	1.9	3.7	6.3	11.7	16.0	21.9	35.5	45.6	55.9	71.0
1985.....	2.0	3.7	6.5	10.2	17.6	26.5	35.9	47.3	68.1	69.6
1984.....	2.3	3.9	6.5	10.3	20.5	24.3	36.1	48.8	60.4	72.8
1983.....	1.6	3.3	6.1	11.8	19.0	24.1	38.0	41.8	60.7	69.4
1982.....	1.5	4.5	6.6	12.3	18.2	30.1	39.6	42.9	59.0	65.8
1981.....	1.8	3.2	7.5	11.9	19.5	27.0	39.2	42.7	62.7	61.6
1980.....	1.1	3.9	6.8	11.9	18.1	25.3	38.0	42.1	59.3	64.7
1979.....	2.3	4.9	7.5	12.0	18.5	25.3	33.7	51.1	53.6	63.2
ALL OTHER MALE										
1998.....	2.5	4.4	11.3	15.2	20.6	28.6	49.2	66.6	80.9	105.2
1997.....	2.1	4.0	8.6	16.5	22.8	34.3	48.3	66.8	80.8	125.9
1996.....	2.3	4.4	10.0	14.8	20.7	32.9	51.4	60.8	87.5	112.3
1995.....	2.2	4.4	8.9	15.6	26.3	30.4	44.3	59.2	82.9	139.6
1994.....	2.3	5.7	9.4	14.3	22.2	34.9	52.5	72.2	93.5	129.1
1993.....	2.1	4.1	10.5	13.9	22.7	30.6	53.6	75.4	97.9	113.5
1992.....	2.0	5.5	9.4	15.8	21.6	32.3	54.5	61.2	110.0	130.9
1991.....	3.2	3.6	9.6	14.9	23.9	32.6	60.9	75.7	90.7	108.1
1990.....	2.5	5.3	9.2	16.4	26.8	37.2	55.7	80.0	77.6	105.6
1989.....	2.3	3.9	9.5	15.8	20.6	38.4	59.2	77.9	95.0	133.3
1988.....	2.1	3.8	9.0	14.8	19.7	33.8	51.3	71.2	94.0	100.0
1987.....	2.5	4.1	8.8	15.2	26.2	35.6	49.8	67.0	106.3	111.7
1986.....	2.9	5.3	7.7	14.6	21.9	28.6	49.7	70.0	78.7	94.7
1985.....	2.5	5.0	10.4	13.8	25.9	39.2	54.3	72.3	110.5	112.3
1984.....	2.8	4.7	8.6	14.8	29.1	37.1	52.5	76.2	85.1	97.2
1983.....	2.5	3.6	8.7	15.5	28.7	34.7	56.3	59.4	96.9	110.0
1982.....	*	6.1	8.9	15.9	22.7	46.6	58.1	65.1	72.3	98.5
1981.....	2.7	4.1	10.3	16.1	31.2	38.4	54.1	64.0	87.9	96.9
1980.....	1.5	4.6	11.1	19.2	24.5	35.5	52.0	53.6	79.1	79.0
1979.....	2.6	7.7	10.2	16.3	25.2	38.8	52.7	68.7	70.9	100.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										
ALL OTHER FEMALE										
1998.....	1.1	1.8	3.7	6.0	10.4	13.8	22.8	33.7	40.2	65.4
1997.....	*	1.8	3.8	6.3	11.1	15.4	23.6	35.0	52.1	61.8
1996.....	*	2.0	3.2	5.3	11.4	14.3	26.4	34.6	48.3	71.4
1995.....	1.4	2.1	4.0	5.4	12.6	16.0	25.8	34.7	55.8	71.5
1994.....	1.6	1.7	4.1	8.9	9.0	16.7	24.2	35.9	47.4	71.5
1993.....	1.2	2.8	5.3	5.9	9.5	19.9	23.6	30.7	52.0	50.5
1992.....	1.3	1.7	3.0	6.4	10.0	15.9	21.8	31.6	48.7	68.7
1991.....	*	2.3	4.6	9.3	9.4	17.2	29.7	31.4	52.0	66.1
1990.....	*	2.6	4.9	7.2	13.0	18.0	23.2	34.4	41.5	62.5
1989.....	*	3.1	4.5	7.2	13.6	18.4	23.4	28.5	44.3	69.7
1988.....	*	2.3	5.6	8.5	10.9	17.2	22.2	29.5	45.1	62.1
1987.....	*	2.6	5.9	8.0	9.1	13.5	26.0	34.2	43.9	49.1
1986.....	*	2.2	5.2	9.3	11.4	16.9	25.7	29.8	43.1	59.6
1985.....	*	2.5	3.3	7.2	11.1	16.9	23.2	30.9	43.3	49.3
1984.....	*	3.1	4.9	6.7	13.7	14.7	24.6	30.6	45.7	60.7
1983.....	*	3.0	3.9	8.9	11.4	16.2	25.1	29.9	39.4	48.9
1982.....	*	3.0	4.7	9.3	14.6	17.7	26.2	27.7	51.0	48.9
1981.....	*	*	5.2	8.5	10.2	18.4	28.2	28.4	47.3	43.7
1980.....	0.7	3.4	3.2	5.9	12.9	17.5	27.6	34.2	47.2	57.3
1979.....	2.1	2.6	5.3	8.5	13.0	15.0	19.3	38.8	43.1	44.7
BLACK, BOTH SEXES										
1998.....	2.1	3.9	8.5	12.2	17.2	22.2	37.6	51.5	61.2	85.9
1997.....	1.7	3.2	7.3	12.8	18.8	26.5	38.8	52.6	69.0	90.9
1996.....	1.9	3.8	7.6	11.4	18.2	25.6	42.0	50.6	65.9	91.9
1995.....	2.2	3.7	7.4	11.5	21.0	25.5	38.9	49.8	72.3	98.5
1994.....	2.3	4.4	8.1	12.9	16.0	27.4	40.8	55.7	69.6	94.9
1993.....	2.2	4.2	9.3	11.4	17.8	28.0	40.5	51.7	71.8	72.5
1992.....	2.0	4.5	7.0	12.1	18.0	24.8	40.1	47.0	75.2	95.7
1991.....	2.4	3.6	8.9	13.6	17.4	26.2	48.0	53.4	70.4	87.9
1990.....	2.3	4.9	7.9	13.7	22.6	30.1	40.7	58.5	59.7	76.8
1989.....	1.9	4.5	7.8	13.2	18.6	30.4	41.7	54.5	65.2	92.7
1988.....	2.2	3.5	8.4	12.2	16.8	27.8	37.0	49.9	65.4	77.6
1987.....	2.2	4.2	8.5	12.6	19.3	25.3	39.1	50.6	70.0	71.6
1986.....	2.3	4.4	6.7	13.7	17.5	24.3	40.4	49.7	58.4	73.6
1985.....	2.5	4.2	7.2	11.2	20.3	29.7	39.6	51.0	73.9	71.3
1984.....	2.5	4.3	7.0	11.8	23.0	26.2	39.9	51.5	65.7	76.8
1983.....	1.9	3.7	6.8	13.2	21.1	27.0	42.5	45.2	61.7	74.5
1982.....	1.9	4.9	7.5	13.8	19.6	33.0	42.8	45.8	61.9	68.8
1981.....	1.8	3.5	8.1	13.1	21.6	29.6	42.7	45.3	67.9	64.3
1980.....	1.2	4.4	7.1	12.6	20.4	27.7	40.6	43.6	62.4	65.4
1979.....	2.7	5.7	8.5	12.7	19.2	27.0	35.4	53.0	54.2	61.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										
BLACK MALE										
1998.....	3.1	5.7	13.2	18.3	23.9	31.0	52.8	74.9	96.0	113.5
1997.....	2.4	4.3	10.7	19.5	27.0	38.3	55.1	71.6	93.8	149.5
1996.....	2.6	5.2	12.3	18.2	24.8	36.5	58.3	66.8	93.7	118.8
1995.....	2.8	5.2	10.5	18.0	29.9	34.3	51.0	69.4	96.0	150.2
1994.....	2.9	6.9	11.8	17.2	24.8	38.6	59.9	81.5	105.8	137.5
1993.....	2.8	4.8	12.8	17.0	27.1	34.1	59.4	85.1	111.4	121.0
1992.....	2.5	7.1	10.8	18.0	25.7	33.7	61.7	68.0	122.8	146.4
1991.....	4.1	4.5	12.7	17.5	26.5	36.2	70.8	87.8	103.0	121.7
1990.....	3.0	7.1	10.7	20.2	32.0	43.3	62.1	91.2	89.5	110.2
1989.....	*	5.2	11.5	18.8	22.7	43.1	66.7	92.1	105.2	139.4
1988.....	2.9	4.7	10.7	16.1	22.5	38.4	56.8	79.1	98.9	106.2
1987.....	3.3	5.2	10.3	16.8	30.5	39.5	55.0	73.1	114.1	115.6
1986.....	3.8	6.7	8.8	16.9	23.9	31.2	58.1	79.1	83.3	100.0
1985.....	3.0	6.0	11.2	15.6	29.5	45.4	61.0	78.2	124.1	114.5
1984.....	*	5.6	8.5	16.8	32.4	40.7	58.4	82.0	95.2	100.0
1983.....	3.2	4.3	9.3	17.4	31.5	38.5	65.2	64.2	102.4	123.3
1982.....	*	6.6	9.9	17.9	24.7	52.1	64.5	72.0	75.0	100.0
1981.....	*	4.4	11.2	17.8	34.4	41.7	59.8	69.0	93.5	103.6
1980.....	1.6	5.0	11.8	20.1	28.0	39.7	55.8	54.3	84.0	73.6
1979.....	3.2	8.8	12.0	17.3	26.1	41.7	57.1	73.9	72.7	103.8
BLACK FEMALE										
1998.....	*	2.3	4.7	7.4	12.2	15.7	27.0	36.4	42.9	74.4
1997.....	*	2.3	4.6	7.7	12.7	17.8	27.7	40.6	56.1	66.7
1996.....	*	2.6	3.7	6.1	13.2	17.5	31.0	40.4	51.6	80.8
1995.....	1.6	2.4	4.9	6.4	14.4	19.0	30.7	37.7	60.2	77.5
1994.....	1.8	2.3	5.0	9.5	9.3	19.1	27.9	40.2	51.1	77.6
1993.....	1.7	3.6	6.4	6.9	10.7	23.5	27.7	32.0	51.4	52.7
1992.....	*	*	3.9	7.4	12.1	18.3	25.7	34.7	50.5	74.7
1991.....	*	2.8	5.9	10.6	10.4	19.0	32.8	33.1	53.6	73.6
1990.....	*	3.0	5.6	8.6	15.5	20.6	26.7	39.4	44.2	62.7
1989.....	*	3.8	4.9	8.8	15.6	21.1	25.4	32.2	44.3	73.2
1988.....	*	*	6.5	9.1	12.5	20.2	23.9	32.4	47.8	65.1
1987.....	*	3.3	7.0	9.2	10.8	14.9	28.6	37.0	46.2	52.1
1986.....	*	*	5.0	11.1	12.6	19.2	28.7	31.7	44.8	61.6
1985.....	*	*	3.9	7.7	13.1	18.2	25.5	34.1	46.2	51.1
1984.....	*	3.3	5.7	7.7	15.7	15.5	27.5	32.3	49.3	65.9
1983.....	*	3.2	4.7	9.7	13.0	18.5	27.2	32.8	38.6	50.8
1982.....	*	3.4	5.6	10.5	15.6	19.0	27.8	29.1	54.3	53.4
1981.....	*	*	5.6	9.3	11.5	20.6	30.7	29.9	53.0	44.2
1980.....	0.9	3.8	3.3	6.5	14.4	18.8	29.7	36.6	49.5	61.3
1979.....	2.4	3.1	5.7	8.9	13.7	15.9	19.7	38.6	42.7	40.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF BLADDER (188)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	0.4	0.8	1.7	3.6	7.0	11.4	20.3	30.8	45.2	69.1
1997.....	0.4	0.8	1.9	3.4	6.8	12.1	19.8	30.2	47.5	69.4
1996.....	0.3	0.8	1.8	3.3	6.9	12.3	20.7	30.4	46.6	69.9
1995.....	0.4	0.8	1.6	3.6	6.5	12.1	19.8	30.9	45.6	68.6
1994.....	0.3	0.8	1.8	4.0	6.5	13.0	20.2	30.8	48.5	68.5
1993.....	0.4	0.9	1.8	3.4	7.2	13.0	20.1	30.5	46.3	69.7
1992.....	0.4	0.9	1.7	3.7	7.5	12.1	19.6	31.0	46.5	70.7
1991.....	0.3	0.7	1.9	3.7	7.6	12.2	20.4	30.0	45.6	68.5
1990.....	0.4	0.6	1.8	3.5	8.1	12.1	19.6	32.6	46.0	70.5
1989.....	0.2	0.8	1.6	4.0	7.6	12.1	20.8	31.5	46.4	67.0
1988.....	0.3	0.7	1.7	3.5	7.1	12.4	21.4	30.2	45.9	66.7
1987.....	0.2	0.7	1.9	3.7	7.0	11.7	20.4	30.3	47.1	67.7
1986.....	0.2	0.9	1.8	4.0	6.8	12.3	21.0	31.5	48.7	68.2
1985.....	0.3	0.8	2.0	3.8	7.4	12.9	22.2	31.9	47.3	72.1
1984.....	0.3	0.9	2.1	3.8	7.4	12.7	21.9	33.5	49.4	72.1
1983.....	0.3	0.9	1.7	4.3	7.5	13.5	23.5	33.7	50.5	73.3
1982.....	0.4	0.9	2.4	4.4	7.8	14.8	22.9	33.9	50.5	74.4
1981.....	0.4	0.7	2.1	4.2	8.0	14.6	23.8	36.4	51.7	75.3
1980.....	0.3	1.1	1.7	4.1	8.6	15.0	25.7	35.7	55.3	76.1
1979.....	0.4	1.1	2.4	3.9	8.4	15.0	24.6	38.1	54.5	74.2
TOTAL, MALE										
1998.....	0.5	1.3	2.8	5.6	10.8	18.5	33.4	51.4	79.8	136.9
1997.....	0.4	1.1	3.0	5.3	10.6	19.0	32.1	51.3	82.9	133.1
1996.....	0.4	1.1	2.7	5.3	10.5	20.4	34.1	51.6	81.5	141.5
1995.....	0.6	1.2	2.5	5.3	10.3	19.8	33.6	53.5	82.6	139.8
1994.....	0.5	1.1	2.6	6.1	10.3	21.1	33.1	53.3	88.7	135.3
1993.....	0.6	1.3	2.8	5.5	11.6	21.5	34.0	53.0	87.8	142.8
1992.....	0.5	1.4	2.7	5.5	11.8	19.4	32.1	52.8	86.7	141.3
1991.....	0.4	1.0	2.9	5.7	12.4	20.1	35.1	51.9	86.6	135.2
1990.....	0.6	0.9	2.9	5.4	12.8	19.2	33.7	58.0	83.7	139.6
1989.....	0.3	1.1	2.4	6.4	12.0	19.7	35.7	57.6	86.5	130.8
1988.....	0.3	1.0	2.6	5.5	11.8	19.8	36.2	53.2	87.1	125.1
1987.....	0.3	0.9	2.5	5.7	11.6	19.7	34.6	55.6	90.9	127.2
1986.....	0.4	1.1	2.8	6.3	10.5	20.7	35.8	54.9	95.2	133.1
1985.....	0.4	1.1	3.0	6.1	12.0	21.5	37.7	57.9	89.5	145.5
1984.....	0.4	1.3	3.1	5.8	11.9	21.3	37.9	60.3	92.2	142.2
1983.....	0.4	1.2	2.6	6.7	12.6	22.0	40.3	60.1	98.5	145.9
1982.....	0.6	1.2	3.8	6.7	12.5	25.3	39.2	63.8	94.3	143.0
1981.....	0.5	1.1	3.4	6.7	12.8	23.9	42.1	64.4	95.5	144.5
1980.....	0.4	1.2	2.4	6.5	13.3	24.7	45.6	65.3	104.1	141.6
1979.....	0.4	1.7	3.7	6.1	13.3	25.2	44.4	69.3	101.0	138.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF BLADDER (188)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, FEMALE										
1998.....	0.2	0.4	0.8	1.8	3.5	5.5	10.1	16.1	24.6	41.0
1997.....	0.3	0.5	0.9	1.7	3.4	6.2	10.3	15.4	26.8	43.7
1996.....	0.2	0.4	1.0	1.5	3.7	5.6	10.3	15.6	26.6	41.5
1995.....	0.2	0.5	0.7	2.0	3.1	5.7	9.2	15.4	24.7	40.9
1994.....	0.2	0.5	1.0	2.0	3.1	6.3	10.3	15.6	26.2	42.8
1993.....	0.2	0.6	0.9	1.5	3.4	6.0	9.5	15.5	23.6	41.7
1992.....	0.3	0.4	0.8	1.9	3.8	6.1	10.1	16.6	24.7	43.4
1991.....	0.2	0.4	1.0	1.9	3.4	5.8	9.4	15.7	23.7	42.8
1990.....	*	0.4	0.8	1.9	4.0	6.3	9.1	16.3	25.9	43.9
1989.....	*	0.5	1.0	1.8	3.7	6.0	9.8	14.7	25.1	42.2
1988.....	0.3	0.5	0.8	1.6	3.1	6.4	10.6	15.6	24.2	43.9
1987.....	*	0.4	1.4	1.8	3.1	5.1	9.9	14.3	24.0	44.3
1986.....	*	0.6	0.9	1.9	3.5	5.5	10.3	16.7	24.3	42.4
1985.....	*	0.4	1.2	1.7	3.4	5.9	11.0	15.6	25.1	42.8
1984.....	*	0.5	1.1	2.1	3.5	5.7	10.4	16.7	26.9	43.7
1983.....	*	0.6	0.9	2.3	3.2	6.6	11.3	17.2	25.2	43.6
1982.....	*	0.6	1.2	2.2	3.7	6.3	11.1	15.2	27.4	45.8
1981.....	*	0.4	0.9	1.9	3.8	7.0	10.5	18.8	28.4	45.8
1980.....	0.2	0.9	1.0	1.9	4.6	7.3	11.3	17.1	29.3	47.4
1979.....	0.3	0.6	1.2	2.0	4.2	6.8	10.3	18.5	29.5	45.5
WHITE, BOTH SEXES										
1998.....	0.4	0.8	1.7	3.7	7.1	12.0	21.0	31.5	46.4	71.0
1997.....	0.4	0.9	2.0	3.5	7.0	12.5	20.3	30.9	48.4	70.9
1996.....	0.3	0.8	1.9	3.3	7.2	12.6	21.0	31.2	47.7	71.4
1995.....	0.3	0.8	1.6	3.8	6.4	12.5	20.3	31.9	46.3	69.5
1994.....	0.3	0.8	1.7	4.1	6.7	13.4	20.7	31.2	49.1	69.3
1993.....	0.4	1.0	1.7	3.4	7.4	13.4	20.5	30.9	46.9	71.5
1992.....	0.4	0.9	1.8	3.6	7.7	12.3	19.9	31.7	46.8	71.5
1991.....	0.3	0.7	1.8	3.6	7.8	12.6	20.5	30.4	46.4	69.9
1990.....	0.4	0.6	1.8	3.6	8.1	12.2	19.8	32.6	47.3	72.2
1989.....	0.2	0.8	1.6	4.0	7.7	12.2	20.7	31.7	47.2	67.5
1988.....	0.3	0.7	1.6	3.4	7.2	12.5	22.0	30.5	46.5	67.7
1987.....	0.2	0.7	1.8	3.6	7.0	11.8	20.5	30.6	47.3	69.5
1986.....	0.3	0.8	1.8	4.0	6.8	12.5	21.1	31.9	50.1	69.7
1985.....	0.3	0.7	2.0	3.8	7.4	13.0	22.3	32.4	48.1	73.8
1984.....	0.2	0.9	2.1	3.9	7.1	12.7	21.9	33.7	50.1	73.9
1983.....	0.3	0.9	1.7	4.3	7.5	13.5	23.7	34.3	51.3	75.3
1982.....	0.4	0.9	2.4	4.2	7.8	14.6	22.9	34.6	51.7	76.4
1981.....	0.3	0.7	2.0	4.2	7.9	14.5	23.7	37.2	52.4	77.9
1980.....	0.3	0.9	1.7	4.0	8.6	15.1	25.7	36.6	56.3	78.0
1979.....	0.4	1.1	2.3	3.7	8.3	15.0	25.0	38.1	55.7	76.4



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BLADDER (188)										
WHITE MALE										
1998.....	0.5	1.3	2.8	5.7	11.3	19.8	34.8	53.4	82.7	144.4
1997.....	0.5	1.2	3.1	5.4	11.1	20.0	33.2	53.2	85.9	139.0
1996.....	0.4	1.1	2.7	5.3	11.1	21.1	35.1	53.7	84.5	149.1
1995.....	0.5	1.2	2.6	5.6	10.4	20.7	35.1	56.0	86.0	144.6
1994.....	0.4	1.1	2.6	6.4	10.7	21.8	34.5	54.6	90.9	141.0
1993.....	0.5	1.3	2.8	5.5	12.0	22.6	35.0	53.9	90.5	149.3
1992.....	0.5	1.4	2.8	5.6	12.2	20.2	33.0	54.7	88.0	145.7
1991.....	0.4	1.1	2.8	5.8	12.8	20.9	35.8	52.9	89.7	141.6
1990.....	0.6	0.8	3.0	5.4	13.2	19.6	34.4	58.4	88.0	146.9
1989.....	0.3	1.2	2.3	6.5	12.5	20.2	36.0	58.7	89.2	134.9
1988.....	*	1.0	2.6	5.6	12.1	20.3	37.7	54.3	90.4	130.8
1987.....	*	1.0	2.4	5.8	11.7	20.3	35.6	57.2	92.9	132.7
1986.....	0.4	1.0	2.9	6.5	10.8	21.5	36.7	56.1	100.4	139.9
1985.....	0.4	1.2	2.9	6.3	12.2	21.9	38.2	59.5	92.0	151.9
1984.....	0.3	1.3	3.2	6.0	11.8	21.5	38.4	61.6	95.3	149.3
1983.....	*	1.2	2.6	6.8	12.8	22.3	40.9	62.2	101.6	152.2
1982.....	0.6	1.3	3.8	6.7	12.9	25.1	39.9	66.1	99.3	149.5
1981.....	0.5	1.2	3.3	6.9	12.8	24.3	43.0	66.3	98.5	152.0
1980.....	0.4	1.2	2.4	6.5	13.5	25.0	46.9	68.4	108.5	149.0
1979.....	0.4	1.6	3.6	5.9	13.5	25.6	45.3	70.9	105.1	144.6
WHITE FEMALE										
1998.....	0.2	0.4	0.6	1.7	3.3	5.4	10.0	15.9	24.7	40.9
1997.....	0.3	0.5	0.9	1.7	3.2	6.2	10.2	15.2	26.4	43.7
1996.....	*	0.4	1.1	1.4	3.6	5.4	10.0	15.5	26.4	40.9
1995.....	*	0.5	0.8	2.1	2.8	5.6	8.8	15.2	24.0	40.6
1994.....	*	0.5	0.9	1.8	3.0	6.4	10.0	15.2	25.9	42.0
1993.....	*	0.6	0.7	1.5	3.3	5.7	9.4	15.4	23.1	42.0
1992.....	0.3	0.4	0.8	1.8	3.7	5.8	9.8	16.4	24.5	43.2
1991.....	*	0.4	0.9	1.6	3.3	5.8	8.9	15.6	23.3	42.6
1990.....	*	*	0.7	1.8	3.7	6.1	8.8	16.0	25.8	43.8
1989.....	*	0.4	1.0	1.7	3.4	5.6	9.3	14.4	25.1	41.7
1988.....	*	0.5	0.7	1.4	2.9	6.1	10.4	15.2	23.5	43.5
1987.....	*	0.5	1.2	1.6	3.0	4.8	9.4	13.8	23.6	45.0
1986.....	*	0.6	0.8	1.6	3.4	5.2	9.7	16.6	24.0	42.3
1985.....	*	*	1.2	1.6	3.3	5.6	10.8	15.4	25.2	43.2
1984.....	*	0.4	1.0	2.0	3.1	5.5	9.9	16.3	26.5	44.0
1983.....	*	0.6	0.8	2.0	2.9	6.3	11.1	16.8	25.0	44.4
1982.....	*	0.5	1.1	1.9	3.3	6.1	10.5	15.0	26.8	46.5
1981.....	*	*	0.8	1.7	3.6	6.6	9.8	19.1	28.2	46.9
1980.....	0.2	0.7	1.0	1.8	4.4	7.0	10.5	16.8	28.9	47.4
1979.....	0.3	0.6	1.1	1.7	3.8	6.4	10.4	17.7	29.5	46.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BLADDER (188)										
ALL OTHER, BOTH SEXES										
1998.....	*	0.8	1.9	3.2	6.3	7.3	15.3	24.4	32.9	51.6
1997.....	*	*	1.5	2.8	5.8	8.7	15.9	23.6	38.2	55.3
1996.....	*	*	1.5	3.8	5.3	10.1	17.7	22.5	36.1	56.0
1995.....	*	*	1.3	2.3	6.7	9.2	15.6	21.9	38.0	59.4
1994.....	*	*	1.9	3.3	5.4	9.9	15.8	27.5	41.9	60.1
1993.....	*	0.9	2.4	3.4	5.6	9.9	16.1	26.9	40.0	51.1
1992.....	*	*	1.5	3.8	5.8	10.4	17.0	24.5	43.8	62.6
1991.....	*	*	2.3	4.4	6.1	9.2	19.9	26.8	37.8	54.7
1990.....	*	*	1.8	3.3	7.9	11.4	18.1	32.5	32.4	53.0
1989.....	*	*	1.8	3.7	6.6	11.7	21.9	28.8	37.5	62.1
1988.....	*	*	2.2	3.9	6.3	11.5	15.8	28.0	40.0	56.0
1987.....	*	*	2.4	4.0	6.6	10.7	19.0	27.4	44.5	49.2
1986.....	*	*	1.9	4.3	6.1	10.5	20.2	28.0	33.3	51.9
1985.....	*	*	2.3	3.7	7.2	12.3	21.4	26.9	38.6	53.6
1984.....	*	*	1.7	3.5	9.6	12.7	22.0	31.4	42.1	51.6
1983.....	*	*	2.2	5.0	7.5	13.4	22.0	28.3	42.0	50.7
1982.....	*	*	2.8	5.6	8.4	16.6	23.0	27.5	37.5	51.8
1981.....	*	*	2.9	4.6	9.2	15.2	24.4	28.6	43.6	45.3
1980.....	0.1	1.8	1.8	4.2	8.7	14.8	24.8	26.7	43.2	53.5
1979.....	0.5	1.5	3.0	5.7	9.1	14.8	20.9	38.2	40.2	49.4
ALL OTHER MALE										
1998.....	*	*	2.4	4.9	7.8	9.0	21.5	33.6	49.2	71.5
1997.....	*	*	*	4.0	7.4	11.9	22.7	33.1	51.4	81.3
1996.....	*	*	2.3	5.6	6.2	14.7	24.8	31.4	49.9	76.1
1995.....	*	*	*	3.5	9.6	12.7	19.8	28.4	47.9	95.8
1994.....	*	*	2.4	4.0	7.4	15.1	20.8	40.2	66.0	82.5
1993.....	*	*	2.6	5.2	8.0	12.2	24.8	44.3	60.8	81.9
1992.....	*	*	*	4.9	7.9	13.1	23.6	34.9	73.6	100.1
1991.....	*	*	3.3	5.2	8.7	13.3	28.4	42.2	55.8	75.6
1990.....	*	*	*	5.0	9.9	15.7	27.2	54.1	41.2	71.3
1989.....	*	*	3.0	5.3	7.7	15.2	33.2	46.8	59.5	92.6
1988.....	*	*	*	5.0	8.5	15.2	21.9	42.5	54.7	72.2
1987.....	*	*	*	5.1	10.1	15.1	25.7	40.9	71.4	75.3
1986.....	*	*	*	4.4	8.3	13.6	27.0	43.8	42.6	69.3
1985.....	*	*	3.5	5.0	10.2	17.8	32.7	42.2	63.8	84.9
1984.....	*	*	*	4.3	13.0	19.6	32.7	49.0	60.4	75.0
1983.....	*	*	*	6.1	10.2	18.8	34.8	40.1	66.0	84.3
1982.....	*	*	3.6	6.8	9.5	27.3	31.8	42.7	42.6	79.1
1981.....	*	*	4.2	5.1	13.6	21.0	33.9	46.8	63.7	70.3
1980.....	-	1.4	2.5	6.3	10.9	21.3	32.7	36.3	57.3	65.8
1979.....	0.1	2.4	4.3	7.4	11.4	21.4	35.2	54.4	57.0	79.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF BLADDER (188)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	5.1	6.1	11.0	18.2	23.6	42.5
1997.....	*	*	*	*	4.5	6.3	11.1	17.5	30.7	43.5
1996.....	*	*	*	2.4	4.6	6.7	12.7	16.8	28.4	46.9
1995.....	*	*	*	*	4.4	6.7	12.6	17.8	32.6	43.7
1994.....	*	*	*	2.7	3.9	6.1	12.2	19.5	28.7	50.4
1993.....	*	*	2.2	*	3.8	8.1	10.0	16.1	28.5	37.6
1992.....	*	*	*	2.9	4.2	8.5	12.4	18.2	26.9	45.6
1991.....	*	*	*	3.8	4.0	6.1	14.0	17.3	27.5	45.0
1990.....	*	*	*	*	6.4	8.2	11.9	19.1	27.4	44.7
1989.....	*	*	*	*	5.7	9.0	14.1	17.5	25.0	48.0
1988.....	*	*	*	3.0	4.6	8.8	11.6	18.8	31.4	48.5
1987.....	*	*	*	3.1	3.8	7.5	14.4	18.8	29.1	36.8
1986.....	*	*	*	4.2	4.4	8.2	15.6	17.8	28.2	43.6
1985.....	*	*	*	*	4.9	8.2	13.6	16.9	23.9	38.7
1984.....	*	*	*	2.8	6.9	7.6	14.6	19.7	31.2	40.0
1983.....	*	*	*	4.1	5.4	9.4	13.0	20.4	27.9	33.8
1982.....	*	*	*	4.6	7.5	8.6	16.7	17.2	34.4	37.6
1981.....	*	*	*	4.1	5.7	10.8	17.3	16.4	31.3	32.5
1980.....	0.2	2.1	1.2	2.4	7.0	9.9	19.0	20.2	34.5	47.2
1979.....	0.7	0.8	1.9	4.2	7.2	9.8	10.1	26.7	29.9	34.2
BLACK, BOTH SEXES										
1998.....	*	1.1	2.3	4.0	7.2	8.1	17.8	28.9	37.3	59.4
1997.....	*	*	1.9	3.1	7.4	10.6	17.9	27.3	42.5	61.9
1996.....	*	*	2.1	4.6	6.0	11.8	20.9	26.2	41.9	62.2
1995.....	*	*	1.5	2.7	7.7	11.1	18.9	25.7	43.1	63.5
1994.....	*	*	2.5	3.6	6.1	11.6	19.2	31.3	46.5	64.6
1993.....	*	*	3.0	4.3	6.5	11.9	18.1	30.0	42.0	53.8
1992.....	*	*	2.0	4.4	7.2	11.8	19.7	26.9	46.9	67.9
1991.....	*	*	3.1	5.5	6.9	10.4	22.9	29.9	41.4	62.1
1990.....	*	*	2.2	4.2	9.6	13.3	21.0	36.6	35.7	55.7
1989.....	*	*	1.8	4.6	7.7	13.3	24.7	33.2	40.8	65.0
1988.....	*	*	2.5	4.6	7.3	13.4	17.2	30.9	43.0	59.3
1987.....	*	*	3.0	4.4	7.8	11.8	22.0	30.0	49.0	51.0
1986.....	*	*	2.2	5.3	7.0	11.7	23.0	31.3	36.1	53.7
1985.....	*	*	2.8	4.3	8.5	14.0	23.9	29.6	42.4	53.3
1984.....	*	*	1.9	4.1	11.0	14.2	24.8	33.7	47.0	55.3
1983.....	*	*	2.4	5.7	8.9	15.3	25.1	31.0	43.6	54.9
1982.....	*	*	3.2	6.2	9.6	18.9	25.3	30.0	40.4	54.5
1981.....	*	*	3.4	5.3	10.6	17.1	26.9	30.8	47.8	48.8
1980.....	0.2	1.8	1.9	4.7	9.8	16.4	27.3	29.4	46.0	54.1
1979.....	0.5	1.8	3.5	6.2	9.9	16.3	22.0	40.4	41.3	48.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BLADDER (188)										
BLACK MALE										
1998.....	*	*	3.0	6.2	8.4	9.2	22.7	40.2	56.9	81.2
1997.....	*	*	*	4.5	9.8	14.3	24.8	38.4	60.4	98.1
1996.....	*	*	3.3	7.1	6.6	16.6	30.2	36.1	59.7	81.6
1995.....	*	*	*	*	11.1	15.0	23.5	33.9	54.0	103.5
1994.....	*	*	*	5.1	8.7	17.4	25.5	46.9	74.0	89.0
1993.....	*	*	*	6.5	9.4	14.3	26.6	51.8	66.7	86.0
1992.....	*	*	*	5.8	9.7	13.7	27.2	40.3	83.8	112.0
1991.....	*	*	4.6	6.9	9.7	15.5	34.1	49.7	64.4	87.0
1990.....	*	*	*	6.5	11.7	18.3	31.2	61.6	47.8	78.5
1989.....	*	*	*	6.7	8.6	16.5	38.9	55.6	68.0	98.5
1988.....	*	*	*	6.2	9.8	17.3	24.0	48.6	59.6	76.9
1987.....	*	*	*	5.3	12.0	16.4	30.5	46.9	80.4	78.1
1986.....	*	*	*	5.5	9.2	15.5	31.5	50.0	46.7	74.6
1985.....	*	*	4.2	5.9	11.9	20.4	36.6	46.5	72.4	83.9
1984.....	*	*	*	4.8	15.2	22.0	37.1	53.3	67.9	78.7
1983.....	*	*	*	7.1	12.4	21.2	41.0	43.6	70.7	93.3
1982.....	*	*	4.0	7.4	11.1	31.7	35.5	49.1	43.8	81.0
1981.....	*	*	4.9	6.1	15.8	23.4	38.1	50.6	70.1	76.8
1980.....	-	1.4	2.6	7.3	12.2	24.1	36.7	39.9	62.6	62.3
1979.....	0.2	2.9	5.0	7.8	12.6	24.0	38.9	59.0	59.7	84.6
BLACK FEMALE										
1998.....	*	*	*	*	6.3	7.3	14.4	21.6	27.0	50.4
1997.....	*	*	*	*	5.6	7.8	13.2	20.3	33.2	46.9
1996.....	*	*	*	*	5.6	8.3	14.5	20.1	32.7	54.2
1995.....	*	*	*	*	5.1	8.2	15.9	20.6	37.5	47.2
1994.....	*	*	*	*	4.1	7.3	14.9	21.8	32.5	54.7
1993.....	*	*	2.8	*	4.3	10.1	12.4	17.1	29.4	40.6
1992.....	*	*	*	3.4	5.4	10.4	14.7	19.1	27.8	49.6
1991.....	*	*	*	4.4	4.8	6.7	15.5	18.2	29.6	51.5
1990.....	*	*	*	*	7.9	9.6	14.3	22.0	29.5	46.0
1989.....	*	*	*	*	7.1	11.0	15.4	19.9	26.5	51.0
1988.....	*	*	*	*	5.5	10.5	12.6	20.3	34.3	51.7
1987.....	*	*	*	3.6	4.6	8.4	16.4	19.7	32.2	38.9
1986.....	*	*	*	5.1	5.4	9.0	17.3	19.9	30.3	44.2
1985.....	*	*	*	*	6.0	9.3	15.6	19.0	25.9	39.1
1984.....	*	*	*	3.4	7.8	8.5	16.6	21.4	35.5	44.2
1983.....	*	*	*	4.4	6.2	11.0	14.4	22.8	28.3	36.3
1982.....	*	*	*	5.3	8.5	9.5	18.2	17.9	38.4	41.5
1981.....	*	*	*	4.7	6.4	12.4	19.0	18.0	34.8	34.5
1980.....	0.3	2.2	1.3	2.6	8.0	10.8	20.6	22.6	36.0	50.0
1979.....	0.7	0.9	2.3	4.9	7.7	10.6	9.9	27.5	29.8	30.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)										
TOTAL, BOTH SEXES										
1998.....	1.2	2.5	4.9	8.1	11.6	16.2	21.2	25.1	31.1	33.5
1997.....	1.2	2.6	4.9	8.1	12.0	16.6	20.5	25.6	30.4	34.5
1996.....	1.2	2.5	5.0	8.2	12.2	15.9	21.0	24.6	30.7	33.1
1995.....	1.2	2.6	5.2	8.3	12.4	15.7	20.3	26.4	30.8	34.5
1994.....	1.2	2.7	5.0	8.1	12.3	16.4	20.6	25.7	29.5	32.8
1993.....	1.1	2.6	5.4	7.6	12.0	15.8	20.9	24.1	29.5	29.6
1992.....	1.1	2.9	5.0	8.4	11.9	15.7	20.9	25.4	30.5	33.3
1991.....	1.3	2.6	5.2	8.4	12.3	16.1	21.0	24.7	30.2	32.2
1990.....	1.2	2.7	5.2	8.4	11.3	15.9	20.4	24.9	28.9	30.7
1989.....	1.2	3.0	4.9	8.1	11.7	15.5	20.4	24.3	29.1	29.6
1988.....	1.3	2.8	4.9	7.5	11.5	15.1	20.1	22.9	27.7	28.2
1987.....	1.4	2.9	5.2	8.4	11.9	15.3	20.4	24.9	27.5	27.9
1986.....	1.2	2.8	5.2	8.0	11.9	14.3	19.8	23.5	28.7	26.9
1985.....	1.4	2.8	5.0	7.7	11.4	14.6	19.3	22.7	27.4	26.0
1984.....	1.4	2.6	5.1	7.8	10.7	14.4	19.5	23.0	25.9	26.8
1983.....	1.2	2.7	4.8	7.7	11.6	14.7	18.8	22.6	24.6	26.7
1982.....	1.2	3.1	4.7	7.7	10.6	14.9	19.0	22.8	25.3	26.3
1981.....	1.3	2.7	4.8	7.6	10.6	13.8	17.9	22.4	24.5	25.2
1980.....	1.3	2.7	5.1	7.5	11.3	14.5	18.2	21.3	23.3	22.1
1979.....	1.2	2.9	4.9	7.8	10.6	13.7	17.9	19.7	24.0	22.8
TOTAL, MALE										
1998.....	1.7	3.7	7.1	11.6	16.4	23.8	30.0	36.1	44.9	49.5
1997.....	1.6	3.6	6.7	11.5	16.8	23.6	29.9	37.1	43.5	52.9
1996.....	1.7	3.5	7.4	11.8	17.3	22.7	30.0	34.9	44.3	51.2
1995.....	1.6	3.7	7.3	11.5	17.3	22.0	28.0	39.1	44.4	52.3
1994.....	1.5	3.8	7.3	11.7	17.3	22.8	28.7	37.4	41.7	54.3
1993.....	1.6	3.6	7.7	10.7	17.3	22.4	30.6	34.4	43.2	47.6
1992.....	1.5	4.2	7.0	12.4	16.7	22.8	30.0	36.4	44.6	51.6
1991.....	1.8	3.6	7.2	11.0	17.4	22.6	30.4	35.5	45.1	51.0
1990.....	1.6	3.8	7.4	12.3	16.6	22.4	29.1	37.0	45.7	46.7
1989.....	1.7	4.3	6.7	11.5	16.6	21.5	30.4	36.1	44.1	47.3
1988.....	1.8	3.9	7.1	10.4	16.1	21.5	29.0	35.7	40.5	43.0
1987.....	1.9	3.8	7.5	12.2	17.0	21.6	28.9	36.9	42.2	43.2
1986.....	1.7	3.7	7.4	11.2	16.4	20.5	27.9	33.1	43.3	43.3
1985.....	1.9	4.0	7.1	11.0	16.0	21.0	26.9	34.8	41.4	40.1
1984.....	1.9	3.9	7.2	11.4	15.3	20.5	29.5	32.9	40.7	42.3
1983.....	1.5	3.7	6.8	10.9	16.3	22.0	26.8	33.8	35.8	40.2
1982.....	1.7	4.4	6.9	11.5	14.8	21.3	27.8	34.9	38.6	40.6
1981.....	1.8	3.7	6.8	10.7	16.0	19.0	25.5	34.0	36.1	38.2
1980.....	1.9	3.8	7.3	11.0	16.1	20.8	26.9	32.2	35.2	35.4
1979.....	1.7	4.2	7.0	11.3	15.1	20.4	26.0	29.2	35.8	35.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)										
TOTAL, FEMALE										
1998.....	0.7	1.3	2.9	4.8	7.3	9.7	14.3	17.3	22.9	26.8
1997.....	0.8	1.6	3.1	5.0	7.7	10.6	13.1	17.5	22.7	27.1
1996.....	0.6	1.6	2.7	4.8	7.6	10.3	14.2	17.5	22.8	25.9
1995.....	0.8	1.6	3.1	5.4	8.0	10.5	14.5	17.7	23.2	27.5
1994.....	0.9	1.6	2.8	4.9	7.8	11.2	14.5	17.8	22.8	24.5
1993.....	0.7	1.5	3.1	4.6	7.3	10.4	13.6	17.2	22.0	22.8
1992.....	0.7	1.7	3.1	4.7	7.7	9.9	14.0	18.2	22.9	26.2
1991.....	0.7	1.6	3.2	6.1	7.8	10.8	13.9	17.7	22.3	25.0
1990.....	0.7	1.6	3.1	4.9	6.8	10.7	14.0	17.1	20.0	24.6
1989.....	0.7	1.8	3.2	5.0	7.4	10.6	13.1	16.7	21.2	22.7
1988.....	0.8	1.8	2.9	4.9	7.5	9.8	13.5	14.7	21.0	22.4
1987.....	0.8	2.0	2.9	4.9	7.5	10.2	14.2	17.2	19.8	21.8
1986.....	0.8	1.8	3.0	5.1	8.0	9.2	14.0	17.5	21.0	20.4
1985.....	1.0	1.5	3.0	4.7	7.4	9.5	13.9	15.1	20.1	20.4
1984.....	0.8	1.4	3.2	4.6	6.8	9.5	12.3	16.9	18.1	20.6
1983.....	0.8	1.7	3.0	4.8	7.4	8.9	13.0	15.5	18.7	21.2
1982.....	0.8	1.8	2.7	4.4	7.0	9.7	12.7	15.2	18.2	20.3
1981.....	0.8	1.8	2.8	4.8	5.9	9.7	12.5	15.1	18.4	19.6
1980.....	0.7	1.6	3.0	4.4	7.1	9.5	12.0	14.5	17.0	16.4
1979.....	0.7	1.6	2.9	4.8	6.7	8.4	12.1	13.7	17.7	17.4
WHITE, BOTH SEXES										
1998.....	1.1	2.5	4.9	8.3	12.1	16.7	21.6	25.4	32.0	34.2
1997.....	1.2	2.7	5.0	8.1	12.2	16.8	20.8	25.8	31.0	35.4
1996.....	1.2	2.6	5.0	8.6	12.5	16.4	21.3	24.9	31.1	33.6
1995.....	1.2	2.7	5.2	8.4	12.4	16.1	20.6	26.8	31.2	34.6
1994.....	1.2	2.6	5.0	8.2	12.7	16.7	20.7	26.1	30.3	33.2
1993.....	1.1	2.6	5.4	7.8	12.3	16.0	21.1	24.4	29.6	30.7
1992.....	1.1	3.0	5.1	8.7	12.3	16.1	21.2	26.2	30.8	34.0
1991.....	1.2	2.6	5.2	8.6	12.7	16.3	20.8	25.1	30.4	32.9
1990.....	1.1	2.7	5.2	8.5	11.4	16.1	20.6	25.5	29.6	31.5
1989.....	1.1	3.0	4.8	8.2	11.9	15.5	20.9	24.8	29.5	29.8
1988.....	1.3	2.9	4.9	7.5	11.9	15.4	20.3	23.4	28.2	29.1
1987.....	1.3	2.8	5.2	8.5	12.2	15.7	20.8	25.4	28.0	28.6
1986.....	1.1	2.8	5.3	8.1	12.2	14.6	20.3	24.1	29.2	27.6
1985.....	1.4	2.8	5.1	7.8	11.5	14.7	19.8	22.9	27.2	26.9
1984.....	1.3	2.6	5.2	7.9	10.7	14.7	20.1	23.6	26.6	27.3
1983.....	1.2	2.7	5.0	7.8	11.6	15.2	19.1	23.5	25.2	27.4
1982.....	1.2	3.0	4.8	7.9	10.7	15.0	19.3	23.6	25.6	27.4
1981.....	1.3	2.7	4.8	7.6	10.6	14.1	18.3	23.2	25.0	26.0
1980.....	1.3	2.8	5.1	7.5	11.5	15.0	18.8	21.9	23.9	23.1
1979.....	1.1	2.8	4.9	8.0	10.7	14.1	18.4	20.4	24.9	23.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)										
WHITE MALE										
1998.....	1.6	3.8	6.8	11.8	17.0	24.4	30.3	36.4	46.2	51.3
1997.....	1.5	3.7	6.8	11.3	17.0	23.7	30.4	37.5	44.9	53.8
1996.....	1.7	3.5	7.4	12.2	17.7	23.2	30.4	35.4	44.9	53.0
1995.....	1.6	3.8	7.4	11.4	17.4	22.6	28.3	40.0	45.3	53.2
1994.....	1.5	3.6	7.3	11.9	17.7	23.2	28.4	37.9	43.1	55.1
1993.....	1.6	3.7	7.7	11.1	17.6	22.9	30.8	34.8	43.8	49.3
1992.....	1.5	4.2	7.0	12.6	17.1	23.2	29.9	37.4	45.4	53.8
1991.....	1.7	3.7	7.4	11.2	17.7	23.0	30.2	35.7	46.1	53.0
1990.....	1.6	3.8	7.4	12.4	16.5	22.5	29.1	38.2	46.6	48.0
1989.....	1.6	4.4	6.7	11.6	17.0	21.3	30.8	36.6	45.0	48.0
1988.....	1.8	4.0	7.1	10.4	16.7	21.9	28.9	36.4	40.6	44.6
1987.....	1.9	3.8	7.8	12.5	17.2	21.7	29.4	38.0	42.9	44.0
1986.....	1.5	3.7	7.7	11.3	16.8	21.1	28.4	33.8	44.0	45.2
1985.....	1.9	4.0	7.1	11.3	16.0	21.0	27.4	35.3	40.8	41.4
1984.....	1.9	3.9	7.3	11.5	15.2	20.8	30.5	33.5	42.2	44.4
1983.....	1.5	3.8	6.9	11.0	16.1	22.6	27.4	35.3	36.3	41.6
1982.....	1.7	4.3	7.0	11.7	15.0	21.5	27.9	36.2	39.5	42.8
1981.....	1.8	3.7	6.9	10.7	15.9	19.2	26.0	35.8	37.2	39.4
1980.....	1.9	3.9	7.1	10.8	16.4	21.5	27.7	33.8	36.5	37.5
1979.....	1.6	4.1	7.2	11.5	15.2	20.7	26.9	30.8	37.8	36.5
WHITE FEMALE										
1998.....	0.6	1.2	3.0	4.9	7.6	10.0	14.6	17.6	23.5	27.2
1997.....	0.9	1.7	3.2	5.0	7.8	10.9	13.2	17.5	22.8	28.0
1996.....	0.6	1.6	2.8	5.1	7.7	10.7	14.2	17.5	23.1	26.0
1995.....	0.7	1.5	3.1	5.6	7.9	10.6	14.6	17.8	23.2	27.5
1994.....	0.8	1.6	2.9	4.6	8.2	11.2	14.8	18.0	23.2	24.8
1993.....	0.7	1.5	3.1	4.7	7.5	10.2	13.5	17.4	21.8	23.7
1992.....	0.6	1.7	3.3	4.9	7.9	10.2	14.5	18.7	23.0	26.5
1991.....	0.8	1.5	3.2	6.2	8.2	10.8	13.7	18.1	22.0	25.3
1990.....	0.7	1.6	3.1	4.8	6.8	10.8	14.3	17.3	20.6	25.2
1989.....	0.6	1.7	3.1	5.1	7.3	10.7	13.5	17.3	21.4	22.8
1988.....	0.8	1.8	2.8	4.8	7.7	10.0	13.9	15.2	21.7	23.2
1987.....	0.8	1.9	2.8	4.9	7.8	10.7	14.5	17.4	20.2	22.7
1986.....	0.8	1.9	2.9	5.1	8.2	9.2	14.4	18.0	21.5	20.8
1985.....	0.9	1.5	3.2	4.7	7.5	9.5	14.3	15.2	20.2	21.2
1984.....	0.7	1.2	3.2	4.7	6.8	9.8	12.6	17.5	18.4	20.6
1983.....	0.9	1.6	3.1	4.8	7.6	9.2	13.1	16.1	19.3	21.7
1982.....	0.7	1.7	2.7	4.4	7.0	9.8	13.0	15.7	18.4	21.1
1981.....	0.8	1.8	2.7	4.9	6.1	9.9	12.7	15.4	18.6	20.4
1980.....	0.7	1.7	3.1	4.6	7.3	9.7	12.3	14.5	17.4	16.9
1979.....	0.6	1.6	2.8	4.8	6.8	8.7	12.4	13.9	18.1	17.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)										
ALL OTHER, BOTH SEXES										
1998.....	1.4	2.2	5.3	7.0	8.5	12.8	18.4	22.5	22.1	26.3
1997.....	1.1	2.2	4.5	8.1	10.4	14.7	17.9	23.9	24.2	26.4
1996.....	1.3	2.4	4.8	5.8	10.2	12.1	19.0	22.4	26.3	28.1
1995.....	1.2	2.4	4.9	7.6	11.9	12.9	17.9	22.3	27.4	32.6
1994.....	1.4	3.0	4.6	8.1	9.3	14.5	20.1	22.4	21.9	28.8
1993.....	1.1	2.5	5.3	6.0	9.6	14.6	19.9	20.9	28.4	18.6
1992.....	1.3	2.8	4.4	6.8	9.2	12.4	18.2	18.4	27.1	25.4
1991.....	1.6	2.5	4.6	7.4	9.6	14.6	22.5	21.5	28.3	24.8
1990.....	1.4	3.0	5.1	8.0	11.1	14.8	18.3	19.3	22.2	23.0
1989.....	1.5	2.7	5.0	7.4	10.1	15.2	16.1	18.7	25.2	27.7
1988.....	1.2	2.4	5.0	7.4	8.4	12.8	18.1	17.7	23.1	18.1
1987.....	1.4	3.1	4.8	7.2	10.0	12.2	16.6	19.6	22.1	20.0
1986.....	1.8	2.6	4.4	7.3	9.9	11.4	15.3	17.6	22.6	19.0
1985.....	1.7	2.7	4.2	6.5	10.4	14.2	14.6	20.4	29.5	16.1
1984.....	1.7	3.0	4.8	6.9	10.9	11.6	14.1	17.4	18.3	21.2
1983.....	*	2.5	3.9	6.9	11.5	10.6	16.0	13.4	18.7	18.7
1982.....	1.2	3.5	3.8	6.7	9.8	13.5	16.5	15.3	21.5	14.1
1981.....	1.3	2.5	4.6	7.4	10.3	11.8	14.8	14.1	19.1	16.3
1980.....	1.0	2.2	5.0	7.7	9.3	10.5	13.2	15.4	16.1	11.1
1979.....	1.9	3.4	4.5	6.4	9.4	10.5	12.8	13.0	13.4	13.8
ALL OTHER MALE										
1998.....	1.9	3.1	8.9	10.3	12.8	19.6	27.7	32.9	31.7	33.7
1997.....	1.8	3.4	6.6	12.5	15.4	22.3	25.6	33.8	29.4	44.6
1996.....	1.8	3.5	7.6	9.2	14.5	18.2	26.6	29.5	37.6	36.2
1995.....	1.6	3.4	6.8	12.1	16.7	17.7	24.6	30.8	35.0	43.8
1994.....	1.7	4.8	7.0	10.3	14.8	19.7	31.7	31.9	27.5	46.6
1993.....	1.4	3.2	7.9	8.6	14.7	18.4	28.9	31.1	37.1	31.7
1992.....	1.5	4.3	7.3	10.9	13.7	19.2	31.0	26.4	36.4	30.7
1991.....	2.9	3.1	6.3	9.7	15.1	19.3	32.5	33.5	34.9	32.6
1990.....	2.0	4.3	6.9	11.4	16.9	21.5	28.5	25.9	36.4	34.4
1989.....	1.9	3.1	6.5	10.5	12.9	23.2	25.9	31.1	35.5	40.7
1988.....	*	3.1	6.6	9.7	11.2	18.6	29.4	28.8	39.3	27.8
1987.....	2.0	3.7	6.1	10.1	16.1	20.5	24.1	26.0	34.8	36.4
1986.....	2.8	3.8	5.4	10.2	13.5	15.0	22.7	26.2	36.1	*
1985.....	*	4.2	6.9	8.9	15.7	21.4	21.7	30.1	46.7	27.4
1984.....	*	3.9	6.4	10.5	16.0	17.6	19.9	27.2	24.8	*
1983.....	*	*	5.6	9.4	18.4	15.8	21.5	19.3	30.9	*
1982.....	*	5.1	5.3	9.1	13.3	19.2	26.3	22.4	29.8	*
1981.....	*	3.7	6.0	11.0	17.5	17.4	20.1	17.2	24.2	*
1980.....	1.5	3.2	8.6	12.8	13.6	14.3	19.3	17.3	21.8	13.2
1979.....	2.5	5.3	6.0	8.9	13.8	17.3	17.4	14.3	14.0	20.3



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)										
ALL OTHER FEMALE										
1998.....	*	1.5	2.4	4.3	5.3	7.7	11.8	15.5	16.6	22.9
1997.....	*	1.3	2.8	4.6	6.6	9.0	12.5	17.5	21.4	18.2
1996.....	*	1.5	2.4	2.9	6.8	7.6	13.6	17.8	19.9	24.5
1995.....	*	1.6	3.4	4.0	8.2	9.3	13.2	16.8	23.2	27.8
1994.....	1.2	*	2.6	6.3	5.1	10.6	12.0	16.4	18.7	21.1
1993.....	*	2.0	3.1	3.9	5.7	11.8	13.6	14.6	23.5	12.9
1992.....	*	*	*	3.5	5.8	7.4	9.4	13.4	21.8	23.1
1991.....	*	2.0	3.2	5.5	5.4	11.1	15.7	14.1	24.5	21.2
1990.....	*	1.9	3.5	5.2	6.6	9.8	11.3	15.2	14.1	17.9
1989.....	*	2.4	3.7	4.8	7.9	9.3	9.3	11.0	19.3	21.7
1988.....	*	*	3.6	5.5	6.2	8.4	10.5	10.7	13.7	13.6
1987.....	*	2.5	3.7	4.9	5.3	6.1	11.6	15.5	14.8	12.3
1986.....	*	*	3.6	5.1	7.1	8.7	10.2	12.0	14.9	16.0
1985.....	*	*	*	4.6	6.2	8.7	9.7	14.0	19.4	*
1984.....	*	*	3.5	3.9	6.8	7.1	10.1	10.9	14.5	20.7
1983.....	*	*	*	4.8	6.0	6.8	12.1	9.5	*	15.1
1982.....	*	*	2.6	4.7	7.0	9.1	9.5	10.5	16.6	*
1981.....	*	*	3.4	4.4	4.5	7.5	10.9	12.0	16.0	*
1980.....	0.5	1.3	2.0	3.5	5.9	7.5	8.7	14.1	12.7	10.1
1979.....	1.3	1.8	3.3	4.2	5.8	5.2	9.2	12.0	13.1	10.5
BLACK, BOTH SEXES										
1998.....	1.7	2.8	6.2	8.2	10.0	14.1	19.7	22.6	23.9	26.5
1997.....	1.5	2.4	5.4	9.7	11.5	15.9	20.9	25.3	26.5	29.1
1996.....	1.5	3.1	5.5	6.8	12.2	13.8	21.2	24.3	24.1	29.7
1995.....	1.6	2.9	5.9	8.8	13.4	14.5	19.9	24.1	29.2	35.0
1994.....	1.6	3.7	5.5	9.3	9.9	15.8	21.6	24.4	23.1	30.2
1993.....	1.5	3.1	6.3	7.0	11.3	16.1	22.3	21.7	29.7	18.7
1992.....	1.6	3.5	5.0	7.6	10.8	13.0	20.4	20.1	28.3	27.8
1991.....	1.9	3.0	5.9	8.1	10.4	15.8	25.0	23.5	29.0	25.9
1990.....	1.8	3.8	5.7	9.5	13.1	16.9	19.7	21.9	23.9	21.1
1989.....	1.7	3.5	6.0	8.6	10.9	17.1	17.0	21.3	24.5	27.7
1988.....	1.6	2.9	6.0	7.6	9.5	14.5	19.9	19.0	22.4	18.2
1987.....	1.8	3.9	5.4	8.2	11.5	13.5	17.1	20.7	20.9	20.7
1986.....	2.2	3.1	4.5	8.4	10.4	12.6	17.5	18.3	22.4	19.9
1985.....	2.0	3.1	4.4	6.9	11.7	15.7	15.7	21.4	31.4	17.9
1984.....	2.0	3.4	5.1	7.7	12.0	12.0	15.0	17.8	18.6	21.6
1983.....	*	2.7	4.4	7.5	12.2	11.6	17.4	14.2	18.1	19.6
1982.....	*	3.8	4.3	7.6	10.0	14.1	17.5	15.7	21.6	14.2
1981.....	*	2.7	4.8	7.8	11.0	12.5	15.8	14.4	20.1	15.5
1980.....	1.0	2.5	5.3	7.9	10.5	11.3	13.3	14.2	16.5	11.3
1979.....	2.3	3.9	5.0	6.5	9.3	10.6	13.3	12.6	12.9	12.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)										
BLACK MALE										
1998.....	2.3	4.0	10.3	12.1	15.5	21.7	30.1	34.7	39.1	32.3
1997.....	2.2	3.5	8.2	14.9	17.2	24.0	30.3	33.1	33.4	51.4
1996.....	1.9	4.3	9.0	11.2	18.3	19.9	28.1	30.7	34.0	37.2
1995.....	2.1	3.9	7.9	14.2	18.8	19.3	27.5	35.5	41.9	46.7
1994.....	2.1	5.8	8.6	12.1	16.1	21.2	34.5	34.6	31.8	48.4
1993.....	*	3.9	9.6	10.5	17.7	19.8	32.7	33.3	44.8	35.0
1992.....	*	5.4	8.1	12.2	16.1	19.9	34.5	27.8	39.0	34.5
1991.....	3.7	3.9	8.1	10.6	16.8	20.7	36.7	38.1	38.6	34.8
1990.....	2.4	5.7	7.9	13.7	20.3	25.0	30.8	29.7	41.7	31.7
1989.....	*	4.1	8.2	12.1	14.1	26.6	27.8	36.5	37.1	40.9
1988.....	*	3.9	8.2	9.9	12.7	21.0	32.8	30.5	39.4	*
1987.....	*	4.7	6.9	11.5	18.5	23.1	24.5	26.3	33.7	37.5
1986.....	3.6	4.8	6.2	11.4	14.7	15.7	26.6	29.1	36.7	*
1985.....	*	4.9	7.0	9.7	17.7	25.1	24.4	31.8	51.7	*
1984.....	*	4.7	6.4	12.0	17.2	18.7	21.2	28.7	27.4	*
1983.....	*	*	6.2	10.3	19.1	17.3	24.2	20.6	31.7	*
1982.....	*	5.5	5.9	10.5	13.6	20.4	28.9	23.0	31.3	*
1981.....	*	3.8	6.3	11.7	18.6	18.3	21.8	18.4	*	*
1980.....	1.6	3.7	9.3	12.8	15.8	15.6	19.2	14.4	21.3	11.3
1979.....	3.0	5.9	7.0	9.5	13.4	17.8	18.1	14.9	13.0	19.2
BLACK FEMALE										
1998.....	*	1.8	2.9	5.1	5.9	8.4	12.5	14.8	15.9	24.0
1997.....	*	*	3.1	5.6	7.1	9.9	14.4	20.3	22.9	19.8
1996.....	*	2.0	2.7	3.4	7.6	9.2	16.5	20.4	18.9	26.6
1995.....	*	2.1	4.2	4.5	9.2	10.8	14.9	17.1	22.8	30.3
1994.....	*	*	3.0	7.1	5.2	11.7	13.0	18.3	18.6	22.8
1993.....	*	2.5	3.6	4.3	6.4	13.4	15.3	14.9	22.0	12.1
1992.....	*	*	*	4.1	6.8	7.9	11.0	15.6	22.7	25.1
1991.....	*	*	4.1	6.1	5.6	12.3	17.3	14.9	24.0	22.1
1990.....	*	*	3.9	6.2	7.6	11.0	12.5	17.4	14.7	16.6
1989.....	*	2.9	4.2	5.9	8.5	10.1	9.9	12.3	17.8	22.2
1988.....	*	*	4.1	5.8	7.1	9.7	11.3	12.2	13.5	13.4
1987.....	*	3.2	4.2	5.6	6.2	6.5	12.2	17.3	14.0	*
1986.....	*	*	*	6.0	7.2	10.3	11.4	11.7	14.5	17.4
1985.....	*	*	*	4.6	7.1	8.9	9.9	15.0	20.3	*
1984.....	*	*	4.1	4.3	8.0	7.0	10.9	10.9	13.8	21.7
1983.....	*	*	*	5.3	6.8	7.5	12.8	10.0	*	*
1982.....	*	*	*	5.1	7.1	9.5	9.7	11.2	15.9	*
1981.....	*	*	3.5	4.7	5.0	8.2	11.7	11.9	18.2	*
1980.....	0.6	1.6	2.1	3.8	6.4	8.1	9.1	14.0	13.6	11.3
1979.....	1.6	2.2	3.4	4.0	6.0	5.3	9.9	11.0	12.9	9.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)										
TOTAL, BOTH SEXES										
1998.....	6.3	10.9	17.9	29.4	44.8	61.9	84.4	104.8	130.6	160.7
1997.....	6.3	10.6	18.6	30.1	47.6	63.8	86.9	107.1	133.2	167.4
1996.....	6.4	11.3	20.7	31.6	49.1	66.5	89.8	110.7	134.4	170.3
1995.....	6.4	11.7	19.9	32.1	47.7	68.2	90.4	110.4	140.2	170.8
1994.....	6.9	11.9	20.3	33.3	50.5	69.8	91.0	112.2	140.0	172.3
1993.....	6.6	12.4	21.1	34.1	50.4	69.0	92.1	112.4	140.4	174.8
1992.....	6.9	12.4	20.8	33.5	50.9	68.0	88.1	108.1	136.1	168.5
1991.....	6.9	12.1	21.5	34.3	51.0	68.1	89.3	107.6	133.4	165.0
1990.....	6.8	12.2	20.5	33.5	49.9	67.6	86.8	110.1	134.5	163.2
1989.....	7.2	12.4	22.1	35.1	52.5	69.8	91.2	112.9	137.9	168.7
1988.....	7.4	13.0	22.8	37.2	54.5	70.9	93.6	112.4	140.6	170.2
1987.....	7.3	12.8	23.5	36.4	55.2	71.9	93.6	113.7	139.9	170.5
1986.....	7.5	13.2	22.5	35.8	54.4	71.6	95.0	113.0	141.1	166.4
1985.....	7.4	12.9	23.2	36.1	55.0	69.6	91.3	110.0	135.8	166.7
1984.....	7.9	13.0	22.9	36.9	52.8	69.4	91.1	109.3	134.6	157.1
1983.....	7.4	13.4	22.9	36.7	51.8	68.2	89.7	109.4	130.5	158.6
1982.....	7.5	13.4	22.1	35.0	51.3	68.1	86.1	109.4	130.7	156.1
1981.....	7.7	13.0	23.1	35.9	49.6	67.9	85.3	103.3	130.4	153.9
1980.....	7.5	13.5	23.4	34.7	49.8	67.5	86.5	103.4	127.7	152.3
1979.....	7.4	13.3	22.6	33.7	48.5	64.6	83.8	99.8	124.5	143.5
TOTAL, MALE										
1998.....	6.8	13.1	21.7	36.4	55.3	77.9	103.5	127.4	159.3	185.7
1997.....	7.4	12.8	21.9	35.6	57.1	78.7	105.7	129.3	155.8	201.3
1996.....	7.3	13.3	24.7	38.2	59.8	83.2	113.0	135.5	166.5	201.5
1995.....	7.2	13.8	23.7	39.4	58.0	84.5	112.6	135.3	173.6	207.3
1994.....	8.2	13.5	25.0	40.2	62.6	87.6	113.9	135.3	171.6	204.5
1993.....	7.7	14.8	25.4	42.5	62.0	86.7	115.0	142.4	176.2	213.8
1992.....	7.9	14.8	25.2	40.8	63.1	84.2	108.3	135.1	170.2	215.9
1991.....	8.1	14.2	26.4	42.7	63.2	85.1	110.3	133.0	168.3	199.4
1990.....	7.9	14.1	24.8	40.7	62.1	85.1	108.8	136.9	163.5	203.6
1989.....	8.5	14.9	26.8	42.2	65.6	88.6	115.2	143.7	179.4	206.6
1988.....	8.7	15.9	26.9	45.7	67.4	91.2	119.1	143.3	179.3	220.6
1987.....	8.8	14.9	27.4	44.7	67.1	89.6	121.5	146.1	176.9	203.0
1986.....	8.2	15.6	26.7	45.0	66.3	89.3	119.8	144.5	179.9	199.6
1985.....	8.8	14.8	27.7	44.2	67.5	86.7	116.8	141.9	174.3	206.8
1984.....	9.1	14.8	27.2	45.3	64.0	87.6	115.6	139.3	167.4	182.1
1983.....	8.0	15.7	27.5	45.2	63.4	85.7	113.7	141.6	163.0	189.9
1982.....	8.2	15.0	26.0	42.3	62.4	83.8	105.9	137.1	159.8	180.6
1981.....	8.9	15.2	27.2	44.0	60.6	84.6	107.3	124.8	160.3	173.8
1980.....	8.3	16.0	27.5	42.7	61.7	86.0	106.1	132.2	156.5	181.5
1979.....	8.8	15.7	26.4	40.2	58.9	81.0	108.2	124.0	149.9	163.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)										
TOTAL, FEMALE										
1998.....	5.7	8.8	14.3	22.9	35.4	48.3	69.5	88.8	113.6	150.3
1997.....	5.3	8.6	15.5	24.9	39.1	51.3	72.3	91.4	120.0	153.8
1996.....	5.5	9.3	16.8	25.4	39.6	52.6	72.0	93.4	115.9	157.9
1995.....	5.7	9.7	16.3	25.3	38.5	54.6	73.3	93.3	121.4	156.6
1994.....	5.6	10.3	15.9	26.9	39.7	55.2	73.6	96.5	122.5	159.9
1993.....	5.6	10.1	17.0	26.4	40.2	54.5	74.6	92.3	120.8	159.9
1992.....	5.9	10.1	16.6	26.8	40.2	54.8	72.9	90.2	117.7	150.2
1991.....	5.7	10.2	16.9	26.6	40.3	54.4	73.5	91.0	114.7	151.7
1990.....	5.8	10.4	16.4	26.8	39.3	53.4	70.5	92.9	119.1	147.6
1989.....	5.8	10.0	17.7	28.6	41.2	54.5	73.5	93.1	116.0	154.0
1988.....	6.1	10.3	19.0	29.3	43.2	54.3	74.9	92.7	120.1	150.6
1987.....	5.8	10.9	19.8	28.8	44.9	57.4	73.2	93.2	120.4	157.7
1986.....	6.8	10.9	18.5	27.5	44.2	57.2	76.9	93.1	120.7	153.2
1985.....	6.1	11.1	19.0	28.8	44.2	55.8	72.8	90.0	115.6	150.7
1984.....	6.8	11.4	19.0	29.3	43.2	54.8	73.4	90.5	117.4	147.0
1983.....	6.7	11.3	18.6	29.1	41.7	54.0	72.4	89.2	113.3	145.8
1982.....	6.8	11.9	18.5	28.6	41.7	55.5	71.7	92.1	115.5	145.8
1981.....	6.5	10.9	19.3	28.7	40.0	54.6	69.4	89.9	114.6	145.3
1980.....	6.8	11.2	19.7	27.5	39.6	52.6	72.3	85.3	112.4	139.5
1979.....	6.0	11.0	19.1	27.9	39.6	51.6	66.1	84.6	110.8	134.5
WHITE, BOTH SEXES										
1998.....	6.2	10.5	17.7	29.2	44.3	62.6	84.6	105.9	131.2	162.9
1997.....	6.3	10.4	18.2	29.9	46.7	64.5	87.3	107.6	133.4	167.2
1996.....	6.3	11.0	20.5	31.6	49.4	67.0	89.8	111.7	134.6	171.3
1995.....	6.3	11.5	19.6	31.4	47.6	68.6	89.7	110.7	138.7	171.3
1994.....	6.7	11.6	19.9	32.9	50.3	70.3	90.8	113.4	139.3	172.8
1993.....	6.5	12.0	20.5	33.4	50.0	68.5	91.6	112.5	140.5	175.4
1992.....	6.8	11.9	20.3	32.7	50.8	67.9	88.0	108.7	136.1	168.9
1991.....	6.8	12.0	21.1	33.7	50.7	67.8	89.5	107.5	132.5	163.4
1990.....	6.7	11.7	19.8	32.9	49.0	66.7	86.4	110.2	134.0	163.5
1989.....	7.0	12.0	21.5	34.3	51.5	69.1	90.7	112.6	137.9	168.3
1988.....	7.2	12.4	22.2	36.5	53.4	70.5	92.8	112.0	140.4	170.2
1987.....	6.9	12.4	22.8	35.5	54.4	71.4	93.0	113.0	137.7	168.1
1986.....	7.3	12.6	21.9	34.7	53.0	71.3	95.1	112.8	140.6	164.8
1985.....	7.1	12.5	21.7	35.0	54.2	68.5	90.5	109.4	133.2	166.5
1984.....	7.6	12.4	22.1	35.4	51.9	68.7	89.7	108.4	132.8	157.7
1983.....	7.3	13.0	21.9	35.5	50.4	67.5	87.6	108.1	129.0	158.5
1982.....	7.2	12.5	21.5	34.2	50.0	67.4	85.5	109.4	128.6	157.5
1981.....	7.2	12.5	22.4	35.3	48.3	66.7	84.7	103.2	127.6	154.9
1980.....	7.1	13.1	22.4	33.7	48.3	66.8	85.6	102.9	126.2	152.8
1979.....	7.0	12.8	21.8	32.9	47.3	63.4	81.4	98.6	123.5	142.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)										
WHITE MALE										
1998.....	6.8	12.6	21.2	36.0	54.7	78.2	103.8	128.5	161.1	190.4
1997.....	7.3	12.5	21.0	34.9	55.5	79.1	106.2	130.2	157.1	203.4
1996.....	7.1	12.8	24.2	37.8	59.3	83.3	113.1	137.0	167.7	203.8
1995.....	7.0	13.4	23.0	38.2	57.6	84.1	111.6	135.4	172.9	208.6
1994.....	8.0	13.0	23.9	39.4	61.9	88.1	113.3	137.5	170.7	206.2
1993.....	7.7	14.1	24.3	41.1	60.7	85.0	113.7	143.8	176.9	215.6
1992.....	7.7	14.1	24.3	39.5	62.9	84.0	107.5	135.9	171.5	219.9
1991.....	7.9	13.7	25.4	41.3	62.7	84.2	110.2	132.0	167.4	196.7
1990.....	7.6	13.4	23.7	40.0	60.0	83.6	107.4	136.9	163.2	206.1
1989.....	8.0	14.5	25.5	40.6	63.7	87.8	113.7	142.6	178.0	204.4
1988.....	8.5	14.7	25.8	44.5	65.8	90.2	118.6	142.2	180.4	224.8
1987.....	8.4	14.0	26.1	43.2	65.6	88.4	120.5	145.0	174.8	198.9
1986.....	8.1	14.4	25.8	43.0	64.6	89.1	119.4	144.7	179.6	198.3
1985.....	8.1	14.3	25.5	42.3	66.0	85.0	114.7	140.6	170.9	205.1
1984.....	8.5	13.9	25.7	42.7	62.2	86.4	113.2	138.4	165.3	182.7
1983.....	8.0	15.1	26.7	43.3	61.3	84.6	109.8	139.1	160.6	189.3
1982.....	7.7	13.9	24.8	40.8	60.4	82.4	105.0	137.6	157.9	181.5
1981.....	8.4	14.3	26.2	43.2	58.5	82.9	106.4	124.9	156.0	173.6
1980.....	7.9	15.4	26.0	41.8	59.6	85.0	105.0	132.7	153.6	183.2
1979.....	8.2	14.9	25.0	38.9	57.4	80.0	105.4	122.8	147.4	163.5
WHITE FEMALE										
1998.....	5.6	8.4	14.3	22.8	34.8	49.2	69.4	89.7	113.4	151.6
1997.....	5.3	8.3	15.5	25.1	38.6	52.0	72.5	91.6	119.5	152.7
1996.....	5.4	9.1	17.0	25.7	40.5	53.2	71.7	94.0	115.5	158.6
1995.....	5.6	9.6	16.2	25.0	38.5	55.5	72.6	93.6	119.3	156.9
1994.....	5.3	10.3	16.0	26.8	39.8	55.5	73.3	96.9	121.9	160.0
1993.....	5.2	10.0	16.8	26.1	40.4	54.9	74.6	91.4	120.6	160.2
1992.....	5.9	9.6	16.4	26.2	40.0	54.7	73.1	90.5	117.0	149.4
1991.....	5.7	10.3	16.8	26.7	40.0	54.3	73.9	91.4	113.9	150.9
1990.....	5.7	10.0	16.2	26.3	39.3	52.8	70.7	92.9	118.6	147.3
1989.....	5.9	9.7	17.6	28.5	40.8	53.7	73.5	93.3	116.8	154.6
1988.....	5.9	10.2	18.7	29.0	42.5	54.4	73.8	92.7	119.5	149.3
1987.....	5.5	10.8	19.6	28.3	44.5	57.4	72.8	92.7	118.3	156.2
1986.....	6.5	10.9	18.1	27.0	42.9	56.7	77.3	92.7	120.4	151.7
1985.....	6.1	10.7	18.2	28.3	43.8	54.9	72.8	89.8	113.7	151.4
1984.....	6.8	11.0	18.6	28.8	42.9	54.4	72.6	89.6	115.9	147.7
1983.....	6.7	10.8	17.4	28.4	40.9	53.6	71.4	88.7	112.6	146.1
1982.....	6.6	11.2	18.4	28.2	40.9	55.2	71.5	91.9	113.3	147.6
1981.....	6.1	10.8	18.8	28.1	39.5	53.6	69.1	89.8	112.7	147.1
1980.....	6.3	10.9	19.0	26.4	38.4	52.2	71.7	84.3	111.8	139.7
1979.....	5.9	10.7	18.8	27.4	38.5	50.1	64.2	83.5	110.8	133.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)										
ALL OTHER, BOTH SEXES										
1998.....	6.6	13.0	19.2	30.5	47.7	57.2	82.9	95.1	124.7	140.0
1997.....	6.4	11.9	21.4	31.4	53.5	59.2	83.3	102.2	131.1	170.0
1996.....	7.0	12.9	21.4	31.3	47.0	63.2	89.7	101.4	131.4	160.4
1995.....	7.1	13.2	22.1	36.0	48.3	64.8	96.5	107.6	155.9	166.2
1994.....	7.8	13.2	23.1	35.6	51.7	66.3	93.4	100.3	147.4	167.9
1993.....	7.5	14.4	24.8	38.9	53.3	72.3	96.0	111.2	139.0	168.7
1992.....	7.4	15.7	24.0	39.2	51.6	68.7	89.2	102.4	136.5	164.7
1991.....	7.6	13.1	24.3	38.2	53.1	71.1	87.1	108.8	143.1	181.8
1990.....	7.8	15.3	24.5	37.4	56.6	75.5	90.5	109.8	139.4	159.7
1989.....	8.4	14.7	25.8	40.1	60.3	75.9	96.3	115.8	138.4	173.0
1988.....	8.6	16.9	26.9	41.9	62.7	73.7	101.0	116.1	141.9	170.2
1987.....	9.3	15.5	28.1	43.1	61.5	76.1	98.5	120.7	163.3	195.8
1986.....	8.8	16.9	26.4	43.9	65.9	74.2	93.6	115.0	145.8	184.4
1985.....	9.5	15.7	32.8	44.8	61.9	79.8	98.6	116.3	162.8	167.9
1984.....	9.8	16.8	28.9	48.3	60.8	75.8	104.7	118.0	154.2	151.2
1983.....	7.7	16.6	29.6	46.4	63.6	74.2	109.6	122.0	146.6	159.3
1982.....	9.3	19.1	26.2	42.2	63.2	74.6	90.7	109.7	155.8	140.7
1981.....	10.4	16.3	28.6	40.9	60.8	78.9	90.3	104.3	163.1	141.6
1980.....	10.4	16.7	31.5	43.1	63.9	73.0	94.5	108.3	144.8	146.6
1979.....	9.6	16.8	29.5	41.2	60.3	75.4	106.9	111.6	136.2	150.0
ALL OTHER MALE										
1998.....	6.9	15.7	25.1	39.1	58.9	76.4	101.1	117.0	139.9	144.6
1997.....	7.5	14.2	28.5	40.6	68.0	75.4	101.4	120.6	141.5	182.7
1996.....	8.2	16.3	28.6	40.6	63.2	82.3	111.6	121.7	153.1	182.1
1995.....	8.3	16.9	28.1	47.6	61.1	87.4	122.0	133.6	180.1	195.6
1994.....	9.0	16.7	32.0	45.9	68.2	83.7	119.4	112.8	180.5	188.4
1993.....	7.7	18.7	32.6	51.7	71.8	100.2	126.8	128.7	169.1	196.5
1992.....	9.4	19.0	31.4	50.2	64.7	85.8	115.3	126.7	157.1	178.7
1991.....	9.5	16.9	32.5	52.8	66.5	93.0	111.5	142.6	177.5	224.4
1990.....	9.7	18.8	32.6	46.2	79.0	98.0	122.7	136.3	166.6	180.6
1989.....	11.7	17.9	35.3	53.5	81.8	95.4	129.4	154.1	194.2	227.2
1988.....	10.1	23.4	34.5	54.9	81.5	101.1	124.8	153.0	168.4	182.3
1987.....	11.2	20.3	36.4	56.8	79.5	100.5	130.6	156.3	197.3	241.6
1986.....	8.9	23.3	32.8	60.5	81.0	91.4	123.7	143.3	182.4	212.0
1985.....	12.9	18.0	43.1	59.8	80.4	101.9	136.3	153.9	206.7	223.3
1984.....	12.8	20.7	38.0	67.2	80.4	99.0	138.4	147.0	188.1	176.4
1983.....	8.2	19.8	33.6	61.1	82.6	96.5	149.8	164.5	187.6	192.9
1982.....	11.0	22.8	35.8	55.5	81.1	95.9	114.2	131.8	179.8	171.6
1981.....	12.6	21.5	35.2	50.4	80.7	100.0	115.2	123.7	205.5	175.0
1980.....	10.9	20.9	39.9	50.9	81.2	95.2	116.6	127.8	186.9	164.6
1979.....	13.1	21.2	38.9	51.5	73.0	89.9	134.8	134.1	176.7	164.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)										
ALL OTHER FEMALE										
1998.....	6.3	10.6	14.2	23.6	39.1	42.8	70.1	80.6	116.1	137.9
1997.....	5.5	9.9	15.6	23.9	42.3	47.2	70.6	90.2	125.2	164.3
1996.....	6.0	10.0	15.3	23.8	34.5	49.0	74.4	88.3	119.2	150.6
1995.....	6.0	10.1	17.0	26.6	38.5	48.0	78.7	91.0	142.5	153.5
1994.....	6.7	10.2	15.6	27.3	39.1	53.3	75.4	92.4	129.2	159.1
1993.....	7.2	10.8	18.2	28.6	39.2	51.6	74.4	100.3	122.2	156.6
1992.....	5.6	12.8	17.7	30.3	41.5	56.1	71.1	87.3	124.8	158.4
1991.....	5.9	9.9	17.4	26.3	43.0	55.0	70.5	87.8	123.1	161.4
1990.....	6.3	12.3	17.7	30.3	39.6	58.9	68.6	93.4	124.1	150.2
1989.....	5.6	11.9	17.8	29.2	43.9	61.5	73.6	91.8	106.6	148.0
1988.....	7.3	11.3	20.6	31.5	48.3	53.4	85.1	92.8	126.0	164.5
1987.....	7.7	11.4	21.1	32.0	47.6	57.9	76.7	97.9	143.9	174.2
1986.....	8.8	11.4	21.1	30.5	54.1	61.4	72.9	96.6	125.5	171.2
1985.....	6.5	13.7	24.2	32.6	47.4	63.2	72.6	91.7	137.2	142.0
1984.....	7.2	13.5	21.4	33.0	45.4	58.3	81.0	98.7	133.5	138.6
1983.....	7.2	13.8	26.4	34.5	48.4	57.6	81.4	93.5	122.4	142.4
1982.....	7.8	16.0	18.4	31.2	49.1	58.5	73.8	94.4	141.4	124.1
1981.....	8.5	12.0	23.1	33.1	44.9	62.9	71.8	91.3	137.3	124.6
1980.....	9.9	13.3	24.7	36.6	50.1	56.0	78.0	95.1	119.0	137.4
1979.....	6.6	13.2	21.9	32.5	50.0	64.3	85.6	95.7	111.7	143.9
BLACK, BOTH SEXES										
1998.....	7.6	15.3	23.5	37.5	56.4	65.4	94.4	103.6	134.0	157.4
1997.....	7.8	14.2	26.4	37.4	63.1	67.0	96.1	114.2	146.9	186.3
1996.....	8.1	14.9	25.8	38.2	55.7	72.0	100.4	109.7	141.2	176.0
1995.....	8.5	16.0	26.2	42.4	55.5	74.9	112.1	120.4	164.7	172.2
1994.....	9.2	15.4	27.8	43.3	61.6	76.0	107.2	106.2	159.0	171.6
1993.....	8.4	16.9	29.7	44.9	63.2	81.7	106.7	117.8	150.3	172.2
1992.....	9.0	19.4	28.0	47.1	59.8	77.8	101.4	111.4	143.7	170.8
1991.....	9.2	14.9	28.6	43.3	62.5	82.1	96.4	117.2	154.5	185.3
1990.....	9.5	18.0	29.1	43.7	66.0	86.2	100.3	118.7	145.0	165.3
1989.....	10.4	17.4	30.6	47.3	69.3	84.0	106.0	125.5	142.9	178.2
1988.....	10.5	19.5	31.5	47.1	71.8	83.3	112.2	124.5	146.0	177.1
1987.....	10.7	18.7	33.5	49.4	71.9	86.1	108.8	130.6	174.1	201.9
1986.....	9.5	19.9	31.7	50.5	76.0	81.6	103.2	122.3	154.5	193.5
1985.....	10.8	19.0	37.6	50.3	70.1	90.0	106.5	120.3	166.5	180.5
1984.....	10.7	20.0	33.1	54.8	68.6	82.6	115.5	127.3	161.0	155.8
1983.....	8.7	19.1	33.7	52.1	70.4	79.6	120.7	131.0	153.3	160.9
1982.....	10.8	22.1	29.3	47.3	70.9	80.9	96.5	116.7	165.6	146.0
1981.....	11.8	19.0	32.1	46.2	66.9	84.7	97.2	108.5	172.7	146.4
1980.....	11.9	19.0	36.1	47.9	68.1	78.6	102.0	113.7	153.9	155.3
1979.....	10.9	19.2	33.4	44.6	64.5	81.4	114.1	115.2	139.8	157.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)										
BLACK MALE										
1998.....	8.1	18.5	32.0	50.1	74.1	86.7	117.6	128.6	150.3	162.5
1997.....	9.2	17.4	36.1	50.2	84.1	86.6	119.2	139.8	162.4	200.9
1996.....	10.0	19.0	36.3	52.0	76.8	93.6	130.6	132.1	170.8	200.4
1995.....	10.1	20.9	34.2	56.4	72.4	99.4	143.0	150.7	196.6	202.0
1994.....	10.7	19.0	39.7	57.5	83.3	95.6	141.8	123.0	199.5	195.1
1993.....	9.0	23.2	39.4	61.1	86.7	113.8	145.7	139.6	191.4	208.4
1992.....	11.6	24.9	38.9	63.2	75.4	98.1	134.9	143.7	173.5	182.3
1991.....	11.7	20.0	39.9	62.3	79.1	108.7	127.7	160.8	194.1	242.0
1990.....	11.8	23.4	39.4	55.2	92.1	114.0	141.5	150.0	177.9	196.2
1989.....	14.5	21.8	43.6	64.1	94.3	106.4	143.3	170.2	211.3	247.0
1988.....	12.4	28.2	42.2	63.1	94.7	115.6	143.2	169.5	181.9	190.8
1987.....	13.8	25.0	44.4	66.8	94.5	116.4	149.0	174.3	216.3	253.1
1986.....	9.9	28.3	39.6	69.8	94.9	101.5	138.7	153.5	185.6	228.6
1985.....	15.6	22.5	51.7	67.2	93.2	115.6	149.2	160.0	220.7	240.3
1984.....	14.4	25.3	43.1	76.7	93.6	108.9	156.3	159.9	198.8	191.8
1983.....	10.1	23.8	38.3	69.7	92.3	104.2	167.2	178.2	200.0	198.3
1982.....	12.9	26.8	39.5	62.9	91.2	106.6	124.4	145.3	196.3	186.2
1981.....	14.9	25.0	40.8	57.0	88.8	110.5	125.5	132.3	220.8	185.7
1980.....	12.6	24.0	45.6	55.8	87.6	105.3	130.0	138.6	197.3	177.3
1979.....	15.1	24.6	43.6	56.9	78.2	98.5	148.7	142.2	179.2	176.9
BLACK FEMALE										
1998.....	7.2	12.7	16.6	27.8	43.2	49.4	78.3	87.7	125.4	155.3
1997.....	6.5	11.5	18.5	27.4	47.4	52.3	80.2	98.1	138.8	180.3
1996.....	6.4	11.5	17.2	27.5	39.8	55.8	79.9	95.7	125.9	166.0
1995.....	7.1	11.8	19.7	31.5	42.8	56.5	91.3	101.7	148.4	160.1
1994.....	7.9	12.4	18.0	32.3	45.1	61.4	84.1	96.1	138.4	162.1
1993.....	7.8	11.7	21.8	32.2	45.5	58.2	80.4	104.9	129.2	157.4
1992.....	6.8	14.8	19.1	34.4	48.1	62.9	79.1	92.6	128.2	166.0
1991.....	7.1	10.6	19.4	28.3	49.9	62.8	75.7	91.6	134.2	161.3
1990.....	7.5	13.4	20.7	34.6	46.2	66.1	73.2	100.4	127.9	152.2
1989.....	6.8	13.8	20.0	34.0	50.4	67.7	81.7	99.0	107.0	149.7
1988.....	8.8	12.3	22.6	34.4	54.4	59.8	91.6	97.6	127.0	171.1
1987.....	8.1	13.5	24.7	35.5	54.6	64.1	82.0	104.2	151.5	179.2
1986.....	9.2	12.9	25.2	34.9	61.6	67.1	79.5	103.2	137.6	177.5
1985.....	6.8	16.1	26.1	36.7	52.3	71.2	78.2	95.6	136.7	152.6
1984.....	7.6	15.5	24.9	36.9	49.1	63.2	88.3	106.8	140.1	138.8
1983.....	7.5	15.1	30.0	37.8	53.4	61.5	89.4	100.4	126.9	142.7
1982.....	9.0	18.3	21.0	34.5	55.0	62.0	77.3	98.8	147.8	126.3
1981.....	9.3	14.0	25.1	37.4	49.7	65.9	77.5	93.0	144.7	125.7
1980.....	11.3	14.9	28.4	41.4	52.8	58.7	82.2	97.5	127.8	144.3
1979.....	7.5	14.6	25.0	34.5	53.6	68.6	89.2	96.2	115.3	147.1



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF EYE (190)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	*	*	*	0.2	0.4	*	0.5	0.5	0.7	0.9
1997.....	*	*	*	*	0.2	0.3	0.4	0.6	0.6	1.0
1996.....	*	*	*	0.2	0.2	0.4	0.3	0.6	0.9	0.9
1995.....	*	*	*	0.2	*	0.3	0.4	0.3	0.6	1.0
1994.....	*	*	*	0.2	0.2	0.5	0.3	0.6	0.7	1.4
1993.....	*	*	*	*	*	0.4	0.4	0.4	0.7	1.0
1992.....	*	*	*	*	0.2	0.4	0.4	0.5	0.9	1.0
1991.....	*	*	*	*	*	0.3	0.5	0.5	0.7	1.1
1990.....	*	*	*	*	0.3	0.3	0.4	0.7	0.7	1.0
1989.....	*	*	*	*	0.2	0.3	0.4	0.4	0.8	1.4
1988.....	*	*	*	*	*	0.3	0.4	0.7	1.0	1.4
1987.....	*	*	*	0.2	0.2	0.3	0.5	0.6	0.8	1.1
1986.....	*	*	*	*	0.3	0.3	0.5	0.6	1.0	0.9
1985.....	*	*	*	*	0.3	0.3	0.5	0.4	0.7	1.5
1984.....	*	*	*	*	0.3	*	0.6	0.7	1.1	1.7
1983.....	*	*	*	*	0.3	0.5	0.6	0.5	0.8	1.5
1982.....	*	*	*	0.2	0.3	0.4	0.5	0.7	1.2	1.4
1981.....	*	*	*	0.3	*	0.4	0.6	0.4	0.9	1.5
1980.....	0.0	0.1	0.1	0.2	0.2	0.4	0.7	0.5	1.1	1.8
1979.....	0.1	0.1	0.2	0.2	0.3	0.3	0.7	0.8	1.4	1.3
TOTAL, MALE										
1998.....	*	*	*	*	0.5	*	0.6	*	*	*
1997.....	*	*	*	*	*	*	0.5	*	*	*
1996.....	*	*	*	*	*	0.5	*	0.7	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	0.6	*	*	*	*
1993.....	*	*	*	*	*	0.5	0.5	*	*	*
1992.....	*	*	*	*	*	0.5	*	*	1.5	*
1991.....	*	*	*	*	*	0.4	0.6	*	*	*
1990.....	*	*	*	*	0.4	0.4	0.7	1.1	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	0.7	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	0.4	*	0.7	*	*	*
1983.....	*	*	*	*	*	0.5	0.8	*	*	*
1982.....	*	*	*	*	0.4	*	*	*	*	*
1981.....	*	*	*	*	*	0.6	0.8	*	*	*
1980.....	0.0	0.1	0.1	0.2	0.3	0.6	0.9	0.6	1.5	1.3
1979.....	0.1	0.0	0.2	0.2	0.4	0.3	0.8	0.8	2.1	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF EYE (190)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	0.7	0.8
1997.....	*	*	*	*	*	*	*	0.6	*	0.9
1996.....	*	*	*	*	*	0.4	*	0.6	0.8	0.9
1995.....	*	*	*	*	*	*	0.4	*	*	0.9
1994.....	*	*	*	*	*	0.4	*	0.5	*	1.3
1993.....	*	*	*	*	*	*	*	*	*	1.1
1992.....	*	*	*	*	*	*	0.4	*	*	0.9
1991.....	*	*	*	*	*	*	*	*	*	1.2
1990.....	*	*	*	*	*	*	*	*	*	1.0
1989.....	*	*	*	*	*	*	*	*	*	1.3
1988.....	*	*	*	*	*	*	0.4	0.6	*	1.3
1987.....	*	*	*	*	*	*	*	0.6	*	1.1
1986.....	*	*	*	*	*	*	0.5	0.7	0.9	*
1985.....	*	*	*	*	*	*	*	*	*	1.5
1984.....	*	*	*	*	*	*	0.5	0.8	*	1.5
1983.....	*	*	*	*	*	0.4	0.5	*	*	1.2
1982.....	*	*	*	*	*	0.4	0.5	0.7	*	1.4
1981.....	*	*	*	*	*	*	*	*	*	1.3
1980.....	0.0	0.1	0.1	0.1	0.1	0.3	0.6	0.5	0.9	2.1
1979.....	0.0	0.1	0.1	0.2	0.2	0.3	0.7	0.8	1.1	1.2
WHITE, BOTH SEXES										
1998.....	*	*	*	0.2	0.4	*	0.5	0.5	0.7	1.0
1997.....	*	*	*	*	0.3	0.4	0.4	0.6	0.7	1.0
1996.....	*	*	*	0.2	0.2	0.4	0.4	0.7	1.0	0.9
1995.....	*	*	*	*	*	0.3	0.5	0.4	0.7	1.1
1994.....	*	*	*	0.2	0.3	0.5	0.4	0.6	0.8	1.5
1993.....	*	*	*	*	*	0.4	0.5	0.5	0.8	1.1
1992.....	*	*	*	*	0.3	0.4	0.5	0.5	1.0	1.1
1991.....	*	*	*	*	*	0.3	0.5	0.6	0.7	1.2
1990.....	*	*	*	*	0.3	0.4	0.4	0.7	0.7	1.1
1989.....	*	*	*	*	0.2	0.3	0.4	0.5	0.8	1.4
1988.....	*	*	*	*	*	0.3	0.5	0.8	1.1	1.5
1987.....	*	*	*	0.2	0.2	0.3	0.6	0.7	0.8	1.1
1986.....	*	*	*	*	0.3	0.3	0.6	0.7	1.1	0.9
1985.....	*	*	*	*	0.3	0.3	0.5	0.4	0.7	1.6
1984.....	*	*	*	*	0.4	*	0.6	0.8	1.1	1.8
1983.....	*	*	*	*	0.3	0.5	0.7	0.5	0.8	1.5
1982.....	*	*	*	0.2	0.3	0.5	0.5	0.8	1.3	1.4
1981.....	*	*	*	0.3	*	0.5	0.6	0.5	0.9	1.6
1980.....	0.0	0.1	0.1	0.2	0.3	0.5	0.8	0.6	1.2	2.0
1979.....	0.1	0.1	0.2	0.2	0.3	0.4	0.8	0.8	1.5	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF EYE (190)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
WHITE MALE										
1998.....	*	*	*	*	0.6	*	0.7	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	0.8	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	0.7	*	*	*	*
1993.....	*	*	*	*	*	0.5	0.6	*	*	*
1992.....	*	*	*	*	*	0.6	*	*	1.7	*
1991.....	*	*	*	*	*	0.5	0.6	*	*	*
1990.....	*	*	*	*	0.5	0.5	0.7	1.2	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	0.8	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	0.4	*	0.8	*	*	*
1983.....	*	*	*	*	*	0.6	0.8	*	*	*
1982.....	*	*	*	*	0.5	*	*	*	*	*
1981.....	*	*	*	*	*	0.6	0.9	*	*	*
1980.....	0.0	0.1	0.1	0.2	0.4	0.7	1.0	0.6	1.6	1.4
1979.....	0.1	0.0	0.2	0.2	0.5	0.4	0.9	0.9	2.2	1.5
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	0.8
1997.....	*	*	*	*	*	*	*	0.6	*	0.9
1996.....	*	*	*	*	*	*	*	0.6	0.9	0.9
1995.....	*	*	*	*	*	*	*	*	*	0.9
1994.....	*	*	*	*	*	*	*	0.6	*	1.4
1993.....	*	*	*	*	*	*	*	*	*	1.2
1992.....	*	*	*	*	*	*	0.5	*	*	1.0
1991.....	*	*	*	*	*	*	*	*	*	1.3
1990.....	*	*	*	*	*	*	*	*	*	1.1
1989.....	*	*	*	*	*	*	*	*	*	1.2
1988.....	*	*	*	*	*	*	0.5	0.7	*	1.4
1987.....	*	*	*	*	*	*	*	0.6	*	1.2
1986.....	*	*	*	*	*	*	0.5	0.7	1.0	*
1985.....	*	*	*	*	*	*	*	*	*	1.6
1984.....	*	*	*	*	*	*	*	0.9	*	1.5
1983.....	*	*	*	*	*	0.5	0.6	*	*	1.3
1982.....	*	*	*	*	*	0.4	0.5	0.8	*	1.4
1981.....	*	*	*	*	*	*	*	*	*	1.4
1980.....	-	0.1	0.1	0.1	0.2	0.3	0.6	0.6	1.0	2.2
1979.....	0.0	0.1	0.1	0.2	0.2	0.4	0.7	0.8	1.2	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF EYE (190)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.1	0.1	-	-	0.2	0.2	-	-
1979.....	0.1	0.1	-	0.1	0.2	0.1	-	0.5	0.4	0.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	-	-	0.4	0.6	-	-
1979.....	0.1	-	-	-	-	-	-	0.5	1.2	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF EYE (190)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.1	0.2	-	-	-	-	-	-
1979.....	-	0.1	-	0.2	0.4	0.2	-	0.4	-	0.9
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.2	0.1	-	-	0.2	0.3	-	-
1979.....	-	0.1	-	0.1	0.2	0.1	-	0.5	-	0.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OF EYE (190)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	-	-	0.4	0.7	-	-
1979.....	-	-	-	-	-	-	-	0.6	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.2	0.2	-	-	-	-	-	-
1979.....	-	0.2	-	0.2	0.4	0.2	-	0.4	-	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BRAIN (191)										
TOTAL, BOTH SEXES										
1998.....	2.7	4.3	6.2	9.0	11.8	15.8	18.8	19.8	19.8	15.2
1997.....	2.8	4.2	6.2	9.0	12.3	15.4	18.7	20.4	19.7	15.5
1996.....	2.8	4.3	6.8	9.4	12.7	15.5	18.4	19.8	18.3	14.8
1995.....	2.7	4.8	6.2	9.1	12.2	15.4	18.2	19.7	19.0	14.6
1994.....	2.9	4.5	6.6	9.4	12.6	16.1	19.5	19.5	19.4	14.0
1993.....	2.8	4.4	6.6	9.7	11.6	15.7	19.3	20.1	18.7	13.8
1992.....	3.1	4.6	7.1	9.4	12.4	16.0	18.7	18.6	19.8	14.1
1991.....	3.2	4.7	7.0	10.0	13.2	15.6	18.0	19.7	19.8	14.4
1990.....	2.9	4.5	6.8	9.5	13.0	16.4	18.6	20.3	18.4	13.6
1989.....	3.0	4.0	6.9	9.3	12.8	15.3	18.2	19.1	17.6	12.0
1988.....	3.0	4.6	6.7	9.6	12.3	15.1	18.0	18.6	16.2	12.2
1987.....	3.0	4.4	7.0	9.4	13.1	15.7	18.3	18.0	15.7	11.6
1986.....	3.0	4.2	6.3	8.8	12.2	15.5	17.5	17.1	16.1	9.7
1985.....	3.1	4.3	6.5	9.1	12.8	14.5	17.9	17.3	15.1	10.1
1984.....	3.2	4.4	6.2	9.8	12.8	15.6	16.8	17.7	14.3	9.4
1983.....	2.9	4.0	6.4	9.4	12.3	14.7	15.8	16.5	13.6	8.6
1982.....	2.9	4.1	6.4	9.5	12.3	14.9	15.8	16.6	14.3	8.2
1981.....	2.9	4.0	6.4	9.8	12.7	14.5	15.9	15.1	12.9	7.4
1980.....	2.8	4.4	6.9	9.4	12.2	14.9	16.8	14.6	12.0	6.0
1979.....	3.0	4.6	6.7	9.3	12.0	14.7	15.3	13.7	10.3	5.1
TOTAL, MALE										
1998.....	3.3	5.4	7.7	11.2	14.1	19.5	22.5	23.9	24.5	18.5
1997.....	3.6	5.3	7.3	10.4	14.6	18.5	22.4	25.1	22.2	21.5
1996.....	3.3	5.4	8.3	11.7	15.2	18.4	23.1	23.5	22.2	19.4
1995.....	3.1	6.0	7.5	11.2	14.6	18.5	21.3	23.3	24.5	19.4
1994.....	3.7	5.5	8.5	11.7	15.4	19.4	23.9	22.9	23.1	17.0
1993.....	3.6	5.5	7.9	12.6	13.9	19.1	22.9	25.4	23.3	18.8
1992.....	3.7	5.6	8.8	11.5	15.2	19.5	22.7	22.7	24.2	19.8
1991.....	3.9	5.7	8.8	12.0	15.9	18.7	21.4	24.7	24.0	19.4
1990.....	3.6	5.7	8.7	11.2	16.3	20.5	22.7	24.7	23.5	15.8
1989.....	3.8	5.1	8.7	11.1	15.9	17.9	22.2	23.8	23.5	17.8
1988.....	3.8	5.9	8.2	11.8	15.6	19.7	22.5	23.7	21.3	17.3
1987.....	3.9	5.2	8.4	11.4	15.1	19.3	23.1	20.6	19.8	14.8
1986.....	3.7	5.7	7.9	10.8	15.0	19.3	21.2	21.1	19.8	13.5
1985.....	4.0	5.5	7.9	11.2	15.1	16.9	21.8	21.7	19.9	14.1
1984.....	3.8	5.4	7.5	11.9	14.9	19.6	20.9	22.3	18.3	12.3
1983.....	3.5	5.0	8.1	11.5	14.4	18.3	18.8	19.8	16.6	11.6
1982.....	3.7	4.9	7.7	11.3	14.7	17.9	18.6	21.9	18.7	10.5
1981.....	3.8	5.0	7.8	12.1	15.5	17.6	19.8	18.3	17.0	9.8
1980.....	3.7	5.5	8.5	11.9	15.3	18.9	20.2	18.4	15.6	7.2
1979.....	3.9	5.7	8.1	11.2	14.0	18.5	19.8	17.8	13.3	6.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BRAIN (191)										
TOTAL, FEMALE										
1998.....	2.2	3.3	4.9	7.0	9.7	12.7	15.9	16.9	17.0	13.9
1997.....	2.0	3.1	5.2	7.6	10.3	12.8	15.8	17.1	18.2	13.0
1996.....	2.3	3.3	5.4	7.4	10.6	13.0	14.9	17.2	16.0	12.9
1995.....	2.2	3.6	4.9	7.2	10.0	12.9	15.8	17.2	16.0	12.7
1994.....	2.0	3.6	4.9	7.2	10.1	13.4	16.1	17.1	17.3	12.8
1993.....	2.1	3.4	5.4	7.1	9.6	13.0	16.5	16.5	16.2	11.8
1992.....	2.5	3.7	5.5	7.5	10.0	13.2	15.7	15.9	17.5	11.9
1991.....	2.4	3.8	5.3	8.1	10.9	13.2	15.4	16.5	17.5	12.5
1990.....	2.3	3.4	5.0	7.9	10.1	13.1	15.6	17.4	15.7	12.7
1989.....	2.1	3.0	5.2	7.7	10.1	13.2	15.3	16.1	14.5	9.7
1988.....	2.3	3.4	5.2	7.6	9.5	11.4	14.7	15.3	13.6	10.2
1987.....	2.2	3.6	5.7	7.6	11.4	12.7	14.8	16.4	13.5	10.4
1986.....	2.2	2.8	4.8	7.0	9.8	12.4	14.9	14.5	14.2	8.2
1985.....	2.1	3.1	5.2	7.2	10.8	12.5	15.0	14.5	12.5	8.5
1984.....	2.6	3.4	4.9	7.9	10.9	12.4	13.7	14.8	12.1	8.3
1983.....	2.3	3.1	4.9	7.5	10.5	11.9	13.6	14.4	12.0	7.3
1982.....	2.1	3.4	5.2	7.8	10.2	12.5	13.7	13.2	12.0	7.3
1981.....	2.1	3.1	5.1	7.7	10.2	12.1	13.2	13.1	10.8	6.4
1980.....	2.0	3.3	5.3	7.2	9.6	11.7	14.3	12.2	10.1	5.5
1979.....	2.2	3.5	5.3	7.6	10.3	11.6	12.0	11.2	8.7	4.6
WHITE, BOTH SEXES										
1998.....	2.9	4.6	6.8	9.8	12.7	17.1	19.9	20.9	20.6	16.1
1997.....	3.0	4.5	6.7	9.6	13.1	16.6	19.7	21.5	20.9	15.9
1996.....	3.1	4.7	7.4	10.4	13.9	16.6	19.4	20.8	19.3	15.6
1995.....	2.9	5.1	6.7	9.5	13.1	16.6	19.2	20.7	19.8	15.2
1994.....	3.1	4.9	7.3	10.1	13.7	17.3	20.5	20.5	20.3	14.6
1993.....	3.1	4.7	7.2	10.6	12.5	16.6	20.3	20.9	19.6	14.2
1992.....	3.4	4.9	7.6	10.2	13.4	17.3	19.8	19.6	20.8	14.6
1991.....	3.4	5.2	7.5	10.8	14.1	16.6	19.0	20.8	20.8	15.1
1990.....	3.1	4.8	7.3	10.2	13.8	17.5	19.7	21.5	19.2	14.0
1989.....	3.2	4.3	7.3	10.0	13.5	16.4	19.1	20.2	18.7	12.6
1988.....	3.3	4.9	7.2	10.3	13.0	16.1	18.8	19.5	17.1	12.6
1987.....	3.1	4.8	7.6	9.8	13.9	16.7	19.3	19.0	16.5	12.2
1986.....	3.1	4.5	6.7	9.3	12.9	16.3	18.5	18.0	16.7	10.2
1985.....	3.3	4.5	6.8	9.7	13.6	15.2	19.0	18.3	15.8	10.8
1984.....	3.5	4.7	6.6	10.2	13.5	16.5	17.7	18.7	14.9	10.0
1983.....	3.1	4.5	6.9	9.9	12.8	15.6	16.7	17.4	14.1	8.9
1982.....	3.1	4.3	6.8	10.0	12.8	15.8	16.9	17.5	14.8	8.6
1981.....	3.1	4.3	6.8	10.3	13.3	15.4	16.8	16.1	13.5	7.6
1980.....	3.1	4.8	7.3	9.9	12.8	15.8	17.7	15.5	12.7	6.3
1979.....	3.2	4.8	7.0	9.8	12.7	15.5	16.1	14.4	10.8	5.3



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BRAIN (191)										
WHITE MALE										
1998.....	3.4	5.7	8.2	12.1	15.1	21.0	23.6	25.1	25.7	19.9
1997.....	3.9	5.8	7.8	11.1	15.6	19.8	23.5	26.7	23.5	22.6
1996.....	3.6	5.9	9.0	12.8	16.3	19.6	24.2	24.6	23.2	20.7
1995.....	3.5	6.4	8.2	11.7	15.6	19.8	22.4	24.3	25.5	20.6
1994.....	4.0	6.0	9.1	12.3	16.6	21.0	25.0	24.1	24.2	18.3
1993.....	3.9	5.8	8.4	13.5	14.7	20.0	24.0	27.0	24.3	19.9
1992.....	3.9	6.0	9.3	12.4	16.4	21.0	24.0	23.8	25.5	21.1
1991.....	4.2	6.3	9.4	12.8	16.9	19.5	22.6	26.2	25.3	20.4
1990.....	3.9	6.0	9.3	12.0	17.2	21.8	23.6	26.4	24.6	17.0
1989.....	4.0	5.6	9.2	11.9	16.7	19.0	22.9	25.1	24.8	18.7
1988.....	4.2	6.1	8.9	12.6	16.3	20.7	23.9	25.0	22.7	18.1
1987.....	4.0	5.8	9.0	11.7	15.9	20.2	24.5	21.7	21.1	16.0
1986.....	4.0	6.0	8.4	11.3	15.7	20.2	22.0	22.1	20.6	14.3
1985.....	4.2	5.9	8.2	11.9	15.9	17.6	23.1	23.0	21.2	15.3
1984.....	4.0	5.8	7.8	12.2	15.7	20.7	22.1	23.7	19.4	13.3
1983.....	3.8	5.6	8.7	12.1	15.0	19.3	19.7	21.0	17.1	12.4
1982.....	3.9	5.1	8.0	11.7	15.2	18.8	20.0	23.1	19.6	11.2
1981.....	3.9	5.3	8.2	12.9	16.2	18.4	20.9	19.4	17.9	10.2
1980.....	4.1	6.0	9.0	12.6	15.9	19.9	21.4	19.5	16.4	7.6
1979.....	4.0	5.9	8.4	11.9	14.9	19.6	21.2	18.5	13.9	6.6
WHITE FEMALE										
1998.....	2.4	3.6	5.4	7.7	10.6	13.8	16.9	17.9	17.5	14.6
1997.....	2.1	3.3	5.5	8.2	10.8	13.9	16.7	17.9	19.3	13.2
1996.....	2.6	3.5	5.9	8.1	11.6	14.1	15.7	18.2	17.0	13.5
1995.....	2.4	3.8	5.4	7.5	10.9	13.9	16.8	18.2	16.5	13.1
1994.....	2.2	3.8	5.5	8.0	11.1	14.3	17.1	18.0	18.1	13.2
1993.....	2.2	3.6	5.9	7.8	10.6	13.8	17.5	16.9	17.0	12.1
1992.....	2.9	3.9	5.9	8.1	10.8	14.3	16.6	16.9	18.3	12.1
1991.....	2.6	4.1	5.7	8.8	11.6	14.2	16.2	17.4	18.4	13.1
1990.....	2.4	3.7	5.4	8.5	10.7	14.0	16.9	18.3	16.4	12.8
1989.....	2.4	3.1	5.5	8.3	10.7	14.2	16.2	17.0	15.4	10.2
1988.....	2.5	3.7	5.6	8.2	10.1	12.3	15.1	16.0	14.2	10.5
1987.....	2.3	3.8	6.2	8.2	12.2	13.7	15.5	17.3	14.2	10.7
1986.....	2.2	3.0	5.1	7.4	10.5	13.1	15.9	15.4	14.7	8.6
1985.....	2.4	3.2	5.6	7.6	11.6	13.3	16.1	15.3	13.0	9.1
1984.....	2.9	3.7	5.4	8.4	11.7	13.2	14.5	15.6	12.6	8.6
1983.....	2.5	3.4	5.1	8.0	10.9	12.7	14.6	15.3	12.6	7.5
1982.....	2.2	3.5	5.7	8.4	10.7	13.4	14.6	14.0	12.3	7.5
1981.....	2.3	3.3	5.5	8.0	10.8	12.9	13.9	14.0	11.2	6.5
1980.....	2.1	3.6	5.8	7.6	10.1	12.5	15.0	12.9	10.8	5.8
1979.....	2.4	3.8	5.6	8.0	10.9	12.2	12.4	11.8	9.1	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BRAIN (191)										
ALL OTHER, BOTH SEXES										
1998.....	1.6	2.5	3.0	4.1	5.7	6.9	10.3	10.0	12.2	7.0
1997.....	1.7	2.1	3.4	5.1	7.4	7.0	10.4	10.2	7.4	11.4
1996.....	1.4	2.1	3.4	3.9	5.5	7.4	10.0	9.9	8.1	7.0
1995.....	1.2	2.7	2.5	6.6	5.8	7.0	8.8	10.4	11.7	8.3
1994.....	1.6	2.3	2.7	4.7	5.3	7.0	10.5	9.8	10.3	8.0
1993.....	1.5	2.8	3.0	4.3	5.4	9.4	10.5	11.6	9.8	9.0
1992.....	1.5	2.8	4.3	4.7	5.4	6.1	8.8	9.1	9.8	9.2
1991.....	1.8	2.2	4.0	4.8	6.5	7.6	9.1	9.0	9.2	*
1990.....	1.8	2.8	3.6	4.7	7.2	7.4	8.4	9.1	9.6	9.2
1989.....	1.6	1.9	3.9	4.5	7.0	6.7	10.5	9.2	6.6	*
1988.....	1.4	2.9	3.6	4.8	6.9	7.1	10.8	9.9	6.9	*
1987.....	2.3	2.2	3.4	6.3	6.8	7.3	8.5	8.3	6.5	*
1986.....	2.0	2.3	3.7	5.1	6.1	8.4	8.8	8.6	10.1	*
1985.....	1.7	2.8	4.1	4.7	5.9	7.7	7.1	7.7	7.0	*
1984.....	1.3	2.4	3.2	6.5	6.4	7.1	8.2	7.5	*	*
1983.....	1.4	*	3.5	4.9	8.3	6.8	7.1	7.1	*	*
1982.....	1.5	2.6	3.3	5.5	7.4	7.1	5.7	7.6	8.8	*
1981.....	2.0	2.2	3.4	5.0	6.8	6.8	7.8	5.6	*	*
1980.....	1.2	1.7	3.2	5.3	6.9	7.0	7.9	5.7	3.9	2.8
1979.....	1.9	3.0	4.6	4.4	5.5	7.5	7.7	7.5	4.9	2.9
ALL OTHER MALE										
1998.....	2.3	3.7	3.9	5.2	7.4	8.4	12.8	12.7	13.0	*
1997.....	1.9	2.5	3.8	6.3	7.5	8.7	12.8	10.2	*	*
1996.....	1.8	2.5	4.0	4.3	7.0	9.0	12.5	12.8	*	*
1995.....	*	3.4	3.1	8.1	7.3	8.6	11.2	13.6	*	*
1994.....	2.0	2.2	4.3	7.8	7.2	7.0	13.8	10.8	*	*
1993.....	1.5	3.4	4.0	6.3	7.6	12.5	13.5	9.8	*	*
1992.....	2.3	3.1	5.5	5.5	5.9	7.3	10.2	12.3	*	*
1991.....	2.4	2.4	5.1	6.1	7.7	11.2	9.5	10.4	*	*
1990.....	2.0	3.7	5.0	5.5	9.1	9.6	13.8	8.9	*	*
1989.....	2.7	*	5.0	4.8	8.8	7.9	15.8	11.3	*	*
1988.....	*	4.3	4.0	6.2	9.6	10.7	10.0	11.9	*	*
1987.....	2.7	*	4.2	9.3	8.6	11.2	9.1	10.2	*	*
1986.....	*	3.5	4.5	6.4	8.5	11.0	12.8	11.9	*	*
1985.....	2.8	3.1	6.0	6.2	8.1	10.2	9.3	10.2	*	*
1984.....	*	3.2	4.9	9.3	8.4	9.2	9.8	*	*	*
1983.....	*	*	*	6.6	9.0	9.3	9.6	*	*	*
1982.....	*	3.0	5.2	7.7	9.5	9.6	*	10.9	*	*
1981.....	3.3	*	4.6	5.1	9.7	10.0	9.5	*	*	*
1980.....	0.8	1.7	4.6	6.2	8.9	9.6	8.7	7.8	6.9	3.3
1979.....	2.8	4.6	6.0	5.1	5.6	9.0	7.2	11.5	7.0	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BRAIN (191)										
ALL OTHER FEMALE										
1998.....	1.1	1.5	2.2	3.2	4.4	5.9	8.5	8.2	11.8	*
1997.....	1.5	1.8	3.0	4.1	7.2	5.8	8.8	10.2	*	11.1
1996.....	*	1.9	2.9	3.5	4.3	6.1	8.2	8.1	*	*
1995.....	1.4	2.1	2.0	5.4	4.7	5.8	7.1	8.4	10.6	*
1994.....	1.3	2.3	*	*	3.8	7.1	8.3	9.1	9.6	9.2
1993.....	1.4	2.3	2.2	2.7	3.7	7.1	8.5	12.7	8.3	*
1992.....	*	2.5	3.3	4.1	4.9	5.2	7.9	7.1	9.4	*
1991.....	1.3	2.0	3.1	3.7	5.5	4.8	8.9	8.1	*	*
1990.....	1.7	2.0	2.5	4.1	5.7	5.8	4.7	9.1	*	11.2
1989.....	*	2.0	3.0	4.2	5.6	5.7	6.9	7.9	*	*
1988.....	*	*	3.2	3.6	4.8	4.4	11.4	8.7	*	*
1987.....	2.0	2.6	2.7	3.9	5.5	4.5	8.0	7.1	*	*
1986.....	2.1	*	3.0	4.0	4.2	6.4	6.1	6.5	*	*
1985.....	*	2.5	*	3.6	4.2	5.8	5.5	*	*	*
1984.....	*	*	*	4.2	4.7	5.6	7.0	6.6	*	*
1983.....	*	*	3.9	3.5	7.8	4.9	5.3	*	*	*
1982.....	*	*	*	3.7	5.7	5.1	5.5	*	*	*
1981.....	*	*	*	5.0	4.5	4.4	6.5	*	*	*
1980.....	1.4	1.7	2.0	4.7	5.4	5.0	7.3	4.2	2.1	2.5
1979.....	1.2	1.7	3.5	3.8	5.5	6.4	8.1	4.7	3.6	2.6
BLACK, BOTH SEXES										
1998.....	1.7	2.7	3.3	5.2	6.2	7.7	11.5	10.3	11.3	7.8
1997.....	2.0	2.1	3.7	5.8	8.3	7.5	11.9	11.0	7.1	12.0
1996.....	1.5	2.2	3.8	4.4	6.4	8.3	10.4	10.8	8.1	7.7
1995.....	1.4	2.9	2.5	6.9	5.6	8.0	9.5	10.6	12.3	8.0
1994.....	1.6	2.5	3.0	5.4	6.0	7.4	10.8	9.8	11.4	7.6
1993.....	1.5	3.2	3.3	4.7	6.5	10.5	11.2	11.8	9.7	8.2
1992.....	1.6	3.0	4.9	5.5	5.9	7.1	9.5	9.4	11.3	10.5
1991.....	2.0	2.2	4.1	5.0	7.3	8.2	10.1	9.2	9.8	*
1990.....	2.1	3.3	4.1	5.2	7.7	8.0	9.1	9.9	10.1	9.4
1989.....	1.9	2.2	4.6	4.6	7.6	7.2	11.2	9.2	*	*
1988.....	1.6	3.2	3.8	5.1	8.1	7.3	11.3	10.4	*	*
1987.....	2.6	2.7	3.9	6.7	7.7	8.0	9.4	9.1	*	*
1986.....	2.3	2.6	4.4	5.3	6.8	8.6	9.3	8.4	9.4	*
1985.....	1.6	3.2	4.7	5.1	6.4	8.5	7.3	7.0	*	*
1984.....	*	2.8	3.9	7.2	7.2	7.8	9.0	6.7	*	*
1983.....	1.6	*	4.1	5.7	8.7	7.1	7.6	7.6	*	*
1982.....	1.9	2.9	3.7	6.0	8.0	7.8	6.4	7.7	9.2	*
1981.....	2.2	2.5	3.8	5.4	6.9	7.0	8.4	5.0	*	*
1980.....	1.4	2.1	3.4	6.0	7.4	7.4	8.3	5.9	4.5	3.1
1979.....	2.3	3.4	5.1	5.0	5.5	7.6	8.5	7.8	4.5	2.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BRAIN (191)										
BLACK MALE										
1998.....	2.4	4.1	4.5	6.6	8.6	9.0	14.0	12.5	*	*
1997.....	2.2	2.6	4.0	7.2	9.1	9.0	15.5	11.5	*	*
1996.....	2.0	2.4	4.7	5.5	8.2	9.8	14.0	13.4	*	*
1995.....	*	3.7	*	8.2	6.8	9.7	12.5	13.9	*	*
1994.....	*	*	4.8	9.2	8.0	7.0	13.6	*	*	*
1993.....	*	4.0	4.5	6.9	9.7	13.5	15.1	*	*	*
1992.....	2.4	3.8	6.7	6.4	6.4	8.6	11.4	13.1	*	*
1991.....	2.6	*	5.3	6.9	8.3	11.7	11.0	*	*	*
1990.....	2.3	4.7	5.7	5.7	9.8	10.0	15.8	*	*	*
1989.....	3.3	*	5.7	4.8	9.8	8.4	16.7	12.4	*	*
1988.....	*	5.2	4.7	7.1	11.7	10.8	10.8	12.4	*	*
1987.....	3.2	*	5.0	10.2	10.1	12.7	10.4	*	*	*
1986.....	*	4.0	5.4	7.4	9.6	10.8	14.5	12.2	*	*
1985.....	3.0	3.7	7.0	6.5	9.2	10.9	9.8	*	*	*
1984.....	*	3.8	6.0	10.5	9.8	9.8	11.4	*	*	*
1983.....	*	*	*	7.6	9.7	9.3	9.8	*	*	*
1982.....	*	*	5.9	9.1	10.1	10.8	*	*	*	*
1981.....	3.9	*	4.9	5.1	9.4	10.8	10.5	*	*	*
1980.....	0.9	2.1	4.7	6.6	9.3	11.1	9.4	7.8	8.0	3.8
1979.....	3.4	5.3	6.8	5.9	4.8	8.9	8.0	12.4	5.2	3.8
BLACK FEMALE										
1998.....	*	*	2.3	4.1	4.4	6.7	9.8	8.9	10.7	*
1997.....	1.9	*	3.5	4.7	7.7	6.4	9.5	10.6	*	11.6
1996.....	*	1.9	3.1	3.5	5.1	7.1	7.9	9.3	*	*
1995.....	*	2.2	*	5.8	4.6	6.8	7.4	8.6	10.4	*
1994.....	*	2.9	*	*	4.5	7.7	8.9	9.6	9.5	*
1993.....	*	2.5	*	*	4.1	8.4	8.5	12.6	*	*
1992.....	*	*	3.3	4.7	5.5	5.9	8.3	7.3	10.1	*
1991.....	*	*	3.2	3.4	6.5	5.7	9.5	8.4	*	*
1990.....	*	*	*	4.8	6.1	6.6	*	10.2	*	*
1989.....	*	*	3.6	4.5	6.0	6.3	7.6	7.3	*	*
1988.....	*	*	*	3.6	5.3	4.7	11.6	9.1	*	*
1987.....	*	3.1	*	3.9	5.9	4.6	8.7	8.3	*	*
1986.....	2.6	*	3.6	3.6	4.6	7.1	5.9	*	*	*
1985.....	*	*	*	3.9	4.3	6.7	5.6	*	*	*
1984.....	*	*	*	4.4	5.1	6.3	7.4	*	*	*
1983.....	*	*	4.7	4.3	7.9	5.5	6.1	*	*	*
1982.....	*	*	*	3.6	6.3	5.5	6.0	*	*	*
1981.....	*	*	*	5.7	4.8	*	7.0	*	*	*
1980.....	1.7	2.1	2.4	5.4	6.0	4.7	7.6	4.7	2.4	2.8
1979.....	1.3	1.7	3.7	4.2	6.0	6.6	8.9	4.7	4.0	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	0.3	0.3	0.4	0.5	0.6	0.5
1997.....	*	*	*	0.2	0.2	*	0.5	0.5	0.7	0.5
1996.....	*	*	*	*	0.2	0.3	0.5	0.4	0.7	*
1995.....	*	0.1	*	*	*	0.3	0.5	0.4	0.6	*
1994.....	*	*	*	0.3	0.3	0.3	0.5	0.4	0.5	*
1993.....	*	*	*	*	0.2	0.2	0.4	0.4	0.5	0.8
1992.....	*	*	*	*	0.3	0.4	0.4	0.4	0.6	*
1991.....	*	*	*	0.2	0.3	0.3	0.4	0.5	0.6	*
1990.....	*	*	*	*	0.2	0.3	0.5	0.8	*	0.7
1989.....	*	*	*	0.2	0.3	0.3	0.5	0.7	0.7	*
1988.....	*	*	*	0.3	0.3	0.3	0.5	0.4	0.7	*
1987.....	*	0.2	*	0.2	0.2	0.2	0.3	0.5	*	*
1986.....	*	*	*	0.2	0.3	0.3	0.3	0.6	0.6	*
1985.....	*	*	*	0.2	0.3	0.4	0.4	0.6	*	*
1984.....	*	*	*	0.2	0.2	0.4	0.3	0.4	*	*
1983.....	*	*	*	*	0.4	0.4	0.3	*	*	*
1982.....	*	*	*	*	0.3	0.3	0.5	*	*	*
1981.....	*	*	0.2	0.3	0.3	0.4	0.5	0.6	*	*
1980.....	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.7	0.4	0.4
1979.....	0.1	0.1	0.2	0.2	0.2	0.3	0.5	0.5	0.4	0.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	0.7	*	*
1996.....	*	*	*	*	*	0.5	0.6	*	*	*
1995.....	*	*	*	*	*	0.5	0.6	*	*	*
1994.....	*	*	*	*	*	*	0.5	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	1.0	*	*
1989.....	*	*	*	*	0.4	*	*	1.0	*	*
1988.....	*	*	*	*	*	0.5	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	0.5	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.2	0.3	0.3	0.4	0.4	0.7	0.5	0.7
1979.....	0.1	0.1	0.2	0.2	0.2	0.4	0.6	0.7	0.3	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	0.5	*	*	*
1996.....	*	*	*	*	*	*	0.4	*	*	*
1995.....	*	*	*	*	*	*	0.5	*	*	*
1994.....	*	*	*	*	*	*	0.4	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	0.9
1992.....	*	*	*	*	*	0.4	0.4	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	0.5	0.6	*	*
1989.....	*	*	*	*	*	*	0.6	0.6	*	*
1988.....	*	*	*	*	*	*	0.4	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	0.5	0.5	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	0.4	*	*	*	*
1980.....	0.1	0.0	0.1	0.0	0.3	0.3	0.2	0.6	0.4	0.2
1979.....	0.1	0.1	0.1	0.2	0.2	0.2	0.4	0.3	0.4	0.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	0.3	0.3	0.4	0.5	0.6	0.5
1997.....	*	*	*	*	0.2	*	0.5	0.5	0.6	0.6
1996.....	*	*	*	*	*	0.4	0.5	0.5	0.7	*
1995.....	*	*	*	*	*	0.3	0.5	0.4	0.6	*
1994.....	*	*	*	0.2	0.3	0.3	0.5	0.4	0.5	*
1993.....	*	*	*	*	0.2	0.2	0.4	0.4	0.5	0.8
1992.....	*	*	*	*	0.3	0.4	0.5	0.4	0.6	*
1991.....	*	*	*	*	0.3	0.3	0.3	0.5	0.6	*
1990.....	*	*	*	*	*	0.3	0.5	0.7	*	*
1989.....	*	*	*	0.3	0.3	0.3	0.5	0.7	0.7	*
1988.....	*	*	*	0.3	0.3	0.4	0.5	0.4	0.7	*
1987.....	*	*	*	0.2	0.2	0.2	0.3	0.5	*	*
1986.....	*	*	*	*	0.3	0.3	0.3	0.6	*	*
1985.....	*	*	*	*	0.2	0.3	0.4	0.6	*	*
1984.....	*	*	*	0.2	0.2	0.4	*	0.5	*	*
1983.....	*	*	*	*	0.4	0.3	0.3	*	*	*
1982.....	*	*	*	*	0.3	0.4	0.5	*	*	*
1981.....	*	*	0.2	0.3	0.3	0.4	0.5	0.6	*	*
1980.....	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.7	0.4	0.4
1979.....	0.0	0.1	0.2	0.2	0.2	0.3	0.5	0.4	0.4	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	0.5	0.6	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	0.6	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	1.0	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.2	0.3	0.3	0.3	0.4	0.7	0.5	0.8
1979.....	0.0	0.1	0.2	0.2	0.2	0.4	0.5	0.7	0.3	0.2
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	0.5	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	0.5	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	0.9
1992.....	*	*	*	*	*	0.4	0.5	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	0.7	*	*
1989.....	*	*	*	*	*	*	0.5	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	0.5	0.5	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	0.1	0.2	0.3	0.3	0.7	0.4	0.2
1979.....	0.1	0.1	0.1	0.2	0.2	0.2	0.5	0.3	0.5	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.2	0.5	0.4	0.3	0.5	-	-
1979.....	0.1	0.1	0.1	0.2	0.1	0.1	0.5	0.7	-	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.2	0.4	0.2	0.5	0.7	0.6	-	-
1979.....	0.1	0.3	0.2	0.2	0.2	0.3	1.1	0.5	-	-



CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.1	-	0.7	0.4	-	0.4	-	-
1979.....	-	-	-	0.2	-	-	-	0.8	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.2	0.2	0.6	0.5	0.4	0.3	-	-
1979.....	0.1	0.2	0.1	0.2	0.1	0.1	0.6	0.5	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.2	0.4	0.3	0.6	0.9	0.7	-	-
1979.....	0.2	0.4	0.2	0.2	0.3	0.3	1.3	-	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.2	-	0.8	0.4	-	-	-	-
1979.....	-	-	-	0.2	-	-	-	0.8	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.4	0.6	0.9	1.4	2.1	2.6	3.8	5.0	5.5
1997.....	0.2	0.4	0.6	0.9	1.4	2.2	2.9	3.9	5.0	5.5
1996.....	0.2	0.4	0.7	0.9	1.4	2.1	3.0	3.5	5.0	5.8
1995.....	0.2	0.4	0.5	1.1	1.4	2.2	2.9	3.5	4.3	5.3
1994.....	0.2	0.5	0.5	1.1	1.4	1.8	2.5	3.5	4.3	5.2
1993.....	0.3	0.4	0.7	1.2	1.6	1.9	2.6	3.7	4.4	6.7
1992.....	0.3	0.5	0.7	1.1	1.6	2.2	2.6	3.4	4.7	6.1
1991.....	0.2	0.4	0.6	1.1	1.5	1.7	3.0	3.6	4.5	5.0
1990.....	0.3	0.4	0.6	1.1	1.5	2.1	2.5	3.5	4.6	5.1
1989.....	0.3	0.5	0.7	1.1	1.4	2.1	2.3	3.6	4.1	5.3
1988.....	0.3	0.4	0.6	0.9	1.4	1.8	2.8	3.5	4.5	5.7
1987.....	0.2	0.4	0.7	0.9	1.5	2.2	2.7	3.3	4.6	5.3
1986.....	0.3	0.5	0.6	0.9	1.6	1.9	3.0	3.5	4.5	6.0
1985.....	0.3	0.4	0.7	1.0	1.5	1.8	2.8	3.3	3.8	5.3
1984.....	0.4	0.4	0.7	0.9	1.5	2.0	2.6	4.0	4.4	5.0
1983.....	0.3	0.4	0.8	1.0	1.4	1.8	2.5	3.4	4.5	4.7
1982.....	0.2	0.5	0.7	1.1	1.7	1.9	2.9	3.7	4.5	5.5
1981.....	0.4	0.5	0.8	1.0	1.4	2.2	2.7	4.0	5.1	4.9
1980.....	0.3	0.5	0.8	0.9	1.3	2.0	3.0	3.6	4.8	5.1
1979.....	0.3	0.6	0.7	1.1	1.4	2.1	2.7	3.8	5.0	5.7
TOTAL, MALE										
1998.....	0.2	0.4	0.6	0.8	1.6	2.3	2.3	3.6	4.3	4.6
1997.....	0.2	0.4	0.6	1.0	1.6	2.5	3.0	3.7	4.1	5.3
1996.....	0.3	0.4	0.8	1.0	1.3	2.6	2.9	3.4	4.3	4.5
1995.....	0.3	0.4	0.7	1.1	1.6	2.7	3.0	3.7	3.5	3.9
1994.....	*	0.4	0.6	1.3	1.6	2.0	2.2	3.1	4.3	3.4
1993.....	0.3	0.4	0.8	1.3	1.6	1.8	3.0	3.5	3.8	4.6
1992.....	0.2	0.6	0.7	1.0	1.9	2.1	2.7	2.7	3.6	4.0
1991.....	*	0.3	0.6	1.1	1.7	1.6	2.9	3.1	4.3	4.0
1990.....	0.3	0.4	0.6	1.2	1.4	1.9	2.5	3.3	4.4	3.2
1989.....	0.3	0.5	0.8	1.1	1.6	2.3	2.4	3.0	3.3	4.6
1988.....	0.4	0.5	0.6	1.1	1.4	2.1	2.8	3.6	4.3	4.2
1987.....	*	0.5	0.7	0.9	1.7	2.3	2.9	2.8	5.1	3.8
1986.....	0.4	0.4	0.7	0.9	1.6	1.9	2.8	3.2	3.6	5.0
1985.....	*	0.4	0.7	1.1	1.4	1.7	2.7	3.1	3.8	4.1
1984.....	0.4	*	0.8	1.0	1.4	2.0	2.7	3.2	3.3	3.9
1983.....	0.3	0.4	0.8	1.0	1.6	2.2	1.8	2.9	3.4	*
1982.....	*	0.4	0.9	1.1	1.5	1.7	2.8	3.1	2.9	3.8
1981.....	0.5	0.5	0.9	1.1	1.5	2.1	2.6	3.3	3.7	3.3
1980.....	0.4	0.5	0.8	1.0	1.3	2.0	2.7	2.7	3.4	2.9
1979.....	0.3	0.6	0.6	1.1	1.6	2.0	2.5	3.6	4.0	3.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)										
TOTAL, FEMALE										
1998.....	0.3	0.4	0.6	0.9	1.2	2.0	2.9	4.0	5.4	5.8
1997.....	0.2	0.5	0.7	0.8	1.2	2.0	2.8	4.0	5.5	5.5
1996.....	*	0.4	0.7	0.9	1.5	1.7	3.0	3.5	5.5	6.3
1995.....	*	0.4	0.4	1.1	1.3	1.8	2.8	3.4	4.8	5.8
1994.....	0.2	0.6	0.5	0.9	1.2	1.6	2.8	3.8	4.4	5.9
1993.....	0.2	0.5	0.7	1.1	1.6	2.1	2.4	3.8	4.8	7.4
1992.....	0.3	0.4	0.6	1.2	1.4	2.3	2.5	3.9	5.2	6.9
1991.....	0.3	0.4	0.5	1.0	1.3	1.9	3.1	3.9	4.6	5.4
1990.....	0.2	0.3	0.5	1.0	1.6	2.2	2.6	3.7	4.7	5.8
1989.....	*	0.5	0.6	1.0	1.2	1.9	2.3	3.9	4.6	5.6
1988.....	0.2	0.4	0.6	0.7	1.3	1.5	2.8	3.5	4.7	6.3
1987.....	*	*	0.7	0.9	1.4	2.1	2.5	3.6	4.4	6.0
1986.....	*	0.5	0.5	1.0	1.7	1.8	3.0	3.6	5.0	6.4
1985.....	0.3	0.5	0.7	0.9	1.6	1.9	3.0	3.5	3.9	5.8
1984.....	0.3	0.4	0.7	0.8	1.7	2.1	2.5	4.5	5.0	5.5
1983.....	0.4	0.5	0.8	0.9	1.2	1.4	3.0	3.7	5.1	5.9
1982.....	*	0.5	0.5	1.0	1.8	2.0	3.0	4.1	5.3	6.2
1981.....	*	0.6	0.8	1.0	1.3	2.3	2.8	4.4	5.9	5.6
1980.....	0.3	0.5	0.7	0.7	1.3	2.0	3.2	4.2	5.6	6.0
1979.....	0.3	0.6	0.8	1.2	1.2	2.2	2.9	3.9	5.6	6.7
WHITE, BOTH SEXES										
1998.....	0.3	0.4	0.5	0.9	1.4	2.1	2.6	3.8	5.0	5.6
1997.....	0.2	0.4	0.7	1.0	1.4	2.2	3.0	3.9	4.9	5.2
1996.....	0.2	0.5	0.7	0.9	1.5	2.1	2.9	3.4	5.0	5.8
1995.....	0.2	0.4	0.5	1.1	1.5	2.2	2.9	3.7	4.2	5.3
1994.....	0.2	0.5	0.6	1.0	1.3	1.7	2.5	3.5	4.3	5.3
1993.....	0.3	0.5	0.7	1.2	1.6	1.9	2.5	3.6	4.4	6.9
1992.....	0.3	0.5	0.6	1.1	1.6	2.1	2.6	3.3	4.7	6.1
1991.....	0.2	0.4	0.6	1.1	1.5	1.7	2.8	3.5	4.4	4.8
1990.....	0.3	0.4	0.5	1.1	1.5	2.0	2.6	3.6	4.5	5.1
1989.....	0.3	0.5	0.7	1.0	1.4	2.1	2.3	3.5	4.0	5.1
1988.....	0.3	0.5	0.6	0.9	1.3	1.8	2.8	3.5	4.8	5.5
1987.....	0.2	0.4	0.7	0.9	1.5	2.2	2.7	3.2	4.8	5.4
1986.....	0.3	0.5	0.5	0.9	1.6	1.8	3.0	3.5	4.5	6.0
1985.....	0.2	0.4	0.6	1.0	1.5	1.8	2.8	3.2	3.9	5.3
1984.....	0.4	0.4	0.8	0.9	1.4	2.1	2.5	3.9	4.3	5.0
1983.....	0.4	0.4	0.8	1.0	1.4	1.9	2.4	3.5	4.6	4.5
1982.....	0.2	0.4	0.7	1.0	1.6	1.9	3.0	3.9	4.7	5.6
1981.....	0.4	0.5	0.8	1.1	1.3	2.3	2.8	3.8	5.1	5.0
1980.....	0.3	0.5	0.7	0.9	1.3	2.0	3.2	3.5	5.0	5.3
1979.....	0.3	0.6	0.7	1.1	1.3	2.2	2.6	3.9	5.2	6.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)										
WHITE MALE										
1998.....	0.2	0.4	0.6	0.9	1.7	2.4	2.2	3.7	4.4	4.8
1997.....	*	0.4	0.7	1.1	1.7	2.6	3.1	3.8	3.8	4.9
1996.....	0.3	0.4	0.8	0.9	1.4	2.7	3.0	3.5	4.3	4.5
1995.....	*	0.4	0.7	1.1	1.7	2.7	3.2	3.9	3.6	4.2
1994.....	*	0.5	0.6	1.2	1.7	2.1	2.2	3.2	4.1	3.4
1993.....	0.3	0.5	0.8	1.3	1.6	1.8	2.8	3.6	3.7	5.0
1992.....	*	0.6	0.7	1.2	1.9	2.2	2.7	2.6	3.6	4.0
1991.....	*	0.3	0.7	1.1	1.8	1.8	2.7	3.1	4.3	3.8
1990.....	*	0.4	0.6	1.3	1.4	2.0	2.5	3.4	4.6	3.3
1989.....	0.4	0.5	0.8	1.0	1.6	2.5	2.4	3.0	3.2	4.8
1988.....	0.4	0.5	0.6	1.1	1.4	2.2	2.8	3.6	4.5	4.2
1987.....	*	0.5	0.7	0.9	1.7	2.4	3.0	2.7	5.4	4.0
1986.....	0.4	0.4	0.6	0.8	1.6	1.8	2.9	3.4	3.5	5.0
1985.....	*	*	0.7	1.2	1.5	1.7	2.8	3.2	3.8	4.2
1984.....	0.4	*	0.8	1.0	1.3	2.1	2.8	3.4	3.2	3.4
1983.....	*	*	0.8	1.0	1.7	2.4	1.7	3.0	3.4	*
1982.....	*	*	0.9	1.0	1.6	1.9	2.8	3.3	3.1	3.7
1981.....	0.5	0.5	0.9	1.2	1.5	2.2	2.8	3.2	4.0	3.5
1980.....	0.4	0.6	0.8	1.1	1.3	2.0	2.9	2.5	3.6	3.2
1979.....	0.3	0.6	0.6	1.1	1.6	2.1	2.5	3.9	4.2	3.9
WHITE FEMALE										
1998.....	0.3	0.5	0.5	0.9	1.1	1.9	3.0	3.8	5.4	6.0
1997.....	*	0.4	0.7	0.8	1.1	1.9	2.9	3.9	5.5	5.3
1996.....	*	0.5	0.7	0.9	1.5	1.7	2.9	3.4	5.4	6.3
1995.....	*	0.5	0.4	1.1	1.2	1.9	2.7	3.6	4.5	5.7
1994.....	0.3	0.6	0.6	0.8	1.1	1.5	2.8	3.7	4.4	6.0
1993.....	*	0.4	0.6	1.1	1.5	2.0	2.2	3.6	4.7	7.7
1992.....	0.4	0.4	0.6	1.1	1.3	2.1	2.5	3.9	5.2	6.9
1991.....	0.3	0.4	0.5	1.1	1.2	1.7	2.9	3.7	4.4	5.2
1990.....	0.3	0.3	0.4	1.0	1.6	2.0	2.6	3.7	4.5	5.8
1989.....	*	0.5	0.6	1.0	1.1	1.8	2.3	3.9	4.4	5.3
1988.....	*	0.4	0.6	0.7	1.1	1.5	2.7	3.5	4.9	5.9
1987.....	*	*	0.6	0.9	1.3	2.1	2.5	3.5	4.5	6.0
1986.....	*	0.5	0.4	1.1	1.5	1.7	3.1	3.6	5.1	6.4
1985.....	*	0.4	0.6	0.9	1.5	1.9	2.8	3.3	4.0	5.8
1984.....	0.4	0.5	0.7	0.8	1.5	2.1	2.4	4.3	4.9	5.7
1983.....	0.4	0.4	0.7	0.9	1.2	1.4	3.0	3.8	5.2	5.7
1982.....	*	*	0.5	1.0	1.7	1.9	3.1	4.3	5.5	6.4
1981.....	*	0.6	0.7	1.0	1.2	2.3	2.8	4.2	5.8	5.7
1980.....	0.3	0.5	0.7	0.6	1.3	1.9	3.4	4.1	5.7	6.3
1979.....	0.4	0.6	0.8	1.1	1.1	2.2	2.7	3.9	5.7	7.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	2.3	2.8	4.4	*	*
1997.....	*	*	*	*	1.6	2.3	2.4	4.0	5.8	8.2
1996.....	*	*	*	*	*	1.9	3.1	3.7	5.6	5.6
1995.....	*	*	*	*	*	1.8	2.6	*	6.1	*
1994.....	*	*	*	1.5	1.5	2.0	2.6	3.5	*	*
1993.....	*	*	*	*	1.7	2.3	3.8	4.2	*	*
1992.....	*	*	*	*	1.9	2.9	2.6	4.1	*	*
1991.....	*	*	*	*	*	2.1	4.5	4.5	5.9	7.3
1990.....	*	*	*	*	*	2.9	*	*	*	*
1989.....	*	*	*	1.5	*	1.9	*	3.8	6.0	*
1988.....	*	*	*	*	2.2	*	2.6	3.5	*	8.5
1987.....	*	*	*	*	1.7	*	*	4.9	*	*
1986.....	*	*	*	*	1.9	2.5	*	*	*	*
1985.....	*	*	*	*	1.7	*	3.7	3.8	*	*
1984.....	*	*	*	*	2.5	*	3.0	4.3	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	2.1	*	*	*	*	*
1981.....	*	*	*	*	2.1	*	*	5.6	*	*
1980.....	0.3	0.4	1.2	0.8	1.6	2.5	1.6	4.5	3.1	2.2
1979.....	0.2	0.4	0.5	1.4	2.0	1.3	3.9	2.5	3.1	1.1
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.3	1.0	0.5	1.8	2.1	1.1	3.9	1.1	-
1979.....	0.3	0.5	0.3	1.5	1.4	0.8	2.3	1.1	1.2	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	2.8	*	5.7	*	*
1997.....	*	*	*	*	*	*	*	4.7	*	7.9
1996.....	*	*	*	*	*	*	4.0	*	*	*
1995.....	*	*	*	*	*	*	*	*	8.2	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	5.8	*	*
1992.....	*	*	*	*	*	3.7	*	*	*	*
1991.....	*	*	*	*	*	3.4	4.5	5.7	*	*
1990.....	*	*	*	*	*	4.0	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	2.9	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	4.8	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.4	1.3	1.1	1.4	2.8	1.9	4.9	4.2	3.4
1979.....	0.1	0.4	0.7	1.4	2.5	1.8	5.2	3.5	4.4	1.8
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	2.1	3.0	4.0	*	*
1997.....	*	*	*	*	*	2.2	*	4.6	*	6.8
1996.....	*	*	*	*	*	*	*	3.8	*	*
1995.....	*	*	*	*	*	*	3.0	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	3.2	4.1	*	*
1992.....	*	*	*	*	*	*	*	4.0	*	*
1991.....	*	*	*	*	*	*	4.2	*	*	*
1990.....	*	*	*	*	*	3.0	*	*	*	*
1989.....	*	*	*	*	*	*	*	4.2	*	*
1988.....	*	*	*	*	2.2	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	4.5	*	*
1986.....	*	*	*	*	*	2.7	*	*	*	*
1985.....	*	*	*	*	*	*	3.6	*	*	*
1984.....	*	*	*	*	2.9	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	2.2	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	5.5	*	*
1980.....	0.4	0.4	1.3	0.9	1.8	2.4	1.8	4.6	3.0	1.9
1979.....	0.2	0.5	0.6	1.5	2.1	1.3	4.1	2.3	2.5	0.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.4	1.0	0.4	2.1	1.8	1.3	4.6	1.3	-
1979.....	0.4	0.6	0.4	1.5	1.6	0.6	2.2	1.2	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	4.2	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	1.6	1.2	1.6	2.9	2.1	4.7	4.0	2.8
1979.....	0.1	0.5	0.8	1.6	2.6	1.8	5.4	3.0	4.0	1.0



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)										
TOTAL, BOTH SEXES										
1998.....	3.2	6.1	10.9	19.1	31.0	43.5	62.2	80.2	104.6	138.5
1997.....	3.2	5.9	11.6	19.9	33.4	45.7	64.4	81.7	107.3	145.0
1996.....	3.3	6.4	12.9	20.9	34.5	48.2	67.6	86.4	109.4	148.5
1995.....	3.4	6.4	12.9	21.6	33.8	49.9	68.4	86.5	115.6	149.5
1994.....	3.7	6.7	12.9	22.4	36.0	51.2	68.2	88.3	115.1	151.3
1993.....	3.5	7.3	13.6	23.0	36.8	50.7	69.3	87.8	116.0	152.6
1992.....	3.5	7.2	12.9	22.7	36.3	49.0	66.0	85.1	110.2	146.8
1991.....	3.4	6.9	13.7	23.0	35.9	50.2	67.5	83.2	107.8	144.0
1990.....	3.5	7.2	12.9	22.7	34.9	48.5	64.8	84.9	110.5	142.9
1989.....	3.8	7.7	14.2	24.2	37.9	51.7	69.7	89.0	114.8	149.7
1988.....	4.0	7.9	15.2	26.2	40.3	53.3	72.0	89.1	118.1	150.5
1987.....	3.9	7.8	15.6	25.6	40.1	53.5	71.7	91.2	118.3	152.0
1986.....	4.1	8.4	15.3	25.7	40.1	53.7	73.6	91.3	118.9	149.3
1985.....	4.0	8.1	15.8	25.7	40.1	52.7	69.7	88.5	115.8	149.4
1984.....	4.3	8.2	15.7	25.8	38.0	51.2	70.9	86.5	114.5	140.5
1983.....	4.1	8.8	15.4	26.0	37.3	50.8	70.5	88.8	111.2	143.4
1982.....	4.2	8.6	14.8	24.2	36.8	50.5	66.4	88.0	110.3	140.8
1981.....	4.2	8.3	15.6	24.6	35.1	50.4	65.6	83.2	111.0	139.8
1980.....	4.3	8.4	15.5	24.0	35.8	49.8	65.7	84.0	109.3	139.0
1979.....	3.9	8.0	15.0	22.9	34.6	47.2	64.5	81.1	107.3	131.2
TOTAL, MALE										
1998.....	3.3	7.2	13.2	24.0	38.7	55.6	77.7	98.6	128.8	160.5
1997.....	3.4	7.0	13.7	23.8	40.2	57.0	79.3	99.2	127.9	172.9
1996.....	3.6	7.4	15.4	25.1	42.8	61.2	86.1	107.4	138.0	176.7
1995.....	3.7	7.3	15.3	26.9	41.5	62.5	87.3	107.4	143.7	182.0
1994.....	4.2	7.5	15.6	26.5	44.9	65.5	87.0	108.3	142.7	182.0
1993.....	3.7	8.6	16.4	28.3	46.0	64.9	88.0	112.4	147.8	188.9
1992.....	4.0	8.5	15.5	27.9	45.4	61.7	82.0	108.5	140.4	190.5
1991.....	3.8	7.9	16.7	29.3	45.0	64.0	85.1	103.8	138.5	174.3
1990.....	3.9	7.9	15.3	28.0	43.7	61.9	82.5	106.8	134.4	182.5
1989.....	4.2	9.1	17.0	29.4	47.5	67.7	89.6	115.5	150.6	182.1
1988.....	4.4	9.4	17.8	32.4	49.9	68.6	92.9	114.7	151.8	196.7
1987.....	4.5	8.9	18.0	32.0	49.8	67.4	94.4	121.3	150.0	183.2
1986.....	4.0	9.3	17.8	32.9	49.1	67.3	94.9	118.9	154.9	179.3
1985.....	4.4	8.7	18.7	31.5	50.3	67.4	91.3	116.1	149.1	186.9
1984.....	4.7	8.9	18.5	32.0	47.0	65.4	91.0	112.8	144.0	163.1
1983.....	4.1	10.1	18.2	32.4	46.7	64.5	92.1	117.7	141.7	174.3
1982.....	4.1	9.5	17.1	29.5	45.4	63.3	83.5	111.0	135.7	165.0
1981.....	4.5	9.5	18.3	30.2	43.0	64.0	83.6	102.0	138.3	158.1
1980.....	4.1	9.7	17.8	29.3	44.5	64.2	81.8	109.9	135.5	169.3
1979.....	4.5	9.3	17.3	27.5	42.6	59.7	84.5	101.1	130.2	152.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)										
TOTAL, FEMALE										
1998.....	3.2	5.0	8.7	14.7	24.1	33.2	50.1	67.1	90.1	129.4
1997.....	3.0	4.9	9.6	16.2	27.3	36.1	52.9	69.3	95.2	133.8
1996.....	2.9	5.5	10.5	17.0	27.2	37.3	53.4	71.8	93.0	137.3
1995.....	3.2	5.5	10.7	16.7	26.9	39.3	53.8	72.1	99.7	136.9
1994.....	3.2	6.0	10.4	18.5	28.0	39.5	53.9	74.6	99.8	139.4
1993.....	3.2	6.1	10.9	18.0	28.8	39.0	55.0	71.3	98.6	138.7
1992.....	3.0	5.9	10.4	17.9	28.3	38.7	53.9	69.7	93.8	129.9
1991.....	3.0	5.9	10.9	17.2	27.9	39.0	54.2	69.7	91.3	132.3
1990.....	3.2	6.5	10.7	17.8	27.3	37.6	51.6	70.8	97.8	127.6
1989.....	3.5	6.4	11.6	19.5	29.6	38.8	55.0	72.0	95.8	137.2
1988.....	3.5	6.4	12.8	20.5	32.1	40.9	56.6	72.8	100.3	132.4
1987.....	3.3	6.8	13.3	19.9	31.7	42.1	55.3	72.2	101.7	139.7
1986.....	4.2	7.4	13.0	19.3	32.4	42.6	58.2	73.8	100.0	137.3
1985.....	3.6	7.4	13.0	20.4	31.3	40.7	54.1	71.1	98.3	134.4
1984.....	3.9	7.4	13.1	20.2	30.1	39.8	56.4	69.9	99.0	131.3
1983.....	4.0	7.6	12.7	20.4	29.2	39.8	54.9	70.6	95.1	130.7
1982.....	4.3	7.8	12.7	19.5	29.3	40.3	54.0	73.6	96.9	130.8
1981.....	3.9	7.1	13.1	19.5	28.2	39.5	52.5	71.5	96.6	131.9
1980.....	4.5	7.2	13.4	19.4	28.3	38.3	54.0	67.8	95.4	125.7
1979.....	3.3	6.8	12.8	18.8	27.7	37.3	50.1	68.5	95.0	121.8
WHITE, BOTH SEXES										
1998.....	3.0	5.3	10.2	18.1	29.5	42.9	61.3	80.2	104.3	139.6
1997.....	3.0	5.4	10.6	19.0	31.7	45.1	63.8	81.0	106.3	144.5
1996.....	2.8	5.7	12.2	20.0	33.7	47.4	66.6	86.3	108.7	148.7
1995.....	3.0	5.7	12.0	20.5	32.7	49.1	66.5	85.5	113.5	149.3
1994.....	3.2	6.1	11.8	21.3	34.7	50.5	66.8	88.4	113.4	150.9
1993.....	3.0	6.7	12.3	21.3	35.5	49.4	68.0	87.1	115.2	152.3
1992.....	3.1	6.4	11.9	21.0	35.2	47.7	64.7	84.7	109.0	146.6
1991.....	3.0	6.3	12.7	21.6	34.7	48.8	66.9	82.0	106.0	141.9
1990.....	3.2	6.4	11.8	21.3	33.2	46.5	63.2	83.7	109.2	142.7
1989.....	3.4	7.0	13.2	22.8	36.1	49.9	68.3	87.7	113.8	149.0
1988.....	3.5	6.9	14.1	24.8	38.7	52.0	70.3	87.7	116.8	150.1
1987.....	3.5	7.0	14.4	24.3	38.5	51.9	70.1	89.6	115.0	149.1
1986.....	3.8	7.4	14.4	24.1	38.0	52.6	72.7	90.0	117.7	147.1
1985.....	3.4	7.4	14.0	23.9	38.5	50.7	67.8	86.8	112.4	148.4
1984.....	3.7	7.2	14.4	23.8	36.4	49.4	68.6	84.5	112.1	140.4
1983.....	3.8	7.9	14.0	24.2	35.4	49.1	67.4	86.3	109.1	143.0
1982.....	3.8	7.6	13.8	22.8	34.9	48.8	64.7	86.8	107.4	141.7
1981.....	3.6	7.5	14.5	23.3	33.2	48.2	64.0	82.3	107.5	140.5
1980.....	3.6	7.5	14.1	22.6	33.7	48.3	63.7	82.6	106.9	138.7
1979.....	3.4	7.2	13.8	21.5	32.7	45.1	61.4	79.1	105.6	130.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)										
WHITE MALE										
1998.....	3.1	6.5	12.1	22.6	37.0	54.2	76.9	98.4	129.4	163.5
1997.....	3.0	6.2	12.1	22.3	37.5	56.0	78.6	98.4	128.1	174.2
1996.....	3.2	6.4	14.1	23.6	41.1	60.0	84.8	107.6	138.1	177.5
1995.....	3.1	6.4	14.0	25.1	39.9	60.9	85.0	106.3	141.8	181.8
1994.....	3.7	6.4	13.9	25.2	43.0	64.3	85.3	109.2	140.8	182.4
1993.....	3.3	7.6	14.6	26.0	43.8	62.4	85.8	112.0	147.5	189.2
1992.....	3.4	7.4	14.0	25.5	44.0	60.0	79.9	108.4	140.1	192.9
1991.....	3.4	7.0	15.1	27.0	43.5	62.0	83.9	101.3	136.2	170.8
1990.....	3.4	6.9	13.5	26.4	40.7	59.1	80.1	105.2	132.8	183.6
1989.....	3.5	8.2	15.2	27.1	44.6	65.6	87.5	113.0	147.9	178.5
1988.....	3.9	8.0	16.0	30.5	47.5	66.4	90.9	112.4	151.2	199.7
1987.....	4.1	7.6	16.1	30.1	47.6	65.2	91.8	119.1	146.2	177.7
1986.....	3.6	7.9	16.5	30.4	46.6	66.2	93.4	117.6	153.9	177.1
1985.....	3.5	7.9	16.4	28.9	48.0	65.0	87.8	113.3	144.3	183.9
1984.....	3.9	7.7	16.7	29.0	44.5	62.8	87.2	110.2	140.9	162.8
1983.....	3.8	8.9	16.7	29.9	43.9	62.2	87.3	113.9	138.9	173.2
1982.....	3.5	8.1	15.6	27.5	42.8	60.9	81.1	110.0	132.6	165.1
1981.....	3.8	8.2	16.8	28.6	40.3	61.3	81.3	101.2	132.8	157.5
1980.....	3.3	8.5	15.9	27.6	41.7	62.1	79.3	109.3	131.4	170.1
1979.....	3.7	8.4	15.5	25.6	40.2	57.5	80.3	98.9	126.7	151.4
WHITE FEMALE										
1998.....	2.8	4.2	8.3	14.0	22.6	33.1	48.9	67.2	89.3	129.8
1997.....	2.9	4.5	9.1	15.8	26.4	35.7	52.1	68.7	93.6	132.7
1996.....	2.5	5.1	10.2	16.6	26.9	36.8	52.5	71.3	91.7	137.4
1995.....	2.9	5.1	10.1	16.1	26.1	39.2	52.1	71.1	97.4	136.8
1994.....	2.7	5.8	9.7	17.7	27.1	38.9	52.6	74.2	98.3	138.9
1993.....	2.8	5.8	10.1	17.0	28.0	38.6	54.2	70.2	97.6	138.4
1992.....	2.7	5.3	9.8	16.9	27.3	37.7	53.0	69.0	92.3	128.9
1991.....	2.7	5.7	10.4	16.5	26.7	38.0	54.0	69.3	89.9	131.0
1990.....	2.9	5.9	10.1	16.7	26.5	36.2	50.6	69.8	96.7	127.1
1989.....	3.2	5.9	11.2	18.8	28.7	37.0	53.9	71.3	95.8	137.7
1988.....	3.2	5.9	12.3	19.6	30.9	40.1	55.0	72.0	98.9	131.1
1987.....	3.0	6.5	12.7	18.9	30.7	41.0	54.1	70.9	98.8	138.0
1986.....	4.0	7.1	12.3	18.3	30.4	41.4	57.6	72.6	99.0	135.4
1985.....	3.3	6.9	11.8	19.4	30.2	39.1	53.3	70.2	95.9	134.5
1984.....	3.5	6.8	12.2	19.1	29.2	38.5	55.0	68.4	97.1	131.5
1983.....	3.8	7.0	11.4	19.1	28.0	38.6	52.9	69.1	93.5	130.8
1982.....	4.0	7.1	12.1	18.6	28.0	39.1	52.7	72.4	94.2	132.1
1981.....	3.4	6.7	12.3	18.6	27.0	37.6	51.5	70.6	94.3	133.4
1980.....	3.9	6.6	12.4	18.0	26.7	37.2	52.4	66.0	94.0	125.2
1979.....	3.0	6.1	12.1	17.8	26.1	35.1	47.9	66.7	94.4	120.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)										
ALL OTHER, BOTH SEXES										
1998.....	4.6	10.1	15.1	25.3	40.4	47.7	69.3	80.0	107.3	128.4
1997.....	4.7	9.0	17.6	25.3	44.5	49.6	69.7	87.6	116.7	149.9
1996.....	5.4	10.5	17.2	26.3	40.0	53.6	75.7	87.8	116.9	147.2
1995.....	5.5	10.2	18.8	28.3	41.1	55.2	84.6	95.1	137.4	151.5
1994.....	6.0	10.4	19.9	28.9	44.7	56.8	80.2	86.7	132.2	155.2
1993.....	5.7	11.1	21.1	33.2	46.3	60.3	81.0	94.7	123.8	155.5
1992.....	5.7	12.1	18.8	33.2	44.0	59.2	77.4	88.9	122.2	149.5
1991.....	5.4	10.5	19.8	32.3	44.7	61.1	72.4	94.8	126.6	166.4
1990.....	5.7	12.0	20.0	31.5	48.0	65.1	78.9	96.3	124.0	145.1
1989.....	6.6	12.2	21.0	34.0	51.5	67.0	82.8	101.7	125.2	157.8
1988.....	6.5	13.7	22.4	35.7	53.3	64.7	87.1	102.5	131.6	154.0
1987.....	6.5	12.4	23.4	35.5	52.5	66.6	87.1	106.9	153.2	183.8
1986.....	6.2	14.0	21.6	37.7	57.7	63.2	82.1	103.2	131.0	173.2
1985.....	7.3	12.2	27.4	38.7	53.9	69.5	87.5	104.6	151.9	159.8
1984.....	8.1	14.1	24.9	40.8	51.6	66.8	93.1	105.5	141.0	141.5
1983.....	5.9	14.7	25.1	40.6	53.8	65.6	99.7	112.2	134.4	147.4
1982.....	7.1	15.2	21.9	35.0	53.5	65.3	82.5	100.0	143.8	131.7
1981.....	8.0	13.7	24.1	34.9	51.7	69.7	80.4	92.4	151.5	131.1
1980.....	8.7	14.6	26.9	36.7	54.9	63.1	84.6	97.5	137.9	141.6
1979.....	7.3	13.2	24.4	35.1	52.5	66.3	94.8	100.5	127.7	145.4
ALL OTHER MALE										
1998.....	4.4	11.6	20.4	33.4	50.3	65.9	84.3	100.5	123.0	134.0
1997.....	5.6	11.2	24.1	33.6	59.4	64.6	85.6	107.2	125.5	161.7
1996.....	6.2	13.4	23.6	34.9	54.7	70.8	97.0	105.8	136.7	169.4
1995.....	6.7	13.1	24.4	38.9	53.1	75.3	108.7	117.6	163.7	184.4
1994.....	6.8	14.0	27.0	35.9	59.6	75.2	102.9	100.0	162.4	177.8
1993.....	6.1	14.8	28.2	44.0	62.9	85.5	108.4	115.9	151.3	186.7
1992.....	7.1	15.3	25.0	44.6	56.1	76.4	101.4	110.1	143.4	167.3
1991.....	6.6	14.2	27.0	45.1	57.0	80.9	96.7	128.7	162.0	207.0
1990.....	7.2	14.5	27.2	39.7	68.1	86.7	105.5	122.4	150.4	172.0
1989.....	8.5	15.4	29.3	46.2	71.3	86.1	110.1	138.7	177.7	214.8
1988.....	7.7	18.7	29.7	47.3	69.9	88.2	112.3	137.0	158.1	168.4
1987.....	7.9	17.2	31.2	46.5	69.2	87.4	118.9	141.4	187.5	235.1
1986.....	6.6	19.0	27.0	52.5	71.0	77.6	108.6	130.5	165.7	200.0
1985.....	9.8	14.3	35.7	52.5	70.9	89.3	125.0	141.7	196.2	215.1
1984.....	10.2	17.3	32.1	56.9	69.7	88.4	126.6	136.6	176.2	165.3
1983.....	6.3	18.2	29.7	53.5	72.1	85.9	137.9	152.3	170.1	182.9
1982.....	8.2	19.0	29.0	45.7	70.3	85.6	105.2	119.8	168.1	164.2
1981.....	8.9	18.6	30.0	44.7	68.8	88.2	105.3	109.7	195.6	164.1
1980.....	9.5	18.7	34.0	43.8	70.2	83.0	105.7	115.0	178.8	161.3
1979.....	9.8	15.8	32.5	44.8	65.7	79.8	124.2	120.3	167.4	161.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)										
ALL OTHER FEMALE										
1998.....	4.8	8.9	10.7	18.7	32.7	34.0	58.8	66.3	98.4	125.9
1997.....	3.9	7.1	12.2	18.6	32.9	38.5	58.6	74.8	111.7	144.5
1996.....	4.7	8.0	11.8	19.3	28.7	40.8	60.9	76.1	105.8	137.2
1995.....	4.5	7.8	14.2	19.7	31.9	40.3	67.8	80.8	122.9	137.2
1994.....	5.2	7.5	14.0	23.2	33.3	43.3	64.5	78.3	115.6	145.3
1993.....	5.4	7.8	15.2	24.4	33.5	41.6	61.9	81.5	108.5	141.9
1992.....	4.6	9.4	13.5	23.9	34.8	46.5	60.9	75.8	110.3	141.5
1991.....	4.4	7.3	13.7	21.9	35.4	46.4	55.9	73.8	106.1	147.1
1990.....	4.5	9.9	13.9	25.0	32.8	49.0	60.7	80.1	109.1	132.9
1989.....	5.0	9.5	14.0	24.1	36.5	52.8	64.1	78.6	95.3	131.4
1988.....	5.5	9.3	16.2	26.4	40.5	47.3	70.1	80.6	115.7	147.3
1987.....	5.3	8.3	16.8	26.7	39.7	51.1	65.3	84.8	133.7	159.5
1986.....	5.9	9.6	17.1	25.7	47.4	52.5	63.9	85.5	111.7	160.3
1985.....	5.2	10.5	20.6	27.5	40.6	54.6	61.6	80.3	126.1	134.0
1984.....	6.2	11.3	19.0	27.8	37.4	50.5	69.5	84.9	119.7	129.7
1983.....	5.6	11.7	21.4	30.1	39.1	50.5	72.9	85.4	113.3	129.5
1982.....	6.2	11.9	16.1	26.2	40.2	50.1	66.1	86.3	129.3	114.3
1981.....	7.3	9.5	19.2	26.9	38.0	55.7	62.0	80.7	124.7	114.3
1980.....	8.1	11.2	21.1	30.8	42.6	47.8	68.8	85.6	112.7	131.5
1979.....	5.3	10.9	17.7	27.1	41.7	55.9	72.3	86.4	103.6	138.6
BLACK, BOTH SEXES										
1998.....	5.5	12.1	19.0	31.0	48.6	55.2	79.5	88.7	119.6	144.4
1997.....	5.6	11.3	22.2	30.4	53.1	56.8	81.3	98.2	133.9	167.2
1996.....	6.2	12.5	21.0	32.6	47.6	61.5	86.2	95.1	127.8	162.1
1995.....	6.7	12.8	23.1	34.5	48.5	64.0	99.0	108.2	146.1	157.3
1994.....	7.4	12.4	24.1	36.0	53.7	66.1	94.1	93.2	142.9	160.6
1993.....	6.6	13.1	25.6	38.8	55.0	68.8	92.1	101.4	135.1	159.7
1992.....	7.2	15.6	22.3	40.3	51.9	68.2	88.7	97.8	128.7	154.8
1991.....	6.9	12.2	23.9	37.4	53.3	71.7	81.0	104.1	137.0	170.3
1990.....	7.0	14.3	24.0	37.5	56.7	74.9	87.8	104.2	129.4	150.9
1989.....	8.2	14.7	25.1	40.8	59.8	74.8	91.5	110.9	131.6	164.1
1988.....	7.9	16.0	26.8	40.6	61.2	74.0	97.8	110.8	135.7	161.7
1987.....	7.6	15.2	28.1	41.3	62.0	75.9	96.3	116.4	163.1	189.9
1986.....	6.6	16.6	26.0	44.0	67.1	70.2	90.7	110.6	142.0	182.6
1985.....	8.8	15.2	31.6	43.9	61.5	78.9	95.1	109.5	155.9	172.3
1984.....	9.1	16.9	28.6	46.7	58.2	72.9	102.9	115.7	150.0	146.3
1983.....	6.8	17.2	28.6	45.5	59.9	70.6	109.9	120.8	141.9	148.4
1982.....	8.2	17.9	24.7	39.4	60.5	70.6	87.4	107.0	153.2	136.4
1981.....	9.2	16.0	27.3	39.8	57.7	75.2	86.6	97.3	160.8	135.1
1980.....	10.0	16.4	31.0	40.8	58.3	68.2	91.4	102.6	146.4	150.3
1979.....	8.4	15.0	27.5	37.8	56.5	72.3	100.9	104.0	132.8	153.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)										
BLACK MALE										
1998.....	5.4	13.8	26.7	42.8	63.9	75.5	99.6	113.3	137.8	151.4
1997.....	6.9	14.3	31.5	42.1	74.2	75.3	100.9	124.9	148.9	183.4
1996.....	7.7	16.2	30.5	44.9	67.0	81.2	113.7	116.3	154.3	187.2
1995.....	8.2	16.8	30.8	47.4	64.9	86.2	127.6	134.7	178.9	190.6
1994.....	8.6	16.5	33.9	46.0	74.1	86.5	125.3	111.8	178.9	188.5
1993.....	7.4	18.6	34.2	52.9	75.6	98.4	126.3	126.5	173.3	197.6
1992.....	9.1	20.3	31.1	56.7	66.6	87.6	119.4	125.2	157.9	170.8
1991.....	8.7	16.9	34.0	54.1	69.4	95.9	110.6	147.0	178.2	224.6
1990.....	8.8	18.3	33.4	48.7	80.1	102.0	122.2	135.4	162.7	187.1
1989.....	10.7	18.9	36.5	56.5	83.1	97.2	122.6	153.4	195.9	236.4
1988.....	9.6	22.7	36.6	54.7	81.1	102.6	129.6	152.5	170.2	176.9
1987.....	9.8	21.5	38.4	55.5	82.7	101.4	135.3	160.0	206.5	246.9
1986.....	7.4	23.4	32.7	60.7	84.1	87.5	121.4	140.7	174.4	215.9
1985.....	12.4	18.1	42.9	59.6	82.8	102.1	137.4	150.0	209.2	233.9
1984.....	11.8	21.3	36.4	65.5	81.1	97.9	143.3	152.7	190.5	180.3
1983.....	7.7	21.8	33.9	61.1	80.9	93.7	154.9	166.1	184.1	188.3
1982.....	9.5	22.5	32.2	51.6	79.8	94.9	114.0	132.9	185.0	177.6
1981.....	10.5	21.8	35.3	51.5	77.0	97.6	115.1	118.4	210.4	173.2
1980.....	11.1	21.2	39.5	48.3	75.9	91.8	118.0	124.9	187.9	173.6
1979.....	11.2	18.3	36.2	49.3	71.5	88.8	137.2	128.0	174.0	173.1
BLACK FEMALE										
1998.....	5.5	10.7	12.8	21.8	37.2	40.1	65.5	72.9	110.0	141.5
1997.....	4.5	8.8	14.6	21.2	37.3	43.0	67.9	81.4	126.2	160.5
1996.....	5.0	9.4	13.3	23.0	33.1	46.8	67.5	81.8	114.1	151.8
1995.....	5.5	9.4	16.8	24.4	36.0	47.4	79.7	91.9	129.5	143.7
1994.....	6.4	8.9	16.1	28.2	38.2	51.0	73.2	81.9	124.6	149.3
1993.....	5.9	8.6	18.5	27.7	39.4	47.1	69.0	86.5	115.5	144.3
1992.....	5.6	11.6	15.0	27.3	40.7	54.0	68.3	81.7	113.6	148.1
1991.....	5.2	8.2	15.8	24.2	41.1	54.2	61.4	78.9	115.8	147.2
1990.....	5.4	10.9	16.4	28.6	39.0	55.3	65.2	85.9	112.1	135.6
1989.....	6.0	11.1	15.8	28.3	42.2	58.6	71.2	85.7	97.8	134.0
1988.....	6.5	10.4	18.7	29.3	46.0	53.2	76.6	85.8	117.4	155.0
1987.....	5.7	9.9	19.6	30.0	46.2	57.4	70.4	90.0	139.8	164.6
1986.....	5.9	10.9	20.5	30.5	54.2	57.5	70.2	92.2	124.2	167.4
1985.....	5.9	12.8	22.3	31.2	45.0	61.9	67.2	84.2	126.6	143.6
1984.....	6.8	13.3	22.1	31.2	40.4	54.5	76.0	92.5	127.6	130.2
1983.....	5.9	13.3	24.4	32.8	43.7	53.6	79.7	91.5	117.9	129.0
1982.....	7.2	14.1	18.6	29.5	45.4	52.8	69.0	90.8	134.8	116.1
1981.....	8.0	11.2	20.8	30.3	42.5	58.8	66.7	83.6	131.8	115.0
1980.....	9.2	12.4	24.1	34.6	44.3	50.6	72.5	88.1	121.5	138.6
1979.....	6.0	12.3	20.5	28.5	44.7	60.0	74.8	87.3	107.3	143.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)										
TOTAL, BOTH SEXES										
1998.....	5.9	9.2	14.8	24.6	40.7	62.0	96.0	131.5	169.9	190.8
1997.....	6.3	9.6	16.0	26.8	42.7	64.3	97.1	129.0	169.8	196.5
1996.....	6.4	9.6	16.2	26.4	42.8	63.1	96.8	130.2	169.8	194.4
1995.....	6.8	9.9	16.3	26.7	42.8	63.8	95.6	131.2	166.2	197.1
1994.....	6.5	10.4	17.0	26.3	43.8	62.7	94.1	126.2	165.5	193.8
1993.....	6.7	9.9	16.1	25.6	42.0	63.9	91.5	126.4	161.5	190.8
1992.....	6.3	10.3	16.5	26.4	40.5	62.9	89.9	123.7	159.4	186.8
1991.....	6.8	11.1	16.1	26.7	41.0	61.4	91.8	123.8	158.4	187.8
1990.....	6.5	10.3	16.9	26.1	40.3	60.7	89.5	120.0	158.0	183.3
1989.....	6.9	10.6	15.7	26.3	41.3	59.9	89.6	118.3	154.7	173.6
1988.....	6.9	10.4	16.2	25.5	39.1	58.5	84.3	115.0	151.2	171.6
1987.....	6.4	10.5	16.1	25.3	39.0	57.9	85.3	112.4	146.5	168.3
1986.....	7.1	10.4	16.3	24.9	38.8	60.8	85.8	114.4	146.3	163.6
1985.....	7.4	10.4	16.1	25.5	40.7	58.9	83.2	112.4	143.4	163.9
1984.....	7.3	10.5	16.8	26.2	39.8	57.6	81.6	107.3	143.7	156.5
1983.....	6.7	10.6	16.5	25.2	39.2	57.4	81.6	109.5	136.9	158.3
1982.....	6.9	10.5	17.0	24.5	38.1	56.6	79.2	110.2	138.9	156.1
1981.....	6.7	10.3	15.7	24.6	38.8	54.8	77.2	107.4	136.3	144.2
1980.....	7.0	10.7	16.5	26.1	39.2	54.3	81.6	104.2	137.3	150.4
1979.....	6.5	10.9	17.1	24.5	38.3	54.2	78.9	101.8	132.3	142.1
TOTAL, MALE										
1998.....	7.5	11.5	18.8	29.8	50.9	78.7	121.3	164.5	218.4	255.3
1997.....	7.8	12.3	20.0	32.5	52.0	81.9	123.1	163.1	224.2	264.5
1996.....	8.1	12.2	19.6	32.5	52.7	78.2	123.0	163.7	220.5	274.4
1995.....	8.7	12.2	20.4	32.1	53.5	80.5	119.7	164.7	217.9	277.2
1994.....	8.1	12.7	21.1	31.8	55.5	78.5	119.5	160.6	214.6	273.6
1993.....	8.7	12.2	19.8	31.8	50.5	81.0	113.5	160.8	210.9	261.2
1992.....	8.2	12.6	20.4	32.6	50.5	79.4	113.5	160.3	211.2	255.7
1991.....	8.7	14.0	19.6	32.8	49.9	76.8	115.9	155.9	205.5	252.4
1990.....	8.1	12.5	21.5	32.6	51.3	76.1	114.9	156.9	211.0	256.5
1989.....	8.7	13.3	19.0	32.4	50.9	75.2	113.2	156.7	203.6	234.1
1988.....	8.4	12.9	19.9	31.8	48.8	72.2	107.4	151.1	200.6	241.2
1987.....	8.0	12.6	19.6	30.9	48.1	73.5	108.2	146.5	190.2	219.5
1986.....	9.0	12.8	19.1	30.3	47.2	76.2	111.9	148.8	196.3	222.1
1985.....	9.3	12.4	19.3	30.4	50.1	73.8	106.4	146.4	192.9	229.7
1984.....	8.9	12.7	19.7	31.8	48.5	70.6	104.5	136.9	188.6	213.9
1983.....	8.3	12.6	19.8	31.4	48.7	71.2	105.1	144.8	178.1	227.2
1982.....	9.0	12.6	20.5	29.3	47.8	71.6	100.9	143.4	185.0	213.8
1981.....	8.1	12.4	18.9	30.1	47.6	67.9	99.5	136.8	182.7	196.3
1980.....	8.6	12.4	20.4	31.8	47.9	67.9	104.4	135.4	180.7	210.3
1979.....	7.9	13.5	20.2	30.0	47.5	69.8	101.8	133.8	175.7	207.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)										
TOTAL, FEMALE										
1998.....	4.3	7.1	11.1	19.7	31.6	47.9	76.2	108.1	141.2	164.1
1997.....	4.8	7.0	12.1	21.6	34.4	49.4	77.0	105.0	138.0	169.1
1996.....	4.7	7.1	13.0	20.8	34.0	50.4	76.7	106.9	140.6	162.6
1995.....	4.8	7.6	12.4	21.7	33.4	49.9	77.1	108.1	137.1	165.9
1994.....	5.0	8.1	13.1	21.2	33.4	49.8	74.7	102.8	138.3	163.0
1993.....	4.8	7.7	12.6	19.9	34.6	50.0	74.7	103.3	134.6	163.8
1992.....	4.4	8.0	12.9	20.7	31.8	49.4	72.1	99.5	131.3	160.1
1991.....	4.9	8.3	12.9	21.1	33.2	49.0	73.8	102.8	133.3	162.8
1990.....	4.8	8.1	12.5	20.1	30.7	48.2	70.7	96.3	129.9	155.0
1989.....	5.2	8.1	12.5	20.6	32.9	47.4	72.1	93.7	128.9	150.1
1988.....	5.4	8.0	12.8	19.7	30.6	47.4	67.4	92.0	125.2	144.4
1987.....	4.8	8.5	12.8	20.1	31.1	45.2	68.6	90.8	123.5	148.0
1986.....	5.2	8.1	13.6	20.0	31.4	48.3	66.9	92.7	120.0	140.3
1985.....	5.6	8.6	13.1	21.1	32.6	46.9	66.4	91.0	117.5	137.6
1984.....	5.7	8.5	14.0	21.2	32.2	47.1	65.0	88.8	120.1	133.3
1983.....	5.1	8.8	13.5	19.7	31.0	46.4	64.6	87.3	115.2	130.0
1982.....	4.9	8.5	13.7	20.2	29.7	44.6	63.5	89.3	114.5	132.0
1981.....	5.3	8.4	12.8	19.8	31.2	44.3	61.2	89.0	111.7	122.0
1980.....	5.5	9.2	12.8	21.1	31.6	43.4	65.1	84.6	114.2	124.2
1979.....	5.2	8.4	14.3	19.7	30.4	41.7	62.4	81.8	109.1	113.0
WHITE, BOTH SEXES										
1998.....	5.7	8.9	14.4	23.8	40.7	63.2	97.7	134.5	172.8	195.0
1997.....	5.9	9.4	15.7	26.8	42.7	65.6	98.5	131.6	173.3	201.8
1996.....	6.2	9.5	16.1	26.3	42.7	63.8	97.6	132.6	172.4	198.8
1995.....	6.8	9.8	15.8	26.7	42.5	65.0	97.2	133.1	169.3	201.2
1994.....	6.5	10.1	16.9	26.1	43.7	63.9	95.8	129.0	167.9	197.3
1993.....	6.6	9.7	15.7	25.4	42.1	64.5	92.5	128.1	164.2	193.5
1992.....	6.1	10.3	16.2	25.9	40.6	63.8	91.2	125.8	162.1	190.5
1991.....	6.6	11.1	15.8	26.2	41.2	61.5	92.6	125.1	160.4	191.9
1990.....	6.2	10.1	16.7	25.7	40.2	60.9	90.4	122.1	160.9	187.4
1989.....	6.8	10.5	15.3	26.3	41.3	60.0	90.6	120.4	156.8	176.7
1988.....	6.7	10.2	16.0	25.1	39.6	58.5	85.3	116.8	153.2	175.0
1987.....	6.4	10.4	15.9	25.4	39.1	58.1	85.8	113.8	148.9	170.8
1986.....	7.0	10.5	16.0	24.6	38.5	61.2	86.3	116.3	147.6	166.7
1985.....	7.4	10.3	16.3	25.3	40.6	59.3	83.5	114.8	143.6	167.8
1984.....	7.1	10.3	16.6	26.0	39.7	58.4	82.3	109.0	146.1	161.4
1983.....	6.6	10.6	16.3	25.3	38.8	57.7	82.4	110.8	138.4	161.9
1982.....	6.9	10.5	16.7	24.4	37.9	57.1	79.8	111.9	139.9	160.6
1981.....	6.4	10.3	15.7	24.5	39.0	54.7	77.7	109.0	138.6	147.0
1980.....	7.1	10.6	16.3	25.7	39.2	54.6	83.0	105.9	139.6	154.4
1979.....	6.5	10.9	16.9	24.3	38.2	54.3	80.2	104.5	135.4	144.8



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)										
WHITE MALE										
1998.....	7.3	11.0	18.2	29.2	50.9	80.2	124.2	168.6	222.4	262.1
1997.....	7.4	12.0	19.6	32.4	51.6	83.7	124.9	165.9	228.9	273.8
1996.....	7.8	11.9	19.3	32.2	52.4	79.0	123.7	166.9	223.6	283.1
1995.....	8.8	12.2	19.6	32.3	53.1	82.0	121.4	167.1	222.5	283.9
1994.....	7.9	12.6	20.9	31.3	55.1	79.7	121.4	164.7	218.5	280.0
1993.....	8.5	12.0	19.5	31.5	50.8	81.3	114.4	162.1	216.5	265.7
1992.....	8.1	12.7	19.9	32.0	50.3	80.7	114.9	162.8	215.7	263.1
1991.....	8.4	13.9	19.2	32.2	50.2	77.0	116.9	156.6	209.2	259.7
1990.....	7.8	12.2	21.4	32.4	51.1	75.8	115.6	159.7	215.1	262.7
1989.....	8.5	13.0	18.5	32.2	51.0	75.4	114.2	159.3	205.8	237.9
1988.....	8.2	12.5	19.6	31.5	49.5	72.4	108.4	153.3	205.0	247.7
1987.....	7.9	12.5	19.5	30.9	48.3	73.4	108.9	147.6	192.9	223.0
1986.....	8.8	13.0	19.0	29.8	46.9	76.2	112.2	151.5	196.7	228.8
1985.....	9.3	12.2	19.4	30.2	49.8	74.3	106.9	150.3	193.2	237.2
1984.....	8.8	12.3	19.5	31.5	48.2	71.6	105.5	138.6	192.3	223.1
1983.....	8.1	12.2	19.5	31.4	47.6	71.5	106.5	146.9	180.1	233.2
1982.....	9.1	12.7	20.0	29.1	47.8	72.2	101.7	146.0	185.5	220.5
1981.....	7.8	12.2	18.9	30.0	47.8	68.1	100.6	139.2	185.4	201.7
1980.....	8.8	12.5	20.3	31.0	48.0	67.3	106.1	138.4	183.8	217.3
1979.....	7.9	13.4	20.1	29.7	47.0	70.4	104.0	137.9	180.1	213.3
WHITE FEMALE										
1998.....	4.1	6.8	10.7	18.8	31.3	48.6	76.8	110.0	143.1	167.5
1997.....	4.5	6.8	11.8	21.4	34.5	50.2	77.8	107.2	140.6	173.1
1996.....	4.5	7.1	12.9	20.7	33.9	50.9	77.3	108.5	142.8	165.8
1995.....	4.8	7.5	12.0	21.3	32.9	50.6	78.4	109.6	139.2	169.3
1994.....	5.0	7.7	13.1	21.2	33.3	50.7	76.0	104.6	139.8	165.7
1993.....	4.8	7.4	12.2	19.6	34.2	50.6	75.7	105.1	135.7	166.1
1992.....	4.2	7.9	12.7	20.1	31.9	49.9	73.2	101.3	133.2	162.8
1991.....	4.7	8.4	12.6	20.7	33.2	48.8	74.2	104.5	134.4	166.2
1990.....	4.6	8.0	12.1	19.4	30.6	48.6	71.5	97.8	132.2	158.8
1989.....	5.1	8.0	12.3	20.8	32.7	47.5	73.0	95.5	131.1	153.4
1988.....	5.3	7.9	12.6	19.2	31.0	47.1	68.2	93.6	126.1	147.1
1987.....	4.9	8.4	12.4	20.2	31.0	45.6	68.8	92.4	126.0	150.6
1986.....	5.1	8.1	13.2	19.8	31.2	48.9	67.4	94.1	122.1	142.4
1985.....	5.6	8.5	13.3	20.8	32.5	47.1	66.5	92.6	117.8	140.7
1984.....	5.5	8.5	13.8	21.0	32.3	47.7	65.4	90.6	122.1	136.9
1983.....	5.2	9.0	13.3	19.8	31.1	46.5	64.9	88.3	116.6	133.3
1982.....	4.9	8.5	13.6	20.1	29.3	44.8	64.0	90.7	116.0	136.0
1981.....	5.0	8.4	12.7	19.5	31.2	43.9	61.2	90.1	114.0	124.1
1980.....	5.5	8.8	12.6	20.9	31.5	44.4	66.3	85.6	116.3	127.3
1979.....	5.1	8.4	14.0	19.4	30.5	41.5	63.2	83.7	111.7	114.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)										
ALL OTHER, BOTH SEXES										
1998.....	6.9	11.1	17.4	29.0	41.3	54.2	82.4	105.4	141.4	151.6
1997.....	7.8	10.7	17.7	27.3	42.8	55.0	85.5	105.5	134.2	146.3
1996.....	7.3	10.5	17.0	27.2	43.4	57.9	90.3	108.4	143.7	152.0
1995.....	6.6	10.3	19.4	26.8	45.2	54.9	81.7	112.5	134.6	155.5
1994.....	6.8	12.0	17.5	27.7	44.4	54.0	79.4	99.8	141.0	158.4
1993.....	7.3	11.5	18.0	26.9	41.6	59.6	82.4	110.2	133.9	163.1
1992.....	7.2	10.3	18.5	29.5	39.7	55.4	78.0	103.7	131.3	148.1
1991.....	8.0	11.0	18.0	29.7	39.4	61.2	85.3	110.7	138.9	144.2
1990.....	7.9	11.4	18.2	29.0	40.9	59.2	81.5	100.8	128.7	140.1
1989.....	7.4	11.6	17.7	26.1	41.4	58.5	80.3	98.4	132.4	140.6
1988.....	7.8	11.7	17.5	28.0	34.6	58.7	75.2	97.9	130.6	135.5
1987.....	6.3	11.1	17.6	24.4	38.3	56.0	80.8	99.3	120.5	140.4
1986.....	7.6	9.9	18.1	26.9	41.0	57.2	81.5	96.4	131.3	129.9
1985.....	7.5	11.3	14.9	27.1	42.0	55.4	80.1	89.0	141.1	119.6
1984.....	8.2	11.6	17.9	28.2	40.3	50.1	75.2	91.1	116.8	103.2
1983.....	6.8	10.9	18.1	24.9	42.4	55.1	73.7	96.5	120.6	116.7
1982.....	6.8	10.0	19.2	25.5	39.7	52.6	73.2	93.1	127.9	106.0
1981.....	8.6	10.6	15.9	25.9	37.7	55.6	73.2	92.4	110.4	112.1
1980.....	6.6	11.6	17.4	30.0	39.1	52.2	68.4	87.3	110.4	103.7
1979.....	6.8	10.8	18.9	26.6	39.9	52.9	66.3	75.9	96.4	109.8
ALL OTHER MALE										
1998.....	8.6	14.1	22.3	33.8	51.3	68.4	97.3	126.6	176.1	195.6
1997.....	9.7	14.1	22.4	33.0	54.7	68.9	107.6	136.2	174.9	183.6
1996.....	9.3	14.0	21.5	33.9	54.8	72.4	116.3	132.7	188.6	198.4
1995.....	8.4	12.6	25.2	30.8	56.4	68.8	104.4	140.3	169.4	214.9
1994.....	9.0	13.4	22.6	35.3	58.7	69.0	101.8	120.3	174.0	213.8
1993.....	9.9	13.7	21.9	33.9	48.1	78.4	105.1	147.9	153.5	219.4
1992.....	9.1	12.2	23.8	36.6	51.6	68.7	100.0	136.4	166.2	186.6
1991.....	10.5	14.7	22.1	37.0	47.7	75.6	106.2	148.7	169.0	184.9
1990.....	10.0	14.6	22.2	34.4	53.6	78.0	108.0	130.0	169.8	199.0
1989.....	9.4	14.8	22.6	34.2	50.8	74.0	103.5	132.0	181.0	198.8
1988.....	9.8	15.5	21.6	34.4	43.3	70.5	98.1	130.1	157.3	181.0
1987.....	8.6	13.6	20.6	30.5	46.3	74.7	101.0	136.3	163.4	187.0
1986.....	10.1	12.1	19.9	34.1	50.5	76.0	109.2	123.3	192.6	158.7
1985.....	9.6	13.9	19.2	32.1	53.4	68.6	102.0	109.7	188.6	158.9
1984.....	10.0	15.4	20.8	34.3	51.3	61.1	94.6	121.3	150.5	127.8
1983.....	9.2	14.7	21.5	31.6	58.2	68.6	91.5	125.4	157.7	167.1
1982.....	8.4	11.8	24.6	31.0	48.2	65.8	92.7	118.8	179.8	149.3
1981.....	10.2	13.2	18.6	30.7	46.1	66.0	89.4	114.0	154.9	142.2
1980.....	7.8	11.6	21.7	38.5	46.8	73.9	88.3	107.2	147.9	138.2
1979.....	8.0	13.9	21.1	32.1	52.7	64.6	81.1	95.6	129.1	145.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)										
ALL OTHER FEMALE										
1998.....	5.3	8.4	13.3	25.1	33.5	43.6	71.8	91.4	121.6	131.5
1997.....	6.1	7.8	13.8	22.6	33.6	44.7	70.0	85.4	111.3	129.5
1996.....	5.4	7.6	13.2	21.8	34.5	47.2	72.2	92.7	118.5	131.0
1995.....	5.1	8.3	14.5	23.6	36.6	44.5	65.9	94.8	115.4	129.7
1994.....	4.9	10.8	13.2	21.6	33.6	43.0	63.9	86.9	122.8	134.3
1993.....	5.1	9.6	14.8	21.3	36.5	45.7	66.5	86.8	123.0	138.5
1992.....	5.5	8.8	14.0	23.8	30.7	45.6	62.9	83.4	111.6	130.7
1991.....	5.9	7.8	14.5	23.7	33.1	50.5	71.1	87.0	121.4	124.9
1990.....	6.1	8.5	14.7	24.6	31.3	45.3	63.5	82.6	105.4	113.4
1989.....	5.6	8.9	13.5	19.6	34.3	47.0	64.5	77.5	104.7	113.7
1988.....	6.1	8.4	14.0	22.7	27.9	50.0	59.8	77.5	114.7	114.2
1987.....	4.3	9.0	15.1	19.5	32.2	42.1	67.1	75.6	95.9	118.4
1986.....	5.5	7.9	16.5	21.2	33.7	43.2	62.5	79.1	96.8	116.0
1985.....	5.7	9.1	11.3	23.0	33.1	45.5	65.1	75.5	113.3	101.3
1984.....	6.6	8.4	15.5	23.3	31.7	41.7	61.5	71.1	96.5	91.0
1983.....	4.7	7.6	15.4	19.5	29.9	45.0	61.4	77.2	98.8	91.4
1982.....	5.4	8.5	14.8	21.1	33.0	42.7	59.1	75.4	96.8	83.5
1981.....	7.2	8.4	13.7	22.0	30.9	47.8	61.2	77.8	83.3	96.8
1980.....	5.6	11.6	14.0	23.0	32.9	35.5	53.6	73.8	87.3	86.0
1979.....	5.8	8.3	17.0	21.9	29.6	43.9	55.0	62.0	76.6	92.1
BLACK, BOTH SEXES										
1998.....	8.1	13.7	20.9	35.3	49.5	60.8	92.4	113.2	160.3	161.7
1997.....	9.1	13.0	20.7	30.9	50.3	61.6	97.5	112.9	149.9	159.7
1996.....	8.7	12.4	20.7	32.9	52.1	65.8	98.1	119.8	160.9	163.1
1995.....	7.7	12.8	22.9	31.4	53.0	62.3	92.0	121.6	140.5	157.6
1994.....	7.8	14.6	20.5	33.0	50.2	62.4	89.5	108.8	147.3	163.3
1993.....	8.3	13.7	21.9	31.2	48.6	67.7	91.1	119.4	142.6	163.2
1992.....	8.9	12.2	21.9	34.4	45.7	63.1	84.9	111.2	142.3	158.2
1991.....	9.4	12.7	20.6	34.6	44.3	68.7	95.5	118.4	149.8	155.2
1990.....	9.0	13.4	21.7	33.7	46.7	65.5	90.3	107.5	137.0	146.9
1989.....	8.8	13.9	20.2	29.5	45.3	65.5	85.8	104.6	141.1	149.5
1988.....	9.0	13.2	19.6	32.1	38.6	64.9	82.5	104.2	136.0	143.5
1987.....	7.2	13.4	20.4	27.1	43.9	61.8	88.5	106.3	125.5	146.6
1986.....	8.6	11.1	20.6	30.0	46.6	63.4	88.8	101.3	138.4	137.3
1985.....	8.8	12.3	16.1	30.0	45.9	61.0	87.2	94.6	148.2	124.1
1984.....	9.9	13.0	19.0	31.4	44.4	54.3	79.9	96.5	126.3	105.3
1983.....	7.4	12.3	20.1	27.4	47.1	59.9	79.8	101.4	129.1	118.5
1982.....	7.5	11.1	21.0	28.0	44.0	56.4	79.5	97.8	134.4	108.0
1981.....	9.2	11.7	16.9	28.4	41.2	59.1	79.5	97.5	120.1	116.1
1980.....	7.1	12.6	18.9	32.2	42.3	53.8	72.6	90.7	121.4	109.4
1979.....	7.4	11.6	21.1	29.1	43.1	55.8	69.4	78.3	100.5	110.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)										
BLACK MALE										
1998.....	10.0	17.6	28.0	41.5	62.5	77.2	108.2	135.1	208.0	209.2
1997.....	12.3	17.2	26.8	36.8	64.6	77.1	124.3	144.6	195.8	206.8
1996.....	11.4	17.0	26.4	40.8	67.0	83.3	122.2	148.4	216.7	223.2
1995.....	10.0	16.2	31.1	37.2	67.2	78.3	117.7	152.2	185.4	212.1
1994.....	10.3	16.5	26.7	43.3	65.9	82.9	114.9	132.6	176.1	218.7
1993.....	11.0	16.3	27.7	39.7	58.7	89.2	117.3	164.2	161.9	208.4
1992.....	11.4	14.2	27.8	43.0	59.3	79.0	109.1	148.1	182.3	198.1
1991.....	12.8	16.9	25.9	44.4	53.6	85.6	117.4	161.3	186.1	205.8
1990.....	11.2	17.7	27.5	41.5	61.7	87.1	121.0	140.5	190.1	214.3
1989.....	11.2	18.9	26.4	38.5	54.4	83.2	112.3	138.8	203.1	216.7
1988.....	11.4	18.1	24.7	39.7	47.8	77.8	108.0	142.9	166.0	206.2
1987.....	9.9	16.8	24.2	34.5	53.5	84.4	114.9	149.1	169.6	198.4
1986.....	10.9	14.0	22.3	38.5	57.3	85.1	119.4	130.8	196.7	168.3
1985.....	11.5	15.8	21.0	34.9	57.4	77.6	113.0	117.6	195.4	167.7
1984.....	12.3	17.7	22.3	37.8	57.4	66.8	99.6	132.3	173.8	131.1
1983.....	10.3	16.8	23.6	34.5	65.0	74.9	98.8	133.9	172.0	175.0
1982.....	9.6	13.8	26.7	34.3	52.4	70.4	103.3	124.8	185.0	156.9
1981.....	11.2	14.5	20.1	33.1	50.8	69.1	97.9	120.3	171.4	148.2
1980.....	9.0	12.4	23.5	41.7	51.0	77.6	94.2	108.5	163.9	143.4
1979.....	8.7	14.9	23.0	35.1	57.8	68.6	86.7	96.9	136.4	150.0
BLACK FEMALE										
1998.....	6.4	10.4	15.2	30.5	39.8	48.5	81.3	99.2	135.2	141.9
1997.....	6.3	9.6	15.8	26.2	39.5	50.1	79.0	92.9	126.2	140.2
1996.....	6.3	8.5	16.2	26.8	40.8	52.8	81.8	101.9	132.1	138.4
1995.....	5.8	10.0	16.2	26.8	42.3	50.3	74.7	102.7	117.6	135.5
1994.....	5.7	13.0	15.3	24.9	38.4	47.2	72.5	94.5	132.7	140.8
1993.....	5.9	11.6	17.1	24.6	41.0	51.9	73.4	93.0	132.7	144.8
1992.....	6.7	10.5	17.1	27.5	35.4	51.5	68.8	89.7	121.7	141.5
1991.....	6.5	9.2	16.4	26.8	37.3	56.5	81.0	93.2	131.1	133.7
1990.....	7.2	9.9	17.0	27.5	35.4	49.9	70.1	88.2	109.5	118.3
1989.....	6.7	9.7	15.2	22.2	38.4	52.7	68.6	84.4	108.6	121.6
1988.....	6.9	9.1	15.5	26.0	31.6	55.5	65.5	81.1	120.2	116.1
1987.....	4.9	10.6	17.4	21.2	36.6	45.4	70.9	80.3	101.8	123.6
1986.....	6.6	8.7	19.2	23.2	38.4	47.4	68.4	83.3	106.7	123.2
1985.....	6.6	9.3	12.1	25.9	37.0	48.9	70.2	80.2	122.2	103.8
1984.....	7.9	9.1	16.3	26.1	34.3	45.1	66.8	74.1	100.0	93.0
1983.....	5.0	8.6	17.3	21.7	33.3	48.8	67.2	80.3	104.8	91.1
1982.....	5.7	8.9	16.3	22.8	37.5	46.1	63.1	80.9	105.1	83.9
1981.....	7.5	9.4	14.2	24.7	33.6	51.9	66.7	82.8	90.2	99.1
1980.....	5.5	12.8	15.2	24.5	35.3	36.1	57.3	79.2	95.9	92.4
1979.....	6.3	8.8	19.5	24.1	31.4	46.2	57.0	65.3	78.2	90.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.1	0.2	0.4	0.5	0.8	1.1	1.2	2.0	2.2
1997.....	0.1	0.1	0.3	0.3	0.8	1.1	1.3	1.8	2.5	2.6
1996.....	0.2	0.2	0.3	0.5	0.7	1.1	1.5	2.0	2.6	2.8
1995.....	0.2	0.2	0.3	0.4	0.7	1.3	1.8	2.3	2.9	3.1
1994.....	0.2	0.2	0.3	0.7	1.0	1.4	1.9	2.4	3.5	3.3
1993.....	0.2	0.2	0.5	0.6	1.0	1.7	2.2	2.8	3.4	3.8
1992.....	0.2	0.3	0.4	0.8	1.1	1.6	2.5	3.4	4.0	4.5
1991.....	0.3	0.4	0.6	0.8	1.4	2.0	3.0	3.9	4.8	5.8
1990.....	0.3	0.5	0.7	1.1	1.5	2.2	3.5	4.6	5.8	6.0
1989.....	0.4	0.6	0.8	1.3	2.1	3.1	4.3	5.5	7.8	7.0
1988.....	0.3	0.7	1.0	1.4	2.3	3.3	4.5	6.0	7.9	8.4
1987.....	0.4	0.7	1.1	1.7	2.8	4.0	5.7	7.2	9.3	8.9
1986.....	0.5	0.8	1.3	2.2	3.4	5.4	7.1	8.3	9.6	10.5
1985.....	0.8	1.2	1.5	2.7	4.1	5.9	7.5	10.1	11.8	11.8
1984.....	1.0	1.1	1.7	3.1	4.9	6.4	8.5	10.4	14.0	12.4
1983.....	0.8	1.5	2.2	3.5	5.1	6.5	10.2	12.5	15.0	12.6
1982.....	1.0	1.5	2.7	3.8	5.3	7.4	10.2	13.6	15.2	15.1
1981.....	1.0	1.4	2.6	3.8	5.9	8.2	10.1	14.1	16.6	15.6
1980.....	1.1	1.8	2.8	4.3	6.1	8.2	11.9	13.1	17.1	16.5
1979.....	0.9	1.7	2.7	4.2	6.4	8.6	11.9	14.0	17.0	14.9
TOTAL, MALE										
1998.....	*	*	0.3	0.5	0.7	1.1	1.6	1.4	2.1	2.6
1997.....	0.2	*	0.5	0.5	0.8	1.5	1.5	2.0	3.4	3.3
1996.....	0.2	0.4	0.3	0.7	0.8	1.5	2.1	1.9	2.4	3.7
1995.....	0.4	0.2	0.4	0.6	1.1	1.5	2.2	2.7	3.4	4.6
1994.....	0.3	0.3	0.3	0.9	1.2	1.8	2.1	3.4	4.5	4.0
1993.....	0.3	0.3	0.5	0.8	1.1	1.9	2.5	3.0	4.1	5.1
1992.....	0.3	0.5	0.5	0.9	1.5	1.9	2.7	4.0	5.2	6.3
1991.....	0.4	0.5	0.6	1.0	1.7	2.7	3.7	5.0	5.3	6.9
1990.....	0.4	0.7	1.0	1.3	1.7	3.0	4.7	5.8	8.3	7.7
1989.....	0.5	0.8	1.1	1.6	2.4	3.6	5.1	7.0	10.2	9.5
1988.....	0.4	1.0	1.3	1.7	2.8	3.9	5.0	7.5	9.9	11.5
1987.....	0.5	1.0	1.4	2.2	3.5	5.1	7.4	9.1	11.0	10.7
1986.....	0.7	1.2	1.7	2.8	4.2	6.4	8.6	9.7	11.3	11.3
1985.....	1.0	1.6	1.6	3.0	4.8	7.2	8.6	12.8	13.9	15.5
1984.....	1.2	1.6	2.0	3.9	5.7	7.2	10.4	11.6	17.6	15.3
1983.....	1.1	1.7	2.6	4.5	6.4	7.9	12.7	16.3	15.7	15.2
1982.....	1.4	1.9	3.3	4.6	6.6	9.3	12.8	18.0	17.2	18.5
1981.....	1.3	1.7	3.3	4.5	7.0	9.5	11.4	15.9	20.9	19.5
1980.....	1.4	1.9	3.6	4.9	7.4	9.7	14.3	15.3	20.2	21.1
1979.....	1.3	2.2	3.1	5.0	7.7	10.6	13.8	17.2	20.8	19.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	0.6	0.8	1.1	2.0	2.1
1997.....	*	*	*	*	0.8	0.7	1.0	1.7	2.0	2.3
1996.....	*	*	*	0.4	0.5	0.8	1.1	2.1	2.7	2.5
1995.....	*	*	*	*	*	1.1	1.4	2.1	2.6	2.6
1994.....	*	*	*	0.5	0.9	1.0	1.7	1.8	3.0	3.1
1993.....	*	*	0.4	0.5	0.9	1.5	2.0	2.6	3.1	3.3
1992.....	*	*	*	0.6	0.8	1.4	2.3	3.1	3.3	3.9
1991.....	*	0.3	0.6	0.6	1.1	1.5	2.5	3.3	4.5	5.3
1990.....	*	0.3	0.5	0.9	1.2	1.6	2.5	3.8	4.5	5.4
1989.....	*	0.5	0.5	1.1	1.7	2.7	3.7	4.6	6.6	6.0
1988.....	0.3	0.4	0.7	1.2	1.9	2.9	4.1	5.1	6.9	7.1
1987.....	0.3	0.4	0.8	1.3	2.3	3.1	4.4	6.0	8.4	8.2
1986.....	0.3	0.5	1.0	1.7	2.7	4.5	6.0	7.4	8.8	10.2
1985.....	0.5	0.8	1.4	2.5	3.5	4.7	6.7	8.3	10.6	10.3
1984.....	0.8	0.7	1.5	2.4	4.2	5.7	7.1	9.6	12.1	11.3
1983.....	0.5	1.2	1.8	2.6	4.1	5.3	8.3	10.1	14.6	11.6
1982.....	0.6	1.0	2.1	3.1	4.2	5.9	8.3	10.8	14.1	13.6
1981.....	0.7	1.2	2.0	3.2	5.1	7.1	9.1	13.0	14.3	13.9
1980.....	0.7	1.7	2.1	3.7	4.9	7.1	10.3	11.8	15.5	14.4
1979.....	0.6	1.2	2.4	3.6	5.2	7.0	10.4	12.0	15.0	12.8
WHITE, BOTH SEXES										
1998.....	*	0.2	0.2	0.4	0.5	0.9	1.2	1.2	2.0	2.4
1997.....	0.1	*	0.3	0.4	0.8	1.1	1.3	1.9	2.5	2.7
1996.....	0.2	0.2	0.3	0.6	0.7	1.2	1.6	2.1	2.7	2.9
1995.....	0.2	0.2	0.3	0.5	0.8	1.3	2.0	2.4	3.0	3.4
1994.....	0.2	0.2	0.3	0.7	1.1	1.5	1.9	2.5	3.5	3.4
1993.....	0.2	0.2	0.4	0.7	1.1	1.7	2.3	2.9	3.7	3.9
1992.....	0.2	0.3	0.4	0.8	1.2	1.6	2.6	3.6	4.2	4.7
1991.....	0.3	0.5	0.7	0.9	1.5	2.1	3.1	4.1	5.0	6.0
1990.....	0.2	0.5	0.8	1.1	1.5	2.4	3.6	4.9	6.1	6.4
1989.....	0.4	0.7	0.8	1.5	2.2	3.3	4.5	5.8	8.3	7.4
1988.....	0.4	0.7	1.0	1.4	2.5	3.5	4.6	6.3	8.2	8.9
1987.....	0.4	0.7	1.2	1.9	3.0	4.2	6.0	7.6	9.8	9.2
1986.....	0.5	0.9	1.4	2.4	3.6	5.6	7.4	8.6	10.1	10.9
1985.....	0.7	1.3	1.6	2.9	4.4	6.0	7.8	10.4	12.4	12.4
1984.....	1.0	1.1	1.8	3.2	5.2	6.8	8.9	11.0	14.8	13.1
1983.....	0.8	1.5	2.2	3.6	5.3	6.7	10.7	13.2	15.7	13.3
1982.....	1.1	1.5	2.8	4.0	5.5	7.8	10.5	14.1	15.8	15.6
1981.....	1.0	1.5	2.7	4.0	6.1	8.6	10.4	14.9	17.6	16.4
1980.....	1.1	1.8	2.9	4.4	6.4	8.7	12.5	13.9	18.0	17.3
1979.....	1.0	1.7	2.8	4.4	6.6	9.1	12.4	14.7	17.7	15.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)										
WHITE MALE										
1998.....	*	*	0.3	0.5	0.7	1.2	1.7	1.4	2.1	2.8
1997.....	*	*	0.5	0.5	0.8	1.6	1.6	2.0	3.4	3.3
1996.....	*	0.3	*	0.7	0.8	1.6	2.1	2.0	2.3	4.1
1995.....	0.4	*	0.4	0.6	1.2	1.5	2.4	2.9	3.6	5.0
1994.....	0.4	0.3	*	0.9	1.3	1.9	2.3	3.4	4.5	4.2
1993.....	0.3	0.3	0.5	0.9	1.2	2.0	2.5	3.1	4.3	4.9
1992.....	0.3	0.5	0.5	1.0	1.5	1.9	2.8	4.3	5.4	6.7
1991.....	0.4	0.6	0.7	1.1	1.8	2.8	3.8	5.3	5.6	7.2
1990.....	0.3	0.7	1.1	1.3	1.8	3.1	4.9	6.1	8.8	8.2
1989.....	0.6	0.8	1.1	1.8	2.6	3.8	5.3	7.4	10.5	10.1
1988.....	0.4	0.9	1.3	1.6	2.9	4.0	5.1	7.6	10.2	12.3
1987.....	0.5	1.0	1.5	2.4	3.6	5.2	7.9	9.7	11.5	10.8
1986.....	0.7	1.2	1.8	2.8	4.4	6.6	8.9	10.0	11.7	11.8
1985.....	1.0	1.7	1.8	3.2	5.0	7.4	8.9	13.4	14.5	16.6
1984.....	1.2	1.6	2.1	3.9	6.0	7.7	10.8	12.6	18.4	16.1
1983.....	1.2	1.6	2.6	4.6	6.5	8.2	13.3	17.1	16.3	16.1
1982.....	1.4	2.0	3.4	4.7	6.8	9.8	13.2	19.1	17.6	19.5
1981.....	1.3	1.7	3.3	4.7	7.1	10.2	11.5	16.9	22.4	20.4
1980.....	1.5	1.9	3.8	5.1	7.8	9.9	14.9	16.2	21.1	22.4
1979.....	1.4	2.2	3.2	5.2	8.0	11.3	14.4	18.1	21.8	20.9
WHITE FEMALE										
1998.....	*	*	*	*	*	0.6	0.8	1.1	2.0	2.2
1997.....	*	*	*	*	0.7	0.8	1.1	1.9	2.0	2.5
1996.....	*	*	*	0.5	0.6	0.9	1.2	2.2	2.9	2.4
1995.....	*	*	*	*	*	1.1	1.6	2.1	2.6	2.8
1994.....	*	*	*	0.5	0.9	1.1	1.7	1.9	2.9	3.1
1993.....	*	*	0.4	0.5	1.0	1.5	2.1	2.8	3.4	3.5
1992.....	*	*	*	0.6	0.9	1.4	2.4	3.2	3.5	3.9
1991.....	*	0.4	0.7	0.7	1.2	1.5	2.6	3.4	4.7	5.5
1990.....	*	0.4	0.5	1.0	1.2	1.7	2.7	4.1	4.6	5.7
1989.....	*	0.5	0.5	1.2	1.8	2.9	3.8	4.8	7.1	6.4
1988.....	0.3	0.4	0.7	1.2	2.0	3.0	4.3	5.4	7.2	7.7
1987.....	0.3	0.4	0.9	1.4	2.4	3.3	4.5	6.3	9.0	8.6
1986.....	0.3	0.6	1.1	1.9	2.9	4.8	6.3	7.7	9.3	10.6
1985.....	0.5	0.8	1.4	2.6	3.8	4.9	7.0	8.6	11.3	10.8
1984.....	0.7	0.7	1.6	2.5	4.4	6.1	7.4	10.1	12.8	11.9
1983.....	0.5	1.4	1.9	2.8	4.2	5.5	8.8	10.7	15.3	12.1
1982.....	0.7	1.1	2.3	3.4	4.3	6.1	8.5	11.1	14.8	14.1
1981.....	0.7	1.3	2.1	3.4	5.2	7.4	9.6	13.7	15.2	14.7
1980.....	0.8	1.7	2.2	3.8	5.2	7.7	10.9	12.4	16.3	15.1
1979.....	0.6	1.2	2.5	3.7	5.4	7.3	11.0	12.7	15.5	13.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	1.6	*	2.1	2.9	3.9	*	*
1987.....	*	*	*	*	1.8	2.7	2.9	*	*	*
1986.....	*	*	*	*	*	3.1	4.4	5.0	*	*
1985.....	*	*	*	1.6	2.2	4.3	4.5	6.3	*	*
1984.....	*	*	*	2.1	2.8	2.3	5.0	4.3	*	*
1983.....	*	*	1.7	2.5	3.8	4.2	5.2	5.9	7.6	*
1982.....	*	*	1.9	2.3	4.1	3.9	7.2	8.4	8.4	*
1981.....	*	*	2.3	2.0	4.8	4.4	7.3	6.1	*	*
1980.....	0.8	1.4	2.2	2.8	3.3	4.3	6.2	6.1	7.0	7.2
1979.....	0.5	1.4	2.1	2.6	4.5	4.2	6.5	7.0	9.4	5.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	5.4	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	3.6	4.9	*	6.8	*	*	*
1982.....	*	*	*	*	4.6	*	9.3	*	*	*
1981.....	*	*	*	*	5.8	*	10.2	*	*	*
1980.....	1.0	1.4	2.7	3.3	4.0	7.3	8.7	7.3	10.3	8.2
1979.....	0.7	1.9	2.4	2.9	4.9	4.4	8.3	8.8	10.5	8.5



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	4.0	*	*	*	*
1982.....	*	*	*	*	3.7	*	5.7	8.4	*	*
1981.....	*	*	*	*	4.0	5.2	5.2	*	*	*
1980.....	0.6	1.3	1.7	2.4	2.7	2.0	4.3	5.3	4.9	6.7
1979.....	0.2	0.9	1.8	2.3	4.2	4.0	5.2	5.8	8.8	4.4
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	1.9	*	*	*	4.2	*	*
1987.....	*	*	*	*	*	2.8	*	*	*	*
1986.....	*	*	*	*	*	2.8	4.5	4.9	*	*
1985.....	*	*	*	1.9	2.2	4.0	4.5	6.8	*	*
1984.....	*	*	*	2.2	2.9	*	4.9	4.6	*	*
1983.....	*	*	1.9	2.8	4.1	4.4	5.3	5.9	*	*
1982.....	*	*	2.1	2.5	4.4	4.1	7.7	8.5	*	*
1981.....	*	*	2.6	2.1	5.4	4.6	7.9	5.5	*	*
1980.....	0.8	1.3	2.4	3.0	3.3	4.1	6.4	5.9	7.0	6.9
1979.....	0.5	1.3	2.2	2.8	4.5	4.6	6.1	6.1	10.4	5.1

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	4.2	5.0	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	10.3	*	*	*	*
1981.....	*	*	*	*	6.9	*	11.7	*	*	*	*
1980.....	1.2	1.5	3.0	3.6	3.9	6.9	9.4	7.2	10.7	7.5	
1979.....	0.7	1.9	2.6	3.2	5.1	5.0	7.5	6.8	11.7	9.6	

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	4.3	*	6.0	9.2	*	*	*
1981.....	*	*	*	*	4.2	5.5	*	*	*	*	*
1980.....	0.4	1.1	1.9	2.4	2.9	2.0	4.2	5.1	4.8	6.6	
1979.....	0.3	0.8	1.9	2.4	4.1	4.2	5.1	5.5	9.7	2.9	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HODGKIN'S DISEASE (201)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.4	0.5	0.6	0.7	1.1	1.7	1.8	2.4	1.7
1997.....	0.5	0.5	0.5	0.7	0.8	1.2	1.5	2.0	2.4	2.7
1996.....	0.5	0.5	0.6	0.7	0.8	1.2	1.5	1.8	2.4	2.2
1995.....	0.5	0.5	0.6	0.7	0.7	1.1	1.7	2.1	2.5	2.3
1994.....	0.5	0.6	0.7	0.6	0.9	1.3	1.7	1.9	2.3	2.4
1993.....	0.5	0.5	0.6	0.8	0.9	1.3	1.8	2.4	2.9	2.8
1992.....	0.5	0.7	0.7	0.8	1.0	1.3	1.8	2.1	2.7	2.3
1991.....	0.6	0.6	0.7	0.9	1.0	1.4	1.9	2.2	2.9	2.4
1990.....	0.6	0.6	0.6	1.0	1.1	1.3	1.8	2.2	2.9	2.3
1989.....	0.7	0.7	0.7	0.9	1.1	1.6	1.9	2.6	2.5	2.7
1988.....	0.6	0.6	0.8	0.7	1.1	1.5	1.9	2.5	2.3	1.9
1987.....	0.6	0.9	0.8	1.0	1.2	1.7	1.9	2.9	2.3	2.8
1986.....	0.7	0.6	0.7	1.0	1.2	2.0	2.5	2.7	2.5	2.6
1985.....	0.7	0.7	0.7	1.0	1.3	1.6	2.2	2.4	3.2	2.7
1984.....	0.7	0.9	0.9	1.1	1.6	1.9	2.6	2.5	3.2	2.8
1983.....	0.7	0.8	1.0	1.0	1.5	1.8	2.3	3.0	3.5	2.7
1982.....	0.8	0.8	0.8	1.2	1.6	1.9	2.5	3.0	3.9	3.2
1981.....	0.8	0.8	1.0	1.3	1.5	2.2	2.5	3.9	3.4	3.1
1980.....	0.9	1.0	1.3	1.4	1.7	2.2	2.8	3.3	3.6	3.3
1979.....	0.7	1.0	1.2	1.3	1.7	2.2	3.0	3.2	3.9	2.5
TOTAL, MALE										
1998.....	0.5	0.5	0.7	0.8	0.8	1.4	2.0	2.2	3.3	1.9
1997.....	0.6	0.6	0.6	0.8	0.8	1.6	1.8	2.2	2.9	2.8
1996.....	0.6	0.6	0.6	1.0	0.8	1.2	1.9	2.1	2.8	3.1
1995.....	0.6	0.7	0.8	1.0	0.7	1.3	2.0	1.9	3.2	3.4
1994.....	0.6	0.7	1.0	0.9	1.1	1.6	2.3	2.0	2.8	2.6
1993.....	0.7	0.6	1.0	1.2	1.2	1.8	2.3	3.0	3.3	4.5
1992.....	0.7	0.9	1.1	0.9	1.4	1.7	2.5	2.6	3.7	3.5
1991.....	0.7	0.9	1.1	1.2	1.1	2.0	2.2	2.7	3.1	3.3
1990.....	0.7	0.8	0.8	1.4	1.5	1.5	2.4	2.3	3.2	3.6
1989.....	0.9	1.0	0.9	1.2	1.4	2.1	2.4	3.3	2.8	3.9
1988.....	0.8	0.9	1.4	0.8	1.6	1.8	2.2	2.9	3.4	3.3
1987.....	0.8	1.2	1.1	1.5	1.5	2.2	2.5	3.5	3.3	2.9
1986.....	1.1	0.8	1.1	1.3	1.6	2.3	3.2	3.7	3.0	3.5
1985.....	0.9	1.0	1.0	1.2	1.9	2.0	2.8	2.6	4.0	3.0
1984.....	1.0	1.4	1.5	1.5	2.2	2.6	3.2	3.8	4.2	4.3
1983.....	1.0	1.1	1.3	1.4	2.1	2.2	3.0	3.7	4.6	3.4
1982.....	1.1	1.0	1.1	1.5	2.1	2.2	3.6	3.1	4.5	3.8
1981.....	1.1	1.0	1.3	1.6	2.1	2.6	3.1	4.3	4.3	3.9
1980.....	1.2	1.4	1.7	1.6	2.1	2.7	4.0	4.2	4.5	3.8
1979.....	1.0	1.7	1.7	1.6	2.2	2.7	3.6	4.1	5.1	3.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HODGKIN'S DISEASE (201)										
TOTAL, FEMALE										
1998.....	0.2	0.2	0.4	0.4	0.6	0.8	1.4	1.4	1.9	1.6
1997.....	0.4	0.3	0.4	0.6	0.8	0.9	1.3	1.8	2.1	2.7
1996.....	0.3	0.5	0.5	0.5	0.7	1.2	1.1	1.6	2.1	1.8
1995.....	0.4	0.4	0.4	0.5	0.7	0.9	1.4	2.3	2.1	1.8
1994.....	0.4	0.5	0.4	0.4	0.7	1.0	1.3	1.8	2.0	2.3
1993.....	0.4	0.4	*	0.5	0.7	0.9	1.5	2.0	2.7	2.1
1992.....	0.4	0.5	0.4	0.6	0.6	0.9	1.3	1.8	2.2	1.9
1991.....	0.5	0.3	*	0.6	0.8	1.0	1.6	1.9	2.8	2.1
1990.....	0.5	0.3	0.4	0.6	0.7	1.2	1.3	2.2	2.7	1.8
1989.....	0.5	0.5	0.5	0.6	0.8	1.1	1.5	2.1	2.3	2.2
1988.....	0.5	0.3	*	0.6	0.7	1.3	1.6	2.3	1.8	1.3
1987.....	0.4	0.5	0.6	0.6	1.0	1.3	1.5	2.5	1.7	2.7
1986.....	0.4	0.5	0.4	0.7	0.9	1.7	2.0	2.1	2.2	2.2
1985.....	0.4	0.4	0.4	0.7	0.8	1.4	1.7	2.3	2.8	2.6
1984.....	0.5	0.5	0.4	0.7	1.0	1.3	2.1	1.7	2.6	2.2
1983.....	0.4	0.5	0.7	0.6	1.0	1.4	1.8	2.6	3.0	2.4
1982.....	0.5	0.6	0.6	0.9	1.1	1.7	1.7	3.0	3.6	2.9
1981.....	0.6	0.6	0.6	0.9	1.0	1.9	2.1	3.7	2.9	2.7
1980.....	0.6	0.6	0.9	1.2	1.4	1.7	2.0	2.7	3.1	3.0
1979.....	0.5	0.4	0.7	0.9	1.3	1.8	2.5	2.7	3.3	2.0
WHITE, BOTH SEXES										
1998.....	0.3	0.4	0.6	0.6	0.6	1.2	1.7	1.8	2.5	1.8
1997.....	0.5	0.5	0.5	0.7	0.8	1.3	1.6	2.1	2.6	2.9
1996.....	0.5	0.6	0.6	0.7	0.8	1.3	1.5	1.9	2.5	2.2
1995.....	0.5	0.6	0.6	0.8	0.7	1.2	1.8	2.2	2.6	2.4
1994.....	0.5	0.6	0.6	0.6	1.0	1.4	1.8	2.0	2.3	2.5
1993.....	0.6	0.5	0.6	0.8	1.0	1.3	1.9	2.4	3.1	2.8
1992.....	0.6	0.7	0.8	0.7	1.0	1.4	1.9	2.2	2.9	2.5
1991.....	0.6	0.6	0.7	0.9	1.0	1.5	2.0	2.3	3.1	2.6
1990.....	0.6	0.6	0.6	1.0	1.2	1.3	1.9	2.4	3.1	2.5
1989.....	0.8	0.7	0.7	0.9	1.0	1.6	2.0	2.8	2.6	2.7
1988.....	0.6	0.6	0.8	0.8	1.1	1.6	1.9	2.6	2.5	1.9
1987.....	0.6	0.9	0.9	1.0	1.2	1.7	2.0	3.0	2.3	2.7
1986.....	0.8	0.7	0.7	0.9	1.2	2.1	2.6	2.8	2.6	2.7
1985.....	0.7	0.8	0.7	0.9	1.3	1.7	2.2	2.5	3.3	2.8
1984.....	0.8	0.9	0.9	1.1	1.6	1.9	2.7	2.5	3.4	3.0
1983.....	0.7	0.9	1.0	1.1	1.6	1.8	2.4	3.2	3.7	2.9
1982.....	0.9	0.8	0.8	1.2	1.7	2.0	2.6	3.2	3.9	3.4
1981.....	0.9	0.8	1.0	1.2	1.6	2.3	2.5	4.1	3.7	3.2
1980.....	0.9	1.0	1.3	1.3	1.7	2.3	3.0	3.4	3.8	3.4
1979.....	0.7	1.1	1.2	1.3	1.7	2.3	3.1	3.4	4.1	2.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HODGKIN'S DISEASE (201)										
WHITE MALE										
1998.....	0.5	0.5	0.7	0.8	0.8	1.5	2.0	2.3	3.4	2.2
1997.....	0.6	0.7	0.6	0.8	0.8	1.8	1.8	2.3	3.2	3.0
1996.....	0.7	0.6	0.7	1.0	0.8	1.3	2.0	2.1	2.8	3.4
1995.....	0.6	0.7	0.8	1.0	0.7	1.4	2.2	1.9	3.3	3.7
1994.....	0.5	0.7	0.9	0.8	1.2	1.7	2.4	2.2	2.8	2.8
1993.....	0.7	0.6	1.0	1.1	1.2	1.8	2.3	3.0	3.4	4.4
1992.....	0.7	1.0	1.2	0.9	1.4	1.8	2.6	2.6	3.6	3.5
1991.....	0.7	0.9	1.1	1.1	1.1	2.1	2.3	2.8	3.4	3.5
1990.....	0.7	0.8	0.8	1.4	1.6	1.5	2.4	2.3	3.5	3.9
1989.....	1.0	1.0	0.9	1.2	1.4	2.1	2.5	3.6	2.9	3.9
1988.....	0.9	0.9	1.4	0.9	1.6	1.9	2.3	3.0	3.5	3.3
1987.....	0.8	1.2	1.1	1.4	1.5	2.1	2.6	3.7	3.4	2.8
1986.....	1.1	0.8	1.1	1.3	1.6	2.4	3.4	3.9	3.2	3.7
1985.....	1.0	1.1	1.0	1.1	1.9	2.1	2.8	2.5	4.1	3.1
1984.....	1.1	1.3	1.5	1.5	2.2	2.6	3.3	3.7	4.7	4.6
1983.....	1.0	1.1	1.3	1.5	2.2	2.3	3.0	4.0	4.9	3.6
1982.....	1.2	1.0	1.1	1.6	2.2	2.2	3.9	3.2	4.5	4.2
1981.....	1.1	1.0	1.4	1.6	2.2	2.6	3.0	4.4	4.7	4.2
1980.....	1.2	1.5	1.6	1.5	2.0	2.8	4.2	4.4	4.8	3.9
1979.....	1.0	1.7	1.7	1.6	2.2	2.7	3.8	4.2	5.4	3.7
WHITE FEMALE										
1998.....	0.2	0.3	0.4	0.4	0.5	0.9	1.5	1.5	1.9	1.7
1997.....	0.4	*	0.4	0.6	0.8	1.0	1.4	1.9	2.2	2.9
1996.....	0.3	0.6	0.5	0.5	0.8	1.3	1.2	1.8	2.4	1.8
1995.....	0.4	0.4	0.4	0.5	0.7	1.0	1.5	2.4	2.2	1.9
1994.....	0.5	0.4	0.4	0.4	0.7	1.1	1.4	2.0	2.1	2.4
1993.....	0.5	0.4	*	0.5	0.7	0.9	1.6	2.0	2.9	2.2
1992.....	0.4	0.5	0.4	0.6	0.6	1.0	1.4	1.9	2.4	2.0
1991.....	0.5	*	*	0.6	0.8	1.0	1.7	1.9	2.9	2.2
1990.....	0.5	0.3	*	0.6	0.8	1.1	1.4	2.4	2.8	1.9
1989.....	0.6	0.5	0.5	0.6	0.7	1.1	1.6	2.2	2.4	2.3
1988.....	0.4	0.4	*	0.6	0.6	1.3	1.7	2.3	1.9	1.4
1987.....	0.4	0.6	0.7	0.6	1.0	1.3	1.6	2.6	1.8	2.7
1986.....	0.4	0.5	*	0.6	0.9	1.8	2.1	2.1	2.2	2.3
1985.....	0.5	0.5	0.4	0.7	0.8	1.4	1.7	2.4	2.9	2.7
1984.....	0.5	0.5	0.4	0.8	1.1	1.4	2.2	1.8	2.7	2.3
1983.....	0.5	0.6	0.7	0.7	1.1	1.5	2.0	2.7	3.1	2.6
1982.....	0.6	0.6	0.6	1.0	1.2	1.8	1.7	3.2	3.6	3.0
1981.....	0.6	0.6	0.6	0.9	1.0	2.0	2.2	3.9	3.1	2.8
1980.....	0.6	0.6	1.0	1.2	1.5	1.9	2.1	2.7	3.3	3.3
1979.....	0.4	0.4	0.8	1.0	1.3	1.9	2.6	2.8	3.4	2.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HODGKIN'S DISEASE (201)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	1.3	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.6	1.1	1.6	1.8	1.2	1.2	2.7	0.9	1.1
1979.....	0.5	0.6	0.7	1.3	1.3	1.5	1.5	2.0	1.8	2.3
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.0	2.2	2.4	2.7	2.1	1.5	2.8	1.1	3.3
1979.....	0.4	1.1	1.4	2.2	2.1	2.1	1.5	2.7	1.2	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HODGKIN'S DISEASE (201)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	0.3	1.1	1.1	0.6	1.1	2.7	0.7	-
1979.....	0.6	0.1	0.1	0.6	0.6	1.0	1.4	1.6	2.2	1.8
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	0.8	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.7	1.3	1.6	1.9	1.4	1.1	2.8	1.0	1.3
1979.....	0.6	0.7	0.8	1.3	1.4	1.5	1.5	2.3	2.0	2.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HODGKIN'S DISEASE (201)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.0	2.6	2.4	3.1	2.4	0.9	2.6	1.3	3.8
1979.....	0.5	1.3	1.6	2.1	2.4	2.1	1.3	3.1	1.3	3.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	0.3	1.0	1.0	0.7	1.2	3.0	0.8	-
1979.....	0.7	0.2	0.2	0.7	0.6	1.1	1.6	1.7	2.4	1.9



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)										
TOTAL, BOTH SEXES										
1998.....	2.4	4.1	6.7	10.6	17.5	25.8	39.1	54.9	71.9	76.4
1997.....	2.9	4.3	7.2	11.4	18.0	26.3	39.4	54.5	70.4	76.3
1996.....	2.9	4.3	7.0	11.2	17.6	25.1	39.0	52.9	69.4	74.2
1995.....	3.0	4.3	7.4	11.5	16.7	25.5	38.2	52.3	64.6	75.3
1994.....	2.8	4.5	7.1	10.9	17.7	25.3	37.7	50.1	65.5	70.5
1993.....	2.7	4.3	6.4	10.5	16.0	23.9	35.3	48.1	62.8	67.8
1992.....	2.7	4.3	6.9	10.0	16.0	23.9	34.6	46.9	58.9	65.8
1991.....	2.8	4.9	6.2	10.5	15.5	22.8	33.9	44.6	59.1	64.2
1990.....	2.5	4.1	6.5	9.8	14.9	22.5	31.7	42.9	55.2	61.9
1989.....	2.5	4.1	5.7	9.4	14.6	20.9	31.2	41.3	53.4	58.0
1988.....	2.4	3.7	5.8	9.0	13.8	20.2	28.9	38.8	50.0	53.5
1987.....	2.0	3.5	5.3	8.6	12.5	18.9	28.2	36.4	47.5	49.3
1986.....	2.2	3.7	5.5	7.8	12.2	19.2	26.5	35.4	43.5	43.8
1985.....	2.2	3.1	5.0	7.5	12.1	17.0	23.4	32.5	40.0	41.7
1984.....	1.9	2.8	4.7	7.0	10.4	15.7	22.3	28.3	37.6	38.0
1983.....	1.6	2.7	4.3	6.8	9.9	15.3	21.0	26.5	33.4	36.4
1982.....	1.6	2.7	4.3	6.1	9.5	13.5	18.6	25.5	32.9	31.8
1981.....	1.4	2.3	3.6	5.8	9.1	11.9	16.1	22.5	28.1	28.6
1980.....	1.2	2.2	3.6	5.8	8.3	11.4	17.4	22.4	27.8	27.0
1979.....	1.3	2.3	3.7	5.0	8.2	11.4	15.5	19.8	23.6	24.6
TOTAL, MALE										
1998.....	3.3	5.5	8.8	13.2	22.0	31.6	46.6	64.6	86.9	100.6
1997.....	3.9	6.0	9.5	14.4	21.7	32.2	47.7	66.0	84.2	92.5
1996.....	4.1	5.7	8.7	14.2	22.1	29.8	47.1	63.3	86.3	95.3
1995.....	4.2	5.8	9.5	13.8	20.8	31.4	45.2	60.5	79.2	94.9
1994.....	3.9	6.0	8.9	13.4	21.9	29.8	44.8	60.1	78.2	96.6
1993.....	3.9	5.7	8.1	12.8	19.1	28.4	40.7	57.7	77.2	87.1
1992.....	3.7	5.7	9.0	12.5	19.6	28.5	41.8	57.4	73.4	83.8
1991.....	3.9	6.5	8.2	13.5	18.2	27.2	39.1	52.3	71.9	83.4
1990.....	3.6	5.4	8.6	12.7	19.2	26.5	37.9	52.8	68.3	81.0
1989.....	3.3	5.4	7.4	12.0	17.9	24.7	37.8	49.7	63.0	75.9
1988.....	3.1	4.9	7.1	11.6	17.2	23.7	35.0	46.4	59.5	69.4
1987.....	2.7	4.4	6.7	10.6	14.5	22.8	33.1	43.7	54.7	58.8
1986.....	2.9	4.9	6.7	9.6	14.5	23.3	32.5	42.1	53.7	55.3
1985.....	2.8	4.1	6.3	9.1	14.6	20.7	28.9	41.8	50.6	53.6
1984.....	2.3	3.5	5.5	8.6	12.4	18.0	27.3	33.0	43.9	49.5
1983.....	2.0	3.3	5.2	8.2	11.9	17.3	26.2	31.8	39.6	46.9
1982.....	2.2	3.3	5.2	6.9	12.0	15.4	21.6	30.1	38.5	39.9
1981.....	1.8	3.0	4.5	6.9	10.5	13.9	20.2	26.7	31.4	35.7
1980.....	1.5	2.8	4.7	7.4	10.0	13.5	20.1	24.8	33.8	31.8
1979.....	1.7	2.9	4.6	5.8	9.7	14.6	19.7	24.8	29.8	32.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)										
TOTAL, FEMALE										
1998.....	1.5	2.8	4.7	8.3	13.5	21.0	33.2	48.0	63.1	66.4
1997.....	1.8	2.7	5.0	8.8	14.6	21.3	33.1	46.5	62.4	69.7
1996.....	1.8	2.9	5.4	8.4	13.6	21.1	32.7	45.7	59.7	65.8
1995.....	1.9	2.9	5.5	9.3	13.1	20.5	32.8	46.7	56.3	67.6
1994.....	1.8	3.1	5.4	8.6	13.9	21.7	32.2	43.3	58.5	60.4
1993.....	1.5	2.9	4.7	8.5	13.3	20.1	31.2	41.6	54.9	60.4
1992.....	1.7	3.0	4.8	7.8	12.9	20.2	29.2	40.0	51.0	58.8
1991.....	1.6	3.3	4.4	7.8	13.1	19.2	29.9	39.6	52.2	56.8
1990.....	1.5	2.8	4.6	7.2	11.0	19.3	27.1	36.6	48.2	54.6
1989.....	1.8	2.9	4.2	7.1	11.8	17.8	26.3	36.0	48.3	51.0
1988.....	1.8	2.6	4.6	6.7	10.8	17.4	24.5	33.9	44.9	47.3
1987.....	1.3	2.7	4.0	6.7	10.8	15.6	24.7	31.9	43.7	45.6
1986.....	1.5	2.5	4.3	6.1	10.2	15.9	22.1	31.2	38.1	39.2
1985.....	1.5	2.3	3.7	6.1	10.0	14.0	19.5	26.6	34.4	37.0
1984.....	1.4	2.1	4.0	5.6	8.6	13.8	18.6	25.4	34.3	33.4
1983.....	1.1	2.2	3.4	5.5	8.1	13.7	17.2	23.1	30.1	32.1
1982.....	1.0	2.1	3.4	5.4	7.3	12.0	16.3	22.6	29.9	28.4
1981.....	0.9	1.6	2.7	4.8	7.9	10.3	13.3	19.9	26.4	25.5
1980.....	0.9	1.7	2.6	4.4	6.8	9.7	15.4	20.8	24.7	24.8
1979.....	1.0	1.7	2.9	4.3	6.8	8.8	12.5	16.7	20.3	21.2
WHITE, BOTH SEXES										
1998.....	2.3	4.0	6.7	10.9	18.5	27.2	41.1	57.7	75.2	80.6
1997.....	2.8	4.3	7.2	11.9	18.7	27.8	41.3	57.0	73.7	80.0
1996.....	2.9	4.3	7.2	11.6	18.3	26.4	40.7	55.6	72.0	78.2
1995.....	3.0	4.5	7.5	12.1	17.3	26.9	40.2	54.9	67.7	78.5
1994.....	2.8	4.5	7.4	11.3	18.2	26.9	39.7	52.9	68.3	73.8
1993.....	2.7	4.3	6.4	10.9	16.9	24.9	37.2	50.3	65.3	71.0
1992.....	2.6	4.4	7.1	10.4	16.5	25.2	36.4	49.0	61.6	68.6
1991.....	2.7	5.1	6.4	10.8	16.0	23.7	35.4	46.5	61.4	67.9
1990.....	2.5	4.1	6.6	10.0	15.6	23.4	33.1	45.0	58.0	64.7
1989.....	2.5	4.1	5.9	9.8	15.2	21.7	32.6	42.8	55.8	61.0
1988.....	2.4	3.7	5.9	9.3	14.5	21.0	30.4	40.9	52.2	55.5
1987.....	2.0	3.6	5.5	9.0	13.1	19.7	29.4	38.0	49.5	51.6
1986.....	2.2	3.8	5.5	8.0	12.8	20.0	27.4	37.1	45.2	45.8
1985.....	2.3	3.1	5.2	7.8	12.5	17.8	24.6	34.0	41.4	43.5
1984.....	1.9	2.9	5.0	7.2	10.7	16.4	23.3	29.7	39.3	40.3
1983.....	1.6	2.8	4.5	7.0	10.3	16.1	22.2	27.7	34.7	38.0
1982.....	1.7	2.8	4.4	6.5	9.8	14.1	19.4	26.8	33.9	33.6
1981.....	1.3	2.4	3.7	6.1	9.3	12.3	16.9	23.9	29.3	29.5
1980.....	1.3	2.3	3.7	5.9	8.6	11.8	18.2	23.2	28.7	27.9
1979.....	1.3	2.3	3.8	5.1	8.4	11.8	16.2	21.0	24.9	25.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)										
WHITE MALE										
1998.....	3.2	5.3	8.7	13.6	22.9	33.0	49.3	67.6	90.9	107.0
1997.....	3.8	5.8	9.4	15.0	22.5	33.9	49.6	68.3	87.5	97.3
1996.....	4.0	5.6	8.8	14.6	22.8	31.3	48.7	66.2	89.4	101.1
1995.....	4.2	5.9	9.3	14.5	21.4	32.9	47.3	63.3	82.5	99.4
1994.....	3.7	6.0	9.3	13.7	22.4	31.6	47.0	63.6	81.7	102.0
1993.....	3.9	5.6	8.1	13.2	20.0	29.2	42.5	59.8	80.6	90.4
1992.....	3.7	5.7	9.4	12.8	20.0	29.8	43.8	59.9	76.9	88.2
1991.....	3.9	6.7	8.3	13.9	18.6	28.2	40.6	54.2	74.8	89.6
1990.....	3.6	5.3	8.7	13.0	19.9	27.2	39.6	55.5	71.8	84.8
1989.....	3.2	5.4	7.5	12.3	18.5	25.5	39.4	51.3	66.2	79.3
1988.....	3.0	4.9	7.1	11.9	18.1	24.4	36.4	48.9	62.4	72.5
1987.....	2.7	4.4	6.8	11.1	15.3	23.6	34.0	45.0	57.8	60.9
1986.....	2.9	5.1	6.7	9.7	15.2	24.0	33.3	43.3	55.0	59.1
1985.....	3.0	4.0	6.6	9.3	15.1	21.6	30.3	44.1	52.6	57.3
1984.....	2.3	3.5	5.7	8.8	12.8	19.0	28.6	34.8	45.7	53.2
1983.....	2.0	3.3	5.5	8.3	12.2	18.1	27.6	33.2	41.5	48.3
1982.....	2.4	3.5	5.2	7.2	12.2	16.1	22.4	31.8	39.6	42.6
1981.....	1.7	3.2	4.7	7.3	10.8	14.4	21.0	28.5	32.2	37.2
1980.....	1.7	2.9	4.7	7.4	10.3	13.8	20.9	25.6	34.9	33.5
1979.....	1.7	3.0	4.6	6.0	9.7	15.2	20.5	26.8	31.3	33.9
WHITE FEMALE										
1998.....	1.4	2.7	4.8	8.4	14.4	22.3	34.6	50.6	65.9	69.8
1997.....	1.7	2.8	5.1	9.0	15.3	22.5	34.8	48.9	65.6	73.2
1996.....	1.8	3.0	5.6	8.8	14.2	22.3	34.4	48.2	61.9	69.2
1995.....	1.9	3.0	5.7	9.8	13.7	21.7	34.6	49.0	59.4	70.5
1994.....	1.8	3.0	5.6	9.1	14.4	22.9	34.1	45.6	60.9	63.0
1993.....	1.5	2.9	4.8	8.6	14.1	21.3	33.2	43.9	57.0	63.6
1992.....	1.6	3.2	5.0	8.1	13.4	21.4	30.8	41.7	53.3	61.1
1991.....	1.5	3.4	4.5	7.9	13.7	19.9	31.4	41.5	54.2	59.7
1990.....	1.4	2.9	4.5	7.2	11.7	20.2	28.3	38.2	50.7	57.1
1989.....	1.8	2.9	4.3	7.5	12.3	18.6	27.5	37.4	50.3	54.0
1988.....	1.9	2.6	4.7	6.9	11.4	18.2	26.1	35.8	46.8	49.0
1987.....	1.4	2.8	4.2	7.1	11.2	16.5	26.1	33.5	45.2	48.1
1986.....	1.6	2.5	4.4	6.4	10.7	16.7	23.1	33.1	40.0	40.7
1985.....	1.6	2.3	3.9	6.3	10.3	14.8	20.4	27.6	35.5	38.2
1984.....	1.5	2.3	4.2	5.8	8.9	14.3	19.4	26.6	36.0	35.2
1983.....	1.2	2.3	3.5	5.8	8.6	14.4	18.2	24.3	31.2	33.9
1982.....	1.0	2.2	3.6	5.8	7.8	12.6	17.3	23.6	30.9	29.9
1981.....	0.9	1.7	2.8	5.1	8.1	10.7	13.9	21.0	27.8	26.2
1980.....	0.9	1.8	2.7	4.6	7.1	10.3	16.2	21.7	25.5	25.5
1979.....	1.0	1.7	3.0	4.4	7.2	9.1	13.1	17.3	21.5	21.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)										
ALL OTHER, BOTH SEXES										
1998.....	2.9	4.4	6.4	8.8	11.6	16.5	23.2	30.5	38.5	37.1
1997.....	3.3	4.4	6.9	8.6	13.0	16.2	24.2	32.1	37.5	40.3
1996.....	3.2	4.1	6.0	8.2	12.8	15.4	24.3	28.6	43.2	35.7
1995.....	3.1	3.4	6.8	7.6	12.5	15.6	21.0	28.3	32.2	42.5
1994.....	2.9	4.7	4.9	8.3	14.1	13.8	20.2	22.9	37.0	36.8
1993.....	2.8	4.2	6.0	8.4	9.9	16.1	18.4	26.3	36.6	34.8
1992.....	2.9	3.6	5.2	7.7	12.2	14.0	18.8	27.6	30.9	36.4
1991.....	3.1	3.6	5.3	8.5	11.7	15.6	20.6	26.7	35.9	25.9
1990.....	2.7	4.1	6.1	8.5	9.6	15.1	18.9	23.8	25.4	32.6
1989.....	2.7	4.0	4.9	7.0	10.2	14.0	18.1	27.2	27.9	25.8
1988.....	2.5	3.6	5.2	7.2	8.0	13.5	15.1	18.4	26.9	32.3
1987.....	1.6	3.3	4.3	5.6	7.6	11.5	17.0	21.8	26.6	24.2
1986.....	2.0	3.0	4.9	6.3	6.9	12.4	17.5	19.8	25.3	21.2
1985.....	1.5	3.2	3.2	5.6	8.7	9.4	12.9	18.3	24.9	21.9
1984.....	1.7	2.3	3.1	5.6	7.5	9.4	13.2	14.8	18.7	13.4
1983.....	1.2	2.5	2.8	4.9	6.8	8.6	10.3	14.5	18.7	18.7
1982.....	*	1.6	3.6	3.5	6.3	8.3	10.3	13.0	21.1	11.1
1981.....	1.9	1.5	2.5	3.2	6.7	8.1	9.4	9.1	14.5	18.4
1980.....	0.6	1.6	2.7	5.1	5.9	7.8	9.9	14.5	17.5	16.2
1979.....	1.3	2.2	3.0	3.8	5.9	8.0	9.0	8.9	8.9	14.4
ALL OTHER MALE										
1998.....	4.0	6.1	9.0	10.4	15.5	21.5	24.0	36.7	45.3	44.4
1997.....	4.4	6.7	9.8	10.3	16.2	19.7	31.2	43.2	50.1	50.7
1996.....	4.7	6.3	8.2	11.2	17.1	18.0	32.3	35.9	54.7	45.3
1995.....	4.1	4.9	10.1	9.1	16.7	19.9	25.4	33.2	45.0	53.0
1994.....	4.5	5.7	6.3	11.2	18.9	15.5	24.9	24.5	42.0	46.6
1993.....	4.0	6.3	7.9	9.4	12.1	21.8	24.2	36.2	42.3	55.7
1992.....	3.7	5.4	6.9	9.8	16.4	17.7	23.3	33.2	37.9	43.2
1991.....	4.2	5.2	7.1	10.5	15.5	18.0	24.9	33.9	43.4	26.7
1990.....	3.7	5.7	7.9	10.1	14.1	20.0	21.6	27.3	33.2	45.5
1989.....	3.6	5.3	6.4	9.5	13.1	17.2	22.5	34.2	30.6	44.4
1988.....	3.5	5.0	7.2	9.4	9.8	17.2	22.3	22.8	30.8	40.5
1987.....	2.5	4.4	5.5	7.1	7.8	15.8	23.8	30.7	24.1	39.0
1986.....	2.9	3.8	6.3	9.0	8.3	16.7	24.3	30.0	39.8	*
1985.....	*	4.6	4.2	7.0	10.2	12.4	15.7	19.9	29.5	*
1984.....	2.8	3.5	4.1	7.1	9.2	9.4	15.2	15.8	25.7	*
1983.....	*	3.6	*	7.1	10.0	10.6	13.3	18.8	*	32.9
1982.....	*	*	5.0	4.2	9.5	9.6	14.2	14.6	27.7	*
1981.....	2.8	*	*	3.7	7.6	9.5	12.4	*	23.1	*
1980.....	0.7	1.9	4.1	7.2	7.4	11.4	12.7	17.9	21.8	14.8
1979.....	1.7	2.6	4.1	4.4	9.8	9.6	12.1	7.1	14.0	16.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)										
ALL OTHER FEMALE										
1998.....	1.8	2.9	4.3	7.5	8.5	12.8	22.6	26.4	34.6	33.8
1997.....	2.4	2.4	4.4	7.2	10.6	13.5	19.3	24.8	30.4	35.6
1996.....	1.9	2.2	4.2	5.8	9.5	13.4	18.7	23.9	36.8	31.4
1995.....	2.2	2.2	4.0	6.5	9.4	12.3	18.0	25.2	25.1	37.9
1994.....	1.5	3.9	3.7	6.0	10.4	12.6	16.9	21.9	34.3	32.6
1993.....	1.7	2.4	4.4	7.6	8.3	11.9	14.4	20.1	33.4	25.7
1992.....	2.2	2.1	3.8	6.0	9.0	11.2	15.7	24.2	26.9	33.3
1991.....	2.1	2.2	3.7	6.9	8.9	13.9	17.7	22.2	31.4	25.4
1990.....	1.9	2.6	4.6	7.2	6.2	11.4	17.1	21.6	21.0	26.8
1989.....	1.9	2.8	3.6	5.0	8.0	11.6	15.2	22.8	26.4	17.1
1988.....	*	2.4	3.6	5.5	6.5	10.8	10.3	15.6	24.5	28.4
1987.....	*	2.4	3.3	4.3	7.4	8.3	12.4	16.1	28.1	17.2
1986.....	*	2.3	3.7	4.1	5.9	9.3	12.9	13.2	17.0	21.8
1985.....	*	*	*	4.4	7.5	7.1	11.0	17.2	22.2	23.3
1984.....	*	*	*	4.5	6.2	9.5	11.7	14.1	14.5	*
1983.....	*	*	2.6	3.1	4.2	7.2	8.2	11.6	18.2	*
1982.....	*	*	*	3.0	3.7	7.2	7.5	11.9	17.2	*
1981.....	*	*	*	*	6.0	7.2	7.2	8.4	*	17.5
1980.....	0.6	1.3	1.6	3.3	4.6	5.0	7.9	12.2	14.8	16.9
1979.....	1.0	2.0	2.1	3.3	2.8	6.8	6.6	10.1	5.8	13.2
BLACK, BOTH SEXES										
1998.....	3.3	5.4	7.9	10.6	13.2	16.8	22.9	26.7	36.7	35.3
1997.....	4.2	5.2	7.8	8.9	14.4	16.6	25.4	29.2	37.3	37.9
1996.....	4.0	5.2	7.2	9.4	14.8	16.5	22.7	27.4	42.2	34.9
1995.....	3.8	4.3	7.9	7.9	13.2	16.4	21.1	27.1	29.5	37.9
1994.....	3.2	5.6	5.5	9.5	14.5	14.4	21.0	21.2	35.1	30.6
1993.....	3.2	5.3	6.8	9.8	11.1	17.0	17.7	26.4	34.6	30.4
1992.....	3.7	4.2	6.1	8.1	12.9	14.7	18.8	26.1	29.3	34.6
1991.....	3.6	3.9	5.7	9.8	11.8	16.2	21.3	26.2	35.0	25.9
1990.....	3.4	4.7	7.1	9.3	10.2	15.6	17.6	23.6	23.6	31.4
1989.....	3.4	4.7	5.4	7.7	10.4	14.7	18.1	26.7	27.0	23.6
1988.....	2.6	4.3	5.6	8.1	8.3	13.6	15.4	17.3	25.0	32.7
1987.....	2.1	3.9	4.9	6.1	8.2	12.4	16.9	21.6	24.7	21.2
1986.....	2.3	3.7	5.6	6.3	7.4	13.2	17.8	18.8	23.5	21.4
1985.....	1.9	3.4	3.2	5.5	9.4	9.7	13.6	18.3	23.7	20.5
1984.....	2.0	2.5	3.1	6.1	7.9	9.3	13.4	14.8	19.1	12.6
1983.....	*	2.6	3.0	5.4	7.3	9.5	10.6	13.9	19.8	15.8
1982.....	*	2.0	3.5	3.7	6.4	8.5	9.9	12.6	19.7	*
1981.....	2.0	*	2.4	3.5	6.9	8.3	9.5	9.0	14.8	17.9
1980.....	0.6	1.7	3.1	5.1	6.0	6.9	9.4	14.4	19.0	16.3
1979.....	1.4	2.4	3.0	4.2	5.8	7.8	8.3	8.1	9.5	9.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)										
BLACK MALE										
1998.....	4.6	7.9	11.4	12.4	18.2	21.5	25.1	31.5	42.7	39.0
1997.....	5.8	8.0	11.4	10.0	18.1	20.3	32.0	37.9	46.9	46.7
1996.....	6.0	8.1	10.0	12.9	20.1	20.6	28.8	31.7	54.2	43.2
1995.....	5.0	6.3	12.1	10.0	18.8	21.4	25.0	30.9	41.9	42.9
1994.....	4.9	6.9	7.1	12.9	18.9	17.6	25.8	21.8	35.6	35.4
1993.....	4.5	7.8	9.9	11.5	13.7	23.0	21.9	36.5	37.1	43.0
1992.....	5.0	6.1	7.8	10.1	16.8	19.7	22.8	31.0	36.1	38.8
1991.....	5.1	5.9	7.7	11.9	15.9	19.1	23.9	31.5	43.6	*
1990.....	4.6	6.8	10.2	11.5	14.8	20.5	19.4	26.9	34.6	43.8
1989.....	4.6	6.5	7.5	10.8	13.4	18.5	21.8	32.0	30.9	40.9
1988.....	4.0	6.5	7.6	10.5	10.5	17.0	23.6	20.9	26.6	47.7
1987.....	3.4	5.2	6.3	8.3	9.1	16.7	24.5	30.3	*	34.4
1986.....	3.2	4.7	7.0	9.3	9.2	17.2	23.8	27.3	32.2	*
1985.....	*	4.9	4.4	6.7	10.9	13.9	15.4	20.6	25.3	*
1984.....	3.2	3.8	4.6	7.8	10.0	9.5	16.3	14.4	29.8	*
1983.....	*	4.1	*	7.4	10.7	11.9	13.5	18.8	*	*
1982.....	*	*	4.9	4.2	9.3	9.6	14.9	12.4	*	*
1981.....	*	*	*	*	7.7	9.6	12.6	*	26.0	*
1980.....	0.7	2.3	4.7	7.3	7.3	10.8	11.9	16.3	25.3	15.1
1979.....	2.0	3.1	4.0	5.1	9.7	9.5	10.6	5.6	14.3	7.7
BLACK FEMALE										
1998.....	2.2	3.3	5.1	9.1	9.5	13.2	21.4	23.7	33.6	33.7
1997.....	2.8	2.9	4.8	8.0	11.7	13.8	20.8	23.6	32.2	34.3
1996.....	2.3	2.8	5.0	6.6	10.7	13.3	18.6	24.7	36.0	31.5
1995.....	2.7	2.6	4.5	6.3	8.9	12.7	18.5	24.7	23.2	35.9
1994.....	1.9	4.4	4.2	6.7	11.2	11.9	17.8	20.9	34.8	28.7
1993.....	2.0	3.2	4.2	8.4	9.1	12.6	14.8	20.3	33.3	25.2
1992.....	2.6	2.5	4.6	6.6	10.0	11.0	16.2	23.2	25.7	32.8
1991.....	2.3	*	4.1	8.2	8.8	14.0	19.5	23.1	30.6	25.2
1990.....	2.4	2.9	4.6	7.6	6.7	12.0	16.4	21.7	17.9	26.2
1989.....	2.3	3.2	3.8	5.2	8.2	12.0	15.7	23.6	24.9	16.3
1988.....	*	*	4.0	6.2	6.5	11.1	10.0	15.2	24.2	26.2
1987.....	*	2.8	3.7	4.3	7.5	9.2	11.9	16.3	26.9	15.3
1986.....	*	2.9	4.4	3.9	6.1	10.3	13.8	13.5	18.8	21.7
1985.....	*	*	*	4.4	8.2	6.7	12.4	16.8	22.8	22.6
1984.....	*	*	*	4.8	6.3	9.2	11.4	15.0	13.2	*
1983.....	*	*	*	3.8	4.6	7.7	8.6	10.8	18.6	*
1982.....	*	*	*	*	4.1	7.7	6.5	12.7	18.1	*
1981.....	*	*	*	*	6.2	7.3	7.3	8.2	*	17.7
1980.....	0.6	1.3	1.8	3.3	4.9	4.0	7.6	13.2	15.2	17.0
1979.....	1.0	1.9	2.3	3.5	2.8	6.6	6.7	9.7	6.5	10.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)										
TOTAL, BOTH SEXES										
1998.....	0.6	1.4	2.7	5.2	8.7	13.4	20.6	27.3	32.0	34.0
1997.....	0.5	1.4	2.7	5.9	8.9	13.9	21.3	25.5	33.9	35.2
1996.....	0.5	1.2	3.0	5.4	9.8	13.8	20.7	27.0	33.1	34.7
1995.....	0.6	1.4	2.9	5.5	10.1	14.8	20.3	27.0	33.4	34.8
1994.....	0.6	1.6	3.3	5.5	9.5	13.6	20.3	27.1	33.4	35.5
1993.....	0.6	1.3	3.0	5.0	9.4	14.9	19.9	28.1	33.2	35.0
1992.....	0.5	1.2	2.8	5.5	8.2	13.8	19.5	26.3	33.2	32.7
1991.....	0.6	1.3	2.9	5.4	8.9	13.8	19.9	27.2	32.3	33.7
1990.....	0.5	1.3	3.0	5.1	8.9	13.3	19.9	25.1	33.6	33.8
1989.....	0.5	1.3	2.9	5.6	8.8	13.1	18.7	25.4	31.1	30.4
1988.....	0.6	1.5	2.9	5.5	8.4	13.4	18.3	24.1	30.7	30.5
1987.....	0.6	1.5	3.0	5.1	8.6	12.9	19.2	23.2	29.5	30.7
1986.....	0.7	1.3	2.9	4.7	8.1	13.3	18.5	24.8	29.8	30.9
1985.....	0.7	1.2	3.0	5.1	8.7	12.7	19.0	23.3	29.2	29.2
1984.....	0.6	1.5	2.9	5.5	8.7	12.0	17.4	23.3	28.8	26.6
1983.....	0.6	1.3	2.9	5.3	8.5	12.6	17.1	23.3	27.9	27.2
1982.....	0.6	1.4	3.3	4.8	7.9	12.4	17.5	22.3	26.1	27.4
1981.....	0.6	1.5	2.8	4.6	8.3	11.8	17.2	22.6	26.6	23.9
1980.....	0.7	1.3	2.6	5.2	8.5	12.0	16.6	21.6	26.6	25.5
1979.....	0.6	1.5	3.1	5.0	8.1	11.5	16.7	21.8	25.4	23.9
TOTAL, MALE										
1998.....	0.7	1.6	3.3	5.8	10.5	16.2	24.8	32.3	40.7	48.0
1997.....	0.6	1.7	3.3	6.6	10.6	16.6	26.2	30.8	45.8	50.2
1996.....	0.7	1.4	3.6	6.2	10.8	16.6	25.2	33.1	43.9	51.5
1995.....	0.7	1.7	3.6	6.3	11.8	17.4	23.4	33.0	42.5	51.2
1994.....	0.8	1.8	4.1	6.2	11.7	17.0	25.8	32.4	42.6	51.9
1993.....	0.8	1.7	3.4	6.1	10.4	18.1	24.2	33.7	41.2	48.9
1992.....	0.6	1.4	3.2	6.5	9.9	16.5	24.1	32.2	42.4	45.2
1991.....	0.8	1.5	3.1	6.2	10.4	17.1	24.3	33.8	42.1	47.1
1990.....	0.7	1.4	3.7	6.0	10.7	16.0	24.7	32.5	44.1	48.3
1989.....	0.7	1.6	3.4	6.8	10.1	15.6	22.5	32.4	41.6	42.5
1988.....	0.7	1.6	3.3	6.6	9.9	15.8	22.5	30.1	41.9	44.9
1987.....	0.8	1.9	3.9	6.0	10.6	16.2	23.6	29.6	36.5	42.5
1986.....	0.8	1.4	3.1	5.5	9.4	16.4	23.5	31.0	39.9	41.7
1985.....	0.9	1.2	3.4	6.0	10.2	15.3	23.5	27.9	38.5	42.7
1984.....	0.8	1.6	3.3	6.2	10.2	14.4	21.6	29.4	36.3	34.5
1983.....	0.7	1.5	3.4	6.5	9.8	14.8	20.5	30.0	36.9	41.1
1982.....	0.8	1.6	4.0	5.6	9.2	15.5	20.8	27.2	34.4	36.4
1981.....	0.7	1.8	3.3	5.4	9.8	13.4	20.8	27.8	34.9	32.2
1980.....	0.9	1.3	3.0	6.4	9.9	14.5	20.2	28.4	34.5	36.4
1979.....	0.8	1.9	3.6	6.1	10.1	13.9	20.0	27.6	31.8	35.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)										
TOTAL, FEMALE										
1998.....	0.4	1.2	2.0	4.7	7.0	11.1	17.3	23.7	26.9	28.2
1997.....	0.5	1.1	2.1	5.2	7.5	11.6	17.6	21.8	26.9	29.1
1996.....	0.4	1.0	2.3	4.7	8.8	11.4	17.3	22.8	26.8	28.0
1995.....	0.4	1.1	2.3	4.8	8.5	12.7	17.9	22.8	28.3	28.4
1994.....	0.4	1.4	2.5	4.9	7.6	10.8	16.1	23.5	28.3	29.2
1993.....	0.4	1.0	2.6	4.0	8.5	12.2	16.7	24.4	28.8	29.7
1992.....	0.4	1.0	2.5	4.5	6.6	11.7	16.0	22.5	28.3	27.9
1991.....	0.4	1.1	2.7	4.6	7.6	11.2	16.7	22.9	27.1	28.6
1990.....	0.3	1.2	2.3	4.3	7.4	11.1	16.2	20.3	28.0	28.3
1989.....	0.4	1.1	2.5	4.4	7.7	11.1	16.0	20.9	25.5	25.7
1988.....	0.5	1.3	2.4	4.4	7.0	11.4	15.3	20.2	24.8	24.9
1987.....	0.5	1.1	2.1	4.3	6.9	10.2	15.9	19.2	25.9	26.0
1986.....	0.5	1.1	2.8	4.1	6.9	10.8	14.9	20.9	24.5	26.5
1985.....	0.5	1.3	2.7	4.2	7.3	10.6	15.8	20.5	24.2	23.8
1984.....	0.4	1.3	2.6	4.8	7.5	10.2	14.3	19.5	24.9	23.4
1983.....	0.5	1.2	2.4	4.2	7.3	10.8	14.7	19.2	23.1	21.5
1982.....	0.5	1.3	2.6	4.1	6.8	9.9	15.0	19.2	21.8	23.6
1981.....	0.4	1.2	2.3	4.0	6.9	10.5	14.6	19.3	22.2	20.3
1980.....	0.5	1.2	2.3	4.2	7.3	10.0	14.0	17.3	22.4	20.7
1979.....	0.5	1.1	2.6	3.9	6.3	9.7	14.3	18.2	22.0	18.7
WHITE, BOTH SEXES										
1998.....	0.5	1.2	2.2	4.4	7.5	12.3	19.0	25.8	30.1	31.5
1997.....	0.4	1.2	2.4	5.1	8.0	12.8	20.2	24.0	32.2	33.2
1996.....	0.4	1.0	2.6	4.7	8.6	12.6	19.0	25.2	31.7	32.9
1995.....	0.5	1.2	2.4	4.7	8.8	13.9	18.9	25.1	31.8	32.6
1994.....	0.6	1.4	2.8	4.7	8.7	12.4	19.2	25.8	31.3	33.4
1993.....	0.5	1.1	2.5	4.3	8.4	13.7	18.2	26.2	31.9	32.4
1992.....	0.4	1.0	2.2	4.6	7.3	12.8	18.1	25.0	31.4	30.9
1991.....	0.5	1.1	2.5	4.6	8.2	12.6	18.1	25.2	30.4	32.1
1990.....	0.4	1.1	2.6	4.4	8.0	12.3	18.3	23.6	31.7	32.3
1989.....	0.5	1.1	2.5	5.1	8.0	11.9	17.6	24.2	29.2	28.2
1988.....	0.4	1.2	2.5	4.7	7.7	12.2	17.0	22.6	29.0	29.4
1987.....	0.6	1.3	2.5	4.7	7.8	11.8	17.6	21.6	28.2	28.6
1986.....	0.5	1.0	2.5	4.1	7.1	12.3	16.8	23.2	28.0	29.5
1985.....	0.6	1.0	2.8	4.6	7.8	11.6	17.5	22.1	26.5	27.9
1984.....	0.4	1.2	2.6	4.8	7.8	11.3	16.3	21.7	27.1	25.4
1983.....	0.5	1.1	2.5	4.7	7.5	11.6	15.8	21.6	25.7	26.0
1982.....	0.5	1.1	2.8	4.1	7.4	11.2	16.2	21.2	24.1	25.8
1981.....	0.5	1.3	2.5	4.0	7.5	10.6	15.8	20.8	25.0	22.4
1980.....	0.5	1.1	2.3	4.6	7.7	10.9	15.6	20.5	25.3	24.8
1979.....	0.5	1.4	2.6	4.4	7.3	10.4	15.8	20.9	24.7	22.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)										
WHITE MALE										
1998.....	0.7	1.5	2.8	5.0	9.5	15.0	23.3	31.0	38.3	44.7
1997.....	0.5	1.4	3.1	5.7	9.6	15.2	25.3	29.4	43.7	48.3
1996.....	0.6	1.2	3.1	5.4	9.7	15.3	23.4	31.4	42.3	49.8
1995.....	0.6	1.5	3.2	5.8	10.6	16.6	21.7	30.8	40.9	47.8
1994.....	0.7	1.6	3.5	5.2	10.8	15.5	24.6	31.4	40.3	48.8
1993.....	0.7	1.5	3.0	5.3	9.6	16.8	22.0	31.5	41.1	45.6
1992.....	0.5	1.3	2.5	5.5	8.7	15.4	22.4	30.7	40.2	42.6
1991.....	0.7	1.3	2.7	5.4	9.7	15.6	22.2	31.2	40.4	44.9
1990.....	0.5	1.2	3.4	5.3	9.5	14.8	22.8	30.9	41.4	45.1
1989.....	0.6	1.2	2.7	6.3	9.3	14.4	21.1	30.6	39.8	39.6
1988.....	0.6	1.4	2.9	6.0	9.3	14.9	21.2	28.2	39.7	44.6
1987.....	0.7	1.7	3.4	5.6	9.8	15.0	21.8	27.0	33.7	40.6
1986.....	0.7	1.2	2.8	4.8	8.2	15.1	21.4	29.5	36.1	39.3
1985.....	0.7	0.9	3.1	5.5	9.1	14.0	21.7	26.7	35.1	40.7
1984.....	0.6	1.4	2.9	5.5	9.1	13.4	20.2	27.1	33.8	33.3
1983.....	0.6	1.2	2.9	5.9	8.5	13.7	19.0	27.5	33.4	39.5
1982.....	0.6	1.3	3.4	4.9	8.8	14.2	19.2	25.7	31.1	33.4
1981.....	0.7	1.5	3.0	4.7	8.9	11.9	19.4	25.3	32.5	30.5
1980.....	0.6	1.2	2.7	5.6	9.0	13.0	19.1	26.9	32.8	35.9
1979.....	0.7	1.7	3.2	5.6	9.1	12.5	19.4	26.0	30.8	33.7
WHITE FEMALE										
1998.....	0.3	0.9	1.7	3.9	5.8	10.1	15.7	22.2	25.2	26.0
1997.....	0.4	0.9	1.7	4.6	6.6	10.7	16.2	20.2	25.4	27.2
1996.....	0.3	0.7	2.1	4.1	7.6	10.4	15.6	20.9	25.5	26.2
1995.....	0.4	0.9	1.7	3.7	7.1	11.7	16.8	21.2	26.6	26.8
1994.....	0.4	1.1	2.1	4.2	6.9	9.8	15.0	22.0	26.4	27.5
1993.....	0.4	0.7	2.1	3.5	7.4	11.2	15.3	22.7	26.9	27.4
1992.....	0.3	0.7	1.9	3.8	6.0	10.7	14.8	21.2	26.7	26.4
1991.....	0.3	0.9	2.3	3.9	6.9	10.2	15.0	21.2	25.0	27.2
1990.....	*	1.0	1.9	3.7	6.7	10.2	14.9	18.9	26.6	27.4
1989.....	0.3	0.9	2.2	4.1	6.9	9.9	14.9	20.0	23.7	23.9
1988.....	0.3	1.1	2.1	3.6	6.3	10.1	13.9	19.0	23.4	23.6
1987.....	0.4	0.9	1.7	3.9	6.1	9.2	14.5	18.2	25.3	24.0
1986.....	0.3	0.9	2.3	3.5	6.1	10.0	13.5	19.3	23.8	25.7
1985.....	0.4	1.0	2.5	3.7	6.7	9.7	14.5	19.2	22.1	22.8
1984.....	*	1.1	2.2	4.2	6.7	9.5	13.4	18.4	23.5	22.3
1983.....	0.4	1.0	2.0	3.7	6.6	9.8	13.5	17.9	21.7	20.5
1982.....	*	1.0	2.3	3.5	6.1	8.9	14.0	18.4	20.4	22.7
1981.....	*	1.0	2.0	3.4	6.3	9.6	13.2	18.0	21.1	19.0
1980.....	0.4	0.9	1.9	3.6	6.5	9.2	13.0	16.5	21.3	20.0
1979.....	0.3	1.1	2.1	3.3	5.7	8.7	13.3	17.7	21.4	17.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)										
ALL OTHER, BOTH SEXES										
1998.....	1.0	2.3	5.2	10.3	15.8	20.7	32.8	40.1	51.7	58.0
1997.....	1.1	2.9	4.4	10.4	14.6	21.7	30.9	39.3	51.1	53.9
1996.....	1.0	2.3	5.0	9.5	17.3	22.1	35.4	43.6	47.6	51.8
1995.....	0.8	2.7	6.1	10.2	18.6	21.2	32.2	44.4	50.7	56.6
1994.....	1.0	2.7	6.3	10.6	14.7	22.5	29.8	39.5	54.0	57.3
1993.....	0.9	2.5	5.5	9.2	16.1	23.4	35.1	46.2	45.9	62.0
1992.....	1.0	2.4	6.6	11.0	14.5	21.6	31.8	38.7	52.2	52.3
1991.....	1.1	2.7	5.4	10.0	14.2	23.8	36.3	46.5	52.7	51.5
1990.....	1.3	2.8	5.0	9.6	15.7	21.9	34.4	39.0	53.4	49.9
1989.....	0.9	3.0	6.0	8.6	14.8	22.9	29.3	36.9	50.5	53.9
1988.....	1.3	2.9	5.3	10.6	13.6	22.9	30.4	37.9	48.8	41.9
1987.....	1.1	2.8	5.9	7.9	14.8	22.5	33.6	38.7	44.2	52.5
1986.....	1.5	2.8	5.8	9.3	16.3	22.3	34.3	39.8	49.2	45.5
1985.....	1.3	2.9	4.8	8.9	15.6	22.2	32.8	35.4	57.5	43.8
1984.....	1.6	3.0	5.4	10.6	16.2	18.9	27.3	38.3	48.0	39.6
1983.....	1.2	2.7	5.9	9.5	17.0	21.5	29.2	40.3	51.9	40.7
1982.....	1.6	3.2	6.3	10.0	13.2	22.2	29.4	33.0	49.0	45.2
1981.....	*	2.9	4.8	9.6	14.6	22.4	30.5	40.3	44.4	41.1
1980.....	1.5	2.9	5.3	10.8	15.6	22.0	26.9	32.3	42.3	33.4
1979.....	1.5	2.1	6.8	10.1	15.4	21.6	25.2	30.7	33.9	37.9
ALL OTHER MALE										
1998.....	*	2.4	6.4	11.5	17.8	24.8	37.6	44.6	66.1	77.2
1997.....	1.3	3.4	4.8	13.0	17.7	27.3	34.2	44.0	66.8	66.4
1996.....	1.4	2.4	6.5	11.0	18.8	26.8	42.0	49.5	60.8	66.1
1995.....	1.3	3.3	6.5	9.7	20.4	23.2	39.0	54.8	59.3	83.5
1994.....	*	2.9	8.1	12.5	18.3	29.3	36.8	42.7	66.0	81.5
1993.....	*	2.7	5.6	11.4	16.9	29.0	44.6	55.8	41.5	79.7
1992.....	*	*	7.7	13.5	19.2	25.2	39.8	46.3	63.7	69.4
1991.....	1.7	2.8	5.7	12.0	16.2	30.5	43.5	59.6	58.9	67.4
1990.....	1.7	2.9	5.8	11.1	20.1	27.0	43.2	48.3	71.2	77.4
1989.....	*	3.9	7.8	11.0	16.7	26.3	35.4	49.1	59.5	69.1
1988.....	*	3.0	6.0	11.7	15.5	24.3	34.8	47.9	63.2	48.1
1987.....	*	3.1	7.4	9.1	17.4	27.7	41.4	54.4	65.2	59.7
1986.....	*	3.0	5.4	11.2	19.7	28.3	44.1	44.8	78.7	64.0
1985.....	*	3.2	5.7	10.1	20.4	27.5	40.7	38.8	72.4	61.6
1984.....	*	3.4	6.2	12.6	19.6	23.3	34.7	50.5	61.4	45.8
1983.....	*	3.6	6.9	11.6	22.1	24.9	34.8	52.8	73.2	55.7
1982.....	*	3.4	8.6	11.7	13.7	26.8	36.7	41.7	68.1	65.7
1981.....	*	3.4	6.0	11.2	18.0	27.1	34.3	51.6	60.4	50.0
1980.....	2.4	2.2	5.8	13.2	17.8	28.0	30.9	43.0	52.7	41.1
1979.....	1.5	3.0	7.0	11.3	19.6	26.4	26.1	41.8	41.9	54.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)										
ALL OTHER FEMALE										
1998.....	1.1	2.3	4.1	9.4	14.2	17.6	29.4	37.1	43.5	49.2
1997.....	*	2.4	4.1	8.3	12.3	17.6	28.6	36.2	42.4	48.3
1996.....	*	2.2	3.7	8.3	16.1	18.7	30.7	39.8	40.3	45.3
1995.....	*	2.1	5.9	10.7	17.2	19.7	27.5	37.7	45.9	45.0
1994.....	*	2.6	4.7	9.0	12.0	17.4	25.0	37.5	47.4	46.8
1993.....	*	2.4	5.4	7.5	15.5	19.3	28.5	40.2	48.3	54.3
1992.....	*	3.0	5.6	9.0	10.8	18.9	26.3	33.9	45.7	44.6
1991.....	*	2.5	5.1	8.5	12.6	18.9	31.5	38.4	48.9	43.9
1990.....	*	2.6	4.4	8.4	12.3	18.2	28.3	33.3	43.4	37.4
1989.....	*	2.2	4.5	6.6	13.4	20.3	25.1	29.3	45.3	46.9
1988.....	*	2.8	4.7	9.7	12.2	21.9	27.5	31.5	40.2	39.1
1987.....	*	2.5	4.6	6.9	12.8	18.7	28.2	28.6	32.1	49.1
1986.....	*	2.7	6.2	7.8	13.7	17.8	27.5	36.6	32.4	36.5
1985.....	*	2.5	4.0	8.0	11.8	18.2	27.4	33.1	48.9	35.3
1984.....	*	2.6	4.7	9.1	13.6	15.6	22.1	30.3	39.9	36.6
1983.....	*	*	5.1	7.8	12.8	19.0	25.4	32.0	39.4	33.1
1982.....	*	2.9	4.5	8.6	12.9	18.7	24.2	27.0	37.6	34.6
1981.....	*	*	3.8	8.3	11.9	18.8	27.6	32.7	34.7	36.5
1980.....	0.8	3.4	5.0	8.9	13.8	17.5	23.8	25.1	35.9	29.5
1979.....	1.5	1.3	6.6	9.1	12.1	18.0	24.5	22.9	29.2	29.8
BLACK, BOTH SEXES										
1998.....	1.3	3.1	6.6	13.2	19.9	25.4	40.4	48.8	62.7	67.0
1997.....	1.4	3.8	5.7	12.7	18.3	26.3	37.6	46.1	61.3	65.0
1996.....	1.3	2.7	6.3	12.2	21.7	26.9	42.3	51.9	57.2	58.7
1995.....	1.0	3.5	7.7	12.8	23.5	24.8	39.2	52.6	57.8	61.7
1994.....	1.3	3.6	8.0	13.4	18.2	27.8	36.3	46.9	62.9	64.6
1993.....	1.2	3.4	7.2	11.4	19.7	28.0	41.9	53.1	53.0	68.2
1992.....	1.3	3.2	8.4	13.2	17.9	26.2	37.2	45.2	60.2	58.2
1991.....	1.6	3.4	6.9	12.2	17.0	28.9	42.2	52.8	59.3	56.9
1990.....	1.7	3.2	6.2	11.8	19.2	25.4	40.9	43.2	58.6	54.3
1989.....	1.1	3.8	7.1	10.3	17.4	27.5	33.5	40.7	56.0	61.8
1988.....	1.7	3.5	6.4	12.8	16.2	27.0	35.8	41.6	54.8	45.3
1987.....	1.4	3.6	7.0	9.3	18.1	26.7	38.8	43.3	48.7	57.2
1986.....	1.9	3.4	6.8	11.0	19.2	25.8	39.5	44.2	52.2	49.8
1985.....	1.5	3.4	5.7	10.5	17.9	25.7	36.9	39.7	62.4	45.6
1984.....	2.0	3.6	6.6	12.5	18.8	21.9	29.6	42.3	53.0	42.1
1983.....	1.5	3.3	6.9	10.9	19.2	23.9	32.4	45.6	56.8	43.5
1982.....	1.9	3.8	7.4	11.6	15.3	24.3	33.3	36.3	55.0	47.7
1981.....	*	3.5	5.4	11.0	16.3	25.0	33.4	44.0	49.3	43.5
1980.....	1.6	3.3	5.9	12.4	17.3	24.3	29.8	34.0	47.0	35.8
1979.....	1.7	2.2	8.0	11.4	17.1	23.0	28.1	33.1	34.3	40.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)										
BLACK MALE										
1998.....	*	3.0	8.6	14.4	22.7	31.2	45.4	54.1	87.1	90.1
1997.....	1.7	4.3	6.2	15.5	21.9	33.3	42.4	52.4	82.1	82.9
1996.....	1.7	3.1	8.4	13.9	24.6	32.4	49.8	61.4	76.2	79.2
1995.....	*	4.3	8.6	11.6	26.1	26.2	47.8	65.3	73.6	88.4
1994.....	*	3.8	10.5	16.2	23.1	36.5	43.4	51.6	78.7	94.3
1993.....	*	3.5	7.5	13.6	22.1	33.6	54.3	66.5	49.5	87.4
1992.....	*	*	9.6	16.7	23.9	30.5	46.7	57.2	76.0	81.8
1991.....	2.3	3.5	7.7	15.3	19.4	36.8	51.1	69.6	67.3	76.8
1990.....	*	3.6	7.2	13.7	25.1	31.6	53.4	56.0	81.3	86.0
1989.....	*	5.2	9.4	13.0	20.0	31.9	42.1	54.5	70.1	81.8
1988.....	*	3.6	7.2	14.4	18.4	29.5	41.6	55.4	75.5	50.8
1987.....	*	4.2	9.3	10.6	21.6	33.7	49.0	63.4	71.7	68.8
1986.....	*	3.8	6.4	13.5	23.1	33.2	51.6	51.2	83.3	68.3
1985.....	*	3.9	6.8	11.6	23.0	32.4	47.6	42.9	78.2	66.1
1984.....	*	4.2	7.8	14.7	23.3	27.0	37.1	58.1	70.2	49.2
1983.....	*	4.6	8.1	13.2	25.3	28.4	38.5	60.0	79.3	60.0
1982.....	*	4.2	10.1	14.1	15.6	29.6	42.6	47.8	77.5	69.0
1981.....	*	4.2	7.3	12.7	20.2	30.6	37.7	57.6	66.2	53.6
1980.....	2.5	2.5	6.5	15.4	19.9	31.3	34.9	45.1	57.3	41.5
1979.....	1.6	3.2	8.2	12.9	22.3	28.4	30.5	45.3	44.2	59.6
BLACK FEMALE										
1998.....	1.5	3.1	5.0	12.2	17.8	21.1	36.9	45.3	49.9	57.3
1997.....	*	3.3	5.3	10.6	15.7	21.1	34.3	42.1	50.5	57.5
1996.....	*	2.4	4.6	10.9	19.5	22.8	37.2	46.0	47.3	50.3
1995.....	*	2.8	7.0	13.8	21.5	23.7	33.4	44.7	49.8	50.8
1994.....	*	3.5	6.0	11.2	14.5	21.4	31.6	44.0	54.9	52.6
1993.....	*	3.3	7.0	9.6	17.8	23.9	33.5	45.2	54.8	60.3
1992.....	*	3.8	7.4	10.5	13.4	23.1	30.8	38.2	52.0	48.4
1991.....	*	3.3	6.3	9.7	15.1	23.1	36.3	42.9	55.1	48.5
1990.....	*	2.9	5.4	10.3	14.8	20.8	32.7	35.8	46.9	40.9
1989.....	*	2.6	5.3	8.1	15.4	24.3	28.0	32.6	48.6	53.6
1988.....	*	3.4	5.7	11.5	14.5	25.2	31.8	33.4	43.8	43.0
1987.....	*	3.2	5.0	8.2	15.4	21.6	32.0	31.1	36.3	52.1
1986.....	*	3.1	7.2	9.0	16.3	20.3	31.4	39.9	35.2	41.3
1985.....	*	2.9	4.7	9.6	14.0	20.8	29.8	37.7	53.8	36.1
1984.....	*	3.1	5.7	10.8	15.4	18.2	24.5	32.3	43.4	38.8
1983.....	*	*	6.0	9.1	14.5	20.7	28.3	36.3	44.1	35.5
1982.....	*	3.4	5.3	9.6	15.0	20.3	27.0	29.1	42.0	37.3
1981.....	*	*	3.8	9.7	13.3	20.8	30.4	35.2	39.4	38.1
1980.....	0.9	4.0	5.4	10.0	15.2	19.0	26.1	26.8	40.7	33.0
1979.....	1.8	1.3	7.8	10.2	13.0	19.0	26.4	24.6	28.2	30.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LEUKEMIA (204-208)										
TOTAL, BOTH SEXES										
1998.....	2.5	3.2	4.7	7.7	13.3	20.9	33.5	46.3	61.5	76.5
1997.....	2.2	3.3	5.2	8.5	14.2	21.8	33.5	45.1	60.5	79.7
1996.....	2.2	3.4	5.4	8.6	14.0	21.9	34.2	46.4	62.4	80.6
1995.....	2.4	3.4	5.0	8.5	14.7	21.2	33.7	47.4	62.8	81.6
1994.....	2.4	3.5	5.7	8.6	14.7	21.1	32.5	44.7	60.7	82.1
1993.....	2.7	3.6	5.7	8.6	14.7	22.3	32.2	45.0	59.2	81.4
1992.....	2.3	3.7	5.7	9.3	14.3	22.2	31.5	44.9	60.5	81.4
1991.....	2.6	3.9	5.7	9.2	14.2	21.3	33.1	45.8	59.4	81.6
1990.....	2.6	3.8	6.0	9.2	14.0	21.3	32.7	45.2	60.6	79.2
1989.....	2.7	3.8	5.5	9.0	14.8	21.2	33.5	43.5	59.9	75.5
1988.....	2.9	3.9	5.7	8.9	13.5	20.1	30.7	43.7	60.3	77.4
1987.....	2.8	3.9	5.9	8.8	13.8	20.5	30.3	42.7	57.8	76.6
1986.....	2.9	4.0	5.8	9.2	13.9	21.0	31.2	43.2	60.9	75.8
1985.....	3.1	4.2	5.9	9.2	14.5	21.8	31.1	44.1	59.3	78.4
1984.....	3.1	4.2	6.5	9.5	14.2	21.6	30.9	42.8	60.1	76.6
1983.....	3.0	4.3	6.2	8.7	14.2	21.3	30.9	44.2	57.1	79.3
1982.....	2.9	4.1	5.9	8.6	13.8	21.4	30.5	45.8	60.8	78.7
1981.....	2.9	4.3	5.8	9.1	14.0	20.7	31.3	44.3	61.6	73.1
1980.....	3.2	4.5	6.1	9.5	14.6	20.5	32.8	43.7	62.1	78.2
1979.....	2.9	4.4	6.4	9.1	14.0	20.5	31.9	43.0	62.4	76.1
TOTAL, MALE										
1998.....	2.9	3.7	5.7	9.5	16.9	28.5	46.2	64.0	85.4	102.2
1997.....	2.4	3.8	6.1	10.2	18.0	30.1	45.9	62.1	87.8	115.7
1996.....	2.5	4.2	6.3	10.5	18.1	29.1	46.7	63.3	85.1	120.7
1995.....	2.9	3.8	6.1	10.4	19.0	29.0	46.8	66.6	89.6	123.0
1994.....	2.5	4.0	6.7	10.5	19.6	28.2	44.4	62.7	86.4	118.5
1993.....	3.1	4.0	6.8	11.0	18.7	30.8	43.8	63.4	85.2	115.6
1992.....	2.9	4.2	6.5	11.7	18.2	30.9	42.4	64.2	86.5	116.8
1991.....	2.9	4.6	6.6	10.9	18.4	27.8	46.6	62.2	83.0	111.7
1990.....	2.7	4.2	7.4	11.3	18.2	29.1	45.2	63.4	87.0	116.0
1989.....	3.2	4.5	6.4	10.8	19.1	29.4	45.5	64.4	86.0	102.3
1988.....	3.5	4.5	6.7	11.1	17.3	26.9	42.6	64.2	86.0	112.1
1987.....	3.1	4.2	6.6	10.6	17.9	27.2	41.6	60.6	84.6	104.8
1986.....	3.5	4.5	6.6	11.1	17.6	27.9	44.1	62.4	88.5	110.3
1985.....	3.7	4.5	7.1	11.1	18.5	28.6	42.7	61.3	86.0	114.8
1984.....	3.6	4.6	7.4	11.6	18.0	28.4	41.9	59.1	86.6	110.3
1983.....	3.4	4.9	7.3	10.7	18.4	29.0	42.6	63.1	81.3	120.6
1982.....	3.4	4.8	6.9	10.7	17.9	29.2	41.9	65.0	90.4	115.2
1981.....	3.2	5.0	6.5	11.7	18.2	28.6	44.0	62.1	91.2	105.0
1980.....	3.7	5.0	7.4	11.5	18.6	27.5	45.8	62.6	87.7	117.1
1979.....	3.2	4.9	7.2	11.4	17.8	28.0	44.6	60.2	88.2	116.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LEUKEMIA (204-208)										
TOTAL, FEMALE										
1998.....	2.1	2.8	3.8	6.0	10.2	14.4	23.6	33.8	47.3	65.8
1997.....	2.0	2.8	4.4	6.8	10.8	14.8	24.0	33.2	44.6	65.3
1996.....	2.0	2.7	4.6	6.8	10.3	15.9	24.5	34.7	49.2	64.6
1995.....	1.9	3.0	4.1	6.7	10.8	14.7	23.5	34.3	47.8	65.5
1994.....	2.2	3.0	4.7	6.9	10.4	15.3	23.3	32.4	46.5	68.1
1993.....	2.4	3.3	4.5	6.4	11.1	15.3	23.4	32.7	45.0	68.2
1992.....	1.8	3.3	5.0	7.1	10.8	15.2	23.3	32.1	46.4	67.7
1991.....	2.3	3.3	4.9	7.6	10.5	16.1	23.0	35.1	46.7	70.0
1990.....	2.4	3.5	4.8	7.2	10.3	15.0	23.4	33.4	46.5	65.0
1989.....	2.2	3.2	4.7	7.3	11.0	14.6	24.7	30.1	46.1	65.1
1988.....	2.4	3.3	4.8	6.9	10.2	14.5	22.0	30.6	46.8	63.9
1987.....	2.4	3.7	5.2	7.3	10.3	15.0	22.1	31.3	43.7	65.5
1986.....	2.4	3.5	5.1	7.4	10.8	15.4	21.9	31.1	46.4	62.1
1985.....	2.6	3.8	4.8	7.6	10.9	16.3	22.7	33.3	45.3	63.9
1984.....	2.7	3.8	5.6	7.7	10.9	16.1	22.9	32.5	46.2	63.0
1983.....	2.6	3.7	5.2	6.9	10.5	15.2	22.5	32.3	44.3	62.4
1982.....	2.3	3.5	5.0	6.7	10.2	15.1	22.2	33.7	45.2	63.5
1981.....	2.7	3.7	5.2	6.9	10.4	14.4	22.1	33.1	46.0	59.5
1980.....	2.9	3.9	4.9	7.6	11.1	14.9	23.4	31.9	48.5	61.1
1979.....	2.7	4.0	5.8	7.0	10.8	14.4	22.7	32.2	48.5	58.3
WHITE, BOTH SEXES										
1998.....	2.5	3.1	4.7	7.5	13.5	21.6	34.7	47.9	62.9	78.8
1997.....	2.1	3.4	5.2	8.6	14.3	22.6	34.1	46.6	62.4	82.9
1996.....	2.2	3.4	5.4	8.6	14.3	22.2	34.8	47.7	63.6	82.6
1995.....	2.5	3.4	4.9	8.6	14.9	21.8	34.4	48.6	64.3	84.2
1994.....	2.4	3.5	5.7	8.7	14.7	21.8	33.2	45.7	62.4	84.2
1993.....	2.7	3.6	5.7	8.6	14.7	22.8	32.9	46.1	60.2	83.4
1992.....	2.3	3.8	5.7	9.3	14.6	22.8	32.2	46.1	62.1	83.9
1991.....	2.5	3.9	5.6	9.1	14.5	21.6	34.0	47.1	60.6	83.4
1990.....	2.5	3.8	6.1	9.1	14.0	21.5	33.5	46.2	62.0	81.5
1989.....	2.7	3.9	5.5	9.0	14.9	21.5	34.0	44.9	61.0	77.3
1988.....	2.9	3.9	5.8	9.0	13.9	20.2	31.3	44.5	61.3	79.3
1987.....	2.8	4.0	5.8	8.8	14.0	20.8	30.8	43.5	59.1	78.6
1986.....	3.0	4.1	5.9	9.2	13.8	21.3	32.0	44.5	61.8	77.7
1985.....	3.2	4.2	6.0	9.2	14.5	22.1	31.4	45.9	60.0	81.2
1984.....	3.1	4.3	6.3	9.6	14.4	22.0	31.2	44.0	61.6	79.5
1983.....	3.0	4.3	6.1	8.8	14.2	21.5	31.3	45.2	58.6	81.8
1982.....	2.8	4.2	5.8	8.5	13.6	21.9	31.1	46.7	62.2	82.2
1981.....	2.8	4.3	5.8	9.1	14.4	20.9	32.1	45.3	62.9	75.6
1980.....	3.3	4.4	6.1	9.4	14.8	20.9	33.7	45.0	63.8	81.0
1979.....	2.9	4.4	6.5	9.1	14.1	20.8	32.7	44.6	64.1	78.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LEUKEMIA (204-208)										
WHITE MALE										
1998.....	2.9	3.5	5.6	9.4	17.0	29.4	47.8	66.3	87.8	105.5
1997.....	2.3	3.9	6.1	10.5	17.9	31.3	46.6	63.8	91.1	121.8
1996.....	2.4	4.2	6.3	10.6	18.3	29.5	47.5	65.2	86.9	124.7
1995.....	3.0	3.9	5.9	10.4	19.1	29.6	47.8	68.3	92.3	128.0
1994.....	2.6	4.0	6.8	10.6	19.5	28.9	45.2	64.1	89.3	122.2
1993.....	3.0	3.9	6.8	10.9	18.8	31.5	45.0	64.7	87.0	120.3
1992.....	2.8	4.2	6.3	11.7	18.7	31.8	43.3	65.2	89.5	122.0
1991.....	2.7	4.5	6.4	10.6	19.0	28.3	47.9	63.2	84.9	114.6
1990.....	2.7	4.1	7.4	11.4	18.3	29.2	45.9	64.9	89.7	120.7
1989.....	3.1	4.6	6.3	10.7	19.2	29.6	46.0	66.4	86.4	104.9
1988.....	3.4	4.5	6.9	11.1	17.6	27.1	43.3	65.5	89.1	115.0
1987.....	3.1	4.2	6.7	10.5	18.1	27.5	42.6	62.1	86.6	107.9
1986.....	3.4	4.6	6.7	11.2	17.5	28.2	45.2	64.7	90.6	114.9
1985.....	3.6	4.5	7.0	11.0	18.7	29.2	43.1	63.5	86.9	119.6
1984.....	3.7	4.5	7.3	11.8	18.2	28.9	42.5	60.4	89.7	115.9
1983.....	3.3	5.0	7.1	11.1	18.3	29.2	43.6	65.1	84.0	125.6
1982.....	3.4	4.8	6.9	10.7	17.8	29.9	43.0	66.3	92.8	120.8
1981.....	3.1	4.9	6.5	11.7	18.7	29.1	45.6	64.2	93.6	109.4
1980.....	3.7	5.0	7.5	11.4	19.0	27.8	47.0	65.4	90.1	121.6
1979.....	3.1	4.8	7.3	11.4	17.9	28.6	45.8	62.9	90.7	121.1
WHITE FEMALE										
1998.....	2.0	2.8	3.7	5.8	10.2	14.8	24.3	34.7	48.1	67.8
1997.....	2.0	2.8	4.4	6.9	11.1	15.2	24.3	34.4	45.5	67.4
1996.....	1.9	2.6	4.5	6.8	10.6	16.1	25.0	35.5	50.1	66.2
1995.....	1.9	2.9	4.0	6.9	11.1	15.1	24.0	34.9	48.4	67.3
1994.....	2.2	3.0	4.7	7.0	10.4	15.8	23.8	33.1	47.5	69.7
1993.....	2.3	3.2	4.6	6.5	11.0	15.6	23.6	33.6	45.5	69.4
1992.....	1.8	3.4	5.0	7.0	11.0	15.3	23.8	33.3	47.3	69.3
1991.....	2.2	3.4	4.8	7.6	10.5	16.2	23.5	36.4	47.6	71.6
1990.....	2.4	3.5	4.8	7.1	10.2	15.3	24.2	34.2	47.4	66.6
1989.....	2.2	3.2	4.8	7.5	11.1	14.9	25.0	31.0	47.6	66.8
1988.....	2.3	3.4	4.8	6.9	10.6	14.5	22.3	31.1	46.9	65.5
1987.....	2.4	3.7	5.0	7.3	10.3	15.3	22.1	31.8	44.8	67.2
1986.....	2.5	3.6	5.1	7.3	10.5	15.6	22.4	31.9	46.8	63.2
1985.....	2.7	3.8	5.0	7.5	10.8	16.4	22.9	34.8	46.0	66.2
1984.....	2.5	4.0	5.4	7.6	11.1	16.4	22.9	33.8	47.0	65.1
1983.....	2.6	3.7	5.2	6.8	10.6	15.3	22.4	32.8	45.3	64.2
1982.....	2.2	3.6	4.8	6.5	10.0	15.5	22.5	34.4	46.2	66.4
1981.....	2.6	3.8	5.2	6.7	10.7	14.3	22.4	33.6	46.8	61.4
1980.....	2.8	3.7	4.9	7.7	11.2	15.4	24.1	32.2	49.9	63.5
1979.....	2.7	4.1	5.7	7.0	10.9	14.5	23.3	33.2	50.0	59.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LEUKEMIA (204-208)										
ALL OTHER, BOTH SEXES										
1998.....	2.6	3.9	5.2	8.9	12.5	16.0	24.6	32.6	47.4	54.9
1997.....	2.7	3.0	5.3	7.4	13.4	16.2	28.7	32.1	42.0	49.6
1996.....	2.4	3.5	5.3	8.4	12.4	19.4	28.4	34.5	49.9	60.8
1995.....	2.0	3.6	5.6	8.1	13.2	16.9	27.6	36.6	48.2	55.1
1994.....	2.4	3.6	5.2	7.7	14.6	16.3	26.7	34.9	44.0	61.1
1993.....	3.1	4.2	5.5	8.3	14.2	18.1	25.9	34.6	49.1	60.7
1992.....	2.6	3.5	6.0	9.5	11.7	17.8	25.2	33.6	44.0	55.1
1991.....	3.0	4.1	6.4	10.0	11.9	18.9	25.0	33.7	47.1	62.4
1990.....	2.9	3.9	5.9	9.3	13.9	19.3	25.2	35.1	45.2	54.9
1989.....	3.0	3.5	5.6	8.8	13.8	18.8	29.6	30.5	48.9	56.6
1988.....	3.2	3.8	5.0	8.3	10.8	19.1	25.5	35.9	49.4	57.7
1987.....	2.6	3.9	6.4	9.1	12.6	17.9	26.2	34.3	44.2	55.0
1986.....	2.9	3.2	5.6	8.9	15.1	18.2	23.7	30.5	50.8	55.4
1985.....	3.1	4.1	5.3	9.6	14.0	18.5	28.2	27.1	51.9	47.8
1984.....	3.5	3.8	7.4	9.1	12.6	17.8	27.8	30.8	43.6	44.7
1983.....	3.4	4.1	6.6	7.6	14.1	19.7	27.4	34.4	40.5	51.7
1982.....	3.2	3.6	6.7	9.0	15.1	16.5	24.8	37.0	45.4	40.2
1981.....	3.6	4.2	5.6	9.6	10.4	18.9	23.8	34.3	46.9	44.7
1980.....	3.2	5.1	6.1	9.7	12.6	16.9	24.2	31.7	42.8	45.7
1979.....	3.0	4.6	6.3	8.8	12.8	17.7	24.1	27.3	42.4	49.4
ALL OTHER MALE										
1998.....	3.0	4.8	6.1	10.6	15.9	21.5	32.6	42.5	60.9	73.1
1997.....	3.1	3.6	6.3	8.4	18.9	21.0	39.6	45.8	54.1	62.1
1996.....	2.6	4.3	6.1	10.2	17.3	26.0	38.9	45.0	67.0	86.1
1995.....	2.2	3.7	7.1	10.6	18.1	24.2	38.4	49.2	61.5	76.4
1994.....	2.4	3.8	6.1	9.8	20.4	22.3	37.6	48.9	57.3	83.6
1993.....	3.8	4.1	6.8	11.9	17.8	25.1	31.9	51.1	66.0	72.1
1992.....	3.3	4.3	7.9	12.0	14.2	23.1	33.8	53.6	56.1	68.3
1991.....	3.7	5.6	7.6	12.4	13.5	23.9	33.7	52.2	64.3	84.9
1990.....	3.1	4.5	7.4	11.1	17.3	28.0	37.9	48.7	60.7	72.5
1989.....	4.0	3.9	6.7	11.8	18.2	27.2	41.1	44.6	81.8	77.8
1988.....	4.0	4.9	5.6	10.7	14.9	25.4	35.5	51.1	55.6	84.8
1987.....	3.1	4.5	6.2	11.3	16.3	24.7	31.9	46.0	65.2	75.3
1986.....	3.7	4.0	5.7	10.3	18.6	25.0	33.2	41.0	66.7	66.7
1985.....	4.0	4.4	7.9	11.8	17.3	22.9	38.3	40.8	76.2	69.9
1984.....	3.1	5.0	8.1	10.0	16.6	23.5	36.0	47.0	54.5	58.3
1983.....	4.2	4.5	8.4	8.2	19.7	26.9	33.1	43.7	53.6	71.4
1982.....	3.4	4.5	7.4	10.7	18.9	22.8	31.5	52.1	66.0	61.2
1981.....	3.8	5.4	6.2	11.5	13.6	23.8	29.0	42.5	65.9	60.9
1980.....	3.1	5.1	7.0	12.5	14.9	25.2	34.5	36.3	61.9	70.8
1979.....	3.6	5.3	6.3	11.4	16.3	22.2	33.0	35.2	61.6	62.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LEUKEMIA (204-208)										
ALL OTHER FEMALE										
1998.....	2.2	3.1	4.5	7.6	9.9	12.0	19.0	26.0	39.8	46.6
1997.....	2.3	2.5	4.5	6.6	9.2	12.5	21.1	23.2	35.2	43.9
1996.....	2.2	2.9	4.6	6.9	8.7	14.5	21.1	27.8	40.3	49.4
1995.....	1.8	3.6	4.3	6.1	9.4	11.5	20.1	28.5	40.8	45.9
1994.....	2.3	3.4	4.5	6.0	10.1	11.8	19.2	26.0	36.7	51.4
1993.....	2.4	4.2	4.4	5.5	11.5	13.0	21.7	24.3	39.6	55.7
1992.....	2.0	2.9	4.4	7.4	9.9	13.9	19.2	21.3	37.2	49.2
1991.....	2.3	2.7	5.4	8.0	10.7	15.2	19.1	22.2	37.1	51.9
1990.....	2.7	3.3	4.6	7.8	11.3	12.9	16.6	26.6	36.5	46.9
1989.....	2.1	3.2	4.7	6.4	10.4	12.6	21.6	21.7	30.2	46.9
1988.....	2.5	2.9	4.5	6.3	7.5	14.5	18.7	26.3	45.6	45.0
1987.....	2.2	3.3	6.5	7.3	9.7	12.8	22.2	26.8	32.1	45.4
1986.....	2.2	2.6	5.4	7.8	12.5	13.2	17.2	23.7	42.0	50.0
1985.....	2.3	3.8	3.3	7.7	11.4	15.3	21.1	18.2	37.8	37.3
1984.....	3.8	2.7	6.8	8.4	9.5	13.5	22.1	20.1	37.0	37.9
1983.....	2.6	3.8	5.3	7.1	9.6	14.3	23.4	28.2	32.7	41.7
1982.....	2.9	2.9	6.1	7.6	12.1	11.8	20.0	26.7	33.1	29.3
1981.....	3.4	3.2	5.2	8.0	7.8	15.3	19.9	28.7	35.3	36.5
1980.....	3.3	5.1	5.4	7.4	10.7	10.5	16.5	28.5	31.0	32.9
1979.....	2.5	4.0	6.4	6.7	10.0	14.2	17.3	21.7	30.7	43.0
BLACK, BOTH SEXES										
1998.....	2.9	4.6	5.6	10.4	14.6	17.6	27.5	35.8	56.0	58.1
1997.....	2.6	3.5	5.7	8.1	15.6	17.5	32.4	35.5	47.4	54.7
1996.....	2.6	3.8	6.4	9.8	14.4	21.3	30.8	39.2	58.7	66.4
1995.....	2.0	4.4	6.2	9.5	15.3	19.4	30.6	38.8	49.7	56.6
1994.....	2.6	4.3	5.5	8.9	16.4	18.7	29.4	38.3	44.6	65.0
1993.....	3.2	4.3	6.5	8.9	16.4	20.5	28.1	36.7	52.4	60.0
1992.....	3.0	3.8	6.7	11.2	13.4	19.8	26.7	36.7	49.6	61.6
1991.....	3.3	4.6	6.9	11.1	13.8	21.2	28.2	35.4	51.9	67.7
1990.....	2.8	4.7	6.9	10.7	15.5	21.4	28.7	37.8	49.6	59.7
1989.....	3.4	4.1	6.4	9.5	14.8	20.4	30.9	33.6	54.3	60.0
1988.....	3.6	3.9	5.2	9.0	11.7	20.9	27.8	39.3	51.5	62.6
1987.....	2.5	4.5	7.2	9.7	14.4	18.3	29.2	36.9	47.1	59.1
1986.....	3.0	3.1	6.2	9.9	16.8	20.1	25.2	32.5	56.5	59.2
1985.....	3.7	4.2	5.7	10.5	14.7	20.6	30.6	27.8	56.3	51.3
1984.....	4.1	4.0	7.3	9.7	13.5	19.0	30.1	32.6	46.6	46.3
1983.....	3.4	4.4	7.2	7.8	15.5	20.8	29.8	34.8	43.2	53.8
1982.....	3.4	3.6	7.0	9.6	16.7	17.7	26.9	38.7	46.8	40.3
1981.....	3.6	4.6	5.8	10.2	11.4	19.5	26.3	36.6	51.2	46.4
1980.....	3.6	5.6	6.2	10.1	13.7	17.1	26.0	33.5	47.5	49.0
1979.....	3.1	5.0	7.0	9.3	14.2	18.9	25.4	28.8	44.3	52.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LEUKEMIA (204-208)										
BLACK MALE										
1998.....	3.4	5.6	7.0	13.0	19.1	24.0	34.7	46.7	72.9	79.0
1997.....	3.6	4.3	7.0	9.6	22.3	22.5	46.8	50.4	61.3	72.4
1996.....	2.9	4.7	7.3	11.8	19.9	28.2	40.4	53.9	80.8	99.6
1995.....	2.3	4.6	8.4	13.6	20.9	28.7	42.8	53.0	66.2	78.3
1994.....	2.8	4.5	6.5	12.1	22.4	26.9	42.7	55.4	56.2	86.4
1993.....	3.9	4.2	8.4	13.0	21.4	29.6	36.3	56.7	71.4	68.6
1992.....	3.8	4.7	8.8	14.6	16.8	25.6	36.4	57.7	63.4	73.2
1991.....	4.3	6.2	8.3	14.7	15.6	27.0	37.9	56.4	72.3	95.7
1990.....	2.8	5.4	8.7	13.9	19.6	31.1	43.1	52.0	69.1	83.0
1989.....	4.4	5.2	7.6	12.3	18.4	29.4	44.4	48.9	94.8	86.4
1988.....	4.7	5.2	6.4	11.6	15.3	27.6	39.2	57.6	57.4	101.5
1987.....	*	5.3	6.7	12.3	18.5	26.8	37.3	51.4	70.7	81.3
1986.....	3.5	4.1	6.2	11.4	20.5	28.6	35.5	44.2	74.4	73.0
1985.....	5.1	5.1	8.2	12.8	17.4	25.7	42.3	42.4	85.1	77.4
1984.....	4.0	5.8	7.6	10.5	18.1	24.9	38.0	52.1	63.1	60.7
1983.....	4.4	4.6	8.9	8.6	22.3	27.5	35.7	45.5	59.8	78.3
1982.....	3.8	4.9	7.5	11.6	21.2	24.6	34.3	55.3	67.5	63.8
1981.....	4.1	5.5	6.1	12.3	15.1	23.4	31.8	44.3	72.7	64.3
1980.....	3.7	5.0	6.7	13.0	16.8	26.2	37.1	37.3	69.3	75.5
1979.....	3.9	5.3	6.6	11.8	18.3	23.7	36.7	36.0	64.9	69.2
BLACK FEMALE										
1998.....	2.5	3.8	4.5	8.4	11.2	12.9	22.5	28.7	47.1	49.5
1997.....	1.7	2.8	4.7	6.9	10.6	13.8	22.5	26.0	40.2	47.4
1996.....	2.3	3.0	5.6	8.3	10.2	16.2	24.3	30.0	47.3	52.7
1995.....	1.7	4.3	4.3	6.3	11.0	12.5	22.3	30.1	41.3	47.7
1994.....	2.4	4.0	4.7	6.4	11.8	12.5	20.5	28.0	38.7	56.3
1993.....	2.7	4.4	5.0	5.6	12.7	13.8	22.6	24.9	42.6	56.5
1992.....	2.3	3.0	4.9	8.6	10.9	15.6	20.3	24.5	42.4	56.7
1991.....	2.4	3.3	5.9	8.4	12.4	17.0	21.8	23.1	41.3	55.8
1990.....	2.9	4.2	5.4	8.1	12.5	14.4	19.2	29.5	39.5	49.9
1989.....	2.5	3.2	5.3	7.2	12.1	13.8	22.0	24.6	33.0	49.0
1988.....	2.8	2.8	4.1	7.0	8.9	16.1	20.3	28.4	48.3	45.6
1987.....	2.3	3.8	7.6	7.7	11.4	12.2	23.8	28.0	34.5	49.3
1986.....	2.6	*	6.2	8.7	14.0	13.9	18.4	25.3	46.7	52.9
1985.....	2.5	3.5	3.6	8.5	12.5	16.9	22.8	18.7	40.5	39.1
1984.....	4.2	*	7.0	9.0	9.9	14.7	24.8	20.3	37.5	39.5
1983.....	*	4.3	5.8	7.2	10.3	15.8	25.8	27.8	33.8	41.9
1982.....	3.1	*	6.6	8.1	13.2	12.6	21.9	28.3	34.8	28.8
1981.....	3.2	3.8	5.6	8.4	8.5	16.6	22.5	31.6	38.6	37.2
1980.....	3.5	6.0	5.7	7.7	11.3	10.3	18.2	31.1	34.4	35.8
1979.....	2.5	4.7	7.3	7.3	10.9	15.3	17.2	23.7	31.5	44.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOID LEUKEMIA (204)										
TOTAL, BOTH SEXES										
1998.....	0.5	0.6	1.0	1.9	3.5	6.0	8.8	12.7	18.7	28.5
1997.....	0.4	0.6	1.1	2.0	3.3	5.9	9.2	12.8	18.5	29.8
1996.....	0.4	0.6	1.2	2.1	3.6	6.0	9.4	13.5	20.5	32.4
1995.....	0.4	0.7	1.1	2.0	4.1	6.0	8.9	13.7	19.3	33.3
1994.....	0.4	0.6	1.2	2.3	3.8	5.8	8.9	12.4	19.1	30.8
1993.....	0.5	0.7	1.3	2.1	3.9	6.4	9.5	13.7	19.8	32.3
1992.....	0.4	0.7	1.3	2.4	3.9	6.3	8.8	14.0	19.7	31.8
1991.....	0.5	0.7	1.3	2.3	3.6	5.8	9.6	14.2	19.2	31.5
1990.....	0.4	0.7	1.6	2.1	3.9	5.7	9.2	13.3	18.8	30.7
1989.....	0.4	0.8	1.0	2.1	4.1	5.8	9.6	12.8	19.8	28.2
1988.....	0.4	0.6	1.1	2.2	3.4	5.1	8.6	13.2	18.9	28.0
1987.....	0.4	0.6	1.4	2.2	3.9	5.5	8.5	12.4	17.5	26.6
1986.....	0.3	0.6	1.2	2.3	3.4	5.6	8.8	12.9	19.0	28.3
1985.....	0.4	0.7	1.1	2.5	3.9	5.7	8.6	13.3	19.4	28.4
1984.....	0.4	0.6	1.1	2.2	3.4	5.6	9.1	11.5	18.9	28.7
1983.....	0.3	0.6	1.1	1.8	3.2	5.9	9.0	12.9	19.3	31.1
1982.....	0.3	0.5	1.2	2.1	3.8	5.5	8.2	13.0	19.3	30.7
1981.....	0.4	0.6	1.0	2.0	3.6	5.2	9.0	13.2	20.7	27.8
1980.....	0.4	0.6	1.1	2.0	3.4	5.5	9.5	14.0	19.5	28.7
1979.....	0.2	0.6	1.1	2.0	3.3	5.4	9.1	13.3	20.5	29.5
TOTAL, MALE										
1998.....	0.6	0.8	1.3	2.6	4.8	8.7	13.3	18.9	26.5	39.7
1997.....	0.5	0.9	1.5	2.5	4.7	8.8	13.0	18.3	26.7	45.0
1996.....	0.5	0.9	1.6	3.0	4.9	8.2	13.3	18.9	28.0	49.4
1995.....	0.6	0.9	1.7	2.8	5.5	8.9	13.6	20.1	29.0	51.3
1994.....	0.4	0.8	1.8	3.4	5.5	8.4	13.4	18.2	27.4	47.0
1993.....	0.6	0.9	2.0	3.2	5.4	9.6	13.2	20.7	28.6	46.6
1992.....	0.5	0.9	1.8	3.3	5.7	9.5	12.3	19.6	29.2	45.7
1991.....	0.6	1.0	1.9	3.0	5.0	8.2	13.5	19.3	26.9	43.9
1990.....	0.5	0.9	2.3	3.0	5.8	8.5	12.7	19.7	25.7	47.2
1989.....	0.5	1.1	1.3	3.2	5.8	8.5	13.8	19.3	29.7	36.0
1988.....	0.6	0.8	1.5	3.1	4.8	7.5	12.7	19.9	28.1	41.7
1987.....	0.6	0.7	1.7	3.3	5.8	8.0	12.0	18.0	26.5	35.1
1986.....	*	0.8	1.7	3.3	4.7	8.2	13.0	19.3	28.0	41.3
1985.....	0.5	0.8	1.7	3.4	5.4	8.5	12.3	20.4	29.8	43.4
1984.....	0.6	0.9	1.4	2.9	4.8	7.2	12.9	16.1	29.2	41.4
1983.....	0.4	0.7	1.5	2.6	4.7	8.8	13.1	18.6	27.1	49.9
1982.....	0.5	0.8	1.5	2.8	5.6	7.9	11.7	19.2	28.3	44.1
1981.....	0.5	0.8	1.3	2.9	5.4	7.8	12.8	19.3	31.6	39.2
1980.....	0.5	0.7	1.6	2.9	4.6	8.0	13.8	20.2	27.8	41.7
1979.....	0.2	0.6	1.5	3.0	4.4	7.5	12.9	19.9	30.2	45.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOID LEUKEMIA (204)										
TOTAL, FEMALE										
1998.....	0.3	0.5	0.7	1.3	2.3	3.7	5.4	8.3	14.0	23.8
1997.....	0.3	0.3	0.7	1.5	2.1	3.5	6.4	8.9	13.8	23.7
1996.....	0.3	0.4	0.9	1.3	2.5	4.1	6.4	9.7	16.2	25.6
1995.....	0.3	0.5	0.6	1.3	2.8	3.5	5.4	9.3	13.8	26.2
1994.....	0.4	0.5	0.7	1.3	2.3	3.7	5.4	8.5	14.5	24.5
1993.....	0.4	0.5	0.7	1.1	2.5	3.9	6.7	9.0	15.0	26.8
1992.....	0.2	0.5	0.8	1.5	2.4	3.6	6.2	10.3	14.5	26.4
1991.....	0.4	0.5	0.8	1.7	2.3	3.9	6.7	10.8	15.1	26.7
1990.....	0.4	0.5	1.0	1.4	2.3	3.4	6.5	9.2	15.1	24.3
1989.....	*	0.5	0.7	1.1	2.7	3.7	6.6	8.6	14.5	25.2
1988.....	0.3	0.5	0.8	1.4	2.2	3.2	5.6	9.0	14.1	22.6
1987.....	0.3	0.5	1.0	1.3	2.2	3.5	6.0	8.8	12.8	23.2
1986.....	0.3	*	0.8	1.4	2.3	3.6	5.8	8.8	14.3	23.1
1985.....	0.3	0.5	0.6	1.7	2.6	3.5	5.9	8.8	14.0	22.5
1984.....	0.3	0.3	0.9	1.6	2.1	4.4	6.3	8.6	13.4	23.6
1983.....	0.3	0.5	0.7	1.0	1.9	3.6	6.0	9.4	15.1	23.4
1982.....	*	*	0.8	1.4	2.1	3.7	5.7	9.1	14.5	25.1
1981.....	0.4	0.4	0.8	1.3	2.0	3.0	6.2	9.4	14.9	23.0
1980.....	0.3	0.5	0.7	1.1	2.4	3.4	6.3	10.1	15.1	23.0
1979.....	0.2	0.5	0.8	1.2	2.4	3.7	6.3	9.1	15.2	22.4
WHITE, BOTH SEXES										
1998.....	0.5	0.7	1.0	1.9	3.4	6.2	9.1	13.1	19.1	29.5
1997.....	0.4	0.6	1.0	2.0	3.3	6.2	9.3	13.2	18.9	31.2
1996.....	0.4	0.6	1.2	2.1	3.6	6.0	9.5	13.9	21.0	33.3
1995.....	0.4	0.7	1.1	1.9	4.0	6.1	9.1	13.9	19.9	34.7
1994.....	0.4	0.6	1.2	2.3	3.9	5.9	9.1	12.6	19.8	31.9
1993.....	0.5	0.7	1.3	2.0	4.0	6.6	9.5	14.0	20.0	33.6
1992.....	0.3	0.7	1.2	2.4	4.0	6.4	8.9	14.5	20.3	32.5
1991.....	0.5	0.7	1.3	2.2	3.6	5.9	9.8	14.5	19.4	32.5
1990.....	0.4	0.6	1.6	2.0	3.8	5.6	9.4	13.3	18.9	31.4
1989.....	0.4	0.8	1.0	2.1	4.0	5.9	9.9	13.0	20.1	28.8
1988.....	0.4	0.7	1.2	2.2	3.4	5.1	8.6	13.4	19.4	28.9
1987.....	0.4	0.6	1.4	2.2	3.9	5.5	8.8	12.7	17.7	27.3
1986.....	0.3	0.6	1.2	2.2	3.3	5.7	9.0	13.2	19.3	29.5
1985.....	0.4	0.7	1.1	2.4	3.9	5.8	8.7	13.8	19.4	29.3
1984.....	0.4	0.6	1.0	2.2	3.4	5.9	9.2	11.8	19.3	30.2
1983.....	0.3	0.6	1.1	1.8	3.1	5.9	9.1	13.2	19.5	32.0
1982.....	0.4	0.5	1.1	2.1	3.7	5.6	8.1	13.1	19.7	32.1
1981.....	0.3	0.6	1.0	2.0	3.7	5.2	9.1	13.4	20.8	28.9
1980.....	0.4	0.5	1.1	1.9	3.4	5.5	9.7	14.3	20.1	29.9
1979.....	0.2	0.5	1.1	2.0	3.2	5.5	9.1	13.7	20.7	30.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOID LEUKEMIA (204)										
WHITE MALE										
1998.....	0.6	0.8	1.3	2.5	4.7	8.9	13.7	20.0	27.1	41.2
1997.....	0.5	0.9	1.5	2.6	4.7	9.3	13.1	19.0	27.2	47.6
1996.....	0.5	0.9	1.5	2.9	4.9	8.3	13.6	19.2	28.5	51.3
1995.....	0.6	0.9	1.6	2.7	5.3	9.1	13.8	20.6	30.1	53.9
1994.....	0.4	0.7	1.8	3.4	5.5	8.5	13.7	18.5	28.4	49.1
1993.....	0.6	0.9	1.9	3.1	5.4	9.8	13.5	21.2	28.6	48.7
1992.....	0.5	0.9	1.6	3.2	5.7	9.8	12.5	19.9	30.0	47.6
1991.....	0.6	1.0	1.9	2.8	5.1	8.3	14.1	19.8	27.1	45.3
1990.....	0.4	0.9	2.2	2.7	5.7	8.4	13.1	19.9	25.9	48.7
1989.....	0.5	1.1	1.4	3.2	5.8	8.6	14.1	19.5	30.2	36.5
1988.....	0.5	0.8	1.5	3.1	4.7	7.5	12.5	20.3	29.6	43.0
1987.....	0.6	0.7	1.8	3.2	5.9	7.9	12.4	18.7	26.9	35.6
1986.....	*	0.9	1.7	3.2	4.6	8.2	13.4	20.0	28.3	44.0
1985.....	0.5	0.9	1.6	3.4	5.5	8.6	12.4	21.3	30.2	44.9
1984.....	0.6	0.9	1.3	2.9	4.8	7.5	13.2	16.4	29.9	44.3
1983.....	*	0.7	1.5	2.6	4.4	8.7	13.5	18.8	27.0	52.2
1982.....	0.6	0.8	1.4	2.8	5.6	7.9	11.8	19.1	29.1	46.3
1981.....	0.4	0.8	1.2	2.9	5.6	8.1	13.1	19.7	32.0	40.8
1980.....	0.5	0.6	1.6	2.9	4.6	8.0	14.0	21.0	28.9	44.1
1979.....	0.2	0.6	1.5	3.0	4.3	7.8	12.8	20.6	30.5	47.2
WHITE FEMALE										
1998.....	0.3	0.5	0.7	1.3	2.2	3.8	5.4	8.2	14.2	24.8
1997.....	0.3	0.3	0.6	1.4	2.1	3.5	6.4	9.1	14.0	24.7
1996.....	0.3	0.4	0.8	1.3	2.4	4.1	6.2	10.1	16.7	26.2
1995.....	*	0.5	0.5	1.3	2.8	3.6	5.6	9.3	14.2	27.3
1994.....	0.4	0.5	0.6	1.3	2.4	3.8	5.5	8.6	15.0	25.3
1993.....	0.4	0.5	0.7	1.1	2.6	3.9	6.5	9.1	15.3	27.9
1992.....	*	0.5	0.8	1.5	2.4	3.7	6.2	10.9	15.1	26.8
1991.....	0.4	0.5	0.7	1.7	2.3	4.0	6.6	11.1	15.3	27.6
1990.....	0.3	0.4	1.0	1.4	2.2	3.3	6.7	9.1	15.3	24.9
1989.....	*	0.5	0.7	1.1	2.5	3.6	6.7	8.7	14.9	25.9
1988.....	0.3	0.5	0.8	1.4	2.2	3.1	5.6	9.0	14.0	23.5
1987.....	*	0.5	1.0	1.2	2.2	3.6	6.1	8.8	12.9	24.1
1986.....	*	*	0.7	1.3	2.2	3.6	5.8	9.0	14.6	23.8
1985.....	*	0.6	0.7	1.5	2.5	3.6	6.0	9.1	13.7	23.2
1984.....	*	*	0.8	1.5	2.1	4.5	6.4	9.0	13.7	24.6
1983.....	0.4	0.5	0.7	1.0	1.9	3.5	6.0	9.7	15.6	23.9
1982.....	*	*	0.8	1.4	2.0	3.8	5.5	9.3	14.8	26.2
1981.....	*	*	0.7	1.2	2.0	2.8	6.2	9.5	15.0	23.9
1980.....	0.3	0.4	0.6	1.0	2.4	3.5	6.6	10.1	15.5	23.8
1979.....	0.2	0.5	0.7	1.1	2.4	3.7	6.4	9.5	15.6	22.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOID LEUKEMIA (204)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	1.0	2.4	4.0	4.8	6.8	8.4	15.0	18.3
1997.....	*	*	1.4	1.9	3.4	4.1	8.5	9.5	14.6	16.3
1996.....	*	*	1.5	2.3	3.7	5.7	8.8	10.2	15.0	23.6
1995.....	*	*	1.6	2.7	4.5	5.2	7.2	11.7	12.7	18.5
1994.....	*	*	1.1	2.3	3.6	4.8	6.9	10.6	12.1	19.2
1993.....	*	*	1.6	2.5	3.5	5.2	9.4	10.9	17.2	18.6
1992.....	*	*	2.0	2.4	3.6	5.0	7.4	9.1	13.1	23.7
1991.....	*	*	1.8	3.0	3.4	5.3	7.6	10.7	17.6	21.5
1990.....	0.8	1.0	1.9	2.7	4.4	5.9	7.0	13.3	17.2	22.7
1989.....	*	*	*	2.0	4.6	5.4	7.7	10.9	15.9	21.5
1988.....	*	*	*	2.2	3.7	5.1	8.5	11.7	14.1	18.1
1987.....	*	*	*	2.7	3.6	5.4	6.3	9.6	15.6	18.3
1986.....	*	*	1.5	2.9	4.0	5.5	7.0	9.2	16.2	15.6
1985.....	*	*	*	3.1	4.0	4.9	7.9	8.7	20.4	18.8
1984.....	*	*	1.7	2.2	3.4	3.8	7.6	7.9	14.3	12.4
1983.....	*	*	*	1.7	4.1	6.3	7.5	10.8	16.8	20.6
1982.....	*	*	1.8	2.1	4.4	4.6	8.7	12.2	13.9	15.6
1981.....	*	*	*	2.3	2.8	5.0	7.8	11.3	18.7	15.8
1980.....	0.5	1.1	1.6	2.5	3.5	5.3	7.1	11.3	12.7	13.9
1979.....	0.5	0.7	1.5	2.1	4.2	4.5	9.0	9.1	17.0	20.1
ALL OTHER MALE										
1998.....	*	*	*	3.4	5.0	7.5	9.6	8.2	20.1	26.3
1997.....	*	*	*	*	5.4	5.5	12.0	12.0	21.4	21.9
1996.....	*	*	*	3.6	4.6	7.5	10.7	16.3	22.5	32.6
1995.....	*	*	2.3	3.8	6.8	7.8	11.7	15.6	17.9	27.5
1994.....	*	*	*	3.4	5.8	7.6	11.1	14.9	17.4	27.5
1993.....	*	*	*	4.0	5.3	7.6	10.5	15.8	28.2	27.3
1992.....	*	*	3.5	4.0	5.8	7.1	10.2	15.7	20.5	27.3
1991.....	*	*	*	4.4	4.0	8.1	8.3	14.3	24.8	31.4
1990.....	*	*	2.8	4.6	6.9	8.9	9.7	17.9	23.5	33.2
1989.....	*	*	*	3.5	5.6	7.3	11.1	16.7	24.8	30.9
1988.....	*	*	*	*	5.7	7.5	13.9	16.0	*	30.4
1987.....	*	*	*	4.0	5.4	9.1	7.5	12.1	22.3	29.9
1986.....	*	*	*	3.9	5.2	7.9	8.9	12.9	25.0	*
1985.....	*	*	*	3.8	4.7	7.5	12.0	12.1	25.7	28.8
1984.....	*	*	*	*	4.8	*	10.4	13.4	21.8	*
1983.....	*	*	*	*	7.0	9.3	9.2	17.3	28.9	*
1982.....	*	*	*	*	6.1	7.6	10.4	19.8	*	*
1981.....	*	*	*	*	*	5.4	9.5	15.6	27.5	*
1980.....	0.3	1.7	2.0	3.3	4.5	8.6	12.0	12.3	16.0	16.5
1979.....	0.6	0.8	1.4	2.5	5.6	4.9	14.0	14.3	26.7	28.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOID LEUKEMIA (204)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	3.1	2.8	4.9	8.4	12.2	14.7
1997.....	*	*	*	*	*	3.1	6.1	7.8	10.9	13.9
1996.....	*	*	*	*	3.0	4.4	7.5	6.3	10.7	19.6
1995.....	*	*	*	*	2.8	3.2	4.1	9.2	9.8	14.6
1994.....	*	*	*	*	*	*	3.9	7.8	9.2	15.6
1993.....	*	*	*	*	*	3.5	8.7	7.9	11.1	14.8
1992.....	*	*	*	*	*	3.4	5.5	*	9.0	22.0
1991.....	*	*	*	*	2.9	3.3	7.1	8.4	13.5	16.9
1990.....	*	*	*	*	*	3.7	5.1	10.5	13.7	17.9
1989.....	*	*	*	*	3.9	3.9	5.4	7.3	10.8	17.1
1988.....	*	*	*	*	*	3.4	4.8	9.0	14.7	12.4
1987.....	*	*	*	*	*	*	5.6	8.0	11.7	12.9
1986.....	*	*	*	*	3.0	3.7	5.6	6.8	11.2	15.4
1985.....	*	*	*	*	3.4	*	5.1	6.4	17.2	14.0
1984.....	*	*	*	*	*	*	5.6	*	*	*
1983.....	*	*	*	*	*	4.1	6.3	*	*	17.3
1982.....	*	*	*	*	*	*	7.5	7.0	*	*
1981.....	*	*	*	*	*	4.6	6.5	8.4	13.3	*
1980.....	0.6	0.5	1.2	2.0	2.7	2.8	3.5	10.6	10.6	12.6
1979.....	0.4	0.5	1.5	1.8	3.0	4.2	5.2	5.4	10.9	15.8
BLACK, BOTH SEXES										
1998.....	*	*	1.3	3.0	5.2	5.3	8.9	9.6	19.3	19.9
1997.....	*	*	1.7	2.3	4.1	4.9	10.7	11.9	16.9	19.8
1996.....	*	*	1.8	2.9	4.4	7.0	9.9	12.5	17.8	27.9
1995.....	*	*	1.9	3.3	5.8	6.6	9.0	13.7	13.8	20.1
1994.....	*	*	*	2.9	4.5	6.0	8.6	12.4	13.0	21.2
1993.....	*	*	1.8	2.8	4.3	6.2	11.0	13.2	20.0	21.0
1992.....	*	*	2.3	3.0	4.3	6.3	8.8	10.6	15.3	27.8
1991.....	*	*	2.2	3.8	4.1	6.4	9.2	12.7	20.9	24.1
1990.....	*	*	2.5	3.4	5.4	6.7	7.8	15.3	19.8	26.1
1989.....	*	*	*	2.2	5.5	6.4	8.7	12.9	17.7	23.2
1988.....	*	*	*	2.5	4.1	6.0	9.9	13.5	15.4	20.1
1987.....	*	*	*	3.1	4.3	6.1	7.3	10.8	17.5	20.2
1986.....	*	*	1.8	3.3	4.8	6.3	8.0	10.8	18.4	17.4
1985.....	*	*	*	3.8	4.6	5.7	8.7	9.7	23.3	20.5
1984.....	*	*	*	2.3	4.0	4.4	8.5	8.5	15.7	14.2
1983.....	*	*	*	1.9	4.8	6.8	8.4	11.6	18.5	21.7
1982.....	*	*	1.9	2.6	5.1	5.0	10.1	13.3	15.6	15.9
1981.....	*	*	*	2.7	2.9	5.6	8.4	12.7	20.6	16.1
1980.....	0.5	1.2	1.6	3.0	3.8	6.0	8.0	12.9	14.0	15.1
1979.....	0.6	0.7	1.3	2.5	4.8	5.1	10.0	10.1	18.4	21.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 LYMPHOID LEUKEMIA (204)										
BLACK MALE										
1998.....	*	*	*	4.4	7.0	8.5	13.0	9.7	26.7	30.0
1997.....	*	*	*	*	7.0	6.3	15.2	15.4	27.1	29.2
1996.....	*	*	*	4.5	5.4	9.3	12.3	20.3	29.4	40.8
1995.....	*	*	*	5.2	8.7	9.9	14.6	18.5	21.4	30.3
1994.....	*	*	*	4.5	7.3	9.6	14.4	18.1	18.7	30.1
1993.....	*	*	*	4.8	6.6	9.3	13.3	19.1	34.3	30.9
1992.....	*	*	4.1	5.4	7.3	9.2	13.2	19.1	25.3	33.0
1991.....	*	*	*	5.6	5.0	9.8	9.8	18.2	31.7	36.2
1990.....	*	*	*	6.1	8.4	10.8	10.7	20.1	27.5	40.7
1989.....	*	*	*	*	6.4	8.4	13.5	20.2	28.9	36.4
1988.....	*	*	*	*	6.0	9.1	16.0	19.8	*	36.9
1987.....	*	*	*	4.9	6.2	10.7	9.2	14.3	26.1	34.4
1986.....	*	*	*	4.9	6.3	9.3	10.5	15.7	28.9	*
1985.....	*	*	*	4.6	5.6	8.8	13.0	14.7	31.0	33.9
1984.....	*	*	*	*	5.6	*	11.4	15.6	23.8	*
1983.....	*	*	*	*	8.4	9.9	10.2	18.2	34.1	*
1982.....	*	*	*	*	7.1	8.7	12.4	23.0	*	*
1981.....	*	*	*	*	*	6.0	10.0	17.7	29.9	*
1980.....	0.4	1.9	1.8	3.8	4.9	9.9	13.6	14.4	17.3	18.9
1979.....	0.7	0.8	1.0	3.0	6.5	5.6	16.4	16.1	28.6	32.7
BLACK FEMALE										
1998.....	*	*	*	*	3.7	*	6.0	9.5	15.4	15.7
1997.....	*	*	*	*	*	3.9	7.6	9.7	11.7	16.0
1996.....	*	*	*	*	3.7	5.3	8.3	7.7	11.8	22.7
1995.....	*	*	*	*	3.6	4.2	5.3	10.8	10.0	15.9
1994.....	*	*	*	*	*	*	4.8	9.0	10.0	17.5
1993.....	*	*	*	*	*	3.9	9.5	9.7	12.7	17.0
1992.....	*	*	*	*	*	4.1	5.9	*	10.1	25.7
1991.....	*	*	*	*	*	4.0	8.8	9.4	15.3	19.0
1990.....	*	*	*	*	*	*	6.0	12.5	15.8	19.8
1989.....	*	*	*	*	4.7	4.9	5.5	8.6	11.9	17.6
1988.....	*	*	*	*	*	*	5.8	9.8	16.3	*
1987.....	*	*	*	*	*	*	6.1	8.7	12.9	13.9
1986.....	*	*	*	*	3.7	*	6.4	7.8	12.7	16.7
1985.....	*	*	*	*	3.9	*	5.9	*	19.0	*
1984.....	*	*	*	*	*	*	6.5	*	*	*
1983.....	*	*	*	*	*	4.6	7.2	*	*	17.7
1982.....	*	*	*	*	*	*	8.5	*	*	*
1981.....	*	*	*	*	*	5.3	7.3	9.4	15.2	*
1980.....	0.6	0.6	1.4	2.3	2.9	3.1	3.9	11.9	12.0	13.2
1979.....	0.4	0.6	1.6	2.1	3.4	4.6	5.4	5.9	12.1	15.4



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYELOID LEUKEMIA (205)										
TOTAL, BOTH SEXES										
1998.....	1.5	1.9	2.7	4.1	6.6	9.9	15.7	19.9	24.8	24.1
1997.....	1.4	2.1	3.0	4.6	7.6	10.4	15.4	19.3	23.0	23.7
1996.....	1.3	2.0	3.1	4.6	6.8	10.6	15.5	19.9	23.1	23.6
1995.....	1.5	1.9	2.7	4.4	7.1	9.5	15.6	19.2	24.1	22.4
1994.....	1.4	2.0	3.1	4.2	7.2	9.7	14.1	18.0	22.1	24.1
1993.....	1.7	2.1	3.0	4.2	7.1	9.8	13.3	17.7	20.7	23.9
1992.....	1.4	2.2	3.2	4.6	6.8	10.0	13.3	17.4	23.0	24.4
1991.....	1.5	2.3	3.0	4.5	6.9	9.4	13.5	18.4	21.9	24.9
1990.....	1.5	2.2	2.8	4.8	6.2	9.6	13.9	18.3	22.2	23.2
1989.....	1.6	2.1	3.0	4.3	6.7	9.2	13.8	16.7	21.4	23.5
1988.....	1.7	2.2	2.9	4.1	6.1	8.8	12.4	17.1	21.5	24.3
1987.....	1.7	2.3	3.2	4.1	6.1	9.0	12.5	17.2	21.8	24.9
1986.....	1.8	2.3	3.1	4.5	6.6	9.1	13.2	17.3	23.1	25.4
1985.....	2.0	2.3	3.2	4.4	6.8	10.1	13.5	17.6	22.3	28.3
1984.....	1.9	2.5	3.6	4.9	7.1	9.9	13.3	18.0	23.0	24.3
1983.....	1.9	2.6	3.6	4.7	7.0	9.5	13.1	18.3	21.1	25.5
1982.....	1.8	2.4	3.3	4.4	6.4	10.3	13.2	19.9	23.5	25.6
1981.....	1.9	2.7	3.4	5.0	7.2	9.8	14.1	18.9	23.6	24.7
1980.....	2.0	2.8	3.7	5.2	7.5	9.5	14.8	17.8	25.4	26.7
1979.....	1.9	2.9	3.9	4.8	7.4	10.1	14.0	18.3	25.0	27.8
TOTAL, MALE										
1998.....	1.6	2.1	3.1	4.9	7.9	13.1	20.6	26.2	34.3	32.2
1997.....	1.5	2.3	3.3	5.6	9.1	14.0	21.3	26.1	34.5	33.8
1996.....	1.3	2.4	3.4	5.2	8.4	13.8	20.8	26.6	32.8	36.6
1995.....	1.8	2.0	2.9	4.9	8.9	12.6	20.4	26.4	32.7	32.8
1994.....	1.4	2.3	3.4	4.8	8.8	13.0	18.7	24.9	30.3	34.7
1993.....	1.9	2.1	3.3	5.0	8.7	13.2	17.5	23.8	29.5	34.2
1992.....	1.7	2.4	3.4	5.7	8.2	13.4	18.0	25.3	32.8	36.4
1991.....	1.6	2.5	3.1	5.0	8.6	11.9	18.8	25.1	31.2	33.4
1990.....	1.6	2.1	3.3	5.8	7.3	12.6	19.0	25.9	33.1	34.1
1989.....	1.8	2.4	3.2	4.5	8.5	12.5	18.6	25.7	29.5	33.9
1988.....	2.0	2.6	3.1	4.7	7.4	11.7	16.6	23.4	29.1	35.6
1987.....	1.8	2.4	3.6	4.5	7.6	11.8	16.3	23.4	30.8	33.2
1986.....	2.1	2.5	3.2	5.1	8.1	11.6	18.0	24.5	33.1	38.6
1985.....	2.3	2.3	3.5	5.0	8.4	12.6	18.0	23.9	31.5	40.6
1984.....	2.1	2.3	3.9	5.8	8.7	13.3	17.7	24.2	32.2	35.2
1983.....	2.2	3.1	4.1	5.5	8.5	12.6	17.7	25.7	29.5	36.9
1982.....	2.0	2.7	3.8	5.3	7.6	13.3	17.1	28.3	34.8	38.8
1981.....	2.0	3.0	3.6	6.3	8.7	13.4	19.3	25.3	33.9	35.1
1980.....	2.2	3.1	4.3	5.8	9.3	12.2	19.7	26.1	34.7	40.2
1979.....	2.1	3.1	4.2	5.8	9.3	13.7	18.6	24.8	32.8	44.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYELOID LEUKEMIA (205)										
TOTAL, FEMALE										
1998.....	1.4	1.8	2.3	3.4	5.5	7.2	12.0	15.3	19.1	20.7
1997.....	1.3	1.9	2.7	3.7	6.3	7.4	10.8	14.6	16.4	19.6
1996.....	1.2	1.7	2.8	4.0	5.4	7.9	11.4	15.2	17.4	18.4
1995.....	1.2	1.8	2.6	3.9	5.6	7.0	11.9	14.3	19.2	18.3
1994.....	1.4	1.7	2.8	3.5	5.8	7.0	10.6	13.3	17.6	20.1
1993.....	1.4	2.0	2.6	3.5	5.8	7.0	10.1	13.6	15.9	20.0
1992.....	1.1	2.0	3.0	3.6	5.5	7.3	9.8	12.2	17.7	19.7
1991.....	1.4	2.1	2.9	4.0	5.4	7.5	9.4	14.0	16.9	21.6
1990.....	1.4	2.3	2.4	3.9	5.2	7.2	10.1	13.4	16.4	19.0
1989.....	1.4	1.9	2.9	4.2	5.1	6.6	10.4	10.8	17.1	19.4
1988.....	1.4	1.9	2.7	3.5	5.0	6.4	9.4	13.0	17.5	19.9
1987.....	1.6	2.2	2.8	3.8	4.9	6.8	9.7	13.4	17.1	21.7
1986.....	1.4	2.2	2.9	3.9	5.3	7.1	9.7	12.7	17.9	20.1
1985.....	1.7	2.2	2.8	3.8	5.5	8.1	10.2	13.7	17.5	23.5
1984.....	1.6	2.7	3.4	4.1	5.8	7.2	10.1	14.1	18.2	19.9
1983.....	1.6	2.2	3.1	4.0	5.8	7.1	9.8	13.7	16.7	20.8
1982.....	1.6	2.1	2.9	3.7	5.3	7.9	10.3	14.7	17.5	20.1
1981.....	1.9	2.4	3.2	3.8	5.9	7.0	10.4	14.8	18.2	20.3
1980.....	1.7	2.6	3.1	4.6	5.9	7.3	11.2	12.6	20.4	20.8
1979.....	1.7	2.7	3.5	4.0	5.7	7.2	10.6	14.3	20.9	20.4
WHITE, BOTH SEXES										
1998.....	1.5	1.9	2.7	4.0	6.7	10.4	16.3	20.6	25.4	24.4
1997.....	1.3	2.2	3.0	4.8	7.8	10.8	15.8	20.1	23.9	24.7
1996.....	1.3	2.0	3.1	4.6	7.1	10.8	16.0	20.5	23.4	24.1
1995.....	1.6	1.9	2.8	4.5	7.4	9.9	16.0	19.9	24.5	22.9
1994.....	1.4	2.0	3.2	4.3	7.3	10.2	14.5	18.5	22.6	24.7
1993.....	1.7	2.0	3.0	4.3	7.1	9.9	13.7	18.2	21.2	24.3
1992.....	1.4	2.2	3.2	4.6	7.0	10.4	13.7	17.8	23.4	25.4
1991.....	1.4	2.2	3.0	4.5	7.0	9.6	13.9	18.9	22.5	25.4
1990.....	1.5	2.2	2.8	4.8	6.2	9.8	14.3	19.1	22.9	24.3
1989.....	1.6	2.2	3.0	4.3	6.8	9.3	14.0	17.3	21.6	24.0
1988.....	1.7	2.2	2.9	4.1	6.4	8.9	12.9	17.6	21.5	24.7
1987.....	1.7	2.2	3.1	4.1	6.2	9.1	12.5	17.6	22.3	25.6
1986.....	1.8	2.4	3.1	4.5	6.5	9.4	13.6	17.7	24.0	25.8
1985.....	2.0	2.3	3.2	4.4	6.8	10.4	13.7	18.4	22.8	29.7
1984.....	1.8	2.5	3.6	4.9	7.2	10.1	13.5	18.5	23.8	25.1
1983.....	1.9	2.7	3.5	5.0	7.2	9.8	13.5	18.8	21.7	26.1
1982.....	1.7	2.5	3.3	4.4	6.3	10.7	13.7	20.5	24.2	26.9
1981.....	1.9	2.8	3.5	5.0	7.4	10.1	14.6	19.6	24.1	25.5
1980.....	2.0	2.8	3.7	5.1	7.8	9.7	15.2	18.4	26.1	27.9
1979.....	1.9	2.8	3.9	4.9	7.5	10.2	14.5	19.2	26.0	28.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYELOID LEUKEMIA (205)										
WHITE MALE										
1998.....	1.6	2.0	3.1	4.9	8.0	13.8	21.3	27.0	35.4	32.8
1997.....	1.3	2.3	3.3	5.7	9.1	14.5	21.8	26.9	36.4	36.2
1996.....	1.3	2.4	3.4	5.4	8.5	14.0	21.3	27.7	33.8	37.4
1995.....	2.0	2.1	2.9	5.0	9.1	13.0	21.0	27.1	33.8	33.9
1994.....	1.5	2.3	3.5	4.9	8.8	13.5	19.0	25.7	31.1	35.8
1993.....	1.9	2.2	3.4	5.0	8.7	13.4	18.0	24.1	30.7	35.6
1992.....	1.7	2.3	3.4	5.8	8.6	13.8	18.5	25.9	33.7	38.5
1991.....	1.5	2.4	3.1	5.0	8.8	12.1	19.4	25.4	31.8	34.2
1990.....	1.6	2.0	3.3	5.8	7.4	12.7	19.4	26.8	34.4	36.6
1989.....	1.8	2.4	3.1	4.4	8.7	12.4	18.9	26.8	29.4	34.5
1988.....	2.0	2.5	3.2	4.8	7.6	11.9	17.3	24.1	29.4	36.7
1987.....	1.8	2.2	3.6	4.4	7.8	11.8	16.5	23.8	31.5	34.3
1986.....	2.2	2.5	3.4	5.3	8.0	11.8	18.4	25.3	34.7	39.8
1985.....	2.3	2.3	3.5	4.9	8.3	13.1	18.5	24.5	31.8	42.4
1984.....	2.1	2.2	3.8	5.8	8.8	13.5	18.0	24.6	33.6	37.2
1983.....	2.2	3.1	3.9	5.8	8.8	12.7	18.2	26.8	31.0	37.7
1982.....	2.0	2.7	3.8	5.2	7.6	13.8	17.8	29.2	35.9	40.9
1981.....	2.0	3.0	3.7	6.3	9.0	13.8	19.9	26.6	35.2	36.7
1980.....	2.3	3.2	4.3	5.6	9.8	12.5	20.3	27.1	35.5	42.0
1979.....	2.0	3.1	4.3	5.8	9.6	13.8	19.6	26.3	34.1	46.7
WHITE FEMALE										
1998.....	1.4	1.8	2.3	3.2	5.6	7.4	12.3	16.0	19.4	21.0
1997.....	1.3	2.0	2.7	3.9	6.6	7.6	11.1	15.3	16.5	20.2
1996.....	1.3	1.7	2.8	3.9	5.8	8.1	11.8	15.5	17.4	18.9
1995.....	1.3	1.7	2.6	4.0	5.8	7.2	12.0	14.9	19.3	18.7
1994.....	1.4	1.6	2.9	3.7	5.9	7.4	11.0	13.6	17.9	20.5
1993.....	1.5	1.8	2.7	3.6	5.6	7.0	10.4	14.1	16.1	20.0
1992.....	1.1	2.1	3.0	3.5	5.7	7.6	10.0	12.4	17.8	20.4
1991.....	1.4	2.1	2.9	4.0	5.4	7.5	9.7	14.6	17.5	22.0
1990.....	1.4	2.4	2.4	3.9	5.1	7.4	10.4	14.1	16.8	19.7
1989.....	1.4	2.0	2.9	4.2	5.2	6.8	10.4	11.3	17.6	20.0
1988.....	1.4	1.9	2.7	3.5	5.3	6.4	9.6	13.4	17.5	20.1
1987.....	1.7	2.2	2.7	3.9	4.9	6.9	9.5	13.7	17.6	22.2
1986.....	1.5	2.3	2.9	3.8	5.2	7.4	10.0	12.9	18.4	20.4
1985.....	1.8	2.2	2.9	3.9	5.4	8.2	10.2	14.6	18.1	24.7
1984.....	1.5	2.8	3.3	4.0	5.8	7.4	10.2	14.7	18.7	20.3
1983.....	1.5	2.2	3.1	4.2	5.8	7.5	10.0	13.7	16.9	21.4
1982.....	1.5	2.2	2.9	3.7	5.2	8.1	10.8	15.1	18.1	21.2
1981.....	1.8	2.5	3.3	3.8	6.1	7.1	10.8	15.2	18.3	20.8
1980.....	1.7	2.5	3.1	4.6	6.1	7.5	11.4	12.9	21.1	21.8
1979.....	1.8	2.7	3.5	4.1	5.7	7.3	10.9	14.8	21.6	20.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYELOID LEUKEMIA (205)										
ALL OTHER, BOTH SEXES										
1998.....	1.5	2.3	2.9	4.8	6.1	7.0	11.3	13.4	18.3	20.4
1997.....	1.7	1.7	2.8	3.5	6.5	7.5	11.9	11.9	14.6	13.6
1996.....	1.3	1.9	2.9	4.1	5.3	8.9	11.5	13.9	19.4	18.0
1995.....	1.1	2.0	2.6	3.8	5.7	7.0	12.4	13.1	19.3	16.9
1994.....	1.4	2.1	2.7	3.4	6.6	6.4	10.8	13.4	17.2	18.2
1993.....	1.5	2.6	2.4	3.9	7.4	9.0	9.7	13.1	15.9	20.2
1992.....	1.6	2.1	3.1	4.5	5.0	7.4	9.8	14.1	18.3	13.8
1991.....	1.7	2.4	3.3	4.5	6.1	8.4	9.9	13.3	16.0	20.1
1990.....	1.4	2.0	2.9	4.7	6.3	7.9	10.4	10.8	14.9	11.1
1989.....	1.7	1.9	3.1	4.2	5.6	8.7	12.3	10.2	18.6	17.6
1988.....	1.8	2.3	2.6	3.8	3.9	7.9	8.2	12.0	21.3	19.4
1987.....	1.5	2.9	3.5	4.1	5.3	8.4	12.3	14.0	16.2	17.9
1986.....	1.5	2.0	2.6	4.2	7.1	7.1	9.8	13.5	14.1	20.3
1985.....	1.8	2.4	2.9	4.1	7.4	7.7	11.4	10.4	16.8	13.4
1984.....	2.4	2.3	4.2	4.9	6.4	8.4	11.5	12.8	14.3	16.1
1983.....	2.1	2.3	4.0	2.6	6.1	7.0	9.5	14.3	14.1	18.7
1982.....	2.2	1.9	3.0	5.0	6.9	7.5	8.3	14.3	15.1	11.1
1981.....	2.0	2.5	3.0	5.0	4.9	7.5	9.9	11.9	17.4	16.3
1980.....	1.9	2.9	3.9	5.9	4.9	7.4	10.9	12.7	17.0	12.8
1979.....	2.0	3.2	3.6	4.6	6.2	9.2	8.3	10.0	14.3	17.2
ALL OTHER MALE										
1998.....	1.8	2.7	3.4	5.2	7.3	8.2	14.3	19.2	22.7	26.3
1997.....	2.3	2.0	2.9	4.4	8.9	9.8	16.6	17.8	14.7	*
1996.....	1.4	2.6	3.1	3.9	8.0	12.3	15.9	15.9	23.2	29.0
1995.....	*	1.7	2.9	4.0	7.5	9.2	14.2	18.8	21.4	23.4
1994.....	*	2.0	2.9	4.3	8.3	9.0	15.7	17.0	22.5	24.3
1993.....	1.8	1.9	2.8	5.1	8.2	11.6	13.2	20.5	17.8	21.8
1992.....	2.0	2.5	3.2	5.2	5.6	9.8	12.5	19.1	22.8	*
1991.....	2.1	2.9	3.3	5.0	6.4	9.5	13.3	21.3	25.6	25.6
1990.....	*	2.6	3.8	5.3	6.7	10.9	15.3	17.0	20.2	*
1989.....	1.9	2.3	3.7	4.7	7.3	13.9	15.2	15.8	30.6	28.4
1988.....	2.2	2.6	*	4.4	5.7	10.0	9.4	16.4	26.5	25.3
1987.....	*	3.6	3.3	4.9	6.5	11.4	14.0	19.5	24.1	*
1986.....	*	2.6	*	4.2	8.5	9.5	13.8	17.6	*	28.0
1985.....	*	*	3.6	5.3	9.4	8.5	13.0	18.0	27.6	*
1984.....	2.4	*	4.6	5.0	7.8	11.6	14.8	19.8	*	*
1983.....	*	*	5.0	*	5.9	11.6	12.6	15.2	*	28.6
1982.....	*	*	3.2	6.5	7.8	8.9	10.7	19.8	23.4	*
1981.....	*	3.1	*	5.7	5.6	9.5	13.1	13.4	*	*
1980.....	2.0	2.4	4.3	7.6	5.4	9.9	13.8	17.3	26.4	21.4
1979.....	2.6	3.4	3.6	6.2	7.0	12.4	9.1	11.0	18.6	20.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYELOID LEUKEMIA (205)										
ALL OTHER FEMALE										
1998.....	1.2	2.0	2.4	4.5	5.1	6.1	9.2	9.6	15.8	17.7
1997.....	1.1	1.4	2.7	2.7	4.6	5.8	8.6	8.0	14.6	13.9
1996.....	1.1	1.4	2.8	4.3	3.3	6.4	8.4	12.7	17.3	13.1
1995.....	1.1	2.3	2.3	3.5	4.4	5.4	11.1	9.4	18.1	14.1
1994.....	1.6	2.3	2.5	2.7	5.4	4.4	7.3	11.2	14.4	15.6
1993.....	1.3	3.3	2.1	3.0	6.8	7.1	7.3	8.5	14.9	19.5
1992.....	*	*	2.9	3.8	4.5	5.7	7.9	11.0	15.8	12.3
1991.....	1.4	2.0	3.3	4.2	5.8	7.5	7.5	8.4	10.5	17.5
1990.....	1.4	*	*	4.3	5.9	5.8	7.0	6.9	11.9	11.2
1989.....	*	*	2.5	3.8	4.3	4.8	10.4	6.8	11.8	12.6
1988.....	*	*	2.7	3.4	*	6.4	7.5	9.2	18.1	16.6
1987.....	*	2.3	3.6	3.5	4.4	6.2	11.1	10.4	11.7	15.3
1986.....	*	*	2.8	4.2	6.0	5.3	7.0	10.8	12.8	16.7
1985.....	*	2.3	*	3.2	5.8	7.1	10.3	*	*	*
1984.....	2.4	*	3.9	4.7	5.2	5.9	9.2	8.2	12.1	15.9
1983.....	2.1	*	3.3	*	6.2	*	7.2	13.6	14.5	*
1982.....	*	*	2.8	3.7	6.2	6.5	6.5	10.5	*	*
1981.....	*	*	2.9	4.4	4.3	6.0	7.5	10.9	16.0	*
1980.....	1.8	3.4	3.5	4.5	4.5	5.6	8.7	9.5	11.3	8.4
1979.....	1.5	3.0	3.6	3.3	5.5	6.8	7.8	9.3	11.7	15.8
BLACK, BOTH SEXES										
1998.....	1.7	2.8	2.8	5.3	6.5	7.5	11.6	14.1	19.9	21.9
1997.....	1.6	2.1	3.1	3.5	7.5	7.6	12.6	11.5	16.6	15.0
1996.....	1.4	2.0	3.6	4.6	6.1	9.5	12.9	15.0	22.2	18.5
1995.....	1.1	2.4	2.6	4.3	6.6	7.4	13.1	13.7	18.9	15.3
1994.....	1.5	2.4	2.5	3.5	7.3	6.8	11.5	13.8	16.8	18.5
1993.....	1.6	2.6	2.9	4.0	8.2	10.3	10.3	13.8	15.5	17.9
1992.....	1.8	2.0	3.2	5.2	5.5	8.0	9.4	15.1	19.6	15.2
1991.....	1.9	2.8	3.3	4.6	6.9	9.2	10.7	12.5	16.5	19.8
1990.....	1.4	2.3	3.4	5.3	6.6	8.7	11.9	11.4	14.6	12.1
1989.....	1.8	2.2	3.4	4.2	5.8	8.9	12.8	10.4	20.2	18.2
1988.....	2.1	2.4	2.6	4.0	3.8	8.1	8.1	12.7	21.3	21.0
1987.....	1.5	3.3	3.6	4.4	5.9	8.7	14.1	15.3	17.1	18.8
1986.....	1.5	2.1	2.9	4.6	7.4	7.5	10.0	13.5	15.7	20.4
1985.....	2.0	2.3	3.0	4.1	7.4	8.1	12.6	10.2	17.1	13.8
1984.....	3.0	2.5	4.7	5.2	6.2	8.8	12.4	13.4	15.3	16.8
1983.....	2.1	2.6	4.4	2.7	6.2	7.3	10.1	13.5	14.1	19.6
1982.....	2.5	2.0	3.0	5.3	7.4	7.9	8.2	14.5	15.1	*
1981.....	2.0	2.7	3.0	5.3	5.5	7.5	10.8	12.2	19.1	17.9
1980.....	2.0	3.3	3.8	6.0	5.4	6.9	11.3	12.9	19.5	13.8
1979.....	2.0	3.5	4.1	4.6	6.5	9.5	8.3	10.1	15.4	18.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYELOID LEUKEMIA (205)										
BLACK MALE										
1998.....	2.1	3.1	3.5	6.2	7.7	9.0	13.4	19.9	23.1	27.8
1997.....	2.6	2.6	3.3	4.7	10.7	9.8	18.9	16.8	*	*
1996.....	*	2.6	3.6	4.3	9.1	12.6	17.2	17.8	25.7	31.2
1995.....	*	*	3.2	5.0	8.5	10.7	15.7	21.1	20.5	*
1994.....	*	*	*	4.9	8.5	10.6	16.9	17.0	19.7	*
1993.....	*	*	3.8	5.2	9.4	13.5	14.4	22.4	*	*
1992.....	2.3	*	*	6.0	6.4	10.0	11.4	19.6	23.4	*
1991.....	2.6	3.2	*	5.2	6.9	10.4	14.0	20.4	25.7	*
1990.....	*	*	4.1	6.5	7.2	11.4	17.8	18.5	20.3	*
1989.....	*	*	3.8	4.3	7.2	14.6	17.1	15.7	34.0	31.8
1988.....	2.7	*	*	4.7	5.0	10.2	8.8	18.1	27.7	*
1987.....	*	4.3	*	5.1	6.7	11.8	17.3	22.3	25.0	*
1986.....	*	*	*	4.4	8.7	10.5	13.7	16.9	*	*
1985.....	*	*	*	5.3	9.2	8.8	14.6	17.1	29.9	*
1984.....	3.1	*	5.0	5.5	8.1	12.2	15.5	22.2	*	*
1983.....	*	*	5.4	*	6.0	11.6	13.5	15.2	*	*
1982.....	*	*	*	6.7	8.6	9.3	10.7	19.3	*	*
1981.....	*	*	*	6.1	6.4	9.3	14.2	13.3	*	*
1980.....	2.3	2.5	4.1	7.3	6.0	9.6	14.1	17.0	30.7	22.6
1979.....	2.8	3.4	4.0	5.9	7.5	12.7	10.2	9.9	19.5	21.2
BLACK FEMALE										
1998.....	*	2.5	2.3	4.6	5.6	6.3	10.5	10.4	18.2	19.4
1997.....	*	*	2.9	*	5.1	6.0	8.3	8.2	16.8	15.0
1996.....	*	*	3.6	4.9	3.9	7.1	10.0	13.3	20.4	13.3
1995.....	*	2.7	*	3.8	5.1	4.9	11.3	9.2	18.0	13.9
1994.....	1.6	2.6	*	*	6.4	4.0	7.9	11.9	15.3	15.9
1993.....	*	3.4	*	*	7.3	8.0	7.5	8.7	15.2	17.6
1992.....	*	*	3.2	4.6	4.8	6.5	8.1	12.4	17.7	14.3
1991.....	*	2.5	3.3	4.1	7.0	8.3	8.5	7.8	11.7	17.8
1990.....	*	*	*	4.3	6.1	6.8	8.0	7.2	11.6	*
1989.....	*	*	*	4.1	4.7	4.9	9.9	7.3	13.0	*
1988.....	*	*	*	3.4	*	6.6	7.6	9.5	18.0	17.4
1987.....	*	*	3.9	3.9	5.3	6.5	11.9	11.1	12.9	17.4
1986.....	*	*	3.3	4.8	6.5	5.3	7.4	11.4	13.9	16.7
1985.....	*	*	*	*	6.0	7.6	11.3	*	*	*
1984.....	3.0	*	4.4	4.9	4.7	6.3	10.4	7.9	*	16.3
1983.....	*	*	3.5	*	6.4	*	7.8	12.4	15.2	*
1982.....	*	*	*	4.1	6.5	6.8	6.5	11.6	*	*
1981.....	*	*	*	4.7	4.8	6.2	8.5	11.5	17.4	*
1980.....	1.7	4.0	3.5	4.9	4.9	4.9	9.4	10.2	12.8	9.4
1979.....	1.3	3.6	4.2	3.5	5.8	7.1	7.0	10.2	12.9	17.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MONOCYTTIC LEUKEMIA (206)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.3	0.5	0.9
1997.....	*	*	*	*	*	0.3	0.3	0.4	1.0	0.7
1996.....	*	*	*	*	*	0.2	0.4	0.4	0.5	0.9
1995.....	*	*	*	*	*	0.2	0.4	0.6	0.9	0.9
1994.....	*	*	*	*	*	0.2	0.4	0.5	0.8	1.5
1993.....	*	*	*	*	*	0.3	0.4	0.7	0.6	0.9
1992.....	*	*	*	*	*	0.3	0.5	0.6	0.7	1.1
1991.....	*	*	*	*	*	0.3	0.4	0.9	0.8	0.9
1990.....	*	*	*	*	*	0.3	0.5	0.7	1.2	1.3
1989.....	*	*	*	*	*	0.3	0.5	0.7	0.9	1.3
1988.....	*	*	*	*	*	*	0.4	0.7	1.2	1.2
1987.....	*	*	*	*	0.2	0.3	0.4	0.7	0.9	1.2
1986.....	*	*	*	*	0.2	0.3	0.4	0.9	1.3	1.2
1985.....	*	*	*	*	0.2	0.3	0.5	1.0	1.2	1.5
1984.....	*	*	*	*	0.2	0.3	0.6	1.1	1.3	1.8
1983.....	*	*	*	*	0.3	0.4	0.7	1.0	1.4	1.7
1982.....	*	*	*	0.2	0.3	0.5	0.8	1.0	2.1	1.9
1981.....	*	*	*	*	0.2	0.4	0.6	0.9	1.4	1.5
1980.....	0.1	0.1	0.1	0.2	0.2	0.5	0.6	0.9	2.0	2.6
1979.....	0.1	0.1	0.1	0.1	0.4	0.5	0.8	1.3	1.7	2.5
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	1.4	*
1996.....	*	*	*	*	*	*	0.6	*	*	*
1995.....	*	*	*	*	*	*	*	*	1.3	*
1994.....	*	*	*	*	*	*	*	*	1.4	*
1993.....	*	*	*	*	*	*	*	1.2	*	*
1992.....	*	*	*	*	*	0.5	0.5	0.9	*	*
1991.....	*	*	*	*	*	0.5	0.8	1.5	*	*
1990.....	*	*	*	*	*	*	0.8	0.8	1.7	*
1989.....	*	*	*	*	*	0.5	0.8	1.1	*	*
1988.....	*	*	*	*	*	*	*	1.2	1.9	*
1987.....	*	*	*	*	*	*	0.6	1.1	*	*
1986.....	*	*	*	*	*	*	*	1.4	*	*
1985.....	*	*	*	*	*	0.5	0.7	1.5	*	*
1984.....	*	*	*	*	*	*	0.7	1.8	*	2.8
1983.....	*	*	*	*	0.4	0.5	0.9	1.4	2.3	*
1982.....	*	*	*	*	*	0.7	1.4	1.3	3.6	*
1981.....	*	*	*	*	*	0.5	0.8	1.4	2.1	*
1980.....	0.1	0.1	0.1	0.3	0.3	0.6	0.9	1.5	3.1	4.5
1979.....	0.1	0.1	0.1	0.2	0.5	0.7	1.1	1.5	2.2	4.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MONOCYTTIC LEUKEMIA (206)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	0.7
1997.....	*	*	*	*	*	*	*	*	0.7	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	0.7	*
1994.....	*	*	*	*	*	*	*	*	*	1.4
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	0.4	*	*	*
1991.....	*	*	*	*	*	*	*	*	0.8	*
1990.....	*	*	*	*	*	*	*	0.6	0.9	1.2
1989.....	*	*	*	*	*	*	*	*	*	1.0
1988.....	*	*	*	*	*	*	*	*	0.8	1.3
1987.....	*	*	*	*	*	*	*	*	*	1.3
1986.....	*	*	*	*	*	*	*	*	1.2	*
1985.....	*	*	*	*	*	*	*	0.7	1.1	1.4
1984.....	*	*	*	*	*	*	0.5	0.6	1.3	1.4
1983.....	*	*	*	*	*	*	0.6	0.8	*	1.3
1982.....	*	*	*	*	*	*	*	0.9	1.2	1.6
1981.....	*	*	*	*	*	*	*	*	1.1	*
1980.....	0.0	0.1	0.1	0.2	0.2	0.5	0.4	0.5	1.4	1.8
1979.....	0.0	0.1	0.0	0.1	0.2	0.3	0.6	1.1	1.4	1.7
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.3	0.6	0.9
1997.....	*	*	*	*	*	0.3	0.3	0.4	1.0	0.7
1996.....	*	*	*	*	*	0.2	0.4	0.5	0.5	0.9
1995.....	*	*	*	*	*	0.2	0.4	0.6	0.9	0.9
1994.....	*	*	*	*	*	0.3	0.4	0.6	0.8	1.5
1993.....	*	*	*	*	*	0.3	0.4	0.7	0.6	1.0
1992.....	*	*	*	*	*	0.3	0.5	0.6	0.8	1.1
1991.....	*	*	*	*	*	0.4	0.4	0.8	0.9	0.9
1990.....	*	*	*	*	*	0.4	0.5	0.7	1.2	1.4
1989.....	*	*	*	*	*	0.3	0.5	0.7	0.9	1.4
1988.....	*	*	*	*	*	*	0.4	0.8	1.2	1.3
1987.....	*	*	*	*	*	0.3	0.4	0.8	0.9	1.3
1986.....	*	*	*	*	*	0.3	0.5	0.9	1.3	1.3
1985.....	*	*	*	*	0.3	0.4	0.5	1.0	1.2	1.6
1984.....	*	*	*	*	0.2	0.4	0.6	1.1	1.4	1.9
1983.....	*	*	*	*	0.3	0.4	0.7	1.0	1.4	1.8
1982.....	*	*	*	0.2	0.3	0.5	0.9	1.1	2.1	2.0
1981.....	*	*	*	*	*	0.5	0.6	0.9	1.4	1.6
1980.....	0.1	0.1	0.1	0.2	0.2	0.6	0.7	1.0	2.1	2.8
1979.....	0.1	0.1	0.1	0.2	0.3	0.5	0.8	1.4	1.7	2.6



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MONOCYTTIC LEUKEMIA (206)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	1.5	*
1996.....	*	*	*	*	*	*	0.7	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	1.3	*	*
1992.....	*	*	*	*	*	*	0.6	0.9	*	*
1991.....	*	*	*	*	*	0.5	0.8	1.4	*	*
1990.....	*	*	*	*	*	*	0.8	*	1.9	*
1989.....	*	*	*	*	*	*	0.8	1.1	*	*
1988.....	*	*	*	*	*	*	*	1.3	1.8	*
1987.....	*	*	*	*	*	*	*	1.2	*	*
1986.....	*	*	*	*	*	*	*	1.5	*	*
1985.....	*	*	*	*	*	*	0.8	1.6	*	*
1984.....	*	*	*	*	*	*	0.7	1.9	*	3.0
1983.....	*	*	*	*	0.4	0.5	0.9	1.5	2.4	*
1982.....	*	*	*	*	*	0.8	1.4	1.4	3.8	*
1981.....	*	*	*	*	*	0.6	0.8	1.3	*	*
1980.....	0.1	0.1	0.2	0.2	0.3	0.6	1.0	1.6	3.3	4.8
1979.....	0.1	0.1	0.1	0.2	0.5	0.8	1.2	1.6	2.2	4.5
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	1.5
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	0.9	*
1990.....	*	*	*	*	*	*	*	*	0.9	1.3
1989.....	*	*	*	*	*	*	*	*	*	1.1
1988.....	*	*	*	*	*	*	*	*	0.9	1.3
1987.....	*	*	*	*	*	*	*	*	*	1.3
1986.....	*	*	*	*	*	*	*	*	1.3	*
1985.....	*	*	*	*	*	*	*	0.7	1.1	1.4
1984.....	*	*	*	*	*	*	*	*	1.4	1.5
1983.....	*	*	*	*	*	*	0.6	0.7	*	1.3
1982.....	*	*	*	*	*	*	*	1.0	1.2	1.6
1981.....	*	*	*	*	*	*	*	*	1.2	*
1980.....	0.0	0.1	0.1	0.2	0.2	0.5	0.4	0.6	1.5	1.9
1979.....	0.0	0.1	0.1	0.1	0.2	0.3	0.6	1.2	1.4	1.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MONOCYTTIC LEUKEMIA (206)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.3	0.3	0.2	0.2	0.2	0.4	1.1
1979.....	0.1	-	0.1	-	0.4	0.1	0.5	0.5	1.3	1.1
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.5	0.4	0.5	-	-	1.1	1.6
1979.....	0.1	-	0.2	-	0.7	-	0.4	-	2.3	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MONOCYTTIC LEUKEMIA (206)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	0.2	-	0.3	0.4	-	0.8
1979.....	-	-	-	-	0.2	0.2	0.6	0.8	0.7	0.9
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.3	0.3	0.3	0.2	0.3	0.5	1.3
1979.....	-	-	0.1	-	0.5	0.1	0.6	0.5	1.5	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MONOCYTTIC LEUKEMIA (206)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.6	0.5	0.6	-	-	1.3	1.9
1979.....	-	-	0.2	-	0.8	-	0.4	-	2.6	1.9
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.2	-	0.3	0.4	-	0.9
1979.....	-	-	-	-	0.2	0.2	0.6	0.8	0.8	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)										
TOTAL, BOTH SEXES										
1998.....	0.5	0.7	1.0	1.5	3.1	4.8	8.7	13.5	17.5	23.1
1997.....	0.5	0.6	1.1	1.8	3.1	5.3	8.6	12.6	18.0	25.5
1996.....	0.5	0.7	1.1	1.8	3.4	5.1	8.9	12.6	18.3	23.8
1995.....	0.4	0.8	1.1	2.0	3.3	5.5	8.8	13.9	18.6	25.1
1994.....	0.5	0.9	1.3	2.0	3.5	5.4	9.1	13.7	18.7	25.8
1993.....	0.6	0.8	1.3	2.2	3.5	5.8	9.0	13.0	18.1	24.2
1992.....	0.6	0.8	1.2	2.2	3.5	5.7	8.9	12.9	17.1	24.2
1991.....	0.6	0.9	1.3	2.2	3.6	5.7	9.6	12.4	17.4	24.3
1990.....	0.7	0.9	1.5	2.1	3.7	5.7	9.1	12.9	18.4	24.0
1989.....	0.7	0.8	1.4	2.5	3.8	5.9	9.5	13.4	17.9	22.6
1988.....	0.8	1.0	1.6	2.4	3.8	6.0	9.3	12.6	18.7	23.9
1987.....	0.6	1.0	1.3	2.4	3.6	5.6	8.9	12.3	17.5	23.8
1986.....	0.8	1.0	1.4	2.3	3.7	6.0	8.8	12.2	17.4	20.9
1985.....	0.7	1.2	1.4	2.2	3.5	5.6	8.5	12.1	16.4	20.1
1984.....	0.8	1.1	1.6	2.4	3.5	5.7	7.9	12.2	17.0	21.8
1983.....	0.7	1.0	1.4	2.2	3.7	5.5	8.2	11.9	15.3	21.1
1982.....	0.7	1.1	1.3	1.8	3.4	5.0	8.2	11.8	16.0	20.5
1981.....	0.6	0.9	1.3	2.0	3.0	5.3	7.6	11.4	15.9	19.0
1980.....	0.8	0.9	1.2	2.1	3.4	5.0	8.0	11.0	15.3	20.2
1979.....	0.7	0.9	1.4	2.0	2.9	4.4	8.0	10.1	15.2	16.2
TOTAL, MALE										
1998.....	0.6	0.8	1.2	1.9	4.0	6.5	12.0	18.5	23.6	29.1
1997.....	0.5	0.7	1.2	2.0	4.1	7.0	11.3	17.3	25.2	35.9
1996.....	0.6	0.9	1.3	2.2	4.6	6.8	11.9	17.2	23.7	33.5
1995.....	0.5	0.9	1.4	2.6	4.5	7.3	12.5	19.4	26.5	37.6
1994.....	0.6	0.9	1.5	2.2	5.1	6.5	11.8	19.0	27.4	35.1
1993.....	0.6	0.9	1.5	2.7	4.5	7.8	12.6	17.7	26.5	33.4
1992.....	0.6	0.9	1.2	2.5	4.1	7.6	11.6	18.5	23.5	32.8
1991.....	0.7	1.1	1.5	2.8	4.7	7.3	13.4	16.4	24.0	32.9
1990.....	0.7	1.1	1.6	2.5	4.8	7.8	12.6	16.9	26.6	33.2
1989.....	0.9	1.0	1.7	3.0	4.7	7.9	12.3	18.3	25.7	30.4
1988.....	0.9	1.1	2.0	3.1	5.0	7.5	12.8	19.7	26.9	33.7
1987.....	0.7	1.1	1.3	2.7	4.2	7.1	12.7	18.1	25.9	35.3
1986.....	1.0	1.2	1.4	2.6	4.5	7.9	12.5	17.2	26.0	28.2
1985.....	0.9	1.3	1.8	2.6	4.4	7.1	11.7	15.5	23.3	28.9
1984.....	0.9	1.4	1.9	2.9	4.2	7.4	10.6	17.1	24.0	30.9
1983.....	0.8	1.1	1.7	2.6	4.9	7.1	10.9	17.3	22.4	31.3
1982.....	0.8	1.2	1.5	2.4	4.3	7.3	11.7	16.2	23.6	29.7
1981.....	0.7	1.0	1.4	2.4	3.8	6.8	11.2	16.2	23.7	28.2
1980.....	0.8	1.1	1.3	2.5	4.3	6.7	11.4	14.8	22.1	30.7
1979.....	0.7	1.1	1.4	2.4	3.6	6.1	12.0	14.0	23.1	21.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)										
TOTAL, FEMALE										
1998.....	0.4	0.5	0.8	1.2	2.2	3.5	6.2	10.0	13.9	20.6
1997.....	0.4	0.6	1.0	1.6	2.3	3.8	6.6	9.4	13.7	21.3
1996.....	0.5	0.6	0.8	1.5	2.3	3.7	6.6	9.4	15.3	19.9
1995.....	0.4	0.7	0.9	1.4	2.3	4.0	5.9	10.1	14.1	20.3
1994.....	0.4	0.8	1.1	1.9	2.1	4.4	7.0	10.1	14.0	22.2
1993.....	0.5	0.7	1.1	1.8	2.6	4.1	6.2	9.8	13.5	20.7
1992.....	0.5	0.8	1.1	1.9	2.9	4.1	6.9	9.2	13.7	20.9
1991.....	0.5	0.7	1.1	1.7	2.6	4.5	6.7	9.8	13.8	20.9
1990.....	0.6	0.7	1.4	1.8	2.7	4.1	6.5	10.3	14.1	20.5
1989.....	0.5	0.7	1.1	2.0	3.1	4.3	7.4	10.2	13.8	19.6
1988.....	0.7	0.9	1.2	1.9	2.9	4.7	6.7	8.2	14.3	20.1
1987.....	0.5	0.8	1.3	2.0	3.0	4.4	6.2	8.6	13.1	19.3
1986.....	0.6	0.8	1.4	2.0	3.1	4.4	6.0	9.1	12.9	18.0
1985.....	0.6	1.0	1.1	2.0	2.7	4.5	6.2	10.0	12.7	16.6
1984.....	0.7	0.8	1.2	2.0	2.9	4.3	6.0	9.2	13.3	18.1
1983.....	0.6	0.9	1.2	1.8	2.6	4.2	6.2	8.5	11.6	16.9
1982.....	0.6	1.0	1.2	1.4	2.5	3.2	5.8	9.0	12.0	16.7
1981.....	0.5	0.9	1.2	1.7	2.3	4.0	5.0	8.3	11.8	15.0
1980.....	0.8	0.8	1.1	1.7	2.6	3.7	5.5	8.6	11.6	15.6
1979.....	0.7	0.8	1.4	1.7	2.4	3.1	5.2	7.6	11.0	13.8
WHITE, BOTH SEXES										
1998.....	0.5	0.6	0.9	1.5	3.2	4.9	9.1	13.8	17.9	23.8
1997.....	0.4	0.6	1.1	1.8	3.1	5.4	8.7	12.9	18.5	26.2
1996.....	0.5	0.7	1.1	1.8	3.5	5.2	9.0	12.8	18.6	24.3
1995.....	0.5	0.8	1.1	2.1	3.4	5.6	8.9	14.2	18.9	25.7
1994.....	0.5	0.9	1.3	2.0	3.4	5.4	9.2	14.0	19.2	26.1
1993.....	0.5	0.8	1.3	2.2	3.5	6.0	9.2	13.3	18.3	24.5
1992.....	0.6	0.8	1.2	2.1	3.5	5.7	9.1	13.2	17.6	24.9
1991.....	0.6	0.9	1.3	2.2	3.7	5.8	9.9	12.8	17.8	24.7
1990.....	0.7	0.9	1.6	2.2	3.8	5.8	9.3	13.1	19.0	24.3
1989.....	0.7	0.9	1.3	2.4	3.8	6.0	9.6	13.9	18.3	23.1
1988.....	0.8	1.0	1.6	2.5	3.9	6.0	9.4	12.7	19.2	24.3
1987.....	0.6	1.1	1.3	2.4	3.6	5.8	9.1	12.5	18.1	24.4
1986.....	0.8	1.0	1.4	2.4	3.8	6.0	9.0	12.7	17.2	21.1
1985.....	0.7	1.2	1.5	2.3	3.6	5.6	8.5	12.7	16.6	20.6
1984.....	0.8	1.1	1.6	2.4	3.6	5.7	7.9	12.6	17.1	22.3
1983.....	0.7	1.0	1.4	2.0	3.6	5.5	8.0	12.3	15.9	21.9
1982.....	0.7	1.1	1.3	1.9	3.3	5.1	8.4	11.9	16.2	21.2
1981.....	0.5	0.9	1.3	2.0	3.1	5.1	7.8	11.5	16.5	19.6
1980.....	0.8	0.9	1.3	2.2	3.3	5.1	8.2	11.4	15.5	20.4
1979.....	0.8	1.0	1.4	2.0	3.0	4.5	8.2	10.3	15.7	16.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)										
WHITE MALE										
1998.....	0.6	0.7	1.2	1.9	4.1	6.6	12.5	18.8	24.2	30.0
1997.....	0.5	0.7	1.2	2.0	4.0	7.2	11.4	17.5	25.9	37.0
1996.....	0.6	0.9	1.3	2.2	4.7	6.9	11.9	17.6	23.9	34.5
1995.....	0.4	0.9	1.3	2.6	4.6	7.3	12.6	19.9	27.1	39.0
1994.....	0.6	0.9	1.4	2.2	5.0	6.7	12.0	19.2	28.5	35.7
1993.....	0.5	0.9	1.5	2.7	4.5	8.0	13.0	18.0	27.2	34.5
1992.....	0.6	0.9	1.2	2.5	4.3	7.8	11.7	18.5	24.5	33.7
1991.....	0.6	1.0	1.5	2.7	4.9	7.4	13.6	16.6	25.1	33.5
1990.....	0.7	1.2	1.7	2.7	4.9	7.7	12.7	17.3	27.5	33.8
1989.....	0.8	1.0	1.6	2.9	4.6	8.1	12.2	19.0	25.9	31.9
1988.....	0.9	1.1	2.0	3.1	5.1	7.5	12.9	19.8	28.3	34.2
1987.....	0.7	1.2	1.3	2.8	4.2	7.5	13.0	18.5	26.8	36.9
1986.....	1.0	1.2	1.4	2.7	4.5	7.9	12.8	17.9	26.2	28.8
1985.....	0.8	1.3	1.8	2.6	4.6	7.1	11.5	16.1	23.6	30.1
1984.....	0.9	1.4	2.0	2.9	4.2	7.4	10.6	17.5	24.9	31.4
1983.....	0.7	1.2	1.6	2.5	4.6	7.2	11.0	18.1	23.6	32.9
1982.....	0.8	1.2	1.5	2.5	4.3	7.4	11.9	16.7	24.0	30.8
1981.....	0.6	0.9	1.4	2.3	3.8	6.6	11.8	16.6	24.5	29.2
1980.....	0.8	1.2	1.4	2.6	4.2	6.7	11.7	15.7	22.4	30.6
1979.....	0.8	1.1	1.5	2.4	3.6	6.2	12.3	14.4	24.0	22.7
WHITE FEMALE										
1998.....	0.4	0.4	0.7	1.2	2.3	3.5	6.4	10.2	14.2	21.3
1997.....	0.4	0.5	1.0	1.5	2.2	3.9	6.6	9.6	14.2	21.9
1996.....	0.4	0.6	0.9	1.5	2.3	3.7	6.7	9.5	15.6	20.3
1995.....	0.5	0.7	0.8	1.6	2.3	4.1	6.0	10.2	14.3	20.6
1994.....	0.4	0.8	1.1	1.9	2.0	4.4	6.9	10.4	14.0	22.4
1993.....	0.5	0.8	1.1	1.8	2.6	4.4	6.3	10.1	13.5	20.6
1992.....	0.5	0.8	1.2	1.9	2.8	4.0	7.1	9.7	13.8	21.5
1991.....	0.5	0.8	1.2	1.7	2.7	4.5	7.0	10.3	14.0	21.3
1990.....	0.6	0.6	1.4	1.7	2.8	4.2	6.8	10.4	14.5	20.7
1989.....	0.5	0.7	1.0	2.0	3.2	4.3	7.6	10.6	14.4	19.8
1988.....	0.6	0.9	1.2	2.0	2.9	4.8	6.8	8.2	14.5	20.6
1987.....	0.5	0.9	1.3	2.0	3.0	4.4	6.3	8.7	13.7	19.5
1986.....	0.7	0.9	1.3	2.1	3.1	4.5	6.2	9.4	12.5	18.1
1985.....	0.6	1.0	1.2	2.0	2.8	4.4	6.3	10.5	13.0	16.9
1984.....	0.7	0.8	1.2	2.0	3.1	4.3	5.9	9.4	13.1	18.7
1983.....	0.6	0.9	1.3	1.6	2.8	4.0	5.8	8.7	11.9	17.5
1982.....	0.5	1.0	1.1	1.3	2.5	3.3	5.8	9.0	12.1	17.3
1981.....	0.5	0.8	1.2	1.7	2.5	4.0	5.0	8.3	12.3	15.6
1980.....	0.7	0.7	1.1	1.8	2.5	3.9	5.6	8.6	11.8	16.0
1979.....	0.7	0.9	1.4	1.7	2.5	3.2	5.3	7.8	11.3	14.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)										
ALL OTHER, BOTH SEXES										
1998.....	0.6	1.1	1.3	1.7	2.3	4.2	6.2	10.5	13.9	16.0
1997.....	0.7	0.8	1.2	2.0	3.5	4.3	7.8	10.7	12.2	19.1
1996.....	0.7	0.9	*	1.9	3.3	4.8	8.0	10.4	15.2	18.9
1995.....	*	0.8	1.4	1.6	2.8	4.7	7.6	11.4	15.2	19.1
1994.....	0.7	0.8	1.4	2.0	4.1	5.0	8.5	10.9	13.9	22.7
1993.....	1.1	*	1.5	1.9	3.2	3.9	6.7	10.3	15.4	21.9
1992.....	*	*	*	2.5	3.0	5.0	7.9	10.2	12.6	17.3
1991.....	0.7	*	1.3	2.3	2.4	5.1	7.2	8.7	13.2	20.1
1990.....	*	*	*	1.8	3.0	5.5	7.6	10.4	12.8	20.7
1989.....	0.9	*	1.7	2.7	3.5	4.4	9.0	8.8	13.5	17.2
1988.....	*	*	1.5	2.1	3.1	5.9	8.2	11.9	13.1	19.4
1987.....	*	*	1.7	2.3	3.3	3.9	7.3	10.7	11.0	17.9
1986.....	*	*	1.5	1.8	3.6	5.4	7.0	7.3	19.9	19.0
1985.....	*	1.3	*	2.1	2.5	5.7	8.4	7.1	13.3	15.2
1984.....	*	*	1.4	2.0	2.8	5.4	8.3	9.3	15.0	15.7
1983.....	*	*	1.4	3.1	3.8	6.0	9.9	8.1	8.4	12.0
1982.....	*	*	1.7	1.6	3.5	4.0	7.1	10.3	14.3	12.6
1981.....	*	*	*	2.3	2.5	6.3	5.5	10.2	9.5	12.1
1980.....	0.9	1.1	0.7	0.9	4.0	3.9	6.1	7.5	12.7	17.8
1979.....	0.5	0.7	1.2	2.1	2.1	3.8	6.2	7.7	9.8	10.9
ALL OTHER MALE										
1998.....	*	*	*	*	3.2	5.8	8.2	14.8	17.5	20.5
1997.....	*	*	*	*	4.5	5.1	10.2	16.0	18.0	26.2
1996.....	*	*	*	*	4.4	6.3	12.0	12.8	21.2	24.5
1995.....	*	*	*	*	3.7	7.2	11.7	14.4	20.7	24.4
1994.....	*	*	*	*	5.8	5.6	10.0	17.0	15.2	29.6
1993.....	1.4	*	*	*	4.3	5.9	8.3	14.5	19.3	22.9
1992.....	*	*	*	*	*	5.8	11.1	18.3	*	23.9
1991.....	*	*	*	*	*	6.4	11.5	14.8	*	27.9
1990.....	*	*	*	*	*	8.3	12.2	13.4	17.0	27.0
1989.....	*	*	*	3.7	5.3	5.3	13.9	11.3	24.0	*
1988.....	*	*	*	*	*	7.7	12.3	18.3	*	29.1
1987.....	*	*	*	*	3.8	*	10.1	14.4	17.9	*
1986.....	*	*	*	*	4.1	7.1	10.5	10.0	24.1	*
1985.....	*	*	*	*	*	6.3	13.3	10.2	20.0	*
1984.....	*	*	*	*	4.0	7.2	10.4	12.9	*	*
1983.....	*	*	*	*	6.8	6.0	10.6	10.2	*	*
1982.....	*	*	*	*	4.6	6.1	9.3	12.0	*	*
1981.....	*	*	*	*	*	8.7	*	11.8	*	*
1980.....	0.8	1.0	0.7	1.1	4.7	6.2	8.7	6.7	18.3	31.3
1979.....	0.3	1.1	1.2	2.7	3.0	4.9	9.5	9.9	14.0	11.9



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	3.1	4.9	7.7	11.8	13.9
1997.....	*	*	*	*	2.7	3.7	6.1	7.3	9.0	15.8
1996.....	*	*	*	*	*	3.7	5.3	8.8	11.9	16.3
1995.....	*	*	*	*	*	2.9	4.6	9.4	12.2	16.8
1994.....	*	*	*	*	2.8	4.6	7.5	7.0	13.2	19.7
1993.....	*	*	*	*	*	*	5.6	7.7	13.2	21.4
1992.....	*	*	*	*	3.3	4.5	5.7	5.3	12.4	14.4
1991.....	*	*	*	*	*	4.2	4.3	*	12.7	16.4
1990.....	*	*	*	*	*	3.4	4.5	8.6	10.5	17.9
1989.....	*	*	*	*	*	3.8	5.6	7.3	*	17.1
1988.....	*	*	*	*	*	4.5	5.5	7.8	12.7	14.8
1987.....	*	*	*	*	2.9	3.8	5.3	8.3	*	16.6
1986.....	*	*	*	*	3.3	4.1	4.5	*	17.6	17.3
1985.....	*	*	*	*	*	5.3	5.1	*	*	14.0
1984.....	*	*	*	*	*	4.1	6.8	6.9	15.0	*
1983.....	*	*	*	3.3	*	6.0	9.4	6.8	*	*
1982.....	*	*	*	*	*	*	5.5	9.1	*	*
1981.....	*	*	*	*	*	4.4	5.4	9.1	*	*
1980.....	1.0	1.2	0.7	0.8	3.4	2.2	4.1	8.0	9.2	11.0
1979.....	0.6	0.4	1.2	1.5	1.3	3.0	3.7	6.2	7.3	10.5
BLACK, BOTH SEXES										
1998.....	*	1.3	1.4	2.0	2.7	4.8	6.7	11.7	16.5	16.3
1997.....	*	*	*	2.2	4.1	4.7	8.6	12.1	13.2	19.1
1996.....	*	*	*	2.2	3.7	4.8	7.8	11.6	18.4	19.9
1995.....	*	*	1.6	1.8	2.8	5.4	8.0	11.0	16.0	20.4
1994.....	0.9	*	1.6	2.4	4.4	5.7	8.6	12.0	13.9	24.2
1993.....	1.2	*	1.8	2.1	3.8	4.0	6.7	9.3	16.2	21.0
1992.....	*	*	*	2.9	3.4	5.5	8.4	10.8	14.6	18.1
1991.....	*	*	*	2.7	2.8	5.5	8.0	9.0	14.1	22.8
1990.....	*	*	*	*	3.3	5.9	8.6	10.5	14.9	21.1
1989.....	*	*	2.1	3.1	3.5	4.7	8.8	9.6	15.2	18.2
1988.....	*	*	*	2.4	3.6	6.6	9.5	12.9	14.0	20.6
1987.....	*	*	2.1	2.2	3.8	3.3	7.5	10.8	11.0	19.2
1986.....	*	*	*	2.0	4.1	6.0	7.2	7.5	21.6	21.4
1985.....	*	*	*	2.4	2.5	6.5	9.1	6.8	14.3	16.4
1984.....	*	*	*	2.2	3.2	5.7	8.8	9.7	15.7	14.7
1983.....	*	*	*	3.1	4.5	6.3	10.6	8.3	9.3	12.0
1982.....	*	*	1.9	*	4.1	4.3	7.7	10.7	13.8	12.5
1981.....	*	*	*	2.2	2.7	6.1	6.4	10.7	10.0	11.9
1980.....	1.1	1.0	0.8	0.9	4.2	3.9	6.6	7.5	13.5	18.9
1979.....	0.6	0.8	1.4	2.3	2.4	4.2	6.5	8.1	9.0	11.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)										
BLACK MALE										
1998.....	*	*	*	*	*	6.5	7.7	16.7	22.2	*
1997.....	*	*	*	*	4.6	5.8	12.1	18.3	18.0	26.9
1996.....	*	*	*	*	5.2	6.3	10.5	15.8	25.7	27.6
1995.....	*	*	*	*	*	8.1	11.8	13.4	22.4	27.8
1994.....	*	*	*	*	6.1	6.5	10.8	20.2	*	28.8
1993.....	*	*	*	*	5.4	6.9	8.6	14.7	20.0	*
1992.....	*	*	*	*	*	6.5	11.8	18.5	*	*
1991.....	*	*	*	*	*	6.8	13.6	15.5	*	34.8
1990.....	*	*	*	*	*	8.9	13.8	12.9	21.4	*
1989.....	*	*	*	*	4.8	5.9	12.7	11.8	28.9	*
1988.....	*	*	*	*	*	8.0	14.4	19.8	*	35.4
1987.....	*	*	*	*	4.8	*	10.4	14.9	*	*
1986.....	*	*	*	*	*	8.2	11.3	*	25.6	*
1985.....	*	*	*	*	*	7.4	14.6	*	*	*
1984.....	*	*	*	*	*	7.1	10.6	13.2	*	*
1983.....	*	*	*	*	7.9	6.0	11.1	*	*	*
1982.....	*	*	*	*	5.5	6.3	9.9	12.4	*	*
1981.....	*	*	*	*	*	7.8	*	*	*	*
1980.....	1.1	0.6	0.8	1.3	5.4	6.0	9.4	5.9	20.0	32.1
1979.....	0.4	1.1	1.4	3.0	3.5	5.3	9.7	9.9	14.3	13.5
BLACK FEMALE										
1998.....	*	*	*	*	*	*	6.0	8.6	13.5	14.3
1997.....	*	*	*	*	3.7	3.9	6.2	8.2	10.7	16.0
1996.....	*	*	*	*	*	3.8	6.0	9.0	14.7	16.8
1995.....	*	*	*	*	*	*	5.5	9.5	12.8	17.4
1994.....	*	*	*	*	*	5.2	7.2	7.1	13.4	22.3
1993.....	*	*	*	*	*	*	5.3	*	14.2	21.9
1992.....	*	*	*	*	3.9	4.7	6.1	6.4	14.6	16.1
1991.....	*	*	*	*	*	4.5	*	*	13.8	17.8
1990.....	*	*	*	*	*	*	5.2	9.2	11.6	17.9
1989.....	*	*	*	*	*	*	6.3	8.3	*	19.0
1988.....	*	*	*	*	*	5.6	6.3	8.8	14.0	14.1
1987.....	*	*	*	*	*	*	5.6	8.3	*	17.4
1986.....	*	*	*	*	3.7	4.5	*	*	19.4	19.6
1985.....	*	*	*	*	*	5.8	5.4	*	*	*
1984.....	*	*	*	*	*	4.6	7.6	7.5	14.5	*
1983.....	*	*	*	*	*	6.6	10.3	*	*	*
1982.....	*	*	*	*	*	*	6.3	9.6	*	*
1981.....	*	*	*	*	*	4.9	6.1	10.2	*	*
1980.....	1.2	1.4	0.8	0.5	3.3	2.2	4.5	8.5	9.6	12.3
1979.....	0.7	0.5	1.5	1.7	1.5	3.3	4.1	6.8	5.6	10.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

TOTAL, BOTH SEXES										
1998.....	1.0	1.2	1.9	2.8	4.2	6.1	10.6	15.2	26.6	47.9
1997.....	0.9	1.3	1.8	2.8	3.9	6.6	10.0	16.3	25.9	44.9
1996.....	1.0	1.4	1.8	2.9	4.6	6.1	10.3	16.6	26.2	44.4
1995.....	0.8	1.3	2.1	2.9	4.9	7.0	10.4	16.5	26.8	46.0
1994.....	1.1	1.4	2.0	2.9	4.3	6.4	9.7	16.6	26.1	45.6
1993.....	0.9	1.3	2.1	2.9	4.5	7.1	10.1	16.5	26.9	44.9
1992.....	1.0	1.3	1.9	2.8	4.5	6.7	10.6	16.2	25.0	42.7
1991.....	0.7	1.3	1.8	2.9	4.5	6.9	10.9	16.0	27.1	42.3
1990.....	0.9	1.2	2.0	2.7	4.4	6.8	10.6	16.9	24.9	40.2
1989.....	1.0	1.3	2.1	2.9	4.7	6.8	10.9	16.3	26.7	40.0
1988.....	0.8	1.4	2.1	3.0	4.8	7.0	11.2	16.8	26.6	39.5
1987.....	0.9	1.3	1.9	2.9	4.8	7.9	11.4	17.0	26.3	37.4
1986.....	0.9	1.6	2.3	3.3	5.1	6.9	11.7	18.1	27.1	38.1
1985.....	1.0	1.5	2.3	3.4	5.2	7.6	12.7	17.0	26.6	38.9
1984.....	1.0	1.5	1.8	3.4	5.1	7.8	12.1	18.1	25.7	36.6
1983.....	1.1	1.6	2.5	3.3	5.4	8.1	11.4	18.4	26.1	37.4
1982.....	1.0	1.8	2.4	3.8	6.0	8.5	12.5	18.1	24.3	33.6
1981.....	1.2	1.6	2.6	3.3	5.9	8.3	12.6	18.4	24.5	31.8
1980.....	1.3	2.2	2.6	4.0	5.9	8.5	12.1	16.6	25.0	31.2
1979.....	1.3	2.0	2.5	4.2	5.7	8.5	12.2	16.5	21.2	29.3
TOTAL, MALE										
1998.....	1.0	1.3	2.2	3.2	4.3	6.9	12.0	17.8	28.2	48.8
1997.....	0.9	1.3	1.9	3.2	4.4	7.3	11.0	18.8	28.9	45.5
1996.....	1.1	1.5	1.9	3.5	5.4	6.9	11.0	18.7	28.3	47.9
1995.....	1.0	1.4	2.4	3.2	5.2	8.2	11.2	18.3	28.7	49.9
1994.....	1.2	1.4	2.4	3.5	5.0	7.8	11.1	17.8	29.5	49.1
1993.....	1.0	1.5	2.1	3.3	5.7	8.1	12.1	19.0	29.5	51.7
1992.....	1.1	1.5	2.2	3.0	5.5	8.0	12.0	19.2	27.7	48.6
1991.....	0.9	1.5	2.1	3.3	5.3	8.0	12.4	18.2	31.7	44.8
1990.....	0.9	1.2	2.0	2.8	4.9	8.0	13.0	18.0	28.7	44.9
1989.....	0.9	1.4	2.5	3.2	5.1	7.7	12.5	18.2	32.7	47.2
1988.....	0.9	1.5	2.3	3.1	5.2	8.2	12.0	19.1	29.7	45.3
1987.....	0.8	1.5	2.1	3.2	5.7	9.2	14.3	20.1	32.1	41.1
1986.....	1.0	1.8	2.6	3.5	5.9	6.9	13.4	21.3	31.8	46.0
1985.....	1.2	1.5	2.7	3.8	5.5	8.3	13.8	19.7	29.3	44.2
1984.....	1.2	1.5	2.0	3.7	5.7	8.4	13.8	21.0	29.1	42.2
1983.....	1.2	1.6	2.5	3.8	6.2	9.1	12.8	21.0	31.2	41.9
1982.....	1.0	1.7	2.7	4.3	6.4	9.4	13.9	20.5	29.4	40.9
1981.....	1.3	1.6	2.9	3.6	6.5	9.8	14.8	21.9	28.7	35.5
1980.....	1.4	2.0	2.5	4.3	6.6	9.5	13.5	19.9	31.1	34.0
1979.....	1.2	2.0	2.4	4.6	6.1	9.4	13.8	18.8	25.3	32.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

TOTAL, FEMALE										
1998.....	0.9	1.1	1.6	2.4	4.1	5.4	9.5	13.4	25.7	47.5
1997.....	0.9	1.2	1.7	2.4	3.4	6.1	9.2	14.6	24.1	44.6
1996.....	0.9	1.2	1.7	2.4	3.8	5.5	9.8	15.2	24.9	43.1
1995.....	0.7	1.2	1.7	2.5	4.5	6.0	9.7	15.2	25.7	44.5
1994.....	0.9	1.4	1.8	2.3	3.7	5.4	8.7	15.7	24.2	44.2
1993.....	0.8	1.2	2.1	2.5	3.5	6.2	8.6	14.9	25.5	42.4
1992.....	0.9	1.2	1.7	2.6	3.6	5.7	9.5	14.2	23.4	40.4
1991.....	0.6	1.1	1.5	2.6	3.9	6.1	9.7	14.5	24.7	41.3
1990.....	0.9	1.2	2.0	2.7	4.0	5.8	8.9	16.3	22.8	38.3
1989.....	1.1	1.3	1.7	2.7	4.4	6.2	9.8	15.0	23.4	37.2
1988.....	0.7	1.4	1.8	2.9	4.5	6.0	10.7	15.2	24.9	37.3
1987.....	1.0	1.2	1.7	2.7	4.1	6.8	9.2	15.1	23.3	36.0
1986.....	0.8	1.3	2.0	3.0	4.4	6.8	10.4	16.0	24.6	35.0
1985.....	0.9	1.5	1.9	3.1	4.9	7.0	11.9	15.3	25.1	36.8
1984.....	0.8	1.4	1.6	3.2	4.5	7.4	10.9	16.3	23.9	34.4
1983.....	1.0	1.5	2.4	2.8	4.8	7.2	10.4	16.8	23.4	35.5
1982.....	1.0	1.9	2.2	3.3	5.5	7.9	11.5	16.6	21.7	30.5
1981.....	1.2	1.6	2.4	2.9	5.3	7.1	11.0	16.2	22.3	30.1
1980.....	1.2	2.3	2.6	3.6	5.3	7.7	11.1	14.6	21.8	29.9
1979.....	1.4	1.9	2.5	4.0	5.3	7.8	11.1	15.0	19.0	27.9
WHITE, BOTH SEXES										
1998.....	0.9	1.1	1.8	2.7	4.1	6.1	10.3	15.2	27.0	48.8
1997.....	0.8	1.2	1.7	2.8	3.8	6.3	9.8	16.3	25.7	45.8
1996.....	0.9	1.2	1.8	2.9	4.4	6.2	10.1	16.4	25.7	45.4
1995.....	0.7	1.2	2.0	2.8	4.7	6.7	10.1	16.7	26.8	45.3
1994.....	1.0	1.3	2.0	2.8	4.1	6.4	9.7	16.5	26.0	46.3
1993.....	0.8	1.2	2.0	2.8	4.4	6.9	10.0	16.4	26.8	45.9
1992.....	1.0	1.3	1.8	2.6	4.4	6.4	10.3	16.0	24.7	43.3
1991.....	0.7	1.2	1.7	2.8	4.3	6.6	10.7	16.0	27.1	43.1
1990.....	0.8	1.1	1.8	2.6	4.3	6.5	10.5	16.8	24.5	41.0
1989.....	1.0	1.3	2.0	2.7	4.7	6.6	10.7	16.1	27.0	39.7
1988.....	0.8	1.3	2.0	2.9	4.6	6.6	11.0	16.3	26.5	39.9
1987.....	0.8	1.3	1.8	2.8	4.7	7.7	11.3	16.8	26.4	37.6
1986.....	0.9	1.4	2.1	3.2	4.8	6.7	11.4	17.7	27.2	38.6
1985.....	0.9	1.3	2.1	3.2	5.0	7.3	12.2	17.0	26.6	39.6
1984.....	1.0	1.3	1.7	3.4	4.9	7.7	11.7	18.1	25.5	36.7
1983.....	1.0	1.5	2.4	3.2	5.4	7.9	10.9	18.5	26.3	38.2
1982.....	0.9	1.7	2.3	3.5	5.6	8.3	12.3	18.0	24.5	34.5
1981.....	1.3	1.5	2.5	3.2	5.6	8.3	12.2	18.7	24.7	31.9
1980.....	1.3	1.9	2.3	3.9	5.5	7.8	11.9	16.7	24.8	31.6
1979.....	1.2	1.8	2.2	4.1	5.4	8.3	12.2	16.7	21.5	30.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

## WHITE MALE

1998.....	0.9	1.1	2.1	3.0	4.3	6.8	12.0	18.0	28.6	50.2
1997.....	0.9	1.3	1.9	3.2	4.1	6.9	10.8	18.5	28.8	46.8
1996.....	1.1	1.4	1.8	3.4	5.2	7.0	11.0	18.7	27.2	49.4
1995.....	0.8	1.3	2.5	3.3	5.2	8.0	10.9	18.9	28.4	48.4
1994.....	1.2	1.4	2.2	3.4	4.8	7.7	11.1	18.2	29.4	50.5
1993.....	0.9	1.4	1.9	3.1	5.5	8.0	12.1	18.8	29.6	53.5
1992.....	1.1	1.4	2.1	2.8	5.5	7.6	11.8	19.1	27.1	50.1
1991.....	0.9	1.3	2.0	3.3	5.1	7.7	12.4	18.4	31.6	44.9
1990.....	0.8	1.2	1.8	2.6	4.8	7.7	13.0	18.1	29.1	47.4
1989.....	0.9	1.3	2.4	2.8	5.0	7.5	12.3	18.1	34.0	47.5
1988.....	1.0	1.5	2.2	3.0	4.9	7.9	12.1	18.4	30.5	45.6
1987.....	0.7	1.5	2.0	3.1	5.4	9.0	14.2	19.7	32.0	40.9
1986.....	1.0	1.7	2.4	3.6	5.7	6.7	13.1	21.5	32.3	47.0
1985.....	1.0	1.3	2.6	3.8	5.4	8.0	13.4	19.4	29.7	45.9
1984.....	1.1	1.4	1.8	3.7	5.3	8.2	13.5	21.1	29.7	42.5
1983.....	1.2	1.6	2.3	3.7	6.1	9.0	12.2	21.6	31.1	43.1
1982.....	0.9	1.7	2.6	3.9	6.1	9.2	14.1	20.6	29.4	43.5
1981.....	1.4	1.6	2.7	3.6	6.3	9.9	14.6	22.1	29.5	36.6
1980.....	1.4	1.8	2.4	4.2	6.2	8.8	13.3	20.0	30.6	35.1
1979.....	0.9	1.9	2.3	4.4	5.7	9.4	14.0	19.5	26.1	34.0

## WHITE FEMALE

1998.....	0.8	1.0	1.5	2.3	3.9	5.5	8.9	13.3	26.1	48.3
1997.....	0.8	1.1	1.5	2.4	3.4	5.8	9.0	14.7	23.9	45.4
1996.....	0.8	1.0	1.8	2.5	3.7	5.5	9.5	14.8	24.8	43.9
1995.....	0.6	1.1	1.6	2.4	4.4	5.6	9.5	15.1	25.8	44.2
1994.....	0.8	1.2	1.7	2.3	3.5	5.3	8.6	15.4	24.2	44.7
1993.....	0.8	1.1	2.1	2.5	3.3	6.0	8.4	14.9	25.3	43.0
1992.....	0.9	1.2	1.6	2.4	3.4	5.5	9.3	14.0	23.4	40.7
1991.....	0.5	1.0	1.5	2.3	3.7	5.7	9.5	14.3	24.7	42.4
1990.....	0.8	1.1	1.8	2.5	3.9	5.5	8.7	15.9	22.1	38.6
1989.....	1.0	1.2	1.6	2.6	4.4	5.9	9.4	14.9	23.3	36.8
1988.....	0.7	1.2	1.8	2.7	4.3	5.6	10.3	14.9	24.5	37.7
1987.....	1.0	1.2	1.7	2.5	4.0	6.7	9.2	15.1	23.5	36.3
1986.....	0.8	1.2	1.9	2.8	4.0	6.7	10.2	15.4	24.6	35.4
1985.....	0.8	1.4	1.7	2.7	4.6	6.7	11.3	15.5	24.9	37.1
1984.....	0.8	1.2	1.5	3.0	4.5	7.3	10.4	16.3	23.2	34.4
1983.....	0.9	1.3	2.4	2.7	4.7	7.0	10.0	16.6	23.7	36.2
1982.....	0.9	1.8	2.0	3.1	5.2	7.7	10.9	16.3	21.9	30.8
1981.....	1.1	1.4	2.4	2.8	5.0	7.0	10.4	16.6	22.2	29.9
1980.....	1.2	2.1	2.3	3.6	4.9	7.0	10.8	14.6	21.7	30.1
1979.....	1.4	1.6	2.2	3.8	5.2	7.4	10.9	15.0	19.0	28.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

## ALL OTHER, BOTH SEXES

1998.....	1.4	1.7	2.5	3.2	4.7	6.2	13.1	14.8	23.0	38.9
1997.....	1.2	1.5	2.4	3.0	5.0	8.6	11.1	16.8	27.4	36.0
1996.....	1.4	2.1	1.8	2.9	5.4	5.8	12.0	19.1	31.4	34.9
1995.....	1.5	1.6	2.5	3.0	5.6	9.1	12.6	14.5	27.4	52.3
1994.....	1.5	2.1	2.5	3.5	5.7	6.9	9.9	17.3	27.0	38.1
1993.....	1.2	2.1	2.4	3.5	5.6	8.2	10.9	17.1	27.6	35.5
1992.....	1.0	1.5	2.6	3.8	5.0	9.1	12.8	18.0	27.6	36.8
1991.....	1.0	1.8	2.1	4.0	5.9	9.3	12.2	16.2	27.2	34.3
1990.....	1.3	1.9	3.4	3.8	4.9	9.3	11.7	18.5	28.9	31.5
1989.....	1.3	1.6	2.7	4.3	4.9	9.1	13.5	17.3	22.8	43.0
1988.....	*	2.0	2.6	3.9	6.9	10.0	13.2	21.4	26.9	35.9
1987.....	1.3	1.3	2.1	4.1	6.2	9.4	11.9	18.5	25.3	35.8
1986.....	1.0	2.3	3.7	4.1	7.8	8.7	13.8	21.1	25.6	32.9
1985.....	1.9	2.4	3.2	5.0	7.2	10.5	17.6	17.1	26.7	31.3
1984.....	1.2	2.3	2.9	3.9	6.8	9.0	15.7	17.8	28.6	35.9
1983.....	1.3	2.0	3.2	4.5	6.0	9.8	15.7	17.9	24.4	27.8
1982.....	1.3	2.3	3.6	6.1	8.8	10.3	14.6	19.1	22.7	23.1
1981.....	1.2	2.5	3.6	4.1	8.4	8.3	16.6	15.4	22.8	30.5
1980.....	1.5	3.7	4.5	4.6	9.8	15.0	14.0	15.8	27.9	26.2
1979.....	2.4	3.3	4.2	5.6	7.9	10.2	12.6	14.1	17.4	19.5

## ALL OTHER MALE

1998.....	1.4	1.9	3.4	3.9	4.0	7.7	11.9	16.1	24.6	36.2
1997.....	*	1.5	2.2	3.8	6.7	9.7	12.3	21.4	30.0	34.1
1996.....	*	2.2	2.4	4.0	6.8	6.3	11.0	18.9	40.3	34.4
1995.....	1.9	1.8	2.4	2.9	5.9	9.6	13.9	12.8	31.4	63.2
1994.....	1.4	1.8	3.1	4.6	6.3	8.0	11.1	14.5	31.2	36.0
1993.....	1.4	2.6	2.8	4.3	6.9	9.4	12.1	20.5	28.2	34.9
1992.....	*	2.0	3.2	4.0	5.4	11.2	14.5	20.4	34.1	35.3
1991.....	*	2.5	2.7	4.0	7.1	10.2	12.7	16.1	31.8	44.2
1990.....	1.7	*	3.6	3.6	5.0	11.1	13.5	16.5	25.1	*
1989.....	*	*	3.1	5.5	5.4	9.5	14.6	18.9	19.8	44.4
1988.....	*	*	3.1	3.9	7.2	10.9	11.9	26.5	21.4	43.0
1987.....	*	*	*	4.4	7.6	11.2	15.6	23.7	33.0	42.9
1986.....	*	2.6	4.6	*	8.3	9.0	16.4	20.0	26.9	36.0
1985.....	2.5	2.7	3.6	4.1	6.9	11.4	17.7	22.8	24.8	27.4
1984.....	*	*	4.0	*	9.2	10.1	16.2	20.3	22.8	38.9
1983.....	*	*	3.7	4.9	6.8	10.6	18.1	15.7	32.0	30.0
1982.....	*	*	3.9	7.4	9.1	11.4	12.5	18.8	29.8	*
1981.....	*	*	4.6	4.1	8.2	8.7	17.0	19.9	*	*
1980.....	1.8	3.5	4.0	5.6	10.9	15.6	14.9	18.4	36.7	23.0
1979.....	3.4	2.6	3.1	5.8	9.6	9.3	11.4	12.1	16.3	16.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										

## ALL OTHER FEMALE

1998.....	1.4	1.4	1.8	2.6	5.1	5.2	13.9	13.9	22.1	40.2
1997.....	1.2	1.6	2.5	2.4	3.6	7.8	10.4	13.7	25.9	36.8
1996.....	1.6	2.0	*	*	4.3	5.4	12.7	19.3	26.5	35.1
1995.....	1.1	1.4	2.5	3.2	5.3	8.7	11.7	15.5	25.1	47.6
1994.....	1.6	2.4	*	2.7	5.3	6.1	9.0	19.0	24.7	39.0
1993.....	*	1.7	2.1	2.9	4.6	7.4	10.0	15.1	27.2	35.7
1992.....	*	*	*	3.7	4.7	7.5	11.6	16.6	23.9	37.4
1991.....	*	*	*	4.0	5.0	8.6	11.8	16.2	24.5	29.6
1990.....	*	2.3	3.2	3.9	4.8	8.0	10.4	19.7	31.0	35.7
1989.....	1.8	*	*	3.4	4.4	8.9	12.8	16.3	24.5	42.3
1988.....	*	2.1	*	3.9	6.7	9.4	14.1	18.2	29.9	32.5
1987.....	*	*	*	3.8	5.0	8.1	9.3	15.2	20.9	32.5
1986.....	*	*	2.8	4.9	7.4	8.4	12.0	21.8	25.0	31.4
1985.....	*	*	2.9	5.8	7.4	9.8	17.5	13.4	27.8	33.3
1984.....	*	2.6	*	4.3	4.9	8.2	15.3	16.1	31.8	34.5
1983.....	*	2.5	2.8	4.2	5.4	9.2	14.0	19.4	20.0	26.6
1982.....	*	*	3.4	5.0	8.5	9.5	16.2	19.3	18.5	27.1
1981.....	*	3.1	2.8	4.1	8.5	7.9	16.3	12.4	24.0	33.3
1980.....	1.2	3.9	4.8	3.8	8.9	14.5	13.3	14.1	22.5	27.8
1979.....	1.6	4.0	5.1	5.4	6.6	11.0	13.5	15.5	18.2	21.1

## BLACK, BOTH SEXES

1998.....	1.7	2.1	2.8	3.8	5.6	7.2	15.3	16.8	25.7	41.8
1997.....	1.4	2.0	2.7	3.8	6.4	9.8	13.0	19.7	30.2	40.0
1996.....	1.8	2.6	2.5	3.3	6.8	6.7	13.6	20.0	33.1	37.7
1995.....	1.7	1.9	2.8	3.7	6.6	10.8	14.4	16.7	29.9	52.5
1994.....	1.9	2.5	3.2	4.1	7.0	7.9	11.5	19.2	28.5	37.8
1993.....	1.6	2.6	2.7	3.7	6.8	9.8	12.8	18.5	30.4	36.2
1992.....	1.2	1.8	3.0	4.7	5.4	10.2	14.5	20.7	28.9	39.2
1991.....	1.3	2.2	2.6	4.8	7.3	11.2	14.0	17.4	29.0	36.2
1990.....	1.7	2.2	3.7	4.1	5.6	10.8	13.2	18.8	31.6	34.1
1989.....	1.4	1.9	3.1	5.3	5.5	10.1	14.5	18.8	24.1	44.1
1988.....	*	2.4	3.2	4.6	8.1	11.8	15.3	22.6	28.3	38.3
1987.....	1.5	1.5	2.6	4.6	7.1	10.2	12.9	20.0	27.8	35.1
1986.....	*	2.9	4.0	4.8	8.7	10.1	14.6	23.6	26.7	35.8
1985.....	2.2	3.0	3.9	5.9	8.1	11.9	18.4	18.3	26.9	30.3
1984.....	1.5	2.8	3.5	4.4	7.2	9.9	16.0	18.0	29.7	36.3
1983.....	1.7	2.3	3.6	4.9	6.5	10.9	16.5	19.4	25.6	27.7
1982.....	1.6	2.5	4.0	6.9	9.6	11.3	16.5	20.8	25.2	23.3
1981.....	*	2.8	4.1	4.5	8.9	8.7	17.2	17.2	23.0	30.4
1980.....	1.6	4.4	5.0	4.9	10.8	16.2	14.2	17.5	29.5	24.5
1979.....	2.7	3.6	4.6	6.2	8.3	10.6	13.3	14.4	16.9	21.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

## BLACK MALE

1998.....	1.6	2.4	3.9	4.8	4.8	8.2	13.7	18.0	28.5	35.6
1997.....	*	*	*	4.5	8.6	11.5	14.1	26.4	35.2	31.5
1996.....	*	2.7	3.5	4.7	8.9	7.0	11.6	19.8	42.2	36.0
1995.....	2.2	*	*	4.0	6.8	11.4	17.1	15.9	34.5	65.7
1994.....	1.9	*	4.2	5.3	8.0	9.3	12.9	16.0	34.7	34.0
1993.....	1.9	3.0	*	4.8	8.7	11.4	14.7	22.9	30.5	32.3
1992.....	*	*	3.9	4.9	5.7	11.9	17.6	23.4	35.1	40.2
1991.....	*	3.3	*	5.0	9.0	12.0	15.2	16.6	36.6	46.4
1990.....	*	*	4.5	*	6.2	12.8	16.2	16.8	29.5	*
1989.....	*	*	*	6.9	6.4	11.2	15.1	20.8	21.6	47.0
1988.....	*	*	3.9	4.5	8.4	13.1	14.0	27.1	21.3	46.2
1987.....	*	*	*	4.9	8.9	11.5	17.3	26.9	35.9	43.8
1986.....	*	*	5.2	*	8.9	10.8	18.5	23.3	25.6	41.3
1985.....	*	*	4.4	4.8	7.5	13.0	18.7	25.3	24.1	*
1984.....	*	*	5.0	*	9.8	11.3	16.3	19.2	23.8	39.3
1983.....	*	*	4.4	5.0	7.4	11.6	19.3	17.0	34.1	*
1982.....	*	*	4.3	8.6	9.6	12.6	14.5	20.5	33.8	*
1981.....	*	*	5.3	4.2	8.4	9.0	17.2	22.8	*	*
1980.....	2.3	4.1	4.5	6.0	12.4	17.8	14.9	20.9	38.7	20.8
1979.....	3.7	2.7	3.6	6.3	9.9	9.8	12.8	13.0	15.6	19.2

## BLACK FEMALE

1998.....	1.8	1.8	*	3.0	6.3	6.3	16.5	16.0	24.2	44.4
1997.....	*	2.1	3.0	3.2	4.7	8.6	12.3	15.4	27.6	43.5
1996.....	2.0	2.4	*	*	5.3	6.4	15.0	20.1	28.4	38.4
1995.....	*	*	2.8	3.4	6.4	10.2	12.5	17.1	27.5	47.2
1994.....	1.9	3.1	*	3.2	6.2	6.9	10.6	21.2	25.3	39.3
1993.....	*	2.3	*	*	5.3	8.6	11.4	15.8	30.4	37.8
1992.....	*	*	*	4.6	5.2	9.1	12.5	19.1	25.7	38.8
1991.....	*	*	*	4.6	5.9	10.7	13.3	17.9	25.0	31.9
1990.....	*	2.6	3.1	4.3	5.1	9.4	11.2	20.0	32.6	38.4
1989.....	*	*	*	4.0	4.7	9.3	14.1	17.6	25.4	43.1
1988.....	*	*	*	4.6	7.8	10.9	16.1	19.9	32.0	34.9
1987.....	*	*	*	4.4	5.7	9.2	10.1	15.9	23.4	31.3
1986.....	*	*	*	5.8	8.5	9.6	12.0	23.8	27.3	33.3
1985.....	*	*	3.4	6.8	8.6	11.0	18.3	13.9	28.5	33.8
1984.....	*	3.3	*	4.9	5.1	9.0	15.8	17.3	32.9	34.9
1983.....	*	*	*	4.8	5.8	10.3	14.7	20.8	20.7	27.4
1982.....	*	*	3.7	5.5	9.7	10.4	17.9	21.1	20.3	27.1
1981.....	*	3.5	*	4.7	9.3	8.4	17.3	13.5	25.0	34.5
1980.....	1.0	4.8	5.4	4.0	9.4	15.0	13.6	15.3	24.0	26.4
1979.....	1.9	4.4	5.4	6.1	7.1	11.3	13.7	15.3	17.7	22.1



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BENIGN NEOPLASMS (210-229)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.4	0.6	0.7	1.3	2.3	3.0	5.2	9.3
1997.....	0.2	0.3	0.4	0.6	0.8	1.4	2.0	3.4	5.1	8.6
1996.....	0.2	0.4	0.3	0.6	0.7	1.3	2.2	3.1	5.1	8.9
1995.....	0.2	0.3	0.5	0.5	0.8	1.3	2.1	3.4	5.0	8.0
1994.....	0.3	0.3	0.4	0.5	0.8	1.2	2.1	3.3	5.4	8.2
1993.....	0.2	0.2	0.5	0.6	0.9	1.3	2.0	3.4	5.9	8.4
1992.....	0.2	0.3	0.5	0.7	0.9	1.5	2.1	3.6	5.9	8.4
1991.....	0.1	0.3	0.4	0.6	0.9	1.4	2.3	3.3	5.7	7.8
1990.....	0.2	0.3	0.5	0.7	1.0	1.2	2.4	3.5	5.4	8.4
1989.....	0.2	0.3	0.4	0.7	0.9	1.5	2.5	3.7	5.8	8.0
1988.....	0.2	0.3	0.3	0.7	1.1	1.5	2.6	4.2	6.2	7.8
1987.....	0.2	0.3	0.3	0.7	1.1	1.8	2.6	3.8	5.8	7.6
1986.....	0.2	0.3	0.5	0.7	1.2	1.4	2.5	3.4	5.8	6.7
1985.....	0.2	0.4	0.5	0.7	1.2	1.7	3.1	3.7	5.5	7.3
1984.....	0.2	0.3	0.4	0.9	1.4	1.8	2.8	4.3	5.9	7.8
1983.....	0.3	0.4	0.8	0.7	1.2	2.1	2.8	4.9	5.7	6.6
1982.....	0.3	0.5	0.6	1.0	1.5	2.4	2.9	4.4	5.5	5.3
1981.....	0.4	0.4	0.7	0.9	1.5	1.9	3.0	4.7	5.4	6.3
1980.....	0.4	0.7	0.6	0.9	1.6	2.3	3.3	4.1	5.5	5.5
1979.....	0.5	0.6	0.7	1.0	1.4	2.2	3.0	3.7	4.9	5.4
TOTAL, MALE										
1998.....	*	*	0.4	0.6	0.6	1.3	2.6	2.7	5.0	8.4
1997.....	*	0.2	0.4	0.5	0.9	1.1	1.6	3.6	4.7	6.9
1996.....	*	0.3	0.3	0.6	0.7	1.4	2.1	3.0	4.9	6.8
1995.....	*	*	0.4	*	0.9	1.0	2.1	3.6	4.7	7.8
1994.....	0.2	*	0.5	0.4	0.8	1.2	1.8	3.0	5.2	6.6
1993.....	*	*	*	0.5	0.9	1.4	2.1	3.6	5.4	8.5
1992.....	*	0.3	0.5	0.6	1.0	1.5	2.1	3.7	5.4	8.9
1991.....	*	*	*	0.6	0.9	1.2	2.0	3.1	6.5	6.1
1990.....	*	*	0.4	0.5	0.8	1.2	2.3	3.0	5.0	7.5
1989.....	*	0.3	0.4	0.8	0.8	1.3	2.5	3.6	6.2	8.5
1988.....	*	*	*	0.4	1.0	1.5	2.3	4.5	5.3	7.0
1987.....	*	*	*	0.7	1.0	1.9	2.6	3.9	6.2	9.5
1986.....	*	*	0.4	0.6	1.1	1.1	2.2	3.2	5.7	7.3
1985.....	*	*	0.5	0.6	1.1	1.7	2.4	3.8	5.0	7.2
1984.....	*	*	*	0.6	1.3	1.8	2.6	3.5	6.1	8.0
1983.....	*	*	0.6	0.6	1.2	1.9	2.6	4.8	6.4	6.3
1982.....	*	*	0.5	1.1	1.4	1.9	2.6	4.3	6.4	6.0
1981.....	*	*	0.6	0.8	1.3	1.9	2.9	5.0	4.7	5.8
1980.....	0.4	0.4	0.4	0.8	1.2	2.1	3.2	3.6	5.1	6.0
1979.....	0.3	0.5	0.5	0.8	1.1	2.3	2.7	3.6	4.6	5.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BENIGN NEOPLASMS (210-229)										
TOTAL, FEMALE										
1998.....	0.3	0.4	0.4	0.6	0.8	1.4	2.0	3.2	5.3	9.7
1997.....	0.3	0.4	0.5	0.6	0.7	1.6	2.3	3.2	5.4	9.3
1996.....	0.3	0.4	0.3	0.6	0.7	1.2	2.3	3.2	5.2	9.8
1995.....	0.3	0.4	0.5	0.6	0.8	1.6	2.2	3.3	5.1	8.1
1994.....	0.3	0.5	0.4	0.6	0.7	1.2	2.4	3.6	5.4	8.9
1993.....	0.2	0.3	0.6	0.7	0.9	1.3	1.9	3.3	6.2	8.4
1992.....	0.3	0.4	0.5	0.7	0.8	1.5	2.1	3.5	6.1	8.1
1991.....	*	0.3	0.5	0.7	0.8	1.6	2.5	3.5	5.2	8.5
1990.....	*	0.4	0.6	0.8	1.1	1.3	2.5	3.9	5.6	8.7
1989.....	0.3	0.4	0.4	0.7	1.0	1.7	2.6	3.9	5.6	7.7
1988.....	0.2	0.4	0.4	0.9	1.2	1.5	2.8	4.0	6.7	8.1
1987.....	0.4	*	*	0.7	1.1	1.7	2.5	3.8	5.6	6.9
1986.....	*	0.3	0.6	0.7	1.3	1.7	2.7	3.6	5.9	6.5
1985.....	*	0.6	0.6	0.8	1.3	1.7	3.6	3.6	5.8	7.4
1984.....	*	0.4	0.4	1.1	1.4	1.9	2.9	4.8	5.8	7.7
1983.....	0.3	0.6	0.9	0.7	1.3	2.2	3.0	4.9	5.4	6.7
1982.....	0.3	0.7	0.8	0.9	1.6	2.7	3.2	4.4	5.0	5.1
1981.....	0.5	0.5	0.7	1.0	1.6	2.0	3.0	4.6	5.7	6.4
1980.....	0.4	0.9	0.8	1.0	1.9	2.5	3.3	4.4	5.7	5.3
1979.....	0.6	0.7	0.9	1.2	1.7	2.2	3.2	3.8	5.1	5.3
WHITE, BOTH SEXES										
1998.....	0.2	0.2	0.3	0.5	0.6	1.2	2.1	2.9	4.9	9.4
1997.....	0.2	0.3	0.3	0.5	0.7	1.2	1.8	3.2	5.1	8.6
1996.....	0.2	0.3	0.3	0.6	0.6	1.2	2.0	2.8	5.0	8.9
1995.....	0.2	0.2	0.4	0.4	0.7	1.1	1.9	3.3	4.8	7.6
1994.....	0.2	0.3	0.4	0.5	0.8	1.1	2.0	3.2	5.1	8.2
1993.....	0.2	0.2	0.4	0.6	0.7	1.2	1.9	3.4	5.8	8.3
1992.....	0.2	0.3	0.5	0.5	0.9	1.4	2.0	3.3	5.6	8.1
1991.....	*	0.2	0.3	0.6	0.8	1.3	2.2	3.2	5.5	8.0
1990.....	0.2	0.2	0.4	0.6	0.9	1.1	2.3	3.3	5.2	8.5
1989.....	0.2	0.3	0.4	0.6	0.8	1.4	2.3	3.5	5.8	7.5
1988.....	0.2	0.2	0.3	0.6	1.0	1.3	2.4	3.9	6.1	7.6
1987.....	0.2	0.3	0.3	0.5	0.9	1.7	2.4	3.6	5.6	7.5
1986.....	0.2	0.2	0.4	0.6	1.0	1.3	2.2	3.2	5.7	6.8
1985.....	0.2	0.4	0.4	0.7	1.0	1.4	2.9	3.6	5.1	7.4
1984.....	0.2	0.2	0.3	0.8	1.2	1.7	2.5	4.0	5.7	7.6
1983.....	0.3	0.4	0.6	0.6	1.1	1.9	2.6	4.7	5.6	6.5
1982.....	0.2	0.4	0.6	0.9	1.3	2.2	2.8	4.2	5.3	5.3
1981.....	0.3	0.4	0.7	0.8	1.3	1.9	2.7	4.7	5.0	6.0
1980.....	0.4	0.6	0.5	0.8	1.4	1.9	3.1	3.9	5.5	5.2
1979.....	0.4	0.5	0.6	0.9	1.3	2.0	2.9	3.6	5.2	5.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BENIGN NEOPLASMS (210-229)										
WHITE MALE										
1998.....	*	*	0.4	0.5	0.5	1.0	2.5	2.7	4.9	8.6
1997.....	*	*	*	0.5	0.7	1.0	1.6	3.3	4.8	7.0
1996.....	*	0.3	*	0.5	0.7	1.3	1.9	2.8	4.8	6.8
1995.....	*	*	0.4	*	0.7	0.8	1.9	3.5	4.5	7.5
1994.....	*	*	0.4	*	0.8	1.1	1.7	3.0	4.8	6.4
1993.....	*	*	*	0.5	0.7	1.2	2.1	3.6	5.3	8.1
1992.....	*	*	0.5	0.5	0.9	1.3	2.1	3.5	5.1	8.8
1991.....	*	*	*	0.5	0.9	1.1	2.0	2.9	6.1	5.9
1990.....	*	*	*	0.5	0.8	1.0	2.2	2.8	4.8	8.2
1989.....	*	*	*	0.6	0.8	1.2	2.1	3.5	6.5	7.3
1988.....	*	*	*	*	1.0	1.3	2.2	4.1	5.6	6.6
1987.....	*	*	*	0.5	0.8	1.8	2.5	3.4	5.7	9.4
1986.....	*	*	*	0.6	0.8	1.0	1.8	3.0	5.7	7.5
1985.....	*	*	0.4	0.6	1.0	1.5	2.2	3.5	4.6	7.6
1984.....	*	*	*	0.6	1.1	1.5	2.4	3.2	6.3	7.7
1983.....	*	*	0.4	0.6	1.0	1.8	2.4	4.8	6.1	5.9
1982.....	*	*	0.4	0.9	1.2	1.9	2.6	4.2	6.1	6.0
1981.....	*	*	0.6	0.7	1.1	1.9	2.6	4.6	4.6	6.1
1980.....	0.3	0.3	0.4	0.6	1.1	1.7	3.0	3.5	4.9	5.5
1979.....	0.2	0.5	0.4	0.7	1.0	2.2	2.5	3.7	4.7	5.7
WHITE FEMALE										
1998.....	*	0.3	0.3	0.6	0.6	1.4	1.8	3.0	5.0	9.7
1997.....	0.2	0.3	0.3	0.5	0.7	1.4	2.1	3.2	5.3	9.2
1996.....	0.2	0.3	0.3	0.6	0.6	1.1	2.0	2.7	5.1	9.7
1995.....	0.3	0.3	0.5	0.5	0.6	1.4	1.9	3.1	5.0	7.6
1994.....	*	0.3	0.4	0.6	0.7	1.2	2.2	3.4	5.3	8.9
1993.....	*	*	0.5	0.6	0.7	1.2	1.7	3.3	6.1	8.4
1992.....	*	0.3	0.5	0.5	0.9	1.4	2.0	3.2	5.9	7.9
1991.....	*	*	*	0.6	0.7	1.4	2.4	3.3	5.2	8.8
1990.....	*	*	0.5	0.7	1.0	1.1	2.4	3.7	5.4	8.6
1989.....	0.3	0.4	*	0.6	0.9	1.5	2.4	3.5	5.4	7.6
1988.....	*	*	*	0.7	1.1	1.3	2.5	3.8	6.4	8.0
1987.....	0.4	*	*	0.5	1.0	1.6	2.4	3.7	5.6	6.7
1986.....	*	*	*	0.5	1.1	1.6	2.5	3.3	5.7	6.5
1985.....	*	0.5	0.4	0.8	1.1	1.4	3.4	3.6	5.3	7.4
1984.....	*	*	0.5	0.9	1.4	1.9	2.6	4.5	5.4	7.6
1983.....	*	0.4	0.8	0.7	1.1	2.0	2.7	4.7	5.4	6.7
1982.....	*	0.5	0.7	0.8	1.4	2.4	2.9	4.1	4.9	5.0
1981.....	0.4	*	0.7	0.9	1.4	1.9	2.7	4.8	5.3	6.0
1980.....	0.4	0.9	0.7	1.0	1.7	2.1	3.2	4.2	5.8	5.1
1979.....	0.6	0.5	0.7	1.0	1.5	1.9	3.2	3.6	5.4	5.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BENIGN NEOPLASMS (210-229)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	1.2	1.8	2.1	3.5	4.1	7.5	9.0
1997.....	*	*	1.1	*	*	2.6	3.0	4.9	5.3	9.0
1996.....	*	*	*	*	*	1.9	4.3	6.2	5.6	9.3
1995.....	*	*	*	*	1.9	2.7	4.1	4.8	6.6	12.6
1994.....	0.6	*	*	*	*	*	3.2	4.5	8.0	8.3
1993.....	*	*	*	*	1.8	2.6	3.1	3.8	7.2	9.6
1992.....	*	*	*	1.6	*	2.6	3.0	6.3	8.5	10.6
1991.....	*	*	*	*	*	2.8	3.1	4.8	7.3	*
1990.....	*	*	*	*	*	2.5	2.8	5.5	7.6	*
1989.....	*	*	*	1.7	*	2.4	4.8	5.9	*	12.5
1988.....	*	*	*	*	1.7	3.2	4.8	6.9	7.5	10.1
1987.....	*	*	*	1.6	2.3	2.9	4.0	6.4	8.1	9.2
1986.....	*	*	1.4	*	2.7	2.3	4.6	5.6	7.1	*
1985.....	*	*	*	*	2.5	3.5	5.3	4.8	10.2	*
1984.....	*	*	*	*	2.6	2.9	5.0	6.7	8.1	10.1
1983.....	*	*	1.6	*	2.6	3.5	4.9	6.5	*	*
1982.....	*	*	*	2.1	2.8	4.2	4.3	6.3	*	*
1981.....	*	*	*	*	3.2	2.2	5.7	5.0	9.1	*
1980.....	0.5	1.2	1.6	1.9	3.1	6.0	4.5	5.4	6.1	9.5
1979.....	1.1	1.4	1.8	2.1	3.0	3.8	3.6	4.5	2.2	4.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	1.0	1.2	2.2	2.2	5.7	5.1	3.9	6.9	11.5
1979.....	1.3	0.6	0.9	1.3	2.6	2.8	4.2	2.7	3.5	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BENIGN NEOPLASMS (210-229)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	3.5	4.6	8.5	10.1
1997.....	*	*	*	*	*	3.1	3.6	*	*	10.3
1996.....	*	*	*	*	*	*	4.9	6.8	*	10.2
1995.....	*	*	*	*	*	*	4.5	5.1	*	13.7
1994.....	*	*	*	*	*	*	*	5.5	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	6.8	*	10.8
1991.....	*	*	*	*	*	3.3	*	*	*	*
1990.....	*	*	*	*	*	*	*	5.8	*	*
1989.....	*	*	*	*	*	*	*	7.0	*	*
1988.....	*	*	*	*	*	*	5.9	6.1	10.3	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	3.1	3.8	6.2	*	11.1	*
1984.....	*	*	*	*	*	*	5.6	7.2	*	*
1983.....	*	*	*	*	*	4.1	5.3	7.5	*	*
1982.....	*	*	*	*	*	5.3	5.5	7.0	*	*
1981.....	*	*	*	*	*	*	5.9	*	*	*
1980.....	0.5	1.4	2.0	1.7	3.8	6.2	4.1	6.5	5.6	8.4
1979.....	0.9	2.0	2.5	2.7	3.4	4.6	3.2	5.8	1.5	5.3
BLACK, BOTH SEXES										
1998.....	*	*	*	*	2.2	2.2	4.0	4.5	7.6	9.8
1997.....	*	*	1.4	*	*	3.0	3.6	5.8	6.5	9.9
1996.....	*	*	*	*	*	*	4.7	6.5	6.2	10.8
1995.....	*	*	*	*	2.1	3.2	4.6	5.5	7.5	12.4
1994.....	*	*	*	*	*	*	3.7	5.2	7.9	8.7
1993.....	*	*	*	*	2.2	2.9	3.9	4.1	8.1	9.3
1992.....	*	*	*	2.0	*	3.2	2.9	7.4	8.6	11.8
1991.....	*	*	*	*	*	3.4	3.8	4.7	8.4	*
1990.....	*	*	*	*	*	2.8	*	5.6	8.0	*
1989.....	*	*	*	2.0	*	2.7	4.9	6.5	*	12.7
1988.....	*	*	*	*	2.2	3.7	5.6	7.4	7.7	10.3
1987.....	*	*	*	*	2.7	3.3	4.3	7.3	9.1	9.6
1986.....	*	*	*	*	3.1	2.7	5.1	6.2	*	*
1985.....	*	*	*	*	2.8	4.2	6.0	5.4	11.0	*
1984.....	*	*	*	*	2.8	3.4	5.1	6.2	8.5	11.1
1983.....	*	*	*	*	3.0	3.7	5.3	7.3	*	*
1982.....	*	*	*	2.5	3.3	4.7	5.1	6.8	*	*
1981.....	*	*	*	*	3.5	*	6.2	5.5	10.0	*
1980.....	0.6	1.5	1.9	2.0	3.4	6.4	4.6	5.9	6.0	8.2
1979.....	1.3	1.5	1.8	2.1	3.1	4.1	3.9	4.8	2.0	5.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BENIGN NEOPLASMS (210-229)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.2	1.2	2.1	2.6	6.3	5.1	4.6	8.0	7.5
1979.....	1.6	0.6	1.0	1.1	2.4	3.3	4.4	3.1	3.9	3.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	11.6
1997.....	*	*	*	*	*	*	*	*	*	12.1
1996.....	*	*	*	*	*	*	6.0	7.1	*	12.3
1995.....	*	*	*	*	*	*	*	*	*	13.3
1994.....	*	*	*	*	*	*	*	6.4	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	8.0	*	11.9
1991.....	*	*	*	*	*	4.0	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	7.3	*	*
1988.....	*	*	*	*	*	*	6.8	6.8	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	4.5	7.0	*	*	*
1984.....	*	*	*	*	*	*	5.4	7.9	*	*
1983.....	*	*	*	*	*	4.4	5.8	8.1	*	*
1982.....	*	*	*	*	*	5.7	6.3	*	*	*
1981.....	*	*	*	*	*	*	6.1	*	*	*
1980.....	0.6	1.7	2.4	1.9	4.1	6.5	4.2	6.8	4.8	8.5
1979.....	1.0	2.2	2.4	3.0	3.6	4.6	3.5	5.9	0.8	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF FEMALE GENITAL ORGANS (218-221)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2
1979.....	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.2
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3
1979.....	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF FEMALE GENITAL ORGANS (218-221)										
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.0	0.0	0.0	-	0.1	0.1	0.0	0.1
1979.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.0	0.0	0.1	-	0.1	0.1	0.1	0.2
1979.....	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.4



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF FEMALE GENITAL ORGANS (218-221)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.4	0.1	0.2	0.2	0.3	-	0.2	0.4	0.6
1979.....	0.3	0.1	0.2	0.1	-	-	0.2	-	-	-
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.7	0.3	0.5	0.4	0.6	-	0.4	0.7	0.8
1979.....	0.5	0.3	0.4	0.2	-	-	0.3	-	-	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF FEMALE GENITAL ORGANS (218-221)

BLACK, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	-	0.4	0.2	0.3	0.2	0.4	-	0.3	0.5	0.6
1979	0.3	0.2	0.2	0.1	-	-	0.2	-	-	-
BLACK FEMALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	-	0.8	0.3	0.5	0.4	0.7	-	0.4	0.8	0.9
1979	0.6	0.3	0.3	0.2	-	-	0.3	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)										
TOTAL, BOTH SEXES										
1998.....	*	0.1	0.2	0.3	0.5	0.8	1.4	2.0	3.8	6.6
1997.....	*	0.1	0.2	0.4	0.5	0.9	1.4	2.2	3.6	5.3
1996.....	0.1	0.2	0.2	0.3	0.5	0.8	1.4	2.1	3.5	6.2
1995.....	0.1	0.1	0.2	0.3	0.5	0.9	1.4	2.4	3.6	5.7
1994.....	*	0.1	0.2	0.3	0.5	0.9	1.4	2.4	3.8	5.7
1993.....	*	0.1	0.3	0.5	0.6	0.9	1.2	2.4	4.0	6.1
1992.....	*	0.2	0.2	0.3	0.6	0.8	1.3	2.3	3.8	5.3
1991.....	*	0.1	0.2	0.4	0.5	1.0	1.6	2.2	3.5	5.3
1990.....	*	*	0.3	0.5	0.6	0.8	1.6	2.5	3.8	5.1
1989.....	*	0.2	0.3	0.5	0.6	0.9	1.8	2.6	3.9	5.1
1988.....	*	*	0.2	0.4	0.7	1.1	1.6	3.0	4.1	5.0
1987.....	*	0.2	0.2	0.5	0.7	1.2	1.7	2.6	4.1	5.3
1986.....	*	*	0.3	0.4	0.7	1.0	1.7	2.3	4.3	4.0
1985.....	0.1	0.2	0.3	0.4	0.7	1.1	2.1	2.4	3.8	4.8
1984.....	*	0.2	0.2	0.6	0.8	1.3	1.8	2.7	3.9	4.5
1983.....	*	0.2	0.4	0.4	0.7	1.3	1.9	3.2	3.7	4.3
1982.....	*	0.3	0.4	0.6	1.0	1.8	1.9	2.8	3.3	3.2
1981.....	0.2	0.2	0.4	0.5	1.0	1.3	2.0	3.0	3.3	3.3
1980.....	0.2	0.4	0.4	0.5	1.0	1.5	2.1	2.6	3.5	2.9
1979.....	0.2	0.4	0.5	0.6	0.9	1.4	1.8	2.5	3.0	2.5
TOTAL, MALE										
1998.....	*	*	*	*	*	0.8	1.5	1.7	3.3	5.6
1997.....	*	*	*	0.4	0.6	0.6	1.1	2.2	3.2	4.4
1996.....	*	*	*	*	0.5	0.8	1.2	1.7	2.9	3.8
1995.....	*	*	*	*	0.6	0.6	1.3	2.3	3.0	4.9
1994.....	*	*	*	*	0.4	0.8	0.9	2.0	3.7	3.9
1993.....	*	*	*	*	0.5	0.7	1.2	2.3	3.1	5.9
1992.....	*	*	*	*	0.6	0.8	1.0	2.2	3.4	5.2
1991.....	*	*	*	*	*	0.7	1.2	1.8	3.8	3.6
1990.....	*	*	*	*	0.5	0.6	1.4	1.7	2.8	4.3
1989.....	*	*	*	*	0.5	0.7	1.6	2.6	3.4	5.1
1988.....	*	*	*	*	0.6	1.0	1.2	2.8	3.1	3.3
1987.....	*	*	*	0.4	0.6	1.1	1.6	2.1	4.0	5.6
1986.....	*	*	*	*	0.7	0.7	1.2	1.9	3.4	3.3
1985.....	*	*	*	*	0.5	1.1	1.2	2.3	3.7	4.7
1984.....	*	*	*	0.4	0.6	1.2	1.4	2.1	3.7	4.3
1983.....	*	*	*	0.4	0.6	1.0	1.7	2.7	3.4	4.2
1982.....	*	*	*	0.6	0.8	1.4	1.4	1.9	3.3	3.1
1981.....	*	*	0.4	0.4	0.7	1.1	2.0	2.6	2.1	*
1980.....	0.2	0.2	0.2	0.3	0.7	1.2	1.8	2.0	3.0	3.1
1979.....	0.2	0.3	0.3	0.4	0.7	1.4	1.7	2.2	2.6	2.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)										
TOTAL, FEMALE										
1998.....	*	*	*	0.4	0.5	0.8	1.2	2.2	4.0	7.0
1997.....	*	*	*	0.5	0.4	1.1	1.6	2.2	3.8	5.7
1996.....	*	*	*	0.4	0.5	0.8	1.7	2.4	3.8	7.1
1995.....	*	*	*	0.4	0.5	1.1	1.5	2.5	3.9	5.9
1994.....	*	*	*	0.4	0.5	0.9	1.7	2.7	3.9	6.4
1993.....	*	*	0.4	0.6	0.7	1.0	1.2	2.5	4.4	6.2
1992.....	*	*	*	*	0.6	0.8	1.5	2.3	4.1	5.4
1991.....	*	*	*	0.5	0.5	1.1	1.9	2.6	3.4	6.0
1990.....	*	*	0.4	0.7	0.7	0.9	1.8	3.0	4.3	5.5
1989.....	*	*	*	0.5	0.7	1.1	1.9	2.7	4.2	5.1
1988.....	*	*	*	0.6	0.8	1.1	1.9	3.1	4.6	5.6
1987.....	*	*	*	0.5	0.8	1.3	1.7	2.9	4.2	5.1
1986.....	*	*	*	0.5	0.8	1.3	2.0	2.6	4.8	4.3
1985.....	*	*	*	0.5	0.9	1.2	2.8	2.5	3.9	4.8
1984.....	*	*	*	0.7	1.0	1.4	2.0	3.2	4.0	4.5
1983.....	*	*	0.6	0.4	0.9	1.6	2.0	3.5	3.8	4.3
1982.....	*	0.4	0.5	0.6	1.1	2.1	2.3	3.4	3.3	3.2
1981.....	*	*	0.5	0.7	1.2	1.5	2.1	3.3	3.9	3.9
1980.....	0.2	0.5	0.6	0.6	1.2	1.7	2.4	3.0	3.8	2.9
1979.....	0.3	0.4	0.6	0.7	1.2	1.5	2.0	2.7	3.2	2.7
WHITE, BOTH SEXES										
1998.....	*	*	0.2	0.3	0.3	0.8	1.2	2.0	3.6	6.5
1997.....	*	*	0.2	0.4	0.5	0.8	1.4	2.2	3.5	5.3
1996.....	*	0.1	0.2	0.3	0.5	0.7	1.3	1.9	3.5	6.2
1995.....	*	*	0.2	0.3	0.4	0.8	1.4	2.4	3.4	5.4
1994.....	*	*	*	0.3	0.5	0.9	1.3	2.3	3.7	5.6
1993.....	*	*	0.2	0.4	0.5	0.8	1.2	2.5	4.0	6.0
1992.....	*	*	0.2	0.3	0.5	0.7	1.2	2.1	3.8	5.3
1991.....	*	*	*	0.4	0.4	0.8	1.5	2.1	3.6	5.5
1990.....	*	*	0.2	0.4	0.6	0.7	1.6	2.3	3.7	5.3
1989.....	*	*	0.2	0.4	0.5	0.9	1.7	2.5	3.9	4.8
1988.....	*	*	*	0.4	0.6	0.9	1.5	2.9	4.0	4.9
1987.....	*	*	*	0.4	0.6	1.2	1.6	2.4	4.1	5.4
1986.....	*	*	*	0.3	0.6	0.9	1.6	2.2	4.2	4.1
1985.....	*	*	0.3	0.4	0.6	0.9	1.9	2.4	3.5	5.0
1984.....	*	*	0.2	0.5	0.7	1.2	1.7	2.6	3.9	4.4
1983.....	*	*	0.4	0.4	0.7	1.2	1.8	3.2	3.7	4.2
1982.....	*	0.3	0.3	0.5	0.9	1.6	1.8	2.7	3.1	3.2
1981.....	*	0.2	0.4	0.5	0.9	1.3	1.9	3.0	3.0	3.2
1980.....	0.2	0.3	0.3	0.5	0.9	1.3	2.1	2.5	3.5	3.0
1979.....	0.2	0.3	0.4	0.5	0.8	1.3	1.8	2.4	3.1	2.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)										
WHITE MALE										
1998.....	*	*	*	*	*	0.7	1.4	1.8	3.4	5.6
1997.....	*	*	*	*	0.5	0.5	1.1	2.0	3.1	4.5
1996.....	*	*	*	*	0.5	0.7	1.1	1.4	3.0	4.0
1995.....	*	*	*	*	0.5	*	1.2	2.3	2.8	5.1
1994.....	*	*	*	*	*	0.8	0.9	1.9	3.3	3.6
1993.....	*	*	*	*	*	0.5	1.3	2.4	3.2	5.7
1992.....	*	*	*	*	0.5	0.7	1.0	1.9	3.2	5.4
1991.....	*	*	*	*	*	0.6	1.2	1.6	3.8	3.6
1990.....	*	*	*	*	0.5	0.5	1.5	1.5	2.8	4.7
1989.....	*	*	*	*	*	0.6	1.5	2.7	3.7	4.3
1988.....	*	*	*	*	0.6	0.9	1.2	2.7	3.4	3.4
1987.....	*	*	*	*	0.5	1.0	1.5	2.0	3.8	5.8
1986.....	*	*	*	*	0.5	0.6	1.1	1.8	3.4	3.4
1985.....	*	*	*	*	*	0.9	1.1	2.2	3.6	4.9
1984.....	*	*	*	*	0.5	1.0	1.4	2.1	3.8	4.4
1983.....	*	*	*	*	0.5	1.0	1.6	2.9	3.7	4.1
1982.....	*	*	*	0.5	0.8	1.3	1.3	1.9	2.9	3.2
1981.....	*	*	*	*	0.6	1.1	1.9	2.3	2.1	*
1980.....	0.1	0.1	0.2	0.3	0.7	1.0	1.7	2.0	3.0	3.2
1979.....	0.1	0.4	0.3	0.3	0.6	1.4	1.6	2.3	2.6	2.3
WHITE FEMALE										
1998.....	*	*	*	0.4	*	0.8	1.1	2.1	3.8	6.9
1997.....	*	*	*	0.4	0.4	1.0	1.6	2.2	3.7	5.7
1996.....	*	*	*	*	0.5	0.8	1.5	2.1	3.8	7.0
1995.....	*	*	*	*	*	1.0	1.4	2.4	3.8	5.6
1994.....	*	*	*	*	0.5	0.9	1.6	2.6	3.8	6.3
1993.....	*	*	*	0.5	0.6	0.9	1.1	2.5	4.4	6.2
1992.....	*	*	*	*	0.6	0.7	1.4	2.2	4.1	5.3
1991.....	*	*	*	0.4	0.4	1.0	1.8	2.4	3.4	6.2
1990.....	*	*	*	0.5	0.6	0.8	1.7	2.8	4.2	5.5
1989.....	*	*	*	*	0.7	1.1	1.8	2.4	4.1	5.0
1988.....	*	*	*	0.5	0.7	1.0	1.8	2.9	4.4	5.5
1987.....	*	*	*	*	0.7	1.3	1.7	2.7	4.2	5.3
1986.....	*	*	*	*	0.7	1.2	1.9	2.4	4.6	4.3
1985.....	*	*	*	0.4	0.7	1.0	2.6	2.5	3.4	5.0
1984.....	*	*	*	0.7	1.0	1.4	1.8	3.0	3.9	4.4
1983.....	*	*	0.5	*	0.8	1.5	1.9	3.4	3.7	4.3
1982.....	*	*	0.4	0.5	1.1	1.9	2.1	3.2	3.3	3.2
1981.....	*	*	0.5	0.7	1.1	1.5	1.9	3.5	3.5	3.7
1980.....	0.2	0.5	0.5	0.6	1.1	1.5	2.4	2.8	3.8	2.8
1979.....	0.3	0.3	0.5	0.6	1.0	1.3	1.9	2.5	3.3	2.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.3	*	5.4	7.0
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	2.5	4.6	*	6.2
1995.....	*	*	*	*	*	1.7	2.2	3.1	5.1	7.7
1994.....	*	*	*	*	*	*	*	3.2	5.4	6.7
1993.....	*	*	*	*	*	1.8	*	*	*	7.0
1992.....	*	*	*	*	*	*	*	4.2	*	*
1991.....	*	*	*	*	*	2.1	*	3.7	*	*
1990.....	*	*	*	*	*	*	*	3.9	*	*
1989.....	*	*	*	*	*	*	3.1	3.8	*	7.8
1988.....	*	*	*	*	*	2.1	*	4.1	*	*
1987.....	*	*	*	*	*	*	*	4.0	*	*
1986.....	*	*	*	*	1.9	*	*	3.9	*	*
1985.....	*	*	*	*	*	2.6	3.7	*	7.4	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	2.2	3.0	*	*	*
1982.....	*	*	*	*	*	3.2	3.5	*	*	*
1981.....	*	*	*	*	*	*	3.3	*	*	*
1980.....	0.3	0.5	0.7	0.7	1.9	3.3	2.3	3.4	3.5	2.8
1979.....	0.5	0.7	0.8	1.1	2.0	2.2	2.1	3.2	1.8	2.9
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.6	0.2	0.7	1.1	2.6	2.5	1.7	3.4	1.6
1979.....	0.6	0.3	0.3	0.5	1.4	1.0	1.9	1.6	2.3	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)										

## ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	7.9
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	5.1	*	*
1995.....	*	*	*	*	*	*	*	*	*	9.7
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	4.8	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	4.2	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	1.2	0.8	2.5	3.8	2.2	4.6	3.5	3.4
1979.....	0.4	1.1	1.1	1.5	2.5	3.2	2.3	4.3	1.5	3.5

## BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	7.2
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	4.8	*	7.7
1995.....	*	*	*	*	*	*	*	*	*	7.3
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	5.0	*	*
1991.....	*	*	*	*	*	2.5	*	4.3	*	*
1990.....	*	*	*	*	*	*	*	4.5	*	*
1989.....	*	*	*	*	*	*	3.3	4.2	*	*
1988.....	*	*	*	*	*	2.5	*	4.4	*	*
1987.....	*	*	*	*	*	*	*	4.5	*	*
1986.....	*	*	*	*	2.1	*	*	*	*	*
1985.....	*	*	*	*	*	3.1	4.2	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	3.4	4.0	*	*	*
1981.....	*	*	*	*	*	*	3.4	*	*	*
1980.....	0.3	0.6	0.9	0.9	2.1	3.7	2.3	3.6	3.0	2.5
1979.....	0.6	0.7	0.8	1.0	2.0	2.3	2.2	3.3	1.5	3.2

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.8	0.2	0.9	1.3	3.0	2.1	2.0	4.0	1.9	
1979.....	0.7	0.2	0.4	0.2	1.3	1.2	1.8	1.9	2.6	1.9	

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	5.4	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	4.4	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	1.4	0.9	2.7	4.3	2.4	4.7	2.4	2.8	
1979.....	0.4	1.1	1.1	1.6	2.6	3.1	2.5	4.2	0.8	3.8	



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)										
TOTAL, BOTH SEXES										
1998.....	*	0.1	0.2	0.3	0.2	0.5	0.9	1.0	1.4	2.6
1997.....	0.1	0.2	0.2	*	0.3	0.5	0.5	1.2	1.4	3.0
1996.....	0.1	0.2	*	0.3	*	0.5	0.7	1.0	1.5	2.7
1995.....	*	*	0.2	*	0.2	0.4	0.6	0.9	1.3	2.2
1994.....	0.2	0.2	0.2	0.2	0.3	0.3	0.7	0.9	1.5	2.4
1993.....	0.1	*	0.2	*	0.3	0.4	0.7	1.0	1.9	2.0
1992.....	0.1	*	0.2	0.3	0.3	0.7	0.8	1.3	2.0	2.8
1991.....	*	*	*	0.2	0.4	0.4	0.7	1.1	1.9	2.4
1990.....	*	0.2	0.2	*	0.4	0.5	0.7	1.0	1.5	3.0
1989.....	*	*	*	0.3	0.3	0.5	0.7	1.1	1.8	2.8
1988.....	*	0.2	*	0.2	0.4	0.4	1.0	1.1	1.9	2.7
1987.....	*	*	*	0.2	0.4	0.6	0.8	1.2	1.5	2.2
1986.....	*	*	0.2	0.3	0.4	0.4	0.8	1.1	1.4	2.6
1985.....	*	0.2	0.2	0.3	0.5	0.5	0.9	1.2	1.6	2.4
1984.....	*	*	*	0.3	0.6	0.5	0.9	1.5	1.7	3.2
1983.....	*	0.2	0.3	0.3	0.5	0.7	0.9	1.7	1.9	1.9
1982.....	*	*	0.2	0.3	0.5	0.6	1.0	1.5	2.1	2.1
1981.....	0.2	*	0.2	0.3	0.5	0.6	0.9	1.6	2.0	2.9
1980.....	0.2	0.2	0.2	0.4	0.5	0.8	1.1	1.4	1.9	2.4
1979.....	0.2	0.2	0.2	0.4	0.5	0.8	1.1	1.2	1.9	2.6
TOTAL, MALE										
1998.....	*	*	*	0.3	*	0.5	1.1	1.0	1.6	2.9
1997.....	*	*	*	*	*	0.5	0.5	1.4	1.6	2.5
1996.....	*	*	*	*	*	0.6	0.9	1.4	2.0	3.0
1995.....	*	*	*	*	*	*	0.7	1.2	1.7	2.9
1994.....	*	*	*	*	0.4	*	0.9	1.0	1.5	2.8
1993.....	*	*	*	*	*	0.6	0.9	1.3	2.3	2.5
1992.....	*	*	*	*	0.4	0.7	1.2	1.5	2.0	3.7
1991.....	*	*	*	*	0.5	0.5	0.8	1.3	2.6	2.5
1990.....	*	*	*	*	*	0.6	0.9	1.3	2.2	3.2
1989.....	*	*	*	*	*	0.6	0.8	1.0	2.8	3.5
1988.....	*	*	*	*	0.4	0.5	1.1	1.7	2.2	3.7
1987.....	*	*	*	*	0.4	0.9	1.0	1.7	2.2	3.9
1986.....	*	*	*	*	*	*	1.0	1.3	2.3	4.0
1985.....	*	*	*	*	0.6	0.6	1.2	1.5	*	*
1984.....	*	*	*	*	0.7	0.6	1.1	1.4	2.4	3.7
1983.....	*	*	*	*	0.6	0.9	0.9	2.1	3.0	*
1982.....	*	*	*	0.5	0.6	0.6	1.2	2.4	3.2	2.9
1981.....	*	*	*	*	0.6	0.8	0.9	2.5	2.6	4.0
1980.....	0.2	0.2	0.3	0.4	0.5	0.9	1.5	1.6	2.1	2.9
1979.....	0.1	0.1	0.1	0.4	0.4	0.9	1.0	1.4	2.0	3.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	0.4	0.7	0.9	1.2	2.5
1997.....	*	*	*	*	*	0.5	0.5	1.0	1.3	3.2
1996.....	*	*	*	*	*	0.4	0.6	0.7	1.2	2.6
1995.....	*	*	*	*	*	0.4	0.5	0.7	1.1	2.0
1994.....	*	*	*	*	*	*	0.6	0.8	1.4	2.2
1993.....	*	*	*	*	*	*	0.6	0.7	1.6	1.8
1992.....	*	*	*	*	*	0.6	0.6	1.1	2.0	2.5
1991.....	*	*	*	*	*	0.4	0.6	0.9	1.5	2.4
1990.....	*	*	*	*	0.4	0.4	0.6	0.8	1.1	2.9
1989.....	*	*	*	*	*	0.5	0.6	1.1	1.3	2.5
1988.....	*	*	*	*	0.4	*	0.9	0.8	1.8	2.3
1987.....	*	*	*	*	*	*	0.7	0.9	1.2	1.6
1986.....	*	*	*	*	0.4	0.4	0.6	0.9	1.0	2.0
1985.....	*	*	*	*	0.4	0.5	0.8	1.1	1.8	2.3
1984.....	*	*	*	*	0.4	0.4	0.8	1.5	1.4	2.9
1983.....	*	*	*	*	0.4	0.5	0.9	1.4	1.4	1.9
1982.....	*	*	*	*	0.5	0.5	0.8	0.9	1.5	1.7
1981.....	*	*	*	*	0.4	*	0.9	1.1	1.7	2.4
1980.....	0.2	0.2	0.2	0.3	0.6	0.7	0.8	1.3	1.9	2.2
1979.....	0.2	0.3	0.2	0.4	0.5	0.7	1.1	1.0	1.9	2.3
WHITE, BOTH SEXES										
1998.....	*	*	0.2	*	*	0.4	0.9	0.9	1.3	2.7
1997.....	0.1	0.2	0.2	*	*	0.4	0.5	1.1	1.5	3.0
1996.....	*	0.1	*	0.2	*	0.4	0.6	0.9	1.4	2.6
1995.....	*	*	*	*	*	0.3	0.5	0.9	1.3	2.0
1994.....	0.1	*	0.2	*	0.3	0.3	0.7	0.9	1.4	2.5
1993.....	*	*	*	*	0.2	0.4	0.7	0.9	1.7	2.0
1992.....	*	*	*	0.2	0.3	0.6	0.8	1.2	1.9	2.7
1991.....	*	*	*	*	0.4	0.4	0.7	1.1	1.7	2.4
1990.....	*	*	*	*	0.4	0.4	0.7	1.0	1.3	3.0
1989.....	*	*	*	*	0.3	0.5	0.6	1.0	1.9	2.6
1988.....	*	*	*	*	0.4	0.3	0.8	1.0	2.0	2.5
1987.....	*	*	*	*	0.3	0.5	0.8	1.1	1.4	2.0
1986.....	*	*	*	0.3	0.3	0.4	0.6	1.0	1.4	2.6
1985.....	*	*	*	0.3	0.5	0.5	0.9	1.2	1.5	2.3
1984.....	*	*	*	0.3	0.5	0.4	0.8	1.3	1.6	3.0
1983.....	*	*	0.2	0.3	0.3	0.6	0.8	1.5	1.8	1.8
1982.....	*	*	*	0.3	0.4	0.5	1.0	1.4	2.1	2.0
1981.....	*	*	0.2	0.2	0.4	0.6	0.7	1.6	2.0	2.7
1980.....	0.2	0.2	0.2	0.3	0.5	0.6	1.0	1.4	1.9	2.1
1979.....	0.1	0.2	0.1	0.3	0.4	0.7	1.1	1.2	2.0	2.7

TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,  
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)										
WHITE MALE										
1998.....	*	*	*	*	*	*	1.1	0.9	1.6	3.0
1997.....	*	*	*	*	*	*	*	1.2	1.7	2.5
1996.....	*	*	*	*	*	0.6	0.8	1.4	1.8	2.8
1995.....	*	*	*	*	*	*	0.7	1.2	1.7	2.4
1994.....	*	*	*	*	*	*	0.8	1.0	1.5	2.8
1993.....	*	*	*	*	*	0.6	0.8	1.2	2.0	2.3
1992.....	*	*	*	*	*	0.6	1.1	1.6	1.9	3.4
1991.....	*	*	*	*	0.5	0.5	0.8	1.3	2.3	*
1990.....	*	*	*	*	*	0.5	0.8	1.2	2.0	3.4
1989.....	*	*	*	*	*	0.5	0.7	*	2.8	3.1
1988.....	*	*	*	*	*	*	1.0	1.3	2.2	3.1
1987.....	*	*	*	*	*	0.8	1.0	1.5	1.9	3.6
1986.....	*	*	*	*	*	*	0.7	1.2	2.3	4.1
1985.....	*	*	*	*	0.6	0.6	1.1	1.3	*	*
1984.....	*	*	*	*	0.6	*	1.0	1.1	2.5	3.3
1983.....	*	*	*	*	0.5	0.8	0.9	1.9	2.4	*
1982.....	*	*	*	0.4	0.5	*	1.3	2.3	3.3	*
1981.....	*	*	*	*	0.5	0.8	*	2.4	2.5	4.1
1980.....	0.2	0.1	0.2	0.3	0.4	0.7	1.4	1.5	1.9	2.3
1979.....	0.1	0.1	0.1	0.4	0.4	0.8	0.9	1.5	2.1	3.4
WHITE FEMALE										
1998.....	*	*	*	*	*	*	0.7	0.8	1.1	2.6
1997.....	*	*	*	*	*	*	0.5	0.9	1.4	3.2
1996.....	*	*	*	*	*	*	0.5	0.5	1.2	2.6
1995.....	*	*	*	*	*	*	*	0.7	1.0	1.8
1994.....	*	*	*	*	*	*	0.6	0.8	1.3	2.4
1993.....	*	*	*	*	*	*	0.5	0.7	1.5	1.8
1992.....	*	*	*	*	*	0.6	0.6	0.9	1.8	2.5
1991.....	*	*	*	*	*	*	0.5	0.9	1.5	2.4
1990.....	*	*	*	*	*	*	0.7	0.8	1.0	2.9
1989.....	*	*	*	*	*	0.4	0.6	1.1	1.4	2.4
1988.....	*	*	*	*	*	*	0.6	0.7	1.8	2.3
1987.....	*	*	*	*	*	*	0.6	0.9	1.2	1.4
1986.....	*	*	*	*	*	*	0.5	0.9	1.0	2.0
1985.....	*	*	*	*	*	0.4	0.7	1.1	1.7	2.2
1984.....	*	*	*	*	*	*	0.7	1.5	1.2	2.9
1983.....	*	*	*	*	*	0.5	0.8	1.2	1.5	1.8
1982.....	*	*	*	*	*	0.5	0.8	0.8	1.5	1.7
1981.....	*	*	*	*	*	*	0.8	1.2	1.7	2.2
1980.....	0.2	0.2	0.1	0.3	0.5	0.6	0.7	1.3	1.9	2.0
1979.....	0.2	0.2	0.1	0.3	0.5	0.6	1.2	1.0	2.0	2.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	2.6	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.4	0.7	0.9	1.0	2.4	2.2	1.8	2.2	6.1	
1979.....	0.3	0.5	0.8	0.9	1.0	1.6	1.3	1.4	0.4	1.7	

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	1.0	1.4	1.1	3.1	2.5	2.2	3.4	9.9	
1979.....	0.7	0.3	0.5	0.7	1.2	1.8	2.3	1.1	1.2	1.7	

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)

ALL OTHER FEMALE

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*
1980	0.2	0.4	0.5	0.5	0.9	1.8	1.9	1.5	1.4	4.2	
1979	-	0.7	1.0	1.1	0.9	1.4	0.6	1.6	-	1.8	

BLACK, BOTH SEXES

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*
1980	0.3	0.4	0.8	0.9	1.1	2.3	2.3	2.1	2.5	5.0	
1979	0.4	0.6	0.8	1.0	1.1	1.8	1.5	1.5	0.5	1.9	

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.4	1.0	1.3	1.3	3.3	3.0	2.6	4.0	5.7	
1979.....	0.9	0.4	0.6	0.8	1.1	2.1	2.7	1.2	1.3	1.9	

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	0.6	0.5	1.0	1.6	1.8	1.7	1.6	4.7	
1979.....	-	0.8	1.0	1.2	1.1	1.5	0.6	1.7	-	1.9	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CARCINOMA IN SITU (230-234)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0
1979.....	-	-	-	-	0.0	-	0.0	0.0	-	0.0
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	0.0	0.0	-	0.1	-	-
1979.....	-	-	-	-	-	-	0.0	0.1	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CARCINOMA IN SITU (230-234)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.1
1979.....	-	-	-	-	0.0	-	0.0	-	-	0.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	0.0	0.0	0.0	-	0.0	-	0.0
1979.....	-	-	-	-	0.0	-	0.0	0.0	-	0.0



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CARCINOMA IN SITU (230-234)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	0.0	-	-	0.1	-	-
1979.....	-	-	-	-	-	-	0.0	0.1	-	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	-	0.0	0.0	-	0.0	-	0.1
1979.....	-	-	-	-	0.0	-	0.0	-	-	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CARCINOMA IN SITU (230-234)										
ALL OTHER, BOTH SEXES										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	-	-	0.2	-	-	-	-
1979.....	-	-	-	-	-	-	-	-	-	-
ALL OTHER MALE										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.3	-	-	-	-





CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BREAST AND GENITOURINARY SYSTEM (233)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	-	0.0	0.0	-	-	-	0.0
1979.....	-	-	-	-	0.0	-	0.0	-	-	-
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	-	-	-	0.0	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BREAST AND GENITOURINARY SYSTEM (233)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	-	0.0	0.0	-	-	-	0.1
1979.....	-	-	-	-	0.0	-	0.0	-	-	-
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	-	0.0	0.0	-	-	-	0.0
1979.....	-	-	-	-	0.0	-	0.0	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF BREAST AND GENITOURINARY SYSTEM (233)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1979.....	-	-	-	-	-	-	0.0	-	-	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	-	-	0.0	0.0	-	-	-	0.1
1979.....	-	-	-	-	0.0	-	0.0	-	-	-







CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (230-232,234)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	0.0	0.0	-	0.0	-	-
1979.....	-	-	-	-	-	-	-	0.0	-	0.0
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	0.0	0.0	-	0.1	-	-
1979.....	-	-	-	-	-	-	-	0.1	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (230-232,234)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	0.0	-	-
1979.....	-	-	-	-	-	-	-	-	-	0.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	0.0	-	-	0.0	-	-
1979.....	-	-	-	-	-	-	-	0.0	-	0.0







CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.2	0.3	0.5	0.8	1.4	2.7	4.0	6.8	11.5
1997.....	0.1	0.2	0.3	0.5	0.8	1.6	2.5	4.1	6.9	11.8
1996.....	0.1	0.2	0.3	0.5	1.1	1.4	2.5	4.6	7.1	10.8
1995.....	0.1	0.2	0.4	0.5	0.9	1.6	2.6	4.3	7.7	11.6
1994.....	0.2	0.3	0.4	0.7	0.8	1.6	2.3	4.3	6.6	12.0
1993.....	0.1	0.2	0.4	0.5	1.0	1.6	2.6	4.6	7.0	11.4
1992.....	0.1	0.3	0.4	0.6	0.9	1.4	2.8	4.0	6.7	11.8
1991.....	0.1	0.3	0.3	0.6	1.0	1.6	2.8	4.6	8.2	11.5
1990.....	0.1	0.2	0.4	0.5	0.8	1.7	2.6	4.6	6.7	9.9
1989.....	0.2	0.2	0.4	0.6	1.0	1.8	2.9	4.8	7.1	9.5
1988.....	*	0.3	0.4	0.6	0.9	1.6	2.7	4.4	6.5	9.9
1987.....	*	0.2	0.3	0.5	0.9	1.8	2.8	4.4	6.1	8.5
1986.....	0.1	0.2	0.5	0.5	0.9	1.4	2.8	4.6	6.0	9.2
1985.....	0.2	0.2	0.3	0.7	1.2	1.5	2.7	3.9	6.2	9.4
1984.....	0.2	0.2	0.3	0.6	0.9	1.6	2.7	4.8	5.5	9.0
1983.....	*	0.2	0.5	0.7	1.1	1.8	2.6	5.0	6.4	8.5
1982.....	0.2	0.3	0.3	0.7	1.2	1.9	2.8	4.1	5.3	7.6
1981.....	0.2	0.3	0.5	0.5	1.0	1.7	2.8	4.4	5.9	6.9
1980.....	0.2	0.2	0.4	0.8	1.0	1.6	2.5	4.1	5.3	6.7
1979.....	0.2	0.3	0.4	0.8	1.1	1.7	2.8	3.9	4.8	6.2
TOTAL, MALE										
1998.....	0.2	0.3	0.3	0.6	0.7	1.8	3.3	5.1	8.1	14.4
1997.....	*	0.3	0.3	0.7	0.9	1.8	3.0	5.1	9.0	13.7
1996.....	*	0.3	0.4	0.7	1.3	1.6	3.0	5.7	8.0	12.9
1995.....	0.2	0.2	0.4	0.7	0.9	2.2	2.9	4.7	9.4	14.1
1994.....	0.2	0.3	0.3	0.9	1.0	2.0	3.0	5.5	7.8	16.6
1993.....	*	0.3	0.4	0.7	1.2	2.0	3.4	5.7	9.0	14.8
1992.....	*	0.4	0.5	0.6	1.2	1.6	3.5	5.0	8.3	14.6
1991.....	*	0.3	0.4	0.7	1.1	2.2	3.5	5.3	10.2	14.2
1990.....	*	*	0.4	0.5	0.9	2.1	3.5	5.6	8.3	13.0
1989.....	*	*	0.4	0.6	1.2	2.2	3.7	6.0	10.0	12.4
1988.....	*	0.3	0.4	0.7	1.0	1.9	3.2	5.7	8.9	14.7
1987.....	*	*	0.4	0.4	1.1	2.5	3.9	6.1	8.6	11.2
1986.....	*	0.4	0.6	0.6	1.2	1.5	3.3	5.7	8.3	13.4
1985.....	*	*	0.4	0.7	1.3	1.6	3.3	5.1	7.8	11.7
1984.....	*	*	0.4	0.9	1.1	2.0	3.6	6.6	6.2	11.4
1983.....	*	*	0.6	1.0	1.5	2.2	3.2	6.5	7.4	12.2
1982.....	*	*	*	0.7	1.5	2.5	3.6	5.2	6.8	10.7
1981.....	*	0.4	0.5	0.7	1.2	2.2	3.5	5.1	8.3	9.1
1980.....	0.3	0.2	0.4	0.9	1.3	2.1	3.1	4.9	6.9	8.5
1979.....	0.2	0.3	0.5	0.9	1.3	1.9	3.7	4.5	5.7	7.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)										
TOTAL, FEMALE										
1998.....	*	*	0.3	0.4	0.9	1.1	2.2	3.2	6.0	10.3
1997.....	*	*	0.3	0.4	0.7	1.4	2.0	3.5	5.7	11.1
1996.....	*	*	0.3	0.4	0.9	1.2	2.1	3.8	6.6	9.9
1995.....	*	0.2	0.4	*	0.9	1.0	2.4	4.0	6.8	10.6
1994.....	*	*	0.4	0.4	0.7	1.3	1.7	3.5	5.9	10.2
1993.....	*	*	0.3	0.4	0.8	1.3	1.9	3.9	5.9	10.1
1992.....	*	*	*	0.5	0.7	1.2	2.3	3.3	5.9	10.7
1991.....	*	*	*	0.5	0.9	1.1	2.2	4.2	7.1	10.5
1990.....	*	*	0.4	0.4	0.7	1.5	2.0	4.0	5.9	8.7
1989.....	0.3	*	0.3	0.5	0.9	1.6	2.3	4.0	5.6	8.3
1988.....	*	*	0.5	0.5	0.8	1.3	2.3	3.6	5.2	8.0
1987.....	*	*	*	0.5	0.7	1.3	2.1	3.4	4.8	7.4
1986.....	*	*	*	0.5	0.6	1.4	2.4	3.8	4.9	7.5
1985.....	*	*	*	0.7	1.2	1.4	2.2	3.2	5.4	8.5
1984.....	*	*	*	0.4	0.8	1.3	2.1	3.6	5.1	8.0
1983.....	*	*	0.4	0.5	0.6	1.4	2.2	4.1	5.9	6.9
1982.....	*	*	*	0.6	0.9	1.4	2.3	3.4	4.6	6.3
1981.....	*	*	0.4	*	0.7	1.3	2.2	3.9	4.6	5.9
1980.....	0.2	0.3	0.3	0.6	0.8	1.2	2.2	3.5	4.4	5.8
1979.....	0.3	0.3	0.4	0.7	0.9	1.5	2.2	3.5	4.3	5.9
WHITE, BOTH SEXES										
1998.....	0.2	0.2	0.3	0.5	0.9	1.5	2.7	4.2	7.0	12.0
1997.....	0.1	0.2	0.3	0.5	0.7	1.6	2.6	4.3	7.1	12.3
1996.....	0.2	0.2	0.3	0.6	1.1	1.5	2.6	4.7	7.4	11.2
1995.....	*	0.2	0.4	0.5	0.9	1.6	2.6	4.4	8.0	11.7
1994.....	0.2	0.3	0.4	0.6	0.8	1.6	2.3	4.4	6.9	12.2
1993.....	*	0.2	0.4	0.5	1.0	1.6	2.5	4.8	7.1	12.0
1992.....	0.2	0.3	0.4	0.5	0.9	1.3	2.8	4.0	7.0	12.2
1991.....	0.1	0.2	0.3	0.6	1.1	1.6	2.9	4.9	8.4	11.7
1990.....	*	0.2	0.3	0.4	0.8	1.7	2.6	4.8	6.9	10.1
1989.....	0.2	0.2	0.4	0.6	1.1	1.8	2.9	4.9	7.4	9.5
1988.....	*	0.3	0.4	0.6	0.9	1.5	2.8	4.5	6.6	10.3
1987.....	*	0.2	0.3	0.5	0.9	1.8	3.0	4.6	6.2	8.8
1986.....	*	0.3	0.4	0.5	0.9	1.5	2.8	4.6	6.2	9.5
1985.....	0.2	*	0.4	0.6	1.2	1.6	2.7	4.0	6.4	9.9
1984.....	0.2	*	0.3	0.7	0.9	1.6	2.6	5.0	5.5	9.2
1983.....	*	0.2	0.5	0.7	1.1	1.9	2.6	5.3	6.7	9.0
1982.....	*	0.3	0.3	0.6	1.1	2.0	2.9	4.1	5.6	7.9
1981.....	0.2	0.3	0.4	0.5	0.9	1.7	2.9	4.5	6.1	7.2
1980.....	0.2	0.2	0.3	0.8	1.0	1.6	2.7	4.2	5.4	7.1
1979.....	0.2	0.3	0.4	0.8	1.1	1.7	3.0	3.9	4.9	6.5



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)										
WHITE MALE										
1998.....	*	0.3	0.3	0.6	0.8	1.8	3.2	5.4	8.1	15.3
1997.....	*	*	0.4	0.6	0.7	1.7	3.1	5.3	9.3	14.4
1996.....	*	*	*	0.7	1.3	1.7	3.2	5.8	8.4	13.7
1995.....	*	*	0.4	0.7	0.8	2.3	2.9	4.9	9.6	14.2
1994.....	*	0.3	*	0.8	1.1	2.0	3.1	5.6	8.1	17.4
1993.....	*	*	0.4	0.6	1.3	2.1	3.3	6.0	9.2	15.7
1992.....	*	0.4	0.5	0.5	1.1	1.4	3.5	5.1	8.7	15.2
1991.....	*	*	*	0.7	1.1	2.2	3.8	5.8	10.6	14.2
1990.....	*	*	*	0.5	1.0	2.0	3.5	5.9	8.7	13.8
1989.....	*	*	0.5	0.6	1.2	2.2	3.7	6.2	10.6	12.5
1988.....	*	0.4	*	0.6	1.0	1.9	3.4	5.9	9.3	15.3
1987.....	*	*	*	0.4	1.2	2.5	4.0	6.3	8.7	11.2
1986.....	*	*	0.5	0.6	1.2	1.6	3.5	6.0	8.5	13.8
1985.....	*	*	0.5	0.7	1.3	1.6	3.4	5.4	8.0	12.5
1984.....	*	*	*	0.9	1.1	2.1	3.4	6.7	6.4	11.7
1983.....	*	*	0.5	1.0	1.6	2.3	3.2	7.0	7.8	13.1
1982.....	*	*	*	0.6	1.4	2.6	3.8	5.1	7.0	11.5
1981.....	*	*	0.4	0.7	1.3	2.2	3.8	5.3	8.6	9.4
1980.....	0.3	0.1	0.4	1.0	1.2	2.1	3.2	5.0	7.0	9.2
1979.....	0.1	0.3	0.5	0.9	1.3	1.9	3.9	4.7	5.9	7.3
WHITE FEMALE										
1998.....	*	*	*	0.4	0.9	1.2	2.2	3.3	6.3	10.7
1997.....	*	*	*	*	0.7	1.4	2.2	3.6	5.9	11.5
1996.....	*	*	*	0.4	0.9	1.3	2.2	3.9	6.8	10.2
1995.....	*	*	0.4	*	0.9	1.0	2.4	4.1	7.1	10.8
1994.....	*	*	0.4	*	0.6	1.3	1.7	3.5	6.2	10.2
1993.....	*	*	*	0.4	0.7	1.2	1.9	4.0	6.0	10.6
1992.....	*	*	*	0.5	0.6	1.2	2.2	3.3	6.1	11.1
1991.....	*	*	*	*	1.0	1.1	2.2	4.3	7.2	10.8
1990.....	*	*	*	*	0.7	1.4	1.9	4.1	5.9	8.7
1989.....	*	*	*	0.6	1.0	1.5	2.3	4.1	5.7	8.3
1988.....	*	*	0.4	0.5	0.8	1.2	2.3	3.6	5.2	8.4
1987.....	*	*	*	0.6	0.7	1.3	2.2	3.5	5.0	7.9
1986.....	*	*	*	0.5	0.6	1.4	2.4	3.8	4.9	7.8
1985.....	*	*	*	0.6	1.1	1.5	2.1	3.2	5.6	8.9
1984.....	*	*	*	0.4	0.8	1.3	2.0	3.9	5.0	8.2
1983.....	*	*	0.4	0.4	0.7	1.5	2.3	4.2	6.2	7.3
1982.....	*	*	*	0.6	0.9	1.5	2.2	3.4	4.8	6.4
1981.....	*	*	0.4	*	0.6	1.3	2.2	4.0	4.8	6.2
1980.....	0.2	0.3	0.3	0.6	0.8	1.1	2.3	3.6	4.5	6.2
1979.....	0.3	0.3	0.4	0.7	0.9	1.4	2.3	3.4	4.4	6.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.8	*	*	6.4
1997.....	*	*	*	*	*	1.6	*	2.9	5.0	6.8
1996.....	*	*	*	*	*	*	*	3.6	*	6.8
1995.....	*	*	*	*	*	*	2.6	3.4	5.1	10.2
1994.....	*	*	*	*	*	1.8	*	3.7	*	9.6
1993.....	*	*	*	*	*	*	3.1	*	5.8	*
1992.....	*	*	*	*	*	2.3	3.0	3.6	*	7.8
1991.....	*	*	*	*	*	*	*	*	5.9	9.5
1990.....	*	*	*	*	*	2.3	2.9	*	*	*
1989.....	*	*	*	*	*	2.3	2.6	3.6	*	9.4
1988.....	*	*	*	*	*	*	*	3.5	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	3.7	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	3.7	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	4.2	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	0.7	0.4	1.3	1.7	1.4	3.2	4.4	1.7
1979.....	0.3	0.2	0.5	0.9	1.3	1.6	1.6	3.4	2.7	2.9
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	0.7	0.5	1.6	2.1	1.8	3.9	5.7	1.6
1979.....	0.4	-	0.3	1.3	1.9	1.3	1.5	2.7	3.5	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	8.8
1994.....	*	*	*	*	*	*	*	*	*	9.6
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.4	0.8	0.3	1.1	1.4	1.1	2.7	3.5	1.7
1979.....	0.2	0.4	0.7	0.6	0.8	1.8	1.7	3.9	2.2	2.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	3.4	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	7.2
1996.....	*	*	*	*	*	*	*	4.0	*	8.0
1995.....	*	*	*	*	*	*	2.9	3.9	*	9.9
1994.....	*	*	*	*	*	*	*	*	*	9.4
1993.....	*	*	*	*	*	*	3.8	*	*	*
1992.....	*	*	*	*	*	2.7	3.7	4.2	*	8.9
1991.....	*	*	*	*	*	*	*	*	*	9.5
1990.....	*	*	*	*	*	2.9	3.6	*	*	*
1989.....	*	*	*	*	*	2.6	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	4.4	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	3.8	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.5	0.8	0.5	1.4	1.7	1.4	3.4	5.0	1.9
1979.....	0.4	0.3	0.6	1.0	1.4	1.6	1.7	3.3	2.5	3.2

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.6	0.8	0.6	1.8	2.4	2.1	3.9	6.7	1.9
1979.....	0.5	-	0.4	1.5	2.2	1.5	1.8	3.1	2.6	3.8

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	0.8	0.3	1.0	1.1	0.9	3.0	4.0	1.9
1979.....	0.3	0.5	0.8	0.7	0.9	1.8	1.6	3.4	2.4	2.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)										
TOTAL, BOTH SEXES										
1998.....	0.6	0.7	1.2	1.7	2.6	3.3	5.6	8.2	14.6	27.0
1997.....	0.5	0.7	1.1	1.7	2.4	3.7	5.5	8.7	13.8	24.4
1996.....	0.6	0.8	1.1	1.8	2.7	3.4	5.6	8.9	14.0	24.7
1995.....	0.5	0.8	1.2	1.9	3.2	4.0	5.6	8.7	14.1	26.3
1994.....	0.6	0.8	1.2	1.8	2.7	3.6	5.3	8.9	14.1	25.3
1993.....	0.6	0.9	1.2	1.7	2.6	4.1	5.5	8.4	13.9	25.0
1992.....	0.6	0.7	1.0	1.5	2.7	3.8	5.6	8.6	12.3	22.5
1991.....	0.5	0.8	1.1	1.7	2.7	3.9	5.7	8.0	13.3	22.9
1990.....	0.6	0.7	1.1	1.6	2.6	3.8	5.6	8.7	12.7	21.9
1989.....	0.5	0.8	1.3	1.6	2.8	3.5	5.5	7.7	13.8	22.5
1988.....	0.5	0.8	1.3	1.7	2.8	3.9	6.0	8.1	13.8	21.8
1987.....	0.6	0.8	1.2	1.8	2.8	4.3	6.0	8.7	14.4	21.3
1986.....	0.6	1.0	1.4	2.1	3.0	4.0	6.4	10.1	15.2	22.0
1985.....	0.6	0.9	1.4	2.0	2.8	4.5	6.9	9.4	14.8	22.1
1984.....	0.6	1.0	1.1	1.9	2.7	4.4	6.6	9.0	14.4	19.8
1983.....	0.6	0.9	1.2	1.9	3.2	4.2	6.0	8.5	13.9	22.3
1982.....	0.5	1.0	1.5	2.1	3.3	4.3	6.7	9.6	13.5	20.6
1981.....	0.6	0.9	1.5	1.9	3.4	4.7	6.8	9.3	13.3	18.6
1980.....	0.7	1.3	1.5	2.3	3.3	4.6	6.3	8.4	14.2	18.9
1979.....	0.6	1.1	1.3	2.4	3.2	4.6	6.4	8.9	11.5	17.7
TOTAL, MALE										
1998.....	0.6	0.8	1.5	2.0	2.9	3.9	6.0	9.8	15.0	25.9
1997.....	0.6	0.8	1.2	2.0	2.7	4.4	6.2	10.0	15.1	24.7
1996.....	0.8	1.0	1.2	2.2	3.3	3.9	5.9	9.9	15.4	28.1
1995.....	0.6	1.0	1.6	2.2	3.5	4.9	6.3	10.0	14.6	27.8
1994.....	0.7	0.9	1.5	2.2	3.1	4.6	6.3	9.4	16.4	25.8
1993.....	0.7	1.0	1.4	2.1	3.6	4.8	6.6	9.6	15.1	28.1
1992.....	0.7	0.9	1.2	1.8	3.4	4.8	6.4	10.5	14.0	25.1
1991.....	0.6	1.0	1.4	2.1	3.3	4.5	6.8	9.8	14.9	24.4
1990.....	0.6	0.8	1.3	1.7	3.1	4.7	7.2	9.4	15.4	24.5
1989.....	0.5	0.8	1.6	1.8	3.1	4.2	6.4	8.6	16.5	26.2
1988.....	0.7	0.9	1.6	2.0	3.1	4.9	6.5	9.0	15.3	23.6
1987.....	0.6	1.0	1.4	2.1	3.5	4.7	7.8	10.0	17.2	20.4
1986.....	0.7	1.2	1.6	2.3	3.6	4.3	7.9	12.4	17.9	25.2
1985.....	0.8	1.0	1.8	2.5	3.2	5.1	8.1	10.9	16.5	25.2
1984.....	0.7	1.0	1.3	2.2	3.3	4.6	7.6	10.9	16.8	22.8
1983.....	0.7	1.0	1.3	2.2	3.5	5.0	7.0	9.7	17.2	23.5
1982.....	0.6	1.1	1.9	2.4	3.5	4.9	7.7	11.0	16.2	24.0
1981.....	0.8	0.9	1.8	2.2	4.0	5.7	8.5	11.7	15.7	20.4
1980.....	0.7	1.4	1.7	2.6	4.2	5.3	7.2	11.3	19.1	19.5
1979.....	0.8	1.2	1.4	2.9	3.7	5.3	7.4	10.6	15.0	20.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)										
TOTAL, FEMALE										
1998.....	0.5	0.5	0.9	1.4	2.4	2.9	5.3	7.0	14.4	27.4
1997.....	0.4	0.6	1.0	1.4	2.1	3.1	4.9	7.8	13.0	24.3
1996.....	0.4	0.7	1.1	1.5	2.2	3.0	5.4	8.3	13.1	23.3
1995.....	0.3	0.6	0.8	1.6	2.9	3.4	5.2	7.8	13.8	25.7
1994.....	0.5	0.8	1.0	1.4	2.3	2.8	4.6	8.6	12.8	25.1
1993.....	0.5	0.7	1.1	1.4	1.8	3.6	4.7	7.7	13.3	23.8
1992.....	0.5	0.6	0.9	1.3	2.1	3.0	5.1	7.4	11.4	21.5
1991.....	0.4	0.5	0.8	1.4	2.1	3.4	4.9	6.8	12.4	22.4
1990.....	0.5	0.7	1.0	1.4	2.2	3.0	4.4	8.3	11.3	20.9
1989.....	0.5	0.7	0.9	1.5	2.5	2.9	4.9	7.1	12.3	21.1
1988.....	0.4	0.7	1.0	1.5	2.5	3.2	5.6	7.6	13.0	21.1
1987.....	0.5	0.7	1.1	1.5	2.3	3.9	4.6	7.9	12.9	21.6
1986.....	0.5	0.9	1.2	1.9	2.5	3.7	5.3	8.6	13.8	20.8
1985.....	0.4	0.7	1.1	1.5	2.4	3.9	6.0	8.5	13.9	20.9
1984.....	0.4	0.9	0.9	1.7	2.3	4.2	5.9	7.8	13.1	18.6
1983.....	0.6	0.7	1.1	1.6	2.9	3.5	5.3	7.8	12.2	21.8
1982.....	0.5	0.9	1.2	1.8	3.1	3.7	6.0	8.8	12.1	19.2
1981.....	0.5	0.8	1.2	1.6	3.0	3.8	5.6	7.7	12.0	17.8
1980.....	0.6	1.1	1.4	2.0	2.6	4.0	5.6	6.6	11.6	18.7
1979.....	0.5	0.9	1.2	2.1	2.7	4.1	5.6	7.8	9.6	16.6
WHITE, BOTH SEXES										
1998.....	0.5	0.6	1.1	1.7	2.7	3.4	5.4	8.2	15.0	27.4
1997.....	0.5	0.7	1.0	1.8	2.3	3.6	5.3	8.7	13.5	24.9
1996.....	0.6	0.8	1.2	1.8	2.7	3.5	5.5	8.9	13.2	25.3
1995.....	0.4	0.8	1.2	1.9	3.2	4.0	5.6	8.9	14.0	26.0
1994.....	0.6	0.8	1.2	1.8	2.5	3.6	5.4	8.9	14.0	25.8
1993.....	0.5	0.8	1.3	1.7	2.6	4.1	5.6	8.3	13.9	25.5
1992.....	0.6	0.7	1.0	1.6	2.7	3.8	5.5	8.7	12.1	22.9
1991.....	0.5	0.7	1.1	1.7	2.5	3.8	5.6	7.9	13.2	23.4
1990.....	0.5	0.7	1.1	1.5	2.6	3.7	5.6	8.6	12.4	22.3
1989.....	0.5	0.8	1.2	1.5	2.7	3.4	5.4	7.7	13.8	22.7
1988.....	0.5	0.8	1.3	1.7	2.7	3.8	5.9	7.8	13.7	21.9
1987.....	0.5	0.9	1.3	1.7	2.8	4.2	5.9	8.6	14.5	21.2
1986.....	0.6	1.0	1.3	2.1	2.9	3.9	6.3	9.9	15.3	22.1
1985.....	0.5	0.8	1.4	1.9	2.7	4.2	6.6	9.4	15.1	22.2
1984.....	0.6	0.9	1.0	1.9	2.7	4.3	6.6	9.1	14.3	19.8
1983.....	0.6	0.9	1.2	1.8	3.2	4.1	5.7	8.5	13.9	22.8
1982.....	0.5	1.0	1.5	2.0	3.1	4.2	6.6	9.7	13.6	21.2
1981.....	0.7	0.8	1.4	1.9	3.4	4.7	6.6	9.5	13.6	18.6
1980.....	0.7	1.1	1.5	2.3	3.1	4.3	6.1	8.5	13.9	19.3
1979.....	0.6	1.0	1.2	2.4	3.1	4.6	6.3	9.2	11.4	18.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)										
WHITE MALE										
1998.....	0.6	0.7	1.3	2.0	3.0	4.0	6.2	9.9	15.4	26.3
1997.....	0.6	0.8	1.2	2.1	2.6	4.2	6.1	9.9	14.7	25.2
1996.....	0.8	0.9	1.2	2.1	3.2	3.9	5.9	10.0	13.9	29.0
1995.....	0.5	0.9	1.7	2.2	3.6	5.0	6.1	10.4	14.4	26.6
1994.....	0.8	0.8	1.5	2.2	2.9	4.6	6.3	9.6	16.4	26.7
1993.....	0.7	0.9	1.3	2.0	3.5	4.7	6.7	9.3	15.2	29.4
1992.....	0.8	0.9	1.1	1.8	3.4	4.9	6.2	10.4	13.4	26.1
1991.....	0.5	0.9	1.4	2.1	3.0	4.4	6.6	9.7	14.9	24.7
1990.....	0.6	0.8	1.2	1.6	3.0	4.6	7.2	9.5	15.6	25.4
1989.....	0.6	0.9	1.6	1.6	3.0	4.1	6.4	8.4	16.8	27.6
1988.....	0.7	1.0	1.5	2.0	3.0	4.7	6.4	8.4	15.4	23.7
1987.....	0.5	1.0	1.4	2.1	3.5	4.7	7.6	9.9	17.5	20.2
1986.....	0.7	1.2	1.5	2.4	3.6	4.1	7.7	12.5	18.1	25.6
1985.....	0.7	0.9	1.7	2.5	3.1	4.9	7.8	10.6	17.1	25.9
1984.....	0.7	1.0	1.2	2.2	3.1	4.6	7.7	11.1	17.0	23.1
1983.....	0.7	1.1	1.3	2.2	3.5	4.9	6.6	9.8	17.2	24.1
1982.....	0.6	1.0	1.8	2.4	3.5	4.7	7.6	11.3	16.2	25.8
1981.....	0.8	0.9	1.6	2.3	3.9	5.9	8.2	12.2	16.3	20.9
1980.....	0.7	1.4	1.6	2.6	3.9	5.0	7.1	11.4	18.7	20.5
1979.....	0.6	1.1	1.4	2.8	3.5	5.3	7.6	11.1	15.6	21.1
WHITE FEMALE										
1998.....	0.5	0.6	0.9	1.4	2.4	2.9	4.9	6.9	14.7	27.8
1997.....	0.4	0.6	0.9	1.6	2.0	3.0	4.7	7.9	12.7	24.8
1996.....	0.4	0.7	1.1	1.5	2.3	3.1	5.2	8.1	12.8	23.9
1995.....	0.3	0.6	0.8	1.6	2.8	3.1	5.2	7.9	13.7	25.7
1994.....	0.4	0.7	1.0	1.3	2.2	2.8	4.6	8.5	12.7	25.5
1993.....	0.4	0.7	1.2	1.5	1.8	3.6	4.8	7.6	13.1	24.0
1992.....	0.5	0.6	0.9	1.4	2.0	2.9	5.0	7.5	11.4	21.7
1991.....	0.4	0.6	0.9	1.3	2.0	3.2	4.8	6.7	12.3	22.9
1990.....	0.5	0.6	1.0	1.4	2.2	2.9	4.3	8.0	10.8	21.2
1989.....	0.5	0.7	0.9	1.5	2.5	2.8	4.7	7.2	12.2	20.8
1988.....	0.3	0.7	1.0	1.5	2.4	3.0	5.5	7.5	12.9	21.2
1987.....	0.5	0.7	1.1	1.4	2.3	3.8	4.7	7.8	13.0	21.6
1986.....	0.5	0.8	1.2	1.8	2.3	3.7	5.3	8.3	13.9	20.8
1985.....	0.4	0.7	1.0	1.4	2.4	3.7	5.7	8.7	14.0	20.7
1984.....	0.5	0.9	0.8	1.7	2.3	4.1	5.7	7.8	12.8	18.6
1983.....	0.6	0.7	1.1	1.5	3.0	3.5	5.0	7.7	12.2	22.3
1982.....	0.5	0.9	1.1	1.7	2.9	3.8	5.8	8.7	12.2	19.3
1981.....	0.6	0.7	1.2	1.5	2.9	3.7	5.4	7.8	12.2	17.7
1980.....	0.6	0.9	1.4	2.0	2.4	3.7	5.3	6.8	11.4	18.8
1979.....	0.5	0.8	1.1	2.1	2.7	4.0	5.3	8.0	9.2	16.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)										
ALL OTHER, BOTH SEXES										
1998.....	0.8	0.8	1.6	1.3	2.3	3.2	6.8	8.4	11.0	23.5
1997.....	0.7	0.8	1.1	*	2.8	4.4	6.4	8.9	17.0	20.2
1996.....	0.8	1.0	1.0	1.8	2.8	2.9	6.3	9.3	21.6	18.9
1995.....	0.8	0.8	1.2	1.9	2.8	4.6	5.9	6.2	15.7	29.6
1994.....	*	1.2	1.3	1.8	3.7	3.5	4.8	9.0	14.9	20.2
1993.....	0.7	1.2	1.1	1.9	2.8	4.4	4.8	10.1	14.6	20.2
1992.....	*	*	1.2	*	2.7	4.3	6.7	8.0	15.0	18.4
1991.....	0.7	1.0	*	2.0	4.0	4.9	7.2	9.2	14.0	18.6
1990.....	*	1.1	1.3	1.8	2.8	4.5	6.0	9.8	16.0	17.3
1989.....	*	*	1.4	2.1	3.1	4.4	6.2	7.8	13.5	21.1
1988.....	*	*	1.5	1.9	3.9	5.1	6.4	11.0	14.1	20.2
1987.....	*	*	*	2.2	2.9	4.7	6.3	9.4	12.7	22.1
1986.....	*	1.4	1.5	2.0	3.9	4.9	7.4	11.8	13.8	21.2
1985.....	1.0	1.2	1.9	2.8	3.3	6.4	9.8	9.2	11.9	21.4
1984.....	*	*	1.9	1.9	3.0	4.8	6.9	8.3	15.4	19.4
1983.....	*	*	*	2.5	2.6	4.8	8.8	8.6	14.5	16.7
1982.....	*	*	2.0	2.4	4.3	4.9	8.1	8.6	12.4	13.6
1981.....	*	*	2.0	2.1	4.1	4.4	9.1	7.2	10.4	17.9
1980.....	0.8	2.1	2.0	2.3	5.5	7.1	8.1	7.2	17.5	15.0
1979.....	1.0	1.7	1.9	2.6	3.6	4.8	7.4	6.1	12.5	12.1
ALL OTHER MALE										
1998.....	*	*	2.3	*	*	*	*	9.6	*	23.0
1997.....	*	*	*	*	*	5.5	7.2	10.9	19.4	21.0
1996.....	*	1.6	*	*	4.1	4.0	6.3	8.7	30.7	20.8
1995.....	*	*	*	*	*	4.3	7.5	*	17.2	39.7
1994.....	*	*	*	*	4.6	4.4	5.7	*	16.7	*
1993.....	*	*	*	*	4.6	5.7	5.8	12.8	*	*
1992.....	*	*	*	*	*	4.8	8.8	11.1	20.5	*
1991.....	*	*	*	*	5.6	5.7	8.9	10.9	15.5	*
1990.....	*	*	*	*	*	5.9	7.2	*	*	*
1989.....	*	*	*	*	*	5.1	*	10.4	*	*
1988.....	*	*	*	*	4.5	5.9	7.1	14.2	*	*
1987.....	*	*	*	*	*	4.7	9.4	11.6	*	*
1986.....	*	*	*	*	3.9	6.2	9.9	11.9	*	*
1985.....	*	*	*	*	*	7.5	11.3	13.6	*	*
1984.....	*	*	*	*	4.4	*	6.7	*	*	*
1983.....	*	*	*	*	*	6.0	10.6	*	*	*
1982.....	*	*	*	*	*	7.3	8.3	*	*	*
1981.....	*	*	*	*	4.5	*	11.0	*	*	*
1980.....	1.0	2.1	2.2	2.9	7.1	7.5	8.0	10.6	24.1	9.9
1979.....	1.6	1.9	1.9	3.3	5.1	5.2	5.7	6.6	9.3	10.2



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	3.2	8.3	7.5	11.1	23.7
1997.....	*	*	*	*	2.6	3.5	5.9	7.6	15.7	19.8
1996.....	*	*	*	*	*	*	6.4	9.8	16.5	18.0
1995.....	*	*	*	*	2.9	4.8	4.8	6.6	14.9	25.1
1994.....	*	*	*	*	3.0	*	4.1	9.9	14.0	21.1
1993.....	*	*	*	*	*	3.5	4.0	8.5	14.9	21.9
1992.....	*	*	*	*	2.7	3.9	5.3	6.1	12.0	19.5
1991.....	*	*	*	*	2.8	4.2	6.1	8.1	13.1	16.9
1990.....	*	*	*	*	*	3.5	5.1	10.5	17.3	17.9
1989.....	*	*	*	*	*	3.9	6.5	6.2	13.7	24.6
1988.....	*	*	*	*	3.3	4.5	5.9	9.0	14.2	18.9
1987.....	*	*	*	*	*	4.7	*	8.0	11.7	22.1
1986.....	*	*	*	*	3.9	3.9	5.6	11.7	12.8	21.2
1985.....	*	*	*	2.8	*	5.5	8.7	6.4	12.8	22.7
1984.....	*	*	*	*	*	5.2	7.0	7.9	15.6	19.3
1983.....	*	*	*	*	*	4.0	7.5	8.5	12.7	16.5
1982.....	*	*	*	*	4.7	*	8.0	9.1	*	17.3
1981.....	*	*	*	*	3.8	4.4	7.8	*	*	19.0
1980.....	0.6	2.1	1.9	1.8	4.1	6.7	8.1	4.9	13.4	17.7
1979.....	0.5	1.6	1.9	2.1	2.5	4.6	8.6	5.8	14.6	13.2
BLACK, BOTH SEXES										
1998.....	0.8	1.1	1.7	*	2.7	3.8	7.9	9.2	12.2	25.8
1997.....	0.9	1.1	*	*	3.6	4.8	7.7	10.4	19.7	22.9
1996.....	1.0	1.2	1.4	1.8	3.4	3.3	7.2	9.5	23.4	18.9
1995.....	0.9	*	1.5	2.5	3.2	5.2	6.9	7.3	16.7	30.3
1994.....	*	1.4	1.6	2.0	4.4	4.0	5.3	10.0	16.4	19.7
1993.....	0.9	1.5	*	1.9	3.5	5.3	5.1	10.5	16.2	20.6
1992.....	*	*	*	*	3.1	4.3	7.9	8.8	16.0	18.6
1991.....	1.0	*	*	2.5	5.0	5.7	8.1	10.2	14.5	19.4
1990.....	*	*	*	*	3.2	5.1	6.6	10.1	17.3	18.4
1989.....	*	*	1.7	2.6	3.4	4.8	6.8	8.4	13.8	22.7
1988.....	*	*	1.8	2.2	4.4	6.0	7.5	11.6	16.2	22.0
1987.....	*	*	*	2.5	3.2	4.9	6.9	9.7	13.7	21.6
1986.....	*	1.7	*	2.5	4.3	5.7	7.5	13.0	14.5	22.9
1985.....	*	*	2.2	3.2	3.7	6.9	10.0	9.5	11.4	20.5
1984.....	*	*	2.2	2.0	3.1	5.2	7.2	9.0	16.5	18.4
1983.....	*	*	*	2.6	2.8	5.6	8.9	9.0	15.0	15.8
1982.....	*	*	2.2	2.7	4.5	5.3	9.1	9.4	14.2	13.6
1981.....	*	*	2.3	2.4	4.3	5.0	9.5	8.0	10.5	17.3
1980.....	0.7	2.4	2.3	2.4	6.0	7.8	8.1	8.2	18.5	14.5
1979.....	1.0	1.9	2.2	3.1	3.8	4.9	7.8	6.3	12.4	12.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	9.7	*	24.5
1997.....	*	*	*	*	*	6.5	9.0	13.0	23.5	*
1996.....	*	*	*	*	5.2	*	7.0	*	33.1	*
1995.....	*	*	*	*	*	*	8.9	*	19.6	40.4
1994.....	*	*	*	*	5.7	5.2	*	*	18.7	*
1993.....	*	*	*	*	5.7	6.9	*	14.2	*	*
1992.....	*	*	*	*	*	*	10.7	12.5	22.4	*
1991.....	*	*	*	*	7.1	6.3	10.6	12.2	*	*
1990.....	*	*	*	*	*	6.7	8.7	*	*	*
1989.....	*	*	*	*	*	5.9	*	*	*	*
1988.....	*	*	*	*	5.0	7.1	8.4	14.7	*	*
1987.....	*	*	*	*	*	*	10.4	13.1	*	*
1986.....	*	*	*	*	*	7.6	10.9	14.0	*	*
1985.....	*	*	*	*	*	8.3	11.8	14.7	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	6.9	11.1	*	*	*
1982.....	*	*	*	*	*	7.8	9.5	*	*	*
1981.....	*	*	*	*	*	*	10.5	*	*	*
1980.....	1.2	2.3	2.6	3.2	8.0	8.7	7.7	12.4	24.0	11.3
1979.....	1.6	2.1	2.2	3.8	5.4	5.0	6.6	6.8	9.1	11.5
BLACK FEMALE										
1998.....	*	*	*	*	*	3.7	10.0	8.9	12.1	26.4
1997.....	*	*	*	*	*	*	6.9	8.8	17.8	23.7
1996.....	*	*	*	*	*	*	7.4	9.9	18.5	17.7
1995.....	*	*	*	*	*	5.5	5.5	7.3	15.2	26.2
1994.....	*	*	*	*	*	*	4.8	10.9	15.3	19.7
1993.....	*	*	*	*	*	4.1	*	8.4	16.6	23.6
1992.....	*	*	*	*	*	4.3	6.1	6.7	12.6	19.1
1991.....	*	*	*	*	*	5.3	6.5	9.1	12.8	17.8
1990.....	*	*	*	*	*	4.0	5.2	11.2	17.9	19.2
1989.....	*	*	*	*	*	4.1	7.3	7.0	14.1	26.8
1988.....	*	*	*	*	4.0	5.2	6.8	9.8	16.3	20.8
1987.....	*	*	*	*	*	5.0	*	7.6	13.5	20.8
1986.....	*	*	*	*	4.3	4.3	5.3	12.5	13.9	22.5
1985.....	*	*	*	*	*	5.8	8.9	*	12.7	23.3
1984.....	*	*	*	*	*	5.7	7.6	8.3	16.4	17.8
1983.....	*	*	*	*	*	4.6	7.5	9.3	*	16.1
1982.....	*	*	*	*	5.3	*	8.8	10.0	*	16.9
1981.....	*	*	*	*	4.0	4.9	8.8	*	*	18.6
1980.....	0.3	2.5	2.1	1.7	4.3	7.2	8.5	5.5	15.2	16.0
1979.....	0.6	1.7	2.1	2.4	2.6	4.9	8.6	5.9	14.5	13.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

## 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

TOTAL, BOTH SEXES										
1998.....	8.1	13.2	21.8	37.0	59.5	88.4	130.1	183.8	276.7	493.6
1997.....	7.8	13.5	22.0	36.9	58.3	85.7	129.4	180.7	269.4	487.9
1996.....	8.4	13.2	22.7	36.8	60.1	87.1	127.0	179.7	260.2	471.7
1995.....	8.2	13.2	22.3	37.1	57.1	84.4	123.8	174.2	256.7	458.7
1994.....	8.6	12.5	21.2	34.2	56.1	82.4	121.2	167.1	252.4	447.7
1993.....	7.8	12.8	20.6	34.8	51.8	79.7	116.5	163.1	243.8	438.9
1992.....	7.7	12.4	20.0	33.0	49.8	74.9	109.6	154.0	227.1	413.4
1991.....	7.4	11.7	20.3	32.8	49.4	75.9	108.3	153.6	227.4	408.2
1990.....	7.2	11.7	18.5	30.2	49.7	74.4	105.8	155.8	230.3	410.4
1989.....	7.4	12.1	18.4	31.1	48.0	72.7	107.8	155.6	229.7	406.0
1988.....	6.8	10.4	17.9	27.0	43.0	63.9	92.9	135.9	205.9	378.9
1987.....	6.0	10.1	16.2	25.4	40.9	61.0	92.3	133.4	203.1	357.7
1986.....	12.0	14.5	18.6	26.5	41.1	60.2	91.2	131.6	201.3	358.7
1985.....	9.3	11.6	16.0	25.7	40.9	59.5	91.2	137.2	209.9	354.6
1984.....	7.3	10.1	15.6	23.3	39.0	58.4	90.8	134.8	203.5	346.9
1983.....	6.8	9.9	15.2	25.9	40.0	60.4	93.5	138.3	208.0	336.0
1982.....	6.0	9.4	14.9	24.7	38.6	58.8	90.2	133.9	205.0	322.7
1981.....	6.2	9.4	15.4	24.4	39.1	61.4	91.7	136.9	201.2	329.5
1980.....	6.2	9.8	15.9	25.7	41.1	64.0	96.8	141.8	208.8	335.7
1979.....	6.2	9.4	15.0	24.7	40.3	59.7	93.1	136.6	206.1	309.1
TOTAL, MALE										
1998.....	10.0	16.0	25.2	42.3	67.3	99.4	143.1	199.6	297.3	479.5
1997.....	9.5	15.8	25.7	40.3	62.3	94.6	144.9	197.0	287.1	484.1
1996.....	10.3	16.2	26.2	41.1	66.3	93.5	137.3	193.4	282.5	471.3
1995.....	10.2	16.1	26.1	41.6	61.5	90.0	129.4	188.0	272.9	456.1
1994.....	10.8	15.0	24.6	37.4	61.0	88.1	128.4	178.0	268.7	453.2
1993.....	9.6	14.7	23.9	38.8	55.3	85.4	124.4	175.4	262.0	449.3
1992.....	9.6	15.3	23.1	35.5	53.3	79.0	115.5	163.4	240.2	422.1
1991.....	9.4	13.9	22.7	35.8	52.3	80.5	116.0	165.9	249.9	407.2
1990.....	8.8	13.4	21.0	32.9	51.8	78.5	111.6	171.3	238.7	412.6
1989.....	9.2	14.3	20.7	34.0	49.7	75.0	113.3	164.1	239.6	404.2
1988.....	8.4	12.4	19.1	28.1	44.9	66.7	95.7	142.0	219.7	386.2
1987.....	7.2	12.2	17.8	28.6	42.1	65.4	97.3	140.0	216.3	355.8
1986.....	18.6	20.7	22.0	30.1	42.9	63.0	95.7	138.2	208.2	360.1
1985.....	13.6	15.2	19.1	28.2	42.2	60.7	96.2	142.4	217.5	355.5
1984.....	9.7	12.6	17.9	25.0	39.1	61.6	93.1	143.4	210.6	346.5
1983.....	8.1	11.2	16.1	27.9	40.2	61.4	96.0	142.0	205.2	336.7
1982.....	7.0	10.6	16.2	26.2	39.0	61.0	93.1	140.7	207.3	316.9
1981.....	6.7	10.6	16.7	25.5	39.4	61.2	94.0	140.0	199.5	331.4
1980.....	6.7	10.1	16.7	26.9	40.9	64.9	96.8	146.1	216.6	340.0
1979.....	7.2	10.3	16.5	26.0	42.0	62.5	94.1	138.0	210.1	306.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)										
TOTAL, FEMALE										
1998.....	6.3	10.4	18.6	32.2	52.6	79.2	119.9	172.6	264.4	499.5
1997.....	6.1	11.1	18.4	33.9	54.8	78.2	117.5	169.2	259.0	489.4
1996.....	6.5	10.3	19.4	32.9	54.6	81.7	119.0	170.2	247.3	471.8
1995.....	6.3	10.4	18.7	33.0	53.2	79.9	119.6	164.7	247.5	459.7
1994.....	6.4	10.1	18.1	31.3	51.8	77.7	115.7	159.8	243.4	445.6
1993.....	6.1	10.9	17.4	31.1	48.8	75.0	110.4	155.0	233.8	434.9
1992.....	5.9	9.6	17.0	30.8	46.7	71.5	105.1	147.7	220.0	410.1
1991.....	5.4	9.4	18.0	30.1	46.8	72.3	102.5	145.5	215.3	408.6
1990.....	5.7	10.1	16.2	27.7	47.9	71.2	101.5	145.8	225.8	409.5
1989.....	5.7	9.9	16.2	28.5	46.6	70.8	103.8	150.2	224.5	406.7
1988.....	5.2	8.5	16.7	25.9	41.3	61.6	90.8	132.0	198.6	376.1
1987.....	4.9	8.0	14.8	22.4	39.8	57.5	88.7	129.2	196.1	358.5
1986.....	5.7	8.6	15.4	23.2	39.6	57.8	87.9	127.5	197.7	358.1
1985.....	5.2	8.1	13.2	23.4	39.8	58.5	87.7	133.9	206.0	354.2
1984.....	5.0	7.6	13.4	21.7	38.9	55.9	89.1	129.4	199.8	347.0
1983.....	5.5	8.6	14.3	24.2	39.9	59.6	91.7	136.1	209.5	335.7
1982.....	5.0	8.2	13.8	23.3	38.2	57.0	88.1	129.7	203.9	325.1
1981.....	5.6	8.3	14.1	23.5	38.7	61.6	90.1	135.0	202.1	328.5
1980.....	5.7	9.5	15.2	24.7	41.1	63.3	96.8	139.1	204.7	333.8
1979.....	5.2	8.7	13.7	23.6	38.8	57.5	92.4	135.8	203.9	310.5
WHITE, BOTH SEXES										
1998.....	6.8	11.3	18.7	31.4	52.4	79.2	117.3	171.5	260.8	478.9
1997.....	6.7	11.4	18.5	31.7	50.1	76.7	117.1	167.5	254.9	470.8
1996.....	7.1	11.1	19.2	31.7	52.4	78.4	114.2	167.7	244.9	457.8
1995.....	7.1	11.2	18.8	31.6	49.1	75.8	112.0	162.2	240.4	443.9
1994.....	7.3	10.7	17.9	29.0	49.2	74.2	109.8	154.7	237.1	432.0
1993.....	6.6	10.8	17.4	29.2	45.2	70.9	105.9	153.1	228.0	424.3
1992.....	6.7	10.7	16.7	28.2	42.7	66.5	100.3	143.4	213.1	398.4
1991.....	6.3	10.1	16.7	28.3	42.6	67.3	99.2	142.4	214.8	390.8
1990.....	6.3	9.7	15.1	25.6	43.2	66.4	95.7	145.2	216.4	395.6
1989.....	6.4	10.2	15.6	26.3	41.2	64.4	98.2	143.2	217.3	390.5
1988.....	5.7	8.8	14.8	23.0	36.9	56.2	83.9	125.1	194.8	366.6
1987.....	5.2	8.3	13.6	21.8	35.0	53.8	84.2	123.4	188.9	346.8
1986.....	10.3	12.1	15.3	22.4	35.4	53.9	82.8	122.3	188.6	345.6
1985.....	7.9	9.5	13.5	22.1	35.6	52.7	83.6	126.8	198.4	345.9
1984.....	6.3	8.6	13.0	19.7	33.5	52.0	82.5	125.8	193.3	341.7
1983.....	5.8	8.1	12.8	21.7	34.8	54.7	85.6	129.6	196.5	330.0
1982.....	5.3	7.8	12.8	21.4	33.7	53.3	83.7	126.6	195.1	316.6
1981.....	5.2	8.0	12.9	20.9	34.1	55.0	84.1	129.1	192.6	322.3
1980.....	5.1	8.2	13.5	21.7	36.0	56.9	89.2	133.2	199.8	328.8
1979.....	5.1	7.7	12.4	21.0	35.6	53.4	85.2	128.3	201.2	301.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

## WHITE MALE

1998.....	8.5	14.0	21.9	37.0	60.9	92.1	133.1	191.4	287.3	470.6
1997.....	8.2	13.5	22.1	35.7	55.3	87.1	135.0	187.4	275.8	473.1
1996.....	8.8	14.0	22.9	36.9	60.3	87.8	127.6	184.5	272.4	463.8
1995.....	8.9	13.8	22.1	36.8	54.6	82.7	121.0	179.2	261.1	442.8
1994.....	9.5	13.3	21.2	32.9	54.7	81.8	119.0	168.3	256.3	443.9
1993.....	8.3	12.7	21.2	33.6	50.1	78.7	116.3	169.1	249.1	435.4
1992.....	8.7	13.3	19.8	31.5	47.2	73.0	108.4	155.7	229.0	412.8
1991.....	8.2	12.2	19.8	32.1	46.4	73.7	109.6	158.0	238.8	395.0
1990.....	7.8	11.2	17.9	28.7	46.5	72.7	103.7	163.5	228.5	401.1
1989.....	8.1	12.5	18.0	29.4	43.8	68.3	105.1	155.3	231.2	391.1
1988.....	7.1	10.9	16.2	24.6	39.6	60.5	88.7	133.3	211.2	379.2
1987.....	6.3	10.1	15.4	25.4	37.7	59.7	92.0	132.8	207.1	347.2
1986.....	16.4	17.8	18.6	26.6	38.0	58.4	89.0	129.6	197.4	352.4
1985.....	11.6	12.9	16.7	25.3	37.8	55.8	90.7	133.8	208.3	352.0
1984.....	8.6	11.1	15.4	22.4	34.4	56.1	88.0	136.0	202.9	345.6
1983.....	7.1	9.4	14.3	24.2	35.8	57.6	89.6	134.2	196.0	338.6
1982.....	6.2	9.1	14.6	23.9	36.2	57.4	88.5	135.2	198.6	312.9
1981.....	5.7	9.2	14.6	22.9	36.1	56.8	88.7	134.1	195.3	330.1
1980.....	5.6	8.6	14.8	23.3	37.6	60.0	91.6	139.3	210.3	336.8
1979.....	5.9	8.7	14.2	23.1	39.0	58.1	88.6	130.9	206.9	298.4

## WHITE FEMALE

1998.....	5.2	8.5	15.6	26.1	44.6	68.0	104.9	157.2	245.0	482.3
1997.....	5.1	9.3	15.0	28.0	45.3	67.9	103.1	153.4	242.6	470.0
1996.....	5.3	8.3	15.6	26.8	45.1	70.5	103.7	155.9	228.9	455.4
1995.....	5.3	8.5	15.6	26.8	44.1	69.9	105.0	150.4	228.8	444.3
1994.....	5.2	8.1	14.7	25.3	44.2	67.9	102.6	145.4	226.4	427.5
1993.....	5.0	8.8	13.8	25.2	40.8	64.5	97.9	142.2	216.5	420.0
1992.....	4.7	8.1	13.6	25.1	38.6	61.2	94.0	135.2	204.5	392.9
1991.....	4.5	8.0	13.8	24.7	39.2	62.0	91.2	132.2	202.0	389.4
1990.....	4.8	8.2	12.5	22.7	40.3	61.1	89.7	133.4	210.0	393.5
1989.....	4.8	8.1	13.2	23.4	38.9	61.3	93.2	135.4	210.0	390.5
1988.....	4.3	6.8	13.3	21.4	34.6	52.8	80.4	119.8	186.2	361.8
1987.....	4.1	6.5	11.9	18.5	32.6	48.9	78.4	117.5	179.4	346.7
1986.....	4.4	6.6	12.0	18.5	33.2	50.2	78.2	117.7	184.0	343.0
1985.....	4.3	6.3	10.4	19.0	33.6	50.3	78.4	122.5	193.2	343.5
1984.....	4.0	6.1	10.7	17.4	32.7	48.7	78.5	119.4	188.3	340.2
1983.....	4.6	6.9	11.3	19.4	33.9	52.3	82.7	126.7	196.7	326.6
1982.....	4.4	6.5	11.1	19.2	31.6	50.0	80.2	121.2	193.3	318.1
1981.....	4.7	6.9	11.3	19.1	32.4	53.6	80.8	126.0	191.2	319.0
1980.....	4.7	7.7	12.2	20.3	34.5	54.4	87.5	129.4	194.3	325.3
1979.....	4.3	6.7	10.7	19.2	32.7	49.7	82.7	126.6	198.2	302.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

## 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

## ALL OTHER, BOTH SEXES

1998.....	14.3	23.3	40.2	71.7	104.4	150.3	231.8	293.3	437.1	633.3
1997.....	13.6	24.5	43.3	68.7	110.5	147.5	230.6	300.6	416.8	650.4
1996.....	15.1	24.9	44.1	68.0	109.6	148.4	234.9	290.4	416.3	604.8
1995.....	14.2	24.8	43.7	70.9	110.0	147.5	226.3	286.9	424.2	609.5
1994.....	15.1	23.2	41.8	67.3	102.6	143.5	220.8	285.1	409.3	609.4
1993.....	14.1	24.9	40.2	70.1	97.4	146.8	208.6	259.5	405.7	589.8
1992.....	13.4	23.3	40.2	64.2	100.5	140.3	191.9	254.0	372.2	571.5
1991.....	13.2	21.3	42.0	62.6	98.7	145.3	189.9	259.2	357.7	591.2
1990.....	12.6	24.2	39.7	61.0	99.0	141.5	197.4	255.7	374.6	567.1
1989.....	13.2	23.3	36.2	64.2	100.3	141.7	195.6	272.8	360.1	570.7
1988.....	13.3	20.3	37.6	55.2	90.4	128.7	175.1	238.1	324.1	509.7
1987.....	11.0	20.9	33.4	51.3	88.2	123.7	167.0	228.1	354.5	475.0
1986.....	22.6	29.2	40.5	57.2	87.7	114.6	168.1	220.6	337.7	500.4
1985.....	18.3	24.2	33.2	53.1	85.5	118.5	161.9	236.3	335.1	447.3
1984.....	13.7	19.4	33.4	50.7	86.1	115.1	167.7	221.3	316.1	403.2
1983.....	12.8	21.2	32.3	59.4	85.5	110.9	166.5	223.0	336.6	400.5
1982.....	10.2	19.5	30.6	51.2	81.5	107.4	151.4	204.8	317.9	392.5
1981.....	12.3	18.9	33.7	53.7	83.1	117.5	164.0	213.4	300.8	411.6
1980.....	13.1	21.0	34.9	59.8	86.9	127.3	169.8	226.4	315.0	415.3
1979.....	13.6	21.8	36.0	56.1	83.5	115.0	171.0	218.0	263.4	398.9

## ALL OTHER MALE

1998.....	17.7	27.6	46.1	77.8	110.9	152.2	228.3	275.5	400.8	558.0
1997.....	16.6	29.4	49.1	70.8	111.3	150.8	231.2	289.1	405.2	580.4
1996.....	18.5	29.8	47.7	68.8	108.5	137.1	224.3	280.0	386.7	536.4
1995.....	17.4	29.8	52.3	73.7	111.4	146.5	206.6	274.3	396.7	580.6
1994.....	18.1	26.0	46.8	68.6	107.3	138.3	215.2	274.6	395.8	540.8
1993.....	17.2	27.8	42.4	74.8	94.7	140.1	199.1	238.2	392.4	578.6
1992.....	15.1	29.2	44.6	63.5	101.0	128.5	181.5	239.7	352.8	508.7
1991.....	16.9	25.4	41.6	61.7	99.3	138.1	176.0	243.0	358.9	519.8
1990.....	14.7	27.7	42.1	63.6	96.0	128.9	187.2	247.5	341.3	519.6
1989.....	16.0	26.6	38.8	68.0	98.1	134.4	192.7	248.6	323.1	525.9
1988.....	16.8	22.3	38.9	54.9	89.6	122.2	163.5	224.2	304.3	450.6
1987.....	13.1	25.8	34.4	54.1	80.5	117.4	147.9	207.9	308.9	436.4
1986.....	33.8	39.5	45.4	57.8	85.3	105.2	158.9	218.6	316.7	432.0
1985.....	27.1	30.6	35.8	51.5	80.9	105.8	148.0	222.8	308.6	387.7
1984.....	17.1	23.0	36.4	47.1	82.0	111.6	141.8	211.4	289.1	354.2
1983.....	15.2	23.6	30.1	58.7	80.3	96.0	156.0	213.2	300.0	314.3
1982.....	11.9	20.5	28.8	46.1	65.1	94.4	136.0	190.6	297.9	355.2
1981.....	13.9	20.7	34.1	48.0	70.6	101.5	143.5	194.6	244.0	343.8
1980.....	14.4	20.7	32.3	58.5	72.2	109.7	146.1	209.3	284.3	371.9
1979.....	16.6	22.4	35.4	51.5	70.9	102.3	145.8	201.6	244.2	386.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

ALL OTHER FEMALE										
1998.....	11.2	19.7	35.3	66.8	99.4	148.8	234.2	305.0	457.7	667.7
1997.....	10.9	20.3	38.4	67.0	109.8	145.1	230.1	308.1	423.3	682.1
1996.....	12.1	20.7	41.0	67.3	110.5	156.9	242.4	297.2	432.8	635.6
1995.....	11.4	20.5	36.5	68.5	108.9	148.3	240.0	294.9	439.4	622.0
1994.....	12.4	20.8	37.6	66.2	99.1	147.2	224.6	291.7	416.6	639.1
1993.....	11.5	22.4	38.3	66.2	99.4	151.9	215.3	272.8	413.1	594.7
1992.....	11.8	18.3	36.4	64.9	100.2	149.0	199.2	262.8	383.1	599.8
1991.....	10.0	17.9	42.4	63.2	98.3	150.6	199.8	269.2	355.5	620.6
1990.....	10.9	21.3	37.6	59.0	101.3	150.8	204.4	260.8	393.4	588.6
1989.....	10.9	20.4	34.0	61.0	102.1	147.0	197.6	287.9	381.1	591.4
1988.....	10.3	18.5	36.6	55.5	91.0	133.5	183.3	246.8	333.8	537.3
1987.....	9.2	16.7	32.7	49.1	94.1	128.4	180.0	241.1	380.6	493.3
1986.....	13.0	20.2	36.3	56.6	89.6	121.5	174.5	221.8	351.6	533.3
1985.....	10.7	18.8	31.0	54.5	89.1	128.1	171.5	245.2	350.6	479.3
1984.....	10.8	16.2	30.8	53.6	89.4	117.4	185.4	228.0	330.1	427.6
1983.....	10.7	19.2	34.2	60.1	89.4	122.2	174.4	229.6	358.2	443.9
1982.....	8.8	18.6	32.1	55.4	94.6	117.1	162.6	213.7	329.9	408.3
1981.....	10.9	17.4	33.4	58.4	93.1	129.6	178.6	226.2	335.3	446.0
1980.....	11.9	21.1	37.0	60.9	98.7	140.8	187.5	238.0	333.9	437.4
1979.....	11.0	21.4	36.4	59.9	93.8	125.0	190.2	229.5	277.4	408.8
BLACK, BOTH SEXES										
1998.....	18.4	29.7	48.3	87.5	124.6	176.0	272.0	335.3	495.1	706.5
1997.....	17.0	31.4	54.2	83.3	132.1	169.5	265.0	332.8	466.1	721.4
1996.....	19.0	31.2	55.3	81.7	132.6	171.3	273.8	329.9	473.6	669.6
1995.....	18.0	31.9	53.8	84.9	130.0	169.9	261.8	314.5	462.6	645.8
1994.....	19.5	29.5	51.0	81.3	122.0	165.4	255.5	321.6	442.0	652.4
1993.....	18.2	32.0	49.8	83.9	113.6	171.2	243.4	288.6	443.6	618.6
1992.....	17.2	30.2	49.9	75.1	118.0	161.6	218.5	283.3	402.7	617.4
1991.....	17.0	27.3	51.7	76.6	115.6	167.5	217.8	288.8	386.5	644.8
1990.....	16.0	30.4	48.6	73.2	112.8	161.5	222.4	282.9	403.4	596.9
1989.....	17.3	28.8	42.7	74.5	116.6	163.1	218.7	300.6	375.5	611.4
1988.....	17.3	24.0	45.0	65.0	103.0	145.4	195.4	259.4	347.1	536.9
1987.....	13.6	25.8	40.1	57.6	101.6	139.4	184.0	247.8	385.6	499.0
1986.....	28.8	35.9	47.8	65.3	99.8	126.1	186.8	237.5	354.9	523.4
1985.....	23.1	29.4	38.7	58.9	95.5	130.2	177.8	256.4	360.8	470.3
1984.....	17.1	23.2	38.3	57.0	96.3	125.9	183.8	237.9	342.4	409.5
1983.....	15.2	25.4	37.5	66.4	96.0	122.0	179.0	235.9	367.8	414.7
1982.....	12.2	22.1	35.0	56.8	90.6	117.5	163.8	217.2	329.8	401.1
1981.....	14.5	21.6	38.1	58.8	90.8	127.1	175.7	227.6	318.2	425.0
1980.....	14.6	23.3	38.6	65.0	91.9	135.6	181.2	242.1	335.7	438.8
1979.....	15.3	24.4	39.7	60.8	90.5	121.4	182.0	224.5	263.7	406.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

## 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

## BLACK MALE

1998.....	22.8	34.6	55.5	94.0	131.2	173.5	265.3	310.4	469.4	621.0
1997.....	20.6	38.3	61.2	85.0	132.3	171.6	262.1	317.5	461.9	636.7
1996.....	23.0	37.5	60.0	82.8	126.7	155.2	259.1	320.1	452.8	597.5
1995.....	21.9	38.2	64.2	88.7	133.6	169.3	239.2	302.9	444.5	611.1
1994.....	23.2	32.5	58.5	84.0	129.6	156.2	252.0	306.7	435.5	578.7
1993.....	22.5	35.7	53.4	90.7	110.7	161.2	234.5	268.9	434.2	608.9
1992.....	19.7	38.5	55.0	75.4	117.4	145.8	207.6	272.2	389.9	552.6
1991.....	21.7	33.6	52.0	75.2	115.6	160.5	204.2	277.3	394.1	584.1
1990.....	18.6	34.4	51.5	75.9	109.3	148.1	208.3	274.2	373.2	559.8
1989.....	20.8	33.1	46.7	77.9	114.6	157.7	219.0	274.7	335.1	562.1
1988.....	21.6	26.2	46.9	64.2	102.6	139.5	181.2	248.6	329.8	473.8
1987.....	16.0	31.8	41.2	60.9	92.1	131.7	162.2	229.7	334.8	464.1
1986.....	44.1	49.8	54.2	66.0	97.3	112.5	174.2	236.6	328.9	450.8
1985.....	34.9	37.7	42.1	56.2	89.6	115.6	160.6	241.8	331.0	391.9
1984.....	21.8	28.2	41.4	52.1	90.2	121.1	154.7	228.7	317.9	354.1
1983.....	18.2	28.1	35.3	66.0	91.3	105.4	168.9	221.8	330.5	333.3
1982.....	14.2	23.8	32.8	51.6	71.0	104.2	149.2	201.9	298.8	370.7
1981.....	16.4	23.7	37.7	51.9	76.8	110.8	147.7	205.1	248.1	346.4
1980.....	15.5	22.4	35.7	63.9	77.7	117.6	156.0	228.8	307.9	392.4
1979.....	18.3	25.2	38.2	55.6	76.9	108.6	158.4	204.3	237.7	382.7

## BLACK FEMALE

1998.....	14.5	25.6	42.5	82.4	119.6	177.9	276.8	351.3	508.6	742.0
1997.....	13.8	25.7	48.4	81.9	132.0	167.8	267.1	342.4	468.3	756.4
1996.....	15.5	25.8	51.5	81.0	137.0	183.3	283.8	336.0	484.3	699.1
1995.....	14.7	26.7	45.3	81.9	127.3	170.4	277.0	321.7	471.9	660.0
1994.....	16.3	26.9	44.9	79.3	116.3	172.2	257.9	330.6	445.3	682.2
1993.....	14.5	28.9	46.9	78.5	115.7	178.6	249.5	300.2	448.4	622.6
1992.....	15.1	23.1	45.7	75.0	118.4	173.1	225.7	289.8	409.4	644.4
1991.....	13.0	22.0	51.5	77.6	115.6	172.5	226.8	295.5	382.7	670.6
1990.....	13.9	27.1	46.2	71.1	115.4	171.1	231.6	288.0	419.1	612.7
1989.....	14.2	25.3	39.4	71.7	118.1	166.9	219.1	315.9	396.8	636.6
1988.....	13.7	22.2	43.4	65.6	103.3	149.7	204.2	265.9	356.2	564.4
1987.....	11.6	20.8	39.3	55.1	108.8	145.0	197.9	258.8	412.9	514.6
1986.....	15.9	24.3	42.7	64.7	101.8	136.1	194.7	238.1	369.1	556.5
1985.....	13.2	22.5	35.9	61.1	100.0	140.9	189.2	265.6	377.2	506.8
1984.....	13.1	19.1	35.8	60.9	100.9	129.5	203.3	243.6	355.9	435.7
1983.....	12.7	23.1	39.2	66.8	99.8	134.3	186.4	244.0	389.0	454.0
1982.....	10.5	20.6	36.9	61.1	105.9	127.4	173.9	227.9	347.8	416.1
1981.....	13.0	19.8	38.5	64.5	101.8	139.5	195.3	242.2	359.1	460.2
1980.....	13.8	23.9	41.0	65.9	103.1	149.0	199.2	250.7	352.4	462.1
1979.....	12.8	23.8	40.9	65.1	101.3	131.0	199.0	237.3	279.8	418.3



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)										
TOTAL, BOTH SEXES										
1998.....	8.0	13.1	21.6	36.6	58.9	87.0	127.7	177.6	261.6	436.6
1997.....	7.7	13.3	21.7	36.5	57.6	84.3	126.8	174.9	254.7	431.2
1996.....	8.3	13.0	22.4	36.4	59.5	85.9	124.2	173.6	247.0	416.4
1995.....	8.2	13.0	22.1	36.6	56.4	83.2	121.1	168.6	242.6	404.6
1994.....	8.5	12.4	21.0	33.8	55.4	81.1	118.7	161.3	238.8	394.4
1993.....	7.7	12.6	20.3	34.4	51.3	78.2	113.8	157.2	229.0	385.6
1992.....	7.6	12.3	19.7	32.7	49.2	73.7	107.0	148.6	213.7	362.9
1991.....	7.3	11.5	20.1	32.4	48.8	74.9	105.8	147.7	213.7	360.0
1990.....	7.2	11.6	18.3	29.7	49.0	73.1	103.3	149.6	216.7	359.7
1989.....	7.3	11.9	18.2	30.6	47.4	71.3	105.2	149.5	214.9	354.6
1988.....	6.6	10.3	17.7	26.6	42.2	62.5	90.0	129.9	191.0	328.0
1987.....	5.9	10.0	16.0	25.0	40.3	59.8	89.4	127.2	188.2	307.8
1986.....	11.9	14.4	18.4	26.0	40.3	58.7	87.7	125.5	187.5	308.5
1985.....	9.2	11.4	15.7	25.1	40.2	57.9	88.3	131.1	193.9	303.9
1984.....	7.2	9.9	15.3	22.9	38.3	57.0	87.6	128.7	189.7	299.8
1983.....	6.7	9.7	14.9	25.6	39.2	59.0	90.2	132.1	192.6	288.4
1982.....	5.9	9.2	14.7	24.2	37.9	57.3	87.0	127.1	190.8	281.0
1981.....	6.0	9.3	15.1	24.0	38.2	59.7	88.6	131.2	188.2	287.3
1980.....	6.1	9.5	15.7	25.2	40.1	62.3	93.5	135.3	194.6	292.8
1979.....	6.0	9.2	14.6	24.2	39.2	58.3	89.9	130.0	192.7	271.6
TOTAL, MALE										
1998.....	9.9	15.9	24.9	41.9	66.4	97.8	140.6	193.2	283.7	433.7
1997.....	9.4	15.6	25.4	39.8	61.5	93.2	142.0	191.1	274.4	437.4
1996.....	10.2	16.0	25.9	40.6	65.6	92.0	134.5	187.2	270.2	421.0
1995.....	10.1	15.9	25.9	41.0	60.7	88.8	126.7	182.8	258.2	405.9
1994.....	10.7	14.8	24.4	36.9	60.1	86.6	125.5	171.9	254.5	403.7
1993.....	9.5	14.6	23.7	38.3	54.7	83.2	121.3	168.9	245.5	396.4
1992.....	9.5	15.2	22.8	35.1	52.7	77.4	112.8	157.7	225.7	375.2
1991.....	9.3	13.7	22.5	35.3	51.7	79.4	113.1	159.4	234.1	358.8
1990.....	8.7	13.2	20.8	32.5	51.1	76.9	108.8	164.4	223.3	359.7
1989.....	9.0	14.1	20.6	33.4	49.0	73.5	110.5	157.7	223.4	351.3
1988.....	8.3	12.3	18.8	27.7	44.1	65.0	92.4	135.9	202.0	336.2
1987.....	7.1	12.1	17.5	28.1	41.4	63.7	94.3	132.4	198.9	304.0
1986.....	18.4	20.5	21.8	29.6	42.0	61.3	91.5	130.9	192.0	309.5
1985.....	13.5	15.0	18.8	27.6	41.3	59.0	92.6	135.6	199.3	303.5
1984.....	9.6	12.6	17.6	24.5	38.3	59.7	89.3	136.8	196.2	299.3
1983.....	8.0	11.0	15.9	27.5	39.1	59.6	91.5	134.3	188.7	285.7
1982.....	6.8	10.4	15.9	25.7	38.2	59.3	89.0	132.4	190.2	272.5
1981.....	6.6	10.4	16.4	25.0	38.5	59.1	90.6	132.9	184.2	287.4
1980.....	6.6	9.8	16.4	26.4	40.0	62.6	93.0	138.3	201.3	294.2
1979.....	7.0	10.1	16.0	25.6	40.8	60.6	91.0	130.1	193.8	265.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)										
TOTAL, FEMALE										
1998.....	6.2	10.3	18.4	31.8	52.1	77.9	117.7	166.5	248.5	437.8
1997.....	6.0	11.0	18.2	33.4	54.1	76.8	115.1	163.5	243.1	428.7
1996.....	6.4	10.1	19.2	32.5	54.1	80.8	116.3	164.1	233.7	414.6
1995.....	6.3	10.3	18.5	32.6	52.6	78.6	116.9	158.8	233.8	404.1
1994.....	6.3	10.0	17.9	30.9	51.3	76.6	113.5	154.1	230.2	390.8
1993.....	6.0	10.7	17.2	30.8	48.2	74.2	108.2	149.4	220.0	381.5
1992.....	5.8	9.4	16.8	30.4	46.1	70.6	102.7	142.5	207.3	358.2
1991.....	5.3	9.3	17.9	29.7	46.3	71.2	100.3	140.0	202.8	360.4
1990.....	5.6	10.0	16.0	27.2	47.1	69.9	99.2	140.1	213.2	359.7
1989.....	5.6	9.7	16.0	28.1	46.0	69.5	101.3	144.3	210.4	355.9
1988.....	5.1	8.4	16.6	25.6	40.6	60.5	88.3	126.0	185.2	324.9
1987.....	4.8	7.9	14.6	22.2	39.3	56.6	85.9	123.9	182.6	309.3
1986.....	5.5	8.5	15.2	22.9	38.9	56.7	85.0	122.2	185.1	308.0
1985.....	5.1	8.0	12.8	22.9	39.3	57.1	85.2	128.3	191.0	304.0
1984.....	4.8	7.5	13.2	21.4	38.3	54.9	86.5	123.7	186.2	299.9
1983.....	5.4	8.5	14.1	23.8	39.2	58.5	89.2	130.7	194.6	289.6
1982.....	5.0	8.0	13.6	22.9	37.6	55.8	85.5	123.7	191.1	284.6
1981.....	5.4	8.2	13.9	23.0	37.9	60.2	87.2	130.1	190.3	287.1
1980.....	5.6	9.2	15.0	24.2	40.2	62.1	93.9	133.4	191.0	292.3
1979.....	5.0	8.4	13.4	22.9	37.9	56.4	89.1	130.0	192.1	274.3
WHITE, BOTH SEXES										
1998.....	6.8	11.1	18.5	31.0	51.7	77.9	115.2	165.4	246.6	423.0
1997.....	6.5	11.3	18.3	31.3	49.4	75.5	114.7	161.9	240.5	414.1
1996.....	7.0	11.0	19.0	31.4	51.8	77.4	111.6	161.7	232.2	402.4
1995.....	7.0	11.0	18.6	31.2	48.5	74.7	109.5	157.1	227.0	390.0
1994.....	7.3	10.6	17.7	28.6	48.5	73.0	107.3	149.2	224.0	379.2
1993.....	6.5	10.6	17.2	28.9	44.8	69.7	103.6	147.5	213.9	370.9
1992.....	6.6	10.5	16.4	27.9	42.2	65.5	98.0	138.6	200.7	349.1
1991.....	6.3	9.9	16.6	27.9	42.1	66.4	97.0	136.8	201.6	344.7
1990.....	6.3	9.6	15.0	25.3	42.6	65.2	93.7	139.4	203.9	346.0
1989.....	6.3	10.1	15.4	25.9	40.7	63.3	96.0	137.7	203.4	340.9
1988.....	5.6	8.7	14.6	22.7	36.3	55.1	81.5	119.3	180.6	317.4
1987.....	5.2	8.2	13.4	21.5	34.5	52.7	81.5	117.5	174.7	297.6
1986.....	10.2	12.0	15.1	22.0	34.7	52.7	79.6	117.0	175.7	296.2
1985.....	7.8	9.4	13.2	21.6	35.0	51.4	80.9	121.1	183.2	295.0
1984.....	6.2	8.5	12.8	19.4	32.9	50.7	79.7	120.5	180.1	294.7
1983.....	5.7	8.0	12.5	21.4	34.1	53.4	82.8	123.8	182.0	283.2
1982.....	5.2	7.7	12.6	21.0	33.1	52.0	80.9	120.4	181.7	276.2
1981.....	5.0	7.9	12.7	20.4	33.3	53.5	81.4	123.6	180.1	281.5
1980.....	5.0	8.0	13.2	21.3	35.1	55.4	86.1	127.3	186.3	286.6
1979.....	5.0	7.5	12.1	20.6	34.6	52.3	82.3	122.0	188.6	264.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)										
WHITE MALE										
1998.....	8.4	13.9	21.7	36.6	60.1	90.7	130.9	185.4	275.2	426.2
1997.....	8.1	13.4	21.9	35.3	54.7	85.9	132.4	181.9	263.8	427.9
1996.....	8.7	13.8	22.6	36.6	59.7	86.7	125.0	178.4	260.7	414.6
1995.....	8.8	13.6	22.0	36.4	53.9	81.7	118.4	174.5	247.8	393.6
1994.....	9.5	13.1	21.1	32.4	53.9	80.5	116.0	162.8	242.9	395.8
1993.....	8.2	12.7	21.0	33.2	49.7	76.8	113.6	163.4	233.2	382.8
1992.....	8.6	13.2	19.6	31.3	46.7	71.7	106.2	150.6	216.0	367.8
1991.....	8.1	11.9	19.6	31.7	46.0	72.9	107.1	151.9	224.4	352.1
1990.....	7.8	11.1	17.7	28.4	45.9	71.3	101.4	157.0	214.4	350.9
1989.....	8.0	12.3	17.8	29.0	43.3	67.2	102.5	149.6	216.1	340.7
1988.....	7.0	10.8	16.0	24.4	39.0	59.1	85.9	127.7	194.1	332.1
1987.....	6.3	10.0	15.2	25.0	37.0	58.2	89.4	125.9	190.5	297.4
1986.....	16.2	17.7	18.5	26.2	37.3	56.8	85.3	123.4	182.7	303.8
1985.....	11.5	12.7	16.6	24.8	37.1	54.2	87.7	127.4	191.2	299.3
1984.....	8.5	11.0	15.1	22.0	33.8	54.3	84.6	130.6	189.5	300.1
1983.....	7.0	9.2	14.1	23.9	34.9	56.1	86.0	127.7	180.9	288.7
1982.....	6.1	9.0	14.4	23.4	35.5	55.7	84.9	128.1	182.7	270.0
1981.....	5.6	9.0	14.4	22.5	35.3	54.9	85.7	127.7	180.1	287.1
1980.....	5.5	8.5	14.6	23.0	36.9	58.0	88.2	132.0	196.1	292.4
1979.....	5.8	8.5	13.9	22.8	37.9	56.7	85.9	123.4	192.2	258.5
WHITE FEMALE										
1998.....	5.1	8.4	15.3	25.7	44.1	66.9	102.7	151.1	229.6	421.6
1997.....	5.0	9.2	14.8	27.6	44.7	66.6	100.8	147.7	226.8	408.6
1996.....	5.3	8.1	15.4	26.4	44.6	69.5	101.1	149.9	215.6	397.6
1995.....	5.2	8.4	15.4	26.4	43.5	68.7	102.5	145.1	215.3	388.7
1994.....	5.1	8.0	14.5	25.0	43.6	66.8	100.5	139.9	213.6	372.9
1993.....	4.9	8.6	13.6	24.8	40.3	63.9	95.8	136.8	203.4	366.4
1992.....	4.6	8.0	13.4	24.7	38.1	60.4	91.8	130.6	192.5	341.9
1991.....	4.5	7.8	13.7	24.3	38.7	61.1	89.3	126.8	189.4	342.1
1990.....	4.7	8.1	12.4	22.3	39.6	60.1	87.9	128.1	198.4	344.2
1989.....	4.7	7.9	13.1	23.1	38.4	60.1	91.1	130.0	196.8	341.2
1988.....	4.2	6.7	13.3	21.2	34.0	51.7	78.2	114.0	173.5	311.7
1987.....	4.1	6.4	11.7	18.2	32.2	48.1	75.7	112.2	166.5	297.7
1986.....	4.3	6.5	11.8	18.2	32.4	49.3	75.4	112.9	172.0	293.2
1985.....	4.3	6.2	10.0	18.6	33.2	49.1	76.0	117.1	179.0	293.4
1984.....	3.9	6.0	10.5	17.0	32.2	47.8	76.3	114.2	175.2	292.6
1983.....	4.5	6.8	11.0	19.1	33.3	51.2	80.5	121.4	182.5	281.1
1982.....	4.4	6.4	10.9	18.8	31.1	49.0	77.9	115.6	181.3	278.7
1981.....	4.5	6.8	11.2	18.6	31.6	52.3	78.2	121.1	180.1	279.1
1980.....	4.5	7.4	12.0	19.9	33.6	53.3	84.6	124.3	181.1	284.1
1979.....	4.2	6.5	10.4	18.6	31.8	48.9	79.8	121.1	186.8	266.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)										
ALL OTHER, BOTH SEXES										
1998.....	14.0	23.1	40.1	71.3	103.5	147.9	228.0	285.6	412.9	565.7
1997.....	13.3	24.1	42.8	68.0	109.1	144.8	226.2	293.6	398.5	595.3
1996.....	15.0	24.7	43.5	67.0	108.9	145.8	230.9	282.9	398.6	550.7
1995.....	14.0	24.5	43.1	70.0	108.7	145.2	222.3	276.3	403.0	553.2
1994.....	14.7	22.9	41.3	66.6	101.6	141.5	217.8	276.5	389.7	550.9
1993.....	14.0	24.6	39.7	69.4	95.9	143.7	203.8	249.9	384.0	537.4
1992.....	13.2	22.8	39.6	63.2	99.2	137.8	186.6	242.7	348.6	508.6
1991.....	13.2	21.2	41.8	61.8	97.7	142.8	184.0	250.8	339.2	520.4
1990.....	12.5	23.6	39.1	59.6	97.3	138.7	191.3	245.6	349.2	504.5
1989.....	13.1	23.1	36.0	62.9	98.9	138.8	190.2	261.0	335.4	500.0
1988.....	12.9	20.0	37.2	54.0	88.5	125.8	168.8	229.4	301.9	441.5
1987.....	10.8	20.9	32.6	50.5	86.7	121.3	161.6	218.7	332.1	417.9
1986.....	22.3	28.7	40.1	55.9	86.6	111.4	162.2	207.3	314.1	442.0
1985.....	18.0	23.7	32.8	52.1	84.0	115.1	155.8	227.1	309.5	398.7
1984.....	13.4	19.3	33.0	49.8	83.8	112.4	160.8	207.7	295.2	354.8
1983.....	12.6	20.8	31.9	58.6	83.3	108.2	158.5	212.0	311.1	344.5
1982.....	10.0	19.1	30.1	50.1	79.9	104.3	144.3	192.2	294.0	337.2
1981.....	12.0	18.6	32.8	52.9	81.5	114.6	157.4	204.8	281.3	353.7
1980.....	12.7	20.4	34.3	58.4	84.8	123.9	164.5	214.4	292.8	364.5
1979.....	13.0	21.2	35.0	54.7	82.0	110.8	164.2	207.7	240.6	354.0
ALL OTHER MALE										
1998.....	17.3	27.3	45.8	77.1	109.8	149.1	223.6	265.2	372.4	499.6
1997.....	16.2	28.9	48.8	69.7	109.1	147.2	225.6	279.7	384.5	520.9
1996.....	18.4	29.5	47.2	67.1	107.5	132.7	219.6	271.4	368.3	476.6
1995.....	17.1	29.6	51.5	72.1	109.5	143.7	203.2	265.1	368.1	521.6
1994.....	17.6	25.5	46.2	67.9	105.5	135.6	212.8	263.4	373.4	478.3
1993.....	17.1	27.3	41.7	73.7	92.7	135.8	192.5	224.2	370.1	522.9
1992.....	14.8	28.8	43.6	61.6	99.4	124.9	174.7	227.8	323.2	443.8
1991.....	16.9	25.1	41.3	60.7	97.4	134.5	168.9	233.0	330.2	420.9
1990.....	14.5	26.6	41.4	62.4	93.9	126.3	180.6	235.4	311.4	442.3
1989.....	15.7	26.2	38.8	66.2	96.1	129.8	187.3	235.1	295.9	449.4
1988.....	16.2	21.8	38.0	53.0	87.1	117.9	155.5	214.2	280.3	373.4
1987.....	12.7	25.8	33.0	52.4	78.6	113.5	140.7	193.5	283.9	366.2
1986.....	33.5	38.8	44.7	56.4	83.4	101.9	150.3	201.0	286.1	362.7
1985.....	26.9	29.7	35.2	49.9	78.8	102.7	138.7	211.7	279.0	343.8
1984.....	16.8	22.9	35.9	45.7	79.0	109.2	133.7	194.1	264.4	291.7
1983.....	15.0	23.0	29.4	57.5	77.0	92.2	144.0	195.4	270.1	252.9
1982.....	11.5	20.2	28.0	45.2	63.4	91.4	127.3	171.4	269.1	297.0
1981.....	13.7	20.3	32.6	47.2	68.4	97.7	136.0	181.2	226.4	290.6
1980.....	13.8	19.6	31.3	56.6	68.9	104.3	138.8	197.0	256.8	312.7
1979.....	16.0	21.7	33.7	50.5	69.0	96.4	139.0	189.6	211.6	337.3

RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)										
ALL OTHER FEMALE										
1998.....	11.1	19.6	35.3	66.5	98.6	147.0	231.1	299.1	435.9	596.0
1997.....	10.8	20.0	37.7	66.6	109.0	143.1	226.5	302.7	406.4	629.0
1996.....	11.9	20.5	40.4	66.8	110.0	155.6	238.7	290.3	415.6	584.1
1995.....	11.3	20.2	36.1	68.3	108.1	146.2	235.7	283.4	422.1	566.9
1994.....	12.3	20.6	37.2	65.5	98.5	145.9	221.2	284.7	398.7	582.3
1993.....	11.3	22.3	38.1	65.8	98.3	149.6	211.7	265.9	391.7	543.7
1992.....	11.7	17.7	36.2	64.6	99.1	147.3	194.8	252.0	363.0	537.7
1991.....	10.0	17.8	42.2	62.7	97.9	148.9	194.7	261.9	342.8	563.0
1990.....	10.7	21.0	37.2	57.4	99.9	147.8	198.6	252.0	370.6	532.8
1989.....	10.8	20.4	33.6	60.2	101.1	145.4	192.2	277.2	358.0	523.4
1988.....	10.0	18.4	36.4	54.6	89.6	131.6	178.2	239.0	312.7	473.4
1987.....	9.1	16.6	32.2	48.9	92.9	127.0	175.8	234.8	359.7	442.3
1986.....	12.7	20.0	36.2	55.5	89.2	118.5	170.4	211.4	331.9	480.1
1985.....	10.3	18.5	30.7	53.8	88.2	124.4	167.6	237.3	327.2	428.0
1984.....	10.5	16.2	30.6	53.1	87.7	114.7	179.3	216.8	311.6	386.2
1983.....	10.6	19.0	34.0	59.5	88.1	120.3	169.1	223.1	335.2	390.6
1982.....	8.7	18.1	31.9	54.2	93.1	114.1	156.6	205.6	308.9	354.9
1981.....	10.6	17.1	32.9	57.7	91.9	127.5	172.6	220.7	314.7	385.7
1980.....	11.8	21.0	36.7	59.9	97.6	139.0	183.7	226.2	314.9	391.1
1979.....	10.4	20.7	36.1	58.2	92.5	122.2	183.3	220.5	260.6	365.8
BLACK, BOTH SEXES										
1998.....	18.0	29.5	48.1	86.8	123.4	172.9	267.4	326.1	466.4	633.6
1997.....	16.7	31.0	53.7	82.4	130.2	166.1	259.8	324.1	446.1	660.5
1996.....	18.9	30.9	54.8	80.5	131.8	168.1	269.1	320.2	453.9	613.0
1995.....	17.8	31.5	53.0	83.8	128.4	167.0	256.9	302.6	439.1	589.3
1994.....	19.1	29.1	50.4	80.5	120.6	163.1	251.7	311.2	419.2	590.7
1993.....	18.0	31.6	49.3	83.0	111.7	167.4	237.4	277.8	419.0	564.9
1992.....	17.0	29.5	49.2	73.8	116.3	158.6	212.6	270.4	378.5	551.2
1991.....	17.0	27.1	51.4	75.6	114.4	164.4	211.5	279.3	366.0	570.7
1990.....	15.8	29.5	47.9	71.5	110.7	158.1	215.3	271.3	376.4	530.9
1989.....	17.0	28.6	42.4	73.0	114.8	159.6	212.3	287.3	348.9	535.5
1988.....	16.8	23.7	44.5	63.3	100.6	142.1	188.4	250.1	323.9	464.5
1987.....	13.3	25.8	39.1	56.8	100.0	136.6	178.0	237.7	359.7	438.5
1986.....	28.3	35.3	47.3	63.8	98.4	122.4	180.4	223.0	329.4	464.7
1985.....	22.7	28.7	38.3	57.7	93.7	126.2	171.4	246.7	335.1	419.5
1984.....	16.7	23.2	37.9	55.9	93.6	122.9	176.3	223.6	319.1	362.1
1983.....	15.0	24.9	37.0	65.4	93.4	118.9	170.6	223.9	339.2	361.4
1982.....	11.9	21.6	34.4	55.6	88.7	114.1	155.7	203.1	306.4	348.3
1981.....	14.2	21.2	37.0	57.9	88.9	124.2	168.5	218.7	297.6	370.2
1980.....	14.2	22.6	37.9	63.4	89.6	131.9	175.6	229.4	314.2	384.8
1979.....	14.6	23.6	38.7	59.4	88.8	117.1	174.4	213.9	240.8	359.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)										
BLACK MALE										
1998.....	22.3	34.2	55.1	93.1	129.6	169.2	259.2	297.9	435.6	556.5
1997.....	20.2	37.6	60.8	83.7	129.2	167.1	255.5	305.5	436.6	572.4
1996.....	23.0	37.2	59.4	80.4	125.8	149.7	253.5	308.7	430.7	533.9
1995.....	21.6	37.8	63.1	86.5	131.2	165.8	235.0	292.6	411.9	547.9
1994.....	22.5	31.9	57.6	82.9	127.2	153.1	248.7	293.4	407.4	511.9
1993.....	22.3	35.2	52.4	89.2	108.4	155.9	226.3	253.6	406.6	549.8
1992.....	19.3	38.0	53.8	72.8	115.3	141.8	200.3	257.5	358.7	480.9
1991.....	21.6	33.3	51.7	73.9	113.5	156.1	197.0	266.3	361.4	475.4
1990.....	18.3	32.9	50.5	74.3	106.7	144.7	200.0	260.2	339.6	478.3
1989.....	20.4	32.5	46.7	75.8	111.9	152.4	212.7	258.4	304.1	478.8
1988.....	20.9	25.6	45.9	61.8	99.5	134.7	171.6	236.7	303.2	387.7
1987.....	15.4	31.8	39.4	58.9	90.2	127.4	154.2	212.0	305.4	385.9
1986.....	43.6	48.8	53.2	64.3	94.9	108.7	164.9	216.3	293.3	381.0
1985.....	34.6	36.8	41.5	54.5	86.9	111.8	150.4	229.4	302.3	351.6
1984.....	21.3	28.0	40.8	50.4	86.8	118.1	145.7	210.8	290.5	291.8
1983.....	18.0	27.4	34.5	64.5	87.3	100.9	155.7	202.4	296.3	270.0
1982.....	13.7	23.4	31.8	50.5	69.0	100.6	139.3	179.5	273.8	315.5
1981.....	16.1	23.1	35.9	50.8	74.2	106.9	139.7	191.1	229.9	300.0
1980.....	14.8	21.2	34.6	61.8	73.8	111.6	147.9	215.1	281.2	330.1
1979.....	17.7	24.4	36.2	54.3	74.7	102.4	150.9	191.3	205.2	328.8
BLACK FEMALE										
1998.....	14.3	25.5	42.5	82.0	118.8	175.7	273.0	344.2	482.5	665.7
1997.....	13.6	25.4	48.0	81.5	131.0	165.4	262.8	335.8	451.0	697.0
1996.....	15.3	25.5	51.0	80.6	136.3	181.8	279.8	327.3	465.9	645.4
1995.....	14.6	26.3	44.8	81.6	126.3	167.9	271.7	308.7	452.9	606.1
1994.....	16.1	26.7	44.5	78.6	115.6	170.5	253.6	321.9	425.3	622.7
1993.....	14.3	28.6	46.7	78.1	114.3	175.9	244.9	292.2	425.4	571.0
1992.....	15.0	22.4	45.4	74.6	117.0	170.9	220.8	278.0	388.7	580.5
1991.....	13.0	21.9	51.2	77.0	115.1	170.4	221.1	287.0	368.4	611.0
1990.....	13.7	26.7	45.7	69.2	113.8	167.7	225.4	277.9	395.4	553.2
1989.....	14.1	25.3	39.0	70.9	117.0	164.9	212.6	304.3	372.4	563.4
1988.....	13.3	22.1	43.2	64.6	101.5	147.4	198.9	258.1	334.8	498.0
1987.....	11.5	20.7	38.8	55.1	107.5	143.3	193.1	253.3	388.9	461.8
1986.....	15.4	24.0	42.5	63.4	101.3	132.5	190.2	227.0	349.1	502.9
1985.....	12.7	22.0	35.7	60.2	98.9	136.8	185.2	257.5	353.2	451.1
1984.....	12.7	19.1	35.4	60.2	98.9	126.5	196.7	231.6	334.9	395.3
1983.....	12.5	22.8	39.0	66.2	98.3	132.1	181.1	236.7	363.4	405.6
1982.....	10.4	20.2	36.5	59.7	104.1	124.1	167.0	219.1	325.4	364.4
1981.....	12.5	19.5	37.9	63.6	100.4	137.3	188.6	236.5	337.1	401.8
1980.....	13.7	23.8	40.7	64.7	102.0	147.0	195.3	238.8	334.0	412.1
1979.....	12.1	23.0	40.6	63.5	100.0	128.1	191.4	228.4	262.9	374.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF THYROID GLAND (240-246)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.1	*	0.2	0.4	0.7	1.2	2.5	5.6	17.3
1997.....	*	0.1	0.2	0.3	0.3	0.6	1.2	2.6	5.4	17.0
1996.....	*	*	0.2	0.3	0.4	0.6	1.2	2.5	5.0	15.3
1995.....	0.1	*	0.2	0.2	0.4	0.6	1.2	2.3	5.1	15.0
1994.....	0.1	0.1	0.2	*	0.4	0.5	1.2	2.3	5.2	14.5
1993.....	0.1	*	0.2	0.2	0.3	0.6	1.3	2.5	4.4	13.5
1992.....	*	*	0.2	0.3	0.4	0.7	1.0	2.1	4.6	13.1
1991.....	*	*	*	*	0.5	0.6	1.3	2.2	4.7	11.4
1990.....	*	*	*	0.2	0.3	0.5	1.3	2.4	4.6	11.1
1989.....	*	*	0.2	0.3	0.4	0.6	1.1	2.1	4.1	10.4
1988.....	*	*	*	0.3	0.3	0.6	1.0	1.8	3.4	8.3
1987.....	*	*	*	0.3	0.3	0.6	1.2	1.8	3.7	7.7
1986.....	*	*	0.2	0.2	0.3	0.6	1.2	1.9	3.7	7.1
1985.....	*	*	*	0.3	0.3	0.8	1.3	2.1	4.1	6.7
1984.....	*	*	*	0.3	0.5	0.8	1.6	2.2	3.6	6.5
1983.....	*	*	0.2	0.3	0.5	0.8	1.2	2.3	3.8	7.1
1982.....	*	*	*	0.4	0.4	0.8	1.4	2.6	4.2	6.9
1981.....	*	*	0.2	0.3	0.6	0.8	1.4	2.6	4.5	6.4
1980.....	0.2	0.1	0.4	0.5	0.7	0.9	2.0	3.0	4.6	7.2
1979.....	0.1	0.2	0.2	0.4	0.7	1.0	2.0	2.9	4.3	6.6
TOTAL, MALE										
1998.....	*	*	*	*	*	0.6	0.9	1.2	3.1	8.6
1997.....	*	*	*	*	*	*	0.7	2.0	2.9	9.0
1996.....	*	*	*	*	*	*	0.9	1.7	2.2	10.4
1995.....	*	*	*	*	*	*	0.7	1.2	3.0	9.6
1994.....	*	*	*	*	*	*	0.6	1.7	3.5	9.3
1993.....	*	*	*	*	*	*	0.8	1.5	2.6	9.5
1992.....	*	*	*	*	*	0.4	0.6	0.9	2.5	8.9
1991.....	*	*	*	*	0.4	*	0.8	1.3	2.8	8.2
1990.....	*	*	*	*	*	*	0.8	1.8	2.4	8.6
1989.....	*	*	*	*	*	*	*	1.0	2.7	6.1
1988.....	*	*	*	*	*	*	0.6	1.1	2.2	6.0
1987.....	*	*	*	*	*	*	0.7	*	3.1	4.9
1986.....	*	*	*	*	*	*	*	1.5	1.8	4.2
1985.....	*	*	*	*	*	0.5	0.8	1.1	1.9	4.7
1984.....	*	*	*	*	*	*	0.9	1.4	2.1	3.7
1983.....	*	*	*	*	*	*	0.7	1.7	2.5	6.7
1982.....	*	*	*	*	*	0.6	0.7	1.6	2.2	4.7
1981.....	*	*	*	*	*	0.5	*	1.4	2.3	3.7
1980.....	0.1	0.1	0.2	0.3	0.4	0.4	1.0	1.6	2.0	4.3
1979.....	0.1	0.1	0.1	0.2	0.4	0.6	1.2	1.5	2.6	5.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF THYROID GLAND (240-246)										
TOTAL, FEMALE										
1998.....	*	*	*	0.4	0.6	0.8	1.4	3.5	7.0	21.0
1997.....	*	*	*	0.4	0.5	0.8	1.5	3.1	6.9	20.2
1996.....	*	*	*	0.4	0.5	0.8	1.5	3.1	6.6	17.2
1995.....	*	*	*	*	0.5	0.9	1.5	3.1	6.3	17.1
1994.....	*	0.2	0.3	*	0.5	0.7	1.7	2.7	6.1	16.6
1993.....	*	*	*	*	0.5	0.7	1.7	3.2	5.4	15.0
1992.....	*	*	*	0.4	0.5	0.9	1.4	3.0	5.8	14.7
1991.....	*	*	*	*	0.7	0.9	1.6	2.8	5.7	12.7
1990.....	*	*	*	*	*	0.7	1.7	2.9	5.7	12.1
1989.....	*	*	*	0.4	0.5	0.8	1.5	2.8	4.8	12.1
1988.....	*	*	*	0.4	0.4	0.8	1.2	2.3	4.0	9.2
1987.....	*	*	*	0.4	0.5	0.9	1.5	2.4	4.0	8.8
1986.....	*	*	*	*	0.4	0.8	1.7	2.2	4.7	8.3
1985.....	*	*	*	0.5	0.4	1.0	1.7	2.8	5.2	7.5
1984.....	*	*	*	0.5	0.6	1.2	2.0	2.7	4.4	7.6
1983.....	*	*	0.3	0.4	0.8	1.2	1.6	2.7	4.4	7.2
1982.....	*	*	*	0.4	0.6	0.9	1.9	3.3	5.3	7.8
1981.....	*	*	*	0.4	0.8	1.1	1.9	3.4	5.6	7.6
1980.....	0.3	0.1	0.5	0.7	0.9	1.3	2.7	3.8	6.1	8.5
1979.....	0.1	0.2	0.2	0.6	1.0	1.4	2.7	3.8	5.2	7.4
WHITE, BOTH SEXES										
1998.....	*	*	*	*	0.4	0.7	1.0	2.4	5.5	17.5
1997.....	*	*	*	0.3	0.3	0.6	1.1	2.6	5.3	17.5
1996.....	*	*	*	0.2	0.4	0.5	1.1	2.5	5.2	15.5
1995.....	*	*	0.2	*	0.4	0.6	1.1	2.2	5.3	15.4
1994.....	*	*	0.2	*	0.4	0.5	1.1	2.3	5.0	14.8
1993.....	*	*	*	*	0.3	0.5	1.2	2.5	4.3	13.5
1992.....	*	*	*	0.2	0.3	0.6	0.9	2.1	4.6	13.0
1991.....	*	*	*	*	0.5	0.6	1.2	2.1	4.5	11.8
1990.....	*	*	*	0.2	0.3	0.5	1.2	2.4	4.2	11.2
1989.....	*	*	*	0.3	0.3	0.6	1.0	1.9	4.0	10.3
1988.....	*	*	*	0.3	0.3	0.5	0.9	1.7	3.4	8.3
1987.....	*	*	*	0.2	0.3	0.6	1.0	1.8	3.6	7.7
1986.....	*	*	*	0.2	0.3	0.6	1.2	1.9	3.6	7.3
1985.....	*	*	*	0.2	0.3	0.7	1.3	2.0	4.0	6.7
1984.....	*	*	*	0.3	0.5	0.8	1.5	2.1	3.8	6.9
1983.....	*	*	*	0.2	0.5	0.8	1.2	2.3	3.7	7.0
1982.....	*	*	*	0.3	0.4	0.7	1.3	2.6	4.2	7.1
1981.....	*	*	*	0.3	0.6	0.8	1.4	2.5	4.4	6.5
1980.....	0.1	0.1	0.3	0.5	0.6	0.9	2.0	2.9	4.5	7.4
1979.....	0.0	0.1	0.1	0.4	0.7	1.0	1.9	2.8	4.3	6.7



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF THYROID GLAND (240-246)										
WHITE MALE										
1998.....	*	*	*	*	*	0.6	0.8	1.1	3.0	8.5
1997.....	*	*	*	*	*	*	0.6	2.0	2.9	8.7
1996.....	*	*	*	*	*	*	0.8	1.5	2.2	10.3
1995.....	*	*	*	*	*	*	0.6	1.1	3.2	9.6
1994.....	*	*	*	*	*	*	*	1.7	3.4	9.5
1993.....	*	*	*	*	*	*	0.8	1.4	2.4	9.5
1992.....	*	*	*	*	*	*	*	0.9	2.3	9.4
1991.....	*	*	*	*	*	*	0.7	1.2	2.3	8.3
1990.....	*	*	*	*	*	*	0.7	1.8	2.2	8.3
1989.....	*	*	*	*	*	*	*	0.9	2.4	5.7
1988.....	*	*	*	*	*	*	*	1.0	2.2	5.6
1987.....	*	*	*	*	*	*	0.7	*	3.2	4.7
1986.....	*	*	*	*	*	*	*	1.4	*	4.1
1985.....	*	*	*	*	*	*	0.8	*	*	4.7
1984.....	*	*	*	*	*	*	0.9	1.3	2.1	3.9
1983.....	*	*	*	*	*	*	*	1.7	2.3	6.5
1982.....	*	*	*	*	*	*	*	1.6	2.2	4.6
1981.....	*	*	*	*	*	*	*	1.3	2.2	3.8
1980.....	0.0	0.1	0.1	0.3	0.4	0.4	1.0	1.6	2.0	4.7
1979.....	0.0	0.0	0.1	0.2	0.4	0.5	1.1	1.6	2.5	4.7
WHITE FEMALE										
1998.....	*	*	*	*	0.6	0.7	1.2	3.2	7.0	21.1
1997.....	*	*	*	0.4	0.5	0.8	1.5	3.0	6.8	20.9
1996.....	*	*	*	*	0.5	0.8	1.3	3.2	6.8	17.5
1995.....	*	*	*	*	0.5	0.9	1.5	3.0	6.5	17.7
1994.....	*	*	*	*	0.5	0.7	1.6	2.7	5.9	16.8
1993.....	*	*	*	*	0.5	0.7	1.6	3.2	5.4	15.0
1992.....	*	*	*	*	0.4	0.8	1.2	3.0	5.9	14.4
1991.....	*	*	*	*	0.6	0.9	1.5	2.7	5.7	13.1
1990.....	*	*	*	*	*	0.7	1.6	2.7	5.3	12.3
1989.....	*	*	*	*	0.4	0.7	1.3	2.5	4.9	12.0
1988.....	*	*	*	0.4	*	0.8	1.1	2.1	4.0	9.3
1987.....	*	*	*	*	0.4	0.8	1.2	2.4	3.8	8.9
1986.....	*	*	*	*	0.5	0.7	1.7	2.2	4.5	8.5
1985.....	*	*	*	*	*	1.0	1.6	2.7	5.2	7.5
1984.....	*	*	*	0.4	0.6	1.1	1.9	2.7	4.6	8.0
1983.....	*	*	*	*	0.7	1.1	1.6	2.6	4.5	7.2
1982.....	*	*	*	*	0.5	0.9	1.8	3.2	5.3	8.1
1981.....	*	*	*	0.4	0.8	1.1	1.9	3.2	5.5	7.6
1980.....	0.2	0.1	0.5	0.6	0.8	1.3	2.7	3.7	5.9	8.5
1979.....	0.1	0.2	0.2	0.5	0.9	1.4	2.5	3.5	5.3	7.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF THYROID GLAND (240-246)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.1	4.1	6.1	16.2
1997.....	*	*	*	*	*	*	*	3.2	6.0	12.5
1996.....	*	*	*	*	*	*	2.1	*	*	13.5
1995.....	*	*	*	*	*	*	*	3.6	*	10.8
1994.....	*	*	*	*	*	*	*	*	6.9	12.2
1993.....	*	*	*	*	*	*	*	*	5.3	13.9
1992.....	*	*	*	*	*	*	*	*	*	13.4
1991.....	*	*	*	*	*	*	*	*	6.2	7.7
1990.....	*	*	*	*	*	*	*	*	7.9	10.4
1989.....	*	*	*	*	*	*	*	3.8	*	12.1
1988.....	*	*	*	*	*	*	*	*	*	8.5
1987.....	*	*	*	*	*	*	2.8	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.1	0.6	0.8	1.1	1.2	1.9	3.6	5.7	5.0
1979.....	0.4	0.4	0.3	0.8	0.7	1.0	2.9	4.1	4.5	5.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	-	0.7	0.2	0.7	0.5	1.5	2.2	1.1	-
1979.....	0.3	0.3	0.3	0.2	-	0.8	1.5	1.1	3.5	8.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF THYROID GLAND (240-246)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	5.9	7.4	19.5
1997.....	*	*	*	*	*	*	*	*	7.9	13.1
1996.....	*	*	*	*	*	*	*	*	*	14.7
1995.....	*	*	*	*	*	*	*	*	*	11.0
1994.....	*	*	*	*	*	*	*	*	8.4	14.2
1993.....	*	*	*	*	*	*	*	*	*	15.7
1992.....	*	*	*	*	*	*	*	*	*	17.4
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	9.6	*
1989.....	*	*	*	*	*	*	*	*	*	13.1
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.1	0.5	1.4	1.4	1.8	2.2	4.6	8.5	7.6
1979.....	0.5	0.5	0.3	1.4	1.3	1.2	4.0	6.2	5.1	4.4
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.7	4.5	7.6	18.9
1997.....	*	*	*	*	*	*	*	*	7.1	14.0
1996.....	*	*	*	*	*	*	*	*	*	15.4
1995.....	*	*	*	*	*	*	*	4.1	*	12.0
1994.....	*	*	*	*	*	*	*	*	7.6	14.4
1993.....	*	*	*	*	*	*	*	*	*	15.2
1992.....	*	*	*	*	*	*	*	*	*	15.2
1991.....	*	*	*	*	*	*	*	*	7.4	*
1990.....	*	*	*	*	*	*	*	*	8.7	10.3
1989.....	*	*	*	*	*	*	*	4.4	*	13.2
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	3.2	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.1	0.6	0.8	1.0	1.3	1.4	4.1	6.5	5.0
1979.....	0.4	0.5	0.4	0.9	0.7	1.0	2.6	4.5	4.5	5.8

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 DISORDERS OF THYROID GLAND (240-246)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	-	0.8	-	0.8	0.6	0.9	2.6	1.3	-
1979.....	0.2	0.4	0.4	0.2	-	0.9	1.8	1.2	2.6	9.6

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	6.2	*	22.7
1997.....	*	*	*	*	*	*	*	*	*	15.0
1996.....	*	*	*	*	*	*	*	*	*	16.3
1995.....	*	*	*	*	*	*	*	*	*	12.3
1994.....	*	*	*	*	*	*	*	*	*	16.5
1993.....	*	*	*	*	*	*	*	*	*	17.0
1992.....	*	*	*	*	*	*	*	*	*	19.1
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	15.0
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.2	0.5	1.4	1.2	1.8	1.8	5.1	9.6	7.5
1979.....	0.6	0.6	0.3	1.4	1.3	1.1	3.2	6.8	5.6	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DIABETES MELLITUS (250)										
TOTAL, BOTH SEXES										
1998.....	5.4	9.5	16.5	29.7	48.9	73.4	107.3	147.5	208.8	294.9
1997.....	5.2	9.6	16.9	29.9	48.3	71.2	107.1	144.7	201.8	294.1
1996.....	5.6	9.6	17.8	30.1	50.1	73.5	105.7	145.0	198.1	288.0
1995.....	5.4	9.4	17.3	30.3	48.1	71.5	103.4	141.1	195.1	278.0
1994.....	5.6	9.0	16.6	28.0	46.9	69.0	101.4	134.5	191.6	274.8
1993.....	5.1	8.8	16.0	28.4	43.4	66.2	96.9	131.4	184.0	269.4
1992.....	5.0	8.9	15.2	26.7	41.3	62.7	91.1	125.2	170.3	253.8
1991.....	4.8	8.4	15.9	26.5	40.2	64.2	89.7	123.2	172.0	253.8
1990.....	5.1	8.6	14.6	24.3	41.6	62.6	87.4	125.8	175.4	255.0
1989.....	4.9	8.8	14.3	24.9	40.3	60.7	90.1	125.0	173.3	251.7
1988.....	4.7	7.7	13.7	21.5	35.3	52.6	75.9	107.8	149.5	227.0
1987.....	4.1	7.3	12.6	20.6	33.9	50.9	75.9	105.5	149.4	216.7
1986.....	4.4	7.1	12.2	20.1	32.7	48.8	73.8	103.8	149.0	216.6
1985.....	4.4	6.7	11.2	19.4	33.3	49.2	74.0	109.9	155.4	218.1
1984.....	4.2	6.5	11.5	18.0	31.9	48.0	74.4	107.9	154.1	219.3
1983.....	4.3	7.0	11.6	20.8	33.1	50.1	77.0	111.5	159.3	211.6
1982.....	4.0	6.8	11.5	19.8	32.0	49.1	74.1	106.5	158.1	212.1
1981.....	4.4	6.9	12.1	19.7	32.3	50.9	75.9	111.1	155.9	218.0
1980.....	4.2	7.0	12.1	20.4	34.0	53.0	80.3	114.4	158.4	221.9
1979.....	4.4	6.7	11.1	19.8	32.8	49.7	76.6	110.8	162.3	211.6
TOTAL, MALE										
1998.....	6.7	11.5	18.6	33.7	54.5	81.7	118.5	161.6	232.1	317.1
1997.....	6.5	10.9	19.7	31.8	51.0	78.1	119.3	159.0	221.0	316.2
1996.....	6.7	11.7	20.3	33.1	54.4	78.1	114.6	157.7	219.2	304.1
1995.....	6.5	11.1	20.2	33.4	50.6	76.3	107.6	155.2	212.3	289.3
1994.....	6.9	10.4	18.8	30.1	49.9	73.1	106.6	144.0	204.4	293.5
1993.....	6.2	10.1	18.2	31.2	45.5	70.1	103.4	139.7	199.2	282.2
1992.....	5.8	10.8	17.0	28.5	43.5	65.0	95.0	133.1	182.0	268.7
1991.....	5.8	9.9	17.3	28.1	41.8	67.0	95.5	133.2	188.2	256.2
1990.....	6.2	9.6	16.4	26.3	42.9	64.9	91.7	137.9	181.1	253.4
1989.....	6.2	10.4	16.1	26.8	40.9	61.5	94.6	130.7	178.4	245.6
1988.....	5.7	9.3	14.3	22.1	36.2	53.9	76.7	111.8	155.8	233.5
1987.....	5.0	8.7	13.5	22.7	34.8	53.6	79.2	108.2	153.4	209.0
1986.....	5.1	8.5	12.3	21.5	32.7	49.7	76.3	105.8	151.5	210.5
1985.....	5.4	7.7	12.2	20.3	33.4	49.5	76.9	112.4	158.7	208.9
1984.....	5.1	7.9	13.0	18.9	31.8	49.3	74.2	112.6	159.9	215.9
1983.....	5.0	7.9	12.1	21.7	32.6	50.2	76.4	112.0	152.5	201.4
1982.....	4.8	7.7	12.3	20.7	31.9	50.2	75.1	110.0	155.4	193.4
1981.....	5.0	8.2	13.2	20.6	33.0	49.3	76.7	111.6	151.1	212.1
1980.....	4.6	7.2	12.6	21.2	34.0	52.2	79.9	115.4	160.0	217.3
1979.....	5.5	7.3	11.9	21.0	34.0	51.4	77.2	110.3	160.8	201.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DIABETES MELLITUS (250)										
TOTAL, FEMALE										
1998.....	4.0	7.5	14.6	26.0	43.8	66.4	98.6	137.5	195.0	285.7
1997.....	3.9	8.3	14.3	28.1	45.9	65.4	97.6	134.7	190.6	285.2
1996.....	4.6	7.7	15.4	27.3	46.3	69.7	98.9	136.1	185.9	281.6
1995.....	4.3	7.6	14.6	27.4	45.8	67.5	100.2	131.4	185.4	273.6
1994.....	4.2	7.6	14.5	26.1	44.1	65.7	97.4	128.1	184.4	267.6
1993.....	4.0	7.6	14.0	25.8	41.6	63.0	92.0	125.9	175.6	264.5
1992.....	4.1	7.2	13.5	25.1	39.3	60.8	88.1	120.0	163.9	248.0
1991.....	3.8	7.0	14.5	25.0	38.7	61.8	85.3	116.7	163.3	252.8
1990.....	4.0	7.7	12.8	22.6	40.4	60.8	84.2	118.0	172.4	255.7
1989.....	3.7	7.3	12.7	23.2	39.8	60.0	86.9	121.4	170.7	254.0
1988.....	3.6	6.1	13.2	20.9	34.4	51.6	75.2	105.3	146.1	224.4
1987.....	3.2	6.0	11.7	18.7	33.1	48.6	73.5	103.8	147.2	219.8
1986.....	3.7	5.8	12.1	18.8	32.6	48.1	72.1	102.5	147.7	219.0
1985.....	3.6	5.7	10.3	18.7	33.3	49.0	71.9	108.4	153.6	221.8
1984.....	3.4	5.2	10.1	17.2	32.1	47.0	74.5	105.0	151.0	220.6
1983.....	3.7	6.2	11.1	19.9	33.4	50.1	77.4	111.2	162.9	215.8
1982.....	3.2	6.0	10.8	18.9	32.0	48.2	73.4	104.3	159.6	219.9
1981.....	3.8	5.8	11.1	18.9	31.7	52.2	75.4	110.8	158.4	220.3
1980.....	3.7	6.8	11.6	19.6	33.9	53.7	80.5	113.7	157.6	223.9
1979.....	3.5	6.1	10.4	18.8	31.9	48.4	76.1	111.2	163.1	216.2
WHITE, BOTH SEXES										
1998.....	4.6	7.9	13.8	24.4	42.2	65.0	95.4	135.9	194.9	280.8
1997.....	4.4	8.0	13.9	24.9	40.4	62.5	95.8	132.6	188.4	277.3
1996.....	4.8	8.0	14.8	25.5	42.8	65.4	93.9	133.7	184.5	275.3
1995.....	4.8	7.8	14.4	25.2	40.5	63.4	92.4	130.3	181.2	264.0
1994.....	4.8	7.6	13.7	23.3	40.5	61.3	91.0	124.0	177.9	261.8
1993.....	4.3	7.3	13.4	23.4	37.4	58.2	87.2	122.6	170.8	257.4
1992.....	4.3	7.6	12.4	22.5	34.7	55.0	83.1	116.4	158.8	241.9
1991.....	4.0	7.2	12.7	22.4	34.2	56.4	82.0	113.8	161.9	242.3
1990.....	4.4	7.1	11.7	20.4	35.5	55.4	78.9	117.3	164.9	245.2
1989.....	4.4	7.3	11.9	20.7	34.2	53.2	82.4	115.0	163.6	242.7
1988.....	4.0	6.4	11.2	18.1	30.0	46.2	68.4	98.7	141.3	219.0
1987.....	3.6	5.9	10.4	17.5	28.7	44.7	69.1	98.0	139.0	210.6
1986.....	3.7	5.9	9.8	16.6	27.8	43.6	66.9	96.9	139.6	207.8
1985.....	3.9	5.2	9.2	16.4	28.8	43.3	67.6	101.4	147.0	213.7
1984.....	3.5	5.5	9.4	15.2	27.2	42.3	67.3	101.6	146.8	216.4
1983.....	3.7	5.8	9.6	17.2	28.5	45.5	70.8	105.1	150.9	209.0
1982.....	3.6	5.7	9.6	16.9	27.7	44.5	69.2	101.7	151.1	209.7
1981.....	3.7	5.8	10.1	16.7	28.2	45.2	69.8	105.0	150.0	214.7
1980.....	3.5	5.7	10.1	17.0	29.5	46.9	74.2	107.9	152.4	218.3
1979.....	3.6	5.4	8.8	16.8	28.9	44.3	70.2	105.2	160.2	207.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DIABETES MELLITUS (250)										
WHITE MALE										
1998.....	5.8	9.7	15.7	28.6	48.7	75.0	109.4	154.3	225.3	310.5
1997.....	5.5	9.1	16.5	27.5	44.2	70.8	110.4	150.8	211.4	308.7
1996.....	5.7	10.0	17.5	29.4	48.5	73.0	105.8	149.7	211.8	299.9
1995.....	5.8	9.5	16.9	28.9	44.3	69.7	99.9	147.6	204.2	279.6
1994.....	6.2	9.2	15.9	25.8	44.5	67.3	98.4	136.6	194.5	289.4
1993.....	5.5	8.6	15.8	26.5	40.7	64.0	96.1	135.4	189.8	273.4
1992.....	5.2	9.2	14.4	25.1	37.9	59.9	89.2	127.2	175.2	264.6
1991.....	4.9	8.6	14.6	24.7	36.7	61.0	90.7	127.4	180.5	253.5
1990.....	5.5	7.9	13.9	22.7	38.0	59.7	85.7	132.7	175.1	250.5
1989.....	5.6	8.8	13.7	22.8	35.8	55.6	88.3	124.8	173.1	242.1
1988.....	4.9	8.1	12.0	19.3	31.8	49.3	71.3	105.5	150.4	231.5
1987.....	4.4	7.0	11.5	20.0	30.9	48.9	75.1	104.5	148.3	208.5
1986.....	4.4	7.4	10.3	18.9	29.1	46.0	71.3	101.3	145.0	208.2
1985.....	4.6	6.2	10.5	18.1	29.9	45.5	73.0	106.3	153.7	208.1
1984.....	4.3	6.8	10.8	16.9	27.9	44.6	70.4	108.6	157.1	217.8
1983.....	4.3	6.4	10.6	18.7	29.1	47.6	72.5	107.8	147.8	204.1
1982.....	4.3	6.5	10.9	18.6	29.4	47.5	72.7	107.0	151.3	194.0
1981.....	4.2	7.0	11.4	18.5	30.7	45.9	73.1	107.7	149.5	213.8
1980.....	3.9	6.1	11.2	18.3	31.2	48.6	76.5	110.8	157.3	219.2
1979.....	4.5	6.0	10.1	18.5	31.5	48.0	73.7	106.4	161.5	199.5
WHITE FEMALE										
1998.....	3.4	6.1	11.8	20.4	36.3	56.4	84.4	122.7	176.7	268.6
1997.....	3.2	7.0	11.5	22.5	37.0	55.5	84.3	119.8	174.8	264.9
1996.....	3.8	6.1	12.1	21.8	37.6	58.9	84.7	122.5	168.8	265.7
1995.....	3.8	6.1	11.9	21.8	37.1	58.0	86.5	118.4	168.2	258.0
1994.....	3.4	6.1	11.7	20.9	36.9	56.4	85.3	115.4	168.7	251.3
1993.....	3.2	6.1	11.1	20.6	34.3	53.4	80.4	114.1	160.4	251.3
1992.....	3.4	6.0	10.5	20.0	31.8	51.0	78.4	109.2	150.0	233.3
1991.....	3.1	5.8	10.9	20.2	31.9	52.5	75.4	104.8	152.0	238.1
1990.....	3.4	6.3	9.7	18.3	33.3	51.9	73.8	107.4	159.5	243.2
1989.....	3.3	5.9	10.1	18.8	32.9	51.3	78.0	108.7	158.6	243.0
1988.....	3.0	4.8	10.4	17.0	28.5	43.6	66.3	94.4	136.6	214.2
1987.....	2.8	4.9	9.4	15.1	26.9	41.2	64.7	93.9	134.1	211.4
1986.....	3.0	4.4	9.3	14.5	26.7	41.6	63.6	94.2	136.8	207.6
1985.....	3.1	4.2	7.9	14.8	27.8	41.6	63.7	98.4	143.6	215.9
1984.....	2.6	4.3	8.0	13.7	26.6	40.3	65.0	97.3	141.5	215.8
1983.....	3.0	5.1	8.7	15.8	28.0	43.8	69.6	103.5	152.6	210.9
1982.....	2.8	4.8	8.3	15.4	26.2	42.0	66.7	98.4	151.0	216.2
1981.....	3.2	4.6	8.8	15.1	25.9	44.7	67.4	103.3	150.3	215.0
1980.....	3.0	5.3	9.0	15.9	28.0	45.5	72.5	106.2	149.8	217.9
1979.....	2.7	4.8	7.6	15.2	26.6	41.4	67.7	104.4	159.4	210.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DIABETES MELLITUS (250)										
ALL OTHER, BOTH SEXES										
1998.....	9.2	17.6	33.3	62.7	90.6	129.4	202.5	250.3	349.7	428.6
1997.....	9.2	17.9	35.4	60.0	98.1	131.2	199.7	255.1	338.3	454.2
1996.....	9.8	18.8	36.1	58.1	97.1	131.1	204.7	248.2	336.2	409.7
1995.....	8.6	18.2	35.6	61.5	98.0	130.5	199.2	242.4	338.3	419.9
1994.....	9.5	16.9	34.5	57.4	89.4	126.2	191.7	234.6	330.8	408.2
1993.....	9.1	17.8	32.5	59.7	85.0	127.5	181.7	215.6	319.5	393.9
1992.....	8.5	17.3	31.8	54.1	87.9	122.5	161.6	208.5	288.5	377.8
1991.....	9.1	16.1	35.2	53.3	83.9	126.8	158.6	212.7	275.9	374.8
1990.....	8.8	18.1	32.1	50.7	87.1	122.7	164.8	206.1	284.7	359.4
1989.....	7.9	17.9	29.8	53.5	87.0	123.0	160.9	219.6	275.4	346.9
1988.....	9.0	15.3	30.1	45.4	76.4	107.5	144.4	193.8	235.6	312.1
1987.....	7.1	15.9	26.3	43.5	74.8	104.6	138.0	176.8	260.4	282.9
1986.....	8.7	14.7	28.1	45.6	72.2	95.0	137.9	169.0	249.8	312.1
1985.....	8.2	15.7	24.9	42.7	71.7	100.4	133.1	191.3	245.3	265.2
1984.....	8.8	12.9	26.1	39.9	72.2	98.4	139.6	168.6	233.7	251.2
1983.....	8.6	15.0	25.7	49.2	72.4	91.1	134.5	172.7	253.1	239.7
1982.....	6.8	14.1	25.3	42.6	69.9	89.6	119.7	152.9	238.6	240.2
1981.....	9.1	14.7	27.2	44.0	69.5	101.0	134.2	170.7	223.2	255.3
1980.....	8.7	15.9	27.7	48.6	74.3	107.5	138.1	178.0	229.5	263.7
1979.....	10.1	16.4	29.5	46.1	69.8	97.3	138.6	166.1	187.5	258.0
ALL OTHER MALE										
1998.....	11.7	21.3	37.5	68.0	94.7	130.0	196.2	228.9	303.1	374.7
1997.....	11.4	21.5	40.6	60.2	98.1	133.0	197.3	237.6	320.4	382.0
1996.....	11.8	22.2	38.4	57.2	96.2	116.8	193.2	234.3	296.5	340.7
1995.....	10.4	21.1	42.2	63.6	96.6	127.7	178.6	230.7	297.3	380.0
1994.....	11.2	17.8	38.4	58.9	89.9	119.2	182.7	218.6	305.9	332.3
1993.....	10.6	20.0	34.3	63.7	81.4	119.6	171.1	183.3	294.5	364.6
1992.....	9.3	21.2	33.5	52.4	86.6	107.4	149.4	190.8	251.1	307.3
1991.....	11.5	19.0	34.9	51.9	82.3	118.4	141.1	190.4	264.3	281.4
1990.....	10.3	20.6	33.2	52.3	83.0	110.7	149.0	189.0	241.0	281.3
1989.....	10.2	20.9	32.0	56.5	83.1	113.7	154.4	186.9	230.6	277.8
1988.....	11.2	17.5	30.4	43.5	73.3	95.5	129.0	171.7	209.4	251.9
1987.....	8.9	20.2	27.1	43.7	68.1	97.4	118.2	143.3	205.4	214.3
1986.....	10.2	15.5	26.3	41.9	64.6	84.0	123.7	148.1	217.6	232.0
1985.....	10.6	17.2	24.4	37.9	64.6	86.1	114.3	168.9	207.6	216.4
1984.....	10.0	15.2	28.9	36.0	67.1	92.3	109.4	150.0	188.1	198.6
1983.....	9.6	17.8	23.6	46.5	64.5	74.4	113.7	150.8	202.1	172.9
1982.....	8.2	15.6	22.8	37.7	55.6	74.7	97.2	137.5	197.9	188.1
1981.....	10.9	16.3	27.1	38.3	55.0	81.1	110.2	147.8	168.1	195.3
1980.....	9.8	15.2	24.0	47.1	61.1	85.1	111.2	159.1	189.1	197.5
1979.....	12.5	17.7	27.2	43.2	58.0	82.9	110.2	144.5	152.3	216.9



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DIABETES MELLITUS (250)										
ALL OTHER FEMALE										
1998.....	7.0	14.4	29.7	58.5	87.5	129.0	206.9	264.5	376.2	453.2
1997.....	7.3	14.8	31.0	59.9	98.1	130.0	201.3	266.5	348.3	486.9
1996.....	8.1	15.8	34.1	58.9	97.8	141.8	212.7	257.2	358.5	440.9
1995.....	7.1	15.8	30.1	59.7	99.1	132.6	213.6	249.8	360.9	437.2
1994.....	8.0	16.1	31.2	56.2	89.0	131.4	197.9	244.6	344.5	441.1
1993.....	7.9	15.8	31.0	56.4	87.8	133.3	189.2	235.7	333.5	406.6
1992.....	7.8	13.9	30.5	55.5	88.8	133.6	170.1	219.4	309.5	409.6
1991.....	7.1	13.7	35.5	54.5	85.2	133.0	170.9	226.5	281.2	415.3
1990.....	7.5	15.9	31.1	49.4	90.2	131.5	175.6	216.8	309.4	394.8
1989.....	6.0	15.2	28.0	51.1	90.1	130.0	165.4	240.0	300.9	378.9
1988.....	7.0	13.4	29.9	46.8	78.7	116.5	155.2	207.8	249.5	340.2
1987.....	5.6	12.2	25.7	43.4	79.9	109.9	151.6	198.2	291.8	315.3
1986.....	7.4	14.0	29.6	48.5	78.0	103.2	147.6	182.5	269.7	350.6
1985.....	6.0	14.3	25.4	46.6	77.2	111.1	146.0	206.1	267.2	290.7
1984.....	7.8	11.0	23.8	43.0	76.2	102.8	160.3	180.9	259.0	277.2
1983.....	7.8	12.7	27.3	51.5	78.6	103.8	149.5	187.4	283.0	273.4
1982.....	5.6	12.9	27.4	46.6	81.2	100.8	135.9	162.8	263.1	264.7
1981.....	7.5	13.4	27.3	48.8	81.0	116.1	151.4	186.2	256.7	285.7
1980.....	7.9	16.4	30.6	49.8	84.9	124.7	158.2	190.9	254.3	297.5
1979.....	8.1	15.3	31.3	48.6	79.2	108.6	160.2	181.4	210.9	281.6
BLACK, BOTH SEXES										
1998.....	11.8	22.0	39.8	76.3	107.9	150.5	236.8	284.0	392.1	478.8
1997.....	11.3	22.7	44.1	72.4	116.6	149.6	228.2	281.0	376.8	497.1
1996.....	12.0	23.6	44.8	69.3	116.9	150.6	236.5	278.7	380.8	453.7
1995.....	10.8	23.5	43.4	72.9	115.0	150.0	229.8	264.3	366.8	446.6
1994.....	12.1	21.1	41.9	69.2	105.4	145.7	220.8	262.5	353.5	435.8
1993.....	11.9	22.5	40.3	71.4	99.0	147.9	211.4	238.3	348.2	410.6
1992.....	10.8	22.4	39.2	62.7	102.5	140.9	183.3	231.5	311.0	407.8
1991.....	11.7	20.3	43.4	64.9	98.1	145.4	181.9	235.2	294.3	413.4
1990.....	11.0	22.2	38.8	60.7	99.2	139.1	184.5	225.6	305.9	376.9
1989.....	10.3	22.1	34.9	62.5	100.8	140.7	177.5	239.2	282.6	366.8
1988.....	11.7	17.7	36.1	53.2	86.7	120.1	160.1	210.1	249.6	323.8
1987.....	8.8	19.5	31.2	48.3	85.8	116.6	150.6	190.3	280.2	292.3
1986.....	10.7	17.8	32.8	51.7	81.3	104.1	152.8	180.6	260.0	327.9
1985.....	10.1	18.6	28.7	47.0	79.5	109.6	145.6	208.1	264.1	273.3
1984.....	11.0	15.5	29.5	44.4	80.1	107.1	152.0	180.6	252.1	253.2
1983.....	10.2	18.1	29.7	54.9	80.7	99.5	144.0	180.9	274.9	248.9
1982.....	8.1	15.7	28.7	46.9	77.4	97.8	127.9	160.5	248.6	247.2
1981.....	10.6	16.7	30.3	48.1	75.5	109.0	142.7	182.8	234.4	266.7
1980.....	9.6	17.5	30.3	52.5	78.1	114.2	147.2	189.0	243.8	277.3
1979.....	11.3	18.3	32.1	49.9	75.4	102.3	147.0	169.4	188.6	259.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DIABETES MELLITUS (250)										
BLACK MALE										
1998.....	15.2	26.0	44.7	81.6	110.7	146.7	226.8	254.4	351.2	414.0
1997.....	14.0	27.7	50.1	71.6	116.5	149.9	222.5	258.9	361.8	405.4
1996.....	14.1	28.5	47.7	67.7	112.2	131.3	219.1	263.7	347.1	374.4
1995.....	12.8	27.1	51.0	75.9	114.5	146.4	206.4	253.5	329.0	396.4
1994.....	14.0	21.8	47.8	71.6	107.9	135.4	211.8	242.8	327.8	349.6
1993.....	13.8	25.3	42.6	77.1	94.7	136.3	201.4	205.1	316.1	381.8
1992.....	11.7	27.9	40.7	60.8	100.2	121.0	169.4	213.9	273.0	324.4
1991.....	14.5	24.8	43.9	62.7	95.7	137.1	164.8	214.9	283.2	320.3
1990.....	12.7	25.0	40.0	62.0	94.5	126.7	163.7	205.9	259.3	298.8
1989.....	13.1	26.0	38.2	65.2	96.9	132.2	171.8	202.2	232.0	287.9
1988.....	14.4	20.1	37.2	50.4	83.7	107.1	140.0	188.7	219.1	250.8
1987.....	10.9	25.0	31.7	48.5	77.2	108.1	127.7	152.0	220.7	220.3
1986.....	13.0	19.1	30.5	47.6	72.5	88.6	134.7	155.8	221.1	238.1
1985.....	13.0	20.8	28.1	40.6	70.7	92.6	122.4	182.4	223.0	212.9
1984.....	12.7	18.4	32.2	39.3	73.0	98.5	118.0	161.1	207.1	191.8
1983.....	11.4	21.8	27.6	51.9	72.7	80.9	122.1	152.7	219.5	178.3
1982.....	9.6	17.6	25.7	41.5	59.9	81.7	104.1	143.5	198.8	194.8
1981.....	12.5	18.3	29.2	40.9	58.9	88.9	110.5	158.9	167.5	196.4
1980.....	10.2	16.4	25.9	51.1	64.8	90.6	117.6	171.3	203.9	209.4
1979.....	13.7	19.8	28.6	46.5	62.4	87.3	118.6	143.5	150.6	205.8
BLACK FEMALE										
1998.....	8.9	18.6	35.7	72.2	105.7	153.3	243.8	303.0	413.5	505.7
1997.....	8.9	18.4	39.1	73.1	116.7	149.3	232.1	294.9	384.6	535.1
1996.....	10.2	19.5	42.4	70.5	120.4	165.1	248.3	288.1	398.2	486.3
1995.....	9.1	20.4	37.2	70.5	115.4	152.7	245.5	271.0	386.0	467.0
1994.....	10.4	20.5	37.1	67.2	103.5	153.4	226.9	274.4	366.6	470.8
1993.....	10.2	20.1	38.3	66.9	102.3	156.4	218.1	257.9	364.7	422.4
1992.....	10.1	17.8	37.9	64.2	104.3	155.4	192.6	241.7	330.6	442.5
1991.....	9.3	16.5	42.9	66.6	99.8	151.4	193.2	247.1	300.0	452.8
1990.....	9.6	19.9	37.9	59.7	102.8	148.1	198.1	237.2	330.1	409.9
1989.....	7.9	18.8	32.2	60.3	103.8	146.9	181.7	261.1	309.2	403.3
1988.....	9.3	15.7	35.1	55.5	88.9	129.5	172.9	223.0	265.7	355.7
1987.....	7.0	15.0	30.8	48.3	92.3	122.9	165.3	213.5	312.3	324.3
1986.....	8.7	16.7	34.7	55.0	88.2	115.4	164.4	195.7	281.2	368.8
1985.....	7.6	16.8	29.2	52.2	86.4	122.1	161.0	224.2	286.7	301.5
1984.....	9.5	13.2	27.3	48.5	85.6	113.3	174.7	192.9	277.0	282.2
1983.....	9.2	15.0	31.5	57.3	87.0	113.2	159.2	198.1	306.2	283.1
1982.....	6.8	14.2	31.1	51.3	91.1	109.7	144.3	172.1	277.5	272.9
1981.....	9.0	15.3	31.2	54.0	88.5	124.2	165.2	198.4	273.5	299.1
1980.....	9.2	18.4	33.8	53.7	88.7	131.8	168.3	200.5	267.7	311.2
1979.....	9.3	17.0	34.9	52.6	85.7	113.5	167.5	186.4	212.1	286.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)

TOTAL, BOTH SEXES										
1998	*	*	*	*	*	*	0.3	0.4	0.5	1.3
1997	*	*	*	*	*	*	*	0.3	0.6	0.9
1996	*	*	*	*	*	*	*	0.4	0.9	1.1
1995	*	*	*	*	*	*	0.3	0.5	0.9	1.2
1994	*	*	*	*	*	0.2	0.3	0.3	1.0	0.9
1993	*	*	*	*	*	*	0.3	0.4	0.5	1.3
1992	*	*	*	*	*	0.2	0.3	*	0.6	1.2
1991	*	*	*	*	*	*	*	0.5	0.7	1.6
1990	*	*	*	*	*	0.2	*	0.5	0.8	1.2
1989	*	*	*	*	*	0.2	0.3	0.4	0.7	1.0
1988	*	*	*	*	*	*	0.3	0.6	0.8	1.2
1987	*	*	*	*	*	*	*	0.4	0.8	1.0
1986	*	*	*	*	0.2	0.2	0.3	0.4	0.7	0.8
1985	*	*	*	*	*	*	0.3	*	*	1.1
1984	*	*	*	*	*	*	*	0.5	0.7	1.1
1983	*	*	*	*	*	*	*	0.4	*	1.2
1982	*	*	*	*	*	*	*	0.5	*	0.9
1981	*	*	*	*	*	*	0.3	*	*	1.2
1980	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.8
1979	0.1	0.0	0.1	0.1	0.1	0.2	0.3	0.5	0.4	0.7
TOTAL, MALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	1.3	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	1.5	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.5	0.4	0.6
1979	0.1	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	0.5	*	1.4
1997.....	*	*	*	*	*	*	*	*	*	0.8
1996.....	*	*	*	*	*	*	*	*	*	1.1
1995.....	*	*	*	*	*	*	*	0.6	1.1	1.1
1994.....	*	*	*	*	*	*	*	*	0.8	*
1993.....	*	*	*	*	*	*	*	*	*	1.3
1992.....	*	*	*	*	*	*	*	*	*	1.1
1991.....	*	*	*	*	*	*	*	*	*	1.4
1990.....	*	*	*	*	*	*	*	*	0.9	1.1
1989.....	*	*	*	*	*	*	*	*	*	0.9
1988.....	*	*	*	*	*	*	*	*	0.8	1.3
1987.....	*	*	*	*	*	*	*	*	*	1.1
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	1.3
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	1.3
1980.....	0.0	0.1	0.1	0.0	0.1	0.2	0.3	0.2	0.5	0.8
1979.....	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.6	0.4	0.7
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	0.3	0.4	0.6	1.4
1997.....	*	*	*	*	*	*	*	0.3	0.6	0.9
1996.....	*	*	*	*	*	*	*	0.3	0.9	1.0
1995.....	*	*	*	*	*	*	0.3	0.5	0.9	1.1
1994.....	*	*	*	*	*	0.2	0.3	*	1.0	0.7
1993.....	*	*	*	*	*	*	0.3	0.4	0.5	1.3
1992.....	*	*	*	*	*	*	0.3	*	0.7	1.1
1991.....	*	*	*	*	*	*	*	0.5	0.7	1.6
1990.....	*	*	*	*	*	*	*	0.4	0.8	1.2
1989.....	*	*	*	*	*	0.2	0.3	0.4	0.8	0.9
1988.....	*	*	*	*	*	*	0.3	0.5	0.8	1.2
1987.....	*	*	*	*	*	*	*	*	0.7	1.0
1986.....	*	*	*	*	*	*	0.4	0.5	0.7	0.8
1985.....	*	*	*	*	*	*	0.3	*	*	1.1
1984.....	*	*	*	*	*	*	*	0.4	0.7	1.1
1983.....	*	*	*	*	*	*	*	*	*	1.2
1982.....	*	*	*	*	*	*	*	0.6	*	0.9
1981.....	*	*	*	*	*	*	0.3	*	*	1.2
1980.....	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.5	0.7
1979.....	0.1	0.0	0.1	0.1	0.1	0.1	0.3	0.4	0.4	0.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	1.5	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.5	0.4	0.5
1979.....	0.1	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.2	0.5
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	1.4
1997.....	*	*	*	*	*	*	*	*	*	0.8
1996.....	*	*	*	*	*	*	*	*	*	1.0
1995.....	*	*	*	*	*	*	*	0.6	1.1	1.0
1994.....	*	*	*	*	*	*	*	*	0.8	*
1993.....	*	*	*	*	*	*	*	*	*	1.3
1992.....	*	*	*	*	*	*	*	*	*	1.1
1991.....	*	*	*	*	*	*	*	*	*	1.4
1990.....	*	*	*	*	*	*	*	*	0.9	1.1
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	1.3
1987.....	*	*	*	*	*	*	*	*	*	1.2
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	1.4
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.1	0.0	0.1	0.2	0.3	0.2	0.5	0.8
1979.....	0.1	-	0.1	0.1	0.0	0.1	0.3	0.5	0.5	0.8

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.4	0.2	0.2	0.4	0.3	0.2	-	1.7
1979.....	0.1	0.2	0.1	0.1	0.2	0.4	0.3	0.7	0.4	1.1

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	-	0.4	0.4	0.5	0.4	0.6	-	1.6
1979.....	0.1	-	0.2	0.2	0.2	0.3	0.4	0.5	1.2	3.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	0.7	-	-	0.4	0.3	-	-	1.7
1979.....	-	0.4	-	-	0.2	0.6	0.3	0.8	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	0.4	0.2	0.2	0.5	0.4	0.3	-	1.9
1979.....	0.1	0.2	0.1	0.1	0.2	0.5	0.4	0.5	0.5	1.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +  
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS  
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	-	0.4	0.5	0.6	0.4	0.7	-	1.9
1979.....	0.2	-	0.2	0.2	0.3	0.3	0.4	0.6	1.3	3.8

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	0.8	-	-	0.4	0.3	-	-	1.9
1979.....	-	0.3	-	-	0.2	0.7	0.3	0.4	-	-



CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF THYMUS GLAND (254)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.0	-	-	-	-	-
1979.....	-	0.0	0.0	-	-	-	0.0	0.0	-	-
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.0	-	-	-	-	-
1979.....	-	-	-	-	-	-	0.0	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF THYMUS GLAND (254)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.0	-	-	-	-	-
1979.....	-	0.0	0.0	-	-	-	-	0.0	-	-
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.0	-	-	-	-	-
1979.....	-	0.0	0.0	-	-	-	0.0	-	-	-