

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,228
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
MINNESOTA -----	4	9	13	33	42	88	120	130	115	42	10	-
WHITE-----MALE----	2	4	7	15	23	42	61	53	36	15	4	-
FEMALE--	1	4	6	16	17	44	58	73	77	26	6	-
ALL OTHER--MALE----	1	-	-	-	2	1	-	3	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	1	2	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	1	-	-
MISSISSIPPI -----	12	25	39	55	85	112	121	125	72	24	6	-
WHITE-----MALE----	2	5	9	21	26	29	29	29	15	4	-	-
FEMALE--	3	5	4	13	23	27	47	55	30	9	1	-
ALL OTHER--MALE----	4	9	8	6	19	27	22	19	13	3	1	-
FEMALE--	3	6	18	15	17	29	23	22	14	8	4	-
BLACK---MALE----	4	9	8	6	19	27	22	19	13	3	1	-
FEMALE--	3	6	17	13	17	29	23	22	14	8	4	-
MISSOURI -----	18	16	41	57	97	149	205	201	148	50	12	-
WHITE-----MALE----	8	5	13	31	45	61	90	64	44	13	2	-
FEMALE--	6	5	19	20	37	72	92	118	84	30	9	-
ALL OTHER--MALE----	2	4	2	4	5	5	7	5	4	-	-	-
FEMALE--	2	2	7	2	10	11	16	14	16	7	1	-
BLACK---MALE----	2	4	2	4	5	5	7	5	4	-	-	-
FEMALE--	2	2	7	2	10	11	16	14	15	7	1	-
MONTANA -----	1	3	3	6	9	19	14	15	17	6	1	-
WHITE-----MALE----	1	3	1	4	8	8	3	7	7	2	-	-
FEMALE--	-	-	1	2	1	11	9	8	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	2	5	7	12	32	38	40	51	38	16	5	-
WHITE-----MALE----	-	3	5	4	20	20	23	22	11	8	1	-
FEMALE--	2	2	1	8	10	16	14	29	26	8	4	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
NEVADA -----	8	11	15	31	41	54	41	30	10	6	1	-
WHITE-----MALE----	6	5	10	18	21	24	21	15	-	-	-	-
FEMALE--	1	2	4	9	13	24	14	13	7	6	1	-
ALL OTHER--MALE----	1	2	1	3	1	2	2	-	1	-	-	-
FEMALE--	-	2	-	1	6	4	4	2	2	-	-	-
BLACK---MALE----	1	1	1	2	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	5	4	4	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,230
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
OHIO -----	2,159	5	-	2	-	2	3	5	11	17	18	33
WHITE-----MALE----	817	-	-	1	-	1	-	1	3	5	10	14
FEMALE--	1,050	-	-	1	-	-	2	1	3	4	1	13
ALL OTHER--MALE----	134	5	-	-	-	1	1	2	2	3	5	2
FEMALE--	158	-	-	-	-	-	-	1	3	5	2	4
BLACK---MALE----	130	5	-	-	-	1	1	2	2	3	5	2
FEMALE--	158	-	-	-	-	-	-	1	3	5	2	4
OKLAHOMA -----	683	-	-	-	-	1	1	2	2	8	3	4
WHITE-----MALE----	250	-	-	-	-	-	1	-	1	3	-	1
FEMALE--	338	-	-	-	-	-	-	2	1	2	1	2
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	54	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	382	2	-	-	-	-	-	-	1	1	1	5
WHITE-----MALE----	156	1	-	-	-	-	-	-	-	1	1	5
FEMALE--	206	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,913	7	2	1	-	-	3	2	6	14	21	37
WHITE-----MALE----	1,096	4	-	-	-	-	-	1	2	6	3	12
FEMALE--	1,434	1	2	-	-	-	-	-	1	1	9	7
ALL OTHER--MALE----	179	2	-	1	-	-	3	1	3	5	6	11
FEMALE--	204	-	-	-	-	-	-	-	-	2	3	7
BLACK---MALE----	176	2	-	1	-	-	3	1	3	5	6	10
FEMALE--	199	-	-	-	-	-	-	-	-	2	3	6
RHODE ISLAND -----	176	-	-	-	-	-	-	-	-	2	2	5
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	102	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	689	4	-	-	-	-	-	6	4	6	14	13
WHITE-----MALE----	174	2	-	-	-	-	-	4	2	2	2	2
FEMALE--	248	1	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	124	-	-	-	-	-	-	1	-	-	6	7
FEMALE--	143	1	-	-	-	-	-	-	1	4	5	3
BLACK---MALE----	124	-	-	-	-	-	-	1	-	-	6	7
FEMALE--	142	1	-	-	-	-	-	-	1	4	5	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,230
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
OHIO -----	29	48	82	150	236	313	423	379	262	119	22	-
WHITE-----MALE----	15	17	28	55	95	143	166	144	82	34	3	-
FEMALE--	7	18	34	63	106	135	217	198	153	78	16	-
ALL OTHER--MALE----	6	6	10	15	20	19	11	11	9	5	1	-
FEMALE--	1	7	10	17	15	16	29	26	18	2	2	-
BLACK---MALE----	5	6	10	15	18	19	10	11	9	5	1	-
FEMALE--	1	7	10	17	15	16	29	26	18	2	2	-
OKLAHOMA -----	15	17	24	31	61	88	137	140	105	35	8	1
WHITE-----MALE----	2	6	9	16	32	38	48	53	30	9	1	-
FEMALE--	7	9	8	12	19	38	73	73	64	20	6	1
ALL OTHER--MALE----	4	1	3	2	4	5	6	5	2	3	1	-
FEMALE--	2	1	4	1	6	7	10	9	9	3	-	-
BLACK---MALE----	3	-	2	1	3	3	3	4	2	3	1	-
FEMALE--	2	1	1	1	5	4	5	8	6	3	-	-
OREGON -----	10	5	13	18	40	60	64	75	53	28	6	-
WHITE-----MALE----	6	4	4	5	21	26	27	32	14	6	3	-
FEMALE--	2	1	9	11	18	31	33	40	38	21	2	-
ALL OTHER--MALE----	1	-	-	2	-	1	2	1	1	1	-	-
FEMALE--	1	-	-	-	1	2	2	2	-	-	1	-
BLACK---MALE----	-	-	-	2	-	1	1	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	59	48	96	179	350	477	572	541	328	135	35	-
WHITE-----MALE----	18	16	35	81	154	213	237	189	87	32	6	-
FEMALE--	22	16	32	59	144	204	289	312	218	91	26	-
ALL OTHER--MALE----	12	11	15	21	26	21	18	12	6	4	1	-
FEMALE--	7	5	14	18	26	39	28	28	17	8	2	-
BLACK---MALE----	12	11	14	21	25	21	18	12	6	4	1	-
FEMALE--	7	5	14	17	26	37	28	28	16	8	2	-
RHODE ISLAND -----	1	4	2	9	21	23	35	34	25	10	3	-
WHITE-----MALE----	-	2	1	4	10	10	13	12	8	-	1	-
FEMALE--	-	2	1	4	9	12	20	22	17	10	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA -----	13	24	38	48	79	98	142	103	64	27	6	-
WHITE-----MALE----	1	6	15	14	21	25	36	30	6	6	-	-
FEMALE--	4	4	7	7	22	37	59	52	35	14	2	-
ALL OTHER--MALE----	5	8	7	15	20	16	20	8	6	3	2	-
FEMALE--	3	6	9	12	16	20	27	13	17	4	2	-
BLACK---MALE----	5	8	7	15	20	16	20	8	6	3	2	-
FEMALE--	3	5	9	12	16	20	27	13	17	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,231
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
SOUTH DAKOTA -----	126	-	-	-	1	-	-	-	-	1	2	-
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	59	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	989	5	-	1	-	-	3	4	7	6	8	12
WHITE-----MALE----	304	4	-	-	-	-	1	-	2	4	1	2
FEMALE--	458	-	-	-	-	-	-	1	-	-	2	4
ALL OTHER--MALE----	99	-	-	-	-	-	2	3	4	2	2	3
FEMALE--	128	1	-	1	-	-	-	-	1	-	3	3
BLACK---MALE----	98	-	-	-	-	-	2	3	4	2	2	3
FEMALE--	128	1	-	1	-	-	-	-	1	-	3	3
TEXAS -----	2,329	13	1	-	2	2	7	10	18	21	27	39
WHITE-----MALE----	778	8	1	-	1	1	1	5	4	8	9	9
FEMALE--	1,130	4	-	-	-	-	5	3	7	9	5	15
ALL OTHER--MALE----	194	1	-	-	-	1	1	1	4	3	8	7
FEMALE--	227	-	-	-	1	-	-	1	3	1	5	8
BLACK---MALE----	183	1	-	-	-	1	1	1	4	3	8	6
FEMALE--	221	-	-	-	1	-	-	-	3	1	5	8
UTAH -----	172	2	1	-	-	-	-	2	-	1	-	1
WHITE-----MALE----	75	2	1	-	-	-	-	-	-	1	-	1
FEMALE--	90	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	88	-	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,139	4	-	-	-	2	3	5	5	18	14	19
WHITE-----MALE----	326	-	-	-	-	1	2	-	1	4	3	4
FEMALE--	436	-	-	-	-	-	-	1	1	6	1	1
ALL OTHER--MALE----	163	1	-	-	-	1	1	3	2	8	5	7
FEMALE--	214	3	-	-	-	-	-	1	1	-	5	7
BLACK---MALE----	159	1	-	-	-	1	1	3	2	8	5	7
FEMALE--	206	3	-	-	-	-	-	1	1	-	5	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,231
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
SOUTH DAKOTA -----	2	2	2	2	9	15	23	23	28	16	-	-
WHITE-----MALE----	1	2	2	2	5	7	9	11	11	5	-	-
FEMALE--	-	-	-	-	3	6	10	11	17	11	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	37	43	54	113	140	182	197	109	41	14	-
WHITE-----MALE----	3	11	13	23	43	41	65	53	30	6	2	-
FEMALE--	6	11	12	12	43	69	86	109	62	32	9	-
ALL OTHER--MALE----	1	8	10	8	13	14	14	12	2	-	1	-
FEMALE--	3	7	8	11	14	16	17	23	15	3	2	-
BLACK---MALE----	1	8	9	8	13	14	14	12	2	-	1	-
FEMALE--	3	7	8	11	14	16	17	23	15	3	2	-
TEXAS -----	36	52	108	160	221	313	380	441	319	134	25	-
WHITE-----MALE----	15	15	42	67	94	124	125	139	73	33	4	-
FEMALE--	9	19	32	55	98	147	198	230	202	80	12	-
ALL OTHER--MALE----	8	9	21	19	14	22	15	29	20	7	4	-
FEMALE--	4	9	13	19	15	20	42	43	24	14	5	-
BLACK---MALE----	7	8	19	19	14	20	14	28	19	7	3	-
FEMALE--	4	9	13	19	15	20	41	43	23	13	3	-
UTAH -----	2	3	5	14	14	21	33	34	29	9	1	-
WHITE-----MALE----	-	-	3	3	7	12	16	14	12	2	1	-
FEMALE--	2	3	2	11	6	8	17	18	17	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	5	4	7	20	9	15	15	6	2	-
WHITE-----MALE----	-	-	3	3	4	10	3	2	4	-	1	-
FEMALE--	-	2	2	1	3	10	6	13	10	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	41	62	86	109	191	212	176	119	42	6	-
WHITE-----MALE----	7	7	17	27	42	63	61	44	35	6	2	-
FEMALE--	3	11	28	19	28	70	97	91	53	22	4	-
ALL OTHER--MALE----	7	9	9	22	21	22	22	15	7	1	-	-
FEMALE--	8	14	8	18	18	36	32	26	24	13	-	-
BLACK---MALE----	7	8	9	22	20	22	20	15	7	1	-	-
FEMALE--	7	14	8	17	17	35	30	25	24	12	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,233
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
UNITED STATES --	42,441	173	25	16	18	28	63	123	206	336	474	614
WHITE-----MALE----	14,784	58	8	5	5	10	16	43	65	110	144	201
FEMALE--	19,603	43	9	7	5	9	19	33	58	75	100	149
ALL OTHER--MALE----	3,545	42	6	1	3	7	17	25	53	94	146	146
FEMALE--	4,509	30	2	3	5	2	11	22	30	57	84	118
BLACK---MALE----	3,244	41	5	1	2	7	16	25	53	89	139	136
FEMALE--	4,143	25	1	3	3	2	10	19	28	55	77	113
ALABAMA -----	1,035	1	-	1	-	-	1	-	7	9	7	18
WHITE-----MALE----	255	1	-	-	-	-	-	-	1	1	1	6
FEMALE--	413	-	-	1	-	-	-	-	3	1	2	1
ALL OTHER--MALE----	156	-	-	-	-	-	1	-	3	4	2	4
FEMALE--	211	-	-	-	-	-	-	-	-	3	2	7
BLACK---MALE----	155	-	-	-	-	-	1	-	3	4	2	4
FEMALE--	210	-	-	-	-	-	-	-	-	3	2	7
ALASKA -----	25	-	-	-	1	-	-	-	-	2	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	568	4	1	-	1	-	3	2	5	3	7	6
WHITE-----MALE----	240	2	-	-	-	-	1	1	2	1	1	2
FEMALE--	272	1	1	-	-	-	1	1	3	2	1	2
ALL OTHER--MALE----	24	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	32	-	-	-	1	-	-	-	-	-	4	1
BLACK---MALE----	9	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	595	-	1	-	1	-	-	3	2	2	5	9
WHITE-----MALE----	201	-	1	-	-	-	-	2	-	2	2	3
FEMALE--	251	-	-	-	1	-	-	-	2	-	1	2
ALL OTHER--MALE----	66	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	77	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	66	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	77	-	-	-	-	-	-	-	-	-	1	2
CALIFORNIA -----	3,019	20	3	1	2	6	3	12	14	28	47	56
WHITE-----MALE----	1,026	5	1	1	-	2	2	5	8	12	18	17
FEMALE--	1,452	10	1	-	2	2	1	2	3	6	13	17
ALL OTHER--MALE----	246	3	-	-	-	2	-	2	1	5	11	11
FEMALE--	295	2	1	-	-	-	-	3	2	5	5	11
BLACK---MALE----	153	2	-	-	-	2	-	2	1	5	10	7
FEMALE--	172	1	-	-	-	-	-	2	1	3	4	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,233
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
UNITED STATES --	750	1,026	1,747	2,836	4,558	6,387	7,775	7,666	5,104	2,047	464	5
WHITE-----MALE----	230	351	615	1,137	1,889	2,606	2,867	2,500	1,354	483	86	1
FEMALE--	205	288	561	942	1,743	2,681	3,748	4,196	3,126	1,312	293	1
ALL OTHER--MALE----	168	193	271	366	434	481	434	363	196	69	27	3
FEMALE--	147	194	300	391	492	619	726	607	428	183	58	-
BLACK---MALE----	149	179	244	340	398	447	383	324	175	64	24	3
FEMALE--	139	177	282	353	451	563	660	575	392	164	51	-
ALABAMA -----	19	35	54	87	100	151	194	175	125	37	14	-
WHITE-----MALE----	3	10	17	20	32	50	55	40	13	4	1	-
FEMALE--	5	7	16	21	31	50	78	93	72	26	6	-
ALL OTHER--MALE----	5	11	13	19	15	21	25	16	13	2	2	-
FEMALE--	6	7	8	27	22	30	36	26	27	5	5	-
BLACK---MALE----	5	11	13	19	15	21	24	16	13	2	2	-
FEMALE--	6	7	8	27	22	30	35	26	27	5	5	-
ALASKA -----	3	-	1	3	3	4	5	2	1	-	-	-
WHITE-----MALE----	1	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	19	24	58	79	89	95	74	62	18	4	-
WHITE-----MALE----	4	8	11	26	38	51	40	26	21	4	1	-
FEMALE--	5	7	8	23	36	32	49	46	38	13	3	-
ALL OTHER--MALE----	4	1	4	3	2	2	2	1	1	-	-	-
FEMALE--	1	3	1	6	3	4	4	1	2	1	-	-
BLACK---MALE----	-	-	1	1	-	1	2	1	1	-	-	-
FEMALE--	-	1	-	3	2	3	3	-	2	1	-	-
ARKANSAS -----	10	13	23	36	51	92	122	117	73	29	6	-
WHITE-----MALE----	5	2	7	16	17	34	48	37	18	7	-	-
FEMALE--	1	4	7	9	20	42	49	58	41	10	4	-
ALL OTHER--MALE----	3	3	5	7	8	4	9	15	3	4	1	-
FEMALE--	1	4	4	4	6	12	16	7	11	8	1	-
BLACK---MALE----	3	3	5	7	8	4	9	15	3	4	1	-
FEMALE--	1	4	4	4	6	12	16	7	11	8	1	-
CALIFORNIA -----	49	71	137	163	329	462	529	522	382	147	36	-
WHITE-----MALE----	16	25	56	58	132	172	192	170	92	33	9	-
FEMALE--	19	23	41	65	134	202	255	290	247	98	21	-
ALL OTHER--MALE----	6	6	16	24	35	41	28	30	17	4	4	-
FEMALE--	8	17	24	16	28	47	54	32	26	12	2	-
BLACK---MALE----	4	5	12	13	26	27	12	14	8	1	2	-
FEMALE--	7	12	17	4	16	27	32	17	13	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,234
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
COLORADO -----	433	2	-	-	-	-	2	-	1	6	8	5
WHITE-----MALE----	193	1	-	-	-	-	-	-	1	2	4	2
FEMALE--	213	1	-	-	-	-	2	-	-	3	3	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	603	-	-	-	-	-	-	2	3	9	6	5
WHITE-----MALE----	237	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	304	-	-	-	-	-	-	1	-	4	2	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	33	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	28	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	33	-	-	-	-	-	-	-	1	2	-	1
DELAWARE -----	122	1	-	-	-	1	-	-	-	3	1	1
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	65	-	-	-	-	1	-	-	-	2	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	195	3	-	-	-	-	-	-	1	4	7	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	74	2	-	-	-	-	-	-	-	3	5	1
FEMALE--	94	1	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	73	2	-	-	-	-	-	-	-	3	4	1
FEMALE--	94	1	-	-	-	-	-	-	1	1	2	1
FLORIDA -----	2,221	6	-	1	2	1	4	7	10	12	20	25
WHITE-----MALE----	915	2	-	-	2	1	1	4	3	2	5	8
FEMALE--	963	1	-	-	-	-	1	-	5	1	8	5
ALL OTHER--MALE----	128	2	-	-	-	-	-	-	1	3	3	6
FEMALE--	215	1	-	1	-	-	2	3	1	6	4	6
BLACK---MALE----	127	2	-	-	-	-	-	-	1	3	3	6
FEMALE--	211	1	-	1	-	-	2	3	1	6	4	6
GEORGIA -----	1,341	6	2	-	1	1	2	4	7	20	18	25
WHITE-----MALE----	320	-	-	-	-	-	-	-	3	6	3	6
FEMALE--	508	-	1	-	1	-	1	1	1	1	2	5
ALL OTHER--MALE----	204	5	-	-	-	-	1	-	3	7	9	7
FEMALE--	309	1	1	-	-	1	-	3	-	6	4	7
BLACK---MALE----	203	5	-	-	-	-	1	-	3	7	9	7
FEMALE--	307	1	1	-	-	1	-	3	-	6	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,234
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
COLORADO -----	11	10	16	40	49	55	81	78	44	19	6	-
WHITE-----MALE----	4	4	7	22	21	36	35	33	14	5	2	-
FEMALE--	5	3	8	14	26	18	42	41	30	14	3	-
ALL OTHER--MALE----	1	1	1	3	-	1	1	2	-	-	1	-
FEMALE--	1	2	-	1	2	-	3	2	-	-	-	-
BLACK---MALE----	1	-	1	2	-	1	1	2	-	-	1	-
FEMALE--	1	2	-	1	1	-	2	2	-	-	-	-
CONNECTICUT -----	6	15	19	42	56	95	143	99	65	30	8	-
WHITE-----MALE----	1	6	5	23	31	44	55	34	20	10	1	-
FEMALE--	2	2	8	12	21	45	79	60	42	18	7	-
ALL OTHER--MALE----	2	5	3	3	1	3	3	2	1	-	-	-
FEMALE--	1	2	3	4	3	3	6	3	2	2	-	-
BLACK---MALE----	2	5	2	3	1	3	3	2	1	-	-	-
FEMALE--	1	2	3	4	3	3	6	3	2	2	-	-
DELAWARE -----	2	2	4	14	19	19	23	11	12	8	1	-
WHITE-----MALE----	1	1	-	6	7	10	6	5	2	-	-	-
FEMALE--	1	1	4	6	9	4	14	6	10	6	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	4	2	-	-	2	1	-
BLACK---MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	4	2	-	-	2	-	-
DISTRICT OF COLUMBIA ----	12	9	8	18	22	26	28	31	13	10	1	-
WHITE-----MALE----	-	1	-	-	-	-	2	3	1	1	-	-
FEMALE--	-	1	-	1	-	-	6	5	4	2	-	-
ALL OTHER--MALE----	7	4	5	7	13	9	5	10	1	2	-	-
FEMALE--	5	3	3	10	9	17	15	13	7	5	1	-
BLACK---MALE----	7	4	5	7	13	9	5	10	1	2	-	-
FEMALE--	5	3	3	10	9	17	15	13	7	5	1	-
FLORIDA -----	34	33	97	133	231	360	432	406	288	99	19	1
WHITE-----MALE----	15	10	30	55	114	163	198	147	111	41	3	-
FEMALE--	9	15	37	41	76	150	184	214	154	51	11	-
ALL OTHER--MALE----	5	3	14	20	17	15	13	15	5	3	2	1
FEMALE--	5	5	16	17	24	32	37	30	18	4	3	-
BLACK---MALE----	5	3	13	20	17	15	13	15	5	3	2	1
FEMALE--	5	4	16	16	24	31	37	29	18	4	3	-
GEORGIA -----	36	45	72	103	147	190	249	218	135	54	6	-
WHITE-----MALE----	7	13	13	30	41	53	59	49	26	11	-	-
FEMALE--	5	7	22	25	52	65	108	108	72	28	3	-
ALL OTHER--MALE----	16	9	11	21	23	33	31	15	10	3	-	-
FEMALE--	8	16	26	27	31	39	51	46	27	12	3	-
BLACK---MALE----	16	9	11	20	23	33	31	15	10	3	-	-
FEMALE--	8	14	26	27	31	39	51	46	27	12	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,235
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
HAWAII -----	4	4	9	9	15	17	22	13	17	3	-	-
WHITE-----MALE----	-	-	2	1	2	2	1	2	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	3	2	-	-	-
ALL OTHER--MALE----	1	2	5	1	7	6	11	7	5	-	-	-
FEMALE--	3	2	2	6	3	9	10	1	10	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	2	6	5	15	17	27	33	18	4	5	-
WHITE-----MALE----	1	1	3	2	7	10	12	15	5	1	1	-
FEMALE--	-	-	3	3	8	7	14	18	13	3	4	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	48	61	90	169	266	366	405	437	263	108	24	-
WHITE-----MALE----	12	16	29	60	98	155	162	145	73	22	4	-
FEMALE--	7	17	24	49	100	144	178	229	157	71	17	-
ALL OTHER--MALE----	11	20	21	29	33	33	23	16	6	6	1	-
FEMALE--	18	8	16	31	35	34	42	47	27	9	2	-
BLACK---MALE----	11	20	21	28	32	32	20	16	6	5	1	-
FEMALE--	17	8	16	30	31	31	40	47	27	8	2	-
INDIANA -----	15	29	43	83	126	160	202	214	137	51	15	-
WHITE-----MALE----	9	11	20	38	55	77	74	67	41	10	4	-
FEMALE--	3	8	15	30	55	70	104	132	86	38	9	-
ALL OTHER--MALE----	2	6	4	4	9	5	12	4	4	-	-	-
FEMALE--	1	4	4	11	7	8	12	11	6	3	2	-
BLACK---MALE----	2	6	4	4	8	5	12	4	4	-	-	-
FEMALE--	1	4	4	11	7	6	12	11	6	3	2	-
IOWA -----	3	7	8	14	28	53	48	68	57	28	7	-
WHITE-----MALE----	3	5	4	7	15	25	21	24	20	9	3	-
FEMALE--	-	2	3	7	12	28	25	42	37	19	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
KANSAS -----	8	9	16	16	54	49	93	86	71	25	6	-
WHITE-----MALE----	4	4	5	11	22	27	38	33	23	4	1	-
FEMALE--	3	4	6	5	26	20	46	48	45	19	5	-
ALL OTHER--MALE----	1	-	3	-	3	1	5	3	-	1	-	-
FEMALE--	-	1	2	-	3	1	4	2	3	1	-	-
BLACK---MALE----	-	-	3	-	3	1	4	3	-	1	-	-
FEMALE--	-	1	2	-	2	1	4	1	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,236
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
KENTUCKY -----	791	3	1	-	1	1	-	3	3	2	9	15
WHITE-----MALE----	317	2	1	-	-	1	-	2	3	1	3	4
FEMALE--	395	1	-	-	-	-	-	1	-	1	1	8
ALL OTHER--MALE----	38	-	-	-	1	-	-	-	-	-	5	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	38	-	-	-	1	-	-	-	-	-	5	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	974	4	-	-	-	-	-	1	9	7	18	14
WHITE-----MALE----	259	-	-	-	-	-	-	-	2	1	3	5
FEMALE--	362	-	-	-	-	-	-	-	4	1	1	2
ALL OTHER--MALE----	154	2	-	-	-	-	-	1	2	3	11	3
FEMALE--	199	2	-	-	-	-	-	-	1	2	3	4
BLACK---MALE----	154	2	-	-	-	-	-	1	2	3	11	3
FEMALE--	198	2	-	-	-	-	-	-	1	2	3	4
MAINE -----	215	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	107	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	107	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	868	5	-	1	-	-	-	4	7	13	11	19
WHITE-----MALE----	218	1	-	-	-	-	-	2	-	2	3	3
FEMALE--	324	-	-	-	-	-	-	1	1	1	2	1
ALL OTHER--MALE----	144	2	-	-	-	-	-	1	4	6	2	8
FEMALE--	182	2	-	1	-	-	-	-	2	4	4	7
BLACK---MALE----	140	2	-	-	-	-	-	1	4	6	2	8
FEMALE--	178	2	-	1	-	-	-	-	2	4	4	7
MASSACHUSETTS -----	1,285	8	-	-	-	1	2	2	3	11	9	21
WHITE-----MALE----	522	4	-	-	-	-	1	1	-	4	5	12
FEMALE--	682	2	-	-	-	1	-	1	3	2	3	6
ALL OTHER--MALE----	35	1	-	-	-	-	1	-	-	3	-	2
FEMALE--	46	1	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	32	1	-	-	-	-	1	-	-	3	-	2
FEMALE--	40	1	-	-	-	-	-	-	-	2	1	1
MICHIGAN -----	1,598	5	-	2	-	-	2	5	6	12	20	31
WHITE-----MALE----	524	2	-	1	-	-	-	1	2	1	8	9
FEMALE--	773	2	-	1	-	-	-	3	3	5	7	5
ALL OTHER--MALE----	143	1	-	-	-	-	-	-	1	4	5	13
FEMALE--	158	-	-	-	-	-	2	1	-	2	-	4
BLACK---MALE----	139	1	-	-	-	-	-	-	1	4	5	13
FEMALE--	151	-	-	-	-	-	2	1	-	2	-	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,236
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
KENTUCKY -----	16	24	25	62	78	117	137	152	98	38	6	-
WHITE-----MALE----	6	12	11	34	35	56	49	58	24	12	3	-
FEMALE--	9	8	11	24	31	52	76	83	63	23	3	-
ALL OTHER--MALE----	-	3	1	1	6	4	4	5	5	1	-	-
FEMALE--	1	1	2	3	6	5	8	6	6	2	-	-
BLACK---MALE----	-	3	1	1	6	4	4	5	5	1	-	-
FEMALE--	1	1	2	3	6	5	8	6	6	2	-	-
LOUISIANA -----	26	41	45	83	96	152	171	154	105	33	15	-
WHITE-----MALE----	3	14	17	28	33	51	48	29	16	5	4	-
FEMALE--	7	7	7	16	34	55	79	68	61	15	5	-
ALL OTHER--MALE----	9	6	6	18	11	27	19	21	10	4	1	-
FEMALE--	7	14	15	21	18	19	25	36	18	9	5	-
BLACK---MALE----	9	6	6	18	11	27	19	21	10	4	1	-
FEMALE--	7	14	14	21	18	19	25	36	18	9	5	-
MAINE -----	-	2	4	13	22	35	37	46	31	21	2	-
WHITE-----MALE----	-	2	3	10	14	22	17	17	15	6	1	-
FEMALE--	-	-	1	3	8	13	20	28	16	15	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	26	24	35	61	99	123	169	148	81	35	6	1
WHITE-----MALE----	3	4	5	14	26	40	52	40	16	7	-	-
FEMALE--	3	4	10	16	28	42	74	71	46	19	5	-
ALL OTHER--MALE----	10	9	12	13	17	22	14	16	7	-	-	1
FEMALE--	10	7	8	18	28	19	29	21	12	9	1	-
BLACK---MALE----	9	9	11	13	17	22	14	15	6	-	-	1
FEMALE--	10	7	8	18	28	19	27	20	11	9	1	-
MASSACHUSETTS -----	18	28	32	84	145	193	254	219	159	80	16	-
WHITE-----MALE----	11	18	14	41	72	88	106	86	41	16	2	-
FEMALE--	5	6	11	30	61	97	135	130	115	61	13	-
ALL OTHER--MALE----	2	3	5	6	4	2	3	1	1	-	1	-
FEMALE--	-	1	2	7	8	6	10	2	2	3	-	-
BLACK---MALE----	2	3	4	4	4	2	3	1	1	-	1	-
FEMALE--	-	1	2	7	7	6	7	2	1	2	-	-
MICHIGAN -----	27	33	73	109	187	256	284	273	186	71	16	-
WHITE-----MALE----	7	14	17	47	74	96	88	88	49	18	2	-
FEMALE--	9	7	21	36	75	116	158	154	115	44	12	-
ALL OTHER--MALE----	6	5	15	16	17	17	18	15	6	3	1	-
FEMALE--	5	7	20	10	21	27	20	16	16	6	1	-
BLACK---MALE----	6	5	14	16	17	15	18	14	6	3	1	-
FEMALE--	5	6	19	10	19	26	20	16	16	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,237
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
MINNESOTA -----	3	9	13	32	39	85	118	126	110	42	10	-
WHITE-----MALE----	1	4	7	15	21	40	60	51	33	15	4	-
FEMALE--	1	4	6	15	16	43	57	71	75	26	6	-
ALL OTHER--MALE----	1	-	-	-	2	1	-	3	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	1	2	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	1	-	-
MISSISSIPPI -----	12	25	38	53	85	111	121	124	71	24	6	-
WHITE-----MALE----	2	5	9	21	26	29	29	28	15	4	-	-
FEMALE--	3	5	3	13	23	27	47	55	29	9	1	-
ALL OTHER--MALE----	4	9	8	5	19	27	22	19	13	3	1	-
FEMALE--	3	6	18	14	17	28	23	22	14	8	4	-
BLACK---MALE----	4	9	8	5	19	27	22	19	13	3	1	-
FEMALE--	3	6	17	12	17	28	23	22	14	8	4	-
MISSOURI -----	18	16	41	53	97	145	200	197	145	49	12	-
WHITE-----MALE----	8	5	13	28	45	59	86	62	42	12	2	-
FEMALE--	6	5	19	19	37	70	91	117	83	30	9	-
ALL OTHER--MALE----	2	4	2	4	5	5	7	5	4	-	-	-
FEMALE--	2	2	7	2	10	11	16	13	16	7	1	-
BLACK---MALE----	2	4	2	4	5	5	7	5	4	-	-	-
FEMALE--	2	2	7	2	10	11	16	13	15	7	1	-
MONTANA -----	1	3	3	6	9	19	14	15	17	6	1	-
WHITE-----MALE----	1	3	1	4	8	8	3	7	7	2	-	-
FEMALE--	-	-	1	2	1	11	9	8	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	2	5	6	12	32	36	39	50	37	14	5	-
WHITE-----MALE----	-	3	5	4	20	19	22	21	10	7	1	-
FEMALE--	2	2	1	8	10	15	14	29	26	7	4	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
NEVADA -----	8	10	15	31	40	54	41	30	10	6	1	-
WHITE-----MALE----	6	4	10	18	21	24	21	15	-	-	-	-
FEMALE--	1	2	4	9	13	24	14	13	7	6	1	-
ALL OTHER--MALE----	1	2	1	3	1	2	2	-	1	-	-	-
FEMALE--	-	2	-	1	5	4	4	2	2	-	-	-
BLACK---MALE----	1	1	1	2	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	4	4	4	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,239
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
OHIO -----	2,111	5	-	2	-	2	3	5	10	17	18	32
WHITE-----MALE----	780	-	-	1	-	1	-	1	3	5	10	14
FEMALE--	1,043	-	-	1	-	-	2	1	2	4	1	12
ALL OTHER--MALE----	131	5	-	-	-	1	1	2	2	3	5	2
FEMALE--	157	-	-	-	-	-	-	1	3	5	2	4
BLACK---MALE----	127	5	-	-	-	1	1	2	2	3	5	2
FEMALE--	157	-	-	-	-	-	-	1	3	5	2	4
OKLAHOMA -----	673	-	-	-	-	-	1	2	2	8	3	4
WHITE-----MALE----	247	-	-	-	-	-	1	-	1	3	-	1
FEMALE--	333	-	-	-	-	-	-	2	1	2	1	2
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	369	2	-	-	-	-	-	-	1	1	1	5
WHITE-----MALE----	145	1	-	-	-	-	-	-	-	1	1	5
FEMALE--	204	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,869	7	2	1	-	-	3	2	6	14	20	37
WHITE-----MALE----	1,073	4	-	-	-	-	-	1	2	6	3	12
FEMALE--	1,418	1	2	-	-	-	-	-	1	1	9	7
ALL OTHER--MALE----	175	2	-	1	-	-	3	1	3	5	6	11
FEMALE--	203	-	-	-	-	-	-	-	-	2	2	7
BLACK---MALE----	172	2	-	1	-	-	3	1	3	5	6	10
FEMALE--	198	-	-	-	-	-	-	-	-	2	2	6
RHODE ISLAND -----	173	-	-	-	-	-	-	-	-	2	2	5
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	102	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	663	4	-	-	-	-	-	5	3	6	12	12
WHITE-----MALE----	162	2	-	-	-	-	-	4	2	2	2	1
FEMALE--	244	1	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	117	-	-	-	-	-	-	1	-	-	6	7
FEMALE--	140	1	-	-	-	-	-	-	-	4	4	3
BLACK---MALE----	117	-	-	-	-	-	-	1	-	-	6	7
FEMALE--	139	1	-	-	-	-	-	-	-	4	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,239
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
OHIO -----	29	48	82	148	232	304	416	368	254	115	21	-
WHITE-----MALE----	15	17	28	54	92	139	160	133	75	30	2	-
FEMALE--	7	18	34	62	106	131	217	198	153	78	16	-
ALL OTHER--MALE----	6	6	10	15	19	18	10	11	9	5	1	-
FEMALE--	1	7	10	17	15	16	29	26	17	2	2	-
BLACK---MALE----	5	6	10	15	17	18	9	11	9	5	1	-
FEMALE--	1	7	10	17	15	16	29	26	17	2	2	-
OKLAHOMA -----	14	17	23	31	61	88	135	138	103	35	7	1
WHITE-----MALE----	2	6	9	16	32	38	47	52	29	9	1	-
FEMALE--	6	9	8	12	19	38	72	72	63	20	5	1
ALL OTHER--MALE----	4	1	3	2	4	5	6	5	2	3	1	-
FEMALE--	2	1	3	1	6	7	10	9	9	3	-	-
BLACK---MALE----	3	-	2	1	3	3	3	4	2	3	1	-
FEMALE--	2	1	1	1	5	4	5	8	6	3	-	-
OREGON -----	10	4	13	18	40	57	60	74	50	28	5	-
WHITE-----MALE----	6	3	4	5	21	23	24	31	12	6	2	-
FEMALE--	2	1	9	11	18	31	32	40	37	21	2	-
ALL OTHER--MALE----	1	-	-	2	-	1	2	1	1	1	-	-
FEMALE--	1	-	-	-	1	2	2	2	-	-	1	-
BLACK---MALE----	-	-	-	2	-	1	1	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	59	45	96	177	349	471	562	530	322	131	35	-
WHITE-----MALE----	18	15	35	81	154	210	229	184	84	29	6	-
FEMALE--	22	15	32	57	143	202	288	307	215	90	26	-
ALL OTHER--MALE----	12	10	15	21	26	20	17	11	6	4	1	-
FEMALE--	7	5	14	18	26	39	28	28	17	8	2	-
BLACK---MALE----	12	10	14	21	25	20	17	11	6	4	1	-
FEMALE--	7	5	14	17	26	37	28	28	16	8	2	-
RHODE ISLAND -----	1	3	2	9	21	23	35	34	23	10	3	-
WHITE-----MALE----	-	1	1	4	10	10	13	12	6	-	1	-
FEMALE--	-	2	1	4	9	12	20	22	17	10	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA -----	12	24	36	47	77	94	137	98	63	27	6	-
WHITE-----MALE----	1	6	14	14	20	24	33	26	5	6	-	-
FEMALE--	3	4	6	7	22	37	59	52	35	14	2	-
ALL OTHER--MALE----	5	8	7	14	20	13	18	7	6	3	2	-
FEMALE--	3	6	9	12	15	20	27	13	17	4	2	-
BLACK---MALE----	5	8	7	14	20	13	18	7	6	3	2	-
FEMALE--	3	5	9	12	15	20	27	13	17	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,240
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
SOUTH DAKOTA -----	123	-	-	-	1	-	-	-	-	1	2	-
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	59	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	973	5	-	1	-	-	3	4	6	5	8	12
WHITE-----MALE----	293	4	-	-	-	-	1	-	2	4	1	2
FEMALE--	456	-	-	-	-	-	-	1	-	-	2	4
ALL OTHER--MALE----	96	-	-	-	-	-	2	3	3	1	2	3
FEMALE--	128	1	-	1	-	-	-	-	1	-	3	3
BLACK---MALE----	95	-	-	-	-	-	2	3	3	1	2	3
FEMALE--	128	1	-	1	-	-	-	-	1	-	3	3
TEXAS -----	2,275	13	1	-	2	2	6	10	13	21	26	38
WHITE-----MALE----	744	8	1	-	1	1	1	5	4	8	8	9
FEMALE--	1,115	4	-	-	-	-	4	3	4	9	5	14
ALL OTHER--MALE----	191	1	-	-	-	1	1	1	4	3	8	7
FEMALE--	225	-	-	-	1	-	-	1	1	1	5	8
BLACK---MALE----	180	1	-	-	-	1	1	1	4	3	8	6
FEMALE--	219	-	-	-	1	-	-	-	1	1	5	8
UTAH -----	170	2	1	-	-	-	-	2	-	1	-	1
WHITE-----MALE----	73	2	1	-	-	-	-	-	-	1	-	1
FEMALE--	90	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	83	-	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,123	4	-	-	-	2	3	5	5	17	13	19
WHITE-----MALE----	322	-	-	-	-	1	2	-	1	4	3	4
FEMALE--	432	-	-	-	-	-	-	1	1	5	1	1
ALL OTHER--MALE----	157	1	-	-	-	1	1	3	2	8	5	7
FEMALE--	212	3	-	-	-	-	-	1	1	-	4	7
BLACK---MALE----	153	1	-	-	-	1	1	3	2	8	5	7
FEMALE--	204	3	-	-	-	-	-	1	1	-	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,240
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF URINARY SYSTEM (580-599)												
SOUTH DAKOTA -----	2	2	2	2	9	14	23	21	28	16	-	-
WHITE-----MALE----	1	2	2	2	5	6	9	9	11	5	-	-
FEMALE--	-	-	-	-	3	6	10	11	17	11	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	37	43	52	112	138	179	194	108	40	13	-
WHITE-----MALE----	3	11	13	22	42	40	62	51	29	5	1	-
FEMALE--	6	11	12	11	43	68	86	109	62	32	9	-
ALL OTHER--MALE----	1	8	10	8	13	14	14	11	2	-	1	-
FEMALE--	3	7	8	11	14	16	17	23	15	3	2	-
BLACK---MALE----	1	8	9	8	13	14	14	11	2	-	1	-
FEMALE--	3	7	8	11	14	16	17	23	15	3	2	-
TEXAS -----	35	50	106	158	218	303	367	438	311	133	24	-
WHITE-----MALE----	14	13	41	65	92	116	118	136	67	32	4	-
FEMALE--	9	19	31	55	97	145	194	230	200	80	12	-
ALL OTHER--MALE----	8	9	21	19	14	22	13	29	20	7	3	-
FEMALE--	4	9	13	19	15	20	42	43	24	14	5	-
BLACK---MALE----	7	8	19	19	14	20	12	28	19	7	2	-
FEMALE--	4	9	13	19	15	20	41	43	23	13	3	-
UTAH -----	2	3	5	14	14	21	32	34	28	9	1	-
WHITE-----MALE----	-	-	3	3	7	12	15	14	11	2	1	-
FEMALE--	2	3	2	11	6	8	17	18	17	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	5	4	7	18	8	13	15	6	2	-
WHITE-----MALE----	-	-	3	3	4	8	2	-	4	-	1	-
FEMALE--	-	2	2	1	3	10	6	13	10	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	41	61	85	108	189	209	172	118	41	6	-
WHITE-----MALE----	7	7	17	27	42	62	60	44	34	5	2	-
FEMALE--	3	11	28	19	28	69	96	90	53	22	4	-
ALL OTHER--MALE----	7	9	8	21	20	22	21	13	7	1	-	-
FEMALE--	8	14	8	18	18	36	32	25	24	13	-	-
BLACK---MALE----	7	8	8	21	19	22	19	13	7	1	-	-
FEMALE--	7	14	8	17	17	35	30	24	24	12	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,242
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
UNITED STATES --	23,676	155	19	11	12	16	38	78	120	210	284	346
WHITE-----MALE----	9,288	53	6	4	2	5	10	27	40	67	94	127
FEMALE--	9,829	39	6	4	4	5	11	24	31	49	52	84
ALL OTHER--MALE----	2,101	37	6	-	3	5	11	16	33	61	90	79
FEMALE--	2,458	26	1	3	3	1	6	11	16	33	48	56
BLACK---MALE----	1,916	37	5	-	2	5	10	16	33	58	86	74
FEMALE--	2,243	22	1	3	1	1	5	9	16	32	45	53
ALABAMA -----	628	-	-	-	-	-	1	-	4	6	2	12
WHITE-----MALE----	168	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	234	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	110	-	-	-	-	-	1	-	2	2	-	3
FEMALE--	116	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	110	-	-	-	-	-	1	-	2	2	-	3
FEMALE--	115	-	-	-	-	-	-	-	-	2	-	3
ALASKA -----	18	-	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	321	4	-	-	1	-	2	2	4	2	4	2
WHITE-----MALE----	145	2	-	-	-	-	1	1	2	1	1	-
FEMALE--	142	1	-	-	-	-	-	1	2	1	-	2
ALL OTHER--MALE----	13	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	21	-	-	-	1	-	-	-	-	-	3	-
BLACK---MALE----	4	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	340	-	1	-	1	-	-	1	2	1	4	4
WHITE-----MALE----	129	-	1	-	-	-	-	1	-	1	2	1
FEMALE--	128	-	-	-	1	-	-	-	2	-	-	1
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	1,161	17	2	1	1	4	2	7	7	14	23	26
WHITE-----MALE----	491	5	1	1	-	1	1	3	5	5	8	9
FEMALE--	412	8	1	-	1	2	1	1	2	4	5	5
ALL OTHER--MALE----	128	2	-	-	-	1	-	2	-	2	8	6
FEMALE--	130	2	-	-	-	-	-	1	-	3	2	6
BLACK---MALE----	81	2	-	-	-	1	-	2	-	2	8	4
FEMALE--	70	1	-	-	-	-	-	-	-	2	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,242
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
UNITED STATES --	462	631	1,108	1,807	2,783	3,747	4,332	3,878	2,472	937	226	4
WHITE-----MALE----	156	237	409	766	1,221	1,677	1,768	1,479	805	280	54	1
FEMALE--	127	163	354	590	1,015	1,440	1,896	1,921	1,351	539	124	-
ALL OTHER--MALE----	96	116	174	219	244	282	270	190	110	39	17	3
FEMALE--	83	115	171	232	303	348	398	288	206	79	31	-
BLACK---MALE----	84	108	157	202	221	261	236	170	98	36	14	3
FEMALE--	77	102	160	209	273	318	357	272	188	72	27	-
ALABAMA -----	14	26	35	61	70	98	127	88	60	15	9	-
WHITE-----MALE----	2	7	13	15	25	34	35	22	4	2	1	-
FEMALE--	4	6	8	14	23	34	50	44	35	9	3	-
ALL OTHER--MALE----	3	9	9	13	10	16	19	10	10	1	2	-
FEMALE--	5	4	5	19	12	14	23	12	11	3	3	-
BLACK---MALE----	3	9	9	13	10	16	19	10	10	1	2	-
FEMALE--	5	4	5	19	12	14	22	12	11	3	3	-
ALASKA -----	1	-	1	3	2	2	5	2	-	-	-	-
WHITE-----MALE----	1	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	12	13	36	51	51	54	36	25	10	3	-
WHITE-----MALE----	3	6	6	15	24	30	25	12	12	3	1	-
FEMALE--	3	3	4	14	23	18	26	24	11	7	2	-
ALL OTHER--MALE----	3	-	2	2	1	1	1	-	1	-	-	-
FEMALE--	-	3	1	5	3	2	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	3	2	1	1	-	1	-	-	-
ARKANSAS -----	7	8	15	25	31	52	61	67	38	18	4	-
WHITE-----MALE----	4	1	5	13	10	19	29	24	13	5	-	-
FEMALE--	1	3	5	6	13	23	19	31	19	2	2	-
ALL OTHER--MALE----	1	1	3	3	4	3	5	10	1	4	1	-
FEMALE--	1	3	2	3	4	7	8	2	5	7	1	-
BLACK---MALE----	1	1	3	3	4	3	5	10	1	4	1	-
FEMALE--	1	3	2	3	4	7	8	2	5	7	1	-
CALIFORNIA -----	26	30	74	85	146	185	199	155	110	31	16	-
WHITE-----MALE----	9	12	35	32	74	85	82	65	43	12	3	-
FEMALE--	9	11	17	29	40	58	75	69	50	14	10	-
ALL OTHER--MALE----	3	4	11	14	17	22	15	11	7	1	2	-
FEMALE--	5	3	11	10	15	20	27	10	10	4	1	-
BLACK---MALE----	1	4	8	9	11	15	7	5	2	-	-	-
FEMALE--	4	1	8	2	8	13	13	4	4	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,243
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
COLORADO -----	250	1	-	-	-	-	1	-	1	2	7	3
WHITE-----MALE----	126	1	-	-	-	-	-	-	1	1	4	2
FEMALE--	108	-	-	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	370	-	-	-	-	-	-	1	1	6	4	5
WHITE-----MALE----	168	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	163	-	-	-	-	-	-	1	-	2	1	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	83	1	-	-	-	-	-	-	-	3	-	1
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	39	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	115	3	-	-	-	-	-	-	-	2	4	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	49	2	-	-	-	-	-	-	-	1	3	-
FEMALE--	50	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	49	2	-	-	-	-	-	-	-	1	3	-
FEMALE--	50	1	-	-	-	-	-	-	-	1	1	-
FLORIDA -----	1,088	6	-	1	1	-	1	3	4	7	4	10
WHITE-----MALE----	500	2	-	-	1	-	-	1	2	2	1	3
FEMALE--	403	1	-	-	-	-	1	-	1	-	1	1
ALL OTHER--MALE----	70	2	-	-	-	-	-	-	1	2	2	3
FEMALE--	115	1	-	1	-	-	-	2	-	3	-	3
BLACK---MALE----	70	2	-	-	-	-	-	-	1	2	2	3
FEMALE--	113	1	-	1	-	-	-	2	-	3	-	3
GEORGIA -----	768	6	1	-	1	1	2	3	3	17	14	16
WHITE-----MALE----	193	-	-	-	-	-	-	-	1	6	2	5
FEMALE--	274	-	-	-	1	-	1	-	-	1	1	4
ALL OTHER--MALE----	130	5	-	-	-	-	1	-	2	6	7	3
FEMALE--	171	1	1	-	-	1	-	3	-	4	4	4
BLACK---MALE----	129	5	-	-	-	-	1	-	2	6	7	3
FEMALE--	169	1	1	-	-	1	-	3	-	4	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,243
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
COLORADO -----	7	6	12	30	29	35	46	36	23	7	4	-
WHITE-----MALE----	4	4	5	16	11	24	24	18	6	3	2	-
FEMALE--	2	-	6	11	17	10	20	16	17	4	1	-
ALL OTHER--MALE----	1	1	1	2	-	1	-	1	-	-	1	-
FEMALE--	-	1	-	1	1	-	2	1	-	-	-	-
BLACK---MALE----	1	-	1	2	-	1	-	1	-	-	1	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
CONNECTICUT -----	5	8	12	30	37	60	84	58	32	22	5	-
WHITE-----MALE----	1	3	4	18	22	32	37	22	13	9	1	-
FEMALE--	1	-	3	8	12	26	41	32	18	13	4	-
ALL OTHER--MALE----	2	4	3	-	1	1	1	2	1	-	-	-
FEMALE--	1	1	2	4	2	1	5	2	-	-	-	-
BLACK---MALE----	2	4	2	-	1	1	1	2	1	-	-	-
FEMALE--	1	1	2	4	2	1	5	2	-	-	-	-
DELAWARE -----	2	2	4	11	13	15	15	3	8	4	1	-
WHITE-----MALE----	1	1	-	6	6	8	5	2	2	-	-	-
FEMALE--	1	1	4	4	5	3	8	1	6	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	-	-	1	1	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	-	-	1	-	-
DISTRICT OF COLUMBIA ----	9	7	4	11	14	17	15	17	10	2	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	-	3	3	4	-	-	-
ALL OTHER--MALE----	5	3	3	4	10	7	3	8	-	-	-	-
FEMALE--	4	2	1	6	4	10	8	5	5	2	-	-
BLACK---MALE----	5	3	3	4	10	7	3	8	-	-	-	-
FEMALE--	4	2	1	6	4	10	8	5	5	2	-	-
FLORIDA -----	14	15	53	70	124	187	216	176	136	50	9	1
WHITE-----MALE----	6	5	14	34	63	94	106	76	65	23	2	-
FEMALE--	4	6	22	15	40	63	80	82	58	24	4	-
ALL OTHER--MALE----	2	1	7	11	9	7	9	7	3	2	1	1
FEMALE--	2	3	10	10	12	23	21	11	10	1	2	-
BLACK---MALE----	2	1	7	11	9	7	9	7	3	2	1	1
FEMALE--	2	2	10	10	12	22	21	11	10	1	2	-
GEORGIA -----	20	30	34	70	82	105	149	112	75	24	3	-
WHITE-----MALE----	5	9	4	21	27	30	38	27	15	3	-	-
FEMALE--	3	4	11	16	26	34	61	55	43	12	1	-
ALL OTHER--MALE----	9	6	7	15	13	20	20	8	5	3	-	-
FEMALE--	3	11	12	18	16	21	30	22	12	6	2	-
BLACK---MALE----	9	6	7	14	13	20	20	8	5	3	-	-
FEMALE--	3	9	12	18	16	21	30	22	12	6	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,244
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
HAWAII -----	4	3	6	5	12	10	16	8	9	1	-	-
WHITE-----MALE----	-	-	1	-	2	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	3	-	-	-	-
ALL OTHER--MALE----	1	1	4	1	5	3	8	4	3	-	-	-
FEMALE--	3	2	1	4	2	5	8	-	6	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	5	3	11	14	10	19	7	2	3	-
WHITE-----MALE----	1	-	3	1	5	9	5	11	4	-	-	-
FEMALE--	-	-	2	2	6	5	4	8	3	2	3	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	34	42	62	124	182	253	262	253	138	54	12	-
WHITE-----MALE----	7	13	20	43	71	112	106	94	46	13	2	-
FEMALE--	6	10	16	36	69	91	111	122	74	33	10	-
ALL OTHER--MALE----	9	12	14	23	16	27	13	10	3	3	-	-
FEMALE--	12	7	12	22	26	23	32	27	15	5	-	-
BLACK---MALE----	9	12	14	22	16	26	11	10	3	2	-	-
FEMALE--	11	7	12	22	23	20	30	27	15	4	-	-
INDIANA -----	11	17	32	58	85	96	119	120	82	27	8	-
WHITE-----MALE----	5	6	13	30	40	47	53	35	28	7	3	-
FEMALE--	3	5	13	17	34	41	51	78	48	18	4	-
ALL OTHER--MALE----	2	3	2	2	6	5	9	1	2	-	-	-
FEMALE--	1	3	4	9	5	3	6	6	4	2	1	-
BLACK---MALE----	2	3	2	2	5	5	9	1	2	-	-	-
FEMALE--	1	3	4	9	5	2	6	6	4	2	1	-
IOWA -----	3	5	6	6	13	33	29	29	18	12	2	-
WHITE-----MALE----	3	3	3	2	7	18	15	15	7	2	1	-
FEMALE--	-	2	2	4	6	15	13	14	11	10	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	8	13	13	37	33	62	55	36	9	4	-
WHITE-----MALE----	3	4	5	9	12	19	26	23	14	2	-	-
FEMALE--	3	3	4	4	19	13	29	30	20	7	4	-
ALL OTHER--MALE----	-	-	2	-	3	1	4	-	-	-	-	-
FEMALE--	-	1	2	-	3	-	3	2	2	-	-	-
BLACK---MALE----	-	-	2	-	3	1	3	-	-	-	-	-
FEMALE--	-	1	2	-	2	-	3	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,245
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
KENTUCKY -----	476	3	1	-	1	1	-	1	1	2	7	10
WHITE-----MALE----	212	2	1	-	-	1	-	1	1	1	3	3
FEMALE--	217	1	-	-	-	-	-	-	-	1	-	6
ALL OTHER--MALE----	22	-	-	-	1	-	-	-	-	-	4	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	1	-	-	-	-	-	4	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	527	3	-	-	-	-	-	1	3	6	14	6
WHITE-----MALE----	160	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	171	-	-	-	-	-	-	-	2	1	1	2
ALL OTHER--MALE----	84	1	-	-	-	-	-	1	-	2	8	1
FEMALE--	112	2	-	-	-	-	-	-	-	2	2	3
BLACK---MALE----	84	1	-	-	-	-	-	1	-	2	8	1
FEMALE--	111	2	-	-	-	-	-	-	-	2	2	3
MAINE -----	137	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	474	4	-	1	-	-	-	3	6	10	10	8
WHITE-----MALE----	142	1	-	-	-	-	-	1	-	1	2	1
FEMALE--	139	-	-	-	-	-	-	1	1	1	2	-
ALL OTHER--MALE----	90	2	-	-	-	-	-	1	3	6	2	5
FEMALE--	103	1	-	1	-	-	-	-	2	2	4	2
BLACK---MALE----	88	2	-	-	-	-	-	1	3	6	2	5
FEMALE--	99	1	-	1	-	-	-	-	2	2	4	2
MASSACHUSETTS -----	850	7	-	-	-	1	2	2	2	10	6	17
WHITE-----MALE----	386	3	-	-	-	-	1	1	-	3	3	9
FEMALE--	407	2	-	-	-	1	-	1	2	2	2	6
ALL OTHER--MALE----	27	1	-	-	-	-	1	-	-	3	-	1
FEMALE--	30	1	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	24	1	-	-	-	-	1	-	-	3	-	1
FEMALE--	26	1	-	-	-	-	-	-	-	2	1	1
MICHIGAN -----	968	4	-	2	-	-	1	4	5	5	10	17
WHITE-----MALE----	353	1	-	1	-	-	-	1	1	-	5	5
FEMALE--	442	2	-	1	-	-	-	2	3	2	5	2
ALL OTHER--MALE----	85	1	-	-	-	-	-	-	1	3	-	6
FEMALE--	88	-	-	-	-	-	1	1	-	-	-	4
BLACK---MALE----	81	1	-	-	-	-	-	-	1	3	-	6
FEMALE--	81	-	-	-	-	-	1	1	-	-	-	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,245
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
KENTUCKY -----	13	19	19	45	54	66	81	78	54	15	5	-
WHITE-----MALE----	5	9	10	25	28	35	31	31	14	8	3	-
FEMALE--	7	6	7	18	21	28	39	40	34	7	2	-
ALL OTHER--MALE----	-	3	1	-	2	1	3	3	3	-	-	-
FEMALE--	1	1	1	2	3	2	8	4	3	-	-	-
BLACK---MALE----	-	3	1	-	2	1	3	3	3	-	-	-
FEMALE--	1	1	1	2	3	2	8	4	3	-	-	-
LOUISIANA -----	19	26	28	51	60	75	92	70	47	16	10	-
WHITE-----MALE----	3	11	12	20	22	26	30	17	10	1	3	-
FEMALE--	5	3	3	10	19	25	39	28	25	6	2	-
ALL OTHER--MALE----	4	4	5	8	7	12	13	10	4	3	1	-
FEMALE--	7	8	8	13	12	12	10	15	8	6	4	-
BLACK---MALE----	4	4	5	8	7	12	13	10	4	3	1	-
FEMALE--	7	8	7	13	12	12	10	15	8	6	4	-
MAINE -----	-	2	4	12	13	21	24	27	17	13	2	-
WHITE-----MALE----	-	2	3	9	10	16	14	13	6	6	1	-
FEMALE--	-	-	1	3	3	5	10	13	11	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	18	21	37	56	66	96	67	36	14	3	1
WHITE-----MALE----	3	4	2	11	17	24	35	25	12	3	-	-
FEMALE--	1	3	7	7	14	20	31	25	16	8	2	-
ALL OTHER--MALE----	7	6	9	7	9	9	12	8	3	-	-	1
FEMALE--	6	5	3	12	16	13	18	9	5	3	1	-
BLACK---MALE----	7	6	9	7	9	9	12	7	2	-	-	1
FEMALE--	6	5	3	12	16	13	16	8	4	3	1	-
MASSACHUSETTS -----	16	22	25	64	112	131	161	141	84	40	7	-
WHITE-----MALE----	9	16	10	36	57	64	74	59	26	14	1	-
FEMALE--	5	4	8	20	48	61	78	80	56	26	5	-
ALL OTHER--MALE----	2	1	5	5	2	2	2	1	-	-	1	-
FEMALE--	-	1	2	3	5	4	7	1	2	-	-	-
BLACK---MALE----	2	1	4	3	2	2	2	1	-	-	1	-
FEMALE--	-	1	2	3	4	4	5	1	1	-	-	-
MICHIGAN -----	18	25	49	75	117	168	169	157	100	36	6	-
WHITE-----MALE----	7	14	14	35	50	65	56	57	31	9	1	-
FEMALE--	6	4	14	26	43	77	91	81	58	22	3	-
ALL OTHER--MALE----	3	2	9	8	11	10	14	11	4	1	1	-
FEMALE--	2	5	12	6	13	16	8	8	7	4	1	-
BLACK---MALE----	3	2	8	8	11	8	14	10	4	1	1	-
FEMALE--	2	4	11	6	11	15	8	8	7	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,246
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
MINNESOTA -----	1	6	12	22	28	65	75	80	63	24	5	-
WHITE-----MALE----	-	2	6	8	17	33	42	37	20	12	2	-
FEMALE--	-	3	6	13	10	30	32	40	42	11	3	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
MISSISSIPPI -----	7	18	28	31	49	59	64	57	32	9	2	-
WHITE-----MALE----	2	5	7	11	15	18	16	12	6	1	-	-
FEMALE--	2	2	2	6	12	16	23	21	14	4	-	-
ALL OTHER--MALE----	2	6	5	4	14	14	13	13	6	2	-	-
FEMALE--	1	5	14	10	8	11	12	11	6	2	2	-
BLACK---MALE----	2	6	5	4	14	14	13	13	6	2	-	-
FEMALE--	1	5	13	9	8	11	12	11	6	2	2	-
MISSOURI -----	9	11	32	39	60	94	124	118	84	23	3	-
WHITE-----MALE----	5	4	11	21	25	41	57	44	31	10	1	-
FEMALE--	4	2	16	15	25	39	59	59	40	13	2	-
ALL OTHER--MALE----	-	3	-	1	4	4	3	3	3	-	-	-
FEMALE--	-	2	5	2	6	10	5	12	10	-	-	-
BLACK---MALE----	-	3	-	1	4	4	3	3	3	-	-	-
FEMALE--	-	2	5	2	6	10	5	12	10	-	-	-
MONTANA -----	-	2	1	5	5	12	11	9	9	1	-	-
WHITE-----MALE----	-	2	-	3	5	6	3	6	3	-	-	-
FEMALE--	-	-	1	2	-	6	6	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	2	3	3	7	22	27	30	32	22	9	4	-
WHITE-----MALE----	-	3	2	3	13	17	15	18	8	5	1	-
FEMALE--	2	-	1	4	7	8	12	14	13	4	3	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
NEVADA -----	6	9	13	25	32	43	34	25	8	4	-	-
WHITE-----MALE----	4	4	9	14	15	18	19	12	-	-	-	-
FEMALE--	1	2	3	8	11	19	12	11	5	4	-	-
ALL OTHER--MALE----	1	2	1	2	1	2	-	-	1	-	-	-
FEMALE--	-	1	-	1	5	4	3	2	2	-	-	-
BLACK---MALE----	1	1	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	4	4	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,248
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
OHIO -----	1,318	5	-	1	-	1	1	4	7	13	13	20
WHITE-----MALE----	533	-	-	-	-	-	-	1	2	4	8	8
FEMALE--	596	-	-	1	-	-	1	1	2	4	-	6
ALL OTHER--MALE----	84	5	-	-	-	1	-	2	1	1	3	2
FEMALE--	105	-	-	-	-	-	-	-	2	4	2	4
BLACK---MALE----	80	5	-	-	-	1	-	2	1	1	3	2
FEMALE--	105	-	-	-	-	-	-	-	2	4	2	4
OKLAHOMA -----	410	-	-	-	-	-	1	-	2	5	2	3
WHITE-----MALE----	166	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	182	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	208	1	-	-	-	-	-	-	1	1	1	4
WHITE-----MALE----	91	1	-	-	-	-	-	-	-	1	1	4
FEMALE--	106	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,761	7	2	-	-	-	2	2	2	8	16	28
WHITE-----MALE----	722	4	-	-	-	-	-	1	1	4	3	11
FEMALE--	831	1	2	-	-	-	-	-	-	1	7	4
ALL OTHER--MALE----	105	2	-	-	-	-	2	1	1	2	4	8
FEMALE--	103	-	-	-	-	-	-	-	-	1	2	5
BLACK---MALE----	105	2	-	-	-	-	2	1	1	2	4	8
FEMALE--	100	-	-	-	-	-	-	-	-	1	2	5
RHODE ISLAND -----	82	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	286	3	-	-	-	-	-	3	2	3	5	3
WHITE-----MALE----	87	2	-	-	-	-	-	2	2	1	1	-
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	56	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	63	1	-	-	-	-	-	-	-	2	3	-
BLACK---MALE----	56	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	62	1	-	-	-	-	-	-	-	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,248
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
OHIO -----	20	32	64	107	160	188	264	213	140	55	10	-
WHITE-----MALE----	12	13	22	38	68	92	109	90	48	16	2	-
FEMALE--	4	12	24	45	69	76	135	97	77	35	7	-
ALL OTHER--MALE----	3	3	10	12	11	10	3	7	6	4	-	-
FEMALE--	1	4	8	12	12	10	17	19	9	-	1	-
BLACK---MALE----	2	3	10	12	9	10	2	7	6	4	-	-
FEMALE--	1	4	8	12	12	10	17	19	9	-	1	-
OKLAHOMA -----	7	11	17	22	37	56	86	82	59	16	4	-
WHITE-----MALE----	1	4	7	10	17	24	40	34	19	5	1	-
FEMALE--	4	5	5	9	13	24	36	40	33	6	3	-
ALL OTHER--MALE----	1	1	3	2	3	5	3	2	2	3	-	-
FEMALE--	1	1	2	1	4	3	7	6	5	2	-	-
BLACK---MALE----	1	-	2	1	2	3	-	2	2	3	-	-
FEMALE--	1	1	1	1	3	2	5	5	4	2	-	-
OREGON -----	5	2	9	12	30	38	32	35	21	13	3	-
WHITE-----MALE----	3	1	2	3	16	17	12	19	6	3	2	-
FEMALE--	1	1	7	7	14	19	17	14	15	10	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	38	24	69	104	231	314	334	317	171	72	20	-
WHITE-----MALE----	12	7	25	46	103	151	152	132	46	18	6	-
FEMALE--	14	12	23	40	102	129	156	164	116	48	12	-
ALL OTHER--MALE----	9	4	11	13	14	10	11	5	4	3	1	-
FEMALE--	3	1	10	5	12	24	15	16	5	3	1	-
BLACK---MALE----	9	4	11	13	14	10	11	5	4	3	1	-
FEMALE--	3	1	10	4	12	23	15	16	4	3	1	-
RHODE ISLAND -----	1	1	2	5	13	13	16	11	9	4	2	-
WHITE-----MALE----	-	1	1	2	7	8	6	5	3	-	1	-
FEMALE--	-	-	1	3	5	4	8	6	6	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA -----	3	16	22	24	37	48	48	37	20	9	3	-
WHITE-----MALE----	1	5	11	9	10	12	10	15	3	3	-	-
FEMALE--	1	2	3	3	10	15	22	14	8	2	-	-
ALL OTHER--MALE----	1	5	5	7	10	8	8	2	1	2	2	-
FEMALE--	-	4	3	5	7	13	8	6	8	2	1	-
BLACK---MALE----	1	5	5	7	10	8	8	2	1	2	2	-
FEMALE--	-	3	3	5	7	13	8	6	8	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,249
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
SOUTH DAKOTA -----	77	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	414	4	-	1	-	-	3	3	4	2	2	8
WHITE-----MALE----	138	4	-	-	-	-	1	-	1	2	1	2
FEMALE--	178	-	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	52	-	-	-	-	-	2	2	2	-	-	2
FEMALE--	46	-	-	1	-	-	-	-	1	-	1	1
BLACK---MALE----	51	-	-	-	-	-	2	2	2	-	-	2
FEMALE--	46	-	-	1	-	-	-	-	1	-	1	1
TEXAS -----	953	13	1	-	-	1	3	6	6	9	13	16
WHITE-----MALE----	362	8	1	-	-	1	1	2	2	3	6	6
FEMALE--	410	4	-	-	-	-	2	3	2	6	3	5
ALL OTHER--MALE----	81	1	-	-	-	-	-	1	1	-	3	3
FEMALE--	100	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	74	1	-	-	-	-	-	1	1	-	3	2
FEMALE--	98	-	-	-	-	-	-	-	1	-	1	2
UTAH -----	98	2	-	-	-	-	2	-	-	1	-	1
WHITE-----MALE----	50	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	44	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	43	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	639	4	-	-	-	1	-	2	2	13	6	11
WHITE-----MALE----	202	-	-	-	-	-	-	-	-	4	2	2
FEMALE--	229	-	-	-	-	-	-	1	-	4	-	-
ALL OTHER--MALE----	90	1	-	-	-	1	-	1	1	5	2	4
FEMALE--	118	3	-	-	-	-	-	-	1	-	2	5
BLACK---MALE----	87	1	-	-	-	1	-	1	1	5	2	4
FEMALE--	115	3	-	-	-	-	-	-	1	-	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,249
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
SOUTH DAKOTA -----	-	1	1	1	8	7	13	15	17	12	-	-
WHITE-----MALE----	-	1	1	1	5	4	6	6	8	4	-	-
FEMALE--	-	-	-	-	2	2	5	9	9	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	17	23	23	50	67	80	70	35	12	4	-
WHITE-----MALE----	1	6	7	11	16	20	26	22	15	3	-	-
FEMALE--	2	5	5	4	20	33	43	36	15	8	3	-
ALL OTHER--MALE----	1	4	8	3	6	9	6	6	1	-	-	-
FEMALE--	2	2	3	5	8	5	5	6	4	1	1	-
BLACK---MALE----	1	4	7	3	6	9	6	6	1	-	-	-
FEMALE--	2	2	3	5	8	5	5	6	4	1	1	-
TEXAS -----	17	28	53	67	101	129	144	153	125	57	11	-
WHITE-----MALE----	6	7	22	28	44	55	58	54	37	19	2	-
FEMALE--	7	8	14	21	40	56	63	76	66	29	5	-
ALL OTHER--MALE----	3	5	10	9	7	10	3	10	11	2	2	-
FEMALE--	1	8	7	9	10	8	20	13	11	7	2	-
BLACK---MALE----	2	4	9	9	7	9	2	10	11	2	1	-
FEMALE--	1	8	7	9	10	8	20	13	11	6	1	-
UTAH -----	2	3	4	9	8	11	20	18	12	4	1	-
WHITE-----MALE----	-	-	3	3	5	6	12	9	5	2	1	-
FEMALE--	2	3	1	6	3	4	8	7	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	3	3	4	8	3	7	10	2	1	-
WHITE-----MALE----	-	-	2	2	2	4	1	-	3	-	-	-
FEMALE--	-	1	1	1	2	4	2	7	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	17	41	55	65	114	117	91	66	18	2	-
WHITE-----MALE----	5	3	10	22	25	41	34	31	21	2	-	-
FEMALE--	1	3	22	14	18	38	49	42	25	10	2	-
ALL OTHER--MALE----	4	6	2	11	8	15	16	6	7	-	-	-
FEMALE--	4	5	7	8	14	20	18	12	13	6	-	-
BLACK---MALE----	4	5	2	11	7	15	15	6	7	-	-	-
FEMALE--	3	5	7	8	13	20	17	12	13	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,257
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE GLOMERULONEPHRITIS (580)												
OHIO -----	-	-	-	1	1	1	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	2	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,261
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHROTIC SYNDROME (581)												
COLORADO -----	-	-	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	3	2	1	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	2	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,267
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHROTIC SYNDROME (581)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	-	2	1	-	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	2	3	2	3	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,269
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
UNITED STATES --	39	49	76	116	174	231	241	254	123	60	14	-
WHITE-----MALE----	13	25	30	51	75	108	103	93	45	15	1	-
FEMALE--	12	11	26	39	59	84	105	137	53	37	9	-
ALL OTHER--MALE----	6	7	11	12	20	26	15	12	8	5	3	-
FEMALE--	8	6	9	14	20	13	18	12	17	3	1	-
BLACK---MALE----	5	6	8	12	20	23	15	12	7	4	2	-
FEMALE--	7	5	8	12	18	12	17	12	14	3	1	-
ALABAMA -----	-	1	2	2	1	4	10	1	-	2	-	-
WHITE-----MALE----	-	-	1	-	-	1	5	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	4	1	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	-	4	4	2	3	3	1	1	-	-
WHITE-----MALE----	-	2	-	1	1	2	3	-	-	-	-	-
FEMALE--	1	-	-	2	3	-	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	2	2	1	2	5	2	1	-	1	-
WHITE-----MALE----	-	-	1	1	1	-	3	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	6	9	12	15	25	25	19	18	13	3	2	-
WHITE-----MALE----	1	4	4	7	10	14	9	9	6	-	-	-
FEMALE--	3	2	5	8	10	9	7	8	3	3	1	-
ALL OTHER--MALE----	1	2	2	-	4	2	1	1	1	-	1	-
FEMALE--	1	1	1	-	1	-	2	-	3	-	-	-
BLACK---MALE----	-	2	1	-	4	1	1	1	1	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,270
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
COLORADO -----	9	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	19	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	92	-	-	-	1	-	-	-	1	1	-	-
WHITE-----MALE----	40	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	44	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,270
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
COLORADO -----	1	-	-	2	-	1	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	3	3	4	1	4	-	-	1	-
WHITE-----MALE----	-	1	-	2	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	1	-	1	-	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
FLORIDA -----	1	3	9	8	9	19	16	13	10	1	-	-
WHITE-----MALE----	-	2	2	4	4	7	6	6	7	1	-	-
FEMALE--	1	1	4	3	4	6	8	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	3	1	-	4	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	3	1	-	4	1	1	1	-	-	-
GEORGIA -----	1	2	2	3	5	4	9	7	4	3	1	-
WHITE-----MALE----	-	1	1	1	2	1	3	2	-	1	-	-
FEMALE--	-	-	-	1	-	2	4	3	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	1	-	1	-	-
FEMALE--	1	1	-	-	2	1	2	1	1	-	1	-
BLACK---MALE----	-	-	1	1	1	-	-	1	-	1	-	-
FEMALE--	1	1	-	-	2	1	2	1	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,272
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
KENTUCKY -----	26	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	32	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	28	-	-	-	-	-	-	2	-	-	2	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	42	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	50	-	-	-	-	-	1	-	-	2	1	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,275
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
OHIO -----	2	-	2	3	10	7	10	5	9	2	1	-
WHITE-----MALE----	1	-	1	1	5	6	3	1	2	-	-	-
FEMALE--	-	-	1	1	3	-	5	3	5	2	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	2	1	1	-	-	-
OKLAHOMA -----	-	1	2	1	-	7	5	8	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	2	4	3	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	5	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	2	-	1	2	2	5	4	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	2	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	1	3	5	7	16	12	14	3	6	1	-
WHITE-----MALE----	-	-	-	3	4	9	6	7	1	2	-	-
FEMALE--	1	1	2	2	1	5	5	6	2	4	-	-
ALL OTHER--MALE----	2	-	-	-	2	2	-	1	-	-	1	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	2	2	-	1	-	-	1	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	3	8	3	4	3	4	3	1	-	-
WHITE-----MALE----	1	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	3	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	3	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,276
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	2	7	4	6	9	3	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	4	3	3	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	2	-	-	-
TEXAS -----	1	1	4	7	13	12	13	17	8	7	1	-
WHITE-----MALE----	-	-	2	4	5	4	5	7	3	4	-	-
FEMALE--	1	1	1	2	6	6	7	9	4	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
UTAH -----	-	1	-	-	-	2	2	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	4	2	7	8	6	8	1	-	-
WHITE-----MALE----	-	-	1	-	2	3	2	3	4	-	-	-
FEMALE--	-	-	-	1	-	3	6	3	2	1	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,278
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
UNITED STATES --	21,880	145	10	6	7	13	28	61	102	183	245	326
WHITE-----MALE----	8,574	48	3	2	1	4	7	22	31	62	82	120
FEMALE--	9,093	38	2	2	3	4	9	18	26	40	43	78
ALL OTHER--MALE----	1,929	34	4	-	2	4	9	14	32	53	79	75
FEMALE--	2,284	25	1	2	1	1	3	7	13	28	41	53
BLACK---MALE----	1,759	34	3	-	1	4	9	14	32	51	77	70
FEMALE--	2,089	22	1	2	1	1	2	7	13	27	38	52
ALABAMA -----	601	-	-	-	-	-	1	-	4	5	2	12
WHITE-----MALE----	159	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	222	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	106	-	-	-	-	-	1	-	2	2	-	3
FEMALE--	114	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	106	-	-	-	-	-	1	-	2	2	-	3
FEMALE--	113	-	-	-	-	-	-	-	-	2	-	3
ALASKA -----	17	-	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	287	4	-	-	-	-	1	2	3	-	2	1
WHITE-----MALE----	132	2	-	-	-	-	-	1	2	-	-	-
FEMALE--	124	1	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	13	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	4	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	320	-	1	-	1	-	-	1	2	1	4	4
WHITE-----MALE----	119	-	1	-	-	-	-	1	-	1	2	1
FEMALE--	121	-	-	-	1	-	-	-	2	-	-	1
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	982	16	-	-	1	2	2	5	5	12	19	22
WHITE-----MALE----	410	4	-	-	-	1	1	3	3	5	7	5
FEMALE--	344	8	-	-	1	1	1	1	2	3	4	5
ALL OTHER--MALE----	108	2	-	-	-	-	-	1	-	1	6	6
FEMALE--	120	2	-	-	-	-	-	-	-	3	2	6
BLACK---MALE----	65	2	-	-	-	-	-	1	-	1	6	4
FEMALE--	65	1	-	-	-	-	-	-	-	2	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,278
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
UNITED STATES --	415	579	1,024	1,671	2,575	3,468	4,038	3,572	2,325	873	210	4
WHITE-----MALE----	141	212	374	708	1,132	1,547	1,643	1,369	749	263	53	1
FEMALE--	113	149	327	540	939	1,335	1,766	1,758	1,288	501	114	-
ALL OTHER--MALE----	87	109	162	205	224	254	254	175	102	34	14	3
FEMALE--	74	109	161	218	280	332	375	270	186	75	29	-
BLACK---MALE----	76	102	148	188	201	236	220	155	91	32	12	3
FEMALE--	69	97	151	197	252	303	336	254	171	68	25	-
ALABAMA -----	14	25	33	59	68	93	117	87	60	13	8	-
WHITE-----MALE----	2	7	12	15	24	33	30	22	4	2	1	-
FEMALE--	4	5	8	13	23	32	46	43	35	7	2	-
ALL OTHER--MALE----	3	9	8	13	9	14	19	10	10	1	2	-
FEMALE--	5	4	5	18	12	14	22	12	11	3	3	-
BLACK---MALE----	3	9	8	13	9	14	19	10	10	1	2	-
FEMALE--	5	4	5	18	12	14	21	12	11	3	3	-
ALASKA -----	1	-	1	2	2	2	5	2	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	10	12	31	47	49	49	33	24	9	3	-
WHITE-----MALE----	3	4	5	14	23	28	22	12	12	3	1	-
FEMALE--	1	3	4	11	20	18	24	21	10	6	2	-
ALL OTHER--MALE----	3	-	2	2	1	1	1	-	1	-	-	-
FEMALE--	-	3	1	4	3	2	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	3	2	1	1	-	1	-	-	-
ARKANSAS -----	7	8	13	23	29	50	56	62	37	18	3	-
WHITE-----MALE----	4	1	4	12	8	19	26	21	13	5	-	-
FEMALE--	1	3	4	6	13	22	17	29	18	2	2	-
ALL OTHER--MALE----	1	1	3	2	4	3	5	10	1	4	-	-
FEMALE--	1	3	2	3	4	6	8	2	5	7	1	-
BLACK---MALE----	1	1	3	2	4	3	5	10	1	4	-	-
FEMALE--	1	3	2	3	4	6	8	2	5	7	1	-
CALIFORNIA -----	20	21	62	70	118	156	177	136	96	28	14	-
WHITE-----MALE----	8	8	31	25	61	69	72	56	36	12	3	-
FEMALE--	6	9	12	21	30	47	66	60	47	11	9	-
ALL OTHER--MALE----	2	2	9	14	13	20	14	10	6	1	1	-
FEMALE--	4	2	10	10	14	20	25	10	7	4	1	-
BLACK---MALE----	1	2	7	9	7	14	6	4	1	-	-	-
FEMALE--	4	-	7	2	7	13	12	4	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,279
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
COLORADO -----	236	1	-	-	-	-	1	-	1	2	5	3
WHITE-----MALE----	118	1	-	-	-	-	-	-	1	1	3	2
FEMALE--	104	-	-	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	347	-	-	-	-	-	-	1	1	5	3	5
WHITE-----MALE----	157	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	153	-	-	-	-	-	-	1	-	2	1	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	74	1	-	-	-	-	-	-	-	3	-	1
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	110	3	-	-	-	-	-	-	-	2	4	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	49	2	-	-	-	-	-	-	-	1	3	-
FEMALE--	47	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	49	2	-	-	-	-	-	-	-	1	3	-
FEMALE--	47	1	-	-	-	-	-	-	-	1	1	-
FLORIDA -----	981	6	-	1	-	-	1	3	3	6	4	10
WHITE-----MALE----	452	2	-	-	-	-	-	1	2	2	1	3
FEMALE--	364	1	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	63	2	-	-	-	-	-	-	1	2	2	3
FEMALE--	102	1	-	1	-	-	-	2	-	2	-	3
BLACK---MALE----	63	2	-	-	-	-	-	-	1	2	2	3
FEMALE--	100	1	-	1	-	-	-	2	-	2	-	3
GEORGIA -----	720	6	1	-	-	1	1	2	3	17	14	16
WHITE-----MALE----	180	-	-	-	-	-	-	-	1	6	2	5
FEMALE--	257	-	-	-	-	-	1	-	-	1	1	4
ALL OTHER--MALE----	124	5	-	-	-	-	-	-	2	6	7	3
FEMALE--	159	1	1	-	-	1	-	2	-	4	4	4
BLACK---MALE----	123	5	-	-	-	-	-	-	2	6	7	3
FEMALE--	157	1	1	-	-	1	-	2	-	4	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,279
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
COLORADO -----	6	6	12	28	29	34	43	31	23	7	4	-
WHITE-----MALE----	4	4	5	15	11	23	22	15	6	3	2	-
FEMALE--	2	-	6	10	17	10	19	14	17	4	1	-
ALL OTHER--MALE----	-	1	1	2	-	1	-	1	-	-	1	-
FEMALE--	-	1	-	1	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	-	1	-	-	1	-
FEMALE--	-	1	-	1	-	1	1	1	-	-	-	-
CONNECTICUT -----	5	7	12	27	34	56	80	54	31	22	4	-
WHITE-----MALE----	1	2	4	16	20	31	36	20	12	9	1	-
FEMALE--	1	-	3	7	12	23	38	30	18	13	3	-
ALL OTHER--MALE----	2	4	3	-	-	1	1	2	1	-	-	-
FEMALE--	1	1	2	4	2	1	5	2	-	-	-	-
BLACK---MALE----	2	4	2	-	-	1	1	2	1	-	-	-
FEMALE--	1	1	2	4	2	1	5	2	-	-	-	-
DELAWARE -----	1	1	4	11	12	14	12	2	7	4	1	-
WHITE-----MALE----	-	-	-	6	6	8	3	1	2	-	-	-
FEMALE--	1	1	4	4	4	2	7	1	5	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	-	-	1	1	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	-	-	1	-	-
DISTRICT OF COLUMBIA ----	9	6	4	10	13	17	15	17	9	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	-	3	3	3	-	-	-
ALL OTHER--MALE----	5	3	3	4	10	7	3	8	-	-	-	-
FEMALE--	4	2	1	5	3	10	8	5	5	1	-	-
BLACK---MALE----	5	3	3	4	10	7	3	8	-	-	-	-
FEMALE--	4	2	1	5	3	10	8	5	5	1	-	-
FLORIDA -----	12	12	44	59	111	167	196	162	125	49	9	1
WHITE-----MALE----	6	3	12	28	56	87	99	69	57	22	2	-
FEMALE--	3	5	18	11	36	56	70	77	56	24	4	-
ALL OTHER--MALE----	1	1	7	11	8	5	7	6	3	2	1	1
FEMALE--	2	3	7	9	11	19	20	10	9	1	2	-
BLACK---MALE----	1	1	7	11	8	5	7	6	3	2	1	1
FEMALE--	2	2	7	9	11	18	20	10	9	1	2	-
GEORGIA -----	19	28	32	67	77	100	138	104	71	21	2	-
WHITE-----MALE----	5	8	3	20	25	29	34	25	15	2	-	-
FEMALE--	3	4	11	15	26	31	57	51	40	11	1	-
ALL OTHER--MALE----	9	6	6	14	12	20	20	7	5	2	-	-
FEMALE--	2	10	12	18	14	20	27	21	11	6	1	-
BLACK---MALE----	9	6	6	13	12	20	20	7	5	2	-	-
FEMALE--	2	8	12	18	14	20	27	21	11	6	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,280
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
HAWAII -----	4	1	5	5	12	8	16	8	8	1	-	-
WHITE-----MALE----	-	-	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	3	-	-	-	-
ALL OTHER--MALE----	1	-	3	1	5	3	8	4	3	-	-	-
FEMALE--	3	1	1	4	2	4	8	-	5	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	4	3	10	12	10	17	6	1	3	-
WHITE-----MALE----	1	-	2	1	5	9	5	11	3	-	-	-
FEMALE--	-	-	2	2	5	3	4	6	3	1	3	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	31	41	60	120	174	240	253	234	132	50	12	-
WHITE-----MALE----	6	13	20	43	67	108	101	86	41	12	2	-
FEMALE--	6	10	15	35	66	85	108	114	73	30	10	-
ALL OTHER--MALE----	9	11	13	22	16	24	12	9	3	3	-	-
FEMALE--	10	7	12	20	25	23	32	25	15	5	-	-
BLACK---MALE----	9	11	13	21	16	23	10	9	3	2	-	-
FEMALE--	9	7	12	20	22	20	30	25	15	4	-	-
INDIANA -----	10	15	27	57	82	92	113	113	79	26	8	-
WHITE-----MALE----	4	6	10	30	37	44	52	34	26	6	3	-
FEMALE--	3	3	11	16	34	40	47	73	47	18	4	-
ALL OTHER--MALE----	2	3	2	2	6	5	9	1	2	-	-	-
FEMALE--	1	3	4	9	5	3	5	5	4	2	1	-
BLACK---MALE----	2	3	2	2	5	5	9	1	2	-	-	-
FEMALE--	1	3	4	9	5	2	5	5	4	2	1	-
IOWA -----	2	4	4	4	10	23	22	21	16	10	2	-
WHITE-----MALE----	2	2	3	1	6	11	10	11	5	2	1	-
FEMALE--	-	2	1	3	4	12	11	10	11	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	8	12	12	35	29	56	51	33	6	3	-
WHITE-----MALE----	3	4	5	8	11	17	23	23	12	1	-	-
FEMALE--	3	3	4	4	18	11	27	26	19	5	3	-
ALL OTHER--MALE----	-	-	1	-	3	1	3	-	-	-	-	-
FEMALE--	-	1	2	-	3	-	3	2	2	-	-	-
BLACK---MALE----	-	-	1	-	3	1	2	-	-	-	-	-
FEMALE--	-	1	2	-	2	-	3	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,281
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
KENTUCKY -----	448	3	1	-	1	1	-	1	1	2	7	10
WHITE-----MALE----	198	2	1	-	-	1	-	1	1	1	3	3
FEMALE--	205	1	-	-	-	-	-	-	-	1	-	6
ALL OTHER--MALE----	21	-	-	-	1	-	-	-	-	-	4	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	1	-	-	-	-	-	4	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	490	3	-	-	-	-	-	1	3	6	14	6
WHITE-----MALE----	147	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	161	-	-	-	-	-	-	-	2	1	1	2
ALL OTHER--MALE----	75	1	-	-	-	-	-	1	-	2	8	1
FEMALE--	107	2	-	-	-	-	-	-	-	2	2	3
BLACK---MALE----	75	1	-	-	-	-	-	1	-	2	8	1
FEMALE--	106	2	-	-	-	-	-	-	-	2	2	3
MAINE -----	132	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	436	4	-	-	-	-	-	1	6	10	8	8
WHITE-----MALE----	134	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	127	-	-	-	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	84	2	-	-	-	-	-	1	3	6	1	5
FEMALE--	91	1	-	-	-	-	-	-	2	2	3	2
BLACK---MALE----	82	2	-	-	-	-	-	1	3	6	1	5
FEMALE--	88	1	-	-	-	-	-	-	2	2	3	2
MASSACHUSETTS -----	802	6	-	-	-	1	2	1	2	8	6	17
WHITE-----MALE----	365	2	-	-	-	-	1	1	-	3	3	9
FEMALE--	384	2	-	-	-	1	-	-	2	2	2	6
ALL OTHER--MALE----	25	1	-	-	-	-	1	-	-	2	-	1
FEMALE--	28	1	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	22	1	-	-	-	-	1	-	-	2	-	1
FEMALE--	24	1	-	-	-	-	-	-	-	1	1	1
MICHIGAN -----	906	4	-	2	-	-	-	4	5	3	9	16
WHITE-----MALE----	324	1	-	1	-	-	-	1	1	-	5	5
FEMALE--	413	2	-	1	-	-	-	2	3	1	4	1
ALL OTHER--MALE----	82	1	-	-	-	-	-	-	1	2	-	6
FEMALE--	87	-	-	-	-	-	-	1	-	-	-	4
BLACK---MALE----	78	1	-	-	-	-	-	-	1	2	-	6
FEMALE--	80	-	-	-	-	-	-	1	-	-	-	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,281
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
KENTUCKY -----	12	19	19	42	52	61	76	72	49	15	4	-
WHITE-----MALE----	5	9	10	22	26	32	27	31	12	8	3	-
FEMALE--	7	6	7	18	21	27	38	34	31	7	1	-
ALL OTHER--MALE----	-	3	1	-	2	-	3	3	3	-	-	-
FEMALE--	-	1	1	2	3	2	8	4	3	-	-	-
BLACK---MALE----	-	3	1	-	2	-	3	3	3	-	-	-
FEMALE--	-	1	1	2	3	2	8	4	3	-	-	-
LOUISIANA -----	15	24	26	48	59	68	87	65	43	13	9	-
WHITE-----MALE----	2	10	12	19	22	22	28	15	9	1	2	-
FEMALE--	4	2	2	9	18	24	37	28	23	6	2	-
ALL OTHER--MALE----	3	4	4	8	7	10	12	8	4	1	1	-
FEMALE--	6	8	8	12	12	12	10	14	7	5	4	-
BLACK---MALE----	3	4	4	8	7	10	12	8	4	1	1	-
FEMALE--	6	8	7	12	12	12	10	14	7	5	4	-
MAINE -----	-	2	4	12	12	20	21	27	17	13	2	-
WHITE-----MALE----	-	2	3	9	10	15	12	13	6	6	1	-
FEMALE--	-	-	1	3	2	5	9	13	11	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	16	20	35	54	61	89	61	32	12	3	1
WHITE-----MALE----	3	4	1	10	16	23	35	24	11	2	-	-
FEMALE--	1	3	7	7	13	18	27	22	15	8	2	-
ALL OTHER--MALE----	6	6	9	7	9	8	11	7	2	-	-	1
FEMALE--	5	3	3	11	16	12	16	8	4	2	1	-
BLACK---MALE----	6	6	9	7	9	8	11	6	1	-	-	1
FEMALE--	5	3	3	11	16	12	15	7	3	2	1	-
MASSACHUSETTS -----	14	21	24	62	104	124	153	131	82	37	7	-
WHITE-----MALE----	7	15	9	35	55	60	70	55	26	13	1	-
FEMALE--	5	4	8	20	42	59	74	74	54	24	5	-
ALL OTHER--MALE----	2	1	5	4	2	2	2	1	-	-	1	-
FEMALE--	-	1	2	3	5	3	7	1	2	-	-	-
BLACK---MALE----	2	1	4	2	2	2	2	1	-	-	1	-
FEMALE--	-	1	2	3	4	3	5	1	1	-	-	-
MICHIGAN -----	15	23	48	69	104	160	161	146	96	36	5	-
WHITE-----MALE----	4	12	13	32	42	62	53	51	31	9	1	-
FEMALE--	6	4	14	23	38	72	87	77	54	22	2	-
ALL OTHER--MALE----	3	2	9	8	11	10	13	10	4	1	1	-
FEMALE--	2	5	12	6	13	16	8	8	7	4	1	-
BLACK---MALE----	3	2	8	8	11	8	13	9	4	1	1	-
FEMALE--	2	4	11	6	11	15	8	8	7	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,282
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
MINNESOTA -----	1	6	12	22	23	62	68	75	61	23	4	-
WHITE-----MALE----	-	2	6	8	14	30	36	36	19	12	2	-
FEMALE--	-	3	6	13	8	30	31	36	41	10	2	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
MISSISSIPPI -----	7	17	25	30	41	55	61	54	29	9	2	-
WHITE-----MALE----	2	4	6	11	15	17	16	11	6	1	-	-
FEMALE--	2	2	2	6	9	16	22	20	12	4	-	-
ALL OTHER--MALE----	2	6	5	3	10	12	12	13	6	2	-	-
FEMALE--	1	5	12	10	7	10	11	10	5	2	2	-
BLACK---MALE----	2	6	5	3	10	12	12	13	6	2	-	-
FEMALE--	1	5	12	9	7	10	11	10	5	2	2	-
MISSOURI -----	8	10	30	36	58	88	120	105	76	23	2	-
WHITE-----MALE----	5	3	10	19	25	38	55	39	29	10	1	-
FEMALE--	3	2	15	14	24	36	59	52	38	13	1	-
ALL OTHER--MALE----	-	3	-	1	4	4	1	2	2	-	-	-
FEMALE--	-	2	5	2	5	10	5	12	7	-	-	-
BLACK---MALE----	-	3	-	1	4	4	1	2	2	-	-	-
FEMALE--	-	2	5	2	5	10	5	12	7	-	-	-
MONTANA -----	-	2	1	5	5	11	10	8	9	1	-	-
WHITE-----MALE----	-	2	-	3	5	5	3	5	3	-	-	-
FEMALE--	-	-	1	2	-	6	5	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	2	3	3	6	18	26	29	31	19	9	4	-
WHITE-----MALE----	-	3	2	2	9	17	15	18	7	5	1	-
FEMALE--	2	-	1	4	7	7	12	13	11	4	3	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
NEVADA -----	6	9	13	25	32	42	33	25	8	4	-	-
WHITE-----MALE----	4	4	9	14	15	17	19	12	-	-	-	-
FEMALE--	1	2	3	8	11	19	11	11	5	4	-	-
ALL OTHER--MALE----	1	2	1	2	1	2	-	-	1	-	-	-
FEMALE--	-	1	-	1	5	4	3	2	2	-	-	-
BLACK---MALE----	1	1	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	4	4	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,284
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
OHIO -----	1,246	5	-	-	-	1	1	4	5	13	11	20
WHITE-----MALE----	507	-	-	-	-	-	-	1	1	4	7	8
FEMALE--	566	-	-	-	-	-	1	1	1	4	-	6
ALL OTHER--MALE----	80	5	-	-	-	1	-	2	1	1	3	2
FEMALE--	93	-	-	-	-	-	-	-	2	4	1	4
BLACK---MALE----	76	5	-	-	-	1	-	2	1	1	3	2
FEMALE--	93	-	-	-	-	-	-	-	2	4	1	4
OKLAHOMA -----	378	-	-	-	-	-	1	-	2	3	1	3
WHITE-----MALE----	154	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	165	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	187	1	-	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	81	1	-	-	-	-	-	-	-	1	1	3
FEMALE--	95	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,671	5	2	-	-	-	2	1	2	8	14	27
WHITE-----MALE----	686	3	-	-	-	-	-	1	1	4	3	10
FEMALE--	792	1	2	-	-	-	-	-	-	1	6	4
ALL OTHER--MALE----	94	1	-	-	-	-	2	-	1	2	3	8
FEMALE--	99	-	-	-	-	-	-	-	-	1	2	5
BLACK---MALE----	94	1	-	-	-	-	2	-	1	2	3	8
FEMALE--	96	-	-	-	-	-	-	-	-	1	2	5
RHODE ISLAND -----	74	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	251	3	-	-	-	-	-	1	2	3	4	3
WHITE-----MALE----	78	2	-	-	-	-	-	-	2	1	-	-
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	49	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	55	1	-	-	-	-	-	-	-	2	3	-
BLACK---MALE----	49	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	54	1	-	-	-	-	-	-	-	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,284
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
OHIO -----	18	32	62	102	148	178	248	205	131	53	9	-
WHITE-----MALE----	11	13	21	36	63	85	105	88	46	16	2	-
FEMALE--	4	12	23	43	64	76	126	94	72	33	6	-
ALL OTHER--MALE----	3	3	10	11	10	9	3	7	5	4	-	-
FEMALE--	-	4	8	12	11	8	14	16	8	-	1	-
BLACK---MALE----	2	3	10	11	8	9	2	7	5	4	-	-
FEMALE--	-	4	8	12	11	8	14	16	8	-	1	-
OKLAHOMA -----	7	9	15	21	37	48	79	74	58	16	4	-
WHITE-----MALE----	1	3	6	10	17	22	36	31	19	5	1	-
FEMALE--	4	4	5	8	13	20	33	35	32	6	3	-
ALL OTHER--MALE----	1	1	2	2	3	4	3	2	2	3	-	-
FEMALE--	1	1	2	1	4	2	7	6	5	2	-	-
BLACK---MALE----	1	-	1	1	2	3	-	2	2	3	-	-
FEMALE--	1	1	1	1	3	1	5	5	4	2	-	-
OREGON -----	3	2	7	9	28	32	28	34	21	13	3	-
WHITE-----MALE----	2	1	1	2	15	14	10	19	6	3	2	-
FEMALE--	-	1	6	5	13	16	15	13	15	10	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	35	23	66	96	224	294	320	300	167	66	19	-
WHITE-----MALE----	12	7	25	43	99	141	145	125	45	16	6	-
FEMALE--	13	11	21	35	101	122	150	156	113	44	12	-
ALL OTHER--MALE----	7	4	11	13	12	8	11	4	4	3	-	-
FEMALE--	3	1	9	5	12	23	14	15	5	3	1	-
BLACK---MALE----	7	4	11	13	12	8	11	4	4	3	-	-
FEMALE--	3	1	9	4	12	22	14	15	4	3	1	-
RHODE ISLAND -----	1	1	2	3	12	12	14	10	9	4	2	-
WHITE-----MALE----	-	1	1	1	7	8	6	4	3	-	1	-
FEMALE--	-	-	1	2	4	3	6	6	6	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA -----	2	16	19	16	33	44	45	32	17	8	3	-
WHITE-----MALE----	-	5	9	7	10	11	10	15	3	3	-	-
FEMALE--	1	2	2	2	9	14	21	11	6	1	-	-
ALL OTHER--MALE----	1	5	5	4	9	6	7	2	1	2	2	-
FEMALE--	-	4	3	3	5	13	7	4	7	2	1	-
BLACK---MALE----	1	5	5	4	9	6	7	2	1	2	2	-
FEMALE--	-	3	3	3	5	13	7	4	7	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,285

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
SOUTH DAKOTA -----	72	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	363	4	-	1	-	-	3	2	4	2	-	6
WHITE-----MALE----	126	4	-	-	-	-	1	-	1	2	-	2
FEMALE--	152	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	48	-	-	-	-	-	2	2	2	-	-	1
FEMALE--	37	-	-	1	-	-	-	-	1	-	-	1
BLACK---MALE----	47	-	-	-	-	-	2	2	2	-	-	1
FEMALE--	37	-	-	1	-	-	-	-	1	-	-	1
TEXAS -----	833	12	1	-	-	-	2	4	3	5	10	16
WHITE-----MALE----	313	7	1	-	-	-	1	1	-	3	5	6
FEMALE--	354	4	-	-	-	-	1	2	2	2	2	5
ALL OTHER--MALE----	76	1	-	-	-	-	-	1	1	-	3	3
FEMALE--	90	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	70	1	-	-	-	-	-	1	1	-	3	2
FEMALE--	88	-	-	-	-	-	-	-	-	-	-	2
UTAH -----	85	2	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	45	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	37	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	40	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	597	4	-	-	-	1	-	2	2	12	6	11
WHITE-----MALE----	185	-	-	-	-	-	-	-	-	3	2	2
FEMALE--	212	-	-	-	-	-	-	1	-	4	-	-
ALL OTHER--MALE----	85	1	-	-	-	1	-	1	1	5	2	4
FEMALE--	115	3	-	-	-	-	-	-	1	-	2	5
BLACK---MALE----	82	1	-	-	-	1	-	1	1	5	2	4
FEMALE--	112	3	-	-	-	-	-	-	1	-	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,285

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
SOUTH DAKOTA -----	-	1	1	1	8	6	13	14	17	10	-	-
WHITE-----MALE----	-	1	1	1	5	4	6	5	8	2	-	-
FEMALE--	-	-	-	-	2	1	5	9	9	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	17	22	21	41	62	73	55	31	11	3	-
WHITE-----MALE----	1	6	7	10	14	20	23	19	13	3	-	-
FEMALE--	1	5	4	4	15	29	40	27	15	7	3	-
ALL OTHER--MALE----	1	4	8	3	5	9	5	5	1	-	-	-
FEMALE--	2	2	3	4	7	4	5	4	2	1	-	-
BLACK---MALE----	1	4	7	3	5	9	5	5	1	-	-	-
FEMALE--	2	2	3	4	7	4	5	4	2	1	-	-
TEXAS -----	15	27	47	58	83	114	127	134	115	50	10	-
WHITE-----MALE----	5	7	19	23	39	48	51	46	34	15	2	-
FEMALE--	6	7	13	18	30	50	55	66	61	26	4	-
ALL OTHER--MALE----	3	5	10	8	6	8	3	10	10	2	2	-
FEMALE--	1	8	5	9	8	8	18	12	10	7	2	-
BLACK---MALE----	2	4	9	8	6	8	2	10	10	2	1	-
FEMALE--	1	8	5	9	8	8	18	12	10	6	1	-
UTAH -----	2	2	4	9	8	9	17	15	11	3	1	-
WHITE-----MALE----	-	-	3	3	5	5	10	9	4	2	1	-
FEMALE--	2	2	1	6	3	3	7	4	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	3	3	4	7	3	5	10	2	1	-
WHITE-----MALE----	-	-	2	2	2	3	1	-	3	-	-	-
FEMALE--	-	1	1	1	2	4	2	5	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	16	40	51	63	107	108	84	57	17	2	-
WHITE-----MALE----	5	3	9	22	23	38	32	27	17	2	-	-
FEMALE--	1	3	22	13	18	35	42	39	23	9	2	-
ALL OTHER--MALE----	4	5	2	9	8	14	16	6	6	-	-	-
FEMALE--	4	5	7	7	14	20	18	12	11	6	-	-
BLACK---MALE----	4	4	2	9	7	14	15	6	6	-	-	-
FEMALE--	3	5	7	7	13	20	17	12	11	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,287
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFECTIONS OF KIDNEY (590)												
UNITED STATES --	918	2	3	-	1	-	2	5	7	13	15	23
WHITE-----MALE----	201	-	1	-	1	-	-	1	1	3	4	5
FEMALE--	582	1	2	-	-	-	1	1	3	7	8	12
ALL OTHER--MALE----	40	-	-	-	-	-	-	1	2	1	1	3
FEMALE--	95	1	-	-	-	-	1	2	1	2	2	3
BLACK---MALE----	36	-	-	-	-	-	-	1	2	1	1	3
FEMALE--	75	1	-	-	-	-	1	1	-	2	1	2
ALABAMA -----	25	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	148	1	-	-	-	-	-	-	2	3	5	5
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	87	1	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,287
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
UNITED STATES --	19	21	39	50	94	128	144	171	127	45	9	-
WHITE-----MALE----	3	4	9	15	25	32	31	35	26	5	-	-
FEMALE--	9	9	21	22	58	76	100	121	87	35	9	-
ALL OTHER--MALE----	2	1	5	3	4	7	3	4	2	1	-	-
FEMALE--	5	7	4	10	7	13	10	11	12	4	-	-
BLACK---MALE----	-	1	5	3	4	7	2	3	2	1	-	-
FEMALE--	5	4	3	7	4	10	9	10	11	4	-	-
ALABAMA -----	-	-	1	2	1	1	4	6	8	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	3	5	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	3	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	4	1	1	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	1	1	3	1	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
CALIFORNIA -----	1	8	5	5	18	15	21	27	22	10	-	-
WHITE-----MALE----	1	2	1	2	4	4	7	5	5	1	-	-
FEMALE--	-	3	3	1	11	7	13	18	14	9	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	1	-	-	-
FEMALE--	-	3	1	2	2	3	-	3	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,288
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
COLORADO -----	1	-	-	1	1	1	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	1	2	4	2	11	9	6	5	-	-	-
WHITE-----MALE----	-	-	-	2	-	3	-	2	1	-	-	-
FEMALE--	2	1	2	1	1	7	8	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
GEORGIA -----	-	-	3	4	2	3	6	9	4	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	2	2	1	1	5	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,293
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
OHIO -----	-	-	1	2	5	6	7	5	3	1	-	-
WHITE-----MALE----	-	-	-	2	-	1	2	2	-	-	-	-
FEMALE--	-	-	1	-	4	5	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	2	-	2	1	3	2	3	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	2	-	2	1	1	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
OREGON -----	1	-	1	1	1	3	3	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	4	-	-	-	-
FEMALE--	1	-	1	1	1	2	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	1	1	2	5	5	4	4	-	1	-
WHITE-----MALE----	-	-	1	1	-	2	3	1	1	-	-	-
FEMALE--	2	-	-	-	2	2	2	3	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	-	3	1	6	1	3	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	4	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,296
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 URINARY CALCULUS (592,594)												
UNITED STATES --	5	12	13	17	24	32	52	43	39	8	4	-
WHITE-----MALE----	4	-	4	8	12	13	23	5	12	2	-	-
FEMALE--	1	7	7	9	11	14	23	29	23	6	4	-
ALL OTHER--MALE----	-	3	1	-	-	1	2	3	2	-	-	-
FEMALE--	-	2	1	-	1	4	4	6	2	-	-	-
BLACK---MALE----	-	3	1	-	-	1	2	2	2	-	-	-
FEMALE--	-	2	1	-	1	3	5	1	-	-	-	-
ALABAMA -----	1	-	2	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	2	1	-	2	3	3	4	2	2	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	2	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,297
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 URINARY CALCULUS (592,594)												
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	1	2	1	5	2	1	1	-	1	-
WHITE-----MALE----	-	-	1	-	1	3	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	2	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	1	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,305
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
UNITED STATES --	17,577	16	3	5	5	12	23	39	73	110	171	238
WHITE-----MALE----	5,203	5	1	1	2	5	6	15	21	38	44	67
FEMALE--	9,049	3	1	3	1	4	7	7	21	18	39	50
ALL OTHER--MALE----	1,390	5	-	1	-	2	6	8	18	32	55	62
FEMALE--	1,935	3	1	-	2	1	4	9	13	22	33	59
BLACK---MALE----	1,281	4	-	1	-	2	6	8	18	30	52	59
FEMALE--	1,808	2	-	-	2	1	4	9	12	21	30	58
ALABAMA -----	377	1	-	1	-	-	-	-	3	2	5	6
WHITE-----MALE----	84	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	160	-	-	1	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	87	-	-	-	-	-	-	-	-	-	2	4
BLACK---MALE----	45	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	87	-	-	-	-	-	-	-	-	-	2	4
ALASKA -----	6	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	229	-	1	-	-	-	1	-	-	-	3	2
WHITE-----MALE----	90	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	120	-	1	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	242	-	-	-	-	-	-	2	-	1	1	5
WHITE-----MALE----	70	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	114	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	28	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	1,686	2	1	-	1	2	1	5	4	11	18	23
WHITE-----MALE----	492	-	-	-	-	1	1	2	2	6	7	6
FEMALE--	944	1	-	-	1	-	-	1	1	1	6	8
ALL OTHER--MALE----	110	1	-	-	-	1	-	-	-	3	3	4
FEMALE--	140	-	1	-	-	-	-	2	1	1	2	5
BLACK---MALE----	66	-	-	-	-	1	-	-	-	3	2	3
FEMALE--	95	-	-	-	-	-	-	2	1	-	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,305
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
UNITED STATES --	264	362	587	962	1,657	2,480	3,247	3,574	2,466	1,057	225	1
WHITE-----MALE----	67	110	193	348	631	884	1,045	981	511	196	32	-
FEMALE--	68	109	179	321	659	1,151	1,729	2,125	1,665	732	156	1
ALL OTHER--MALE----	70	73	91	144	186	191	159	166	82	29	10	-
FEMALE--	59	70	124	149	181	254	314	302	208	100	27	-
BLACK---MALE----	65	67	81	135	173	178	143	149	73	27	10	-
FEMALE--	57	69	118	137	173	232	291	288	192	88	24	-
ALABAMA -----	4	9	16	24	29	52	63	80	56	21	5	-
WHITE-----MALE----	-	3	4	5	6	16	20	17	9	2	-	-
FEMALE--	1	1	5	6	8	16	25	44	31	16	3	-
ALL OTHER--MALE----	2	2	4	6	5	5	6	6	3	1	-	-
FEMALE--	1	3	3	7	10	15	12	13	13	2	2	-
BLACK---MALE----	2	2	4	6	5	5	5	6	3	1	-	-
FEMALE--	1	3	3	7	10	15	12	13	13	2	2	-
ALASKA -----	1	-	-	-	1	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	5	10	18	27	36	38	37	37	8	1	-
WHITE-----MALE----	1	1	5	10	14	20	14	13	9	1	-	-
FEMALE--	2	3	4	6	12	13	21	22	27	6	1	-
ALL OTHER--MALE----	1	1	1	1	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	2	1	1	1	-	-
BLACK---MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	1	1	-	-
ARKANSAS -----	3	5	8	10	19	39	57	49	32	9	2	-
WHITE-----MALE----	1	1	2	3	7	14	18	13	5	2	-	-
FEMALE--	-	1	2	3	6	19	27	26	19	7	2	-
ALL OTHER--MALE----	2	2	2	4	4	1	4	5	2	-	-	-
FEMALE--	-	1	2	-	2	5	8	5	6	-	-	-
BLACK---MALE----	2	2	2	4	4	1	4	5	2	-	-	-
FEMALE--	-	1	2	-	2	5	8	5	6	-	-	-
CALIFORNIA -----	21	31	57	73	163	259	306	336	248	104	20	-
WHITE-----MALE----	5	11	20	24	53	82	103	99	44	20	6	-
FEMALE--	10	8	21	35	83	136	165	201	182	73	11	-
ALL OTHER--MALE----	3	2	4	10	17	18	12	18	9	3	2	-
FEMALE--	3	10	12	4	10	23	26	18	13	8	1	-
BLACK---MALE----	3	1	3	4	14	11	4	9	5	1	2	-
FEMALE--	3	10	9	2	7	13	19	11	8	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,306
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
COLORADO -----	172	1	-	-	-	-	1	-	-	4	-	2
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	97	1	-	-	-	-	1	-	-	2	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	226	-	-	-	-	-	-	1	2	3	2	-
WHITE-----MALE----	66	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	137	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	-
DELAWARE -----	36	-	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	78	-	-	-	-	-	-	-	1	2	3	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	43	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	43	-	-	-	-	-	-	-	1	-	1	1
FLORIDA -----	1,071	-	-	-	1	1	2	4	6	4	14	13
WHITE-----MALE----	399	-	-	-	1	1	1	3	1	-	3	5
FEMALE--	520	-	-	-	-	-	-	-	4	-	6	2
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	97	-	-	-	-	-	1	1	1	3	4	3
BLACK---MALE----	54	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	95	-	-	-	-	-	1	1	1	3	4	3
GEORGIA -----	535	-	-	-	-	-	-	1	3	3	4	9
WHITE-----MALE----	119	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	212	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	131	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	73	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	131	-	-	-	-	-	-	-	-	2	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,306
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
COLORADO -----	3	4	4	9	19	19	34	38	20	12	2	-
WHITE-----MALE----	-	-	2	6	10	12	11	14	7	2	-	-
FEMALE--	3	3	2	2	8	7	21	22	13	10	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
CONNECTICUT -----	1	7	7	11	19	31	58	40	33	8	3	-
WHITE-----MALE----	-	3	1	4	9	11	17	12	7	1	-	-
FEMALE--	1	2	5	4	9	16	38	27	24	5	3	-
ALL OTHER--MALE----	-	1	-	3	-	2	2	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	1	1	2	2	-	-
BLACK---MALE----	-	1	-	3	-	2	2	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	1	1	2	2	-	-
DELAWARE -----	-	-	-	2	4	4	8	8	4	4	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	3	-	-	-	-
FEMALE--	-	-	-	1	3	1	6	5	4	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
DISTRICT OF COLUMBIA ----	3	2	3	7	8	9	13	13	3	8	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	2	-	-
ALL OTHER--MALE----	2	1	2	3	3	2	2	2	1	2	-	-
FEMALE--	1	1	1	4	5	7	7	8	2	3	1	-
BLACK---MALE----	2	1	2	3	3	2	2	2	1	2	-	-
FEMALE--	1	1	1	4	5	7	7	8	2	3	1	-
FLORIDA -----	18	17	41	57	104	157	205	223	146	49	9	-
WHITE-----MALE----	9	5	15	19	50	63	91	69	44	18	1	-
FEMALE--	3	8	13	23	35	78	95	128	92	27	6	-
ALL OTHER--MALE----	3	2	7	9	7	7	4	7	2	1	1	-
FEMALE--	3	2	6	6	12	9	15	19	8	3	1	-
BLACK---MALE----	3	2	6	9	7	7	4	7	2	1	1	-
FEMALE--	3	2	6	5	12	9	15	18	8	3	1	-
GEORGIA -----	16	15	34	28	63	81	93	96	56	30	3	-
WHITE-----MALE----	2	4	7	8	13	22	20	21	10	8	-	-
FEMALE--	2	3	9	7	25	30	42	46	27	16	2	-
ALL OTHER--MALE----	7	3	4	6	10	13	11	6	5	-	-	-
FEMALE--	5	5	14	7	15	16	20	23	14	6	1	-
BLACK---MALE----	7	3	4	6	10	13	11	6	5	-	-	-
FEMALE--	5	5	14	7	15	16	20	23	14	6	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,307
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
HAWAII -----	-	1	3	4	2	7	6	4	7	2	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	3	3	2	2	-	-	-
FEMALE--	-	-	1	2	-	4	2	1	4	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	1	1	4	3	17	13	10	2	1	-
WHITE-----MALE----	-	1	-	-	2	1	7	4	1	1	1	-
FEMALE--	-	-	1	1	2	2	10	9	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	13	17	27	44	77	107	137	175	116	53	12	-
WHITE-----MALE----	5	3	9	16	27	41	53	50	26	9	2	-
FEMALE--	-	5	7	13	25	50	64	99	77	37	7	-
ALL OTHER--MALE----	2	8	7	6	16	6	10	6	3	3	1	-
FEMALE--	6	1	4	9	9	10	10	20	10	4	2	-
BLACK---MALE----	2	8	7	6	15	6	9	6	3	3	1	-
FEMALE--	6	1	4	8	8	10	10	20	10	4	2	-
INDIANA -----	3	12	11	23	37	59	80	89	51	22	6	-
WHITE-----MALE----	3	5	7	8	14	29	21	32	12	3	1	-
FEMALE--	-	3	2	11	18	25	51	50	35	19	4	-
ALL OTHER--MALE----	-	3	2	2	3	-	3	3	2	-	-	-
FEMALE--	-	1	-	2	2	5	5	4	2	-	1	-
BLACK---MALE----	-	3	2	2	3	-	3	3	2	-	-	-
FEMALE--	-	1	-	2	2	4	5	4	2	-	1	-
IOWA -----	-	2	1	8	15	16	17	34	33	14	5	-
WHITE-----MALE----	-	2	-	5	8	7	5	8	10	5	2	-
FEMALE--	-	-	1	3	6	9	11	24	23	9	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
KANSAS -----	1	1	2	3	14	15	29	28	34	15	1	-
WHITE-----MALE----	1	-	-	2	8	7	12	8	8	1	1	-
FEMALE--	-	1	1	1	6	7	15	17	25	12	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	3	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	3	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,308
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
KENTUCKY -----	290	-	-	-	-	-	-	1	1	-	2	3
WHITE-----MALE----	94	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	164	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	414	1	-	-	-	-	-	-	6	1	3	7
WHITE-----MALE----	95	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	176	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	65	1	-	-	-	-	-	-	2	1	2	2
FEMALE--	78	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	65	1	-	-	-	-	-	-	2	1	2	2
FEMALE--	78	-	-	-	-	-	-	-	1	-	1	1
MAINE -----	70	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	378	1	-	-	-	-	1	1	1	3	1	10
WHITE-----MALE----	72	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	177	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	75	1	-	-	-	-	-	-	-	2	-	5
BLACK---MALE----	52	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	75	1	-	-	-	-	-	-	-	2	-	5
MASSACHUSETTS -----	419	1	-	-	-	-	-	-	1	1	3	4
WHITE-----MALE----	131	1	-	-	-	-	-	-	-	1	2	3
FEMALE--	264	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	602	1	-	-	-	-	1	1	-	5	10	13
WHITE-----MALE----	165	1	-	-	-	-	-	-	-	1	3	4
FEMALE--	314	-	-	-	-	-	-	1	-	1	2	3
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	1	5	6
FEMALE--	69	-	-	-	-	-	1	-	-	2	-	-
BLACK---MALE----	54	-	-	-	-	-	-	-	-	1	5	6
FEMALE--	69	-	-	-	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,308
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
KENTUCKY -----	3	5	5	14	23	48	52	71	40	22	-	-
WHITE-----MALE----	1	3	1	6	7	21	15	26	8	3	-	-
FEMALE--	2	2	3	6	9	21	36	41	27	16	-	-
ALL OTHER--MALE----	-	-	-	1	4	3	1	2	2	1	-	-
FEMALE--	-	-	1	1	3	3	-	2	3	2	-	-
BLACK---MALE----	-	-	-	1	4	3	1	2	2	1	-	-
FEMALE--	-	-	1	1	3	3	-	2	3	2	-	-
LOUISIANA -----	7	15	16	31	35	72	70	80	51	14	5	-
WHITE-----MALE----	-	3	5	8	11	25	17	11	5	4	1	-
FEMALE--	2	4	4	6	15	27	34	39	33	7	3	-
ALL OTHER--MALE----	5	2	1	9	4	13	6	11	5	1	-	-
FEMALE--	-	6	6	8	5	7	13	19	8	2	1	-
BLACK---MALE----	5	2	1	9	4	13	6	11	5	1	-	-
FEMALE--	-	6	6	8	5	7	13	19	8	2	1	-
MAINE -----	-	-	-	1	7	13	8	19	14	8	-	-
WHITE-----MALE----	-	-	-	1	4	5	3	4	9	-	-	-
FEMALE--	-	-	-	-	3	8	5	15	5	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	6	13	23	41	57	66	80	44	21	3	-
WHITE-----MALE----	-	-	3	2	8	16	16	15	4	4	-	-
FEMALE--	2	1	2	9	13	22	39	45	29	11	3	-
ALL OTHER--MALE----	3	3	3	6	8	13	2	8	4	-	-	-
FEMALE--	2	2	5	6	12	6	9	12	7	6	-	-
BLACK---MALE----	2	3	2	6	8	13	2	8	4	-	-	-
FEMALE--	2	2	5	6	12	6	9	12	7	6	-	-
MASSACHUSETTS -----	2	6	5	18	32	60	89	75	74	40	8	-
WHITE-----MALE----	2	2	4	5	14	23	30	26	15	2	1	-
FEMALE--	-	2	1	8	13	35	55	48	58	35	7	-
ALL OTHER--MALE----	-	2	-	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	4	3	2	3	1	-	3	-	-
BLACK---MALE----	-	2	-	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	4	3	2	2	1	-	2	-	-
MICHIGAN -----	8	7	20	33	66	83	113	112	85	35	9	-
WHITE-----MALE----	-	-	2	12	23	30	31	31	17	9	1	-
FEMALE--	3	3	5	9	29	36	66	69	57	22	8	-
ALL OTHER--MALE----	3	2	5	8	6	6	4	4	2	2	-	-
FEMALE--	2	2	8	4	8	11	12	8	9	2	-	-
BLACK---MALE----	3	2	5	8	6	6	4	4	2	2	-	-
FEMALE--	2	2	8	4	8	11	12	8	9	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,309
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
MINNESOTA -----	2	3	1	10	11	19	37	42	45	18	5	-
WHITE-----MALE----	1	2	1	7	4	7	14	13	12	3	2	-
FEMALE--	1	1	-	2	6	12	23	28	32	15	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	5	6	9	21	34	49	55	64	36	15	4	-
WHITE-----MALE----	-	-	2	10	9	11	12	15	8	3	-	-
FEMALE--	1	2	-	6	11	10	23	32	13	5	1	-
ALL OTHER--MALE----	2	3	3	1	5	11	9	6	7	1	1	-
FEMALE--	2	1	4	4	9	17	11	11	8	6	2	-
BLACK---MALE----	2	3	3	1	5	11	9	6	7	1	1	-
FEMALE--	2	1	4	3	9	17	11	11	8	6	2	-
MISSOURI -----	8	5	8	12	34	43	71	76	60	24	9	-
WHITE-----MALE----	2	1	1	6	19	17	27	18	11	2	1	-
FEMALE--	2	3	3	3	10	24	30	55	42	15	7	-
ALL OTHER--MALE----	2	1	2	3	1	1	3	2	1	-	-	-
FEMALE--	2	-	2	-	4	1	11	1	6	7	1	-
BLACK---MALE----	2	1	2	3	1	1	3	2	1	-	-	-
FEMALE--	2	-	2	-	4	1	11	1	5	7	1	-
MONTANA -----	1	1	1	1	3	6	3	5	8	3	1	-
WHITE-----MALE----	1	1	-	1	2	1	-	1	4	2	-	-
FEMALE--	-	-	-	-	1	5	3	4	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	2	5	10	7	9	16	14	4	1	-
WHITE-----MALE----	-	-	2	1	7	2	7	3	2	1	-	-
FEMALE--	-	2	-	4	3	5	2	13	12	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	1	2	6	8	11	7	5	2	2	1	-
WHITE-----MALE----	2	-	1	4	6	6	2	3	-	-	-	-
FEMALE--	-	-	1	1	2	5	2	2	2	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,311
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
OHIO -----	748	-	-	1	-	1	2	-	3	4	5	10
WHITE-----MALE----	238	-	-	1	-	1	-	-	1	1	2	6
FEMALE--	414	-	-	-	-	-	1	-	-	-	1	4
ALL OTHER--MALE----	46	-	-	-	-	-	1	-	1	2	2	-
FEMALE--	50	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	46	-	-	-	-	-	1	-	1	2	2	-
FEMALE--	50	-	-	-	-	-	-	-	1	1	-	-
OKLAHOMA -----	242	-	-	-	-	-	-	2	-	1	1	1
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	138	-	-	-	-	-	-	2	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	141	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	85	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,075	-	-	1	-	-	1	-	4	6	4	9
WHITE-----MALE----	340	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	568	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	69	-	-	1	-	-	1	-	2	3	2	3
FEMALE--	98	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	66	-	-	1	-	-	1	-	2	3	2	2
FEMALE--	96	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND -----	84	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	353	1	-	-	-	-	-	2	-	3	7	9
WHITE-----MALE----	72	-	-	-	-	-	-	2	-	1	1	1
FEMALE--	149	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	73	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	59	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	73	-	-	-	-	-	-	-	-	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,311
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
OHIO -----	9	15	17	39	65	110	143	146	109	58	11	-
WHITE-----MALE----	3	4	6	14	24	46	47	41	27	14	-	-
FEMALE--	3	5	9	17	31	50	77	95	71	41	9	-
ALL OTHER--MALE----	3	3	-	3	7	8	7	4	3	1	1	-
FEMALE--	-	3	2	5	3	6	12	6	8	2	1	-
BLACK---MALE----	3	3	-	3	7	8	7	4	3	1	1	-
FEMALE--	-	3	2	5	3	6	12	6	8	2	1	-
OKLAHOMA -----	6	4	6	7	22	29	47	51	42	19	3	1
WHITE-----MALE----	-	2	2	6	14	14	7	18	9	4	-	-
FEMALE--	2	2	3	1	5	13	34	28	30	14	2	1
ALL OTHER--MALE----	3	-	-	-	1	-	3	3	-	-	1	-
FEMALE--	1	-	1	-	2	2	3	2	3	1	-	-
BLACK---MALE----	2	-	-	-	1	-	3	2	-	-	1	-
FEMALE--	1	-	-	-	2	1	-	2	1	1	-	-
OREGON -----	4	2	3	5	9	16	23	34	27	14	2	-
WHITE-----MALE----	3	2	2	2	5	5	11	8	6	3	-	-
FEMALE--	-	-	1	3	3	10	12	25	20	10	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	20	26	72	116	151	222	208	144	59	14	-
WHITE-----MALE----	5	8	9	34	51	57	74	51	36	11	-	-
FEMALE--	6	3	9	17	39	70	130	139	94	42	13	-
ALL OTHER--MALE----	3	5	4	8	12	10	6	6	2	1	-	-
FEMALE--	4	4	4	13	14	14	12	12	12	5	1	-
BLACK---MALE----	3	5	3	8	11	10	6	6	2	1	-	-
FEMALE--	4	4	4	13	14	13	12	12	12	5	1	-
RHODE ISLAND -----	-	2	-	3	6	9	19	23	13	6	1	-
WHITE-----MALE----	-	-	-	2	2	2	7	7	3	-	-	-
FEMALE--	-	2	-	-	3	7	12	16	10	6	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	7	12	23	36	45	83	59	38	17	3	-
WHITE-----MALE----	-	-	2	5	9	12	23	11	2	3	-	-
FEMALE--	1	2	3	4	10	21	33	37	23	11	2	-
ALL OTHER--MALE----	4	3	2	7	10	5	9	5	4	1	-	-
FEMALE--	3	2	5	7	7	7	18	6	9	2	1	-
BLACK---MALE----	4	3	2	7	10	5	9	5	4	1	-	-
FEMALE--	3	2	5	7	7	7	18	6	9	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,312
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
SOUTH DAKOTA -----	41	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	523	-	-	-	-	-	-	1	1	3	6	4
WHITE-----MALE----	146	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	259	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	76	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	42	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	76	-	-	-	-	-	-	-	-	-	2	2
TEXAS -----	1,220	-	-	-	1	1	3	2	6	11	13	19
WHITE-----MALE----	357	-	-	-	-	-	-	2	2	4	2	2
FEMALE--	640	-	-	-	-	-	2	-	1	3	2	7
ALL OTHER--MALE----	104	-	-	-	-	1	1	-	3	3	5	4
FEMALE--	119	-	-	-	1	-	-	-	-	1	4	6
BLACK---MALE----	100	-	-	-	-	1	1	-	3	3	5	4
FEMALE--	116	-	-	-	1	-	-	-	-	1	4	6
UTAH -----	66	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	21	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	35	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	463	-	-	-	-	1	3	3	3	4	7	8
WHITE-----MALE----	110	-	-	-	-	1	2	-	1	-	1	2
FEMALE--	194	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	67	-	-	-	-	-	1	2	1	3	3	3
FEMALE--	92	-	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	66	-	-	-	-	-	1	2	1	3	3	3
FEMALE--	87	-	-	-	-	-	-	1	-	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,312
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)												
SOUTH DAKOTA -----	2	1	1	-	1	6	9	6	9	4	-	-
WHITE-----MALE----	1	1	1	-	-	2	3	3	2	1	-	-
FEMALE--	-	-	-	-	1	3	4	2	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	19	19	27	57	66	95	117	68	24	9	-
WHITE-----MALE----	2	5	6	10	23	20	35	26	13	2	1	-
FEMALE--	4	6	6	6	21	32	41	70	44	20	6	-
ALL OTHER--MALE----	-	4	2	5	7	5	8	4	1	-	1	-
FEMALE--	1	4	5	6	6	9	11	17	10	2	1	-
BLACK---MALE----	-	4	2	5	7	5	8	4	1	-	1	-
FEMALE--	1	4	5	6	6	9	11	17	10	2	1	-
TEXAS -----	18	20	50	86	107	162	210	263	167	71	10	-
WHITE-----MALE----	8	6	19	35	45	55	56	79	27	13	2	-
FEMALE--	2	11	15	31	50	84	122	138	120	48	4	-
ALL OTHER--MALE----	5	2	10	10	7	12	10	18	8	4	1	-
FEMALE--	3	1	6	10	5	11	22	28	12	6	3	-
BLACK---MALE----	5	2	9	10	7	11	10	17	7	4	1	-
FEMALE--	3	1	6	10	5	11	21	28	11	6	2	-
UTAH -----	-	-	1	4	4	10	10	16	15	5	-	-
WHITE-----MALE----	-	-	-	-	1	6	3	5	5	-	-	-
FEMALE--	-	-	1	4	2	4	7	11	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	1	3	9	4	6	5	3	1	-
WHITE-----MALE----	-	-	-	1	2	3	1	-	1	-	1	-
FEMALE--	-	1	1	-	1	6	3	6	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	22	19	30	38	73	84	79	51	23	4	-
WHITE-----MALE----	2	4	6	5	14	20	22	13	12	3	2	-
FEMALE--	2	8	6	5	8	30	43	46	28	12	2	-
ALL OTHER--MALE----	3	3	6	10	12	7	5	7	-	1	-	-
FEMALE--	4	7	1	10	4	16	14	13	11	7	-	-
BLACK---MALE----	3	3	6	10	12	7	4	7	-	1	-	-
FEMALE--	4	7	1	9	4	15	13	12	11	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,314
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
UNITED STATES --	6	16	17	36	63	73	123	136	82	29	10	-
WHITE-----MALE----	3	13	10	26	52	61	109	120	79	28	8	-
ALL OTHER--MALE----	3	3	7	10	11	12	14	16	3	1	2	-
BLACK---MALE----	3	3	5	9	11	12	12	12	3	1	2	-
ALABAMA -----	-	-	-	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	1	-	1	4	1	4	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	4	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	2	2	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	2	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
CALIFORNIA -----	-	3	4	4	8	8	17	17	10	4	-	-
WHITE-----MALE----	-	2	2	4	7	8	15	16	10	4	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,315
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
COLORADO -----	-	-	-	-	-	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	1	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	1	4	4	5	4	9	3	2	2	-
WHITE-----MALE----	-	-	-	2	2	5	4	7	2	1	1	-
ALL OTHER--MALE----	1	-	1	2	2	-	-	2	1	1	1	-
BLACK---MALE----	1	-	1	2	2	-	-	2	1	1	1	-
GEORGIA -----	-	-	1	-	1	1	4	1	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	4	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,317
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
KENTUCKY -----	-	-	-	-	-	-	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	1	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	1	1	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	1	3	3	1	-	2	-
WHITE-----MALE----	-	-	-	-	1	-	3	3	1	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	-	-	1	1	1	4	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	-	-	1	2	5	-	2	6	2	1	-	-
WHITE-----MALE----	-	-	-	1	4	-	2	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,320
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
OHIO -----	-	-	-	1	4	5	7	11	7	4	1	-
WHITE-----MALE----	-	-	-	1	3	4	6	11	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	3	3	1	2	-	1	-
WHITE-----MALE----	-	1	-	-	-	3	3	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	-	-	-	4	9	6	3	3	-	-
WHITE-----MALE----	-	1	-	-	-	3	8	5	3	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	1	-	-	-	-
RHODE ISLAND -----	-	1	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	1	1	4	5	5	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	3	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	3	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,321
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	1	1	3	3	1	1	1	-
WHITE-----MALE----	-	-	-	1	1	1	3	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	1	2	1	2	2	8	9	3	6	1	1	-
WHITE-----MALE----	1	2	1	2	2	8	7	3	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	1	-
UTAH -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	1	1	1	2	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,323
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
UNITED STATES --	-	4	2	19	39	49	92	104	67	24	6	-
WHITE-----MALE----	-	4	2	16	33	40	83	94	64	23	5	-
ALL OTHER--MALE----	-	-	-	3	6	9	9	10	3	1	1	-
BLACK---MALE----	-	-	-	3	6	9	7	6	3	1	1	-
ALABAMA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	1	2	1	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	2	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	2	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	-	1	1	3	6	6	15	14	8	3	-	-
WHITE-----MALE----	-	1	1	3	5	6	13	13	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,324
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
COLORADO -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	1	3	4	4	9	2	2	1	-
WHITE-----MALE----	-	-	-	-	2	4	4	7	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	2	1	1	1	-
BLACK---MALE----	-	-	-	1	1	-	-	2	1	1	1	-
GEORGIA -----	-	-	-	-	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,329
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
OHIO -----	-	-	-	1	4	4	3	8	6	3	1	-
WHITE-----MALE----	-	-	-	1	3	3	3	8	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	3	2	1	2	-	1	-
WHITE-----MALE----	-	-	-	-	-	3	2	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	2	5	4	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	5	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	2	5	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,330
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERPLASIA OF PROSTATE (600)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	1	-	1	3	1	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	-	1	-	2	1	2	7	2	5	1	-	-
WHITE-----MALE----	-	1	-	2	1	2	6	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	1	-	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,333
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
COLORADO -----	-	-	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	1	3	1	1	-	-	1	-	1	-
WHITE-----MALE----	-	-	-	2	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	-	-	-	-	-
GEORGIA -----	-	-	1	-	-	-	1	1	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,335
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
KENTUCKY -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	-	-	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	1	2	2	-	1	5	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,338
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
OHIO -----	-	-	-	-	-	1	4	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	-	-	-	2	4	2	2	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	3	1	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	1	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,339
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	1	2	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	1	1	-	1	6	2	1	1	-	1	-
WHITE-----MALE----	1	1	1	-	1	6	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	1	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,350
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
UNITED STATES --	273	-	-	-	-	1	3	4	17	8	16	16
WHITE-----FEMALE--	212	-	-	-	-	-	1	1	9	6	6	10
ALL OTHER--FEMALE--	61	-	-	-	-	1	2	3	8	2	10	6
BLACK---FEMALE--	51	-	-	-	-	-	2	3	7	2	8	6
ALABAMA -----	9	-	-	-	-	-	-	-	-	-	1	1
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALASKA -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	30	-	-	-	-	-	-	1	-	2	4	2
WHITE-----FEMALE--	24	-	-	-	-	-	-	-	-	2	3	1
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	1	-	-	1	1
BLACK---FEMALE--	3	-	-	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,354
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
MINNESOTA -----	-	-	-	1	1	1	1	1	2	-	-	-
WHITE-----FEMALE--	-	-	-	1	1	1	1	1	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	1	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSOURI -----	-	-	-	1	-	2	1	2	1	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	2	1	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MONTANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	-	-	1	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,356
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
OHIO -----	5	-	-	-	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	7	-	-	-	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	-	-	-	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	-	-	-	-	-	-	1	1	-	2	-
WHITE-----FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,356
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
OHIO -----	-	-	-	-	-	4	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	4	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	-	-	-	1	1	1	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	1	1	-	1	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	2	-	2	1	3	3	-	-	-
WHITE-----FEMALE--	-	-	-	2	-	2	1	3	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	-	1	-	-	-	-	-	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,357
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	-	1	2	3	-	2	-	-	-
WHITE-----FEMALE--	-	-	1	-	1	2	3	-	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	1	1	2	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,359
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)												
UNITED STATES --	277	1	19	55	64	66	50	21	1
WHITE-----FEMALE--	129	-	4	26	35	30	25	9	-
ALL OTHER--FEMALE--	148	1	15	29	29	36	25	12	1
BLACK---FEMALE--	133	1	15	28	28	30	22	8	1
ALABAMA -----	4	-	2	1	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	2	1	-	-	1	-	-
BLACK---FEMALE--	4	-	2	1	-	-	1	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	-	-	2	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
ARKANSAS -----	4	-	-	-	-	4	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	2	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	2	-	-	-
BLACK---FEMALE--	2	-	-	-	-	2	-	-	-
CALIFORNIA -----	44	-	2	7	8	12	8	7	-
WHITE-----FEMALE--	24	-	-	4	6	5	6	3	-
ALL OTHER--FEMALE--	20	-	2	3	2	7	2	4	-
BLACK---FEMALE--	11	-	2	2	2	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,360
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	2	-	1	1	2	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	5	-	-	2	-	1	1	1	-
BLACK---FEMALE--	5	-	-	2	-	1	1	1	-
FLORIDA -----	18	-	1	5	2	4	4	2	-
WHITE-----FEMALE--	6	-	-	2	1	1	1	1	-
ALL OTHER--FEMALE--	12	-	1	3	1	3	3	1	-
BLACK---FEMALE--	12	-	1	3	1	3	3	1	-
GEORGIA -----	11	-	2	2	2	4	-	1	-
WHITE-----FEMALE--	4	-	1	1	1	1	-	-	-
ALL OTHER--FEMALE--	7	-	1	1	1	3	-	1	-
BLACK---FEMALE--	7	-	1	1	1	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,362
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)												
KENTUCKY -----	4	-	-	1	3	-	-	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	2	-	-	-	-
BLACK---FEMALE--	2	-	-	-	2	-	-	-	-
LOUISIANA -----	4	-	-	3	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	2	1	-	-	-	-
BLACK---FEMALE--	3	-	-	2	1	-	-	-	-
MAINE -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	-	-	2	2	1	3	-	-
WHITE-----FEMALE--	5	-	-	1	2	1	1	-	-
ALL OTHER--FEMALE--	3	-	-	1	-	-	2	-	-
BLACK---FEMALE--	3	-	-	1	-	-	2	-	-
MASSACHUSETTS -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
MICHIGAN -----	9	-	3	2	2	1	1	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	7	-	3	1	1	1	1	-	-
BLACK---FEMALE--	7	-	3	1	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,365
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)												
OHIO -----	7	-	-	3	1	1	1	-	1
WHITE-----FEMALE--	3	-	-	1	-	1	1	-	-
ALL OTHER--FEMALE--	4	-	-	2	1	-	-	-	1
BLACK---FEMALE--	4	-	-	2	1	-	-	-	1
OKLAHOMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	-	-	1	2	2	4	2	-
WHITE-----FEMALE--	7	-	-	-	2	1	3	1	-
ALL OTHER--FEMALE--	4	-	-	1	-	1	1	1	-
BLACK---FEMALE--	3	-	-	1	-	1	-	1	-
RHODE ISLAND -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	-	-	2	1	-	1	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	2	1	-	1	-
BLACK---FEMALE--	4	-	-	-	2	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,366
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
TEXAS -----	28	-	5	7	4	7	4	1	-
WHITE-----FEMALE--	20	-	3	5	4	4	3	1	-
ALL OTHER--FEMALE--	8	-	2	2	-	3	1	-	-
BLACK---FEMALE--	8	-	2	2	-	3	1	-	-
UTAH -----	2	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	2	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	-	-	1	2	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	1	-	1	-	-
BLACK---FEMALE--	3	-	-	1	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,368
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
UNITED STATES --	28	-	3	11	5	4	5	-	-
WHITE-----FEMALE--	7	-	-	-	1	1	5	-	-
ALL OTHER--FEMALE--	21	-	3	11	4	3	-	-	-
BLACK---FEMALE--	21	-	3	11	4	3	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	-	1	1	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	1	1	-	1	-	-	-
BLACK---FEMALE--	3	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,371
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
KENTUCKY -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	-	2	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	2	-	-	-	-	-
BLACK---FEMALE--	2	-	-	2	-	-	-	-	-
MAINE -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	1	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	1	1	-	-	-	-	-
BLACK---FEMALE--	2	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,374
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
OHIO -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,375
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	-	1	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	1	-	-	-	-
BLACK---FEMALE--	2	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,377
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ECTOPIC PREGNANCY (633)												
UNITED STATES --	20	-	2	9	3	2	4	-	-
WHITE-----FEMALE--	4	-	-	-	-	-	4	-	-
ALL OTHER--FEMALE--	16	-	2	9	3	2	-	-	-
BLACK---FEMALE--	16	-	2	9	3	2	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	-	1	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	1	-	-	1	-	-	-
BLACK---FEMALE--	2	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,380
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ECTOPIC PREGNANCY (633)												
KENTUCKY -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	-	2	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	2	-	-	-	-	-
BLACK---FEMALE--	2	-	-	2	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,383
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ECTOPIC PREGNANCY (633)												
OHIO -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,384
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ECTOPIC PREGNANCY (633)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	-	1	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	1	-	-	-	-
BLACK---FEMALE--	2	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,395
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEGALLY INDUCED ABORTION (635)												
UNITED STATES --	3	-	-	1	1	-	1	-	-
WHITE-----FEMALE--	2	-	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,416
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER PREGNANCY WITH ABORTIVE OUTCOME (630-632,637-638)												
KENTUCKY -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,419
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER PREGNANCY WITH ABORTIVE OUTCOME (630-632,637-638)												
OHIO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,422
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
UNITED STATES --	230	1	15	41	54	57	40	21	1
WHITE-----FEMALE--	113	-	4	24	30	27	19	9	-
ALL OTHER--FEMALE--	117	1	11	17	24	30	21	12	1
BLACK---FEMALE--	103	1	11	16	23	25	18	8	1
ALABAMA -----	3	-	2	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	2	1	-	-	-	-	-
BLACK---FEMALE--	3	-	2	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
ARKANSAS -----	4	-	-	-	-	4	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	2	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	2	-	-	-
BLACK---FEMALE--	2	-	-	-	-	2	-	-	-
CALIFORNIA -----	41	-	1	6	8	11	8	7	-
WHITE-----FEMALE--	24	-	-	4	6	5	6	3	-
ALL OTHER--FEMALE--	17	-	1	2	2	6	2	4	-
BLACK---FEMALE--	8	-	1	1	2	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,423
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	2	-	-	1	2	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	4	-	-	2	-	-	1	1	-
BLACK---FEMALE--	4	-	-	2	-	-	1	1	-
FLORIDA -----	11	-	1	2	2	3	1	2	-
WHITE-----FEMALE--	4	-	-	1	1	1	-	1	-
ALL OTHER--FEMALE--	7	-	1	1	1	2	1	1	-
BLACK---FEMALE--	7	-	1	1	1	2	1	1	-
GEORGIA -----	11	-	2	2	2	4	-	1	-
WHITE-----FEMALE--	4	-	1	1	1	1	-	-	-
ALL OTHER--FEMALE--	7	-	1	1	1	3	-	1	-
BLACK---FEMALE--	7	-	1	1	1	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,425
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
KENTUCKY -----	4	-	-	1	3	-	-	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	2	-	-	-	-
BLACK---FEMALE--	2	-	-	-	2	-	-	-	-
LOUISIANA -----	2	-	-	1	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	-	-	1	-	1	2	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	-	-	2	-	-
BLACK---FEMALE--	3	-	-	1	-	-	2	-	-
MASSACHUSETTS -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
MICHIGAN -----	7	-	2	1	2	1	1	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	5	-	2	-	1	1	1	-	-
BLACK---FEMALE--	5	-	2	-	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,428
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
OHIO -----	5	-	-	2	1	1	-	-	1
WHITE-----FEMALE--	2	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	1	-	-	-	1
BLACK---FEMALE--	3	-	-	1	1	-	-	-	1
OKLAHOMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	-	-	-	2	1	4	2	-
WHITE-----FEMALE--	6	-	-	-	2	-	3	1	-
ALL OTHER--FEMALE--	3	-	-	-	-	1	1	1	-
BLACK---FEMALE--	2	-	-	-	-	1	-	1	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	-	-	1	-	-	1	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	-	-	1	-
BLACK---FEMALE--	2	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,429
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
TEXAS -----	26	-	4	7	4	6	4	1	-
WHITE-----FEMALE--	19	-	3	5	4	3	3	1	-
ALL OTHER--FEMALE--	7	-	1	2	-	3	1	-	-
BLACK---FEMALE--	7	-	1	2	-	3	1	-	-
UTAH -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	-	-	1	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,431
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH (640-641,666)												
UNITED STATES --	36	-	2	2	10	10	5	7	-
WHITE-----FEMALE--	17	-	-	-	7	5	3	2	-
ALL OTHER--FEMALE--	19	-	2	2	3	5	2	5	-
BLACK---FEMALE--	15	-	2	2	2	4	2	3	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	-	-	-	1	1	2	2	-
WHITE-----FEMALE--	3	-	-	-	-	1	2	-	-
ALL OTHER--FEMALE--	3	-	-	-	1	-	-	2	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,432
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH (640-641,666)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
GEORGIA -----	2	-	-	1	-	-	-	1	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	-	-	-	1	-
BLACK---FEMALE--	2	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,434
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH (640-641,666)												
KENTUCKY -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	2	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	2	-	-	-	-	-	-
BLACK---FEMALE--	2	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,440
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)												
UNITED STATES --	46	-	3	13	7	9	9	5	-
WHITE-----FEMALE--	24	-	1	9	4	4	2	4	-
ALL OTHER--FEMALE--	22	-	2	4	3	5	7	1	-
BLACK---FEMALE--	21	-	2	4	3	5	6	1	-
ALABAMA -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	-	-	2	1	1	1	1	-
WHITE-----FEMALE--	5	-	-	2	1	1	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,441
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	2	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-
FLORIDA -----	4	-	1	-	1	1	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	3	-	1	-	1	1	-	-	-
BLACK---FEMALE--	3	-	1	-	1	1	-	-	-
GEORGIA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,447
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TEXAS -----	10	-	1	3	2	2	2	-	-
WHITE-----FEMALE--	6	-	1	1	2	1	1	-	-
ALL OTHER--FEMALE--	4	-	-	2	-	1	1	-	-
BLACK---FEMALE--	4	-	-	2	-	1	1	-	-
UTAH -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,458
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
UNITED STATES --	94	1	6	16	24	24	18	4	1
WHITE-----FEMALE--	47	-	2	10	11	13	9	2	-
ALL OTHER--FEMALE--	47	1	4	6	13	11	9	2	1
BLACK---FEMALE--	43	1	4	6	13	9	7	2	1
ALABAMA -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
ARKANSAS -----	3	-	-	-	-	3	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	2	-	-	-
BLACK---FEMALE--	2	-	-	-	-	2	-	-	-
CALIFORNIA -----	13	-	1	3	3	3	2	1	-
WHITE-----FEMALE--	7	-	-	2	2	1	1	1	-
ALL OTHER--FEMALE--	6	-	1	1	1	2	1	-	-
BLACK---FEMALE--	4	-	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,459
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	6	-	-	2	1	1	1	1	-
WHITE-----FEMALE--	3	-	-	1	1	1	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	-	-	1	1	-
BLACK---FEMALE--	3	-	-	1	-	-	1	1	-
GEORGIA -----	4	-	1	-	1	2	-	-	-
WHITE-----FEMALE--	2	-	1	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,461
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
KENTUCKY -----	2	-	-	1	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
MICHIGAN -----	4	-	-	-	2	1	1	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	-	1	1	1	-	-
BLACK---FEMALE--	3	-	-	-	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,464
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
OHIO -----	1	-	-	-	-	-	-	-	1
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	1
OKLAHOMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	-	-	-	1	-	2	1	-
WHITE-----FEMALE--	3	-	-	-	1	-	2	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,467
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)												
UNITED STATES --	54	-	4	10	13	14	8	5	-
WHITE-----FEMALE--	25	-	1	5	8	5	5	1	-
ALL OTHER--FEMALE--	29	-	3	5	5	9	3	4	-
BLACK---FEMALE--	24	-	3	4	5	7	3	2	-
ALABAMA -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	16	-	-	1	3	6	3	3	-
WHITE-----FEMALE--	9	-	-	-	3	2	3	1	-
ALL OTHER--FEMALE--	7	-	-	1	-	4	-	2	-
BLACK---FEMALE--	2	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,468
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	2	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	2	-	-	1	-	-
BLACK---FEMALE--	3	-	-	2	-	-	1	-	-
FLORIDA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
GEORGIA -----	4	-	1	1	1	1	-	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	1	-	-	1	-	-	-
BLACK---FEMALE--	2	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,494
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
UNITED STATES --	3,231	5	6	3	1	5	9	14	22	32	42	55
WHITE-----MALE----	877	3	1	2	1	2	4	5	7	8	16	20
FEMALE--	1,513	1	1	-	-	1	2	1	9	9	11	16
ALL OTHER--MALE----	332	1	2	1	-	1	1	5	1	8	9	9
FEMALE--	509	-	2	-	-	1	2	3	5	7	6	10
BLACK---MALE----	304	1	2	1	-	1	-	5	-	8	7	7
FEMALE--	490	-	2	-	-	1	2	3	5	6	6	10
ALABAMA -----	76	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	54	-	-	-	-	-	-	-	1	2	1	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	46	1	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	14	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	181	-	2	-	-	-	1	-	-	4	1	5
WHITE-----MALE----	57	-	1	-	-	-	1	-	-	2	1	2
FEMALE--	93	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	15	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	9	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,494
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
UNITED STATES --	66	93	100	188	279	428	580	578	483	191	51	-
WHITE-----MALE----	22	39	33	64	100	137	173	129	88	21	2	-
FEMALE--	17	27	35	62	104	183	255	314	313	119	33	-
ALL OTHER--MALE----	15	11	16	33	37	44	62	39	23	11	3	-
FEMALE--	12	16	16	29	38	64	90	96	59	40	13	-
BLACK---MALE----	14	10	15	31	35	41	54	36	22	11	3	-
FEMALE--	11	16	13	27	36	60	89	93	59	38	13	-
ALABAMA -----	1	1	1	6	5	11	15	10	15	6	4	-
WHITE-----MALE----	1	1	1	-	1	3	3	1	3	-	-	-
FEMALE--	-	-	-	1	3	-	4	6	7	1	-	-
ALL OTHER--MALE----	-	-	-	4	1	3	5	2	4	-	-	-
FEMALE--	-	-	-	1	-	5	3	1	1	5	4	-
BLACK---MALE----	-	-	-	4	1	3	5	2	4	-	-	-
FEMALE--	-	-	-	1	-	5	3	1	1	5	4	-
ALASKA -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	3	3	7	3	7	4	8	7	2	-
WHITE-----MALE----	1	1	-	1	6	1	3	2	1	1	1	-
FEMALE--	1	2	2	1	-	2	3	2	7	6	1	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	-	3	7	3	8	7	10	4	-	-
WHITE-----MALE----	-	-	-	1	4	1	3	3	1	-	-	-
FEMALE--	-	1	-	2	-	1	2	2	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	2	3	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	2	3	-	-	-
CALIFORNIA -----	3	9	6	16	14	32	27	31	24	4	2	-
WHITE-----MALE----	2	3	3	9	4	14	5	7	3	-	-	-
FEMALE--	-	5	1	4	8	15	14	20	19	4	2	-
ALL OTHER--MALE----	1	-	1	2	1	2	3	1	1	-	-	-
FEMALE--	-	1	1	1	1	1	5	3	1	-	-	-
BLACK---MALE----	1	-	1	2	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	4	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,495
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
COLORADO -----	32	-	-	-	-	-	-	-	1	3	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	22	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	24	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	185	-	-	-	-	-	-	-	1	3	2	4
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	96	-	-	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	136	-	-	-	-	-	-	2	1	-	-	2
WHITE-----MALE----	25	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,495
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
COLORADO -----	1	2	1	1	1	4	4	4	6	2	1	-
WHITE-----MALE----	1	2	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	3	3	4	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	1	2	3	9	4	4	3	-	-
WHITE-----MALE----	-	-	-	-	2	1	5	1	1	1	-	-
FEMALE--	-	-	2	1	-	1	4	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	-	1	-	1	1	4	2	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	2	-	2	1	4	3	4	3	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	1	1	-	-
FEMALE--	-	1	2	-	1	-	3	2	3	1	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	1	1	-	-
FEMALE--	-	1	2	-	1	-	3	2	3	1	-	-
FLORIDA -----	2	2	9	8	17	25	27	40	29	13	3	-
WHITE-----MALE----	1	2	3	2	3	6	11	14	7	-	-	-
FEMALE--	-	-	1	3	9	14	11	19	21	10	3	-
ALL OTHER--MALE----	-	-	1	1	1	2	1	1	-	-	-	-
FEMALE--	1	-	4	2	4	3	4	6	1	2	-	-
BLACK---MALE----	-	-	1	1	1	2	1	1	-	-	-	-
FEMALE--	1	-	4	2	4	3	4	6	1	2	-	-
GEORGIA -----	3	5	5	6	9	17	34	26	18	8	-	-
WHITE-----MALE----	-	2	2	2	4	2	6	4	1	-	-	-
FEMALE--	-	1	-	1	3	7	14	10	7	-	-	-
ALL OTHER--MALE----	1	2	3	1	1	1	5	3	1	2	-	-
FEMALE--	2	-	-	2	1	7	9	9	9	6	-	-
BLACK---MALE----	1	2	3	1	1	1	5	3	1	2	-	-
FEMALE--	2	-	-	2	1	7	9	9	9	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,496
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
HAWAII -----	-	-	1	1	-	-	3	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	3	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	-	-	2	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	7	3	17	24	19	48	34	18	11	10	-
WHITE-----MALE----	-	6	-	5	7	8	13	7	2	2	-	-
FEMALE--	-	1	1	3	6	4	18	17	10	5	5	-
ALL OTHER--MALE----	1	-	2	3	3	4	8	3	-	1	1	-
FEMALE--	1	-	-	6	8	3	9	7	6	3	4	-
BLACK---MALE----	1	-	2	3	3	4	8	3	-	1	1	-
FEMALE--	1	-	-	6	8	3	9	7	6	3	4	-
INDIANA -----	1	3	3	7	4	8	13	12	7	5	2	-
WHITE-----MALE----	-	-	1	4	2	3	4	2	1	1	-	-
FEMALE--	-	3	2	3	2	5	7	8	5	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	1	-
IOWA -----	-	1	-	-	2	4	4	3	1	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	3	-	-	2	-	-
FEMALE--	-	1	-	-	1	3	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	3	1	3	8	2	7	8	2	-	-
WHITE-----MALE----	-	1	2	1	1	4	1	2	3	1	-	-
FEMALE--	-	-	1	-	2	3	1	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,497
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
KENTUCKY -----	2	-	-	2	3	8	10	6	11	-	1	-
WHITE-----MALE----	1	-	-	-	2	2	3	2	3	-	-	-
FEMALE--	-	-	-	2	1	6	7	4	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	1	2	2	3	8	13	15	27	16	7	-	-
WHITE-----MALE----	-	1	-	-	1	2	7	2	4	-	-	-
FEMALE--	-	-	1	1	2	2	3	12	6	2	-	-
ALL OTHER--MALE----	1	1	1	2	1	3	2	7	2	-	-	-
FEMALE--	-	-	-	-	4	6	3	6	4	5	-	-
BLACK---MALE----	1	1	1	2	1	3	2	7	2	-	-	-
FEMALE--	-	-	-	-	4	6	3	6	4	5	-	-
MAINE -----	-	1	-	-	2	-	2	-	1	-	1	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	1	4	2	11	14	16	20	6	3	-
WHITE-----MALE----	1	-	-	1	1	3	6	-	4	1	-	-
FEMALE--	-	-	1	1	-	6	5	10	11	3	1	-
ALL OTHER--MALE----	-	1	-	1	1	1	1	1	2	-	-	-
FEMALE--	1	2	-	1	-	1	2	5	3	2	2	-
BLACK---MALE----	-	1	-	1	1	1	1	1	2	-	-	-
FEMALE--	1	2	-	1	-	1	2	5	3	2	2	-
MASSACHUSETTS -----	-	1	-	7	3	9	13	9	8	7	2	-
WHITE-----MALE----	-	-	-	4	-	4	3	3	1	-	-	-
FEMALE--	-	1	-	2	3	5	8	6	7	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
MICHIGAN -----	2	4	2	13	11	25	25	22	16	5	1	-
WHITE-----MALE----	1	1	-	4	2	8	6	5	5	-	-	-
FEMALE--	-	-	1	4	3	12	12	11	10	2	1	-
ALL OTHER--MALE----	-	2	1	3	3	3	4	4	-	1	-	-
FEMALE--	1	1	-	2	3	2	3	2	1	2	-	-
BLACK---MALE----	-	2	1	3	2	3	4	4	-	1	-	-
FEMALE--	1	1	-	2	3	2	3	2	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,498
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
MINNESOTA -----	1	1	1	-	2	6	5	7	4	5	-	-
WHITE-----MALE----	-	-	-	-	-	3	2	4	1	3	-	-
FEMALE--	1	1	1	-	2	3	3	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	2	2	2	3	8	12	11	7	4	1	-
WHITE-----MALE----	-	2	-	1	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	4	6	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	2	1	2	3	1	-	-
FEMALE--	-	-	2	1	-	4	5	2	2	2	1	-
BLACK---MALE----	1	-	-	-	1	2	1	2	3	1	-	-
FEMALE--	-	-	2	1	-	4	5	2	2	2	1	-
MISSOURI -----	2	3	2	4	11	7	10	9	11	2	2	-
WHITE-----MALE----	-	2	2	2	5	2	4	5	2	-	-	-
FEMALE--	1	-	-	1	3	2	3	1	5	2	2	-
ALL OTHER--MALE----	-	-	-	1	2	2	-	1	2	-	-	-
FEMALE--	1	1	-	-	1	1	3	2	2	-	-	-
BLACK---MALE----	-	-	-	1	2	2	-	1	2	-	-	-
FEMALE--	1	1	-	-	1	1	3	2	2	-	-	-
MONTANA -----	-	-	-	-	1	-	1	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	-	1	3	2	2	2	1	1	-
WHITE-----MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	1	2	-	2	-	2	-	5	-	3	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,500
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
OHIO -----	4	1	4	6	6	12	17	34	26	4	-	-
WHITE-----MALE----	2	1	2	1	4	2	7	9	2	-	-	-
FEMALE--	2	-	2	2	2	6	9	17	22	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	2	1	1	-	-
FEMALE--	-	-	-	2	-	3	1	6	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	2	1	1	-	-
FEMALE--	-	-	-	2	-	3	1	6	1	-	-	-
OKLAHOMA -----	1	-	2	1	5	9	9	12	9	2	-	-
WHITE-----MALE----	-	-	-	-	2	2	3	2	5	-	-	-
FEMALE--	1	-	2	1	2	6	5	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
OREGON -----	2	-	2	1	1	2	4	3	3	2	-	-
WHITE-----MALE----	1	-	1	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	3	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	3	8	7	15	18	27	30	27	7	-	-
WHITE-----MALE----	2	1	7	2	6	10	14	6	3	1	-	-
FEMALE--	1	2	1	2	7	6	10	21	22	6	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	3	2	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	3	2	1	-	-	-
RHODE ISLAND -----	1	-	-	1	3	4	5	3	2	1	-	-
WHITE-----MALE----	1	-	-	-	1	-	4	-	-	-	-	-
FEMALE--	-	-	-	1	2	4	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	5	4	6	6	11	12	17	2	2	1	-
WHITE-----MALE----	1	2	-	1	2	2	2	1	-	-	1	-
FEMALE--	1	-	1	1	-	2	3	8	-	1	-	-
ALL OTHER--MALE----	-	1	2	2	3	2	5	2	-	-	-	-
FEMALE--	1	2	1	2	1	5	2	6	2	1	-	-
BLACK---MALE----	-	1	2	2	3	2	5	2	-	-	-	-
FEMALE--	1	2	1	2	1	5	2	5	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,501
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	72	1	-	-	-	1	1	3	1	3	2	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	1	-	-	-	1	-	2	-	1	-	-
FEMALE--	19	-	-	-	-	-	1	1	1	2	1	-
BLACK---MALE----	12	1	-	-	-	1	-	2	-	1	-	-
FEMALE--	19	-	-	-	-	-	1	1	1	2	1	-
TEXAS -----	219	-	-	-	-	1	-	1	1	5	5	5
WHITE-----MALE----	57	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	114	-	-	-	-	1	-	-	-	2	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	29	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	27	-	-	-	-	-	-	1	-	-	2	-
UTAH -----	14	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	108	-	1	-	-	-	1	1	1	-	-	1
WHITE-----MALE----	22	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	48	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,501
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	-	1	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	3	3	8	8	18	7	7	5	-	-
WHITE-----MALE----	-	-	-	1	1	3	2	1	2	-	-	-
FEMALE--	1	-	2	-	4	3	10	4	2	4	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	2	-	2	-	-	-
FEMALE--	-	-	-	1	3	1	4	2	1	1	-	-
BLACK---MALE----	-	-	1	1	-	1	2	-	2	-	-	-
FEMALE--	-	-	-	1	3	1	4	2	1	1	-	-
TEXAS -----	5	7	11	10	23	30	34	35	31	10	5	-
WHITE-----MALE----	-	2	5	2	12	10	5	10	4	-	-	-
FEMALE--	2	3	4	7	7	11	18	20	24	9	3	-
ALL OTHER--MALE----	2	1	1	1	1	3	4	1	-	1	2	-
FEMALE--	1	1	1	-	3	6	7	4	3	-	-	-
BLACK---MALE----	2	1	1	1	1	3	4	1	-	1	2	-
FEMALE--	1	1	1	-	3	4	7	4	3	-	-	-
UTAH -----	-	1	-	-	2	1	5	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	1	7	10	14	20	19	23	7	-	-
WHITE-----MALE----	-	-	-	2	2	5	6	3	2	-	-	-
FEMALE--	-	1	1	3	2	6	6	8	16	4	-	-
ALL OTHER--MALE----	1	-	-	-	6	2	4	2	2	-	-	-
FEMALE--	-	-	-	2	-	1	4	6	3	3	-	-
BLACK---MALE----	1	-	-	-	6	2	4	2	2	-	-	-
FEMALE--	-	-	-	2	-	1	4	6	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,503
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
UNITED STATES --	864	1	-	1	1	-	1	5	11	11	19	23
WHITE-----MALE----	291	1	-	1	1	-	1	1	4	4	8	10
FEMALE--	446	-	-	-	-	-	-	-	4	4	7	7
ALL OTHER--MALE----	51	-	-	-	-	-	-	3	1	1	3	4
FEMALE--	76	-	-	-	-	-	-	1	2	2	1	2
BLACK---MALE----	41	-	-	-	-	-	-	3	-	1	2	3
FEMALE--	69	-	-	-	-	-	-	1	2	2	1	2
ALABAMA -----	17	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	25	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	78	-	-	-	-	-	1	-	-	4	1	2
WHITE-----MALE----	31	-	-	-	-	-	1	-	-	2	1	1
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,503
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
UNITED STATES --	28	52	38	60	75	127	126	133	101	36	15	-
WHITE-----MALE----	12	23	18	30	36	54	37	32	13	4	1	-
FEMALE--	5	17	15	19	33	58	72	86	82	27	10	-
ALL OTHER--MALE----	5	5	2	7	2	7	3	4	1	2	1	-
FEMALE--	6	7	3	4	4	8	14	11	5	3	3	-
BLACK---MALE----	4	4	1	6	2	5	2	4	1	2	1	-
FEMALE--	5	7	1	4	3	6	14	10	5	3	3	-
ALABAMA -----	1	1	-	1	3	1	2	4	4	-	-	-
WHITE-----MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	2	1	4	2	3	-	3	2	1	-
WHITE-----MALE----	1	1	-	-	4	1	3	-	-	-	1	-
FEMALE--	-	2	1	-	-	1	-	-	3	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	2	-	1	-	3	2	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
CALIFORNIA -----	3	7	3	8	5	19	6	9	8	2	-	-
WHITE-----MALE----	2	2	1	7	2	8	1	2	1	-	-	-
FEMALE--	-	4	1	1	3	10	3	5	7	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,504
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
COLORADO -----	-	1	-	1	-	2	3	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	-	-	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	2	4	7	5	9	11	3	2	-	-
WHITE-----MALE----	1	1	2	2	2	1	4	6	1	-	-	-
FEMALE--	-	-	-	1	5	2	4	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
GEORGIA -----	1	1	2	1	2	3	6	-	1	-	-	-
WHITE-----MALE----	-	1	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,505
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
HAWAII -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	4	-	-	7	3	10	7	3	-	5	-
WHITE-----MALE----	-	3	-	-	2	3	2	3	-	-	-	-
FEMALE--	-	1	-	-	2	-	7	3	3	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	3	-	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	3	-	1	1	-	-	1	-
INDIANA -----	1	2	-	2	3	5	-	2	1	1	1	-
WHITE-----MALE----	-	-	-	2	2	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	3	-	2	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
IOWA -----	-	1	-	-	1	2	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	3	-	-	5	1	1	2	1	-	-
WHITE-----MALE----	-	1	2	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	3	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,510
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	59	-	-	-	-	-	-	-	1	2	2	3
WHITE-----MALE----	20	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	34	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,510
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	2	2	3	6	3	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	1	-	-	-
FEMALE--	1	-	-	-	2	1	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
TEXAS -----	3	4	3	5	7	8	4	9	6	1	1	-
WHITE-----MALE----	-	1	2	1	4	3	1	3	-	-	-	-
FEMALE--	1	2	1	4	3	4	3	6	6	1	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	2	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	3	2	3	2	1	5	2	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	2	-	-	-
FEMALE--	-	-	1	2	2	2	1	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,512
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
UNITED STATES --	38	41	62	128	204	301	454	445	382	155	36	-
WHITE-----MALE----	10	16	15	34	64	83	136	97	75	17	1	-
FEMALE--	12	10	20	43	71	125	183	228	231	92	23	-
ALL OTHER--MALE----	10	6	14	26	35	37	59	35	22	9	2	-
FEMALE--	6	9	13	25	34	56	76	85	54	37	10	-
BLACK---MALE----	10	6	14	25	33	36	52	32	21	9	2	-
FEMALE--	6	9	12	23	33	54	75	83	54	35	10	-
ALABAMA -----	-	-	1	5	2	10	13	6	11	6	4	-
WHITE-----MALE----	-	-	1	-	-	2	3	1	3	-	-	-
FEMALE--	-	-	-	1	2	-	3	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	4	-	3	5	2	4	-	-	-
FEMALE--	-	-	-	-	-	5	2	1	1	5	4	-
BLACK---MALE----	-	-	-	4	-	3	5	2	4	-	-	-
FEMALE--	-	-	-	-	-	5	2	1	1	5	4	-
ALASKA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	2	3	1	4	4	5	5	1	-
WHITE-----MALE----	-	-	-	1	2	-	-	2	1	1	-	-
FEMALE--	1	-	1	1	-	1	3	2	4	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	-	3	5	3	7	7	7	2	-	-
WHITE-----MALE----	-	-	-	1	2	1	3	3	1	-	-	-
FEMALE--	-	1	-	2	-	1	2	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	2	2	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	2	2	-	-	-
CALIFORNIA -----	-	2	3	8	9	13	21	22	16	2	2	-
WHITE-----MALE----	-	1	2	2	2	6	4	5	2	-	-	-
FEMALE--	-	1	-	3	5	5	11	15	12	2	2	-
ALL OTHER--MALE----	-	-	1	2	1	1	3	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	1	-	-	-
BLACK---MALE----	-	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,513
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
COLORADO -----	19	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	19	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	136	-	-	-	-	-	-	-	1	2	1	2
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	75	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	117	-	-	-	-	-	-	1	1	-	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,513
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
COLORADO -----	1	1	1	-	1	2	1	2	4	2	1	-
WHITE-----MALE----	1	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	-	2	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	2	3	6	2	3	2	-	-
WHITE-----MALE----	-	-	-	-	2	1	4	1	1	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	1	4	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	2	1	4	3	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	3	2	3	1	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	3	2	3	1	-	-
FLORIDA -----	1	1	7	4	10	20	18	29	26	11	3	-
WHITE-----MALE----	-	1	1	-	1	5	7	8	6	1	-	-
FEMALE--	-	-	1	2	4	12	7	15	19	9	3	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	4	2	4	2	4	5	1	1	-	-
BLACK---MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	4	2	4	2	4	5	1	1	-	-
GEORGIA -----	2	4	3	5	7	14	28	26	17	8	-	-
WHITE-----MALE----	-	1	-	1	2	2	5	4	1	-	-	-
FEMALE--	-	1	-	1	3	6	9	10	6	-	-	-
ALL OTHER--MALE----	1	2	3	1	1	1	5	3	1	2	-	-
FEMALE--	1	-	-	2	1	5	9	9	9	6	-	-
BLACK---MALE----	1	2	3	1	1	1	5	3	1	2	-	-
FEMALE--	1	-	-	2	1	5	9	9	9	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,514
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
HAWAII -----	-	-	-	1	-	-	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	2	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	3	3	17	17	16	38	27	15	11	5	-
WHITE-----MALE----	-	3	-	5	5	5	11	4	2	2	-	-
FEMALE--	-	-	1	3	4	4	11	14	7	5	2	-
ALL OTHER--MALE----	1	-	2	3	3	4	8	3	-	1	-	-
FEMALE--	1	-	-	6	5	3	8	6	6	3	3	-
BLACK---MALE----	1	-	2	3	3	4	8	3	-	1	-	-
FEMALE--	1	-	-	6	5	3	8	6	6	3	3	-
INDIANA -----	-	1	3	5	1	3	13	10	6	4	1	-
WHITE-----MALE----	-	-	1	2	-	1	4	2	1	1	-	-
FEMALE--	-	1	2	3	1	2	7	6	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
IOWA -----	-	-	-	-	1	2	2	2	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	2	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	1	3	3	1	6	6	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	2	2	1	-	-
FEMALE--	-	-	-	-	2	-	-	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,515
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
KENTUCKY -----	-	-	-	2	2	7	8	5	7	-	1	-
WHITE-----MALE----	-	-	-	-	2	2	3	1	1	-	-	-
FEMALE--	-	-	-	2	-	5	5	4	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	1	1	1	3	7	13	13	25	14	6	-	-
WHITE-----MALE----	-	1	-	-	1	2	7	2	4	-	-	-
FEMALE--	-	-	-	1	1	2	2	10	4	2	-	-
ALL OTHER--MALE----	1	-	1	2	1	3	2	7	2	-	-	-
FEMALE--	-	-	-	-	4	6	2	6	4	4	-	-
BLACK---MALE----	1	-	1	2	1	3	2	7	2	-	-	-
FEMALE--	-	-	-	-	4	6	2	6	4	4	-	-
MAINE -----	-	-	-	-	2	-	1	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	-	3	2	10	11	10	18	5	2	-
WHITE-----MALE----	1	-	-	-	1	3	5	-	4	1	-	-
FEMALE--	-	-	-	1	-	5	3	5	9	2	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	2	-	-	-
FEMALE--	1	1	-	1	-	1	2	5	3	2	1	-
BLACK---MALE----	-	-	-	1	1	1	1	-	2	-	-	-
FEMALE--	1	1	-	1	-	1	2	5	3	2	1	-
MASSACHUSETTS -----	-	-	-	4	3	6	8	6	7	6	1	-
WHITE-----MALE----	-	-	-	1	-	1	2	2	1	-	-	-
FEMALE--	-	-	-	2	3	5	4	4	6	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
MICHIGAN -----	-	4	2	11	10	15	23	16	11	5	-	-
WHITE-----MALE----	-	1	-	3	1	4	6	3	5	-	-	-
FEMALE--	-	-	1	4	3	6	10	8	5	2	-	-
ALL OTHER--MALE----	-	2	1	2	3	3	4	3	-	1	-	-
FEMALE--	-	1	-	2	3	2	3	2	1	2	-	-
BLACK---MALE----	-	2	1	2	2	3	4	3	-	1	-	-
FEMALE--	-	1	-	2	3	2	3	2	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,516
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
MINNESOTA -----	-	-	1	-	2	4	3	6	4	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	3	1	1	-	-
FEMALE--	-	-	1	-	2	2	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	2	2	-	2	7	9	10	6	3	1	-
WHITE-----MALE----	-	2	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	2	3	1	-	-
FEMALE--	-	-	2	-	-	4	4	2	1	2	1	-
BLACK---MALE----	-	-	-	-	1	2	1	2	3	1	-	-
FEMALE--	-	-	2	-	-	4	4	2	1	2	1	-
MISSOURI -----	2	-	1	3	10	4	6	9	9	1	2	-
WHITE-----MALE----	-	-	1	2	4	-	2	5	2	-	-	-
FEMALE--	1	-	-	-	3	2	1	1	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	1	2	-	-	-
FEMALE--	1	-	-	-	1	-	3	2	2	-	-	-
BLACK---MALE----	-	-	-	1	2	2	-	1	2	-	-	-
FEMALE--	1	-	-	-	1	-	3	2	2	-	-	-
MONTANA -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	-	1	1	1	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	1	-	-	1	-	2	-	4	-	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,518
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
OHIO -----	3	-	1	6	4	9	13	22	20	4	-	-
WHITE-----MALE----	2	-	1	1	3	1	5	8	2	-	-	-
FEMALE--	1	-	-	2	1	5	8	9	16	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	1	1	-	-
FEMALE--	-	-	-	2	-	2	-	4	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	1	1	-	-
FEMALE--	-	-	-	2	-	2	-	4	1	-	-	-
OKLAHOMA -----	1	-	1	1	4	7	7	9	6	2	-	-
WHITE-----MALE----	-	-	-	-	2	2	3	2	4	-	-	-
FEMALE--	1	-	1	1	2	5	3	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
OREGON -----	1	-	-	-	1	1	2	3	2	2	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	3	3	12	11	20	22	22	5	-	-
WHITE-----MALE----	1	1	2	-	5	5	10	3	3	1	-	-
FEMALE--	1	1	1	1	5	4	8	17	17	4	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	2	2	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	2	2	1	-	-	-
RHODE ISLAND -----	1	-	-	-	1	3	5	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	4	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	3	3	4	3	9	10	16	2	2	1	-
WHITE-----MALE----	-	1	-	1	-	2	2	1	-	-	1	-
FEMALE--	-	-	1	1	-	1	1	7	-	1	-	-
ALL OTHER--MALE----	-	1	1	1	2	1	5	2	-	-	-	-
FEMALE--	-	1	1	1	1	5	2	6	2	1	-	-
BLACK---MALE----	-	1	1	1	2	1	5	2	-	-	-	-
FEMALE--	-	1	1	1	1	5	2	5	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,519
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	49	1	-	-	-	1	1	1	1	3	2	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	14	-	-	-	-	-	1	-	1	2	1	-
BLACK---MALE----	10	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	14	-	-	-	-	-	1	-	1	2	1	-
TEXAS -----	160	-	-	-	-	1	-	1	-	3	3	2
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	80	-	-	-	-	1	-	-	-	1	-	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	27	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	25	-	-	-	-	-	-	1	-	-	1	-
UTAH -----	6	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	87	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	36	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,519
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	3	1	6	5	12	4	4	4	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	2	-	2	2	6	2	1	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	2	-	2	-	-	-
FEMALE--	-	-	-	1	3	1	2	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	2	-	2	-	-	-
FEMALE--	-	-	-	1	3	1	2	1	-	1	-	-
TEXAS -----	2	3	8	5	16	22	30	26	25	9	4	-
WHITE-----MALE----	-	1	3	1	8	7	4	7	4	-	-	-
FEMALE--	1	1	3	3	4	7	15	14	18	8	2	-
ALL OTHER--MALE----	1	-	1	1	1	2	4	1	-	1	2	-
FEMALE--	-	1	1	-	3	6	7	4	3	-	-	-
BLACK---MALE----	1	-	1	1	1	2	4	1	-	1	2	-
FEMALE--	-	1	1	-	3	4	7	4	3	-	-	-
UTAH -----	-	1	-	-	-	-	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	4	8	11	18	18	18	5	-	-
WHITE-----MALE----	-	-	-	1	2	4	5	3	-	-	-	-
FEMALE--	-	1	-	1	-	4	5	8	13	3	-	-
ALL OTHER--MALE----	1	-	-	-	6	2	4	2	2	-	-	-
FEMALE--	-	-	-	2	-	1	4	5	3	2	-	-
BLACK---MALE----	1	-	-	-	6	2	4	2	2	-	-	-
FEMALE--	-	-	-	2	-	1	4	5	3	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,521
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
0 UNITED STATES --	9,164	16	5	5	28	38	76	114	143	208	259	327
WHITE-----MALE----	2,096	6	1	1	5	7	11	17	18	34	49	73
FEMALE--	5,619	7	4	3	9	15	28	31	57	86	96	142
ALL OTHER--MALE----	413	3	-	1	3	7	5	17	10	21	25	27
FEMALE--	1,036	-	-	-	11	9	32	49	58	67	89	85
BLACK---MALE----	370	2	-	1	2	7	4	15	9	18	23	23
FEMALE--	919	-	-	-	7	8	28	42	56	61	83	74
ALABAMA -----	155	-	-	-	-	-	3	6	4	6	7	2
WHITE-----MALE----	33	-	-	-	-	-	-	2	-	-	1	2
FEMALE--	72	-	-	-	-	-	-	1	1	2	3	-
ALL OTHER--MALE----	14	-	-	-	-	-	2	-	-	1	1	-
FEMALE--	36	-	-	-	-	-	1	3	3	3	2	-
BLACK---MALE----	14	-	-	-	-	-	2	-	-	1	1	-
FEMALE--	36	-	-	-	-	-	1	3	3	3	2	-
ALASKA -----	14	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	167	1	-	-	-	-	-	1	1	5	4	3
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	120	1	-	-	-	-	-	1	1	4	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ARKANSAS -----	112	1	-	-	1	-	1	1	-	3	-	5
WHITE-----MALE----	32	-	-	-	1	-	-	1	-	1	-	2
FEMALE--	70	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	1	-	-
CALIFORNIA -----	834	3	-	-	4	3	8	8	27	30	47	48
WHITE-----MALE----	203	-	-	-	-	1	2	-	4	4	12	13
FEMALE--	503	1	-	-	2	2	4	2	15	19	18	23
ALL OTHER--MALE----	35	2	-	-	1	-	-	1	2	3	4	2
FEMALE--	93	-	-	-	1	-	2	5	6	4	13	10
BLACK---MALE----	22	1	-	-	-	-	-	1	1	1	4	1
FEMALE--	66	-	-	-	-	-	2	3	6	3	10	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,521
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
UNITED STATES --	339	405	560	769	1,063	1,252	1,353	1,115	709	308	72	-
WHITE-----MALE----	63	109	145	214	282	338	336	208	129	41	9	-
FEMALE--	159	186	320	441	668	799	920	814	527	250	57	-
ALL OTHER--MALE----	33	28	25	44	37	53	26	30	14	4	-	-
FEMALE--	84	82	70	70	76	62	71	63	39	13	6	-
BLACK---MALE----	28	26	22	43	35	47	23	25	13	4	-	-
FEMALE--	73	73	66	59	66	54	63	55	36	10	5	-
ALABAMA -----	13	8	10	17	18	22	11	16	7	4	1	-
WHITE-----MALE----	4	1	3	4	5	6	2	2	1	-	-	-
FEMALE--	2	3	3	9	10	11	7	11	6	3	-	-
ALL OTHER--MALE----	2	1	1	2	-	2	-	2	-	-	-	-
FEMALE--	5	3	3	2	3	3	2	1	-	1	1	-
BLACK---MALE----	2	1	1	2	-	2	-	2	-	-	-	-
FEMALE--	5	3	3	2	3	3	2	1	-	1	1	-
ALASKA -----	2	1	-	2	-	2	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	8	11	18	21	27	21	29	11	1	-	-
WHITE-----MALE----	-	4	-	7	6	9	4	2	1	-	-	-
FEMALE--	5	4	9	11	13	17	17	23	10	1	-	-
ALL OTHER--MALE----	-	-	2	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	5	2	10	14	15	10	18	14	8	4	-	-
WHITE-----MALE----	1	1	3	5	7	5	2	1	1	1	-	-
FEMALE--	2	1	6	9	7	5	15	11	7	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
CALIFORNIA -----	29	42	41	68	94	104	122	81	50	19	6	-
WHITE-----MALE----	6	12	7	16	24	33	34	19	12	3	1	-
FEMALE--	13	20	24	41	62	66	77	58	36	15	5	-
ALL OTHER--MALE----	1	-	1	4	3	2	5	4	-	-	-	-
FEMALE--	9	10	9	7	5	3	6	-	2	1	-	-
BLACK---MALE----	1	-	1	4	2	1	4	-	-	-	-	-
FEMALE--	6	8	7	4	4	2	4	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,522
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
COLORADO -----	151	-	-	-	-	1	3	2	3	3	3	7
WHITE-----MALE----	36	-	-	-	-	-	2	-	1	1	1	3
FEMALE--	105	-	-	-	-	-	-	2	1	1	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	1	1	-	1	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	1	1	-	1
CONNECTICUT -----	80	-	-	-	-	1	-	2	3	1	1	5
WHITE-----MALE----	27	-	-	-	-	-	-	2	1	-	-	3
FEMALE--	42	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
DELAWARE -----	23	-	-	-	-	-	-	-	2	2	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	1
DISTRICT OF COLUMBIA ----	26	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	1	-
FLORIDA -----	515	-	-	-	1	-	4	8	5	13	13	22
WHITE-----MALE----	126	-	-	-	-	-	-	2	-	2	-	2
FEMALE--	314	-	-	-	-	-	-	3	1	7	6	11
ALL OTHER--MALE----	18	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	57	-	-	-	1	-	4	1	4	3	7	8
BLACK---MALE----	18	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	56	-	-	-	1	-	4	1	4	3	7	8
GEORGIA -----	231	1	-	1	-	4	3	5	8	7	10	2
WHITE-----MALE----	31	1	-	-	-	-	-	-	1	1	2	-
FEMALE--	116	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	23	-	-	1	-	3	-	2	1	2	1	-
FEMALE--	61	-	-	-	-	1	3	3	6	1	6	-
BLACK---MALE----	23	-	-	1	-	3	-	2	1	2	1	-
FEMALE--	59	-	-	-	-	1	3	3	6	1	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,522
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
COLORADO -----	5	3	6	13	17	21	18	15	20	8	3	-
WHITE-----MALE----	-	-	1	3	3	6	4	5	5	1	-	-
FEMALE--	5	3	5	10	13	15	14	8	14	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
CONNECTICUT -----	4	2	6	10	4	9	10	9	8	3	2	-
WHITE-----MALE----	2	-	4	3	3	4	1	-	4	-	-	-
FEMALE--	1	2	2	6	1	4	8	8	4	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
DELAWARE -----	-	1	-	3	2	3	1	4	2	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	3	2	3	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	2	3	6	3	2	2	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	1	-	1	1	4	2	-	-	1	-	-	-
FEMALE--	-	-	1	2	2	1	1	-	3	-	-	-
BLACK---MALE----	1	-	1	1	4	2	-	-	1	-	-	-
FEMALE--	-	-	1	2	2	1	1	-	3	-	-	-
FLORIDA -----	21	20	33	39	54	80	79	70	37	14	2	-
WHITE-----MALE----	4	5	9	11	23	23	18	19	5	2	1	-
FEMALE--	10	10	16	24	29	51	59	47	30	9	1	-
ALL OTHER--MALE----	2	2	1	-	-	4	1	2	-	2	-	-
FEMALE--	5	3	7	4	2	2	1	2	2	1	-	-
BLACK---MALE----	2	2	1	-	-	4	1	2	-	2	-	-
FEMALE--	5	3	7	4	1	2	1	2	2	1	-	-
GEORGIA -----	12	14	17	21	24	35	20	21	15	9	2	-
WHITE-----MALE----	1	3	2	4	4	6	2	3	1	-	-	-
FEMALE--	3	4	12	9	15	23	11	15	9	7	2	-
ALL OTHER--MALE----	2	2	1	1	1	1	3	1	1	-	-	-
FEMALE--	6	5	2	7	4	5	4	2	4	2	-	-
BLACK---MALE----	2	2	1	1	1	1	3	1	1	-	-	-
FEMALE--	6	5	2	6	4	5	4	2	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,523
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
HAWAII -----	30	-	-	-	1	1	1	2	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	18	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	55	-	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	411	-	-	1	1	2	7	6	5	7	11	17
WHITE-----MALE----	82	-	-	-	-	-	2	-	1	1	3	2
FEMALE--	259	-	-	1	-	1	1	2	2	3	4	8
ALL OTHER--MALE----	21	-	-	-	-	1	-	2	1	-	1	1
FEMALE--	49	-	-	-	1	-	4	2	1	3	3	6
BLACK---MALE----	20	-	-	-	-	1	-	2	1	-	1	1
FEMALE--	47	-	-	-	1	-	3	1	1	3	3	6
INDIANA -----	172	-	1	-	-	1	2	2	5	1	10	3
WHITE-----MALE----	41	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	115	-	1	-	-	1	1	2	3	-	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	1	-	1	-	5	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	1	-	1	-	4	-
IOWA -----	139	-	-	-	1	1	-	-	2	2	3	-
WHITE-----MALE----	35	-	-	-	1	-	-	-	-	2	2	-
FEMALE--	100	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	132	1	-	-	-	-	-	-	-	5	2	2
WHITE-----MALE----	27	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	100	-	-	-	-	-	-	-	-	3	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,523
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
HAWAII -----	1	-	1	4	3	2	5	1	4	3	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	1	-	-	3	2	2	2	-	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	2	4	9	4	16	4	8	3	1	-
WHITE-----MALE----	-	-	-	1	3	2	5	-	3	-	-	-
FEMALE--	-	1	2	3	5	2	11	4	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	14	25	23	24	38	68	59	46	34	19	4	-
WHITE-----MALE----	3	5	9	7	8	16	14	4	5	2	-	-
FEMALE--	6	11	11	15	26	45	40	37	25	17	4	-
ALL OTHER--MALE----	1	3	1	2	1	4	-	3	-	-	-	-
FEMALE--	4	6	2	-	3	3	5	2	4	-	-	-
BLACK---MALE----	1	3	1	2	1	3	-	3	-	-	-	-
FEMALE--	4	6	2	-	3	3	5	2	4	-	-	-
INDIANA -----	5	4	6	18	24	25	21	26	10	5	3	-
WHITE-----MALE----	1	2	3	8	7	6	4	2	1	2	1	-
FEMALE--	3	2	3	10	14	18	14	24	9	3	2	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	3	-	-	-	-	-
IOWA -----	3	7	7	6	15	21	28	26	11	4	2	-
WHITE-----MALE----	2	2	1	2	4	9	7	2	-	1	-	-
FEMALE--	1	5	5	4	10	12	20	24	11	3	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	1	2	7	5	14	21	15	26	18	10	3	-
WHITE-----MALE----	-	1	2	2	3	6	4	4	2	2	-	-
FEMALE--	1	-	5	3	11	15	10	21	16	8	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,524
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
KENTUCKY -----	122	1	-	-	1	1	-	1	1	4	5	1
WHITE-----MALE----	30	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	81	1	-	-	1	-	-	-	1	2	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	1	-	-	-	1	-	-
LOUISIANA -----	162	-	-	-	-	2	1	5	5	5	2	4
WHITE-----MALE----	21	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	88	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	43	-	-	-	-	2	-	3	2	5	-	1
BLACK---MALE----	10	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	43	-	-	-	-	2	-	3	2	5	-	1
MAINE -----	60	-	-	-	1	-	-	1	-	-	-	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	1	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	183	-	-	-	1	-	1	3	1	4	10	10
WHITE-----MALE----	34	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	91	-	-	-	-	-	-	-	1	2	2	5
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	37	-	-	-	-	-	1	3	-	1	5	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	37	-	-	-	-	-	1	3	-	1	5	1
MASSACHUSETTS -----	185	-	-	-	-	-	1	1	2	3	4	3
WHITE-----MALE----	36	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	141	-	-	-	-	-	1	-	1	2	3	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	342	-	1	-	-	2	4	8	-	6	7	7
WHITE-----MALE----	70	-	-	-	-	-	1	1	-	3	-	-
FEMALE--	214	-	1	-	-	1	1	2	-	1	2	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	41	-	-	-	-	1	2	4	-	2	4	5
BLACK---MALE----	16	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	37	-	-	-	-	1	1	4	-	2	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,524
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
KENTUCKY -----	5	4	6	6	23	16	19	15	10	3	-	-
WHITE-----MALE----	2	2	1	4	2	5	6	3	1	-	-	-
FEMALE--	2	1	5	2	21	10	13	9	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	1	-	3	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	1	-	3	-	1	-	-
LOUISIANA -----	9	7	10	17	20	20	24	20	9	-	2	-
WHITE-----MALE----	-	1	3	3	1	1	7	1	1	-	-	-
FEMALE--	5	2	5	12	10	15	14	15	5	-	1	-
ALL OTHER--MALE----	1	1	-	-	2	1	-	-	1	-	-	-
FEMALE--	3	3	2	2	7	3	3	4	2	-	1	-
BLACK---MALE----	1	1	-	-	2	1	-	-	1	-	-	-
FEMALE--	3	3	2	2	7	3	3	4	2	-	1	-
MAINE -----	3	2	4	5	4	3	8	8	9	11	-	-
WHITE-----MALE----	3	1	3	-	1	1	3	3	2	2	-	-
FEMALE--	-	1	1	5	3	2	5	5	7	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	9	11	9	23	21	38	21	14	-	-	-
WHITE-----MALE----	-	2	1	-	5	5	11	5	3	-	-	-
FEMALE--	2	2	6	5	12	12	22	13	7	-	-	-
ALL OTHER--MALE----	3	2	-	2	-	4	1	-	2	-	-	-
FEMALE--	2	3	4	2	6	-	4	3	2	-	-	-
BLACK---MALE----	3	2	-	2	-	4	1	-	2	-	-	-
FEMALE--	2	3	4	2	6	-	4	3	2	-	-	-
MASSACHUSETTS -----	5	6	6	10	11	24	37	35	21	15	1	-
WHITE-----MALE----	1	1	2	2	2	3	7	8	3	3	-	-
FEMALE--	3	4	3	6	8	21	29	26	18	12	1	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	1	-	-	-	-
MICHIGAN -----	11	17	18	39	48	55	48	42	20	6	3	-
WHITE-----MALE----	1	2	4	8	13	12	13	6	4	-	2	-
FEMALE--	5	13	12	26	30	35	32	32	14	6	1	-
ALL OTHER--MALE----	3	1	-	2	1	3	2	1	-	-	-	-
FEMALE--	2	1	2	3	4	5	1	3	2	-	-	-
BLACK---MALE----	3	1	-	2	1	2	2	1	-	-	-	-
FEMALE--	1	-	2	3	4	5	1	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,525
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
MINNESOTA -----	216	-	-	-	-	1	2	1	-	2	2	5
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	157	-	-	-	-	1	2	-	-	2	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	82	-	-	-	-	-	-	2	3	1	5	5
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	40	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	1	2	-	2	2
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	1	2	-	2	2
MISSOURI -----	191	-	-	-	-	1	1	2	4	3	4	7
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	118	-	-	-	-	-	1	2	1	2	2	3
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	3	1	1	-
BLACK---MALE----	8	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	3	1	1	-
MONTANA -----	42	-	-	-	-	1	1	-	-	1	2	-
WHITE-----MALE----	10	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	31	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	68	-	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	35	-	-	-	1	-	-	-	-	1	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,527
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
OHIO -----	427	1	-	-	-	1	3	4	5	11	12	13
WHITE-----MALE----	94	1	-	-	-	1	1	-	-	3	2	2
FEMALE--	279	-	-	-	-	-	-	1	3	5	4	6
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	40	-	-	-	-	-	1	3	2	3	5	3
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	40	-	-	-	-	-	1	3	2	3	5	3
OKLAHOMA -----	114	1	1	-	1	-	2	1	-	5	1	6
WHITE-----MALE----	34	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	70	1	-	-	1	-	1	1	-	2	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	3	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	2	-	-
OREGON -----	144	1	-	-	1	-	-	-	1	3	4	3
WHITE-----MALE----	34	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	98	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	3	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	482	1	-	-	1	1	2	4	8	8	8	14
WHITE-----MALE----	113	1	-	-	1	-	-	1	1	1	2	4
FEMALE--	310	-	-	-	-	-	1	3	4	5	1	6
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	47	-	-	-	-	1	-	-	3	1	4	3
BLACK---MALE----	12	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	46	-	-	-	-	1	-	-	3	1	4	3
RHODE ISLAND -----	32	-	-	-	-	-	-	-	2	-	1	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
SOUTH CAROLINA -----	152	-	1	-	1	1	2	1	3	3	8	5
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	81	-	1	-	1	-	1	-	-	1	1	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	2	-	3	2
FEMALE--	20	-	-	-	-	1	1	1	1	1	2	-
BLACK---MALE----	22	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	20	-	-	-	-	1	1	1	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,527
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
OHIO -----	13	13	32	36	55	50	66	49	41	17	5	-
WHITE-----MALE----	5	5	12	7	13	11	15	6	8	2	-	-
FEMALE--	6	5	19	24	36	35	45	38	32	15	5	-
ALL OTHER--MALE----	1	-	1	3	3	-	1	1	-	-	-	-
FEMALE--	1	3	-	2	3	4	5	4	1	-	-	-
BLACK---MALE----	1	-	1	3	3	-	1	1	-	-	-	-
FEMALE--	1	3	-	2	3	4	5	4	1	-	-	-
OKLAHOMA -----	6	2	7	13	10	14	20	10	10	3	1	-
WHITE-----MALE----	1	-	2	5	4	5	5	5	3	1	1	-
FEMALE--	3	2	5	5	6	9	15	5	7	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
OREGON -----	5	3	13	3	13	13	32	23	22	3	1	-
WHITE-----MALE----	-	2	2	-	4	3	10	4	5	1	-	-
FEMALE--	2	1	9	3	9	8	22	19	17	2	1	-
ALL OTHER--MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	19	26	47	53	80	73	65	43	16	4	-
WHITE-----MALE----	-	8	7	15	12	21	14	12	6	7	-	-
FEMALE--	3	8	14	26	36	55	57	48	30	9	4	-
ALL OTHER--MALE----	-	1	-	3	1	1	-	1	1	-	-	-
FEMALE--	6	2	5	3	4	3	2	4	6	-	-	-
BLACK---MALE----	-	1	-	3	1	1	-	1	1	-	-	-
FEMALE--	6	2	4	3	4	3	2	4	6	-	-	-
RHODE ISLAND -----	-	2	2	2	4	4	7	3	2	1	-	-
WHITE-----MALE----	-	-	2	1	2	1	3	-	-	-	-	-
FEMALE--	-	1	-	1	2	3	4	3	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	8	9	9	25	31	14	15	6	4	-	-
WHITE-----MALE----	-	1	1	2	6	8	2	3	2	-	-	-
FEMALE--	4	2	7	4	14	15	11	10	2	4	-	-
ALL OTHER--MALE----	1	3	1	2	1	5	-	2	1	-	-	-
FEMALE--	1	2	-	1	4	3	1	-	1	-	-	-
BLACK---MALE----	1	3	1	2	1	5	-	2	1	-	-	-
FEMALE--	1	2	-	1	4	3	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,528
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
SOUTH DAKOTA -----	45	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
TENNESSEE -----	231	-	-	1	1	-	-	4	4	11	2	5
WHITE-----MALE----	49	-	-	1	-	-	-	-	-	3	-	-
FEMALE--	139	-	-	-	-	-	-	-	3	3	1	2
ALL OTHER--MALE----	13	-	-	-	1	-	-	1	-	2	-	-
FEMALE--	30	-	-	-	-	-	-	3	1	3	1	3
BLACK---MALE----	12	-	-	-	1	-	-	1	-	2	-	-
FEMALE--	30	-	-	-	-	-	-	3	1	3	1	3
TEXAS -----	662	2	-	-	2	6	7	12	12	16	21	35
WHITE-----MALE----	159	1	-	-	-	2	1	2	2	3	4	10
FEMALE--	392	1	-	-	-	4	4	3	5	3	9	16
ALL OTHER--MALE----	24	-	-	-	-	-	-	2	-	1	1	1
FEMALE--	87	-	-	-	2	-	2	5	5	9	7	8
BLACK---MALE----	23	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	83	-	-	-	1	-	2	4	4	8	7	8
UTAH -----	88	-	-	-	-	-	1	1	-	-	2	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	226	-	-	-	-	-	1	3	5	4	8	9
WHITE-----MALE----	49	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	123	-	-	-	-	-	-	-	2	1	3	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	39	-	-	-	-	-	1	3	1	2	4	4
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	39	-	-	-	-	-	1	3	1	2	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,528
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)												
SOUTH DAKOTA -----	1	4	3	2	3	9	6	5	6	3	1	-
WHITE-----MALE----	-	2	2	-	1	2	4	1	-	-	-	-
FEMALE--	1	1	1	1	2	7	2	3	6	3	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	9	22	24	30	34	30	18	16	8	3	-
WHITE-----MALE----	1	2	5	10	11	1	7	4	4	-	-	-
FEMALE--	4	5	13	7	17	31	22	10	11	8	2	-
ALL OTHER--MALE----	-	-	1	5	-	2	-	1	-	-	-	-
FEMALE--	4	2	3	2	2	-	1	3	1	-	1	-
BLACK---MALE----	-	-	1	4	-	2	-	1	-	-	-	-
FEMALE--	4	2	3	2	2	-	1	3	1	-	1	-
TEXAS -----	28	42	51	56	68	82	92	78	33	14	5	-
WHITE-----MALE----	5	16	11	19	14	21	26	14	6	1	1	-
FEMALE--	16	17	29	31	48	54	59	55	24	11	3	-
ALL OTHER--MALE----	2	2	1	5	1	3	1	2	1	1	-	-
FEMALE--	5	7	10	1	5	4	6	7	2	1	1	-
BLACK---MALE----	2	2	1	5	1	3	1	2	1	1	-	-
FEMALE--	5	7	10	1	5	4	6	7	2	1	1	-
UTAH -----	1	2	5	7	13	13	9	18	11	3	1	-
WHITE-----MALE----	-	2	2	3	8	4	3	5	-	1	-	-
FEMALE--	1	-	3	4	5	9	6	13	10	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	2	3	1	2	1	-	1	1	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	-	1	-	-	-
FEMALE--	2	-	1	2	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	13	16	20	33	25	29	25	21	5	1	-
WHITE-----MALE----	3	3	7	4	7	12	5	1	3	-	-	-
FEMALE--	5	2	8	9	19	9	20	19	17	5	1	-
ALL OTHER--MALE----	-	-	1	2	4	3	1	2	-	-	-	-
FEMALE--	-	8	-	5	3	1	3	3	1	-	-	-
BLACK---MALE----	-	-	1	2	4	3	1	2	-	-	-	-
FEMALE--	-	8	-	5	3	1	3	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,531
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
COLORADO -----	-	1	1	2	7	7	4	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	3	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	4	5	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	1	-	1	2	1	3	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	2	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
FLORIDA -----	2	7	2	15	17	21	24	14	5	1	-	-
WHITE-----MALE----	-	3	-	4	7	2	2	3	-	-	-	-
FEMALE--	-	3	1	11	10	19	21	10	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
GEORGIA -----	3	3	7	7	7	11	10	6	2	1	-	-
WHITE-----MALE----	-	-	-	2	2	1	2	1	-	-	-	-
FEMALE--	1	-	6	3	4	10	6	5	1	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	1	2	1	-	2	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	1	1	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,533
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
KENTUCKY -----	1	-	2	2	9	5	3	7	2	1	-	-
WHITE-----MALE----	-	-	-	2	1	-	2	2	1	-	-	-
FEMALE--	1	-	2	-	8	5	1	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	1	1	3	5	3	6	4	4	2	-	-	-
WHITE-----MALE----	-	1	1	1	-	1	-	-	1	-	-	-
FEMALE--	1	-	2	2	3	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	2	-	-	-	-
MAINE -----	1	1	1	-	3	-	4	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	2	4	6	7	9	6	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	3	2	-	-	-	-
FEMALE--	-	1	1	3	3	5	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	-	-	-	-
MASSACHUSETTS -----	1	1	1	3	1	12	8	8	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	2	-	-	-	-
FEMALE--	1	1	1	2	1	11	5	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	1	2	5	11	18	23	14	11	1	-	-	-
WHITE-----MALE----	-	1	4	2	7	3	4	2	-	-	-	-
FEMALE--	1	1	1	8	11	16	10	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	4	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	4	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,536
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
OHIO -----	-	2	13	11	25	16	18	6	1	2	-	-
WHITE-----MALE----	-	-	5	3	4	4	3	1	-	1	-	-
FEMALE--	-	2	8	8	21	11	13	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	1	-	1	6	5	4	8	2	-	-	-	-
WHITE-----MALE----	1	-	1	1	3	2	1	1	-	-	-	-
FEMALE--	-	-	-	4	2	2	7	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	3	-	4	1	4	7	12	4	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	3	1	-	-	-	-
FEMALE--	2	-	4	1	3	3	9	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	7	10	14	28	22	14	4	1	-	-
WHITE-----MALE----	-	1	2	2	1	6	4	2	-	-	-	-
FEMALE--	-	1	5	6	10	21	18	10	4	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	-	2	-	-	-	-
RHODE ISLAND -----	-	1	-	2	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	5	2	7	13	2	6	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	5	-	1	1	-	-	-
FEMALE--	2	1	3	2	5	6	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,537
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)												
SOUTH DAKOTA -----	-	3	1	1	-	5	2	-	1	-	1	-
WHITE-----MALE----	-	1	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	4	-	-	1	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	3	10	9	11	11	2	3	1	-	-
WHITE-----MALE----	-	-	1	3	2	-	1	1	1	-	-	-
FEMALE--	-	-	2	6	7	11	10	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
TEXAS -----	5	9	12	17	21	28	32	9	3	-	-	-
WHITE-----MALE----	2	3	2	7	6	9	7	-	-	-	-	-
FEMALE--	3	4	8	7	15	18	24	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	-	-	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	-	-	1	1	2	-	-	-	-
UTAH -----	-	-	1	3	7	8	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	2	4	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	3	6	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	8	11	16	5	7	7	6	1	-	-
WHITE-----MALE----	-	-	4	3	4	2	2	-	-	-	-	-
FEMALE--	2	-	3	6	10	3	4	4	6	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,539
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
UNITED STATES --	4,029	3	1	3	16	29	61	88	120	154	190	239
WHITE-----MALE----	708	1	1	1	-	3	3	5	8	16	17	37
FEMALE--	2,409	2	-	1	4	11	22	24	48	63	78	111
ALL OTHER--MALE----	181	-	-	1	3	7	5	13	8	13	15	17
FEMALE--	731	-	-	-	9	8	31	46	56	62	80	74
BLACK---MALE----	162	-	-	1	2	7	4	11	7	12	13	16
FEMALE--	647	-	-	-	5	7	27	40	54	56	74	64
ALABAMA -----	64	-	-	-	-	-	3	3	4	4	5	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	1	1	3	-
ALL OTHER--MALE----	9	-	-	-	-	-	2	-	-	1	1	-
FEMALE--	23	-	-	-	-	-	1	3	3	2	-	-
BLACK---MALE----	9	-	-	-	-	-	2	-	-	1	1	-
FEMALE--	23	-	-	-	-	-	1	3	3	2	-	-
ALASKA -----	5	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	66	-	-	-	-	-	-	1	-	3	2	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	49	-	-	-	-	-	-	1	-	2	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
ARKANSAS -----	57	-	-	-	-	-	1	1	-	3	-	4
WHITE-----MALE----	18	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-
CALIFORNIA -----	387	-	-	-	3	2	4	7	18	20	36	37
WHITE-----MALE----	55	-	-	-	-	1	-	-	-	1	3	5
FEMALE--	236	-	-	-	1	1	3	2	10	14	16	22
ALL OTHER--MALE----	18	-	-	-	1	-	-	1	2	2	4	1
FEMALE--	78	-	-	-	1	-	1	4	6	3	13	9
BLACK---MALE----	13	-	-	-	-	-	-	1	1	1	4	1
FEMALE--	56	-	-	-	-	-	1	3	6	2	10	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,539
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
UNITED STATES --	227	243	303	359	429	457	414	340	220	108	25	-
WHITE-----MALE----	27	48	50	77	96	104	90	67	37	17	3	-
FEMALE--	112	114	190	230	275	307	298	245	170	84	20	-
ALL OTHER--MALE----	18	15	12	12	10	17	4	8	2	1	-	-
FEMALE--	70	66	51	40	48	29	22	20	11	6	2	-
BLACK---MALE----	14	15	10	11	10	16	4	6	2	1	-	-
FEMALE--	60	58	47	33	43	26	21	15	10	6	1	-
ALABAMA -----	8	5	6	7	4	3	3	5	1	2	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	2	2	3	2	3	2	3	1	2	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	1	-	-	-	-
FEMALE--	5	3	2	2	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	-	-	-	1	-	-	-	-
FEMALE--	5	3	2	2	2	-	-	-	-	-	-	-
ALASKA -----	2	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	4	7	9	6	12	4	6	4	-	-	-
WHITE-----MALE----	-	1	-	3	1	4	1	-	1	-	-	-
FEMALE--	5	3	5	6	5	8	3	5	3	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	1	4	11	8	4	8	2	2	3	-	-
WHITE-----MALE----	1	1	-	5	3	2	-	-	-	1	-	-
FEMALE--	2	-	3	6	5	2	5	1	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	21	28	25	34	42	36	36	17	16	5	-	-
WHITE-----MALE----	2	5	1	3	11	10	6	4	3	-	-	-
FEMALE--	9	13	16	24	28	25	26	11	11	4	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	2	2	-	-	-	-
FEMALE--	9	10	7	6	3	1	2	-	2	1	-	-
BLACK---MALE----	1	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	6	8	5	3	3	1	2	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,540
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
COLORADO -----	78	-	-	-	-	1	2	2	3	2	2	4
WHITE-----MALE----	11	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	60	-	-	-	-	-	-	2	1	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	1	-	1	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	1	1	-	1
CONNECTICUT -----	29	-	-	-	-	-	-	-	3	-	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
DELAWARE -----	12	-	-	-	-	-	-	-	2	2	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	1
DISTRICT OF COLUMBIA ----	10	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	233	-	-	-	1	-	4	6	5	12	11	15
WHITE-----MALE----	51	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	128	-	-	-	-	-	-	2	1	7	4	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	45	-	-	-	1	-	4	1	4	3	7	7
BLACK---MALE----	9	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	44	-	-	-	1	-	4	1	4	3	7	7
GEORGIA -----	117	1	-	1	-	4	3	5	8	5	8	2
WHITE-----MALE----	13	1	-	-	-	-	-	-	1	1	1	-
FEMALE--	49	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	14	-	-	1	-	3	-	2	1	2	1	-
FEMALE--	41	-	-	-	-	1	3	3	6	1	5	-
BLACK---MALE----	14	-	-	1	-	3	-	2	1	2	1	-
FEMALE--	40	-	-	-	-	1	3	3	6	1	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,540
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
COLORADO -----	3	2	5	9	7	6	5	8	12	4	1	-
WHITE-----MALE----	-	-	1	2	-	1	-	3	1	-	-	-
FEMALE--	3	2	4	7	6	5	5	4	11	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
CONNECTICUT -----	2	1	1	6	1	3	5	2	2	-	1	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	1	1	1	4	-	1	4	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
DELAWARE -----	-	1	-	2	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	1	2	1	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
FLORIDA -----	15	10	25	11	24	37	21	19	10	6	1	-
WHITE-----MALE----	4	2	6	2	7	12	5	6	2	1	-	-
FEMALE--	7	5	12	9	15	23	15	12	7	3	1	-
ALL OTHER--MALE----	1	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	3	2	6	-	2	1	1	1	1	1	-	-
BLACK---MALE----	1	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	3	2	6	-	1	1	1	1	1	1	-	-
GEORGIA -----	8	10	9	11	11	15	4	7	2	2	1	-
WHITE-----MALE----	1	2	1	-	1	2	-	2	-	-	-	-
FEMALE--	2	4	6	6	6	8	4	4	2	2	1	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	4	4	1	5	3	4	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	4	4	1	5	3	4	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,541
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
HAWAII -----	13	-	-	-	1	1	1	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	19	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	183	-	-	-	1	2	5	4	3	5	6	15
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	115	-	-	-	-	1	1	1	2	2	3	8
ALL OTHER--MALE----	10	-	-	-	-	1	-	2	-	-	-	1
FEMALE--	31	-	-	-	1	-	4	1	1	3	3	5
BLACK---MALE----	10	-	-	-	-	1	-	2	-	-	-	1
FEMALE--	29	-	-	-	1	-	3	-	1	3	3	5
INDIANA -----	71	-	-	-	-	-	2	2	3	1	7	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	50	-	-	-	-	-	1	2	3	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	5	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	4	-
IOWA -----	68	-	-	-	-	1	-	-	2	-	2	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	46	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	52	-	-	-	-	-	-	-	-	5	2	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	3	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,542
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
KENTUCKY -----	54	-	-	-	-	1	-	-	1	2	4	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	-	1	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	1	-	-
LOUISIANA -----	79	-	-	-	-	1	1	3	3	5	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	27	-	-	-	-	1	-	3	2	5	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	27	-	-	-	-	1	-	3	2	5	-	-
MAINE -----	22	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	80	-	-	-	-	-	1	3	1	2	7	7
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	22	-	-	-	-	-	1	3	-	-	5	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	22	-	-	-	-	-	1	3	-	-	5	1
MASSACHUSETTS -----	67	-	-	-	-	-	-	-	1	1	3	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	55	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	145	-	-	-	-	2	3	6	-	5	5	5
WHITE-----MALE----	22	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	88	-	-	-	-	1	1	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	29	-	-	-	-	1	2	4	-	2	4	4
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	26	-	-	-	-	1	1	4	-	2	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,542
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
KENTUCKY -----	3	3	2	2	8	8	10	4	4	1	-	-
WHITE-----MALE----	1	1	-	-	1	2	2	-	-	-	-	-
FEMALE--	1	1	2	2	7	5	8	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	2	-	1	-	-
LOUISIANA -----	8	6	5	10	9	10	7	6	2	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	4	2	3	9	3	7	5	5	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	3	1	-	5	3	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	3	1	-	5	3	-	1	-	-	-	-
MAINE -----	1	1	1	5	1	1	2	3	3	3	-	-
WHITE-----MALE----	1	1	1	-	-	1	1	1	1	1	-	-
FEMALE--	-	-	-	5	1	-	1	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	3	6	4	9	9	18	5	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	3	3	2	-	-	-	-
FEMALE--	2	-	3	2	5	5	12	3	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	2	2	1	3	-	3	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	2	2	1	3	-	3	-	-	-	-	-
MASSACHUSETTS -----	4	4	-	3	6	7	14	10	5	6	-	-
WHITE-----MALE----	1	-	-	-	2	1	3	1	-	1	-	-
FEMALE--	2	3	-	3	4	6	11	9	5	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	13	11	20	20	14	9	12	7	3	2	-
WHITE-----MALE----	-	-	-	4	4	2	4	1	3	-	1	-
FEMALE--	4	11	9	13	11	12	5	11	4	3	1	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	2	3	4	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	3	4	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,543
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
MINNESOTA -----	80	-	-	-	-	1	1	1	-	2	2	3
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	55	-	-	-	-	1	1	-	-	2	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	38	-	-	-	-	-	-	1	3	-	3	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	1	2	-	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	1	2	-	1	2
MISSOURI -----	92	-	-	-	-	1	-	2	4	3	4	7
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	61	-	-	-	-	-	-	2	1	2	2	3
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	3	1	1	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	3	1	1	-
MONTANA -----	18	-	-	-	-	1	1	-	-	1	1	-
WHITE-----MALE----	6	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	26	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	16	-	-	-	1	-	-	-	-	1	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,545
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
OHIO -----	187	-	-	-	-	-	2	4	5	8	8	9
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	118	-	-	-	-	-	-	1	3	3	2	5
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	1	3	2	3	4	3
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	1	3	2	3	4	3
OKLAHOMA -----	55	1	1	-	1	-	2	1	-	5	1	6
WHITE-----MALE----	11	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	36	1	-	-	1	-	1	1	-	2	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	3	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	2	-	-
OREGON -----	45	-	-	-	1	-	-	-	1	3	2	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	3	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	209	-	-	-	-	1	2	2	7	6	6	10
WHITE-----MALE----	41	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	133	-	-	-	-	-	1	2	3	5	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	30	-	-	-	-	1	-	-	3	-	4	2
BLACK---MALE----	5	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	29	-	-	-	-	1	-	-	3	-	4	2
RHODE ISLAND -----	10	-	-	-	-	-	-	-	2	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
SOUTH CAROLINA -----	69	-	-	-	1	1	2	1	3	2	4	4
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	1	-	1	-	-	1	1	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	2	-	2	1
FEMALE--	14	-	-	-	-	1	1	1	1	1	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	14	-	-	-	-	1	1	1	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,545
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
OHIO -----	6	7	14	14	20	14	23	23	19	8	3	-
WHITE-----MALE----	2	1	5	2	5	2	5	3	4	-	-	-
FEMALE--	2	3	8	9	11	11	16	18	15	8	3	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	3	-	2	3	1	2	2	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	3	-	2	3	1	2	2	-	-	-	-
OKLAHOMA -----	4	1	6	4	3	7	4	3	1	3	1	-
WHITE-----MALE----	-	-	1	2	1	2	-	1	-	1	1	-
FEMALE--	2	1	5	1	2	5	4	2	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	2	7	2	3	3	7	5	4	1	-	-
WHITE-----MALE----	-	1	2	-	1	-	1	-	1	1	-	-
FEMALE--	-	1	4	2	2	3	6	5	3	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	13	13	28	25	24	24	17	12	10	2	-
WHITE-----MALE----	-	6	2	8	6	4	-	3	1	5	-	-
FEMALE--	3	5	6	16	18	18	22	14	9	5	2	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	1	5	3	1	2	2	-	2	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	1	4	3	1	2	2	-	2	-	-	-
RHODE ISLAND -----	-	-	-	-	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	5	4	1	12	9	7	5	3	1	-	-
WHITE-----MALE----	-	-	-	1	3	1	1	1	-	-	-	-
FEMALE--	2	1	4	-	7	4	5	4	2	1	-	-
ALL OTHER--MALE----	1	2	-	-	-	3	-	-	-	-	-	-
FEMALE--	1	2	-	-	2	1	1	-	1	-	-	-
BLACK---MALE----	1	2	-	-	-	3	-	-	-	-	-	-
FEMALE--	1	2	-	-	2	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,546
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
SOUTH DAKOTA -----	17	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
TENNESSEE -----	107	-	-	1	1	-	-	3	4	7	2	5
WHITE-----MALE----	20	-	-	1	-	-	-	-	-	2	-	-
FEMALE--	62	-	-	-	-	-	-	-	3	2	1	2
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	3	1	2	1	3
BLACK---MALE----	5	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	3	1	2	1	3
TEXAS -----	332	-	-	-	2	4	7	10	11	13	15	26
WHITE-----MALE----	66	-	-	-	-	-	1	1	1	1	2	6
FEMALE--	186	-	-	-	-	4	4	3	5	2	5	12
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	67	-	-	-	2	-	2	5	5	9	7	7
BLACK---MALE----	12	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	63	-	-	-	1	-	2	4	4	8	7	7
UTAH -----	27	-	-	-	-	-	1	1	-	-	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	95	-	-	-	-	-	1	3	4	2	7	6
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	2	-	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	1	3	1	2	4	3
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	1	3	1	2	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,546

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)												
SOUTH DAKOTA -----	1	1	2	1	2	1	1	3	2	1	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	8	12	6	15	16	4	8	5	3	1	-
WHITE-----MALE----	-	2	2	4	5	1	1	1	1	-	-	-
FEMALE--	4	4	8	-	9	14	3	4	4	3	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	2	2	2	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	2	2	2	-	1	-	-	2	-	-	-	-
TEXAS -----	18	24	29	29	31	33	27	33	12	7	1	-
WHITE-----MALE----	2	7	5	6	5	8	9	8	3	1	-	-
FEMALE--	10	10	17	21	22	22	14	21	9	5	-	-
ALL OTHER--MALE----	1	2	-	1	1	2	1	1	-	-	-	-
FEMALE--	5	5	7	1	3	1	3	3	-	1	1	-
BLACK---MALE----	1	2	-	1	1	2	1	1	-	-	-	-
FEMALE--	5	5	7	1	3	1	3	3	-	1	1	-
UTAH -----	1	1	3	1	4	1	4	6	3	-	-	-
WHITE-----MALE----	-	1	1	-	2	1	2	3	-	-	-	-
FEMALE--	1	-	2	1	2	-	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	3	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	10	6	5	9	13	11	9	3	1	1	-
WHITE-----MALE----	1	2	1	1	1	6	2	1	-	-	-	-
FEMALE--	3	1	5	2	5	5	7	6	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	7	-	2	2	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	7	-	2	2	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,548
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DORSOPATHIES (720-724)												
UNITED STATES --	10	9	15	18	41	39	49	40	21	11	1	-
WHITE-----MALE----	4	8	8	10	21	22	24	11	7	2	-	-
FEMALE--	3	-	5	7	15	13	21	25	11	9	-	-
ALL OTHER--MALE----	1	1	1	1	4	2	2	3	2	-	-	-
FEMALE--	2	-	1	-	1	2	2	1	1	-	1	-
BLACK---MALE----	1	1	-	1	4	2	2	2	2	-	-	-
FEMALE--	2	-	1	-	1	2	2	1	1	-	1	-
ALABAMA -----	-	1	-	-	1	2	-	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	3	1	5	4	7	6	-	-	-	-
WHITE-----MALE----	1	1	-	1	1	2	4	1	-	-	-	-
FEMALE--	-	-	3	-	4	2	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,549
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DORSOPATHIES (720-724)												
COLORADO -----	-	-	-	1	-	1	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	2	1	4	2	5	2	2	1	-	-
WHITE-----MALE----	-	-	1	1	4	1	2	1	2	-	-	-
FEMALE--	-	-	1	-	-	1	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	2	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,550
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DORSOPATHIES (720-724)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	-	-	-	4	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	-	-	1	-	2	-	-	-	1	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,551
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DORSOPATHIES (720-724)												
KENTUCKY -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	-	-	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	2	1	-	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,554
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DORSOPATHIES (720-724)												
OHIO -----	-	-	-	-	2	1	6	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	2	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	1	-	2	4	1	1	2	1	-	-
WHITE-----MALE----	-	-	1	-	1	3	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	-	-	2	2	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,557
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATISM, EXCLUDING THE BACK (725-729)												
UNITED STATES --	717	8	4	1	2	3	5	12	16	31	34	34
WHITE-----MALE----	273	3	-	-	2	1	4	6	8	12	16	15
FEMALE--	290	4	4	1	-	2	1	3	4	11	6	6
ALL OTHER--MALE----	83	1	-	-	-	-	-	3	2	5	7	7
FEMALE--	71	-	-	-	-	-	-	-	2	3	5	6
BLACK---MALE----	75	-	-	-	-	-	-	3	2	5	7	5
FEMALE--	66	-	-	-	-	-	-	-	2	3	5	6
ALABAMA -----	15	-	-	-	-	-	-	2	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	1	-	-	-	-	-	-	-	2	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	1	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	89	2	-	-	-	1	2	-	7	7	9	9
WHITE-----MALE----	46	-	-	-	-	-	1	-	4	2	7	7
FEMALE--	32	1	-	-	-	1	1	-	3	4	2	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,558
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
COLORADO -----	1	-	-	-	1	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	-	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
FLORIDA -----	4	2	1	6	3	6	4	5	-	-	-	-
WHITE-----MALE----	-	-	1	3	1	3	1	1	-	-	-	-
FEMALE--	3	1	-	3	2	-	3	4	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	-	3	1	3	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,560
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
KENTUCKY -----	1	-	-	-	3	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	-	4	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MAINE -----	-	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	1	1	4	2	2	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	3	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	-	-	-	4	1	2	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	-	1	-	4	4	4	2	1	-	-
WHITE-----MALE----	1	1	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,563
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)												
OHIO -----	1	1	2	1	4	6	3	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	2	2	2	1	-	-	-	-
FEMALE--	1	-	2	1	1	2	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	-	1	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	2	-	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	2	1	2	12	3	5	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	3	1	2	-	-	-	-
FEMALE--	-	-	2	-	2	8	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	1	2	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	4	2	3	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,566
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)												
UNITED STATES --	2,113	4	-	1	7	5	9	13	2	14	18	23
WHITE-----MALE----	516	1	-	-	3	3	4	6	1	4	10	11
FEMALE--	1,398	1	-	1	3	2	4	3	1	6	6	8
ALL OTHER--MALE----	86	2	-	-	-	-	-	1	-	2	2	2
FEMALE--	113	-	-	-	1	-	1	3	-	2	-	2
BLACK---MALE----	81	2	-	-	-	-	-	1	-	1	2	2
FEMALE--	100	-	-	-	1	-	1	2	-	2	-	2
ALABAMA -----	24	-	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	20	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	182	1	-	-	-	-	2	1	-	3	1	-
WHITE-----MALE----	52	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	116	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,566
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)												
UNITED STATES --	20	43	54	106	159	241	405	439	346	163	41	-
WHITE-----MALE----	8	20	23	36	46	73	107	73	64	18	5	-
FEMALE--	10	17	25	49	93	141	267	334	255	138	34	-
ALL OTHER--MALE----	2	5	5	9	10	18	11	10	5	2	-	-
FEMALE--	-	1	1	12	10	9	20	22	22	5	2	-
BLACK---MALE----	2	5	5	9	10	16	10	10	4	2	-	-
FEMALE--	-	1	1	11	9	8	17	21	20	2	2	-
ALABAMA -----	-	-	1	2	1	6	2	5	3	1	-	-
WHITE-----MALE----	-	-	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	1	2	3	6	10	4	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	4	8	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	1	1	4	7	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	4	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	2	7	15	26	44	32	27	14	5	-
WHITE-----MALE----	-	1	1	3	5	11	11	6	7	3	1	-
FEMALE--	1	-	1	3	8	13	28	26	20	11	4	-
ALL OTHER--MALE----	-	-	-	1	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,567
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)												
COLORADO -----	1	-	-	1	2	6	6	5	6	3	2	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	3	1	-	-
FEMALE--	1	-	-	1	2	5	5	3	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	-	1	1	3	2	3	3	6	2	3	1	-
WHITE-----MALE----	-	-	1	1	1	2	-	-	2	-	-	-
FEMALE--	-	1	-	2	1	1	2	5	-	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	3	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
FLORIDA -----	-	1	3	6	6	14	25	30	20	6	1	-
WHITE-----MALE----	-	-	1	1	4	5	8	8	1	1	1	-
FEMALE--	-	1	2	1	2	8	17	20	18	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	4	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	4	-	1	-	-	1	-	-	-
GEORGIA -----	-	1	1	-	3	4	4	6	9	5	1	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	4	1	6	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,569
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)												
KENTUCKY -----	-	1	2	1	3	2	6	4	4	1	-	-
WHITE-----MALE----	-	1	1	1	-	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	3	-	4	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	1	1	3	10	10	5	-	2	-
WHITE-----MALE----	-	-	-	-	-	-	4	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	5	8	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	-	1	-
MAINE -----	1	-	1	-	1	2	1	3	5	8	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	2	1	2	4	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	2	-	3	3	9	8	9	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	5	1	2	-	-	-
FEMALE--	-	1	2	-	2	1	4	5	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	2	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	2	-	-	-
MASSACHUSETTS -----	-	1	3	4	4	4	9	15	11	7	1	-
WHITE-----MALE----	-	1	-	1	-	1	1	4	2	1	-	-
FEMALE--	-	-	2	1	3	3	8	10	9	6	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
MICHIGAN -----	-	1	2	5	9	14	19	15	8	2	1	-
WHITE-----MALE----	-	-	-	1	1	5	2	2	-	-	1	-
FEMALE--	-	1	2	3	8	6	14	12	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,573
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)												
SOUTH DAKOTA -----	-	-	-	-	-	2	2	2	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	4	3	2	6	12	7	5	4	2	-
WHITE-----MALE----	-	-	1	1	-	-	4	1	1	-	-	-
FEMALE--	-	-	2	1	1	5	8	5	4	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	1	-
TEXAS -----	2	2	5	4	11	14	25	26	15	5	4	-
WHITE-----MALE----	-	1	2	2	2	4	7	5	2	-	1	-
FEMALE--	1	1	2	2	9	10	16	20	10	5	3	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	2	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	2	-	-	-
UTAH -----	-	1	1	3	1	4	2	10	7	3	1	-
WHITE-----MALE----	-	1	1	1	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	2	-	3	2	9	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	2	-	4	9	6	11	3	-	-
WHITE-----MALE----	1	-	-	-	-	3	1	-	2	-	-	-
FEMALE--	-	1	-	1	-	1	7	6	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,575
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
UNITED STATES --	11,891	6,554	695	242	207	251	201	233	241	254	273	246
WHITE-----MALE----	5,047	2,809	273	94	80	109	94	102	100	111	116	120
FEMALE--	4,567	2,286	231	94	79	87	66	83	97	102	113	96
ALL OTHER--MALE----	1,196	776	101	32	24	34	21	20	24	20	21	18
FEMALE--	1,081	683	90	22	24	21	20	28	20	21	23	12
BLACK---MALE----	996	643	87	26	19	31	14	15	22	17	17	15
FEMALE--	891	561	81	13	20	19	17	21	14	20	18	11
ALABAMA -----	207	116	20	5	1	1	3	5	10	4	1	5
WHITE-----MALE----	68	38	3	1	1	-	1	1	5	1	-	2
FEMALE--	67	34	4	2	-	1	1	1	4	2	-	2
ALL OTHER--MALE----	38	24	7	1	-	-	-	1	1	-	1	-
FEMALE--	34	20	6	1	-	-	1	2	-	1	-	1
BLACK---MALE----	36	23	7	1	-	-	-	-	1	-	1	-
FEMALE--	34	20	6	1	-	-	1	2	-	1	-	1
ALASKA -----	17	15	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	10	8	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	200	127	10	2	2	10	2	3	2	5	5	1
WHITE-----MALE----	96	57	3	-	1	7	2	2	1	2	2	-
FEMALE--	73	48	5	1	-	3	-	1	-	2	1	1
ALL OTHER--MALE----	20	12	2	1	1	-	-	-	1	1	2	-
FEMALE--	11	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	103	63	5	2	2	2	1	2	1	1	-	1
WHITE-----MALE----	40	21	2	2	-	1	-	1	-	1	-	1
FEMALE--	31	20	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	16	12	1	-	1	1	1	-	-	-	-	-
FEMALE--	16	10	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	16	12	1	-	1	1	1	-	-	-	-	-
FEMALE--	15	10	1	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	1,494	879	99	34	32	35	28	47	33	34	33	27
WHITE-----MALE----	647	395	48	6	13	16	8	21	10	15	16	15
FEMALE--	563	307	32	19	10	13	10	17	13	17	13	10
ALL OTHER--MALE----	152	99	11	7	6	4	6	4	2	1	1	1
FEMALE--	132	78	8	2	3	2	4	5	8	1	3	1
BLACK---MALE----	87	55	7	5	4	4	3	1	2	1	-	-
FEMALE--	68	42	4	1	1	1	3	2	5	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,575
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
UNITED STATES --	241	223	242	278	343	353	368	272	129	36	9	-
WHITE-----MALE----	109	98	101	115	160	161	145	104	40	6	-	-
FEMALE--	101	98	116	134	147	168	196	157	81	27	8	-
ALL OTHER--MALE----	18	18	11	12	14	13	13	3	2	-	1	-
FEMALE--	13	9	14	17	22	11	14	8	6	3	-	-
BLACK---MALE----	16	16	10	9	11	13	11	2	1	-	1	-
FEMALE--	10	8	10	14	20	7	13	8	4	2	-	-
ALABAMA -----	3	6	6	5	5	1	7	1	2	-	-	-
WHITE-----MALE----	1	2	2	4	4	-	1	-	1	-	-	-
FEMALE--	2	4	3	1	-	1	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	5	3	6	4	4	2	2	-	-	-
WHITE-----MALE----	2	-	2	2	4	3	4	2	-	-	-	-
FEMALE--	1	2	2	1	2	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	2	-	1	3	4	4	3	-	-	-	-
WHITE-----MALE----	2	2	-	-	1	3	2	1	-	-	-	-
FEMALE--	3	-	-	-	1	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
CALIFORNIA -----	24	34	19	30	29	26	26	14	6	4	1	-
WHITE-----MALE----	9	17	11	13	10	7	12	2	2	1	-	-
FEMALE--	10	12	6	13	17	15	12	11	3	2	1	-
ALL OTHER--MALE----	2	4	1	2	1	-	-	-	-	-	-	-
FEMALE--	3	1	1	2	1	4	2	1	1	1	-	-
BLACK---MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,576
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
COLORADO -----	143	87	6	4	2	2	2	1	2	5	4	1
WHITE-----MALE----	77	45	4	3	2	1	1	-	1	2	2	1
FEMALE--	58	36	2	1	-	1	1	1	1	3	1	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	155	83	5	4	1	5	2	6	2	4	-	3
WHITE-----MALE----	71	37	-	2	-	3	1	1	1	2	-	2
FEMALE--	66	35	4	1	1	1	1	5	1	1	-	1
ALL OTHER--MALE----	8	7	-	1	-	-	-	-	-	-	-	-
FEMALE--	10	4	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	6	5	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	2	1	-	-	1	-	-	-	1	-	-
DELAWARE -----	28	15	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	11	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	8	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	22	15	2	1	-	-	1	-	-	-	-	1
WHITE-----MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	4	1	1	-	-	-	-	-	-	-	1
FEMALE--	12	9	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	4	1	1	-	-	-	-	-	-	-	1
FEMALE--	12	9	1	-	-	-	1	-	-	-	-	-
FLORIDA -----	640	298	39	6	12	16	8	12	18	14	22	18
WHITE-----MALE----	260	102	10	4	4	6	4	6	11	4	12	8
FEMALE--	237	106	14	-	4	4	3	3	5	5	5	9
ALL OTHER--MALE----	85	54	9	1	1	4	1	2	2	2	4	1
FEMALE--	58	36	6	1	3	2	-	1	-	3	1	-
BLACK---MALE----	80	49	9	1	1	4	1	2	2	2	4	1
FEMALE--	56	35	6	-	3	2	-	1	-	3	1	-
GEORGIA -----	329	206	20	7	5	5	4	7	6	2	8	7
WHITE-----MALE----	108	63	8	4	2	2	2	3	3	1	2	1
FEMALE--	111	63	5	-	3	1	1	3	2	1	1	3
ALL OTHER--MALE----	63	48	4	2	-	1	1	1	1	-	3	1
FEMALE--	47	32	3	1	-	1	-	-	-	-	2	2
BLACK---MALE----	60	46	4	2	-	-	1	1	1	-	3	1
FEMALE--	47	32	3	1	-	1	-	-	-	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,576
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
COLORADO -----	1	2	4	3	1	7	5	3	1	-	-	-
WHITE-----MALE----	1	1	3	2	1	3	3	-	1	-	-	-
FEMALE--	-	1	1	1	-	4	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	6	1	8	3	4	10	4	2	1	-	1	-
WHITE-----MALE----	3	-	2	2	3	8	2	1	1	-	-	-
FEMALE--	3	-	5	-	1	2	2	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	2	3	3	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	11	13	9	20	27	28	32	22	12	3	-	-
WHITE-----MALE----	5	8	5	8	18	19	12	7	7	-	-	-
FEMALE--	4	4	4	10	8	9	18	15	5	2	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	1	-	-
BLACK---MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	1	-	-
GEORGIA -----	5	6	6	7	8	7	5	5	2	1	-	-
WHITE-----MALE----	1	3	4	2	3	3	-	1	-	-	-	-
FEMALE--	3	2	2	5	4	4	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	2	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,577
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIV. CONGENITAL ANOMALIES (740-759)												
HAWAII -----	37	25	1	-	-	1	-	1	1	-	1	1
WHITE-----MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	9	1	-	-	-	-	1	-	-	-	1
FEMALE--	15	11	-	-	-	1	-	-	1	-	1	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	53	27	4	1	2	2	1	-	1	-	-	-
WHITE-----MALE----	29	12	3	-	1	2	-	-	1	-	-	-
FEMALE--	23	14	1	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	605	367	30	9	6	15	8	8	10	15	8	10
WHITE-----MALE----	248	156	12	5	2	5	3	2	6	9	3	4
FEMALE--	230	122	13	2	2	4	1	2	3	3	3	6
ALL OTHER--MALE----	62	44	1	1	-	4	2	3	-	1	2	-
FEMALE--	65	45	4	1	2	2	2	1	1	2	-	-
BLACK---MALE----	52	38	1	1	-	3	1	3	-	1	1	-
FEMALE--	60	41	4	1	1	2	2	1	1	2	-	-
INDIANA -----	278	166	12	4	7	5	3	3	8	3	4	5
WHITE-----MALE----	120	75	6	2	3	3	2	-	3	3	2	3
FEMALE--	127	69	5	2	3	1	1	3	3	-	2	2
ALL OTHER--MALE----	16	12	-	-	-	1	-	-	1	-	-	-
FEMALE--	15	10	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	15	11	-	-	-	1	-	-	1	-	-	-
FEMALE--	14	9	1	-	1	-	-	-	1	-	-	-
IOWA -----	117	65	3	1	1	1	2	3	1	3	1	6
WHITE-----MALE----	64	40	1	1	-	-	1	2	1	1	-	4
FEMALE--	52	24	2	-	1	1	1	1	-	2	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	113	63	6	4	1	2	4	2	4	5	2	1
WHITE-----MALE----	49	24	3	2	-	2	2	2	3	3	2	-
FEMALE--	50	29	1	2	1	-	1	-	1	1	-	1
ALL OTHER--MALE----	5	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	6	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	5	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	6	1	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,578
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
KENTUCKY -----	-	3	6	4	3	4	9	2	1	-	-	-
WHITE-----MALE----	-	1	4	4	2	1	2	-	-	-	-	-
FEMALE--	-	2	2	-	-	2	7	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	6	5	3	5	5	4	3	2	2	-	1	-
WHITE-----MALE----	1	1	2	3	3	1	2	2	-	-	-	-
FEMALE--	3	2	-	2	2	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
MAINE -----	1	1	2	1	3	2	2	1	-	1	-	-
WHITE-----MALE----	1	1	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	1	9	9	4	4	6	2	1	1	-
WHITE-----MALE----	-	-	-	3	3	1	2	3	1	1	-	-
FEMALE--	1	-	-	4	4	3	2	3	-	-	1	-
ALL OTHER--MALE----	1	1	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	4	1	7	10	10	11	10	8	3	-	-	-
WHITE-----MALE----	1	1	2	5	4	6	4	2	1	-	-	-
FEMALE--	2	-	5	5	6	5	6	6	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	14	8	12	16	7	16	12	13	3	2	-	-
WHITE-----MALE----	8	3	6	5	4	3	1	6	1	1	-	-
FEMALE--	5	5	5	8	2	12	8	7	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,581
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XIV. CONGENITAL ANOMALIES (740-759)												
OHIO -----	536	292	29	11	13	9	11	6	9	13	13	14
WHITE-----MALE----	227	136	15	3	5	4	6	3	5	8	2	5
FEMALE--	228	100	11	7	6	3	5	2	2	4	9	9
ALL OTHER--MALE----	35	26	2	1	-	-	-	1	1	-	1	-
FEMALE--	46	30	1	-	2	2	-	-	1	1	1	-
BLACK---MALE----	33	24	2	1	-	-	-	1	1	-	1	-
FEMALE--	45	29	1	-	2	2	-	-	1	1	1	-
OKLAHOMA -----	146	76	6	3	8	3	5	2	3	1	4	5
WHITE-----MALE----	62	32	2	2	3	2	3	2	1	-	2	3
FEMALE--	66	32	3	-	3	1	2	-	2	-	2	2
ALL OTHER--MALE----	9	7	-	-	2	-	-	-	-	-	-	-
FEMALE--	9	5	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	5	4	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	-
OREGON -----	137	53	8	3	6	3	1	4	1	2	3	5
WHITE-----MALE----	72	24	6	1	4	3	-	2	-	-	3	3
FEMALE--	55	25	1	2	2	-	-	1	1	1	-	2
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	2	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	478	237	22	7	6	8	12	7	13	12	16	11
WHITE-----MALE----	201	106	7	3	4	6	2	2	2	3	5	8
FEMALE--	194	81	9	2	1	2	8	2	6	6	6	3
ALL OTHER--MALE----	36	21	2	1	-	-	1	1	3	2	2	-
FEMALE--	47	29	4	1	1	-	1	2	2	1	3	-
BLACK---MALE----	33	21	2	-	-	-	-	1	3	1	2	-
FEMALE--	42	24	4	1	1	-	1	2	2	1	3	-
RHODE ISLAND -----	38	22	2	-	1	-	-	-	1	-	2	-
WHITE-----MALE----	18	13	2	-	-	-	-	-	-	-	-	-
FEMALE--	17	6	-	-	1	-	-	-	1	-	2	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	178	102	12	2	3	3	5	1	3	6	3	3
WHITE-----MALE----	66	34	3	-	1	2	1	1	1	3	1	3
FEMALE--	50	28	2	1	-	-	2	-	-	3	2	-
ALL OTHER--MALE----	39	23	4	1	1	1	2	-	1	-	-	-
FEMALE--	23	17	3	-	1	-	-	-	1	-	-	-
BLACK---MALE----	38	22	4	1	1	1	2	-	1	-	-	-
FEMALE--	23	17	3	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,582
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
SOUTH DAKOTA -----	38	24	1	2	-	-	-	-	1	1	-	-
WHITE-----MALE----	20	14	-	1	-	-	-	-	-	-	-	-
FEMALE--	13	8	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	246	147	16	3	4	3	3	7	3	4	4	1
WHITE-----MALE----	97	62	6	-	-	2	2	1	-	2	1	-
FEMALE--	88	38	7	2	2	-	1	4	3	2	3	1
ALL OTHER--MALE----	30	23	1	1	1	1	-	-	-	-	-	-
FEMALE--	31	24	2	-	1	-	-	2	-	-	-	-
BLACK---MALE----	30	23	1	1	1	1	-	-	-	-	-	-
FEMALE--	29	22	2	-	1	-	-	2	-	-	-	-
TEXAS -----	929	553	46	21	16	17	10	17	19	17	24	8
WHITE-----MALE----	435	265	22	8	7	7	7	8	7	11	8	3
FEMALE--	362	211	15	9	5	7	3	4	8	4	9	4
ALL OTHER--MALE----	69	44	4	1	2	1	-	3	3	1	2	1
FEMALE--	63	33	5	3	2	2	-	2	1	1	5	-
BLACK---MALE----	60	36	3	1	2	1	-	3	3	1	2	1
FEMALE--	58	30	4	2	2	2	-	2	1	1	5	-
UTAH -----	111	65	7	4	1	8	1	-	1	-	3	1
WHITE-----MALE----	52	34	4	1	-	4	-	-	-	-	2	-
FEMALE--	56	29	3	3	1	4	-	-	1	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	22	8	2	-	1	-	-	2	2	1	1	1
WHITE-----MALE----	12	5	2	-	1	-	-	1	-	-	1	1
FEMALE--	9	3	-	-	-	-	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	255	148	15	10	5	4	4	4	1	7	3	6
WHITE-----MALE----	97	60	2	6	1	2	-	-	-	3	2	4
FEMALE--	85	47	5	3	2	2	2	2	1	3	-	1
ALL OTHER--MALE----	31	18	4	-	-	-	1	-	-	-	-	1
FEMALE--	42	23	4	1	2	-	1	2	-	1	1	-
BLACK---MALE----	30	17	4	-	-	-	1	-	-	-	-	1
FEMALE--	40	22	4	1	1	-	1	2	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,582
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
SOUTH DAKOTA -----	1	-	-	-	1	2	3	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	7	6	5	13	4	7	4	2	-	-	-
WHITE-----MALE----	3	1	3	2	4	3	3	2	-	-	-	-
FEMALE--	-	4	2	3	8	1	4	1	2	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
TEXAS -----	21	7	18	17	21	19	32	31	10	4	1	-
WHITE-----MALE----	12	3	8	6	11	10	17	13	2	-	-	-
FEMALE--	6	2	9	8	8	6	14	17	8	4	1	-
ALL OTHER--MALE----	2	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	3	-	1	-	-	-	-
BLACK---MALE----	2	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	3	-	1	-	-	-	-
UTAH -----	1	1	3	-	2	4	2	5	1	-	1	-
WHITE-----MALE----	-	1	1	-	-	1	1	3	-	-	-	-
FEMALE--	1	-	2	-	2	3	1	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	5	6	4	8	9	9	3	-	-	-	-
WHITE-----MALE----	-	1	1	2	3	4	4	2	-	-	-	-
FEMALE--	2	3	2	2	2	3	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	2	2	-	-	-	-	-
FEMALE--	1	1	1	-	3	-	-	1	-	-	-	-
BLACK---MALE----	1	-	2	-	-	2	2	-	-	-	-	-
FEMALE--	1	1	1	-	3	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,583
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)												
WASHINGTON -----	4	6	9	5	8	7	4	10	5	1	-	-
WHITE-----MALE----	1	3	4	1	7	5	1	4	2	-	-	-
FEMALE--	2	2	5	3	1	2	3	6	3	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	1	3	1	2	1	5	4	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	3	1	2	1	4	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	5	5	6	9	14	15	5	10	2	2	-	-
WHITE-----MALE----	3	2	2	5	6	8	4	4	-	-	-	-
FEMALE--	2	3	4	3	7	5	1	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
WYOMING -----	1	3	2	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,584
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SPINA BIFIDA (741)												
UNITED STATES --	163	57	15	10	12	8	11	14	10	2	5	8
WHITE-----MALE----	51	17	3	4	4	4	4	3	2	1	3	3
FEMALE--	96	35	10	5	8	2	5	10	6	1	1	5
ALL OTHER--MALE----	6	3	-	-	-	-	1	1	1	-	-	-
FEMALE--	10	2	2	1	-	2	1	-	1	-	1	-
BLACK---MALE----	6	3	-	-	-	-	1	1	1	-	-	-
FEMALE--	10	2	2	1	-	2	1	-	1	-	1	-
ALABAMA -----	3	-	-	1	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	20	4	2	4	1	2	1	2	1	-	1	-
WHITE-----MALE----	5	1	-	1	-	1	-	-	1	-	-	-
FEMALE--	13	3	2	3	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,586
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SPINA BIFIDA (741)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9	7	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	5	2	-	-	1	-	-	1	-	-	-	1
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	1	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	2	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,593
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
UNITED STATES --	1,811	798	139	64	46	33	18	15	9	14	14	13
WHITE-----MALE----	756	281	49	19	22	15	6	9	5	4	4	6
FEMALE--	767	351	46	33	12	9	8	2	1	8	9	5
ALL OTHER--MALE----	127	64	23	9	6	5	-	-	3	1	-	1
FEMALE--	161	102	21	3	6	4	4	4	-	1	1	1
BLACK---MALE----	105	49	21	8	5	5	-	-	2	1	-	-
FEMALE--	136	81	20	1	6	4	4	4	-	1	1	1
ALABAMA -----	40	16	8	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	16	5	3	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	3	3	1	-	-	-	-	-	-	-	-
BLACK---MALE----	8	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	3	3	1	-	-	-	-	-	-	-	-
ALASKA -----	4	3	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	34	18	1	1	2	-	1	-	-	1	-	-
WHITE-----MALE----	15	3	1	-	1	-	1	-	-	-	-	-
FEMALE--	13	10	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	7	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	184	126	19	9	6	4	4	7	1	3	2	1
WHITE-----MALE----	69	49	6	1	3	-	1	6	-	2	1	-
FEMALE--	78	51	10	4	3	3	2	1	1	1	1	1
ALL OTHER--MALE----	18	10	3	3	1	1	-	-	-	-	-	-
FEMALE--	19	16	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	12	5	3	2	1	1	-	-	-	-	-	-
FEMALE--	14	12	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,594
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
COLORADO -----	-	-	-	1	-	2	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	-	-	1	1	1	4	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	4	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	2	3	2	8	14	19	10	6	-	-	-
WHITE-----MALE----	2	2	2	1	5	11	7	4	4	-	-	-
FEMALE--	-	-	1	1	3	3	12	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	1	6	6	3	2	-	1	-	-
WHITE-----MALE----	1	-	-	1	3	3	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,596
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
KENTUCKY -----	-	-	-	1	1	-	6	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	1	2	-	2	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	3	2	1	3	3	-	1	-	-
WHITE-----MALE----	-	-	-	2	-	1	1	2	-	1	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	3	4	3	3	4	1	-	-	-
WHITE-----MALE----	-	-	1	2	3	3	2	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	2	-	5	4	8	4	10	-	2	-	-
WHITE-----MALE----	1	1	-	3	4	3	-	4	-	1	-	-
FEMALE--	-	1	-	2	-	5	3	6	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,600
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)												
SOUTH DAKOTA -----	10	3	1	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	11	3	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	8	3	2	-	-	-	-	1	-	-	-	-
FEMALE--	10	3	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
TEXAS -----	146	69	11	5	2	2	-	-	1	-	1	-
WHITE-----MALE----	65	25	7	1	2	1	-	-	1	-	1	-
FEMALE--	70	36	3	4	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	5	-	-	-	-	-	-	-	-	-	-
UTAH -----	19	8	1	1	-	2	-	-	-	-	2	-
WHITE-----MALE----	9	5	1	-	-	-	-	-	-	-	1	-
FEMALE--	10	3	-	1	-	2	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	32	12	2	2	2	-	1	-	-	-	-	-
WHITE-----MALE----	12	5	-	1	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	4	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	4	2	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,602
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
UNITED STATES --	3,939	1,979	309	83	90	129	114	124	133	132	110	96
WHITE-----MALE----	1,734	920	128	37	35	56	59	59	60	57	56	50
FEMALE--	1,441	633	99	23	31	40	32	43	53	54	36	37
ALL OTHER--MALE----	411	234	48	14	14	21	12	10	10	8	8	5
FEMALE--	353	192	34	9	10	12	11	12	10	13	10	4
BLACK---MALE----	337	193	37	11	12	19	8	8	9	6	6	4
FEMALE--	287	160	30	7	9	10	9	7	6	12	8	3
ALABAMA -----	68	48	6	-	1	-	-	-	2	3	1	1
WHITE-----MALE----	27	21	1	-	1	-	-	-	2	-	-	-
FEMALE--	20	12	1	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	13	10	2	-	-	-	-	-	-	-	1	-
FEMALE--	8	5	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	9	2	-	-	-	-	-	-	-	1	-
FEMALE--	8	5	2	-	-	-	-	-	-	1	-	-
ALASKA -----	4	4	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	58	34	4	-	-	7	-	2	1	1	3	-
WHITE-----MALE----	28	16	2	-	-	5	-	1	1	-	1	-
FEMALE--	20	13	-	-	-	2	-	1	-	-	1	-
ALL OTHER--MALE----	7	3	2	-	-	-	-	-	-	1	1	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	38	22	3	1	2	2	-	2	1	1	-	-
WHITE-----MALE----	16	9	1	1	-	1	-	1	-	1	-	-
FEMALE--	10	6	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	6	4	-	-	1	1	-	-	-	-	-	-
FEMALE--	6	3	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	4	-	-	1	1	-	-	-	-	-	-
FEMALE--	6	3	1	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	510	272	45	10	13	16	13	19	16	14	11	13
WHITE-----MALE----	236	132	26	1	7	8	5	9	5	5	6	7
FEMALE--	170	83	10	6	3	5	3	5	6	9	4	4
ALL OTHER--MALE----	54	33	6	2	2	2	2	1	1	-	-	1
FEMALE--	50	24	3	1	1	1	3	4	4	-	1	1
BLACK---MALE----	31	19	2	1	2	2	1	-	1	-	-	-
FEMALE--	19	10	1	1	-	-	2	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,603
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
COLORADO -----	39	21	1	2	1	-	1	1	2	4	-	-
WHITE-----MALE----	20	11	-	2	1	-	1	-	1	1	-	-
FEMALE--	19	10	1	-	-	-	-	1	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	51	25	2	1	-	1	1	5	2	1	-	2
WHITE-----MALE----	24	15	-	-	-	1	1	-	1	1	-	1
FEMALE--	22	7	2	1	-	-	-	5	1	-	-	1
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	6	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	3	2	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	1	-	-	-	-	-
FLORIDA -----	208	89	24	3	8	8	4	6	11	7	13	6
WHITE-----MALE----	91	38	7	2	3	2	1	3	7	3	9	4
FEMALE--	59	24	8	-	1	2	2	1	3	1	1	2
ALL OTHER--MALE----	33	15	5	1	1	3	1	1	1	1	2	-
FEMALE--	25	12	4	-	3	1	-	1	-	2	1	-
BLACK---MALE----	30	12	5	1	1	3	1	1	1	1	2	-
FEMALE--	24	11	4	-	3	1	-	1	-	2	1	-
GEORGIA -----	104	49	13	5	4	3	2	4	3	1	1	2
WHITE-----MALE----	36	15	6	4	2	-	1	2	1	1	-	-
FEMALE--	32	12	3	-	2	1	-	1	2	-	-	1
ALL OTHER--MALE----	27	18	3	1	-	1	1	1	-	-	1	1
FEMALE--	9	4	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	25	17	3	1	-	-	1	1	-	-	1	1
FEMALE--	9	4	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,603
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CONGENITAL ANOMALIES OF HEART (745-746)												
COLORADO -----	1	-	1	1	-	3	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	3	1	1	3	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	3	2	2	4	4	5	3	4	1	1	-	-
WHITE-----MALE----	1	1	1	1	4	3	-	-	1	-	-	-
FEMALE--	-	1	1	2	-	2	3	4	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	1	3	3	2	1	1	2	2	2	-	-	-
WHITE-----MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,604
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
HAWAII -----	11	6	1	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	5	3	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	21	13	2	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	9	5	1	-	-	2	-	-	-	-	-	-
FEMALE--	11	7	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	191	100	13	3	3	7	5	5	7	11	2	6
WHITE-----MALE----	77	44	6	1	1	2	3	2	5	7	-	1
FEMALE--	65	23	6	1	1	1	-	2	1	1	1	5
ALL OTHER--MALE----	25	18	-	-	-	2	1	1	-	1	1	-
FEMALE--	24	15	1	1	1	2	1	-	1	2	-	-
BLACK---MALE----	20	16	-	-	-	2	-	1	-	1	-	-
FEMALE--	23	14	1	1	1	2	1	-	1	2	-	-
INDIANA -----	88	44	6	2	3	4	3	-	6	3	1	1
WHITE-----MALE----	44	21	3	1	3	2	2	-	2	3	1	1
FEMALE--	33	16	3	1	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	6	4	-	-	-	1	-	-	1	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	3	-	-	-	1	-	-	1	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	1	-	-	-
IOWA -----	37	21	2	1	1	1	1	2	-	3	-	-
WHITE-----MALE----	19	13	1	1	-	-	-	2	-	1	-	-
FEMALE--	18	8	1	-	1	1	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	32	16	1	1	-	1	1	1	2	5	1	1
WHITE-----MALE----	14	4	1	1	-	1	-	1	1	3	1	-
FEMALE--	12	7	-	-	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,605
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
KENTUCKY -----	61	37	7	2	1	1	1	-	4	2	-	-
WHITE-----MALE----	39	22	6	2	1	1	1	-	2	1	-	-
FEMALE--	19	12	1	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	83	42	10	-	3	6	3	-	-	2	3	1
WHITE-----MALE----	27	15	5	-	1	-	1	-	-	-	1	-
FEMALE--	22	9	2	-	-	2	1	-	-	1	2	-
ALL OTHER--MALE----	16	8	1	-	1	3	-	-	-	-	-	-
FEMALE--	18	10	2	-	1	1	1	-	-	1	-	1
BLACK---MALE----	16	8	1	-	1	3	-	-	-	-	-	-
FEMALE--	18	10	2	-	1	1	1	-	-	1	-	1