

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
All origins	2,416,425	27,568	5,107	3,093	4,002	13,555	18,697	18,211	23,472	36,895	54,779	73,684
Male	1,183,421	15,477	2,899	1,727	2,441	9,766	14,197	13,006	15,751	23,727	34,437	46,567
Female	1,233,004	12,091	2,208	1,366	1,561	3,789	4,500	5,205	7,721	13,168	20,342	27,117
Hispanic	113,413	4,680	917	480	558	1,998	3,060	2,863	2,934	3,859	4,582	5,397
Male	63,317	2,601	518	281	319	1,530	2,489	2,223	2,143	2,739	3,156	3,655
Female	50,096	2,079	399	199	239	468	571	640	791	1,120	1,426	1,742
Mexican	63,496	3,312	680	362	381	1,458	2,134	1,909	1,800	2,200	2,551	3,058
Male	36,528	1,822	377	211	211	1,143	1,765	1,517	1,364	1,604	1,780	2,089
Female	26,968	1,490	303	151	170	315	369	392	436	596	771	969
Puerto Rican	14,920	467	60	39	64	162	280	276	388	615	744	908
Male	8,269	268	33	25	38	117	220	193	249	397	512	613
Female	6,651	199	27	14	26	45	60	83	139	218	232	295
Cuban	11,666	46	13	6	10	37	34	56	75	139	193	247
Male	5,892	25	11	3	8	23	25	40	56	108	127	170
Female	5,774	21	2	3	2	14	9	16	19	31	66	77
Central and South American	10,884	398	82	41	54	193	409	395	426	521	595	628
Male	5,727	234	46	25	31	143	321	315	296	364	370	386
Female	5,157	164	36	16	23	50	88	80	130	157	225	242
Other and unknown Hispanic	12,447	457	82	32	49	148	203	227	245	384	499	556
Male	6,901	252	51	17	31	104	158	158	178	266	367	397
Female	5,546	205	31	15	18	44	45	69	67	118	132	159

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
Non-Hispanic 1/	2,295,244	22,629	4,171	2,599	3,434	11,508	15,551	15,252	20,404	32,857	49,906	67,927
Male	1,115,683	12,739	2,371	1,438	2,116	8,197	11,639	10,715	13,510	20,859	31,059	42,656
Female	1,179,561	9,890	1,800	1,161	1,318	3,311	3,912	4,537	6,894	11,998	18,847	25,271
Non-Hispanic white	1,962,810	13,311	2,772	1,777	2,374	8,264	10,466	10,130	14,061	23,334	36,212	50,151
Male	945,967	7,508	1,592	957	1,471	5,756	7,786	7,168	9,445	15,102	23,111	32,045
Female	1,016,843	5,803	1,180	820	903	2,508	2,680	2,962	4,616	8,232	13,101	18,106
Non-Hispanic black	284,343	8,277	1,156	685	872	2,662	4,362	4,388	5,471	8,287	12,149	15,657
Male	143,971	4,651	655	400	541	2,041	3,336	3,056	3,492	4,959	7,012	9,354
Female	140,372	3,626	501	285	331	621	1,026	1,332	1,979	3,328	5,137	6,303
Origin not stated 2/	7,768	259	19	14	10	49	86	96	134	179	291	360
Male	4,421	137	10	8	6	39	69	68	98	129	222	256
Female	3,347	122	9	6	4	10	17	28	36	50	69	104

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
Non-Hispanic 1/	30,754	261	90	21	29	52	68	87	170	280	475	766
Male	13,573	145	55	10	15	27	39	45	78	150	258	402
Female	17,181	116	35	11	14	25	29	42	92	130	217	364
Non-Hispanic white	24,389	122	63	17	18	32	37	52	93	162	296	478
Male	10,668	71	41	7	11	18	19	28	41	95	171	250
Female	13,721	51	22	10	7	14	18	24	52	67	125	228
Non-Hispanic black	5,829	124	21	2	8	19	22	28	70	109	159	261
Male	2,611	67	12	1	2	9	16	13	33	51	77	133
Female	3,218	57	9	1	6	10	6	15	37	58	82	128
Origin not stated 2/	98	1	-	-	1	-	-	-	1	1	1	1
Male	50	-	-	-	-	-	-	-	1	-	-	-
Female	48	1	-	-	1	-	-	-	-	1	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
All origins	5,585	1	-	3	-	9	11	19	55	202	595	1,101
Male	3,539	1	-	2	-	6	5	7	35	133	420	833
Female	2,046	-	-	1	-	3	6	12	20	69	175	268
Hispanic	791	-	-	2	-	3	3	2	8	35	91	155
Male	487	-	-	2	-	1	1	2	1	23	66	119
Female	304	-	-	-	-	2	2	-	7	12	25	36
Mexican	437	-	-	1	-	2	2	1	4	19	53	86
Male	261	-	-	1	-	1	-	1	-	12	39	63
Female	176	-	-	-	-	1	2	-	4	7	14	23
Puerto Rican	147	-	-	-	-	-	-	-	2	8	18	39
Male	102	-	-	-	-	-	-	-	-	4	13	30
Female	45	-	-	-	-	-	-	-	2	4	5	9
Cuban	49	-	-	-	-	-	-	1	-	1	1	3
Male	26	-	-	-	-	-	-	1	-	1	-	3
Female	23	-	-	-	-	-	-	-	-	-	1	-
Central and South American	63	-	-	1	-	-	1	-	1	2	8	6
Male	30	-	-	1	-	-	1	-	-	1	5	6
Female	33	-	-	-	-	-	-	-	1	1	3	-
Other and unknown Hispanic	95	-	-	-	-	1	-	-	1	5	11	21
Male	68	-	-	-	-	-	-	-	1	5	9	17
Female	27	-	-	-	-	1	-	-	-	-	2	4

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
All origins	14,175	10	13	17	21	42	183	584	1,517	2,741	3,126	2,511
Male	10,590	7	8	11	12	21	84	354	1,067	2,042	2,318	1,942
Female	3,585	3	5	6	9	21	99	230	450	699	808	569
Hispanic	1,853	1	-	1	2	4	28	80	220	355	404	316
Male	1,437	-	-	1	1	2	19	56	166	273	316	241
Female	416	1	-	-	1	2	9	24	54	82	88	75
Mexican	638	-	-	1	-	2	12	41	106	139	133	84
Male	553	-	-	1	-	2	10	33	91	128	119	69
Female	85	-	-	-	-	-	2	8	15	11	14	15
Puerto Rican	777	-	-	-	2	2	6	13	65	138	181	166
Male	531	-	-	-	1	-	5	5	37	82	124	120
Female	246	-	-	-	1	2	1	8	28	56	57	46
Cuban	94	-	-	-	-	-	-	2	5	13	23	10
Male	84	-	-	-	-	-	-	1	3	12	21	7
Female	10	-	-	-	-	-	-	1	2	1	2	3
Central and South American	223	1	-	-	-	-	6	16	31	39	39	38
Male	175	-	-	-	-	-	2	12	24	31	29	32
Female	48	1	-	-	-	-	4	4	7	8	10	6
Other and unknown Hispanic	121	-	-	-	-	-	4	8	13	26	28	18
Male	94	-	-	-	-	-	2	5	11	20	23	13
Female	27	-	-	-	-	-	2	3	2	6	5	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
Non-Hispanic 1/	12,141	9	13	16	19	38	155	499	1,280	2,363	2,681	2,163
Male	9,011	7	8	10	11	19	65	295	892	1,754	1,971	1,671
Female	3,130	2	5	6	8	19	90	204	388	609	710	492
Non-Hispanic white	4,286	2	3	6	2	2	28	110	409	914	997	771
Male	3,669	2	-	4	1	-	15	79	331	781	858	674
Female	617	-	3	2	1	2	13	31	78	133	139	97
Non-Hispanic black	7,710	7	10	9	17	34	127	381	853	1,417	1,655	1,372
Male	5,227	5	8	5	10	18	50	210	543	947	1,093	981
Female	2,483	2	2	4	7	16	77	171	310	470	562	391
Origin not stated 2/	181	-	-	-	-	-	-	5	17	23	41	32
Male	142	-	-	-	-	-	-	3	9	15	31	30
Female	39	-	-	-	-	-	-	2	8	8	10	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
All origins	5,715	191	64	34	30	40	46	58	89	162	207	307
Male	2,931	101	37	14	15	23	28	31	52	93	134	211
Female	2,784	90	27	20	15	17	18	27	37	69	73	96
Hispanic	423	41	7	6	5	6	6	14	19	24	22	40
Male	250	21	4	1	4	4	5	9	13	16	15	26
Female	173	20	3	5	1	2	1	5	6	8	7	14
Mexican	260	33	5	4	1	5	4	10	11	15	15	24
Male	159	17	2	1	1	4	3	8	9	9	11	14
Female	101	16	3	3	-	1	1	2	2	6	4	10
Puerto Rican	60	4	1	1	4	1	1	-	4	2	4	6
Male	32	2	1	-	3	-	1	-	1	1	2	5
Female	28	2	-	1	1	1	-	-	3	1	2	1
Cuban	24	-	-	-	-	-	-	-	-	1	-	2
Male	10	-	-	-	-	-	-	-	-	1	-	1
Female	14	-	-	-	-	-	-	-	-	-	-	1
Central and South American	43	2	1	-	-	-	-	3	3	4	2	2
Male	23	-	1	-	-	-	-	1	2	3	1	2
Female	20	2	-	-	-	-	-	2	1	1	1	-
Other and unknown Hispanic	36	2	-	1	-	-	1	1	1	2	1	6
Male	26	2	-	-	-	-	1	-	1	2	1	4
Female	10	-	-	1	-	-	-	1	-	-	-	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
Non-Hispanic 1/	5,271	149	57	28	25	34	39	44	70	137	182	264
Male	2,666	79	33	13	11	19	23	22	39	76	117	182
Female	2,605	70	24	15	14	15	16	22	31	61	65	82
Non-Hispanic white	4,257	80	37	22	16	21	24	25	38	87	124	194
Male	2,148	40	21	10	7	10	14	15	24	49	80	137
Female	2,109	40	16	12	9	11	10	10	14	38	44	57
Non-Hispanic black	815	61	16	6	7	9	14	17	28	41	50	62
Male	419	36	10	3	3	7	8	7	12	22	34	41
Female	396	25	6	3	4	2	6	10	16	19	16	21
Origin not stated 2/	21	1	-	-	-	-	1	-	-	1	3	3
Male	15	1	-	-	-	-	-	-	-	1	2	3
Female	6	-	-	-	-	-	1	-	-	-	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
All origins	553,768	66	420	493	515	732	972	1,389	2,605	5,466	11,103	19,199
Male	287,075	31	229	253	280	447	577	694	1,166	2,331	4,966	9,377
Female	266,693	35	191	240	235	285	395	695	1,439	3,135	6,137	9,822
Hispanic	22,371	14	84	87	90	143	146	204	293	545	851	1,186
Male	11,825	4	44	49	41	95	104	100	133	236	379	579
Female	10,546	10	40	38	49	48	42	104	160	309	472	607
Mexican	12,097	12	60	70	66	96	109	139	183	324	488	675
Male	6,417	3	28	39	30	67	80	61	87	138	215	328
Female	5,680	9	32	31	36	29	29	78	96	186	273	347
Puerto Rican	2,801	1	4	3	5	9	14	16	30	63	111	163
Male	1,534	-	3	3	2	5	8	10	13	30	55	84
Female	1,267	1	1	-	3	4	6	6	17	33	56	79
Cuban	2,508	-	3	-	2	4	1	4	11	25	47	69
Male	1,423	-	2	-	2	-	-	-	3	12	22	39
Female	1,085	-	1	-	-	4	1	4	8	13	25	30
Central and South American	2,561	1	10	10	7	26	14	33	51	89	138	169
Male	1,145	1	7	4	2	18	9	24	22	42	52	64
Female	1,416	-	3	6	5	8	5	9	29	47	86	105
Other and unknown Hispanic	2,404	-	7	4	10	8	8	12	18	44	67	110
Male	1,306	-	4	3	5	5	7	5	8	14	35	64
Female	1,098	-	3	1	5	3	1	7	10	30	32	46

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
Non-Hispanic 1/	530,058	52	333	404	424	588	825	1,179	2,306	4,901	10,220	17,961
Male	274,492	27	183	203	239	352	472	593	1,030	2,084	4,568	8,775
Female	255,566	25	150	201	185	236	353	586	1,276	2,817	5,652	9,186
Non-Hispanic white	456,709	42	268	302	305	448	628	865	1,729	3,728	7,823	13,929
Male	236,004	21	144	146	164	270	362	449	811	1,621	3,539	6,840
Female	220,705	21	124	156	141	178	266	416	918	2,107	4,284	7,089
Non-Hispanic black	61,580	5	46	78	94	110	147	241	450	949	2,001	3,370
Male	32,335	2	29	43	57	65	83	106	161	365	836	1,628
Female	29,245	3	17	35	37	45	64	135	289	584	1,165	1,742
Origin not stated 2/	1,339	-	3	2	1	1	1	6	6	20	32	52
Male	758	-	2	1	-	-	1	1	3	11	19	23
Female	581	-	1	1	1	1	-	5	3	9	13	29

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of stomach (C16)												
All origins	12,319	-	-	-	-	5	15	33	89	178	286	452
Male	7,191	-	-	-	-	4	5	20	51	98	155	288
Female	5,128	-	-	-	-	1	10	13	38	80	131	164
Hispanic	1,189	-	-	-	-	1	3	16	25	40	58	78
Male	680	-	-	-	-	1	1	7	12	23	31	43
Female	509	-	-	-	-	-	2	9	13	17	27	35
Mexican	728	-	-	-	-	-	2	10	15	28	35	47
Male	432	-	-	-	-	-	1	4	8	16	19	25
Female	296	-	-	-	-	-	1	6	7	12	16	22
Puerto Rican	108	-	-	-	-	-	-	-	1	2	2	8
Male	66	-	-	-	-	-	-	-	-	1	1	5
Female	42	-	-	-	-	-	-	-	1	1	1	3
Cuban	57	-	-	-	-	-	1	-	-	-	2	1
Male	34	-	-	-	-	-	-	-	-	-	1	1
Female	23	-	-	-	-	-	1	-	-	-	1	-
Central and South American	193	-	-	-	-	1	-	5	9	8	14	15
Male	95	-	-	-	-	1	-	2	4	6	7	8
Female	98	-	-	-	-	-	-	3	5	2	7	7
Other and unknown Hispanic	103	-	-	-	-	-	-	1	-	2	5	7
Male	53	-	-	-	-	-	-	1	-	-	3	4
Female	50	-	-	-	-	-	-	-	-	2	2	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of colon, rectum and anus (C18-C21)

All origins	56,887	-	-	-	-	11	35	81	218	505	928	1,744
Male	28,225	-	-	-	-	6	18	38	119	290	491	967
Female	28,662	-	-	-	-	5	17	43	99	215	437	777
Hispanic	2,250	-	-	-	-	-	6	5	15	44	83	88
Male	1,185	-	-	-	-	-	3	4	4	28	48	44
Female	1,065	-	-	-	-	-	3	1	11	16	35	44
Mexican	1,068	-	-	-	-	-	3	2	9	22	53	42
Male	593	-	-	-	-	-	2	2	4	13	34	25
Female	475	-	-	-	-	-	1	-	5	9	19	17
Puerto Rican	314	-	-	-	-	-	1	-	2	5	8	13
Male	170	-	-	-	-	-	-	-	-	4	3	6
Female	144	-	-	-	-	-	1	-	2	1	5	7
Cuban	338	-	-	-	-	-	-	-	-	5	5	11
Male	156	-	-	-	-	-	-	-	-	1	2	6
Female	182	-	-	-	-	-	-	-	-	4	3	5
Central and South American	236	-	-	-	-	-	2	2	2	11	13	13
Male	117	-	-	-	-	-	1	2	-	10	6	5
Female	119	-	-	-	-	-	1	-	2	1	7	8
Other and unknown Hispanic	294	-	-	-	-	-	-	1	2	1	4	9
Male	149	-	-	-	-	-	-	-	-	-	3	2
Female	145	-	-	-	-	-	-	1	2	1	1	7

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of colon, rectum and anus (C18-C21)												
Non-Hispanic 1/	54,513	-	-	-	-	11	29	76	203	458	843	1,650
Male	26,978	-	-	-	-	6	15	34	115	260	441	920
Female	27,535	-	-	-	-	5	14	42	88	198	402	730
Non-Hispanic white	46,450	-	-	-	-	7	21	55	148	339	627	1,235
Male	23,128	-	-	-	-	5	8	24	87	196	327	701
Female	23,322	-	-	-	-	2	13	31	61	143	300	534
Non-Hispanic black	6,847	-	-	-	-	2	6	13	43	97	183	353
Male	3,221	-	-	-	-	1	6	6	24	53	99	186
Female	3,626	-	-	-	-	1	-	7	19	44	84	167
Origin not stated 2/	124	-	-	-	-	-	-	-	-	3	2	6
Male	62	-	-	-	-	-	-	-	-	2	2	3
Female	62	-	-	-	-	-	-	-	-	1	-	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of liver and intrahepatic bile ducts (C22)												
All origins	13,351	5	18	7	8	14	15	29	46	137	264	795
Male	8,483	3	7	4	3	6	9	16	27	100	202	618
Female	4,868	2	11	3	5	8	6	13	19	37	62	177
Hispanic	1,256	1	3	1	2	1	1	5	9	19	27	107
Male	812	1	1	-	-	1	-	2	5	12	24	96
Female	444	-	2	1	2	-	1	3	4	7	3	11
Mexican	746	1	3	-	2	1	1	4	6	9	17	69
Male	481	1	1	-	-	1	-	2	3	5	16	61
Female	265	-	2	-	2	-	1	2	3	4	1	8
Puerto Rican	166	-	-	-	-	-	-	-	1	2	6	11
Male	127	-	-	-	-	-	-	-	-	1	5	9
Female	39	-	-	-	-	-	-	-	1	1	1	2
Cuban	102	-	-	-	-	-	-	-	-	-	-	4
Male	53	-	-	-	-	-	-	-	-	-	-	4
Female	49	-	-	-	-	-	-	-	-	-	-	-
Central and South American	121	-	-	1	-	-	-	-	2	6	2	7
Male	60	-	-	-	-	-	-	-	2	4	1	6
Female	61	-	-	1	-	-	-	-	-	2	1	1
Other and unknown Hispanic	121	-	-	-	-	-	-	1	-	2	2	16
Male	91	-	-	-	-	-	-	-	-	2	2	16
Female	30	-	-	-	-	-	-	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of pancreas (C25)												
All origins	29,803	-	1	1	1	1	1	11	44	167	407	833
Male	14,467	-	1	-	-	1	1	5	25	99	222	503
Female	15,336	-	-	1	1	-	-	6	19	68	185	330
Hispanic	1,336	-	-	-	-	1	-	2	4	16	30	47
Male	643	-	-	-	-	1	-	1	2	9	17	28
Female	693	-	-	-	-	-	-	1	2	7	13	19
Mexican	739	-	-	-	-	-	-	2	1	9	18	30
Male	363	-	-	-	-	-	-	1	1	4	12	17
Female	376	-	-	-	-	-	-	1	-	5	6	13
Puerto Rican	128	-	-	-	-	-	-	-	1	2	4	3
Male	57	-	-	-	-	-	-	-	-	2	2	2
Female	71	-	-	-	-	-	-	-	1	-	2	1
Cuban	159	-	-	-	-	-	-	-	-	2	2	4
Male	81	-	-	-	-	-	-	-	-	2	-	2
Female	78	-	-	-	-	-	-	-	-	-	2	2
Central and South American	152	-	-	-	-	1	-	-	1	-	5	6
Male	66	-	-	-	-	1	-	-	1	-	3	4
Female	86	-	-	-	-	-	-	-	-	-	2	2
Other and unknown Hispanic	158	-	-	-	-	-	-	-	1	3	1	4
Male	76	-	-	-	-	-	-	-	-	1	-	3
Female	82	-	-	-	-	-	-	-	1	2	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY

RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of pancreas (C25)												
Non-Hispanic 1/	28,407	-	1	1	1	-	1	9	39	151	375	786
Male	13,792	-	1	-	-	-	1	4	23	90	204	475
Female	14,615	-	-	1	1	-	-	5	16	61	171	311
Non-Hispanic white	24,424	-	1	1	1	-	1	5	31	119	296	606
Male	11,994	-	1	-	-	-	1	3	19	69	164	376
Female	12,430	-	-	1	1	-	-	2	12	50	132	230
Non-Hispanic black	3,352	-	-	-	-	-	-	4	5	26	63	156
Male	1,501	-	-	-	-	-	-	1	3	16	31	89
Female	1,851	-	-	-	-	-	-	3	2	10	32	67
Origin not stated 2/	60	-	-	-	-	-	-	-	1	-	2	-
Male	32	-	-	-	-	-	-	-	-	-	1	-
Female	28	-	-	-	-	-	-	-	1	-	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
All origins	156,058	-	5	1	1	6	14	36	121	640	2,156	4,255
Male	90,426	-	4	1	-	2	10	17	60	315	1,189	2,487
Female	65,632	-	1	-	1	4	4	19	61	325	967	1,768
Hispanic	3,816	-	2	-	1	1	6	6	10	27	79	127
Male	2,495	-	2	-	-	-	6	3	7	22	46	83
Female	1,321	-	-	-	1	1	-	3	3	5	33	44
Mexican	1,885	-	1	-	-	1	6	3	3	14	26	58
Male	1,227	-	1	-	-	-	6	2	3	11	8	33
Female	658	-	-	-	-	1	-	1	-	3	18	25
Puerto Rican	550	-	-	-	1	-	-	-	4	3	19	25
Male	344	-	-	-	-	-	-	-	3	3	12	15
Female	206	-	-	-	1	-	-	-	1	-	7	10
Cuban	572	-	1	-	-	-	-	-	1	1	16	14
Male	416	-	1	-	-	-	-	-	1	1	13	13
Female	156	-	-	-	-	-	-	-	-	-	3	1
Central and South American	345	-	-	-	-	-	-	2	1	5	8	15
Male	208	-	-	-	-	-	-	1	-	3	5	9
Female	137	-	-	-	-	-	-	1	1	2	3	6
Other and unknown Hispanic	464	-	-	-	-	-	-	1	1	4	10	15
Male	300	-	-	-	-	-	-	-	-	4	8	13
Female	164	-	-	-	-	-	-	1	1	-	2	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
Non-Hispanic 1/	151,882	-	3	1	-	5	8	30	111	611	2,067	4,119
Male	87,706	-	2	1	-	2	4	14	53	293	1,138	2,400
Female	64,176	-	1	-	-	3	4	16	58	318	929	1,719
Non-Hispanic white	133,266	-	2	1	-	4	5	23	91	494	1,606	3,201
Male	76,066	-	1	1	-	2	2	12	43	232	863	1,827
Female	57,200	-	1	-	-	2	3	11	48	262	743	1,374
Non-Hispanic black	15,883	-	1	-	-	1	2	3	13	102	413	800
Male	10,030	-	1	-	-	-	1	1	6	53	245	511
Female	5,853	-	-	-	-	1	1	2	7	49	168	289
Origin not stated 2/	360	-	-	-	-	-	-	-	-	2	10	9
Male	225	-	-	-	-	-	-	-	-	-	5	4
Female	135	-	-	-	-	-	-	-	-	2	5	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
Non-Hispanic 1/	7,387	-	-	-	-	10	29	69	110	204	393	525
Male	4,678	-	-	-	-	9	15	39	61	123	240	323
Female	2,709	-	-	-	-	1	14	30	49	81	153	202
Non-Hispanic white	7,250	-	-	-	-	9	29	67	110	202	388	518
Male	4,618	-	-	-	-	8	15	37	61	122	237	320
Female	2,632	-	-	-	-	1	14	30	49	80	151	198
Non-Hispanic black	102	-	-	-	-	1	-	1	-	2	5	3
Male	36	-	-	-	-	1	-	1	-	1	3	2
Female	66	-	-	-	-	-	-	-	-	1	2	1
Origin not stated 2/	10	-	-	-	-	-	-	-	1	1	-	-
Male	7	-	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
All origins	41,809	-	-	-	-	1	8	88	375	960	1,863	2,790
Male	415	-	-	-	-	-	-	-	2	5	9	13
Female	41,394	-	-	-	-	1	8	88	373	955	1,854	2,777
Hispanic	1,760	-	-	-	-	-	1	15	38	104	140	184
Male	14	-	-	-	-	-	-	-	-	1	1	-
Female	1,746	-	-	-	-	-	1	15	38	103	139	184
Mexican	922	-	-	-	-	-	1	13	26	62	82	98
Male	7	-	-	-	-	-	-	-	-	1	1	-
Female	915	-	-	-	-	-	1	13	26	61	81	98
Puerto Rican	252	-	-	-	-	-	-	-	6	10	17	31
Male	3	-	-	-	-	-	-	-	-	-	-	-
Female	249	-	-	-	-	-	-	-	6	10	17	31
Cuban	168	-	-	-	-	-	-	1	2	5	12	8
Male	1	-	-	-	-	-	-	-	-	-	-	-
Female	167	-	-	-	-	-	-	1	2	5	12	8
Central and South American	253	-	-	-	-	-	-	1	3	18	22	34
Male	3	-	-	-	-	-	-	-	-	-	-	-
Female	250	-	-	-	-	-	-	1	3	18	22	34
Other and unknown Hispanic	165	-	-	-	-	-	-	-	1	9	7	13
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	165	-	-	-	-	-	-	-	1	9	7	13

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
Non-Hispanic 1/	39,957	-	-	-	-	1	7	73	336	855	1,721	2,597
Male	399	-	-	-	-	-	-	-	2	4	8	13
Female	39,558	-	-	-	-	1	7	73	334	851	1,713	2,584
Non-Hispanic white	33,629	-	-	-	-	-	3	43	212	596	1,232	1,947
Male	329	-	-	-	-	-	-	-	1	3	3	10
Female	33,300	-	-	-	-	-	3	43	211	593	1,229	1,937
Non-Hispanic black	5,528	-	-	-	-	1	4	30	110	219	422	552
Male	64	-	-	-	-	-	-	-	1	-	5	3
Female	5,464	-	-	-	-	1	4	30	109	219	417	549
Origin not stated 2/	92	-	-	-	-	-	-	-	1	1	2	9
Male	2	-	-	-	-	-	-	-	-	-	-	-
Female	90	-	-	-	-	-	-	-	1	1	2	9

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of cervix uteri (C53)												
All origins	4,092	-	-	-	1	-	12	51	158	291	420	475
Female	4,092	-	-	-	1	-	12	51	158	291	420	475
Hispanic	412	-	-	-	-	-	3	10	26	42	60	60
Female	412	-	-	-	-	-	3	10	26	42	60	60
Mexican	239	-	-	-	-	-	3	7	13	23	34	35
Female	239	-	-	-	-	-	3	7	13	23	34	35
Puerto Rican	47	-	-	-	-	-	-	1	3	6	4	4
Female	47	-	-	-	-	-	-	1	3	6	4	4
Cuban	10	-	-	-	-	-	-	-	2	1	1	1
Female	10	-	-	-	-	-	-	-	2	1	1	1
Central and South American	85	-	-	-	-	-	-	1	5	6	16	15
Female	85	-	-	-	-	-	-	1	5	6	16	15
Other and unknown Hispanic	31	-	-	-	-	-	-	1	3	6	5	5
Female	31	-	-	-	-	-	-	1	3	6	5	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of cervix uteri (C53)												
Non-Hispanic 1/	3,669	-	-	-	1	-	9	40	132	247	359	412
Female	3,669	-	-	-	1	-	9	40	132	247	359	412
Non-Hispanic white	2,725	-	-	-	-	-	8	29	96	182	266	311
Female	2,725	-	-	-	-	-	8	29	96	182	266	311
Non-Hispanic black	778	-	-	-	1	-	1	11	31	54	83	78
Female	778	-	-	-	1	-	1	11	31	54	83	78
Origin not stated 2/	11	-	-	-	-	-	-	1	-	2	1	3
Female	11	-	-	-	-	-	-	1	-	2	1	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of ovary (C56)												
All origins	14,414	-	-	-	2	5	16	37	65	152	320	610
Female	14,414	-	-	-	2	5	16	37	65	152	320	610
Hispanic	603	-	-	-	1	-	-	9	4	13	30	39
Female	603	-	-	-	1	-	-	9	4	13	30	39
Mexican	340	-	-	-	1	-	-	8	4	7	21	29
Female	340	-	-	-	1	-	-	8	4	7	21	29
Puerto Rican	57	-	-	-	-	-	-	-	-	2	3	-
Female	57	-	-	-	-	-	-	-	-	2	3	-
Cuban	61	-	-	-	-	-	-	-	-	1	-	3
Female	61	-	-	-	-	-	-	-	-	1	-	3
Central and South American	69	-	-	-	-	-	-	-	-	1	2	5
Female	69	-	-	-	-	-	-	-	-	1	2	5
Other and unknown Hispanic	76	-	-	-	-	-	-	1	-	2	4	2
Female	76	-	-	-	-	-	-	1	-	2	4	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of bladder (C67)												
All origins	12,225	-	-	1	-	1	2	6	9	35	93	161
Male	8,343	-	-	-	-	1	2	1	7	14	56	118
Female	3,882	-	-	1	-	-	-	5	2	21	37	43
Hispanic	336	-	-	-	-	1	1	-	-	2	2	12
Male	223	-	-	-	-	1	1	-	-	-	1	7
Female	113	-	-	-	-	-	-	-	-	2	1	5
Mexican	140	-	-	-	-	1	1	-	-	1	-	5
Male	90	-	-	-	-	1	1	-	-	-	-	2
Female	50	-	-	-	-	-	-	-	-	1	-	3
Puerto Rican	43	-	-	-	-	-	-	-	-	-	-	3
Male	33	-	-	-	-	-	-	-	-	-	-	3
Female	10	-	-	-	-	-	-	-	-	-	-	-
Cuban	63	-	-	-	-	-	-	-	-	-	1	-
Male	41	-	-	-	-	-	-	-	-	-	-	-
Female	22	-	-	-	-	-	-	-	-	-	1	-
Central and South American	44	-	-	-	-	-	-	-	-	-	1	2
Male	29	-	-	-	-	-	-	-	-	-	1	1
Female	15	-	-	-	-	-	-	-	-	-	-	1
Other and unknown Hispanic	46	-	-	-	-	-	-	-	-	1	-	2
Male	30	-	-	-	-	-	-	-	-	-	-	1
Female	16	-	-	-	-	-	-	-	-	1	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
All origins	12,609	16	100	170	130	104	120	134	282	399	629	830
Male	7,015	8	52	81	64	63	66	88	174	245	393	500
Female	5,594	8	48	89	66	41	54	46	108	154	236	330
Hispanic	617	4	20	22	15	18	10	16	22	39	38	42
Male	335	1	10	12	4	13	6	11	10	21	20	29
Female	282	3	10	10	11	5	4	5	12	18	18	13
Mexican	352	2	12	18	12	12	7	11	11	27	23	24
Male	191	-	6	8	4	8	4	7	3	15	9	18
Female	161	2	6	10	8	4	3	4	8	12	14	6
Puerto Rican	59	1	2	1	1	-	2	2	4	5	2	5
Male	34	-	1	1	-	-	1	1	3	2	2	3
Female	25	1	1	-	1	-	1	1	1	3	-	2
Cuban	57	-	1	-	-	-	-	-	1	-	-	2
Male	28	-	-	-	-	-	-	-	-	-	-	1
Female	29	-	1	-	-	-	-	-	1	-	-	1
Central and South American	90	1	2	1	1	5	1	2	4	6	8	7
Male	48	1	1	1	-	4	1	2	3	3	4	4
Female	42	-	1	-	1	1	-	-	1	3	4	3
Other and unknown Hispanic	59	-	3	2	1	1	-	1	2	1	5	4
Male	34	-	2	2	-	1	-	1	1	1	5	3
Female	25	-	1	-	1	-	-	-	1	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
Non-Hispanic 1/	11,967	12	79	147	114	86	110	117	260	359	591	787
Male	6,667	7	41	68	60	50	60	77	164	223	373	471
Female	5,300	5	38	79	54	36	50	40	96	136	218	316
Non-Hispanic white	11,004	8	63	121	84	70	85	103	232	334	530	711
Male	6,154	5	35	53	43	41	47	70	147	210	337	432
Female	4,850	3	28	68	41	29	38	33	85	124	193	279
Non-Hispanic black	736	1	10	19	25	12	17	8	20	18	45	64
Male	378	-	3	12	13	6	10	4	10	8	25	34
Female	358	1	7	7	12	6	7	4	10	10	20	30
Origin not stated 2/	25	-	1	1	1	-	-	1	-	1	-	1
Male	13	-	1	1	-	-	-	-	-	1	-	-
Female	12	-	-	-	1	-	-	1	-	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
All origins	56,341	27	157	165	202	311	394	436	552	768	1,089	1,674
Male	30,060	12	82	95	122	192	234	246	328	464	669	1,002
Female	26,281	15	75	70	80	119	160	190	224	304	420	672
Hispanic	2,747	7	38	46	41	77	67	75	79	90	121	118
Male	1,577	2	21	28	20	52	47	45	54	59	83	72
Female	1,170	5	17	18	21	25	20	30	25	31	38	46
Mexican	1,559	7	31	36	33	56	46	50	54	50	69	68
Male	888	2	16	22	16	40	33	24	38	31	51	41
Female	671	5	15	14	17	16	13	26	16	19	18	27
Puerto Rican	311	-	2	2	-	5	10	10	6	12	18	18
Male	182	-	2	2	-	3	6	7	5	9	12	11
Female	129	-	-	-	-	2	4	3	1	3	6	7
Cuban	259	-	-	-	-	2	-	-	3	5	5	8
Male	158	-	-	-	-	-	-	-	1	4	3	4
Female	101	-	-	-	-	2	-	-	2	1	2	4
Central and South American	369	-	5	7	4	10	9	12	13	14	20	13
Male	201	-	3	3	2	6	6	12	7	10	11	7
Female	168	-	2	4	2	4	3	-	6	4	9	6
Other and unknown Hispanic	249	-	-	1	4	4	2	3	3	9	9	11
Male	148	-	-	1	2	3	2	2	3	5	6	9
Female	101	-	-	-	2	1	-	1	-	4	3	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
Non-Hispanic 1/	53,458	20	117	118	161	233	326	357	471	675	965	1,549
Male	28,410	10	60	67	102	140	186	200	273	404	583	925
Female	25,048	10	57	51	59	93	140	157	198	271	382	624
Non-Hispanic white	47,190	17	97	81	117	178	244	240	355	519	736	1,241
Male	25,162	8	47	45	66	110	142	137	215	300	448	758
Female	22,028	9	50	36	51	68	102	103	140	219	288	483
Non-Hispanic black	5,162	3	13	27	35	46	61	84	97	133	189	255
Male	2,642	2	9	14	29	27	30	47	51	90	109	134
Female	2,520	1	4	13	6	19	31	37	46	43	80	121
Origin not stated 2/	136	-	2	1	-	1	1	4	2	3	3	7
Male	73	-	1	-	-	-	1	1	1	1	3	5
Female	63	-	1	1	-	1	-	3	1	2	-	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
All origins	1,323	-	-	1	5	25	53	76	91	81	80	91
Male	725	-	-	1	2	15	28	39	51	50	51	54
Female	598	-	-	-	3	10	25	37	40	31	29	37
Hispanic	99	-	-	1	-	4	3	7	6	6	7	3
Male	66	-	-	1	-	3	1	3	5	3	5	1
Female	33	-	-	-	-	1	2	4	1	3	2	2
Mexican	51	-	-	1	-	4	1	5	5	2	1	-
Male	37	-	-	1	-	3	-	2	5	1	1	-
Female	14	-	-	-	-	1	1	3	-	1	-	-
Puerto Rican	17	-	-	-	-	-	2	1	-	1	3	1
Male	9	-	-	-	-	-	1	-	-	-	3	-
Female	8	-	-	-	-	-	1	1	-	1	-	1
Cuban	9	-	-	-	-	-	-	-	1	-	1	1
Male	5	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	1	-	1	1
Central and South American	13	-	-	-	-	-	-	1	-	1	2	-
Male	10	-	-	-	-	-	-	1	-	1	1	-
Female	3	-	-	-	-	-	-	-	-	-	1	-
Other and unknown Hispanic	9	-	-	-	-	-	-	-	-	2	-	1
Male	5	-	-	-	-	-	-	-	-	1	-	1
Female	4	-	-	-	-	-	-	-	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
All origins	22,305	1	1	11	27	61	87	129	169	301	455	711
Male	11,710	1	1	8	21	43	51	72	107	195	305	450
Female	10,595	-	-	3	6	18	36	57	62	106	150	261
Hispanic	1,008	-	-	2	4	11	11	20	17	33	44	55
Male	579	-	-	2	4	7	8	11	13	22	34	35
Female	429	-	-	-	-	4	3	9	4	11	10	20
Mexican	552	-	-	1	4	8	10	13	11	15	25	31
Male	322	-	-	1	4	6	7	6	8	11	23	19
Female	230	-	-	-	-	2	3	7	3	4	2	12
Puerto Rican	118	-	-	1	-	-	-	4	1	4	6	8
Male	68	-	-	1	-	-	-	2	1	3	4	6
Female	50	-	-	-	-	-	-	2	-	1	2	2
Cuban	109	-	-	-	-	1	-	-	-	4	3	5
Male	65	-	-	-	-	-	-	-	-	3	2	3
Female	44	-	-	-	-	1	-	-	-	1	1	2
Central and South American	133	-	-	-	-	2	1	2	4	6	5	7
Male	68	-	-	-	-	1	1	2	3	2	3	4
Female	65	-	-	-	-	1	-	-	1	4	2	3
Other and unknown Hispanic	96	-	-	-	-	-	-	1	1	4	5	4
Male	56	-	-	-	-	-	-	1	1	3	2	3
Female	40	-	-	-	-	-	-	-	-	1	3	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
Non-Hispanic 1/	21,246	1	1	9	23	49	76	108	150	268	410	653
Male	11,105	1	1	6	17	36	43	60	93	173	270	413
Female	10,141	-	-	3	6	13	33	48	57	95	140	240
Non-Hispanic white	19,300	1	1	8	18	33	54	69	113	201	322	528
Male	10,052	1	1	5	12	25	29	40	75	127	212	342
Female	9,248	-	-	3	6	8	25	29	38	74	110	186
Non-Hispanic black	1,478	-	-	1	4	16	16	29	33	59	70	103
Male	795	-	-	1	4	11	11	15	17	42	46	56
Female	683	-	-	-	-	5	5	14	16	17	24	47
Origin not stated 2/	51	-	-	-	-	1	-	1	2	-	1	3
Male	26	-	-	-	-	-	-	1	1	-	1	2
Female	25	-	-	-	-	1	-	-	1	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
All origins	21,451	25	155	153	170	225	254	230	283	346	433	630
Male	11,850	10	81	86	99	134	155	135	165	196	236	346
Female	9,601	15	74	67	71	91	99	95	118	150	197	284
Hispanic	1,114	7	38	43	37	62	53	47	54	46	57	49
Male	640	2	21	25	16	42	38	31	35	31	34	30
Female	474	5	17	18	21	20	15	16	19	15	23	19
Mexican	651	7	31	34	29	44	35	31	37	30	37	30
Male	367	2	16	20	12	31	26	16	25	17	23	18
Female	284	5	15	14	17	13	9	15	12	13	14	12
Puerto Rican	119	-	2	1	-	5	8	5	4	7	6	8
Male	70	-	2	1	-	3	5	5	3	6	3	5
Female	49	-	-	-	-	2	3	-	1	1	3	3
Cuban	96	-	-	-	-	1	-	-	2	1	-	1
Male	59	-	-	-	-	-	-	-	1	1	-	-
Female	37	-	-	-	-	1	-	-	1	-	-	1
Central and South American	160	-	5	7	4	8	8	9	9	6	10	6
Male	87	-	3	3	2	5	5	9	4	6	4	3
Female	73	-	2	4	2	3	3	-	5	-	6	3
Other and unknown Hispanic	88	-	-	1	4	4	2	2	2	2	4	4
Male	57	-	-	1	2	3	2	1	2	1	4	4
Female	31	-	-	-	2	1	-	1	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
Non-Hispanic 1/	20,285	18	115	109	133	163	200	180	229	298	375	578
Male	11,180	8	59	61	83	92	116	104	130	164	201	314
Female	9,105	10	56	48	50	71	84	76	99	134	174	264
Non-Hispanic white	18,105	15	95	73	95	128	152	121	177	231	293	479
Male	10,018	6	46	40	52	75	89	72	101	123	154	267
Female	8,087	9	49	33	43	53	63	49	76	108	139	212
Non-Hispanic black	1,741	3	13	26	30	26	34	37	38	53	65	75
Male	915	2	9	13	25	14	17	21	23	32	35	32
Female	826	1	4	13	5	12	17	16	15	21	30	43
Origin not stated 2/	52	-	2	1	-	-	1	3	-	2	1	3
Male	30	-	1	-	-	-	1	-	-	1	1	2
Female	22	-	1	1	-	-	-	3	-	1	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and immunoproliferative neoplasms (C88,C90)												
All origins	11,172	-	-	-	-	-	-	1	8	39	118	241
Male	5,724	-	-	-	-	-	-	-	4	22	75	151
Female	5,448	-	-	-	-	-	-	1	4	17	43	90
Hispanic	524	-	-	-	-	-	-	1	2	5	13	11
Male	291	-	-	-	-	-	-	-	1	3	10	6
Female	233	-	-	-	-	-	-	1	1	2	3	5
Mexican	303	-	-	-	-	-	-	1	1	3	6	7
Male	161	-	-	-	-	-	-	-	-	2	4	4
Female	142	-	-	-	-	-	-	1	1	1	2	3
Puerto Rican	57	-	-	-	-	-	-	-	1	-	3	1
Male	35	-	-	-	-	-	-	-	1	-	2	-
Female	22	-	-	-	-	-	-	-	-	-	1	1
Cuban	45	-	-	-	-	-	-	-	-	-	1	1
Male	29	-	-	-	-	-	-	-	-	-	1	1
Female	16	-	-	-	-	-	-	-	-	-	-	-
Central and South American	63	-	-	-	-	-	-	-	-	1	3	-
Male	36	-	-	-	-	-	-	-	-	1	3	-
Female	27	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	56	-	-	-	-	-	-	-	-	1	-	2
Male	30	-	-	-	-	-	-	-	-	-	-	1
Female	26	-	-	-	-	-	-	-	-	1	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and immunoproliferative neoplasms (C88,C90)												
Non-Hispanic 1/	10,618	-	-	-	-	-	-	-	6	33	105	230
Male	5,418	-	-	-	-	-	-	-	3	19	65	145
Female	5,200	-	-	-	-	-	-	-	3	14	40	85
Non-Hispanic white	8,641	-	-	-	-	-	-	-	2	24	57	160
Male	4,472	-	-	-	-	-	-	-	2	12	42	104
Female	4,169	-	-	-	-	-	-	-	-	12	15	56
Non-Hispanic black	1,795	-	-	-	-	-	-	-	4	9	44	65
Male	853	-	-	-	-	-	-	-	1	7	21	39
Female	942	-	-	-	-	-	-	-	3	2	23	26
Origin not stated 2/	30	-	-	-	-	-	-	-	-	1	-	-
Male	15	-	-	-	-	-	-	-	-	-	-	-
Female	15	-	-	-	-	-	-	-	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All origins	62,708	17	117	116	163	242	274	316	412	718	1,337	2,187
Male	31,663	7	73	64	89	152	194	190	252	385	723	1,231
Female	31,045	10	44	52	74	90	80	126	160	333	614	956
Hispanic	2,844	2	15	13	29	41	44	36	46	82	106	143
Male	1,455	-	9	6	16	25	39	21	35	42	53	78
Female	1,389	2	6	7	13	16	5	15	11	40	53	65
Mexican	1,646	2	9	11	18	24	36	25	30	50	62	88
Male	858	-	4	6	10	17	32	15	24	27	31	48
Female	788	2	5	5	8	7	4	10	6	23	31	40
Puerto Rican	325	-	-	-	3	4	1	3	2	12	17	19
Male	180	-	-	-	2	2	1	2	2	6	9	10
Female	145	-	-	-	1	2	-	1	-	6	8	9
Cuban	281	-	1	-	2	2	-	2	2	5	1	6
Male	153	-	1	-	2	-	-	-	1	4	1	5
Female	128	-	-	-	-	2	-	2	1	1	-	1
Central and South American	302	-	2	1	2	9	1	5	8	12	15	22
Male	119	-	2	-	-	6	1	4	5	5	8	11
Female	183	-	-	1	2	3	-	1	3	7	7	11
Other and unknown Hispanic	290	-	3	1	4	2	6	1	4	3	11	8
Male	145	-	2	-	2	-	5	-	3	-	4	4
Female	145	-	1	1	2	2	1	1	1	3	7	4

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All origins	13,676	51	58	52	53	47	55	60	91	156	210	304
Male	6,735	26	30	26	26	20	33	33	44	79	114	173
Female	6,941	25	28	26	27	27	22	27	47	77	96	131
Hispanic	543	5	13	14	7	4	4	8	12	14	25	22
Male	276	2	7	9	3	2	4	4	2	6	18	14
Female	267	3	6	5	4	2	-	4	10	8	7	8
Mexican	262	2	7	7	5	1	3	6	7	8	14	9
Male	126	1	3	3	2	1	3	3	1	5	10	5
Female	136	1	4	4	3	-	-	3	6	3	4	4
Puerto Rican	57	-	1	4	1	1	-	-	1	-	1	1
Male	30	-	1	4	-	-	-	-	-	-	1	-
Female	27	-	-	-	1	1	-	-	1	-	-	1
Cuban	95	-	-	1	-	-	1	1	-	-	1	1
Male	53	-	-	-	-	-	1	-	-	-	1	1
Female	42	-	-	1	-	-	-	1	-	-	-	-
Central and South American	64	3	2	1	1	-	-	1	4	2	8	7
Male	32	1	1	1	1	-	-	1	1	1	5	5
Female	32	2	1	-	-	-	-	-	3	1	3	2
Other and unknown Hispanic	65	-	3	1	-	2	-	-	-	4	1	4
Male	35	-	2	1	-	1	-	-	-	-	1	3
Female	30	-	1	-	-	1	-	-	-	4	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anemias (D50-D64)												
All origins	4,627	16	22	25	30	48	61	65	95	83	132	112
Male	1,774	11	12	12	15	26	33	40	55	42	49	57
Female	2,853	5	10	13	15	22	28	25	40	41	83	55
Hispanic	185	-	3	2	3	6	5	4	8	5	7	6
Male	82	-	2	2	3	2	4	3	5	3	3	2
Female	103	-	1	-	-	4	1	1	3	2	4	4
Mexican	103	-	3	2	3	3	2	-	4	1	4	3
Male	52	-	2	2	3	1	2	-	2	1	3	1
Female	51	-	1	-	-	2	-	-	2	-	1	2
Puerto Rican	19	-	-	-	-	1	-	1	-	1	-	2
Male	7	-	-	-	-	-	-	1	-	-	-	1
Female	12	-	-	-	-	1	-	-	-	1	-	1
Cuban	20	-	-	-	-	-	-	-	-	-	-	-
Male	8	-	-	-	-	-	-	-	-	-	-	-
Female	12	-	-	-	-	-	-	-	-	-	-	-
Central and South American	24	-	-	-	-	2	2	3	2	1	3	1
Male	8	-	-	-	-	1	1	2	2	-	-	-
Female	16	-	-	-	-	1	1	1	-	1	3	1
Other and unknown Hispanic	19	-	-	-	-	-	1	-	2	2	-	-
Male	7	-	-	-	-	-	1	-	1	2	-	-
Female	12	-	-	-	-	-	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anemias (D50-D64)												
Non-Hispanic 1/	4,424	15	19	23	27	41	56	61	85	77	125	105
Male	1,687	10	10	10	12	24	29	37	49	38	46	54
Female	2,737	5	9	13	15	17	27	24	36	39	79	51
Non-Hispanic white	3,350	5	8	9	13	11	11	11	16	11	30	25
Male	1,220	4	3	4	7	6	6	6	6	6	9	10
Female	2,130	1	5	5	6	5	5	5	10	5	21	15
Non-Hispanic black	993	6	11	13	13	27	45	50	67	62	92	78
Male	443	4	7	5	5	18	23	31	42	30	36	44
Female	550	2	4	8	8	9	22	19	25	32	56	34
Origin not stated 2/	18	1	-	-	-	1	-	-	2	1	-	1
Male	5	1	-	-	-	-	-	-	1	1	-	1
Female	13	-	-	-	-	1	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diabetes mellitus (E10-E14)												
All origins	71,372	2	6	7	32	48	103	215	380	735	1,223	2,063
Male	32,841	1	2	2	21	27	58	114	227	436	745	1,234
Female	38,531	1	4	5	11	21	45	101	153	299	478	829
Hispanic	5,663	1	1	-	2	8	11	20	29	69	98	229
Male	2,590	-	1	-	2	5	6	9	19	40	69	139
Female	3,073	1	-	-	-	3	5	11	10	29	29	90
Mexican	3,688	-	-	-	-	4	8	13	14	46	58	146
Male	1,663	-	-	-	-	3	4	6	8	27	40	83
Female	2,025	-	-	-	-	1	4	7	6	19	18	63
Puerto Rican	699	1	-	-	-	2	2	3	10	13	14	28
Male	326	-	-	-	-	1	2	2	8	9	12	15
Female	373	1	-	-	-	1	-	1	2	4	2	13
Cuban	428	-	-	-	-	-	-	1	-	-	7	10
Male	194	-	-	-	-	-	-	-	-	-	3	6
Female	234	-	-	-	-	-	-	1	-	-	4	4
Central and South American	332	-	-	-	1	1	1	2	1	3	6	20
Male	156	-	-	-	1	1	-	-	1	1	6	15
Female	176	-	-	-	-	-	1	2	-	2	-	5
Other and unknown Hispanic	516	-	1	-	1	1	-	1	4	7	13	25
Male	251	-	1	-	1	-	-	1	2	3	8	20
Female	265	-	-	-	-	1	-	-	2	4	5	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diabetes mellitus (E10-E14)												
Non-Hispanic 1/	65,498	1	5	7	30	40	91	193	349	665	1,122	1,825
Male	30,144	1	1	2	19	22	52	105	206	395	674	1,088
Female	35,354	-	4	5	11	18	39	88	143	270	448	737
Non-Hispanic white	51,482	-	5	3	16	20	46	105	230	442	791	1,250
Male	24,302	-	1	1	12	14	28	54	130	262	505	761
Female	27,180	-	4	2	4	6	18	51	100	180	286	489
Non-Hispanic black	12,167	1	-	4	11	17	39	83	115	202	304	507
Male	4,983	1	-	1	5	7	20	49	73	119	156	285
Female	7,184	-	-	3	6	10	19	34	42	83	148	222
Origin not stated 2/	211	-	-	-	-	-	1	2	2	1	3	9
Male	107	-	-	-	-	-	-	-	2	1	2	7
Female	104	-	-	-	-	-	1	2	-	-	1	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Major cardiovascular diseases (I00-I78)												
All origins	922,334	600	285	139	226	443	837	1,351	2,687	5,568	11,118	17,768
Male	428,065	315	149	65	119	278	529	840	1,715	3,672	7,508	12,418
Female	494,269	285	136	74	107	165	308	511	972	1,896	3,610	5,350
Hispanic	35,565	98	44	25	31	65	97	157	285	420	661	1,037
Male	18,138	53	21	14	15	40	68	109	199	296	462	748
Female	17,427	45	23	11	16	25	29	48	86	124	199	289
Mexican	18,683	66	32	21	19	39	71	103	183	251	398	610
Male	9,898	37	15	11	8	24	51	70	134	176	280	447
Female	8,785	29	17	10	11	15	20	33	49	75	118	163
Puerto Rican	4,782	9	2	2	5	6	7	24	35	59	90	138
Male	2,418	7	1	2	1	3	5	15	17	39	63	98
Female	2,364	2	1	-	4	3	2	9	18	20	27	40
Cuban	5,082	-	-	-	-	1	2	3	7	22	31	67
Male	2,411	-	-	-	-	1	1	2	6	19	21	50
Female	2,671	-	-	-	-	-	1	1	1	3	10	17
Central and South American	3,160	10	2	-	2	12	12	19	41	55	83	128
Male	1,475	1	-	-	1	7	9	16	27	42	56	86
Female	1,685	9	2	-	1	5	3	3	14	13	27	42
Other and unknown Hispanic	3,858	13	8	2	5	7	5	8	19	33	59	94
Male	1,936	8	5	1	5	5	2	6	15	20	42	67
Female	1,922	5	3	1	-	2	3	2	4	13	17	27

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Major cardiovascular diseases (I00-I78)												
Non-Hispanic 1/	883,949	499	239	113	195	375	733	1,187	2,391	5,128	10,408	16,651
Male	408,437	260	128	51	104	235	457	725	1,506	3,362	7,004	11,613
Female	475,512	239	111	62	91	140	276	462	885	1,766	3,404	5,038
Non-Hispanic white	764,021	289	140	75	129	241	430	720	1,520	3,432	7,092	11,734
Male	352,013	160	75	36	72	148	277	454	987	2,322	5,057	8,582
Female	412,008	129	65	39	57	93	153	266	533	1,110	2,035	3,152
Non-Hispanic black	103,213	184	86	33	52	123	272	429	780	1,500	3,006	4,432
Male	47,646	93	45	12	27	80	160	251	455	898	1,727	2,683
Female	55,567	91	41	21	25	43	112	178	325	602	1,279	1,749
Origin not stated 2/	2,820	3	2	1	-	3	7	7	11	20	49	80
Male	1,490	2	-	-	-	3	4	6	10	14	42	57
Female	1,330	1	2	1	-	-	3	1	1	6	7	23

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of heart (I00-I09,I11,I13,I20-I51)												
All origins	700,142	479	225	98	174	347	652	1,052	2,108	4,419	8,907	14,390
Male	339,095	243	121	43	95	223	424	672	1,396	3,038	6,308	10,491
Female	361,047	236	104	55	79	124	228	380	712	1,381	2,599	3,899
Hispanic	27,090	79	33	17	21	45	67	115	199	302	448	736
Male	14,195	43	16	9	10	27	49	84	142	228	337	565
Female	12,895	36	17	8	11	18	18	31	57	74	111	171
Mexican	13,800	53	23	14	12	25	50	79	127	186	254	421
Male	7,531	30	10	7	5	15	37	56	94	138	193	334
Female	6,269	23	13	7	7	10	13	23	33	48	61	87
Puerto Rican	3,825	8	2	1	4	4	5	17	28	44	67	106
Male	1,968	7	1	1	1	2	4	11	14	31	51	75
Female	1,857	1	1	-	3	2	1	6	14	13	16	31
Cuban	4,263	-	-	-	-	-	1	3	7	16	24	56
Male	2,047	-	-	-	-	-	1	2	6	15	18	45
Female	2,216	-	-	-	-	-	-	1	1	1	6	11
Central and South American	2,326	8	2	-	2	11	7	12	25	33	57	85
Male	1,129	-	-	-	1	6	6	11	19	29	42	60
Female	1,197	8	2	-	1	5	1	1	6	4	15	25
Other and unknown Hispanic	2,876	10	6	2	3	5	4	4	12	23	46	68
Male	1,520	6	5	1	3	4	1	4	9	15	33	51
Female	1,356	4	1	1	-	1	3	-	3	8	13	17

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of heart (I00-I09,I11,I13,I20-I51)												
Non-Hispanic 1/	670,787	397	191	81	153	299	578	933	1,901	4,100	8,415	13,588
Male	323,673	198	105	34	85	193	371	585	1,247	2,799	5,934	9,876
Female	347,114	199	86	47	68	106	207	348	654	1,301	2,481	3,712
Non-Hispanic white	582,349	234	108	52	100	186	336	563	1,212	2,803	5,931	9,888
Male	280,713	127	59	23	57	117	219	367	817	1,984	4,411	7,516
Female	301,636	107	49	29	43	69	117	196	395	819	1,520	2,372
Non-Hispanic black	76,794	140	73	27	43	104	218	339	622	1,162	2,262	3,345
Male	36,541	65	40	10	24	69	136	199	379	715	1,356	2,087
Female	40,253	75	33	17	19	35	82	140	243	447	906	1,258
Origin not stated 2/	2,265	3	1	-	-	3	7	4	8	17	44	66
Male	1,227	2	-	-	-	3	4	3	7	11	37	50
Female	1,038	1	1	-	-	-	3	1	1	6	7	16

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
All origins	24,689	-	-	1	-	6	18	65	181	352	739	1,050
Male	10,451	-	-	-	-	4	13	40	129	234	506	715
Female	14,238	-	-	1	-	2	5	25	52	118	233	335
Hispanic	1,211	-	-	-	-	1	4	9	13	42	51	59
Male	648	-	-	-	-	1	3	6	9	37	38	43
Female	563	-	-	-	-	-	1	3	4	5	13	16
Mexican	586	-	-	-	-	-	3	6	7	25	27	26
Male	308	-	-	-	-	-	2	4	6	21	20	22
Female	278	-	-	-	-	-	1	2	1	4	7	4
Puerto Rican	198	-	-	-	-	-	-	2	4	7	9	10
Male	114	-	-	-	-	-	-	1	2	6	8	6
Female	84	-	-	-	-	-	-	1	2	1	1	4
Cuban	147	-	-	-	-	-	-	-	-	-	2	6
Male	90	-	-	-	-	-	-	-	-	-	1	6
Female	57	-	-	-	-	-	-	-	-	-	1	-
Central and South American	175	-	-	-	-	1	-	-	1	7	11	11
Male	83	-	-	-	-	1	-	-	1	7	7	7
Female	92	-	-	-	-	-	-	-	-	-	4	4
Other and unknown Hispanic	105	-	-	-	-	-	1	1	1	3	2	6
Male	53	-	-	-	-	-	1	1	-	3	2	2
Female	52	-	-	-	-	-	-	-	1	-	-	4

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
Non-Hispanic 1/	23,343	-	-	1	-	5	13	56	166	307	684	982
Male	9,725	-	-	-	-	3	9	34	118	196	464	667
Female	13,618	-	-	1	-	2	4	22	48	111	220	315
Non-Hispanic white	16,991	-	-	-	-	3	2	27	75	156	337	512
Male	6,728	-	-	-	-	2	1	18	62	114	253	369
Female	10,263	-	-	-	-	1	1	9	13	42	84	143
Non-Hispanic black	5,880	-	-	1	-	2	11	28	86	147	327	451
Male	2,760	-	-	-	-	1	8	15	52	79	196	282
Female	3,120	-	-	1	-	1	3	13	34	68	131	169
Origin not stated 2/	135	-	-	-	-	-	1	-	2	3	4	9
Male	78	-	-	-	-	-	1	-	2	1	4	5
Female	57	-	-	-	-	-	-	-	-	2	-	4

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
All origins	502,189	26	9	4	16	31	132	279	837	2,212	5,322	9,461
Male	254,005	17	3	2	11	24	95	211	619	1,667	4,045	7,323
Female	248,184	9	6	2	5	7	37	68	218	545	1,277	2,138
Hispanic	20,664	4	1	-	4	5	13	32	77	128	240	495
Male	11,019	3	1	-	1	4	9	27	63	105	190	398
Female	9,645	1	-	-	3	1	4	5	14	23	50	97
Mexican	10,402	2	1	-	2	2	10	23	49	69	134	290
Male	5,813	1	1	-	-	1	6	21	39	56	107	235
Female	4,589	1	-	-	2	1	4	2	10	13	27	55
Puerto Rican	2,974	1	-	-	1	1	1	5	10	21	37	69
Male	1,546	1	-	-	-	1	1	3	7	17	29	49
Female	1,428	-	-	-	1	-	-	2	3	4	8	20
Cuban	3,487	-	-	-	-	-	1	1	3	11	18	41
Male	1,682	-	-	-	-	-	1	-	3	10	15	35
Female	1,805	-	-	-	-	-	-	1	-	1	3	6
Central and South American	1,699	-	-	-	1	1	1	2	9	15	25	48
Male	839	-	-	-	1	1	1	2	9	13	20	39
Female	860	-	-	-	-	-	-	-	-	2	5	9
Other and unknown Hispanic	2,102	1	-	-	-	1	-	1	6	12	26	47
Male	1,139	1	-	-	-	1	-	1	5	9	19	40
Female	963	-	-	-	-	-	-	-	1	3	7	7

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
Non-Hispanic 1/	479,842	21	8	4	12	26	118	247	757	2,077	5,058	8,932
Male	242,054	13	2	2	10	20	85	184	553	1,558	3,834	6,896
Female	237,788	8	6	2	2	6	33	63	204	519	1,224	2,036
Non-Hispanic white	420,959	14	5	3	7	17	69	167	551	1,582	3,874	6,918
Male	212,928	10	1	2	6	12	53	130	409	1,208	3,042	5,546
Female	208,031	4	4	1	1	5	16	37	142	374	832	1,372
Non-Hispanic black	50,295	7	3	1	4	9	43	72	174	434	1,040	1,772
Male	24,255	3	1	-	3	8	27	48	119	297	677	1,156
Female	26,040	4	2	1	1	1	16	24	55	137	363	616
Origin not stated 2/	1,683	1	-	-	-	-	1	-	3	7	24	34
Male	932	1	-	-	-	-	1	-	3	4	21	29
Female	751	-	-	-	-	-	-	-	-	3	3	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
All origins	314,081	8	7	3	8	16	76	172	455	1,256	3,008	5,244
Male	156,410	5	1	2	6	10	55	140	347	958	2,305	4,088
Female	157,671	3	6	1	2	6	21	32	108	298	703	1,156
Hispanic	13,198	-	-	-	3	2	10	19	44	83	145	293
Male	7,005	-	-	-	1	1	6	17	36	71	113	232
Female	6,193	-	-	-	2	1	4	2	8	12	32	61
Mexican	6,358	-	-	-	1	1	8	14	25	43	74	160
Male	3,548	-	-	-	-	-	4	13	20	37	59	126
Female	2,810	-	-	-	1	1	4	1	5	6	15	34
Puerto Rican	2,034	-	-	-	1	-	-	1	8	13	24	41
Male	1,057	-	-	-	-	-	-	1	6	12	20	28
Female	977	-	-	-	1	-	-	-	2	1	4	13
Cuban	2,262	-	-	-	-	-	1	1	1	7	11	28
Male	1,085	-	-	-	-	-	1	-	1	6	8	25
Female	1,177	-	-	-	-	-	-	1	-	1	3	3
Central and South American	1,179	-	-	-	1	-	1	2	5	9	17	39
Male	592	-	-	-	1	-	1	2	5	8	12	33
Female	587	-	-	-	-	-	-	-	-	1	5	6
Other and unknown Hispanic	1,365	-	-	-	-	1	-	1	5	11	19	25
Male	723	-	-	-	-	1	-	1	4	8	14	20
Female	642	-	-	-	-	-	-	-	1	3	5	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
Non-Hispanic 1/	299,663	7	7	3	5	14	65	153	409	1,168	2,851	4,928
Male	148,724	4	1	2	5	9	48	123	309	885	2,182	3,836
Female	150,939	3	6	1	-	5	17	30	100	283	669	1,092
Non-Hispanic white	262,891	3	4	3	4	8	38	106	288	875	2,152	3,713
Male	130,367	2	-	2	4	4	30	91	220	674	1,697	2,992
Female	132,524	1	4	1	-	4	8	15	68	201	455	721
Non-Hispanic black	31,443	4	3	-	1	6	22	44	103	258	615	1,064
Male	15,378	2	1	-	1	5	14	30	75	183	418	724
Female	16,065	2	2	-	-	1	8	14	28	75	197	340
Origin not stated 2/	1,220	1	-	-	-	-	1	-	2	5	12	23
Male	681	1	-	-	-	-	1	-	2	2	10	20
Female	539	-	-	-	-	-	-	-	-	3	2	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
All origins	68,103	-	-	-	-	3	17	39	140	402	1,055	1,838
Male	35,440	-	-	-	-	2	14	30	103	315	815	1,488
Female	32,663	-	-	-	-	1	3	9	37	87	240	350
Hispanic	3,150	-	-	-	-	-	1	8	17	26	55	120
Male	1,928	-	-	-	-	-	-	8	13	22	41	96
Female	1,222	-	-	-	-	-	1	-	4	4	14	24
Mexican	1,610	-	-	-	-	-	1	7	9	12	28	70
Male	1,022	-	-	-	-	-	-	7	7	11	20	55
Female	588	-	-	-	-	-	1	-	2	1	8	15
Puerto Rican	472	-	-	-	-	-	-	1	3	4	9	16
Male	291	-	-	-	-	-	-	1	1	4	7	12
Female	181	-	-	-	-	-	-	-	2	-	2	4
Cuban	305	-	-	-	-	-	-	-	1	1	3	6
Male	166	-	-	-	-	-	-	-	1	1	3	5
Female	139	-	-	-	-	-	-	-	-	-	-	1
Central and South American	328	-	-	-	-	-	-	-	3	3	8	17
Male	194	-	-	-	-	-	-	-	3	3	7	15
Female	134	-	-	-	-	-	-	-	-	-	1	2
Other and unknown Hispanic	435	-	-	-	-	-	-	-	1	6	7	11
Male	255	-	-	-	-	-	-	-	1	3	4	9
Female	180	-	-	-	-	-	-	-	-	3	3	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
Non-Hispanic 1/	64,534	-	-	-	-	3	16	31	123	373	993	1,706
Male	33,247	-	-	-	-	2	14	22	90	292	767	1,381
Female	31,287	-	-	-	-	1	2	9	33	81	226	325
Non-Hispanic white	53,031	-	-	-	-	2	9	20	88	275	724	1,244
Male	26,960	-	-	-	-	1	7	15	67	221	573	1,042
Female	26,071	-	-	-	-	1	2	5	21	54	151	202
Non-Hispanic black	10,156	-	-	-	-	1	6	11	27	89	235	408
Male	5,476	-	-	-	-	1	6	7	17	64	166	291
Female	4,680	-	-	-	-	-	-	4	10	25	69	117
Origin not stated 2/	419	-	-	-	-	-	-	-	-	3	7	12
Male	265	-	-	-	-	-	-	-	-	1	7	11
Female	154	-	-	-	-	-	-	-	-	2	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
All origins	245,978	8	7	3	8	13	59	133	315	854	1,953	3,406
Male	120,970	5	1	2	6	8	41	110	244	643	1,490	2,600
Female	125,008	3	6	1	2	5	18	23	71	211	463	806
Hispanic	10,048	-	-	-	3	2	9	11	27	57	90	173
Male	5,077	-	-	-	1	1	6	9	23	49	72	136
Female	4,971	-	-	-	2	1	3	2	4	8	18	37
Mexican	4,748	-	-	-	1	1	7	7	16	31	46	90
Male	2,526	-	-	-	-	-	4	6	13	26	39	71
Female	2,222	-	-	-	1	1	3	1	3	5	7	19
Puerto Rican	1,562	-	-	-	1	-	-	-	5	9	15	25
Male	766	-	-	-	-	-	-	-	5	8	13	16
Female	796	-	-	-	1	-	-	-	-	1	2	9
Cuban	1,957	-	-	-	-	-	1	1	-	6	8	22
Male	919	-	-	-	-	-	1	-	-	5	5	20
Female	1,038	-	-	-	-	-	-	1	-	1	3	2
Central and South American	851	-	-	-	1	-	1	2	2	6	9	22
Male	398	-	-	-	1	-	1	2	2	5	5	18
Female	453	-	-	-	-	-	-	-	-	1	4	4
Other and unknown Hispanic	930	-	-	-	-	1	-	1	4	5	12	14
Male	468	-	-	-	-	1	-	1	3	5	10	11
Female	462	-	-	-	-	-	-	-	1	-	2	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
Non-Hispanic 1/	235,129	7	7	3	5	11	49	122	286	795	1,858	3,222
Male	115,477	4	1	2	5	7	34	101	219	593	1,415	2,455
Female	119,652	3	6	1	-	4	15	21	67	202	443	767
Non-Hispanic white	209,860	3	4	3	4	6	29	86	200	600	1,428	2,469
Male	103,407	2	-	2	4	3	23	76	153	453	1,124	1,950
Female	106,453	1	4	1	-	3	6	10	47	147	304	519
Non-Hispanic black	21,287	4	3	-	1	5	16	33	76	169	380	656
Male	9,902	2	1	-	1	4	8	23	58	119	252	433
Female	11,385	2	2	-	-	1	8	10	18	50	128	223
Origin not stated 2/	801	1	-	-	-	-	1	-	2	2	5	11
Male	416	1	-	-	-	-	1	-	2	1	3	9
Female	385	-	-	-	-	-	-	-	-	1	2	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
All origins	166,949	449	215	92	154	305	489	687	1,049	1,770	2,702	3,708
Male	72,439	222	117	41	82	193	307	413	624	1,099	1,678	2,361
Female	94,510	227	98	51	72	112	182	274	425	671	1,024	1,347
Hispanic	4,899	75	31	17	16	39	47	73	106	123	145	171
Male	2,401	40	14	9	8	22	35	51	68	83	102	120
Female	2,498	35	17	8	8	17	12	22	38	40	43	51
Mexican	2,619	51	21	14	10	23	34	49	69	85	86	97
Male	1,340	29	8	7	5	14	27	31	48	59	62	76
Female	1,279	22	13	7	5	9	7	18	21	26	24	21
Puerto Rican	625	7	2	1	3	3	4	10	14	15	20	26
Male	296	6	1	1	1	1	3	7	5	8	13	19
Female	329	1	1	-	2	2	1	3	9	7	7	7
Cuban	599	-	-	-	-	-	-	2	4	5	3	9
Male	259	-	-	-	-	-	-	2	3	5	1	4
Female	340	-	-	-	-	-	-	-	1	-	2	5
Central and South American	426	8	2	-	1	9	6	10	14	10	20	24
Male	194	-	-	-	-	4	5	9	8	8	15	12
Female	232	8	2	-	1	5	1	1	6	2	5	12
Other and unknown Hispanic	630	9	6	2	2	4	3	2	5	8	16	15
Male	312	5	5	1	2	3	-	2	4	3	11	9
Female	318	4	1	1	-	1	3	-	1	5	5	6

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
Non-Hispanic 1/	161,625	372	183	75	138	264	437	610	940	1,640	2,544	3,516
Male	69,830	181	103	32	74	169	270	359	554	1,010	1,566	2,227
Female	91,795	191	80	43	64	95	167	251	386	630	978	1,289
Non-Hispanic white	139,716	219	103	48	92	164	258	363	574	1,039	1,657	2,382
Male	59,513	116	58	21	51	102	159	216	339	650	1,081	1,562
Female	80,203	103	45	27	41	62	99	147	235	389	576	820
Non-Hispanic black	19,496	130	70	25	38	91	161	228	339	537	833	1,050
Male	9,070	59	39	10	21	60	100	133	194	318	450	605
Female	10,426	71	31	15	17	31	61	95	145	219	383	445
Origin not stated 2/	425	2	1	-	-	2	5	4	3	7	13	21
Male	208	1	-	-	-	2	2	3	2	6	10	14
Female	217	1	1	-	-	-	3	1	1	1	3	7

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
All origins	839	32	26	12	9	14	26	20	30	43	50	57
Male	401	18	15	2	5	7	15	16	17	24	17	30
Female	438	14	11	10	4	7	11	4	13	19	33	27
Hispanic	58	2	4	1	1	1	3	5	6	1	4	3
Male	25	1	2	-	1	-	2	5	1	1	2	1
Female	33	1	2	1	-	1	1	-	5	-	2	2
Mexican	27	1	2	1	-	1	2	1	2	-	2	1
Male	10	-	-	-	-	-	1	1	-	-	1	1
Female	17	1	2	1	-	1	1	-	2	-	1	-
Puerto Rican	12	-	1	-	-	-	1	2	2	-	1	-
Male	4	-	1	-	-	-	1	2	-	-	-	-
Female	8	-	-	-	-	-	-	-	2	-	1	-
Cuban	6	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	1
Central and South American	5	-	-	-	-	-	-	2	-	1	-	-
Male	4	-	-	-	-	-	-	2	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	8	1	1	-	1	-	-	-	2	-	1	1
Male	6	1	1	-	1	-	-	-	1	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
Non-Hispanic 1/	779	30	22	11	8	13	23	14	24	41	46	54
Male	375	17	13	2	4	7	13	10	16	23	15	29
Female	404	13	9	9	4	6	10	4	8	18	31	25
Non-Hispanic white	600	13	10	8	6	9	14	9	17	26	29	40
Male	286	10	6	2	3	3	7	6	12	14	13	20
Female	314	3	4	6	3	6	7	3	5	12	16	20
Non-Hispanic black	157	14	12	3	1	4	9	5	5	10	14	14
Male	78	5	7	-	1	4	6	4	3	5	2	9
Female	79	9	5	3	-	-	3	1	2	5	12	5
Origin not stated 2/	2	-	-	-	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
All origins	107,998	392	172	71	136	269	443	617	948	1,566	2,389	3,205
Male	49,738	187	97	34	73	173	284	367	564	974	1,518	2,036
Female	58,260	205	75	37	63	96	159	250	384	592	871	1,169
Hispanic	3,421	65	24	15	15	37	43	64	89	107	127	145
Male	1,777	33	11	9	7	21	32	43	59	69	92	100
Female	1,644	32	13	6	8	16	11	21	30	38	35	45
Mexican	1,773	44	16	12	10	22	31	45	61	74	73	76
Male	977	24	7	7	5	14	25	28	43	50	55	57
Female	796	20	9	5	5	8	6	17	18	24	18	19
Puerto Rican	430	7	1	1	3	3	3	8	10	13	18	24
Male	223	6	-	1	1	1	2	5	5	6	13	18
Female	207	1	1	-	2	2	1	3	5	7	5	6
Cuban	468	-	-	-	-	-	-	2	4	5	3	8
Male	213	-	-	-	-	-	-	2	3	5	1	4
Female	255	-	-	-	-	-	-	-	1	-	2	4
Central and South American	335	8	2	-	1	9	6	8	13	7	18	24
Male	158	-	-	-	-	4	5	7	7	5	13	12
Female	177	8	2	-	1	5	1	1	6	2	5	12
Other and unknown Hispanic	415	6	5	2	1	3	3	1	1	8	15	13
Male	206	3	4	1	1	2	-	1	1	3	10	9
Female	209	3	1	1	-	1	3	-	-	5	5	4

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
Non-Hispanic 1/	104,292	325	147	56	121	230	395	551	856	1,453	2,250	3,044
Male	47,812	153	86	25	66	150	250	323	503	899	1,417	1,925
Female	56,480	172	61	31	55	80	145	228	353	554	833	1,119
Non-Hispanic white	88,469	194	81	35	78	142	235	325	522	922	1,487	2,068
Male	40,015	99	48	16	45	90	149	197	308	584	983	1,352
Female	48,454	95	33	19	33	52	86	128	214	338	504	716
Non-Hispanic black	14,012	111	56	19	37	80	142	207	310	477	716	898
Male	6,822	50	32	8	20	54	90	116	176	279	401	518
Female	7,190	61	24	11	17	26	52	91	134	198	315	380
Origin not stated 2/	285	2	1	-	-	2	5	2	3	6	12	16
Male	149	1	-	-	-	2	2	1	2	6	9	11
Female	136	1	1	-	-	-	3	1	1	-	3	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
All origins	163,538	108	54	38	42	68	128	199	402	840	1,651	2,507
Male	63,177	63	25	21	21	36	67	105	206	435	832	1,354
Female	100,361	45	29	17	21	32	61	94	196	405	819	1,153
Hispanic	6,416	17	10	7	9	13	27	34	65	102	173	239
Male	2,982	9	4	5	5	8	18	20	40	58	93	141
Female	3,434	8	6	2	4	5	9	14	25	44	80	98
Mexican	3,755	11	8	6	6	11	20	19	42	58	120	150
Male	1,813	6	4	4	3	6	14	10	28	33	67	87
Female	1,942	5	4	2	3	5	6	9	14	25	53	63
Puerto Rican	731	1	-	1	1	-	-	6	5	12	20	27
Male	359	-	-	1	-	-	-	4	2	7	10	20
Female	372	1	-	-	1	-	-	2	3	5	10	7
Cuban	585	-	-	-	-	-	1	-	-	4	4	7
Male	258	-	-	-	-	-	-	-	-	3	1	2
Female	327	-	-	-	-	-	1	-	-	1	3	5
Central and South American	637	2	-	-	-	1	5	7	15	20	20	37
Male	265	1	-	-	-	1	3	5	8	12	9	22
Female	372	1	-	-	-	-	2	2	7	8	11	15
Other and unknown Hispanic	708	3	2	-	2	1	1	2	3	8	9	18
Male	287	2	-	-	2	1	1	1	2	3	6	10
Female	421	1	2	-	-	-	-	1	1	5	3	8

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of circulatory system (I71-I78)												
All origins	25,318	12	4	2	9	23	38	67	103	194	304	421
Male	13,396	8	2	-	3	17	23	43	72	132	203	291
Female	11,922	4	2	2	6	6	15	24	31	62	101	130
Hispanic	754	2	1	1	1	6	1	7	12	11	26	31
Male	424	1	1	-	-	4	-	4	10	6	20	20
Female	330	1	-	1	1	2	1	3	2	5	6	11
Mexican	412	2	1	1	1	3	-	5	9	4	14	20
Male	242	1	1	-	-	3	-	4	8	2	12	12
Female	170	1	-	1	1	-	-	1	1	2	2	8
Puerto Rican	71	-	-	-	-	1	1	1	-	3	1	2
Male	35	-	-	-	-	-	-	-	-	1	-	1
Female	36	-	-	-	-	1	1	1	-	2	1	1
Cuban	104	-	-	-	-	1	-	-	-	2	2	3
Male	60	-	-	-	-	1	-	-	-	1	1	3
Female	44	-	-	-	-	-	-	-	-	1	1	-
Central and South American	70	-	-	-	-	-	-	-	1	1	6	3
Male	37	-	-	-	-	-	-	-	-	1	5	2
Female	33	-	-	-	-	-	-	-	1	-	1	1
Other and unknown Hispanic	97	-	-	-	-	1	-	1	2	1	3	3
Male	50	-	-	-	-	-	-	-	2	1	2	2
Female	47	-	-	-	-	1	-	1	-	-	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)												
All origins	10,084	12	2	2	5	8	10	21	32	60	106	134
Male	4,282	8	-	-	-	5	4	9	16	27	44	72
Female	5,802	4	2	2	5	3	6	12	16	33	62	62
Hispanic	351	2	-	1	1	3	-	3	2	3	10	13
Male	145	1	-	-	-	2	-	-	-	-	6	6
Female	206	1	-	1	1	1	-	3	2	3	4	7
Mexican	209	2	-	1	1	1	-	1	1	1	5	8
Male	101	1	-	-	-	1	-	-	-	-	5	4
Female	108	1	-	1	1	-	-	1	1	1	-	4
Puerto Rican	30	-	-	-	-	-	-	1	-	1	1	1
Male	6	-	-	-	-	-	-	-	-	-	-	-
Female	24	-	-	-	-	-	-	1	-	1	1	1
Cuban	48	-	-	-	-	1	-	-	-	1	2	-
Male	19	-	-	-	-	1	-	-	-	-	1	-
Female	29	-	-	-	-	-	-	-	-	1	1	-
Central and South American	23	-	-	-	-	-	-	-	1	-	1	2
Male	5	-	-	-	-	-	-	-	-	-	-	1
Female	18	-	-	-	-	-	-	-	1	-	1	1
Other and unknown Hispanic	41	-	-	-	-	1	-	1	-	-	1	2
Male	14	-	-	-	-	-	-	-	-	-	-	1
Female	27	-	-	-	-	1	-	1	-	-	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza and pneumonia (J10-J18)												
All origins	62,034	299	112	46	46	66	115	124	215	393	590	810
Male	27,342	167	57	23	24	36	70	64	127	219	337	497
Female	34,692	132	55	23	22	30	45	60	88	174	253	313
Hispanic	2,722	57	32	5	5	7	11	10	13	32	41	56
Male	1,309	31	16	3	3	6	9	7	7	20	28	47
Female	1,413	26	16	2	2	1	2	3	6	12	13	9
Mexican	1,498	39	25	4	2	4	8	4	7	20	29	35
Male	757	19	13	2	1	3	7	3	5	13	20	31
Female	741	20	12	2	1	1	1	1	2	7	9	4
Puerto Rican	397	9	2	-	2	1	1	2	2	3	6	12
Male	185	8	-	-	2	1	1	2	1	1	5	9
Female	212	1	2	-	-	-	-	-	1	2	1	3
Cuban	296	-	-	-	-	-	-	1	1	-	2	2
Male	116	-	-	-	-	-	-	-	-	-	-	2
Female	180	-	-	-	-	-	-	1	1	-	2	-
Central and South American	223	3	2	1	-	2	2	1	-	3	1	3
Male	96	2	1	1	-	2	1	-	-	2	1	3
Female	127	1	1	-	-	-	1	1	-	1	-	-
Other and unknown Hispanic	308	6	3	-	1	-	-	2	3	6	3	4
Male	155	2	2	-	-	-	-	2	1	4	2	2
Female	153	4	1	-	1	-	-	-	2	2	1	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza and pneumonia (J10-J18)												
Non-Hispanic 1/	59,103	240	79	41	41	59	104	112	200	360	546	752
Male	25,926	135	41	20	21	30	61	57	118	198	306	448
Female	33,177	105	38	21	20	29	43	55	82	162	240	304
Non-Hispanic white	51,952	117	48	28	29	39	69	72	135	243	362	516
Male	22,389	71	26	14	14	18	46	33	79	131	202	311
Female	29,563	46	22	14	15	21	23	39	56	112	160	205
Non-Hispanic black	5,686	103	24	9	8	16	29	31	56	109	165	219
Male	2,769	52	13	4	5	11	12	17	35	62	93	128
Female	2,917	51	11	5	3	5	17	14	21	47	72	91
Origin not stated 2/	209	2	1	-	-	-	-	2	2	1	3	2
Male	107	1	-	-	-	-	-	-	2	1	3	2
Female	102	1	1	-	-	-	-	2	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
All origins	61,777	292	106	37	43	62	112	120	209	392	585	802
Male	27,241	161	55	20	23	33	67	61	124	218	336	492
Female	34,536	131	51	17	20	29	45	59	85	174	249	310
Hispanic	2,709	57	29	4	5	6	11	10	13	32	40	55
Male	1,302	31	14	2	3	5	9	7	7	20	28	46
Female	1,407	26	15	2	2	1	2	3	6	12	12	9
Mexican	1,490	39	23	4	2	4	8	4	7	20	29	34
Male	754	19	12	2	1	3	7	3	5	13	20	30
Female	736	20	11	2	1	1	1	1	2	7	9	4
Puerto Rican	397	9	2	-	2	1	1	2	2	3	6	12
Male	185	8	-	-	2	1	1	2	1	1	5	9
Female	212	1	2	-	-	-	-	-	1	2	1	3
Cuban	294	-	-	-	-	-	-	1	1	-	1	2
Male	115	-	-	-	-	-	-	-	-	-	-	2
Female	179	-	-	-	-	-	-	1	1	-	1	-
Central and South American	221	3	2	-	-	1	2	1	-	3	1	3
Male	94	2	1	-	-	1	1	-	-	2	1	3
Female	127	1	1	-	-	-	1	1	-	1	-	-
Other and unknown Hispanic	307	6	2	-	1	-	-	2	3	6	3	4
Male	154	2	1	-	-	-	-	2	1	4	2	2
Female	153	4	1	-	1	-	-	-	2	2	1	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
Non-Hispanic 1/	58,859	233	76	33	38	56	101	108	194	359	542	745
Male	25,832	129	41	18	20	28	58	54	115	197	305	444
Female	33,027	104	35	15	18	28	43	54	79	162	237	301
Non-Hispanic white	51,736	110	46	24	27	37	67	70	130	242	360	509
Male	22,308	65	26	13	13	17	44	32	77	130	201	307
Female	29,428	45	20	11	14	20	23	38	53	112	159	202
Non-Hispanic black	5,666	103	24	7	8	15	29	30	55	109	164	219
Male	2,759	52	13	4	5	10	12	16	34	62	93	128
Female	2,907	51	11	3	3	5	17	14	21	47	71	91
Origin not stated 2/	209	2	1	-	-	-	-	2	2	1	3	2
Male	107	1	-	-	-	-	-	-	2	1	3	2
Female	102	1	1	-	-	-	-	2	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
All origins	347	50	18	3	-	-	1	1	1	7	5	4
Male	117	26	8	2	-	-	1	-	-	4	3	1
Female	230	24	10	1	-	-	-	1	1	3	2	3
Hispanic	22	8	1	-	-	-	-	-	1	-	-	-
Male	9	6	-	-	-	-	-	-	-	-	-	-
Female	13	2	1	-	-	-	-	-	1	-	-	-
Mexican	12	3	1	-	-	-	-	-	-	-	-	-
Male	3	2	-	-	-	-	-	-	-	-	-	-
Female	9	1	1	-	-	-	-	-	-	-	-	-
Puerto Rican	1	1	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	3	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-
Central and South American	2	2	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	4	2	-	-	-	-	-	-	1	-	-	-
Male	3	2	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Acute bronchitis and bronchiolitis (J20-J21)

All origins	263	49	18	3	-	-	1	1	1	6	5	4
Male	89	25	8	2	-	-	1	-	-	3	3	1
Female	174	24	10	1	-	-	-	1	1	3	2	3
Hispanic	17	8	1	-	-	-	-	-	1	-	-	-
Male	7	6	-	-	-	-	-	-	-	-	-	-
Female	10	2	1	-	-	-	-	-	1	-	-	-
Mexican	8	3	1	-	-	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	-	-	-	-	-	-
Female	6	1	1	-	-	-	-	-	-	-	-	-
Puerto Rican	1	1	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	2	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-
Central and South American	2	2	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	4	2	-	-	-	-	-	-	1	-	-	-
Male	3	2	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
All origins	123,013	41	43	42	62	74	97	102	188	355	614	1,127
Male	59,697	22	29	24	37	43	56	55	91	171	284	591
Female	63,316	19	14	18	25	31	41	47	97	184	330	536
Hispanic	2,832	7	8	2	7	7	3	10	12	25	27	47
Male	1,482	4	4	1	5	4	2	6	7	12	9	22
Female	1,350	3	4	1	2	3	1	4	5	13	18	25
Mexican	1,305	5	4	1	1	6	1	2	4	10	12	15
Male	731	2	2	-	1	3	-	-	1	7	5	3
Female	574	3	2	1	-	3	1	2	3	3	7	12
Puerto Rican	448	-	1	-	5	1	-	3	5	7	6	17
Male	211	-	1	-	3	1	-	2	4	2	1	12
Female	237	-	-	-	2	-	-	1	1	5	5	5
Cuban	430	-	-	-	-	-	-	1	-	3	2	4
Male	217	-	-	-	-	-	-	1	-	-	1	2
Female	213	-	-	-	-	-	-	-	-	3	1	2
Central and South American	209	-	3	-	1	-	-	3	3	2	4	7
Male	80	-	1	-	1	-	-	3	2	1	1	3
Female	129	-	2	-	-	-	-	-	1	1	3	4
Other and unknown Hispanic	440	2	-	1	-	-	2	1	-	3	3	4
Male	243	2	-	1	-	-	2	-	-	2	1	2
Female	197	-	-	-	-	-	-	1	-	1	2	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
Non-Hispanic 1/	119,839	34	35	40	54	67	94	92	175	328	581	1,073
Male	58,028	18	25	23	32	39	54	49	84	158	270	565
Female	61,811	16	10	17	22	28	40	43	91	170	311	508
Non-Hispanic white	110,753	16	13	16	23	33	42	43	91	187	426	831
Male	52,952	10	9	9	13	15	24	23	39	97	196	456
Female	57,801	6	4	7	10	18	18	20	52	90	230	375
Non-Hispanic black	7,504	16	22	23	30	30	47	47	81	131	142	222
Male	4,143	6	16	14	18	22	26	26	43	58	66	101
Female	3,361	10	6	9	12	8	21	21	38	73	76	121
Origin not stated 2/	342	-	-	-	1	-	-	-	1	2	6	7
Male	187	-	-	-	-	-	-	-	-	1	5	4
Female	155	-	-	-	1	-	-	-	1	1	1	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
All origins	4,269	10	31	41	58	60	80	88	145	207	248	279
Male	1,479	6	22	24	33	35	45	49	67	93	102	103
Female	2,790	4	9	17	25	25	35	39	78	114	146	176
Hispanic	274	2	5	2	6	5	3	8	9	16	15	20
Male	103	2	3	1	4	4	2	5	5	8	5	6
Female	171	-	2	1	2	1	1	3	4	8	10	14
Mexican	96	2	3	1	-	4	1	1	2	6	4	5
Male	38	2	2	-	-	3	-	-	-	5	1	-
Female	58	-	1	1	-	1	1	1	2	1	3	5
Puerto Rican	102	-	1	-	5	1	-	3	4	6	5	10
Male	38	-	1	-	3	1	-	2	3	2	1	6
Female	64	-	-	-	2	-	-	1	1	4	4	4
Cuban	21	-	-	-	-	-	-	1	-	2	1	-
Male	8	-	-	-	-	-	-	1	-	-	1	-
Female	13	-	-	-	-	-	-	-	-	2	-	-
Central and South American	34	-	1	-	1	-	-	2	3	1	3	4
Male	12	-	-	-	1	-	-	2	2	1	1	-
Female	22	-	1	-	-	-	-	-	1	-	2	4
Other and unknown Hispanic	21	-	-	1	-	-	2	1	-	1	2	1
Male	7	-	-	1	-	-	2	-	-	-	1	-
Female	14	-	-	-	-	-	-	1	-	1	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
Non-Hispanic 1/	3,976	8	26	39	51	55	77	80	135	190	231	258
Male	1,365	4	19	23	29	31	43	44	62	84	96	96
Female	2,611	4	7	16	22	24	34	36	73	106	135	162
Non-Hispanic white	2,717	4	7	15	22	26	33	35	62	84	135	144
Male	834	3	4	9	12	11	18	20	22	40	51	52
Female	1,883	1	3	6	10	15	15	15	40	44	84	92
Non-Hispanic black	1,092	3	19	23	28	27	40	44	71	99	87	106
Male	450	-	15	14	16	19	22	24	38	41	38	42
Female	642	3	4	9	12	8	18	20	33	58	49	64
Origin not stated 2/	19	-	-	-	1	-	-	-	1	1	2	1
Male	11	-	-	-	-	-	-	-	-	1	1	1
Female	8	-	-	-	1	-	-	-	1	-	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic lower respiratory diseases (J44,J47)												
Non-Hispanic 1/	99,030	7	2	1	2	9	14	8	32	106	289	661
Male	48,070	4	1	-	2	5	10	4	18	54	136	371
Female	50,960	3	1	1	-	4	4	4	14	52	153	290
Non-Hispanic white	92,267	4	1	1	1	5	7	5	24	73	241	551
Male	44,173	2	-	-	1	2	5	3	15	38	114	316
Female	48,094	2	1	1	-	3	2	2	9	35	127	235
Non-Hispanic black	5,550	2	1	-	1	2	6	2	7	31	44	100
Male	3,181	1	1	-	1	2	4	1	3	16	21	50
Female	2,369	1	-	-	-	-	2	1	4	15	23	50
Origin not stated 2/	278	-	-	-	-	-	-	-	-	1	3	4
Male	148	-	-	-	-	-	-	-	-	-	3	2
Female	130	-	-	-	-	-	-	-	-	1	-	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)												
All origins	26,178	294	93	30	48	55	86	97	119	218	352	542
Male	12,495	186	47	18	25	30	46	45	59	105	199	295
Female	13,683	108	46	12	23	25	40	52	60	113	153	247
Hispanic	1,275	41	17	2	5	2	16	4	13	14	25	42
Male	643	21	8	-	3	1	8	4	8	10	16	24
Female	632	20	9	2	2	1	8	-	5	4	9	18
Mexican	711	29	14	2	5	1	7	2	10	12	12	23
Male	358	14	5	-	3	-	4	2	7	9	8	11
Female	353	15	9	2	2	1	3	-	3	3	4	12
Puerto Rican	154	2	1	-	-	1	4	2	-	1	5	6
Male	81	2	1	-	-	1	2	2	-	-	4	5
Female	73	-	-	-	-	-	2	-	-	1	1	1
Cuban	124	1	-	-	-	-	-	-	-	1	2	1
Male	57	1	-	-	-	-	-	-	-	1	2	1
Female	67	-	-	-	-	-	-	-	-	-	-	-
Central and South American	110	2	-	-	-	-	3	-	2	-	4	4
Male	42	1	-	-	-	-	1	-	-	-	-	1
Female	68	1	-	-	-	-	2	-	2	-	4	3
Other and unknown Hispanic	176	7	2	-	-	-	2	-	1	-	2	8
Male	105	3	2	-	-	-	1	-	1	-	2	6
Female	71	4	-	-	-	-	1	-	-	-	-	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)												
Non-Hispanic 1/	24,835	251	76	28	43	53	70	93	105	204	324	497
Male	11,818	165	39	18	22	29	38	41	51	95	181	270
Female	13,017	86	37	10	21	24	32	52	54	109	143	227
Non-Hispanic white	21,835	116	44	20	32	36	46	57	65	123	227	344
Male	10,433	76	20	14	17	20	26	22	30	63	139	191
Female	11,402	40	24	6	15	16	20	35	35	60	88	153
Non-Hispanic black	2,462	116	26	6	11	15	23	29	38	72	91	141
Male	1,116	76	14	3	5	8	11	14	20	27	41	71
Female	1,346	40	12	3	6	7	12	15	18	45	50	70
Origin not stated 2/	68	2	-	-	-	-	-	-	1	-	3	3
Male	34	-	-	-	-	-	-	-	-	-	2	1
Female	34	2	-	-	-	-	-	-	1	-	1	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Chronic liver disease and cirrhosis (K70,K73-K74)

All origins	27,035	3	-	1	1	6	20	77	310	1,108	2,228	3,557
Male	17,393	1	-	1	1	2	10	53	206	713	1,493	2,581
Female	9,642	2	-	-	-	4	10	24	104	395	735	976
Hispanic	3,301	-	-	-	-	1	4	16	65	187	343	480
Male	2,410	-	-	-	-	-	2	15	52	150	275	403
Female	891	-	-	-	-	1	2	1	13	37	68	77
Mexican	2,180	-	-	-	-	1	3	14	49	115	227	329
Male	1,624	-	-	-	-	-	2	13	40	96	181	282
Female	556	-	-	-	-	1	1	1	9	19	46	47
Puerto Rican	399	-	-	-	-	-	-	-	6	19	37	59
Male	288	-	-	-	-	-	-	-	4	12	32	47
Female	111	-	-	-	-	-	-	-	2	7	5	12
Cuban	130	-	-	-	-	-	-	-	-	3	3	7
Male	80	-	-	-	-	-	-	-	-	3	3	5
Female	50	-	-	-	-	-	-	-	-	-	-	2
Central and South American	238	-	-	-	-	-	1	2	6	26	23	34
Male	159	-	-	-	-	-	-	2	6	22	17	27
Female	79	-	-	-	-	-	1	-	-	4	6	7
Other and unknown Hispanic	354	-	-	-	-	-	-	-	4	24	53	51
Male	259	-	-	-	-	-	-	-	2	17	42	42
Female	95	-	-	-	-	-	-	-	2	7	11	9

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic liver disease and cirrhosis (K70,K73-K74)												
Non-Hispanic 1/	23,629	3	-	-	1	5	16	61	244	919	1,877	3,064
Male	14,914	1	-	-	1	2	8	38	154	563	1,214	2,170
Female	8,715	2	-	-	-	3	8	23	90	356	663	894
Non-Hispanic white	20,065	3	-	-	1	1	4	35	192	733	1,479	2,478
Male	12,609	1	-	-	1	-	4	23	122	443	960	1,780
Female	7,456	2	-	-	-	1	-	12	70	290	519	698
Non-Hispanic black	2,733	-	-	-	-	2	8	18	27	117	303	463
Male	1,819	-	-	-	-	1	1	10	15	77	196	319
Female	914	-	-	-	-	1	7	8	12	40	107	144
Origin not stated 2/	105	-	-	1	-	-	-	-	1	2	8	13
Male	69	-	-	1	-	-	-	-	-	-	4	8
Female	36	-	-	-	-	-	-	-	1	2	4	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
All origins	12,207	-	-	-	-	1	7	45	219	745	1,400	2,121
Male	8,932	-	-	-	-	-	5	31	148	492	954	1,563
Female	3,275	-	-	-	-	1	2	14	71	253	446	558
Hispanic	1,729	-	-	-	-	-	-	14	51	123	218	308
Male	1,457	-	-	-	-	-	-	13	42	107	175	265
Female	272	-	-	-	-	-	-	1	9	16	43	43
Mexican	1,201	-	-	-	-	-	-	12	39	75	151	223
Male	1,037	-	-	-	-	-	-	11	32	67	122	196
Female	164	-	-	-	-	-	-	1	7	8	29	27
Puerto Rican	168	-	-	-	-	-	-	-	3	7	13	25
Male	133	-	-	-	-	-	-	-	2	6	12	20
Female	35	-	-	-	-	-	-	-	1	1	1	5
Cuban	30	-	-	-	-	-	-	-	-	3	2	3
Male	26	-	-	-	-	-	-	-	-	3	2	3
Female	4	-	-	-	-	-	-	-	-	-	-	-
Central and South American	140	-	-	-	-	-	-	2	6	19	18	27
Male	109	-	-	-	-	-	-	2	6	16	13	22
Female	31	-	-	-	-	-	-	-	-	3	5	5
Other and unknown Hispanic	190	-	-	-	-	-	-	-	3	19	34	30
Male	152	-	-	-	-	-	-	-	2	15	26	24
Female	38	-	-	-	-	-	-	-	1	4	8	6

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
Non-Hispanic 1/	10,423	-	-	-	-	1	7	31	167	621	1,180	1,806
Male	7,431	-	-	-	-	-	5	18	106	385	777	1,294
Female	2,992	-	-	-	-	1	2	13	61	236	403	512
Non-Hispanic white	8,635	-	-	-	-	-	2	18	128	491	940	1,504
Male	6,209	-	-	-	-	-	2	13	83	302	620	1,098
Female	2,426	-	-	-	-	-	-	5	45	189	320	406
Non-Hispanic black	1,331	-	-	-	-	-	1	7	19	74	170	218
Male	926	-	-	-	-	-	-	2	10	50	110	147
Female	405	-	-	-	-	-	1	5	9	24	60	71
Origin not stated 2/	55	-	-	-	-	-	-	-	1	1	2	7
Male	44	-	-	-	-	-	-	-	-	-	2	4
Female	11	-	-	-	-	-	-	-	1	1	-	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic liver disease and cirrhosis (K73-K74)												
All origins	14,828	3	-	1	1	5	13	32	91	363	828	1,436
Male	8,461	1	-	1	1	2	5	22	58	221	539	1,018
Female	6,367	2	-	-	-	3	8	10	33	142	289	418
Hispanic	1,572	-	-	-	-	1	4	2	14	64	125	172
Male	953	-	-	-	-	-	2	2	10	43	100	138
Female	619	-	-	-	-	1	2	-	4	21	25	34
Mexican	979	-	-	-	-	1	3	2	10	40	76	106
Male	587	-	-	-	-	-	2	2	8	29	59	86
Female	392	-	-	-	-	1	1	-	2	11	17	20
Puerto Rican	231	-	-	-	-	-	-	-	3	12	24	34
Male	155	-	-	-	-	-	-	-	2	6	20	27
Female	76	-	-	-	-	-	-	-	1	6	4	7
Cuban	100	-	-	-	-	-	-	-	-	-	1	4
Male	54	-	-	-	-	-	-	-	-	-	1	2
Female	46	-	-	-	-	-	-	-	-	-	-	2
Central and South American	98	-	-	-	-	-	1	-	-	7	5	7
Male	50	-	-	-	-	-	-	-	-	6	4	5
Female	48	-	-	-	-	-	1	-	-	1	1	2
Other and unknown Hispanic	164	-	-	-	-	-	-	-	1	5	19	21
Male	107	-	-	-	-	-	-	-	-	2	16	18
Female	57	-	-	-	-	-	-	-	1	3	3	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic liver disease and cirrhosis (K73-K74)												
Non-Hispanic 1/	13,206	3	-	-	1	4	9	30	77	298	697	1,258
Male	7,483	1	-	-	1	2	3	20	48	178	437	876
Female	5,723	2	-	-	-	2	6	10	29	120	260	382
Non-Hispanic white	11,430	3	-	-	1	1	2	17	64	242	539	974
Male	6,400	1	-	-	1	-	2	10	39	141	340	682
Female	5,030	2	-	-	-	1	-	7	25	101	199	292
Non-Hispanic black	1,402	-	-	-	-	2	7	11	8	43	133	245
Male	893	-	-	-	-	1	1	8	5	27	86	172
Female	509	-	-	-	-	1	6	3	3	16	47	73
Origin not stated 2/	50	-	-	1	-	-	-	-	-	1	6	6
Male	25	-	-	1	-	-	-	-	-	-	2	4
Female	25	-	-	-	-	-	-	-	-	1	4	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

All origins	2,965	1	-	-	1	2	5	11	8	21	23	69
Male	1,341	1	-	-	-	1	2	5	4	9	16	39
Female	1,624	-	-	-	1	1	3	6	4	12	7	30
Hispanic	197	-	-	-	-	1	1	1	2	6	2	8
Male	92	-	-	-	-	-	-	-	1	2	1	2
Female	105	-	-	-	-	1	1	1	1	4	1	6
Mexican	122	-	-	-	-	1	1	1	2	5	1	6
Male	57	-	-	-	-	-	-	-	1	2	1	1
Female	65	-	-	-	-	1	1	1	1	3	-	5
Puerto Rican	17	-	-	-	-	-	-	-	-	-	-	-
Male	10	-	-	-	-	-	-	-	-	-	-	-
Female	7	-	-	-	-	-	-	-	-	-	-	-
Cuban	19	-	-	-	-	-	-	-	-	-	-	-
Male	10	-	-	-	-	-	-	-	-	-	-	-
Female	9	-	-	-	-	-	-	-	-	-	-	-
Central and South American	16	-	-	-	-	-	-	-	-	-	1	2
Male	5	-	-	-	-	-	-	-	-	-	-	1
Female	11	-	-	-	-	-	-	-	-	-	1	1
Other and unknown Hispanic	23	-	-	-	-	-	-	-	-	1	-	-
Male	10	-	-	-	-	-	-	-	-	-	-	-
Female	13	-	-	-	-	-	-	-	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All origins	39,480	133	16	9	9	21	71	82	143	299	469	749
Male	18,852	76	7	3	3	14	31	45	67	158	256	445
Female	20,628	57	9	6	6	7	40	37	76	141	213	304
Hispanic	1,857	18	2	2	2	4	12	10	15	24	50	51
Male	892	13	-	1	1	4	5	4	6	14	32	27
Female	965	5	2	1	1	-	7	6	9	10	18	24
Mexican	1,069	12	1	1	2	2	9	4	11	19	32	31
Male	502	8	-	-	1	2	3	1	4	12	18	16
Female	567	4	1	1	1	-	6	3	7	7	14	15
Puerto Rican	266	2	-	1	-	2	3	2	2	2	9	11
Male	131	2	-	1	-	2	2	-	-	-	8	8
Female	135	-	-	-	-	-	1	2	2	2	1	3
Cuban	194	-	-	-	-	-	-	-	1	-	-	1
Male	99	-	-	-	-	-	-	-	1	-	-	-
Female	95	-	-	-	-	-	-	-	-	-	-	1
Central and South American	128	2	1	-	-	-	-	-	1	3	4	1
Male	62	2	-	-	-	-	-	-	1	2	3	-
Female	66	-	1	-	-	-	-	-	-	1	1	1
Other and unknown Hispanic	200	2	-	-	-	-	-	4	-	-	5	7
Male	98	1	-	-	-	-	-	3	-	-	3	3
Female	102	1	-	-	-	-	-	1	-	-	2	4

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
Non-Hispanic 1/	37,511	113	14	7	7	17	59	72	126	272	419	692
Male	17,908	61	7	2	2	10	26	41	59	142	224	415
Female	19,603	52	7	5	5	7	33	31	67	130	195	277
Non-Hispanic white	29,449	58	11	3	3	11	34	35	65	142	217	352
Male	14,331	31	4	2	1	7	14	18	27	89	122	209
Female	15,118	27	7	1	2	4	20	17	38	53	95	143
Non-Hispanic black	7,214	52	3	4	3	5	22	35	58	114	192	307
Male	3,158	28	3	-	-	2	10	22	32	45	94	188
Female	4,056	24	-	4	3	3	12	13	26	69	98	119
Origin not stated 2/	112	2	-	-	-	-	-	-	2	3	-	6
Male	52	2	-	-	-	-	-	-	2	2	-	3
Female	60	-	-	-	-	-	-	-	-	1	-	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
All origins	38,784	125	9	8	8	18	64	76	133	278	454	729
Male	18,509	72	3	3	3	11	29	43	66	146	248	434
Female	20,275	53	6	5	5	7	35	33	67	132	206	295
Hispanic	1,806	17	1	2	2	3	12	10	13	18	48	47
Male	867	13	-	1	1	3	5	4	6	9	30	27
Female	939	4	1	1	1	-	7	6	7	9	18	20
Mexican	1,032	11	-	1	2	2	9	4	9	13	32	28
Male	484	8	-	-	1	2	3	1	4	7	18	16
Female	548	3	-	1	1	-	6	3	5	6	14	12
Puerto Rican	260	2	-	1	-	1	3	2	2	2	7	10
Male	126	2	-	1	-	1	2	-	-	-	6	8
Female	134	-	-	-	-	-	1	2	2	2	1	2
Cuban	191	-	-	-	-	-	-	-	1	-	-	1
Male	99	-	-	-	-	-	-	-	1	-	-	-
Female	92	-	-	-	-	-	-	-	-	-	-	1
Central and South American	125	2	1	-	-	-	-	-	1	3	4	1
Male	60	2	-	-	-	-	-	-	1	2	3	-
Female	65	-	1	-	-	-	-	-	-	1	1	1
Other and unknown Hispanic	198	2	-	-	-	-	-	4	-	-	5	7
Male	98	1	-	-	-	-	-	3	-	-	3	3
Female	100	1	-	-	-	-	-	1	-	-	2	4

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
Non-Hispanic 1/	36,867	106	8	6	6	15	52	66	118	257	406	676
Male	17,591	57	3	2	2	8	24	39	58	135	218	404
Female	19,276	49	5	4	4	7	28	27	60	122	188	272
Non-Hispanic white	28,932	52	6	3	3	10	28	32	59	135	208	344
Male	14,076	28	1	2	1	6	12	18	26	84	119	204
Female	14,856	24	5	1	2	4	16	14	33	51	89	140
Non-Hispanic black	7,119	52	2	3	2	5	21	32	57	110	188	301
Male	3,111	28	2	-	-	2	10	20	32	43	91	183
Female	4,008	24	-	3	2	3	11	12	25	67	97	118
Origin not stated 2/	111	2	-	-	-	-	-	-	2	3	-	6
Male	51	2	-	-	-	-	-	-	2	2	-	3
Female	60	-	-	-	-	-	-	-	-	1	-	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN,

RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pregnancy, childbirth and the puerperium (000-099)

All origins	416	3	37	73	93	97	73	33	5
Female	416	3	37	73	93	97	73	33	5
Hispanic	83	1	9	17	21	17	10	7	-
Female	83	1	9	17	21	17	10	7	-
Mexican	53	-	6	14	12	11	5	4	-
Female	53	-	6	14	12	11	5	4	-
Puerto Rican	5	1	1	1	-	2	-	-	-
Female	5	1	1	1	-	2	-	-	-
Cuban	1	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	1	-	-
Central and South American	17	-	-	2	6	2	4	3	-
Female	17	-	-	2	6	2	4	3	-
Other and unknown Hispanic	7	-	2	-	3	2	-	-	-
Female	7	-	2	-	3	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pregnancy, childbirth and the puerperium (000-099)

Non-Hispanic 1/	332	2	28	56	72	79	63	26	5
Female	332	2	28	56	72	79	63	26	5
Non-Hispanic white	156	1	13	25	31	46	25	12	2
Female	156	1	13	25	31	46	25	12	2
Non-Hispanic black	154	1	14	31	35	30	28	12	3
Female	154	1	14	31	35	30	28	12	3
Origin not stated 2/	1	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other complications of pregnancy, childbirth and the puerperium (010-099)

All origins	378	1	31	66	87	89	65	32	5
Female	378	1	31	66	87	89	65	32	5
Hispanic	82	-	9	17	21	17	10	7	-
Female	82	-	9	17	21	17	10	7	-
Mexican	53	-	6	14	12	11	5	4	-
Female	53	-	6	14	12	11	5	4	-
Puerto Rican	4	-	1	1	-	2	-	-	-
Female	4	-	1	1	-	2	-	-	-
Cuban	1	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	1	-	-
Central and South American	17	-	-	2	6	2	4	3	-
Female	17	-	-	2	6	2	4	3	-
Other and unknown Hispanic	7	-	2	-	3	2	-	-	-
Female	7	-	2	-	3	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of pregnancy, childbirth and the puerperium (010-099)												
Non-Hispanic 1/	295	1	22	49	66	71	55	25	5
Female	295	1	22	49	66	71	55	25	5
Non-Hispanic white	137	1	10	21	27	42	22	11	2
Female	137	1	10	21	27	42	22	11	2
Non-Hispanic black	138	-	11	28	33	27	24	12	3
Female	138	-	11	28	33	27	24	12	3
Origin not stated 2/	1	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Certain conditions originating in the perinatal period (P00-P96)

All origins	13,887	13,734	72	22	14	8	9	5	1	6	3	3
Male	7,868	7,775	44	16	8	3	4	2	-	4	2	3
Female	6,019	5,959	28	6	6	5	5	3	1	2	1	-
Hispanic	2,227	2,203	14	3	-	-	2	4	-	-	-	1
Male	1,268	1,258	6	2	-	-	-	1	-	-	-	1
Female	959	945	8	1	-	-	2	3	-	-	-	-
Mexican	1,530	1,515	9	2	-	-	2	2	-	-	-	-
Male	873	866	5	2	-	-	-	-	-	-	-	-
Female	657	649	4	-	-	-	2	2	-	-	-	-
Puerto Rican	259	255	2	1	-	-	-	-	-	-	-	1
Male	145	144	-	-	-	-	-	-	-	-	-	1
Female	114	111	2	1	-	-	-	-	-	-	-	-
Cuban	25	25	-	-	-	-	-	-	-	-	-	-
Male	10	10	-	-	-	-	-	-	-	-	-	-
Female	15	15	-	-	-	-	-	-	-	-	-	-
Central and South American	185	183	2	-	-	-	-	-	-	-	-	-
Male	110	109	1	-	-	-	-	-	-	-	-	-
Female	75	74	1	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	228	225	1	-	-	-	-	2	-	-	-	-
Male	130	129	-	-	-	-	-	1	-	-	-	-
Female	98	96	1	-	-	-	-	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
All origins	10,442	5,513	557	182	194	255	250	225	233	259	327	303
Male	5,448	2,954	282	101	109	161	145	121	128	137	180	156
Female	4,994	2,559	275	81	85	94	105	104	105	122	147	147
Hispanic	1,632	1,195	103	28	30	32	41	26	19	19	23	24
Male	892	639	54	17	19	17	22	17	9	11	16	19
Female	740	556	49	11	11	15	19	9	10	8	7	5
Mexican	1,207	902	81	22	25	24	31	21	14	12	12	17
Male	659	479	46	16	16	13	17	12	8	8	8	14
Female	548	423	35	6	9	11	14	9	6	4	4	3
Puerto Rican	114	79	8	-	2	1	3	3	-	4	2	-
Male	59	42	3	-	-	-	-	3	-	-	1	-
Female	55	37	5	-	2	1	3	-	-	4	1	-
Cuban	26	14	-	-	-	-	-	1	1	-	1	-
Male	14	8	-	-	-	-	-	1	-	-	1	-
Female	12	6	-	-	-	-	-	-	1	-	-	-
Central and South American	152	102	10	4	2	4	5	1	2	2	4	5
Male	92	64	4	1	2	2	4	1	1	2	2	3
Female	60	38	6	3	-	2	1	-	1	-	2	2
Other and unknown Hispanic	133	98	4	2	1	3	2	-	2	1	4	2
Male	68	46	1	-	1	2	1	-	-	1	4	2
Female	65	52	3	2	-	1	1	-	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
Non-Hispanic 1/	8,748	4,271	452	153	164	223	209	198	214	238	304	277
Male	4,527	2,297	227	83	90	144	123	103	119	125	164	135
Female	4,221	1,974	225	70	74	79	86	95	95	113	140	142
Non-Hispanic white	6,709	3,053	287	111	115	157	145	152	178	187	252	223
Male	3,487	1,664	144	64	71	100	83	87	99	102	134	110
Female	3,222	1,389	143	47	44	57	62	65	79	85	118	113
Non-Hispanic black	1,674	999	127	32	41	61	52	35	32	43	46	44
Male	861	525	65	15	18	41	31	11	19	18	28	18
Female	813	474	62	17	23	20	21	24	13	25	18	26
Origin not stated 2/	62	47	2	1	-	-	-	1	-	2	-	2
Male	29	18	1	1	-	-	-	1	-	1	-	2
Female	33	29	1	-	-	-	-	-	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All origins	32,326	3,491	272	79	102	361	588	663	867	1,379	1,747	1,882
Male	15,779	2,041	162	44	55	249	405	461	579	888	1,119	1,220
Female	16,547	1,450	110	35	47	112	183	202	288	491	628	662
Hispanic	2,190	496	47	16	20	73	111	132	154	175	152	173
Male	1,410	280	28	8	7	56	83	105	116	130	109	135
Female	780	216	19	8	13	17	28	27	38	45	43	38
Mexican	1,504	346	39	14	14	61	88	96	109	127	99	125
Male	982	186	22	8	5	48	67	75	82	94	71	97
Female	522	160	17	6	9	13	21	21	27	33	28	28
Puerto Rican	205	55	2	1	2	2	5	11	11	20	13	16
Male	138	35	1	-	1	2	5	10	10	14	10	12
Female	67	20	1	1	1	-	-	1	1	6	3	4
Cuban	77	3	-	1	-	3	2	1	2	5	7	4
Male	38	3	-	-	-	2	1	1	2	3	4	3
Female	39	-	-	1	-	1	1	-	-	2	3	1
Central and South American	198	43	3	-	3	4	13	19	24	12	19	11
Male	125	26	2	-	1	2	8	16	17	10	12	9
Female	73	17	1	-	2	2	5	3	7	2	7	2
Other and unknown Hispanic	206	49	3	-	1	3	3	5	8	11	14	17
Male	127	30	3	-	-	2	2	3	5	9	12	14
Female	79	19	-	-	1	1	1	2	3	2	2	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Non-Hispanic 1/	29,931	2,978	225	62	82	287	470	520	707	1,201	1,581	1,694
Male	14,246	1,750	134	36	48	193	317	350	457	757	997	1,076
Female	15,685	1,228	91	26	34	94	153	170	250	444	584	618
Non-Hispanic white	24,596	1,752	139	37	52	217	346	380	527	914	1,261	1,342
Male	11,404	1,046	79	18	34	143	233	271	343	573	814	857
Female	13,192	706	60	19	18	74	113	109	184	341	447	485
Non-Hispanic black	4,606	1,081	69	20	22	52	106	121	145	239	279	315
Male	2,414	614	44	15	11	37	72	67	83	144	156	192
Female	2,192	467	25	5	11	15	34	54	62	95	123	123
Origin not stated 2/	205	17	-	1	-	1	7	11	6	3	14	15
Male	123	11	-	-	-	-	5	6	6	1	13	9
Female	82	6	-	1	-	1	2	5	-	2	1	6

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All origins	186,406	1,131	646	389	471	772	1,027	1,225	1,847	3,145	4,939	6,667
Male	75,162	649	358	187	267	463	601	699	1,030	1,869	2,905	3,970
Female	111,244	482	288	202	204	309	426	526	817	1,276	2,034	2,697
Hispanic	7,847	187	112	63	59	102	144	162	192	289	382	438
Male	3,849	106	66	31	34	65	82	97	125	197	254	295
Female	3,998	81	46	32	25	37	62	65	67	92	128	143
Mexican	4,327	143	80	48	39	67	93	104	122	154	216	249
Male	2,171	83	47	24	19	44	56	64	83	106	150	164
Female	2,156	60	33	24	20	23	37	40	39	48	66	85
Puerto Rican	1,049	16	11	8	6	15	18	16	26	52	61	79
Male	542	7	5	3	5	7	11	7	13	32	42	54
Female	507	9	6	5	1	8	7	9	13	20	19	25
Cuban	725	-	1	1	-	2	2	4	5	6	13	18
Male	289	-	1	1	-	2	1	3	4	5	7	14
Female	436	-	-	-	-	-	1	1	1	1	6	4
Central and South American	662	16	11	4	9	7	17	23	21	39	34	43
Male	324	9	8	2	6	4	9	14	15	23	20	30
Female	338	7	3	2	3	3	8	9	6	16	14	13
Other and unknown Hispanic	1,084	12	9	2	5	11	14	15	18	38	58	49
Male	523	7	5	1	4	8	5	9	10	31	35	33
Female	561	5	4	1	1	3	9	6	8	7	23	16

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)												
Non-Hispanic 1/	177,985	934	532	325	411	667	878	1,060	1,649	2,842	4,528	6,192
Male	71,014	539	291	156	232	396	516	599	900	1,664	2,629	3,645
Female	106,971	395	241	169	179	271	362	461	749	1,178	1,899	2,547
Non-Hispanic white	153,156	556	362	246	295	474	615	699	1,109	1,983	3,218	4,511
Male	60,022	311	209	121	165	294	383	411	629	1,208	1,922	2,727
Female	93,134	245	153	125	130	180	232	288	480	775	1,296	1,784
Non-Hispanic black	21,752	329	131	65	100	163	223	301	457	770	1,174	1,529
Male	9,561	192	62	26	57	86	110	154	227	403	627	838
Female	12,191	137	69	39	43	77	113	147	230	367	547	691
Origin not stated 2/	574	10	2	1	1	3	5	3	6	14	29	37
Male	299	4	1	-	1	2	3	3	5	8	22	30
Female	275	6	1	1	-	1	2	-	1	6	7	7

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All origins	101,537	976	1,714	1,283	1,553	6,646	7,765	5,935	5,904	7,589	8,356	7,469
Male	66,060	541	1,045	786	1,017	4,722	6,110	4,605	4,487	5,502	6,110	5,519
Female	35,477	435	669	497	536	1,924	1,655	1,330	1,417	2,087	2,246	1,950
Hispanic	9,523	154	310	186	193	879	1,303	1,073	865	942	818	627
Male	7,157	75	195	114	110	669	1,104	908	711	763	655	481
Female	2,366	79	115	72	83	210	199	165	154	179	163	146
Mexican	6,060	110	233	139	136	646	928	735	550	546	460	362
Male	4,670	51	142	84	78	497	797	636	464	452	377	288
Female	1,390	59	91	55	58	149	131	99	86	94	83	74
Puerto Rican	902	11	17	11	15	56	90	83	91	121	107	79
Male	664	7	12	6	9	42	70	64	68	96	84	58
Female	238	4	5	5	6	14	20	19	23	25	23	21
Cuban	346	1	7	1	7	24	15	15	17	31	28	18
Male	234	1	6	1	5	16	12	14	15	30	20	11
Female	112	-	1	-	2	8	3	1	2	1	8	7
Central and South American	1,232	12	29	18	17	81	185	157	124	135	123	89
Male	890	7	18	14	8	64	156	137	100	101	91	60
Female	342	5	11	4	9	17	29	20	24	34	32	29
Other and unknown Hispanic	983	20	24	17	18	72	85	83	83	109	100	79
Male	699	9	17	9	10	50	69	57	64	84	83	64
Female	284	11	7	8	8	22	16	26	19	25	17	15

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Non-Hispanic 1/	91,522	817	1,399	1,091	1,354	5,748	6,439	4,846	5,011	6,602	7,487	6,793
Male	58,528	462	845	668	902	4,038	4,986	3,684	3,754	4,701	5,416	4,999
Female	32,994	355	554	423	452	1,710	1,453	1,162	1,257	1,901	2,071	1,794
Non-Hispanic white	76,262	500	1,006	722	966	4,692	5,175	3,819	3,979	5,314	6,026	5,361
Male	48,180	281	624	424	642	3,266	4,031	2,908	2,998	3,794	4,394	3,941
Female	28,082	219	382	298	324	1,426	1,144	911	981	1,520	1,632	1,420
Non-Hispanic black	12,239	272	331	313	317	760	953	784	816	1,026	1,256	1,212
Male	8,381	158	188	212	220	564	721	592	600	718	890	918
Female	3,858	114	143	101	97	196	232	192	216	308	366	294
Origin not stated 2/	492	5	5	6	6	19	23	16	28	45	51	49
Male	375	4	5	4	5	15	20	13	22	38	39	39
Female	117	1	-	2	1	4	3	3	6	7	12	10

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
All origins	47,288	151	678	769	1,054	5,393	5,746	3,953	3,501	3,881	3,946	3,379
Male	32,794	68	392	447	668	3,694	4,417	3,015	2,646	2,744	2,869	2,452
Female	14,494	83	286	322	386	1,699	1,329	938	855	1,137	1,077	927
Hispanic	5,774	43	159	120	145	718	1,022	768	525	514	428	313
Male	4,334	16	92	71	84	527	856	641	426	402	329	216
Female	1,440	27	67	49	61	191	166	127	99	112	99	97
Mexican	3,890	32	126	87	102	533	748	546	366	316	259	198
Male	3,009	10	73	50	61	397	633	468	302	250	203	145
Female	881	22	53	37	41	136	115	78	64	66	56	53
Puerto Rican	363	1	5	4	8	43	58	39	36	37	24	22
Male	255	-	3	3	3	31	42	30	26	28	17	15
Female	108	1	2	1	5	12	16	9	10	9	7	7
Cuban	188	1	2	1	5	21	10	13	9	19	19	6
Male	136	1	1	1	5	13	8	12	9	18	13	2
Female	52	-	1	-	-	8	2	1	-	1	6	4
Central and South American	847	4	14	15	15	65	141	112	75	87	78	60
Male	585	2	6	11	7	49	119	94	56	62	54	35
Female	262	2	8	4	8	16	22	18	19	25	24	25
Other and unknown Hispanic	486	5	12	13	15	56	65	58	39	55	48	27
Male	349	3	9	6	8	37	54	37	33	44	42	19
Female	137	2	3	7	7	19	11	21	6	11	6	8

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
Non-Hispanic 1/	41,339	108	517	648	906	4,659	4,712	3,177	2,964	3,351	3,497	3,054
Male	28,327	52	298	375	582	3,155	3,551	2,367	2,211	2,330	2,525	2,226
Female	13,012	56	219	273	324	1,504	1,161	810	753	1,021	972	828
Non-Hispanic white	33,753	74	353	440	682	3,851	3,712	2,472	2,299	2,664	2,830	2,431
Male	23,047	36	208	250	436	2,584	2,817	1,842	1,719	1,844	2,043	1,772
Female	10,706	38	145	190	246	1,267	895	630	580	820	787	659
Non-Hispanic black	5,803	18	127	177	177	578	744	541	517	521	550	494
Male	4,143	7	69	112	122	414	552	408	389	369	410	381
Female	1,660	11	58	65	55	164	192	133	128	152	140	113
Origin not stated 2/	175	-	2	1	3	16	12	8	12	16	21	12
Male	133	-	2	1	2	12	10	7	9	12	15	10
Female	42	-	-	-	1	4	2	1	3	4	6	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
All origins	43,788	144	626	718	968	5,208	5,517	3,710	3,227	3,545	3,538	3,011
Male	30,064	66	356	418	611	3,546	4,232	2,826	2,410	2,473	2,543	2,164
Female	13,724	78	270	300	357	1,662	1,285	884	817	1,072	995	847
Hispanic	5,272	40	142	112	134	701	976	716	481	458	376	266
Male	3,987	15	82	67	77	513	817	600	392	357	296	192
Female	1,285	25	60	45	57	188	159	116	89	101	80	74
Mexican	3,683	32	118	84	98	525	718	512	351	298	238	183
Male	2,833	10	68	49	58	389	603	438	289	234	186	134
Female	850	22	50	35	40	136	115	74	62	64	52	49
Puerto Rican	333	1	5	4	6	41	56	38	34	34	22	18
Male	234	-	3	3	2	30	41	29	25	25	16	13
Female	99	1	2	1	4	11	15	9	9	9	6	5
Cuban	181	1	2	1	4	21	10	12	8	17	19	6
Male	131	1	1	1	4	13	8	12	8	16	13	2
Female	50	-	1	-	-	8	2	-	-	1	6	4
Central and South American	626	1	8	11	12	59	130	100	54	58	52	37
Male	473	1	3	8	6	45	114	88	42	42	42	28
Female	153	-	5	3	6	14	16	12	12	16	10	9
Other and unknown Hispanic	449	5	9	12	14	55	62	54	34	51	45	22
Male	316	3	7	6	7	36	51	33	28	40	39	15
Female	133	2	2	6	7	19	11	21	6	11	6	7

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Non-Hispanic 1/	38,362	104	483	605	831	4,491	4,530	2,987	2,735	3,073	3,144	2,735
Male	25,962	51	273	350	532	3,021	3,405	2,220	2,010	2,106	2,234	1,964
Female	12,400	53	210	255	299	1,470	1,125	767	725	967	910	771
Non-Hispanic white	31,283	71	323	412	624	3,711	3,555	2,310	2,114	2,444	2,536	2,179
Male	21,073	35	185	232	399	2,470	2,694	1,716	1,554	1,666	1,802	1,560
Female	10,210	36	138	180	225	1,241	861	594	560	778	734	619
Non-Hispanic black	5,423	18	123	163	161	557	728	519	488	484	501	441
Male	3,842	7	67	105	109	398	537	391	366	339	367	338
Female	1,581	11	56	58	52	159	191	128	122	145	134	103
Origin not stated 2/	154	-	1	1	3	16	11	7	11	14	18	10
Male	115	-	1	1	2	12	10	6	8	10	13	8
Female	39	-	-	-	1	4	1	1	3	4	5	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)												
Non-Hispanic 1/	1,187	3	19	23	50	82	76	60	77	120	121	121
Male	878	-	13	13	32	60	61	47	68	97	97	90
Female	309	3	6	10	18	22	15	13	9	23	24	31
Non-Hispanic white	901	2	16	14	35	62	64	50	53	79	86	88
Male	673	-	12	9	21	48	51	40	49	65	68	67
Female	228	2	4	5	14	14	13	10	4	14	18	21
Non-Hispanic black	216	-	3	9	14	15	6	8	16	27	32	26
Male	159	-	1	4	11	10	5	6	12	21	27	20
Female	57	-	2	5	3	5	1	2	4	6	5	6
Origin not stated 2/	18	-	1	-	-	-	1	1	1	1	1	2
Male	16	-	1	-	-	-	-	1	1	1	1	2
Female	2	-	-	-	-	-	1	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nontransport accidents (W00-X59,Y86)												
All origins	54,249	825	1,036	514	499	1,253	2,019	1,982	2,403	3,708	4,410	4,090
Male	33,266	473	653	339	349	1,028	1,693	1,590	1,841	2,758	3,241	3,067
Female	20,983	352	383	175	150	225	326	392	562	950	1,169	1,023
Hispanic	3,749	111	151	66	48	161	281	305	340	428	390	314
Male	2,823	59	103	43	26	142	248	267	285	361	326	265
Female	926	52	48	23	22	19	33	38	55	67	64	49
Mexican	2,170	78	107	52	34	113	180	189	184	230	201	164
Male	1,661	41	69	34	17	100	164	168	162	202	174	143
Female	509	37	38	18	17	13	16	21	22	28	27	21
Puerto Rican	539	10	12	7	7	13	32	44	55	84	83	57
Male	409	7	9	3	6	11	28	34	42	68	67	43
Female	130	3	3	4	1	2	4	10	13	16	16	14
Cuban	158	-	5	-	2	3	5	2	8	12	9	12
Male	98	-	5	-	-	3	4	2	6	12	7	9
Female	60	-	-	-	2	-	1	-	2	-	2	3
Central and South American	385	8	15	3	2	16	44	45	49	48	45	29
Male	305	5	12	3	1	15	37	43	44	39	37	25
Female	80	3	3	-	1	1	7	2	5	9	8	4
Other and unknown Hispanic	497	15	12	4	3	16	20	25	44	54	52	52
Male	350	6	8	3	2	13	15	20	31	40	41	45
Female	147	9	4	1	1	3	5	5	13	14	11	7

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nontransport accidents (W00-X59,Y86)												
Non-Hispanic 1/	50,183	709	882	443	448	1,089	1,727	1,669	2,047	3,251	3,990	3,739
Male	30,201	410	547	293	320	883	1,435	1,317	1,543	2,371	2,891	2,773
Female	19,982	299	335	150	128	206	292	352	504	880	1,099	966
Non-Hispanic white	42,509	426	653	282	284	841	1,463	1,347	1,680	2,650	3,196	2,930
Male	25,133	245	416	174	206	682	1,214	1,066	1,279	1,950	2,351	2,169
Female	17,376	181	237	108	78	159	249	281	401	700	845	761
Non-Hispanic black	6,436	254	204	136	140	182	209	243	299	505	706	718
Male	4,238	151	119	100	98	150	169	184	211	349	480	537
Female	2,198	103	85	36	42	32	40	59	88	156	226	181
Origin not stated 2/	317	5	3	5	3	3	11	8	16	29	30	37
Male	242	4	3	3	3	3	10	6	13	26	24	29
Female	75	1	-	2	-	-	1	2	3	3	6	8

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC

ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
All origins	15,019	23	32	33	33	88	168	160	180	272	375	520
Male	8,089	15	25	22	24	79	153	142	153	233	311	426
Female	6,930	8	7	11	9	9	15	18	27	39	64	94
Hispanic	757	7	6	10	4	15	29	35	38	44	56	52
Male	525	4	5	9	4	15	29	34	37	40	53	49
Female	232	3	1	1	-	-	-	1	1	4	3	3
Mexican	442	3	4	5	1	7	22	23	26	23	38	29
Male	318	2	3	5	1	7	22	22	26	22	36	28
Female	124	1	1	-	-	-	-	1	-	1	2	1
Puerto Rican	59	-	-	1	2	1	-	1	1	3	4	6
Male	40	-	-	-	2	1	-	1	1	2	4	5
Female	19	-	-	1	-	-	-	-	-	1	-	1
Cuban	58	-	-	-	-	2	-	-	-	3	1	4
Male	29	-	-	-	-	2	-	-	-	3	1	3
Female	29	-	-	-	-	-	-	-	-	-	-	1
Central and South American	102	3	2	1	-	4	5	10	9	10	10	8
Male	75	2	2	1	-	4	5	10	9	8	9	8
Female	27	1	-	-	-	-	-	-	-	2	1	-
Other and unknown Hispanic	96	1	-	3	1	1	2	1	2	5	3	5
Male	63	-	-	3	1	1	2	1	1	5	3	5
Female	33	1	-	-	-	-	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
All origins	802	-	15	18	39	110	96	71	51	70	76	61
Male	690	-	12	14	35	102	91	63	40	57	64	51
Female	112	-	3	4	4	8	5	8	11	13	12	10
Hispanic	86	-	1	1	3	19	17	12	9	7	5	3
Male	76	-	1	1	2	17	16	10	6	7	5	2
Female	10	-	-	-	1	2	1	2	3	-	-	1
Mexican	64	-	1	1	3	16	12	10	5	5	3	2
Male	57	-	1	1	2	15	11	8	4	5	3	1
Female	7	-	-	-	1	1	1	2	1	-	-	1
Puerto Rican	7	-	-	-	-	1	3	2	-	-	1	-
Male	7	-	-	-	-	1	3	2	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	2	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-
Central and South American	2	-	-	-	-	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-
Other and unknown Hispanic	11	-	-	-	-	2	2	-	2	1	1	1
Male	10	-	-	-	-	1	2	-	2	1	1	1
Female	1	-	-	-	-	1	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
All origins	3,281	68	458	168	165	322	274	212	162	221	241	214
Male	2,560	30	291	120	117	295	249	186	142	181	195	182
Female	721	38	167	48	48	27	25	26	20	40	46	32
Hispanic	421	16	78	27	13	42	59	39	35	36	21	21
Male	348	9	53	21	7	42	57	33	32	30	18	18
Female	73	7	25	6	6	-	2	6	3	6	3	3
Mexican	290	13	56	22	9	38	39	26	26	24	11	16
Male	240	7	38	18	5	38	38	21	24	19	11	13
Female	50	6	18	4	4	-	1	5	2	5	-	3
Puerto Rican	27	-	4	4	2	1	2	2	1	2	4	1
Male	19	-	3	2	2	1	1	2	1	1	3	1
Female	8	-	1	2	-	-	1	-	-	1	1	-
Cuban	12	-	4	-	-	-	1	1	-	1	1	1
Male	12	-	4	-	-	-	1	1	-	1	1	1
Female	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	58	1	8	1	1	3	16	5	7	6	5	2
Male	50	1	5	1	-	3	16	4	6	6	3	2
Female	8	-	3	-	1	-	-	1	1	-	2	-
Other and unknown Hispanic	34	2	6	-	1	-	1	5	1	3	-	1
Male	27	1	3	-	-	-	1	5	1	3	-	1
Female	7	1	3	-	1	-	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
All origins	3,309	50	225	164	88	76	133	114	133	190	251	213
Male	1,998	30	142	104	48	45	92	73	88	132	176	151
Female	1,311	20	83	60	40	31	41	41	45	58	75	62
Hispanic	176	9	18	17	6	3	16	11	10	13	15	12
Male	109	5	13	9	2	2	8	9	7	9	10	10
Female	67	4	5	8	4	1	8	2	3	4	5	2
Mexican	117	5	12	13	5	3	11	7	6	10	8	8
Male	77	3	7	7	2	2	5	6	4	8	7	8
Female	40	2	5	6	3	1	6	1	2	2	1	-
Puerto Rican	19	-	2	2	1	-	2	1	1	1	3	1
Male	10	-	2	1	-	-	2	-	1	-	2	-
Female	9	-	-	1	1	-	-	1	-	1	1	1
Cuban	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-
Central and South American	17	3	-	1	-	-	1	3	3	1	1	1
Male	10	2	-	1	-	-	-	3	2	-	1	-
Female	7	1	-	-	-	-	1	-	1	1	-	1
Other and unknown Hispanic	22	1	4	1	-	-	2	-	-	1	3	2
Male	12	-	4	-	-	-	1	-	-	1	-	2
Female	10	1	-	1	-	-	1	-	-	-	3	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
Non-Hispanic 1/	3,106	41	205	145	81	73	117	101	122	177	233	200
Male	1,873	25	127	94	45	43	84	64	81	123	163	140
Female	1,233	16	78	51	36	30	33	37	41	54	70	60
Non-Hispanic white	2,204	26	124	85	51	53	86	60	93	127	170	143
Male	1,322	14	82	54	28	31	65	44	61	86	121	98
Female	882	12	42	31	23	22	21	16	32	41	49	45
Non-Hispanic black	829	14	80	58	27	14	28	36	27	45	58	54
Male	501	10	44	38	15	8	16	16	18	34	39	40
Female	328	4	36	20	12	6	12	20	9	11	19	14
Origin not stated 2/	27	-	2	2	1	-	-	2	1	-	3	1
Male	16	-	2	1	1	-	-	-	-	-	3	1
Female	11	-	-	1	-	-	-	2	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
All origins	14,078	15	31	18	32	406	956	1,078	1,429	2,307	2,729	2,266
Male	9,885	8	21	7	16	311	769	832	1,030	1,626	1,896	1,610
Female	4,193	7	10	11	16	95	187	246	399	681	833	656
Hispanic	1,324	1	5	2	8	48	96	153	181	251	224	165
Male	1,061	1	3	1	1	35	76	131	143	205	180	135
Female	263	-	2	1	7	13	20	22	38	46	44	30
Mexican	615	1	4	2	5	24	51	80	78	107	101	76
Male	498	1	2	1	-	16	44	71	65	91	78	63
Female	117	-	2	1	5	8	7	9	13	16	23	13
Puerto Rican	337	-	-	-	-	9	21	36	48	74	65	40
Male	274	-	-	-	-	7	18	28	36	62	54	30
Female	63	-	-	-	-	2	3	8	12	12	11	10
Cuban	36	-	-	-	2	1	3	1	4	8	6	5
Male	27	-	-	-	-	1	2	1	3	8	5	4
Female	9	-	-	-	2	-	1	-	1	-	1	1
Central and South American	112	-	1	-	1	7	11	20	16	20	17	10
Male	95	-	1	-	1	6	6	19	14	16	14	10
Female	17	-	-	-	-	1	5	1	2	4	3	-
Other and unknown Hispanic	224	-	-	-	-	7	10	16	35	42	35	34
Male	167	-	-	-	-	5	6	12	25	28	29	28
Female	57	-	-	-	-	2	4	4	10	14	6	6

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
Non-Hispanic 1/	12,631	14	26	16	24	357	853	921	1,236	2,034	2,485	2,079
Male	8,720	7	18	6	15	275	687	697	877	1,402	1,701	1,458
Female	3,911	7	8	10	9	82	166	224	359	632	784	621
Non-Hispanic white	10,269	8	16	12	18	314	764	797	1,039	1,678	2,020	1,620
Male	7,111	4	12	5	12	251	613	601	757	1,170	1,409	1,128
Female	3,158	4	4	7	6	63	151	196	282	508	611	492
Non-Hispanic black	2,122	6	8	4	2	26	67	103	170	316	433	431
Male	1,452	3	5	1	1	14	53	81	105	205	272	314
Female	670	3	3	3	1	12	14	22	65	111	161	117
Origin not stated 2/	123	-	-	-	-	1	7	4	12	22	20	22
Male	104	-	-	-	-	1	6	4	10	19	15	17
Female	19	-	-	-	-	-	1	-	2	3	5	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All origins	17,760	669	275	113	142	251	392	347	448	648	738	816
Male	10,044	390	162	72	109	196	339	294	388	529	599	647
Female	7,716	279	113	41	33	55	53	53	60	119	139	169
Hispanic	985	78	43	9	14	34	64	55	67	77	69	61
Male	704	40	28	2	10	31	62	50	60	70	60	51
Female	281	38	15	7	4	3	2	5	7	7	9	10
Mexican	642	56	30	9	11	25	45	43	43	61	40	33
Male	471	28	18	2	7	22	44	40	39	57	39	30
Female	171	28	12	7	4	3	1	3	4	4	1	3
Puerto Rican	90	10	6	-	2	1	4	2	4	4	6	9
Male	59	7	4	-	2	1	4	1	3	3	3	7
Female	31	3	2	-	-	-	-	1	1	1	3	2
Cuban	49	-	1	-	-	-	1	-	3	-	1	2
Male	29	-	1	-	-	-	1	-	3	-	-	1
Female	20	-	-	-	-	-	-	-	-	-	1	1
Central and South American	94	1	4	-	-	2	11	7	13	10	12	8
Male	74	-	4	-	-	2	10	7	13	8	10	5
Female	20	1	-	-	-	-	1	-	-	2	2	3
Other and unknown Hispanic	110	11	2	-	1	6	3	3	4	2	10	9
Male	71	5	1	-	1	6	3	2	2	2	8	8
Female	39	6	1	-	-	-	-	1	2	-	2	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0) 3/												
All origins	30,622	7	272	1,611	2,360	2,389	2,681	3,176	3,459	3,260
Male	24,672	7	207	1,345	2,064	2,015	2,184	2,518	2,662	2,484
Female	5,950	-	65	266	296	374	497	658	797	776
Hispanic	1,850	-	37	166	248	259	231	224	173	130
Male	1,576	-	26	129	214	223	196	200	150	106
Female	274	-	11	37	34	36	35	24	23	24
Mexican	1,049	-	27	116	165	168	132	128	86	67
Male	901	-	18	92	146	146	114	116	74	53
Female	148	-	9	24	19	22	18	12	12	14
Puerto Rican	179	-	3	12	23	20	29	25	20	15
Male	155	-	3	11	20	16	24	22	18	14
Female	24	-	-	1	3	4	5	3	2	1
Cuban	159	-	1	2	2	7	7	15	13	14
Male	138	-	1	1	2	6	7	13	12	14
Female	21	-	-	1	-	1	-	2	1	-
Central and South American	194	-	1	15	27	32	34	23	19	12
Male	151	-	1	9	18	27	26	19	17	8
Female	43	-	-	6	9	5	8	4	2	4
Other and unknown Hispanic	269	-	5	21	31	32	29	33	35	22
Male	231	-	3	16	28	28	25	30	29	17
Female	38	-	2	5	3	4	4	3	6	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0) 3/												
Non-Hispanic 1/	28,647	7	235	1,440	2,105	2,119	2,441	2,943	3,270	3,118
Male	22,983	7	181	1,212	1,843	1,782	1,980	2,311	2,498	2,367
Female	5,664	-	54	228	262	337	461	632	772	751
Non-Hispanic white	25,813	5	178	1,217	1,709	1,755	2,116	2,621	2,983	2,897
Male	20,710	5	139	1,030	1,492	1,479	1,711	2,046	2,283	2,215
Female	5,103	-	39	187	217	276	405	575	700	682
Non-Hispanic black	1,904	2	38	134	291	243	229	227	191	152
Male	1,578	2	29	115	273	212	194	188	141	109
Female	326	-	9	19	18	31	35	39	50	43
Origin not stated 2/	125	-	-	5	7	11	9	9	16	12
Male	113	-	-	4	7	10	8	7	14	11
Female	12	-	-	1	-	1	1	2	2	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
All origins	16,869	-	90	838	1,292	1,263	1,301	1,429	1,601	1,552
Male	14,758	-	69	743	1,192	1,122	1,124	1,200	1,351	1,309
Female	2,111	-	21	95	100	141	177	229	250	243
Hispanic	798	-	5	67	126	129	95	75	60	54
Male	731	-	4	58	114	116	87	70	56	48
Female	67	-	1	9	12	13	8	5	4	6
Mexican	497	-	4	53	88	90	63	45	38	24
Male	453	-	3	45	81	82	59	42	36	19
Female	44	-	1	8	7	8	4	3	2	5
Puerto Rican	57	-	1	3	11	10	6	6	2	7
Male	54	-	1	3	11	10	5	5	2	7
Female	3	-	-	-	-	-	1	1	-	-
Cuban	63	-	-	-	-	5	5	9	4	7
Male	60	-	-	-	-	4	5	8	4	7
Female	3	-	-	-	-	1	-	1	-	-
Central and South American	68	-	-	2	16	9	12	5	7	4
Male	57	-	-	2	11	7	10	5	6	3
Female	11	-	-	-	5	2	2	-	1	1
Other and unknown Hispanic	113	-	-	9	11	15	9	10	9	12
Male	107	-	-	8	11	13	8	10	8	12
Female	6	-	-	1	-	2	1	-	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
Non-Hispanic 1/	16,020	-	85	770	1,163	1,130	1,205	1,351	1,536	1,495
Male	13,978	-	65	684	1,075	1,002	1,037	1,127	1,290	1,259
Female	2,042	-	20	86	88	128	168	224	246	236
Non-Hispanic white	14,648	-	69	650	915	942	1,059	1,220	1,409	1,413
Male	12,771	-	55	573	841	833	906	1,011	1,188	1,196
Female	1,877	-	14	77	74	109	153	209	221	217
Non-Hispanic black	1,069	-	12	88	205	147	111	107	91	62
Male	949	-	9	80	197	131	102	96	73	48
Female	120	-	3	8	8	16	9	11	18	14
Origin not stated 2/	51	-	-	1	3	4	1	3	5	3
Male	49	-	-	1	3	4	-	3	5	2
Female	2	-	-	-	-	-	1	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0) /3

All origins	13,753	7	182	773	1,068	1,126	1,380	1,747	1,858	1,708
Male	9,914	7	138	602	872	893	1,060	1,318	1,311	1,175
Female	3,839	-	44	171	196	233	320	429	547	533
Hispanic	1,052	-	32	99	122	130	136	149	113	76
Male	845	-	22	71	100	107	109	130	94	58
Female	207	-	10	28	22	23	27	19	19	18
Mexican	552	-	23	63	77	78	69	83	48	43
Male	448	-	15	47	65	64	55	74	38	34
Female	104	-	8	16	12	14	14	9	10	9
Puerto Rican	122	-	2	9	12	10	23	19	18	8
Male	101	-	2	8	9	6	19	17	16	7
Female	21	-	-	1	3	4	4	2	2	1
Cuban	96	-	1	2	2	2	2	6	9	7
Male	78	-	1	1	2	2	2	5	8	7
Female	18	-	-	1	-	-	-	1	1	-
Central and South American	126	-	1	13	11	23	22	18	12	8
Male	94	-	1	7	7	20	16	14	11	5
Female	32	-	-	6	4	3	6	4	1	3
Other and unknown Hispanic	156	-	5	12	20	17	20	23	26	10
Male	124	-	3	8	17	15	17	20	21	5
Female	32	-	2	4	3	2	3	3	5	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0) /3

Non-Hispanic 1/	12,627	7	150	670	942	989	1,236	1,592	1,734	1,623
Male	9,005	7	116	528	768	780	943	1,184	1,208	1,108
Female	3,622	-	34	142	174	209	293	408	526	515
Non-Hispanic white	11,165	5	109	567	794	813	1,057	1,401	1,574	1,484
Male	7,939	5	84	457	651	646	805	1,035	1,095	1,019
Female	3,226	-	25	110	143	167	252	366	479	465
Non-Hispanic black	835	2	26	46	86	96	118	120	100	90
Male	629	2	20	35	76	81	92	92	68	61
Female	206	-	6	11	10	15	26	28	32	29
Origin not stated 2/	74	-	-	4	4	7	8	6	11	9
Male	64	-	-	3	4	6	8	4	9	9
Female	10	-	-	1	-	1	-	2	2	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1) /3												
All origins	20,308	332	415	137	189	1,899	3,398	2,817	2,387	2,306	1,962	1,463
Male	15,555	197	238	75	118	1,632	2,909	2,308	1,849	1,698	1,424	1,085
Female	4,753	135	177	62	71	267	489	509	538	608	538	378
Hispanic	3,331	55	69	20	36	436	786	573	387	329	238	156
Male	2,756	33	38	12	26	397	702	488	312	258	193	121
Female	575	22	31	8	10	39	84	85	75	71	45	35
Mexican	2,111	33	50	13	25	344	532	386	227	181	133	71
Male	1,820	20	26	8	18	317	481	348	195	150	112	59
Female	291	13	24	5	7	27	51	38	32	31	21	12
Puerto Rican	426	10	3	4	3	42	93	63	55	49	26	37
Male	320	5	2	3	2	37	82	44	38	37	18	24
Female	106	5	1	1	1	5	11	19	17	12	8	13
Cuban	92	1	1	2	-	-	8	13	14	11	10	9
Male	68	1	1	1	-	-	6	9	13	7	8	7
Female	24	-	-	1	-	-	2	4	1	4	2	2
Central and South American	467	5	3	-	6	34	111	71	62	63	49	29
Male	370	4	2	-	4	29	97	56	41	49	39	23
Female	97	1	1	-	2	5	14	15	21	14	10	6
Other and unknown Hispanic	235	6	12	1	2	16	42	40	29	25	20	10
Male	178	3	7	-	2	14	36	31	25	15	16	8
Female	57	3	5	1	-	2	6	9	4	10	4	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1) /3												
Non-Hispanic 1/	16,726	270	343	116	153	1,449	2,579	2,213	1,965	1,954	1,698	1,283
Male	12,608	161	199	62	92	1,222	2,179	1,796	1,513	1,421	1,211	945
Female	4,118	109	144	54	61	227	400	417	452	533	487	338
Non-Hispanic white	7,928	139	160	82	82	382	676	750	892	1,066	1,015	792
Male	5,453	84	95	40	43	263	466	542	635	788	710	570
Female	2,475	55	65	42	39	119	210	208	257	278	305	222
Non-Hispanic black	8,077	119	166	28	64	1,009	1,808	1,370	965	817	610	433
Male	6,658	68	100	19	47	911	1,640	1,192	806	584	452	333
Female	1,419	51	66	9	17	98	168	178	159	233	158	100
Origin not stated 2/	251	7	3	1	-	14	33	31	35	23	26	24
Male	191	3	1	1	-	13	28	24	24	19	20	19
Female	60	4	2	-	-	1	5	7	11	4	6	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

All origins	11,348	11	55	59	121	1,525	2,675	1,940	1,368	1,142	836	552
Male	9,532	7	27	35	90	1,377	2,419	1,708	1,156	892	636	434
Female	1,816	4	28	24	31	148	256	232	212	250	200	118
Hispanic	2,123	4	12	5	25	371	603	416	238	172	134	66
Male	1,892	3	5	4	19	339	559	383	213	146	111	53
Female	231	1	7	1	6	32	44	33	25	26	23	13
Mexican	1,511	4	11	2	19	292	416	303	164	126	86	44
Male	1,366	3	4	2	14	272	388	284	149	109	73	34
Female	145	1	7	-	5	20	28	19	15	17	13	10
Puerto Rican	199	-	-	1	1	36	67	39	21	13	9	5
Male	170	-	-	1	1	31	62	32	19	10	6	4
Female	29	-	-	-	-	5	5	7	2	3	3	1
Cuban	50	-	-	2	-	-	8	8	10	4	7	4
Male	39	-	-	1	-	-	6	7	9	3	5	4
Female	11	-	-	1	-	-	2	1	1	1	2	-
Central and South American	244	-	1	-	4	30	75	37	29	23	24	10
Male	215	-	1	-	3	25	70	36	23	20	20	8
Female	29	-	-	-	1	5	5	1	6	3	4	2
Other and unknown Hispanic	119	-	-	-	1	13	37	29	14	6	8	3
Male	102	-	-	-	1	11	33	24	13	4	7	3
Female	17	-	-	-	-	2	4	5	1	2	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)												
Non-Hispanic 1/	9,134	7	43	53	96	1,141	2,045	1,509	1,122	965	697	483
Male	7,559	4	22	30	71	1,026	1,837	1,310	936	743	521	379
Female	1,575	3	21	23	25	115	208	199	186	222	176	104
Non-Hispanic white	3,085	4	21	42	48	230	388	330	351	411	348	260
Male	2,172	2	12	24	32	176	292	249	246	298	238	190
Female	913	2	9	18	16	54	96	81	105	113	110	70
Non-Hispanic black	5,790	2	18	11	45	885	1,605	1,137	737	536	328	203
Male	5,190	1	9	6	37	826	1,503	1,032	665	431	269	172
Female	600	1	9	5	8	59	102	105	72	105	59	31
Origin not stated 2/	91	-	-	1	-	13	27	15	8	5	5	3
Male	81	-	-	1	-	12	23	15	7	3	4	2
Female	10	-	-	-	-	1	4	-	1	2	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02.X85-X92,X96-Y09,Y87.1) /3

All origins	8,960	321	360	78	68	374	723	877	1,019	1,164	1,126	911
Male	6,023	190	211	40	28	255	490	600	693	806	788	651
Female	2,937	131	149	38	40	119	233	277	326	358	338	260
Hispanic	1,208	51	57	15	11	65	183	157	149	157	104	90
Male	864	30	33	8	7	58	143	105	99	112	82	68
Female	344	21	24	7	4	7	40	52	50	45	22	22
Mexican	600	29	39	11	6	52	116	83	63	55	47	27
Male	454	17	22	6	4	45	93	64	46	41	39	25
Female	146	12	17	5	2	7	23	19	17	14	8	2
Puerto Rican	227	10	3	3	2	6	26	24	34	36	17	32
Male	150	5	2	2	1	6	20	12	19	27	12	20
Female	77	5	1	1	1	-	6	12	15	9	5	12
Cuban	42	1	1	-	-	-	-	5	4	7	3	5
Male	29	1	1	-	-	-	-	2	4	4	3	3
Female	13	-	-	-	-	-	-	3	-	3	-	2
Central and South American	223	5	2	-	2	4	36	34	33	40	25	19
Male	155	4	1	-	1	4	27	20	18	29	19	15
Female	68	1	1	-	1	-	9	14	15	11	6	4
Other and unknown Hispanic	116	6	12	1	1	3	5	11	15	19	12	7
Male	76	3	7	-	1	3	3	7	12	11	9	5
Female	40	3	5	1	-	-	2	4	3	8	3	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02.X85-X92,X96-Y09,Y87.1) /3

Non-Hispanic 1/	7,592	263	300	63	57	308	534	704	843	989	1,001	800
Male	5,049	157	177	32	21	196	342	486	577	678	690	566
Female	2,543	106	123	31	36	112	192	218	266	311	311	234
Non-Hispanic white	4,843	135	139	40	34	152	288	420	541	655	667	532
Male	3,281	82	83	16	11	87	174	293	389	490	472	380
Female	1,562	53	56	24	23	65	114	127	152	165	195	152
Non-Hispanic black	2,287	117	148	17	19	124	203	233	228	281	282	230
Male	1,468	67	91	13	10	85	137	160	141	153	183	161
Female	819	50	57	4	9	39	66	73	87	128	99	69
Origin not stated 2/	160	7	3	-	-	1	6	16	27	18	21	21
Male	110	3	1	-	-	1	5	9	17	16	16	17
Female	50	4	2	-	-	-	1	7	10	2	5	4

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
All origins	4,198	83	44	17	34	132	280	311	417	674	722	619
Male	2,833	49	19	10	28	102	214	231	284	438	493	433
Female	1,365	34	25	7	6	30	66	80	133	236	229	186
Hispanic	283	7	6	1	3	13	21	31	32	49	43	31
Male	216	4	3	1	3	11	15	25	27	35	38	19
Female	67	3	3	-	-	2	6	6	5	14	5	12
Mexican	129	6	3	1	3	10	12	14	15	19	12	14
Male	99	3	2	1	3	8	9	12	12	15	11	8
Female	30	3	1	-	-	2	3	2	3	4	1	6
Puerto Rican	72	1	1	-	-	2	3	10	7	18	13	5
Male	53	1	-	-	-	2	3	8	7	11	9	3
Female	19	-	1	-	-	-	-	2	-	7	4	2
Cuban	6	-	-	-	-	-	1	1	1	1	-	2
Male	5	-	-	-	-	-	1	1	-	1	-	2
Female	1	-	-	-	-	-	-	-	1	-	-	-
Central and South American	26	-	-	-	-	1	3	1	5	4	6	2
Male	22	-	-	-	-	1	2	1	5	4	6	1
Female	4	-	-	-	-	-	1	-	-	-	-	1
Other and unknown Hispanic	50	-	2	-	-	-	2	5	4	7	12	8
Male	37	-	1	-	-	-	-	3	3	4	12	5
Female	13	-	1	-	-	-	2	2	1	3	-	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
All origins	231	-	-	2	4	24	40	32	16	33	17	16
Male	190	-	-	2	4	23	36	27	15	20	13	12
Female	41	-	-	-	-	1	4	5	1	13	4	4
Hispanic	21	-	-	-	1	4	4	3	1	4	-	2
Male	16	-	-	-	1	4	3	2	1	2	-	1
Female	5	-	-	-	-	-	1	1	-	2	-	1
Mexican	17	-	-	-	1	3	3	2	1	3	-	2
Male	13	-	-	-	1	3	2	2	1	1	-	1
Female	4	-	-	-	-	-	1	-	-	2	-	1
Puerto Rican	1	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	1	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	1	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	1	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)												
All origins	3,967	83	44	15	30	108	240	279	401	641	705	603
Male	2,643	49	19	8	24	79	178	204	269	418	480	421
Female	1,324	34	25	7	6	29	62	75	132	223	225	182
Hispanic	262	7	6	1	2	9	17	28	31	45	43	29
Male	200	4	3	1	2	7	12	23	26	33	38	18
Female	62	3	3	-	-	2	5	5	5	12	5	11
Mexican	112	6	3	1	2	7	9	12	14	16	12	12
Male	86	3	2	1	2	5	7	10	11	14	11	7
Female	26	3	1	-	-	2	2	2	3	2	1	5
Puerto Rican	71	1	1	-	-	2	2	10	7	18	13	5
Male	52	1	-	-	-	2	2	8	7	11	9	3
Female	19	-	1	-	-	-	-	2	-	7	4	2
Cuban	5	-	-	-	-	-	1	1	1	-	-	2
Male	4	-	-	-	-	-	1	1	-	-	-	2
Female	1	-	-	-	-	-	-	-	1	-	-	-
Central and South American	25	-	-	-	-	-	3	1	5	4	6	2
Male	21	-	-	-	-	-	2	1	5	4	6	1
Female	4	-	-	-	-	-	1	-	-	-	-	1
Other and unknown Hispanic	49	-	2	-	-	-	2	4	4	7	12	8
Male	37	-	1	-	-	-	-	3	3	4	12	5
Female	12	-	1	-	-	-	2	1	1	3	-	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Complications of medical and surgical care (Y40-Y84,Y88)

All origins	3,021	26	24	5	9	18	25	24	55	71	101	142
Male	1,357	15	14	2	6	6	13	11	31	39	44	75
Female	1,664	11	10	3	3	12	12	13	24	32	57	67
Hispanic	145	3	6	1	3	4	4	5	2	4	8	14
Male	65	-	3	1	2	1	2	2	1	2	2	9
Female	80	3	3	-	1	3	2	3	1	2	6	5
Mexican	75	3	3	1	1	1	2	4	1	3	2	6
Male	33	-	1	1	1	-	1	2	-	1	-	4
Female	42	3	2	-	-	1	1	2	1	2	2	2
Puerto Rican	21	-	1	-	1	2	1	-	-	-	4	2
Male	8	-	1	-	1	1	-	-	-	-	2	-
Female	13	-	-	-	-	1	1	-	-	-	2	2
Cuban	12	-	-	-	-	-	-	-	-	-	-	-
Male	5	-	-	-	-	-	-	-	-	-	-	-
Female	7	-	-	-	-	-	-	-	-	-	-	-
Central and South American	14	-	-	-	1	1	1	-	1	1	2	1
Male	5	-	-	-	-	-	1	-	1	1	-	1
Female	9	-	-	-	1	1	-	-	-	-	2	-
Other and unknown Hispanic	23	-	2	-	-	-	-	1	-	-	-	5
Male	14	-	1	-	-	-	-	-	-	-	-	4
Female	9	-	1	-	-	-	-	1	-	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
All causes												
All origins	94,381	109,523	134,616	178,232	252,728	333,677	368,252	339,775	221,314	85,954	18,488	422
Male	58,281	65,801	79,157	102,110	139,471	171,311	169,431	130,405	65,527	18,732	2,869	331
Female	36,100	43,722	55,459	76,122	113,257	162,366	198,821	209,370	155,787	67,222	15,619	91
Hispanic	5,965	6,114	7,223	8,910	11,262	12,560	11,077	9,601	6,177	2,582	547	67
Male	3,822	3,760	4,266	5,129	6,102	6,535	5,224	3,821	2,051	754	141	58
Female	2,143	2,354	2,957	3,781	5,160	6,025	5,853	5,780	4,126	1,828	406	9
Mexican	3,361	3,454	3,943	4,877	6,256	7,035	5,639	4,655	2,882	1,248	276	25
Male	2,149	2,128	2,312	2,764	3,360	3,754	2,702	1,976	1,007	393	79	21
Female	1,212	1,326	1,631	2,113	2,896	3,281	2,937	2,679	1,875	855	197	4
Puerto Rican	1,006	1,025	1,181	1,340	1,427	1,522	1,311	1,139	645	260	58	3
Male	650	631	712	773	768	765	589	411	216	73	13	3
Female	356	394	469	567	659	757	722	728	429	187	45	-
Cuban	314	422	648	898	1,399	1,626	1,834	1,783	1,286	516	83	1
Male	208	285	426	572	811	878	874	691	392	133	25	1
Female	106	137	222	326	588	748	960	1,092	894	383	58	-
Central and South American	654	633	724	865	973	959	915	725	487	161	44	2
Male	387	346	402	447	462	391	369	221	122	41	6	2
Female	267	287	322	418	511	568	546	504	365	120	38	-
Other and unknown Hispanic	630	580	727	930	1,207	1,418	1,378	1,299	877	397	86	36
Male	428	370	414	573	701	747	690	522	314	114	18	31
Female	202	210	313	357	506	671	688	777	563	283	68	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
All causes												
Non-Hispanic 1/	87,989	102,952	126,860	168,796	240,704	320,213	356,299	329,357	214,629	83,144	17,890	173
Male	54,159	61,716	74,498	96,644	132,895	164,283	163,796	126,292	63,325	17,924	2,715	137
Female	33,830	41,236	52,362	72,152	107,809	155,930	192,503	203,065	151,304	65,220	15,175	36
Non-Hispanic white	66,935	81,505	102,604	139,503	206,886	282,018	321,125	301,010	197,069	75,705	15,485	113
Male	41,686	49,212	60,781	80,805	115,353	145,725	148,288	115,799	57,884	16,125	2,276	92
Female	25,249	32,293	41,823	58,698	91,533	136,293	172,837	185,211	139,185	59,580	13,209	21
Non-Hispanic black	18,441	18,646	20,877	25,103	28,700	32,243	29,349	23,592	14,846	6,423	2,107	50
Male	10,953	10,845	11,755	13,617	14,829	15,429	12,654	8,313	4,249	1,415	375	40
Female	7,488	7,801	9,122	11,486	13,871	16,814	16,695	15,279	10,597	5,008	1,732	10
Origin not stated 2/	427	457	533	526	762	904	876	817	508	228	51	182
Male	300	325	393	337	474	493	411	292	151	54	13	136
Female	127	132	140	189	288	411	465	525	357	174	38	46

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Certain other intestinal infections (A04,A07-A09)

All origins	33	28	53	73	162	237	329	293	187	75	10	-
Male	11	14	21	32	76	107	120	93	50	14	-	-
Female	22	14	32	41	86	130	209	200	137	61	10	-
Hispanic	2	2	2	3	5	8	8	8	7	2	-	-
Male	-	1	1	-	1	4	1	3	3	-	-	-
Female	2	1	1	3	4	4	7	5	4	2	-	-
Mexican	1	-	2	3	2	6	6	6	5	1	-	-
Male	-	-	1	-	-	2	1	2	3	-	-	-
Female	1	-	1	3	2	4	5	4	2	1	-	-
Puerto Rican	-	1	-	-	-	1	1	1	-	1	-	-
Male	-	1	-	-	-	1	-	1	-	-	-	-
Female	-	-	-	-	-	-	1	-	-	1	-	-
Cuban	-	-	-	-	1	-	1	-	2	-	-	-
Male	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	-	2	-	-	-
Central and South American	-	-	-	-	1	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	1	-	-	1	-	-	-	-
Other and unknown Hispanic	1	1	-	-	1	1	-	-	-	-	-	-
Male	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	1	-	-	1	-	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Certain other intestinal infections (A04,A07-A09)

Non-Hispanic 1/	31	26	51	69	156	228	318	284	179	72	10	-
Male	11	13	20	31	74	103	119	90	46	14	-	-
Female	20	13	31	38	82	125	199	194	133	58	10	-
Non-Hispanic white	29	22	40	56	146	214	295	275	170	65	10	-
Male	10	11	18	26	68	95	108	85	45	12	-	-
Female	19	11	22	30	78	119	187	190	125	53	10	-
Non-Hispanic black	2	4	9	12	10	10	18	7	7	5	-	-
Male	1	2	2	4	6	4	8	3	1	2	-	-
Female	1	2	7	8	4	6	10	4	6	3	-	-
Origin not stated 2/	-	-	-	1	1	1	3	1	1	1	-	-
Male	-	-	-	1	1	-	-	-	1	-	-	-
Female	-	-	-	-	-	1	3	1	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Septicemia (A40-A41)												
All origins	1,140	1,392	1,719	2,409	3,589	5,000	5,351	4,856	3,001	1,020	192	-
Male	604	728	878	1,227	1,817	2,402	2,360	1,788	869	225	32	-
Female	536	664	841	1,182	1,772	2,598	2,991	3,068	2,132	795	160	-
Hispanic	63	57	94	129	159	191	155	136	93	35	10	-
Male	43	32	54	69	80	101	69	49	25	9	1	-
Female	20	25	40	60	79	90	86	87	68	26	9	-
Mexican	31	31	49	56	90	99	73	47	40	16	5	-
Male	20	18	31	28	42	57	35	22	11	1	-	-
Female	11	13	18	28	48	42	38	25	29	15	5	-
Puerto Rican	18	14	23	34	28	24	26	28	14	4	3	-
Male	14	5	9	22	15	11	12	8	5	-	1	-
Female	4	9	14	12	13	13	14	20	9	4	2	-
Cuban	1	2	6	10	17	23	27	32	22	11	1	-
Male	-	-	4	7	10	12	13	7	7	5	-	-
Female	1	2	2	3	7	11	14	25	15	6	1	-
Central and South American	7	5	6	17	13	17	14	15	8	-	-	-
Male	6	5	3	7	7	7	3	5	1	-	-	-
Female	1	-	3	10	6	10	11	10	7	-	-	-
Other and unknown Hispanic	6	5	10	12	11	28	15	14	9	4	1	-
Male	3	4	7	5	6	14	6	7	1	3	-	-
Female	3	1	3	7	5	14	9	7	8	1	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Septicemia (A40-A41)												
Non-Hispanic 1/	1,071	1,327	1,614	2,275	3,415	4,798	5,179	4,712	2,901	983	180	-
Male	555	694	816	1,154	1,728	2,294	2,281	1,738	843	216	30	-
Female	516	633	798	1,121	1,687	2,504	2,898	2,974	2,058	767	150	-
Non-Hispanic white	703	919	1,162	1,704	2,681	3,928	4,424	4,040	2,499	825	134	-
Male	365	470	601	868	1,355	1,892	1,959	1,492	712	184	18	-
Female	338	449	561	836	1,326	2,036	2,465	2,548	1,787	641	116	-
Non-Hispanic black	334	381	423	526	660	797	704	626	364	148	43	-
Male	171	211	200	259	327	365	291	225	110	27	11	-
Female	163	170	223	267	333	432	413	401	254	121	32	-
Origin not stated 2/	6	8	11	5	15	11	17	8	7	2	2	-
Male	6	2	8	4	9	7	10	1	1	-	1	-
Female	-	6	3	1	6	4	7	7	6	2	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE

TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Viral hepatitis (B15-B19)												
All origins	959	586	428	407	429	375	238	120	41	5	-	1
Male	737	406	237	207	189	156	107	42	13	2	-	1
Female	222	180	191	200	240	219	131	78	28	3	-	-
Hispanic	111	117	75	52	61	43	18	10	5	-	-	-
Male	87	85	38	17	18	15	8	3	1	-	-	-
Female	24	32	37	35	43	28	10	7	4	-	-	-
Mexican	60	68	42	29	32	23	9	3	3	-	-	-
Male	45	46	20	8	8	9	6	1	1	-	-	-
Female	15	22	22	21	24	14	3	2	2	-	-	-
Puerto Rican	27	24	12	5	5	6	-	1	-	-	-	-
Male	22	20	9	1	2	1	-	-	-	-	-	-
Female	5	4	3	4	3	5	-	1	-	-	-	-
Cuban	7	3	2	5	9	6	6	4	1	-	-	-
Male	5	1	1	3	5	3	1	2	-	-	-	-
Female	2	2	1	2	4	3	5	2	1	-	-	-
Central and South American	2	8	11	6	11	2	2	2	-	-	-	-
Male	2	5	4	2	2	1	-	-	-	-	-	-
Female	-	3	7	4	9	1	2	2	-	-	-	-
Other and unknown Hispanic	15	14	8	7	4	6	1	-	1	-	-	-
Male	13	13	4	3	1	1	1	-	-	-	-	-
Female	2	1	4	4	3	5	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Viral hepatitis (B15-B19)												
Non-Hispanic 1/	845	465	352	354	367	332	220	110	36	5	-	1
Male	648	317	198	190	171	141	99	39	12	2	-	1
Female	197	148	154	164	196	191	121	71	24	3	-	-
Non-Hispanic white	622	330	256	263	281	279	188	94	29	5	-	-
Male	492	233	151	153	143	128	90	38	9	2	-	-
Female	130	97	105	110	138	151	98	56	20	3	-	-
Non-Hispanic black	187	100	67	46	45	35	18	12	4	-	-	1
Male	128	63	36	18	16	9	4	-	2	-	-	1
Female	59	37	31	28	29	26	14	12	2	-	-	-
Origin not stated 2/	3	4	1	1	1	-	-	-	-	-	-	-
Male	2	4	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	1	-	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All origins	356	338	433	537	606	698	632	483	288	98	18	-
Male	215	209	240	275	290	350	306	185	101	21	-	-
Female	141	129	193	262	316	348	326	298	187	77	18	-
Hispanic	29	34	22	31	36	37	20	11	6	6	1	-
Male	21	25	13	19	19	17	10	3	2	3	-	-
Female	8	9	9	12	17	20	10	8	4	3	1	-
Mexican	16	23	13	15	29	20	9	4	2	2	-	-
Male	12	18	8	8	16	8	6	1	1	2	-	-
Female	4	5	5	7	13	12	3	3	1	-	-	-
Puerto Rican	5	2	3	7	1	6	3	2	1	2	-	-
Male	2	1	1	6	-	3	1	1	1	-	-	-
Female	3	1	2	1	1	3	2	1	-	2	-	-
Cuban	-	2	2	2	2	5	2	3	2	1	-	-
Male	-	1	1	-	1	3	1	1	-	-	-	-
Female	-	1	1	2	1	2	1	2	2	1	-	-
Central and South American	4	4	4	4	3	3	2	1	1	-	-	-
Male	3	2	3	2	1	2	-	-	-	-	-	-
Female	1	2	1	2	2	1	2	1	1	-	-	-
Other and unknown Hispanic	4	3	-	3	1	3	4	1	-	1	1	-
Male	4	3	-	3	1	1	2	-	-	1	-	-
Female	-	-	-	-	-	2	2	1	-	-	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
Non-Hispanic 1/	325	302	409	505	568	660	612	471	281	92	17	-
Male	192	182	226	256	269	332	296	182	99	18	-	-
Female	133	120	183	249	299	328	316	289	182	74	17	-
Non-Hispanic white	241	227	324	417	482	577	546	426	254	82	13	-
Male	144	139	181	211	232	294	268	166	90	16	-	-
Female	97	88	143	206	250	283	278	260	164	66	13	-
Non-Hispanic black	68	62	67	64	71	56	49	35	20	8	4	-
Male	39	34	36	37	29	22	20	10	7	2	-	-
Female	29	28	31	27	42	34	29	25	13	6	4	-
Origin not stated 2/	2	2	2	1	2	1	-	1	1	-	-	-
Male	2	2	1	-	2	1	-	-	-	-	-	-
Female	-	-	1	1	-	-	-	1	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Malignant neoplasms (C00-C97)

All origins	30,363	39,827	50,396	64,172	82,846	89,967	75,478	49,680	21,660	5,684	727	8
Male	15,694	21,390	27,854	35,900	45,799	47,951	38,175	23,140	8,628	1,951	235	7
Female	14,669	18,437	22,542	28,272	37,047	42,016	37,303	26,540	13,032	3,733	492	1
Hispanic	1,629	1,814	2,312	2,608	3,116	2,988	2,080	1,322	615	222	22	-
Male	793	948	1,254	1,465	1,754	1,718	1,096	642	271	109	11	-
Female	836	866	1,058	1,143	1,362	1,270	984	680	344	113	11	-
Mexican	900	958	1,185	1,376	1,654	1,668	1,073	653	288	107	13	-
Male	433	493	645	767	927	993	567	324	132	55	5	-
Female	467	465	540	609	727	675	506	329	156	52	8	-
Puerto Rican	249	277	354	350	352	342	225	145	65	22	1	-
Male	137	148	206	192	209	201	119	65	32	12	-	-
Female	112	129	148	158	143	141	106	80	33	10	1	-
Cuban	106	164	248	315	442	384	319	212	111	38	3	-
Male	54	105	144	197	254	226	178	112	50	21	2	-
Female	52	59	104	118	188	158	141	100	61	17	1	-
Central and South American	224	251	275	283	328	264	188	121	55	20	4	-
Male	92	117	132	135	158	109	80	51	15	8	3	-
Female	132	134	143	148	170	155	108	70	40	12	1	-
Other and unknown Hispanic	150	164	250	284	340	330	275	191	96	35	1	-
Male	77	85	127	174	206	189	152	90	42	13	1	-
Female	73	79	123	110	134	141	123	101	54	22	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms (C00-C97)												
Non-Hispanic 1/	28,656	37,907	47,935	61,421	79,522	86,761	73,262	48,251	20,990	5,451	702	7
Male	14,856	20,368	26,503	34,350	43,916	46,112	37,009	22,450	8,335	1,839	222	6
Female	13,800	17,539	21,432	27,071	35,606	40,649	36,253	25,801	12,655	3,612	480	1
Non-Hispanic white	22,907	31,194	40,195	52,117	69,412	77,026	65,734	43,739	18,926	4,811	577	4
Male	11,839	16,696	22,188	29,183	38,371	40,816	33,069	20,248	7,441	1,599	183	4
Female	11,068	14,498	18,007	22,934	31,041	36,210	32,665	23,491	11,485	3,212	394	-
Non-Hispanic black	4,805	5,694	6,502	7,877	8,515	8,163	6,291	3,776	1,780	567	116	3
Male	2,568	3,133	3,619	4,430	4,704	4,432	3,268	1,830	734	203	37	2
Female	2,237	2,561	2,883	3,447	3,811	3,731	3,023	1,946	1,046	364	79	1
Origin not stated 2/	78	106	149	143	208	218	136	107	55	11	3	1
Male	45	74	97	85	129	121	70	48	22	3	2	1
Female	33	32	52	58	79	97	66	59	33	8	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
All origins	649	861	879	893	1,019	1,004	783	502	240	67	5	1
Male	521	687	685	631	696	598	427	232	83	18	2	1
Female	128	174	194	262	323	406	356	270	157	49	3	-
Hispanic	31	29	40	41	37	39	19	21	6	4	-	-
Male	24	23	32	31	27	26	13	8	2	2	-	-
Female	7	6	8	10	10	13	6	13	4	2	-	-
Mexican	17	17	12	20	20	19	5	7	1	1	-	-
Male	12	12	10	14	18	11	3	3	1	-	-	-
Female	5	5	2	6	2	8	2	4	-	1	-	-
Puerto Rican	12	5	14	9	7	8	5	5	-	2	-	-
Male	10	5	10	8	5	7	4	1	-	1	-	-
Female	2	-	4	1	2	1	1	4	-	1	-	-
Cuban	-	2	4	5	3	7	3	3	1	-	-	-
Male	-	2	4	5	1	6	2	-	1	-	-	-
Female	-	-	-	-	2	1	1	3	-	-	-	-
Central and South American	2	2	3	2	3	1	2	3	1	-	-	-
Male	2	2	2	1	1	-	1	2	-	-	-	-
Female	-	-	1	1	2	1	1	1	1	-	-	-
Other and unknown Hispanic	-	3	7	5	4	4	4	3	3	1	-	-
Male	-	2	6	3	2	2	3	2	-	1	-	-
Female	-	1	1	2	2	2	1	1	3	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
Non-Hispanic 1/	616	828	838	849	980	960	764	479	234	63	5	-
Male	496	661	652	597	667	568	414	223	81	16	2	-
Female	120	167	186	252	313	392	350	256	153	47	3	-
Non-Hispanic white	464	632	656	679	845	859	701	440	216	62	5	-
Male	375	500	504	478	567	502	378	204	75	16	2	-
Female	89	132	152	201	278	357	323	236	141	46	3	-
Non-Hispanic black	124	172	146	140	116	80	49	25	16	1	-	-
Male	100	141	122	98	86	52	26	12	5	-	-	-
Female	24	31	24	42	30	28	23	13	11	1	-	-
Origin not stated 2/	2	4	1	3	2	5	-	2	-	-	-	1
Male	1	3	1	3	2	4	-	1	-	-	-	1
Female	1	1	-	-	-	1	-	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of esophagus (C15)												
All origins	916	1,114	1,440	1,765	2,014	1,941	1,366	757	317	56	7	1
Male	787	940	1,197	1,436	1,553	1,423	942	452	153	18	2	1
Female	129	174	243	329	461	518	424	305	164	38	5	-
Hispanic	42	34	62	37	58	49	52	12	18	2	-	-
Male	42	25	49	33	47	33	35	7	15	-	-	-
Female	-	9	13	4	11	16	17	5	3	2	-	-
Mexican	22	24	32	18	31	24	27	3	9	1	-	-
Male	22	17	28	16	25	17	18	2	8	-	-	-
Female	-	7	4	2	6	7	9	1	1	1	-	-
Puerto Rican	13	6	10	7	10	10	10	1	4	-	-	-
Male	13	5	8	6	8	5	6	-	3	-	-	-
Female	-	1	2	1	2	5	4	1	1	-	-	-
Cuban	-	1	6	4	5	5	5	4	4	1	-	-
Male	-	1	4	3	4	3	4	2	4	-	-	-
Female	-	-	2	1	1	2	1	2	-	1	-	-
Central and South American	6	-	8	5	5	4	4	2	-	-	-	-
Male	6	-	4	5	4	3	2	2	-	-	-	-
Female	-	-	4	-	1	1	2	-	-	-	-	-
Other and unknown Hispanic	1	3	6	3	7	6	6	2	1	-	-	-
Male	1	2	5	3	6	5	5	1	-	-	-	-
Female	-	1	1	-	1	1	1	1	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of esophagus (C15)												
Non-Hispanic 1/	871	1,077	1,370	1,721	1,943	1,888	1,313	745	298	54	7	1
Male	743	912	1,140	1,396	1,498	1,386	906	445	138	18	2	1
Female	128	165	230	325	445	502	407	300	160	36	5	-
Non-Hispanic white	674	823	1,102	1,413	1,647	1,690	1,198	688	268	51	7	1
Male	581	713	932	1,162	1,296	1,255	831	413	120	17	2	1
Female	93	110	170	251	351	435	367	275	148	34	5	-
Non-Hispanic black	172	225	241	272	262	176	102	51	23	3	-	-
Male	141	176	187	202	177	118	67	27	13	1	-	-
Female	31	49	54	70	85	58	35	24	10	2	-	-
Origin not stated 2/	3	3	8	7	13	4	1	-	1	-	-	-
Male	2	3	8	7	8	4	1	-	-	-	-	-
Female	1	-	-	-	5	-	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of stomach (C16)												
All origins	675	751	1,020	1,308	1,713	2,004	1,789	1,216	620	149	16	-
Male	443	514	724	858	1,070	1,194	954	550	222	36	5	-
Female	232	237	296	450	643	810	835	666	398	113	11	-
Hispanic	104	93	116	135	165	142	111	60	30	11	1	-
Male	61	51	79	86	100	76	59	32	10	7	1	-
Female	43	42	37	49	65	66	52	28	20	4	-	-
Mexican	62	55	65	88	99	92	71	31	21	6	1	-
Male	38	29	46	58	63	49	43	19	8	5	1	-
Female	24	26	19	30	36	43	28	12	13	1	-	-
Puerto Rican	10	8	12	15	20	8	11	9	1	1	-	-
Male	6	6	8	9	13	6	5	4	1	1	-	-
Female	4	2	4	6	7	2	6	5	-	-	-	-
Cuban	2	3	5	3	12	11	5	7	3	2	-	-
Male	1	2	4	1	8	8	3	4	-	1	-	-
Female	1	1	1	2	4	3	2	3	3	1	-	-
Central and South American	20	21	26	18	19	19	11	5	2	-	-	-
Male	9	11	17	11	7	7	3	2	-	-	-	-
Female	11	10	9	7	12	12	8	3	2	-	-	-
Other and unknown Hispanic	10	6	8	11	15	12	13	8	3	2	-	-
Male	7	3	4	7	9	6	5	3	1	-	-	-
Female	3	3	4	4	6	6	8	5	2	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of stomach (C16)												
Non-Hispanic 1/	569	656	902	1,171	1,541	1,853	1,676	1,155	588	137	15	-
Male	380	461	644	771	966	1,114	893	517	211	28	4	-
Female	189	195	258	400	575	739	783	638	377	109	11	-
Non-Hispanic white	371	474	636	827	1,183	1,448	1,331	948	471	105	10	-
Male	252	335	459	540	748	894	712	431	172	22	2	-
Female	119	139	177	287	435	554	619	517	299	83	8	-
Non-Hispanic black	147	128	196	251	254	292	256	161	94	26	5	-
Male	104	86	134	172	160	162	131	59	25	6	2	-
Female	43	42	62	79	94	130	125	102	69	20	3	-
Origin not stated 2/	2	2	2	2	7	9	2	1	2	1	-	-
Male	2	2	1	1	4	4	2	1	1	1	-	-
Female	-	-	1	1	3	5	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of colon, rectum and anus (C18-C21)												
All origins	2,804	3,610	4,374	5,997	7,794	8,988	8,539	6,618	3,482	1,028	131	-
Male	1,545	2,116	2,536	3,479	4,294	4,568	3,883	2,520	1,068	251	36	-
Female	1,259	1,494	1,838	2,518	3,500	4,420	4,656	4,098	2,414	777	95	-
Hispanic	157	176	239	255	337	317	218	169	96	41	4	-
Male	80	99	146	150	183	167	94	76	39	19	1	-
Female	77	77	93	105	154	150	124	93	57	22	3	-
Mexican	77	87	109	127	160	147	102	72	37	17	2	-
Male	39	49	74	72	96	82	45	35	16	5	-	-
Female	38	38	35	55	64	65	57	37	21	12	2	-
Puerto Rican	21	30	48	40	45	42	22	20	12	5	-	-
Male	10	19	31	24	23	20	12	9	6	3	-	-
Female	11	11	17	16	22	22	10	11	6	2	-	-
Cuban	13	19	29	36	59	55	49	28	21	8	-	-
Male	8	8	13	21	24	23	21	16	6	7	-	-
Female	5	11	16	15	35	32	28	12	15	1	-	-
Central and South American	19	27	24	22	26	30	18	14	7	4	2	-
Male	10	16	13	14	13	12	8	4	1	1	1	-
Female	9	11	11	8	13	18	10	10	6	3	1	-
Other and unknown Hispanic	27	13	29	30	47	43	27	35	19	7	-	-
Male	13	7	15	19	27	30	8	12	10	3	-	-
Female	14	6	14	11	20	13	19	23	9	4	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of colon, rectum and anus (C18-C21)												
Non-Hispanic 1/	2,639	3,421	4,124	5,733	7,439	8,655	8,308	6,434	3,379	985	126	-
Male	1,462	2,008	2,382	3,322	4,097	4,396	3,785	2,441	1,028	232	34	-
Female	1,177	1,413	1,742	2,411	3,342	4,259	4,523	3,993	2,351	753	92	-
Non-Hispanic white	2,049	2,721	3,371	4,747	6,377	7,509	7,394	5,839	3,044	866	101	-
Male	1,173	1,630	1,986	2,793	3,576	3,871	3,392	2,211	922	198	28	-
Female	876	1,091	1,385	1,954	2,801	3,638	4,002	3,628	2,122	668	73	-
Non-Hispanic black	492	607	641	839	887	985	773	503	296	104	23	-
Male	242	325	327	449	432	442	324	187	86	27	5	-
Female	250	282	314	390	455	543	449	316	210	77	18	-
Origin not stated 2/	8	13	11	9	18	16	13	15	7	2	1	-
Male	3	9	8	7	14	5	4	3	1	-	1	-
Female	5	4	3	2	4	11	9	12	6	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All origins	1,073	1,063	1,288	1,556	1,884	2,003	1,646	1,009	386	97	8	-
Male	872	780	911	1,036	1,188	1,200	847	481	140	31	2	-
Female	201	283	377	520	696	803	799	528	246	66	6	-
Hispanic	119	127	134	157	170	179	110	59	21	4	-	-
Male	91	96	91	100	106	100	52	24	9	1	-	-
Female	28	31	43	57	64	79	58	35	12	3	-	-
Mexican	68	70	76	97	100	112	63	37	9	1	-	-
Male	54	50	45	63	62	62	35	16	4	-	-	-
Female	14	20	31	34	38	50	28	21	5	1	-	-
Puerto Rican	23	25	27	19	20	17	11	2	2	-	-	-
Male	19	22	22	13	16	8	8	2	2	-	-	-
Female	4	3	5	6	4	9	3	-	-	-	-	-
Cuban	2	6	6	16	17	18	17	8	6	2	-	-
Male	-	5	4	10	10	14	2	2	1	1	-	-
Female	2	1	2	6	7	4	15	6	5	1	-	-
Central and South American	14	15	11	12	19	17	6	8	-	1	-	-
Male	6	8	9	6	10	6	-	2	-	-	-	-
Female	8	7	2	6	9	11	6	6	-	1	-	-
Other and unknown Hispanic	12	11	14	13	14	15	13	4	4	-	-	-
Male	12	11	11	8	8	10	7	2	2	-	-	-
Female	-	-	3	5	6	5	6	2	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of liver and intrahepatic bile ducts (C22)												
Non-Hispanic 1/	951	929	1,150	1,395	1,708	1,817	1,535	947	364	93	7	-
Male	779	677	818	932	1,077	1,095	794	457	131	30	2	-
Female	172	252	332	463	631	722	741	490	233	63	5	-
Non-Hispanic white	644	640	865	1,084	1,393	1,552	1,305	835	323	78	6	-
Male	525	460	628	752	899	938	694	403	120	26	2	-
Female	119	180	237	332	494	614	611	432	203	52	4	-
Non-Hispanic black	212	215	158	182	175	148	151	71	31	10	1	-
Male	171	162	104	108	96	81	61	31	6	-	-	-
Female	41	53	54	74	79	67	90	40	25	10	1	-
Origin not stated 2/	3	7	4	4	6	7	1	3	1	-	1	-
Male	2	7	2	4	5	5	1	-	-	-	-	-
Female	1	-	2	-	1	2	-	3	1	-	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of pancreas (C25)												
All origins	1,577	2,111	2,757	3,525	4,633	4,987	4,335	2,861	1,214	293	42	1
Male	964	1,269	1,605	1,921	2,294	2,360	1,831	984	310	64	7	1
Female	613	842	1,152	1,604	2,339	2,627	2,504	1,877	904	229	35	-
Hispanic	80	122	141	184	235	196	144	85	39	10	-	-
Male	45	68	73	102	110	94	60	22	7	4	-	-
Female	35	54	68	82	125	102	84	63	32	6	-	-
Mexican	43	69	83	99	138	116	70	42	15	4	-	-
Male	24	38	42	54	63	63	31	8	3	2	-	-
Female	19	31	41	45	75	53	39	34	12	2	-	-
Puerto Rican	12	11	17	12	24	13	21	3	4	1	-	-
Male	7	3	8	9	12	3	7	1	-	1	-	-
Female	5	8	9	3	12	10	14	2	4	-	-	-
Cuban	9	12	13	26	30	24	13	12	10	2	-	-
Male	3	8	9	14	16	11	9	5	2	-	-	-
Female	6	4	4	12	14	13	4	7	8	2	-	-
Central and South American	9	21	12	22	15	24	20	12	3	1	-	-
Male	6	13	7	8	7	8	5	3	-	-	-	-
Female	3	8	5	14	8	16	15	9	3	1	-	-
Other and unknown Hispanic	7	9	16	25	28	19	20	16	7	2	-	-
Male	5	6	7	17	12	9	8	5	2	1	-	-
Female	2	3	9	8	16	10	12	11	5	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of pancreas (C25)												
Non-Hispanic 1/	1,493	1,987	2,611	3,331	4,388	4,779	4,184	2,771	1,174	282	42	1
Male	918	1,200	1,528	1,813	2,176	2,262	1,769	959	302	59	7	1
Female	575	787	1,083	1,518	2,212	2,517	2,415	1,812	872	223	35	-
Non-Hispanic white	1,210	1,632	2,215	2,802	3,762	4,199	3,732	2,493	1,034	250	33	1
Male	755	1,014	1,310	1,544	1,897	2,026	1,598	883	273	55	5	1
Female	455	618	905	1,258	1,865	2,173	2,134	1,610	761	195	28	-
Non-Hispanic black	243	291	347	442	519	481	384	231	122	29	9	-
Male	140	153	186	231	229	200	135	59	22	4	2	-
Female	103	138	161	211	290	281	249	172	100	25	7	-
Origin not stated 2/	4	2	5	10	10	12	7	5	1	1	-	-
Male	1	1	4	6	8	4	2	3	1	1	-	-
Female	3	1	1	4	2	8	5	2	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of larynx (C32)												
All origins	270	414	499	531	639	553	357	208	74	13	1	-
Male	223	339	398	417	502	442	268	171	58	8	1	-
Female	47	75	101	114	137	111	89	37	16	5	-	-
Hispanic	6	18	20	35	25	20	9	9	4	-	-	-
Male	5	16	18	29	24	16	8	5	4	-	-	-
Female	1	2	2	6	1	4	1	4	-	-	-	-
Mexican	2	8	9	16	11	11	4	3	2	-	-	-
Male	2	8	8	14	11	8	4	2	2	-	-	-
Female	-	-	1	2	-	3	-	1	-	-	-	-
Puerto Rican	1	3	4	7	5	1	1	4	1	-	-	-
Male	-	2	4	5	5	1	1	3	1	-	-	-
Female	1	1	-	2	-	-	-	1	-	-	-	-
Cuban	2	5	3	5	5	3	4	-	-	-	-	-
Male	2	4	2	5	4	2	3	-	-	-	-	-
Female	-	1	1	-	1	1	1	-	-	-	-	-
Central and South American	1	1	2	3	1	-	-	1	-	-	-	-
Male	1	1	2	1	1	-	-	-	-	-	-	-
Female	-	-	-	2	-	-	-	1	-	-	-	-
Other and unknown Hispanic	-	1	2	4	3	5	-	1	1	-	-	-
Male	-	1	2	4	3	5	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
All origins	7,786	12,595	17,182	22,850	28,375	27,723	18,977	9,623	3,064	587	57	4
Male	4,703	7,523	10,350	13,798	16,901	15,968	10,438	5,026	1,370	237	23	4
Female	3,083	5,072	6,832	9,052	11,474	11,755	8,539	4,597	1,694	350	34	-
Hispanic	237	325	433	564	666	626	385	202	90	27	2	-
Male	156	219	298	369	451	413	244	119	43	13	1	-
Female	81	106	135	195	215	213	141	83	47	14	1	-
Mexican	103	153	203	271	338	353	179	100	56	15	2	-
Male	64	106	144	178	222	244	109	60	27	8	1	-
Female	39	47	59	93	116	109	70	40	29	7	1	-
Puerto Rican	53	48	67	86	85	81	47	26	5	-	-	-
Male	36	32	46	48	53	52	29	12	3	-	-	-
Female	17	16	21	38	32	29	18	14	2	-	-	-
Cuban	29	51	68	84	104	76	71	41	10	5	-	-
Male	22	36	50	65	73	57	51	25	5	3	-	-
Female	7	15	18	19	31	19	20	16	5	2	-	-
Central and South American	30	39	44	55	54	37	31	14	7	3	-	-
Male	22	26	28	32	35	14	18	9	4	2	-	-
Female	8	13	16	23	19	23	13	5	3	1	-	-
Other and unknown Hispanic	22	34	51	68	85	79	57	21	12	4	-	-
Male	12	19	30	46	68	46	37	13	4	-	-	-
Female	10	15	21	22	17	33	20	8	8	4	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
Non-Hispanic 1/	7,523	12,239	16,697	22,236	27,651	27,041	18,558	9,396	2,968	560	54	4
Male	4,529	7,278	10,013	13,402	16,416	15,518	10,177	4,892	1,325	224	21	4
Female	2,994	4,961	6,684	8,834	11,235	11,523	8,381	4,504	1,643	336	33	-
Non-Hispanic white	6,100	10,333	14,380	19,332	24,640	24,359	16,864	8,593	2,707	487	42	2
Male	3,594	6,032	8,520	11,536	14,520	13,853	9,169	4,432	1,205	202	18	2
Female	2,506	4,301	5,860	7,796	10,120	10,506	7,695	4,161	1,502	285	24	-
Non-Hispanic black	1,260	1,674	2,011	2,509	2,567	2,264	1,359	635	195	61	11	2
Male	841	1,099	1,301	1,635	1,631	1,410	816	373	86	15	3	2
Female	419	575	710	874	936	854	543	262	109	46	8	-
Origin not stated 2/	26	31	52	50	58	56	34	25	6	-	1	-
Male	18	26	39	27	34	37	17	15	2	-	1	-
Female	8	5	13	23	24	19	17	10	4	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant melanoma of skin (C43)												
All origins	672	653	680	746	943	919	759	489	213	72	11	-
Male	425	430	463	524	632	600	463	256	99	31	2	-
Female	247	223	217	222	311	319	296	233	114	41	9	-
Hispanic	12	14	11	13	15	15	13	4	2	2	1	-
Male	3	9	6	10	9	9	4	-	-	1	-	-
Female	9	5	5	3	6	6	9	4	2	1	1	-
Mexican	8	8	5	6	9	8	8	2	1	-	1	-
Male	3	5	4	5	4	5	2	-	-	-	-	-
Female	5	3	1	1	5	3	6	2	1	-	1	-
Puerto Rican	2	-	4	1	1	3	1	1	1	1	-	-
Male	-	-	1	-	1	2	1	-	-	1	-	-
Female	2	-	3	1	-	1	-	1	1	-	-	-
Cuban	-	1	2	4	2	1	-	-	-	1	-	-
Male	-	1	1	3	2	-	-	-	-	-	-	-
Female	-	-	1	1	-	1	-	-	-	1	-	-
Central and South American	1	1	-	1	1	2	2	1	-	-	-	-
Male	-	-	-	1	1	2	-	-	-	-	-	-
Female	1	1	-	-	-	-	2	1	-	-	-	-
Other and unknown Hispanic	1	4	-	1	2	1	2	-	-	-	-	-
Male	-	3	-	1	1	-	1	-	-	-	-	-
Female	1	1	-	-	1	1	1	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant melanoma of skin (C43)												
Non-Hispanic 1/	659	638	669	733	927	901	745	484	211	70	10	-
Male	421	420	457	514	622	588	459	256	99	30	2	-
Female	238	218	212	219	305	313	286	228	112	40	8	-
Non-Hispanic white	650	632	654	711	905	885	729	476	207	69	9	-
Male	417	417	450	503	613	580	454	253	99	30	2	-
Female	233	215	204	208	292	305	275	223	108	39	7	-
Non-Hispanic black	6	5	8	18	18	9	15	5	4	1	1	-
Male	1	3	1	9	7	2	4	1	-	-	-	-
Female	5	2	7	9	11	7	11	4	4	1	1	-
Origin not stated 2/	1	1	-	-	1	3	1	1	-	-	-	-
Male	1	1	-	-	1	3	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of breast (C50)												
All origins	3,803	3,843	3,789	3,972	4,743	5,130	4,533	3,330	1,848	644	89	-
Male	33	32	40	54	66	69	46	31	9	6	-	-
Female	3,770	3,811	3,749	3,918	4,677	5,061	4,487	3,299	1,839	638	89	-
Hispanic	224	216	191	158	160	137	82	55	36	17	2	-
Male	1	-	1	4	1	3	2	-	-	-	-	-
Female	223	216	190	154	159	134	80	55	36	17	2	-
Mexican	128	111	89	86	74	65	40	24	12	9	2	-
Male	-	-	-	2	1	2	-	-	-	-	-	-
Female	128	111	89	84	73	63	40	24	12	9	2	-
Puerto Rican	26	42	27	24	21	24	8	6	8	2	-	-
Male	-	-	-	1	-	1	1	-	-	-	-	-
Female	26	42	27	23	21	23	7	6	8	2	-	-
Cuban	14	12	22	18	29	14	14	8	6	3	-	-
Male	-	-	-	1	-	-	-	-	-	-	-	-
Female	14	12	22	17	29	14	14	8	6	3	-	-
Central and South American	34	35	27	16	24	18	8	7	5	1	-	-
Male	1	-	1	-	-	-	1	-	-	-	-	-
Female	33	35	26	16	24	18	7	7	5	1	-	-
Other and unknown Hispanic	22	16	26	14	12	16	12	10	5	2	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	22	16	26	14	12	16	12	10	5	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of breast (C50)												
Non-Hispanic 1/	3,573	3,621	3,587	3,805	4,574	4,976	4,442	3,267	1,808	627	87	-
Male	32	32	38	49	65	66	44	31	9	6	-	-
Female	3,541	3,589	3,549	3,756	4,509	4,910	4,398	3,236	1,799	621	87	-
Non-Hispanic white	2,790	2,922	2,973	3,201	3,984	4,458	4,014	2,959	1,660	568	67	-
Male	23	27	32	41	54	56	40	26	9	4	-	-
Female	2,767	2,895	2,941	3,160	3,930	4,402	3,974	2,933	1,651	564	67	-
Non-Hispanic black	657	598	527	532	521	473	389	274	141	59	19	-
Male	9	4	6	7	10	9	4	4	-	2	-	-
Female	648	594	521	525	511	464	385	270	141	57	19	-
Origin not stated 2/	6	6	11	9	9	17	9	8	4	-	-	-
Male	-	-	1	1	-	-	-	-	-	-	-	-
Female	6	6	10	8	9	17	9	8	4	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of cervix uteri (C53)												
All origins	478	371	352	279	306	298	285	193	90	30	2	-
Female	478	371	352	279	306	298	285	193	90	30	2	-
Hispanic	42	41	34	16	23	21	18	6	8	1	1	-
Female	42	41	34	16	23	21	18	6	8	1	1	-
Mexican	29	26	18	7	11	14	9	4	4	1	1	-
Female	29	26	18	7	11	14	9	4	4	1	1	-
Puerto Rican	5	7	9	3	1	1	1	1	1	-	-	-
Female	5	7	9	3	1	1	1	1	1	-	-	-
Cuban	-	-	-	1	1	-	3	-	-	-	-	-
Female	-	-	-	1	1	-	3	-	-	-	-	-
Central and South American	6	7	5	5	8	5	4	1	1	-	-	-
Female	6	7	5	5	8	5	4	1	1	-	-	-
Other and unknown Hispanic	2	1	2	-	2	1	1	-	2	-	-	-
Female	2	1	2	-	2	1	1	-	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All origins	374	457	648	785	999	1,075	988	662	312	104	10	1
Female	374	457	648	785	999	1,075	988	662	312	104	10	1
Hispanic	32	32	39	39	46	34	31	20	6	4	-	-
Female	32	32	39	39	46	34	31	20	6	4	-	-
Mexican	21	18	20	17	17	21	18	9	4	3	-	-
Female	21	18	20	17	17	21	18	9	4	3	-	-
Puerto Rican	4	6	9	5	8	1	2	1	1	-	-	-
Female	4	6	9	5	8	1	2	1	1	-	-	-
Cuban	2	2	3	3	9	6	6	4	1	-	-	-
Female	2	2	3	3	9	6	6	4	1	-	-	-
Central and South American	3	3	5	9	11	3	4	3	-	-	-	-
Female	3	3	5	9	11	3	4	3	-	-	-	-
Other and unknown Hispanic	2	3	2	5	1	3	1	3	-	1	-	-
Female	2	3	2	5	1	3	1	3	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)												
Non-Hispanic 1/	341	423	606	746	951	1,039	957	637	305	100	10	1
Female	341	423	606	746	951	1,039	957	637	305	100	10	1
Non-Hispanic white	264	349	453	557	762	878	834	576	268	88	7	-
Female	264	349	453	557	762	878	834	576	268	88	7	-
Non-Hispanic black	59	63	127	173	179	150	115	55	36	11	3	1
Female	59	63	127	173	179	150	115	55	36	11	3	1
Origin not stated 2/	1	2	3	-	2	2	-	5	1	-	-	-
Female	1	2	3	-	2	2	-	5	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of ovary (C56)												
All origins	1,016	1,171	1,441	1,682	1,984	2,246	1,924	1,181	451	96	15	-
Female	1,016	1,171	1,441	1,682	1,984	2,246	1,924	1,181	451	96	15	-
Hispanic	52	57	74	89	75	58	53	36	12	1	-	-
Female	52	57	74	89	75	58	53	36	12	1	-	-
Mexican	25	29	39	53	31	31	38	17	6	1	-	-
Female	25	29	39	53	31	31	38	17	6	1	-	-
Puerto Rican	8	8	5	10	7	6	2	6	-	-	-	-
Female	8	8	5	10	7	6	2	6	-	-	-	-
Cuban	4	3	8	9	14	5	6	5	3	-	-	-
Female	4	3	8	9	14	5	6	5	3	-	-	-
Central and South American	8	5	13	10	14	8	1	1	1	-	-	-
Female	8	5	13	10	14	8	1	1	1	-	-	-
Other and unknown Hispanic	7	12	9	7	9	8	6	7	2	-	-	-
Female	7	12	9	7	9	8	6	7	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of ovary (C56)												
Non-Hispanic 1/	964	1,112	1,363	1,589	1,906	2,182	1,870	1,142	438	94	15	-
Female	964	1,112	1,363	1,589	1,906	2,182	1,870	1,142	438	94	15	-
Non-Hispanic white	839	972	1,179	1,396	1,729	2,001	1,740	1,050	413	84	10	-
Female	839	972	1,179	1,396	1,729	2,001	1,740	1,050	413	84	10	-
Non-Hispanic black	87	112	139	150	151	149	103	79	24	9	5	-
Female	87	112	139	150	151	149	103	79	24	9	5	-
Origin not stated 2/	-	2	4	4	3	6	1	3	1	1	-	-
Female	-	2	4	4	3	6	1	3	1	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Malignant neoplasm of prostate (C61)

All origins	313	647	1,260	2,379	4,164	6,119	6,857	5,500	2,575	689	85	-
Male	313	647	1,260	2,379	4,164	6,119	6,857	5,500	2,575	689	85	-
Hispanic	22	40	68	142	190	278	209	155	78	37	2	-
Male	22	40	68	142	190	278	209	155	78	37	2	-
Mexican	13	16	30	74	100	152	117	80	29	23	-	-
Male	13	16	30	74	100	152	117	80	29	23	-	-
Puerto Rican	2	7	14	24	13	45	13	16	10	4	-	-
Male	2	7	14	24	13	45	13	16	10	4	-	-
Cuban	1	7	12	17	30	40	26	21	20	4	-	-
Male	1	7	12	17	30	40	26	21	20	4	-	-
Central and South American	1	6	7	12	27	22	15	14	5	3	1	-
Male	1	6	7	12	27	22	15	14	5	3	1	-
Other and unknown Hispanic	5	4	5	15	20	19	38	24	14	3	1	-
Male	5	4	5	15	20	19	38	24	14	3	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of prostate (C61)												
Non-Hispanic 1/	291	603	1,187	2,231	3,966	5,820	6,629	5,335	2,486	651	83	-
Male	291	603	1,187	2,231	3,966	5,820	6,629	5,335	2,486	651	83	-
Non-Hispanic white	193	434	851	1,679	3,076	4,713	5,517	4,569	2,111	519	65	-
Male	193	434	851	1,679	3,076	4,713	5,517	4,569	2,111	519	65	-
Non-Hispanic black	96	163	318	526	846	1,027	1,027	699	338	118	17	-
Male	96	163	318	526	846	1,027	1,027	699	338	118	17	-
Origin not stated 2/	-	4	5	6	8	21	19	10	11	1	-	-
Male	-	4	5	6	8	21	19	10	11	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of kidney and renal pelvis (C64-C65)												
All origins	813	1,006	1,322	1,395	1,826	1,810	1,496	947	390	82	5	-
Male	586	722	912	928	1,165	1,052	814	500	164	23	-	-
Female	227	284	410	467	661	758	682	447	226	59	5	-
Hispanic	63	48	79	77	86	86	43	37	9	4	1	-
Male	43	33	53	50	57	52	27	23	6	1	-	-
Female	20	15	26	27	29	34	16	14	3	3	1	-
Mexican	44	27	49	45	51	60	30	24	5	4	-	-
Male	31	20	30	26	30	35	21	13	4	1	-	-
Female	13	7	19	19	21	25	9	11	1	3	-	-
Puerto Rican	5	5	5	8	4	4	4	4	-	-	1	-
Male	4	3	4	4	4	2	2	3	-	-	-	-
Female	1	2	1	4	-	2	2	1	-	-	1	-
Cuban	5	2	8	7	13	12	4	4	1	-	-	-
Male	3	2	6	6	11	9	3	4	-	-	-	-
Female	2	-	2	1	2	3	1	-	1	-	-	-
Central and South American	3	6	8	7	8	4	1	2	1	-	-	-
Male	-	2	5	5	5	2	-	2	-	-	-	-
Female	3	4	3	2	3	2	1	-	1	-	-	-
Other and unknown Hispanic	6	8	9	10	10	6	4	3	2	-	-	-
Male	5	6	8	9	7	4	1	1	2	-	-	-
Female	1	2	1	1	3	2	3	2	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of kidney and renal pelvis (C64-C65)												
Non-Hispanic 1/	748	958	1,240	1,314	1,737	1,722	1,450	910	379	76	4	-
Male	542	689	857	875	1,106	999	785	477	157	22	-	-
Female	206	269	383	439	631	723	665	433	222	54	4	-
Non-Hispanic white	623	833	1,071	1,178	1,563	1,554	1,326	836	345	71	4	-
Male	451	608	732	788	1,002	895	721	444	146	21	-	-
Female	172	225	339	390	561	659	605	392	199	50	4	-
Non-Hispanic black	100	104	136	108	141	137	104	63	28	5	-	-
Male	72	67	101	67	86	83	53	30	9	1	-	-
Female	28	37	35	41	55	54	51	33	19	4	-	-
Origin not stated 2/	2	-	3	4	3	2	3	-	2	2	-	-
Male	1	-	2	3	2	1	2	-	1	-	-	-
Female	1	-	1	1	1	1	1	-	1	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of bladder (C67)												
All origins	314	484	781	1,147	1,667	2,179	2,309	1,865	864	265	42	-
Male	233	359	597	859	1,229	1,554	1,562	1,129	482	123	17	-
Female	81	125	184	288	438	625	747	736	382	142	25	-
Hispanic	9	16	25	40	50	51	53	41	20	11	2	-
Male	4	15	22	27	32	31	36	21	15	8	2	-
Female	5	1	3	13	18	20	17	20	5	3	-	-
Mexican	3	5	10	12	20	30	25	15	10	1	1	-
Male	2	5	10	6	12	18	16	7	8	1	1	-
Female	1	-	-	6	8	12	9	8	2	-	-	-
Puerto Rican	3	3	4	5	7	5	8	4	1	-	-	-
Male	1	3	3	3	6	3	8	2	1	-	-	-
Female	2	-	1	2	1	2	-	2	-	-	-	-
Cuban	-	3	4	7	10	10	11	12	3	2	-	-
Male	-	3	3	5	7	6	5	8	2	2	-	-
Female	-	-	1	2	3	4	6	4	1	-	-	-
Central and South American	3	3	4	9	5	2	3	5	3	3	1	-
Male	1	2	3	7	4	2	3	1	2	1	1	-
Female	2	1	1	2	1	-	-	4	1	2	-	-
Other and unknown Hispanic	-	2	3	7	8	4	6	5	3	5	-	-
Male	-	2	3	6	3	2	4	3	2	4	-	-
Female	-	-	-	1	5	2	2	2	1	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasm of bladder (C67)												
Non-Hispanic 1/	305	467	753	1,103	1,615	2,120	2,252	1,819	843	253	40	-
Male	229	344	573	829	1,196	1,518	1,523	1,104	466	115	15	-
Female	76	123	180	274	419	602	729	715	377	138	25	-
Non-Hispanic white	265	409	667	995	1,484	1,956	2,070	1,697	772	235	36	-
Male	201	308	522	768	1,116	1,428	1,428	1,044	440	113	13	-
Female	64	101	145	227	368	528	642	653	332	122	23	-
Non-Hispanic black	35	48	77	93	104	140	151	97	61	17	3	-
Male	26	27	45	50	61	72	72	44	20	2	2	-
Female	9	21	32	43	43	68	79	53	41	15	1	-
Origin not stated 2/	-	1	3	4	2	8	4	5	1	1	-	-
Male	-	-	2	3	1	5	3	4	1	-	-	-
Female	-	1	1	1	1	3	1	1	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------	----------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All origins	1,121	1,174	1,290	1,354	1,469	1,506	1,060	528	157	31	5	-
Male	673	734	736	763	826	777	511	202	48	9	2	-
Female	448	440	554	591	643	729	549	326	109	22	3	-
Hispanic	45	47	62	60	57	47	35	14	4	-	-	-
Male	21	31	28	32	40	24	16	6	-	-	-	-
Female	24	16	34	28	17	23	19	8	4	-	-	-
Mexican	25	27	33	33	30	22	15	7	1	-	-	-
Male	12	19	17	18	20	14	7	2	-	-	-	-
Female	13	8	16	15	10	8	8	5	1	-	-	-
Puerto Rican	2	6	4	6	6	6	4	-	-	-	-	-
Male	2	4	1	4	5	3	1	-	-	-	-	-
Female	-	2	3	2	1	3	3	-	-	-	-	-
Cuban	2	4	8	10	11	8	7	3	-	-	-	-
Male	-	3	4	5	8	2	4	1	-	-	-	-
Female	2	1	4	5	3	6	3	2	-	-	-	-
Central and South American	13	5	10	5	6	5	4	3	1	-	-	-
Male	6	3	3	3	3	2	2	2	-	-	-	-
Female	7	2	7	2	3	3	2	1	1	-	-	-
Other and unknown Hispanic	3	5	7	6	4	6	5	1	2	-	-	-
Male	1	2	3	2	4	3	2	1	-	-	-	-
Female	2	3	4	4	-	3	3	-	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
Non-Hispanic 1/	1,075	1,124	1,222	1,292	1,411	1,456	1,023	513	153	31	5	-
Male	651	700	706	731	785	751	494	196	48	9	2	-
Female	424	424	516	561	626	705	529	317	105	22	3	-
Non-Hispanic white	984	1,023	1,132	1,188	1,321	1,385	971	485	144	26	4	-
Male	598	642	651	685	742	710	471	184	43	7	1	-
Female	386	381	481	503	579	675	500	301	101	19	3	-
Non-Hispanic black	69	76	69	83	70	52	40	24	8	5	1	-
Male	41	44	43	36	34	25	15	8	4	2	1	-
Female	28	32	26	47	36	27	25	16	4	3	-	-
Origin not stated 2/	1	3	6	2	1	3	2	1	-	-	-	-
Male	1	3	2	-	1	2	1	-	-	-	-	-
Female	-	-	4	2	-	1	1	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All origins	2,390	3,224	4,231	5,602	8,057	9,580	8,677	5,848	2,344	536	77	-
Male	1,440	1,900	2,512	3,316	4,543	5,065	4,262	2,537	846	168	25	-
Female	950	1,324	1,719	2,286	3,514	4,515	4,415	3,311	1,498	368	52	-
Hispanic	161	179	263	271	326	346	227	148	53	11	3	-
Male	92	108	143	159	179	205	113	65	23	4	3	-
Female	69	71	120	112	147	141	114	83	30	7	-	-
Mexican	95	97	142	147	175	188	112	71	25	5	2	-
Male	61	56	72	86	90	115	51	28	11	2	2	-
Female	34	41	70	61	85	73	61	43	14	3	-	-
Puerto Rican	20	31	35	29	36	32	23	16	5	1	-	-
Male	8	20	21	16	22	21	9	5	3	-	-	-
Female	12	11	14	13	14	11	14	11	2	1	-	-
Cuban	10	9	20	33	44	45	40	23	9	2	1	-
Male	6	7	15	23	28	23	27	11	4	1	1	-
Female	4	2	5	10	16	22	13	12	5	1	-	-
Central and South American	26	31	39	35	44	38	28	14	7	-	-	-
Male	11	19	23	18	23	19	12	7	2	-	-	-
Female	15	12	16	17	21	19	16	7	5	-	-	-
Other and unknown Hispanic	10	11	27	27	27	43	24	24	7	3	-	-
Male	6	6	12	16	16	27	14	14	3	1	-	-
Female	4	5	15	11	11	16	10	10	4	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
Non-Hispanic 1/	2,223	3,040	3,954	5,317	7,710	9,211	8,434	5,691	2,287	525	74	-
Male	1,344	1,790	2,361	3,151	4,354	4,843	4,142	2,467	822	164	22	-
Female	879	1,250	1,593	2,166	3,356	4,368	4,292	3,224	1,465	361	52	-
Non-Hispanic white	1,816	2,523	3,355	4,581	6,911	8,395	7,804	5,296	2,131	484	69	-
Male	1,115	1,498	2,021	2,748	3,945	4,456	3,851	2,312	768	151	21	-
Female	701	1,025	1,334	1,833	2,966	3,939	3,953	2,984	1,363	333	48	-
Non-Hispanic black	329	427	488	618	670	661	522	329	134	37	4	-
Male	192	239	273	343	336	300	238	123	44	11	1	-
Female	137	188	215	275	334	361	284	206	90	26	3	-
Origin not stated 2/	6	5	14	14	21	23	16	9	4	-	-	-
Male	4	2	8	6	10	17	7	5	1	-	-	-
Female	2	3	6	8	11	6	9	4	3	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Hodgkin's disease (C81)												
All origins	91	61	82	103	108	151	127	66	24	7	-	-
Male	56	40	45	65	64	75	55	26	7	1	-	-
Female	35	21	37	38	44	76	72	40	17	6	-	-
Hispanic	11	8	6	11	10	6	5	5	-	-	-	-
Male	10	8	3	8	7	3	2	3	-	-	-	-
Female	1	-	3	3	3	3	3	2	-	-	-	-
Mexican	7	5	6	6	4	2	1	1	-	-	-	-
Male	7	5	3	4	3	1	1	-	-	-	-	-
Female	-	-	3	2	1	1	-	1	-	-	-	-
Puerto Rican	2	2	-	-	1	2	1	1	-	-	-	-
Male	1	2	-	-	1	1	-	-	-	-	-	-
Female	1	-	-	-	-	1	1	1	-	-	-	-
Cuban	-	-	-	3	-	-	1	2	-	-	-	-
Male	-	-	-	3	-	-	-	2	-	-	-	-
Female	-	-	-	-	-	-	1	-	-	-	-	-
Central and South American	1	1	-	-	3	1	2	1	-	-	-	-
Male	1	1	-	-	2	1	1	1	-	-	-	-
Female	-	-	-	-	1	-	1	-	-	-	-	-
Other and unknown Hispanic	1	-	-	2	2	1	-	-	-	-	-	-
Male	1	-	-	1	1	-	-	-	-	-	-	-
Female	-	-	-	1	1	1	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Hodgkin's disease (C81)												
Non-Hispanic 1/	80	53	76	92	97	145	122	61	24	7	-	-
Male	46	32	42	57	57	72	53	23	7	1	-	-
Female	34	21	34	35	40	73	69	38	17	6	-	-
Non-Hispanic white	73	44	66	88	90	132	117	59	24	7	-	-
Male	41	27	36	55	54	67	50	21	7	1	-	-
Female	32	17	30	33	36	65	67	38	17	6	-	-
Non-Hispanic black	5	9	9	4	7	9	3	2	-	-	-	-
Male	4	5	5	2	3	3	2	2	-	-	-	-
Female	1	4	4	2	4	6	1	-	-	-	-	-
Origin not stated 2/	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	1	-	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
All origins	1,021	1,367	1,731	2,193	3,165	3,776	3,593	2,392	904	186	24	-
Male	663	817	1,008	1,286	1,739	1,873	1,685	1,020	305	55	5	-
Female	358	550	723	907	1,426	1,903	1,908	1,372	599	131	19	-
Hispanic	67	83	118	91	117	147	93	68	21	5	1	-
Male	39	50	65	55	67	82	49	28	5	2	1	-
Female	28	33	53	36	50	65	44	40	16	3	-	-
Mexican	38	36	66	45	71	82	47	33	12	3	1	-
Male	23	23	37	29	39	45	23	12	4	1	1	-
Female	15	13	29	16	32	37	24	21	8	2	-	-
Puerto Rican	11	18	14	8	13	11	9	9	1	-	-	-
Male	5	12	6	4	9	8	4	2	1	-	-	-
Female	6	6	8	4	4	3	5	7	-	-	-	-
Cuban	3	7	5	14	11	22	20	8	4	2	-	-
Male	3	5	4	11	6	10	14	3	-	1	-	-
Female	-	2	1	3	5	12	6	5	4	1	-	-
Central and South American	10	16	23	15	10	16	9	4	3	-	-	-
Male	4	7	16	6	5	9	3	2	-	-	-	-
Female	6	9	7	9	5	7	6	2	3	-	-	-
Other and unknown Hispanic	5	6	10	9	12	16	8	14	1	-	-	-
Male	4	3	2	5	8	10	5	9	-	-	-	-
Female	1	3	8	4	4	6	3	5	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
Non-Hispanic 1/	952	1,282	1,610	2,093	3,041	3,619	3,494	2,322	881	181	23	-
Male	623	767	941	1,227	1,670	1,783	1,633	991	300	53	4	-
Female	329	515	669	866	1,371	1,836	1,861	1,331	581	128	19	-
Non-Hispanic white	809	1,105	1,430	1,870	2,813	3,400	3,302	2,197	832	173	21	-
Male	531	661	836	1,108	1,547	1,678	1,548	936	284	50	4	-
Female	278	444	594	762	1,266	1,722	1,754	1,261	548	123	17	-
Non-Hispanic black	118	137	132	174	174	146	138	83	36	7	2	-
Male	79	77	74	96	94	65	59	35	11	2	-	-
Female	39	60	58	78	80	81	79	48	25	5	2	-
Origin not stated 2/	2	2	3	9	7	10	6	2	2	-	-	-
Male	1	-	2	4	2	8	3	1	-	-	-	-
Female	1	2	1	5	5	2	3	1	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Leukemia (C91-C95)												
All origins	845	1,073	1,462	1,963	2,923	3,541	3,155	2,256	1,008	271	50	-
Male	467	632	920	1,216	1,746	2,023	1,676	1,041	380	89	17	-
Female	378	441	542	747	1,177	1,518	1,479	1,215	628	182	33	-
Hispanic	51	47	73	90	107	113	72	44	17	5	2	-
Male	26	26	47	46	52	72	30	22	10	2	2	-
Female	25	21	26	44	55	41	42	22	7	3	-	-
Mexican	28	27	30	51	56	55	33	20	4	1	1	-
Male	17	14	16	25	23	38	13	11	2	1	1	-
Female	11	13	14	26	33	17	20	9	2	-	-	-
Puerto Rican	5	7	13	9	14	11	6	4	3	1	-	-
Male	2	4	11	3	7	6	1	2	1	-	-	-
Female	3	3	2	6	7	5	5	2	2	1	-	-
Cuban	4	1	10	12	18	18	15	8	4	-	1	-
Male	2	1	8	6	11	11	10	4	3	-	1	-
Female	2	-	2	6	7	7	5	4	1	-	-	-
Central and South American	11	9	12	13	10	13	10	7	3	-	-	-
Male	4	6	5	8	6	6	3	3	2	-	-	-
Female	7	3	7	5	4	7	7	4	1	-	-	-
Other and unknown Hispanic	3	3	8	5	9	16	8	5	3	3	-	-
Male	1	1	7	4	5	11	3	2	2	1	-	-
Female	2	2	1	1	4	5	5	3	1	2	-	-

ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX: UNITED STATES, 2001

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Leukemia (C91-C95)												
Non-Hispanic 1/	793	1,023	1,383	1,869	2,808	3,423	3,078	2,207	989	266	48	-
Male	440	604	870	1,168	1,689	1,947	1,643	1,016	369	87	15	-
Female	353	419	513	701	1,119	1,476	1,435	1,191	620	179	33	-
Non-Hispanic white	644	879	1,205	1,630	2,555	3,139	2,892	2,084	928	244	46	-
Male	365	527	762	1,024	1,555	1,803	1,546	968	348	80	15	-
Female	279	352	443	606	1,000	1,336	1,346	1,116	580	164	31	-
Non-Hispanic black	112	112	136	202	206	236	154	108	54	20	1	-
Male	61	63	84	125	107	111	76	42	17	6	-	-
Female	51	49	52	77	99	125	78	66	37	14	1	-
Origin not stated 2/	1	3	6	4	8	5	5	5	2	-	-	-
Male	1	2	3	2	5	4	3	3	1	-	-	-
Female	-	1	3	2	3	1	2	2	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

All origins	430	721	950	1,332	1,849	2,101	1,785	1,123	400	71	3	-
Male	252	410	535	741	984	1,089	837	446	152	23	3	-
Female	178	311	415	591	865	1,012	948	677	248	48	-	-
Hispanic	32	41	66	77	92	80	57	31	15	1	-	-
Male	17	24	28	49	53	48	32	12	8	-	-	-
Female	15	17	38	28	39	32	25	19	7	1	-	-
Mexican	22	29	40	43	44	49	31	17	9	1	-	-
Male	14	14	16	27	25	31	14	5	5	-	-	-
Female	8	15	24	16	19	18	17	12	4	1	-	-
Puerto Rican	2	4	8	12	8	8	7	2	1	-	-	-
Male	-	2	4	9	5	6	4	1	1	-	-	-
Female	2	2	4	3	3	2	3	1	-	-	-	-
Cuban	3	1	5	4	15	5	4	5	1	-	-	-
Male	1	1	3	3	11	2	3	2	1	-	-	-
Female	2	-	2	1	4	3	1	3	-	-	-	-
Central and South American	4	5	4	7	21	8	7	2	1	-	-	-
Male	2	5	2	4	10	3	5	1	-	-	-	-
Female	2	-	2	3	11	5	2	1	1	-	-	-
Other and unknown Hispanic	1	2	9	11	4	10	8	5	3	-	-	-
Male	-	2	3	6	2	6	6	3	1	-	-	-
Female	1	-	6	5	2	4	2	2	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Multiple myeloma and immunoproliferative neoplasms (C88,C90)												
Non-Hispanic 1/	395	680	879	1,254	1,752	2,013	1,723	1,090	385	70	3	-
Male	233	386	504	692	928	1,036	804	433	144	23	3	-
Female	162	294	375	562	824	977	919	657	241	47	-	-
Non-Hispanic white	287	495	649	985	1,442	1,715	1,479	946	339	59	2	-
Male	176	283	383	555	779	904	699	384	127	20	2	-
Female	111	212	266	430	663	811	780	562	212	39	-	-
Non-Hispanic black	94	167	210	237	282	269	224	135	44	10	1	-
Male	48	93	110	119	132	120	100	43	16	3	1	-
Female	46	74	100	118	150	149	124	92	28	7	-	-
Origin not stated 2/	3	-	5	1	5	8	5	2	-	-	-	-
Male	2	-	3	-	3	5	1	1	-	-	-	-
Female	1	-	2	1	2	3	4	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All origins	3,319	4,278	5,163	6,406	8,617	9,902	8,798	6,343	3,019	845	119	-
Male	1,933	2,398	2,928	3,501	4,676	4,962	4,070	2,569	1,001	239	26	-
Female	1,386	1,880	2,235	2,905	3,941	4,940	4,728	3,774	2,018	606	93	-
Hispanic	191	200	281	295	395	347	268	189	83	35	3	-
Male	103	115	147	141	198	191	124	79	20	12	1	-
Female	88	85	134	154	197	156	144	110	63	23	2	-
Mexican	115	111	161	160	239	203	140	105	41	15	1	-
Male	56	63	85	81	110	116	65	49	11	8	-	-
Female	59	48	76	79	129	87	75	56	30	7	1	-
Puerto Rican	27	26	39	40	32	35	31	20	9	5	-	-
Male	19	17	25	18	23	22	12	7	2	1	-	-
Female	8	9	14	22	9	13	19	13	7	4	-	-
Cuban	11	22	27	27	44	44	35	29	13	6	2	-
Male	8	16	13	13	28	22	18	13	5	2	1	-
Female	3	6	14	14	16	22	17	16	8	4	1	-
Central and South American	25	23	27	35	38	25	26	11	11	4	-	-
Male	10	8	8	11	17	10	10	1	1	1	-	-
Female	15	15	19	24	21	15	16	10	10	3	-	-
Other and unknown Hispanic	13	18	27	33	42	40	36	24	9	5	-	-
Male	10	11	16	18	20	21	19	9	1	-	-	-
Female	3	7	11	15	22	19	17	15	8	5	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)												
Non-Hispanic 1/	3,118	4,065	4,870	6,098	8,180	9,534	8,508	6,140	2,923	808	116	-
Male	1,822	2,275	2,771	3,351	4,449	4,765	3,936	2,484	978	227	25	-
Female	1,296	1,790	2,099	2,747	3,731	4,769	4,572	3,656	1,945	581	91	-
Non-Hispanic white	2,466	3,314	4,028	5,171	7,121	8,536	7,697	5,641	2,685	732	100	-
Male	1,436	1,845	2,294	2,857	3,932	4,292	3,590	2,292	887	211	21	-
Female	1,030	1,469	1,734	2,314	3,189	4,244	4,107	3,349	1,798	521	79	-
Non-Hispanic black	554	623	710	782	877	807	661	415	205	66	14	-
Male	328	364	395	429	437	383	267	158	73	14	4	-
Female	226	259	315	353	440	424	394	257	132	52	10	-
Origin not stated 2/	10	13	12	13	42	21	22	14	13	2	-	-
Male	8	8	10	9	29	6	10	6	3	-	-	-
Female	2	5	2	4	13	15	12	8	10	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All origins	415	553	700	1,000	1,574	2,192	2,462	2,102	1,141	351	49	-
Male	218	279	394	563	876	1,199	1,204	882	404	102	10	-
Female	197	274	306	437	698	993	1,258	1,220	737	249	39	-
Hispanic	28	25	42	47	53	67	61	44	34	11	3	-
Male	16	10	25	21	29	29	38	18	15	3	1	-
Female	12	15	17	26	24	38	23	26	19	8	2	-
Mexican	14	15	15	27	29	32	29	11	15	6	-	-
Male	8	5	7	12	15	10	17	5	8	2	-	-
Female	6	10	8	15	14	22	12	6	7	4	-	-
Puerto Rican	2	4	5	2	6	9	5	8	4	1	1	-
Male	1	2	4	1	3	4	2	4	2	1	-	-
Female	1	2	1	1	3	5	3	4	2	-	1	-
Cuban	3	1	16	6	13	17	11	12	9	2	-	-
Male	2	-	11	4	7	11	6	5	4	-	-	-
Female	1	1	5	2	6	6	5	7	5	2	-	-
Central and South American	5	2	2	5	3	5	4	5	3	1	-	-
Male	3	2	1	-	2	2	3	2	-	-	-	-
Female	2	-	1	5	1	3	1	3	3	1	-	-
Other and unknown Hispanic	4	3	4	7	2	4	12	8	3	1	2	-
Male	2	1	2	4	2	2	10	2	1	-	1	-
Female	2	2	2	3	-	2	2	6	2	1	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES,

1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------	----------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

Non-Hispanic 1/	385	527	655	951	1,517	2,120	2,390	2,055	1,103	340	46	-
Male	201	269	367	540	845	1,166	1,162	863	388	99	9	-
Female	184	258	288	411	672	954	1,228	1,192	715	241	37	-
Non-Hispanic white	326	451	555	837	1,348	1,945	2,205	1,897	1,015	303	36	-
Male	177	234	313	483	767	1,078	1,074	796	361	91	7	-
Female	149	217	242	354	581	867	1,131	1,101	654	212	29	-
Non-Hispanic black	54	63	84	99	137	141	155	116	75	33	9	-
Male	22	28	45	51	68	68	73	45	22	7	2	-
Female	32	35	39	48	69	73	82	71	53	26	7	-
Origin not stated 2/	2	1	3	2	4	5	11	3	4	-	-	-
Male	1	-	2	2	2	4	4	1	1	-	-	-
Female	1	1	1	-	2	1	7	2	3	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Anemias (D50-D64)												
All origins	120	119	130	186	306	525	701	808	659	294	90	-
Male	58	53	58	91	146	220	276	276	177	52	15	-
Female	62	66	72	95	160	305	425	532	482	242	75	-
Hispanic	5	11	6	14	11	24	19	23	15	6	2	-
Male	2	4	3	9	3	12	9	7	2	1	1	-
Female	3	7	3	5	8	12	10	16	13	5	1	-
Mexican	3	9	4	8	6	13	10	13	8	3	1	-
Male	1	4	2	5	1	9	5	5	1	1	1	-
Female	2	5	2	3	5	4	5	8	7	2	-	-
Puerto Rican	1	2	-	1	2	3	1	2	2	-	-	-
Male	1	-	-	1	1	1	1	-	-	-	-	-
Female	-	2	-	-	1	2	-	2	2	-	-	-
Cuban	1	-	1	2	2	3	6	3	2	-	-	-
Male	-	-	-	2	1	1	3	-	1	-	-	-
Female	1	-	1	-	1	2	3	3	1	-	-	-
Central and South American	-	-	1	2	1	3	-	1	1	1	-	-
Male	-	-	1	1	-	-	-	-	-	-	-	-
Female	-	-	-	1	1	3	-	1	1	1	-	-
Other and unknown Hispanic	-	-	-	1	-	2	2	4	2	2	1	-
Male	-	-	-	-	-	1	-	2	-	-	-	-
Female	-	-	-	1	-	1	2	2	2	2	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Anemias (D50-D64)												
Non-Hispanic 1/	114	107	124	172	294	500	677	783	644	288	87	-
Male	56	49	55	82	143	208	266	269	175	51	14	-
Female	58	58	69	90	151	292	411	514	469	237	73	-
Non-Hispanic white	56	57	93	132	236	422	591	703	584	260	66	-
Male	27	27	41	65	110	181	238	252	157	45	10	-
Female	29	30	52	67	126	241	353	451	427	215	56	-
Non-Hispanic black	57	46	29	36	54	71	78	66	50	24	18	-
Male	29	21	14	15	31	26	25	15	13	6	3	-
Female	28	25	15	21	23	45	53	51	37	18	15	-
Origin not stated 2/	1	1	-	-	1	1	5	2	-	-	1	-
Male	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	1	-	-	1	1	4	2	-	-	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Diabetes mellitus (E10-E14)												
All origins	3,280	4,188	5,382	7,195	9,536	11,546	11,259	8,366	4,259	1,350	196	1
Male	1,920	2,362	2,879	3,734	4,703	5,244	4,674	2,966	1,188	269	34	1
Female	1,360	1,826	2,503	3,461	4,833	6,302	6,585	5,400	3,071	1,081	162	-
Hispanic	278	404	578	764	840	899	649	477	212	88	6	-
Male	172	217	293	374	384	385	253	146	56	19	1	-
Female	106	187	285	390	456	514	396	331	156	69	5	-
Mexican	188	271	402	520	582	622	385	259	115	52	3	-
Male	110	147	201	244	252	257	158	83	27	13	-	-
Female	78	124	201	276	330	365	227	176	88	39	3	-
Puerto Rican	42	59	76	101	81	88	88	55	26	9	1	-
Male	29	25	34	57	40	35	30	19	5	2	1	-
Female	13	34	42	44	41	53	58	36	21	7	-	-
Cuban	9	17	34	36	66	69	71	67	29	10	2	-
Male	6	11	15	21	40	40	25	20	6	1	-	-
Female	3	6	19	15	26	29	46	47	23	9	2	-
Central and South American	16	24	30	49	41	38	38	39	17	5	-	-
Male	11	13	21	25	16	16	14	8	7	-	-	-
Female	5	11	9	24	25	22	24	31	10	5	-	-
Other and unknown Hispanic	23	33	36	58	70	82	67	57	25	12	-	-
Male	16	21	22	27	36	37	26	16	11	3	-	-
Female	7	12	14	31	34	45	41	41	14	9	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Diabetes mellitus (E10-E14)												
Non-Hispanic 1/	2,985	3,769	4,793	6,404	8,662	10,616	10,582	7,869	4,039	1,261	189	1
Male	1,740	2,136	2,579	3,345	4,298	4,844	4,411	2,812	1,131	250	32	1
Female	1,245	1,633	2,214	3,059	4,364	5,772	6,171	5,057	2,908	1,011	157	-
Non-Hispanic white	2,082	2,664	3,454	4,736	6,728	8,585	8,922	6,742	3,467	1,057	136	1
Male	1,253	1,585	1,939	2,607	3,535	4,063	3,811	2,515	990	210	25	1
Female	829	1,079	1,515	2,129	3,193	4,522	5,111	4,227	2,477	847	111	-
Non-Hispanic black	799	974	1,159	1,440	1,670	1,735	1,397	975	507	179	49	-
Male	416	483	548	629	649	655	495	236	120	29	7	-
Female	383	491	611	811	1,021	1,080	902	739	387	150	42	-
Origin not stated 2/	17	15	11	27	34	31	28	20	8	1	1	-
Male	8	9	7	15	21	15	10	8	1	-	1	-
Female	9	6	4	12	13	16	18	12	7	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------	----------------

Nutritional deficiencies (E40-E64)

All origins	62	64	89	131	243	439	661	798	684	324	83	-
Male	29	35	46	63	111	172	254	228	171	55	3	-
Female	33	29	43	68	132	267	407	570	513	269	80	-
Hispanic	2	2	3	5	7	22	23	25	25	12	-	-
Male	1	2	2	1	1	11	9	6	10	7	-	-
Female	1	-	1	4	6	11	14	19	15	5	-	-
Mexican	2	-	-	4	7	13	11	17	17	10	-	-
Male	1	-	-	1	1	7	4	4	9	5	-	-
Female	1	-	-	3	6	6	7	13	8	5	-	-
Puerto Rican	-	1	1	-	-	2	2	-	3	-	-	-
Male	-	1	1	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	2	1	-	3	-	-	-
Cuban	-	1	-	-	-	2	2	1	2	2	-	-
Male	-	1	-	-	-	-	1	-	1	2	-	-
Female	-	-	-	-	-	2	1	1	1	-	-	-
Central and South American	-	-	-	-	-	-	2	2	1	-	-	-
Male	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	2	1	1	-	-	-
Other and unknown Hispanic	-	-	2	1	-	5	6	5	2	-	-	-
Male	-	-	1	-	-	4	3	1	-	-	-	-
Female	-	-	1	1	-	1	3	4	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Nutritional deficiencies (E40-E64)												
Non-Hispanic 1/	60	62	86	126	236	416	638	772	657	312	83	-
Male	28	33	44	62	110	160	245	222	161	48	3	-
Female	32	29	42	64	126	256	393	550	496	264	80	-
Non-Hispanic white	37	43	70	93	198	342	536	690	578	274	76	-
Male	13	20	32	42	89	133	207	197	135	41	2	-
Female	24	23	38	51	109	209	329	493	443	233	74	-
Non-Hispanic black	21	17	12	28	33	62	87	72	68	30	7	-
Male	14	12	9	18	20	25	30	24	21	5	1	-
Female	7	5	3	10	13	37	57	48	47	25	6	-
Origin not stated 2/	-	-	-	-	-	1	-	1	2	-	-	-
Male	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	1	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malnutrition (E40-E46)												
All origins	57	62	84	123	224	406	619	756	643	302	71	-
Male	25	33	42	57	100	156	244	220	164	50	2	-
Female	32	29	42	66	124	250	375	536	479	252	69	-
Hispanic	2	2	3	5	7	22	22	25	25	11	-	-
Male	1	2	2	1	1	11	9	6	10	6	-	-
Female	1	-	1	4	6	11	13	19	15	5	-	-
Mexican	2	-	-	4	7	13	10	17	17	9	-	-
Male	1	-	-	1	1	7	4	4	9	4	-	-
Female	1	-	-	3	6	6	6	13	8	5	-	-
Puerto Rican	-	1	1	-	-	2	2	-	3	-	-	-
Male	-	1	1	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	2	1	-	3	-	-	-
Cuban	-	1	-	-	-	2	2	1	2	2	-	-
Male	-	1	-	-	-	-	1	-	1	2	-	-
Female	-	-	-	-	-	2	1	1	1	-	-	-
Central and South American	-	-	-	-	-	-	2	2	1	-	-	-
Male	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	2	1	1	-	-	-
Other and unknown Hispanic	-	-	2	1	-	5	6	5	2	-	-	-
Male	-	-	1	-	-	4	3	1	-	-	-	-
Female	-	-	1	1	-	1	3	4	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Malnutrition (E40-E46)												
Non-Hispanic 1/	55	60	81	118	217	383	597	730	616	291	71	-
Male	24	31	40	56	99	144	235	214	154	44	2	-
Female	31	29	41	62	118	239	362	516	462	247	69	-
Non-Hispanic white	35	43	66	88	182	315	501	653	540	255	64	-
Male	12	20	29	39	80	118	198	189	129	38	1	-
Female	23	23	37	49	102	197	303	464	411	217	63	-
Non-Hispanic black	18	15	11	26	30	58	81	67	65	28	7	-
Male	11	10	8	16	18	24	29	24	20	4	1	-
Female	7	5	3	10	12	34	52	43	45	24	6	-
Origin not stated 2/	-	-	-	-	-	1	-	1	2	-	-	-
Male	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	1	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Meningitis (G00,G03)												
All origins	50	58	55	46	48	46	50	25	12	4	-	-
Male	30	30	31	24	27	26	21	11	3	1	-	-
Female	20	28	24	22	21	20	29	14	9	3	-	-
Hispanic	1	4	3	2	4	3	5	1	1	-	-	-
Male	-	2	1	2	3	1	3	-	-	-	-	-
Female	1	2	2	-	1	2	2	1	1	-	-	-
Mexican	-	3	3	-	2	2	3	-	-	-	-	-
Male	-	1	1	-	1	1	2	-	-	-	-	-
Female	-	2	2	-	1	1	1	-	-	-	-	-
Puerto Rican	1	1	-	-	-	-	-	1	-	-	-	-
Male	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-
Cuban	-	-	-	1	-	-	1	-	-	-	-	-
Male	-	-	-	1	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	-	-	-	1	1	1	1	-	-	-	-	-
Male	-	-	-	1	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	1	-	-	-	-	-
Other and unknown Hispanic	-	-	-	-	1	-	-	-	1	-	-	-
Male	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Meningitis (G00,G03)												
Non-Hispanic 1/	49	54	52	44	44	43	45	22	11	4	-	-
Male	30	28	30	22	24	25	18	11	3	1	-	-
Female	19	26	22	22	20	18	27	11	8	3	-	-
Non-Hispanic white	34	36	41	33	40	37	37	17	9	2	-	-
Male	21	19	23	15	22	20	15	7	2	-	-	-
Female	13	17	18	18	18	17	22	10	7	2	-	-
Non-Hispanic black	13	16	9	9	4	5	6	4	2	2	-	-
Male	8	8	6	6	2	4	2	4	1	1	-	-
Female	5	8	3	3	2	1	4	-	1	1	-	-
Origin not stated 2/	-	-	-	-	-	-	-	2	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	2	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Parkinson's disease (G20-G21)												
All origins	32	100	201	554	1,593	3,446	4,679	3,786	1,655	425	43	-
Male	25	69	145	362	1,032	2,104	2,733	2,012	759	134	10	-
Female	7	31	56	192	561	1,342	1,946	1,774	896	291	33	-
Hispanic	2	5	8	30	68	108	122	94	34	8	2	-
Male	1	1	6	19	37	63	78	50	14	3	-	-
Female	1	4	2	11	31	45	44	44	20	5	2	-
Mexican	-	3	7	13	32	57	58	32	13	3	-	-
Male	-	-	6	9	21	30	35	18	5	2	-	-
Female	-	3	1	4	11	27	23	14	8	1	-	-
Puerto Rican	1	2	1	4	7	9	11	10	3	1	-	-
Male	1	1	-	2	2	6	6	3	2	-	-	-
Female	-	1	1	2	5	3	5	7	1	1	-	-
Cuban	-	-	-	4	15	16	31	19	9	2	1	-
Male	-	-	-	2	7	10	21	10	3	-	-	-
Female	-	-	-	2	8	6	10	9	6	2	1	-
Central and South American	-	-	-	3	3	2	4	10	1	1	1	-
Male	-	-	-	1	2	1	3	6	-	-	-	-
Female	-	-	-	2	1	1	1	4	1	1	1	-
Other and unknown Hispanic	1	-	-	6	11	24	18	23	8	1	-	-
Male	-	-	-	5	5	16	13	13	4	1	-	-
Female	1	-	-	1	6	8	5	10	4	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Parkinson's disease (G20-G21)												
Non-Hispanic 1/	29	95	193	523	1,523	3,329	4,544	3,682	1,617	415	41	-
Male	23	68	139	342	993	2,034	2,647	1,957	743	130	10	-
Female	6	27	54	181	530	1,295	1,897	1,725	874	285	31	-
Non-Hispanic white	27	85	172	483	1,428	3,172	4,349	3,528	1,547	392	35	-
Male	21	61	129	319	933	1,950	2,536	1,881	709	123	9	-
Female	6	24	43	164	495	1,222	1,813	1,647	838	269	26	-
Non-Hispanic black	2	5	15	25	66	109	129	113	54	18	4	-
Male	2	4	9	15	44	55	72	53	29	4	-	-
Female	-	1	6	10	22	54	57	60	25	14	4	-
Origin not stated 2/	1	-	-	1	2	9	13	10	4	2	-	-
Male	1	-	-	1	2	7	8	5	2	1	-	-
Female	-	-	-	-	-	2	5	5	2	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Alzheimer's disease (G30)												
All origins	56	165	364	858	2,564	6,568	11,974	14,843	11,168	4,474	796	-
Male	27	61	167	397	1,075	2,616	4,179	4,225	2,312	608	79	-
Female	29	104	197	461	1,489	3,952	7,795	10,618	8,856	3,866	717	-
Hispanic	1	6	13	32	80	194	271	313	197	106	23	-
Male	1	-	6	16	28	89	97	88	50	20	3	-
Female	-	6	7	16	52	105	174	225	147	86	20	-
Mexican	1	3	1	14	34	95	126	134	86	49	10	-
Male	1	-	1	10	8	41	46	42	24	8	2	-
Female	-	3	-	4	26	54	80	92	62	41	8	-
Puerto Rican	-	3	5	10	12	24	28	39	23	10	4	-
Male	-	-	3	1	3	12	12	9	7	1	-	-
Female	-	3	2	9	9	12	16	30	16	9	4	-
Cuban	-	-	1	3	16	42	63	66	42	28	4	-
Male	-	-	1	3	10	21	19	19	10	7	1	-
Female	-	-	-	-	6	21	44	47	32	21	3	-
Central and South American	-	-	4	1	6	9	10	17	13	6	2	-
Male	-	-	1	1	-	6	3	2	1	1	-	-
Female	-	-	3	-	6	3	7	15	12	5	2	-
Other and unknown Hispanic	-	-	2	4	12	24	44	57	33	13	3	-
Male	-	-	-	1	7	9	17	16	8	3	-	-
Female	-	-	2	3	5	15	27	41	25	10	3	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Alzheimer's disease (G30)												
Non-Hispanic 1/	55	159	350	826	2,479	6,362	11,689	14,497	10,949	4,360	771	-
Male	26	61	161	381	1,046	2,520	4,080	4,125	2,258	588	75	-
Female	29	98	189	445	1,433	3,842	7,609	10,372	8,691	3,772	696	-
Non-Hispanic white	53	152	328	736	2,284	5,829	10,913	13,619	10,349	4,070	682	-
Male	24	56	149	338	967	2,329	3,808	3,868	2,125	557	63	-
Female	29	96	179	398	1,317	3,500	7,105	9,751	8,224	3,513	619	-
Non-Hispanic black	2	6	20	80	173	499	677	782	522	260	80	-
Male	2	5	12	38	72	182	230	219	109	25	11	-
Female	-	1	8	42	101	317	447	563	413	235	69	-
Origin not stated 2/	-	-	1	-	5	12	14	33	22	8	2	-
Male	-	-	-	-	1	7	2	12	4	-	1	-
Female	-	-	1	-	4	5	12	21	18	8	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Major cardiovascular diseases (I00-I78)

All origins	26,682	33,335	42,889	59,066	89,343	130,631	161,364	164,000	116,097	47,232	10,601	72
Male	18,442	22,489	27,831	36,221	51,535	67,972	72,817	59,914	32,127	9,565	1,491	53
Female	8,240	10,846	15,058	22,845	37,808	62,659	88,547	104,086	83,970	37,667	9,110	19
Hispanic	1,524	1,745	2,251	3,094	4,231	5,154	4,985	4,684	3,247	1,405	318	7
Male	1,058	1,170	1,412	1,898	2,371	2,652	2,314	1,798	1,019	343	72	6
Female	466	575	839	1,196	1,860	2,502	2,671	2,886	2,228	1,062	246	1
Mexican	878	970	1,210	1,660	2,292	2,842	2,458	2,262	1,492	651	172	3
Male	614	646	734	1,024	1,280	1,520	1,187	926	494	173	45	2
Female	264	324	476	636	1,012	1,322	1,271	1,336	998	478	127	1
Puerto Rican	236	310	398	501	608	659	608	560	347	142	34	2
Male	146	199	256	302	342	319	258	202	102	32	7	2
Female	90	111	142	199	266	340	350	358	245	110	27	-
Cuban	99	131	218	347	545	708	904	932	721	295	49	-
Male	82	96	156	225	322	376	419	349	210	63	13	-
Female	17	35	62	122	223	332	485	583	511	232	36	-
Central and South American	174	170	220	294	382	408	428	345	256	96	23	-
Male	118	114	135	156	191	166	162	97	68	21	2	-
Female	56	56	85	138	191	242	266	248	188	75	21	-
Other and unknown Hispanic	137	164	205	292	404	537	587	585	431	221	40	2
Male	98	115	131	191	236	271	288	224	145	54	5	2
Female	39	49	74	101	168	266	299	361	286	167	35	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Major cardiovascular diseases (I00-I78)												
Non-Hispanic 1/	25,044	31,434	40,441	55,778	84,840	125,069	155,957	158,886	112,579	45,695	10,260	47
Male	17,303	21,204	26,265	34,192	48,986	65,093	70,302	57,972	31,035	9,192	1,412	36
Female	7,741	10,230	14,176	21,586	35,854	59,976	85,655	100,914	81,544	36,503	8,848	11
Non-Hispanic white	18,233	23,979	31,501	44,581	71,517	108,821	140,101	145,157	103,653	41,714	8,934	28
Male	13,141	16,667	21,059	28,119	42,094	57,548	63,784	53,354	28,550	8,310	1,195	22
Female	5,092	7,312	10,442	16,462	29,423	51,273	76,317	91,803	75,103	33,404	7,739	6
Non-Hispanic black	6,107	6,601	7,882	9,697	11,387	13,796	13,229	11,446	7,562	3,442	1,150	17
Male	3,703	3,956	4,533	5,226	5,829	6,257	5,279	3,627	1,914	694	184	13
Female	2,404	2,645	3,349	4,471	5,558	7,539	7,950	7,819	5,648	2,748	966	4
Origin not stated 2/	114	156	197	194	272	408	422	430	271	132	23	18
Male	81	115	154	131	178	227	201	144	73	30	7	11
Female	33	41	43	63	94	181	221	286	198	102	16	7

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Diseases of heart (I00-I09,I11,I13,I20-I51)												
All origins	22,009	27,564	34,922	47,131	69,168	98,099	118,893	119,848	85,878	35,479	8,234	66
Male	15,789	19,200	23,319	29,643	40,994	52,960	55,616	45,298	24,606	7,394	1,175	47
Female	6,220	8,364	11,603	17,488	28,174	45,139	63,277	74,550	61,272	28,085	7,059	19
Hispanic	1,139	1,362	1,790	2,466	3,264	3,875	3,757	3,506	2,531	1,080	252	6
Male	832	956	1,148	1,544	1,880	2,031	1,777	1,385	808	265	54	5
Female	307	406	642	922	1,384	1,844	1,980	2,121	1,723	815	198	1
Mexican	649	754	933	1,297	1,734	2,070	1,786	1,599	1,116	480	136	2
Male	486	524	578	811	980	1,129	885	688	369	128	33	1
Female	163	230	355	486	754	941	901	911	747	352	103	1
Puerto Rican	185	249	325	406	505	531	483	439	279	108	27	2
Male	114	165	211	247	290	255	209	162	82	28	5	2
Female	71	84	114	159	215	276	274	277	197	80	22	-
Cuban	88	108	185	306	447	584	748	784	607	258	41	-
Male	72	80	135	204	273	310	343	292	180	60	11	-
Female	16	28	50	102	174	274	405	492	427	198	30	-
Central and South American	112	126	174	227	280	292	325	253	202	76	17	-
Male	82	92	109	128	146	125	122	78	56	17	-	-
Female	30	34	65	99	134	167	203	175	146	59	17	-
Other and unknown Hispanic	105	125	173	230	298	398	415	431	327	158	31	2
Male	78	95	115	154	191	212	218	165	121	32	5	2
Female	27	30	58	76	107	186	197	266	206	126	26	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Diseases of heart (I00-I09,I11,I13,I20-I51)												
Non-Hispanic 1/	20,771	26,068	32,970	44,501	65,680	93,905	114,799	116,016	83,143	34,294	7,962	42
Male	14,883	18,146	22,042	27,987	38,962	50,746	53,683	43,799	23,744	7,107	1,116	31
Female	5,888	7,922	10,928	16,514	26,718	43,159	61,116	72,217	59,399	27,187	6,846	11
Non-Hispanic white	15,656	20,256	26,177	36,014	55,841	82,060	103,476	106,333	76,775	31,359	6,963	26
Male	11,662	14,516	17,988	23,298	33,761	45,093	48,903	40,491	21,898	6,442	944	20
Female	3,994	5,740	8,189	12,716	22,080	36,967	54,573	65,842	54,877	24,917	6,019	6
Non-Hispanic black	4,611	5,178	6,031	7,418	8,522	10,132	9,549	8,157	5,431	2,542	874	14
Male	2,868	3,170	3,543	4,044	4,447	4,705	3,916	2,630	1,451	528	149	10
Female	1,743	2,008	2,488	3,374	4,075	5,427	5,633	5,527	3,980	2,014	725	4
Origin not stated 2/	99	134	162	164	224	319	337	326	204	105	20	18
Male	74	98	129	112	152	183	156	114	54	22	5	11
Female	25	36	33	52	72	136	181	212	150	83	15	7

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All origins	125	168	193	307	437	599	589	468	235	67	10	-
Male	41	73	62	106	125	182	148	106	50	10	-	-
Female	84	95	131	201	312	417	441	362	185	57	10	-
Hispanic	7	9	18	23	25	17	13	10	6	-	1	-
Male	2	4	3	11	4	8	3	2	1	-	-	-
Female	5	5	15	12	21	9	10	8	5	-	1	-
Mexican	5	8	10	14	14	9	9	3	3	-	-	-
Male	2	3	1	6	3	3	2	1	-	-	-	-
Female	3	5	9	8	11	6	7	2	3	-	-	-
Puerto Rican	-	-	4	2	1	-	1	3	-	-	1	-
Male	-	-	-	1	-	-	-	1	-	-	-	-
Female	-	-	4	1	1	-	1	2	-	-	1	-
Cuban	-	-	2	1	3	3	2	1	1	-	-	-
Male	-	-	2	1	1	1	1	-	-	-	-	-
Female	-	-	-	-	2	2	1	1	1	-	-	-
Central and South American	1	1	1	3	3	2	-	1	-	-	-	-
Male	-	1	-	1	-	2	-	-	-	-	-	-
Female	1	-	1	2	3	-	-	1	-	-	-	-
Other and unknown Hispanic	1	-	1	3	4	3	1	2	2	-	-	-
Male	-	-	-	2	-	2	-	-	1	-	-	-
Female	1	-	1	1	4	1	1	2	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
Non-Hispanic 1/	117	159	174	284	412	581	576	457	229	67	9	-
Male	39	69	59	95	121	174	145	104	49	10	-	-
Female	78	90	115	189	291	407	431	353	180	57	9	-
Non-Hispanic white	79	118	147	238	363	540	554	436	222	62	9	-
Male	30	57	51	77	110	164	138	99	47	8	-	-
Female	49	61	96	161	253	376	416	337	175	54	9	-
Non-Hispanic black	33	31	22	31	38	28	12	13	4	5	-	-
Male	9	10	7	11	6	5	3	4	-	2	-	-
Female	24	21	15	20	32	23	9	9	4	3	-	-
Origin not stated 2/	1	-	1	-	-	1	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	1	-	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Hypertensive heart disease (I11)												
All origins	1,414	1,380	1,389	1,557	2,062	2,719	3,400	3,658	2,958	1,398	331	11
Male	931	879	870	906	1,055	1,188	1,226	957	565	197	27	9
Female	483	501	519	651	1,007	1,531	2,174	2,701	2,393	1,201	304	2
Hispanic	106	90	94	106	133	133	127	115	78	41	9	-
Male	75	57	63	63	69	57	51	42	24	7	3	-
Female	31	33	31	43	64	76	76	73	54	34	6	-
Mexican	47	44	45	49	60	69	68	49	38	18	5	-
Male	33	26	29	30	32	25	27	17	8	5	1	-
Female	14	18	16	19	28	44	41	32	30	13	4	-
Puerto Rican	20	20	13	15	23	21	22	18	9	4	1	-
Male	12	14	11	9	13	10	12	5	5	-	-	-
Female	8	6	2	6	10	11	10	13	4	4	1	-
Cuban	16	8	12	18	16	18	21	14	10	5	1	-
Male	15	5	10	12	9	12	7	7	5	1	-	-
Female	1	3	2	6	7	6	14	7	5	4	1	-
Central and South American	17	15	17	16	20	16	8	18	13	4	-	-
Male	11	10	9	6	8	7	2	5	2	-	-	-
Female	6	5	8	10	12	9	6	13	11	4	-	-
Other and unknown Hispanic	6	3	7	8	14	9	8	16	8	10	2	-
Male	4	2	4	6	7	3	3	8	4	1	2	-
Female	2	1	3	2	7	6	5	8	4	9	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Hypertensive heart disease (I11)												
Non-Hispanic 1/	1,288	1,272	1,282	1,447	1,917	2,571	3,266	3,530	2,872	1,354	321	9
Male	842	811	797	841	974	1,125	1,174	910	539	190	24	7
Female	446	461	485	606	943	1,446	2,092	2,620	2,333	1,164	297	2
Non-Hispanic white	701	749	771	898	1,300	1,913	2,627	2,952	2,528	1,183	252	5
Male	497	511	505	551	686	848	933	740	468	155	11	4
Female	204	238	266	347	614	1,065	1,694	2,212	2,060	1,028	241	1
Non-Hispanic black	556	493	479	510	568	599	565	520	313	155	65	4
Male	327	281	270	273	265	246	212	148	62	28	12	3
Female	229	212	209	237	303	353	353	372	251	127	53	1
Origin not stated 2/	20	18	13	4	12	15	7	13	8	3	1	2
Male	14	11	10	2	12	6	1	5	2	-	-	2
Female	6	7	3	2	-	9	6	8	6	3	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE

TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
All origins	82	109	138	169	248	374	481	499	348	155	24	-
Male	53	61	65	94	112	158	181	174	102	35	3	-
Female	29	48	73	75	136	216	300	325	246	120	21	-
Hispanic	8	6	15	15	19	18	23	15	16	11	-	-
Male	5	4	10	10	7	4	13	6	5	5	-	-
Female	3	2	5	5	12	14	10	9	11	6	-	-
Mexican	5	3	9	9	12	15	11	8	11	6	-	-
Male	3	2	6	6	5	4	4	3	2	3	-	-
Female	2	1	3	3	7	11	7	5	9	3	-	-
Puerto Rican	1	1	2	3	1	1	1	2	1	-	-	-
Male	1	1	1	2	1	-	1	1	-	-	-	-
Female	-	-	1	1	-	1	-	1	1	-	-	-
Cuban	1	1	1	2	3	1	3	2	-	2	-	-
Male	1	-	1	1	1	-	3	1	-	1	-	-
Female	-	1	-	1	2	1	-	1	-	1	-	-
Central and South American	-	-	2	1	2	1	2	-	-	1	-	-
Male	-	-	2	1	-	-	1	-	-	1	-	-
Female	-	-	-	-	2	1	1	-	-	-	-	-
Other and unknown Hispanic	1	1	1	-	1	-	6	3	4	2	-	-
Male	-	1	-	-	-	-	4	1	3	-	-	-
Female	1	-	1	-	1	-	2	2	1	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
Non-Hispanic 1/	74	102	123	153	227	355	455	482	331	143	24	-
Male	48	56	55	84	104	154	167	167	97	30	3	-
Female	26	46	68	69	123	201	288	315	234	113	21	-
Non-Hispanic white	27	39	56	71	133	241	360	379	278	120	16	-
Male	16	20	22	40	61	110	140	139	85	24	2	-
Female	11	19	34	31	72	131	220	240	193	96	14	-
Non-Hispanic black	47	61	64	78	86	104	83	83	51	21	7	-
Male	32	35	31	42	39	39	23	22	11	5	1	-
Female	15	26	33	36	47	65	60	61	40	16	6	-
Origin not stated 2/	-	1	-	1	2	1	3	2	1	1	-	-
Male	-	1	-	-	1	-	1	1	-	-	-	-
Female	-	-	-	1	1	1	2	1	1	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
All origins	15,612	20,270	26,304	35,502	51,961	73,082	86,772	84,880	59,558	24,206	5,665	48
Male	11,818	14,794	18,212	23,181	31,891	40,894	42,059	33,466	17,702	5,124	814	33
Female	3,794	5,476	8,092	12,321	20,070	32,188	44,713	51,414	41,856	19,082	4,851	15
Hispanic	819	1,033	1,371	1,933	2,620	3,113	2,982	2,783	1,981	830	196	4
Male	618	764	903	1,247	1,557	1,683	1,433	1,120	639	206	45	3
Female	201	269	468	686	1,063	1,430	1,549	1,663	1,342	624	151	1
Mexican	477	569	710	1,025	1,385	1,666	1,398	1,263	862	363	100	2
Male	368	417	458	654	806	952	705	563	302	91	29	1
Female	109	152	252	371	579	714	693	700	560	272	71	1
Puerto Rican	129	187	251	327	420	436	382	362	220	89	23	2
Male	81	130	167	205	238	215	169	139	62	26	4	2
Female	48	57	84	122	182	221	213	223	158	63	19	-
Cuban	61	84	150	245	367	477	620	650	508	212	38	-
Male	51	68	108	165	234	256	290	240	146	51	9	-
Female	10	16	42	80	133	221	330	410	362	161	29	-
Central and South American	79	93	129	169	217	226	267	191	153	58	15	-
Male	61	71	86	104	116	97	100	59	45	14	-	-
Female	18	22	43	65	101	129	167	132	108	44	15	-
Other and unknown Hispanic	73	100	131	167	231	308	315	317	238	108	20	-
Male	57	78	84	119	163	163	169	119	84	24	3	-
Female	16	22	47	48	68	145	146	198	154	84	17	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
Non-Hispanic 1/	14,731	19,141	24,805	33,437	49,167	69,719	83,520	81,853	57,426	23,298	5,455	30
Male	11,151	13,952	17,208	21,840	30,219	39,063	40,486	32,260	17,031	4,900	765	22
Female	3,580	5,189	7,597	11,597	18,948	30,656	43,034	49,593	40,395	18,398	4,690	8
Non-Hispanic white	11,600	15,364	20,057	27,459	42,222	61,307	75,508	75,163	53,018	21,266	4,770	18
Male	9,044	11,484	14,292	18,431	26,450	34,963	37,073	29,942	15,720	4,445	651	14
Female	2,556	3,880	5,765	9,028	15,772	26,344	38,435	45,221	37,298	16,821	4,119	4
Non-Hispanic black	2,761	3,302	4,149	5,151	5,956	7,097	6,685	5,555	3,717	1,756	597	10
Male	1,826	2,098	2,498	2,888	3,201	3,358	2,757	1,796	1,032	358	97	7
Female	935	1,204	1,651	2,263	2,755	3,739	3,928	3,759	2,685	1,398	500	3
Origin not stated 2/	62	96	128	132	174	250	270	244	151	78	14	14
Male	49	78	101	94	115	148	140	86	32	18	4	8
Female	13	18	27	38	59	102	130	158	119	60	10	6

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
All origins	6,720	8,704	11,126	14,690	20,690	27,766	31,488	29,242	18,525	6,606	1,354	10
Male	5,012	6,271	7,587	9,446	12,517	15,151	14,974	11,411	5,778	1,576	219	6
Female	1,708	2,433	3,539	5,244	8,173	12,615	16,514	17,831	12,747	5,030	1,135	4
Hispanic	302	381	533	715	986	1,161	1,029	962	626	245	63	2
Male	217	267	336	458	578	599	494	386	227	72	14	1
Female	85	114	197	257	408	562	535	576	399	173	49	1
Mexican	190	214	308	411	557	653	508	464	298	115	39	1
Male	137	144	189	261	319	364	260	206	112	37	10	-
Female	53	70	119	150	238	289	248	258	186	78	29	1
Puerto Rican	41	69	83	103	125	145	125	109	49	20	5	1
Male	27	44	54	63	71	63	57	43	10	9	1	1
Female	14	25	29	40	54	82	68	66	39	11	4	-
Cuban	20	31	53	84	145	175	211	233	161	66	11	-
Male	16	25	38	51	89	87	99	84	57	17	3	-
Female	4	6	15	33	56	88	112	149	104	49	8	-
Central and South American	29	30	38	47	69	73	79	64	44	13	2	-
Male	21	22	23	30	32	29	21	20	18	4	-	-
Female	8	8	15	17	37	44	58	44	26	9	2	-
Other and unknown Hispanic	22	37	51	70	90	115	106	92	74	31	6	-
Male	16	32	32	53	67	56	57	33	30	5	-	-
Female	6	5	19	17	23	59	49	59	44	26	6	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
Non-Hispanic 1/	6,409	8,298	10,546	13,946	19,658	26,537	30,386	28,202	17,858	6,347	1,289	7
Male	4,787	5,984	7,218	8,968	11,907	14,514	14,442	11,004	5,541	1,500	204	5
Female	1,622	2,314	3,328	4,978	7,751	12,023	15,944	17,198	12,317	4,847	1,085	2
Non-Hispanic white	5,185	6,865	8,812	11,690	17,059	23,472	27,436	25,780	16,332	5,728	1,106	4
Male	4,006	5,095	6,208	7,742	10,560	13,064	13,218	10,137	5,058	1,337	172	4
Female	1,179	1,770	2,604	3,948	6,499	10,408	14,218	15,643	11,274	4,391	934	-
Non-Hispanic black	1,059	1,254	1,498	1,935	2,238	2,585	2,454	2,007	1,292	539	157	3
Male	653	761	845	1,028	1,135	1,173	982	671	372	132	28	1
Female	406	493	653	907	1,103	1,412	1,472	1,336	920	407	129	2
Origin not stated 2/	9	25	47	29	46	68	73	78	41	14	2	1
Male	8	20	33	20	32	38	38	21	10	4	1	-
Female	1	5	14	9	14	30	35	57	31	10	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other acute ischemic heart diseases (I24)												
All origins	187	200	263	281	364	397	474	455	317	142	31	-
Male	141	134	186	180	213	206	218	165	72	25	7	-
Female	46	66	77	101	151	191	256	290	245	117	24	-
Hispanic	3	6	6	9	10	10	4	7	3	3	-	-
Male	2	5	4	6	8	5	2	6	-	3	-	-
Female	1	1	2	3	2	5	2	1	3	-	-	-
Mexican	2	2	5	4	6	5	1	2	3	-	-	-
Male	1	1	3	2	5	3	1	2	-	-	-	-
Female	1	1	2	2	1	2	-	-	3	-	-	-
Puerto Rican	-	-	-	1	2	2	-	1	-	1	-	-
Male	-	-	-	1	1	2	-	-	-	1	-	-
Female	-	-	-	-	1	-	-	1	-	-	-	-
Cuban	-	1	-	1	1	1	1	2	-	2	-	-
Male	-	1	-	1	1	-	1	2	-	2	-	-
Female	-	-	-	-	-	1	-	-	-	-	-	-
Central and South American	1	1	1	-	-	1	-	-	-	-	-	-
Male	1	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	-	-	-	-	-
Other and unknown Hispanic	-	2	-	3	1	1	2	2	-	-	-	-
Male	-	2	-	2	1	-	-	2	-	-	-	-
Female	-	-	-	1	-	1	2	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other acute ischemic heart diseases (I24)												
Non-Hispanic 1/	184	194	256	271	354	387	468	448	314	139	31	-
Male	139	129	181	173	205	201	215	159	72	22	7	-
Female	45	65	75	98	149	186	253	289	242	117	24	-
Non-Hispanic white	134	148	194	209	302	336	421	399	295	122	26	-
Male	101	102	138	128	179	174	200	142	66	20	7	-
Female	33	46	56	81	123	162	221	257	229	102	19	-
Non-Hispanic black	42	40	58	49	46	39	40	45	12	16	5	-
Male	33	22	40	36	23	24	11	15	4	2	-	-
Female	9	18	18	13	23	15	29	30	8	14	5	-
Origin not stated 2/	-	-	1	1	-	-	2	-	-	-	-	-
Male	-	-	1	1	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	1	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
All origins	8,705	11,366	14,915	20,531	30,907	44,919	54,810	55,183	40,716	17,458	4,280	38
Male	6,665	8,389	10,439	13,555	19,161	25,537	26,867	21,890	11,852	3,523	588	27
Female	2,040	2,977	4,476	6,976	11,746	19,382	27,943	33,293	28,864	13,935	3,692	11
Hispanic	514	646	832	1,209	1,624	1,942	1,949	1,814	1,352	582	133	2
Male	399	492	563	783	971	1,079	937	728	412	131	31	2
Female	115	154	269	426	653	863	1,012	1,086	940	451	102	-
Mexican	285	353	397	610	822	1,008	889	797	561	248	61	1
Male	230	272	266	391	482	585	444	355	190	54	19	1
Female	55	81	131	219	340	423	445	442	371	194	42	-
Puerto Rican	88	118	168	223	293	289	257	252	171	68	18	1
Male	54	86	113	141	166	150	112	96	52	16	3	1
Female	34	32	55	82	127	139	145	156	119	52	15	-
Cuban	41	52	97	160	221	301	408	415	347	144	27	-
Male	35	42	70	113	144	169	190	154	89	32	6	-
Female	6	10	27	47	77	132	218	261	258	112	21	-
Central and South American	49	62	90	122	148	152	188	127	109	45	13	-
Male	39	48	62	74	84	68	79	39	27	10	-	-
Female	10	14	28	48	64	84	109	88	82	35	13	-
Other and unknown Hispanic	51	61	80	94	140	192	207	223	164	77	14	-
Male	41	44	52	64	95	107	112	84	54	19	3	-
Female	10	17	28	30	45	85	95	139	110	58	11	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
Non-Hispanic 1/	8,138	10,649	14,003	19,220	29,155	42,795	52,666	53,203	39,254	16,812	4,135	23
Male	6,225	7,839	9,809	12,699	18,107	24,348	25,829	21,097	11,418	3,378	554	17
Female	1,913	2,810	4,194	6,521	11,048	18,447	26,837	32,106	27,836	13,434	3,581	6
Non-Hispanic white	6,281	8,351	11,051	15,560	24,861	37,499	47,651	48,984	36,391	15,416	3,638	14
Male	4,937	6,287	7,946	10,561	15,711	21,725	23,655	19,663	10,596	3,088	472	10
Female	1,344	2,064	3,105	4,999	9,150	15,774	23,996	29,321	25,795	12,328	3,166	4
Non-Hispanic black	1,660	2,008	2,593	3,167	3,672	4,473	4,191	3,503	2,413	1,201	435	7
Male	1,140	1,315	1,613	1,824	2,043	2,161	1,764	1,110	656	224	69	6
Female	520	693	980	1,343	1,629	2,312	2,427	2,393	1,757	977	366	1
Origin not stated 2/	53	71	80	102	128	182	195	166	110	64	12	13
Male	41	58	67	73	83	110	101	65	22	14	3	8
Female	12	13	13	29	45	72	94	101	88	50	9	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
All origins	3,209	3,924	4,514	5,272	6,733	9,041	10,155	9,984	7,556	3,323	873	25
Male	2,549	2,978	3,267	3,483	4,185	4,897	4,774	3,630	2,167	616	108	19
Female	660	946	1,247	1,789	2,548	4,144	5,381	6,354	5,389	2,707	765	6
Hispanic	223	247	301	346	402	396	339	314	218	116	19	2
Male	192	196	220	246	256	234	171	133	66	26	6	2
Female	31	51	81	100	146	162	168	181	152	90	13	-
Mexican	112	125	142	184	201	208	175	155	102	66	12	1
Male	105	102	102	136	127	131	89	75	33	16	5	1
Female	7	23	40	48	74	77	86	80	69	50	7	-
Puerto Rican	37	50	56	62	66	63	34	38	22	9	1	1
Male	28	37	41	37	46	34	19	16	6	1	-	1
Female	9	13	15	25	20	29	15	22	16	8	1	-
Cuban	13	11	25	25	52	34	42	43	35	14	-	-
Male	10	9	17	20	31	21	19	16	10	3	-	-
Female	3	2	8	5	21	13	23	27	25	11	-	-
Central and South American	32	25	35	38	41	40	39	24	14	7	2	-
Male	26	21	28	26	22	17	16	6	3	1	-	-
Female	6	4	7	12	19	23	23	18	11	6	2	-
Other and unknown Hispanic	29	36	43	37	42	51	49	54	45	20	4	-
Male	23	27	32	27	30	31	28	20	14	5	1	-
Female	6	9	11	10	12	20	21	34	31	15	3	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
Non-Hispanic 1/	2,958	3,637	4,179	4,879	6,280	8,576	9,770	9,635	7,312	3,200	852	11
Male	2,336	2,751	3,019	3,202	3,891	4,622	4,578	3,483	2,096	589	102	10
Female	622	886	1,160	1,677	2,389	3,954	5,192	6,152	5,216	2,611	750	1
Non-Hispanic white	2,177	2,632	3,017	3,566	4,938	7,008	8,513	8,594	6,637	2,856	724	7
Male	1,767	2,059	2,232	2,397	3,099	3,824	4,025	3,132	1,891	522	80	6
Female	410	573	785	1,169	1,839	3,184	4,488	5,462	4,746	2,334	644	1
Non-Hispanic black	707	889	1,038	1,169	1,192	1,382	1,090	908	590	298	113	3
Male	508	604	695	710	702	702	472	289	172	50	17	3
Female	199	285	343	459	490	680	618	619	418	248	96	-
Origin not stated 2/	28	40	34	47	51	69	46	35	26	7	2	12
Male	21	31	28	35	38	41	25	14	5	1	-	7
Female	7	9	6	12	13	28	21	21	21	6	2	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All origins	5,496	7,442	10,401	15,259	24,174	35,878	44,655	45,199	33,160	14,135	3,407	13
Male	4,116	5,411	7,172	10,072	14,976	20,640	22,093	18,260	9,685	2,907	480	8
Female	1,380	2,031	3,229	5,187	9,198	15,238	22,562	26,939	23,475	11,228	2,927	5
Hispanic	291	399	531	863	1,222	1,546	1,610	1,500	1,134	466	114	-
Male	207	296	343	537	715	845	766	595	346	105	25	-
Female	84	103	188	326	507	701	844	905	788	361	89	-
Mexican	173	228	255	426	621	800	714	642	459	182	49	-
Male	125	170	164	255	355	454	355	280	157	38	14	-
Female	48	58	91	171	266	346	359	362	302	144	35	-
Puerto Rican	51	68	112	161	227	226	223	214	149	59	17	-
Male	26	49	72	104	120	116	93	80	46	15	3	-
Female	25	19	40	57	107	110	130	134	103	44	14	-
Cuban	28	41	72	135	169	267	366	372	312	130	27	-
Male	25	33	53	93	113	148	171	138	79	29	6	-
Female	3	8	19	42	56	119	195	234	233	101	21	-
Central and South American	17	37	55	84	107	112	149	103	95	38	11	-
Male	13	27	34	48	62	51	63	33	24	9	-	-
Female	4	10	21	36	45	61	86	70	71	29	11	-
Other and unknown Hispanic	22	25	37	57	98	141	158	169	119	57	10	-
Male	18	17	20	37	65	76	84	64	40	14	2	-
Female	4	8	17	20	33	65	74	105	79	43	8	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
Non-Hispanic 1/	5,180	7,012	9,824	14,341	22,875	34,219	42,896	43,568	31,942	13,612	3,283	12
Male	3,889	5,088	6,790	9,497	14,216	19,726	21,251	17,614	9,322	2,789	452	7
Female	1,291	1,924	3,034	4,844	8,659	14,493	21,645	25,954	22,620	10,823	2,831	5
Non-Hispanic white	4,104	5,719	8,034	11,994	19,923	30,491	39,138	40,390	29,754	12,560	2,914	7
Male	3,170	4,228	5,714	8,164	12,612	17,901	19,630	16,531	8,705	2,566	392	4
Female	934	1,491	2,320	3,830	7,311	12,590	19,508	23,859	21,049	9,994	2,522	3
Non-Hispanic black	953	1,119	1,555	1,998	2,480	3,091	3,101	2,595	1,823	903	322	4
Male	632	711	918	1,114	1,341	1,459	1,292	821	484	174	52	3
Female	321	408	637	884	1,139	1,632	1,809	1,774	1,339	729	270	1
Origin not stated 2/	25	31	46	55	77	113	149	131	84	57	10	1
Male	20	27	39	38	45	69	76	51	17	13	3	1
Female	5	4	7	17	32	44	73	80	67	44	7	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other heart diseases (I26-I51)												
All origins	4,776	5,637	6,898	9,596	14,460	21,325	27,651	30,343	22,779	9,653	2,204	7
Male	2,946	3,393	4,110	5,356	7,811	10,538	12,002	10,595	6,187	2,028	331	5
Female	1,830	2,244	2,788	4,240	6,649	10,787	15,649	19,748	16,592	7,625	1,873	2
Hispanic	199	224	292	389	467	594	612	583	450	198	46	2
Male	132	127	169	213	243	279	277	215	139	47	6	2
Female	67	97	123	176	224	315	335	368	311	151	40	-
Mexican	115	130	159	200	263	311	300	276	202	93	31	-
Male	80	76	84	115	134	145	147	104	57	29	3	-
Female	35	54	75	85	129	166	153	172	145	64	28	-
Puerto Rican	35	41	55	59	60	73	77	54	49	15	2	-
Male	20	20	32	30	38	30	27	16	15	2	1	-
Female	15	21	23	29	22	43	50	38	34	13	1	-
Cuban	10	15	20	40	58	85	102	117	88	39	2	-
Male	5	7	14	25	28	41	42	44	29	7	2	-
Female	5	8	6	15	30	44	60	73	59	32	-	-
Central and South American	15	17	25	38	38	47	48	43	36	13	2	-
Male	10	10	12	16	22	19	19	14	9	2	-	-
Female	5	7	13	22	16	28	29	29	27	11	2	-
Other and unknown Hispanic	24	21	33	52	48	78	85	93	75	38	9	2
Male	17	14	27	27	21	44	42	37	29	7	-	2
Female	7	7	6	25	27	34	43	56	46	31	9	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other heart diseases (I26-I51)												
Non-Hispanic 1/	4,561	5,394	6,586	9,180	13,957	20,679	26,982	29,694	22,285	9,432	2,153	3
Male	2,803	3,258	3,923	5,127	7,544	10,230	11,711	10,358	6,028	1,977	324	2
Female	1,758	2,136	2,663	4,053	6,413	10,449	15,271	19,336	16,257	7,455	1,829	1
Non-Hispanic white	3,249	3,986	5,146	7,348	11,823	18,059	24,427	27,403	20,729	8,728	1,916	3
Male	2,075	2,444	3,118	4,199	6,454	9,008	10,619	9,571	5,578	1,810	280	2
Female	1,174	1,542	2,028	3,149	5,369	9,051	13,808	17,832	15,151	6,918	1,636	1
Non-Hispanic black	1,214	1,291	1,317	1,648	1,874	2,304	2,204	1,986	1,346	605	205	-
Male	674	746	737	830	936	1,057	921	660	346	135	39	-
Female	540	545	580	818	938	1,247	1,283	1,326	1,000	470	166	-
Origin not stated 2/	16	19	20	27	36	52	57	66	44	23	5	2
Male	11	8	18	16	24	29	14	22	20	4	1	1
Female	5	11	2	11	12	23	43	44	24	19	4	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Acute and subacute endocarditis (I33)												
All origins	93	72	88	102	145	162	154	79	30	2	-	-
Male	61	39	56	49	83	94	83	37	11	1	-	-
Female	32	33	32	53	62	68	71	42	19	1	-	-
Hispanic	5	3	6	3	6	7	3	1	1	-	-	-
Male	4	-	4	1	4	4	-	-	1	-	-	-
Female	1	3	2	2	2	3	3	1	-	-	-	-
Mexican	2	1	3	-	3	2	2	1	-	-	-	-
Male	1	-	2	-	2	1	-	-	-	-	-	-
Female	1	1	1	-	1	1	2	1	-	-	-	-
Puerto Rican	1	2	-	1	2	-	-	-	-	-	-	-
Male	1	-	-	1	1	-	-	-	-	-	-	-
Female	-	2	-	-	1	-	-	-	-	-	-	-
Cuban	-	-	1	1	-	2	1	-	-	-	-	-
Male	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	1	1	-	1	1	-	-	-	-	-
Central and South American	-	-	2	1	-	2	-	-	1	-	-	-
Male	-	-	2	-	-	2	-	-	1	-	-	-
Female	-	-	-	1	-	-	-	-	-	-	-	-
Other and unknown Hispanic	2	-	-	-	1	1	-	-	-	-	-	-
Male	2	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Acute and subacute endocarditis (I33)												
Non-Hispanic 1/	87	68	82	99	139	154	151	78	29	2	-	-
Male	57	38	52	48	79	90	83	37	10	1	-	-
Female	30	30	30	51	60	64	68	41	19	1	-	-
Non-Hispanic white	55	49	58	71	111	128	137	75	26	2	-	-
Male	38	27	38	34	59	79	75	35	9	1	-	-
Female	17	22	20	37	52	49	62	40	17	1	-	-
Non-Hispanic black	30	19	22	21	22	25	12	2	3	-	-	-
Male	18	11	13	10	16	11	7	1	1	-	-	-
Female	12	8	9	11	6	14	5	1	2	-	-	-
Origin not stated 2/	1	1	-	-	-	1	-	-	-	-	-	-
Male	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Heart failure (I50)												
All origins	601	926	1,448	2,270	4,004	6,879	10,255	12,793	10,735	4,971	1,209	1
Male	361	556	791	1,235	2,109	3,300	4,372	4,320	2,886	1,020	172	-
Female	240	370	657	1,035	1,895	3,579	5,883	8,473	7,849	3,951	1,037	1
Hispanic	25	31	72	90	123	178	226	231	214	93	21	-
Male	16	17	35	55	54	69	100	86	61	26	2	-
Female	9	14	37	35	69	109	126	145	153	67	19	-
Mexican	16	25	41	54	73	115	122	123	109	48	17	-
Male	12	14	16	36	31	42	56	45	30	16	2	-
Female	4	11	25	18	42	73	66	78	79	32	15	-
Puerto Rican	5	4	17	20	14	22	33	24	22	9	-	-
Male	2	2	9	8	7	11	10	7	5	2	-	-
Female	3	2	8	12	7	11	23	17	17	7	-	-
Cuban	2	-	2	2	12	9	22	28	27	16	-	-
Male	1	-	2	1	6	3	12	11	6	2	-	-
Female	1	-	-	1	6	6	10	17	21	14	-	-
Central and South American	-	-	5	5	7	9	15	15	17	1	1	-
Male	-	-	2	4	2	1	5	4	4	-	-	-
Female	-	-	3	1	5	8	10	11	13	1	1	-
Other and unknown Hispanic	2	2	7	9	17	23	34	41	39	19	3	-
Male	1	1	6	6	8	12	17	19	16	6	-	-
Female	1	1	1	3	9	11	17	22	23	13	3	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Heart failure (I50)												
Non-Hispanic 1/	575	887	1,371	2,170	3,874	6,682	10,006	12,538	10,506	4,866	1,184	1
Male	345	536	751	1,176	2,049	3,221	4,268	4,226	2,817	991	169	-
Female	230	351	620	994	1,825	3,461	5,738	8,312	7,689	3,875	1,015	1
Non-Hispanic white	393	656	1,074	1,751	3,301	5,918	9,115	11,652	9,836	4,541	1,068	1
Male	243	410	609	963	1,771	2,886	3,899	3,945	2,635	919	149	-
Female	150	246	465	788	1,530	3,032	5,216	7,707	7,201	3,622	919	1
Non-Hispanic black	173	221	273	380	525	690	785	784	588	295	99	-
Male	96	120	128	194	253	299	319	245	147	63	19	-
Female	77	101	145	186	272	391	466	539	441	232	80	-
Origin not stated 2/	1	8	5	10	7	19	23	24	15	12	4	-
Male	-	3	5	4	6	10	4	8	8	3	1	-
Female	1	5	-	6	1	9	19	16	7	9	3	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
All origins	4,028	4,585	5,310	7,177	10,238	14,197	17,175	17,422	11,986	4,673	994	5
Male	2,495	2,770	3,230	4,044	5,588	7,105	7,525	6,224	3,282	1,005	159	4
Female	1,533	1,815	2,080	3,133	4,650	7,092	9,650	11,198	8,704	3,668	835	1
Hispanic	166	187	211	293	335	405	380	348	233	105	25	2
Male	112	110	127	156	183	204	177	128	77	21	4	2
Female	54	77	84	137	152	201	203	220	156	84	21	-
Mexican	95	102	114	145	184	192	175	150	93	45	14	-
Male	67	62	65	78	99	101	91	58	27	13	1	-
Female	28	40	49	67	85	91	84	92	66	32	13	-
Puerto Rican	28	35	38	37	44	50	43	30	26	6	2	-
Male	17	18	23	21	30	19	17	9	10	-	1	-
Female	11	17	15	16	14	31	26	21	16	6	1	-
Cuban	8	14	16	37	46	74	78	88	60	23	2	-
Male	4	7	11	24	22	37	30	33	23	5	2	-
Female	4	7	5	13	24	37	48	55	37	18	-	-
Central and South American	15	17	17	31	31	36	33	28	18	12	1	-
Male	10	10	7	12	20	16	14	10	4	2	-	-
Female	5	7	10	19	11	20	19	18	14	10	1	-
Other and unknown Hispanic	20	19	26	43	30	53	51	52	36	19	6	2
Male	14	13	21	21	12	31	25	18	13	1	-	2
Female	6	6	5	22	18	22	26	34	23	18	6	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
Non-Hispanic 1/	3,848	4,388	5,084	6,867	9,874	13,760	16,761	17,032	11,724	4,557	968	1
Male	2,372	2,656	3,090	3,876	5,387	6,882	7,338	6,082	3,193	983	155	1
Female	1,476	1,732	1,994	2,991	4,487	6,878	9,423	10,950	8,531	3,574	813	-
Non-Hispanic white	2,766	3,242	3,974	5,493	8,346	11,937	15,117	15,636	10,842	4,178	848	1
Male	1,773	1,985	2,448	3,183	4,595	6,010	6,625	5,579	2,926	888	131	1
Female	993	1,257	1,526	2,310	3,751	5,927	8,492	10,057	7,916	3,290	717	-
Non-Hispanic black	995	1,040	1,014	1,238	1,323	1,583	1,402	1,195	754	310	105	-
Male	552	610	590	618	667	744	593	414	198	72	20	-
Female	443	430	424	620	656	839	809	781	556	238	85	-
Origin not stated 2/	14	10	15	17	29	32	34	42	29	11	1	2
Male	11	4	13	12	18	19	10	14	12	1	-	1
Female	3	6	2	5	11	13	24	28	17	10	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Essential (primary) hypertension and hypertensive renal disease (I10,I12)												
All origins	546	630	832	1,167	1,665	2,638	3,355	3,606	2,573	1,136	257	-
Male	330	354	430	603	776	1,100	1,182	1,129	610	192	28	-
Female	216	276	402	564	889	1,538	2,173	2,477	1,963	944	229	-
Hispanic	32	31	52	72	115	135	136	129	82	40	5	-
Male	18	13	21	30	54	58	56	37	24	6	1	-
Female	14	18	31	42	61	77	80	92	58	34	4	-
Mexican	20	17	33	40	59	77	75	74	41	26	2	-
Male	9	6	12	17	31	35	34	21	17	5	1	-
Female	11	11	21	23	28	42	41	53	24	21	1	-
Puerto Rican	7	5	10	7	22	14	18	16	8	5	-	-
Male	4	2	3	3	6	7	5	3	2	1	-	-
Female	3	3	7	4	16	7	13	13	6	4	-	-
Cuban	1	1	4	9	6	10	13	15	12	4	2	-
Male	1	1	3	4	5	6	6	5	2	-	-	-
Female	-	-	1	5	1	4	7	10	10	4	2	-
Central and South American	3	4	3	12	18	20	9	13	6	1	1	-
Male	3	1	2	4	8	6	3	4	1	-	-	-
Female	-	3	1	8	10	14	6	9	5	1	1	-
Other and unknown Hispanic	1	4	2	4	10	14	21	11	15	4	-	-
Male	1	3	1	2	4	4	8	4	2	-	-	-
Female	-	1	1	2	6	10	13	7	13	4	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Essential (primary) hypertension and hypertensive renal disease (I10,I12)												
Non-Hispanic 1/	514	594	776	1,091	1,545	2,492	3,214	3,467	2,485	1,096	252	-
Male	312	337	406	570	718	1,037	1,123	1,088	583	186	27	-
Female	202	257	370	521	827	1,455	2,091	2,379	1,902	910	225	-
Non-Hispanic white	249	323	453	679	1,068	1,908	2,591	2,922	2,156	958	206	-
Male	155	192	247	364	509	804	897	917	508	155	20	-
Female	94	131	206	315	559	1,104	1,694	2,005	1,648	803	186	-
Non-Hispanic black	251	253	300	372	417	512	544	478	287	126	43	-
Male	150	136	148	190	184	202	197	146	60	27	7	-
Female	101	117	152	182	233	310	347	332	227	99	36	-
Origin not stated 2/	-	5	4	4	5	11	5	10	6	-	-	-
Male	-	4	3	3	4	5	3	4	3	-	-	-
Female	-	1	1	1	1	6	2	6	3	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
All origins	3,403	4,093	5,515	8,170	14,428	23,772	32,050	33,465	22,650	8,398	1,553	4
Male	1,851	2,251	3,026	4,345	7,304	10,671	12,630	10,731	5,482	1,506	211	4
Female	1,552	1,842	2,489	3,825	7,124	13,101	19,420	22,734	17,168	6,892	1,342	-
Hispanic	300	301	353	471	735	959	933	868	532	221	47	-
Male	174	171	207	269	368	456	408	300	161	55	12	-
Female	126	130	146	202	367	503	525	568	371	166	35	-
Mexican	181	168	213	281	438	583	514	499	289	109	29	-
Male	102	97	126	169	230	289	231	174	93	31	9	-
Female	79	71	87	112	208	294	283	325	196	78	20	-
Puerto Rican	39	50	56	77	68	104	95	92	51	23	3	-
Male	26	29	36	46	39	51	39	30	16	3	-	-
Female	13	21	20	31	29	53	56	62	35	20	3	-
Cuban	8	19	22	23	73	89	119	100	84	27	5	-
Male	7	13	13	10	33	45	57	44	25	3	2	-
Female	1	6	9	13	40	44	62	56	59	24	3	-
Central and South American	52	34	35	48	73	84	81	63	40	17	3	-
Male	30	19	19	20	31	28	30	11	11	4	1	-
Female	22	15	16	28	42	56	51	52	29	13	2	-
Other and unknown Hispanic	20	30	27	42	83	99	124	114	68	45	7	-
Male	9	13	13	24	35	43	51	41	16	14	-	-
Female	11	17	14	18	48	56	73	73	52	31	7	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
Non-Hispanic 1/	3,092	3,779	5,137	7,683	13,663	22,752	31,058	32,525	22,071	8,154	1,503	4
Male	1,673	2,071	2,801	4,066	6,923	10,187	12,190	10,412	5,309	1,446	197	4
Female	1,419	1,708	2,336	3,617	6,740	12,565	18,868	22,113	16,762	6,708	1,306	-
Non-Hispanic white	1,837	2,606	3,602	5,715	11,123	19,553	27,751	29,529	20,201	7,436	1,295	1
Male	1,006	1,421	1,979	3,066	5,687	8,818	10,944	9,439	4,851	1,294	172	1
Female	831	1,185	1,623	2,649	5,436	10,735	16,807	20,090	15,350	6,142	1,123	-
Non-Hispanic black	1,096	992	1,297	1,640	2,044	2,627	2,630	2,391	1,530	604	170	3
Male	586	554	698	854	990	1,119	949	726	319	114	18	3
Female	510	438	599	786	1,054	1,508	1,681	1,665	1,211	490	152	-
Origin not stated 2/	11	13	25	16	30	61	59	72	47	23	3	-
Male	4	9	18	10	13	28	32	19	12	5	2	-
Female	7	4	7	6	17	33	27	53	35	18	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Atherosclerosis (I70)												
All origins	121	198	275	471	864	1,624	2,532	3,214	2,786	1,471	417	1
Male	75	118	168	273	470	765	1,026	1,123	710	285	54	1
Female	46	80	107	198	394	859	1,506	2,091	2,076	1,186	363	-
Hispanic	11	12	7	14	32	60	68	99	59	39	12	-
Male	8	8	3	8	16	31	30	39	13	11	4	-
Female	3	4	4	6	16	29	38	60	46	28	8	-
Mexican	8	7	3	7	15	38	37	47	26	22	4	-
Male	5	6	1	3	11	23	13	20	7	5	1	-
Female	3	1	2	4	4	15	24	27	19	17	3	-
Puerto Rican	-	3	3	2	4	2	4	7	4	2	3	-
Male	-	1	2	-	1	1	2	3	1	-	2	-
Female	-	2	1	2	3	1	2	4	3	2	1	-
Cuban	-	-	-	-	6	4	10	15	12	3	1	-
Male	-	-	-	-	1	2	3	3	3	-	-	-
Female	-	-	-	-	5	2	7	12	9	3	1	-
Central and South American	-	1	1	-	4	2	5	11	5	2	2	-
Male	-	-	-	-	2	-	4	3	-	-	1	-
Female	-	1	1	-	2	2	1	8	5	2	1	-
Other and unknown Hispanic	3	1	-	5	3	14	12	19	12	10	2	-
Male	3	1	-	5	1	5	8	10	2	6	-	-
Female	-	-	-	-	2	9	4	9	10	4	2	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Atherosclerosis (I70)												
Non-Hispanic 1/	110	185	267	455	830	1,556	2,455	3,104	2,720	1,429	405	1
Male	67	109	165	264	454	729	992	1,080	695	272	50	1
Female	43	76	102	191	376	827	1,463	2,024	2,025	1,157	355	-
Non-Hispanic white	86	153	208	391	728	1,408	2,267	2,926	2,561	1,333	366	1
Male	51	92	133	228	403	656	914	1,025	652	256	40	1
Female	35	61	75	163	325	752	1,353	1,901	1,909	1,077	326	-
Non-Hispanic black	20	28	56	57	88	131	154	149	137	86	32	-
Male	13	14	29	30	44	65	59	44	35	12	7	-
Female	7	14	27	27	44	66	95	105	102	74	25	-
Origin not stated 2/	-	1	1	2	2	8	9	11	7	3	-	-
Male	-	1	-	1	-	5	4	4	2	2	-	-
Female	-	-	1	1	2	3	5	7	5	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other diseases of circulatory system (I71-I78)												
All origins	603	850	1,345	2,127	3,218	4,498	4,534	3,867	2,210	748	140	1
Male	397	566	888	1,357	1,991	2,476	2,363	1,633	719	188	23	1
Female	206	284	457	770	1,227	2,022	2,171	2,234	1,491	560	117	-
Hispanic	42	39	49	71	85	125	91	82	43	25	2	1
Male	26	22	33	47	53	76	43	37	13	6	1	1
Female	16	17	16	24	32	49	48	45	30	19	1	-
Mexican	20	24	28	35	46	74	46	43	20	14	1	1
Male	12	13	17	24	28	44	24	23	8	4	1	1
Female	8	11	11	11	18	30	22	20	12	10	-	-
Puerto Rican	5	3	4	9	9	8	8	6	5	4	1	-
Male	2	2	4	6	6	5	3	4	1	-	-	-
Female	3	1	-	3	3	3	5	2	4	4	1	-
Cuban	2	3	7	9	13	21	14	18	6	3	-	-
Male	2	2	5	7	10	13	10	5	-	-	-	-
Female	-	1	2	2	3	8	4	13	6	3	-	-
Central and South American	7	5	7	7	7	10	8	5	3	-	-	-
Male	3	2	5	4	4	7	3	1	-	-	-	-
Female	4	3	2	3	3	3	5	4	3	-	-	-
Other and unknown Hispanic	8	4	3	11	10	12	15	10	9	4	-	-
Male	7	3	2	6	5	7	3	4	4	2	-	-
Female	1	1	1	5	5	5	12	6	5	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other diseases of circulatory system (I71-I78)												
Non-Hispanic 1/	557	808	1,291	2,048	3,122	4,364	4,431	3,774	2,160	722	138	-
Male	368	541	851	1,305	1,929	2,394	2,314	1,593	704	181	22	-
Female	189	267	440	743	1,193	1,970	2,117	2,181	1,456	541	116	-
Non-Hispanic white	405	641	1,061	1,782	2,757	3,892	4,016	3,447	1,960	628	104	-
Male	267	446	712	1,163	1,734	2,177	2,126	1,482	641	163	19	-
Female	138	195	349	619	1,023	1,715	1,890	1,965	1,319	465	85	-
Non-Hispanic black	129	150	198	210	316	394	352	271	177	84	31	-
Male	86	82	115	108	164	166	158	81	49	13	3	-
Female	43	68	83	102	152	228	194	190	128	71	28	-
Origin not stated 2/	4	3	5	8	11	9	12	11	7	1	-	-
Male	3	3	4	5	9	6	6	3	2	1	-	-
Female	1	-	1	3	2	3	6	8	5	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
All origins	374	532	862	1,430	2,087	2,899	2,852	2,122	1,022	242	26	1
Male	287	398	633	981	1,401	1,722	1,591	1,000	406	78	7	1
Female	87	134	229	449	686	1,177	1,261	1,122	616	164	19	-
Hispanic	23	20	27	45	48	75	52	35	13	3	-	1
Male	17	12	21	35	36	52	26	23	4	1	-	1
Female	6	8	6	10	12	23	26	12	9	2	-	-
Mexican	8	12	13	20	21	40	21	19	8	1	-	1
Male	6	7	9	18	14	26	13	13	2	-	-	1
Female	2	5	4	2	7	14	8	6	6	1	-	-
Puerto Rican	3	2	1	6	7	6	6	4	1	-	-	-
Male	2	1	1	5	6	5	3	3	1	-	-	-
Female	1	1	-	1	1	1	3	1	-	-	-	-
Cuban	2	2	4	5	8	14	8	6	2	1	-	-
Male	2	2	4	4	7	9	6	3	-	-	-	-
Female	-	-	-	1	1	5	2	3	2	1	-	-
Central and South American	5	4	7	6	5	6	5	1	1	-	-	-
Male	2	2	5	4	4	6	1	1	-	-	-	-
Female	3	2	2	2	1	-	4	-	1	-	-	-
Other and unknown Hispanic	5	-	2	8	7	9	12	5	1	1	-	-
Male	5	-	2	4	5	6	3	3	1	1	-	-
Female	-	-	-	4	2	3	9	2	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
Non-Hispanic 1/	349	509	832	1,379	2,029	2,818	2,792	2,084	1,005	238	26	-
Male	268	383	609	942	1,357	1,665	1,560	976	400	76	7	-
Female	81	126	223	437	672	1,153	1,232	1,108	605	162	19	-
Non-Hispanic white	246	410	707	1,228	1,851	2,561	2,594	1,951	926	217	24	-
Male	194	320	521	856	1,253	1,534	1,468	927	379	71	7	-
Female	52	90	186	372	598	1,027	1,126	1,024	547	146	17	-
Non-Hispanic black	87	86	103	105	135	195	157	97	64	16	2	-
Male	63	53	71	57	77	90	68	28	13	2	-	-
Female	24	33	32	48	58	105	89	69	51	14	2	-
Origin not stated 2/	2	3	3	6	10	6	8	3	4	1	-	-
Male	2	3	3	4	8	5	5	1	2	1	-	-
Female	-	-	-	2	2	1	3	2	2	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
All origins	229	318	483	697	1,131	1,599	1,682	1,745	1,188	506	114	-
Male	110	168	255	376	590	754	772	633	313	110	16	-
Female	119	150	228	321	541	845	910	1,112	875	396	98	-
Hispanic	19	19	22	26	37	50	39	47	30	22	2	-
Male	9	10	12	12	17	24	17	14	9	5	1	-
Female	10	9	10	14	20	26	22	33	21	17	1	-
Mexican	12	12	15	15	25	34	25	24	12	13	1	-
Male	6	6	8	6	14	18	11	10	6	4	1	-
Female	6	6	7	9	11	16	14	14	6	9	-	-
Puerto Rican	2	1	3	3	2	2	2	2	4	4	1	-
Male	-	1	3	1	-	-	-	1	-	-	-	-
Female	2	-	-	2	2	2	2	1	4	4	1	-
Cuban	-	1	3	4	5	7	6	12	4	2	-	-
Male	-	-	1	3	3	4	4	2	-	-	-	-
Female	-	1	2	1	2	3	2	10	4	2	-	-
Central and South American	2	1	-	1	2	4	3	4	2	-	-	-
Male	1	-	-	-	-	1	2	-	-	-	-	-
Female	1	1	-	1	2	3	1	4	2	-	-	-
Other and unknown Hispanic	3	4	1	3	3	3	3	5	8	3	-	-
Male	2	3	-	2	-	1	-	1	3	1	-	-
Female	1	1	1	1	3	2	3	4	5	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
Non-Hispanic 1/	208	299	459	669	1,093	1,546	1,639	1,690	1,155	484	112	-
Male	100	158	242	363	572	729	754	617	304	105	15	-
Female	108	141	217	306	521	817	885	1,073	851	379	97	-
Non-Hispanic white	159	231	354	554	906	1,331	1,422	1,496	1,034	411	80	-
Male	73	126	191	307	481	643	658	555	262	92	12	-
Female	86	105	163	247	425	688	764	941	772	319	68	-
Non-Hispanic black	42	64	95	105	181	199	195	174	113	68	29	-
Male	23	29	44	51	87	76	90	53	36	11	3	-
Female	19	35	51	54	94	123	105	121	77	57	26	-
Origin not stated 2/	2	-	2	2	1	3	4	8	3	-	-	-
Male	1	-	1	1	1	1	1	2	-	-	-	-
Female	1	-	1	1	-	2	3	6	3	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Other disorders of circulatory system (I80-I99)

All origins	232	272	291	366	475	572	611	568	414	140	27	1
Male	135	149	155	174	231	254	234	164	97	19	6	1
Female	97	123	136	192	244	318	377	404	317	121	21	-
Hispanic	14	8	8	21	27	21	20	29	21	2	-	-
Male	10	4	5	11	9	10	10	8	8	-	-	-
Female	4	4	3	10	18	11	10	21	13	2	-	-
Mexican	7	6	7	8	13	10	9	17	10	1	-	-
Male	6	2	4	2	3	4	4	7	3	-	-	-
Female	1	4	3	6	10	6	5	10	7	1	-	-
Puerto Rican	5	1	1	4	7	3	3	5	1	-	-	-
Male	3	1	1	3	3	2	1	-	-	-	-	-
Female	2	-	-	1	4	1	2	5	1	-	-	-
Cuban	-	1	-	1	3	3	6	2	5	-	-	-
Male	-	1	-	-	3	1	3	-	4	-	-	-
Female	-	-	-	1	-	2	3	2	1	-	-	-
Central and South American	1	-	-	4	2	3	1	1	-	-	-	-
Male	-	-	-	3	-	2	1	-	-	-	-	-
Female	1	-	-	1	2	1	-	1	-	-	-	-
Other and unknown Hispanic	1	-	-	4	2	2	1	4	5	1	-	-
Male	1	-	-	3	-	1	1	1	1	-	-	-
Female	-	-	-	1	2	1	-	3	4	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
Non-Hispanic 1/	214	264	280	342	446	549	587	538	393	137	27	1
Male	124	145	148	162	222	243	223	155	89	19	6	1
Female	90	119	132	180	224	306	364	383	304	118	21	-
Non-Hispanic white	161	205	209	270	372	459	528	490	349	125	23	-
Male	92	114	106	128	185	205	200	141	79	15	4	-
Female	69	91	103	142	187	254	328	349	270	110	19	-
Non-Hispanic black	46	55	67	64	65	79	54	41	39	12	3	1
Male	28	30	42	31	31	34	19	11	8	4	2	1
Female	18	25	25	33	34	45	35	30	31	8	1	-
Origin not stated 2/	4	-	3	3	2	2	4	1	-	1	-	-
Male	1	-	2	1	-	1	1	1	-	-	-	-
Female	3	-	1	2	2	1	3	-	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Influenza and pneumonia (J10-J18)												
All origins	991	1,155	1,549	2,323	4,327	7,510	11,167	13,382	10,692	4,836	1,281	5
Male	602	686	901	1,338	2,394	3,995	5,299	5,373	3,587	1,282	260	4
Female	389	469	648	985	1,933	3,515	5,868	8,009	7,105	3,554	1,021	1
Hispanic	65	72	96	140	262	346	415	465	382	173	36	1
Male	38	50	49	71	133	180	208	177	145	69	11	1
Female	27	22	47	69	129	166	207	288	237	104	25	-
Mexican	41	41	58	63	152	188	223	247	193	99	15	1
Male	22	30	28	31	78	102	110	110	80	43	5	1
Female	19	11	30	32	74	86	113	137	113	56	10	-
Puerto Rican	10	17	15	30	42	57	58	67	43	15	3	-
Male	7	10	6	16	17	27	32	17	18	5	-	-
Female	3	7	9	14	25	30	26	50	25	10	3	-
Cuban	1	-	10	17	21	30	49	67	65	26	4	-
Male	-	-	7	11	11	16	19	21	18	8	3	-
Female	1	-	3	6	10	14	30	46	47	18	1	-
Central and South American	3	6	4	18	24	32	40	30	30	9	9	-
Male	2	4	2	8	13	12	20	9	9	3	1	-
Female	1	2	2	10	11	20	20	21	21	6	8	-
Other and unknown Hispanic	10	8	9	12	23	39	45	54	51	24	5	-
Male	7	6	6	5	14	23	27	20	20	10	2	-
Female	3	2	3	7	9	16	18	34	31	14	3	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Influenza and pneumonia (J10-J18)												
Non-Hispanic 1/	917	1,072	1,444	2,172	4,037	7,140	10,723	12,879	10,292	4,652	1,239	2
Male	559	630	845	1,259	2,241	3,802	5,079	5,181	3,436	1,210	248	1
Female	358	442	599	913	1,796	3,338	5,644	7,698	6,856	3,442	991	1
Non-Hispanic white	677	831	1,132	1,773	3,441	6,188	9,649	11,821	9,463	4,242	1,076	1
Male	396	484	648	1,013	1,906	3,268	4,562	4,746	3,119	1,089	212	1
Female	281	347	484	760	1,535	2,920	5,087	7,075	6,344	3,153	864	-
Non-Hispanic black	211	213	258	315	481	756	815	784	629	320	135	-
Male	142	129	164	195	277	429	379	289	224	82	27	-
Female	69	84	94	120	204	327	436	495	405	238	108	-
Origin not stated 2/	9	11	9	11	28	24	29	38	18	11	6	2
Male	5	6	7	8	20	13	12	15	6	3	1	2
Female	4	5	2	3	8	11	17	23	12	8	5	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Pneumonia (J12-J18)												
All origins	984	1,147	1,536	2,313	4,316	7,492	11,129	13,345	10,653	4,822	1,275	5
Male	598	682	896	1,335	2,389	3,989	5,285	5,358	3,579	1,278	258	4
Female	386	465	640	978	1,927	3,503	5,844	7,987	7,074	3,544	1,017	1
Hispanic	65	72	96	140	261	343	413	465	382	173	36	1
Male	38	50	49	71	133	180	206	177	145	69	11	1
Female	27	22	47	69	128	163	207	288	237	104	25	-
Mexican	41	41	58	63	151	185	222	247	193	99	15	1
Male	22	30	28	31	78	102	109	110	80	43	5	1
Female	19	11	30	32	73	83	113	137	113	56	10	-
Puerto Rican	10	17	15	30	42	57	58	67	43	15	3	-
Male	7	10	6	16	17	27	32	17	18	5	-	-
Female	3	7	9	14	25	30	26	50	25	10	3	-
Cuban	1	-	10	17	21	30	48	67	65	26	4	-
Male	-	-	7	11	11	16	18	21	18	8	3	-
Female	1	-	3	6	10	14	30	46	47	18	1	-
Central and South American	3	6	4	18	24	32	40	30	30	9	9	-
Male	2	4	2	8	13	12	20	9	9	3	1	-
Female	1	2	2	10	11	20	20	21	21	6	8	-
Other and unknown Hispanic	10	8	9	12	23	39	45	54	51	24	5	-
Male	7	6	6	5	14	23	27	20	20	10	2	-
Female	3	2	3	7	9	16	18	34	31	14	3	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Pneumonia (J12-J18)												
Non-Hispanic 1/	910	1,064	1,431	2,162	4,027	7,125	10,687	12,842	10,253	4,638	1,233	2
Male	555	626	840	1,256	2,236	3,796	5,067	5,166	3,428	1,206	246	1
Female	355	438	591	906	1,791	3,329	5,620	7,676	6,825	3,432	987	1
Non-Hispanic white	670	824	1,122	1,765	3,431	6,173	9,617	11,787	9,425	4,229	1,070	1
Male	392	481	645	1,012	1,901	3,262	4,550	4,732	3,112	1,085	210	1
Female	278	343	477	753	1,530	2,911	5,067	7,055	6,313	3,144	860	-
Non-Hispanic black	211	212	256	313	481	756	811	781	628	319	135	-
Male	142	128	162	193	277	429	379	288	223	82	27	-
Female	69	84	94	120	204	327	432	493	405	237	108	-
Origin not stated 2/	9	11	9	11	28	24	29	38	18	11	6	2
Male	5	6	7	8	20	13	12	15	6	3	1	2
Female	4	5	2	3	8	11	17	23	12	8	5	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
All origins	2,197	4,176	6,990	11,838	18,913	24,442	23,320	17,542	8,125	2,345	379	1
Male	1,111	2,159	3,543	6,046	9,831	12,433	11,258	7,806	3,279	733	94	1
Female	1,086	2,017	3,447	5,792	9,082	12,009	12,062	9,736	4,846	1,612	285	-
Hispanic	77	100	158	265	369	513	427	399	271	80	18	-
Male	32	53	87	161	217	286	215	203	112	34	6	-
Female	45	47	71	104	152	227	212	196	159	46	12	-
Mexican	29	45	62	125	167	258	204	190	121	35	8	-
Male	14	23	38	75	106	157	106	108	59	17	4	-
Female	15	22	24	50	61	101	98	82	62	18	4	-
Puerto Rican	24	26	34	49	54	67	55	58	24	10	2	-
Male	9	14	17	28	21	30	26	21	11	6	2	-
Female	15	12	17	21	33	37	29	37	13	4	-	-
Cuban	6	8	18	30	60	76	68	80	57	13	4	-
Male	1	6	11	20	37	41	37	40	18	2	-	-
Female	5	2	7	10	23	35	31	40	39	11	4	-
Central and South American	2	9	14	20	23	35	30	22	24	6	1	-
Male	-	3	6	13	9	13	12	5	4	3	-	-
Female	2	6	8	7	14	22	18	17	20	3	1	-
Other and unknown Hispanic	16	12	30	41	65	77	70	49	45	16	3	-
Male	8	7	15	25	44	45	34	29	20	6	-	-
Female	8	5	15	16	21	32	36	20	25	10	3	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
Non-Hispanic 1/	2,107	4,055	6,805	11,545	18,483	23,869	22,844	17,108	7,830	2,260	360	-
Male	1,070	2,092	3,438	5,869	9,580	12,120	11,014	7,588	3,156	696	88	-
Female	1,037	1,963	3,367	5,676	8,903	11,749	11,830	9,520	4,674	1,564	272	-
Non-Hispanic white	1,739	3,548	6,130	10,528	17,165	22,403	21,569	16,195	7,328	2,108	319	-
Male	875	1,823	3,062	5,295	8,794	11,220	10,276	7,101	2,916	629	70	-
Female	864	1,725	3,068	5,233	8,371	11,183	11,293	9,094	4,412	1,479	249	-
Non-Hispanic black	327	446	573	867	1,095	1,178	1,012	697	372	117	29	-
Male	170	235	319	496	651	703	582	362	166	51	12	-
Female	157	211	254	371	444	475	430	335	206	66	17	-
Origin not stated 2/	13	21	27	28	61	60	49	35	24	5	1	1
Male	9	14	18	16	34	27	29	15	11	3	-	1
Female	4	7	9	12	27	33	20	20	13	2	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Bronchitis, chronic and unspecified (J40-J42)

All origins	21	25	36	56	77	129	132	188	123	67	23	-
Male	9	16	20	35	41	67	48	70	33	14	2	-
Female	12	9	16	21	36	62	84	118	90	53	21	-
Hispanic	-	2	-	1	2	8	1	4	5	1	3	-
Male	-	1	-	-	1	6	-	1	2	-	-	-
Female	-	1	-	1	1	2	1	3	3	1	3	-
Mexican	-	1	-	1	-	6	1	2	1	1	1	-
Male	-	-	-	-	-	4	-	1	1	-	-	-
Female	-	1	-	1	-	2	1	1	-	1	1	-
Puerto Rican	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	-	1	-	-	1	-	-	1	3	-	1	-
Male	-	1	-	-	1	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	1	2	-	1	-
Central and South American	-	-	-	-	-	-	-	1	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	1	1	-	-	-
Other and unknown Hispanic	-	-	-	-	1	2	-	-	-	-	1	-
Male	-	-	-	-	-	2	-	-	-	-	-	-
Female	-	-	-	-	1	-	-	-	-	-	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Bronchitis, chronic and unspecified (J40-J42)												
Non-Hispanic 1/	21	22	36	55	75	121	130	184	118	66	20	-
Male	9	14	20	35	40	61	48	69	31	14	2	-
Female	12	8	16	20	35	60	82	115	87	52	18	-
Non-Hispanic white	20	21	33	48	65	110	122	178	111	62	19	-
Male	8	14	18	31	35	54	43	66	29	11	2	-
Female	12	7	15	17	30	56	79	112	82	51	17	-
Non-Hispanic black	1	1	3	7	8	8	3	5	3	3	-	-
Male	1	-	2	4	4	4	2	2	-	3	-	-
Female	-	1	1	3	4	4	1	3	3	-	-	-
Origin not stated 2/	-	1	-	-	-	-	1	-	-	-	-	-
Male	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Emphysema (J43)												
All origins	307	705	1,124	1,892	2,912	3,481	2,856	1,827	727	161	21	-
Male	177	395	571	988	1,566	1,809	1,446	929	326	54	6	-
Female	130	310	553	904	1,346	1,672	1,410	898	401	107	15	-
Hispanic	3	10	16	33	42	61	52	32	22	6	3	-
Male	3	7	9	19	27	41	35	21	7	2	2	-
Female	-	3	7	14	15	20	17	11	15	4	1	-
Mexican	1	5	-	13	19	33	23	20	13	2	-	-
Male	1	4	-	8	9	23	17	14	4	-	-	-
Female	-	1	-	5	10	10	6	6	9	2	-	-
Puerto Rican	2	-	3	6	3	4	7	5	1	-	2	-
Male	2	-	2	5	3	3	5	2	1	-	2	-
Female	-	-	1	1	-	1	2	3	-	-	-	-
Cuban	-	-	6	3	10	8	10	6	3	2	-	-
Male	-	-	4	-	8	5	7	4	1	-	-	-
Female	-	-	2	3	2	3	3	2	2	2	-	-
Central and South American	-	3	-	3	-	6	-	-	1	1	1	-
Male	-	1	-	2	-	4	-	-	-	1	-	-
Female	-	2	-	1	-	2	-	-	1	-	1	-
Other and unknown Hispanic	-	2	7	8	10	10	12	1	4	1	-	-
Male	-	2	3	4	7	6	6	1	1	1	-	-
Female	-	-	4	4	3	4	6	-	3	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Emphysema (J43)												
Non-Hispanic 1/	304	691	1,103	1,855	2,863	3,412	2,798	1,794	701	154	18	-
Male	174	384	559	966	1,534	1,764	1,408	907	318	51	4	-
Female	130	307	544	889	1,329	1,648	1,390	887	383	103	14	-
Non-Hispanic white	253	612	1,021	1,736	2,678	3,238	2,675	1,711	655	143	17	-
Male	143	335	506	900	1,410	1,656	1,330	852	297	48	4	-
Female	110	277	515	836	1,268	1,582	1,345	859	358	95	13	-
Non-Hispanic black	46	69	69	106	148	123	96	65	40	9	1	-
Male	27	43	44	61	94	73	61	40	18	2	-	-
Female	19	26	25	45	54	50	35	25	22	7	1	-
Origin not stated 2/	-	4	5	4	7	8	6	1	4	1	-	-
Male	-	4	3	3	5	4	3	1	1	1	-	-
Female	-	-	2	1	2	4	3	-	3	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Asthma (J45-J46)												
All origins	324	265	288	288	346	384	418	371	239	77	22	-
Male	116	84	98	104	116	116	109	86	57	11	3	-
Female	208	181	190	184	230	268	309	285	182	66	19	-
Hispanic	29	26	19	19	24	26	18	8	10	4	-	-
Male	8	12	5	9	9	8	5	-	2	-	-	-
Female	21	14	14	10	15	18	13	8	8	4	-	-
Mexican	8	7	3	10	7	8	12	4	5	3	-	-
Male	2	3	1	6	4	4	4	-	1	-	-	-
Female	6	4	2	4	3	4	8	4	4	3	-	-
Puerto Rican	13	13	9	4	10	13	-	2	3	-	-	-
Male	4	7	2	2	2	2	-	-	-	-	-	-
Female	9	6	7	2	8	11	-	2	3	-	-	-
Cuban	4	1	1	1	5	1	2	-	2	-	-	-
Male	1	1	-	-	3	-	-	-	1	-	-	-
Female	3	-	1	1	2	1	2	-	1	-	-	-
Central and South American	1	5	4	1	2	3	2	1	-	-	-	-
Male	-	1	1	1	-	2	-	-	-	-	-	-
Female	1	4	3	-	2	1	2	1	-	-	-	-
Other and unknown Hispanic	3	-	2	3	-	1	2	1	-	1	-	-
Male	1	-	1	-	-	-	1	-	-	-	-	-
Female	2	-	1	3	-	1	1	1	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Asthma (J45-J46)												
Non-Hispanic 1/	292	239	268	267	320	356	400	362	227	73	22	-
Male	106	72	93	95	105	107	104	85	53	11	3	-
Female	186	167	175	172	215	249	296	277	174	62	19	-
Non-Hispanic white	182	146	160	195	237	285	343	316	201	67	18	-
Male	61	45	50	67	74	83	84	75	43	9	1	-
Female	121	101	110	128	163	202	259	241	158	58	17	-
Non-Hispanic black	97	84	86	57	69	58	41	34	13	3	3	-
Male	41	23	29	18	28	17	12	8	3	1	1	-
Female	56	61	57	39	41	41	29	26	10	2	2	-
Origin not stated 2/	3	-	1	2	2	2	-	1	2	-	-	-
Male	2	-	-	-	2	1	-	1	2	-	-	-
Female	1	-	1	2	-	1	-	-	-	-	-	-

ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX: UNITED STATES, 2001

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other chronic lower respiratory diseases (J44,J47)												
All origins	1,545	3,181	5,542	9,602	15,578	20,448	19,914	15,156	7,036	2,040	313	1
Male	809	1,664	2,854	4,919	8,108	10,441	9,655	6,721	2,863	654	83	1
Female	736	1,517	2,688	4,683	7,470	10,007	10,259	8,435	4,173	1,386	230	-
Hispanic	45	62	123	212	301	418	356	355	234	69	12	-
Male	21	33	73	133	180	231	175	181	101	32	4	-
Female	24	29	50	79	121	187	181	174	133	37	8	-
Mexican	20	32	59	101	141	211	168	164	102	29	7	-
Male	11	16	37	61	93	126	85	93	53	17	4	-
Female	9	16	22	40	48	85	83	71	49	12	3	-
Puerto Rican	9	13	22	39	41	50	48	51	20	10	-	-
Male	3	7	13	21	16	25	21	19	10	6	-	-
Female	6	6	9	18	25	25	27	32	10	4	-	-
Cuban	2	6	11	26	44	67	56	73	49	11	3	-
Male	-	4	7	20	25	36	30	36	15	2	-	-
Female	2	2	4	6	19	31	26	37	34	9	3	-
Central and South American	1	1	10	16	21	26	28	20	22	5	-	-
Male	-	1	5	10	9	7	12	5	4	2	-	-
Female	1	-	5	6	12	19	16	15	18	3	-	-
Other and unknown Hispanic	13	10	21	30	54	64	56	47	41	14	2	-
Male	7	5	11	21	37	37	27	28	19	5	-	-
Female	6	5	10	9	17	27	29	19	22	9	2	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other chronic lower respiratory diseases (J44,J47)												
Non-Hispanic 1/	1,490	3,103	5,398	9,368	15,225	19,980	19,516	14,768	6,784	1,967	300	-
Male	781	1,622	2,766	4,773	7,901	10,188	9,454	6,527	2,754	620	79	-
Female	709	1,481	2,632	4,595	7,324	9,792	10,062	8,241	4,030	1,347	221	-
Non-Hispanic white	1,284	2,769	4,916	8,549	14,185	18,770	18,429	13,990	6,361	1,836	265	-
Male	663	1,429	2,488	4,297	7,275	9,427	8,819	6,108	2,547	561	63	-
Female	621	1,340	2,428	4,252	6,910	9,343	9,610	7,882	3,814	1,275	202	-
Non-Hispanic black	183	292	415	697	870	989	872	593	316	102	25	-
Male	101	169	244	413	525	609	507	312	145	45	11	-
Female	82	123	171	284	345	380	365	281	171	57	14	-
Origin not stated 2/	10	16	21	22	52	50	42	33	18	4	1	1
Male	7	9	15	13	27	22	26	13	8	2	-	1
Female	3	7	6	9	25	28	16	20	10	2	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
All origins	236	259	400	589	1,241	2,259	3,500	3,958	2,960	1,160	264	-
Male	151	160	224	362	744	1,253	1,892	1,893	1,180	379	59	-
Female	85	99	176	227	497	1,006	1,608	2,065	1,780	781	205	-
Hispanic	11	16	17	27	42	67	85	112	97	41	8	-
Male	6	14	8	17	25	37	44	56	41	16	3	-
Female	5	2	9	10	17	30	41	56	56	25	5	-
Mexican	8	7	10	19	25	37	43	52	44	17	5	-
Male	4	7	6	15	12	19	15	32	22	9	2	-
Female	4	-	4	4	13	18	28	20	22	8	3	-
Puerto Rican	-	5	1	4	7	9	15	15	7	4	1	-
Male	-	4	-	1	6	5	11	3	4	-	-	-
Female	-	1	1	3	1	4	4	12	3	4	1	-
Cuban	-	1	2	1	3	7	17	24	28	12	1	-
Male	-	1	1	1	1	5	10	10	9	3	-	-
Female	-	-	1	-	2	2	7	14	19	9	1	-
Central and South American	1	1	1	2	-	4	3	8	10	-	-	-
Male	-	-	-	-	-	3	3	4	3	-	-	-
Female	1	1	1	2	-	1	-	4	7	-	-	-
Other and unknown Hispanic	2	2	3	1	7	10	7	13	8	8	1	-
Male	2	2	1	-	6	5	5	7	3	4	1	-
Female	-	-	2	1	1	5	2	6	5	4	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
Non-Hispanic 1/	225	243	381	562	1,194	2,188	3,405	3,837	2,854	1,116	256	-
Male	145	146	215	345	716	1,213	1,844	1,832	1,137	361	56	-
Female	80	97	166	217	478	975	1,561	2,005	1,717	755	200	-
Non-Hispanic white	173	205	313	463	1,006	1,933	3,079	3,503	2,601	1,011	214	-
Male	112	125	173	290	612	1,079	1,686	1,688	1,048	333	50	-
Female	61	80	140	173	394	854	1,393	1,815	1,553	678	164	-
Non-Hispanic black	48	34	66	86	165	221	276	271	203	92	34	-
Male	31	20	40	49	91	120	132	115	69	22	5	-
Female	17	14	26	37	74	101	144	156	134	70	29	-
Origin not stated 2/	-	-	2	-	5	4	10	9	9	3	-	-
Male	-	-	1	-	3	3	4	5	2	2	-	-
Female	-	-	1	-	2	1	6	4	7	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All origins	814	1,030	1,402	2,174	3,336	4,590	4,612	3,627	1,895	643	118	3
Male	442	530	792	1,197	1,828	2,330	2,123	1,415	618	143	21	1
Female	372	500	610	977	1,508	2,260	2,489	2,212	1,277	500	97	2
Hispanic	64	83	82	125	162	186	177	128	61	22	4	-
Male	34	43	49	66	85	95	80	57	22	6	3	-
Female	30	40	33	59	77	91	97	71	39	16	1	-
Mexican	41	47	44	78	98	96	91	57	29	12	1	-
Male	20	26	27	43	51	49	41	25	10	2	1	-
Female	21	21	17	35	47	47	50	32	19	10	-	-
Puerto Rican	9	13	15	14	17	24	17	13	8	2	-	-
Male	6	8	8	6	7	10	8	6	5	-	-	-
Female	3	5	7	8	10	14	9	7	3	2	-	-
Cuban	2	2	5	9	13	27	17	29	12	1	2	-
Male	1	1	3	3	7	16	6	12	2	-	1	-
Female	1	1	2	6	6	11	11	17	10	1	1	-
Central and South American	6	9	5	13	11	15	21	8	4	3	-	-
Male	3	1	3	8	2	6	8	4	2	2	-	-
Female	3	8	2	5	9	9	13	4	2	1	-	-
Other and unknown Hispanic	6	12	13	11	23	24	31	21	8	4	1	-
Male	4	7	8	6	18	14	17	10	3	2	1	-
Female	2	5	5	5	5	10	14	11	5	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)												
Non-Hispanic 1/	748	946	1,319	2,044	3,159	4,390	4,425	3,495	1,830	619	113	3
Male	407	486	742	1,128	1,732	2,228	2,037	1,357	596	137	18	1
Female	341	460	577	916	1,427	2,162	2,388	2,138	1,234	482	95	2
Non-Hispanic white	539	765	1,095	1,768	2,829	4,020	4,113	3,258	1,688	549	100	1
Male	307	407	611	993	1,581	2,060	1,903	1,270	549	118	16	-
Female	232	358	484	775	1,248	1,960	2,210	1,988	1,139	431	84	1
Non-Hispanic black	185	154	189	220	262	284	243	171	114	57	13	2
Male	86	67	106	107	115	126	104	65	34	13	2	1
Female	99	87	83	113	147	158	139	106	80	44	11	1
Origin not stated 2/	2	1	1	5	15	14	10	4	4	2	1	-
Male	1	1	1	3	11	7	6	1	-	-	-	-
Female	1	-	-	2	4	7	4	3	4	2	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES,

1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------	----------------

Peptic ulcer (K25-K28)

All origins	147	183	235	294	424	615	823	788	458	184	40	1
Male	95	123	150	179	218	315	334	277	125	47	5	1
Female	52	60	85	115	206	300	489	511	333	137	35	-
Hispanic	10	12	10	10	23	24	30	22	13	2	1	1
Male	7	10	9	5	13	17	20	6	4	1	-	1
Female	3	2	1	5	10	7	10	16	9	1	1	-
Mexican	5	6	7	8	16	14	16	9	8	1	-	-
Male	4	6	6	4	9	8	9	1	-	-	-	-
Female	1	-	1	4	7	6	7	8	8	1	-	-
Puerto Rican	2	3	2	1	1	5	2	1	-	-	-	-
Male	1	2	2	-	1	4	1	-	-	-	-	-
Female	1	1	-	1	-	1	1	1	-	-	-	-
Cuban	-	1	1	1	2	3	7	8	3	-	-	1
Male	-	-	1	1	1	3	6	3	3	-	-	1
Female	-	1	-	-	1	-	1	5	-	-	-	-
Central and South American	1	1	-	-	-	-	3	2	-	-	1	-
Male	1	1	-	-	-	-	2	-	-	-	-	-
Female	-	-	-	-	-	-	1	2	-	-	1	-
Other and unknown Hispanic	2	1	-	-	4	2	2	2	2	1	-	-
Male	1	1	-	-	2	2	2	2	1	1	-	-
Female	1	-	-	-	2	-	-	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Peptic ulcer (K25-K28)												
Non-Hispanic 1/	136	170	223	280	401	589	791	763	445	180	39	-
Male	88	113	139	170	205	297	312	271	121	46	5	-
Female	48	57	84	110	196	292	479	492	324	134	34	-
Non-Hispanic white	101	126	182	232	351	522	726	706	418	168	38	-
Male	61	82	112	140	171	259	284	251	111	42	5	-
Female	40	44	70	92	180	263	442	455	307	126	33	-
Non-Hispanic black	32	34	34	32	41	45	38	38	20	8	1	-
Male	25	25	22	20	27	23	16	15	5	1	-	-
Female	7	9	12	12	14	22	22	23	15	7	1	-
Origin not stated 2/	1	1	2	4	-	2	2	3	-	2	-	-
Male	-	-	2	4	-	1	2	-	-	-	-	-
Female	1	1	-	-	-	1	-	3	-	2	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Diseases of appendix (K35-K38)												
All origins	15	22	23	34	55	37	53	51	30	11	1	-
Male	11	13	17	23	34	22	30	20	12	4	1	-
Female	4	9	6	11	21	15	23	31	18	7	-	-
Hispanic	1	-	2	2	3	3	4	1	-	-	-	-
Male	1	-	1	2	3	1	2	-	-	-	-	-
Female	-	-	1	-	-	2	2	1	-	-	-	-
Mexican	-	-	-	2	2	2	2	1	-	-	-	-
Male	-	-	-	2	2	1	1	-	-	-	-	-
Female	-	-	-	-	-	1	1	1	-	-	-	-
Puerto Rican	-	-	1	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	1	-	-	1	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	1	-	1	-	1	-	-	-	-	-	-	-
Male	1	-	1	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	-	-	-	-	-	-	2	-	-	-	-	-
Male	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	1	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Hernia (K40-K46)												
All origins	58	57	74	81	132	185	258	269	190	88	6	-
Male	31	23	41	40	54	71	102	88	48	19	1	-
Female	27	34	33	41	78	114	156	181	142	69	5	-
Hispanic	5	3	6	3	9	12	12	13	6	-	1	-
Male	2	-	3	2	2	1	5	2	3	-	-	-
Female	3	3	3	1	7	11	7	11	3	-	1	-
Mexican	5	1	3	2	6	5	8	8	4	-	1	-
Male	2	-	1	1	2	-	2	1	2	-	-	-
Female	3	1	2	1	4	5	6	7	2	-	1	-
Puerto Rican	-	-	-	1	1	-	2	-	-	-	-	-
Male	-	-	-	1	-	-	1	-	-	-	-	-
Female	-	-	-	-	1	-	1	-	-	-	-	-
Cuban	-	1	-	-	-	-	1	3	1	-	-	-
Male	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	1	-	-	-	-	-	3	1	-	-	-
Central and South American	-	-	1	-	-	1	-	1	-	-	-	-
Male	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	1	-	-	-	-
Other and unknown Hispanic	-	1	2	-	2	6	1	1	1	-	-	-
Male	-	-	1	-	-	1	1	1	1	-	-	-
Female	-	1	1	-	2	5	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Hernia (K40-K46)												
Non-Hispanic 1/	53	54	67	78	123	172	245	256	183	88	5	-
Male	29	23	37	38	52	69	97	86	45	19	1	-
Female	24	31	30	40	71	103	148	170	138	69	4	-
Non-Hispanic white	42	42	55	66	107	151	223	238	172	77	3	-
Male	21	16	30	34	47	62	87	73	42	18	1	-
Female	21	26	25	32	60	89	136	165	130	59	2	-
Non-Hispanic black	11	12	11	10	15	17	16	16	9	9	2	-
Male	8	7	6	2	5	6	8	11	3	1	-	-
Female	3	5	5	8	10	11	8	5	6	8	2	-
Origin not stated 2/	-	-	1	-	-	1	1	-	1	-	-	-
Male	-	-	1	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	-	1	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Chronic liver disease and cirrhosis (K70,K73-K74)												
All origins	3,702	2,999	2,751	2,752	2,734	2,325	1,476	714	221	43	1	6
Male	2,714	2,161	1,867	1,749	1,586	1,151	682	307	89	19	1	6
Female	988	838	884	1,003	1,148	1,174	794	407	132	24	-	-
Hispanic	471	378	343	322	296	219	116	46	12	1	-	1
Male	379	295	260	220	166	120	50	16	6	-	-	1
Female	92	83	83	102	130	99	66	30	6	1	-	-
Mexican	319	265	213	202	199	133	76	27	6	1	-	1
Male	259	214	165	131	113	80	34	10	3	-	-	1
Female	60	51	48	71	86	53	42	17	3	1	-	-
Puerto Rican	62	52	45	55	24	25	12	2	1	-	-	-
Male	48	39	32	41	13	14	5	1	-	-	-	-
Female	14	13	13	14	11	11	7	1	1	-	-	-
Cuban	4	13	20	15	20	23	13	8	1	-	-	-
Male	3	10	18	10	10	11	4	3	-	-	-	-
Female	1	3	2	5	10	12	9	5	1	-	-	-
Central and South American	29	19	26	23	17	17	8	5	2	-	-	-
Male	21	10	17	16	9	7	3	1	1	-	-	-
Female	8	9	9	7	8	10	5	4	1	-	-	-
Other and unknown Hispanic	57	29	39	27	36	21	7	4	2	-	-	-
Male	48	22	28	22	21	8	4	1	2	-	-	-
Female	9	7	11	5	15	13	3	3	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Chronic liver disease and cirrhosis (K70,K73-K74)												
Non-Hispanic 1/	3,216	2,607	2,395	2,417	2,429	2,099	1,356	667	209	40	1	3
Male	2,323	1,854	1,596	1,518	1,416	1,030	631	290	83	18	1	3
Female	893	753	799	899	1,013	1,069	725	377	126	22	-	-
Non-Hispanic white	2,557	2,127	2,062	2,112	2,195	1,945	1,277	628	196	37	1	2
Male	1,865	1,511	1,364	1,318	1,288	956	601	276	76	17	1	2
Female	692	616	698	794	907	989	676	352	120	20	-	-
Non-Hispanic black	530	390	259	245	167	116	53	22	10	2	-	1
Male	383	278	184	168	100	57	18	7	4	-	-	1
Female	147	112	75	77	67	59	35	15	6	2	-	-
Origin not stated 2/	15	14	13	13	9	7	4	1	-	2	-	2
Male	12	12	11	11	4	1	1	1	-	1	-	2
Female	3	2	2	2	5	6	3	-	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Alcoholic liver disease (K70)												
All origins	2,082	1,582	1,331	1,062	786	515	202	86	12	6	-	5
Male	1,536	1,235	1,007	789	590	370	135	60	8	4	-	5
Female	546	347	324	273	196	145	67	26	4	2	-	-
Hispanic	274	220	176	140	100	68	26	8	2	-	-	1
Male	229	189	149	124	86	50	18	7	2	-	-	1
Female	45	31	27	16	14	18	8	1	-	-	-	-
Mexican	188	160	116	87	77	46	19	5	2	-	-	1
Male	158	144	106	76	68	35	14	5	2	-	-	1
Female	30	16	10	11	9	11	5	-	-	-	-	-
Puerto Rican	31	25	25	21	7	6	3	2	-	-	-	-
Male	25	20	16	20	5	4	2	1	-	-	-	-
Female	6	5	9	1	2	2	1	1	-	-	-	-
Cuban	1	6	4	3	2	4	2	-	-	-	-	-
Male	1	4	4	3	2	3	1	-	-	-	-	-
Female	-	2	-	-	-	1	1	-	-	-	-	-
Central and South American	19	13	12	12	4	6	1	1	-	-	-	-
Male	14	7	9	10	4	4	1	1	-	-	-	-
Female	5	6	3	2	-	2	-	-	-	-	-	-
Other and unknown Hispanic	35	16	19	17	10	6	1	-	-	-	-	-
Male	31	14	14	15	7	4	-	-	-	-	-	-
Female	4	2	5	2	3	2	1	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Alcoholic liver disease (K70)												
Non-Hispanic 1/	1,797	1,350	1,149	914	682	446	176	78	10	6	-	2
Male	1,298	1,036	852	658	500	320	117	53	6	4	-	2
Female	499	314	297	256	182	126	59	25	4	2	-	-
Non-Hispanic white	1,431	1,105	987	773	608	404	162	66	8	6	-	2
Male	1,054	849	734	553	444	293	108	46	4	4	-	2
Female	377	256	253	220	164	111	54	20	4	2	-	-
Non-Hispanic black	290	198	126	118	58	32	11	8	1	-	-	-
Male	202	149	90	90	45	19	7	4	1	-	-	-
Female	88	49	36	28	13	13	4	4	-	-	-	-
Origin not stated 2/	11	12	6	8	4	1	-	-	-	-	-	2
Male	9	10	6	7	4	-	-	-	-	-	-	2
Female	2	2	-	1	-	1	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other chronic liver disease and cirrhosis (K73-K74)												
All origins	1,620	1,417	1,420	1,690	1,948	1,810	1,274	628	209	37	1	1
Male	1,178	926	860	960	996	781	547	247	81	15	1	1
Female	442	491	560	730	952	1,029	727	381	128	22	-	-
Hispanic	197	158	167	182	196	151	90	38	10	1	-	-
Male	150	106	111	96	80	70	32	9	4	-	-	-
Female	47	52	56	86	116	81	58	29	6	1	-	-
Mexican	131	105	97	115	122	87	57	22	4	1	-	-
Male	101	70	59	55	45	45	20	5	1	-	-	-
Female	30	35	38	60	77	42	37	17	3	1	-	-
Puerto Rican	31	27	20	34	17	19	9	-	1	-	-	-
Male	23	19	16	21	8	10	3	-	-	-	-	-
Female	8	8	4	13	9	9	6	-	1	-	-	-
Cuban	3	7	16	12	18	19	11	8	1	-	-	-
Male	2	6	14	7	8	8	3	3	-	-	-	-
Female	1	1	2	5	10	11	8	5	1	-	-	-
Central and South American	10	6	14	11	13	11	7	4	2	-	-	-
Male	7	3	8	6	5	3	2	-	1	-	-	-
Female	3	3	6	5	8	8	5	4	1	-	-	-
Other and unknown Hispanic	22	13	20	10	26	15	6	4	2	-	-	-
Male	17	8	14	7	14	4	4	1	2	-	-	-
Female	5	5	6	3	12	11	2	3	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other chronic liver disease and cirrhosis (K73-K74)												
Non-Hispanic 1/	1,419	1,257	1,246	1,503	1,747	1,653	1,180	589	199	34	1	1
Male	1,025	818	744	860	916	710	514	237	77	14	1	1
Female	394	439	502	643	831	943	666	352	122	20	-	-
Non-Hispanic white	1,126	1,022	1,075	1,339	1,587	1,541	1,115	562	188	31	1	-
Male	811	662	630	765	844	663	493	230	72	13	1	-
Female	315	360	445	574	743	878	622	332	116	18	-	-
Non-Hispanic black	240	192	133	127	109	84	42	14	9	2	-	1
Male	181	129	94	78	55	38	11	3	3	-	-	1
Female	59	63	39	49	54	46	31	11	6	2	-	-
Origin not stated 2/	4	2	7	5	5	6	4	1	-	2	-	-
Male	3	2	5	4	-	1	1	1	-	1	-	-
Female	1	-	2	1	5	5	3	-	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

All origins	68	94	148	193	333	432	513	542	364	106	31	-
Male	40	61	81	96	173	231	233	209	111	21	8	-
Female	28	33	67	97	160	201	280	333	253	85	23	-
Hispanic	5	12	11	17	34	22	25	22	23	2	3	-
Male	3	9	7	7	18	13	12	6	7	1	3	-
Female	2	3	4	10	16	9	13	16	16	1	-	-
Mexican	3	10	8	14	19	13	16	7	13	2	-	-
Male	1	8	5	5	11	9	9	1	2	1	-	-
Female	2	2	3	9	8	4	7	6	11	1	-	-
Puerto Rican	1	1	-	-	5	2	1	6	1	-	-	-
Male	1	1	-	-	3	1	1	2	1	-	-	-
Female	-	-	-	-	2	1	-	4	-	-	-	-
Cuban	-	-	-	1	1	3	2	6	4	-	2	-
Male	-	-	-	1	-	2	1	2	2	-	2	-
Female	-	-	-	-	1	1	1	4	2	-	-	-
Central and South American	1	1	1	-	4	2	2	2	-	-	-	-
Male	1	-	1	-	1	-	-	1	-	-	-	-
Female	-	1	-	-	3	2	2	1	-	-	-	-
Other and unknown Hispanic	-	-	2	2	5	2	4	1	5	-	1	-
Male	-	-	1	1	3	1	1	-	2	-	1	-
Female	-	-	1	1	2	1	3	1	3	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
Non-Hispanic 1/	63	82	137	174	299	410	486	520	341	104	28	-
Male	37	52	74	88	155	218	221	203	104	20	5	-
Female	26	30	63	86	144	192	265	317	237	84	23	-
Non-Hispanic white	45	60	108	131	250	357	430	471	312	95	26	-
Male	28	39	57	65	135	196	199	181	94	18	4	-
Female	17	21	51	66	115	161	231	290	218	77	22	-
Non-Hispanic black	17	20	22	32	46	35	42	33	21	8	2	-
Male	9	12	12	16	18	10	11	15	6	2	1	-
Female	8	8	10	16	28	25	31	18	15	6	1	-
Origin not stated 2/	-	-	-	2	-	-	2	-	-	-	-	-
Male	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	1	-	-	2	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
All origins	1,073	1,404	1,880	3,026	4,330	6,105	6,992	6,612	4,225	1,528	303	1
Male	608	751	963	1,610	2,216	3,074	3,411	2,996	1,619	435	64	-
Female	465	653	917	1,416	2,114	3,031	3,581	3,616	2,606	1,093	239	1
Hispanic	81	117	120	218	252	296	228	180	121	44	10	-
Male	37	63	69	100	117	150	101	82	48	15	3	-
Female	44	54	51	118	135	146	127	98	73	29	7	-
Mexican	49	74	71	128	158	166	122	98	53	22	4	-
Male	20	35	43	49	77	88	49	48	21	6	1	-
Female	29	39	28	79	81	78	73	50	32	16	3	-
Puerto Rican	16	17	26	42	38	30	26	21	12	4	-	-
Male	7	10	14	23	13	15	11	10	3	2	-	-
Female	9	7	12	19	25	15	15	11	9	2	-	-
Cuban	2	7	6	14	17	33	39	27	29	14	4	-
Male	-	5	5	10	9	14	24	10	13	7	1	-
Female	2	2	1	4	8	19	15	17	16	7	3	-
Central and South American	5	9	10	15	17	22	17	12	7	1	1	-
Male	3	6	6	7	9	9	6	5	3	-	-	-
Female	2	3	4	8	8	13	11	7	4	1	1	-
Other and unknown Hispanic	9	10	7	19	22	45	24	22	20	3	1	-
Male	7	7	1	11	9	24	11	9	8	-	1	-
Female	2	3	6	8	13	21	13	13	12	3	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
Non-Hispanic 1/	985	1,282	1,754	2,803	4,063	5,796	6,742	6,418	4,093	1,484	293	-
Male	567	687	890	1,507	2,091	2,920	3,300	2,908	1,568	420	61	-
Female	418	595	864	1,296	1,972	2,876	3,442	3,510	2,525	1,064	232	-
Non-Hispanic white	552	763	1,098	1,907	3,077	4,686	5,712	5,617	3,572	1,293	241	-
Male	334	425	587	1,072	1,657	2,454	2,856	2,598	1,399	372	53	-
Female	218	338	511	835	1,420	2,232	2,856	3,019	2,173	921	188	-
Non-Hispanic black	395	459	589	817	881	982	909	707	454	176	50	-
Male	211	240	269	397	385	402	382	260	142	39	7	-
Female	184	219	320	420	496	580	527	447	312	137	43	-
Origin not stated 2/	7	5	6	5	15	13	22	14	11	-	-	1
Male	4	1	4	3	8	4	10	6	3	-	-	-
Female	3	4	2	2	7	9	12	8	8	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Renal failure (N17-N19)												
All origins	1,041	1,376	1,850	2,963	4,248	6,007	6,891	6,517	4,174	1,514	300	1
Male	588	735	945	1,581	2,171	3,025	3,356	2,953	1,604	429	64	-
Female	453	641	905	1,382	2,077	2,982	3,535	3,564	2,570	1,085	236	1
Hispanic	78	114	116	214	246	292	225	176	118	44	10	-
Male	35	61	66	98	115	148	99	80	48	15	3	-
Female	43	53	50	116	131	144	126	96	70	29	7	-
Mexican	48	71	70	126	153	163	119	94	51	22	4	-
Male	19	33	42	48	75	86	47	46	21	6	1	-
Female	29	38	28	78	78	77	72	48	30	16	3	-
Puerto Rican	16	17	25	41	38	30	26	21	12	4	-	-
Male	7	10	13	22	13	15	11	10	3	2	-	-
Female	9	7	12	19	25	15	15	11	9	2	-	-
Cuban	2	7	6	14	16	32	39	27	28	14	4	-
Male	-	5	5	10	9	14	24	10	13	7	1	-
Female	2	2	1	4	7	18	15	17	15	7	3	-
Central and South American	4	9	9	14	17	22	17	12	7	1	1	-
Male	2	6	5	7	9	9	6	5	3	-	-	-
Female	2	3	4	7	8	13	11	7	4	1	1	-
Other and unknown Hispanic	8	10	6	19	22	45	24	22	20	3	1	-
Male	7	7	1	11	9	24	11	9	8	-	1	-
Female	1	3	5	8	13	21	13	13	12	3	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Renal failure (N17-N19)												
Non-Hispanic 1/	956	1,257	1,728	2,744	3,987	5,702	6,645	6,327	4,045	1,470	290	-
Male	549	673	875	1,480	2,048	2,873	3,248	2,867	1,553	414	61	-
Female	407	584	853	1,264	1,939	2,829	3,397	3,460	2,492	1,056	229	-
Non-Hispanic white	537	745	1,080	1,864	3,009	4,604	5,629	5,535	3,529	1,280	240	-
Male	324	416	577	1,054	1,618	2,412	2,809	2,561	1,385	366	53	-
Female	213	329	503	810	1,391	2,192	2,820	2,974	2,144	914	187	-
Non-Hispanic black	385	455	583	803	875	972	899	701	450	175	48	-
Male	204	237	265	389	382	399	379	257	142	39	7	-
Female	181	218	318	414	493	573	520	444	308	136	41	-
Origin not stated 2/	7	5	6	5	15	13	21	14	11	-	-	1
Male	4	1	4	3	8	4	9	6	3	-	-	-
Female	3	4	2	2	7	9	12	8	8	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------	----------------

Infections of kidney (N10-N12,N13.6,N15.1)

All origins	25	23	23	35	52	126	123	129	100	33	3	-
Male	5	6	6	19	21	36	40	32	16	8	-	-
Female	20	17	17	16	31	90	83	97	84	25	3	-
Hispanic	3	1	-	4	4	4	5	3	2	1	-	-
Male	1	-	-	1	2	1	-	2	1	-	-	-
Female	2	1	-	3	2	3	5	1	1	1	-	-
Mexican	2	1	-	1	3	3	3	2	2	1	-	-
Male	1	-	-	1	2	-	-	1	1	-	-	-
Female	1	1	-	-	1	3	3	1	1	1	-	-
Puerto Rican	-	-	-	-	1	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	1	-	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	-	-	-	-	-
Central and South American	-	-	-	2	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	2	-	-	-	-	-	-	-	-
Other and unknown Hispanic	1	-	-	1	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	1	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Infections of kidney (N10-N12,N13.6,N15.1)												
Non-Hispanic 1/	22	22	23	31	48	122	117	126	98	32	3	-
Male	4	6	6	18	19	35	40	30	15	8	-	-
Female	18	16	17	13	29	87	77	96	83	24	3	-
Non-Hispanic white	16	17	19	22	43	111	99	114	90	32	3	-
Male	3	6	3	11	16	29	35	26	13	8	-	-
Female	13	11	16	11	27	82	64	88	77	24	3	-
Non-Hispanic black	6	3	4	8	5	8	14	10	6	-	-	-
Male	1	-	3	6	3	3	3	3	1	-	-	-
Female	5	3	1	2	2	5	11	7	5	-	-	-
Origin not stated 2/	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------	----------------

Hyperplasia of prostate (N40)

All origins	2	3	6	14	31	60	81	110	94	33	5	-
Male	2	3	6	14	31	60	81	110	94	33	5	-
Hispanic	-	1	-	2	2	1	3	1	-	1	-	-
Male	-	1	-	2	2	1	3	1	-	1	-	-
Mexican	-	-	-	1	1	-	2	-	-	1	-	-
Male	-	-	-	1	1	-	2	-	-	1	-	-
Puerto Rican	-	-	-	1	-	1	-	-	-	-	-	-
Male	-	-	-	1	-	1	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	-	-	-	-	1	-	1	-	-	-	-	-
Male	-	-	-	-	1	-	1	-	-	-	-	-
Other and unknown Hispanic	-	1	-	-	-	-	-	1	-	-	-	-
Male	-	1	-	-	-	-	-	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Hyperplasia of prostate (N40)												
Non-Hispanic 1/	2	2	6	11	28	57	77	109	94	32	5	-
Male	2	2	6	11	28	57	77	109	94	32	5	-
Non-Hispanic white	1	1	3	10	25	52	70	101	90	30	5	-
Male	1	1	3	10	25	52	70	101	90	30	5	-
Non-Hispanic black	1	1	3	1	2	5	7	6	4	1	-	-
Male	1	1	3	1	2	5	7	6	4	1	-	-
Origin not stated 2/	-	-	-	1	1	2	1	-	-	-	-	-
Male	-	-	-	1	1	2	1	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All origins	333	298	283	214	234	244	221	182	87	38	10	-
Male	167	146	130	109	119	110	93	70	17	9	4	-
Female	166	152	153	105	115	134	128	112	70	29	6	-
Hispanic	12	10	14	10	12	17	7	6	4	-	-	-
Male	6	4	10	5	9	8	5	5	-	-	-	-
Female	6	6	4	5	3	9	2	1	4	-	-	-
Mexican	6	7	8	6	6	6	4	1	2	-	-	-
Male	3	2	5	3	5	1	2	1	-	-	-	-
Female	3	5	3	3	1	5	2	-	2	-	-	-
Puerto Rican	1	2	3	1	1	2	-	2	-	-	-	-
Male	1	2	3	-	-	2	-	2	-	-	-	-
Female	-	-	-	1	1	-	-	-	-	-	-	-
Cuban	-	-	-	1	2	4	1	1	-	-	-	-
Male	-	-	-	-	1	1	1	1	-	-	-	-
Female	-	-	-	1	1	3	-	-	-	-	-	-
Central and South American	4	-	-	1	1	3	-	-	2	-	-	-
Male	2	-	-	1	1	2	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	2	-	-	-
Other and unknown Hispanic	1	1	3	1	2	2	2	2	-	-	-	-
Male	-	-	2	1	2	2	2	1	-	-	-	-
Female	1	1	1	-	-	-	-	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Non-Hispanic 1/	319	288	269	201	221	227	214	176	83	37	10	-
Male	159	142	120	102	109	102	88	65	17	9	4	-
Female	160	146	149	99	112	125	126	111	66	28	6	-
Non-Hispanic white	280	257	246	181	197	209	196	166	77	34	6	-
Male	141	126	109	96	100	98	76	59	14	9	1	-
Female	139	131	137	85	97	111	120	107	63	25	5	-
Non-Hispanic black	32	27	21	14	21	17	11	7	5	3	4	-
Male	16	13	10	4	8	4	8	4	2	-	3	-
Female	16	14	11	10	13	13	3	3	3	3	1	-
Origin not stated 2/	2	-	-	3	1	-	-	-	-	-	1	-
Male	2	-	-	2	1	-	-	-	-	-	-	-
Female	-	-	-	1	-	-	-	-	-	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All origins	1,622	1,192	1,100	1,207	1,567	2,209	2,794	3,239	3,220	1,882	748	115
Male	1,066	758	699	685	812	1,014	1,170	1,017	760	392	105	78
Female	556	434	401	522	755	1,195	1,624	2,222	2,460	1,490	643	37
Hispanic	110	71	56	55	57	51	56	72	50	32	19	12
Male	77	50	42	36	35	27	29	22	8	13	3	11
Female	33	21	14	19	22	24	27	50	42	19	16	1
Mexican	77	55	41	33	31	30	28	34	28	13	12	4
Male	53	42	33	21	20	16	14	11	4	7	2	4
Female	24	13	8	12	11	14	14	23	24	6	10	-
Puerto Rican	10	5	4	6	5	7	9	9	3	6	2	1
Male	7	3	2	5	4	5	4	4	-	2	1	1
Female	3	2	2	1	1	2	5	5	3	4	1	-
Cuban	3	2	4	1	5	7	6	12	7	2	-	-
Male	3	1	3	-	3	2	4	1	2	-	-	-
Female	-	1	1	1	2	5	2	11	5	2	-	-
Central and South American	11	1	6	4	4	3	6	6	4	1	-	1
Male	8	-	4	2	1	2	3	-	1	-	-	1
Female	3	1	2	2	3	1	3	6	3	1	-	-
Other and unknown Hispanic	9	8	1	11	12	4	7	11	8	10	5	6
Male	6	4	-	8	7	2	4	6	1	4	-	5
Female	3	4	1	3	5	2	3	5	7	6	5	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
Non-Hispanic 1/	1,499	1,118	1,036	1,149	1,504	2,149	2,737	3,158	3,168	1,843	727	36
Male	982	705	650	648	774	984	1,141	993	750	376	102	26
Female	517	413	386	501	730	1,165	1,596	2,165	2,418	1,467	625	10
Non-Hispanic white	1,168	884	829	921	1,270	1,897	2,453	2,907	2,926	1,693	652	29
Male	777	548	510	517	667	885	1,035	912	686	342	92	22
Female	391	336	319	404	603	1,012	1,418	1,995	2,240	1,351	560	7
Non-Hispanic black	290	202	171	197	204	221	245	212	214	131	65	5
Male	172	138	124	114	93	87	87	69	54	28	10	3
Female	118	64	47	83	111	134	158	143	160	103	55	2
Origin not stated 2/	13	3	8	3	6	9	1	9	2	7	2	67
Male	7	3	7	1	3	3	-	2	2	3	-	41
Female	6	-	1	2	3	6	1	7	-	4	2	26

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All origins	7,536	7,549	8,499	10,676	15,127	21,941	27,770	30,312	22,714	9,872	2,134	17
Male	4,427	4,112	4,540	5,480	7,252	9,406	10,411	9,265	5,258	1,740	257	16
Female	3,109	3,437	3,959	5,196	7,875	12,535	17,359	21,047	17,456	8,132	1,877	1
Hispanic	454	444	474	529	689	741	798	781	516	236	52	3
Male	289	259	254	271	316	301	311	280	130	67	16	3
Female	165	185	220	258	373	440	487	501	386	169	36	-
Mexican	240	271	251	292	366	424	419	375	231	120	22	1
Male	152	151	126	147	169	178	166	139	57	35	10	1
Female	88	120	125	145	197	246	253	236	174	85	12	-
Puerto Rican	87	75	90	76	89	81	92	72	47	26	6	-
Male	55	52	58	33	41	33	32	28	13	10	1	-
Female	32	23	32	43	48	48	60	44	34	16	5	-
Cuban	13	21	15	41	72	90	120	136	110	49	6	-
Male	9	10	8	24	34	33	49	46	23	13	2	-
Female	4	11	7	17	38	57	71	90	87	36	4	-
Central and South American	44	27	56	45	47	50	66	55	38	9	1	-
Male	29	14	29	24	19	17	29	16	6	1	-	-
Female	15	13	27	21	28	33	37	39	32	8	1	-
Other and unknown Hispanic	70	50	62	75	115	96	101	143	90	32	17	2
Male	44	32	33	43	53	40	35	51	31	8	3	2
Female	26	18	29	32	62	56	66	92	59	24	14	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)												
Non-Hispanic 1/	7,038	7,064	7,999	10,110	14,396	21,150	26,909	29,462	22,146	9,608	2,074	11
Male	4,106	3,822	4,265	5,189	6,915	9,077	10,078	8,966	5,111	1,667	241	10
Female	2,932	3,242	3,734	4,921	7,481	12,073	16,831	20,496	17,035	7,941	1,833	1
Non-Hispanic white	5,303	5,553	6,429	8,415	12,392	18,647	24,343	26,949	20,435	8,830	1,786	6
Male	3,146	3,007	3,469	4,333	5,979	7,992	9,148	8,203	4,674	1,494	192	5
Female	2,157	2,546	2,960	4,082	6,413	10,655	15,195	18,746	15,761	7,336	1,594	1
Non-Hispanic black	1,577	1,341	1,350	1,498	1,738	2,170	2,245	2,160	1,480	684	262	5
Male	875	722	689	767	803	948	819	622	346	141	42	5
Female	702	619	661	731	935	1,222	1,426	1,538	1,134	543	220	-
Origin not stated 2/	44	41	26	37	42	50	63	69	52	28	8	3
Male	32	31	21	20	21	28	22	19	17	6	-	3
Female	12	10	5	17	21	22	41	50	35	22	8	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
All origins	5,875	4,159	3,499	3,506	4,329	5,972	6,716	6,266	4,074	1,519	312	120
Male	4,224	2,872	2,356	2,200	2,551	3,310	3,342	2,730	1,486	381	60	104
Female	1,651	1,287	1,143	1,306	1,778	2,662	3,374	3,536	2,588	1,138	252	16
Hispanic	451	313	251	205	249	222	187	140	84	36	6	29
Male	341	213	178	130	145	136	99	59	35	8	2	26
Female	110	100	73	75	104	86	88	81	49	28	4	3
Mexican	251	175	157	111	153	122	97	74	44	17	3	11
Male	201	128	117	71	88	73	53	36	22	5	1	9
Female	50	47	40	40	65	49	44	38	22	12	2	2
Puerto Rican	58	37	27	15	23	22	18	11	9	1	-	-
Male	44	30	17	10	15	14	12	2	4	-	-	-
Female	14	7	10	5	8	8	6	9	5	1	-	-
Cuban	17	14	14	18	31	29	26	18	6	9	-	-
Male	10	11	12	12	19	18	10	8	2	1	-	-
Female	7	3	2	6	12	11	16	10	4	8	-	-
Central and South American	68	53	30	33	20	16	18	14	7	2	1	-
Male	41	24	19	19	10	6	8	4	1	2	-	-
Female	27	29	11	14	10	10	10	10	6	-	1	-
Other and unknown Hispanic	57	34	23	28	22	33	28	23	18	7	2	18
Male	45	20	13	18	13	25	16	9	6	-	1	17
Female	12	14	10	10	9	8	12	14	12	7	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Non-Hispanic 1/	5,391	3,816	3,226	3,286	4,061	5,738	6,507	6,114	3,980	1,475	305	36
Male	3,853	2,636	2,159	2,062	2,393	3,166	3,231	2,667	1,447	372	58	29
Female	1,538	1,180	1,067	1,224	1,668	2,572	3,276	3,447	2,533	1,103	247	7
Non-Hispanic white	4,343	3,132	2,644	2,784	3,525	5,160	5,997	5,711	3,729	1,376	276	25
Male	3,093	2,142	1,763	1,748	2,089	2,838	2,962	2,482	1,348	339	51	22
Female	1,250	990	881	1,036	1,436	2,322	3,035	3,229	2,381	1,037	225	3
Non-Hispanic black	891	568	477	415	421	447	383	295	196	73	25	8
Male	656	416	334	268	237	256	205	122	73	21	6	6
Female	235	152	143	147	184	191	178	173	123	52	19	2
Origin not stated 2/	33	30	22	15	19	12	22	12	10	8	1	55
Male	30	23	19	8	13	8	12	4	4	1	-	49
Female	3	7	3	7	6	4	10	8	6	7	1	6

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
All origins	2,872	2,152	1,709	1,567	1,715	1,943	1,564	903	304	63	2	43
Male	2,032	1,467	1,164	974	1,041	1,106	877	492	163	28	1	37
Female	840	685	545	593	674	837	687	411	141	35	1	6
Hispanic	244	180	151	114	115	99	68	27	9	2	-	10
Male	174	107	107	73	68	67	47	16	6	1	-	8
Female	70	73	44	41	47	32	21	11	3	1	-	2
Mexican	138	99	92	62	65	56	32	18	7	1	-	7
Male	108	69	73	41	41	41	21	12	5	1	-	5
Female	30	30	19	21	24	15	11	6	2	-	-	2
Puerto Rican	17	15	14	5	11	11	10	2	1	-	-	-
Male	12	12	8	4	5	7	8	-	1	-	-	-
Female	5	3	6	1	6	4	2	2	-	-	-	-
Cuban	12	6	9	9	18	16	8	3	-	1	-	-
Male	6	4	7	6	12	11	4	3	-	-	-	-
Female	6	2	2	3	6	5	4	-	-	1	-	-
Central and South American	54	44	25	23	13	7	11	3	1	-	-	-
Male	30	16	15	12	6	2	8	1	-	-	-	-
Female	24	28	10	11	7	5	3	2	1	-	-	-
Other and unknown Hispanic	23	16	11	15	8	9	7	1	-	-	-	3
Male	18	6	4	10	4	6	6	-	-	-	-	3
Female	5	10	7	5	4	3	1	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
Non-Hispanic 1/	2,614	1,964	1,549	1,452	1,592	1,841	1,489	874	294	60	2	15
Male	1,845	1,356	1,049	901	968	1,038	827	475	157	26	1	12
Female	769	608	500	551	624	803	662	399	137	34	1	3
Non-Hispanic white	2,180	1,650	1,287	1,235	1,393	1,668	1,376	814	277	55	2	8
Male	1,554	1,136	873	765	852	931	767	436	149	25	1	7
Female	626	514	414	470	541	737	609	378	128	30	1	1
Non-Hispanic black	335	249	206	171	136	126	72	38	14	5	-	7
Male	234	182	150	111	74	84	39	23	7	1	-	5
Female	101	67	56	60	62	42	33	15	7	4	-	2
Origin not stated 2/	14	8	9	1	8	3	7	2	1	1	-	18
Male	13	4	8	-	5	1	3	1	-	1	-	17
Female	1	4	1	1	3	2	4	1	1	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

All origins	2,553	1,939	1,526	1,409	1,581	1,823	1,489	868	294	59	2	33
Male	1,774	1,296	1,013	846	940	1,027	832	478	157	28	1	27
Female	779	643	513	563	641	796	657	390	137	31	1	6
Hispanic	204	152	127	96	105	83	63	22	8	2	-	8
Male	148	93	91	61	62	56	43	13	5	1	-	6
Female	56	59	36	35	43	27	20	9	3	1	-	2
Mexican	125	91	81	58	63	50	30	16	6	1	-	5
Male	99	62	64	38	39	36	19	10	4	1	-	3
Female	26	29	17	20	24	14	11	6	2	-	-	2
Puerto Rican	13	13	13	4	11	9	9	1	1	-	-	-
Male	8	10	7	3	5	5	8	-	1	-	-	-
Female	5	3	6	1	6	4	1	1	-	-	-	-
Cuban	12	6	9	9	18	14	8	3	-	1	-	-
Male	6	4	7	6	12	10	4	3	-	-	-	-
Female	6	2	2	3	6	4	4	-	-	1	-	-
Central and South American	33	26	13	12	6	3	9	1	1	-	-	-
Male	19	11	9	6	3	-	6	-	-	-	-	-
Female	14	15	4	6	3	3	3	1	1	-	-	-
Other and unknown Hispanic	21	16	11	13	7	7	7	1	-	-	-	3
Male	16	6	4	8	3	5	6	-	-	-	-	3
Female	5	10	7	5	4	2	1	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Non-Hispanic 1/	2,337	1,781	1,392	1,312	1,468	1,737	1,419	844	285	56	2	11
Male	1,615	1,200	916	785	873	970	786	464	152	26	1	8
Female	722	581	476	527	595	767	633	380	133	30	1	3
Non-Hispanic white	1,942	1,500	1,152	1,120	1,278	1,578	1,313	789	270	52	2	8
Male	1,355	1,011	753	671	765	870	730	427	145	25	1	7
Female	587	489	399	449	513	708	583	362	125	27	1	1
Non-Hispanic black	306	223	187	152	131	115	69	37	13	4	-	3
Male	212	157	138	94	69	78	38	23	7	1	-	1
Female	94	66	49	58	62	37	31	14	6	3	-	2
Origin not stated 2/	12	6	7	1	8	3	7	2	1	1	-	14
Male	11	3	6	-	5	1	3	1	-	1	-	13
Female	1	3	1	1	3	2	4	1	1	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All origins	105	67	66	64	53	59	39	20	7	2	-	10
Male	84	56	48	50	34	38	18	6	4	-	-	10
Female	21	11	18	14	19	21	21	14	3	2	-	-
Hispanic	10	7	7	3	2	11	2	2	1	-	-	2
Male	9	6	6	2	2	9	1	1	1	-	-	2
Female	1	1	1	1	-	2	1	1	-	-	-	-
Mexican	6	6	6	3	2	5	1	1	1	-	-	2
Male	5	5	5	2	2	5	1	1	1	-	-	2
Female	1	1	1	1	-	-	-	-	-	-	-	-
Puerto Rican	-	1	-	-	-	2	1	1	-	-	-	-
Male	-	1	-	-	-	2	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	1	-	-	-	-
Cuban	-	-	-	-	-	2	-	-	-	-	-	-
Male	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	-	-	-	-	-
Central and South American	2	-	1	-	-	-	-	-	-	-	-	-
Male	2	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	2	-	-	-	-	2	-	-	-	-	-	-
Male	2	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Nontransport accidents (W00-X59,Y86)												
All origins	3,003	2,007	1,790	1,939	2,614	4,029	5,152	5,363	3,770	1,456	310	77
Male	2,192	1,405	1,192	1,226	1,510	2,204	2,465	2,238	1,323	353	59	67
Female	811	602	598	713	1,104	1,825	2,687	3,125	2,447	1,103	251	10
Hispanic	207	133	100	91	134	123	119	113	75	34	6	19
Male	167	106	71	57	77	69	52	43	29	7	2	18
Female	40	27	29	34	57	54	67	70	46	27	4	1
Mexican	113	76	65	49	88	66	65	56	37	16	3	4
Male	93	59	44	30	47	32	32	24	17	4	1	4
Female	20	17	21	19	41	34	33	32	20	12	2	-
Puerto Rican	41	22	13	10	12	11	8	9	8	1	-	-
Male	32	18	9	6	10	7	4	2	3	-	-	-
Female	9	4	4	4	2	4	4	7	5	1	-	-
Cuban	5	8	5	9	13	13	18	15	6	8	-	-
Male	4	7	5	6	7	7	6	5	2	1	-	-
Female	1	1	-	3	6	6	12	10	4	7	-	-
Central and South American	14	9	5	10	7	9	7	11	6	2	1	-
Male	11	8	4	7	4	4	-	3	1	2	-	-
Female	3	1	1	3	3	5	7	8	5	-	1	-
Other and unknown Hispanic	34	18	12	13	14	24	21	22	18	7	2	15
Male	27	14	9	8	9	19	10	9	6	-	1	14
Female	7	4	3	5	5	5	11	13	12	7	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Nontransport accidents (W00-X59,Y86)												
Non-Hispanic 1/	2,777	1,852	1,677	1,834	2,469	3,897	5,018	5,240	3,686	1,415	303	21
Male	2,008	1,280	1,110	1,161	1,425	2,128	2,404	2,192	1,290	346	57	17
Female	769	572	567	673	1,044	1,769	2,614	3,048	2,396	1,069	246	4
Non-Hispanic white	2,163	1,482	1,357	1,549	2,132	3,492	4,621	4,897	3,452	1,321	274	17
Male	1,539	1,006	890	983	1,237	1,907	2,195	2,046	1,199	314	50	15
Female	624	476	467	566	895	1,585	2,426	2,851	2,253	1,007	224	2
Non-Hispanic black	556	319	271	244	285	321	311	257	182	68	25	1
Male	422	234	184	157	163	172	166	99	66	20	6	1
Female	134	85	87	87	122	149	145	158	116	48	19	-
Origin not stated 2/	19	22	13	14	11	9	15	10	9	7	1	37
Male	17	19	11	8	8	7	9	3	4	-	-	32
Female	2	3	2	6	3	2	6	7	5	7	1	5

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Falls (W00-W19)												
All origins	504	463	541	747	1,086	1,873	2,567	2,647	1,850	718	135	4
Male	395	344	374	469	621	1,041	1,236	1,149	655	188	31	3
Female	109	119	167	278	465	832	1,331	1,498	1,195	530	104	1
Hispanic	36	40	38	35	68	67	64	53	38	17	4	1
Male	26	32	30	21	36	33	29	20	14	3	1	1
Female	10	8	8	14	32	34	35	33	24	14	3	-
Mexican	25	22	25	23	47	38	32	23	17	7	1	1
Male	18	16	20	13	24	17	17	10	6	2	-	1
Female	7	6	5	10	23	21	15	13	11	5	1	-
Puerto Rican	3	7	6	3	5	4	6	3	2	1	-	-
Male	2	6	4	2	3	2	4	-	1	-	-	-
Female	1	1	2	1	2	2	2	3	1	1	-	-
Cuban	3	4	2	2	5	8	11	5	5	3	-	-
Male	2	3	2	1	2	4	2	2	1	1	-	-
Female	1	1	-	1	3	4	9	3	4	2	-	-
Central and South American	2	4	1	5	4	6	4	8	5	-	1	-
Male	1	4	1	4	2	2	-	2	1	-	-	-
Female	1	-	-	1	2	4	4	6	4	-	1	-
Other and unknown Hispanic	3	3	4	2	7	11	11	14	9	6	2	-
Male	3	3	3	1	5	8	6	6	5	-	1	-
Female	-	-	1	1	2	3	5	8	4	6	1	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Falls (W00-W19)												
Non-Hispanic 1/	468	421	500	704	1,014	1,805	2,494	2,588	1,808	697	130	-
Male	369	310	341	443	581	1,007	1,202	1,127	640	185	30	-
Female	99	111	159	261	433	798	1,292	1,461	1,168	512	100	-
Non-Hispanic white	395	350	430	618	922	1,675	2,369	2,465	1,727	666	120	-
Male	308	259	292	389	532	933	1,134	1,068	607	169	26	-
Female	87	91	138	229	390	742	1,235	1,397	1,120	497	94	-
Non-Hispanic black	66	55	53	72	71	94	79	69	49	16	7	-
Male	55	40	36	46	39	52	45	29	19	8	3	-
Female	11	15	17	26	32	42	34	40	30	8	4	-
Origin not stated 2/	-	2	3	8	4	1	9	6	4	4	1	3
Male	-	2	3	5	4	1	5	2	1	-	-	2
Female	-	-	-	3	-	-	4	4	3	4	1	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Accidental exposure to smoke, fire and flames (X00-X09)

All origins	206	215	163	190	221	225	198	159	72	18	2	3
Male	137	142	94	112	117	106	98	69	30	8	1	3
Female	69	73	69	78	104	119	100	90	42	10	1	-
Hispanic	5	7	6	5	4	4	5	9	-	1	-	-
Male	1	6	3	3	3	3	2	4	-	-	-	-
Female	4	1	3	2	1	1	3	5	-	1	-	-
Mexican	3	6	4	2	2	2	3	6	-	1	-	-
Male	1	5	2	1	2	1	2	4	-	-	-	-
Female	2	1	2	1	-	1	1	2	-	1	-	-
Puerto Rican	1	-	-	1	1	1	-	1	-	-	-	-
Male	-	-	-	-	1	1	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	1	-	-	-	-
Cuban	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	1	-	-	-	-	-	-	-
Central and South American	-	-	-	1	-	-	1	1	-	-	-	-
Male	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	1	-	-	-	-
Other and unknown Hispanic	1	1	2	1	-	1	1	1	-	-	-	-
Male	-	1	1	1	-	1	-	-	-	-	-	-
Female	1	-	1	-	-	-	1	1	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
Non-Hispanic 1/	198	206	155	183	215	219	193	150	71	17	2	2
Male	134	134	90	108	114	103	96	65	29	8	1	2
Female	64	72	65	75	101	116	97	85	42	9	1	-
Non-Hispanic white	141	146	115	133	158	164	147	117	53	9	1	2
Male	92	97	63	77	80	73	76	53	21	4	-	2
Female	49	49	52	56	78	91	71	64	32	5	1	-
Non-Hispanic black	51	53	36	46	53	49	43	31	17	8	1	-
Male	39	32	24	28	33	26	18	11	7	4	1	-
Female	12	21	12	18	20	23	25	20	10	4	-	-
Origin not stated 2/	3	2	2	2	2	2	-	-	1	-	-	1
Male	2	2	1	1	-	-	-	-	1	-	-	1
Female	1	-	1	1	2	2	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
All origins	1,281	530	268	161	130	153	126	91	47	12	2	10
Male	893	341	159	88	82	83	54	28	18	2	1	10
Female	388	189	109	73	48	70	72	63	29	10	1	-
Hispanic	98	49	15	10	9	2	5	-	-	1	-	1
Male	83	40	10	7	6	2	1	-	-	-	-	1
Female	15	9	5	3	3	-	4	-	-	1	-	-
Mexican	40	23	8	6	5	1	3	-	-	-	-	-
Male	34	17	5	5	4	1	-	-	-	-	-	-
Female	6	6	3	1	1	-	3	-	-	-	-	-
Puerto Rican	28	12	3	-	1	-	-	-	-	-	-	-
Male	25	11	2	-	1	-	-	-	-	-	-	-
Female	3	1	1	-	-	-	-	-	-	-	-	-
Cuban	1	1	-	2	1	-	-	-	-	1	-	-
Male	1	1	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	1	1	-	-	-	-	1	-	-
Central and South American	7	2	-	-	-	-	-	-	-	-	-	-
Male	6	2	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	22	11	4	2	2	1	2	-	-	-	-	1
Male	17	9	3	1	1	1	1	-	-	-	-	1
Female	5	2	1	1	1	-	1	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All origins	825	646	696	744	1,082	1,669	2,172	2,404	1,784	704	171	24
Male	614	461	472	480	617	897	1,016	950	610	155	26	21
Female	211	185	224	264	465	772	1,156	1,454	1,174	549	145	3
Hispanic	61	35	35	37	51	45	44	48	37	15	2	4
Male	51	27	22	24	30	26	20	16	15	4	1	4
Female	10	8	13	13	21	19	24	32	22	11	1	-
Mexican	39	23	25	18	34	24	27	26	20	8	2	-
Male	35	20	14	11	17	12	13	9	11	2	1	-
Female	4	3	11	7	17	12	14	17	9	6	1	-
Puerto Rican	9	3	3	5	4	6	1	5	6	-	-	-
Male	5	1	2	4	4	4	-	2	2	-	-	-
Female	4	2	1	1	-	2	1	3	4	-	-	-
Cuban	1	3	2	3	6	4	7	10	1	4	-	-
Male	1	3	2	2	5	2	4	3	1	-	-	-
Female	-	-	-	1	1	2	3	7	-	4	-	-
Central and South American	5	3	3	4	2	3	2	1	1	2	-	-
Male	4	2	2	2	1	2	-	-	-	2	-	-
Female	1	1	1	2	1	1	2	1	1	-	-	-
Other and unknown Hispanic	7	3	2	7	5	8	7	6	9	1	-	4
Male	6	1	2	5	3	6	3	2	1	-	-	4
Female	1	2	-	2	2	2	4	4	8	1	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
Non-Hispanic 1/	762	604	658	705	1,027	1,619	2,122	2,352	1,743	686	169	6
Male	561	428	448	456	584	866	992	933	593	151	25	6
Female	201	176	210	249	443	753	1,130	1,419	1,150	535	144	-
Non-Hispanic white	622	504	529	594	868	1,431	1,928	2,182	1,615	633	153	6
Male	452	352	367	387	499	772	886	865	544	140	24	6
Female	170	152	162	207	369	659	1,042	1,317	1,071	493	129	-
Non-Hispanic black	116	84	114	95	137	155	162	143	109	42	15	-
Male	87	63	71	61	73	75	90	53	39	7	1	-
Female	29	21	43	34	64	80	72	90	70	35	14	-
Origin not stated 2/	2	7	3	2	4	5	6	4	4	3	-	14
Male	2	6	2	-	3	5	4	1	2	-	-	11
Female	-	1	1	2	1	-	2	3	2	3	-	3

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY

RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------	----------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0) 3/

All origins	2,682	1,985	1,332	1,212	1,220	1,219	973	538	200	28	3	15
Male	2,020	1,534	1,029	1,001	1,039	1,033	852	468	168	25	3	14
Female	662	451	303	211	181	186	121	70	32	3	-	1
Hispanic	109	65	49	42	44	24	25	14	6	2	-	2
Male	86	56	44	39	38	23	22	14	6	2	-	2
Female	23	9	5	3	6	1	3	-	-	-	-	-
Mexican	52	30	19	20	17	6	6	5	3	2	-	-
Male	42	28	16	19	15	6	6	5	3	2	-	-
Female	10	2	3	1	2	-	-	-	-	-	-	-
Puerto Rican	8	7	8	5	-	4	-	-	-	-	-	-
Male	6	6	7	4	-	4	-	-	-	-	-	-
Female	2	1	1	1	-	-	-	-	-	-	-	-
Cuban	16	15	12	6	17	10	10	9	3	-	-	-
Male	10	12	12	5	14	9	8	9	3	-	-	-
Female	6	3	-	1	3	1	2	-	-	-	-	-
Central and South American	11	7	3	3	3	-	4	-	-	-	-	-
Male	9	5	3	3	3	-	3	-	-	-	-	-
Female	2	2	-	-	-	-	1	-	-	-	-	-
Other and unknown Hispanic	22	6	7	8	7	4	5	-	-	-	-	2
Male	19	5	6	8	6	4	5	-	-	-	-	2
Female	3	1	1	-	1	-	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------	----------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0) /3

All origins	1,211	790	444	355	319	299	245	156	65	10	1	9
Male	778	514	278	240	208	187	167	108	42	7	1	8
Female	433	276	166	115	111	112	78	48	23	3	-	1
Hispanic	61	33	22	18	23	12	11	10	3	1	-	1
Male	44	24	19	16	17	11	8	10	3	1	-	1
Female	17	9	3	2	6	1	3	-	-	-	-	-
Mexican	25	14	8	6	7	2	1	3	1	1	-	-
Male	19	12	7	5	5	2	1	3	1	1	-	-
Female	6	2	1	1	2	-	-	-	-	-	-	-
Puerto Rican	7	4	4	3	-	3	-	-	-	-	-	-
Male	5	3	3	3	-	3	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-
Cuban	13	9	5	4	12	6	7	7	2	-	-	-
Male	8	6	5	3	9	5	5	7	2	-	-	-
Female	5	3	-	1	3	1	2	-	-	-	-	-
Central and South American	7	3	1	3	2	-	2	-	-	-	-	-
Male	5	1	1	3	2	-	1	-	-	-	-	-
Female	2	2	-	-	-	-	1	-	-	-	-	-
Other and unknown Hispanic	9	3	4	2	2	1	1	-	-	-	-	1
Male	7	2	3	2	1	1	1	-	-	-	-	1
Female	2	1	1	-	1	-	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1) /3												
All origins	1,004	628	390	310	222	183	129	71	29	4	1	32
Male	747	461	262	204	128	98	57	33	7	1	1	23
Female	257	167	128	106	94	85	72	38	22	3	-	9
Hispanic	92	46	36	31	14	7	9	2	1	-	-	8
Male	69	33	26	24	9	4	4	1	1	-	-	5
Female	23	13	10	7	5	3	5	1	-	-	-	3
Mexican	46	22	21	11	5	4	3	1	-	-	-	3
Male	33	18	16	8	3	4	1	1	-	-	-	2
Female	13	4	5	3	2	-	2	-	-	-	-	1
Puerto Rican	17	9	4	4	4	1	2	-	-	-	-	-
Male	12	6	3	4	2	-	1	-	-	-	-	-
Female	5	3	1	-	2	1	1	-	-	-	-	-
Cuban	6	3	5	5	1	1	1	1	-	-	-	-
Male	4	2	4	4	1	-	-	-	-	-	-	-
Female	2	1	1	1	-	1	1	1	-	-	-	-
Central and South American	13	8	2	8	2	-	-	-	-	-	-	1
Male	12	4	1	6	2	-	-	-	-	-	-	1
Female	1	4	1	2	-	-	-	-	-	-	-	-
Other and unknown Hispanic	10	4	4	3	2	1	3	-	1	-	-	4
Male	8	3	2	2	1	-	2	-	1	-	-	2
Female	2	1	2	1	1	1	1	-	-	-	-	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1) /3												
Non-Hispanic 1/	899	571	345	274	206	176	120	69	28	3	1	11
Male	667	422	229	176	118	94	53	32	6	-	1	9
Female	232	149	116	98	88	82	67	37	22	3	-	2
Non-Hispanic white	581	408	244	191	151	132	93	61	21	3	-	7
Male	420	292	162	116	81	69	41	27	4	-	-	5
Female	161	116	82	75	70	63	52	34	17	3	-	2
Non-Hispanic black	271	138	81	69	48	40	23	7	6	-	1	4
Male	211	109	56	50	35	25	9	4	2	-	1	4
Female	60	29	25	19	13	15	14	3	4	-	-	-
Origin not stated 2/	13	11	9	5	2	-	-	-	-	1	-	13
Male	11	6	7	4	1	-	-	-	-	1	-	9
Female	2	5	2	1	1	-	-	-	-	-	-	4

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1) /3

All origins	622	415	239	196	144	122	91	59	27	2	1	21
Male	455	302	157	125	84	60	41	27	7	-	1	12
Female	167	113	82	71	60	62	50	32	20	2	-	9
Hispanic	56	32	30	20	11	7	6	1	1	-	-	5
Male	41	22	22	15	8	4	4	-	1	-	-	2
Female	15	10	8	5	3	3	2	1	-	-	-	3
Mexican	21	15	16	8	4	4	2	-	-	-	-	2
Male	13	11	13	6	3	4	1	-	-	-	-	1
Female	8	4	3	2	1	-	1	-	-	-	-	1
Puerto Rican	13	9	4	3	3	1	1	-	-	-	-	-
Male	9	6	3	3	2	-	1	-	-	-	-	-
Female	4	3	1	-	1	1	-	-	-	-	-	-
Cuban	5	2	4	2	1	1	-	1	-	-	-	-
Male	4	2	3	1	1	-	-	-	-	-	-	-
Female	1	-	1	1	-	1	-	1	-	-	-	-
Central and South American	9	4	2	6	1	-	-	-	-	-	-	1
Male	8	2	1	4	1	-	-	-	-	-	-	1
Female	1	2	1	2	-	-	-	-	-	-	-	-
Other and unknown Hispanic	8	2	4	1	2	1	3	-	1	-	-	2
Male	7	1	2	1	1	-	2	-	1	-	-	-
Female	1	1	2	-	1	1	1	-	-	-	-	2

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All origins	371	152	73	58	41	53	55	22	11	9	2	18
Male	229	105	41	40	24	28	29	12	6	2	-	16
Female	142	47	32	18	17	25	26	10	5	7	2	2
Hispanic	23	5	4	4	2	1	1	2	2	-	-	2
Male	17	5	2	3	2	-	1	2	1	-	-	2
Female	6	-	2	1	-	1	-	-	1	-	-	-
Mexican	11	2	2	-	1	-	-	1	2	-	-	1
Male	8	2	1	-	1	-	-	1	1	-	-	1
Female	3	-	1	-	-	-	-	-	1	-	-	-
Puerto Rican	6	2	1	1	1	-	1	-	-	-	-	-
Male	3	2	1	1	1	-	1	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	2	-	1	-	-	1	-	-	-	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	1	-	-	1	-	-	-	-	-	-
Other and unknown Hispanic	4	1	-	3	-	-	-	1	-	-	-	1
Male	4	1	-	2	-	-	-	1	-	-	-	1
Female	-	-	-	1	-	-	-	-	-	-	-	-

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Complications of medical and surgical care (Y40-Y84,Y88)

All origins	141	178	206	247	320	439	425	315	186	56	7	1
Male	68	91	105	116	149	192	191	119	55	13	2	-
Female	73	87	101	131	171	247	234	196	131	43	5	1
Hispanic	8	5	8	17	8	18	11	5	8	2	-	1
Male	2	1	7	6	2	8	6	2	4	2	-	-
Female	6	4	1	11	6	10	5	3	4	-	-	1
Mexican	8	3	4	6	7	12	3	2	1	2	-	-
Male	2	-	4	3	2	6	2	1	-	2	-	-
Female	6	3	-	3	5	6	1	1	1	-	-	-
Puerto Rican	-	1	2	2	-	3	-	1	1	-	-	-
Male	-	-	1	-	-	1	-	-	1	-	-	-
Female	-	1	1	2	-	2	-	1	-	-	-	-
Cuban	-	-	-	3	1	1	4	1	2	-	-	-
Male	-	-	-	2	-	-	2	-	1	-	-	-
Female	-	-	-	1	1	1	2	1	1	-	-	-
Central and South American	-	-	1	2	-	1	-	-	2	-	-	-
Male	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	2	-	1	-	-	2	-	-	-
Other and unknown Hispanic	-	1	1	4	-	1	4	1	2	-	-	1
Male	-	1	1	1	-	1	2	1	2	-	-	-
Female	-	-	-	3	-	-	2	-	-	-	-	1

[RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	-------------------

Complications of medical and surgical care (Y40-Y84,Y88)

Non-Hispanic 1/	133	173	196	228	309	419	412	310	177	54	7	-
Male	66	90	98	108	146	184	184	117	51	11	2	-
Female	67	83	98	120	163	235	228	193	126	43	5	-
Non-Hispanic white	99	132	147	180	237	367	368	262	151	48	6	-
Male	47	65	72	88	109	163	170	101	41	9	1	-
Female	52	67	75	92	128	204	198	161	110	39	5	-
Non-Hispanic black	31	38	46	42	62	46	40	46	23	6	1	-
Male	18	22	25	20	33	17	13	14	9	2	1	-
Female	13	16	21	22	29	29	27	32	14	4	-	-
Origin not stated 2/	-	-	2	2	3	2	2	-	1	-	-	-
Male	-	-	-	2	1	-	1	-	-	-	-	-
Female	-	-	2	-	2	2	1	-	1	-	-	-

- QUANTITY ZERO.

... CATEGORY NOT APPLICABLE.

1/ INCLUDES RACES OTHER THAN WHITE AND BLACK.

2/ INCLUDES DEATHS FOR WHICH HISPANIC ORIGIN WAS NOT REPORTED ON THE DEATH CERTIFICATE.

3/ FIGURES INCLUDE SEPTEMBER 11, 2001 RELATED DEATHS FOR WHICH DEATH CERTIFICATES WERE FILED AS OF 10/24/02; SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001."

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.